

**ADVANCED INSTITUTE OF FERTILITY
ARLINGTON HEIGHTS, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	94%	Procedural factors:	Tubal factor	9%	Uterine factor	9%	
GIFT	0%		Male factor	41%	Other factors	9%	
ZIFT	0%	With ICSI	68%	Ovulatory dysfunction	23%	Unexplained	0%
Combination	6%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by K. P. Katayama, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	10	2	1
Percentage of cycles resulting in pregnancies ^b	6/18	2/10	0/2	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/18	2/10	0/2	0/1
Percentage of retrievals resulting in live births ^{b,c}	6/16	2/9	0/2	0/1
Percentage of transfers resulting in live births ^{b,c}	6/15	2/6	0/2	0/1
Percentage of cancellations ^b	2/18	1/10	0/2	0/1
Average number of embryos transferred	4.0	3.0	3.5	4.0
Percentage of pregnancies with twins ^b	2/6	0/2		
Percentage of pregnancies with triplets or more ^b	1/6	0/2		
Percentage of live births having multiple infants ^{b,c}	3/6	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	2/3		
Average number of embryos transferred	3.5	3.7		
Donor Eggs				
Number of fresh embryo transfers	0	1	1	1
Percentage of fresh transfers resulting in live births ^{b,c}		1/1	0/1	1/1
Average number of fresh embryos transferred		3.0	2.0	2.0
Number of frozen embryo transfers	0	0	2	0
Percentage of frozen transfers resulting in live births ^{b,c}			0/2	
Average number of frozen embryos transferred			2.5	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Institute of Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	99%	Procedural factors:	Tubal factor	21%	Uterine factor	0%
GIFT	<1%		Male factor	34%	Other factors	<1%
ZIFT	0%		With ICSI	30%	Ovulatory dysfunction	30%
Combination	0%		Unstimulated	0%	Endometriosis	14%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	54	35	9	7
Percentage of cycles resulting in pregnancies ^b	18.5	8.6	0/9	1/7
Percentage of cycles resulting in live births ^{b,c}	14.8	5.7	0/9	0/7
(Reliability Range)	(5.3 - 24.3)	(0.0 - 13.4)		
Percentage of retrievals resulting in live births ^{b,c}	18.6	6.9	0/5	0/5
Percentage of transfers resulting in live births ^{b,c}	19.5	7.1	0/4	0/5
Percentage of cancellations ^b	20.4	17.1	4/9	2/7
Average number of embryos transferred	3.7	4.1	5.0	5.0
Percentage of pregnancies with twins ^b	0/10	2/3		0/1
Percentage of pregnancies with triplets or more ^b	2/10	0/3		0/1
Percentage of live births having multiple infants ^{b,c}	1/8	2/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	0	1	1
Percentage of transfers resulting in live births ^{b,c}	0/5		0/1	0/1
Average number of embryos transferred	3.6		1.0	2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Rush-Copley Center for Reproductive Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR HUMAN REPRODUCTION CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	16%	Uterine factor	1%		
GIFT	0%		Male factor	17%	Other factors	25%		
ZIFT	0%		With ICSI	67%	Ovulatory dysfunction	22%	Unexplained	2%
Combination	<1%		Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Vishvanath C. Karande, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	584	277	188	55
Percentage of cycles resulting in pregnancies ^b	28.4	25.6	14.9	14.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.4 (19.0 - 25.8)	19.1 (14.5 - 23.8)	11.7 (7.1 - 16.3)	9.1 (1.5 - 16.7)
Percentage of retrievals resulting in live births ^{b,c}	25.0	23.6	16.1	12.8
Percentage of transfers resulting in live births ^{b,c}	31.6	29.9	21.6	17.9
Percentage of cancellations ^b	10.3	18.8	27.1	29.1
Average number of embryos transferred	3.0	3.1	3.3	3.3
Percentage of pregnancies with twins ^b	30.1	28.2	25.0	2/8
Percentage of pregnancies with triplets or more ^b	12.7	18.3	7.1	1/8
Percentage of live births having multiple infants ^{b,c}	42.0	41.5	31.8	2/5
Frozen Embryos From Nondonor Eggs				
Number of transfers	132	65	22	16
Percentage of transfers resulting in live births ^{b,c}	36.4	30.8	18.2	2/16
Average number of embryos transferred	2.8	2.9	3.2	3.2
Donor Eggs				
Number of fresh embryo transfers	12	14	6	32
Percentage of fresh transfers resulting in live births ^{b,c}	4/12	4/14	1/6	40.6
Average number of fresh embryos transferred	2.8	3.4	2.5	3.0
Number of frozen embryo transfers	9	6	4	8
Percentage of frozen transfers resulting in live births ^{b,c}	1/9	1/6	0/4	2/8
Average number of frozen embryos transferred	2.7	3.7	3.5	2.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Human Reproduction

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

IVF ILLINOIS, INC. CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	26%	Uterine factor	1%
GIFT	0%			Male factor	19%	Other factors	2%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	24%	Unexplained	19%
Combination	<1%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Aaron S. Lifchez, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	299	165	157	117
Percentage of cycles resulting in pregnancies ^b	31.1	21.2	19.7	7.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.8 (22.7 - 32.8)	17.6 (11.8 - 23.4)	15.3 (9.7 - 20.9)	6.8 (2.3 - 11.4)
Percentage of retrievals resulting in live births ^{b,c}	30.7	21.8	18.2	8.8
Percentage of transfers resulting in live births ^{b,c}	32.2	22.8	20.7	10.7
Percentage of cancellations ^b	9.7	19.4	15.9	22.2
Average number of embryos transferred	3.0	2.8	2.7	2.4
Percentage of pregnancies with twins ^b	34.4	25.7	16.1	0/9
Percentage of pregnancies with triplets or more ^b	7.5	0.0	0.0	0/9
Percentage of live births having multiple infants ^{b,c}	39.8	31.0	16.7	0/8
Frozen Embryos From Nondonor Eggs				
Number of transfers	28	7	8	1
Percentage of transfers resulting in live births ^{b,c}	14.3	1/7	1/8	0/1
Average number of embryos transferred	3.2	2.9	3.1	1.0
Donor Eggs				
Number of fresh embryo transfers	4	7	7	33
Percentage of fresh transfers resulting in live births ^{b,c}	0/4	2/7	0/7	27.3
Average number of fresh embryos transferred	3.5	2.9	3.3	3.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IVF Illinois, Inc.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	99%	Procedural factors:	Tubal factor	15%	Uterine factor	1%	
GIFT	0%		Male factor	28%	Other factors	14%	
ZIFT	<1%	With ICSI	49%	Ovulatory dysfunction	20%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Edmond Confino, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	36	40	25
Percentage of cycles resulting in pregnancies ^b	44.6	44.4	35.0	8.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	38.5 (26.6 - 50.3)	30.6 (15.5 - 45.6)	27.5 (13.7 - 41.3)	8.0 (0.0 - 18.6)
Percentage of retrievals resulting in live births ^{b,c}	38.5	31.4	28.2	8.0
Percentage of transfers resulting in live births ^{b,c}	41.0	31.4	28.2	8.3
Percentage of cancellations ^b	0.0	2.8	2.5	0.0
Average number of embryos transferred	3.7	4.2	5.0	5.3
Percentage of pregnancies with twins ^b	34.5	6/16	4/14	0/2
Percentage of pregnancies with triplets or more ^b	3.4	2/16	3/14	0/2
Percentage of live births having multiple infants ^{b,c}	40.0	6/11	5/11	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	25	8	9	16
Percentage of transfers resulting in live births ^{b,c}	36.0	2/8	2/9	4/16
Average number of embryos transferred	3.6	3.6	3.8	4.2
Donor Eggs				
Number of fresh embryo transfers	2	2	4	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/2	0/4	2/6
Average number of fresh embryos transferred	3.0	2.5	4.5	3.7
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		1/1
Average number of frozen embryos transferred		4.0		4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Northwestern University

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

RUSH CENTER FOR ADVANCED REPRODUCTIVE CARE CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	94%	Procedural factors:	Tubal factor	24%	Uterine factor	7%	
GIFT	3%		Male factor	15%	Other factors	7%	
ZIFT	2%	With ICSI	26%	Ovulatory dysfunction	29%	Unexplained	<1%
Combination	<1%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	110	64	47	62
Percentage of cycles resulting in pregnancies ^b	21.8	20.3	19.1	3.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	10.9 (5.1 - 16.7)	18.8 (9.2 - 28.3)	6.4 (0.0 - 13.4)	1.6 (0.0 - 4.7)
Percentage of retrievals resulting in live births ^{b,c}	13.8	26.1	10.0	3.1
Percentage of transfers resulting in live births ^{b,c}	15.4	30.8	11.1	3.6
Percentage of cancellations ^b	20.9	28.1	36.2	48.4
Average number of embryos transferred	4.0	4.0	4.2	3.0
Percentage of pregnancies with twins ^b	8.3	3/13	1/9	0/2
Percentage of pregnancies with triplets or more ^b	12.5	3/13	2/9	0/2
Percentage of live births having multiple infants ^{b,c}	5/12	6/12	1/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/5	0/1		
Average number of embryos transferred	2.8	1.0		
Donor Eggs				
Number of fresh embryo transfers	1	1	0	2
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	0/1		0/2
Average number of fresh embryos transferred	1.0	1.0		4.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Rush Center for Advanced Reproductive Care

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WATER TOWER WOMEN'S CENTER, L.L.C.
CHICAGO, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	96%	Procedural factors:		Tubal factor	2%	Uterine factor	2%
GIFT	2%			Male factor	3%	Other factors	18%
ZIFT	2%	With ICSI	16%	Ovulatory dysfunction	59%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jan Friberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	6	11	20
Percentage of cycles resulting in pregnancies ^b	1/7	1/6	2/11	5.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/7	1/6	0/11	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births ^{b,c}	0/7	1/6	0/11	1/18
Percentage of transfers resulting in live births ^{b,c}	0/4	1/4	0/10	1/10
Percentage of cancellations ^b	0/7	0/6	0/11	10.0
Average number of embryos transferred	5.3	3.8	3.7	2.5
Percentage of pregnancies with twins ^b	0/1	0/1	0/2	0/1
Percentage of pregnancies with triplets or more ^b	0/1	1/1	0/2	1/1
Percentage of live births having multiple infants ^{b,c}		1/1		1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	3	2
Percentage of transfers resulting in live births ^{b,c}	1/2	0/1	0/3	1/2
Average number of embryos transferred	3.0		3.7	2.5
Donor Eggs				
Number of fresh embryo transfers	2	1	0	3
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/1		1/3
Average number of fresh embryos transferred	3.5	3.0		3.3
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		0/1
Average number of frozen embryos transferred		2.0		3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Water Tower Women's Center, L.L.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37-39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	21%	Uterine factor	4%
GIFT	0%		Male factor	27%	Other factors	5%
ZIFT	0%		With ICSI	17%	Ovulatory dysfunction	7%
Combination	0%		Unstimulated	0%	Endometriosis	36%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Amos E. Madanes, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	80	24	20	8
Percentage of cycles resulting in pregnancies ^b	25.0	29.2	10.0	1/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	17.5 (9.2 - 25.8)	29.2 (11.0 - 47.4)	10.0 (0.0 - 23.1)	1/8
Percentage of retrievals resulting in live births ^{b,c}	20.9	33.3	2/13	1/6
Percentage of transfers resulting in live births ^{b,c}	23.0	7/18	2/10	1/6
Percentage of cancellations ^b	16.3	12.5	35.0	2/8
Average number of embryos transferred	3.5	3.5	3.5	2.7
Percentage of pregnancies with twins ^b	10.0	2/7	0/2	1/1
Percentage of pregnancies with triplets or more ^b	20.0	0/7	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	5/14	2/7	0/2	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	3
Percentage of transfers resulting in live births ^{b,c}	0/3			0/3
Average number of embryos transferred	4.0			3.0
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			
Average number of fresh embryos transferred	1.0			
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/1
Average number of frozen embryos transferred			1.0	2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Midwest Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	20%	Uterine factor	1%		
GIFT	0%		Male factor	22%	Other factors	18%		
ZIFT	0%		With ICSI	28%	Ovulatory dysfunction	6%	Unexplained	12%
Combination	0%		Unstimulated	0%	Endometriosis	21%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard P. Sherbahn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	56	9	13	4
Percentage of cycles resulting in pregnancies ^b	53.6	2/9	6/13	2/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	46.4 (33.4 - 59.5)	2/9	5/13	1/4
Percentage of retrievals resulting in live births ^{b,c}	51.0	2/8	5/13	1/3
Percentage of transfers resulting in live births ^{b,c}	52.0	2/8	5/13	1/3
Percentage of cancellations ^b	8.9	1/9	0/13	1/4
Average number of embryos transferred	3.2	3.4	3.5	3.0
Percentage of pregnancies with twins ^b	36.7	1/2	1/6	1/2
Percentage of pregnancies with triplets or more ^b	6.7	0/2	0/6	0/2
Percentage of live births having multiple infants ^{b,c}	38.5	1/2	1/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2/5	0/2		
Average number of embryos transferred	2.8	3.0		
Donor Eggs				
Number of fresh embryo transfers	8	0	4	6
Percentage of fresh transfers resulting in live births ^{b,c}	3/8		2/4	1/6
Average number of fresh embryos transferred	3.4		3.3	2.7
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/2			0/1
Average number of frozen embryos transferred	4.0			4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Fertility Center of Chicago

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HIGHLAND PARK HOSPITAL IVF CENTER HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	20%	Uterine factor	<1%		
GIFT	0%		Male factor	29%	Other factors	21%		
ZIFT	0%		With ICSI	77%	Ovulatory dysfunction	15%	Unexplained	2%
Combination	<1%		Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Edward L. Marut, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	208	114	134	50
Percentage of cycles resulting in pregnancies ^b	47.6	35.1	28.4	10.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	45.7 (38.9 - 52.4)	27.2 (19.0 - 35.4)	23.1 (16.0 - 30.3)	4.0 (0.0 - 9.4)
Percentage of retrievals resulting in live births ^{b,c}	54.6	33.3	31.3	6.3
Percentage of transfers resulting in live births ^{b,c}	54.6	33.3	32.3	6.9
Percentage of cancellations ^b	16.3	18.4	26.1	36.0
Average number of embryos transferred	3.6	4.1	4.5	5.1
Percentage of pregnancies with twins ^b	30.3	27.5	31.6	0/5
Percentage of pregnancies with triplets or more ^b	20.2	20.0	13.2	0/5
Percentage of live births having multiple infants ^{b,c}	50.5	38.7	29.0	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	4	5	2
Percentage of transfers resulting in live births ^{b,c}	1/14	0/4	0/5	0/2
Average number of embryos transferred	4.1	4.0	3.2	3.0
Donor Eggs				
Number of fresh embryo transfers	2	4	2	11
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	2/4	1/2	5/11
Average number of fresh embryos transferred	3.5	4.5	4.0	3.9
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births ^{b,c}				1/3
Average number of frozen embryos transferred				3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Highland Park Hospital IVF Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	16%	Uterine factor	16%		
GIFT	0%		Male factor	2%	Other factors	9%		
ZIFT	0%		With ICSI	50%	Ovulatory dysfunction	21%	Unexplained	2%
Combination	0%		Unstimulated	0%	Endometriosis	34%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jay H. Levin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	10	9	2
Percentage of cycles resulting in pregnancies ^b	30.8	5/10	1/9	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.1 (9.9 - 36.3)	2/10	1/9	0/2
Percentage of retrievals resulting in live births ^{b,c}	23.1	2/10	1/9	0/2
Percentage of transfers resulting in live births ^{b,c}	24.3	2/10	1/8	0/2
Percentage of cancellations ^b	0.0	0/10	0/9	0/2
Average number of embryos transferred	3.8	4.0	3.9	5.0
Percentage of pregnancies with twins ^b	3/12	0/5	0/1	
Percentage of pregnancies with triplets or more ^b	4/12	1/5	1/1	
Percentage of live births having multiple infants ^{b,c}	4/9	0/2	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/1			
Average number of embryos transferred	4.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Hinsdale Center for Reproduction

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE HEALTH SPECIALISTS, LTD.
JOLIET, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:	Tubal factor	46%	Uterine factor	0%	
GIFT	0%		Male factor	9%	Other factors	9%	
ZIFT	0%	With ICSI	9%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	36%		

1998 PREGNANCY SUCCESS RATES

Data verified by Marek W. Piekos, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	14	9	7	3
Percentage of cycles resulting in pregnancies ^b	5/14	0/9	0/7	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/14	0/9	0/7	0/3
Percentage of retrievals resulting in live births ^{b,c}	3/13	0/5	0/4	0/3
Percentage of transfers resulting in live births ^{b,c}	3/12	0/5	0/2	
Percentage of cancellations ^b	1/14	4/9	3/7	0/3
Average number of embryos transferred	3.5	3.0	2.0	
Percentage of pregnancies with twins ^b	0/5			
Percentage of pregnancies with triplets or more ^b	2/5			
Percentage of live births having multiple infants ^{b,c}	2/3			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Health Specialists, Ltd.

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

OAK BROOK FERTILITY CENTER OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	12%	Uterine factor	4%		
GIFT	0%		Male factor	2%	Other factors	7%		
ZIFT	2%		With ICSI	62%	Ovulatory dysfunction	33%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	42%		

1998 PREGNANCY SUCCESS RATES

Data verified by W. Paul Dmowski, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	25	14	11	15
Percentage of cycles resulting in pregnancies ^b	52.0	7/14	5/11	0/15
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	40.0 (20.8 - 59.2)	6/14	3/11	0/15
Percentage of retrievals resulting in live births ^{b,c}	40.0	6/14	3/8	0/9
Percentage of transfers resulting in live births ^{b,c}	41.7	6/13	3/8	0/4
Percentage of cancellations ^b	0.0	0/14	3/11	6/15
Average number of embryos transferred	2.7	2.5	3.1	3.0
Percentage of pregnancies with twins ^b	4/13	1/7	1/5	
Percentage of pregnancies with triplets or more ^b	1/13	0/7	1/5	
Percentage of live births having multiple infants ^{b,c}	5/10	0/6	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	1	0
Percentage of transfers resulting in live births ^{b,c}	1/2	0/2	0/1	
Average number of embryos transferred	3.0	2.5	3.0	
Donor Eggs				
Number of fresh embryo transfers	1	1	1	5
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/1	1/1	2/5
Average number of fresh embryos transferred	3.0	2.0	2.0	2.8
Number of frozen embryo transfers	0	2	0	2
Percentage of frozen transfers resulting in live births ^{b,c}		0/2		1/2
Average number of frozen embryos transferred		2.0		2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Oak Brook Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REENA JABAMONI, M.D.
OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	26%	Uterine factor	4%		
GIFT	0%		Male factor	11%	Other factors	4%		
ZIFT	0%		With ICSI	21%	Ovulatory dysfunction	19%	Unexplained	8%
Combination	0%		Unstimulated	0%	Endometriosis	28%		

1998 PREGNANCY SUCCESS RATES

Data verified by Reena Jabamoni, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	29	7	7	5
Percentage of cycles resulting in pregnancies ^b	44.8	4/7	2/7	1/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	41.4 (23.5 - 59.3)	4/7	2/7	1/5
Percentage of retrievals resulting in live births ^{b,c}	41.4	4/6	2/7	1/4
Percentage of transfers resulting in live births ^{b,c}	42.9	4/6	2/5	1/3
Percentage of cancellations ^b	0.0	1/7	0/7	1/5
Average number of embryos transferred	3.2	3.7	3.2	4.0
Percentage of pregnancies with twins ^b	4/13	1/4	0/2	0/1
Percentage of pregnancies with triplets or more ^b	2/13	1/4	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	6/12	2/4	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	3.0			
Donor Eggs				
Number of fresh embryo transfers	1	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			1/2
Average number of fresh embryos transferred	4.0			3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reena Jabamoni, M.D.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

LUTHERAN GENERAL HOSPITAL IVF PROGRAM PARK RIDGE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	94%	Procedural factors:	Tubal factor	18%	Uterine factor	0%		
GIFT	<1%		Male factor	14%	Other factors	1%		
ZIFT	0%		With ICSI	50%	Ovulatory dysfunction	44%	Unexplained	7%
Combination	6%		Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by John J. Rapisarda, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	109	42	50	20
Percentage of cycles resulting in pregnancies ^b	32.1	23.8	4.0	5.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.3 (21.6 - 38.9)	21.4 (9.0 - 33.8)	2.0 (0.0 - 5.9)	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births ^{b,c}	33.3	25.7	3.6	1/16
Percentage of transfers resulting in live births ^{b,c}	34.4	26.5	3.8	1/15
Percentage of cancellations ^b	9.2	16.7	44.0	20.0
Average number of embryos transferred	3.7	3.4	3.8	4.3
Percentage of pregnancies with twins ^b	31.4	0/10	0/2	0/1
Percentage of pregnancies with triplets or more ^b	11.4	0/10	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	36.4	0/9	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	31	20	17	3
Percentage of transfers resulting in live births ^{b,c}	19.4	15.0	1/17	0/3
Average number of embryos transferred	3.8	3.9	4.2	1.7
Donor Eggs				
Number of fresh embryo transfers	1	0	2	2
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/2	2/2
Average number of fresh embryos transferred	4.0		3.0	3.5
Number of frozen embryo transfers	1	1	3	6
Percentage of frozen transfers resulting in live births ^{b,c}	1/1	0/1	0/3	1/6
Average number of frozen embryos transferred	4.0	6.0	3.7	3.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Lutheran General Hospital IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ADVANCED REPRODUCTIVE CENTER, LTD.
ROCKFORD, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	88%	Procedural factors:	Tubal factor	31%	Uterine factor	4%		
GIFT	6%		Male factor	33%	Other factors	4%		
ZIFT	6%		With ICSI	52%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	0%		Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by John P. Holden, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	35	12	16	3
Percentage of cycles resulting in pregnancies ^b	60.0	6/12	2/16	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	51.4 (34.9 - 68.0)	5/12	2/16	0/3
Percentage of retrievals resulting in live births ^{b,c}	52.9	5/12	2/12	0/2
Percentage of transfers resulting in live births ^{b,c}	52.9	5/12	2/10	0/2
Percentage of cancellations ^b	2.9	0/12	4/16	1/3
Average number of embryos transferred	3.0	3.6	3.8	3.0
Percentage of pregnancies with twins ^b	47.6	1/6	0/2	
Percentage of pregnancies with triplets or more ^b	9.5	0/6	0/2	
Percentage of live births having multiple infants ^{b,c}	10/18	1/5	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1/3	0/1		
Average number of embryos transferred	3.0	1.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Reproductive Center, Ltd.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE HEALTH AND FERTILITY CENTER AT ROCKFORD HEALTH SYSTEM ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	27%	Uterine factor	0%
GIFT	<1%		Male factor	47%	Other factors	3%
ZIFT	0%		With ICSI	37%	Ovulatory dysfunction	11%
Combination	0%		Unstimulated	0%	Endometriosis	9%
					Unexplained	3%

1998 PREGNANCY SUCCESS RATES

Data verified by Chiravudh Sawetawan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	122	32	31	16
Percentage of cycles resulting in pregnancies ^b	40.2	40.6	6.5	1/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.1 (27.5 - 44.6)	37.5 (20.7 - 54.3)	6.5 (0.0 - 15.1)	0/16
Percentage of retrievals resulting in live births ^{b,c}	37.0	42.9	8.7	0/12
Percentage of transfers resulting in live births ^{b,c}	38.6	42.9	2/17	0/10
Percentage of cancellations ^b	2.5	12.5	25.8	4/16
Average number of embryos transferred	3.3	3.1	2.4	2.5
Percentage of pregnancies with twins ^b	28.6	5/13	0/2	0/1
Percentage of pregnancies with triplets or more ^b	8.2	0/13	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	36.4	4/12	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	7	0	0
Percentage of transfers resulting in live births ^{b,c}	0/18	0/7		
Average number of embryos transferred	3.2	2.1		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Health and Fertility Center, Fertility and Reproductive Endocrinology Specialists

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

RUSH NORTH SHORE CENTER FOR ADVANCED REPRODUCTIVE CARE SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	92%	Procedural factors:	Tubal factor	32%	Uterine factor	2%		
GIFT	4%		Male factor	15%	Other factors	8%		
ZIFT	4%		With ICSI	27%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	0%		Unstimulated	0%	Endometriosis	28%		

1998 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	23	20	17
Percentage of cycles resulting in pregnancies ^b	31.3	4.3	15.0	2/17
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.1 (12.5 - 43.7)		10.0 (0.0 - 23.1)	2/17
Percentage of retrievals resulting in live births ^{b,c}	33.3	0/18	10.0	2/14
Percentage of transfers resulting in live births ^{b,c}	34.6	0/17	2/17	2/12
Percentage of cancellations ^b	15.6	21.7		3/17
Average number of embryos transferred	3.7	3.2	4.0	3.3
Percentage of pregnancies with twins ^b	1/10	0/1	1/3	0/2
Percentage of pregnancies with triplets or more ^b	0/10	0/1	0/3	0/2
Percentage of live births having multiple infants ^{b,c}	0/9		1/2	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	2	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/1	0/2	
Average number of embryos transferred	3.3	2.0	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}				1/2
Average number of fresh embryos transferred				3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Rush North Shore Center for Advanced Reproductive Care

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE
SPRINGFIELD, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	78%	Procedural factors:	Tubal factor	20%	Uterine factor	0%
GIFT	18%		Male factor	39%	Other factors	3%
ZIFT	0%		With ICSI	0%	Ovulatory dysfunction	37%
Combination	4%		Unstimulated	0%	Endometriosis	1%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Ponjola Coney, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	17	10	1
Percentage of cycles resulting in pregnancies ^b	17.9	0/17	0/10	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	14.3 (1.3 - 27.2)	0/17	0/10	0/1
Percentage of retrievals resulting in live births ^{b,c}	14.3	0/17	0/10	0/1
Percentage of transfers resulting in live births ^{b,c}	14.8	0/16	0/10	0/1
Percentage of cancellations ^b	0.0	0/17	0/10	0/1
Average number of embryos transferred	5.0	3.0	4.1	1.0
Percentage of pregnancies with twins ^b	1/5			
Percentage of pregnancies with triplets or more ^b	1/5			
Percentage of live births having multiple infants ^{b,c}	1/4			
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/5	0/1		
Average number of embryos transferred	3.8	5.0		
Donor Eggs				
Number of fresh embryo transfers	0	1	1	3
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	0/1	2/3
Average number of fresh embryos transferred		3.0	4.0	7.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Department of Obstetrics and Gynecology, Southern Illinois University School of Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, S.C.
SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	95%	Procedural factors:	Tubal factor	24%	Uterine factor	1%	
GIFT	0%		Male factor	33%	Other factors	2%	
ZIFT	0%	With ICSI	60%	Ovulatory dysfunction	25%	Unexplained	7%
Combination	5%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mary Ann McRae, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	41	10	22	5
Percentage of cycles resulting in pregnancies ^b	36.6	2/10	13.6	1/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.7 (17.5 - 46.0)	2/10	9.1 (0.0 - 21.1)	1/5
Percentage of retrievals resulting in live births ^{b,c}	33.3	2/9	2/18	1/4
Percentage of transfers resulting in live births ^{b,c}	34.2	2/9	2/15	1/4
Percentage of cancellations ^b	4.9	1/10	18.2	1/5
Average number of embryos transferred	4.0	3.1	3.1	3.0
Percentage of pregnancies with twins ^b	3/15	2/2	1/3	1/1
Percentage of pregnancies with triplets or more ^b	2/15	0/2	0/3	0/1
Percentage of live births having multiple infants ^{b,c}	4/13	2/2	1/2	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	3	0	0
Percentage of transfers resulting in live births ^{b,c}	0/3	0/3		
Average number of embryos transferred	2.0	5.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Endocrinology Associates, S.C.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MIDWEST REPRODUCTIVE MEDICINE: CHAMPAIGN/URBANA URBANA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	32%	Uterine factor	0%		
GIFT	0%		Male factor	7%	Other factors	7%		
ZIFT	0%		With ICSI	51%	Ovulatory dysfunction	30%	Unexplained	3%
Combination	0%		Unstimulated	0%	Endometriosis	21%		

1998 PREGNANCY SUCCESS RATES

Data verified by John C. Jarrett II, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	38	11	11	8
Percentage of cycles resulting in pregnancies ^b	28.9	3/11	0/11	0/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	18.4 (6.1 - 30.7)	3/11	0/11	0/8
Percentage of retrievals resulting in live births ^{b,c}	19.4	3/9	0/8	0/7
Percentage of transfers resulting in live births ^{b,c}	21.9	3/9	0/8	0/6
Percentage of cancellations ^b	5.3	2/11	3/11	1/8
Average number of embryos transferred	2.8	2.9	2.0	2.8
Percentage of pregnancies with twins ^b	0/11	1/3		
Percentage of pregnancies with triplets or more ^b	1/11	1/3		
Percentage of live births having multiple infants ^{b,c}	0/7	2/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	2	0
Percentage of transfers resulting in live births ^{b,c}	0/3		1/2	
Average number of embryos transferred	3.0		3.5	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			
Average number of frozen embryos transferred	2.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Midwest Reproductive Medicine: Champaign/Urbana

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ASSOCIATED FERTILITY & GYNECOLOGY FORT WAYNE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	27%	Uterine factor	10%
GIFT	0%			Male factor	11%	Other factors	12%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	22%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Shelby O. Cooper, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	64	24	13	3
Percentage of cycles resulting in pregnancies ^b	35.9	33.3	0/13	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.7 (18.5 - 40.9)	29.2 (11.0 - 47.4)	0/13	0/3
Percentage of retrievals resulting in live births ^{b,c}	32.8	7/18	0/10	0/1
Percentage of transfers resulting in live births ^{b,c}	35.2	7/17	0/8	0/1
Percentage of cancellations ^b	9.4	25.0	3/13	2/3
Average number of embryos transferred	3.0	3.2	3.3	2.0
Percentage of pregnancies with twins ^b	34.8	2/8		0/1
Percentage of pregnancies with triplets or more ^b	13.0	2/8		0/1
Percentage of live births having multiple infants ^{b,c}	8/19	4/7		
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	3	2	0
Percentage of transfers resulting in live births ^{b,c}	3/13	0/3	0/2	
Average number of embryos transferred	2.6	2.3	1.5	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				1/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Associated Fertility & Gynecology

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	18%	Uterine factor	2%
GIFT	0%			Male factor	11%	Other factors	10%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	22%		

1998 PREGNANCY SUCCESS RATES

Data verified by William L. Gentry, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	187	60	48	41
Percentage of cycles resulting in pregnancies ^b	40.1	33.3	10.4	7.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.4 (30.5 - 44.4)	28.3 (16.9 - 39.7)	10.4 (1.8 - 19.1)	7.3 (0.0 - 15.3)
Percentage of retrievals resulting in live births ^{b,c}	44.6	36.2	14.3	3/19
Percentage of transfers resulting in live births ^{b,c}	45.2	37.8	15.2	3/19
Percentage of cancellations ^b	16.0	21.7	27.1	53.7
Average number of embryos transferred	3.6	3.5	3.4	3.3
Percentage of pregnancies with twins ^b	37.3	35.0	1/5	2/3
Percentage of pregnancies with triplets or more ^b	13.3		0/5	0/3
Percentage of live births having multiple infants ^{b,c}	50.0	5/17	1/5	2/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	9	5	7
Percentage of transfers resulting in live births ^{b,c}	17.4	2/9	0/5	0/7
Average number of embryos transferred	2.9	2.6	2.4	2.9
Donor Eggs				
Number of fresh embryo transfers	6	2	3	8
Percentage of fresh transfers resulting in live births ^{b,c}	3/6	1/2	0/3	4/8
Average number of fresh embryos transferred	4.0	3.0	4.0	3.4
Number of frozen embryo transfers	1	1	2	3
Percentage of frozen transfers resulting in live births ^{b,c}	0/1	1/1	0/2	0/3
Average number of frozen embryos transferred	3.0	4.0	3.5	2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Fertility Group

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FAMILY BEGINNINGS INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	24%	Uterine factor	0%
GIFT	0%		Male factor	14%	Other factors	12%
ZIFT	0%		With ICSI	27%	Ovulatory dysfunction	20%
Combination	0%		Unstimulated	0%	Endometriosis	22%
					Unexplained	8%

1998 PREGNANCY SUCCESS RATES

Data verified by James G. Donahue, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	8	10	8
Percentage of cycles resulting in pregnancies ^b	7/18	1/8	1/10	0/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/18	0/8	1/10	0/8
Percentage of retrievals resulting in live births ^{b,c}	6/14	0/7	1/7	0/7
Percentage of transfers resulting in live births ^{b,c}	6/14	0/7	1/7	0/5
Percentage of cancellations ^b	4/18	1/8	3/10	1/8
Average number of embryos transferred	3.4	3.4	3.0	2.8
Percentage of pregnancies with twins ^b	3/7	0/1	0/1	
Percentage of pregnancies with triplets or more ^b	0/7	0/1	1/1	
Percentage of live births having multiple infants ^{b,c}	2/6		1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/5			
Average number of embryos transferred	1.4			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Family Beginnings

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	92%	Procedural factors:	Tubal factor	43%	Uterine factor	0%	
GIFT	6%		Male factor	11%	Other factors	5%	
ZIFT	2%	With ICSI	27%	Ovulatory dysfunction	25%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by William W. Hurd, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	38	14	7	4
Percentage of cycles resulting in pregnancies ^b	28.9	0/14	2/7	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.7 (10.2 - 37.2)	0/14	1/7	0/4
Percentage of retrievals resulting in live births ^{b,c}	29.0	0/9	1/5	0/4
Percentage of transfers resulting in live births ^{b,c}	29.0	0/9	1/5	0/2
Percentage of cancellations ^b	18.4	5/14	2/7	0/4
Average number of embryos transferred	3.5	4.1	3.4	3.0
Percentage of pregnancies with twins ^b	1/11		1/2	
Percentage of pregnancies with triplets or more ^b	1/11		0/2	
Percentage of live births having multiple infants ^{b,c}	2/9		1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	4	1	1
Percentage of transfers resulting in live births ^{b,c}	0/4	0/4	0/1	0/1
Average number of embryos transferred	3.0	2.8	1.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Indiana University Hospital

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MIDWEST REPRODUCTIVE MEDICINE INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	94%	Procedural factors:	Tubal factor	20%	Uterine factor	2%		
GIFT	2%		Male factor	19%	Other factors	1%		
ZIFT	4%		With ICSI	42%	Ovulatory dysfunction	36%	Unexplained	<1%
Combination	<1%		Unstimulated	0%	Endometriosis	22%		

1998 PREGNANCY SUCCESS RATES

Data verified by John C. Jarrett II, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	365	145	120	49
Percentage of cycles resulting in pregnancies ^b	39.2	35.9	26.7	16.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	34.8 (29.9 - 39.7)	28.3 (20.9 - 35.6)	20.0 (12.8 - 27.2)	10.2 (1.7 - 18.7)
Percentage of retrievals resulting in live births ^{b,c}	36.9	33.3	24.0	12.2
Percentage of transfers resulting in live births ^{b,c}	37.5	34.5	24.5	14.3
Percentage of cancellations ^b	5.8	15.2	16.7	16.3
Average number of embryos transferred	2.8	2.8	3.0	3.4
Percentage of pregnancies with twins ^b	32.2	19.2	12.5	2/8
Percentage of pregnancies with triplets or more ^b	10.5	9.6	3.1	2/8
Percentage of live births having multiple infants ^{b,c}	40.2	24.4	12.5	2/5
Frozen Embryos From Nondonor Eggs				
Number of transfers	165	50	34	8
Percentage of transfers resulting in live births ^{b,c}	13.3	26.0	20.6	0/8
Average number of embryos transferred	2.7	2.7	3.0	2.8
Donor Eggs				
Number of fresh embryo transfers	6	2	6	22
Percentage of fresh transfers resulting in live births ^{b,c}	2/6	2/2	4/6	31.8
Average number of fresh embryos transferred	3.0	3.0	3.2	2.9
Number of frozen embryo transfers	4	2	1	15
Percentage of frozen transfers resulting in live births ^{b,c}	1/4	1/2	0/1	4/15
Average number of frozen embryos transferred	2.8	2.5	3.0	2.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Midwest Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	95%	Procedural factors:	Tubal factor	25%	Uterine factor	0%
GIFT	0%		Male factor	5%	Other factors	5%
ZIFT	5%	With ICSI	Ovulatory dysfunction	50%	Unexplained	0%
Combination	0%	Unstimulated	Endometriosis	15%		
		25%				
		0%				

1998 PREGNANCY SUCCESS RATES

Data verified by Donald L. Cline, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	7	1	5
Percentage of cycles resulting in pregnancies ^b	2/7	1/7	0/1	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/7	1/7	0/1	0/5
Percentage of retrievals resulting in live births ^{b,c}	2/5	1/6	0/1	0/3
Percentage of transfers resulting in live births ^{b,c}	2/4	1/5	0/1	0/3
Percentage of cancellations ^b	2/7	1/7	0/1	2/5
Average number of embryos transferred	2.8	2.4	4.0	3.3
Percentage of pregnancies with twins ^b	0/2	0/1		
Percentage of pregnancies with triplets or more ^b	0/2	0/1		
Percentage of live births having multiple infants ^{b,c}	0/2	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Endocrinology Associates

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SURGERY & MEDICINE, P.C. INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	70%	Procedural factors:	Tubal factor	23%	Uterine factor	0%		
GIFT	16%		Male factor	2%	Other factors	10%		
ZIFT	0%		With ICSI	22%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	14%		Unstimulated	0%	Endometriosis	44%		

1998 PREGNANCY SUCCESS RATES

Data verified by David S. McLaughlin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	10	8	1
Percentage of cycles resulting in pregnancies ^b	40.6	3/10	2/8	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.5 (20.7 - 54.3)	3/10	2/8	0/1
Percentage of retrievals resulting in live births ^{b,c}	50.0	3/9	2/6	0/1
Percentage of transfers resulting in live births ^{b,c}	52.2	3/9	2/6	0/1
Percentage of cancellations ^b	25.0	1/10	2/8	0/1
Average number of embryos transferred	3.4	2.8	2.3	1.0
Percentage of pregnancies with twins ^b	5/13	0/3	0/2	
Percentage of pregnancies with triplets or more ^b	2/13	0/3	0/2	
Percentage of live births having multiple infants ^{b,c}	7/12	0/3	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Surgery & Medicine, P.C.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR ASSISTED REPRODUCTION SOUTH BEND, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	96%	Procedural factors:	Tubal factor	36%	Uterine factor	0%
GIFT	4%		Male factor	0%	Other factors	1%
ZIFT	0%		With ICSI	0%	Ovulatory dysfunction	16%
Combination	0%		Unstimulated	0%	Endometriosis	46%
					Unexplained	1%

1998 PREGNANCY SUCCESS RATES

Data verified by Jan R. Reineke, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	12	11	8
Percentage of cycles resulting in pregnancies ^b	33.3	3/12	1/11	1/8
Percentage of cycles resulting in live births ^{b,c}	28.2	3/12	1/11	0/8
(Reliability Range)	(14.1 - 42.3)			
Percentage of retrievals resulting in live births ^{b,c}	30.6	3/11	1/8	0/6
Percentage of transfers resulting in live births ^{b,c}	31.4	3/11	1/8	0/3
Percentage of cancellations ^b	7.7	1/12	3/11	2/8
Average number of embryos transferred	3.1	3.6	2.4	5.0
Percentage of pregnancies with twins ^b	4/13	1/3	0/1	0/1
Percentage of pregnancies with triplets or more ^b	1/13	1/3	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	5/11	2/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Assisted Reproduction

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	No
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MCFARLAND CLINIC, P.C. AMES, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	98%	Procedural factors:	Tubal factor	28%	Uterine factor	<1%
GIFT	<1%		Male factor	45%	Other factors	3%
ZIFT	<1%	With ICSI	Ovulatory dysfunction	9%	Unexplained	8%
Combination	0%	Unstimulated	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Alan K. Munson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	82	23	20	7
Percentage of cycles resulting in pregnancies ^b	43.9	26.1	25.0	0/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.6 (26.2 - 47.0)	21.7 (4.9 - 38.6)	15.0 (0.0 - 30.6)	0/7
Percentage of retrievals resulting in live births ^{b,c}	39.0	23.8	3/17	0/7
Percentage of transfers resulting in live births ^{b,c}	39.5	23.8	3/17	0/5
Percentage of cancellations ^b	6.1	8.7	15.0	0/7
Average number of embryos transferred	2.8	3.0	3.0	2.8
Percentage of pregnancies with twins ^b	33.3	3/6	0/5	
Percentage of pregnancies with triplets or more ^b	5.6	0/6	0/5	
Percentage of live births having multiple infants ^{b,c}	46.7	2/5	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	20	3	2	3
Percentage of transfers resulting in live births ^{b,c}	10.0	0/3	0/2	0/3
Average number of embryos transferred	3.4	2.7	3.0	2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: McFarland Clinic, P.C.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	29%	Uterine factor	<1%		
GIFT	0%		Male factor	31%	Other factors	11%		
ZIFT	2%		With ICSI	54%	Ovulatory dysfunction	10%	Unexplained	8%
Combination	0%		Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Craig H. Syrop, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	144	50	36	20
Percentage of cycles resulting in pregnancies ^b	39.6	42.0	22.2	20.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.8 (28.9 - 44.7)	40.0 (26.4 - 53.6)	16.7 (4.5 - 28.8)	10.0 (0.0 - 23.1)
Percentage of retrievals resulting in live births ^{b,c}	39.6	41.7	23.1	2/17
Percentage of transfers resulting in live births ^{b,c}	41.1	41.7	25.0	2/17
Percentage of cancellations ^b	6.9	4.0	27.8	15.0
Average number of embryos transferred	2.9	3.3	3.0	4.1
Percentage of pregnancies with twins ^b	29.8	28.6	2/8	0/4
Percentage of pregnancies with triplets or more ^b	14.0	14.3	0/8	0/4
Percentage of live births having multiple infants ^{b,c}	35.8	40.0	2/6	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	72	25	14	5
Percentage of transfers resulting in live births ^{b,c}	23.6	24.0	4/14	1/5
Average number of embryos transferred	3.3	3.4	3.2	3.8
Donor Eggs				
Number of fresh embryo transfers	5	3	0	9
Percentage of fresh transfers resulting in live births ^{b,c}	4/5	1/3		3/9
Average number of fresh embryos transferred	3.0	3.0		3.0
Number of frozen embryo transfers	5	5	5	15
Percentage of frozen transfers resulting in live births ^{b,c}	1/5	2/5	2/5	2/15
Average number of frozen embryos transferred	3.6	2.8	4.2	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MID-IOWA FERTILITY, P.C. WEST DES MOINES, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	30%	Uterine factor	2%
GIFT	0%		Male factor	23%	Other factors	5%
ZIFT	0%		With ICSI	29%	Ovulatory dysfunction	5%
Combination	0%		Unstimulated	0%	Endometriosis	24%
					Unexplained	11%

1998 PREGNANCY SUCCESS RATES

Data verified by Donald C. Young, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	81	13	11	2
Percentage of cycles resulting in pregnancies ^b	33.3	1/13	1/11	0/2
Percentage of cycles resulting in live births ^{b,c}	27.2	1/13	1/11	0/2
(Reliability Range)	(17.5 - 36.8)			
Percentage of retrievals resulting in live births ^{b,c}	30.1	1/11	1/10	0/1
Percentage of transfers resulting in live births ^{b,c}	36.7	1/9	1/8	0/1
Percentage of cancellations ^b	9.9	2/13	1/11	1/2
Average number of embryos transferred	3.1	2.9	3.6	5.0
Percentage of pregnancies with twins ^b	25.9	0/1	0/1	
Percentage of pregnancies with triplets or more ^b	11.1	0/1	0/1	
Percentage of live births having multiple infants ^{b,c}	40.9	0/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	2	2	0
Percentage of transfers resulting in live births ^{b,c}	0/12	0/2	0/2	
Average number of embryos transferred	2.8	3.5	3.5	
Donor Eggs				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		0/2
Average number of fresh embryos transferred		5.0		4.0
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			
Average number of frozen embryos transferred	4.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Mid-Iowa Fertility, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF KANSAS MEDICAL CENTER
WOMEN'S REPRODUCTIVE CENTER
KANSAS CITY, KANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	67%	Uterine factor	0%
GIFT	0%		Male factor	0%	Other factors	11%
ZIFT	0%		With ICSI	13%	Ovulatory dysfunction	11%
Combination	0%		Unstimulated	0%	Endometriosis	11%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Valerie C. Montgomery Rice, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	3	3	2	0
Percentage of cycles resulting in pregnancies ^b	0/3	0/3	0/2	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/3	0/3	0/2	
Percentage of retrievals resulting in live births ^{b,c}	0/3		0/2	
Percentage of transfers resulting in live births ^{b,c}	0/3		0/2	
Percentage of cancellations ^b	0/3	3/3	0/2	
Average number of embryos transferred	3.0		3.0	
Percentage of pregnancies with twins ^b				
Percentage of pregnancies with triplets or more ^b				
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Kansas Medical Center, Women's Reproductive Center

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	98%	Procedural factors:	Tubal factor	17%	Uterine factor	0%		
GIFT	2%		Male factor	25%	Other factors	21%		
ZIFT	0%		With ICSI	28%	Ovulatory dysfunction	2%	Unexplained	32%
Combination	0%		Unstimulated	0%	Endometriosis	3%		

1998 PREGNANCY SUCCESS RATES

Data verified by Rodney Lyles, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	141	76	49	11
Percentage of cycles resulting in pregnancies ^b	53.9	31.6	34.7	4/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	51.1 (42.8 - 59.3)	28.9 (18.8 - 39.1)	22.4 (10.8 - 34.1)	3/11
Percentage of retrievals resulting in live births ^{b,c}	60.0	39.3	28.9	3/10
Percentage of transfers resulting in live births ^{b,c}	62.6	43.1	29.7	3/9
Percentage of cancellations ^b	14.9	26.3	22.4	1/11
Average number of embryos transferred	2.3	2.4	2.8	3.3
Percentage of pregnancies with twins ^b	31.6	25.0	3/17	1/4
Percentage of pregnancies with triplets or more ^b	10.5	8.3	0/17	0/4
Percentage of live births having multiple infants ^{b,c}	40.3	31.8	2/11	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	6	4	2
Percentage of transfers resulting in live births ^{b,c}	13.0	1/6	1/4	0/2
Average number of embryos transferred	2.2	1.8	2.5	3.0
Donor Eggs				
Number of fresh embryo transfers	6	6	3	17
Percentage of fresh transfers resulting in live births ^{b,c}	3/6	2/6	0/3	10/17
Average number of fresh embryos transferred	1.8	2.0	2.7	2.1
Number of frozen embryo transfers	1	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			0/1
Average number of frozen embryos transferred	2.0			3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Resource Center of Greater Kansas City

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE MEDICINE & INFERTILITY
SHAWNEE MISSION MEDICAL CENTER
SHAWNEE MISSION, KANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100%	Procedural factors:	Tubal factor	19%	Uterine factor	4%
GIFT	0%		Male factor	40%	Other factors	0%
ZIFT	0%		With ICSI	42%	Ovulatory dysfunction	4%
Combination	0%		Unstimulated	0%	Endometriosis	33%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by Dan L. Stewart, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	3	3	2
Percentage of cycles resulting in pregnancies ^b	6/18	0/3	0/3	1/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	5/18	0/3	0/3	0/2
Percentage of retrievals resulting in live births ^{b,c}	5/17	0/1	0/2	0/2
Percentage of transfers resulting in live births ^{b,c}	5/17	0/1	0/2	0/1
Percentage of cancellations ^b	1/18	2/3	1/3	0/2
Average number of embryos transferred	3.8	4.0	3.0	4.0
Percentage of pregnancies with twins ^b	3/6			0/1
Percentage of pregnancies with triplets or more ^b	2/6			0/1
Percentage of live births having multiple infants ^{b,c}	4/5			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Medicine & Infertility, Shawnee Mission Medical Center

Services Offered:

Donor egg? No Gestational carriers? Yes
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? No
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	97%	Procedural factors:	Tubal factor	37%	Uterine factor	2%
GIFT	<1%		Male factor	20%	Other factors	0%
ZIFT	2%		With ICSI	32%	Ovulatory dysfunction	7%
Combination	<1%		Unstimulated	0%	Endometriosis	29%
				Unexplained	5%	

1998 PREGNANCY SUCCESS RATES

Data verified by David A. Grainger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	92	48	22	20
Percentage of cycles resulting in pregnancies ^b	33.7	50.0	40.9	15.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.3 (20.0 - 38.7)	47.9 (33.8 - 62.0)	31.8 (12.4 - 51.3)	10.0 (0.0 - 23.1)
Percentage of retrievals resulting in live births ^{b,c}	30.0	52.3	7/15	2/18
Percentage of transfers resulting in live births ^{b,c}	30.7	56.1	7/14	2/16
Percentage of cancellations ^b	2.2	8.3	31.8	10.0
Average number of embryos transferred	2.7	3.0	2.9	3.1
Percentage of pregnancies with twins ^b	38.7	33.3	1/9	1/3
Percentage of pregnancies with triplets or more ^b	9.7	8.3	0/9	0/3
Percentage of live births having multiple infants ^{b,c}	44.4	39.1	1/7	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	27	18	7	4
Percentage of transfers resulting in live births ^{b,c}	18.5	5/18	1/7	0/4
Average number of embryos transferred	3.2	3.3	3.0	3.0
Donor Eggs				
Number of fresh embryo transfers	1	0	1	5
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	2/5
Average number of fresh embryos transferred	1.0		2.0	3.0
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births ^{b,c}				0/3
Average number of frozen embryos transferred				4.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY & ENDOCRINE ASSOCIATES LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	11%	Other factors	12%
ZIFT	0%	With ICSI	18%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	39%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert J. Homm, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	11	8	4
Percentage of cycles resulting in pregnancies ^b	9.1	1/11	1/8	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3.0 (0.0 - 8.9)	1/11	0/8	0/4
Percentage of retrievals resulting in live births ^{b,c}	3.2	1/10	0/8	0/4
Percentage of transfers resulting in live births ^{b,c}	3.2	1/9	0/8	0/3
Percentage of cancellations ^b	6.1	1/11	0/8	0/4
Average number of embryos transferred	3.5	3.4	3.5	2.7
Percentage of pregnancies with twins ^b	2/3	0/1	0/1	
Percentage of pregnancies with triplets or more ^b	0/3	1/1	0/1	
Percentage of live births having multiple infants ^{b,c}	1/1	1/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility & Endocrine Associates

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

JAMES W. AKIN, M.D.
LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	96%	Procedural factors:	Tubal factor	22%	Uterine factor	0%
GIFT	4%		Male factor	23%	Other factors	0%
ZIFT	0%		With ICSI	18%	Ovulatory dysfunction	17%
Combination	0%		Unstimulated	0%	Endometriosis	38%
					Unexplained	0%

1998 PREGNANCY SUCCESS RATES

Data verified by James W. Akin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	27	15	6	3
Percentage of cycles resulting in pregnancies ^b	22.2	3/15	0/6	0/3
Percentage of cycles resulting in live births ^{b,c}	22.2	3/15	0/6	0/3
(Reliability Range)	(6.5 - 37.9)			
Percentage of retrievals resulting in live births ^{b,c}	23.1	3/15	0/6	0/3
Percentage of transfers resulting in live births ^{b,c}	24.0	3/14	0/5	0/2
Percentage of cancellations ^b	3.7	0/15	0/6	0/3
Average number of embryos transferred	3.0	2.7	2.2	1.5
Percentage of pregnancies with twins ^b	1/6	1/3		
Percentage of pregnancies with triplets or more ^b	1/6	0/3		
Percentage of live births having multiple infants ^{b,c}	2/6	1/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2			
Average number of embryos transferred	4.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: James W. Akin, M.D.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF KENTUCKY
LEXINGTON, KENTUCKY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	50%	Uterine factor	0%
GIFT	0%			Male factor	29%	Other factors	0%
ZIFT	0%	With ICSI	17%	Ovulatory dysfunction	0%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Shona Murray, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	6	4	2	0
Percentage of cycles resulting in pregnancies ^b	1/6	0/4	0/2	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/6	0/4	0/2	
Percentage of retrievals resulting in live births ^{b,c}	1/6	0/3	0/1	
Percentage of transfers resulting in live births ^{b,c}	1/6	0/3		
Percentage of cancellations ^b	0/6	1/4	1/2	
Average number of embryos transferred	3.3	3.3		
Percentage of pregnancies with twins ^b	1/1			
Percentage of pregnancies with triplets or more ^b	0/1			
Percentage of live births having multiple infants ^{b,c}	0/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/2			
Average number of embryos transferred	2.5			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Kentucky

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	27%	Uterine factor	6%		
GIFT	0%		Male factor	29%	Other factors	5%		
ZIFT	0%		With ICSI	49%	Ovulatory dysfunction	17%	Unexplained	4%
Combination	0%		Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Steven T. Nakajima, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	120	46	29	18
Percentage of cycles resulting in pregnancies ^b	39.2	32.6	24.1	2/18
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	32.5 (24.1 - 40.9)	21.7 (9.8 - 33.7)	24.1 (8.6 - 39.7)	1/18
Percentage of retrievals resulting in live births ^{b,c}	34.8	25.0	31.8	1/10
Percentage of transfers resulting in live births ^{b,c}	36.4	25.0	33.3	1/9
Percentage of cancellations ^b	6.7	13.0	24.1	8/18
Average number of embryos transferred	3.0	3.2	3.1	4.4
Percentage of pregnancies with twins ^b	29.8	2/15	2/7	0/2
Percentage of pregnancies with triplets or more ^b	19.1	0/15	0/7	0/2
Percentage of live births having multiple infants ^{b,c}	51.3	2/10	1/7	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	24	8	7	0
Percentage of transfers resulting in live births ^{b,c}	12.5	1/8	0/7	
Average number of embryos transferred	2.8	2.6	3.4	
Donor Eggs				
Number of fresh embryo transfers	1	2	0	3
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	0/2		1/3
Average number of fresh embryos transferred	2.0	3.0		4.0
Number of frozen embryo transfers	1	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}	1/1			0/2
Average number of frozen embryos transferred	4.0			2.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University OB/GYN Associates Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE CENTER FOR FERTILITY & ADVANCED REPRODUCTIVE CARE METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	90%	Procedural factors:	Tubal factor	27%	Uterine factor	5%	
GIFT	7%		Male factor	9%	Other factors	0%	
ZIFT	3%	With ICSI	28%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	0%	Unstimulated	3%	Endometriosis	45%		

1998 PREGNANCY SUCCESS RATES

Data verified by William E. Roniger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	13	4	3
Percentage of cycles resulting in pregnancies ^b	5/19	2/13	0/4	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	4/19	2/13	0/4	0/3
Percentage of retrievals resulting in live births ^{b,c}	4/18	2/13	0/3	0/3
Percentage of transfers resulting in live births ^{b,c}	4/17	2/12	0/3	0/3
Percentage of cancellations ^b	1/19	0/13	1/4	0/3
Average number of embryos transferred	3.9	3.5	3.3	3.3
Percentage of pregnancies with twins ^b	3/5	0/2		
Percentage of pregnancies with triplets or more ^b	1/5	0/2		
Percentage of live births having multiple infants ^{b,c}	3/4	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	1	0	0
Percentage of transfers resulting in live births ^{b,c}	2/12	0/1		
Average number of embryos transferred	3.0	4.0		
Donor Eggs				
Number of fresh embryo transfers	1	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			0/1
Average number of fresh embryos transferred	5.0			4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Fertility & Advanced Reproductive Care

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY AND LASER CENTER METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	89%	Procedural factors:	Tubal factor	16%	Uterine factor	2%		
GIFT	8%		Male factor	6%	Other factors	9%		
ZIFT	1%		With ICSI	25%	Ovulatory dysfunction	50%	Unexplained	0%
Combination	2%		Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Heber E. Dunaway, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	86	34	34	4
Percentage of cycles resulting in pregnancies ^b	25.6	26.5	8.8	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	20.9 (12.3 - 29.5)	17.6 (4.8 - 30.5)	5.9 (0.0 - 13.8)	0/4
Percentage of retrievals resulting in live births ^{b,c}	24.0	18.2	7.4	0/2
Percentage of transfers resulting in live births ^{b,c}	25.7	20.0	8.7	0/2
Percentage of cancellations ^b	12.8	2.9	20.6	2/4
Average number of embryos transferred	4.0	3.7	3.8	3.5
Percentage of pregnancies with twins ^b	22.7	2/9	0/3	
Percentage of pregnancies with triplets or more ^b	18.2	1/9	0/3	
Percentage of live births having multiple infants ^{b,c}	8/18	2/6	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	2	1	0
Percentage of transfers resulting in live births ^{b,c}	0/3	0/2	0/1	
Average number of embryos transferred	3.0	4.5	2.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				0/3
Average number of fresh embryos transferred				5.0
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			
Average number of frozen embryos transferred	3.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility and Laser Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**FERTILITY CLINIC
TULANE UNIVERSITY HOSPITAL AND CLINIC
NEW ORLEANS, LOUISIANA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural factors:		Tubal factor	0%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	100%		

1998 PREGNANCY SUCCESS RATES

Data verified by Paul R. Clisham, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	0	0	0
Percentage of cycles resulting in pregnancies ^b	1/2			
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/2			
Percentage of retrievals resulting in live births ^{b,c}	0/2			
Percentage of transfers resulting in live births ^{b,c}	0/2			
Percentage of cancellations ^b	0/2			
Average number of embryos transferred	5.5			
Percentage of pregnancies with twins ^b	0/1			
Percentage of pregnancies with triplets or more ^b	0/1			
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Clinic, Tulane University Hospital and Clinic

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY INSTITUTE OF NEW ORLEANS NEW ORLEANS, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	33%	Uterine factor	2%
GIFT	<1%			Male factor	9%	Other factors	9%
ZIFT	0%	With ICSI	20%	Ovulatory dysfunction	7%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	38%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard P. Dickey, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	92	38	30	17
Percentage of cycles resulting in pregnancies ^b	32.6	15.8	6.7	0/17
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.2 (18.1 - 36.3)	10.5 (0.8 - 20.3)	3.3 (0.0 - 9.8)	0/17
Percentage of retrievals resulting in live births ^{b,c}	33.3	19.0	1/16	0/10
Percentage of transfers resulting in live births ^{b,c}	34.2	4/19	1/14	0/8
Percentage of cancellations ^b	18.5	44.7	46.7	7/17
Average number of embryos transferred	4.2	4.4	3.6	3.3
Percentage of pregnancies with twins ^b	36.7	3/6	0/2	
Percentage of pregnancies with triplets or more ^b	20.0	0/6	1/2	
Percentage of live births having multiple infants ^{b,c}	64.0	2/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	7	6	3
Percentage of transfers resulting in live births ^{b,c}	0/5	0/7	0/6	0/3
Average number of embryos transferred	2.2	2.3	3.2	3.3
Donor Eggs				
Number of fresh embryo transfers	1	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	
Average number of fresh embryos transferred	1.0		5.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Institute of New Orleans

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

OCHSNER CLINIC REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	0%
GIFT	0%			Male factor	30%	Other factors	0%
ZIFT	0%	With ICSI	13%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	40%		

1998 PREGNANCY SUCCESS RATES

Data verified by David N. Curole, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	2	0	1
Percentage of cycles resulting in pregnancies ^b	0/5	0/2		0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/5	0/2		0/1
Percentage of retrievals resulting in live births ^{b,c}	0/2			
Percentage of transfers resulting in live births ^{b,c}	0/1			
Percentage of cancellations ^b	3/5	2/2		1/1
Average number of embryos transferred	3.0			
Percentage of pregnancies with twins ^b				
Percentage of pregnancies with triplets or more ^b				
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	1	1
Percentage of transfers resulting in live births ^{b,c}			0/1	1/1
Average number of embryos transferred			2.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Ochsner Clinic Reproductive Medicine

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR FERTILITY & REPRODUCTIVE HEALTH
SHREVEPORT, LOUISIANA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	44%	Uterine factor	1%
GIFT	0%			Male factor	17%	Other factors	0%
ZIFT	0%	With ICSI	22%	Ovulatory dysfunction	25%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Steve N. London, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	53	26	7	3
Percentage of cycles resulting in pregnancies ^b	34.0	23.1	2/7	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.3 (16.2 - 40.4)	19.2 (4.1 - 34.4)	2/7	0/3
Percentage of retrievals resulting in live births ^{b,c}	40.5	5/16	2/6	0/2
Percentage of transfers resulting in live births ^{b,c}	40.5	5/16	2/6	0/2
Percentage of cancellations ^b	30.2	38.5	1/7	1/3
Average number of embryos transferred	3.0	2.9	4.2	5.0
Percentage of pregnancies with twins ^b	6/18	1/6	1/2	
Percentage of pregnancies with triplets or more ^b	2/18	1/6	1/2	
Percentage of live births having multiple infants ^{b,c}	8/15	2/5	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	4	0	0
Percentage of transfers resulting in live births ^{b,c}	0/3	0/4		
Average number of embryos transferred	3.0	3.8		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Fertility & Reproductive Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CENTER OF MARYLAND BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	92%	Procedural factors:		Tubal factor	29%	Uterine factor	<1%
GIFT	7%			Male factor	11%	Other factors	10%
ZIFT	<1%	With ICSI	24%	Ovulatory dysfunction	14%	Unexplained	2%
Combination	<1%	Unstimulated	0%	Endometriosis	34%		

1998 PREGNANCY SUCCESS RATES

Data verified by Santiago L. Padilla, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	107	46	50	30
Percentage of cycles resulting in pregnancies ^b	29.9	30.4	28.0	16.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.0 (19.5 - 36.5)	19.6 (8.1 - 31.0)	22.0 (10.5 - 33.5)	10.0 (0.0 - 20.7)
Percentage of retrievals resulting in live births ^{b,c}	30.9	20.9	26.2	11.5
Percentage of transfers resulting in live births ^{b,c}	31.3	21.4	26.2	12.5
Percentage of cancellations ^b	9.3	6.5	16.0	13.3
Average number of embryos transferred	3.6	4.2	3.9	4.0
Percentage of pregnancies with twins ^b	12.5	3/14	3/14	0/5
Percentage of pregnancies with triplets or more ^b	15.6	2/14	1/14	1/5
Percentage of live births having multiple infants ^{b,c}	26.7	3/9	3/11	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	24	19	12	4
Percentage of transfers resulting in live births ^{b,c}	8.3	5/19	0/12	2/4
Average number of embryos transferred	3.3	2.8	3.1	2.5
Donor Eggs				
Number of fresh embryo transfers	0	0	3	1
Percentage of fresh transfers resulting in live births ^{b,c}			1/3	0/1
Average number of fresh embryos transferred			3.3	4.0
Number of frozen embryo transfers	0	0	2	0
Percentage of frozen transfers resulting in live births ^{b,c}			1/2	
Average number of frozen embryos transferred			3.5	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Center of Maryland

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GBMC FERTILITY CENTER BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	29%	Uterine factor	0%
GIFT	<1%			Male factor	34%	Other factors	5%
ZIFT	2%	With ICSI	33%	Ovulatory dysfunction	2%	Unexplained	9%
Combination	<1%	Unstimulated	0%	Endometriosis	21%		

1998 PREGNANCY SUCCESS RATES

Data verified by Eugene Katz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	199	102	71	31
Percentage of cycles resulting in pregnancies ^b	35.7	28.4	11.3	9.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.7 (24.2 - 37.1)	23.5 (15.3 - 31.8)	7.0 (1.1 - 13.0)	9.7 (0.0 - 20.1)
Percentage of retrievals resulting in live births ^{b,c}	32.1	24.2	7.8	11.1
Percentage of transfers resulting in live births ^{b,c}	32.8	24.5	7.9	12.0
Percentage of cancellations ^b	4.5	2.9	9.9	12.9
Average number of embryos transferred	3.7	3.9	4.9	5.1
Percentage of pregnancies with twins ^b	33.8	13.8	3/8	0/3
Percentage of pregnancies with triplets or more ^b	8.5	6.9	0/8	0/3
Percentage of live births having multiple infants ^{b,c}	42.6	16.7	2/5	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	93	30	21	9
Percentage of transfers resulting in live births ^{b,c}	16.1	10.0	9.5	3/9
Average number of embryos transferred	3.5	3.3	3.7	3.7
Donor Eggs				
Number of fresh embryo transfers	8	3	7	7
Percentage of fresh transfers resulting in live births ^{b,c}	5/8	3/3	4/7	2/7
Average number of fresh embryos transferred	3.6	3.7	3.0	4.1
Number of frozen embryo transfers	0	0	1	4
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/4
Average number of frozen embryos transferred			2.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: GBMC Fertility Center

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HELIX CENTER FOR ART BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	42%	Uterine factor	4%
GIFT	2%			Male factor	15%	Other factors	11%
ZIFT	<1%	With ICSI	24%	Ovulatory dysfunction	7%	Unexplained	0%
Combination	<1%	Unstimulated	0%	Endometriosis	21%		

1998 PREGNANCY SUCCESS RATES

Data verified by Nathan G. Berger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	60	27	20	14
Percentage of cycles resulting in pregnancies ^b	31.7	11.1	10.0	1/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.0 (18.4 - 41.6)	11.1 (0.0 - 23.0)	10.0 (0.0 - 23.1)	0/14
Percentage of retrievals resulting in live births ^{b,c}	36.7	13.6	2/15	0/12
Percentage of transfers resulting in live births ^{b,c}	38.3	15.0	2/14	0/12
Percentage of cancellations ^b	18.3	18.5	25.0	2/14
Average number of embryos transferred	3.9	3.7	3.6	3.8
Percentage of pregnancies with twins ^b	5/19	1/3	1/2	0/1
Percentage of pregnancies with triplets or more ^b	3/19	1/3	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	8/18	2/3	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	2	3	1
Percentage of transfers resulting in live births ^{b,c}	1/6	0/2	0/3	0/1
Average number of embryos transferred	3.8	6.0	3.7	4.0
Donor Eggs				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births ^{b,c}		1/1		0/2
Average number of fresh embryos transferred		4.0		3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Helix Center for ART

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF MARYLAND MEDICAL SCHOOL
CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGY
BALTIMORE, MARYLAND**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	51%	Uterine factor	4%
GIFT	0%			Male factor	11%	Other factors	4%
ZIFT	1%	With ICSI	14%	Ovulatory dysfunction	14%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Fady I. Sharara, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	40	19	11	2
Percentage of cycles resulting in pregnancies ^b	37.5	5/19	2/11	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.0 (15.8 - 44.2)	5/19	2/11	0/2
Percentage of retrievals resulting in live births ^{b,c}	36.4	5/14	2/8	0/1
Percentage of transfers resulting in live births ^{b,c}	36.4	5/14	2/8	0/1
Percentage of cancellations ^b	17.5	5/19	3/11	1/2
Average number of embryos transferred	3.6	4.4	4.4	7.0
Percentage of pregnancies with twins ^b	6/15	1/5	1/2	
Percentage of pregnancies with triplets or more ^b	1/15	0/5	0/2	
Percentage of live births having multiple infants ^{b,c}	6/12	1/5	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	1	0	1
Percentage of transfers resulting in live births ^{b,c}	3/6	0/1		0/1
Average number of embryos transferred	3.7	4.0		4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	1	2
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	1/2
Average number of fresh embryos transferred			2.0	3.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Maryland Medical School Center for Advanced Reproductive Technology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MID-ATLANTIC FERTILITY CENTERS BETHESDA, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	94%	Procedural factors:		Tubal factor	12%	Uterine factor	4%
GIFT	3%			Male factor	9%	Other factors	28%
ZIFT	2%	With ICSI	30%	Ovulatory dysfunction	18%	Unexplained	12%
Combination	<1%	Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Frank E. Chang, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	66	50	36	29
Percentage of cycles resulting in pregnancies ^b	34.8	32.0	25.0	6.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.8 (20.6 - 43.1)	30.0 (17.3 - 42.7)	19.4 (6.5 - 32.4)	3.4 (0.0 - 10.1)
Percentage of retrievals resulting in live births ^{b,c}	35.0	35.7	21.9	4.2
Percentage of transfers resulting in live births ^{b,c}	39.6	44.1	25.9	1/18
Percentage of cancellations ^b	9.1	16.0	11.1	17.2
Average number of embryos transferred	3.0	3.1	3.4	4.0
Percentage of pregnancies with twins ^b	30.4	9/16	4/9	0/2
Percentage of pregnancies with triplets or more ^b	21.7	1/16	0/9	0/2
Percentage of live births having multiple infants ^{b,c}	52.4	10/15	4/7	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	5	4	1
Percentage of transfers resulting in live births ^{b,c}	0/4	1/5	0/4	1/1
Average number of embryos transferred	2.8	4.2	2.8	3.0
Donor Eggs				
Number of fresh embryo transfers	3	0	6	7
Percentage of fresh transfers resulting in live births ^{b,c}	1/3		3/6	3/7
Average number of fresh embryos transferred	2.7		2.3	3.1
Number of frozen embryo transfers	0	1	2	0
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	1/2	
Average number of frozen embryos transferred		3.0	4.5	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Mid-Atlantic Fertility Centers

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	36%	Uterine factor	0%
GIFT	<1%			Male factor	22%	Other factors	12%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	2%	Unexplained	<1%
Combination	<1%	Unstimulated	0%	Endometriosis	27%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jairo E. Garcia, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	95	53	78	37
Percentage of cycles resulting in pregnancies ^b	17.9	28.3	16.7	2.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	13.7 (6.8 - 20.6)	15.1 (5.5 - 24.7)	14.1 (6.4 - 21.8)	2.7 (0.0 - 7.9)
Percentage of retrievals resulting in live births ^{b,c}	15.1	16.7	16.4	3.1
Percentage of transfers resulting in live births ^{b,c}	16.7	19.0	18.0	3.2
Percentage of cancellations ^b	9.5	9.4	14.1	13.5
Average number of embryos transferred	3.3	3.4	3.8	3.7
Percentage of pregnancies with twins ^b	5/17	5/15	5/13	0/1
Percentage of pregnancies with triplets or more ^b	1/17	0/15	0/13	0/1
Percentage of live births having multiple infants ^{b,c}	4/13	2/8	3/11	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	30	10	9	5
Percentage of transfers resulting in live births ^{b,c}	3.3	2/10	0/9	1/5
Average number of embryos transferred	2.7	2.8	2.8	2.6
Donor Eggs				
Number of fresh embryo transfers	0	0	2	4
Percentage of fresh transfers resulting in live births ^{b,c}			1/2	3/4
Average number of fresh embryos transferred			3.5	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Johns Hopkins Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
ROCKVILLE, MARYLAND**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	56%	Other factors	0%
ZIFT	0%	With ICSI	75%	Ovulatory dysfunction	0%	Unexplained	19%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Burt A. Littman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	3	6	0
Percentage of cycles resulting in pregnancies ^b	1/7	0/3	0/6	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/7	0/3	0/6	
Percentage of retrievals resulting in live births ^{b,c}	1/7	0/3	0/6	
Percentage of transfers resulting in live births ^{b,c}	1/7	0/3	0/5	
Percentage of cancellations ^b	0/7	0/3	0/6	
Average number of embryos transferred	3.4	3.0	2.4	
Percentage of pregnancies with twins ^b	0/1			
Percentage of pregnancies with triplets or more ^b	0/1			
Percentage of live births having multiple infants ^{b,c}	0/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SHADY GROVE FERTILITY CENTERS ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	24%	Other factors	7%
ZIFT	<1%	With ICSI	27%	Ovulatory dysfunction	4%	Unexplained	20%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael J. Levy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	482	267	169	99
Percentage of cycles resulting in pregnancies ^b	32.4	27.3	21.3	11.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.4 (23.4 - 31.4)	23.2 (18.2 - 28.3)	14.2 (8.9 - 19.5)	7.1 (2.0 - 12.1)
Percentage of retrievals resulting in live births ^{b,c}	29.6	28.2	17.8	9.3
Percentage of transfers resulting in live births ^{b,c}	32.6	30.1	18.9	10.0
Percentage of cancellations ^b	7.5	17.6	20.1	24.2
Average number of embryos transferred	3.3	3.4	3.6	3.8
Percentage of pregnancies with twins ^b	35.3	32.9	13.9	3/11
Percentage of pregnancies with triplets or more ^b	9.6	8.2		0/11
Percentage of live births having multiple infants ^{b,c}	41.7	32.3	12.5	1/7
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	6	2	7
Percentage of transfers resulting in live births ^{b,c}	1/18	0/6	0/2	1/7
Average number of embryos transferred	3.7	4.2	4.0	4.0
Donor Eggs				
Number of fresh embryo transfers	7	2	7	29
Percentage of fresh transfers resulting in live births ^{b,c}	5/7	0/2	2/7	20.7
Average number of fresh embryos transferred	3.3	3.5	3.1	3.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Shady Grove Fertility Reproductive Science Center

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR ASSISTED REPRODUCTION
BOSTON, MASSACHUSETTS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	21%	Uterine factor	5%
GIFT	2%			Male factor	22%	Other factors	34%
ZIFT	<1%	With ICSI	24%	Ovulatory dysfunction	6%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Elizabeth S. Ginsburg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	428	280	236	116
Percentage of cycles resulting in pregnancies ^b	48.1	39.6	32.2	19.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	41.1 (36.5 - 45.8)	32.9 (27.4 - 38.4)	23.3 (17.9 - 28.7)	11.2 (5.5 - 16.9)
Percentage of retrievals resulting in live births ^{b,c}	42.3	33.8	24.7	12.1
Percentage of transfers resulting in live births ^{b,c}	45.0	34.5	26.2	12.9
Percentage of cancellations ^b	2.8	2.9	5.5	7.8
Average number of embryos transferred	3.2	3.6	3.9	4.2
Percentage of pregnancies with twins ^b	33.0	24.3	21.1	31.8
Percentage of pregnancies with triplets or more ^b	10.2	13.5	5.3	
Percentage of live births having multiple infants ^{b,c}	38.6	35.9	27.3	5/13
Frozen Embryos From Nondonor Eggs				
Number of transfers	19	7	8	5
Percentage of transfers resulting in live births ^{b,c}	6/19	3/7	3/8	1/5
Average number of embryos transferred	3.1	3.1	4.1	3.2
Donor Eggs				
Number of fresh embryo transfers	3	2	4	13
Percentage of fresh transfers resulting in live births ^{b,c}	0/3	0/2	3/4	9/13
Average number of fresh embryos transferred	4.0	2.0	4.3	4.2
Number of frozen embryo transfers	2	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/2			1/1
Average number of frozen embryos transferred	2.0			6.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Assisted Reproduction

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FAULKNER CENTER FOR REPRODUCTIVE MEDICINE BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	13%	Uterine factor	2%
GIFT	2%			Male factor	21%	Other factors	11%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	35%	Unexplained	1%
Combination	0%	Unstimulated	3%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Machele Seibel, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	48	24	18	30
Percentage of cycles resulting in pregnancies ^b	25.0	12.5	1/18	3.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	16.7 (6.1 - 27.2)	12.5 (0.0 - 25.7)	1/18	3.3 (0.0 - 9.8)
Percentage of retrievals resulting in live births ^{b,c}	22.2	3/15	1/13	1/13
Percentage of transfers resulting in live births ^{b,c}	23.5	3/14	1/12	1/11
Percentage of cancellations ^b	25.0	37.5	5/18	56.7
Average number of embryos transferred	3.5	3.2	2.8	3.4
Percentage of pregnancies with twins ^b	2/12	1/3	0/1	0/1
Percentage of pregnancies with triplets or more ^b	1/12	1/3	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	2/8	2/3	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	3	8
Percentage of transfers resulting in live births ^{b,c}	1/2	0/2	1/3	0/8
Average number of embryos transferred	2.0	2.5	2.3	2.4
Donor Eggs				
Number of fresh embryo transfers	6	0	5	20
Percentage of fresh transfers resulting in live births ^{b,c}	1/6		3/5	25.0
Average number of fresh embryos transferred	2.7		4.0	3.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Faulkner Center For Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MASSACHUSETTS GENERAL HOSPITAL VINCENT IVF UNIT BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	21%	Uterine factor	6%
GIFT	<1%			Male factor	36%	Other factors	2%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	6%	Unexplained	19%
Combination	<1%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Thomas L. Toth, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	122	77	54	35
Percentage of cycles resulting in pregnancies ^b	32.0	36.4	22.2	17.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.0 (19.2 - 34.9)	27.3 (17.3 - 37.2)	14.8 (5.3 - 24.3)	11.4 (0.9 - 22.0)
Percentage of retrievals resulting in live births ^{b,c}	30.6	32.8	18.6	14.8
Percentage of transfers resulting in live births ^{b,c}	32.4	33.3	21.6	18.2
Percentage of cancellations ^b	11.5	16.9	20.4	22.9
Average number of embryos transferred	2.8	3.2	3.3	3.6
Percentage of pregnancies with twins ^b	30.8	25.0	2/12	0/6
Percentage of pregnancies with triplets or more ^b	7.7	14.3	0/12	0/6
Percentage of live births having multiple infants ^{b,c}	39.4	38.1	1/8	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	3	7	1
Percentage of transfers resulting in live births ^{b,c}	2/11	0/3	1/7	0/1
Average number of embryos transferred	3.2	3.0	3.6	1.0
Donor Eggs				
Number of fresh embryo transfers	0	0	2	1
Percentage of fresh transfers resulting in live births ^{b,c}			1/2	0/1
Average number of fresh embryos transferred			2.5	4.0
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births ^{b,c}		1/1		
Average number of frozen embryos transferred		4.0		

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Massachusetts General Hospital Vincent IVF Unit

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NEW ENGLAND FERTILITY AND ENDOCRINOLOGY ASSOCIATES BROOKLINE, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	73%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	11%
Combination	0%	Unstimulated	95%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gary L. Gross, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	8	3	6
Percentage of cycles resulting in pregnancies ^b	0/2	1/8	0/3	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/2	1/8	0/3	0/6
Percentage of retrievals resulting in live births ^{b,c}	0/2	1/8	0/3	0/6
Percentage of transfers resulting in live births ^{b,c}	0/2	1/6	0/1	0/3
Percentage of cancellations ^b	0/2	0/8	0/3	0/6
Average number of embryos transferred	1.0	1.0	1.0	1.0
Percentage of pregnancies with twins ^b		0/1		
Percentage of pregnancies with triplets or more ^b		0/1		
Percentage of live births having multiple infants ^{b,c}		0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: New England Fertility and Endocrinology Associates

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HALLMARK HEALTH FERTILITY SERVICES MALDEN, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	20%	Other factors	2%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	9%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by Shaila Phansey-Chauhan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	14	5	9	5
Percentage of cycles resulting in pregnancies ^b	5/14	1/5	0/9	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/14	1/5	0/9	0/5
Percentage of retrievals resulting in live births ^{b,c}	3/13	1/5	0/7	0/1
Percentage of transfers resulting in live births ^{b,c}	3/12	1/5	0/7	0/1
Percentage of cancellations ^b	1/14	0/5	2/9	4/5
Average number of embryos transferred	3.1	3.6	2.3	1.0
Percentage of pregnancies with twins ^b	1/5	0/1		
Percentage of pregnancies with triplets or more ^b	0/5	0/1		
Percentage of live births having multiple infants ^{b,c}	1/3	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	2	1	1
Percentage of transfers resulting in live births ^{b,c}	5/7	0/2	0/1	0/1
Average number of embryos transferred	3.3	3.0	4.0	2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Hallmark Health Fertility Services

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CENTER OF NEW ENGLAND, INC.
NEW ENGLAND CLINIC OF REPRODUCTIVE MEDICINE
READING, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	25%	Uterine factor	5%
GIFT	<1%			Male factor	25%	Other factors	7%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	20%	Unexplained	6%
Combination	3%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Vito R.S. Cardone, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	312	193	207	156
Percentage of cycles resulting in pregnancies ^b	28.8	23.3	13.0	6.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.7 (19.0 - 28.4)	18.7 (13.2 - 24.1)	9.7 (5.6 - 13.7)	4.5 (1.2 - 7.7)
Percentage of retrievals resulting in live births ^{b,c}	25.1	19.7	10.6	4.8
Percentage of transfers resulting in live births ^{b,c}	28.4	21.6	12.4	6.0
Percentage of cancellations ^b	5.4	5.2	9.2	6.4
Average number of embryos transferred	2.9	3.1	2.9	2.7
Percentage of pregnancies with twins ^b	17.8	11.1	11.1	1/10
Percentage of pregnancies with triplets or more ^b	6.7	6.7	3.7	0/10
Percentage of live births having multiple infants ^{b,c}	25.7	19.4	20.0	1/7
Frozen Embryos From Nondonor Eggs				
Number of transfers	80	47	20	12
Percentage of transfers resulting in live births ^{b,c}	18.8	25.5	10.0	0/12
Average number of embryos transferred	3.3	3.5	3.5	2.6
Donor Eggs				
Number of fresh embryo transfers	9	4	11	40
Percentage of fresh transfers resulting in live births ^{b,c}	4/9	0/4	4/11	50.0
Average number of fresh embryos transferred	2.7	2.5	3.0	3.0
Number of frozen embryo transfers	2	1	4	11
Percentage of frozen transfers resulting in live births ^{b,c}	1/2	0/1	0/4	3/11
Average number of frozen embryos transferred	3.0	3.0	3.3	2.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Center of New England, Inc., New England Clinic of Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BAYSTATE IVF SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	40%	Uterine factor	2%
GIFT	0%			Male factor	17%	Other factors	11%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	12%	Unexplained	7%
Combination	<1%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Daniel Grow, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	117	59	53	47
Percentage of cycles resulting in pregnancies ^b	31.6	27.1	18.9	8.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.1 (20.8 - 37.3)	22.0 (11.5 - 32.6)	15.1 (5.5 - 24.7)	8.5 (0.5 - 16.5)
Percentage of retrievals resulting in live births ^{b,c}	32.7	24.5	16.3	9.8
Percentage of transfers resulting in live births ^{b,c}	36.6	25.0	17.8	11.1
Percentage of cancellations ^b	11.1	10.2	7.5	12.8
Average number of embryos transferred	2.8	3.1	3.2	3.4
Percentage of pregnancies with twins ^b	35.1	5/16	2/10	0/4
Percentage of pregnancies with triplets or more ^b	5.4	1/16	0/10	0/4
Percentage of live births having multiple infants ^{b,c}	44.1	6/13	2/8	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	39	17	7	8
Percentage of transfers resulting in live births ^{b,c}	23.1	3/17	1/7	2/8
Average number of embryos transferred	3.1	3.4	3.3	4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	2	0
Percentage of fresh transfers resulting in live births ^{b,c}			1/2	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Baystate IVF

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BOSTON IVF WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	93%	Procedural factors:		Tubal factor	22%	Uterine factor	4%
GIFT	7%			Male factor	21%	Other factors	13%
ZIFT	0%	With ICSI	25%	Ovulatory dysfunction	13%	Unexplained	16%
Combination	0%	Unstimulated	<1%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael M. Alper, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	856	518	471	386
Percentage of cycles resulting in pregnancies ^b	31.4	32.2	24.4	12.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.3 (24.4 - 30.3)	27.0 (23.2 - 30.9)	19.7 (16.2 - 23.3)	8.0 (5.3 - 10.7)
Percentage of retrievals resulting in live births ^{b,c}	30.2	30.8	25.1	10.6
Percentage of transfers resulting in live births ^{b,c}	32.3	32.9	27.1	11.7
Percentage of cancellations ^b	9.3	12.2	21.2	24.4
Average number of embryos transferred	2.9	3.4	3.4	3.8
Percentage of pregnancies with twins ^b	33.5	27.5	26.1	12.8
Percentage of pregnancies with triplets or more ^b	9.3	11.4	7.0	6.4
Percentage of live births having multiple infants ^{b,c}	40.2	36.4	30.1	19.4
Frozen Embryos From Nondonor Eggs				
Number of transfers	115	55	39	20
Percentage of transfers resulting in live births ^{b,c}	10.4	12.7	20.5	5.0
Average number of embryos transferred	2.7	2.9	3.5	3.2
Donor Eggs				
Number of fresh embryo transfers	16	16	27	52
Percentage of fresh transfers resulting in live births ^{b,c}	4/16	7/16	33.3	28.8
Average number of fresh embryos transferred	2.8	3.1	3.1	2.6
Number of frozen embryo transfers	4	4	3	11
Percentage of frozen transfers resulting in live births ^{b,c}	1/4	0/4	0/3	1/11
Average number of frozen embryos transferred	3.0	1.8	3.3	3.1

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Boston IVF

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE REPRODUCTIVE SCIENCE CENTER OF BOSTON WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	18%	Uterine factor	2%
GIFT	2%			Male factor	31%	Other factors	19%
ZIFT	<1%	With ICSI	34%	Ovulatory dysfunction	11%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Patricia M. McShane, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	422	246	234	117
Percentage of cycles resulting in pregnancies ^b	42.2	37.0	30.8	17.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	35.1 (30.5 - 39.6)	30.1 (24.4 - 35.8)	23.9 (18.5 - 29.4)	12.0 (6.1 - 17.8)
Percentage of retrievals resulting in live births ^{b,c}	37.6	34.1	28.3	15.7
Percentage of transfers resulting in live births ^{b,c}	39.4	36.8	30.1	16.3
Percentage of cancellations ^b	6.6	11.8	15.4	23.9
Average number of embryos transferred	2.4	2.9	3.1	3.3
Percentage of pregnancies with twins ^b	37.1	26.4	26.4	9.5
Percentage of pregnancies with triplets or more ^b	4.5	6.6	8.3	
Percentage of live births having multiple infants ^{b,c}	37.8	28.4	25.0	2/14
Frozen Embryos From Nondonor Eggs				
Number of transfers	102	56	45	27
Percentage of transfers resulting in live births ^{b,c}	24.5	23.2	17.8	25.9
Average number of embryos transferred	2.7	2.9	2.7	2.6
Donor Eggs				
Number of fresh embryo transfers	12	5	14	43
Percentage of fresh transfers resulting in live births ^{b,c}	3/12	2/5	3/14	34.9
Average number of fresh embryos transferred	2.4	2.4	2.5	2.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Reproductive Science Center of Boston

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF MICHIGAN MEDICAL CENTER
ANN ARBOR, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	31%	Uterine factor	0%
GIFT	0%			Male factor	33%	Other factors	3%
ZIFT	2%	With ICSI	42%	Ovulatory dysfunction	23%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gregory M. Christman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	58	32	27	8
Percentage of cycles resulting in pregnancies ^b	8.6	12.5	11.1	0/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6.9 (0.4 - 13.4)	12.5 (1.0 - 24.0)	3.7 (0.0 - 10.8)	0/8
Percentage of retrievals resulting in live births ^{b,c}	8.5	14.3	1/16	0/4
Percentage of transfers resulting in live births ^{b,c}	8.5	14.8	1/15	0/3
Percentage of cancellations ^b	19.0	12.5	40.7	4/8
Average number of embryos transferred	3.9	3.8	4.5	5.0
Percentage of pregnancies with twins ^b	3/5	2/4	1/3	
Percentage of pregnancies with triplets or more ^b	0/5	2/4	0/3	
Percentage of live births having multiple infants ^{b,c}	2/4	3/4	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	20	8	8	2
Percentage of transfers resulting in live births ^{b,c}		0/8	0/8	0/2
Average number of embryos transferred	3.1	5.4	4.0	5.5
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Michigan Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
OAKWOOD HOSPITAL
DEARBORN, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	18%	Uterine factor	1%
GIFT	0%			Male factor	18%	Other factors	5%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	46%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by David M. Magyar, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	98	40	36	41
Percentage of cycles resulting in pregnancies ^b	26.5	25.0	2.8	4.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.4 (14.2 - 30.7)	17.5 (5.7 - 29.3)	2.8 (0.0 - 8.1)	2.4 (0.0 - 7.2)
Percentage of retrievals resulting in live births ^{b,c}	27.8	26.9	4.2	4.3
Percentage of transfers resulting in live births ^{b,c}	31.9	30.4	4.3	4.8
Percentage of cancellations ^b	19.4	35.0	33.3	43.9
Average number of embryos transferred	3.7	3.7	3.1	3.9
Percentage of pregnancies with twins ^b	15.4	1/10	0/1	0/2
Percentage of pregnancies with triplets or more ^b	11.5	1/10	0/1	0/2
Percentage of live births having multiple infants ^{b,c}	22.7	2/7	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	2	1	1
Percentage of transfers resulting in live births ^{b,c}	1/11	0/2	1/1	0/1
Average number of embryos transferred	2.4	1.5	5.0	1.0
Donor Eggs				
Number of fresh embryo transfers	3	1	1	1
Percentage of fresh transfers resulting in live births ^{b,c}	0/3	0/1	0/1	1/1
Average number of fresh embryos transferred	2.3	5.0	5.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine, Oakwood Hospital

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE CENTER FOR REPRODUCTIVE MEDICINE, HURLEY MEDICAL CENTER FLINT, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	46%	Procedural factors:		Tubal factor	30%	Uterine factor	0%
GIFT	7%			Male factor	59%	Other factors	<1%
ZIFT	39%	With ICSI	63%	Ovulatory dysfunction	2%	Unexplained	2%
Combination	8%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mostafa I. Abuzeid, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	94	47	26	18
Percentage of cycles resulting in pregnancies ^b	41.5	25.5	7.7	1/18
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.2 (27.5 - 47.0)	23.4 (11.3 - 35.5)	3.8 (0.0 - 11.2)	0/18
Percentage of retrievals resulting in live births ^{b,c}	40.7	28.2	5.0	0/15
Percentage of transfers resulting in live births ^{b,c}	41.7	29.7	1/19	0/15
Percentage of cancellations ^b	8.5	17.0	23.1	3/18
Average number of embryos transferred	4.4	4.8	3.7	4.9
Percentage of pregnancies with twins ^b	20.5	1/12	0/2	0/1
Percentage of pregnancies with triplets or more ^b	10.3	2/12	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	25.7	3/11	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	4	2	0
Percentage of transfers resulting in live births ^{b,c}	4/18	1/4	0/2	
Average number of embryos transferred	3.5	2.8	1.5	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Reproductive Medicine - Hurley Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GRAND RAPIDS FERTILITY/SPECTRUM HEALTH EAST GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	76%	Procedural factors:		Tubal factor	31%	Uterine factor	<1%
GIFT	15%			Male factor	28%	Other factors	4%
ZIFT	5%	With ICSI	29%	Ovulatory dysfunction	13%	Unexplained	18%
Combination	4%	Unstimulated	<1%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Douglas C. Daly, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	52	38	14	6
Percentage of cycles resulting in pregnancies ^b	36.5	36.8	5/14	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.5 (23.5 - 49.6)	31.6 (16.8 - 46.4)	5/14	0/6
Percentage of retrievals resulting in live births ^{b,c}	41.3	35.3	5/14	0/6
Percentage of transfers resulting in live births ^{b,c}	42.2	35.3	5/14	0/4
Percentage of cancellations ^b	11.5	10.5	0/14	0/6
Average number of embryos transferred	4.3	4.5	5.0	2.5
Percentage of pregnancies with twins ^b	8/19	4/14	3/5	
Percentage of pregnancies with triplets or more ^b	5/19	1/14	0/5	
Percentage of live births having multiple infants ^{b,c}	12/19	5/12	2/5	
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	8	0	1
Percentage of transfers resulting in live births ^{b,c}	1/15	0/8		0/1
Average number of embryos transferred	5.5	5.0		7.0
Donor Eggs				
Number of fresh embryo transfers	1	4	2	5
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	2/4	2/2	2/5
Average number of fresh embryos transferred	4.0	4.0	4.0	4.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Grand Rapids Fertility/Spectrum Health East

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MICHIGAN REPRODUCTIVE & IVF CENTER GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	58%	Procedural factors:		Tubal factor	27%	Uterine factor	1%
GIFT	13%			Male factor	30%	Other factors	13%
ZIFT	27%	With ICSI	58%	Ovulatory dysfunction	5%	Unexplained	8%
Combination	2%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by William G. Dodds, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	189	68	46	16
Percentage of cycles resulting in pregnancies ^b	50.8	39.7	37.0	5/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	45.0 (37.9 - 52.1)	26.5 (16.0 - 37.0)	32.6 (19.1 - 46.2)	5/16
Percentage of retrievals resulting in live births ^{b,c}	46.4	27.7	36.6	5/15
Percentage of transfers resulting in live births ^{b,c}	47.8	28.1	37.5	5/15
Percentage of cancellations ^b	3.2	4.4	10.9	1/16
Average number of embryos transferred	3.6	3.6	4.2	4.2
Percentage of pregnancies with twins ^b	32.3	18.5	3/17	0/5
Percentage of pregnancies with triplets or more ^b	18.8		1/17	1/5
Percentage of live births having multiple infants ^{b,c}	48.2	4/18	3/15	1/5
Frozen Embryos From Nondonor Eggs				
Number of transfers	28	6	8	3
Percentage of transfers resulting in live births ^{b,c}	14.3	1/6	4/8	1/3
Average number of embryos transferred	3.5	2.7	1.9	4.0
Donor Eggs				
Number of fresh embryo transfers	3	5	5	12
Percentage of fresh transfers resulting in live births ^{b,c}	1/3	1/5	2/5	3/12
Average number of fresh embryos transferred	3.7	3.0	3.6	3.7
Number of frozen embryo transfers	4	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	1/4			0/1
Average number of frozen embryos transferred	3.5			5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Michigan Reproductive & IVF Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WEST MICHIGAN REPRODUCTIVE INSTITUTE, P.C.
GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	94%	Procedural factors:		Tubal factor	49%	Uterine factor	0%
GIFT	2%			Male factor	22%	Other factors	8%
ZIFT	4%	With ICSI	33%	Ovulatory dysfunction	3%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by R. Donald Eward, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	40	21	13	12
Percentage of cycles resulting in pregnancies ^b	32.5	28.6	2/13	1/12
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.5 (13.7 - 41.3)	28.6 (9.2 - 47.9)	1/13	0/12
Percentage of retrievals resulting in live births ^{b,c}	28.9	6/15	1/10	0/6
Percentage of transfers resulting in live births ^{b,c}	32.4	6/15	1/10	0/6
Percentage of cancellations ^b	5.0	28.6	3/13	6/12
Average number of embryos transferred	4.3	4.1	5.2	2.5
Percentage of pregnancies with twins ^b	3/13	3/6	0/2	0/1
Percentage of pregnancies with triplets or more ^b	5/13	0/6	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	5/11	3/6	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	5	2	2
Percentage of transfers resulting in live births ^{b,c}	1/7	0/5	1/2	0/2
Average number of embryos transferred	7.3	5.2	3.0	4.0
Donor Eggs				
Number of fresh embryo transfers	3	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}	1/3			0/2
Average number of fresh embryos transferred	4.0			4.5
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			1/1	1/1
Average number of frozen embryos transferred			5.0	6.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: West Michigan Reproductive Institute, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INFERTILITY AND GYNECOLOGY CENTER OF LANSING, P.C. LANSING, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	53%	Procedural factors:		Tubal factor	44%	Uterine factor	3%
GIFT	15%			Male factor	24%	Other factors	2%
ZIFT	31%	With ICSI	46%	Ovulatory dysfunction	4%	Unexplained	5%
Combination	1%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mohammad Mohsenian, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	38	12	10
Percentage of cycles resulting in pregnancies ^b	33.3	15.8	0/12	4/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.8 (16.3 - 45.3)	7.9 (0.0 - 16.5)	0/12	2/10
Percentage of retrievals resulting in live births ^{b,c}	36.4	9.7	0/10	2/7
Percentage of transfers resulting in live births ^{b,c}	37.5	11.1	0/7	2/5
Percentage of cancellations ^b	15.4	18.4	2/12	3/10
Average number of embryos transferred	3.3	3.2	2.9	4.8
Percentage of pregnancies with twins ^b	5/13	0/6		1/4
Percentage of pregnancies with triplets or more ^b	1/13	2/6		0/4
Percentage of live births having multiple infants ^{b,c}	6/12	1/3		1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/1			
Average number of embryos transferred	4.0			
Donor Eggs				
Number of fresh embryo transfers	1	1	1	0
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	1/1	0/1	
Average number of fresh embryos transferred	4.0	4.0	1.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility and Gynecology Center of Lansing, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**MICHIGAN STATE UNIVERSITY
CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY
LANSING, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	83%	Uterine factor	0%
GIFT	0%			Male factor	17%	Other factors	0%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	0%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Harold Sauer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	0	0	0
Percentage of cycles resulting in pregnancies ^b	1/5			
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/5			
Percentage of retrievals resulting in live births ^{b,c}	1/5			
Percentage of transfers resulting in live births ^{b,c}	1/5			
Percentage of cancellations ^b	0/5			
Average number of embryos transferred	2.6			
Percentage of pregnancies with twins ^b	0/1			
Percentage of pregnancies with triplets or more ^b	0/1			
Percentage of live births having multiple infants ^{b,c}	0/1			
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	4.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Michigan State University Center for Assisted Reproductive Technology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE CENTER FOR REPRODUCTIVE MEDICINE AT ROCHESTER HILLS ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	37%	Procedural factors:		Tubal factor	39%	Uterine factor	0%
GIFT	2%			Male factor	53%	Other factors	2%
ZIFT	56%	With ICSI	69%	Ovulatory dysfunction	2%	Unexplained	0%
Combination	5%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mostafa I. Abuzeid, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	14	7	3
Percentage of cycles resulting in pregnancies ^b	30.0	3/14	2/7	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.7 (10.8 - 42.5)	3/14	1/7	0/3
Percentage of retrievals resulting in live births ^{b,c}	26.7	3/11	1/6	0/3
Percentage of transfers resulting in live births ^{b,c}	27.6	3/11	1/6	0/3
Percentage of cancellations ^b	0.0	3/14	1/7	0/3
Average number of embryos transferred	4.3	4.0	4.8	2.7
Percentage of pregnancies with twins ^b	2/9	1/3	0/2	
Percentage of pregnancies with triplets or more ^b	1/9	0/3	0/2	
Percentage of live births having multiple infants ^{b,c}	3/8	1/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	5.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Reproductive Medicine at Rochester Hills

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FAKIH INSTITUTE OF REPRODUCTIVE SCIENCE & TECHNOLOGY ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	52%	Procedural factors:		Tubal factor	16%	Uterine factor	2%
GIFT	6%			Male factor	39%	Other factors	8%
ZIFT	41%	With ICSI	67%	Ovulatory dysfunction	19%	Unexplained	2%
Combination	<1%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael H. Fakh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	150	42	41	26
Percentage of cycles resulting in pregnancies ^b	35.3	31.0	22.0	19.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.7 (21.4 - 35.9)	26.2 (12.9 - 39.5)	12.2 (2.2 - 22.2)	7.7 (0.0 - 17.9)
Percentage of retrievals resulting in live births ^{b,c}	29.1	28.9	12.5	8.7
Percentage of transfers resulting in live births ^{b,c}	29.5	28.9	12.8	9.1
Percentage of cancellations ^b	1.3	9.5	2.4	11.5
Average number of embryos transferred	5.1	4.6	4.7	4.1
Percentage of pregnancies with twins ^b	41.5	4/13	2/9	0/5
Percentage of pregnancies with triplets or more ^b	17.0	2/13	0/9	0/5
Percentage of live births having multiple infants ^{b,c}	53.5	3/11	2/5	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	7	4	5
Percentage of transfers resulting in live births ^{b,c}	3/16	1/7	0/4	1/5
Average number of embryos transferred	3.4	2.7	2.3	3.0
Donor Eggs				
Number of fresh embryo transfers	4	3	11	42
Percentage of fresh transfers resulting in live births ^{b,c}	2/4	0/3	4/11	38.1
Average number of fresh embryos transferred	4.5	4.7	4.4	4.6
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fakh Institute of Reproductive Science & Technology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BEAUMONT CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE ROYAL OAK, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	21%	Uterine factor	1%
GIFT	0%			Male factor	40%	Other factors	13%
ZIFT	0%	With ICSI	44%	Ovulatory dysfunction	5%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by William R. Keye, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	91	59	27	16
Percentage of cycles resulting in pregnancies ^b	39.6	32.2	29.6	2/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	34.1 (24.3 - 43.8)	27.1 (15.8 - 38.5)	22.2 (6.5 - 37.9)	2/16
Percentage of retrievals resulting in live births ^{b,c}	39.7	30.2	27.3	2/12
Percentage of transfers resulting in live births ^{b,c}	40.8	33.3	27.3	2/10
Percentage of cancellations ^b	14.3	10.2	18.5	4/16
Average number of embryos transferred	3.1	3.2	3.3	3.8
Percentage of pregnancies with twins ^b	16.7	4/19	1/8	1/2
Percentage of pregnancies with triplets or more ^b	11.1	1/19	0/8	0/2
Percentage of live births having multiple infants ^{b,c}	29.0	3/16	1/6	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	1	0
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1	0/1	
Average number of embryos transferred	5.0	9.0	2.0	
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			
Average number of fresh embryos transferred	3.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Beaumont Center for Fertility and Reproductive Medicine

Services Offered:

Donor egg? Yes
 Donor embryo? Yes
 Single women? Yes
 Gestational carriers? No
 Cryopreservation? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	42%	Uterine factor	0%
GIFT	0%			Male factor	31%	Other factors	3%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	2%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Ronald C. Strickler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	57	35	20	20
Percentage of cycles resulting in pregnancies ^b	31.6	20.0	20.0	10.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.1 (16.4 - 39.7)	14.3 (2.7 - 25.9)	10.0 (0.0 - 23.1)	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births ^{b,c}	42.1	20.8	2/12	1/9
Percentage of transfers resulting in live births ^{b,c}	43.2	21.7	2/11	1/9
Percentage of cancellations ^b	33.3	31.4	40.0	55.0
Average number of embryos transferred	3.0	3.4	3.4	3.4
Percentage of pregnancies with twins ^b	7/18	0/7	0/4	1/2
Percentage of pregnancies with triplets or more ^b	1/18	0/7	0/4	0/2
Percentage of live births having multiple infants ^{b,c}	7/16	0/5	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	5	2	1
Percentage of transfers resulting in live births ^{b,c}	1/5	2/5	0/2	0/1
Average number of embryos transferred	3.0	2.6	3.0	1.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Henry Ford Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HUTZEL HOSPITAL WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	94%	Procedural factors:		Tubal factor	33%	Uterine factor	<1%
GIFT	4%			Male factor	21%	Other factors	14%
ZIFT	<1%	With ICSI	29%	Ovulatory dysfunction	2%	Unexplained	16%
Combination	<1%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Charla M. Blacker, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	97	52	47	21
Percentage of cycles resulting in pregnancies ^b	28.9	25.0	12.8	4.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.7 (15.2 - 32.2)	17.3 (7.0 - 27.6)	6.4 (0.0 - 13.4)	0.0
Percentage of retrievals resulting in live births ^{b,c}	28.0	22.0	9.1	0/15
Percentage of transfers resulting in live births ^{b,c}	29.5	23.1	9.4	0/14
Percentage of cancellations ^b	15.5	21.2	29.8	28.6
Average number of embryos transferred	4.6	4.4	3.9	4.6
Percentage of pregnancies with twins ^b	28.6	4/13	0/6	0/1
Percentage of pregnancies with triplets or more ^b	17.9	3/13	0/6	0/1
Percentage of live births having multiple infants ^{b,c}	47.8	5/9	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0/4		0/1	
Average number of embryos transferred	1.0		1.0	
Donor Eggs				
Number of fresh embryo transfers	3	2	1	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/3	2/2	1/1	1/6
Average number of fresh embryos transferred	4.3	3.5	6.0	3.7
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				2.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Hutzell Hospital

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ANN ARBOR REPRODUCTIVE MEDICINE YPSILANTI, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	36%	Procedural factors:		Tubal factor	22%	Uterine factor	2%
GIFT	6%			Male factor	29%	Other factors	0%
ZIFT	58%	With ICSI	46%	Ovulatory dysfunction	38%	Unexplained	0%
Combination	<1%	Unstimulated	<1%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jonathan W.T. Ayers, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	155	87	44	35
Percentage of cycles resulting in pregnancies ^b	27.1	27.6	18.2	8.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.2 (16.6 - 29.9)	23.0 (14.1 - 31.8)	11.4 (2.0 - 20.7)	8.6 (0.0 - 17.8)
Percentage of retrievals resulting in live births ^{b,c}	27.7	28.6	14.3	11.1
Percentage of transfers resulting in live births ^{b,c}	29.0	31.3	15.6	11.1
Percentage of cancellations ^b	16.1	19.5	20.5	22.9
Average number of embryos transferred	3.2	3.0	3.4	3.4
Percentage of pregnancies with twins ^b	35.7	33.3	3/8	0/3
Percentage of pregnancies with triplets or more ^b	14.3	8.3	1/8	0/3
Percentage of live births having multiple infants ^{b,c}	41.7	45.0	2/5	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	41	7	7	1
Percentage of transfers resulting in live births ^{b,c}	7.3	0/7	2/7	0/1
Average number of embryos transferred	2.4	2.3	2.3	4.0
Donor Eggs				
Number of fresh embryo transfers	6	0	6	32
Percentage of fresh transfers resulting in live births ^{b,c}	2/6		1/6	46.9
Average number of fresh embryos transferred	3.0		3.0	3.2
Number of frozen embryo transfers	2	0	1	6
Percentage of frozen transfers resulting in live births ^{b,c}	1/2		0/1	1/6
Average number of frozen embryos transferred	2.5		3.0	2.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Ann Arbor Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
MINNEAPOLIS, MINNESOTA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	1%
GIFT	<1%			Male factor	25%	Other factors	22%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	6%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bruce F. Campbell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	119	73	54	26
Percentage of cycles resulting in pregnancies ^b	52.9	50.7	50.0	19.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	47.1 (38.1 - 56.0)	47.9 (36.5 - 59.4)	38.9 (25.9 - 51.9)	15.4 (1.5 - 29.3)
Percentage of retrievals resulting in live births ^{b,c}	50.0	53.8	43.8	18.2
Percentage of transfers resulting in live births ^{b,c}	50.0	54.7	43.8	18.2
Percentage of cancellations ^b	5.9	11.0	11.1	15.4
Average number of embryos transferred	3.1	3.3	3.6	3.2
Percentage of pregnancies with twins ^b	41.3	48.6	14.8	1/5
Percentage of pregnancies with triplets or more ^b	12.7	5.4	7.4	0/5
Percentage of live births having multiple infants ^{b,c}	50.0	57.1	23.8	1/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	3	6	4
Percentage of transfers resulting in live births ^{b,c}	3/10	0/3	1/6	2/4
Average number of embryos transferred	3.6	3.3	3.7	3.8
Donor Eggs				
Number of fresh embryo transfers	4	8	12	24
Percentage of fresh transfers resulting in live births ^{b,c}	2/4	5/8	7/12	58.3
Average number of fresh embryos transferred	3.0	2.3	2.9	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, P.A.
MINNEAPOLIS, MINNESOTA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	28%	Uterine factor	0%
GIFT	0%			Male factor	32%	Other factors	23%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Randle S. Corfman, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	152	51	48	13
Percentage of cycles resulting in pregnancies ^b	53.3	51.0	33.3	3/13
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	50.7 (42.7 - 58.6)	47.1 (33.4 - 60.8)	27.1 (14.5 - 39.7)	1/13
Percentage of retrievals resulting in live births ^{b,c}	55.4	54.5	32.5	1/9
Percentage of transfers resulting in live births ^{b,c}	57.5	55.8	34.2	1/9
Percentage of cancellations ^b	8.6	13.7	16.7	4/13
Average number of embryos transferred	2.6	2.8	2.8	3.0
Percentage of pregnancies with twins ^b	32.1	19.2	4/16	1/3
Percentage of pregnancies with triplets or more ^b	9.9	19.2	0/16	0/3
Percentage of live births having multiple infants ^{b,c}	37.7	37.5	4/13	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	52	27	16	2
Percentage of transfers resulting in live births ^{b,c}	15.4	29.6	5/16	1/2
Average number of embryos transferred	2.6	2.6	2.7	2.0
Donor Eggs				
Number of fresh embryo transfers	4	2	7	19
Percentage of fresh transfers resulting in live births ^{b,c}	3/4	1/2	2/7	14/19
Average number of fresh embryos transferred	2.5	2.5	2.7	2.6
Number of frozen embryo transfers	2	1	4	8
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	0/1	1/4	3/8
Average number of frozen embryos transferred	3.0	3.0	3.5	2.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Midwest Center for Reproductive Health, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	26%	Uterine factor	1%
GIFT	0%			Male factor	30%	Other factors	10%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	21%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mark A. Damario, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	105	54	21	13
Percentage of cycles resulting in pregnancies ^b	51.4	51.9	28.6	2/13
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	48.6 (39.0 - 58.1)	42.6 (29.4 - 55.8)	23.8 (5.6 - 42.0)	0/13
Percentage of retrievals resulting in live births ^{b,c}	50.5	50.0	5/17	0/8
Percentage of transfers resulting in live births ^{b,c}	56.0	50.0	5/15	0/7
Percentage of cancellations ^b	3.8	14.8	19.0	5/13
Average number of embryos transferred	3.1	3.6	3.4	3.3
Percentage of pregnancies with twins ^b	35.2	14.3	0/6	0/2
Percentage of pregnancies with triplets or more ^b	11.1	17.9	0/6	0/2
Percentage of live births having multiple infants ^{b,c}	43.1	30.4	0/5	
Frozen Embryos From Nondonor Eggs				
Number of transfers	54	30	17	10
Percentage of transfers resulting in live births ^{b,c}	31.5	26.7	5/17	2/10
Average number of embryos transferred	3.2	3.2	3.4	3.2
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			
Average number of fresh embryos transferred	3.0			
Number of frozen embryo transfers	16	3	5	29
Percentage of frozen transfers resulting in live births ^{b,c}	7/16	2/3	4/5	41.4
Average number of frozen embryos transferred	3.3	3.0	3.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Mayo Clinic Assisted Reproductive Technologies

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE HEALTH ASSOCIATES, P.A.
ST. PAUL, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	19%	Uterine factor	0%
GIFT	0%			Male factor	45%	Other factors	11%
ZIFT	0%	With ICSI	96%	Ovulatory dysfunction	4%	Unexplained	15%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jacques P. Stassart, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	230	92	49	18
Percentage of cycles resulting in pregnancies ^b	38.3	40.2	20.4	4/18
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.3 (25.3 - 37.3)	30.4 (21.0 - 39.8)	14.3 (4.5 - 24.1)	4/18
Percentage of retrievals resulting in live births ^{b,c}	31.3	30.4	15.2	4/17
Percentage of transfers resulting in live births ^{b,c}	32.0	31.1	16.7	4/15
Percentage of cancellations ^b	0.0	0.0	6.1	1/18
Average number of embryos transferred	2.9	3.0	3.7	3.7
Percentage of pregnancies with twins ^b	29.5	24.3	2/10	0/4
Percentage of pregnancies with triplets or more ^b	10.2	2.7	0/10	0/4
Percentage of live births having multiple infants ^{b,c}	45.8	28.6	2/7	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	49	22	13	10
Percentage of transfers resulting in live births ^{b,c}	12.2	13.6	0/13	2/10
Average number of embryos transferred	2.8	3.1	2.6	2.6
Donor Eggs				
Number of fresh embryo transfers	21	10	18	35
Percentage of fresh transfers resulting in live births ^{b,c}	42.9	4/10	10/18	40.0
Average number of fresh embryos transferred	3.0	2.8	2.8	2.9
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	8%
ZIFT	0%	With ICSI	49%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	<1%	Endometriosis	27%		

1998 PREGNANCY SUCCESS RATES

Data verified by Randall S. Hines, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	85	32	18	11
Percentage of cycles resulting in pregnancies ^b	30.6	28.1	3/18	1/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.7 (15.5 - 33.9)	25.0 (10.0 - 40.0)	3/18	0/11
Percentage of retrievals resulting in live births ^{b,c}	26.3	27.6	3/17	0/7
Percentage of transfers resulting in live births ^{b,c}	28.0	34.8	3/14	0/5
Percentage of cancellations ^b	5.9	9.4	1/18	4/11
Average number of embryos transferred	2.9	2.9	2.6	2.4
Percentage of pregnancies with twins ^b	26.9	3/9	0/3	0/1
Percentage of pregnancies with triplets or more ^b	3.8	0/9	0/3	0/1
Percentage of live births having multiple infants ^{b,c}	33.3	2/8	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	6	1	0
Percentage of transfers resulting in live births ^{b,c}	1/10	2/6	0/1	
Average number of embryos transferred	2.8	2.7	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	2	2	3
Percentage of fresh transfers resulting in live births ^{b,c}		0/2	2/2	1/3
Average number of fresh embryos transferred		2.5	4.0	3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Mississippi Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ADVANCED REPRODUCTIVE SPECIALISTS CHESTERFIELD, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	58%	Uterine factor	4%
GIFT	0%			Male factor	0%	Other factors	2%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	21%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jorge A. Pineda, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	7	9	2
Percentage of cycles resulting in pregnancies ^b	40.0	5/7	1/9	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.3 (16.5 - 50.2)	4/7	0/9	0/2
Percentage of retrievals resulting in live births ^{b,c}	33.3	4/7	0/8	0/2
Percentage of transfers resulting in live births ^{b,c}	38.5	4/7	0/6	0/1
Percentage of cancellations ^b	0.0	0/7	1/9	0/2
Average number of embryos transferred	4.5	4.1	4.8	7.0
Percentage of pregnancies with twins ^b	6/12	1/5	0/1	
Percentage of pregnancies with triplets or more ^b	1/12	1/5	0/1	
Percentage of live births having multiple infants ^{b,c}	6/10	2/4		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/1		
Average number of embryos transferred	3.8	4.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Reproductive Specialists

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE FERTILITY INSTITUTE CHESTERFIELD, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	14%	Uterine factor	0%
GIFT	0%			Male factor	2%	Other factors	4%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	32%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	48%		

1998 PREGNANCY SUCCESS RATES

Data verified by Anthony C. Pearlstone, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	43	22	7	7
Percentage of cycles resulting in pregnancies ^b	39.5	36.4	1/7	1/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	32.6 (18.6 - 46.6)	31.8 (12.4 - 51.3)	0/7	1/7
Percentage of retrievals resulting in live births ^{b,c}	32.6	31.8	0/7	1/4
Percentage of transfers resulting in live births ^{b,c}	35.9	35.0	0/6	1/4
Percentage of cancellations ^b	0.0	0.0	0/7	3/7
Average number of embryos transferred	3.5	4.3	3.3	3.0
Percentage of pregnancies with twins ^b	3/17	2/8	0/1	0/1
Percentage of pregnancies with triplets or more ^b	1/17	0/8	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	2/14	1/7		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	2	0	0
Percentage of fresh transfers resulting in live births ^{b,c}		1/2		
Average number of fresh embryos transferred		4.0		
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Fertility Institute

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MID-MISSOURI CENTER FOR REPRODUCTIVE HEALTH COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	57%	Procedural factors:		Tubal factor	7%	Uterine factor	0%
GIFT	43%			Male factor	10%	Other factors	3%
ZIFT	0%	With ICSI	21%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	67%		

1998 PREGNANCY SUCCESS RATES

Data verified by Larry L. Penney, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	15	10	3	0
Percentage of cycles resulting in pregnancies ^b	2/15	1/10	1/3	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/15	1/10	1/3	
Percentage of retrievals resulting in live births ^{b,c}	2/14	1/6	1/3	
Percentage of transfers resulting in live births ^{b,c}	2/14	1/5	1/3	
Percentage of cancellations ^b	1/15	4/10	0/3	
Average number of embryos transferred	3.6	3.2	3.7	
Percentage of pregnancies with twins ^b	0/2	0/1	1/1	
Percentage of pregnancies with triplets or more ^b	0/2	0/1	0/1	
Percentage of live births having multiple infants ^{b,c}	0/2	0/1	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}			1/1	
Average number of embryos transferred			5.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Mid-Missouri Center for Reproductive Health

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF MISSOURI HOSPITAL & CLINICS-IVF EMBRYOLOGY LAB COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	91%	Procedural factors:		Tubal factor	14%	Uterine factor	0%
GIFT	6%			Male factor	25%	Other factors	17%
ZIFT	0%	With ICSI	11%	Ovulatory dysfunction	33%	Unexplained	0%
Combination	3%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gary M. Horowitz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	1	4	10
Percentage of cycles resulting in pregnancies ^b	10.0	0/1	0/4	1/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	10.0 (0.0 - 23.1)	0/1	0/4	0/10
Percentage of retrievals resulting in live births ^{b,c}	2/19	0/1	0/2	0/5
Percentage of transfers resulting in live births ^{b,c}	2/11	0/1	0/2	0/5
Percentage of cancellations ^b	5.0	0/1	2/4	5/10
Average number of embryos transferred	3.2	2.0	3.0	3.6
Percentage of pregnancies with twins ^b	0/2			0/1
Percentage of pregnancies with triplets or more ^b	1/2			0/1
Percentage of live births having multiple infants ^{b,c}	1/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	3.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Missouri Hospital & Clinics-IVF Embryology Lab

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ADVANCED ASSISTED REPRODUCTIVE TECHNOLOGY PROGRAM ST. LOUIS, MISSOURI

These data were reported and verified by the clinic medical director in January 2000. In July 2000, the medical director informed CDC that the reported data may not have been completely accurate, but CDC could not accept and review new data at that time without delaying this publication. Therefore, readers should note that the 1998 statistics for this clinic may not be accurate.

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	36%	Uterine factor	1%
GIFT	<1%			Male factor	23%	Other factors	3%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	12%	Unexplained	12%
Combination	0%	Unstimulated	<1%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Daniel B. Williams, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	145	72	54	28
Percentage of cycles resulting in pregnancies ^b	35.9	23.6	24.1	17.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.7 (22.2 - 37.1)	13.9 (5.9 - 21.9)	18.5 (8.2 - 28.9)	14.3 (1.3 - 27.2)
Percentage of retrievals resulting in live births ^{b,c}	36.4	16.4	27.8	16.7
Percentage of transfers resulting in live births ^{b,c}	36.8	18.2	28.6	19.0
Percentage of cancellations ^b	18.6	15.3	33.3	14.3
Average number of embryos transferred	2.9	2.8	3.1	3.7
Percentage of pregnancies with twins ^b	19.2	4/17	3/13	2/5
Percentage of pregnancies with triplets or more ^b	13.5	1/17	1/13	0/5
Percentage of live births having multiple infants ^{b,c}	25.6	5/10	2/10	2/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	9	1	1
Percentage of transfers resulting in live births ^{b,c}	0/8	2/9	1/1	0/1
Average number of embryos transferred	2.3	2.9	4.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	1	0	5
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		2/5
Average number of fresh embryos transferred		1.0		3.6
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Assisted Reproductive Technology Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INFERTILITY & IVF CENTER ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	89%	Procedural factors:		Tubal factor	28%	Uterine factor	1%
GIFT	0%			Male factor	22%	Other factors	6%
ZIFT	9%	With ICSI	34%	Ovulatory dysfunction	32%	Unexplained	6%
Combination	2%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Ronald P. Wilbois, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	23	10	13	10
Percentage of cycles resulting in pregnancies ^b	21.7	2/10	0/13	1/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	21.7 (4.9 - 38.6)	2/10	0/13	1/10
Percentage of retrievals resulting in live births ^{b,c}	23.8	2/9	0/7	1/9
Percentage of transfers resulting in live births ^{b,c}	5/19	2/8	0/7	1/8
Percentage of cancellations ^b	8.7	1/10	6/13	1/10
Average number of embryos transferred	4.9	4.6	5.1	3.1
Percentage of pregnancies with twins ^b	1/5	0/2		0/1
Percentage of pregnancies with triplets or more ^b	0/5	0/2		0/1
Percentage of live births having multiple infants ^{b,c}	1/5	0/2		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	3	4
Percentage of transfers resulting in live births ^{b,c}	0/4	0/1	0/3	1/4
Average number of embryos transferred	2.5	4.0	3.3	3.3
Donor Eggs				
Number of fresh embryo transfers	1	0	1	11
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	1/11
Average number of fresh embryos transferred	3.0		5.0	3.6
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	
Average number of frozen embryos transferred			3.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility Center of St. Louis at St. Luke's

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INFERTILITY CENTER OF ST. LOUIS ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	33%	Procedural factors:		Tubal factor	7%	Uterine factor	0%
GIFT	18%			Male factor	62%	Other factors	4%
ZIFT	49%	With ICSI	64%	Ovulatory dysfunction	8%	Unexplained	19%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Sherman J. Silber, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	138	43	33	33
Percentage of cycles resulting in pregnancies ^b	34.1	23.3	24.2	18.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.7 (22.1 - 37.3)	20.9 (8.8 - 33.1)	18.2 (5.0 - 31.3)	9.1 (0.0 - 18.9)
Percentage of retrievals resulting in live births ^{b,c}	31.5	22.5	20.7	9.7
Percentage of transfers resulting in live births ^{b,c}	32.8	23.1	21.4	10.3
Percentage of cancellations ^b	5.8	7.0	12.1	6.1
Average number of embryos transferred	4.3	4.8	5.0	6.2
Percentage of pregnancies with twins ^b	34.0	3/10	4/8	1/6
Percentage of pregnancies with triplets or more ^b	10.6	1/10	0/8	1/6
Percentage of live births having multiple infants ^{b,c}	41.5	3/9	4/6	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	6	2	0
Percentage of transfers resulting in live births ^{b,c}	3/13	1/6	1/2	
Average number of embryos transferred	3.0	3.7	2.5	
Donor Eggs				
Number of fresh embryo transfers	1	0	6	7
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		3/6	1/7
Average number of fresh embryos transferred	4.0		5.0	5.7
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility Center of St. Louis

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
OMAHA, NEBRASKA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	76%	Procedural factors:		Tubal factor	22%	Uterine factor	2%
GIFT	0%			Male factor	35%	Other factors	4%
ZIFT	24%	With ICSI	48%	Ovulatory dysfunction	20%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Victoria M. Maclin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	95	35	21	10
Percentage of cycles resulting in pregnancies ^b	32.6	28.6	19.0	0/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.4 (18.4 - 36.3)	22.9 (8.9 - 36.8)	19.0 (2.3 - 35.8)	0/10
Percentage of retrievals resulting in live births ^{b,c}	31.3	25.8	4/18	0/7
Percentage of transfers resulting in live births ^{b,c}	32.5	28.6	4/14	0/5
Percentage of cancellations ^b	12.6	11.4	14.3	3/10
Average number of embryos transferred	3.2	3.2	2.5	2.0
Percentage of pregnancies with twins ^b	41.9	1/10	0/4	
Percentage of pregnancies with triplets or more ^b	6.5	0/10	1/4	
Percentage of live births having multiple infants ^{b,c}	53.8	1/8	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	32	12	4	5
Percentage of transfers resulting in live births ^{b,c}	18.8	0/12	1/4	1/5
Average number of embryos transferred	4.6	4.0	3.3	3.2
Donor Eggs				
Number of fresh embryo transfers	0	1	1	7
Percentage of fresh transfers resulting in live births ^{b,c}		1/1	0/1	3/7
Average number of fresh embryos transferred		3.0	3.0	3.1
Number of frozen embryo transfers	0	0	0	5
Percentage of frozen transfers resulting in live births ^{b,c}				2/5
Average number of frozen embryos transferred				5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE ENDOCRINOLOGY/INFERTILITY OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	62%	Procedural factors:		Tubal factor	40%	Uterine factor	3%
GIFT	2%			Male factor	9%	Other factors	7%
ZIFT	35%	With ICSI	31%	Ovulatory dysfunction	18%	Unexplained	<1%
Combination	<1%	Unstimulated	0%	Endometriosis	22%		

1998 PREGNANCY SUCCESS RATES

Data verified by Carolyn M. Doherty, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	168	70	37	24
Percentage of cycles resulting in pregnancies ^b	38.1	32.9	29.7	20.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	34.5 (27.3 - 41.7)	25.7 (15.5 - 36.0)	16.2 (4.3 - 28.1)	12.5 (0.0 - 25.7)
Percentage of retrievals resulting in live births ^{b,c}	37.4	28.6	24.0	3/18
Percentage of transfers resulting in live births ^{b,c}	38.4	29.5	24.0	3/16
Percentage of cancellations ^b	7.7	10.0	32.4	25.0
Average number of embryos transferred	4.2	4.4	5.1	3.8
Percentage of pregnancies with twins ^b	35.9	13.0	2/11	1/5
Percentage of pregnancies with triplets or more ^b	18.8	26.1	1/11	0/5
Percentage of live births having multiple infants ^{b,c}	46.6	9/18	3/6	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	24	7	2	0
Percentage of transfers resulting in live births ^{b,c}	12.5	1/7	0/2	
Average number of embryos transferred	4.3	3.7	5.5	
Donor Eggs				
Number of fresh embryo transfers	3	4	10	17
Percentage of fresh transfers resulting in live births ^{b,c}	1/3	0/4	0/10	5/17
Average number of fresh embryos transferred	5.3	5.5	5.4	4.8
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	
Average number of frozen embryos transferred			3.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Endocrinology/Infertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	34%	Uterine factor	2%
GIFT	0%			Male factor	26%	Other factors	18%
ZIFT	0%	With ICSI	12%	Ovulatory dysfunction	4%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bruce S. Shapiro, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	93	34	29	8
Percentage of cycles resulting in pregnancies ^b	33.3	17.6	31.0	3/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.1 (20.8 - 39.4)	14.7 (2.8 - 26.6)	17.2 (3.5 - 31.0)	3/8
Percentage of retrievals resulting in live births ^{b,c}	35.4	18.5	19.2	3/6
Percentage of transfers resulting in live births ^{b,c}	51.9	5/14	5/15	3/4
Percentage of cancellations ^b	15.1	20.6	10.3	2/8
Average number of embryos transferred	2.7	2.3	2.5	3.5
Percentage of pregnancies with twins ^b	45.2	3/6	2/9	0/3
Percentage of pregnancies with triplets or more ^b	19.4	0/6	0/9	0/3
Percentage of live births having multiple infants ^{b,c}	57.1	3/5	2/5	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	2	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1	0/2		
Average number of embryos transferred	3.0	1.5		
Donor Eggs				
Number of fresh embryo transfers	0	6	3	9
Percentage of fresh transfers resulting in live births ^{b,c}		4/6	1/3	5/9
Average number of fresh embryos transferred		2.5	2.3	2.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Center of Las Vegas

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY INSTITUTE OF FERTILITY
LAS VEGAS, NEVADA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	42%	Uterine factor	2%
GIFT	0%			Male factor	8%	Other factors	2%
ZIFT	0%	With ICSI	15%	Ovulatory dysfunction	38%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Rachel A. McConnell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	10	4	5
Percentage of cycles resulting in pregnancies ^b	25.0	1/10	0/4	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.0 (6.0 - 44.0)	1/10	0/4	0/5
Percentage of retrievals resulting in live births ^{b,c}	25.0	1/10	0/4	0/5
Percentage of transfers resulting in live births ^{b,c}	5/19	1/9	0/3	0/5
Percentage of cancellations ^b	0.0	0/10	0/4	0/5
Average number of embryos transferred	3.5	3.8	3.3	4.4
Percentage of pregnancies with twins ^b	0/5	0/1		
Percentage of pregnancies with triplets or more ^b	2/5	0/1		
Percentage of live births having multiple infants ^{b,c}	2/5	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1		
Average number of embryos transferred	3.5	4.0		
Donor Eggs				
Number of fresh embryo transfers	0	1	1	4
Percentage of fresh transfers resulting in live births ^{b,c}		1/1	0/1	2/4
Average number of fresh embryos transferred		4.0	4.0	4.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Nevada Fertility Center for Advanced Reproductive Endocrinology and Surgery

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	89%	Procedural factors:		Tubal factor	44%	Uterine factor	2%
GIFT	11%			Male factor	13%	Other factors	18%
ZIFT	0%	With ICSI	15%	Ovulatory dysfunction	8%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Paul D. Manganiello, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	13	6	1
Percentage of cycles resulting in pregnancies ^b	29.4	4/13	1/6	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.4 (14.1 - 44.7)	3/13	1/6	0/1
Percentage of retrievals resulting in live births ^{b,c}	32.3	3/9	1/5	
Percentage of transfers resulting in live births ^{b,c}	34.5	3/9	1/5	
Percentage of cancellations ^b	8.8	4/13	1/6	1/1
Average number of embryos transferred	3.5	3.7	3.8	
Percentage of pregnancies with twins ^b	2/10	0/4	0/1	
Percentage of pregnancies with triplets or more ^b	0/10	0/4	0/1	
Percentage of live births having multiple infants ^{b,c}	2/10	0/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	2	0
Percentage of transfers resulting in live births ^{b,c}	3/5	0/1	0/2	
Average number of embryos transferred	3.2	3.0	3.5	
Donor Eggs				
Number of fresh embryo transfers	2	0	2	0
Percentage of fresh transfers resulting in live births ^{b,c}	0/2		0/2	
Average number of fresh embryos transferred	3.5		3.5	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Dartmouth-Hitchcock Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE BRICK, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	44%	Uterine factor	0%
GIFT	0%			Male factor	19%	Other factors	0%
ZIFT	0%	With ICSI	46%	Ovulatory dysfunction	25%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Allen Morgan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	3	0	0
Percentage of cycles resulting in pregnancies ^b	6/10	1/3		
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/10	1/3		
Percentage of retrievals resulting in live births ^{b,c}	6/9	1/3		
Percentage of transfers resulting in live births ^{b,c}	6/9	1/2		
Percentage of cancellations ^b	1/10	0/3		
Average number of embryos transferred	2.7	2.5		
Percentage of pregnancies with twins ^b	2/6	1/1		
Percentage of pregnancies with triplets or more ^b	2/6	0/1		
Percentage of live births having multiple infants ^{b,c}	4/6	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2			
Average number of embryos transferred	3.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Shore Institute for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE GYNECOLOGISTS, P.C.
CHERRY HILL, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	33%	Uterine factor	0%
GIFT	3%			Male factor	38%	Other factors	3%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by David N. Goldberg, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	42	16	15	4
Percentage of cycles resulting in pregnancies ^b	26.2	4/16	2/15	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.8 (10.9 - 36.7)	4/16	2/15	0/4
Percentage of retrievals resulting in live births ^{b,c}	30.3	4/12	2/5	0/3
Percentage of transfers resulting in live births ^{b,c}	32.3	4/12	2/4	0/3
Percentage of cancellations ^b	21.4	4/16	10/15	1/4
Average number of embryos transferred	3.3	3.8	3.8	3.0
Percentage of pregnancies with twins ^b	3/11	1/4	0/2	
Percentage of pregnancies with triplets or more ^b	1/11	1/4	0/2	
Percentage of live births having multiple infants ^{b,c}	3/10	2/4	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	3	0	0
Percentage of transfers resulting in live births ^{b,c}	2/13	0/3		
Average number of embryos transferred	2.9	4.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			
Average number of frozen embryos transferred	2.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Gynecologists, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	24%	Uterine factor	8%
GIFT	0%			Male factor	23%	Other factors	6%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	12%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gregory H. Corsan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	51	26	11	2
Percentage of cycles resulting in pregnancies ^b	35.3	23.1	3/11	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.5 (13.5 - 37.5)	19.2 (4.1 - 34.4)	2/11	0/2
Percentage of retrievals resulting in live births ^{b,c}	28.3	5/19	2/9	0/1
Percentage of transfers resulting in live births ^{b,c}	32.5	5/17	2/8	0/1
Percentage of cancellations ^b	9.8	26.9	2/11	1/2
Average number of embryos transferred	2.6	3.4	3.0	2.0
Percentage of pregnancies with twins ^b	1/18	3/6	2/3	
Percentage of pregnancies with triplets or more ^b	3/18	0/6	0/3	
Percentage of live births having multiple infants ^{b,c}	3/13	2/5	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	5	2	0
Percentage of transfers resulting in live births ^{b,c}	1/7	0/5	0/2	
Average number of embryos transferred	3.3	4.0	2.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Advanced Reproductive Medicine & Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH HUDSON IVF
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	8%	Uterine factor	7%
GIFT	0%			Male factor	26%	Other factors	0%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	30%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jane E. Miller, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	35	11	13	1
Percentage of cycles resulting in pregnancies ^b	14.3	0/11	1/13	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	11.4 (0.9 - 22.0)	0/11	1/13	0/1
Percentage of retrievals resulting in live births ^{b,c}	12.5	0/11	1/13	0/1
Percentage of transfers resulting in live births ^{b,c}	17.4	0/10	1/13	0/1
Percentage of cancellations ^b	8.6	0/11	0/13	0/1
Average number of embryos transferred	4.4	4.5	4.1	3.0
Percentage of pregnancies with twins ^b	1/5		0/1	
Percentage of pregnancies with triplets or more ^b	0/5		0/1	
Percentage of live births having multiple infants ^{b,c}	1/4		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	1	3	2	4
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	2/3	0/2	1/4
Average number of fresh embryos transferred	5.0	4.0	5.0	4.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: North Hudson IVF Center for Fertility and Gynecology

Services Offered:

Donor egg? Yes
 Donor embryo? Yes
 Single women? Yes
 Gestational carriers? No
 Cryopreservation? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

IVF OF NORTH JERSEY, P.A. FAIRLAWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	21%	Uterine factor	10%
GIFT	0%			Male factor	7%	Other factors	31%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	13%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Mark X. Ransom, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	42	22	15	7
Percentage of cycles resulting in pregnancies ^b	23.8	27.3	2/15	1/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	21.4 (9.0 - 33.8)	22.7 (5.2 - 40.2)	2/15	0/7
Percentage of retrievals resulting in live births ^{b,c}	24.3	5/18	2/12	0/4
Percentage of transfers resulting in live births ^{b,c}	24.3	5/17	2/11	0/4
Percentage of cancellations ^b	11.9	18.2	3/15	3/7
Average number of embryos transferred	4.2	3.8	4.2	2.8
Percentage of pregnancies with twins ^b	1/10	2/6	0/2	0/1
Percentage of pregnancies with triplets or more ^b	4/10	0/6	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	2/9	2/5	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1		
Average number of embryos transferred	2.0	3.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	1	6
Percentage of fresh transfers resulting in live births ^{b,c}			1/1	2/6
Average number of fresh embryos transferred			4.0	4.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IVF of North Jersey, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
AT HACKENSACK UNIVERSITY MEDICAL CENTER
HASBROUCK HEIGHTS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	33%	Uterine factor	0%
GIFT	0%			Male factor	36%	Other factors	<1%
ZIFT	0%	With ICSI	58%	Ovulatory dysfunction	10%	Unexplained	13%
Combination	<1%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jose M. Colon, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	70	30	32	0
Percentage of cycles resulting in pregnancies ^b	44.3	43.3	25.0	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	42.9 (31.3 - 54.5)	26.7 (10.8 - 42.5)	25.0 (10.0 - 40.0)	
Percentage of retrievals resulting in live births ^{b,c}	47.6	33.3	32.0	
Percentage of transfers resulting in live births ^{b,c}	48.4	33.3	33.3	
Percentage of cancellations ^b	10.0	20.0	21.9	
Average number of embryos transferred	3.9	4.8	4.7	
Percentage of pregnancies with twins ^b	38.7	3/13	3/8	
Percentage of pregnancies with triplets or more ^b	9.7	0/13	1/8	
Percentage of live births having multiple infants ^{b,c}	43.3	3/8	2/8	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	7	4	0
Percentage of transfers resulting in live births ^{b,c}	1/6	2/7	0/4	
Average number of embryos transferred	3.3	4.4	3.3	
Donor Eggs				
Number of fresh embryo transfers	1	1	0	1
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/1		0/1
Average number of fresh embryos transferred	3.0	4.0		1.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine at Hackensack University Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PRINCETON CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE
LAWRENCEVILLE, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	2%
GIFT	0%			Male factor	29%	Other factors	4%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	7%	Unexplained	25%
Combination	0%	Unstimulated	0%	Endometriosis	2%		

1998 PREGNANCY SUCCESS RATES

Data verified by Althea M. O’Shaughnessy, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	14	8	8
Percentage of cycles resulting in pregnancies ^b	50.0	5/14	1/8	2/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	40.0 (18.5 - 61.5)	4/14	1/8	1/8
Percentage of retrievals resulting in live births ^{b,c}	8/19	4/11	1/6	1/5
Percentage of transfers resulting in live births ^{b,c}	8/15	4/9	1/3	1/5
Percentage of cancellations ^b	5.0	3/14	2/8	3/8
Average number of embryos transferred	3.2	3.7	3.0	4.0
Percentage of pregnancies with twins ^b	2/10	1/5	0/1	0/2
Percentage of pregnancies with triplets or more ^b	1/10	1/5	0/1	0/2
Percentage of live births having multiple infants ^{b,c}	1/8	2/4	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	19	5	3	2
Percentage of transfers resulting in live births ^{b,c}	9/19	2/5	1/3	0/2
Average number of embryos transferred	3.4	4.4	4.0	2.5
Donor Eggs				
Number of fresh embryo transfers	1	3	0	1
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	0/3		0/1
Average number of fresh embryos transferred	3.0	4.0		3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Princeton Center for Infertility & Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

EAST COAST INFERTILITY AND IVF, P.C. LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	32%	Uterine factor	4%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	29%		

1998 PREGNANCY SUCCESS RATES

Data verified by Miguel Damien, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	53	33	35	21
Percentage of cycles resulting in pregnancies ^b	41.5	48.5	31.4	23.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	35.8 (22.9 - 48.8)	39.4 (22.7 - 56.1)	25.7 (11.2 - 40.2)	9.5 (0.0 - 22.1)
Percentage of retrievals resulting in live births ^{b,c}	40.4	41.9	34.6	2/15
Percentage of transfers resulting in live births ^{b,c}	41.3	43.3	34.6	2/15
Percentage of cancellations ^b	11.3	6.1	25.7	28.6
Average number of embryos transferred	3.9	4.2	4.3	4.6
Percentage of pregnancies with twins ^b	40.9	4/16	1/11	0/5
Percentage of pregnancies with triplets or more ^b	31.8	0/16	2/11	0/5
Percentage of live births having multiple infants ^{b,c}	12/19	3/13	3/9	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	3	5	0
Percentage of transfers resulting in live births ^{b,c}	2/6	1/3	2/5	
Average number of embryos transferred	3.5	3.7	3.2	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: East Coast Infertility and IVF, P.C.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	4%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	33%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Margaret G. Garrisi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	522	319	261	102
Percentage of cycles resulting in pregnancies ^b	60.5	53.9	39.1	30.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	51.9 (47.6 - 56.2)	44.5 (39.1 - 50.0)	29.5 (24.0 - 35.0)	20.6 (12.7 - 28.4)
Percentage of retrievals resulting in live births ^{b,c}	55.4	51.8	35.6	25.9
Percentage of transfers resulting in live births ^{b,c}	58.4	53.8	38.3	26.6
Percentage of cancellations ^b	6.3	14.1	17.2	20.6
Average number of embryos transferred	2.8	3.3	3.5	3.7
Percentage of pregnancies with twins ^b	29.7	27.9	24.5	19.4
Percentage of pregnancies with triplets or more ^b	13.6	18.0	8.8	3.2
Percentage of live births having multiple infants ^{b,c}	39.9	45.8	28.6	19.0
Frozen Embryos From Nondonor Eggs				
Number of transfers	59	27	23	4
Percentage of transfers resulting in live births ^{b,c}	49.2	37.0	43.5	3/4
Average number of embryos transferred	2.8	2.7	3.2	4.0
Donor Eggs				
Number of fresh embryo transfers	19	30	46	96
Percentage of fresh transfers resulting in live births ^{b,c}	13/19	60.0	50.0	55.2
Average number of fresh embryos transferred	2.3	2.8	2.6	2.5
Number of frozen embryo transfers	3	1	6	12
Percentage of frozen transfers resulting in live births ^{b,c}	1/3	1/1	3/6	3/12
Average number of frozen embryos transferred	3.0	2.0	2.7	2.6

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**COOPER CENTER FOR IVF, P.C.
MARLTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	26%	Uterine factor	2%
GIFT	0%			Male factor	24%	Other factors	26%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	3%	Unstimulated	5%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jerome H. Check, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	292	145	169	232
Percentage of cycles resulting in pregnancies ^b	28.4	21.4	19.5	12.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.4 (21.3 - 31.4)	18.6 (12.3 - 25.0)	13.0 (7.9 - 18.1)	8.2 (4.7 - 11.7)
Percentage of retrievals resulting in live births ^{b,c}	30.7	22.5	17.1	12.0
Percentage of transfers resulting in live births ^{b,c}	45.8	32.5	25.6	21.8
Percentage of cancellations ^b	14.0	17.2	23.7	31.9
Average number of embryos transferred	3.2	3.5	3.5	3.5
Percentage of pregnancies with twins ^b	28.9	22.6	27.3	14.3
Percentage of pregnancies with triplets or more ^b	12.0	12.9	3.0	10.7
Percentage of live births having multiple infants ^{b,c}	32.5	37.0	27.3	5/19
Frozen Embryos From Nondonor Eggs				
Number of transfers	140	52	50	36
Percentage of transfers resulting in live births ^{b,c}	38.6	30.8	32.0	13.9
Average number of embryos transferred	3.3	3.3	3.5	3.6
Donor Eggs				
Number of fresh embryo transfers	6	4	1	23
Percentage of fresh transfers resulting in live births ^{b,c}	2/6	2/4	0/1	56.5
Average number of fresh embryos transferred	3.7	3.8	2.0	3.7
Number of frozen embryo transfers	8	6	6	30
Percentage of frozen transfers resulting in live births ^{b,c}	3/8	2/6	3/6	20.0
Average number of frozen embryos transferred	3.5	2.8	3.8	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Cooper Center for IVF, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	40%	Uterine factor	0%
GIFT	0%			Male factor	22%	Other factors	3%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	19%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by George S. Taliadouros, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	14	6	4	3
Percentage of cycles resulting in pregnancies ^b	2/14	0/6	1/4	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/14	0/6	0/4	0/3
Percentage of retrievals resulting in live births ^{b,c}	2/10	0/5	0/4	0/3
Percentage of transfers resulting in live births ^{b,c}	2/7	0/4	0/4	0/3
Percentage of cancellations ^b	4/14	1/6	0/4	0/3
Average number of embryos transferred	4.6	3.8	3.5	3.7
Percentage of pregnancies with twins ^b	1/2		0/1	
Percentage of pregnancies with triplets or more ^b	0/2		0/1	
Percentage of live births having multiple infants ^{b,c}	1/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/3		
Average number of embryos transferred	3.0	3.7		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Delaware Valley Institute of Fertility and Genetics

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SOUTH JERSEY FERTILITY CENTER, P.A.
MARLTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	45%	Uterine factor	2%
GIFT	2%			Male factor	29%	Other factors	2%
ZIFT	<1%	With ICSI	43%	Ovulatory dysfunction	5%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert A. Skaf, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	101	40	32	14
Percentage of cycles resulting in pregnancies ^b	34.7	42.5	21.9	1/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.7 (19.9 - 37.5)	37.5 (22.5 - 52.5)	15.6 (3.0 - 28.2)	1/14
Percentage of retrievals resulting in live births ^{b,c}	30.9	41.7	18.5	1/12
Percentage of transfers resulting in live births ^{b,c}	30.9	41.7	18.5	1/11
Percentage of cancellations ^b	6.9	10.0	15.6	2/14
Average number of embryos transferred	2.6	3.5	3.8	4.6
Percentage of pregnancies with twins ^b	37.1	6/17	1/7	0/1
Percentage of pregnancies with triplets or more ^b	2.9	2/17	0/7	0/1
Percentage of live births having multiple infants ^{b,c}	44.8	7/15	0/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	11	3	4
Percentage of transfers resulting in live births ^{b,c}	17.4	2/11	1/3	0/4
Average number of embryos transferred	3.0	3.6	4.7	3.3
Donor Eggs				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births ^{b,c}			1/1	1/1
Average number of fresh embryos transferred			3.0	3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: South Jersey Fertility Center, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DIAMOND INSTITUTE FOR INFERTILITY
MILLBURN, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	4%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	19%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Matan Yemini, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	103	39	57	52
Percentage of cycles resulting in pregnancies ^b	32.0	28.2	14.0	11.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.2 (17.7 - 34.7)	20.5 (7.8 - 33.2)	10.5 (2.6 - 18.5)	7.7 (0.4 - 14.9)
Percentage of retrievals resulting in live births ^{b,c}	29.3	22.2	14.3	11.4
Percentage of transfers resulting in live births ^{b,c}	29.7	22.2	15.0	11.8
Percentage of cancellations ^b	10.7	7.7	26.3	32.7
Average number of embryos transferred	4.7	4.8	3.9	4.0
Percentage of pregnancies with twins ^b	21.2	1/11	3/8	0/6
Percentage of pregnancies with triplets or more ^b	18.2	0/11	1/8	0/6
Percentage of live births having multiple infants ^{b,c}	40.7	1/8	3/6	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	2	1	4
Percentage of transfers resulting in live births ^{b,c}	1/11	0/2	0/1	0/4
Average number of embryos transferred	4.2	2.5	1.0	3.3
Donor Eggs				
Number of fresh embryo transfers	0	8	3	16
Percentage of fresh transfers resulting in live births ^{b,c}		4/8	0/3	3/16
Average number of fresh embryos transferred		4.6	4.3	4.6
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Diamond Institute for Infertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ROBERT WOOD JOHNSON MEDICAL SCHOOL
IVF PROGRAM
NEW BRUNSWICK, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	16%	Uterine factor	7%
GIFT	2%			Male factor	35%	Other factors	10%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	17%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael K. Bohrer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	169	68	43	26
Percentage of cycles resulting in pregnancies ^b	27.8	26.5	23.3	19.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.0 (19.4 - 32.7)	26.5 (16.0 - 37.0)	18.6 (7.0 - 30.2)	19.2 (4.1 - 34.4)
Percentage of retrievals resulting in live births ^{b,c}	31.2	32.7	24.2	5/19
Percentage of transfers resulting in live births ^{b,c}	32.6	33.3	26.7	5/18
Percentage of cancellations ^b	16.6	19.1	23.3	26.9
Average number of embryos transferred	2.9	3.4	4.2	6.0
Percentage of pregnancies with twins ^b	42.6	6/18	5/10	0/5
Percentage of pregnancies with triplets or more ^b	6.4	2/18	1/10	1/5
Percentage of live births having multiple infants ^{b,c}	45.5	8/18	5/8	0/5
Frozen Embryos From Nondonor Eggs				
Number of transfers	67	23	15	5
Percentage of transfers resulting in live births ^{b,c}	9.0	13.0	3/15	1/5
Average number of embryos transferred	2.7	2.6	2.4	2.6
Donor Eggs				
Number of fresh embryo transfers	2	1	3	6
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	1/1	2/3	3/6
Average number of fresh embryos transferred	2.5	2.0	2.3	3.0
Number of frozen embryo transfers	0	1	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		1/1
Average number of frozen embryos transferred		3.0		4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Robert Wood Johnson Medical School IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

IVF NEW JERSEY SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	5%
GIFT	0%			Male factor	11%	Other factors	43%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	12%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael C. Darder, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	66	28	31	16
Percentage of cycles resulting in pregnancies ^b	43.9	35.7	41.9	2/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	42.4 (30.5 - 54.3)	25.0 (9.0 - 41.0)	22.6 (7.9 - 37.3)	0/16
Percentage of retrievals resulting in live births ^{b,c}	45.9	28.0	25.9	0/13
Percentage of transfers resulting in live births ^{b,c}	45.9	28.0	26.9	0/12
Percentage of cancellations ^b	7.6	10.7	12.9	3/16
Average number of embryos transferred	3.8	3.4	4.4	4.6
Percentage of pregnancies with twins ^b	34.5	2/10	1/13	0/2
Percentage of pregnancies with triplets or more ^b	13.8	2/10	1/13	0/2
Percentage of live births having multiple infants ^{b,c}	42.9	4/7	1/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	3	3	2
Percentage of transfers resulting in live births ^{b,c}	0/3	1/3	1/3	0/2
Average number of embryos transferred	2.0	2.7	3.7	4.0
Donor Eggs				
Number of fresh embryo transfers	8	10	10	50
Percentage of fresh transfers resulting in live births ^{b,c}	7/8	7/10	6/10	60.0
Average number of fresh embryos transferred	3.1	3.3	3.4	3.4
Number of frozen embryo transfers	0	1	0	7
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		2/7
Average number of frozen embryos transferred		3.0		3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IVF New Jersey

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR HUMAN REPRODUCTION OF NEW JERSEY WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	19%	Uterine factor	19%
GIFT	0%			Male factor	13%	Other factors	3%
ZIFT	0%	With ICSI	48%	Ovulatory dysfunction	41%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Daniel Navot, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	46	34	14	11
Percentage of cycles resulting in pregnancies ^b	47.8	32.4	4/14	2/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	39.1 (25.0 - 53.2)	29.4 (14.1 - 44.7)	1/14	1/11
Percentage of retrievals resulting in live births ^{b,c}	42.9	34.5	1/12	1/9
Percentage of transfers resulting in live births ^{b,c}	47.4	34.5	1/11	1/9
Percentage of cancellations ^b	8.7	14.7	2/14	2/11
Average number of embryos transferred	3.1	3.3	3.8	4.0
Percentage of pregnancies with twins ^b	40.9	3/11	1/4	0/2
Percentage of pregnancies with triplets or more ^b	13.6	1/11	0/4	0/2
Percentage of live births having multiple infants ^{b,c}	10/18	2/10	1/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	8	2	0
Percentage of transfers resulting in live births ^{b,c}	5/12	1/8	1/2	
Average number of embryos transferred	3.1	3.3	3.0	
Donor Eggs				
Number of fresh embryo transfers	2	3	3	9
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	0/3	1/3	2/9
Average number of fresh embryos transferred	3.0	3.3	3.7	3.2
Number of frozen embryo transfers	3	1	2	5
Percentage of frozen transfers resulting in live births ^{b,c}	1/3	0/1	1/2	0/5
Average number of frozen embryos transferred	2.7	4.0	2.0	3.2

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Institute of New Jersey & New York

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO
ALBUQUERQUE, NEW MEXICO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	27%	Uterine factor	2%
GIFT	0%			Male factor	27%	Other factors	0%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	19%	Unexplained	7%
Combination	0%	Unstimulated	<1%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Douglas J. Thompson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	53	24	26	6
Percentage of cycles resulting in pregnancies ^b	60.4	54.2	38.5	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	54.7 (41.3 - 68.1)	50.0 (30.0 - 70.0)	30.8 (13.0 - 48.5)	0/6
Percentage of retrievals resulting in live births ^{b,c}	58.0	12/19	40.0	0/4
Percentage of transfers resulting in live births ^{b,c}	60.4	12/18	40.0	0/4
Percentage of cancellations ^b	5.7	20.8	23.1	2/6
Average number of embryos transferred	2.5	2.4	2.8	2.8
Percentage of pregnancies with twins ^b	46.9	4/13	3/10	
Percentage of pregnancies with triplets or more ^b	6.3	0/13	2/10	
Percentage of live births having multiple infants ^{b,c}	51.7	4/12	2/8	
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	2	6	3
Percentage of transfers resulting in live births ^{b,c}	5/10	1/2	1/6	0/3
Average number of embryos transferred	3.1	2.0	2.3	3.3
Donor Eggs				
Number of fresh embryo transfers	0	3	4	9
Percentage of fresh transfers resulting in live births ^{b,c}		2/3	4/4	4/9
Average number of fresh embryos transferred		2.3	2.3	2.4
Number of frozen embryo transfers	0	0	0	5
Percentage of frozen transfers resulting in live births ^{b,c}				2/5
Average number of frozen embryos transferred				2.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine of New Mexico

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SOUTHWEST FERTILITY SERVICES ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	27%	Uterine factor	0%
GIFT	0%			Male factor	26%	Other factors	18%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	6%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Norman A. Assad, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	13	12	7
Percentage of cycles resulting in pregnancies ^b	40.0	2/13	2/12	0/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	40.0 (18.5 - 61.5)	2/13	1/12	0/7
Percentage of retrievals resulting in live births ^{b,c}	8/18	2/9	1/11	0/7
Percentage of transfers resulting in live births ^{b,c}	8/18	2/9	1/8	0/6
Percentage of cancellations ^b	10.0	4/13	1/12	0/7
Average number of embryos transferred	2.9	3.8	3.5	3.8
Percentage of pregnancies with twins ^b	3/8	0/2	0/2	
Percentage of pregnancies with triplets or more ^b	2/8	0/2	0/2	
Percentage of live births having multiple infants ^{b,c}	5/8	0/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	1	1
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1	0/1	0/1
Average number of embryos transferred	6.0	4.0	1.0	1.0
Donor Eggs				
Number of fresh embryo transfers	0	1	2	2
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	0/2	1/2
Average number of fresh embryos transferred		3.0	3.5	3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Southwest Fertility Services

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ALBANY IVF, FERTILITY AND GYNECOLOGY ALBANY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	44%	Uterine factor	3%
GIFT	0%			Male factor	8%	Other factors	17%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	5%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Peter M. Horvath, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	26	14	9	4
Percentage of cycles resulting in pregnancies ^b	7.7	0/14	0/9	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	7.7 (0.0 - 17.9)	0/14	0/9	0/4
Percentage of retrievals resulting in live births ^{b,c}	9.5	0/10	0/8	0/4
Percentage of transfers resulting in live births ^{b,c}	10.0	0/10	0/7	0/3
Percentage of cancellations ^b	19.2	4/14	1/9	0/4
Average number of embryos transferred	3.9	4.6	3.9	2.7
Percentage of pregnancies with twins ^b	0/2			
Percentage of pregnancies with triplets or more ^b	0/2			
Percentage of live births having multiple infants ^{b,c}	0/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	3	0	1
Percentage of transfers resulting in live births ^{b,c}	0/3	0/3		0/1
Average number of embryos transferred	3.0	3.7		4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Albany IVF, Fertility and Gynecology

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**LEADING INSTITUTE FOR FERTILITY ENHANCEMENT (L.I.F.E.)
ALBANY, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	37%	Uterine factor	6%
GIFT	0%			Male factor	0%	Other factors	23%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	11%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Edgar S. Henriques, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	14	7	3
Percentage of cycles resulting in pregnancies ^b	2/11	3/14	2/7	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/11	2/14	0/7	0/3
Percentage of retrievals resulting in live births ^{b,c}	1/11	2/14	0/7	0/3
Percentage of transfers resulting in live births ^{b,c}	1/11	2/13	0/7	0/3
Percentage of cancellations ^b	0/11	0/14	0/7	0/3
Average number of embryos transferred	2.9	3.5	3.1	2.7
Percentage of pregnancies with twins ^b	0/2	1/3	0/2	
Percentage of pregnancies with triplets or more ^b	1/2	1/3	0/2	
Percentage of live births having multiple infants ^{b,c}	1/1	1/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Leading Institute For Fertility Enhancement (L.I.F.E.)

Services Offered:

Donor egg? No Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? No

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WOMEN'S HEALTH CENTER OF ALBANY MEDICAL CENTER ALBANY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	40%	Uterine factor	0%
GIFT	0%			Male factor	15%	Other factors	17%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	9%	Unexplained	6%
Combination	2%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gordon B. Kuttner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	12	7	1
Percentage of cycles resulting in pregnancies ^b	8.3	1/12	1/7	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	8.3 (0.0 - 19.4)	0/12	1/7	0/1
Percentage of retrievals resulting in live births ^{b,c}	9.5	0/12	1/7	
Percentage of transfers resulting in live births ^{b,c}	2/19	0/12	1/7	
Percentage of cancellations ^b	12.5	0/12	0/7	1/1
Average number of embryos transferred	4.4	4.8	5.0	
Percentage of pregnancies with twins ^b	0/2	1/1	0/1	
Percentage of pregnancies with triplets or more ^b	0/2	0/1	1/1	
Percentage of live births having multiple infants ^{b,c}	0/2		1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	1	0
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1	0/1	
Average number of embryos transferred	3.0	4.0	7.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Women's Health Center of Albany Medical Center

Services Offered:

Donor egg? No
Donor embryo? No
Single women? Yes

Gestational carriers? No
Cryopreservation? Yes

Clinic Profile:

SART member? Yes
Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BROOKLYN IVF BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	0%
GIFT	0%			Male factor	40%	Other factors	2%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	6%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard V. Grazi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	169	39	35	16
Percentage of cycles resulting in pregnancies ^b	32.0	28.2	25.7	3/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.0 (19.4 - 32.7)	20.5 (7.8 - 33.2)	20.0 (6.7 - 33.3)	3/16
Percentage of retrievals resulting in live births ^{b,c}	28.8	24.2	23.3	3/10
Percentage of transfers resulting in live births ^{b,c}	30.1	25.8	24.1	3/10
Percentage of cancellations ^b	9.5	15.4	14.3	6/16
Average number of embryos transferred	3.1	3.6	4.0	5.0
Percentage of pregnancies with twins ^b	25.9	3/11	1/9	0/3
Percentage of pregnancies with triplets or more ^b	16.7	4/11	1/9	0/3
Percentage of live births having multiple infants ^{b,c}	40.9	6/8	2/7	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	2	2	1
Percentage of transfers resulting in live births ^{b,c}	6/17	0/2	0/2	0/1
Average number of embryos transferred	2.8	2.5	3.5	1.0
Donor Eggs				
Number of fresh embryo transfers	0	1	3	3
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	0/3	0/3
Average number of fresh embryos transferred		1.0	3.3	3.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Brooklyn IVF

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE FERTILITY INSTITUTE AT THE BROOKLYN HOSPITAL
BROOKLYN, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	41%	Uterine factor	5%
GIFT	0%			Male factor	3%	Other factors	<1%
ZIFT	0%	With ICSI	59%	Ovulatory dysfunction	14%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	36%		

1998 PREGNANCY SUCCESS RATES

Data verified by George D. Kofinas, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	23	11	6
Percentage of cycles resulting in pregnancies ^b	22.6	26.1	2/11	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.6 (7.9 - 37.3)	26.1 (8.1 - 44.0)	1/11	0/6
Percentage of retrievals resulting in live births ^{b,c}	33.3	28.6	1/9	0/5
Percentage of transfers resulting in live births ^{b,c}	35.0	28.6	1/9	0/4
Percentage of cancellations ^b	32.3	8.7	2/11	1/6
Average number of embryos transferred	4.8	4.8	5.2	5.3
Percentage of pregnancies with twins ^b	3/7	2/6	0/2	
Percentage of pregnancies with triplets or more ^b	0/7	0/6	0/2	
Percentage of live births having multiple infants ^{b,c}	2/7	2/6	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	5	5	9
Percentage of transfers resulting in live births ^{b,c}	8.7	3/5	2/5	0/9
Average number of embryos transferred	4.0	4.8	3.6	3.8
Donor Eggs				
Number of fresh embryo transfers	1	0	1	3
Percentage of fresh transfers resulting in live births ^{b,c}	1/1		0/1	1/3
Average number of fresh embryos transferred	5.0		3.0	5.0
Number of frozen embryo transfers	0	0	2	7
Percentage of frozen transfers resulting in live births ^{b,c}			2/2	2/7
Average number of frozen embryos transferred			4.5	4.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Fertility Institute at the Brooklyn Hospital

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MONTEFIORE'S FERTILITY & HORMONE CENTER DOBBS FERRY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	29%	Uterine factor	2%
GIFT	0%			Male factor	29%	Other factors	5%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	14%	Unexplained	16%
Combination	0%	Unstimulated	<1%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by David H. Barad, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	176	103	85	59
Percentage of cycles resulting in pregnancies ^b	44.3	44.7	20.0	18.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	38.6 (31.4 - 45.8)	40.8 (31.3 - 50.3)	15.3 (7.6 - 22.9)	6.8 (0.4 - 13.2)
Percentage of retrievals resulting in live births ^{b,c}	44.2	46.2	20.6	10.5
Percentage of transfers resulting in live births ^{b,c}	45.9	47.2	21.7	10.8
Percentage of cancellations ^b	12.5	11.7	25.9	35.6
Average number of embryos transferred	2.8	2.9	2.9	2.9
Percentage of pregnancies with twins ^b	29.5	21.7	3/17	2/11
Percentage of pregnancies with triplets or more ^b	12.8	6.5	2/17	0/11
Percentage of live births having multiple infants ^{b,c}	35.3	28.6	2/13	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	21	18	15	13
Percentage of transfers resulting in live births ^{b,c}	23.8	4/18	7/15	3/13
Average number of embryos transferred	2.9	3.0	3.3	3.3
Donor Eggs				
Number of fresh embryo transfers	2	1	2	13
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/1	1/2	5/13
Average number of fresh embryos transferred	3.0	3.0	3.0	2.9
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				1/2
Average number of frozen embryos transferred				2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Montefiore's Fertility & Hormone Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GARDEN CITY CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGIES
YU-KANG YING, M.D., P.C.
GARDEN CITY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	34%	Uterine factor	2%
GIFT	2%			Male factor	26%	Other factors	0%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	10%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	28%		

1998 PREGNANCY SUCCESS RATES

Data verified by Yu-Kang Ying, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	10	6	12
Percentage of cycles resulting in pregnancies ^b	7/16	3/10	4/6	2/12
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	6/16	2/10	4/6	1/12
Percentage of retrievals resulting in live births ^{b,c}	6/14	2/9	4/6	1/7
Percentage of transfers resulting in live births ^{b,c}	6/14	2/5	4/6	1/6
Percentage of cancellations ^b	2/16	1/10	0/6	5/12
Average number of embryos transferred	2.7	3.0	3.8	3.0
Percentage of pregnancies with twins ^b	3/7	1/3	3/4	0/2
Percentage of pregnancies with triplets or more ^b	0/7	0/3	0/4	0/2
Percentage of live births having multiple infants ^{b,c}	3/6	1/2	3/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	6	3	1
Percentage of transfers resulting in live births ^{b,c}	2/5	0/6	1/3	0/1
Average number of embryos transferred	3.0	2.5	3.0	2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	1	0	1	0
Percentage of frozen transfers resulting in live births ^{b,c}	1/1		0/1	
Average number of frozen embryos transferred	3.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Garden City Center for Advanced Reproductive Technologies, Yu-Kang Ying, M.D., P.C.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NORTH SHORE UNIVERSITY HOSPITAL
CENTER FOR HUMAN REPRODUCTION
MANHASSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	23%	Uterine factor	1%
GIFT	0%			Male factor	30%	Other factors	4%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	3%	Unexplained	21%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Avner Hershlag, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	140	75	72	39
Percentage of cycles resulting in pregnancies ^b	49.3	50.7	31.9	15.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	45.7 (37.5 - 54.0)	44.0 (32.8 - 55.2)	20.8 (11.5 - 30.2)	10.3 (0.7 - 19.8)
Percentage of retrievals resulting in live births ^{b,c}	48.9	50.0	24.6	15.4
Percentage of transfers resulting in live births ^{b,c}	49.2	50.0	25.0	15.4
Percentage of cancellations ^b	6.4	12.0	15.3	33.3
Average number of embryos transferred	3.7	4.0	4.1	4.2
Percentage of pregnancies with twins ^b	20.3	26.3	26.1	1/6
Percentage of pregnancies with triplets or more ^b	18.8	13.2		0/6
Percentage of live births having multiple infants ^{b,c}	39.1	27.3	3/15	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	30	19	23	4
Percentage of transfers resulting in live births ^{b,c}	20.0	5/19	13.0	0/4
Average number of embryos transferred	4.4	4.2	4.7	4.5
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: North Shore University Hospital Center for Human Reproduction

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SCIENCE ASSOCIATES MINEOLA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	16%	Uterine factor	0%
GIFT	1%			Male factor	23%	Other factors	4%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	10%	Unexplained	42%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gabriel A. San Roman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	167	59	43	50
Percentage of cycles resulting in pregnancies ^b	46.1	42.4	41.9	8.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.1 (29.8 - 44.5)	30.5 (18.8 - 42.3)	27.9 (14.5 - 41.3)	4.0 (0.0 - 9.4)
Percentage of retrievals resulting in live births ^{b,c}	38.5	32.7	30.0	4.4
Percentage of transfers resulting in live births ^{b,c}	40.3	34.6	30.8	4.7
Percentage of cancellations ^b	3.6	6.8	7.0	10.0
Average number of embryos transferred	3.1	3.9	4.2	3.6
Percentage of pregnancies with twins ^b	36.4	44.0	5/18	1/4
Percentage of pregnancies with triplets or more ^b	15.6	16.0	0/18	0/4
Percentage of live births having multiple infants ^{b,c}	48.4	11/18	5/12	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	48	15	6	4
Percentage of transfers resulting in live births ^{b,c}	33.3	3/15	1/6	1/4
Average number of embryos transferred	3.0	4.0	4.2	3.5
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Science Associates

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**ADVANCED FERTILITY SERVICES, P.C.
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis						
IVF	100%	Procedural factors:	Tubal factor	20%	Uterine factor	0%		
GIFT	0%		Male factor	33%	Other factors	28%		
ZIFT	0%		With ICSI	61%	Ovulatory dysfunction	10%	Unexplained	5%
Combination	0%		Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Hugh D. Melnick, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	110	73	52	27
Percentage of cycles resulting in pregnancies ^b	30.0	20.5	11.5	3.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.5 (17.3 - 33.6)	15.1 (6.9 - 23.3)	9.6 (1.6 - 17.6)	3.7 (0.0 - 10.8)
Percentage of retrievals resulting in live births ^{b,c}	25.7	15.1	9.6	3.7
Percentage of transfers resulting in live births ^{b,c}	26.4	15.3	9.8	3.8
Percentage of cancellations ^b	0.9			
Average number of embryos transferred	4.0	4.1	3.5	3.2
Percentage of pregnancies with twins ^b	39.4	8/15	1/6	0/1
Percentage of pregnancies with triplets or more ^b	12.1	1/15	0/6	0/1
Percentage of live births having multiple infants ^{b,c}	53.6	7/11	0/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	33	11	2	2
Percentage of transfers resulting in live births ^{b,c}	15.2	1/11	0/2	0/2
Average number of embryos transferred	3.9	3.9	4.0	3.5
Donor Eggs				
Number of fresh embryo transfers	2	4	9	49
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	2/4	3/9	22.4
Average number of fresh embryos transferred	4.5	4.0	4.3	3.9
Number of frozen embryo transfers	0	1	3	14
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	0/3	4/14
Average number of frozen embryos transferred		4.0	3.7	3.9

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Fertility Services, P.C.

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BRANDEIS CENTER FOR REPRODUCTIVE HEALTH NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	35%	Uterine factor	0%
GIFT	0%			Male factor	22%	Other factors	2%
ZIFT	0%	With ICSI	96%	Ovulatory dysfunction	37%	Unexplained	4%
Combination	0%	Unstimulated	<1%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Vincent T. Brandeis, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	83	47	29	36
Percentage of cycles resulting in pregnancies ^b	47.0	29.8	34.5	5.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.1 (25.8 - 46.5)	23.4 (11.3 - 35.5)	27.6 (11.3 - 43.9)	2.8 (0.0 - 8.1)
Percentage of retrievals resulting in live births ^{b,c}	36.6	23.4	28.6	3.1
Percentage of transfers resulting in live births ^{b,c}	38.0	24.4	30.8	3.6
Percentage of cancellations ^b	1.2		3.4	11.1
Average number of embryos transferred	5.9	4.7	5.5	4.5
Percentage of pregnancies with twins ^b	25.6	6/14	2/10	1/2
Percentage of pregnancies with triplets or more ^b	28.2	1/14	1/10	0/2
Percentage of live births having multiple infants ^{b,c}	56.7	3/11	3/8	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/3	0/1		
Average number of embryos transferred	4.7	10.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Brandeis Center for Reproductive Health

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BROOKLYN FERTILITY CENTER NEW YORK, NEW YORK

These data were reported and verified by the clinic medical director in January 2000. In June 2000, the medical director informed CDC that the reported data may not have been completely accurate, but CDC could not accept and review new data at that time without delaying this publication. Therefore, readers should note that the 1998 statistics for this clinic may not be accurate.

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	5%	Uterine factor	2%
GIFT	0%			Male factor	3%	Other factors	0%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	39%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	39%		

1998 PREGNANCY SUCCESS RATES

Data verified by Dov Goldstein, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	9	7	17
Percentage of cycles resulting in pregnancies ^b	33.3	5/9	1/7	1/17
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0.0	0/9	0/7	0/17
Percentage of retrievals resulting in live births ^{b,c}	0.0	0/9	0/7	0/13
Percentage of transfers resulting in live births ^{b,c}	0.0	0/9	0/6	0/12
Percentage of cancellations ^b	4.2	0/9	0/7	4/17
Average number of embryos transferred	3.6	3.2	4.5	3.4
Percentage of pregnancies with twins ^b	0/8	0/5	0/1	0/1
Percentage of pregnancies with triplets or more ^b	0/8	0/5	0/1	0/1
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	4	4	9
Percentage of transfers resulting in live births ^{b,c}	0/10	0/4	0/4	0/9
Average number of embryos transferred	3.4	4.5	4.0	3.6
Donor Eggs				
Number of fresh embryo transfers	1	0	0	14
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			0/14
Average number of fresh embryos transferred	4.0			3.7
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Brooklyn Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR REPRODUCTIVE MEDICINE & INFERTILITY
WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	16%	Uterine factor	1%
GIFT	0%			Male factor	37%	Other factors	13%
ZIFT	<1%	With ICSI	49%	Ovulatory dysfunction	19%	Unexplained	8%
Combination	0%	Unstimulated	<1%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Zev Rosenwaks, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	473	307	354	322
Percentage of cycles resulting in pregnancies ^b	52.2	40.1	31.6	17.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	45.9 (41.4 - 50.4)	31.9 (26.7 - 37.1)	24.6 (20.1 - 29.1)	9.0 (5.9 - 12.1)
Percentage of retrievals resulting in live births ^{b,c}	52.4	38.4	32.2	13.1
Percentage of transfers resulting in live births ^{b,c}	54.8	40.7	32.8	13.6
Percentage of cancellations ^b	12.5	16.9	23.7	31.4
Average number of embryos transferred	3.1	3.5	3.8	3.9
Percentage of pregnancies with twins ^b	37.7	24.4	33.0	12.5
Percentage of pregnancies with triplets or more ^b	18.6	17.9	10.7	7.1
Percentage of live births having multiple infants ^{b,c}	52.1	40.8	37.9	20.7
Frozen Embryos From Nondonor Eggs				
Number of transfers	68	27	33	13
Percentage of transfers resulting in live births ^{b,c}	30.9	18.5	33.3	2/13
Average number of embryos transferred	3.2	3.6	3.6	4.0
Donor Eggs				
Number of fresh embryo transfers	6	16	18	64
Percentage of fresh transfers resulting in live births ^{b,c}	1/6	11/16	8/18	51.6
Average number of fresh embryos transferred	3.0	2.8	3.0	2.9
Number of frozen embryo transfers	2	3	1	5
Percentage of frozen transfers resulting in live births ^{b,c}	1/2	1/3	1/1	1/5
Average number of frozen embryos transferred	3.5	2.3	2.0	3.4

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Reproductive Medicine & Infertility, Weill Medical College of Cornell University

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**COLUMBIA PRESBYTERIAN MEDICAL CENTER
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	10%	Uterine factor	1%
GIFT	0%			Male factor	5%	Other factors	25%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	55%	Unexplained	1%
Combination	0%	Unstimulated	2%	Endometriosis	3%		

1998 PREGNANCY SUCCESS RATES

Data verified by Steven R. Lindheim, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	54	22	33	86
Percentage of cycles resulting in pregnancies ^b	31.5	31.8	21.2	4.7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.6 (17.5 - 41.8)	27.3 (8.7 - 45.9)	18.2 (5.0 - 31.3)	4.7 (0.2 - 9.1)
Percentage of retrievals resulting in live births ^{b,c}	34.0	6/12	24.0	7.4
Percentage of transfers resulting in live births ^{b,c}	37.2	6/11	28.6	10.0
Percentage of cancellations ^b	13.0	45.5	24.2	37.2
Average number of embryos transferred	3.4	3.7	4.5	2.9
Percentage of pregnancies with twins ^b	4/17	0/7	2/7	1/4
Percentage of pregnancies with triplets or more ^b	6/17	3/7	1/7	1/4
Percentage of live births having multiple infants ^{b,c}	10/16	3/6	2/6	1/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	3	4	0
Percentage of transfers resulting in live births ^{b,c}	0/5	1/3	0/4	
Average number of embryos transferred	3.4	4.7	3.3	
Donor Eggs				
Number of fresh embryo transfers	10	5	19	118
Percentage of fresh transfers resulting in live births ^{b,c}	3/10	2/5	9/19	36.4
Average number of fresh embryos transferred	4.4	4.0	4.1	4.1
Number of frozen embryo transfers	5	0	4	40
Percentage of frozen transfers resulting in live births ^{b,c}	2/5		1/4	40.0
Average number of frozen embryos transferred	3.8		2.5	3.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Women's Reproductive Care at Columbia University

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

DR. NABIL HUSAMI
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	11%
GIFT	0%			Male factor	21%	Other factors	2%
ZIFT	0%	With ICSI	67%	Ovulatory dysfunction	30%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Nabil W. Husami, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	10	11	15
Percentage of cycles resulting in pregnancies ^b	4/19	3/10	3/11	1/15
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/19	2/10	1/11	0/15
Percentage of retrievals resulting in live births ^{b,c}	2/18	2/10	1/11	0/13
Percentage of transfers resulting in live births ^{b,c}	2/15	2/10	1/10	0/12
Percentage of cancellations ^b	1/19	0/10	0/11	2/15
Average number of embryos transferred	4.0	3.4	3.1	2.5
Percentage of pregnancies with twins ^b	0/4	0/3	0/3	1/1
Percentage of pregnancies with triplets or more ^b	0/4	0/3	0/3	0/1
Percentage of live births having multiple infants ^{b,c}	0/2	0/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}			0/1	
Average number of embryos transferred			3.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Dr. Nabil Husami

Services Offered:

Donor egg? No Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? No
 Verified lab accreditation? No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

LILLIAN D. NASH, M.D.
NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	48%	Uterine factor	0%
GIFT	0%			Male factor	23%	Other factors	0%
ZIFT	0%	With ICSI	24%	Ovulatory dysfunction	19%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Lillian D. Nash, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	23	18	16	11
Percentage of cycles resulting in pregnancies ^b	13.0	2/18	4/16	0/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	13.0 (0.0 - 26.8)	2/18	2/16	0/11
Percentage of retrievals resulting in live births ^{b,c}	3/19	2/13	2/12	0/5
Percentage of transfers resulting in live births ^{b,c}	3/19	2/11	2/12	0/5
Percentage of cancellations ^b	17.4	5/18	4/16	6/11
Average number of embryos transferred	4.6	4.8	4.4	3.2
Percentage of pregnancies with twins ^b	0/3	2/2	1/4	
Percentage of pregnancies with triplets or more ^b	0/3	0/2	0/4	
Percentage of live births having multiple infants ^{b,c}	0/3	2/2	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/1			
Average number of embryos transferred	8.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Lillian D. Nash, M.D.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NEW YORK FERTILITY INSTITUTE
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	9%	Uterine factor	2%
GIFT	0%			Male factor	20%	Other factors	9%
ZIFT	0%	With ICSI	75%	Ovulatory dysfunction	43%	Unexplained	0%
Combination	3%	Unstimulated	<1%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Majid Fateh, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	50	33	23	61
Percentage of cycles resulting in pregnancies ^b	36.0	27.3	30.4	11.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.0 (22.7 - 49.3)	24.2 (9.6 - 38.9)	30.4 (11.6 - 49.2)	9.8 (2.4 - 17.3)
Percentage of retrievals resulting in live births ^{b,c}	38.3	25.8	33.3	11.5
Percentage of transfers resulting in live births ^{b,c}	40.0	25.8	7/19	13.0
Percentage of cancellations ^b	6.0	6.1	8.7	14.8
Average number of embryos transferred	5.2	4.7	4.3	3.4
Percentage of pregnancies with twins ^b	0/18	3/9	1/7	2/7
Percentage of pregnancies with triplets or more ^b	3/18	0/9	0/7	0/7
Percentage of live births having multiple infants ^{b,c}	3/18	2/8	1/7	2/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	1	3
Percentage of transfers resulting in live births ^{b,c}	1/2		0/1	0/3
Average number of embryos transferred	6.0		6.0	2.3
Donor Eggs				
Number of fresh embryo transfers	0	1	0	9
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		5/9
Average number of fresh embryos transferred		4.0		5.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: New York Fertility Institute

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NEW YORK MEDICAL SERVICES
FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	48%	Procedural factors:		Tubal factor	1%	Uterine factor	0%
GIFT	35%			Male factor	0%	Other factors	0%
ZIFT	15%	With ICSI	37%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	2%	Unstimulated	0%	Endometriosis	62%		

1998 PREGNANCY SUCCESS RATES

Data verified by Niels H. Lauersen, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	20	17	23
Percentage of cycles resulting in pregnancies ^b	40.9	30.0	4/17	0.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	13.6 (0.0 - 28.0)	20.0 (2.5 - 37.5)	3/17	0.0
Percentage of retrievals resulting in live births ^{b,c}	14.3	4/19	3/17	0.0
Percentage of transfers resulting in live births ^{b,c}	14.3	4/19	3/17	0.0
Percentage of cancellations ^b	4.5	5.0	0/17	8.7
Average number of embryos transferred	5.0	5.5	3.9	3.9
Percentage of pregnancies with twins ^b	3/9	1/6	1/4	
Percentage of pregnancies with triplets or more ^b	0/9	0/6	1/4	
Percentage of live births having multiple infants ^{b,c}	1/3	1/4	2/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	1	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/2	0/1	
Average number of embryos transferred	2.8	2.0	0.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: New York Medical Services for Reproductive Medicine

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	No
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**NEW YORK UNIVERSITY MEDICAL CENTER
PROGRAM FOR IN VITRO FERTILIZATION
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	20%	Uterine factor	6%
GIFT	0%			Male factor	26%	Other factors	24%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	8%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by James A. Grifo, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	247	212	260	295
Percentage of cycles resulting in pregnancies ^b	53.8	46.7	33.5	21.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	45.3 (39.1 - 51.6)	38.2 (31.7 - 44.7)	28.1 (22.6 - 33.5)	13.9 (10.0 - 17.8)
Percentage of retrievals resulting in live births ^{b,c}	51.6	45.8	37.6	19.0
Percentage of transfers resulting in live births ^{b,c}	52.3	47.1	38.8	19.4
Percentage of cancellations ^b	12.1	16.5	25.4	26.8
Average number of embryos transferred	3.1	3.5	3.7	4.1
Percentage of pregnancies with twins ^b	39.1	34.3	20.7	15.9
Percentage of pregnancies with triplets or more ^b	10.5	8.1	8.0	4.8
Percentage of live births having multiple infants ^{b,c}	45.5	40.7	27.4	19.5
Frozen Embryos From Nondonor Eggs				
Number of transfers	21	28	15	8
Percentage of transfers resulting in live births ^{b,c}	38.1	25.0	3/15	0/8
Average number of embryos transferred	3.6	3.6	3.4	2.9
Donor Eggs				
Number of fresh embryo transfers	14	15	28	98
Percentage of fresh transfers resulting in live births ^{b,c}	8/14	9/15	42.9	42.9
Average number of fresh embryos transferred	2.9	2.7	2.9	2.9
Number of frozen embryo transfers	2	2	3	23
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	0/2	0/3	30.4
Average number of frozen embryos transferred	5.5	3.5	3.0	3.1

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: New York University Medical Center Program for In Vitro Fertilization

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	96%	Procedural factors:		Tubal factor	29%	Uterine factor	0%
GIFT	2%			Male factor	32%	Other factors	21%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	4%	Unexplained	8%
Combination	2%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Cecilia Schmidt-Sarosi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	37	39	45
Percentage of cycles resulting in pregnancies ^b	38.5	27.0	48.7	20.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	35.4 (23.8 - 47.0)	16.2 (4.3 - 28.1)	41.0 (25.6 - 56.5)	8.9 (0.6 - 17.2)
Percentage of retrievals resulting in live births ^{b,c}	35.9	16.2	42.1	9.1
Percentage of transfers resulting in live births ^{b,c}	35.9	16.2	42.1	9.3
Percentage of cancellations ^b	1.5		2.6	2.2
Average number of embryos transferred	3.9	4.2	4.2	4.6
Percentage of pregnancies with twins ^b	32.0	3/10	7/19	1/9
Percentage of pregnancies with triplets or more ^b	16.0	1/10	2/19	0/9
Percentage of live births having multiple infants ^{b,c}	43.5	2/6	8/16	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	31	15	17	10
Percentage of transfers resulting in live births ^{b,c}	22.6	3/15	2/17	0/10
Average number of embryos transferred	3.9	4.1	4.4	5.0
Donor Eggs				
Number of fresh embryo transfers	4	2	4	14
Percentage of fresh transfers resulting in live births ^{b,c}	1/4	2/2	1/4	3/14
Average number of fresh embryos transferred	5.0	2.5	2.3	3.1
Number of frozen embryo transfers	2	2	2	19
Percentage of frozen transfers resulting in live births ^{b,c}	1/2	0/2	0/2	4/19
Average number of frozen embryos transferred	3.5	6.0	4.0	3.4

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Offices for Fertility and Reproductive Medicine

Services Offered:

Donor egg? Yes
 Donor embryo? Yes
 Single women? Yes
 Gestational carriers? No
 Cryopreservation? Yes

Clinic Profile:

SART member? No
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CAPITAL REGION GENETICS & IVF AT BELLEVUE HOSPITAL NISKAYUNA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	19%	Uterine factor	0%
GIFT	0%			Male factor	17%	Other factors	0%
ZIFT	0%	With ICSI	50%	Ovulatory dysfunction	18%	Unexplained	33%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by John M. Donhowe, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	15	17	2	6
Percentage of cycles resulting in pregnancies ^b	4/15	5/17	0/2	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/15	4/17	0/2	0/6
Percentage of retrievals resulting in live births ^{b,c}	3/15	4/17	0/2	0/6
Percentage of transfers resulting in live births ^{b,c}	3/13	4/15	0/1	0/4
Percentage of cancellations ^b	0/15	0/17	0/2	0/6
Average number of embryos transferred	2.9	2.9	4.0	1.0
Percentage of pregnancies with twins ^b	2/4	4/5		
Percentage of pregnancies with triplets or more ^b	0/4	0/5		
Percentage of live births having multiple infants ^{b,c}	1/3	4/4		
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	13	7	0
Percentage of transfers resulting in live births ^{b,c}	3/12	1/13	0/7	
Average number of embryos transferred	2.8	2.6	2.1	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Capital Region Genetics & IVF at Bellevue Hospital

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

LONG ISLAND IVF ASSOCIATES PORT JEFFERSON, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	86%	Procedural factors:		Tubal factor	31%	Uterine factor	1%
GIFT	8%			Male factor	26%	Other factors	7%
ZIFT	<1%	With ICSI	42%	Ovulatory dysfunction	11%	Unexplained	6%
Combination	6%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by David Kreiner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	280	156	143	93
Percentage of cycles resulting in pregnancies ^b	35.4	35.3	34.3	11.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.1 (21.9 - 32.4)	28.2 (21.1 - 35.3)	23.8 (16.8 - 30.8)	3.2 (0.0 - 6.8)
Percentage of retrievals resulting in live births ^{b,c}	30.4	33.8	29.8	4.9
Percentage of transfers resulting in live births ^{b,c}	34.4	37.3	32.1	5.2
Percentage of cancellations ^b	10.7	16.7	20.3	34.4
Average number of embryos transferred	3.0	3.2	3.6	4.5
Percentage of pregnancies with twins ^b	29.3	29.1	28.6	2/11
Percentage of pregnancies with triplets or more ^b	7.1	14.5	6.1	0/11
Percentage of live births having multiple infants ^{b,c}	38.2	38.6	32.4	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	96	30	25	13
Percentage of transfers resulting in live births ^{b,c}	28.1	10.0	24.0	1/13
Average number of embryos transferred	2.9	2.6	3.0	2.9
Donor Eggs				
Number of fresh embryo transfers	2	2	4	4
Percentage of fresh transfers resulting in live births ^{b,c}	2/2	1/2	1/4	0/4
Average number of fresh embryos transferred	4.5	2.5	3.3	2.8
Number of frozen embryo transfers	2	0	2	3
Percentage of frozen transfers resulting in live births ^{b,c}	0/2		0/2	0/3
Average number of frozen embryos transferred	3.0		3.0	1.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Long Island IVF Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INSTITUTE FOR REPRODUCTIVE HEALTH AND INFERTILITY
ROCHESTER, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	27%	Other factors	5%
ZIFT	0%	With ICSI	61%	Ovulatory dysfunction	15%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Eberhard K. Muechler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	13	4	0
Percentage of cycles resulting in pregnancies ^b	25.0	1/13	0/4	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.0 (10.0 - 40.0)	1/13	0/4	
Percentage of retrievals resulting in live births ^{b,c}	25.8	1/10	0/4	
Percentage of transfers resulting in live births ^{b,c}	32.0	1/7	0/3	
Percentage of cancellations ^b	3.1	3/13	0/4	
Average number of embryos transferred	3.6	3.6	3.0	
Percentage of pregnancies with twins ^b	4/8	0/1		
Percentage of pregnancies with triplets or more ^b	1/8	0/1		
Percentage of live births having multiple infants ^{b,c}	5/8	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	2	0
Percentage of transfers resulting in live births ^{b,c}	0/1	2/3	1/2	
Average number of embryos transferred	4.0	2.0	3.0	
Donor Eggs				
Number of fresh embryo transfers	1	3	2	3
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	1/3	1/2	2/3
Average number of fresh embryos transferred	4.0	10.0	1.5	3.3
Number of frozen embryo transfers	1	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}	1/1			0/1
Average number of frozen embryos transferred	1.0			2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Institute For Reproductive Health and Infertility

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

STRONG INFERTILITY AND IVF CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	32%	Uterine factor	0%
GIFT	0%			Male factor	25%	Other factors	2%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	14%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Vivian Lewis, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	103	52	39	10
Percentage of cycles resulting in pregnancies ^b	32.0	42.3	23.1	1/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.2 (19.5 - 36.8)	40.4 (27.0 - 53.7)	17.9 (5.9 - 30.0)	0/10
Percentage of retrievals resulting in live births ^{b,c}	35.4	46.7	31.8	0/6
Percentage of transfers resulting in live births ^{b,c}	37.7	47.7	33.3	0/6
Percentage of cancellations ^b	20.4	13.5	43.6	4/10
Average number of embryos transferred	3.3	3.2	3.8	5.0
Percentage of pregnancies with twins ^b	27.3	40.9	3/9	0/1
Percentage of pregnancies with triplets or more ^b	18.2		1/9	0/1
Percentage of live births having multiple infants ^{b,c}	51.7	42.9	3/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	4	5	0
Percentage of transfers resulting in live births ^{b,c}	3/17	0/4	0/5	
Average number of embryos transferred	3.1	3.0	2.4	
Donor Eggs				
Number of fresh embryo transfers	2	3	4	7
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	2/3	0/4	3/7
Average number of fresh embryos transferred	3.5	2.7	3.3	2.6
Number of frozen embryo transfers	1	1	1	1
Percentage of frozen transfers resulting in live births ^{b,c}	1/1	0/1	0/1	0/1
Average number of frozen embryos transferred	2.0	3.0	3.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Strong Infertility and IVF Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CHILDREN'S HOSPITAL IVF PROGRAM SNYDER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	28%	Uterine factor	0%
GIFT	1%			Male factor	23%	Other factors	2%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	16%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kent Crickard, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	43	23	22	9
Percentage of cycles resulting in pregnancies ^b	32.6	34.8	22.7	1/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.9 (14.5 - 41.3)	26.1 (8.1 - 44.0)	18.2 (2.1 - 34.3)	1/9
Percentage of retrievals resulting in live births ^{b,c}	27.9	27.3	19.0	1/4
Percentage of transfers resulting in live births ^{b,c}	27.9	30.0	20.0	1/4
Percentage of cancellations ^b	0.0	4.3	4.5	5/9
Average number of embryos transferred	3.4	3.4	3.8	2.8
Percentage of pregnancies with twins ^b	2/14	2/8	3/5	0/1
Percentage of pregnancies with triplets or more ^b	1/14	1/8	0/5	0/1
Percentage of live births having multiple infants ^{b,c}	2/12	2/6	3/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	5	3	0
Percentage of transfers resulting in live births ^{b,c}	2/16	4/5	0/3	
Average number of embryos transferred	2.9	3.6	3.7	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility & IVF Associates of Western New York

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DIVISION OF REPRODUCTIVE ENDOCRINOLOGY
SUNY AT STONY BROOK
STONY BROOK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	23%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	18%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	18%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard Bronson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	37	24	10	7
Percentage of cycles resulting in pregnancies ^b	43.2	33.3	1/10	0/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.8 (22.2 - 53.5)	25.0 (7.7 - 42.3)	0/10	0/7
Percentage of retrievals resulting in live births ^{b,c}	45.2	6/18	0/6	0/4
Percentage of transfers resulting in live births ^{b,c}	46.7	6/18	0/6	0/4
Percentage of cancellations ^b	16.2	25.0	4/10	3/7
Average number of embryos transferred	2.9	3.5	2.7	3.0
Percentage of pregnancies with twins ^b	6/16	3/8	0/1	
Percentage of pregnancies with triplets or more ^b	1/16	2/8	0/1	
Percentage of live births having multiple infants ^{b,c}	6/14	4/6		
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	8	0	0
Percentage of transfers resulting in live births ^{b,c}	1/5	3/8		
Average number of embryos transferred	3.4	3.9		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Division of Reproductive Endocrinology, SUNY at Stony Brook

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTRAL NEW YORK FERTILITY CENTER SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	93%	Procedural factors:		Tubal factor	33%	Uterine factor	2%
GIFT	5%			Male factor	13%	Other factors	1%
ZIFT	1%	With ICSI	54%	Ovulatory dysfunction	16%	Unexplained	20%
Combination	1%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert J. Kiltz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	69	46	19	22
Percentage of cycles resulting in pregnancies ^b	31.9	30.4	3/19	13.6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.0 (18.3 - 39.7)	19.6 (8.1 - 31.0)	2/19	4.5 (0.0 - 13.2)
Percentage of retrievals resulting in live births ^{b,c}	29.0	20.0	2/18	4.5
Percentage of transfers resulting in live births ^{b,c}	29.4	20.9	2/15	4.5
Percentage of cancellations ^b	0.0	2.2	1/19	0.0
Average number of embryos transferred	4.8	5.2	4.7	5.2
Percentage of pregnancies with twins ^b	13.6	2/14	0/3	0/3
Percentage of pregnancies with triplets or more ^b	27.3	4/14	0/3	0/3
Percentage of live births having multiple infants ^{b,c}	45.0	4/9	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1/9	0/2		
Average number of embryos transferred	5.0	3.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	
Average number of fresh embryos transferred			5.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Central New York Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WESTCHESTER FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	38%	Uterine factor	0%
GIFT	0%			Male factor	33%	Other factors	11%
ZIFT	0%	With ICSI	46%	Ovulatory dysfunction	0%	Unexplained	18%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael Blotner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	14	14	6
Percentage of cycles resulting in pregnancies ^b	4/16	0/14	2/14	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/16	0/14	1/14	0/6
Percentage of retrievals resulting in live births ^{b,c}	2/16	0/12	1/14	0/6
Percentage of transfers resulting in live births ^{b,c}	2/16	0/12	1/14	0/5
Percentage of cancellations ^b	0/16	2/14	0/14	0/6
Average number of embryos transferred	3.8	4.0	4.4	4.0
Percentage of pregnancies with twins ^b	1/4		0/2	
Percentage of pregnancies with triplets or more ^b	0/4		0/2	
Percentage of live births having multiple infants ^{b,c}	1/2		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	1	2
Percentage of transfers resulting in live births ^{b,c}	2/5	0/2	0/1	0/2
Average number of embryos transferred	3.6	3.5	3.0	5.5
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	
Average number of fresh embryos transferred			3.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Westchester Fertility & Reproductive Endocrinology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE MEDICINE/IVF WILLIAMSVILLE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	35%	Uterine factor	0%
GIFT	0%			Male factor	40%	Other factors	1%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	1%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by John (Jan) M. Wieckowski, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	42	20	2	4
Percentage of cycles resulting in pregnancies ^b	38.1	65.0	0/2	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.0 (17.0 - 44.9)	60.0 (38.5 - 81.5)	0/2	0/4
Percentage of retrievals resulting in live births ^{b,c}	37.1	60.0	0/2	0/4
Percentage of transfers resulting in live births ^{b,c}	37.1	60.0	0/2	0/4
Percentage of cancellations ^b	16.7	0.0	0/2	0/4
Average number of embryos transferred	3.2	4.4	4.0	3.8
Percentage of pregnancies with twins ^b	2/16	3/13		
Percentage of pregnancies with triplets or more ^b	1/16	1/13		
Percentage of live births having multiple infants ^{b,c}	3/13	3/12		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/3		
Average number of embryos transferred	2.0	3.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Medicine/IVF

Services Offered:

Donor egg? No Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.