

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of all cities of 100,000 or more								
Number								
Low birthweight	103,932	57,185	39,126	595	7,026	28,202	29,382	38,292
Care beginning in first trimester	962,376	674,751	208,610	5,830	73,185	316,089	361,933	202,423
Late or no care	54,521	31,702	19,059	664	3,096	21,481	10,505	18,571
Percent								
Low birthweight	8.5	6.9	13.4	7.1	7.7	6.7	7.0	13.5
Care beginning in first trimester	80.8	83.0	74.2	71.3	83.1	77.4	88.4	74.1
Late or no care	4.6	3.9	6.8	8.1	3.5	5.3	2.6	6.8
Abilene, Texas								
Number								
Low birthweight	144	118	24	-	2	47	72	23
Care beginning in first trimester	1,436	1,294	120	3	19	399	898	116
Late or no care	50	37	12	-	1	20	17	12
Percent								
Low birthweight	8.1	7.4	15.1	*	*	8.4	6.9	14.8
Care beginning in first trimester	80.5	81.2	75.5	*	*	71.8	86.3	74.8
Late or no care	2.8	2.3	*	*	*	3.6	*	*
Akron, Ohio								
Number								
Low birthweight	320	156	161	-	3	8	149	160
Care beginning in first trimester	2,646	1,743	835	9	59	38	1,706	829
Late or no care	106	48	55	-	3	4	43	55
Percent								
Low birthweight	10.3	8.0	15.1	*	*	*	7.8	15.2
Care beginning in first trimester	86.1	89.8	79.4	*	81.9	74.5	90.3	79.5
Late or no care	3.4	2.5	5.2	*	*	*	2.3	5.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								

Albany, New York

Number								
Low birthweight	135	58	72	-	5	7	45	72
Care beginning in first trimester	877	471	372	3	31	72	380	366
Late or no care	86	33	48	-	5	9	22	47
Percent								
Low birthweight	11.1	9.8	12.7	*	*	*	9.8	12.9
Care beginning in first trimester	74.3	80.9	67.8	*	70.5	69.9	83.9	67.8
Late or no care	7.3	5.7	8.7	*	*	*	4.9	8.7

Albuquerque, New Mexico

Number								
Low birthweight	688	613	35	25	15	398	216	35
Care beginning in first trimester	6,044	5,413	167	301	163	3,291	2,146	155
Late or no care	484	398	18	58	10	289	110	18
Percent								
Low birthweight	8.2	8.2	14.2	5.0	*	8.4	7.8	15.4
Care beginning in first trimester	75.5	76.3	70.5	64.5	79.9	72.8	82.2	71.1
Late or no care	6.0	5.6	*	12.4	*	6.4	4.2	*

Alexandria city, Virginia

Number								
Low birthweight	174	102	56	-	16	33	70	55
Care beginning in first trimester	1,896	1,345	400	3	148	301	1,048	394
Late or no care	191	91	85	1	14	59	33	84
Percent								
Low birthweight	6.8	5.8	9.1	*	*	5.9	5.8	9.1
Care beginning in first trimester	74.6	77.6	65.9	*	75.1	54.3	88.4	65.8
Late or no care	7.5	5.3	14.0	*	*	10.6	2.8	14.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Allentown, Pennsylvania</b>								
Number								
Low birthweight	165	137	25	-	3	69	67	25
Care beginning in first trimester	1,204	1,062	103	5	34	472	592	88
Late or no care	60	50	8	-	2	31	18	8
Percent								
Low birthweight	9.1	8.6	14.8	*	*	9.1	8.1	16.9
Care beginning in first trimester	80.1	81.0	72.0	*	75.6	75.8	86.4	71.0
Late or no care	4.0	3.8	*	*	*	5.0	*	*
<b>Amarillo, Texas</b>								
Number								
Low birthweight	273	235	26	-	12	95	140	26
Care beginning in first trimester	2,460	2,253	137	6	64	833	1,425	132
Late or no care	116	98	18	-	-	63	36	17
Percent								
Low birthweight	9.1	8.6	12.4	*	*	8.7	8.6	12.9
Care beginning in first trimester	81.9	83.1	65.9	*	86.5	76.8	87.3	66.0
Late or no care	3.9	3.6	*	*	*	5.8	2.2	*
<b>Anaheim, California</b>								
Number								
Low birthweight	363	291	12	2	58	221	73	12
Care beginning in first trimester	5,748	4,940	111	13	684	3,767	1,184	107
Late or no care	139	122	5	1	11	100	24	4
Percent								
Low birthweight	5.6	5.2	*	*	7.7	5.1	5.6	*
Care beginning in first trimester	88.5	88.2	83.5	*	91.6	87.2	91.6	84.3
Late or no care	2.1	2.2	*	*	*	2.3	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Anchorage, coext. with Anchorage city, Alaska								
Number								
Low birthweight	263	150	33	36	44	28	78	17
Care beginning in first trimester	3,336	2,350	214	443	329	334	1,366	131
Late or no care	163	102	12	27	22	24	60	7
Percent								
Low birthweight	6.3	5.3	11.9	6.3	9.3	6.3	4.8	*
Care beginning in first trimester	84.1	86.7	82.6	77.4	77.6	79.0	86.4	85.1
Late or no care	4.1	3.8	*	4.7	5.2	5.7	3.8	*
Ann Arbor, Michigan								
Number								
Low birthweight	94	57	18	2	17	3	51	18
Care beginning in first trimester	1,318	916	134	7	261	59	829	130
Late or no care	18	14	2	-	2	2	11	2
Percent								
Low birthweight	6.6	5.8	*	*	*	*	5.8	*
Care beginning in first trimester	93.1	94.2	83.8	*	95.6	86.8	94.9	83.3
Late or no care	*	*	*	*	*	*	*	*
Arlington, Texas								
Number								
Low birthweight	486	321	130	2	33	144	165	125
Care beginning in first trimester	4,650	3,478	802	27	343	1,312	2,061	742
Late or no care	375	296	57	3	19	212	80	55
Percent								
Low birthweight	7.9	6.9	12.5	*	7.7	6.8	6.8	12.9
Care beginning in first trimester	76.4	75.4	78.0	87.1	81.5	62.8	85.7	77.9
Late or no care	6.2	6.4	5.5	*	*	10.1	3.3	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Arlington, Virginia								
Number								
Low birthweight	180	139	20	-	21	57	82	20
Care beginning in first trimester	2,145	1,738	167	2	238	471	1,266	163
Late or no care	175	121	30	-	24	94	28	29
Percent								
Low birthweight	6.4	6.2	8.0	*	6.3	7.0	5.8	8.2
Care beginning in first trimester	77.2	78.6	68.2	*	74.1	57.9	90.5	68.2
Late or no care	6.3	5.5	12.2	*	7.5	11.6	2.0	12.1
Atlanta, Georgia								
Number								
Low birthweight	977	260	690	1	26	118	136	668
Care beginning in first trimester	6,978	3,238	3,432	16	292	1,175	1,848	3,317
Late or no care	460	144	313	-	3	121	23	310
Percent								
Low birthweight	10.8	6.7	14.3	*	8.1	7.0	7.0	14.3
Care beginning in first trimester	78.7	84.7	72.9	*	92.4	70.4	95.2	72.5
Late or no care	5.2	3.8	6.7	*	*	7.3	1.2	6.8
Aurora, Colorado								
Number								
Low birthweight	533	378	112	5	38	168	215	107
Care beginning in first trimester	4,356	3,518	556	28	254	1,432	2,129	532
Late or no care	288	227	44	-	17	167	65	39
Percent								
Low birthweight	9.1	8.0	14.3	*	11.6	7.4	8.6	14.4
Care beginning in first trimester	75.8	76.2	72.5	70.0	79.4	63.9	87.2	73.2
Late or no care	5.0	4.9	5.7	*	*	7.5	2.7	5.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Austin, Texas</b>								
Number								
Low birthweight	879	677	134	3	65	388	289	131
Care beginning in first trimester	10,407	8,745	844	17	801	4,458	4,303	824
Late or no care	465	405	47	-	13	336	70	46
Percent								
Low birthweight	6.9	6.3	12.1	*	7.5	6.3	6.3	12.1
Care beginning in first trimester	82.2	81.8	77.1	*	93.5	72.8	93.8	77.0
Late or no care	3.7	3.8	4.3	*	*	5.5	1.5	4.3
<b>Bakersfield, California</b>								
Number								
Low birthweight	515	407	81	4	23	257	154	78
Care beginning in first trimester	5,354	4,698	403	39	214	2,588	2,127	399
Late or no care	177	153	19	2	3	96	57	18
Percent								
Low birthweight	6.8	6.2	13.4	*	8.4	6.5	5.7	13.1
Care beginning in first trimester	82.9	83.0	78.9	83.0	89.2	80.4	86.3	79.0
Late or no care	2.7	2.7	*	*	*	3.0	2.3	*
<b>Baltimore city, Maryland</b>								
Number								
Low birthweight	1,243	232	998	1	12	21	213	996
Care beginning in first trimester	7,219	2,474	4,611	17	117	193	2,275	4,602
Late or no care	623	113	500	-	10	20	90	500
Percent								
Low birthweight	12.9	8.0	15.2	*	*	7.7	8.2	15.2
Care beginning in first trimester	75.9	86.6	71.1	*	81.3	72.6	88.2	71.1
Late or no care	6.6	4.0	7.7	*	*	7.5	3.5	7.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Baton Rouge, Louisiana</b>								
Number								
Low birthweight	553	129	411	2	11	2	127	411
Care beginning in first trimester	3,926	1,692	2,099	10	125	69	1,625	2,097
Late or no care	185	17	166	-	2	5	13	165
Percent								
Low birthweight	11.3	7.0	14.3	*	*	*	7.2	14.3
Care beginning in first trimester	80.6	91.7	73.0	*	88.0	80.2	92.2	73.0
Late or no care	3.8	*	5.8	*	*	*	*	5.7
<b>Beaumont, Texas</b>								
Number								
Low birthweight	166	60	102	1	3	14	46	102
Care beginning in first trimester	1,404	689	672	1	42	192	494	664
Late or no care	83	20	59	-	4	5	15	59
Percent								
Low birthweight	9.6	7.6	11.4	*	*	*	8.3	11.6
Care beginning in first trimester	82.5	88.7	77.2	*	79.2	86.5	89.3	77.3
Late or no care	4.9	2.6	6.8	*	*	*	*	6.9
<b>Berkeley, California</b>								
Number								
Low birthweight	48	26	18	-	4	5	21	18
Care beginning in first trimester	848	588	145	3	112	115	471	142
Late or no care	9	8	1	-	-	1	7	1
Percent								
Low birthweight	5.3	4.1	*	*	*	*	4.2	*
Care beginning in first trimester	93.5	93.6	91.8	*	94.9	90.6	94.6	92.2
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Birmingham, Alabama</b>								
Number								
Low birthweight	516	85	429	-	2	15	69	429
Care beginning in first trimester	2,960	859	2,067	5	29	102	755	2,067
Late or no care	239	57	179	1	2	16	40	179
Percent								
Low birthweight	12.7	7.8	14.7	*	*	*	7.6	14.7
Care beginning in first trimester	73.3	79.5	71.0	*	74.4	56.4	84.1	71.0
Late or no care	5.9	5.3	6.2	*	*	*	4.5	6.2
<b>Boise City, Idaho</b>								
Number								
Low birthweight	192	180	4	-	8	13	160	4
Care beginning in first trimester	2,716	2,565	31	18	102	198	2,281	31
Late or no care	65	61	-	2	2	8	51	-
Percent								
Low birthweight	6.0	6.0	*	*	*	*	6.1	*
Care beginning in first trimester	88.8	89.0	83.8	*	87.2	80.8	89.8	83.8
Late or no care	2.1	2.1	*	*	*	*	2.0	*
<b>Boston, Massachusetts</b>								
Number								
Low birthweight	761	319	388	2	52	151	207	345
Care beginning in first trimester	6,990	3,840	2,553	11	586	1,597	2,694	2,075
Late or no care	227	80	134	-	13	44	42	128
Percent								
Low birthweight	9.4	7.5	12.4	*	7.7	8.2	7.1	13.2
Care beginning in first trimester	87.6	90.8	83.1	*	87.9	87.6	93.4	81.0
Late or no care	2.8	1.9	4.4	*	*	2.4	1.5	5.0



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Bridgeport, Connecticut</b>								
Number								
Low birthweight	227	117	101	2	7	89	31	99
Care beginning in first trimester	1,792	1,052	646	4	90	673	400	623
Late or no care	39	15	24	-	-	9	7	23
Percent								
Low birthweight	9.8	8.7	11.9	*	*	9.8	6.7	12.1
Care beginning in first trimester	81.2	81.8	79.7	*	86.5	78.2	88.3	79.7
Late or no care	1.8	*	3.0	*	*	*	*	2.9
<b>Bronx borough, Bronx county, New York</b>								
Number								
Low birthweight	2,060	972	1,016	-	72	1,007	110	858
Care beginning in first trimester	16,275	9,257	6,472	7	539	9,001	1,383	5,301
Late or no care	1,288	586	652	-	50	605	85	544
Percent								
Low birthweight	9.1	8.1	10.4	*	9.7	8.2	6.5	11.1
Care beginning in first trimester	77.4	79.0	75.5	*	74.3	77.6	83.2	76.0
Late or no care	6.1	5.0	7.6	*	6.9	5.2	5.1	7.8
<b>Brooklyn borough, Kings county, New York</b>								
Number								
Low birthweight	3,473	1,410	1,771	1	291	734	769	1,679
Care beginning in first trimester	29,434	16,437	10,004	17	2,976	6,954	10,108	9,335
Late or no care	1,958	700	1,111	-	147	429	327	1,056
Percent								
Low birthweight	8.8	6.7	12.3	*	7.4	8.1	6.0	12.4
Care beginning in first trimester	77.4	81.1	71.6	*	78.6	78.2	83.0	71.2
Late or no care	5.1	3.5	7.9	*	3.9	4.8	2.7	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Buffalo, New York</b>								
Number								
Low birthweight	496	209	274	5	8	46	165	272
Care beginning in first trimester	2,534	1,529	916	30	59	233	1,304	909
Late or no care	499	176	306	8	9	51	126	304
Percent								
Low birthweight	12.1	9.8	14.9	*	*	11.0	9.5	14.9
Care beginning in first trimester	68.6	77.1	57.8	68.2	69.4	69.1	78.6	57.8
Late or no care	13.5	8.9	19.3	*	*	15.1	7.6	19.3
<b>Cedar Rapids, Iowa</b>								
Number								
Low birthweight	121	113	5	-	3	6	107	5
Care beginning in first trimester	1,672	1,525	84	8	55	46	1,478	84
Late or no care	29	24	4	-	1	-	24	4
Percent								
Low birthweight	6.7	6.9	*	*	*	*	6.8	*
Care beginning in first trimester	92.5	93.1	84.8	*	91.7	82.1	93.5	84.8
Late or no care	1.6	1.5	*	*	*	*	1.5	*
<b>Charlotte, North Carolina</b>								
Number								
Low birthweight	941	431	469	2	39	112	324	464
Care beginning in first trimester	8,923	5,796	2,712	22	393	1,261	4,556	2,691
Late or no care	367	189	159	3	16	128	62	159
Percent								
Low birthweight	8.9	6.5	13.4	*	8.3	6.3	6.6	13.4
Care beginning in first trimester	84.3	87.5	78.1	78.6	84.2	71.1	93.5	78.0
Late or no care	3.5	2.9	4.6	*	*	7.2	1.3	4.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chattanooga, Tennessee								
Number								
Low birthweight	331	139	182	-	10	20	119	182
Care beginning in first trimester	1,856	1,119	699	-	38	78	1,041	699
Late or no care	120	72	47	-	1	41	31	47
Percent								
Low birthweight	13.8	9.9	19.1	*	*	11.2	9.8	19.1
Care beginning in first trimester	78.6	81.0	74.8	*	82.6	43.8	86.5	74.8
Late or no care	5.1	5.2	5.0	*	*	23.0	2.6	5.0
Chesapeake city, Virginia								
Number								
Low birthweight	224	104	114	-	6	4	100	113
Care beginning in first trimester	2,427	1,645	706	1	75	71	1,570	704
Late or no care	55	23	31	-	1	2	21	31
Percent								
Low birthweight	8.2	5.9	12.9	*	*	*	5.9	12.8
Care beginning in first trimester	88.5	92.9	79.6	*	90.4	88.8	93.1	79.6
Late or no care	2.0	1.3	3.5	*	*	*	1.2	3.5
Chicago, Illinois								
Number								
Low birthweight	4,767	2,001	2,579	1	186	1,186	824	2,566
Care beginning in first trimester	37,023	23,075	12,394	36	1,518	14,169	8,980	12,309
Late or no care	2,024	762	1,181	5	76	586	185	1,171
Percent								
Low birthweight	9.9	7.0	14.9	*	9.2	6.5	7.9	14.9
Care beginning in first trimester	80.2	83.7	74.1	72.0	81.9	80.0	90.2	74.1
Late or no care	4.4	2.8	7.1	*	4.1	3.3	1.9	7.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Chula Vista, California</b>								
Number								
Low birthweight	207	158	17	-	32	119	39	17
Care beginning in first trimester	3,343	2,810	160	10	363	2,172	654	154
Late or no care	99	89	3	-	7	80	8	3
Percent								
Low birthweight	5.5	4.9	*	*	8.1	4.7	5.6	*
Care beginning in first trimester	88.5	88.1	89.9	*	91.4	86.5	94.0	89.5
Late or no care	2.6	2.8	*	*	*	3.2	*	*
<b>Cincinnati, Ohio</b>								
Number								
Low birthweight	633	207	418	2	6	12	194	417
Care beginning in first trimester	4,706	2,386	2,218	3	99	84	2,307	2,208
Late or no care	255	71	183	-	1	10	61	182
Percent								
Low birthweight	11.3	7.8	14.7	*	*	*	7.7	14.7
Care beginning in first trimester	86.3	91.5	81.4	*	87.6	71.8	92.4	81.4
Late or no care	4.7	2.7	6.7	*	*	*	2.4	6.7
<b>Cleveland, Ohio</b>								
Number								
Low birthweight	951	287	657	1	6	50	235	657
Care beginning in first trimester	5,846	2,483	3,265	6	92	477	2,006	3,257
Late or no care	484	163	308	2	11	34	129	308
Percent								
Low birthweight	12.4	9.2	14.9	*	*	7.8	9.4	15.0
Care beginning in first trimester	76.7	79.5	74.8	*	78.0	74.6	80.8	74.7
Late or no care	6.4	5.2	7.1	*	*	5.3	5.2	7.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	663	517	102	14	30	129	402	98
Care beginning in first trimester	5,213	4,521	385	58	249	977	3,617	364
Late or no care	369	288	44	8	29	127	175	41
Percent								
Low birthweight	9.8	8.9	18.0	*	8.8	8.7	9.1	18.4
Care beginning in first trimester	76.7	78.2	68.0	55.8	73.2	66.2	81.6	68.3
Late or no care	5.4	5.0	7.8	*	8.5	8.6	4.0	7.7
Columbus, Georgia								
Number								
Low birthweight	274	89	184	-	1	12	81	180
Care beginning in first trimester	1,905	871	982	6	46	94	795	969
Late or no care	106	29	75	-	2	16	14	74
Percent								
Low birthweight	10.6	8.0	13.0	*	*	*	8.2	12.9
Care beginning in first trimester	74.8	79.5	70.9	*	76.7	63.5	82.0	70.7
Late or no care	4.2	2.6	5.4	*	*	*	*	5.4
Columbus, Ohio								
Number								
Low birthweight	1,086	510	514	2	60	41	464	509
Care beginning in first trimester	8,654	5,575	2,595	25	459	504	5,064	2,556
Late or no care	606	282	304	2	18	39	238	300
Percent								
Low birthweight	9.9	7.6	13.8	*	11.0	6.0	7.8	14.0
Care beginning in first trimester	85.4	88.8	78.3	89.3	89.8	77.9	90.2	78.4
Late or no care	6.0	4.5	9.2	*	*	6.0	4.2	9.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Concord, California</b>								
Number								
Low birthweight	90	71	4	2	13	25	41	4
Care beginning in first trimester	1,553	1,294	49	11	199	524	698	43
Late or no care	46	39	1	1	5	25	11	1
Percent								
Low birthweight	5.0	4.7	*	*	*	3.7	5.4	*
Care beginning in first trimester	86.5	85.8	84.5	*	91.7	78.3	91.5	82.7
Late or no care	2.6	2.6	*	*	*	3.7	*	*
<b>Corpus Christi, Texas</b>								
Number								
Low birthweight	366	343	19	-	4	243	101	18
Care beginning in first trimester	3,775	3,577	127	6	65	2,510	1,077	121
Late or no care	145	141	4	-	-	118	23	4
Percent								
Low birthweight	8.2	8.1	*	*	*	8.0	8.4	*
Care beginning in first trimester	84.6	84.5	85.2	*	85.5	82.6	89.5	85.8
Late or no care	3.2	3.3	*	*	*	3.9	1.9	*
<b>Dallas, Texas</b>								
Number								
Low birthweight	1,932	1,161	698	-	73	828	335	691
Care beginning in first trimester	18,216	13,919	3,730	22	545	10,071	3,845	3,684
Late or no care	1,421	950	430	4	37	756	194	426
Percent								
Low birthweight	7.8	6.3	12.6	*	10.8	6.0	7.3	12.6
Care beginning in first trimester	75.8	77.4	69.8	62.9	82.5	74.8	85.2	69.7
Late or no care	5.9	5.3	8.0	*	5.6	5.6	4.3	8.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Dayton, Ohio								
Number								
Low birthweight	258	98	158	-	2	5	93	158
Care beginning in first trimester	2,147	1,200	913	4	30	51	1,151	909
Late or no care	84	26	58	-	-	-	26	58
Percent								
Low birthweight	10.0	7.2	13.4	*	*	*	7.2	13.5
Care beginning in first trimester	83.7	88.8	77.6	*	85.7	79.7	89.2	77.7
Late or no care	3.3	1.9	4.9	*	*	*	2.0	5.0
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	1,089	883	155	12	39	536	356	150
Care beginning in first trimester	7,888	6,840	706	59	283	3,707	3,186	680
Late or no care	819	695	89	15	20	600	104	82
Percent								
Low birthweight	9.5	8.9	14.5	*	10.1	8.7	9.3	14.7
Care beginning in first trimester	71.0	71.3	68.2	58.4	75.1	61.8	86.7	68.7
Late or no care	7.4	7.2	8.6	*	5.3	10.0	2.8	8.3
Des Moines, Iowa								
Number								
Low birthweight	252	199	36	1	16	25	175	35
Care beginning in first trimester	2,990	2,559	277	7	147	365	2,200	271
Late or no care	112	85	21	2	4	24	62	20
Percent								
Low birthweight	7.3	6.8	10.3	*	*	5.3	7.1	10.2
Care beginning in first trimester	86.8	87.8	79.4	*	88.6	78.0	89.7	79.2
Late or no care	3.3	2.9	6.0	*	*	5.1	2.5	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	1,842	221	1,606	3	12	92	127	1,601
Care beginning in first trimester	9,447	1,853	7,409	13	172	925	957	7,384
Late or no care	1,222	130	1,065	3	24	73	71	1,062
Percent								
Low birthweight	12.8	8.5	14.0	*	*	6.9	9.6	14.0
Care beginning in first trimester	68.7	74.5	67.3	*	71.1	71.6	76.2	67.3
Late or no care	8.9	5.2	9.7	*	9.9	5.7	5.7	9.7
District of Columbia								
Number								
Low birthweight	866	186	673	-	7	88	105	659
Care beginning in first trimester	5,042	2,125	2,760	5	152	614	1,518	2,731
Late or no care	490	92	390	1	7	66	31	381
Percent								
Low birthweight	11.6	7.0	14.6	*	*	9.2	6.1	14.5
Care beginning in first trimester	76.4	85.1	70.5	*	84.9	73.5	90.8	70.6
Late or no care	7.4	3.7	10.0	*	*	7.9	1.9	9.8
Durham, North Carolina								
Number								
Low birthweight	363	136	207	5	15	53	84	206
Care beginning in first trimester	3,132	1,765	1,159	18	190	634	1,131	1,158
Late or no care	87	22	64	-	1	18	4	63
Percent								
Low birthweight	10.1	7.0	14.4	*	*	6.9	7.1	14.4
Care beginning in first trimester	89.2	93.5	82.4	*	96.0	88.4	96.7	82.4
Late or no care	2.5	1.2	4.5	*	*	*	*	4.5



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	156	135	1	1	19	128	8	1
Care beginning in first trimester	2,208	1,916	6	10	276	1,863	62	3
Late or no care	48	46	-	-	2	46	-	-
Percent								
Low birthweight	6.1	6.1	*	*	*	6.0	*	*
Care beginning in first trimester	88.0	87.9	*	*	89.6	87.8	91.2	*
Late or no care	1.9	2.1	*	*	*	2.2	*	*
El Paso, Texas								
Number								
Low birthweight	1,038	986	37	2	13	893	95	36
Care beginning in first trimester	7,904	7,613	185	24	82	6,781	842	173
Late or no care	1,450	1,417	23	2	8	1,369	47	23
Percent								
Low birthweight	8.1	7.9	14.7	*	*	7.8	8.7	15.3
Care beginning in first trimester	67.3	67.0	75.5	70.6	76.6	65.5	83.4	74.9
Late or no care	12.3	12.5	9.4	*	*	13.2	4.7	10.0
Elizabeth, New Jersey								
Number								
Low birthweight	170	108	58	-	4	93	23	51
Care beginning in first trimester	1,382	1,034	311	3	34	857	223	266
Late or no care	250	156	92	-	2	144	23	82
Percent								
Low birthweight	7.8	6.8	10.6	*	*	6.8	7.5	11.0
Care beginning in first trimester	63.6	65.4	57.6	*	72.3	63.0	73.6	57.7
Late or no care	11.5	9.9	17.0	*	*	10.6	7.6	17.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Erie, Pennsylvania</b>								
Number								
Low birthweight	160	96	60	-	4	9	84	60
Care beginning in first trimester	1,282	1,013	254	-	15	55	941	251
Late or no care	80	45	33	1	1	6	37	33
Percent								
Low birthweight	9.7	7.7	15.7	*	*	*	7.4	15.8
Care beginning in first trimester	80.6	84.5	68.5	*	*	74.3	85.5	68.2
Late or no care	5.0	3.8	8.9	*	*	*	3.4	9.0
<b>Escondido, California</b>								
Number								
Low birthweight	179	166	2	2	9	99	61	2
Care beginning in first trimester	2,094	1,946	30	16	102	1,050	813	28
Late or no care	52	49	2	-	1	33	10	1
Percent								
Low birthweight	6.4	6.4	*	*	*	6.5	6.6	*
Care beginning in first trimester	82.8	82.6	81.1	*	85.7	78.2	90.5	84.8
Late or no care	2.1	2.1	*	*	*	2.5	*	*
<b>Eugene, Oregon</b>								
Number								
Low birthweight	92	85	4	-	3	6	79	4
Care beginning in first trimester	1,326	1,249	14	13	50	112	1,108	14
Late or no care	93	83	2	2	6	8	72	1
Percent								
Low birthweight	5.4	5.3	*	*	*	*	5.6	*
Care beginning in first trimester	77.8	78.4	*	*	67.6	73.2	79.3	*
Late or no care	5.5	5.2	*	*	*	*	5.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Evansville, Indiana								
Number								
Low birthweight	201	165	34	-	2	3	162	34
Care beginning in first trimester	1,928	1,689	212	1	26	23	1,667	212
Late or no care	43	30	12	-	1	3	27	12
Percent								
Low birthweight	8.9	8.5	11.8	*	*	*	8.5	11.8
Care beginning in first trimester	86.5	88.2	76.3	*	78.8	63.9	88.6	76.3
Late or no care	1.9	1.6	*	*	*	*	1.4	*
Fayette, coext. with Lexington-Fayette, Kentucky								
Number								
Low birthweight	323	232	82	1	8	25	207	82
Care beginning in first trimester	2,997	2,452	457	7	81	191	2,264	454
Late or no care	78	53	23	-	2	20	33	23
Percent								
Low birthweight	8.9	7.9	14.0	*	*	8.3	7.9	14.0
Care beginning in first trimester	85.2	86.1	80.6	*	85.3	64.7	88.5	80.5
Late or no care	2.2	1.9	4.1	*	*	6.8	1.3	4.1
Flint, Michigan								
Number								
Low birthweight	336	105	227	1	3	2	101	227
Care beginning in first trimester	1,968	975	969	6	18	39	933	965
Late or no care	127	46	79	1	1	3	43	79
Percent								
Low birthweight	13.0	9.1	16.3	*	*	*	9.2	16.4
Care beginning in first trimester	76.8	84.9	69.9	*	*	79.6	85.2	69.8
Late or no care	5.0	4.0	5.7	*	*	*	3.9	5.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Lauderdale, Florida								
Number								
Low birthweight	314	116	192	1	5	48	69	191
Care beginning in first trimester	2,458	1,250	1,155	3	50	414	849	1,142
Late or no care	168	50	117	-	1	27	23	117
Percent								
Low birthweight	9.8	7.9	11.6	*	*	8.7	7.3	11.7
Care beginning in first trimester	77.8	85.1	70.7	*	89.3	76.1	90.2	70.6
Late or no care	5.3	3.4	7.2	*	*	5.0	2.4	7.2
Fort Wayne, Indiana								
Number								
Low birthweight	370	250	109	-	11	22	226	109
Care beginning in first trimester	3,679	3,121	476	2	80	285	2,834	474
Late or no care	140	83	53	-	4	24	59	53
Percent								
Low birthweight	8.4	7.0	15.3	*	*	5.7	7.1	15.3
Care beginning in first trimester	84.4	88.1	67.0	*	80.0	74.6	89.7	66.9
Late or no care	3.2	2.3	7.5	*	*	6.3	1.9	7.5
Fort Worth, Texas								
Number								
Low birthweight	958	625	297	1	35	352	272	291
Care beginning in first trimester	8,967	6,983	1,669	14	301	3,691	3,267	1,648
Late or no care	786	584	184	3	15	465	117	184
Percent								
Low birthweight	8.4	7.0	13.6	*	10.0	6.8	7.4	13.5
Care beginning in first trimester	78.5	78.7	76.6	*	86.5	71.1	89.5	76.7
Late or no care	6.9	6.6	8.4	*	*	9.0	3.2	8.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fremont, California								
Number								
Low birthweight	235	71	13	-	151	23	49	12
Care beginning in first trimester	3,093	1,225	86	5	1,777	445	767	85
Late or no care	58	28	3	1	26	12	16	2
Percent								
Low birthweight	6.8	5.2	*	*	7.7	4.5	5.8	*
Care beginning in first trimester	91.0	89.7	88.7	*	92.0	87.1	91.1	89.5
Late or no care	1.7	2.1	*	*	1.3	*	*	*
Fresno, California								
Number								
Low birthweight	665	454	103	8	100	316	142	100
Care beginning in first trimester	8,167	6,512	687	93	875	4,486	2,074	664
Late or no care	220	173	25	2	20	141	31	24
Percent								
Low birthweight	7.0	6.1	12.3	*	9.1	6.0	6.4	12.5
Care beginning in first trimester	86.7	88.0	83.1	85.3	80.5	85.8	93.1	83.5
Late or no care	2.3	2.3	3.0	*	1.8	2.7	1.4	3.0
Fullerton, California								
Number								
Low birthweight	121	81	12	-	28	44	37	12
Care beginning in first trimester	1,650	1,333	36	8	273	848	487	33
Late or no care	39	36	1	-	2	21	15	1
Percent								
Low birthweight	6.7	5.5	*	*	9.8	4.6	7.0	*
Care beginning in first trimester	90.9	90.2	85.7	*	95.1	89.1	92.4	84.6
Late or no care	2.1	2.4	*	*	*	2.2	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Garden Grove, California</b>								
Number								
Low birthweight	163	102	1	-	60	80	22	1
Care beginning in first trimester	2,509	1,610	20	5	874	1,189	415	18
Late or no care	49	36	-	-	13	27	9	-
Percent								
Low birthweight	5.8	5.7	*	*	6.3	6.0	4.8	*
Care beginning in first trimester	90.1	89.4	95.2	*	91.0	88.9	91.0	*
Late or no care	1.8	2.0	*	*	*	2.0	*	*
<b>Garland, Texas</b>								
Number								
Low birthweight	245	177	48	-	20	103	74	48
Care beginning in first trimester	2,855	2,218	346	7	284	1,275	945	341
Late or no care	216	170	33	1	12	114	57	33
Percent								
Low birthweight	6.5	6.0	10.0	*	5.9	5.8	6.3	10.2
Care beginning in first trimester	76.8	76.4	73.5	*	85.5	73.3	81.0	73.3
Late or no care	5.8	5.9	7.0	*	*	6.6	4.9	7.1
<b>Gary, Indiana</b>								
Number								
Low birthweight	192	22	167	2	1	3	20	167
Care beginning in first trimester	1,128	182	940	2	4	47	136	937
Late or no care	134	19	115	-	-	7	13	111
Percent								
Low birthweight	11.6	8.1	12.1	*	*	*	10.0	12.2
Care beginning in first trimester	68.9	69.2	68.8	*	*	62.7	70.8	69.0
Late or no care	8.2	*	8.4	*	*	*	*	8.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, Arizona								
Number								
Low birthweight	322	287	18	3	14	119	172	18
Care beginning in first trimester	3,750	3,374	155	68	153	1,281	2,102	147
Late or no care	219	199	12	5	3	146	49	10
Percent								
Low birthweight	6.8	6.7	*	*	*	6.3	7.3	*
Care beginning in first trimester	79.8	79.9	74.2	77.3	86.4	68.9	89.0	75.4
Late or no care	4.7	4.7	*	*	*	7.9	2.1	*
Glendale, California								
Number								
Low birthweight	115	89	4	-	22	34	55	4
Care beginning in first trimester	1,842	1,477	20	-	345	540	940	18
Late or no care	18	12	-	-	6	9	3	-
Percent								
Low birthweight	5.8	5.7	*	*	5.8	5.8	5.6	*
Care beginning in first trimester	93.9	94.4	95.2	*	91.5	91.7	96.1	*
Late or no care	*	*	*	*	*	*	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	291	186	95	3	7	59	127	95
Care beginning in first trimester	2,901	2,327	506	11	57	581	1,751	494
Late or no care	131	90	38	1	2	44	46	38
Percent								
Low birthweight	7.9	6.5	12.6	*	*	7.2	6.2	12.8
Care beginning in first trimester	79.5	82.5	68.3	*	74.0	72.2	86.6	68.0
Late or no care	3.6	3.2	5.1	*	*	5.5	2.3	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Greensboro, North Carolina								
Number								
Low birthweight	322	124	179	4	15	21	104	178
Care beginning in first trimester	2,874	1,523	1,202	21	128	323	1,208	1,192
Late or no care	107	33	67	-	7	16	17	67
Percent								
Low birthweight	9.6	7.3	12.1	*	*	5.2	8.0	12.1
Care beginning in first trimester	85.6	89.4	81.1	87.5	86.5	79.4	92.6	80.9
Late or no care	3.2	1.9	4.5	*	*	*	*	4.5
Hampton city, Virginia								
Number								
Low birthweight	178	70	108	-	-	5	65	108
Care beginning in first trimester	1,515	755	709	6	45	56	702	704
Late or no care	92	30	58	-	4	2	28	58
Percent								
Low birthweight	9.5	8.0	11.6	*	*	*	8.1	11.7
Care beginning in first trimester	81.1	86.7	75.8	*	80.4	78.9	87.1	76.0
Late or no care	4.9	3.4	6.2	*	*	*	3.5	6.3
Hartford, Connecticut								
Number								
Low birthweight	261	135	115	5	6	120	22	110
Care beginning in first trimester	1,603	802	754	9	38	701	130	726
Late or no care	100	70	27	1	2	59	12	27
Percent								
Low birthweight	12.0	10.9	13.1	*	*	11.1	11.5	13.1
Care beginning in first trimester	74.4	65.8	86.4	*	76.0	65.5	69.1	86.6
Late or no care	4.6	5.7	3.1	*	*	5.5	*	3.2



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hayward, California								
Number								
Low birthweight	162	86	34	-	42	63	24	32
Care beginning in first trimester	2,534	1,677	278	14	565	1,261	424	271
Late or no care	62	43	6	-	13	35	8	6
Percent								
Low birthweight	5.5	4.4	10.8	*	6.4	4.2	5.0	10.5
Care beginning in first trimester	86.6	86.2	88.5	*	86.8	84.9	90.0	89.1
Late or no care	2.1	2.2	*	*	*	2.4	*	*
Hialeah, Florida								
Number								
Low birthweight	180	167	11	-	2	157	14	7
Care beginning in first trimester	2,493	2,383	86	10	14	2,254	180	44
Late or no care	21	18	3	-	-	17	1	3
Percent								
Low birthweight	6.6	6.5	*	*	*	6.4	*	*
Care beginning in first trimester	92.2	92.5	86.0	*	*	92.4	92.8	80.0
Late or no care	0.8	*	*	*	*	*	*	*
Hollywood, Florida								
Number								
Low birthweight	196	125	67	1	3	39	88	64
Care beginning in first trimester	1,841	1,325	454	19	43	568	772	435
Late or no care	84	44	35	2	3	23	18	35
Percent								
Low birthweight	9.1	8.3	11.7	*	*	5.8	10.3	11.6
Care beginning in first trimester	85.9	88.5	79.6	*	84.3	85.3	91.3	79.4
Late or no care	3.9	2.9	6.1	*	*	3.5	*	6.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Honolulu, Hawaii</b>								
Number								
Low birthweight	389	67	13	1	308	43	59	13
Care beginning in first trimester	3,993	894	132	27	2,940	374	752	126
Late or no care	150	16	1	-	133	9	12	1
Percent								
Low birthweight	8.3	6.9	*	*	8.7	9.9	7.2	*
Care beginning in first trimester	87.9	93.3	96.4	100.0	86.0	88.8	93.8	96.2
Late or no care	3.3	*	*	*	3.9	*	*	*
<b>Houston, Texas</b>								
Number								
Low birthweight	3,685	2,294	1,179	5	207	1,696	599	1,174
Care beginning in first trimester	34,472	25,110	7,026	27	2,309	18,481	6,652	6,981
Late or no care	2,061	1,561	436	2	62	1,358	203	433
Percent								
Low birthweight	8.2	6.9	12.6	*	7.9	6.7	7.9	12.7
Care beginning in first trimester	77.9	77.2	77.3	81.8	89.2	73.8	88.7	77.3
Late or no care	4.7	4.8	4.8	*	2.4	5.4	2.7	4.8
<b>Huntington Beach, California</b>								
Number								
Low birthweight	132	104	2	-	26	27	75	2
Care beginning in first trimester	2,148	1,867	12	5	264	524	1,319	10
Late or no care	20	20	-	-	-	11	9	-
Percent								
Low birthweight	5.8	5.2	*	*	9.3	4.6	5.5	*
Care beginning in first trimester	94.2	94.0	*	*	95.3	89.0	96.1	*
Late or no care	0.9	1.0	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Huntsville, Alabama</b>								
Number								
Low birthweight	208	99	105	1	3	10	90	104
Care beginning in first trimester	1,755	1,116	596	7	36	82	1,037	594
Late or no care	42	18	24	-	-	9	9	24
Percent								
Low birthweight	10.6	8.2	14.6	*	*	*	8.1	14.5
Care beginning in first trimester	89.3	92.5	83.5	*	94.7	80.4	93.7	83.4
Late or no care	2.1	*	3.4	*	*	*	*	3.4
<b>Independence, Missouri</b>								
Number								
Low birthweight	110	103	7	-	-	7	96	7
Care beginning in first trimester	1,327	1,232	51	14	30	104	1,132	51
Late or no care	61	52	7	-	2	5	47	7
Percent								
Low birthweight	7.1	7.2	*	*	*	*	7.4	*
Care beginning in first trimester	86.5	87.3	76.1	*	75.0	80.0	88.1	76.1
Late or no care	4.0	3.7	*	*	*	*	3.7	*
<b>Indianapolis, Indiana</b>								
Number								
Low birthweight	1,234	685	520	2	27	84	603	520
Care beginning in first trimester	10,936	7,967	2,738	9	222	942	7,033	2,727
Late or no care	597	328	262	1	6	137	190	262
Percent								
Low birthweight	8.7	6.9	13.2	*	10.0	5.3	7.2	13.3
Care beginning in first trimester	77.8	80.8	70.2	*	82.2	60.4	84.6	70.2
Late or no care	4.2	3.3	6.7	*	*	8.8	2.3	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Inglewood, California								
Number								
Low birthweight	198	112	83	-	3	106	5	82
Care beginning in first trimester	2,112	1,492	589	1	30	1,458	37	573
Late or no care	33	18	12	-	3	16	1	12
Percent								
Low birthweight	7.9	6.3	12.0	*	*	6.2	*	12.2
Care beginning in first trimester	89.6	90.0	89.1	*	76.9	90.3	80.4	89.3
Late or no care	1.4	*	*	*	*	*	*	*
Irvine, California								
Number								
Low birthweight	121	60	-	-	61	4	54	-
Care beginning in first trimester	1,781	1,010	24	4	743	164	840	21
Late or no care	19	9	-	-	10	1	8	-
Percent								
Low birthweight	6.5	5.7	*	*	7.8	*	6.2	*
Care beginning in first trimester	95.8	96.7	88.9	*	94.8	94.3	97.1	87.5
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	313	211	60	-	42	140	72	59
Care beginning in first trimester	3,191	2,399	325	11	456	1,571	825	323
Late or no care	164	138	17	-	9	102	36	17
Percent								
Low birthweight	7.7	6.7	14.6	*	8.2	6.5	7.3	14.4
Care beginning in first trimester	80.8	79.1	81.3	*	90.8	76.1	85.6	81.2
Late or no care	4.2	4.5	*	*	*	4.9	3.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jackson, Mississippi								
Number								
Low birthweight	480	44	433	-	3	-	44	433
Care beginning in first trimester	2,325	443	1,851	2	29	15	426	1,851
Late or no care	108	10	96	-	2	1	9	96
Percent								
Low birthweight	16.4	8.9	18.1	*	*	*	9.3	18.1
Care beginning in first trimester	79.8	90.4	77.5	*	82.9	*	90.6	77.5
Late or no care	3.7	*	4.0	*	*	*	*	4.0
Jacksonville, Florida								
Number								
Low birthweight	1,096	520	534	5	37	45	474	532
Care beginning in first trimester	9,381	5,992	2,938	37	414	545	5,465	2,921
Late or no care	331	128	189	1	13	17	111	189
Percent								
Low birthweight	9.7	7.7	13.2	*	7.8	6.8	7.7	13.2
Care beginning in first trimester	86.7	91.2	78.4	88.1	91.0	86.9	91.6	78.4
Late or no care	3.1	1.9	5.0	*	*	*	1.9	5.1
Jersey City, New Jersey								
Number								
Low birthweight	362	154	168	-	40	100	57	165
Care beginning in first trimester	2,746	1,346	852	2	546	815	568	808
Late or no care	253	113	108	-	32	67	44	106
Percent								
Low birthweight	9.6	8.6	13.4	*	5.6	8.8	7.9	13.9
Care beginning in first trimester	73.3	75.0	68.4	*	77.9	72.3	79.2	68.2
Late or no care	6.8	6.3	8.7	*	4.6	5.9	6.1	8.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Kansas City, Kansas								
Number								
Low birthweight	228	119	102	-	7	35	84	102
Care beginning in first trimester	2,117	1,425	628	13	51	558	864	625
Late or no care	140	75	56	4	5	36	39	56
Percent								
Low birthweight	8.3	6.6	11.9	*	*	4.7	8.0	12.0
Care beginning in first trimester	77.3	79.3	73.8	*	70.8	75.1	82.1	73.8
Late or no care	5.1	4.2	6.6	*	*	4.8	3.7	6.6
Kansas City, Missouri								
Number								
Low birthweight	663	320	325	3	15	57	263	324
Care beginning in first trimester	6,157	3,968	1,975	36	178	731	3,244	1,963
Late or no care	223	104	111	2	6	37	69	109
Percent								
Low birthweight	9.0	7.0	12.7	*	*	6.1	7.3	12.8
Care beginning in first trimester	86.6	89.3	82.0	78.3	85.2	81.2	91.3	82.0
Late or no care	3.1	2.3	4.6	*	*	4.1	1.9	4.6
Knoxville, Tennessee								
Number								
Low birthweight	250	179	60	-	11	12	167	60
Care beginning in first trimester	2,255	1,874	320	5	56	68	1,807	319
Late or no care	117	81	31	-	5	12	68	31
Percent								
Low birthweight	9.1	8.0	13.7	*	*	*	7.9	13.7
Care beginning in first trimester	82.7	84.6	74.2	*	74.7	58.6	86.1	74.2
Late or no care	4.3	3.7	7.2	*	*	*	3.2	7.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	148	135	2	3	8	51	84	2
Care beginning in first trimester	1,554	1,449	23	22	60	413	1,045	21
Late or no care	36	33	1	2	-	18	16	1
Percent								
Low birthweight	7.9	7.8	*	*	*	9.4	7.1	*
Care beginning in first trimester	84.6	85.4	69.7	71.0	80.0	76.6	89.3	70.0
Late or no care	2.0	1.9	*	*	*	*	*	*
Lansing, Michigan								
Number								
Low birthweight	220	136	77	1	6	11	126	77
Care beginning in first trimester	1,894	1,403	414	13	64	148	1,263	410
Late or no care	97	56	34	3	4	6	50	34
Percent								
Low birthweight	9.8	8.4	14.5	*	*	*	8.7	14.6
Care beginning in first trimester	85.2	87.6	79.3	*	80.0	85.1	87.8	79.3
Late or no care	4.4	3.5	6.5	*	*	*	3.5	6.6
Laredo, Texas								
Number								
Low birthweight	390	386	-	-	4	382	4	-
Care beginning in first trimester	4,268	4,250	3	1	14	4,181	65	3
Late or no care	403	402	-	-	1	399	2	-
Percent								
Low birthweight	6.8	6.7	*	*	*	6.8	*	*
Care beginning in first trimester	74.4	74.4	*	*	*	74.1	94.2	*
Late or no care	7.0	7.0	*	*	*	7.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Las Vegas, Nevada								
Number								
Low birthweight	1,173	791	267	7	108	340	450	258
Care beginning in first trimester	11,522	9,082	1,197	136	1,107	3,510	5,643	1,161
Late or no care	973	745	124	21	83	511	234	119
Percent								
Low birthweight	7.6	6.6	15.3	*	7.6	6.3	6.7	15.3
Care beginning in first trimester	78.2	78.7	72.8	72.7	81.1	68.6	86.6	72.9
Late or no care	6.6	6.5	7.5	11.2	6.1	10.0	3.6	7.5
Lincoln, Nebraska								
Number								
Low birthweight	270	244	14	4	8	17	225	14
Care beginning in first trimester	3,024	2,745	110	29	140	188	2,542	105
Late or no care	88	71	10	3	4	4	66	10
Percent								
Low birthweight	7.5	7.6	*	*	*	*	7.6	*
Care beginning in first trimester	84.5	85.4	71.9	65.9	83.3	81.0	85.8	70.9
Late or no care	2.5	2.2	*	*	*	*	2.2	*
Little Rock, Arkansas								
Number								
Low birthweight	324	111	206	3	4	15	96	206
Care beginning in first trimester	2,524	1,282	1,158	14	70	145	1,138	1,155
Late or no care	129	50	78	-	1	21	29	78
Percent								
Low birthweight	10.9	7.7	14.3	*	*	*	7.8	14.3
Care beginning in first trimester	85.0	89.4	80.4	*	86.4	69.7	92.7	80.4
Late or no care	4.3	3.5	5.4	*	*	10.1	2.4	5.4



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Livonia, Michigan</b>								
Number								
Low birthweight	56	51	2	1	2	1	49	1
Care beginning in first trimester	980	917	21	5	37	30	877	17
Late or no care	12	9	1	-	2	-	9	1
Percent								
Low birthweight	5.4	5.3	*	*	*	*	5.3	*
Care beginning in first trimester	95.9	96.2	87.5	*	92.5	100.0	96.3	*
Late or no care	*	*	*	*	*	*	*	*
<b>Long Beach, California</b>								
Number								
Low birthweight	578	342	140	1	95	260	82	138
Care beginning in first trimester	6,987	5,056	958	17	956	3,738	1,329	937
Late or no care	178	134	20	-	24	107	25	20
Percent								
Low birthweight	7.3	6.0	12.6	*	8.6	6.1	5.7	12.7
Care beginning in first trimester	89.0	89.6	87.2	*	87.8	88.4	93.2	87.2
Late or no care	2.3	2.4	1.8	*	2.2	2.5	1.8	1.9
<b>Los Angeles, California</b>								
Number								
Low birthweight	4,334	3,264	709	5	356	2,564	700	687
Care beginning in first trimester	55,166	45,866	4,884	89	4,327	36,524	9,422	4,715
Late or no care	1,160	913	161	2	84	824	90	158
Percent								
Low birthweight	6.8	6.2	11.9	*	7.5	6.0	7.0	11.9
Care beginning in first trimester	89.4	89.7	85.3	86.4	91.5	88.5	94.9	85.2
Late or no care	1.9	1.8	2.8	*	1.8	2.0	0.9	2.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Louisville, Kentucky								
Number								
Low birthweight	671	356	296	3	16	30	327	295
Care beginning in first trimester	6,297	4,285	1,763	24	225	234	4,066	1,756
Late or no care	201	98	93	2	8	21	78	93
Percent								
Low birthweight	9.4	7.6	13.8	*	*	10.8	7.4	13.8
Care beginning in first trimester	88.3	91.2	82.3	82.8	86.5	83.6	91.7	82.2
Late or no care	2.8	2.1	4.3	*	*	7.5	1.8	4.4
Lowell, Massachusetts								
Number								
Low birthweight	141	75	13	-	53	18	57	13
Care beginning in first trimester	1,375	952	103	1	319	249	721	82
Late or no care	71	38	11	-	22	8	31	10
Percent								
Low birthweight	7.9	6.6	*	*	10.8	*	6.6	*
Care beginning in first trimester	77.9	84.5	69.1	*	65.4	82.2	84.6	69.5
Late or no care	4.0	3.4	*	*	4.5	*	3.6	*
Lubbock, Texas								
Number								
Low birthweight	345	271	65	1	8	143	127	65
Care beginning in first trimester	2,594	2,260	253	8	73	935	1,324	250
Late or no care	212	172	39	-	1	120	53	38
Percent								
Low birthweight	10.2	9.3	17.3	*	*	10.3	8.2	17.6
Care beginning in first trimester	77.2	78.0	68.2	*	86.9	68.5	86.3	68.5
Late or no care	6.3	5.9	10.5	*	*	8.8	3.5	10.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Macon, Georgia</b>								
Number								
Low birthweight	257	36	216	-	5	1	35	216
Care beginning in first trimester	1,759	536	1,192	3	28	34	502	1,189
Late or no care	48	7	41	-	-	1	6	41
Percent								
Low birthweight	12.9	6.3	15.6	*	*	*	6.5	15.6
Care beginning in first trimester	90.4	94.7	88.4	*	96.6	94.4	94.5	88.5
Late or no care	2.5	*	3.0	*	*	*	*	3.1
<b>Madison, Wisconsin</b>								
Number								
Low birthweight	199	125	51	3	20	18	109	50
Care beginning in first trimester	2,553	2,048	264	32	209	263	1,790	263
Late or no care	74	46	18	3	7	20	27	18
Percent								
Low birthweight	6.6	5.4	14.1	*	7.2	*	5.5	13.9
Care beginning in first trimester	84.7	87.7	72.9	74.4	75.7	70.3	90.9	73.1
Late or no care	2.5	2.0	*	*	*	5.3	1.4	*
<b>Manhattan borough, New York county, New York</b>								
Number								
Low birthweight	1,602	1,055	410	-	137	528	573	353
Care beginning in first trimester	15,595	11,219	2,437	13	1,926	4,866	6,703	2,025
Late or no care	892	460	344	-	88	405	105	289
Percent								
Low birthweight	8.1	7.8	11.2	*	5.3	7.9	7.7	11.6
Care beginning in first trimester	81.5	84.9	70.4	*	78.5	75.2	92.4	70.6
Late or no care	4.7	3.5	9.9	*	3.6	6.3	1.4	10.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Memphis, Tennessee</b>								
Number								
Low birthweight	1,346	216	1,119	-	11	36	181	1,118
Care beginning in first trimester	7,295	2,090	5,045	4	156	276	1,818	5,042
Late or no care	1,069	263	789	2	15	190	73	789
Percent								
Low birthweight	12.3	7.3	14.4	*	*	4.6	8.3	14.4
Care beginning in first trimester	68.7	73.7	66.7	*	72.6	39.1	85.1	66.7
Late or no care	10.1	9.3	10.4	*	*	26.9	3.4	10.4
<b>Mesa, Arizona</b>								
Number								
Low birthweight	533	475	28	11	19	188	281	28
Care beginning in first trimester	6,636	6,151	174	165	146	2,021	4,120	157
Late or no care	285	255	8	18	4	172	83	7
Percent								
Low birthweight	6.6	6.4	13.1	*	*	6.7	6.0	14.4
Care beginning in first trimester	82.2	82.6	82.1	70.8	80.7	72.8	88.5	80.9
Late or no care	3.5	3.4	*	*	*	6.2	1.8	*
<b>Mesquite, Texas</b>								
Number								
Low birthweight	158	119	33	-	6	46	73	33
Care beginning in first trimester	1,615	1,298	238	10	69	483	815	236
Late or no care	91	72	17	1	1	38	34	17
Percent								
Low birthweight	7.8	7.3	10.2	*	*	7.2	7.4	10.3
Care beginning in first trimester	80.6	80.7	76.8	*	93.2	77.7	82.8	76.6
Late or no care	4.5	4.5	*	*	*	6.1	3.5	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Miami, Florida</b>								
Number								
Low birthweight	1,228	524	676	22	6	484	82	650
Care beginning in first trimester	11,162	6,398	4,472	167	125	5,934	876	4,215
Late or no care	279	88	187	4	-	79	15	184
Percent								
Low birthweight	9.5	7.5	12.1	11.3	*	7.4	8.6	12.3
Care beginning in first trimester	86.7	91.3	80.8	86.1	91.9	91.0	92.3	80.3
Late or no care	2.2	1.3	3.4	*	*	1.2	*	3.5
<b>Milwaukee, Wisconsin</b>								
Number								
Low birthweight	1,010	315	646	13	36	124	196	643
Care beginning in first trimester	8,124	4,236	3,498	81	309	1,398	2,883	3,461
Late or no care	609	203	366	9	31	131	74	364
Percent								
Low birthweight	9.3	5.9	13.1	*	8.3	5.9	5.9	13.2
Care beginning in first trimester	75.1	79.3	71.1	70.4	71.0	66.3	87.6	71.0
Late or no care	5.6	3.8	7.4	*	7.1	6.2	2.2	7.5
<b>Minneapolis, Minnesota</b>								
Number								
Low birthweight	487	228	202	21	36	68	158	201
Care beginning in first trimester	4,422	3,000	1,051	108	263	723	2,249	1,039
Late or no care	285	112	119	33	21	68	44	119
Percent								
Low birthweight	7.8	5.9	12.0	8.8	7.8	5.8	6.0	12.1
Care beginning in first trimester	75.1	81.1	67.5	50.7	63.1	63.9	88.6	67.6
Late or no care	4.8	3.0	7.6	15.5	5.0	6.0	1.7	7.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mobile, Alabama								
Number								
Low birthweight	376	115	255	-	6	9	108	255
Care beginning in first trimester	2,474	1,130	1,300	5	39	39	1,093	1,300
Late or no care	90	26	62	-	2	5	21	61
Percent								
Low birthweight	12.6	9.2	15.2	*	*	*	9.0	15.2
Care beginning in first trimester	83.3	91.0	77.6	*	83.0	75.0	91.6	77.6
Late or no care	3.0	2.1	3.7	*	*	*	1.8	3.6
Modesto, California								
Number								
Low birthweight	289	247	14	1	27	126	119	13
Care beginning in first trimester	3,538	3,178	107	28	225	1,694	1,472	95
Late or no care	147	125	5	1	16	88	39	3
Percent								
Low birthweight	6.7	6.4	*	*	9.0	5.8	7.1	*
Care beginning in first trimester	83.4	84.1	77.0	75.7	77.6	80.1	88.8	77.2
Late or no care	3.5	3.3	*	*	*	4.2	2.4	*
Montgomery, Alabama								
Number								
Low birthweight	343	91	249	-	3	13	81	247
Care beginning in first trimester	2,577	1,118	1,426	3	30	52	1,072	1,421
Late or no care	115	22	90	-	3	13	9	90
Percent								
Low birthweight	10.9	7.5	13.2	*	*	*	7.1	13.1
Care beginning in first trimester	82.1	92.2	75.6	*	81.1	61.9	94.3	75.5
Late or no care	3.7	1.8	4.8	*	*	*	*	4.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Moreno Valley, California</b>								
Number								
Low birthweight	154	92	47	1	14	61	33	45
Care beginning in first trimester	2,071	1,576	361	8	126	1,101	480	353
Late or no care	71	52	14	-	5	39	13	13
Percent								
Low birthweight	6.2	4.9	10.9	*	*	4.6	6.0	10.7
Care beginning in first trimester	84.1	84.6	83.8	*	80.3	83.3	87.4	84.4
Late or no care	2.9	2.8	*	*	*	3.0	*	*
<b>Nashville-Davidson, Tennessee</b>								
Number								
Low birthweight	782	384	355	3	40	64	321	354
Care beginning in first trimester	7,263	4,827	2,113	13	310	731	4,108	2,104
Late or no care	230	132	90	-	8	64	68	90
Percent								
Low birthweight	9.1	6.8	13.6	*	10.9	5.5	7.2	13.6
Care beginning in first trimester	85.1	86.6	81.8	*	85.4	64.8	92.1	81.8
Late or no care	2.7	2.4	3.5	*	*	5.7	1.5	3.5
<b>New Haven, Connecticut</b>								
Number								
Low birthweight	196	65	121	1	9	48	24	115
Care beginning in first trimester	1,583	859	640	7	77	525	351	625
Late or no care	52	28	24	-	-	27	3	22
Percent								
Low birthweight	10.1	6.3	15.0	*	*	7.1	6.2	14.7
Care beginning in first trimester	83.1	83.5	81.1	*	96.3	78.0	91.6	81.9
Late or no care	2.7	2.7	3.0	*	*	4.0	*	2.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>New York, New York</b>								
Number								
Low birthweight	9,983	4,812	4,030	2	1,139	3,008	2,132	3,678
Care beginning in first trimester	88,974	53,696	24,097	63	11,118	28,807	27,324	21,489
Late or no care	6,289	2,840	2,660	2	787	2,254	825	2,410
Percent								
Low birthweight	8.4	7.1	11.5	*	7.6	7.6	6.6	11.8
Care beginning in first trimester	78.0	81.1	72.7	80.8	75.9	75.6	87.1	72.5
Late or no care	5.5	4.3	8.0	*	5.4	5.9	2.6	8.1
<b>Newark, New Jersey</b>								
Number								
Low birthweight	500	120	375	1	4	108	20	366
Care beginning in first trimester	2,625	1,280	1,297	5	43	994	328	1,254
Late or no care	691	204	477	2	8	178	35	468
Percent								
Low birthweight	10.8	5.9	14.7	*	*	6.5	4.6	14.8
Care beginning in first trimester	57.0	63.7	51.4	*	65.2	60.0	75.9	51.3
Late or no care	15.0	10.2	18.9	*	*	10.7	8.1	19.1
<b>Newport News city, Virginia</b>								
Number								
Low birthweight	357	132	213	1	11	17	115	212
Care beginning in first trimester	2,651	1,407	1,155	4	85	141	1,274	1,147
Late or no care	107	32	71	-	4	9	23	71
Percent								
Low birthweight	11.3	8.4	14.3	*	*	*	8.2	14.3
Care beginning in first trimester	83.6	89.2	77.5	*	85.9	77.9	90.7	77.4
Late or no care	3.4	2.0	4.8	*	*	*	1.6	4.8



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Norfolk city, Virginia								
Number								
Low birthweight	441	141	290	2	8	24	118	284
Care beginning in first trimester	3,279	1,610	1,562	10	97	176	1,431	1,543
Late or no care	174	48	122	-	4	6	41	121
Percent								
Low birthweight	10.6	7.5	13.6	*	*	10.6	7.2	13.5
Care beginning in first trimester	79.2	86.0	73.4	*	75.2	78.2	86.9	73.4
Late or no care	4.2	2.6	5.7	*	*	*	2.5	5.8
Oakland, California								
Number								
Low birthweight	493	190	237	1	65	125	66	235
Care beginning in first trimester	5,574	3,097	1,590	24	863	1,960	1,135	1,571
Late or no care	134	87	31	-	16	76	10	31
Percent								
Low birthweight	7.6	5.3	12.7	*	6.6	5.2	5.5	12.7
Care beginning in first trimester	89.4	90.6	87.5	85.7	88.7	87.7	96.2	87.3
Late or no care	2.1	2.5	1.7	*	*	3.4	*	1.7
Oceanside, California								
Number								
Low birthweight	206	163	26	2	15	89	74	26
Care beginning in first trimester	2,833	2,422	160	26	225	1,178	1,244	153
Late or no care	101	85	5	1	10	61	23	5
Percent								
Low birthweight	5.8	5.4	12.0	*	*	5.8	5.0	12.6
Care beginning in first trimester	81.4	81.9	76.2	78.8	80.6	79.3	84.7	76.9
Late or no care	2.9	2.9	*	*	*	4.1	1.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oklahoma City, Oklahoma								
Number								
Low birthweight	778	464	253	27	34	144	325	250
Care beginning in first trimester	6,213	4,601	1,093	245	274	1,212	3,405	1,084
Late or no care	536	363	110	48	15	142	223	110
Percent								
Low birthweight	9.2	7.6	16.0	7.0	10.0	7.7	7.6	15.9
Care beginning in first trimester	74.6	76.1	69.9	63.6	82.0	66.0	80.6	69.8
Late or no care	6.4	6.0	7.0	12.5	*	7.7	5.3	7.1
Omaha, Nebraska								
Number								
Low birthweight	527	345	165	3	14	68	278	163
Care beginning in first trimester	5,431	4,498	745	32	156	753	3,726	735
Late or no care	283	203	67	12	1	90	113	66
Percent								
Low birthweight	7.7	6.3	15.2	*	*	5.7	6.5	15.2
Care beginning in first trimester	80.0	82.1	69.4	48.5	88.1	63.7	87.1	69.4
Late or no care	4.2	3.7	6.2	*	*	7.6	2.6	6.2
Ontario, California								
Number								
Low birthweight	201	183	12	-	6	157	25	12
Care beginning in first trimester	2,712	2,468	128	3	113	2,046	424	125
Late or no care	106	90	7	1	8	77	13	7
Percent								
Low birthweight	6.2	6.2	*	*	*	6.4	5.0	*
Care beginning in first trimester	83.7	83.8	81.5	*	85.0	83.3	86.0	81.7
Late or no care	3.3	3.1	*	*	*	3.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orange, California								
Number								
Low birthweight	157	134	2	-	21	77	57	2
Care beginning in first trimester	1,915	1,676	19	4	216	953	721	19
Late or no care	41	34	-	1	6	25	9	-
Percent								
Low birthweight	7.3	7.1	*	*	8.8	6.9	7.5	*
Care beginning in first trimester	89.9	89.7	*	*	90.8	86.1	95.2	*
Late or no care	1.9	1.8	*	*	*	2.3	*	*
Orlando, Florida								
Number								
Low birthweight	743	384	334	2	23	177	206	331
Care beginning in first trimester	6,011	3,893	1,808	16	294	1,587	2,310	1,799
Late or no care	239	100	132	1	6	58	42	132
Percent								
Low birthweight	10.2	8.6	13.6	*	7.0	9.4	8.1	13.5
Care beginning in first trimester	83.8	88.3	74.6	*	91.3	84.7	90.9	74.6
Late or no care	3.3	2.3	5.4	*	*	3.1	1.7	5.5
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	961	120	827	-	14	14	111	823
Care beginning in first trimester	5,545	1,251	4,160	8	126	146	1,123	4,148
Late or no care	399	23	370	-	6	3	21	370
Percent								
Low birthweight	13.6	9.0	14.8	*	*	*	9.3	14.8
Care beginning in first trimester	78.5	93.8	74.6	*	82.4	88.0	94.4	74.6
Late or no care	5.6	1.7	6.6	*	*	*	1.8	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Overland Park, Kansas								
Number								
Low birthweight	138	122	7	1	8	4	116	7
Care beginning in first trimester	1,954	1,720	63	19	152	130	1,578	62
Late or no care	26	18	3	1	4	10	8	3
Percent								
Low birthweight	6.6	6.7	*	*	*	*	7.1	*
Care beginning in first trimester	93.5	94.1	85.1	*	90.5	76.0	96.0	84.9
Late or no care	1.2	*	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	250	225	10	1	14	180	21	9
Care beginning in first trimester	3,421	3,135	81	16	189	2,657	329	72
Late or no care	112	108	2	-	2	90	8	2
Percent								
Low birthweight	6.3	6.2	*	*	*	5.8	5.8	*
Care beginning in first trimester	86.7	86.4	88.0	*	90.4	86.0	91.6	87.8
Late or no care	2.8	3.0	*	*	*	2.9	*	*
Pasadena, California								
Number								
Low birthweight	176	119	32	-	25	68	49	32
Care beginning in first trimester	1,888	1,405	192	7	284	766	632	187
Late or no care	23	15	4	-	4	13	1	4
Percent								
Low birthweight	8.1	7.4	13.4	*	8.0	7.4	7.2	13.7
Care beginning in first trimester	92.3	92.3	90.6	*	94.4	90.0	95.2	90.8
Late or no care	1.1	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Pasadena, Texas</b>								
Number								
Low birthweight	201	193	7	1	-	132	61	7
Care beginning in first trimester	2,158	2,103	28	4	23	1,575	528	28
Late or no care	152	148	3	-	1	116	32	3
Percent								
Low birthweight	7.1	7.1	*	*	*	6.3	9.4	*
Care beginning in first trimester	77.1	77.2	70.0	*	76.7	75.8	81.6	70.0
Late or no care	5.4	5.4	*	*	*	5.6	4.9	*
<b>Paterson, New Jersey</b>								
Number								
Low birthweight	284	135	141	-	8	146	17	110
Care beginning in first trimester	1,808	1,035	706	3	64	1,108	183	451
Late or no care	296	146	141	2	7	149	31	107
Percent								
Low birthweight	9.9	8.4	12.3	*	*	8.5	*	14.4
Care beginning in first trimester	64.1	65.5	61.9	*	66.0	65.6	67.3	59.5
Late or no care	10.5	9.2	12.4	*	*	8.8	11.4	14.1
<b>Peoria, Illinois</b>								
Number								
Low birthweight	184	94	88	-	2	4	90	88
Care beginning in first trimester	1,644	1,091	488	2	63	57	1,034	488
Late or no care	50	18	32	-	-	1	17	32
Percent								
Low birthweight	9.6	7.9	13.6	*	*	*	8.0	13.6
Care beginning in first trimester	86.2	91.7	75.4	*	91.3	89.1	91.8	75.4
Late or no care	2.6	*	4.9	*	*	*	*	4.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Philadelphia, coext. with Phila. city, Pennsylvania								
Number								
Low birthweight	2,482	742	1,620	7	113	257	472	1,604
Care beginning in first trimester	13,548	6,321	6,378	33	816	1,647	4,630	6,291
Late or no care	1,385	406	900	7	72	153	249	889
Percent								
Low birthweight	11.6	8.3	14.6	*	8.2	9.5	7.7	14.7
Care beginning in first trimester	72.0	79.4	66.2	71.7	69.2	68.8	84.1	66.4
Late or no care	7.4	5.1	9.3	*	6.1	6.4	4.5	9.4
Phoenix, Arizona								
Number								
Low birthweight	1,711	1,467	144	58	42	927	536	138
Care beginning in first trimester	18,148	16,337	870	480	461	9,815	6,522	825
Late or no care	1,898	1,753	55	68	22	1,518	217	46
Percent								
Low birthweight	6.8	6.5	12.3	7.7	7.7	6.1	7.2	12.7
Care beginning in first trimester	72.6	72.5	75.3	63.8	84.9	65.0	87.9	76.6
Late or no care	7.6	7.8	4.8	9.0	4.1	10.1	2.9	4.3
Pittsburgh, Pennsylvania								
Number								
Low birthweight	404	151	233	3	17	6	144	209
Care beginning in first trimester	3,106	1,839	1,087	10	170	53	1,757	1,037
Late or no care	103	33	64	1	5	4	29	58
Percent								
Low birthweight	11.0	7.4	16.1	*	*	*	7.4	15.4
Care beginning in first trimester	87.7	92.5	80.3	*	91.9	82.8	92.8	80.5
Late or no care	2.9	1.7	4.7	*	*	*	1.5	4.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Plano, Texas								
Number								
Low birthweight	307	240	19	-	48	51	189	19
Care beginning in first trimester	2,866	2,204	142	5	515	443	1,758	141
Late or no care	334	259	26	2	47	50	208	26
Percent								
Low birthweight	8.4	8.5	*	*	7.8	7.9	8.6	*
Care beginning in first trimester	79.2	78.9	67.9	*	84.3	70.7	81.4	67.8
Late or no care	9.2	9.3	12.4	*	7.7	8.0	9.6	12.5
Pomona, California								
Number								
Low birthweight	190	146	31	-	13	130	16	31
Care beginning in first trimester	2,660	2,369	159	5	127	2,173	206	153
Late or no care	84	73	2	-	9	69	4	2
Percent								
Low birthweight	6.1	5.3	16.0	*	*	5.1	*	16.5
Care beginning in first trimester	85.6	85.9	82.0	*	86.4	85.6	90.4	81.4
Late or no care	2.7	2.6	*	*	*	2.7	*	*
Portland, Oregon								
Number								
Low birthweight	533	399	62	7	65	84	317	60
Care beginning in first trimester	6,908	5,641	472	68	727	944	4,699	449
Late or no care	300	227	26	7	40	65	163	25
Percent								
Low birthweight	6.3	5.9	10.1	*	7.2	6.4	5.8	10.2
Care beginning in first trimester	82.1	83.1	76.6	69.4	80.3	72.0	85.8	76.2
Late or no care	3.6	3.3	4.2	*	4.4	5.0	3.0	4.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portsmouth city, Virginia								
Number								
Low birthweight	155	41	111	-	3	1	41	110
Care beginning in first trimester	1,178	549	612	-	17	30	525	609
Late or no care	96	19	74	-	3	3	18	74
Percent								
Low birthweight	10.1	6.5	12.6	*	*	*	6.9	12.5
Care beginning in first trimester	76.7	87.8	69.3	*	*	85.7	87.8	69.2
Late or no care	6.3	*	8.4	*	*	*	*	8.4
Providence, Rhode Island								
Number								
Low birthweight	278	181	66	6	25	112	53	60
Care beginning in first trimester	2,344	1,763	373	46	162	1,133	526	326
Late or no care	60	31	22	1	6	20	9	19
Percent								
Low birthweight	9.3	8.3	12.7	*	10.9	7.8	8.8	12.8
Care beginning in first trimester	86.2	88.6	79.7	80.7	79.4	87.9	90.1	78.2
Late or no care	2.2	1.6	4.7	*	*	1.6	*	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,394	1,041	749	1	603	635	443	711
Care beginning in first trimester	22,533	12,534	4,631	16	5,352	7,031	5,823	4,298
Late or no care	2,003	1,010	504	2	487	775	262	475
Percent								
Low birthweight	7.8	6.3	11.5	*	8.1	6.2	6.5	11.7
Care beginning in first trimester	75.1	76.8	72.5	*	73.4	70.5	86.1	72.2
Late or no care	6.7	6.2	7.9	*	6.7	7.8	3.9	8.0



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Raleigh, North Carolina</b>								
Number								
Low birthweight	462	232	209	2	19	60	171	209
Care beginning in first trimester	4,258	2,905	1,122	5	226	548	2,353	1,120
Late or no care	210	118	86	1	5	85	33	86
Percent								
Low birthweight	8.5	6.5	13.1	*	*	5.8	6.7	13.1
Care beginning in first trimester	79.0	82.0	71.0	*	88.3	53.8	93.4	70.9
Late or no care	3.9	3.3	5.4	*	*	8.3	1.3	5.4
<b>Rancho Cucamonga, California</b>								
Number								
Low birthweight	63	46	14	1	2	22	24	14
Care beginning in first trimester	916	766	71	3	76	338	433	70
Late or no care	31	23	4	-	4	12	11	4
Percent								
Low birthweight	5.8	5.1	*	*	*	5.3	4.8	*
Care beginning in first trimester	84.3	84.7	85.5	*	80.0	81.4	87.5	85.4
Late or no care	2.9	2.5	*	*	*	*	*	*
<b>Reno, Nevada</b>								
Number								
Low birthweight	265	232	10	4	19	90	136	10
Care beginning in first trimester	2,682	2,367	65	60	190	853	1,520	63
Late or no care	113	89	5	3	16	42	46	5
Percent								
Low birthweight	7.8	7.8	*	*	*	7.7	7.6	*
Care beginning in first trimester	81.8	82.4	76.5	77.9	78.5	75.2	86.9	76.8
Late or no care	3.4	3.1	*	*	*	3.7	2.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Richmond city, Virginia								
Number								
Low birthweight	387	83	300	1	3	19	64	299
Care beginning in first trimester	2,426	1,000	1,391	3	32	119	881	1,389
Late or no care	175	50	122	-	3	32	19	121
Percent								
Low birthweight	12.6	7.1	16.0	*	*	*	6.7	16.0
Care beginning in first trimester	78.7	86.1	74.1	*	80.0	56.1	92.6	74.2
Late or no care	5.7	4.3	6.5	*	*	15.1	*	6.5
Riverside, California								
Number								
Low birthweight	356	293	41	1	21	213	80	39
Care beginning in first trimester	5,172	4,580	316	28	248	3,013	1,600	299
Late or no care	180	156	14	1	9	112	44	13
Percent								
Low birthweight	5.9	5.4	10.9	*	7.3	5.9	4.4	11.0
Care beginning in first trimester	85.6	85.6	85.2	82.4	87.0	84.4	87.9	84.9
Late or no care	3.0	2.9	*	*	*	3.1	2.4	*
Rochester, New York								
Number								
Low birthweight	382	144	231	-	7	58	87	230
Care beginning in first trimester	2,159	1,201	900	3	55	358	850	895
Late or no care	320	142	167	-	11	48	96	165
Percent								
Low birthweight	10.7	8.0	13.7	*	*	9.6	7.3	13.7
Care beginning in first trimester	70.9	76.9	64.5	*	65.5	70.8	79.7	64.5
Late or no care	10.5	9.1	12.0	*	*	9.5	9.0	11.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Rockford, Illinois</b>								
Number								
Low birthweight	244	145	89	-	10	18	127	89
Care beginning in first trimester	2,240	1,744	426	5	65	361	1,384	423
Late or no care	94	57	34	1	2	25	32	34
Percent								
Low birthweight	8.6	6.8	14.7	*	*	*	7.7	14.8
Care beginning in first trimester	79.0	81.7	70.2	*	74.7	72.6	84.3	70.3
Late or no care	3.3	2.7	5.6	*	*	5.0	2.0	5.6
<b>Sacramento, California</b>								
Number								
Low birthweight	750	372	205	9	164	168	204	200
Care beginning in first trimester	8,975	6,078	1,339	74	1,484	2,724	3,428	1,291
Late or no care	380	245	73	6	56	130	114	71
Percent								
Low birthweight	6.6	5.0	11.7	*	7.9	4.8	5.0	11.9
Care beginning in first trimester	79.4	81.8	77.3	77.1	72.6	79.3	83.9	77.4
Late or no care	3.4	3.3	4.2	*	2.7	3.8	2.8	4.3
<b>Salem, Oregon</b>								
Number								
Low birthweight	165	154	2	3	6	50	104	2
Care beginning in first trimester	2,028	1,918	18	31	61	596	1,315	16
Late or no care	180	148	1	9	22	71	76	1
Percent								
Low birthweight	6.0	6.0	*	*	*	5.6	6.3	*
Care beginning in first trimester	73.8	74.9	*	58.5	57.5	66.5	79.3	*
Late or no care	6.6	5.8	*	*	20.8	7.9	4.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salinas, California								
Number								
Low birthweight	218	206	2	-	10	163	41	2
Care beginning in first trimester	2,928	2,755	29	11	133	2,253	510	28
Late or no care	99	96	-	-	3	85	11	-
Percent								
Low birthweight	6.1	6.1	*	*	*	5.8	7.4	*
Care beginning in first trimester	85.1	85.0	82.9	*	87.5	83.4	92.9	84.8
Late or no care	2.9	3.0	*	*	*	3.1	*	*
Salt Lake City, Utah								
Number								
Low birthweight	473	411	19	12	31	109	302	19
Care beginning in first trimester	4,454	4,141	53	34	226	826	3,307	50
Late or no care	410	325	14	23	48	139	185	14
Percent								
Low birthweight	7.5	7.2	*	*	7.9	7.1	7.2	*
Care beginning in first trimester	73.4	75.2	48.2	41.0	60.9	57.2	81.6	47.2
Late or no care	6.8	5.9	*	27.7	12.9	9.6	4.6	*
San Antonio, Texas								
Number								
Low birthweight	1,900	1,696	177	2	25	1,273	417	174
Care beginning in first trimester	19,965	18,447	1,128	28	362	13,346	5,090	1,095
Late or no care	585	520	57	1	7	449	71	55
Percent								
Low birthweight	8.2	8.0	12.7	*	6.3	8.1	7.6	12.8
Care beginning in first trimester	86.8	87.1	81.8	87.5	91.4	85.1	92.9	81.8
Late or no care	2.5	2.5	4.1	*	*	2.9	1.3	4.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>San Bernardino, California</b>								
Number								
Low birthweight	389	273	105	-	11	211	59	105
Care beginning in first trimester	3,585	2,823	625	19	118	2,242	597	607
Late or no care	198	152	41	1	4	109	42	40
Percent								
Low birthweight	8.1	7.2	12.4	*	*	7.0	7.6	12.7
Care beginning in first trimester	79.0	79.4	76.9	*	80.8	79.5	79.7	76.5
Late or no care	4.4	4.3	5.0	*	*	3.9	5.6	5.0
<b>San Diego, California</b>								
Number								
Low birthweight	1,120	779	136	-	205	425	348	136
Care beginning in first trimester	15,982	12,136	1,165	57	2,624	6,598	5,566	1,121
Late or no care	526	397	57	3	69	311	82	56
Percent								
Low birthweight	6.1	5.6	9.5	*	6.9	5.3	5.8	9.8
Care beginning in first trimester	87.3	87.6	82.2	87.7	88.5	83.0	93.8	81.9
Late or no care	2.9	2.9	4.0	*	2.3	3.9	1.4	4.1
<b>San Francisco, coext. with San Fran. city, Califor</b>								
Number								
Low birthweight	555	300	99	-	156	99	201	96
Care beginning in first trimester	7,276	4,368	552	19	2,337	1,449	2,936	530
Late or no care	210	112	45	3	50	71	44	45
Percent								
Low birthweight	6.6	6.1	13.5	*	5.8	5.6	6.3	13.5
Care beginning in first trimester	87.6	89.3	76.8	*	87.5	82.6	93.0	76.4
Late or no care	2.5	2.3	6.3	*	1.9	4.0	1.4	6.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>San Jose, California</b>								
Number								
Low birthweight	1,008	610	34	4	360	388	217	33
Care beginning in first trimester	13,233	8,661	292	40	4,240	5,430	3,193	282
Late or no care	422	284	15	4	119	243	44	14
Percent								
Low birthweight	6.2	5.7	9.0	*	7.0	5.6	6.1	9.1
Care beginning in first trimester	84.0	83.5	79.1	72.7	85.4	79.5	90.9	79.4
Late or no care	2.7	2.7	*	*	2.4	3.6	1.3	*
<b>Santa Ana, California</b>								
Number								
Low birthweight	449	407	6	-	36	383	21	6
Care beginning in first trimester	7,059	6,586	35	6	432	6,159	413	33
Late or no care	193	179	3	-	11	169	8	3
Percent								
Low birthweight	5.5	5.4	*	*	7.6	5.4	4.7	*
Care beginning in first trimester	87.3	87.1	77.8	*	91.3	86.8	92.2	78.6
Late or no care	2.4	2.4	*	*	*	2.4	*	*
<b>Santa Clarita, California</b>								
Number								
Low birthweight	24	18	1	-	5	7	11	1
Care beginning in first trimester	270	231	11	-	28	69	161	10
Late or no care	1	1	-	-	-	-	1	-
Percent								
Low birthweight	8.4	*	*	*	*	*	*	*
Care beginning in first trimester	94.1	93.9	*	*	93.3	90.8	95.3	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Santa Rosa, California</b>								
Number								
Low birthweight	118	99	3	-	16	35	63	3
Care beginning in first trimester	2,393	2,188	40	29	136	959	1,229	39
Late or no care	57	53	2	1	1	31	22	2
Percent								
Low birthweight	4.3	4.0	*	*	*	3.1	4.7	*
Care beginning in first trimester	88.3	88.2	83.3	87.9	90.7	84.0	91.7	83.0
Late or no care	2.1	2.1	*	*	*	2.7	1.6	*
<b>Savannah, Georgia</b>								
Number								
Low birthweight	303	62	237	-	4	10	52	236
Care beginning in first trimester	1,779	692	1,046	5	36	65	632	1,041
Late or no care	174	45	124	1	4	13	32	124
Percent								
Low birthweight	11.7	6.8	14.5	*	*	*	6.4	14.6
Care beginning in first trimester	70.4	77.3	66.5	*	70.6	61.9	79.2	66.5
Late or no care	6.9	5.0	7.9	*	*	*	4.0	7.9
<b>Scottsdale, Arizona</b>								
Number								
Low birthweight	177	146	13	8	10	23	123	13
Care beginning in first trimester	2,455	2,198	39	102	116	264	1,939	38
Late or no care	79	56	3	18	2	33	23	3
Percent								
Low birthweight	6.3	6.0	*	*	*	5.8	6.0	*
Care beginning in first trimester	88.2	90.0	81.3	63.4	89.2	68.4	93.9	82.6
Late or no care	2.8	2.3	*	*	*	8.5	1.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Seattle, Washington								
Number								
Low birthweight	468	267	92	4	105	40	218	90
Care beginning in first trimester	5,536	3,948	573	59	956	504	3,398	549
Late or no care	149	78	29	4	38	23	52	29
Percent								
Low birthweight	6.5	5.5	11.0	*	7.7	5.1	5.4	11.2
Care beginning in first trimester	87.9	90.4	81.2	79.7	82.8	78.6	92.5	80.9
Late or no care	2.4	1.8	4.1	*	3.3	3.6	1.4	4.3
Shreveport, Louisiana								
Number								
Low birthweight	382	93	283	-	6	5	89	282
Care beginning in first trimester	2,524	1,051	1,433	9	31	37	1,016	1,430
Late or no care	139	13	126	-	-	1	12	126
Percent								
Low birthweight	12.1	8.3	14.4	*	*	*	8.2	14.3
Care beginning in first trimester	80.2	93.3	72.7	*	79.5	88.1	93.6	72.6
Late or no care	4.4	*	6.4	*	*	*	*	6.4
Simi Valley, California								
Number								
Low birthweight	104	84	1	-	19	20	64	1
Care beginning in first trimester	1,550	1,362	9	5	174	392	956	8
Late or no care	21	20	1	-	-	12	7	1
Percent								
Low birthweight	6.3	5.8	*	*	*	4.7	6.3	*
Care beginning in first trimester	93.5	93.4	*	*	95.1	91.2	94.9	*
Late or no care	1.3	1.4	*	*	*	*	*	*



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Sioux Falls, South Dakota								
Number								
Low birthweight	167	138	9	5	15	12	126	9
Care beginning in first trimester	1,638	1,522	39	39	38	68	1,455	39
Late or no care	99	75	6	16	2	22	54	6
Percent								
Low birthweight	7.7	7.0	*	*	*	*	6.9	*
Care beginning in first trimester	75.3	77.7	57.4	41.1	70.4	55.7	79.2	57.4
Late or no care	4.6	3.8	*	*	*	18.0	2.9	*
South Bend, Indiana								
Number								
Low birthweight	191	120	67	-	4	25	95	67
Care beginning in first trimester	1,611	1,225	353	3	30	200	1,026	351
Late or no care	136	78	56	-	2	24	53	56
Percent								
Low birthweight	8.7	7.5	12.2	*	*	8.3	7.3	12.3
Care beginning in first trimester	74.4	77.6	65.1	*	73.2	67.1	80.2	65.0
Late or no care	6.3	4.9	10.3	*	*	8.1	4.1	10.4
Spokane, Washington								
Number								
Low birthweight	204	175	9	9	11	12	161	9
Care beginning in first trimester	2,804	2,562	65	88	89	128	2,403	60
Late or no care	72	65	1	3	3	5	58	1
Percent								
Low birthweight	6.3	6.0	*	*	*	*	5.9	*
Care beginning in first trimester	89.7	90.1	87.8	83.0	85.6	88.3	90.4	87.0
Late or no care	2.3	2.3	*	*	*	*	2.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Springfield, Illinois</b>								
Number								
Low birthweight	173	101	68	-	4	2	100	67
Care beginning in first trimester	1,561	1,231	289	4	37	25	1,210	285
Late or no care	55	20	34	-	1	2	18	34
Percent								
Low birthweight	9.3	7.3	15.7	*	*	*	7.4	15.6
Care beginning in first trimester	84.5	89.4	67.8	*	90.2	67.6	90.0	67.7
Late or no care	3.0	1.5	8.0	*	*	*	*	8.1
<b>Springfield, Massachusetts</b>								
Number								
Low birthweight	254	180	67	-	7	109	72	66
Care beginning in first trimester	1,705	1,310	338	5	52	679	641	328
Late or no care	80	51	24	-	5	38	15	22
Percent								
Low birthweight	10.8	10.2	13.1	*	*	11.0	9.0	13.4
Care beginning in first trimester	76.8	78.5	70.6	*	75.4	72.0	86.0	71.5
Late or no care	3.6	3.1	5.0	*	*	4.0	*	4.8
<b>Springfield, Missouri</b>								
Number								
Low birthweight	128	116	9	1	2	5	111	9
Care beginning in first trimester	1,709	1,606	61	9	33	55	1,551	61
Late or no care	36	29	4	-	3	1	28	4
Percent								
Low birthweight	6.5	6.4	*	*	*	*	6.3	*
Care beginning in first trimester	87.5	88.5	73.5	*	76.7	79.7	88.8	73.5
Late or no care	1.8	1.6	*	*	*	*	1.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Louis city, Missouri								
Number								
Low birthweight	641	134	495	1	11	13	121	495
Care beginning in first trimester	4,100	1,586	2,409	9	96	136	1,450	2,409
Late or no care	250	31	216	-	3	2	29	216
Percent								
Low birthweight	12.4	7.5	15.3	*	*	*	7.4	15.3
Care beginning in first trimester	83.2	92.5	77.9	*	88.1	90.1	92.8	77.9
Late or no care	5.1	1.8	7.0	*	*	*	1.9	7.0
St. Paul, Minnesota								
Number								
Low birthweight	364	189	97	8	70	52	133	91
Care beginning in first trimester	3,342	2,236	551	55	500	391	1,797	519
Late or no care	189	76	50	6	57	40	35	47
Percent								
Low birthweight	7.3	6.5	9.8	*	7.1	7.7	6.1	9.7
Care beginning in first trimester	74.3	83.0	65.8	68.8	56.6	68.5	87.1	65.7
Late or no care	4.2	2.8	6.0	*	6.4	7.0	1.7	5.9
St. Petersburg, Florida								
Number								
Low birthweight	302	150	132	-	20	20	130	132
Care beginning in first trimester	2,575	1,751	688	5	131	146	1,608	685
Late or no care	151	77	67	1	6	12	66	67
Percent								
Low birthweight	9.5	7.3	13.9	*	12.0	10.9	7.0	13.9
Care beginning in first trimester	81.4	85.8	72.3	*	78.9	79.8	86.4	72.2
Late or no care	4.8	3.8	7.0	*	*	*	3.5	7.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stamford, Connecticut								
Number								
Low birthweight	132	88	27	-	17	30	59	26
Care beginning in first trimester	1,532	1,177	199	18	138	346	851	186
Late or no care	34	22	10	-	2	15	9	9
Percent								
Low birthweight	7.5	6.6	10.8	*	*	7.0	6.3	11.1
Care beginning in first trimester	90.7	92.0	81.9	*	92.6	83.4	95.5	82.3
Late or no care	2.0	1.7	*	*	*	*	*	*
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	454	334	84	-	36	104	237	77
Care beginning in first trimester	5,137	4,249	553	10	325	955	3,307	530
Late or no care	148	84	49	-	15	40	46	46
Percent								
Low birthweight	7.7	7.1	11.1	*	9.1	8.9	6.7	10.6
Care beginning in first trimester	88.1	90.8	73.8	*	83.1	81.8	93.7	73.5
Late or no care	2.5	1.8	6.5	*	*	3.4	1.3	6.4
Sterling Heights, Michigan								
Number								
Low birthweight	122	98	11	-	13	3	95	10
Care beginning in first trimester	1,267	1,079	45	1	142	34	1,028	45
Late or no care	29	20	1	-	8	1	19	-
Percent								
Low birthweight	8.0	7.6	*	*	*	*	7.8	*
Care beginning in first trimester	91.1	91.4	90.0	*	88.8	94.4	91.3	91.8
Late or no care	2.1	1.7	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stockton, California								
Number								
Low birthweight	452	276	77	3	96	210	67	75
Care beginning in first trimester	4,141	2,957	431	30	723	2,025	985	413
Late or no care	388	276	49	4	59	211	66	47
Percent								
Low birthweight	7.6	6.7	12.1	*	8.8	7.1	5.4	12.2
Care beginning in first trimester	71.9	73.6	70.1	63.8	67.1	70.5	81.1	69.6
Late or no care	6.7	6.9	8.0	*	5.5	7.3	5.4	7.9
Sunnyvale, California								
Number								
Low birthweight	156	63	6	-	87	22	32	5
Care beginning in first trimester	1,977	942	31	1	1,003	363	531	30
Late or no care	25	12	2	1	10	8	5	2
Percent								
Low birthweight	6.8	5.7	*	*	7.6	5.1	5.5	*
Care beginning in first trimester	92.6	91.5	83.8	*	94.1	87.1	95.0	85.7
Late or no care	1.2	*	*	*	*	*	*	*
Syracuse, New York								
Number								
Low birthweight	231	98	121	2	10	21	76	121
Care beginning in first trimester	1,631	976	545	30	80	104	880	538
Late or no care	128	53	70	1	4	10	44	68
Percent								
Low birthweight	10.4	8.0	14.3	*	*	14.7	7.0	14.5
Care beginning in first trimester	74.7	80.7	65.5	75.0	78.4	73.2	81.6	65.5
Late or no care	5.9	4.4	8.4	*	*	*	4.1	8.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tacoma, Washington								
Number								
Low birthweight	244	168	45	8	23	21	145	45
Care beginning in first trimester	2,409	1,780	286	55	288	303	1,477	281
Late or no care	184	130	20	11	23	30	100	19
Percent								
Low birthweight	6.6	6.4	9.4	*	5.1	4.3	6.8	9.5
Care beginning in first trimester	75.3	77.1	72.2	53.9	73.5	72.7	77.9	72.1
Late or no care	5.8	5.6	5.1	*	5.9	7.2	5.3	*
Tallahassee, Florida								
Number								
Low birthweight	207	60	135	1	11	3	57	135
Care beginning in first trimester	1,952	1,063	805	3	81	73	989	802
Late or no care	31	12	19	-	-	2	10	19
Percent								
Low birthweight	9.5	5.3	14.2	*	*	*	5.4	14.2
Care beginning in first trimester	90.6	94.5	85.3	*	97.6	90.1	94.8	85.2
Late or no care	1.4	*	*	*	*	*	*	*
Tampa, Florida								
Number								
Low birthweight	751	410	314	2	25	172	236	307
Care beginning in first trimester	6,779	4,648	1,849	10	272	1,807	2,860	1,820
Late or no care	145	80	60	1	4	36	43	59
Percent								
Low birthweight	9.5	7.8	13.5	*	8.1	8.2	7.5	13.5
Care beginning in first trimester	87.9	90.4	81.5	*	94.1	87.3	92.4	81.6
Late or no care	1.9	1.6	2.6	*	*	1.7	1.4	2.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tempe, Arizona								
Number								
Low birthweight	163	130	17	5	11	69	61	17
Care beginning in first trimester	1,729	1,415	87	96	131	544	874	84
Late or no care	116	95	3	8	10	69	25	3
Percent								
Low birthweight	7.6	7.4	*	*	*	9.0	6.2	*
Care beginning in first trimester	81.4	81.3	87.0	72.7	85.6	71.5	89.1	87.5
Late or no care	5.5	5.5	*	*	*	9.1	2.5	*
Thousand Oaks, California								
Number								
Low birthweight	48	41	1	-	6	13	29	1
Care beginning in first trimester	903	796	7	1	99	239	558	6
Late or no care	8	8	-	-	-	5	3	-
Percent								
Low birthweight	5.0	4.9	*	*	*	*	5.0	*
Care beginning in first trimester	94.7	94.8	*	*	94.3	89.8	97.0	*
Late or no care	*	*	*	*	*	*	*	*
Toledo, Ohio								
Number								
Low birthweight	449	266	177	-	6	24	242	177
Care beginning in first trimester	4,116	2,984	1,056	15	61	277	2,717	1,048
Late or no care	131	66	64	1	-	13	53	64
Percent								
Low birthweight	9.5	8.1	13.2	*	*	6.7	8.2	13.3
Care beginning in first trimester	87.4	90.7	79.2	*	91.0	77.8	92.2	79.1
Late or no care	2.8	2.0	4.8	*	*	*	1.8	4.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Topeka, Kansas</b>								
Number								
Low birthweight	156	115	32	6	3	17	95	31
Care beginning in first trimester	1,892	1,586	233	41	32	265	1,302	225
Late or no care	64	49	11	4	-	13	36	11
Percent								
Low birthweight	7.3	6.5	11.7	*	*	*	6.6	11.7
Care beginning in first trimester	88.7	89.6	85.3	73.2	91.4	84.9	90.5	85.6
Late or no care	3.0	2.8	*	*	*	*	2.5	*
<b>Torrance, California</b>								
Number								
Low birthweight	135	82	8	1	44	57	26	8
Care beginning in first trimester	1,858	1,160	65	8	625	592	569	63
Late or no care	29	18	4	-	7	13	6	4
Percent								
Low birthweight	6.7	6.5	*	*	6.6	8.6	4.3	*
Care beginning in first trimester	93.2	92.4	90.3	*	94.8	90.2	94.7	90.0
Late or no care	1.5	*	*	*	*	*	*	*
<b>Tucson, Arizona</b>								
Number								
Low birthweight	859	746	50	28	35	435	305	43
Care beginning in first trimester	8,146	7,346	284	256	260	3,733	3,588	249
Late or no care	1,117	1,039	35	33	10	786	244	29
Percent								
Low birthweight	7.3	7.0	11.6	7.5	10.0	7.3	6.7	11.9
Care beginning in first trimester	70.5	70.4	67.8	70.1	75.8	63.6	79.2	69.7
Late or no care	9.7	10.0	8.4	9.0	*	13.4	5.4	8.1



Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tulsa, Oklahoma								
Number								
Low birthweight	555	338	166	31	20	84	255	166
Care beginning in first trimester	4,238	3,145	701	254	138	453	2,694	701
Late or no care	570	387	131	44	8	126	260	131
Percent								
Low birthweight	8.5	7.1	13.9	7.9	11.4	7.9	6.9	13.9
Care beginning in first trimester	65.4	66.5	59.0	65.5	79.3	42.9	73.3	59.1
Late or no care	8.8	8.2	11.0	11.3	*	11.9	7.1	11.0
Vallejo, California								
Number								
Low birthweight	141	45	40	1	55	20	26	40
Care beginning in first trimester	1,351	677	294	8	372	374	312	291
Late or no care	86	42	25	1	18	25	19	23
Percent								
Low birthweight	7.8	5.0	9.8	*	11.3	3.8	6.6	10.0
Care beginning in first trimester	76.5	77.2	72.8	*	78.6	72.9	81.7	73.5
Late or no care	4.9	4.8	6.2	*	*	4.9	*	5.8
Virginia Beach city, Virginia								
Number								
Low birthweight	447	272	147	2	26	24	248	147
Care beginning in first trimester	5,431	3,940	1,146	9	336	316	3,650	1,135
Late or no care	152	83	60	1	8	16	67	59
Percent								
Low birthweight	7.2	6.2	10.1	*	6.7	6.4	6.2	10.2
Care beginning in first trimester	87.3	90.0	79.0	*	87.0	84.0	90.6	79.0
Late or no care	2.4	1.9	4.1	*	*	*	1.7	4.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waco, Texas								
Number								
Low birthweight	212	131	80	-	1	72	62	77
Care beginning in first trimester	1,570	1,241	311	-	18	518	722	307
Late or no care	182	142	40	-	-	98	45	38
Percent								
Low birthweight	8.8	7.1	15.2	*	*	8.1	6.4	14.9
Care beginning in first trimester	66.0	67.6	59.8	*	*	59.1	75.2	60.0
Late or no care	7.7	7.7	7.7	*	*	11.2	4.7	7.4
Warren, Michigan								
Number								
Low birthweight	148	125	9	-	14	5	119	9
Care beginning in first trimester	1,397	1,203	86	10	98	27	1,157	86
Late or no care	50	41	2	2	5	2	39	2
Percent								
Low birthweight	9.0	9.0	*	*	*	*	8.9	*
Care beginning in first trimester	87.6	89.3	81.9	*	76.0	77.1	89.6	82.7
Late or no care	3.1	3.0	*	*	*	*	3.0	*
Waterbury, Connecticut								
Number								
Low birthweight	172	113	54	2	3	46	70	51
Care beginning in first trimester	1,271	984	246	5	36	414	586	228
Late or no care	56	41	14	-	1	20	22	13
Percent								
Low birthweight	10.7	9.1	16.7	*	*	8.5	9.8	17.1
Care beginning in first trimester	79.7	80.3	76.9	*	81.8	77.5	82.4	76.8
Late or no care	3.5	3.3	*	*	*	3.7	3.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Wichita, Kansas</b>								
Number								
Low birthweight	498	374	105	3	16	70	304	105
Care beginning in first trimester	5,524	4,471	671	52	330	693	3,774	665
Late or no care	168	116	44	4	4	44	72	44
Percent								
Low birthweight	7.7	7.2	12.6	*	*	7.0	7.2	12.7
Care beginning in first trimester	86.8	87.6	81.3	81.3	88.7	73.9	90.7	81.3
Late or no care	2.6	2.3	5.3	*	*	4.7	1.7	5.4
<b>Winston-Salem, North Carolina</b>								
Number								
Low birthweight	344	162	179	2	1	68	94	179
Care beginning in first trimester	2,769	1,802	903	15	49	651	1,147	899
Late or no care	94	66	28	-	-	57	9	28
Percent								
Low birthweight	10.9	7.8	17.6	*	*	7.8	7.8	17.6
Care beginning in first trimester	87.7	87.0	88.5	*	94.2	75.0	95.7	88.5
Late or no care	3.0	3.2	2.7	*	*	6.6	*	2.8
<b>Worcester, Massachusetts</b>								
Number								
Low birthweight	196	141	30	2	23	54	93	24
Care beginning in first trimester	2,284	1,774	298	10	202	501	1,326	248
Late or no care	58	36	16	-	6	15	22	15
Percent								
Low birthweight	7.5	7.1	8.0	*	9.6	9.3	6.3	7.7
Care beginning in first trimester	87.5	89.5	79.3	*	84.2	86.2	90.3	79.5
Late or no care	2.2	1.8	*	*	*	*	1.5	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 2002

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Yonkers, New York								
Number								
Low birthweight	219	125	75	1	18	80	46	70
Care beginning in first trimester	2,022	1,500	386	1	135	697	817	368
Late or no care	192	120	66	-	6	92	29	65
Percent								
Low birthweight	7.8	6.2	12.0	*	*	7.4	4.8	11.9
Care beginning in first trimester	74.4	76.5	66.6	*	77.1	67.3	86.5	66.1
Late or no care	7.1	6.1	11.4	*	*	8.9	3.1	11.7

- Quantity zero.

\* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.

NOTES: Race and Hispanic origin are reported separately on birth certificates. Race categories are consistent with the 1977 Office of Management and Budget standards. See Technical Appendix.