

**Part II:**  
**Summary Tables and Graphs**

## ***Part II. Summary tables and graphs***

### ***Tables***

Percent site by pathogen .....	Table 1a
Percent pathogen by site .....	Table 1b
Cases per 100,000 by pathogen for all sites .....	Table 2a
Cases per 100,000 by pathogen by site .....	Table 2b
Cases per 100,000 by month by pathogen for all sites .....	Table 3
Pathogen by month collected for all sites .....	Table 4
Pathogen by month collected by site, California .....	Table 4a
Pathogen by month collected by site, Connecticut .....	Table 4b
Pathogen by month collected by site, Georgia .....	Table 4c
Pathogen by month collected by site, Minnesota .....	Table 4d
Pathogen by month collected by site, Oregon .....	Table 4e
Age distribution by pathogen for all sites .....	Table 5
Age distribution by pathogen by site, California .....	Table 5a
Age distribution by pathogen by site, Connecticut .....	Table 5b
Age distribution by pathogen by site, Georgia .....	Table 5c
Age distribution by pathogen by site, Minnesota .....	Table 5d
Age distribution by pathogen by site, Oregon .....	Table 5e
Cases per 100,000 by age distribution by pathogen for all sites .....	Table 6
Cases per 100,000 by age distribution by pathogen by site, California .....	Table 6a
Cases per 100,000 by age distribution by pathogen by site, Connecticut .....	Table 6b
Cases per 100,000 by age distribution by pathogen by site, Georgia .....	Table 6c
Cases per 100,000 by age distribution by pathogen by site, Minnesota .....	Table 6d
Cases per 100,000 by age distribution by pathogen by site, Oregon .....	Table 6e
Sex distribution by pathogen for all sites .....	Table 7
Sex distribution by pathogen by site, California .....	Table 7a
Sex distribution by pathogen by site, Connecticut .....	Table 7b
Sex distribution by pathogen by site, Georgia .....	Table 7c
Sex distribution by pathogen by site, Minnesota .....	Table 7d
Sex distribution by pathogen by site, Oregon .....	Table 7e

Race/ethnicity by pathogen for all sites . . . . .	Table 8
Race/ethnicity by pathogen by site, California . . . . .	Table 8a
Race/ethnicity by pathogen by site, Connecticut . . . . .	Table 8b
Race/ethnicity by pathogen by site, Georgia . . . . .	Table 8c
Race/ethnicity by pathogen by site, Minnesota . . . . .	Table 8d
Race/ethnicity by pathogen by site, Oregon . . . . .	Table 8e
<i>Salmonella</i> serotypes by site . . . . .	Table 9
Percent <i>Shigella</i> species by site . . . . .	Table 10
Source of specimen by pathogen for all sites . . . . .	Table 11
Source of specimen by pathogen by site, California . . . . .	Table 11a
Source of specimen by pathogen by site, Connecticut . . . . .	Table 11b
Source of specimen by pathogen by site, Georgia . . . . .	Table 11c
Source of specimen by pathogen by site, Minnesota . . . . .	Table 11d
Source of specimen by pathogen by site, Oregon . . . . .	Table 11e
Patient status by pathogen for all sites . . . . .	Table 12
Patient status by pathogen by site, California . . . . .	Table 12a
Patient status by pathogen by site, Connecticut . . . . .	Table 12b
Patient status by pathogen by site, Georgia . . . . .	Table 12c
Patient status by pathogen by site, Minnesota . . . . .	Table 12d
Patient status by pathogen by site, Oregon . . . . .	Table 12e
Patient outcome by pathogen for all sites . . . . .	Table 13
Patient outcome by pathogen by site, California . . . . .	Table 13a
Patient outcome by pathogen by site, Connecticut . . . . .	Table 13b
Patient outcome by pathogen by site, Georgia . . . . .	Table 13c
Patient outcome by pathogen by site, Minnesota . . . . .	Table 13d
Patient outcome by pathogen by site, Oregon . . . . .	Table 13e
Age distribution for invasive specimens for all sites . . . . .	Table 14
Age distribution for invasive specimens by site, California . . . . .	Table 14a
Age distribution for invasive specimens by site, Connecticut . . . . .	Table 14b
Age distribution for invasive specimens by site, Georgia . . . . .	Table 14c
Age distribution for invasive specimens by site, Minnesota . . . . .	Table 14d

Age distribution for invasive specimens by site, Oregon . . . . .	Table 14e
Sex distribution for invasive specimens for all sites . . . . .	Table 15
Sex distribution for invasive specimens by site, California . . . . .	Table 15a
Sex distribution for invasive specimens by site, Connecticut . . . . .	Table 15b
Sex distribution for invasive specimens by site, Georgia . . . . .	Table 15c
Sex distribution for invasive specimens by site, Minnesota . . . . .	Table 15d
Sex distribution for invasive specimens by site, Oregon . . . . .	Table 15e

**Graphs**

Rates per 100,000 by pathogen per month

*Campylobacter*

*Cryptosporidium*

*Cyclospora*

*Escherichia coli* O157

*Listeria*

*Salmonella*

*Salmonella* Enteritidis

*Salmonella* Typhimurium

*Salmonella* Heidelberg

*Salmonella* Newport

*Salmonella* Montevideo

*Salmonella* Agona

*Shigella*

*Shigella sonnei*

*Shigella flexneri*

*Shigella dysenteriae*

*Vibrio*

*Yersinia*

Age-specific rates per 100,000 distribution by pathogen

*Campylobacter*

*Cryptosporidium*

*Cyclospora*

*Escherichia coli* O157

*Listeria*

*Salmonella*

*Shigella*

*Vibrio*

*Yersinia*

CDC's EMERGING INFECTIONS PROGRAM

---

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)  
FoodNet 1997 Final Report

Population in Bacterial Catchment Areas:	Percent
California*.....	2,103,374 13.1%
Connecticut*.....	2,450,656 15.2%
Georgia*.....	3,627,184 22.5%
Minnesota.....	4,685,549 29.1%
Oregon.....	3,243,487 20.1%
Total.....	16,110,250 100.0%

Population in Parasitic Catchment Areas:	Percent
California*.....	6,340,996 36.2%
Connecticut.....	3,269,858 18.6%
Minnesota.....	4,685,549 26.7%
Oregon.....	3,243,487 18.5%
Total.....	17,539,890 100.0%

United States Population.....267,636,061

\* Selected Counties

NOTE: Before June 1, 1997, California parasitic catchment area consisted of San Francisco, Alameda and Contra Costa counties only (pop. 3,002,632).

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 1a - Percent Site by Pathogen

		Site					Total
		Ca.	Ct.	Ga.	Mn.	Or.	
Pathogen							
CAMPYLOBACTER	Cases	1036	527	499	1175	737	3974
	Percent	26.1	13.3	12.6	29.6	18.5	100.0
CRYPTOSPORIDIUM	Cases	157	42	-	243	26	468
	Percent	33.5	9.0	-	51.9	5.6	100.0
CYCLOSPORA	Cases	16	29	-	3	1	49
	Percent	32.7	59.2	-	6.1	2.0	100.0
E. COLI 0157	Cases	19	34	8	199	80	340
	Percent	5.6	10.0	2.4	58.5	23.5	100.0
LISTERIA	Cases	14	12	20	18	13	77
	Percent	18.2	15.6	26.0	23.4	16.9	100.0
SALMONELLA	Cases	370	417	470	619	329	2205
	Percent	16.8	18.9	21.3	28.1	14.9	100.0
SHIGELLA	Cases	293	79	586	138	177	1273
	Percent	23.0	6.2	46.0	10.8	13.9	100.0
VIBRIO	Cases	31	4	2	2	12	51
	Percent	60.8	7.8	3.9	3.9	23.5	100.0
YERSINIA	Cases	35	15	43	31	15	139
	Percent	25.2	10.8	30.9	22.3	10.8	100.0
Total	Cases	1971	1159	1628	2428	1390	8576
	Percent	23.0	13.5	19.0	28.3	16.2	100.0

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 1b - Percent Pathogen by Site

		Pathogen									Total
		CAMPY- LOBAC- TER	CRYPT- OSPOR- IDIUM	CYCLO- SPORA	E. COLI O157	LISTE- RIA	SALMO- NELLA	SHIGE- LLA	VIBRIO	YERSI- NIA	
Site											
Ca.	Cases	1036	157	16	19	14	370	293	31	35	1971
	Percent	52.6	8.0	0.8	1.0	0.7	18.8	14.9	1.6	1.8	100.0
Ct.	Cases	527	42	29	34	12	417	79	4	15	1159
	Percent	45.5	3.6	2.5	2.9	1.0	36.0	6.8	0.3	1.3	100.0
Ga.	Cases	499	-	-	8	20	470	586	2	43	1628
	Percent	30.7	-	-	0.5	1.2	28.9	36.0	0.1	2.6	100.0
Mn.	Cases	1175	243	3	199	18	619	138	2	31	2428
	Percent	48.4	10.0	0.1	8.2	0.7	25.5	5.7	0.1	1.3	100.0
Or.	Cases	737	26	1	80	13	329	177	12	15	1390
	Percent	53.0	1.9	0.1	5.8	0.9	23.7	12.7	0.9	1.1	100.0
Total	Cases	3974	468	49	340	77	2205	1273	51	139	8576
	Percent	46.3	5.5	0.6	4.0	0.9	25.7	14.8	0.6	1.6	100.0



GRAPH1

CDC's Emerging Infections Program (FoodNet)

FoodNet 1997 Final Report

Table 2a - Cases per 100,000 by Pathogen for All Sites

	Cases per 100,000	Total Cases
Pathogen		
CAMPYLOBACTER	24.7	3974
CRYPTOSPORIDIUM	2.8	468
CYCLOSPORA	0.3	49
E. COLI 0157	2.1	340
LISTERIA	0.5	77
SALMONELLA	13.7	2205
SHIGELLA	7.9	1273
VIBRIO	0.3	51
YERSINIA	0.9	139
Total	53.1	8576

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 2b - Cases per 100,000 by Pathogen by Site

	Cases per 100,000				
	Ca.	Ct.	Ga.	Mn.	Or.
Pathogen					
CAMPYLOBACTER	49.3	21.5	13.8	25.1	22.7
CRYPTOSPORIDIUM	3.4	1.3	-	5.2	0.8
CYCLOSPORA	0.3	0.9	-	0.1	0.0
E. COLI O157	0.9	1.4	0.2	4.2	2.5
LISTERIA	0.7	0.5	0.6	0.4	0.4
SALMONELLA	17.6	17.0	13.0	13.2	10.1
SHIGELLA	13.9	3.2	16.2	2.9	5.5
VIBRIO	1.5	0.2	0.1	0.0	0.4
YERSINIA	1.7	0.6	1.2	0.7	0.5
Total	89.2	46.6	44.9	51.8	42.9

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 3 - Cases per 100,000 by Month by Pathogen for All Sites

Cases per 100,000	Month												
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	1.6	1.3	1.6	1.7	2.1	3.1	3.0	2.6	2.3	2.3	1.7	1.5	
CRYPTOSPORIDIUM	0.1	0.1	0.1	0.2	0.2	0.2	0.8	0.3	0.3	0.2	0.2	0.1	
CYCLOSPORA	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
E. COLI 0157	0.1	0.1	0.1	0.0	0.1	0.3	0.6	0.3	0.3	0.1	0.1	0.1	
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	
SALMONELLA	1.1	0.8	0.8	1.3	1.1	1.2	1.5	1.6	1.6	1.1	0.8	0.9	
SHIGELLA	0.5	0.5	0.5	0.6	0.5	0.7	0.7	1.1	0.8	0.7	0.6	0.7	
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	
YERSINIA	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.2	













GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 4 - Pathogen by Month Collected for All Sites

Cases	Month												Total
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	257	209	250	272	337	498	484	421	372	370	267	237	3974
CRYPTOSPORIDIUM	19	15	20	22	23	29	134	60	50	42	31	23	468
CYCLOSPORA	0	0	0	2	6	32	5	3	0	1	0	0	49
E. COLI O157	10	11	15	8	18	41	92	44	49	24	15	13	340
LISTERIA	3	4	3	6	5	7	11	8	12	7	4	7	77
SALMONELLA	176	122	135	207	171	200	235	261	252	177	131	138	2205
SHIGELLA	83	76	74	104	88	106	113	170	135	111	101	112	1273
VIBRIO	0	0	2	1	1	4	12	18	7	3	2	1	51
YERSINIA	18	11	8	12	15	7	8	10	11	6	8	25	139
Total	566	448	507	634	664	924	1094	995	888	741	559	556	8576

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 4a through 4e - Pathogen by Month Collected by Site

Table 4a: Site = California

Cases	Month												Total
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	97	69	74	81	86	108	111	104	96	71	76	63	1036
CRYPTOSPORIDIUM	14	11	12	8	10	19	13	12	18	14	15	11	157
CYCLOSPORA	-	-	-	-	-	12	3	-	-	1	-	-	16
E. COLI O157	-	1	2	1	-	1	2	-	3	3	1	5	19
LISTERIA	-	-	-	1	1	1	2	3	2	1	1	2	14
SALMONELLA	21	11	23	36	31	30	28	53	52	29	25	31	370
SHIGELLA	29	23	17	16	22	17	30	38	43	20	14	24	293
VIBRIO	-	-	1	-	1	3	8	10	4	2	1	1	31
YERSINIA	8	4	2	1	1	3	1	6	4	-	1	4	35
Total	169	119	131	144	152	194	198	226	222	141	134	141	1971

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 4a through 4e - Pathogen by Month Collected by Site

Table 4b: Site = Connecticut

Cases	Month												Total
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	23	18	22	32	48	106	64	61	39	52	36	26	527
CRYPTOSPORIDIUM	2	2	3	1	6	1	2	8	5	8	4	-	42
CYCLOSPORA	-	-	-	-	6	19	1	3	-	-	-	-	29
E. COLI 0157	1	-	1	1	2	4	8	7	5	1	3	1	34
LISTERIA	1	-	1	2	1	2	-	-	4	-	1	-	12
SALMONELLA	37	20	17	48	28	46	50	42	39	46	27	17	417
SHIGELLA	4	4	8	7	6	10	6	18	3	5	2	6	79
VIBRIO	-	-	-	-	-	-	-	2	1	-	1	-	4
YERSINIA	1	1	2	2	3	2	2	1	-	-	-	1	15
Total	69	45	54	93	100	190	133	142	96	112	74	51	1159

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 4a through 4e - Pathogen by Month Collected by Site

Table 4c: Site = Georgia

Cases	Month												Total
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	15	16	20	38	47	64	60	49	54	40	52	44	499
CRYPTOSPORIDIUM	-	-	-	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI O157	1	2	-	-	1	2	-	2	-	-	-	-	8
LISTERIA	2	3	2	1	2	-	3	2	2	1	2	-	20
SALMONELLA	43	31	24	29	41	50	60	51	49	31	27	34	470
SHIGELLA	26	31	30	58	48	57	42	52	55	60	64	63	586
VIBRIO	-	-	-	-	-	-	1	1	-	-	-	-	2
YERSINIA	6	3	3	2	4	-	1	1	3	2	4	14	43
Total	93	86	79	128	143	173	167	158	163	134	149	155	1628

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 4a through 4e - Pathogen by Month Collected by Site

Table 4e: Site = Minnesota

Cases	Month												Total
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	62	61	84	80	83	128	140	151	125	153	53	55	1175
CRYPTOSPORIDIUM	3	2	5	13	7	9	113	38	23	15	9	6	243
CYCLOSPORA	-	-	-	2	-	1	-	-	-	-	-	-	3
E. COLI O157	6	4	7	2	2	29	68	29	34	12	3	3	199
LISTERIA	-	1	-	2	-	1	3	-	4	5	-	2	18
SALMONELLA	52	37	42	40	45	44	65	93	77	46	38	40	619
SHIGELLA	16	10	13	9	4	15	13	18	11	14	8	7	138
VIBRIO	-	-	-	1	-	1	-	-	-	-	-	-	2
YERSINIA	2	-	1	5	6	2	4	1	3	2	1	4	31
Total	141	115	152	154	147	230	406	330	277	247	112	117	2428

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 4a through 4e - Pathogen by Month Collected by Site

Table 4g: Site = Oregon

Cases	Month												Total
	JAN97	FEB97	MAR97	APR97	MAY97	JUN97	JUL97	AUG97	SEP97	OCT97	NOV97	DEC97	
Pathogen													
CAMPYLOBACTER	60	45	50	41	73	92	109	56	58	54	50	49	737
CRYPTOSPORIDIUM	-	-	-	-	-	-	6	2	4	5	3	6	26
CYCLOSPORA	-	-	-	-	-	-	1	-	-	-	-	-	1
E. COLI O157	2	4	5	4	13	5	14	6	7	8	8	4	80
LISTERIA	-	-	-	-	1	3	3	3	-	-	-	3	13
SALMONELLA	23	23	29	54	26	30	32	22	35	25	14	16	329
SHIGELLA	8	8	6	14	8	7	22	44	23	12	13	12	177
VIBRIO	-	-	1	-	-	-	3	5	2	1	-	-	12
YERSINIA	1	3	-	2	1	-	-	1	1	2	2	2	15
Total	94	83	91	115	122	137	190	139	130	107	90	92	1390

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 5 - Age Distribution by Pathogen for All Sites

Pathogen		Age Specific Strata									Total
		UNKNWN	0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
CAMPYLOBACTER	Cases	2	123	627	311	695	827	581	375	433	3974
	Percent	0.1	3.1	15.8	7.8	17.5	20.8	14.6	9.4	10.9	100.0
SALMONELLA	Cases	1	244	531	217	303	312	234	134	229	2205
	Percent	0.0	11.1	24.1	9.8	13.7	14.1	10.6	6.1	10.4	100.0
SHIGELLA	Cases	3	30	594	75	165	212	104	55	35	1273
	Percent	0.2	2.4	46.7	5.9	13.0	16.7	8.2	4.3	2.7	100.0
CRYPTOSPORIDIUM	Cases	0	8	168	42	39	94	67	21	29	468
	Percent	0	1.7	35.9	9.0	8.3	20.1	14.3	4.5	6.2	100.0
E. COLI O157	Cases	0	10	154	54	30	18	12	24	38	340
	Percent	0	2.9	45.3	15.9	8.8	5.3	3.5	7.1	11.2	100.0
LISTERIA	Cases	0	5	2	1	3	9	6	9	42	77
	Percent	0	6.5	2.6	1.3	3.9	11.7	7.8	11.7	54.5	100.0
YERSINIA	Cases	0	57	29	7	7	13	10	5	11	139
	Percent	0	41.0	20.9	5.0	5.0	9.4	7.2	3.6	7.9	100.0
CYCLOSPORA	Cases	0	0	4	2	2	8	6	15	12	49
	Percent	0	0	8.2	4.1	4.1	16.3	12.2	30.6	24.5	100.0
VIBRIO	Cases	0	0	0	0	16	18	4	5	8	51
	Percent	0	0	0	0	31.4	35.3	7.8	9.8	15.7	100.0
Total	Cases	6	477	2109	709	1260	1511	1024	643	837	8576
	Percent	0.1	5.6	24.6	8.3	14.7	17.6	11.9	7.5	9.8	100.0

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 5a through 5e - Age Distribution by Pathogen by Site

Table 5a: Site = California		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	43	207	81	202	206	116	78	103	-	1036
	Percent	4.2	20.0	7.8	19.5	19.9	11.2	7.5	9.9	-	100.0
CRYPTOSPORIDIUM	Cases	2	16	4	14	50	45	14	12	-	157
	Percent	1.3	10.2	2.5	8.9	31.8	28.7	8.9	7.6	-	100.0
CYCLOSPORA	Cases	-	1	-	2	5	-	6	2	-	16
	Percent	-	6.3	-	12.5	31.3	-	37.5	12.5	-	100.0
E. COLI 0157	Cases	-	10	5	1	-	-	-	3	-	19
	Percent	-	52.6	26.3	5.3	-	-	-	15.8	-	100.0
LISTERIA	Cases	1	-	-	-	2	-	2	9	-	14
	Percent	7.1	-	-	-	14.3	-	14.3	64.3	-	100.0
SALMONELLA	Cases	47	84	26	55	58	45	20	35	-	370
	Percent	12.7	22.7	7.0	14.9	15.7	12.2	5.4	9.5	-	100.0
SHIGELLA	Cases	6	84	13	48	74	45	16	7	-	293
	Percent	2.0	28.7	4.4	16.4	25.3	15.4	5.5	2.4	-	100.0
VIBRIO	Cases	-	-	-	13	9	2	3	4	-	31
	Percent	-	-	-	41.9	29.0	6.5	9.7	12.9	-	100.0
YERSINIA	Cases	15	7	1	2	4	3	2	1	-	35
	Percent	42.9	20.0	2.9	5.7	11.4	8.6	5.7	2.9	-	100.0
Total	Cases	114	409	130	337	408	256	141	176	-	1971
	Percent	5.8	20.8	6.6	17.1	20.7	13.0	7.2	8.9	-	100.0



GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 5a through 5e - Age Distribution by Pathogen by Site

Table 5b: Site = Connecticut		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	15	74	33	80	123	82	49	71	-	527
	Percent	2.8	14.0	6.3	15.2	23.3	15.6	9.3	13.5	-	100.0
CRYPTOSPORIDIUM	Cases	-	9	6	5	12	5	2	3	-	42
	Percent	-	21.4	14.3	11.9	28.6	11.9	4.8	7.1	-	100.0
CYCLOSPORA	Cases	-	2	2	-	3	5	8	9	-	29
	Percent	-	6.9	6.9	-	10.3	17.2	27.6	31.0	-	100.0
E. COLI 0157	Cases	-	15	7	4	3	-	2	3	-	34
	Percent	-	44.1	20.6	11.8	8.8	-	5.9	8.8	-	100.0
LISTERIA	Cases	-	-	1	1	-	1	1	8	-	12
	Percent	-	-	8.3	8.3	-	8.3	8.3	66.7	-	100.0
SALMONELLA	Cases	31	101	35	73	61	34	25	57	-	417
	Percent	7.4	24.2	8.4	17.5	14.6	8.2	6.0	13.7	-	100.0
SHIGELLA	Cases	2	33	6	6	13	7	7	5	-	79
	Percent	2.5	41.8	7.6	7.6	16.5	8.9	8.9	6.3	-	100.0
VIBRIO	Cases	-	-	-	1	3	-	-	-	-	4
	Percent	-	-	-	25.0	75.0	-	-	-	-	100.0
YERSINIA	Cases	4	4	1	1	1	1	-	3	-	15
	Percent	26.7	26.7	6.7	6.7	6.7	6.7	-	20.0	-	100.0
Total	Cases	52	238	91	171	219	135	94	159	-	1159
	Percent	4.5	20.5	7.9	14.8	18.9	11.6	8.1	13.7	-	100.0

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 5a through 5e - Age Distribution by Pathogen by Site

Table 5c: Site = Georgia		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	10	65	41	85	126	84	40	47	1	499
	Percent	2.0	13.0	8.2	17.0	25.3	16.8	8.0	9.4	0.2	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
E. COLI 0157	Cases	-	6	2	-	-	-	-	-	-	8
	Percent	-	75.0	25.0	-	-	-	-	-	-	100.0
LISTERIA	Cases	1	-	-	1	6	2	2	8	-	20
	Percent	5.0	-	-	5.0	30.0	10.0	10.0	40.0	-	100.0
SALMONELLA	Cases	88	163	44	35	49	36	20	35	-	470
	Percent	18.7	34.7	9.4	7.4	10.4	7.7	4.3	7.4	-	100.0
SHIGELLA	Cases	17	339	32	73	76	31	10	6	2	586
	Percent	2.9	57.8	5.5	12.5	13.0	5.3	1.7	1.0	0.3	100.0
VIBRIO	Cases	-	-	-	1	1	-	-	-	-	2
	Percent	-	-	-	50.0	50.0	-	-	-	-	100.0
YERSINIA	Cases	31	9	1	-	2	-	-	-	-	43
	Percent	72.1	20.9	2.3	-	4.7	-	-	-	-	100.0
Total	Cases	147	582	120	195	260	153	72	96	3	1628
	Percent	9.0	35.7	7.4	12.0	16.0	9.4	4.4	5.9	0.2	100.0

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 5a through 5e - Age Distribution by Pathogen by Site

Table 5e: Site = Minnesota		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	32	175	97	225	227	169	128	121	1	1175
	Percent	2.7	14.9	8.3	19.1	19.3	14.4	10.9	10.3	0.1	100.0
CRYPTOSPORIDIUM	Cases	6	140	32	15	27	10	3	10	-	243
	Percent	2.5	57.6	13.2	6.2	11.1	4.1	1.2	4.1	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	1	1	1	-	3
	Percent	-	-	-	-	-	33.3	33.3	33.3	-	100.0
E. COLI 0157	Cases	7	94	27	15	11	9	16	20	-	199
	Percent	3.5	47.2	13.6	7.5	5.5	4.5	8.0	10.1	-	100.0
LISTERIA	Cases	2	2	-	1	1	-	1	11	-	18
	Percent	11.1	11.1	-	5.6	5.6	-	5.6	61.1	-	100.0
SALMONELLA	Cases	50	112	77	87	94	81	48	69	1	619
	Percent	8.1	18.1	12.4	14.1	15.2	13.1	7.8	11.1	0.2	100.0
SHIGELLA	Cases	3	48	7	19	32	10	12	7	-	138
	Percent	2.2	34.8	5.1	13.8	23.2	7.2	8.7	5.1	-	100.0
VIBRIO	Cases	-	-	-	-	-	1	-	1	-	2
	Percent	-	-	-	-	-	50.0	-	50.0	-	100.0
YERSINIA	Cases	4	3	3	4	5	6	1	5	-	31
	Percent	12.9	9.7	9.7	12.9	16.1	19.4	3.2	16.1	-	100.0
Total	Cases	104	574	243	366	397	287	210	245	2	2428
	Percent	4.3	23.6	10.0	15.1	16.4	11.8	8.6	10.1	0.1	100.0

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 5a through 5e - Age Distribution by Pathogen by Site

Table 5g: Site = Oregon		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	23	106	59	103	145	130	80	91	-	737
	Percent	3.1	14.4	8.0	14.0	19.7	17.6	10.9	12.3	-	100.0
CRYPTOSPORIDIUM	Cases	-	3	-	5	5	7	2	4	-	26
	Percent	-	11.5	-	19.2	19.2	26.9	7.7	15.4	-	100.0
CYCLOSPORA	Cases	-	1	-	-	-	-	-	-	-	1
	Percent	-	100.0	-	-	-	-	-	-	-	100.0
E. COLI 0157	Cases	3	29	13	10	4	3	6	12	-	80
	Percent	3.8	36.3	16.3	12.5	5.0	3.8	7.5	15.0	-	100.0
LISTERIA	Cases	1	-	-	-	-	3	3	6	-	13
	Percent	7.7	-	-	-	-	23.1	23.1	46.2	-	100.0
SALMONELLA	Cases	28	71	35	53	50	38	21	33	-	329
	Percent	8.5	21.6	10.6	16.1	15.2	11.6	6.4	10.0	-	100.0
SHIGELLA	Cases	2	90	17	19	17	11	10	10	1	177
	Percent	1.1	50.8	9.6	10.7	9.6	6.2	5.6	5.6	0.6	100.0
VIBRIO	Cases	-	-	-	1	5	1	2	3	-	12
	Percent	-	-	-	8.3	41.7	8.3	16.7	25.0	-	100.0
YERSINIA	Cases	3	6	1	-	1	-	2	2	-	15
	Percent	20.0	40.0	6.7	-	6.7	-	13.3	13.3	-	100.0
Total	Cases	60	306	125	191	227	193	126	161	1	1390
	Percent	4.3	22.0	9.0	13.7	16.3	13.9	9.1	11.6	0.1	100.0

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 6 - Cases per 100,000 by Age Distribution by Pathogen for All Sites

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	55.9	31.0	13.9	31.9	29.8	22.8	23.1	17.3
CRYPTOSPORIDIUM	3.7	7.8	1.8	1.8	3.4	2.6	1.3	1.0
CYCLOSPORA	0.0	0.2	0.1	0.1	0.3	0.2	0.9	0.4
E. COLI 0157	4.5	7.6	2.4	1.4	0.6	0.5	1.5	1.5
LISTERIA	2.3	0.1	0.0	0.1	0.3	0.2	0.6	1.7
SALMONELLA	111.0	26.2	9.7	13.9	11.2	9.2	8.2	9.2
SHIGELLA	13.6	29.3	3.3	7.6	7.6	4.1	3.4	1.4
VIBRIO	0.0	0.0	0.0	0.7	0.6	0.2	0.3	0.3
YERSINIA	25.9	1.4	0.3	0.3	0.5	0.4	0.3	0.4

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 6a through 6e - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6a: Site = California

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	158.9	83.7	33.0	64.5	53.2	34.9	38.9	29.4
CRYPTOSPORIDIUM	3.7	2.4	0.7	2.5	6.7	6.0	2.9	1.3
CYCLOSPORA	-	0.1	-	0.2	0.4	-	1.0	0.2
E. COLI 0157	-	4.0	2.0	0.3	-	-	-	0.9
LISTERIA	3.7	-	-	-	0.5	-	1.0	2.6
SALMONELLA	173.7	34.0	10.6	17.5	15.0	13.5	10.0	10.0
SHIGELLA	22.2	34.0	5.3	15.3	19.1	13.5	8.0	2.0
VIBRIO	-	-	-	4.1	2.3	0.6	1.5	1.1
YERSINIA	55.4	2.8	0.4	0.6	1.0	0.9	1.0	0.3

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 6a through 6e - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6b: Site = Connecticut

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	46.0	24.6	10.6	26.8	29.5	22.1	18.6	15.6
CRYPTOSPORIDIUM	-	2.2	1.4	1.2	2.1	1.0	0.6	0.5
CYCLOSPORA	-	0.5	0.5	-	0.5	1.0	2.3	1.5
E. COLI 0157	-	5.0	2.3	1.3	0.7	-	0.8	0.7
LISTERIA	-	-	0.3	0.3	-	0.3	0.4	1.8
SALMONELLA	95.2	33.6	11.3	24.4	14.6	9.1	9.5	12.5
SHIGELLA	6.1	11.0	1.9	2.0	3.1	1.9	2.7	1.1
VIBRIO	-	-	-	0.3	0.7	-	-	-
YERSINIA	12.3	1.3	0.3	0.3	0.2	0.3	-	0.7

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 6a through 6e - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6c: Site = Georgia

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	18.2	13.4	8.3	15.3	18.0	14.2	11.5	11.9
CRYPTOSPORIDIUM	-	-	-	-	-	-	-	-
CYCLOSPORA	-	-	-	-	-	-	-	-
E. COLI 0157	-	1.2	0.4	-	-	-	-	-
LISTERIA	1.8	-	-	0.2	0.9	0.3	0.6	2.0
SALMONELLA	160.0	33.6	8.9	6.3	7.0	6.1	5.7	8.9
SHIGELLA	30.9	69.8	6.5	13.1	10.9	5.2	2.9	1.5
VIBRIO	-	-	-	0.2	0.1	-	-	-
YERSINIA	56.4	1.9	0.2	-	0.3	-	-	-



GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 6a through 6e - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6e: Site = Minnesota

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	51.2	29.3	13.4	37.5	29.0	23.6	27.9	16.3
CRYPTOSPORIDIUM	9.6	23.4	4.4	2.5	3.4	1.4	0.7	1.3
CYCLOSPORA	-	-	-	-	-	0.1	0.2	0.1
E. COLI 0157	11.2	15.7	3.7	2.5	1.4	1.3	3.5	2.7
LISTERIA	3.2	0.3	-	0.2	0.1	-	0.2	1.5
SALMONELLA	79.9	18.7	10.6	14.5	12.0	11.3	10.5	9.3
SHIGELLA	4.8	8.0	1.0	3.2	4.1	1.4	2.6	0.9
VIBRIO	-	-	-	-	-	0.1	-	0.1
YERSINIA	6.4	0.5	0.4	0.7	0.6	0.8	0.2	0.7

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 6a through 6e - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6g: Site = Oregon

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	53.9	27.0	12.6	25.0	29.6	24.4	22.7	16.4
CRYPTOSPORIDIUM	-	0.8	-	1.2	1.0	1.3	0.6	0.7
CYCLOSPORA	-	0.3	-	-	-	-	-	-
E. COLI O157	7.0	7.4	2.8	2.4	0.8	0.6	1.7	2.2
LISTERIA	2.3	-	-	-	-	0.6	0.9	1.1
SALMONELLA	65.6	18.1	7.5	12.9	10.2	7.1	6.0	6.0
SHIGELLA	4.7	22.9	3.6	4.6	3.5	2.1	2.8	1.8
VIBRIO	-	-	-	0.2	1.0	0.2	0.6	0.5
YERSINIA	7.0	1.5	0.2	-	0.2	-	0.6	0.4

GRAPH1  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 7 - Sex Distribution by Pathogen for All Sites

		Sex		Total
		M	F	
Pathogen				
CAMPYLOBACTER	Cases	2183	1781	3964
	Percent	55.1	44.9	100.0
CRYPTOSPORIDIUM	Cases	269	197	466
	Percent	57.7	42.3	100.0
CYCLOSPORA	Cases	26	23	49
	Percent	53.1	46.9	100.0
E. COLI 0157	Cases	162	178	340
	Percent	47.6	52.4	100.0
LISTERIA	Cases	41	36	77
	Percent	53.2	46.8	100.0
SALMONELLA	Cases	1107	1094	2201
	Percent	50.3	49.7	100.0
SHIGELLA	Cases	658	611	1269
	Percent	51.9	48.1	100.0
VIBRIO	Cases	32	19	51
	Percent	62.7	37.3	100.0
YERSINIA	Cases	64	74	138
	Percent	46.4	53.6	100.0
Total	Cases	4542	4013	8555
	Percent	53.1	46.9	100.0

There are 21 cases where sex is unknown.  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 7a through 7e - Sex Distribution by Pathogen by Site

Table 7a: Site = California		Sex		Total
		M	F	
Pathogen				
CAMPYLOBACTER	Cases	588	441	1029
	Percent	57.1	42.9	100.0
CRYPTOSPORIDIUM	Cases	107	50	157
	Percent	68.2	31.8	100.0
CYCLOSPORA	Cases	8	8	16
	Percent	50.0	50.0	100.0
E. COLI 0157	Cases	10	9	19
	Percent	52.6	47.4	100.0
LISTERIA	Cases	4	10	14
	Percent	28.6	71.4	100.0
SALMONELLA	Cases	204	162	366
	Percent	55.7	44.3	100.0
SHIGELLA	Cases	196	97	293
	Percent	66.9	33.1	100.0
VIBRIO	Cases	20	11	31
	Percent	64.5	35.5	100.0
YERSINIA	Cases	14	20	34
	Percent	41.2	58.8	100.0
Total	Cases	1151	808	1959
	Percent	58.8	41.2	100.0

There are 12 cases where sex is unknown.  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 7a through 7e - Sex Distribution by Pathogen by Site

Table 7b: Site = Connecticut		Sex		Total
		M	F	
Pathogen				
CAMPYLOBACTER	Cases	273	254	527
	Percent	51.8	48.2	100.0
CRYPTOSPORIDIUM	Cases	25	17	42
	Percent	59.5	40.5	100.0
CYCLOSPORA	Cases	15	14	29
	Percent	51.7	48.3	100.0
E. COLI 0157	Cases	20	14	34
	Percent	58.8	41.2	100.0
LISTERIA	Cases	7	5	12
	Percent	58.3	41.7	100.0
SALMONELLA	Cases	213	204	417
	Percent	51.1	48.9	100.0
SHIGELLA	Cases	36	43	79
	Percent	45.6	54.4	100.0
VIBRIO	Cases	2	2	4
	Percent	50.0	50.0	100.0
YERSINIA	Cases	8	7	15
	Percent	53.3	46.7	100.0
Total	Cases	599	560	1159
	Percent	51.7	48.3	100.0

There are no cases where sex is unknown.  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 7a through 7e - Sex Distribution by Pathogen by Site

Table 7c: Site = Georgia		Sex		Total
		M	F	
Pathogen				
CAMPYLOBACTER	Cases	257	241	498
	Percent	51.6	48.4	100.0
E. COLI 0157	Cases	4	4	8
	Percent	50.0	50.0	100.0
LISTERIA	Cases	12	8	20
	Percent	60.0	40.0	100.0
SALMONELLA	Cases	252	218	470
	Percent	53.6	46.4	100.0
SHIGELLA	Cases	294	289	583
	Percent	50.4	49.6	100.0
VIBRIO	Cases	1	1	2
	Percent	50.0	50.0	100.0
YERSINIA	Cases	18	25	43
	Percent	41.9	58.1	100.0
Total	Cases	838	786	1624
	Percent	51.6	48.4	100.0

There are 4 cases where sex is unknown.  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 7a through 7e - Sex Distribution by Pathogen by Site

Table 7e: Site = Minnesota		Sex		Total
		M	F	
Pathogen				
CAMPYLOBACTER	Cases	666	508	1174
	Percent	56.7	43.3	100.0
CRYPTOSPORIDIUM	Cases	126	116	242
	Percent	52.1	47.9	100.0
CYCLOSPORA	Cases	2	1	3
	Percent	66.7	33.3	100.0
E. COLI 0157	Cases	88	111	199
	Percent	44.2	55.8	100.0
LISTERIA	Cases	11	7	18
	Percent	61.1	38.9	100.0
SALMONELLA	Cases	296	323	619
	Percent	47.8	52.2	100.0
SHIGELLA	Cases	61	77	138
	Percent	44.2	55.8	100.0
VIBRIO	Cases	0	2	2
	Percent	0	100.0	100.0
YERSINIA	Cases	15	16	31
	Percent	48.4	51.6	100.0
Total	Cases	1265	1161	2426
	Percent	52.1	47.9	100.0

There are 2 cases where sex is unknown.  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 7a through 7e - Sex Distribution by Pathogen by Site

Table 7g: Site = Oregon		Sex		Total
		M	F	
Pathogen				
CAMPYLOBACTER	Cases	399	337	736
	Percent	54.2	45.8	100.0
CRYPTOSPORIDIUM	Cases	11	14	25
	Percent	44.0	56.0	100.0
CYCLOSPORA	Cases	1	0	1
	Percent	100.0	0	100.0
E. COLI 0157	Cases	40	40	80
	Percent	50.0	50.0	100.0
LISTERIA	Cases	7	6	13
	Percent	53.8	46.2	100.0
SALMONELLA	Cases	142	187	329
	Percent	43.2	56.8	100.0
SHIGELLA	Cases	71	105	176
	Percent	40.3	59.7	100.0
VIBRIO	Cases	9	3	12
	Percent	75.0	25.0	100.0
YERSINIA	Cases	9	6	15
	Percent	60.0	40.0	100.0
Total	Cases	689	698	1387
	Percent	49.7	50.3	100.0



There are 3 cases where sex is unknown.  
 CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 8 - Race by Pathogen for All Sites

		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	177	142	15	1596	2044	3974
	Percent	4.5	3.6	0.4	40.2	51.4	100.0
CRYPTOSPORIDIUM	Cases	3	31	1	248	185	468
	Percent	0.6	6.6	0.2	53.0	39.5	100.0
CYCLOSPORA	Cases	2	0	0	35	12	49
	Percent	4.1	0	0	71.4	24.5	100.0
E. COLI 0157	Cases	6	6	1	227	100	340
	Percent	1.8	1.8	0.3	66.8	29.4	100.0
LISTERIA	Cases	4	13	0	44	16	77
	Percent	5.2	16.9	0	57.1	20.8	100.0
SALMONELLA	Cases	124	221	3	1020	837	2205
	Percent	5.6	10.0	0.1	46.3	38.0	100.0
SHIGELLA	Cases	15	314	7	494	443	1273
	Percent	1.2	24.7	0.5	38.8	34.8	100.0
VIBRIO	Cases	2	2	0	22	25	51
	Percent	3.9	3.9	0	43.1	49.0	100.0
YERSINIA	Cases	13	43	1	31	51	139
	Percent	9.4	30.9	0.7	22.3	36.7	100.0
Total	Cases	346	772	28	3717	3713	8576
	Percent	4.0	9.0	0.3	43.3	43.3	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 8a through 8e - Race by Pathogen by Site

Table 8a: Site = California		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	137	64	7	425	403	1036
	Percent	13.2	6.2	0.7	41.0	38.9	100.0
CRYPTOSPORIDIUM	Cases	2	15	-	72	68	157
	Percent	1.3	9.6	-	45.9	43.3	100.0
CYCLOSPORA	Cases	1	-	-	4	11	16
	Percent	6.3	-	-	25.0	68.8	100.0
E. COLI 0157	Cases	2	4	-	11	2	19
	Percent	10.5	21.1	-	57.9	10.5	100.0
LISTERIA	Cases	3	3	-	8	-	14
	Percent	21.4	21.4	-	57.1	-	100.0
SALMONELLA	Cases	70	42	-	125	133	370
	Percent	18.9	11.4	-	33.8	35.9	100.0
SHIGELLA	Cases	8	32	1	139	113	293
	Percent	2.7	10.9	0.3	47.4	38.6	100.0
VIBRIO	Cases	1	1	-	15	14	31
	Percent	3.2	3.2	-	48.4	45.2	100.0
YERSINIA	Cases	9	4	-	10	12	35
	Percent	25.7	11.4	-	28.6	34.3	100.0
Total	Cases	233	165	8	809	756	1971
	Percent	11.8	8.4	0.4	41.0	38.4	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 8a through 8e - Race by Pathogen by Site

Table 8b: Site = Connecticut		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	7	9	-	151	360	527
	Percent	1.3	1.7	-	28.7	68.3	100.0
CRYPTOSPORIDIUM	Cases	-	9	-	33	-	42
	Percent	-	21.4	-	78.6	-	100.0
CYCLOSPORA	Cases	1	-	-	27	1	29
	Percent	3.4	-	-	93.1	3.4	100.0
E. COLI 0157	Cases	1	-	-	31	2	34
	Percent	2.9	-	-	91.2	5.9	100.0
LISTERIA	Cases	-	1	-	7	4	12
	Percent	-	8.3	-	58.3	33.3	100.0
SALMONELLA	Cases	10	28	-	175	204	417
	Percent	2.4	6.7	-	42.0	48.9	100.0
SHIGELLA	Cases	2	9	2	23	43	79
	Percent	2.5	11.4	2.5	29.1	54.4	100.0
VIBRIO	Cases	1	-	-	1	2	4
	Percent	25.0	-	-	25.0	50.0	100.0
YERSINIA	Cases	2	1	-	2	10	15
	Percent	13.3	6.7	-	13.3	66.7	100.0
Total	Cases	24	57	2	450	626	1159
	Percent	2.1	4.9	0.2	38.8	54.0	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 8a through 8e - Race by Pathogen by Site

Table 8c: Site = Georgia		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	6	54	-	299	140	499
	Percent	1.2	10.8	-	59.9	28.1	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
E. COLI 0157	Cases	-	1	-	5	2	8
	Percent	-	12.5	-	62.5	25.0	100.0
LISTERIA	Cases	-	8	-	12	-	20
	Percent	-	40.0	-	60.0	-	100.0
SALMONELLA	Cases	10	134	-	232	94	470
	Percent	2.1	28.5	-	49.4	20.0	100.0
SHIGELLA	Cases	4	253	-	174	155	586
	Percent	0.7	43.2	-	29.7	26.5	100.0
VIBRIO	Cases	-	1	-	1	-	2
	Percent	-	50.0	-	50.0	-	100.0
YERSINIA	Cases	1	36	-	4	2	43
	Percent	2.3	83.7	-	9.3	4.7	100.0
Total	Cases	21	487	-	727	393	1628
	Percent	1.3	29.9	-	44.7	24.1	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 8a through 8e - Race by Pathogen by Site

Table 8e: Site = Minnesota		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	21	11	6	417	720	1175
	Percent	1.8	0.9	0.5	35.5	61.3	100.0
CRYPTOSPORIDIUM	Cases	1	7	-	124	111	243
	Percent	0.4	2.9	-	51.0	45.7	100.0
CYCLOSPORA	Cases	-	-	-	3	-	3
	Percent	-	-	-	100.0	-	100.0
E. COLI 0157	Cases	1	1	1	117	79	199
	Percent	0.5	0.5	0.5	58.8	39.7	100.0
LISTERIA	Cases	-	1	-	10	7	18
	Percent	-	5.6	-	55.6	38.9	100.0
SALMONELLA	Cases	17	14	1	245	342	619
	Percent	2.7	2.3	0.2	39.6	55.3	100.0
SHIGELLA	Cases	1	15	4	42	76	138
	Percent	0.7	10.9	2.9	30.4	55.1	100.0
VIBRIO	Cases	-	-	-	-	2	2
	Percent	-	-	-	-	100.0	100.0
YERSINIA	Cases	-	1	-	6	24	31
	Percent	-	3.2	-	19.4	77.4	100.0
Total	Cases	41	50	12	964	1361	2428
	Percent	1.7	2.1	0.5	39.7	56.1	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 8a through 8e - Race by Pathogen by Site

Table 8g: Site = Oregon		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	6	4	2	304	421	737
	Percent	0.8	0.5	0.3	41.2	57.1	100.0
CRYPTOSPORIDIUM	Cases	-	-	1	19	6	26
	Percent	-	-	3.8	73.1	23.1	100.0
CYCLOSPORA	Cases	-	-	-	1	-	1
	Percent	-	-	-	100.0	-	100.0
E. COLI 0157	Cases	2	-	-	63	15	80
	Percent	2.5	-	-	78.8	18.8	100.0
LISTERIA	Cases	1	-	-	7	5	13
	Percent	7.7	-	-	53.8	38.5	100.0
SALMONELLA	Cases	17	3	2	243	64	329
	Percent	5.2	0.9	0.6	73.9	19.5	100.0
SHIGELLA	Cases	-	5	-	116	56	177
	Percent	-	2.8	-	65.5	31.6	100.0
VIBRIO	Cases	-	-	-	5	7	12
	Percent	-	-	-	41.7	58.3	100.0
YERSINIA	Cases	1	1	1	9	3	15
	Percent	6.7	6.7	6.7	60.0	20.0	100.0
Total	Cases	27	13	6	767	577	1390
	Percent	1.9	0.9	0.4	55.2	41.5	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 9 - Ethnicity by Pathogen for All Sites

		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	167	1061	2746	3974
	Percent	4.2	26.7	69.1	100.0
CRYPTOSPORIDIUM	Cases	12	187	269	468
	Percent	2.6	40.0	57.5	100.0
CYCLOSPORA	Cases	2	32	15	49
	Percent	4.1	65.3	30.6	100.0
E. COLI 0157	Cases	24	152	164	340
	Percent	7.1	44.7	48.2	100.0
LISTERIA	Cases	4	28	45	77
	Percent	5.2	36.4	58.4	100.0
SALMONELLA	Cases	156	729	1320	2205
	Percent	7.1	33.1	59.9	100.0
SHIGELLA	Cases	166	278	829	1273
	Percent	13.0	21.8	65.1	100.0
VIBRIO	Cases	0	23	28	51
	Percent	0	45.1	54.9	100.0
YERSINIA	Cases	1	42	96	139
	Percent	0.7	30.2	69.1	100.0
Total	Cases	532	2532	5512	8576
	Percent	6.2	29.5	64.3	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 9a through 9e - Ethnicity by Pathogen by Site

Table 9a: Site = California		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	80	517	439	1036
	Percent	7.7	49.9	42.4	100.0
CRYPTOSPORIDIUM	Cases	9	77	71	157
	Percent	5.7	49.0	45.2	100.0
CYCLOSPORA	Cases	-	4	12	16
	Percent	-	25.0	75.0	100.0
E. COLI 0157	Cases	6	10	3	19
	Percent	31.6	52.6	15.8	100.0
LISTERIA	Cases	-	14	-	14
	Percent	-	100.0	-	100.0
SALMONELLA	Cases	38	180	152	370
	Percent	10.3	48.6	41.1	100.0
SHIGELLA	Cases	54	121	118	293
	Percent	18.4	41.3	40.3	100.0
VIBRIO	Cases	-	16	15	31
	Percent	-	51.6	48.4	100.0
YERSINIA	Cases	-	22	13	35
	Percent	-	62.9	37.1	100.0
Total	Cases	187	961	823	1971
	Percent	9.5	48.8	41.8	100.0



CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 9a through 9e - Ethnicity by Pathogen by Site

Table 9b: Site = Connecticut		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	37	144	346	527
	Percent	7.0	27.3	65.7	100.0
CRYPTOSPORIDIUM	Cases	1	41	-	42
	Percent	2.4	97.6	-	100.0
CYCLOSPORA	Cases	1	27	1	29
	Percent	3.4	93.1	3.4	100.0
E. COLI 0157	Cases	2	32	-	34
	Percent	5.9	94.1	-	100.0
LISTERIA	Cases	1	6	5	12
	Percent	8.3	50.0	41.7	100.0
SALMONELLA	Cases	59	177	181	417
	Percent	14.1	42.4	43.4	100.0
SHIGELLA	Cases	16	25	38	79
	Percent	20.3	31.6	48.1	100.0
VIBRIO	Cases	-	2	2	4
	Percent	-	50.0	50.0	100.0
YERSINIA	Cases	-	5	10	15
	Percent	-	33.3	66.7	100.0
Total	Cases	117	459	583	1159
	Percent	10.1	39.6	50.3	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 9a through 9e - Ethnicity by Pathogen by Site

Table 9c: Site = Georgia		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	6	73	420	499
	Percent	1.2	14.6	84.2	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-
	Percent	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	-	1	7	8
	Percent	-	12.5	87.5	100.0
LISTERIA	Cases	-	2	18	20
	Percent	-	10.0	90.0	100.0
SALMONELLA	Cases	13	56	401	470
	Percent	2.8	11.9	85.3	100.0
SHIGELLA	Cases	13	56	517	586
	Percent	2.2	9.6	88.2	100.0
VIBRIO	Cases	-	-	2	2
	Percent	-	-	100.0	100.0
YERSINIA	Cases	-	2	41	43
	Percent	-	4.7	95.3	100.0
Total	Cases	32	190	1406	1628
	Percent	2.0	11.7	86.4	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 9a through 9e - Ethnicity by Pathogen by Site

Table 9e: Site = Minnesota		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	7	183	985	1175
	Percent	0.6	15.6	83.8	100.0
CRYPTOSPORIDIUM	Cases	2	56	185	243
	Percent	0.8	23.0	76.1	100.0
CYCLOSPORA	Cases	-	1	2	3
	Percent	-	33.3	66.7	100.0
E. COLI 0157	Cases	3	65	131	199
	Percent	1.5	32.7	65.8	100.0
LISTERIA	Cases	3	3	12	18
	Percent	16.7	16.7	66.7	100.0
SALMONELLA	Cases	16	117	486	619
	Percent	2.6	18.9	78.5	100.0
SHIGELLA	Cases	7	16	115	138
	Percent	5.1	11.6	83.3	100.0
VIBRIO	Cases	-	-	2	2
	Percent	-	-	100.0	100.0
YERSINIA	Cases	1	4	26	31
	Percent	3.2	12.9	83.9	100.0
Total	Cases	39	445	1944	2428
	Percent	1.6	18.3	80.1	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 9a through 9e - Ethnicity by Pathogen by Site

Table 9g: Site = Oregon		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	37	144	556	737
	Percent	5.0	19.5	75.4	100.0
CRYPTOSPORIDIUM	Cases	-	13	13	26
	Percent	-	50.0	50.0	100.0
CYCLOSPORA	Cases	1	-	-	1
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	13	44	23	80
	Percent	16.3	55.0	28.8	100.0
LISTERIA	Cases	-	3	10	13
	Percent	-	23.1	76.9	100.0
SALMONELLA	Cases	30	199	100	329
	Percent	9.1	60.5	30.4	100.0
SHIGELLA	Cases	76	60	41	177
	Percent	42.9	33.9	23.2	100.0
VIBRIO	Cases	-	5	7	12
	Percent	-	41.7	58.3	100.0
YERSINIA	Cases	-	9	6	15
	Percent	-	60.0	40.0	100.0
Total	Cases	157	477	756	1390
	Percent	11.3	34.3	54.4	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Table 10 - Salmonella Serotypes by Site

Cases	Site					Total
	Ca.	Ct.	Ga.	Mn.	Or.	
Serotype						
TYPHIMURIUM	93	114	152	178	109	646
ENTERITIDIS	42	143	23	116	37	361
HEIDELBERG	32	19	33	31	26	141
NEWPORT	9	9	10	41	8	77
MONTEVIDEO	15	7	11	7	27	67
AGONA	10	5	9	14	14	52
BRAENDERUP	4	5	5	28	7	49
INFANTIS	13	3	4	14	8	42
THOMPSON	8	15	5	7	4	39
SAINTPAUL	5	2	4	12	9	32
HADAR	4	8	8	8	3	31
MUENCHEN	5	8	4	11	3	31
ORANIENBURG	4	3	2	5	15	29
TYPHI	13	0	5	6	2	26
JAVIANA	0	5	6	3	4	18
POONA	3	2	2	7	2	16
MISSISSIPPI	0	0	16	0	0	16
STANLEY	3	1	3	6	2	15
JAVA	0	5	6	4	0	15
DERBY	7	0	0	7	0	14
PARATYPHI B	3	3	1	1	6	14
READING	6	1	3	3	0	13
MBANDAKA	0	0	1	10	1	12
LITCHFIELD	0	5	1	5	0	11
BOVISMORBIFICANS	1	0	0	0	9	10
SCHWARZENGRUND	0	4	1	2	3	10
BRANDENBURG	1	2	3	3	0	9

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)

FoodNet 1997 Final Report

Table 10 - Salmonella Serotypes by Site

Cases	Site					Total
	Ca.	Ct.	Ga.	Mn.	Or.	
Serotype						
ANATUM	4	0	0	2	2	8
CHOLERAESUIS	2	2	0	4	0	8
SENFTEMBERG	5	0	0	2	1	8
PANAMA	1	0	0	4	2	7
SANDIEGO	5	1	0	1	0	7
BAREILLY	1	3	2	0	0	6
HARTFORD	1	2	2	1	0	6
SUNDSVALL	4	0	0	0	2	6
SUBSPECIES IV	0	0	0	3	3	6
BERTA	1	0	1	1	2	5
GIVE	1	0	0	2	2	5
LONDON	2	0	1	2	0	5
MANHATTAN	1	0	1	3	0	5
PARATYPHI A	2	1	0	1	1	5
WELTEVREDEN	2	2	1	0	0	5
MARINA	0	1	4	0	0	5
RUBISLAW	0	1	1	3	0	5
BLOCKLEY	1	3	0	0	0	4
OHIO	2	0	0	0	2	4
4,5,12:i:-	0	0	4	0	0	4
BREDENEY	1	1	1	0	0	3
CERRO	2	1	0	0	0	3
HAVANA	1	1	0	1	0	3
NEWBRUNSWICK	2	0	0	0	1	3
POTSDAM	3	0	0	0	0	3
SINGAPORE	2	0	1	0	0	3
VIRCHOW	0	1	0	2	0	3

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)

FoodNet 1997 Final Report

Table 10 - Salmonella Serotypes by Site

Cases	Site					Total
	Ca.	Ct.	Ga.	Mn.	Or.	
Serotype						
GLOSTRUP	0	0	2	1	0	3
IRUMU	0	0	0	2	1	3
MELEAGRIDIS	0	0	0	2	1	3
SUBSPECIES III	0	0	0	2	1	3
ADELAIDE	1	0	0	1	0	2
CHAILEY	1	1	0	0	0	2
DUBLIN	1	0	0	0	1	2
INDIANA	1	0	0	1	0	2
JOHANNESBURG	1	0	0	1	0	2
LIVINGSTONE	2	0	0	0	0	2
RISSEN	2	0	0	0	0	2
CUBANA	0	1	0	1	0	2
DURBAN	0	1	1	0	0	2
EMEK	0	1	0	1	0	2
ALBANY	0	0	1	1	0	2
KIAMBU	0	0	2	0	0	2
HVITTINGFOSS	0	0	0	1	1	2
INVERNESS	0	0	0	2	0	2
URBANA	0	0	0	0	2	2
B:--	1	0	0	0	0	1
B::-1,2	1	0	0	0	0	1
B:I:-	1	0	0	0	0	1
BARDO	1	0	0	0	0	1
KISARAWA	1	0	0	0	0	1
PERTH	1	0	0	0	0	1
PHOENIX	1	0	0	0	0	1
ROODEPOORT	1	0	0	0	0	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)

FoodNet 1997 Final Report

Table 10 - Salmonella Serotypes by Site

Cases	Site					Total
	Ca.	Ct.	Ga.	Mn.	Or.	
Serotype						
SINSTORF	1	0	0	0	0	1
ST.PAUL	1	0	0	0	0	1
TILBURG	1	0	0	0	0	1
"O" 9:"H" LV:-	0	1	0	0	0	1
"O"4 "H" I-	0	1	0	0	0	1
"O"6,8 "H" -;1,2	0	1	0	0	0	1
"O"7 "H" -,1,5	0	1	0	0	0	1
44:Z4,Z23:-	0	1	0	0	0	1
ABAETETUBA	0	1	0	0	0	1
IBADAN	0	1	0	0	0	1
LOMALINDA	0	1	0	0	0	1
MIAMI	0	1	0	0	0	1
MUENSTER	0	1	0	0	0	1
OSLO	0	1	0	0	0	1
RICHMOND	0	1	0	0	0	1
1,4,5,12	0	0	1	0	0	1
1,4,5,12:I:-	0	0	1	0	0	1
13,22:G,M,S,T:?	0	0	1	0	0	1
4,12:i:-	0	0	1	0	0	1
4,5,12:B:-SUBSPI	0	0	1	0	0	1
AARHUS	0	0	1	0	0	1
AGOUVEVE	0	0	1	0	0	1
COLINDALE	0	0	1	0	0	1
DESSAU	0	0	1	0	0	1
GAMBIA	0	0	1	0	0	1
LUCIANA	0	0	1	0	0	1
OVERSCHIE	0	0	1	0	0	1



(CONTINUED)

CDC's Emerging Infections Program (FoodNet)

FoodNet 1997 Final Report

Table 10 - Salmonella Serotypes by Site

Cases	Site					Total
	Ca.	Ct.	Ga.	Mn.	Or.	
Serotype						
WAYCROSS	0	0	1	0	0	1
ALACHUA	0	0	0	1	0	1
ARECHAULETA	0	0	0	1	0	1
ARIZONAE	0	0	0	1	0	1
AUGUSTENBORG	0	0	0	1	0	1
BANANA	0	0	0	1	0	1
CANNSTATT	0	0	0	1	0	1
EALING	0	0	0	1	0	1
ESCANABA	0	0	0	1	0	1
GAMINARA	0	0	0	1	0	1
KANIFING	0	0	0	1	0	1
KOTTBUS	0	0	0	1	0	1
MONSCHAUI	0	0	0	1	0	1
NORWICH	0	0	0	1	0	1
SEREMBAN	0	0	0	1	0	1
TRACHAU	0	0	0	1	0	1
ABONY	0	0	0	0	1	1
NONMOTILE	0	0	0	0	1	1
NOT SEROTYPED	23	12	114	27	3	179
Total	370	417	470	619	329	2205

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 11 - Percent Shigella Species by Site

		Species					Total
		BOYDII	DYSENTERIA	FLEXNERI	SONNEI	UNKNOWN	
Site							
California	Cases	5	5	130	140	13	293
	Percent	1.7	1.7	44.4	47.8	4.4	100.0
Connecticut	Cases	2	1	23	52	1	79
	Percent	2.5	1.3	29.1	65.8	1.3	100.0
Georgia	Cases	-	2	36	499	49	586
	Percent	-	0.3	6.1	85.2	8.4	100.0
Minnesota	Cases	4	2	39	92	1	138
	Percent	2.9	1.4	28.3	66.7	0.7	100.0
Oregon	Cases	4	4	57	109	3	177
	Percent	2.3	2.3	32.2	61.6	1.7	100.0
Total	Cases	15	14	285	892	67	1273
	Percent	1.2	1.1	22.4	70.1	5.3	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report

Table 12 - Source of Specimen by Pathogen for All Sites

		Source of Specimen							Total
		ABSCCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	
Pathogen									
CAMPYLOBACTER	Cases	1	33	0	0	2	1	3937	3974
	Percent	0.0	0.8	0	0	0.1	0.0	99.1	100.0
CRYPTOSPORIDIUM	Cases	0	0	0	0	9	0	459	468
	Percent	0	0	0	0	1.9	0	98.1	100.0
CYCLOSPORA	Cases	0	0	0	0	1	0	48	49
	Percent	0	0	0	0	2.0	0	98.0	100.0
E. COLI 0157	Cases	0	0	0	0	0	0	340	340
	Percent	0	0	0	0	0	0	100.0	100.0
LISTERIA	Cases	2	54	12	1	4	3	1	77
	Percent	2.6	70.1	15.6	1.3	5.2	3.9	1.3	100.0
SALMONELLA	Cases	8	135	0	5	7	9	2041	2205
	Percent	0.4	6.1	0	0.2	0.3	0.4	92.6	100.0
SHIGELLA	Cases	1	7	0	0	4	1	1260	1273
	Percent	0.1	0.5	0	0	0.3	0.1	99.0	100.0
VIBRIO	Cases	1	0	0	0	1	1	48	51
	Percent	2.0	0	0	0	2.0	2.0	94.1	100.0
YERSINIA	Cases	0	4	0	0	0	2	133	139
	Percent	0	2.9	0	0	0	1.4	95.7	100.0
Total	Cases	13	233	12	6	28	17	8267	8576
	Percent	0.2	2.7	0.1	0.1	0.3	0.2	96.4	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 12a through 12e - Source of Specimen by Pathogen by Site

Table 12a: Site = California		Source of Specimen							Total
		ABSCCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	
Pathogen									
CAMPYLOBACTER	Cases	1	10	-	-	-	-	1025	1036
	Percent	0.1	1.0	-	-	-	-	98.9	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	4	-	153	157
	Percent	-	-	-	-	2.5	-	97.5	100.0
CYCLOSPORA	Cases	-	-	-	-	1	-	15	16
	Percent	-	-	-	-	6.3	-	93.8	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	19	19
	Percent	-	-	-	-	-	-	100.0	100.0
LISTERIA	Cases	-	11	2	-	1	-	-	14
	Percent	-	78.6	14.3	-	7.1	-	-	100.0
SALMONELLA	Cases	1	40	-	1	3	1	324	370
	Percent	0.3	10.8	-	0.3	0.8	0.3	87.6	100.0
SHIGELLA	Cases	1	3	-	-	-	-	289	293
	Percent	0.3	1.0	-	-	-	-	98.6	100.0
VIBRIO	Cases	1	-	-	-	1	-	29	31
	Percent	3.2	-	-	-	3.2	-	93.5	100.0
YERSINIA	Cases	-	-	-	-	-	-	35	35
	Percent	-	-	-	-	-	-	100.0	100.0
Total	Cases	4	64	2	1	10	1	1889	1971
	Percent	0.2	3.2	0.1	0.1	0.5	0.1	95.8	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 12a through 12e - Source of Specimen by Pathogen by Site

Table 12b: Site = Connecticut		Source of Specimen							Total
		ABCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	
Pathogen									
CAMPYLOBACTER	Cases	-	6	-	-	-	-	521	527
	Percent	-	1.1	-	-	-	-	98.9	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	1	-	41	42
	Percent	-	-	-	-	2.4	-	97.6	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	29	29
	Percent	-	-	-	-	-	-	100.0	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	34	34
	Percent	-	-	-	-	-	-	100.0	100.0
LISTERIA	Cases	1	10	1	-	-	-	-	12
	Percent	8.3	83.3	8.3	-	-	-	-	100.0
SALMONELLA	Cases	3	25	-	-	-	4	385	417
	Percent	0.7	6.0	-	-	-	1.0	92.3	100.0
SHIGELLA	Cases	-	-	-	-	1	-	78	79
	Percent	-	-	-	-	1.3	-	98.7	100.0
VIBRIO	Cases	-	-	-	-	-	1	3	4
	Percent	-	-	-	-	-	25.0	75.0	100.0
YERSINIA	Cases	-	1	-	-	-	1	13	15
	Percent	-	6.7	-	-	-	6.7	86.7	100.0
Total	Cases	4	42	1	-	2	6	1104	1159
	Percent	0.3	3.6	0.1	-	0.2	0.5	95.3	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 12a through 12e - Source of Specimen by Pathogen by Site

Table 12c: Site = Georgia		Source of Specimen							Total
		ABCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	
Pathogen									
CAMPYLOBACTER	Cases	-	9	-	-	-	-	490	499
	Percent	-	1.8	-	-	-	-	98.2	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-
E. COLI 0157	Cases	-	-	-	-	-	-	8	8
	Percent	-	-	-	-	-	-	100.0	100.0
LISTERIA	Cases	-	14	2	1	-	3	-	20
	Percent	-	70.0	10.0	5.0	-	15.0	-	100.0
SALMONELLA	Cases	1	40	-	2	1	1	425	470
	Percent	0.2	8.5	-	0.4	0.2	0.2	90.4	100.0
SHIGELLA	Cases	-	2	-	-	-	1	583	586
	Percent	-	0.3	-	-	-	0.2	99.5	100.0
VIBRIO	Cases	-	-	-	-	-	-	2	2
	Percent	-	-	-	-	-	-	100.0	100.0
YERSINIA	Cases	-	3	-	-	-	-	40	43
	Percent	-	7.0	-	-	-	-	93.0	100.0
Total	Cases	1	68	2	3	1	5	1548	1628
	Percent	0.1	4.2	0.1	0.2	0.1	0.3	95.1	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 12a through 12e - Source of Specimen by Pathogen by Site

Table 12e: Site = Minnesota		Source of Specimen							Total
		ABCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	
Pathogen									
CAMPYLOBACTER	Cases	-	3	-	-	2	-	1170	1175
	Percent	-	0.3	-	-	0.2	-	99.6	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	3	-	240	243
	Percent	-	-	-	-	1.2	-	98.8	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	3	3
	Percent	-	-	-	-	-	-	100.0	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	199	199
	Percent	-	-	-	-	-	-	100.0	100.0
LISTERIA	Cases	-	13	2	-	2	-	1	18
	Percent	-	72.2	11.1	-	11.1	-	5.6	100.0
SALMONELLA	Cases	3	14	-	1	1	1	599	619
	Percent	0.5	2.3	-	0.2	0.2	0.2	96.8	100.0
SHIGELLA	Cases	-	-	-	-	1	-	137	138
	Percent	-	-	-	-	0.7	-	99.3	100.0
VIBRIO	Cases	-	-	-	-	-	-	2	2
	Percent	-	-	-	-	-	-	100.0	100.0
YERSINIA	Cases	-	-	-	-	-	-	31	31
	Percent	-	-	-	-	-	-	100.0	100.0
Total	Cases	3	30	2	1	9	1	2382	2428
	Percent	0.1	1.2	0.1	0.0	0.4	0.0	98.1	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 12a through 12e - Source of Specimen by Pathogen by Site

Table 12g: Site = Oregon		Source of Specimen							Total
		ABSCCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	
Pathogen									
CAMPYLOBACTER	Cases	-	5	-	-	-	1	731	737
	Percent	-	0.7	-	-	-	0.1	99.2	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	1	-	25	26
	Percent	-	-	-	-	3.8	-	96.2	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	1	1
	Percent	-	-	-	-	-	-	100.0	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	80	80
	Percent	-	-	-	-	-	-	100.0	100.0
LISTERIA	Cases	1	6	5	-	1	-	-	13
	Percent	7.7	46.2	38.5	-	7.7	-	-	100.0
SALMONELLA	Cases	-	16	-	1	2	2	308	329
	Percent	-	4.9	-	0.3	0.6	0.6	93.6	100.0
SHIGELLA	Cases	-	2	-	-	2	-	173	177
	Percent	-	1.1	-	-	1.1	-	97.7	100.0
VIBRIO	Cases	-	-	-	-	-	-	12	12
	Percent	-	-	-	-	-	-	100.0	100.0
YERSINIA	Cases	-	-	-	-	-	1	14	15
	Percent	-	-	-	-	-	6.7	93.3	100.0
Total	Cases	1	29	5	1	6	4	1344	1390
	Percent	0.1	2.1	0.4	0.1	0.4	0.3	96.7	100.0



CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 13 - Patient Status by Pathogen for All Sites

		Patient Status			Total
		OUTPATIENT	HOSPITALIZED	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	3443	380	151	3974
	Percent	86.6	9.6	3.8	100.0
CRYPTOSPORIDIUM	Cases	328	81	59	468
	Percent	70.1	17.3	12.6	100.0
CYCLOSPORA	Cases	46	1	2	49
	Percent	93.9	2.0	4.1	100.0
E. COLI 0157	Cases	241	97	2	340
	Percent	70.9	28.5	0.6	100.0
LISTERIA	Cases	8	68	1	77
	Percent	10.4	88.3	1.3	100.0
SALMONELLA	Cases	1675	456	74	2205
	Percent	76.0	20.7	3.4	100.0
SHIGELLA	Cases	1050	166	57	1273
	Percent	82.5	13.0	4.5	100.0
VIBRIO	Cases	45	5	1	51
	Percent	88.2	9.8	2.0	100.0
YERSINIA	Cases	117	21	1	139
	Percent	84.2	15.1	0.7	100.0
Total	Cases	6953	1275	348	8576
	Percent	81.1	14.9	4.1	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 13a through 13e - Patient Status by Pathogen by Site

Table 13a: Site = California		Patient Status			Total
		OUTPATIENT	HOSPITALIZED	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	850	79	107	1036
	Percent	82.0	7.6	10.3	100.0
CRYPTOSPORIDIUM	Cases	91	7	59	157
	Percent	58.0	4.5	37.6	100.0
CYCLOSPORA	Cases	14	-	2	16
	Percent	87.5	-	12.5	100.0
E. COLI 0157	Cases	15	4	-	19
	Percent	78.9	21.1	-	100.0
LISTERIA	Cases	1	13	-	14
	Percent	7.1	92.9	-	100.0
SALMONELLA	Cases	293	65	12	370
	Percent	79.2	17.6	3.2	100.0
SHIGELLA	Cases	254	33	6	293
	Percent	86.7	11.3	2.0	100.0
VIBRIO	Cases	29	1	1	31
	Percent	93.5	3.2	3.2	100.0
YERSINIA	Cases	30	4	1	35
	Percent	85.7	11.4	2.9	100.0
Total	Cases	1577	206	188	1971
	Percent	80.0	10.5	9.5	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 13a through 13e - Patient Status by Pathogen by Site

Table 13b: Site = Connecticut		Patient Status			Total
		OUTPATIENT	HOSPITALIZED	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	457	58	12	527
	Percent	86.7	11.0	2.3	100.0
CRYPTOSPORIDIUM	Cases	29	13	-	42
	Percent	69.0	31.0	-	100.0
CYCLOSPORA	Cases	28	1	-	29
	Percent	96.6	3.4	-	100.0
E. COLI 0157	Cases	28	6	-	34
	Percent	82.4	17.6	-	100.0
LISTERIA	Cases	2	9	1	12
	Percent	16.7	75.0	8.3	100.0
SALMONELLA	Cases	308	89	20	417
	Percent	73.9	21.3	4.8	100.0
SHIGELLA	Cases	64	14	1	79
	Percent	81.0	17.7	1.3	100.0
VIBRIO	Cases	2	2	-	4
	Percent	50.0	50.0	-	100.0
YERSINIA	Cases	11	4	-	15
	Percent	73.3	26.7	-	100.0
Total	Cases	929	196	34	1159
	Percent	80.2	16.9	2.9	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 13a through 13e - Patient Status by Pathogen by Site

Table 13c: Site = Georgia		Patient Status			Total
		OUTPATIENT	HOSPITALIZED	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	397	73	29	499
	Percent	79.6	14.6	5.8	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-
	Percent	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	2	4	2	8
	Percent	25.0	50.0	25.0	100.0
LISTERIA	Cases	2	18	-	20
	Percent	10.0	90.0	-	100.0
SALMONELLA	Cases	327	125	18	470
	Percent	69.6	26.6	3.8	100.0
SHIGELLA	Cases	469	80	37	586
	Percent	80.0	13.7	6.3	100.0
VIBRIO	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
YERSINIA	Cases	35	8	-	43
	Percent	81.4	18.6	-	100.0
Total	Cases	1234	308	86	1628
	Percent	75.8	18.9	5.3	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 13a through 13e - Patient Status by Pathogen by Site

Table 13e: Site = Minnesota		Patient Status			Total
		OUTPATIENT	HOSPITALIZED	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	1052	121	2	1175
	Percent	89.5	10.3	0.2	100.0
CRYPTOSPORIDIUM	Cases	189	54	-	243
	Percent	77.8	22.2	-	100.0
CYCLOSPORA	Cases	3	-	-	3
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	144	55	-	199
	Percent	72.4	27.6	-	100.0
LISTERIA	Cases	1	17	-	18
	Percent	5.6	94.4	-	100.0
SALMONELLA	Cases	507	112	-	619
	Percent	81.9	18.1	-	100.0
SHIGELLA	Cases	118	20	-	138
	Percent	85.5	14.5	-	100.0
VIBRIO	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
YERSINIA	Cases	27	4	-	31
	Percent	87.1	12.9	-	100.0
Total	Cases	2043	383	2	2428
	Percent	84.1	15.8	0.1	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 13a through 13e - Patient Status by Pathogen by Site

Table 13g: Site = Oregon		Patient Status			Total
		OUTPATIENT	HOSPITALIZED	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	687	49	1	737
	Percent	93.2	6.6	0.1	100.0
CRYPTOSPORIDIUM	Cases	19	7	-	26
	Percent	73.1	26.9	-	100.0
CYCLOSPORA	Cases	1	-	-	1
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	52	28	-	80
	Percent	65.0	35.0	-	100.0
LISTERIA	Cases	2	11	-	13
	Percent	15.4	84.6	-	100.0
SALMONELLA	Cases	240	65	24	329
	Percent	72.9	19.8	7.3	100.0
SHIGELLA	Cases	145	19	13	177
	Percent	81.9	10.7	7.3	100.0
VIBRIO	Cases	10	2	-	12
	Percent	83.3	16.7	-	100.0
YERSINIA	Cases	14	1	-	15
	Percent	93.3	6.7	-	100.0
Total	Cases	1170	182	38	1390
	Percent	84.2	13.1	2.7	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Table 14 - Patient Outcome by Pathogen for All Sites

		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	3079	1	894	3974
	Percent	77.5	0.0	22.5	100.0
CRYPTOSPORIDIUM	Cases	384	2	82	468
	Percent	82.1	0.4	17.5	100.0
CYCLOSPORA	Cases	41	0	8	49
	Percent	83.7	0	16.3	100.0
E. COLI 0157	Cases	331	4	5	340
	Percent	97.4	1.2	1.5	100.0
LISTERIA	Cases	60	15	2	77
	Percent	77.9	19.5	2.6	100.0
SALMONELLA	Cases	1865	13	327	2205
	Percent	84.6	0.6	14.8	100.0
SHIGELLA	Cases	1016	1	256	1273
	Percent	79.8	0.1	20.1	100.0
VIBRIO	Cases	29	0	22	51
	Percent	56.9	0	43.1	100.0
YERSINIA	Cases	115	0	24	139
	Percent	82.7	0	17.3	100.0
Total	Cases	6920	36	1620	8576
	Percent	80.7	0.4	18.9	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 14a through 14e - Patient Outcome by Pathogen by Site

Table 14a: Site = California		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	458	-	578	1036
	Percent	44.2	-	55.8	100.0
CRYPTOSPORIDIUM	Cases	74	1	82	157
	Percent	47.1	0.6	52.2	100.0
CYCLOSPORA	Cases	8	-	8	16
	Percent	50.0	-	50.0	100.0
E. COLI O157	Cases	17	1	1	19
	Percent	89.5	5.3	5.3	100.0
LISTERIA	Cases	11	3	-	14
	Percent	78.6	21.4	-	100.0
SALMONELLA	Cases	195	4	171	370
	Percent	52.7	1.1	46.2	100.0
SHIGELLA	Cases	134	-	159	293
	Percent	45.7	-	54.3	100.0
VIBRIO	Cases	9	-	22	31
	Percent	29.0	-	71.0	100.0
YERSINIA	Cases	14	-	21	35
	Percent	40.0	-	60.0	100.0
Total	Cases	920	9	1042	1971
	Percent	46.7	0.5	52.9	100.0



CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 14a through 14e - Patient Outcome by Pathogen by Site

Table 14b: Site = Connecticut		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	300	-	227	527
	Percent	56.9	-	43.1	100.0
CRYPTOSPORIDIUM	Cases	41	1	-	42
	Percent	97.6	2.4	-	100.0
CYCLOSPORA	Cases	29	-	-	29
	Percent	100.0	-	-	100.0
E. COLI O157	Cases	34	-	-	34
	Percent	100.0	-	-	100.0
LISTERIA	Cases	6	4	2	12
	Percent	50.0	33.3	16.7	100.0
SALMONELLA	Cases	307	-	110	417
	Percent	73.6	-	26.4	100.0
SHIGELLA	Cases	50	-	29	79
	Percent	63.3	-	36.7	100.0
VIBRIO	Cases	4	-	-	4
	Percent	100.0	-	-	100.0
YERSINIA	Cases	13	-	2	15
	Percent	86.7	-	13.3	100.0
Total	Cases	784	5	370	1159
	Percent	67.6	0.4	31.9	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 14a through 14e - Patient Outcome by Pathogen by Site

Table 14c: Site = Georgia		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	439	-	60	499
	Percent	88.0	-	12.0	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-
	Percent	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI O157	Cases	7	-	1	8
	Percent	87.5	-	12.5	100.0
LISTERIA	Cases	17	3	-	20
	Percent	85.0	15.0	-	100.0
SALMONELLA	Cases	436	6	28	470
	Percent	92.8	1.3	6.0	100.0
SHIGELLA	Cases	530	1	55	586
	Percent	90.4	0.2	9.4	100.0
VIBRIO	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
YERSINIA	Cases	43	-	-	43
	Percent	100.0	-	-	100.0
Total	Cases	1474	10	144	1628
	Percent	90.5	0.6	8.8	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report  
Tables 14a through 14e - Patient Outcome by Pathogen by Site

Table 14e: Site = Minnesota		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	1171	-	4	1175
	Percent	99.7	-	0.3	100.0
CRYPTOSPORIDIUM	Cases	243	-	-	243
	Percent	100.0	-	-	100.0
CYCLOSPORA	Cases	3	-	-	3
	Percent	100.0	-	-	100.0
E. COLI O157	Cases	198	1	-	199
	Percent	99.5	0.5	-	100.0
LISTERIA	Cases	14	4	-	18
	Percent	77.8	22.2	-	100.0
SALMONELLA	Cases	617	1	1	619
	Percent	99.7	0.2	0.2	100.0
SHIGELLA	Cases	138	-	-	138
	Percent	100.0	-	-	100.0
VIBRIO	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
YERSINIA	Cases	30	-	1	31
	Percent	96.8	-	3.2	100.0
Total	Cases	2416	6	6	2428
	Percent	99.5	0.2	0.2	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 14a through 14e - Patient Outcome by Pathogen by Site

Table 14g: Site = Oregon		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	711	1	25	737
	Percent	96.5	0.1	3.4	100.0
CRYPTOSPORIDIUM	Cases	26	-	-	26
	Percent	100.0	-	-	100.0
CYCLOSPORA	Cases	1	-	-	1
	Percent	100.0	-	-	100.0
E. COLI O157	Cases	75	2	3	80
	Percent	93.8	2.5	3.8	100.0
LISTERIA	Cases	12	1	-	13
	Percent	92.3	7.7	-	100.0
SALMONELLA	Cases	310	2	17	329
	Percent	94.2	0.6	5.2	100.0
SHIGELLA	Cases	164	-	13	177
	Percent	92.7	-	7.3	100.0
VIBRIO	Cases	12	-	-	12
	Percent	100.0	-	-	100.0
YERSINIA	Cases	15	-	-	15
	Percent	100.0	-	-	100.0
Total	Cases	1326	6	58	1390
	Percent	95.4	0.4	4.2	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report

Table 15 - Age Distribution for Invasive Specimens for All Sites

		Age Specific Strata								Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
Pathogen										
CAMPYLOBACTER	Cases	2	2	1	5	11	4	2	6	33
	Percent	6.1	6.1	3.0	15.2	33.3	12.1	6.1	18.2	100.0
LISTERIA	Cases	5	2	1	3	4	5	9	38	67
	Percent	7.5	3.0	1.5	4.5	6.0	7.5	13.4	56.7	100.0
SALMONELLA	Cases	15	24	8	9	27	17	5	35	140
	Percent	10.7	17.1	5.7	6.4	19.3	12.1	3.6	25.0	100.0
SHIGELLA	Cases	0	1	0	1	1	4	0	0	7
	Percent	0	14.3	0	14.3	14.3	57.1	0	0	100.0
YERSINIA	Cases	3	1	0	0	0	0	0	0	4
	Percent	75.0	25.0	0	0	0	0	0	0	100.0
Total	Cases	25	30	10	18	43	30	16	79	251
	Percent	10.0	12.0	4.0	7.2	17.1	12.0	6.4	31.5	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 15a through 15e - Age Distribution for Invasive Specimens by Site

Table 15a: Site = California		Age Specific Strata								Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
Pathogen										
CAMPYLOBACTER	Cases	1	1	-	1	3	1	-	3	10
	Percent	10.0	10.0	-	10.0	30.0	10.0	-	30.0	100.0
LISTERIA	Cases	1	-	-	-	1	-	2	9	13
	Percent	7.7	-	-	-	7.7	-	15.4	69.2	100.0
SALMONELLA	Cases	5	5	3	1	8	8	1	10	41
	Percent	12.2	12.2	7.3	2.4	19.5	19.5	2.4	24.4	100.0
SHIGELLA	Cases	-	-	-	-	1	2	-	-	3
	Percent	-	-	-	-	33.3	66.7	-	-	100.0
YERSINIA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
Total	Cases	7	6	3	2	13	11	3	22	67
	Percent	10.4	9.0	4.5	3.0	19.4	16.4	4.5	32.8	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 15a through 15e - Age Distribution for Invasive Specimens by Site

Table 15b: Site = Connecticut		Age Specific Strata								Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
Pathogen										
CAMPYLOBACTER	Cases	-	1	-	-	4	-	-	1	6
	Percent	-	16.7	-	-	66.7	-	-	16.7	100.0
LISTERIA	Cases	-	-	1	1	-	1	1	7	11
	Percent	-	-	9.1	9.1	-	9.1	9.1	63.6	100.0
SALMONELLA	Cases	1	4	-	-	5	2	-	13	25
	Percent	4.0	16.0	-	-	20.0	8.0	-	52.0	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	1	-	-	-	-	-	-	1
	Percent	-	100.0	-	-	-	-	-	-	100.0
Total	Cases	1	6	1	1	9	3	1	21	43
	Percent	2.3	14.0	2.3	2.3	20.9	7.0	2.3	48.8	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 15a through 15e - Age Distribution for Invasive Specimens by Site

Table 15c: Site = Georgia		Age Specific Strata								Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
Pathogen										
CAMPYLOBACTER	Cases	-	-	1	2	3	2	1	-	9
	Percent	-	-	11.1	22.2	33.3	22.2	11.1	-	100.0
LISTERIA	Cases	1	-	-	1	3	2	2	8	17
	Percent	5.9	-	-	5.9	17.6	11.8	11.8	47.1	100.0
SALMONELLA	Cases	5	12	4	1	11	2	2	5	42
	Percent	11.9	28.6	9.5	2.4	26.2	4.8	4.8	11.9	100.0
SHIGELLA	Cases	-	-	-	1	-	1	-	-	2
	Percent	-	-	-	50.0	-	50.0	-	-	100.0
YERSINIA	Cases	3	-	-	-	-	-	-	-	3
	Percent	100.0	-	-	-	-	-	-	-	100.0
Total	Cases	9	12	5	5	17	7	5	13	73
	Percent	12.3	16.4	6.8	6.8	23.3	9.6	6.8	17.8	100.0



CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 15a through 15e - Age Distribution for Invasive Specimens by Site

Table 15e: Site = Minnesota		Age Specific Strata								Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
Pathogen										
CAMPYLOBACTER	Cases	1	-	-	1	-	1	-	-	3
	Percent	33.3	-	-	33.3	-	33.3	-	-	100.0
LISTERIA	Cases	2	2	-	1	-	-	1	9	15
	Percent	13.3	13.3	-	6.7	-	-	6.7	60.0	100.0
SALMONELLA	Cases	3	2	1	3	1	3	-	2	15
	Percent	20.0	13.3	6.7	20.0	6.7	20.0	-	13.3	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
Total	Cases	6	4	1	5	1	4	1	11	33
	Percent	18.2	12.1	3.0	15.2	3.0	12.1	3.0	33.3	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report  
 Tables 15a through 15e - Age Distribution for Invasive Specimens by Site

Table 15g: Site = Oregon		Age Specific Strata								Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	
Pathogen										
CAMPYLOBACTER	Cases	-	-	-	1	1	-	1	2	5
	Percent	-	-	-	20.0	20.0	-	20.0	40.0	100.0
LISTERIA	Cases	1	-	-	-	-	2	3	5	11
	Percent	9.1	-	-	-	-	18.2	27.3	45.5	100.0
SALMONELLA	Cases	1	1	-	4	2	2	2	5	17
	Percent	5.9	5.9	-	23.5	11.8	11.8	11.8	29.4	100.0
SHIGELLA	Cases	-	1	-	-	-	1	-	-	2
	Percent	-	50.0	-	-	-	50.0	-	-	100.0
YERSINIA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
Total	Cases	2	2	-	5	3	5	6	12	35
	Percent	5.7	5.7	-	14.3	8.6	14.3	17.1	34.3	100.0

CDC's Emerging Infections Program (FoodNet)  
FoodNet 1997 Final Report

Table 16 - Sex Distribution for Invasive Specimens for All Sites

		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	11	22	33
	Percent	33.3	66.7	100.0
LISTERIA	Cases	32	35	67
	Percent	47.8	52.2	100.0
SALMONELLA	Cases	57	83	140
	Percent	40.7	59.3	100.0
SHIGELLA	Cases	2	5	7
	Percent	28.6	71.4	100.0
YERSINIA	Cases	4	0	4
	Percent	100.0	0	100.0
Total	Cases	106	145	251
	Percent	42.2	57.8	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 16a through 16e - Sex Distribution for Invasive Specimens by Site

Table 16a: Site = California		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	4	6	10
	Percent	40.0	60.0	100.0
LISTERIA	Cases	9	4	13
	Percent	69.2	30.8	100.0
SALMONELLA	Cases	14	27	41
	Percent	34.1	65.9	100.0
SHIGELLA	Cases	-	3	3
	Percent	-	100.0	100.0
YERSINIA	Cases	-	-	-
	Percent	-	-	-
Total	Cases	27	40	67
	Percent	40.3	59.7	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 16a through 16e - Sex Distribution for Invasive Specimens by Site

Table 16b: Site = Connecticut		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	4	2	6
	Percent	66.7	33.3	100.0
LISTERIA	Cases	5	6	11
	Percent	45.5	54.5	100.0
SALMONELLA	Cases	13	12	25
	Percent	52.0	48.0	100.0
SHIGELLA	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	1	-	1
	Percent	100.0	-	100.0
Total	Cases	23	20	43
	Percent	53.5	46.5	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 16a through 16e - Sex Distribution for Invasive Specimens by Site

Table 16c: Site = Georgia		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	1	8	9
	Percent	11.1	88.9	100.0
LISTERIA	Cases	7	10	17
	Percent	41.2	58.8	100.0
SALMONELLA	Cases	21	21	42
	Percent	50.0	50.0	100.0
SHIGELLA	Cases	1	1	2
	Percent	50.0	50.0	100.0
YERSINIA	Cases	3	-	3
	Percent	100.0	-	100.0
Total	Cases	33	40	73
	Percent	45.2	54.8	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 16a through 16e - Sex Distribution for Invasive Specimens by Site

Table 16e: Site = Minnesota		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	1	2	3
	Percent	33.3	66.7	100.0
LISTERIA	Cases	5	10	15
	Percent	33.3	66.7	100.0
SALMONELLA	Cases	2	13	15
	Percent	13.3	86.7	100.0
SHIGELLA	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	-	-	-
	Percent	-	-	-
Total	Cases	8	25	33
	Percent	24.2	75.8	100.0

CDC's Emerging Infections Program (FoodNet)  
 FoodNet 1997 Final Report

Tables 16a through 16e - Sex Distribution for Invasive Specimens by Site

Table 16g: Site = Oregon		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	1	4	5
	Percent	20.0	80.0	100.0
LISTERIA	Cases	6	5	11
	Percent	54.5	45.5	100.0
SALMONELLA	Cases	7	10	17
	Percent	41.2	58.8	100.0
SHIGELLA	Cases	1	1	2
	Percent	50.0	50.0	100.0
YERSINIA	Cases	-	-	-
	Percent	-	-	-
Total	Cases	15	20	35
	Percent	42.9	57.1	100.0




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CAMPYLOBACTER




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CRYPTOSPORIDIUM




SITE    ◆◆ California    □□ Connecticut    ○○ Georgia    ★★ Minnesota    ▲▲ Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CYCLOSPORA




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = E. COLI O157




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = LISTERIA




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = ENTERITIDIS




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = TYPHIMURIUM



SITE    California    Connecticut    Georgia    Minnesota    Oregon




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = HEIDELBERG




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = NEWPORT




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = MONTEVIDEO




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = AGONA




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = SONNEI




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = FLEXNERI




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = DYSENTERIA



SITE    California    Connecticut    Georgia    Minnesota    Oregon




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = VIBRIO




SITE    California    Connecticut    Georgia    Minnesota    Oregon

# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = YERSINIA



SITE    California    Connecticut    Georgia    Minnesota    Oregon


# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = CAMPYLOBACTER




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = CRYPTOSPORIDIUM




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = CYCLOSPORA




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = E. COLI O157




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = LISTERIA




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = SALMONELLA






# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = SHIGELLA




# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = VIBRIO



# CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 1997 Final Report

Pathogen = YERSINIA

