

Table R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1995

Part of body	Part of body code ²	Private industry	Cases involving					
			1 day		2 days		3 to 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		2,040,929	345,437	16.9	272,852	13.4	427,013	20.9
Head	0	140,898	55,552	39.4	28,581	20.3	29,216	20.7
Head, unspecified	00	21,545	6,410	29.8	4,311	20.0	4,623	21.5
Cranial region, including skull	01	14,273	3,668	25.7	2,200	15.4	3,094	21.7
Cranial region, unspecified	010	385	120	31.1	84	21.8	60	15.5
Brain	011	8,159	1,554	19.0	1,386	17.0	2,093	25.6
Scalp	012	4,830	1,793	37.1	654	13.5	868	18.0
Skull	013	741	168	22.8	51	6.9	58	7.8
Multiple cranial region locations	018	74	6	8.4	15	19.6	10	13.1
Cranial region, n.e.c.	019	83	27	32.4	12	14.1	6	7.8
Ear(s)	02	2,366	479	20.2	333	14.1	789	33.4
Face	03	101,274	44,654	44.1	21,437	21.2	20,406	20.1
Face, unspecified	030	4,640	1,258	27.1	758	16.3	1,059	22.8
Forehead	031	5,562	2,485	44.7	898	16.1	1,102	19.8
Eye(s)	032	77,056	36,950	48.0	17,192	22.3	15,173	19.7
Nose, nasal cavity	033	4,127	915	22.2	671	16.3	849	20.6
Nose, except internal location of diseases or disorders	0330	3,719	869	23.4	649	17.5	597	16.0
Internal nasal location, unspecified	0331	31	15	49.1	6	18.7	1	4.5
Nasal passages	0333	47	2	3.1	-	-	23	48.1
Sinuses	0334	324	27	8.3	14	4.5	228	70.5
Cheek(s)	034	1,328	252	18.9	542	40.8	210	15.8
Jaw/chin	035	1,790	415	23.2	217	12.1	657	36.7
Mouth	036	3,575	1,589	44.4	657	18.4	636	17.8
Mouth, unspecified	0360	686	218	31.8	119	17.4	143	20.9
Lip(s)	0361	1,047	462	44.1	229	21.8	226	21.5
Tongue	0362	60	55	91.8	2	3.9	3	4.4
Tooth(teeth)	0363	1,482	745	50.2	274	18.5	235	15.9
Multiple mouth locations	0368	214	57	26.8	32	14.8	27	12.5
Mouth, n.e.c.	0369	86	52	60.2	1	1.5	2	2.7
Multiple face locations	038	2,700	701	26.0	365	13.5	635	23.5
Face, n.e.c.	039	496	90	18.1	137	27.5	85	17.1
Multiple head locations	08	1,273	280	22.0	292	22.9	282	22.2
Head, n.e.c.	09	168	62	37.0	7	4.4	21	12.4
Neck, including throat	1	38,186	6,686	17.5	5,317	13.9	7,914	20.7
Neck, except internal location of diseases or disorders	10	37,892	6,560	17.3	5,286	14.0	7,864	20.8
Internal neck location, unspecified	11	132	72	54.8	27	20.3	14	10.9
Vocal cord(s)	12	57	17	29.2	-	-	20	35.4
Larynx	13	52	-	-	-	-	13	25.4
Trunk	2	776,617	100,219	12.9	100,589	13.0	169,740	21.9
Trunk, unspecified	20	3,469	505	14.6	433	12.5	850	24.5
Shoulder, including clavicle, scapula	21	100,792	13,029	12.9	12,213	12.1	18,911	18.8
Chest, including ribs, internal organs	22	37,612	7,106	18.9	4,685	12.5	8,538	22.7
Chest, except internal location of diseases or disorders	220	33,352	6,340	19.0	4,424	13.3	7,800	23.4
Internal chest location, unspecified	221	403	179	44.4	19	4.6	118	29.3
Heart	223	1,173	22	1.9	13	1.1	27	2.3
Bronchus	224	431	106	24.7	33	7.6	99	22.9
Lung(s), pleura	225	2,107	351	16.7	188	8.9	468	22.2
Multiple internal chest locations	228	17	7	43.6	-	-	6	37.5
Internal chest location, n.e.c.	229	100	85	84.4	7	7.3	6	6.5
Back, including spine, spinal cord	23	540,047	69,388	12.8	73,418	13.6	126,568	23.4
Back, including spine, spinal cord, unspecified	230	263,065	33,786	12.8	35,751	13.6	60,642	23.1
Lumbar region	231	232,728	28,915	12.4	31,248	13.4	55,205	23.7
Thoracic region	232	18,000	3,329	18.5	2,796	15.5	4,406	24.5
Sacral region	233	3,360	452	13.5	632	18.8	790	23.5
Coccygeal region	234	3,716	580	15.6	478	12.8	631	17.0
Multiple back regions	238	18,198	2,222	12.2	2,369	13.0	4,673	25.7
Back, including spine, spinal cord, n.e.c.	239	980	104	10.6	146	14.9	220	22.5
Abdomen	24	43,597	2,797	6.4	2,898	6.6	4,696	10.8
Abdomen, except internal location of diseases or disorders	240	11,704	2,008	17.2	1,825	15.6	2,360	20.2
Internal abdominal location, unspecified	241	14,476	258	1.8	609	4.2	931	6.4
Stomach organ	242	1,441	136	9.5	94	6.5	325	22.5
Spleen	243	17	-	-	-	-	-	-
Urinary organs	244	52	2	3.0	-	-	29	56.2

See footnotes at end of table.

Table R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1995 — Continued

Part of body	Cases involving								Median days away from work
	6 to 10 days		11 to 20 days		21 to 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	273,638	13.4	230,008	11.3	127,019	6.2	364,961	17.9	5
Head	11,472	8.1	6,627	4.7	2,403	1.7	7,047	5.0	2
Head, unspecified	2,206	10.2	1,461	6.8	770	3.6	1,764	8.2	3
Cranial region, including skull	1,572	11.0	950	6.7	371	2.6	2,416	16.9	4
Cranial region, unspecified	13	3.4	86	22.4	3	0.9	18	4.8	2
Brain	984	12.1	499	6.1	231	2.8	1,413	17.3	4
Scalp	474	9.8	308	6.4	57	1.2	678	14.0	2
Skull	87	11.8	31	4.2	77	10.4	268	36.1	13
Multiple cranial region locations	11	14.9	1	1.9	2	3.1	29	39.1	8
Cranial region, n.e.c.	2	2.8	25	30.2	—	—	11	12.7	5
Ear(s)	406	17.2	157	6.6	89	3.7	112	4.7	3
Face	7,119	7.0	3,957	3.9	1,113	1.1	2,587	2.6	2
Face, unspecified	951	20.5	282	6.1	125	2.7	207	4.5	3
Forehead	446	8.0	202	3.6	126	2.3	304	5.5	2
Eye(s)	3,937	5.1	2,031	2.6	462	0.6	1,312	1.7	2
Nose, nasal cavity	689	16.7	620	15.0	164	4.0	217	5.3	5
Nose, except internal location of diseases or disorders	644	17.3	612	16.5	163	4.4	186	5.0	4
Internal nasal location, unspecified	7	23.8	—	—	1	3.9	—	—	2
Nasal passages	19	39.9	4	8.8	—	—	—	—	4
Sinuses	20	6.0	3	0.9	—	—	32	9.8	5
Cheek(s)	165	12.4	40	3.1	63	4.7	56	4.2	2
Jaw/chin	135	7.6	174	9.7	31	1.7	161	9.0	4
Mouth	377	10.5	158	4.4	59	1.7	99	2.8	2
Mouth, unspecified	153	22.2	20	3.0	8	1.2	24	3.5	3
Lip(s)	97	9.3	26	2.4	2	0.1	7	0.7	2
Tongue	—	—	—	—	—	—	—	—	1
Tooth(teeth)	90	6.0	104	7.0	15	1.0	19	1.3	1
Multiple mouth locations	16	7.3	9	4.0	34	16.1	40	18.5	4
Mouth, n.e.c.	22	25.5	—	—	—	—	9	10.1	1
Multiple face locations	392	14.5	338	12.5	78	2.9	191	7.1	4
Face, n.e.c.	28	5.6	111	22.3	5	1.1	41	8.3	3
Multiple head locations	152	12.0	84	6.6	55	4.3	128	10.1	3
Head, n.e.c.	16	9.5	17	10.1	5	3.0	40	23.7	4
Neck, including throat	4,927	12.9	3,863	10.1	1,952	5.1	7,528	19.7	5
Neck, except internal location of diseases or disorders	4,909	13.0	3,818	10.1	1,948	5.1	7,506	19.8	5
Internal neck location, unspecified	2	1.6	5	3.5	3	2.5	8	6.3	1
Vocal cord(s)	12	21.9	—	—	—	—	8	13.5	5
Larynx	—	—	39	74.6	—	—	—	—	16
Trunk	113,410	14.6	93,657	12.1	50,394	6.5	148,608	19.1	6
Trunk, unspecified	675	19.5	364	10.5	188	5.4	454	13.1	5
Shoulder, including clavicle, scapula	12,555	12.5	11,277	11.2	7,229	7.2	25,579	25.4	8
Chest, including ribs, internal organs	6,132	16.3	4,266	11.3	2,457	6.5	4,428	11.8	5
Chest, except internal location of diseases or disorders	5,655	17.0	3,805	11.4	2,034	6.1	3,294	9.9	4
Internal chest location, unspecified	25	6.2	40	9.8	4	1.0	19	4.7	3
Heart	156	13.3	71	6.1	187	15.9	696	59.3	40
Bronchus	36	8.4	72	16.6	10	2.3	75	17.4	4
Lung(s), pleura	257	12.2	278	13.2	222	10.6	343	16.3	6
Multiple internal chest locations	3	18.8	—	—	—	—	—	—	3
Internal chest location, n.e.c.	—	—	—	—	—	—	2	1.8	1
Back, including spine, spinal cord	81,824	15.2	62,770	11.6	30,294	5.6	95,785	17.7	6
Back, including spine, spinal cord, unspecified	39,643	15.1	30,040	11.4	14,656	5.6	48,547	18.5	6
Lumbar region	35,535	15.3	28,132	12.1	13,183	5.7	40,510	17.4	6
Thoracic region	2,880	16.0	1,526	8.5	921	5.1	2,144	11.9	4
Sacral region	568	16.9	387	11.5	108	3.2	422	12.6	4
Coccygeal region	468	12.6	503	13.5	499	13.4	558	15.0	7
Multiple back regions	2,554	14.0	2,125	11.7	886	4.9	3,368	18.5	5
Back, including spine, spinal cord, n.e.c.	176	18.0	57	5.8	42	4.3	235	24.0	6
Abdomen	4,689	10.8	9,108	20.9	7,131	16.4	12,278	28.2	18
Abdomen, except internal location of diseases or disorders	1,600	13.7	1,284	11.0	890	7.6	1,737	14.8	5
Internal abdominal location, unspecified	1,309	9.0	3,291	22.7	2,702	18.7	5,375	37.1	24
Stomach organ	120	8.3	380	26.4	209	14.5	176	12.2	14
Spleen	—	—	—	—	—	—	17	100.0	55
Urinary organs	2	4.1	9	16.5	—	—	10	20.2	3

See footnotes at end of table.

Table R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1995 — Continued

Part of body	Part of body code ²	Private industry	Cases involving					
			1 day		2 days		3 to 5 days	
			Number	Percent	Number	Percent	Number	Percent
Bladder	2441	31	2	5.0	—	—	29	95.0
Intestines, peritoneum	245	15,519	378	2.4	351	2.3	1,004	6.5
Intestines, peritoneum, unspecified	2450	13,052	350	2.7	177	1.4	796	6.1
Peritoneum	2451	893	11	1.2	11	1.2	46	5.2
Small intestine	2452	140	—	—	—	—	12	8.6
Large intestine/colon, rectum	2453	800	8	1.0	142	17.8	82	10.2
Intestines, n.e.c.	2459	635	9	1.4	20	3.1	68	10.8
Other digestive structures	246	150	—	—	1	1.0	43	28.6
Liver	2461	144	—	—	—	—	43	29.9
Multiple internal abdominal locations	248	34	14	41.8	17	48.8	2	4.4
Internal abdominal location, n.e.c.	249	203	—	—	1	0.6	3	1.3
Pelvic region	25	36,670	5,477	14.9	4,782	13.0	7,277	19.8
Pelvic region, unspecified	250	1,102	154	14.0	81	7.3	138	12.5
Hip(s)	251	13,054	1,890	14.5	1,634	12.5	2,285	17.5
Pelvis	252	1,020	112	10.9	36	3.5	66	6.5
Buttock(s)	253	2,136	509	23.8	294	13.8	608	28.5
Groin	254	17,621	2,608	14.8	2,395	13.6	3,847	21.8
External reproductive tract structures	255	760	119	15.6	114	15.0	182	23.9
External reproductive tract structures, unspecified	2550	67	11	16.3	9	13.9	10	14.9
Scrotum	2551	581	94	16.1	86	14.8	150	25.8
Penis	2552	82	13	16.0	12	15.0	22	26.8
External female genital region	2553	19	1	7.3	—	—	—	—
Internal reproductive tract structures	256	247	13	5.1	162	65.8	15	6.1
Testis(testes)	2562	211	13	6.0	161	76.3	8	3.9
Multiple pelvic region locations	258	540	28	5.2	47	8.8	108	20.0
Pelvic region, n.e.c.	259	190	46	24.1	18	9.5	27	14.2
Multiple trunk locations	28	13,974	1,812	13.0	2,106	15.1	2,841	20.3
Trunk, n.e.c.	29	455	105	23.1	54	11.9	60	13.2
Upper extremities	3	466,522	85,620	18.4	59,031	12.7	90,922	19.5
Upper extremities, unspecified	30	460	100	21.6	29	6.4	94	20.5
Arm(s)	31	86,667	14,562	16.8	9,923	11.5	17,584	20.3
Arm(s), unspecified	310	30,451	5,767	18.9	3,354	11.0	6,376	20.9
Upper arm(s)	311	4,451	668	15.0	413	9.3	839	18.8
Elbow(s)	312	31,845	4,142	13.0	3,335	10.5	5,783	18.2
Forearm(s)	313	15,154	3,533	23.3	2,247	14.8	3,680	24.3
Multiple arm(s) locations	318	2,834	290	10.2	374	13.2	614	21.7
Arm(s), n.e.c.	319	1,932	161	8.3	199	10.3	293	15.1
Wrist(s)	32	97,367	9,984	10.3	9,192	9.4	15,618	16.0
Hand(s), except finger(s)	33	82,590	19,143	23.2	11,615	14.1	17,010	20.6
Finger(s), fingernail(s)	34	176,909	38,700	21.9	25,800	14.6	36,139	20.4
Multiple upper extremities locations	38	22,391	3,102	13.9	2,442	10.9	4,451	19.9
Multiple upper extremities locations, unspecified	380	412	74	18.1	47	11.3	100	24.3
Hand(s) and finger(s)	381	5,632	757	13.4	835	14.8	1,166	20.7
Hand(s) and wrist(s)	382	4,672	741	15.9	496	10.6	915	19.6
Hand(s) and arm(s)	383	3,702	529	14.3	217	5.9	786	21.2
Multiple upper extremities locations, n.e.c.	389	7,973	1,000	12.5	847	10.6	1,484	18.6
Upper extremities, n.e.c.	39	139	30	21.5	29	21.1	26	18.5
Lower extremities	4	404,743	62,088	15.3	52,637	13.0	87,688	21.7
Lower extremities, unspecified	40	579	88	15.1	75	13.0	102	17.6
Leg(s)	41	194,484	25,397	13.1	21,878	11.2	39,687	20.4
Leg(s), unspecified	410	28,557	4,428	15.5	3,663	12.8	6,188	21.7
Thigh(s)	411	7,591	1,575	20.7	1,136	15.0	1,888	24.9
Knee(s)	412	138,058	16,407	11.9	14,589	10.6	26,781	19.4
Lower leg(s)	413	13,218	1,986	15.0	1,571	11.9	2,733	20.7
Multiple leg(s) locations	418	2,797	451	16.1	335	12.0	578	20.6
Leg(s), n.e.c.	419	4,263	550	12.9	584	13.7	1,519	35.6
Ankle(s)	42	94,941	14,688	15.5	14,110	14.9	22,270	23.5
Foot(feet), except toe(s)	43	75,120	13,807	18.4	11,103	14.8	17,444	23.2
Foot(feet), except toe(s), unspecified	430	65,439	12,194	18.6	10,063	15.4	15,697	24.0
Instep(s)	431	596	187	31.4	114	19.1	94	15.8
Sole	432	6,336	1,023	16.2	657	10.4	1,282	20.2
Sole(s), unspecified	4320	715	232	32.5	90	12.6	163	22.8
Ball(s)	4321	209	58	27.7	20	9.8	41	19.8
Arch(es)	4322	194	26	13.4	34	17.8	116	59.4
Heel(s)	4323	5,174	699	13.5	499	9.7	950	18.4
Multiple sole(s) locations	4328	14	—	—	2	11.1	11	80.1
Sole(s), n.e.c.	4329	30	8	28.2	11	35.3	—	—

See footnotes at end of table.

Table R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1995 — Continued

Part of body	Cases involving								Median days away from work
	6 to 10 days		11 to 20 days		21 to 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Bladder	—	—	—	—	—	—	—	—	3
Intestines, peritoneum	1,612	10.4	4,068	26.2	3,301	21.3	4,805	31.0	22
Intestines, peritoneum, unspecified	1,216	9.3	3,521	27.0	2,859	21.9	4,132	31.7	22
Peritoneum	120	13.5	154	17.2	186	20.8	365	40.8	27
Small intestine	7	4.9	65	46.6	4	3.2	52	36.8	19
Large intestine/colon, rectum	106	13.2	169	21.2	180	22.5	113	14.1	17
Intestines, n.e.c.	163	25.7	159	25.0	72	11.3	144	22.6	15
Other digestive structures	5	3.6	9	5.7	15	9.7	77	51.5	34
Liver	3	1.8	9	6.0	12	8.7	77	53.7	34
Multiple internal abdominal locations	—	—	2	5.0	—	—	—	—	2
Internal abdominal location, n.e.c.	40	19.5	65	32.0	14	7.1	80	39.5	18
Pelvic region	5,116	14.0	4,108	11.2	2,498	6.8	7,412	20.2	6
Pelvic region, unspecified	97	8.8	40	3.7	84	7.7	506	46.0	23
Hip(s)	1,864	14.3	1,534	11.8	586	4.5	3,262	25.0	7
Pelvis	181	17.7	48	4.7	116	11.3	462	45.3	21
Buttock(s)	284	13.3	134	6.3	54	2.6	253	11.8	3
Groin	2,389	13.6	2,183	12.4	1,512	8.6	2,688	15.3	5
External reproductive tract structures	142	18.7	118	15.5	41	5.3	44	5.8	5
External reproductive tract structures, unspecified	8	12.1	5	7.5	6	9.0	18	26.2	7
Scrotum	87	15.0	111	19.1	33	5.7	20	3.5	5
Penis	28	34.5	—	—	—	—	6	7.7	4
External female genital region	16	83.7	—	—	2	9.0	—	—	10
Internal reproductive tract structures	12	5.0	12	4.9	17	7.0	15	6.1	2
Testis(testes)	10	4.8	4	1.8	12	5.6	3	1.6	2
Multiple pelvic region locations	118	21.8	30	5.6	85	15.8	123	22.8	10
Pelvic region, n.e.c.	30	15.8	8	4.3	2	0.9	59	31.1	6
Multiple trunk locations	2,316	16.6	1,701	12.2	581	4.2	2,616	18.7	6
Trunk, n.e.c.	102	22.3	64	14.0	15	3.4	55	12.0	6
Upper extremities	64,105	13.7	53,075	11.4	31,017	6.6	82,753	17.7	5
Upper extremities, unspecified	60	13.1	40	8.7	22	4.9	114	24.8	7
Arm(s)	11,643	13.4	10,638	12.3	4,694	5.4	17,624	20.3	6
Arm(s), unspecified	3,937	12.9	3,404	11.2	1,513	5.0	6,100	20.0	5
Upper arm(s)	677	15.2	538	12.1	230	5.2	1,086	24.4	8
Elbow(s)	4,644	14.6	4,802	15.1	2,130	6.7	7,009	22.0	8
Forearm(s)	1,743	11.5	1,339	8.8	567	3.7	2,045	13.5	4
Multiple arm(s) locations	333	11.8	366	12.9	114	4.0	743	26.2	7
Arm(s), n.e.c.	309	16.0	189	9.8	140	7.2	642	33.2	11
Wrist(s)	12,401	12.7	11,405	11.7	9,373	9.6	29,394	30.2	12
Hand(s), except finger(s)	11,338	13.7	8,739	10.6	4,745	5.7	9,999	12.1	4
Finger(s), fingernail(s)	25,380	14.3	19,511	11.0	10,643	6.0	20,736	11.7	4
Multiple upper extremities locations	3,277	14.6	2,740	12.2	1,537	6.9	4,842	21.6	7
Multiple upper extremities locations, unspecified	28	6.8	47	11.4	13	3.1	103	25.0	5
Hand(s) and finger(s)	945	16.8	597	10.6	294	5.2	1,038	18.4	6
Hand(s) and wrist(s)	676	14.5	581	12.4	280	6.0	983	21.0	6
Hand(s) and arm(s)	434	11.7	610	16.5	382	10.3	745	20.1	8
Multiple upper extremities locations, n.e.c.	1,194	15.0	906	11.4	568	7.1	1,973	24.7	9
Upper extremities, n.e.c.	6	4.4	1	0.9	3	2.5	43	31.1	3
Lower extremities	52,400	12.9	48,854	12.1	28,466	7.0	72,609	17.9	5
Lower extremities, unspecified	157	27.1	78	13.5	24	4.2	55	9.5	7
Leg(s)	25,988	13.4	23,835	12.3	15,506	8.0	42,194	21.7	7
Leg(s), unspecified	3,670	12.9	3,240	11.3	2,031	7.1	5,336	18.7	5
Thigh(s)	941	12.4	784	10.3	422	5.6	845	11.1	4
Knee(s)	18,651	13.5	17,223	12.5	11,873	8.6	32,534	23.6	8
Lower leg(s)	2,039	15.4	1,773	13.4	718	5.4	2,397	18.1	6
Multiple leg(s) locations	304	10.9	359	12.8	184	6.6	587	21.0	6
Leg(s), n.e.c.	382	9.0	456	10.7	278	6.5	494	11.6	5
Ankle(s)	11,889	12.5	12,073	12.7	5,789	6.1	14,123	14.9	5
Foot(feet), except toe(s)	8,841	11.8	8,080	10.8	5,009	6.7	10,836	14.4	5
Foot(feet), except toe(s), unspecified	7,515	11.5	7,078	10.8	4,261	6.5	8,632	13.2	4
Instep(s)	22	3.7	54	9.0	8	1.4	117	19.6	2
Sole	881	13.9	652	10.3	316	5.0	1,525	24.1	6
Sole(s), unspecified	70	9.8	65	9.1	34	4.7	60	8.5	4
Ball(s)	43	20.6	—	—	2	1.1	44	21.1	5
Arch(es)	2	0.9	5	2.7	6	3.1	5	2.7	5
Heel(s)	766	14.8	582	11.2	269	5.2	1,408	27.2	8
Multiple sole(s) locations	—	—	—	—	—	—	1	8.8	4
Sole(s), n.e.c.	—	—	—	—	5	15.8	6	20.7	2

See footnotes at end of table.

Table R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1995 — Continued

Part of body	Part of body code ²	Private industry	Cases involving					
			1 day		2 days		3 to 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple foot(feet) locations	438	548	88	16.1	82	15.0	69	12.5
Foot(feet), n.e.c.	439	2,201	314	14.3	188	8.5	302	13.7
Toe(s), toenail(s)	44	24,835	4,938	19.9	3,770	15.2	5,516	22.2
Multiple lower extremities locations	48	14,684	3,163	21.5	1,692	11.5	2,650	18.0
Multiple lower extremities locations, unspecified	480	264	44	16.8	6	2.3	34	12.9
Foot(feet) and leg(s)	481	1,475	360	24.4	175	11.9	122	8.3
Foot(feet) and ankle(s)	482	4,932	1,428	29.0	556	11.3	920	18.7
Foot(feet) and toe(s)	483	2,443	696	28.5	284	11.6	430	17.6
Multiple lower extremities locations, n.e.c.	489	5,570	634	11.4	670	12.0	1,144	20.5
Lower extremities, n.e.c.	49	101	8	7.7	9	8.8	20	19.7
Body systems	5	31,540	8,872	28.1	5,268	16.7	5,801	18.4
Multiple body parts	8	159,874	22,168	13.9	18,204	11.4	30,693	19.2
Other body parts	9	295	14	4.7	10	3.3	212	71.7
Prosthetic devices	91	32	-	-	-	-	-	-
Other body parts, n.e.c.	98	262	14	5.3	10	3.7	212	80.6
Nonclassifiable	9999	22,254	4,219	19.0	3,215	14.4	4,828	21.7

See footnotes at end of table.

Table R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 1995 — Continued

Part of body	Cases involving								Median days away from work
	6 to 10 days		11 to 20 days		21 to 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple foot(feet) locations	119	21.8	50	9.2	46	8.4	94	17.1	7
Foot(foot), n.e.c.	304	13.8	247	11.2	378	17.2	468	21.3	10
Toe(s), toenail(s)	3,419	13.8	3,423	13.8	1,338	5.4	2,431	9.8	4
Multiple lower extremities locations	2,096	14.3	1,335	9.1	792	5.4	2,956	20.1	5
Multiple lower extremities locations, unspecified	22	8.4	42	15.7	10	3.9	106	40.0	17
Foot(foot) and leg(s)	339	23.0	180	12.2	123	8.3	175	11.9	6
Foot(foot) and ankle(s)	515	10.4	385	7.8	209	4.2	917	18.6	4
Foot(foot) and toe(s)	250	10.2	99	4.1	152	6.2	532	21.8	5
Multiple lower extremities locations, n.e.c.	970	17.4	629	11.3	298	5.4	1,225	22.0	6
Lower extremities, n.e.c.	10	9.8	30	30.3	9	8.7	15	15.0	14
Body systems	2,974	9.4	3,008	9.5	1,146	3.6	4,471	14.2	3
Multiple body parts	20,770	13.0	18,789	11.8	10,511	6.6	38,739	24.2	7
Other body parts	19	6.3	6	1.9	4	1.3	32	10.7	5
Prosthetic devices	1	3.0	—	—	—	—	32	97.0	49
Other body parts, n.e.c.	18	6.8	6	2.1	4	1.5	—	—	5
Nonclassifiable	3,561	16.0	2,129	9.6	1,127	5.1	3,175	14.3	5

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Because of rounding, data may not sum to totals and percentages may not add to 100.
n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor