

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Total		1,234,680	503,530	95,830	118,870	107,770	17,150	6,360	8,450
Head	0	81,090	160	3,460	13,780	11,700	1,200	3,660	—
Head, unspecified	00	15,640	40	230	3,240	5,570	—	—	—
Cranial region, including skull	01	10,680	—	230	1,930	910	—	—	—
Cranial region, unspecified	010	310	—	—	80	120	—	—	—
Brain	011	6,980	—	—	—	—	—	—	—
Scalp	012	2,680	—	—	1,820	560	—	—	—
Skull	013	490	—	230	—	100	—	—	—
Multiple cranial region locations	018	70	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	160	—	—	30	110	—	—	—
Ear(s)	02	1,340	—	—	390	150	40	—	—
Face	03	51,990	110	3,000	7,900	4,850	1,080	3,640	—
Face, unspecified	030	3,870	—	240	1,050	870	610	260	—
Forehead	031	3,540	—	20	2,000	870	20	—	—
Eye(s)	032	34,740	90	—	2,250	1,890	320	3,030	—
Nose, nasal cavity	033	2,490	—	1,140	470	290	50	120	—
Nose, except internal location of diseases or disorders	0330	2,430	—	1,140	470	290	50	120	—
Cheek(s)	034	1,010	—	100	450	250	—	—	—
Jaw/chin	035	1,260	—	230	410	150	—	—	—
Mouth	036	2,230	—	1,020	640	80	—	—	—
Mouth, unspecified	0360	320	—	20	160	—	—	—	—
Lip(s)	0361	500	—	—	320	30	—	—	—
Tongue	0362	120	—	—	120	—	—	—	—
Tooth(teeth)	0363	1,080	—	1,000	—	—	—	—	—
Multiple mouth locations	0368	160	—	—	—	—	—	—	—
Mouth, n.e.c.	0369	40	—	—	20	—	—	—	—
Multiple face locations	038	2,580	—	200	490	410	60	210	—
Face, n.e.c.	039	270	—	40	140	30	—	—	—
Multiple head locations	08	1,270	—	—	210	190	50	—	—
Head, n.e.c.	09	170	—	—	110	30	—	—	—
Neck, including throat	1	18,470	13,730	450	170	440	30	20	—
Neck, except internal location of diseases or disorders	10	18,410	13,730	450	170	440	30	20	—
Internal neck location, unspecified	11	40	—	—	—	—	—	—	—
Internal neck location, n.e.c.	19	20	—	—	—	—	—	—	—
Trunk	2	428,500	290,330	11,920	1,140	21,320	340	230	—
Trunk, unspecified	20	2,650	690	290	30	910	—	—	—
Shoulder, including clavicle, scapula	21	77,800	54,260	2,490	160	3,410	30	40	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total	16,460	5,720	50,090	9,770	21,240	100,800	35,650	203,660
Head	—	—	2,840	500	80	3,660	—	40,630
Head, unspecified	—	—	350	40	50	1,800	—	4,390
Cranial region, including skull	—	—	130	30	—	70	—	7,390
Cranial region, unspecified	—	—	—	—	—	—	—	100
Brain	—	—	—	—	—	—	—	6,970
Scalp	—	—	80	—	—	—	—	190
Skull	—	—	—	—	—	50	—	100
Multiple cranial region locations	—	—	50	30	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	20
Ear(s)	—	—	—	—	—	60	—	690
Face	—	—	1,670	400	20	1,700	—	28,050
Face, unspecified	—	—	250	90	—	100	—	470
Forehead	—	—	220	—	—	130	—	270
Eye(s)	—	—	300	—	—	800	—	26,060
Nose, nasal cavity	—	—	20	20	—	140	—	250
Nose, except internal location of diseases or disorders	—	—	20	20	—	140	—	190
Cheek(s)	—	—	40	—	—	—	—	130
Jaw/chin	—	—	—	—	—	250	—	200
Mouth	—	—	90	30	—	80	—	320
Mouth, unspecified	—	—	—	—	—	40	—	50
Lip(s)	—	—	—	—	—	—	—	120
Tongue	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	80
Multiple mouth locations	—	—	90	30	—	—	—	60
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	—	—	700	210	—	180	—	320
Face, n.e.c.	—	—	20	—	—	—	—	20
Multiple head locations	—	—	670	20	—	30	—	110
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	—	180	—	150	1,520	—	1,920
Neck, except internal location of diseases or disorders	—	—	180	—	150	1,520	—	1,870
Internal neck location, unspecified	—	—	—	—	—	—	—	40
Internal neck location, n.e.c.	—	—	—	—	—	—	—	20
Trunk	—	980	4,040	530	2,620	50,280	35,650	47,920
Trunk, unspecified	—	—	—	—	—	310	—	390
Shoulder, including clavicle, scapula	—	950	550	20	440	7,730	—	8,180

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Chest, including ribs, internal organs	22	18,400	3,890	3,380	180	4,910	170	—	—
Chest, except internal location of diseases or disorders	220	16,320	3,890	3,380	180	4,910	170	—	—
Internal chest location, unspecified	221	210	—	—	—	—	—	—	—
Heart	223	340	—	—	—	—	—	—	—
Bronchus	224	100	—	—	—	—	—	—	—
Lung(s), pleura	225	1,420	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	270,890	212,540	2,760	270	6,840	40	30	—
Back, including spine, spinal cord, unspecified	230	116,160	90,550	1,220	180	2,870	20	30	—
Lumbar region	231	132,660	107,090	480	70	2,190	—	—	—
Thoracic region	232	10,670	8,270	300	20	370	—	—	—
Sacral region	233	1,330	920	20	—	220	—	—	—
Coccygeal region	234	2,270	120	690	—	780	—	—	—
Multiple back regions	238	7,500	5,400	50	—	410	—	—	—
Back, including spine, spinal cord, n.e.c.	239	290	200	—	—	—	—	—	—
Abdomen	24	28,350	4,380	30	150	690	50	30	—
Abdomen, except internal location of diseases or disorders	240	7,540	4,380	30	150	690	50	30	—
Internal abdominal location, unspecified	241	10,010	—	—	—	—	—	—	—
Stomach organ	242	550	—	—	—	—	—	—	—
Intestines, peritoneum	245	10,080	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	8,600	—	—	—	—	—	—	—
Peritoneum	2451	710	—	—	—	—	—	—	—
Small intestine	2452	180	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	460	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	130	—	—	—	—	—	—	—
Other digestive structures	246	20	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	110	—	—	—	—	—	—	—
Pelvic region	25	20,850	10,200	2,680	340	3,410	20	70	—
Pelvic region, unspecified	250	450	60	150	—	80	—	—	—
Hip(s)	251	8,520	2,730	1,830	70	2,120	—	—	—
Pelvis	252	1,050	80	670	—	80	—	—	—
Buttock(s)	253	1,200	140	—	60	600	—	30	—
Groin	254	8,900	7,070	—	110	250	—	40	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Chest, including ribs, internal organs	—	—	230	100	70	2,300	—	3,320
Chest, except internal location of diseases or disorders	—	—	230	100	70	2,300	—	1,250
Internal chest location, unspecified	—	—	—	—	—	—	—	210
Heart	—	—	—	—	—	—	—	340
Bronchus	—	—	—	—	—	—	—	100
Lung(s), pleura	—	—	—	—	—	—	—	1,420
Back, including spine, spinal cord	—	—	1,520	50	1,110	35,650	35,650	11,240
Back, including spine, spinal cord, unspecified	—	—	520	20	240	14,800	14,800	5,960
Lumbar region	—	—	760	—	690	17,720	17,720	4,330
Thoracic region	—	—	40	—	40	1,450	1,450	220
Sacral region	—	—	20	—	—	120	120	40
Coccygeal region	—	—	20	—	—	390	390	260
Multiple back regions	—	—	160	—	130	1,130	1,130	360
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	30	30	60
Abdomen	—	—	60	—	30	1,290	—	21,680
Abdomen, except internal location of diseases or disorders	—	—	60	—	30	1,290	—	870
Internal abdominal location, unspecified	—	—	—	—	—	—	—	10,010
Stomach organ	—	—	—	—	—	—	—	550
Intestines, peritoneum	—	—	—	—	—	—	—	10,080
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	8,600
Peritoneum	—	—	—	—	—	—	—	710
Small intestine	—	—	—	—	—	—	—	180
Large intestine/colon, rectum	—	—	—	—	—	—	—	460
Intestines, n.e.c.	—	—	—	—	—	—	—	130
Other digestive structures	—	—	—	—	—	—	—	20
Liver	—	—	—	—	—	—	—	20
Multiple internal abdominal locations	—	—	—	—	—	—	—	40
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	110
Pelvic region	—	20	150	30	110	2,380	—	1,590
Pelvic region, unspecified	—	—	30	30	—	110	—	20
Hip(s)	—	20	100	—	90	860	—	790
Pelvis	—	—	—	—	—	120	—	100
Buttock(s)	—	—	20	—	—	140	—	210
Groin	—	—	—	—	—	1,040	—	390

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
External reproductive tract structures	255	390	30	—	100	190	—	—	—
External reproductive tract structures, unspecified	2550	40	30	—	—	—	—	—	—
Scrotum	2551	310	—	—	90	170	—	—	—
Penis	2552	30	—	—	—	—	—	—	—
Multiple pelvic region locations	258	240	50	—	—	100	—	—	—
Pelvic region, n.e.c.	259	90	30	30	—	—	—	—	—
Multiple trunk locations	28	9,400	4,290	290	—	1,130	20	40	—
Trunk, n.e.c.	29	150	80	—	—	20	—	—	—
Upper extremities	3	284,750	43,410	37,010	86,010	18,750	9,480	1,000	8,190
Upper extremities, unspecified	30	330	40	—	—	—	—	—	—
Arm(s)	31	55,440	15,550	8,900	7,060	6,500	2,710	150	—
Arm(s), unspecified	310	19,550	5,210	3,700	2,270	1,710	1,680	100	—
Upper arm(s)	311	5,210	3,040	440	420	250	210	—	—
Elbow(s)	312	17,870	4,770	3,190	1,030	2,860	80	—	—
Forearm(s)	313	9,380	1,530	1,200	3,190	1,350	480	40	—
Multiple arm(s) locations	318	2,980	860	300	100	300	200	—	—
Arm(s), n.e.c.	319	460	130	80	40	30	60	—	—
Wrist(s)	32	56,250	15,880	9,860	2,740	1,810	220	20	—
Hand(s), except finger(s)	33	47,020	3,470	3,780	18,520	4,580	4,770	530	90
Finger(s), fingernail(s)	34	111,090	5,580	13,350	56,280	4,680	1,010	170	8,070
Multiple upper extremities locations ...	38	14,440	2,900	1,130	1,400	1,160	760	130	—
Multiple upper extremities locations, unspecified	380	250	50	20	—	—	—	—	—
Hand(s) and finger(s)	381	4,600	360	360	1,150	470	310	20	—
Hand(s) and wrist(s)	382	3,100	850	240	60	300	80	60	—
Hand(s) and arm(s)	383	1,830	280	80	130	140	310	40	—
Multiple upper extremities locations, n.e.c.	389	4,650	1,360	440	60	250	60	—	—
Upper extremities, n.e.c.	39	180	—	—	—	—	—	—	—
Lower extremities	4	271,740	119,810	39,990	15,920	39,120	2,970	910	260
Lower extremities, unspecified	40	300	90	40	—	70	—	—	—
Leg(s)	41	141,060	66,610	9,700	8,980	21,580	1,250	440	140
Leg(s), unspecified	410	19,700	3,530	3,710	2,980	3,490	640	240	30
Thigh(s)	411	5,510	1,560	410	1,400	1,180	160	70	30
Knee(s)	412	100,560	58,310	2,870	2,170	14,090	60	20	—
Lower leg(s)	413	12,030	2,150	2,470	2,220	2,170	290	90	80
Multiple leg(s) locations	418	2,780	980	160	120	590	40	—	—
Leg(s), n.e.c.	419	470	80	70	90	60	60	—	—
Ankle(s)	42	65,000	43,790	11,860	840	2,740	160	90	—
Foot(feet), except toe(s)	43	43,840	6,160	11,820	5,230	10,590	1,200	280	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
External reproductive tract structures	-	-	-	-	-	40	-	30
External reproductive tract structures, unspecified	-	-	-	-	-	-	-	-
Scrotum	-	-	-	-	-	30	-	-
Penis	-	-	-	-	-	-	-	-
Multiple pelvic region locations	-	-	-	-	-	70	-	20
Pelvic region, n.e.c.	-	-	-	-	-	-	-	-
Multiple trunk locations	-	-	1,490	320	850	600	-	1,510
Trunk, n.e.c.	-	-	30	-	-	20	-	-
Upper extremities	16,460	4,250	7,140	2,320	1,820	14,840	-	38,220
Upper extremities, unspecified	-	80	-	-	-	30	-	140
Arm(s)	-	1,410	1,260	80	720	4,980	-	6,910
Arm(s), unspecified	-	220	430	30	260	1,980	-	2,240
Upper arm(s)	-	60	-	-	-	370	-	400
Elbow(s)	-	930	230	-	120	1,760	-	3,020
Forearm(s)	-	130	250	20	60	280	-	920
Multiple arm(s) locations	-	60	330	20	270	560	-	260
Arm(s), n.e.c.	-	-	-	-	-	40	-	70
Wrist(s)	16,460	1,820	420	100	210	3,050	-	3,970
Hand(s), except finger(s)	-	280	990	110	190	2,430	-	7,590
Finger(s), fingernail(s)	-	290	2,930	1,350	150	2,630	-	16,120
Multiple upper extremities locations ...	-	370	1,520	680	560	1,580	-	3,480
Multiple upper extremities locations, unspecified	-	-	30	-	-	20	-	110
Hand(s) and finger(s)	-	30	670	460	70	300	-	920
Hand(s) and wrist(s)	-	170	310	150	150	450	-	590
Hand(s) and arm(s)	-	-	110	-	20	120	-	630
Multiple upper extremities locations, n.e.c.	-	170	390	30	320	690	-	1,240
Upper extremities, n.e.c.	-	-	-	-	-	140	-	-
Lower extremities	-	310	6,630	1,120	3,130	19,060	-	26,770
Lower extremities, unspecified	-	-	-	-	-	40	-	40
Leg(s)	-	170	3,300	290	1,730	12,690	-	16,190
Leg(s), unspecified	-	30	670	130	250	1,480	-	2,910
Thigh(s)	-	-	60	-	20	140	-	500
Knee(s)	-	130	1,760	110	1,110	10,490	-	10,650
Lower leg(s)	-	-	490	-	240	310	-	1,750
Multiple leg(s) locations	-	-	260	50	110	260	-	360
Leg(s), n.e.c.	-	-	70	-	-	-	-	30
Ankle(s)	-	50	830	200	440	2,310	-	2,330
Foot(feet), except toe(s)	-	90	970	170	410	2,710	-	4,780

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Nature of injury or illness ⁴						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Foot(feet), except toe(s), unspecified	430	38,340	5,440	10,110	4,230	9,660	1,170	270	—
Instep(s)	431	640	80	190	60	180	—	—	—
Sole	432	3,880	410	1,440	900	600	—	—	—
Sole(s), unspecified	4320	640	—	—	580	20	—	—	—
Ball(s)	4321	80	—	—	40	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—
Heel(s)	4323	3,120	380	1,430	270	580	—	—	—
Multiple foot(feet) locations	438	290	110	20	—	90	—	—	—
Foot(feet), n.e.c.	439	690	120	50	40	70	—	—	—
Toe(s), toenail(s)	44	12,880	320	5,560	770	2,830	30	—	90
Multiple lower extremities locations ...	48	8,530	2,790	940	110	1,290	320	90	—
Multiple lower extremities locations, unspecified	480	70	30	20	—	—	—	—	—
Foot(feet) and leg(s)	481	840	180	80	—	110	70	30	—
Foot(feet) and ankle(s)	482	2,780	790	440	20	470	190	30	—
Foot(feet) and toe(s)	483	1,030	40	180	20	290	50	—	—
Multiple lower extremities locations, n.e.c.	489	3,800	1,750	220	70	410	20	—	—
Lower extremities, n.e.c.	49	130	40	70	—	—	—	—	—
Body systems	5	17,950	—	—	—	—	—	—	—
Multiple body parts	8	120,960	35,090	2,940	1,610	16,080	2,850	470	—
Other body parts	9	20	—	—	—	—	—	—	—
Nonclassifiable	9999	11,200	990	60	240	360	280	70	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2005 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Foot(foot), except toe(s), unspecified	—	60	800	150	310	2,390	—	4,190
Instep(s)	—	—	50	20	20	—	—	80
Sole	—	30	100	—	70	240	—	150
Sole(s), unspecified	—	—	—	—	—	—	—	30
Ball(s)	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—
Heel(s)	—	30	100	—	70	230	—	100
Multiple foot(foot) locations	—	—	—	—	—	20	—	40
Foot(foot), n.e.c.	—	—	—	—	—	70	—	330
Toe(s), toenail(s)	—	—	370	150	—	450	—	2,470
Multiple lower extremities locations	—	—	1,150	300	540	850	—	970
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—
Foot(foot) and leg(s)	—	—	130	30	40	30	—	200
Foot(foot) and ankle(s)	—	—	210	60	110	360	—	250
Foot(foot) and toe(s)	—	—	100	30	40	150	—	180
Multiple lower extremities locations, n.e.c.	—	—	710	180	350	300	—	320
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—
Body systems	—	—	—	—	—	—	—	17,950
Multiple body parts	—	150	29,110	5,300	13,390	11,070	—	21,570
Other body parts	—	—	—	—	—	—	—	20
Nonclassifiable	—	20	150	—	40	370	—	8,660

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains = 021; Fractures = 012; Cuts, punctures = 034, 037; Bruises = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other

natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies