

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total .....		1,234,680	176,530	14.3	143,790	11.6	234,780	19.0
<b>Head</b> .....	0	81,090	26,640	32.9	15,470	19.1	16,580	20.4
Head, unspecified .....	00	15,640	4,900	31.3	2,560	16.4	2,720	17.4
Cranial region, including skull .....	01	10,680	2,490	23.3	1,470	13.8	2,230	20.9
Cranial region, unspecified .....	010	310	50	16.1	40	12.9	70	22.6
Brain .....	011	6,980	1,360	19.5	760	10.9	1,610	23.1
Scalp .....	012	2,680	820	30.6	590	22.0	470	17.5
Skull .....	013	490	130	26.5	50	10.2	70	14.3
Multiple cranial region locations .....	018	70	-	-	-	-	-	-
Cranial region, n.e.c. ....	019	160	120	75.0	-	-	-	-
Ear(s) .....	02	1,340	300	22.4	230	17.2	330	24.6
Face .....	03	51,990	18,740	36.0	11,060	21.3	11,030	21.2
Face, unspecified .....	030	3,870	860	22.2	570	14.7	750	19.4
Forehead .....	031	3,540	1,250	35.3	610	17.2	870	24.6
Eye(s) .....	032	34,740	13,550	39.0	7,880	22.7	7,670	22.1
Nose, nasal cavity .....	033	2,490	850	34.1	390	15.7	380	15.3
Nose, except internal location of diseases or disorders .....	0330	2,430	810	33.3	380	15.6	370	15.2
Cheek(s) .....	034	1,010	360	35.6	60	5.9	230	22.8
Jaw/chin .....	035	1,260	340	27.0	270	21.4	230	18.3
Mouth .....	036	2,230	900	40.4	550	24.7	440	19.7
Mouth, unspecified .....	0360	320	180	56.2	80	25.0	40	12.5
Lip(s) .....	0361	500	200	40.0	140	28.0	110	22.0
Tongue .....	0362	120	-	-	-	-	-	-
Tooth(teeth) .....	0363	1,080	360	33.3	270	25.0	270	25.0
Multiple mouth locations .....	0368	160	30	18.8	50	31.2	20	12.5
Mouth, n.e.c. ....	0369	40	-	-	-	-	-	-
Multiple face locations .....	038	2,580	550	21.3	700	27.1	370	14.3
Face, n.e.c. ....	039	270	70	25.9	30	11.1	80	29.6
Multiple head locations .....	08	1,270	150	11.8	140	11.0	260	20.5
Head, n.e.c. ....	09	170	50	29.4	-	-	-	-
<b>Neck, including throat</b> .....	1	18,470	2,710	14.7	2,160	11.7	3,430	18.6
Neck, except internal location of diseases or disorders .....	10	18,410	2,680	14.6	2,160	11.7	3,420	18.6
Internal neck location, unspecified .....	11	40	20	50.0	-	-	-	-
Internal neck location, n.e.c. ....	19	20	-	-	-	-	-	-
<b>Trunk</b> .....	2	428,500	47,580	11.1	45,950	10.7	82,560	19.3
Trunk, unspecified .....	20	2,650	260	9.8	310	11.7	610	23.0
Shoulder, including clavicle, scapula .....	21	77,800	7,080	9.1	6,120	7.9	11,890	15.3
Chest, including ribs, internal organs .....	22	18,400	2,970	16.1	2,370	12.9	4,030	21.9
Chest, except internal location of diseases or disorders .....	220	16,320	2,650	16.2	2,130	13.1	3,650	22.4
Internal chest location, unspecified .....	221	210	80	38.1	-	-	40	19.0

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total .....	157,390	12.7	142,450	11.5	80,730	6.5	299,000	24.2	7
<b>Head</b> .....	8,030	9.9	4,930	6.1	2,500	3.1	6,950	8.6	2
Head, unspecified .....	1,930	12.3	1,160	7.4	650	4.2	1,710	10.9	3
Cranial region, including skull .....	1,470	13.8	860	8.1	570	5.3	1,600	15.0	4
Cranial region, unspecified .....	—	—	20	6.5	—	—	100	32.3	5
Brain .....	1,140	16.3	640	9.2	490	7.0	970	13.9	5
Scalp .....	260	9.7	160	6.0	60	2.2	330	12.3	2
Skull .....	50	10.2	20	4.1	—	—	170	34.7	5
Multiple cranial region locations .....	—	—	—	—	—	—	30	42.9	11
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	1
Ear(s) .....	130	9.7	110	8.2	—	—	230	17.2	3
Face .....	4,100	7.9	2,610	5.0	1,180	2.3	3,280	6.3	2
Face, unspecified .....	490	12.7	450	11.6	80	2.1	670	17.3	4
Forehead .....	280	7.9	160	4.5	170	4.8	190	5.4	2
Eye(s) .....	2,280	6.6	1,290	3.7	580	1.7	1,490	4.3	2
Nose, nasal cavity .....	320	12.9	300	12.0	160	6.4	90	3.6	3
Nose, except internal location of diseases or disorders .....	320	13.2	300	12.3	160	6.6	90	3.7	3
Cheek(s) .....	120	11.9	130	12.9	30	3.0	80	7.9	4
Jaw/chin .....	200	15.9	60	4.8	60	4.8	110	8.7	3
Mouth .....	160	7.2	80	3.6	—	—	80	3.6	2
Mouth, unspecified .....	20	6.2	—	—	—	—	—	—	1
Lip(s) .....	30	6.0	—	—	—	—	—	—	2
Tongue .....	—	—	—	—	—	—	—	—	1
Tooth(teeth) .....	90	8.3	60	5.6	—	—	30	2.8	2
Multiple mouth locations .....	20	12.5	—	—	—	—	—	—	2
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	2
Multiple face locations .....	230	8.9	110	4.3	80	3.1	530	20.5	3
Face, n.e.c. ....	—	—	30	11.1	—	—	30	11.1	4
Multiple head locations .....	390	30.7	110	8.7	80	6.3	140	11.0	8
Head, n.e.c. ....	—	—	80	47.1	—	—	—	—	14
<b>Neck, including throat</b> .....	2,540	13.8	1,650	8.9	780	4.2	5,200	28.2	7
Neck, except internal location of diseases or disorders .....	2,530	13.7	1,640	8.9	780	4.2	5,190	28.2	7
Internal neck location, unspecified .....	—	—	—	—	—	—	—	—	1
Internal neck location, n.e.c. ....	—	—	—	—	—	—	—	—	10
<b>Trunk</b> .....	57,410	13.4	52,600	12.3	30,850	7.2	111,560	26.0	8
Trunk, unspecified .....	320	12.1	530	20.0	170	6.4	460	17.4	7
Shoulder, including clavicle, scapula .....	8,570	11.0	8,830	11.3	6,180	7.9	29,120	37.4	15
Chest, including ribs, internal organs .....	2,380	12.9	2,730	14.8	1,330	7.2	2,610	14.2	5
Chest, except internal location of diseases or disorders .....	2,250	13.8	2,200	13.5	1,260	7.7	2,190	13.4	5
Internal chest location, unspecified .....	—	—	60	28.6	—	—	—	—	3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Heart .....	223	340	—	—	60	17.6	40	11.8
Bronchus .....	224	100	30	30.0	—	—	50	50.0
Lung(s), pleura .....	225	1,420	190	13.4	150	10.6	250	17.6
Back, including spine, spinal cord .....	23	270,890	32,050	11.8	32,090	11.8	58,190	21.5
Back, including spine, spinal cord, unspecified .....	230	116,160	14,150	12.2	14,210	12.2	24,680	21.2
Lumbar region .....	231	132,660	14,930	11.3	15,120	11.4	29,170	22.0
Thoracic region .....	232	10,670	1,720	16.1	1,300	12.2	2,190	20.5
Sacral region .....	233	1,330	180	13.5	190	14.3	290	21.8
Coccygeal region .....	234	2,270	360	15.9	290	12.8	560	24.7
Multiple back regions .....	238	7,500	680	9.1	910	12.1	1,270	16.9
Back, including spine, spinal cord, n.e.c. ....	239	290	20	6.9	60	20.7	40	13.8
Abdomen .....	24	28,350	1,520	5.4	1,180	4.2	2,800	9.9
Abdomen, except internal location of diseases or disorders .....	240	7,540	1,070	14.2	730	9.7	1,550	20.6
Internal abdominal location, unspecified .....	241	10,010	180	1.8	250	2.5	520	5.2
Stomach organ .....	242	550	50	9.1	40	7.3	60	10.9
Intestines, peritoneum .....	245	10,080	210	2.1	160	1.6	640	6.3
Intestines, peritoneum, unspecified .....	2450	8,600	130	1.5	110	1.3	520	6.0
Peritoneum .....	2451	710	20	2.8	—	—	60	8.5
Small intestine .....	2452	180	—	—	—	—	20	11.1
Large intestine/colon, rectum .....	2453	460	40	8.7	40	8.7	20	4.3
Intestines, n.e.c. ....	2459	130	—	—	—	—	20	15.4
Other digestive structures .....	246	20	—	—	—	—	—	—
Liver .....	2461	20	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	40	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	110	—	—	—	—	—	—
Pelvic region .....	25	20,850	2,370	11.4	2,750	13.2	3,290	15.8
Pelvic region, unspecified .....	250	450	—	—	100	22.2	40	8.9
Hip(s) .....	251	8,520	1,320	15.5	920	10.8	1,390	16.3
Pelvis .....	252	1,050	60	5.7	40	3.8	130	12.4
Buttock(s) .....	253	1,200	130	10.8	260	21.7	260	21.7
Groin .....	254	8,900	800	9.0	1,250	14.0	1,400	15.7
External reproductive tract structures .....	255	390	20	5.1	120	30.8	40	10.3
External reproductive tract structures, unspecified .....	2550	40	—	—	—	—	—	—
Scrotum .....	2551	310	—	—	120	38.7	30	9.7
Penis .....	2552	30	—	—	—	—	—	—
Multiple pelvic region locations .....	258	240	—	—	50	20.8	20	8.3
Pelvic region, n.e.c. ....	259	90	30	33.3	—	—	—	—
Multiple trunk locations .....	28	9,400	1,330	14.1	1,110	11.8	1,700	18.1
Trunk, n.e.c. ....	29	150	—	—	30	20.0	50	33.3

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Heart .....	50	14.7	80	23.5	—	—	100	29.4	11
Bronchus .....	—	—	—	—	—	—	—	—	4
Lung(s), pleura .....	80	5.6	390	27.5	60	4.2	310	21.8	11
Back, including spine, spinal cord .....	39,290	14.5	31,510	11.6	16,130	6.0	61,650	22.8	7
Back, including spine, spinal cord, unspecified .....	16,880	14.5	13,160	11.3	6,450	5.6	26,630	22.9	7
Lumbar region .....	19,490	14.7	15,220	11.5	8,340	6.3	30,380	22.9	7
Thoracic region .....	1,420	13.3	1,390	13.0	640	6.0	2,010	18.8	6
Sacral region .....	150	11.3	190	14.3	120	9.0	210	15.8	6
Coccygeal region .....	300	13.2	180	7.9	110	4.8	470	20.7	5
Multiple back regions .....	1,030	13.7	1,300	17.3	460	6.1	1,850	24.7	10
Back, including spine, spinal cord, n.e.c. ....	—	—	70	24.1	—	—	100	34.5	15
Abdomen .....	3,210	11.3	5,660	20.0	4,770	16.8	9,220	32.5	20
Abdomen, except internal location of diseases or disorders .....	850	11.3	900	11.9	710	9.4	1,720	22.8	7
Internal abdominal location, unspecified .....	1,040	10.4	2,310	23.1	2,060	20.6	3,650	36.5	25
Stomach organ .....	160	29.1	80	14.5	90	16.4	70	12.7	10
Intestines, peritoneum .....	1,140	11.3	2,350	23.3	1,880	18.7	3,690	36.6	23
Intestines, peritoneum, unspecified .....	920	10.7	1,960	22.8	1,690	19.7	3,260	37.9	25
Peritoneum .....	50	7.0	190	26.8	130	18.3	250	35.2	21
Small intestine .....	30	16.7	40	22.2	—	—	80	44.4	19
Large intestine/colon, rectum .....	120	26.1	130	28.3	40	8.7	60	13.0	12
Intestines, n.e.c. ....	20	15.4	40	30.8	—	—	40	30.8	13
Other digestive structures .....	—	—	—	—	—	—	—	—	1
Liver .....	—	—	—	—	—	—	—	—	1
Multiple internal abdominal locations .....	—	—	—	—	—	—	—	—	6
Internal abdominal location, n.e.c. ....	—	—	20	18.2	20	18.2	70	63.6	47
Pelvic region .....	2,690	12.9	2,350	11.3	1,830	8.8	5,580	26.8	9
Pelvic region, unspecified .....	60	13.3	30	6.7	60	13.3	140	31.1	13
Hip(s) .....	1,000	11.7	660	7.7	390	4.6	2,850	33.5	8
Pelvis .....	60	5.7	150	14.3	90	8.6	530	50.5	35
Buttock(s) .....	270	22.5	110	9.2	20	1.7	170	14.2	4
Groin .....	1,050	11.8	1,380	15.5	1,250	14.0	1,770	19.9	10
External reproductive tract structures .....	160	41.0	—	—	—	—	30	7.7	6
External reproductive tract structures, unspecified .....	—	—	—	—	—	—	—	—	19
Scrotum .....	150	48.4	—	—	—	—	—	—	6
Penis .....	—	—	—	—	—	—	—	—	1
Multiple pelvic region locations .....	90	37.5	—	—	—	—	70	29.2	10
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—	4
Multiple trunk locations .....	910	9.7	980	10.4	450	4.8	2,910	31.0	9
Trunk, n.e.c. ....	40	26.7	—	—	—	—	—	—	5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
<b>Upper extremities</b> .....	3	284,750	45,780	16.1	32,910	11.6	53,810	18.9
Upper extremities, unspecified .....	30	330	20	6.1	20	6.1	50	15.2
Arm(s) .....	31	55,440	7,140	12.9	6,280	11.3	8,930	16.1
Arm(s), unspecified .....	310	19,550	2,780	14.2	2,480	12.7	3,400	17.4
Upper arm(s) .....	311	5,210	330	6.3	640	12.3	680	13.1
Elbow(s) .....	312	17,870	1,980	11.1	1,410	7.9	2,640	14.8
Forearm(s) .....	313	9,380	1,560	16.6	1,390	14.8	1,730	18.4
Multiple arm(s) locations .....	318	2,980	450	15.1	260	8.7	390	13.1
Arm(s), n.e.c. ....	319	460	40	8.7	100	21.7	90	19.6
Wrist(s) .....	32	56,250	5,640	10.0	4,940	8.8	8,440	15.0
Hand(s), except finger(s) .....	33	47,020	8,980	19.1	6,240	13.3	10,200	21.7
Finger(s), fingernail(s) .....	34	111,090	22,000	19.8	13,560	12.2	23,550	21.2
Multiple upper extremities locations ...	38	14,440	1,880	13.0	1,860	12.9	2,630	18.2
Multiple upper extremities locations, unspecified .....	380	250	60	24.0	—	—	50	20.0
Hand(s) and finger(s) .....	381	4,600	590	12.8	520	11.3	1,080	23.5
Hand(s) and wrist(s) .....	382	3,100	230	7.4	450	14.5	480	15.5
Hand(s) and arm(s) .....	383	1,830	220	12.0	430	23.5	310	16.9
Multiple upper extremities locations, n.e.c. ....	389	4,650	780	16.8	450	9.7	710	15.3
Upper extremities, n.e.c. ....	39	180	120	66.7	—	—	—	—
<b>Lower extremities</b> .....	4	271,740	32,050	11.8	29,530	10.9	50,550	18.6
Lower extremities, unspecified .....	40	300	30	10.0	20	6.7	60	20.0
Leg(s) .....	41	141,060	14,480	10.3	13,950	9.9	24,340	17.3
Leg(s), unspecified .....	410	19,700	2,530	12.8	1,820	9.2	4,290	21.8
Thigh(s) .....	411	5,510	810	14.7	840	15.2	1,190	21.6
Knee(s) .....	412	100,560	9,240	9.2	8,940	8.9	16,410	16.3
Lower leg(s) .....	413	12,030	1,640	13.6	1,950	16.2	1,840	15.3
Multiple leg(s) locations .....	418	2,780	200	7.2	320	11.5	550	19.8
Leg(s), n.e.c. ....	419	470	60	12.8	90	19.1	60	12.8
Ankle(s) .....	42	65,000	8,490	13.1	7,180	11.0	13,700	21.1
Foot(feet), except toe(s) .....	43	43,840	6,210	14.2	5,140	11.7	8,220	18.8
Foot(feet), except toe(s), unspecified .....	430	38,340	5,370	14.0	4,620	12.1	7,270	19.0
Instep(s) .....	431	640	60	9.4	70	10.9	150	23.4
Sole .....	432	3,880	500	12.9	310	8.0	700	18.0
Sole(s), unspecified .....	4320	640	120	18.8	130	20.3	270	42.2
Ball(s) .....	4321	80	—	—	—	—	—	—
Arch(es) .....	4322	30	—	—	—	—	—	—
Heel(s) .....	4323	3,120	370	11.9	190	6.1	420	13.5
Multiple foot(feet) locations .....	438	290	20	6.9	60	20.7	30	10.3
Foot(feet), n.e.c. ....	439	690	270	39.1	80	11.6	70	10.1
Toe(s), toenail(s) .....	44	12,880	2,110	16.4	1,830	14.2	2,640	20.5
Multiple lower extremities locations ...	48	8,530	720	8.4	1,410	16.5	1,580	18.5
Multiple lower extremities locations, unspecified .....	480	70	—	—	—	—	—	—
Foot(feet) and leg(s) .....	481	840	80	9.5	60	7.1	110	13.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
<b>Upper extremities</b> .....	36,230	12.7	34,380	12.1	19,230	6.8	62,420	21.9	7
Upper extremities, unspecified .....	—	—	—	—	70	21.2	150	45.5	28
Arm(s) .....	6,760	12.2	7,030	12.7	3,550	6.4	15,750	28.4	10
Arm(s), unspecified .....	2,660	13.6	1,910	9.8	920	4.7	5,400	27.6	7
Upper arm(s) .....	410	7.9	990	19.0	380	7.3	1,780	34.2	15
Elbow(s) .....	2,000	11.2	2,590	14.5	1,620	9.1	5,630	31.5	14
Forearm(s) .....	1,460	15.6	1,100	11.7	360	3.8	1,780	19.0	6
Multiple arm(s) locations .....	210	7.0	390	13.1	230	7.7	1,060	35.6	13
Arm(s), n.e.c. ....	30	6.5	60	13.0	30	6.5	110	23.9	5
Wrist(s) .....	6,460	11.5	7,890	14.0	4,910	8.7	17,980	32.0	14
Hand(s), except finger(s) .....	5,910	12.6	5,140	10.9	3,050	6.5	7,490	15.9	5
Finger(s), fingernail(s) .....	15,230	13.7	12,630	11.4	6,710	6.0	17,420	15.7	5
Multiple upper extremities locations ...	1,840	12.7	1,680	11.6	940	6.5	3,610	25.0	7
Multiple upper extremities locations, unspecified .....	60	24.0	30	12.0	—	—	40	16.0	7
Hand(s) and finger(s) .....	730	15.9	520	11.3	210	4.6	950	20.7	6
Hand(s) and wrist(s) .....	440	14.2	330	10.6	210	6.8	950	30.6	10
Hand(s) and arm(s) .....	180	9.8	200	10.9	120	6.6	370	20.2	5
Multiple upper extremities locations, n.e.c. ....	430	9.2	600	12.9	390	8.4	1,300	28.0	10
Upper extremities, n.e.c. ....	20	11.1	—	—	—	—	—	—	1
<b>Lower extremities</b> .....	34,810	12.8	33,610	12.4	18,490	6.8	72,710	26.8	9
Lower extremities, unspecified .....	40	13.3	70	23.3	—	—	90	30.0	14
Leg(s) .....	17,260	12.2	17,600	12.5	10,660	7.6	42,770	30.3	11
Leg(s), unspecified .....	1,930	9.8	2,320	11.8	950	4.8	5,850	29.7	8
Thigh(s) .....	820	14.9	440	8.0	390	7.1	1,030	18.7	5
Knee(s) .....	12,600	12.5	12,970	12.9	8,310	8.3	32,090	31.9	12
Lower leg(s) .....	1,340	11.1	1,500	12.5	770	6.4	2,980	24.8	7
Multiple leg(s) locations .....	480	17.3	310	11.2	220	7.9	700	25.2	8
Leg(s), n.e.c. ....	80	17.0	50	10.6	—	—	120	25.5	7
Ankle(s) .....	9,050	13.9	7,870	12.1	3,990	6.1	14,710	22.6	7
Foot(feet), except toe(s) .....	5,610	12.8	5,890	13.4	2,580	5.9	10,190	23.2	7
Foot(feet), except toe(s), unspecified .....	4,910	12.8	5,350	14.0	2,300	6.0	8,510	22.2	7
Instep(s) .....	140	21.9	110	17.2	—	—	110	17.2	7
Sole .....	470	12.1	300	7.7	250	6.4	1,350	34.8	10
Sole(s), unspecified .....	60	9.4	30	4.7	—	—	40	6.2	3
Ball(s) .....	40	50.0	30	37.5	—	—	—	—	6
Arch(es) .....	—	—	—	—	—	—	—	—	7
Heel(s) .....	360	11.5	230	7.4	230	7.4	1,310	42.0	20
Multiple foot(feet) locations .....	30	10.3	40	13.8	—	—	100	34.5	19
Foot(feet), n.e.c. ....	60	8.7	90	13.0	20	2.9	110	15.9	3
Toe(s), toenail(s) .....	1,660	12.9	1,320	10.2	800	6.2	2,530	19.6	5
Multiple lower extremities locations ...	1,180	13.8	860	10.1	440	5.2	2,330	27.3	7
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—	40	57.1	33
Foot(feet) and leg(s) .....	200	23.8	150	17.9	30	3.6	210	25.0	9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Foot(feet) and ankle(s) .....	482	2,780	210	7.6	260	9.4	690	24.8
Foot(feet) and toe(s) .....	483	1,030	140	13.6	150	14.6	170	16.5
Multiple lower extremities locations, n.e.c. ....	489	3,800	290	7.6	940	24.7	610	16.1
Lower extremities, n.e.c. ....	49	130	—	—	—	—	—	—
<b>Body systems</b> .....	5	17,950	3,700	20.6	3,130	17.4	3,120	17.4
<b>Multiple body parts</b> .....	8	120,960	14,790	12.2	13,240	10.9	22,940	19.0
<b>Other body parts</b> .....	9	20	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	11,200	3,290	29.4	1,400	12.5	1,780	15.9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and number of days away from work, 2005 — Continued

Part of body	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Foot(foot) and ankle(s) .....	480	17.3	170	6.1	130	4.7	830	29.9	7
Foot(foot) and toe(s) .....	170	16.5	130	12.6	70	6.8	210	20.4	6
Multiple lower extremities locations, n.e.c. ....	320	8.4	400	10.5	200	5.3	1,050	27.6	6
Lower extremities, n.e.c. ....	20	15.4	—	—	—	—	80	61.5	103
<b>Body systems</b> .....	2,530	14.1	1,240	6.9	970	5.4	3,260	18.2	4
<b>Multiple body parts</b> .....	14,460	12.0	12,980	10.7	7,470	6.2	35,080	29.0	8
<b>Other body parts</b> .....	—	—	—	—	—	—	—	—	4
<b>Nonclassifiable</b> .....	1,380	12.3	1,080	9.6	440	3.9	1,820	16.2	4

<sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies