

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2006

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		1,183,500	68,000	214,420	208,540	217,500	202,920	182,780	89,340
Head	0	82,420	4,060	15,050	15,800	15,830	14,060	11,850	5,770
Head, unspecified	00	17,250	1,050	2,750	2,780	3,650	2,910	2,670	1,420
Cranial region, including skull	01	9,940	610	1,800	2,310	1,560	1,720	1,440	500
Cranial region, unspecified	010	170	20	—	30	20	40	—	30
Brain	011	6,300	380	1,180	1,440	1,000	1,040	920	330
Scalp	012	2,610	140	420	730	440	460	340	90
Skull	013	690	60	150	80	70	140	150	50
Multiple cranial region locations	018	80	—	20	—	—	20	—	—
Cranial region, n.e.c.	019	90	—	20	30	20	20	—	—
Ear(s)	02	1,890	380	450	390	130	190	190	170
Face	03	52,060	2,000	9,910	10,130	10,300	9,080	7,110	3,530
Face, unspecified	030	3,810	200	630	590	1,060	620	470	240
Forehead	031	2,930	210	320	470	550	630	500	240
Eye(s)	032	35,970	1,250	7,270	6,850	7,330	6,240	4,770	2,270
Nose, nasal cavity	033	2,310	150	440	580	260	350	360	170
Nose, except internal location of diseases or disorders	0330	2,240	120	430	570	260	350	350	150
Internal nasal location, unspecified ..	0331	40	20	—	—	—	—	—	—
Multiple internal nasal locations	0338	20	—	—	—	—	—	—	—
Cheek(s)	034	810	30	130	130	290	120	80	30
Jaw/chin	035	790	20	170	130	140	110	170	60
Mouth	036	2,940	80	650	690	370	550	430	180
Mouth, unspecified	0360	410	20	40	80	50	100	70	60
Lip(s)	0361	1,030	—	430	260	140	110	40	40
Tongue	0362	20	—	—	—	—	—	—	—
Tooth(teeth)	0363	1,210	40	140	300	140	310	230	40
Multiple mouth locations	0368	190	—	—	20	30	—	70	40
Mouth, n.e.c.	0369	70	—	—	40	—	20	—	—
Multiple face locations	038	2,170	50	240	640	260	420	250	320
Face, n.e.c.	039	330	—	60	60	40	40	90	20
Multiple head locations	08	1,120	—	120	150	150	110	430	150
Head, n.e.c.	09	170	—	20	40	30	60	—	—
Neck, including throat	1	17,840	960	2,850	2,940	3,450	3,400	2,780	1,450
Neck, except internal location of diseases or disorders	10	17,660	940	2,830	2,930	3,440	3,390	2,780	1,340
Internal neck location, unspecified	11	120	—	—	—	—	—	—	100
Vocal cord(s)	12	20	—	—	—	—	—	—	—
Trunk	2	401,900	24,990	76,750	70,170	69,190	65,850	62,950	31,990
Trunk, unspecified	20	2,260	140	480	360	460	300	170	340
Shoulder, including clavicle, scapula	21	75,810	4,390	13,260	13,150	13,170	13,340	12,250	6,240
Chest, including ribs, internal organs	22	18,170	850	3,910	2,910	3,700	2,440	2,860	1,500
Chest, except internal location of diseases or disorders	220	16,260	740	3,570	2,640	3,440	2,220	2,240	1,400
Internal chest location, unspecified	221	190	—	20	20	50	40	20	20
Heart	223	430	40	30	60	30	50	210	—
Bronchus	224	140	20	—	30	30	30	20	—
Lung(s), pleura	225	1,150	40	260	160	150	100	360	70

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Back, including spine, spinal cord	23	250,870	16,090	49,360	43,840	42,690	40,280	38,810	19,800
Back, including spine, spinal cord, unspecified	230	105,380	6,290	20,390	19,550	18,200	15,890	16,370	8,690
Lumbar region	231	122,830	8,330	24,300	20,580	20,670	20,510	19,150	9,280
Thoracic region	232	9,940	740	2,070	1,850	1,730	1,410	1,360	780
Sacral region	233	1,190	100	180	270	210	160	140	120
Coccygeal region	234	1,390	140	260	150	190	190	220	250
Multiple back regions	238	9,030	460	1,860	1,300	1,390	1,980	1,410	610
Back, including spine, spinal cord, n.e.c.	239	1,110	30	310	140	300	120	160	60
Abdomen	24	27,040	1,390	5,000	4,770	4,870	4,780	4,360	1,880
Abdomen, except internal location of diseases or disorders	240	7,820	450	1,280	1,350	1,300	1,450	1,060	930
Internal abdominal location, unspecified	241	8,360	420	1,480	1,390	1,870	1,430	1,390	380
Stomach organ	242	700	30	80	100	180	180	90	50
Urinary organs	244	20	—	—	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—	—
Intestines, peritoneum	245	9,990	480	2,080	1,920	1,500	1,710	1,780	520
Intestines, peritoneum, unspecified	2450	9,330	440	1,970	1,830	1,360	1,590	1,650	500
Peritoneum	2451	450	40	60	60	100	100	80	20
Large intestine/colon, rectum	2453	160	—	30	30	30	—	40	—
Intestines, n.e.c.	2459	30	—	—	—	—	—	—	—
Multiple internal abdominal locations ...	248	60	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	80	—	—	—	—	—	40	—
Pelvic region	25	20,630	1,580	3,440	3,900	3,110	3,580	3,450	1,570
Pelvic region, unspecified	250	220	—	30	40	40	30	50	—
Hip(s)	251	7,680	450	1,350	1,850	1,120	1,050	1,200	650
Pelvis	252	1,200	100	170	140	110	130	470	70
Buttock(s)	253	1,940	600	220	240	150	250	420	60
Groin	254	8,760	400	1,540	1,500	1,490	1,920	1,170	740
External reproductive tract structures ..	255	560	—	100	80	130	120	100	20
External reproductive tract structures, unspecified	2550	80	—	—	—	20	—	30	—
Scrotum	2551	370	—	80	80	110	40	60	—
Penis	2552	90	—	—	—	—	70	—	—
Multiple pelvic region locations	258	150	—	—	20	50	30	30	—
Pelvic region, n.e.c.	259	130	—	30	20	20	20	20	—
Multiple trunk locations	28	7,010	550	1,280	1,210	1,170	1,130	1,030	640
Trunk, n.e.c.	29	110	—	20	30	—	—	20	20
Upper extremities	3	274,180	14,790	49,010	49,740	50,060	48,530	41,910	20,140
Upper extremities, unspecified	30	740	350	70	120	80	50	50	30
Arm(s)	31	54,860	2,570	11,000	8,840	10,230	9,600	8,800	3,830
Arm(s), unspecified	310	18,510	960	3,500	3,460	3,000	3,050	2,880	1,670
Upper arm(s)	311	4,310	360	780	570	860	700	710	320
Elbow(s)	312	18,020	730	3,450	2,890	3,470	3,270	3,050	1,160
Forearm(s)	313	10,860	390	2,680	1,330	2,220	1,990	1,760	470
Multiple arm(s) locations	318	2,510	120	440	490	590	430	280	150
Arm(s), n.e.c.	319	650	—	130	100	80	160	120	60
Wrist(s)	32	48,810	2,950	9,010	8,920	8,480	8,460	7,790	3,200

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Hand(s), except finger(s)	33	49,480	2,940	8,030	9,320	8,640	9,850	7,290	3,410
Finger(s), fingernail(s)	34	106,050	5,330	18,590	20,030	19,090	18,610	15,810	8,590
Multiple upper extremities locations	38	14,160	650	2,280	2,500	3,540	1,960	2,160	1,070
Multiple upper extremities locations, unspecified	380	240	—	20	30	30	40	80	30
Hand(s) and finger(s)	381	4,620	190	820	920	1,150	630	600	310
Hand(s) and wrist(s)	382	3,370	210	560	550	860	390	590	210
Hand(s) and arm(s)	383	1,550	60	220	300	360	220	180	210
Multiple upper extremities locations, n.e.c.	389	4,370	180	670	720	1,140	670	700	300
Upper extremities, n.e.c.	39	80	—	30	—	—	—	20	—
Lower extremities	4	262,180	15,800	45,080	44,950	48,500	45,830	42,640	19,370
Lower extremities, unspecified	40	200	—	60	40	20	—	30	20
Leg(s)	41	134,550	8,550	23,270	22,840	24,760	23,880	20,960	10,280
Leg(s), unspecified	410	18,270	1,210	2,730	3,080	3,360	3,590	2,660	1,640
Thigh(s)	411	5,820	210	1,310	930	990	1,030	770	560
Knee(s)	412	95,520	6,110	17,100	16,190	17,640	16,710	14,690	7,080
Lower leg(s)	413	10,660	440	1,590	1,870	2,160	1,720	2,060	820
Multiple leg(s) locations	418	3,440	360	410	680	550	670	640	130
Leg(s), n.e.c.	419	850	220	130	100	70	150	150	50
Ankle(s)	42	61,770	3,430	10,550	10,660	11,180	11,450	10,400	4,100
Foot(feet), except toe(s)	43	43,840	2,580	7,890	7,200	8,130	6,740	7,930	3,360
Foot(feet), except toe(s), unspecified ..	430	39,300	2,330	7,170	6,480	7,220	6,000	7,060	3,030
Instep(s)	431	310	—	60	40	50	80	40	40
Sole	432	3,110	190	510	550	650	440	550	230
Sole(s), unspecified	4320	420	—	50	80	90	40	70	90
Ball(s)	4321	40	—	—	—	—	—	—	—
Arch(es)	4322	100	—	—	20	—	20	—	30
Heel(s)	4323	2,510	170	440	440	530	350	460	110
Multiple sole(s) locations	4328	30	—	—	—	—	—	—	—
Sole(s), n.e.c.	4329	20	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	380	20	30	20	100	60	130	20
Foot(feet), n.e.c.	439	750	50	130	110	110	160	150	50
Toe(s), toenail(s)	44	13,610	850	2,090	2,830	2,670	2,110	2,220	850
Multiple lower extremities locations	48	8,120	380	1,180	1,380	1,720	1,620	1,090	750
Multiple lower extremities locations, unspecified	480	180	—	20	20	30	40	40	—
Foot(feet) and leg(s)	481	820	30	100	200	200	140	70	80
Foot(feet) and ankle(s)	482	2,750	120	390	500	480	690	320	260
Foot(feet) and toe(s)	483	930	50	140	90	160	160	120	210
Multiple lower extremities locations, n.e.c.	489	3,440	170	530	560	860	590	530	200
Lower extremities, n.e.c.	49	90	—	40	—	—	—	—	—
Body systems	5	18,220	740	3,070	3,580	3,620	3,710	2,230	1,280

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple body parts	8	115,930	6,260	20,530	19,530	24,460	20,040	16,640	8,470
Other body parts	9	60	—	20	30	—	—	—	—
Other body parts, n.e.c.	98	60	—	—	30	—	—	—	—
Nonclassifiable	9999	10,780	420	2,060	1,790	2,390	1,500	1,760	850

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies