

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>						
			Total	Contact with objects			Fall to lower level	Fall on same level	Slips or trips without fall
				Struck by object	Struck against object	Caught in or compressed or crushed			
Total [1,234,680 cases] .....		135.7	37.2	18.4	9.4	6.0	8.7	18.4	4.0
<b>Head</b> .....	0	8.9	5.6	3.1	.9	.1	.3	.9	( <sup>7</sup> )
Head, unspecified .....	00	1.7	1.0	.6	.4	( <sup>7</sup> )	.1	.4	-
Cranial region, including skull .....	01	1.2	.6	.3	.2	( <sup>7</sup> )	.1	.2	-
Cranial region, unspecified .....	010	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	( <sup>7</sup> )	( <sup>7</sup> )	-
Brain .....	011	.8	.3	.2	.1	-	.1	.2	-
Scalp .....	012	.3	.2	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-
Skull .....	013	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	( <sup>7</sup> )	( <sup>7</sup> )	-
Multiple cranial region locations .....	018	( <sup>7</sup> )	( <sup>7</sup> )	-	-	-	-	-	-
Cranial region, n.e.c. ....	019	( <sup>7</sup> )	( <sup>7</sup> )	-	( <sup>7</sup> )	-	-	-	-
Ear(s) .....	02	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	-	( <sup>7</sup> )	( <sup>7</sup> )	-
Face .....	03	5.7	3.8	2.0	.3	( <sup>7</sup> )	.1	.3	-
Face, unspecified .....	030	.4	.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-
Forehead .....	031	.4	.3	.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-
Eye(s) .....	032	3.8	2.8	1.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-
Nose, nasal cavity .....	033	.3	.2	.1	( <sup>7</sup> )	-	( <sup>7</sup> )	( <sup>7</sup> )	-
Nose, except internal location of diseases or disorders .....	0330	.3	.2	.1	( <sup>7</sup> )	-	( <sup>7</sup> )	( <sup>7</sup> )	-
Cheek(s) .....	034	.1	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	-	( <sup>7</sup> )	-
Jaw/chin .....	035	.1	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-
Mouth .....	036	.2	.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-
Mouth, unspecified .....	0360	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	-	-	( <sup>7</sup> )	-
Lip(s) .....	0361	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	-	( <sup>7</sup> )	-
Tongue .....	0362	( <sup>7</sup> )	-	-	-	-	-	-	-
Tooth(teeth) .....	0363	.1	.1	.1	( <sup>7</sup> )	-	-	( <sup>7</sup> )	-
Multiple mouth locations .....	0368	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	-	-	-	-
Mouth, n.e.c. ....	0369	( <sup>7</sup> )	-	-	-	-	-	( <sup>7</sup> )	-
Multiple face locations .....	038	.3	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1	-
Face, n.e.c. ....	039	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	-	-	-
Multiple head locations .....	08	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1	-
Head, n.e.c. ....	09	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	-	-	-	-
<b>Neck, including throat</b> .....	1	2.0	.4	.3	.1	( <sup>7</sup> )	.1	.1	( <sup>7</sup> )
Neck, except internal location of diseases or disorders .....	10	2.0	.4	.3	.1	( <sup>7</sup> )	.1	.1	( <sup>7</sup> )
Internal neck location, unspecified .....	11	( <sup>7</sup> )	-	-	-	-	-	-	-
Internal neck location, n.e.c. ....	19	( <sup>7</sup> )	-	-	-	-	-	-	-
<b>Trunk</b> .....	2	47.1	2.6	1.5	.6	.2	2.4	5.0	1.2
Trunk, unspecified .....	20	.3	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1	-
Shoulder, including clavicle, scapula .....	21	8.6	.7	.5	.2	( <sup>7</sup> )	.4	1.2	.1

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>									All other events <sup>6</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Total [1,234,680 cases] .....	32.8	17.6	4.8	5.7	6.7	0.3	2.4	1.6	0.8	14.8
<b>Head</b> .....	.1	.1	—	1.1	.4	.1	.4	.3	.1	.1
Head, unspecified .....	—	—	—	(7)	.1	(7)	.1	.1	(7)	(7)
Cranial region, including skull .....	—	—	—	(7)	.1	—	(7)	(7)	(7)	(7)
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	—	—
Brain .....	—	—	—	—	.1	—	(7)	(7)	(7)	(7)
Scalp .....	—	—	—	(7)	(7)	—	(7)	(7)	—	(7)
Skull .....	—	—	—	—	(7)	—	(7)	—	—	(7)
Multiple cranial region locations .....	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	(7)	(7)	(7)	(7)	(7)	(7)	(7)
Face .....	.1	(7)	—	1.0	.1	.1	.3	.2	.1	.1
Face, unspecified .....	—	—	—	.1	(7)	(7)	(7)	(7)	(7)	(7)
Forehead .....	—	—	—	(7)	(7)	—	(7)	(7)	(7)	(7)
Eye(s) .....	.1	(7)	—	.8	(7)	(7)	.1	(7)	.1	(7)
Nose, nasal cavity .....	—	—	—	(7)	(7)	—	(7)	(7)	(7)	(7)
Nose, except internal location of diseases or disorders .....	—	—	—	(7)	(7)	—	(7)	(7)	(7)	(7)
Cheek(s) .....	—	—	—	(7)	—	(7)	(7)	(7)	—	—
Jaw/chin .....	—	—	—	(7)	—	—	(7)	(7)	—	—
Mouth .....	—	—	—	(7)	(7)	—	(7)	(7)	—	(7)
Mouth, unspecified .....	—	—	—	(7)	—	—	(7)	(7)	—	—
Lip(s) .....	—	—	—	(7)	—	—	(7)	(7)	—	—
Tongue .....	—	—	—	—	—	—	—	—	—	—
Tooth(teeth) .....	—	—	—	—	(7)	—	(7)	(7)	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	(7)	(7)	(7)	(7)	(7)	(7)	—
Face, n.e.c. ....	—	—	—	(7)	—	—	(7)	(7)	—	—
Multiple head locations .....	—	—	—	(7)	(7)	(7)	(7)	(7)	—	(7)
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	.6	.3	.1	(7)	.5	—	.1	.1	(7)	.2
Neck, except internal location of diseases or disorders .....	.6	.3	.1	(7)	.5	—	.1	.1	(7)	.2
Internal neck location, unspecified .....	—	—	—	(7)	—	—	—	—	—	—
Internal neck location, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	25.9	14.7	1.0	.3	1.8	(7)	.4	.4	.1	6.5
Trunk, unspecified .....	.1	(7)	(7)	(7)	(7)	—	(7)	(7)	—	(7)
Shoulder, including clavicle, scapula .....	4.5	2.0	.4	(7)	.3	—	.1	.1	(7)	.8

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chest, including ribs, internal organs .....	22	2.0	0.4	0.3	0.1	0.1	0.2	0.4	( <sup>7</sup> )
Chest, except internal location of diseases or disorders .....	220	1.8	.4	.3	.1	.1	.2	.4	( <sup>7</sup> )
Internal chest location, unspecified .....	221	( <sup>7</sup> )	—	—	—	—	—	—	—
Heart .....	223	( <sup>7</sup> )	—	—	—	—	—	—	—
Bronchus .....	224	( <sup>7</sup> )	—	—	—	—	—	—	—
Lung(s), pleura .....	225	.2	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	29.8	.9	.5	.2	.1	1.3	2.6	.9
Back, including spine, spinal cord, unspecified .....	230	12.8	.4	.2	.1	( <sup>7</sup> )	.7	1.1	.4
Lumbar region .....	231	14.6	.4	.2	.1	.1	.5	1.1	.5
Thoracic region .....	232	1.2	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1	( <sup>7</sup> )
Sacral region .....	233	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Coccygeal region .....	234	.2	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	.1	.1	—
Multiple back regions .....	238	.8	.1	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	.1	( <sup>7</sup> )
Back, including spine, spinal cord, n.e.c. ....	239	( <sup>7</sup> )	—	—	—	—	—	—	—
Abdomen .....	24	3.1	.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1	( <sup>7</sup> )
Abdomen, except internal location of diseases or disorders .....	240	.8	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Internal abdominal location, unspecified .....	241	1.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	( <sup>7</sup> )
Stomach organ .....	242	.1	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	1.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Intestines, peritoneum, unspecified .....	2450	.9	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Peritoneum .....	2451	.1	—	—	—	—	—	—	—
Small intestine .....	2452	( <sup>7</sup> )	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	2453	.1	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	( <sup>7</sup> )	—	—	—	—	—	—	—
Other digestive structures .....	246	( <sup>7</sup> )	—	—	—	—	—	—	—
Liver .....	2461	( <sup>7</sup> )	—	—	—	—	—	—	—
Multiple internal abdominal locations .....	248	( <sup>7</sup> )	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	( <sup>7</sup> )	—	—	—	—	—	—	—
Pelvic region .....	25	2.3	.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	.2	.5	.1
Pelvic region, unspecified .....	250	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	—	( <sup>7</sup> )	( <sup>7</sup> )	—
Hip(s) .....	251	.9	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	.1	.3	( <sup>7</sup> )
Pelvis .....	252	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—
Buttock(s) .....	253	.1	( <sup>7</sup> )	—	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>									All other events <sup>6</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Chest, including ribs, internal organs .....	0.4	0.2	( <sup>7</sup> )	0.2	0.1	( <sup>7</sup> )	0.1	0.1	( <sup>7</sup> )	0.1
Chest, except internal location of diseases or disorders .....	.4	.2	( <sup>7</sup> )	( <sup>7</sup> )	.1	—	.1	.1	( <sup>7</sup> )	.1
Internal chest location, unspecified .....	—	—	—	( <sup>7</sup> )	—	—	—	—	—	( <sup>7</sup> )
Heart .....	( <sup>7</sup> )	—	—	—	—	—	—	—	—	( <sup>7</sup> )
Bronchus .....	—	—	—	( <sup>7</sup> )	—	—	—	—	—	—
Lung(s), pleura .....	—	—	—	.2	—	—	—	—	—	—
Back, including spine, spinal cord .....	17.4	10.3	.5	( <sup>7</sup> )	1.1	( <sup>7</sup> )	.2	.1	( <sup>7</sup> )	4.9
Back, including spine, spinal cord, unspecified .....	7.2	4.3	.2	( <sup>7</sup> )	.5	( <sup>7</sup> )	.1	.1	( <sup>7</sup> )	2.2
Lumbar region .....	9.0	5.3	.2	( <sup>7</sup> )	.4	—	.1	( <sup>7</sup> )	( <sup>7</sup> )	2.4
Thoracic region .....	.8	.4	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.2
Sacral region .....	.1	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	—	—	—	( <sup>7</sup> )
Coccygeal region .....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	—	—
Multiple back regions .....	.4	.2	( <sup>7</sup> )	—	.1	—	( <sup>7</sup> )	( <sup>7</sup> )	—	.1
Back, including spine, spinal cord, n.e.c. ....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	—	—	—	—
Abdomen .....	2.4	1.5	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.3
Abdomen, except internal location of diseases or disorders .....	.5	.3	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1
Internal abdominal location, unspecified .....	.9	.6	( <sup>7</sup> )	—	—	—	—	—	—	.2
Stomach organ .....	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	—	—	—	—	( <sup>7</sup> )
Intestines, peritoneum .....	1.0	.6	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	.1
Intestines, peritoneum, unspecified .....	.8	.5	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	—	.1
Peritoneum .....	.1	.1	—	—	—	—	—	—	—	( <sup>7</sup> )
Small intestine .....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	—	—	—	( <sup>7</sup> )
Large intestine/colon, rectum .....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	—	—	—	—
Other digestive structures .....	—	—	—	( <sup>7</sup> )	—	—	—	—	—	—
Liver .....	—	—	—	( <sup>7</sup> )	—	—	—	—	—	—
Multiple internal abdominal locations .....	—	—	—	( <sup>7</sup> )	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	—	—	—	—
Pelvic region .....	.9	.6	( <sup>7</sup> )	( <sup>7</sup> )	.1	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.2
Pelvic region, unspecified .....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	—	—	—	—
Hip(s) .....	.2	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	.1
Pelvis .....	( <sup>7</sup> )	( <sup>7</sup> )	—	—	( <sup>7</sup> )	—	—	—	—	—
Buttock(s) .....	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	—	—	—	—	( <sup>7</sup> )

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Groin .....	254	1.0	(7)	(7)	(7)	—	(7)	0.1	(7)
External reproductive tract structures .....	255	(7)	(7)	(7)	—	—	(7)	(7)	—
External reproductive tract structures, unspecified .....	2550	(7)	—	—	—	—	—	—	—
Scrotum .....	2551	(7)	(7)	(7)	—	—	—	(7)	—
Penis .....	2552	(7)	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	(7)	(7)	—	—	—	—	(7)	—
Pelvic region, n.e.c. ....	259	(7)	—	—	—	—	(7)	(7)	—
Multiple trunk locations .....	28	1.0	.1	(7)	(7)	(7)	.1	.3	(7)
Trunk, n.e.c. ....	29	(7)	(7)	—	(7)	—	—	(7)	—
<b>Upper extremities</b> .....	3	31.3	17.5	7.3	4.2	4.7	1.1	2.8	.1
Upper extremities, unspecified .....	30	(7)	(7)	—	—	(7)	(7)	—	—
Arm(s) .....	31	6.1	1.7	.8	.6	.2	.5	1.0	(7)
Arm(s), unspecified .....	310	2.1	.5	.2	.1	.1	.2	.4	(7)
Upper arm(s) .....	311	.6	.1	.1	(7)	(7)	(7)	.1	—
Elbow(s) .....	312	2.0	.5	.1	.3	(7)	.2	.5	(7)
Forearm(s) .....	313	1.0	.5	.3	.1	.1	.1	.1	—
Multiple arm(s) locations .....	318	.3	(7)	(7)	(7)	(7)	.1	.1	—
Arm(s), n.e.c. ....	319	.1	(7)	(7)	(7)	(7)	—	(7)	—
Wrist(s) .....	32	6.2	1.0	.5	.3	.1	.4	1.1	(7)
Hand(s), except finger(s) .....	33	5.2	3.3	1.5	.9	.7	.1	.3	(7)
Finger(s), fingernail(s) .....	34	12.2	10.9	4.2	2.4	3.5	.1	.2	(7)
Multiple upper extremities locations ..	38	1.6	.6	.3	.1	.2	.1	.2	—
Multiple upper extremities locations, unspecified .....	380	(7)	(7)	—	—	—	—	(7)	—
Hand(s) and finger(s) .....	381	.5	.3	.1	.1	.1	(7)	(7)	—
Hand(s) and wrist(s) .....	382	.3	.1	(7)	(7)	(7)	(7)	(7)	—
Hand(s) and arm(s) .....	383	.2	(7)	(7)	(7)	(7)	(7)	(7)	—
Multiple upper extremities locations, n.e.c. ....	389	.5	.1	.1	(7)	(7)	(7)	.1	—
Upper extremities, n.e.c. ....	39	(7)	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	4	29.9	9.7	5.3	3.1	.9	2.9	5.7	2.5
Lower extremities, unspecified .....	40	(7)	(7)	(7)	—	—	(7)	(7)	—
Leg(s) .....	41	15.5	3.7	1.7	1.5	.3	1.2	3.7	1.2
Leg(s), unspecified .....	410	2.2	.9	.5	.3	.1	.2	.4	.1
Thigh(s) .....	411	.6	.2	.1	(7)	(7)	.1	.1	(7)
Knee(s) .....	412	11.1	2.0	.7	1.0	.1	.8	2.9	1.1
Lower leg(s) .....	413	1.3	.6	.4	.2	(7)	.1	.2	(7)
Multiple leg(s) locations .....	418	.3	.1	.1	(7)	(7)	(7)	.1	(7)
Leg(s), n.e.c. ....	419	.1	(7)	(7)	(7)	(7)	(7)	(7)	—

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>									All other events <sup>6</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Groin .....	0.7	0.4	(7)	(7)	(7)	—	(7)	(7)	—	0.1
External reproductive tract structures .....	(7)	—	—	—	—	—	(7)	(7)	—	(7)
External reproductive tract structures, unspecified .....	(7)	—	—	—	—	—	—	—	—	—
Scrotum .....	(7)	—	—	—	—	—	—	—	—	—
Penis .....	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	(7)	(7)	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	(7)	(7)	—	—	—	—	—	—	—	—
Multiple trunk locations .....	.3	.1	(7)	(7)	.1	(7)	(7)	(7)	(7)	.1
Trunk, n.e.c. ....	—	—	—	—	(7)	—	—	—	—	—
<b>Upper extremities</b> .....	3.1	1.3	3.3	1.5	.4	(7)	.7	.3	.4	.9
Upper extremities, unspecified .....	(7)	—	(7)	(7)	—	—	(7)	—	—	—
Arm(s) .....	1.4	.7	.4	.4	.2	(7)	.2	.1	.1	.3
Arm(s), unspecified .....	.4	.2	.1	.2	.1	(7)	.1	(7)	(7)	.1
Upper arm(s) .....	.3	.1	(7)	(7)	(7)	(7)	(7)	(7)	(7)	(7)
Elbow(s) .....	.4	.2	.2	(7)	(7)	—	(7)	(7)	(7)	.1
Forearm(s) .....	.1	.1	(7)	.1	(7)	—	(7)	(7)	(7)	(7)
Multiple arm(s) locations .....	.1	(7)	(7)	(7)	(7)	—	(7)	(7)	—	(7)
Arm(s), n.e.c. ....	(7)	(7)	—	(7)	—	—	—	—	—	(7)
Wrist(s) .....	1.0	.4	2.3	(7)	.1	—	.1	.1	(7)	.2
Hand(s), except finger(s) .....	.2	.1	.2	.8	.1	(7)	.2	(7)	.1	.1
Finger(s), fingernail(s) .....	.2	.1	.2	.2	(7)	—	.2	.1	.1	.2
Multiple upper extremities locations .....	.2	(7)	.2	.1	(7)	(7)	.1	(7)	(7)	.1
Multiple upper extremities locations, unspecified .....	(7)	—	(7)	—	—	—	—	—	—	(7)
Hand(s) and finger(s) .....	(7)	(7)	(7)	.1	(7)	(7)	(7)	—	(7)	(7)
Hand(s) and wrist(s) .....	(7)	(7)	.1	(7)	(7)	(7)	(7)	(7)	—	(7)
Hand(s) and arm(s) .....	(7)	(7)	(7)	.1	(7)	(7)	(7)	(7)	(7)	(7)
Multiple upper extremities locations, n.e.c. ....	.1	(7)	.1	(7)	(7)	(7)	.1	(7)	(7)	(7)
Upper extremities, n.e.c. ....	(7)	—	(7)	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	1.5	.5	.2	.6	1.1	(7)	.3	.2	.2	5.5
Lower extremities, unspecified .....	—	—	—	—	—	—	—	—	—	(7)
Leg(s) .....	1.3	.4	.1	.3	.4	(7)	.2	.1	.1	3.2
Leg(s), unspecified .....	.1	.1	(7)	.1	.1	(7)	(7)	(7)	(7)	.2
Thigh(s) .....	.1	(7)	(7)	(7)	(7)	—	(7)	(7)	(7)	.1
Knee(s) .....	1.0	.3	.1	(7)	.2	(7)	.1	.1	(7)	2.8
Lower leg(s) .....	.1	(7)	—	.1	(7)	(7)	(7)	—	(7)	.1
Multiple leg(s) locations .....	(7)	(7)	(7)	(7)	(7)	—	(7)	—	(7)	(7)
Leg(s), n.e.c. ....	(7)	—	—	(7)	—	—	—	—	—	(7)

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Ankle(s) .....	42	7.1	1.4	0.5	0.7	0.1	1.0	1.4	1.1
Foot(feet), except toe(s) .....	43	4.8	3.0	1.9	.7	.3	.4	.4	.1
Foot(feet), except toe(s), unspecified .....	430	4.2	2.7	1.8	.6	.3	.3	.3	.1
Instep(s) .....	431	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—
Sole .....	432	.4	.2	.1	.1	( <sup>7</sup> )	.1	( <sup>7</sup> )	( <sup>7</sup> )
Sole(s), unspecified .....	4320	.1	.1	—	.1	—	—	—	—
Ball(s) .....	4321	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—	—	—	—
Arch(es) .....	4322	( <sup>7</sup> )	—	—	—	—	—	—	—
Heel(s) .....	4323	.3	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	.1	( <sup>7</sup> )	( <sup>7</sup> )
Multiple foot(feet) locations .....	438	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	—	—
Foot(feet), n.e.c. .....	439	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	—
Toe(s), toenail(s) .....	44	1.4	1.2	.9	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Multiple lower extremities locations .....	48	.9	.3	.2	( <sup>7</sup> )	.1	.1	.2	.1
Multiple lower extremities locations, unspecified .....	480	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	( <sup>7</sup> )	—
Foot(feet) and leg(s) .....	481	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Foot(feet) and ankle(s) .....	482	.3	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )
Foot(feet) and toe(s) .....	483	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—
Multiple lower extremities locations, n.e.c. .....	489	.4	.1	.1	( <sup>7</sup> )	( <sup>7</sup> )	.1	.1	( <sup>7</sup> )
Lower extremities, n.e.c. .....	49	( <sup>7</sup> )	( <sup>7</sup> )	—	—	—	—	( <sup>7</sup> )	—
<b>Body systems</b> .....	5	2.0	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	—	( <sup>7</sup> )	( <sup>7</sup> )	—
<b>Multiple body parts</b> .....	8	13.3	1.4	.9	.3	.1	1.9	3.7	.2
<b>Other body parts</b> .....	9	( <sup>7</sup> )	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>									All other events <sup>6</sup>
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Ankle(s) .....	0.2	(7)	(7)	(7)	0.2	—	0.1	(7)	(7)	1.8
Foot(feet), except toe(s) .....	.1	(7)	(7)	.2	.3	—	(7)	(7)	(7)	.3
Foot(feet), except toe(s), unspecified .....	.1	(7)	(7)	.2	.3	—	(7)	(7)	(7)	.3
Instep(s) .....	—	—	—	—	—	—	—	—	—	(7)
Sole .....	(7)	—	(7)	—	(7)	—	—	—	—	(7)
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—	(7)
Ball(s) .....	—	—	—	—	—	—	—	—	—	(7)
Arch(es) .....	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	(7)	—	(7)	—	(7)	—	—	—	—	(7)
Multiple foot(feet) locations .....	—	—	—	—	—	—	—	—	—	(7)
Foot(feet), n.e.c. ....	—	—	—	—	(7)	—	—	—	—	(7)
Toe(s), toenail(s) .....	(7)	—	—	(7)	.1	—	(7)	—	—	(7)
Multiple lower extremities locations .....	(7)	(7)	—	(7)	.1	—	(7)	(7)	(7)	.1
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s) .....	(7)	(7)	—	(7)	(7)	—	(7)	—	—	(7)
Foot(feet) and ankle(s) .....	—	—	—	(7)	(7)	—	(7)	—	—	(7)
Foot(feet) and toe(s) .....	(7)	(7)	—	(7)	(7)	—	—	—	—	(7)
Multiple lower extremities locations, n.e.c. ....	(7)	—	—	(7)	(7)	—	(7)	(7)	—	.1
Lower extremities, n.e.c. ....	(7)	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	(7)	(7)	(7)	1.5	(7)	(7)	.1	(7)	(7)	.3
<b>Multiple body parts</b> .....	1.5	.7	.3	.5	2.5	.1	.4	.4	(7)	.7
<b>Other body parts</b> .....	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.



TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Part of body code <sup>3</sup>	Private industry <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
<b>Nonclassifiable</b> .....	9999	1.2	0.1	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	( <sup>7</sup> )	0.1	( <sup>7</sup> )

See footnotes at end of table.

TABLE R24. Incidence rates<sup>1</sup> for nonfatal occupational injuries and illnesses involving days away from work<sup>2</sup> per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2005 — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events <sup>6</sup>
	Total	In lifting					Total	By person	All other assaults	
<b>Nonclassifiable .....</b>	0.1	0.1	( <sup>7</sup> )	0.1	0.1	—	0.1	( <sup>7</sup> )	( <sup>7</sup> )	0.6

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses  
 EH = total hours worked by all employees during the calendar year  
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

<sup>2</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>3</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049;

Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

<sup>7</sup> Less than 0.05 cases per 10,000 full-time workers.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies