

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, sex, and length of service with employer, 2005

| Part of body | Part of body code ² | Private industry ³ | Sex | | | Length of service with employer | | | | |
|--|--------------------------------|-------------------------------|---------|---------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Men | Women | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Total | | 1,234,680 | 814,250 | 415,880 | 4,540 | 166,870 | 262,040 | 417,570 | 377,890 | 10,310 |
| Head | 0 | 81,090 | 59,870 | 20,920 | 300 | 13,070 | 18,760 | 27,420 | 21,230 | 610 |
| Head, unspecified | 00 | 15,640 | 9,470 | 6,090 | 70 | 2,450 | 4,110 | 4,890 | 3,970 | 230 |
| Cranial region, including skull | 01 | 10,680 | 7,230 | 3,380 | 80 | 1,800 | 2,150 | 3,870 | 2,760 | 110 |
| Cranial region, unspecified | 010 | 310 | 210 | 90 | - | 30 | 100 | 60 | 110 | - |
| Brain | 011 | 6,980 | 4,400 | 2,550 | 30 | 1,190 | 1,570 | 2,560 | 1,610 | 50 |
| Scalp | 012 | 2,680 | 2,070 | 570 | 40 | 430 | 360 | 1,030 | 810 | 40 |
| Skull | 013 | 490 | 360 | 120 | - | 50 | 110 | 180 | 140 | - |
| Multiple cranial region locations | 018 | 70 | 60 | - | - | - | - | - | 50 | - |
| Cranial region, n.e.c. | 019 | 160 | 130 | 40 | - | 100 | - | 30 | 30 | - |
| Ear(s) | 02 | 1,340 | 970 | 360 | - | 160 | 420 | 250 | 470 | 30 |
| Face | 03 | 51,990 | 41,040 | 10,820 | 130 | 8,360 | 11,420 | 18,140 | 13,820 | 240 |
| Face, unspecified | 030 | 3,870 | 2,630 | 1,240 | - | 400 | 760 | 1,440 | 1,240 | 20 |
| Forehead | 031 | 3,540 | 2,520 | 1,010 | - | 470 | 860 | 1,340 | 860 | - |
| Eye(s) | 032 | 34,740 | 29,170 | 5,500 | 70 | 6,030 | 7,410 | 12,240 | 8,930 | 130 |
| Nose, nasal cavity | 033 | 2,490 | 1,620 | 860 | 20 | 360 | 670 | 690 | 760 | 20 |
| Nose, except internal location of diseases or disorders | 0330 | 2,430 | 1,610 | 800 | 20 | 360 | 650 | 650 | 750 | 20 |
| Cheek(s) | 034 | 1,010 | 610 | 400 | - | 160 | 220 | 440 | 180 | - |
| Jaw/chin | 035 | 1,260 | 890 | 360 | - | 340 | 250 | 360 | 290 | - |
| Mouth | 036 | 2,230 | 1,650 | 570 | - | 290 | 660 | 620 | 650 | 20 |
| Mouth, unspecified | 0360 | 320 | 250 | 70 | - | - | 130 | 90 | 100 | - |
| Lip(s) | 0361 | 500 | 360 | 130 | - | 90 | 90 | 210 | 110 | - |
| Tongue | 0362 | 120 | - | - | - | - | - | - | - | - |
| Tooth(teeth) | 0363 | 1,080 | 770 | 310 | - | 190 | 430 | 200 | 250 | - |
| Multiple mouth locations | 0368 | 160 | 140 | 20 | - | - | - | 90 | 50 | - |
| Mouth, n.e.c. | 0369 | 40 | - | 30 | - | - | - | 20 | 20 | - |
| Multiple face locations | 038 | 2,580 | 1,730 | 850 | - | 290 | 550 | 920 | 800 | - |
| Face, n.e.c. | 039 | 270 | 230 | 30 | - | 20 | 40 | 90 | 110 | - |
| Multiple head locations | 08 | 1,270 | 1,020 | 250 | - | 270 | 560 | 250 | 190 | - |
| Head, n.e.c. | 09 | 170 | 140 | 20 | - | 30 | 100 | 30 | 20 | - |
| Neck, including throat | 1 | 18,470 | 10,790 | 7,510 | 170 | 2,060 | 3,770 | 6,570 | 5,870 | 180 |
| Neck, except internal location of diseases or disorders | 10 | 18,410 | 10,770 | 7,470 | 170 | 2,060 | 3,760 | 6,560 | 5,840 | 180 |
| Internal neck location, unspecified | 11 | 40 | - | 30 | - | - | - | - | 30 | - |
| Internal neck location, n.e.c. | 19 | 20 | - | - | - | - | - | - | - | - |
| Trunk | 2 | 428,500 | 286,090 | 140,970 | 1,440 | 47,480 | 88,960 | 149,370 | 139,810 | 2,870 |
| Trunk, unspecified | 20 | 2,650 | 1,920 | 710 | 20 | 410 | 460 | 860 | 850 | 80 |
| Shoulder, including clavicle, scapula | 21 | 77,800 | 51,190 | 26,240 | 370 | 7,650 | 14,830 | 24,980 | 29,710 | 630 |
| Chest, including ribs, internal organs | 22 | 18,400 | 13,270 | 5,050 | 80 | 2,550 | 3,730 | 5,740 | 6,250 | 130 |
| Chest, except internal location of diseases or disorders | 220 | 16,320 | 12,250 | 3,990 | 80 | 2,390 | 3,470 | 4,930 | 5,430 | 110 |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, sex, and length of service with employer, 2005 — Continued

| Part of body | Part of body code ² | Private industry ³ | Sex | | | Length of service with employer | | | | |
|--|--------------------------------|-------------------------------|---------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Men | Women | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Internal chest location, unspecified | 221 | 210 | 80 | 130 | — | — | 50 | 100 | 50 | — |
| Heart | 223 | 340 | 320 | 20 | — | 40 | 40 | 50 | 200 | 20 |
| Bronchus | 224 | 100 | 70 | 30 | — | — | 40 | 30 | 30 | — |
| Lung(s), pleura | 225 | 1,420 | 550 | 870 | — | 110 | 130 | 630 | 540 | — |
| Back, including spine, spinal cord | 23 | 270,890 | 174,700 | 95,350 | 840 | 30,860 | 58,690 | 97,920 | 81,800 | 1,610 |
| Back, including spine, spinal cord, unspecified | 230 | 116,160 | 77,180 | 38,960 | 30 | 14,440 | 26,380 | 41,790 | 33,160 | 400 |
| Lumbar region | 231 | 132,660 | 85,220 | 46,790 | 640 | 13,530 | 27,660 | 48,470 | 42,060 | 950 |
| Thoracic region | 232 | 10,670 | 5,810 | 4,700 | 170 | 1,350 | 2,130 | 3,840 | 3,180 | 170 |
| Sacral region | 233 | 1,330 | 760 | 580 | — | 150 | 260 | 520 | 380 | 20 |
| Coccygeal region | 234 | 2,270 | 1,090 | 1,170 | — | 420 | 540 | 940 | 360 | — |
| Multiple back regions | 238 | 7,500 | 4,480 | 3,020 | — | 940 | 1,680 | 2,270 | 2,540 | 70 |
| Back, including spine, spinal cord, n.e.c. | 239 | 290 | 170 | 130 | — | 30 | 40 | 90 | 120 | — |
| Abdomen | 24 | 28,350 | 24,070 | 4,230 | 50 | 2,230 | 4,910 | 9,900 | 11,070 | 240 |
| Abdomen, except internal location of diseases or disorders | 240 | 7,540 | 4,760 | 2,760 | 20 | 880 | 1,480 | 2,790 | 2,330 | 60 |
| Internal abdominal location, unspecified | 241 | 10,010 | 9,130 | 840 | 30 | 710 | 1,670 | 3,240 | 4,280 | 110 |
| Stomach organ | 242 | 550 | 430 | 120 | — | 30 | 50 | 250 | 200 | 30 |
| Intestines, peritoneum | 245 | 10,080 | 9,590 | 480 | — | 610 | 1,690 | 3,530 | 4,210 | 30 |
| Intestines, peritoneum, unspecified | 2450 | 8,600 | 8,190 | 410 | — | 490 | 1,420 | 2,980 | 3,660 | 30 |
| Peritoneum | 2451 | 710 | 680 | 30 | — | 60 | 160 | 230 | 260 | — |
| Small intestine | 2452 | 180 | 180 | — | — | — | 20 | 50 | 90 | — |
| Large intestine/colon, rectum | 2453 | 460 | 440 | — | — | 40 | 60 | 190 | 170 | — |
| Intestines, n.e.c. | 2459 | 130 | 100 | 30 | — | — | 30 | 70 | 30 | — |
| Other digestive structures | 246 | 20 | 20 | — | — | — | — | — | — | — |
| Liver | 2461 | 20 | 20 | — | — | — | — | — | — | — |
| Multiple internal abdominal locations | 248 | 40 | — | — | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | 110 | 110 | — | — | — | — | 50 | 60 | — |
| Pelvic region | 25 | 20,850 | 15,150 | 5,620 | 80 | 2,780 | 4,530 | 6,340 | 7,030 | 170 |
| Pelvic region, unspecified | 250 | 450 | 290 | 150 | — | 50 | 190 | 100 | 90 | — |
| Hip(s) | 251 | 8,520 | 4,680 | 3,800 | 40 | 890 | 1,760 | 2,560 | 3,260 | 50 |
| Pelvis | 252 | 1,050 | 750 | 300 | — | 210 | 200 | 230 | 410 | — |
| Buttock(s) | 253 | 1,200 | 680 | 520 | — | 320 | 160 | 390 | 340 | — |
| Groin | 254 | 8,900 | 8,170 | 730 | — | 1,130 | 2,020 | 2,900 | 2,790 | 70 |
| External reproductive tract structures | 255 | 390 | 350 | — | 30 | 140 | 140 | 30 | 50 | 30 |
| External reproductive tract structures, unspecified | 2550 | 40 | — | — | 30 | — | — | — | — | 30 |
| Scrotum | 2551 | 310 | 310 | — | — | 110 | 130 | 20 | 40 | — |
| Penis | 2552 | 30 | 30 | — | — | 30 | — | — | — | — |
| Multiple pelvic region locations | 258 | 240 | 200 | 40 | — | 50 | — | 120 | 60 | — |
| Pelvic region, n.e.c. | 259 | 90 | 20 | 70 | — | — | 60 | — | 20 | — |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, sex, and length of service with employer, 2005 — Continued

| Part of body | Part of body code ² | Private industry ³ | Sex | | | Length of service with employer | | | | |
|---|--------------------------------|-------------------------------|---------|--------|--------------|---------------------------------|---------------|-------------|-------------------|--------------|
| | | | Men | Women | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Multiple trunk locations | 28 | 9,400 | 5,670 | 3,720 | — | 990 | 1,790 | 3,540 | 3,060 | — |
| Trunk, n.e.c. | 29 | 150 | 110 | 40 | — | — | 20 | 80 | 40 | — |
| Upper extremities | 3 | 284,750 | 190,890 | 93,180 | 680 | 45,470 | 60,790 | 94,710 | 82,040 | 1,740 |
| Upper extremities, unspecified | 30 | 330 | 140 | 190 | — | 30 | 50 | 110 | 120 | 30 |
| Arm(s) | 31 | 55,440 | 36,650 | 18,570 | 220 | 7,960 | 10,810 | 19,610 | 16,720 | 350 |
| Arm(s), unspecified | 310 | 19,550 | 11,760 | 7,780 | — | 3,210 | 4,090 | 7,210 | 5,000 | 30 |
| Upper arm(s) | 311 | 5,210 | 3,860 | 1,280 | 70 | 340 | 850 | 1,990 | 1,920 | 100 |
| Elbow(s) | 312 | 17,870 | 12,060 | 5,700 | 110 | 2,020 | 3,310 | 5,890 | 6,490 | 160 |
| Forearm(s) | 313 | 9,380 | 6,800 | 2,530 | 50 | 2,030 | 1,880 | 3,070 | 2,360 | 50 |
| Multiple arm(s) locations | 318 | 2,980 | 1,830 | 1,150 | — | 280 | 540 | 1,330 | 810 | — |
| Arm(s), n.e.c. | 319 | 460 | 340 | 130 | — | 80 | 130 | 110 | 140 | — |
| Wrist(s) | 32 | 56,250 | 27,380 | 28,760 | 110 | 6,060 | 10,570 | 17,740 | 21,620 | 260 |
| Hand(s), except finger(s) | 33 | 47,020 | 34,190 | 12,730 | 100 | 8,810 | 11,110 | 16,210 | 10,500 | 400 |
| Finger(s), fingernail(s) | 34 | 111,090 | 84,420 | 26,430 | 250 | 20,650 | 25,430 | 36,230 | 28,140 | 650 |
| Multiple upper extremities locations ... | 38 | 14,440 | 8,090 | 6,350 | — | 1,950 | 2,810 | 4,800 | 4,810 | 60 |
| Multiple upper extremities locations, unspecified | 380 | 250 | 160 | 80 | — | 20 | 30 | 90 | 110 | — |
| Hand(s) and finger(s) | 381 | 4,600 | 3,180 | 1,420 | — | 800 | 860 | 1,430 | 1,510 | — |
| Hand(s) and wrist(s) | 382 | 3,100 | 1,720 | 1,380 | — | 310 | 470 | 990 | 1,330 | — |
| Hand(s) and arm(s) | 383 | 1,830 | 1,050 | 780 | — | 290 | 350 | 670 | 500 | 30 |
| Multiple upper extremities locations, n.e.c. | 389 | 4,650 | 1,970 | 2,680 | — | 530 | 1,110 | 1,630 | 1,360 | 30 |
| Upper extremities, n.e.c. | 39 | 180 | 20 | 160 | — | — | 20 | — | 150 | — |
| Lower extremities | 4 | 271,740 | 185,230 | 85,380 | 1,140 | 39,780 | 58,610 | 88,920 | 81,780 | 2,650 |
| Lower extremities, unspecified | 40 | 300 | 200 | 90 | — | 50 | 80 | 90 | 70 | — |
| Leg(s) | 41 | 141,060 | 95,240 | 45,150 | 670 | 18,420 | 28,170 | 46,090 | 46,790 | 1,580 |
| Leg(s), unspecified | 410 | 19,700 | 14,660 | 5,040 | — | 2,990 | 4,060 | 7,270 | 5,360 | 20 |
| Thigh(s) | 411 | 5,510 | 3,680 | 1,760 | 70 | 740 | 1,270 | 1,600 | 1,830 | 70 |
| Knee(s) | 412 | 100,560 | 65,060 | 35,010 | 490 | 12,090 | 19,310 | 32,830 | 35,030 | 1,310 |
| Lower leg(s) | 413 | 12,030 | 9,490 | 2,430 | 110 | 2,060 | 3,050 | 3,510 | 3,280 | 130 |
| Multiple leg(s) locations | 418 | 2,780 | 1,920 | 860 | — | 460 | 350 | 710 | 1,200 | 60 |
| Leg(s), n.e.c. | 419 | 470 | 430 | 50 | — | 80 | 130 | 180 | 90 | — |
| Ankle(s) | 42 | 65,000 | 42,390 | 22,270 | 340 | 10,420 | 14,650 | 22,050 | 17,190 | 690 |
| Foot(feet), except toe(s) | 43 | 43,840 | 32,280 | 11,470 | 100 | 7,400 | 10,370 | 13,530 | 12,320 | 230 |
| Foot(feet), except toe(s), unspecified | 430 | 38,340 | 27,680 | 10,560 | 90 | 6,530 | 9,100 | 12,060 | 10,430 | 210 |
| Instep(s) | 431 | 640 | 500 | 140 | — | 80 | 100 | 230 | 230 | — |
| Sole | 432 | 3,880 | 3,260 | 610 | — | 680 | 920 | 1,090 | 1,170 | — |
| Sole(s), unspecified | 4320 | 640 | 600 | 40 | — | 90 | 350 | 80 | 120 | — |
| Ball(s) | 4321 | 80 | 70 | — | — | — | — | 40 | 40 | — |
| Arch(es) | 4322 | 30 | 20 | — | — | — | — | — | — | — |
| Heel(s) | 4323 | 3,120 | 2,570 | 540 | — | 590 | 570 | 960 | 990 | — |
| Multiple foot(feet) locations | 438 | 290 | 200 | 90 | — | 50 | 110 | 20 | 110 | — |
| Foot(feet), n.e.c. | 439 | 690 | 630 | 60 | — | 60 | 130 | 120 | 380 | — |
| Toe(s), toenail(s) | 44 | 12,880 | 9,550 | 3,310 | 30 | 2,080 | 3,450 | 4,180 | 3,090 | 80 |
| Multiple lower extremities locations | 48 | 8,530 | 5,530 | 3,000 | — | 1,380 | 1,880 | 2,950 | 2,240 | 70 |

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, sex, and length of service with employer, 2005 — Continued

| Part of body | Part of body code ² | Private industry ³ | Sex | | | Length of service with employer | | | | |
|---|--------------------------------|-------------------------------|---------------|---------------|--------------|---------------------------------|---------------|---------------|-------------------|--------------|
| | | | Men | Women | Not reported | Less than 3 months | 3 - 11 months | 1 - 5 years | More than 5 years | Not reported |
| Multiple lower extremities locations, unspecified | 480 | 70 | 60 | — | — | — | — | 20 | 20 | — |
| Foot(feet) and leg(s) | 481 | 840 | 550 | 290 | — | 100 | 160 | 250 | 330 | — |
| Foot(feet) and ankle(s) | 482 | 2,780 | 2,010 | 780 | — | 570 | 850 | 720 | 640 | — |
| Foot(feet) and toe(s) | 483 | 1,030 | 630 | 390 | — | 190 | 300 | 340 | 190 | — |
| Multiple lower extremities locations, n.e.c. | 489 | 3,800 | 2,280 | 1,530 | — | 510 | 550 | 1,610 | 1,060 | 70 |
| Lower extremities, n.e.c. | 49 | 130 | 50 | 80 | — | 20 | 20 | 20 | 70 | — |
| Body systems | 5 | 17,950 | 9,110 | 8,780 | 70 | 2,830 | 3,810 | 5,790 | 5,430 | 90 |
| Multiple body parts | 8 | 120,960 | 65,770 | 55,130 | 60 | 15,000 | 24,910 | 40,870 | 39,440 | 740 |
| Other body parts | 9 | 20 | — | — | — | — | — | — | — | — |
| Nonclassifiable | 9999 | 11,200 | 6,500 | 4,010 | 680 | 1,180 | 2,420 | 3,900 | 2,290 | 1,410 |

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies