

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2006

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total .....		1,183,500	6,060	94,200	113,980	248,980	190,880	170,410	84,610	22,930	8,140	710	242,590
<b>Head</b> .....	0	82,420	650	5,640	7,670	17,140	14,060	13,790	6,890	1,700	570	30	14,270
Head, unspecified .....	00	17,250	470	1,360	1,690	3,820	3,000	2,270	1,470	340	250	-	2,580
Cranial region, including skull .....	01	9,940	70	820	1,170	2,000	1,760	1,700	780	270	110	20	1,250
Cranial region, unspecified .....	010	170	-	-	-	40	60	20	-	-	-	-	-
Brain .....	011	6,300	60	540	820	1,400	1,100	800	530	180	100	-	780
Scalp .....	012	2,610	-	180	290	410	470	660	190	40	-	-	340
Skull .....	013	690	-	60	50	120	100	200	20	40	-	-	100
Multiple cranial region locations .....	018	80	-	-	-	-	-	20	20	-	-	-	20
Cranial region, n.e.c. ....	019	90	-	20	-	20	20	-	-	-	-	-	-
Ear(s) .....	02	1,890	30	70	100	140	470	710	150	30	20	-	180
Face .....	03	52,060	80	3,320	4,610	10,980	8,360	9,030	4,350	1,050	180	-	10,070
Face, unspecified .....	030	3,810	-	610	370	690	580	460	350	40	30	-	680
Forehead .....	031	2,930	20	290	250	640	620	400	230	40	-	-	430
Eye(s) .....	032	35,970	20	1,700	2,940	7,450	5,650	6,840	3,100	780	110	-	7,370
Nose, nasal cavity .....	033	2,310	-	110	280	490	390	300	180	50	20	-	480
Nose, except internal location of diseases or disorders .....	0330	2,240	-	110	280	470	390	290	180	50	20	-	450
Internal nasal location, unspecified ..	0331	40	-	-	-	-	-	-	-	-	-	-	20
Multiple internal nasal locations .....	0338	20	-	-	-	-	-	-	-	-	-	-	-
Cheek(s) .....	034	810	-	20	70	290	100	90	80	20	-	-	160
Jaw/chin .....	035	790	-	50	100	120	120	190	50	20	-	-	130
Mouth .....	036	2,940	-	300	190	930	420	540	200	30	-	-	330
Mouth, unspecified .....	0360	410	-	20	20	70	80	40	60	-	-	-	120
Lip(s) .....	0361	1,030	-	60	50	350	140	260	60	-	-	-	110
Tongue .....	0362	20	-	-	-	-	-	-	-	-	-	-	-
Tooth(teeth) .....	0363	1,210	-	170	90	440	170	160	70	20	-	-	90
Multiple mouth locations .....	0368	190	-	30	-	20	20	90	-	-	-	-	-
Mouth, n.e.c. ....	0369	70	-	20	-	40	-	-	-	-	-	-	-
Multiple face locations .....	038	2,170	-	230	390	330	390	190	140	50	-	-	430
Face, n.e.c. ....	039	330	-	20	30	50	110	30	20	-	-	-	70
Multiple head locations .....	08	1,120	-	70	70	180	430	70	130	-	20	-	130
Head, n.e.c. ....	09	170	-	-	20	-	60	-	20	-	-	-	40
<b>Neck, including throat</b> .....	1	17,840	100	1,370	1,760	3,620	3,000	2,410	1,600	380	140	-	3,450
Neck, except internal location of diseases or disorders .....	10	17,660	100	1,350	1,750	3,610	3,000	2,400	1,600	370	140	-	3,340
Internal neck location, unspecified .....	11	120	-	-	-	-	-	-	-	-	-	-	110
Vocal cord(s) .....	12	20	-	-	-	-	-	-	-	-	-	-	-
<b>Trunk</b> .....	2	401,900	1,290	33,460	41,220	84,940	64,260	53,200	24,510	6,990	2,720	300	88,990
Trunk, unspecified .....	20	2,260	-	380	150	320	630	210	110	30	60	-	380
Shoulder, including clavicle, scapula .....	21	75,810	340	5,600	7,730	15,130	11,380	10,690	4,290	1,920	650	70	18,010
Chest, including ribs, internal organs .....	22	18,170	50	1,590	1,450	3,530	3,380	2,880	1,400	370	150	-	3,350
Chest, except internal location of diseases or disorders .....	220	16,260	50	1,480	1,250	3,160	3,030	2,730	1,090	360	130	-	2,970
Internal chest location, unspecified .....	221	190	-	30	20	40	50	-	-	-	-	-	30

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Heart .....	223	430	—	20	—	40	60	30	220	—	—	—	50
Bronchus .....	224	140	—	—	20	—	40	—	—	—	—	—	50
Lung(s), pleura .....	225	1,150	—	50	160	270	190	100	80	—	20	—	250
Back, including spine, spinal cord .....	23	250,870	670	22,430	27,010	53,900	39,940	31,710	14,740	3,860	1,530	190	54,890
Back, including spine, spinal cord, unspecified .....	230	105,380	270	9,210	9,840	21,940	16,820	13,570	5,800	1,330	630	110	25,870
Lumbar region .....	231	122,830	330	11,050	14,490	26,490	19,510	15,240	7,340	2,120	710	70	25,470
Thoracic region .....	232	9,940	30	880	1,110	2,290	1,810	1,280	630	190	120	—	1,600
Sacral region .....	233	1,190	20	130	190	250	150	120	80	—	30	—	210
Coccygeal region .....	234	1,390	—	120	100	330	210	260	120	50	—	—	180
Multiple back regions .....	238	9,030	20	990	1,190	2,210	1,330	1,090	630	150	40	—	1,390
Back, including spine, spinal cord, n.e.c. ....	239	1,110	—	50	90	390	120	140	140	—	—	—	180
Abdomen .....	24	27,040	20	1,580	2,030	5,510	3,780	4,020	2,070	360	110	20	7,550
Abdomen, except internal location of diseases or disorders .....	240	7,820	—	570	730	1,640	1,310	1,290	880	100	50	20	1,210
Internal abdominal location, unspecified .....	241	8,360	—	390	520	1,630	1,050	1,230	510	100	40	—	2,890
Stomach organ .....	242	700	—	20	30	90	110	180	50	—	—	—	220
Urinary organs .....	244	20	—	—	—	—	—	—	—	—	—	—	—
Kidney(s) .....	2442	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	9,990	—	590	750	2,080	1,310	1,320	620	150	20	—	3,170
Intestines, peritoneum, unspecified .....	2450	9,330	—	560	700	1,940	1,250	1,210	580	110	20	—	2,970
Peritoneum .....	2451	450	—	—	50	90	40	70	30	—	—	—	140
Large intestine/colon, rectum .....	2453	160	—	—	—	30	—	30	—	30	—	—	40
Intestines, n.e.c. ....	2459	30	—	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations ..	248	60	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	80	—	—	—	20	—	—	—	—	—	—	40
Pelvic region .....	25	20,630	150	1,390	2,120	4,910	3,920	2,680	1,340	330	130	—	3,660
Pelvic region, unspecified .....	250	220	—	20	—	30	—	60	—	—	—	—	90
Hip(s) .....	251	7,680	70	660	1,120	1,740	1,390	870	470	150	80	—	1,120
Pelvis .....	252	1,200	20	100	40	270	430	110	40	30	—	—	160
Buttock(s) .....	253	1,940	30	60	70	750	320	380	90	—	—	—	230
Groin .....	254	8,760	—	520	840	1,990	1,500	1,090	690	130	50	—	1,940
External reproductive tract structures ..	255	560	—	—	—	80	230	120	—	—	—	—	80
External reproductive tract structures, unspecified .....	2550	80	—	—	—	—	—	—	—	—	—	—	60
Scrotum .....	2551	370	—	—	—	70	210	50	—	—	—	—	20
Penis .....	2552	90	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	150	—	—	20	20	20	40	—	—	—	—	—
Pelvic region, n.e.c. ....	259	130	—	20	—	40	20	—	—	—	—	—	—
Multiple trunk locations .....	28	7,010	70	490	720	1,610	1,210	1,000	570	130	90	—	1,130
Trunk, n.e.c. ....	29	110	—	—	20	20	20	—	—	—	—	—	20
<b>Upper extremities .....</b>	<b>3</b>	<b>274,180</b>	<b>690</b>	<b>20,250</b>	<b>24,920</b>	<b>59,750</b>	<b>44,470</b>	<b>40,030</b>	<b>19,070</b>	<b>4,830</b>	<b>1,290</b>	<b>70</b>	<b>58,800</b>
Upper extremities, unspecified .....	30	740	—	20	50	40	40	40	350	—	—	—	210
Arm(s) .....	31	54,860	190	4,370	4,610	11,470	9,080	8,680	3,990	990	290	20	11,180
Arm(s), unspecified .....	310	18,510	70	1,840	1,530	4,070	2,950	2,730	1,430	370	150	—	3,380

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Upper arm(s) .....	311	4,310	30	250	460	1,070	770	490	360	120	20	—	740
Elbow(s) .....	312	18,020	50	1,380	1,440	3,810	2,760	3,030	1,040	220	90	20	4,200
Forearm(s) .....	313	10,860	40	640	840	1,850	2,110	2,020	920	180	30	—	2,210
Multiple arm(s) locations .....	318	2,510	—	170	200	530	420	360	200	100	—	—	520
Arm(s), n.e.c. ....	319	650	—	70	140	130	70	40	40	—	—	—	140
Wrist(s) .....	32	48,810	230	3,000	4,040	8,540	6,420	5,160	3,040	830	190	20	17,360
Hand(s), except finger(s) .....	33	49,480	100	3,260	4,680	10,630	8,760	8,200	2,900	890	160	—	9,890
Finger(s), fingernail(s) .....	34	106,050	120	8,700	10,260	26,140	17,990	15,880	7,580	1,900	560	20	16,890
Multiple upper extremities locations .....	38	14,160	40	900	1,280	2,930	2,140	2,070	1,200	230	100	—	3,250
Multiple upper extremities locations, unspecified .....	380	240	—	—	—	—	30	90	—	—	—	—	80
Hand(s) and finger(s) .....	381	4,620	—	330	460	950	880	700	600	110	20	—	570
Hand(s) and wrist(s) .....	382	3,370	—	230	320	780	450	330	230	30	20	—	970
Hand(s) and arm(s) .....	383	1,550	—	100	160	330	180	230	90	30	50	—	360
Multiple upper extremities locations, n.e.c. ....	389	4,370	20	240	330	850	590	720	280	50	20	—	1,260
Upper extremities, n.e.c. ....	39	80	—	—	—	—	20	—	—	—	—	—	20
<b>Lower extremities</b> .....	<b>4</b>	<b>262,180</b>	<b>1,820</b>	<b>21,250</b>	<b>25,100</b>	<b>54,840</b>	<b>42,300</b>	<b>39,760</b>	<b>21,500</b>	<b>5,790</b>	<b>2,060</b>	<b>180</b>	<b>47,580</b>
Lower extremities, unspecified .....	40	200	—	20	30	40	20	20	20	—	—	—	40
Leg(s) .....	41	134,550	870	10,840	12,670	28,320	21,460	20,090	10,620	2,660	880	130	26,010
Leg(s), unspecified .....	410	18,270	130	1,610	2,510	3,610	2,690	2,460	1,330	280	50	20	3,580
Thigh(s) .....	411	5,820	20	410	570	1,060	990	1,230	430	100	—	20	980
Knee(s) .....	412	95,520	650	7,390	8,360	20,510	14,850	14,010	7,660	1,980	600	70	19,440
Lower leg(s) .....	413	10,660	40	890	840	2,390	2,090	1,740	950	220	50	—	1,420
Multiple leg(s) locations .....	418	3,440	20	400	350	620	660	600	200	80	160	—	350
Leg(s), n.e.c. ....	419	850	—	140	40	130	170	60	50	—	—	—	240
Ankle(s) .....	42	61,770	630	5,310	6,080	13,620	9,580	9,500	5,160	1,210	720	40	9,910
Foot(feet), except toe(s) .....	43	43,840	200	3,050	4,110	8,450	7,540	6,350	4,090	1,260	350	—	8,420
Foot(feet), except toe(s), unspecified ..	430	39,300	180	2,760	3,780	7,590	6,850	5,550	3,730	1,180	330	—	7,320
Instep(s) .....	431	310	—	50	50	60	70	30	30	—	—	—	20
Sole .....	432	3,110	—	170	210	560	480	520	220	40	—	—	890
Sole(s), unspecified .....	4320	420	—	30	20	90	70	60	50	—	—	—	100
Ball(s) .....	4321	40	—	—	—	—	—	—	—	—	—	—	—
Arch(es) .....	4322	100	—	—	—	40	20	—	—	—	—	—	—
Heel(s) .....	4323	2,510	—	140	180	420	380	430	150	30	—	—	760
Multiple sole(s) locations .....	4328	30	—	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c. ....	4329	20	—	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	380	—	—	20	100	40	80	50	—	—	—	70
Foot(feet), n.e.c. ....	439	750	20	60	40	150	100	160	60	20	—	—	130
Toe(s), toenail(s) .....	44	13,610	40	1,180	1,340	2,950	2,270	2,230	880	530	60	—	2,130
Multiple lower extremities locations .....	48	8,120	80	830	870	1,440	1,400	1,570	730	120	60	—	1,020
Multiple lower extremities locations, unspecified .....	480	180	—	—	20	40	30	—	—	—	—	—	50
Foot(feet) and leg(s) .....	481	820	—	120	80	160	110	110	70	20	—	—	130
Foot(feet) and ankle(s) .....	482	2,750	—	390	280	370	550	620	170	40	—	—	300
Foot(feet) and toe(s) .....	483	930	—	50	180	150	140	190	70	—	—	—	140

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and hours on the job before event occurred, 2006 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple lower extremities locations, n.e.c. ....	489	3,440	60	260	300	720	580	620	410	60	20	—	400
Lower extremities, n.e.c. ....	49	90	—	—	—	—	20	—	—	—	—	—	40
<b>Body systems</b> .....	5	18,220	50	1,670	1,460	3,250	1,950	1,880	1,240	380	80	60	6,200
<b>Multiple body parts</b> .....	8	115,930	1,410	10,190	11,360	23,810	19,410	18,520	9,390	2,810	1,240	60	17,730
<b>Other body parts</b> .....	9	60	—	—	—	—	—	—	—	—	—	—	40
Other body parts, n.e.c. ....	98	60	—	—	—	—	—	—	—	—	—	—	40
<b>Nonclassifiable</b> .....	9999	10,780	50	370	480	1,630	1,410	820	400	60	30	—	5,530

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies