

All Publications of the Mid-Continent Ecology Division
Sorted by First Author
Updated October 29, 2008

A

Adams, M.J., B.R. Hossack, R.A. Knapp, P.S. Corn, S.A. Diamond, P.C. Trenham, and D.B. Fagre. 2005. Distribution patterns of lentic-breeding amphibians in relation to ultraviolet radiation exposure in western North America. *Ecosystems* 8:488-500. #2005-5

Adams, J.V., M.C. Fabrizio, and G.L. Curtis. 1996. Comparison of prey fish density estimates from acoustic and bottom trawl surveys in northeastern Lake Michigan. National Biological Service, Great Lakes Science Center, Ann Arbor, MI for Environmental Research Laboratory, USEPA, Duluth, MN. #1996-18

Adams, C.E. and H.G. Stefan. 1997. Field data on lake ice covers: Dependence on lake characteristics and climate. Environmental Research Laboratory, USEPA, Duluth, MN. #1997-16

Adelman, I.R. and Smith, L.L., Jr. 1976. Standard test fish development. Part I. Fathead minnows (*Pimephales promelas*) and goldfish (*Carassius auratus*) as standard fish in bioassays and their reaction to potential reference toxicants. EPA/600/3-76/061a. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800940.

Adelman, I. R. and Smith, L.L., Jr. 1976. Standard test fish development. Part II. Chronic toxicity of Guthion to the fathead minnow (*Pimephales promelas* Rafinesque). EPA 600/3-76/061b. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800940.

Ahmad, N., Benoit, D., Brooke, L., Call, D., Carlson, A., DeFoe, D., Huot, J., Moriarity, A., Richter, J., Shubat, P., Veith, G., and Walbridge, C. 1984. Aquatic toxicity tests to characterize the hazard of volatile organic chemicals in water: a toxicity data summary -- parts I and II. EPA/600/3-84/009. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (NTIS no. PB84-141506). #1984-14

Albers, P.H., M.T. Koterba, R. Rossmann, W.A. Link, J.B. French, R.S. Bennett, and W.C. Bauer. 2007. Effects of methylmercury on reproduction in American kestrels. *Environ. Toxicol Chem.* 26:1856-1866. #4739

Allen, K.N. 1991. Seasonal variation of selenium in outdoor experimental stream-wetland systems. *J. Environ. Qual.* 20:865-68 #438

Allison, D.T. and R.O. Hermanutz. 1977. Toxicity of diazinon to brook trout and fathead minnows. EPA/600/3-77/060. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Allison, D.T. 1977. Use of exposure units for estimating aquatic toxicity of organophosphate pesticides. EPA/600/3-77/077. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Amato, J.R., D.I. Mount, E.J. Durhan, M.T. Lukasewycz, G.T. Ankley, and E.D. Robert. 1992. An example of the identification of diazinon as a primary toxicant in an effluent. *Environ. Toxicol. Chem.* 11:209-16 #464

Amato, J.R., S.E. Baker, E. Makynen, and L. Eisenschenk. 1990. Toxicity identification evaluation for Turkey Creek Wastewater Treatment Plant, Joplin, MO. NETAC Technical Report 22-90. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1990-23

Anderson, E.B., G.D. Veith, and D. Weininger. 1987. SMILES: A line notation and computerized interpreter for chemical structures. Environmental Research Brief, EPA/600/M-87/021. USEPA, Cincinnati, OH. #1987-38

Anderson, R.L. and P. Shubat. 1983. Insecticide effects on normal development and hatch of embryos of *Paratanytarsus parthenogeneticus* (Diptera: Chironomidae). *Great Lakes Entomol.* 16:177-81 #255

Anderson, R.L. and P. Shubat. 1984. Toxicity of flucythrinate to *Gammarus lacustris* (Amphipoda), *Pteronarcys dorsata* (Plecoptera) and *Brachycentrus americanus* (Trichoptera): Importance of exposure duration. *Environ. Pollut. Ser. A.* 35:353-365 #273

Anderson, R.L. 1982. Toxicity of fenvalerate and permethrin to several nontarget aquatic invertebrates. *Environ. Entomol.* 11:1251-57 #232

Anderson, S.L. and T.J. Norberg-King. 1991. Letter to the editor: Precision of short-term chronic toxicity tests in the real world. *Environ. Toxicol. Chem.* 10:143-45 #439

Anderson, R.L. 1980. Chironomidae toxicity tests - biological background and procedures. In: *Aquatic invertebrate bioassays*. A.L. Buikema, Jr. and J. Cairns, Jr., eds. Pp. 70-80. ASTM STP 715. American Society for Testing and Materials, Philadelphia, PA. #1980-13

Anderson, R.L. and D.L. DeFoe. 1980. Toxicity and bioaccumulation of endrin and methoxychlor in aquatic invertebrates and fish. *Environ. Pollut. Ser. A.* 22:111-21 #197

Anderson, E.B., R. Hedin, R.L. Huss, A. Jarvinen, J.A. Johnson, E.A. Lundmark, and A. Pilli. 1989. Ranking of pesticide inert ingredients using the AQUIRE data base and structure activity relationships. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-45

Anderson, R.L., L. Shannon, and E. Mead. 1989. Distribution, persistence and toxicity of a biological control agent in a freshwater microcosm and natural system. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-52

- Anderson, R.L. 1989. Toxicity of synthetic pyrethroids to freshwater invertebrates. *Environ. Toxicol. Chem.* 8:401-10 #374
- Anderson, R.L. and R.L. Spehar. 1976. Freshwater invertebrate bibliography: pollution, biology, methods. Report: Environmental Research Laboratory, USEPA, Duluth, MN. #1976-15
- Anderson, R.L. 1990. Laboratory methods for appraising safety of a microbial pest control agent in freshwater systems. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-29
- Anderson, R.L., C.T. Walbridge, and J.T. Fiandt. 1980. Survival and growth of *Tanytarsus dissimilis* (Chironomidae) exposed to copper, cadmium, zinc, and lead. *Arch. Environ. Contam. Toxicol.* 9:329-35 #198
- Anderson, R.L. and J.A. Mutchmor. 1971. Temperature acclimation in *Tribolium* and *Musca* at locomotory, metabolic, and enzyme levels. *J. Insect Physiol.* 17:2205-19 #48
- Andren, A., Anderson, M., Loux, N., and Talbot, R. 1980. Element flow in aquatic systems surrounding coal-fired power plants: Wisconsin Power Plant Impact Study. EPA/600/3-80/076. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.
- Andresen, N.A., E.F. Stoermer, and R.G. Kreis, Jr. 2000. New nomenclatural combinations referring to diatom taxa which occur in the Laurentian Great Lakes of North America. *Diatom Research* 15(2):413-418. #2000-10
- Andrew, R.W. and G.E. Glass. 1974. Amperometric titration methods for total residual chlorine, ozone, and sulfite. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1974-1
- Andrew, R.W., K.E. Biesinger, and G.E. Glass. 1977. Effects of inorganic complexing on the toxicity of copper to *Daphnia magna*. *Water Res.* 11:309-15 #140
- Andrew, R.W., D.A. Benoit, J.G. Eaton, J.M. McKim, and C.E. Stephan. 1977. Evaluation of an application factor hypothesis. Environmental Research Laboratory, USEPA, Duluth, MN. #1977-14
- Andrew, R.W. 1975. Inexpensive solid-state modification of the Heathkit polarograph. *Chem. Instrum.* 6:163-72 #114
- Andrew, R.W. 1976. Toxicity relationships to copper forms in natural waters. In: *Toxicity to Biota of Metal Forms in Natural Water*, Andrew, R.W., Hodson, P.V. and Konasewich, D.E., eds., pp. 127-144. #1976-18

Andrew, R.W. 1970. Distribution of taconite tailings in the sediments of the western basin of Lake Superior. Presented at the Lake Superior Enforcement Conference, September 25, 1970. #1970-1

Andrew, R.W. 1973. Mineralogical and suspended solids measurements of water, sediment and substrate samples for 1972 Lake Superior study: I. Analytical methods. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1973-5

Andrew, R.W. 1973. Mineralogical and suspended solids measurements of water, sediment and substrate samples for 1972 Lake Superior study: II. Stream sediments. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1973-6

Andrew, R.W. 1974. Correlations of copper (II) toxicity with ionic activities in natural waters. Research seminar. National Water Quality Laboratory, USEPA, Duluth, MN. #1974-12

Andrew, R.W. and G.E. Glass. 1970. Effect of taconite tailings on algal growth. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1970-2

Andrew, R.W. and G.E. Glass. 1970. Physical characteristics of green water along the Minnesota shore of Lake Superior. #1970-11 alkylate sulfonate detergent on *Gammarus pseudolimnaeus*, *Campeloma decisum* and *Physa integra*. *Water Res.* 4:251-57 #36

Andrew, R.W. 1967. Physiological chemistry and toxicity of cadmium to fish. Research seminar. #1967-2

Angradi, T.R., D.W. Bolgrien, T.M. Jicha, M.S. Pearson, B.H. Hill, D.L. Taylor, E.W. Schweiger, L. Shepard, A.R. Batterman, M.F. Moffett, C.M. Elonen, and L.E. Anderson. 2008. A bioassessment approach for mid-continent great rivers: the Upper Mississippi, Missouri, and Ohio (USA). *Environ. Mon. Assess.* Online June 2008 at: <http://www.springerlink.com/content/xw510xp123562r87/fulltext.pdf>. #4805

Angradi T., Bolgrien D., Meyer R., Nawrocki T., and Starry M. 2006. GIS Model for Assessing Potential Great River Reference Reaches. In: Proceedings of the American Water Resources Association 2006 Spring Specialty Conference "GIS and Water Resources IV". Editors: David R. Maidment & John S. Grounds, III. Houston, Texas, May 8-10, 2006. Copyright © 2006/TPS-06-1. ISBN 1-882132-70-X. #4726

Angradi, T.R., E.W. Schweiger, and D.W. Bolgrien. 2006. Inter-habitat variation in the benthos of the Upper Missouri River (North Dakota, USA): Implications for Great River bioassessment. *River Res. Appl.* 22:755-773. #4429

Angradi, T.R., E.W. Schweiger, B.H. Hill, D.W. Bolgrien, J.M. Lazorchak, E.B. Emery, T.M. Jicha, J.A. Thomas, D.J. Klemm, S. Peterson, D.M. Walters, B.R. Johnson, and M.A. Bagley. 2006. Environmental Monitoring and Assessment - Great River Ecosystems Program (EMAP-GRE) Field Operations Manual. USEPA, Duluth, MN, EPA/620/R-06/002. #4504

Angradi, T.R., E.W. Schweiger, D.W. Bolgrien, P. Ismert, and T. Selle. 2004. Bank stabilization, shoreline land-use, and the distribution of large woody debris in a regulated reach of the upper Missouri River, North Dakota, USA. *Reg. Rivers: Res. Manage.* 20: 829-846. #4125

Angradi, T., R. Hood, and D. Tarter. 2001. Vertical, longitudinal and temporal variation in the macrobenthos of an Appalachian Headwater stream system. *Amer. Mid. Natural.* 146:2:223-242. #2001-10.

Angradi, T.R., S.M. Hagan, and K.W. Able. 2001. Vegetation type and the intertidal macroinvertebrate fauna of a brackish marsh: *Phragmites* vs *Spartina*. *Wetlands* 21(1):75-92. #2001-2

Ankley, G.T., D.H. Miller, K.M. Jensen, D.L. Villeneuve, and D. Martinovic. 2008. Relationship of plasma sex steroid concentrations in female fathead minnows to reproductive success and population status. *Aquatic Toxicol.* 88:69-74. #4874

Ankley, G.T., B. Brooks, D. Huggett, and J. Sumpter. 2007. Repeating history: Pharmaceuticals in the environment. *Environ. Sci. Technol.* 41:8211-8217. #4793

Ankley, G.T., K.M. Jensen, M.D. Kahl, E.A. Makynen, L.S. Blake, K.J. Greene, R.D. Johnson, and D.L. Villeneuve. 2007. Ketoconazole in the fathead minnow (*Pimephales promelas*): Reproductive toxicity and biological compensation. *Environ. Tox. Chem.* 26:1214-1223. #4672

Ankley, G.T., A.L. Miracle, and E.J. Perkins. 2007. Chapter 1. Toxicogenomics in ecological risk assessments: Regulatory context, technical background, and workshop overview. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005, SETAC Press, Pensacola, FL.* #4876a

Ankley, G.T., A.L. Miracle, E.J. Perkins, and G.P. Daston (Eds.). 2007. Genomics in regulatory ecotoxicology: Applications and challenges. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005, SETAC Press, Pensacola, FL.* #4876

Ankley, G.T., G. Daston, S.J. Degitz, N.D. Denslow, R.A. Hoke, S.W. Kennedy, A.L. Miracle, E. Perkins, J. Snape, D. Tillitt, C.R. Tyler, and D. Versteeg. 2006. Toxicogenomics in regulatory ecotoxicology. *Environ. Sci. Tech.* 40:4055-4065. #894

Ankley, G.T. and D.L. Villeneuve. 2006. The fathead minnow in aquatic toxicology: Past, present, and future. *Aquat. Toxicol.* 78:91-102. #882

Ankley, G.T., DeFoe, D.L., Kahl, M.D., Jensen, K.M., Makynen, E.A., Miracle, A., Hartig, P., Gray, L.E., Cardon, M., and Wilson, V. 2004. Evaluation of the model anti-androgen flutamide for assessing the mechanistic basis of responses to an androgen in the fathead minnow (*Pimephales promelas*). *Environ. Sci. Technol.* 38:6322-6327. #842

Ankley, G.T., Degitz, S.J., Diamond, S.A., and Tietge, J E. 2004. Assessment of environmental stressors potentially responsible for malformations in North American anuran amphibians. *Ecotoxicol. Environ. Saf.* 58:7-16. #819

Ankley, G.T., Kuehl, D.W., Kahl, M.D., Jensen, K.M., Butterworth, B.C., and Nichols, J.W. 2004. Partial life-cycle toxicity and bioconcentration modeling of perfluorooctanesulfonate in the northern leopard frog (*Rana pipiens*). *Environ. Toxicol. Chem.* 23(11):2745-2755. #833

Ankley, G.D. Veith, and D.J. Call. 1994. QSARs for photoinduced toxicity: I. Acute lethality of polycyclic aromatic hydrocarbons to *Daphnia magna*. *Chemosphere* 27:567-82 #544

Ankley, G.T., K.M. Jensen, M.D. Kahl, J.J. Korte, and E.A. Makynen. 2001. Description and evaluation of a short-term reproduction test with the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 20:1276-90 #760

Ankley, G.T., K.M. Jensen, M.W. Hornung, M.D. Kahl, J.J. Korte, and E.A. Makynen. 2001. A short-term test method for assessing the reproductive toxicity of endocrine-disrupting chemicals using the fathead minnow (*Pimephales promelas*). EPA/600/R-01/067. National Health and Environmental Effects Research Laboratory, Mid-Continent Ecology Division, ORD, USEPA, Duluth, MN.

Ankley, G.T., Mekenyan, O.G., Kamenska, V.B., Schmieder, P.K., and Bradbury, S.P. 2002. Reactivity profiles of ligands of mammalian retinoic acid receptors: a preliminary COREPA analysis. *SAR and QSAR in Environ. Res.* 13(2):365-377. #768

Ankley, G.T. and R.D. Johnson. 2004. Small fish models for identifying and assessing the effects of endocrine-disrupting chemicals. *Inst. Lab. Animal Res. Jrnl* 45(4):469483. #831

Ankley, G.T., G.L. Phipps, E.N. Leonard, D.A. Benoit, V.R. Mattson, P.A. Kosian, A.M. Cotter, J.R. Dierkes, D.J. Hansen, and J.D. Mahony. 1991. Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. *Environ. Toxicol. Chem.* 10:1299-307 #441

Ankley, G.T., L.P. Burkhard, P.M. Cook, S.A. Diamond, R.J. Erickson, and D.R. Mount. 2003. Assessing risks from photoactivated toxicity of PAHs to aquatic organisms. In: *PAHS: An Ecotoxicological Perspective*. Douben, P.E.T., ed. pp. 275-296. John Wiley & Sons, Ltd. New York, NY. #2003-2

Ankley, G.T., E. Leonard, G. Glass, D. Call, P. Kosian, A. Cotter, and J. Dierkes. 1990. Chemical and biological assessment of sediments from Oswego Harbor, 1990. Final report to U.S. Army Corps of Engineers, Buffalo District. USEPA, Duluth, MN; University of Wisconsin-Superior, Superior, WI; and AScI Corporation, Duluth, MN. #1990-19

Ankley, G.T., G.S. Peterson, J.R. Amato, and J.J. Jenson. 1990. Evaluation of sucrose as an alternative to sodium chloride in the Microtox® assay: Comparison to fish and cladoceran tests with freshwater effluents. *Environ. Toxicol. Chem.* 9:1305-10 #405

Ankley, G.T., G.S. Peterson, M.T. Lukasewycz, and D.A. Jensen. 1990. Characteristics of surfactants in toxicity identification evaluations. *Chemosphere* 21:3-12 #406

Ankley, G.T. and J.P. Giesy. 1998. Endocrine disruptors in wildlife: a weight-of-evidence perspective. In: *Principles and processes for evaluating endocrine disruption in wildlife*. R. Kendall, R. Dickerson, J. Giesy and W. Suk, eds. Pp. 349-367. SETAC Press, Pensacola, FL . #1998-1

Ankley, G.T., E. Mihaich, R. Stahl, D. Tillitt, T. Colborn, S. McMaster, R. Miller, J. Bantle, P. Campbell, N. Denslow, R. Dickerson, L. Folmar, M. Fry, J. Giesy, L. E. Gray, P. Guiney, T. Hutchinson, S. Kennedy, V. Kramer, G. LeBlanc, M. Mayes, A. Nimrod, R. Patino, R. Peterson, R. Purdy, R. Ringer, P. Thomas, L. Touart, G. Van der Kraak, and T. Zacharewski. 1998. Overview of a workshop on screening methods for detecting potential (anti-) estrogenic/androgenic chemicals in wildlife. *Environ. Toxicol. Chem.* 17:68-87 #664

Ankley, G.T. 2002. A short-term test method for assessing the reproductive toxicity of endocrine-disrupting chemicals using the fathead minnow (*Pimephales promelas*). EPA/600-R-01/067. National Health and Environmental Effects Research Laboratory, Mid-Continent Ecology Division, ORD, USEPA, Duluth, MN. #2002-2

Ankley, G.T., Diamond, S.A., Tietge, J.E., Holcombe, G.W., Jensen, K.M., DeFoe, D.L., and Peterson, R. 2002. Assessment of the risk of solar ultraviolet radiation to amphibians. I. Dose-dependent induction of hindlimb malformations in the northern leopard frog (*Rana pipiens*). *Environ. Sci. Technol.* 36:2853-2858. #774

Ankley, G.T., Kahl, M.D., Jensen, K.M., Hornung, M.W., Korte, J.J., Makynen, E.A., and Leino, R.L. 2002. Evaluation of the aromatase inhibitor fadrozole in a short-term reproduction assay with the fathead minnow (*Pimephales promelas*). *Toxicol. Sci.* 67(1):121-130. #770

Ankley, G.T., J.E. Tietge, D.L. DeFoe, K.M. Jensen, G.W. Holcombe, E.J. Durhan, and S.A. Diamond. 1998. Effects of ultraviolet light and methoprene on survival and development of *Rana pipiens*. *Environ. Toxicol. Chem.* 17:2530-2542 #691

Ankley, G.T., Jensen, K.M., Makynen, E.A., Kahl, M.D., Korte, J.J., Hornung, M.W., Henry, T.R., Denny, J.S., Leino, R.L., Wilson, V.S., Cardon, M.C., Hartig, P.C., and Gray, L.E. 2003. Effects of the androgenic growth promoter 17- β -trenbolone on fecundity and reproductive endocrinology of the fathead minnow. *Environ. Toxicol. Chem.* 22(6):1350-1360. #790

Ankley, G.T. 1997. Session 5: Critical issues in ecological relevance: Laboratory vs. field measurement endpoints: A contaminated sediment perspective. In: *Ecological risk assessment of contaminated sediments*. C.G. Ingersoll, T. Dillon, G.R. Biddinger, eds. Pp. 115-122. SETAC Press, Pensacola, FL. #1997-4

Ankley, G.T., S.P. Bradbury, J. Hermens, O.G. Mekenyan, and K.-E. Tollefsen. 1997. Current approaches to the use of structure activity relationships (SARs) in identifying the hazards of endocrine modulating chemicals to wildlife. In: *SETAC-Europe/OECD/EC Expert Workshop on Endocrine Modulators and Wildlife: Assessment and Testing*, April 10-13, 1997, Veldhoven, The Netherlands. L. Tattersfield, P. Matthiessen, P. Campbell, N. Grandy, and R. Länge, eds. Pp. 19-40. SETAC Press, Pensacola, FL. #1997-9

Ankley, G.T., R.J. Erickson, B.R. Sheedy, P.A. Kosian, V.R. Mattson, and J.S. Cox. 1997. Evaluation of models for predicting the phototoxic potency of polycyclic aromatic hydrocarbons. *Aquat. Toxicol.* 37:37-50 #639

Ankley, G.T., R.D. Johnson, N.E. Detenbeck, and S.P. Bradbury. 1997. Development of a research strategy for assessing the ecological risk of endocrine disruptors. *Rev. Toxicol.* 1:71-106(231-267) #666

Ankley, G.T., G.J. Niemi, K.B. Lodge, H.J. Harris, D.L. Beaver, D.E. Tillitt, T.R. Schwartz, J.P. Giesy, P.D. Jones, and C.A. Hagley. 1993. Uptake of planar polychlorinated biphenyls and 2,3,7,8-substituted polychlorinated dibenzofurans and dibenzo-*p*-dioxins by birds nesting in the lower Fox River and Green Bay, Wisconsin, USA. *Arch. Environ. Contam. Toxicol.* 24:332-44 #492

Ankley, G.T., V.R. Mattson, E.N. Leonard, C.W. West, and J.L. Bennett. 1993. Predicting the acute toxicity of copper in freshwater sediments: Evaluation of the role of acid-volatile sulfide. *Environ. Toxicol. Chem.* 12:315-20 #491

Ankley, G.T., D.A. Benoit, R.A. Hoke, E.N. Leonard, C.W. West, G.L. Phipps, V.R. Mattson, and L.A. Anderson. 1993. Development and evaluation of test methods for benthic invertebrates and sediments: Effects of flow rate and feeding on water quality and exposure conditions. *Arch. Environ. Contam. Toxicol.* 25:12-19 #490

Ankley, G.T. and V.S. Blazer. 1988. Effects of diet on PCB-induced changes in xenobiotic metabolism in the liver of channel catfish (*Ictalurus punctatus*). *Can. J. Fish Aquat. Sci.* 45(1):132-137. #1988-2

Ankley, G.T., D.E. Tillitt, J.W. Gooch, and J.P. Giesy. 1989. Hepatic enzyme systems as biochemical indicators of the effects of contaminants on reproduction of chinook salmon (*Oncorhynchus tshawytscha*). *Comp. Biochem. Physiol.* 94C:235-42 #378

Ankley, G.T., N.A. Thomas, D.M. Di Toro, D.J. Hansen, J.D. Mahony, W.J. Berry, R.C. Swartz, R.A. Hoke, A.W. Garrison, H.E. Allen, and C.S. Zarba. 1994. Assessing potential bioavailability of metals in sediments: A proposed approach. *Environ. Manage.* 18:331-37 #526

Ankley, G.T. and M.K. Schubauer-Berigan. 1994. Comparison of techniques for the isolation of sediment pore water for toxicity testing. *Arch. Environ. Contam. Toxicol.* 27:507-12 #525

Ankley, G.T., E.N. Leonard, and V.R. Mattson. 1994. Prediction of bioaccumulation of metals from contaminated sediments by the oligochaete, *Lumbriculus variegatus*. *Water Res.* 28:1071-76 #524

Ankley, G.T., S.A. Collyard, P.D. Monson, and P.A. Kosian. 1994. Influence of ultraviolet light on the toxicity of sediments contaminated with polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 13:1791-96 #523

- Ankley, G.T., D.J. Call, J.S. Cox, M.D. Kahl, R.A. Hoke, and P.A. Kosian. 1994. Organic carbon partitioning as a basis for predicting the toxicity of chlorpyrifos in sediments. *Environ. Toxicol. Chem.* 13:621-26 #522
- Ankley, G.T. 1996. Evaluation of metal/acid-volatile sulfide relationships in the prediction of metal bioaccumulation by benthic macroinvertebrates. *Environ. Toxicol. Chem.* 15:2138-46 #595
- Ankley, G.T., M.K. Schubauer-Berigan, and P.D. Monson. 1995. Influence of pH and hardness on toxicity of ammonia to the amphipod *Hyaella azteca*. *Can. J. Fish. Aquat. Sci.* 52:2078-83 #555
- Ankley, G.T. and M.K. Schubauer-Berigan. 1995. Background and overview of current sediment toxicity identification evaluation procedures. *J. Aquat. Ecosys. Health.* 4:133-49 #554
- Ankley, G.T., R.J. Erickson, G.L. Phipps, V.R. Mattson, P.A. Kosian, B.R. Sheedy, and J.S. Cox. 1995. Effects of light intensity on the phototoxicity of fluoranthene to a benthic macroinvertebrate. *Environ. Sci. Technol.* 29:2828-33 #553
- Ankley, G.T. and S.A. Collyard. 1995. Influence of piperonyl butoxide on the toxicity of organophosphate insecticides to three species of freshwater benthic invertebrates. *Comp. Biochem. Physiol.* 110C:149-55 #552
- Ankley, G.T. 1996. Research for assessing the ecological risk of endocrine disruptors. *SETAC News* 16(4):11-12. #1996-14
- Ankley, G.T., W.J. Berry, D.M. Di Toro, D.J. Hansen, R.A. Hoke, D.R. Mount, M.C. Reiley, R.C. Swartz, and C.S. Zarba. 1996. Letter to the editor: Use of equilibrium partitioning to establish sediment quality criteria for nonionic chemicals: A reply to Iannuzzi et al. *Environ. Toxicol. Chem.* 15:1019-24 #596
- Ankley, G.T., V.S. Blazer, S.M. Plakas, and R.E. Reinert. 1989. Dietary lipid as a factor modulating xenobiotic metabolism in channel catfish (*Ictalurus punctatus*). *Can. J. Fish. Aquat. Sci.* 46:1141-46 #375
- Ankley, G.T., D.M. Di Toro, D.J. Hansen, and W.J. Berry. 1996. Assessing the ecological risk of metals in sediments. *Environ. Toxicol. Chem.* 15:2053-55 #597
- Ankley, G.T., M.K. Schubauer-Berigan, and J.R. Dierkes. 1996. Application of toxicity identification evaluation techniques to pore water from Buffalo River sediments. *J. Great Lakes Res.* 22:534-44 #602
- Ankley, G.T., R.A. Hoke, J.P. Giesy, and P.V. Winger. 1989. Evaluation of the toxicity of marine sediments and dredge spoils with the Microtox® bioassay. *Chemosphere* 18:2069-75 #376

- Ankley, G.T., D.E. Tillitt, and J.P. Giesy. 1989. Maternal transfer of bioactive polychlorinated aromatic hydrocarbons in spawning chinook salmon (*Oncorhynchus tshawytscha*). *Mar. Environ. Res.* 28:231-34 #377
- Ankley, G.T. and D.R. Mount. 1996. Retrospective analysis of the ecological risk of contaminant mixtures in aquatic sediments. *Hum. Ecol. Risk Assess.* 2:434-40 #601
- Ankley, G.T., O.G. Mekenyan, P.A. Kosian, E.A. Makynen, D.R. Mount, P.D. Monson, and D.J. Call. 1996. Identification of phototoxic polycyclic aromatic hydrocarbons in sediments through sample fractionation and QSAR analysis. *SAR QSAR Environ. Res.* 5:177-83 #600
- Ankley, G.T., K. Liber, D.J. Call, T.P. Markee, T.J. Canfield, and C.G. Ingersoll. 1996. A field investigation of the relationship between zinc and acid volatile sulfide concentrations in freshwater sediments. *J. Aquat. Ecosys. Health.* 5:255-64 #599
- Ankley, G.T., D.M. Di Toro, D.J. Hansen, and W.J. Berry. 1996. Technical basis and proposal for deriving sediment quality criteria for metals. *Environ. Toxicol. Chem.* 15:2056-66 #598
- Ankley, G.T., Jensen, K.M., Durhan, E.J., Makynen, E.A., Butterworth, B.C., Kahl, M.D., Villeneuve, D.L., Linnum, A., Gray, L.E., Cardon, M., and Wilson, V. S. 2005. Effects of two fungicides with multiple modes of action on reproductive endocrine function in the fathead minnow (*Pimephales promelas*). *Toxicol. Sci.* 86(2):300-308. #861
- Ankley, G.T., D.A. Benoit, J.C. Balogh, T.B. Reynoldson, K.E. Day, and R.A. Hoke. 1994. Evaluation of potential confounding factors in sediment toxicity tests with three freshwater benthic invertebrates. *Environ. Toxicol. Chem.* 13:627-35 #521
- Ankley, G.T., J.R. Dierkes, D.A. Jensen, and G.S. Peterson. 1991. Piperonyl butoxide as a tool in aquatic toxicological research with organophosphate insecticides. *Ecotoxicol. Environ. Saf.* 21:266-74 #440
- Ankley, G.T., M.K. Schubauer-Berigan, and J.R. Dierkes. 1991. Predicting the toxicity of bulk sediments to aquatic organisms with aqueous test fractions: Pore water vs. elutriate. *Environ. Toxicol. Chem.* 10:1359-66 #442
- Ankley, G.T., D.E. Tillitt, J.P. Giesy, P.D. Jones, and D.A. Verbrugge. 1991. Bioassay-derived 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents in PCB-containing extracts from the flesh and eggs of Lake Michigan chinook salmon (*Oncorhynchus tshawytscha*) and possible implications for reproduction. *Can. J. Fish. Aquat. Sci.* 48:1685-90 #443
- Ankley, G.T., J.E. Tietge, G.W. Holcombe, D.L. DeFoe, S.A. Diamond, K.M. Jensen, and S.J. Degitz. 2000. Effects of laboratory ultraviolet radiation and natural sunlight on survival and development of *Rana pipiens*. *Can. J. Zool.* 78:1092-100 #742

Ankley, G.T. and N.A. Thomas. 1992. Interstitial water toxicity identification evaluation approach. In: *Sediment classification methods compendium*, pp. 5.1-5.14. EPA/823/R-92/006. USEPA, Washington, DC. #1992-20

Ankley, G.T., M.K. Schubauer-Berigan, and R.A. Hoke. 1992. Use of toxicity identification evaluation techniques to identify dredged material disposal options: A proposed approach. *Environ. Manage.* 16:1-6 #468

Ankley, G.T., K.B. Lodge, D.J. Call, M.D. Balcer, L.T. Brooke, P.M. Cook, R.G. Kreis, A.R. Carlson, R.D. Johnson, G.J. Niemi, R.A. Hoke, C.W. West, J.P. Giesy, P.D. Jones, and Z.C. Fuying. 1992. Integrated assessment of contaminated sediments in the Lower Fox River and Green Bay, Wisconsin. *Ecotoxicol. Environ. Saf.* 23:46-63 #467

Ankley, G.T., P.M. Cook, A.R. Carlson, D.J. Call, J.A. Sorensen, H.F. Corcoran, and R.A. Hoke. 1992. Bioaccumulation of PCBs from sediments by oligochaetes and fishes: Comparison of laboratory and field studies. *Can. J. Fish. Aquat. Sci.* 49:2080-2085 #466

Ankley, G.T. and L.P. Burkhard. 1992. Identification of surfactants as toxicants in a primary effluent. *Environ. Toxicol. Chem.* 11:1235-48 #465

Ankley, G.T., Kuehl, D.W., Kahl, M.D., Jensen, K.M., Linnum, A., Leino, R.L., and Villeneuve, D.A. 2005. Reproductive and developmental toxicity and bioconcentration of perfluorooctanesulfonate in a partial life-cycle test with the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 24(9):2316-2324. #866

Ankley, G.T., Schubauer-Berigan, M.K., Dierkes, J.R., and Lukasewycz, M.T. Sediment toxicity identification evaluation: phase I (characterization), phase II (identification) and phase III (confirmation) modifications of effluent procedures. EPA/600/6-91/007. National Effluent Toxicity Assessment Center.

Ankley, G.T., A. Katko, and J.W. Arthur. 1990. Identification of ammonia as an important sediment-associated toxicant in the lower Fox River and Green Bay, Wisconsin. *Environ. Toxicol. Chem.* 9:313-22 #404

Ankley, G.T., M. Black, J. Garric, T.H. Hutchinson, and T. Iguchi. 2005. A framework for assessing the hazard of pharmaceutical materials to aquatic species. In: *Human Pharmaceuticals: Assessing the Impacts on Aquatic Ecosystems*, Richard T. Williams, Ed., Society of Environ. Toxicol. and Chem. Generated from a Pellston Workshop, Snowbird, UT, June 3-8, 2003, pp.183-236. #2005-10

Anstead, A. 2006. Primary production for the LM2-Toxic. Part 4, Appendix 4.5.5, pp. 426-429 in Rossmann, R. (Ed.), *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345a

Armitage, B.J., Forsythe, T.D., Rodgers, E.B., and Wrenn, W.B. 1978. Browns Ferry Biothermal Research Series. I. Colonization by periphyton, zooplankton, and macroinvertebrates. EPA 600/3-78/020. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, TV-35013A.

Arthur, J.W., A.E. Lemke, V.R. Mattson, and B.J. Halligan. 1974. Toxicity of sodium nitrilotriacetate (NTA) to the fathead minnow and an amphipod in soft water. *Water Res.* 8:187-93 #98

Arthur, J.W. 1988. Application of laboratory-derived criteria to an outdoor stream ecosystem. *Int. J. Environ. Stud.* 32:97-110 #360

Arthur, J.W., Roush, T., Thompson, J.A., Walbridge, C.T., and Puglisi, F.A. 1997. Evaluation of low order stream quality in central Iowa. EPA 600/R-9/009. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN.

Arthur, J.W., T. Roush, A.R. Carlson, and C.T. Walbridge. 1993. Application of integrative procedures to evaluate Iowa watershed quality. In: *Agricultural research to protect water quality*. Proceedings, February 21-24, 1993, Minneapolis, MN. Pp. 137-139. Soil and Water Conservation Society, Ankeny, IA. #1993-16

Arthur, J.W., J.A. Zischke, and G.L. Ericksen. 1982. Effect of elevated water temperature on macroinvertebrate communities in outdoor experimental channels. *Water Res.* 16:1465-77 #233

Arthur, J.W., T. Roush, J.A. Thompson, F.A. Puglisi, C. Richards, G.E. Host, and L.B. Johnson. 1996. Evaluation of watershed quality in the Saginaw River basin. EPA 600/R-95-153. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1996-6

Arthur, J.W. 1980. Review of freshwater bioassay procedures for selected amphipods. In: *Aquatic invertebrate bioassays*. A.L. Buikema, Jr. and J. Cairns, Jr., eds. Pp. 98-108. ASTM STP 715. American Society for Testing and Materials, Philadelphia, PA. #1980-14

Arthur, J.W., A. Katko, H.W. Read, and C.T. Walbridge. 1989. Ambient toxicity assessments in the upper Illinois River basin. Internal report. EPA/600/x-89/089. USEPA, Duluth, MN. #1989-27

Arthur, J.W. and W.B. Horning II. 1969. The use of artificial substrates in pollution surveys. *Am. Midl. Nat.* 82:83-89 #22

Arthur, J.W. 1970. Chronic effects of linear alkylate sulfonate detergent on *Gammarus pseudolimnaeus*, *Campeloma decisum* and *Physa integra*. *Water Res.* 4, 251-257. # 36

Arthur, J.W. and E.N. Leonard. 1970. Effects of copper on *Gammarus pseudolimnaeus*, *Physa integra*, and *Campeloma decisum* in soft water. *J. Fish. Res. Board Can.* 27:1277-83 #37

- Arthur, J.W. and J.G. Eaton. 1971. Chloramine toxicity to the amphipod *Gammarus pseudolimnaeus* and the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 28:1841-45 #49
- Arthur, J.W., Roush, T., Thompson, J.A., Puglisi, F.A., Richards, C., Host, G.E., and Johnson, L.B. 1995. Evaluation of watershed quality in the Saginaw River basin. EPA 600/R-95-153. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN.
- Arthur, J.W. and Zischke, J.A. 1994. Evaluation of watershed quality in the Minnesota River basin. EPA/600/R-94/143. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Arthur, J.W., C.W. West, K.N. Allen, and S.F. Hedtke. 1987. Seasonal toxicity of ammonia to five fish and nine invertebrate species. *Bull. Environ. Contam. Toxicol.* 38:324-31 #335
- Arthur, J.W., J.A. Zischke, K.N. Allen, and R.O. Hermanutz. 1983. Effects of diazinon on macroinvertebrates and insect emergence in outdoor experimental channels. *Aquat. Toxicol.* 4:283-301 #256
- Arthur, J.W., Andrew, R.W., Mattson, V.R., Olson, D.T., Glass, G.E., Halligan, B.J., and Walbridge, C.T. 1975. Comparative toxicity of sewage-effluent disinfection to freshwater aquatic life. EPA/600/3-75/012. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Askegaard, T. and M. Balcer. 1993. Diet analysis of young-of-the-year rainbow smelt from Saginaw Bay. Environmental Research Laboratory, USEPA, Duluth, MN. #1993-19
- Auer, M.T., M.S. Kieser, and R.P. Canale. 1986. Identification of critical nutrient levels through field verification of models for phosphorus and phytoplankton growth. *Can. J. Fish. Aquat. Sci.* 43:379-388. #1986-16
- Auer, M.T. and N.A. Auer. 1990. Chemical suitability of substrates for walleye egg development in the lower Fox River, Wisconsin. *Trans. Am. Fish. Soc.* 119:871-876. #1990-8
- Auer, N.A. and M.T. Auer. 1987. Field evaluation of barriers to walleye egg and larva survival in the lower Fox River, Wisconsin. *Amer. Fish. Soc. Sympos.* 2:93-101. #1987-21
- Auer, M.T., J.M. Graham, L.E. Graham, and J.A. Kranzfelder. 1983. Factors regulating the spatial and temporal distribution of *Cladophora* and *Ulothrix* in the Laurentian Great Lakes. In: *Periphyton of freshwater ecosystems*. Wetzel, R.G., ed. Dr W. Junk Publishers, The Hague. Pp. 135-144. #1983-8
- Aulerich, R. J. and Ringer, R. K. 1980. Toxicity of the polychlorinated biphenyl Aroclor 1016 to mink. EPA/600/3-80/033. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-03-1187.

Austin, J.E., J.R. Keough, and W.H. Pyle. 2007. Effects of habitat management treatments on plant community composition and biomass in a montane wetland. *Wetlands* 27:570-587. #4920

B

Babeu, L. and D.D. Vaishnav. 1987. Prediction of biodegradability for selected organic chemicals. *J. Indust. Microbiol.* 2:107-115. #1987-12

Bahnick, D., C. P. Sauer, B. C. Butterworth, and D. W. Kuehl. 1994. A national study of mercury contamination in fish IV: Analytical methods and results. *Chemosphere* 29:537-46 #527

Bahnick, D.A., W.A. Swenson, T.P. Markee, D.J. Call, C.A. Anderson, and R.T. Morris. 1970. Development of bioassay procedures for defining pollution of harbor sediments, Part I. Final report, Project #R804918-01. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI. #1970-6

Baker, J.E., P.D. Capel, and S.J. Eisenreich. 1986. Influence of colloids on sediment-water partition coefficients of polychlorobiphenyl congeners in natural waters. *Environ. Sci. Technol.* 20(11):1136-1143. #1986-14

Balcer, M.D., D.J. McCauley, G.J. Niemi, and L.T. Brooke. 1986. Ecological assessment of factors affecting walleye ova survival in the lower Fox River. Final report, Cooperative Agreement #CR-811723-02-0, submitted to USEPA, Duluth, MN by Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1986-2

Balducci, R., A. Roda, and R.S. Pearlman. 1989. A theoretical model for the critical micelle concentration of bile salts. *J. Sol. Chem.* 18(4):355-367. #1989-55

Bandiera S., S. Safe, and A.B. Okey. 1982. Binding of polychlorinated biphenyls classified as either phenobarbitone-, 3-methylcholanthrene- or mixed-type inducers to cytosolic *Ah* receptor. *Chem.-Biol. Interact.* 39:259-277. #1982-10

Baril, S.F., Luedtke, R.J., and Roemhild, G.R. 1978. Environmental effects of western coal combustion. Part II - The aquatic macroinvertebrates of Rosebud Creek, Montana. EPA/600/3-78/099. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Barnidge, D., D. Brooke, G. Elonen, M. Hoglund, M. Kahl, G. Mielke, and J. Thompson. 1990. Toxicity of eight terpenes to fathead minnow (*Pimephales promelas*), daphnids (*Daphnia magna*), and algae (*Selanastrum capricornutum*). Environmental Research Laboratory, USEPA, Duluth, MN. #1990-1

Barron, M.G., S. Raimondo, C.L. Russom, D.N. Vivian, and S.H. Yee. 2008. Accuracy of chronic aquatic toxicity estimates determined from acute toxicity data and two time-response models. *Environ. Toxicol. Chem.* 27:2196-2205. #4984

- Barron, M.G., D.N. Vivian, S.H. Yee, S.A. Diamond, and T. Parkin. 2008. Temporal and spatial variation in solar radiation and photoenhanced toxicity risks of spilled oil in Prince William Sound, Alaska, USA. *Environ. Toxicol. Chem.* 27:727-736. #4915
- Bartel, S. 1992. Resistance and resilience of aquatic ecosystems to toxicant stress. #2726
- Bartell, S.M. 1988. Community and ecosystem models for ecological risk assessment - White paper. EPA/600/x-88/109. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-47
- Bartone, C.R. and C.L. Schelske. 1982. Lake-wide seasonal changes in limnological conditions in Lake Michigan in 1976. *J. Great Lakes Res.* 8(3):413-427. #1982-9
- Bartsch, A.F. and D.I. Mount. 1970 Thermal effects on ecological systems. National Water Quality Laboratory, Federal Water Pollution Control Administration, Duluth, MN. #1970-7
- Basak, S.C., G.D. Grunwald, G.E. Host, G.J. Niemi, and S.P. Bradbury. 1998. A comparative study of molecular similarity, statistical, and neural methods for predicting toxic modes of action. *Environ. Toxicol. Chem.* 17(6):1056-1064. #1998-12
- Basak, S.C., S. Bertelsen, and G.D. Grunwald. 1994. Application of graph theoretical parameters in quantifying molecular similarity and structure-activity relationships. *Jnl. Chem. Info. Comp. Sci.* 34:270-276. #1994-3
- Basak, S.C., G.J. Niemi, and G.D. Veith. 1990. Optimal characterization of structure for prediction of properties. *J. Math. Chem.* 4:185-205 #407
- Basch, R.E. and J.G. Truchan. 1976. Toxicity of chlorinated power plant condenser cooling waters to fish. EPA 600/3-76/009. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-800700.
- Basch, R.E., Pecor, C.H., Waybrant, R.C., and Kenaga, D.E. 1980. Limnology of Michigan's nearshore waters of Lakes Superior and Huron. EPA/600/3-80/059. Environmental Research Laboratory, ORD, USEPA, Duluth, MN and Great Lakes National Program Office, Region V, USEPA, Chicago, IL, R005146-01.
- Bathelt, R.W. and C.L. Schelske. 1983. Degradation of the peritrophic membrane of freshwater zooplankton fecal pellets. *Trans. Am. Microsc. Soc.* 102(3):288-299. #1983-6
- Batterman, A.R., P.M. Cook, K.B. Lodge, D.B. Lothenbach, and B.C. Butterworth. 1989. Methodology used for a laboratory determination of relative contributions of water, sediment and food chain routes of uptake for 2,3,7,8-TCDD bioaccumulation by lake trout in Lake Ontario. *Chemosphere* 19:451-58 #379
- Batterman, A.R. and P.M. Cook. 1981. Determination of mineral fiber concentrations in fish tissues. *Can. J. Fish. Aquat. Sci.* 38:952-59 #214

- Batterman, A.R., S.L. Batterman, K.M. Jensen, and F.W. Whiteman. 1999. Data quality objectives in environmental research planning. *Quality Assurance* 7:181-94 #752
- Bauer, C.F. and A.W. Andren. 1988. Variability of particulate trace element emissions from the Columbia coal-fired power plant, Portage, Wisconsin. *Sci. Tot. Environ.* 68:251-266. #1988-29
- Beaver, D.L. and P.E. Lederle. 1989. Green Bay tree swallow study. Final report submitted to USEPA, Duluth, MN. #1989-3
- Beder-Miller, S.E. and R.L. Spehar. 1988. Manual for the Aquatic Toxicity Test Analysis System (ATTAS). Environmental Research Laboratory, USEPA, Duluth, MN. #1988-42
- Bedford, B. and O.L. Loucks. 1984. Response of *Carex*-dominated wetlands to altered temperature and flooding patterns. EPA/600/S3-83/081. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-17
- Bedford, K.W., G. Koltun, O. Wai, C.M. Libicki, and R.V. Evra. 1988. A stochastic/deterministic methodology for estimating resuspension potential and risk and its application to the Trenton Channel of the Detroit River (Appendix H). In: Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis, Jr., Ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix H. #1988-4
- Bedford, K.W. and M. Abdelrhman. 1987. Analytical and experimental studies of the benthic boundary layer and their applicability to near-bottom transport in Lake Erie. *J. Great Lakes Res.* 13(4):628-648. #1987-11
- Bedford, B. and O.L. Loucks. 1984. Response of *Carex*-dominated wetlands to altered temperature and flooding patterns: Project Summary. EPA/600/S3-83/081. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-17
- Beeton, A.M., Kovacic, P.K., and Brooks, A.S. 1976. Effects of chlorine and sulfite reduction on Lake Michigan invertebrates. EPA/600/3-76/036. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-801035-01.
- Bell, H.E., Liber, K., Call, D.J., and Ankley, G.T. 2004. Evaluation of bioaccumulation and photo-induced toxicity of fluoranthene in larval and adult life-stages of *Chironomus tentans*. *Arch. Environ. Contam. Toxicol.* 47:297-303. #838
- Bell, H.L. 1970. Effects of pH on the life cycle of the midge *Tanytarsus dissimilis*. *Can. Entomol.* 102:636-39 #38
- Bell, H.L. 1971. Effect of low pH on the survival and emergence of aquatic insects. *Water Res.* 5:313-19 #50

- Bell, H.L. and A.V. Nebeker. 1969. Preliminary studies on the tolerance of aquatic insects to low pH. *J. Kans. Entomol. Soc.* 42:230-236 #24
- Bengtsson, B.E., T.J. Norberg-King, and D.I. Mount, eds. 1987. Effluent and ambient toxicity testing in the Gota Alv and Viskan Rivers, Sweden: A U.S.-Swedish OECD Cooperative Project. Naturvardsverket Rapport 3275. Naturvardsverket, Solna, Sweden. #1987-35
- Bennett, R.S. and M.A. Etterson. 2007. Incorporating results of avian toxicity tests into a model of annual reproductive success. *IEAM* 3:498-507. #4695
- Bennett, R.S. and M.A. Etterson. 2006. Estimating pesticide effects on fecundity rates of wild birds using current laboratory reproduction tests. *Hum. Ecol. Risk Assess.* 12:762-781. #4311
- Bennett, R.S., I. Dewhurst, A. Fairbrother, A.D. Hart, M. Hooper, A. Leopold, P. Mineau, S. Mortensen, R.F. Shore, and T. Springer. 2005. A new interpretation of avian and mammalian reproduction toxicity test data in ecological risk assessment. *Ecotoxicology* 14:801-815. #876
- Bennett, R.S., J.B. French, R. Rossmann, and R. Haebler. Dietary toxicity and tissue accumulation of methylmercury in American kestrels. 2008. *Arch. Environ. Contam. Tox.*, Online 4/17/08 at: <http://www.springerlink.com/content/tw02n71q1r648865/fulltext.pdf>. #4909
- Benoit, D.A. 1971. An evaluation of current procedures used in aquatic toxicology. Presented before the American Association for the Advancement of Science, American Fisheries Society Symposium on Heavy Metals as an Environmental Hazard to Fish, Birds, and Man, December, 1971, Philadelphia, PA. #1971-1
- Benoit, D.A., Holcombe, G.W., and Spehar, R. L. 1991. Guidelines for conducting early life stage toxicity tests with Japanese medaka (*Oryzias latipes*). EPA/600/3-91/063. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Benoit, D.A. 1981. User's guide for conducting life-cycle chronic toxicity tests with fathead minnows (*Pimephales promelas*). EPA/600/8-81/011. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Benoit, D.A., F.A. Puglisi, and D.L. Olson. 1982. A fathead minnow *Pimephales promelas* early life stage toxicity test method evaluation and exposure to four organic chemicals. *Environ. Pollut. Ser. A.* 28:189-97 #235
- Benoit, D.A. 1975. Chronic effects of copper on survival, growth, and reproduction of the bluegill (*Lepomis macrochirus*). *Trans. Am. Fish. Soc.* 104:353-58 #115
- Benoit, D.A. and G.W. Holcombe. 1978. Toxic effects of zinc on fathead minnows *Pimephales promelas* in soft water. *J. Fish Biol.* 13:701-8 #165

Benoit, D.A. 1976. Toxic effects of hexavalent chromium on brook trout (*Salvelinus fontinalis*) and rainbow trout (*Salmo gairdneri*). *Water Res.* 10:497-500 #127

Benoit, D.A., V.R. Mattson, and D.L. Olson. 1982. A continuous-flow mini-diluter system for toxicity testing. *Water Res.* 16:457-64 #234

Benoit, D.A. and R.W. Carlson. 1977. Spawning success of fathead minnows on selected artificial substrates. *Prog. Fish-Cult.* 39:67-69 #141

Benoit, D.A., E.N. Leonard, G.M. Christensen, and J.T. Fiandt. 1976. Toxic effects of cadmium on three generations of brook trout (*Salvelinus fontinalis*). *Trans. Am. Fish. Soc.* 105:550-560 #128

Benoit, D.A. 1974. Artificial laboratory spawning substrate for brook trout (*Salvelinus fontinalis* Mitchill). *Trans. Am. Fish. Soc.* 103:144-45 #99

Benoit, D.A., P.K. Sibley, J.L. Juenemann, and G.T. Ankley. 1997. *Chironomus tentans* life-cycle test: Design and evaluation for use in assessing toxicity of contaminated sediments. *Environ. Toxicol. Chem.* 16:1165-76 #647

Benoit, D.A., R.F. Syrett, and F.B. Freeman. 1981. Manual for construction of a continuous-flow mini-diluter system for toxicity testing. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1981-1

Benoit, D.A., R.F. Syrett, and J.G. Hale. 1969. Automatic live brine shrimp feeder. *Trans. Am. Fish. Soc.* 98:532-33 #25

Benoit, D.A., G.L. Phipps, and G.T. Ankley. 1993. A sediment testing intermittent renewal system for the automated renewal of overlying water in toxicity tests with contaminated sediments. *Water Res.* 27:1403-12 #493

Benoit, D.A. and F.A. Puglisi. 1973. A simplified flow-splitting chamber and siphon for proportional diluters. *Water Res.* 7:1915-16 #79

Benoit, D.A. 1968. Nutrition study for maintaining yellow perch fingerlings in the laboratory. *Prog. Fish Cult.* 30:234 #15

Berg, D.J., S.W. Fisher, and P.F. Landrum. 1996. Clearance and processing of algal particles by zebra mussels (*Dreissena polymorpha*). *J. Great Lakes Res.* 22(3):779-788. #1996-25

Berry, W.J., Burgess, R.M., Hansen, D.J., Di Toro, D.M., DeRosa, L.D., Bell, H.E., Reilley, M. C., Stancil, F.E., Jr., Zarba, C.S., Mount, D.R., and Spehar, R.L. 2002. Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms: Endrin. EPA 600/R-02/009. National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division/Mid-Continent Ecology Division, ORD, USEPA, Narragansett, RI/Duluth, MN.

Berry, W.J., Burgess, R.M., Hansen, D.J., DiToro, D.M., DeRosa, L.D., Bell, H.E., Reiley, M. C., Stancil, F. E., Jr., Zarba, C. S., Mount, D. R., and Spehar, R. L. 2002. Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the protection of benthic organisms: Dieldrin. EPA 600/R-02/010. National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division/Mid-Continent Ecology Division, ORD, USEPA, Narragansett, RI/Duluth, MN.

Bertelsen, S.L., A.D. Hoffman, C.A. Gallinat, C.M. Elonen, and J.W. Nichols. 1998. Evaluation of log K_{ow} and tissue lipid content as predictors of chemical partitioning to fish tissues. *Environ. Toxicol. Chem.* 17:1447-55 #684

Besser, J.M., C.G. Ingersoll, E.N. Leonard, and D.R. Mount. 1998. Effect of zeolite on toxicity of ammonia in freshwater sediments: implications for toxicity identification evaluation procedures. *Environ. Toxicol. Chem.* 17:2310-2317 #726

Bierman, V.J., Jr., D.W. Dilks, T.J. Feist, J.V. DePinto, and R.G. Kreis, Jr. 1998. Coupled phytoplankton-zebra mussel model for Saginaw Bay, Lake Huron. In: *Proceedings of the Workshop on Aquatic Ecosystem Modeling and Assessment Techniques for Application within the U.S. Army Corps of Engineers*. Waide, J.B. and Gandy, L.M., comps., pp. 43-67, U.S. Army Corps of Engineers, Washington, DC . #1998-8

Bierman, V.J., Jr. and D.M. Dolan. 1986. Modeling of phytoplankton in Saginaw Bay: I. Calibration phase. *J. Environ. Eng.* 112(2):400-429. #1986-9

Bierman, V.J., J.V. DePinto, T.C. Young, S.C. Martin, and W.L. Richardson. 1998. Development and validation of an integrated exposure model for toxic chemicals in Green Bay, Lake MI. 2678

Bierman, V.J., Jr., J.V. DePinto, T.C. Young, P.W. Rodgers, and S.C. Martin. 1992. Development and validation of an integrated exposure model for toxic chemicals in Green Bay, Lake Michigan. Report to Large Lakes Research Station, USEPA, Grosse Ile, MI. #1992-28

Bierman, V.J., Jr. and D.M. Dolan. 1981. Modeling of phytoplankton-nutrient dynamics in Saginaw Bay, Lake Huron. *J. Great Lakes Res.* 7:409-39 #215

Bierman, V.J., Jr., D.M. Dolan, E.F. Stoermer, J.E. Gannon, and V.E. Smith. 1980. The development and calibration of a spatially simplified multi-class phytoplankton model for Saginaw Bay, Lake Huron. Great Lakes Environmental Planning Study Contrib. #33. #1980-1

Bierman, V.J., Jr. and McIlroy, L.M. 1986. User manual for two-dimensional multi-class phytoplankton model with internal nutrient pool kinetics. EPA/600/3-86/061. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Biesinger, K.E. 1986. Summary Report of research conducted on the Lower Fox River by staff of the Environmental Research Laboratory-Duluth, and by personnel on cooperative agreements. Environmental Research Laboratory, USEPA, Duluth, MN. #1986-35

Biesinger, K.E. and W.L. Hartman. 1970 The limnetic zooplankton of lakes producing sockeye salmon (*Oncorhynchus nerka*) in southwestern Alaska. #1970-5

Biesinger, K.E., A.E. Lemke, W.E. Smith, and R.M. Tyo. 1976. Comparative toxicity of polyelectrolytes to selected aquatic animals. *J. Water Pollut. Control Fed.* 48:183-87 #129

Biesinger, K.E., R.W. Andrew, and J.W. Arthur. 1974. Chronic toxicity of NTA (nitrilotriacetate) and metal-NTA complexes to *Daphnia magna*. *J. Fish. Res. Board Can.* 31:486-90 #100

Biesinger, K.E., L.E. Anderson, and J.G. Eaton. 1982. Chronic effects of inorganic and organic mercury on *Daphnia magna*: Toxicity, accumulation, and loss. *Arch. Environ. Contam. Toxicol.* 11:769-74 #236

Biesinger, K.E., G.M. Christensen, and J.T. Fiandt. 1986. Effects of metal salt mixtures on *Daphnia magna* reproduction. *Ecotoxicol. Environ. Saf.* 11:9-14 #309

Biesinger, K.E. and G.M. Christensen. 1972. Effects of various metals on survival, growth, reproduction, and metabolism of *Daphnia magna*. *J. Fish. Res. Board Can.* 29:1691-700 #62

Biesinger, K.E. and G.N. Stokes. 1986. Effects of synthetic polyelectrolytes on selected aquatic organisms. *J. Water Pollut. Control Fed.* 58:207-13 #310

Biesinger, K.E., Brown, R.P., Bernick, C.R., Flittner, G.A., and Hokanson, K.E.F. 1979. A national compendium of freshwater fish and water temperature data. Volume I - Data management techniques, output examples and limitations. EPA/600/3-79/056. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, 1979 Grant # R803950.

Biesinger, K.E. 1971. Suggestions on water quality standards for the state of Washington. National Water Quality Laboratory, ORD, USEPA, Duluth, MN. #1971-2

Black, J.J., A.E. Maccubbin, and C.J. Johnston. 1988. Carcinogenicity of benzo[a]pyrene in rainbow trout resulting from embryo microinjection. *Aquat. Toxicol.* 13:297-308. #1988-16

Black, J.J., A.E. Maccubbin, and M. Schiffert. 1985. A reliable, efficient, microinjection apparatus and methodology for the in vivo exposure of rainbow trout and salmon embryos to chemical carcinogens. *J. Natl. Cancer Inst.* 75(6):1123-1128. #1985-11

Black, J.J., A.E. Maccubbin, H.K. Myers, and R.F. Zeigel. 1988. Aflatoxin B1 induced hepatic neoplasia in Great Lakes coho salmon. *Bull. Environ. Contam. Toxicol.* 41:742-745. #1988-24

Blazer, V.S., G.T. Ankley, and D. Finco-Kent. 1989. Dietary influences on disease resistance factors in channel catfish. *Dev. Comp. Immunol.* 13:43-48 #380

Blystone, C.R., C.S. Lambright, K.L. Howdeshell, J. Furr, R.M. Sternberg, B.C. Butterworth, E.J. Durhan, E.A. Makynen, G.T. Ankley, V.S. Wilson, G.A. LeBlanc, and J.L.E. Gray. 2007. Sensitivity of fetal rat testicular steroidogenesis to maternal prochloraz exposure and the underlying mechanism of inhibition. *Toxicol. Sci.* 97:512-519. #4714

Bolgrien, D.W., T.R. Angradi, E.W. Schweiger, and J.R. Kelly. 2005. Contemplating the assessment of great river ecosystems. *Environ. Monit. Assess.* 103:5-20. #859

Bott, T., Patrick, R., Larson, R., and Rhyne, C. 1980. The effect of nitrilotriacetic acid (NTA) on the structure and functioning of aquatic communities in streams. EPA/600/3-80/050. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R801951.

Bouck, G.R. 1972. Effects of diurnal hypoxia on electrophoretic protein fractions and other health parameters of rock bass (*Ambloplites rupestris*). *Trans. Am. Fish. Soc.* 101:488-93 #63

Bouck, G.R., Nebeker, A.V., and Stevens, D.G. 1976. Mortality, saltwater adaptation and reproduction of fish during gas supersaturation. EPA/600/3-76/050. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Bourgeau-Chavez, L., R. Lopez, A. Trebitz, T. Hollenhorst, G. Host, B. Huberty, R. Gauthier, and J. Hummer. Chapter 8. Landscape-based indicators. In: *Great Lakes Coastal Wetlands Monitoring Plan*, T.M. Burton, J.C. Brazner, J.J.H. Ciborowski, G.P. Grabas, J. Hummer, J. Schneider, and D.G. Uzarski, Eds., Great Lakes Coastal Wetland Consortium Report to U.S. EPA's Great Lakes National Program Office, pp. 143-171. #4975

Bradbury, S., P. Cook, M. De Vito, T. Henry, C. Nolt-Helms, P. Cirone, R. Pepin, S. Wharton, T. Kubiak, D. Tillitt, and L. Williams. 2008. Workshop report on the application of 2,3,7,8-TCDD toxicity equivalence factors to fish and wildlife. On-line at: <http://www.epa.gov/osa/raf/tefframework/>, June 1, 2008, EPA/630/R-01/002. #5068

Bradbury, S.P., R.W. Carlson, G.J. Niemi, and T.R. Henry. 1991. Use of respiratory-cardiovascular responses of rainbow trout (*Oncorhynchus mykiss*) in identifying acute toxicity syndromes in fish: Part 4. Central nervous system seizure agents. *Environ. Toxicol. Chem.* 10:115-31 #444

Bradbury, S.P. and J.R. Coats. 1989. Comparative toxicology of the pyrethroid insecticides. *Rev. Environ. Contam. Toxicol.* 108:133-77 #381

Bradbury, S.P., J.M. Dady, P.N. Fitzsimmons, M.M. Voit, D.E. Hammermeister, and R.J. Erickson. 1993. Toxicokinetics and metabolism of aniline and 4-chloroaniline in medaka (*Oryzias latipes*). *Toxicol. Appl. Pharmacol.* 118:205-14 #494

Bradbury, S., C. Russom, and G. Veith. 1992. Report on prototype expert system to predict toxic mechanism from chemical structure. Environmental Research Laboratory, Office of Environmental Processes and Effects Research, ORD, USEPA, Duluth, MN. #1992-31

Bradbury, S.P. and J.R. Coats. 1989. Toxicokinetics and toxicodynamics of pyrethroid insecticides in fish. *Environ. Toxicol. Chem.* 8:373-80 #382

Bradbury, S.P., J.R. Coats, and J.M. McKim. 1985. Differential toxicity and uptake of two fenvalerate formulations in fathead minnows (*Pimephales promelas*). *Environ. Toxicol. Chem.* 4:533-41 #291

Bradbury, S.P. and R.L. Lipnick. 1990. Introduction: Structural properties for determining mechanisms of toxic action. *Environ. Health Perspect.* 87:181-82 #408

Bradbury, S.P., O.G. Mekenyan, and G.T. Ankley. 1998. The role of ligand flexibility in predicting biological activity: Structure-activity relationships for aryl hydrocarbon, estrogen, and androgen receptor binding affinity. *Environ. Toxicol. Chem.* 17:15-25 #665

Bradbury, S.P., J.M. McKim, and J.R. Coats. 1987. Physiological response of rainbow trout (*Salmo gairdneri*) to acute fenvalerate intoxication. *Pestic. Biochem. Physiol.* 27:275-88 #336

Bradbury, S.P., Russom, C.L., Ankley, G.T., Schultz, T.W., and Walker, J.D. 2003. Overview of data and conceptual approaches for derivation of quantitative structure-activity relationships for ecotoxicological effects of organic chemicals. *Environ. Toxicol. Chem.* 22(8):1789-1798. #796

Bradbury, S.P., O.G. Mekenyan, G.D. Veith, and N. Zaharieva. 1995. SAR models for futile metabolism: One-electron reduction of quinones, phenols and nitrobenzenes. *SAR and QSAR in Environ. Res.* 4:109-24 #558

Bradbury, S.P. 1995. Quantitative structure-activity relationships and ecological risk assessment: An overview of predictive aquatic toxicology research. *Toxicol. Lett.* 79:229-37 #557

Bradbury, S.P. 1994. Predicting modes of toxic action from chemical structure: An overview. *SAR QSAR Environ. Res.* 2:89-104 #528

Bradbury, S.P. and G.M. Christensen. 1991. Inhibition of alcohol dehydrogenase activity by acetylenic and allylic alcohols: Concordance with in vivo electrophile reactivity in fish. *Environ. Toxicol. Chem.* 10:1155-60 #445

Bradbury, S.P., D.M. Symonik, J.R. Coats, and G.J. Atchison. 1987. Toxicity of fenvalerate and its constituent isomers to the fathead minnow, *Pimephales promelas*, and bluegill, *Lepomis macrochirus*. *Bull. Environ. Contam. Toxicol.* 38:727-35 #337

Bradbury, S.P., T.R. Henry, and R.W. Carlson. 1990. Fish acute toxicity syndromes in the development of mechanism-specific QSARS. In: *Practical applications of quantitative*

structure-activity relationships (QSAR) in environmental chemistry and toxicology. W. Karcher and J. Devillers, eds. Pp. 295-315. Kluwer Academic, Boston, MA. #1990-11

Bradbury, S.P., J.R. Coats, and J.M. McKim. 1986. Toxicokinetics of fenvalerate in rainbow trout (*Salmo gairdneri*). *Environ. Toxicol. Chem.* 5:567-76 #311

Bradbury, S., V. Kamenska, P. Schmieder, G.T. Ankley, and O. Mekenyan. 2000. A computationally based identification algorithm for estrogen receptor ligands: Part. 1. Predicting hER α binding affinity. *Toxicol. Sci.* 58:253-69 #750

Bradbury, S.P. 1995. Ecological risk assessment for chemical stressors: Challenges in predictive ecotoxicology research. *Aust. J. Ecotox.* 1:3-9 #556

Bradbury, S.P. and R.W. Carlson. 1990. Predictive toxicology in risk assessment: Approaches in predicting mechanisms of toxic action from chemical structure. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-28

Bradbury, S.P., T.R. Henry, G.J. Niemi, R.W. Carlson, and V.M. Snarski. 1989. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish: Part 3. Polar narcotics. *Environ. Toxicol. Chem.* 8:247-61 #383

Bradbury, S.P., R.W. Carlson, and T.R. Henry. 1989. Polar narcosis in aquatic organisms. In: *Aquatic toxicology and hazard assessment, 12th vol.* U.M. Cowgill and L.R. Williams, eds. Pp. 59-73. ASTM STP 1027. American Society for Testing and Materials, Philadelphia, PA. #1989-34

Bradbury, S.P., O.G. Mekenyan, and G.T. Ankley. 1996. Quantitative structure-activity relationships for polychlorinated hydroxybiphenyl estrogen receptor binding affinity: An assessment of conformer flexibility. *Environ. Toxicol. Chem.* 15:1945-54 #603

Bradbury, S.P. 1996. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. In: *Noninfectious diseases of wildlife*. A. Fairbrother, L.N. Locke, and G.L. Hoff, eds. Pp. 87-98. Iowa State University Press, Ames, IA. #1996-3

Brazner, J.C., N.P. Danz, A.S. Trebitz, G.J. Niemi, R.R. Regal, T. Hollenhorst, G.E. Host, E.D. Reavie, T.N. Brown, J.M. Hanowski, C.A. Johnston, L.B. Johnson, R.W. Howe, and J.J. Ciborowski. 2008. Responsiveness of Great Lakes wetland indicators to human disturbances at multiple spatial scales: A multi-assembly assessment. *J. Great Lakes Res.* 33 (SI 3):42-66. #4926

Brazner, J.C., N. Danz, G.J. Niemi, R.R. Regal, A. Trebitz, R. Howe, J. Hanowski, L. Johnson, J. Ciborowski, C. Johnson, E. Reavie, V.J. Brady, and G. Sgro. 2007. Evaluation of geographic, geomorphic and human influences on Great Lakes wetland indicators: A multi-assembly approach. *Ecol. Ind.* 7:610-635. #4438

- Brazner, J.C., Campana, S.E, and Tanner, D.K. 2004. Habitat fingerprints for Lake Superior coastal wetlands derived from elemental analysis of yellow perch otoliths. *Trans. Am. Fish. Soc.* 133: 692-704. #824
- Brazner, J.C., Campana, S.E, Tanner, D.K, and Schram, S.T. 2004. Reconstructing habitat use and wetland nursery origin of yellow perch from Lake Superior using otolith elemental analysis. *J. Great Lakes Res.* 30(4):492-507. # 847
- Brazner, J.C., Tanner, D.K, Detenbeck, N.E., Batterman, S.L., Stark, S.L., Jagger, L.A., and Snarski, V.M. 2005. Regional, watershed, and site-specific environmental influences on fish assemblage structure and function in western Lake Superior tributaries. *Can. J. Fish. Aquat. Sci.* 62:1254-1270. #863
- Brazner, J.C., Tanner, D.K, Detenbeck, N.E., Batterman, S.L., Stark, S.L., Jagger, L.A., and Snarski, V.M. 2004. Landscape character and fish assemblage structure and function in western Lake Superior streams: General relationships and identification of thresholds. *Environ. Manage.* 33(6): 855-875. #830
- Brazner, J.C. and E.R. Kline. 1990. Effects of chlorpyrifos on the diet and growth of larval fathead minnows (*Pimephales promelas*) in littoral enclosures. *Can. J. Fish. Aquat. Sci.* 47:1157-65 #409
- Brazner, J.C., D.K. Tanner, and J.A. Morrice. 2001. Fish-mediated nutrient and energy exchange between a Lake Superior coastal wetland and its adjacent bay. *J. Great Lakes Res.* 27:98-111 #756
- Brazner, J.C. and R.L. Anderson. 1986. Ingestion and adsorption of *Bacillus thuringiensis* subsp. *israelensis* by *Gammarus lacustris* in the laboratory. *Appl. Environ. Microbiol.* 52:1386-90 #312
- Brazner, J.C. and E.W. Beals. 1997. Patterns in fish assemblages from coastal wetland and beach habitats in Green Bay, Lake Michigan: A multivariate analysis of abiotic and biotic forcing factors. *Can. J. Fish. Aquat. Sci.* 54:1743-61 #661
- Brazner, J.C. 1997. Regional, habitat, and human development influences on coastal wetland and beach fish assemblages in Green Bay, Lake Michigan. *J. Great Lakes Res.* 23:36-51 #646
- Brazner, J.C., M.E. Sierszen, J.R. Keough, and D.K. Tanner. 2000. Assessing the ecological importance of coastal wetlands in a large lake context. *Verh. Internat. Verein. Limnol.* 27:1950-1961 #766
- Brazner, J.C., D.K. Tanner, D.A. Jensen, and A. Lemke. 1998. Relative abundance and distribution of Ruffe (*Gymnocephalus cernuus*) in a Lake Superior coastal wetland fish assemblage. *J. Great Lakes Res.* 24:293-303 #682

- Brazner, J.C. and W.M. DeVita. 1998. PCBs, DDE, and Mercury in young-of-the-year littoral fishes from Green Bay, Lake Michigan. *J. Great Lakes Res.* 24:83-92 #673
- Brazner, J.C., S. Lozano, M.L. Knuth, S.L. Bertelsen, L.J. Heinis, D.A. Jensen, E.R. Kline, S.L. O'Halloran, K.W. Sargent, D.K. Tanner, and R.E. Siefert. 1988. The effects of chlorpyrifos on a natural aquatic system: A research design for littoral enclosure studies and final research report. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-1
- Brazner, J.C. and J.J. Magnuson. 1994. Patterns of fish species richness and abundance in coastal marshes and other nearshore habitats in Green Bay, Lake Michigan. *Verh. Internat. Verein. Limnol.* 25:2098-104 #529
- Brazner, J.C. and D.A. Jensen. 2000. Zebra mussel [*Dreissena polymorpha (Pallas)*] colonization of rusty crayfish [*Orconectes rusticus (Girard)*] in Green Bay, Lake Michigan. *Am. Midl. Nat.* 143:250-256 #727
- Brazner, J.C., L.J. Heinis, and D.A. Jensen. 1989. A littoral enclosure for replicated field experiments. *Environ. Toxicol. Chem.* 8:1209-16 #384
- Breen, M.S., D.L. Villeneuve, M. Breen, G.T. Ankley, and R.B. Conolly. 2007. Mechanistic computational model of ovarian steroidogenesis to predict biochemical responses to endocrine active compounds. *Annals Biomed. Engineer.* 35:970-981. #4698
- Breneman, D., C. Richards, and S. Lozano. 2000. Environmental influences on benthic community structure in a Great Lakes embayment. *J. Great Lakes Res.* 26(3):287-304. #2000-7
- Brezonik, P.L., L.A. Baker, J.G. Eaton, T.M. Frost, P.J. Garrison, T.K. Kratz, J.J. Magnuson, W.J. Rose, B.K. Shephard, W.A. Swenson, C.J. Watras, and K.E. Webster. 1986. Experimental acidification of Little Rock Lake, Wisconsin. *Water Air Soil Pollut.* 31:115-21 #313
- Brezonik, P.L., J.G. Eaton, T.M. Frost, P.J. Garrison, T.K. Kratz, C.E. Mach, J.H. McCormick, J.A. Perry, W.A. Rose, C.J. Sampson, B.C.L. Shelley, W.A. Swenson, and K.E. Webster. 1993. Experimental acidification of Little Rock Lake, Wisconsin: Chemical and biological changes over the pH range 6.1 to 4.7. *Can. J. Fish. Aquat. Sci.* 50:1101-21 #495
- Bridgham, S.D., D.C. McNaught, and C. Meadows. 1988. Effects of complex effluents on photosynthesis in Lake Erie and Lake Huron. In: *Functional testing of aquatic biota for estimating hazards of chemicals*. Cairns, J., Jr. and J.R. Pratt, eds. ASTM STP 988. American Society for Testing and Materials, Philadelphia, PA. Pp. 74-85. #1988-21
- Bridgham, S.D. 1988. Chronic effects of 2,2'-dichlorobiphenyl on reproduction, mortality, growth, and respiration of *Daphnia pulicaria*. *Arch. Environ. Contam. Toxicol.* 17:731-740. #1988-20

- Broderius, S.J., M.D. Kahl, G.E. Elonen, D.E. Hammermeister, and M. Hoglund. 2005. A comparison of the lethal and sublethal toxicity of organic chemical mixtures to the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 24:3117-3127. #875
- Broderius, S.J. 1992. Modeling the joint toxicity of xenobiotics to aquatic organisms: Basic concepts and approaches. In: *Aquatic toxicology and risk assessment, 14th vol.* M.A. Mayes and M.G. Barron, eds. Pp. 107-127. ASTM STP 1124. American Society for Testing and Materials, Philadelphia, PA. #1992-14
- Broderius, S.J., R.A. Drummond, J.T. Fiandt, and C.L. Russom. 1985. Toxicity of ammonia to early life stages of the smallmouth bass at four pH values. *Environ. Toxicol. Chem.* 4:87-96 #292
- Broderius, S.J., M.D. Kahl, and M.D. Hoglund. 1995. Use of joint toxic response to define the primary mode of toxic action for diverse industrial organic chemicals. *Environ. Toxicol. Chem.* 14:1591-605 #559
- Broderius, S.J., L.L. Smith. 1976. Effect of hydrogen sulfide on fish and invertebrates. Part II - Hydrogen sulfide determination and relationship between pH and sulfide toxicity. EPA/600/3-76/062b. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800992.
- Broderius, S.J. and Smith, L.L., Jr. 1980. Direct photolysis of hexacyanoferrate complexes: Proposed applications to the aquatic environment. EPA/600/3-80/003. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R805291.
- Broderius, S.J. 1979. Aqueous chemistry, analytical measurement, and toxicity of cyanide in aquatic ecosystems. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1979-4
- Broderius, S.J., L.L. Smith, Jr., and D.T. Lind. 1977. Relative toxicity of free cyanide and dissolved sulfide forms to the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 34(12):2323-2332. #1977-3
- Broderius, S.J. and L.L. Smith, Jr. 1977. Relationship between pH and acute toxicity of free cyanide and dissolved sulfide forms to the fathead minnow. In: *Recent Advances in Fish Toxicology--A Symposium*, Tubb. R.A., ed., pp. 88-117. #1977-16
- Broderius, S.J. and L.L. Smith, Jr. 1977. Direct determination and calculation of aqueous hydrogen sulfide. *Analyt. Chem.* 49:424-428. #1977-17
- Broderius, S.J. and M.D. Kahl. 1985. Acute toxicity of organic chemical mixtures to the fathead minnow. *Aquat. Toxicol.* 6:307-22 #293
- Broderius, S.J., C.L. Russom, and M. Nendza. 1989. Mode of action-specific QSAR models for predicting acute and chronic toxicity of industrial organic chemicals to aquatic organisms. Environmental Research Laboratory- Duluth, ORD, USEPA, Duluth, MN. #1989-1

Broderius, S.J. 1981. Determination of hydrocyanic acid and free cyanide in aqueous solution. *Anal. Chem.* 53:1472-77 #216

Brooke, L.T., D.J. Call, S.H. Poirier, T.P. Markee, C.A. Lindberg, D.J. McCauley, and P.G. Simonson. 1986. Acute toxicity and chronic effects of bis(tri-N-butyltin) oxide to several species of freshwater organisms. Report to Battelle Memorial Research Institute. #1986-39

Brooke, L.T., D.J. Call, C.A. Lindberg, T.P. Markee, S.H. Poirier, and D.J. McCauley. 1986. Acute toxicity of silver to selected freshwater invertebrates. Report to Battelle Memorial Research Institute, Columbus, Ohio. Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1986-1

Brooke, L.T. and D.J. Call. 1978. Bioconcentration, metabolism and elimination of eight aromatic compounds in the fathead minnow (*Pimephales promelas*). Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1978-1

Brooke, L.T. and R.L. Spehar. 1993. Acute and chronic toxicity of nonylphenol to ten species of aquatic organisms. USEPA, Environmental Research Laboratory, Duluth, MN. #1993-23

Brooke, L.T. and R.L. Spehar. 1993. Nonylphenol toxicity. USEPA, Environmental Research Laboratory, Duluth, MN. #1993-24

Brooke, L.T. and R.L. Spehar. 1994. Nonylphenol analysis. USEPA, Environmental Research Laboratory, Duluth, MN 55804. #1994-19

Brooke, L.T., G.T. Ankley, D.J. Call, and P.M. Cook. 1996. Gut content weight and clearance rate for three species of freshwater invertebrates. *Environ. Toxicol. Chem.* 15:223-28 #604

Brooke, L.T., D.J. Call, S.H. Poirier, and S.L. Harting. 1986. Toxicity of toluene to several freshwater species. Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1986-36

Brooke, L.T., D.J. Call, S.L. Harting, C.A. Lindberg, T.P. Markee, D.J. McCauley, and S.H. Poirier. 1985. Acute toxicity of selenium (IV) and selenium (VI) to freshwater organisms. Report to: Battelle Memorial Research Institute, Columbus, OH. #1985-29

Brooks, B.W., G.T. Ankley, J.F. Hobson, J.M. Lazorchak, R.D. Meyerhoff, and K.R. Solomon. 2008. Chapter 5. Assessing the aquatic hazards of veterinary medicines. *Veterinary Medicines in the Environment*, M. Crane, A. Boxall, and K. Barrett, Eds., CRC Press, Boca Raton, FL, pp. 97-128. #4908

Brooks, P.D., C.M. O'Reilly, S.A. Diamond, D.H. Campbell, R. Knapp, D. Bradford, P.S. Corn, B. Hossack, and K. Tonnessen. 2005. Spatial and temporal variability in the amount and source of dissolved organic carbon: Implications for ultraviolet exposure in amphibian habitats. *Ecosystems* 8:478-487. #2005-4

Brown, E.J., J.J. Pignatello, M.M. Martinson, and R.L. Crawford. 1986. Pentachlorophenol degradation: A pure bacterial culture and an epilithic microbial consortium. *Appl. Environ. Microb.* 52(1):92-97. #1986-27

Brown, B.S., Detenbeck, N.E., and Eskin, R. 2005. How probability survey data can help integrate 305(b) and 303(d) monitoring and assessment of state waters. *Environ. Monit. Assess.* 103:41-57. #855

Bruner, K.A., S.W. Fisher, and P.F. Landrum. 1994. The role of the zebra mussel, *Dreissena polymorpha*, in contaminant cycling: I. The effect of body size and lipid content on the bioconcentration of PCBs and PAHs. *J. Great Lakes Res.* 20(4):725-734. #1994-27

Bruner, K.A., S.W. Fisher, and P.F. Landrum. 1994. The role of the zebra mussel, *Dreissena polymorpha*, in contaminant cycling: II. Zebra mussel contaminant accumulation from algae and suspended particles, and transfer to the benthic invertebrate, *Gammarus fasciatus*. *J. Great Lakes Res.* 20(4):735-750. #1994-26

Brungs, W.A. 1968. Research plans for the natural stream study at the Newtown Field Laboratory. Cincinnati, OH. #1968-6

Brungs, W.A. 1973. Statement on proposed Wisconsin water quality standards for the April 30, 1973 hearing at Madison, Wisconsin by William A. Brungs. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-4

Brungs, W.A. 1975. Testimony in the case of Commonwealth of Pennsylvania against West Penn Power Company for a heated waste discharge to Spring Creek. National Water Quality Laboratory, USEPA, Duluth, MN. #1975-2

Brungs, W.A., R.W. Carlson, W.B. Horning II, J.H. McCormick, R.L. Spehar, and J.D. Yount. 1978. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 50:1582-637 #166

Brungs, W.A. 1977. Effects of reduced dissolved oxygen concentrations on warmwater fish. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1977-19

Brungs, W.A. 1973. Statement on Illinois water quality standards for the March 28, 1973 hearing at Chicago, Illinois by William A. Brungs. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-2

Brungs, W.A. 1973. Statement on Ohio water quality standards for the March 27, 1973 hearing at Columbus, Ohio by William A. Brungs. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-3

Brungs, W.A. 1971. Chronic effects of low dissolved oxygen concentrations on the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 28:1119-23 #52

Brungs, W.A., E.N. Leonard, and J.M. McKim. 1973. Acute and long-term accumulation of copper by the brown bullhead, *Ictalurus nebulosus*. *J. Fish. Res. Board Can.* 30:583-86 #81

Brungs, W.A. 1972. Applications and procedures for continuous-flow bioassays with aquatic organisms. Presented at the 1972 Annual Meeting of the American Society for Testing and Materials, June 25-29, 1972, Los Angeles, California. #1972-1

Brungs, W.A. 1972. Effects of pesticides and industrial wastes on surface water use. In: *River ecology and man*. Pp. 353-365. Academic Press, Inc., New York, NY. #1972-7

Brungs, W.A. "Feb. 15, 1972". Literature review of the effects of residual chlorine on aquatic life. First National Water Quality Laboratory, USEPA, Duluth, MN. #1972-12

Brungs, W.A. 1971. Chronic effects of constant elevated temperature on the fathead minnow (*Pimephales promelas* Rafinesque). *Trans. Am. Fish. Soc.* 100:659-64 #51

Brungs, W.A. 1969. Chronic toxicity of zinc to the fathead minnow, *Pimephales promelas* Rafinesque. *Trans. Am. Fish. Soc.* 98:272-79 #26

Brungs, W.A. and Jones, B.R. 1977. Temperature criteria for freshwater fish: protocol and procedures. 1977. EPA/600/3-77/061. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Brungs, W.A., J.R. Geckler, and M.H. Gast. 1976. Acute and chronic toxicity of copper to the fathead minnow in a surface water of variable quality. *Water Res.* 10:37-43 #130

Brungs, W.A. 1976. Short-cut or screening toxicity tests. National Water Quality Laboratory, USEPA, Duluth, MN. #1976-1

Brungs, W.A. 1977. Comments on the criteria for free cyanide, phenols, and mixing zones proposed by the Pennsylvania Department of Environmental Resources for the Monongahela River. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1977-18

Brungs, W.A. 1975. Effects of disinfectants on aquatic life. In: *Disinfection of wastewater*. Pp. 13-20. ORD, USEPA. #1975-1

Brungs, W.A. 1979. Effects of cyanide and reduced dissolved oxygen concentrations on warmwater fish. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1979-5

Brungs, W.A. 1976. Effects of wastewater and cooling water chlorination on aquatic life. EPA/600/3-76/098. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 257700).

Brungs, W.A. and D.I. Mount. 1978. Introduction to the discussion of the use of aquatic toxicity tests for evaluation of the effects of toxic substances. In: *Estimating the hazard of chemical substances to aquatic life*. J. Cairns, Jr., K.L. Dickson, and A.W. Maki, eds. Pp. 15-26. ASTM STP 657. American Society for Testing and Materials, Philadelphia, PA. #1978-9

- Brungs, W.A. 1974. Recommended zinc and copper criteria for aquatic life in Ohio. National Water Quality Laboratory, USEPA, Duluth, MN. #1974-11
- Brungs, W.A., J.H. McCormick, T.W. Neiheisel, R.L. Spehar, C.E. Stephan, and G.N. Stokes. 1977. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 49:1425-93 #142
- Brungs, W.A. 1973. Comments on the proposed dissolved oxygen standards for the State of New York. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-1
- Brungs, W.A. 1973. Continuous-flow bioassays with aquatic organisms: Procedures and applications. In: *Biological methods for the assessment of water quality*. J. Cairns, Jr. and K.L. Dickson, eds. Pp. 117-126. ASTM STP 528. American Society for Testing and Materials, Philadelphia, PA. #1973-19
- Brungs, W.A. 1973. Effects of residual chlorine on aquatic life. *J. Water Pollut. Control Fed.* 45:2180-2193 #80
- Brungs, W.A. 1970. Testimony regarding fish kill in Cordele, Georgia. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-26
- Brungs, W.A. and D.I. Mount. 1970. A water delivery system for small fish-holding tanks. *Trans. Am. Fish. Soc.* 99:799-802 #39
- Brungs, W.A. and G.W. Bailey. 1967. Influence of suspended solids on the acute toxicity of endrin to fathead minnows. *Proc. 21st Ind. Waste Conf. Purdue Univ.* 50(2):4-12 #8
- Brungs, W.A. 1967. Distribution of cobalt 60, zinc 65, strontium 85, and cesium 137 in a freshwater pond. Public Health Service Publication No. 999-RH-24. 52 pp. U.S. Department of Health, Education, and Welfare, Rockville, MD. #1967-4
- Brungs, W.A. and D.I. Mount. 1967. A device for continuous treatment of fish in holding chambers. *Trans. Am. Fish. Soc.* 96:55-57 #9
- Brungs, W.A. and D.I. Mount. 1967. Lethal endrin concentration in the blood of gizzard shad. *J. Fish. Res. Board Can.* 24:429-32 #10
- Brungs, W.A. 1965. Experimental uptake of strontium-85 by freshwater organisms. *Health Physics*, 1:41-46. #1965-3
- Buikema, A.L., Jr.; Cairns, J., Jr.; Edmunds, P.C., and Krakauer, T.H. 1977. Culturing and ecology studies of the rotifer, *Polyarthra vulgaris*. EPA/600/3-77/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800815.
- Burgess, R.M., W.J. Berry, D.R. Mount, G.T. Ankley, D.S. Ireland, D.M. DiToro, D.J. Hansen, J.A. McGrath, L.D. DeRosa, H.E. Bell, F.J. Keating, M.C. Reiley, and C.S. Zarba. 2008. Procedures for the derivation of equilibrium partitioning sediment benchmarks (ESBs) for the

protection of benthic organisms: Compendium of Tier 2 values for nonionic organics. EPA/600/R-02/016. #4980

Burgess, R., C. Chancy, D. Campbell, N.E. Detenbeck, V. Engle, B.H. Hill, K. Ho, M. Lewis, T.J. Norberg-King, P. Pelletier, K. Perez, L. Smith, and V.M. Snarski. 2004. Classification framework for coastal systems. EPA/600/R-04/061. #4366

Burkhard, L.P., P.M. Cook, and M.T. Lukasewycz. 2008. Organic carbon - water column concentration quotients (IIsocs and π ocs): Measuring apparent chemical disequilibria and exploring the impact of black carbon in Lake Michigan. *Environ. Sci. Technol.* 42:3615-3621. #4605

Burkhard, L.P. and M.T. Lukasewycz. 2008. Toxicity equivalency values for polychlorinated biphenyl mixtures. *Env. Toxicol. Chem.* 27:529-534. #4811

Burkhard, L.P., P.M. Cook, and M.T. Lukasewycz. 2006. A hybrid empirical-mechanistic modeling approach for extrapolating BSAFs and BAFs across species, time, and/or ecosystems. *Environ. Toxicol. Chem.* 25:1946-1952. #893

Burkhard, L.P. 1998. Comparison of two models for predicting bioaccumulation of hydrophobic organic chemicals in a Great Lakes food web. *Environ. Toxicol. Chem.* 17:383-93 #668

Burkhard, L.P. and P. Cook. 1995. Methods for incorporation of biomagnification and bioavailability into Great Lakes Water Quality Initiative bioaccumulation factors. In: *Abstract Book, Second SETAC World Congress (16th Annual Meeting)*, Vancouver, British Columbia, Canada, Society of Environ. Toxicol. and Chem., Pensacola, FL. #1995-27

Burkhard, L.P., B.R. Sheedy, and D.J. McCauley. 1994. Prediction of chemical residues in aquatic organisms for a field discharge situation. *Chemosphere* 29:141-53 #530

Burkhard, L.P., J.R. Cannell, K.W. Dowell, W.J. Morrow, B. Riedel Sheedy and R. Brandes. 1991. Guidance on assessment and control of bioconcentratable contaminants in surface waters. National Effluent Toxicity Assessment Center, Environmental Research Laboratory-Duluth, Office of Water Enforcement and Permits, Office of Water Regulations and Standards, Office of Health and Environmental Assessment-Cincinnati, Office of Water, USEPA, Washington, DC.

Burkhard, L.P., E.J. Durhan, and M.T. Lukasewycz. 1991. Identification of nonpolar toxicants in effluents using toxicity based fractionation with gas chromatography/mass spectrometry. *Anal. Chem.* 63:277-83 #446

Burkhard, L.P., Sheedy, B.R., and Thomas, N.A. 1993. Field evaluation of residue prediction procedures used in EPA's guidance: "Assessment and control of bioconcentratable contaminants": the Louisiana study. EPA/833/R-93/002. ORD, USEPA, Duluth, MN and Office of Water, USEPA, Washington, DC.

Burkhard, L.P. and J.J. Jenson. 1993. Identification of ammonia, chlorine, and diazinon as toxicants in a municipal effluent. *Arch. Environ. Contam. Toxicol.* 25:506-15 #496

Burkhard, L.P. 2003. Factors influencing the design of bioaccumulation factor and biota-sediment accumulation factor field studies. *Environ. Toxicol. Chem.* 22(2):351-360. #781

Burkhard, L.P. and M.T. Lukasewycz. 2000. Some bioaccumulation factors and biota-sediment accumulation factors for polycyclic aromatic hydrocarbons in lake trout. *Environ. Toxicol. Chem.* 19:1427-29 #734

Burkhard, L.P., J.W. Nichols, and P.M. Cook. 2000. Comments on biota-sediment accumulation and trophic transfer factors for extremely hydrophobic polychlorinated biphenyls. *Environ. Toxicol. Chem.* 19:2164-67 #743

Burkhard, L.P. and B.R. Sheedy. 1995. Evaluation of screening procedures for bioconcentratable organic chemicals in effluents and sediments. *Environ. Toxicol. Chem.* 14:697-711 #560

Burkhard, L.P. and G.T. Ankley. 1989. Identifying toxicants: NETAC's toxicity-based approach. *Environ. Sci. Technol.* 23:1438-43 #385

Burkhard, L.P. 2000. Estimating dissolved organic carbon partition coefficients for nonionic organic chemicals. *Environ. Sci. Technol.* 34:4663-68 #747

Burkhard, L.P. and D. Weininger. 1987. Determination of polychlorinated biphenyls using multiple regression with outlier detection and elimination. *Anal. Chem.* 59:1187-1190. #1987-24

Burkhard, L.P. and Mount, D.R. 2002. Comments on Eganhouse and Pontolillo: assessing the reliability of physico-chemical property data (K_{ow} , S_w) for hydrophobic organic compounds: DDT and DDE as a case study. *SETAC Globe* (Nov.-Dec.):40-41. #779

Burkhard, L.P., Endicott, D.D., Cook, P.M., Sappington, K.G., and Winchester, E.L. 2003. Evaluation of two methods for prediction of bioaccumulation factors. *Environ. Sci. Technol.* 37(20):4626-4634. #806

Burkhard, L.P., Cook, P.M., and Mount, D.R. 2003. The relationship of bioaccumulative chemicals in water and sediment to residues in fish: a visualization approach. *Environ. Toxicol. Chem.* 22(11):2822-2830. #803

Burkhard, L.P., B.R. Sheedy, D.J. McCauley, and G.M. DeGraeve. 1997. Bioaccumulation factors for chlorinated benzenes, chlorinated butadienes and hexachloroethane. *Environ. Toxicol. Chem.* 16:1677-86 #654

Burkhard, L.P., Cook, P.M., and Lukasewycz, M.T. 2004. Biota-sediment accumulation factors for polychlorinated biphenyls, dibenzo-*p*-dioxins, and dibenzofurans in southern Lake Michigan lake trout (*Salvelinus namaycush*). *Environ. Sci. Technol.* 38:5297-5305. #837

Burkhard, L.P. and J.J. Jenson. 1990. Toxicity identification evaluation for Pocatello, Idaho treatment facility. NETAC Technical Report 19-90. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1990-24

Burkhard, L.P. and D.W. Kuehl. 1986. N-octanol/water partition coefficients by reverse phase liquid chromatography/mass spectrometry for eight tetrachlorinated planar molecules. *Chemosphere* 15:163-67 #314

Burkhard, L.P., D.W. Kuehl, and G.D. Veith. 1985. Evaluation of reverse phase liquid chromatography/mass spectrometry for estimation of n-octanol/water partition coefficients for organic chemicals. *Chemosphere* 14:1551-60 #294

Burkhardt, J.G., G. Ankley, H. Bell, H. Carpenter, D. Fort, D. Gardiner, H. Gardner, R. Hale, J.C. Helgen, P. Jepson, D. Johnson, M. Lannoo, D. Lee, J. Lary, R. Levey, J. Magner, C. Meteyer, M.D. Shelby, and G. Lucier. 2000. Strategies for assessing the implications of malformed frogs for environmental health. *Environ. Health Perspec.* 108(1):83-90. #2000-3

Burle, L. 1995. Time of exposure based toxicity of zinc to the freshwater crustaceans *Ceriodaphnia dubia* and *Hyaella azteca*. Vol. 1: Report and Vol. 2: Graphs and appendices. Final report. Ecole Nationale du Génie de l'Eau et de l'Environnement de Strasbourg, France. #1995-16

Burman, B. and K.R. Rygwelski. 2006. Derivation of a hypothetical Lake Michigan lake trout fish consumption criteria for PCBs. Part 3, Appendix 3.4.1, pp. 212-215 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.

Burton, G.A., Jr., T.J. Norberg-King, C.G. Ingersoll, D.A. Benoit, G.T. Ankley, P.V. Winger, J. Kubitz, J.M. Lazorchak, M.E. Smith, E. Greer, F.J. Dwyer, D.J. Call, K.E. Day, P. Kennedy, and M. Stinson. 1996. Interlaboratory study of precision: *Hyaella azteca* and *Chironomus tentans* freshwater sediment toxicity assays. *Environ. Toxicol. Chem.* 15:1335-43 #605

Busse, S.C. and E.H. Abbott. 1989. Cobalt-59 nuclear magnetic resonance studies of chloro-, bromo-, and iodo-substituted tris(acetylacetonato) cobalt (III) complexes. *Inorg. Chem.* 28:488-491. #1989-21

Butterworth, B.C. and D.W. Kuehl, et al. 1990. Analytical procedures and quality assurance plan for the determination of xenobiotic chemical contaminants in fish. 1990. USEPA National Dioxin Study - Phase II. EPA/600/3-90/023. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Butterworth, B.C. and D.W. Kuehl, et al. 1990. Analytical procedures and quality assurance plan for the determination of PCDD/PCDF in fish. 1990. USEPA National Dioxin Study - Phase II. EPA/600/3-90/022. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

C

Cairns, J., Jr. and D.I. Mount. 1990. Aquatic toxicology: Part 2 of a four-part series. *Environ. Sci. Technol.* 24:154-61 #410

Cairns, J., Jr., Thompson, K.W., and Hendricks, A.C. 1981. Effects of fluctuating, sublethal applications of heavy metal solutions upon the gill ventilation response of bluegills (*Lepomis macrochirus*). EPA/600/3-81/003. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-150997): R805274.

Call, D.J., L.T. Brooke, R.J. Kent, N. Ahmad, and J.E. Richter. 1982. Toxicological studies with herbicides, selected EPA priority pollutants and related chemicals in aquatic organisms. Project summary. USEPA Grants #R-806196-01 & #R-880020010 and Cooperative Agreements #CR-806864-02 & #CR-880020010. Submitted to Environmental Research Laboratory, USEPA, Duluth, MN, by Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1982-2

Call, D.J., K. Liber, F.W. Whiteman, T.D. Dawson, and L.T. Brooke. 1999. Observations on the 10-day *Chironomus tentans* survival and growth bioassay in evaluating Great Lakes sediments. *J. Great Lakes Res.* 25(1):171-178. #1999-6

Call, D.J., M.D. Balcer, L.T. Brooke, S.J. Lozano, and D.D. Vaishnav. 1991. Sediment quality evaluation in the lower Fox River and southern Green Bay of Lake Michigan. Final report for Cooperative Agreement CR-815232. USEPA, Environmental Research Laboratory, Duluth, MN. #1991-26

Call, D.J., L.T. Brooke, and N. Ahmad. 1980. Estimates of "no effect" concentrations of selected pesticides in freshwater organisms. Third Quarterly Progress Report to EPA submitted to USEPA Research Laboratory, Duluth, MN by University of Wisconsin-Superior, Superior, WI. #1980-2

Call, D.J., L.T. Brooke, G.T. Ankley, D.A. Benoit, and R.A. Hoke. 1994. Appendix G: Biological effects testing procedures. In: *Great Lakes dredged material testing and evaluation manual*. Great Lakes National Program Office, USEPA; and North Central Division, U.S. Army Corps of Engineers. #1994-10

Call, D.J., D.A. Cox, D.L. Geiger, K.I. Genisot, T.P. Markee, L.T. Brooke, C.N. Polkinghorne, F.A. VandeVenter, J.W. Gorsuch, K.A. Robillard, T.F. Parkerton, M.C. Reiley, G.T. Ankley, and D.R. Mount. 2001. An assessment of the toxicity of phthalate esters to freshwater benthos. 2. Sediment exposures. *Environ. Toxicol. Chem.* 20(8):1805-1815. #2001-7

Call, D.J., T.P. Markee, D.L. Geiger, L.T. Brooke, F.A. VandeVenter, D.A. Cox, K.I. Genisot, K.A. Robillard, J.W. Gorsuch, T.F. Parkerton, M.C. Reiley, G.T. Ankley, and D.R. Mount. 2001. An assessment of the toxicity of phthalate esters to freshwater benthos.1. Aqueous exposures. *Environ. Toxicol. Chem.* 20(8):1798-1804. #2001-6

Call, D.J. 1993. Validation study of a protocol for testing the acute toxicity of pesticides to invertebrates using the apple snail (*Pomacea paludosa*). Report to USEPA from Lake Superior Research Institute, University of Wisconsin-Superior, Superior, WI. #1993-29

Call, D.J., L.T. Brooke, C.A. Lindberg, T.P. Markee, D.J. McCauley, and S.H. Poirier. 1984. Toxicity of aluminum to freshwater organisms in water of pH 6.5 - 8.5. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI. #1984-23

Call, D.J., S.H. Poirier, M.L. Knuth, S.L. Harting, and C.A. Lindberg. 1987. Toxicity of 3,4-dichloroaniline to fathead minnows, *Pimephales promelas*, in acute and early life stage exposures. *Bull. Environ. Contam. Toxicol.* 38:352-58 #339

Call, D.J., L.T. Brooke, and R.J. Kent. 1982. Toxicity, bioconcentration, and metabolism of five herbicides in freshwater fish. USEPA Grant No. R-806196-01. Submitted to Environmental Research Laboratory, USEPA, Duluth, MN, by Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1982-11

Call, D.J., L.T. Brooke, N. Ahmad, and D.D. Vaishnav. 1981. Aquatic pollutant hazard assessments and development of a hazard prediction technology by quantitative structure-activity relationships. Report for the USEPA by the Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1981-22a

Call, D.J., Brooke, L.T., and Kent, R.J. Toxicity, bioconcentration, and metabolism of five herbicides in freshwater fish. EPA/600/3-83/096. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-263681): Grant # R806196.

Call, D.J., L.T. Brooke, R.J. Kent, M.L. Knuth, S.H. Poirier, J.M. Huot, and A.R. Lima. 1987. Bromacil and diuron herbicides: Toxicity, uptake, and elimination in freshwater fish. *Arch. Environ. Contam. Toxicol.* 16:607-13 #338

Call, D.J., L.T. Brooke, R.J. Kent, S.H. Poirier, M.L. Knuth, P.J. Shubat, and E.J. Slick. 1984. Toxicity, uptake, and elimination of the herbicides alachlor and dinoseb in freshwater fish. *J. Environ. Qual.* 13(3):493-498. #1984-19

Call, D.J. and J. Hyland. 1989. Ambient water quality criteria for methyl parathion -- 1988. #2184

Call, D.J., Brooke, L.T., Ahmad, N., and Richter, J.E. Toxicity and metabolism studies with EPA priority pollutants and related chemicals in freshwater organisms. EPA/600/3-83/095. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-263665): Grant # R880020 CR 806864.

Call, D.J., L.T. Brooke, N. Ahmad, and D.D. Vaishnav. 1981. Aquatic pollutant hazard assessments and development of a hazard prediction technology by quantitative structure-activity

relationships. Report for the USEPA by the Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1981-22b

Call, D.J., L.T. Brooke, N. Ahmad, and J.E. Richter. 1986. Toxicity and metabolism studies with EPA priority pollutants and related chemicals in freshwater organisms. Submitted to Environmental Research Laboratory, USEPA, Duluth, MN, by Center for Lake Superior Environmental Studies, University of Wisconsin-Superior, Superior, WI. #1986-4

Call, D.J., L.T. Brooke, C. Northcott, and D.E. Hammermeister. 1984. Site-specific acute and chronic aquatic toxicity testing -- Western Lake Superior Sanitary District treatment plant effluent studies. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson and N.A. Thomas, eds. Pp. 96-111. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Campbell, D.E., K.T. Ho, J.C. Kurtz, V.D. Engle, M. Pelletier, N.E. Detenbeck, B.H. Hill, R. Burgess, K.T. Perez, and V.M. Snarski. 2006. Conceptual models and methods to guide diagnostic research. USEPA, Research Triangle Park, NC, EPA/600/R-06/024. #4632

Canale, R.P. and M.T. Auer. 1987. Personal computers and environmental engineering, Part II - Applications. *Environ. Sci. Technol.* 21(10):936-942. #1987-17

Canale, R.P., DePalma, L.M., and Powers, W.F. 1980. Sampling strategies for water quality in the Great Lakes. EPA/600/3-80/055. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803754-02-1.

Canton, S.P. and Ward, J.V. 1979. Environmental effects of western coal surface mining. Part I - Limnology and biota of mine spoils ponds in northwest Colorado. EPA/600/3-79/124. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Canton, S.P. and Ward, J.V. 1978. Environmental effects of western coal surface mining. Part II -- The aquatic macroinvertebrates of Trout Creek, Colorado. EPA 600/3-78/095. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Caple, R. 1984. Characterization of the organic nature of the Western Lake Superior Sanitary District effluent -- summary. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson and N.A. Thomas, eds. Pp. 112-114. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Cardenas, M., J. Gailani, C.K. Ziegler, and W. Lick. 1995. Sediment transport in the lower Saginaw River. *Mar. Freshwater Res.* 46:337-347. #1995-21

Cardenas, M. and W. Lick. 1996. Modeling the transport of sediments and hydrophobic contaminants in the lower Saginaw River. *J. Great Lakes Res.* 22(3):669-682. #1996-24

Cardwell, R.D., Foreman, D.G., Payne, T.R., and Wilbur, D.J. 1977. Acute and chronic toxicity of chlordane to fish and invertebrates. EPA/600/3-77/019. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract No. 68-01-0187.

Cardwell, R.D., D.G. Foreman, T.R. Payne, D.J. Wilbur. 1976. Acute toxicity of selected toxicants to six species of fish. EPA/600/3-76/008. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-01-0748.

Cardwell, R.D., D.G. Foreman, T.R. Payne, and D.J. Wilbur. 1978. Acute and chronic toxicity of four organic chemicals to fish. Environmental Research Laboratory, USEPA, Duluth, MN. #1978-15

Carey, A.E., N.S. Shifrin, A.P. Briefer, and P.M. Cook. 1990. Derivation of a Lake Ontario bioaccumulation factor for 2,3,7,8-TCDD. In: Lake Ontario TCDD bioaccumulation study, final report. Chapter 9. USEPA, NY State Dept. of Environmental Conservation, NY State Dept. of Health, and Occidental Chemical Corporation. #1990-18

Carlson, A.R. and R.E. Siefert. 1974. Effects of reduced oxygen on the embryos and larvae of lake trout (*Salvelinus namaycush*) and largemouth bass (*Micropterus salmoides*). *J. Fish. Res. Board Can.* 31:1393-96 #101

Carlson, A.R. and L.J. Herman. 1978. Effect of long-term reduction and diel fluctuation in dissolved oxygen on spawning of black crappie *Pomoxis nigromaculatus*. *Trans. Am. Fish. Soc.* 107:742-46 #167

Carlson, A.R. and P.A. Kosian. 1987. Toxicity of chlorinated benzenes to fathead minnows (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 16:129-35 #341

Carlson, A.R., J. Blocher, and L.J. Herman. 1980. Growth and survival of channel catfish and yellow perch exposed to lowered constant and diurnally fluctuating dissolved oxygen concentrations. *Prog. Fish-Cult.* 42:73-78 #199

Carlson, A.R., G.L. Phipps, and V.R. Mattson. 1991. The role of acid-volatile sulfide in determining cadmium bioavailability and toxicity in freshwater sediments. *Environ. Toxicol. Chem.* 10:1309-19 #447

Carlson, A.R., Nelson, H., and Hammermeister, D. Evaluation of site-specific criteria for copper and zinc: An integration of metal addition toxicity, effluent and receiving water toxicity, and ecological survey data. EPA/600/3-86/026. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB86-183928).

Carlson, A.R., H. Nelson, and D.E. Hammermeister. 1986. Development and validation of site-specific water quality criteria for copper. *Environ. Toxicol. Chem.* 5:997-1012 #315

Carlson, A.R. and J.G. Hale. 1972. Successful spawning of largemouth bass, *Micropterus salmoides* (Lacepede) under laboratory conditions. *Trans. Am. Fish. Soc.* 101:539-42 #65

- Carlson, A.R. 1987. Effects of lowered dissolved oxygen concentration on the toxicity of 1,2,4-trichlorobenzene to fathead minnows. *Bull. Environ. Contam. Toxicol.* 38:667-73 #340
- Carlson, A.R., Tucker, J.A., Mattson, V.R., Phipps, G.L., Cook, P.M., Olson, G.F., and Puglisi, F.A. 1982. Cadmium and endrin toxicity to fish in waters containing mineral fibers. EPA/600/3-82/053. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB82-225038).
- Carlson, A.R., R.E. Siefert, and L.J. Herman. 1974. Effects of lowered dissolved oxygen concentrations on channel catfish (*Ictalurus punctatus*) embryos and larvae. *Trans. Am. Fish. Soc.* 103:623-26 #102
- Carlson, A.R., Brungs, W.A., Chapman, G.A., and Hansen, D.J. Guidelines for deriving numerical aquatic site-specific water quality criteria by modifying national criteria. EPA/600/3-84/099. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB85-121101).
- Carlson, A.R. and Thomas, N.A. Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB84-195379). #1984-15
- Carlson, A.R. and J.G. Hale. 1973. Early maturation of brook trout in the laboratory. *Prog. Fish-Cult.* 35:150-153 #83
- Carlson, A.R. 1973. Induced spawning of largemouth bass (*Micropterus salmoides* [Lacepede]). *Trans. Am. Fish. Soc.* 102:442-44 #82
- Carlson, A.R. 1972. Effects of long-term exposure to carbaryl (Sevin) on survival, growth, and reproduction of the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 29:583-87 #64
- Carlson, R.M. and Caple, R. 1977. Chemical/biological implications of using chlorine and ozone for disinfection. 1977. EPA 600/3-77/066. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800675.
- Carlson, R.M., Oyler, A.R., Gerhart, E.H., Caple, R., Welch, K.J., Kopperman, H.L., Bodenner, D., and Swanson, D. 1979. Implications to the aquatic environment of polynuclear aromatic hydrocarbons liberated from northern Great Plains coal. EPA/600/3-79/093. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803952.
- Carlson, R.M. 1990. Assessment of the propensity for covalent binding of electrophiles to biological substrates. *Environ. Health Perspec.* 87:227-232. #1990-17
- Carlson, R.W. and J.M. McKim. 2001. Aquatic animal respiration and cough response applied to innovative environmental biomonitoring: a bibliography. EPA/600/R-00/080. National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN. 3688

- Carlson, R.W., G.J. Lien, and B.A. Holmen. 1989. An automated monitoring system for fish physiology and toxicology. EPA Project Summary, EPA/600/S3-89/011. USEPA, Cincinnati, OH. #1989-37
- Carlson, R.W. 1984. The influence of pH, dissolved oxygen, suspended solids or dissolved solids upon ventilatory and cough frequencies in the bluegill *Lepomis macrochirus* and brook trout *Salvelinus fontinalis*. *Environ. Pollut. Ser. A.* 34:149-69 #274
- Carlson, R.W. and R.A. Drummond. 1978. Fish cough response -- a method for evaluating quality of treated complex effluents. *Water Res.* 12:1-6 #168
- Carlson, R.W. 1982. Some characteristics of ventilation and coughing in the bluegill *Lepomis macrochirus* Rafinesque. *Environ. Pollut. Ser. A.* 29:35-56 #237
- Carlson, R.W. 1990. Ventilatory patterns of bluegill (*Lepomis macrochirus*) exposed to organic chemicals with different mechanisms of toxic action. *Comp. Biochem. Physiol.* 89C:181-96 #411
- Carlson, R.W., S.P. Bradbury, R.A. Drummond, and D.E. Hammermeister. 1998. Neurological effects on startle response and escape from predation by medaka exposed to organic chemicals. *Aquat. Toxicol.* 43:51-68 #698
- Carpenter, S.R., T.M. Frost, D. Heisey, and T.K. Kratz. 1989. Randomized intervention analysis and the interpretation of whole-ecosystem experiments. *Ecology* 70(4):1142-1152. #1989-14
- Cary, G.A., G.F. Doebbler, A. Spacie, and A.G. Vilkas. 1976. Acute and chronic toxicity of di-2-ethylhexyl phthalate and di-n-butyl phthalate to fish and invertebrates. Office of Research and Monitoring, USEPA, Washington, D.C. #1976-19
- Caulfield, D.D. and J.C. Filkins. 1999. Acoustic techniques for the mapping of the distribution of contaminated sediments. *Northeastern Geol. Environ. Sci.* 21:130-135. #1999-13
- Caulfield, D.D., J. Filkins, and R. McGee. 1996. Calibration and multiple sound sources in marine geotechnical pollution surveys in rivers. In: *Oceans 96 MTS/IEEE Conference Proceedings: The Coastal Ocean - Prospects for the 21st Century*, September 23-26, 1996, Fort Lauderdale FL. Institute of Electrical and Electronics Engineers, Inc., Piscataway, NJ. Pp. 176-187. #1996-12
- Champlin, J.G. and H.G. Stefan. 1996. Field study of the ice cover of a lake: Implications for winter water quality modeling. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-31
- Chapman, G.A. (chair), B.S. Anderson, A.J. Bailer, R.B. Baird, R. Berger, D.T. Burton, D.L. Denton, W.L. Goodfellow, Jr., M.A. Heber, L.L. McDonald, T.J. Norberg-King, and P.J. Ruffier. 1996. Methods and appropriate endpoints: Discussion synopsis. In: *Whole effluent toxicity*

testing: An evaluation of methods and prediction of receiving system impacts. D.R. Grothe, K.L. Dickson, and D.K. Reed-Judkins, eds. Pp. 51-78. SETAC Press, Pensacola, FL. #1996-5

Chapra, S.C. and R.P. Canale. 1987. Personal computers and environmental engineering, Part I: Trends and perspectives. *Environ. Sci. Technol.* 21(9):832-837. #1987-16

Chin, Y.-P., G. Aiken, and E. O'Loughlin. 1994. Molecular weight, polydispersity, and spectroscopic properties of aquatic humic substances. *Environ. Sci. Technol.* 28(10):1853-1858. #1994-25

Chipps, S.R., D.E. Hubbard, K.B. Werlin, N.J. Haugerud, K.A. Powell, J.A. Thompson, and T. Johnson. 2006. Association between wetland disturbance and biological attributes in floodplain wetlands. *Wetlands* 26:497-408. #899

Chittim, B.G., J.A. Madge, and S.H. Safe. 1986. Pentachlorodibenzofurans: Synthesis, capillary gas chromatography and gas chromatographic/mass spectrometric characteristics. *Chemosphere* 15(9-12):1931-1934. #1986-18

Chopra, K.S., D. Beaman, and P.M. Cook. 1982. Interlaboratory measurements of the chrysotile asbestos fiber and mass concentrations in water samples. In: *Asbestos standards: Materials and analytical methods*. NBS Special Publication No. 619. Pp. 121-131. National Bureau of Standards, Gaithersburg, MD. #1982-20

Chowdhury, M.J., D.G. McDonald, and C.M. Wood. 2004. Gastrointestinal uptake and fate of cadmium in rainbow trout acclimated to sublethal dietary cadmium. *Aquat. Toxicol.* 69:149-163. #2004-8

Chowdhury, M.J., M. Grosell, D.G. McDonald, and C.M. Wood. 2003. Plasma clearance of cadmium and zinc in non-acclimated and metal-acclimated trout. *Aquat. Toxicol.* 64:259-275. #2003-13

Christensen, G.M., J.T. Fiandt, and D.A. Benoit. 1977. Estimation of live fish weight by photography. *Prog. Fish-Cult.* 39:41-42 #143

Christensen, G.M. and B.L. Riedel. 1981. Effect of water pollutants and other chemicals upon the activity of lipase *in vitro*. *Arch. Environ. Contam. Toxicol.* 10:357-63 #218

Christensen, G.M. 1975. Biochemical effects of methylmercuric chloride, cadmium chloride, and lead nitrate on embryos and alevins of the brook trout, *Salvelinus fontinalis*. *Toxicol. Appl. Pharmacol.* 32:191-97 #116

Christensen, G.M., D.L. Olson, and B.L. Riedel. 1982. Chemical effects on the activity of eight enzymes: A review and a discussion relevant to environmental monitoring. *Environ. Res.* 29:247-55 #238

Christensen, G.M. and B.L. Riedel. 1980. An enzyme-immobilization procedure for the analysis of enzyme-inhibiting chemicals in water. *Int. J. Environ. Anal. Chem.* 8:277-82 #200

Christensen, G.M. and D.L. Olson. 1981. Effect of water pollutants and other chemicals upon ribonuclease activity *in vitro*. *Environ. Res.* 26:274-80 #217

Christensen, G.M. and J.H. Tucker. 1976. Effects of selected water toxicants on the *in vitro* activity of fish carbonic anhydrase. *Chem.-Biol. Interact.* 13:181-92 #131

Christensen, G.M., E.P. Hunt, and J.T. Fiandt. 1977. The effect of methylmercuric chloride, cadmium chloride, and lead nitrate on six biochemical factors of the brook trout (*Salvelinus fontinalis*). *Toxicol. Appl. Pharmacol.* 42:523-30 #144

Christensen, G.M., J.T. Fiandt, and B.A. Poeschl. 1978. Cells, proteins, and certain physical-chemical properties in brook trout (*Salvelinus fontinalis*) blood. *J. Fish Biol.* 12:51-60 #169

Christensen, G.M., J.M. McKim, W.A. Brungs, and E.P. Hunt. 1972. Changes in the blood of the brown bullhead (*Ictalurus nebulosus* (Lesueur)) following short- and long-term exposure to copper(II). *Toxicol. Appl. Pharmacol.* 23:417-27 #66

Christensen, G.M. 1971. Effects of metal cations and other chemicals upon the *in vitro* activity of two enzymes in the blood plasma of the white sucker, *Catostomus commersoni* (Lacepede). *Chem.-Biol. Interact.* 4:351-61 #53

Clement, J., Sigford, A., Drummond, R., and Novy, N. 1996. World of fresh water: A resource for studying issues of freshwater research. EPA 600/K-96/001. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN. #2774

Coffin, D.L., P.M. Cook, and J.P. Creason. 1992. Relative mesothelioma induction in rats by mineral fibers: Comparison with residual pulmonary mineral fiber number and epidemiology. *Inhal. Toxicol.* 4:273-300 #469

Coffin, D.L., L.D. Palekar, and P.M. Cook. 1982. Tumorigenesis by a ferroactinolite mineral. *Toxicol. Lett.* 13:143-50 #239

Coffin, D.L., L.D. Palekar, P.M. Cook, and J.P. Creason. 1989. Comparison of mesothelioma induction in rats by asbestos and nonasbestos mineral fibers: possible correlation with human exposure data. In: *Biological Interaction of Inhaled Mineral Fibers and Cigarette Smoke*, Battelle Press, Columbus, OH, 1989, pp. 347-354. #1989-58

Cole, R.A. 1978. Entrainment at a once-through cooling system on western Lake Erie. Volume I. 1978. EPA/600/3-78/070. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, R801188.

- Cole, R.A. 1978. Larval fish distributions in southwestern Lake Erie near the Monroe Power Plant. 1978. EPA/600/3-78/069. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, R804517010.
- Collette, B.B., M.A. Ali, K.E.F. Hokanson, M. Nagiec, S.A. Smirnov, J.E. Thorpe, A.H. Weatherley, and J. Willemsen. 1977. Biology of percids. *J. Fish. Res. Board Can.* 34:1890-1899 #145
- Collins, H.L., W. Brown, and A. Edwards. 1996. Spatial changes in the distribution and abundance of ruffe (*Gymnocephalus cernuus*) and native fishes in the St. Louis River estuary, 1989-1994. Final report to the Environmental Research Laboratory, USEPA, Duluth, MN. #1996-10
- Collins, H.L., W. Brown, and A. Edwards. 1996. The early life history of ruffe (*Gymnocephalus cernuus*) in the St. Louis River estuary, 1992-1994. Final report to the Environmental Research Laboratory, USEPA, Duluth, MN. #1996-9
- Collyard, S.A., G.T. Ankley, R.A. Hoke, and T.A. Goldenstein. 1994. Influence of age on the relative sensitivity of *Hyaella azteca* to diazinon, alkylphenol ethoxylates, copper, cadmium, and zinc. *Arch. Environ. Contam. Toxicol.* 26:110-113 #531
- Committee on Methods for Toxicity Tests with Aquatic Organisms. 1975. Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians. EPA/660/3-75/009. National Environmental Research Center, ORD, USEPA, Corvallis, OR; Duluth, MN.
- Connolly, J.P. and R.V. Thomann. 1982. Calculated contribution of surface microlayer PCB to contamination of Lake Michigan lake trout. *J. Great Lakes Res.* 8(2):367-375. #1982-15
- Cook, W.M., R.M. Anderson, and E.W. Schweiger. 2004. Is the matrix really inhospitable? Vole runway distribution in an experimentally fragmented landscape. *Oikos* 104:5-14. #2004-1
- Cook, P.M., Robbins, J.A., Endicott, D.D., Lodge, K.B., Guiney, P.D., Walker, M.K., Zabel, E.W., and Peterson, R.E. 2003. Effects of aryl hydrocarbon receptor-mediated early life stage toxicity on lake trout populations in Lake Ontario during the 20th century. *Environ. Sci. Technol.* 37(17): 3864-3877. #799
- Cook, P.M. and Peterson, R.E. 2003. Use of the TEQ model for assessing AHR mediated toxicity risks to populations of lake trout and other species in Lake Ontario. *Organohalogen Compounds* 65:308-311. #802
- Cook, P.M. 1990. Bioaccumulation of PCBs, PCDDs, and PCDFs. In: *Making a Great Lake Superior*. J. Vander Wal and P.D. Watts, eds. Pp. 244-248. Occasional Paper #9. Lakehead University Centre for Northern Studies, Thunder Bay, Ontario. #1990-13
- Cook, P.M., D.W. Kuehl, M.K. Walker, and R.E. Peterson. 1991. Bioaccumulation and toxicity of TCDD and related compounds in aquatic ecosystems. In: *Biological basis for risk assessment*

of dioxins and related compounds. M.A. Gallo et al., eds. Pp. 143-167. Banbury Report 35. Cold Spring Harbor Laboratory Press, Plainview, NY. #1991-20

Cook, P.M., E.W. Zabel, and R.E. Peterson. 1997. The TCDD toxicity equivalence approach for characterizing risks for early life-stage mortality in trout. In: *Chemically induced alterations in functional development and reproduction of fishes*. R.M. Rolland, M. Gilbertson, and R.E. Peterson, eds. Pp. 9-27. SETAC Press, Pensacola, FL. #1997-8

Cook, P.M., I.B. Rubin, C.J. Maggiore, and W.J. Nicholson. 1976. X-ray diffraction and electron beam analysis of asbestiform minerals in Lake Superior waters. *Annals of the Institute of Electrical and Electronics Engineers* No. 75CH1004-I 34-1, 9 pp. #1976-4

Cook, P.M., G.E. Glass, D.R. Marklund, and J.H. Tucker. 1978. Evaluation of cartridge filters for removal of small fibers from drinking water. *Am. Water Works Assoc. J.* 70:459-64 #170

Cook, R.B. and J.J. Ameel. 1984. Water chemistry in St. Louis Bay. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson and N.A. Thomas, eds. Pp. 1-56. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Cook, P.M. and L.P. Burkhard. 1998. Development of bioaccumulation factors for protection of fish and wildlife in the Great Lakes. In: EPA/823/R-98/002. Office of Water, USEPA, Washington, D.C. #1998-3

Cook, P.M., A.R. Carlson, and H. Lee II. 1992. Tissue residue approach. In: *Sediment classification methods compendium*. Pp. 7.1-7.10. EPA/823/R-92/006. USEPA, Washington, D.C. #1992-18

Cook, P.M., R.D. Johnson, G.T. Ankley, S.P. Bradbury, R.J. Erickson, and R.L. Spehar. 1992. Research to characterize risks associated with 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and related chemicals in aquatic ecosystems. In: *Proceedings of the 12th International Symposium on Dioxins and Related Compounds*, University of Tampere, Finland. Pp. 305-310. Finnish Institute of Occupational Health, Helsinki, Finland. #1992-19

Cook, R.B., C.A. Kelley, J.C. Kingston, and R.G. Kreis, Jr. 1987. Chemical limnology of soft water lakes in the Upper Midwest. *Biogeochem.* 4:97-117. #1987-45

Cook, P.M., P.L. Smith, and D.G. Wilson. 1978. Amphibole fiber concentration determination for a series of community air samples: Use of x-ray diffraction to supplement electron microscope analysis. In: *Electron microscopy and x-ray applications to environmental and occupational health analysis*. P.A. Russell and A.E. Hutchings, eds. Pp. 107-119. Ann Arbor Science, Ann Arbor, MI. #1978-10

Cook, P.M. 1979. Preparation of extrapulmonary tissues and body fluids for quantitative transmission electron microscope analysis of asbestos and other mineral particle concentrations. *Ann. N.Y. Acad. Sci.* 330:717-24 #185

- Cook, P.M. and Henry, T.R. 2003. A conceptual model for evaluating relative potency data for use in ecological risk assessments. *Organohal. Compds.* 65:304-307. #801
- Cook, P.M., G.E. Glass, and J.H. Tucker. 1974. Asbestiform amphibole minerals: Detection and measurement of high concentrations in municipal water supplies. *Science* 185:853-55 #103
- Cook, P.M. and D.R. Marklund. 1982. Sample preparation for quantitative electron microscope analysis of asbestos fiber concentrations in air. In: *Asbestos standards: Materials and analytical methods*. Pp. 53-67. NBS Special Publication No. 619, National Bureau of Standards, Gaithersburg, MD. #1982-17
- Cook, P.M., A.R. Batterman, and B.C. Butterworth. 1990. Laboratory study of TCDD bioaccumulation by lake trout from Lake Ontario sediments, food chain and water. In: Lake Ontario TCDD bioaccumulation study, final report. Chapter 6. USEPA, NY State Department of Environmental Conservation, NY State Department of Health, and Occidental Chemical Corporation. #1990-18
- Cook, P.M. 1975. Semi-quantitative determination of asbestiform amphibole mineral concentrations in western Lake Superior water samples. In: *Advances in x-ray analysis*. Vol. 18. W.L. Pickles, C.S. Barrett, J.B. Newkirk, and C.O. Ruud, eds. Pp. 557-567. Plenum Publishing, New York, NY. #1975-8
- Cook, P.M., L.D. Palekar, and D.L. Coffin. 1982. Interpretation of the carcinogenicity of amosite asbestos and ferroactinolite on the basis of retained fiber dose and characteristics in vivo. *Toxicol. Lett.* 13:151-58 #240
- Cook, P.M. 1983. Review of published studies on gut penetration by ingested asbestos fibers. *Environ. Health Perspect.* 53:121-30 #257
- Cook, P.M., R.J. Erickson, R.L. Spehar, S.P. Bradbury and G.T. Ankley. 1993. Interim report on data and methods for assessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin risks to aquatic life and associated wildlife. EPA/600/R-93/055. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Cook, P.M. and G.F. Olson. 1979. Ingested mineral fibers: Elimination in human urine. *Science* 204:195-98 #186
- Cook, P.M. and D.L. Longrie. 1980. Determination of asbestos and other inorganic particle concentrations in urine. In: *Electron microscopy and x-ray applications to environmental and occupational health analysis, vol. 2*. P.A. Russell, ed. Pp. 219-231. Ann Arbor Science, Ann Arbor, MI. #1980-17
- Cooper, C.L., W.C. Bartholomew, C.E. Herdendorf, J.M. Reutter, and F.L. Snyder. 1981. Limnetic larval fish of the Maumee and Sandusky River estuaries. *J. Great Lakes Res.* 7(1):51-54. #1981-11

Cormier, S.M., J.F. Paul, R.L. Spehar, P. Shaw-Allen, W.J. Berry, and G.W. Suter. 2008. Using field data and weight of evidence to develop water quality criteria. *IEAM* 4:490-504. #5090

Cotter, A.M., P.A. Kosian, R.A. Hoke, and G.T. Ankley. 1996. Extraction and analysis of low concentrations of DDT, DDE and DDD in small volumes of sediment pore water. *Chemosphere* 33:1341-54 #606

Coward, N.A., Horton, J.W., Koch, R.G., and Morden, R.D. 1980. Static coal storage -- biological and chemical effects on the aquatic environment. EPA/600/3-80/083a. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant no. NERC-R-803937-02-0.

Cowen, W.F. and Lee, G.F. 1976. Algal nutrient availability and limitation in Lake Ontario during IFYGL. Appendices to Part I: available phosphorus in urban runoff and Lake Ontario tributary waters. EPA/600/3-76/094b. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 265040): Contract # R-800537-02.

Cowen, W.F., Sirisinha, K., and Lee, G.F. 1977. Algal nutrient availability and limitation in Lake Ontario during IFYGL. Part II. Nitrogen available in Lake Ontario tributary water samples and urban runoff from Madison, Wisconsin. EPA/600/3-77/045. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # R-800537-02.

Cowen, W.F. and Lee, G.F. 1976. Algal nutrient availability and limitation in Lake Ontario during IFYGL. EPA/600/3-76/094a. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # R80053702.

Cowles, E.J., G.M. Christensen, and A.C. Hilding. 1968. Detection of indoleamines and catecholamines on chromatograms by heating with paraformaldehyde. *J. Chromatogr.* 35:389-95 #16

Crane, J.L., C. Richards, D. Breneman, S. Lozano, and J.A. Schuldt. 2005. Evaluating methods for assessing sediment quality in a Great Lake embayment. *Aquat. Ecosys. Health Manage.* 8(3):323-349. #2005-6

Crane, J.L., Smorong, D.E., Pillard, D.A., and MacDonald, D.D. 2002. Sediment remediation scoping project in Minnesota Slip, Duluth Harbor. Final report. EPA/905/R-02/002. Great Lakes National Program Office, USEPA, Chicago, IL.

Crane, J.L. 1999. Assessment of contaminated sediments in slip C Duluth Harbor, Minnesota. EPA/905/R-99/007. Great Lakes National Program Office, USEPA, Chicago, IL.

Crane, J.L., Pilli, A., and Russo, R.C. 1984. CETIS: Complex Effluents Toxicity Information System: Data encoding guidelines and procedures. EPA/600/8-84/029. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, CR 807240. # 6639105

Crane, J.L., Schubauer-Berigan, M., and Schmude, K. 1997. Sediment assessment of hotspot areas in the Duluth/Superior harbor. EPA/905/R97/020. Great Lakes National Program Office, USEPA, Chicago, IL.

D

Dady, J.M., S.P. Bradbury, A.D. Hoffman, M.M. Voit, and D.L. Olson. 1991. Hepatic microsomal N-hydroxylation of aniline and 4-chloroaniline by rainbow trout (*Oncorhynchus mykiss*). *Xenobiotica* 21:1605-20 #448

Dady, J.M., M.M. Voit, and S.P. Bradbury. 1992. Formation of hydroquinone from the o-dealkylation of p-methoxyphenol by rainbow trout microsomes (abstract only). *The Toxicologist* 12(1):327. #1992-6

Danielsen, K.M., Y.-P. Chin, J.S. Buterbaugh, T.L. Gustafson, and S.J. Traina. 1995. Solubility enhancement and fluorescence quenching of pyrene by humic substances: The effect of dissolved oxygen on quenching processes. *Environ. Sci. Technol.* 29(8):2162-2165. #1995-20

Danz, N., G.J. Niemi, R.R. Regal, T. Hollenhorst, L. Johnson, J. Hanowski, R.P. Axler, J. Ciborowski, T. Hrabik, V.J. Brady, J.R. Kelly, J.A. Morrice, J.C. Brazner, R. Howe, C.A. Johnson, and G.E. Host. 2007. Integrated measures of anthropogenic stress in the U.S. Great Lakes Basin. *Environ. Manage.* 39:631-647. #4511

Danz, N.P., R.R. Regal, G.J. Niemi, V.J. Brady, T. Hollenhorst, L.B. Johnson, G.E. Host, J.M. Hanowski, C.A. Johnston, T. Brown, J. Kingston, and J.R. Kelly. 2005. Environmentally stratified sampling design for the development of Great Lakes environmental indicators. *Environ. Monit. Assess.* 102:41-65. #2005-3

Daston, G.P., A.L. Miracle, E.J. Perkins, and G.T. Ankley. 2007. Chapter 7. Toxicogenomics in ecological risk assessments: A prospectus. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005, SETAC Press, Pensacola, FL.* #4876c

Dave, G. 1981. Influence of diet and starvation on toxicity of endrin to fathead minnows (*Pimephales promelas*). EPA/600/3-81/048. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-244436): Grant no. CR 806860.

Davis, W.S., L.A. Fay, and C.E. Herdendorf. 1987. Overview of USEPA/CLEAR Lake Erie sediment oxygen demand investigations during 1979. *J. Great Lakes Res.* 13(4):731-737. #1987-14

Dawley, E., Monk, B., Schiewe, M., Ossiander, F., and Ebel, W. 1976. Salmonid bioassay of supersaturated dissolved air in water. EPA/600/3-76/056. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, EPA-IAG-0155(D).

Dawson, T.D., Lott, K.G., Leonard, E.N., and Mount, D.R. 2003. Time course of metal loss in *Lumbriculus variegatus* following sediment exposure. *Environ. Toxicol. Chem.* 22(4): 886-889. #787

Dawson, T.D., J.J. Jenson, and T.J. Norberg-King. 2000. Laboratory culture of *Chironomus tentans* for use in toxicity testing: Optimum initial egg-stocking densities. *Hydrobiologia* 438:251-56 #754

Dawson, T.D., J.J. Jenson, and T.J. Norberg-King. 1998. Laboratory culture of *Chironomus tentans* for use in toxicity testing: optimum initial egg stocking densities. Environmental Research Laboratory, USEPA, Duluth, MN. #1998-6

Dawson, D.A., T.W. Schultz, L.L. Baker, and T.S. Wilke. 1990. Comparative developmental toxicity of acetylenic alcohols on embryos and larvae of *Xenopus laevis*. In: *Aquatic toxicology and risk assessment, 13th vol.* W.G. Landis and W.H. van der Schalie, eds. ASTM STP 1096. American Society for Testing and Materials, Philadelphia, PA. #1990-2

DeFoe, D.L. 1977. Temperature safety device for aquatic laboratory systems. *Prog. Fish-Cult.* 39:131 #146

DeFoe, D.L. 1975. Multichannel toxicant injection system for flow-through bioassays. *J. Fish. Res. Board Can.* 32:544-46 #117

DeFoe, D.L. and Ankley, G.T. 2003. Evaluation of time-to-effects as a basis for quantifying the toxicity of contaminated sediments. *Chemosphere* 51(1):1-5. #782

DeFoe, D.L., G.D. Veith, and R.W. Carlson. 1978. Effects of Aroclor 1248 and 1260 on the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 35:997-1002 #171

DeFoe, D.L. and G.T. Ankley. 1998. Influence of storage time on toxicity of freshwater sediments to benthic macroinvertebrates. *Environ. Pollut.* 99:123-31 #683

DeFoe, D.L., G.W. Holcombe, D.E. Hammermeister, and K.E. Biesinger. 1990. Solubility and toxicity of eight phthalate esters to four aquatic organisms. *Environ. Toxicol. Chem.* 9:623-36 #412

Degitz, S.J., R.A. Hoke, S.P. Bradbury, R. Brennan, L. Ferguson, R. Klaper, L. Orban, D. Spurgeon, and S. Tilton. 2007. Chapter 4. Application of genomics to regulatory ecological risk assessments for pesticides. *SETAC Pellston Workshop, Pellston, MI, September 18-22, 2005, SETAC Press, Pensacola, FL.* #4876b

Degitz, S.J., Holcombe, G.W., Kosian, P.A., Tietge, J.E., Durhan, E.J., and Ankley, G.T. 2003. Comparing the effects of stage and duration of retinoic acid exposure on amphibian limb development: chronic exposure results in mortality, not limb malformations. *Toxicol. Sci.* 74:139-146. #793

- Degitz, S.J., Durhan, E.J., Tietge, J.E., Kosian, P.A., Holcombe, G.W., and Ankley, G.T. 2003. Developmental toxicity of methoprene and several degradation products in *Xenopus laevis*. *Aquat. Toxicol.* 64:97-105. #795
- Degitz, S.J., P.A. Kosian, E.A. Makynen, K.M. Jensen, and G.T. Ankley. 2000. Stage- and species-specific development toxicity of all-trans retinoic acid in four native North American ranids and *Xenopus laevis*. *Toxicol. Sci.* 57:264-74 #746
- Degraeve, G.M., W.H. Clement, M.F. Arthur, R.B. Gillespie, and G.K. O'Brien. 1988. Environmental persistence/degradation of toxicity in complex effluents: Laboratory simulations of field conditions. In: *Aquatic toxicology and hazard assessment, 10th vol.* W.J. Adams, G.A. Chapman, and W.G. Landis, eds. ASTM STP 971. American Society for Testing and Materials, Philadelphia, PA. Pp. 177-189. #1988-13
- DeGraeve, G.M., W.H. Clement, and M.F. Arthur. 1989. A method for conducting laboratory toxicity degradation evaluations of complex effluents. Report to USEPA, Environmental Research Laboratory, Duluth, MN by Battelle, Columbus Division, Columbus, OH. #1989-20
- DeLaune, R.D., W.H. Patrick, Jr., C.W. Lindau, J.H. Pardue, and P.H. Masscheleyn. 1993. Capacity of lower Mississippi valley wetlands to transform and assimilate anthropogenic substances. Final report for Cooperative Agreement CR816805-1, to USEPA, Environmental Research Laboratory, Duluth, MN. #1993-18
- Delumyea, R.G. and Petel, R.L. 1977. Atmospheric inputs of phosphorus to southern Lake Huron, April-October 1975. EPA/600/3-77/038. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803086.
- Denny, J.S., M.A. Tapper, P.K. Schmieder, M.W. Hornung, K.M. Jensen, G.T. Ankley, and T.R. Henry. 2005. Comparison of relative binding affinities of endocrine active compounds to fathead minnow and rainbow trout estrogen receptors. *Environ. Toxicol. Chem.* 24:2948-2953. #4349
- Denny, J.S., Spehar, R.L., Mead, K.E., and Yousuff, S.C. 1991. Guidelines for culturing the Japanese medaka (*Oryzias latipes*). EPA/600/3-91-064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Denny, J.S. 1988. Guidelines for the culture of fathead minnows, *Pimephales promelas* for use in toxicity tests. EPA/600/3-87/001. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-38
- Denny, J.S. 1987. Guidelines for the culture of fathead minnows *Pimephales promelas* for use in toxicity tests. EPA/600/3-87/001. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Denton, D.L. and T.J. Norberg-King. 1996. Whole effluent toxicity statistics: A regulatory perspective. In: *Whole effluent toxicity testing: An evaluation of methods and prediction of*

receiving system impacts. D.R. Grothe, K.L. Dickson, D.K. Reed-Judkins, Eds. SETAC Press, Pensacola, FL, Chapter 4, pp. 83-102. #2994

DePinto, J.V., T.L. Theis, T.C. Young, D. Vanetti, M. Waltman, and S. Leach. 1988. Exposure and biological effects of in-place pollutants: Sediment exposure potential and particle-contaminant interactions (Appendix A). In: Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix A. #1988-4

DePinto, J.V., T.C. Young, and L.M. McIlroy. 1986. Great Lakes water quality improvement. *Environ. Sci. Technol.* 20(8):752-759. #1986-11

DePinto, J.V., T.L. Theis, T.C. Young, and S.T. Leach. 1994. Predicting metals partitioning during resuspension events. In: *Transport and transformation of contaminants near the sediment-water interface*. DePinto, Joseph V., Wilbert Lick, and John F. Paul, eds. Lewis Publishers, Boca Raton, FL. Pp. 177-203. #1994-4

DePinto, J.V., V.J. Bierman, Jr., and F.H. Verhoff. 1976. Seasonal phytoplankton succession as a function of species competition for phosphorus and nitrogen. In: *Modeling biochemical processes in aquatic ecosystems*. R.P. Canale, ed. Pp. 141-169. Ann Arbor Science, Ann Arbor, MI. #1976-8

DePinto, J.V. and F.H. Verhoff. 1977. Nutrient regeneration from aerobic decomposition of green algae. *Environmental Science and Technology* 11(4):371-377. #1977-5

DePinto, J.V., T.C. Young, J.S. Bonner, and P.W. Rodgers. 1986. Microbial recycling of phytoplankton phosphorus. *Can. J. Fish. Aquat. Sci.* 43:336-342. #1986-25

Detenbeck, N.E., M.F. Moffett, M.S. Pearson, T.P. Simon, and D. Albert. 2007. Hydrologic regime classification of Lake Michigan coastal riverine wetlands based on watershed characteristics. Chapter 4 In: *Coastal Wetlands of the Laurentian Great Lakes: Health, Habitat, and Indicators*, Thomas P. Simon and Paul M. Stewart (Eds.), AuthorHouse, Bloomington, IN, pp. 115-136. #4187

Detenbeck, N.E., Brady, V.J., Taylor, D.L., Snarski, V.M., and Batterman, S.L. 2005. Relationship of stream flow regime in the western Lake Superior basin to watershed type characteristics. *J. Hydrology* 309: 259-276. #860

Detenbeck, N.E., Cincotta, D., Denver, J.M., Greenlee, S.K., Olsen, A.R., and Pitchford, A.M. 2005. Watershed-based survey designs. *Environ. Monit. Assess.* 103: 59-81. #851

Detenbeck, N.E. and P.L. Brezonik. 1991. Phosphorus sorption by sediments from a soft-water seepage lake. 1. An evaluation of kinetic and equilibrium models. *Environ. Sci. Technol.* 25:395-403. #1991-31

Detenbeck, N.E., C.A. Johnston, and G.J. Niemi. 1990. Use of a geographic information system to assess the effect of wetlands on lake water quality in the Minneapolis/St. Paul metropolitan area. In: *Proceedings of the Minnesota Lake Management Conference*, October 7-9, 1990, Brainerd, MN. Pp. 81-85. #1990-5

Detenbeck, N.E., Elonen, C.M., Taylor, D.L., Cotter, A.M., Puglisi, F.A., and Sanville, W.D. 2002. Effects of agricultural activities and best management practices on water quality of seasonal prairie pothole wetlands. *Wetlands Ecol. Manage.* 10:335-354. #778

Detenbeck, N.E., P.W. DeVore, and G.J. Niemi. 1992. Recovery of temperate-stream fish communities from disturbance: A review of case studies and synthesis of theory. *Environ. Manage.* 16(1):33-53. #1992-8

Detenbeck, N.E. and P.L. Brezonik. 1991. Phosphorus sorption by sediments from a soft-water seepage lake. 2. Effects of pH and sediment composition. *Environ. Sci. Technol.* 25:403-409. #1991-15

Detenbeck, N.E., Elonen, C.M., Taylor, D.L., Anderson, L.E., Jicha, T.M., and Batterman, S.L. 2003. Effects of hydrogeomorphic region, catchment storage and mature forest on baseflow and snowmelt stream water quality in second-order Lake Superior Basin tributaries. *Freshwater Biol.* 48:912-927. #791

Detenbeck, N.E., D.K. Taylor, A.R. Lima, and C.A. Hagley. 1996. Temporal and spatial variability in water quality of wetlands in the Minneapolis/St. Paul, MN metropolitan area: Implications for monitoring strategies and designs. *Environ. Monit. Assess.* 40:11-40 #608

Detenbeck, N.E., S.L. Batterman, V.J. Brady, J.C. Brazner, V.M. Snarski, D.K. Taylor, J.A. Thompson, and J.W. Arthur. 2000. A test of watershed classification systems for ecological risk assessment. *Environ. Toxicol. Chem.* 19:1174-81 #731

Detenbeck, N.E., C.A. Johnston, and G.J. Niemi. 1993. Wetland effects on lake water quality in the Minneapolis/St. Paul metropolitan area. *Landscape Ecol.* 8:39-61 #497

Detenbeck, N.E., S.M. Galatowitsch, J. Atkinson, and H. Ball. 1999. Evaluating perturbations and developing restoration strategies for inland wetlands in the Great Lakes Basin. *Wetlands* 19:789-820 #725

Detenbeck, N.E., G.J. Niemi, D.L. Taylor, and A. Lima. 1992. Assessing recovery of freshwater wetland water-quality from disturbance. Final report to Environmental Research Laboratory, USEPA, Duluth, MN. #1992-2

Detenbeck, N.E. 1994. Ecological risk assessment case study: Effects of physical disturbance on water quality status and water quality improvement function of urban wetlands. In: *A review of ecological assessment case studies for a risk assessment perspective, vol. II*. Pp. 4.1-4.58. EPA/630/R-94/003. ORD, USEPA, Washington, DC. #1994-17

- Detenbeck, N.E., R. Hermanutz, K. Allen, and M.C. Swift. 1996. Fate and effects of the herbicide atrazine in flow-through wetland mesocosms. *Environ. Toxicol. Chem.* 15:937-46 #607
- Devlin, E.W., J.D. Brammer, R.L. Puyear, and J.M. McKim. 1996. Prehatching development of the fathead minnow *Pimephales promelas* Rafinesque. EPA/600/R-96/079. National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1996-7
- de Vlaming, V. and Norberg-King, T.J. 1997. A review of single species toxicity tests: Are the tests reliable predictors of aquatic ecosystem community responses? EPA/600/R-97/114. ORD, USEPA, Duluth, MN.
- DeVore, P.W. and J.G. Eaton. 1983. An investigation of spinal deformity of trout (*Salmo* sp.) in the Brule River, Wisconsin. *J. Great Lakes Res.* 9:69-73 #258
- Diamond, S.A., D.R. Mount, V.R. Mattson, L.J. Heinis, T.L. Highland, A. Adams, and M. Simcik. 2006. Photoactivated polycyclic aromatic hydrocarbon toxicity in medaka (*Oryzias latipes*) embryos: Relevance to environmental risk in contaminated sites. *Environ. Toxicol. Chem.* 25:3015-3023. 4557
- Diamond, S.A., D.R. Mount, L.P. Burkhard, G.T. Ankley, E.A. Makynen, and E.N. Leonard. 2000. Effect of irradiance spectra on the photoinduced toxicity of three polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 19:1389-96 #733
- Diamond, S.A., Milroy, N.J., Mattson, V.R., Heinis, L.J., and Mount, D.R. 2003. Photoactivated toxicity in amphipods collected from polycyclic aromatic hydrocarbon-contaminated sites. *Environ. Toxicol. Chem.* 22:2752-2760. #804
- Diamond, S.A., Trenham, P.C., Adams, M.J., Hossack, B.R., Knapp, R.A., Stark, S.L., Bradford, D., Corn, P.S., Czarnowski, K., Brooks, P.D., Fagre, D., Breen, B., Detenbeck, N.E., and Tonnessen, K. 2005. Estimated ultraviolet radiation doses in wetlands in six national parks. *Ecosystems* 8:462-477. #869
- Diamond, S.A. 2003. Photoactivated toxicity in aquatic environments. In: *UV Effects in Aquatic Organisms and Ecosystems*, Helbling, E.W. and Zagarese, H., eds. pp. 219-250. The Royal Society of Chemistry, Cambridge, UK. #2003-1
- Diamond, S.A., Peterson, G.S., Tietge, J.E., and Ankley, G.T. 2002. Assessment of the risk of solar ultraviolet radiation to amphibians. III. Prediction of impacts in selected northern midwestern wetlands. *Environ. Sci. Technol.* 36:2866-2874. #776
- Dickson, K.L., W.T. Waller, J.H. Kennedy, and L.P. Ammann. 1992. Assessing the relationship between ambient toxicity and instream biological response. *Environ. Toxicol. and Chem.* 11:1307-1322. #1992-11

- Dickson, K.L., W.T. Waller, J.H. Kennedy, L.P. Ammann, R. Guinn, and T.J. Norberg-King. 1996. Relationships between effluent toxicity, ambient toxicity, and receiving system impacts: Trinity River dechlorination case study. In: *Whole effluent toxicity testing: An evaluation of methods and prediction of receiving system impacts*. D.R. Grothe, K.L. Dickson, and D.K. Reed-Judkins, eds. Pp. 287-308. SETAC Press, Pensacola, FL. #1996-11
- Dierkes, J.R., G.T. Ankley, and M.K. Berigan. 1990. Results of pore water, sediment and elutriate toxicity assessment in Oswego Bay, Toronto Harbor. USEPA, Duluth, MN. #1990-20
- Dilks, D.W., J.S. Helfand, V.J. Bierman, Jr., and L.P. Burkhard. 1993. Field application of a steady-state mass balance model for hydrophobic organic chemicals in an estuarine system. *Wat. Sci. Tech.* 28:263-71 #655
- Dill, D.C., McCarty, W.M., Alexander, H.C., and Bartlett, E.A. 1980. Toxicity of 1,1-dichloroethylene (vinylidene chloride) to aquatic organisms. 1980. EPA/600/3-80/057. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- DiToro, D.M., C.S. Zarba, D.J. Hansen, W.J. Berry, R.C. Swartz, C.E. Cowan, S.P. Pavlou, H.E. Allen, and P.R. Paquin. 1991. Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning. *Environ. Toxicol. Chem.* 10:1541-83 #449
- DiToro, D.M., J.P. Connolly, R.P. Winfield, and J.R. Newton. 1988. Development, verification, and application of interconnecting channel models (Appendix U). In: Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix U. #1988-4
- DiToro, D.M. and Connolly, J.P. 1980. Mathematical models of water quality in large lakes. Part 2: Lake Erie. EPA/600/3-80/065. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803030.
- DiToro, D.M. and Matystik, W.F., Jr. 1980. Mathematical models of water quality in large lakes. Part 1: Lake Huron and Saginaw Bay. EPA/600/3-80/056. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803030.
- Di Toro, D.M., N.A. Thomas, C.E. Herdendorf, R.P. Winfield, and J.P. Connolly. 1987. A post audit of a Lake Erie eutrophication model. *J. Great Lakes Res.* 13:801-25 #342
- Di Toro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, A.R. Carlson, and G.T. Ankley. 1992. Acid volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. *Environ. Sci. Technol.* 26:96-101 #470

- Doerger, J.U., J.R. Meier, R.A. Dobbs, R.D. Johnson, and G.T. Ankley. 1992. Toxicity reduction evaluation at a municipal wastewater treatment plant using mutagenicity as an endpoint. *Arch. Environ. Contam. Toxicol.* 22:384-88 #471
- Dolan, D.M., A.K. Yui, and R.D. Geist. 1981. Evaluation of river load estimation methods for total phosphorus. *J. Great Lakes Res.* 7:207-14 #219
- Dolan, D.M. and V.J. Bierman, Jr. 1982. Mass balance modeling of heavy metals in Saginaw Bay, Lake Huron. *J. Great Lakes Res.* 8(4):676-694. #1982-7
- Dorward-King, E.J., G.W. Suter II, L.A. Kapustka, D.R. Mount, D.K. Reed-Judkins, S.M. Cormier, S.D. Dyer, M.G. Luxon, R. Parrish, and G.A. Barton Jr. 2005. Chapter 1. Distinguishing among factors that influence ecosystems. In: *Ecological Variability: Separating Natural from Anthropogenic Causes of Ecosystem Impairment*, D.J. Baird and G.A. Burton, Jr., editors, SETAC Press, pp. 1-26.
- Doudoroff, P. 1976. Toxicity to fish of cyanides and related compounds: A review. EPA/600/3-76/038. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-802459.
- Dougherty, R.C., M.J. Whitaker, L.M. Smith, D.L. Stalling, and D.W. Kuehl. 1980. Negative chemical ionization studies of human and food chain contamination with xenobiotic chemicals. *Environ. Health Perspect.* 36:103-18 #201
- Dougherty, R.C., M.J. Whitaker, S.Y. Tang, R. Bottcher, M. Keller, and D.W. Kuehl. 1981. Sperm density and toxic substances: A potential key to environmental health hazards. In: *Environmental health chemistry - the chemistry of environmental agents as potential human hazards*. J.D. McKinney, ed. Pp. 263-278. Ann Arbor Science, Ann Arbor, MI. #1981-16
- Drummond, R.A. 1980. Rapid assessment methods (fish cough response, etc.). In: *Proceedings of the Seminar on Biological Monitoring and its Use in the NPDES Permit Program*, October 2, 1979, Chicago, IL. EPA/600/9-80/026. Center for Environmental Research Information, ORD, USEPA, Cincinnati, OH. Pp. 95-96. #1980-7
- Drummond, R.A. and W.F. Dawson. 1974. An inexpensive solid-state amplifier for detecting movements and electrical potentials of fish. *Trans. Am. Fish. Soc.* 103:391-92 #104
- Drummond, R.A. 1977. Disposable electrode chamber for measuring opercular movements of fathead minnows. *Prog. Fish-Cult.* 39:94 #147
- Drummond, R.A. and R.W. Carlson. 1978. Fish cough response -- a method for evaluating quality of treated complex effluents. *Water Res.* 12:1-6. #1978-13
- Drummond, R.A. and C.L. Russom. 1990. Behavioral toxicity syndromes: A promising tool for assessing toxicity mechanisms in juvenile fathead minnows. *Environ. Toxicol. Chem.* 9:37-46 #413

Drummond, R.A., C.L. Russom, D.L. Geiger, and D.L. DeFoe. 1986. Behavioral and morphological changes in fathead minnow (*Pimephales promelas*) as diagnostic endpoints for screening chemicals according to mode of action. In: *Aquatic toxicology and environmental fate, 9th vol.* T.M. Poston and R. Purdy, eds. Pp. 415-435. ASTM STP 921. American Society for Testing and Materials, Philadelphia, PA. #1986-29

Drummond, R.A., G.F. Olson, and A.R. Batterman. 1974. Cough response and uptake of mercury by brook trout, *Salvelinus fontinalis*, exposed to mercuric compounds at different hydrogen-ion concentrations. *Trans. Am. Fish. Soc.* 103:244-49 #105

Drummond, R.A. 1984. Ventilatory response of bluegill sunfish exposed to final treated WLSSD effluent -- summary. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior.* A.R. Carlson and N.A. Thomas, eds. Pp. 93-95. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Drummond, R.A. and W.F. Dawson. 1970. An inexpensive method for simulating diel patterns of lighting in the laboratory. *Trans. Am. Fish. Soc.* 99:434-35 #40

Drummond, R.A. 1970. Fish coughs – a promising endpoint for evaluating the quality of treated effluents. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-10

Drummond, R.A. and Carlson, R.W. 1977. Procedures for measuring cough (gill purge) rates of fish. EPA 600/3-77/133. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Drummond, R.A. and D.A. Benoit. 1976. Importance of test procedures on the toxicity of cadmium to brook trout (*Salvelinus fontinalis*). National Water Quality Laboratory, USEPA, Duluth, MN. #1976-12

Drummond, R.A., W.A. Spoor, and G.F. Olson. 1973. Some short-term indicators of sublethal effects of copper on brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Board Can.* 30:698-701 #84

Dunn, B.P., J.J. Black, and A. Maccubbin. 1987. ³²P-postlabeling analysis of aromatic DNA adducts in fish from polluted areas. *Cancer Res.* 47:6543-6548. #1987-15

Durhan, E.J., C.S. Lambricht, E.A. Makynen, J. Lazorchak, P. Hartig, V. Wilson, L. Gray, and G.T. Ankley. 2006. Identification of metabolites of trenbolone acetate in androgenic runoff from a beef feedlot. *Environ. Health Perspec.* 114:65-68. #885

Durhan, E.J., C. Lambricht, V. Wilson, B.C. Butterworth, D.W. Kuehl, E.F. Orlando, L.J. Guillette, Jr., L.E. Gray, and G.T. Ankley. 2002. Evaluation of androstenedione as an endrogenic component of river water downstream of a pulp and paper mill effluent. *Environ. Toxicol. Chem.* 21:1973-76. #777

Durhan, E.J., Norberg-King, T.J., Burkhard, L.P., Ankley, G.T., Lukasewycz, M.T., Schubauer-Berigan, M.K., and Thompson, J.A. Methods for aquatic toxicity identification evaluations:

Phase II toxicity identification procedures for samples exhibiting acute and chronic toxicity. EPA/600/R-92/080. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
Durhan, E.J., M.T. Lukasewycz, and S.E. Baker. 1993. Alternatives to methanol-water elution of solid-phase extraction columns for the fractionation of high log K_{ow} organic compounds in aqueous environmental samples. *J. Chromatogr.* 629:67-74 #498

Durhan, E.J., M.T. Lukasewycz, and J.R. Amato. 1990. Extraction and concentration of nonpolar organic toxicants from effluents using solid phase extraction. *Environ. Toxicol. Chem.* 9:463-66 #414

Dwyer, F., D. Hardesty, C. Henke, C.G. Ingersoll, D. Whites, T. Augspurger, T. Canfield, D.R. Mount, and F.L. Mayer. 2005. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part III. Effluent toxicity tests. *Arch. Environ. Contam. Toxicol.* 48:174-183. #2005-8

Dwyer, F., F.L. Mayer, L. Sappington, D. Buckler, C. Bridges, I. Greer, D. Hardesty, C. Henke, C.G. Ingersoll, J. Kunz, D. Whites, T. Augspurger, D.R. Mount, K. Hattala, and G. Neuderfer. 2005. Assessing contaminant sensitivity of endangered and threatened aquatic species: Part I. Acute toxicity of five chemicals. *Arch. Environ. Contam. Toxicol.* 48:143-154. # 2005-9

Dyer, S.D., J.R. Coats, S.P. Bradbury, G.J. Atchison, and J.M. Clark. 1989. Effects of water hardness and salinity on the acute toxicity and uptake of fenvalerate by bluegill (*Lepomis macrochirus*). *Bull. Environ. Contam. Toxicol.* 42:359-366. #1989-40

E

Eadie, B.J. and S. Lozano. 1999. Grain size distribution of the surface sediments collected during the Lake Michigan mass balance and environmental mapping and assessment programs. NOAA Technical Memorandum ERL GLERL-111. Environmental Research Laboratories, National Oceanic and Atmospheric Administration, U.S. Dept. of Commerce, Ann Arbor, MI. #1999-4

Eaton, J.G., V.R. Mattson, L.H. Mueller, and D.K. Tanner. 1983. Effects of suspended clay on bioconcentration of Kelthane® in fathead minnows. *Arch. Environ. Contam. Toxicol.* 12:439-45 #259

Eaton, J.G., J.M. McKim, and G.W. Holcombe. 1978. Metal toxicity to embryos and larvae of seven freshwater fish species - I. Cadmium. *Bull. Environ. Contam. Toxicol.* 19:95-103 #172

Eaton, J.G. and R.M. Scheller. 1996. Effects of climate warming on fish thermal habitat in streams of the United States. *Limnol. Oceanogr.* 41:1109-15 #609

Eaton, J. and B. Coffin. 1978. Impacts of acidification on aquatic ecosystems. Environmental Research Laboratory, Duluth, MN. #1978-5

Eaton, J.G. 1974. Chronic cadmium toxicity to the bluegill (*Lepomis macrochirus* Rafinesque). *Trans. Am. Fish. Soc.* 103:729-35 #106

- Eaton, J.G., W.A. Swenson, J.H. McCormick, T.D. Simonson, and K.M. Jensen. 1992. A field and laboratory investigation of acid effects on largemouth bass, rock bass, black crappie and yellow perch. *Trans. Am. Fish. Soc.* 121:644-58 #472
- Eaton, J.G., J.W. Arthur, R.O. Hermanutz, R. Kiefer, L.H. Mueller, R.L. Anderson, R.J. Erickson, B.R. Nordling, J.W. Rogers, and H. Pritchard. 1985. Biological effects of continuous and intermittent dosing of outdoor experimental streams with chlorpyrifos. In: *Aquatic toxicology and hazard assessment: Eighth symposium*. R.C. Bahner and D.J. Hansen, eds. Pp. 85-118. ASTM STP 891. American Society for Testing and Materials, Philadelphia, PA. #1985-23
- Eaton, J.G., J.H. McCormick, H.G. Stefan, and M. Hondzo. 1995. Extreme value analysis of a fish/temperature field database. *Ecol. Eng.* 4:289-305 #562
- Eaton, J.G., J.H. McCormick, B.E. Goodno, D.G. O'Brien, H.G. Stefan, M. Hondzo, and R.M. Scheller. 1995. A field information-based system for estimating fish temperature tolerances. *Fisheries* 20:10-18 #561
- Eaton, J.G. 1973. Organophosphate and carbamate pesticides and their relation to freshwater fish and aquatic invertebrates. In: *Proceedings of the 53rd Annual Conference of Western Association of State Game and Fish Commissioners*, July 11-13, 1973, Salt Lake City, UT. Pp. 472-479. #1973-21
- Eaton, J.G. 1973. Recent developments in the use of laboratory bioassays to determine "safe" levels of toxicants for fish. In: *Bioassays techniques and environmental chemistry*. G.E. Glass, ed. Pp. 107-115. Ann Arbor Science, Ann Arbor, MI. #1973-18
- Eaton, J.G. 1973. Chronic toxicity of a copper, cadmium, and zinc mixture to the fathead minnow (*Pimephales promelas* Rafinesque). *Water Res.* 7:1723-36 #85
- Eaton, J.G. 1970. Recommendations of the National Water Quality Laboratory on oxygen and temperature standards for the State of Virginia. National Water Quality Laboratory, Duluth, MN. #1970-21
- Eaton, J.G. 1970. Stomach analyses of fourhorn, *Myoxocephalus quadricornis* (Linnaeus), and slimy, *Cottus cognatus* Richardson, sculpins from four areas along the north shore of Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-22
- Echols, K.R., D.E. Tillitt, J.W. Nichols, A.L. Secord, and J.P. McCarty. 2004. Accumulation of PCB congeners in nestling tree swallows (*Tachycineta bicolor*) on the Hudson River, New York. *Environ. Sci. Technol.* 38:6240-6246. #2004-9
- Edwardson, K.J., W.B. Bowden, C. Dahm, and J. Morrice. 2003. The hydraulic characteristics and geochemistry of hyporheic and parafluvial zones in Arctic tundra streams, north slope, Alaska. *Advances in Water Resources* 26:907-923. #2003-12

- Effler, S.W. and M.T. Auer. 1987. Optical heterogeneity in Green Bay. *Water Resources Bulletin* 2(5):937-941. #1987-44
- Eilers, J.M., G.E. Glass, K.E. Webster, and J.A. Rogalla. 1983. Hydrological control of lake susceptibility to acidification. *Can. J. Fish. Aquat. Sci.* 40:1896-904 #260
- Eilers, J.M., G.E. Glass, A.K. Pollack, and J.A. Sorensen. 1989. Changes in conductivity, alkalinity, calcium, and pH during a 50-year period in selected northern Wisconsin lakes. *Can. J. Fish. Aquat. Sci.* 46:1929-44 #386
- Eilers, J.M., G.J. Lien, and R.G. Berg. 1984. Aquatic organisms in acidic environments: A literature review. Technical Bulletin No.150. Department of Natural Resources, Madison, WI. #1984-13
- Eisenreich, S.J., Emmling, P.J., and Beeton, A.M. 1980. Determination of atmospheric phosphorus addition to Lake Michigan. EPA/600/3-80/063. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803238.
- Ekman, D.R., Q. Teng, D.L. Villeneuve, M.D. Kahl, K.M. Jensen, E.J. Durhan, G.T. Ankley, and T.W. Collette. 2008. Investigating compensation and recovery of fathead minnow (*Pimephales promelas*) exposed to 17 α -ethynylestradiol with metabolite profiling. *Environ. Sci. Technol.* 42:4188-4194. #4928
- Ekman, D., Q. Teng, K. Jensen, D. Martinovic, D. Villeneuve, G. Ankley, and T. Collette. 2007. NMR analysis of male fathead minnow urinary metabolites: A potential approach for studying impacts of chemical exposures. *Aquat.Toxicol.*85:104-112. #4791
- Ellis, B.K. and J.A. Stanford. 1988. Nutrient subsidy in montane lakes: Fluvial sediments versus volcanic ash. *Very. Infernal. Verdin. Limno.* 23:327-340. #1988-31
- Ellis, B.K. and J.A. Stanford. 1988. Phosphorus bioavailability of fluvial sediments determined by algal assays. *Hydrobiologia* 160:9-18. #1988-5
- Elonen, C.M., R. L. Spehar, G. W. Holcombe, R. D. Johnson, J. D. Fernandez, R. J. Erickson, J. E. Tietge, and P. M. Cook. 1998. Comparative toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to seven freshwater fish species during early life-stage development. *Environ. Toxicol. Chem.* 17:472-83 #669
- Elser, A.A. and Schreiber, J.C. 1980. Environmental effects of western coal combustion. Part I - The fishes of Rosebud Creek, Montana. EPA/600/3-78/098. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.
- El-Shaarawi, A.H. and D.M. Dolan. 1989. Maximum likelihood estimation of water quality concentrations from censored data. *Can. J. Fish. Aquat. Sci.* 46:1033-1039. #1989-12

Endicott, D.D., T.J. Feist, G. Gerstner, and K.R. Rygwelski. 2006. Level 1 models. Part 3, pp. 183-211 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.

Endicott, D.D., W.B. Richardson, and R. Rossmann. 2006. PCBs modeling overview. Part 1, Chapter 2, pp. 16-25 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. U.S. Environmental Protection Agency, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.

Endicott D.D. 2005. 2002 Lake Michigan Mass Balance Project: modeling total polychlorinated biphenyls using the MICHTOX model. Part 2, pp. 84-140 in Rossmann, R. (Ed.), MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. EPA/600/R-05/158.

Endicott D.D., W.L. Richardson, and D.J. Kandt. 2005. 1992 MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. Part 1, pp. 1-83 in Rossmann, R. (Ed.), MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. EPA/600/R-05/158.

Endicott, D.D., W.L. Richardson, and D.M. Di Toro. 1980. Lake Ontario TCDD modeling report. USEPA Research Laboratory, Duluth, MN. #1980-6

Endicott, D.D., M. Velleux, and K. Freeman. 1992. Development and calibration of a mass balance model for estimating the export of in-place pollutants from the lower Fox River to Green Bay. USEPA Large Lakes Research Station, ORD, USEPA, Grosse Ile, MI. #1992-27

Endicott, D.D., W.L. Richardson, and D.M. DiToro. 1990. Lake Ontario TCDD modeling report. In: Lake Ontario TCDD bioaccumulation study, final report. Chapter 8. USEPA, New York State Department of Environmental Conservation, New York State Department of Health, and Occidental Chemical Corporation. #1990-18

Endicott, D.D., R.G. Kreis, Jr., L. Mackelburg, and D. Kandt. 1998. Modeling PCB bioaccumulation by the zebra mussel (*Dreissena polymorpha*) in Saginaw Bay, Lake Huron. *J. Great Lakes Res.* 24(2):411-426. #1998-5

Endicott, D.D. and J.P. Connolly. 1992. Process parameterization uncertainty in models of toxics in the Great Lakes. Part 1: Process parameterization in chemical mass balance models. Prepared for the Workshop on Reducing Uncertainty in Mass Balance Models of Toxics in the Great Lakes, February 3-5, 1992, Buffalo, NY. #1992-26

Endicott, D.D. and P.M. Cook. 1994. Modeling the partitioning and bioaccumulation of TCDD and other hydrophobic organic chemicals in Lake Ontario. *Chemosphere* 28:75-87 #532

Endicott, D.D., W.L. Richardson, and D.J. Kandt. 1992. MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1992-29

Endicott, D.D., W.L. Richardson, T.F. Parkerton, and D.M. DiToro. 1990. A steady state mass balance and bioaccumulation model for toxic chemicals in Lake Ontario: Report to the Lake Ontario Fate of Toxics Committee. EPA/X-90/290. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-26

Environmental Research Laboratory-Duluth. 1993. Guidelines for deriving site-specific sediment quality criteria for the protection of benthic organisms. Health and Ecological Criteria Division, Office of Science and Technology, USEPA, Washington, DC. #1993-30

Environmental Research Laboratory Duluth, M. 1980. ERL-D Ecosystem Research Program. Internal report to Environmental Research Laboratory, USEPA, Duluth, MN. #1980-12

Erickson, R.J., J.W. Nichols, P.M. Cook, and G.T. Ankley. 2008. Chapter 2. Bioavailability of chemical contaminants in aquatic systems. In: *The Toxicology of Fishes*, R.T. DiGiulio and D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 9-54. #3444

Erickson, R.J. 2007. Quantification of toxic effects for water concentration-based aquatic life criteria - Part A. USEPA, EPA 600/R-07/065. #4716

Erickson, R.J., J.M. McKim, G.J. Lien, A.D. Hoffman, and S.L. Batterman. 2006. Uptake and elimination of ionizable organic chemicals at fish gills: Part I. Model formulation, parameterization, and behavior and Part II. Observed and predicted effects of pH, alkalinity, and chemical properties. *Environ. Toxicol. and Chem.* 25:1522-1532. #887

Erickson, R.J., D.A. Benoit, and V.R. Mattson. 1987. A prototype toxicity factors model for site-specific copper water quality criteria (September 5, 1996 revision). Environmental Research Laboratory, USEPA, Duluth, MN. #1987-2

Erickson, R.J., D.A. Benoit, V.R. Mattson, H.P. Nelson, Jr., and E.N. Leonard. 1996. The effects of water chemistry on the toxicity of copper to fathead minnows. *Environ. Toxicol. Chem.* 15:181-93 #610

Erickson, R.J. and Stephan, C.E. 1980. Calculation of the final acute value for water quality criteria for aquatic organisms. EPA/600/3-88/018. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB88-214994).

Erickson, R.J., C. Kleiner, J. Fiandt, and T. Highland. 1989. Report on the feasibility of predicting the effects of fluctuating concentrations on aquatic organisms and possible application to water quality criteria. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-2

Erickson, R.J., G.T. Ankley, D.L. DeFoe, P.A. Kosian, and E.A. Makynen. 1999. Additive toxicity of binary mixtures of phototoxic polycyclic aromatic hydrocarbons to the oligochaete *Lumbriculus variegatus*. *Toxicol. Appl. Pharmacol.* 154:97-105 #694

Erickson, T.R., O. Mohseni, and H.G. Stefan. 1999. Required record length for a nonlinear weekly air/stream temperature regression model. Grazing Lands Research Laboratory, Agricultural Research Service, U.S. Department of Agriculture, El Reno, OK. #1999-22

Erickson, R.J. and J.M. McKim. 1990. A simple flow-limited model for exchange of organic chemicals at fish gills. *Environ. Toxicol. Chem.* 9:159-65 #416

Erickson, R., C. Kleiner, J. Fiandt, and T. Highland. 1991. Use of toxicity models to reduce uncertainty in aquatic hazard assessments: Effects of exposure conditions on pentachloroethane toxicity to fathead minnows. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1991-30

Erickson, R.J., L.T. Brooke, M.D. Kahl, F. Vende Venter, S.L. Harting, T.P. Markee, and R.L. Spehar. 1998. Effects of laboratory test conditions on the toxicity of silver to aquatic organisms. *Environ. Toxicol. Chem.* 17:572-98 #672

Erickson, R.J. 1985. Analysis of major ionic content of selected U.S. waters and application to experimental design for the evaluation of the effect of water chemistry on the toxicity of copper. USEPA, Environmental Research Laboratory, Duluth, MN. #1985-26

Erickson, R.J., T.D. Bills, J.R. Clark, D.J. Hansen, J. Knezoich, F.L. Mayer, Jr., and A.E. McElroy. 1994. Synopsis of discussion session on physiological factors affecting toxicity. In: *Bioavailability: Physical, chemical, and biological interactions*. J.L. Hamelink, P.F. Landrum, H.L. Bergman, and W.H. Benson, eds. Pp. 31-38. Lewis Publishers, Boca Raton, FL. #1994-8

Erickson, R.J. 1989. Report on aquatic effects models for fluctuating transient exposures. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-43

Erickson, R. 1988. Recommendations concerning revision of the: Guidelines for Deriving Numerical National Water Quality Criteria for the Protection of Aquatic Organisms and Their Uses. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-56

Erickson, R.J. 1985. An evaluation of mathematical models for the effects of pH and temperature on ammonia toxicity to aquatic organisms. *Water Res.* 19:1047-58 #295

Erickson, R.J. 1985. Evaluation of a model for the prediction of the effect of fluctuating concentrations on the lethality of copper to fathead minnows. Environmental Research Laboratory, USEPA, Duluth, MN. #1985-7

Erickson, R.J., C.F. Kleiner, J.T. Fiandt, and T.L. Highland. 1997. Effect of acclimation period on the relationship of acute copper toxicity to water hardness for fathead minnows. *Environ. Toxicol. Chem.* 16:813-15 #643

Erickson, R.J. and J.M. McKim. 1990. A model for exchange of organic chemicals at fish gills: Flow and diffusion limitations. *Aquat. Toxicol.* 18:175-97 #415

Erickson, T.R. and H.G. Stefan. 1996. Correlations of Oklahoma stream temperatures with air temperatures. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-33

Erickson, T.R., O. Mohseni, and H.G. Stefan. 1998. Estimation of an upper bound for weekly stream temperatures. Grazing Lands Research Laboratory, Agricultural Research Service, U.S. Department of Agriculture, El Reno, OK. #1998-17

Erickson, R.J., D.A. Benoit, and V.R. Mattson. 1987. Effects of physical and chemical parameters of test water on acute toxicity of copper to larval fathead minnows. Presented before the Division of Environmental Chemistry, American Chemical Society, New Orleans, LA, August 30-September 4, 1987. #1987-1

Eskuri, J., T.J. Norberg-King, and L. Anderson. 1991. Toxicity evaluation of artificial wetland discharge samples. NETAC Technical Report 19-91. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1991-27

Etterson, M.A. and T.R. Stanley. 2008. Incorporating classification uncertainty in competing-risks nest-failure analysis. *The Auk* 125:687-699. #4638

Etterson, M.A., L.R. Nagy, and T.R. Robinson. 2007. Partitioning risk among different causes of nest failure. *The Auk* 124:432-443. #4402

Etterson, M.A., J.R. Etterson, and F.J. Cuthbert. 2007. A robust new method for analyzing community change and an example using 83 years of avian response to forest succession. *Biol. Conserv.* 138:381-389. #4312

Etterson, M.A., B. Olsen, and R. Greenberg. 2007. The analysis of covariates in multi-fate Markov chain nest failure models. *Studies in Avian Biology* 34:55-64. #4671

Etterson, M.A. and R.S. Bennett. 2006. On the use of published demographic data for population-level risk assessment in birds. *Hum. Ecol. Risk Assess.* 12:1074-1093. #4492

Etterson, M.A. and R.S. Bennett. 2006. The effects of uncertainty about age at transition on bias in the Mayfield family of estimators. *Ecol. Modell.* 199:253-260. #4401

Etterson, M.A. 2003. Conspecific attraction in loggerhead shrikes: Implications for habitat conservation and reintroduction. *Biological Conservation* 114:199-205. #2003-4

Ettinger, M.B. and D.I. Mount. 1967. A wild fish should be safe to eat. *Environ. Science Tech.*, 1:203-205. #1967-5 Eaton, J. G. 1970. Chronic malathion toxicity to the bluegill (*Lepomis macrochirus* Rafinesque). *Water Res.* 4:673-84 #41

Evans, M.S. and D.C. McNaught. 1988. The effects of toxic substances on zooplankton populations: A Great Lakes perspective. In: *Toxic contaminants and ecosystem health: A Great Lakes focus*. Evans, M.S., ed. John Wiley and Sons, Inc., New York, NY. Pp. 53-76. #1988-22

F

Fairbrother, A., G.T. Ankley, L.S. Birnbaum, S.P. Bradbury, B. Francis, L.E. Gray, D. Hinton, L.L. Johnson, R.E. Peterson, and G. Van Der Kraak. 1999. Reproductive and developmental toxicology of contaminants in oviparous animals. In: *Reproductive and Developmental Effects of Contaminants in Oviparous Vertebrates*, Di Giulio, R.T. and Tillitt, D.E., eds., pp. 283-361. SETAC Press, Pensacola, FL. #1999-7

Fairbrother, A. and R.S. Bennett. 1999. Ecological risk assessment and the precautionary principle. *Hum. Ecol. Risk Assess.* 5(5):943-949. #1999-9

Fairbrother, A. and J. Fowles. 1989. Selenium immunotoxicity in mallards. Environmental Research Laboratory, USEPA, Corvallis, OR. #1989-60

Fairchild, J., S. Ruessler, M. Nelson, and P. Haverland. 1994. Bioavailability and toxicity of agricultural chemicals in runoff from MSEA sites: Potential impacts on non-target aquatic organisms: An aquatic hazard assessment of four herbicides using six species of algae and five species of aquatic macrophytes. Final report for IAG DW14935600-01-2. Environmental Research Laboratory, USEPA, Duluth, MN. #1994-15

Fairchild, J., M. Ort, S. Ruessler, A. Carlson, W. Donald, and J. Hatfield. 1993. Bioavailability and toxicity of agricultural chemicals in runoff from MSEA sites: Ecological impacts on non-target aquatic organisms. In: *Agricultural research to protect water quality*. Proceedings, February 21-24, 1993, Minneapolis, MN. Pp. 133-136. Soil and Water Conservation Society, Ankeny, IA. #1993-17

Fairchild, D.J. and J.H. McCormick. 1996. Effects of temperature on hatching and development of ruffe (*Gymnocephalus cernuus*). *J. Great Lakes Res.* 22:89-94 #611

Fairchild, J.F., D.S. Ruessler, and A.R. Carlson. 1998. Comparative sensitivity of five species of macrophytes and six species of algae to atrazine, metribuzin, alachlor, and metolachlor. *Environ. Toxicol. Chem.* 17:1830-1834 #688

Fairchild, J.F., D.S. Ruessler, P.S. Haverland, and A.R. Carlson. 1997. Comparative sensitivity of *Selenastrum capricornutum* and *Lemna minor* to sixteen herbicides. *Arch. Environ. Contam. Toxicol.* 32:353-57 #651

- Fang, X., Stefan, H.G., Eaton, J.G., McCormick, J.H., and Alam, S.R. 2004. Simulation of thermal/dissolved oxygen habitat for fishes in lakes under different climate scenarios. Part I: Cool-water fish in the contiguous US. *Ecol. Modell.* 172:13-37. #813
- Fang, X., Stefan, H.G., Eaton, J.G., McCormick, J.H., and Alam, S.R. 2004. Simulation of thermal/dissolved oxygen habitat for fishes in lakes under different climate scenarios. Part II: Cold-water fish in the contiguous US. *Ecol. Modell.* 172:39-54. #814
- Fang, X., Stefan, H.G., Eaton, J.G., McCormick, J.H., and Alam, S.R. 2004. Simulation of thermal/dissolved oxygen habitat for fishes in lakes under different climate scenarios. Part III: Warm-water fish in the contiguous US. *Ecol. Modell.* 172:55-68. #815
- Fang, X. and H.G. Stefan. 1994. Modeling of dissolved oxygen stratification dynamics in Minnesota lakes under different climate scenarios. Project Report No. 339, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1994-12
- Fang, X. and H.G. Stefan. 1994. Temperature and dissolved oxygen simulations for a lake with ice cover. Environmental Research Laboratory, USEPA, Duluth, MN. #1994-29
- Fang, X. and H.G. Stefan. 1996. Development and validation of the water quality model MINLAKE96 with winter data. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-32
- Fang, X., H.G. Stefan, and M.B. Davis. 1993. Status of climate change effect simulations for Mirror Lake, New Hampshire. Environmental Research Laboratory, USEPA, Duluth, MN. #1993-31
- Fay, L.A., M. Gessner, P.C. Strombert, and J. Hageman. 1987. Effects of toxic substances on growth, mortality, and pathology of larval fishes in the River Raisin, Michigan. CLEAR Technical Report No. 303. Center for Lake Erie Area Research, Ohio State University, Columbus, OH. #1987-3
- Featherstone, D., C.D. Drewes, and J.R. Coats. 1991. Noninvasive detection of electrical events during the startle response in larval medaka. *J. Exp. Biol.* 158:583-589. #1991-12
- Featherstone, D., C.D. Drewes, J.R. Coats, and S.P. Bradbury. 1993. A non-invasive neurotoxicity assay using larval medaka. In: *Environmental toxicology and risk assessment, 2nd vol.* J.W. Gorsuch, F.J. Dwyer, C.G. Ingersoll, and T.W. La Point, eds. Pp. 275-288. ASTM STP 1216. American Society for Testing and Materials, Philadelphia, PA. #1993-12
- Fernandez, J.D., J.S. Denny, and J.E. Tietge. 1998. A simple apparatus for administering 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to commercially available pelletized fish food. *Environ. Toxicol. Chem.* 17:2058-62 #686

- Fernandez, J.D., P.M. Cook, B.C. Butterworth, and S.P. Bradbury. 1999. Temporal changes in purity and specific activity of tritium-labeled 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: Radiopurity model for toxicology. *Environ. Sci. Technol.* 33:3558-67 #722
- Feist, T.J. and K.R. Rygwelski. 2006. Comparison of model results. Part 6, pp. 544-551 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.
- Filkins, J.C., V.E. Smith, and S.G. Rood. 1994. Sediment sampling surveys. In: *Assessment and Remediation of Contaminated Sediments (ARCS) Program -- Assessment Guidance Document*, pp. 33-56. Great Lakes National Program Office, USEPA, Chicago, IL. EPA/905/B-94/002. #1994-23
- Fisher, J.B., R.L. Petty, and W. Lick. 1983. Release of polychlorinated biphenyls from contaminated lake sediments: Flux and apparent diffusivities of four individual PCBs. *Environmental Pollution (Series B)* 5:121-132. #1983-4
- Fitzsimmons, P.N., G.J. Lien, and J.W. Nichols. 2007. A compilation of in vitro rate and affinity values for xenobiotic biotransformation in fish, measured under physiological conditions. *Comp. Biochem. Physiol. Part C* 145:485-506. #4679
- Fitzsimmons, P.N., J.D. Fernandez, A.D. Hoffman, B.C. Butterworth, and J.W. Nichols. 2001. Branchial elimination of superhydrophobic organic compounds by rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 55:23-34 #764
- Flexner, M.C. 1988. A diel study of the impact of water quality on larval yellow perch *Perca flavescens* (Mitchell) and other biota in the Trenton Channel of the Detroit River, 1986 (appendix 0). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix O. #1988-4
- Flum, T.F. and L.J. Shannon. 1987. The effects of three related amides on microecosystem stability. *Ecotox. Environ. Safety* 13:239-252. #1987-29
- Freeman, J.A., J.V. Johnson, R.A. Yost, and D.W. Kuehl. 1994. Gas-phase ion-molecule reactions: A model for the determination of biologically reactive electrophilic contaminants in the environment. *Anal. Chem.* 66:1902-10 #533
- Freeman, J.A., J.V. Johnson, M.E. Hail, R.A. Yost, and D.W. Kuehl. 1990. Estimation of mutagenic/carcinogenic potential of environmental contaminants by ion-molecule reactions and tandem mass spectrometry. *Am. Soc. Mass Spectrom.* 1:110-115 #417

French, J.B., Jr., S.P. Bradbury, H. Krueger, E. McGee, and B.E. Sample. 2000. Group A discussions of endpoint selection, study design, and extrapolation. In: *Environmental Contaminants and Terrestrial Vertebrates: Effects on Populations, Communities, and Ecosystems*. Albers, P.H., Heinz, G.H., Ohlendorf, H.M., eds. pp. 189-201. SETAC Press, Pensacola, FL. #2000-11

Froese, K.L., D.A. Verbrugge, G.T. Ankley, G.J. Niemi, C.P. Larsen, and J.P. Giesy. 1998. Bioaccumulation of polychlorinated biphenyls from sediments to aquatic insects and tree swallow eggs and nestlings in Saginaw Bay, Michigan USA. *Environ. Toxicol. Chem.* 17:484-92 #671

Fromm, P.O. 1977. Toxic effects of water soluble pollutants on freshwater fish. EPA/ 600/3-77/057. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # 801034.

Frost, T.M. and P.K. Montz. 1988. Early zooplankton response to experimental acidification in Little Rock Lake, Wisconsin, USA. *Verh. Internat. Verein. Limnol.* 23:2279-2285. #1988-58

Frumin, G.T., G.M. Chuiko, D.F. Pavlov, and O.V. Menzykova. 1992. New rapid method to evaluate the median effect concentrations of xenobiotics in hydrobionts. *Bull. Environ. Contam. Toxicol.* 49:361-367. #1992-24

Fryer, J.L., Pilcher, K.S., Sanders, J.E., Rohovec, J.S., Zinn, J.L., Groberg, W.J., and McCoy, R.H. 1976. Temperature, infectious diseases, and the immune response in salmonid fish. EPA/ 600/3-76/021. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-800171.

Furlong, E.T., D.S. Carter, and R.A. Hites. 1988. Organic contaminant measurements in Detroit River sediments (Appendix E). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix E. #1988-4

Furlong, E.T., D.S. Carter, and R.A. Hites. 1988. Organic contaminants in sediments from the Trenton Channel of the Detroit River, Michigan. *J. Great Lakes Res.* 14(4):489-501. #1988-9

G

Gailani, J., W. Lick, C.K. Ziegler, and D. Endicott. 1996. Development and calibration of a fine-grained sediment transport model for the Buffalo River. *J. Great Lakes Res.* 22(3):765-778. #1996-8

Gao, S. and H.G. Stefan. 1998. Observed and simulated ice characteristics of five freshwater lakes and extrapolation to a projected 2xCO₂ climate scenario. ORD, USEPA, Washington, DC and Environmental Research Laboratory, ORD, Mid-Continent Ecology Division, USEPA, Duluth, MN. #1998-16

- Gast, M.H. and W.A. Brungs. 1973. A procedure for separating eggs of the fathead minnows. *Prog. Fish-Cult.* 35:54 #86
- Geckler, J.R., W.B. Horning, T.M. Neiheisel, Q.H. Pickering, E.L. Robinson, and C.E. Stephan. 1976. Validity of laboratory tests for predicting copper toxicity in streams. EPA/600/3-76-116. Environmental Research Laboratory, USEPA, Duluth, MN. #1976-9
- Gensemer, R.W., R.B. Naddy, W.A. Stubblefield, J.R. Hockett, R. Santore, and P. Paquin. 2002. Evaluating the role of ion composition on the toxicity of copper to *Ceriodaphnia dubia* in very hard waters. *Comp. Biochem. Physiol. Part C* 133:87-97. #2002-9
- Gerhart, E.H., R.J. Liukkonen, R.M. Carlson, G.N. Stokes, M.T. Lukasewycz, and A.R. Oyler. 1981. Histological effects and bioaccumulation potential of coal particulate-bound phenanthrene in the fathead minnow *Pimephales promelas*. *Environ. Pollut. Ser. A.* 25:165-80 #220
- Gerhart, D.Z., Richter, J.E., Curran, S.J., and Robertson, T.E. 1980. Algal bioassays with leachates and distillates from western coal. EPA/600/3-80/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803932.
- Gerloff, G.C. and Fitzgerald, G.P. 1976. The nutrition of Great Lakes Cladophora. EPA/600/3-76/044. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant No. R-802464.
- Giesy, J.P., C.J. Rosiu, R.L. Graney, J.L. Newsted, and A. Benda. 1988. Detroit River sediment toxicity (Appendix I). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix I. #1988-4
- Giesy, J.P., C.J. Rosiu, R.L. Graney, J.L. Newsted, A. Benda, R.G. Kreis, and F. J. Horvath. 1988. Toxicity of Detroit River sediment interstitial water to the bacterium *Photobacterium phosphoreum*. *J. Great Lakes Res.* 14:502-13 #362
- Giesy, J.P., C.J. Rosiu, and R.L. Graney. 1990. Benthic invertebrate bioassays with toxic sediment and pore water. *Environ. Toxicol. Chem.* 9:233-248. #1990-6
- Giesy, J.P., C.J. Rosiu, R.L. Graney, J.L. Newsted, A. Benda, R.G. Kreis, Jr., and F.J. Horvath. 1988. Toxicity of Detroit River sediment interstitial water to the bacterium *Photobacterium phosphoreum*. *J. Great Lakes Res.* 14(4):502-513. #1988-26
- Giesy, J.P., R.L. Graney, J.L. Newsted, and C.J. Rosiu. 1989. Toxicity of sediments in the Detroit River, Michigan: 1986. Environmental Research Laboratory, Duluth, MN. #1989-49
- Giesy, J.P. and R.A. Hoke. 1989. Freshwater sediment toxicity bioassessment: Rationale for species selection and test design. *J. Great Lakes Res.* 15:539-569. #1989-9

Giesy, J.P., R.L. Graney, J.L. Newsted, C.J. Rosiu, A. Benda, R.G. Kreis, Jr., and F.J. Horvath. 1988. Comparison of three sediment bioassay methods using Detroit River sediments. *Environ. Toxicol. Chem.* 7:483-498. #1988-25

Giesy, J.P., R.L. Graney, J.L. Newsted, C.J. Rosiu, and A. Benda. 1988. A comparison of three sediment bioassay methods for Detroit River sediments (Appendix J). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix J. #1988-4

Gingerich, W.H. and Weber, L.J. 1979. Assessment of clinical procedures to evaluate liver intoxication in fish. EPA/600/3-79/088. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803090.

Glass, G.E. 1970. The dissolution of taconite tailings in Lake Superior. National Water Quality Laboratory, Federal Water Quality Administration, Duluth, MN. #1970-3

Glass, G.E. 1977. Identification and distribution of inorganic components in water: What to measure? *Ann. N.Y. Acad. Sci.* 298:31-46 #148

Glass, G.E. and O.L. Loucks. 1986. Implications of a gradient in acid and ion deposition across the northern Great Lakes states. *Environ. Sci. Technol.* 20:35-43 #317

Glass, G.E., J.A. Sorensen, K.W. Schmidt, and G.R. Rapp, Jr. 1990. New source identification of mercury contamination in the Great Lakes. *Environ. Sci. Technol.* 24:1059-69 #418

Glass, G.E. 1990. Assessing municipal impacts on a Lake Superior estuary. In: *Making a Great Lake Superior*. J. Vander Wal and P.D. Watts, eds. Pp. 201-217. Occasional Paper #9. Lakehead University Centre for Northern Studies, Thunder Bay, Ontario. #1990-14

Glass, G.E. 1977. Organic contaminants. In: *The waters of Lake Huron and Lake Superior, vol. II (part B): Lake Huron, Georgian Bay, and the North Channel*. G.E. Glass, W.M.I. Strachan, W.A. Willford, F.A.I. Armstrong, K.L.E. Kaiser, and A. Lutz, eds. Pp. 577-590; 667-670. International Joint Commission, Windsor, Ontario. #1977-9

Glass, G.E., J.A. Sorensen, G.R. Rapp, Jr., M. Balcer, and L. Schwarzkopf. 1999. Mercury subsurface maxima in sediments: A diagnostic for anthropogenic origins. In: *Mercury contaminated sites: characterization, risk assessment, and remediation*. Ebinghaus, R., et al., eds. pp 467-485. Springer-Verlag, Berlin, Heidelberg. #1999-1

Glass G.E. and J. A. Sorensen. 1999. Six-year trend (1990-1995) of wet mercury deposition in the Upper Midwest, U.S.A. *Environ. Sci. Technol.* 33:3303-12 #719

Glass, G.E., J.A. Sorensen, B.W. Liukkonen, G.R. Rapp, Jr., and O.L. Loucks. 1986. Ionic composition of acid lakes in relation to airborne inputs and watershed characteristics. *Water Air Soil Pollut.* 31:1-15 #318

Glass, G.E. 1978. Ecological effects of coal-fired steam-electric generating stations. In: EPA/600/9-78/022. Decision series. Energy Environment III. ORD, USEPA, Washington, DC. pp. 121-149. #1978-16

Glass, N.R., G.E. Glass, and P.J. Rennie. 1979. Effects of acid precipitation. *Environ. Sci. Technol.* 13(11):1350-1355. #1979-6

Glass, G.E., W.M.I. Strachan, W.A. Willford, F.A.I. Armstrong, K.L.E. Kaiser, and A. Lutz. 1977. Organic contaminants. In: *The waters of Lake Huron and Lake Superior, vol. III (part B): Lake Superior*. M.P. Bratzel, Jr., M.E. Thompson, and R.J. Bowden, eds. Pp. 417-429; 499-502. International Joint Commission, Windsor, Ontario. #1977-8

Glass, G.E., J.A. Sorensen, K.W. Schmidt, G.R. Rapp, Jr., D. Yap, and D. Fraser. 1991. Mercury deposition and sources from the upper Great Lakes region. *Water Air Soil Pollut.* 56:235-49 #450

Glass, N.R., G.E. Glass, and P.J. Rennie. 1980. Effects of acid precipitation in North America. *Environ. Int.* 4:443-52 #202

Glass, G.E. and J.E. Poldoski. 1974. Interstitial water components and exchange across the water sediment interface of western Lake Superior. Presented at XIX Congress, International Association of Limnology, Winnipeg, Canada, August 22-29, 1974. #1974-2

Glass, G.E., J.A. Sorensen, and G.R. Rapp, Jr. 2001. Methylmercury bioaccumulation dependence on northern pike age and size in 20 Minnesota lakes. In: *Persistent, Bioaccumulative, and Toxic Chemicals I: Fate and exposure*. Lipnick, R.L., Hermens, J.L.M., Jones, K.C. and Muir, D.C.G., eds., pp. 150-163, American Chemical Society, Washington, DC. #2001-1

Glass, G.E. and Loucks, O.L., eds. 1980. Impacts of airborne pollutants on wilderness areas along the Minnesota-Ontario border. EPA/600/3-80/044. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Glass, G.E. and J.E. Poldoski. 1975. Interstitial water components and exchange across the water sediment interface of western Lake Superior. *Int. Ver. Theor. Angew.-Limno. Very.* 19:405-20 #118

Glass, G.E., J.A. Sorensen, K.W. Schmidt, G.R. Rapp, Jr., D. Yap, and D. Fraser. 1992. Mercury sources and distribution in Minnesota's aquatic resources: Deposition. In: *Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources*. Pp. 4.1-4.23+. Report to the Legislative Commission on Minnesota Resources. Water Quality Division, Minnesota Pollution Control Agency, St. Paul, MN. #1992-17

Glass, G.E., J.A. Sorensen, K.W. Schmidt, J.K. Huber, and G.R. Rapp, Jr. 1992. Mercury sources and distribution in Minnesota's aquatic resources: Surface water, sediments, plants, plankton and fish. In: *Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources*. Pp. 3.1-3.48. Report to the Legislative Commission on Minnesota Resources. Water Quality Division, Minnesota Pollution Control Agency, St. Paul, MN. #1992-16

Glass, G.E. and T.G. Brydges. 1982. Problem complexity in predicting impacts from altered precipitation chemistry. In: *Acid Rain/Fisheries*, Johnson, R.E., ed. pp. 265-286, American Fisheries Society, Bethesda, MD . #1982-24

Glass, G.E., E.N. Leonard, W.H. Chan, and D.B. Orr. 1986. Airborne mercury in precipitation in the Lake Superior region. *J. Great Lakes Res.* 12:37-51 #316

Glass, G.E., J.A. Sorensen, and G.R. Rapp, Jr. 1992. Mercury sources and distribution in Minnesota's aquatic resources: Precipitation, surface water, sediments, plants, plankton, and fish. Executive summary. In: *Mercury in the St. Louis River, Mississippi River, Crane Lake, and Sand Point Lake: Cycling, distribution, and sources*. Pp. 1-6. Report to the Legislative Commission on Minnesota Resources. Water Quality Division, Minnesota Pollution Control Agency, St. Paul, MN. #1992-15

Glass, G.E. 1973. Analysis and laboratory experiments with taconite tailings report. Data report. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-9

Glass, G.E. 1973. Residue analysis of Lake Superior sculpins. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-8

Glass, G.E. 1973. A study of western Lake Superior: Surface sediments, interstitial water and exchange of dissolved components across the water-sediment interface. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-7

Goettl, J.P., Jr. and Edde, J.W. 1980. Fish distribution in Trout Creek, Colorado, 1975-1976. EPA/600/3-80/070. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining. Part VIII): Grant # R803950.

Goettl, J.P., Jr. and Edde, J.W. 1978. Environmental effects of oil shale mining and processing. Part I - Fishes of Piceance Creek, Colorado, prior to oil shale processing. EPA 600/3-78/096. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Goodfellow, W.L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and J.H. Rodgers, Jr. 2000. Major ion toxicity in effluents: a review with permitting recommendations. *Environ. Toxicol. Chem.* 19(1):175-182. #2000-15

Goran, D. and Kosian, P. 1983. Influence of diet and body lipids on the bioconcentration of endrin from water in the fathead minnow (*Pimephales promelas*). EPA/600/3-83/077.

Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-254300): Grant # CR 806860.

Gore, J.A., J.R. Kelly, and J.D. Yount. 1990. Application of ecological theory to determining recovery potential of disturbed lotic ecosystems: Research needs and priorities. *Environ. Manage.* 14:755-62 #419

Gorski, P.R., L.B. Cleckner, J.P. Hurley, M.E. Sierszen, and D.E. Armstrong. 2003. Factors affecting enhanced mercury bioaccumulation in inland lakes of Isle Royale National Park, USA. *Science Total Environ.* 304(1-3):327-348. #2003-3

Gray, J.L., V. Wilson, T. Stoker, C. Lambright, J. Furr, N. Noriega, K. Howdeshell, G.T. Ankley, and L. Guillette. 2006. Adverse effects of environmental antiandrogens and androgens on reproductive development in mammals. *Intl. J. Andrology* 29:96-104. #2006-4

Gray, L.E., Jr., V. Wilson, T. Stoker, C. Lambright, J. Furr, N. Noriega, P. Hartig, M. Cardon, M. Rosen, G. Ankley, A. Hotchkiss, E.F. Orlando, L.J. Guillette, and W.R. Kelce. 2004. Environmental androgens and antiandrogens: An expanding chemical universe. In: *Endocrine Disruptors: Effects on Male and Female Reproductive Systems*, Naz, R.K., ed., pp. 313-343, CRC Press, Boca Raton, FL. #2004-11

Gray, L.E., Jr., Ostby, J., Wilson, V., Lambright, C., Bobseine, K., Hartig, P., Hotchkiss, A., Wolf, C., Furr, J., Price, M., Parks, L., Cooper, R.L., Stoker, T.E., Laws, S.C., Degitz, S.J., Jensen, K.M., Kahl, M.D., Korte, J.J., Makynen, E.A., Tietge, J.E., and Ankley, G.T. 2002. Xenoendocrine disruptors-tiered screening and testing filling key data gaps. *Toxicology* 181-182: 371-382. #780

Gray, L.J. and Ward, J.V. 1978. Environmental effects of oil shale mining and processing. Part II - The aquatic macroinvertebrates of the Piceance basin, Colorado, prior to oil shale processing. EPA 600/3-78/097. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Great Lakes Laboratory, State University College. 1980. Lake Erie nutrient control: effectiveness regarding assessment in eastern basin. EPA/600/3-80/067. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802706.

Great Lakes Laboratory. 1976. An investigation of the nearshore region of Lake Ontario IFYGL. EPA 600/3-76/115. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800701.

Green, J.C., C.D. Grant, and B.A. Neubert. 1974. Bibliography of water, land and socioeconomic information. Lake Superior Basin Studies Center, University of Minnesota-Duluth, Duluth, MN. #1974-4 TC 424 .M6 G7

Greenberg, M., S. Ells, and L. Burkhard. 2008. SAMS #1: Using fish tissue data to monitor remedy effectiveness. *USEPA, OSRTI/ORD, EPA/600/X-07/014.* #4801

- Greenberg, E. and C.J. Watras. 1989. Field evaluation of a micro-extraction technique for measuring chlorophyll in lakewater without filtration. *Hydrobiologia* 173:193-197. #1989-28
- Griesmer, D.A. 2006. Congener pattern matching of data collected for the Lake Michigan Mass Balance Project (LMMBP). Part 1, Chapter 6, pp. 93-109 in Rossmann, R. (Ed.), *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345g
- Griesmer, D.A. 2006. Information management. Part 1, Chapter 3, pp. 26-54 in Rossmann, R. (Ed.), *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345f
- Griffith, M.B., P. Husby, R.K. Hall, P.R. Kaufmann and B.H. Hill. 2003. Analysis of macroinvertebrate assemblages in relation to environmental gradients among lotic habitats of California's Central Valley. *Environ. Mon. Assess.* 82:281-309 #4768
- Griffith, M.B., B.H. Hill, A.T. Herlihy and P.R. Kaufmann. 2002. Multivariate analysis of periphyton assemblages in relation to environmental gradients in Colorado Rocky Mountain streams. *Journal of Phycology* 38:83-95. #4769
- Griffith, M.B., P.R. Kaufmann, A.T. Herlihy and B.H. Hill. 2000. Analysis of macroinvertebrate assemblages in relation to environmental gradients in Rocky Mountain streams. *Ecological Applications* 11:489-505. #4717
- Grigorovich, I.A., T.R. Angradi, and C.A. Stepien. 2008. Occurrence of the quagga mussel (*Dreissena bugensis*) and the zebra mussel (*Dreissena polymorpha*) in the upper Mississippi River System. *J. Fresh. Ecol.* 23:429-435. #4916
- Grigorovich, I.A., J.R. Kelly, J. Darling, and C.W. West. 2008. The quagga mussel invades the Lake Superior basin. *J. Great Lakes Res.* 32:342-350. #4885
- Gueldner, D. R., Pili, A., Crane, J. L., and Sivertson, D. J. 1984 CETIS: Complex Effluents Toxicity Information System: CETIS retrieval system user's manual. EPA/600/8-84/030. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, CR 807240.
- Guiney, P.D., P.M. Cook, J.M. Casselman, J.D. Fitzsimmons, H.A. Simonin, E.W. Zabel, and R. E. Peterson. 1996. Assessment of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin induced sac fry mortality in lake trout (*Salvelinus namaycush*) from different regions of the Great Lakes. *Can. J. Fish. Aquat. Sci.* 53:2080-2092 #637
- Gulliver, J.S. and H.G. Stefan. 1984. Stream productivity analysis with DORM-I: development of computational model. *Water Res.* 18(12):1569-1576. #1984-20

Gulliver, J.S. and H.G. Stefan. 1984. Stream productivity analysis with DORM-III: productivity of experimental streams. *Water Res.* 18(12):1589-1595. #1984-22

Gulliver, J.S. and H.G. Stefan. 1984. Stream productivity analysis with DORM-II: parameter estimation and sensitivity. *Water Res.* 18(12):1577-1588. #1984-21

Gurka, D.F., R. Titus, K. Robins, A. Wong, C.J. Wurrey, J.R. Durig, Z. Shen, and L.P. Burkhard. 1996. Environmental analysis by *ab initio* quantum mechanical computation and gas chromatography/Fourier transform infrared spectrometry. *Anal. Chem.* 68:4221-27 #638

H

Hagley, C.A. and D.L. Taylor. 1991. An approach for evaluating numeric water quality criteria for wetlands protection. Submitted to USEPA Research Laboratory, Duluth, MN by ASCI Corporation, Duluth, MN. #1991-1

Hahn, M.G., J.S. Gulliver, and H.G. Stefan. 1978. Physical characteristics of the experimental field channels at the USEPA Ecological Research Station in Monticello, MN. Submitted to USEPA Research Laboratory, Duluth, MN by St. Anthony Falls Hydraulic Laboratory, University of Minnesota. #1978-2

Hale, J.G. 1968. Observations on brook trout, *Salvelinus fontinalis* spawning in 10-gallon aquaria. *Trans. Am. Fish. Soc.* 97:299-300 #17

Hale, J.G. 1970. White sucker spawning and culture of the young in the laboratory. *Prog. Fish-Cult.* 32:169 #43

Hale, J.G. and D.A. Hilden. 1970. The influence of flow on the spawning of brook trout in the laboratory. *Trans. Am. Fish. Soc.* 99:595-97 #44

Hale, J.G. and A.R. Carlson. 1972. Culture of the yellow perch in the laboratory. *Prog. Fish-Cult.* 34:195-98 #67

Hale, J.G. and D.A. Hilden. 1969. Spawning and some aspects of early life history of brook trout, *Salvelinus fontinalis* (Mitchill), in the laboratory. *Trans. Am. Fish. Soc.* 98:473-77 #27

Hale, J.G. 1970. Culture of lake herring in the laboratory. *Prog. Fish-Cult.* 32:217-21 #42

Hall, R.J. and G.E. Likens. 1981. Chemical flux in an acid-stressed stream. *Nature* 292:329-331. #1981-10

Hall, L.H. and L.B. Kier. 1984. Molecular connectivity of phenols and their toxicity to fish. *Bull. Environ. Contam. Toxicol.* 32:354-362. #1984-9

Hall, R.J. and G.E. Likens. 1982. Experimental acidification of a stream tributary to Hubbard Brook. Project summary, Cooperative Agreement #CR-807104. Submitted to USEPA Research Laboratory, Duluth, MN by Cornell University, Ithaca, NY. #1982-1

Hall, R.J. and G.E. Likens. 1980. Ecological effects of experimental acidification on a stream ecosystem. In: *Ecological impact of acid precipitation*. D. Drablos and A. Tollan, eds. SNSF Project, Oslo. Pp. 375-376. #1980-11

Hall, L.H. and L.B. Kier. 1989. Estimation of environmental and toxicological properties: Approach and methodology. *Environ. Toxicol. and Chem.* 8:19-24. #1989-25

Hall, L.H., E.L. Maynard, and L.B. Kier. 1989. QSAR investigation of benzene toxicity to fathead minnow using molecular connectivity. *Environ. Toxicol. and Chem.* 8:783-788. #1989-23

Hall, R.J., C.T. Driscoll, and G.E. Likens. 1987. Importance of hydrogen ions and aluminum in regulating the structure and function of stream ecosystems: An experimental test. *Fresh. Biol.* 18:17-43. #1987-28

Hall, L.H., E.L. Maynard, and L.B. Kier. 1989. Structure-activity relationship studies on the toxicities of benzene derivatives: III. Predictions and extension to new substituents. *Environ. Toxicol. and Chem.* 8:431-436. #1989-24

Hall, L.H., L.B. Kier, and G.L. Phipps. 1984. Structure-activity relationship studies on the toxicities of benzene derivatives: I. An additivity model. *Environ. Toxicol. Chem.* 3:355-65 #275

Hall, L.H. and L.B. Kier. 1986. Structure-activity relationship studies on the toxicities of benzene derivatives: II. An analysis of benzene substituent effects on toxicity. *Environ. Toxicol. Chem.* 5:333-337. #1986-23

Hall, L.H. and L.B. Kier. 1986. A molecular connectivity study of phenols and their toxicity to fish. In: *QSAR of phenolic toxicities*. Pp. 53-59. #1986-21

Hall, R.J., G.E. Likens, S.B. Fiancé, and G.R. Hendrey. 1980. Experimental acidification of a stream in the Hubbard Brook Experimental Forest, New Hampshire. *Ecology* 61(4):976-989. #1980-10

Halligan, B.J. and J.G. Eaton. 1978. Survival and reproduction of *Gammarus lacustris* and *G. pseudolimnaeus* under two experimental conditions. *Prog. Fish-Cult.* 40:59-62 #173

Hamilton, M.A., R.C. Russo, and R.V. Thurston. 1977. Trimmed Spearman-Kärber method for estimating median lethal concentrations in toxicity bioassays. *Environmental Science and Technology* 11(7):714-719. #1977-2

Hammermeister, D.E., J. Serrano, P. Schmieder, and D.W. Kuehl. 2000. Characterization of dansylated glutathione, glutathione disulfide, cysteine and cystine by narrow bore liquid chromatography/electrospray ionization mass spectrometry. *Rap. Comm. Mass Spec.* 14:503-8 #732

Hanratty, M.P. and F.S. Stay. 1994. Field evaluation of the Littoral Ecosystem Risk Assessment Model's prediction of the effects of chlorpyrifos. *J. Appl. Ecol.* 31:439-53 #534

Hanratty, M.P. 1997. Sensitivity analysis of the soil and water assessment tool (SWAT) for simulation of climate change effects. Grazing Lands Research Laboratory, Agricultural Research Service, U.S. Department of Agriculture, El Reno, OK. #1997-18

Hansch, C., D. Kim, A.J. Leo, E. Novellino, C. Silipo, and A. Vittoria. 1989. Toward a quantitative comparative toxicology of organic compounds. *CRC Critical Reviews in Toxicology* 19(3):185-225. #1989-17

Hansch, C., J.P. Bjorkroth, and A. Leo. 1987. Hydrophobicity and central nervous system agents: On the principle of minimal hydrophobicity in drug design. *Journal of Pharmaceutical Sciences* 76(9):663-687. #1987-13

Hansen, D.J., W.J. Berry, J.D. Mahony, W.S. Boothman, D.M. Di Toro, D.L. Robson, G.T. Ankley, D. Ma, Q. Yan, and C. E. Pesch. 1996. Predicting the toxicity of metal-contaminated field sediments using interstitial concentration of metals and acid-volatile sulfide normalizations. *Environ. Toxicol. Chem.* 15:2080-2094 #612

Hansen, D.J., W.J. Berry, and C.E. Stephan. 1989. Internal report on the relative acute sensitivities of benthic and water-column species. EPA/600/x-89/132. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-48

Hargis, J.R. 1984. Seasonal primary production and plankton dynamics in the St. Louis River and harbor. In: *Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior*. A.R. Carlson and N.A. Thomas, eds. Pp. 73-92. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Harris, H.J., T.C. Erdman, G.T. Ankley, and K.B. Lodge. 1993. Measures of reproductive success and polychlorinated biphenyl residues in eggs and chicks of Forster's terns on Green Bay, Lake Michigan, Wisconsin--1988. *Arch. Environ. Contam. Toxicol.* 25:304-14 #499

Hassan, S.M., A.W. Garrison, H.E. Allen, D.M. Di Toro, and G.T. Ankley. 1996. Estimation of partition coefficients for five trace metals in sandy sediments and application to sediment quality criteria. *Environ. Toxicol. Chem.* 15:2198-208 #613

Hecker, M., M.B. Murphy, K.K. Coady, D.L. Villeneuve, P.D. Jones, J.A. Carr, K.R. Solomon, E.E. Smith, G. Van der Kraak, T. Gross, L. Du Preez, R.J. Kendall, and J.P. Giesy. 2006. Terminology of gonadal anomalies in fish and amphibians resulting from chemical exposures. *Reviews of Environ. Contam. Toxicol.* 187:103-131. #891

- Hedtke, S.F. 1984. Structure and function of copper-stressed aquatic microcosms. *Aquat. Toxicol.* 5:227-44 #276
- Hedtke, S.F., C.W. West, K.N. Allen, T.J. Norberg-King, and D.I. Mount. 1986. Toxicity of pentachlorophenol to aquatic organisms under naturally varying and controlled environmental conditions. *Environ. Toxicol. Chem.* 5:531-42 #319
- Hedtke, S.F. and F.A. Puglisi. 1980. Effects of waste oil on the survival and reproduction of the American flagfish, *Jordanella floridae*. *Can. J. Fish. Aquat. Sci.* 37:757-64 #203
- Hedtke, S.F. and F.A. Puglisi. 1982. Short-term toxicity of five oils to four freshwater species. *Arch. Environ. Contam. Toxicol.* 11:425-30 #241
- Hedtke, S.F. and J.W. Arthur. 1985. Evaluation of a site-specific water quality criterion for pentachlorophenol using outdoor experimental streams. In: *Aquatic toxicology and hazard assessment: Seventh symposium*. R.D. Cardwell, R. Purdy, and R.C. Bahner, eds. Pp. 551-564. ASTM STP 854. American Society for Testing and Materials, Philadelphia, PA. #1985-21
- Heidtke, T.M., M.T. Auer, and R.P. Canale. 1986. Microcomputers and water quality models: Access for decision makers. *Journal WPCF* 58(10):960-966. #1986-26
- Heinis, L.J., Highland, T.L., and Mount, D.R. 2004. Method for testing the aquatic toxicity of sediment extracts for use in identifying organic toxicants in sediments. *Environ. Sci. Technol.* 38: 6256-6262. #841
- Heinis, L.J. and M.L. Knuth. 1992. The mixing, distribution and persistence of esfenvalerate within littoral enclosures. *Environ. Toxicol. Chem.* 11:11-25 #473
- Heinis, L.J. and J.A. Rogalla. 1985. Documentation of the ERLD-UMD Acid Rain Data Base III: Methodology and quality assurance summary for the laboratory analysis of conductivity, pH, alkalinity, color, turbidity and acidity of surface and ground waters of northern Minnesota, Wisconsin, Michigan and southwestern Ontario. Environmental Research Laboratory, USEPA, Duluth, MN. #1985-6
- Heinis, L.J., M.L. Knuth, K. Liber, B.R. Sheedy, R.L. Tunell, and G.T. Ankley. 1999. Persistence and distribution of 4-nonylphenol following repeated application to littoral enclosures. *Environ. Toxicol. Chem.* 18:363-75 #701
- Heinrich, J., W. Lick, and J. Paul. 1981. Temperatures and currents in a stratified lake: A two-dimensional analysis. *J. Great Lakes Res.* 7(3):264-275. #1981-14
- Helbing, C.C., C.M. Bailey, L. Ji, M. Gunderson, F. Zhang, N. Veldhoen, R.C. Skirrow, R. Mu, M. Lesperance, G.W. Holcombe, P.A. Kosian, J.E. Tietge, J.J. Korte, and S.J. Degitz. 2007. Identification of gene expression indicators for thyroid axis disruption in a *Xenopus laevis*

metamorphosis screening assay. Part 1. Effects on the brain. *Aquatic Toxicol.* 82:222-241. #4687

Helbing, C.C., L. Ji, C.M. Bailey, N. Veldhoen, F. Zhang, G.W. Holcombe, P.A. Kosian, J.E. Tietge, J.J. Korte, and S.J. Degitz. 2007. Identification of gene expression indicators for thyroid axis disruption in a *Xenopus laevis* metamorphosis screening assay. Part 2. Effects on the tail and hindlimb. *Aquatic Toxicol.* 82:215-226. #4689

Helgen, J.C., N.J. Larson, and R.L. Anderson. 1988. Responses of zooplankton and *Chaoborus* to temephos in a natural pond and in the laboratory. *Arch. Environ. Contam. Toxicol.* 17:459-71 #363

Helmy, M., A.E. Lemke, P.G. Jacob, and B.L. Oostdam. 1978. Effects of some trace elements on the blood of Kuwait mullets, *Liza macrolepis* (Smith). *J. Exp. Mar. Biol. Ecol.* 34:151-61 #174

Henneman, H.E. and H.G. Stefan. 1997. Measurements and models of snow and ice albedo on a lake: reports from the 1996 to 1997 Ryan Lake winter field studies. Environmental Research Laboratory, USEPA, Duluth, MN. #1997-17

Henry, T.R. and S.P. Bradbury. 1999. Fish tissue residue-based toxicity reference values for chlordane, DDT, dieldrin, endrin, hexachlorobenzene, mercury and PCSs for piscivorous wildlife. American Chemical Society Pesticides and Wildlife Symposium, August 22-26, 1999, New Orleans, LA. #1999-18

Henry, T.R., D.J. Nesbit, W. Heideman, and R.E. Peterson. 2001. Relative potencies of polychlorinated dibenzo-*p*-dioxin, dibenzofuran, and biphenyl congeners to induce cytochrome P4501A mRNA in a zebrafish liver cell line. *Environ. Toxicol. Chem.* 20:1053-58 #759

Henry, T., P. Cirone, P.M. Cook, M. DeVito, B. Duncan, R. Pepin, and S. Wharton. 2008. Framework for application of the toxicity equivalence methodology for polychlorinated dioxins, furans, and biphenyls in ecological risk assessment . On-line at <http://www.epa.gov/osa/raf/tefframework/>, June 1, 2008, EPA/100/R-08/004. #5067

Henry, T., Cook, P., Cirone, P., DeVito, M., Duncan, B., Pepin, R., Schwenk, S., and Wharton, S. 2003. Framework for application of the toxicity equivalence methodology for polychlorinated dioxins, furans, and biphenyls in ecological risk assessment. *Organ. Compds.* 65: 300-303. #800

Henszey, R J., Pfeiffer, K., and Keough, J.R. 2004. Linking surface- and ground-water levels to riparian grassland species along the Platte River in central Nebraska, USA. *Wetlands* 24(3):665-687. #834

Herdendorf, C.E., ed. 1980. Lake Erie nutrient control program: an assessment of its effectiveness in controlling lake eutrophication. EPA/600/3-80/062. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802543.

- Herman, L.J. 1992. Inexpensive environmental control chamber for holding fish. *Prog. Fish-Cult.* 54:132 #474
- Herman, L.J. 1989. Inexpensive method for repair of YSI model 403 thermistor probes. *Prog. Fish Cult.* 51:170-171 #387
- Herman, L.J. 1995. Water-conditioning tank to control supersaturation and temperature. *Prog. Fish Cult.* 57:164-65 #563
- Hermanutz, R. and K. Allen. 1993. Effects and fate of atrazine in MERS wetland streams during spring - summer of 1992. USEPA Research Laboratory, Duluth, MN. #1993-3
- Hermanutz, R.O., K.N. Allen, T.H. Roush, and S.F. Hedtke. 1992. Effects of elevated selenium concentrations on bluegills (*Lepomis macrochirus*) in outdoor experimental streams. *Environ. Toxicol. Chem.* 11:217-24 #476
- Hermanutz, R.O., S.F. Hedtke, J.W. Arthur, R.W. Andrew, and K.N. Allen. 1987. Ammonia effects on microinvertebrates and fish in outdoor experimental streams. *Environ. Pollut.* 47:249-83 #343
- Hermanutz, R.O. 1978. Endrin and malathion toxicity to flagfish (*Jordanella floridae*). *Arch. Environ. Contam. Toxicol.* 7:159-68 #175
- Hermanutz, R.O. 1992. Malformation of the fathead minnow (*Pimephales promelas*) in an ecosystem with elevated selenium concentrations. *Bull. Environ. Contam. Toxicol.* 49:290-294 #475
- Hermanutz, R.O., K.N. Allen, and S.F. Hedtke. 1990. Toxicity and fate of total residual chlorine in outdoor experimental streams. In: *Water chlorination chemistry, environmental impact and health effects, vol. 6*. R.L. Jolley, L.W. Condie, D.J. Johnson, S. Katz, R.A. Minear, J.S. Mattice, and V.A. Jacobs, eds. Pp. 463-477. Lewis Publishers, Chelsea, MI. #1990-10
- Hermanutz, R.O., J.G. Eaton, and L.H. Mueller. 1985. Toxicity of endrin and malathion mixtures to flagfish (*Jordanella floridae*). *Arch. Environ. Contam. Toxicol.* 14:307-14 #296
- Hermanutz, R.O., L.H. Mueller, and K.D. Kempfert. 1973. Captan toxicity to fathead minnows (*Pimephales promelas*), bluegills (*Lepomis macrochirus*), and brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 30:1811-17 #87
- Hermens, J.L.M., G.T. Ankley, and J.P. Sumpter. 2004. Ecotoxicology -- a multidisciplinary, problem-driven science. Guest Comment, *Environ. Sci. Technol.*, v. 38, no.23, pp. 4446A-447A. #2004-12
- Hermens, J.L., S.P. Bradbury, and S.J. Broderius. 1990. Influence of cytochrome P450 mixed-function oxidase induction on the acute toxicity to rainbow trout (*Salmo gairdneri*) of primary aromatic amines. *Ecotoxicol. Environ. Saf.* 20:156-66 #420

- Herzberg, A.M. 1988. Toxicity and accumulation of permethrin in the tilapia *Oreochromis aureus*. *The Isr. J. Aquacult.-Bamidgeh* 40(1):35-39. #1988-30
- Heuschele, A.S. 1982. Vertical distribution of profundal benthos in Lake Superior sediments. *J. Great Lakes Res.* 8(4):603-613. #1982-8
- Highland, T. and Curtis, C., compilers. Freshwater findings: 1979-1982. Research publications of the Environmental Research Laboratory, Duluth, Minnesota. EPA/600/x-84/003. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Hill, B.H., C.M. Elonen, T.M. Jicha, A.M. Cotter, A.S. Trebitz, and N. Danz. 2006. Sediment microbial enzyme activity as an indicator of nutrient limitation in Great Lakes coastal wetlands. *Freshwater Biol.* 51:1670-1683. #897
- Hill, B.H. and Blair, R. 2005. Monitoring the condition of our nation's streams and rivers: From the mountains to the coasts. *Environ. Monit. Assess.* 103:1-4. #862
- Hill, B.H. and F. McCormick. 2004. Nutrient uptake and community metabolism in streams draining harvested and old-growth watersheds: A preliminary assessment. In: Ouachita and Ozark Mountains Symposium: Ecosystem Management Research, Gen. Tech. Rep. SRS 74, U.S. Department of Agriculture, Forest Service, Southern Research Station, Asheville, NC, pp. 214-220. #4309
- Hill, B.H., Herlihy, A.T., Kaufmann, P.R., DeCelles, S.J., and Vander Borgh, M.A. 2003. Assessment of streams of the eastern United States using a periphyton index of biotic integrity. *Ecological Indicators* 2(4):325-338. #789
- Hill, B.H., A.T. Herlihy, and P.R. Kaufmann. 2002. Benthic microbial respiration in Appalachian Mountain, Piedmont, and Coastal Plains streams of the eastern U.S.A. *Fresh. Biol.* 47:185-194. #2002-5
- Hill, B.H., R.J. Stevenson, Y. Pan, A.T. Herlihy, P.R. Kaufmann, and C. Burch Johnson. 2001. Comparison of correlations between environmental characteristics and stream diatom assemblages characterized at genus and species levels. *J. N. Am. Benthol. Soc.* 20(2):299-310. #2001-14
- Hill, B.H. and J.P. Kurtenbach. 2001. Correlations of sedimentary diatoms with catchment basin land-use and physico-chemical conditions in New Jersey lakes. *Lake Res. Manage.* 17:105-120.
- Hill, B.H., A. Herlihy, P. Kaufmann, F. Stevenson, F. McCormick, and C.B. Johnson. 2000. Use of periphyton assemblage data as an index of biotic integrity. *J. NABS* 19:50-67. #3885
- Hoadley, A.W. 1968. On the significance of *Pseudomonas aeruginosa* in surface waters. *J. New Engl. Water Works Assoc.* 99-111 #18

- Hockett, R.J. and D.R. Mount. 1996. Use of metal chelating agents to differentiate among sources of acute aquatic toxicity. *Environ. Toxicol. Chem.* 15:1687-93 #614
- Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2008. Organic matter sources supporting lower food web production in the tidal freshwater portion of the York River estuary, Virginia. *Est. Coasts* 31:898-911. #4761
- Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2008. Does terrestrial carbon subsidize production of estuarine fish larvae? In: *Aquatic ecosystem production in waters linking forests, rivers and coasts*, Y. Yamashita, Ed., Fisheries Science Series, Koseisha-koseikaku, Tokyo, Japan, Vol. 157, pp. 35-45. #4864
- Hoffman, J.C., K.E. Limburg, D.A. Bronk, and J.E. Olney. 2008. Overwintering habitats of migratory juvenile American shad in Chesapeake Bay. *Env. Biol. Fishes* 81:329-345. # 4931
- Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2007. Contribution of allochthonous carbon to American shad production in the Mattaponi River, Virginia, using stable isotopes. *Estuaries and Coasts* 30:1034-1048. #4686
- Hoffman, J.C., D.A. Bronk, and J.E. Olney. 2007. Tracking nursery habitat use in the York River estuary, Virginia, by young American shad using stable isotopes. *Trans. Am. Fish. Soc.* 136:1285-1297. #4711
- Hoffman, J.C. and D. Bronk. 2006. Interannual variation in stable carbon and nitrogen isotope biogeochemistry of the Mattaponi River, Virginia. *Limn. Ocean.* 51:2319-2332. #4861
- Hoffman, A.D., S.L. Bertelsen, and M.L. Gargas. 1992. An *in vitro* gas equilibration method for determination of chemical partition coefficients in fish. *Comp. Biochem. Physiol.* 101A:47-51 #477
- Hoffman, A.D., J. J. Jenson, G.J. Lien, and J.M. McKim. 1999. Individual tissue weight to total body weight relationships and total, polar, and nonpolar lipids in tissues of hatchery lake trout. *Trans. Am. Fish. Soc.* 128:178-81 #718
- Hokanson, K.E.F. and C.F. Kleiner. 1974. Effects of constant and rising temperatures on survival and developmental rates of embryonic and larval yellow perch, *Perca flavescens* (Mitchill). In: *Early life history of fish*. J.H.S. Blaxter, ed. Pp. 437-448. Springer-Verlag, New York, NY. #1974-14
- Hokanson, K.E.F. and G.J. Lien. 1980. Effects of organic contaminants in ova upon growth and survival of larval walleye from the lower Fox River and Sturgeon Bay areas of Green Bay, Wisconsin. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-3
- Hokanson, K.E.F. 1980. A national compendium of freshwater fish and water temperature data. Volume II: Temperature requirement data for thirty fishes. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-7

Hokanson, K.E.F. and G.J. Lien. 1986. Effects of diet on growth and survival of larval walleyes. *Prog. Fish-Cult.* 48:250-258 #321

Hokanson, K.E.F. 1977. Temperature requirements of some percids and adaptations to the seasonal temperature cycle. *J. Fish. Res. Board Can.* 34:1524-50 #149

Hokanson, K.E.F., C.F. Kleiner, and T.W. Thorslund. 1977. Effects of constant temperatures and diel temperature fluctuations on specific growth and mortality rates and yield of juvenile rainbow trout, *Salmo gairdneri*. *J. Fish. Res. Board Can.* 34:639-48 #150

Hokanson, K.E.F. and W.M. Koenst. 1986. Revised estimates of growth requirements and lethal temperature limits of juvenile walleyes. *Prog. Fish-Cult.* 48:90-94 #320

Hokanson, K.E.F. 1979. A national compendium of freshwater fish and water temperature data. Volume II: temperature requirement data for thirty fishes. EPA/600/3-79/056 Part II. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Hokanson, K.E.F., J.H. McCormick, and B.R. Jones. 1973. Temperature requirements for embryos and larvae of the northern pike, *Esox lucius* (Linnaeus). *Trans. Am. Fish. Soc.* 102:89-100 #88

Hokanson, K.E.F., J.H. McCormick, B.R. Jones, and J.H. Tucker. 1973. Thermal requirements for maturation, spawning, and embryo survival of the brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Board Can.* 30:975-84 #89

Hokanson, K.E.F. and L.L. Smith, Jr. 1971. Some factors influencing toxicity of linear alkylate sulfonate (LAS) to the bluegill. *Trans. Am. Fish. Soc.* 100:1-12 #54

Hokanson, K.E.F. 1969. Aquatic life temperature requirements. Presented at Sixty-ninth Meeting, FWPCA, Orsanco Engineering Committee, May 13-14, 1969, Cincinnati, OH. #1969-1

Hokanson, K. 1969. Biological effects of heated waters. Presented at the Technical Seminar on Thermal Pollution, Jan. 6-7, 1969, Ada, OK; Jan. 9-10, 1969, Athens, GA; and Feb. 10-11, 1969, Charlottesville, VA. #1969-2

Hoke, R.A. and Ankley, G.T. 2005. Application of frog embryo teratogenesis assay-*Xenopus* to ecological risk assessment. *Environ. Toxicol. Chem.* 24(10):2677-2690. #868

Hoke, R.A., J.P. Giesy, M. Zabik, and M. Unger. 1993. Toxicity of sediments and sediment pore waters from the Grand Calumet River-Indiana Harbor, Indiana area of concern. *Ecotoxicol. Environ. Saf.* 26:86-112 #500

Hoke, R.A., J.P. Giesy, and R.G. Kreis, Jr. 1992. Sediment pore water toxicity identification in the Lower Fox River and Green Bay, Wisconsin, using the Microtox assay. *Ecotoxicol. Environ. Saf.* 23:343-54 #479

Hoke, R.A., G.T. Ankley, A.M. Cotter, T.A. Goldenstein, P.A. Kosian, G.L. Phipps, and F.M. VanderMeiden. 1994. Evaluation of equilibrium partitioning theory for predicting acute toxicity of field-collected sediments contaminated with DDT, DDE and DDD to the amphipod *Hyaella azteca*. *Environ. Toxicol. Chem.* 13:157-66 #535

Hoke, R.A., G.T. Ankley, and J.R. Peters. 1995. Use of a freshwater sediment quality database in an evaluation of sediment quality criteria based on equilibrium partitioning and screening-level concentrations. *Environ. Toxicol. Chem.* 14:451-59 #564

Hoke, R.A., G.T. Ankley, P.A. Kosian, A.M. Cotter, F.M. Vandermeiden, M. Balcer, G.L. Phipps, C.W. West, and J.S. Cox. 1997. Equilibrium partitioning as the basis for an integrated laboratory and field assessment of the impacts of DDT, DDE and DDD in sediments. *Ecotoxicology* 6:101-25 #641

Hoke, R.A., P.A. Kosian, G.T. Ankley, A.M. Cotter, F.M. VanderMeiden, G.L. Phipps, and E.J. Durhan. 1995. Check studies with *Hyaella azteca* and *Chironomus tentans* in support of the development of a sediment quality criterion for dieldrin. *Environ. Toxicol. Chem.* 14:435-43 #565

Hoke, R.A., J.P. Giesy, G.T. Ankley, J.L. Newsted, and J.R. Adams. 1990. Toxicity of sediments from western Lake Erie and the Maumee River at Toledo, Ohio, 1987: Implications for current dredged material disposal practices. *J. Great Lakes Res.* 16:457-70 #421

Hoke, R.A., W.R. Gala, J.B. Drake, J.P. Giesy, and S. Flegler. 1992. Bicarbonate as a potential confounding factor in cladoceran toxicity assessments of pore water from contaminated sediments. *Can. J. Fish. Aquat. Sci.* 49:1633-40 #478

Holcombe, G.W., G.L. Phipps, and G.D. Veith. 1989. Use of aquatic lethality tests to estimate safe toxicant concentrations for initial ecological risk assessments. In: *Aquatic toxicology and environmental fate, 11th vol.* G.W. Suter, II and M.A. Lewis, eds. Pp. 442-458. ASTM STP 1007. American Society for Testing and Materials, Philadelphia, PA. #1989-32

Holcombe, G.W., G.L. Phipps, and J.W. Marier. 1984. Methods for conducting snail (*Aplexa hypnorum*) embryo through adult exposures: Effects of cadmium and reduced pH levels. *Arch. Environ. Contam. Toxicol.* 13:627-34 #278

Holcombe, G.W. and R.W. Andrew. 1978. The acute toxicity of zinc to rainbow and brook trout: Comparisons in hard and soft water. EPA 600/3-78/094. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1978-11

Holcombe, G.W., G.L. Phipps, M.L. Knuth, and T. Felhaber. 1984. The acute toxicity of selected substituted phenols, benzenes and benzoic acid ester to fathead minnows *Pimephales promelas*. *Environ. Pollut. Ser. A.* 35:367-81 #277

Holcombe, G.W., D.A. Benoit, E.N. Leonard, and J.M. McKim. 1976. Long-term effects of lead exposure on three generations of brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 33:1731-41 #132

Holcombe, G.W., M.S. Pasha, K.M. Jensen, J.E. Tietge, and G.T. Ankley. 2000. Effects of photoperiod manipulation on brook trout reproductive development, fecundity, and circulating sex steroid concentrations. *North American Journal of Aquaculture* 62:1-11 #728

Holcombe, G.W., G.L. Phipps, and J.T. Fiandt. 1982. Effects of phenol, 2,4-dimethylphenol, 2,4-dichlorophenol, and pentachlorophenol on embryo, larval, and early-juvenile fathead minnows (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 11:73-78 #242

Holcombe, G.W., G.L. Phipps, and D.K. Tanner. 1982. The acute toxicity of kelthane, dursban, disulfoton, pydrin, and permethrin to fathead minnows *Pimephales promelas* and rainbow trout *Salmo gairdneri*. *Environ. Pollut. Ser. A.* 29:167-78 #243

Holcombe, G.W., G.L. Phipps, A.H. Sulaiman, and A.D. Hoffman. 1987. Simultaneous multiple species testing: Acute toxicity of 13 chemicals to 12 diverse freshwater amphibian, fish, and invertebrate families. *Arch. Environ. Contam. Toxicol.* 16:697-710 #344

Holcombe, G.W., D.A. Benoit, and E.N. Leonard. 1979. Long-term effects of zinc exposures on brook trout (*Salvelinus fontinalis*). *Trans. Am. Fish. Soc.* 108:76-97 #187

Holcombe, G.W., J.T. Fiandt, and G.L. Phipps. 1980. Effects of pH increases and sodium chloride additions on the acute toxicity of 2,4-dichlorophenol to the fathead minnow. *Water Res.* 14:1073-77 #204

Holcombe, G.W., G.L. Phipps, and J.T. Fiandt. 1983. Toxicity of selected priority pollutants to various aquatic organisms. *Ecotoxicol. Environ. Saf.* 7:400-409 #261

Holcombe, G.W., D.A. Benoit, D.E. Hammermeister, E.N. Leonard, and R.D. Johnson. 1995. Acute and long-term effects of nine chemicals on the Japanese medaka (*Oryzias latipes*). *Arch. Environ. Contam. Toxicol.* 28:287-97 #566

Holland, R.E. 1980. Seasonal fluctuations of major diatom species at five stations across Lake Michigan, May 1970 - October 1972. EPA/600/3-80/066. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R805133-01-1.

Hondzo, M., C.R. Ellis, and H.G. Stefan. 1993. Vertical diffusion in small stratified lake: Data and error analysis. EPA/600/A-93/003. 2728

Hondzo, M. and H.G. Stefan. 1991. Three case studies of lake temperature and stratification response to warmer climate. *Water Resources Research* 27(8):1837-1846. #1991-9

Hondzo, M. and H.G. Stefan. 1992. Water temperature characteristics of lakes subjected to climate change. Project Report No. 329, St. Anthony Falls Hydraulic Laboratory, University of

Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1992-4

Hondzo, M. and H.G. Stefan. 1993. Regional water temperature characteristics of lakes subjected to climate change. *Climatic Change* 24:187-211. #1993-8

Hondzo, M. and H.G. Stefan. 1993. Lake water temperature simulation model. *Journal of Hydraulic Engineering* 119(11):1251-1273. #1993-2

Horning, W.B. II and T.W. Neiheisel. 1979. Chronic effect of copper on the bluntnose minnow, *Pimephales notatus* (Rafinesque). *Arch. Environ. Contam. Toxicol.* 8:545-22 #188

Horning, W.B. II and R.E. Pearson. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass (*Micropterus dolomieu*). *J. Fish. Res. Board Can.* 30:1226-30 #90

Hornung, M.W., P.M. Cook, P.N. Fitzsimmons, D.W. Kuehl, and J.W. Nichols. 2007. Tissue distribution and metabolism of benzo[a]pyrene in embryonic and larval medaka (*Oryzias latipes*). *Toxicol. Sci.* 100:393-405. #4688

Hornung, M.W., Jensen, K.M., Korte, J.J., Kahl, M.D., Durhan, E.J., Denny, J.S., Henry, T.R., and Ankley, G.T. 2004. Mechanistic basis for estrogenic effects in fathead minnow (*Pimephales promelas*) following exposure to the androgen 17 α -methyltestosterone: Conversion of 17 α -methyltestosterone to 17 α -methylestradiol. *Aquat. Toxicol.* 66:15-23. #816

Hornung, M.W., K.M. Flynn, R.D. Johnson, P.M. Cook, and J.W. Nichols. 2004. Use of multiphoton laser scanning microscopy to image benzo[a]pyrene and metabolites in fish eggs. In: *Multiphoton Microscopy in the Biomedical Sciences IV*, Periasamy, A. and So, P.T.C., eds., SPIE, Bellingham, WA, pp. 400-407. #2004-5

Hornung, M.W., Cook, P.M., Flynn, K.M., Lothenbach, D.B., Johnson, R.D., and Nichols, J.W. 2004. Use of multi-photon laser-scanning microscopy to describe the distribution of xenobiotic chemicals in fish early life stages. *Aquat. Toxicol.* 67:1-11. #817

Hornung, M.W., Ankley, G.T., and Schmieder, P.K. 2003. Induction of an estrogen-responsive reporter gene in rainbow trout hepatoma cells (RTH 149) at 11 or 18°C. *Environ. Toxicol. Chem.* 22(4):866-871. #788

Hossack, B., S.A. Diamond, and P.S. Corn. 2006. Distribution of boreal toad populations in relation to estimated UV-B dose in Glacier National Park, Montana, USA. *Canadian Journal of Zoology* 84:98-107. #2006-1

Host, G.E., R.R. Regal, and C.E. Stephan. 1990. Analyses of acute and chronic data for aquatic life. Office of Environmental Processes and Effects Research. ORD, USEPA, Washington, D.C. #1990-22

Hotchkiss, A.K., J. Furr, E.A. Makynen, G.T. Ankley, and L.E. Gray, Jr. 2007. In utero exposure to the environmental androgen trenbolone masculinizes female Sprague-Dawley rats. *Toxicol. Lett.* 174:31-41. #4833

Hudec, T., J. Thean, D.W. Kuehl, and R.C. Dougherty. 1981. Tris(dichloropropyl)phosphate, a mutagenic flame retardant: Frequent occurrence in human seminal plasma. *Science* 211:951-52 #221

Hughes, R.A., G.D. Veith, and G.F. Lee. 1970. Gas chromatographic analysis of toxaphene in natural waters, fish and lake sediments. *Water Research* 4:547-558. #1970-14

Hughes, R.M., T.R. Whittier, S.A. Thiele, J.E. Pollard, D.V. Peck, S.G. Paulsen, D. McMullen, J. Lazorchak, D.P. Larsen, W.L. Kinney, P.R. Kaufmann, S. Hedtke, S.S. Dixit, G.B. Collins, and J.R. Baker. 1992. Lake and stream indicators for the United States Environmental Protection Agency's environmental monitoring and assessment program. In: *Ecological Indicators, Volume 1*. McKenzie, D.H., Hyatt, D.E. and McDonald, V.J., eds. pp. 305-335. Elsevier Applied Science, New York, NY. #1992-33

Hunt, E.P. and Glass, G.E., eds. 1990. The Environmental Research Laboratory -- Duluth bibliography of research products in the fields of freshwater ecology and toxicology 1967-1990. EPA/600/3-90/071. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Hunter, R.S., G.J. Niemi, A. Pilli, and G.D. Veith. 1990. Aquatic information and retrieval (AQUIRE) database system. In: *Envirotech Vienna 1990: Computer applications for environmental impact analysis*. W. Pillman, ed. Pp. 42-48. International Society for Environmental Protection, Vienna, Austria. #1990-12

Hunter, R.S., F.D. Culver, and G.D. Veith. 1988. Version 1.0 of the QSAR System: Computer system for estimation of physicochemical properties and ecotoxicological effects from chemical structure. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-65

Hunter, R.S., F.D. Culver, and A. Fitzgerald. 1987. SMILES user manual: A simplified molecular input line entry system; includes extended SMILES for defining fragments. Review Environmental Research Laboratory, USEPA, Duluth, MN. #1987-5

Hunter, R.S., F.D. Culver, J.R. Hill, III, and A. Fitzgerald. 1988. QSAR System user manual: A structure-activity based chemical modeling and information system. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-52

Hutchinson, T.C. and H. Czyska. 1972. Cadmium and zinc toxicity and synergism to floating aquatic plants. Institute of Environmental Sciences and Engineering, Publ. No. EI-3. In: *Water pollution research in Canada 1972*. Pp. 59-65. #1972-10

Hutchinson, T.H., G.T. Ankley, H. Segner, and C.R. Tyler. 2006. Screening and testing for endocrine disruption in fish – biomarkers as "signposts," not "traffic lights," in risk assessment. *Environ. Health Perspec.* 114:106-114. #881

I

Imlay, M.J. 1973. Effects of potassium on survival and distribution of freshwater mussels. *Malacologia* 12:97-113 #91

Imlay, M.J. 1972. Reproduction of *Amblema costata* (Rafinesque) in Moose River, Minnesota. *Nautilus* 85:146 #69

Imlay, M.J. 1972. Greater adaptability of fresh-water mussels to natural than artificial displacement. *Bull. Am. Malacol. Union Inc.* February 1972:43-44 #68

Imlay, M.J. and M.L. Paige. 1972. Laboratory growth of freshwater sponges, unionid mussels, and sphaeriid clams. *Prog. Fish-Cult.* 34:210-216 #70

Imlay, M.J. 1969. A dual behavioral interpretation of a single environmental stimulus with freshwater mussels. *Am. Malacol. Union Inc. Ann. Rep.* 21-22 #28

Imlay, M.J. 1969. Some research needs and methods for protecting naiads from extinction. *Am. Malacol. Union Inc. Ann. Rep.* 49-51 #29

Ingersoll, C.G., Brunson, E.L., Wang, N., Dwyer, F.J., Ankley, G.T., Mount, D.R., Huckins, J., Petty, J., and Landrum, P.F. 2003. Uptake and depuration of nonionic organic contaminants from sediment by the oligochaete, *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 22(3):872-885. #786

Ingersoll, C.G., G.T. Ankley, R. Baudo, G.A. Burton, W. Lick, S.N. Luoma, D.D. MacDonald, T.B. Reynoldson, K.R. Solomon, R.C. Swartz, and W.J. Warren-Hicks. 1997. Session 6: Critical issues in methodological uncertainty: Workgroup summary report on uncertainty evaluation of measurement endpoints used in sediment ecological risk assessment. In: *Ecological risk assessment of contaminated sediments*. C.G. Ingersoll, T. Dillon, G.R. Biddinger, eds. Pp. 297-352. SETAC Press, Pensacola, FL. #1997-2

Ingersoll, C.G., G.T. Ankley, D.A. Benoit, E.L. Brunson, G.A. Burton, F.J. Dwyer, R.A. Hoke, P.F. Landrum, T.J. Norberg-King, and P.V. Winger. 1995. Toxicity and bioaccumulation of sediment-associated contaminants using freshwater invertebrates: A review of methods and applications. *Environ. Toxicol. Chem.* 14:1885-94 #567

Ingersoll, C.G., Ankley, G.T., Burton, G.A., Dwyer, F.J., Hoke, R.A., Norberg-King, T.J., and Winger, P.V. 1994. Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates. EPA/600/R-94/024. ORD, USEPA, Duluth, MN.

Institute of Paper Chemistry. 1973. Effects of pulp and paper mill effluents on fresh water fish: An annotated bibliography. Prepared by The Institute of Paper Chemistry, Appleton, WI for USEPA, Duluth, MN. #1973-16

Isensee, A.R. and Yockim, R.S. 1980. Freshwater micro-ecosystem development and testing of substitute chemicals. EPA/600/3-80/008. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract no. EPA-IA6-05-5811.

Ivanov, J., O. Mekenyan, S.P. Bradbury, and G. Schuurmann. 1998. A kinetic analysis of the conformational flexibility of steroid hormones. *Quant. Struct.-Act. Relat.* 17:437-449. #1998-9

J

Jackson, H.W. and W.A. Brungs, Jr. 1967. Biomonitoring of industrial effluents. Proc. 21st Ind. Waste Conf. Purdue Univ., May 3-5, 1966. Part 1, 50(2):117-124. #1967-1

Jackson, L.J., A.S. Trebitz, and K.L. Cottingham. 2000. An introduction to the practice of Ecol. Modell. *Bioscience* 50(8):694-706. #2000-4

Jacobson, S.W., G.G. Fein, J.L. Jacobson, P.M. Schwartz, and J.K. Dowler. 1985. The effect of intrauterine PCB exposure on visual recognition memory. *Child Development* 56:853-860. #1985-12

Jacobson, J.L., S.W. Jacobson, and G.G. Fein. 1985. Intrauterine exposure to environmental toxins: The significance of subtle behavioral effects. In: *Beyond the individual environmental stressors*. The Haworth Press, Inc. Pp. 125-137. #1985-10

Jaeger, M. J. 1980. Predicting effects of an electric generating station on wetland passerine birds: Wisconsin power plant impact study. EPA/600/3-80/020. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.

Jaffe, R., E.A. Stemmler, B.D. Eitzer, and R.A. Hites. 1985. Anthropogenic, polyhalogenated, organic compounds in sedentary fish from Lake Huron and Lake Superior tributaries and embayments. *J. Great Lakes Res.* 11(2):156-162. #1985-14

Jahoda, J.R. 1977. Instrumentation to monitor location of fish continuously in experimental channels. EPA 600/3-77/035. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-01-0752.

Jarvinen, A.W., M.J. Hoffman, and T.W. Thorslund. 1977. Long-term effects of DDT food and water exposure on fathead minnows (*Pimephales promelas*). *J. Fish. Res. Board Can.* 34:2089-103 #151

Jarvinen, A.W., D.K. Tanner, and E.R. Kline. 1988. Toxicity of chlorpyrifos, endrin, or fenvalerate to fathead minnows following episodic or continuous exposure. *Ecotoxicol. Environ. Saf.* 15:78-95 #364

- Jarvinen, A.W., R.L. Spehar, and C.E. Stephan. 1990. Chesapeake Bay Pesticide Index and Registry project: Report to Region III. EPA/600/x-90/117. Environmental Research Laboratory, USEPA, Duluth, MN. #1990-3
- Jarvinen, A.W., D.K. Tanner, E.R. Kline, and M.L. Knuth. 1988. Acute and chronic toxicity of triphenyltin hydroxide to fathead minnows (*Pimephales promelas*) following brief or continuous exposure. *Environ. Pollut.* 52:289-301 #365
- Jarvinen, A.W. and R.M. Tyo. 1978. Toxicity to fathead minnows of endrin in food and water. *Arch. Environ. Contam. Toxicol.* 7:409-21 #176
- Jarvinen, A.W. and R.M. Tyo. 1978. Partial chronic food and water endrin toxicity to fathead minnows. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1978-14
- Jarvinen, A.W. and D.K. Tanner. 1982. Toxicity of selected controlled release and corresponding unformulated technical grade pesticides to the fathead minnow *Pimephales promelas*. *Environ. Pollut. Ser. A.* 27:179-95 #244
- Jarvinen, A.W., D.R. Mount, and G.T. Ankley. 1998. Development of tissue residue threshold values. In: EPA/823/R-98/002. Office of Water, USEPA, Washington, D.C. #1998-2
- Jarvinen, A.W., B.R. Nordling, and M.E. Henry. 1983. Chronic toxicity of Dursban (chlorpyrifos) to the fathead minnow (*Pimephales promelas*) and the resultant acetylcholinesterase inhibition. *Ecotoxicol. Environ. Saf.* 7:423-34 #262
- Jarvinen, A.W., Hoffman, M.J., and Thorslund, T.W. 1976. Toxicity of DDT food and water exposure to fathead minnows. EPA 600/3-76/114. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Jaworski, N.A. and O. Villa, Jr. 1981. A suggested approach for developing estuarine water quality criteria for management of eutrophication. In: *Estuaries and nutrients*. B.J. Neilsen and L.E. Cronin, eds. Pp. 499-516. Humana Press, Clifton, NJ. #1981-19
- Jaworski, N.A. 1981. Sources of nutrients and the scale of eutrophication problems in estuaries. In: *Estuaries and nutrients*. B.J. Neilsen and L.E. Cronin, eds. Pp. 83-110. Humana Press, Clifton, NJ. #1981-18
- Jaworski, N.A. and D.I. Mount. 1985. Use of statistical information to improve compatibility between the various components of the water quality based approach. In: *Aquatic toxicology and hazard assessment: Seventh symposium*. R.D. Cardwell, R. Purdy, R.C. Bahner, eds. Pp. 565-573. ASTM STP 854. American Society for Testing and Materials, Philadelphia, PA. #1985-20
- Jensen, A.L. 1982. Impact of a once-through cooling system on the yellow perch stock in the western basin of Lake Erie. *Ecol. Modell.* 15:127-144. #1982-4

Jensen, K.M. and G.T. Ankley. 2006. Evaluation of a commercial kit for measuring vitellogenin in the fathead minnow (*Pimephales promelas*). *Ecotox. Environ. Safety* 64:101-105. #890

Jensen, K.M., E.A. Makynen, M.D. Kahl, and G.T. Ankley. 2006. Effects of the feedlot contaminant 17 α -trenbolone on reproductive endocrinology of the fathead minnow. *Environ. Sci. Tech.* 40:3112-3117. #884

Jensen, K.M., J.J. Korte, M.D. Kahl, M.S. Pasha, and G.T. Ankley. 2001. Aspects of basic reproductive biology and endocrinology in the fathead minnow (*Pimephales promelas*). *Comp. Biochem. Physiol. Part C.* 128:127-41 #753

Jensen, K.M., Kahl, M.D., Makynen, E.A., Korte, J.J., Leino, R.L., Butterworth, B.C., and Ankley, G.T. 2004. Characterization of responses to the antiandrogen flutamide in a short-term reproduction assay with the fathead minnow. *Aquat. Toxicol.* 70:99-110. #835

Jensen, A.L. and T.A. Hamilton. 1982. Application of a conventional fishery model for assessment of entrainment and impingement impact. *Env. Biol. Fish.* 7(2):181-185. #1982-3

Jensen, D.A. and J.C. Brazner. 1988. Effects of chlorpyrifos on macroinvertebrates in littoral enclosures. In: *Proceedings of the Fourteenth Annual Aquatic Toxicity Workshop*, November 2-4, 1987, Toronto, Ontario. A.J. Niimi and K.R. Solomon, eds. Pp. 101-107. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1607. Department of Fisheries and Oceans, Burlington, Ontario. #1988-37

Jepsen, R. and W. Lick. 1996. Parameters affecting the adsorption of PCBs to suspended sediments from the Detroit River. *J. Great Lakes Res.* 22(2):341-353. #1996-28

Jepsen, R., S. Borglin, W. Lick, and D.L. Swackhamer. 1995. Parameters affecting the adsorption of hexachlorobenzene to natural sediments. *Environ. Toxicol. Chem.* 14(9):1487-1497. #1995-19

Johnson, L.B., C. Richards, G. E. Host, and J. W. Arthur. 1997. Landscape influences on water chemistry in midwestern stream ecosystems. *Freshwater Biol.* 37:193-208 #635

Johnson, R.D., J.E. Tietge, K.M. Jensen, J.D. Fernandez, A.L. Linnum, D.B. Lothenbach, G.W. Holcombe, P.M. Cook, S.A. Christ, D.L. Lattier, and D.A. Gordon. 1998. Toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin to early life stage brook trout (*Salvelinus fontinalis*) following parental dietary exposure. *Environ. Toxicol. Chem.* 17:2408-21 #692

Johnson, R.D., M.J. Mac, G.N. Stokes, J.E. Tietge, and F. Zhang. 1990. Absence of liver tumors in bullheads (*Ictalurus* spp.) collected from the lower Fox River and Green Bay Wisconsin. EPA/600/X-90/140. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-25

Johnson, R.D., J.E. Tietge, and G.N. Stokes. 1993. Validation of the medaka assay for chemical carcinogens. In: *Compendium of the FY1988 and FY1989 Research Reviews for the Research*

Methods Branch. Pp. 45-60. U.S. Army Biomedical Research and Development Laboratory, Fort Detrick, Frederick, MD. #1993-13

Johnson, R.D., J.E. Tietge, G.N. Stokes, and D.B. Lothenbach. 1993. The medaka carcinogenesis model. In: *Compendium of the FY1988 and FY1989 Research Reviews for the Research Methods Branch*. Pp. 147-172. U.S. Army Biomedical Research and Development Laboratory, Fort Detrick, Frederick, MD. #1993-14

Johnson, W.W. and Julin, A.M. 1980. Acute toxicity of toxaphene to fathead minnows, channel catfish, and bluegills. EPA/600/3-80/005. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract no. EPA IAG 141 (D).

Johnston, C.A., N.E. Detenbeck, and G.J. Niemi. 1990. The cumulative effect of wetlands on stream water quality and quantity: A landscape approach. *Biogeochemistry* 10:105-141. #1990-4

Johnston, C.A., T. Johnson, M. Kuehl, D. Taylor, and J. Westman. 1990. The effects of freshwater wetlands on water quality: a compilation of literature values. Natural Resources Research Institute, University of Minnesota, Duluth, MN and ASci Corporation, Duluth, MN. #1990-34

Johnston, C.A. 1992. Land-use activities and western Lake Superior water quality. In: *Making a Great Lake Superior*. J. Vander Wal and P.D. Watts, eds. Pp. 146-162. Occasional Paper #9. Lakehead University Centre for Northern Studies, Thunder Bay, Ontario. #1992-23

Johnston, C.A. 1989. Human impacts to Minnesota wetlands. *Journal of the Minnesota Academy of Science* 55(1):120-124. #1989-57

Johnston, C.A. 1989. Ecological research applications of Geographic Information Systems. EPA/600/D-89/179. Presented at GIS/LIS '89, American Society for Photogrammetry and Remote Sensing, November 26-30, 1989, Orlando, FL. #1989-1

Jones, P.D., G.T. Ankley, D.A. Best, R.A. Crawford, N. DeGalan, J.P. Giesy, T.J. Kubiak, J.P. Ludwig, J.L. Newsted, D.E. Tillitt, and D.A. Verbrugge. 1993. Biomagnification of bioassay derived 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents. *Chemosphere* 26:1203-12. #501

Jones, B.R., K.E.F. Hokanson, and J.H. McCormick. 1977. Winter temperature requirements for maturation and spawning of yellow perch *Perca flavescens* (Mitchell). In: *Proceedings of the World Conference - Towards a Plan of Actions for Mankind, vol. 3: Biological balance and thermal modifications*. M. Marois, ed. Pp. 189-192. Pergamon Press, New York, NY. #1977-11

Jones, B.R. and R.F. Syrett. 1974. Effects of constant winter temperatures on maturation and spawning of largemouth bass (*Micropterus salmoides*). National Environmental Research Center, USEPA, Corvallis, OR. #1974-6

Jones, P.D., J.P. Giesy, J.L. Newsted, D.A. Verbrugge, D.L. Beaver, G.T. Ankley, D.E. Tillitt, K. B. Lodge, and G.J. Niemi. 1993. 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents in tissues of birds at Green Bay, Wisconsin, USA. *Arch. Environ. Contam. Toxicol.* 24:345-54 #502

Jude, D.J., D. Albert, D.G. Uzarski, and J.C. Brazner. 2005. Lake Michigan's coastal wetlands: Distribution, biological components with emphasis on fish, and threats. In: *Ecovision World Monograph Series, State of Lake Michigan: Ecology, Health and Management*, T. Edsall & M. Munawar, eds., pp. 439-477. #4884

Jude, D., M. Flexner, R. Moll, P. Mansfield, D.S. White, and S. Hendricks. 1989. Water quality changes along the Detroit River and effects on entrained zooplankton and larval fish. Cooperative agreement project report. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1989-44

Jude, D.J., J. Janssen, and G. Crawford. 1995. Ecology, distribution, and impact of the newly introduced round tubenose gobies on the biota of the St. Clair & Detroit Rivers. In: *The Lake Huron ecosystem: Ecology, fisheries and management*. Munawar, M., T. Edsall, and J. Leach, eds. Pp. 447-460. Academic Publishing, Amsterdam, The Netherlands. #1995-6

Jude, D.J. and S.F. DeBoe. 1996. Possible impact of gobies and other introduced species on habitat restoration efforts. *Can. J. Fish. Aquat. Sci.* 53 (Suppl. 1):136-141. #1996-1

K

Kahl, M.D., K.M. Jensen, J.J. Korte, and G.T. Ankley. 2001. Effects of handling on endocrinology and reproductive performance of the fathead minnow (*Pimephales promelas*). *J. Fish Biol.* 59:515-23 #765

Kahl, M.D., C.L. Russom, D.L. DeFoe, and D.E. Hammermeister. 1999. Saturation units for use in aquatic bioassays. *Chemosphere* 39:539-51 #712

Kahl, M.D., E.A. Makynen, P.A. Kosian, and G.T. Ankley. 1997. Toxicity of 4-nonylphenol in a life-cycle test with the midge *Chironomus tentans*. *Ecotoxicol. Environ. Saf.* 38:155-60 #663

Kamlet, M.J., R.M. Doherty, G.D. Veith, R.W. Taft, and M.H. Abraham. 1986. Solubility properties in polymers and biological media. 7. An analysis of toxicant properties that influence inhibition of bioluminescence in *Photobacterium phosphoreum* (the Microtox test). *Environ. Sci. Technol.* 20:690-695 #322

Karabunarliev, S., O.G. Mekenyan, W. Karcher, C.L. Russom, and S.P. Bradbury. 1996. Quantum-chemical descriptors for estimating the acute toxicity of electrophiles to the fathead minnow (*Pimephales promelas*): An analysis based on molecular mechanisms. *Quant. Struct.-Act. Relat.* 15:302-10 #615

Karabunarliev, S., O.G. Mekenyan, W. Karcher, C.L. Russom, and S. . Bradbury. 1996. Quantum-chemical descriptors for estimating the acute toxicity of substituted benzenes to the

guppy (*Poecilia reticulata*) and fathead minnow (*Pimephales promelas*). *Quant. Struct.-Act. Relat.* 15:311-20 #616

Katopodes, N.D. and M. Piasecke. 1996. Site and size optimization of contaminant sources in surface water systems. *Journal of Environmental Engineering* 122(10):917-923. #1996-23

Kavlock, R.J., G.T. Ankley, J. Blancato, M.S. Breen, R.B. Conolly, D. Dix, K. Houck, E. Hubal, R. Judson, J. Rabinowitz, A.M. Richard, R.W. Setzer, I. Shah, D.L. Villeneuve, and E. Weber. 2008. Computational toxicology -- A state of the science mini review. *Tox. Sci.* 103:14-27. #4893

Kavlock, R., Ankley, G.T., Collette, T., Francis, E., Hammerstrom, K., Fowle, J., Tilson, H., Toth, G., Schmieder, P., Veith, G. D., Weber, E., Wolf, D.C., and Young, D. 2005. Computational toxicology: framework, partnerships, and program development, September 29-30, 2003, Research Triangle Park, North Carolina. *Reproductive Toxicol.* 19:265-280. #849

Kavlock, R.J. and G.T. Ankley. 1996. A perspective on the risk assessment process for endocrine-disruptive effects on wildlife and human health. *Risk Anal.* 16:731-39 #617

Keen, R.E. and D.I. Mount. 1980. Culturing aquatic crustaceans in dilute bottled mineral water (Hannibal's medium): A new twist for Perrier. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-9

Kelly, J.R. 2008. Nitrogen effects on coastal marine ecosystems. In: *Nitrogen in the Environment: Sources, Problems, and Management*, Second Edition, JL Hatfield and RF Follett, Eds., Elsevier, Amsterdam, the Netherlands, pp. 271-332. #4866

Kelly, J.R., P.M. Yurista, and C.W. West. 2005. Continuous spatial mapping from vessels: Results and experience using various sensors for water and sediments in the Great Lakes. *Council of Great Lakes Research Managers December 2004 Workshop*, Ann Arbor, MI at: <http://www.canamglass.org/workshop/pdf/FOWOTr.pdf>. #4489

Kelly, J.R. 2001. Nitrogen effects on coastal marine ecosystems. In: *Nitrogen in the Environment: Sources, Problems, and Management*. Follett, R.F. and Hatfield, J.L., Eds. pp. 207-251. Elsevier Science, New York, NY. #2001-11

Kelly, J.R. 1999. Excerpt from web page. *Missouri River Basin Conference*, week of March 22, 1999. #3476

Kelly, J.R. and P.H. Doering. 1999. Seasonal deepening of the pycnocline in a shallow shelf ecosystem and its influence on near-bottom dissolved oxygen. *Mar. Ecol. Prog. Ser.* 178:151-68 #707

Kelly, J.R. 1998. Quantification and potential role of ocean nutrient loading to Boston Harbor, Massachusetts, USA. *Mar. Ecol. Prog. Ser.* 173:53-65 #693

- Kelly, J.R. 1998. Nitrogen and phosphorus budgets for Boston Harbor, Massachusetts, USA: *Synopsis and Study of Global Change of the International Council of Scientific Unions (ICSU). Land-Ocean Interactions in the Coastal Zone Project (LOICZ), International Geosphere-Biosphere Programme.* #3386
- Kelly, J.R., R. Kropp, A. Uhler, M. Zielinski, and S. Tawatchai. 1998. Environmental response and recovery at drilling platforms in the Gulf of Thailand. Published proceedings: *SPE International Conference on Health, Safety and Environment in Oil and Gas Exploration and Production*, Caracas, Venezuela, June 7-10, 1998. #3354
- Kelly, J.R. 1997. Nutrients and human-induced change in the Gulf of Maine -- "one, if by land, and two, if by sea." In: *Proceedings of the Gulf of Maine ecosystem dynamics scientific symposium and workshop*. Wallace, G.T. and Brasch, E.F., Eds. pp. 169-181. RARGOM report, 97-1. Hanover, NH. #1997-12
- Kemble, N.E., F.J. Dwyer, C.G. Ingersoll, T.D. Dawson, and T.J. Norberg-King. 1999. Tolerance of freshwater test organisms to formulated sediments for use as control materials in whole-sediment toxicity tests. *Environ. Toxicol. Chem.* 18(2):222-230. #1999-21
- Kemp, J.R. and K.B. Wallace. 1990. Molecular determinants of the species-selective inhibition of brain acetylcholinesterase. *Toxicology and Applied Pharmacology* 104:246-258. #1990-9
- Kenaga, D.E., Creal, W.S., and Basch, R.E. 1983. Limnology of Michigan's nearshore waters of Lake Michigan. EPA/905/3-83/003. Great Lakes National Program Office, USEPA Region 5, Chicago, IL/ORD, USEPA, Duluth, MN, Project no. R005146-01.
- Kennel, S.J., G. Mason, and S. Safe. 1986. Monoclonal antibodies to chlorinated dibenzo-*p*-dioxins. *Chemosphere* 15(9-12):2007-2010. #1986-15
- Keough, J.R., M.E. Sierszen, and C.A. Hagley. 1996. Analysis of a Lake Superior coastal food web with stable isotope techniques. *Limnol. Oceanogr.* 41:136-46 #618
- Keough, J.R. and J. Griffin. 1994. Technical workshop on EMAP indicators for Great Lakes Coastal Wetlands. #1994-20
- Keough, J.R., C.A. Hagley, E. Ruzycski, and M.E. Sierszen. 1998. $\delta^{13}\text{C}$ composition of primary producers and role of detritus in a freshwater coastal ecosystem. *Limnol. Oceanogr.* 43:734-40 #685
- Keough, J.R. 1994. Understanding Great Lakes food webs using stable isotope signatures. *Great Lakes Wetlands* 5(4):1-2, 9-10. #1994-9
- Kerfoot, W.C., S.L. Harting, R. Rossmann, and J.A. Robbins. 2002. Elemental mercury in copper, silver and gold ores: An unexpected contribution to Lake Superior sediments with global implications. *Geochemistry: Exploration, Environment, Analysis* 2:185-202. #2002-10

- Kerfoot, W.C., S. Harting, R. Rossmann, and J.A. Robbins. 1999. Anthropogenic copper inventories and mercury profiles from Lake Superior: evidence for mining impacts. *J. Great Lakes Res.* 24(4):663-682. #1999-14
- Kimball, G. 1978. The effects of lesser known metals and one organic to fathead minnow (*Pimephales promelas*) and (*Daphnia magna*). #1978-3
- Kimble, P.F. and Temple, K.L. 1980. Microbial effect on the quality of leach water from eastern Montana coal mine spoils. EPA/600/3-80/046. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining. Part VII): Grant # R803950.
- King, R.S. and J.C. Brazner. 1999. Coastal wetland insect communities along a trophic gradient in Green Bay, Lake Michigan. *Wetlands* 19:426-37 #713
- Kingston, J.C., B.F. Cumming, A.J. Uutala, J.P. Smol, K.E. Camburn, D.F. Charles, S.S. Dixit, and R.G. Kreis, Jr. 1992. Biological quality control and quality assurance: a case study in paleolimnological biomonitoring. In: *Ecological Indicators, Volume 2*. McKenzie, D.H., Hyatt, D.E. and McDonald, V.J., eds. pp. 1542-1544. Elsevier Applied Sciences, New York, NY. #1992-32
- Kleiner, C.F., R.L. Anderson, and D.K. Tanner. 1984. Toxicity of fenitrothion to fathead minnows (*Pimephales promelas*) and alternative exposure duration studies with fenitrothion and endosulfan. *Arch. Environ. Contam. Toxicol.* 13:573-78 #279
- Kleinow, K.M., J.W. Nichols, W.L. Hayton, J.M. McKim, and M.G. Barron. 2008. Chapter 3. Toxicokinetics in fishes. In: *The Toxicology of Fishes*, R.T. DiGiulio and D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 55-152. #4970
- Kleinow, K., J. Baker, J. Nichols, F. Gobas, T. Parkerton, D. Muir, G. Monteverdi, and P. Mastrodone. 1999. Exposure, uptake, and disposition of chemicals in reproductive and developmental stages of selected oviparous vertebrates. In: *Reproductive and Developmental Effects of Contaminants in oviparous vertebrates*, Di Guillio, R.T. and Tillitt, D.E., eds., pp. 9-111. SETAC Press, Pensacola, FL. #1999-15
- Klemm, D.J., Morrison, G.E., Norberg-King, T.J., Peltier, W.H., and Heber, M.A. 1991. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to marine and estuarine organisms (Second edition). EPA/600/4-91/003. Environmental Monitoring Systems Laboratory, ORD, USEPA, Cincinnati, OH.
- Kletti, L.L. and H.G. Stefan. 1995. Empirical relationships between runoff and climate parameters: an analysis for Minnesota. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-25
- Kline, E.R., V.R. Mattson, Q.H. Pickering, D.L. Spehar, and C.E. Stephan. 1987. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 59:539-72 #345

- Kline, E.R., A.W. Jarvinen, and M.L. Knuth. 1989. Acute toxicity of triphenyltin hydroxide to three cladoceran species. *Environ. Pollut.* 56:11-17 #388
- Klump, J.V., J.L. Kaster, and M.E. Sierszen. 1991. *Mysis relicta* assimilation of hexachlorobiphenyl from sediments. *Can J. Fish. Aquat. Sci.* 48:284-89 #451
- Knuth, M.L. 1989. Determination of the insect growth regulator methoprene in natural waters by capillary gas-liquid chromatography. *Chemosphere* 18:2275-81 #389
- Knuth, M.L. and L.J. Heinis. 1995. Distribution and persistence of diflubenzuron within littoral enclosure mesocosms. *J. Ag. Food Chem.* 43:1087-97 #568
- Knuth, M.L. and L.J. Heinis. 1992. Dissipation and persistence of chlorpyrifos within littoral enclosures. *J. Ag. Food Chem.* 40:1257-63 #480
- Knuth, M.L., ed. 1992. Effects, persistence and distribution of azinphos-methyl in littoral enclosures. Environmental Research Laboratory, USEPA, Duluth, MN and Lake Superior Research Institute, University of Wisconsin-Superior, Superior, WI. #1992-3
- Knuth, M.L., L.J. Heinis, and L.E. Anderson. 2000. Persistence and distribution of azinphos-methyl following application to littoral enclosure mesocosms. *Ecotoxicol. Environ. Saf.* 47:167-77. #745
- Koenst, W.M. and Smith, L.L. 1982. Factors influencing growth and survival of white sucker, *Catostomus commersoni*. EPA/600/3-82/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB82-221474): Grant # R804501.
- Kolanczyk, R.C. and Schmieder, P.K. 2002. Rate and capacity of hepatic microsomal ring-hydroxylation of phenol to hydroquinone and catechol in rainbow trout (*Oncorhynchus mykiss*). *Toxicology* 176(1-2):77-90. #773
- Kolanczyk, R.C., I.R. Rutks, and H.R. Gutmann. 1991. The catalytic effect of bovine serum albumin on the ortho rearrangement of the potential ultimate carcinogen, N-(Sulfooxy)-2-(acetylamino)fluorene, generated enzymatically from N-Hydroxy-2-(acetylamino)fluorene and evidence for substrate specificity of the enzymatic sulfonation of arylhydroxamic acids. *Chem. Res. Toxicol.* 4:187-194. #1991-32
- Kolanczyk, R.C., Fitzsimmons, P.N., McKim, J.M., Sr., Erickson, R.J., and Schmieder, P.K. 2003. Effects of anesthesia (tricaine methanesulfonate, MS222) on liver biotransformation in rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 64:177-184. #792
- Kolanczyk, R., P. Schmieder, S. Bradbury, and T. Spizzo. 1999. Biotransformation of 4-methoxyphenol in rainbow trout (*Oncorhynchus mykiss*) hepatic microsomes. *Aquat. Toxicol.* 45:47-61 #705

Kolanczyk, R.C., H.R. Gutmann, and I.R. Rutks. 1992. Effect of bovine serum albumin on the extent of ortho rearrangement of N-(Sulfooxy)-2-fluorenylacetamide and of enzymatically activated N-Hydroxy-2-fluorenylacetamide and on the binding of reactive esters to nucleic acids. *Chem. Res. Toxicol.* 5:274-279. #1992-30

Koonce, J.F., T.B. Bagenal, R.F. Carline, K.E.F. Hokanson, and M. Nagiec. 1977. Factors influencing year-class strength of percids: A summary and model of temperature effects. *J. Fish. Res. Board Can.* 34:1900-1909 #152

Kopperman, H.L., D.W. Kuehl, and G.E. Glass. 1976. Chlorinated compounds found in waste-treatment effluents and their capacity to bioaccumulate. In: *Proceedings of the Conference on the Environmental Impact of Water Chlorination*, October 22-24, 1975, Oak Ridge, TN. R.L. Jolley, ed. Pp. 327-345. #1976-5

Korte, J.J., Mylchreest, E., and Ankley, G.T. 2004. Comparative evaluation of ELISAs for detecting vitellogenin in the fathead minnow (*Pimephales promelas*) -- a response to Tyler et al. *Comp. Biochem. Physiol. Part C* 138:533-536. #839

Korte, J.J., M.D. Kahl, K.M. Jensen, M.S. Pasha, L.G. Parks, G.A. LeBlanc, and G.T. Ankley. 2000. Fathead minnow vitellogenin: complementary DNA sequence and messenger RNA and protein expression after 17 β -estradiol treatment. *Environ. Toxicol. Chem.* 19:972-81 #730

Kosian, P., Lemke, A., Studders, K., and Veith, G. 1981. The precision of the ASTM bioconcentration test. EPA/600/3-81/022. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-168932).

Kosian, P.A. and G.T. Ankley. 1991. A summary of proposed methods for assessing contaminated sediments and deriving sediment quality criteria. Background document for the OECD Workshop on Contaminated Sediments, May 13-15, 1991, Copenhagen, Denmark. #1991-2

Kosian, P.A., R.A. Hoke, G.T. Ankley, and F.M. VanderMeiden. 1995. Determination of dieldrin binding to dissolved organic material in sediment pore water using a reverse-phase separation technique. *Environ. Toxicol. Chem.* 14:445-50 #569

Kosian, P.A., Makynen, E.A., Ankley, G.T., and Degitz, S.J. 2003. Uptake and metabolism of all-*trans* retinoic acid by three native North American ranids. *Toxicol. Sci.* 74:47-156. #794

Kosian, P.A., C.W. West, M.S. Pasha, J.S. Cox, D.R. Mount, R.J. Huggett, and G.T. Ankley. 1999. Use of nonpolar resin for reduction of fluoranthene bioavailability in sediment. *Environ. Toxicol. Chem.* 18:201-6 #697

Kosian, P.A., E.A. Makynen, P.D. Monson, D.R. Mount, A. Spacie, O.G. Mekenyan, and G.T. Ankley. 1998. Application of toxicity-based fractionation techniques and structure-activity relationship models for the identification of phototoxic polycyclic aromatic hydrocarbons in sediment pore water. *Environ. Toxicol. Chem.* 17:1021-33 #677

- Kratz, T.K., T.M. Frost, and J.J. Magnuson. 1987. Inferences from spatial and temporal variability in ecosystems: Long-term zooplankton data from lakes. *American Naturalist* 129(6):830-846. #1987-41
- Kratz, T.K., R.B. Cook, C.J. Bowser, and P.L. Brezonik. 1987. Winter and spring pH depressions in northern Wisconsin lakes caused by increases in $p\text{CO}_2$. *Can. J. Fish. Aquat. Sci.* 44(5):1082-1088. #1987-40
- Krausse, G.L., Schelske C.L., and C.O. Davis. 1983. Comparison of three wet-alkaline methods of digestion of biogenic silica in water. *Fresh. Biol.* 13:73-81. #1983-1
- Kreis, R.G., Jr., D. Woodring, and A.G. Kizlauskas. 1980. Conceptual framework for ranking hazardous sediments in the Laurentian Great Lakes. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1980-2
- Kreis, R.G., Jr., J.E. Rathbun, A.E. Maccubbin, R.A. Hites, V.E. Smith, M.J. Mac, J.C. Filkins, S.A. Rudolph, M.D. Mullin, K.A. Vargo, and K.P. McGunagle. 1989. An investigation of neoplasia in Detroit River fish and its relationship to sediment contamination. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1989-46
- Kreis, R.G., Jr. 1995. Data and summary report for zebra mussel analyses from the Smithland Lock and Dam, Ohio River, and the Black Rock Lock, Niagara River. Report to Waterway Experiment Station, U.S. Army Engineers, Vicksburg, MI. #1995-15
- Kreis, R.G., Jr. 2000. Integrated ecosystem response models for Lake Erie. In: *Great Lakes Modeling Summit: focus on Lake Erie*, Appendix B, pp. 6-11. #2000-2
- Kreis, R.G., Jr. 1999. Trenton Channel/Detroit River sediment assessment and remediation. In: *Deciding when to intervene: Data interpretation tools for making sediment management decisions beyond source control*. Appendix 10, pp. 57-59. #1999-16
- Kreis, R.G., Jr., ed. 1988. Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. #1988-4
- Krezoski, J.R. 1989. Sediment reworking and transport in eastern Lake Superior: *In situ* rare earth element tracer studies. *J. Great Lakes Res.* 15(1):26-33. #1989-22
- Krezoski, J.R. and J.A. Robbins. 1981. Radiotracer studies of interactions between sediments and freshwater macrobenthos (abstract only). *Very. Infernal. Verdin. Limnolo.* 21:382. #1981-6
- Kuehl, D.W. and R.C. Dougherty. 1980. Screening of human and food chain samples for contamination with toxic substances using negative chemical ionization mass spectrometry. In:

Advances in mass spectrometry, vol. 8B. A. Quayle, ed. Pp. 1451-1459. Heydon and Son, Ltd., London. #1980-15

Kuehl, D.W., J. Serrano, and S. Naumann. 1994. Identification of potentially mutagenic contaminants in the aquatic environment by liquid chromatographic-thermospray mass spectrometric characterization of in vitro DNA adducts. *J. Chromatography A* 684:113-19 #538

Kuehl, D.W., G.E. Glass, and F.A. Puglisi. 1974. Automatic high temperature vent system for a gas chromatograph/mass spectrometer interface. *Anal. Chem.* 46:804-5 #107

Kuehl, D.W. and R. Haebler. 1995. Organochlorine, organobromine, metal, and selenium residues in bottlenose dolphins (*Tursiops truncatus*) collected during an unusual mortality event in the Gulf of Mexico, 1990. *Arch. Environ. Contam. Toxicol.* 28:494-99 #570

Kuehl, D.W. 1977. Identification of trace contaminants in environmental samples by selected ion summation analysis of gas chromatographic-mass spectral data. *Anal. Chem.* 49:521-22 #153

Kuehl, D.W., E.J. Durhan, B.C. Butterworth, and D. Linn. 1984. Tetrachloro-9H-carbazole, a previously unrecognized contaminant in sediments of the Buffalo River. *J. Great Lakes Res.* 10:210-214 #281

Kuehl, D.W., E.J. Durhan, B.C. Butterworth, and D. Linn. 1984. Identification of polychlorinated planar chemicals in fishes from major watersheds near the Great Lakes. *Environ. Int.* 10:45-49 #280

Kuehl, D.W. 1981. Unusual polyhalogenated chemical residues identified in fish tissue from the environment. *Chemosphere* 10:231-42 #222

Kuehl, D.W., B.C. Butterworth, and P.J. Marquis. 1994. A national study of chemical residues in fish III: Study results. *Chemosphere* 29:523-35 #536

Kuehl, D.W., P.M. Cook, A.R. Batterman, D.B. Lothenbach, and B.C. Butterworth. 1987. Bioavailability of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from contaminated Wisconsin river sediment to carp. *Chemosphere* 16:667-79 #348

Kuehl, D.W., E.N. Leonard, B.C. Butterworth, and K.L. Johnson. 1983. Polychlorinated chemical residues in fish from major watersheds near the Great Lakes, 1979. *Environ. Int.* 9:293-99 #263

Kuehl, D.W. and R.C. Dougherty. 1980. Pentachlorophenol in the environment. Evidence for its origin from commercial pentachlorophenol by negative chemical ionization mass spectrometry. *Environ. Sci. Technol.* 14:447-49 #205

Kuehl, D.W. and J. Christensen. 1999. Determination of *kow* values for a series of aryl glucuronides. *Bull. Environ. Contam. Toxicol.* 63:109-16 #715

- Kuehl, D.W., E.N. Leonard, K.J. Welch, and G.D. Veith. 1980. Identification of hazardous organic chemicals in fish from the Ashtabula River, Ohio, and Wabash River, Indiana. *J. Assoc. Off. Anal. Chem.* 63:1238-44 #206
- Kuehl, D.W., H.L. Kopperman, G.D. Veith, and G.E. Glass. 1976. Isolation and identification of polychlorinated styrenes in Great Lakes fish. *Bull. Environ. Contam. Toxicol.* 16:127-32 #133
- Kuehl, D.W., P.M. Cook, A.R. Batterman, and B.C. Butterworth. 1987. Isomer-dependent bioavailability of polychlorinated dibenzo-*p*-dioxins and dibenzofurans from municipal incinerator fly ash to carp. *Chemosphere* 16:657-66 #347
- Kuehl, D.W. and Rozynov, B. 2003. Chromatographic and mass spectral studies of perfluorooctanesulfonate and three perfluorooctanesulfonamides. *Rap. Comm. Mass Spec.* 17: 2364-2369. #805
- Kuehl, D.W., B.C. Butterworth, W.M. DeVita, and C.P. Sauer. 1987. Environmental contamination by polychlorinated dibenzo-*p*-dioxins and dibenzofurans associated with pulp and paper mill discharge. *Biomed. Environ. Mass Spectrom.* 14:443-47 #346
- Kuehl, D.W. and E.N. Leonard. 1977. Isolation of xenobiotic chemicals from tissue samples by gel permeation chromatography. *Anal. Chem.* 50:182-85 #154
- Kuehl, D.W., B.C. Butterworth, and K.L. Johnson. 1986. Supplemental quality assurance criteria for high-resolution gas chromatography/high resolution mass spectrometric determination of 2,3,7,8- tetrachlorodibenzo-*p*-dioxin in biological tissue. *Anal. Chem.* 58:1598-99 #323
- Kuehl, D.W., R. Haebler, and C. Potter. 1991. Chemical residues in dolphins from the U.S. Atlantic coast including Atlantic bottlenose obtained during the 1987/88 mass mortality. *Chemosphere* 22:1071-84 #454
- Kuehl, D.W., G.T. Ankley, L.P. Burkhard, D.A. Jensen, and J.J. Jenson. 1989. Toxicity profiles for aquatic impacts as waste leachate characteristics: Toxicity characteristics of creosote and latex paint leachates. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-51
- Kuehl, D.W., P.M. Cook, and A.R. Batterman. 1986. Uptake and depuration studies of PCDDs and PCDFs in freshwater fish. *Chemosphere* 15:2023-26 #324
- Kuehl, D.W., K.L. Johnson, B.C. Butterworth, E.N. Leonard, and G.D. Veith. 1981. Quantification of octachlorostyrene and related compounds in Great Lakes fish by gas chromatography-mass spectrometry. *J. Great Lakes Res.* 7:330-335 #223
- Kuehl, D.W., G.D. Veith, and E.N. Leonard. 1978. Brominated compounds found in waste-treatment effluents and their capacity to bioaccumulate. In: *Water chlorination environmental*

impact and health effects, vol. 2. R.L. Jolley, H. Gorchev, and D.H. Hamilton, Jr., eds. Pp. 175-192. Ann Arbor Science, Ann Arbor, MI. #1978-8

Kuehl, D.W., P.M. Cook, A.R. Batterman, and D.B. Lothenbach. 1985. Bioavailability of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin from municipal incinerator fly ash to freshwater fish. *Chemosphere* 14:427-37 #298

Kuehl, D.W., P.M. Cook, and A.R. Batterman. 1985. Studies on the bioavailability of 2,3,7,8-TCDD from municipal incinerator flyash to freshwater fish. *Chemosphere* 14:871-72 #297

Kuehl, D.W., R. Haebler, and C. Potter. 1994. Coplanar PCB and metal residues in dolphins from the U.S. Atlantic coast including Atlantic bottlenose obtained during the 1987/88 mass mortality. *Chemosphere* 28:1245-53 #537

Kuehl, D.W., M.J. Whitaker, and R.C. Dougherty. 1980. Micromethods for toxic residue screening by negative chemical ionization mass spectrometry. *Anal. Chem.* 52:935-40 #207

Kuehl, D.W., B.C. Butterworth, A. McBride, S. Kroner, and D. Bahnick. 1989. Contamination of fish by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin: A survey of fish from major watersheds in the United States. *Chemosphere* 18:1997-2014 #390

Kuehl, D.W., L. Eisenschenk, S. Naumann, R.D. Johnson, R.R. Regal, P. Barnidge, and J.M. McKim. 1991. Comparison of nucleoside concentration in blood of fish with and without tumors. *Bull. Environ. Contam. Toxicol.* 46:713-19 #453

Kuehl, D.W., G.T. Ankley, L.P. Burkhard, and D.A. Jensen. 1990. Bioassay directed characterization of the acute aquatic toxicity of a creosote leachate. *Hazard. Waste & Hazard. Mater.* 7:283-91 #422

Kuehl, D.W., B.C. Butterworth, J.J. Libal, and P.J. Marquis. 1991. An isotope dilution high resolution gas chromatographic-high resolution mass spectrometric method for the determination of coplanar polychlorinated biphenyls: Application to fish and marine mammals. *Chemosphere* 22:849-58 #452

Kuehl, D.W., R.C. Dougherty, Y. Tondeur, D.L. Stalling, L.M. Smith, and C. Rappe. 1981. Negative chemical ionization studies of polychlorinated dibenzo-*p*-dioxins, dibenzofurans, and naphthalenes in environmental samples. In: *Environmental health chemistry - The chemistry of environmental agents as potential human hazards*. J. D. McKinney, ed. Pp. 245-261. Ann Arbor Science, Ann Arbor, MI. #1981-15

Kurtz, J., N.E. Detenbeck, V. Engle, K. Ho, L.M. Smith, S.J. Jordan, and D. Campbell. 2006. Classifying coastal waters: Current necessity and historical perspective. *Estuaries and Coasts* 29:107-123. #886

L

Lahvis, G.P., R.S. Wells, D.W. Kuehl, J.L. Stewart, H.L. Rhinehart, and C.S. Via. 1995. Decreased lymphocyte response in free-ranging bottlenose dolphins (*Tursiops truncatus*) are associated with increased concentrations of PCBs and DDT in peripheral blood. *Environ. Health Perspect.* 103:67-72 #571

Landrum, P.F. and R. Poore. 1988. Toxicokinetics of selected xenobiotics in *Hexagenia limbata*. *J. Great Lakes Res.* 14(4):427-437. #1988-17

Large Lakes Research Station. 1987. Presentations and publications (revised 11/30/87). Large Lakes Research Station, USEPA, Grosse Ile, MI. #1987-4

Large Lakes Research Station. 1988. Report on project planning for the Green Bay Physical-Chemical Mass Balance and Food Chain Models. Large Lakes Research Station, USEPA, Grosse Ile, MI and Environmental Research Laboratory, USEPA, Duluth, MN. #1988-48

Larkin, P., D.L. Villeneuve, I. Knoebl, A.L. Miracle, B.J. Carter, L. Liu, N.D. Denslow, and G.T. Ankley. 2007. Development and validation of a 2,000 gene microarray in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 26:1497-1506. #4692

Larsen, D.P., F. DeNoyelles, Jr., F. Stay, and T. Shiroyama. 1986. Comparisons of single-species, microcosm and experimental pond responses to atrazine exposure. *Environ. Toxicol. Chem.* 5:179-90 #325

Larson, G.L., Warren, C.E., Hutchins, F.E., Lamperti, L.P., Schlesinger, D.A., and Seim, W.K. 1978. Toxicity of residual chlorine compounds to aquatic organisms. EPA/600/3-78/023. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802286.

Lauritsen, D.D., S.C. Mozley, and D.S. White. 1985. Distribution of oligochaetes in Lake Michigan and comments on their use as indices of pollution. *J. Great Lakes Res.* 11(1):67-76. #1985-15

Lech, J. and Melancon, M. 1980. Uptake, metabolism and disposition of xenobiotic chemicals in fish: Wisconsin Power Plant Impact Study. EPA/600/3-80/082. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant no. R803971.

Lee, G.F. and G.D. Veith. 1971. Effects of thermal discharges on the chemical parameters of water quality and eutrophication. Proceedings of the International Symposium for Identification and Measurements of Pollution in the Environment, Ottawa, Canada, June 1971. #1971-3

Lee, G.F. 1980. An evaluation of hazardous chemicals in Lake Ontario during IFYGL. EPA/600/3-80/060. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-803187.

Lee, D.Y., W. Lick, and S.W. Kang. 1981. The entrainment and deposition of fine-grained sediments in Lake Erie. *J. Great Lakes Res.* 7(3):224-233. #1981-5

- Leino, R.L., Jensen, K.M., and Ankley, G.T. 2005. Gonadal histology and characteristic histopathology associated with endocrine disruption in the adult fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Pharm.* 19:85-98. #850
- Leino, R.L., J.H. McCormick, and K.M. Jensen. 1988. Effects of acid and aluminum on swim bladder development and yolk absorption in the fathead minnow, *Pimephales promelas*. In: *Proceedings of the Fourteenth Annual Aquatic Toxicity Workshop*, November 2-4, 1987, Toronto, Ontario. A.J. Niimi and K.R. Solomon, eds. Pp. 37-41. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1607. Department of Fisheries and Oceans, Burlington, Ontario. #1988-39
- Leino, R.L. and J.H. McCormick. 1984. Morphological and morphometrical changes in chloride cells of the gills of *Pimephales promelas* after chronic exposure to acid water. *Cell Tissue Res.* 236:121-28 #282
- Leino, R.L., J.H. McCormick, and K.M. Jensen. 1992. Long-term effects of an acute acid pulse on juvenile black crappie, *Pomoxis nigromaculatus*. In: *Proceedings of the Eighteenth Annual Aquatic Toxicity Workshop*, Sept. 30-Oct. 3, 1991, Ottawa, Ontario. Pp. 369-371. (Presented at the Sixteenth Annual Aquatic Toxicity Workshop, Nov. 6-8, 1989, Winnipeg, Manitoba.) #1992-13
- Leino, R.L. and J.H. McCormick. 1997. Reproductive characteristics of the ruffe, *Gymnocephalus cernuus*, in the St. Louis River estuary on western Lake Superior: A histological examination of the ovaries over one annual cycle. *Can. J. Fish. Aquat. Sci.* 54:256-63 #649
- Leino, R.L. 1991. Histopathological effects of acidification on largemouth bass, rock bass, and yellow perch from Little Rock Lake. Final report to the USEPA for EPA/CR-814582/012. Environmental Research Laboratory, USEPA, Duluth, MN. #1991-6
- Leino, R.L. 1991. Histomorphological changes and ionoregulatory physiology in largemouth bass exposed to overwintering conditions and elevated aluminum in acid water. Final report, Contract no. CR-81-4582-01-3, Environmental Research Laboratory, USEPA, Duluth, MN. #1991-7
- Leino, R.L. and J.H. McCormick. 1993. Histopathological effects of experimental acidification on largemouth bass, rock bass, and yellow perch from Little Rock Lake, Wisconsin. In: *Proceedings of the Nineteenth Annual Aquatic Toxicity Workshop*, October 4-7, 1992, Edmonton, Alberta. E.G. Baddaloo, S. Ramamoorthy, and J.W. Moore, eds. Pp. 201-223. Canadian Technical Report of Fisheries and Aquatic Sciences 1942. Department of Fisheries and Oceans, Canada. #1993-15
- Leino, R.L., J.H. McCormick, and K.M. Jensen. 1990. Multiple effects of acid and aluminum on brood stock and progeny of fathead minnow, with emphasis on histopathology. *Can. J. Zool.* 68:234-44 #423

Leino, R.L. and J.H. McCormick. 1990. Histopathological effects of experimental acidification on largemouth bass, rock bass, and yellow perch from Little Rock Lake, Wisconsin. #1990-4

Leino, R.L., P. Wilkinson, and J.G. Anderson. 1987. Histopathological changes in the gills of pearl dace, *Semotilus margarita*, and fathead minnows, *Pimephales promelas*, from experimentally acidified Canadian lakes. *Can. J. Fish. Aquat. Sci.* 44 (Suppl.1):126-134/1987-42

Leino, R.L., J.H. McCormick, and K.M. Jensen. 1987. Changes in gill histology of fathead minnows and yellow perch transferred to soft water or acidified soft water with particular reference to chloride cells. *Cell Tissue Res.* 250:389-99 #349

Leino, R.L. and J.H. McCormick. 1993. Responses of juvenile largemouth bass to different pH and aluminum levels at overwintering temperatures: Effects on gill morphology, electrolyte balance, scale calcium, liver glycogen, and depot fat. *Can. J. Zool.* 71:531-43 #503

Leino, R.L., J.G. Anderson, and J.H. McCormick. 1983. Development of apical pits in chloride cells of the gills of *Pimephales promelas* after chronic exposure to acid water. In: *Proceedings of the 41st Annual Meeting of the Electron Microscopy Society of America*. G.W. Bailey, ed. Pp. 462-463. San Francisco Press, San Francisco, CA. #1983-12

Leino, R.L., J.H. McCormick, and K.M. Jensen. 1992. Long-term effects of an acute acid pulse on juvenile black crappie, *Pomoxis nigromaculatus*. In: *Proceedings of the Eighteenth Annual Aquatic Toxicity Workshop*, Sept. 30-Oct. 3, 1991, Ottawa, Ontario. Pp. 369-371. (Presented at the Sixteenth Annual Aquatic Toxicity Workshop, Nov. 6-8, 1989, Winnipeg, Manitoba.) #1992-13

Lemke, A.E., Brungs, W.A., and Halligan, B.J. 1978. Manual for construction and operation of toxicity-testing proportional diluters. EPA 600/3-78/072. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Lemke, A.E. Interlaboratory comparison of continuous flow, early life stage testing with fathead minnows. EPA/600/3-84/005. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB84-129493).

Lemke, A.E. and Anderson, R.L. Insect interlaboratory toxicity test comparison study for the Chironomid (*Paratanytarsus* sp.) procedure. EPA/600/3-84/054. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB84-180025).

Lemke, A.E. Interlaboratory comparison acute testing set. EPA/600/3-81/005. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-160772).

Lemke, A.E., Durhan, E., and Felhaber, T. 1983. Evaluation of a fathead minnow *Pimephales promelas* embryo-larval test guideline using acenaphthene and isophorone. EPA/600/3-83/062. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-2434360)

Lemke, A.E. 1979. Round-robin fish acutes test group. #1979-1

Lemke, A.E. 1964. A new design for constant-flow test chambers. *Progressive Fish Culturist* 26:136-138. #1964-2

Lemke, A.E. 1983. Agrochemical hazards in aquatic systems and evaluation of such hazards with emphasis on developing countries. In: *Proceedings of the International Conference on Environmental Hazards of Agrochemicals in Developing Countries, vol. 1*, November 8-12, 1983, Alexandria, Egypt. Pp. 417-433. Alexandria University, Egypt. #1983-13

Lemke, A.E. 1977. Optimum temperature for growth of juvenile bluegills. *Prog. Fish-Cult.* 39:55-57 #155

Lemke, A.E. and W.F. Dawson. 1979. Temperature-monitoring and safety-control device. *Prog. Fish-Cult.* 41:165-66 #189

Lemke, A.E. 1969. A water hardener for experimental use. *J. Am. Water Works Assoc.* 61:415-16 #30

Lemke, A.E. and V.R. Mattson. 1969. An emergence trap for aquatic insects. *Mich. Entomol.* 2:19-21 #31

Lemke, A.E. and D.I. Mount. 1963. Some effects of alkyl benzene sulfonate on the bluegill, *Lepomis macrochirus*. *Trans. Am. Fish. Soc.* 92(4):372-378. #1963-1

Leo, A.J. 1989. Increasing the accuracy of computer calculated log P (oct/water) values. In: *QSAR: Quantitative structure-activity relationships in drug design*. Alan R. Liss, Inc. Pp. 53-58. #1980-4

Leonard, E.N., A.M. Cotter, and G.T. Ankley. 1996. Modified diffusion method for analysis of acid volatile sulfides and simultaneously extracted metals in freshwater sediment. *Environ. Toxicol. Chem.* 15:1479-81 #620

Leonard, E.N., G.T. Ankley, and R.A. Hoke. 1996. Evaluation of metals in marine and freshwater surficial sediments from the environmental monitoring and assessment program relative to proposed sediment quality criteria for metals. *Environ. Toxicol. Chem.* 15:2221-32 #619

Leonard, E.N., V.R. Mattson, and G.T. Ankley. 1995. Horizon-specific oxidation of acid volatile sulfide in relation to the toxicity of cadmium spiked into a freshwater sediment. *Arch. Environ. Contam. Toxicol.* 28:78-84 #572

Leonard, E.N., V.R. Mattson, D.A. Benoit, R.A. Hoke, and G.T. Ankley. 1993. Seasonal variation of acid volatile sulfide concentration in sediment cores from three northeastern Minnesota lakes. *Hydrobiologia* 271:87-95 #504

- Leonard, E.N. 1971. The determination of copper in fish tissues by atomic absorption spectrophotometry. *Atomic Absorp. Newsl.* 10:84-85 #55
- Leonard, E.N., D.R. Mount, and G.T. Ankley. 1999. Modification of metal partitioning by supplementing acid volatile sulfide in freshwater sediments. *Environ. Toxicol. Chem.* 18:858-64 #708
- Lewis, M.J. 1972. A core collection in water supply and pollution control. *Special Libraries Association Newsletter* No. 3:8-11. #1972-9
- Liber, K., D.J. Call, T.D. Dawson, F.W. Whiteman, and T.M. Dillon. 1996. Effects of *Chironomus tentans* larval growth retardation on adult emergence and ovipositing success: Implications for interpreting freshwater sediment bioassays. *Hydrobiologia* 323:155-67 #621
- Liber, K., D.J. Call, T.P. Markee, K.L. Schmude, M.D. Balcer, F.W. Whiteman, and G.T. Ankley. 1996. Effects of acid-volatile sulfide on zinc bioavailability and toxicity to benthic macroinvertebrates: A spiked-sediment field experiment. *Environ. Toxicol. Chem.* 15:2113-25 #622
- Liber, K., J.A. Gangl, T.D. Corry, L.J. Heinis, and F.S. Stay. 1999. Lethality and bioaccumulation of 4-nonylphenol in bluegill sunfish in littoral enclosures. *Environ. Toxicol. Chem.* 18:394-400 #704
- Liber, K., M.L. Knuth, and F.S. Stay. 1999. An integrated evaluation of the persistence and effects of 4-nonylphenol in an experimental littoral ecosystem. *Environ. Toxicol. Chem.* 18:357-62 #703
- Lick, W. and J. Lick. 1988. Aggregation and disaggregation of fine-grained lake sediments. *J. Great Lakes Res.* 14(4):514-523. #1988-8
- Lick, W. 1976. Numerical models of lake currents. EPA/ 600/3-76/020. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R-802359.
- Lick, W. and S.W. Kang. 1987. Entrainment of sediments and dredged materials in shallow lake waters. *J. Great Lakes Res.* 13(4):619-627. #1987-9
- Lick, W. 1982. Entrainment, deposition, and transport of fine-grained sediments in lakes. *Hydrobiologia* 91:31-40. #1982-6
- Lick, W. and V. Rapaka. 1996. A quantitative analysis of the dynamics of the sorption of hydrophobic organic chemicals to suspended sediments. *Environ. Toxicol. Chem.* 15(7):1038-1048. #1996-21
- Lick, W., J. Lick, and C.K. Ziegler. 1994. The resuspension and transport of fine-grained sediments in Lake Erie. *J. Great Lakes Res.* 20(4):599-612. #1994-28

- Lick, W. 1986. Modeling the transport of fine-grained sediments in aquatic systems. *The Science of the Total Environment* 55:219-228. #1986-19
- Lick, W., Y.-J. Xu, and J. McNeil. 1995. Resuspension properties of sediments from the Fox, Saginaw, and Buffalo Rivers. *J. Great Lakes Res.* 21(2):257-274. #1995-22
- Lick, W., K. Ziegler, and C.H. Tsai. 1988. Resuspension, deposition and transport of fine-grained sediments in rivers and near-shore areas (Appendix G). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix G. #1988-4
- Lien, G.J., J.M. McKim, A.D. Hoffman, and C.T. Jenson. 2001. A physiologically based toxicokinetic model for lake trout (*Salvelinus namaycush*). *Aquat. Toxicol.* 51:335-50 #749
- Lien, G.J., J.W. Nichols, J.M. McKim, and C.A. Gallinat. 1994. Modeling the accumulation of three waterborne chlorinated ethanes in fathead minnows (*Pimephales promelas*): A physiologically based approach. *Environ. Toxicol. Chem.* 13:1195-205 #539
- Lien, G.J., Biesinger, K.E., Anderson, L.E., Leonard, E.N., and Gibbons, M.A. 1986. A toxicity evaluation of lower Fox River water and sediments. EPA/600/3-86/008. *Environmental Research Laboratory, ORD, USEPA, Duluth, MN.*
- Lien, G.J. and J.M. McKim. 1993. Predicting branchial and cutaneous uptake of 2,2',5,5'-tetrachlorobiphenyl in fathead minnows (*Pimephales promelas*) and Japanese medaka (*Oryzias latipes*): Rate limiting factors. *Aquat. Toxicol.* 27:15-32 #505
- Lima, A.R., C. Curtis, D.E. Hammermeister, T.P. Markee, C.E. Northcott, and L.T. Brooke. 1984. Acute and chronic toxicities of arsenic(III) to fathead minnows, flagfish, daphnids, and an amphipod. *Arch. Environ. Contam. Toxicol.* 13:595-601 #283
- Limno-Tech, Inc. 1995. A preliminary ecosystem modeling study of zebra mussels (*Dreissena polymorpha*) in Saginaw Bay, Lake Huron. Cooperative Agreement #CR-818560. Prepared for Great Lakes Program, State University of New York at Buffalo, Buffalo, NY by Environmental Research Laboratory-Duluth and Large Lakes and Rivers Research Branch, Grosse Ile, MI, USEPA. #1995-2
- Lin, J.C., J.L. Schnoor, and G.E. Glass. 1987. Ion budgets in a seepage lake. In: *Sources and fates of aquatic pollutants*. Advances in Chemistry Series No. 216. R.A. Hites, and S.J. Eisenreich, eds. Pp. 210-227. American Chemical Society, Chicago, IL. #1987-37
- Lin, C.K. and Schelske, C.L. 1979. Effects of nutrient enrichment, light intensity, and temperature on growth of phytoplankton from Lake Huron. EPA/600/3-79/049. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800965.

Lind, A.E. and G.E. Glass. 1990. Asbestos contamination of Lake Superior: ten years of litigation -- U.S.A. vs Reserve Mining Company. In: Contaminants and Sediments -- volume 1, pp. 219-270. #1990-7

Lindau, C.W., R.D. DeLaune, S. Jiraporncharoen, and D. Manajuti. 1991. Nitrous oxide and dinitrogen emissions from *Panicum hemitomon* S. freshwater marsh soils following addition of N-15 labelled ammonium and nitrate. *Journal of Freshwater Ecology* 6(2):191-198. #1991-11

Liss, W.J., B.L. McClurken-Lilley, and D.S. Lee. 1984. Structure and organization of persistent aquatic laboratory communities exposed to the insecticide dieldrin. EPA600/S3-84/013. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-16

Liss, W.J., Woltering, D.M., Finger, S.E., Kulbicki, M.L., and McClurken, B. 1982. Organization and adaptation of aquatic laboratory ecosystems exposed to the pesticide dieldrin. EPA/600/3-82/050. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB82-219122): Grant # R804622.

Lodge, K.B. 1990. Measurement of K_p , K_{oc} and related quantities with particular reference to Lake Ontario and the Hyde Park case. In: Lake Ontario TCDD bioaccumulation study, final report. Chapter 5. USEPA, New York State Department of Environmental Conservation, New York State Department of Health, and Occidental Chemical Corporation. #1990-18

Lodge, K.B. 1989. Solubility studies using a generator column for 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Chemosphere* 18(1-6):933-940. #1989-19

Lodge, K.B. and P.M. Cook. 1989. Partitioning studies of dioxin between sediment & water: The measurement of K_{oc} for Lake Ontario sediment. *Chemosphere* 19:439-44 #391

Longstaff, B.C. 1977. The dynamics of collembolan populations: a matrix model of single species population growth. *Can. Jrl. Zool.* 55:314-324. #1977-21

Lorenz, R.C. and C.E. Herdendorf. 1982. Growth dynamics of *Cladophora glomerata* in western Lake Erie in relation to some environmental factors. *J. Great Lakes Res.* 8(1):42-53. #1982-16

Loucks, O.L. 1982. The concern for acidic deposition in the Great Lakes region. In: *Acid precipitation: Effects on ecological systems*. D'Itri, F.M., ed. Ann Arbor Science, Ann Arbor, MI. Pp. 21-41. #1982-13

Loucks, O.L. and G.E. Glass. 1984. US/Canada aquatic impacts assessment: Integration of experimental studies, monitoring and modeling of acidic deposition effects. In: Modeling of total acid precipitation impacts. J.L. Schnoor, ed. Butterworth Publishers, Stoneham, MA. #1984-12

- Loucks, O.L. 1984. Use of forest site index for evaluating terrestrial resources at risk from acidic deposition. In: *Direct and indirect effects of acidic deposition on vegetation*. Linthurst, R.A., ed. Butterworth Publishers, Boston, MA. Pp. 97-109. #1984-8
- Loucks, O.L., G.E. Glass, J.A. Sorensen, B.W. Liukkonen, J.D. Allert, and G.R. Rapp, Jr. 1986. Role of precipitation chemistry versus other watershed properties in Wisconsin lake acidification. *Water Air Soil Pollut.* 31:67-77 #326
- Loucks, O.L., G.E. Glass, J.A. Sorensen, and G. Rapp, Jr. 1989. Acidification of long-renewal-time lakes in Wisconsin and Michigan. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-50
- Lozano, S.J., S.L. O'Halloran, K.W. Sargent, and J.C. Brazner. 1992. Effects of esfenvalerate on aquatic organisms in littoral enclosures. *Environ. Toxicol. Chem.* 11:35-47 #481
- Lozano, S.J., J.C. Brazner, M.L. Knuth, L.J. Heinis, K.W. Sargent, D.K. Tanner, L.E. Anderson, S.L. O'Halloran, S.L. Bertelsen, D.A. Jensen, E.R. Kline, M.D. Balcer, F.S. Stay, and R.E. Siefert. 1989. Effects, persistence and distribution of esfenvalerate in littoral enclosures. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1989-56
- Lozano, S.J. 1988. Use of mesocosms in evaluating the health of aquatic ecosystems. In: *Protection of River Basins, Lakes, and Estuaries: fifteen years of cooperation toward solving environmental problems in the USSR and USA*. Ryans, R.C., ed. pp. 107-115, American Fisheries Society, Bethesda, MD. #1988-61
- Lozano, S.J., J.V. Scharold, and T.F. Nalepa. 2001. Recent declines in benthic macroinvertebrate densities in Lake Ontario. *Can. J. Fish. Aquat. Sci.* 58:518-29 #757
- Lukasewycz, M.T. and Burkhard, L.P. 2005. Complete elimination of carbonates: a critical step in the accurate measurement of organic and black carbon in sediments. *Environ. Toxicol. Chem.* 24(9): 2218-2221. #865
- Lukasewycz, M.T. and E.J. Durhan. 1992. Strategies for the identification of non-polar toxicants in aqueous environmental samples using toxicity-based fractionation and gas chromatography-mass spectrometry. *J. Chromatogr. Biomed. Appl.* 580:215-28 #482
- Lukasewycz, M.T., C.M. Bleringer, R.J. Liukkonen, M.E. Fitzsimmons, H.F. Corcoran, S. Lin, and R.M. Carlson. 1989. Analysis of inorganic and organic chloramines: Derivatization with 2-mercaptobenzothiazole. *Environ. Sci. Technol.* 23:196-199. #1989-15

M

- Maccubbin, A.E., N. Ersing, and M.E. Frank. 1991. Mutagenicity of sediments from the Detroit River. *J. Great Lakes Res.* 17(3):314-321. #1991-19

Maccubbin, A.E. and N. Ersing. 1991. Tumors in fish from the Detroit River. *Hydrobiologia* 219:301-306. #1991-18

Maccubbin, A.E., J. Black, and J.C. Harshbarger. 1988. A case report of hepatocellular neoplasia in bowfin, *Amia calva* L. (Appendix R). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix R. (Also published in *J. Fish Diseases* 10(4):329-331.). #1988-4

Maccubbin, A.E. 1988. Biological effects on in-place pollutants: Neoplasia in fish and related causal factors in the Detroit River system (Appendix Q). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. App. Q. #1988-4

Macek, K.J., Buxton, K.S., Derr, S.K., Dean, J.W., and Sauter, S. 1976. Chronic toxicity of lindane to selected aquatic invertebrates and fishes. EPA/600/3-76/046. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-01-0154 Contract # 68-01-1841.

Macek, K.J., Buxton, K.S., Sauter, S., Gnilka, S., and Dean, J.W. 1976. Chronic toxicity of atrazine to selected aquatic invertebrates and fishes. EPA/600/3-76/047. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-01-0092 Contract # 68-01-1844.

Macek, K.J., Lindberg, M.A., Sauter, S., Buxton, K.S., and Costa, P.A. 1976. Toxicity of four pesticides to water fleas and fathead minnows. EPA/600/3-76/099. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-01-0738.

Mackenthun, A.A. and H.G. Stefan. 1994. Experimental study of sedimentary oxygen demand in lakes: Dependence on near-bottom flow velocities and sediment properties. Project Report No. 358, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1994-11

Mackie, G.L., White, D.S., and Zdeba, T.W. 1980. A guide to freshwater mollusks of the Laurentian Great Lakes with special emphasis on the genus *Pisidium*. EPA/600/3-80/068. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # 805333.

Magnuson, J.J., Rahel, F.J., Talbot, M.J. Forbes, A.M., and Medvick, P.A. 1980. Ecological studies of fish near a coal-fired generating station and related laboratory studies: Wisconsin Power Plant Impact Study. EPA/600/3-80/078. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.

- Magnuson, J.J., K.E. Webster, R.A. Assel, C.J. Bowser, P.J. Dillon, J.G. Eaton, H.E. Evans, E.J. Fee, R.I. Hall, L.R. Mortsch, D.W. Schindler, and F.H. Quinn. 1997. Potential effects of climate changes on aquatic systems: Laurentian Great Lakes and Precambrian Shield region. *Hydro. Processes* 11:825-871. #1997-10
- Magnuson, V.R., D.K. Harriss, M.S. Sun, D.K. Taylor, and G.E. Glass. 1979. Relationships of activities of metal-ligand species to aquatic toxicity. In: *Chemical modeling in aqueous systems*. ACS Symposium Series No. 93. E.A. Jenne, ed. Pp. 635-655. American Chemical Society. #1979-3
- Magnuson, J.J., Forbes, A.M., Harrell, D.M., and Schwarzmeier, J.D. 1980. Responses of stream invertebrates to an ashpit effluent: Wisconsin power plant impact study. EPA/600/3-80/081. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant no. R803971.
- Maier, W.J. and W.R. Swain. 1978. Lake Superior organic carbon budget. *Water Research* 12(6):403-412. #1978-6
- Makynen, E.A., M.D. Kahl, K.M. Jensen, J.E. Tietge, K.L. Wells, G. Van der Kraak, and G.T. Ankley. 2000. Effects of the mammalian antiandrogen vinclozolin on development and reproduction of the fathead minnow (*Pimephales promelas*). *Aquat. Toxicol.* 48:461-75 #735
- Mancy, K.H. and Allen, H.E. 1977. A controlled bioassay system for measuring toxicity of heavy metals. EPA/600/3-77/037. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 14-12-591.
- Marchini, S., M.L. Tosato, T.J. Norberg-King, D.E. Hammermeister, and M.D. Hoglund. 1992. Lethal and sublethal toxicity of benzene derivatives to the fathead minnow, using a short-term test. *Environ. Toxicol. Chem.* 11:187-95 #483
- Marcus, M.D., Bergman, H.L., Stoller, D.A., Brown, S.K., and Molholt, P.A., compilers. 1980. Bibliography of aquatic ecosystem effects, analytical methods and treatment technologies for organic compounds in advanced fossil-fuel processing effluents. EPA/600/3-80/026. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, IAG ET-77-S-03-1761, IAG ET-78-C-03-1761, IAG DE-AS20-79-LC-01761.
- Marquis, P.J., R.L. Hanson, M.L. Larsen, W.M. DeVita, B.C. Butterworth, and D.W. Kuehl. 1994. Analytical methods for a national study of chemical residues in fish II: Pesticides and polychlorinated biphenyls. *Chemosphere* 29:509-21 #541
- Marquis, P.J., M. Hackett, L.G. Holland, M.L. Larsen, B.C. Butterworth, and D.W. Kuehl. 1994. Analytical methods for a national study of chemical residues in fish I: Polychlorinated dibenzo-*p*-dioxins/dibenzofurans. *Chemosphere* 29:495-508 #540
- Marsh, D.M. and P.C. Trenham. 2001. Metapopulation dynamics and amphibian conservation. *Conservation Biology* 15:40-49 #755

- Martin, S.C., S.C. Hinz, P.W. Rodgers, V.J. Bierman, Jr., J.V. DePinto, and T.C. Young. 1995. Calibration of a hydraulic transport model for Green Bay, Lake Michigan. *J. Great Lakes Res.* 21(4):599-609. #1995-23
- Martin, J.L., W.L. Richardson, and S.C. McCutcheon. 1991. Modeling studies for planning: The Green Bay Project. *Water Resour. Bull.* 27(3):429-436. #1991-28
- Martinez, N.D. 1991. Artifacts or attributes? Effects of resolution on the Little Rock Lake food web. *Ecological Monographs* 61(4):367-392. #1991-13
- Martinovic, D., L.S. Blake, E.J. Durhan, K.J. Greene, M.D. Kahl, K.M. Jensen, E.A. Makynen, D.L. Villeneuve, and G.T. Ankley. 2008. Reproductive toxicity of vinclozolin in the fathead minnow: Confirming an anti-androgenic mode of action. *Environ. Toxicol. Chem.* 27:478-488. #4750
- Martinovic, D., J.S. Denny, P.K. Schmieder, G.T. Ankley, and P.W. Sorensen. 2008. Temporal variation in the estrogenicity of a sewage treatment plant effluent and its biological significance. *Environ. Sci. Technol.* 42:3421-3427. #4807
- Marvin, C., S. Painter, D. Williams, V. Richardson, R. Rossmann, and P. Van Hoof. 2004. Spatial and temporal trends in surface water and sediment contamination in the Laurentian Great Lakes. *Environ. Pollution* 129:131-144. #2004-2
- Marvin, C., S. Painter, and R. Rossmann. 2004. Spatial and temporal patterns in mercury contamination in sediments of the Laurentian Great Lakes. *Environ. Res.* 95:351-362. #2004-3
- Mason, D.M., T.B. Johnson, C. Harvey, J. Kitchell, S. Schram, C. Bronte, M. Hoff, S. Lozano, A.S. Trebitz, D. Schreiner, E. Lamon, and T. Hrabik. 2005. Hydroacoustic estimates of abundance and spatial distribution of pelagic prey fishes in Western Lake Superior. *J. Great Lakes Res.* 31:426-438. #2005-7
- Masscheleyn, P.H., R.D. DeLaune, and W.H. Patrick, Jr. 1991. A hydride generation atomic absorption technique for arsenic speciation. *J. Environ. Qual.* 20:96-100. #1991-10
- Masscheleyn, P.H., R.D. Delaune, and W.H. Patrick, Jr. 1991. Arsenic and selenium chemistry as affected by sediment redox potential and pH. *J. Environ. Qual.* 20: 522-527. #1991-3
- Masscheleyn, P.H., J.H. Pardue, R.D. DeLaune, and W.H. Patrick, Jr. 1992. Chromium redox chemistry in a Lower Mississippi Valley bottomland hardwood wetland. *Environ. Sci. Technol.* 26(6):1217-1226. #1992-10
- Masscheleyn, P.H., R.D. Delaune, and W.H. Patrick, Jr. 1991. Effect of redox potential and pH on arsenic speciation and solubility in a contaminated soil. *Environ. Sci. Technol.* 25(8):1414-1419. #1991-4

Matthiessen, P., T. Reynoldson, Z. Billingham, D.W. Brassard, P. Cameron, G.T. Chandler, I.M. Davies, T. Horiguchi, D.R. Mount, J. Oehlmann, T.G. Pottinger, P.K. Sibley, H.M. Thompson, and A.D. Vethaak. 1999. Field assessment for endocrine disruption in invertebrates. In: *Endocrine Disruption in Invertebrates: Endocrinology, Testing, and Assessment*. deFur, P.L., *etal*, eds., pp. 199-270, Society of Environ. Toxicol. and Chem. (SETAC) . #1999-8

Mattson, V.R., J.R. Hockett, T.L. Highland, G.T. Ankley, and D.R. Mount. 2008. Effects of low dissolved oxygen on organisms used in freshwater sediment toxicity tests. *Chemosphere* 70:1840-1844. #4715

Mattson, V.R., Arthur, J.W., and Walbridge, C.T. 1976. Acute toxicity of selected organic compounds to fathead minnows. EPA/ 600/3-76/097. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

May, B. and J.E. Marsden. 1992. Genetic identification and implications of another invasive species of dreissenid mussel in the Great Lakes. *Can. J. Fish. Aquat. Sci.* 49:1501-1506. #1992-9

Mayer, F.L., Jr., Mehrle, P.M., Jr., and Dwyer, W.P. 1977. Toxaphene: chronic toxicity to fathead minnows and channel catfish. EPA 600/3-77/069. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # EPA-IAG-141(D).

Mayer, F.L., Jr., Mehrle, P.M., Jr., and Dwyer, W.P. 1975. Toxaphene effects on reproduction, growth, and mortality of brook trout. EPA/ 600/3-75/013. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # EPA-IAG-0153 (D).

McCarty, H.B., K. Miller, R. N. Brent, J. Schofield, R. Rossmann, and K. R. Rygwelski. 2006. Project overview. Part 1, Chapter 1, pp. 1-15 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.

McCauley, R.W. 1977. Seasonal effects on temperature preference in yellow perch, *Perca flavescens*. EPA 600/3-77/088. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802467.

McCormick, J.H., K.E.F. Hokanson, and B.R. Jones. 1972. Effects of temperature on the growth and survival of young brook trout, *Salvelinus fontinalis*. *J. Fish. Res. Board Can.* 29:1107-12 #71

McCormick, J.H., M.J. Ross, and D.B. Siniff. 1981. Where do yellow perch (*Perca flavescens*) go in winter when given the option between normal ice covered water or a heated discharge. In: *Proceedings of the Seventh Annual Aquatic Toxicity Workshop*, November 5-7, 1980, Ottawa, Ontario. N. Bermingham, C. Blaise, P. Couture, B. Hummel, G. Joubert, and M. Speyer, eds. Pp. 33-45. Canadian Technical Report of Fisheries and Aquatic Sciences No. 990, Department of Fisheries and Oceans, Montreal, Quebec. #1981-17

McCormick, J.H. 2002. Who, when, where, what, and how long. *SETAC Globe*, Mar.-Apr., pp. 20-21. #2002-4

McCormick, J.H. and K.M. Jensen. 1992. Osmoregulatory failure and death of first-year largemouth bass (*Micropterus salmoides*) exposed to low pH and elevated aluminum, at low temperature in soft water. *Can. J. Fish. Aquat. Sci.* 49:1189-97 #484

McCormick, J.H., G.N. Stokes, and R.O. Hermanutz. 1989. Oocyte atresia and reproductive success in fathead minnows (*Pimephales promelas*) exposed to acidified hardwater environments. *Arch. Environ. Contam. Toxicol.* 18:207-14 #394

McCormick, J.H. 1978. Effects of temperature on hatching success and survival of larvae in the white bass. *Prog. Fish-Cult.* 40:133-37 #177

McCormick, J.H. and H.A. Podoliak. 1984. Gallbladder color and relative fullness as a field technique for estimating time since last feeding in brook trout. *N. Am. J. Fish. Manage.* 4:566-68 #285

McCormick, J.H., S.J. Broderius, and J.T. Fiandt. 1984. Toxicity of ammonia to early life stages of the green sunfish *Lepomis cyanellus*. *Environ. Pollut. Ser. A.* 36:147-63 #284

McCormick, J.H. and J.A. Wegner. 1981. Responses of largemouth bass from different latitudes to elevated water temperatures. *Trans. Am. Fish. Soc.* 110:417-29 #224

McCormick, J.H. 1976. Effects of temperature on hatching success and survival of larvae in the white bass. EPA 600/3-77/075. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

McCormick, J.H. and C.F. Kleiner. 1976. Growth and survival of young-of-the-year emerald shiners (*Notropis atherinoides*) at different temperatures. *J. Fish. Res. Board Can.* 33:839-42 #134

McCormick, J.H., K.M. Jensen, W.A. Swenson, T.D. Simonson, and R.L. Leino. 1991. Overwintering, key to first year largemouth bass recruitment in acidified northern waters (abstract only). In: *Proceedings of the Seventeenth Annual Aquatic Toxicity Workshop*, November 5-7, 1990, Vancouver, B.C. P. Chapman, F. Bishay, E. Power, K. Hall, L. Harding, D. McLeay, M. Nassichuk and W. Knapp, eds. Page 240. Fisheries and Oceans, Canada. #1991-25

McCormick, J.H., K.M. Jensen, and R.L. Leino. 1989. Survival, blood osmolality, and gill morphology of juvenile yellow perch, rock bass, black crappie, and largemouth bass exposed to acidified soft water. *Trans. Am. Fish. Soc.* 118:386-99 #393

McCormick, J.H. and G.N. Stokes. 1982. Intraovarian invasion of smallmouth bass oocytes by *Proteocephalus ambloplitis* (Cestoda). *J. Parasitol.* 68:973-75 #245

McCormick, J.H., G.N. Stokes, and G.J. Portele. 1980. Environmental acidification impact detection by examination of mature fish ovaries. In: *Proceedings of the Sixth Annual Aquatic Toxicity Workshop*, November 6-7, 1979, Winnipeg, Manitoba. J.F. Klaverkamp, S.L. Leonhard, and K.E. Marshall, eds. Pp. 41-48. Canadian Technical Report of Fisheries and Aquatic Sciences No. 975, Department of Fisheries and Oceans, Winnipeg, Manitoba. #1980-16

McCormick, J.H., K.M. Jensen, and L.E. Anderson. 1989. Chronic effects of low pH and elevated aluminum on survival, maturation, spawning and embryo-larval development of the fathead minnow in soft water. *Water Air Soil Pollut.* 43:293-307 #392

McCormick, J.H., K.M. Jensen, R.L. Leino, and G.N. Stokes. 1987. Fish blood osmolality, gill histology, and oocyte atresia as early warning acid stress indicators. *Ann. Soc. R. Zool. Bel.* 117 (Suppl.1):309-19 #350

McCormick, J.H. and R.L. Leino. 1999. Factors contributing to first-year recruitment failure of fishes in acidified waters with some implications for environmental research. *Trans. Am. Fish. Soc.* 128:265-77 #724

McCormick, J.H. 1976. Temperature effects on young yellow perch, *Perca flavescens* (Mitchill). EPA/600/3-76/057. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

McCormick, J.H., B.R. Jones, and K.E.F. Hokanson. 1977. White sucker (*Catostomus commersoni*) embryo development, and early growth and survival at different temperatures. *J. Fish. Res. Board Can.* 34:1019-25 #156

McCormick, J.H., B.R. Jones, and R.F. Syrett. 1971. Temperature requirements for growth and survival of larval ciscos (*Coregonus artedii*). *J. Fish. Res. Board Can.* 28:924-27 #56

McCormick, J.H. and R.F. Syrett. 1970. A modular controlled-temperature apparatus for fish egg incubation and fry rearing. National Water Quality Laboratory, Federal Water Quality Administration, U.S. Department of the Interior, Duluth, MN. #1970-4

Mellroy, L.M., J.V. DePinto, T.C. Young, and S.C. Martin. 1986. Partitioning of heavy metals to suspended solids of the Flint River, Michigan. *Environ. Toxicol. Chem.* 5:609-623. #1986-10

McKee, J.D., T.P. Wilson, D.T. Long, and R.M. Owen. 1989. Geochemical partitioning of Pb, Zn, Cu, Fe, and Mn across the sediment-water interface in large lakes. *J. Great Lakes Res.* 15(1):46-58. #1989-18

McKim, J.M., P.K. Schmieder, R.W. Carlson, E.P. Hunt, and G.J. Niemi. 1987. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute toxicity syndromes in fish: Part 1. Pentachlorophenol, 2,4-dinitrophenol, tricaine methanesulfonate, and 1-octanol. *Environ. Toxicol. Chem.* 6:295-312 #352

McKim, J.M., P.K. Schmieder, G.J. Niemi, R.W. Carlson, and T.R. Henry. 1987. Use of respiratory-cardiovascular responses of rainbow trout (*Salmo gairdneri*) in identifying acute

toxicity syndromes in fish: Part 2. Malathion, carbaryl, acrolein, and benzaldehyde. *Environ. Toxicol. Chem.* 6:313-28 #353

McKim, J.M., R.L. Anderson, D.A. Benoit, R.L. Spehar, and G.N. Stokes. 1976. Effects of pollution on freshwater fish. *J. Water. Pollut. Control Fed.* 48:1544-620 #135

McKim, J.M. and R.J. Erickson. 1991. Environmental impacts on the physiological mechanisms controlling xenobiotic transfer across fish gills. *Physiol. Zool.* 64:39-67 #455

McKim, J.M. and E.M. Heath. 1983. Dose determinations for waterborne 2,5,2',5'-[¹⁴C]tetrachlorobiphenyl and related pharmacokinetics in two species of trout (*Salmo gairdneri* and *Salvelinus fontinalis*): A mass-balance approach. *Toxicol. Appl. Pharmacol.* 68:177-87 #264

McKim, J.M., G.J. Lien, A.D. Hoffman, and C.T. Jenson. 1999. Respiratory-cardiovascular physiology and xenobiotic gill flux in the lake trout (*Salvelinus namaycush*). *Comp. Biochem. Physiol. Part A.* 123:69-81 #716

McKim, J.M., R.C. Kolanczyk, G.J. Lien, and A.D. Hoffman. 1999. Dynamics of renal excretion of phenol and major metabolites in the rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 45:265-77 #706

McKim, J.M., J.G. Eaton, and G.W. Holcombe. 1978. Metal toxicity to embryos and larvae of eight species of freshwater fish - II: Copper. *Bull. Environ. Contam. Toxicol.* 19:608-16 #178

McKim, J.M. 1995. Early life stage toxicity tests. In: *Fundamentals of aquatic toxicology: Effects, environmental fate, and risk assessment, 2nd ed.* G.M. Rand, ed. Pp. 974-1011. #1995-12

McKim, J.M., G.F. Olson, G.W. Holcombe, and E.P. Hunt. 1976. Long-term effects of methylmercuric chloride on three generations of brook trout (*Salvelinus fontinalis*): Toxicity, accumulation, distribution, and elimination. *J. Fish. Res. Board Can.* 33:2726-39 #136

McKim, J.M. and R.F. Syrett. 1982. Mobile surgical table with automatic solenoid system for fishery applications. *Prog. Fish-Cult.* 44:75-78 #247

McKim, J.M., P.K. Schmieder, and R.J. Erickson. 1986. Toxicokinetic modeling of [¹⁴C]pentachlorophenol in the rainbow trout (*Salmo gairdneri*). *Aquat. Toxicol.* 9:59-80 #327

McKim, J.M. 1994. Physiological and biochemical mechanisms that regulate the accumulation and toxicity of environmental chemicals in fish. In: *Bioavailability: Physical, chemical, and biological interactions.* J.L. Hamelink, P.F. Landrum, H.L. Bergman, and W.H. Benson, eds. Pp. 179-201. Lewis Publishers, Boca Raton, FL. #1994-7

McKim, J.M. 1985. Early life stage toxicity tests. In: *Principles of aquatic toxicology.* G. Rand and S. Petrocelli, eds. Pp. 58-95. Hemisphere, New York, NY. #1985-25

- McKim, J.M. and P.K. Schmieder. 1991. Bioaccumulation: Does it reflect toxicity? In: *Bioaccumulation in aquatic systems*. R. Nagel and R. Loskill, eds. Pp. 162-188. VCH Verlagsgesellschaft, New York, NY. #1991-22
- McKim, J.M. 1991. Pollution's effects. In: *Trout of North America*. J. Stolz and J. Schnell, eds. Pp. 118-125. Stackpole Press, Harrisburg, PA. #1991-23
- McKim, J.M., S.P. Bradbury, and G.J. Niemi. 1987. Fish acute toxicity syndromes and their use in the QSAR approach to hazard assessment. *Environ. Health Perspect.* 71:171-86 #351
- McKim, J.M., J.W. Nichols, G.J. Lien, A.D. Hoffman, C.A. Gallinat, and G.N. Stokes. 1996. Dermal absorption of three waterborne chloroethanes in rainbow trout (*Oncorhynchus mykiss*) and channel catfish (*Ictalurus punctatus*). *Fundam. Appl. Toxicol.* 31:218-28 #623
- McKim, J.M. and G.J. Lien. 2001. Toxic responses of the skin. In: *Target Organ Toxicity in Marine and Freshwater Teleosts*. Schlenk, D. and Benson, W.H., eds. pp. 151-223 Taylor & Francis, New York, NY. #2001-13
- McKim, J.M. and J.W. Nichols. 1994. Use of physiologically based toxicokinetic models in a mechanistic approach to aquatic toxicology. In: *Aquatic toxicology: Molecular, biochemical, and cellular perspectives*. D.C. Malins and G.K. Ostrander, eds. Pp. 469-519. Lewis Publishers, Boca Raton, FL. #1994-6
- McKim, J.M., J.W. Nichols, G.J. Lien, and S.L. Bertelsen. 1994. Respiratory-cardiovascular physiology and chloroethane gill flux in the channel catfish, *Ictalurus punctatus*. *J. Fish Biol.* 44:527-47 #542
- McKim, J.M., P.K. Schmieder, and G.D. Veith. 1985. Absorption dynamics of organic chemical transport across trout gills as related to octanol-water partition coefficient. *Toxicol. Appl. Pharmacol.* 77:1-10 #299
- McKim, J.M., Jr., J.M. McKim, S. Naumann, D.E. Hammermeister, A.D. Hoffman, and C.D. Klaassen. 1993. *In vivo* microdialysis sampling of phenol and phenyl glucuronide in the blood of unanesthetized rainbow trout: Implications for toxicokinetic studies. *Fundam. Appl. Toxicol.* 20:190-198 #506
- McKim, J.M., J.W. Arthur, and T.W. Thorslund. 1975. Toxicity of a linear alkylate sulfonate detergent to larvae of four species of freshwater fish. *Bull. Environ. Contam. Toxicol.* 14:1-7 #119
- McKim, J.M., D.A. Benoit, K.E. Biesinger, W.A. Brungs, and R.E. Siefert. 1975. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 47:1711-68 #120

- McKim, J.M. and D.A. Benoit. 1974. Duration of toxicity tests for establishing "no effect" concentrations for copper with brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 31:449-52 #108
- McKim, J.M. 1977. Evaluation of tests with early life stages of fish for predicting long-term toxicity. *J. Fish. Res. Board Can.* 34:1148-54 #157
- McKim, J.M., G.M. Christensen, J.H. Tucker, D.A. Benoit, and M.J. Lewis. 1974. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 46:1540-1591 #109
- McKim, J.M. and D.A. Benoit. 1971. Effects of long-term exposures to copper on the survival, growth, and reproduction of brook trout (*Salvelinus fontinalis*). *J. Fish. Res. Board Can.* 28:655-62 #57
- McKim, J.M., G.M. Christensen, J.H. Tucker, D.A. Benoit, and M.J. Lewis. 1973. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 45:1370-1407 #92
- McKim, J.M. and H. M. Goeden. 1982. A direct measure of the uptake efficiency of a xenobiotic chemical across the gills of brook trout (*Salvelinus fontinalis*) under normoxic and hypoxic conditions. *Comp. Biochem. Physiol.* 72C:65-74 #246
- McKim, J.M., G.M. Christensen, and E.P. Hunt. 1970. Changes in the blood of brook trout (*Salvelinus fontinalis*) after short-term and long-term exposure to copper. *J. Fish. Res. Board Can.* 27:1883-89 #45
- McMaster, M.E., J.J. Jardine, G.T. Ankley, W.H. Benson, M.S. Jr. Greeley, T.S. Gross, L.J. Jr. Guillette, D.L. MacLatchy, E.F. Orlando, G.J. Van der Kraak, and K.R. Munkittrick. 2001. An interlaboratory study on the use of steroid hormones in examining endocrine disruption. *Environ. Toxicol. Chem.* 20(9):2081-2087. #2001-9
- McNaught, D.C. and D.I. Mount. 1986. Appropriate durations and measures for *Ceriodaphnia* toxicity tests. In: *Aquatic toxicology and hazard assessment: Eighth symposium*. R.C. Bahner and D.J. Hansen, eds. Pp. 375-381. ASTM STP 891. American Society for Testing and Materials, Philadelphia, PA. #1986-33
- McNaught, D.C., Griesmer, D., Buzzard, M., and Kennedy, M. PCBs in Saginaw Bay: Development of functional indices to estimate inhibition of ecosystem fluxes. EPA/600/3-84/008. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB84-133008): Grant # 804573.
- McNaught, D.C., S.D. Bridgham, and C. Meadows. 1988. Effects of complex effluents from the River Raisin on zooplankton grazing in Lake Erie. In: *Functional testing of aquatic biota for estimating hazards of chemicals*. Cairns, J., Jr. and J.R. Pratt, eds. ASTM STP 988. American Society for Testing and Materials, Philadelphia, PA. Pp. 128-137. #1988-23

- McNaught, D.C. 1989. Functional bioassays utilizing zooplankton: A comparison. *Hydrobiologia* 188/189:117-121. #1989-13
- McNaught, D.C., Buzzard, M., Griesmer, D., and Kennedy, M. 1980. Zooplankton grazing and population dynamics relative to water quality in southern Lake Huron. EPA/600/3-80/069. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803178.
- McNeil, J., C. Taylor, and W. Lick. 1996. Measurements of erosion of undisturbed bottom sediments with depth. *Journal of Hydraulic Engineering* 122(6):316-324. #1996-22
- McTavish, K., H. Stech, and F.S. Stay. 1998. A modeling framework for exploring the population-level effects of endocrine disruptors. *Environ. Toxicol. Chem.* 17(1):58-67. #1998-7
- Mekenyan, O.G., G.D. Veith, S.P. Bradbury, and N. Zaharieva. 1995. SAR models for metabolic activation: Stability of organic cation intermediates. *Quant. Struct.-Act. Relat.* 14:264-69. #575
- Mekenyan, O.G., G.D. Veith, S.P. Bradbury, and C.L. Russom. 1993. Structure-toxicity relationships for α , β -unsaturated alcohols in fish. *Quant. Struct.-Act. Relat.* 12:132-36 #508
- Mekenyan, O.G., G.T. Ankley, G.D. Veith, and D.J. Call. 1995. QSARs for photoinduced toxicity of aromatic compounds. *SAR and QSAR in Environ. Res.* 4:139-45. #573
- Mekenyan, O.G., V. Kamenska, P.K. Schmieder, G.T. Ankley, and S.P. Bradbury. 2000. A computationally based identification algorithm for estrogen receptor ligands: Part 2. Evaluation of a hER α binding affinity model. *Toxicol. Sci.* 58:270-281 #751
- Mekenyan, O.G. and G.D. Veith. 1995. Synergism between QSAR modeling and physico-chemical principles. *SAR and QSAR in Environ. Res.* 4:155-65. #574
- Mekenyan, O.G., J.M. Ivanov, G.D. Veith, and S.P. Bradbury. 1994. Dynamic QSAR: A new search for active conformations and significant stereoelectronic indices. *Quant. Struct.-Act. Relat.* 13:302-7 #545
- Mekenyan, O.G., G.T. Ankley, G.D. Veith, and D.J. Call. 1994. QSAR estimates of excited states and photoinduced acute toxicity of polycyclic aromatic hydrocarbons. *SAR and QSAR in Environ. Res.* 2:237-47 #543
- Mekenyan, O., J. Ivanov, S. Karabunarliev, S.P. Bradbury, G.T. Ankley, and W. Karcher. 1997. A computationally-based hazard identification algorithm that incorporates ligand flexibility. 1. Identification of potential androgen receptor ligands. *Environ. Sci. Technol.* 31:3702-11. #662
- Mekenyan, O.G., S.D. Dimitrov, T.S. Pavlov, and G.D. Veith. 2004. A systematic approach to simulating metabolism in computational toxicology. I: The TIMES heuristic modelling framework. *Current Pharmaceutical Design* 10:1273-1293. #2004-4

- Mekenyan, O., T. Pavlov, V. Grancharov, M. Todorov, P. Schmieder, and G. Veith. 2005. 2D-3D migration of large chemical inventories with conformational multiplication. Application of the genetic algorithm. *J. Chem. Inf. Model.* 45:283-292. #2005-2
- Mekenyan, O., S. Dimitrov, R. Serafimova, E. Thompson, S. Kotov, N. Dimitrova, and J.D. Walker. 2004. Identification of the structural requirements for mutagenicity by incorporating molecular flexibility and metabolic activation of chemicals I: TA100 model. *Chem. Res. Toxicol.* 17:753-766. #2004-6
- Mekenyan, O., N. Nikolova, P. Schmieder, and G. Veith. 2004. COREPA-M: a multi-dimensional formulation of COREPA. *QSAR Comb. Sci.* 23(1):5-18. #2004-7
- Mekenyan, O., N. Nikolova, S. Karabunarliev, S. P. Bradbury, G. T. Ankley, and B. Hansen. 1999. New developments in a hazard identification algorithm for hormone receptor ligands. *Quant. Struct.-Act. Relat.* 18:139-53 #717
- Mekenyan, O.G. and G.D. Veith. 1994. The electronic factor in QSAR: MO-parameters, competing interactions, reactivity and toxicity. *SAR and QSAR in Environ. Res.* 2:129-43 #546
- Mekenyan, O.G. and G.D. Veith. 1993. Relationships between descriptors for hydrophobicity and soft electrophilicity in predicting toxicity. *SAR and QSAR in Environ. Res.* 1:335-44 #507
- Mekenyan, O., N. Nikolova, and P. Schmieder. 2003. Dynamic 3D QSAR techniques: applications in toxicology. *J. of Molec. Struc. (Theochem)* 622:147-165. #2003-11
- Mekenyan, O.G., G.T. Ankley, G.D. Veith, and D.J. Call. 1997. Photo-induced toxicity of PAHs: QSAR models and environmental significance. In: *Geosciences and water resources: Environmental data modeling*. C. Bardinnet and J.-J. Royer, eds. Pp. 263-271. Springer-Verlag, Germany. #1997-5
- Mekenyan, O., J. Ivanov, S. Karabunarliev, B. Hansen, G. Ankley, and S. Bradbury. 1997. A new approach for estimating 3-dimensional similarity that incorporates molecular flexibility. In: *Quantitative Structure-Activity Relationships in Environmental Sciences - VII*, Ch. 4, SETAC Press, pp. 39-57. #1997-13
- Mekenyan, O., Dimitrov, S., Schmieder, P., and Veith, G. 2003. *In silico* modelling of hazard endpoints: Current problems and perspectives. *SAR and QSAR in Environ. Res.* 14(5-6):361-371. #820
- Mekenyan, O.G., S.P. Bradbury, and V.B. Kamenska. 1996. Estimating one-electron reduction potentials of quinones. *SAR and QSAR in Environ. Res.* 5:255-68 #640
- Mekenyan, O.G., T.W. Schultz, G.D. Veith, and V. Kamenska. 1996. "Dynamic" QSAR for semicarbazide-induced mortality in frog embryos. *J. Appl. Toxicol.* 16:355-63 #652

- Mekenyan, O.G., G.D. Veith, D.J. Call, and G.T. Ankley. 1996. A QSAR evaluation of Ah receptor binding of halogenated aromatic xenobiotics. *Environ. Health Perspect.* 104:1302-10 #624
- Meyn, E.L., R.K. Zajdel, and R.V. Thurston. 1984. Acute toxicity of ferrocyanide and ferricyanide to rainbow trout (*Salmo gairdneri*). Technical Report No. 84-1. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1984-11
- Miller, D.H., K.M. Jensen, D.L. Villeneuve, M.D. Kahl, E.A. Makynen, E.J. Durhan, and G.T. Ankley. 2007. Linkage of biochemical responses to population-level effects: A case study with vitellogenin in the fathead minnow. *Environ. Toxicol. Chem.* 26:521-527. #4611
- Miller, D.H. and Ankley, G.T. 2004. Modeling impacts on populations: Fathead minnow (*Pimephales promelas*) exposure to the endocrine disruptor 17 β -trenbolone as a case study. *Ecotoxicol. Environ. Saf.* 59:1-9. #829
- Miracle, A.L. and Ankley, G.T. 2005. Ecotoxicogenomics: linkages between exposure and effects in assessing risks of aquatic contaminants to fish. *Reproductive Toxicol.* 19:321-326. #848
- Miracle, A.L., G.T. Ankley, and D. Lattier. 2006. Expression of two vitellogenin genes (vg1 and vg3) in fathead minnow (*Pimephales promelas*) liver in response to exposure to steroidal estrogens and androgens. *Ecotox. and Environ. Safety* 63:337-342. #2006-3
- Mizera, J.J., C.L. Cooper, and C.E. Herdendorf. 1981. Limnetic larval fish in the nearshore zone of the western basin of Lake Erie. *J. Great Lakes Res.* 7(1):62-64. #1981-12
- Moffett, M.F., R.L. Dufour, and T.P. Simon. 2007. An inventory and classification of coastal wetlands of the Laurentian Great Lakes. Chapter 2 In: Thomas P. Simon and Paul M. Stewart, (eds.), *Coastal Wetlands of the Laurentian Great Lakes: Health, Habitat, and Indicators*. AuthorHouse, Bloomington, IN. pp. 17-99. #4393
- Moffett, M.F., L.E. Anderson, T. Corry, M.P. Hanratty, L.J. Heinis, M.L. Knuth, K. Liber, S.L. O'Halloran, K.L. Schmude, F.S. Stay, and D.K. Tanner. 1995. Effects, persistence and distribution of diflubenzuron in littoral enclosures. Final report. Mid-Continent Ecology Division, USEPA, Duluth, MN. #1995-1
- Mohseni, O. and H.G. Stefan. 2000. Projections of fish survival in US streams after global warming. ORD, USEPA, Washington, DC and Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #2000-16
- Mohseni, O. and H.G. Stefan. 1994. Climate change effect on water resources. Part 1: Evaporation. External Memorandum No. M-238, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1994-13

- Mohseni, O., T.R. Erickson, and H.G. Stefan. 1997. A non-linear regression model for weekly stream temperatures at 585 gaging stations in the U.S. Environmental Research Laboratory, USEPA, Duluth, MN. #1997-15
- Mohseni, O., T.R. Erickson, and H.G. Stefan. 1998. Projection of climate change effects on stream temperatures in the U.S. Grazing Lands Research Laboratory, Agricultural Research Service, U.S. Department of Agriculture, El Reno. OK. #1998-15
- Mohseni, O., H.G. Stefan, and J.G. Eaton. 2003. Global warming and potential changes in fish habitat in U.S. streams. *Climatic Change* 59:389-409. #2003-10
- Moll, R.A., D. Jude, R. Rossmann, G.V. Kantak, J. Barres, S. DeBoe, J. Giesy, and M. Tuchman. 1995. Movement and loadings of inorganic contaminants through the lower Saginaw River. *J. Great Lakes Res.* 21(1):17-34. #1995-11
- Monson, P.D., G.T. Ankley, and P.A. Kosian. 1995. Phototoxic response of *Lumbriculus variegatus* to sediments contaminated by polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 14:891-94 #576
- Monson, P.D., D.J. Call, D.A. Cox, K. Liber, and G.T. Ankley. 1999. Photoinduced toxicity of fluoranthene to northern leopard frogs (*Rana pipiens*). *Environ. Toxicol. Chem.* 18:308-12 #696
- Morden, R.D. 1980. Static coal storage -- Biological effects on the aquatic environment. EPA/600/3-80/083c. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB80-221583): Grant # R803937-02-0.
- Morrice, J.A., N. Danz, R.R. Regal, J.R. Kelly, E.D. Reavie, T. Hollenhorst, R.P. Axler, A.S. Trebitz, A.M. Cotter, and G.S. Peterson. 2008. Human influences on water quality in Great Lakes coastal wetlands. *Env. Manage.* 41:347-357. #4685
- Morrice, J.A., C.N. Dahm, H.M. Valett, P.V. Unnikrishna, and H.M. Campana. 2000. Terminal electron accepting processes in the alluvial sediments of a headwater stream. *J. N. Am. Benthol. Soc.* 19(4):593-608. #2000-8
- Morrice, J.A., H.M. Valett, C.N. Dahm, and M.E. Campana. 1997. Alluvial characteristics, groundwater-surface water exchange and hydrological retention in headwater streams. *Hydro. Processes* 11:253-267. #1997-14
- Morris, D.D. 1973. Toxicity of cyanide, chromium, cadmium, copper, lead, nickel, and zinc. Summary report. #1973-10
- Morrison, T.W., W.E. Lynch, Jr., and K. Dabrowski. 1997. Predation on zebra mussels by freshwater drum and yellow perch in western Lake Erie. *J. Great Lakes Res.* 23(2):177-189. #1997-7

- Morton, P., D. Marklund, S. Kohlbry, D. Longrie-Kline, C. Harper, J. Tan, and G.J. Niemi. 1985. Properties of fine particles which govern their biological activity. Volumes 1 & 2. Cooperative Agreement #CR807482. Submitted to Environmental Research Laboratory, USEPA, Duluth, MN by University of Minnesota-Duluth, Duluth, MN. #1985-1
- Mosquito Control Technology (R.D. Sjogren). 1984. Assessment of the effects of chlorpyrifos larvicide on non-target, aquatic organisms in mosquito control areas. Final report submitted to Environmental Research Laboratory, USEPA, Duluth, MN by Mosquito Control Technology, North Oaks, MN. #1984-1
- Mount, D.I. 1968. Developing thermal requirements for freshwater fishes. Presented at Thermal Pollution Symposium, June 4, 1968, Portland, OR. #1968-1
- Mount, D.I. and W.A. Brungs. 1967. A simplified dosing apparatus for fish toxicology studies. *Water Res.* 1:21-29 #11
- Mount, D.I. and C.E. Stephan. 1967. A method for detecting cadmium poisoning in fish. *J. Wildl. Manage.* 31:168-72 #12
- Mount, D.I. and C.E. Stephan. 1967. A method for establishing acceptable toxicant limits for fish--malathion and the butoxyethanol ester of 2,4-D. *Trans. Am. Fish. Soc.* 96:185-93 #13
- Mount, D.I. 1967. Considerations for acceptable concentrations of pesticides for fish production. In: *A Symposium on Water Quality Criteria to Protect Aquatic Life*. American Fisheries Society Special Publication No. 4. Pp. 3-6. #1967-3
- Mount, D.I. 1968. Chronic toxicity of copper to fathead minnows (*Pimephales promelas* Rafinesque). *Water Res.* 2:215-23 #19
- Mount, D.I. 1966. The effect of total hardness and pH on acute toxicity of zinc to fish. *Air Water Pollut. Int. J.* 10, 49-56. #4
- Mount, D.I. and G.J. Putnicki. 1966. Summary report of 1963 Mississippi fish kill. *Trans. N. Am. Wildl. Nat. Resour. Conf.* 31:177-184. #1966-3
- Mount, D.I. and G.J. Putnicki. 1966. Summary report of the 1963 Mississippi River fish kill investigation. Presented March 14, 1966 at the 31st N. Amer. Wildlife and Nat. Res. Conf., Pittsburgh, PA. #1966-2
- Mount, D.I., Vigor, L.W., and Schafer, M.L. 1966. Endrin: Use of concentration in blood to diagnose acute toxicity to fish. *Science* 152:1388-1390. #5
- Mount, D.I. 1968. Implication for aquatic life of heated discharges. Statement before the Senate Subcommittee on February 13, 1968. #1968-2

Mount, D.I. 1970. Ecological considerations in the establishment of standards for thermal discharges. For presentation at ASME Special Symposium on Environmental Effects of Thermal Discharges: the Elements in Work formulating a Rational Public Policy, December 1, 1970, New York, NY. #1970-5

Mount, D.I. 1970. Environmental effects of thermal discharges - ecological elements. National Water Quality Laboratory, Duluth, MN. #1970-13

Mount, D.I. 1970. Heavy metal contamination in north central United States. A report of Ad Hoc Committee on Heavy Metal Contamination in Surface Waters to the North Central Division of the American Fisheries Society. #1970-6

Mount, D.I. 1970. Research to develop heavy metal standards for fresh water. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-14

Mount, D.I. 1970. The role of bioassay as in environmental research. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-15

Mount, D.I. 1970. Summary of effects of tailings on Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-7

Mount, D.I. 1970. Technical statement to be given at Michigan State Water Quality Hearings, March 19, 1970. National Water Quality Laboratory, Federal Pollution Control Administration, U.S. Department of the Interior, Duluth, MN. #1970-12

Mount, D.I. 1970. Thermal effects of power plants on ecology. Presented at a Student Conference on Nuclear Power and the Environment, April 3-4, 1970, University of Wisconsin, Madison, WI. #1970-8

Mount, D.I. 1970. Thermal standards in the United States. Presented at the Symposium on Environmental Aspects of Nuclear Power Stations, August 10-14, 1970, NY, NY. #1970-13

Mount, D.I. 1970. The toxicity of heavy metals to aquatic life. *The Naturalist*: pp. 16-19. #1970-16

Mount, D.I. 1976. Biotic monitoring. In: *Biological monitoring of water and effluent quality*. J. Cairns, Jr., K.L. Dickson, and G.F. Westlake, eds. Pp. 20-23. ASTM STP 607. American Society for Testing and Materials, Philadelphia, PA. #1976-7

Mount, D.I., Norberg-King, T.J., Ankley, G.T., Burkhard, L.P., Durhan, E.J., Schubauer-Berigan, M.K., and Lukasewycz, M.T. 1992. Methods for aquatic toxicity identification evaluations: Phase III toxicity confirmation procedures for samples exhibiting acute and chronic toxicity. EPA/600/R-92/081. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Mount, D.I. 1988. Ambient toxicity to assess biological impact. In: *Toxic contaminants and ecosystem health: A Great Lakes focus*. M.S. Evans, ed. Pp. 237-245. John Wiley & Sons, Inc., New York, NY. #1988-40

Mount, D.I. and Anderson-Carnahan, L. Methods for aquatic toxicity identification evaluations. Phase II: toxicity identification procedures. EPA/600/3-88/035. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (National Effluent Toxicity Assessment Center technical report 02-88).

Mount, D.I. and T.J. Norberg. 1984. A seven-day life-cycle cladoceran toxicity test. *Environ. Toxicol. Chem.* 3:425-34 #286

Mount, D.I. 1970. Biotic monitoring. Environmental Research Laboratory, USEPA, Duluth, MN. #1970-12

Mount, D.I. 1981. Margins of safety for aquatic communities. In: *Aquatic toxicology and hazard assessment: Fourth conference*. D.R. Branson and K.L. Dickson, eds. Pp. 5-9. ASTM STP 737. American Society for Testing and Materials, Philadelphia, PA. #1981-20

Mount, D.I. 1976. Biological assessment of effluents. Environmental Research Laboratory, USEPA, Duluth, MN. #1976-2

Mount, D.I. 1974. Testimony on mixing zones in Lake Michigan. National Water Quality Laboratory, USEPA, Duluth, MN. #1974-7

Mount, D.I. 1970. Water quality criteria for a cleaner environment. Presented at Ohio State University, November 17, 1979. #1970-9

Mount, D.I. 1970. Water-related research needs in northeast Minnesota. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-17

Mount, D.I. 1973. A summary of the studies regarding the effect of The Reserve Mining Company discharge on Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-13

Mount, D.I. 1971. Thermal requirements for Lake Michigan. National Water Quality Laboratory, USEPA, Duluth, MN. #1971-7

Mount, D.I. 1971. Progress report of Lake Michigan Interstate Pesticide Committee. #1971-6

Mount, D.I. 1971. Organism response: the reference point for all environmental chemistry (Bioassay techniques in environmental chemistry). Presented before the American Chemical Society, Washington, D.C. #1971-5

Mount, D.I. 1971. An evaluation of DDT and dieldrin in Lake Michigan drainage basin. Report of the Lake Michigan Enforcement Conference Pesticide Committee. #1971-4

- Mount, D.I. 1973. Chronic effect of low pH on fathead minnow survival, growth and reproduction. *Water Res.* 7:987-93 #93
- Mount, D.I. 1973. Significance of synthetic organics to aquatic animals. Prepared for Fifteenth Water Quality Conference, University of Illinois, Urbana, IL. #1973-11
- Mount, D.I. and C.E. Stephan. 1969. Chronic toxicity of copper to the fathead minnow (*Pimephales promelas*) in soft water. *J. Fish. Res. Board Can.* 26:2449-57 #33
- Mount, D.I. 1975. Research to develop heavy metal standards for fresh water. In: *International Conference on Heavy Metals in the Environment*, October 27-31, 1975, Toronto, Ontario. Pp. 151-161. #1975-12
- Mount, D.I. 1975. Coal/oil shale reference library: Fisheries Bioassay Laboratory. National Water Quality Laboratory, USEPA, Duluth, MN. #1975-3
- Mount, D.I. and Anderson-Carnahan, L. 1988. Methods for aquatic toxicity identification evaluations. Phase I: toxicity characterization procedures. EPA/600/3-88/034. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (National Effluent Toxicity Assessment Center technical report 02-88).
- Mount, D.I. 1980. Tentative guidelines for flow-through early life stage toxicity tests with fathead minnows for use in the USEPA, OTS-ORD round robin test. In: *Proceedings of the Seminar on Biological Monitoring and its Use in the NPDES Permit Program*, October 2, 1979, Chicago, IL. EPA/600/9-80/026. Center for Environmental Research Information, ORD, USEPA, Cincinnati, OH. Pp. 62-68. #1980-8
- Mount, D.I., E. Durhan, and G. Peterson. 1989. The Buckman Street POTW. NETAC Technical Report 01-89. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1989-53
- Mount, D.I. Methods for aquatic toxicity identification evaluations. Phase III: toxicity confirmation procedures. EPA/600/3-88/036. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (National Effluent Toxicity Assessment Center technical report 04-88).
- Mount, D.I. 1977. An assessment of application factors in aquatic toxicology. In: *Recent advances in fish toxicology: A symposium*. R.A. Tubb, ed. Pp. 183-190. EPA 600/3-77-085. USEPA, Corvallis, OR. #1977-12
- Mount, D.I. 1977. Present approaches to toxicity testing - a perspective. In: *Aquatic toxicology and hazard evaluation*. F.L. Mayer and J.L. Hamelink, eds. Pp. 5-14. ASTM STP 634. American Society for Testing and Materials, Philadelphia, PA. #1977-7

- Mount, D.I. 1969. Derivation of aquatic life requirements for the temperature characteristic. Presented at the 17th Meeting, FWPCA Presentations, Orsanco Engineering Committee, September 10, 1969, Cincinnati, OH. #1969-3
- Mount, D.I. 1969. Research on temperature effects on fishes. For presentation at Sanitary and Water Resources Engineering Conference, June 5-6, 1969, Nashville, TN. #1969-4
- Mount, D.I. 1969. The status of current research at the Federal level on water quality. Presented at the Water Pollution Control Federation Conference, October 8, 1969, Dallas, TX. #1969-5
- Mount, D.I. and H.W. Boyle. 1969. Parathion--use of blood concentration to diagnose mortality of fish. *Environ. Sci. Technol.* 3:1183-85 #32
- Mount, D.I. 1975. The effects of heavy metals on fish and aquatic organisms (M. Katz). Discussion. In: *Heavy metals in the aquatic environment*. P.A. Krenkel, ed. Pergamon Press, Oxford. Pp. 31-32. #1975-7
- Mount, D.I. and R.E. Warner. 1965. A serial-dilution apparatus for continuous delivery of various concentrations of materials in water. Public Health Service Publication No. 999-WP-23. 16 pp. U.S. Department of Health, Education and Welfare Division of Water Supply and Pollution Control, Cincinnati, OH. #1965-2
- Mount, D.I. 1964. Additional information on a system for controlling the dissolved oxygen content of water. *Trans. Am. Fish. Soc.* 93:100-103 #1
- Mount, D.I. 1964. An autopsy technique for zinc-caused fish mortality. *Trans. Am. Fish. Soc.* 93:174-82 #2 National Dioxin Study: Analytical procedures and quality assurance plan for the analysis of 2,3,7,8-TCDD in Tier 3-7 samples of the USEPA National Dioxin Study. 1985. EPA/600/3-85/019. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Mount, D.R. and T.R. Henry. 2008. Chapter 18. Ecological Risk Assessment. In: *The Toxicology of Fishes* R.T. DiGiulio and D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp.757-775. #3950
- Mount, D.R., T.L. Highland, V.R. Mattson, T.D. Dawson, K.G. Lott, and C.G. Ingersoll. 2006. Use of the oligochaete, *Lumbriculus variegatus*, as a prey organism for toxicant exposure of fish through the diet. *Environ. Toxicol. and Chem.* 25:2760-2767. #900
- Mount, D.R., C.G. Ingersoll, and J.A. McGrath. 2005. Approaches to developing sediment quality guidelines for PAHs. In: *PAHs: An Ecotoxicological Perspective*, Douben, P.E.T., ed., pp. 331-355, Wiley, New York, NY. #2005-14
- Mount, D.R., G.T. Ankley, K.V. Brix, W.H. Clements, D.G. Dixon, A. Fairbrother, C.W. Hickey, R.P. Lanno, C.M. Lee, W.R. Munns, R.K. Ringer, J.P. Staveley, C.M. Wood, R.J. Erickson, and P.V. Hodson. 2003. Effects assessment. In: *Reevaluation of the State of the*

Science for Water-Quality Criteria. Reilley, M.C., Stubblefield, W.A., Adams, W.J. et al., eds. SETAC, Pensacola, FL, pp.53-118. #2003-5

Mount, D.R., T.D. Dawson, and L.P. Burkhard. 1999. Implications of gut purging for tissue residues determined in bioaccumulation testing of sediment with *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 18:1244-49 #710

Mount, D.R. and J.R. Hockett. 2000. Use of toxicity identification evaluation methods to characterize, identify, and confirm hexavalent chromium toxicity in an industrial effluent. *Water Res.* 34:1379-85 #729

Mount, D.R., D.D. Gulley, J.R. Hockett, T.D. Garrison, and J.M. Evans. 1997. Statistical models to predict the toxicity of major ions to *Ceriodaphnia dubia*, *Daphnia magna* and *Pimephales promelas* (fathead minnows). *Environ. Toxicol. Chem.* 16:2009-19 #658

Mulholland, R.J. 1978. New sampling theory for measuring ecosystem structure. EPA 600/3-78/104. Environmental Research Laboratory, ORD, USEPA, Athens, GA and Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R805564.

Mullin, M.D., C.M. Pochini, S. McCrindle, M. Romkes, S.H. Safe, and L.M. Safe. 1984. High-resolution PCB analysis: Synthesis and chromatographic properties of all 209 PCB congeners. *Environ. Sci. Technol.* 18:468-476. #1984-5

Mullin, M.D., C.M. Pochini, S. Safe, and L.M. Safe. 1983. Analysis of PCBs using specific isomer high resolution capillary gas chromatography. In: *PCBs: Human and environmental hazards*. F.M. D'Itri and M.A. Kamrin, eds. Butterworth Publishers, Boston, MA. Pp. 165-176. #1983-7

Munson, B.H., J.H. McCormick, and H.L. Collins. 1980. Influence of thermal challenge on conditioned feeding forays of juvenile rainbow trout. *Trans. Am. Fish. Soc.* 109:116-21 #208

Murphy, T.J. and Doskey, P.V. 1975. Inputs of phosphorus from precipitation to Lake Michigan. EPA/600/3-75/005. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # 802647.

Murphy, T.J. and A.W. Schinsky. 1983. Net atmospheric inputs of PCBs to the ice cover on Lake Huron. *J. Great Lakes Res.* 9(1):92-96. #1983-15

Murphy, T.J., A. Schinsky, G. Paolucci, and C.P. Rzeszutko. 1981. Inputs of polychlorinated biphenyls from the atmosphere to Lakes Huron and Michigan. In: *Atmospheric Pollutants in Natural Waters*, Eisenreich, S.J., ed. pp. 445-458. Ann Arbor Science Publishers, Ann Arbor, MI. #1981-21

Murphy, T.J., M.D. Mullin, and J.A. Meyer. 1987. Equilibration of polychlorinated biphenyls and toxaphene with air and water. *Environ. Sci. Technol.* 21:155-62 #354

Murphy, T.J. and Rzeszutko, C.P. 1978. Polychlorinated biphenyls in precipitation in the Lake Michigan basin. EPA 600/3-78/071. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # 803915.

Murphy, T.J., G. Paolucci, A. Schinsky, M.L. Combs, and J. Pokojowczyk. 1982. Inputs of PCBs from the atmosphere to Lakes Huron and Michigan. Large Lakes Research Station, Environmental Research Laboratory-Duluth, Grosse Isle, MI. #1982-23

Mylchreest, E., Snajdr, S., Korte, J.J., and Ankley, G.T. 2003. Comparison of ELISAs for detecting vitellogenin in the fathead minnow (*Pimephales promelas*). *Comp. Biochem. Physiol. Part C* 134:251-257. #785

N

Nacci, D., Pelletier, M., Lake, J., Bennett, R., Nichols, J., Haebler, R., Grear, J., Kuhn, A., Copeland, J., Nicholson, M., Walters, S., and Munns, W. R., Jr. 2005. An approach to predict risks to wildlife populations from mercury and other stressors. *Ecotoxicology* 14:283-293. #856

Naiman, R.J., H. Décamps, J. Pastor, and C.A. Johnston. 1988. The potential importance of boundaries to fluvial ecosystems. *J. N. Am. Benthol. Soc.* 7(4):289-306. #1988-59

Naiman, R.J., C.A. Johnston, and J.C. Kelley. 1988. Alteration of North American streams by beaver. *Bioscience* 38(11):753-762. #1988-50

Nalepa, T.F., D.J. Hartson, J. Buchanan, J.F. Cavaletto, G.A. Lang, and S.J. Lozano. 2000. Spatial variation in density, mean size and physiological condition of the holarctic amphipod *Diporeia* spp. in Lake Michigan. *Fresh. Biol.* 43:107-119. #2000-9

Nalepa, T.F., D.J. Hartson, D.L. Fanslow, G.A. Lang, and S.J. Lozano. 1998. Declines in benthic macroinvertebrate populations in southern Lake Michigan, 1980-1993. *Can. J. Fish. Aquat. Sci.* 55:2402-13 #699

National Effluent Toxicity Assessment Center. 1991. Guidance on assessment and control of bioconcentratable contaminants in surface waters. Environmental Research Laboratory, USEPA, Duluth, MN and Office of Water Enforcement and Permits, Office of Water Regulations and Standards, Office of Health and Environmental Assessment, USEPA, Cincinnati, OH. #1991-33

National Effluent Toxicity Assessment Center. 1988. Permit writers' guide to identification and control of bioconcentratable pollutants in complex effluents. EPA/600/x-88/275. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-49

Natusch, D.F.S. and Taylor, D.R. 1980. Environmental effects of western coal combustion. Part IV - Chemical and physical characteristics of coal fly ash. EPA/600/3-80/094. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Nawrocki, T., M.A. Starry, M.F. Moffett, and D.W. Bolgrien. Landscape metrics arranged by hydrological proximity to sites on the Mississippi, Missouri, and Ohio Rivers. 2008. In: DR Maidment, Ed., *GIS and Water Resources V, AWRA Spring Specialty Conference*, San Mateo, CA, March 17-19, 2008. American Water Resources Association, Middleburg, VA, TPS-08-1, CD-ROM / TPS-08-1. ISBN 1-882132-76-9. #4934

Nebeker, A.V. 1970 Statement of Alan V. Nebeker (PCB studies with citations list). National Water Quality Laboratory, USEPA, Duluth, MN. #1970-3

Nebeker, A.V. 1973. Temperature requirements and life cycle of the midge *Tanytarsus dissimilis* (Diptera: Chironomidae). *J. Kans. Entomol. Soc.* 46:160-165 #94

Nebeker, A.V. 1971. Effect of water temperature on nymphal feeding rate, emergence, and adult longevity of the stonefly *Pteronarcys dorsata*. *J. Kans. Entomol. Soc.* 44:21-26 #60

Nebeker, A.V.. 1976. Summary of recent information regarding effects of PCBs on freshwater organisms. PCB Conference, Chicago, IL, Nov. 1975. #1976-13

Nebeker, A.V., Puglisi, F.A., and DeFoe, D.L. 1977. Toxicity of polychlorinated biphenyls (PCBs) to fish and other aquatic life : final report. EPA 600/3-77/034. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Nebeker, A.V. 1976. Survival of *Daphnia*, crayfish, and stoneflies in air-supersaturated water. *J. Fish. Res. Board Can.* 33:1208-12 #137

Nebeker, A.V. and A.R. Gaufin. 1964. Bioassays to determine pesticide toxicity to the amphipod crustacean, *Gammarus lacustris*. *Utah Academy Proceedings*, vol. 41, part 1, pp. 64-67. #1964-1

Nebeker, A.V. and F.A. Puglisi. 1974. Effect of polychlorinated biphenyls (PCBs) on survival and reproduction of *Daphnia*, *Gammarus*, and *Tanytarsus*. *Trans. Am. Fish. Soc.* 103:722-28 #110

Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1974. Effect of polychlorinated biphenyl compounds on survival and reproduction of the fathead minnow and flagfish. *Trans. Am. Fish. Soc.* 103:562-68 #111

Nebeker, A.V., F.A. Puglisi, and D.L. DeFoe. 1972. Toxicity of polychlorinated biphenyls (PCBs) to fish and other aquatic life. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-4

Nebeker, A.V. 1971. Effect of high winter water temperatures on adult emergence of aquatic insects. *Water Res.* 5:777-83 #58

Nebeker, A.V. 1971. Effect of temperature at different altitudes on the emergence of aquatic insects from a single stream. *J. Kans. Entomol. Soc.* 44:26-35 #59

- Nebeker, A.V. 1972. Effect of low oxygen concentration on survival and emergence of aquatic insects. *Trans. Am. Fish. Soc.* 101:675-79 #72
- Nebeker, A.V. and A.E. Lemke. 1968. Preliminary studies on the tolerance of aquatic insects to heated waters. *J. Kans. Entomol. Soc.* 41:413-18 #20
- Neiheisel, T.W., Horning, W.B., Petrasek, A.C., Jr., Asberry, V.R., Jones, D.A., Marcum, R.L., and Hall, C.T. 1983. Effects on toxicity of volatile priority pollutants added to a conventional wastewater treatment system. EPA/600/3-83/083. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-259721).
- Nelson, H., D. Benoit, R. Erickson, V. Mattson, and J. Lindberg. 1985. The effects of variable hardness, pH, alkalinity, suspended clay, and humics on the chemical speciation and aquatic toxicity of copper. EPA/600/3-86/023. Environmental Research Laboratory, USEPA, Duluth, MN. #1985-28
- Nelson, W.R., R.E. Siefert, and D.V. Swedberg. 1968. Studies of the early life history of reservoir fishes. In: *Reservoir Fishery Resources Symposium*, April 5-7, 1967, Athens, GA. American Fisheries Society, Washington, D.C. Pp. 374-385. #1968-4
- Nendza, M. and C.L. Russom. 1991. QSAR modelling of the ERL-D fathead minnow acute toxicity database. *Xenobiotica* 21:147-70 #456
- Nestrud, L.B. and R.L. Anderson. 1994. Aquatic safety of *Lagenidium giganteum*: Effects on freshwater fish and invertebrates. *J. Invertebr. Pathol.* 64:228-33 #547
- Neuhold, J.M. 1987. The relationship of life history attributes to toxicant tolerance in fishes. *Environ. Toxicol. and Chem.* 6:709-716. #1987-30
- Neuhold, J.M. 1986. Selected life history attributes of some North American endemic and introduced species of fishes. EPA/600/3-86/020. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB86-175726): CR 811646. #1986-24
- Newman, R.M., J.A. Perry, E. Tam, and R.L. Crawford. 1987. Effects of chronic chlorine exposure on litter processing in outdoor experimental streams. *Fresh. Biol.* 18:415-428. #1987-25
- Newman, R.M. and J.A. Perry. 1989. The combined effects of chlorine and ammonia on litter breakdown in outdoor experimental streams. *Hydrobiologia* 184:69-78. #1989-7
- Newsome, L.D., D.E. Johnson, R.L. Lipnick, S.J. Broderius, and C.L. Russom. 1991. A QSAR study of the toxicity of amines to the fathead minnow. *Sci. Total Environ.* 109/110:537-51 #657
- Newsted, J.L., J.P. Giesy, G.T. Ankley, D.E. Tillitt, R.A. Crawford, J.W. Gooch, P.D. Jones, and M.S. Denison. 1995. Development of toxic equivalency factors for PCB congeners and the

assessment of TCDD and PCB mixtures in rainbow trout. *Environ. Toxicol. Chem.* 14:861-71 #577

Nichols, J.W., A.D. Hoffman, P.N. Fitzsimmons, and G.J. Lien. 2008. Quantification of phenol, phenyl glucuronide, and phenyl sulfate in blood of unanesthetized rainbow trout by online microdialysis sampling. *Toxicol. Mech. Methods* 18:405-412. #4745

Nichols, J.W., A.D. Hoffman, P.N. Fitzsimmons, and G.J.J.C.T. Lien. 2008. Use of online microdialysis sampling to determine the in vivo rate of phenol glucuronidation in rainbow trout. *Drug Metab. Disp.* 36:1406-1413. #4858

Nichols, J.W., S. Erhardt, S.D. Dyer, M.O. James, M.M. Moore, K.P. Plotzke, H. Segner, I.R. Schultz, L. Vasiluk, and A. Weisbrod. 2007. Workshop Report: Use of *in vitro* absorption, distribution, metabolism and excretion (ADME) data in bioaccumulation assessments for fish. *Human. Ecol. Risk Assess.* 13:1164-1191. #4736

Nichols, J.W., P.N. Fitzsimmons, and L.P. Burkhard. 2007. In vitro-in vivo extrapolation of quantitative hepatic biotransformation data for fish. II. Modeled effects on chemical bioaccumulation. *Environ. Toxicol. Chem.* 26:1304-1319. #4502

Nichols, J.W., Echols, K.R., Tillitt, D.E., Secord, A.L., and McCarty, J.P. 2004. Bioenergetics-based modeling of individual PCB congeners in nestling tree swallows from two contaminated sites on the upper Hudson River, New York. *Environ. Sci. Technol.* 39:6234-6239. #840

Nichols, J.W. 1999. Recent advances in the development and use of physiologically based toxicokinetic models for fish. In: *Xenobiotics in Fish*. Smith et al, eds. pp. 87-103. Kluwer Academic/Plenum Publishers, New York, NY. #1999-5

Nichols, J.W., et al. 1997. Mercury study report to Congress. Volume VI: an ecological assessment for anthropogenic mercury emissions in the United States. EPA/452/R-97/008. Office of Air Quality Planning & Standards/ORD, USEPA, Washington, D.C. #1997-11

Nichols, J.W., P. Rheingans, D.B. Lothenbach, R. McGeachie, L. Skow, and J.M. McKim. 1994. Three-dimensional visualization of physiologically based kinetic model outputs. *Environ. Health Perspect.* 102:952-56 #548

Nichols, J., S. Bradbury, and J. Swartout. 1999. Derivation of wildlife values for mercury. *J. Toxicol. Environ. Health, Part B.* 2:325-55 #720

Nichols, J.W. and L.J. Weber. 1989. Comparative oxygen affinity of fish and mammalian myoglobins. *J. Comp. Physiol.* 159B:205-9 #395

Nichols, J.W., P.N. Fitzsimmons, F.W. Whiteman, D.W. Kuehl, B.C. Butterworth, and C.T. Jenson. 2001. Dietary uptake kinetics of 2,2',5,5'-tetrachlorobiphenyl in rainbow trout. *Drug Metabolism and Disposition* 29:1013-22 #761

- Nichols, J.W., I.R. Schultz, and P.N. Fitzsimmons. 2006. In vitro-in vivo extrapolation of quantitative hepatic biotransformation data for fish I. A review of methods, and strategies for incorporating intrinsic clearance estimates into chemical kinetic models. *Aquat. Toxicol.* 78:74-90. #889
- Nichols, J.W. 2002. Modeling the uptake and disposition of hydrophobic organic chemicals in fish using a physiologically based approach. In: *The Practical Applicability of Toxicokinetic Models in the Risk Assessment of Chemicals*, Krüse, J., Verhaar, H.J.M. and de Raat, W.K., eds. Kluwer Academic Publishers, the Netherlands, pp. 109-133. #2002-8
- Nichols, J.W. and L.J. Weber. 1989. Oxidation of cardiac myoglobin in vivo by sodium nitrite or hydroxylamine. *Arch. Toxicol.* 63:484-88 #396
- Nichols, J.W., Fitzsimmons, P.N., and Whiteman, F.W. 2004. A physiologically based toxicokinetic model for dietary uptake of hydrophobic organic compounds by fish. II. Simulation of chronic exposure scenarios. *Toxicol. Sci.* 77:219-229. #812
- Nichols, J.W., Fitzsimmons, P.N., Whiteman, F.W., Dawson, T.D., Babeu, L., and Juenemann, J. L. 2004. A physiologically based toxicokinetic model for dietary uptake of hydrophobic organic compounds by fish. I. Feeding studies with 2,2',5,5'-tetrachlorobiphenyl. *Toxicol. Sci.* 77:206-218. #811
- Nichols, J.W., J.M. McKim, G.J. Lien, A.D. Hoffman, and S.L. Bertelsen. 1991. Physiologically based toxicokinetic modeling of three waterborne chloroethanes in rainbow trout (*Oncorhynchus mykiss*). *Toxicol. Appl. Pharmacol.* 110:374-89 #457
- Nichols, J.W. 2001. Use of indicators in ecological risk assessments for persistent, bioaccumulative toxicants. *Hum. Ecol. Risk Assess.* 7:1043-57 #763
- Nichols, J.W., J.M. McKim, G.J. Lien, A.D. Hoffman, S.L. Bertelsen, and C.A. Gallinat. 1993. Physiologically-based toxicokinetic modeling of three waterborne chloroethanes in channel catfish, *Ictalurus punctatus*. *Aquat. Toxicol.* 27:83-112 #509
- Nichols, J.W., J.M. McKim, M.E. Andersen, M.L. Gargas, H.J. Clewell III, and R.J. Erickson. 1990. A physiologically based toxicokinetic model for the uptake and disposition of waterborne organic chemicals in fish. *Toxicol. Appl. Pharmacol.* 106:433-47 #424
- Nichols, J.W. and L.J. Weber. 1990. Lack of myoglobin function in the isolated perfused buffalo sculpin (*Enophrys bison*) heart. *Can. J. Zool.* 68:825-29 #425
- Nichols, J.W., K.M. Jensen, J.E. Tietge, and R.D. Johnson. 1998. Physiologically based toxicokinetic model for maternal transfer of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in brook trout (*Salvelinus fontinalis*). *Environ. Toxicol. Chem.* 17:2422-34 #689

Nichols, J.W., J.M. McKim, G.J. Lien, A.D. Hoffman, S.L. Bertelsen, and C.M. Elonen. 1996. A physiologically based toxicokinetic model for dermal absorption of organic chemicals by fish. *Fundam. Appl. Toxicol.* 31:229-42 #625

Nichols, J.W., C.P. Larsen, M.E. McDonald, G.J. Niemi, and G.T. Ankley. 1995. Bioenergetics-based model for accumulation of polychlorinated biphenyls by nestling tree swallows, *Tachycineta bicolor*. *Environ. Sci. & Technol.* 29:604-12 #578

Niemi, G.J., J.R. Kelly, and N.P. Danz. 2008. Environmental indicators for the coastal region of the North American Great Lakes: Introduction and prospectus. *J. Great Lakes Res.* 33 (SI3):1-12. #4907

Niemi, G.J., R.R. Regal, D.D. Vaishnav, and G.D. Veith. 1985. A preliminary model to predict biodegradability from chemical structure. In: *Proceedings of the workshop on Biodegradation Kinetics*, October 18-20, 1983, Navarre Beach, FL. EPA/600/9-85/018. Environmental Research Laboratory, USEPA, Gulf Breeze, FL. Pp. 121-126. #1985-9

Niemi, G.J., N.E. Detenbeck, and J.A. Perry. 1993. Comparative analysis of variables to measure recovery rates in streams. *Environ. Toxicol. Chem.* 12:1541-1547. #1993-28

Niemi, G.J., P.W. DeVore, N.E. Detenbeck, D.K. Taylor, A.R. Lima, J. Pastor, J.D. Yount, and R.J. Naiman. 1990. Overview of case studies on recovery of aquatic systems from disturbance. *Environ. Manage.* 14:571-87 #426

Niemi, G.J., S.C. Basak, G.D. Veith, and G. Grunwald. 1992. Prediction of octanol/water partition coefficient (K_{ow}) with algorithmically derived variables. *Environ. Toxicol. Chem.* 11:893-900 #485

Niemi, G.J., G.D. Veith, R.R. Regal, and D.D. Vaishnav. 1987. Structural features associated with degradable and persistent chemicals. *Environ. Toxicol. Chem.* 6:515-27 #355

Niemi, G.J., T.E. Davis, G.D. Veith, and B. Vieux. 1986. Organochlorine chemical residues in herring gulls, ring-billed gulls, and common terns of western Lake Superior. *Arch. Environ. Contam. Toxicol.* 15:313-20 #328

Niemi, G.J., R.R. Regal, and G.D. Veith. 1985. Applications of molecular connectivity indexes and multivariate analysis in environmental chemistry. In: *Environmental applications of chemometrics*. ACS Symposium Series 292. J.J. Breen and P.E. Robinson, eds. Pp. 148-159. American Chemical Society, Washington, D.C. #1985-24

Niemi, G.J., R.J. Naiman, and J. Pastor. 1988. Factors controlling the recovery of aquatic systems from disturbance. Natural Resources Research Institute--University of Minnesota, Duluth and Environmental Research Laboratory, USEPA, Duluth, MN. #1988-64

Niemi, G.J., S.C. Basak, and G.D. Veith. 1989. A theoretical and computational approach to chemical evaluation based on structure-activity relationships. In: *Envirotech Vienna 1989*.

Session 1: Evaluation of hazardous substances and products. K.L Zirm and J. Mayer, eds. Pp. 57-68. Umweltbundesamt, Federal Environmental Agency, Vienna, Austria. #1989-39

Niemi, G.J. and G.D. Veith. 1989. An approach for development of structure-biodegradation relationships of organic chemicals. In: *Aquatic toxicology and environmental fate, 11th vol.* G.W. Suter, II and M.A. Lewis, eds. Pp. 459-467. ASTM STP 1007. American Society for Testing and Materials, Philadelphia, PA. #1989-31

Niemi, G.J. and J.M. McKim. 1988. Simplifying complex QSARs in toxicity studies with multivariate statistics. In: *Proceedings of the Third International Workshop on Quantitative Structure-Activity Relationships in Environmental Toxicology*, May 22-26, 1988, Knoxville, TN. CONF-880520. Pp. 11-19. #1988-3

Niemi, G.J., S.P. Bradbury, and J.M. McKim. 1991. The use of fish physiology literature for predicting fish acute toxicity syndromes. In: *Aquatic toxicology and risk assessment, 14th vol.* M.A. Mayes and M.G. Barron, eds. Pp. 245-260. ASTM STP 1124. American Society for Testing and Materials, Philadelphia, PA. #1991-21

Norberg-King, T.J., P.K. Sibley, G. Burton, C.G. Ingersoll, N. Kemble, S. Ireland, D.R. Mount, and C. Rowland. 2006. Interlaboratory evaluation of *Hyalella azteca* and *Chironomus tentans* short-term and long-term sediment toxicity tests. *Environ. Toxicol. and Chem.* 25:2662-2674. #4318

Norberg, T.J. and D.I. Mount. 1985. A new fathead minnow (*Pimephales promelas*) subchronic toxicity test. *Environ. Toxicol. Chem.* 4:711-18 #300

Norberg, T.J. and D.I. Mount. 1985. Diets for *Ceriodaphnia reticulata* life-cycle tests. In: *Aquatic toxicology and hazard assessment: Seventh symposium.* R.D. Cardwell, R. Purdy, R.C. Bahner, eds. Pp. 42-52. ASTM STP 854. American Society for Testing and Materials, Philadelphia, PA. #1985-19

Norberg-King, T.J. and S. Schmidt. 1993. Comparison of effluent toxicity results using *Ceriodaphnia dubia* cultured on several diets. *Environ. Toxicol. Chem.* 12:1945-55 #510

Norberg-King, T.J. 1990. Letter to the editor: Seven-day tests and chronic tests. *Environ. Toxicol. Chem.* 9:1435-36 #427

Norberg-King, T.J. 1979. Rapid methods research highlights. Environmental Research Laboratory, USEPA, Duluth, MN. #1979-2

Norberg-King, T.J., M. Lukasewycz, and J. Jenson. 1989. Results of diazinon levels in POTW effluents in the United States. NETAC Technical Report 14-89. National Effluent Toxicity Assessment Center, Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, USEPA, Duluth, MN. #1989-54

Norberg-King, T.J. 1993. A linear interpolation method for sublethal toxicity: The inhibition concentration (ICp) approach. Version 2.0. National Effluent Toxicity Assessment Center Technical Report 03-93. Environmental Research Laboratory, USEPA, Duluth, MN. #1993-21

Norberg-King, T. J. 1989. An evaluation of the fathead minnow seven-day subchronic test for estimating chronic toxicity. *Environ. Toxicol. Chem.* 8:1075-89 #397

Norberg-King, T.J., D.I. Mount, J.R. Amato, and J.E. Taraldsen. 1988. Application of the water quality based approach on a regional scale: Toxicity testing and identification of toxicants in effluents from the San Francisco Bay region. EPA/600/x-88/237. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-46

Norberg-King, T.J., E.J. Durhan, G.T. Ankley, and E.D. Robert. 1991. Application of toxicity identification evaluation procedures to the ambient waters of the Colusa Basin Drain, California. *Environ. Toxicol. Chem.* 10:891-900 #458

Norberg-King, T.J., Mount, D.I., Amato, J.R., Jensen, D.A., and Thompson, J.A. 1991. Toxicity identification evaluation: characterization of chronically toxic effluents, phase I. EPA/ 600/6-91/005F. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Norberg-King, T.J., Mount, D.I., Durhan, E.J., Ankley, G.T., Burkhard, L.P., Amato, J.R., Lukasewycz, M.T., Schubauer-Berigan, M.K., and Anderson-Carnahan, L., eds. 1991. Methods for aquatic toxicity identification evaluations: Phase I toxicity characterization procedures (Second edition). EPA/ 600/6-91/003. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Nordlie, K.J. and J.W. Arthur. 1981. Effect of elevated water temperature on insect emergence in outdoor experimental channels. *Environ. Pollut. Ser. A.* 25:53-65 #225

O

O'Halloran, S.L., K. Liber, K.L. Schmude, and T.D. Corry. 1996. Effects of diflubenzuron on benthic macroinvertebrates in littoral enclosures. *Arch. Environ. Contam. Toxicol.* 30:444-451. #1996-13

O'Halloran, S.L., K. Liber, J.A. Gangl, and M.L. Knuth. 1999. Effects of repeated exposure to 4-nonylphenol on the zooplankton community in littoral enclosures. *Environ. Toxicol. Chem.* 18:376-85 #702

Olson, D. 1974. Fathead minnow egg production as a function of the number of females per spawning chamber. Interim report of the fathead minnow methods study, part I. USEPA, Duluth, MN. #1974-15

Olson, G. 1971. Procedure for ultra trace analysis of mercury (including organic) in natural water. #1971-10

Olson, D.L. and G.M. Christensen. 1982. Effect of selected environmental pollutants and other chemicals on the activity of urease (*in vitro*). *Bull. Environ. Contam. Toxicol.* 28:439-45 #248

Olson, D.L. and G.M. Christensen. 1980. Effects of water pollutants and other chemicals on fish acetylcholinesterase (*in vitro*). *Environ. Res.* 21:327-35 #209

Olson, G.F., D.I. Mount, V.M. Snarski, and T.W. Thorslund. 1975. Mercury residues in fathead minnows, *Pimephales promelas* Rafinesque, chronically exposed to methylmercury in water. *Bull. Environ. Contam. Toxicol.* 14:129-34 #121

Oris, J.T., R.W. Winner, and M.V. Moore. 1991. A four-day survival and reproduction toxicity test for *Ceriodaphnia dubia*. *Environ. Toxicol. and Chem.* 10:217-224. #1991-14

Oris, J.T. and J.A. Bailer. 1993. Statistical analysis of the *Ceriodaphnia* toxicity test: Sample size determination for reproductive effects. *Environ. Toxicol. Chem.* 12:85-90. #1993-4

P

Palekar, L.D., P.M. Cook, and D.L. Coffin. 1983. *In vitro* effects of mineral fibers. *Environ. Health Perspect.* 51:11-16 #265

Palmeira, C.M., J. Serrano, D.W. Kuehl, and K.B. Wallace. 1997. Preferential oxidation of cardiac mitochondrial DNA following acute intoxication with doxorubicin. *Biochim. Biophys. Acta.* 1321:101-6 #660

Pan, Y., B.H. Hill, P. Husby, R.K. Hall, and P. Kaufmann. 2006. Relationships between environmental variables and benthic diatom assemblages in California Central Valley streams (USA). *Hydrobiologia* 561:119-130. #895

Parkerton, T., J. Arnot, A. Weisbrod, C. Russom, R. Hoke, K. Woodburn, T. Traas, M. Bonnell, L. Burkhard, and M. Lampi. 2008. Guidance for evaluating in-vivo fish bioaccumulation data. *IEAM* 4:139-155. #4733

Parkhurst, B.R. and D.I. Mount. 1991. Water quality-based approach to toxics control: Narrowing the gap between science and regulation. *Water Environment & Technology* December 1991:45-47. #1991-5

Parkhurst, M.A., G. Whelan, Y. Onishi, and A.R. Olsen. 1981. Simulation of the migration, fate, and effects of diazinon in two Monticello stream channels. Prepared for the U.S. Army Medical Bioengineering Laboratory, Fort Detrick, Frederick, MD by Battelle, Pacific Northwest Laboratories, Richland, WA. #1981-2

Parkinson, A., L.W. Robertson, and S. Safe. 1980. Reconstituted human breast milk PCBs as potent inducers of aryl hydrocarbon hydroxylase. *Biochem. Biophys. Res. Comm.* 96(2):882-889. #1980-5

- Parkinson, A., L.W. Robertson, L. Safe, and Safe S. 1981. Polychlorinated biphenyls as inducers of hepatic microsomal enzymes: Effects of di-ortho *i* substitution. *Chem.-Biol. Interactions* 35:1-12. #1981-4
- Parks, L.G., C.S. Lambright, E.F. Orlando, L.J. Guillette, Jr., G.T. Ankley, and L.E. Gray, Jr. 2001. Masculinization of female mosquitofish in kraft mill effluent-contaminated Fenholloway River water is associated with androgen receptor agonist activity. *Toxicol. Sci.* 62:257-267. #2001-8
- Parrish, P.R., K.L. Dickson, J.L. Hamelink, R.A. Kimerle, K.J. Macek, F.L. Mayer, Jr., and D.I. Mount. 1988. Aquatic toxicology: Ten years in review and a look at the future. In: *Aquatic toxicology and hazard assessment, 10th vol.* W.J. Adams, G.A. Chapman, and W.G. Landis, eds. Pp. 7-25. ASTM STP 971. American Society for Testing and Materials, Philadelphia, PA. #1988-36
- Patterson, R.L. 1970 Production, mortality, and power plant cooling water entrainment of larval yellow perch in Michigan-Ohio waters of the western basin of Lake Erie in 1975 and 1976: Impacts upon standing crop and the fishery. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1970-25
- Patterson, R.L. and Z.Q. Ma. 1988. Sensitivity analyses of parameters of a M(t)/G/oo stochastic service system. *Applied Mathematics and Computation* 26:169-177. #1988-11
- Patterson, R.L. 1987. Revised estimates of power plant entrainment of ichthyoplankton in western Lake Erie in 1975-77. *J. Great Lakes Res.* 13(1):78-83. #1987-23
- Patterson, R.L. and School of Natural Resources. 1979. Production, mortality, and power plant entrainment of larval yellow perch in western Lake Erie. EPA/600/3-79/087. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Pauer, J.J., A. Anstead, W. Melendez, R. Rossmann, K.W. Taunt, and R.G. Kreis. 2008. The Lake Michigan eutrophication model, LM3-Eutro: Model development and calibration. *Water Environ. Res.* 80:853-861. #4690
- Pauer, J.J., K. Taunt, W. Melendez, R.G. Kreis, and A. Anstead. 2007. Resurrection of the Lake Michigan eutrophication model, MICH1. *J. Great Lakes Res.* 33:554-563. #4437
- Pauer, J.J., K.W. Taunt, and W. Melendez. 2006. LM3-Eutro. Part 2, pp. 120-182 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345-j
- Paul, J.F., S.M. Cormier, W.J. Berry, P.R. Kaufmann, R.L. Spehar, D.J. Norton, R.E. Cantilli, R. Stevens, W.F. Swietlik, and B.K. Jessup. 2008. Developing water quality criteria for suspended and bedded sediments. *Water Practice, Water Environment Federation* 2:1-17. #5051

Paul, J.F., Richardson, W.L., Gorstko, A.B., and Matveyev, A.A. 1979. Results of a joint USA/USSR hydrodynamic and transport modeling project. EPA/600/3-79/015. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Pearlman, R.S. 1986. Molecular surface area and volume: Their calculations and use in predicting solubilities and free energies of desolvation. In: *Partition coefficient determination and estimation*. Dunn, William J., III, John H. Block, and Robert S. Pearlman, eds. Pergamon Press, New York, NY. Pp. 3-20. #1986-28

Pearson, M.S. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 4, November 2006, EPA/620/N-06/004. 4718

Pearson, M.S. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 3, June 2006, EPA/620/N-06/003. #4660

Pearson, M.S. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 2, March 2006, EPA/620/N-06/002. #4601

Pearson, M.S. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 2, No. 1, January 2006, EPA/620/N-06/001. #4554

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 1, No. 4, October 2005, EPA/620/N-05/004. #4530

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 1, No. 3, July 2005, EPA/620/N-05/003. #4491

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol. 1, No. 2, April 2005, EPA/620/N-05/002. #4435

Pearson, M.S. 2005. The Great Rivers Newsletter. USEPA, Duluth, MN, Vol.1, No.1, March 2005, EPA/620/N-05/001. #4409

Penkal, R.F. and Gregory, R.W. 1980. Smallmouth bass and largemouth bass in the Tongue River Reservoir, Montana, 1975-76. EPA/600/3-80/045. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining, Part VI): Grant # R803950.

Perkins, E.J., N. Garcia-Reyero, D.L. Villeneuve, D. Martinovic, S.M. Brasfield, L.S. Blake, J.D. Brodin, N.D. Denslow, and G.T. Ankley. 2008. Perturbation of gene expression and steroidogenesis with *in vitro* exposure of fathead minnow ovaries to ketoconazole. *Marine Environ. Res.* 66:113-115. #4810

Perry, J.A. and N.H. Troelstrup, Jr. 1988. Whole ecosystem manipulation: A productive avenue for test system research? *Environ. Toxicol. Chem.* 7(11):941-951. #1988-41

Perry, J.A., N.H. Troelstrup, Jr., M. Newsom, and B. Shelley. 1987. Whole ecosystem manipulation experiments: the search for generality. *Wat. Sci. Tech.* 19(11):55-71. #1987-48

Peterka, J.J. and Kent, J.S. 1976. Dissolved oxygen, temperature, survival of young at fish spawning sites. EPA 600/3-76/113. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R801976.

Peterson, G.S., M.E. Sierszen, P.M. Yurista, and J.R. Kelly. 2008. Stable nitrogen isotopes of plankton and benthos reflect a landscape-level influence on Great Lakes coastal ecosystems. *J. Great Lakes Res.* 33 (SI3):27-41. #4680

Peterson, G.S., Johnson, L.B., Axler, R.P., and Diamond, S.A. 2002. Assessment of the risk of solar ultraviolet radiation to amphibians. II. *In situ* characterization of exposure in amphibian habitats. *Environ. Sci. Technol.* 36:2859-2865. #775

Peterson, G.S., R.P. Axler, K.B. Lodge, J.A. Schuldt, and J.L. Crane. 2002. Evaluation of a fluorometric screening method for predicting total PAH concentrations in contaminated sediments. *Environ. Monitor. Assess.* 78:111-129. #2002-6

Peterson, G.S., G.T. Ankley, and E.N. Leonard. 1996. Effect of bioturbation on metal-sulfide oxidation in surficial freshwater sediments. *Environ. Toxicol. Chem.* 15:2147-55 #626

Phillips, G.R. and R.C. Russo. 1978. Metal bioaccumulation in fishes and aquatic invertebrates: A literature review. EPA/600/3-78-103. USEPA, Environmental Research Laboratory, Duluth, MN. #1978-7

Phipps, G.L., M.J. Harden, E.N. Leonard, T.H. Roush, D.L. Spehar, C.E. Stephan, Q.H. Pickering, and A.L. Buikema, Jr. 1984. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 56:725-58 #287

Phipps, G.L. and G.W. Holcombe. 1985. A method for aquatic multiple species toxicant testing: Acute toxicity of 10 chemicals to 5 vertebrates and 2 invertebrates. *Environ. Pollut. Ser. A.* 38:141-57 #301

Phipps, G.L. and G.W. Holcombe. 1988. Report on species/species extrapolations from freshwater organism comparative toxicology data base. EPA/600/X-88/265. National Water Quality Laboratory, USEPA, Duluth, MN. #1988-44

Phipps, G.L., G.W. Holcombe, and J.T. Fiandt. 1981. Acute toxicity of phenol and substituted phenols to the fathead minnow. *Bull. Environ. Contam. Toxicol.* 26:585-93 #226

Phipps, G.L., G.T. Ankley, D.A. Benoit, and V.R. Mattson. 1993. Use of the aquatic oligochaete *Lumbriculus variegatus* for assessing the toxicity and bioaccumulation of sediment-associated contaminants. *Environ. Toxicol. Chem.* 12:269-79 #511

- Phipps, G.L., V.R. Mattson, and G.T. Ankley. 1995. Relative sensitivity of three freshwater benthic macroinvertebrates to ten contaminants. *Arch. Environ. Contam. Toxicol.* 28:281-86 #579
- Phipps, G.L., G.W. Holcombe, and J.T. Fiandt. 1982. Saturator system for generating toxic water solutions for aquatic bioassays. *Prog. Fish-Cult.* 44:115-16 #249
- Pickering, Q.H. 1980. Chronic toxicity of hexavalent chromium to the fathead minnow (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 9:405-13 #210
- Pickering, Q.H. 1968. Some effects of dissolved oxygen concentrations upon the toxicity of zinc to the bluegill, *Lepomis macrochirus*, Raf. *Water Res.* 2:187-94 #21
- Pickering, Q.H. and T.O. Thatcher. 1970. The chronic toxicity of linear alkylate sulfonate (LAS) to *Pimephales promelas*, Rafinesque. *J. Water Pollut. Control Fed.* 42:243-54 #46
- Pickering, Q.H. and Henderson, C. 1966. The acute toxicity of some heavy metals to different species of warmwater fishes. *Air Water Pollut. Int. J.* 10, 453-463. #7
- Pickering, Q.H. and Henderson, C. 1966. Acute toxicity of some important petrochemicals to fish. *J. Water Pollut. Control Fed.* 38, 1419-1429. #6
- Pickering, Q.H., W.A. Brungs, and M.H. Gast. 1977. Effect of exposure time and copper concentration on reproduction of the fathead minnow (*Pimephales promelas*). *Water Res.* 11:1079-83 #158
- Pickering, Q.H., G.M. Shaul, and K.A. Dostal. 1985. Acute and chronic toxicity to the fathead minnow, *Pimephales promelas*, of effluents from a treatment plant receiving dye and pigment processing wastewater. In: *Aquatic Toxicology and Hazard Assessment: Eighth Symposium*. R.C. Bahner and D.J. Hansen, eds. Pp. 395-406. ASTM STP 891. American Society for Testing and Materials, Philadelphia, PA. #1985-5
- Pickering, Q.H. and W.T. Gilliam. 1982. Toxicity of aldicarb and fonofos to the early-life-stage of the fathead minnow. *Arch. Environ. Contam. Toxicol.* 11:699-702 #250
- Pickering, Q.H., E.P. Hunt, G.L. Phipps, T.H. Roush, W.E. Smith, D.L. Spehar, C.E. Stephan, and D.K. Tanner. 1983. Effects of pollution on freshwater fish and amphibians. *J. Water Pollut. Control Fed.* 55:840-863 #266
- Pickering, Q.H. 1974. Chronic toxicity of nickel to the fathead minnow. *J. Water Pollut. Control Fed.* 46:760-765 #112
- Pickering, Q.H. and M.H. Gast. 1972. Acute and chronic toxicity of cadmium to the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* 29:1099-106 #73

- Pickering, Q.H., D.O. Carle, A. Pilli, T. Willingham, and J.M. Lazorchak. 1989. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 61:998-1042 #398
- Pickering, Q.H. and W.N. Vigor. 1965. The acute toxicity of zinc to eggs and fry of the fathead minnow. *Prog. Fish-Cult.* 27:153-57. #3
- Pignatello, J.J., L.K. Johnson, M.M. Martinson, R.E. Carlson, and R.L. Crawford. 1985. Response of the microflora in outdoor experimental streams to pentachlorophenol: Compartmental contributions. *Appl. Environ. Microbiol.* 50(1):127-132/1985-17
- Pignatello, J.J., M.M. Martinson, J.G. Steiert, R.E. Carlson, and R.L. Crawford. 1983. Biodegradation and photolysis of pentachlorophenol in artificial freshwater streams. *Appl. Environ. Microbiol.* 46(5):1024-1031. #1983-10
- Pillard, D.A., D.L. DuFresne, D.D. Caudle, J.E. Tietge, and J.M. Evans. 2000. Predicting the toxicity of major ions in seawater to mysid shrimp (*Mysidopsis bahia*), sheepshead minnow (*Cyprinodon variegatus*), and inland silverside minnow (*Menidia beryllina*). *Environ. Toxicol. Chem.* 25(1):183-191. #2000-1
- Pillard, D.A., D.L. DuFresne, J.E. Tietge, and J.M. Evans. 1999. Response of mysid shrimp (*Mysidopsis bahia*), sheepshead minnow (*Cyprinodon variegatus*), and inland silverside minnow (*Menidia beryllina*) to changes in artificial seawater salinity. *Environ. Toxicol. Chem.* 18(3):430-435. #1999-3
- Pilli, A., D.O. Carle, E.R. Kline, Q.H. Pickering, and J.M. Lazorchak. 1988. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 60:994-1065 #366
- Pirrone, N., I. Allegrini, G.J. Keeler, J.O. Nriagu, R. Rossmann, and J.A. Robbins. 1998. Historical atmospheric mercury emissions and depositions in North America compared to mercury accumulations in sedimentary records. *Atmos. Environ.* 32(5):929-940. #1998-4
- Poff, N.L. and J.D. Allan. 1995. Functional organization of stream fish assemblages in relation to hydrological variability. *Ecology* 76(2):606-627. #1995-4
- Poldoski, J.E. and G.E. Glass. 1978. Anodic stripping voltammetry at a mercury film electrode: Baseline concentrations of cadmium, lead, and copper in selected natural waters. *Anal. Chim. Acta.* 101:79-88 #179
- Poldoski, J.E. and G.E. Glass. 1974. Methodological considerations in western Lake Superior water-sediment exchange studies of some trace elements. Presented at the Seventh Materials Research Symposium, Accuracy in Trace Analysis, National Bureau of Standards, Gaithersburg, MD, October 7-11, 1974. #1974-9
- Poldoski, J.E. and G.E. Glass. 1977. Considerations of trace element chemistry for streams in the Minnesota-Ontario border area. In: *International Conference on Heavy Metals in the Environment*, October 27-31, 1975, Toronto, Ontario. Pp. 901-922. #1977-10

Poldoski, J.E. 1980. Determination of lead and cadmium in fish and clam tissue by atomic absorption spectrometry with a molybdenum and lanthanum treated pyrolytic graphite atomizer. *Anal. Chem.* 52:1147-51 #211

Poldoski, J.E., E.N. Leonard, J.T. Fiandt, L.E. Anderson, G.F. Olson, and G.E. Glass. 1978. Factors in the determination of selected trace elements in near-shore U.S. waters of Lakes Superior and Huron. *J. Great Lakes Res.* 4:206-15 #180

Poldoski, J.E. 1986. Control of cadmium carbonate precipitation interferences during the dialysis of cadmium in high bicarbonate alkalinity aquatic-life bioassay waters. EPA Project Summary, EPA/600/3-86/001. USEPA, Cincinnati, OH. #1986-31

Poldoski, J.E. 1977. Molecular spectral interference in the determination of arsenic by furnace atomic absorption. *Atomic Absorp. Newsl.* 16:70-73 #160

Poldoski, J.E. 1977. Computer-assisted furnace atomic absorption spectrometric analysis. *Anal. Chem.* 49:891-93 #159

Poldoski, J.E. and G.E. Glass. 1976. Methodological considerations in western Lake Superior water-sediment exchange studies of some trace elements. In: *Accuracy in Trace Analysis: Sampling, Sample Handling, and Analysis, Proceedings of the 7th IMR Symposium*, October 7-11, 1974, Gaithersburg, MD. Pp. 1073-1088. NBS Special Publication No. 422, National Bureau of Standards, Washington, D.C. #1976-6

Poldoski, J.E. 1979. Cadmium bioaccumulation assays. Their relationship to various ionic equilibria in Lake Superior water. *Environ. Sci. Technol.* 13:701-6 #190

Pratt, J.R. and N.J. Bowers. 1990. Effect of selenium on microbial communities in laboratory microcosms and outdoor streams. *Toxicity Assessment: An International Journal* 5:293-307. #1990-33

Preud'homme, E.B. and H.G. Stefan. 1992. Relationship between water temperatures and air temperatures for central U.S. streams. Project Report No. 333, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1992-25

Preud'homme, E.B. and H.G. Stefan. 1992. Errors related to random stream temperature data collection in upper Mississippi River watershed. *Water Resources Bulletin* 28(6):1077-1082. #1992-12

Q

Que, L., Jr., D.D. Cox, and R.C. Kolanczyk. 1988. Functional models for catechol 1,2-dioxygenase. *Stud. Org. Chem.* 33:399-405. #1988-60

Que, L., Jr., R.C. Kolanczyk, and L.S. White. 1987. Functional models for catechol 1,2-dioxygenase. Structure, reactivity and mechanism. *J. Am. Chem. Soc.* 109:5373-5380. #1987-46

Quiquley, E., Randall, J., Murray, B.H., and D'Alessio, A.B. 1980. Citizen concern with power plant siting: Wisconsin power plant impact study. EPA/600/3-80/004. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.

R

Ragland, K.W., Goodell, B.D., and Coughlin, T.L. 1980. Air pollution studies near a coal-fired power plant: Wisconsin Power Plant Impact Study. EPA/600/3-80/048. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.

Ragland, K.W. and K.E. Wilkening. 1982. Relationship between mesoscale acid precipitation and meteorological factors. In: *Acid precipitation: Effects on ecological systems*. D'Itri, F.M., ed. Ann Arbor Science, Ann Arbor, MI. Pp. 123-139. #1982-12

Rapp, G.R., Jr., B.W. Liukkonen, J.D. Allert, J.A. Sorensen, G.E. Glass, and O.L. Loucks. 1987. Geologic and atmospheric input factors affecting watershed chemistry in Upper Michigan. *Environ. Geol. Water Sci.* 9:155-71 #356

Rapp, G.R., Jr., J.D. Allert, B.W. Liukkonen, J.A. Ilse, O.L. Loucks, and G.E. Glass. 1985. Acid deposition and watershed characteristics in relation to lake chemistry in northeastern Minnesota. *Environ. Int.* 11:425-40 #302

Rasmussen, A.H. and H.G. Stefan. 1996. Climate change effects on water temperature and dissolved oxygen in five North Carolina lakes. Environmental Research Laboratory, USEPA, Duluth, MN. #1996-30

Rasmussen, A.H., M. Honzo, and H.G. Stefan. 1994. A test of several evaporation equations for water temperature simulations in lakes. External Memorandum No. M-237, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1994-14

Rathbun, J.E., M.L. Gessner, V.E. Smith, D.L. McGunagle, D.J. Brokaw, and M.A. Hoeft. 1988. Bioaccumulation of total PCBs and selected MFO-inducing PCB congeners by caged mussels, fathead minnows, and channel catfish in the Monroe Harbor, River Raisin, Michigan. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1988-43

Rathbun, J.E., R.G. Kreis, Jr., E.L. Lancaster, M.J. Mac, and M.J. Zabik. 1988. Pilot confined disposal facility biomonitoring study: Channel/Shelter Island diked facility, Saginaw Bay, Bay City, Michigan, 1987. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-53

Rathbun, J.E., L.L. Huellmantel, M. Tracy, V.E. Smith, and K. Ahlgren. 1996. Rapid sediment assessment: indicator analysis and screening analysis approaches. *J. Great Lakes Res.* 22(3):523-533. #1996-27

Rathbun, J.E., L.L. Huellmantel, M. Tracy, and K. Ahlgren. 1994. Screening-level analyses. In: *Assessment and Remediation of Contaminated Sediments (ARCS) Program -- Assessment Guidance Document*, pp. 57-68. Great Lakes National Program Office, USEPA, Chicago, IL. EPA 905/B-94/002. #1994-21

Reinfelder, J.R., N.S. Fisher, S.N. Luoma, J.W. Nichols, and W.-X. Wang. 1998. Trace element trophic transfer in aquatic organisms: a critique of the kinetic model approach. *Sci. Total Environ.* 219:117-35 #687

Rice, C.P., P.J. Samson, and G.E. Noguchi. 1986. Atmospheric transport of toxaphene to Lake Michigan. *Environmental Science and Technology* 20:1109-1116. #1986-8

Rice, P.J., C.D. Drewes, T.M. Klubertanz, S.P. Bradbury, and J.R. Coats. 1997. Acute toxicity and behavioral effects of chlorpyrifos, permethrin, phenol, strychnine, and 2,4-dinitrophenol to 30-day-old Japanese medaka (*Oryzias latipes*). *Environ. Toxicol. Chem.* 16:696-704 #670

Rice, C.P., P.J. Samson, and G. Noguchi. 1984. Atmospheric transport of toxaphene to Lake Michigan: Project summary. EPA/600/S3-84/101. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-6

Richard, A.M., P. Wagner, R. Purdy, and G.D. Veith. 1995. Testing and screening technologies for review of chemicals in commerce: SAR/modeling. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-13

Richards, C., L. Johnson, and G. Host. 1993. Landscape influences on habitat, water chemistry, and macroinvertebrate assemblages in midwestern stream ecosystems. Final report to Environmental Research Laboratory, USEPA, Duluth, MN. #1993-20

Richards, C., G.E. Host, and J.W. Arthur. 1993. Identification of predominant environmental factors structuring stream macroinvertebrate communities within a large agricultural catchment. *Freshwater Biol.* 29:285-94 #512

Richardson, W.L., D.D. Endicott, R.G. Kreis, Jr., and K.R. Rygwelski. 1999. The Lake Michigan mass balance project : quality assurance plan for mathematical modeling. Mid-Continent Ecology Division, National Health and Environmental Effects Research Laboratory, ORD, USEPA, Duluth, MN. #1999-10

Richardson, W.L. 1975. An evaluation of the transport characteristics of Saginaw Bay using a mathematical model of chloride. Presented at Symposium of Mathematical Modeling of Biochemical Processes in Aquatic Ecosystems, American Chemical Society, April 6-11, 1975, Philadelphia, PA. #1975-5

Richter, J.E., S.F. Peterson, and C.F. Kleiner. 1983. Acute and chronic toxicity of some chlorinated benzenes, chlorinated ethanes, and tetrachloroethylene to *Daphnia magna*. *Arch. Environ. Contam. Toxicol.* 12:679-84 #267

Riedel, B.L. and G.M. Christensen. 1979. Effect of selected water toxicants and other chemicals upon adenosine triphosphatase activity *in vitro*. *Bull. Environ. Contam. Toxicol.* 23:365-68 #191

Riggs, V.L. and Gregory, R.W. 1980. Age and growth of walleye and saucers in the Tongue River Reservoir, Montana, 1975-77. EPA/600/3-80/038. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (Environmental effects of western coal surface mining, Part V): Grant # R803950.

Robbins, J.A. 1980. Sediments of southern Lake Huron: Elemental composition and accumulation rates. EPA/600/3-80/080. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803086.

Roberts, J., R. Jepsen, D. Gotthard, and W. Lick. 1998. Effects of particle size and bulk density on erosion of quartz particles. *Journal of Hydraulic Engineering.* 124(12):1261-1267. #1998-14

Robertson, L.W., B. Chittim, S.H. Safe, M.D. Mullin, and C.M. Pochini. 1983. Photodecomposition of a commercial polybrominated biphenyl fire retardant: High-resolution gas chromatographic analysis. *J. Agric. Food Chem.* 31(2):454-457. #1983-3

Robertson, L.W., A. Parkinson, S. Bandiera, and S. Safe. 1981. Potent induction of rat liver microsomal, drug-metabolizing enzymes by 2,3,3',4,4',5-hexabromobiphenyl, a component of fireMaster. *Chem.-Biol. Interactions* 35:13-24. #1981-7

Rodgers, P.W. and J.V. DePinto. 1981. Algae-bacteria interaction in a light-dark cycle. *Journal of Freshwater Ecology* 1(1):71-80. #1981-8

Rodgers, P.W. and J.V. DePinto. 1983. Estimation of phytoplankton decomposition rates using two-stage continuous flow studies. *Water Res.* 17(7):761-769. #1983-9

Roelofs, W., D.R. Crocker, R.F. Shore, D.R.J. Moore, G.C. Smith, H.R. Akcakaya, R.S. Bennett, P.F. Chapman, M. Clook, M. Crane, I.C. Dewhurst, P.J. Edwards, A. Fairbrother, S. Ferson, D. Fischer, A.D.M. Hart, M. Holmes, M.J. Hooper, M. Lavine, A. Leopold, R. Luttkik, P. Mineau, S.R. Mortenson, D.G. Noble, R.J. O'Connor, R.M. Sibley, M. Spendiff, T.A. Springer, H.M. Thompson, and C. Topping. 2005. Case Study 2: Probabilistic modelling of long-term effects of pesticides on individual breeding success in birds and mammals. *Ecotoxicology* 14:895-923. #2005-12

Rogalla, J.A., P.L. Brezonik, and G.E. Glass. 1986. Empirical models for lake acidification in the Upper Great Lakes region. *Water Air Soil Pollut.* 31:95-100 #329

Rood, S.G., V.E. Smith, J.C. Filkins, M.L. Wildhaber, and C.J. Schmitt. 1994. Data presentation and interpretation. In: *Assessment and Remediation of Contaminated Sediments (ARCS) Program -- Assessment Guidance Document*, pp. 189-215. Great Lakes National Program Office, USEPA, Chicago, IL. EPA 905/B-94/002. #1994-24

- Rosiu, C.J., J.P. Giesy, and R.G. Kreis, Jr. 1989. Toxicity of vertical sediments in the Trenton Channel, Detroit River, Michigan, to *Chironomus tentans* (Insecta: Chironomidae). *J. Great Lakes Res.* 15(4):570-580. #1989-10
- Ross, M.J. and J.H. McCormick. 1981. Effects of external radio transmitters on fish. *Prog. Fish-Cult.* 43:67-72 #227
- Ross, M.J. and Siniff, D.B. 1980. Spatial distribution and temperature selection of fish near the thermal outfall of a power plant during fall, winter and spring. EPA/600/3-80/009. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R804997010 Contract no. 68-03-2145.
- Ross, M.J. and C.F. Kleiner. 1982. Shielded-needle technique for surgically implanting radio-frequency transmitters in fish. *Prog. Fish-Cult.* 44:41-43 #251
- Rossmann, R. 2006. Hindcasting and forecasting functions for PCBs in the Lake Michigan ecosystem. Part 1, Chapter 7, pp. 110-119 in Rossmann, R. (Ed.), *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345-1
- Rossmann, R. 2006. PCBs in the Lake Michigan ecosystem. Part 1, Chapter 5, pp. 66-92 in Rossmann, R. (Ed.), *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345-k
- Rossmann, R., K.R. Rygwelski, R.G. Kreis, Jr., B. Burman, Xiaomi Zhang, and G. Gerstner. 2006. Representativeness of LMMBP years relative to Lake Michigan's historic record. Part 1, Chapter 4, pp. 55-65 in Rossmann, R. (Ed.), *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345-m
- Rossmann, R. (Ed.). 2006. *Results of the Lake Michigan Mass Balance study: PCBs modeling report*. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345
- Rossmann, R. (ed.). 2005. MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Grosse Ile, MI. EPA/600/R-05/158. #4430
- Rossmann, R. 1995. Trace element concentrations in 1988 Saginaw Bay sediments: Comparison with historical data. In: *The Lake Huron ecosystem: Ecology, fisheries and*

management. Munawar, M., T. Edsall, and J. Leach, eds. Pp. 343-364. Academic Publishing, Amsterdam. #1995-8

Rossmann, R. 1999. Horizontal and vertical distribution of mercury in 1983 Lake Superior sediments with estimates of storage and mass flux. *J. Great Lakes Res.* 25:683-696. #1999-12

Rossmann, R. 1995. Trace element concentrations in 1988 Saginaw Bay sediments: Comparison with historical data. In: The Lake Huron ecosystem: Ecology, fisheries and management. Munawar, M., T. Edsall, and J. Leach, eds. Pp. 343-364. Academic Publishing, Amsterdam. #1995-8

Rossmann, R. and D.N. Edgington. 2000. Mercury in Green Bay, Lake Michigan surficial sediments collected between 1987 and 1990. *J. Great Lakes Res.* 26(3):323-339. #2000-14

Rossmann, R. 2002. Lake Michigan 1994-1996 surficial sediment mercury. *J. Great Lakes Res.* 28(1):65-76. #2002-3

Rothstein, A.B., C. Hagley, and G.J. Niemi. 1990. Fox River/Green Bay red-winged blackbird study. Environmental Research Laboratory, USEPA, Duluth, MN. #1990-32

Roush, T. 1984. St. Louis Bay benthic macroinvertebrate survey. In: Chemical and biological studies related to the water quality of St. Louis Bay of Lake Superior. A.R. Carlson and N.A. Thomas, eds. Pp. 57-72. EPA/600/3-84/064. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1984-15

Roush, T.H., G.L. Phipps, D.L. Spehar, C.E. Stephan, and Q.H. Pickering. 1985. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 57:667-99 #303

Rozynov, B.V., D.W. Kuehl, and R.M. Carlson. 1995. Ion-molecule reactions of charged thiols with neutral epoxides in the collision cell of a tandem quadrupole mass spectrometer. A model for *in vivo* biomolecule reactions. *Eur. Mass Spectrom.* 1:519-24 #580

Rozynov, B.V., R.J. Liukkonen, R.M. Carlson, D.W. Kuehl, L.P. Smoliakova, R. Caple, C.J. Kuehl, and W.A. Smit. 1994. Mass spectral characterization of 3,4,6-tri-*O*-benzyl- β -C-glucopyranosides containing XC₆H₄S substituents of C(2). *Organic Mass Spec.* 29:309-14 #549

Russo, R.C. and Pilli, A. 1984. AQUIRE: Aquatic Information Retrieval toxicity data base : project description, guidelines, and procedures. EPA/600/8-84/021. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, CR 807240.

Russo, R.C., A. Pilli, and J. Crane. 1986. Complex effluents toxicity information system. In: EPA/600/9-86/024. Environmental Research Laboratory, ORD, USEPA, Athens, GA. #1986-38

Russo, R.C. and R.V. Thurston. 1975. Acute toxicity of nitrite to cutthroat trout (*Salmo clarki*). Technical Report No. 75-3. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1975-6

Russo, R.C., D.J. Randall, and R.V. Thurston. 1988. Ammonia toxicity and metabolism in fishes. In: *Protection of River Basins, Lakes, and Estuaries: Fifteen years of cooperation toward solving environmental problems in the USSR and USA*. Ryans, R.C., ed., pp. 159-173, American Fisheries Society, Bethesda, MD. #1988-63

Russo, R.C. and R.V. Thurston. 1977. The acute toxicity of nitrite to fishes. Paper presented at the symposium "Recent advances in fish toxicology," January 13-14, 1977, Oregon State University, Corvallis, OR. #1977-15

Russom, C.L. 2002. Mining environmental toxicology information: web resources. *Toxicology* 173: 75-88. 2002. #769

Russom, C.L., L.P. Burkhard, and D.J. Hoff. 2008. Availability of biota-sediment accumulation factor data set and PCB residue effects database. *SETAC Globe* 9:5. #4987

Russom, C.L., Breton, R.L., Walker, J.D., and Bradbury, S.P. 2003. An overview of the use of quantitative structure-activity relationships for ranking and prioritizing large chemical inventories for environmental risk assessments. *Environ. Toxicol. Chem.* 22(8):1810-1821. #797

Russom, C. and S. Bradbury. 1996. ECOTOX released: an integration of three USEPA ecotoxicity databases. *SETAC News* 16(4):19, 24. #1996-15

Russom, C.L., S.P. Bradbury, and A.R. Carlson. 1995. Use of knowledge bases and QSARs to estimate the relative ecological risk of agrichemicals: A problem formulation exercise. *SAR and QSAR in Environ. Res.* 4:83-95 #581

Russom, C.L., D.L. Brooke, and S.E. Beder-Miller. 1988. Report on fathead minnow chronic toxicity data base for QSAR models of ecotoxicity. EPA/600/x-88/241. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-45

Russom, C.L., R.A. Drummond, and A.D. Hoffman. 1988. Acute toxicity and behavioral effects of acrylates and methacrylates to juvenile fathead minnows. *Bull. Environ. Contam. Toxicol.* 41:589-96 #367

Russom, C.L., compiler. 1980. Freshwater findings, 1976-1978. Research publications of the Environmental Research Laboratory, Duluth, MN. EPA/600/9-80/007. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-20

Russom, C.L., S.P. Bradbury, S.J. Broderius, D.E. Hammermeister, and R.A. Drummond. 1997. Predicting modes of toxic action from chemical structure: Acute toxicity in the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 16:948-67 #645

Russom, C.L., E.B. Anderson, B.E. Greenwood, and A. Pilli. 1991. ASTER: An integration of the ACQUIRE data base and the QSAR system for use in ecological risk assessments. *Sci. Total Environ.* 109/110:667-70 #459

Russom, C.L., S.P. Bradbury, W.A. Holacek, and D.J. Grunwald. 1997. ECOTOX: An ecological effects database. In: *Computing in Environmental Resource Management, proceedings*, December 2-4, 1996, Research Triangle Park, NC. Pp. 387-397. Air & Waste Management Association, Pittsburgh, PA. #1997-6

Russom, C.L. and S.J. Broderius. 1991. A chronic aquatic toxicity database for development of predictive toxicology models for industrial organic chemicals. EPA/600/X-91/031. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1991-29

Rygwelski, K.R. 2008. Results of the Lake Michigan Mass Balance Project: Atrazine modeling report, EPA/600/R-08/111, US Environmental Protection Agency, 140 pp. #4989

Rygwelski, K. R. 2006. Lake Michigan Mass Balance Project (LMMBP) peer review report. Part 7 Appendix 7.1, pp. 552-572 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345n

Rygwelski, K.R. and W.L. Richardson. 2003. Atrazine. USEPA 2002 LaMP Revision, Chapter 5: Lake Michigan Stressor Sources and Loads, Subsection 5.3.3.11: Chemical Stressors - Emerging Pollutants (Revised 3/22/02), pp.56-59. #3960

Rygwelski, K.R., W.L. Richardson, and D.D. Endicott. 1999. A screening-level model evaluation of atrazine in the Lake Michigan Basin. *J. Great Lakes Res.* 25(1):94-106. #1999-2

S

Saber, D.L. and R.L. Crawford. 1985. Isolation and characterization of *Flavobacterium* strains that degrade pentachlorophenol. *Applied and Environmental Microbiology* 50(6):1512-1518. #1985-16

Safe, S. 1987. Determination of 2, 3, 7, 8-TCDD toxic equivalent factors (TEFs): Support for the use of the in vitro AHH induction assay. *Chemosphere* 16(4):791-802. #1987-20

Safe, S., L. Safe, and M.D. Mullin. 1985. Polychlorinated biphenyls: Congener-specific analysis of a commercial mixture and a human milk extract. *J. Agric. Food Chem.* 33:24-29. #1985-4

Safe, S.H., L. Safe, and M.D. Mullin. 1987. Polychlorinated biphenyls: Environmental occurrence and analysis. In: *Environmental toxin series, vol. 1*. S. Safe and R.L. Detrick, eds. Pp. 1-13. Springer-Verlag, Berlin. #1987-39

Safe, S. 1982. Halogenated hydrocarbons and aryl hydrocarbons identified in human tissues. *Toxicological and Environmental Chemistry* 5:153-165. #1982-5

Safe, S.H. and R.K. Boyd. 1981. Mass spectrometry. In: *Pesticide Analysis*. K.G. Das, ed. Pp. 329-364. Marcel Dekker, Inc., New York, NY. #1981-3

Safe, S. 1985. Polychlorinated biphenyls: Progress and problems. In: *Hazardous contaminants in Ontario: Human and environmental effects*. Hutchinson, T.C. and S.M. Evans, eds. Institute for Environmental Studies, University of Toronto, Ontario, Canada. Pp. 60-68. #1985-13

Safe, S., T. Zacharewski, L. Safe, M. Harris, C. Yao, and M. Holcomb. 1989. Validation of the AHH induction bioassay for the determination of 2,3,7,8-TCDD toxic equivalents. *Chemosphere* 18(1-6):941-946. #1989-30

Safe, S., G. Mason, B. Keys, K. Farrell, B. Zmudzka, Sawyer T., J. Piskorska-Pliszczynska, L. Safe, M. Romkes, and S. Bandiera. 1986. Polychlorinated dibenzo-p-dioxins and dibenzofurans: Correlation between in vitro and in vivo structure-activity relationships (SARs). *Chemosphere* 15(9-12):1725-1731. #1986-12

Salmela, J.A. and R.L. Anderson. 1978. Thermal shock effects of larvae of caddis fly *Brachycentrus americanus*. *J. Minn. Acad. Sci.* 44:25-28 #181

Samuelson, D.F. 1976. Water quality: Western Fish Toxicology Station and western Oregon rivers. EPA/600/3-76/077. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Sanders, H.O. 1980. Sublethal effects of toxaphene on daphnids, scuds, and midges. EPA/600/3-80/006. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract no. EPA-IAG-141(D).

Sanville, W. 1991. Criteria to protect wetland ecological integrity. In: *Water quality standards for the 21st century: Proceedings of a conference*. Pp. 85-88. Office of Water, USEPA, Washington, D.C. #1991-24

Sanville, W. 1988. Responses of an Alaskan wetland to nutrient enrichment. *Aquat. Bot.* 30:231-43 #368

Sauter, S., Buxton, K.S., Macek, K.J., and Petrocelli, S.R. 1976. Effects of exposure to heavy metals on selected freshwater fish. Toxicity of copper, cadmium, chromium and lead to eggs and fry of seven fish species. EPA 600/3-76/105. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # 68-01-0740.

Sauter, S., G.A. LeBlanc, S.J. Ells, and K. Buxton. 1970. Acute and chronic toxicity of propachlor, methomyl, Baygon, and Baytex to the water flea (*Daphnia magna*) and the fathead minnow (*Pimephales promelas*). Submitted to Environmental Research Laboratory, USEPA, Duluth, MN by E G & G Bionomics, Wareham, MA. #1970-4

Scheller, R.M., V.M. Snarski, J.G. Eaton, and G.W. Oehlert. 1999. An analysis of the influence of annual thermal variables on the occurrence of fifteen warmwater fishes. *Trans. Am. Fish. Soc.* 128:257-64 #714

- Schelske, C.L. 1988. Historic trends in Lake Michigan silica concentrations. *Int. revue ges. Hydrobiol.* 73(5):559-591. #1988-19
- Schelske, C.L. 1985. Silica depletion in Lake Michigan: Verification using Lake Superior as an environmental reference standard. *J. Great Lakes Res.* 11(4):492-500. #1985-3
- Schelske, C.L., E.F. Stoermer, D.J. Conley, J.A. Robbins, and R.M. Glover. 1983. Early eutrophication in the lower Great Lakes: New evidence from biogenic silica in sediments. *Science* 222:320-322. #1983-2
- Schelske, C.L., Stoermer, E.F., Gannon, J.E., and Simmons, M.S. 1976. Biological, chemical and physical relationships in the Straits of Mackinac. EPA/600/3-76/095. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802721.
- Schelske, C.L., B.J. Eadie, and G.L. Krausse. 1984. Measured and predicted fluxes of biogenic silica in Lake Michigan. *Limno. Oceanogr.* 29(1):99-110. #1984-4
- Schelske, C.L., Moll, R.A., and Simmons, M.S. 1980. Limnological conditions of southern Lake Huron, 1974 and 1975. EPA/600/3-80/074. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant no. R803086.
- Schelske, C.L., E.F. Stoermer, G.L. Fahnenstiel, and M. Haibach. 1986. Phosphorus enrichment, silica utilization, and biogeochemical silica depletion in the Great Lakes. *Can. J. Fish. Aquat. Sci.* 43(2):407-415. #1986-7
- Schelske, C.L. 1980. Dynamics of nutrient enrichment in large lakes: The Lake Michigan case. In: *Restoration of lakes and inland waters*. EPA/440/5-81/010. Office of Water Regulations and Standards, USEPA, Washington, D.C. #1980-4
- Schmieder, P.K., Tapper, M.A., Kolanczyk, R.C., Hammermeister, D.E., Sheedy, B.R., and Denny, J.S. 2003. Discriminating redox cycling and arylation pathways of reactive chemical toxicity in trout hepatocytes. *Toxicol. Sci.* 72:66-76. #783
- Schmieder, P., Koleva, Y., and Mekenyan, O.G. 2002. A reactivity pattern for discrimination of ER agonism and antagonism based on 3-D molecular attributes. *SAR and QSAR in Environ. Res.* 13(2):353-364. #767
- Schmieder, P.K., Tapper, M.A., Denny, J.S., Kolanczyk, R.C., Sheedy, B.R., Henry, T.R., and Veith, G.D. 2004. Use of trout liver slices to enhance mechanistic interpretation of estrogen receptor binding for cost-effective prioritization of chemicals within large inventories. *Environ. Sci. Technol.* 38:6333-6342. #843
- Schmieder, P.K., A.O. Aptula, E.J. Routledge, J.P. Sumpter, and O.G. Mekenyan. 2000. Estrogenicity of alkylphenolic compounds: a 3-D structure-activity evaluation of gene activation. *Environ. Toxicol. Chem.* 19:1727-40 #737

- Schmieder, P.K., Ankley, G.T., Mekenyan, O., Walker, J.D., and Bradbury, S. 2003. Quantitative structure-activity relationship models for prediction of estrogen receptor binding affinity of structurally diverse chemicals. *Environ. Toxicol. Chem.* 22(8):1844-1854. #798
- Schmieder, P., Mekenyan, O., Bradbury, S., and Veith, G. 2003. QSAR prioritization of chemical inventories for endocrine disruptor testing. *Pure Appl. Chem.* 75(11-12):2389-2396. #810
- Schmieder, P.K. and L.J. Weber. 1991. Blood flow and water flow limitations of gill uptake of butanol and decanol in the rainbow trout (abstract only). *The Toxicologist* 11(1):201. #1991-17
- Schmieder, P.K. and L.J. Weber. 1992. Blood and water flow limitations on gill uptake of organic chemicals in the rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 24:103-22 #486
- Schmieder, P., M. Tapper, A. Linnum, J. Denny, R. Kolanczyk, and R. Johnson. 2000. Optimization of a precision-cut trout liver tissue slice assay as a screen for vitellogenin induction: comparison of slice incubation techniques. *Aquat. Toxicol.* 49:251-68 #740
- Schmieder, P.K., D.B. Lothenbach, J.E. Tietge, R.J. Erickson, and R.D. Johnson. 1995. [³H]-2,3,7,8-TCDD uptake and elimination kinetics of medaka (*Oryzias latipes*). *Environ. Toxicol. Chem.* 14:1735-43 #582
- Schmieder, P.K. and T.R. Henry. 1988. Plasma binding of 1-butanol, phenol, nitrobenzene and pentachlorophenol in the rainbow trout and rat: A comparative study. *Comp. Biochem. Physiol.* 91C:413-18 #369
- Schmude, K.L., K. Liber, T.D. Corry, and F.S. Stay. 1999. Effects of 4-nonylphenol on benthic macroinvertebrates and insect emergence in littoral enclosures. *Environ. Toxicol. Chem.* 18:386-93 #700
- Schnoor, J.L., N.P. Nikolaidis, and G.E. Glass. 1986. Lake resources at risk to acidic deposition in the Upper Midwest. *J. Water Pollut. Control Fed.* 58:139-48 #330
- Schnoor, J.L., G.R. Carmichael, and F.A. Van Schepen. 1982. An integrated approach to acid rainfall assessments. In: *Energy and environmental chemistry: Acid rain*. Vol. 2. Keith, L.H., Ed. Ann Arbor Science, Ann Arbor, MI. Pp. 225-243. #1982-14
- Schnoor, J.L., S. Lee, N.P. Nikolaidis, and D.R. Nair. 1986. Lake resources at risk to acidic deposition in the eastern United States. *Water, Air, and Soil Pollution* 31:1091-1101. #1986-20
- Schoettger, R.A. and R.C. Russo. 1988. Section 3. Effects of pollutants on aquatic organisms and ecosystems: development of water quality criteria. In: *Protection of River Basins, Lakes, and Estuaries: Fifteen years of cooperation toward solving environmental problems in the USSR and USA*. Ryans, R.C., ed., pp. 117-119, American Fisheries Society, Bethesda, MD. #1988-62

- Schoff, P.K. and Ankley, G.T. 2004. Effects of methoprene, its metabolites, and breakdown products on retinoid-activated pathways in transfected cell lines. *Environ. Toxicol. Chem.* 23(5):1305-1310. #823
- Schoff, P.K. and Ankley, G.T. 2002. Inhibition of retinoid activity by components of a paper mill effluent. *Environ. Pollut.* 119(1):1-4. 2002. #771
- Schubauer-Berigan, M.K., J.R. Dierkes, P.D. Monson, and G.T. Ankley. 1993. pH-dependent toxicity of Cd, Cu, Ni, Pb, and Zn to *Ceriodaphnia dubia*, *Pimephales promelas*, *Hyalella azteca* and *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 12:1261-66 #514
- Schubauer-Berigan, M.K., J.R. Dierkes, and G.T. Ankley. 1990. Toxicity identification evaluations of contaminated sediments in the Buffalo River, NY and the Saginaw River, MI. National Effluent Toxicity Assessment Center Technical Report 20-90. Final Report to ARCS Risk Assessment and Modeling Workgroup. USEPA, Environmental Research Laboratory, Duluth, MN. #1990-21
- Schubauer-Berigan, M.K., J.R. Amato, G.T. Ankley, S.E. Baker, L.P. Burkhard, J.R. Dierkes, J.J. Jenson, M.T. Lukasewycz, and T.J. Norberg-King. 1993. The behavior and identification of toxic metals in complex mixtures: Examples from effluent and sediment pore water toxicity identification evaluations. *Arch. Environ. Contam. Toxicol.* 24:298-306 #513
- Schubauer-Berigan, M.K., P.D. Monson, C.W. West, and G.T. Ankley. 1995. Influence of pH on the toxicity of ammonia to *Chironomus tentans* and *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 14:713-17 #583
- Schubauer-Berigan, M.K. and G.T. Ankley. 1991. The contribution of ammonia, metals, and nonpolar organic compounds to the toxicity of sediment interstitial water from an Illinois river tributary. *Environ. Toxicol. Chem.* 10:925-39 #460
- Schubauer-Berigan, M. Survey of sediment quality in the Duluth/Superior Harbor: 1993 sampling results. EPA/905/R-97/005. Great Lakes National Program Office, USEPA, Chicago, IL.
- Schultz, T.W., T.S. Ranney, G.W. Riggan, and M. Cajina-Quezada. 1988. Structure-activity relationships for osteolathyris. I. Effects of altering the semicarbazide structure. *Trans. Am. Microsc. Soc.* 107(2):113-126. #1988-18
- Schultz, T.W., G.L. Phipps, and G.D. Veith. 1987. Report on low cost amphibian test for specific cytotoxic effects. Part I: The toxic and teratogenic effects of hydrazines. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-7
- Schultz, T.W., G.W. Holcombe, and G.L. Phipps. 1986. Relationships of quantitative structure-activity to comparative toxicity of selected phenols in the *Pimephales promelas* and *Tetrahymena pyriformis* test systems. *Ecotoxicol. Environ. Saf.* 12:146-53 #331

Schultz, R. and R.O. Hermanutz. 1990. Transfer of toxic concentrations of selenium from parent to progeny in the fathead minnow (*Pimephales promelas*). *Bull. Environ. Contam. Toxicol.* 45:568-73 #428

Schulz, K.L. and P.M. Yurista. 1995. Diet composition from allozyme analysis in the predatory cladoceran *Bythotrephes cederstroemi*. *Limnol. Oceanogr.* 40(4):821-826. #1995-17

Schulz, K.L. and P.M. Yurista. 1999. Implications of an invertebrate predator's (*Bythotrephes cederstroemi*) atypical effects on a pelagic zooplankton community. *Hydrobiologia* 380:179-183. #1999-20

Schumacher, B., R. Fox, J.C. Filkins, and B. Barrick. 1994. Quality assurance and quality control. In: *Assessment and Remediation of Contaminated Sediments (ARCS) Program -- Assessment Guidance Document*, pp. 10-32. Great Lakes National Program Office, USEPA, Chicago, IL. EPA 905/B-94/002. #1994-22

Schweiger, E.W., J.E. Diffendorfer, R.D. Holt, R. Pierotti, and M.S. Gaines. 2000. The interaction of habitat fragmentation, plant, and small mammal succession in an old field. *Ecol. Monographs* 70(3):383-400. #2000-5

Schweiger, E.W., Bolgrien, D.W., Angradi, T.R., and Kelly, J.R. 2005. Environmental monitoring and assessment of a Great River ecosystem: the Upper Missouri River pilot. *Environ. Monit. Assess.* 103:21-40. #864

Selgeby, J.H. 1995. Abundance, distribution, biology, and community impacts of invading Eurasian ruffe. Final report. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-14

Serrano, J., D.W. Kuehl, and S. Naumann. 1993. Analytical procedures and quality assurance criteria for the determination of major and minor deoxynucleosides in fish tissue DNA by liquid chromatography-ultraviolet spectroscopy and liquid chromatography-thermospray mass spectrometry. *J. Chromatogr. Biomed. Appl.* 615:203-13 #515

Serrano, J., C.M. Palmeira, D.W. Kuehl, and K.B. Wallace. 1999. Cardioselective and cumulative oxidation of mitochondrial DNA following subchronic doxorubicin administration. *Biochim. Biophys. Acta.* 1411:201-5 #711

Serrano, J., C.M. Palmeira, K.B. Wallace, and D.W. Kuehl. 1996. Determination of 8-hydroxydeoxyguanosine in biological tissue by liquid chromatography/electrospray ionization-mass spectrometry/mass spectrometry. *Rap. Comm. Mass Spec.* 10:1789-91 #627

Shannon, L.J., M.C. Harrass, J.D. Yount, and C.T. Walbridge. 1987. A comparison of mixed flask culture and standardized laboratory model ecosystems for toxicity testing. In: *Community toxicity testing*. J. Cairns, Jr., ed. Pp. 135-157. ASTM STP 920. American Society for Testing and Materials, Philadelphia, PA. #1987-34

Shannon, L. and R.L. Anderson. 1992. Use of the mixed flask culture (MFC) microcosm protocol to estimate the survival and effects of microorganisms added to freshwater ecosystems. In: *Microbial ecology: Principles, methods, and applications*. M.A. Levin, R.J. Seidler, and M. Rogul, eds. Pp. 625-641. McGraw-Hill, Inc., New York, NY. #1992-22

Shannon, L.J., T.E. Flum, R.L. Anderson, and J.D. Yount. 1989. Adaptation of mixed flask culture microcosms for testing the survival and effects of introduced microorganisms. In: *Aquatic toxicology and hazard assessment, 12th vol.* U.M. Cowgill and L.R. Williams, eds. Pp. 224-239. ASTM STP 1027. American Society for Testing and Materials, Philadelphia, PA. #1989-35

Shapiro, J. and G.E. Glass. 1974. Synergistic effects of phosphate and manganese on growth of Lake Superior algae. Presented at the Winnipeg Congress of the International Association for Theoretical and Applied Limnology, August 1974. #1974-3

Shaver, M.P. and Page, P. 1980. Local land-use and landownership patterns near a power plant: Wisconsin power plant impact study. EPA/600/3-80/021. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.

Sheng, Y.P. and Lick, W. 1980. A two-mode free-surface numerical model for the three-dimensional time-dependent currents in large lakes. EPA/600/3-80/047. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803704.

Sheedy, B.R., J.M. Lazorchak, D.J. Grunwald, Q.H. Pickering, A. Pilli, D. Hall, and R. Webb. 1991. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 63:619-96 #461

Sheedy, B.R., V.R. Mattson, J.S. Cox, P.A. Kosian, G.L. Phipps, and G.T. Ankley. 1998. Bioconcentration of polycyclic aromatic hydrocarbons by the freshwater oligochaete *Lumbriculus variegatus*. *Chemosphere* 36:3061-70 #679

Shephard, B. 1983. The effect of reduced pH and elevated aluminum concentrations on three species of zooplankton: *Ceriodaphnia reticulata*, *Daphnia magna* and *Daphnia pulex*. Report submitted to Environmental Research Laboratory, USEPA, Duluth, MN. #1983-16

Shiraishi, H., D.S. Carter, and R.A. Hites. 1989. Identification and determination of *tert*-alkylphenols in carp from the Trenton Channel of the Detroit River, Michigan, USA. *Biomed. Environ. Mass Spectrom.* 18:478-483. #1989-11

Shore, R.F., D.R. Crocker, H.R. Akcakaya, R.S. Bennett, P.F. Chapman, M. Clook, M. Crane, I. Dewhurst, P.J. Edwards, A. Fairbrother, S. Ferson, D. Fischer, A.D.M. Hart, M. Holmes, M.J. Hooper, M. Lavine, A. Leopold, R. Luttik, P. Mineau, D.R.J. Moore, S.R. Mortenson, D.G. Noble, R.J. O'Connor, W. Roelofs, R.M. Sibley, G. Smith, M. Spendiff, T.A. Springer, H.M. Thompson, and C. Topping. 2005. Case Study 1: How to calculate appropriate deterministic long-term toxicity to exposure ratios (TERs) for birds and mammals. *Ecotoxicology* 14:877-893. #2005-11

- Shubat, P.J., S.H. Poirier, M.L. Knuth, and L.T. Brooke. 1982. Acute toxicity of tetrachloroethylene and tetrachloroethylene with dimethylformamide to rainbow trout (*Salmo gairdneri*). *Bull. Environm. Contam. Toxicol.* 28:7-10. #1982-22
- Sibley, P.K., G.T. Ankley, and D.A. Benoit. 2001. Factors affecting reproduction and the importance of adult size on reproductive output of the midge *Chironomus tentans*. *Environ. Toxicol. Chem.* 20(6):1296-1303. #2001-3
- Sibley, P.K., D.A. Benoit, M.D. Balcer, G.L. Phipps, C.W. West, R.A. Hoke, and G.T. Ankley. 1999. In situ bioassay chamber for assessment of sediment toxicity and bioaccumulation using benthic invertebrates. *Environ. Toxicol. Chem.* 18:2325-36 #723
- Sibley, P.K., G.T. Ankley, A.M. Cotter, and E.N. Leonard. 1996. Predicting chronic toxicity of sediments spiked with zinc: An evaluation of the acid-volatile sulfide model using a life-cycle test with the midge *Chironomus tentans*. *Environ. Toxicol. Chem.* 15:2102-12 #628
- Sibley, P.K., D.A. Benoit, and G.T. Ankley. 1998. Life cycle and behavioural assessments of the influence of substrate particle size on *Chironomus tentans* (Diptera: Chironomidae) in laboratory assays. *Hydrobiologia* 361:1-9 #676
- Sibley, P.K., D.A. Benoit, and G.T. Ankley. 1997. The significance of growth in *Chironomus tentans* sediment toxicity tests: Relationship to reproduction and demographic endpoints. *Environ. Toxicol. Chem.* 16:336-45 #636
- Sibley, P.K., P.D. Monson, and G.T. Ankley. 1997. The effect of gut contents on dry weight estimates of *Chironomus tentans* larvae: Implications for interpreting toxicity in freshwater sediment toxicity tests. *Environ. Toxicol. Chem.* 16:1721-26 #653
- Sibley, P.K., J. Legler, D.G. Dixon, and D.R. Barton. 1997. Environmental health assessment of the benthic habitat adjacent to a pulp mill discharge. I. Acute and chronic toxicity of sediments to benthic macroinvertebrates. *Arch. Environ. Contam. Toxicol.* 32:274-84 #642
- Siefert, R.E. 1968. Reproductive behavior, incubation and mortality of eggs, and postlarval food selection in the white crappie. *Transactions of the American Fisheries Society* 97(3):252-259. #1968-3
- Siefert, R.E. and L.J. Herman. 1977. Spawning success of the black crappie, *Pomoxis nigromaculatus*, at reduced dissolved oxygen concentrations. *Trans. Am. Fish. Soc.* 106:376-79 #161
- Siefert, R.E., A.R. Carlson, and L.J. Herman. 1974. Effects of reduced oxygen concentrations on the early life stages of mountain whitefish, smallmouth bass, and white bass. *Prog. Fish-Cult.* 36:186-90 #113

- Siefert, R.E., W.A. Spoor, and R.F. Syrett. 1973. Effects of reduced oxygen concentrations on northern pike (*Esox lucius*) embryos and larvae. *J. Fish. Res. Board Can.* 30:849-52 #95
- Siefert, R.E. 1972. First food of larval yellow perch, white sucker, bluegill, emerald shiner, and rainbow smelt. *Trans. Am. Fish. Soc.* 101:219-25 #74
- Siefert, R.E. and W.A. Spoor. 1974. Effects of reduced oxygen on embryos and larvae of the white sucker, coho salmon, brook trout, and walleye. In: *Early life history of fish*. J.H.S. Blaxter, ed., pp. 487-495. Springer-Verlag, New York, NY. #1974-13
- Siefert, R.E., L.J. Heinis, M.L. Knuth, R.L. Anderson, J.C. Brazner, N. Larson, and D.A. Jensen. 1987. Effects of Dursban (chlorpyrifos) on aquatic organisms in enclosures in a natural pond. Final report. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-6
- Siefert, R.E., C.F. Kleiner, B.R. Nordling, L.H. Mueller, D.K. Tanner, A.W. Jarvinen, J.A. Zischke, N. Larson, and R.L. Anderson. 1984. Effects of Dursban on non-target aquatic organisms in a natural pond undergoing mosquito control treatment. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-2
- Siefert, R.E., S.J. Lozano, J.C. Brazner, and M.L. Knuth. 1989. Littoral enclosures for aquatic field testing of pesticides: Effects of chlorpyrifos on a natural system. In: *Using mesocosms to assess the aquatic ecological risk of pesticides: Theory and practice*. Pp. 57-73. Miscellaneous Publications No. 75. Entomological Society of America, Lanham, Maryland. #1989-38
- Siefert, R.E., C.F. Kleiner, D.K. Tanner, B. Nordling, R.L. Anderson, J.A. Zischke, N.J. Larson, and J. Helgen. 1986. Effects of Abate® (Temephos) on non-target aquatic organisms in a natural pond undergoing mosquito control treatment. Environmental Research Laboratory, USEPA, Duluth, MN. #1986-34
- Siefert, R.E. 1975. Bibliography for larval fish identification. National Water Quality Laboratory, USEPA, Duluth, MN. #1975-4
- Siefert, R.E. 1969. Characteristics for separation of white and black crappie larvae. *Trans. Am. Fish. Soc.* 98:326-28 #34
- Sierszen, M.E., G.S. Peterson, and J.V. Scharold. 2006. Depth-specific patterns in benthic-planktonic food web relationships in Lake Superior. *Can. J. Fish. Aquat. Sci.* 63:1496-1503. #898
- Sierszen, M.E., G.S. Peterson, A.S. Trebitz, J.C. Brazner, and C.W. West. 2006. Hydrology and nutrient effects on food web structure in ten Lake Superior coastal wetlands. *Wetlands* 26:951-964. 4298
- Sierszen, M.E., J.A. Thompson, J.A. Morrice, G.S. Peterson, A.M. Cotter, A.S. Trebitz, M.L. Knuth, and J.R. Kelly. 2006. Great Lakes coastal wetland food web responses to nutrient loading and ecosystem classification factors. USEPA, ORD, EPA/600/X-06/009. #4528

Sierszen, M.E., Morrice, J.A., Moffett, M.F., and West, C.W. 2004. Benthic versus planktonic foundations of three Lake Superior coastal wetland food webs. *J. Great Lakes Res.* 30(1):31-43. #822

Sierszen, M.E., McDonald, M.E., and Jensen, D.A. 2003. Benthos as the basis for arctic lake food webs. *Aquat. Ecol.* 37:437-445. #809

Sierszen, M.E. and T.M. Frost. 1993. Response of predatory zooplankton populations to the experimental acidification of Little Rock Lake, Wisconsin. *J. Plankton Res.* 15:553-62 #516
Sierszen, M.E. and T.M. Frost. 1992. Selectivity in suspension feeders: Food quality and the cost of being selective. *Arch. Hydrobiol.* 123:257-73 #487

Sierszen, M.E. and C.J. Watras. 1987. Rapid-freeze preservation minimizes radioisotope leakage from zooplankton in feeding experiments. *Journal of Plankton Research* 9(5):945-953. #1987-32

Sierszen, M.E. and T.M. Frost. 1990. Effects of an experimental lake acidification on zooplankton feeding rates and selectivity. *Can. J. Fish. Aquat. Sci.* 47(4):772-779. #1990-30

Sierszen, M.E. and S.J. Lozano. 1998. Zooplankton population and community responses to the pesticide azinphos-methyl in freshwater littoral enclosures. *Environ. Toxicol. Chem.* 17:907-14 #674

Sierszen, M.E. 1990. Variable selectivity and the role of nutritional quality in food selection by a planktonic rotifer. *Oikos* 59:241-47 #429

Sierszen, M.E., J.R. Keough, and C.A. Hagley. 1996. Trophic analysis of ruffe (*Gymnocephalus cernuus*) and white perch (*Morone americana*) in a Lake Superior coastal food web, using stable isotope techniques. *J. Great Lakes Res.* 22:436-43 #629

Sierszen, M.E., H.L. Boston, and M.J. Horn. 1991. Zooplankton population dynamics in experimentally toxified pond ecosystems. *Verh. Internat. Verein. Limnol.* 24:1517-21 #462

Sigford, A. 1995. Giving Lake Superior a check-up. *Lake Superior Magazine* 1995 (February-March):21-22. #1995-3

Silva-Wilkinson, R.A., L.P. Burkhard, B.R. Sheedy, G.M. DeGraeve, and R.A. Lordo. 1999. A simple comparison of mass spectral search results and implications for environmental screening analyses. *Arch. Environ. Contam. Toxicol.* 36:109-14 #695

Silva-Wilkinson, R.A., G.M. DeGraeve, L.P. Burkhard, D.W. Tholen, and B.R. Sheedy. 2000. Results of an interlaboratory evaluation of an analytical screening method for assessing persistent bioaccumulative toxic chemicals in sediment samples. *Environ. Toxicol. Chem.* 19:2218-23 #744

Simon, T.P., R.L. Dufour, P.M. Stewart, and M.F. Moffett. 2005. Distribution, classification, and selection rationale of coastal wetlands in Lake Michigan. *In: State of Lake Michigan: Ecology, Health and Management*. T. Edsall and M. Munawar, eds., Ecovision World Monograph Series, Backhuys Publishers, Leiden, The Netherlands, pp. 479-502. #2005-17

Simon, R., J.E. Tietge, B. Michalke, and S. Degitz. 2002. Iodine species and the endocrine system: thyroid hormone levels in adult *Danio rerio* and developing *Xenopus laevis*. *Anal. Bioanal. Chem.* 372:481-485. #2002-X-2002

Simsiman, G.V., G. Chesters, and A.W. Andren. 1987. Effect of ash disposal ponds on groundwater quality at a coal-fired power plant. *Water Research* 21(4):417-426. #1987-26

Sinokrot, B.A., H.G. Stefan, J.H. McCormick, and J.G. Eaton. 1995. Modeling of climate change effects on stream temperatures and fish habitats below dams and near groundwater inputs. *Clim. Change.* 30:181-200 #584

Sinokrot, B.A. and H.G. Stefan. 1993. Stream temperature dynamics: Measurements and modeling. *Water Resources Research* 29(7):2299-2312. #1993-9

Sinokrot, B.A. and H.G. Stefan. 1992. Deterministic modeling of stream water temperatures: development and applications to climate change effects on fish habitat. Environmental Research Laboratory, USEPA, Duluth, MN. #1992-34

Skogerboe, R.K., Lavalley, C.S., Miller, M.M., and Dick, D.L. 1979. Environmental effects of western coal surface mining. Part III - The water quality of Trout Creek, Colorado. EPA/600/3-79/008. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Skogerboe, R.K., Lavalley, C.S., Miller, M.M., and Dick, D.L. 1979. Environmental effects of oil shale mining and processing. Part III : The water quality of Piceance Creek, Colorado, prior to oil shale processing. EPA/600/3-79/055. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Skoglund, R.S., K. Stange, and D.L. Swackhamer. 1996. A kinetics model for predicting the accumulation of PCBs in phytoplankton. *Environ. Sci. Technol.* 30(7):2113-2120. #1996-29

Smith, P.N., G.P. Cobb, C. Godard-Codding, D. Hoff, S.T. McMurry, T.R. Rainwater, and K.D. Reynolds. 2007. Contaminant exposure in terrestrial vertebrates. *Environ. Poll.* 150:41-64. #4819

Smith, W.E. 1975. Breeding and culture of two sunfish, *Lepomis cyanellus* and *L. megalotis*, in the laboratory. *Prog. Fish-Cult.* 37:227-29 #122

Smith, L.L., Jr., Oseid, D.M., Adelman, I.R., and Broderius, S.J. 1976. Effect of hydrogen sulfide on fish and invertebrates. Part I - Acute and chronic toxicity studies. EPA 600/3-76/062a. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800992.

- Smith, W.E. 1976. Larval feeding and rapid maturation of bluegills in the laboratory. *Prog. Fish-Cult.* 38:95-97 #138
- Smith, V.E., Lee, K.W., Filkins, J.C., Hartwell, K.W., Rygwelski, K.R., and Townsend, ___. 1977. Survey of chemical factors in Saginaw Bay (Lake Huron). EPA 600/3-77/125. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802685.
- Smith, L.L., Jr., Broderius, S.J., Oseid, D.M., Kimball, G.L., Koenst, W.M., and Lind, D.T. Acute and chronic toxicity of HCN to fish and invertebrates. EPA/600/3-79/009. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802914.
- Smith, W.E. 1970. Tolerance of *Mysis relicta* to thermal shock and light. *Trans. Am. Fish. Soc.* 99:418-22 #47
- Smith, W.E., T.H. Roush, and J.T. Fiandt. 1984. Toxicity of ammonia to early life stages of bluegill (*Lepomis macrochirus*). EPA/600/x-84/175. Environmental Research Laboratory, USEPA, Duluth, MN. #1984-3
- Smith, V.E., J.E. Rathbun, and J.C. Filkins. 1992. Sampling, characterizing, and mapping contaminated sediment in river harbors. *Hazardous Materials Control* 1992 (September/October):22-28. #1992-5
- Smith, W.E. 1973. Thermal tolerance of two species of *Gammarus*. *Trans. Am. Fish. Soc.* 102:431-33 #97
- Smith, W.E. 1972. Culture, reproduction, and temperature tolerance of *Pontoporeia affinis* in the laboratory. *Trans. Am. Fish. Soc.* 101:253-56 #75
- Smith, W.E. 1973. A cyprinodontid fish, *Jordanella floridae*, as reference animal for rapid chronic bioassays. *J. Fish. Res. Board Can.* 30:329-30 #96
- Smith, V.E., J.E. Rathbun, S.G. Rood, and L.L. Huellmantel. 1996. Technical consideration in sediment quality surveys. *J. Great Lakes Res.* 22(3):512-522. #1996-26
- Smith, L.L., S.I. Auerbach, J. Cairns, Jr., D.I. Mount, G.A. Rohlich, J.B. Sprague, and W.L. Klein. 1973. ORSANCO 24-hour bioassay. #1973-23
- Snarski, V.M. 1990. Interactions between *Bacillus thuringiensis* subsp. *israelensis* and fathead minnows, *Pimephales promelas* Rafinesque, under laboratory conditions. *Appl. Environ. Microbiol.* 56:2618-22 #430
- Snarski, V.M. 1988. Ecological interactions between MPCAs and fish: Factors influencing the accumulation of *Bacillus thuringiensis* var. *israelensis* in freshwater fish during aqueous exposures. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-55

Snarski, V.M. and G.F. Olson. 1982. Chronic toxicity and bioaccumulation of mercuric chloride in the fathead minnow (*Pimephales promelas*). *Aquat. Toxicol.* 2:143-56 #253

Snarski, V.M. 1982. The response of rainbow trout *Salmo gairdneri* to *Aeromonas hydrophila* after sublethal exposures to PCB and copper. *Environ. Pollut. Ser. A.* 28:219-32 #252

Snarski, V.M. and Puglisi, F.A. 1976. Effects of Aroclor 1254 on brook trout, *Salvelinus fontinalis*. EPA 600/3-6/112. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Snyder, E.M., S.A. Snyder, K.L. Kelly, T.S. Gross, D.L. Villeneuve, S.D. Fitzgerald, S.A. Villalobos, and J.P. Giesy. 2004. Reproductive responses of common carp (*Cyprinus carpio*) exposed in cages to influent of the Las Vegas Wash in Lake Mead, Nevada, from late winter to early spring. *Environ. Sci. Tech.* 38:6385-6395. # 4881

Snyder, T.P., K.M. Switzer, and R.E. Keen. 1991. Allozymic variability in toxicity-testing strains of *Ceriodaphnia dubia* and in natural populations of *Ceriodaphnia*. *Environ. Toxicol. and Chem.* 10:1045-1049. #1991-8

Solem, L.E., Kolanczyk, R.C., and McKim, J.M., III. 2003. An in vivo microdialysis method for the qualitative analysis of hepatic phase I metabolites of phenol in rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 62:337-347. #784

Solomon, K.R., G.T. Ankley, R. Baudo, G.A. Burton, C.G. Ingersoll, W. Lick, S.N. Luoma, D.D. MacDonald, T.B. Reynoldson, R.C. Swartz, and W.J. Warren-Hicks. 1997. Session 6: Critical issues in methodological uncertainty: Workgroup summary report on methodological uncertainty. In: *Ecological risk assessment of contaminated sediments*. C.G. Ingersoll, T. Dillon, G.R. Biddinger, eds. Pp. 271-296. SETAC Press, Pensacola, FL. #1997-3

Sonzogni, W.C. and W.R. Swain. 1980. Perspectives on U.S. Great Lakes chemical toxic substances research. *J. Great Lakes Res.* 6(4):265-274. #1980-12

Sorensen, J.A., G.E. Glass, K.W. Schmidt, J.K. Huber, and G.R. Rapp, Jr. 1990. Airborne mercury deposition and watershed characteristics in relation to mercury concentrations in water, sediments, plankton and fish of eighty northern Minnesota lakes. *Environ. Sci. Technol.* 24:1716-27 #431

Sorensen, J.A. and G.E. Glass. 1987. Ion and temperature dependence of electrical conductance for natural waters. *Anal. Chem.* 59:1594-97 #357

Sorensen, J.A., Glass G.E., and K.W. Schmidt. 1994. Regional patterns of wet mercury deposition. *Environ. Sci. Technol.* 28:2025-32 #520

Sorensen, J.A., L.C. Thompson, and G.E. Glass. 1985. Quantitative analysis of aqueous species using raman spectrometry and equilibrium model calculations. *Anal. Chem.* 57:1087-91 #304

Spehar, R. L., S. Poucher, L.T. Brooke, D.J. Hansen, D. Champlin, and D.A. Cox. 1999. Comparative toxicity of fluoranthene to freshwater and saltwater species under fluorescent and ultraviolet light. *Arch. Environ. Contam. Toxicol.* 37:496-502 #721

Spehar, R.L., J.T. Fiandt, R.L. Anderson, and D.L. DeFoe. 1980. Comparative toxicity of arsenic compounds and their accumulation in invertebrates and fish. *Arch. Environ. Contam. Toxicol.* 9:53-63 #213

Spehar, R.L. and J.T. Fiandt. 1986. Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. *Environ. Toxicol. Chem.* 5:917-31 #332

Spehar, R.L. 1986. Criteria document data, Sept. 16, 1986. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1986-40

Spehar, R. L. and A.R. Carlson. 1984. Derivation of site-specific water quality criteria for cadmium and the St. Louis River Basin, Duluth, Minnesota. *Environ. Toxicol. Chem.* 3:651-65 #288

Spehar, R.L., G.D. Veith, D.L. DeFoe, and B.V. Bergstedt. 1979. Toxicity and bioaccumulation of hexachlorocyclopentadiene, hexachloronorborene, and heptachloronorborene in larval and early juvenile fathead minnows, *Pimephales promelas*. *Bull. Environ. Contam. Toxicol.* 21:576-83 #193

Spehar, R.L., G.W. Holcombe, R.W. Carlson, R.A. Drummond, J.D. Yount, and Q. H. Pickering. 1979. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 51:1616-94 #192

Spehar, R.L., Veith, G.D., DeFoe, D.L., and Bergstedt, B.A. 1977. A rapid assessment of the toxicity of three chlorinated cyclodiene insecticide intermediates to fathead minnows. EPA/600/3-77/099. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Spehar, R.L., A.E. Lemke, Q.H. Pickering, T.H. Roush, R.C. Russo, and J.D. Yount. 1981. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 53:1028-76 #228

Spehar, R.L., R.W. Carlson, A.E. Lemke, D.I. Mount, Q.H. Pickering, and V.M. Snarski. 1980. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 52:1703-68 #212

Spehar, R.L., D.K. Tanner, and B.R. Nordling. 1983. Toxicity of the synthetic pyrethroids, permethrin and AC 222, 705 and their accumulation in early life stages of fathead minnows and snails. *Aquat. Toxicol.* 3:171-82 #269

Spehar, R. 1989. Memo with lab results attached. Memo to colleague at UW-Superior. ORD, USEPA, Duluth, MN. #1989-59

Spehar, R.L., D.K. Tanner, and J.H. Gibson. 1982. Effects of kelthane and pydrin on early life stages of fathead minnows (*Pimephales promelas*) and amphipods (*Hyalella azteca*). In: *Aquatic toxicology and hazard assessment: Fifth conference*. J.G. Pearson, R.B. Foster, and

W.E. Bishop, eds. Pp. 234-244. ASTM STP 766. American Society for Testing and Materials, Philadelphia, PA. #1982-18

Spehar, R.L., H.P. Nelson, M.J. Swanson, and J.W. Renoos. 1985. Pentachlorophenol toxicity to amphipods and fathead minnows at different test pH values. *Environ. Toxicol. Chem.* 4:389-97 #305

Spehar, R.L., P.M. Cook, G.E. Elonen, G.W. Holcombe, R.D. Johnson, J.D. Fernandez, and J.E. Tietge. 1997. Comparison of early-life-stage sensitivity of freshwater fish exposed as eggs to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD). *Organohalogen Compounds* 33:313-17 #818

Spehar, R.L., G.M. Christensen, C. Curtis, A.E. Lemke, T.J. Norberg, and Q.H. Pickering. 1982. Effects of pollution on freshwater fish. *J. Water Pollut. Control Fed.* 54:877-922 #254

Spehar, R.L. and Fiandt, J.T. Acute and chronic effects of water quality criteria based metal mixtures on three aquatic species. EPA/600/3-85/074. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB86-122579).

Spehar, R.L. 1976. Cadmium and zinc toxicity to *Jordanella floridae*. EPA 600/3-76-096. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1976-10

Spehar, R.L., R.L. Anderson, and J.T. Fiandt. 1978. Toxicity and bioaccumulation of cadmium and lead in aquatic invertebrates. *Environ. Pollut.* 15:195-208 #182

Spehar, R.L., E.N. Leonard, and D.L. DeFoe. 1978. Chronic effects of cadmium and zinc mixtures on flagfish (*Jordanella floridae*). *Trans. Am. Fish. Soc.* 107:354-60 #183

Spehar, R.L. 1976. Cadmium and zinc toxicity to flagfish, *Jordanella floridae*. *J. Fish. Res. Board Can.* 33:1939-45 #139

Spehar, R.L. and Carlson, A.R. Derivation of site-specific water quality criteria for cadmium and the St. Louis River basin, Duluth, Minnesota. EPA/600/3-84/029. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB84-153196).

Spoor, W.A. 1990. Distribution of fingerling brook trout, *Salvelinus fontinalis* (Mitchill), in dissolved oxygen concentration gradients. *J. Fish Biol.* 36:363-73 #432

Spoor, W.A. 1977. Oxygen requirements of embryos and larvae of the largemouth bass, *Micropterus salmoides* (Lacepede). *J. Fish Biol.* 11:77-86 #162

Spoor, W.A. 1984. Oxygen requirements of larvae of the smallmouth bass, *Micropterus dolomieu* Lacepede. *J. Fish Biol.* 25:587-92 #289

Spoor, W.A., T.W. Neiheisel, and R.A. Drummond. 1971. An electrode chamber for recording respiratory and other movements of free-swimming animals. *Trans. Am. Fish. Soc.* 100:22-28 #61

- Spoor, W.A. and R.A. Drummond. 1972. An electrode for detecting movement in gradient tanks. *Trans. Am. Fish. Soc.* 101:714-15 #76
- Sridharan, N. and Lee, G. F. 1977. Algal nutrient availability and limitation in Lake Ontario during IFYGL. Part III: Algal nutrient limitation in Lake Ontario during IFYGL. EPA/600/3-77/046a. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # R-800537-02.
- Sridharan, N. and Lee, G. F. 1977. Algal nutrient availability and limitation in Lake Ontario during IFYGL. Part III: algal nutrient limitation in Lake Ontario during IFYGL. Appendices. EPA/600/3-77/046b. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 265 004): Contract # R-8005370-2.
- Stahl, R.G., Jr., J. Orme-Zavaleta, K. Austin, W. Berry, J.R. Clark, S. Cormier, W. Fisher, J. Garber, R. Hoke, L. Jackson, G. Kreamer, C. Muska, and M.E. Sierszen. 2000. Ecological indicators in risk assessment: workshop summary. *HERA* 6(4):671-677. #2000-6
- Stalling, D.L. and Huckings, J.N. 1976. Analysis and GC-MS characterization of toxaphene in fish and water. EPA/600/3-76/076. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # EPA-IAG-0153 (D).
- Stay, F.S., A. Katko, C.M. Rohm, M.A. Fix, and D.P. Larsen. 1989. The effects of atrazine on microcosms developed from four natural plankton communities. *Arch. Environ. Contam. Toxicol.* 18:866-75 #400
- Stay, F.S., A. Katko, C.M. Rohm, M.A. Fix, and D.P. Larsen. 1988. Effects of fluorene on microcosms developed from four natural communities. *Environ. Toxicol. Chem.* 7:635-44 #370
- Stay, F.S. 1980. Review of aquatic microcosm techniques used for hazard assessment of potentially toxic compounds. Corvallis Environmental Research Laboratory, USEPA, Corvallis, OR. #1980-3
- Stay, F.S., T.E. Flum, L.J. Shannon, and J.D. Yount. 1989. An assessment of the precision and accuracy of SAM and MFC microcosms exposed to toxicants. In: *Aquatic toxicology and hazard assessment, 12th vol.* U.M. Cowgill and L.R. Williams, eds. Pp. 189-203. ASTM STP 1027. American Society for Testing and Materials, Philadelphia, PA. #1989-36
- Stay, F.S. and A.W. Jarvinen. 1995. Use of microcosm and fish toxicity data to select mesocosm treatment concentrations. *Arch. Environ. Contam. Toxicol.* 28:451-58 #585
- Stefan, H.G., M. Hondzo, J.G. Eaton, and J.H. McCormick. 1993. Comparison of actual fish observations with simulated suitable fish habitat in Minnesota lakes. #826
- Stefan, H.G., M. Hondzo, and X. Fang. 1993. Lake water quality modeling for projected future climate scenarios. *J. Environ. Qual.* 22(3):417-431. #1993-10

- Stefan, H.G. and E.B. Preud'homme. 1993. Stream temperature estimation from air temperature. *Water Resources Bulletin* 29(1):1-19. #1993-11
- Stefan, H.G., M. Hondzo, X. Fang, A.H. Rasmussen, J.G. Eaton, and J.H. McCormick. 1994. Year-round water temperature and dissolved oxygen simulation model for lakes with winter ice cover. #827
- Stefan, H.G., M. Hondzo, X. Fang, J.G. Eaton, and J.H. McCormick. 1996. Simulated long-term temperature and dissolved oxygen characteristics of lakes in the north-central United States and associated fish habitat limits. *Limnol. Oceanogr.* 41:1124-35 #630
- Stefan, H.G. and B.A. Sinokrot. 1993. Projected global climate change impact on water temperatures in five north central U.S. streams. *Climatic Change* 24:353-381. #1993-1
- Stefan, H.G. and X. Fang. 1995. A methodology to estimate year-round effects of climate change on water temperature, ice and dissolved oxygen characteristics of temperate zone lakes with application to Minnesota. Environmental Research Laboratory, USEPA, Duluth, MN. #1995-26
- Stefan, H.G., M. Hondzo, J.G. Eaton, and J.H. McCormick. 1995. Predicted effects of global climate change on fishes in Minnesota lakes. In: *Climate change and northern fish populations*. R.J. Beamish, ed. Pp. 57-72. Canadian Special Publications of Fisheries and Aquatic Sciences 121. National Research Council of Canada. #1995-9
- Stefan, H.G., X. Fang, and J.G. Eaton. 2001. Simulated fish habitat changes in North American lakes in response to projected climate warming. *Trans. Am. Fish. Soc.* 130:459-477. #2001-15
- Stefan, H.G. and X. Fang. 1994. Model simulations of dissolved oxygen characteristics of Minnesota lakes: Past and future. *Environ. Manage.* 18(1):73-92. #1994-1
- Stefan, H.G., M. Hondzo, X. Fang, J.G. Eaton, and H.J. McCormick. 1995. Simulated long-term temperature and dissolved oxygen characteristics of Minnesota lakes and resulting habitat limits for fishes. #828
- Stefan, H.G., M. Hondzo, J.G. Eaton, and J.H. McCormick. 1995. Validation of a fish habitat model for lakes. *Ecol. Modell.* 82:211-24 #587
- Stefan, H.G., X. Fang, D. Wright, J.G. Eaton, and J.H. McCormick. 1995. Simulation of dissolved oxygen profiles in a transparent, dimictic lake. *Limnol. Oceanogr.* 40:105-18 #586
- Stefan, H.G., J. Gulliver, M.G. Hahn, and A.Y. Fu. 1980. Water temperature dynamics in experimental field channels: Analysis and modeling. Project Report No. 193, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, MN. Prepared for Environmental Research Laboratory, USEPA, Duluth, MN. #1980-6

Stefan, H.G., M. Hondzo, B. Sinokrot, X. Fang, J.G. Eaton, B.E. Goodno, K.E.F. Hokanson, J.H. McCormick, D.G. O'Brien, and J.A. Wisniewski. 1992. A methodology to estimate global climate change impacts on lake and stream environmental conditions and fishery resources with application to Minnesota. Office of Program Planning and Evaluation, USEPA, Washington, DC. #1992-35

Stefanovic, D.L. and H.G. Stefan. 1997. Two-dimensional water quality model for unsteady advection-diffusion of nonconservative substances. ORD, USEPA, Washington, DC and Environmental Research Laboratory, ORD, Mid-Continent Ecology Division, USEPA, Duluth, MN. #1997-19

Steffen, M., T.M. Sarkela, A.A. Gybina, T.W. Steele, N.J. Trasseth, D. Kuehl, and C. Giulivi. 2001. Metabolism of *S*-nitrosoglutathione in intact mitochondria. *Biochem. J.* 356:395-402. #2001-4

Steiert, J.G., J.J. Pignatello, and R.L. Crawford. 1987. Degradation of chlorinated phenols by a pentachlorophenol-degrading bacterium. *Applied Environ. Microbiol.* 53(5):907-910. #1987-31

Stemberger, R.S., Gannon, J.E., and Bricker, F.J. 1979. Spatial and seasonal structure of rotifer communities in Lake Huron. EPA/600/3-79/085. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803086 and # 803037.

Stephan, C.E. 1989. Topics on expressing and predicting results of life-cycle tests. In: *Aquatic toxicology and environmental fate, 11th vol.* G.W. Suter, II and M.A. Lewis, eds. Pp. 263-272. ASTM STP 1007. American Society for Testing and Materials, Philadelphia, PA. #1989-33

Stephan, C.E. and J.W. Rogers. 1985. Advantages of using regression analysis to calculate results of chronic toxicity tests. In: *Aquatic toxicology and hazard assessment: Eighth symposium.* R.C. Bahner and D.J. Hansen, eds. Pp. 328-338. ASTM STP 891. American Society for Testing and Materials, Philadelphia, PA. #1985-22

Stephan, C.E., D.I. Mount, D.J. Hansen, J.H. Gentile, G.A. Chapman, and W.A. Brungs. 1985. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. Environmental Research Laboratories, ORD, USEPA, Duluth, MN//Narragansett, RI//Corvallis, OR. #1985-31

Stephan, C.E. 1977. Methods for calculating an LC₅₀. In: *Aquatic toxicology and hazard evaluation.* F.L. Mayer and J.L. Hamelink, eds. Pp. 65-84. ASTM STP 634. American Society for Testing and Materials, Philadelphia, PA. #1977-6

Stephan, C.E. 1985. Are the "Guidelines for deriving numerical national water quality criteria for the protection of aquatic life and its uses" based on sound judgements? In: *Aquatic toxicology and hazard assessment: Seventh symposium.* R.D. Cardwell, R. Purdy, R.C. Bahner, eds. Pp. 515-526. ASTM STP 854. American Society for Testing and Materials, Philadelphia, PA. #1985-18

Stephan, C.E. 1995. Derivation of conversion factors for the calculation of dissolved freshwater aquatic life criteria for metals. #1995-30

Stephan, C.E. 1970. Statement of Charles E. Stephan (cadmium toxicity). National Water Quality Laboratory, USEPA, Duluth, MN. #1970-20

Stephan, C.E. 1993. Derivation of proposed human health and wildlife bioaccumulation factors for the Great Lakes Initiative -- Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1993-22

Stephan, C.E., D.L. Spehar, T.H. Roush, G.L. Phipps, and Q.H. Pickering. 1986. Effects of pollution on freshwater organisms. *J. Water Pollut. Control Fed.* 58:645-71 #333

Stephan, C.E. 2002. Use of species sensitivity distributions in the derivation of water quality criteria for aquatic life by the USEPA. In: *Species Sensitivity Distributions in Ecotoxicology*. Posthuma, L., Suter, G.W., II and Traas, T.P., eds. Lewis Publishers, Boca Raton, FL, pp. 211-220. #2002-1

Stephan, C.E. 1982. Increasing the usefulness of acute toxicity tests. In: *Aquatic toxicology and hazard assessment: Fifth conference*. J.G. Pearson, R.B. Foster, and W.E. Bishop, eds. Pp. 69-81. ASTM STP 766. American Society for Testing and Materials, Philadelphia, PA. #1982-19

Stephan, C.E. 1986. Proposed goal of applied aquatic toxicology. In: *Aquatic toxicology and environmental fate, 9th vol.* T.M. Poston and R. Purdy, eds. Pp. 3-10. ASTM STP 921. American Society for Testing and Materials, Philadelphia, PA. #1986-30

Stephan, C.E. 1987. Manual of instructions for preparing aquatic life water quality criteria documents. Environmental Research Laboratory, USEPA, Duluth, MN. #1987-47

Stephan, C.E. and D.I. Mount. 1973. Use of toxicity tests with fish in water pollution control. In: *Biological methods for the assessment of water quality*. J. Cairns, Jr. and K.L. Dickson, eds. Pp. 164-177. ASTM STP 528. American Society for Testing and Materials, Philadelphia, PA. #1973-20

Stevenson, R.J., B.H. Hill, A.T. Herlihy, L.L. Yuan, and S.B. Norton. 2008. Algae-P relationships, thresholds, and frequency distributions guide nutrient criteria development. *Jnl. NABS* 27:783-799. #4606

Stoermer, E.F. 1980. Characteristics of benthic algal communities in the upper Great Lakes. EPA/600/3-80/073. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803037.

Stoermer, E.F., R.G. Kreis, Jr., and N.A. Andresen. 1999. Checklist of diatoms from the Laurentian Great Lakes. II. *J. Great Lakes Res.* 25(3):515-566. #1999-11

Stoermer, E.F. and Kreis, R.G., Jr. 1980. Phytoplankton composition and abundance in southern Lake Huron. EPA 600/3-80/061. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803086.

Stoermer, E.F. 1993. Diatom studies under EMAP Great Lakes quality assurance project plan. Large Lakes Research Station, Environmental Research Laboratory-Duluth, ORD, USEPA, Grosse Ile, MI. #1993-26

Stoermer, E.F. and N.A. Andresen. 1995. Diatom studies under EMAP Great Lakes. Large Lakes Research Station, Environmental Research Laboratory-Duluth, ORD, USEPA, Grosse Ile, MI. #1995-7

Strachan, W.M.J. and G.E. Glass. 1978. Organochlorine substances in Lake Superior. *J. Great Lakes Res.* 4:389-97 #184

Stroud, R.K., G.R. Bouck, and A.V. Nebeker. 1975. Pathology of acute and chronic exposure of salmonid fishes to supersaturated water. In: *Chemistry and physics of aqueous gas solutions*. W.A. Adams, et al., eds. Pp. 435-449. The Electrochemical Society, Princeton, NJ. #1975-9

Sundstrom, G., T. Sawyer, O. Hutzinger, and Safe S. 1986. In vitro bioassays for toxic polychlorinated azobenzenes. *Chemosphere* 15(9-12):2105-2107. #1986-17

Swackhamer, D.L. and D.E. Armstrong. 1987. Distribution and characterization of PCBs in Lake Michigan water. *J. Great Lakes Res.* 13(1):24-36. #1987-22

Swackhamer, D.L. and R.A. Hites. 1988. Occurrence and bioaccumulation of organochlorine compounds in fishes from Siskiwit Lake, Isle Royale, Lake Superior. *Environ. Sci. Technol.* 22(5):543-548. #1988-33

Swackhamer, D.L. and D.E. Armstrong. 1988. Horizontal and vertical distribution of PCBs in southern Lake Michigan sediments and the effect of Waukegan Harbor as a point source. *J. Great Lakes Res.* 14(3):277-290. #1988-6

Swain, W.R., R.M. Wilson, R.P. Neri, and G.S. Porter. 1975. Persistent organic and heavy metal residues in the near-shore fishery of western Lake Superior. Report to the Environmental Protection Agency and the International Joint Commission. #1975-14

Swain, W.R. and Shannon, V.R. 1980. Proceedings of the Third USA-USSR Symposium on the Effects of Pollutants Upon Aquatic Ecosystems: Theoretical Aspects of Aquatic Toxicology, July 2-6, 1979, Borok, Jaroslavl Oblast, USSR. EPA/ 600/9-80/034. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Swain, W.R., M.D. Mullin, and J.C. Filkins. 1986. Long range transport of toxic organic contaminants to the North American Great Lakes. In: EPA/600/9-86/024. Environmental Research Laboratory, ORD, USEPA, Athens, GA. #1986-37

Swain, W.R. and Shannon, V.R. 1980. Proceedings of the Second American-Soviet Symposium on the Use of Mathematical Models to Optimize Water Quality Management: Bloomfield Hills, Michigan, USA, August 27-30, 1979. EPA/600/9-80/033. Environmental Research Laboratory, Office of Research and Development, USEPA, Duluth, MN.

Swartz, R.C., S.P. Ferraro, J.O. Lamberson, F.A. Cole, R.J. Ozretich, B.L. Boese, D.W. Schults, M. Behrenfeld, and G.T. Ankley. 1997. Photoactivation and toxicity of mixtures of polycyclic aromatic hydrocarbon compounds in marine sediment. *Environ. Toxicol. Chem.* 16:2151-57 #659

Swenson, W.A. 1978. Influence of turbidity on fish abundance in western Lake Superior. EPA 600/3-78/067. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802455.

Swenson, W.A., J.H. McCormick, T.D. Simonson, K.M. Jensen, and J.G. Eaton. 1989. Experimental acidification of Little Rock Lake (Wisconsin): Fish research approach and early responses. *Arch. Environ. Contam. Toxicol.* 18:167-74 #401

Swenson, W.A. 1970. Influence of advanced wastewater treatment on the fishery resource of Shagawa Lake, Ely, Minnesota. Report, Grant Number R-803673. Environmental Research Laboratory, USEPA, Duluth, MN. #1970-24

Swenson, W.A., W.P. Gobin, and T.D. Simonson. 1988. Calibrated mask-bar for underwater measurement of fish. *North American Journal of Fisheries Management* 8:382-385. #1988-15

Swift, M.C., G.J. Niemi, and J.A. Perry. 1994. Predictive modeling and experimental design of lotic mesocosms. Final report to the Environmental Research Laboratory, USEPA, Duluth, MN. #1994-16

Swift, M.C., N.H. Troelstrup, Jr., N.E. Detenbeck, and J.L. Foley. 1993. Large artificial streams in toxicological and ecological research. *Jrnl. N. Am. Benth. Soc.* 12:359-366. #1993-27

Sydor, M. and Stortz, K. 1980. Sources and transports of coal in the Duluth-Superior harbor. EPA/600/3-80/007. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803952.

Symonik, D.M., J.R. Coats, S.P. Bradbury, G.J. Atchison, and J.M. Clark. 1989. Effect of fenvalerate on metabolic ion dynamics in the fathead minnow (*Pimephales promelas*) and bluegill (*Lepomis macrochirus*). *Bull. Environ. Contam. Toxicol.* 42:821-828. #1989-41

Syrett, R.F. and W.F. Dawson. 1972. An inexpensive electronic relay for precise water-temperature control. *Prog. Fish-Cult.* 34:241-42 #77

Syrett, R.F. and W.F. Dawson. 1975. An inexpensive solid-state temperature controller. *Prog. Fish-Cult.* 37:171-72 #123

T

- Tanis, F.J. 1980. A remote sensing technique to monitor Cladophora in the Great Lakes. EPA/600/3-80/075. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803611.
- Tanner, D.K., Brazner, J.C., Brady, V.J., and Regal, R.R. 2004. Habitat associations of larval fish in a Lake Superior coastal wetland. *J. Great Lakes Res.* 30(3):349-359. #832
- Tanner, D.K., J.C. Brazner, and V.J. Brady. 2000. Factors influencing carbon, nitrogen, and phosphorus content of fish from a Lake Superior coastal wetland. *Can. J. Fish. Aquat. Sci.* 57:1243-51 #739
- Tanner, D.K. and M.L. Knuth. 1996. Effects of esfenvalerate on the reproductive success of the bluegill sunfish, *Lepomis macrochirus* in littoral enclosures. *Arch. Environ. Contam. Toxicol.* 31:244-51 #631
- Tanner, D.K., E.N. Leonard, and J.C. Brazner. 1999. Microwave digestion method for phosphorus determination of fish tissue. *Limnol. Oceanogr.* 44:708-9 #709
- Tanner, D.K. and M.F. Moffett. 1995. Effects of diflubenzuron on the reproductive success of the bluegill sunfish, *Lepomis macrochirus*. *Environ. Toxicol. Chem.* 14:1345-55 #589
- Tanner, D.K. and M.L. Knuth. 1995. Effects of azinphos-methyl on the reproductive success of the bluegill sunfish, *Lepomis macrochirus*, in littoral enclosures. *Ecotoxicol. Environ. Saf.* 32:184-93 #588
- Tapper, M.A. and R.E. Hicks. 1998. Temperate viruses and lysogeny in Lake Superior bacterioplankton. *Limnol. Oceanogr.* 43:95-103 #681
- Tapper, M.A., B.R. Sheedy, D.E. Hammermeister, and P.K. Schmieder. 2000. Depletion of cellular protein thiols as an indicator of arylation in isolated trout hepatocytes exposed to 1,4-benzoquinone. *Toxicol. Sci.* 55:327-34 #738
- Taraldsen, J. 1980. Toxicity testing/TREs of oil treater discharges in the Powder River basin, Wyoming. Environmental Research Laboratory, USEPA, Duluth, MN. #1980-5
- Taraldsen, J.E. and T.J. Norberg-King. 1990. New method for determining effluent toxicity using duckweed (*Lemna minor*). *Environ. Toxicol. Chem.* 9:761-67 #433
- Tarzwel, C.M. 1972. An argument for the open ocean siting of coastal thermal electric plants. *J Environ Qual.* 1(1):89-91. #1972-13
- Tetrick, N. and E. Joeres. 1980. Water constraints in power-plant siting and operation: Wisconsin power plant impact study. EPA/600/3-80/077. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803971.

Thatcher, T.O. and J. F. Santner. 1967. Acute toxicity of LAS to various fish species. *Proc. 21st Ind. Waste Conf. Purdue Univ.* 50:996-1002 #14

Theis, T.L., T.C. Young, and J.V. DePinto. 1988. Factors affecting metal partitioning during resuspension of sediments from the Detroit River. *J. Great Lakes Res.* 14(2):216-226. #1988-10

Thomann, R.V. and J.P. Connolly. 1984. An age dependent model of PCB in a Lake Michigan food chain. EPA/600/3-84/026. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB84-155993): CR 805916.

Thomann, R.. 1981. Equilibrium model of fate of microcontaminants in diverse aquatic food chains. *Can. J. Fish. Aquat. Sci.* 38(3):280-296. #1981-13

Thomann, R.V., J.P. Connolly, and N.A. Thomas. 1987. The Great Lakes ecosystem- modeling of the fate of PCBs. EPA/600/D-87/325. USEPA, ORD, Environmental Research Laboratory, Duluth, MN. Also published as book chapter: PCBs in the Environment, 1986, J.S. Waid, ed., CRC Press. PB 88-124102. #1987-33

Thomann, R., Winfield, R.P., Di Toro, D.M., and O'Connor, D.J. 1976. Mathematical modeling of phytoplankton in Lake Ontario. Part 2: Simulations using Lake 1 model. EPA 600/3-76/065. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R800610.

Thomann, R.V. and J.P. Connolly. 1984. An age-dependent model of PCB in a Lake Michigan food chain: Project Summary. EPA/600/S3-84/026. #1984-18

Thomann, R.V. and J.P. Connolly. 1984. Model of PCB in the Lake Michigan lake trout food chain. *Environ. Sci. Technol.* 18(2):65-71. #1984-10

Thomann, R.V. 1978. Size dependent model of hazardous substances in aquatic food chain. EPA/600/3-78/036. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 281009): Contract # R803680.

Thomann, R.V., Winfield, R.P., and Segna, J.J. 1979. Verification analysis of Lake Ontario and Rochester embayment three dimensional eutrophication models. EPA/600/3-79-094. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803680.

Thomann, R.V., J.P. Connolly, and N.A. Thomas. 1987. The Great Lakes ecosystem- modeling of the fate of PCBs. EPA/600/D-87-325. USEPA, ORD, Environmental Research Laboratory, Duluth, MN. Also published as book chapter: PCBs in the Environment, 1986, J.S. Waid, ed., CRC Press. PB 88-124102. #1987-33

Thomas, N.A. 1993. Use of biomonitoring to control toxics in the United States. In: EPA/600/R-93/157. Environmental Research Laboratory, ORD, USEPA, Athens, GA. #1993-25

Thomas, N.A. and W.J. Christie, eds. 1972. Status of the biota of Lake Ontario during IFYGL. International Field Year for the Great Lakes. #1972-6

Thomas, N.A. 1988. Use of biomonitoring to control toxics in the United States. *Water Sci. Technol.* 20:101-8 #371

Thomas, N.A., J.O. Lamberson, and R.C. Swartz. 1992. Bulk sediment toxicity test approach. In: *Sediment classification methods compendium*. Pp. 3.1-3.10. EPA/823/R-92/006. USEPA, Washington, D.C. #1992-21

Thomas, N.A. 1994. EPA/ORD role and perspective in sediment research. In: *Transport and transformation of contaminants near the sediment-water interface*. J.V. DePinto, W. Lick, and J.F. Paul, eds. Pp. 7-15. Lewis Publishers, Boca Raton, FL. #1994-5

Thompson, K.W., A.C. Hendricks, and J. Cairns, Jr. 1980. Acute toxicity of zinc and copper singly and in combination to the bluegill (*Lepomis macrochirus*). *Bull. Environm. Contam. Toxicol.* 25:122-129. #1980-19

Thompson, K.W., M.L. Deaton, R.V. Foutz, J. Cairns, Jr., and A.C. Hendricks. 1982. Application of time-series intervention analysis to fish ventilatory response data. *Can. J. Fish. Aquat. Sci.* 39:518-521. #1982-21

Thompson, J.A. 1997. Cellular fluorescence capacity as an endpoint in algal toxicity testing. *Chemosphere* 35:2027-37 #667

Thurston, R.V. and E.L. Meyn. 1987. Acute toxicity of ammonia to fishes of nine species from the Yellowstone River drainage, Montana. Technical Report No. 87-1. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1987-43

Thurston, R.V. and R.C. Russo. 1981. Acute toxicity of ammonia to golden trout (*Salmo aguabonita*) and mottled sculpin (*Cottus bairdi*). Technical Report No. 81-1. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1981-9

Thurston, R.V. and P.C. Gehrke. 1993. Respiratory oxygen requirements of fishes: Description of OXYREF, a data file based on test results reported in the published literature. In: *Fish Physiology, Toxicology, and Water Quality Management, Proceedings of an International Symposium*, Sacramento, CA, Sept. 18-20, 1990. Pp. 95-108. #1993-7

Thurston, R.V., T.A. Gilfoil, E.L. Meyn, R.K. Zajdel, T.I. Aoki, and G.D. Veith. 1985. Comparative toxicity of ten organic chemicals to ten common aquatic species. *Water Res.* 19:1145-55. #306

Thurston, R.V., R.C. Russo, R.J. Luedtke, C.E. Smith, E.L. Meyn, C. Chakoumakos, K.C. Wang, and C.J.D. Brown. 1984. Chronic toxicity of ammonia to rainbow trout. *Trans. Am. Fish. Soc.* 113:56-73 #290

Thurston, R.V., Russo, R.C., and Emerson, K. 1979. Aqueous ammonia equilibrium - tabulation of percent un-ionized ammonia. EPA/600/3-79/091. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant no. R800861.

Thurston, R.V., R.C. Russo, and K. Emerson. 1974. Aqueous ammonia equilibrium calculations. Technical Report No. 74-1. Fisheries Bioassay Laboratory, Montana State University, Bozeman, MT. #1974-10

Tietge, J.E., Holcombe, G.W., Flynn, K.M., Kosian, P.A., Korte, J.J., Anderson, L.E., Wolf, D. C., and Degitz, S.J. 2005. Metamorphic inhibition of *Xenopus laevis* by sodium perchlorate: effects on development and thyroid histology. *Environ. Toxicol. Chem.* 24(4):926-933. #852

Tietge, J.E., R.D. Johnson, K.M. Jensen, P.M. Cook, G.E. Elonen, J.D. Fernandez, G.W. Holcombe, D.B. Lothenbach, and J.W. Nichols. 1998. Reproductive toxicity and disposition of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in adult brook trout (*Salvelinus fontinalis*) following a dietary exposure. *Environ. Toxicol. Chem.* 17:2395-407 #690

Tietge, J.E., R.D. Johnson, and H.L. Bergman. 1988. Morphometric changes in gill secondary lamellae of brook trout (*Salvelinus fontinalis*) after long-term exposure to acid and aluminum. *Can. J. Fish. Aquat. Sci.* 45:1643-48 #372

Tietge, J.E., J.R. Hockett, and J.M. Evans. 1997. Major ion toxicity of six produced waters to three freshwater species: Application of ion toxicity models and TIE procedures. *Environ. Toxicol. Chem.* 16:2002-8 #656

Tietge, J.E., G.T. Ankley, D.L. DeFoe, G.W. Holcombe, and K.M. Jensen. 2000. Effects of water quality on development of *Xenopus laevis*: a frog embryo teratogenesis assay -- *Xenopus* assessment of surface water associated with malformations in native anurans. *Environ. Toxicol. Chem.* 19:2114-21 #741

Tietge, J.E., S.A. Diamond, G.T. Ankley, D.L. DeFoe, G.W. Holcombe, K.M. Jensen, S.J. Degitz, G.E. Elonen, and E. Hammer. 2001. Ambient solar UV radiation causes mortality in larvae of three species of *Rana* under controlled exposure conditions. *Photochem. Photobiol.* 74:261-68 #762

Tietge, J.E., J.R. Hockett, and J.M. Evans. 2002. Major ion toxicity of six produced waters to three freshwater species: Application of ion toxicity models and TIE procedures. *Environ. Toxicol. Chem.* 16(10):2002-2008. 97. #656

Tillitt, D.E., P.M. Cook, J.P. Giesy, W. Heideman, and R.E. Peterson. 2008. Chapter 21. Reproductive impairment of Great Lakes lake trout by dioxin-like chemicals. In: *The Toxicology of Fishes*, R.T. DiGiulio and D.E. Hinton, Eds., Taylor & Francis, Boca Raton, FL, pp. 819-875. #4877

Tillitt, D.E., G.T. Ankley, and J.P. Giesy. 1989. Planar chlorinated hydrocarbons (PCHs) in colonial fish-eating waterbird eggs from the Great Lakes. *Mar. Environ. Res.* 28:505-8 #402

Tillitt, D.E., J.P. Giesy, and G.T. Ankley. 1991. Characterization of the H4IIE rat hepatoma cell bioassay as a tool for assessing toxic potency of planar halogenated hydrocarbons in environmental samples. *Environ. Sci. Technol.* 25:87-92. #463

Tillitt, D.E., G.T. Ankley, J.P. Giesy, J.P. Ludwig, H. Kurita-Matsuba, D.V. Weseloh, P.S. Ross, C.A. Bishop, L. Sileo, K.L. Stromborg, J. Larson, and T.J. Kubiak. 1992. Polychlorinated biphenyl residues and egg mortality in double-crested cormorants from the Great Lakes. *Environ. Toxicol. Chem.* 11:1281-88 #488

Tillitt, D.E., T.J. Kubiak, G.T. Ankley, and J.P. Giesy. 1993. Dioxin-like potency in Forster's tern eggs from Green Bay, Lake Michigan, North America. *Chemosphere* 26:2079-84 #517

Tillitt, D.E., J.P. Giesy, and G.T. Ankley. 1990. Characterization of the H4IIE rat hepatoma cell bioassay as a tool for assessing toxic potency of planar halogenated hydrocarbons in environmental samples. *Environ. Sci. Technol.* 25:87-92 #434

Trebitz, A.S., J.C. Brazner, A.M. Cotter, M.L. Knuth, J.A. Morrice, G.S. Peterson, M.E. Sierszen, J.A. Thompson, and J.R. Kelly. 2008. Water quality in Great Lakes coastal wetlands: Basin-wide patterns and responses to an anthropogenic disturbance gradient. *J. Great Lakes Res.* 33 (SI3):67-85. #4677

Trebitz, A.S. and D.L. Taylor. 2007. Exotic and invasive aquatic plants in Great Lakes coastal wetlands: Distribution and relation to watershed land use and plant richness and cover. *J. Great Lakes Res.* 33:705-721. #4591

Trebitz, A.S., J.C. Brazner, V.J. Brady, R.P. Axler, and D.K. Tanner. 2007. Turbidity tolerances of Great Lakes coastal wetland fishes. *N. Am. Jnl. Fish. Manage.* 27:619-633. #4439

Trebitz, A.S. 2006. Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *J. Great Lakes Res.* 32:102-116. #880

Trebitz, A.S., B.H. Hill, and F.H. McCormick. 2003. Sensitivity of indices of biotic integrity to simulated fish assemblage changes. *Environ. Manage.* 32(4):499-515. #807

Trebitz, A.S., J.S. Morrice, D.L. Taylor, R.L. Anderson, C.W. West, and J.R. Kelly. 2005. Hydromorphic determinants of aquatic habitat variability in Lake Superior coastal wetlands. *Wetlands* 25(3):505-519. #871

Trebitz, A.S., S. Carpenter, P. Cunningham, B. Johnson, R. Lillie, D. Marshall, T. Martin, R. Narf, T. Pellett, S. Stewart, C. Storlie, and J. Unmuth. 1997. A model of bluegill-largemouth bass interactions in relation to aquatic vegetation and its management. *Ecol. Modell.* 94:139-56 #644

Trebitz, A.S. 2006. Characterizing seiche and tide-driven daily water level fluctuations affecting coastal ecosystems of the Great Lakes. *J. Great Lakes Res.* 32:102-116. #880

- Trebitz, A.S., J.A. Morrice, and A.M. Cotter. 2002. Relative role of lake and tributary in hydrology of Lake Superior coastal wetlands. *J. Great Lakes Res.* 28(2):212-227. #772
- Trebitz, A.S. and N. Nibbelink. 1996. Effect of pattern of vegetation removal on growth of bluegill: A simple model. *Can. J. Fish. Aquat. Sci.* 53:1844-51 #632
- Trenham, P.C., W.D. Koenig, and H.B. Shaffer. 2001. Spatially autocorrelated demography and interpond dispersal in the salamander *Ambystoma californiense*. *Ecology* 82(12):3519-3530. #2001-12
- Trenham, P.C. and S.A. Diamond. 2005. Coordinated studies of ultraviolet radiation and amphibians in lentic wetland habitats. *Ecosystems* 8:455-461. #870
- Trenham, P.C. and H.B. Shaffer. 1998. Biochemical identification and assessment of population subdivision in morphologically similar native and invading smelt species (*Hypomesus*) in the Sacramento-San Joaquin estuary, California. *Trans. Am. Fish. Soc.* 127:417-424. #1998-13
- Trenham, P.C., W.D. Koenig, M.J. Mossman, S.L. Stark, and L.A. Jagger. 2003. Regional dynamics of wetland-breeding frogs and toads: turnover and synchrony. *Ecol. Appl.* 13(6):1522-1532. #808
- Trenham, P.C., S.A. Diamond, N.E. Detenbeck, and G.T. Ankley. PRIMENet: Ultraviolet radiation/amphibian populations research planning workshop, February 1-3, 1999. EPA 600/R-99/066. National Health and Environmental Effects Laboratory, Mid-Continent Division, ORD, USEPA, Duluth, MN.
- Trenham, P.C., H.B. Shaffer, W.D. Koenig, and M.R. Stromberg. 2000. Life history and demographic variation in the California tiger salamander (*Ambystoma californiense*). *Copeia* 365-77. #736
- Tsai, C.H., S. Iacobellis, and W. Lick. 1987. Flocculation of fine-grained lake sediments due to a uniform shear stress. *J. Great Lakes Res.* 13(2):135-146. #1987-19
- Tsai, C.H. and W. Lick. 1986. A portable device for measuring sediment resuspension. *J. Great Lakes Res.* 12(4):314-321. #1986-13
- Tucker, J.H., Cook, P.M., Phipps, G.L., Stokes, G.N., and Lima, P.H. 1978. Asbestos: a bibliography. EPA/600/3-78/066. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.
- Turbak, S.C., Olson, G.J., and McFeters, G.A. 1979. Environmental effects of western coal surface mining. Part IV - Chemical and microbiological investigations of a surface coal mine settling pond. EPA/600/3-79/125. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803950.

Tye, R., R. Jepsen, and W. Lick. 1996. Effects of colloids, flocculation, particle size, and organic matter on the adsorption of hexachlorobenzene to sediments. *Environ. Toxicol. Chem.* 15(5):643-651. #1996-20

U

Ullman, W.J. and R.C. Aller. 1989. Nutrient release rates from the sediments of Saginaw Bay, Lake Huron. *Hydrobiologia* 171(2):127-140. #1989-8

University of Wisconsin-Superior, Center for Lake Superior Environmental Studies. 1976. Environmental inventory of lower St. Louis River covering proposed improvements to Duluth-Superior Harbor, Minnesota, and Wisconsin. #1976-16

USEPA 2007. MED In Review. *MED Newsletter, EPA/600/N07/004.* 4911

USEPA. 2006. Framework for developing suspended and bedded sediments (SABS) water quality criteria. USEPA, Washington, DC, EPA/822/R-06/001, 150 pp., May. #4665

USEPA (USA) and Soviet Academy of Sciences (USSR). 1978. Proceedings of the First and Second USA-USSR Symposia on the Effects of Pollutants Upon Aquatic Ecosystems. Volume I. Duluth, Minnesota, USA Symposium, October 21-23, 1975. Volume II. Borok, Jaroslavl Oblast, USSR Symposium, June 22-26, 1976. EPA/600/3-78/076. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

USEPA/Hazardous Waste Research Branch. 1988. Report on methods for leachate toxicity characterization. Hazardous Waste Research Branch, Environmental Research Laboratory, USEPA, Duluth, MN. #1988-54

USEPA, Large Lakes Research Station. 1976. A plan for the study of hazardous substances in the Great Lakes - Specifically related to Saginaw Bay. Grosse Ile, MI. #1976-3

USEPA Office of Water. Interim guidance on determination and use of water-effect ratios for metals. 1994. EPA/823/R-94/001. Office of Science and Technology, Washington, D.C. and Environmental Research Laboratories, ORD, Duluth, MN/Narragansett, RI.

USEPA, et al. 1990. Lake Ontario TCDD bioaccumulation study, final report and appendices (2 volumes). USEPA, New York State Department of Environmental Conservation, New York State Department of Health, and Occidental Chemical Corporation. #1990-18

USEPA Environmental Research Laboratory Duluth. 1994. Environmental monitoring and assessment program (EMAP) for the Great Lakes: Quality Assurance FY94 Annual Report and FY95 Workplan. Environmental Monitoring and Assessment Program (EMAP) for the Great Lakes. #1994-18

USEPA, National Water Quality Laboratory. 1970. Effects of taconite on Lake Superior. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-10

- USEPA. 1976. Freshwater invertebrate bibliography: pollution, biology, methods. Environmental Research Laboratory, Duluth, MN. #1976-11
- USEPA. 1972. Recommended bioassay procedure for bluegill *Lepomis macrochirus* (Rafinesque) partial chronic tests. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-8
- USEPA. 1978. In-depth studies on health and environmental impacts of selected water pollutants. Performed by E G & G, Bionomics, Wareham, MA for the Criteria Branch, USEPA, Washington, D.C. #1978-4
- USEPA. 1977. Rapid methods research highlights. Environmental Research Laboratory, USEPA, Duluth, MN. #1977-1
- USEPA. 1992. Environmental Monitoring and Assessment Program (EMAP): Great Lakes monitoring and research strategy. EPA/620/R-92/001. Environmental Research Laboratory, ORD, Duluth, MN.
- USEPA. 1994. Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates. EPA/600/R-99/064. Mid-Continent Ecology Division, ORD, Duluth, MN and Office of Science and Technology, Office of Water, Washington, DC.
- USEPA. 1972. A summary of the U.S. chemical and biological program for the International Field Year for the Great Lakes. Working Report No. 5. Grosse Ile Laboratory, Office of Research and Monitoring, USEPA, Grosse Ile, MI. #1972-11
- USEPA. 1970. Recommended bioassay procedure for *Jordanella floridae* (Goode and Bean) chronic tests. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-2
- USEPA. 1972. Recommended bioassay procedure for brook trout *Salvelinus fontinalis* (Mitchill) partial chronic tests. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-2
- USEPA. 1972. Recommended bioassay procedure for fathead minnow *Pimephales promelas* Rafinesque chronic tests. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-3
- USEPA. PCB newsletter. 1973. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-22
- USEPA Modeling Task Force. 1987. Large lake models -- uses, abuses, and future. *J. Great Lakes Res.* 13(3):387-396. #1987-27
- USEPA. 1973. Extramural research -- interagency agreements, contracts, and grants, June 30, 1973. National Water Quality Laboratory, USEPA, Duluth, MN. #1973-14

USEPA. 1969. Presentation prepared by the staff of the National Water Quality Laboratory for the Joint Commission on Atomic Energy, November 5, 1969. National Water Quality Laboratory, Duluth, MN. #1969-6

USEPA. 1974. Recommended zinc and copper criteria for aquatic life in Ohio. National Water Quality Laboratory, USEPA, Duluth, MN. #1974-8

USEPA. 1971. Tentative plans for the design and operation of a fathead minnow stock culture unit. National Water Quality Laboratory, USEPA, Duluth, MN. #1971-9

V

Vaishnav, D.D. and R.L. Anderson. 1995. Uptake and loss of *Bacillus thuringiensis* var. *israelensis* by *Daphnia magna* in laboratory exposure. *Environ. Toxicol. Chem.* 14:763-66 #590

Vaishnav, D.D. and E.T. Korthals. 1990. Comparative toxicities of selected industrial chemicals to microorganisms and other aquatic organisms. *Arch. Environ. Contam. Toxicol.* 19:624-628. #1990-16

Vaishnav, D.D., L. Babeu, and E.T. Korthals. 1989. Effect of microbial concentration on biodegradation rates of phenols. *J. Indust. Microbiol.* 4:307-314. #1989-6

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Development and validation of single species test protocols for pesticidal and non-pesticidal microbes. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57a

Vaishnav, D.D. and E.T. Korthals. 1988. Comparison of chemical biodegradation rates in BOD dilution and natural waters. *Bull. Environ. Contam. Toxicol.* 41:291-298. #1988-7

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Protocol for a chronic test with the cladoceran, *Ceriodaphnia dubia*, exposed to bacteria used as pest control agents. In: *Development and validation of single species test protocols for pesticidal and non-pesticidal microbes*. D.D. Vaishnav, L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57b

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Protocol for an acute toxicity test with cyclopoid copepods exposed to bacteria used as pest control agents. In: *Development and validation of single species test protocols for pesticidal and non-pesticidal microbes*. D.D. Vaishnav, L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57c

Vaishnav, D.D., L.T. Brooke, S.H. Poirier, D.J. McCauley, and E.T. Korthals. 1988. Protocol for an acute toxicity test with the cladocerans (*Daphnia magna* and *Daphnia pulex*) exposed to bacteria used as pest control agents. In: *Development and validation of single species test protocols for pesticidal and non-pesticidal microbes*. D.D. Vaishnav, L.T. Brooke, S.H. Poirier,

D.J. McCauley, and E.T. Korthals. Environmental Research Laboratory, USEPA, Duluth, MN. #1988-57e

Vaishnav, D.D. and L. Babeu. 1987. Comparison of occurrence and rates of chemical biodegradation in natural waters. *Environ. Contam. Toxicol.* 39:237-244. #1987-8

Vaishnav, D.D., R.S. Boethling, and L. Babeu. 1987. Quantitative structure-biodegradability relationships for alcohols, ketones and alicyclic compounds. *Chemosphere* 16(4):695-703. #1987-10

Vaishnav, D.D. and L. Babeu. 1986. Occurrence and rates of chemical biodegradation in Superior Harbor water. *J. Great Lakes Res.* 12(3):184-191. #1986-6

Vaishnav, D.D. 1986. Chemical structure-biodegradation inhibition and fish acute toxicity relationships for narcotic industrial chemicals. *Tox. Assess. Internat. Quart.* 1(2):227-240. #1986-5

Vaishnav, D.D. and D.M. Lopas. 1985. Relationship between lipophilicity and biodegradation inhibition of selected industrial chemicals. *Develop. Indust. Microbiol.* 26:557-565. #1985-2

Valett, H.M., M.A. Baker, J.A. Morrice, C.S. Crawford, M.C. Molles, Jr., C.N. Dahm, D.L. Moyer, J.R. Thibault, and L.M. Ellis. 2005. Biogeochemical and metabolic responses to the flood pulse in a semiarid floodplain. *Ecology* 86(1):220-234. #2005-1

Van den Berg, M., L. Birnbaum, A.T.C. Bosveld, B. Brunstrom, P. Cook, M. Feeley, J.P. Giesy, A. Hanberg, R. Hasegawa, S.W. Kennedy, T. Kubiak, J.C. Larsen, F.X.R. van Leeuwen, A.K.D. Liem, C. Nolt, R.E. Peterson, L. Poellinger, S. Safe, D. Schrenk, D. Tillit, M. Tysklind, M. Younes, F. Waern, and T. Zacharewski. 1998. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environ. Health Perspect.* 106(12):775-792. #1998-10

Veith, G.D. 1972. PCBs in the Black and Cuyahoga Rivers. National Water Quality Laboratory, USEPA, Duluth, MN. #1972-5

Veith, G.D. 1971. Baseline concentrations of polychlorinated biphenyls and DDT in Lake Michigan fish, 1971. *Pestic. Monit. J.* 9:21-29 #124

Veith, G.D. and Morris, R.T. 1978. A rapid method for estimating Log P for organic chemicals. EPA/600/3-78/049. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Veith, G.D. and P.A. Kosian. 1983. Estimating bioconcentration potential from octanol/water partition coefficients. In: *Physical behavior of PCBs in the Great Lakes*. D. MacKay, S. Paterson, S.J. Eisenreich, and M.S. Simmons, eds. Pp. 269-282. Ann Arbor Science, Ann Arbor, MI. #1983-14

Veith, G.D., D.J. Call, and L.T. Brooke. 1983. Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Can. J. Fish. Aquat. Sci.* 40:743-48 #270

Veith, G.D., D.J. Call, and L.T. Brooke. 1983. Estimating the acute toxicity of narcotic industrial chemicals to fathead minnows. In: *Aquatic toxicology and hazard assessment: Sixth symposium*. W.E. Bishop, R.D. Cardwell, and B.B. Heidolph, eds. Pp. 90-97. ASTM STP 802. American Society for Testing and Materials, Philadelphia, PA. #1983-11

Veith, G.D. and N.M. Austin. 1976. Detection and isolation of bioaccumulable chemicals in complex effluents. In: *Identification and Analysis of Organic Pollutants in Water*. Keith, L.A., ed., pp. 297-304. Ann Arbor Science, Ann Arbor, MI. #1976-17

Veith, G.D. and G.F. Lee. 1970. A review of chlorinated biphenyl contamination in natural waters. *Water Res.* 4:265-269. #1970-15

Veith, G.D., D.W. Kuehl, and G.E. Glass. 1970. Hazardous synthetic organic compounds in Lake Michigan fish. National Water Quality Laboratory, USEPA, Duluth, MN. #1970-19

Veith, G.D., D.W. Kuehl, and J. Rosenthal. 1975. Preparative method for gas chromatographic/mass spectral analysis of trace quantities of pesticides in fish tissue. *J. Assoc. Off. Anal. Chem.* 58:1-5 #126

Veith, G.D., D.W. Kuehl, E.N. Leonard, K.J. Welch, and G. Pratt. 1978. Fish, wildlife, and estuaries: Polychlorinated biphenyls and other organic chemical residues in fish from major United States watersheds near the Great Lakes, 1978. *Pestic. Monit. J.* 15:1-8 #230

Veith, G.D. and V.M. Comstock. 1975. Apparatus for continuously saturating water with hydrophobic organic chemicals. *J. Fish. Res. Board Can.* 32:1849-51 #125

Veith, G.D. 1990. Report on methods to compute reactivity parameters for electrophilic chemicals. Environmental Research Laboratory, ORD, USEPA, Duluth, MN. #1990-27

Veith, G.D., B.E. Greenwood, R.S. Hunter, G.J. Niemi, and R.R. Regal. 1988. On the intrinsic dimensionality of chemical structure space. *Chemosphere* 17:1617-30 #373

Veith, G.D., D.W. Kuehl, E.N. Leonard, F.A. Puglisi, and A.E. Lemke. 1979. Fish, wildlife, and estuaries: Polychlorinated biphenyls and other organic chemical residues in fish from major watershed in the United States, 1976. *Pestic. Monit. J.* 13:1-11 #196

Veith, G.D., D.L. DeFoe, and B.V. Bergstedt. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J. Fish. Res. Board Can.* 36:1040-1048 #195

Veith, G.D. and G.F. Lee. 1971. Chlorobiphenyls (PCBs) in the Milwaukee River. *Water Res.* 5:1107-1115. #1971-11

Veith, G.D. 1973. Chlorinated hydrocarbons in fish from Lake Michigan. Water Quality Office, USEPA. #1973-15

Veith, G.D. and O.G. Mekenyan. 1993. A QSAR approach for estimating the aquatic toxicity of soft electrophiles [QSAR for soft electrophiles]. *Quant. Struct.-Act. Relat.* 12:349-56 #518

Veith, G.D. and G.F. Lee. 1971. Water chemistry of toxaphene -- role of lake sediments. *Environ. Science Tech.* 5:230-234. #1971-12

Veith, G.D. and L.M. Kiwus. 1977. Exhaustive steam-distillation and solvent-extraction unit for pesticides and industrial chemicals. *Bull. Environ. Contam. Toxicol.* 17:631-36 #163

Veith, G.D., D.W. Kuehl, F.A. Puglisi, G.E. Glass, and J.G. Eaton. 1977. Residues of PCBs and DDT in the western Lake Superior ecosystem. *Arch. Environ. Contam. Toxicol.* 5:487-99 #164

Veith, G.D. and D.W. Kuehl. 1981. Automated gel-permeation system for removal of lipids in gas chromatography/mass spectrometric analysis of fatty tissues for xenobiotic chemicals. *Anal. Chem.* 53:1132-33 #229

Veith, G.D., R.L. Lipnick, and C.L. Russom. 1989. The toxicity of acetylenic alcohols to the fathead minnow, *Pimephales promelas*: Narcosis and proelectrophile activation. *Xenobiotica* 19:555-65 #403

Veith, G.D. 1981. State-of-the-art report on structure-activity methods development. EPA/600/3-81/029. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-187239).

Veith, G.D. 1989. Unified QSAR strategy for predictive ecotoxicology and initial environmental risk assessment. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-42

Veith, G.D., D.W. Kuehl, E.N. Leonard, K.J. Welch, and G. Pratt. 1981. Fish, wildlife, and estuaries: Polychlorinated biphenyls and other organic chemical residues in fish from major United States watersheds near the Great Lakes, 1978. *Pestic. Monit. J.* 15:1-8 #230

Veith, G.D., D.W. Kuehl, E.N. Leonard, F.A. Puglisi, and A.E. Lemke. 1976. Fish, wildlife, and estuaries: Polychlorinated biphenyls and other organic chemical residues in fish from major watershed in the United States, 1976. *Pestic. Monit. J.* 13:1-11 #196

Veith, G.D., D.L. DeFoe, and M.L. Knuth. 1985. Structure-activity relationships for screening organic chemicals for potential ecotoxicity effects. *Drug Metab. Rev.* 15:1295-303 #307

Veith, G.D., D.W. Kuehl, and J. Rosenthal. 1975. GC/MS analysis of pesticides in biological tissue at concentrations less than 0.1 $\mu\text{g}/\text{gm}$. #1975-13

- Veith, G.D. 1972. Recent fluctuations of chlorobiphenyls (PCBs) in the Green Bay, Wisconsin, region. *Environ. Health Perspect.* 1:51-54 #78
- Veith, G.D., O.G. Mekenyan, G.T. Ankley, and D.J. Call. 1995. QSAR evaluation of α -terthienyl phototoxicity. *Environ. Sci. Technol.* 29:1267-72 #592
- Veith, G.D., O.G. Mekenyan, G.T. Ankley, and D.J. Call. 1995. A QSAR analysis of substituent effects on the photoinduced toxicity of PAHs. *Chemosphere* 30:2129-42 #591
- Veith, G.D. 1998. Contaminated sediments: state of the science and future research directions. In: EPA 823/R-98/002. Office of Water, USEPA, Washington, DC. #1998-11
- Veith, G.D. 1980. Bioconcentration tests for effluents. In: Proceedings of the Seminar on Biological Monitoring and its Use in the NPDES Permit Program, October 2, 1979, Chicago, IL. EPA 600/9-80-026. Center for Environmental Research Information, ORD, USEPA, Cincinnati, OH. Pp. 40-46. #1980-9
- Veith, G.D., K.J. Macek, S.R. Petrocelli, and J. Carroll. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: *Aquatic toxicology*. J.G. Eaton, P.R. Parrish, and A.C. Hendricks, eds. Pp. 116-129. ASTM STP 707. American Society for Testing and Materials, Philadelphia, PA. #1980-18
- Veith, G.D. and S.J. Broderius. 1987. Structure-toxicity relationships for industrial chemicals causing type (II) narcosis syndrome. In: *QSAR in environmental toxicology - II*. K.L.E. Kaiser, ed. Pp. 385-391. D. Reidel Publishing Co., Dordrecht, Netherlands. #1987-36
- Veith, G.D. and S.J. Broderius. 1990. Rules for distinguishing toxicants that cause type I and type II narcosis syndromes. *Environ. Health Perspect.* 87:207-11 #435
- Veith, G.D., N.M. Austin, and R.T. Morris. 1979. A rapid method for estimating log *P* for organic chemicals. *Water Res.* 13:43-47 #194
- Velleux, M., D. Endicott, J. Steuer, S. Jaeger, and D. Patterson. 1995. Long-term simulation of PCB export from the Fox River to Green Bay. *J. Great Lakes Res.* 21(3):359-372. #1995-5
- Velleux, M., J. Gailani, and D. Endicott. 1996. Screening-level approach for estimating contaminant export from tributaries. *J. Environ. Eng.* 122(6):503-514. #1996-2
- Velleux, M. and D. Endicott. 1994. Development of a mass balance model for estimating PCB export from the lower Fox River to Green Bay. *J. Great Lakes Res.* 20(2):416-434. #1994-2
- Velleux, M.L., D.D. Endicott, and W.L. Richardson. 1988. Confined disposal facility far-field modeling project report: An application to Saginaw Bay. Large Lakes Research Station, USEPA, Grosse Ile, MI. #1988-51

- Velleux, M.L., J.E. Rathbun, R.G. Kreis, Jr., J.L. Martin, M.J. Mac, and M.L. Tuchman. 1993. Investigation of contaminant transport from the Saginaw confined disposal facility. *J. Great Lakes Res.* 19(1):158-174. #1993-5
- Verbrugge, D.A., J.P. Giesy, M.A. Mora, L.L. Williams, R. Rossmann, R.A. Moll, and M. Tuchman. 1995. Concentrations of dissolved and particulate polychlorinated biphenyls in water from the Saginaw River, Michigan. *J. Great Lakes Res.* 21(2):219-233. #1995-10
- Vick, N., compiler. 1977. Freshwater findings, 1967-1976: Research publications of the Environmental Research Laboratory, Duluth, Minnesota. EPA/600/9-77-005. Environmental Research Laboratory, USEPA, Duluth. #1977-4
- Villeneuve, D.L., L.S. Blake, J.D. Brodin, J.E. Cavallin, E.J. Durhan, K.M. Jensen, M.D. Kahl, E.A. Makynen, D. Martinovic, N.D. Mueller, and G.T. Ankley. 2008. Effects of a 3 α -hydroxysteroid dehydrogenase inhibitor, trilostane, on the fathead minnow reproductive axis. *Toxicol. Sci.* 104:113-123. #4925
- Villeneuve, D.L., I. Knoebl, P. Larkin, A.L. Miracle, B.J. Carter, N.D. Denslow, and G.T. Ankley. 2008. Altered gene expression in the brain and liver of female fathead minnows *Pimephales promelas* Rafinesque exposed to fadrozole. *J. Fish Biol.* 72:2281-2340. #4872
- Villeneuve, D.L., G.T. Ankley, E.A. Makynen, L.S. Blake, K.J. Greene, E.B. Higley, J.L. Newsted, J.P. Giesy, and M. Hecker. 2007. Comparison of fathead minnow ovary explant and H295R cell-based steroidogenesis assays for identifying endocrine-active chemicals. *Ecotox. Environ. Safety* 68:20-32. #4684
- Villeneuve, D.L., L.S. Blake, J.D. Brodin, K.J. Greene, I. Knoebl, A.L. Miracle, D. Martinovic, and G.T. Ankley. 2007. Transcription of key genes regulating gonadal steroidogenesis in control and ketoconazole- or vinclozolin-exposed fathead minnows. *Toxicol. Sci.* 98:395-407. #4798
- Villeneuve, D.L., A.L. Miracle, K.M. Jensen, S.J. Degitz, M.D. Kahl, J.J. Korte, K.J. Greene, L.S. Blake, A.L. Linnum, and G.T. Ankley. 2007. Development of quantitative real-time PCR assays for fathead minnow (*Pimephales promelas*) gonadotropin beta subunit mRNAs to support endocrine disruptor research. *Compar. Biochem. Physiol. Part C* 145:171-183. #4565
- Villeneuve, D.L., P. Larkin, I. Knoebl, A.L. Miracle, M.D. Kahl, K.M. Jensen, E.A. Makynen, E.J. Durhan, B.J. Carter, N.D. Denslow, and G.T. Ankley. 2007. A graphical systems model to facilitate hypothesis-driven ecotoxicogenomics research on the teleost brain-pituitary-gonadal axis. *Environ. Sci. Technol.* 41:321-330. #4664
- Villeneuve, D.L., I. Knoebl, M.D. Kahl, K.M. Jensen, D.E. Hammermeister, K.J. Greene, L.S. Blake, and G.T. Ankley. 2006. Relationship between brain and ovary aromatase activity and isoform-specific aromatase mRNA expression in the fathead minnow (*Pimephales promelas*). *Aquat. Toxicol.* 76:353-368. #878

Villeneuve, D.L., M.B. Murphy, M.D. Kahl, K.M. Jensen, B.C. Butterworth, E.A. Makynen, E.J. Durhan, A.L. Linnum, R.L. Leino, L.R. Curtis, J. Giesy, and G.T. Ankley. 2006. Evaluation of the methoxytriazine herbicide prometon, using a short-term fathead minnow reproduction test and a suite of in vitro bioassays. *Environ. Toxicol. Chem.* 25:2143-2153. #896

Vyas, N.B., J.W. Spann, C.S. Hulse, S.L. Borges, R.S. Bennett, M. Torrez, B.I. Williams, and R. Leffel. 2006. Field evaluation of an avian risk assessment model. *Environ. Toxicol. Chem.* 25:1762-1771. #2006-6

Vyas, N.B., J.W. Spann, C.S. Hulse, S.L. Borges, R.S. Bennett, M. Torrez, B.I. Williams, and R. Leffel. 2006. Field evaluation of an avian risk assessment model. *Environ. Toxicol. Chem.* 25:1762-1771. #2006-6

W

Wackernagel, M. and J.D. Yount. 2000. Footprints for sustainability: the next steps. *Environ. Develop. Sustain.* 2:21-42 #748

Wackernagel, M. and J.D. Yount. 1998. The ecological footprint: an indicator of progress toward regional sustainability. *Environ. Monit. Assess.* 51:511-29 #678

Walbridge, C.T., J.T. Fiandt, G.L. Phipps, and G.W. Holcombe. 1983. Acute toxicity of ten chlorinated aliphatic hydrocarbons to the fathead minnow (*Pimephales promelas*). *Arch. Environ. Contam. Toxicol.* 12:661-66 #271

Walbridge, C.T. 1977. A flow-through testing procedure with duckweed (*Lemna minor L.*). EPA 600/3-77/108. Environmental Research Laboratory, ORD, USEPA, Duluth, MN.

Walker, M.K., P.M. Cook, B.C. Butterworth, E.W. Zabel, and R.E. Peterson. 1996. Potency of a complex mixture of polychlorinated dibenzo-*p*-dioxin, dibenzofuran, and biphenyl congeners compared to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in causing fish early life stage mortality. *Fundam. Appl. Toxicol.* 30:178-86 #633

Walker, M.K., P.M. Cook, A.R. Batterman, B.C. Butterworth, C. Berini, J.J. Libal, L.C. Hufnagle, and R.E. Peterson. 1994. Translocation of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin from adult female trout (*Salvelinus namaycush*) to oocytes: Effects on early life stage development and sac fry survival. *Can. J. Fish. Aquat. Sci.* 51:1410-1419 #550

Wallace, K.B. 1989. Glutathione-dependent metabolism in fish and rodents. *Environ. Toxicol. Chem.* 8:1049-1055. #1989-26

Wallace, K.B. and G.J. Niemi. 1988. Structure-activity relationships of species-selectivity in acute chemical toxicity between fish and rodents. *Environ. Toxicol. Chem.* 7:201-212. #1988-32

Wallace, K.B. and U. Herzberg. 1988. Reactivation and aging of phosphorylated brain acetylcholinesterase from fish and rodents. *Toxicol. Appl. Pharmacol.* 92:307-314. #1988-27

Wallace, K.B. and J.R. Kemp. 1991. Species specificity in the chemical mechanisms of organophosphorus anticholinesterase activity. *Chem. Res. Toxicol.* 4:41-49. #1991-16

Wang, R.-L., A.D. Biales, D.C. Bencic, D.L. Lattier, M. Kostich, D.L. Villeneuve, G.T. Ankley, J.M. Lazorchak, and G.P. Toth. 2008. DNA microarray application in ecotoxicology: Experimental design, microarray scanning, and factors impacting transcriptional profiles in a small fish species. *Env. Toxicol. Chem.* 27:652-663. #4794

Wang, R.-L., A.D. Biales, D.C. Bencic, D.L. Lattier, M. Kostich, D.L. Villeneuve, G.T. Ankley, J.M. Lazorchak, and G.P. Toth. 2008. DNA microarray-based ecotoxicological biomarker discovery in a small fish model species. *Env. Toxicol. Chem.* 27:664-675. #4759

Warnick, S.L. and H.L. Bell. 1969. The acute toxicity of some heavy metals to different species of aquatic insects. *J. Water Pollut. Control Fed.* 41:280-284 #35

Warren, G. and R.G. Kreis. 2005. Recent and long-term nutrient trends in Lake Michigan. *In: State of Lake Michigan: Ecology, Health and Management*, T. Edsall and M. Munawar, eds., Ecovision World Monograph Series, Backhuys Publishers, Leiden, the Netherlands, pp. 141-155. #2005-15

Warren, C.E. and Liss, W.J. 1977. Design and evaluation of laboratory ecological system studies. EPA 600/3-77/022. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB 280 051): Grant # R802286.

Watanabe, K.H., K.M. Jensen, E.F. Orlando, and G.T. Ankley. 2007. What is normal? A characterization of the values and variability in reproductive endpoints of the fathead minnow, *Pimephales promelas*. *Compar. Biochem. Physiol. Part C* 146:348-356. #4789

Watras, C.J. and T.M. Frost. 1989. Little Rock Lake (Wisconsin): Perspectives on an experimental ecosystem approach to seepage lake acidification. *Arch. Environ. Contam. Toxicol.* 18:157-165. #1989-29

Watras, C.J. and A.L. Baker. 1988. Detection of planktonic cyanobacteria by tandem *in vivo* fluorometry. *Hydrobiologia* 169:77-84. #1988-34

Waybrant, R.C. and Shauver, J.M. 1979. Survey of larval fish in the Michigan waters of Lake Erie, 1975 and 1976. EPA/ 600/3-79/095. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Contract # R804522.

Weber, T.W. II. Response of phytoplankton to acidification in experimental streams. EPA/ 600/3-81/042. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB81-216822).

Webster, K.E., Forbes, A.M., and Magnuson, J.J. An evaluation of environmental stress imposed by a coal ash effluent: Wisconsin Power Plant Impact Study. EPA/600/3-85/045. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB85-213429): Grant # R803971.

Webster, K.E., J.M. Eilers, J.G. Wiener, G.E. Glass, P.J. Garrison, and M.D. Johnson. 1993. Chemical and biotic characteristics of two low-alkalinity lakes in northern Wisconsin: Relation to atmospheric deposition. Department of Natural Resources, Madison, WI. #1993-6

Webster, K.E., T.M. Frost, C.J. Watras, W.A. Swenson, M. Gonzalez, and P.J. Garrison. 1992. Complex biological responses to the experimental acidification of Little Rock Lake, Wisconsin, USA. *Environmental Pollution* 78:73-78. #1992-7

Weinstein, J. and S.A. Diamond. 2006. Relating daily solar ultraviolet radiation dose in salt marsh-associated estuarine systems to laboratory assessments of photoactivated polycyclic aromatic hydrocarbon toxicity. *Environ. Toxicol. Chem.* 25:2860-2868. 4353

Weisbrod, A., L.P. Burkhard, J. Arnot, D. Powell, O.G. Mekenyan, P. Howard, C.L. Russom, R. Boething, Y. Sakuratani, T. Traas, T. Bridges, C. Lutz, M. Bonnell, T. Parkerton, and K. Woodburn. 2006. Workgroup report: Review of fish bioaccumulation databases used to identify persistent, bioaccumulative, toxic substances. *Environ. Health Perspec.* 115:255-261. #4620

Welch, K.J., D.W. Kuehl, E.N. Leonard, G.D. Veith, and N.D. Schoenthal. 1981. Background hydrocarbon residues in fishes from the Great Lakes and eastern Montana. *Bull. Environ. Contam. Toxicol.* 26:724-28 #231

Wescoat, J.L., P. Chow-Fraser, D.N.D. Hartford, J.R. Keough, L.A. Maguire, J.C. Makarewicz, D.C. McKinney, D.H. Moreau, S.P. Simonovic, P.A. Zielinski, L.E. Alexander, and E.A. DeGuzman. 2006. Review of the Lake Ontario-St. Lawrence River Studies. National Research Council of the National Academies, Washington, DC, National Academies Press, 500 Fifth Street NW, Washington, DC, pp.1-147. #892

West, C.W., P.A. Kosian, D.R. Mount, E.A. Makynen, M.S. Pasha, P.K. Sibley, and G.T. Ankley. 2001. Amendment of sediments with a carbonaceous resin reduces bioavailability of polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.* 20:1104-11 #758

West, C.W., G.L. Phipps, R.A. Hoke, T.A. Goldenstein, F.M. VanderMeiden, P.A. Kosian, and G.T. Ankley. 1994. Sediment core versus grab samples: Evaluation of contamination and toxicity at a DDT-contaminated site. *Ecotoxicol. Environ. Saf.* 28:208-20 #551

West, C.W., G.T. Ankley, J.W. Nichols, G.E. Elonen, and D.E. Nessa. 1997. Toxicity and bioaccumulation of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in long-term tests with the freshwater benthic invertebrates *Chironomus tentans* and *Lumbriculus variegatus*. *Environ. Toxicol. Chem.* 16:1287-94 #648

West, C.W., K.N. Allen, S.F. Hedtke, and J.W. Arthur. 1985. Environmental influence on the acute toxicity of ammonia to 14 freshwater species. Monticello Ecological Research Station, USEPA, Monticello, MN. #1985-8

West, C.W. and G.T. Ankley. 1998. A laboratory assay to assess avoidance of contaminated sediments by the freshwater oligochaete *Lumbriculus variegatus*. *Arch. Environ. Contam. Toxicol.* 35:20-24 #680

West, C.W., V.R. Mattson, E.N. Leonard, G.L. Phipps, and G.T. Ankley. 1993. Comparison of the relative sensitivity of three benthic invertebrates to copper-contaminated sediments from the Keweenaw Waterway. *Hydrobiologia* 262:57-63 #519

West, D.E. and H.G. Stefan. 1999. Modeling of watershed input and potential climate change effects on water quality in agricultural reservoirs in the Little Washita River Watershed. Grazing Lands Research Laboratory, Agricultural Research Service, U.S. Department of Agriculture, El Reno. OK. #1999-23

West, D.E. and H.G. Stefan. 1998. Simulation of lake water quality using a one-dimensional model with watershed input: Model description and application to Lake Riley and Lake Elmo. Grazing Land Research Laboratory, Agricultural Research Service, U.S. Department of Agriculture, El Reno, OK. #1998-18

Wezernak, C.T. and Lyzenga, D.R. 1977. Satellite remote sensing study of the trans-boundary movement of pollutants. EPA 600/3-77/056. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R803671.

White, D.S. and T.J. Keilty. 1988. Burrowing avoidance assays of contaminated Detroit River sediments using the freshwater oligochaete *Stylodrilus heringianus* (Lumbriculidae) (Appendix M). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. Russell G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix M. #1988-4c

White, D.S., J. Bowers, D. Jude, R. Moll, S. Hendricks, P. Mansfield, and M. Flexner. 1988. Exposure and biological effects of in-place pollutants (Appendix K). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix K. #1988-4b

White, D.S., J. Bowers, D. Jude, R. Moll, S. Hendricks, P. Mansfield, and M. Flexner. 1988. The condition of organisms passing through the Detroit River from Lake St. Clair to Lake Erie (Appendix N). In: *Final report to the Upper Great Lakes Connecting Channels Study Activities Workgroups for Tasks in Activities C, G, and H*. Integrated study of exposure and biological

effects of in-place sediment pollutants in the upper connecting channels: Interim results. R.G. Kreis, Jr., ed. USEPA, Environmental Research Laboratory, Duluth, MN and Large Lakes Research Station, Grosse Ile, MI. Appendix N. #1988-4a

Whiteman, F.W., G.T. Ankley, M.D. Kahl, D.M. Rau, and M.D. Balcer. 1996. Evaluation of interstitial water as a route of exposure for ammonia in sediment tests with benthic macroinvertebrates. *Environ. Toxicol. Chem.* 15:794-801 #634

Whitford, F., M. Mayes, D. Urban, J. Wolt, R. Bennett, R. Turco, M. Jones, B.K. Miller, and L. Bledsoe. 2002. Ecological risk assessments: Evaluating pesticide risks to nontarget species. In: *The Complete Book of Pesticide Management*. F. Whitford, ed. John Wiley & Sons, New York, NY. pp. 140-195 #2002-7

Wiener, J.G., R.E. Martini, T.B. Sheffy, and G.E. Glass. 1990. Factors influencing mercury concentrations in walleyes in northern Wisconsin lakes. *Trans. Am. Fish. Soc.* 119:862-70 #436

Wiener, J.G., P.J. Rago, and J.M. Eilers. 1984. Species composition of fish communities in northern Wisconsin lakes: Relation to pH. In: *Early biotic responses to advancing lake acidification*. Hendrey, G.R., ed. Butterworth Publishers, Boston, MA. Pp. 133-146. #1984-7

Williams, L.L., J.P. Giesy, N. DeGalan, D.A. Verbrugge, D.E. Tillitt, G.T. Ankley, and R.L. Welch. 1992. Prediction of concentrations of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin equivalents from total concentrations of polychlorinated biphenyls in fish fillets. *Environ. Sci. Technol.* 26:1151-59 #489

Williamson, K. J. and Nelson, P. O. Bacterial bioassay for Level I toxicity assessment. EPA/600/3-83/017. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, (PB83-182287): Grant # R806297.

Wilson, V.S., M.C. Cardon, J. Thornton, J.J. Korte, G.T. Ankley, J. Welch, L.E. Gray, Jr., and P.C. Hartig. 2005. Cloning and in vitro expression and characterization of the androgen receptor and isolation of estrogen receptor α from the fathead minnow (*Pimephales promelas*). *Environ. Sci. Technol.* 38:6314-6321. #2005-10

Winn, R., M. Norris, D.B. Lothenbach, K.M. Flynn, D.E. Hammermeister, F.W. Whiteman, B.R. Sheedy, and R.D. Johnson. 2006. Sub-chronic exposure to 1,1-dichloropropene induces frameshift mutations in λ transgenic medaka. *Mutation Research: Fundamental and Molecular Mechanisms of Mutagenesis* 595:52-59. #2006-2

Winnell, M.H. and D.S. White. 1986. The distribution of *Heterotrissocladius oliveri* Saether (Diptera: Chironomidae) in Lake Michigan. *Hydrobiologia* 131:205-214. #1986-22

Winner, R.W. 1976. Toxicity of copper to daphnids in reconstituted and natural waters. EPA 600/3-76/051. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, Grant # R802210.

Winner, R.W. 1989. Multigeneration life-span tests of the nutritional adequacy of several diets and culture waters for *Ceriodaphnia dubia*. *Environ. Toxicol. Chem.* 8:513-520. #1989-16

Winner, R.W., T. Keeling, R. Yeager, and M.P. Farrell. 1977. Effect of food type on the acute and chronic toxicity of copper to *Daphnia magna*. *Fresh. Biol.* 7:343-349. #1977-13

Wood, C.M., W.J. Adams, G.T. Ankley, D.R. DiBona, S.N. Luoma, R.C. Playle, W.A. Stubblefield, H.L. Bergman, R.J. Erickson, J.S. Mattice, and C.E. Schlegel. 1997. Environmental toxicology of metals. In: *Reassessment of metals criteria for aquatic life protection: Priorities for research and implementation*. H.L. Bergman and E.J. Dorward-King, eds. Pp. 31-56. SETAC Press, Pensacola, FL. #1997-1

Wrenn, W.B., Armitage, B.J., Rodgers, E.B., Forsythe, T.D., and Grannemann, K.L. Browns. 1979. Ferry Biothermal Research Series. II. Effects of temperature on bluegill and walleye, and periphyton, macroinvertebrate, and zooplankton communities in experimental ecosystems. EPA/600/3-79/092. Environmental Research Laboratory, ORD, USEPA, Duluth, MN, TV-35013A.

Wrubleski, D.A., H.R. Murkin, A.G. van der Valk, and C.B. Davis. 1997. Decomposition of litter of three mudflat annual species in a northern prairie marsh during drawdown. *Plant Ecol.* 129:141-48 #650

X

Xia, Xiangsheng. 2006. Sample data interpolation for the LMMBP. Part 4, Appendix 4.4.1, pp. 286-290 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167.

Xue, W., A.K. Samanta, and R.M. Carlson. 1990. The identification and quantitation of alkylated nucleobases by high-performance liquid chromatography with UV photodiode array detection. *Journal of Chromatographic Science* 28:477-481. #1990-7

Xue, W. and R.M. Carlson. 1988. Separation characteristics of alkylated guanines in high-performance liquid chromatography. *Journal of Chromatography* 447:81-90. #1988-28

Y

Young, T.C., J.V. DePinto, S.C. Martin, and J.S. Bonner. 1985. Algal-available particulate phosphorous in the Great Lakes basin. *J. Great Lakes Res.* 11(4):434-446. #1985-27

Young, R.C., G.A. Anderson, and E.L. Morgan. 1980. Response of smallmouth bass to pH dependent water quality perturbations. Submitted by Tennessee Valley Authority to USEPA. #1980-8

- Young, T.C., J.V. DePinto, and T.W. Kipp. 1987. Adsorption and desorption of Zn, Cu, and Cr by sediments from the Raisin River (Michigan). *J. Great Lakes Res.* 13(3):353-366. #1987-18
- Young, T.C. and J.V. DePinto. 1988. Factors affecting the efficiency of some estimators of fluvial total phosphorus load. *Water Resources Research* 24(9):1535-1540. #1988-12
- Yount, J.D. and L.J. Shannon. 1988. State changes in laboratory microecosystems in response to chemicals from three structural groups. In: *Functional testing of aquatic biota for estimating hazards of chemicals*. J. Cairns, Jr. and G. Pratt, eds. Pp. 86-96. ASTM STP 988. American Society for Testing and Materials, Philadelphia, PA. #1988-35
- Yount, J.D. and L.J. Shannon. 1987. Effects of aniline and three derivatives on laboratory microecosystems. *Environ. Toxicol. Chem.* 6:463-68 #358
- Yount, J.D. and J.E. Richter. 1986. Effects of pentachlorophenol on periphyton communities in outdoor experimental streams. *Arch. Environ. Contam. Toxicol.* 15:51-60 #334
- Yount, J.D. and G.J. Niemi. 1990. Recovery of lotic communities and ecosystems from disturbance--a narrative review of case studies. *Environ. Manage.* 14:547-69 #437
- Yount, J.D. 1990. The eco-invaders. *EPA Journal* 16(6):51-53. #1990-15
- Yount, J.D. 1989. Analysis of frequency of criteria exceedences as related to aquatic community impact. Environmental Research Laboratory, USEPA, Duluth, MN. #1989-47
- Yount, J.D. 1998. Human carrying capacity as an indicator of regional sustainability. *Environ. Monit. Assess.* 51:507-9 #675
- Yount, J.D. 1975. Forest-floor nutrient dynamics of southern Appalachian hardwood and white pine plantation ecosystems. In: *Mineral cycling in southeastern ecosystems*. ERDA Symposium Series (CONF-740513). F.G. Howell, J.B. Gentry, and F.G. Howell, eds. Pp. 598-608. Technical Information Center, Oak Ridge, TN. #1975-10
- Yount, J.D. 1975. The effect of nonremoval clear-cutting and pine reforestation on the cation composition of a hardwood forest soil. In: *Mineral cycling in southeastern ecosystems*. ERDA Symposium Series (CONF-740513). F.G. Howell, J.B. Gentry, and F.G. Howell, eds. Pp. 744-753. Technical Information Center, Oak Ridge, TN. #1975-11
- Yue, S. and Wang, C. 2004. The Mann-Kendall test modified by effective sample size to detect trend in serially correlated hydrological series. *Water Res. Management* 18:201-218. #844
- Yue, S. and Wang, C. 2004. Determination of regional probability distributions of Canadian flood flows using L-moments. *J. Hydrology (NZ)* 43(1):59-73. #845
- Yue, S. and Pilon, P. 2004. A comparison of the power of the *t* test, Mann-Kendall and bootstrap tests for trend detection. *Hydrological Sciences -- Journal -- des Sciences Hydrologiques* 49(1):21-37. #821

- Yue, S. and Gan T.Y. 2004. Simple scaling properties of Canadian annual average streamflow. *Advances in Water Resources* 27:481-495. #825
- Yue, S. and M. Hashino. 2003. Temperature trends in Japan: 1900-1996. *Theoretical and Applied Climatology* 75(½):15-27. #2003-6
- Yue, S., P. Campbell, and P. Pilon. 2003. Long-term water balance analysis using the complementary relationship areal evapotranspiration model. CSCE 6th Canadian Hydrotechnical Conference, Oct, 21-24, 2003, Burlington, Ontario, Canada. #2003-13
- Yue, S. and Wang, C. Y. 2004. A comparison of two bivariate extreme value distributions. *Stochastic Environ. Res.* 18:61-66. #846
- Yue, S. and M. Hashino. 2003. Long term trends of annual and monthly precipitation in Japan. *J. of the Amer. Water Res. Assoc.* 39(3):587-596. #2003-9
- Yue, S. and P. Pilon. 2003. Interaction between deterministic trend and autoregressive process. *Water Resources Research* 39(4):1-7. #2003-7
- Yue, S., P. Pilon, and B. Phinney. 2003. Canadian streamflow trend detection: Impacts of serial and cross-correlation. *Hydrological Sciences-Journal-des Sciences Hydrologiques* 48(1):51-63. #2003-8
- Yurista, P.M., J.R. Kelly, and S.E. Miller. 2006. Comparisons of zooplankton community size structure in the Great Lakes. *J. of Geophys. Res., Oceans Special Issue* 111, C05S08, doi:10.1029/2005JC002971:1-12. #883
- Yurista, P., Kelly, J.R., and Miller, S. 2005. Evaluation of optically acquired zooplankton size-spectrum data as a potential tool for assessment of condition in the Great Lakes. *Environ. Manage.* 35(1):34-44. #867
- Yurista, P.M., White, D.S., Kipphut, G.W., Johnston, K., Rice, G., and Hendricks, S.P. 2004. Nutrient patterns in a mainstem reservoir, Kentucky Lake, USA, over a 10-year period. *Lake Reserv. Manage.* 20(2):148-163. #836
- Yurista, P.M. and W.J. O'Brien. 2001. Growth, survivorship and reproduction of *Daphnia middendorffiana* in several Arctic lakes and ponds. *J. Plank. Res.* 23(7):733-744. #2001-5
- Yurista, P.M. 2000. Cyclomorphosis in *Daphnia lumholtzi* induced by temperature. *Freshwater Biol.* 43:207-213. #2000-13
- Yurista, P.M., G.T. Rice, and D.S. White. 2000. Long-term establishment of *Daphnia lumholtzi* sars in Kentucky Lake, USA. *Verh. Internat. Verein. Limnol.*, 27:3102-3106. #2000-12

Yurista, P.M. 1999. A model for temperature correction of size-specific respiration in *Bythotrephes cederstroemi* and *Daphnia middendorffiana*. *J. of Plankton Res.* 21(4):721-734. #1999-19

Yurista, P.M. 1999. Temperature-dependent energy budget of an Arctic Cladoceran, *Daphnia middendorffiana*. *Fresh. Biol.* 42:21-34. #1999-17

Yurista, P.M. and K.L. Schulz. 1996. Comments on "A model for growth, development, and diet selection by the invertebrate predator *Bythotrephes cederstroemi*" by J.T. Lehman and D.K. Branstrator (in *J. Great Lakes Res.* 21:610-619). *J. Great Lakes Res.* 22(4):925-929. #1996-19

Yurista, P.M. and K.L. Schulz. 1995. Bioenergetic analysis of prey consumption by *Bythotrephes cederstroemi* in Lake Michigan. *Can. J. Fish. Aquat. Sci.* 52:141-150. #1995-18

Z

Zabel, E.W., R.E. Peterson, and P.M. Cook. 1995. Potency of 3,3',4,4',5-Pentachlorobiphenyl (PCB 126) and 2,3,7,8 Tetrachlorodibenzo-*p*-dioxin (TCDD), to produce lake trout early life stage mortality. In: *Abstract Book, Second SETAC World Congress (16th Annual Meeting)*, Vancouver, British Columbia, Canada, Society of Environ. Toxicol. and Chem., Pensacola, FL. #1995-28

Zabel, E.W., P.M. Cook, and R.E. Peterson. 1995. Toxic equivalency factors of polychlorinated dibenzo-*p*-dioxin, dibenzofuran and biphenyl congeners based on early life stage mortality in rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 31:315-28 #594

Zabel, E.W., P.M. Cook, and G.S. Peterson. 1995. Potency of 3,3',4,4',5-pentachlorobiphenyl (PCB 126), alone and in combination with 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD), to produce lake trout early life-stage mortality. *Environ. Toxicol. Chem.* 14:2175-79 #593

Zacharewski, T., L. Safe, and S. Safe. 1989. Comparative analysis of polychlorinated dibenzo-*p*-dioxin and dibenzofuran congeners in Great Lakes fish extracts by gas chromatography-mass spectrometry and in vitro enzyme induction activities. *Environ. Science Technol.* 23:730-735. #1989-5

Zhang, X. and R.G. Kreis. 2008. Importance of temperature in modeling food web bioaccumulation in large aquatic systems. *Ecol. Modell.* 218:315-322. #4265

Zhang, X., K.R. Rygwelski, R. Rossmann, J.J. Pauer, and R.G. Kreis, Jr. 2008. Model construct and calibration of an integrated water quality model (LM2-Toxic) for the Lake Michigan Mass Balance Project. *Ecol. Modell.* at: <http://www.sciencedirect.com/science/journal/03043800> #4922

Zhang, X. 2006. LM food chain. EPA Project Report, EPA/600/R-04/167, Part 5. #4345-q

Zhang, Xiaomi. 2006. LM2-Toxic. Part 4, pp. 216-452 in Rossmann, R. (Ed.), Results of the Lake Michigan Mass Balance study: PCBs modeling report. USEPA, ORD, NHEERL, Mid-Continent Ecology Division, Large Lakes and Rivers Forecasting Research Branch, Large Lakes Research Station, Grosse Ile, MI. EPA/600/R-04/167. #4345-p

Zhang, F., S.J. Degitz, G.W. Holcombe, P.A. Kosian, J.E. Tietge, N. Veldhoen, and C.C. Helbing. 2006. Evaluation of gene expression endpoints in the context of a *Xenopus laevis* metamorphosis-based bioassay to detect thyroid hormone disruptors. *Aquat. Toxicol.* 76:24-36. #2006-5

Zischke, J.A. and J.W. Arthur. 1987. Effects of elevated ammonia levels on the fingernail clam, *Musculium transversum*, in outdoor experimental streams. *Arch. Environ. Contam. Toxicol.* 16:225-31 #359

Zischke, J.A., J.W. Arthur, K.J. Nordlie, R.O. Hermanutz, D.A. Standen, and T.P. Henry. 1983. Acidification effects on macroinvertebrates and fathead minnows (*Pimephales promelas*) in outdoor experimental channels. *Water Res.* 17:47-63 #272

Zischke, J.A., J.W. Arthur, R.O. Hermanutz, S.F. Hedtke, and J.C. Helgen. 1985. Effects of pentachlorophenol on invertebrates and fish in outdoor experimental channels. *Aquat. Toxicol.* 7:37-58 #308

---/--