

---

**SECTION 10****LITERATURE CITED**

- Abbott, R.T. 1974. *American Seashells—The Marine Molluscs of the Atlantic and Pacific Coasts of North America*. 2nd Edition. Van Nostrand Reinhold Company, New York, NY.
- Agocs, M.M., R.A. Etzel, R.G. Parrish, D.C. Paschal, P.R. Campagna, D.S. Cohon, E.M. Kilbourne, and J.L. Hesse. 1990. Mercury exposure from interior latex paint. *New England Journal of Medicine* 323(16):1096-1101.
- Amato, J.R., D.I. Mount, E.J., Durhan, et al. 1992. An example of the identification of diazinon as a primary toxicant in an effluent. *Environ. Toxic. Chem.* 11:209-216.
- Anderson, R.O., and S.J. Gutreuter. 1983. Length, weight, and associated structural indices. pp. 283-300. In: *Fisheries Techniques*. L.A. Nielson and D.L. Johnson (eds). American Fisheries Society, Bethesda, MD.
- Ashley, L.M. 1962. *Laboratory Anatomy of the Turtle*. W.C. Brown Company, Dubuque, IA.
- ASTER, 1995. Ecotoxicity profile: Arsenic. Office of Research and Development, National Health and Environmental Effects Research Laboratory, U.S. Environmental Protection Agency, Duluth, MN.
- ASTM (American Society for Testing and Materials). 1976. *ASTM Manual on Presentation of Data and Control Chart Analysis*. ASTM STP-ILSD. Committee E-11, Philadelphia, PA.
- ASTM (American Society for Testing and Materials). 1983. *Standard Practice for Intralaboratory Quality Control Procedures and a Discussion on Reporting Low-Level Data*. D4210-83. Committee D-19, Philadelphia, PA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1991. *Toxicological Profile for Dieldrin*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1992. *Toxicological Profile for Tin and Tin Compounds*. U. S. Department of Health and Human Services, Public Health Service, Atlanta, GA.

- ATSDR (Agency for Toxic Substances and Disease Registry). 1995. *Toxicological Profile for Polycyclic Aromatic Hydrocarbons*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1996. *Toxicological Profile for Toxaphene*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1997. *Toxicological Profile for Lead*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1998a. *Toxicological Profile for Arsenic*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1998b. *Toxicological Profile for Selected PCBs*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- ATSDR (Agency for Toxic Substances and Disease Registry). 1998c. *Toxicological Profile for Endosulfan (Draft)*. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA.
- Bache, C.A., W.H. Gutenmann, and D.J. Lisk. 1971. Residues of total mercury and methylmercuric salts in lake trout as a function of age. *Science* 172:951.
- Bahnick, D., C. Sauer, B. Butterworth, and D.W. Kuehl. 1994. A national study of mercury contamination of fish. IV: Analytical methods and results. *Chemosphere* 29(3):537-546.
- Ballschmitter, K., and M. Zell. 1980. Analysis of polychlorinated biphenyls (PCBs) by glass capillary gas chromatography, composition of technical Aroclor- and Clophen-PCB mixtures. *Fresenius Anal. Chem.* 302:20-31.
- Barnes, D.G., and J.S. Bellin. 1989. *Interim Procedures for Estimating Risks Associated with Exposures to Mixtures of Chlorinated Dibenzo-p-Dioxins and -Dibenzofurans (CDDs and CDFs)*. Risk Assessment Forum, U.S. Environmental Protection Agency, Washington, DC.
- Barnes, D.G., and M. Dourson. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regulatory Toxicology and Pharmacology*. 8:471-486.
- Barron, M.G., S. M. Plakas, and P.C. Wilga. 1991. Chlorpyrifos pharmacokinetics and metabolism following intravascular and dietary administration in channel catfish. *Toxicol. Appl. Pharmacol.* 108:474-482.

- Battelle Memorial Institute. 1975. *Environmental Impact Monitoring of Nuclear Power Plants: Source Book of Monitoring Methods*. Volume 2. Atomic Industrial Forum, Inc., Washington, DC.
- Battelle Memorial Institute. 1989. *Work/Quality Assurance Project Plan for the National Status and Trends Mussel Watch Program. Collection of Bivalve Molluscs and Superficial Sediments for Coastal U.S. Atlantic and Pacific Locations and Analyses for Organic Chemicals and Toxic Trace Elements*. Prepared for U.S. Department of Commerce, National Oceanic and Atmospheric Administration by Battelle Ocean Sciences, Duxbury, MA.
- Battelle New England Marine Research Laboratory. 1986. *Phase II Mussel Watch Field Manual*. NOAA Contract No. 50-DGNC-5-0263. Prepared for U.S. Department of Commerce, National Oceanic and Atmospheric Administration by Battelle Ocean Sciences, Duxbury, MA.
- Beauchemin, D., K.W.M. Siu, J.W. McLaren, and S.S. Berman. 1989. Determination of arsenic species by high-performance liquid chromatography-inductively coupled plasma mass spectrometry. *Journal of Analytical Atomic Spectrometry* 4 (3):285-289.
- Benkert, K.A. 1992. *Contaminant Assessment of Biota and Sediments in the Albemarle-Pamlico Region*. Contract 40190-0-6823. Prepared for U.S. Fish and Wildlife Service, Raleigh, NC.
- Bennett, G.W. 1970. *Management of Lakes and Ponds*. Van Nostrand Reinhold Company, New York, NY.
- Besser, J.M., J.P. Giesy, R.W. Brown, J.M. Buell, and G.A. Dawson. 1996. Selenium bioaccumulation and hazards in a fish community affected by coal fly ash effluent. *Ecotox. and Environ. Safety* 35:7-15.
- Bishop, C.A., P. Ng, R.J. Norstrom, R.J. Brooks, and K. E. Pettit. 1996. Temporal and geographic variation of organochlorine residues in eggs of the common snapping turtle (*Chelydra serpentina serpentina*) (1981-1991) and comparisons to trends in the herring gull (*Larus argentatus*) in the Great Lakes basin in Ontario, Canada. *Arch. Environ. Contam. Toxicol.* 31: 512-524.
- Bligh, E.G., and W.J. Dyer. 1959. A rapid method of total lipid extraction and purification. *Can. J. Biochem. Physiol.* 37:911-917.
- Bloom, N.S. 1992. On the chemical form of mercury in edible fish and marine invertebrate tissue. *Can. J. Fish. Aquat. Sci.* 49(5):1010-1017.

- Bonin, J., L. DesGranges, C.A. Bishop, J. Rodrigue, A. Gendron, and J.E. Elliot. 1995. Comparative study of contaminants in the mudpuppy (*Amphibia*) and the common snapping turtle (*Reptilia*), St. Lawrence River, Canada. *Arch. Environ. Contam. Toxicol.* 28:184-194.
- Borneff, J., and H. Kunte. 1965. Carcinogenic substances in water and soil. Part XVII. Concerning the origin and estimation of the polycyclic aromatic hydrocarbons in water. *Arch. Hyg. (Berlin)* 149:226-243.
- Bos, P.M.J., J.M. Cardinaals, W.M.F. Jongen, and P. Hagel. 1985. Genotoxicity testing of arsenobetaine, the predominant form of arsenic in marine fishery products. *Food and Chem. Toxicol.* 23(7):669.
- Branch, S., L. Ebdon, and P. O'Neill. 1994. Determination of arsenic species in fish by directly coupled high-performance liquid chromatography-inductively coupled plasma mass spectrometry. *J. Anal. Atomic Spec.* 9:33.
- Broutman, M.A., and D.L. Leonard. 1988. *The Quality of Shellfish Growing Waters in the Gulf of Mexico*. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Brown, R.M., D. Newton, C.J. Pickford, et al. 1990. Human metabolism of arsenobetaine ingested with fish. *Hum. Exp. Toxicol.* 9:41-46.
- Bryan, A.M., W.B. Stone, and P.G. Olafsson. 1987. Disposition of toxic PCB congeners in snapping turtle eggs: expressed as toxic equivalents of TCDD. *Bull. Environ. Contam. Toxicol.* 39(5):791-796.
- Bryce, F., S.M. Charbonneau, E. Sandi, and G.K. Tam. 1982. Excretion of a single oral dose of fish-arsenic in man. *Bull. Environ. Contam. Toxicol.* 28(6):669-673.
- Burkhard, L.P., and J.J. Jensen. 1993. Identification of ammonia, chlorine and diazinon as toxicants in a municipal effluent. *Arch. of Environ. Chem.* 25:506-515.
- Cagle, F.R. 1946. The growth of the slider turtle, *Pseudemys scripta elegans*. *Am. Midl. Nat.* 35:685-729.
- Cagle, F.R. 1948. Growth of turtles in Lake Glendale, Illinois. *Copeia* 3:197-203.
- Cagle, F.R. 1950. The life history of the slider turtle, *Pseudemys scripta troostii* (Holbrook). *Ecol. Monogr.* 20:31-54.

- California Department of Fish and Game. 1990. *Laboratory Quality Assurance Program Plan*. Environmental Services Division, Sacramento, CA.
- Cannon, J.R., J.B. Saunders, and R.F. Toia. 1983. Isolation and preliminary toxicological evaluation of arsenobetaine—the water-soluble arsenical constituent from the hepatopancreas of the western rock lobster. *Sci. Total Environ.* 31:181-185.
- Cantillo, A.Y. 1991. Reference materials for marine science. *Sea Tech.* May:45-47.
- Capuzzo, J.M., J.W. Farrington, G.T. Wallace, and A.E. McElroy. 1990. *Chemical Contaminants in Fish and Shellfish: Development of Uniform Testing and Reporting Standards*. Project No. NA89-EA-D-00014. Prepared for National Oceanic and Atmospheric Administration. Woods Hole Oceanographic Institution, Woods Hole, MA.
- Carlander, K.D. 1969. *Handbook of Freshwater Fishes of the United States and Canada*. 3rd Ed. Iowa State University Press, Ames, IA.
- Castanet, J. 1974. Etude histologique des marques squelettiques de croissance chez *Vipera aspis* (L.) (Ophidia, Viperidae). *Zool Scr* 3:137-151.
- Castanet, J. 1987. La squelettechronologie chez les reptiles. III. Applications. *Ann Sci Nat Zool Paris* 8:157-172.
- Castanet, J. 1994. Age estimation and longevity in reptiles. *Gerontology* 40:174-192.
- Castanet, J., H. Francillon-Vieillot, F.J. Meunier, and A. de Ricqlès. 1993. Bone and individual aging. In *Bone, Volume 7 - Bone Growth*. B.K. Hall (ed.). CRC Press, Boca Raton, Florida. pp. 245-283.
- Charbonneau, S.M., K. Spencer, F. Bryce, and E. Sandi. 1978. Arsenic excretion by monkeys dosed with arsenic-containing fish or with inorganic arsenic. *Bull. Environ. Contam. Toxicol.* 20(4):470-477.
- Cochran, W.G. 1963. *Sampling Techniques*. John Wiley & Sons, New York, NY.
- Cochran, W.G. 1977. *Sampling Techniques*. John Wiley & Sons, New York, NY.
- Cogliano, J.V. 1998. Assessing cancer risks from environmental PCBs. *Environ. Health Perspec.* 106 (6):317-323.
- Conant, R., and J.T. Collins. 1991. *A Field Guide to Reptiles and Amphibians of Eastern/Central North America*. 2nd Edition. Peterson Field Guide Series. Houghton Mifflin Company, Boston, MA.

- Crawford, J.K., and S.N. Luoma. 1993. *Guidelines for Studies of Contaminants in Biological Tissues for the National Water-Quality Assessment Program*. USGS Open-File Report 92-494. U.S. Geological Survey, Lemoyne, PA.
- Creclius, E.D. 1978. Modification of the arsenic speciation technique using hydride generation. *Anal. Chem* 50(6):826-827.
- Creclius, E.A., N.S. Bloom, C.E. Cowan, and E.A. Jenne. 1986. *Speciation of Selenium and Arsenic in Natural Waters and Sediments. Vol. 2: Arsenic Speciation*. EPRI report #EA-4641.
- Creclius, E.A. 1999. Battelle Pacific NW Labs, Sequim, WA. Personal communication.
- Crump, K.S., D.G. Hoel, C.H. Langley, and R. Peto. 1976. Fundamental carcinogenic processes and their implications for low dose risk assessment. *Cancer Res.* 36:2973-2979.
- Cullen, W.R., and K.J. Reimer. 1989. Arsenic speciation in the environment. *Chem. Rev.* 89:713-764.
- Cullen, W.R., G.K. Eigendorf, B.U. Nwata, and A. Takatsu. 1990. The quantitation of butyltin and cyclohexyltin compounds in the marine environment of British Columbia. *Appl. Organometal. Chem.* 4:581-590.
- Cunningham, P.A. 1979. The use of bivalve molluscs in heavy metal pollution research: In *Marine Pollution: Functional Responses*. W.B. Vernberg, F.P. Thurberg, A. Calabrese and F.J. Vernberg (eds.). Academic Press, New York, NY.
- Cunningham, P.A. 1998. Summary of state responses to the 1997 Listing of Fish and Wildlife Advisories (LFWA) questionnaire. Prepared for the Office of Science and Technology, Office of Water, Washington DC. March 1998.
- Cunningham, P.A., J.M. McCarthy, and D. Zeitlin. 1990. *Results of the 1989 Census of State Fish/Shellfish Consumption Advisory Programs*. Prepared for Assessment and Watershed Protection Division, Office of Water Regulations and Standards, U.S. Environmental Protection Agency. Research Triangle Institute, Research Triangle Park, NC.
- Cunningham, P.A., and E. Sullivan. 1999. Summary of state responses to the 1998 National Listing of Fish and Wildlife Advisories (NLFWA) questionnaire. Prepared for the Office of Science and Technology, Office of Water, Washington DC. June 1999.

- Cunningham, P.A., and C.O. Whitaker. 1989. *A Survey of the Status of Biomonitoring in State NPDES and Nonpoint Source Monitoring Programs*. Prepared for the Office of Policy, Planning, and Evaluation, U.S. Environmental Protection Agency. Research Triangle Institute, Research Triangle Park, NC.
- Czapla, T.C., M.E. Pattillo, D.M. Nelson, and M.E. Monaco. 1991. *Distribution and Abundance of Fishes and Invertebrates in Central Gulf of Mexico Estuaries*. ELMR Report No. 7. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Daly, R., V.A. Hacker, and L. Wiegart. 1962. *The Lake Trout—Its Life History, Ecology, and Management*. Wisconsin Conservation Department Publication 233. Madison, Wisconsin.
- Dawson, V.K., W.H. Gingerich, R.A. Davis, and P.A. Gilderhus. 1991. Rotenone persistence in freshwater ponds: Effects of temperature and sediment adsorption. *North American Journal of Fisheries Management* 11:226-231.
- Demesmay, C., M. Olle, and M. Porthault. 1994. Arsenic speciation by coupling high-performance liquid chromatography with inductively coupled plasma mass spectrometry. *Presenius J. Anal. Chem.* 348:205-210.
- Dobie, J.L. 1971. Reproduction and growth in the alligator snapping turtle, *Macrolemys temmincki* (Troost). *Copeia* 4:645-658.
- Driscoll, C.T., C. Yan, C.L. Scholfield, R. Munson, and J. Holsapple. 1994. The mercury cycle and fish in the Adirondack lakes. *Environ. Sci. Technol.* 28 (3):136-143.
- Dunn, W.J., III, D.L. Stallings, T.R. Schwartz, J.W. Hogan, J.D. Petty, E. Johanson, and S. Wold. 1984. Pattern recognition for classification and determination of polychlorinated biphenyls in environmental samples. *Anal. Chem.* 56:1308-1313.
- Durfee, R.L., G. Contos, F.C. Whitmore, J.D. Borden, E.E. Hackman, and R.A. Westin. 1976. *PCBs in the United States; Industrial Use and Environmental Distributions*. Office of Toxic Substances, U.S. Environmental Protection Agency, Washington, DC.
- Duston, N.M., C.A. Batdorf, and J.P. Schwartz. 1990. *Progress Report: Metal Concentrations in Marine Fish and Shellfish from Boston and Salem Harbors, and Coastal Massachusetts*. Executive Office of Environmental Affairs, Department of Fisheries, Wildlife, and Environmental Law Enforcement, Division of Marine Fisheries, Salem, MA.

- Ebdon, L., K. Evans, and S. Hill. 1989. The accumulation of organotins in adult and seed oysters from selected estuaries prior to the introduction of U.K. regulations governing the use of tributyltin-based antifouling paints. *Sci. Total Environ.* 83(1-2):63-84.
- Edmonds, J.S., and K.A. Francesconi. 1987. Transformations of arsenic in the marine environment. *Experientia* 43:553-557.
- Edmonds, J.S., and K.A. Francesconi. 1993. Arsenic in seafoods: Human health aspects and regulations. *Mar. Pollution Bull.* 26(12):665-674.
- Eisler, R. 1986. *Polychlorinated Biphenyl Hazards to Fish, Wildlife and Invertebrates: A Synoptic Review*. U.S. Fish and Wildlife Services Biol. Rep. 85(1.7). Patuxent Wildlife Research Center, Laurel, MD. 72 pp.
- Eisler, R. 1987. *Polycyclic Aromatic Hydrocarbon Hazards to Fish, Wildlife and Invertebrates: A Synoptic Review*. U.S. Fish and Wildlife Services Biol. Rep. 85 (1.14). Patuxent Wildlife Research Center, Laurel MD. 134 pp.
- Eisler, R. 1988. Arsenic Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Biological Report 85 (1.12), Contaminant Hazard Reviews, Report No. 12. Fish and Wildlife Service, U.S. Department of the Interior, Laurel, MD.
- Eisler, R. 1989. *Tin Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review. Contaminant Hazard Reviews. Report #15*. Fish and Wildlife Service, U.S. Department of the Interior, Laurel, MD.
- Emmett, R.L., S.A. Hinton, S.L. Stone, and M.E. Monaco. 1991. *Distribution and Abundance of Fishes and Invertebrates in West Coast Estuaries. Volume II: Life History Summaries*. ELMR Report No. 8. Strategic Assessment Division, National Oceanic and Atmospheric Administration, Rockville, MD.
- Enlow, D.H., and S.O. Brown. 1969. The bone of reptiles. In *Biology of the Reptilia*. C. Gans (ed.). Academic Press, New York. Volume 1, pp. 45-80.
- Erickson, M.D. (ed.). 1991. *Analytical Chemistry of PCBs*. OCLC No. 24542805. Lewis Publishers, Boca Raton, FL.
- Fairey, R., K. Taberski, S. Lamerdin, and M. Petreas. 1997. Organochlorines and other environmental contaminants in muscle tissues of sportfish collected in San Francisco Bay. *Mar. Pollution Bull.* 34(12):1058-1071.
- Farag, A.M., D.F. Woodward, J. N. Goldstein, W. Brumbaugh, and J.S. Meyer. 1998. Concentrations of metals associated with mining waste in sediments, biofilm, benthic macroinvertebrates, and fish from the Coeur D'Alene River Basin, Idaho. *Arch. Environ. Contam. Toxicol.* 34:119-127.



- Farrow, D.R., A.S. Pait, and D.J. Basta. 1989. Targeting pesticide hotspots in estuarine watersheds. In: *Coastal Zone '89, Proceedings of the Sixth Symposium on Coastal and Ocean Management*, Charleston, SC.
- Farm Chemicals Handbook*. 1989. Meister Publishing Company, Willoughby, OH.
- Forsyth, D.S., and C. Cleroux. 1991. Determination of butyltin, methyltin and tetraalkyltin in marine food products with gas chromatography-atomic absorption spectrometry. *Talanta* 38(9):951-957.
- Frazer, N.B., J.L. Greene, and J.W. Gibbons. 1993. Temporal variation in growth rate and age at maturity of male painted turtles, *Chrysemys picta*. *Am. Midl. Nat.* 130:314-324.
- Friberg, L., and D. Vostal (eds.). 1972. *Mercury in the Environment*. The Chemical Rubber Company, CRC Press, Cleveland, OH.
- Frost, D.V. 1967. Arsenicals in biology—retrospect and prospect. *Fed. Proc.* 26:194-208.
- Frye, F.L. 1994. *Reptile Clinician's Handbook: A Compact Clinical and Surgical Reference*. Krieger Publishing Company, Malabar, FL.
- Galbraith, D.A., and R.J. Brooks. 1987. Addition of annual growth lines in adult snapping turtles, *Chelydra serpentina*. *J. Herpetol.* 21:359-363.
- Galtsoff, P.S. 1964. *The American Oyster (Crassostrea virginica Gmelin)*. Fishery Bulletin of the Fish and Wildlife Service, Volume 64. U.S. Department of the Interior, Washington, DC.
- Gardner, A.M., and K.D. White. 1990. Polychlorinated dibenzofurans in the edible portion of selected fish. *Chemosphere* 21 (1-2):215-222.
- George, G. 1987. The current status of the alligator snapping turtle, *Macrolemys temmincki*, with a review of its natural history. In: *Proc. 11th Inter. Herpetol. Symp.* Rosenberg, M. (ed.). pp 75-81.
- Gibbons, J.W. 1968. Population structure and survivorship in the painted turtle, *Chrysemys picta*. *Copeia* 2:260-268.
- Gibbons, J.W. 1976. Aging phenomena in reptiles. In *Special Review of Experimental Aging Research*. M.F. Elias, B.E. Eleftheriou, and P.K. Elias (eds.). Experimental Aging Research, Bar Harbor, Maine. pp. 454-475.
- Gibbons, J.W. 1988. The management of amphibians, reptiles and small mammals in North America: The need for an environmental attitude

- adjustment. *Proc. Symp: Management of Amphibians, Reptiles and Small Mammals in North America*. July 19-21, 1988. Flagstaff, AZ. pp. 4-10.
- Gilbert, R.O. 1987. *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold Company, New York, NY. 320 pp.
- Gingerich, W.H., and J.J. Rach. 1985. Uptake, biotransformation, and elimination of rotenone by bluegills (*Lepomis macrochirus*). *Aquatic Toxicol.* 6:179-196.
- Glaser, J.A., D.L. Forest, G.D. McKee, S. Quave, and W.L. Budde. 1981. Trace analyses for wastewaters. *Environ. Sci. Technol.* 15:1425-1450.
- Glass, G.E., J.A. Sorenson, K.W. Schmidt, and G.R. Rapp. 1990. New source identification of mercury contamination in the Great Lakes. *Environ. Sci. Technol.* 24:1059-1069.
- Goede, R.W., and B.A. Barton. 1990. Organismic indices and an autopsy-based assessment as indicators of health and condition of fish. pp. 93-108. In: *American Fisheries Society Symposium, 8. Biological Indicators of Stress in Fish*. S.M. Adams (ed.) American Fisheries Society, Bethesda, MD.
- Goldstein, R.M., M.E. Brigham, and J.C. Stauffer. 1996. Comparison of mercury concentrations in liver muscle, whole bodies, and composites of fish from the Red River of the North. *Can. J. Fish. Aquat. Sci.* 53: 244-252.
- Golub, M.S., J.M. Donald, and J.A. Reyes. 1991. Reproductive toxicity of commercial PCB Mixtures: LOAELS and NOAELS from animal studies. *Environ. Health Perspect.* 94:245-253.
- Greene, R.W. 1992. *Comparison of Aroclor and Chlorobiphenyl Content in Striped Bass from the Lower Delaware River*. Delaware Department of Natural Resources and Environmental Control, Dover, DE.
- Greene, R.W. 1999. *Chemical Contaminants in Finfish from the Chesapeake and Delaware Canal and Implications to Human Health Risk*. Delaware Department of Natural Resources and Environmental Control, Dover, DE.
- Greenburg, A.E., L.S. Clesceri, and A.D. Eaton (eds.). 1992. *Standard Methods for the Examination of Water and Wastewater*. 18th edition. American Public Health Association and American Water Works Association, Washington, DC. 1268 pp.
- Grimmer, G., H. Bohnke, and H. Borwitzky. 1978. Profile analysis of polycyclic aromatic hydrocarbons in sewage sludge by gas chromatography. *Fresenius Z. Anal. Chem.* 289:91-95.

- Gunderson, D.R., and I.E. Ellis. 1986. Development of a plumb staff beam trawl for sampling demersal fauna. *Fisheries Rev.* 4:35-41.
- Hammer, D.A. 1969. Parameters of a marsh snapping turtle population Lacreek Refuge, South Dakota. *J. Wildl. Manag.* 33:996-1005.
- Hansen, S.H., E.H. Larsen, G. Pritzi, and C. Cornett. 1992. Separation of seven arsenic compounds by high-performance liquid chromatography with on-line detection by hydrogen-argon flame atomic absorption spectrometry and inductively coupled plasma mass spectrometry. *J. Analy. Atomic Spectrom.* 7:629.
- Hardy, J.D., Jr. 1978. *Development of Fishes of the Mid-Atlantic Bight. Volume III Aphredoderidae through Rachycentridae.* U.S. Fish and Wildlife Service, Washington, DC.
- Harris, S.G., and B.L. Harper. 1997. A Native American exposure scenario. *Risk Analysis* 17(6):789-795.
- Harper, B.L., and S.G. Harris. 1999. *Tribal Technical Issues in Risk Reduction Through Fish Advisories.* Joint EPA/American Fisheries Society Meeting. October 15-17, Alexandria, VA.
- Hayes, M.L. 1983. Active capture techniques. In: *Fisheries Techniques.* L.A. Nielsen and D.L. Johnson (eds.). American Fisheries Society, Bethesda, MD. pp. 123-146.
- Hayes, W.J., and E.R. Laws. 1991. *Handbook of Pesticide Toxicology, Vols. 1-3.* Academic Press, Inc., San Diego.
- HEAST (Health Effects Assessment Summary Tables). 1997. *Health Effects Summary Tables.* EPA 540-R-97-036. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Cincinnati, OH.
- Hebert, C.E., V. Glooschenko, G.D. Haffner, and R. Lazar. 1993. Organic contaminants in snapping turtle (*Chelydra serpentina*) populations from southern Ontario, Canada. *Arch. Environ. Contam. Toxicol.* 24:35-43.
- Hebert, C.E., and K.A. Keenleyside. 1995. To normalize or not to normalize? Fat is the question. *Environ. Toxicol. Chem.* 14(5):801-807.
- Helwig, D.D., and M.E. Hora. 1983. Polychlorinated biphenyl, mercury and cadmium concentrations in Minnesota snapping turtles. *Bull. Contamin. Toxicol.* 30:186-190.

- Henry, K.S., K. Kannan, B.W. Nagy, N.R. Kevern, J.J. Zabik, and J.P. Giesy. 1998. Concentrations and Hazard Assessment of Organochlorine Contaminants and Mercury in Smallmouth Bass from a Remote Lake in the Upper Peninsula of Michigan. *Arch. Environ. Contam. Toxicol.* 34:81-96.
- Hesse, J. 1991. Michigan Department of Public Health. Personal communication.
- Hesse, J.L. 1976. Polychlorinated biphenyl usage and sources of loss to the environment. In: *National Conference on Polychlorinated Biphenyls*. J.L. Buckley et al. (eds.). QV 633 N277c 1975. U.S. Environmental Protection Agency, Washington, DC.
- Hodges, L. 1977. *Environmental Pollution*. Holt, Rinehart and Winston, New York, NY.
- Holder, J.W. 1986. *The Assessment of the Carcinogenicity of Dicofol (Kelthane), DDT, DDE, and DDD (TDE)*. EPA-600/6-86/001. Carcinogen Assessment Group. U.S. Environmental Protection Agency, Office of Pesticide Programs, Washington, DC.
- Holmes, D.D. 1984. *Clinical Laboratory Animal Medicine—An Introduction*. The Iowa State University Press, Ames, IA.
- Hora, M.E. 1981. Reduction of polychlorinated biphenyl (PCB) concentrations in carp (*Cyprinus carpio*) fillets through skin removal. *Bull. Environ. Contamin. Toxicol.* 26: 364-366.
- HSDB (Hazardous Substance Data Bank). 1999. National Library of Medicine. Toxicology Information Program, Bethesda, MD. Please note that 1999 is the year that HSDB was searched and is not necessarily the year that the HSDB file was updated for the specific information. In some cases, the HSDB file update may have occurred many years earlier.
- Hubert, W.A. 1983. Passive capture techniques. pp. 95-122. In: *Fisheries Techniques*. L.A. Nielsen and D.L. Johnson (eds.). American Fisheries Society, Bethesda, MD.
- Huckins, J.N., T.R. Schwartz, J.D. Petty, and L.M. Smith. 1988. Determination, fate, and potential significance of PCBs in fish and sediment with emphasis on selected AHH-inducing congeners. *Chemosphere* 17(10):1995-2016.
- Hueter, R.E., W.G. Fong, G. Henderson, et al. 1995. Methylmercury concentration in shark muscle by species, size, and distribution of sharks in Florida Coastal waters. In: Pocella D.B., and B. Wheatley (eds).

- Mercury as a Global Pollutant*. Proceedings of the Third International Conference, British Columbia, Canada, July 1994. Kluwer Academic Publishers, Boston, MA. pp. 893-399.
- IARC (International Agency for Research on Cancer). 1987. *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*. Supplement 7. World Health Organization, Lyon, France.
- IRIS (Integrated Risk Information System). 1999. U.S. Environmental Protection Agency, Washington, DC. <http://www.epa.gov/iris> (Please note that 1999 is the year that IRIS was searched and is not the year that the IRIS file was updated for the specific chemical. In some cases, the IRIS file update may have occurred many years earlier).
- Jacobs, H.L., H.D. Kahn, K.A. Stralka, and B. Phan. 1998. Estimates of per capita fish consumption in the U.S. based on the continuing survey of food intake by individuals (CSFII). *Risk Anal.* 18(3): 283-291.
- Jacobson, S.W., G.G. Fein, J.L. Jacobson, P.M. Schwartz, and J.K. Douter. 1985. The effects of intrauterine PCB exposure on visual recognition memory. *Child Dev.* 56:853-60.
- Jacobson, J.L., S.W. Jacobson, and H.E. Humphrey. 1990. Effects of in utero exposure to polychlorinated biphenyls and related contaminants on cognitive functioning in young children. *J. Pediatrics* 116(1):38-45.
- Jansson, B., and U. Widequist. 1983. Identification of toxaphene (PCC) and chlordane in biological samples by NCI mass spectrometry. *Inter. J. Environ. Analy. Chem.* 13:309-322.
- Jearld, A. 1983. Age determination. In: *Fisheries Techniques*. L.A. Nielsen and D. Johnson (eds.). American Fisheries Society, Bethesda, MD. pp. 301-324.
- Johnson, M.G. 1987. Trace element loadings to sediments of fourteen Ontario lakes and correlation in fish. *Can. J. Fish Aquat. Sci.* 44:3-13.
- Jury, SH., J.D. Field, S.L. Stone, D.M. Nelson, and M.E. Monaco. 1994. *Distribution and Abundance of Fishes and Invertebrates in North Atlantic Estuaries*. ELMR Rep. No. 13. NOAA/NOS Strategic Environmental Assessments Division, Silver Spring, MD.
- Kaise, T., S. Watanabe, and K. Itoh. 1985. The acute toxicity of arsenobetaine. *Chemosphere* 14:1327-1332.
- Kaiser, K.L.E. 1978. The rise and fall of mirex. *Environ. Sci. Technol.* 12:520-528.

- Kannan, N., S. Tanabe, M. Ono, and R. Tatsukawa. 1989. Critical evaluation of polychlorinated biphenyl toxicity in terrestrial and marine mammals: increasing impact of non-ortho and mono-ortho coplanar polychlorinated biphenyls from land to ocean. *Arch. Environ. Contam. Toxicol.* 18(6):850-857.
- Kannan, K., R.G. Smith Jr., R.F. Lee, H.L. Windom, P.T. Heitmuller, J.M. Macauley, J.K. Summers. 1998. Distribution of total mercury and methyl mercury in water, sediment, and fish from south Florida estuaries. *Arch. Environ. Contam. Toxicol.* 34:109-118.
- Keith, L.H. 1991a. Report Results Right! Part 1. *Chemtech* June:352-356.
- Keith, L.H. 1991b. Report Results Right! Part 2. *Chemtech* August:486-489.
- Keith, L.H., W. Crommett, J. Deegan, Jr., R.A. Libby, J.K. Taylor, and G. Wentler. 1983. Principles of environmental analysis. *Analy. Chem.* 55:1426-1435.
- Kidwell, J.M., L.J. Phillips, and G. F. Birchard. 1995. Comparative analyses of contaminant levels in bottom feeding and predatory fish using the National Contaminant Biomonitoring Program Data. *Bull. Environ. Contamin. Tox.* 54:919-923.
- Kimbrough, R.D., and A.A. Jensen. 1989. *Topics in Environmental Health: Halogenated Biphenyls, Terphenyls, Naphthalenes, Dibenzodioxins and Related Products*. Vol. 4, 2nd Edition. Elsevier, North Holland, NY.
- Kish, L. 1965. *Survey Sampling*. John Wiley & Sons, New York, NY.
- Klaassen, C.D., M.D. Amdur, and J. Doull (eds.). 1986. *Casarett and Doull's Toxicology, The Basic Science of Poisons*. 3rd edition. MacMillan Publishing Co., New York, NY.
- Klaassen C.D. (ed.). 1996. *Casarett and Doull's Toxicology, The Basic Science of Poisons*. 5th edition. McGraw-Hill, New York.
- Korach, K.S. P. Sarver, K. Chae, J.A. McLachlan, and J.D. McKinney. 1988. Estrogen receptor-binding activity of polychlorinated hydroxybiphenyls: conformationally restricted structural probes. *Mol. Pharmacol.* 33:120-126.
- Krahn, M.M., L.D. Rhodes, M.S. Myers, L.K. Moore, W.D. MacLeod, and D.C. Malins. 1986. Associations between metabolites of aromatic compounds in bile and the occurrence of hepatic lesions in English sole (*Parophrys vetulus*) from Puget Sound, Washington. *Arch. Environ. Contam. Toxicol.* 15:61-67.

- Krahn, M.M., C.A. Wigren, R.W. Pearce, L.K. Moore, R.G. Bogar, W.D. MacLeod, Jr., S.L. Chan, and D.W. Brown. 1988. *Standard Analytical Procedures for the NOAA National Analytical Facility. New HPLC Cleanup and Revised Extraction Procedures for Organic Contaminants*. NOAA Tech. Memo NMFS F/NWC-153. National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Northwest and Alaska Fisheries Center, Seattle, WA. 52 pp.
- Kubiak, T.J., H.J. Harris, L.M. Smith, T.R. Schwartz, D.L. Stalling, J.A. Trick, L. Sileo, D.E. Docherty, and T.C. Erdman. 1989. Microcontaminants and reproductive impairment of the Forster's tern on Green Bay, Lake Michigan—1983. *Arch. Environ. Contam. Toxicol.* 18(5):706-727.
- Kuehl, D.W., B. Butterworth, and P.J. Marquis. 1994. A national study of chemical residues in fish III: Study results. *Chemosphere* 29 (3): 523-535.
- Kurland, L.T., S.N. Faro, and H. Siedler. 1960. Minamata Disease: The outbreak of a neurological disorder in Minamata, Japan, and its relationship to the ingestion of seafood contaminated by mercuric compounds. *World Neurol.* 1:370-391.
- Kutz, F.W., S.C. Strassman, C. R. Stroup, U.C. Carra, C.C. Leininger, D.L. Watts, and C.M. Sparacino. 1985. The human body burden of mirex in the southeastern United States. *Toxicol. Environ. Health* 15:385-394.
- Lake, J.L., R. McKinney, C.A. Lake, F.A. Osterman, and J. Heltshe. 1995. Comparisons of patterns of polychlorinated biphenyls congeners in water, sediment, and indigenous organisms from New Bedford Harbor, Massachusetts. *Arch. Environ. Contamin. Toxicol.* 29(2):207-220.
- Lamb, T., J.W. Bickham, J.W. Gibbons, M.J. Smolen, and S. McDowell. 1991. Genetic damage in a population of slider turtles (*Trachemys scripta*) inhabiting a radioactive reservoir. *Arch. Environ. Contam. Toxicol.* 20:138-142.
- Legler, J.M. 1960. Natural history of the ornate box turtle, *Terrapene ornata ornata* Agassiz, University of Kansas. *Publ. Mus. Nat. Hist.* 11:527-669.
- Leonard, D.L., M.A. Broutman, and K. E. Harkness. 1989. *The Quality of Shellfish Growing Waters on the East Coast of the United States*. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Leonard, D.L., and E.A. Slaughter. 1990. *The Quality of Shellfish Growing Waters on the West Coast of the United States*. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.

- Li, M. 1975. Pollution in nation's estuaries originating from the agricultural use of pesticides. In: *Estuarine Pollution Control and Assessment*. Office of Water Planning and Standards, U.S. Environmental Protection Agency, Washington, DC. pp. 451-466.
- Lonky, E., J. Reihman, T. Darvill, J. Mather, and H. Daly. 1996. Neonatal behavioral assessment scale performance in humans influenced by maternal consumption of environmentally contaminated Lake Ontario fish. *J. Great Lakes Res.* 22(2):198-212.
- Lowe, T.P., T.W. May, W.G. Brumbaugh, and D.A. Kane. 1985. National Contaminant Biomonitoring Program: Concentrations of seven elements in freshwater fish, 1978-1981. *Arch. Environ. Contam. and Toxicol.* 14:363-388.
- Lowenstein, G.G., and D.R. Young. 1986. *National Status and Trends Program for Marine Environmental Quality, Benthic Surveillance Project: Cycle III Field Manual*. NOAA Tech. Memorandum NOS OMA 28. National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Luten, J.R., G. Riekwel-Booy, and A. Rauchbaar. 1982. Occurrence of arsenic in plaice (*Pleuronectes platessa*), nature of organoarsenic compound present and its excretion by man. *Environ. Health Perspect.* 45:165-170.
- Maack, L., and W.C. Sonzogni. 1988. Analysis of polychlorobiphenyl congeners in Wisconsin fish. *Arch. Environ. Toxicol.* 17(6):711-719.
- MacKenzie, M.J., and J.V. Hunter. 1979. Sources and fates of aromatic compounds in urban stormwater runoff. *Environ. Sci. and Technol.* 13(2):179-183.
- MacLeod W., Jr., D. Brown, A. Friedman, O. Maynes, and R. Pierce. 1985. *Standard Analytical Procedures of the NOAA National Analytical Facility, 1984-85, Extractable Toxic Organic Compounds*. NOAA Technical Memorandum NMFS F/NWC-64. Prepared for the National Status and Trends Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Malins, D.C., B.B. McCain, D.W. Brown, S.L. Chan, M.S. Myers, J.T. Landahl, P.G. Prohaska, A.J. Friedman, L.D. Rhodes, D.G. Burrows, W.D. Gronlund, and H.O. Hodgins. 1984. Chemical pollutants in sediments and diseases of bottom-dwelling fish in Puget Sound, WA. *Environ. Sci. Technol.* 18:705-713.



- Malins, D.C., M.M. Krahn, M.S. Myers, L.D. Rhodes, D.W. Brown, C.A. Krone, B.B. McCain, and S.L. Chan. 1985. Toxic chemicals in sediments and biota from a creosote-polluted harbor: Relationships with hepatic neoplasms and other hepatic lesions in English sole (*Parophrys vetulus*). *Carcinogenesis* 6:1463-1469.
- Marsh, D.O. 1987. Dose-response relationships in humans: Methyl mercury epidemics in Japan and Iraq. In: *The Toxicity of Methyl Mercury*. C.U. Eccles and Z. Annau (eds). Johns Hopkins University Press, Baltimore, MD.
- Marsh, D.O., T.W. Clarkson, C. Cox, G.J. Meyers, L. Amin-Zaki, and S. Al-Tikriti. 1987. Fetal methylmercury poisoning: relationship between concentration in single strands of maternal hair and child effects. *Arch. Neurol.* 44:1017-1022.
- Martin, R.C., D.G. Dixon, R.J. Maguire, P.V. Hodson, and R. J. Tkacz. 1989. Acute toxicity, uptake, depuration, and tissue distribution of tri-n-butyltin in rainbow trout *Salmo gairdneri*. *Aquatic Toxicol.* 15:37-52.
- May, T.W., and G.L. McKinney. 1981. Cadmium, lead, mercury, arsenic and selenium concentrations in freshwater fish, 1976-1977—National Pesticide Monitoring Program. *Pesticides Monitoring Journal* 15(1):14-38
- McConnell, E.E. 1980. In: *Topics in Environmental Health: Halogenated Biphenyls, Terphenyls, Naphthalenes, Dibenzodioxins and Related Products*. R.D. Kimbrough (ed.). Elsevier, North Holland, New York, NY. pp. 109-150.
- McFarland, V.A., and J.U. Clarke. 1989. Environmental occurrence, abundance, and potential toxicity of polychlorinated biphenyl congeners: considerations for a congener-specific analysis. *Environ. Health Perspect.* 81:225-239.
- Mearns, A.J., and M.J. Allen. 1978. *Use of Small Trawls in Coastal Biological Surveys*. Final Report. Prepared for Corvallis Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Corvallis, OR. Southern California Coastal Water Research Project, El Segundo, CA.
- The Merck Index. 1989. *An Encyclopedia of Chemicals, Drugs, and Biologicals*. 11th Edition. S.Budavari, ed., Merck and Company, Inc., Rahway, NJ.
- Mes, J., and D. Weber. 1989. Non-ortho-chlorine substituted coplanar polychlorinated biphenyl congeners in Canadian adipose tissue, breast milk, and fatty foods. *Chemosphere* 19(8-9):1357-1365.

- Miller, G.T. 1979. *Living in the Environment*. Wadsworth Publishing Company, Belmont, CA.
- Mills, D. 1971. *Salmon and Trout: A Resource, its Ecology, Conservation, and Management*. Oliver and Boyd Publishers, Edinburgh, Canada.
- Minnesota Department of Health. 1994. Minnesota Fish Consumption Advisory. Minneapolis, MN.
- Mix, M.C. 1986. Cancerous diseases in aquatic animals and their association with environmental pollutants: A critical literature review. *Mar. Environ. Res.* 20:1-141.
- Monaco, M.E., D.M. Nelson, T.C. Czaplak, and M.E. Patillo. 1989. *Distribution and Abundance of Fishes and Invertebrates in Texas Estuaries*. ELMR Report No. 3. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Monaco, M.E., D.M. Nelson, R.L. Emmett, and S.A. Hinton. 1990. *Distribution and Abundance of Fishes and Invertebrates in West Coast Estuaries. Volume I: Data Summaries*. ELMR Report No. 4. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Moore, J.W., and Ramamoorthy, S. 1984. *Organic Chemicals in Natural Waters*. Springer-Verlag, New York, NY. 289 pp.
- Morris, C.R., and J.R.P. Cabral (eds.). 1986. Hexachlorobenzene: Proceedings of an international symposium. *IARC Scientific Publication No. 77*. World Health Organization, Lyon, France.
- Mullin, M.D., C.M. Pochini, S. McCrindle, M. Romkes, S.H. Safe, and L.M. Safe. 1984. High-resolution PCB analysis: Synthesis and chromatographic properties of all 209 PCB congeners. *Environ. Sci. Technol.* 18:468-476.
- Multistate Fish and Wildlife Information Systems. 1990. *Second Annual Progress Report (July 1-July 30, 1990)*. Department of Fisheries and Wildlife, Virginia Polytechnical Institute, Blacksburg, VA.
- Murchelano, R.A. 1982. Some pollution-associated diseases and abnormalities of marine fish and shellfish: A perspective for the New York Bight. In: *Ecological Stress and the New York Bight: Science and Management*. G.F. Mayer (ed.). Estuarine Research Federation, Columbia, SC. pp. 327-346.

- Murphy, D. 1993. Maryland Department of Environment, Water Quality, Toxic Division. Personal communication.
- NAS (National Academy of Sciences). 1976. *Selenium*. Committee on Medical and Biologic Effects of Environmental Pollutants, National Research Council, Washington, DC.
- NAS (National Academy of Sciences). 1977. *Arsenic*. Committee on Medical and Biologic Effects of Environmental Pollutants, National Research Council, Washington, DC.
- NAS (National Academy of Sciences). 1991. *Seafood Safety*. Committee on Evaluation of the Safety of Fishing Products, National Academy Press, Washington, DC.
- NAS (National Academy of Sciences). 2000. *Toxicological Effects of Methylmercury*. National Research Council, Washington, DC.
- National Marine Fisheries Service. 1987. *Marine Recreational Fishery Statistics Survey, Pacific Coast, 1986*. Current Fishery Statistics Number 8393. National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- NCI (National Cancer Institute). 1978. *Bioassay of Dicofol for Possible Carcinogenicity*. NCI Carcinogenesis Technical Report Series #90. Rockville, MD.
- Neff, J.M. 1979. *Polycyclic Aromatic Hydrocarbons in the Aquatic Environment: Sources, Fates and Biological Effects*. Applied Science Publishers, Ltd, London, England.
- Neff, J.M. 1985. Polycyclic aromatic hydrocarbons. In: *Fundamentals of Aquatic Toxicology*. G.M. Rand and S.R. Petrocelli (eds.). Hemisphere Publishing Corporation, Washington, DC.
- Nelson, J.M. (ed.). 1992. *Distribution and Abundance of Fishes and Invertebrates in Gulf of Mexico Estuaries, Vol. 1: Data Summaries*. ELMR Rep. No. 10. NOAA/NOS Strategic Environmental Assessments Division, Rockville, MD.
- Nelson, D.M., M.E. Monaco, E.A. Irlandi, L.R. Settle, and L. Coston-Clements. 1991. *Distribution and Abundance of Fishes and Invertebrates in Southeast Estuaries*. ELMR Report No. 9. Strategic Assessment Division, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.

- NESCAUM (Northeast States and Eastern Canadian Provinces). 1998. *Mercury Study, A Framework for Action*. Boston, MA.
- Neumann, C.M., K.W. Kaufman, and D.J. Gilroy. 1997. Methylmercury in Fish from Owyhee Reservoir in Southeast Oregon: Scientific Uncertainty and Fish Advisories. *Sci. Total Environ.*:205-214.
- New York State Department of Health. 1994. *Health Advisory—Chemicals in Sportfish and Game 1994-1995*. #40820042. Division of Environmental Health Assessments, Albany, NY.
- Nicholls, T.P., R. Perry, and J.N. Lester. 1979. The influence of heat treatment on the metallic and polycyclic aromatic hydrocarbon content of sewage sludge. *Sci. Total Environ.* 12:137-150.
- Niimi, A.J. 1987. Biological half-lives of chemicals in fishes. *Rev. Environ. Contam. Toxicol.* 99:1-46. Springer-Verlag, New York, NY.
- Nimmo, D.R. 1985. Pesticides. In: *Fundamentals of Aquatic Toxicology*, G.M. Rand and S.R. Petrocelli (eds.). Hemisphere Publishing Corporation, Washington, DC.
- Nisbet, I.C.T., and P.K. LaGoy. 1992. Toxic equivalency factors (TEFs) for polycyclic aromatic hydrocarbons (PAHs). *Reg. Toxicol. Pharmacol.* 16:290-300.
- NOAA (National Oceanic and Atmospheric Administration). 1987. *National Status and Trends Program for Marine Environmental Quality—Progress Report: A Summary of Selected Data on Chemical Contaminants in Tissues Collected During 1984, 1985 and 1986*. NOAA Technical Memorandum NOS OMA 38. U.S. Department of Commerce, Rockville, MD.
- NOAA (National Oceanic and Atmospheric Administration). 1989a. *National Status and Trends Program for Marine Environmental Quality - Progress Report: A Summary of Selected Data on Tissue Contamination from the First Three Years (1986-1988) of the Mussel Watch Project*. NOAA Technical Memorandum NOS OMA 49. U.S. Department of Commerce, Rockville, MD.
- NOAA (National Oceanic and Atmospheric Administration). 1989b. *Standard Analytical Procedures of the NOAA National Analytical Facility*. 2nd ed. NOAA Tech. Mem. NMFS F/NWC-92, 1985-86. National Status and Trends Program, U.S. Department of Commerce, Rockville, MD.

- NOAA (National Oceanic and Atmospheric Administration). 1992. *Standard and Reference Materials for Marine Science*. Third Edition. U.S. Department of Commerce, Rockville, Maryland.
- NOAA (National Oceanic and Atmospheric Administration). 1993a. *Sampling and Analytical Methods of the National Status and Trends Program, National Benthic Surveillance and Mussel Watch Projects 1984-1992. Volume II. Comprehensive Descriptions of Complementary Measurements*. NOAA Technical Memorandum NOS ORCA 71. Coastal Monitoring and Bioeffects Assessment Division, Office of Ocean Resources Conservation and Assessment, National Ocean Service, Silver Spring, MD. July.
- NOAA (National Oceanic and Atmospheric Administration). 1993b. *Sampling and Analytical Methods of the National Status and Trends Program, National Benthic Surveillance and Mussel Watch Projects 1984-1992. Volume III. Comprehensive Descriptions of Elemental Analytical Methods*. NOAA Technical Memorandum NOS ORCA 71. Coastal Monitoring and Bioeffects Assessment Division, Office of Ocean Resources Conservation and Assessment, National Ocean Service, Silver Spring, MD. July.
- NOAA (National Oceanic and Atmospheric Administration). 1993c. *Sampling and Analytical Methods of the National Status and Trends Program, National Benthic Surveillance and Mussel Watch Projects 1984-1992. Volume IV. Comprehensive Descriptions of Trace Organic Analytical Methods*. NOAA Technical Memorandum NOS ORCA 71. Coastal Monitoring and Bioeffects Assessment Division, Office of Ocean Resources Conservation and Assessment, National Ocean Service, Silver Spring, MD. July.
- Norstrom, R.J. 1988. In: *Hazards, Decontamination and Replacement of Polychlorinated Biphenyls*. J.P. Crine (ed.). Plenum Publishing Corporation, New York, NY.
- NPCA (National Paint and Coatings Association). 1988. Annual Report. Washington, DC.
- Nriagu, J.O., and M.S. Simmons (eds.). 1990. *Food Contamination from Environmental Sources*. J. Wiley and Sons, New York, NY.
- Olafsson, P.G., A.M. Bryan, B. Bush, and W. Stone. 1983. Snapping turtles—A biological screen for PCBs. *Chemosphere* 12 (11/12):1525-1532.
- Olafsson, P.G., A.M. Bryan, and W. Stone. 1987. PCB congener specific analysis: A critical evaluation of toxic levels in biota. *Chemosphere* 16 (10-12):2585-2593.

- Oliver, B.G., and A.J. Niimi. 1988. Trophodynamic analysis of polychlorinated biphenyl congeners and other chlorinated hydrocarbons in the Lake Ontario ecosystem. *Environ. Sci. Technol.* 22(4):388-397.
- Patillo, M.E., T.E. Czapla, D.M. Nelson, and M.E. Monaco. 1997. *Distribution and Abundance of Fishes and Invertebrates in Gulf of Mexico Estuaries. Volume II: Species Life History Summaries.* ELHR Report No. 14. NOAA/NOS Strategic Environmental Assessments Division, Silver Spring, MD.
- Peabody, F.E. 1961. Annual growth zones in vertebrates (living and fossil). *J. Morphol.* 108:11-62.
- Penrose, W.R. 1974. Arsenic in the marine and aquatic environments: Analysis, occurrence and significance. *C.R.C. Crit. Rev. in Environ. Contam.* 4:465-482.
- Pflieger, W.H. 1975. *The Fishes of Missouri.* Missouri Department of Conservation, Jefferson City, MO.
- Phillips, D.J.H. 1980. *Quantitative Aquatic Biological Indicators.* Pollution Monitoring Series. Applied Science Publishers Ltd, London, England.
- Phillips, P.T. 1988. *California State Mussel Watch—Ten Year Data Summary (1977-1987) Water Quality Monitoring Report No. 87-3.* State Water Resources Control Board, Division of Water Quality, Sacramento, CA.
- Pillay, K.K.S., C.C. Thomas, and J.W. Kaminski. 1969. Neutron activation analysis of the selenium content of fossil fuels. *Nucl. Appl. Technol.* 7:478-483.
- Piotrowski, J.K., and M.J. Inskip. 1981. *Health Effects of Mercury; A Technical Report (1981).* MARC Report Number 24. Chelsea College, University of London. 82 pp.
- Pitt, T.K., R. Wells, and W.D. McKone. 1981. A critique of research otter trawl surveys by the St. John's Research and Resource Services. *Canadian Fish Aquatic Sci. Spec. Publ.* 58:42-61.
- Poland, A., and J.C. Knutson. 1982. 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin and related halogenated aromatic hydrocarbons: Examination of the mechanism of toxicity. *Annu. Rev. Pharmacol. Toxicol.* 22:517-554.
- Pollock, G. 1993. California Environmental Protection Agency. Personal communication.

- Pritchard, P.C.H. 1989. *The Alligator Snapping Turtle: Biology and Conservation*. Milwaukee Public Museum, Milwaukee, WI. 104 pp.
- Puget Sound Estuary Program. 1990a (revised). Recommended protocols for station positioning in Puget Sound. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)
- Puget Sound Estuary Program. 1990b (revised). Recommended protocols for sampling soft-bottom demersal fishes by beach seine and trawl in Puget Sound. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)
- Puget Sound Estuary Program. 1990c (revised). Recommended protocols for fish pathology studies in Puget Sound. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)
- Puget Sound Estuary Program. 1990d (revised). Recommended guidelines for measuring organic compounds in Puget Sound sediments and tissue samples. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)
- Puget Sound Estuary Program. 1990e (revised). Recommended protocols for measuring metals in Puget Sound water, sediment, and tissue samples. In: *Recommended Protocols and Guidelines for Measuring Selected Environmental Variables in Puget Sound*. Prepared by PTI Environmental Services, Bellevue, WA. Region 10, U.S. Environmental Protection Agency, Seattle, WA. (Looseleaf)
- Randall, R.C., H. Lee II, R.J. Ozretich, J.L. Lake, and R.J. Pruell. 1991. Evaluation of selected lipid methods for normalizing pollutant bioaccumulation. *Environ. Toxicol. Chem.* 10:1431-1436.
- Rappe, C., H.R. Buser, D.L. Stalling, L.M. Smith, and R.C. Dougherty. 1981. Identification of polychlorinated dibenzofurans in environmental samples. *Nature* 292:524-526.
- Reed, M.S., and C.F. Rabeni. 1989. Characteristics of an unexploited smallmouth bass population in a Missouri Ozark stream. *Am. J. Fish. Man.* 9:420-426.

- Reinert, R.E., B.A. Knuth, M.A. Kamrin, and Q.J. Stober. 1991. Risk assessment, risk management, and fish consumption advisories in the United States. *Fisheries* (6):5-12.
- Robinson, J.C., W.S. Pease, D.S. Albright, et al. 1994. *Pesticides in the Home and Community: Health Risks and Policy Alternatives. California Policy Seminar Report*. Center for Occupational and Environmental Health, School of Public Health, University of California, Berkeley, CA.
- Rohlf, F.J., H.R. Akcakaya, and S.P. Ferraro. 1991. *Optimizing Composite Sampling Protocols*. Contract 68-CO-0051. Prepared for the U.S. Environmental Protection Agency. Applied Biomathematics, Corvallis, OR.
- Rosen, B. 1970. Shell disease of aquatic crustaceans. pp. 409-415. In: *A Symposium of Diseases of Fish and Shellfishes*. S.F. Sniezko (ed.). Amer. Fish. Soc. Spec. Publ. No. 5. American Fisheries Society, Washington, DC.
- RTI (Research Triangle Institute). 1993. *National Listing of State Fish and Shellfish Consumption Advisories and Bans*. Prepared for Office of Science and Technology, U.S. Environmental Protection Agency. Research Triangle Park, NC.
- Ryan, J.J., P.Y. Lau, and J.A. Hardy. 1986. 2,3,7,8, Tetrachlorodibenzo-p-dioxin and related dioxans and furans in snapping turtle (*Chelydra serpentina*) tissues from the upper St. Lawrence River. *Chemosphere* 15 (5):537-548.
- Rylander, L., U. Stromberg, and L. Hagmar. 1998. Agreement between reported fish consumption obtained by two interviews and its impact on the results in a reproduction study. *European J. Epidemiol.* 14(1):93-97.
- Sabbioni, E., M. Fischbach, G. Pozzi, R. Pietra, M. Gallorini, and J.L. Piette. 1991. Cellular retention, toxicity and carcinogenic potential of seafood arsenic. I. Lack of cytotoxicity and transforming activity of arsenobetaine in the BAL3/3T3 cell line. *Carcinogenesis* 12:1287-1291.
- Safe, S. 1985. *CRC Critical Reviews in Toxicology. Polychlorinated Biphenyls (PCBs) and Polybrominated Biphenyls (PBBs): Biochemistry, Toxicology and Mechanism of Action*. CRC Press, Cleveland, OH.
- Safe, S. 1990. Polychlorinated biphenyls (PCBs), dibenzo-p-dioxins (PCDDs), dibenzofurans (PCDFs), and related compounds: Environmental and mechanistic considerations which support the development of toxic equivalency factors (TEFs). *Critical Reviews in Toxicology* 21(1):51-88.



- Safe, S., B. Astroff, M. Harris, T. Zacharewski, R. Dickerson, M. Romkes, and L. Biegel. 1991. 2,3,7,8-Tetrachlorodibenzo-p-dioxin and related compounds as antiestrogens: Characterization and mechanism of action. *Pharmacology and Toxicology* 69:400-409.
- Saleh, M.A. 1991. Toxaphene: Chemistry, biochemistry, toxicity, and environmental fate. *Rev. Environ. Contam. Toxicol.* 118:1-66.
- Sax, I.N. 1984. *Dangerous Properties of Industrial Materials*. 6th Edition. Van Nostrand Reinhold Company, New York, NY.
- Schmitt, C.J., and W.G. Brumbaugh. 1990. National Contaminant Biomonitoring Program: Concentrations of arsenic, cadmium, copper, lead, mercury, selenium, and zinc in U.S. freshwater fish, 1978-1984. *Arch. Environ. Contam. Toxicol.* 19:731-747.
- Schmitt, C.J., and S.E. Finger. 1987. The effects of sample preparation on measured concentrations of eight elements in edible tissues of fish from streams contaminated by lead mining: *Arch. Environ. Contam. Toxicol.* 16:185-207.
- Schmitt, C.J., M.A. Ribick, J.K. Ludke, and T.W. May. 1983. *National Pesticide Monitoring Program: Organochlorine Residues in Freshwater Fish, 1976-1979*. Resource Publication 152. Fish and Wildlife Service, U.S. Department of the Interior, Washington, DC.
- Schmitt, C.J., J.L. Zajicek, and P.H. Peterman. 1990. National Contaminant Biomonitoring Program: Residues of organochlorine chemicals in U.S. freshwater fish, 1976-1984. *Arch. Environ. Contam. Toxicol.* 19:748-781.
- Schmitt, C.J., J.L. Zajicek, and M.A. Ribick. 1985. National Pesticide Monitoring Program: Residues of organochlorine chemicals in freshwater fish, 1980-1981. *Arch. Environ. Contam. Toxicol.* 14:225-260.
- Schwartz, T.R., R.D. Campbell, D.L. Stalling, R.L. Little, J.D. Petty, J.W. Hogan, and E.M. Kaiser. 1984. Laboratory data base for isomer-specific determination of polychlorinated biphenyls. *Anal. Chem.* 56:1303-1308.
- Schwartz, T.R., D.L. Stalling, and C.L. Rice. 1987. Are polychlorinated biphenyl residues adequately described by Aroclor mixture equivalents? Isomer-specific principal components analysis of such residues in fish and turtles. *Environ. Sci. Technol.* 21(1):72-76.
- Schwartz, T.R., D.E. Tilitt, K.P. Feltz, and P.H. Peterman. 1993. Determination of mono- and non-O, Omin-chlorine substituted polychlorinated biphenyls in Aroclors and environmental samples. *Chemosphere* 26(8):1443-1461.

- Scott, D.E., F.W. Whicker, and J.W. Gibbons. 1986. Effect of season on the retention of  $^{137}\text{Cs}$  and  $^{90}\text{Sr}$  by the yellow-bellied slider turtle (*Pseudemys scripta*). *Can. J. Zool.* 64:2850-2853
- Sexton, O.J. 1959. A method of estimating the age of painted turtles for use in demographic studies. *Ecology* 40:716-718.
- Shain, W., B. Bush, and R. Seegal. 1991. Neurotoxicity of polychlorinated biphenyls: structure-activity relationship of individual congeners. *Toxicol. Appl. Pharmacol.* 111:33-42.
- Sheffy, T.B. 1987. *A Review of Mercury in Wisconsin's Environment. Recommendations for Studying and Identifying the Cause of the Problem.* Bureau of Air Management, Wisconsin Department of Natural Resources, Madison, WI.
- Short, J.W., and F.P. Thrower. 1987a. Accumulations of butyltins in muscle tissue of chinook salmon reared in sea pens treated with tri-n-butyltin. *Aquaculture* 61:181-192.
- Short, J.W., and F.P. Thrower. 1987b. Toxicity of tri-n-butyltin to chinook salmon, *Oncorhynchus tshawytscha*, adapted to seawater. *Aquaculture* 61:193-200.
- Siewicki, T.C. 1981. Tissue retention of arsenic in rats fed with flounder or cacodylic acid. *J. Nutr.* 111:602-609.
- Sinderman, C.J. 1983. An examination of some relationships between pollution and disease. *Rapp. P. V. Reun. Cons. Int. Explor. Mer.* 182:37-43.
- Sinderman, C.J., F.B. Bang, N.O. Christensen, V. Dethlefsen, J.C. Harshbarger, J.R. Mitchell, and M.F. Mulcahy. 1980. The role and value of pathology in pollution effects monitoring programs. *Rapp. P. V. Reun. Cons. Int. Explor. Mer.* 179:135-151.
- Sinderman, C.J., and A. Rosenfield. 1967. Principal diseases of commercially important marine bivalve mollusca and crustacea. *Fish. Bull.* 66:335-385.
- Skerfving, S. B.G. Svensson, L. Asplund, and L. Hagmar. 1994. Exposure to mixtures and congeners of polychlorinated biphenyls. *Clinical Chemistry*, 40(7):1409-1415.
- Skerfving, S. 1988. Mercury in women exposed to methylmercury through fish consumption, and in their newborn babies and breast milk. *Bull. Environ. Contam. Toxicol.* 41:475-482.

- Skoog, D.A. 1985. *Principles of Instrumental Analysis*. 3rd ed. Saunders Press, Philadelphia, PA. pp. 270-277, 282-284, 303-304.
- Sloan, K., and J.E. Lovich. 1995. Exploitation of the alligator snapping turtle, *Macrolemys temminckii*, in Louisiana: A case study. *Chelonian Conserv. Biol.* 1(3):221-222.
- Smith, L.M. 1981. Carbon dispersed on glass fibers as an adsorbent for contaminant enrichment and fractionation. *Anal. Chem.* 53:2152-2154.
- Smith, R.L. 1985. *Guidance on Sampling Aquatic Organisms for Tissue Analyses during FY 1986*. Environmental Services Division, Region 3, U.S. Environmental Protection Agency, Philadelphia, PA.
- Smith, L.M., T.R. Schwartz, and K. Feltz. 1990. Determination and occurrence of AHH-active polychlorinated biphenyls, 2,3,7,8-tetrachloro-p-dioxin and 2,3,7,8-tetrachlorodibenzofuran in Lake Michigan sediment and biota, the question of their relative toxicological significance. *Chemosphere* 21(9):1063-1085.
- Smith, R.A., R.B. Alexander, and M.G. Wolman. 1987. Water quality trends in the nation's rivers. *Science* 235:1607-1615.
- Spry, D.S., and J.G. Wiener. 1991. Metal availability and toxicity to fish in low-alkalinity lakes: a critical review. *Environ. Pollut.* 71(2-4):243-304.
- Stalling, D.L., T.R. Schwartz, W.J. Dunn III, and S. Wold. 1987. Classification of polychlorinated biphenyl residues. *Anal. Chem.* 59:1853-1859.
- Stegeman, J.J., and J.J. Lech. 1991. Cytochrome P-450 monooxygenase systems in aquatic species: carcinogen metabolism and biomarkers for carcinogen and pollutant exposure. *Environ. Health Perspect.* 90:101-109.
- Stephenson, M.D., and D.R. Smith. 1988. Determination of tributyltin in tissues and sediments by graphite furnace atomic absorption spectrometry. *Anal. Chem.* 60:696-698.
- Stober, Q.J. 1991. *Guidelines for Fish Sampling and Tissue Preparation for Bioaccumulative Contaminants*. Environmental Services Division, Region 4, U.S. Environmental Protection Agency, Athens, GA.
- Stone, W.B., E. Kiviat, and S.A. Butkas. 1980. Toxicants in snapping turtles. *New York Fish and Game J.* 27 (1):39-50.

- Stone, S.L., T.A. Lowery, J.D. Field, C.D. Williams, D.M. Nelson, S.H. Jury, M.E. Monaco, and L. Andreasen. 1994. *Distribution and Abundance of Fishes and Invertebrates in Mid-Atlantic Estuaries*. ELMR Rep. No. 12. NOAA/NOS Strategic Environmental Assessments Division, Silver Spring, MD.
- Swackhamer, D. 1993. University of Minnesota. Personal communication.
- Tanabe, S., N. Kannan, A. Subramanian, S. Watanabe, and R. Tatsukawa. 1987. *Environ. Poll.* 47:147-163.
- Taylor, J.K. 1985. *Standard Reference Materials: Handbook for SRM Users*. NBS Special Publication 260-100. Center for Analytical Chemistry, U.S. Department of Commerce, National Bureau of Standards, Gaithersburg, MD.
- Tetra Tech. 1986. *Evaluation of Survey Positioning Method for Near-Shore and Estuarine Waters*. Prepared for Office of Marine and Estuarine Protection, U.S. Environmental Protection Agency. Bellevue, WA.
- Tetra Tech. 1995. *Assessing Human Health Risks from Chemically Contaminated Fish in the Lower Columbia River*. Draft report prepared for the Lower Columbia Bi-State Program. Redmond, WA.
- Texas Water Commission. 1990. *Texas Tissue Sampling Guidelines*. Texas Water Commission, Austin, TX.
- Tilson, H.A., J.L. Jacobson, and W.J. Rogan. 1990. Polychlorinated biphenyls and the developing nervous systems: Cross-species comparisons. *Neurotox. Teratol.* 12:239-248.
- Todd, B. L., and C.F. Rabeni. 1989. Movement and habitat use by stream-dwelling smallmouth bass. *Transact. Am. Fish. Soc.* 118 (3):229-242.
- Tollefson, Linda. 1989. Methylmercury in fish: Assessment of risk for U.S. consumers. In: *The Risk Assessment of Environmental and Human Health Hazards: A Textbook of Case Studies*. Dennis J. Paustenback (ed.). John Wiley & Sons, New York, NY.
- Toy, K.A., N.L. Polissar, S. Liao, and G.D. Mittelstaedt. 1996. *A Fish Consumption Survey of the Tulalip and Squaxin Island Tribes of the Puget Sound Region*. Tulalip Tribes, Department of Environment, Marysville, WA.
- Tsuda, T., H. Nakanishi, S. Aoki, and J. Takebayashi. 1988. Bioconcentration and metabolism of butyltin compounds in carp. *Water Res.* 22:647-651.

- Tsuda, T., M. Kojima, H. Harada, et al. 1997. Acute toxicity, accumulation and excretion of organophosphorous insecticides and their oxidation products in killifish. *Chemosphere* 35: 939-49, 1997.
- USDA/ARS (U.S. Department of Agriculture, Agricultural Research Service). 1998. *1994-1996 Continuing Survey of Foods Intakes by Individuals and 1994-1996 Diet and Health Knowledge Survey*. CD-ROM, accession number PB-98-500457. (Available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. Phone: 203-487-4650.)
- U.S. DOC (Department of Commerce). 1999a. *General Endangered and Threatened Marine Species, Permits for Incidental Taking of Species*. 50 CFR Part 222, Section 222.307. National Marine Fisheries Service, Washington, DC.
- U.S. DOC (Department of Commerce). 1999b. *General Endangered and Threatened Marine Species, Permits for Listed Species of Sea Turtles Involving the US Fish and Wildlife Service*. 50 CFR Part 222, Section 222.309. National Marine Fisheries Service, Washington, DC.
- U.S. DOI (Department of the Interior). 1999. *Endangered and Threatened Wildlife and Plants. Permits for Scientific Purposes, Enhancement of Propagation or Survival, or for Incidental Taking*. 50 CFR Part 17, Section 17.22. Fish and Wildlife Service, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1978. *Metal Bioaccumulation in Fish and Aquatic Invertebrates*. EPA-600/3-78-103. Environmental Research Laboratory, Office of Research and Development, Springfield, VA.
- U.S. EPA (U.S. Environmental Protection Agency). 1979a. *Health Assessment Document for Cadmium*. EPA-600/8-79-003. Environmental Standards and Criteria, Office of Research and Development, Research Triangle Park, NC.
- U.S. EPA (U.S. Environmental Protection Agency). 1979b. *Methods for the Chemical Analysis of Water and Wastes*. EPA-600/4-79-020. Environmental Monitoring and Support Laboratory, Cincinnati, OH.
- U.S. EPA (U.S. Environmental Protection Agency). 1980a. *Ambient Water Quality Criteria for Endrin*. EPA-440/5-80-047. Office of Water Regulations and Standards, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1980b. *Interim Guidelines and Specifications for Preparing Quality Assurance Project Plans*. QAMS-005/80. Quality Assurance Management Staff, Washington, DC.

- U.S. EPA (U.S. Environmental Protection Agency). 1981. *Interim Methods for the Sampling and Analysis of Priority Pollutants in Sediments and Fish Tissue*. EPA-600/4-81-055. Environmental Monitoring and Support Laboratory, Cincinnati, OH.
- U.S. EPA (U.S. Environmental Protection Agency). 1982a. *Methods for the Chemical Analysis of Municipal and Industrial Wastewater*. EPA-600/4-82-057. Environmental Monitoring and Support Laboratory, Cincinnati, OH.
- U.S. EPA (U.S. Environmental Protection Agency). 1982b. Arsenic. In: *Intermedia Priority Pollutant Guidance Documents*. Office of Pesticides and Toxic Substances, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1983a. *Analyses of the Risks and Benefits of Seven Chemicals Used for Subterranean Termite Control*. EPA-540/9-83-005. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1984a. Internal memorandum from G. LaRocca to B. Burnam et al., August 16, 1984. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1984b. *Policy and Program Requirements to Implement the Quality Assurance Program*. EPA Order 5360.1. Quality Assurance Management Staff, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1985a. *Bioaccumulation Monitoring Guidance: 3. Recommended Analytical Detection Limits*. EPA-503/6-90-001. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1985b. *Development of Statistical Distribution for Ranges of Standard Factors Used in Exposure Assessment*. EPA-600/8-85-010. Office of Health and Environmental Assessment, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1985c. *Guidance for the Registration of Pesticide Products Containing Lindane as the Active Ingredient*. EPA-540/RS-86-121. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1985d. *Pesticide Fact Sheet—Terbufos*. Office of Pesticides and Toxic Substances, Office of Pesticide Programs, Washington, DC.

- U.S. EPA (U.S. Environmental Protection Agency). 1986a. *Bioaccumulation Monitoring Guidance: 4. Analytical Methods for U.S. EPA Priority Pollutants and 301(h) Pesticides in Tissues from Marine and Estuarine Organisms*. EPA-503/6-90-002. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1986b. *Pesticide Fact Sheet—Diazinon*. Office of Pesticides and Toxic Substances, Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1986c. *Research and Development Methodology for Evaluating Potential Carcinogenicity in Support of Reportable Quality Adjustments to CERCLA Section 102*. OHEA-C-073 Draft. Carcinogen Assessment Group Office of Environmental Assessment, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1986d. *Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods*. SW-846; 3rd Edition (with 1990 updates). Office of Solid Waste and Emergency Response, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987a. *Bioaccumulation Monitoring Guidance: 2. Selection of Target Species and Review of Available Data*. EPA-430/9-86-005. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987b. *Bioaccumulation Monitoring Guidance: 5. Strategies for Sample Replication and Compositing*. EPA-430/9-87-003. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987c. *Cadmium Health Advisory Draft*. Office of Drinking Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987d. *National Dioxin Study. Tiers 3, 5, 6, and 7*. EPA-440/4-87-003. Office of Water Regulations and Standards, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987e. *Quality Assurance/Quality Control (QA/QC) for 301(h) Monitoring Programs: Guidance on Field and Laboratory Methods*. EPA-430/9-86-004. Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1987f. *The Risk Assessment Guidelines of 1986*. EPA/600/8-87/045. Office of Health and Environmental Assessment, Washington, DC.

- U.S. EPA (U.S. Environmental Protection Agency). 1988a. *Drinking Water Criteria Document for Polychlorinated Biphenyls (PCBs)*. ECAO-CIN-414. Prepared by Environmental Criteria and Assessment Office for Office of Drinking Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1988b. *Pesticide Fact Sheet: Tributyltin (Antifouling Paints)*. Number 143. September 23, 1988. Office of Pesticides and Toxic Substances, Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1989a. *Analytical Procedures and Quality Assurance Plan for the Determination of Mercury in Fish*. Draft. Environmental Research Laboratory, Duluth MN.
- U.S. EPA (U.S. Environmental Protection Agency). 1989b. *Analytical Procedures and Quality Assurance Plan for the Determination of PCDD/PCDF in Fish*. EPA-600/3-90-022. Environmental Research Laboratory, Duluth, MN.
- U.S. EPA (U.S. Environmental Protection Agency). 1989c. *Analytical Procedures and Quality Assurance Plan for the Determination of Xenobiotic Chemical Contaminants in Fish*. EPA-600/3-90-023. Environmental Research Laboratory, Duluth, NM.
- U.S. EPA (U.S. Environmental Protection Agency). 1989d. *Assessing Human Health Risks from Chemically Contaminated Fish and Shellfish: A Guidance Manual*. EPA-503/8-89-002. Office of Water Regulations and Standards, Office of Marine and Estuarine Protection, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1989e. *Pesticide Fact Sheet—Ethion*. Office of Pesticides and Toxic Substances, Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1990a. *Exposure Factors Handbook*. EPA 600/8-89/043. Office of Health and Environmental Assessment, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1990b. *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*. SW-846, 3rd edition, proposed Update II. Office of Solid Waste and Emergency Response, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1990c. *Tetrachlorodibenzo-p-Dioxins and-Dibenzofurans in Edible Fish Tissue at Selected Sites in Arkansas and Texas*. Water Quality Management Branch and Surveillance Branch, Region 6, Dallas, TX.



- U.S. EPA (U.S. Environmental Protection Agency). 1990d. *Work Plan for FY 91 Regional Ambient Fish Tissue Monitoring Program Activity No. ELR 80*. Environmental Monitoring and Compliance Branch, Region 7, Kansas City, KS.
- U.S. EPA (U.S. Environmental Protection Agency). 1991a. *Assessment and Control of Bioconcentratable Contaminants in Surface Waters*. Draft. Office of Research and Development, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1991b. *Contract Laboratory Program Statement of Work for Inorganic Analysis, Multi-Media, Multi-Concentration*. SOW 788, July. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1991c. *Contract Laboratory Program Statement of Work for Organic Analysis*. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1991d. *Environmental Monitoring and Assessment Program (EMAP) Near Coastal Program Laboratory Methods for Filleting and Compositing Fish for Organic and Inorganic Contaminant Analyses*. Draft. Office of Research and Development, Environmental Research Laboratory, Narragansett, RI.
- U.S. EPA (U.S. Environmental Protection Agency). 1991e. *Environmental Monitoring and Assessment Program (EMAP) Near Coastal Virginian Province Quality Assurance Project Plan*. Draft. Office of Research and Development, Environmental Research Laboratory, Narragansett, RI.
- U.S. EPA (U.S. Environmental Protection Agency). 1991f. *Environmental Monitoring Methods Index, Version 1.0 Software, User's Manual, EMMI User Support*. Office of Water, Sample Control Center, Alexandria, VA.
- U.S. EPA (U.S. Environmental Protection Agency). 1991g. *Methods for the Determination of Metals in Environmental Samples*. EPA-600/4-91/010. Environmental Monitoring Systems Laboratory, Office of Research and Development, Cincinnati, OH.
- U.S. EPA (U.S. Environmental Protection Agency). 1991h. *National Bioaccumulation Study*. Draft. Office of Water Regulations and Standards, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1992a. *Classification List of Chemicals Evaluated for Carcinogenicity Potential*. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1992b. *Consumption Surveys for Fish and Shellfish: A Review and Analysis of Survey Methods*. EPA-822/R-92-001. Office of Water, Washington, DC.

- U.S. EPA (U.S. Environmental Protection Agency). 1992c. *National Study of Chemical Residues in Fish*. Volume I. EPA-823/R-92-008a. Office of Science and Technology, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1992d. *National Study of Chemical Residues in Fish*. Volume II. EPA-823/R-92-008b. Office of Science and Technology, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1992e. *304(a) Criteria and Related Information for Toxic Pollutants*. Spreadsheet. Water Quality Standards Unit, Water Management Division, Region 4, Atlanta, GA.
- U.S. EPA (U.S. Environmental Protection Agency). 1993a. *Fate One Liner Database*. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1993b. Notice of receipt of requests for amendments to delete uses in certain pesticide registration. *Federal Register* 58(220):60630-60631.
- U.S. EPA (U.S. Environmental Protection Agency). 1993c. *Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons*. EPA/600/R-93/089. Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Cincinnati, OH.
- U.S. EPA (U.S. Environmental Protection Agency). 1993d. *Reference Dose Tracking Report*. Office of Pesticide Programs, Health Effects Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1993e. *Workshop Report on Developmental Neurotoxic Effects Associated with Exposure to PCBs*. September 14-15, 1992, Research Triangle Park, NC. Risk Assessment Forum, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1994. *Endangered and Threatened Wildlife and Plants*. 50 CFR 17.11 and 17.12. June 30.
- U.S. EPA (U.S. Environmental Protection Agency). 1995a. *Guidance on Establishing Trace Metal Clean Rooms in Existing Facilities*. Draft. EPA 821-B-95-001. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995b. *Method 1613b. Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution HRGC/HRMS*. Final Draft. Office of Water, Office of Science and Technology, Washington, DC.

- U.S. EPA (U.S. Environmental Protection Agency). 1995c. *Method 1631: Mercury in Water by Oxidation, Purge and Trap, and Cold Vapor Atomic Fluorescence Spectrometry*. Draft. EPA 821-R-95-027. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995d. *Method 1632: Determination of Inorganic Arsenic in Water by Hydride Generation Flame Atomic Absorption*. Draft. EPA 821-R-95-028. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995e. *Method 1637: Determination of Trace Elements in Ambient Waters by Chelation Preconcentration with Graphite Furnace Atomic Absorption*. EPA 821-R-95-030. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995f. *Method 1638: Determination of Trace Elements in Ambient Waters by Inductively Coupled Plasma-Mass Spectrometry*. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995g. *Method 1639: Determination of Trace Elements in Ambient Waters by Stabilized Temperature Graphite Furnace Atomic Absorption*. EPA 321-R-95-032. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995h. *Guidance on the Documentation and Evaluation of Trace Metals Data Collected for Clean Water Act Compliance Monitoring*. EPA 821-B-95-002. Office of Water, Engineering and Analysis Division, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995i. *QA/QC Guidance for Sampling and Analysis of Sediments, Water, and Tissues for Dredged Material Evaluations—Chemical Evaluations*. EPA 823-B-95-001. Office of Water, Washington, DC, and Department of the Army, U.S. Army Corps of Engineers, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1995j. *Health Effects Document for Terbufos*. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1996. *PCBs: Cancer Dose-Response Assessment and Application to Environmental Mixtures*. EPA/6001P-96/00F. National Center for Environmental Assessment, Office of Research and Development, Washington, DC.

- U.S. EPA (U.S. Environmental Protection Agency). 1997a. *Draft Method 1668 Toxic Polychlorinated Biphenols by Isotope Dilution High Gas Chromatography/High Resolution Mass Spectrometry*. Office of Water, Washington, DC. March.
- U.S. EPA (U.S. Environmental Protection Agency). 1997b. *Exposure Factors Handbook, Volume 1, General Factors*. EPA/600/P-95/002Fa. Office of Research and Development, Washington, DC. August.
- U.S. EPA (Environmental Protection Agency). 1997c. *Mercury Study Report to Congress*. EPA-452R-96-001a and b. Office of Air Quality Planning and Standards and Office of Research and Development.
- U.S. EPA (Environmental Protection Agency). 1998a. *Daily average per capita fish consumption estimates based on the combined USDA 1989, 1990, and 1991 continuing survey of food intakes by individuals (CSFII)*. Volume I: Uncooked Fish Consumption National Estimates. Office of Science and Technology, Washington, DC (unpublished report).
- U.S. EPA (U.S. Environmental Protection Agency). 1998b. *Guidance for Conducting Fish and Wildlife Surveys*. EPA-823-B-98-007, November. Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1998c. *Reregistration Eligibility Decision (RED). Dicofol*. Office of Pesticide Programs and Toxic Substances, Washington, DC.
- U.S. EPA (Environmental Protection Agency) 1998d. *Health Effects Test Guidelines, OPPTS 870.1000. Acute Toxicity Testing - Background: Prevention, Pesticides and Toxic Substances*. EPA-712-C-98-189. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1998e. Memorandum dated September 24, 1998. *Reused Oxyfluofen (Goal) Quantitative Risk Assessment (Q1) based on CD-1 male mouse dietary study with 3/4's Interspecies Scaling Factor*. HRD Doc. No. 012879.
- U.S. EPA (U.S. Environmental Protection Agency). 1999a. *National Listing of Fish and Wildlife Advisories database-1998*. Office of Science and Technology, Office of Water, Washington DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1999b. *Classification List of Chemicals Evaluated for Carcinogenicity Potential*. Office of Pesticide Programs and Toxic Substances, Washington, DC.

- U.S. EPA (Environmental Protection Agency), 1999c. *EPA Fact Sheet -Update: National Listing of Fish and Wildlife Advisories*. EPA-823-F-99-005. Office of Water, Washington DC.
- U.S. EPA (Environmental Protection Agency). 1999d. *The National Survey of Mercury Concentrations in Fish - Database Summary 1990-1995*. EPA-823-R-99-014. Office of Water, Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2000a. *Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories—Risk Assessment and Fish Consumption Limits*. Volume 2. 3<sup>rd</sup> Edition. EPA 823-B-00-008. Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2000b. *Revised Human Health Risk Assessment for Chlorpyrifos*. Office of Pesticide Programs, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2000c. *Estimated Per Capita Fish Consumption in the United States*. EPA-821-R-00-025. Office of Science and Technology, Washington, DC.
- U.S. FDA (Food and Drug Administration). 1990. *Pesticide Analytical Manual, Volumes I and II*. Report No. FDA/OM0-90/15A. U.S. Department of Health and Human Services, Washington, DC.
- U.S. FDA (Food and Drug Administration). 1993. *Guidance Document for Arsenic in Shellfish*. Center for Food Safety and Applied Nutrition, Washington, DC. January.
- U.S. FDA (Food and Drug Administration). 1998. *Action Levels for Poisonous or Deleterious Substances in Human Food and Animal Feed. Industry Activities*. Staff Booklet. Washington, DC.
- U.S. FWS (Fish and Wildlife Service). 1994. *Endangered Species Database*. December 1994.
- USGS (U.S. Geological Survey). 1987. Methods for the determination of organic substances in water and fluvial sediments. Chapter A3. In: *Techniques of Water-Resources Investigations of the United States Geological Survey*. R.L. Wershaw, M.J. Fishman, R.R. Grable, and L.E. Lowe (eds). Books and Open-File Reports Section, Denver, CO.
- Vahter, M., and J. Envall. 1983. In vivo reduction of arsenate in mice and rabbits. *Environ. Res.* 32:14-24.
- Vahter, M., E. Marafante, and L. Dencker. 1983. Metabolism of arsenobetaine in mice, rats and rabbits. *Sci. Total Environ.* 30:197-211.

- Vallee, B.L., D.D. Ulmer, and W.E.C. Wacker. 1960. Arsenic toxicology and biochemistry. *Arch. Ind. Health* 21:132-151.
- Van den Berg, M., L. Birnbaum, A.T.C. Bosveld, et al. 1998. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for human and wildlife *Environ. Health Perspect.* 106(12):775-792.
- Varanasi, U., and D.J. Gmur. 1980. Metabolic activation and covalent binding of benzo[a]pyrene to deoxyribonucleic acid catalyzed by liver enzymes of marine fish. *Biochem. Pharmacol.* 29:753-762.
- Varanasi, U., and D.J. Gmur. 1981. In vivo metabolism of naphthalene and benzo[a]pyrene of flatfish. In: *Chemical Analysis and Biological Fate: Polynuclear Aromatic Hydrocarbons*. M. Cooke and A.J. Dennis (eds.). Fifth International Symposium, Columbus, OH, Battelle Press. pp. 367-376.
- Varanasi, U., W.L. Reichert, J.E. Stein, et al. 1985. Bioavailability and biotransformation of aromatic hydrocarbons in benthic organisms exposed to sediment from an urban estuary. *Environ. Sci. Technol.* 19:836-841.
- Versar, Inc. 1982. *Sampling Protocols for Collecting Surface Water, Bed Sediment, Bivalves and Fish for Priority Pollutant Analysis—Final Draft Report*. EPA Contract 68-01-6195. Prepared for Office of Water Regulations and Standards, U.S. Environmental Protection Agency. Springfield, VA.
- Versar, Inc. 1984. *Sampling Guidance Manual for the National Dioxin Study—Final Draft Report*. EPA Contract 68-01-6160. Prepared for Office of Water Regulations and Standards, U.S. Environmental Protection Agency. Springfield, VA.
- Voiland, M.P., K.L. Gall, D.J. Lisk, and D.B. MacNeill. 1991. Effectiveness of recommended fat-trimming procedures on the reduction of PCB and Mirex levels in Brown trout (*Salmo trutta*) from Lake Ontario. *J. Great Lakes Res.* 17(4):454-460.
- Wade, T.L., B. Garcia-Romero, and J.M. Brooks. 1988. Tributyltin contamination of bivalves from U.S. coastal estuaries. *Env. Sci. Technol.* 22:1488-1492.
- Walsh, P.R., R.A. Duce, and J.L. Fasching. 1979. Considerations of the enrichment, sources, and flux of arsenic in the troposphere. *J. Geophys Res.* 84(C4):1719-1726.
- Wanderstock, J., W. Iskat, W. Gutenmann, and D. Lisk. 1971. Effect of several cooking methods on concentration of DDT residues in lake trout and coho salmon. *New York Fish and Game J.* 18:70-72.

- Wania, F., and D. Mackay. 1993. Global fractionation and cold condensation of low volatility organochlorine compounds in polar regions. *Ambio* 22:10-18.
- Wania, F., and D. Mackay. 1996. Tracking the distribution of persistent organic pollutants. *Environ. Sci. Technol.* 30(9):390A-396A.
- Ward, G.S., G.C. Cramm, P.R. Parrish, H. Trachman, and A. Slesinger. 1981. Bioaccumulation and chronic toxicity of bis(tributyltin) oxide (TBTO): tests with a saltwater fish. In: *Aquatic Toxicology and Hazard Assessment*. D.R. Branson and K.L. Dickson (eds.). American Society of Testing and Materials, Publication No. ASTM STP 737, Philadelphia, PA. pp. 183-200.
- Ware, G.W. 1978. *The Pesticide Book*. W.H. Freeman and Company, San Francisco, CA.
- WDNR (Wisconsin Department of Natural Resources). 1988. *Fish Contaminant Monitoring Program—Field and Laboratory Guidelines*. Report No. 1005.1. Madison, WI.
- Weber, C.I. (ed.) 1973. *Biological Field and Laboratory Methods for Measuring the Quality of Surface Waters and Effluents*. EPA/670/4-73-001. Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, OH.
- WHO (World Health Organization). 1976. *Environmental Health Criteria. 1. Mercury*. Geneva, Switzerland.
- WHO (World Health Organization). 1989. *Toxicological Evaluation of Certain Food Additives and Contaminants. Arsenic*. WHO Food Additive Series, 24, pp. 155-162, Cambridge University Press, Cambridge.
- WHO (World Health Organization). 1990. *Environmental Health Criteria 101: Methylmercury*. Geneva, Switzerland.
- WHO (World Health Organization). 1999. *Concise International Chemical Assessment. Document Number 14: Tributyltin Oxide*. Geneva, Switzerland.
- Willers, W. 1991. *Trout Biology*. Lyons and Burford, New York, NY.
- Wiener, J.G. 1987. Metal contamination of fish in low-pH lakes and potential implications for piscivorous wildlife. *Trans N. Am. Wildl. Nat. Res. Conf.* 52:654-657.

- Williams, S. (ed.). 1984. *Official Methods of Analysis of the Association of Official Analytical Chemists*. Fourteenth edition. The Association of Official Analytical Chemists, Inc., Arlington, VA.
- Williams, C.D., D.M. Nelson, M.E. Monaco, S.L. Stone, C. Iancu, L. Coston-Clements, L.R. Settle, and E.A. Irlandi. 1990. *Distribution and Abundance of Fishes and Invertebrates in Eastern Gulf of Mexico Estuaries*. ELMR Report No. 6. Strategic Assessment Branch, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, Rockville, MD.
- Wolf, R.J., and R.J. Walker. 1987. Economies in Alaska: Productivity, geography, and development impacts. *Arctic Anthropol.* 24:56-81.
- Wood, J.M. 1974. Biological cycles for toxic elements in the environment. *Science* 183:1049-1052.
- Woolson, E.A. (ed.). 1975. *Arsenical pesticides*. Am. Chem. Soc. Symp. Ser. 7. 176 pp.
- Worthing, C.R. 1991. *The Pesticide Manual: A World Compendium*. 9th edition. British Crop Protection Council, Croydon, England.
- Wynder, E.L., and D. Hoffman. 1959. A study of tobacco carcinogenesis. VII. The role of higher polycyclic hydrocarbons. *Cancer* 12:1079-1086.
- Yamauchi, H., T. Kaise, and Y. Yamamura. 1986. Metabolism and excretion of orally administered arsenobetaine in the hamster. *Bull. Environ. Contam. Toxicol.* 36:350-355.
- Zabik, M., C. Hoojjat, and D. Weaver. 1979. Polychlorinated biphenyls, dieldrin, and DDT in lake trout cooked by broiling, roasting, or microwave. *Bull. Environ. Contamin. Toxicol.* 21:136-143.
- Zabik, M.E., M.J. Zabik, and H. Humphrey. 1994. *Assessment of Contaminants in Five Species of Great Lakes Fish at the Dinner Table*. Final Report to the Great Lakes Protection Fund, Chicago, Illinois. March 1994.
- Zabik, M.E., M.J. Zabik, A.M. Booren, M. Nettles, J.H. Song, R. Welch and H. Humphrey. 1995b. Pesticides and total polychlorinated biphenyls in chinook salmon and carp harvested from the Great Lakes: Effects of skin-on and skin-off processing and selected cooking methods. *J. Agric. Food Chem.* 43:993-1001.
- Zabik, M.E., A.M. Booren, M.J. Zabik, R. Welch, and H. Humphrey. 1996. Pesticide residues, PCBs and PAHs in baked, charbroiled, salt boiled, and smoked Great Lakes lake trout. *Food Chem.* 55 (3): 231-239.



- Zabik, M.E., and M.J. Zabik. 1995. Tetrachlorodibenzo-p-dioxin residue reduction by cooking/processing of fish fillets harvested from the Great Lakes. *Bull. Environ. Contam. Toxicol.* 55:264-269.
- Zabik, M.E., and M.J. Zabik. 1996. Influence of processing on environmental contaminants in foods. *Food Tech.* 50: 225-229.
- Zangerl, R. 1969. The turtle shell. In *Biology of the Reptilia*. C. Gans (ed.). Academic Press, New York. Volume 1, pp. 311-339.
- Zarogian, G.E., and G.L. Hoffman. 1982. Arsenic uptake and loss in the American oyster, *Crassostrea virginica*. *Environ. Monitor. Assess.* 1:345-358.
- Zug, G.R., A.H. Wynn, and C. Ruckdeschel. 1986. Age determination of loggerhead sea turtles, *Caretta caretta*, by incremental growth marks in the skeleton. *Smithson. Contrib. Zool.* 427:1-34.
- Zweig, G., and J. Sherma (eds.). 1980. *Updated General Techniques and Additional Pesticides. Volume 11. In: Analytical Methods for Pesticides and Plant-Growth Regulators.* Academic Press, New York, NY.