

A0006786

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE PAGE OF PAGES
1 6

2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 05/26/94	4. REQUISITION/PURCHASE REQ. NO. ED0000-4031-0144	5. PROJECT NO. (if applicable) dek
6. ISSUED BY US ARMY ENGR DIST NEW ORLEANS PO BOX 60267 NEW ORLEANS LA 70160-0267 Molly M. Block		CODE ISSUE1	7. ADMINISTERED BY (if other than item 6) US ARMY ENGR DIST, NEW ORLEANS ATTN CELMN-CT PO BOX 60267 NEW ORLEANS LA 70160-0267	
			CODE ADMIN1	
		SC2(504) 862-2879		

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) Vendor ID: 00000000		(X)	9A. AMENDMENT OF SOLICITATION NO. DACW29-94-B-0047
		X	9B. DATED (SEE ITEM 11) 05/03/94
			10A. MODIFICATION OF CONTRACT/ORDER NO.
			10B. DATED (SEE ITEM 13)
CODE ONR68	FACILITY CODE		

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS SEE BELOW

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers is extended, is not extended. Offerers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (if required)

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(X)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Plans and Specifications covering Lake Pontchartrain, Louisiana and Vicinity, High Level Plan, London Avenue Outfall Canal, Parallel Protection, Mirabeau Avenue to Robert E. Lee Blvd., West Bank; Mirabeau Avenue to Leon C. Simon Blvd., East Bank Floodwall, Orleans Parish, Louisiana, are hereby amended as follows:

BID OPENING

Bid Opening Date and Time of 8 June 1994, 2:00 P. M., LOCAL TIME AT PLACE OF BID OPENING, remains unchanged.

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
(Signature of person authorized to sign)		BY (Signature of Contracting Officer)	

A-8

BIDDING SCHEDULE

Delete page B-1 in its entirety and substitute revised attached page B-1 therefor. A double asterisk (**) denotes a modification.

SECTION C - TECHNICAL PROVISIONS

1. Page C2C-1, Paragraph C2C-2. Delete item (2), Excavation, in its entirety, and substitute the following:

"(2) Excavation. Check grade, slopes, and dimensions for compliance with design sections. The Contractor shall have an option to degrade the existing landside levee to elevation 3.0 N.G.V.D. at any time to improve the accessibility for construction in the following reaches:

Station 69+15 to 73+00 EB/L
Station 85+20 to 100+00 EB/L

The Contractor shall have an option to degrade the existing landside levee only during non-hurricane season with a maximum water elevation of 6.75 N.G.V.D. in the following reaches:

<u>Reach</u>	<u>Degraded Levee Elevation</u>
70+50 to 84+50 WB/L	3.0
85+60 to 99+15 WB/L	3.5
100+40 to 119+85 WB/L	3.0
73+00 to 84+60 EB/L	3.0
102+30 to 119+40 EB/L	3.0
120+18 to 126+88 EB/L	4.0

The Contractor's hurricane plan shall include provisions for returning the levees to their original heights if new floodwall construction is not complete by the beginning of hurricane season. During hurricane season, the Contractor shall be prohibited to degrade existing levee until the new floodwall is complete and the concrete has attained a compressive strength of 3,000 psi."

2. Page C2G-6.

a. Add a following new paragraph after existing paragraph C2G-8.4, which begins on existing page C2G-5:

"C2G-8.4.1 Pull and Clean Existing AZ-18 Steel Sheet Piling. From Sta. 99+73.36 EB/L to Sta. 99+91.07 EB/L, the Contractor shall pull and clean existing AZ-18 steel sheet piling up to elevation 14.40 as shown on the drawings. The pulled portion of the piles shall be cleaned with a jet of water. The Contractor shall repair any damaged protective coating on AZ-18 sheet piling. For paint requirements, see Section C9A, "PAINTING."

b. Paragraph C2G-8.5. In the third (3rd) line, change "AZ-10" to "RZ-10".

3. Page C2G-10.

a. Paragraph C2G-11.1.5. Add the following sentence after the last sentence: "No separate measurement will be made for approximately eighteen (18) linear feet of existing AZ-18 steel sheet piling to be pulled and cleaned up to elevation 14.40."

b. Paragraph C2G-11.1.6. In the second (2nd) line, after "AZ-18", add ",RZ-10 and PZ-27".

4. Page C2G-11, Paragraph C2G-11.2.6. In the second (2nd) and third (3rd) lines, after "AZ-18", add ",RZ-10 and PZ-27".

5. Page C2J-3.

a. Add the following new paragraph after existing paragraph C2J-4.3:

"C2J-4.4 Concrete Slope Pavement. The Contractor shall remove and dispose of existing slope pavement on west bank as indicated on Contract Drawings and as specified herein."

b. Paragraph C2J-6.2. In the third (3rd) line, add "concrete slope pavement," after "sheet piling," .

6. Page C16B-5, Paragraph C16B-12.1. In the third (3rd) line, change "0.040"" to "0.032"".

7. Page C16B-7, Paragraph C16B-13.3.3. Change lines 9 and 10, which currently read "The thickness of the extruded screen shall be 50 mils with an 80% minimum point." to read as follows: "The thickness of the extruded screen shall have 32 mills minimum point."

8. Page C16B-11, Paragraph C16B-16.1.1:

a. Delete the second (2nd) sentence in its entirety and substitute the following revised sentence: "From stations 99+91.07 EB/L to 100+17.54 EB/L, the Contractor shall have an option to keep the underground existing cable in its existing position or temporarily relocate the cable from its existing position into a trench in case of any conflict which may occur during the construction".

b. In the ninth (9th) line, after "relocate cable", add "either from its original position or".

c. Add the following new sentence at the end of the paragraph: "Notching of steel sheet piling and split steel sleeves will be required to cross the cables thru sheet piling at approximate station 100+04.79 EB/L as shown on the drawings"

9. Page C16B-12.

a. Paragraph C16B-16.1.3.

(1) Beginning on the second (2nd) line and continuing onto the third (3rd) line, change "its existing position on" to "existing sheet pile to".

(2) Delete the second (2nd) sentence in its entirety and substitute the following revised sentence: "From stations 99+88.47 EB/L to sta. 100+17.54 EB/L the Contractor shall have an option to keep the underground existing cable in its existing position or temporarily relocate the cable from its existing position into a trench in case of any conflict which may occur during construction".

(3) In the third (3rd) sentence, add "In case of insufficient cable length," before "Splices" (change the capital "S" in splices to a small "s").

10. Page C16B-12, Paragraph C16B-16.1.4. Add the following new sentence at the end of the existing paragraph: "Notching of steel sheet piling and split steel sleeves will be required to cross the cables through the sheet piling at approximate station 101+38.90 WB/L and station 100+04.79 EB/L as shown on the drawings".

SECTION H - SPECIAL CLAUSES

Page H-24, Paragraph H-26b(1). In the first (1st) line, add "2,500,000.00" after "\$".

DRAWINGS

1. Delete existing Drawing (Dwg.) No. 37 of 73, File No. H-4-40295 in its entirety, and substitute revised attached Dwg. 37 of 73, File No. H-4-40295 therefor.

2. Please make the following pen-and-ink changes:

a. Drawing (Dwg.) No. 6 of 73, File No. H-4-40295. In the table entitled "EXISTING FACILITIES", add "()" after "NA" in the "DISPOSITION" column for item FL-432.

b. Dwg. No. 13 of 73, File No. H-4-40295. In the "WEST PROFILE (CANAL SIDE ELEVATION)", the elevation of the bottom of new sheet piling from Sta. 100+27.61 to Sta. 101+66.95 is -20.0.

c. Dwg. No. 19 of 73, File No. H-4-40295. In the detail entitled "SHEET PILE SPLICE AT TC-1, ST-1 & DT-1", change "STA. 100+42 WB/L FOR TC-1" to "STA. 100+47 WB/L FOR TC-1"; "STA. 101+27 WB/L FOR ST-1 & DT-1" to "STA. 100+34 WB/L FOR ST-1 & DT-1"; "STA. 100+58 WB/L FOR TC-1" to "STA. 100+52 WB/L FOR TC-1"; and "STA. 100+51 WB/L FOR ST-1 & DT-1" to "STA. 101+55 WB/L FOR ST-1 & DT-1".

d. Dwg. No. 32 of 73, File No. H-4-40295. In the leftmost "SECTION A", change "APPROX. STA. 70+57.00 to 84+64.72 WB/L" to "APPROX. STA. 70+47.00 to 84+54.72 WB/L".

e. Dwg. No. 32a of 73, File No. H-4-40295. In the center of the drawing, in the Table entitled "LIMITS OF FRACTURED FIN TEXTURE ON THE CANAL SIDE OF THE FLOODWALL", delete "70+47.00 TO 72+52.33 WB/L" and "70+26.77 TO 72+32.10 EB/L". Fracture fin texture will not be applied within these limits.

f. Dwg. No. 42 of 73, File No. H-4-40295. In "SECTION B-B", change "16'-6"" to "21'-0"".

g. Dwg. No. 48 of 73, File No. H-4-40295.

(1) Change "PLAN" to "DETAIL ".

(2) On the right side of the drawing, change "EXISTING FL-340 TO FL-422 TO REMAIN" to "EXISTING FL-340 AND FL-422 TO REMAIN".

(3) The location of existing FL-432 from the fence corner to P.S. No. 4 is shown incorrectly. FL-432 turns right at the fence corner below the existing concrete slab.

h. Dwg. No. 49 of 73, File H-4-40295. Please make the following changes to the "NOTES":

(1) In third (3rd) line of Note 2.", change "££AA" to ""AA"" and "££BB" to ""BB"".

(2) In the second (2nd) line of Note 4, change "££BB" to ""BB"".

SOLICITATION NO. DACW29-94-B-0047

BIDDING SCHEDULE
 (To be attached to Bid Form)
 LAKE PONTCHARTRAIN, LOUISIANA AND VICINITY, HIGH LEVEL PLAN
 LONDON AVE. OUTFALL CANAL, PARALLEL PROTECTION,
 MIRABEAU AVE. TO LEON C. SIMON BLVD. FLOODWALL,
 ORLEANS PARISH, LOUISIANA

Item No.	Description	Estimated Quantity	Unit	Unit Price	Est. Amt.
0001.	Mobilization and Demobilization	Lump Sum	LS		
0002.	Clearing and Grubbing	Lump Sum	LS		
0003.	Selective Demolition	Lump Sum	LS		
0004.	Pedestrian Bridge Demolition	Lump Sum	LS		
0005.	Embankment, Semicompacted Fill	Lump Sum	LS		
0006.	Structural Excavation and Backfill	Lump Sum	LS		
0007.	Fertilizing, Seeding, and Mulching	8	AC		
** 0008.	Cutting Off Existing AZ-18, RZ-10 and PZ-27 Sheet Piling	Lump Sum	LS		
0009.	Pull, Clean, Salvage and Deliver Existing AZ-18 Steel Sheet Piling	Lump Sum	LS		
0010.	Redrive Existing AZ-18 Steel Sheet Piling	Lump Sum	LS		
0011.	Piling, Steel Sheet, Type PZ-22	187,844	SF		
0012.	Piling, Steel Sheet, Type PSA-23	997	SF		
0013.	Painting	Lump Sum	LS		
0014.	Reinforced Concrete Floodwalls	Lump Sum	LS		
0015.	Concrete Slope Pavement.	188	SY		
0016.	Utility Modifications	Lump Sum	LS		