

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB METAIRIE RELIEF CANAL **A000679**
 SHEET NO. 6 OF
 CALCULATED BY DATE 2-20-97
 CHECKED BY DATE
 SCALE GS MD BS

STA	0/5 L	0/5 R	+	HI	-	ELEV	DESC.
550+22.11			6.51	35.71		29.20	U.S.C.M, MON. (29.20) ←
554+0.0		5.0			5.40	30.71	CROWN 10.3 + HI - ELEV
		25.50			14.00	21.71	TOE 1.3 6.05 35.25 (29.20 BM)
		27.50			14.07	21.67	E/R 1.21 6.34
		33.50			14.47	21.54	ER 0.81 BRIDGE HAMMOND HWY H-188 (29.91 BM) ?
	1.0				5.00	30.71	CROWN 10.3 6.20 35.11
	2.0				1.53	34.13	TOP WALL 13.8 5.91 (29.20 BM)
	3.0				5.30	30.71	CROWN 9.98
	26.30				12.90	22.81	TOE 2.38 JEFFERSON LEVEE SECTIONS:
	49.00				13.90	21.91	WATERS EDGE 1.5 HAMMOND HWY TO R/R
555+0.0		5.0			5.50	30.21	CROWN
		26.00			14.70	21.01	TOE
		28.00			14.98	20.77	E/R
		36.50			15.51	20.20	ERD
	1.0				5.20	30.51	
	2.40				1.53	34.13	TOP WALL
	3.40				5.50	30.21	
	24.40				12.60	23.11	TOE
	52.70				13.90	21.91	WATERS EDGE
556+0.0		4.0			5.90	29.91	
					15.00	20.71	TOE
		27.50			15.20	20.51	E/R
		34.80			15.62	20.89	ERD
	2.40				5.50	30.21	
	3.00				1.55	34.16	TOP WALL
	3.40				5.90	29.91	
	24.70				12.90	22.91	TOE
	52.00				13.90	21.81	WATER'S EDGE
557+0.0		4.0			6.10	29.61	
		25.00			15.40	20.31	TOE
		27.00			15.61	20.10	E/R
		34.70			15.92	19.79	ERD
	2.50				5.90	29.81	
	3.50				1.63	34.08	TOP WALL
	4.00				6.30	29.41	
	26.00				13.10	22.61	TOE

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB METairie RELIEF CANAL
 SHEET NO. JEFFERSON SIDE 7 OF _____
 CALCULATED BY 1/17/97 DATE 2-20-97
 CHECKED BY _____ DATE _____
 SCALE AS MD BS

STA	1/2 L	1/2 R	+	HI	-	ELEV	DESC
				35.71			
557+0.0	51.00				13.90	21.91	WATER'S EDGE
TBM				34.58	1.54	34.17	556+0.0 (3416)
			0.41	34.57			
558+0.0		1.50			5.30	29.28	CROWN
		25.00			14.70	19.28	TOE
		27.00			14.74	19.84	E/R
		34.90			15.10	19.48	E RD.
	3.80				4.80	29.78	GR
	4.90				0.46	34.12	TOP WALL
	5.80				5.10	29.48	CROWN
	27.30				12.00	22.58	TOE
	52.10				12.30	22.28	WATER'S EDGE
559+0.0		1.20			5.50	29.08	CROWN
		25.50			14.90	19.68	TOE
		27.50			15.09	19.49	E/R
		34.50			15.38	19.20	E RD.
	5.00				4.90	29.68	CROWN
	6.00				0.50	34.08	TOP WALL
	7.00				4.90	29.68	CROWN
	27.70				12.10	22.48	TOE
	51.70				12.50	22.08	WATER'S EDGE NGVD
560+0.0		10.0			5.20	29.38	CROWN 8.95
		25.00			14.20	20.38	TOE -0.05
		27.0			14.32	20.26	E/R -0.17
		34.70			14.67	19.91	E RD. -0.52
	6.00				4.90	29.68	GR 9.2
	7.00				0.51	34.07	TOP WALL 13.64
	8.00				5.30	29.28	CROWN 8.85
	29.90				11.80	22.78	TOE 2.35
	50.00				12.20	22.38	WATER'S EDGE 1.95
TBM					0.51	34.07	560+0.0
			0.76	34.83			
				34.82			
561+0.0		24.30			15.40	19.43	TOE
		29.50			15.46	19.37	E/R
		35.30			15.69	19.15	E RD.

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB 17th St. Canal
 SHEET NO. 8 OF
 CALCULATED BY W. H. C. 3/17/97 DATE 2-20-97
 CHECKED BY DATE 2-23-97
 SCALE G S M D BS

STA	0/5 L	0/5 R	+	HI	-	ELEV	DESC
				34.33 34.82			
S61+0.0	1.50				5.50	29.33	CROWN
	7.50				5.20	29.63	GR
	8.50				0.77	34.06	TOP WALL
	9.50				5.20	29.63	CROWN
	29.20				12.50	22.33	TOE
	50.30				12.90	22.03	WATERS EDGE
S62+0.0		24.50			15.20	19.63	TOE
		27.50			15.22	19.61	E/R
		34.30			15.49	19.34	GRD.
	3.00				5.40	29.43	CROWN
	9.00				5.00	29.83	GR
	10.00				0.73	34.10	TOP WALL
	11.00				5.20	29.63	CROWN
	30.90				12.00	22.83	TOE
	49.40				12.80	22.03	WATERS EDGE
S63+0.0		24.00			15.10	19.73	TOE
		26.00			15.24	19.59	E/R
		32.00			15.46	19.37	GRD.
	3.00				5.60	29.23	CROWN
	10.00				5.30	29.53	GR
	11.00				0.82	34.01	TOP WALL
	12.00				5.90	28.93	CROWN
	30.50				12.40	22.43	TOE
	49.30				12.80	22.03	WATERS EDGE
TBM S64+0.0					0.75	34.07	(34.08)
			0.28	34.36			N.G.V.D.
		21.00			13.90	20.46	TOE 0.03
		22.50			14.00	20.36	E/R -0.07
		30.00			14.38	19.98	GRD (ASPHALT ROAD 13.70 WIDE) 0.45
	4.0				5.10	29.26	CROWN 8.83
	10.00				4.90	29.46	GR 1.03
	11.00				0.28	34.08	TOP WALL 13.65
	12.00				5.50	28.86	GR 8.43
	29.20				12.10	22.26	TOE PP@ TOE 1.83
	49.50				12.40	21.96	WATERS EDGE ANCHOR & GUY @ WATERS EDGE 1.53

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 9 OF _____
 CALCULATED BY W. J. - 3/7/72 DATE 7-27-97
 CHECKED BY _____ DATE _____
 SCALE AS SHOWN

STA	O/S L	O/S R	+	HI	-	ELEV	DESC	
				34.36				
S65+0.0		22.00			15.10	19.26	TOE	
		23.50			15.17	19.19	E/R	
		30.50			15.52	18.84	E/RD	
	4.00				5.20	29.16	CROWN	
	10.00				5.00	29.36	GR	
	11.00				0.28	34.08	TOP WALL	
	12.00				5.20	29.06	GR	
	30.00				11.80	22.56	TOE	
	42.00				12.40	21.96	WATERS EDGE	
S66+0.0		22.30			14.50	19.86	TOE	
		23.90			14.62	19.74	E/R	
		30.70			14.97	19.39	E/RD	
	4.0				5.20	29.16	CROWN	
	10.0				5.00	29.36	GR	
	11.0				0.28	34.08	TOP WALL	
	12.0				5.20	29.16	GR	
	32.50				11.50	22.86	TOE	
	40.00				12.40	21.96	WATERS EDGE	
S67+0.0		22.00			14.50	19.86	TOE	
		24.50			14.53	19.83	E/R	
		31.80			14.93	19.43	E/RD	
	4.0				5.00	29.36	CROWN	
	10.50				4.90	29.46	GR	
	11.00				0.33	34.03	TOP WALL	
	12.00				5.50	28.86	GR	
	32.00				11.90	22.46	TOE	
	50.50				12.40	21.96	WATERS EDGE	
TBM S68+0.0					0.36	34.00	(34.00)	
			0.92	34.92			NGVD	
S68+0.0		23.00			15.60	19.32	TOE	-1.11
		25.00			15.63	19.29	E/R	-1.14
		31.30			16.06	18.86	E/RD	-1.57
	4.00				5.40	29.52	CROWN	9.09
	10.50				5.40	29.52	GR	9.09
	11.00				0.92	34.00	TOP WALL	13.57

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB 17th St Canal
 SHEET NO. OF
 CALCULATED BY LHALL E/17/87 DATE 2-22-87
 CHECKED BY DATE
 SCALE AS NOTED

STA	0/5 L	0/5 R	+	HI	-	ELEV	DESC	
				34.92				NVGD
563+0.0	12.00				5.30	29.62	GR	9.19
	30.00				12.40	22.52	TOE	2.09
	39.40				13.10	21.82	WATERS EDGE	1.39
569+0.0		22.90			15.40	19.52	TOE	
		24.50			15.56	19.36	E/R	
		30.80			15.92	19.00	GRD	
	4.30				5.20	29.72	CROWN	
	10.50				5.10	29.82	GR	
	11.30				0.95	34.06	TOP WALL	
	12.30				5.60	29.32	GR	
	31.90				11.90	23.02	TOE	
	34.90				13.10	21.92	WATERS EDGE	
570+0.0		22.00			15.50	19.42	TOE	
		24.00			15.56	19.36	E/R	
		30.00			15.96	18.96	GRD	
	4.50				5.40	29.52	CROWN	
	10.50				5.10	29.82	GR	
	11.30				0.84	34.08	TOP WALL	
	12.30				5.20	29.72	GR	
	30.30				12.70	22.22	TOE	
	47.00				13.10	21.92	WATERS EDGE	
571+0.0		21.80			14.60	20.32	TOE	
		24.00			14.67	20.25	E/R	
		30.00			14.96	19.99	GRD	
	4.00				5.10	29.82	CROWN	
	10.50				5.00	29.92	GR	
	11.50				0.85	34.07	TOP WALL	
	12.50				5.30	29.62	GR	
	39.00				12.80	22.12	TOE	
	52.00				13.10	21.82	WATERS EDGE	N.V.G.D.
572+0.0		21.80			15.40	19.52	TOE	-0.91
		24.50			15.46	19.46	E/R	-0.97
		30.70			15.87	19.05	GRD	-1.38
	4.50				5.00	29.92	CROWN	9.49
	10.50				5.00	29.92	GR	9.49

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. _____ OF _____
 CALCULATED BY LM 3/17/97 DATE 2-23-97
 CHECKED BY _____ DATE _____
 SCALE 60 MD ES

STA	O/S L	O/S R	+	H I	-	ELEV	DESC
				34.92			N.G.V.D
572+0.0	11.50				0.96	34.06	TOP WALL 13.63
	12.50				6.00	28.92	GR 8.49
	31.80				12.30	22.62	TOE 2.19
	47.30				13.10	21.82	WATERS EDGE 1.39
T&M 572+0.0					0.96	34.06	(34.06)
			1.03	35.09			
573+0.0		23.00			15.90	19.19	TOE
		24.50			15.89	19.25	E/R
		32.00			16.20	18.89	GRD
	4.30				5.30	29.79	CROWN
	10.70				4.90	30.19	GR
	11.50				0.99	34.10	TOP WALL
	12.50				5.70	29.39	GR
	32.90				12.50	22.59	TOE
	49.20				13.20	21.89	WATERS EDGE
574+0.0		22.30			16.00	19.09	TOE
		24.00			16.00	19.09	E/R
		30.30			16.36	18.73	GRD
	4.50				5.40	29.69	CROWN
	10.50				5.20	29.89	GR
	11.60				1.24	33.85	TOP WALL
	12.60				5.40	29.69	GR
	32.40				12.40	22.69	TOE
	38.80				13.30	21.79	WATERS EDGE
575+0.0		22.50			15.50	19.59	TOE
		24.80			15.46	19.63	E/R
		31.20			15.86	19.23	GRD
	4.50				5.30	29.79	CROWN
	10.80				5.20	29.89	GR
	11.70				1.41	33.68	TOP WALL
	12.70				5.60	29.49	GR
	32.90				12.40	22.69	TOE
	37.70				13.30	21.79	WATERS EDGE

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB JEFFERSON RELIEF CANAL
 SHEET NO. JEFFERSON SIDE 12 OF _____
 CALCULATED BY LANE 3/17/97 DATE 2-23-97
 CHECKED BY _____ DATE 2-25-97
 SCALE AS SHOWN

STA	0/S L	0/S R	+	HI	-	ELEV	DESC	
				35.09				N.G.V. D.
576+0.0		22.50			16.00	19.09	TOE	-1.34
		24.30			15.96	19.13	E/R	-1.30
		31.30			16.40	18.69	GRD (14' WIDE)	-1.74
	4.00				5.50	29.59	CROWN	9.16
	10.90				5.70	29.39	GR	8.96
	11.70				1.63	33.46	TOP WALL	13.03
	12.70				6.40	23.69	GR	8.26
	32.70				13.30	21.79	TOE & WATER'S EDGE	1.36
TBM 576+0.0					1.63	33.46	(33.47)	
			1.50	34.76 34.97				
577+0.0		21.70			15.10	19.86	TOE	
		24.00			15.19	19.77	E/R	
		31.00			15.63	19.28	GRD	
	4.0				5.50	29.46	CROWN	
	10.90				5.40	29.56	GR	
	11.70				1.77	33.19	TOP WALL	
	12.70				5.80	29.16	GR	
	31.00				11.00	23.16	TOE	
	39.00				12.10	22.86	WATER'S EDGE	
578+0.0		21.80			15.40	19.56	TOE	
		23.40			15.56	19.40	E/R	
		28.80			15.82	19.14	GRD	
	5.00				5.40	29.56	CROWN	
	11.30				5.20	29.76	GR	
	12.00				1.84	33.12	TOP WALL	
	13.00				5.20	29.76	GR	
	34.80				11.80	23.16	TOE	
	44.50				12.20	22.76	WATER'S EDGE	
579+0.0		17.40			14.40	20.56	TOE	
		20.20			14.62	20.34	E/R	
		26.20			14.86	20.10	GRD	
	5.00				5.20	29.76	CROWN	
	12.00				4.90	30.06	GR	
	12.60				2.09	32.87	TOP WALL	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 13 OF _____
 CALCULATED BY LAKE 3/17/97 DATE 3/22/97
 CHECKED BY _____ DATE _____
 SCALE AS SHOWN

STA	O/S L	O/S R	+	HI	-	ELEV	DESC
				34.96 34.77			
579+0.0	13.60				5.55	29.96	GR
	31.80				12.20	22.76	TOE
	37.90				12.20	22.76	WATERS EDGE
580+0.0		16.00			14.20	20.76	TOE
		17.50			19.40	20.56	E/R
		22.90			14.79	20.17	GRD (12.70 ASPHALT)
	5.00				5.40	29.56	CROWN
	11.80				5.10	29.36	GR
	12.50				2.39	32.57	TOP WALL
	13.50				5.40	29.56	GR
	32.00				12.20	22.76	TOE
	36.00						WATERS EDGE
TBM 580+0.0					2.39	32.57 32.59	(32.59)
			2.59	35.16 35.17			
581+0.0		15.50			14.70	20.46	TOE
		16.70			14.92	20.34	E/R
		23.00			15.18	19.98	GRD
	5.0				5.60	29.56	CROWN
	12.0				5.60	29.56	GR
	12.70				2.91	32.35	TOP WALL
	13.70				5.90	29.26	GR
	35.40				13.00	22.16	TOE
	59.70				12.30	22.86	WATERS EDGE (TOP WATER)
582+0.0		15.00			14.50	21.66	TOE
		16.60			14.65	20.51	E/R
		22.70			15.05	20.08	GRD
	6.00				5.60	29.56	CROWN
	12.00				5.10	30.06	GR
	13.00				3.00	32.16	TOP WALL
	14.00				5.50	29.66	GR
	32.20				12.80	22.36	TOE
	59.70				12.30	22.86	WATERS EDGE

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 14 OF _____
 CALCULATED BY WAL 3/17/27 DATE 2-25-9
 CHECKED BY _____ DATE _____
 SCALE AS MD BS

STA	O/S L	O/S R	+	HI	-	ELEV	DESC	
				20.16 20.17				
583+0.0		17.30			15.00	20.16	TOE	
		18.50			15.12	20.04	E/R	
		24.20			15.34	19.82	GRD	
	5.00				5.20	29.96	CROWN	
	12.00				5.30	29.86	GR	
	12.70				3.00	32.16	TOP WALL	
	13.70				6.10	29.06	GR	
	32.20				12.80	22.36	TOE	
	49.20				12.30	22.86	WATERS EDGE	
								NGVD
584+0.0		20.00			15.00	20.16	TOE	-0.27
		21.30			15.10	20.06	E/R	-0.37
		27.00			15.32	19.84	GRD	-0.59
	4.00				5.30	29.86	CROWN	9.43
	11.70				5.10	30.06	GR	9.63
	12.30				2.97	32.29	TOP WALL	11.86
	13.30				5.00	29.26	GR	8.83
	31.60				12.30	22.86	TOE	2.43
	38.80				12.30	22.86	WATERS EDGE	2.43
TBM 584+0.0					2.97	32.30	(32.29)	
			2.82	35.12				
585+0.0		19.20			15.80	19.32	TOE	
		21.00			15.75	19.37	E/R	
		27.60			15.70	19.42	GRD	
	4.0				5.30	29.82	CROWN	
	11.40				5.40	29.72	GR	
	12.00				2.92	32.20	TOP WALL	
	13.00				6.10	29.02	GR	
	30.50				12.40	22.72	TOE	
	42.00				12.30	22.82	WATERS EDGE	
586+0.0		20.20			15.50	19.62	TOE	DRPHEUM LILIC ST. ROAD ENDS
		21.70			15.55	19.57	E/R	JOGGING ROAD STARTS
		31.30			16.02	19.10	E/R	
		32.30			16.10	19.02	GR	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB 17th St. Canal
 SHEET NO. 15 OF
 CALCULATED BY DATE 3/17/77
 CHECKED BY DATE
 SCALE AS SHOWN

STA	O/S L	O/S R	+	HI	-	ELEV	DESC	
				35.12 ✓				
586+0.0	4.00				5.20	29.92	CROWN	
	10.50				5.30	29.82	GR	
	11.30				2.93	32.19	TOP WALL	
	12.30				5.40	29.72	GR	
	30.10				12.30	22.82	TOE	
	45.80				12.30	22.82	WATERS EDGE	
587+0.0		21.00			15.00	20.12	TOE	
		21.50			15.10	20.82	E/R	
		29.70			15.23	19.79	E/R	
		30.70			15.80	19.32	GR	
	3.50				5.50	29.62	CROWN	
	9.80				5.50	29.62	GR	
	10.50				2.89	32.23	TOP WALL	
	11.50				6.00	29.12	GR	
	31.20				12.30	22.82	TOE	
	47.50				12.30	22.82	WATERS EDGE	
								<u>NGVD</u>
588+0.0		19.90			14.60	20.52	TOE	0.09
		20.00			14.77	20.35	E/R	-0.08
		27.50			15.28	19.84	E/R	-0.59
		28.50			15.60	19.52	GR	-0.91
	2.00				5.50	29.62	CROWN	9.19
	9.20				5.40	29.72	GR	9.29
	9.80				2.97	32.15	TOP WALL	11.72
	10.80				5.50	29.62	GR	9.19
	30.30				12.70	22.42	TOE	1.99
	52.80				12.30	22.82	WATERS EDGE	2.39
TBM 588+0.0					2.97	32.15	(32.15)	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB 17th St. Canal
 SHEET NO. _____ OF _____
 CALCULATED BY _____ DATE 2-28-97
 CHECKED BY _____ DATE _____
 SCALE 50 MD RS

STA	% L	% R	+	HI	-	ELEV	DESC
TBM 589+0.0			2.14	35.29		32.15	
589+0.0		20.20			13.90	21.39	TOE
		25.20			14.03	21.21	E/R
		27.70			14.60	20.69	E/R
		28.70			15.70	20.09	GR
	3.50				5.60	29.69	CROWN
	9.50				5.40	29.69	GR
	10.00				3.03	32.21	TOP WALL
	11.00				5.30	29.99	GR
	33.00				12.50	22.79	TOE
	48.90				12.60	22.69	WATERS EDGE
590+0.0		24.60			12.70	22.59	TOE
		23.70			12.80	22.49	E/R
		29.90			13.19	22.11	E/R
		31.70			14.00	21.29	@ FENCE
	1.00				5.30	29.99	CROWN
	10.00				5.30	29.99	GR
	10.60				3.05	32.23	TOP WALL
	11.60				5.50	29.79	GR
	35.60				12.50	22.79	TOE
	57.60				12.60	22.69	WATERS EDGE
STEPS 590+39.70		22.40			11.14	24.15	CONC STEPS...
		23.40			11.35	23.44	ASPHALT
		31.20			12.63	22.66	ASPHALT
	2.30				4.09	31.21	CONC
	2.30				4.69	30.61	ASPHALT
	10.60				4.09	30.40	ASPHALT
STEPS 590+45.50		22.30			11.14	24.15	CONC STEPS
		22.30			11.67	23.62	ASPHALT
		31.00			12.41	22.88	ASPHALT
	2.40				4.14	31.15	CONC

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB NEW ORLEANS SIDE 1
 SHEET NO. JEFFERSON SIDE 17 OF _____
 CALCULATED BY _____ DATE 7-29-97
 CHECKED BY _____ DATE 7-23-97
 SCALE 60' HORIZ

STA	% L	% R	+	HI	-	ELEV	DESC	
S9140.0		19.70		35.29 ✓	12.20	23.09	TOE	
		31.30			13.20	22.09	FENCE	
	2.00				4.65	30.64	ASPHALT	
	10.00				4.60	30.69	ASPHALT	
	11.30				3.07	32.22	TOP WALL	
	12.30				5.60	29.69	GR	
	35.60				12.50	22.79	TOE	
	60.00				12.60	22.69	WATERS EDGE	<u>N.C.V.D.</u>
S9240.0		20.00			12.30	22.49	TOE	2.05
		25.70			13.90	21.49	@ FENCE	1.06
	2.60				4.70	30.59	ASPHALT	10.16
	10.30				4.50	30.79	ASPHALT	10.36
	11.30				2.99	32.30	TOP WALL	11.87
	12.30				5.60	29.69	GR	9.26
	35.50				12.50	22.79	TOE	2.36
	50.30				12.60	22.69	WATERS EDGE	2.26
TEM S9240.0				2.99	32.30 ✓	(32.30)		
S9340.0		22.10		3.51 35.81 ✓	13.60	22.21	TOE	
		29.10			15.00	20.31	@ FENCE	
	3.20				5.61	30.20	ASPHALT	
	9.9				5.35	30.51	"	
	11.90				3.60	32.21	TOP WALL	
	12.90				6.20	29.31	GR	
	34.9				13.00	22.31	TOE	
	58.20				12.40	23.41	WATERS EDGE (HEAVY RAIN)	<u>N.C.V.D.</u>
S9440.0		23.20			14.40	21.40	TOE	0.97
		30.90			15.40	20.41	BRICK CHAIN WALL	- 0.02
	3.00				5.40	30.41	ASPHALT	9.98
	11.50				5.34	30.47	"	10.04
	12.70				3.69	32.12	TOP WALL	11.69
	13.70				6.20	29.61	GR	9.18
	36.0				12.70	22.91	TOE	2.48
	61.50						WATERS EDGE	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 18 OF _____
 CALCULATED BY _____ DATE 2-26-87
 CHECKED BY _____ DATE _____
 SCALE: AS M.D.B.S

STA	% L	% R	+	HI	-	ELEV	DESC	
				35.81				
S95+0.0		21.8			14.60	21.21	TOE	
		29.4			15.60	20.21	@ FENCE	
	3.7				5.57	30.24	ASPHALT	
	11.7				5.65	30.16	"	
	13.0				3.64	32.17	TOP WALL	
	14.0				6.50	27.31	GR	
	35.5				13.0	22.31	TOE	
	58.2						WATERS EDGE	<u>NGVD</u>
S96+0.0		20.9			14.0	21.81	TOE	1.38
		30.4			15.30	20.51	@ BRICK CHAIN WALL	0.08
	3.9				5.90	30.41	ASPHALT	9.98
	12.9				5.22	30.57	"	10.16
	13.4				3.57	32.24	TOP WALL	11.81
	14.4				6.10	27.71	GR	9.28
	36.2				12.9	22.71	TOE	2.48
	56.6						WATERS EDGE	
TBM S96+0.0			0.86	33.10	3.57	32.24	(32.25)	
S97+0.0		20.7			11.30	21.8	TOE	
		30.7			12.50	20.6	GR	
	4.6				2.85	30.25	ASPHALT	
	12.6				2.79	30.31	"	
	13.9				0.84	32.26	TOP WALL	
	14.9				3.80	29.3	GR	
	35.9				10.30	22.8	TOE	
	53.9						WATERS EDGE	
S98+0.0		19.5			12.00	21.1	TOE	
		29.6			12.90	20.3	GR	
	5.3				2.79	30.31	ASPHALT	
	13.3				2.62	30.48	"	
	14.0				0.80	32.30	TOP WALL	
	15.0				3.50	29.6	GR	
	36.3				10.90	22.7	TOE	
	62.3						WATERS EDGE	

WALKER & AVERY, INC.

1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____

SHEET NO. _____ 19 OF _____

CALCULATED BY _____ DATE 2-26-97

CHECKED BY _____ DATE _____

SCALE GS MD BS

STA	% L	% R	+	H/I	-	ELEV	DESC	
				33.10				
599+0.0		18.7			11.4	217	TOE	
		29.8			12.2	209	GR	
	5.5				2.8	303	ASPHALT	
	13.8				2.58	3042	"	
	14.5				0.80	3230	TOP WALL	
	15.5				3.60	295	GR	
	39.8				10.40	227	TOE	
	60.0						WATERS EDGE	N.C.V.D.
600+0.0		14.8			10.80	223	TOE	1.87
		29.5			12.60	205	GR	0.07
	6.4				2.55	3055	ASPHALT	10.12
	14.2				2.31	3079	"	10.36
	14.9				0.69	3241	TOP WALL	11.98
	15.9				3.10	302	GR	9.57
	37.7				10.40	227	TOE	2.27
	55.4						WATERS EDGE	
TBM 600+0.0				16 33.17	0.69	3241 3242	(32.42)	
601+0.0		15.6	0.75		10.7	225	TOE	
		25.6			12.10	211	GR	
	6.4				2.74	304	ASPHALT	
	14.7				2.52	3064	"	
	15.5				0.85	3231	TOP WALL	
	16.5				3.10	301	GR	
	40.7				10.40	228	TOE	
	53.0						WATERS EDGE	
602+0.0		15.9			11.20	2196	TOE	
		25.9			12.20	2096	GR	
	6.6				3.01	3015	ASPHALT	
	15.10				2.66	3050	"	
	15.7				0.77	3239	TOP WALL	
	16.7				3.10	301	GR	
	39.7				10.20	230	TOE	
	56.1						WATERS EDGE	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 70 OF _____
 CALCULATED BY _____ DATE 2-26-97
 CHECKED BY _____ DATE _____
 SCALE GS MD BS

STA	% L	% R	+	HJ	-	ELEV	DESC
603+0.0		16.8		32.77 1/2		11.10	22 1/2 TOE
		26.8				12.10	21 1/2 GR
	7.7					2.85	30 31 ASPHALT
	15.7					2.56	30 6 "
	16.5					0.79	32 37 TOP WALL
	17.5					3.10	30 4 GR
	41.9					10.20	23 0 TOE
	55.9						
604+0.0		13.8				11.10	22 1/2 TOE
		23.8				12.0	21 2 GR
	8.6					2.79	30 37 ASPHALT
	16.10					2.58	30 58 "
	16.9					0.79	32 37 TOP WALL
	17.8					3.10	30 06 GR
	39.6					10.20	22 96 TOE
	54.6						WATERS EDGE
TBM 604+0.0			0.62	32.97		0.81	22.35 32.36 (32.35)
604+73.40		12.0				9.91	23 06 CONC. STEPS
	12.60					2.19	30 73
604+82.40		12.00				10.05	22 92 CONC. STEPS
	12.60					2.14	30 33
605+0.0		14.7				10.50	22 5 TOE
		24.7				11.9	21 1/2 GR
	9.3					2.63	30 34 ASPHALT
	16.5					2.43	30 54 "
	17.3					0.62	32 35 TOP WALL
	18.3					2.80	30 2 GR
	39.7					10.00	23 0 TOE
51.3							WATERS EDGE

N-G V-D

1.67

.77

9.97

10.15

11.94

9.63

2.53

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 21 OF _____
 CALCULATED BY _____ DATE 2-26-97
 CHECKED BY _____ DATE _____
 SCALE GS MD BS

STA	% L	% R	+	H I	-	ELEV	DESC	
						32.97 ✓		
606+0.0		17.2			12.20	208	TOE	
		27.2			13.70	193	GR	
	9.5				2.92	3055	ASPHALT	
	17.3				2.54	3043	"	
	18.0				0.60	3237	TOP WALL	
	19.0				3.30	297	GR	
	42.4				10.0	230	TOE	
	50.6						WATERS EDGE	
607+0.0		19.0			12.10	209	TOE	
		29.0			13.10	199	GR	
	9.7				2.48	3049	ASPHALT	
	17.2				2.40	306	"	
	17.9				0.60	3237	TOP WALL	
	18.9				3.10	299	GR	
	42.2				9.80	232	TOE	
	52.2						WATERS EDGE	N. G. V. D.
608+0.0		18.8			12.10	209	TOE	0.47
		24.6			13.20	193	@ FENCE	-0.63
	9.4				2.31	3066	ASPHALT	10.23
	16.9				2.28	3069	"	10.26
	17.9				0.46	3251	TOP WALL	12.08
	18.9				2.90	3007	GR	9.64
	41.2				9.80	232	TOE	2.77
	52.4						WATERS EDGE	
TEM 609+0.0					0.46	32.51 ✓	(32.50)	
			3.78	36.29 36.28				
609+0.0		12.9			13.10	232	TOE	
		22.4			13.80	225	GR	
	9.6				5.73	3056	ASPHALT	
	17.6				5.60	307	"	
	18.3				3.77	3252	TOP WALL	
	19.3				5.90	304	GR	
	40.6				13.10	232	TOE	
	51.6						WATERS EDGE	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB METAIRIE RELIEF CANAL
 SHEET NO. JEFFERSON SIDE 22 OF _____
 CALCULATED BY _____ DATE 7-26-97
 CHECKED BY _____ DATE _____
 SCALE GS MD BS

STA	O/S L	O/S R	+	HI	-	ELEV	DESC
				36.28			
610+0.0		12.3			11.9	24.4	TOE
		22.3			12.6	23.7	GR
	9.7				5.45	30.84	ASPHALT
	17.7				5.31	30.93	"
	18.7				3.85	32.44	TOPWALL
	19.7				6.0	30.3	GR
	41.2				13.50	22.9	TOE
	50.7						WATERS EDGE
611+0.0		10.6			12.10	24.2	TOE
		20.6			12.90	23.4	GR
	9.9				5.53	30.76	ASPHALT
	17.9				5.43	30.86	"
	19.2				3.79	32.53	TOPWALL
	20.2				6.20	30.7	GR
	40.2				13.10	23.19	TOE
	48.6						WATERS EDGE
612+0.0		11.8			12.30	23.77	TOE
		21.8			12.90	23.4	GR
	10.0				5.71	30.53	ASPHALT
	17.5				5.55	30.74	"
	19.0				3.86	32.43	TOPWALL
	20.0				6.10	30.19	GR
	41.6				13.40	22.99	TOE
	52.6						WATERS EDGE
TBM 612+0.0					3.86	32.42	(32.42)
TBM 609+0.0			0.31	32.80		32.50	
					11.15	21.65	JPE 43C
			11.29	32.99			
612+0.0					0.47	32.42	(32.42)



WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 23 OF _____
 CALCULATED BY _____ DATE 2-26-97
 CHECKED BY _____ DATE _____
 SCALE GS MD BS

STA	O/S L	O/S R	T	H I	-	ELEV	DESC	
T&M 612+0.0			3.19	35.61		32.42		
613+0.0		12.9			11.0	24 ⁶	TOE	
		22.9			11.90	23 ⁸	GR	
	9.8				5.30	30 ³	ASPHALT	
	16.8				5.06	30 ⁵⁵	"	
	18.3				3.17	32 ⁴⁴	TOP WALL	
	19.3				5.70	29 ⁹¹	GR	
	41.4				12.60	23 ⁰	TOE	
							WATERS EDGE	
614+0.0		15.20			11.60	24 ²	TOE	
		25.5			12.80	22 ⁸	GR	
	8.5				5.56	30 ⁰⁵	ASPHALT	
	15.9				5.19	30 ⁴²	"	
	17.9				3.33	32 ²³	TOP WALL	
	18.6				6.10	29 ⁵	GR	
	36.5				12.60	23 ⁰	TOE	
							WATERS EDGE	
615+0.0		23.4			13.30	22 ³	TOE	
		26.3			14.20	21 ⁴	GR	
	8.4				5.43	30 ¹³	ASPHALT	
	16.0				5.20	30 ⁴	"	
	17.4				3.59	32 ⁰²	TOP WALL	
	18.4				6.00	29 ⁶	GR	
	38.2				12.60	23 ⁰	TOE	
							WATERS EDGE	
								<u>N.G.V.D.</u>
616+0.0		16.8			13.20	22 ⁴	TOE	1.97
		22.9			14.30	21 ³	GR	0.87
	8.2				5.65	29 ⁹⁶	ASPHALT	9.53
	15.6				5.14	30 ⁴⁷	"	10.04
	16.9				3.59	32 ⁰²	TOP WALL	11.59
	17.9				6.00	29 ⁶	GR	9.17
	39.2				12.70	22 ⁹	TOE	2.47
							WATERS EDGE	
T&M 616+0.0					3.59	32.02	(32.02)	

WALKER & AVERY, INC.

1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____

SHEET NO. 25 OF _____

CALCULATED BY _____ DATE 7-26-37

CHECKED BY _____ DATE _____

SCALE GS MD RS

STA	0% L	0% R	+	H I	-	ELEV	DESC	
				32.90				N.G.V.D.
620+0.0		17.3			11.10	21 ⁷⁰	TOE	1.27
		31.6			12.10	20 ⁶⁴	GR	.21
	5.9				2.16	30 ⁶⁶	ASPHALT	10.17
	13.9				2.04	30 ⁷⁶	"	10.33
	15.0				0.69	32 ¹¹	TOP WALL	11.68
	16.0				3.20	29 ⁶⁰	GR	9.17
	37.7				10.00	22 ³	TOE	2.37
							WATERS EDGE	
TBM 620+0.0			0.62	32.93	0.69	32.11	(32.11)	
621+0.0		20.40			10.50	22 ⁴³	TOE	
		34.7			12.90	20 ¹³	GR	
	4.1				2.48	30 ⁴⁵	ASPHALT	
	12.0				2.31	30 ⁶²	"	
	13.0				0.86	32 ⁰⁷	TOP WALL	
	14.0				3.30	29 ⁶	GR	
	38.0				10.20	22 ⁷	TOE	
							WATERS EDGE	
622+0.0		20.20			10.0	22 ⁹	TOE	
		36.20			12.40	20 ⁵	GR	
	2.70				2.41	30 ⁵²	ASPHALT	
	10.20				2.30	30 ⁶	"	
	11.10				0.71	32 ²²	TOP WALL	
	12.10				3.10	29 ⁸	GR	
	37.80				10.20	22 ⁷	TOE	
							WATERS EDGE	
623+0.0		0.60			2.59	30 ³⁴	ASPHALT	
		21.10			9.40	23 ⁵	TOE	
		36.4			11.70	21 ²	GR	
	7.4				2.34	30 ⁵⁹	ASPHALT	
	8.6				0.80	32 ¹³	TOP WALL	
	9.6				2.80	30 ¹	GR	
	36.6				10.40	22 ⁵	TOE	

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB METairie RELIEF CANAL
 SHEET NO. 26 OF _____
 CALCULATED BY _____ DATE 7-26-97
 CHECKED BY _____ DATE _____
 SCALE GS MD BS

STA	O/S L	O/S R	+	HI	-	ELEV	DESC
				32.93			N.G.V.D.
624+0.0		1.50			2.40	30.5	ASPHALT
		23.2			8.90	24.0	TOE
		36.6			10.00	22.9	GR
	5.80				2.07	30.86	ASPHALT
	6.6				0.59	32.34	TOP WALL
	7.6				3.00	29.9	GR
	33.80				10.10	22.3	TOE
							WATERS EDGE
625+0.0		4.10			2.89	30.04	ASPHALT
		12.2			3.93	29.05	"
		21.10			5.60	27.3	GR
		36.10			6.60	26.3	GR
	4.1				2.20	30.7	GR
	4.7				0.61	32.32	TOP WALL
	5.7				2.90	30.0	GR
	32.4				8.10	24.3	TOE
	50.9				9.80	23.1	WATERS EDGE
TBM 624+0.0					0.59	32.34 ✓	(32.34)

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB Metairie Relief Canal
 SHEET NO. 27 OF _____
 CALCULATED BY _____ DATE 3/4/37
 CHECKED BY _____ DATE _____
 SCALE _____

STA	9/5 L	9/5 R	+	HI	-	Elev.	Desc.	
TBM 628+00			2.79	3517		32.38	32.37	
627+00		2.6		5513	50	302	Crown	
		18			87	264	Toe	
		282			887	2631	Asphalt	
		357			916	2602	"	
		372			96	256	Gr.	
	53				500	302	Gr.	
	63				276	3242	Top wall	
	73				600	292	Gr.	
	234				112	237	Toe	
	444				125	227	Water edge	
628+00		25			53	299	Crown	<u>N.G.V.D</u> 9.47
		255			107	245	toe	4.07
		339			1227	2296	Asphalt	2.48
		412			1259	2257	"	2.16
		432			1280	224	Gr.	1.97
	46				50	302	Gr.	9.77
	56				278	24	Top wall	32.40
	66				540	298	Gr.	11.97
	274				1170	235	toe	9.37
	455				1290	2278	Water edge	3.07
629+00		34			54	298	Crown	2.35
		256			121	231	toe	
		372			1328	2190	Asphalt	
		450			1357	2161	"	
	36				52	300	Gr.	
	46				278	3240	Top wall	
	56				55	297	Gr.	
	261				120	232	Toe	
	441				119	233	Water edge	

WALKER & AVERY, INC.

1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB 1012-000 Rollin Canal
 SHEET NO. 29 OF _____
 CALCULATED BY _____ DATE 3/4/97
 CHECKED BY _____ DATE _____
 SCALE _____

STA	q/L	q/R	T	AI	-	Elev	DESC.	
630+00		43		35.17	51	30.1	Crown	
		29.2		35.13	122	23.0	top	
		41			135.2	21.0	Asphalt	
		48.6			139	21.3	"	
		50.6			144	21.2	Ground	
	32				52	30.2	Ground	
	44				273	32.45	Top wall	
	51				57	29.5	Gr	
	24.2				105	24.7	Top	
	39.2				113	23.9	waters edge	
631+00		35			51	30.1	Crown	
		30.4			129	22.3	top	
		43.5			141.7	21.0	Asphalt	
		50.2			144.2	20.7	"	
		57.2			146.0	20.4	Gr	
	40				500	30.2	Gr	
	48				272	32.46	Top wall	
	53				54	29.3	Gr	
	34.3				110	24.2	Top	
	38.3				113	23.9	waters edge	
632+00		14			48	30.4	Crown	N.G.V.D.
		31.3			122	23.0	top	9.97
		44.6			132.4	21.92	Asphalt	2.57
		52.2			137.3	21.4	"	1.49
		54.2			141	21.1	Gr	0.97
	52				46	30.6	Gr	0.67
	53				273	32.45	Top wall	10.17
	68				4.8	30.4	Gr	12.02
	32.4				108	24.4	top	9.97
	36.4				114	23.8	waters edge	3.97
TBM 632+00					273	32.44	(32.43)	3.37

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB Metairie Park Canal
 SHEET NO. 100 OF 100
 CALCULATED BY _____ DATE 5-31-70
 CHECKED BY _____ DATE _____
 SCALE _____

STA	1/2 L	1/2 R	+	HI	-	ELV	DESC.
TBM 632+00			349	3592		32.43	324+
633+00		06		3593	57	302	Crown
		23			120	232	Top
		44			1366	2227	Asphalt
		53			1428	2165	"
		54			148	211	Gr.
62					55	304	Gr.
66					345	3243	Top wall
76					58	301	Gr
500					105	254	Top
355					113	246	Waters Edge
634+00		10			530	304	Crown
		21			1230	236	Top
		44			1359	2234	Asphalt
		51			1384	2209	"
		53			1290	220	Gr
66					540	305	Gr.
74					345	3248	Top wall
84					56	303	Gr.
266					107	252	Top
331					114	245	Waters edge
635+00		25			127	232	Top
		44			1442	2151	Asphalt
		53			1493	2100	"
		55			1540	205	Ground
040					540	302	Crown
74					540	305	Gr
82					334	3259	Top wall
92					570	302	Gr
367					1130	246	Top
422					1160	243	Waters Edge

WALKER & AVERY, INC.

1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB Police - Canal
 SHEET NO. 30 OF _____
 CALCULATED BY _____ DATE 8/2/57
 CHECKED BY _____ DATE _____
 SCALE _____

STA	Q/SL	Q/R	+	HI	Elev	Desc	
63610				35.77			
		319		-93	164	195	Top
		455			1734	1859	Asphalt
		532			1765	1823	"
		552			177	132	Gr
	12				57	302	Crown
	85				54	305	Gr
	92				332	3260	Top wall
	102				58	301	Gr
	35B				113	241	Top
	47B				128	231	Waters edge
TBM 636100					332	3260	(3260)
			295	2555			
637100		371			174	185	Top
		461			1725	1830	Asphalt
		528			1752	1803	"
		548			174	132	Ground
	12				55	301	Crown
	94				51	305	Gr
	102				299	3256	Top wall
	112				50	306	Gr
	329				103	253	Top
	46				118	238	Waters edge
638100		380			156	202	Top
		468			1575	1983	Asphalt
		535			1598	1957	"
		555			163	193	Gr
	23				56	302	Crown
	95				52	304	Gr
	105				307	3248	Top wall
	115				57	299	Gr
	340				114	242	Top
	410				119	237	Waters edge

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB _____
 SHEET NO. 31 OF _____
 CALCULATED BY _____ DATE 3/15/57
 CHECKED BY _____ DATE _____
 SCALE _____

STA	CHL	Q/R	+	HI	-	ELV	DESC.
				3555			
639+00		3350		117	239		Gr 3.5
		465		137	224		Gr 2.0
	30			50	306		Crown 10.2
	94			46	312		Gr 10.0
	101			298	3252		Top wall 12.1
	111			46	312		Gr 10.0
	340			100	248		Top 4.4
	383			114	242		Water Edge -
				062	3493		(3493) ✓

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB 12E-1 W/ REFERENCE

SHEET NO. JEFFERSON SIDE OF 37

CALCULATED BY _____ DATE 3-19-97

CHECKED BY _____ DATE 3-19-97

SCALE AS MD BS

STA	% L	% R	+	HI	-	ELEV	DESC
TBM			8.59	35.96		30.27	JP #13 "D" CUT
643+0.0	29.00				19.70	24.16	TOE ----- 3.7
	1.20				5.39	33.47	ASPHALT ----- 13.0
		7.0			5.49	33.37	ASPHALT ----- 12.9
		53.00			18.40	20.46	TOE @ FENCE ----- 0
		63.00			18.90	19.96	GR ----- -0.5
TBM P-2					5.30	33.56	(33.57)
			5.41	38.97 39.95			<u>N.G.V.D.</u>
648+0.0	32.50				15.50	23.47	TOE ----- 3.04
	1.50				5.49	33.48	ASPHALT ----- 13.05
		7.20			5.70	33.27	ASPHALT ----- 12.84
		56.0			19.30	19.67	TOE ----- -0.76
		69.90			20.20	18.17	GR @ FENCE ----- -1.66
TBM P-3					5.51	33.46 33.47	(33.47) use 13.04
			5.33	38.90			
653+0.0	24.0				15.20	23.60	TOE ----- 3.17
	4.60				5.30	33.50	ASPHALT ----- 13.07
		3.70			5.40	33.40	ASPHALT ----- 12.97
		55.00			17.70	21.10	TOE ----- .67
		65.00			18.80	20.00	GR ----- -0.43
TBM P-4					5.15	33.62	(33.63) use
TBM P-5			5.40	38.89 39.88		33.49 33.49	add (0.01)
658+0.0	35.00				15.60	23.29	TOE ----- 2.86
	4.80				5.60	33.29	ASPHALT ----- 12.86
		3.70			5.60	33.29	ASPHALT ----- 12.86
		47.0			17.3	21.59	TOE ----- 1.16
		52.0			17.9	20.99	GR ----- .56
TBM P-6					5.20	33.68 33.68	(33.67)

WALKER & AVERY, INC.
 1315 FNBC Building
 NEW ORLEANS, LOUISIANA 70112
 Phone 581-6683

JOB ME-MORE RELIEF CANA
 SHEET NO. JEFFERSON SIDE OF 33
 CALCULATED BY _____ DATE 3-19-97
 CHECKED BY _____ DATE _____
 SCALE GS MD BS

STA	% L	% R	+	H I	-	ELEV	DESC
T&M.P-6			5.23	30.96 30.90		33.69 33.67	add (0.02')
663+0.0	31.90				15.70	23.12	TOE 2.79
	0.30				5.40	33.52	ASPHALT 13.09
		8.20			5.60	33.52	ASPHALT 12.89
		37.40			17.30	21.62	TOE@ FENCE 1.19
		47.40			17.80	21.12	GR .69
T&M.P-7					5.41	33.51 33.49	(33.49)
			5.42	38.93 38.91			
668+0.0	30.00				15.30	23.67	TOE 3.20
		0.50			5.60	33.33	ASPHALT 12.90
		9.20			5.60	33.33	ASPHALT 12.90
		42.00			16.60	16.73	TOE@ FENCE 7.90
		52.00			17.20	21.73	GR 1.30
T&M.P-8					5.48	33.45 33.43	(33.43)

N-G.V.D

WTA 9
 38.93
 - 16.60

 22.33
 - 20.43

 1.90