

Occupied

**Handwritten Notes and Spreadsheets
Reflecting Formaldehyde Tests on Occupied
Trailers**

March 28, 2006 – April 22, 2006

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wnd.	x	
Sofa Wnd.	x	
Dinette	x	
Bunk Wnd.	x	
Entry Door	x	
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner		
Smoke		

of Occupants

Post Ventilation: PPM Formaldemeter 400 Serial Number F3739							
Time:	Temp	Humidity	Temp	Humidity	PPM	PPM	DS Record
1:25	86.5°	38%	86.5°	38%	0.4	0.06	

Measurement Devise: PPM Formaldemeter 400 Serial Number F3739

Notes: Front door and windows open

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wnd.		
Sofa Wnd.		
Dinette		
Bunk Wnd.		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner		

	Yes	No
Smoke		

of Occupants:

Time	Q/S Ambient	Q/S Humidity	Inside Temp	Inside RH%	Record	Q/S Record
Post Ventilation:						
Time:	82.9°	37%	84°	39%	0.1	0.00

Measurement Device: PPM Formaldemeter 400 Serial Number F3739

Notes: Hoey, r/o 171802-roof leak and a/c problem
 Flour-225-391-2366
 St. Bernard, LA

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wnd.		
Sofa Wnd.		
Dinette		
Bunk Wnd.		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner		

	Yes	No
Smoke		

of Occupants

	O/S Ambient	O/S Humidity	Inside Temp	Inside RH%	Record	O/S Record
Post Ventilation:						
Time: 16:24	81.7°	43%			0.15	0.01

Measurement Devise: PPM Formaldemeter 400 Serial Number F3739

Notes: Only at first once opened up no problem

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wnd.		
Sofa Wnd.		
Dinette		
Bunk Wnd.		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner		

	Yes	No
Smoke		

of Occupants:

	Temp	Humidity	Temp	Humidity	CO2	Formaldehyde
Post Ventilation:						
Time:	16:35	82.6°	42%	79.9°	37%	0.2 0.00

Measurement Device: PPM Formaldemeter 400 Serial Number F3739

Notes:

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.

Record Location of Trailer.

Record Date and Time.

Record Outside Ambient Temperature and % Relative Humidity.

Open Bathroom Ceiling vent, activate vent fan.

Activate range Vent. (Make sure vent flap is unlocked and open)

Allow Both Fans to Operate for (15) Fifteen Minutes.

Record Ventilation Start / Stop Time.

Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wind		
Sofa Wind	x	
Dinette	x	
Bunk Wind		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner	x	

	Yes	No
Smoke		x

of Occupants:

Time	Temp	Humidity	CO	PM10	PM2.5	PM10/PM2.5	CO/PM2.5
Post Ventilation	82.8	45%	80.8	45%	0.54	0.0	
Time: 11:30 a.m.							

Measurement Device: PPM Formakdemeter 400 Serial Number F3739

Notes: 2-windows open (sofa & dinette); Has been in since Jan; Bauer nervous out of smoke alarm - went off; cold - started furnace; No problem with trailer; have any problems w/eye; nothing other than new smell; a/c on all windows closed; never came back to hook up electric.

FAX 269- [REDACTED] 11:30 AM

(21.)

80.6° F 45% RH.

F = .54 2 occupants

PC. 1291105

DOM. 1-13-06

54 - [REDACTED]

Windows open
of hallway

has been
in
since
Jan-

Never came back to health up all stairs

Burn mess out of
Smoke alarm went off.
Cold - started furnace.

82.8° F 45% RH outside

No problem w/ trailer.

Never any problem w/ eyes.

Nothing other than new
Smell

A/c on all windows closed.

(#2)

4th. [redacted] in tel 1 month

F = 32

11:45 AM.

86.5°F 43% RH inside

Tub leak.

BC. 1294731

DOM - 2115/0

57- [redacted]

Request to
2. [redacted]
of [redacted]
of [redacted]

87.8°F 44% RH O/S.

No complaints other
than tub leak.

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wind	x	
Sofa Wind	x	
Dinette		
Bunk Wind		
Entry Door		
Range Vent		
Bath Vent	x	

	On	Off
Roof Air Conditioner		

	Yes	No
Smoke		

# of Occupants	2
----------------	---

Post Ventilation Time:	O/S Ambient	O/S Humidity	Inside Temp	Inside RH%	Report	O/S Report
11:45a.m.	87.8°	44%	86.5°	49%	0.32	0.0

Measurement Device: PPM Formaldemeter 400 Serial Number: F3739

Notes: occupied for one month; no complaints other than tub leaks

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.

Record Location of Trailer.

Record Date and Time.

Record Outside Ambient Temperature and % Relative Humidity.

Open Bathroom Ceiling vent, activate vent fan.

Activate range Vent. (Make sure vent flap is unlocked and open)

Allow Both Fans to Operate for (15) Fifteen Minutes.

Record Ventilation Start / Stop Time.

Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wnd.		
Sofa Wnd.		
Dinette		
Bunk Wnd.		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner	x	

	Yes	No
Smoke		

of Occupants:

	O/S Ambient	O/S Humidity	Inside Temp	Inside RH%	Record	O/S Record
Post Ventilation:	90°	40%	78°	37%	0.55	0.0
Time: 12:00pm						

Measurement Devise: PPM Formaldemeter 400 Serial Number F3739

Notes: Moved in Feb; Burning; 2 tris; 1 w/furnace at door; other w/o on opposite side; lady knows; scratched ?; a/c on;

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wind.		
Sofa Wind.		
Dinette		
Bunk Wind.		
Entry Door		
Range Vent.		
Bath Vent.		

	On	Off
Roof Air Conditioner	x	

	Yes	No
Smoke		

of Occupants:

Time	O/S Ambient	O/S Humidity	Indoor Temp	Indoor RH%	Record	O/S Record
Post Ventilation:	80°	40%	75°	36%	0.61	0.0
Time: 12:30pm						

Measurement Devise: PPM Formaldemeter 400 Serial Number F3739

Notes:
 One wired, the other not; occupant wired unit to a 50 amp service

#3, Jan. 12:00 St. Bernard.

Worst in Feb.

Burning

2 tiles

1 w/ furnace at door

BC 1128884

Other w/o on opposite side

DOM 12-21-05

- Only known searched house

67- [redacted]

F = .55

90°F 40% RH outside

78°F 37% RH in

A/C on

#4

12:30pm

one wired the other not.

BC 1354652

occupant wired into 50 Amp serv.

Via 51- [redacted]

DOM 3-7-06

A/C on

F = .61

90°F 40% RH outside

75°F 36% RH inside

0.00
0/S

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.

Record Location of Trailer.

Record Date and Time.

Record Outside Ambient Temperature and % Relative Humidity.

Open Bathroom Ceiling vent, activate vent fan.

Activate range Vent. (Make sure vent flap is unlocked and open)

Allow Both Fans to Operate for (15) Fifteen Minutes.

Record Ventilation Start / Stop Time.

Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wnd.		
Sofa Wnd.		
Dinette		
Bunk Wnd.		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner	x	

	Yes	No
Smoke		

of Occupants:

Time	Q/S Ambient	Q/S Humidity	Inside Temp.	Inside RH%	Record	Q/S Record
Post Ventilation:	86.9°	40%	82°	39%	0.38	0.00

Measurement Device: PPM Formaldemeter 400 Serial Number F3739

Notes: 2 adults; 14 yr old & dog; moved in March; curtain falls off; no complaints; fire ext fell off; dinette styles peeling; fabric wearing; panel loose; big mattress-no access to bed box; shift bed & larger 12v bulbs-burnt out

#5 in March.

BC. 1129085

SER# 62 - [REDACTED]

DOM 12/22/05

Alcon
2 occupants

Curtain falls off

No complaints

Fire Expt. fell off.

direct style peeling
fabric wearing.

panel loose.

Big mattress - no access
to back seat - shift
bed. & larger.

- 12V bulbs - burnt out. -

82°F - 39% RH inside

F ~~...~~ = .38

2 Adults
14 yr old
& dog

0.00 O/S

86.9°F 40% RH.

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.
 Record Location of Trailer.
 Record Date and Time.
 Record Outside Ambient Temperature and % Relative Humidity.
 Open Bathroom Ceiling vent, activate vent fan.
 Activate range Vent. (Make sure vent flap is unlocked and open)
 Allow Both Fans to Operate for (15) Fifteen Minutes.
 Record Ventilation Start / Stop Time.
 Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wind.		
Sofa Wind.		
Dinetta		
Bunk Wind.		
Entry Door		
Range Vent.		
Bath Vent.		

	On	Off
Roof Air Conditioner	x	

	Yes	No
Smoke	x	

of Occupants:

	O/S Ambient	O/S Humidity	Inside Temp	Inside RH%	Record	O/S Record
Post Ventilation:	84.8°	40%	75°	35%	0.18	0.00
Time:						

Measurement Device: PPM Formaldemeter 400 Serial Number F3739

Notes: 5 months in; 3 months w/electric; 7 occupants; 5 kids; 2 adults; CO detector ok; smokes; a/c on; no windows open

(47)

Beu 5 month in
3 month w/ 2 rest.

1128059

7 occupants.

DOM - 12-16-05

5 Kids.

2 Adults

CO₂ detector - OK.

SER. 51- [REDACTED] -

94.8F 40% RH 0/5 -

F = .18

Smokes.

75°F - 35% RH inside

A/C on No Wind
open

0.00 Outside

Activated Trailer Record

Record Unit Serial Number and BC Control Number before entry into trailer.

Record Location of Trailer.

Record Date and Time.

Record Outside Ambient Temperature and % Relative Humidity.

Open Bathroom Ceiling vent, activate vent fan.

Activate range Vent. (Make sure vent flap is unlocked and open)

Allow Both Fans to Operate for (15) Fifteen Minutes.

Record Ventilation Start / Stop Time.

Record Measurement Inside and Out

Record Unit Serial Number:

Record BC Number:

Location of Trailer:

DOM:

Record Date:

Record Time:

Ventilation Start Time:

Ventilation Stop Time:

Activation Date:

	Open	Closed
Bedroom Wind		
Sofa Wind		
Dinettes		
Bunk Wind		
Entry Door		
Range Vent		
Bath Vent		

	On	Off
Roof Air Conditioner	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	Yes	No
Smoke	<input type="checkbox"/>	<input type="checkbox"/>

of Occupants:

Time	Temp	Humidity	Temp	Humidity	CO2	CO
Post Ventilation:	81.8°	30%	75°	30%	0.62	0.00

Measurement Device: PPM Formaldemeter 400 Serial Number F3789

Notes: In trailer one week; no problems at first; washed walls down with dish soap and water; a/c on 24/7; 2 occupants & small dog

(10)

in the 1 wk.
No problems -
at first - Washed walls
down w/ dish soap
& water.

BC - 1357160

DOM - 3/22/06

Sen. 67 - [REDACTED]

A/c on
2 occupants

91.9°F 39% Outside

A/c 24/7

$\delta = .62$

75°F 39% RH - inside

0.00 Outside 2 occupants
& small dog.