

---

---

**Missouri River**  
**Master Water Control Manual**  
*Review and Update*

---

**Final**  
**Environmental Impact Statement**  
**Volume II: Main Report, Part 2**



U.S. Army Corps  
of Engineers  
Northwestern Division

March 2004

---

---

The following FEIS materials are available to members of the public upon request:

### Bound Copies

- Volume I, FEIS, Part 1—This volume contains Chapters 1 through 5 of the FEIS.
- Volume II, FEIS, Part 2—This volume contains Chapters 6 through 13 of the FEIS.
- Volume III, Appendix A, Tribal, Part 1—This volume describes Tribal consultation regarding the Master Manual Study, contains a record of Tribal communications, and contains copies of the actual correspondence with the Tribes.
- Volume IV, Appendix A, Tribal, Part 2—This volume contains copies of the remaining correspondence with the Tribes.
- Volume V, Appendix B, Water Quality and Appendix C, Biological Assessment—This volume contains detailed water quality information and the Corps' Final Biological Assessment on the operation of the Missouri River Mainstem Reservoir System, the Operation and Maintenance of the Bank Stabilization and Navigation Project, and the Operation of the Kansas River Reservoir System.
- Volume VI, Appendix D, RDEIS Comments and Responses, Part 1—This volume contains an overview of the RDEIS public comment process, a summary of the public comments received, and responses to public comments.
- Volume VII, Appendix D, RDEIS Comments and Responses, Part 2—This volume contains copies of RDEIS comment letters from Federal agencies, Tribal groups, State agencies, local agencies, non-governmental organizations, and businesses.
- Volume VIII, Appendix D, RDEIS Comments and Responses, Part 3—This volume contains copies of RDEIS comment letters from private citizens.
- Volume IX, Appendix D, RDEIS Comments and Responses, Part 4—This volume contains copies of the RDEIS public hearing transcripts.

### CDs

- CD 1 contains Volumes I through V (FEIS and Appendices A-C).
- CD 2 contains Volumes VI through IX (Appendix D, RDEIS Comments and Responses).

To request a copy of any of the FEIS materials described here, please contact the Corps (see the back cover – For More Information). These materials are also available for review at a number of libraries throughout the region. Please log on to our Web site to find the library nearest you: <http://www.usace.army.mil>

## TABLE OF CONTENTS

### Volume 1: Main Report

1.	<b>INTRODUCTION</b>	1-1
1.1	Background and Authority	1-1
1.2	Purpose and Need	1-2
1.3	History of the Study and NEPA Process	1-2
1.4	Public Concerns and Issues	1-7
1.5	American Indian Tribes and the Master Manual Revision	1-9
2.	<b>CURRENT AND ALTERNATIVE WATER CONTROL PLANS</b>	2-1
2.1	Current Water Control Plan	2-1
2.2	Alternatives Formulation	2-8
3.	<b>DESCRIPTION OF EXISTING ENVIRONMENT</b>	3-1
3.1	General Description of the Missouri River—Fort Peck Lake to St. Louis	3-1
3.2	The Mainstem Reservoir System and Lower River	3-5
3.3	Water in Storage and River Flows	3-11
3.4	Sedimentation, Erosion, and Ice Processes	3-19
3.5	Water Quality	3-27
3.6	Wetland and Riparian Vegetation	3-59
3.7	Wildlife Resources	3-77
3.8	Fish	3-91
3.9	Flood Control	3-103
3.10	Water Supply	3-111
3.11	Hydropower	3-119
3.12	Recreation	3-125
3.13	Navigation	3-143
3.14	Socioeconomics	3-147
3.15	Historic Properties	3-165
4.	<b>ALTERNATIVES SUBMITTED TO THE CORPS FOR CONSIDERATION</b>	4-1
4.1	Introduction	4-1
4.2	Summary of Alternatives Submitted for Corps Consideration	4-3
4.3	Summary of Missouri River Issues	4-10
5.	<b>EFFECTS OF ALTERNATIVES SUBMITTED TO THE CORPS FOR CONSIDERATION</b>	5-1
5.1	Introduction	5-1
5.2	Mainstem Reservoir System Hydrology	5-3
5.3	Sedimentation, Erosion, and Ice Processes	5-23
5.4	Water Quality	5-25
5.5	Wetland and Riparian Habitat	5-37
5.6	Wildlife Resources	5-47
5.7	Fish Resources	5-53
5.8	Flood Control, Interior Drainage, and Groundwater Impacts	5-85
5.9	Water Supply	5-101
5.10	Hydropower	5-107
5.11	Recreation	5-117
5.12	Navigation	5-125
5.13	Total National Economic Development Economics	5-131
5.14	Historic Properties	5-135

## TABLE OF CONTENTS (CONTINUED)

---

5.15	Mississippi River Impacts	5-141
5.16	Summary of Impacts of Submitted Alternatives to American Indian Tribes	5-159
5.17	Summary of Impacts of Alternatives Submitted to the Corps for Consideration	5-167

## Volume II: Main Report, Part 2

<b>6.</b>	<b>SELECTION OF ALTERNATIVES FOR DETAILED ANALYSIS</b>	<b>6-1</b>
6.1	Introduction	6-1
6.2	Formulation of the Alternatives for Detailed Presentation	6-2
6.3	Features of the Modified Conservation Plan	6-6
6.3.1	Adaptive Management	6-6
6.3.2	Drought Conservation Measures	6-6
6.3.3	Intrasystem Unbalancing	6-6
6.3.4	Fort Peck Dam Flow Changes	6-6
6.3.5	Gavins Point Dam Flow Changes	6-7
6.4	Features of the Four GP Options	6-9
6.5	Other Activities Following Receipt of the USFWS Biological Opinion	6-9
6.5.1	Implementation of the USFWS Biological Opinion	6-10
6.5.2	Navigation	6-10
6.5.3	Power	6-10
6.5.4	Mississippi River Concerns	6-11
6.5.5	Depletions	6-11
6.5.6	Uncertainties Associated with RDEIS Analyses	6-11
6.5.7	Considerations for Development of An Adaptive Management Strategy for Restoration of the Missouri River Ecosystem	6-12
<b>7.</b>	<b>EFFECTS OF ALTERNATIVES SELECTED FOR DETAILED ANALYSIS</b>	<b>7-1</b>
7.1	Introduction	7-1
7.2	Mainstem Reservoir System Hydrology	7-3
7.2.1	Mainstem Reservoir System Storage and Lake Elevations	7-3
7.2.2	Fort Peck Dam Release	7-5
7.2.3	Lake Sakakawea Elevations	7-5
7.2.4	Bismarck Flow Duration	7-6
7.2.5	Gavins Point Dam Release	7-7
7.2.6	Nebraska City Flow Duration	7-8
7.2.7	Boonville Flow Duration	7-8
7.3	Sedimentation, Erosion, and Ice Processes	7-23
7.3.1	Sedimentation and Erosion	7-23
7.3.2	Ice Processes	7-23
7.4	Water Quality	7-25
7.4.1	Water Quality in the Lakes of the Mainstem Reservoir System	7-25
7.4.2	Water Quality in the River Reaches of the Missouri River	7-25
7.4.3	Water Quality for Tribal Reservations	7-33
7.5	Wetland and Riparian Habitat	7-35
7.5.1	Wetland Habitat	7-35
7.5.2	Riparian Habitat	7-38
7.6	Wildlife Resources	7-47
7.6.1	Riverine Tern and Plover Habitat	7-47
7.6.2	Lake Tern and Plover Habitat	7-49
7.6.3	Tern and Plover Habitat for Seven Tribal Reservations	7-51
7.7	Fish Resources	7-59
7.7.1	Young Fish Production in Mainstem Lakes	7-59

## TABLE OF CONTENTS (CONTINUED)

7.7.2	Coldwater Fish Habitat in Mainstem Lakes	7-61
7.7.3	Coldwater Fish Habitat in River Reaches	7-62
7.7.4	Warmwater Fish Habitat in River Reaches	7-64
7.7.5	Physical Habitat for Native River Fish	7-65
7.7.6	Missouri River Connectivity to Low-Lying Lands during the Spring Rise	7-66
7.7.7	Shallow Water Habitat Along the Lower River	7-69
7.7.8	Spawning Cue for the Lower River	7-71
7.7.9	Fish Resources for Tribal Reservations	7-74
<b>7.8</b>	<b>Flood Control, Interior Drainage, and Groundwater Impacts</b>	<b>7-99</b>
7.8.1	Flood Control	7-99
7.8.2	Interior Drainage	7-102
7.8.3	Groundwater	7-106
<b>7.9</b>	<b>Water Supply</b>	<b>7-153</b>
7.9.1	Water Supply for Tribal Reservations	7-155
<b>7.10</b>	<b>Hydropower</b>	<b>7-159</b>
7.10.1	Hydropower Economic Benefits	7-159
7.10.2	Power at Risk	7-163
7.10.3	Hydropower Revenue Impacts to the Upper Great Plains Region of WAPA and its Customers	7-167
<b>7.11</b>	<b>Recreation</b>	<b>7-183</b>
7.11.1	Recreation for Tribal Reservations	7-186
<b>7.12</b>	<b>Navigation</b>	<b>7-191</b>
<b>7.13</b>	<b>Total NED Economics</b>	<b>7-197</b>
<b>7.14</b>	<b>Historic Properties</b>	<b>7-201</b>
7.14.1	Historic Properties for Tribal Reservations	7-203
<b>7.15</b>	<b>Mississippi River Impacts</b>	<b>7-207</b>
7.15.1	Hydraulic Impacts on the Mississippi River	7-207
7.15.2	Middle Mississippi River Environmental Resources	7-210
7.15.3	Dredging	7-212
7.15.4	Navigation	7-215
7.15.5	Mississippi River Channel Improvement Features, Mouth of Missouri River to Gulf of Mexico	7-215
<b>7.16</b>	<b>Summary of Impacts of Alternatives Selected for Detailed Analysis to American Indian Tribes</b>	<b>7-231</b>
<b>7.17</b>	<b>Summary of Impacts of Alternatives Selected for Detailed Analysis</b>	<b>7-239</b>
<b>7.18</b>	<b>Cumulative Impacts</b>	<b>7-241</b>
7.18.1	Complexities in Selecting a Water Control Plan and Need for Awareness of Water Level Changes	7-241
7.18.2	Need for Awareness of Water Level Changes	7-242
7.18.3	Projects Currently Being Considered	7-244
<b>7.19</b>	<b>Depletion Analysis</b>	<b>7-247</b>
<b>7.20</b>	<b>Modifications that could be Included in the GP Options</b>	<b>7-251</b>
7.20.1	Constrain Higher Spring Flows while Moving Some Spring Rises to Extended Droughts	7-251
7.20.2	Switch to Navigation Targets to Conserve Water in the System During Extended Droughts	7-252
<b>8.</b>	<b>SELECTION OF THE PREFERRED ALTERNATIVE AND DESCRIPTION OF ITS EFFECTS</b>	<b>8-1</b>
<b>8.1</b>	<b>Introduction</b>	<b>8-1</b>
<b>8.2</b>	<b>Description of the PA</b>	<b>8-5</b>
8.2.1	Drought Conservation Measures	8-5
8.2.2	Unbalancing of the Upper Three Lakes	8-5
8.2.3	Summer Non-Navigation Service Level	8-6
8.2.4	Three-Year Re-Evaluation	8-6

## TABLE OF CONTENTS (CONTINUED)

---

<b>8.3</b>	<b>Effects of the PA</b>	<b>8-9</b>
8.3.1	Comparison of Average Annual Effects of the MCP and PA	8-9
8.3.2	Comparison of CWCP and PA Effects	8-10
<b>8.4</b>	<b>Future Depletions Analysis</b>	<b>8-51</b>
<b>8.5</b>	<b>Mitigation and Monitoring</b>	<b>8-53</b>
8.5.1	Mitigation	8-53
8.5.2	Monitoring	8-54
<b>9.</b>	<b>ENVIRONMENTAL STATUTES, EXECUTIVE ORDERS, AND GUIDANCE</b>	<b>9-1</b>
<b>9.1</b>	<b>National Environmental Policy Act</b>	<b>9-1</b>
<b>9.2</b>	<b>Endangered and Threatened Species and Critical Habitat</b>	<b>9-2</b>
<b>9.3</b>	<b>Fish and Wildlife Conservation</b>	<b>9-2</b>
9.3.1	Fish and Wildlife Coordination Act	9-2
9.3.2	Migratory Bird Conservation Act	9-2
<b>9.4</b>	<b>Heritage Conservation</b>	<b>9-3</b>
9.4.1	National Historic Preservation Act	9-3
9.4.2	Archeological Resources Protection Act	9-4
9.4.3	Native American Graves Protection and Repatriation Act	9-5
9.4.4	American Indian Religious Freedom Act	9-5
9.4.5	Executive Order 13007 Indian Sacred Sites	9-6
<b>9.5</b>	<b>State, Area-Wide, and Local Plan and Program Consistency</b>	<b>9-6</b>
<b>9.6</b>	<b>Environmental Justice</b>	<b>9-6</b>
<b>9.7</b>	<b>Flood Plain Management</b>	<b>9-6</b>
<b>9.8</b>	<b>Wetlands Protection</b>	<b>9-7</b>
<b>9.9</b>	<b>Farmland Protection</b>	<b>9-7</b>
9.9.1	Farmland Protection Policy Act	9-7
9.9.2	CEQ Memorandum, August 11, 1990, on Analysis of Impacts on Prime or Unique Agricultural Lands	9-7
<b>9.10</b>	<b>Recreation Resources</b>	<b>9-7</b>
9.10.1	Wild and Scenic Rivers Act	9-7
9.10.2	Water Resources Development Act	9-8
9.10.3	Federal Water Project Recreation Act	9-8
9.10.4	Land and Water Conservation Fund Act	9-8
<b>9.11</b>	<b>Navigable Waters</b>	<b>9-8</b>
<b>9.12</b>	<b>Pollution Control at Federal Facilities</b>	<b>9-8</b>
9.12.1	Federal Water Pollution Control Act (Clean Water Act)	9-8
9.12.2	Clean Air Act	9-9
<b>9.13</b>	<b>Tribal</b>	<b>9-10</b>
9.13.1	Description	9-10
<b>9.14</b>	<b>Flood Control Act of 1944</b>	<b>9-10</b>
<b>9.15</b>	<b>Executive Order #13211 on Actions Concerning Regulations that Significantly Affect Energy Supply, Distribution or Use</b>	<b>9-11</b>
<b>10.</b>	<b>GLOSSARY AND ACRONYMS</b>	<b>10-1</b>
<b>11.</b>	<b>REFERENCES</b>	<b>11-1</b>
<b>12.</b>	<b>LIST OF PREPARERS</b>	<b>12-1</b>
<b>13.</b>	<b>DISTRIBUTION LIST</b>	<b>13-1</b>

**List of Appendices**

**Appendix A, Tribal Information**

Part 1 is in Volume III.

Part 2 is in Volume IV.

**Appendix B, Water Quality**

Appendix B is in Volume V.

**Appendix C, Biological Assessment**

Appendix C is in Volume V.

**Appendix D, RDEIS Comments and Responses**

Part 1 (overview and responses) is in Volume VI.

Part 2 ( comment documents from Federal agencies, Tribal groups, State agencies, local agencies, non-governmental organizations, and businesses) is in Volume VII.

Part 3 (copies of comment documents from private citizens) is in Volume VIII.

Part 4 (copies of RDEIS public hearing transcripts) is in Volume IX.

**TABLE OF CONTENTS (CONTINUED)**

---

This page is intentionally left blank.



## LIST OF FIGURES

See Volume I: Main Report, Part 1 for a list of figures in Sections 1 to 5.

<b>Figure 6.5-1.</b>	A legislative proposal for bay-delta ecosystem restoration.	6-16
<b>Figure 7.2-1.</b>	Number of days in May/June that Fort Peck Dam releases exceed target for CWCP, MCP, and GP1528.	7-9
<b>Figure 7.2-2.</b>	Number of days in May/June that Fort Peck Dam releases exceed target for GP1528 and GP2021.	7-9
<b>Figure 7.2-3.</b>	Number of days in May/June that Fort Peck Dam releases exceed target for GP1528, GP1521, and GP2028.	7-10
<b>Figure 7.2-4.</b>	Number of days per year Lake Sakakawea is below elevation 1,825 feet: 1930 to 1941 drought.	7-10
<b>Figure 7.2-5.</b>	Number of days per year Lake Sakakawea is below elevation 1,825 feet: 1954 to 1961 drought.	7-11
<b>Figure 7.2-6.</b>	Number of days per year Lake Sakakawea is below elevation 1,825 feet: 1987 to 1993 drought.	7-11
<b>Figure 7.2-7.</b>	Missouri River at Bismarck: Number of days flows exceed 55 kcfs, April to June for CWCP, MCP, and GP1528.	7-12
<b>Figure 7.2-8.</b>	Missouri River at Bismarck: Number of days flows exceed 55 kcfs, April to June for GP1528 and GP2021.	7-12
<b>Figure 7.2-9.</b>	Missouri River at Bismarck: Number of days flows exceed 55 kcfs, April to June for GP1528, GP1521, and GP2028.	7-13
<b>Figure 7.2-10.</b>	Gavins Point Dam release duration, January.	7-13
<b>Figure 7.2-11.</b>	Gavins Point Dam release duration, February.	7-14
<b>Figure 7.2-12.</b>	Gavins Point Dam release duration, March.	7-14
<b>Figure 7.2-13.</b>	Gavins Point Dam release duration, April.	7-15
<b>Figure 7.2-14.</b>	Gavins Point Dam release duration, May.	7-15
<b>Figure 7.2-15.</b>	Gavins Point Dam release duration, June.	7-16
<b>Figure 7.2-16.</b>	Gavins Point Dam release duration, July.	7-16
<b>Figure 7.2-17.</b>	Gavins Point Dam release duration, August.	7-17
<b>Figure 7.2-18.</b>	Gavins Point Dam release duration, September.	7-17
<b>Figure 7.2-19.</b>	Gavins Point Dam release duration, October.	7-18
<b>Figure 7.2-20.</b>	Gavins Point Dam release duration, November.	7-18
<b>Figure 7.2-21.</b>	Gavins Point Dam release duration, December.	7-19
<b>Figure 7.2-22.</b>	Missouri River at Nebraska City: Number of days flows exceed 55 kcfs, April to July for CWCP, MCP, and GP1528.	7-19
<b>Figure 7.2-23.</b>	Missouri River at Nebraska City: Number of days flows exceed 55 kcfs, April to July for GP1528 and GP2021.	7-20
<b>Figure 7.2-24.</b>	Missouri River at Nebraska City: Number of days flows exceed 55 kcfs, April to July for GP1528, GP1521, and GP2028.	7-20
<b>Figure 7.2-25.</b>	Missouri River at Boonville: Number of days flows exceed 90 kcfs, May to June for CWCP, MCP, and GP1528.	7-21
<b>Figure 7.2-26.</b>	Missouri River at Boonville: Number of days flows exceed 90 kcfs, May to June for GP1528 and GP2021.	7-21
<b>Figure 7.2-27.</b>	Missouri River at Boonville: Number of days flows exceed 90 kcfs, May to June for GP1528, GP1521, and GP2028.	7-22
<b>Figure 7.5-1.</b>	Average annual wetland habitat (thousands of acres) for the submitted alternatives and the alternatives.	7-42
<b>Figure 7.5-2.</b>	Annual wetland vegetation acres for CWCP, MCP, and GP1528.	7-42

## LIST OF FIGURES (CONTINUED)

---

<b>Figure 7.5-3.</b>	Annual wetland vegetation acres for GP1528 and GP2021.	7-43
<b>Figure 7.5-4.</b>	Annual wetland vegetation acres for GP1528, GP2028, and GP1521.	7-43
<b>Figure 7.5-5.</b>	Annual riparian habitat (thousands of acres) for the submitted alternatives and the alternatives.	7-44
<b>Figure 7.5-6.</b>	Annual riparian vegetation acres for CWCP, MCP, and GP1528.	7-44
<b>Figure 7.5-7.</b>	Annual riparian vegetation acres for GP1528 and GP2021.	7-45
<b>Figure 7.5-8.</b>	Annual riparian vegetation acres for GP1528, GP2028, and GP1521.	7-45
<b>Figure 7.6-1.</b>	Average annual riverine tern and plover habitat for the submitted alternatives and the alternatives (acres).	7-53
<b>Figure 7.6-2.</b>	Annual riverine tern and plover habitat for CWCP, MCP, and GP1528.	7-53
<b>Figure 7.6-3.</b>	Annual riverine tern and plover habitat for GP1528 and GP2021.	7-54
<b>Figure 7.6-4.</b>	Annual riverine tern and plover habitat for GP1528, GP2028, and GP1521.	7-54
<b>Figure 7.6-5.</b>	Missouri River at Sioux City, sediment yield distribution for the alternatives.	7-55
<b>Figure 7.6-6.</b>	Average annual lake tern and plover habitat for the alternatives (acres).	7-55
<b>Figure 7.6-7.</b>	Annual lake tern and plover habitat for CWCP, MCP, and GP1528.	7-56
<b>Figure 7.6-8.</b>	Annual lake tern and plover habitat for GP1528 and GP2021.	7-56
<b>Figure 7.6-9.</b>	Annual lake tern and plover habitat for GP1528, GP2028, and GP1521.	7-57
<b>Figure 7.7-1.</b>	Average annual young fish production index values for submitted alternatives and the alternatives.	7-78
<b>Figure 7.7-2.</b>	Annual values for young fish production in the mainstem lakes for CWCP, MCP, and GP1528.	7-79
<b>Figure 7.7-3.</b>	Annual values for young fish production in the mainstem lakes for GP1528 and GP2021.	7-79
<b>Figure 7.7-4.</b>	Annual values for young fish production in the mainstem lakes for GP1528, GP2028, and GP1521.	7-80
<b>Figure 7.7-5.</b>	Average annual coldwater fish habitat in the mainstem lakes for submitted alternatives and the alternatives (MAF).	7-80
<b>Figure 7.7-6.</b>	Annual coldwater fish habitat in the mainstem lakes for CWCP, MCP, and GP1528.	7-81
<b>Figure 7.7-7.</b>	Annual coldwater fish habitat in the mainstem lakes for GP1528 and GP2021.	7-81
<b>Figure 7.7-8.</b>	Annual coldwater fish habitat in the mainstem lakes for GP1528, GP2028, and GP1521.	7-82
<b>Figure 7.7-9.</b>	Average annual coldwater fish habitat in the river reaches for submitted alternatives and the alternatives (miles).	7-82
<b>Figure 7.7-10.</b>	Annual coldwater fish habitat in the river reaches for CWCP, MCP, and GP1528.	7-83
<b>Figure 7.7-11.</b>	Annual coldwater fish habitat in the river reaches for GP1528 and GP2021.	7-83
<b>Figure 7.7-12.</b>	Annual coldwater fish habitat in the river reaches for GP1528, GP2028, and GP1521.	7-84
<b>Figure 7.7-13.</b>	Average annual warmwater fish habitat in the river reaches for submitted alternatives and the alternatives (miles).	7-84
<b>Figure 7.7-14.</b>	Annual warmwater fish habitat in the river reaches for CWCP, MCP, and GP1528.	7-85
<b>Figure 7.7-15.</b>	Annual warmwater fish habitat in the river reaches for GP1528 and GP2021.	7-85
<b>Figure 7.7-16.</b>	Annual warmwater fish habitat in the river reaches for GP1528, GP2028, and GP1521.	7-86
<b>Figure 7.7-17.</b>	Average annual native river fish physical habitat index values for submitted alternatives and the alternatives.	7-86
<b>Figure 7.7-18.</b>	Annual values for native river fish physical habitat for CWCP, MCP, and GP1528.	7-87
<b>Figure 7.7-19.</b>	Annual values for native river fish physical habitat for GP1528 and GP2021.	7-87
<b>Figure 7.7-20.</b>	Annual values for native river fish physical habitat for GP1528, GP2028, and GP1521.	7-88
<b>Figure 7.7-21.</b>	Acres of connectivity for 2 days during May and June.	7-88

## LIST OF FIGURES (CONTINUED)

<b>Figure 7.7-22.</b>	Acres of connectivity for 2 days in May and June (25th percentile) for the submitted alternatives and the alternatives.	7-89
<b>Figure 7.7-23.</b>	Duration plot of shallow water habitat (acres/mile) during the mid-July to mid-August period, Sioux City reach.	7-89
<b>Figure 7.7-24.</b>	Expected daily shallow water habitat for river fish.	7-90
<b>Figure 7.7-25.</b>	Shallow water habitat (acres), Sioux City to the Osage River for submitted alternatives and the alternatives.	7-90
<b>Figure 7.7-26.</b>	Annual average daily acres of shallow habitat from Sioux City to the Grand River from mid-July to mid-August for CWCP and MCP.	7-91
<b>Figure 7.7-27.</b>	Annual average daily acres of shallow habitat from Sioux City to the Grand River from mid-July to mid-August for MCP and GP1528.	7-91
<b>Figure 7.7-28.</b>	Annual average daily acres of shallow habitat from Sioux City to the Grand River from mid-July to mid-August for GP1528 and GP2021.	7-92
<b>Figure 7.7-29.</b>	Duration plot of spawning cue length during May and June for CWCP.	7-92
<b>Figure 7.7-30.</b>	Duration plot of spawning cue length during May and June at Sioux City for CWCP, MCP, GP options, and ROR scenario.	7-93
<b>Figure 7.7-31.</b>	Percent of years with a 21-day spawning cue at Lower River gaging stations for CWCP, MCP, GP options, and ROR scenario.	7-93
<b>Figure 7.7-32.</b>	Percent of years that a 21-day spawning cue is provided.	7-94
<b>Figure 7.7-33.</b>	Percent of years that a 14-day spawning cue is provided.	7-94
<b>Figure 7.7-34.</b>	Percent of years that a 7-day spawning cue is provided.	7-95
<b>Figure 7.7-35.</b>	Annual values for spawning cue length and shallow water habitat at Sioux City for MCP.	7-95
<b>Figure 7.7-36.</b>	Annual values for spawning cue length and shallow water habitat at Sioux City for GP1528.	7-96
<b>Figure 7.7-37.</b>	Annual values for spawning cue length and shallow water habitat at Sioux City for GP2021.	7-96
<b>Figure 7.7-38.</b>	Percent of years when spawning cue length and shallow water habitat (2 acres/mile) coincide at Sioux City.	7-97
<b>Figure 7.7-39.</b>	Percent of years when spawning cue length and shallow water habitat (3 acres/mile) coincide at Nebraska City.	7-97
<b>Figure 7.7-40.</b>	Percent of years when spawning cue length and shallow water habitat (15 acres/mile) coincide at Boonville.	7-98
<b>Figure 7.8-1.</b>	Average annual flood control benefits for submitted alternatives and the alternatives (\$millions).	7-111
<b>Figure 7.8-2.</b>	Annual flood control benefits for CWCP, MCP, and GP1528.	7-112
<b>Figure 7.8-3.</b>	Annual flood control benefits for GP1528 and GP2021.	7-112
<b>Figure 7.8-4.</b>	Annual flood control benefits for GP1528, GP2028, and GP1521.	7-113
<b>Figure 7.8-5.</b>	Average annual interior drainage damages for submitted alternatives and the alternatives (\$millions).	7-113
<b>Figure 7.8-6.</b>	Annual interior drainage damages for CWCP, MCP, and GP1528.	7-114
<b>Figure 7.8-7.</b>	Annual interior drainage damages for GP1528 and GP2021.	7-114
<b>Figure 7.8-8.</b>	Annual interior drainage damages for GP1528, GP2028, and GP1521.	7-115
<b>Figure 7.8-9.</b>	Average annual interior drainage damages for site L575 by season and total .	7-115
<b>Figure 7.8-10.</b>	Average annual spring damages at site L575 versus amount of spring rise.	7-116
<b>Figure 7.8-11.</b>	Summer interior drainage damages at site L575 versus summer average Gavins Point Dam release.	7-116

## LIST OF FIGURES (CONTINUED)

---

<b>Figure 7.8-12.</b> Average annual interior drainage damages for the post-September 6 timeframe at site L575 versus average May through August release from Gavins Point Dam.	7-117
<b>Figure 7.8-13.</b> Average annual groundwater damages for submitted alternatives and the alternatives (\$millions).	7-117
<b>Figure 7.8-14.</b> Annual groundwater damages for CWCP, MCP, and GP1528.	7-118
<b>Figure 7.8-15.</b> Annual groundwater damages for GP1528 and GP2021.	7-118
<b>Figure 7.8-16.</b> Annual groundwater damages for GP1528, GP2028, and GP1521.	7-119
<b>Figure 7.8-17.</b> Average annual seasonal groundwater crop damages at site L575 by season and total.	7-119
<b>Figure 7.8-18.</b> Average annual spring groundwater crop damages at site L575 versus amount of the Gavins Point Dam spring rise.	7-120
<b>Figure 7.8-19.</b> Average annual fall groundwater crop damages at site L575 versus amount of the Gavins Point Dam spring rise.	7-120
<b>Figure 7.8-20.</b> Average annual total groundwater crop damages at site L575 versus amount of the Gavins Point Dam spring rise.	7-121
<b>Figure 7.8-21.</b> Average annual fall groundwater crop damages at site L575 versus amount of Gavins Point Dam average summer release.	7-121
<b>Figure 7.8-22.</b> Average annual damages for CWCP at site L488/497.	7-122
<b>Figure 7.8-23.</b> Average annual damages for MCP at site L488/497.	7-123
<b>Figure 7.8-24.</b> Average annual damages for GP1528 at site L488/497.	7-124
<b>Figure 7.8-25.</b> Average annual damages for GP2021 at site L488/497.	7-125
<b>Figure 7.8-26.</b> Average annual damages for GP1521 at site L488/497.	7-126
<b>Figure 7.8-27.</b> Average annual damages for GP2028 at site L488/497.	7-127
<b>Figure 7.8-28.</b> Average annual damages for CWCP at site L575.	7-128
<b>Figure 7.8-29.</b> Average annual damages for MCP at site L575.	7-129
<b>Figure 7.8-30.</b> Average annual damages for GP1528 at site L575.	7-130
<b>Figure 7.8-31.</b> Average annual damages for GP2021 at site L575.	7-131
<b>Figure 7.8-32.</b> Average annual damages for GP1521 at site L575.	7-132
<b>Figure 7.8-33.</b> Average annual damages for GP2028 at site L575.	7-133
<b>Figure 7.8-34.</b> Average annual damages for CWCP at the Tri-County site.	7-134
<b>Figure 7.8-35.</b> Average annual damages for MCP at the Tri-County site.	7-135
<b>Figure 7.8-36.</b> Average annual damages for GP1528 at the Tri-County site.	7-136
<b>Figure 7.8-37.</b> Average annual damages for GP2021 at the Tri-County site.	7-137
<b>Figure 7.8-38.</b> Average annual damages for GP1521 at the Tri-County site.	7-138
<b>Figure 7.8-39.</b> Average annual damages for GP2028 at the Tri-County site.	7-139
<b>Figure 7.8-40.</b> Average annual damages for CWCP at site RM691.	7-141
<b>Figure 7.8-41.</b> Average annual damages for MCP at site RM691.	7-143
<b>Figure 7.8-42.</b> Average annual damages for GP1528 at site RM691.	7-145
<b>Figure 7.8-43.</b> Average annual damages for GP2021 at site RM691.	7-147
<b>Figure 7.8-44.</b> Average annual damages for GP1521 at site RM691.	7-149
<b>Figure 7.8-45.</b> Average annual damages for GP2028 at site RM691.	7-151
<b>Figure 7.9-1.</b> Average annual water supply benefits for submitted alternatives and the alternatives (\$millions).	7-157
<b>Figure 7.9-2.</b> Annual water supply benefits for CWCP, MCP, and GP1528.	7-157
<b>Figure 7.9-3.</b> Annual water supply benefits for GP1528 and GP2021.	7-158
<b>Figure 7.9-4.</b> Annual water supply benefits for GP1528, GP2028, and GP1521.	7-158

## LIST OF FIGURES (CONTINUED)

<b>Figure 7.10-1.</b> Average annual hydropower benefits for submitted alternatives and the alternatives (\$millions).	7-170
<b>Figure 7.10-2.</b> Annual hydropower benefits for CWCP, MCP, and GP1528.	7-170
<b>Figure 7.10-3.</b> Annual hydropower benefits for GP1528 and GP2021.	7-171
<b>Figure 7.10-4.</b> Annual hydropower benefits for GP1528, GP2028, and GP1521.	7-171
<b>Figure 7.10-5.</b> Monthly average hydropower peaking capacity for CWCP, MCP, and GP1528.	7-172
<b>Figure 7.10-6.</b> Monthly average hydropower peaking capacity for GP1528, GP2028, GP1521, and GP2021.	7-172
<b>Figure 7.10-7.</b> Monthly average hydropower energy values for CWCP, MCP, and GP1528.	7-173
<b>Figure 7.10-8.</b> Monthly average hydropower energy values for GP1528, GP2028, GP1521, and GP2021.	7-173
<b>Figure 7.10-9.</b> Missouri River thermal powerplants, capacity at risk in the summer (mid-June to mid-September).	7-174
<b>Figure 7.10-10.</b> Potential capacity loss for CWCP, MCP, and GP1528 in the summer (mid-June to mid-September).	7-174
<b>Figure 7.10-11.</b> Potential capacity loss for GP1528 and GP2021 in the summer (mid-June to mid-September).	7-175
<b>Figure 7.10-12.</b> Potential capacity loss for GP1528, GP2028, and GP1521 in the summer (mid-June to mid-September).	7-175
<b>Figure 7.10-13.</b> Potential thermal capacity at risk in the summer (mid-June through mid-September) duration plot.	7-176
<b>Figure 7.10-14.</b> Total hydropower (in July) and thermal power capacity change from CWCP in the summer (mid-June to mid-September).	7-176
<b>Figure 7.10-15.</b> Missouri River thermal powerplants, energy at risk in the summer (mid-June to mid-September).	7-177
<b>Figure 7.10-16.</b> Potential thermal-generated energy loss for CWCP, MCP, and GP1528 sometime from mid-June through mid-September.	7-177
<b>Figure 7.10-17.</b> Potential thermal-generated energy loss for GP1528 and GP2021 from mid-June to mid-September.	7-178
<b>Figure 7.10-18.</b> Potential thermal-generated energy loss for GP1528, GP2028, and GP1521 sometime from mid-June through mid-September.	7-178
<b>Figure 7.10-19.</b> Thermal energy at risk from mid-June through mid-September, duration plot.	7-179
<b>Figure 7.10-20.</b> Total hydropower and thermal energy change from mid-June to mid-September from the CWCP.	7-179
<b>Figure 7.10-21.</b> Total hydropower and thermal energy at risk from mid-June through mid-September, duration plot.	7-180
<b>Figure 7.10-22.</b> Net revenue: Pick-Sloan firm power marketing, 100-year monthly average at Cinergy Rates (Jan. 30, 2001).	7-180
<b>Figure 7.10-23.</b> Percent increase in purchase power cost.	7-181
<b>Figure 7.11-1.</b> Average annual recreation benefits for submitted alternatives and the alternatives (\$millions).	7-188
<b>Figure 7.11-2.</b> Annual values for recreation benefits for CWCP, MCP, and GP1528.	7-188
<b>Figure 7.11-3.</b> Annual values for recreation benefits for GP1528 and GP2021.	7-189
<b>Figure 7.11-4.</b> Annual values for recreation benefits for GP1528, GP2028, and GP1521.	7-189
<b>Figure 7.12-1.</b> Average annual navigation benefits for submitted alternatives and the alternatives (\$millions).	7-195
<b>Figure 7.12-2.</b> Annual Missouri River navigation benefits for CWCP, MCP, and GP1528.	7-195
<b>Figure 7.12-3.</b> Annual Missouri River navigation benefits for GP1528 and GP2021.	7-196

## LIST OF FIGURES (CONTINUED)

---

<b>Figure 7.12-4.</b> Annual Missouri River navigation benefits for GP1528, GP2028, and GP1521.	7-196
<b>Figure 7.13-1.</b> Annual total NED benefits for alternatives.	7-199
<b>Figure 7.13-2.</b> Annual total NED benefits for alternative GP1528: total and total without flood control.	7-199
<b>Figure 7.14-1.</b> Average annual historic properties values for Fort Peck Lake, Lake Sakakawea, Lake Oahe, and Lake Sharpe for submitted alternatives and the alternatives.	7-204
<b>Figure 7.14-2.</b> Annual values for historic properties for CWCP, MCP, and GP1528.	7-204
<b>Figure 7.14-3.</b> Annual values for historic properties for GP1528 and GP2021.	7-205
<b>Figure 7.14-4.</b> Annual values for historic properties for GP1528, GP2028, and GP1521.	7-205
<b>Figure 7.15-1.</b> Average monthly flow at Hermann, Missouri.	7-218
<b>Figure 7.15-2.</b> Mean monthly stage at St. Louis.	7-218
<b>Figure 7.15-3.</b> Maximum annual stage at St. Louis.	7-219
<b>Figure 7.15-4.</b> Minimum annual stage at St. Louis.	7-219
<b>Figure 7.15-5.</b> Average annual St. Louis stage duration.	7-220
<b>Figure 7.15-6.</b> St. Louis stage duration, January.	7-220
<b>Figure 7.15-7.</b> St. Louis stage duration, February.	7-221
<b>Figure 7.15-8.</b> St. Louis stage duration, March.	7-221
<b>Figure 7.15-9.</b> St. Louis stage duration, April.	7-222
<b>Figure 7.15-10.</b> St. Louis stage duration, May.	7-222
<b>Figure 7.15-11.</b> St. Louis Stage Duration, June.	7-223
<b>Figure 7.15-12.</b> St. Louis stage duration, July.	7-223
<b>Figure 7.15-13.</b> St. Louis stage duration, August.	7-224
<b>Figure 7.15-14.</b> St. Louis stage duration, September.	7-224
<b>Figure 7.15-15.</b> St. Louis stage duration, October.	7-225
<b>Figure 7.15-16.</b> St. Louis stage duration, November.	7-225
<b>Figure 7.15-17.</b> St. Louis stage duration, December.	7-226
<b>Figure 7.15-18.</b> Mean monthly stage at Cairo.	7-226
<b>Figure 7.15-19.</b> Maximum annual stage at Cairo.	7-227
<b>Figure 7.15-20.</b> Minimum annual stage at Cairo.	7-227
<b>Figure 7.15-21.</b> Cairo stage duration.	7-228
<b>Figure 7.15-22.</b> Increased costs associated with Mississippi River navigation inefficiencies for CWCP, MCP, and GP1528.	7-228
<b>Figure 7.15-23.</b> Increased costs associated with Mississippi River navigation inefficiencies for GP1528 and GP2021.	7-229
<b>Figure 7.15-24.</b> Increased costs associated with Mississippi River navigation inefficiencies for GP1528, GP2028, and GP1521.	7-229
<b>Figure 7.19-1.</b> Average annual release from Gavins Point Dam at different levels of depletion.	7-249
<b>Figure 7.19-2.</b> Effects of depletion on navigation benefits for the CWCP.	7-249
<b>Figure 7.19-3.</b> DRM depletion run results for young fish production for the CWCP.	7-250
<b>Figure 7.20-1.</b> Duration plot of the total number of days in May and June releases from Gavins Point Dam exceed 45 kcfs.	7-254
<b>Figure 7.20-2.</b> Duration plot of the number of days flows exceed 55 kcfs at Nebraska City during May.	7-254
<b>Figure 7.20-3.</b> Total number of days in May and June releases from Gavins Point Dam equaled 45 kcfs or greater for the BIOP alternative.	7-255
<b>Figure 7.20-4.</b> Total number of days in May and June releases from Gavins Point Dam equaled 45 kcfs or greater for the FC3 alternative.	7-255

## LIST OF FIGURES (CONTINUED)

<b>Figure 8.2-1.</b>	Comparison of drought conservation measures between the CWCP and the System operations under the PA based on the March 15 Mainstem Reservoir System storage check for service level.	8-7
<b>Figure 8.2-2.</b>	Comparison of drought conservation measures between the CWCP and the System operations under the PA based on the July 1 Mainstem Reservoir System storage check for service level.	8-7
<b>Figure 8.2-3.</b>	Comparison of drought conservation measures between the CWCP and the System operations under the PA based on the July 1 Mainstem Reservoir System storage check for season length.	8-8
<b>Figure 8.3-1.</b>	End-of-June Mainstem Reservoir System storage, 1931 to 1941 drought.	8-33
<b>Figure 8.3-2.</b>	End-of-June Mainstem Reservoir System storage, 1954 to 1961 drought.	8-33
<b>Figure 8.3-3.</b>	End-of-June Mainstem Reservoir System storage, 1987 to 1993 drought.	8-34
<b>Figure 8.3-4.</b>	Comparison of the average monthly flows at Bismarck, North Dakota.	8-34
<b>Figure 8.3-5.</b>	Comparison of average monthly flows at Nebraska City, Nebraska.	8-35
<b>Figure 8.3-6.</b>	Comparison of annual maximum flows at Bismarck, North Dakota.	8-35
<b>Figure 8.3-7.</b>	Comparison of annual maximum flows at Nebraska City, Nebraska.	8-36
<b>Figure 8.3-8.</b>	Annual wetland habitat acreages for all of the sites and only the Lower River sites (thousands of acres).	8-36
<b>Figure 8.3-9.</b>	Annual riparian habitat acreages for all of the sites and only the Lower River sites (thousands of acres).	8-37
<b>Figure 8.3-10.</b>	Annual total riverine tern and plover habitat (acres).	8-37
<b>Figure 8.3-11.</b>	Annual lake tern and plover habitat (acres).	8-38
<b>Figure 8.3-12.</b>	Annual total young fish production in the lakes (index).	8-38
<b>Figure 8.3-13.</b>	Correlation plot of the young fish production index value versus annual runoff.	8-39
<b>Figure 8.3-14.</b>	Annual total coldwater fish habitat in the lakes (MAF).	8-39
<b>Figure 8.3-15.</b>	Annual total coldwater fish habitat in the river reaches (miles).	8-40
<b>Figure 8.3-16.</b>	Annual total and Fort Peck reach warmwater fish habitat in the river reaches (miles).	8-40
<b>Figure 8.3-17.</b>	Annual physical habitat index values for all reaches, the three Upper River reaches, and the six Lower River reaches (miles).	8-41
<b>Figure 8.3-18.</b>	Annual flood control benefits (\$millions).	8-41
<b>Figure 8.3-19.</b>	Differences in the annual flood control benefits between the PA and CWCP (\$millions).	8-42
<b>Figure 8.3-20.</b>	Average monthly flow at Nebraska City, Nebraska for the interior drainage modeling period of 1950 to 1994.	8-42
<b>Figure 8.3-21.</b>	Average monthly flow at Nebraska City, Nebraska for the groundwater modeling period of 1970 to 1979.	8-43
<b>Figure 8.3-22.</b>	Difference in the number of days between the PA and CWCP that the flow at Nebraska City exceeds 50 kcfs for the 45-year interior drainage modeling period (1950-1994).	8-43
<b>Figure 8.3-23.</b>	Annual water supply benefits (1930-1946) (\$millions).	8-44
<b>Figure 8.3-24.</b>	Annual hydropower benefits (\$millions).	8-44
<b>Figure 8.3-25.</b>	Difference in the annual hydropower benefits between the PA and CWCP (\$millions).	8-45
<b>Figure 8.3-26.</b>	Annual average monthly July hydropower capacity.	8-45
<b>Figure 8.3-27.</b>	Annual total and upper three lakes recreation benefits (\$millions).	8-46
<b>Figure 8.3-28.</b>	Annual recreation benefit changes provided by the PA to the upper three lake, as compared to the benefits of the CWCP (\$millions).	8-46
<b>Figure 8.3-29.</b>	Annual Missouri River navigation benefits (\$millions).	8-47
<b>Figure 8.3-30.</b>	Change in navigation benefits provided by the PA compared to the CWCP (\$millions).	8-47
<b>Figure 8.3-31.</b>	Average annual index values for historic properties.	8-48

## **LIST OF FIGURES (CONTINUED)**

---

<b>Figure 8.3-32.</b>	Relative difference between the PA and the CWCP historic properties index values.	8-48
<b>Figure 8.3-33.</b>	Annual Mississippi River lost navigation inefficiency costs (\$millions).	8-49
<b>Figure 8.3-34.</b>	Mississippi River navigation benefits provided by the change from the CWCP to the PA (\$millions).	8-49
<b>Figure 8.5-1.</b>	Change in the warmwater fish habitat in the Fort Randall reach for a change from the CWCP to the PA (miles).	8-55
<b>Figure 8.5-2.</b>	Sorted change in the warmwater fish habitat in the Fort Randall reach for a change from the CWCP to the PA (miles).	8-55



## LIST OF TABLES

See Volume I: Main Report, Part 1 for a list of tables in Sections 1 to 5.

<b>Table 7.1-1.</b>	Alternatives selected for detailed analysis in the RDEIS.	7-2
<b>Table 7.2-1.</b>	Minimum system storage (MAF) and lake levels for the upper three lakes (feet).	7-4
<b>Table 7.3-1.</b>	Erosion study conclusions on erosion and deposition of channel features, additional stabilization, and operational changes.	7-24
<b>Table 7.4-1.</b>	Water quality effects of the alternatives on the Missouri River mainstem lakes.	7-26
<b>Table 7.4-2.</b>	Water quality effects of the alternatives on the river segments of the Missouri River. <sup>1/</sup>	7-29
<b>Table 7.5-1.</b>	Average annual wetland habitat (thousands of acres). <sup>1/</sup>	7-35
<b>Table 7.5-2.</b>	Average annual wetland habitat (thousands of acres) for 10 Tribal Reservations. <sup>1/</sup>	7-37
<b>Table 7.5-3.</b>	Average annual riparian habitat (thousands of acres). <sup>1/</sup>	7-39
<b>Table 7.5-4.</b>	Average annual riparian habitat (thousands of acres) for 10 Tribal Reservations. <sup>1/</sup>	7-40
<b>Table 7.6-1.</b>	Average annual riverine tern and plover habitat downstream of mainstem dams (acres). <sup>1/</sup>	7-47
<b>Table 7.6-2.</b>	Average annual lake tern and plover habitat on Lake Sakakawea and Lake Oahe (acres).	7-51
<b>Table 7.6-3.</b>	Average annual tern and plover habitat (acres) for seven Tribal Reservations.	7-52
<b>Table 7.7-1.</b>	Average annual young fish production in the mainstem lakes (relative index).	7-60
<b>Table 7.7-2.</b>	Average annual coldwater fish habitat in the mainstem lakes (MAF).	7-62
<b>Table 7.7-3.</b>	Average annual coldwater fish habitat in the river reaches (miles).	7-63
<b>Table 7.7-4.</b>	Average annual warmwater fish habitat in the river reaches (miles).	7-65
<b>Table 7.7-5.</b>	Average annual physical habitat for native river fish in nine river reaches (relative index).	7-66
<b>Table 7.7-6.</b>	Connectivity to low-lying lands for 2 days in May and June (acres for the 25th percentile).	7-68
<b>Table 7.7-7.</b>	Expected daily shallow water habitat for representative subreaches from mid-July to mid-August (acres/mile).	7-69
<b>Table 7.7-8.</b>	Expected daily shallow water habitat available from mid-July to mid-August (acres).	7-70
<b>Table 7.7-9.</b>	Percent of years with a 21-day spawning cue at Lower River gaging stations for CWCP, MCP, GP options, and ROR scenario.	7-73
<b>Table 7.7-10.</b>	Average annual young fish production in the mainstem lakes for seven Tribal Reservations (relative index).	7-75
<b>Table 7.7-11.</b>	Average annual coldwater fish habitat impact for three Tribal Reservations along the mainstem lakes (MAF).	7-76
<b>Table 7.7-12.</b>	Average annual coldwater fish habitat for the Fort Peck Reservation (miles).	7-76
<b>Table 7.7-13.</b>	Average annual warmwater fish habitat for Reservations in the reaches downstream from Fort Peck and Fort Randall Dams (miles).	7-76
<b>Table 7.7-14.</b>	Average annual physical habitat values for native river fish impact on Reservations (index).	7-77
<b>Table 7.8-1.</b>	Average annual flood control benefits (\$millions).	7-100
<b>Table 7.8-2.</b>	Average annual flood control benefits (\$millions) to Tribal Reservations.	7-102
<b>Table 7.8-3.</b>	Average annual interior drainage damages, 1950 to 1994 (\$millions).	7-104
<b>Table 7.8-4.</b>	Distribution of average annual interior drainage damages by season without pumping for L575 (\$thousands).	7-106
<b>Table 7.8-5.</b>	Interior drainage crop losses on the Missouri River floodplain.	7-107
<b>Table 7.8-6.</b>	Average annual groundwater damages 1970 to 1979 (\$millions).	7-108
<b>Table 7.8-7.</b>	Groundwater damages by season for levee unit L575 (\$millions).	7-109

## LIST OF TABLES (CONTINUED)

<b>Table 7.8-8.</b>	Groundwater crop losses on the Missouri River floodplain.	7-111
<b>Table 7.9-1.</b>	Average annual water supply benefits (\$millions).	7-154
<b>Table 7.9-2.</b>	Average annual water supply benefits (\$millions) to Tribes.	7-156
<b>Table 7.10-1.</b>	Average annual hydropower benefits (\$millions).	7-159
<b>Table 7.10-2.</b>	Monthly average hydropower peaking capacity (MW).	7-161
<b>Table 7.10-3.</b>	Monthly average hydropower energy values (GWh).	7-162
<b>Table 7.10-4.</b>	Marketable capacity from the Mainstem Reservoir System hydropower facilities (MW).	7-162
<b>Table 7.10-5.</b>	Potential capacity at risk sometime from mid-June to mid-September at powerplants using Missouri River water for cooling (MW).	7-165
<b>Table 7.10-6.</b>	Potential total thermal and hydropower average annual capacity at risk sometime from mid-June to mid-September compared to the CWCP (MW).	7-166
<b>Table 7.10-7.</b>	Potential energy at risk from mid-June to mid-September at the powerplants using Missouri River water for cooling (GWh).	7-167
<b>Table 7.10-8.</b>	Potential total thermal and hydropower energy impacts from mid-June to mid-September compared to the CWCP (GWh).	7-167
<b>Table 7.10-9.</b>	Average annual impact to WAPA for meeting Pick-Sloan firm power commitments (\$millions).	7-168
<b>Table 7.11-1.</b>	Average annual recreation benefits (\$millions).	7-184
<b>Table 7.11-2.</b>	Index of average annual recreation benefits to Reservations adjacent to Upper and Lower River reaches.	7-186
<b>Table 7.11-3.</b>	Average annual recreation benefits for Reservations adjacent to lakes (\$millions).	7-186
<b>Table 7.12-1.</b>	Average annual Missouri River navigation benefits (\$millions).	7-191
<b>Table 7.12-2.</b>	Summary of navigation service level and season length data (years).	7-193
<b>Table 7.13-1.</b>	Average annual total NED benefits by resource (\$millions).	7-197
<b>Table 7.13-2.</b>	Average annual total NED benefits for different modeling periods (\$millions).	7-198
<b>Table 7.13-3.</b>	Differences in average annual total NED benefits from CWCP for different modeling periods (\$millions).	7-198
<b>Table 7.14-1.</b>	Average annual historic property values for the upper three mainstem lakes and Lake Sharpe (relative index).	7-201
<b>Table 7.15-1.</b>	Mean monthly shallow water habitat acres for CWCP, MCP, GP1521, GP1528, GP2021, and GP2028 (1930 -1995).	7-213
<b>Table 7.15-2.</b>	The number of occurrences of "continuous" days ( $\geq 50$ , $\geq 75$ , $\geq 100$ ) of sandbar exposure for 11 potential least tern nesting/rearing sites over the 66-year (1930-1995) period of record for the CWCP and the five alternatives.	7-214
<b>Table 7.15-3.</b>	Mississippi River lost navigation efficiency average annual costs (\$millions).	7-215
<b>Table 7.15-4.</b>	Current Mississippi River LWRP stages (feet).	7-216
<b>Table 7.15-5.</b>	97 percent exceedance flow (kcfs).	7-217
<b>Table 7.15-6.</b>	Change in Mississippi River LWRP relative to the CWCP (feet).	7-217
<b>Table 7.15-7.</b>	Revised Mississippi River LWRP (feet).	7-217
<b>Table 7.15-8.</b>	Mississippi River channel improvement features cost by alternative.	7-217
<b>Table 7.16-1.</b>	Fort Peck Reservation impacts summary.	7-232
<b>Table 7.16-2.</b>	Fort Berthold Reservation impacts summary.	7-232
<b>Table 7.16-3.</b>	Standing Rock Reservation impacts summary.	7-233
<b>Table 7.16-4.</b>	Cheyenne River Reservation impacts summary.	7-233
<b>Table 7.16-5.</b>	Lower Brule Reservation impacts summary.	7-234
<b>Table 7.16-6.</b>	Crow Creek Reservation impacts summary.	7-234
<b>Table 7.16-7.</b>	Yankton Reservation impacts summary.	7-235

## LIST OF TABLES (CONTINUED)

<b>Table 7.16-8.</b>	Ponca Tribal Lands impacts summary.	7-235
<b>Table 7.16-9.</b>	Santee Reservation impacts summary.	7-236
<b>Table 7.16-10.</b>	Winnebago Reservation impacts summary.	7-236
<b>Table 7.16-11.</b>	Omaha Reservation impacts summary.	7-237
<b>Table 7.16-12.</b>	Iowa and Sac and Fox Reservations impacts summary.	7-237
<b>Table 7.17-1.</b>	Impacts summary for the alternatives selected for detailed analysis.	7-240
<b>Table 7.19-1.</b>	Comparison of the depletion effects to the economic use or environmental resources.	7-248
<b>Table 7.20-1.</b>	Average annual economic benefits of flood control alternatives and two GP options relative to the CWCP (percent).	7-252
<b>Table 7.20-2.</b>	Average annual environmental effects of flood control alternatives and two GP options relative to the CWCP (percent).	7-253
<b>Table 8.2-1.</b>	Unbalancing schedule for upper three lakes.	8-6
<b>Table 8.3-1.</b>	Average annual use and resource values for the MCP and PA with relative differences.	8-9
<b>Table 8.3-2.</b>	Minimum Mainstem Reservoir System storage (MAF) and lake levels for the upper three lakes (feet).	8-10
<b>Table 8.3-3.</b>	Average annual wetland habitat (thousands of acres).	8-11
<b>Table 8.3-4.</b>	Average annual riparian habitat (thousands of acres).	8-11
<b>Table 8.3.5.</b>	Riverine tern and plover habitat (acres).	8-12
<b>Table 8.3-6.</b>	Average annual lake tern and plover habitat (acres).	8-12
<b>Table 8.3-7.</b>	Average annual young fish production in the mainstem lakes (relative index).	8-13
<b>Table 8.3-8.</b>	Average annual coldwater fish habitat in the mainstem lakes (MAF).	8-14
<b>Table 8.3-9.</b>	Average annual coldwater fish habitat in the river reaches (miles).	8-14
<b>Table 8.3-10.</b>	Average annual warmwater fish habitat in the river reaches (miles).	8-14
<b>Table 8.3-11.</b>	Average annual physical habitat for native river fish in nine river reaches (relative index).	8-15
<b>Table 8.3-12.</b>	Average annual flood control benefits (\$millions).	8-16
<b>Table 8.3-13.</b>	Comparison of the CWCP and PA monthly average flows (years).	8-17
<b>Table 8.3-14.</b>	Average annual water supply benefits (\$millions).	8-18
<b>Table 8.3-15.</b>	Average annual hydropower benefits (\$millions).	8-19
<b>Table 8.3-16.</b>	Monthly average hydropower capacity and energy generated by the Mainstem Reservoir System.	8-19
<b>Table 8.3-17.</b>	Average annual recreation benefits (\$millions).	8-20
<b>Table 8.3-18.</b>	Average annual Missouri River navigation benefits (\$millions).	8-21
<b>Table 8.3-19.</b>	Summary of navigation service level and season length data (years).	8-22
<b>Table 8.3-20.</b>	Average annual historic properties values for the upper three lakes and Lake Sharpe (relative index).	8-23
<b>Table 8.3-21.</b>	Mississippi River lost navigation efficiency average annual costs (\$millions).	8-24
<b>Table 8.3-22.</b>	Fort Peck Reservation impacts summary.	8-25
<b>Table 8.3-23.</b>	Fort Berthold Reservation impacts summary.	8-26
<b>Table 8.3-24.</b>	Standing Rock Reservation impacts summary.	8-26
<b>Table 8.3-25.</b>	Cheyenne River Reservation impacts summary.	8-27
<b>Table 8.3-26.</b>	Lower Brule Reservation impacts summary.	8-27
<b>Table 8.3-27.</b>	Crow Creek Reservation impacts summary.	8-28
<b>Table 8.3-28.</b>	Yankton Reservation impacts summary.	8-28
<b>Table 8.3-29.</b>	Ponca Tribal Lands impacts summary.	8-29
<b>Table 8.3-30.</b>	Santee Reservation impacts summary.	8-29

## **LIST OF TABLES (CONTINUED)**

---

<b>Table 8.3-31.</b>	Winnebago Reservation impacts summary.	8-30
<b>Table 8.3-32.</b>	Omaha Reservation impacts summary.	8-30
<b>Table 8.3-33.</b>	Iowa and Sac and Fox Reservations impacts summary.	8-31
<b>Table 8.3-34.</b>	Impacts Summary for the PA.	8-32
<b>Table 8.4-1.</b>	Comparison of the depletion effects to the uses or resources.	8-51

---

## LIST OF TECHNICAL REPORTS

The following technical reports document the detailed analyses summarized in this FEIS and are bound under separate cover. Copies are deposited at local libraries or can be obtained by contacting us at:

- e-mail: [mastermanual@usace.army.mil](mailto:mastermanual@usace.army.mil).
- mail: U.S. Army Corps of Engineers, Northwest Division, Attention: Missouri River Master Manual, 12565 West Center Road, Omaha, NE 68144-3869.
- fax: Attention: Missouri River Master Manual, (402) 697-2504.

Volume 1:	Alternatives Evaluation Report
Volume 1A:	Preliminary Revised Draft EIS Alternatives
Volume 2:	Reservoir Regulation Studies - Long Range Study Model
Volume 2A:	Reservoir Regulation Studies - Daily Routing Model Studies
Volume 3A:	Low Flow Studies - Gavins Point Dam to St. Louis
Volume 3B:	Low Flow Studies - Gavins Point Dam to St. Louis (cont.)
Volume 4:	Hydraulic Studies Upstream from Gavins Point Dam
Volume 5:	Aggradation, Degradation, and Water Quality Conditions
Volume 6A-R:	Economic Studies - Navigation Economics (Revised)
Volume 6B:	Economic Studies - Water Supply Economics
Volume 6C:	Economic Studies - Recreation Economics
Volume 6D:	Economic Studies Hydropower
Volume 6E-R:	Economic Studies - Regional Economics (Revised)
Volume 6F:	Economic Studies - Flood Control (Revised), Interior Drainage, and Groundwater
Volume 7A:	Environmental Studies - Reservoir Fisheries
Volume 7B:	Environmental Studies - Reservoir Fisheries (cont.)
Volume 7C:	Environmental Studies - Riverine Fisheries
Volume 7D:	Environmental Studies - Riverine Fisheries (cont.)
Volume 7D-S1:	Environmental Studies - Riverine Fisheries (Supplement)
Volume 7D-S2:	Environmental Studies - Riverine Fisheries (Supplement)
Volume 7E:	Environmental Studies - Riverine Studies (cont.)
Volume 7F:	Environmental Studies - Wetland and Riparian
Volume 7H:	Environmental Studies - Wetland and Riparian (cont.)
Volume 7H:	Environmental Studies - Least Tern and Piping Plover and Historic Properties
Volume 8:	Economic Impacts Model - Environmental Impacts Model
Volume 9:	Socioeconomic Studies
Volume 10:	Cumulative Erosion Impacts Analysis
Volume 11:	Interior Drainage Study
Volume 12A:	Groundwater Study
Volume 12B:	Groundwater Study (cont.)
Volume 13:	Mississippi River Studies

## **LIST OF TECHNICAL REPORTS (CONTINUED)**

---

This page is intentionally left blank.