

Table 10. Estimated numbers of persons living with AIDS, by year and selected characteristics, 2002–2006—United States and dependent areas

	2002	2003	2004	2005	2006
Data for 50 states and the District of Columbia					
Age at end of year (yrs)					
<13	2,308	2,006	1,684	1,394	1,115
13–14	685	747	784	762	711
15–19	1,465	1,694	1,974	2,243	2,487
20–24	3,910	4,292	4,629	5,033	5,367
25–29	12,725	12,743	13,045	13,505	14,359
30–34	35,558	33,870	32,057	29,949	28,824
35–39	70,107	68,106	65,076	62,235	59,649
40–44	80,377	86,294	91,335	94,021	95,174
45–49	64,702	71,276	77,417	84,153	90,775
50–54	41,270	46,855	53,333	59,256	66,476
55–59	20,113	24,145	28,356	33,522	39,014
60–64	9,681	11,293	13,305	15,380	18,072
≥65	7,520	8,946	10,604	12,430	14,669
Race/ethnicity					
White, not Hispanic	129,426	135,278	141,508	147,426	154,495
Black, not Hispanic	150,488	161,326	171,654	181,056	191,590
Hispanic	63,424	67,895	72,024	76,334	80,815
Asian/Pacific Islander	3,060	3,426	3,759	4,121	4,526
American Indian/Alaska Native	1,254	1,356	1,458	1,562	1,651
Transmission category					
Male adult or adolescent					
Male-to-male sexual contact	158,092	168,233	178,551	188,622	199,693
Injection drug use	56,708	58,436	59,940	61,229	62,998
Male-to-male sexual contact and injection drug use	24,726	25,457	26,144	26,785	27,523
High-risk heterosexual contact ^a	27,329	30,300	33,181	35,916	39,004
Other ^b	3,588	3,665	3,769	3,888	4,026
Subtotal	270,444	286,091	301,585	316,440	333,244
Female adult or adolescent					
Injection drug use	27,863	28,874	29,828	30,646	31,575
High-risk heterosexual contact ^a	46,445	51,489	56,229	60,693	65,631
Other ^b	1,903	2,033	2,178	2,315	2,465
Subtotal	76,210	82,395	88,236	93,653	99,671
Child (<13 yrs at diagnosis)					
Perinatal	3,633	3,654	3,651	3,664	3,660
Other ^c	129	124	123	122	115
Subtotal	3,762	3,778	3,774	3,786	3,775
Region of residence					
Northeast	105,599	110,929	115,562	120,208	125,620
Midwest	36,011	38,571	41,178	44,171	47,010
South	137,081	147,284	157,975	166,962	177,591
West	71,729	75,483	78,883	82,540	86,473
Subtotal for 50 states and the District of Columbia	350,419	372,267	393,598	413,882	436,693
Data for U.S dependent areas	9,880	10,365	10,713	11,106	11,359
Total^d	360,617	383,024	404,849	425,646	448,871

Note. These numbers do not represent reported case counts. Rather, these numbers are point estimates, which result from adjustments of reported case counts. The reported case counts have been adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified risk factor, but not for incomplete reporting.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Includes hemophilia, blood transfusion, and risk factor not reported or not identified.

^d Includes persons of unknown race or multiple races and persons of unknown sex. Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.