

**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	3%
GIFT	0%			Male factor	15%	Other factors	13%
ZIFT	0%	With ICSI	43%	Ovulatory dysfunction	23%	Unexplained	9%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Luther M. Talbert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	66	21	20	6
Percentage of cycles resulting in pregnancies ^b	40.9	52.4	50.0	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.9 (26.2 - 49.6)	47.6 (26.3 - 69.0)	30.0 (9.9 - 50.1)	0/6
Percentage of retrievals resulting in live births ^{b,c}	39.1	10/19	6/19	0/4
Percentage of transfers resulting in live births ^{b,c}	39.7	10/18	6/15	0/4
Percentage of cancellations ^b	3.0	9.5	5.0	2/6
Average number of embryos transferred	4.0	4.1	4.8	4.8
Percentage of pregnancies with twins ^b	44.4	3/11	1/10	
Percentage of pregnancies with triplets or more ^b	11.1	2/11	0/10	
Percentage of live births having multiple infants ^{b,c}	52.0	5/10	1/6	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	3	0	4
Percentage of transfers resulting in live births ^{b,c}	1/5	0/3		1/4
Average number of embryos transferred	3.6	2.7		4.3
Donor Eggs				
Number of fresh embryo transfers	1	3	5	13
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	2/3	1/5	4/13
Average number of fresh embryos transferred	5.0	5.0	4.2	4.1
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	1/1
Average number of frozen embryos transferred			5.0	6.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF NORTH CAROLINA ART CLINIC CHAPEL HILL, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	23%	Uterine factor	1%
GIFT	0%			Male factor	28%	Other factors	4%
ZIFT	0%	With ICSI	43%	Ovulatory dysfunction	26%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by William R. Meyer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	36	27	10
Percentage of cycles resulting in pregnancies ^b	29.2	22.2	18.5	0/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.2 (15.5 - 36.8)	16.7 (4.5 - 28.8)	7.4 (0.0 - 17.3)	0/10
Percentage of retrievals resulting in live births ^{b,c}	28.8	25.0	9.5	0/7
Percentage of transfers resulting in live births ^{b,c}	29.8	26.1	10.0	0/7
Percentage of cancellations ^b	9.2	33.3	22.2	3/10
Average number of embryos transferred	3.1	3.6	3.9	4.3
Percentage of pregnancies with twins ^b	8/19	4/8	1/5	
Percentage of pregnancies with triplets or more ^b	2/19	2/8	1/5	
Percentage of live births having multiple infants ^{b,c}	8/17	3/6	2/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	4	5	1
Percentage of transfers resulting in live births ^{b,c}	0/7	2/4	0/5	0/1
Average number of embryos transferred	3.0	2.5	2.6	4.0
Donor Eggs				
Number of fresh embryo transfers	2	2	2	4
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	1/2	0/2	1/4
Average number of fresh embryos transferred	4.5	4.0	4.0	3.3
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/1
Average number of frozen embryos transferred			1.0	1.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of North Carolina ART Clinic

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INSTITUTE FOR ASSISTED REPRODUCTION
CHARLOTTE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	1%
GIFT	0%			Male factor	29%	Other factors	5%
ZIFT	0%	With ICSI	50%	Ovulatory dysfunction	12%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jack Crain, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	157	57	36	9
Percentage of cycles resulting in pregnancies ^b	53.5	38.6	27.8	2/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	47.8 (40.0 - 55.6)	35.1 (22.7 - 47.5)	19.4 (6.5 - 32.4)	2/9
Percentage of retrievals resulting in live births ^{b,c}	53.6	47.6	7/18	2/5
Percentage of transfers resulting in live births ^{b,c}	56.4	48.8	7/18	2/5
Percentage of cancellations ^b	10.8	26.3	50.0	4/9
Average number of embryos transferred	3.7	4.6	4.9	7.0
Percentage of pregnancies with twins ^b	31.0	18.2	1/10	1/2
Percentage of pregnancies with triplets or more ^b	20.2	27.3	2/10	0/2
Percentage of live births having multiple infants ^{b,c}	52.0	50.0	2/7	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	1	0	0
Percentage of transfers resulting in live births ^{b,c}	6/16	0/1		
Average number of embryos transferred	3.7	3.0		
Donor Eggs				
Number of fresh embryo transfers	4	3	2	4
Percentage of fresh transfers resulting in live births ^{b,c}	4/4	1/3	0/2	2/4
Average number of fresh embryos transferred	3.8	3.0	3.5	4.0
Number of frozen embryo transfers	1	0	3	2
Percentage of frozen transfers resulting in live births ^{b,c}	0/1		0/3	0/2
Average number of frozen embryos transferred	4.0		3.3	4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Institute for Assisted Reproduction

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PROGRAM FOR ASSISTED REPRODUCTION
CAROLINAS MEDICAL CENTER
CHARLOTTE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	0%
GIFT	0%			Male factor	21%	Other factors	3%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	21%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Paul B. Marshburn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	50	21	9	4
Percentage of cycles resulting in pregnancies ^b	58.0	23.8	0/9	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	52.0 (38.2 - 65.8)	19.0 (2.3 - 35.8)	0/9	0/4
Percentage of retrievals resulting in live births ^{b,c}	60.5	4/12	0/3	0/3
Percentage of transfers resulting in live births ^{b,c}	60.5	4/12	0/3	0/3
Percentage of cancellations ^b	14.0	42.9	6/9	1/4
Average number of embryos transferred	3.4	3.8	3.0	4.3
Percentage of pregnancies with twins ^b	27.6	3/5		
Percentage of pregnancies with triplets or more ^b	13.8	0/5		
Percentage of live births having multiple infants ^{b,c}	38.5	2/4		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1/2	0/2		
Average number of embryos transferred	4.5	3.5		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	1	1	0
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	0/1	
Average number of frozen embryos transferred		4.0	2.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Program for Assisted Reproduction, Carolinas Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

DUKE UNIVERSITY MEDICAL CENTER
DIVISION OF REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
DURHAM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	2%
GIFT	0%			Male factor	19%	Other factors	3%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	22%	Unexplained	16%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by David K. Walmer, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	112	51	43	9
Percentage of cycles resulting in pregnancies ^b	22.3	21.6	14.0	1/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	17.0 (10.0 - 23.9)	13.7 (4.3 - 23.2)	7.0 (0.0 - 14.6)	1/9
Percentage of retrievals resulting in live births ^{b,c}	18.4	15.2	9.4	1/8
Percentage of transfers resulting in live births ^{b,c}	19.8	17.5	12.0	1/7
Percentage of cancellations ^b	8.0	9.8	25.6	1/9
Average number of embryos transferred	2.1	2.1	3.0	3.9
Percentage of pregnancies with twins ^b	32.0	1/11	0/6	0/1
Percentage of pregnancies with triplets or more ^b	0.0	0/11	0/6	0/1
Percentage of live births having multiple infants ^{b,c}	7/19	0/7	0/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	3	6	4
Percentage of transfers resulting in live births ^{b,c}	0/10	0/3	0/6	0/4
Average number of embryos transferred	2.5	2.0	2.5	3.3
Donor Eggs				
Number of fresh embryo transfers	4	2	3	21
Percentage of fresh transfers resulting in live births ^{b,c}	2/4	0/2	0/3	28.6
Average number of fresh embryos transferred	1.8	2.0	2.0	2.0
Number of frozen embryo transfers	0	1	1	5
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	1/1	1/5
Average number of frozen embryos transferred		2.0	3.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Duke University Medical Center, Division of Reproductive Endocrinology and Infertility

Services Offered:

Donor egg? Yes
 Donor embryo? Yes
 Single women? Yes
 Gestational carriers? No
 Cryopreservation? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**EAST CAROLINA UNIVERSITY
WOMEN'S PHYSICIANS
GREENVILLE, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	96%	Procedural factors:		Tubal factor	25%	Uterine factor	1%
GIFT	2%			Male factor	26%	Other factors	0%
ZIFT	2%	With ICSI	43%	Ovulatory dysfunction	34%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Clifford C. Hayslip, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	13	15	0
Percentage of cycles resulting in pregnancies ^b	33.3	3/13	3/15	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.3 (17.2 - 49.4)	3/13	3/15	
Percentage of retrievals resulting in live births ^{b,c}	36.7	3/12	3/12	
Percentage of transfers resulting in live births ^{b,c}	39.3	3/12	3/12	
Percentage of cancellations ^b	9.1	1/13	3/15	
Average number of embryos transferred	3.3	3.8	3.3	
Percentage of pregnancies with twins ^b	3/11	2/3	2/3	
Percentage of pregnancies with triplets or more ^b	1/11	0/3	0/3	
Percentage of live births having multiple infants ^{b,c}	4/11	2/3	2/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	1	1	0
Percentage of transfers resulting in live births ^{b,c}	2/7	0/1	0/1	
Average number of embryos transferred	3.9	2.0	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	2	1
Percentage of fresh transfers resulting in live births ^{b,c}			1/2	0/1
Average number of fresh embryos transferred			3.5	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: East Carolina University Women's Physicians

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WAKE FOREST UNIVERSITY PROGRAM FOR ASSISTED REPRODUCTION WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	46%	Uterine factor	0%
GIFT	0%			Male factor	21%	Other factors	0%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	9%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey L. Deaton, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	15	12	1
Percentage of cycles resulting in pregnancies ^b	32.4	5/15	2/12	1/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.5 (11.6 - 41.3)	4/15	2/12	1/1
Percentage of retrievals resulting in live births ^{b,c}	27.3	4/14	2/7	1/1
Percentage of transfers resulting in live births ^{b,c}	28.1	4/13	2/6	1/1
Percentage of cancellations ^b	2.9	1/15	5/12	0/1
Average number of embryos transferred	3.1	3.2	3.7	2.0
Percentage of pregnancies with twins ^b	1/11	0/5	0/2	0/1
Percentage of pregnancies with triplets or more ^b	2/11	0/5	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	3/9	0/4	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	3	3	1
Percentage of transfers resulting in live births ^{b,c}	2/16	1/3	0/3	1/1
Average number of embryos transferred	2.6	3.3	3.7	3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Wake Forest University Program for Assisted Reproduction

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MERITCARE MEDICAL GROUP FERTILITY CENTER FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	29%	Uterine factor	0%
GIFT	0%			Male factor	7%	Other factors	2%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	52%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Steffen P. Christensen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	21	4	5	6
Percentage of cycles resulting in pregnancies ^b	14.3	2/4	1/5	1/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	14.3 (0.0 - 29.3)	2/4	1/5	0/6
Percentage of retrievals resulting in live births ^{b,c}	3/14	2/3	1/4	0/3
Percentage of transfers resulting in live births ^{b,c}	3/13	2/3	1/3	0/3
Percentage of cancellations ^b	33.3	1/4	1/5	3/6
Average number of embryos transferred	3.6	4.0	4.7	2.0
Percentage of pregnancies with twins ^b	1/3	1/2	0/1	0/1
Percentage of pregnancies with triplets or more ^b	0/3	0/2	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	1/3	1/2	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/3			
Average number of embryos transferred	1.7			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: MeritCare Medical Group Fertility Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**AKRON CITY HOSPITAL IVF CENTER
SUMMA HEALTH SYSTEM
AKRON, OHIO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	92%	Procedural factors:		Tubal factor	30%	Uterine factor	1%
GIFT	7%			Male factor	25%	Other factors	2%
ZIFT	<1%	With ICSI	23%	Ovulatory dysfunction	6%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	29%		

1998 PREGNANCY SUCCESS RATES

Data verified by Richard W. Moretuzzo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	64	21	20	4
Percentage of cycles resulting in pregnancies ^b	34.4	23.8	20.0	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.3 (19.9 - 42.6)	19.0 (2.3 - 35.8)	15.0 (0.0 - 30.6)	0/4
Percentage of retrievals resulting in live births ^{b,c}	38.5	4/16	3/11	0/1
Percentage of transfers resulting in live births ^{b,c}	40.0	4/16	3/10	0/1
Percentage of cancellations ^b	18.8	23.8	45.0	3/4
Average number of embryos transferred	3.1	3.3	4.0	4.0
Percentage of pregnancies with twins ^b	36.4	1/5	1/4	
Percentage of pregnancies with triplets or more ^b	13.6	0/5	0/4	
Percentage of live births having multiple infants ^{b,c}	50.0	1/4	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	28	7	4	0
Percentage of transfers resulting in live births ^{b,c}	25.0	0/7	1/4	
Average number of embryos transferred	3.1	3.4	3.0	
Donor Eggs				
Number of fresh embryo transfers	0	1	0	1
Percentage of fresh transfers resulting in live births ^{b,c}		1/1		0/1
Average number of fresh embryos transferred		4.0		3.0
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Akron City Hospital IVF Center, Summa Health System

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY UNLIMITED, INC.
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	27%	Uterine factor	3%
GIFT	0%			Male factor	11%	Other factors	17%
ZIFT	0%	With ICSI	55%	Ovulatory dysfunction	13%	Unexplained	2%
Combination	3%	Unstimulated	0%	Endometriosis	27%		

1998 PREGNANCY SUCCESS RATES

Data verified by Nicholas J. Spiratos, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	53	17	9	1
Percentage of cycles resulting in pregnancies ^b	15.1	6/17	2/9	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	11.3 (2.8 - 19.9)	6/17	2/9	0/1
Percentage of retrievals resulting in live births ^{b,c}	12.5	6/15	2/9	0/1
Percentage of transfers resulting in live births ^{b,c}	12.8	6/15	2/8	0/1
Percentage of cancellations ^b	9.4	2/17	0/9	0/1
Average number of embryos transferred	3.6	3.6	3.0	1.0
Percentage of pregnancies with twins ^b	3/8	0/6	0/2	
Percentage of pregnancies with triplets or more ^b	0/8	0/6	0/2	
Percentage of live births having multiple infants ^{b,c}	3/6	0/6	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	8	1	2
Percentage of transfers resulting in live births ^{b,c}	0/12	3/8	0/1	0/2
Average number of embryos transferred	2.2	2.5	4.0	2.0
Donor Eggs				
Number of fresh embryo transfers	1	2	0	8
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/2		4/8
Average number of fresh embryos transferred	4.0	2.5		3.9
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births ^{b,c}				0/3
Average number of frozen embryos transferred				2.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Unlimited, Inc.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BETHESDA CENTER FOR REPRODUCTIVE HEALTH AND FERTILITY CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	29%	Uterine factor	0%
GIFT	0%			Male factor	26%	Other factors	2%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	20%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Glen E. Hofmann, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	120	27	24	5
Percentage of cycles resulting in pregnancies ^b	25.0	25.9	25.0	1/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.2 (16.5 - 31.8)	18.5 (3.9 - 33.2)	25.0 (7.7 - 42.3)	0/5
Percentage of retrievals resulting in live births ^{b,c}	29.6	5/18	6/17	0/2
Percentage of transfers resulting in live births ^{b,c}	30.5	5/18	6/17	0/2
Percentage of cancellations ^b	18.3	33.3	29.2	3/5
Average number of embryos transferred	3.1	3.3	3.2	2.5
Percentage of pregnancies with twins ^b	33.3	3/7	2/6	0/1
Percentage of pregnancies with triplets or more ^b	3.3	0/7	1/6	0/1
Percentage of live births having multiple infants ^{b,c}	37.9	3/5	3/6	
Frozen Embryos From Nondonor Eggs				
Number of transfers	22	4	1	1
Percentage of transfers resulting in live births ^{b,c}	9.1	2/4	0/1	0/1
Average number of embryos transferred	3.4	3.5	3.0	
Donor Eggs				
Number of fresh embryo transfers	4	1	11	7
Percentage of fresh transfers resulting in live births ^{b,c}	1/4	1/1	4/11	4/7
Average number of fresh embryos transferred	3.0	3.0	3.0	2.9
Number of frozen embryo transfers	5	0	3	3
Percentage of frozen transfers resulting in live births ^{b,c}	2/5		1/3	1/3
Average number of frozen embryos transferred	3.8		2.7	2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Bethesda Center for Reproductive Health and Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	21%	Uterine factor	6%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	35%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael A. Thomas, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	42	16	15	4
Percentage of cycles resulting in pregnancies ^b	45.2	4/16	3/15	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	42.9 (27.9 - 57.8)	4/16	3/15	0/4
Percentage of retrievals resulting in live births ^{b,c}	52.9	4/13	3/10	0/1
Percentage of transfers resulting in live births ^{b,c}	56.3	4/13	3/9	0/1
Percentage of cancellations ^b	19.0	3/16	5/15	3/4
Average number of embryos transferred	3.2	3.7	3.9	4.0
Percentage of pregnancies with twins ^b	5/19	0/4	1/3	
Percentage of pregnancies with triplets or more ^b	2/19	1/4	0/3	
Percentage of live births having multiple infants ^{b,c}	7/18	1/4	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	3	3	1
Percentage of transfers resulting in live births ^{b,c}	2/13	1/3	1/3	0/1
Average number of embryos transferred	2.5	2.7	2.3	2.0
Donor Eggs				
Number of fresh embryo transfers	4	4	6	19
Percentage of fresh transfers resulting in live births ^{b,c}	0/4	2/4	4/6	4/19
Average number of fresh embryos transferred	3.0	2.8	3.3	2.9
Number of frozen embryo transfers	6	6	5	23
Percentage of frozen transfers resulting in live births ^{b,c}	1/6	2/6	4/5	8.7
Average number of frozen embryos transferred	2.8	3.0	3.0	2.4

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Health

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**GREATER CINCINNATI INSTITUTE FOR REPRODUCTIVE
HEALTH AT THE CHRIST HOSPITAL
CINCINNATI, OHIO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	28%	Uterine factor	3%
GIFT	0%			Male factor	22%	Other factors	6%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	13%	Unexplained	1%
Combination	<1%	Unstimulated	0%	Endometriosis	27%		

1998 PREGNANCY SUCCESS RATES

Data verified by Sherif G. Awadalla, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	272	140	102	22
Percentage of cycles resulting in pregnancies ^b	40.1	26.4	17.6	4.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	34.9 (29.3 - 40.6)	25.7 (18.5 - 33.0)	14.7 (7.8 - 21.6)	4.5 (0.0 - 13.2)
Percentage of retrievals resulting in live births ^{b,c}	39.3	30.3	17.9	1/15
Percentage of transfers resulting in live births ^{b,c}	41.5	31.9	18.5	1/14
Percentage of cancellations ^b	11.0	15.0	17.6	31.8
Average number of embryos transferred	3.5	3.8	4.6	4.1
Percentage of pregnancies with twins ^b	26.6	24.3	4/18	1/1
Percentage of pregnancies with triplets or more ^b	10.1	8.1	1/18	0/1
Percentage of live births having multiple infants ^{b,c}	37.9	30.6	4/15	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	88	28	8	2
Percentage of transfers resulting in live births ^{b,c}	25.0	25.0	1/8	1/2
Average number of embryos transferred	3.5	3.3	3.9	3.0
Donor Eggs				
Number of fresh embryo transfers	12	6	8	15
Percentage of fresh transfers resulting in live births ^{b,c}	6/12	5/6	6/8	7/15
Average number of fresh embryos transferred	3.3	3.3	3.4	3.3
Number of frozen embryo transfers	7	10	3	16
Percentage of frozen transfers resulting in live births ^{b,c}	4/7	3/10	1/3	2/16
Average number of frozen embryos transferred	3.4	3.6	3.0	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Greater Cincinnati Institute for Reproductive Health at the Christ Hospital

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CLEVELAND CLINIC FOUNDATION CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	25%	Uterine factor	<1%
GIFT	0%			Male factor	34%	Other factors	5%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	6%	Unexplained	12%
Combination	<1%	Unstimulated	1%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey M. Goldberg, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	86	55	38	17
Percentage of cycles resulting in pregnancies ^b	30.2	16.4	15.8	2/17
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.3 (14.3 - 32.2)	14.5 (5.2 - 23.9)	10.5 (0.8 - 20.3)	2/17
Percentage of retrievals resulting in live births ^{b,c}	25.3	18.2	12.9	2/11
Percentage of transfers resulting in live births ^{b,c}	28.2	20.0	15.4	2/11
Percentage of cancellations ^b	8.1	20.0	18.4	6/17
Average number of embryos transferred	2.5	2.7	2.6	2.9
Percentage of pregnancies with twins ^b	15.4	3/9	1/6	1/2
Percentage of pregnancies with triplets or more ^b	19.2	1/9	0/6	0/2
Percentage of live births having multiple infants ^{b,c}	40.0	4/8	1/4	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	54	38	18	6
Percentage of transfers resulting in live births ^{b,c}	16.7	18.4	2/18	0/6
Average number of embryos transferred	2.4	2.5	2.4	3.5
Donor Eggs				
Number of fresh embryo transfers	0	1	1	0
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	0/1	
Average number of fresh embryos transferred		3.0	3.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Cleveland Clinic Foundation

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

METROHEALTH MEDICAL CENTER CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	6%	Uterine factor	9%
GIFT	0%			Male factor	25%	Other factors	13%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	6%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	41%		

1998 PREGNANCY SUCCESS RATES

Data verified by Khalid M. Ataya, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	8	8	5	1
Percentage of cycles resulting in pregnancies ^b	4/8	2/8	2/5	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/8	1/8	0/5	0/1
Percentage of retrievals resulting in live births ^{b,c}	3/7	1/5	0/5	
Percentage of transfers resulting in live births ^{b,c}	3/7	1/5	0/5	
Percentage of cancellations ^b	1/8	3/8	0/5	1/1
Average number of embryos transferred	3.0	2.8	1.4	
Percentage of pregnancies with twins ^b	2/4	0/2	0/2	
Percentage of pregnancies with triplets or more ^b	2/4	0/2	0/2	
Percentage of live births having multiple infants ^{b,c}	3/3	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	2	1	0
Percentage of transfers resulting in live births ^{b,c}	0/7	0/2	1/1	
Average number of embryos transferred	2.3	2.0	3.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: MetroHealth Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY HOSPITALS OF CLEVELAND CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	2%
GIFT	0%			Male factor	33%	Other factors	8%
ZIFT	0%	With ICSI	36%	Ovulatory dysfunction	8%	Unexplained	20%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by James Goldfarb, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	136	69	51	28
Percentage of cycles resulting in pregnancies ^b	43.4	33.3	23.5	7.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	39.7 (31.5 - 47.9)	27.5 (17.0 - 38.1)	19.6 (8.7 - 30.5)	3.6 (0.0 - 10.4)
Percentage of retrievals resulting in live births ^{b,c}	43.2	33.3	25.0	1/18
Percentage of transfers resulting in live births ^{b,c}	43.2	33.9	27.0	1/17
Percentage of cancellations ^b	8.1	17.4	21.6	35.7
Average number of embryos transferred	3.4	3.7	3.7	3.9
Percentage of pregnancies with twins ^b	32.2	26.1	4/12	0/2
Percentage of pregnancies with triplets or more ^b	11.9	8.7	0/12	0/2
Percentage of live births having multiple infants ^{b,c}	35.2	6/19	2/10	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	24	12	13	4
Percentage of transfers resulting in live births ^{b,c}	20.8	1/12	1/13	0/4
Average number of embryos transferred	2.5	2.3	2.6	1.8
Donor Eggs				
Number of fresh embryo transfers	1	3	0	9
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	2/3		2/9
Average number of fresh embryos transferred	4.0	3.3		3.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University Hospitals of Cleveland

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	95%	Procedural factors:		Tubal factor	29%	Uterine factor	6%
GIFT	5%			Male factor	19%	Other factors	<1%
ZIFT	<1%	With ICSI	33%	Ovulatory dysfunction	18%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Grant E. Schmidt, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	125	87	51	44
Percentage of cycles resulting in pregnancies ^b	40.8	31.0	33.3	6.8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	40.0 (31.4 - 48.6)	28.7 (19.2 - 38.2)	27.5 (15.2 - 39.7)	0.0
Percentage of retrievals resulting in live births ^{b,c}	41.7	32.5	31.1	0.0
Percentage of transfers resulting in live births ^{b,c}	42.4	33.8	31.1	0.0
Percentage of cancellations ^b	4.0	11.5	11.8	18.2
Average number of embryos transferred	3.4	3.5	3.8	3.6
Percentage of pregnancies with twins ^b	25.5	29.6	4/17	0/3
Percentage of pregnancies with triplets or more ^b	11.8	7.4	2/17	0/3
Percentage of live births having multiple infants ^{b,c}	32.0	40.0	6/14	
Frozen Embryos From Nondonor Eggs				
Number of transfers	29	13	5	2
Percentage of transfers resulting in live births ^{b,c}	31.0	6/13	1/5	0/2
Average number of embryos transferred	3.2	3.2	2.4	5.0
Donor Eggs				
Number of fresh embryo transfers	2	1	4	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/1	2/4	2/6
Average number of fresh embryos transferred	2.0	4.0	3.0	3.3
Number of frozen embryo transfers	1	2	2	3
Percentage of frozen transfers resulting in live births ^{b,c}	1/1	1/2	0/2	1/3
Average number of frozen embryos transferred	3.0	3.5	3.5	3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Ohio Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY FERTILITY INSTITUTE
COLUMBUS, OHIO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	77%	Procedural factors:		Tubal factor	25%	Uterine factor	5%
GIFT	21%			Male factor	26%	Other factors	8%
ZIFT	1%	With ICSI	40%	Ovulatory dysfunction	0%	Unexplained	26%
Combination	<1%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Chad I. Friedman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	79	27	24	14
Percentage of cycles resulting in pregnancies ^b	27.8	18.5	16.7	0/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.1 (14.6 - 33.5)	14.8 (1.4 - 28.2)	12.5 (0.0 - 25.7)	0/14
Percentage of retrievals resulting in live births ^{b,c}	27.5	19.0	3/18	0/11
Percentage of transfers resulting in live births ^{b,c}	30.2	20.0	3/18	0/9
Percentage of cancellations ^b	12.7	22.2	25.0	3/14
Average number of embryos transferred	3.3	3.4	3.3	3.0
Percentage of pregnancies with twins ^b	27.3	1/5	0/4	
Percentage of pregnancies with triplets or more ^b	9.1	1/5	0/4	
Percentage of live births having multiple infants ^{b,c}	7/19	2/4	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	1	1	0
Percentage of transfers resulting in live births ^{b,c}	1/6	0/1	1/1	
Average number of embryos transferred	2.8	1.0	2.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University Fertility Institute

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GENETICS & IVF INSTITUTE OF OHIO DAYTON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	0%
GIFT	0%			Male factor	51%	Other factors	1%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	15%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	2%		

1998 PREGNANCY SUCCESS RATES

Data verified by C. Roger Moritz, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	38	16	7	5
Percentage of cycles resulting in pregnancies ^b	28.9	3/16	0/7	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.3 (12.3 - 40.3)	3/16	0/7	0/5
Percentage of retrievals resulting in live births ^{b,c}	31.3	3/10	0/4	0/5
Percentage of transfers resulting in live births ^{b,c}	32.3	3/10	0/3	0/5
Percentage of cancellations ^b	15.8	6/16	3/7	0/5
Average number of embryos transferred	3.1	3.4	2.7	3.8
Percentage of pregnancies with twins ^b	2/11	1/3		
Percentage of pregnancies with triplets or more ^b	1/11	0/3		
Percentage of live births having multiple infants ^{b,c}	3/10	1/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	27	8	4	1
Percentage of transfers resulting in live births ^{b,c}	40.7	2/8	2/4	0/1
Average number of embryos transferred	3.2	2.4	2.8	4.0
Donor Eggs				
Number of fresh embryo transfers	1	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	
Average number of fresh embryos transferred	3.0		4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Genetics & IVF Institute of Ohio

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MIAMI VALLEY HOSPITAL FERTILITY CENTER DAYTON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	30%	Uterine factor	3%
GIFT	2%			Male factor	18%	Other factors	2%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	28%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Parvis Daneshjoo, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	38	8	8	0
Percentage of cycles resulting in pregnancies ^b	5.3	0/8	1/8	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2.6 (0.0 - 7.7)	0/8	1/8	
Percentage of retrievals resulting in live births ^{b,c}	2.6	0/7	1/8	
Percentage of transfers resulting in live births ^{b,c}	3.3	0/6	1/6	
Percentage of cancellations ^b	0.0	1/8	0/8	
Average number of embryos transferred	3.1	2.7	2.0	
Percentage of pregnancies with twins ^b	0/2		0/1	
Percentage of pregnancies with triplets or more ^b	0/2		0/1	
Percentage of live births having multiple infants ^{b,c}	0/1		0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	25	1	3	0
Percentage of transfers resulting in live births ^{b,c}	20.0	0/1	0/3	
Average number of embryos transferred	2.8	2.0	1.7	
Donor Eggs				
Number of fresh embryo transfers	2	1	3	5
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	0/1	0/3	2/5
Average number of fresh embryos transferred	3.0	3.0	2.7	2.6
Number of frozen embryo transfers	1	0	2	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/1		0/2	0/1
Average number of frozen embryos transferred	2.0		3.5	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Miami Valley Hospital Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CENTER OF NORTHWEST OHIO TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	33%	Uterine factor	0%
GIFT	0%			Male factor	25%	Other factors	5%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	23%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Joseph V. Karnitis, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	21	8	2
Percentage of cycles resulting in pregnancies ^b	33.8	19.0	2/8	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.1 (12.8 - 33.3)	14.3 (0.0 - 29.3)	1/8	0/2
Percentage of retrievals resulting in live births ^{b,c}	26.8	3/16	1/7	0/1
Percentage of transfers resulting in live births ^{b,c}	30.6	3/15	1/7	0/1
Percentage of cancellations ^b	13.8	23.8	1/8	1/2
Average number of embryos transferred	3.1	3.0	3.9	4.0
Percentage of pregnancies with twins ^b	18.2	0/4	0/2	
Percentage of pregnancies with triplets or more ^b	13.6	0/4	0/2	
Percentage of live births having multiple infants ^{b,c}	6/15	0/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	20	4	2	1
Percentage of transfers resulting in live births ^{b,c}	5.0	0/4	1/2	0/1
Average number of embryos transferred	3.7	2.5	2.5	4.0
Donor Eggs				
Number of fresh embryo transfers	2	1	1	2
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	0/1	0/1	0/2
Average number of fresh embryos transferred	2.5	2.0	4.0	2.0
Number of frozen embryo transfers	0	1	0	0
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		
Average number of frozen embryos transferred		2.0		

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Center of Northwest Ohio

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE REPRODUCTIVE CENTER YOUNGSTOWN, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	35%	Uterine factor	4%
GIFT	0%			Male factor	30%	Other factors	0%
ZIFT	0%	With ICSI	54%	Ovulatory dysfunction	22%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert L. Collins, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	2	0	0
Percentage of cycles resulting in pregnancies ^b	4/11	1/2		
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/11	1/2		
Percentage of retrievals resulting in live births ^{b,c}	2/11	1/2		
Percentage of transfers resulting in live births ^{b,c}	2/11	1/2		
Percentage of cancellations ^b	0/11	0/2		
Average number of embryos transferred	4.3	5.0		
Percentage of pregnancies with twins ^b	0/4	0/1		
Percentage of pregnancies with triplets or more ^b	0/4	0/1		
Percentage of live births having multiple infants ^{b,c}	0/2	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0/1		0/1	
Average number of embryos transferred	2.0		5.0	
Donor Eggs				
Number of fresh embryo transfers	1	0	1	2
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		1/1	0/2
Average number of fresh embryos transferred	4.0		3.0	3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				1/2
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Reproductive Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	27%	Uterine factor	2%
GIFT	0%			Male factor	24%	Other factors	2%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	25%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Eli Reshef, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	84	35	10	4
Percentage of cycles resulting in pregnancies ^b	51.2	45.7	6/10	3/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	47.6 (36.9 - 58.3)	37.1 (21.1 - 53.2)	3/10	2/4
Percentage of retrievals resulting in live births ^{b,c}	48.2	39.4	3/10	2/4
Percentage of transfers resulting in live births ^{b,c}	51.3	43.3	3/10	2/4
Percentage of cancellations ^b	1.2	5.7	0/10	0/4
Average number of embryos transferred	3.0	2.9	3.0	3.5
Percentage of pregnancies with twins ^b	37.2	6/16	1/6	1/3
Percentage of pregnancies with triplets or more ^b	16.3	2/16	0/6	0/3
Percentage of live births having multiple infants ^{b,c}	52.5	7/13	1/3	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	24	7	1	2
Percentage of transfers resulting in live births ^{b,c}	25.0	1/7	0/1	1/2
Average number of embryos transferred	3.5	2.3	4.0	3.5
Donor Eggs				
Number of fresh embryo transfers	0	3	2	7
Percentage of fresh transfers resulting in live births ^{b,c}		1/3	0/2	4/7
Average number of fresh embryos transferred		3.3	3.5	3.7
Number of frozen embryo transfers	1	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/1		0/1	0/1
Average number of frozen embryos transferred	1.0		5.0	4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Henry G. Bennett, Jr., Fertility Institute

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? No

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PRESBYTERIAN HOSPITAL
LABORATORY FOR ASSISTED REPRODUCTIVE TECHNOLOGIES
OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	41%	Uterine factor	0%
GIFT	0%			Male factor	38%	Other factors	2%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	15%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gilbert G. Haas, Jr., M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	6	5	1
Percentage of cycles resulting in pregnancies ^b	6/18	1/6	0/5	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	5/18	1/6	0/5	0/1
Percentage of retrievals resulting in live births ^{b,c}	5/16	1/6	0/2	
Percentage of transfers resulting in live births ^{b,c}	5/14	1/5	0/2	
Percentage of cancellations ^b	2/18	0/6	3/5	1/1
Average number of embryos transferred	2.6	2.6	2.5	
Percentage of pregnancies with twins ^b	3/6	0/1		
Percentage of pregnancies with triplets or more ^b	0/6	0/1		
Percentage of live births having multiple infants ^{b,c}	2/5	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	5	2	0
Percentage of transfers resulting in live births ^{b,c}	1/11	2/5	0/2	
Average number of embryos transferred	2.7	3.0	1.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}				0/2
Average number of fresh embryos transferred				1.5
Number of frozen embryo transfers	3	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	1/3			
Average number of frozen embryos transferred	1.7			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Presbyterian Hospital Laboratory for Assisted Reproductive Technologies

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

TULSA CENTER FOR FERTILITY & WOMEN'S HEALTH TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	37%	Uterine factor	0%
GIFT	0%			Male factor	19%	Other factors	16%
ZIFT	0%	With ICSI	21%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	<1%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Stanley G. Prough, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	79	30	17	8
Percentage of cycles resulting in pregnancies ^b	41.8	30.0	5/17	1/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.7 (26.1 - 47.3)	26.7 (10.8 - 42.5)	4/17	1/8
Percentage of retrievals resulting in live births ^{b,c}	42.6	30.8	4/11	1/3
Percentage of transfers resulting in live births ^{b,c}	44.6	33.3	4/11	1/3
Percentage of cancellations ^b	13.9	13.3	6/17	5/8
Average number of embryos transferred	2.7	3.6	3.3	3.0
Percentage of pregnancies with twins ^b	45.5	3/9	0/5	0/1
Percentage of pregnancies with triplets or more ^b	3.0	3/9	0/5	0/1
Percentage of live births having multiple infants ^{b,c}	41.4	5/8	0/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1/9	0/2		
Average number of embryos transferred	2.7	3.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Tulsa Center for Fertility & Women's Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTHWEST FERTILITY CENTER PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	24%	Uterine factor	6%
GIFT	0%			Male factor	27%	Other factors	22%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	5%	Unexplained	2%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Eugene M. Stoelk, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	41	21	19	6
Percentage of cycles resulting in pregnancies ^b	31.7	52.4	2/19	1/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.4 (11.2 - 37.5)	52.4 (31.0 - 73.7)	1/19	1/6
Percentage of retrievals resulting in live births ^{b,c}	26.3	11/19	1/17	1/6
Percentage of transfers resulting in live births ^{b,c}	27.0	11/18	1/15	1/6
Percentage of cancellations ^b	7.3	9.5	2/19	0/6
Average number of embryos transferred	3.5	3.8	4.0	5.5
Percentage of pregnancies with twins ^b	4/13	3/11	1/2	0/1
Percentage of pregnancies with triplets or more ^b	0/13	1/11	1/2	0/1
Percentage of live births having multiple infants ^{b,c}	3/10	4/11	1/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	29	6	9	1
Percentage of transfers resulting in live births ^{b,c}	17.2	0/6	1/9	0/1
Average number of embryos transferred	2.8	3.2	2.4	1.0
Donor Eggs				
Number of fresh embryo transfers	6	5	8	14
Percentage of fresh transfers resulting in live births ^{b,c}	1/6	0/5	2/8	4/14
Average number of fresh embryos transferred	3.7	3.0	3.5	3.0
Number of frozen embryo transfers	13	9	7	32
Percentage of frozen transfers resulting in live births ^{b,c}	1/13	1/9	1/7	12.5
Average number of frozen embryos transferred	3.3	2.6	2.9	3.8

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Northwest Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH SCIENCES UNIVERSITY
PORTLAND, OREGON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	29%	Uterine factor	3%
GIFT	0%			Male factor	19%	Other factors	22%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	3%	Unexplained	8%
Combination	<1%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Marsha J. Gorrill, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	105	64	38	12
Percentage of cycles resulting in pregnancies ^b	33.3	21.9	15.8	4/12
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	30.5 (21.7 - 39.3)	17.2 (7.9 - 26.4)	13.2 (2.4 - 23.9)	2/12
Percentage of retrievals resulting in live births ^{b,c}	39.0	25.0	5/19	2/8
Percentage of transfers resulting in live births ^{b,c}	42.7	26.8	5/18	2/8
Percentage of cancellations ^b	21.9	31.3	50.0	4/12
Average number of embryos transferred	2.3	2.5	2.8	2.3
Percentage of pregnancies with twins ^b	40.0	5/14	2/6	0/4
Percentage of pregnancies with triplets or more ^b	5.7	1/14	0/6	0/4
Percentage of live births having multiple infants ^{b,c}	50.0	6/11	2/5	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	35	17	14	3
Percentage of transfers resulting in live births ^{b,c}	42.9	1/17	3/14	1/3
Average number of embryos transferred	2.6	2.4	2.3	2.7
Donor Eggs				
Number of fresh embryo transfers	3	6	8	28
Percentage of fresh transfers resulting in live births ^{b,c}	1/3	3/6	6/8	57.1
Average number of fresh embryos transferred	2.0	2.0	2.0	2.0
Number of frozen embryo transfers	3	2	7	9
Percentage of frozen transfers resulting in live births ^{b,c}	2/3	2/2	0/7	4/9
Average number of frozen embryos transferred	2.0	2.0	2.3	2.1

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University Fertility Consultants - Oregon Health Sciences University

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	13%	Uterine factor	1%
GIFT	2%			Male factor	19%	Other factors	7%
ZIFT	<1%	With ICSI	25%	Ovulatory dysfunction	19%	Unexplained	34%
Combination	0%	Unstimulated	0%	Endometriosis	7%		

1998 PREGNANCY SUCCESS RATES

Data verified by Stephen G. Somkuti, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	85	42	23	26
Percentage of cycles resulting in pregnancies ^b	30.6	28.6	17.4	0.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.9 (16.6 - 35.2)	23.8 (10.9 - 36.7)	8.7 (0.0 - 20.2)	0.0
Percentage of retrievals resulting in live births ^{b,c}	27.2	27.0	9.5	0.0
Percentage of transfers resulting in live births ^{b,c}	27.8	28.6	10.0	0.0
Percentage of cancellations ^b	4.7	11.9	8.7	7.7
Average number of embryos transferred	4.2	4.4	4.8	3.6
Percentage of pregnancies with twins ^b	34.6	1/12	0/4	
Percentage of pregnancies with triplets or more ^b	7.7	3/12	0/4	
Percentage of live births having multiple infants ^{b,c}	50.0	4/10	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	25	7	3	6
Percentage of transfers resulting in live births ^{b,c}	16.0	0/7	2/3	1/6
Average number of embryos transferred	3.8	4.4	5.0	3.2
Donor Eggs				
Number of fresh embryo transfers	0	0	1	5
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	0/5
Average number of fresh embryos transferred			4.0	3.4
Number of frozen embryo transfers	0	3	0	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/3		0/1
Average number of frozen embryos transferred		4.0		4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Toll Center for Reproductive Sciences

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

INFERTILITY SOLUTIONS, P.C. ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	20%	Uterine factor	2%
GIFT	0%			Male factor	27%	Other factors	8%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	34%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bruce I. Rose, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	8	21	11
Percentage of cycles resulting in pregnancies ^b	38.5	2/8	4.8	1/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.3 (18.5 - 48.1)	1/8		0/11
Percentage of retrievals resulting in live births ^{b,c}	35.1	1/8	0/17	0/11
Percentage of transfers resulting in live births ^{b,c}	35.1	1/7	0/16	0/11
Percentage of cancellations ^b	5.1	0/8	19.0	0/11
Average number of embryos transferred	4.0	4.4	3.6	5.0
Percentage of pregnancies with twins ^b	4/15	0/2	1/1	0/1
Percentage of pregnancies with triplets or more ^b	2/15	0/2	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	5/13	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	10	6	1
Percentage of transfers resulting in live births ^{b,c}	1/9	3/10	0/6	0/1
Average number of embryos transferred	3.6	2.9	3.7	3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Infertility Solutions, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

LEHIGH VALLEY HOSPITAL
SECTION OF REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	44%	Uterine factor	0%
GIFT	0%			Male factor	28%	Other factors	0%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	20%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	3%		

1998 PREGNANCY SUCCESS RATES

Data verified by Albert J. Peters, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	37	6	13	4
Percentage of cycles resulting in pregnancies ^b	8.1	1/6	2/13	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	8.1 (0.0 - 16.9)	1/6	2/13	0/4
Percentage of retrievals resulting in live births ^{b,c}	11.5	1/6	2/8	0/2
Percentage of transfers resulting in live births ^{b,c}	13.0	1/6	2/8	0/2
Percentage of cancellations ^b	29.7	0/6	5/13	2/4
Average number of embryos transferred	3.7	2.8	3.6	2.5
Percentage of pregnancies with twins ^b	1/3	0/1	0/2	
Percentage of pregnancies with triplets or more ^b	0/3	0/1	0/2	
Percentage of live births having multiple infants ^{b,c}	0/3	0/1	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	1	0
Percentage of transfers resulting in live births ^{b,c}	1/1	0/1	0/1	
Average number of embryos transferred	3.0	2.0	3.0	
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			
Average number of fresh embryos transferred	6.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Lehigh Valley Hospital, Section of Reproductive Endocrinology and Infertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPROTECH, INC.
ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	28%	Uterine factor	0%
GIFT	0%			Male factor	18%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	27%	Unexplained	27%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Eric R. Rittenhouse, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	1	1	0
Percentage of cycles resulting in pregnancies ^b	4/7	1/1	0/1	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	4/7	1/1	0/1	
Percentage of retrievals resulting in live births ^{b,c}	4/7	1/1	0/1	
Percentage of transfers resulting in live births ^{b,c}	4/7	1/1	0/1	
Percentage of cancellations ^b	0/7	0/1	0/1	
Average number of embryos transferred	3.6	3.0	3.0	
Percentage of pregnancies with twins ^b	0/4	0/1		
Percentage of pregnancies with triplets or more ^b	1/4	0/1		
Percentage of live births having multiple infants ^{b,c}	0/4	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}		0/1		
Average number of embryos transferred		2.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			1/1	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reprotech, Inc.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	32%	Uterine factor	0%
GIFT	0%			Male factor	31%	Other factors	30%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	2%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by H. Christina Lee, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	24	10	10	9
Percentage of cycles resulting in pregnancies ^b	20.8	1/10	3/10	1/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	16.7 (1.8 - 31.6)	1/10	3/10	0/9
Percentage of retrievals resulting in live births ^{b,c}	18.2	1/10	3/7	0/7
Percentage of transfers resulting in live births ^{b,c}	4/18	1/8	3/6	0/7
Percentage of cancellations ^b	8.3	0/10	3/10	2/9
Average number of embryos transferred	2.6	3.1	3.2	3.1
Percentage of pregnancies with twins ^b	2/5	1/1	0/3	0/1
Percentage of pregnancies with triplets or more ^b	1/5	0/1	1/3	0/1
Percentage of live births having multiple infants ^{b,c}	2/4	1/1	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	5.0			
Donor Eggs				
Number of fresh embryo transfers	1	0	0	4
Percentage of fresh transfers resulting in live births ^{b,c}	0/1			3/4
Average number of fresh embryos transferred	3.0			5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Family Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE AT
THE BRYN MAWR HOSPITAL
BRYN MAWR, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	76%	Procedural factors:		Tubal factor	32%	Uterine factor	8%
GIFT	24%			Male factor	21%	Other factors	3%
ZIFT	0%	With ICSI	19%	Ovulatory dysfunction	27%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael J. Glassner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	14	13	2
Percentage of cycles resulting in pregnancies ^b	35.3	4/14	5/13	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.5 (11.6 - 41.3)	4/14	5/13	0/2
Percentage of retrievals resulting in live births ^{b,c}	28.1	4/13	5/13	0/2
Percentage of transfers resulting in live births ^{b,c}	28.1	4/13	5/13	0/2
Percentage of cancellations ^b	5.9	1/14	0/13	0/2
Average number of embryos transferred	4.0	4.7	4.4	2.5
Percentage of pregnancies with twins ^b	1/12	2/4	2/5	
Percentage of pregnancies with triplets or more ^b	2/12	1/4	0/5	
Percentage of live births having multiple infants ^{b,c}	2/9	1/4	1/5	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	4	1	0
Percentage of transfers resulting in live births ^{b,c}	3/7	1/4	0/1	
Average number of embryos transferred	3.3	3.5	4.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine at the Bryn Mawr Hospital

Services Offered:

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	38%	Uterine factor	3%
GIFT	2%			Male factor	22%	Other factors	3%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	4%	Unexplained	24%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Latif O. Awad, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	35	3	11	5
Percentage of cycles resulting in pregnancies ^b	34.3	1/3	1/11	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.7 (11.2 - 40.2)	1/3	0/11	0/5
Percentage of retrievals resulting in live births ^{b,c}	31.0	1/2	0/4	0/1
Percentage of transfers resulting in live births ^{b,c}	34.6	1/2	0/4	0/1
Percentage of cancellations ^b	17.1	1/3	7/11	4/5
Average number of embryos transferred	3.4	3.0	3.5	3.0
Percentage of pregnancies with twins ^b	2/12	0/1	0/1	
Percentage of pregnancies with triplets or more ^b	0/12	0/1	0/1	
Percentage of live births having multiple infants ^{b,c}	2/9	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	2	2	0
Percentage of transfers resulting in live births ^{b,c}	2/10	1/2	0/2	
Average number of embryos transferred	3.2	2.0	3.5	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				0/3
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Geisinger Medical Center Fertility Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PENN STATE GEISINGER HEALTH SYSTEM
HERSHEY, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	29%	Uterine factor	1%
GIFT	0%			Male factor	19%	Other factors	8%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	14%	Unexplained	14%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by William C. Dodson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	56	24	18	0
Percentage of cycles resulting in pregnancies ^b	19.6	25.0	4/18	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	14.3 (5.1 - 23.5)	16.7 (1.8 - 31.6)	3/18	
Percentage of retrievals resulting in live births ^{b,c}	15.1	20.0	3/17	
Percentage of transfers resulting in live births ^{b,c}	19.0	4/17	3/14	
Percentage of cancellations ^b	5.4	16.7	1/18	
Average number of embryos transferred	2.9	2.8	2.9	
Percentage of pregnancies with twins ^b	3/11	1/6	0/4	
Percentage of pregnancies with triplets or more ^b	1/11	1/6	1/4	
Percentage of live births having multiple infants ^{b,c}	3/8	1/4	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	27	18	8	1
Percentage of transfers resulting in live births ^{b,c}	7.4	2/18	0/8	0/1
Average number of embryos transferred	3.0	3.1	2.8	1.0
Donor Eggs				
Number of fresh embryo transfers	0	1	0	2
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		1/2
Average number of fresh embryos transferred		3.0		2.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Penn State Geisinger Health System

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

JENKINTOWN REPRODUCTIVE ENDOCRINE & GYNECOLOGY ASSOCIATES, P.C.

JENKINTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	94%	Procedural factors:		Tubal factor	20%	Uterine factor	0%
GIFT	0%			Male factor	5%	Other factors	5%
ZIFT	0%	With ICSI	13%	Ovulatory dysfunction	65%	Unexplained	2%
Combination	6%	Unstimulated	0%	Endometriosis	3%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey S. Chase, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	6	4	1
Percentage of cycles resulting in pregnancies ^b	1/5	0/6	0/4	1/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/5	0/6	0/4	1/1
Percentage of retrievals resulting in live births ^{b,c}	1/5	0/5	0/3	1/1
Percentage of transfers resulting in live births ^{b,c}	1/4	0/5	0/3	1/1
Percentage of cancellations ^b	0/5	1/6	1/4	0/1
Average number of embryos transferred	4.3	4.2	5.3	6.0
Percentage of pregnancies with twins ^b	0/1			0/1
Percentage of pregnancies with triplets or more ^b	0/1			0/1
Percentage of live births having multiple infants ^{b,c}	0/1			0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0/1		0/1	
Average number of embryos transferred	3.0		3.0	
Donor Eggs				
Number of fresh embryo transfers	1	2	7	7
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	0/2	0/7	2/7
Average number of fresh embryos transferred	5.0	5.0	4.7	4.9
Number of frozen embryo transfers	1	0	3	0
Percentage of frozen transfers resulting in live births ^{b,c}	1/1		2/3	
Average number of frozen embryos transferred	4.0		4.3	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Jenkintown Reproductive Endocrine & Gynecology Associates, P.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTHERN FERTILITY AND REPRODUCTIVE ASSOCIATES MEADOWBROOK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	85%	Procedural factors:		Tubal factor	14%	Uterine factor	1%
GIFT	10%			Male factor	25%	Other factors	7%
ZIFT	5%	With ICSI	22%	Ovulatory dysfunction	13%	Unexplained	25%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Martin F. Freedman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	75	33	23	19
Percentage of cycles resulting in pregnancies ^b	37.3	27.3	43.5	6/19
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.0 (17.8 - 38.2)	24.2 (9.6 - 38.9)	34.8 (15.3 - 54.2)	2/19
Percentage of retrievals resulting in live births ^{b,c}	30.0	24.2	36.4	2/18
Percentage of transfers resulting in live births ^{b,c}	31.3	25.8	36.4	2/17
Percentage of cancellations ^b	6.7	0.0	4.3	1/19
Average number of embryos transferred	3.8	3.8	4.7	4.5
Percentage of pregnancies with twins ^b	17.9	3/9	3/10	2/6
Percentage of pregnancies with triplets or more ^b	10.7	1/9	0/10	0/6
Percentage of live births having multiple infants ^{b,c}	33.3	3/8	3/8	2/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	13	3	1
Percentage of transfers resulting in live births ^{b,c}	5/14	3/13	0/3	0/1
Average number of embryos transferred	3.4	3.7	2.3	2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	0/1
Average number of fresh embryos transferred			3.0	5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Northern Fertility and Reproductive Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**PENNSYLVANIA REPRODUCTIVE ASSOCIATES,
WOMEN'S INSTITUTE FOR FERTILITY, ENDOCRINOLOGY, AND MENOPAUSE
PHILADELPHIA, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	90%	Procedural factors:		Tubal factor	25%	Uterine factor	4%
GIFT	10%			Male factor	30%	Other factors	25%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	7%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Stephen L. Corson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	181	86	101	14
Percentage of cycles resulting in pregnancies ^b	28.2	20.9	15.8	1/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	21.0 (15.1 - 26.9)	17.4 (9.4 - 25.5)	10.9 (4.8 - 17.0)	1/14
Percentage of retrievals resulting in live births ^{b,c}	24.7	23.8	14.9	1/11
Percentage of transfers resulting in live births ^{b,c}	28.6	30.6	17.2	1/10
Percentage of cancellations ^b	14.9	26.7	26.7	3/14
Average number of embryos transferred	2.9	3.1	3.1	3.3
Percentage of pregnancies with twins ^b	29.4	9/18	2/16	0/1
Percentage of pregnancies with triplets or more ^b	5.9	0/18	2/16	0/1
Percentage of live births having multiple infants ^{b,c}	34.2	6/15	2/11	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1		
Average number of embryos transferred	3.0	2.0		
Donor Eggs				
Number of fresh embryo transfers	4	6	12	21
Percentage of fresh transfers resulting in live births ^{b,c}	3/4	5/6	6/12	33.3
Average number of fresh embryos transferred	2.3	2.8	3.0	2.5
Number of frozen embryo transfers	2	0	2	1
Percentage of frozen transfers resulting in live births ^{b,c}	0/2		0/2	1/1
Average number of frozen embryos transferred	3.0		2.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Pennsylvania Reproductive Associates, Women's Institute for Fertility, Endocrinology, and Menopause

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THOMAS JEFFERSON IVF PROGRAM PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	97%	Procedural factors:		Tubal factor	60%	Uterine factor	1%
GIFT	3%			Male factor	12%	Other factors	5%
ZIFT	0%	With ICSI	4%	Ovulatory dysfunction	16%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gregory T. Fossum, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	13	9	16
Percentage of cycles resulting in pregnancies ^b	11.1	1/13	1/9	1/16
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2.8 (0.0 - 8.1)	1/13	0/9	0/16
Percentage of retrievals resulting in live births ^{b,c}	3.0	1/11	0/8	0/12
Percentage of transfers resulting in live births ^{b,c}	3.4	1/9	0/8	0/11
Percentage of cancellations ^b	8.3	2/13	1/9	4/16
Average number of embryos transferred	4.5	5.2	4.5	4.6
Percentage of pregnancies with twins ^b	1/4	0/1	0/1	0/1
Percentage of pregnancies with triplets or more ^b	0/4	0/1	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	1/1	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				1/3
Average number of fresh embryos transferred				6.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Thomas Jefferson IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF PENNSYLVANIA MEDICAL CENTER PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	4%
GIFT	0%			Male factor	20%	Other factors	12%
ZIFT	0%	With ICSI	17%	Ovulatory dysfunction	8%	Unexplained	11%
Combination	0%	Unstimulated	0%	Endometriosis	20%		

1998 PREGNANCY SUCCESS RATES

Data verified by Christos B. Coutifaris, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	132	66	74	52
Percentage of cycles resulting in pregnancies ^b	34.1	25.8	24.3	1.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.5 (21.8 - 37.3)	22.7 (12.6 - 32.8)	14.9 (6.8 - 23.0)	0.0
Percentage of retrievals resulting in live births ^{b,c}	31.5	27.8	20.0	0.0
Percentage of transfers resulting in live births ^{b,c}	33.6	29.4	22.0	0.0
Percentage of cancellations ^b	6.1	18.2	25.7	32.7
Average number of embryos transferred	2.8	3.0	3.2	3.3
Percentage of pregnancies with twins ^b	24.4	5/17	3/18	0/1
Percentage of pregnancies with triplets or more ^b	6.7	2/17	0/18	0/1
Percentage of live births having multiple infants ^{b,c}	30.8	6/15	2/11	
Frozen Embryos From Nondonor Eggs				
Number of transfers	26	13	7	3
Percentage of transfers resulting in live births ^{b,c}	38.5	4/13	2/7	1/3
Average number of embryos transferred	3.0	3.2	2.3	3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Pennsylvania Medical Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ALLEGHENY GENERAL HOSPITAL IVF PROGRAM PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	16%	Uterine factor	0%
GIFT	<1%			Male factor	12%	Other factors	36%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	20%	Unexplained	2%
Combination	<1%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Anthony N.G. Wakim, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	128	39	45	20
Percentage of cycles resulting in pregnancies ^b	20.3	17.9	6.7	0.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	18.8 (12.0 - 25.5)	10.3 (0.7 - 19.8)	4.4 (0.0 - 10.5)	0.0
Percentage of retrievals resulting in live births ^{b,c}	19.2	10.8	4.4	0.0
Percentage of transfers resulting in live births ^{b,c}	20.5	12.5	6.1	0/17
Percentage of cancellations ^b	2.3	5.1	0.0	0.0
Average number of embryos transferred	3.8	3.7	3.7	3.2
Percentage of pregnancies with twins ^b	23.1	0/7	0/3	
Percentage of pregnancies with triplets or more ^b	30.8	0/7	1/3	
Percentage of live births having multiple infants ^{b,c}	54.2	0/4	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	45	16	4	6
Percentage of transfers resulting in live births ^{b,c}	4.4	2/16	0/4	0/6
Average number of embryos transferred	4.0	4.3	3.5	4.3
Donor Eggs				
Number of fresh embryo transfers	2	2	3	6
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	1/2	0/3	0/6
Average number of fresh embryos transferred	4.0	3.5	4.3	4.2
Number of frozen embryo transfers	0	0	0	3
Percentage of frozen transfers resulting in live births ^{b,c}				0/3
Average number of frozen embryos transferred				4.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Allegheny General Hospital IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE FERTILITY CENTER AT SAINT CLAIR HOSPITAL PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	93%	Procedural factors:		Tubal factor	22%	Uterine factor	6%
GIFT	0%			Male factor	10%	Other factors	6%
ZIFT	7%	With ICSI	39%	Ovulatory dysfunction	48%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by Miguel A. Marrero, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	19	7	13	7
Percentage of cycles resulting in pregnancies ^b	6/19	2/7	3/13	0/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	5/19	2/7	3/13	0/7
Percentage of retrievals resulting in live births ^{b,c}	5/18	2/7	3/13	0/6
Percentage of transfers resulting in live births ^{b,c}	5/17	2/7	3/12	0/6
Percentage of cancellations ^b	1/19	0/7	0/13	1/7
Average number of embryos transferred	4.1	4.7	4.8	2.7
Percentage of pregnancies with twins ^b	0/6	2/2	0/3	
Percentage of pregnancies with triplets or more ^b	2/6	0/2	1/3	
Percentage of live births having multiple infants ^{b,c}	2/5	1/2	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	1
Percentage of transfers resulting in live births ^{b,c}	1/3			1/1
Average number of embryos transferred	5.0			3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: IVF Marrero

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY WOMEN'S HEALTH CARE ASSOCIATES PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	20%	Uterine factor	6%
GIFT	0%			Male factor	14%	Other factors	40%
ZIFT	0%	With ICSI	25%	Ovulatory dysfunction	8%	Unexplained	0%
Combination	1%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Judith L. Albert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	119	94	66	21
Percentage of cycles resulting in pregnancies ^b	24.4	18.1	10.6	9.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	19.3 (12.2 - 26.4)	14.9 (7.7 - 22.1)	6.1 (0.3 - 11.8)	4.8 (0.0 - 13.9)
Percentage of retrievals resulting in live births ^{b,c}	20.7	16.9	8.3	1/17
Percentage of transfers resulting in live births ^{b,c}	21.3	17.9	9.1	1/15
Percentage of cancellations ^b	6.7	11.7	27.3	19.0
Average number of embryos transferred	3.2	3.5	3.4	3.7
Percentage of pregnancies with twins ^b	44.8	3/17	0/7	0/2
Percentage of pregnancies with triplets or more ^b	10.3	1/17	1/7	0/2
Percentage of live births having multiple infants ^{b,c}	47.8	3/14	1/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	15	14	6	5
Percentage of transfers resulting in live births ^{b,c}	0/15	1/14	1/6	1/5
Average number of embryos transferred	2.6	3.0	3.8	3.0
Donor Eggs				
Number of fresh embryo transfers	4	3	5	8
Percentage of fresh transfers resulting in live births ^{b,c}	0/4	1/3	2/5	1/8
Average number of fresh embryos transferred	2.5	2.7	3.4	3.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Pittsburgh Physicians

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	92%	Procedural factors:		Tubal factor	20%	Uterine factor	6%
GIFT	0%			Male factor	19%	Other factors	<1%
ZIFT	3%	With ICSI	34%	Ovulatory dysfunction	4%	Unexplained	26%
Combination	5%	Unstimulated	0%	Endometriosis	25%		

1998 PREGNANCY SUCCESS RATES

Data verified by Albert El-Roeiy, M.D., MBA

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	63	35	25	8
Percentage of cycles resulting in pregnancies ^b	25.4	14.3	12.0	0/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	15.9 (6.8 - 24.9)	11.4 (0.9 - 22.0)	0.0	0/8
Percentage of retrievals resulting in live births ^{b,c}	18.2	13.8	0.0	0/4
Percentage of transfers resulting in live births ^{b,c}	20.0	15.4	0/19	0/4
Percentage of cancellations ^b	12.7	17.1	8.0	4/8
Average number of embryos transferred	3.9	3.7	5.3	4.0
Percentage of pregnancies with twins ^b	5/16	0/5	0/3	
Percentage of pregnancies with triplets or more ^b	1/16	0/5	0/3	
Percentage of live births having multiple infants ^{b,c}	4/10	0/4		
Frozen Embryos From Nondonor Eggs				
Number of transfers	20	7	4	2
Percentage of transfers resulting in live births ^{b,c}	5.0	0/7	1/4	0/2
Average number of embryos transferred	4.0	4.0	5.0	3.5
Donor Eggs				
Number of fresh embryo transfers	0	1	6	4
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	4/6	3/4
Average number of fresh embryos transferred		4.0	3.5	4.5
Number of frozen embryo transfers	0	0	1	2
Percentage of frozen transfers resulting in live births ^{b,c}			1/1	1/2
Average number of frozen embryos transferred			4.0	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Endocrinology and Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SCIENCE CENTER OF GREATER PHILADELPHIA WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	8%	Uterine factor	2%
GIFT	0%			Male factor	25%	Other factors	7%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	27%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	30%		

1998 PREGNANCY SUCCESS RATES

Data verified by Abraham K. Munabi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	7	18	7
Percentage of cycles resulting in pregnancies ^b	32.4	2/7	2/18	3/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	20.6 (7.0 - 34.2)	2/7	1/18	1/7
Percentage of retrievals resulting in live births ^{b,c}	20.6	2/7	1/16	1/7
Percentage of transfers resulting in live births ^{b,c}	21.9	2/6	1/14	1/7
Percentage of cancellations ^b	0.0	0/7	2/18	0/7
Average number of embryos transferred	4.1	2.8	4.0	3.3
Percentage of pregnancies with twins ^b	1/11	1/2	0/2	0/3
Percentage of pregnancies with triplets or more ^b	1/11	0/2	0/2	0/3
Percentage of live births having multiple infants ^{b,c}	1/7	1/2	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	4	1	0
Percentage of transfers resulting in live births ^{b,c}	1/8	0/4	0/1	
Average number of embryos transferred	3.6	4.0	4.0	
Donor Eggs				
Number of fresh embryo transfers	2	5	2	7
Percentage of fresh transfers resulting in live births ^{b,c}	0/2	2/5	1/2	3/7
Average number of fresh embryos transferred	4.0	3.8	3.5	4.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Science Institute - Philadelphia

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WOMEN'S CLINIC, LTD.
WEST READING, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	51%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	11%
ZIFT	0%	With ICSI	16%	Ovulatory dysfunction	3%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Vincent A. Pellegrini, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	25	9	1
Percentage of cycles resulting in pregnancies ^b	21.4	32.0	1/9	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	17.9 (3.7 - 32.0)	28.0 (10.4 - 45.6)	1/9	0/1
Percentage of retrievals resulting in live births ^{b,c}	19.2	7/18	1/9	0/1
Percentage of transfers resulting in live births ^{b,c}	20.8	7/17	1/9	0/1
Percentage of cancellations ^b	7.1	28.0	0/9	0/1
Average number of embryos transferred	4.2	4.1	4.9	1.0
Percentage of pregnancies with twins ^b	2/6	3/8	1/1	
Percentage of pregnancies with triplets or more ^b	0/6	0/8	0/1	
Percentage of live births having multiple infants ^{b,c}	2/5	3/7	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Women's Clinic, Ltd.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTRO DE FERTILIDAD DEL CARIBE RIO PIEDRAS, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	45%	Uterine factor	2%
GIFT	0%			Male factor	37%	Other factors	2%
ZIFT	0%	With ICSI	46%	Ovulatory dysfunction	4%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Rene Fernandez-Pelegrina, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	49	25	17	15
Percentage of cycles resulting in pregnancies ^b	51.0	36.0	4/17	8/15
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.7 (23.2 - 50.2)	32.0 (13.7 - 50.3)	3/17	5/15
Percentage of retrievals resulting in live births ^{b,c}	41.9	34.8	3/14	5/14
Percentage of transfers resulting in live births ^{b,c}	45.0	36.4	3/11	5/13
Percentage of cancellations ^b	12.2	8.0	3/17	1/15
Average number of embryos transferred	2.0	1.9	1.9	2.8
Percentage of pregnancies with twins ^b	36.0	1/9	2/4	1/8
Percentage of pregnancies with triplets or more ^b	4.0	0/9	0/4	0/8
Percentage of live births having multiple infants ^{b,c}	8/18	1/8	0/3	1/5
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	1
Percentage of transfers resulting in live births ^{b,c}	0/3			0/1
Average number of embryos transferred	2.0			1.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Centro de Fertilidad del Caribe

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WOMEN & INFANTS HOSPITAL IVF PROGRAM PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	28%	Uterine factor	2%
GIFT	0%			Male factor	31%	Other factors	7%
ZIFT	<1%	With ICSI	39%	Ovulatory dysfunction	8%	Unexplained	13%
Combination	<1%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by David L. Keefe, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	370	148	124	67
Percentage of cycles resulting in pregnancies ^b	24.3	16.9	16.9	19.4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.7 (18.4 - 27.0)	11.5 (6.3 - 16.6)	12.1 (6.4 - 17.8)	13.4 (5.3 - 21.6)
Percentage of retrievals resulting in live births ^{b,c}	23.2	12.6	13.8	14.5
Percentage of transfers resulting in live births ^{b,c}	24.6	13.3	15.8	15.8
Percentage of cancellations ^b	2.2	8.8	12.1	7.5
Average number of embryos transferred	3.1	3.2	3.6	4.2
Percentage of pregnancies with twins ^b	43.3	28.0	14.3	3/13
Percentage of pregnancies with triplets or more ^b	14.4	12.0	14.3	2/13
Percentage of live births having multiple infants ^{b,c}	48.8	8/17	5/15	3/9
Frozen Embryos From Nondonor Eggs				
Number of transfers	42	28	11	5
Percentage of transfers resulting in live births ^{b,c}	9.5	14.3	2/11	0/5
Average number of embryos transferred	3.4	3.3	3.4	4.6
Donor Eggs				
Number of fresh embryo transfers	2	1	4	3
Percentage of fresh transfers resulting in live births ^{b,c}	1/2	0/1	0/4	1/3
Average number of fresh embryos transferred	3.0	2.0	2.8	3.7
Number of frozen embryo transfers	0	0	0	2
Percentage of frozen transfers resulting in live births ^{b,c}				0/2
Average number of frozen embryos transferred				4.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Women & Infants Hospital IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR WOMEN'S MEDICINE
GREENVILLE, SOUTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	3%
GIFT	0%			Male factor	15%	Other factors	12%
ZIFT	0%	With ICSI	43%	Ovulatory dysfunction	14%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	24%		

1998 PREGNANCY SUCCESS RATES

Data verified by Thomas M. Price, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	63	34	22	4
Percentage of cycles resulting in pregnancies ^b	52.4	32.4	36.4	1/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	49.2 (36.9 - 61.6)	29.4 (14.1 - 44.7)	31.8 (12.4 - 51.3)	0/4
Percentage of retrievals resulting in live births ^{b,c}	52.5	41.7	7/18	0/3
Percentage of transfers resulting in live births ^{b,c}	53.4	41.7	7/18	0/3
Percentage of cancellations ^b	6.3	29.4	18.2	1/4
Average number of embryos transferred	3.2	3.3	3.6	3.7
Percentage of pregnancies with twins ^b	39.4	4/11	3/8	0/1
Percentage of pregnancies with triplets or more ^b	9.1	2/11	0/8	0/1
Percentage of live births having multiple infants ^{b,c}	48.4	5/10	2/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	1	4	1
Percentage of transfers resulting in live births ^{b,c}	3/9	0/1	1/4	0/1
Average number of embryos transferred	3.2	2.0	2.8	2.0
Donor Eggs				
Number of fresh embryo transfers	1	0	1	6
Percentage of fresh transfers resulting in live births ^{b,c}	1/1		1/1	0/6
Average number of fresh embryos transferred	4.0		4.0	3.5
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				1/1
Average number of frozen embryos transferred				3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Endocrinology and Infertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**SOUTHEASTERN FERTILITY CENTER, P.A.
MT. PLEASANT, SOUTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	<1%
GIFT	0%			Male factor	30%	Other factors	<1%
ZIFT	0%	With ICSI	34%	Ovulatory dysfunction	26%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Grant W. Patton, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	124	58	38	6
Percentage of cycles resulting in pregnancies ^b	41.9	27.6	21.1	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.3 (27.8 - 44.8)	20.7 (10.3 - 31.1)	18.4 (6.1 - 30.7)	0/6
Percentage of retrievals resulting in live births ^{b,c}	40.9	26.7	26.9	0/3
Percentage of transfers resulting in live births ^{b,c}	41.3	27.3	29.2	0/3
Percentage of cancellations ^b	11.3	22.4	31.6	3/6
Average number of embryos transferred	3.2	3.9	4.5	3.3
Percentage of pregnancies with twins ^b	44.2	4/16	4/8	
Percentage of pregnancies with triplets or more ^b	19.2	0/16	1/8	
Percentage of live births having multiple infants ^{b,c}	60.0	3/12	1/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	8	5	2
Percentage of transfers resulting in live births ^{b,c}	4/17	1/8	1/5	0/2
Average number of embryos transferred	3.8	3.9	4.4	3.5
Donor Eggs				
Number of fresh embryo transfers	6	7	9	34
Percentage of fresh transfers resulting in live births ^{b,c}	3/6	1/7	4/9	38.2
Average number of fresh embryos transferred	3.5	2.7	3.0	3.3
Number of frozen embryo transfers	2	4	8	9
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	0/4	2/8	2/9
Average number of frozen embryos transferred	3.5	4.5	3.9	3.9

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Southeastern Fertility Center, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY PHYSICIANS FERTILITY SPECIALISTS

SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	1%
GIFT	0%			Male factor	28%	Other factors	21%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	19%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	1%		

1998 PREGNANCY SUCCESS RATES

Data verified by Donald O. Kreger, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	11	5	3
Percentage of cycles resulting in pregnancies ^b	28.2	6/11	1/5	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.1 (9.9 - 36.3)	4/11	1/5	0/3
Percentage of retrievals resulting in live births ^{b,c}	25.7	4/11	1/5	0/2
Percentage of transfers resulting in live births ^{b,c}	29.0	4/11	1/5	0/2
Percentage of cancellations ^b	10.3	0/11	0/5	1/3
Average number of embryos transferred	3.4	3.7	3.2	2.0
Percentage of pregnancies with twins ^b	3/11	2/6	0/1	
Percentage of pregnancies with triplets or more ^b	2/11	1/6	0/1	
Percentage of live births having multiple infants ^{b,c}	4/9	2/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	3	1	0
Percentage of transfers resulting in live births ^{b,c}	1/17	0/3	1/1	
Average number of embryos transferred	3.6	3.3	5.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University Physicians Fertility Specialists

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	30%	Uterine factor	1%
GIFT	0%			Male factor	12%	Other factors	1%
ZIFT	2%	With ICSI	21%	Ovulatory dysfunction	13%	Unexplained	33%
Combination	0%	Unstimulated	0%	Endometriosis	10%		

1998 PREGNANCY SUCCESS RATES

Data verified by Barry W. Donesky, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	40	12	2	3
Percentage of cycles resulting in pregnancies ^b	25.0	3/12	0/2	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.5 (9.6 - 35.4)	1/12	0/2	0/3
Percentage of retrievals resulting in live births ^{b,c}	23.1	1/12	0/1	0/3
Percentage of transfers resulting in live births ^{b,c}	27.3	1/8	0/1	0/3
Percentage of cancellations ^b	2.5	0/12	1/2	0/3
Average number of embryos transferred	3.1	3.9	4.0	2.7
Percentage of pregnancies with twins ^b	1/10	1/3		0/1
Percentage of pregnancies with triplets or more ^b	3/10	0/3		0/1
Percentage of live births having multiple infants ^{b,c}	4/9	1/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	8	2	0
Percentage of transfers resulting in live births ^{b,c}	0/12	0/8	0/2	
Average number of embryos transferred	3.6	3.0	2.5	
Donor Eggs				
Number of fresh embryo transfers	0	0	2	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/2	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	1	2	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	1/2	0/1
Average number of frozen embryos transferred		3.0	4.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine and Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

APPALACHIAN FERTILITY AND ENDOCRINOLOGY CENTER KINGSPORT, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	65%	Procedural factors:		Tubal factor	41%	Uterine factor	2%
GIFT	6%			Male factor	9%	Other factors	5%
ZIFT	23%	With ICSI	45%	Ovulatory dysfunction	28%	Unexplained	6%
Combination	6%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Pickens A. Gantt, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	6	6	3
Percentage of cycles resulting in pregnancies ^b	38.9	0/6	1/6	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.0 (10.9 - 39.1)	0/6	0/6	0/3
Percentage of retrievals resulting in live births ^{b,c}	26.5	0/5	0/5	0/2
Percentage of transfers resulting in live births ^{b,c}	31.0	0/5	0/4	0/2
Percentage of cancellations ^b	5.6	1/6	1/6	1/3
Average number of embryos transferred	4.4	2.8	3.8	3.5
Percentage of pregnancies with twins ^b	3/14		0/1	
Percentage of pregnancies with triplets or more ^b	0/14		0/1	
Percentage of live births having multiple infants ^{b,c}	1/9			
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	0	0	1
Percentage of transfers resulting in live births ^{b,c}	2/8			0/1
Average number of embryos transferred	2.8			2.0
Donor Eggs				
Number of fresh embryo transfers	0	0	2	0
Percentage of fresh transfers resulting in live births ^{b,c}			2/2	
Average number of fresh embryos transferred			4.5	
Number of frozen embryo transfers	2	0	1	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/2		0/1	
Average number of frozen embryos transferred	2.5		6.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Appalachian Fertility and Endocrinology Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF TENNESSEE FERTILITY CENTER
KNOXVILLE, TENNESSEE**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	65%	Procedural factors:		Tubal factor	33%	Uterine factor	0%
GIFT	6%			Male factor	29%	Other factors	0%
ZIFT	29%	With ICSI	47%	Ovulatory dysfunction	33%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gayla S. Harris, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	8	5	3	1
Percentage of cycles resulting in pregnancies ^b	4/8	3/5	1/3	1/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/8	3/5	1/3	0/1
Percentage of retrievals resulting in live births ^{b,c}	3/7	3/5	1/3	0/1
Percentage of transfers resulting in live births ^{b,c}	3/7	3/5	1/3	0/1
Percentage of cancellations ^b	1/8	0/5	0/3	0/1
Average number of embryos transferred	3.4	3.0	5.3	3.0
Percentage of pregnancies with twins ^b	2/4	0/3	0/1	0/1
Percentage of pregnancies with triplets or more ^b	0/4	0/3	0/1	0/1
Percentage of live births having multiple infants ^{b,c}	1/3	0/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}		0/1		
Average number of embryos transferred		3.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	1	1
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	1/1
Average number of fresh embryos transferred			3.0	4.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Clinic has undergone reorganization since 1998. Information on current clinic services and profile therefore is not provided here. Contact SART for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY FERTILITY ASSOCIATES MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	34%	Uterine factor	<1%
GIFT	0%			Male factor	15%	Other factors	7%
ZIFT	0%	With ICSI	28%	Ovulatory dysfunction	13%	Unexplained	15%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Raymond W. Ke, M.D., HCLD

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	85	25	26	7
Percentage of cycles resulting in pregnancies ^b	28.2	40.0	11.5	0/7
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.5 (14.5 - 32.5)	32.0 (13.7 - 50.3)	11.5 (0.0 - 23.8)	0/7
Percentage of retrievals resulting in live births ^{b,c}	25.3	38.1	15.0	0/5
Percentage of transfers resulting in live births ^{b,c}	26.3	40.0	3/17	0/5
Percentage of cancellations ^b	7.1	16.0	23.1	2/7
Average number of embryos transferred	3.4	3.7	3.5	3.6
Percentage of pregnancies with twins ^b	41.7	3/10	1/3	
Percentage of pregnancies with triplets or more ^b	0.0	1/10	0/3	
Percentage of live births having multiple infants ^{b,c}	35.0	2/8	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	5	2	5
Percentage of transfers resulting in live births ^{b,c}	1/16	1/5	0/2	0/5
Average number of embryos transferred	3.0	1.6	3.0	2.8
Donor Eggs				
Number of fresh embryo transfers	0	1	2	5
Percentage of fresh transfers resulting in live births ^{b,c}		1/1	1/2	3/5
Average number of fresh embryos transferred		4.0	4.5	3.8
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University Fertility Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER FOR REPRODUCTIVE HEALTH
NASHVILLE, TENNESSEE**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	1%
GIFT	0%			Male factor	27%	Other factors	1%
ZIFT	0%	With ICSI	39%	Ovulatory dysfunction	25%	Unexplained	11%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jaime M. Vasquez, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	53	19	1	3
Percentage of cycles resulting in pregnancies ^b	73.6	12/19	1/1	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	67.9 (55.4 - 80.5)	8/19	0/1	0/3
Percentage of retrievals resulting in live births ^{b,c}	70.6	8/18	0/1	0/1
Percentage of transfers resulting in live births ^{b,c}	70.6	8/18	0/1	0/1
Percentage of cancellations ^b	3.8	1/19	0/1	2/3
Average number of embryos transferred	3.4	4.2	5.0	3.0
Percentage of pregnancies with twins ^b	33.3	3/12	0/1	
Percentage of pregnancies with triplets or more ^b	17.9	0/12	0/1	
Percentage of live births having multiple infants ^{b,c}	52.8	3/8		
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	1	1	0
Percentage of transfers resulting in live births ^{b,c}	0/6	0/1	0/1	
Average number of embryos transferred	3.2	4.0	6.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				0/3
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Reproductive Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	26%	Uterine factor	1%
GIFT	0%			Male factor	31%	Other factors	20%
ZIFT	0%	With ICSI	54%	Ovulatory dysfunction	5%	Unexplained	2%
Combination	1%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by George A. Hill, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	147	67	42	20
Percentage of cycles resulting in pregnancies ^b	52.4	35.8	38.1	20.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	44.2 (36.2 - 52.2)	26.9 (16.3 - 37.5)	28.6 (14.9 - 42.2)	5.0 (0.0 - 14.6)
Percentage of retrievals resulting in live births ^{b,c}	46.8	29.0	35.3	1/17
Percentage of transfers resulting in live births ^{b,c}	47.4	30.5	36.4	1/17
Percentage of cancellations ^b	5.4	7.5	19.0	15.0
Average number of embryos transferred	3.4	3.7	3.8	4.1
Percentage of pregnancies with twins ^b	23.4	16.7	3/16	1/4
Percentage of pregnancies with triplets or more ^b	11.7	4.2	0/16	0/4
Percentage of live births having multiple infants ^{b,c}	32.3	5/18	2/12	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	9	1	3
Percentage of transfers resulting in live births ^{b,c}	2/12	3/9	0/1	0/3
Average number of embryos transferred	2.8	2.8	4.0	2.7
Donor Eggs				
Number of fresh embryo transfers	11	4	11	22
Percentage of fresh transfers resulting in live births ^{b,c}	9/11	2/4	5/11	45.5
Average number of fresh embryos transferred	3.1	2.5	2.6	2.7
Number of frozen embryo transfers	2	1	2	6
Percentage of frozen transfers resulting in live births ^{b,c}	1/2	0/1	1/2	3/6
Average number of frozen embryos transferred	4.0	4.0	2.5	3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Nashville Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**DR. JEFFREY YOUNGKIN
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	39%	Uterine factor	0%
GIFT	0%			Male factor	19%	Other factors	0%
ZIFT	0%	With ICSI	30%	Ovulatory dysfunction	19%	Unexplained	10%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jeffrey T. Youngkin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	15	4	2	2
Percentage of cycles resulting in pregnancies ^b	7/15	0/4	1/2	1/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	7/15	0/4	1/2	1/2
Percentage of retrievals resulting in live births ^{b,c}	7/14	0/4	1/2	1/2
Percentage of transfers resulting in live births ^{b,c}	7/14	0/3	1/2	1/2
Percentage of cancellations ^b	1/15	0/4	0/2	0/2
Average number of embryos transferred	3.9	4.0	3.0	5.0
Percentage of pregnancies with twins ^b	2/7		1/1	0/1
Percentage of pregnancies with triplets or more ^b	3/7		0/1	0/1
Percentage of live births having multiple infants ^{b,c}	4/7		1/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	0	1
Percentage of transfers resulting in live births ^{b,c}	0/2	0/3		0/1
Average number of embryos transferred	3.5	4.0		1.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Dr. Jeffrey Youngkin, Austin Fertility Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

HAROLD BRUMLEY, M.D.
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	23%	Uterine factor	0%
GIFT	0%			Male factor	27%	Other factors	0%
ZIFT	0%	With ICSI	20%	Ovulatory dysfunction	19%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by Harold W. Brumley, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	2	5	3
Percentage of cycles resulting in pregnancies ^b	3/10	1/2	1/5	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/10	1/2	1/5	0/3
Percentage of retrievals resulting in live births ^{b,c}	3/7	1/1	1/5	0/1
Percentage of transfers resulting in live births ^{b,c}	3/7	1/1	1/5	0/1
Percentage of cancellations ^b	3/10	1/2	0/5	2/3
Average number of embryos transferred	3.4	4.0	4.2	2.0
Percentage of pregnancies with twins ^b	1/3	1/1	0/1	
Percentage of pregnancies with triplets or more ^b	0/3	0/1	0/1	
Percentage of live births having multiple infants ^{b,c}	1/3	1/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/4			
Average number of embryos transferred	4.8			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Harold Brumley, M.D.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**TEXAS FERTILITY CENTER
AUSTIN, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	33%	Uterine factor	1%
GIFT	0%			Male factor	20%	Other factors	2%
ZIFT	<1%	With ICSI	18%	Ovulatory dysfunction	14%	Unexplained	14%
Combination	<1%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Thomas C. Vaughn, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	109	65	63	47
Percentage of cycles resulting in pregnancies ^b	50.5	44.6	23.8	19.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	44.0 (34.7 - 53.4)	40.0 (28.1 - 51.9)	15.9 (6.8 - 24.9)	14.9 (4.7 - 25.1)
Percentage of retrievals resulting in live births ^{b,c}	50.5	45.6	18.9	18.4
Percentage of transfers resulting in live births ^{b,c}	52.2	46.4	19.2	20.0
Percentage of cancellations ^b	12.8	12.3	15.9	19.1
Average number of embryos transferred	3.3	3.5	3.7	4.4
Percentage of pregnancies with twins ^b	30.9	37.9	4/15	0/9
Percentage of pregnancies with triplets or more ^b	18.2	17.2	3/15	1/9
Percentage of live births having multiple infants ^{b,c}	45.8	38.5	4/10	1/7
Frozen Embryos From Nondonor Eggs				
Number of transfers	37	17	9	7
Percentage of transfers resulting in live births ^{b,c}	29.7	2/17	1/9	1/7
Average number of embryos transferred	3.0	3.5	2.6	3.3
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Texas Fertility Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR ASSISTED REPRODUCTION
BEDFORD, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	<1%
GIFT	0%			Male factor	26%	Other factors	21%
ZIFT	0%	With ICSI	54%	Ovulatory dysfunction	12%	Unexplained	17%
Combination	0%	Unstimulated	0%	Endometriosis	6%		

1998 PREGNANCY SUCCESS RATES

Data verified by Kevin J. Doody, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	210	114	71	55
Percentage of cycles resulting in pregnancies ^b	50.0	37.7	31.0	7.3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	43.8 (37.1 - 50.5)	31.6 (23.0 - 40.1)	19.7 (10.5 - 29.0)	5.5 (0.0 - 11.5)
Percentage of retrievals resulting in live births ^{b,c}	45.3	36.4	24.1	9.7
Percentage of transfers resulting in live births ^{b,c}	47.7	39.1	25.9	10.0
Percentage of cancellations ^b	3.3	13.2	18.3	43.6
Average number of embryos transferred	2.4	2.5	2.7	2.7
Percentage of pregnancies with twins ^b	32.4	18.6	36.4	1/4
Percentage of pregnancies with triplets or more ^b	7.6	9.3	0.0	0/4
Percentage of live births having multiple infants ^{b,c}	38.0	30.6	7/14	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	43	22	10	3
Percentage of transfers resulting in live births ^{b,c}	23.3	22.7	4/10	1/3
Average number of embryos transferred	2.4	2.5	2.5	3.3
Donor Eggs				
Number of fresh embryo transfers	5	3	6	26
Percentage of fresh transfers resulting in live births ^{b,c}	3/5	3/3	3/6	57.7
Average number of fresh embryos transferred	2.4	2.3	2.5	2.0
Number of frozen embryo transfers	0	1	3	12
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	0/3	1/12
Average number of frozen embryos transferred		1.0	3.3	2.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Assisted Reproduction

Services Offered:

Donor egg? Yes Gestational carriers? Yes
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE SCIENCE CENTER OF DALLAS CARROLLTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	35%	Uterine factor	1%
GIFT	0%			Male factor	14%	Other factors	4%
ZIFT	0%	With ICSI	44%	Ovulatory dysfunction	21%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	25%		

1998 PREGNANCY SUCCESS RATES

Data verified by W.F. Howard, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	40	16	12	4
Percentage of cycles resulting in pregnancies ^b	17.5	1/16	2/12	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	17.5 (5.7 - 29.3)	1/16	2/12	0/4
Percentage of retrievals resulting in live births ^{b,c}	20.0	1/10	2/7	0/2
Percentage of transfers resulting in live births ^{b,c}	21.9	1/9	2/7	0/2
Percentage of cancellations ^b	12.5	6/16	5/12	2/4
Average number of embryos transferred	2.9	3.1	3.7	2.5
Percentage of pregnancies with twins ^b	1/7	1/1	1/2	
Percentage of pregnancies with triplets or more ^b	0/7	0/1	0/2	
Percentage of live births having multiple infants ^{b,c}	1/7	1/1	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	3	2	0
Percentage of transfers resulting in live births ^{b,c}	0/7	1/3	0/2	
Average number of embryos transferred	1.4	3.0	2.5	
Donor Eggs				
Number of fresh embryo transfers	0	4	0	2
Percentage of fresh transfers resulting in live births ^{b,c}		1/4		0/2
Average number of fresh embryos transferred		3.3		2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Trinity IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BAYLOR CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	15%	Uterine factor	3%
GIFT	0%			Male factor	30%	Other factors	28%
ZIFT	0%	With ICSI	69%	Ovulatory dysfunction	7%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael Putman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	53	32	34	13
Percentage of cycles resulting in pregnancies ^b	49.1	50.0	50.0	1/13
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	45.3 (31.9 - 58.7)	40.6 (23.6 - 57.6)	35.3 (19.2 - 51.4)	1/13
Percentage of retrievals resulting in live births ^{b,c}	49.0	43.3	44.4	1/11
Percentage of transfers resulting in live births ^{b,c}	51.1	44.8	46.2	1/10
Percentage of cancellations ^b	7.5	6.3	20.6	2/13
Average number of embryos transferred	3.5	3.7	4.3	4.1
Percentage of pregnancies with twins ^b	23.1	4/16	2/17	0/1
Percentage of pregnancies with triplets or more ^b	23.1	2/16	1/17	0/1
Percentage of live births having multiple infants ^{b,c}	45.8	6/13	2/12	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	8	1	3
Percentage of transfers resulting in live births ^{b,c}	2/11	2/8	1/1	0/3
Average number of embryos transferred	3.9	4.5	5.0	2.3
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Baylor Center for Reproductive Health

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NATIONAL FERTILITY CENTER OF TEXAS, P.A.
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	7%
GIFT	0%			Male factor	13%	Other factors	9%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	49%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Brian M. Cohen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	18	30	8
Percentage of cycles resulting in pregnancies ^b	30.6	1/18	20.0	2/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.0 (10.9 - 39.1)	0/18	16.7 (3.3 - 30.0)	1/8
Percentage of retrievals resulting in live births ^{b,c}	30.0	0/12	22.7	1/5
Percentage of transfers resulting in live births ^{b,c}	33.3	0/12	5/18	1/4
Percentage of cancellations ^b	16.7	6/18	26.7	3/8
Average number of embryos transferred	3.3	2.6	3.7	4.0
Percentage of pregnancies with twins ^b	4/11	0/1	1/6	0/2
Percentage of pregnancies with triplets or more ^b	1/11	0/1	1/6	0/2
Percentage of live births having multiple infants ^{b,c}	5/9		2/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	3	2	1
Percentage of transfers resulting in live births ^{b,c}	0/4	1/3	0/2	0/1
Average number of embryos transferred	3.8	1.7	4.5	3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}				1/2
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: National Fertility Center of Texas, P.A.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PRESBYTERIAN HOSPITAL ARTS PROGRAM DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	23%	Uterine factor	<1%
GIFT	<1%			Male factor	30%	Other factors	7%
ZIFT	<1%	With ICSI	36%	Ovulatory dysfunction	20%	Unexplained	6%
Combination	<1%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by James Madden, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	225	119	95	64
Percentage of cycles resulting in pregnancies ^b	38.7	25.2	20.0	14.1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.1 (21.3 - 32.9)	19.3 (12.2 - 26.4)	12.6 (6.0 - 19.3)	4.7 (0.0 - 9.9)
Percentage of retrievals resulting in live births ^{b,c}	32.4	25.3	20.3	7.7
Percentage of transfers resulting in live births ^{b,c}	35.1	27.7	23.1	8.8
Percentage of cancellations ^b	16.4	23.5	37.9	39.1
Average number of embryos transferred	2.8	2.9	3.3	3.1
Percentage of pregnancies with twins ^b	36.8	33.3	9/19	2/9
Percentage of pregnancies with triplets or more ^b	5.7	0.0	1/19	1/9
Percentage of live births having multiple infants ^{b,c}	45.9	26.1	9/12	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	32	12	10	6
Percentage of transfers resulting in live births ^{b,c}	9.4	1/12	3/10	1/6
Average number of embryos transferred	2.6	3.0	3.3	2.8
Donor Eggs				
Number of fresh embryo transfers	0	1	3	2
Percentage of fresh transfers resulting in live births ^{b,c}		0/1	2/3	2/2
Average number of fresh embryos transferred		3.0	3.3	2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Presbyterian Hospital ARTS Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF TEXAS SOUTHWESTERN FERTILITY ASSOCIATES DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	23%	Uterine factor	1%
GIFT	0%			Male factor	11%	Other factors	32%
ZIFT	0%	With ICSI	31%	Ovulatory dysfunction	14%	Unexplained	<1%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Deborah L. Smith, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	88	49	36	8
Percentage of cycles resulting in pregnancies ^b	30.7	22.4	16.7	0/8
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.4 (19.0 - 37.8)	12.2 (3.1 - 21.4)	11.1 (0.8 - 21.4)	0/8
Percentage of retrievals resulting in live births ^{b,c}	30.9	14.3	14.3	0/6
Percentage of transfers resulting in live births ^{b,c}	31.3	14.6	14.3	0/5
Percentage of cancellations ^b	8.0	14.3	22.2	2/8
Average number of embryos transferred	3.6	3.7	3.0	3.8
Percentage of pregnancies with twins ^b	29.6	3/11	1/6	
Percentage of pregnancies with triplets or more ^b	7.4	2/11	0/6	
Percentage of live births having multiple infants ^{b,c}	28.0	4/6	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	4	3	9
Percentage of transfers resulting in live births ^{b,c}	1/5	2/4	0/3	0/9
Average number of embryos transferred	2.6	3.3	3.7	3.4
Donor Eggs				
Number of fresh embryo transfers	3	4	9	28
Percentage of fresh transfers resulting in live births ^{b,c}	2/3	2/4	3/9	39.3
Average number of fresh embryos transferred	3.3	3.8	3.9	3.5
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Texas Southwestern Fertility Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BAYLOR ASSISTED REPRODUCTIVE TECHNOLOGY HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	21%	Uterine factor	0%
GIFT	0%			Male factor	51%	Other factors	11%
ZIFT	0%	With ICSI	60%	Ovulatory dysfunction	3%	Unexplained	5%
Combination	2%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Sandra A. Carson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	105	50	40	3
Percentage of cycles resulting in pregnancies ^b	45.7	38.0	37.5	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	37.1 (27.9 - 46.4)	30.0 (17.3 - 42.7)	22.5 (9.6 - 35.4)	0/3
Percentage of retrievals resulting in live births ^{b,c}	37.9	30.6	23.7	0/3
Percentage of transfers resulting in live births ^{b,c}	38.2	31.3	24.3	0/2
Percentage of cancellations ^b	1.9	2.0	5.0	0/3
Average number of embryos transferred	4.8	4.5	4.5	6.0
Percentage of pregnancies with twins ^b	29.2	3/19	4/15	0/1
Percentage of pregnancies with triplets or more ^b	20.8	3/19	1/15	0/1
Percentage of live births having multiple infants ^{b,c}	41.0	5/15	2/9	
Frozen Embryos From Nondonor Eggs				
Number of transfers	26	8	5	7
Percentage of transfers resulting in live births ^{b,c}	26.9	0/8	1/5	0/7
Average number of embryos transferred	3.1	3.3	6.0	3.6
Donor Eggs				
Number of fresh embryo transfers	1	2	8	16
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	1/2	3/8	8/16
Average number of fresh embryos transferred	5.0	5.5	5.3	5.4
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Baylor Assisted Reproductive Technology

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR REPRODUCTION AT GRAMERCY HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	7%
GIFT	0%			Male factor	31%	Other factors	5%
ZIFT	0%	With ICSI	52%	Ovulatory dysfunction	15%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Milton W. McNichol, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	48	22	21	10
Percentage of cycles resulting in pregnancies ^b	41.7	54.5	23.8	1/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.3 (18.1 - 44.4)	36.4 (16.3 - 56.5)	19.0 (2.3 - 35.8)	1/10
Percentage of retrievals resulting in live births ^{b,c}	33.3	8/19	4/15	1/6
Percentage of transfers resulting in live births ^{b,c}	34.1	8/18	4/14	1/6
Percentage of cancellations ^b	6.3	13.6	28.6	4/10
Average number of embryos transferred	3.0	2.8	3.2	3.3
Percentage of pregnancies with twins ^b	30.0	3/12	0/5	1/1
Percentage of pregnancies with triplets or more ^b	10.0	2/12	0/5	0/1
Percentage of live births having multiple infants ^{b,c}	7/15	3/8	0/4	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	19	12	8	3
Percentage of transfers resulting in live births ^{b,c}	2/19	1/12	1/8	0/3
Average number of embryos transferred	3.3	3.6	3.3	3.3
Donor Eggs				
Number of fresh embryo transfers	1	0	1	3
Percentage of fresh transfers resulting in live births ^{b,c}	0/1		0/1	0/3
Average number of fresh embryos transferred	2.0		3.0	2.7
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	1/1			
Average number of frozen embryos transferred	4.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproduction at Gramercy

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR WOMEN'S HEALTHCARE AND RESEARCH HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	21%	Uterine factor	3%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	53%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by James M. Wheeler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	6	2	6
Percentage of cycles resulting in pregnancies ^b	0/10	1/6	0/2	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/10	0/6	0/2	0/6
Percentage of retrievals resulting in live births ^{b,c}	0/10	0/5	0/2	0/6
Percentage of transfers resulting in live births ^{b,c}	0/10	0/5	0/2	0/5
Percentage of cancellations ^b	0/10	1/6	0/2	0/6
Average number of embryos transferred	5.1	3.6	3.5	5.0
Percentage of pregnancies with twins ^b		0/1		
Percentage of pregnancies with triplets or more ^b		0/1		
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	2
Percentage of transfers resulting in live births ^{b,c}	0/1			1/2
Average number of embryos transferred	3.0			5.5
Donor Eggs				
Number of fresh embryo transfers	0	0	0	6
Percentage of fresh transfers resulting in live births ^{b,c}				1/6
Average number of fresh embryos transferred				5.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Women's Healthcare and Research

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	54%	Uterine factor	0%
GIFT	0%			Male factor	22%	Other factors	1%
ZIFT	0%	With ICSI	44%	Ovulatory dysfunction	16%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Dorothy J. Roach, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	10	11	5
Percentage of cycles resulting in pregnancies ^b	35.5	2/10	2/11	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	32.3 (15.8 - 48.7)	1/10	2/11	0/5
Percentage of retrievals resulting in live births ^{b,c}	34.5	1/6	2/9	0/4
Percentage of transfers resulting in live births ^{b,c}	34.5	1/5	2/8	0/4
Percentage of cancellations ^b	6.5	4/10	2/11	1/5
Average number of embryos transferred	3.1	3.8	3.8	4.5
Percentage of pregnancies with twins ^b	2/11	1/2	0/2	
Percentage of pregnancies with triplets or more ^b	3/11	0/2	0/2	
Percentage of live births having multiple infants ^{b,c}	5/10	1/1	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	2	1	1
Percentage of transfers resulting in live births ^{b,c}	1/6	1/2	0/1	0/1
Average number of embryos transferred	2.5	3.5	6.0	6.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: North Houston Center for Reproductive Medicine

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

OBSTETRICAL & GYNECOLOGICAL ASSOCIATES HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	28%	Uterine factor	<1%
GIFT	0%			Male factor	33%	Other factors	15%
ZIFT	0%	With ICSI	56%	Ovulatory dysfunction	10%	Unexplained	1%
Combination	<1%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by George M. Grunert, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	195	93	79	44
Percentage of cycles resulting in pregnancies ^b	31.8	26.9	13.9	4.5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.7 (20.5 - 32.9)	22.6 (14.1 - 31.1)	6.3 (1.0 - 11.7)	2.3 (0.0 - 6.7)
Percentage of retrievals resulting in live births ^{b,c}	28.9	25.9	6.9	2.9
Percentage of transfers resulting in live births ^{b,c}	29.5	26.6	7.6	2.9
Percentage of cancellations ^b	7.7	12.9	8.9	20.5
Average number of embryos transferred	3.3	3.6	3.3	3.3
Percentage of pregnancies with twins ^b	29.0	28.0	1/11	0/2
Percentage of pregnancies with triplets or more ^b	12.9	4.0	2/11	0/2
Percentage of live births having multiple infants ^{b,c}	40.4	33.3	1/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	44	30	7	9
Percentage of transfers resulting in live births ^{b,c}	9.1	0.0	0/7	0/9
Average number of embryos transferred	2.6	2.6	1.9	2.7
Donor Eggs				
Number of fresh embryo transfers	6	4	11	26
Percentage of fresh transfers resulting in live births ^{b,c}	1/6	0/4	2/11	15.4
Average number of fresh embryos transferred	3.5	3.5	3.4	3.1
Number of frozen embryo transfers	5	3	6	6
Percentage of frozen transfers resulting in live births ^{b,c}	2/5	0/3	0/6	1/6
Average number of frozen embryos transferred	3.6	3.0	3.0	3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Obstetrical & Gynecological Associates

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF TEXAS WOMEN'S HEALTH CENTER HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	57%	Uterine factor	6%
GIFT	0%			Male factor	6%	Other factors	25%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	0%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Jaou-chen Huang, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	0	2	0
Percentage of cycles resulting in pregnancies ^b	2/10		0/2	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/10		0/2	
Percentage of retrievals resulting in live births ^{b,c}	2/9		0/2	
Percentage of transfers resulting in live births ^{b,c}	2/7		0/1	
Percentage of cancellations ^b	1/10		0/2	
Average number of embryos transferred	3.6		3.0	
Percentage of pregnancies with twins ^b	0/2			
Percentage of pregnancies with triplets or more ^b	0/2			
Percentage of live births having multiple infants ^{b,c}	0/2			
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2			
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	1
Percentage of fresh transfers resulting in live births ^{b,c}				0/1
Average number of fresh embryos transferred				6.0
Number of frozen embryo transfers	1	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/1			
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University Of Texas Women's Health Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WILFORD HALL MEDICAL CENTER LACKLAND AFB, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	50%	Uterine factor	2%
GIFT	0%			Male factor	26%	Other factors	<1%
ZIFT	0%	With ICSI	29%	Ovulatory dysfunction	3%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Timothy N. Hickman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	48	33	23	0
Percentage of cycles resulting in pregnancies ^b	56.3	33.3	34.8	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	54.2 (40.1 - 68.3)	24.2 (9.6 - 38.9)	17.4 (1.9 - 32.9)	
Percentage of retrievals resulting in live births ^{b,c}	61.9	28.6	20.0	
Percentage of transfers resulting in live births ^{b,c}	61.9	29.6	20.0	
Percentage of cancellations ^b	12.5	15.2	13.0	
Average number of embryos transferred	3.0	3.4	3.6	
Percentage of pregnancies with twins ^b	37.0	5/11	5/8	
Percentage of pregnancies with triplets or more ^b	14.8	1/11	0/8	
Percentage of live births having multiple infants ^{b,c}	53.8	5/8	2/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Wilford Hall Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE CENTER FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	2%
GIFT	0%			Male factor	18%	Other factors	12%
ZIFT	0%	With ICSI	14%	Ovulatory dysfunction	9%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	29%		

1998 PREGNANCY SUCCESS RATES

Data verified by Janelle Dorsett, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	77	31	13	5
Percentage of cycles resulting in pregnancies ^b	41.6	25.8	1/13	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	39.0 (28.1 - 49.9)	22.6 (7.9 - 37.3)	1/13	0/5
Percentage of retrievals resulting in live births ^{b,c}	44.1	29.2	1/12	0/3
Percentage of transfers resulting in live births ^{b,c}	49.2	31.8	1/12	0/3
Percentage of cancellations ^b	11.7	22.6	1/13	2/5
Average number of embryos transferred	2.7	3.1	2.3	2.7
Percentage of pregnancies with twins ^b	15.6	3/8	1/1	
Percentage of pregnancies with triplets or more ^b	15.6	1/8	0/1	
Percentage of live births having multiple infants ^{b,c}	30.0	3/7	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	0	2	0
Percentage of transfers resulting in live births ^{b,c}	1/8		0/2	
Average number of embryos transferred	2.0		3.5	
Donor Eggs				
Number of fresh embryo transfers	2	3	0	1
Percentage of fresh transfers resulting in live births ^{b,c}	2/2	3/3		1/1
Average number of fresh embryos transferred	3.5	2.0		2.0
Number of frozen embryo transfers	2	2	0	2
Percentage of frozen transfers resulting in live births ^{b,c}	0/2	1/2		0/2
Average number of frozen embryos transferred	4.5	3.5		2.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**TEXAS TECHNOLOGY UNIVERSITY HEALTH SCIENCES CENTER
IVF PROGRAM
LUBBOCK, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	43%	Uterine factor	4%
GIFT	0%			Male factor	30%	Other factors	5%
ZIFT	0%	With ICSI	13%	Ovulatory dysfunction	5%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	13%		

1998 PREGNANCY SUCCESS RATES

Data verified by Samuel D. Prien, Ph.D., HCLD

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	2	3	0
Percentage of cycles resulting in pregnancies ^b	2/10	0/2	0/3	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	2/10	0/2	0/3	
Percentage of retrievals resulting in live births ^{b,c}	2/9	0/2	0/3	
Percentage of transfers resulting in live births ^{b,c}	2/9	0/2	0/3	
Percentage of cancellations ^b	1/10	0/2	0/3	
Average number of embryos transferred	3.0	3.5	3.0	
Percentage of pregnancies with twins ^b		0/2		
Percentage of pregnancies with triplets or more ^b		0/2		
Percentage of live births having multiple infants ^{b,c}		0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	2	0
Percentage of transfers resulting in live births ^{b,c}	0/4	0/2	0/2	
Average number of embryos transferred	3.3	4.0	3.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Texas Technology University Health Science Center-IVF Program

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	28%	Uterine factor	<1%
GIFT	0%			Male factor	27%	Other factors	19%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	16%	Unexplained	5%
Combination	1%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Joseph E. Martin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	96	36	28	23
Percentage of cycles resulting in pregnancies ^b	52.1	58.3	39.3	13.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	46.9 (36.9 - 56.9)	50.0 (33.7 - 66.3)	35.7 (18.0 - 53.5)	4.3 (0.0 - 12.7)
Percentage of retrievals resulting in live births ^{b,c}	52.3	56.3	43.5	1/15
Percentage of transfers resulting in live births ^{b,c}	55.6	62.1	43.5	1/14
Percentage of cancellations ^b	10.4	11.1	17.9	34.8
Average number of embryos transferred	2.7	2.9	3.3	3.6
Percentage of pregnancies with twins ^b	38.0	19.0	4/11	2/3
Percentage of pregnancies with triplets or more ^b	6.0	9.5	1/11	0/3
Percentage of live births having multiple infants ^{b,c}	40.0	6/18	3/10	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	41	13	7	2
Percentage of transfers resulting in live births ^{b,c}	41.5	4/13	1/7	1/2
Average number of embryos transferred	2.5	2.9	3.0	2.0
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			
Average number of fresh embryos transferred	3.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Center of San Antonio

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY CONCEPTS SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	23%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	7%
ZIFT	0%	With ICSI	5%	Ovulatory dysfunction	27%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	23%		

1998 PREGNANCY SUCCESS RATES

Data verified by Linda Ellsworth, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	4	5	0
Percentage of cycles resulting in pregnancies ^b	4/12	0/4	0/5	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/12	0/4	0/5	
Percentage of retrievals resulting in live births ^{b,c}	3/11	0/4	0/4	
Percentage of transfers resulting in live births ^{b,c}	3/11	0/3	0/2	
Percentage of cancellations ^b	1/12	0/4	1/5	
Average number of embryos transferred	2.8	4.0	4.0	
Percentage of pregnancies with twins ^b	0/4			
Percentage of pregnancies with triplets or more ^b	0/4			
Percentage of live births having multiple infants ^{b,c}	0/3			
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	2	2
Percentage of transfers resulting in live births ^{b,c}	1/2		0/2	0/2
Average number of embryos transferred	4.0		2.0	2.5
Donor Eggs				
Number of fresh embryo transfers	0	1	0	1
Percentage of fresh transfers resulting in live births ^{b,c}		1/1		1/1
Average number of fresh embryos transferred		3.0		2.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Concepts

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY LABORATORY
SAN ANTONIO, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	0%
GIFT	0%			Male factor	18%	Other factors	0%
ZIFT	0%	With ICSI	83%	Ovulatory dysfunction	30%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	35%		

1998 PREGNANCY SUCCESS RATES

Data verified by Joseph R. Garza, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	6	8	5
Percentage of cycles resulting in pregnancies ^b	10.7	0/6	0/8	1/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	10.7 (0.0 - 22.2)	0/6	0/8	0/5
Percentage of retrievals resulting in live births ^{b,c}	11.5	0/6	0/6	0/4
Percentage of transfers resulting in live births ^{b,c}	12.0	0/4	0/6	0/3
Percentage of cancellations ^b	7.1	0/6	2/8	1/5
Average number of embryos transferred	3.8	3.3	2.8	4.3
Percentage of pregnancies with twins ^b	1/3			0/1
Percentage of pregnancies with triplets or more ^b	0/3			0/1
Percentage of live births having multiple infants ^{b,c}	1/3			
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	4	0	0
Percentage of transfers resulting in live births ^{b,c}	1/11	0/4		
Average number of embryos transferred	3.5	3.3		
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	
Average number of fresh embryos transferred			4.0	
Number of frozen embryo transfers	0	0	1	0
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	
Average number of frozen embryos transferred			5.0	

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Institute for Women's Health, Advanced Fertility Laboratory

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

SOUTH TEXAS FERTILITY CENTER
UNIVERSITY OF TEXAS HEALTH SCIENCE CENTER AT SAN ANTONIO
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	22%	Uterine factor	1%
GIFT	0%			Male factor	13%	Other factors	2%
ZIFT	0%	With ICSI	9%	Ovulatory dysfunction	39%	Unexplained	7%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robert G. Brzyski, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	14	20	4
Percentage of cycles resulting in pregnancies ^b	25.8	4/14	20.0	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	22.6 (7.9 - 37.3)	3/14	10.0 (0.0 - 23.1)	0/4
Percentage of retrievals resulting in live births ^{b,c}	28.0	3/13	2/16	0/2
Percentage of transfers resulting in live births ^{b,c}	28.0	3/12	2/15	0/2
Percentage of cancellations ^b	19.4	1/14	20.0	2/4
Average number of embryos transferred	3.0	3.2	3.3	3.0
Percentage of pregnancies with twins ^b	3/8	0/4	0/4	
Percentage of pregnancies with triplets or more ^b	1/8	1/4	0/4	
Percentage of live births having multiple infants ^{b,c}	2/7	1/3	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	10	3	6	3
Percentage of transfers resulting in live births ^{b,c}	1/10	1/3	1/6	0/3
Average number of embryos transferred	2.2	3.3	2.7	2.7
Donor Eggs				
Number of fresh embryo transfers	1	3	3	19
Percentage of fresh transfers resulting in live births ^{b,c}	1/1	1/3	2/3	11/19
Average number of fresh embryos transferred	2.0	2.7	3.3	3.5
Number of frozen embryo transfers	0	1	0	11
Percentage of frozen transfers resulting in live births ^{b,c}		0/1		1/11
Average number of frozen embryos transferred		4.0		3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: South Texas Fertility Center, University of Texas Health Science Center at San Antonio

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**THE CENTER OF REPRODUCTIVE MEDICINE
WEBSTER, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	20%	Uterine factor	1%
GIFT	0%			Male factor	25%	Other factors	11%
ZIFT	0%	With ICSI	59%	Ovulatory dysfunction	18%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	25%		

1998 PREGNANCY SUCCESS RATES

Data verified by Vicki L. Schnell, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	67	34	24	19
Percentage of cycles resulting in pregnancies ^b	26.9	35.3	12.5	0/19
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	25.4 (15.0 - 35.8)	29.4 (14.1 - 44.7)	4.2 (0.0 - 12.2)	0/19
Percentage of retrievals resulting in live births ^{b,c}	27.0	32.3	4.5	0/14
Percentage of transfers resulting in live births ^{b,c}	27.4	34.5	4.5	0/13
Percentage of cancellations ^b	6.0	8.8	8.3	5/19
Average number of embryos transferred	3.6	3.5	3.6	2.6
Percentage of pregnancies with twins ^b	6/18	2/12	0/3	
Percentage of pregnancies with triplets or more ^b	2/18	3/12	0/3	
Percentage of live births having multiple infants ^{b,c}	6/17	4/10	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	3	0	1
Percentage of transfers resulting in live births ^{b,c}	0/9	0/3		0/1
Average number of embryos transferred	2.8	2.3		3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Center of Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

REPRODUCTIVE CARE CENTER SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	2%
GIFT	0%			Male factor	28%	Other factors	8%
ZIFT	0%	With ICSI	26%	Ovulatory dysfunction	7%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	21%		

1998 PREGNANCY SUCCESS RATES

Data verified by James S. Heiner, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	32	7	8	3
Percentage of cycles resulting in pregnancies ^b	53.1	1/7	1/8	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	46.9 (29.6 - 64.2)	1/7	1/8	0/3
Percentage of retrievals resulting in live births ^{b,c}	46.9	1/5	1/7	0/1
Percentage of transfers resulting in live births ^{b,c}	48.4	1/5	1/7	
Percentage of cancellations ^b	0.0	2/7	1/8	2/3
Average number of embryos transferred	3.3	3.2	3.3	
Percentage of pregnancies with twins ^b	6/17	0/1	0/1	
Percentage of pregnancies with triplets or more ^b	3/17	1/1	0/1	
Percentage of live births having multiple infants ^{b,c}	8/15	1/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	0	1
Percentage of transfers resulting in live births ^{b,c}	3/5	0/1		0/1
Average number of embryos transferred	4.2	3.0		3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Care Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	27%	Uterine factor	<1%
GIFT	1%			Male factor	25%	Other factors	17%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	6%	Unexplained	13%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Harry H. Hatasaka, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	125	38	47	9
Percentage of cycles resulting in pregnancies ^b	42.4	26.3	27.7	3/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.0 (27.6 - 44.4)	21.1 (8.1 - 34.0)	19.1 (7.9 - 30.4)	3/9
Percentage of retrievals resulting in live births ^{b,c}	43.3	25.0	20.9	3/7
Percentage of transfers resulting in live births ^{b,c}	44.1	25.8	21.4	3/6
Percentage of cancellations ^b	16.8	15.8	8.5	2/9
Average number of embryos transferred	2.8	2.7	2.9	3.3
Percentage of pregnancies with twins ^b	35.8	1/10	1/13	0/3
Percentage of pregnancies with triplets or more ^b	7.5	1/10	1/13	0/3
Percentage of live births having multiple infants ^{b,c}	37.8	2/8	2/9	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1		
Average number of embryos transferred	1.5	3.0		
Donor Eggs				
Number of fresh embryo transfers	4	4	3	16
Percentage of fresh transfers resulting in live births ^{b,c}	4/4	2/4	2/3	8/16
Average number of fresh embryos transferred	2.8	2.5	3.0	2.9
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Utah Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
SPRINGVILLE, UTAH**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	8%	Uterine factor	1%
GIFT	0%			Male factor	16%	Other factors	3%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	22%	Unexplained	12%
Combination	0%	Unstimulated	0%	Endometriosis	38%		

1998 PREGNANCY SUCCESS RATES

Data verified by Larry G. Andrew, D.O.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	61	14	0	0
Percentage of cycles resulting in pregnancies ^b	55.7	6/14		
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	54.1 (41.6 - 66.6)	5/14		
Percentage of retrievals resulting in live births ^{b,c}	60.0	5/14		
Percentage of transfers resulting in live births ^{b,c}	62.3	5/14		
Percentage of cancellations ^b	9.8	0/14		
Average number of embryos transferred	2.9	3.3		
Percentage of pregnancies with twins ^b	26.5	3/6		
Percentage of pregnancies with triplets or more ^b	20.6	0/6		
Percentage of live births having multiple infants ^{b,c}	48.5	2/5		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/1			
Average number of embryos transferred	4.0			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Advanced Reproductive Medicine

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? No

Clinic Profile:

SART member? No
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF VERMONT-IVF PROGRAM BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	51%	Uterine factor	3%
GIFT	0%			Male factor	6%	Other factors	13%
ZIFT	0%	With ICSI	5%	Ovulatory dysfunction	12%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	9%		

1998 PREGNANCY SUCCESS RATES

Data verified by Julia V. Johnson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	10	20	3
Percentage of cycles resulting in pregnancies ^b	19.4	2/10	10.0	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	16.1 (3.2 - 29.1)	2/10	10.0 (0.0 - 23.1)	0/3
Percentage of retrievals resulting in live births ^{b,c}	18.5	2/8	2/16	0/1
Percentage of transfers resulting in live births ^{b,c}	20.0	2/8	2/15	0/1
Percentage of cancellations ^b	12.9	2/10	20.0	2/3
Average number of embryos transferred	3.0	3.6	4.5	5.0
Percentage of pregnancies with twins ^b	2/6	0/2	0/2	
Percentage of pregnancies with triplets or more ^b	0/6	0/2	0/2	
Percentage of live births having multiple infants ^{b,c}	2/5	0/2	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}		1/1		
Average number of embryos transferred		2.0		
Donor Eggs				
Number of fresh embryo transfers	0	1	0	1
Percentage of fresh transfers resulting in live births ^{b,c}		0/1		1/1
Average number of fresh embryos transferred		3.0		3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Vermont Center for Reproductive Medicine University of Vermont-IVF Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE FERTILITY AND REPRODUCTIVE HEALTH CENTER ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	94%	Procedural factors:		Tubal factor	28%	Uterine factor	0%
GIFT	1%			Male factor	10%	Other factors	6%
ZIFT	4%	With ICSI	17%	Ovulatory dysfunction	9%	Unexplained	9%
Combination	1%	Unstimulated	0%	Endometriosis	38%		

1998 PREGNANCY SUCCESS RATES

Data verified by Pierre Asmar, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	26	17	11
Percentage of cycles resulting in pregnancies ^b	32.4	50.0	4/17	0/11
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.4 (14.1 - 44.7)	34.6 (16.3 - 52.9)	4/17	0/11
Percentage of retrievals resulting in live births ^{b,c}	30.3	34.6	4/17	0/9
Percentage of transfers resulting in live births ^{b,c}	31.3	34.6	4/16	0/9
Percentage of cancellations ^b	2.9	0.0	0/17	2/11
Average number of embryos transferred	3.8	4.6	4.3	3.6
Percentage of pregnancies with twins ^b	2/11	3/13	1/4	
Percentage of pregnancies with triplets or more ^b	1/11	1/13	0/4	
Percentage of live births having multiple infants ^{b,c}	3/10	4/9	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	3	0	3
Percentage of fresh transfers resulting in live births ^{b,c}		3/3		0/3
Average number of fresh embryos transferred		4.3		3.7
Number of frozen embryo transfers	0	0	0	1
Percentage of frozen transfers resulting in live births ^{b,c}				0/1
Average number of frozen embryos transferred				2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The Fertility and Reproductive Health Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	95%	Procedural factors:		Tubal factor	28%	Uterine factor	0%
GIFT	5%			Male factor	12%	Other factors	36%
ZIFT	0%	With ICSI	33%	Ovulatory dysfunction	7%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael Dimattina, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	75	28	11	6
Percentage of cycles resulting in pregnancies ^b	16.0	25.0	1/11	0/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	14.7 (6.7 - 22.7)	17.9 (3.7 - 32.0)	1/11	0/6
Percentage of retrievals resulting in live births ^{b,c}	17.2	20.0	1/11	0/5
Percentage of transfers resulting in live births ^{b,c}	17.5	21.7	1/11	0/4
Percentage of cancellations ^b	14.7	10.7	0/11	1/6
Average number of embryos transferred	4.0	4.2	4.0	4.3
Percentage of pregnancies with twins ^b	0/12	3/7	0/1	
Percentage of pregnancies with triplets or more ^b	3/12	0/7	1/1	
Percentage of live births having multiple infants ^{b,c}	3/11	2/5	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	6	3	2
Percentage of transfers resulting in live births ^{b,c}	2/8	0/6	0/3	0/2
Average number of embryos transferred	4.0	4.5	3.3	1.5
Donor Eggs				
Number of fresh embryo transfers	1	0	4	6
Percentage of fresh transfers resulting in live births ^{b,c}	1/1		1/4	1/6
Average number of fresh embryos transferred	4.0		3.8	4.0
Number of frozen embryo transfers	0	1	4	6
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	1/4	1/6
Average number of frozen embryos transferred		4.0	3.0	4.2

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Dominion Fertility and Endocrinology

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

UNIVERSITY OF VIRGINIA ART PROGRAM CHARLOTTESVILLE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	66%	Procedural factors:		Tubal factor	26%	Uterine factor	0%
GIFT	0%			Male factor	28%	Other factors	5%
ZIFT	34%	With ICSI	52%	Ovulatory dysfunction	18%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by Bruce G. Bateman, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	25	8	14	9
Percentage of cycles resulting in pregnancies ^b	44.0	3/8	7/14	0/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	36.0 (17.2 - 54.8)	2/8	6/14	0/9
Percentage of retrievals resulting in live births ^{b,c}	42.9	2/7	6/12	0/6
Percentage of transfers resulting in live births ^{b,c}	42.9	2/7	6/12	0/5
Percentage of cancellations ^b	16.0	1/8	2/14	3/9
Average number of embryos transferred	2.7	3.4	3.3	2.0
Percentage of pregnancies with twins ^b	3/11	0/3	1/7	
Percentage of pregnancies with triplets or more ^b	3/11	0/3	0/7	
Percentage of live births having multiple infants ^{b,c}	5/9	0/2	1/6	
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	6	3	0
Percentage of transfers resulting in live births ^{b,c}	3/5	1/6	0/3	
Average number of embryos transferred	2.4	3.0	3.3	
Donor Eggs				
Number of fresh embryo transfers	2	0	0	8
Percentage of fresh transfers resulting in live births ^{b,c}	1/2			5/8
Average number of fresh embryos transferred	3.5			2.9
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	1/1
Average number of frozen embryos transferred			3.0	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Virginia ART Program

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	20%	Uterine factor	1%
GIFT	0%			Male factor	27%	Other factors	25%
ZIFT	<1%	With ICSI	41%	Ovulatory dysfunction	9%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	12%		

1998 PREGNANCY SUCCESS RATES

Data verified by Suheil J. Muasher, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	148	82	78	39
Percentage of cycles resulting in pregnancies ^b	35.1	20.7	24.4	28.2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	27.0 (19.9 - 34.2)	13.4 (6.0 - 20.8)	14.1 (6.4 - 21.8)	15.4 (4.1 - 26.7)
Percentage of retrievals resulting in live births ^{b,c}	28.2	14.3	16.2	17.1
Percentage of transfers resulting in live births ^{b,c}	29.6	14.9	16.9	17.6
Percentage of cancellations ^b	4.1	6.1	12.8	10.3
Average number of embryos transferred	3.2	3.8	4.0	4.7
Percentage of pregnancies with twins ^b	32.7	7/17	2/19	1/11
Percentage of pregnancies with triplets or more ^b	17.3	0/17	1/19	0/11
Percentage of live births having multiple infants ^{b,c}	55.0	5/11	2/11	0/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	43	19	15	7
Percentage of transfers resulting in live births ^{b,c}	30.2	5/19	2/15	1/7
Average number of embryos transferred	3.7	3.8	3.6	2.4
Donor Eggs				
Number of fresh embryo transfers	4	3	22	48
Percentage of fresh transfers resulting in live births ^{b,c}	0/4	2/3	9.1	41.7
Average number of fresh embryos transferred	3.5	3.7	3.6	3.7
Number of frozen embryo transfers	2	10	14	37
Percentage of frozen transfers resulting in live births ^{b,c}	1/2	2/10	4/14	18.9
Average number of frozen embryos transferred	4.5	3.2	3.3	3.1

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Jones Institute for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	43%	Uterine factor	4%
GIFT	0%			Male factor	27%	Other factors	0%
ZIFT	0%	With ICSI	40%	Ovulatory dysfunction	6%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael C. Edelstein, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	98	46	36	10
Percentage of cycles resulting in pregnancies ^b	53.1	34.8	44.4	4/10
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	48.0 (38.1 - 57.9)	26.1 (13.4 - 38.8)	41.7 (25.6 - 57.8)	2/10
Percentage of retrievals resulting in live births ^{b,c}	51.1	29.3	44.1	2/9
Percentage of transfers resulting in live births ^{b,c}	51.1	30.0	46.9	2/8
Percentage of cancellations ^b	6.1	10.9	5.6	1/10
Average number of embryos transferred	4.3	4.4	4.3	3.1
Percentage of pregnancies with twins ^b	28.8	5/16	5/16	0/4
Percentage of pregnancies with triplets or more ^b	28.8	2/16	1/16	0/4
Percentage of live births having multiple infants ^{b,c}	57.4	6/12	3/15	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	16	5	6	0
Percentage of transfers resulting in live births ^{b,c}	5/16	2/5	1/6	
Average number of embryos transferred	3.4	3.2	3.2	
Donor Eggs				
Number of fresh embryo transfers	3	1	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	2/3	1/1		
Average number of fresh embryos transferred	3.7	3.0		
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Fertility Institute of Virginia

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	96%	Procedural factors:		Tubal factor	28%	Uterine factor	6%
GIFT	3%			Male factor	35%	Other factors	6%
ZIFT	1%	With ICSI	33%	Ovulatory dysfunction	17%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Joseph G. Gianfortoni, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	46	7	24	4
Percentage of cycles resulting in pregnancies ^b	28.3	4/7	20.8	1/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.9 (11.6 - 36.2)	3/7	20.8 (4.6 - 37.1)	1/4
Percentage of retrievals resulting in live births ^{b,c}	37.9	3/7	5/18	1/3
Percentage of transfers resulting in live births ^{b,c}	37.9	3/7	5/18	1/3
Percentage of cancellations ^b	37.0	0/7	25.0	1/4
Average number of embryos transferred	4.9	4.3	3.8	4.0
Percentage of pregnancies with twins ^b	8/13	1/4	1/5	0/1
Percentage of pregnancies with triplets or more ^b	2/13	0/4	2/5	0/1
Percentage of live births having multiple infants ^{b,c}	7/11	1/3	3/5	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	4	3	1
Percentage of transfers resulting in live births ^{b,c}	4/9	1/4	2/3	0/1
Average number of embryos transferred	3.8	3.0	3.7	2.0
Donor Eggs				
Number of fresh embryo transfers	1	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}	1/1			
Average number of fresh embryos transferred	5.0			
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Lifesource Fertility Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

MEDICAL COLLEGE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	16%	Uterine factor	4%
GIFT	0%			Male factor	60%	Other factors	4%
ZIFT	0%	With ICSI	47%	Ovulatory dysfunction	4%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	8%		

1998 PREGNANCY SUCCESS RATES

Data verified by David T. Vandermolen, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	4	3	5	3
Percentage of cycles resulting in pregnancies ^b	1/4	1/3	1/5	0/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	1/4	1/3	1/5	0/3
Percentage of retrievals resulting in live births ^{b,c}	1/4	1/2	1/3	0/2
Percentage of transfers resulting in live births ^{b,c}	1/4	1/2	1/3	0/2
Percentage of cancellations ^b	0/4	1/3	2/5	1/3
Average number of embryos transferred	4.5	4.5	4.3	4.0
Percentage of pregnancies with twins ^b	0/1	1/1	0/1	
Percentage of pregnancies with triplets or more ^b	0/1	0/1	0/1	
Percentage of live births having multiple infants ^{b,c}	0/1	1/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	1	1
Percentage of transfers resulting in live births ^{b,c}	0/2	1/3	0/1	0/1
Average number of embryos transferred	4.5	3.7	4.0	3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Medical College of Virginia

Services Offered:

Donor egg?	No	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	17%	Uterine factor	24%
GIFT	0%			Male factor	12%	Other factors	3%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	28%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	15%		

1998 PREGNANCY SUCCESS RATES

Data verified by Robin L. Poe-Zeigler, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	21	5	6	0
Percentage of cycles resulting in pregnancies ^b	23.8	0/5	0/6	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.8 (5.6 - 42.0)	0/5	0/6	
Percentage of retrievals resulting in live births ^{b,c}	25.0	0/5	0/5	
Percentage of transfers resulting in live births ^{b,c}	5/16	0/2	0/3	
Percentage of cancellations ^b	4.8	0/5	1/6	
Average number of embryos transferred	3.5	4.5	3.7	
Percentage of pregnancies with twins ^b	2/5			
Percentage of pregnancies with triplets or more ^b	0/5			
Percentage of live births having multiple infants ^{b,c}	2/5			
Frozen Embryos From Nondonor Eggs				
Number of transfers	9	4	1	0
Percentage of transfers resulting in live births ^{b,c}	0/9	0/4	0/1	
Average number of embryos transferred	3.3	2.8	6.0	
Donor Eggs				
Number of fresh embryo transfers	4	2	3	4
Percentage of fresh transfers resulting in live births ^{b,c}	3/4	0/2	0/3	1/4
Average number of fresh embryos transferred	3.5	3.5	3.3	3.3
Number of frozen embryo transfers	1	4	1	6
Percentage of frozen transfers resulting in live births ^{b,c}	1/1	0/4	0/1	0/6
Average number of frozen embryos transferred	4.0	3.8	3.0	2.7

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: The New Hope Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	39%	Uterine factor	9%
GIFT	0%			Male factor	24%	Other factors	8%
ZIFT	0%	With ICSI	38%	Ovulatory dysfunction	3%	Unexplained	3%
Combination	0%	Unstimulated	0%	Endometriosis	14%		

1998 PREGNANCY SUCCESS RATES

Data verified by James I. Kustin, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	23	17	16	5
Percentage of cycles resulting in pregnancies ^b	26.1	4/17	2/16	1/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	26.1 (8.1 - 44.0)	3/17	1/16	0/5
Percentage of retrievals resulting in live births ^{b,c}	30.0	3/15	1/15	0/4
Percentage of transfers resulting in live births ^{b,c}	6/19	3/15	1/15	0/4
Percentage of cancellations ^b	13.0	2/17	1/16	1/5
Average number of embryos transferred	4.6	3.6	4.3	4.8
Percentage of pregnancies with twins ^b	3/6	2/4	0/2	0/1
Percentage of pregnancies with triplets or more ^b	0/6	0/4	0/2	0/1
Percentage of live births having multiple infants ^{b,c}	3/6	1/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	1
Percentage of transfers resulting in live births ^{b,c}	0/2	0/1		0/1
Average number of embryos transferred	3.5	3.0		5.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				0/3
Average number of fresh embryos transferred				4.7
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Washington Center for Reproductive Medicine

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

BELLINGHAM IVF BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	30%	Uterine factor	2%
GIFT	0%			Male factor	33%	Other factors	0%
ZIFT	0%	With ICSI	20%	Ovulatory dysfunction	29%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Emmett F. Branigan, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	36	16	13	6
Percentage of cycles resulting in pregnancies ^b	47.2	4/16	2/13	2/6
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	44.4 (28.2 - 60.7)	3/16	1/13	1/6
Percentage of retrievals resulting in live births ^{b,c}	50.0	3/14	1/11	1/5
Percentage of transfers resulting in live births ^{b,c}	51.6	3/14	1/11	1/5
Percentage of cancellations ^b	11.1	2/16	2/13	1/6
Average number of embryos transferred	3.0	3.4	3.6	2.6
Percentage of pregnancies with twins ^b	3/17	0/4	0/2	0/2
Percentage of pregnancies with triplets or more ^b	0/17	0/4	0/2	0/2
Percentage of live births having multiple infants ^{b,c}	3/16	0/3	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	2	3
Percentage of transfers resulting in live births ^{b,c}	1/2	1/3	0/2	1/3
Average number of embryos transferred	3.0	3.7	2.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	2	1	7
Percentage of fresh transfers resulting in live births ^{b,c}		1/2	1/1	3/7
Average number of fresh embryos transferred		3.0	3.0	2.9
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Bellingham IVF

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	No
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	64%	Uterine factor	0%
GIFT	0%			Male factor	8%	Other factors	12%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	8%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by James F. Moruzzi, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	8	7	3	1
Percentage of cycles resulting in pregnancies ^b	4/8	2/7	0/3	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	3/8	1/7	0/3	0/1
Percentage of retrievals resulting in live births ^{b,c}	3/8	1/7	0/3	0/1
Percentage of transfers resulting in live births ^{b,c}	3/8	1/7	0/3	0/1
Percentage of cancellations ^b	0/8	0/7	0/3	0/1
Average number of embryos transferred	4.0	3.6	3.7	7.0
Percentage of pregnancies with twins ^b	0/4	0/2		
Percentage of pregnancies with triplets or more ^b	0/4	0/2		
Percentage of live births having multiple infants ^{b,c}	0/3	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1/3			
Average number of embryos transferred	5.3			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	3
Percentage of fresh transfers resulting in live births ^{b,c}				0/3
Average number of fresh embryos transferred				4.3
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Olympia Women's Health

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

PACIFIC GYNECOLOGY SPECIALISTS SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	19%	Uterine factor	2%
GIFT	0%			Male factor	26%	Other factors	24%
ZIFT	0%	With ICSI	32%	Ovulatory dysfunction	14%	Unexplained	10%
Combination	<1%	Unstimulated	0%	Endometriosis	5%		

1998 PREGNANCY SUCCESS RATES

Data verified by Lee R. Hickok, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	72	38	34	27
Percentage of cycles resulting in pregnancies ^b	20.8	15.8	14.7	0.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	19.4 (10.3 - 28.6)	15.8 (4.2 - 27.4)	8.8 (0.0 - 18.4)	0.0
Percentage of retrievals resulting in live births ^{b,c}	25.9	6/18	3/18	0/17
Percentage of transfers resulting in live births ^{b,c}	29.2	6/16	3/15	0/14
Percentage of cancellations ^b	25.0	52.6	47.1	37.0
Average number of embryos transferred	3.3	3.8	3.6	3.0
Percentage of pregnancies with twins ^b	5/15	1/6	2/5	
Percentage of pregnancies with triplets or more ^b	0/15	0/6	0/5	
Percentage of live births having multiple infants ^{b,c}	5/14	1/6	0/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	42	24	22	18
Percentage of transfers resulting in live births ^{b,c}	21.4	29.2	9.1	0/18
Average number of embryos transferred	2.8	3.4	3.5	3.6
Donor Eggs				
Number of fresh embryo transfers	0	0	3	8
Percentage of fresh transfers resulting in live births ^{b,c}			1/3	2/8
Average number of fresh embryos transferred			3.3	4.0
Number of frozen embryo transfers	9	0	4	47
Percentage of frozen transfers resulting in live births ^{b,c}	1/9		1/4	19.1
Average number of frozen embryos transferred	2.7		3.3	2.9

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Pacific Gynecology Specialists

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF WASHINGTON
FERTILITY & ENDOCRINE CENTER
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	28%	Uterine factor	5%
GIFT	0%			Male factor	21%	Other factors	11%
ZIFT	<1%	With ICSI	53%	Ovulatory dysfunction	11%	Unexplained	8%
Combination	0%	Unstimulated	2%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Valerie L. Baker, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	131	99	92	58
Percentage of cycles resulting in pregnancies ^b	26.7	25.3	21.7	6.9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	24.4 (17.1 - 31.8)	18.2 (10.6 - 25.8)	16.3 (8.8 - 23.9)	6.9 (0.4 - 13.4)
Percentage of retrievals resulting in live births ^{b,c}	28.3	21.4	24.6	9.8
Percentage of transfers resulting in live births ^{b,c}	29.6	21.4	26.8	11.4
Percentage of cancellations ^b	13.7	15.2	33.7	29.3
Average number of embryos transferred	3.1	3.0	3.5	4.1
Percentage of pregnancies with twins ^b	25.7	16.0	30.0	1/4
Percentage of pregnancies with triplets or more ^b	8.6	0.0	15.0	0/4
Percentage of live births having multiple infants ^{b,c}	31.3	4/18	5/15	0/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	37	19	6	3
Percentage of transfers resulting in live births ^{b,c}	27.0	2/19	1/6	0/3
Average number of embryos transferred	2.9	3.1	2.8	2.7
Donor Eggs				
Number of fresh embryo transfers	7	5	8	48
Percentage of fresh transfers resulting in live births ^{b,c}	2/7	3/5	4/8	41.7
Average number of fresh embryos transferred	2.9	2.8	3.1	3.0
Number of frozen embryo transfers	5	0	6	20
Percentage of frozen transfers resulting in live births ^{b,c}	0/5		2/6	20.0
Average number of frozen embryos transferred	3.2		3.3	2.6

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Washington Fertility & Endocrine Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**VIRGINIA MASON CENTER
FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	99%	Procedural factors:		Tubal factor	22%	Uterine factor	0%
GIFT	<1%			Male factor	35%	Other factors	16%
ZIFT	0%	With ICSI	63%	Ovulatory dysfunction	10%	Unexplained	6%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Lorna A. Marshall, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	87	72	53	25
Percentage of cycles resulting in pregnancies ^b	48.3	30.6	17.0	20.0
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	39.1 (28.8 - 49.3)	27.8 (17.4 - 38.1)	11.3 (2.8 - 19.9)	12.0 (0.0 - 24.7)
Percentage of retrievals resulting in live births ^{b,c}	45.3	35.1	14.3	14.3
Percentage of transfers resulting in live births ^{b,c}	46.6	35.7	15.0	14.3
Percentage of cancellations ^b	13.8	20.8	20.8	16.0
Average number of embryos transferred	3.2	3.7	4.1	4.5
Percentage of pregnancies with twins ^b	31.0	40.9	1/9	0/5
Percentage of pregnancies with triplets or more ^b	7.1	0.0	0/9	0/5
Percentage of live births having multiple infants ^{b,c}	38.2	35.0	1/6	0/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	5	8	7
Percentage of transfers resulting in live births ^{b,c}	2/8	2/5	2/8	2/7
Average number of embryos transferred	3.1	3.2	3.8	3.3
Donor Eggs				
Number of fresh embryo transfers	4	5	15	37
Percentage of fresh transfers resulting in live births ^{b,c}	1/4	3/5	8/15	45/9
Average number of fresh embryos transferred	2.8	2.4	3.4	3.2
Number of frozen embryo transfers	0	2	1	13
Percentage of frozen transfers resulting in live births ^{b,c}		0/2	1/1	4/13
Average number of frozen embryos transferred		3.5	3.0	3.5

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Virginia Mason Center for Fertility and Reproductive Endocrinology

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	18%	Uterine factor	0%
GIFT	0%			Male factor	35%	Other factors	0%
ZIFT	0%	With ICSI	41%	Ovulatory dysfunction	0%	Unexplained	47%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Edwin Robins, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	4	1	0
Percentage of cycles resulting in pregnancies ^b	10/12	1/4	0/1	
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	9/12	1/4	0/1	
Percentage of retrievals resulting in live births ^{b,c}	9/12	1/3	0/1	
Percentage of transfers resulting in live births ^{b,c}	9/11	1/3	0/1	
Percentage of cancellations ^b	0/12	1/4	0/1	
Average number of embryos transferred	3.2	4.0	4.0	
Percentage of pregnancies with twins ^b	3/10	0/1		
Percentage of pregnancies with triplets or more ^b	0/10	0/1		
Percentage of live births having multiple infants ^{b,c}	3/9	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Endocrinology and Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	No

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**GYFT CLINIC, P.L.L.C.
TACOMA, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	31%	Uterine factor	3%
GIFT	0%			Male factor	33%	Other factors	2%
ZIFT	0%	With ICSI	37%	Ovulatory dysfunction	8%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Joseph A. Robinette, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	10	10	4
Percentage of cycles resulting in pregnancies ^b	42.4	2/10	3/10	0/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	33.3 (17.2 - 49.4)	1/10	2/10	0/4
Percentage of retrievals resulting in live births ^{b,c}	33.3	1/9	2/9	0/4
Percentage of transfers resulting in live births ^{b,c}	33.3	1/9	2/9	0/4
Percentage of cancellations ^b	0.0	1/10	1/10	0/4
Average number of embryos transferred	5.2	5.9	5.6	5.8
Percentage of pregnancies with twins ^b	5/14	1/2	1/3	
Percentage of pregnancies with triplets or more ^b	1/14	0/2	0/3	
Percentage of live births having multiple infants ^{b,c}	5/11	1/1	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	1	5
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	1/5
Average number of fresh embryos transferred			4.0	6.2
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: GYFT Clinic, P.L.L.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CENTER FOR REPRODUCTIVE MEDICINE
WEST VIRGINIA UNIVERSITY HEALTH SCIENCES CENTER
CHARLESTON, WEST VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	93%	Procedural factors:		Tubal factor	39%	Uterine factor	0%
GIFT	7%			Male factor	7%	Other factors	10%
ZIFT	0%	With ICSI	27%	Ovulatory dysfunction	8%	Unexplained	25%
Combination	0%	Unstimulated	0%	Endometriosis	11%		

1998 PREGNANCY SUCCESS RATES

Data verified by Tamer M. Yalcinkaya, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	52	22	10	14
Percentage of cycles resulting in pregnancies ^b	28.8	13.6	5/10	1/14
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	21.2 (10.1 - 32.3)	9.1 (0.0 - 21.1)	4/10	0/14
Percentage of retrievals resulting in live births ^{b,c}	24.4	2/16	4/9	0/11
Percentage of transfers resulting in live births ^{b,c}	25.0	2/16	4/9	0/11
Percentage of cancellations ^b	13.5	27.3	1/10	3/14
Average number of embryos transferred	4.2	4.4	4.7	6.1
Percentage of pregnancies with twins ^b	2/15	0/3	1/5	0/1
Percentage of pregnancies with triplets or more ^b	2/15	1/3	0/5	0/1
Percentage of live births having multiple infants ^{b,c}	3/11	0/2	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	4	1	1
Percentage of transfers resulting in live births ^{b,c}	2/12	1/4	0/1	0/1
Average number of embryos transferred	3.4	3.5	2.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	2	2	3
Percentage of fresh transfers resulting in live births ^{b,c}		0/2	0/2	2/3
Average number of fresh embryos transferred		4.0	4.5	5.3
Number of frozen embryo transfers	1	2	0	2
Percentage of frozen transfers resulting in live births ^{b,c}	0/1	0/2		0/2
Average number of frozen embryos transferred	5.0	4.5		2.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Center for Reproductive Medicine, West Virginia University Health Sciences Center

Services Offered:

Donor egg?	Yes	Gestational carriers?	No
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**FAMILY FERTILITY PROGRAM
APPLETON MEDICAL CENTER
APPLETON, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	67%	Uterine factor	0%
GIFT	0%			Male factor	0%	Other factors	0%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	25%	Unexplained	8%
Combination	0%	Unstimulated	0%	Endometriosis	0%		

1998 PREGNANCY SUCCESS RATES

Data verified by Michael E. West, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	1	1	3	2
Percentage of cycles resulting in pregnancies ^b	0/1	0/1	0/3	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/1	0/1	0/3	0/2
Percentage of retrievals resulting in live births ^{b,c}	0/1	0/1	0/2	0/1
Percentage of transfers resulting in live births ^{b,c}	0/1	0/1	0/2	0/1
Percentage of cancellations ^b	0/1	0/1	1/3	1/2
Average number of embryos transferred	5.0	5.0	2.0	1.0
Percentage of pregnancies with twins ^b				
Percentage of pregnancies with triplets or more ^b				
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0/3			
Average number of embryos transferred	4.3			
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Family Fertility Program, Appleton Medical Center

Services Offered:

Donor egg? No Gestational carriers? No
 Donor embryo? No Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

GUNDERSEN/LUTHERAN MEDICAL CENTER LA CROSSE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	90%	Procedural factors:		Tubal factor	51%	Uterine factor	1%
GIFT	10%			Male factor	0%	Other factors	4%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	27%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Paul D. Silva, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	65	13	14	2
Percentage of cycles resulting in pregnancies ^b	32.3	5/13	4/14	0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.2 (18.2 - 40.3)	4/13	4/14	0/2
Percentage of retrievals resulting in live births ^{b,c}	31.7	4/11	4/11	0/2
Percentage of transfers resulting in live births ^{b,c}	35.2	4/10	4/10	0/2
Percentage of cancellations ^b	7.7	2/13	3/14	0/2
Average number of embryos transferred	3.0	2.9	2.7	5.0
Percentage of pregnancies with twins ^b	28.6	0/5	1/4	
Percentage of pregnancies with triplets or more ^b	9.5	1/5	1/4	
Percentage of live births having multiple infants ^{b,c}	8/19	1/4	1/4	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}				
Average number of embryos transferred				
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Gundersen/Lutheran Medical Center

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**UNIVERSITY OF WISCONSIN-MADISON
WOMEN'S ENDOCRINE SERVICES
MADISON, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	29%	Uterine factor	<1%
GIFT	1%			Male factor	32%	Other factors	2%
ZIFT	1%	With ICSI	34%	Ovulatory dysfunction	10%	Unexplained	22%
Combination	0%	Unstimulated	0%	Endometriosis	4%		

1998 PREGNANCY SUCCESS RATES

Data verified by Sander S. Shapiro, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	56	17	19	4
Percentage of cycles resulting in pregnancies ^b	50.0	8/17	5/19	1/4
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	44.6 (31.6 - 57.7)	7/17	3/19	0/4
Percentage of retrievals resulting in live births ^{b,c}	46.3	7/15	3/17	0/4
Percentage of transfers resulting in live births ^{b,c}	49.0	7/14	3/15	0/3
Percentage of cancellations ^b	3.6	2/17	2/19	0/4
Average number of embryos transferred	3.7	3.3	2.9	3.7
Percentage of pregnancies with twins ^b	25.0	3/8	1/5	0/1
Percentage of pregnancies with triplets or more ^b	25.0	2/8	0/5	0/1
Percentage of live births having multiple infants ^{b,c}	32.0	4/7	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	3	0	1
Percentage of transfers resulting in live births ^{b,c}	1/6	1/3		0/1
Average number of embryos transferred	3.5	3.3		2.0
Donor Eggs				
Number of fresh embryo transfers	0	2	1	4
Percentage of fresh transfers resulting in live births ^{b,c}		1/2	0/1	1/4
Average number of fresh embryos transferred		2.5	4.0	2.5
Number of frozen embryo transfers	0	1	2	1
Percentage of frozen transfers resulting in live births ^{b,c}		0/1	1/2	0/1
Average number of frozen embryos transferred		2.0	4.5	3.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: University of Wisconsin-Madison Women's Endocrine Services

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

ADVANCED INSTITUTE OF FERTILITY MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	98%	Procedural factors:		Tubal factor	20%	Uterine factor	4%
GIFT	2%			Male factor	33%	Other factors	9%
ZIFT	0%	With ICSI	53%	Ovulatory dysfunction	16%	Unexplained	1%
Combination	0%	Unstimulated	0%	Endometriosis	17%		

1998 PREGNANCY SUCCESS RATES

Data verified by K. P. Katayama, M.D., Ph.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	71	35	12	5
Percentage of cycles resulting in pregnancies ^b	28.2	51.4	2/12	0/5
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	23.9 (14.0 - 33.9)	45.7 (29.2 - 62.2)	2/12	0/5
Percentage of retrievals resulting in live births ^{b,c}	26.6	47.1	2/10	0/4
Percentage of transfers resulting in live births ^{b,c}	27.4	47.1	2/10	0/4
Percentage of cancellations ^b	9.9	2.9	2/12	1/5
Average number of embryos transferred	2.8	3.2	3.4	3.5
Percentage of pregnancies with twins ^b	20.0	3/18	1/2	
Percentage of pregnancies with triplets or more ^b	10.0	3/18	0/2	
Percentage of live births having multiple infants ^{b,c}	3/17	4/16	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	43	20	9	8
Percentage of transfers resulting in live births ^{b,c}	23.3	30.0	3/9	1/8
Average number of embryos transferred	3.1	2.7	3.2	2.9
Donor Eggs				
Number of fresh embryo transfers	1	2	0	5
Percentage of fresh transfers resulting in live births ^{b,c}	0/1	0/2		4/5
Average number of fresh embryos transferred	4.0	2.5		2.8
Number of frozen embryo transfers	2	0	4	9
Percentage of frozen transfers resulting in live births ^{b,c}	1/2		0/4	6/9
Average number of frozen embryos transferred	3.5		2.8	3.3

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Advanced Institute of Fertility

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**MEDICAL COLLEGE OF WISCONSIN
DEPARTMENT OF OB/GYN
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	20%	Uterine factor	0%
GIFT	0%			Male factor	12%	Other factors	0%
ZIFT	0%	With ICSI	23%	Ovulatory dysfunction	21%	Unexplained	19%
Combination	0%	Unstimulated	0%	Endometriosis	28%		

1998 PREGNANCY SUCCESS RATES

Data verified by Estil Y. Strawn, Jr., M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	13	7	1
Percentage of cycles resulting in pregnancies ^b	31.8	6/13	3/7	1/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	31.8 (12.4 - 51.3)	6/13	3/7	1/1
Percentage of retrievals resulting in live births ^{b,c}	31.8	6/13	3/7	1/1
Percentage of transfers resulting in live births ^{b,c}	7/18	6/13	3/7	1/1
Percentage of cancellations ^b	0.0	0/13	0/7	0/1
Average number of embryos transferred	2.9	3.1	3.4	6.0
Percentage of pregnancies with twins ^b	3/7	2/6	1/3	0/1
Percentage of pregnancies with triplets or more ^b	0/7	0/6	0/3	0/1
Percentage of live births having multiple infants ^{b,c}	2/7	1/6	1/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	23	10	4	0
Percentage of transfers resulting in live births ^{b,c}	17.4	2/10	0/4	
Average number of embryos transferred	2.7	2.9	2.3	
Donor Eggs				
Number of fresh embryo transfers	0	0	0	2
Percentage of fresh transfers resulting in live births ^{b,c}				0/2
Average number of fresh embryos transferred				3.0
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Medical College of Wisconsin, Department of OB/GYN

Services Offered:

Donor egg? Yes
 Donor embryo? Yes
 Single women? Yes
 Gestational carriers? No
 Cryopreservation? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**REPRODUCTIVE SPECIALTY CENTER AT
IVF COLUMBIA, COLUMBIA HOSPITAL
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	79%	Procedural factors:		Tubal factor	46%	Uterine factor	2%
GIFT	21%			Male factor	8%	Other factors	4%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	18%	Unexplained	4%
Combination	0%	Unstimulated	0%	Endometriosis	18%		

1998 PREGNANCY SUCCESS RATES

Data verified by Grace M. Janik, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	25	9	3
Percentage of cycles resulting in pregnancies ^b	38.2	20.0	3/9	1/3
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	29.4 (14.1 - 44.7)	12.0 (0.0 - 24.7)	3/9	1/3
Percentage of retrievals resulting in live births ^{b,c}	30.3	15.0	3/8	1/2
Percentage of transfers resulting in live births ^{b,c}	30.3	15.0	3/8	1/2
Percentage of cancellations ^b	2.9	20.0	1/9	1/3
Average number of embryos transferred	4.0	4.0	6.1	9.5
Percentage of pregnancies with twins ^b	2/13	1/5	0/3	0/1
Percentage of pregnancies with triplets or more ^b	2/13	1/5	0/3	1/1
Percentage of live births having multiple infants ^{b,c}	4/10	1/3	0/3	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	14	15	1	1
Percentage of transfers resulting in live births ^{b,c}	3/14	0/15	0/1	0/1
Average number of embryos transferred	3.8	4.0	2.0	4.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Reproductive Specialty Center at IVF Columbia, Columbia Hospital

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	Yes		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WOMENCARE, GLORIA M. HALVERSON, M.D., S.C.
WAUKESHA, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	16%	Uterine factor	0%
GIFT	0%			Male factor	36%	Other factors	19%
ZIFT	0%	With ICSI	35%	Ovulatory dysfunction	13%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	16%		

1998 PREGNANCY SUCCESS RATES

Data verified by Gloria M. Halverson, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	9	6	9
Percentage of cycles resulting in pregnancies ^b	35.7	4/9	1/6	0/9
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	28.6 (11.8 - 45.3)	4/9	1/6	0/9
Percentage of retrievals resulting in live births ^{b,c}	28.6	4/8	1/5	0/7
Percentage of transfers resulting in live births ^{b,c}	33.3	4/8	1/4	0/6
Percentage of cancellations ^b	0.0	1/9	1/6	2/9
Average number of embryos transferred	2.8	2.9	3.3	2.3
Percentage of pregnancies with twins ^b	3/10	4/4	0/1	
Percentage of pregnancies with triplets or more ^b	1/10	0/4	0/1	
Percentage of live births having multiple infants ^{b,c}	3/8	4/4	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	17	4	1	0
Percentage of transfers resulting in live births ^{b,c}	5/17	1/4	1/1	
Average number of embryos transferred	2.7	3.0	3.0	
Donor Eggs				
Number of fresh embryo transfers	0	0	1	0
Percentage of fresh transfers resulting in live births ^{b,c}			0/1	
Average number of fresh embryos transferred			3.0	
Number of frozen embryo transfers	2	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}	0/2			
Average number of frozen embryos transferred	3.0			

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: WomenCare, Gloria M. Halverson, M.D., S.C.

Services Offered:

Donor egg?	Yes	Gestational carriers?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**WOMEN'S HEALTH CARE, S.C.
WAUKESHA, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	25%	Uterine factor	0%
GIFT	0%			Male factor	26%	Other factors	3%
ZIFT	0%	With ICSI	42%	Ovulatory dysfunction	22%	Unexplained	5%
Combination	0%	Unstimulated	0%	Endometriosis	19%		

1998 PREGNANCY SUCCESS RATES

Data verified by Matthew A. Meyer, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	8	4	1
Percentage of cycles resulting in pregnancies ^b	9/18	1/8	0/4	0/1
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	8/18	1/8	0/4	0/1
Percentage of retrievals resulting in live births ^{b,c}	8/17	1/8	0/4	
Percentage of transfers resulting in live births ^{b,c}	8/15	1/7	0/3	
Percentage of cancellations ^b	1/18	0/8	0/4	1/1
Average number of embryos transferred	2.8	2.4	3.0	
Percentage of pregnancies with twins ^b	3/9	0/1		
Percentage of pregnancies with triplets or more ^b	0/9	0/1		
Percentage of live births having multiple infants ^{b,c}	2/8	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	4	7	1
Percentage of transfers resulting in live births ^{b,c}	2/12	0/4	2/7	0/1
Average number of embryos transferred	2.5	2.5	2.4	3.0
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	1	1
Percentage of frozen transfers resulting in live births ^{b,c}			0/1	0/1
Average number of frozen embryos transferred			4.0	5.0

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Women's Health Care, S.C.

Services Offered:

Donor egg? Yes Gestational carriers? No
 Donor embryo? Yes Cryopreservation? Yes
 Single women? Yes

Clinic Profile:

SART member? Yes
 Verified lab accreditation? Pending

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.

**CLINIC OF OBSTETRICS & GYNECOLOGY, LTD.
WEST ALLIS, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 37–39.)

1998 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural factors:		Tubal factor	0%	Uterine factor	0%
GIFT	0%			Male factor	13%	Other factors	25%
ZIFT	0%	With ICSI	0%	Ovulatory dysfunction	37%	Unexplained	0%
Combination	0%	Unstimulated	0%	Endometriosis	25%		

1998 PREGNANCY SUCCESS RATES

Data verified by Debora J. Sportiello, M.D.

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40 ^d
Fresh Embryos From Nondonor Eggs				
Number of cycles	2	1	0	2
Percentage of cycles resulting in pregnancies ^b	0/2	0/1		0/2
Percentage of cycles resulting in live births ^{b,c} (Reliability Range)	0/2	0/1		0/2
Percentage of retrievals resulting in live births ^{b,c}	0/2	0/1		0/2
Percentage of transfers resulting in live births ^{b,c}	0/2			0/2
Percentage of cancellations ^b	0/2	0/1		0/2
Average number of embryos transferred	3.0			2.0
Percentage of pregnancies with twins ^b				
Percentage of pregnancies with triplets or more ^b				
Percentage of live births having multiple infants ^{b,c}				
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1/2	0/1		
Average number of embryos transferred	2.5	4.0		
Donor Eggs				
Number of fresh embryo transfers	0	0	0	0
Percentage of fresh transfers resulting in live births ^{b,c}				
Average number of fresh embryos transferred				
Number of frozen embryo transfers	0	0	0	0
Percentage of frozen transfers resulting in live births ^{b,c}				
Average number of frozen embryos transferred				

CURRENT CLINIC SERVICES AND PROFILE (AS OF 1/15/2000)

Current Name: Clinic of Obstetrics & Gynecology, Ltd.

Services Offered:

Donor egg?	No	Gestational carriers?	No
Donor embryo?	No	Cryopreservation?	Yes
Single women?	No		

Clinic Profile:

SART member?	Yes
Verified lab accreditation?	Yes

Additional information on lab accreditation is available in Appendix C.

^a Reflects patient and treatment characteristics of ART cycles performed in 1998 using fresh, nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Among women >40, rates change with every year of age. Refer to Figure 10 for average chances of success by year of age.