

West Virginia, 2005

Primary and secondary syphilis

- **CASES:** West Virginia reported 3 cases in 2005.
- **RATES:** West Virginia ranked 50 among 50 states + DC + 3 territories: 0.2 cases per 100,000 population compared to the U.S. rate of 3.0 cases per 100,000 population.

Male-female rates of primary and secondary syphilis

- In West Virginia, the rate among males was 0.3 per 100,000 population compared to the U.S. male rate of 5.1 per 100,000.
- The rate among females was 0.0 per 100,000 compared to the U.S. female rate of 0.9 per 100,000.

Racial disparities of primary and secondary syphilis


In West Virginia, the race/ethnicity adjusted rates per 100,000 population were 0.1 among whites, 1.6 among blacks, 0.0 among Hispanics, 0.0 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

- The rate among blacks was 16 times that of whites.

Congenital syphilis

- **CASES:** West Virginia reported 0 cases in 2005.
- **RATES:** West Virginia had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.0 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, West Virginia, 1996-2005



Total P&S Syphilis Rates by County, West Virginia, 2005

