

Contents: Table 1. Principal Diagnoses

Classification of conditions	Page number
Infectious and parasitic diseases	7
Neoplasms	8
Endocrine, nutritional, metabolic, and immunity disorders	11
Diseases of blood and blood-forming organs	12
Mental disorders	13
Diseases of nervous system and sense organs	16
Diseases of the circulatory system	18
Diseases of the respiratory system	22
Diseases of the digestive system	24
Diseases of the genitourinary system	28
Complications of pregnancy, childbirth, and the puerperium	30
Diseases of the skin and subcutaneous tissue	34
Diseases of the musculoskeletal system and connective tissue	35
Congenital anomalies	36
Certain conditions originating in the perinatal period	38
Injury and poisoning	38
Symptoms, signs, and ill-defined conditions and factors influencing health status	41
Residual codes, unclassified	42

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
1 Infectious and parasitic diseases	580,343	1.66	\$14,350	9.0	9.9	50.2	49
1.1 Bacterial infection	357,037	1.02	\$17,223	10.6	13.6	47.2	60
1.1.1 Tuberculosis [1.]	19,353	0.06	\$23,696	16.2	4.8	68.9	46
1.1.2 Septicemia (except in labor) [2.]	311,450	0.89	\$17,114	10.5	15.1	46.4	63
1.1.2.1 Streptococcal septicemia	25,491	0.07	\$16,279	10.6	11.0	53.7	58
1.1.2.2 Staphylococcal septicemia	54,973	0.16	\$23,215	13.5	17.1	49.9	64
1.1.2.3 E. Coli septicemia	59,166	0.17	\$14,881	9.9	7.2	32.1	69
1.1.2.4 Other gram negative septicemia	37,155	0.11	\$20,635	11.3	16.4	52.1	67
1.1.2.5 Other specified septicemia	12,638	0.04	\$18,698	10.7	10.6	47.3	51
1.1.2.6 Unspecified septicemia	122,027	0.35	\$14,400	9.0	18.9	48.4	61
1.1.3 Sexually transmitted infections (not HIV or hepatitis) [9.]	8,428	0.02	\$8,162	6.5	0.0	34.4	31
1.1.4 Other bacterial infections [3.]	17,806	0.05	\$16,339	9.3	3.8	43.0	41
1.2 Mycoses [4.]	16,719	0.05	\$25,553	14.8	12.6	64.7	46
1.2.1 Candidiasis of the mouth (thrush)	1,872	0.01	\$9,920	8.2	9.7	63.9	35
1.2.2 Other mycoses	14,847	0.04	\$27,583	15.6	12.9	64.8	47
1.3 Viral infections	190,020	0.54	\$8,275	5.6	3.2	54.6	29
1.3.1 HIV infection [5.]	21,815	0.06	\$20,176	13.1	19.7	77.1	36
1.3.2 Hepatitis [6.]	27,436	0.08	\$10,621	6.2	3.7	51.7	44
1.3.3 Other viral infections [7.]	140,768	0.40	\$6,001	4.3	0.6	51.7	25
1.3.3.1 Herpes zoster infection	15,012	0.04	\$7,977	6.4	2.2	38.9	65
1.3.3.2 Herpes simplex infection	6,205	0.02	\$10,171	6.6	1.5	52.0	27

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
1.3.3.3 Other and unspecified viral infection	119,551	0.34	\$5,532	4.0	0.4	53.3	20
1.4 Other infections, including parasitic [8.]	16,390	0.05	\$10,406	7.2	3.2	48.8	39
1.5 Immunizations and screening for infectious diseases [10.]	176	*	*	*	*	*	*
2 Neoplasms	2,291,333	6.54	\$14,568	7.4	6.4	42.9	60
2.1 Colorectal cancer	171,631	0.49	\$21,325	11.7	5.2	51.1	71
2.1.1 Cancer of colon [14.]	119,243	0.34	\$21,551	12.0	5.5	49.0	72
2.1.2 Cancer of rectum and anus [15.]	52,388	0.15	\$20,812	11.1	4.4	55.7	69
2.2 Other gastrointestinal cancer	101,542	0.29	\$25,685	13.2	16.4	55.3	68
2.2.1 Cancer of esophagus [12.]	13,615	0.04	\$28,026	13.9	15.0	71.5	67
2.2.2 Cancer of stomach [13.]	26,185	0.07	\$27,994	14.1	12.7	61.8	68
2.2.3 Cancer of liver and intrahepatic bile duct [16.]	10,818	0.03	\$21,339	10.2	23.8	61.2	64
2.2.4 Cancer of pancreas [17.]	33,396	0.10	\$23,344	12.8	19.6	47.6	69
2.2.5 Cancer of other GI organs, peritoneum [18.]	17,528	0.05	\$27,548	14.0	12.3	44.0	69
2.3 Cancer of bronchus, lung [19.]	160,691	0.46	\$18,376	10.0	17.0	59.3	67
2.4 Cancer of skin	15,856	0.05	\$9,747	4.7	3.5	57.8	63
2.4.1 Melanomas of skin [22.]	7,857	0.02	\$9,914	5.0	4.9	50.1	58
2.4.2 Other non-epithelial cancer of skin [23.]	7,999	0.02	\$9,579	4.4	2.0	65.4	67
2.5 Cancer of breast [24.]	166,354	0.48	\$7,848	3.6	1.4	0.6	62
2.6 Cancer of uterus and cervix	76,396	0.22	\$11,299	5.5	1.6	0.0	57
2.6.1 Cancer of uterus [25.]	40,190	0.11	\$11,931	6.1	1.7	0.0	66

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
2.6.2 Cancer of cervix [26.]	36,207	0.10	\$10,594	4.9	1.6	0.0	47
2.7 Cancer of other female genital organs	33,253	0.09	\$19,231	9.5	7.8	0.0	63
2.7.1 Cancer of ovary [27.]	25,924	0.07	\$20,106	10.2	9.0	0.0	62
2.7.2 Cancer of other female genital organs [28.]	7,328	0.02	\$16,144	7.2	3.4	0.0	65
2.8 Cancer of male genital organs	169,853	0.49	\$12,347	6.3	1.3	100.0	70
2.8.1 Cancer of prostate [29.]	166,128	0.47	\$12,374	6.3	1.3	100.0	71
2.8.2 Cancer of testis [30.]	2,966	0.01	\$11,172	4.3	0.0	100.0	33
2.8.3 Cancer of other male genital organs [31.]	760	*	*	*	*	*	*
2.9 Cancer of urinary organs	98,805	0.28	\$15,270	7.4	3.4	70.4	69
2.9.1 Cancer of bladder [32.]	66,739	0.19	\$13,172	6.4	2.8	75.3	72
2.9.2 Cancer of kidney and renal pelvis [33.]	28,074	0.08	\$19,282	9.5	4.3	59.2	63
2.9.3 Cancer of other urinary organs [34.]	3,993	0.01	\$21,775	9.0	7.4	65.7	73
2.10 Cancer of lymphatic and hematopoietic tissue	117,310	0.34	\$29,119	13.1	15.7	54.0	58
2.10.1 Hodgkin's disease [37.]	8,328	0.02	\$26,283	10.1	5.4	48.7	40
2.10.2 Non-Hodgkin's lymphoma [38.]	50,285	0.14	\$22,947	11.5	13.8	53.7	62
2.10.3 Leukemias [39.]	42,372	0.12	\$40,820	16.2	20.3	54.9	54
2.10.4 Multiple myeloma [40.]	16,326	0.05	\$19,202	11.3	15.1	55.5	68
2.11 Cancer, other primary	111,779	0.32	\$21,081	9.4	6.2	55.2	54
2.11.1 Cancer of head and neck [11.]	33,455	0.10	\$25,438	10.3	5.3	66.8	63
2.11.2 Cancer, other respiratory and intrathoracic [20.]	2,836	0.01	\$19,778	10.1	6.2	79.0	68
2.11.3 Cancer of bone and connective tissue [21.]	14,019	0.04	\$21,328	9.4	5.7	53.0	50

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
2.11.4 Cancer of brain and nervous system [35.]	32,843	0.09	\$22,892	11.0	7.7	51.9	52
2.11.5 Cancer of thyroid [36.]	14,867	0.04	\$7,623	3.1	0.9	29.2	47
2.11.6 Cancer, other and unspecified primary [41.]	13,760	0.04	\$20,720	10.0	11.4	60.0	49
2.12 Secondary malignancies [42.]	272,712	0.78	\$16,388	10.1	17.2	44.8	65
2.12.1 Secondary malignancy of lymph nodes	17,539	0.05	\$15,453	7.0	9.6	51.6	61
2.12.2 Secondary malignancy of lung	21,007	0.06	\$15,900	10.1	21.8	41.0	63
2.12.3 Secondary malignancy of liver	33,256	0.09	\$16,756	9.3	26.9	47.7	66
2.12.4 Secondary malignancy of brain/spine	41,386	0.12	\$13,668	9.4	14.0	51.6	63
2.12.5 Secondary malignancy of bone	54,681	0.16	\$16,364	11.4	14.6	52.4	66
2.12.6 Other secondary malignancy	104,843	0.30	\$17,594	10.5	17.0	36.7	66
2.13 Malignant neoplasm without specification of site [43.]	10,148	0.03	\$13,609	9.5	35.3	41.0	68
2.14 Neoplasms of unspecified nature or uncertain behavior [44.]	40,229	0.11	\$14,526	7.5	3.7	43.5	59
2.15 Maintenance chemotherapy, radiotherapy [45.]	394,934	1.13	\$7,882	3.7	0.7	45.2	53
2.15.1 Radiotherapy	18,604	0.05	\$8,071	5.7	3.7	39.6	59
2.15.2 Chemotherapy	376,330	1.07	\$7,872	3.6	0.5	45.4	53
2.16 Benign neoplasms	349,839	1.00	\$10,107	4.6	0.2	13.2	47
2.16.1 Benign neoplasm of uterus [46.]	191,748	0.55	\$7,933	3.8	0.0	0.0	43
2.16.2 Other and unspecified benign neoplasm [47.]	158,091	0.45	\$12,769	5.5	0.5	29.4	51
2.16.2.1 Benign neoplasm of ovary	40,538	0.12	\$8,312	4.3	0.1	0.0	45
2.16.2.2 Benign neoplasm of colon	21,735	0.06	\$13,536	7.2	1.2	53.1	67

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
2.16.2.3 Benign neoplasm of the thyroid	14,905	0.04	\$5,803	2.1	0.0	16.6	47
2.16.2.4 Benign neoplasm of cerebral meninges	11,952	0.03	\$26,189	10.6	1.1	26.7	62
2.16.2.5 Other and unspecified benign neoplasms	68,961	0.20	\$14,421	5.6	0.5	42.3	49
3 Endocrine, nutritional, metabolic, and immunity disorders	1,001,952	2.86	\$8,607	6.8	3.5	42.2	54
3.1 Thyroid disorders [48.]	33,402	0.10	\$7,545	4.0	0.6	16.2	53
3.1.1 Thyrotoxicosis with or without goiter	9,638	0.03	\$7,581	4.8	0.7	18.3	48
3.1.2 Other thyroid disorders	23,764	0.07	\$7,531	3.7	0.6	15.4	55
3.2 Diabetes mellitus without complications [49.]	12,126	0.03	\$4,706	13.8	0.7	48.7	46
3.3 Diabetes mellitus with complications [50.]	375,316	1.07	\$10,051	7.6	1.7	46.9	54
3.3.1 Diabetes with ketoacidosis or uncontrolled diabetes	77,765	0.22	\$8,137	5.4	1.5	46.1	37
3.3.2 Diabetes with renal manifestations	17,499	0.05	\$18,338	9.4	2.7	54.7	57
3.3.3 Diabetes with ophthalmic manifestations	3,901	0.01	\$5,953	4.9	0.0	36.1	50
3.3.4 Diabetes with neurological manifestations	25,587	0.07	\$9,846	8.6	0.9	42.0	57
3.3.5 Diabetes with circulatory manifestations	42,159	0.12	\$21,351	14.4	4.0	58.5	66
3.3.6 Diabetes with unspecified complications	148,036	0.42	\$5,485	5.6	0.5	42.4	56
3.3.7 Diabetes with other manifestations	60,370	0.17	\$13,809	9.7	3.6	51.0	62
3.4 Other endocrine disorders [51.]	56,808	0.16	\$7,754	5.7	1.6	38.9	59
3.5 Nutritional deficiencies [52.]	16,533	0.05	\$14,348	11.3	11.5	39.7	66
3.5.1 Unspecified protein-calorie malnutrition	8,528	0.02	\$13,072	10.4	8.2	37.6	70
3.5.2 Other malnutrition	8,006	0.02	\$15,695	12.2	15.0	42.0	62
3.6 Disorders of lipid metabolism [53.]	837	*	*	*	*	*	*

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
3.7 Gout and other crystal arthropathies [54.]	6,994	0.02	\$5,783	5.1	0.6	71.7	65
3.8 Fluid and electrolyte disorders [55.]	442,357	1.26	\$6,944	6.0	5.4	40.3	55
3.8.1 Hyposmolality	40,724	0.12	\$8,655	6.5	4.5	32.7	70
3.8.2 Hypovolemia	339,401	0.97	\$6,632	6.0	5.5	41.8	52
3.8.3 Hyperpotassemia	12,552	0.04	\$7,742	5.1	5.3	50.1	65
3.8.4 Hypopotassemia	23,236	0.07	\$6,107	4.7	2.2	29.7	62
3.8.5 Other fluid and electrolyte disorders	26,444	0.08	\$8,657	6.5	7.7	36.2	62
3.9 Cystic fibrosis [56.]	7,865	0.02	\$24,348	12.1	3.1	46.7	18
3.10 Immunity disorders [57.]	1,936	*	*	*	*	*	*
3.11 Other nutritional, endocrine, and metabolic disorders [58.]	47,776	0.14	\$11,101	7.4	3.7	40.5	40
3.11.1 Disorders of mineral metabolism	15,315	0.04	\$12,863	8.6	8.3	42.4	61
3.11.2 Obesity	6,452	0.02	\$14,936	5.5	0.6	18.8	38
3.11.3 Other and unspecified metabolic, nutritional, and endocrine disorders	26,009	0.07	\$9,094	7.1	1.8	44.8	29
4 Diseases of blood and blood-forming organs	265,199	0.76	\$9,634	6.0	2.9	45.6	48
4.1 Anemia	175,025	0.50	\$8,291	5.7	2.4	45.1	48
4.1.1 Acute post-hemorrhagic anemia [60.]	10,111	0.03	\$7,392	5.9	3.1	38.7	65
4.1.2 Sickle cell anemia [61.]	60,214	0.17	\$7,524	5.9	0.3	53.1	23
4.1.3 Other anemia [59.]	104,700	0.30	\$8,823	5.6	3.5	41.2	60
4.1.3.1 Iron deficiency anemia	13,383	0.04	\$7,268	5.8	0.4	32.3	63
4.1.3.2 Other deficiency anemia	6,218	0.02	\$9,526	6.9	6.1	38.6	69

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
4.1.3.3 Aplastic anemia	22,729	0.06	\$12,469	6.6	6.1	45.4	56
4.1.3.4 Chronic blood loss anemia	17,422	0.05	\$7,399	5.6	3.6	34.4	66
4.1.3.5 Acquired hemolytic anemia	7,159	0.02	\$18,678	8.4	5.3	35.7	51
4.1.3.6 Other specified anemia	5,691	0.02	\$6,136	4.2	2.3	43.4	45
4.1.3.7 Anemia, unspecified	32,099	0.09	\$5,900	4.1	2.1	46.9	62
4.2 Coagulation and hemorrhagic disorders [62.]	42,884	0.12	\$11,243	5.7	5.1	47.5	47
4.2.1 Coagulation defects	12,042	0.03	\$12,298	6.4	6.8	52.2	57
4.2.2 Thrombocytopenia	27,329	0.08	\$11,390	5.4	4.9	44.6	45
4.2.3 Other coagulation and hemorrhagic disorders	3,514	0.01	\$6,464	5.5	1.0	54.1	31
4.3 Diseases of white blood cells [63.]	39,883	0.11	\$12,906	7.0	2.7	45.8	49
4.4 Other hematologic conditions [64.]	7,407	0.02	\$14,743	8.3	3.3	45.2	61
5 Mental disorders	1,510,162	4.31	\$8,050	11.6	0.3	50.2	43
5.1 Mental retardation [65.]	461	*	*	*	*	*	*
5.2 Alcohol and substance-related mental disorders	429,911	1.23	\$5,071	8.0	0.2	70.0	39
5.2.1 Alcohol-related mental disorders [66.]	290,550	0.83	\$5,052	7.9	0.1	72.6	41
5.2.1.1 Acute alcoholic intoxication	74,441	0.21	\$3,596	5.1	0.0	75.0	42
5.2.1.2 Other and unspecified alcohol dependence	139,966	0.40	\$5,447	10.7	0.1	70.3	39
5.2.1.3 Nondependent alcohol abuse	20,009	0.06	\$3,250	3.1	0.0	67.2	34
5.2.1.4 Other alcohol-related mental disorders	56,133	0.16	\$6,542	6.6	0.4	76.9	46
5.2.2 Substance-related mental disorders [67.]	139,361	0.40	\$5,110	8.3	0.3	64.7	35
5.2.2.1 Opioid dependence	24,828	0.07	\$4,433	6.8	0.1	65.9	35

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
5.2.2.2 Cocaine dependence	45,940	0.13	\$5,186	9.4	0.1	67.8	32
5.2.2.3 Other, combined, and unspecified drug dependence	27,906	0.08	\$5,774	10.5	0.0	64.6	33
5.2.2.4 Cocaine abuse	4,564	0.01	\$5,564	6.1	0.0	71.7	30
5.2.2.5 Other, mixed, or unspecified drug abuse	7,353	0.02	\$4,204	7.4	0.5	60.7	29
5.2.2.6 Other substance-related mental disorders	28,769	0.08	\$5,110	6.2	1.2	58.8	43
5.3 Senility and organic mental disorders [68.]	106,695	0.30	\$9,500	12.8	1.5	46.2	69
5.3.1 Senile dementia, uncomplicated	12,629	0.04	\$8,376	11.3	1.6	44.5	80
5.3.2 Arteriosclerotic dementia	10,229	0.03	\$9,892	16.6	1.4	48.0	78
5.3.3 Transient organic psychotic conditions	32,619	0.09	\$9,914	11.4	2.0	48.6	63
5.3.4 Specific nonpsychotic mental disorders due to organic brain damage	15,557	0.04	\$7,879	9.7	0.7	53.2	54
5.3.5 Presenile dementia, uncomplicated	2,213	0.01	\$8,998	12.8	0.0	42.6	75
5.3.6 Senile dementia with delirium	10,070	0.03	\$8,742	11.7	1.0	41.5	81
5.3.7 Other senility and organic mental disorders	23,379	0.07	\$10,791	16.6	1.5	40.8	73
5.4 Affective disorders [69.]	467,113	1.33	\$9,900	13.8	0.1	36.2	44
5.4.1 Major depressive disorder, single episode	159,640	0.46	\$9,601	13.2	0.2	37.6	42
5.4.2 Major depressive disorder, recurrent episode	154,517	0.44	\$10,692	14.7	0.1	31.8	48
5.4.3 Neurotic depression	29,981	0.09	\$6,597	9.5	0.0	36.4	34
5.4.4 Bipolar affective disorder	107,331	0.31	\$10,279	14.6	0.0	39.3	44
5.4.5 Manic-depressive psychosis	8,469	0.02	\$9,336	13.3	0.3	42.8	41
5.4.6 Other affective disorders	7,176	0.02	\$8,103	11.4	0.0	41.6	45

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
5.5 Schizophrenia and related disorders [70.]	221,902	0.63	\$10,465	16.3	0.1	53.4	40
5.5.1 Paranoid schizophrenia	86,837	0.25	\$9,925	16.1	0.2	60.1	40
5.5.2 Schizo-affective type	75,853	0.22	\$10,856	16.1	0.1	44.4	40
5.5.3 Other schizophrenia	59,212	0.17	\$10,768	16.8	0.0	54.9	40
5.6 Other psychoses [71.]	55,577	0.16	\$8,300	11.4	0.6	44.2	55
5.7 Anxiety, somatoform, dissociative, and personality disorders [72.]	66,590	0.19	\$6,746	9.1	0.2	34.5	38
5.7.1 Anxiety states	16,180	0.05	\$4,936	6.1	0.2	34.8	49
5.7.2 Personality disorders	14,008	0.04	\$7,101	9.7	0.0	40.0	33
5.7.3 Other anxiety, somatoform, dissociative, and personality disorders	36,402	0.10	\$7,424	10.1	0.2	32.3	36
5.8 Preadult disorders [73.]	16,833	0.05	\$10,076	16.5	0.0	71.1	13
5.9 Other mental conditions [74.]	144,774	0.41	\$6,368	8.2	0.2	42.0	33
5.9.1 Adjustment reaction	87,109	0.25	\$4,770	6.3	0.1	43.5	31
5.9.1.1 Brief depressive reaction	41,652	0.12	\$4,298	5.8	0.1	43.5	32
5.9.1.2 Other adjustment reaction	45,457	0.13	\$5,208	6.7	0.1	43.6	30
5.9.2 Depressive disorder, not elsewhere classified	26,799	0.08	\$8,271	10.8	0.0	42.6	37
5.9.3 Other and unspecified mental conditions	30,866	0.09	\$9,306	11.1	0.9	36.9	37
5.10 Personal history of mental disorder, screening for mental condition [75.]	306	*	*	*	*	*	*
6 Diseases of nervous system and sense organs	771,971	2.20	\$8,909	6.1	1.6	48.3	45
6.1 Central nervous system infection	67,564	0.19	\$13,756	7.8	3.2	54.1	25

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
6.1.1 Meningitis (except that caused by TB or sexually transmitted diseases) [76.]	51,419	0.15	\$9,529	6.0	1.8	51.9	21
6.1.2 Encephalitis (except that caused by TB or sexually transmitted diseases) [77.]	11,716	0.03	\$22,985	12.5	6.3	58.6	38
6.1.3 Other CNS infection and poliomyelitis [78.]	4,428	0.01	\$38,515	16.5	11.0	67.7	44
6.2 Hereditary and degenerative nervous system conditions	77,743	0.22	\$11,004	8.2	1.9	42.5	54
6.2.1 Parkinson's disease [79.]	13,026	0.04	\$8,132	9.4	1.5	57.3	74
6.2.2 Multiple sclerosis [80.]	23,605	0.07	\$7,928	7.4	0.1	24.3	42
6.2.3 Other hereditary and degenerative nervous system conditions [81.]	41,112	0.12	\$13,682	8.2	3.0	48.2	54
6.2.3.1 Disorders of the autonomic nervous system	8,121	0.02	\$9,439	5.2	0.2	34.4	48
6.2.3.2 Other and unspecified hereditary and degenerative nervous conditions	32,991	0.09	\$14,759	8.9	3.7	51.6	55
6.3 Paralysis [82.]	21,246	0.06	\$22,411	27.5	1.9	52.7	55
6.3.1 Hemiplegia	12,055	0.03	\$23,179	36.6	2.2	51.1	67
6.3.2 Other paralysis	9,191	0.03	\$21,334	15.5	1.5	54.7	39
6.4 Epilepsy, convulsions [83.]	231,517	0.66	\$7,473	4.8	1.3	53.5	41
6.4.1 Epilepsy	82,131	0.23	\$9,271	5.4	1.4	51.4	42
6.4.2 Convulsions	149,386	0.43	\$6,484	4.4	1.2	54.7	40
6.5 Headache, including migraine [84.]	47,689	0.14	\$3,959	3.2	0.0	30.4	42
6.5.1 Migraine	28,958	0.08	\$3,809	3.1	0.0	26.8	41
6.5.2 Other headache	18,731	0.05	\$4,189	3.2	0.0	36.0	42

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
6.6 Coma, stupor, and brain damage [85.]	12,017	0.03	\$21,115	18.9	24.9	48.2	57
6.7 Eye disorders	89,432	0.26	\$6,238	3.0	0.1	51.8	51
6.7.1 Cataract [86.]	5,756	0.02	\$5,977	1.8	0.0	32.5	72
6.7.2 Retinal detachments, defects, vascular occlusion, and retinopathy [87.]	32,047	0.09	\$6,437	2.0	0.0	58.6	58
6.7.2.1 Retinal detachment with defect	15,331	0.04	\$5,764	1.7	0.0	64.0	58
6.7.2.2 Other retinal detachment or defect	9,119	0.03	\$6,157	1.6	0.0	65.4	56
6.7.2.3 Other retinal disorders	7,596	0.02	\$8,097	3.1	0.0	39.4	59
6.7.3 Glaucoma [88.]	5,067	0.01	\$4,890	2.4	0.0	39.2	66
6.7.4 Blindness and vision defects [89.]	2,346	0.01	\$4,307	3.0	0.0	55.2	57
6.7.5 Inflammation, infection of eye (except TB or STD) [90.]	24,394	0.07	\$6,185	4.5	0.3	52.0	31
6.7.6 Other eye disorders [91.]	19,822	0.06	\$6,619	2.9	0.1	49.1	55
6.8 Ear conditions	119,370	0.34	\$4,574	3.3	0.1	43.9	46
6.8.1 Otitis media and related conditions [92.]	39,552	0.11	\$4,387	2.9	0.1	54.1	15
6.8.1.1 Suppurative and unspecified otitis media	23,408	0.07	\$3,695	3.0	0.1	57.7	9
6.8.1.2 Other otitis media and related conditions	16,144	0.05	\$5,433	2.8	0.2	48.8	25
6.8.2 Conditions associated with dizziness or vertigo [93.]	67,187	0.19	\$4,376	3.6	0.2	36.9	66
6.8.3 Other ear and sense organ disorders [94.]	12,630	0.04	\$6,325	3.3	0.0	49.4	36
6.9 Other nervous system disorders [95.]	105,394	0.30	\$12,678	7.7	2.2	46.4	54
6.9.1 Disorders of the peripheral nervous system	53,130	0.15	\$12,759	6.5	1.0	44.5	54
6.9.2 Other central nervous system disorders	34,925	0.10	\$15,640	10.6	5.0	48.0	52

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
6.9.3 Other nervous system symptoms and disorders	17,339	0.05	\$6,427	5.7	0.3	48.7	59
7 Diseases of the circulatory system	6,232,883	17.80	\$13,452	6.6	4.9	52.5	67
7.1 Hypertension	246,852	0.71	\$11,104	6.7	3.0	42.8	64
7.1.1 Essential hypertension [98.]	38,748	0.11	\$4,778	3.8	0.2	36.2	60
7.1.2 Hypertension with complications and secondary hypertension [99.]	208,104	0.59	\$12,273	7.2	3.6	44.1	65
7.1.2.1 Hypertensive heart and/or renal disease	158,472	0.45	\$13,969	7.9	4.2	45.1	66
7.1.2.2 Other hypertensive complications	49,632	0.14	\$6,864	4.8	1.5	40.9	60
7.2 Diseases of the heart	4,457,445	12.73	\$13,489	6.0	4.3	54.0	67
7.2.1 Heart valve disorders [96.]	84,757	0.24	\$37,961	10.3	4.5	49.2	65
7.2.1.1 Chronic rheumatic disease of the heart valves	23,661	0.07	\$40,997	11.0	4.9	34.5	64
7.2.1.2 Nonrheumatic mitral valve disorders	18,610	0.05	\$31,752	8.7	3.5	43.3	60
7.2.1.3 Nonrheumatic aortic valve disorders	41,244	0.12	\$39,659	10.7	4.9	60.2	69
7.2.1.4 Other heart valve disorders	1,243	*	*	*	*	*	*
7.2.2 Peri-, endo-, and myocarditis, cardiomyopathy (except TB or STD) [97.]	84,302	0.24	\$17,472	9.0	6.0	58.8	57
7.2.2.1 Cardiomyopathy	36,339	0.10	\$16,048	7.2	7.4	59.0	59
7.2.2.2 Other peri-, endo-, and myocarditis	47,962	0.14	\$18,555	10.4	4.9	58.6	55
7.2.3 Acute myocardial infarction [100.]	675,386	1.93	\$18,123	7.6	11.1	61.9	68
7.2.4 Coronary atherosclerosis [101.]	1,454,240	4.15	\$15,496	5.3	1.2	58.5	66
7.2.4.1 Angina pectoris	188,947	0.54	\$7,020	3.5	0.3	49.2	66
7.2.4.2 Unstable angina (intermediate coronary syndrome)	752,189	2.15	\$12,924	5.1	1.0	54.6	67

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
7.2.4.3 Other acute and subacute forms of ischemic heart disease	62,794	0.18	\$12,102	5.2	1.3	54.6	67
7.2.4.4 Coronary atherosclerosis	428,266	1.22	\$24,056	6.5	1.7	69.9	65
7.2.4.5 Other forms of chronic heart disease	22,044	0.06	\$18,446	6.2	3.5	60.2	65
7.2.5 Nonspecific chest pain [102.]	523,826	1.50	\$4,732	2.6	0.1	48.2	57
7.2.6 Pulmonary heart disease [103.]	71,178	0.20	\$14,464	9.0	7.6	47.9	64
7.2.7 Other and ill-defined heart disease [104.]	5,917	0.02	\$18,260	9.0	5.2	57.4	64
7.2.8 Conduction disorders [105.]	60,267	0.17	\$16,282	5.2	2.8	51.4	70
7.2.8.1 Atrioventricular block	45,335	0.13	\$17,641	5.7	3.5	50.0	75
7.2.8.2 Bundle branch block	1,700	*	*	*	*	*	*
7.2.8.3 Anomalous atrioventricular excitation	6,441	0.02	\$11,162	2.6	0.0	60.2	35
7.2.8.4 Other conduction disorders	6,790	0.02	\$11,717	4.0	1.2	49.5	69
7.2.9 Cardiac dysrhythmias [106.]	548,992	1.57	\$9,556	5.0	1.6	49.6	69
7.2.9.1 Paroxysmal supraventricular tachycardia	33,604	0.10	\$6,579	3.8	0.8	36.8	64
7.2.9.2 Paroxysmal ventricular tachycardia	55,386	0.16	\$22,515	8.4	5.3	72.7	67
7.2.9.3 Atrial fibrillation	231,940	0.66	\$7,152	4.8	1.6	47.3	70
7.2.9.4 Atrial flutter	31,588	0.09	\$7,753	4.9	0.9	66.1	68
7.2.9.5 Premature beats	24,972	0.07	\$5,269	3.8	0.3	53.2	66
7.2.9.6 Sinoatrial node dysfunction	61,324	0.18	\$15,986	5.8	1.0	48.4	76
7.2.9.7 Other cardiac dysrhythmias	110,177	0.31	\$6,920	4.0	1.1	41.8	64
7.2.10 Cardiac arrest and ventricular fibrillation [107.]	23,093	0.07	\$23,857	8.6	52.3	61.7	68

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
7.2.11 Congestive heart failure, nonhypertensive [108.]	925,487	2.64	\$11,147	7.6	6.7	47.7	74
7.2.11.1 Congestive heart failure	903,700	2.58	\$11,116	7.6	6.7	47.8	74
7.2.11.2 Heart failure	21,787	0.06	\$12,412	8.2	7.6	43.6	73
7.3 Cerebrovascular disease	909,211	2.60	\$12,128	8.2	8.1	47.7	72
7.3.1 Acute cerebrovascular disease [109.]	586,537	1.68	\$13,849	9.8	12.2	47.0	73
7.3.1.1 Intracranial hemorrhage	99,413	0.28	\$24,453	11.9	28.2	48.3	67
7.3.1.2 Occlusion of cerebral arteries	348,029	0.99	\$12,571	9.6	8.9	47.3	74
7.3.1.3 Acute but ill-defined cerebrovascular accident	139,095	0.40	\$9,620	8.9	8.9	45.2	75
7.3.2 Occlusion or stenosis of precerebral arteries [110.]	117,449	0.34	\$12,631	5.5	1.1	57.2	71
7.3.3 Other and ill-defined cerebrovascular disease [111.]	18,542	0.05	\$15,434	8.0	2.9	41.7	65
7.3.4 Transient cerebral ischemia [112.]	185,528	0.53	\$6,108	4.8	0.3	44.6	73
7.3.5 Late effects of cerebrovascular disease [113.]	1,156	*	*	*	*	*	*
7.4 Diseases of arteries, arterioles, and capillaries	383,773	1.10	\$21,151	9.0	7.8	56.5	68
7.4.1 Peripheral and visceral atherosclerosis [114.]	113,445	0.32	\$20,933	10.3	9.1	50.2	70
7.4.1.1 Atherosclerosis of arteries of extremities	53,008	0.15	\$19,885	10.4	5.0	58.3	71
7.4.1.2 Peripheral vascular disease unspecified	22,249	0.06	\$15,991	9.3	3.9	56.5	69
7.4.1.3 Other peripheral and visceral atherosclerosis	38,189	0.11	\$25,338	10.8	17.9	35.4	69
7.4.2 Aortic, peripheral, and visceral artery aneurysms [115.]	79,298	0.23	\$35,089	11.1	15.3	75.6	71
7.4.2.1 Abdominal aortic aneurysm, without rupture	45,608	0.13	\$34,406	11.8	5.5	81.1	72
7.4.2.2 Other aneurysm	33,690	0.10	\$36,001	10.1	28.7	68.3	70

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
7.4.3 Aortic and peripheral arterial embolism or thrombosis [116.]	91,820	0.26	\$21,239	9.4	5.1	54.6	69
7.4.3.1 Arterial embolism and thrombosis of lower extremity artery	65,617	0.19	\$20,691	9.6	4.9	56.6	70
7.4.3.2 Other arterial embolism and thrombosis	26,203	0.07	\$22,609	9.0	5.6	49.7	66
7.4.4 Other circulatory disease [117.]	99,210	0.28	\$10,216	5.6	2.7	50.0	63
7.4.4.1 Hypotension	41,737	0.12	\$6,617	5.1	2.9	47.5	70
7.4.4.2 Other and unspecified circulatory disease	57,473	0.16	\$12,833	5.9	2.6	51.7	58
7.5 Diseases of veins and lymphatics	235,603	0.67	\$7,757	6.9	1.2	46.4	61
7.5.1 Phlebitis, thrombophlebitis and thromboembolism [118.]	165,979	0.47	\$8,129	7.7	1.2	44.4	63
7.5.1.1 Phlebitis and thrombophlebitis	57,137	0.16	\$6,953	7.2	1.3	41.6	62
7.5.1.2 Other venous embolism and thrombosis	108,842	0.31	\$8,759	8.0	1.2	45.8	63
7.5.2 Varicose veins of lower extremity [119.]	21,336	0.06	\$8,673	7.2	0.9	38.4	60
7.5.3 Hemorrhoids [120.]	36,718	0.10	\$4,749	3.0	0.2	58.2	53
7.5.4 Other diseases of veins and lymphatics [121.]	11,570	0.03	\$10,276	6.7	4.8	52.0	57
8 Diseases of the respiratory system	2,944,903	8.41	\$10,904	7.0	6.0	49.5	50
8.1 Respiratory infections	1,492,219	4.26	\$10,132	7.0	5.6	50.8	47
8.1.1 Pneumonia (except that caused by TB and STD) [122.]	1,054,111	3.01	\$12,247	8.3	7.8	51.3	56
8.1.1.1 Pneumococcal pneumonia	51,753	0.15	\$12,917	8.2	6.0	53.8	59
8.1.1.2 Other bacterial pneumonia	208,585	0.60	\$18,750	11.7	11.8	54.8	68
8.1.1.3 Pneumonia, organism unspecified	632,344	1.81	\$9,449	7.1	6.8	48.6	56
8.1.1.4 Other pneumonia	161,429	0.46	\$14,608	8.4	7.3	56.3	41

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
8.1.2 Influenza [123.]	12,828	0.04	\$6,439	5.2	2.9	43.9	52
8.1.3 Acute and chronic tonsillitis [124.]	72,903	0.21	\$3,117	1.8	0.0	45.2	16
8.1.4 Acute bronchitis [125.]	235,259	0.67	\$5,845	4.7	0.6	49.1	31
8.1.5 Other upper respiratory infections [126.]	117,118	0.33	\$4,456	3.1	0.2	54.6	22
8.1.5.1 Acute upper respiratory infections of multiple or unspecified sites	31,268	0.09	\$3,926	3.3	0.3	53.5	18
8.1.5.2 Chronic sinusitis	21,166	0.06	\$6,377	2.9	0.1	45.6	40
8.1.5.3 Croup	22,211	0.06	\$2,434	2.0	0.0	76.6	2
8.1.5.4 Other and unspecified upper respiratory infections	42,474	0.12	\$4,924	3.7	0.2	48.6	28
8.2 Chronic obstructive pulmonary disease and bronchiectasis [127.]	403,380	1.15	\$10,425	7.3	3.9	47.7	68
8.2.1 Emphysema	26,871	0.08	\$13,498	8.6	9.1	55.3	70
8.2.2 Chronic airway obstruction, not otherwise specified	133,792	0.38	\$10,320	7.2	5.4	49.2	70
8.2.3 Obstructive chronic bronchitis	213,997	0.61	\$9,934	7.3	2.5	46.0	69
8.2.4 Other chronic pulmonary disease	28,719	0.08	\$11,711	6.8	2.0	46.1	48
8.3 Asthma [128.]	441,543	1.26	\$6,209	4.4	0.5	42.8	32
8.3.1 Chronic obstructive asthma	81,129	0.23	\$9,714	6.9	1.6	36.5	65
8.3.1.1 Chronic obstructive asthma without status asthmaticus	53,418	0.15	\$9,403	6.9	1.9	36.7	66
8.3.1.2 Chronic obstructive asthma with status asthmaticus	27,711	0.08	\$10,307	7.0	1.0	36.1	63
8.3.2 Other and unspecified asthma	360,414	1.03	\$5,418	3.8	0.2	44.3	25
8.3.2.1 Other asthma without status asthmaticus	170,745	0.49	\$4,920	3.8	0.3	41.1	29
8.3.2.2 Other asthma with status asthmaticus	189,669	0.54	\$5,868	3.8	0.2	47.2	21

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
8.4 Aspiration pneumonia, food/vomitus [129.]	108,457	0.31	\$19,217	12.1	21.1	56.7	73
8.5 Pleurisy, pneumothorax, pulmonary collapse [130.]	91,376	0.26	\$13,271	8.6	6.4	57.2	58
8.5.1 Pleurisy, pleural effusion	48,041	0.14	\$11,580	7.5	7.7	48.8	65
8.5.2 Pulmonary collapse, interstitial and compensatory emphysema	5,345	0.02	\$15,678	9.1	6.8	44.4	54
8.5.3 Empyema and pneumothorax	37,989	0.11	\$15,089	9.9	4.8	69.5	49
8.6 Respiratory failure, insufficiency, arrest (adult) [131.]	158,213	0.45	\$27,892	12.3	25.4	49.4	67
8.6.1 Respiratory failure	138,483	0.40	\$28,256	12.6	25.6	48.9	69
8.6.2 Other respiratory insufficiency	19,730	0.06	\$25,315	9.9	23.7	53.1	56
8.7 Lung disease due to external agents [132.]	9,429	0.03	\$15,419	8.7	9.4	55.5	59
8.8 Other lower respiratory disease [133.]	174,265	0.50	\$8,972	4.9	3.3	47.9	52
8.8.1 Postinflammatory pulmonary fibrosis	13,072	0.04	\$21,863	9.3	12.3	48.4	64
8.8.2 Painful respiration	72,163	0.21	\$4,712	2.9	0.1	42.5	57
8.8.3 Other and unspecified lower respiratory disease	89,030	0.25	\$10,575	5.8	4.6	52.1	46
8.9 Other upper respiratory disease [134.]	66,021	0.19	\$9,098	4.6	0.5	55.4	41
9 Diseases of the digestive system	3,242,959	9.26	\$10,534	6.0	2.4	44.8	53
9.1 Intestinal infection [135.]	145,340	0.42	\$5,829	4.6	0.9	43.1	35
9.2 Disorders of teeth and jaw [136.]	39,835	0.11	\$9,415	2.7	0.1	35.9	33
9.3 Diseases of mouth, excluding dental [137.]	18,557	0.05	\$7,227	4.4	0.9	46.1	44
9.4 Upper gastrointestinal disorders	413,099	1.18	\$8,313	5.4	1.5	45.6	55
9.4.1 Esophageal disorders [138.]	131,214	0.37	\$7,815	4.9	0.7	46.7	53

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
9.4.1.1 Esophagitis	84,894	0.24	\$6,793	4.5	0.4	44.8	47
9.4.1.2 Other esophageal disorders	46,320	0.13	\$9,691	5.8	1.1	50.2	63
9.4.2 Gastroduodenal ulcer (except hemorrhage) [139.]	66,764	0.19	\$12,143	6.9	3.3	46.3	58
9.4.2.1 Gastric ulcer	27,049	0.08	\$12,989	7.1	2.9	38.7	59
9.4.2.2 Duodenal ulcer	28,562	0.08	\$12,984	7.3	4.4	55.2	60
9.4.2.3 Peptic ulcer, site unspecified	10,271	0.03	\$6,457	4.8	1.4	42.3	53
9.4.2.4 Gastrojejunal ulcer	882		*	*	*	*	*
9.4.3 Gastritis and duodenitis [140.]	174,581	0.50	\$6,642	4.8	1.1	45.2	56
9.4.3.1 Acute gastritis	61,587	0.18	\$6,673	5.0	1.7	41.6	58
9.4.3.2 Other specified gastritis	56,855	0.16	\$7,333	5.2	1.1	48.2	57
9.4.3.3 Unspecified gastritis and gastroduodenitis	41,717	0.12	\$5,887	4.3	0.6	43.2	54
9.4.3.4 Duodenitis	14,423	0.04	\$5,979	4.3	0.4	55.1	52
9.4.4 Other disorders of stomach and duodenum [141.]	40,540	0.12	\$10,908	6.9	2.3	42.1	56
9.5 Abdominal hernia [143.]	207,403	0.59	\$8,325	4.3	0.9	57.6	59
9.5.1 Inguinal hernia	82,508	0.24	\$6,265	3.0	0.6	88.1	56
9.5.1.1 Inguinal hernia with obstruction or gangrene	27,660	0.08	\$8,978	4.6	1.3	83.6	57
9.5.1.2 Inguinal hernia without obstruction or gangrene	54,848	0.16	\$4,877	2.1	0.3	90.4	56
9.5.2 Diaphragmatic hernia	22,743	0.06	\$8,035	5.0	1.0	38.9	62
9.5.3 Other abdominal hernia	102,152	0.29	\$10,055	5.2	1.1	37.1	60
9.5.3.1 Femoral hernia with obstruction/gangrene	7,249	0.02	\$11,873	6.6	2.3	21.4	73
9.5.3.2 Femoral hernia without obstruction/gangrene	1,125	*	*	*	*	*	*

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
9.5.3.3 Umbilical hernia with obstruction/gangrene	8,621	0.02	\$9,826	4.6	2.0	42.6	57
9.5.3.4 Umbilical hernia without obstruction/gangrene	6,080	0.02	\$6,353	2.9	0.4	45.5	49
9.5.3.5 Ventral hernia with obstruction/gangrene	9,608	0.03	\$12,266	6.5	3.0	29.5	63
9.5.3.6 Ventral hernia without obstruction/gangrene	15,251	0.04	\$7,495	3.8	0.0	40.4	58
9.5.3.7 Incisional hernia with obstruction/gangrene	12,332	0.04	\$13,136	7.3	1.6	30.9	63
9.5.3.8 Incisional hernia without obstruction/gangrene	37,105	0.11	\$7,915	4.1	0.4	39.8	59
9.5.3.9 Other and unspecified hernia	4,780	0.01	\$25,109	13.8	3.5	37.0	65
9.6 Lower gastrointestinal disorders	830,561	2.37	\$11,840	7.0	2.3	45.9	53
9.6.1 Appendicitis and other appendiceal conditions [142.]	226,811	0.65	\$8,553	4.5	0.1	57.5	29
9.6.1.1 Acute appendicitis with abscess or peritonitis	72,320	0.21	\$13,388	7.4	0.3	59.7	35
9.6.1.2 Acute appendicitis without abscess or peritonitis	140,710	0.40	\$6,217	3.1	0.1	58.2	27
9.6.1.3 Acute appendicitis, not otherwise specified	6,226	0.02	\$6,696	3.3	0.0	43.5	27
9.6.1.4 Other appendiceal conditions	7,556	0.02	\$6,497	3.4	0.0	35.8	29
9.6.2 Regional enteritis and ulcerative colitis [144.]	60,361	0.17	\$14,743	9.1	1.1	41.8	44
9.6.3 Intestinal obstruction without hernia [145.]	261,424	0.75	\$13,377	8.4	4.4	40.9	64
9.6.3.1 Paralytic ileus	39,845	0.11	\$8,833	6.8	3.5	45.2	66
9.6.3.2 Impaction of intestine	25,493	0.07	\$7,326	6.3	2.7	35.0	69
9.6.3.3 Peritoneal or intestinal adhesions	70,131	0.20	\$20,896	11.5	4.3	36.6	63
9.6.3.4 Other intestinal obstruction	125,956	0.36	\$11,843	7.6	5.2	43.0	63
9.6.4 Diverticulosis and diverticulitis [146.]	213,754	0.61	\$12,677	7.7	2.1	37.7	69
9.6.4.1 Diverticulosis	64,110	0.18	\$10,837	6.6	2.2	43.1	73

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
9.6.4.2 Diverticulitis	149,645	0.43	\$13,465	8.2	2.1	35.4	67
9.6.5 Anal and rectal conditions [147.]	50,632	0.14	\$7,749	4.7	0.6	58.9	50
9.6.6 Peritonitis and intestinal abscess [148.]	17,578	0.05	\$22,236	11.0	9.5	47.1	56
9.7 Biliary tract disease [149.]	591,902	1.69	\$10,672	5.0	0.9	31.1	55
9.7.1 Cholelithiasis with acute cholecystitis	158,542	0.45	\$12,583	6.2	1.1	37.8	57
9.7.2 Cholelithiasis with other cholecystitis	268,262	0.77	\$9,257	3.8	0.5	24.4	52
9.7.3 Cholelithiasis without mention of cholecystitis	36,433	0.10	\$6,658	3.4	0.5	30.7	54
9.7.4 Calculus of bile duct	43,836	0.13	\$14,646	7.8	1.7	35.7	63
9.7.5 Cholecystitis without cholelithiasis	48,628	0.14	\$10,072	5.0	0.6	36.1	52
9.7.6 Other biliary tract disease	36,200	0.10	\$12,691	7.3	2.5	39.1	59
9.8 Liver disease	129,576	0.37	\$20,033	9.3	14.1	60.5	56
9.8.1 Liver disease, alcohol-related [150.]	50,569	0.14	\$16,937	9.2	12.1	68.6	53
9.8.2 Other liver diseases [151.]	79,007	0.23	\$22,026	9.4	15.3	55.3	59
9.8.2.1 Cirrhosis of liver without mention of alcohol	23,252	0.07	\$28,733	10.4	14.0	53.4	63
9.8.2.2 Liver abscess and sequelae of chronic liver disease	31,220	0.09	\$20,983	10.0	19.3	61.3	59
9.8.2.3 Ascites	5,620	0.02	\$9,537	7.7	2.2	53.3	58
9.8.2.4 Other and unspecified liver disorders	18,915	0.05	\$19,091	7.8	14.4	48.2	52
9.9 Pancreatic disorders (not diabetes) [152.]	166,066	0.47	\$15,177	8.5	2.5	52.5	53
9.9.1 Acute pancreatitis	141,153	0.40	\$14,733	8.2	2.6	52.2	53
9.9.2 Chronic pancreatitis	17,739	0.05	\$13,603	8.2	1.0	51.8	48
9.9.3 Other pancreatic disorders	7,174	0.02	\$28,100	13.7	3.0	60.1	53

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
9.10 Gastrointestinal hemorrhage [153.]	332,961	0.95	\$11,068	6.4	5.2	53.8	66
9.10.1 Hemorrhage from gastrointestinal ulcer	168,034	0.48	\$12,259	6.7	3.6	58.3	66
9.10.2 Melena	29,384	0.08	\$8,506	5.5	4.8	46.6	67
9.10.3 Gastroesophageal laceration syndrome	12,883	0.04	\$12,341	5.8	3.4	64.1	55
9.10.4 Other esophageal bleeding	4,958	0.01	\$15,477	7.4	13.3	66.1	59
9.10.5 Hemorrhage of rectum and anus	11,113	0.03	\$6,883	5.1	4.7	37.9	64
9.10.6 Hematemesis	17,666	0.05	\$8,904	6.6	8.2	50.6	62
9.10.7 Hemorrhage of gastrointestinal tract	88,924	0.25	\$10,210	6.3	7.7	48.2	68
9.11 Noninfectious gastroenteritis [154.]	227,426	0.65	\$3,922	3.5	0.4	41.9	34
9.12 Other gastrointestinal disorders [155.]	140,232	0.40	\$12,977	7.7	2.9	39.5	57
9.12.1 Constipation	14,880	0.04	\$4,392	4.0	0.5	45.4	54
9.12.2 Dysphagia	6,882	0.02	\$8,848	7.0	3.4	40.6	68
9.12.3 Other and unspecified gastrointestinal disorders	118,470	0.34	\$14,276	8.2	3.2	38.7	57
10 Diseases of the genitourinary system	1,845,030	5.27	\$7,769	4.8	1.6	38.1	53
10.1 Diseases of the urinary system	875,767	2.50	\$8,646	6.0	3.2	48.3	56
10.1.1 Nephritis, nephrosis, renal sclerosis [156.]	15,057	0.04	\$8,649	5.4	0.9	53.4	37
10.1.2 Acute and unspecified renal failure [157.]	63,466	0.18	\$17,434	10.8	20.8	54.5	70
10.1.2.1 Acute renal failure	55,394	0.16	\$18,403	11.2	20.6	54.7	70
10.1.2.2 Unspecified renal failure	8,072	0.02	\$10,867	8.0	22.0	53.0	70
10.1.3 Chronic renal failure [158.]	36,725	0.10	\$20,386	10.1	7.5	51.8	55
10.1.4 Urinary tract infections [159.]	400,836	1.14	\$8,002	6.9	2.6	31.3	58

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
10.1.4.1 Infections of kidney	123,465	0.35	\$6,660	5.2	0.4	16.1	42
10.1.4.2 Cystitis and urethritis	23,664	0.07	\$8,253	5.6	2.2	39.8	62
10.1.4.3 Urinary tract infection, site not specified	253,707	0.72	\$8,624	7.8	3.7	37.9	66
10.1.5 Calculus of urinary tract [160.]	240,162	0.69	\$5,509	3.0	0.1	65.2	48
10.1.5.1 Calculus of kidney	56,116	0.16	\$6,761	3.5	0.1	55.6	49
10.1.5.2 Calculus of ureter	159,710	0.46	\$5,216	2.8	0.1	67.6	48
10.1.5.3 Other and unspecified urinary calculus	24,337	0.07	\$4,563	2.9	0.0	71.3	51
10.1.6 Other diseases of kidney and ureters [161.]	45,684	0.13	\$10,730	5.8	1.3	46.4	46
10.1.6.1 Hydronephrosis	7,572	0.02	\$10,011	5.8	0.4	46.6	52
10.1.6.2 Other and unspecified diseases of kidney and ureters	38,112	0.11	\$10,873	5.8	1.5	46.3	45
10.1.7 Other diseases of bladder and urethra [162.]	35,237	0.10	\$8,229	4.8	1.6	83.5	66
10.1.7.1 Bladder neck obstruction	14,465	0.04	\$6,451	4.3	1.6	98.2	73
10.1.7.2 Other and unspecified diseases of bladder and urethra	20,773	0.06	\$9,455	5.2	1.5	73.2	61
10.1.8 Genitourinary symptoms and ill-defined conditions [163.]	38,600	0.11	\$7,274	4.8	1.5	74.7	61
10.1.8.1 Hematuria	17,103	0.05	\$6,497	4.4	1.7	75.2	60
10.1.8.2 Retention of urine	11,141	0.03	\$7,182	5.0	1.2	78.7	65
10.1.8.3 Other and unspecified genitourinary symptoms	10,356	0.03	\$8,689	5.1	1.3	69.4	59
10.2 Diseases of male genital organs	278,717	0.80	\$6,879	4.2	0.3	100.0	67
10.2.1 Hyperplasia of prostate [164.]	224,067	0.64	\$6,805	4.3	0.2	100.0	72

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
10.2.2 Inflammatory conditions of male genital organs [165.]	27,393	0.08	\$6,165	4.6	0.8	100.0	52
10.2.3 Other male genital disorders [166.]	27,257	0.08	\$8,224	2.7	0.5	100.0	46
10.3 Diseases of female genital organs	690,546	1.97	\$7,012	3.6	0.1	0.3	44
10.3.1 Non-malignant breast conditions [167.]	36,820	0.11	\$6,688	2.4	0.0	4.9	40
10.3.2 Inflammatory diseases of female pelvic organs [168.]	112,035	0.32	\$6,980	4.1	0.0	0.0	32
10.3.2.1 Pelvic peritoneal adhesions	25,630	0.07	\$7,956	3.7	0.0	0.0	36
10.3.2.2 Cervicitis and endocervicitis	4,448	0.01	\$6,931	3.2	0.0	0.0	36
10.3.2.3 Pelvic inflammatory disease (PID)	24,051	0.07	\$4,930	3.5	0.0	0.0	27
10.3.2.4 Other inflammatory diseases of female pelvic organs	57,906	0.17	\$7,404	4.5	0.0	0.0	31
10.3.3 Endometriosis [169.]	87,088	0.25	\$7,495	3.5	0.0	0.0	38
10.3.4 Prolapse of female genital organs [170.]	149,810	0.43	\$7,044	3.8	0.1	0.0	59
10.3.5 Menstrual disorders [171.]	78,388	0.22	\$6,604	3.2	0.0	0.0	38
10.3.6 Ovarian cyst [172.]	83,483	0.24	\$6,733	3.4	0.1	0.0	35
10.3.7 Menopausal disorders [173.]	9,919	0.03	\$7,387	3.9	0.0	0.0	60
10.3.8 Female infertility [174.]	4,162	0.01	\$6,901	2.7	0.0	0.0	33
10.3.9 Other female genital disorders [175.]	128,842	0.37	\$7,168	3.7	0.1	0.0	48
10.3.9.1 Female genital pain and other symptoms	72,880	0.21	\$6,313	3.5	0.0	0.0	49
10.3.9.2 Other and unspecified female genital disorders	55,963	0.16	\$8,281	4.0	0.3	0.0	45
11 Complications of pregnancy, childbirth, and the puerperium	4,528,854	12.94	\$3,796	2.5	0.0	0.0	27

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
11.1 Contraceptive and procreative management [176.]	7,737	0.02	\$5,147	2.0	0.0	3.7	32
11.1.1 Sterilization	4,027	0.01	\$4,482	1.8	0.0	2.2	32
11.1.2 Other contraceptive and procreation management	3,710	0.01	\$5,876	2.2	0.0	5.3	33
11.2 Abortion-related disorders	69,025	0.20	\$3,803	1.5	0.1	0.0	27
11.2.1 Spontaneous abortion [177.]	46,648	0.13	\$3,636	1.3	0.1	0.0	27
11.2.2 Induced abortion [178.]	17,121	0.05	\$3,936	1.6	0.2	0.0	27
11.2.3 Post-abortion complications [179.]	5,256	0.02	\$4,884	2.8	0.0	0.0	26
11.3 Complications mainly related to pregnancy	1,100,928	3.14	\$4,273	3.0	0.0	0.0	26
11.3.1 Ectopic pregnancy [180.]	55,483	0.16	\$6,861	2.8	0.0	0.0	29
11.3.2 Hemorrhage during pregnancy, abruptio placenta, placenta previa [182.]	72,542	0.21	\$5,079	3.9	0.0	0.0	28
11.3.2.1 Placenta previa	12,938	0.04	\$10,001	7.9	0.0	0.0	30
11.3.2.2 Abruptio placenta	26,514	0.08	\$5,215	3.4	0.1	0.0	27
11.3.2.3 Other hemorrhage during pregnancy, childbirth and the puerperium	33,091	0.09	\$3,064	2.8	0.0	0.0	28
11.3.3 Hypertension complicating pregnancy, childbirth and the puerperium [183.]	146,726	0.42	\$5,445	3.8	0.0	0.0	27
11.3.3.1 Preeclampsia and eclampsia	81,664	0.23	\$6,382	4.2	0.0	0.0	26
11.3.3.2 Other hypertension in pregnancy	65,063	0.19	\$4,261	3.2	0.0	0.0	28
11.3.4 Early or threatened labor [184.]	311,404	0.89	\$3,926	2.8	0.0	0.0	26
11.3.4.1 Threatened premature labor	136,214	0.39	\$3,264	2.7	0.0	0.0	25
11.3.4.2 Early onset of delivery	139,539	0.40	\$5,242	3.5	0.1	0.0	26

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
11.3.4.3 Other early or threatened labor	35,651	0.10	\$1,288	0.8	0.0	0.0	25
11.3.5 Prolonged pregnancy [185.]	94,514	0.27	\$3,720	2.4	0.0	0.0	26
11.3.6 Diabetes complicating pregnancy, childbirth, or the puerperium [186.]	87,296	0.25	\$3,767	3.0	0.0	0.0	29
11.3.7 Other complications of pregnancy [181.]	332,962	0.95	\$3,766	2.9	0.0	0.0	26
11.3.7.1 Infections of genitourinary tract during pregnancy	57,011	0.16	\$3,758	2.9	0.0	0.0	24
11.3.7.2 Anemia during pregnancy	58,800	0.17	\$3,202	2.2	0.0	0.0	24
11.3.7.3 Mental disorders during pregnancy	12,508	0.04	\$4,310	4.7	0.0	0.0	27
11.3.7.4 Missed abortion	17,923	0.05	\$3,639	1.3	0.0	0.0	29
11.3.7.5 Hyperemesis gravidarum	42,732	0.12	\$2,865	3.2	0.0	0.0	26
11.3.7.6 Infectious and parasitic complications in mother affecting pregnancy	32,834	0.09	\$4,253	2.8	0.0	0.0	26
11.3.7.7 Other and unspecified complications of pregnancy	111,155	0.32	\$4,227	3.2	0.0	0.0	27
11.4 Indications for care in pregnancy, labor, and delivery	1,248,007	3.56	\$4,793	3.1	0.0	0.0	27
11.4.1 Malposition, malpresentation [187.]	155,133	0.44	\$5,272	3.4	0.0	0.0	28
11.4.1.1 Breech presentation	83,550	0.24	\$5,276	3.4	0.0	0.0	28
11.4.1.2 Other malposition, malpresentation	71,584	0.20	\$5,267	3.3	0.0	0.0	28
11.4.2 Feto-pelvic disproportion, obstruction [188.]	167,918	0.48	\$5,426	3.4	0.0	0.0	27
11.4.2.1 Feto-pelvic disproportion	56,737	0.16	\$6,307	4.0	0.0	0.0	27
11.4.2.2 Other disproportion or obstruction	111,180	0.32	\$4,967	3.1	0.0	0.0	27

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
11.4.3 Previous C-section [189.]	294,624	0.84	\$4,933	3.1	0.0	0.0	29
11.4.4 Fetal distress and abnormal forces of labor [190.]	433,745	1.24	\$4,468	2.8	0.0	0.0	27
11.4.4.1 Fetal distress	195,973	0.56	\$4,711	2.9	0.0	0.0	26
11.4.4.2 Uterine inertia	150,796	0.43	\$5,010	3.3	0.0	0.0	27
11.4.4.3 Precipitate labor	53,858	0.15	\$2,435	1.7	0.0	0.0	27
11.4.4.4 Other abnormal forces of labor	33,119	0.09	\$3,795	2.5	0.0	0.0	26
11.4.5 Polyhydramnios and other problems of amniotic cavity [191.]	196,587	0.56	\$4,369	3.0	0.0	0.0	27
11.4.5.1 Premature rupture of membranes	114,138	0.33	\$3,830	2.7	0.0	0.0	27
11.4.5.2 Infection of amniotic cavity	13,812	0.04	\$5,401	3.0	0.0	0.0	25
11.4.5.3 Other problems of amniotic cavity	68,637	0.20	\$5,068	3.6	0.0	0.0	27
11.5 Complications during labor	981,458	2.80	\$2,853	1.9	0.0	0.0	27
11.5.1 Umbilical cord complication [192.]	271,074	0.77	\$2,917	1.9	0.0	0.0	27
11.5.1.1 Cord around neck with compression	42,311	0.12	\$2,963	1.9	0.0	0.0	27
11.5.1.2 Other and unspecified cord entanglement with or without compression	213,297	0.61	\$2,849	1.9	0.0	0.0	26
11.5.1.3 Other umbilical cord complications	15,467	0.04	\$3,725	2.3	0.0	0.0	27
11.5.2 Trauma to perineum and vulva [193.]	596,704	1.70	\$2,781	1.9	0.0	0.0	27
11.5.2.1 First degree perineal laceration	262,287	0.75	\$2,722	1.8	0.0	0.0	27
11.5.2.2 Second degree perineal laceration	210,737	0.60	\$2,731	1.9	0.0	0.0	27
11.5.2.3 Third degree perineal laceration	76,536	0.22	\$2,988	2.1	0.0	0.0	26
11.5.2.4 Fourth degree perineal laceration	39,109	0.11	\$3,016	2.1	0.0	0.0	25

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
11.5.2.5 Other perineal laceration and trauma	8,036	0.02	\$2,824	2.0	0.0	0.0	26
11.5.3 Forceps delivery [194.]	113,680	0.32	\$3,069	2.1	0.0	0.0	26
11.6 Other complications of birth, puerperium affecting management of mother [195.]	338,447	0.97	\$3,800	2.4	0.1	0.0	27
11.6.1 Postpartum hemorrhage	26,241	0.07	\$3,725	2.1	0.1	0.0	27
11.6.2 Complications of the puerperium	31,590	0.09	\$5,788	3.7	0.2	0.0	27
11.6.3 Cervical incompetence	11,184	0.03	\$4,537	3.3	0.0	0.0	29
11.6.4 Rhesus isoimmunization	17,188	0.05	\$3,059	1.8	0.0	0.0	27
11.6.5 Intrauterine death	17,405	0.05	\$4,108	2.2	0.0	0.0	28
11.6.6 Failed induction	18,293	0.05	\$3,651	2.2	0.0	0.0	27
11.6.7 Other obstetrical trauma	70,806	0.20	\$3,026	2.0	0.0	0.0	25
11.6.8 Other and unspecified complications of birth, puerperium affecting mgt of mother	145,741	0.42	\$3,766	2.4	0.1	0.0	28
11.7 Normal pregnancy and/or delivery [196.]	783,252	2.24	\$2,690	1.9	0.0	0.0	26
11.7.1 Normal delivery	751,299	2.15	\$2,601	1.8	0.0	0.0	26
11.7.2 Multiple gestation	21,637	0.06	\$6,106	4.1	0.0	0.0	28
11.7.3 Outcome of delivery (V codes)	10,316	0.03	\$1,973	1.5	0.0	0.0	26
12 Diseases of the skin and subcutaneous tissue	426,761	1.22	\$9,740	8.4	1.3	51.2	55
12.1 Skin and subcutaneous tissue infections [197.]	321,205	0.92	\$8,005	6.9	0.7	53.1	52
12.1.1 Cellulitis and abscess	304,068	0.87	\$8,123	7.1	0.8	52.9	53
12.1.1.1 Cellulitis and abscess of fingers and toes	21,737	0.06	\$7,263	6.2	0.1	53.4	48
12.1.1.2 Cellulitis and abscess of face	22,794	0.07	\$5,835	4.6	0.3	47.6	38

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
12.1.1.3 Cellulitis and abscess of arm	28,695	0.08	\$7,526	6.8	1.0	52.5	50
12.1.1.4 Cellulitis and abscess of hand	20,107	0.06	\$5,998	4.9	0.4	63.4	45
12.1.1.5 Cellulitis and abscess of leg	134,653	0.38	\$8,600	7.8	0.9	50.8	60
12.1.1.6 Cellulitis and abscess of foot	43,265	0.12	\$9,058	7.9	1.0	57.5	54
12.1.1.7 Other cellulitis and abscess	32,817	0.09	\$8,923	7.1	0.8	52.6	45
12.1.2 Other skin and subcutaneous infections	17,138	0.05	\$5,911	4.4	0.4	56.5	36
12.2 Other inflammatory condition of skin [198.]	13,462	0.04	\$12,011	7.8	3.0	45.7	49
12.3 Chronic ulcer of skin [199.]	75,093	0.21	\$16,823	15.8	3.8	46.7	68
12.3.1 Decubitus ulcer	34,285	0.10	\$21,170	21.4	6.0	46.9	68
12.3.2 Chronic ulcer of leg	38,551	0.11	\$13,093	11.1	2.0	46.2	68
12.3.3 Other chronic skin ulcer	2,257	0.01	\$14,153	10.9	2.2	52.1	60
12.4 Other skin disorders [200.]	17,001	0.05	\$9,431	4.2	0.3	40.9	42
13 Diseases of the musculoskeletal system and connective tissue	1,433,595	4.09	\$12,710	6.5	0.4	45.2	57
13.1 Infective arthritis and osteomyelitis (except that caused by TB and STD) [201.]	69,877	0.20	\$18,755	13.0	1.2	61.2	52
13.2 Non-traumatic joint disorders	443,972	1.27	\$17,735	7.5	0.3	39.9	66
13.2.1 Rheumatoid arthritis and related disease [202.]	33,886	0.10	\$13,430	6.2	0.3	24.4	58
13.2.2 Osteoarthritis [203.]	351,707	1.00	\$19,422	7.8	0.2	40.4	69
13.2.2.1 Osteoarthritis, localized	145,052	0.41	\$20,579	7.5	0.2	42.2	69
13.2.2.2 Osteoarthritis, generalized and unspecified	206,655	0.59	\$18,580	8.0	0.3	39.2	69
13.2.3 Other non-traumatic joint disorders [204.]	58,379	0.17	\$10,169	6.3	0.3	46.0	51

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
13.3 Spondylosis, intervertebral disc disorders, other back problems [205.]	570,163	1.63	\$9,236	5.1	0.2	50.7	52
13.3.1 Spondylosis and allied disorders	58,025	0.17	\$10,849	6.2	0.2	44.9	64
13.3.2 Intervertebral disc disorders	353,634	1.01	\$8,892	4.6	0.1	54.9	47
13.3.3 Other back problems	158,504	0.45	\$9,410	6.0	0.4	43.3	59
13.3.3.1 Cervical radiculitis	7,875	0.02	\$7,971	4.5	0.0	49.3	53
13.3.3.2 Spinal stenosis, lumbar region	63,674	0.18	\$13,056	6.8	0.5	43.1	67
13.3.3.3 Lumbago	32,367	0.09	\$5,878	5.5	0.4	42.6	52
13.3.3.4 Sciatica	7,231	0.02	\$5,421	5.4	0.5	37.4	57
13.3.3.5 Thoracic or lumbosacral neuritis or radiculitis, unspecified	16,365	0.05	\$6,658	5.3	0.0	43.3	52
13.3.3.6 Backache, unspecified	9,008	0.03	\$5,536	5.0	0.8	40.1	56
13.3.3.7 Other back pain and disorders	21,985	0.06	\$9,623	6.1	0.6	46.2	55
13.4 Osteoporosis [206.]	2,321	0.01	\$8,469	11.7	1.3	15.1	76
13.5 Pathological fracture [207.]	70,718	0.20	\$11,257	9.7	2.8	22.1	75
13.6 Acquired deformities	46,718	0.13	\$12,241	4.9	0.2	40.8	45
13.6.1 Acquired foot deformities [208.]	17,643	0.05	\$5,737	2.4	0.0	23.8	49
13.6.2 Other acquired deformities [209.]	29,075	0.08	\$16,178	6.4	0.3	51.0	42
13.7 Systemic lupus erythematosus and connective tissue disorders [210.]	20,300	0.06	\$14,171	8.0	3.4	14.0	43
13.8 Other connective tissue disease [211.]	112,395	0.32	\$6,820	4.2	0.4	50.9	51

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
13.9 Other bone disease and musculoskeletal deformities [212.]	97,131	0.28	\$13,804	5.4	0.2	45.0	47
14 Congenital anomalies	146,753	0.42	\$22,077	7.0	2.1	55.1	13
14.1 Cardiac and circulatory congenital anomalies [213.]	45,936	0.13	\$37,186	8.6	4.3	52.4	11
14.1.1 Transposition of great vessels	1,260	*	*	*	*	*	*
14.1.2 Tetralogy of Fallot	4,564	0.01	\$33,533	8.2	5.2	56.4	4
14.1.3 Ventricular septal defect	5,755	0.02	\$34,476	7.2	4.6	60.6	6
14.1.4 Atrial septal defect	6,019	0.02	\$22,219	5.9	0.4	40.4	22
14.1.5 Endocardial cushion defects	2,443	0.01	\$39,895	10.3	3.2	30.3	5
14.1.6 Pulmonary valve atresia and stenosis	1,526	*	*	*	*	*	*
14.1.7 Aortic valve stenosis	1,404	*	*	*	*	*	*
14.1.8 Patent ductus arteriosus	3,491	0.01	\$24,272	7.2	0.7	27.4	4
14.1.9 Coarctation of aorta	3,246	0.01	\$34,716	8.5	4.4	65.3	5
14.1.10 Pulmonary artery anomalies	1,318	*	*	*	*	*	*
14.1.11 Cerebrovascular anomalies	3,383	0.01	\$26,074	8.2	0.8	45.3	36
14.1.12 Other cardiac and circulatory congenital anomalies	11,527	0.03	\$46,485	9.8	8.1	59.1	12
14.2 Digestive congenital anomalies [214.]	23,795	0.07	\$17,647	7.7	1.0	65.6	8
14.2.1 Esophageal atresia/tracheoesophageal fistula	1,188	*	*	*	*	*	*
14.2.2 Pyloric stenosis	10,712	0.03	\$5,496	3.3	0.0	78.8	0
14.2.3 Rectal and large intestine atresia/stenosis	1,374	*	*	*	*	*	*
14.2.4 Hirschsprung's disease	2,125	0.01	\$17,917	9.1	0.0	67.2	4

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
14.2.5 Other digestive congenital anomalies	8,395	0.02	\$28,476	11.5	2.4	52.7	20
14.3 Genitourinary congenital anomalies [215.]	15,560	0.04	\$9,524	4.4	0.3	60.2	18
14.3.1 Undescended testicle	1,473	*	*	*	*	*	*
14.3.2 Hypospadias and epispadias	3,145	0.01	\$6,991	2.2	0.0	100.0	3
14.3.3 Obstructive genitourinary defect	2,920	0.01	\$11,191	5.7	0.0	60.2	11
14.3.4 Other genitourinary congenital anomalies	8,023	0.02	\$10,550	5.3	0.6	37.2	27
14.4 Nervous system congenital anomalies [216.]	8,135	0.02	\$21,570	10.1	2.2	47.1	15
14.4.1 Spina bifida	2,682	0.01	\$24,049	10.9	0.0	36.0	17
14.4.2 Congenital hydrocephalus	1,737	*	*	*	*	*	*
14.4.3 Other nervous system congenital anomalies	3,716	0.01	\$21,265	10.4	4.9	50.8	18
14.5 Other congenital anomalies [217.]	53,328	0.15	\$14,631	5.6	1.3	52.4	15
14.5.1 Cleft palate without cleft lip	2,681	0.01	\$7,189	2.1	0.0	44.3	3
14.5.2 Cleft lip with or without cleft palate	6,223	0.02	\$9,412	3.9	0.0	64.0	4
14.5.3 Congenital hip dislocation	3,083	0.01	\$11,814	5.8	0.0	30.6	8
14.5.4 All other congenital anomalies	41,340	0.12	\$16,127	6.0	1.7	52.8	18
15 Certain conditions originating in the perinatal period	4,001,890	11.43	\$3,283	3.4	0.5	51.5	0
15.1 Liveborn [218.]	3,877,387	11.07	\$2,687	3.1	0.4	51.4	0
15.2 Short gestation, low birth weight, and fetal growth retardation [219.]	24,617	0.07	\$48,865	24.6	6.9	54.3	0
15.3 Intrauterine hypoxia and birth asphyxia [220.]	1,120	*	*	*	*	*	*
15.4 Respiratory distress syndrome [221.]	10,976	0.03	\$49,298	23.6	6.6	62.5	0

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
15.5 Hemolytic jaundice and perinatal jaundice [222.]	35,394	0.10	\$2,518	2.5	0.1	56.5	0
15.6 Birth trauma [223.]	616	*	*	*	*	*	*
15.7 Other perinatal conditions [224.]	51,780	0.15	\$15,350	7.9	2.3	55.7	0
15.7.1 Respiratory conditions of fetus and newborn, other than respiratory distress	23,727	0.07	\$18,937	8.7	1.7	54.9	0
15.7.2 Infections specific to the perinatal period	13,135	0.04	\$8,199	5.5	1.0	55.9	0
15.7.3 Endocrine and metabolic disturbances of fetus and newborn	1,938	0.01	\$8,502	5.7	0.0	43.4	0
15.7.4 Other and unspecified perinatal conditions	12,980	0.04	\$16,938	8.9	5.0	58.9	0
16 Injury and poisoning	2,880,706	8.23	\$12,942	6.4	1.9	51.9	49
16.1 Joint disorders and dislocations, trauma-related [225.]	97,616	0.28	\$8,631	3.0	0.2	63.3	34
16.2 Fractures	1,027,528	2.93	\$12,561	7.4	1.6	43.0	57
16.2.1 Fracture of neck of femur (hip) [226.]	326,283	0.93	\$16,627	10.7	3.6	25.0	78
16.2.2 Skull and face fractures [228.]	69,733	0.20	\$11,337	4.0	0.6	73.7	30
16.2.3 Fracture of upper limb [229.]	168,191	0.48	\$7,887	3.9	0.4	51.2	43
16.2.3.1 Fracture of humerus	66,416	0.19	\$8,746	5.0	1.1	38.8	49
16.2.3.2 Fracture of radius and ulna	71,024	0.20	\$7,448	3.3	0.1	52.5	40
16.2.3.3 Other fracture of upper limb	30,751	0.09	\$7,045	3.1	0.0	75.3	39
16.2.4 Fracture of lower limb [230.]	279,181	0.80	\$11,835	6.7	0.4	51.3	44
16.2.4.1 Fracture of tibia and fibula	76,091	0.22	\$12,920	7.1	0.2	57.2	43
16.2.4.2 Fracture of ankle	105,496	0.30	\$8,804	4.7	0.1	46.0	45
16.2.4.3 Other fracture of lower limb	97,594	0.28	\$14,241	8.7	1.0	52.5	45

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
16.2.5 Other fractures [231.]	184,139	0.53	\$11,148	7.3	1.4	43.1	60
16.2.5.1 Fracture of vertebral column without mention of spinal cord injury	66,435	0.19	\$10,730	7.5	1.8	45.1	59
16.2.5.2 Fracture of ribs, closed	37,409	0.11	\$9,047	5.5	0.6	50.8	60
16.2.5.3 Fracture of pelvis	57,635	0.16	\$13,454	9.2	1.8	32.8	65
16.2.5.4 Other and unspecified fracture	22,661	0.06	\$9,976	4.9	0.6	51.0	47
16.3 Spinal cord injury [227.]	10,602	0.03	\$72,666	23.5	6.6	73.4	42
16.4 Intracranial injury [233.]	186,658	0.53	\$17,810	7.2	6.9	66.2	37
16.4.1 Concussion	61,316	0.18	\$4,591	2.5	0.1	62.1	31
16.4.2 Other intracranial injury	125,342	0.36	\$24,376	9.5	10.2	68.3	39
16.5 Crushing injury or internal injury [234.]	106,109	0.30	\$25,654	8.4	5.3	72.9	37
16.6 Open wounds	158,780	0.45	\$7,899	3.4	0.3	76.7	32
16.6.1 Open wounds of head, neck, and trunk [235.]	67,242	0.19	\$7,654	2.8	0.5	75.8	32
16.6.2 Open wounds of extremities [236.]	91,538	0.26	\$8,078	3.8	0.2	77.4	32
16.7 Sprains and strains [232.]	148,849	0.43	\$5,933	3.1	0.1	58.7	48
16.8 Superficial injury, contusion [239.]	65,057	0.19	\$4,750	3.6	0.3	51.6	47
16.9 Burns [240.]	44,496	0.13	\$28,201	10.6	2.0	68.0	29
16.10 Complications	677,124	1.93	\$16,087	7.5	1.6	50.4	57
16.10.1 Complication of device, implant or graft [237.]	374,042	1.07	\$18,952	7.8	1.8	51.6	58
16.10.1.1 Malfunction of device, implant, and graft	171,159	0.49	\$19,006	6.8	1.4	51.5	61
16.10.1.2 Infection and inflammation -- internal prosthetic device, implant, and graft	73,704	0.21	\$21,283	11.6	2.2	50.8	54

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
16.10.1.3 Other complications of internal prosthetic device, implant, and graft	110,609	0.32	\$15,897	6.5	1.9	51.2	61
16.10.1.4 Complications of transplants and reattached limbs	18,571	0.05	\$27,650	9.3	2.1	57.1	39
16.10.2 Complications of surgical procedures or medical care [238.]	303,082	0.87	\$12,541	7.1	1.5	48.9	55
16.10.2.1 Cardiac complications	14,405	0.04	\$11,200	5.5	3.4	55.5	68
16.10.2.2 Respiratory complications	14,671	0.04	\$11,717	6.3	2.9	50.3	60
16.10.2.3 Gastrointestinal complications	48,866	0.14	\$15,789	8.2	1.9	37.5	55
16.10.2.4 Urinary complications	12,647	0.04	\$8,669	4.4	1.2	70.8	60
16.10.2.5 Hemorrhage or hematoma complicating a procedure	42,348	0.12	\$7,383	3.6	0.6	54.4	52
16.10.2.6 Postoperative infection	85,894	0.25	\$15,917	10.2	1.5	50.6	54
16.10.2.7 Other complications of surgical and medical procedures	84,250	0.24	\$10,767	6.0	1.0	46.3	52
16.11 Poisoning	251,918	0.72	\$5,375	3.0	1.0	42.3	35
16.11.1 Poisoning by psychotropic agents [241.]	72,205	0.21	\$5,723	3.0	0.7	38.6	36
16.11.2 Poisoning by other medications and drugs [242.]	143,140	0.41	\$5,233	3.1	1.3	39.3	36
16.11.3 Poisoning by nonmedicinal substances [243.]	36,572	0.10	\$5,253	2.8	0.7	61.0	31
16.12 Other injuries and conditions due to external causes [244.]	105,969	0.30	\$7,357	3.8	2.3	59.2	36
17 Symptoms, signs, and ill-defined conditions and factors influencing health status	848,722	2.42	\$9,194	8.2	1.6	42.9	55
17.1 Symptoms, signs, and ill-defined conditions	558,732	1.60	\$6,115	4.4	1.9	42.5	52

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).

Table 1
Statistics for 1992 HCUP-3 Nationwide Inpatient Sample, by expanded CCHPR diagnosis (principal diagnosis only)

Expanded Clinical Classifications for Health Policy Research (CCHPR) category ¹	Number of discharges ²	Percent of discharges	Mean charges	Mean LOS ³	Percent died	Percent male	Mean age
17.1.1 Syncope [245.]	192,226	0.55	\$5,941	4.2	0.5	44.3	68
17.1.2 Fever of unknown origin [246.]	71,949	0.21	\$6,881	5.1	1.2	55.5	41
17.1.3 Lymphadenitis [247.]	28,989	0.08	\$4,996	3.6	0.1	45.5	21
17.1.4 Gangrene [248.]	15,118	0.04	\$21,355	15.4	8.9	52.7	73
17.1.5 Shock [249.]	11,192	0.03	\$18,569	8.8	53.3	46.2	67
17.1.6 Nausea and vomiting [250.]	28,318	0.08	\$5,066	4.1	1.3	32.4	51
17.1.7 Abdominal pain [251.]	175,487	0.50	\$4,433	3.2	0.6	35.2	42
17.1.8 Malaise and fatigue [252.]	10,993	0.03	\$6,930	6.9	1.5	50.6	66
17.1.9 Allergic reactions [253.]	24,459	0.07	\$4,201	3.6	0.5	39.0	44
17.2 Factors influencing health care	289,990	0.83	\$15,261	15.7	0.9	43.5	62
17.2.1 Rehabilitation care, fitting of prostheses, and adjustment of devices [254.]	203,712	0.58	\$19,049	19.8	0.5	42.9	69
17.2.2 Administrative/social admission [255.]	4,183	0.01	\$3,462	4.4	6.7	48.1	48
17.2.3 Medical examination/evaluation [256.]	25,283	0.07	\$2,535	1.9	0.0	50.5	32
17.2.4 Other aftercare [257.]	56,718	0.16	\$8,023	7.4	2.4	42.2	53
17.2.5 Other screening for suspected conditions (not mental or infectious) [258.]	95	*	*	*	*	*	*
18 Residual codes, unclassified [259. and 260.]	35,811	0.10	\$8,617	5.1	3.5	45.8	51

¹ CCHPR Version 2 categories are presented in bold lettering with the CCHPR Version 2 category number at the end of the word label, in brackets. See Appendix A for definitions of CCHPR Version 2 categories. See Appendix C for definitions of expanded CCHPR categories.

² Numbers of discharges are weighted national estimates based on a 20% sample of data from the HCUP-3 Nationwide Inpatient Sample. Results are not presented for any diagnosis category for which the unweighted number of discharges is less than 70. Estimates presented here have a relative error of less than 30%.

³ "LOS" is length of stay in the hospital (in days).

Source: AHCPR, Center for Delivery Systems Research, Healthcare Cost and Utilization Project (HCUP-3).