FEDERAL SECURITY AGENCY
OSCAR R. EWING, ADMINISTRATOR

PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1948

PART II

NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1950

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.00

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SAMUEL C. NEWMAN, *Marriage and Divorce Analysis*

HAZEL V. AUNE, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

ALBERT BAILEY, *Special Assistant to the Chief*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence	V
Previous tabulations by place of residence	VI
Nonresident tabulations by State offices	VI
Definition of residence	VII
Relation of geographic code to the identification of nonresidents	VII
Allocation of deaths to place of residence	VIII
Special residence instructions for military personnel	VIII
Allocation of births to place of residence	VIII

GENERAL NATALITY AND MORTALITY TABLES

LIVE BIRTHS

Table		
1.	Live births by person in attendance, deaths in institutions, deaths under 1 year and infant mortality rates, and stillbirths and stillbirth ratios: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1948	2
2.	Live births by specified race and sex: United States and each State, 1948	94
3.	Live births by sex, race, and month: United States and each State, 1948	95
4.	Live births by race, nativity of white mother, and age of mother; urban and rural: United States and each State, 1948	100
5.	Live births by sex, race, and nativity of white parents (age of mother for U. S. only): United States and each State, 1948	124
6A.	Live births by age of mother, sex of child, race, nativity of white mother, and birth order: United States, 1948	126
6B.	Live births by age of mother, race, nativity of white mother, and birth order: Each State, 1948	129
7.	Live births by race, single year of age of mother, nativity of white mother, and birth order: United States, 1948	165
8.	Live births by race, sex, and age of father (age of mother for U. S. only): United States and each State, 1948	168
9.	Live births by race and person in attendance; urban and rural: United States and each State, 1948	175
10.	Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1948	182

STILLBIRTHS

11.	Stillbirths by race and age of mother; urban and rural: United States, 1948	186
12.	Stillbirths by sex of child, age of mother, race, and birth order: United States, 1948	187
13.	Stillbirths by age of mother and race: United States and each State, 1948	188
14.	Stillbirths by birth order and race: United States and each State, 1948	190
15.	Stillbirths by race and person in attendance: United States and each State, 1948	192
16.	Stillbirths by race; urban and rural: United States and each State, 1948	193

TOTAL DEATHS

17.	Deaths by specified race and sex: United States and each State, 1948	194
18.	Deaths by sex, race, and month: United States and each State, 1948	195
19.	Deaths by race; urban and rural: United States and each State, 1948	200
20.	Deaths from selected causes, by month: United States and each State, 1948	202
21.	Deaths from selected causes, by age, race, and sex: United States and each State, 1948	236
22.	Deaths from each cause, by race and sex: United States and each State, 1948	440
23.	Deaths from selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1948	508

INFANT DEATHS

Table		Page
24.	Deaths under 1 year of age, by race; urban and rural: United States and each State, 1948	612
25.	Deaths under 1 year and under 1 month of age, by race and month (detailed age for U. S. only): United States and each State, 1948	613
26.	Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1948	618
27.	Deaths under 1 year by detailed age and race: United States and each State, 1948	619
28.	Deaths under 1 year, in institutions, by detailed age and race: United States and each State, 1948	621
29.	Deaths under 1 year of age from selected causes, by month: United States, 1948	626
30.	Deaths under 1 year from selected causes, by detailed age, race, and sex: United States, 1948	627
31.	Deaths under 1 year of age from selected causes, by race; urban and rural: United States, 1948	633

SYMBOLS USED

	Symbol
Class or item not applicable (3 dots)	. . .
Data not available (series of dashes)	- - - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics for the calendar year 1948, tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis and text tables containing data tabulated by place of residence are published in a volume entitled "Vital Statistics of the United States, Part I." That volume also contains data on marriages and divorces which are available only on a place-of-occurrence basis. The birth and death tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts or microfilm copies of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, they take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinements and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called recorded rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute resident rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case, it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident rates provide data of greater value and meaning for many uses. How-

ever, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE[1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918, it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931, the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports."[2]

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis.

In some States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the National Office of Vital Statistics copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in the following table. In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios may not completely represent the differences in State procedures. However, copies of certificates reported to the National Office of Vital Statistics as having been exchanged directly between States are included in the table. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated, deaths from accidents to the place of accident, deaths from homicide to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

[1]For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

[2]For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

FEDERAL AND STATE INTERCHANGE OF COPIES OF BIRTH AND DEATH CERTIFICATES FOR NONRESIDENTS: 1948

(Exclusive of stillbirths. Except as noted, includes only transcripts exchanged through National Office of Vital Statistics)

AREA	BIRTHS						DEATHS					
	To nonresidents in the State			To residents in other States			Of nonresidents in the State			Of residents in other States		
	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	89,088	[1]78,375	0.88	89,088	77,365	0.87	38,964	[1]42,638	1.09	38,964	41,540	1.07
Alabama	1,173	1,007	0.86	1,661	1,515	0.91	467	576	1.23	731	902	1.23
Arizona	925	927	1.00	304	249	0.82	798	1,156	1.45	262	231	0.88
Arkansas	1,661	1,788	1.08	1,561	1,475	0.94	580	667	1.15	850	852	1.00
California	1,936	1,104	0.57	1,861	1,626	0.87	1,576	1,119	0.71	1,161	1,321	1.14
Colorado	1,221	1,156	0.95	663	599	0.90	595	609	1.02	353	369	1.05
Connecticut	554	492	0.89	1,584	1,064	0.67	430	493	1.15	580	674	1.16
Delaware	486	413	0.85	327	300	0.92	184	219	1.19	125	148	1.18
District of Columbia	8,088	[2]7,099	0.88	1,424	[2]778	0.55	1,002	[2]1,068	1.07	811	[2]539	0.66
Florida	2,442	1,965	0.80	1,284	1,119	0.87	1,973	2,036	1.03	859	1,032	1.20
Georgia	1,803	1,559	0.86	1,954	1,759	0.90	806	1,142	1.42	748	812	1.09
Idaho	524	276	0.53	1,020	662	0.65	256	232	0.91	379	233	0.61
Illinois	1,918	1,802	0.94	5,555	5,331	0.96	1,437	1,781	1.24	2,857	3,112	1.09
Indiana	2,666	2,232	0.84	2,251	2,114	0.94	1,032	959	0.93	1,204	1,386	1.15
Iowa	2,434	2,454	1.01	1,496	1,369	0.92	867	957	1.10	781	846	1.08
Kansas	1,970	1,992	1.01	2,817	2,780	0.99	888	1,122	1.25	803	940	1.17
Kentucky	2,258	2,169	0.96	2,242	2,169	0.97	755	793	1.05	1,052	1,122	1.07
Louisiana	653	627	0.96	928	758	0.82	659	708	1.07	326	331	1.02
Maine	303	339	1.12	676	581	0.86	267	312	1.17	244	282	1.16
Maryland	3,261	[2]2,050	0.63	5,431	[2]4,657	0.86	1,385	[2]1,109	0.80	921	[2]761	0.83
Massachusetts	2,054	576	0.28	1,477	1,306	0.88	1,002	1,127	1.12	901	985	1.09
Michigan	1,167	1,008	0.86	1,737	1,573	0.91	787	1,092	1.39	1,022	1,083	1.06
Minnesota	1,802	1,613	0.90	1,917	1,658	0.86	1,175	1,357	1.15	717	854	1.19
Mississippi	1,498	967	0.86	1,048	956	0.91	429	571	1.33	682	733	1.07
Missouri	4,325	4,435	1.03	2,600	2,518	0.97	1,570	1,816	1.16	1,430	1,692	1.18
Montana	229	224	0.98	469	426	0.91	211	227	1.08	246	290	1.18
Nebraska	1,096	1,079	0.98	1,193	1,129	0.95	436	496	1.14	510	543	1.06
Nevada	200	117	0.59	142	129	0.91	185	237	1.28	129	108	0.84
New Hampshire	1,210	1,208	1.00	850	395	0.46	396	449	1.13	371	413	1.11
New Jersey	1,178	1,183	1.00	4,044	[2]3,887	0.96	1,354	1,494	1.10	1,918	[2]2,168	1.13
New Mexico	1,028	904	0.88	915	893	0.98	531	488	0.92	429	406	0.95
New York	3,557	3,587	1.01	2,783	2,412	0.87	2,080	2,706	1.30	2,556	2,698	1.06
North Carolina	1,924	1,680	0.87	1,748	1,583	0.91	689	862	1.25	703	801	1.14
North Dakota	1,158	1,063	0.92	957	644	0.67	265	388	1.46	366	434	1.19
Ohio	3,473	3,338	0.96	3,715	[2]2,112	0.57	1,418	1,539	1.09	1,743	[2]1,329	0.76
Oklahoma	1,417	1,177	0.83	2,067	1,962	0.95	422	475	1.13	910	922	1.01
Oregon	1,176	1,109	0.94	1,202	1,057	0.88	538	644	1.20	427	511	1.20
Pennsylvania	4,017	[2]3,753	0.93	3,873	[2]3,576	0.92	1,787	[2]1,812	1.01	2,101	[2]2,266	1.08
Rhode Island	1,111	1,000	0.90	770	447	0.58	239	280	1.09	302	369	1.22
South Carolina	1,365	1,172	0.86	1,000	856	0.86	388	311	0.80	428	532	1.24
South Dakota	928	923	0.99	989	696	0.91	273	301	1.10	368	410	1.11
Tennessee	4,133	4,090	0.99	2,107	1,904	0.90	1,659	1,728	1.04	711	801	1.13
Texas	1,521	1,715	1.13	2,924	2,637	0.90	979	911	0.93	1,147	1,243	1.08
Utah	525	490	0.93	270	227	0.84	283	292	1.03	160	173	1.08
Vermont	397	406	1.02	760	730	0.96	191	219	1.15	242	277	1.14
Virginia	3,520	[2]3,331	0.95	6,317	[2]5,256	0.83	1,045	[2]1,124	1.08	1,114	[2]1,150	1.03
Washington	2,340	[2]1,833	0.78	1,169	800	0.68	636	790	1.24	553	480	0.87
West Virginia	2,794	[2]1,518	0.54	2,256	2,202	0.98	907	[2]571	0.63	756	817	1.08
Wisconsin	1,244	955	0.77	1,949	1,749	0.90	888	1,023	1.15	749	933	1.25
Wyoming	455	472	1.04	587	562	0.96	234	270	1.15	226	226	1.00

[1]Includes allocations outside of continental United States.
[2]Totals include copies reported to National Office of Vital Statistics as having been exchanged directly between States.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

Relation of geographic code to the identification of nonresidents

Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration.

A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence

The allocation of deaths to the place of residence is based on the following general principles and rules.

1. Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.

2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.

3. Decedents in nonresident institutions such as general hospitals, tuberculosis sanatoria, convalescent homes, jails, et cetera, are reallocated to the usual place of residence, if they had been in the institution less than 1 year.

4. Decedents in resident institutions where length of stay is usually long, such as mental institutions; orphanages; homes for the aged, blind, and deaf; et cetera, are not reallocated to the place of prior residence.

5. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.

6. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.

For the purpose of coding mortality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in an Instruction Manual.[3]

Special residence instructions for military personnel

On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

Allocation of births to place of residence

The allocation of live births and stillbirths is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in an Instruction Manual.[3]

[3]National Office of Vital Statistics, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1948," Washington, D. C., 1948.

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948

(By place of residence. Deaths exclusive of stillbirths and of deaths among armed forces overseas. Stillbirths include only those for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Infant mortality rates and stillbirth ratios per 1,000 live births in each specified group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
UNITED STATES	[4]3,535,068	3,025,206	323,434	156,564	1,444,337	749,995	82,518	593,411	115,169	32.0	72,838	20.6
White	3,080,316	2,784,865	248,093	36,390	1,270,589	649,057	74,501	529,659	92,034	29.9	56,232	18.3
Nonwhite	454,752	240,341	75,341	120,174	173,748	100,938	8,017	63,752	21,135	46.5	16,606	36.5
ALABAMA	85,372	48,310	17,838	18,798	26,620	18,263	676	7,477	3,228	37.8	2,292	26.8
White	53,817	40,071	11,989	1,628	15,522	9,872	412	5,049	1,771	32.9	1,074	20.0
Nonwhite	31,555	8,239	5,849	17,170	11,098	8,391	264	2,428	1,457	46.2	1,218	38.6
Autauga	533	244	41	244	203	144	4	52	18	33.8	8	15.0
White	257	226	19	12	97	60	4	30	6	23.3	1	3.9
Nonwhite	276	18	22	232	106	84	-	22	12	43.5	7	25.4
Baldwin	1,152	536	326	284	344	250	4	83	41	35.6	32	27.8
White	824	525	252	44	257	172	4	74	27	32.8	21	25.5
Nonwhite	328	11	74	240	87	78	-	9	14	42.7	11	33.5
Barbour	883	237	213	430	303	256	-	47	38	43.0	18	20.4
White	347	219	118	10	113	90	-	23	13	37.5	6	17.3
Nonwhite	536	18	95	420	190	166	-	24	25	46.6	12	22.4
Bibb	559	190	184	182	180	141	-	36	24	42.9	17	30.4
White	352	179	137	36	110	82	-	26	12	34.1	11	31.3
Nonwhite	207	11	47	146	70	59	-	10	12	58.0	6	29.0
Blount	790	408	366	15	198	169	-	27	29	36.7	12	15.2
Bullock	546	118	47	380	175	149	-	26	27	49.5	18	33.0
White	111	67	35	9	34	27	-	7	4	36.0	3	27.0
Nonwhite	435	51	12	371	141	122	-	19	23	52.9	15	34.5
Butler	878	375	173	329	277	214	-	63	37	42.1	24	27.3
White	419	318	90	10	134	100	-	34	12	28.6	4	9.5
Nonwhite	459	57	83	319	143	114	-	29	25	54.5	20	43.6
Calhoun	2,254	1,365	708	178	554	374	-	180	73	32.4	59	26.2
White	1,807	1,248	541	16	432	283	-	149	57	31.5	41	22.7
Nonwhite	447	117	167	163	122	91	-	31	16	35.8	18	40.3
Anniston	956	710	126	120	239	153	-	86	29	30.3	27	28.2
White	678	609	64	5	147	88	-	59	17	25.1	17	25.1
Nonwhite	278	101	62	115	92	65	-	27	12	43.2	10	36.0
Balance of county	1,298	655	582	58	315	221	-	94	44	33.9	32	24.7
White	1,129	639	477	10	285	195	-	90	40	35.4	24	21.3
Nonwhite	169	16	105	48	30	26	-	4	4	23.7	8	47.3
Chambers	935	544	154	234	348	270	-	78	31	33.2	18	19.3
White	529	484	38	7	199	136	-	63	10	18.9	7	13.2
Nonwhite	406	60	116	227	149	134	-	15	21	51.7	11	27.1
Cherokee	420	222	126	69	143	110	-	33	28	61.9	12	28.6
Chilton	648	316	235	95	188	137	-	50	25	38.6	19	29.3
White	515	307	190	17	165	118	-	46	22	42.7	15	29.1
Nonwhite	133	9	45	78	23	19	-	4	3	22.6	4	30.1
Choctaw	593	196	38	355	159	123	-	36	21	35.4	21	35.4
White	226	174	25	26	52	30	-	22	4	17.7	5	22.1
Nonwhite	367	22	13	329	107	93	-	14	17	46.3	16	43.6
Clarke	739	198	170	370	266	216	-	50	24	32.5	22	29.8
White	289	185	91	13	117	84	-	33	8	27.7	6	20.8
Nonwhite	450	13	79	357	149	132	-	17	16	35.6	16	35.6
Clay	377	211	92	67	143	114	-	23	19	50.4	12	31.8
White	284	193	76	10	123	96	-	21	15	52.8	9	31.7
Nonwhite	93	18	16	57	20	18	-	2	4	43.0	3	32.3
Cleburne	294	97	184	13	80	60	-	19	10	34.0	13	44.2
Coffee	825	213	574	38	181	124	-	57	25	30.3	22	26.7
White	633	199	420	14	146	97	-	49	18	28.4	14	22.1
Nonwhite	192	14	154	24	35	27	-	8	7	36.5	8	41.7
Colbert	1,170	825	170	175	321	228	-	93	47	40.2	24	20.5
White	891	745	111	35	200	128	-	72	33	37.0	16	18.0
Nonwhite	279	80	59	140	121	100	-	21	14	50.2	8	28.7
Conecuh	633	148	152	333	174	161	-	12	21	33.2	14	22.1
White	295	134	126	35	78	69	-	9	5	16.9	6	20.3
Nonwhite	338	14	26	298	96	92	-	3	16	47.3	8	23.7
Coosa	333	145	69	99	111	93	-	16	12	36.0	8	24.0
White	195	128	61	6	67	51	-	14	6	30.8	1	5.1
Nonwhite	138	17	28	93	44	42	-	2	6	43.5	7	50.7
Covington	1,025	591	291	140	348	240	-	107	46	44.9	19	18.5
White	852	570	254	27	279	184	-	94	30	35.2	16	18.8
Nonwhite	173	21	37	113	69	56	-	13	16	92.5	3	17.3
Crenshaw	544	194	217	133	198	153	-	42	17	31.3	20	36.8
White	333	182	141	10	138	97	-	38	11	33.0	13	39.0
Nonwhite	211	12	76	123	60	56	-	4	6	28.4	7	33.2
Cullman	1,435	1,199	203	27	317	231	-	84	42	29.3	12	8.4
Dale	601	253	207	141	173	146	-	26	16	26.6	12	20.0
White	435	250	164	21	133	114	-	18	9	20.7	10	23.0
Nonwhite	166	3	43	120	40	32	-	8	7	42.2	2	12.0
Dallas	1,749	647	127	974	642	445	-	197	76	43.5	66	37.7
White	532	515	10	7	158	73	-	85	10	18.8	12	22.6
Nonwhite	1,217	132	117	967	484	372	-	112	66	54.2	54	44.4
Selma	762	451	104	207	273	146	-	127	35	45.9	16	21.0
White	373	367	5	1	99	43	-	56	8	21.4	5	13.4
Nonwhite	389	84	99	206	174	103	-	71	27	69.4	11	28.3
Balance of county	987	196	23	767	369	299	-	70	41	41.5	50	50.7
White	159	148	5	6	59	30	-	29	2	12.6	7	44.0
Nonwhite	828	48	18	761	310	269	-	41	39	47.1	43	51.9
De Kalb	1,245	672	509	53	297	219	-	69	53	42.6	29	23.3
Elmore	786	402	114	268	325	234	2	88	41	52.2	24	30.5
White	383	313	65	4	176	114	2	59	17	44.4	13	33.9
Nonwhite	403	89	49	264	149	120	-	29	24	59.6	11	27.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ALABAMA—Continued												
Escambia	866	478	158	226	285	207	7	68	41	47.5	25	28.9
White	546	418	104	21	191	129	2	57	24	44.0	8	14.7
Nonwhite	320	60	54	205	94	78	5	11	17	53.1	17	53.1
Etowah	2,800	1,626	811	161	677	456	9	211	82	31.5	61	23.5
White	2,164	1,557	543	63	531	331	9	190	62	28.7	49	22.6
Nonwhite	436	69	268	98	146	125	-	21	20	45.9	12	27.5
Gadsden	1,373	964	352	58	360	232	1	127	40	29.1	27	19.7
White	1,074	913	157	3	259	146	1	112	26	24.2	20	18.6
Nonwhite	299	51	195	53	101	86	-	15	14	46.8	7	23.4
Balance of county	1,227	662	459	105	317	224	8	84	42	34.2	34	27.7
Fayette	540	216	254	69	147	119	-	28	20	37.0	11	20.4
White	448	208	213	26	118	91	-	27	16	35.7	5	11.2
Nonwhite	92	8	41	43	29	28	-	1	4	43.5	6	65.2
Franklin	749	444	283	22	198	158	-	30	21	28.0	16	21.4
Geneva	712	288	329	77	193	142	-	49	19	26.7	15	21.1
White	608	295	299	11	162	114	-	46	18	29.6	11	18.1
Nonwhite	104	4	30	66	31	28	-	3	1	9.6	4	38.5
Greene	516	40	70	403	219	202	-	17	26	50.4	25	48.4
White	61	31	29	1	38	28	-	10	4	65.6	2	32.8
Nonwhite	455	9	41	402	181	174	-	7	22	48.4	23	50.5
Hale	726	87	82	552	225	206	-	19	32	44.1	15	20.7
White	145	78	53	14	55	43	-	12	7	48.3	4	27.6
Nonwhite	581	9	29	538	170	163	-	7	25	43.0	11	18.9
Henry	586	167	84	329	163	129	-	31	22	37.5	21	35.8
White	229	152	55	22	93	68	-	23	6	26.2	4	17.5
Nonwhite	357	15	29	306	70	61	-	8	16	44.8	17	47.6
Houston	1,196	692	252	249	379	284	-	94	47	39.3	40	33.4
White	805	653	121	30	248	168	-	80	28	34.8	13	16.1
Nonwhite	391	39	131	218	131	116	-	14	19	48.6	27	69.1
Dothan	536	367	94	75	184	131	-	52	28	52.2	22	41.0
White	361	341	19	1	112	69	-	43	17	47.1	6	16.6
Nonwhite	175	26	75	74	72	62	-	9	11	62.9	16	91.4
Balance of county	660	325	158	173	195	153	-	42	19	28.8	18	27.3
White	444	312	102	29	136	99	-	37	11	24.8	7	15.8
Nonwhite	216	13	56	144	59	54	-	5	8	37.0	11	50.9
Jackson	1,166	322	697	134	296	245	-	48	51	43.7	42	36.0
Jefferson	14,575	11,702	2,690	59	5,020	2,946	119	1,902	541	37.1	394	27.0
White	8,357	7,556	779	8	2,585	1,421	63	1,052	252	30.2	165	19.7
Nonwhite	6,218	4,146	1,911	51	2,435	1,525	56	850	289	46.5	229	36.8
Birmingham	8,287	7,249	916	11	3,021	1,717	1	1,271	312	37.6	238	28.7
White	4,693	4,603	80	1	1,562	827	1	704	144	30.7	98	20.9
Nonwhite	3,594	2,646	836	10	1,459	890	-	567	168	46.7	140	39.0
Bessemer	981	707	269	3	325	206	-	118	29	29.6	30	30.6
White	401	369	31	-	103	51	-	52	7	17.5	9	22.4
Nonwhite	580	338	238	3	222	155	-	66	22	37.9	21	36.2
Fairfield	448	396	48	3	130	73	-	56	12	26.8	10	22.3
White	173	172	1	-	48	28	-	19	3	17.3	3	17.3
Nonwhite	275	224	47	3	82	45	-	37	9	32.7	7	25.5
Balance of county	4,859	3,350	1,457	42	1,544	950	118	457	188	38.7	116	23.9
White	3,090	2,412	667	7	872	515	62	277	98	31.7	55	17.8
Nonwhite	1,769	938	790	35	672	435	56	180	90	50.9	61	34.5
Lamar	448	153	211	81	124	97	-	27	13	29.0	16	35.7
White	368	129	189	55	100	76	-	24	12	32.6	11	29.9
Nonwhite	80	24	22	46	24	21	-	3	1	12.5	5	62.5
Lauderdale	1,466	1,068	236	161	364	235	-	129	37	25.2	27	18.4
White	1,249	975	210	63	286	176	-	110	31	24.8	21	16.8
Nonwhite	217	93	26	98	78	59	-	18	6	27.6	6	27.6
Florence	649	594	13	42	176	105	-	71	21	32.4	12	18.5
White	538	525	9	4	128	70	-	58	20	37.2	9	16.7
Nonwhite	111	69	4	38	48	35	-	13	1	9.0	3	27.0
Balance of county	817	474	223	119	188	130	-	57	16	19.6	15	18.4
White	711	450	201	59	158	106	-	52	11	15.5	12	16.9
Nonwhite	106	24	22	60	30	24	-	5	5	47.2	3	28.3
Lawrence	900	501	256	141	196	147	-	46	33	36.7	18	20.0
White	666	493	157	15	148	105	-	40	25	37.5	11	16.5
Nonwhite	234	8	99	126	48	42	-	6	8	34.2	7	29.9
Lee	1,239	714	116	405	328	252	-	76	58	46.8	42	33.9
White	625	603	13	8	119	90	-	29	18	28.8	8	12.8
Nonwhite	614	111	103	397	209	162	-	47	40	65.1	34	55.4
Limestone	1,090	593	310	196	281	231	-	50	53	48.6	19	17.4
White	810	576	215	19	191	144	-	47	32	39.5	11	13.6
Nonwhite	280	7	95	177	90	87	-	3	21	75.0	8	28.6
Lowndes	620	70	8	539	182	158	-	23	29	46.8	32	51.6
White	63	54	2	7	32	25	-	6	3	47.6	1	15.9
Nonwhite	557	16	6	532	150	133	-	17	26	46.7	31	55.7
Macon	818	455	57	306	341	206	-	135	36	44.0	40	48.9
White	107	75	29	3	41	33	-	8	3	28.0	2	18.7
Nonwhite	711	380	28	303	300	173	-	127	33	46.4	38	53.4
Madison	2,087	1,071	496	517	644	481	-	160	84	40.2	48	23.0
White	1,405	973	374	57	418	290	-	126	57	40.6	33	23.5
Nonwhite	682	98	122	460	226	191	-	34	27	39.6	15	22.0
Huntsville	785	613	63	109	240	155	-	82	29	36.9	22	28.0
White	588	558	27	3	148	78	-	68	21	35.7	14	23.8
Nonwhite	197	55	36	106	92	77	-	14	8	40.6	8	40.6
Balance of county	1,302	458	433	408	404	326	-	78	55	42.2	26	20.0
White	817	415	347	54	270	212	-	58	36	44.1	19	23.3
Nonwhite	485	43	86	354	134	114	-	20	19	39.2	7	14.4
Marengo	848	160	62	625	340	287	-	49	33	38.9	20	23.6
White	187	132	42	12	83	60	-	19	5	26.7	-	0
Nonwhite	661	28	20	613	257	227	-	30	28	42.4	20	30.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ALABAMA—Continued												
Marion	774	482	183	106	166	116	-	42	21	27.1	14	18.1
Marshall	1,372	931	371	66	365	244	-	119	57	48.8	25	18.2
Mobile	7,044	5,570	189	1,228	2,169	1,112	211	815	279	39.6	207	29.4
White	4,432	4,175	146	103	1,191	609	30	522	141	31.8	75	16.9
Nonwhite	2,612	1,395	43	1,125	978	503	181	293	138	52.8	132	50.5
Mobile	3,570	2,993	45	524	1,270	688	28	531	153	42.9	112	31.4
White	2,143	2,118	18	6	755	367	24	341	72	33.6	32	14.9
Nonwhite	1,427	875	27	518	515	321	4	190	81	56.8	80	56.1
Balance of county	3,474	2,577	144	704	899	424	183	284	126	36.3	95	27.3
White	2,289	2,057	128	97	436	242	6	181	59	30.1	43	18.8
Nonwhite	1,185	520	16	607	463	182	177	103	57	48.1	52	43.9
Monroe	848	103	288	456	213	186	-	27	27	31.8	22	25.9
White	331	95	205	31	93	79	-	14	7	21.1	4	12.1
Nonwhite	517	8	83	425	120	107	-	13	20	38.7	18	34.8
Montgomery	3,507	2,002	97	1,401	1,281	842	33	398	104	29.7	93	26.5
White	1,757	1,717	34	5	572	339	15	212	43	24.5	35	19.9
Nonwhite	1,750	285	63	1,396	709	503	18	186	61	34.8	58	33.1
Montgomery	2,618	1,695	34	884	1,001	648	1	346	90	34.4	71	27.1
White	1,463	1,453	7	2	478	288	1	184	40	27.3	29	19.8
Nonwhite	1,155	242	27	882	523	360	-	162	50	43.3	42	36.4
Balance of county	889	307	63	517	280	194	32	52	14	15.7	22	24.7
White	294	264	27	3	94	51	14	28	3	10.2	6	20.4
Nonwhite	595	43	36	514	186	143	18	24	11	18.5	16	26.9
Morgan	1,290	923	248	112	385	261	-	119	44	34.1	21	16.3
White	1,119	894	180	39	301	192	-	104	37	33.1	17	15.2
Nonwhite	171	29	68	73	84	69	-	15	7	40.9	4	23.4
Decatur	425	346	49	28	180	106	-	53	10	23.5	8	18.8
White	352	330	18	4	108	60	-	47	7	19.9	5	14.2
Nonwhite	73	16	33	24	52	46	-	6	3	41.1	3	41.1
Balance of county	865	577	199	84	225	155	-	68	34	39.3	13	15.0
White	767	564	164	35	193	132	-	57	30	39.1	12	15.6
Nonwhite	98	13	35	49	32	23	-	9	4	40.8	1	10.2
Perry	649	97	70	479	223	188	-	35	19	29.3	34	52.4
White	153	78	55	20	56	39	-	17	4	26.1	4	26.1
Nonwhite	496	19	15	459	167	149	-	18	15	30.2	30	60.5
Pickens	720	154	224	331	230	169	-	41	28	38.9	19	26.4
White	333	150	168	10	90	67	-	23	8	24.0	8	24.0
Nonwhite	387	4	56	321	140	122	-	18	20	51.7	11	28.4
Pike	885	335	185	360	289	221	-	68	48	54.2	31	35.0
White	431	318	98	15	137	85	-	52	17	39.4	7	16.2
Nonwhite	454	17	87	345	152	136	-	16	31	68.3	24	52.9
Randolph	586	309	118	155	184	136	-	47	17	29.0	18	30.7
White	412	294	89	28	139	95	-	43	13	31.6	9	21.8
Nonwhite	174	15	29	127	45	41	-	4	4	23.0	9	51.7
Russell	1,212	552	24	632	422	323	-	99	38	31.4	40	33.0
White	497	475	12	10	168	112	-	56	10	20.1	13	26.2
Nonwhite	715	77	12	622	254	211	-	43	28	39.2	27	37.8
Phenix City	552	383	11	158	206	148	-	58	20	36.2	19	34.4
White	350	343	4	3	116	77	-	39	8	22.9	8	22.9
Nonwhite	202	40	7	155	90	71	-	19	12	59.4	11	54.5
Balance of county	660	169	13	474	216	175	-	41	18	27.3	21	31.8
White	147	132	8	7	52	35	-	17	2	13.6	5	34.0
Nonwhite	513	37	5	467	164	140	-	24	18	31.2	16	31.2
St. Clair	666	356	252	53	218	143	-	71	29	43.5	12	18.0
White	520	335	176	6	169	108	-	61	21	40.4	11	21.2
Nonwhite	146	21	76	47	47	35	-	10	8	54.8	1	6.8
Shelby	738	235	404	95	247	188	-	59	35	47.4	19	25.7
White	508	221	278	8	161	120	-	41	21	41.3	9	17.7
Nonwhite	230	14	126	87	86	68	-	18	14	60.9	10	43.5
Sumter	738	146	63	520	245	200	-	45	26	35.2	44	59.6
White	119	91	23	5	40	25	-	15	3	25.2	4	33.6
Nonwhite	619	55	40	515	205	175	-	30	23	37.2	40	64.6
Talladega	1,855	1,082	306	462	516	342	-	175	80	43.1	45	24.3
White	1,174	963	179	32	324	188	-	135	46	39.2	23	19.6
Nonwhite	681	119	127	430	194	154	-	40	34	49.9	22	32.3
Tallapoosa	908	577	192	136	282	230	-	50	29	31.9	16	19.8
White	619	520	92	5	195	148	-	45	19	30.7	10	18.2
Nonwhite	289	57	100	131	87	82	-	5	10	34.6	8	27.7
Tuscaloosa	2,301	1,594	243	462	963	487	287	209	64	36.5	51	22.2
White	1,583	1,446	111	22	640	217	283	140	48	30.3	32	20.2
Nonwhite	718	146	132	440	323	250	4	69	36	50.1	19	26.5
Tuscaloosa	1,145	917	71	157	450	201	119	130	44	38.4	22	19.2
White	840	832	8	-	292	91	119	82	23	27.4	16	19.0
Nonwhite	305	85	63	157	156	110	-	48	21	68.9	6	18.7
Balance of county	1,156	677	172	305	513	286	168	79	40	34.6	29	25.1
White	743	618	103	22	348	126	164	58	25	33.6	18	21.5
Nonwhite	413	61	69	283	165	140	4	21	15	36.3	13	31.5
Walker	1,770	911	908	45	483	296	-	100	69	38.0	40	22.6
White	1,597	789	781	25	415	242	-	166	65	40.7	34	21.3
Nonwhite	173	22	127	20	68	54	-	14	4	23.1	6	34.7
Washington	447	126	132	188	113	94	-	19	19	42.5	19	42.5
White	281	117	109	55	68	52	-	16	12	42.7	9	32.0
Nonwhite	166	9	23	133	45	42	-	3	7	42.2	10	60.2
Wilcox	822	109	78	625	250	217	-	33	33	40.1	25	30.4
White	122	84	31	7	44	28	-	16	2	16.4	3	24.6
Nonwhite	700	25	47	618	206	189	-	17	31	44.3	22	31.4
Winston	545	442	91	10	126	79	-	41	15	27.5	13	23.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ARIZONA	19,196	17,269	1,013	550	6,588	2,930	236	3,357	1,083	56.4	337	17.6
White	17,035	15,572	853	455	5,622	2,532	226	2,789	793	46.6	286	15.6
Nonwhite	2,160	1,697	160	95	964	398	10	548	290	134.3	71	32.9
Apache	442	340	24	7	218	81	-	131	78	176.5	10	22.6
White	178	160	14	3	39	16	-	19	13	73.0	2	11.2
Nonwhite	264	180	10	4	179	65	-	112	65	246.2	8	30.3
Cochise	970	835	57	71	371	160	-	203	44	45.4	17	17.5
Coconino	625	563	42	1	241	88	-	153	80	128.0	9	14.4
White	426	386	37	1	132	68	-	64	35	82.2	3	7.0
Nonwhite	199	177	5	-	109	20	-	89	45	226.1	6	30.2
Gila	761	692	57	1	242	111	68	61	46	60.4	10	13.1
White	665	613	52	-	198	92	62	44	31	46.6	6	9.0
Nonwhite	96	79	5	1	43	19	6	17	15	156.3	4	41.7
Graham	362	287	50	3	98	56	-	42	21	58.0	3	8.3
Greenlee	453	431	18	3	86	41	3	41	22	48.6	11	24.3
Maricopa	8,439	8,006	149	241	2,779	1,237	119	1,383	369	43.7	152	18.0
Phoenix	4,869	4,669	51	136	1,528	749	13	747	209	42.7	95	19.5
Balance of county	3,570	3,337	98	105	1,251	488	106	636	161	45.1	57	16.0
Mohave	249	227	3	3	96	39	-	43	8	32.1	3	12.0
Navajo	672	585	47	14	182	65	-	115	56	83.3	13	19.3
White	412	395	5	10	88	43	-	45	20	48.5	8	19.4
Nonwhite	260	190	42	4	94	22	-	70	36	138.5	5	19.2
Pima	3,456	2,937	389	32	1,191	569	-	617	165	47.7	58	16.8
White	3,149	2,730	325	25	1,051	478	-	568	124	39.4	47	14.9
Nonwhite	307	207	64	7	140	91	-	49	41	133.6	11	35.8
Tucson	2,828	2,399	332	24	641	441	-	196	122	43.1	44	15.6
Balance of county	628	538	57	8	550	128	-	421	43	68.5	14	22.3
White	471	437	22	5	451	65	-	385	13	27.6	7	14.9
Nonwhite	157	101	35	3	99	63	-	36	30	191.1	7	44.6
Pinal	1,156	950	95	86	423	230	3	190	102	88.2	23	19.9
White	935	786	90	52	322	178	2	142	73	78.1	17	18.2
Nonwhite	221	164	5	34	101	52	1	48	29	131.2	6	27.1
Santa Cruz	285	197	45	28	98	51	-	45	16	56.1	5	17.5
Yavapai	603	562	28	7	349	113	43	190	28	46.4	11	18.2
Yuma	722	657	9	53	214	89	-	123	48	66.5	12	16.6
White	629	574	8	45	181	79	-	100	41	65.2	8	12.7
Nonwhite	93	83	1	8	33	10	-	23	7	75.3	4	43.0
ARKANSAS	49,036	28,579	11,594	7,256	15,224	10,032	617	4,468	1,383	28.4	919	19.1
White	36,224	26,404	8,862	692	10,813	6,604	437	3,682	968	26.7	602	16.6
Nonwhite	11,812	2,175	2,732	6,564	4,411	3,428	180	786	395	33.4	317	26.8
Arkansas	625	367	148	107	157	114	-	42	7	11.2	11	17.6
White	460	359	87	12	124	87	-	36	6	13.0	5	10.9
Nonwhite	165	8	61	95	33	27	-	6	1	6.1	6	36.4
Ashley	716	336	196	165	211	155	-	51	27	37.7	15	20.9
White	421	271	141	4	107	66	-	41	14	33.3	1	2.4
Nonwhite	295	65	55	161	104	89	-	10	13	44.1	14	47.5
Baxter	315	220	86	2	68	49	-	17	8	25.4	5	15.9
Benton	764	615	143	3	369	238	5	117	17	22.3	15	19.6
Boone	352	283	56	7	117	83	1	19	12	34.1	7	19.9
Bradley	453	236	165	45	146	106	-	40	7	15.5	5	11.0
White	256	228	27	-	95	64	-	31	4	15.6	3	11.7
Nonwhite	197	8	138	45	51	42	-	9	3	15.2	2	10.2
Calhoun	151	46	75	26	53	44	-	9	-	0	3	19.9
White	88	45	43	-	26	19	-	7	-	0	1	11.4
Nonwhite	63	1	32	26	27	25	-	2	-	0	2	31.7
Carroll	274	167	96	7	124	97	-	27	5	18.2	7	25.5
Chicot	570	239	65	256	219	161	-	58	24	42.1	9	15.8
White	287	220	33	31	71	41	-	30	10	34.8	1	3.5
Nonwhite	283	19	32	225	148	120	-	28	14	49.5	8	28.3
Clark	567	301	121	126	164	135	-	28	15	26.5	18	31.7
White	385	283	95	7	113	93	-	19	10	26.0	13	33.8
Nonwhite	182	18	26	119	51	42	-	9	5	27.5	5	27.5
Clay	621	265	330	14	179	134	-	44	18	29.0	14	22.5
Cleburne	319	245	62	8	88	54	-	34	4	12.5	12	37.6
Cleveland	213	105	69	35	62	43	-	18	2	9.4	1	4.7
White	146	103	43	-	41	27	-	14	1	6.8	1	6.8
Nonwhite	67	2	26	35	21	16	-	4	1	14.9	-	0
Columbia	630	379	96	138	161	111	-	48	11	17.5	8	12.7
White	374	339	29	4	85	48	-	35	8	21.4	4	10.7
Nonwhite	256	40	67	134	76	63	-	13	3	11.7	4	15.6
Conway	449	231	128	88	165	118	-	46	17	37.9	15	33.4
White	314	223	83	6	119	78	-	40	10	31.8	6	19.1
Nonwhite	135	8	45	82	46	40	-	6	7	51.9	9	66.7
Craighead	1,300	929	324	42	344	207	-	133	40	30.8	26	20.0
Jonesboro	372	329	8	36	139	71	-	67	14	37.6	10	26.9
White	330	320	6	4	122	56	-	66	12	36.4	8	24.2
Nonwhite	42	9	-	32	17	15	-	1	2	47.6	2	47.6
Balance of county	928	600	318	8	205	136	-	66	26	28.0	16	17.2
Crawford	550	393	138	14	187	131	-	54	8	14.5	13	23.6
Crittenden	1,427	267	334	800	421	341	-	80	50	35.0	34	23.8
White	460	244	186	23	104	62	-	42	15	32.6	5	10.9
Nonwhite	967	23	148	777	317	279	-	38	35	36.2	28	30.0
Cross	786	353	182	223	207	143	-	64	20	26.1	12	15.7
White	498	325	158	13	97	60	-	37	15	30.1	7	14.1
Nonwhite	288	28	24	210	110	83	-	27	5	18.7	5	18.7
Dallas	340	120	165	45	93	72	-	21	5	14.7	5	14.7
White	186	109	77	-	60	45	-	15	3	16.1	2	10.8
Nonwhite	154	11	88	45	33	27	-	6	2	13.0	3	19.5

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ARKANSAS—Continued												
Desha	646	295	70	265	174	123	-	50	14	21.7	11	17.0
White	373	281	56	30	73	38	-	35	9	24.1	4	10.7
Nonwhite	273	14	14	235	101	85	-	15	5	18.3	7	25.6
Drew	437	258	58	113	159	105	-	52	14	32.0	8	18.3
White	295	245	33	12	89	49	-	38	4	13.6	5	16.9
Nonwhite	142	13	25	101	70	56	-	14	10	70.4	3	21.1
Faulkner	594	441	89	54	172	102	-	70	19	32.0	9	15.2
White	492	407	81	2	149	84	-	65	19	38.6	8	16.3
Nonwhite	102	34	8	52	23	18	-	5	-	0	1	9.8
Franklin	290	211	74	-	83	59	-	24	3	10.3	5	17.2
Fulton	205	46	151	1	53	40	-	13	4	19.5	2	9.8
Garland	1,049	875	83	88	514	294	22	194	42	40.0	16	15.3
White	943	861	26	54	436	236	18	179	34	36.1	15	15.9
Nonwhite	106	14	57	34	78	58	4	15	8	75.5	1	9.4
Hot Springs	715	602	55	55	438	228	22	185	39	54.5	10	14.0
White	615	588	2	23	361	171	18	170	31	50.4	9	14.6
Nonwhite	100	14	53	32	77	57	4	15	8	80.0	1	10.0
Balance of county	334	273	28	33	76	66	-	9	3	9.0	6	18.0
Grant	187	88	91	5	73	55	-	18	5	26.7	3	16.0
Greene	689	431	255	1	221	160	1	59	30	43.5	15	21.8
Hempstead	580	275	127	164	202	158	-	44	20	34.5	16	27.8
White	294	260	24	5	106	72	-	34	6	20.4	9	30.6
Nonwhite	286	15	103	159	96	86	-	10	14	49.0	7	24.5
Hot Spring	554	383	113	55	122	87	-	35	10	18.1	12	21.7
White	464	371	92	1	104	72	-	32	9	19.4	9	19.4
Nonwhite	90	12	21	54	18	15	-	3	1	11.1	3	33.3
Howard	325	222	70	26	126	93	-	33	14	43.1	6	18.5
White	256	204	50	2	100	67	-	33	10	39.1	3	11.7
Nonwhite	69	18	20	24	26	26	-	-	4	58.0	3	43.5
Independence	534	455	58	9	158	102	-	56	8	15.0	9	16.9
Izard	230	117	109	2	56	44	-	12	3	13.0	2	8.7
Jackson	810	646	136	17	224	156	-	67	20	24.7	10	12.3
White	701	566	122	3	184	123	-	61	18	25.7	9	12.8
Nonwhite	109	80	14	14	40	33	-	6	2	18.3	1	9.2
Jefferson	1,884	917	308	638	653	461	22	168	58	30.8	30	15.9
White	909	805	85	14	301	156	19	126	33	36.3	11	12.1
Nonwhite	975	112	221	624	352	305	3	42	25	25.6	19	19.5
Pine Bluff	787	563	114	109	355	226	18	109	27	34.3	10	12.7
White	493	489	3	1	201	96	16	89	23	46.7	3	6.1
Nonwhite	294	74	111	108	154	130	2	20	4	13.6	7	23.8
Balance of county	1,097	354	192	529	298	235	4	59	31	28.3	20	18.2
White	416	316	82	13	100	60	3	37	10	24.0	8	19.2
Nonwhite	681	38	110	516	198	175	1	22	21	30.8	12	17.6
Johnson	329	265	56	5	109	73	-	36	7	21.3	6	18.2
Lafayette	296	95	91	108	89	71	-	15	12	40.5	9	30.4
White	116	94	15	5	46	32	-	11	4	34.5	2	17.2
Nonwhite	180	1	76	103	43	39	-	4	8	44.4	7	38.9
Lawrence	637	431	197	8	145	93	2	47	19	29.8	14	22.0
Lee	588	86	191	282	172	153	-	19	14	24.6	11	19.4
White	222	79	127	16	50	40	-	10	3	13.5	2	9.0
Nonwhite	346	7	64	266	122	113	-	9	11	31.8	9	26.0
Lincoln	338	119	48	162	139	100	6	32	12	35.5	4	11.8
White	134	104	24	5	62	34	2	25	7	52.2	3	22.4
Nonwhite	204	15	24	157	77	66	4	7	5	24.5	1	4.9
Little River	284	122	74	86	81	56	-	24	9	30.6	3	10.2
White	165	109	64	10	46	32	-	14	4	21.6	3	16.2
Nonwhite	109	13	10	76	35	24	-	10	5	45.9	-	0
Logan	536	429	107	-	183	107	-	76	7	13.1	7	13.1
Lonoke	752	304	245	182	212	154	-	55	31	41.2	17	22.6
White	513	276	208	19	135	98	-	37	16	31.2	10	19.5
Nonwhite	239	28	37	163	77	59	-	18	15	62.8	7	29.3
Madison	277	163	75	30	67	67	-	20	6	21.7	7	25.3
Marion	169	108	56	3	73	52	-	21	5	29.6	6	35.5
Miller	840	551	97	185	279	194	3	81	28	33.3	21	25.0
White	590	501	55	28	181	108	3	70	19	32.2	15	25.4
Nonwhite	250	50	42	157	98	86	-	11	9	36.0	6	24.0
Texarkana[5]	396	323	26	47	164	103	-	61	21	53.0	8	20.2
White	307	295	8	4	107	52	-	55	13	42.3	7	22.8
Nonwhite	89	28	18	43	57	51	-	6	8	89.9	1	11.2
Balance of county	444	228	71	138	115	91	3	20	7	15.8	13	29.3
White	283	206	47	24	74	56	3	15	6	21.2	8	28.3
Nonwhite	161	22	24	114	41	35	-	5	1	6.2	5	31.1
Mississippi	2,721	1,250	1,037	405	547	400	-	138	113	41.5	72	26.5
White	1,990	1,232	676	65	368	245	-	114	90	45.2	54	27.1
Nonwhite	731	18	361	340	179	155	-	24	23	31.5	18	24.6
Blytheville	443	239	150	52	127	83	-	44	16	36.1	16	36.1
White	332	238	92	2	82	51	-	31	11	33.1	15	45.2
Nonwhite	111	1	58	50	45	32	-	13	5	45.0	1	9.0
Balance of county	2,278	1,011	887	353	420	317	-	94	97	42.6	56	24.6
White	1,658	994	584	63	286	194	-	83	79	47.6	39	25.5
Nonwhite	620	17	303	290	134	123	-	11	18	29.0	17	27.4
Monroe	494	111	215	140	171	131	-	39	12	24.3	5	10.1
White	274	104	160	7	70	46	-	23	5	18.2	3	10.9
Nonwhite	220	7	55	133	101	85	-	16	7	31.8	2	9.1
Montgomery	141	67	45	26	38	31	-	6	5	35.5	-	0
Nevada	361	149	120	83	107	91	-	15	2	5.5	8	22.2
White	212	136	69	3	64	54	-	9	1	4.7	2	9.4
Nonwhite	149	13	51	80	43	37	-	6	1	6.7	6	40.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
ARKANSAS—Continued												
Newton	165	91	57	11	38	29	-	9	1	6.1	-	0
Ouachita	881	467	164	237	256	189	-	67	17	19.3	15	17.0
White	525	452	71	2	128	79	-	49	14	26.7	4	7.6
Nonwhite	356	15	93	235	128	110	-	18	3	8.4	11	30.9
Perry	165	55	100	4	32	23	-	8	5	30.3	3	18.2
Phillips	1,387	435	256	673	484	373	-	111	53	38.2	31	22.4
White	541	366	149	25	142	81	-	61	16	29.6	8	14.8
Nonwhite	846	69	107	648	342	292	-	50	37	43.7	23	27.2
Pike	190	111	70	9	55	46	-	9	2	10.5	3	15.8
Poinsett	1,306	557	689	54	247	144	-	103	50	38.3	19	14.5
White	1,194	553	627	9	197	105	-	92	41	34.3	17	14.2
Nonwhite	112	4	62	45	50	39	-	11	9	80.4	2	17.9
Polk	341	245	92	1	125	90	-	35	12	35.2	4	11.7
Pope	542	350	171	15	165	121	-	42	11	20.3	6	11.1
Prairie	254	78	147	26	83	61	-	22	10	39.4	6	23.6
White	214	76	135	2	69	48	-	21	9	42.1	5	23.4
Nonwhite	40	2	12	24	14	13	-	1	1	25.0	1	25.0
Pulaski	4,746	4,182	353	190	2,044	847	450	735	160	33.7	104	21.9
White	3,444	3,202	232	6	1,325	505	284	526	96	27.9	55	16.0
Nonwhite	1,302	980	121	184	719	342	166	209	64	49.2	49	37.6
Little Rock	2,505	2,374	84	44	1,387	477	323	576	82	32.7	51	20.4
White	1,859	1,824	35	-	917	307	178	423	48	25.8	28	15.1
Nonwhite	646	550	49	44	470	170	145	153	34	52.6	23	35.6
North Little Rock	1,012	907	62	40	235	148	-	87	38	37.5	22	21.7
White	718	691	26	1	142	82	-	60	21	29.2	13	18.1
Nonwhite	294	216	36	39	93	66	-	27	17	57.8	9	30.6
Balance of county	1,229	901	207	106	422	222	127	72	40	32.5	31	25.2
White	867	687	171	5	266	116	108	43	27	31.1	14	16.1
Nonwhite	362	214	36	101	156	106	21	29	13	35.9	17	47.0
Randolph	360	158	198	2	114	92	-	21	9	25.0	3	8.3
St. Francis	1,047	464	208	363	288	208	-	79	37	35.3	21	20.1
White	466	333	110	19	96	54	-	42	18	38.6	4	8.6
Nonwhite	581	131	98	344	192	154	-	37	19	32.7	17	29.3
Saline	469	230	233	5	246	96	93	57	11	23.5	8	17.1
Scott	218	151	65	2	59	39	-	20	5	22.9	5	22.9
Searcy	235	175	29	25	55	41	-	12	3	12.8	3	12.8
Sebastian	1,639	1,514	105	18	525	283	8	232	22	13.4	27	16.5
Fort Smith	1,218	1,183	17	17	411	191	8	210	18	14.8	17	14.0
White	1,108	1,092	13	3	357	156	8	191	16	14.4	12	10.8
Nonwhite	110	91	4	14	54	35	-	19	2	18.2	5	45.5
Balance of county	421	331	88	1	114	92	-	22	4	9.5	10	23.8
Sevier	295	233	48	10	98	71	-	27	8	27.1	7	23.7
White	268	223	42	-	90	64	-	26	8	30.1	6	22.6
Nonwhite	29	10	6	10	9	7	-	1	-	0	1	34.5
Sharp	185	65	117	-	48	29	-	19	4	21.6	4	21.6
Stone	132	72	54	2	44	38	-	6	1	7.6	6	45.5
Union	1,160	807	118	220	329	229	-	99	21	18.1	22	19.0
White	795	735	53	6	199	126	-	72	15	18.9	11	13.8
Nonwhite	365	72	65	214	130	103	-	27	6	16.4	11	30.1
El Dorado	578	466	26	86	141	81	-	60	8	13.8	7	12.1
White	433	424	8	1	95	53	-	42	7	16.2	5	11.5
Nonwhite	145	42	18	85	46	28	-	18	1	6.9	2	13.8
Balance of county	582	341	92	134	188	148	-	39	13	22.3	15	25.8
White	362	311	45	5	104	73	-	30	8	22.1	6	16.6
Nonwhite	220	30	47	129	84	75	-	9	5	22.7	9	40.9
Van Buren	211	62	148	-	68	58	-	10	4	19.0	3	14.2
Washington	1,129	1,040	65	18	359	227	1	126	28	24.8	15	13.3
White	940	827	296	8	277	181	3	93	26	27.7	12	12.8
Woodruff	530	187	285	69	141	105	-	35	14	26.4	9	17.0
White	302	147	148	6	79	54	-	24	9	29.8	5	16.6
Nonwhite	228	40	117	63	62	51	-	11	5	21.9	4	17.5
Yell	340	216	123	-	87	64	-	23	6	17.6	4	11.8
CALIFORNIA	240,702	235,566	4,059	408	98,905	41,991	5,557	49,788	6,885	28.6	3,859	16.0
White	221,598	217,331	3,335	367	93,769	40,211	5,282	46,742	6,244	28.2	3,426	15.5
Nonwhite	19,104	18,235	724	41	5,136	1,780	275	3,046	641	33.6	433	22.7
Alameda	17,891	17,697	185	5	6,987	3,097	245	3,481	425	23.8	248	13.9
Oakland	9,155	9,050	86	4	4,199	1,807	165	2,134	210	22.9	130	14.2
White	7,461	7,409	38	4	3,784	1,671	165	1,857	161	21.6	91	12.2
Nonwhite	1,694	1,641	48	-	415	136	-	277	49	28.9	39	23.0
Alameda	2,086	2,063	20	-	441	218	-	212	40	19.2	27	12.9
Berkeley	2,565	2,544	21	-	985	476	2	455	52	20.3	31	12.1
Albany	369	366	3	-	103	53	-	49	8	21.7	7	19.0
San Leandro	1,053	1,051	1	-	221	99	1	117	23	21.8	5	4.7
Balance of county	2,663	2,623	34	1	1,058	444	77	514	92	34.5	48	18.0
Alpine	8	8	-	-	6	5	-	1	-	0	1	125.0
White	4	4	-	-	2	2	-	-	-	0	-	0
Nonwhite	4	4	-	-	4	3	-	1	-	0	1	250.0
Amador	207	192	14	-	111	49	37	23	4	19.3	-	0
Butte	1,528	1,506	20	-	727	343	6	381	44	28.8	20	13.1
Calaveras	197	167	30	-	115	57	21	37	4	20.3	3	15.2
Colusa	296	287	9	-	143	58	-	85	7	23.6	9	30.4
Contra Costa	8,115	7,907	196	1	1,571	724	12	819	210	25.9	121	14.9
Richmond	4,004	3,870	127	-	519	219	-	291	104	26.0	53	13.2
Balance of county	4,111	4,037	69	1	1,052	505	12	528	106	25.8	68	16.5

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
CALIFORNIA—Continued												
Del Norte	190	185	4	-	83	36	-	47	9	47.4	2	10.5
El Dorado	315	293	22	-	195	94	26	74	11	34.9	3	9.5
Fresno	7,167	6,975	168	5	2,364	1,009	36	1,290	256	35.7	135	18.8
Fresno	2,256	2,212	42	1	1,327	414	24	879	77	34.1	48	21.3
Balance of county	4,911	4,763	126	4	1,037	595	12	411	179	36.4	87	17.7
Glenn	349	341	8	-	131	64	-	65	13	37.2	6	17.2
Humboldt	1,574	1,560	12	-	732	264	31	436	52	33.0	19	12.1
Eureka	648	647	1	-	397	110	29	258	21	32.4	6	9.3
Balance of county	926	913	11	-	335	154	2	178	31	33.5	13	14.0
Imperial	2,049	1,543	422	21	538	290	-	242	112	54.7	41	20.0
White	1,862	1,403	377	19	469	251	-	212	105	56.4	34	18.3
Nonwhite	187	140	45	2	69	39	-	30	7	37.4	7	37.4
Brawley	521	288	212	13	98	51	-	47	38	72.9	13	25.0
El Centro	376	314	55	2	96	54	-	42	19	50.5	6	16.0
White	326	271	48	2	86	47	-	39	18	55.2	4	12.3
Nonwhite	50	43	7	-	10	7	-	3	1	20.0	2	40.0
Balance of county	1,152	941	155	6	344	185	-	159	55	47.7	22	19.1
White	1,054	865	134	5	290	156	-	128	51	48.4	19	18.0
Nonwhite	98	76	21	1	54	29	-	25	4	40.8	3	30.6
Inyo	252	249	1	1	118	44	8	51	10	39.7	2	7.9
White	225	224	-	-	109	39	8	49	9	40.0	1	4.4
Nonwhite	27	25	1	1	9	5	-	2	1	37.0	1	37.0
Kern	6,189	5,974	190	1	1,654	596	7	1,035	249	40.2	84	13.6
Bakersfield	2,852	2,824	19	-	465	161	-	297	90	31.6	43	15.1
Balance of county	3,337	3,150	171	1	1,189	435	7	738	159	47.6	41	12.3
Kings	1,390	1,322	65	-	429	168	-	259	57	41.0	24	17.3
Lake	251	249	1	1	166	84	2	79	15	59.8	3	12.0
Lassen	442	431	11	-	149	57	13	78	23	52.0	9	20.4
Los Angeles	87,888	86,168	1,126	315	38,751	17,438	1,368	19,212	2,349	26.7	1,414	16.1
Long Beach	5,896	5,883	10	-	2,522	1,114	-	1,380	129	21.9	82	13.9
Los Angeles	45,365	44,363	670	210	20,702	9,075	270	10,878	1,197	26.4	784	17.3
White	39,760	39,017	454	188	19,106	8,513	265	9,860	1,007	25.3	640	16.1
Nonwhite	5,605	5,346	216	22	1,596	562	5	1,018	190	33.9	144	25.7
Alhambra	886	878	7	1	500	282	4	205	20	22.6	11	12.4
Belvedere (twp.)[6]	330	231	20	69	280	138	-	138	32	97.0	12	36.4
Beverly Hills	45	44	1	-	196	164	-	31	1	22.2	-	0
Burbank	1,818	1,803	14	-	476	233	-	235	45	24.8	26	14.3
Glendale	1,584	1,578	6	-	966	467	-	490	34	21.5	19	12.0
Huntington Park	586	581	2	1	298	142	-	150	15	25.6	19	32.4
Inglewood	1,183	1,172	7	-	428	181	-	243	32	27.0	12	10.1
Pasadena	2,656	2,631	22	-	1,482	711	4	719	75	28.2	35	13.2
Santa Monica	1,571	1,548	8	-	813	433	14	353	43	27.4	20	12.7
South Gate	958	954	3	1	306	139	-	165	34	35.5	16	16.7
Bell	377	375	2	-	129	61	-	66	15	39.8	5	13.3
Compton	1,279	1,270	7	-	292	131	7	153	31	24.2	11	8.6
Lynwood	630	628	2	-	154	67	-	84	19	30.2	3	4.8
Maywood	286	284	1	1	117	53	-	63	9	31.5	11	38.5
Monrovia	423	402	21	-	260	123	-	132	14	33.1	6	14.2
Pomona	788	787	1	-	357	174	14	160	24	30.5	13	16.5
Redondo Beach	571	558	11	-	224	102	15	101	16	28.0	8	14.0
San Gabriel	439	434	5	-	192	79	7	94	16	36.4	5	11.4
South Pasadena	268	268	-	-	188	96	18	71	7	26.1	4	14.9
Whittier	505	503	2	-	248	126	2	118	15	29.7	6	11.9
Balance of county	19,442	18,993	307	32	7,631	3,347	1,013	3,183	526	27.1	306	15.7
White	18,734	18,321	281	31	7,436	3,288	951	3,110	516	27.5	289	15.4
Nonwhite	708	672	26	1	195	59	62	73	10	14.1	17	24.0
Madera	953	939	11	-	318	120	-	197	44	46.2	16	16.8
Marin	1,856	1,849	6	-	696	338	75	235	24	12.9	25	13.5
Mariposa	96	93	1	-	58	39	-	19	1	10.4	1	10.4
Mendocino	878	867	9	-	526	196	150	179	27	30.8	16	18.2
Merced	1,896	1,879	14	-	513	175	-	338	72	38.0	32	16.9
Merced	518	517	-	-	242	42	-	200	24	46.3	6	11.6
Balance of county	1,378	1,362	14	-	271	133	-	138	48	34.8	26	18.9
Modoc	249	248	1	-	94	41	-	53	8	32.1	4	16.1
Mono	22	19	3	-	14	8	-	5	1	45.5	-	0
White	15	14	1	-	11	6	-	4	-	0	-	0
Nonwhite	7	5	2	-	3	2	-	1	1	142.9	-	0
Monterey	3,259	3,187	68	-	906	377	7	516	87	26.7	52	16.0
Monterey	445	443	2	-	111	42	1	68	5	11.2	4	9.0
Salinas	1,187	1,179	7	-	149	65	-	84	15	12.6	14	11.8
White	1,112	1,106	5	-	143	64	-	79	15	13.5	12	10.9
Nonwhite	75	73	2	-	6	1	-	5	-	0	2	26.7
Balance of county	1,627	1,565	59	-	646	270	6	364	67	41.2	34	20.9
Napa	770	764	4	1	901	164	575	157	20	26.0	11	14.3
Nevada	380	370	10	-	243	91	-	151	6	15.8	7	18.4
Orange	5,023	4,865	131	4	1,929	984	14	905	155	30.9	74	14.7
Santa Ana	1,336	1,318	18	-	483	238	10	224	34	25.4	20	15.0
Anaheim	464	456	8	-	160	89	-	67	9	19.4	8	17.2
Fullerton	291	287	4	-	132	74	3	55	5	17.2	2	6.9
Balance of county	2,932	2,824	101	4	1,154	583	1	559	107	36.5	44	15.0
Placer	865	825	30	8	500	185	77	236	20	23.1	10	11.6
Plumas	340	334	5	1	117	44	-	71	13	38.2	10	29.4
Riverside	3,973	3,800	151	2	1,560	716	20	809	153	38.5	63	15.9
Riverside	1,394	1,380	14	-	592	220	19	347	54	38.7	19	13.6
Balance of county	2,579	2,420	137	2	968	496	1	462	99	38.4	44	17.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
CALIFORNIA—Continued												
Sacramento	6,375	6,324	42	-	2,569	1,103	15	1,432	180	29.8	102	16.0
Sacramento	3,246	3,230	13	-	1,704	699	3	991	98	30.2	50	15.4
Balance of county	3,129	3,094	29	-	865	404	12	441	82	29.4	52	16.6
White	2,927	2,898	24	-	806	388	10	402	84	28.7	46	15.7
Nonwhite	202	196	5	-	59	16	2	39	8	39.6	6	29.7
San Benito	359	340	10	2	159	80	24	55	18	50.1	3	8.4
San Bernardino	6,543	6,309	221	2	2,780	1,002	460	1,281	205	31.3	105	16.0
San Bernardino	2,162	2,103	58	-	965	261	3	686	63	29.1	34	15.7
Ontario	608	605	2	-	131	87	1	39	18	29.6	4	6.6
Redlands	408	376	31	1	191	99	-	88	11	27.0	9	22.1
Balance of county	3,365	3,225	130	1	1,473	535	456	468	113	33.6	58	17.2
San Diego	13,312	13,130	141	11	4,400	1,839	75	2,419	350	26.3	215	16.2
San Diego	8,488	8,407	59	2	2,761	1,172	7	1,542	225	26.5	141	16.6
National City	830	815	9	-	169	50	10	106	16	19.3	11	13.3
Balance of county	3,994	3,908	73	9	1,470	617	58	771	109	27.3	63	15.8
San Francisco, coextensive with San Francisco (city)	16,315	16,188	82	11	9,354	3,716	575	4,959	392	24.0	276	16.9
White	13,665	13,597	36	7	8,788	3,548	551	4,588	311	22.8	237	17.3
Nonwhite	2,650	2,591	46	4	566	168	24	371	81	30.6	39	14.7
San Joaquin	4,834	4,780	54	3	2,242	786	370	1,082	140	29.0	82	17.0
Stockton	1,755	1,738	10	2	665	327	2	333	43	24.5	31	17.7
Lodi	288	288	-	-	138	67	-	71	9	31.3	5	17.4
Balance of county	2,791	2,754	44	1	1,439	392	368	678	88	31.5	46	16.5
White	2,514	2,483	42	-	1,309	365	341	602	73	29.0	31	12.3
Nonwhite	277	271	2	1	130	27	27	76	15	54.2	15	54.2
San Luis Obispo	1,060	1,038	22	-	522	206	21	280	24	22.6	12	11.3
San Mateo	5,005	4,980	17	-	1,475	638	112	714	113	22.6	64	12.8
Burlingame	341	341	-	-	114	79	4	31	5	14.7	4	11.7
Redwood City	763	759	3	-	148	93	-	53	16	21.0	14	18.3
San Mateo	803	798	4	-	424	114	-	309	28	34.9	9	11.2
Balance of county	3,098	3,082	10	-	789	352	108	321	64	20.7	37	11.9
Santa Barbara	2,301	2,269	27	1	848	334	-	501	59	25.6	44	19.1
Santa Barbara	963	950	11	-	449	176	-	263	18	18.7	14	14.5
Balance of county	1,338	1,319	16	1	399	158	-	238	41	30.6	30	22.4
Santa Clara	6,441	6,381	48	2	2,944	1,093	534	1,245	174	27.0	90	14.0
San Jose	2,864	2,843	20	-	808	406	1	357	51	17.8	52	18.2
Palo Alto	548	546	1	-	297	138	1	157	9	16.4	5	9.1
Balance of county	3,029	2,992	27	2	1,839	549	532	751	114	37.6	33	10.9
Santa Cruz	1,275	1,271	4	-	910	383	40	471	42	32.9	20	15.7
Santa Cruz	424	424	-	-	422	199	20	193	23	54.2	6	14.2
Balance of county	851	847	4	-	488	184	20	278	19	22.3	14	16.5
Shasta	859	819	35	-	337	150	-	184	37	43.1	13	15.1
Sierra	44	42	2	-	24	8	3	13	1	22.7	-	0
Siskiyou	764	744	13	2	293	135	-	156	18	23.6	16	20.9
Solano	3,194	3,149	36	-	700	260	1	384	108	33.8	60	18.8
Vallejo	2,399	2,383	11	-	323	93	-	219	58	24.2	43	17.9
Balance of county	795	766	25	-	377	167	1	165	50	62.9	17	21.4
Sonoma	2,064	2,060	2	-	1,258	447	163	632	59	28.6	33	16.0
Santa Rosa	805	805	-	-	252	102	7	134	10	12.4	11	13.7
Balance of county	1,259	1,255	2	-	1,006	345	156	498	49	38.9	22	17.5
Stanislaus	3,165	3,093	70	-	1,141	444	90	588	100	31.6	51	16.1
Modesto	675	670	5	-	454	109	2	338	18	26.7	17	25.2
Balance of county	2,490	2,423	65	-	687	335	88	250	82	32.9	34	13.7
Sutter	654	651	2	-	189	94	1	94	12	18.3	11	16.8
Tehama	375	375	-	-	248	89	-	156	13	34.7	9	24.0
Trinity	90	89	1	-	72	30	-	41	6	66.7	1	11.1
Tulare	4,051	3,863	158	2	1,083	487	8	583	174	43.0	75	18.5
Tuolumne	277	276	-	1	158	62	-	95	9	32.5	6	21.7
Ventura	2,727	2,567	145	4	1,153	340	335	449	94	34.5	64	23.5
San Buenaventura	512	503	8	-	127	58	-	68	10	19.5	9	17.6
Balance of county	2,215	2,064	137	4	1,006	282	335	381	84	37.9	55	24.8
Yolo	1,051	1,032	14	1	422	190	-	232	31	29.5	25	23.8
Yuba	711	703	5	-	299	100	-	198	35	49.2	17	23.9
COLORADO	33,010	30,420	2,195	226	12,582	5,305	769	6,317	1,267	38.4	554	16.8
White	32,443	29,887	2,162	226	12,296	5,215	757	6,137	1,237	38.1	537	16.6
Nonwhite	567	533	33	-	286	90	12	180	30	52.9	17	30.0
Adams	956	887	69	14	226	105	2	118	34	35.6	18	18.8
Alamosa	285	277	5	-	89	29	-	59	24	84.2	4	14.0
Arapahoe	1,297	1,281	15	-	333	120	6	205	43	33.2	10	7.7
Archuleta	88	43	38	1	28	18	-	6	8	90.9	4	45.5
Baca	247	167	80	-	55	34	-	19	10	40.5	3	12.1
Bent	207	204	-	1	81	18	31	32	1	4.8	6	29.0
Boulder	1,157	1,097	59	-	426	160	-	261	25	21.6	10	8.6
Boulder	636	634	2	-	218	72	-	145	12	18.9	4	6.3
Balance of county	521	463	57	-	208	88	-	116	13	25.0	6	11.5
Chaffee	162	159	2	1	86	32	4	50	7	43.2	3	18.5
Cheyenne	100	98	2	-	26	8	-	16	5	50.0	3	30.0
Clear Creek	54	48	6	-	24	15	-	9	2	37.0	1	18.5
Conejos	224	191	24	1	87	59	-	27	13	58.0	4	17.9
Costilla	187	77	58	46	37	27	-	10	5	26.7	5	26.7
Crowley	171	97	73	-	28	18	-	10	5	29.2	4	23.4
Custer	28	27	1	-	16	6	-	9	1	35.7	3	107.1
Delta	417	278	137	1	203	132	5	59	34	81.5	2	4.8

See footnotes on p. 93.

891562 O—50——2

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
COLORADO—Continued												
Denver, coextensive with Denver (city)	10,337	10,089	216	22	4,201	1,704	66	2,381	293	28.3	161	15.6
Dolores	68	68	-	-	16	8	-	5	3	44.1	2	29.4
Douglas	83	80	3	-	16	10	-	6	-	0	2	24.1
Eagle	107	103	4	-	36	19	-	16	4	37.4	3	28.0
Elbert	103	101	2	-	23	14	-	9	-	0	1	9.7
El Paso	1,488	1,464	18	-	798	297	116	377	53	35.6	24	16.1
Colorado Springs	1,239	1,222	12	-	651	247	51	345	38	30.7	21	16.9
Balance of county	249	242	6	-	147	50	65	32	15	60.2	3	12.0
Fremont	343	330	12	1	256	95	14	131	11	32.1	11	32.1
Garfield	288	256	18	-	122	52	1	64	9	31.3	3	10.4
Gilpin	19	19	-	-	12	6	-	5	-	0	-	0
Grand	109	92	16	-	40	17	-	16	2	18.3	3	27.5
Gunnison	156	150	5	-	39	16	-	23	6	38.5	6	38.5
Hinsdale	8	8	-	-	2	1	-	1	-	0	-	0
Huerfano	283	153	76	39	120	81	-	38	18	63.6	3	10.6
Jackson	39	36	-	-	16	7	-	9	2	51.3	1	25.6
Jefferson	1,218	1,189	27	1	366	184	9	165	29	23.8	21	17.2
Kiowa	84	80	4	-	23	12	-	11	1	11.9	-	0
Kit Carson	217	198	18	-	59	24	-	33	6	27.6	3	13.8
Lake	182	182	-	-	83	36	-	47	10	54.9	9	49.5
La Plata	412	358	49	3	163	58	-	103	31	75.2	7	17.0
Larimer	1,093	1,050	39	-	391	180	19	186	31	28.4	13	11.9
Fort Collins	476	476	-	-	221	69	12	135	12	25.2	5	10.5
Balance of county	617	574	39	-	170	111	7	51	19	30.8	8	13.0
Las Animas	717	547	164	2	276	155	-	122	50	69.7	20	27.9
Trinidad	391	308	82	-	193	94	-	99	28	71.6	13	33.2
Balance of county	326	239	82	2	85	61	-	23	22	67.5	7	21.5
Lincoln	127	121	6	-	42	28	-	14	6	47.2	3	23.6
Logan	465	453	11	-	130	61	-	68	13	28.0	6	12.9
Mesa	926	862	57	1	359	165	22	150	33	35.6	17	18.4
Grand Junction	456	443	8	1	196	66	1	108	17	37.3	3	6.6
Balance of county	470	419	49	-	163	99	21	42	16	34.0	14	29.8
Mineral	18	18	-	-	8	6	-	2	-	0	1	55.6
Moffat	156	134	21	-	56	27	-	29	6	38.5	3	19.2
Montezuma	303	285	14	1	79	33	-	37	14	46.2	6	19.8
Montrose	357	334	17	-	129	78	-	50	8	22.4	4	11.2
Morgan	473	455	15	-	188	80	26	82	21	44.4	7	14.8
Otero	802	689	92	11	248	120	-	128	51	63.6	18	22.4
Ouray	48	45	2	-	24	15	-	8	2	41.7	-	0
Park	40	39	-	1	15	5	-	10	-	0	3	75.0
Phillips	126	125	1	-	37	21	-	16	4	31.7	-	0
Pitkin	33	32	-	-	19	10	-	9	2	60.6	1	30.3
Prowers	451	423	26	-	139	64	-	70	22	48.8	9	20.0
Pueblo	2,297	1,962	248	61	1,205	323	428	453	131	57.0	35	15.2
Pueblo	1,915	1,712	171	20	994	256	415	321	98	51.2	27	14.1
Balance of county	382	250	77	41	211	67	11	132	33	86.4	8	20.9
Rio Blanco	161	147	14	-	33	19	-	12	2	12.4	2	12.4
Rio Grande	361	298	80	-	148	63	1	84	58	152.2	11	28.9
Routt	218	199	18	1	61	37	-	43	7	32.1	4	18.3
Saguache	166	147	6	12	53	29	1	23	23	138.6	4	24.1
San Juan	37	36	-	-	15	7	-	8	1	27.0	3	81.1
San Miguel	61	45	15	1	24	12	-	11	3	49.2	-	0
Sedgwick	133	128	5	-	40	16	-	24	7	52.6	5	37.8
Summit	20	19	1	-	8	5	-	2	-	0	1	50.0
Teller	66	66	-	-	40	17	2	21	2	30.3	3	45.5
Washington	169	167	1	-	43	18	-	23	6	35.5	1	5.9
Weld	1,788	1,478	300	5	517	245	17	252	56	31.3	31	17.3
Greeley	529	501	26	1	247	74	17	155	14	26.5	8	15.1
Balance of county	1,259	977	274	4	270	171	-	97	42	33.4	23	18.3
Yuma	254	249	5	-	97	44	1	50	13	51.2	3	11.8
CONNECTICUT	42,229	41,718	498	3	19,569	9,136	1,343	8,787	1,026	24.3	608	14.4
White	40,723	40,257	457	1	19,026	8,936	1,302	8,486	969	23.8	573	14.1
Nonwhite	1,506	1,481	41	2	543	200	41	301	57	37.8	35	23.2
Fairfield	10,432	10,344	86	1	4,852	2,173	362	2,275	267	25.6	182	17.4
Bridgeport	3,453	3,422	30	1	1,734	817	90	822	110	31.9	78	22.6
Norwalk	1,072	1,053	19	-	503	216	3	281	28	26.1	14	13.1
Stamford	1,486	1,479	7	-	679	267	3	391	39	26.2	21	14.1
Danbury	597	596	1	-	322	137	2	180	12	20.1	11	18.4
Shelton	237	234	3	-	94	54	2	37	3	12.7	2	8.4
Stratford (town)	669	660	9	-	200	117	-	81	19	28.4	14	20.9
Balance of county	2,918	2,900	17	-	1,320	565	262	483	56	19.2	42	14.4
Hartford	11,551	11,501	44	-	4,815	2,255	169	2,289	230	19.9	153	13.2
Hartford	4,065	4,056	7	-	1,806	707	16	1,059	86	21.2	57	14.0
Bristol	824	819	4	-	298	137	-	148	19	23.1	12	14.6
New Britain	1,471	1,461	9	-	643	329	10	291	34	23.1	25	17.0
West Hartford (town)	771	770	1	-	384	211	15	142	7	9.1	9	11.7
East Hartford (town)	804	804	-	-	217	120	-	91	16	19.9	7	8.7
Balance of county	3,616	3,591	23	-	1,467	751	128	558	68	18.8	43	11.9
Litchfield	2,094	2,046	48	-	971	495	3	459	63	30.1	33	15.8
Torrington	557	552	5	-	234	98	-	135	14	25.1	9	16.2
Balance of county	1,537	1,494	43	-	737	397	3	324	49	31.9	24	15.6

See footnotes on p. 93.

TABLE 1.-LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
CONNECTICUT—Continued												
Middlesex	1,291	1,281	10	-	900	312	310	264	36	27.9	12	9.3
Middletown	569	568	1	-	506	102	296	105	13	22.8	8	14.1
Balance of county	722	713	9	-	394	210	14	159	23	31.9	4	5.5
New Haven	11,526	11,304	219	2	5,353	2,648	157	2,481	293	25.4	157	13.6
New Haven	3,539	3,507	30	1	1,682	851	85	942	90	25.4	48	13.6
Meriden	913	906	7	-	416	181	4	229	20	21.9	16	17.5
Waterbury	2,273	2,170	103	-	1,032	429	33	558	70	30.8	39	17.2
West Haven (town)	664	655	9	-	311	203	1	103	17	25.6	4	6.0
Ansonia	405	403	2	-	165	111	1	53	7	17.3	7	17.3
Derby	222	221	1	-	140	49	-	90	5	22.5	5	22.5
Naugatuck	442	426	16	-	154	85	-	68	14	31.7	6	13.6
Wallingford	283	283	-	-	175	90	19	65	4	14.1	7	24.7
Balance of county	2,785	2,733	51	1	1,078	669	14	373	66	23.7	25	9.0
New London	3,200	3,167	32	-	1,662	687	318	624	89	27.8	41	12.8
New London	712	707	5	-	342	149	13	170	17	23.9	15	21.1
Norwich	699	695	4	-	310	168	4	135	15	21.5	9	12.9
Balance of county	1,789	1,765	23	-	1,010	370	301	319	57	31.9	17	9.5
Tolland	794	792	1	-	359	184	5	163	20	25.2	9	11.3
Windham	1,341	1,283	58	-	657	382	19	232	28	20.9	21	15.7
Willimantic	328	326	2	-	155	91	7	57	4	12.2	5	15.2
Balance of county	1,013	957	56	-	502	291	19	175	24	23.7	16	15.8
DELAWARE	7,254	6,541	309	298	3,407	1,758	311	1,297	214	29.5	158	21.8
White	6,087	5,833	207	27	2,788	1,450	241	1,056	155	25.5	115	18.9
Nonwhite	1,167	708	102	271	619	308	70	241	59	50.6	43	36.8
Kent	857	641	86	90	580	310	155	111	29	33.8	20	23.3
White	659	591	50	11	434	239	102	90	18	27.3	14	21.2
Nonwhite	198	50	36	79	146	72	53	21	11	55.6	6	30.3
New Castle	4,914	4,811	40	49	2,134	1,006	147	950	123	25.0	101	20.6
White	4,262	4,226	23	7	1,814	863	132	788	96	22.5	80	18.8
Nonwhite	652	585	17	42	320	143	15	162	27	41.4	21	32.2
Wilmington	2,782	2,751	10	20	1,373	602	43	709	78	28.0	60	21.6
White	2,335	2,326	6	3	1,153	512	42	580	57	24.4	47	20.1
Nonwhite	447	425	4	17	220	90	1	129	21	47.0	13	29.1
Balance of county	2,132	2,060	30	29	761	404	104	241	45	21.1	41	19.2
Sussex	1,483	1,089	183	159	693	442	9	236	62	41.8	37	24.9
White	1,166	1,016	134	9	540	349	7	178	41	35.2	21	18.0
Nonwhite	317	73	49	150	153	93	2	58	21	66.2	16	50.5
DISTRICT OF COLUMBIA	20,815	20,574	235	5	8,197	3,204	712	4,260	551	25.5	438	21.0
White	12,749	12,707	41	-	5,231	2,222	499	2,492	289	22.7	192	15.1
Nonwhite	8,066	7,867	194	5	2,966	982	213	1,768	242	30.0	246	30.5
FLORIDA	59,600	45,740	5,121	8,552	24,767	13,132	859	10,033	2,103	35.3	1,480	24.8
White	43,261	39,313	2,988	919	17,889	8,835	646	7,765	1,556	31.3	761	17.6
Nonwhite	16,339	6,427	2,133	7,633	6,878	4,297	213	2,268	747	45.7	719	44.0
Alachua	1,486	955	209	320	447	285	10	144	36	24.2	32	21.5
White	986	899	76	19	235	122	10	98	18	18.3	13	13.2
Nonwhite	500	66	133	301	212	163	-	46	18	36.0	19	38.0
Gainesville	682	550	29	103	201	102	2	94	19	27.9	11	16.1
White	511	508	3	2	122	56	2	62	8	15.7	7	13.7
Nonwhite	171	44	26	101	79	46	-	32	11	64.3	4	23.4
Balance of county	804	405	180	217	246	183	8	50	17	21.1	21	26.1
White	475	383	73	17	113	66	8	36	10	21.1	6	12.6
Nonwhite	329	22	107	200	133	117	-	14	7	21.3	15	45.6
Baker	183	63	61	59	62	34	-	27	4	21.9	3	16.4
White	131	61	47	23	47	22	-	24	4	30.5	1	7.6
Nonwhite	52	2	14	36	15	12	-	3	-	0	2	38.5
Bay	892	680	80	125	284	187	1	93	45	50.4	32	35.9
White	733	650	18	61	224	134	1	86	34	46.4	23	31.4
Nonwhite	159	30	62	64	60	53	-	7	11	69.2	9	56.6
Panama City	622	470	69	81	196	129	-	66	33	53.1	20	32.2
White	483	445	12	25	142	80	-	61	23	47.6	13	26.9
Nonwhite	139	25	57	58	54	49	-	5	10	71.9	7	50.4
Balance of county	270	210	11	44	88	58	1	27	12	44.4	12	44.4
White	250	206	6	36	82	54	1	25	11	44.0	10	40.0
Nonwhite	20	5	5	8	6	4	-	2	1	50.0	2	100.0
Bradford	314	172	17	125	105	66	1	22	12	38.2	14	44.6
White	228	167	15	46	77	42	-	19	9	39.5	9	39.5
Nonwhite	86	5	2	79	28	24	1	3	3	34.9	5	58.1
Brevard	453	247	28	178	187	118	8	58	12	26.5	12	26.5
White	260	226	16	18	135	82	2	49	8	30.8	4	15.4
Nonwhite	193	21	12	160	52	36	6	9	4	20.7	8	41.5
Broward	1,658	1,135	197	324	633	311	4	309	78	47.0	35	21.1
White	1,027	992	33	2	432	193	4	227	40	38.9	10	9.7
Nonwhite	631	143	164	322	201	118	-	82	38	60.2	25	39.6
Fort Lauderdale	694	534	90	70	317	149	3	163	31	44.7	12	17.3
White	477	468	9	-	233	105	3	123	17	35.6	2	4.2
Nonwhite	217	66	81	70	84	44	-	40	14	64.5	10	46.1
Balance of county	964	601	107	254	316	162	1	146	47	48.8	23	23.9
White	550	524	24	2	199	88	1	104	23	41.8	8	14.5
Nonwhite	414	77	83	252	117	74	-	42	24	58.0	15	36.2
Calhoun	247	76	137	34	59	50	-	9	5	20.2	15	60.7
White	221	75	124	22	44	35	-	9	3	13.6	12	54.3
Nonwhite	26	1	13	12	15	15	-	-	2	76.9	3	115.4

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
FLORIDA—Continued												
Charlotte	69	59	2	8	63	42	-	21	2	28.0	1	14.5
White	58	56	2	-	50	32	-	18	1	17.2	-	0
Nonwhite	11	3	-	8	13	10	-	3	1	90.9	1	90.9
Citrus	147	65	35	47	55	44	-	11	8	54.4	3	20.4
White	107	65	35	7	40	30	-	10	4	37.4	1	9.3
Nonwhite	40	-	-	40	15	14	-	1	4	100.0	2	50.0
Clay	254	156	42	55	107	55	29	22	9	35.4	6	23.6
White	197	145	40	12	85	35	29	20	5	25.4	4	20.3
Nonwhite	57	11	2	43	22	20	-	2	4	70.2	2	35.1
Collier	113	85	4	21	41	26	-	15	9	79.6	3	26.5
White	98	82	1	5	25	13	-	12	7	79.5	1	11.4
Nonwhite	25	3	3	16	16	13	-	3	2	80.0	2	80.0
Columbia	509	304	58	146	164	97	-	67	23	45.2	13	25.5
White	317	267	44	6	100	46	-	54	12	37.9	5	15.8
Nonwhite	192	37	14	140	64	51	-	13	11	57.3	8	41.7
Dade	9,101	8,180	366	549	3,825	1,718	9	1,904	319	35.1	226	24.8
White	7,287	7,201	81	2	3,219	1,451	8	1,578	238	32.7	147	20.2
Nonwhite	1,814	979	285	547	606	267	1	328	81	44.7	79	43.6
Miami	4,969	4,370	257	338	2,341	1,092	7	1,139	171	34.4	127	25.6
White	3,832	3,788	40	2	1,926	692	7	927	120	31.3	76	19.8
Nonwhite	1,137	582	217	336	415	200	-	212	51	44.9	51	44.9
Miami Beach	449	448	-	-	352	136	-	205	12	26.7	8	17.8
Balance of county	3,683	3,362	109	211	1,132	490	2	560	136	36.9	91	24.7
White	3,006	2,965	41	-	942	424	1	444	106	35.3	63	21.0
Nonwhite	677	397	68	211	190	66	1	116	30	44.3	28	41.4
De Soto	183	180	2	1	91	38	11	41	9	49.2	8	43.7
White	128	128	-	-	62	21	11	29	6	46.9	4	31.4
Nonwhite	55	52	2	1	29	17	-	12	3	54.5	4	72.7
Dixie	130	22	86	22	24	17	-	7	2	15.4	2	15.4
White	113	22	84	7	17	10	-	7	2	17.7	2	17.7
Nonwhite	17	-	2	15	7	7	-	-	-	0	-	0
Duval	7,286	6,607	162	418	2,894	1,388	29	1,224	242	33.2	143	19.6
White	5,050	4,877	112	56	1,837	844	22	727	152	30.1	74	14.7
Nonwhite	2,236	1,730	50	362	1,057	544	7	497	90	40.3	69	30.9
Jacksonville	5,860	5,404	79	284	2,223	1,131	29	1,030	187	31.9	115	19.6
White	3,834	3,780	39	12	1,263	649	22	566	104	27.1	56	14.6
Nonwhite	2,026	1,624	40	272	960	482	7	464	83	41.0	59	29.1
Balance of county	1,426	1,203	83	134	471	257	-	194	55	38.6	28	19.6
White	1,216	1,097	75	44	374	195	-	161	48	39.5	18	14.8
Nonwhite	210	106	10	90	97	62	-	33	7	33.3	10	47.6
Escambia	2,849	2,355	268	221	883	492	2	314	109	38.3	67	23.5
White	2,153	1,992	143	17	573	289	-	228	69	32.0	40	18.6
Nonwhite	696	363	125	204	310	203	2	86	40	57.5	27	38.8
Pensacola	1,552	1,305	140	105	520	287	1	183	56	36.1	32	20.6
White	1,033	996	36	1	286	139	-	112	24	23.2	17	16.5
Nonwhite	519	309	104	104	234	148	1	71	32	61.7	15	28.9
Balance of county	1,297	1,050	128	116	363	205	1	131	53	40.9	35	27.0
White	1,120	996	107	16	287	150	-	116	45	40.2	23	20.5
Nonwhite	177	54	21	100	76	55	1	15	8	45.2	12	67.8
Flagler	98	50	2	46	33	21	-	12	5	51.0	5	51.0
White	48	47	-	1	12	5	-	7	1	20.8	3	62.5
Nonwhite	50	3	2	45	21	16	-	5	4	80.0	2	40.0
Franklin	163	100	28	35	57	43	-	10	2	12.3	2	12.3
White	125	90	26	9	34	24	-	7	-	0	1	8.0
Nonwhite	38	10	2	26	23	19	-	3	2	52.6	1	26.3
Gadsden	861	290	47	542	691	243	386	60	45	51.1	53	60.2
White	287	267	6	13	343	61	247	33	9	31.4	6	20.9
Nonwhite	594	23	41	529	348	182	139	27	36	60.6	47	79.1
Gilchrist	82	55	19	6	34	24	-	9	6	73.2	2	24.4
White	74	54	17	1	29	20	-	9	6	81.1	-	0
Nonwhite	8	1	2	5	5	4	-	-	-	0	2	250.0
Glades	49	17	23	7	21	11	-	9	3	61.2	2	40.8
White	32	15	17	-	11	6	-	5	1	31.3	-	0
Nonwhite	17	2	6	7	10	5	-	4	2	117.6	2	117.6
Gulf	229	178	10	40	67	43	-	24	9	39.3	5	21.8
White	162	143	6	12	44	26	-	18	6	37.0	4	24.7
Nonwhite	67	35	4	28	23	17	-	6	3	44.8	1	14.9
Hamilton	270	65	146	59	95	68	-	26	15	55.6	5	18.5
White	142	62	73	7	53	30	-	22	7	49.3	4	28.2
Nonwhite	128	3	73	52	42	38	-	4	8	62.5	1	7.8
Hardee	223	182	35	5	104	67	3	22	7	31.4	5	22.4
Hendry	186	142	9	30	51	35	-	13	9	48.4	5	26.9
White	131	125	5	1	26	16	-	9	4	30.5	2	15.3
Nonwhite	55	17	4	29	25	19	-	4	5	90.9	3	54.5
Hernando	163	120	35	8	51	31	-	19	6	36.8	1	6.1
White	117	103	14	-	39	21	-	17	4	34.2	1	8.5
Nonwhite	46	17	21	8	12	10	-	2	2	43.5	-	0
Highlands	298	265	6	27	138	74	-	48	8	26.8	10	33.6
White	213	209	4	-	105	52	-	37	7	32.9	4	18.8
Nonwhite	85	56	2	27	33	22	-	11	1	11.8	6	70.6
Hillsborough	5,794	5,361	68	362	2,228	1,050	9	1,118	200	34.5	141	24.3
White	4,809	4,719	38	51	1,760	823	9	894	157	32.6	82	17.1
Nonwhite	985	642	30	311	468	227	-	224	43	43.7	59	59.9
Tampa	4,225	3,936	22	264	1,570	690	9	832	131	31.0	102	24.1
White	3,438	3,383	9	35	1,203	509	9	680	99	28.8	58	16.9
Nonwhite	787	543	13	229	367	181	-	172	32	40.7	44	55.9
Balance of county	1,569	1,425	46	98	658	360	-	286	69	44.0	39	24.9
White	1,371	1,326	29	16	557	314	-	234	58	42.3	24	17.5
Nonwhite	198	99	17	82	101	46	-	52	11	55.6	15	75.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
FLORIDA—Continued												
Holmes	375	211	123	39	92	75	-	15	4	10.7	6	16.0
Indian River	258	167	37	52	101	62	-	37	7	27.5	4	15.6
White	159	138	18	3	73	40	-	31	5	31.4	3	18.9
Nonwhite	97	29	19	49	28	22	-	6	2	20.6	1	10.3
Jackson	948	422	168	353	318	200	-	115	30	31.7	24	25.4
White	584	370	151	63	188	112	-	75	16	27.4	9	15.4
Nonwhite	362	52	17	290	129	88	-	40	14	38.7	15	41.4
Jefferson	305	44	86	173	150	136	-	13	15	49.2	9	29.5
White	104	41	53	9	45	41	-	3	6	57.7	-	0
Nonwhite	201	3	33	164	105	95	-	10	9	44.8	9	44.8
Lafayette	73	18	43	12	26	22	-	4	2	27.4	1	13.7
Lake	728	547	18	161	361	200	-	151	25	34.3	25	34.3
White	503	474	13	16	264	127	-	129	16	31.8	12	23.9
Nonwhite	225	73	5	145	97	73	-	22	9	40.0	13	57.8
Lee	463	365	11	86	222	121	8	92	17	36.7	24	51.8
White	355	340	9	6	167	84	5	78	13	36.6	10	28.2
Nonwhite	108	25	2	80	55	37	3	14	4	37.0	14	129.6
Fort Myers	307	231	6	69	165	84	7	74	10	32.6	17	55.4
White	213	208	4	1	118	51	4	63	8	37.6	5	23.5
Nonwhite	94	23	2	68	47	33	3	11	2	21.3	12	127.7
Balance of county	156	134	5	17	57	37	1	18	7	44.9	7	44.9
White	142	132	5	5	49	33	1	15	5	35.2	5	35.2
Nonwhite	14	2	-	12	8	4	-	3	2	142.9	2	142.9
Leon	1,117	703	59	354	298	177	1	77	35	31.3	31	27.8
White	635	586	39	10	152	86	-	28	15	23.6	8	12.6
Nonwhite	482	117	20	344	141	91	1	49	20	41.5	23	47.7
Tallahassee	651	483	21	146	145	95	-	38	13	20.0	12	18.4
White	408	396	9	3	76	49	-	15	4	9.8	4	9.8
Nonwhite	243	87	12	143	69	46	-	23	9	37.0	8	32.9
Balance of county	466	220	38	208	148	82	1	39	22	47.2	19	40.8
White	227	190	30	7	76	37	-	13	11	48.5	4	17.6
Nonwhite	239	30	8	201	72	45	1	26	11	46.0	15	62.8
Levy	267	129	70	66	120	89	-	31	12	44.9	5	18.7
White	173	119	48	5	56	34	-	22	4	23.1	4	23.1
Nonwhite	94	10	22	61	64	55	-	9	8	85.1	1	10.6
Liberty	88	54	13	19	35	26	-	9	7	79.5	3	34.1
White	76	54	11	9	22	15	-	7	5	65.8	2	26.3
Nonwhite	12	-	2	10	13	11	-	2	2	166.7	1	83.3
Madison	434	166	38	230	156	121	-	35	18	41.5	19	43.8
White	187	144	33	10	73	55	-	18	4	21.4	3	16.0
Nonwhite	247	22	5	220	83	66	-	17	14	56.7	16	64.8
Manatee	689	493	17	178	321	164	7	143	26	37.7	16	23.2
White	418	413	5	-	246	118	7	114	13	31.1	6	14.4
Nonwhite	271	80	12	178	75	46	-	29	13	48.0	10	36.9
Marion	871	509	73	288	393	261	-	122	18	20.7	19	21.8
White	470	443	20	6	181	96	-	77	8	17.0	7	14.9
Nonwhite	401	66	53	282	212	166	-	45	10	24.9	12	29.9
Martin	157	129	8	20	84	47	-	36	6	38.2	6	38.2
White	97	94	3	-	59	36	-	22	2	20.6	3	30.9
Nonwhite	60	35	5	20	25	11	-	14	4	66.7	3	50.0
Monroe	375	280	6	88	232	120	6	106	28	74.7	12	32.0
White	290	263	2	24	187	91	8	90	23	79.3	8	27.6
Nonwhite	85	17	4	64	45	29	-	16	5	58.8	4	47.1
Key West	359	264	6	88	218	109	6	103	28	78.0	11	30.6
White	275	248	2	24	177	84	6	87	23	83.6	7	25.5
Nonwhite	84	16	4	64	41	25	-	16	5	59.5	4	47.6
Balance of county	16	16	-	-	14	11	-	3	-	0	1	62.5
White	15	15	-	-	10	7	-	3	-	0	1	66.7
Nonwhite	1	1	-	-	4	4	-	-	-	0	-	0
Nassau	356	239	17	100	113	61	1	51	9	25.3	12	33.7
White	233	217	10	6	68	28	1	39	5	21.5	5	21.5
Nonwhite	123	22	7	94	45	33	-	12	4	32.5	7	56.9
Okaloosa	787	677	60	49	159	109	-	40	24	30.5	10	12.7
Okeechobee	91	67	8	16	35	17	-	17	7	76.9	1	11.0
White	73	58	5	10	21	9	-	11	4	54.8	1	13.7
Nonwhite	18	9	3	6	14	8	-	6	3	166.7	-	0
Orange	2,402	1,902	206	293	1,018	503	25	477	75	31.2	57	23.7
White	1,865	1,814	31	17	794	366	18	397	51	27.4	37	19.9
Nonwhite	539	88	174	276	224	137	7	80	24	44.5	20	37.1
Orlando	1,262	1,010	118	132	641	296	23	323	43	34.1	27	21.4
White	954	946	3	4	513	208	17	279	29	30.4	19	19.9
Nonwhite	308	64	115	128	128	78	6	44	14	45.5	8	26.0
Balance of county	1,140	892	87	161	377	217	2	154	32	28.1	30	26.3
White	909	868	28	13	281	158	1	118	22	24.2	18	19.8
Nonwhite	231	24	59	148	96	59	1	36	10	43.3	12	51.9
Osceola	236	181	17	30	176	99	3	72	3	12.7	5	21.2
White	195	174	16	-	149	79	3	65	3	15.4	4	20.5
Nonwhite	41	7	1	30	27	20	-	7	-	0	1	24.4
Palm Beach	2,189	1,856	95	236	1,056	506	53	473	78	35.6	50	22.8
White	1,399	1,377	17	5	735	346	34	334	42	30.0	15	10.7
Nonwhite	790	479	78	231	321	160	19	139	36	45.6	35	44.3
West Palm Beach	947	876	4	67	483	210	41	224	27	28.5	21	22.2
White	645	641	2	-	350	147	22	173	19	29.5	7	10.9
Nonwhite	304	235	2	67	133	63	19	51	8	26.3	14	46.1
Balance of county	1,242	980	91	169	573	296	12	249	51	41.1	29	25.3
White	756	736	15	5	385	199	12	161	23	30.4	8	10.6
Nonwhite	486	244	76	164	188	97	-	88	28	57.6	21	43.2

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
FLORIDA—Continued												
Pasco	410	276	111	23	204	149	2	50	12	29.3	5	12.2
White	349	267	78	4	171	123	2	43	10	28.7	3	8.6
Nonwhite	61	9	33	19	33	26	-	7	2	32.8	2	32.8
Pinellas	2,387	2,080	87	220	1,947	878	163	852	70	29.3	61	25.6
White	1,912	1,864	46	2	1,763	772	158	782	53	27.7	38	19.9
Nonwhite	475	216	41	218	184	106	5	70	17	35.8	23	48.4
St. Petersburg	1,400	1,190	34	176	1,210	594	17	565	41	29.3	38	27.1
White	1,048	1,036	12	-	1,090	525	17	517	27	25.8	21	20.0
Nonwhite	352	154	22	176	120	69	-	48	14	39.8	17	48.3
Clearwater	299	278	2	21	168	83	-	83	6	20.1	8	26.8
White	230	227	2	1	135	62	-	71	6	26.1	3	13.0
Nonwhite	69	49	-	20	33	21	-	12	-	0	5	72.5
Balance of county	688	614	51	23	569	201	146	204	23	33.4	15	21.8
Polk	2,722	1,756	602	358	1,011	574	38	381	103	37.8	55	20.2
White	2,083	1,659	372	48	768	388	38	328	73	35.0	33	15.8
Nonwhite	639	97	230	310	243	186	-	53	30	46.9	22	34.4
Lakeland	613	494	26	93	322	186	2	124	21	34.3	16	26.1
White	471	449	11	11	250	128	2	111	14	29.7	9	19.1
Nonwhite	142	45	15	82	72	58	-	13	7	49.3	7	49.3
Balance of county	2,109	1,262	576	265	689	388	36	257	62	30.9	39	18.5
White	1,612	1,210	361	37	518	260	36	217	59	36.6	24	14.9
Nonwhite	497	52	215	228	171	128	-	40	23	46.3	15	30.2
Putnam	509	278	108	123	247	169	5	69	19	37.3	18	35.4
White	283	250	17	16	155	93	5	54	8	28.3	5	17.7
Nonwhite	226	28	91	107	92	76	-	15	11	48.7	13	57.5
St. Johns	536	460	8	68	279	144	3	119	16	29.9	15	28.0
White	345	343	1	1	168	73	2	84	9	26.1	9	26.1
Nonwhite	191	117	7	67	111	71	1	35	7	36.6	6	31.4
St. Augustine	385	376	2	7	200	92	3	95	11	28.6	10	26.0
White	285	285	-	-	131	50	2	70	6	21.1	5	17.5
Nonwhite	100	91	2	7	69	42	1	25	5	50.0	5	50.0
Balance of county	151	84	6	61	79	52	-	24	5	33.1	5	33.1
White	60	58	1	1	37	23	-	14	3	50.0	4	66.7
Nonwhite	91	26	5	60	42	29	-	10	2	22.0	1	11.0
St. Lucie	513	378	5	130	172	107	-	61	18	35.1	17	33.1
White	300	296	2	2	104	61	-	40	6	20.0	3	10.0
Nonwhite	213	82	3	128	68	46	-	21	12	56.3	14	65.7
Santa Rosa	416	170	210	34	125	100	-	21	12	28.8	6	14.4
White	371	169	180	20	100	80	-	16	9	24.3	3	8.1
Nonwhite	45	1	30	14	25	20	-	5	3	66.7	3	66.7
Sarasota	490	457	26	7	263	139	4	117	9	18.4	8	16.3
White	378	370	7	1	203	102	4	94	5	13.2	7	18.5
Nonwhite	112	87	19	6	60	37	-	23	4	35.7	1	8.9
Sarasota	343	321	15	7	204	103	4	94	4	11.7	4	11.7
White	248	243	4	1	154	72	4	75	1	4.0	3	12.1
Nonwhite	95	78	11	6	50	31	-	19	3	31.6	1	10.5
Balance of county	147	136	11	-	59	36	-	23	5	34.0	4	27.2
White	130	127	3	-	49	30	-	19	4	30.8	4	30.8
Nonwhite	17	9	8	-	10	6	-	4	1	58.8	-	0
Seminole	685	465	14	205	251	125	4	119	28	42.3	16	23.4
White	330	311	8	11	131	54	1	74	8	27.3	3	9.1
Nonwhite	355	154	6	194	120	71	3	45	20	56.3	13	36.6
Sanford	324	227	3	93	136	60	-	73	13	40.1	10	30.9
White	154	152	1	1	64	21	-	41	4	26.0	3	19.5
Nonwhite	170	75	2	92	72	39	-	32	9	52.9	7	41.2
Balance of county	361	238	11	112	115	65	4	46	16	44.3	6	16.6
White	176	159	7	10	67	33	1	33	5	28.4	-	0
Nonwhite	185	79	4	102	48	32	3	13	11	59.5	6	32.4
Sumter	308	156	63	88	98	74	-	23	6	19.5	7	22.7
White	199	144	52	2	65	47	-	17	5	25.1	4	20.1
Nonwhite	109	12	11	86	33	27	-	6	1	9.2	3	27.5
Suwannee	478	186	188	104	204	149	-	33	16	33.5	22	46.0
White	345	172	154	19	132	87	-	30	13	37.7	12	34.8
Nonwhite	133	14	34	85	72	62	-	3	3	22.6	10	75.2
Taylor	245	35	136	73	95	67	-	8	4	16.3	3	12.2
White	165	32	121	11	53	48	-	5	4	24.2	2	12.1
Nonwhite	80	3	15	62	42	39	-	3	-	0	1	12.5
Union	132	74	21	36	73	28	31	11	6	45.5	1	7.6
White	96	70	19	7	39	16	13	8	2	20.8	-	0
Nonwhite	36	4	2	29	34	12	18	3	4	111.1	1	27.8
Volusia	1,430	1,169	73	187	812	434	3	348	71	49.7	42	29.4
White	1,029	979	37	13	596	280	3	288	46	44.7	19	18.5
Nonwhite	401	190	36	174	216	154	-	60	25	62.3	23	57.4
Daytona Beach	654	578	23	53	393	197	3	177	32	48.9	17	26.0
White	438	436	2	-	282	128	3	146	18	41.1	7	16.0
Nonwhite	216	142	21	53	101	69	-	31	14	64.8	10	46.3
Balance of county	776	591	50	134	429	237	-	171	39	50.3	25	32.2
White	591	543	35	13	314	152	-	142	28	47.4	12	20.3
Nonwhite	185	48	15	121	115	85	-	29	11	59.5	13	70.3
Wakulla	143	49	10	83	38	33	-	4	2	14.0	4	28.0
White	90	46	9	35	21	20	-	-	-	0	3	33.3
Nonwhite	53	3	1	48	17	13	-	4	2	37.7	1	18.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
FLORIDA—Continued												
Walton	377	262	41	74	112	84	-	27	16	42.4	7	18.6
White	328	256	37	35	90	63	-	26	15	45.7	4	12.2
Nonwhite	49	6	4	39	22	21	-	1	1	20.4	3	61.2
Washington	304	164	64	76	81	64	-	16	9	29.6	3	9.9
White	243	163	48	32	57	43	-	14	6	24.7	2	8.2
Nonwhite	61	1	16	44	24	21	-	2	3	49.2	1	16.4
GEORGIA	[7]92,694	61,004	11,261	17,606	29,526	18,976	2,314	8,957	3,189	34.2	2,422	26.1
White	59,240	50,909	6,640	1,194	17,296	9,981	784	6,319	1,680	28.4	1,126	19.0
Nonwhite	33,454	10,095	4,621	16,412	12,230	8,995	530	2,638	1,489	44.5	1,296	38.7
Appling	411	146	180	58	87	73	-	14	8	19.5	17	41.4
White	314	142	151	12	65	55	-	10	6	19.1	10	31.8
Nonwhite	97	4	39	46	22	18	-	4	2	20.6	7	72.2
Atkinson	184	93	56	51	48	32	-	16	9	48.9	7	38.0
White	137	89	44	2	42	29	-	13	6	43.8	2	14.6
Nonwhite	47	4	12	29	6	3	-	3	3	63.8	5	106.4
Bacon	292	185	80	34	82	60	-	22	19	65.1	14	47.9
White	249	185	51	8	67	47	-	20	16	64.3	8	32.1
Nonwhite	43	-	9	26	15	13	-	2	3	69.8	6	139.5
Baker	228	61	7	108	34	23	-	10	8	35.1	12	52.6
White	64	56	3	4	14	5	-	8	-	0	4	62.5
Nonwhite	164	5	4	104	20	18	-	2	8	48.8	8	48.8
Baldwin	460	204	22	177	995	117	840	38	15	32.6	20	43.5
White	216	196	8	11	533	35	465	33	9	41.7	6	27.8
Nonwhite	244	8	14	166	462	82	375	5	6	24.6	14	57.4
Banks	184	89	80	15	29	20	-	9	3	16.3	-	0
Barrow	330	190	102	35	119	88	-	31	14	42.4	12	36.4
White	254	182	69	3	98	71	-	25	11	43.3	6	23.6
Nonwhite	76	8	33	32	23	17	-	6	3	39.5	6	78.9
Bartow	764	651	92	30	226	166	2	58	30	38.3	28	35.7
White	689	594	78	12	167	118	2	47	24	34.8	21	30.5
Nonwhite	95	57	14	18	59	48	-	11	6	63.2	7	73.7
Ben Hill	405	258	6	140	139	84	-	37	25	61.7	14	34.6
White	247	236	4	6	85	41	-	27	20	81.0	5	20.2
Nonwhite	158	22	2	134	54	43	-	10	5	31.6	9	57.0
Berrien	389	246	102	36	88	64	-	21	11	28.3	7	18.0
White	337	234	94	7	74	52	-	20	10	29.7	3	8.9
Nonwhite	52	12	8	29	14	12	-	1	1	19.2	4	76.9
Bibb	3,016	2,786	33	156	1,073	588	16	469	116	38.5	83	27.5
White	1,780	1,760	11	5	557	257	12	280	58	31.5	39	21.9
Nonwhite	1,236	1,026	22	151	516	331	4	180	60	48.5	44	35.6
Macon	2,582	2,430	24	101	942	515	1	418	97	37.6	73	28.3
White	1,525	1,512	7	4	472	211	1	252	46	30.2	33	21.6
Nonwhite	1,057	918	17	97	470	304	-	166	51	48.2	40	37.8
Balance of county	434	356	9	55	131	73	15	42	19	43.8	10	23.0
White	255	248	4	1	85	46	11	28	10	39.2	6	23.5
Nonwhite	179	108	5	54	46	27	4	14	9	50.3	4	22.3
Bleckley	214	59	58	97	75	61	-	14	4	18.7	9	42.1
White	121	57	53	11	42	29	-	13	1	8.3	3	24.8
Nonwhite	93	2	5	86	33	32	-	1	3	32.3	6	64.5
Brantley	182	65	100	16	49	39	-	10	5	27.5	3	16.5
White	154	65	82	6	38	29	-	9	3	19.5	3	19.5
Nonwhite	28	-	18	10	11	10	-	1	2	71.4	-	0
Brooks	621	277	23	308	194	137	-	53	22	35.4	18	29.0
White	237	225	10	3	85	54	-	29	6	25.3	8	33.8
Nonwhite	384	54	13	305	109	83	-	24	16	41.7	10	26.0
Bryan	151	56	48	26	57	39	-	18	7	46.4	22	145.7
White	89	51	33	1	31	18	-	13	2	22.5	10	112.4
Nonwhite	62	5	15	25	26	21	-	5	5	80.6	12	193.5
Bulloch	637	358	89	185	175	108	-	67	14	22.0	30	47.1
White	341	297	36	8	107	55	-	52	6	17.6	13	38.1
Nonwhite	296	61	53	177	68	53	-	15	8	27.0	17	57.4
Burke	790	147	75	545	204	178	-	26	17	21.5	30	38.0
White	152	116	22	13	43	29	-	14	3	19.7	3	19.7
Nonwhite	638	31	53	532	161	149	-	12	14	21.9	27	42.3
Butts	207	60	85	57	98	91	-	7	7	33.8	3	14.5
White	84	56	24	2	51	46	-	5	1	11.9	1	11.9
Nonwhite	123	4	61	55	47	45	-	2	6	48.8	2	16.3
Calhoun	287	87	10	175	75	65	-	8	11	38.3	12	41.8
White	66	54	8	4	20	15	-	5	2	30.3	-	0
Nonwhite	221	33	2	171	55	50	-	3	9	40.7	12	54.3
Camden	186	68	10	91	54	38	-	16	4	21.5	8	43.0
White	77	61	5	10	21	13	-	8	1	13.0	1	13.0
Nonwhite	109	7	5	81	33	25	-	8	3	27.5	7	64.2
Candler	209	83	56	65	60	35	-	24	6	28.7	15	71.8
White	115	72	38	2	31	13	-	18	1	8.7	3	26.1
Nonwhite	94	11	18	63	29	22	-	6	5	53.2	12	127.7
Carroll	849	511	234	79	271	194	2	74	36	42.4	28	33.0
White	675	501	163	4	211	138	2	70	28	41.5	20	29.6
Nonwhite	174	10	71	75	60	56	-	4	8	46.0	8	46.0
Catoosa	340	318	18	4	77	60	-	16	7	20.6	15	44.1
Charlton	143	76	6	56	29	16	-	12	6	42.0	-	0
White	86	71	5	9	16	8	-	9	2	23.3	-	0
Nonwhite	57	5	1	47	11	8	-	3	4	70.2	-	0

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
GEORGIA—Continued												
Chatham	3,849	2,955	622	131	1,537	797	28	696	127	33.0	171	44.4
White	2,218	2,174	36	2	725	286	21	402	50	22.5	58	26.1
Nonwhite	1,631	781	586	129	812	511	7	294	77	47.2	113	69.3
Savannah	3,164	2,448	503	89	1,282	653	27	588	98	31.0	126	39.8
White	1,816	1,782	29	-	603	232	20	337	35	19.3	40	22.0
Nonwhite	1,348	666	474	09	679	421	7	251	63	46.7	86	63.8
Balance of county	685	507	119	42	255	144	1	108	29	42.3	45	65.7
White	402	392	7	2	122	54	1	65	15	37.3	18	44.8
Nonwhite	283	115	112	40	133	90	-	43	14	49.5	27	95.4
Chattahoochee	246	213	10	21	34	17	-	17	7	28.5	11	44.7
White	197	188	9	-	23	9	-	14	5	25.4	4	20.3
Nonwhite	49	25	1	21	11	8	-	3	2	40.8	7	142.9
Chattooga	598	503	67	17	133	82	-	51	15	25.1	27	45.2
Cherokee	565	379	154	9	148	97	-	50	14	24.8	13	23.0
Clarke	888	678	59	145	327	174	-	152	31	34.9	34	38.3
White	634	618	11	5	175	64	-	110	18	28.4	10	15.8
Nonwhite	254	60	48	140	152	110	-	42	13	51.2	24	94.5
Athens	706	568	36	101	266	132	-	133	23	32.6	24	34.0
White	521	517	3	1	148	49	-	98	15	28.8	9	17.3
Nonwhite	185	51	33	100	118	83	-	35	8	43.2	15	81.1
Balance of county	182	110	23	44	61	42	-	19	8	44.0	10	54.9
White	113	101	8	4	27	15	-	12	3	26.5	1	8.8
Nonwhite	69	9	15	40	34	27	-	7	5	72.5	9	130.4
Clay	198	64	5	120	66	56	-	7	6	30.3	-	0
White	50	45	3	2	27	22	-	3	1	20.0	-	0
Nonwhite	148	19	2	118	41	34	-	4	5	33.8	-	0
Clayton	444	319	57	57	79	49	-	29	10	22.5	10	22.5
White	354	315	32	5	62	33	-	28	7	19.8	5	14.1
Nonwhite	90	4	25	52	17	16	-	1	3	33.3	5	55.6
Clinch	172	105	8	48	49	39	-	9	4	23.3	-	0
White	116	100	3	9	25	20	-	4	2	17.2	-	0
Nonwhite	56	5	5	39	24	19	-	5	2	35.7	-	0
Cobb	1,667	1,455	159	49	423	274	2	142	46	27.6	38	22.8
White	1,502	1,392	101	6	341	212	2	124	42	28.0	31	20.6
Nonwhite	165	63	58	43	82	62	-	18	4	24.2	7	42.4
Coffee	703	438	108	156	190	124	-	66	22	31.3	13	18.5
White	529	416	81	31	121	71	-	50	16	30.2	10	18.9
Nonwhite	174	22	27	125	69	53	-	16	6	34.5	3	17.2
Colquitt	1,095	777	61	208	272	197	-	73	28	25.6	43	39.3
White	787	719	46	15	191	125	-	65	16	20.3	27	34.3
Nonwhite	308	58	15	193	81	72	-	8	12	39.0	16	51.9
Moultrie	410	288	6	89	108	75	-	32	10	24.4	15	36.6
White	250	245	3	2	63	34	-	29	5	20.0	9	36.0
Nonwhite	160	43	3	87	45	41	-	3	5	31.3	6	37.5
Balance of county	685	488	55	119	164	122	-	41	18	26.3	28	40.9
White	537	474	43	13	128	91	-	36	11	20.5	18	33.5
Nonwhite	148	15	12	106	36	31	-	5	7	47.3	10	67.6
Columbia	216	68	16	115	78	57	-	21	12	55.6	7	32.4
White	76	60	8	7	28	19	-	9	2	26.3	1	13.2
Nonwhite	140	8	8	108	50	38	-	12	10	71.4	6	42.9
Cook	345	135	143	50	94	83	-	7	12	34.8	7	20.3
White	253	129	109	10	65	56	-	7	7	27.7	5	19.8
Nonwhite	92	6	34	40	29	27	-	-	5	54.3	2	21.7
Coweta	745	401	125	131	241	157	-	84	32	43.0	36	48.3
White	396	337	51	4	144	80	-	64	13	32.8	15	37.9
Nonwhite	349	64	74	127	97	77	-	20	19	54.4	21	60.2
Crawford	163	49	17	106	59	50	-	9	12	65.6	5	27.3
White	52	43	3	5	22	16	-	6	1	19.2	4	76.9
Nonwhite	131	6	14	101	37	34	-	3	11	84.0	1	7.6
Crisp	511	229	30	238	149	114	-	35	16	31.3	8	15.7
White	252	218	20	14	64	47	-	17	4	15.9	5	19.8
Nonwhite	259	11	10	224	85	67	-	18	12	46.3	3	11.6
Dade	231	89	130	5	41	28	-	13	6	26.0	1	4.3
Dawson	112	82	20	7	25	19	-	6	4	35.7	-	0
Decatur	681	406	53	181	232	178	-	53	28	41.1	30	44.1
White	350	328	15	4	87	56	-	30	9	25.7	6	17.1
Nonwhite	331	78	38	177	145	122	-	23	19	57.4	24	72.5
De Kalb	3,217	2,958	94	147	749	439	4	294	72	22.4	51	15.9
White	2,732	2,659	70	1	624	365	2	246	51	18.7	33	12.1
Nonwhite	485	299	24	146	125	74	2	48	21	43.3	18	37.1
Atlanta (part)	862	843	10	4	234	129	-	101	18	(8)	14	(8)
White	795	787	7	-	211	113	-	94	14	(8)	10	(8)
Nonwhite	67	56	3	4	23	16	-	7	4	(8)	4	(8)
Decatur	573	531	12	27	166	96	-	64	19	33.2	13	22.7
White	454	449	5	-	132	79	-	48	13	28.6	5	11.0
Nonwhite	119	82	7	27	34	17	-	16	6	50.4	8	67.2
Balance of county	1,782	1,564	72	116	349	214	4	129	35	19.6	24	13.5
White	1,483	1,423	58	1	281	173	2	104	24	16.2	18	12.1
Nonwhite	299	161	14	115	68	41	2	25	11	36.8	6	20.1
Dodge	501	216	110	128	130	93	-	34	16	31.9	28	55.9
White	330	211	82	17	91	60	-	30	12	36.4	16	48.5
Nonwhite	171	5	28	111	39	33	-	4	4	23.4	12	70.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
GEORGIA—Continued												
Dooly	433	140	100	157	141	105	12	23	12	27.7	16	37.0
White	173	133	29	6	61	34	8	18	2	11.6	2	11.6
Nonwhite	260	7	71	151	80	71	4	5	10	38.5	14	53.8
Dougherty	1,238	845	142	172	400	275	-	123	57	46.0	30	24.2
White	711	700	7	2	142	77	-	63	19	26.7	12	16.9
Nonwhite	527	145	135	170	258	198	-	60	38	72.1	18	34.2
Albany	1,029	752	117	115	344	231	-	111	47	45.7	23	22.4
White	633	625	6	1	127	67	-	58	16	25.3	8	12.6
Nonwhite	396	127	111	114	217	164	-	53	31	78.3	15	37.9
Balance of county	209	93	25	57	56	44	-	12	10	47.8	7	33.5
White	78	75	1	1	15	10	-	5	3	38.5	4	51.3
Nonwhite	131	18	24	56	41	34	-	7	7	53.4	3	22.9
Douglas	305	208	62	33	65	46	-	12	5	16.4	12	39.3
White	262	207	49	6	52	34	-	11	3	11.5	11	42.0
Nonwhite	43	1	13	27	13	12	-	1	2	46.5	1	23.3
Early	588	222	9	321	180	146	-	31	29	49.3	21	35.7
White	212	195	2	15	58	40	-	17	6	28.3	6	28.3
Nonwhite	376	27	7	308	122	106	-	14	23	61.2	15	39.9
Echols	88	36	19	32	27	21	-	6	2	22.7	-	0
White	50	30	14	6	17	11	-	6	1	20.0	-	0
Nonwhite	38	6	5	26	10	10	-	-	1	26.3	-	0
Effingham	236	106	10	109	128	98	-	29	13	55.1	12	50.8
White	106	94	4	4	59	39	-	19	5	47.2	6	56.6
Nonwhite	130	12	6	105	69	59	-	10	8	61.5	6	46.2
Elbert	495	292	41	150	192	144	-	46	17	34.3	26	52.5
White	285	257	15	8	107	65	-	42	8	28.3	12	42.4
Nonwhite	212	35	26	142	85	79	-	4	9	42.5	14	66.0
Emanuel	538	291	54	184	172	132	-	27	18	33.5	9	16.7
White	325	253	38	30	111	78	-	23	10	30.8	4	12.3
Nonwhite	213	38	16	154	61	54	-	4	8	37.6	5	23.5
Evans	195	68	61	53	51	41	-	10	5	25.6	4	20.5
White	115	68	41	4	32	25	-	7	3	26.1	1	8.7
Nonwhite	80	-	20	49	19	16	-	3	2	25.0	3	37.5
Fannin	399	211	159	13	97	77	-	18	16	40.1	14	35.1
Fayette	200	83	35	88	73	58	-	15	8	40.0	13	65.0
White	113	81	27	18	44	30	-	14	2	17.7	7	61.9
Nonwhite	87	2	8	70	29	28	-	1	6	69.0	6	69.0
Floyd	1,584	1,405	65	91	524	274	3	247	60	37.9	32	20.2
White	1,344	1,263	57	17	395	202	2	191	46	34.2	19	14.1
Nonwhite	240	142	8	74	129	72	1	56	14	58.3	13	54.2
Rome	870	813	6	44	277	160	-	117	31	35.6	20	23.0
White	708	701	5	2	207	114	-	93	24	33.9	11	15.5
Nonwhite	162	112	1	42	70	46	-	24	7	43.2	9	55.6
Balance of county	714	592	59	47	247	114	3	130	29	40.6	12	16.8
White	636	562	52	15	188	88	2	98	22	34.6	8	12.6
Nonwhite	78	30	7	32	59	26	1	32	7	89.7	4	51.3
Forsyth	281	218	50	8	76	49	1	26	18	64.1	17	60.5
Franklin	372	186	144	35	120	97	-	23	21	56.5	-	0
White	314	185	120	7	96	75	-	21	15	47.8	-	0
Nonwhite	58	1	24	28	24	22	-	2	6	103.4	-	0
Fulton	12,024	11,571	349	73	4,311	2,234	296	1,736	410	34.1	285	23.7
White	8,075	7,874	181	10	2,507	1,217	189	1,078	212	26.3	152	18.8
Nonwhite	3,949	3,697	168	63	1,804	1,017	107	658	198	50.1	133	33.7
Atlanta (part)[9]	7,567	7,341	181	30	3,307	1,672	208	1,393	268	(a)	213	(a)
White[9]	4,425	4,354	65	-	1,752	802	130	803	132	(a)	102	(a)
Nonwhite[9]	3,142	2,987	116	30	1,555	870	78	590	136	(a)	111	(a)
Atlanta (total)[9]	8,429	8,184	191	34	3,541	1,801	208	1,494	306	36.3	227	26.9
White[9]	5,220	5,141	72	-	1,963	915	130	897	146	28.0	112	21.5
Nonwhite[9]	3,209	3,043	119	34	1,578	886	78	597	160	49.9	115	35.8
District 1511, Center Hill[9]	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------
White[9]	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------
Nonwhite[9]	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------
East Point	571	561	7	3	107	75	-	31	18	31.5	12	21.0
White	462	458	4	-	84	59	-	24	11	23.8	10	21.6
Nonwhite	109	103	3	3	23	16	-	7	7	64.2	2	18.3
Balance of county	3,886	3,669	161	40	897	487	88	312	104	26.8	60	15.4
White	3,188	3,062	112	10	671	356	59	251	69	21.6	40	12.5
Nonwhite	698	607	49	30	226	131	29	61	35	50.1	20	28.7
Gilmer	310	257	13	35	67	48	-	18	10	32.3	6	19.4
Glascock	101	50	24	22	25	20	-	5	3	29.7	5	49.5
White	69	47	18	3	16	12	-	4	-	0	1	14.5
Nonwhite	32	3	6	19	9	8	-	1	3	93.8	4	125.0
Glynn	860	564	65	230	278	164	-	113	35	40.7	18	20.9
White	550	513	12	25	145	66	-	78	15	27.3	6	10.9
Nonwhite	310	51	53	205	133	98	-	35	20	64.5	12	38.7
Brunswick	660	430	51	178	222	122	-	99	26	39.4	13	19.7
White	412	391	6	15	115	46	-	68	10	24.3	3	7.3
Nonwhite	248	39	45	163	107	76	-	31	16	64.5	10	40.3
Balance of county	200	134	14	52	56	42	-	14	9	45.0	5	25.0
White	138	122	6	10	30	20	-	10	5	36.2	3	21.7
Nonwhite	62	12	8	42	26	22	-	4	4	64.5	2	32.3

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
GEORGIA—Continued												
Gordon	472	393	66	4	112	71	-	39	13	27.5	6	12.7
Grady	517	222	207	71	140	106	-	33	21	40.6	15	29.0
White	313	213	93	1	62	58	-	23	9	28.8	9	28.8
Nonwhite	204	9	114	70	58	48	-	10	12	58.8	6	29.4
Greene	339	78	111	122	133	107	-	26	11	32.4	21	61.9
White	136	76	59	1	67	47	-	20	7	51.5	2	14.7
Nonwhite	203	2	52	121	66	60	-	6	4	19.7	19	93.6
Gwinnett	795	510	260	13	189	139	-	50	24	30.2	18	22.6
White	728	488	225	5	172	125	-	47	20	27.5	17	23.4
Nonwhite	67	22	35	8	17	14	-	3	4	59.7	1	14.9
Habersham	492	415	58	6	131	99	-	25	17	34.6	10	20.3
Hall	1,007	677	232	62	282	185	-	96	28	27.8	36	35.7
Gainesville	406	275	97	23	127	85	-	42	9	22.2	19	46.8
White	298	265	29	2	98	58	-	40	7	23.5	10	33.6
Nonwhite	108	10	68	21	31	29	-	2	2	18.5	9	83.3
Balance of county	601	402	135	39	155	100	-	54	19	31.6	17	28.3
Hancock	288	39	24	149	83	76	-	7	7	24.3	9	31.3
White	53	37	10	2	23	20	-	3	1	18.9	1	18.9
Nonwhite	235	2	14	147	60	56	-	4	6	25.5	8	34.0
Haralson	339	222	95	19	99	60	-	30	6	17.7	6	17.7
White	311	218	81	9	95	57	-	29	6	19.3	6	19.3
Nonwhite	28	4	14	10	4	3	-	1	-	0	-	0
Harris	331	101	45	137	107	79	-	27	10	30.2	3	9.1
White	90	78	10	2	50	31	-	19	3	33.3	-	0
Nonwhite	241	23	35	135	57	48	-	8	7	29.0	3	12.4
Hart	333	210	60	57	110	78	-	32	6	18.0	9	27.0
White	250	204	34	8	76	49	-	27	4	16.0	2	8.0
Nonwhite	83	6	26	49	34	29	-	5	2	24.1	7	84.3
Heard	142	58	56	16	57	51	-	4	9	63.4	4	28.2
White	105	57	41	3	42	37	-	3	5	47.6	3	28.6
Nonwhite	37	1	15	13	15	14	-	1	4	108.1	1	27.0
Henry	439	143	72	183	136	116	-	18	13	29.6	8	18.2
White	189	135	45	7	63	49	-	12	4	21.2	-	0
Nonwhite	250	8	27	176	73	67	-	6	9	36.0	8	32.0
Houston	711	466	128	96	147	115	-	27	18	25.3	13	18.3
White	431	399	29	3	69	44	-	23	8	18.6	6	13.9
Nonwhite	280	67	99	93	78	71	-	4	10	35.7	7	25.0
Irwin	346	179	13	137	91	68	-	21	12	34.7	11	31.8
White	182	167	12	3	60	44	-	14	10	54.9	4	22.0
Nonwhite	164	12	1	134	31	24	-	7	2	12.2	7	42.7
Jackson	549	275	240	27	112	79	-	33	9	16.4	14	25.5
White	464	270	182	9	89	63	-	26	8	17.2	11	23.7
Nonwhite	85	6	58	18	23	16	-	7	1	11.8	3	35.3
Jasper	212	33	82	86	92	80	-	12	13	61.3	10	47.2
White	62	30	30	2	36	29	-	7	3	48.4	2	32.3
Nonwhite	150	3	52	84	56	51	-	5	10	66.7	8	53.3
Jeff Davis	246	70	110	54	83	69	-	12	15	61.0	13	52.8
White	174	69	97	6	62	49	-	11	11	63.2	10	57.5
Nonwhite	72	1	13	48	21	20	-	1	4	55.6	3	41.7
Jefferson	587	213	36	290	151	128	-	23	18	30.7	19	32.4
White	225	183	23	14	72	54	-	18	8	35.6	1	4.4
Nonwhite	362	30	13	276	79	74	-	5	10	27.6	18	49.7
Jenkins	316	181	3	131	93	65	-	28	16	50.6	13	41.1
White	138	130	2	6	36	18	-	18	7	50.7	4	29.0
Nonwhite	178	51	1	125	57	47	-	10	9	50.6	9	50.6
Johnson	283	89	92	94	74	54	-	19	5	17.7	10	35.3
White	163	87	62	13	46	31	-	14	2	12.3	7	42.9
Nonwhite	120	2	30	81	28	23	-	5	3	25.0	3	25.0
Jones	183	35	33	102	85	73	-	11	9	49.2	11	60.1
White	60	33	19	5	28	20	-	7	1	16.7	-	0
Nonwhite	123	2	14	97	57	53	-	4	8	65.0	11	89.4
Lamar	288	81	71	113	87	79	-	8	10	34.7	6	20.8
White	140	81	48	6	43	36	-	7	3	21.4	1	7.1
Nonwhite	148	-	22	107	44	43	-	1	7	47.3	5	33.8
Lanier	111	53	24	32	17	10	-	6	1	9.0	6	54.1
White	70	44	19	6	13	6	-	6	1	14.3	4	57.1
Nonwhite	41	9	5	26	4	4	-	-	-	0	2	48.8
Laurens	979	505	118	313	345	222	1	118	42	42.9	28	28.6
White	511	439	54	15	179	95	-	82	17	33.3	12	23.5
Nonwhite	468	66	64	298	166	127	1	36	25	53.4	16	34.2
Lee	222	40	13	161	73	60	-	13	12	54.1	1	4.5
White	36	23	5	5	15	8	-	7	1	27.8	-	0
Nonwhite	186	15	8	156	58	52	-	6	11	59.1	1	5.4
Liberty	259	62	59	119	97	74	-	23	12	46.3	5	19.3
White	78	46	31	1	28	17	-	11	2	25.6	1	12.8
Nonwhite	181	16	28	118	69	57	-	12	10	55.2	4	22.1
Lincoln	178	26	117	24	31	27	-	4	4	22.5	1	5.6
White	57	24	32	1	9	8	-	3	-	0	-	0
Nonwhite	121	2	85	23	22	21	-	1	4	33.1	1	8.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
GEORGIA—Continued												
Long	129	28	80	20	35	29	-	6	1	7.8	1	7.8
White	75	27	46	-	21	17	-	4	1	13.7	1	13.7
Nonwhite	56	1	34	20	14	12	-	2	-	0	-	0
Lowndes	1,056	577	56	381	271	185	-	85	20	18.9	31	29.4
White	587	533	32	13	161	90	-	68	11	18.7	11	18.7
Nonwhite	469	44	24	368	110	93	-	15	9	19.2	20	42.6
Valdosta	624	373	20	215	178	116	-	61	14	22.4	19	30.4
White	365	348	13	2	102	49	-	53	7	19.2	5	13.7
Nonwhite	259	25	7	213	76	67	-	8	7	27.0	14	54.1
Balance of county	432	204	36	166	93	67	-	22	6	13.9	12	27.8
White	222	185	19	11	59	41	-	15	4	18.0	6	27.0
Nonwhite	210	19	17	155	34	26	-	7	2	9.5	6	28.6
Lumpkin	163	112	9	34	42	35	-	5	3	18.4	5	30.7
McDuffie	274	119	26	122	95	77	-	18	15	54.7	7	25.5
White	127	109	15	2	44	31	-	13	4	31.5	4	31.5
Nonwhite	147	10	11	120	51	46	-	5	11	74.8	3	20.4
McIntosh	191	44	5	95	61	47	-	14	6	31.4	11	57.6
White	65	42	4	13	16	10	-	6	1	15.4	3	46.2
Nonwhite	126	2	1	82	45	37	-	8	5	39.7	8	63.5
Macon	466	135	63	248	163	125	-	38	20	42.9	9	19.3
White	131	111	16	3	40	20	-	20	3	22.9	2	15.3
Nonwhite	335	24	47	245	123	105	-	18	17	50.7	7	20.9
Madison	313	176	58	66	95	69	-	24	7	22.4	16	51.1
White	219	162	47	7	73	50	-	22	3	13.7	9	41.1
Nonwhite	94	14	11	59	22	19	-	2	4	42.6	7	74.5
Marion	191	27	30	132	69	61	-	8	11	57.6	13	68.1
White	45	25	18	2	32	27	-	5	3	66.7	2	44.4
Nonwhite	146	2	12	130	37	34	-	3	8	54.8	11	75.3
Meriwether	589	173	179	180	197	164	-	32	21	35.7	13	22.1
White	224	164	57	-	89	72	-	16	8	35.7	1	4.5
Nonwhite	365	9	122	180	108	92	-	16	13	35.6	12	32.9
Miller	296	182	8	99	66	49	-	15	5	16.9	-	0
White	177	164	6	5	37	25	-	10	2	11.3	-	0
Nonwhite	119	18	2	94	29	24	-	5	3	25.2	-	0
Mitchell	723	328	129	256	204	153	-	50	33	45.6	27	37.3
White	308	241	64	3	75	51	-	24	11	35.7	3	9.7
Nonwhite	415	87	65	253	129	102	-	26	22	53.0	24	57.8
Monroe	260	88	13	98	90	72	-	18	6	23.1	1	3.8
White	94	83	9	1	38	28	-	10	2	21.3	1	10.6
Nonwhite	166	5	4	97	52	44	-	8	4	24.1	-	0
Montgomery	203	70	33	72	63	49	-	14	6	29.6	-	0
White	97	67	22	4	33	23	-	10	3	30.9	-	0
Nonwhite	106	3	11	68	30	26	-	4	3	28.3	-	0
Morgan	328	85	55	177	127	101	-	26	8	24.4	-	0
White	127	82	30	13	49	30	-	19	1	7.9	-	0
Nonwhite	201	3	25	164	78	71	-	7	7	34.8	-	0
Murray	289	203	42	38	79	63	-	16	11	38.1	6	20.8
Muscogee	3,377	2,898	136	330	859	487	4	367	123	36.4	86	25.5
White	2,415	2,380	26	3	487	247	2	237	74	30.6	43	17.8
Nonwhite	962	518	110	327	372	240	2	130	49	50.9	43	44.7
Columbus	2,372	2,097	92	175	662	350	-	311	87	36.7	86	36.3
White	1,692	1,670	18	1	383	179	-	203	57	33.7	43	25.4
Nonwhite	680	427	74	174	279	171	-	108	30	44.1	43	63.2
Balance of county	1,005	801	44	155	197	137	4	56	36	35.8	-	0
White	723	710	8	2	104	88	2	34	17	23.5	-	0
Nonwhite	282	91	36	153	93	69	2	22	19	67.4	-	0
Newton	533	294	60	168	161	134	-	27	10	18.8	-	0
White	326	287	32	6	96	74	-	22	7	21.5	-	0
Nonwhite	207	7	28	162	65	60	-	5	3	14.5	-	0
Oconee	173	83	49	31	68	50	-	18	8	46.2	-	0
White	118	80	31	4	42	26	-	16	4	33.9	-	0
Nonwhite	55	3	18	27	26	24	-	2	4	72.7	-	0
Oglethorpe	258	99	18	121	92	71	-	21	7	27.1	8	31.0
White	106	93	9	4	47	29	-	18	2	18.9	3	28.3
Nonwhite	152	6	9	117	45	42	-	3	5	32.9	5	32.9
Paulding	305	214	76	12	74	51	-	22	9	29.5	11	36.1
White	272	213	56	2	68	46	-	21	8	29.4	7	25.7
Nonwhite	33	1	20	10	6	5	-	1	1	30.3	4	121.2
Peach	331	132	38	145	114	94	-	18	17	51.4	5	15.1
White	112	106	6	-	47	40	-	6	6	53.6	2	17.9
Nonwhite	219	26	32	145	67	54	-	12	11	50.2	3	13.7
Pickens	246	219	23	3	75	39	-	36	10	40.7	12	48.8
Pierce	375	221	73	72	92	63	-	29	9	24.0	-	0
White	289	210	66	9	67	39	-	28	6	20.8	-	0
Nonwhite	86	11	7	63	25	24	-	1	3	34.9	-	0
Pike	259	79	89	68	69	59	-	10	6	23.2	-	0
White	116	76	38	1	37	29	-	8	1	8.6	-	0
Nonwhite	143	3	51	67	32	30	-	2	5	35.0	-	0
Polk	835	631	129	65	237	158	-	77	40	47.9	-	0
White	686	585	86	10	198	130	-	67	32	46.6	-	0
Nonwhite	149	46	43	55	38	28	-	10	8	53.7	-	0

See footnotes on p. 95.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
GEORGIA—Continued												
Pulaski	231	93	10	125	72	56	-	16	3	13.0	-	0
White	104	89	4	11	31	18	-	13	-	0	-	0
Nonwhite	127	4	6	114	41	38	-	3	3	23.6	-	0
Putnam	221	63	29	115	79	59	-	16	11	49.8	13	58.8
White	68	60	7	1	41	25	-	12	5	73.5	1	14.7
Nonwhite	153	3	22	114	38	34	-	4	6	39.2	12	78.4
Quitman	103	24	5	59	38	29	-	9	8	77.7	-	0
White	26	22	2	1	15	10	-	5	2	76.9	-	0
Nonwhite	77	2	3	58	23	19	-	4	6	77.9	-	0
Rabun	239	214	4	21	31	18	-	13	6	25.1	2	8.4
Randolph	437	123	27	231	167	146	-	21	19	43.5	3	6.9
White	121	101	13	4	47	38	-	9	1	8.3	1	8.3
Nonwhite	316	22	14	227	120	108	-	12	18	57.0	2	6.3
Richmond	2,653	2,523	47	80	1,043	602	54	381	56	21.1	43	16.2
White	1,606	1,588	15	3	591	323	52	211	36	22.4	27	16.8
Nonwhite	1,047	935	32	77	452	279	2	170	20	19.1	16	15.3
Augusta	2,155	2,091	38	24	892	501	40	346	48	22.3	43	20.0
White	1,259	1,248	11	-	497	287	40	186	31	24.6	27	21.4
Nonwhite	896	843	27	24	395	234	-	160	17	19.0	16	17.9
Balance of county	498	432	9	56	151	101	14	35	8	16.1	-	0
White	347	340	4	3	94	56	12	25	5	14.4	-	0
Nonwhite	151	92	5	53	57	45	2	10	3	19.9	-	0
Rockdale	215	108	53	53	73	56	-	16	15	69.8	-	0
White	134	102	28	3	43	30	-	13	6	44.8	-	0
Nonwhite	81	6	25	50	30	26	-	3	9	111.1	-	0
Schley	140	46	37	51	43	36	-	7	6	42.9	4	28.6
White	50	40	10	-	22	16	-	6	2	40.0	1	20.0
Nonwhite	90	6	27	51	21	20	-	1	4	44.4	3	33.3
Screven	565	177	41	286	119	99	-	20	14	24.8	1	1.8
White	196	161	20	12	45	31	-	14	2	10.2	-	0
Nonwhite	369	16	21	274	74	68	-	6	12	32.5	1	2.7
Seminole	255	164	4	70	67	37	-	30	2	7.8	-	0
White	137	132	4	1	45	21	-	24	1	7.3	-	0
Nonwhite	118	32	-	69	22	16	-	6	1	8.5	-	0
Spalding	798	511	84	198	289	206	-	83	39	48.9	14	17.5
White	536	490	39	5	180	108	-	72	22	41.0	9	16.8
Nonwhite	262	21	45	193	109	98	-	11	17	64.9	5	19.1
Griffin	463	299	42	122	176	119	-	57	26	56.2	14	30.2
White	299	284	13	2	100	52	-	48	16	53.5	9	30.1
Nonwhite	164	15	29	120	76	67	-	9	10	61.0	5	30.5
Balance of county	335	212	42	76	113	87	-	26	13	38.8	-	0
White	237	206	26	3	80	56	-	24	6	25.3	-	0
Nonwhite	98	6	16	73	33	31	-	2	7	71.4	-	0
Stephens	431	350	23	57	76	51	-	25	8	18.6	9	20.9
White	363	331	16	15	49	32	-	17	4	11.0	4	11.0
Nonwhite	68	19	7	42	27	19	-	8	4	58.8	5	73.5
Stewart	263	49	7	200	107	90	-	17	12	45.6	-	0
White	56	48	4	4	28	19	-	9	2	35.7	-	0
Nonwhite	207	1	3	196	79	71	-	8	10	48.3	-	0
Sumter	737	318	45	361	245	150	-	95	26	35.3	19	25.8
White	258	249	7	1	115	58	-	57	6	23.3	3	11.6
Nonwhite	479	69	38	360	130	92	-	38	20	41.8	16	33.4
Talbot	246	57	7	166	85	68	-	17	10	40.7	9	36.6
White	41	41	-	-	33	22	-	11	2	48.8	1	24.4
Nonwhite	205	16	7	166	52	46	-	6	8	39.0	8	39.0
Taliaferro	125	2	15	73	51	46	-	5	8	64.0	8	64.0
White	31	27	2	1	18	13	-	5	-	0	2	64.5
Nonwhite	94	2	13	72	33	33	-	-	8	85.1	6	63.8
Tattnall	379	210	111	57	125	68	30	27	10	26.4	19	50.1
White	259	189	65	5	76	42	9	25	7	27.0	16	61.8
Nonwhite	120	21	46	52	49	26	21	2	3	25.0	3	25.0
Taylor	233	108	15	95	53	43	-	10	5	21.5	8	34.3
White	124	103	9	7	24	19	-	5	2	16.1	2	16.1
Nonwhite	109	5	6	88	29	24	-	5	3	27.5	6	55.0
Telfair	336	115	108	90	106	87	-	19	8	23.8	-	0
White	206	110	77	14	67	50	-	17	6	29.1	-	0
Nonwhite	130	5	31	76	39	37	-	2	2	15.4	-	0
Terrell	474	112	65	294	156	132	-	21	23	48.5	12	25.3
White	129	108	17	4	41	26	-	15	3	23.3	-	0
Nonwhite	345	4	48	290	115	106	-	6	20	58.0	12	34.8
Thomas	860	433	61	340	293	187	10	89	25	29.1	23	26.7
White	455	391	39	20	161	90	6	59	15	33.0	4	8.8
Nonwhite	405	42	22	320	132	97	4	30	10	24.7	19	46.9
Thomasville	389	240	12	135	184	112	7	64	18	46.3	9	23.1
White	220	214	3	3	90	44	6	40	10	45.5	3	13.6
Nonwhite	169	26	9	132	94	68	1	24	8	47.3	6	35.5
Balance of county	471	193	49	205	109	75	3	25	7	14.9	14	29.7
White	235	177	38	17	71	46	-	19	5	21.3	1	4.3
Nonwhite	236	16	13	188	38	29	3	6	2	8.5	13	55.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
GEORGIA—Continued												
Tift	680	399	82	190	192	124	3	64	23	33.8	-	0
White	459	381	60	14	105	56	3	45	12	26.1	-	0
Nonwhite	221	18	22	176	87	68	-	19	11	49.8	-	0
Toombs	463	224	134	92	142	108	5	27	16	34.6	18	38.9
White	325	221	98	6	96	65	5	24	11	33.8	5	15.4
Nonwhite	138	3	39	86	46	43	-	3	5	36.2	13	94.2
Towns	135	95	31	4	26	20	-	5	3	22.2	5	37.0
Treutlen	196	63	56	68	49	35	-	14	6	30.6	7	35.7
White	129	61	52	12	39	28	-	11	5	38.8	2	15.5
Nonwhite	67	2	4	56	10	7	-	3	1	14.9	5	74.6
Troup	1,493	1,026	56	362	446	301	-	143	65	43.8	28	18.9
White	897	855	27	12	225	124	-	99	33	36.8	14	15.6
Nonwhite	586	171	29	350	221	177	-	44	32	54.6	14	23.9
La Grange	746	557	25	148	214	138	-	76	39	52.3	13	17.4
White	482	462	15	4	120	66	-	54	22	45.6	6	12.4
Nonwhite	264	95	10	144	94	72	-	22	17	64.4	7	26.5
Balance of county	747	469	31	214	232	163	-	67	26	35.3	15	20.4
White	415	393	12	8	105	58	-	45	11	26.5	8	19.3
Nonwhite	322	76	19	205	127	105	-	22	15	46.6	7	21.7
Turner	305	128	59	102	75	62	-	12	6	19.7	-	0
White	169	124	39	-	49	38	-	10	3	17.8	-	0
Nonwhite	136	4	20	102	26	24	-	2	3	22.1	-	0
Twiggs	235	51	11	134	78	61	-	15	11	46.8	26	110.6
White	57	44	7	5	23	13	-	8	2	35.1	13	228.1
Nonwhite	178	7	4	129	55	48	-	7	9	50.6	13	73.0
Union	205	71	101	27	39	34	-	5	4	19.5	-	0
Upson	809	177	264	155	212	181	-	28	32	52.5	8	13.1
White	303	173	208	5	133	105	-	25	16	40.7	6	15.3
Nonwhite	216	4	76	130	79	76	-	3	16	74.1	2	9.3
Walker	983	920	49	9	236	163	1	65	27	27.5	11	11.2
Walton	519	393	57	78	181	132	-	49	26	50.1	9	17.3
White	301	271	27	3	116	75	-	41	16	53.2	1	3.3
Nonwhite	218	122	10	75	65	57	-	8	10	45.9	8	36.7
Ware	907	612	162	98	296	182	-	113	28	30.9	8	8.8
White	683	565	101	10	199	105	-	93	24	35.1	5	7.3
Nonwhite	224	47	61	88	97	77	-	20	4	17.9	3	13.4
Waycross	613	443	78	68	222	131	-	90	23	37.5	8	13.1
White	432	398	31	1	137	65	-	71	20	46.3	5	11.6
Nonwhite	181	45	47	67	85	66	-	19	3	16.6	3	16.6
Balance of county	294	169	84	30	74	51	-	23	5	17.0	-	0
White	251	167	70	9	62	40	-	22	4	15.9	-	0
Nonwhite	43	2	14	21	12	11	-	1	1	23.3	-	0
Warren	237	47	30	147	91	81	-	10	24	101.3	7	29.5
White	50	40	9	1	19	13	-	6	-	0	-	0
Nonwhite	187	7	21	146	72	68	-	4	24	128.3	7	37.4
Washington	638	237	50	337	231	176	-	52	32	50.2	27	42.3
White	248	207	29	11	103	65	-	37	11	44.4	1	4.0
Nonwhite	390	30	21	326	128	113	-	15	21	53.8	26	66.7
Wayne	399	317	31	44	117	67	-	49	21	52.6	-	0
White	315	275	25	11	92	48	-	43	15	47.6	-	0
Nonwhite	84	42	6	33	25	19	-	6	6	71.4	-	0
Webster	136	32	14	82	48	36	-	12	6	44.1	10	73.5
White	38	27	10	1	15	8	-	7	1	26.3	4	105.3
Nonwhite	98	5	4	81	33	28	-	5	5	51.0	6	61.2
Wheeler	184	88	39	51	44	29	-	14	3	16.3	5	27.2
White	113	88	20	2	36	21	-	14	3	26.5	1	8.8
Nonwhite	71	-	19	49	8	8	-	-	-	0	4	56.3
White	181	156	8	12	39	28	-	10	2	11.0	-	0
Whitfield	869	808	40	12	211	117	-	94	28	32.2	4	4.6
Dalton	430	395	26	6	120	62	-	58	12	27.9	4	9.3
White	405	394	4	6	104	53	-	51	12	29.6	3	7.4
Nonwhite	25	1	22	-	16	9	-	7	-	0	1	40.0
Balance of county	439	413	14	6	91	55	-	36	16	36.4	-	0
Wilcox	271	75	107	66	99	78	-	19	11	40.6	4	14.8
White	169	71	83	5	58	41	-	15	8	47.3	3	17.8
Nonwhite	102	4	24	81	41	37	-	4	3	29.4	1	9.8
Wilkes	317	113	45	137	130	112	-	17	10	31.5	2	6.3
White	106	96	8	2	51	37	-	13	3	28.3	1	9.4
Nonwhite	211	17	39	135	79	75	-	4	7	33.2	1	4.7
Wilkinson	227	97	14	95	93	72	-	21	8	35.2	10	44.1
White	101	93	3	5	41	26	-	15	3	29.7	5	49.5
Nonwhite	126	4	11	90	52	46	-	6	5	39.7	5	39.7
Worth	534	128	109	254	155	127	-	28	27	50.6	18	33.7
White	198	117	67	11	68	50	-	18	6	30.3	4	20.2
Nonwhite	336	11	42	243	87	77	-	10	21	62.5	14	41.7
IDAHO	16,132	15,618	276	5	4,906	2,376	305	2,090	481	29.8	225	13.9
White	15,925	15,622	268	4	4,815	2,329	298	2,053	469	29.5	221	13.9
Nonwhite	207	196	8	1	91	47	7	37	12	58.0	4	19.3
Ada	1,752	1,735	6	1	585	274	49	260	51	29.1	30	17.1
Boise City	1,164	1,157	1	1	387	180	3	202	31	26.6	18	15.5
Balance of county	588	578	5	-	198	94	46	58	20	34.0	12	20.4

See footnotes, on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
IDAHO—Continued												
Adams	84	80	4	-	31	7	-	12	2	23.8	3	35.7
Bannock	1,317	1,311	6	-	302	130	7	164	52	39.5	14	10.6
Pocatello	983	979	4	-	222	88	-	133	37	37.6	11	11.2
Balance of county	334	332	2	-	80	42	7	31	15	44.9	3	9.0
Bear Lake	194	188	6	-	54	35	-	19	6	30.9	2	10.3
Benewah	134	123	11	-	53	24	-	20	2	14.9	1	7.5
Bingham	690	680	9	-	231	86	73	64	24	34.8	12	17.4
Blaine	131	129	1	-	43	26	-	15	4	30.5	3	22.9
Boise	22	22	-	-	19	10	-	9	-	0	-	0
Bonner	368	352	13	-	160	86	-	74	12	32.6	3	8.2
Bonneville	928	922	6	-	225	103	-	119	34	36.6	13	14.0
Idaho Falls	603	598	5	-	172	76	-	93	21	34.8	9	14.9
Balance of county	325	324	1	-	53	27	-	26	13	40.0	4	12.3
Boundary	135	132	1	-	55	30	1	23	6	44.4	2	14.8
Butte	54	50	3	1	19	13	-	6	1	18.5	-	0
Camas	30	23	7	-	11	7	-	3	-	0	1	33.3
Canyon	1,363	1,343	17	1	441	174	51	204	45	33.0	23	16.9
Nampa	450	444	6	-	186	58	15	111	13	28.9	8	17.8
Balance of county	913	899	11	1	255	116	36	93	32	35.0	15	16.4
Caribou	87	87	-	-	24	11	-	13	6	69.0	2	23.0
Cassia	458	452	6	-	132	73	-	54	7	15.3	7	15.3
Clark	24	22	2	-	9	2	-	7	-	0	-	0
Clearwater	199	189	9	1	110	40	45	22	6	30.2	3	15.1
Custer	74	71	2	-	26	18	-	8	4	54.1	2	27.0
Elmore	148	141	5	-	45	26	-	16	1	6.8	5	33.8
Franklin	309	265	43	-	60	39	-	21	3	9.7	-	0
Fremont	317	313	4	-	85	57	-	28	14	44.2	4	12.6
Gem	226	226	-	-	83	38	-	40	4	17.7	2	8.8
Gooding	300	295	5	-	78	53	-	24	8	26.7	4	13.3
Idaho	325	296	29	-	106	48	-	56	16	49.2	5	15.4
Jefferson	365	362	3	-	81	50	-	23	12	32.9	5	13.7
Jerome	385	381	4	-	68	48	-	18	6	15.6	4	10.4
Kootenai	636	625	9	-	272	125	24	104	9	14.2	11	17.3
Coeur d' Alene	302	299	3	-	174	74	23	68	4	13.2	3	9.9
Balance of county	334	326	6	-	98	51	1	36	5	15.0	8	24.0
Latah	527	515	10	-	146	73	-	69	14	26.6	9	17.1
Lemhi	171	165	6	-	59	37	10	5	3	17.5	-	0
Lewis	108	108	3	-	39	15	1	22	2	18.5	-	0
Lincoln	121	121	-	-	26	19	-	6	4	33.1	1	8.3
Madison	265	260	5	-	58	36	-	22	8	30.2	1	3.8
Minidoka	294	281	3	-	80	54	1	23	10	35.2	1	3.5
Nez Perce	564	558	4	1	225	88	11	113	21	37.2	6	10.6
Lewiston	407	405	2	-	170	61	4	97	17	41.8	3	7.4
Balance of county	157	153	2	1	55	27	7	16	4	25.5	3	19.1
Oneida	136	136	-	-	36	20	-	16	4	29.4	1	7.4
Owyhee	147	137	10	-	24	15	-	9	2	13.6	2	13.6
Payette	325	321	4	-	102	51	3	48	6	18.5	3	9.2
Power	116	114	1	-	35	13	-	21	5	43.1	1	8.6
Shoshone	676	674	2	-	207	76	25	105	20	29.6	13	19.2
Teton	134	134	-	-	23	15	-	8	6	44.8	-	0
Twin Falls	1,155	1,143	10	-	320	168	4	144	36	31.2	17	14.7
Twin Falls	545	539	6	-	189	76	-	109	20	36.7	3	5.5
Balance of county	610	604	4	-	131	92	4	35	16	26.2	14	23.0
Valley	118	116	2	-	33	16	-	16	4	33.9	2	16.9
Washington	230	223	5	-	85	47	-	37	1	4.3	7	30.4
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	(8)	-	(8)
ILLINOIS	184,871	174,882	9,623	103	91,328	42,306	6,438	41,796	5,123	27.7	3,264	17.8
White	167,641	161,054	6,338	81	83,928	39,427	5,977	37,757	4,381	26.1	2,835	16.9
Nonwhite	17,230	13,828	3,285	22	7,400	2,879	461	4,039	742	43.1	449	26.1
Adams	1,388	1,357	30	-	770	352	60	342	38	27.4	25	18.0
Quincy	978	974	4	-	543	226	23	284	24	24.5	14	14.3
Balance of county	410	383	26	-	227	126	37	58	14	34.1	11	26.8
Alexander	461	321	37	1	267	158	-	109	18	39.0	43	93.3
White	342	300	40	-	167	90	-	77	12	35.1	29	84.8
Nonwhite	119	21	47	1	100	68	-	32	6	50.4	14	117.6
Cairo	271	193	30	1	188	96	-	92	10	36.9	11	40.6
White	187	183	2	-	109	48	-	61	6	32.1	1	5.3
Nonwhite	84	10	28	1	79	48	-	31	4	47.6	10	119.0
Balance of county	190	128	57	-	79	62	-	17	8	42.1	32	168.4
White	155	117	38	-	58	42	-	16	6	38.7	28	180.6
Nonwhite	35	11	19	-	21	20	-	1	2	57.1	4	114.3
Bond	293	268	21	1	156	84	-	63	7	23.9	8	27.3
Boone	381	378	3	-	201	77	2	110	11	28.9	8	21.0
Brown	139	97	42	-	83	60	-	21	4	28.8	4	28.8
Bureau	718	709	9	-	406	183	5	212	15	20.9	8	11.1
Calhoun	143	63	80	-	67	50	-	16	3	21.0	1	7.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ILLINOIS—Continued												
Carroll	419	399	20	-	243	163	6	73	11	26.3	10	23.9
Cass	347	316	31	-	191	78	14	98	11	31.7	6	17.3
Champaign	2,493	2,470	23	-	714	272	4	419	46	18.5	38	15.2
Champaign	905	901	4	-	277	104	-	160	17	18.8	16	17.7
Urbana	575	571	4	-	140	44	2	94	12	20.9	6	10.4
Balance of county	1,013	998	15	-	297	124	2	165	17	16.8	16	15.8
Christian	759	734	24	-	389	174	-	194	21	27.7	15	19.8
Clark	296	232	64	-	219	160	2	55	11	37.2	7	23.6
Clay	385	240	145	-	160	106	-	52	8	20.8	5	13.0
Clinton	535	506	29	-	202	121	6	75	7	13.1	10	18.7
Centralia (part)	8	8	-	-	5	3	-	2	-	(a)	-	(a)
Balance of county	527	498	29	-	197	118	6	73	7	13.3	10	19.0
Coles	906	833	72	-	440	242	23	169	26	28.7	15	16.6
Mattoon	411	395	16	-	189	95	20	73	15	36.5	9	21.9
Balance of county	495	438	56	-	251	147	3	96	11	22.2	6	12.1
Cook	95,163	91,000	4,046	64	47,101	21,625	2,105	23,152	2,589	27.2	1,738	18.3
Chicago	78,447	74,476	3,866	61	39,078	18,165	666	20,089	2,165	27.6	1,496	19.1
White	64,867	63,593	1,186	54	33,681	16,141	640	16,754	1,592	24.5	1,178	18.2
Nonwhite	13,580	10,883	2,680	7	5,397	2,024	26	3,335	573	42.2	318	23.4
Berwyn	916	915	1	-	450	279	-	170	20	21.8	14	15.3
Cicero	1,207	1,193	13	-	627	347	-	278	43	35.6	21	17.4
Elgin (part)	16	16	-	-	8	4	-	4	1	(a)	-	(a)
Evanston	1,385	1,380	5	-	692	287	37	362	36	26.0	30	21.7
Maywood	646	642	4	-	237	113	20	104	14	21.7	10	15.5
Oak Park	1,159	1,156	3	-	642	359	-	281	26	22.4	10	8.6
Blue Island	530	530	-	-	183	102	-	81	9	17.0	8	15.1
Brookfield	283	283	-	-	94	55	9	30	5	17.7	5	17.7
Calumet City	333	330	2	1	104	69	-	35	9	27.0	4	12.0
Chicago Heights	648	598	50	-	246	95	-	151	20	30.9	10	15.4
Elmwood Park	331	329	2	-	95	54	-	41	6	18.1	2	6.0
Forest Park	290	288	1	-	169	77	29	63	9	31.0	4	13.8
Harvey	615	612	3	-	185	73	-	111	15	24.4	12	19.5
La Grange	338	337	1	-	118	50	-	64	12	35.5	6	17.8
Melrose Park	499	494	5	-	122	49	-	72	14	28.1	7	14.0
Park Ridge	304	302	1	-	111	69	-	41	9	29.6	3	9.9
Wilmette	270	270	-	-	177	80	12	80	8	29.6	6	22.2
Winnetka	185	184	1	-	89	48	-	39	2	10.8	2	10.8
Balance of county	6,781	6,665	68	2	3,674	1,250	1,332	1,056	166	24.6	88	13.0
Crawford	412	313	92	-	262	148	10	101	18	43.7	9	21.8
Cumberland	203	158	42	-	132	92	-	40	5	24.6	5	24.6
De Kalb	937	927	9	-	407	200	6	197	22	23.5	10	10.7
De Witt	366	344	21	-	194	86	2	104	13	35.5	6	16.4
Douglas	348	315	33	-	175	101	-	73	7	20.1	6	17.2
Du Page	2,888	2,859	29	-	1,057	520	26	497	76	26.3	30	10.4
Elmhurst	422	420	2	-	155	62	-	93	12	28.4	2	4.7
Balance of county	2,466	2,439	27	-	902	458	26	404	64	26.0	28	11.4
Edgar	480	451	27	-	259	170	2	85	11	22.9	12	25.0
Edwards	199	139	57	-	111	81	-	27	7	35.2	1	5.0
Effingham	545	496	49	-	203	102	-	100	13	23.9	7	12.8
Fayette	535	441	92	-	237	156	24	51	12	22.4	9	16.8
Ford	367	359	8	-	156	94	3	54	11	30.0	2	5.4
Franklin	967	707	255	-	512	359	4	139	30	31.0	15	15.5
West Frankfort	253	220	31	-	151	89	1	38	7	27.7	1	4.0
Balance of county	714	487	224	-	381	270	3	101	23	32.2	14	19.6
Fulton	863	823	40	-	478	235	1	235	31	35.9	14	16.2
Canton	225	223	2	-	171	54	-	113	9	40.0	7	31.1
Balance of county	638	600	38	-	305	181	1	122	22	34.5	7	11.0
Gallatin	217	173	42	1	114	70	-	44	8	36.9	2	9.2
Greene	370	317	53	-	194	124	-	67	9	24.3	11	29.7
Grundy	446	432	14	-	191	88	16	86	15	33.6	7	15.7
Hamilton	262	219	43	-	125	85	-	36	4	15.3	5	19.1
Hancock	506	477	27	-	320	181	1	134	14	27.7	3	5.9
Hardin	172	98	73	-	81	57	-	24	6	34.9	1	5.8
Henderson	177	158	18	-	75	38	-	37	2	11.3	4	22.6
Henry	962	950	12	-	503	231	21	250	22	22.9	18	18.7
Kewanee	361	352	9	-	217	83	-	133	14	38.8	8	22.2
Balance of county	601	598	3	-	286	148	21	117	8	13.3	10	16.6
Iroquois	715	686	27	-	298	184	1	104	17	23.8	13	18.2
Jackson	856	788	66	-	407	260	2	129	25	29.2	11	12.9
Jasper	265	222	43	-	132	81	-	49	5	18.9	3	11.3
Jefferson	795	640	150	1	340	189	3	141	22	27.7	18	22.6
Mount Vernon	435	393	41	-	186	94	3	87	12	27.6	9	20.7
Balance of county	360	247	109	1	154	95	-	54	10	27.8	9	25.0
Jersey	342	265	77	-	141	88	1	47	8	23.4	10	29.2
Jo Daviess	479	427	52	-	275	165	-	105	16	33.4	8	16.7
Johnson	185	72	112	-	101	88	-	13	10	54.1	2	10.8
Kane	3,103	3,095	7	1	1,954	625	530	787	84	27.1	50	16.1
Aurora	1,275	1,270	4	1	552	250	3	294	36	28.2	20	15.7
Elgin (part)	763	763	-	-	925	168	502	251	18	(a)	11	(a)
Elgin (total)	779	779	-	-	933	172	502	255	19	24.4	11	14.1
Balance of county	1,065	1,062	3	-	477	207	25	242	30	28.2	19	17.8

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ILLINOIS—Continued												
Kankakee	1,422	1,341	78	-	1,461	267	976	199	45	31.6	27	19.0
Kankakee	620	594	26	-	249	123	5	110	23	37.1	10	16.1
Balance of county	802	747	52	-	1,212	144	971	89	22	27.4	17	21.2
Kendall	269	264	5	-	136	78	-	52	7	26.0	3	11.2
Knox	1,194	1,179	14	-	591	268	30	285	34	28.5	15	12.6
Galesburg	751	746	4	-	387	163	1	219	23	30.6	12	16.0
Balance of county	443	433	10	-	204	105	29	66	11	24.8	3	6.8
Lake	3,847	3,785	25	1	1,378	513	129	721	98	25.5	71	18.5
Waukegan	916	910	1	-	281	113	-	168	27	29.5	15	16.4
Highland Park	347	344	3	-	126	63	6	56	6	17.3	7	20.2
Balance of county	2,584	2,531	21	1	971	337	123	499	65	25.2	49	19.0
La Salle	2,110	2,094	15	-	1,068	486	32	563	50	23.7	47	22.3
La Salle	244	244	-	-	134	39	-	95	4	16.4	4	16.4
Ottawa	388	387	1	-	184	87	13	83	10	25.8	12	30.9
Streator	359	357	2	-	199	69	-	127	11	32.4	10	28.5
Balance of county	1,139	1,126	12	-	571	291	19	258	25	21.9	21	18.4
Lawrence	380	266	109	2	206	143	11	47	11	28.9	7	18.4
Lee	730	706	24	-	512	197	188	126	57	78.1	10	13.7
Dixon	286	267	1	-	129	73	-	56	6	20.8	3	10.4
Balance of county	442	419	23	-	383	124	188	70	51	115.4	7	15.8
Livingston	802	787	14	-	406	221	23	155	13	16.2	17	21.2
Logan	473	456	17	-	411	116	129	163	14	29.0	9	19.0
Lincoln	215	213	2	-	227	44	91	92	9	41.9	6	27.9
Balance of county	258	243	15	-	184	72	38	71	5	19.4	3	11.6
McDonough	596	551	43	-	323	156	1	159	11	18.5	11	18.5
McHenry	1,101	1,089	11	-	465	255	13	193	43	39.1	14	12.7
McLean	1,688	1,665	23	-	815	330	2	481	33	19.5	32	19.0
Bloomington	843	841	2	-	462	168	-	294	21	24.9	16	19.0
Balance of county	845	824	21	-	353	162	2	187	12	14.2	16	18.9
Macon	2,299	2,281	17	-	954	364	20	558	69	30.0	39	17.0
Decatur	1,609	1,600	9	-	726	248	-	468	50	31.1	30	18.6
Balance of county	690	681	8	-	228	116	20	90	19	27.5	9	13.0
Macoupin	853	797	55	-	552	307	30	212	28	32.8	18	21.1
Madison	4,059	3,815	239	1	1,737	666	258	800	107	26.4	76	18.7
Alton	822	756	65	-	384	141	5	234	26	31.6	18	21.9
Granite City	693	690	3	-	213	81	-	131	16	23.1	10	14.4
Balance of county	2,544	2,369	171	1	1,140	444	253	435	65	25.6	48	18.9
Marion	960	911	48	-	435	261	5	162	28	29.2	15	15.6
Centralia (part)	318	301	17	-	164	86	-	76	10	(8)	6	(8)
Centralia (total)	326	309	17	-	169	89	-	78	10	30.7	6	18.4
Balance of county	642	610	31	-	271	175	5	86	18	28.0	9	14.0
Marshall	258	246	12	-	111	63	-	47	7	27.1	1	3.9
Mason	308	269	38	-	172	100	-	71	6	19.5	8	26.0
Massac	243	116	123	2	179	134	2	43	10	41.2	8	32.9
White	221	115	103	1	149	108	2	39	8	36.2	7	31.7
Nonwhite	22	1	20	1	30	26	-	4	2	90.9	1	45.5
Menard	214	177	37	-	89	47	-	40	-	0	3	14.0
Mercer	350	321	29	-	172	107	5	60	7	20.0	9	25.7
Monroe	239	230	9	-	131	65	3	42	4	16.7	5	20.9
Montgomery	642	615	27	-	366	185	2	174	20	31.2	10	15.6
Morgan	609	565	43	-	683	179	297	205	22	36.2	12	19.7
Jacksonville	297	295	2	-	527	90	297	138	12	40.4	8	26.9
Balance of county	311	270	41	-	156	89	-	67	10	32.2	4	12.9
Moultrie	285	254	30	-	159	98	32	29	4	14.0	3	10.5
Ogle	716	682	33	-	324	178	5	140	19	26.5	11	15.4
Peoria	3,828	3,753	71	-	1,889	710	364	787	103	26.9	59	15.4
Peoria	2,556	2,532	21	-	1,141	468	19	633	68	26.6	41	16.0
Balance of county	1,272	1,221	50	-	748	242	345	154	35	27.5	18	14.2
Perry	454	390	58	3	204	143	-	60	16	35.2	8	17.6
Piatt	304	299	5	-	152	80	4	68	10	32.9	6	19.7
Pike	477	450	26	-	284	174	4	105	9	18.9	3	6.3
Pope	118	59	58	1	82	60	-	22	3	25.4	1	8.5
Pulaski	254	117	113	7	184	145	-	37	12	47.2	8	31.5
White	163	116	46	-	97	74	-	22	5	30.7	8	49.1
Nonwhite	91	1	67	7	87	71	-	15	7	76.9	-	0
Putnam	89	86	3	-	40	21	-	19	1	11.2	2	22.5
Randolph	568	488	76	-	309	157	38	110	28	49.5	9	15.9
Richland	381	347	34	-	202	110	-	89	10	26.2	7	18.4
Rock Island	3,078	3,061	17	-	1,427	498	295	625	90	29.2	55	17.9
Moline	949	946	3	-	370	154	-	215	24	25.3	15	15.8
Rock Island	1,153	1,144	9	-	454	184	-	267	33	28.6	18	15.6
East Moline	336	334	2	-	378	62	272	44	10	29.8	12	35.7
Balance of county	640	637	3	-	225	98	23	99	23	35.9	10	15.6
St. Clair	4,496	4,250	235	6	2,036	995	16	1,006	172	38.3	98	21.8
White	3,615	3,581	27	6	1,663	788	15	843	125	34.6	57	15.8
Nonwhite	881	669	208	-	373	207	1	163	47	53.3	41	46.5
Belleville	843	839	4	-	389	156	9	221	33	39.1	9	10.7
East St. Louis	1,933	1,764	163	3	980	465	7	498	76	39.3	57	29.5
White	1,180	1,171	6	3	678	296	7	365	37	31.4	23	19.5
Nonwhite	753	593	157	-	302	169	-	131	39	51.8	34	45.2
Balance of county	1,720	1,647	68	3	667	374	-	289	63	36.6	32	18.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
ILLINOIS—Continued												
Saline	669	574	93	-	395	271	-	122	25	37.4	8	12.0
Harrisburg	226	214	11	-	146	97	-	48	11	48.7	4	17.7
Balance of county	443	360	82	-	249	174	-	74	14	31.6	4	9.0
Sangamon	2,894	2,822	64	4	1,414	471	34	886	93	32.1	47	16.2
Springfield	1,839	1,830	5	3	1,087	290	27	752	77	41.9	40	21.8
Balance of county	1,055	992	59	1	327	181	7	134	16	15.2	7	6.6
Schuyler	199	176	22	-	111	67	-	43	4	20.1	5	25.1
Scott	162	140	22	-	86	51	-	35	5	30.9	3	18.5
Shelby	495	413	81	-	278	181	4	89	9	18.2	7	14.1
Stark	187	183	4	-	83	40	-	43	4	21.4	1	5.3
Stephenson	887	869	18	-	472	211	18	239	29	32.7	15	16.9
Freeport	505	500	5	-	316	119	13	184	22	43.6	8	15.8
Balance of county	382	369	13	-	156	92	5	55	7	18.3	7	18.3
Tazewell	1,698	1,660	38	-	536	274	-	256	39	23.0	31	18.3
Pekin	476	474	2	-	215	83	-	131	11	23.1	8	16.8
Balance of county	1,222	1,186	36	-	321	191	-	125	28	22.9	23	18.8
Union	404	342	60	1	479	137	293	49	19	47.0	14	34.7
Vermilion	1,940	1,863	72	-	1,043	483	179	371	50	25.8	26	13.4
Danville	927	897	27	-	460	222	-	230	26	28.0	13	14.0
Balance of county	1,013	966	45	-	583	261	179	141	24	23.7	13	12.8
Wabash	292	201	91	-	176	116	-	31	10	34.2	3	10.3
Warren	478	468	10	-	220	97	-	122	14	29.3	8	16.7
Washington	279	236	43	-	147	97	-	46	6	21.5	4	14.3
Wayne	452	248	202	-	184	127	-	55	13	28.8	7	15.5
White	424	207	217	-	215	147	21	42	18	42.5	7	16.5
Whiteside	1,269	1,176	93	-	466	258	17	183	29	22.9	23	18.1
Sterling	353	334	19	-	179	91	-	85	10	28.3	8	22.7
Balance of county	916	842	74	-	287	167	17	98	19	20.7	15	16.4
Will	2,699	2,644	53	2	1,271	567	45	649	84	31.1	43	15.9
Joliet	1,712	1,701	10	1	717	256	-	454	49	28.6	22	12.9
Balance of county	987	943	43	1	554	311	45	195	35	35.5	21	21.3
Williamson	971	715	253	-	566	359	-	202	33	34.0	13	13.4
Winnebago	3,543	3,489	49	4	1,275	535	28	694	80	22.6	47	13.3
Rockford	2,022	2,002	16	3	887	362	5	511	43	21.3	42	20.8
Balance of county	1,521	1,487	33	1	388	173	23	183	37	24.3	5	3.3
Woodford	450	422	28	-	205	117	5	74	9	20.0	2	4.4
INDIANA	92,529	84,013	8,076	50	39,544	22,658	2,184	14,192	2,780	29.8	1,515	16.4
White	87,875	80,827	6,779	49	37,287	21,424	2,069	13,290	2,516	28.6	1,360	15.5
Nonwhite	4,654	3,186	1,297	1	2,257	1,234	115	902	244	52.4	155	33.3
Adams	626	533	93	-	226	151	3	71	15	24.0	5	8.0
Allen	4,592	4,476	110	-	1,728	802	128	789	116	25.3	70	15.2
Fort Wayne	3,506	3,479	24	-	1,342	615	61	659	93	26.5	56	16.0
Balance of county	1,086	997	86	-	386	187	67	130	23	21.2	14	12.9
Bartholomew	851	810	40	-	325	182	8	127	23	27.0	16	18.8
Columbus	364	358	6	-	136	71	1	60	7	19.2	5	13.7
Balance of county	487	452	34	-	189	111	7	67	16	32.9	11	22.6
Benton	291	263	28	-	90	53	1	36	6	20.6	-	0
Blackford	315	308	5	-	141	85	1	55	15	47.6	9	28.6
Boone	515	504	11	-	262	157	3	96	12	23.3	9	17.5
Brown	103	68	17	12	61	47	1	11	3	29.1	2	19.4
Carroll	338	318	20	-	171	112	2	53	9	26.6	5	14.8
Cass	837	825	12	-	641	228	192	211	36	43.0	13	15.5
Logansport	520	518	2	-	298	134	10	149	21	40.4	8	15.4
Balance of county	317	307	10	-	343	94	182	62	15	47.3	5	15.8
Clark	1,282	1,166	112	1	411	250	2	158	51	39.8	23	17.9
Jeffersonville	470	450	19	-	167	96	2	69	13	27.7	11	23.4
White	422	413	9	-	140	75	2	63	12	28.4	9	21.3
Nonwhite	48	37	10	-	27	21	-	6	1	20.8	2	41.7
Balance of county	812	716	93	1	244	154	-	89	38	46.8	12	14.8
Clay	506	470	35	-	298	208	3	87	19	37.5	10	19.8
Clinton	696	677	19	-	319	178	29	103	16	23.0	7	10.1
Frankfort	382	380	2	-	173	84	25	61	7	18.3	3	7.9
Balance of county	314	297	17	-	146	94	4	42	9	28.7	4	12.7
Crawford	229	85	142	1	118	108	-	10	5	21.8	3	13.1
Daviess	557	459	89	-	262	162	1	99	14	25.1	11	19.7
Dearborn	561	461	98	-	222	161	2	59	13	22.4	8	13.8
Decatur	464	423	41	-	225	115	29	80	15	32.3	4	8.6
De Kalb	528	510	17	-	282	169	6	84	21	39.8	8	15.2
Delaware	2,296	2,254	41	-	797	415	25	352	71	30.9	28	12.2
Muncie	1,706	1,679	27	-	558	280	2	275	54	31.7	22	12.9
Balance of county	590	575	14	-	239	135	23	77	17	28.8	6	10.2
Dubois	663	468	195	-	190	133	6	50	21	31.7	13	19.6
Elkhart	2,043	1,993	48	1	794	509	21	249	59	28.9	37	18.1
Elkhart	861	854	6	-	355	212	-	136	26	30.2	13	15.1
Goshen	342	339	3	-	135	89	6	37	14	40.9	7	20.5
Balance of county	840	800	39	1	304	208	15	76	19	22.6	17	20.2
Fayette	521	508	11	-	209	107	1	97	18	34.5	11	21.1
Connersville	355	349	4	-	155	74	1	76	13	36.6	10	28.2
Balance of county	166	159	7	-	54	33	-	21	5	30.1	1	6.0

See footnotes on p. 93.

891562 O—50——3

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
INDIANA—Continued												
Floyd	1,055	917	137	-	468	281	12	163	39	37.0	20	19.0
New Albany	824	729	94	-	338	213	-	123	33	40.0	16	19.4
Balance of county	231	188	43	-	130	78	12	40	6	26.0	4	17.3
Fountain	375	308	66	-	169	115	2	49	10	26.7	4	10.7
Franklin	367	312	52	1	160	100	21	36	10	27.2	8	21.8
Fulton	330	297	33	-	193	134	6	47	16	48.5	6	18.2
Gibson	678	537	137	-	341	238	19	83	25	36.9	10	14.7
Grant	1,509	1,443	66	-	685	397	88	195	44	29.2	24	15.9
Marion	863	826	37	-	346	200	1	141	28	32.4	15	17.4
Balance of county	646	617	29	-	339	197	87	54	16	24.8	9	13.9
Greene	572	521	50	-	316	216	6	91	18	31.5	4	7.0
Hamilton	650	629	17	-	286	189	1	95	20	30.8	9	13.8
Hancock	421	381	39	-	215	157	5	49	9	21.4	10	23.8
Harrison	413	169	240	4	157	135	-	21	11	26.6	9	21.8
Hendricks	466	425	40	-	256	197	1	55	11	23.6	9	19.3
Henry	1,081	1,019	61	1	442	226	61	151	27	25.0	14	13.0
New Castle	533	513	20	-	151	72	-	77	15	28.1	5	9.4
Balance of county	548	506	41	1	291	154	61	74	12	21.9	9	16.4
Howard	1,389	1,341	48	-	525	343	3	170	36	25.9	35	25.2
Kokomo	1,045	1,009	36	-	396	256	-	131	25	23.9	27	25.8
Balance of county	344	332	12	-	129	87	3	39	11	32.0	8	23.3
Huntington	710	670	40	-	389	264	27	87	17	23.9	9	12.7
Huntington	386	370	16	-	197	139	2	52	10	25.9	5	13.0
Balance of county	324	300	24	-	192	125	25	35	7	21.6	4	12.3
Jackson	642	560	81	1	258	193	1	60	17	26.5	7	10.9
Jasper	415	372	43	-	168	91	1	72	15	36.1	4	9.6
Jay	513	493	19	-	248	133	8	106	13	25.3	5	9.7
Jefferson	454	362	85	-	367	169	158	38	17	37.4	3	6.6
Jennings	280	175	105	-	155	100	23	29	13	46.4	5	17.9
Johnson	610	559	47	3	325	171	62	85	14	23.0	9	14.8
Knox	943	887	55	-	414	237	1	174	29	30.8	14	14.8
Vincennes	430	426	4	-	188	103	-	85	7	16.3	5	11.6
Balance of county	513	461	51	-	226	134	1	89	22	42.9	9	17.5
Kosciusko	764	745	19	-	354	202	22	127	20	26.2	14	18.3
Lagrange	385	294	88	-	135	85	-	48	7	18.2	6	15.6
Lake	9,205	8,732	425	15	3,013	1,447	62	1,482	257	27.9	154	16.7
Gary	3,904	3,590	295	3	1,240	565	-	685	120	30.7	65	16.6
White	2,740	2,722	11	2	854	355	-	494	59	21.5	36	13.1
Nonwhite	1,164	868	284	1	386	210	-	171	61	52.4	29	24.9
East Chicago	1,397	1,320	56	11	527	239	-	287	40	28.6	27	19.3
White	1,108	1,066	21	11	440	206	-	234	35	31.6	19	17.1
Nonwhite	289	254	35	-	87	34	-	53	5	17.3	8	27.7
Hammond	1,891	1,857	30	1	650	320	18	303	46	24.3	31	16.4
Whiting	438	437	1	-	90	51	-	39	8	18.3	10	22.8
Balance of county	1,575	1,528	43	-	506	272	44	188	43	27.3	21	13.3
La Porte	1,790	1,747	42	-	809	376	38	392	63	35.2	33	18.4
Michigan City	676	663	13	-	337	152	26	159	20	29.6	14	20.7
La Porte	488	483	5	-	253	109	3	141	21	43.0	4	8.2
Balance of county	626	601	24	-	219	115	9	92	22	35.1	15	24.0
Lawrence	864	691	172	-	370	233	1	132	27	31.3	10	11.6
Bedford	327	312	15	-	156	87	-	67	8	24.5	2	6.1
Balance of county	537	379	157	-	214	146	1	65	19	35.4	8	14.9
Madison	2,420	2,358	61	-	950	547	17	378	75	31.0	36	14.9
Anderson	1,371	1,332	38	-	483	245	-	232	42	30.6	22	16.0
Elwood	283	282	1	-	122	74	-	48	12	42.4	4	14.1
Balance of county	766	742	22	-	345	228	17	98	21	27.4	10	13.1
Marion	13,429	12,019	1,168	2	5,736	3,092	346	2,234	441	32.8	302	22.5
White	11,731	11,057	587	2	4,784	2,585	301	1,824	336	28.6	224	19.1
Nonwhite	1,698	962	581	-	952	497	45	410	105	61.8	78	45.9
Indianapolis	10,969	9,684	1,048	1	4,929	2,644	224	2,003	386	36.1	282	25.7
White	9,287	8,751	474	1	4,014	2,157	190	1,609	282	31.4	204	22.0
Nonwhite	1,682	953	574	-	915	487	34	394	104	61.8	78	46.4
Balance of county	2,460	2,335	120	1	807	448	122	231	45	18.3	20	8.1
Marshall	724	705	18	-	304	174	-	111	23	31.8	15	20.7
Martin	296	189	107	-	105	81	-	23	8	27.0	4	13.5
Miami	661	636	24	-	366	204	21	126	21	31.8	8	12.1
Peru	340	333	7	-	193	103	-	85	13	38.2	6	17.6
Balance of county	321	303	17	-	173	101	21	41	8	24.9	2	6.2
Monroe	1,073	940	129	-	356	232	14	108	23	21.4	14	13.0
Bloomington	648	612	36	-	207	122	13	71	17	26.2	11	17.0
Balance of county	425	328	93	-	149	110	1	37	6	14.1	3	7.1
Montgomery	618	591	27	-	295	193	2	88	11	17.8	4	6.5
Crawfordsville	291	275	16	-	140	82	1	51	5	17.2	2	6.9
Balance of county	327	316	11	-	155	111	1	37	6	18.3	2	6.1
Morgan	526	477	48	-	219	144	5	67	17	32.3	8	15.2
Newton	243	214	29	-	113	74	2	37	9	37.0	1	4.1
Noble	560	542	18	-	299	178	25	90	17	30.4	10	17.9
Ohio	94	65	29	-	52	38	-	14	3	31.9	3	31.9
Orange	360	167	192	-	186	140	4	42	16	44.4	6	16.7
Owen	227	137	90	-	151	121	3	22	11	48.5	2	8.8
Parke	321	263	58	-	222	153	2	65	8	24.9	4	12.5
Perry	460	224	229	3	153	116	1	36	11	23.9	13	28.3
Pike	281	206	75	-	187	138	9	37	7	24.9	6	21.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
INDIANA—Continued												
Porter	695	680	14	-	317	186	7	121	24	34.5	10	14.4
Posey	440	254	186	-	197	128	4	62	18	40.9	8	18.2
Pulaski	297	215	81	-	116	82	2	32	14	47.1	6	20.2
Putnam	437	413	24	-	237	142	16	71	7	16.0	5	11.4
Randolph	590	575	15	-	303	189	15	96	20	33.9	10	16.9
Ripley	419	360	52	-	228	148	1	78	19	45.3	13	31.0
Rush	451	432	18	-	219	169	5	38	12	26.6	8	17.7
St. Joseph	4,951	4,868	60	-	1,628	857	41	711	128	26.0	66	13.4
South Bend	3,127	3,094	30	-	1,053	558	-	480	69	22.1	40	12.8
Mishawaka	809	804	5	-	259	131	-	127	29	35.8	14	17.3
Balance of county	995	970	25	-	316	168	41	104	30	30.2	12	12.1
Scott	318	220	98	-	100	75	1	22	15	47.2	5	15.7
Shelby	590	554	35	-	311	217	4	85	16	27.1	10	16.9
Shelbyville	285	269	15	-	148	97	-	49	5	17.5	4	14.0
Balance of county	305	285	20	-	163	120	4	36	11	36.1	6	19.7
Spencer	372	177	194	-	199	152	3	36	10	26.9	7	18.8
Starke	327	222	104	-	148	101	4	40	12	36.7	7	21.4
Steuben	396	386	9	-	186	120	9	42	11	27.8	7	17.7
Sullivan	454	412	41	-	304	220	5	77	9	19.8	6	13.2
Switzerland	167	107	60	-	103	83	-	20	6	35.9	1	6.0
Tippecanoe	1,868	1,851	17	-	670	268	84	317	62	33.2	13	7.0
Lafayette	1,013	1,011	2	-	420	158	35	226	38	37.5	8	7.9
Balance of county	855	840	15	-	250	110	49	91	24	28.1	5	5.8
Tipton	337	318	19	-	167	117	2	48	10	29.7	5	14.8
Union	126	115	11	-	64	42	4	18	-	0	4	31.7
Vanderburgh	3,985	3,421	559	-	1,628	756	194	643	116	29.1	43	10.8
Evansville	3,292	2,899	392	-	1,304	635	51	588	106	32.2	33	10.0
Balance of county	693	522	167	-	324	121	143	55	10	14.4	10	14.4
Vermillion	344	309	35	-	238	136	1	101	12	34.9	6	17.4
Vigo	2,246	2,040	203	-	1,234	746	46	439	64	28.5	34	15.1
Terre Haute	1,609	1,499	107	-	864	508	3	350	42	26.1	24	14.9
Balance of county	637	541	96	-	370	238	43	89	22	34.5	10	15.7
Wabash	634	628	6	-	328	187	10	118	15	23.7	5	7.9
Warren	189	172	16	-	92	50	3	39	6	31.7	3	15.9
Warrick	502	332	166	1	204	149	-	54	19	37.8	9	17.9
Washington	415	179	227	4	179	147	4	27	12	28.9	5	12.0
Wayne	1,659	1,613	46	-	854	430	161	254	44	26.5	35	21.1
Richmond	1,071	1,049	22	-	387	262	-	119	25	23.3	19	17.7
Balance of county	588	564	24	-	467	168	161	135	19	32.3	16	27.2
Wells	461	445	16	-	191	116	4	70	14	30.4	9	19.5
White	466	405	60	-	198	124	2	69	10	21.5	6	12.9
Whitley	405	394	11	-	217	125	5	83	11	27.2	6	14.8
IOWA	60,575	57,792	2,685	12	26,064	13,167	1,528	10,891	1,610	26.6	898	14.8
White	60,064	57,314	2,661	4	25,797	13,069	1,505	10,747	1,595	26.6	888	14.8
Nonwhite	511	478	24	8	267	98	23	144	15	29.4	10	19.6
Adair	240	172	68	-	86	58	1	24	3	12.5	4	16.7
Adams	156	148	8	-	75	50	-	25	3	19.2	1	6.4
Allamakee	401	385	13	-	159	110	2	46	7	17.5	7	17.5
Appanoose	326	302	19	1	270	147	6	108	6	18.4	5	15.3
Audubon	275	236	38	-	95	67	-	27	8	29.1	2	7.3
Benton	508	485	21	-	237	140	7	85	10	19.7	6	11.8
Black Hawk	2,610	2,580	28	-	833	396	49	379	70	26.8	39	14.9
Waterloo	1,570	1,562	8	-	453	235	-	212	44	28.0	28	17.8
Balance of county	1,040	1,018	20	-	380	161	49	167	26	25.0	11	10.6
Boone	490	482	8	-	360	142	89	127	25	51.0	10	20.4
Boone	246	246	-	-	179	73	22	83	12	48.8	6	24.4
Balance of county	244	236	8	-	181	69	67	44	13	53.3	4	16.4
Bremer	424	399	25	-	187	102	6	77	12	28.3	6	14.2
Buchanan	533	489	25	1	342	130	132	76	15	28.1	6	11.3
Buena Vista	444	431	12	-	207	124	4	77	12	27.0	6	13.5
Butler	395	370	25	-	148	102	2	41	10	25.3	4	10.1
Calhoun	385	378	7	-	154	87	7	57	6	15.6	4	10.4
Carroll	587	572	15	-	222	114	2	92	17	29.0	10	17.0
Cass	414	388	24	-	181	86	4	89	12	29.0	6	14.5
Cedar	327	310	16	-	186	112	7	66	7	21.4	4	12.2
Cerro Gordo	1,107	1,089	18	-	427	184	18	217	23	20.8	10	9.0
Mason City	712	703	9	-	285	109	12	160	16	25.3	6	8.4
Balance of county	395	386	9	-	142	75	6	57	5	12.7	4	10.1
Cherokee	444	438	6	-	315	104	148	58	13	29.3	9	20.3
Chickasaw	380	377	3	-	156	87	1	65	11	28.9	1	2.6
Clarke	181	174	7	-	107	55	-	49	1	5.5	5	27.6
Clay	435	427	8	-	155	78	2	73	9	20.7	2	4.6
Clayton	504	408	95	-	247	177	14	55	15	29.8	10	19.8
Clinton	1,179	1,157	22	-	550	285	18	242	29	24.6	15	12.7
Clinton	715	715	-	-	350	174	1	173	17	23.8	11	15.4
Balance of county	464	442	22	-	200	111	17	69	12	25.9	4	8.6
Crawford	462	438	24	-	164	107	4	53	7	15.2	3	6.5
Dallas	527	493	34	-	216	114	10	87	9	17.1	9	17.1
Davis	179	142	37	-	87	63	3	20	1	5.6	4	22.3
Decatur	245	240	3	1	161	80	4	76	8	32.7	8	32.7
Delaware	450	433	17	-	166	101	3	61	11	24.4	11	24.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
IOWA—Continued												
Des Moines	925	910	14	-	471	202	20	243	18	19.5	22	23.8
Burlington	700	692	7	-	364	142	3	213	11	15.7	16	22.9
Balance of county	225	218	7	-	107	60	17	30	7	31.1	6	26.7
Dickinson	272	251	21	-	106	66	5	31	3	11.0	3	11.0
Dubuque	1,804	1,760	42	-	742	317	58	363	42	23.3	24	13.3
Dubuque	1,238	1,226	11	-	580	234	55	290	25	20.2	16	12.9
Balance of county	566	534	31	-	162	83	3	73	17	30.0	8	14.1
Emmet	385	383	1	-	135	54	3	74	16	41.6	5	13.0
Fayette	666	625	40	-	288	167	21	91	16	24.0	11	16.5
Floyd	494	483	11	-	186	108	2	73	8	16.2	9	18.2
Franklin	315	309	5	-	125	68	4	50	13	41.3	4	12.7
Fremont	286	271	15	-	138	76	4	58	7	24.5	4	14.0
Greene	356	344	12	-	151	80	4	64	10	28.1	7	19.7
Grundy	278	263	15	-	104	72	-	32	7	25.2	8	28.8
Guthrie	343	281	62	-	166	103	9	48	7	20.4	6	17.5
Hamilton	458	451	7	-	179	91	2	78	10	21.8	3	6.6
Hancock	346	328	18	-	109	67	2	39	6	17.3	4	11.6
Hardin	495	488	7	-	218	119	3	94	15	30.3	4	8.1
Harrison	481	386	92	-	215	140	-	72	12	24.9	8	16.6
Henry	388	382	6	-	345	107	137	98	15	38.7	5	12.9
Howard	288	282	6	-	131	73	1	56	11	38.2	4	13.9
Humboldt	311	289	22	-	112	65	2	43	6	19.3	6	19.3
Ida	229	222	7	-	98	53	-	45	7	30.6	2	8.7
Iowa	341	306	35	-	164	96	11	56	7	20.5	2	5.9
Jackson	417	410	7	-	216	101	15	92	16	38.4	5	12.0
Jasper	709	670	37	-	308	147	4	154	21	29.6	15	21.2
Newton	294	286	7	-	131	51	1	77	12	40.8	4	13.6
Balance of county	415	384	30	-	177	96	3	77	9	21.7	11	26.5
Jefferson	340	328	12	-	154	76	2	75	8	23.5	2	5.9
Johnson	1,169	1,144	25	-	365	176	6	175	24	20.5	15	12.8
Iowa City	784	781	3	-	235	113	-	117	21	26.8	10	12.8
Balance of county	385	363	22	-	130	63	6	58	3	7.8	5	13.0
Jones	460	456	4	-	178	83	16	76	11	23.9	4	8.7
Keokuk	368	307	61	-	198	133	5	55	13	35.3	2	5.4
Kossuth	700	630	70	-	193	117	3	73	19	27.1	13	18.6
Lee	979	964	14	-	486	182	18	283	31	31.7	16	16.3
Fort Madison	314	308	6	-	162	71	6	83	4	12.7	7	22.3
Keokuk	364	362	1	-	211	60	-	151	21	57.7	5	13.7
Balance of county	301	294	7	-	113	51	12	49	6	19.9	4	13.3
Linn	2,385	2,344	39	-	953	429	38	470	68	28.5	31	13.0
Cedar Rapids	1,747	1,740	7	-	650	270	13	357	46	26.3	25	14.3
Balance of county	638	604	32	-	303	159	25	113	22	34.5	6	9.4
Louisa	235	223	11	-	103	59	8	32	3	12.8	1	4.3
Lucas	214	198	18	-	141	75	5	54	3	14.0	8	37.4
Lyon	389	353	36	-	113	68	1	42	8	20.6	2	5.1
Madison	244	203	41	-	131	79	8	38	10	41.0	1	4.1
Mahaska	526	500	26	-	335	188	17	125	11	20.9	9	17.1
Oskaloosa	225	218	5	-	196	97	4	90	4	17.9	5	22.4
Balance of county	303	282	21	-	139	91	13	35	7	23.1	4	13.2
Marion	541	503	38	-	276	134	44	93	14	25.9	4	7.4
Marshall	820	813	7	-	381	134	48	196	23	28.0	8	9.8
Marshalltown	468	468	1	-	217	81	-	133	13	27.7	5	10.7
Balance of county	351	345	6	-	164	53	48	63	10	28.5	3	8.5
Mills	274	242	31	-	161	68	45	46	7	25.5	4	14.6
Mitchell	345	339	6	-	136	84	1	46	12	34.8	5	14.5
Monona	386	313	73	-	117	72	-	42	11	28.5	5	13.0
Monroe	252	196	55	-	142	92	10	35	10	39.7	4	15.9
Montgomery	350	344	6	-	163	95	4	53	11	31.4	2	5.7
Muscatine	728	717	8	-	370	182	8	177	37	50.8	13	17.9
Muscatine	432	428	3	-	259	112	3	142	27	62.5	8	18.5
Balance of county	296	289	5	-	111	70	5	35	10	33.8	5	16.9
O'Brien	489	412	77	-	177	110	5	59	9	18.4	5	10.2
Osceola	249	233	16	-	59	40	-	19	2	8.0	7	28.1
Page	464	460	4	-	333	123	115	94	16	34.5	9	19.4
Palo Alto	424	385	39	-	168	99	-	67	17	40.1	6	14.2
Plymouth	605	584	20	-	196	108	2	85	14	23.1	7	11.6
Pocahontas	394	365	29	-	144	77	1	61	15	38.1	9	22.8
Polk	5,194	5,078	112	-	2,206	902	79	1,175	144	27.7	96	18.5
Des Moines	4,459	4,368	87	-	1,900	749	39	1,078	128	28.3	84	18.8
Balance of county	735	709	25	-	306	153	40	97	18	24.5	12	16.3
Pottawattamie	1,673	1,655	17	-	724	313	9	386	60	35.9	33	19.7
Council Bluffs	1,171	1,162	9	-	538	198	6	319	44	37.6	21	17.9
Balance of county	502	493	8	-	186	115	3	67	16	31.9	12	23.9
Poweshiek	449	416	33	-	229	125	15	82	14	31.2	6	13.4
Ringgold	177	160	17	-	108	75	-	33	6	33.9	3	16.9
Sac	379	364	15	-	148	98	-	50	14	36.9	7	18.5
Scott	2,427	2,412	14	1	936	409	30	495	56	23.1	40	16.5
Davenport	1,721	1,714	6	1	761	330	5	425	42	24.4	26	15.1
Balance of county	706	698	8	-	175	79	25	70	14	19.8	14	19.8
Shelby	368	290	75	-	109	66	4	34	9	24.5	-	0
Sioux	711	656	55	-	198	122	3	66	10	14.1	8	11.3
Story	1,252	1,236	14	-	293	165	17	111	25	20.0	11	8.8
Ames	785	784	1	-	107	52	-	55	17	21.7	3	3.8
Balance of county	467	452	13	-	186	113	17	56	8	17.1	8	17.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
IOWA—Continued												
Tama	472	451	14	7	201	129	10	55	11	23.3	5	10.6
Taylor	224	185	38	-	130	86	13	29	6	26.8	2	8.9
Union	311	301	9	-	190	104	-	72	12	38.6	6	19.3
Van Buren	202	155	46	-	165	119	3	36	3	14.9	3	14.9
Wapello	1,089	1,005	82	-	468	230	18	180	30	27.5	28	25.7
Ottumwa	820	775	42	-	345	169	1	144	21	25.6	19	23.2
Balance of county	269	228	40	-	123	61	17	36	9	33.5	9	33.5
Warren	378	319	59	-	160	102	1	51	11	29.1	6	15.9
Washington	429	408	20	1	198	112	12	70	10	23.3	3	7.0
Wayne	181	149	31	-	142	98	3	38	4	22.1	5	27.6
Webster	1,051	1,014	15	-	401	166	9	225	30	29.1	18	17.5
Fort Dodge	651	628	3	-	252	89	3	160	15	23.8	13	20.6
Balance of county	400	386	12	-	149	77	6	65	15	37.5	5	12.5
Winnebago	298	294	4	-	143	90	2	48	7	23.5	5	16.8
Winneshiek	475	461	14	-	215	133	8	74	8	16.8	8	16.8
Woodbury	2,641	2,537	96	-	1,078	490	33	526	88	33.3	34	12.9
Sioux City	2,135	2,109	19	-	892	389	14	485	74	34.7	28	13.1
Balance of county	506	428	77	-	186	101	19	61	14	27.7	6	11.9
Worth	212	196	16	-	95	68	-	26	4	18.9	6	28.3
Wright	477	459	15	-	168	108	1	55	8	16.8	5	10.5
KANSAS	42,714	39,993	2,553	10	18,553	9,676	955	7,707	1,151	26.9	682	16.0
White	40,868	38,593	2,156	7	17,629	9,151	897	7,369	1,077	26.4	628	15.4
Nonwhite	1,846	1,400	397	3	924	525	58	338	74	40.1	54	29.3
Allen	381	343	38	-	180	131	1	43	7	18.4	3	7.9
Anderson	224	195	29	-	124	76	13	18	7	31.3	2	8.9
Atchison	411	397	13	-	267	150	14	102	15	36.5	6	14.6
Atchison	281	275	5	-	190	101	3	84	11	39.1	5	17.8
White	254	249	5	-	162	82	2	77	10	39.4	4	15.7
Nonwhite	27	26	-	-	26	19	-	7	1	37.0	1	37.0
Balance of county	130	122	8	-	79	49	12	18	4	30.8	1	7.7
Barber	238	221	17	-	92	40	-	52	8	33.6	4	16.8
Barton	810	799	10	-	221	94	6	121	14	17.3	9	11.1
Bourbon	380	360	19	-	223	107	6	109	10	26.3	2	5.3
Fort Scott	219	218	1	-	157	62	6	89	10	45.7	2	9.1
Balance of county	161	142	18	-	66	45	-	20	-	0	-	0
Brown	324	304	17	2	188	122	11	53	4	12.3	8	24.7
Butler	599	588	11	-	266	139	-	126	8	13.4	12	20.0
El Dorado	246	246	-	-	132	51	-	80	3	12.2	5	20.3
Balance of county	353	342	11	-	134	88	-	46	5	14.2	7	19.8
Chase	121	104	17	-	44	25	1	18	5	41.3	1	8.3
Chautauqua	126	96	29	-	95	55	7	31	3	23.8	1	7.9
Cherokee	540	461	71	-	271	173	6	91	13	24.1	11	20.4
Cheyenne	147	147	-	-	47	27	-	19	3	20.4	3	20.4
Clark	80	79	1	-	42	22	-	19	4	50.0	4	50.0
Clay	249	245	4	-	141	97	-	44	12	48.2	6	24.1
Cloud	354	337	17	-	194	111	8	74	13	36.7	5	14.1
Coffey	197	119	78	-	107	81	1	20	7	35.5	2	10.2
Comanche	99	94	5	-	27	21	-	6	2	20.2	1	10.1
Cowley	737	725	11	1	435	205	61	165	14	19.0	12	16.3
Arkansas City	308	304	4	-	142	81	-	61	5	16.2	7	22.7
Balance of county	429	421	7	1	293	124	61	104	9	21.0	5	11.7
Crawford	829	748	77	3	552	307	4	237	24	29.0	14	16.9
Pittsburg	415	386	26	2	201	148	1	48	11	26.5	7	16.9
Balance of county	414	362	51	1	351	159	3	189	13	31.4	7	16.9
Decatur	133	130	3	-	63	33	-	30	4	30.1	3	22.6
Dickinson	417	408	8	-	217	126	5	86	10	24.0	4	9.6
Doniphan	217	129	87	-	124	83	-	41	11	50.7	4	18.4
Douglas	699	690	8	-	278	151	1	122	7	10.0	6	8.6
Lawrence	503	501	2	-	198	94	1	101	6	11.9	5	9.9
Balance of county	196	189	6	-	80	57	-	21	1	5.1	1	5.1
Edwards	140	133	7	-	51	26	-	25	4	28.6	2	14.3
Elk	122	110	12	-	73	46	-	25	4	32.8	3	24.6
Ellis	527	522	5	-	120	63	-	57	13	24.7	9	17.1
Ellsworth	178	168	10	-	97	49	6	34	9	50.6	1	5.6
Finney	437	429	8	-	118	53	-	65	14	32.0	13	29.7
Ford	553	542	11	-	220	72	25	122	23	41.6	4	7.2
Franklin	428	387	41	-	236	117	13	95	11	25.7	8	18.7
Ottawa	253	239	14	-	151	61	9	76	6	23.7	4	15.8
Balance of county	175	148	27	-	85	56	4	19	5	28.6	4	22.9
Geary	430	430	-	-	126	58	1	67	8	18.6	8	18.6
Gove	146	139	7	-	28	14	-	12	1	6.8	2	13.7
Graham	100	91	9	-	40	30	-	10	2	20.0	1	10.0
Grant	124	115	9	-	17	8	-	8	2	16.1	1	8.1
Gray	158	147	11	-	31	18	-	13	4	25.3	4	25.3
Greeley	65	63	1	-	10	6	-	3	1	15.4	-	0
Greenwood	278	256	22	-	125	59	-	62	9	32.4	4	14.4
Hamilton	128	126	2	-	30	16	-	14	2	15.6	-	0
Harper	225	222	3	-	139	60	-	75	10	44.4	3	13.3
Harvey	440	439	1	-	182	61	3	117	8	18.2	8	18.2
Newton	243	242	1	-	123	40	3	79	5	20.6	3	12.3
Balance of county	197	197	-	-	59	21	-	38	3	15.2	5	25.4

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
KANSAS--Continued												
Haskell	93	89	3	-	13	6	-	7	3	32.3	1	10.8
Hodgeman	73	72	1	-	16	6	-	9	1	13.7	3	41.1
Jackson	197	190	6	1	123	82	-	38	4	20.3	5	25.4
Jefferson	179	148	30	1	121	94	-	27	2	11.2	1	5.6
Jewell	199	177	22	-	102	74	2	26	10	50.3	4	20.1
Johnson	1,348	1,294	51	1	320	227	6	85	22	16.3	11	8.2
Kearny	100	100	-	-	24	12	-	12	-	0	1	10.0
Kingman	229	225	3	-	104	39	-	60	7	30.6	2	8.7
Kiowa	109	91	17	-	39	23	-	16	8	73.4	4	36.7
Labette	633	535	96	-	374	201	30	143	12	19.0	10	15.8
Parsons	351	329	22	-	151	89	26	36	6	17.1	6	17.1
Balance of county	282	206	74	-	223	112	4	107	6	21.3	4	14.2
Lane	81	77	4	-	23	11	-	11	3	37.0	1	12.3
Leavenworth	918	892	24	-	418	169	12	234	26	28.3	23	25.1
White	840	818	20	-	372	146	9	214	25	29.8	19	22.6
Nonwhite	78	74	4	-	46	23	3	20	1	12.8	4	51.3
Leavenworth	575	570	5	-	265	104	2	156	14	24.3	18	31.3
White	506	502	4	-	229	84	2	140	14	27.7	14	27.7
Nonwhite	69	68	1	-	36	20	-	16	-	0	4	58.0
Balance of county	343	322	19	-	153	65	10	78	12	35.0	5	14.6
Lincoln	133	101	32	-	65	54	2	8	2	15.0	3	22.6
Linn	211	101	109	-	116	79	2	32	3	14.2	3	14.2
Logan	126	116	9	1	31	22	-	9	3	23.8	2	15.9
Lyon	578	561	14	-	325	136	-	186	19	32.9	15	26.0
Emporia	394	390	3	-	236	84	-	151	16	40.6	11	27.9
Balance of county	184	171	11	-	89	52	-	35	3	16.3	4	21.7
McPherson	567	566	1	-	220	92	12	110	11	19.4	6	10.6
Marion	381	354	27	-	164	83	2	78	14	36.7	2	5.2
Marshall	384	344	36	-	227	142	4	76	12	31.3	5	13.0
Meade	135	131	3	-	39	29	-	10	3	22.2	5	37.0
Miami	344	290	54	-	354	152	139	56	12	34.9	5	14.5
Mitchell	240	236	4	-	102	53	2	46	5	20.8	2	8.3
Montgomery	1,044	915	116	-	548	312	5	216	42	40.2	21	20.1
Coffeyville	397	344	43	-	175	105	-	66	19	47.9	13	32.7
White	352	327	22	-	162	94	-	64	19	54.0	10	28.4
Nonwhite	45	17	21	-	13	11	-	2	-	0	3	66.7
Independence	290	278	10	-	192	83	-	101	12	41.4	4	13.8
White	250	244	4	-	167	74	-	85	8	32.0	1	4.0
Nonwhite	40	34	6	-	25	9	-	16	4	100.0	3	75.0
Balance of county	357	293	63	-	181	124	5	49	11	30.8	4	11.2
Morris	169	157	11	-	104	72	3	26	2	11.8	2	11.8
Morton	86	81	4	-	22	7	-	15	2	23.3	1	11.6
Nemaha	325	293	32	-	131	72	-	59	14	43.1	5	15.4
Neosho	413	355	58	-	233	146	1	83	8	19.4	10	24.2
Chanute	208	199	9	-	163	95	1	64	5	24.0	7	33.7
Balance of county	205	156	49	-	70	51	-	19	3	14.6	3	14.6
Ness	152	147	4	-	49	29	-	20	3	19.7	4	26.3
Norton	215	199	16	-	111	62	-	48	5	23.3	2	9.3
Osage	216	157	59	-	142	112	2	27	8	37.0	3	13.9
Osborne	195	171	24	-	81	61	-	19	2	10.3	1	5.1
Ottawa	126	107	19	-	92	70	-	21	4	31.7	2	15.9
Pawnee	214	209	5	-	197	41	114	42	4	18.7	6	28.0
Phillips	223	140	83	-	100	76	1	21	4	17.9	3	13.5
Pottawatomie	237	233	4	-	118	64	1	50	5	21.1	6	25.3
Pratt	267	265	2	-	121	64	-	55	7	26.2	2	7.5
Rawlins	133	130	3	-	36	23	-	13	2	15.0	-	0
Reno	1,232	1,210	20	-	503	233	2	249	33	26.8	21	17.0
Hutchinson	872	868	4	-	367	151	-	212	25	28.7	16	18.3
Balance of county	360	342	16	-	136	82	2	37	8	22.2	5	13.9
Republic	224	215	9	-	119	69	-	50	7	31.3	5	22.3
Rice	350	343	7	-	165	87	3	75	11	31.4	10	28.6
Riley	772	771	1	-	194	92	9	90	17	22.0	6	7.8
Manhattan	621	621	-	-	124	57	-	67	13	20.9	4	6.4
Balance of county	151	150	1	-	70	35	9	23	4	26.5	2	13.2
Rooks	242	213	28	-	89	59	-	28	5	20.7	5	20.7
Rush	138	128	8	-	64	30	-	34	3	22.1	2	14.7
Russell	304	292	11	-	102	54	-	48	7	23.0	3	9.9
Saline	871	858	12	-	305	131	-	173	24	27.6	11	12.6
Salina	734	723	11	-	238	85	-	153	19	25.9	11	15.0
Balance of county	137	135	1	-	67	46	-	20	5	36.5	-	0
Scott	161	150	9	-	36	17	-	19	10	62.1	2	12.4
Sedgwick	5,304	5,160	120	-	1,679	650	45	972	152	28.7	90	17.0
Wichita	4,848	4,747	83	-	1,403	527	45	819	142	29.3	86	17.7
Balance of county	456	413	37	-	276	123	-	153	10	21.9	4	8.8
Seward	269	267	2	-	74	34	-	40	17	63.2	7	26.0
Shawnee	2,321	2,176	118	-	1,231	583	276	362	76	32.7	35	15.1
Topeka	2,071	1,957	88	-	828	462	36	320	63	30.4	32	15.5
Balance of county	250	219	30	-	403	121	240	42	13	52.0	3	12.0
Sheridan	132	117	15	-	32	19	-	11	1	7.6	8	60.6
Sherman	179	178	-	-	71	42	-	29	7	39.1	2	11.2
Smith	183	158	20	-	97	72	-	24	4	21.9	3	16.4
Stafford	167	166	1	-	103	40	-	63	8	47.9	2	12.0
Stanton	48	45	3	-	6	2	-	3	1	20.8	2	41.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
KANSAS—Continued												
Stevens	128	113	15	-	29	20	-	9	4	31.3	1	7.8
Sumner	452	436	15	-	227	127	8	92	8	17.7	5	11.1
Thomas	238	231	7	-	79	37	-	42	4	16.8	1	4.2
Trego	119	105	9	-	31	25	-	6	-	0	2	16.8
Wabaunsee	121	96	25	-	69	58	-	11	1	8.3	3	24.8
Wallace	73	72	1	-	15	7	-	8	2	27.4	2	27.4
Washington	251	231	18	-	136	108	3	25	5	19.9	4	15.9
Wichita	70	67	3	-	9	8	-	1	-	0	5	71.4
Wilson	316	254	60	-	190	122	11	58	9	28.5	5	15.8
Woodson	124	96	24	-	70	53	-	18	2	16.1	6	48.4
Wyandotte	3,863	3,558	280	-	1,584	768	65	749	109	28.2	58	15.0
White	3,125	3,032	78	-	1,249	585	48	614	90	28.8	41	13.1
Nonwhite	738	526	202	-	335	183	17	135	19	25.7	17	23.0
Kansas City	3,487	3,213	260	-	1,367	659	3	703	91	26.1	52	14.9
White	2,772	2,702	64	-	1,062	483	3	574	72	26.0	36	13.0
Nonwhite	715	511	196	-	305	176	-	129	19	26.6	16	22.4
Balance of county	376	345	20	-	217	109	62	46	18	47.9	6	16.0
KENTUCKY	[7]77,176	45,032	26,067	3,497	28,050	18,481	1,059	8,304	3,073	39.8	1,463	19.0
White	72,366	42,707	23,851	3,364	24,842	16,204	866	7,385	2,840	39.2	1,330	18.4
Nonwhite	4,810	2,325	2,216	133	3,408	2,277	193	919	233	48.4	133	27.7
Adair	405	80	283	16	141	125	-	15	20	49.4	12	29.6
Allen	312	137	171	2	139	122	-	17	11	35.3	-	0
Anderson	204	90	112	-	89	78	-	11	3	14.7	9	44.1
Ballard	173	107	64	-	91	68	-	22	5	28.9	2	11.6
Barren	699	501	164	7	277	202	-	75	27	38.6	7	10.0
Bath	275	106	159	3	92	71	-	21	9	32.7	7	25.5
Bell	1,218	498	608	96	417	265	1	150	81	66.5	14	11.5
Middlesborough	283	185	96	1	129	80	-	48	16	56.5	7	24.7
Balance of county	935	313	512	95	288	185	1	102	65	69.5	7	7.5
Boone	276	189	86	1	140	101	1	38	9	32.6	4	14.5
Bourbon	415	273	141	-	210	139	2	68	19	45.8	7	16.9
White	355	245	109	-	145	91	-	53	17	47.9	7	19.7
Nonwhite	60	28	32	-	65	48	2	15	2	33.3	-	0
Boyd	1,362	1,256	81	14	417	244	-	170	49	36.0	22	16.2
Ashland	909	861	45	-	272	152	-	118	29	31.9	11	12.1
Balance of county	453	395	36	14	145	92	-	52	20	44.2	11	24.3
Boyle	403	300	103	-	271	144	67	60	18	44.7	4	9.9
White	358	285	73	-	214	96	67	51	16	44.7	4	11.2
Nonwhite	45	15	30	-	57	48	-	9	2	44.4	-	0
Bracken	180	68	102	-	113	89	-	24	10	55.6	-	0
Breathitt	569	125	110	131	113	95	-	18	21	36.9	5	8.8
Breckinridge	432	96	317	11	183	151	1	18	26	60.2	-	0
Bullitt	258	120	136	1	106	82	-	24	12	46.5	4	15.5
Butler	265	67	123	22	104	90	-	14	10	37.7	15	56.6
Caldwell	315	146	166	3	143	113	-	29	9	28.6	4	12.7
White	286	144	141	1	118	92	-	25	7	24.5	3	10.5
Nonwhite	29	2	25	2	25	21	-	4	2	69.0	1	34.5
Calloway	423	326	97	-	172	128	-	38	10	23.6	5	11.8
Campbell	1,814	1,747	65	1	796	476	13	306	72	39.7	51	28.1
Newport	840	805	34	1	375	217	-	158	46	54.8	18	21.4
Fort Thomas	197	196	1	-	100	67	1	32	2	10.2	4	20.3
Balance of county	777	746	30	-	321	192	12	116	24	30.9	29	37.3
Carlisle	91	49	41	1	74	67	-	7	2	22.0	2	22.0
Carroll	238	93	145	-	105	84	-	21	18	75.6	4	16.8
Carter	631	203	262	115	195	156	-	39	42	66.6	24	38.0
Casey	536	112	347	38	105	93	2	10	19	35.4	5	9.3
Christian	866	513	290	46	602	317	174	110	39	45.0	21	24.2
White	631	462	149	6	417	192	137	87	25	39.6	13	20.6
Nonwhite	235	51	101	40	185	125	37	23	14	59.6	8	34.0
Hopkinsville	290	196	87	8	198	152	-	46	21	72.4	2	6.9
White	200	174	22	1	113	84	-	29	12	60.0	2	10.0
Nonwhite	90	22	45	7	85	68	-	17	9	100.0	-	0
Balance of county	576	317	183	38	404	165	174	64	18	31.3	19	33.0
White	431	288	127	5	304	108	137	58	13	30.2	11	25.5
Nonwhite	145	29	56	33	100	57	37	6	5	34.5	8	55.2
Clark	440	270	164	3	224	142	-	80	22	50.0	12	27.3
White	397	256	135	3	194	112	-	70	19	47.9	11	27.7
Nonwhite	43	14	29	-	40	30	-	10	3	69.8	1	23.3
Clay	824	558	45	85	99	67	-	32	15	18.2	20	24.3
Clinton	311	113	146	35	66	51	-	15	5	16.1	4	12.9
Crittenden	260	164	96	-	108	76	-	32	6	23.1	4	15.4
Cumberland	261	79	119	36	69	61	-	8	6	23.0	4	15.3
Daviess	1,500	1,089	384	2	543	312	1	228	64	42.7	32	21.3
Owensboro	919	744	168	1	366	202	-	163	47	51.1	21	22.9
Balance of county	581	345	216	1	177	110	1	65	17	29.3	11	18.9
Edmonson	236	57	140	33	73	65	1	5	14	59.3	7	29.7
Elliott	215	36	132	31	43	34	-	9	4	18.6	6	27.9
Estill	456	114	242	85	118	93	-	24	16	35.1	5	11.0

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
KENTUCKY—Continued												
Fayette	2,220	1,963	250	-	1,205	565	279	343	57	25.7	33	14.9
White	1,834	1,706	123	-	874	372	234	254	45	24.5	24	13.1
Nonwhite	386	257	127	-	331	193	45	89	12	31.1	9	23.3
Lexington	1,396	1,216	178	-	845	397	182	256	40	28.7	22	15.8
White	1,076	997	77	-	572	237	144	182	30	27.9	14	13.0
Nonwhite	320	219	99	-	273	160	38	74	10	31.3	8	25.0
Balance of county	824	747	74	-	360	168	97	87	17	20.6	11	13.3
White	758	709	46	-	302	135	90	72	15	19.8	10	13.2
Nonwhite	66	38	28	-	58	33	7	15	2	30.3	1	15.2
Fleming	329	130	178	4	131	104	-	27	11	33.4	2	6.1
Floyd	1,962	753	933	191	335	229	-	106	69	35.2	18	9.2
Franklin	574	547	26	-	240	147	16	70	21	36.6	4	7.0
Frankfort	289	278	11	-	151	88	15	42	11	38.1	2	6.9
White	258	252	6	-	128	73	11	38	10	38.8	2	7.8
Nonwhite	31	26	5	-	23	15	4	4	1	32.3	-	0
Balance of county	285	269	15	-	89	59	1	28	10	35.1	2	7.0
Fulton	359	223	105	22	162	108	-	54	18	50.1	17	47.4
White	292	210	63	14	136	86	-	50	14	47.9	12	41.1
Nonwhite	67	13	42	8	26	22	-	4	4	59.7	5	74.6
Gallatin	91	30	59	1	41	28	-	13	5	54.9	-	0
Garrard	262	158	102	2	101	84	-	16	7	26.7	2	7.6
White	233	156	75	2	87	70	-	16	6	25.8	2	8.6
Nonwhite	29	2	27	-	14	14	-	-	1	34.5	-	0
Grant	235	72	163	-	111	83	-	28	10	42.6	8	34.0
Graves	620	495	118	4	299	231	-	67	15	24.2	12	19.4
Grayson	424	64	317	36	164	146	-	18	8	18.9	10	23.6
Green	275	40	221	1	98	90	-	8	8	29.1	4	14.5
Greenup	723	354	318	39	188	132	-	56	29	40.1	13	18.0
Hancock	155	79	76	-	62	49	-	13	6	38.7	1	6.5
Hardin	832	386	440	1	251	182	2	67	35	42.1	7	8.4
Harlan	2,362	803	1,496	26	566	400	-	165	142	60.1	52	22.0
White	2,198	710	1,428	24	500	351	-	148	133	60.5	44	20.0
Nonwhite	164	93	68	2	66	49	-	17	9	54.9	8	48.8
Harrison	300	269	31	-	190	125	11	48	14	46.7	10	33.3
Hart	380	73	294	5	141	117	-	24	10	26.3	9	23.7
Henderson	659	475	180	4	328	210	5	88	35	53.1	23	34.9
White	584	472	97	4	266	164	2	78	29	49.7	16	27.4
Nonwhite	75	3	83	-	62	46	3	10	6	80.0	7	93.3
Henderson	371	291	71	-	205	130	-	62	22	59.3	15	40.4
White	324	289	33	-	155	92	-	52	18	55.6	12	37.0
Nonwhite	47	2	38	-	50	38	-	10	4	85.1	3	63.8
Balance of county	288	184	89	4	123	80	5	28	13	45.1	8	27.8
White	260	183	64	4	111	72	2	26	11	42.3	4	15.4
Nonwhite	28	1	25	-	12	8	3	-	2	71.4	4	142.9
Henry	303	201	98	-	120	79	3	36	9	29.7	5	16.5
Hickman	161	96	63	2	78	60	-	18	3	18.6	-	0
White	133	92	41	-	69	54	-	15	2	15.0	-	0
Nonwhite	28	4	22	2	9	6	-	3	1	35.7	-	0
Hopkins	909	577	320	9	370	273	1	96	27	29.7	21	23.1
White	844	561	272	9	314	227	-	87	27	32.0	18	21.3
Nonwhite	65	16	48	-	56	46	1	9	-	0	3	46.2
Jackson	441	184	158	27	73	61	-	12	18	40.8	10	22.7
Jefferson	12,365	11,382	967	1	5,271	2,617	356	2,257	424	34.3	203	16.4
White	10,784	10,110	663	1	4,195	2,085	277	1,801	369	34.2	169	15.7
Nonwhite	1,581	1,272	304	-	1,076	532	79	456	55	34.8	34	21.5
Louisville	10,395	9,635	746	1	4,357	2,226	90	2,006	361	34.7	166	16.0
White	8,915	8,437	469	1	3,408	1,728	88	1,568	308	34.5	132	14.8
Nonwhite	1,480	1,198	277	-	949	498	2	440	53	35.8	34	23.0
Balance of county	1,970	1,747	221	-	914	391	266	249	63	32.0	37	18.8
Jessamine	292	176	116	-	122	89	-	32	6	20.5	11	37.7
White	264	166	98	-	100	71	-	28	6	22.7	9	34.1
Nonwhite	28	10	18	-	22	18	-	4	-	0	2	71.4
Johnson	743	569	90	42	192	133	-	59	27	36.3	13	17.5
Kenton	2,516	2,398	117	-	1,164	615	31	516	104	41.3	51	20.3
Covington	1,697	1,641	56	-	823	411	30	380	66	38.9	29	17.1
Balance of county	819	757	61	-	341	204	1	136	38	46.4	22	26.9
Knott	652	82	345	116	86	64	-	21	13	19.9	12	18.4
Knox	972	233	570	113	249	199	-	49	67	68.9	21	21.6
Larue	254	143	101	6	114	102	-	12	4	15.7	2	7.9
Laurel	756	283	375	48	179	145	-	34	20	26.5	16	21.2
Lawrence	356	202	68	75	114	86	1	26	12	33.7	9	25.3
Lee	218	76	42	56	65	56	-	9	4	18.3	2	9.2
Leslie	589	270	24	145	88	54	-	34	18	30.6	8	13.6
Letcher	1,526	258	1,077	179	317	247	-	59	77	50.5	39	25.6
Lewis	419	60	256	40	139	116	1	22	26	62.1	11	26.3
Lincoln	552	241	259	32	171	141	-	29	22	39.9	5	9.1
Livingston	129	59	60	6	77	64	-	13	4	31.0	5	38.8
Logan	534	266	260	3	280	214	-	66	20	37.5	9	16.9
White	481	255	219	2	224	164	-	60	16	33.3	7	14.6
Nonwhite	53	11	41	1	56	50	-	6	4	75.5	2	37.7
Lyon	149	45	99	3	72	57	7	8	5	33.6	3	20.1
White	147	44	99	2	65	53	4	8	5	34.0	3	20.4
Nonwhite	2	1	-	1	7	4	3	-	-	0	-	0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
KENTUCKY—Continued												
McCracken	1,038	778	257	1	556	382	4	169	36	34.7	17	16.4
White	912	751	158	1	435	294	3	137	29	31.8	15	16.4
Nonwhite	126	27	99	-	121	88	1	32	7	55.6	2	15.9
Paducah	704	558	146	-	404	268	-	135	25	35.5	16	22.7
White	597	534	63	-	299	192	-	106	19	31.8	14	23.5
Nonwhite	107	24	83	-	105	76	-	29	6	56.1	2	18.7
Balance of county	334	220	111	1	152	114	4	34	11	32.9	1	3.0
McCreary	570	184	200	105	131	107	-	24	27	47.4	10	17.5
McLean	234	87	134	4	101	80	-	21	10	42.7	5	21.4
Madison	728	635	69	19	277	166	2	106	33	45.3	15	20.6
White	671	603	45	19	219	120	1	96	28	41.7	15	22.4
Nonwhite	57	32	24	-	58	46	1	10	5	87.7	-	0
Magoffin	375	47	219	83	82	77	-	5	12	32.0	4	10.7
Marion	554	323	217	11	186	136	4	45	39	70.4	11	19.9
Marshall	289	153	132	-	123	102	-	21	4	14.9	4	14.9
Martin	377	52	205	59	103	90	-	13	20	53.1	5	13.3
Mason	436	308	126	1	226	142	10	73	17	39.0	11	25.2
White	389	300	86	-	194	119	8	66	17	43.7	9	23.1
Nonwhite	47	6	40	1	32	23	2	7	-	0	2	42.6
Meade	209	99	107	3	78	55	1	22	7	33.5	3	14.4
Menifee	164	87	54	11	39	34	-	5	4	24.4	1	6.1
Mercer	332	306	22	3	139	96	5	34	8	24.1	6	18.1
Metcalfe	213	52	142	13	101	85	-	15	6	28.2	4	18.8
Monroe	391	53	308	19	120	101	-	19	13	33.2	4	10.2
Montgomery	401	264	123	9	133	88	-	43	22	54.9	14	34.9
White	372	256	102	9	109	72	-	35	21	56.5	12	32.3
Nonwhite	29	8	21	-	24	16	-	8	1	34.5	2	69.0
Morgan	423	131	191	63	109	96	-	10	10	23.6	7	16.5
Muhlenberg	837	461	330	16	269	194	-	73	30	35.8	24	28.7
Nelson	586	169	425	-	196	139	9	46	21	35.2	15	25.2
Nicholas	182	107	53	-	79	59	-	20	3	18.5	5	30.9
Ohio	527	183	334	6	213	158	3	51	20	38.0	7	13.3
Oldham	212	152	55	4	103	57	12	33	11	51.9	10	47.2
White	180	150	35	4	88	51	5	31	8	42.1	9	47.4
Nonwhite	22	2	20	-	15	6	7	2	3	136.4	1	45.5
Owen	210	128	78	-	105	83	1	21	7	33.3	3	14.3
Owsley	207	66	11	56	33	23	-	10	4	19.3	2	9.7
Pendleton	200	98	98	-	124	95	-	29	10	50.0	7	35.0
Perry	1,756	330	1,109	157	318	191	-	127	84	47.8	23	13.1
Pike	2,851	1,368	899	363	595	372	5	214	164	57.9	63	22.3
Powell	224	46	145	17	64	42	-	22	10	44.6	6	26.8
Pulaski	1,014	393	529	73	313	246	-	66	39	38.5	20	19.7
Robertson	63	32	30	-	38	29	-	8	1	15.9	4	63.5
Rockcastle	436	143	189	95	117	97	-	20	10	22.9	6	13.8
Rowan	336	68	219	47	85	80	-	15	17	50.6	10	29.8
Russell	325	106	200	7	94	78	1	16	14	43.1	5	15.4
Scott	316	251	63	-	155	87	1	66	15	47.5	4	12.7
White	285	249	36	-	125	62	1	61	11	38.6	2	7.0
Nonwhite	31	2	27	-	30	25	-	5	4	128.0	2	64.5
Shelby	385	320	64	-	182	107	19	56	15	39.0	30	77.9
White	312	253	58	-	159	90	18	51	13	41.7	29	92.9
Nonwhite	73	67	6	-	23	17	1	5	2	27.4	1	13.7
Simpson	259	174	82	1	120	88	2	29	12	46.3	1	3.9
White	226	168	57	-	103	73	2	27	8	35.4	1	4.4
Nonwhite	33	6	25	1	17	15	-	2	4	121.2	-	0
Spencer	171	56	113	-	47	35	-	12	6	35.1	3	17.5
Taylor	353	169	174	7	134	115	-	6	19	53.8	8	22.7
Todd	305	134	155	11	145	118	1	26	5	16.4	6	19.7
White	245	125	110	6	105	89	-	16	4	16.3	5	20.4
Nonwhite	60	9	45	5	40	29	1	10	1	16.7	1	16.7
Trigg	220	137	61	19	88	74	-	14	10	45.5	8	36.4
White	183	131	50	1	63	52	-	11	7	38.3	6	32.8
Nonwhite	37	6	11	18	25	22	-	3	3	81.1	2	54.1
Trimble	124	63	57	1	29	22	-	7	2	16.1	10	80.6
Union	416	226	189	-	182	142	-	37	15	36.1	14	33.7
White	376	219	156	-	153	114	-	36	15	39.9	13	34.6
Nonwhite	40	7	33	-	29	28	-	1	-	0	1	25.0
Warren	975	702	255	-	473	357	2	112	50	51.3	17	17.4
White	880	698	168	-	384	275	2	105	39	44.3	13	14.8
Nonwhite	95	4	87	-	89	82	-	7	11	115.8	4	42.1
Bowling Green	508	415	93	-	260	187	-	73	28	55.1	9	17.7
White	463	415	48	-	202	135	-	67	19	41.0	5	10.8
Nonwhite	45	-	45	-	58	52	-	6	9	200.0	4	88.9
Balance of county	467	287	162	-	213	170	2	39	22	47.1	8	17.1
Washington	343	217	124	-	90	64	2	22	12	35.0	-	0
Wayne	516	41	386	55	95	78	-	17	14	27.1	11	21.3
Webster	285	131	152	1	209	174	-	33	16	56.1	3	10.5
White	250	131	117	1	166	138	-	27	15	60.0	2	8.0
Nonwhite	35	-	35	-	42	36	-	6	1	28.6	1	28.6
Whitley	873	300	506	36	288	202	-	85	42	48.1	8	9.2
Wolfe	257	53	110	64	72	58	-	14	13	50.6	4	15.6
Woodford	267	254	13	-	112	77	-	35	11	41.2	2	7.5
White	224	211	13	-	83	55	-	28	9	40.2	2	8.9
Nonwhite	43	43	-	-	29	22	-	7	2	46.5	-	0

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
LOUISIANA	73,312	56,745	5,539	10,969	23,561	13,615	726	8,961	2,779	37.9	1,872	25.5
White	44,814	40,095	3,518	1,183	13,579	7,240	465	5,771	1,283	28.6	766	17.1
Nonwhite	28,498	16,650	2,020	9,786	9,982	6,375	261	3,190	1,496	52.5	1,106	38.8
Acadia	1,448	1,048	114	286	419	282	-	137	68	47.0	33	22.8
White	1,088	891	97	100	301	192	-	109	37	34.0	17	15.6
Nonwhite	360	157	17	188	118	90	-	28	31	86.1	16	44.4
Allen	544	462	39	43	151	89	-	54	19	34.9	17	31.3
White	391	362	26	3	98	56	-	36	11	28.1	10	25.6
Nonwhite	153	100	13	40	53	33	-	18	8	52.3	7	45.8
Ascension	657	423	120	113	223	148	-	73	31	47.2	14	21.3
White	405	310	84	11	110	64	-	44	12	29.6	4	9.9
Nonwhite	252	113	36	102	113	84	-	29	19	75.4	10	39.7
Assumption	496	236	118	142	188	139	-	48	23	46.4	20	40.3
White	255	173	53	29	84	51	-	32	4	15.7	6	23.5
Nonwhite	241	63	65	113	104	88	-	16	19	78.8	14	58.1
Avoyelles	995	592	106	297	320	222	-	97	43	43.2	20	20.1
White	645	482	97	66	207	141	-	65	19	29.5	7	10.9
Nonwhite	350	110	9	231	113	81	-	32	24	68.6	13	37.1
Beauregard	489	340	106	43	166	108	-	55	22	45.0	6	12.3
White	406	324	75	7	134	84	-	47	21	51.7	6	14.8
Nonwhite	83	16	31	36	32	24	-	8	1	12.0	-	0
Bienville	471	233	102	134	152	104	-	44	18	38.2	13	27.6
White	180	143	35	2	74	45	-	26	8	44.4	2	11.1
Nonwhite	291	90	67	132	78	59	-	18	10	34.4	11	37.8
Bossier	1,132	963	10	157	252	151	-	100	44	38.9	25	22.1
White	674	661	10	2	102	54	-	47	17	25.2	11	16.3
Nonwhite	458	302	-	155	150	97	-	53	27	59.0	14	30.6
Caddo	4,904	4,540	51	308	1,510	747	8	707	183	37.3	130	26.5
White	2,660	2,629	27	3	759	346	7	364	61	22.9	34	12.8
Nonwhite	2,244	1,911	24	305	751	401	1	343	122	54.4	96	42.8
Shreveport	3,664	3,528	35	98	1,137	518	8	577	145	39.6	84	22.9
White	2,173	2,152	21	-	617	265	7	316	50	23.0	23	10.6
Nonwhite	1,491	1,376	14	98	520	253	1	261	95	63.7	61	40.9
Balance of parish	1,240	1,012	16	210	373	229	-	130	38	30.6	46	37.1
White	487	477	6	3	142	81	-	48	11	22.6	11	22.6
Nonwhite	753	535	10	207	231	148	-	82	27	35.9	35	46.6
Calcasieu	2,498	2,019	164	313	651	387	-	235	117	46.8	58	23.2
White	1,867	1,711	123	31	440	246	-	170	61	32.7	37	19.8
Nonwhite	631	308	41	282	211	141	-	65	56	88.7	21	33.3
Lake Charles	1,276	1,072	16	188	358	208	-	143	70	54.9	33	25.9
White	875	866	3	6	215	116	-	94	29	33.1	16	18.3
Nonwhite	401	206	13	182	143	92	-	49	41	102.2	17	42.4
Balance of parish	1,222	947	148	125	293	179	-	92	47	38.5	25	20.5
White	992	845	120	25	225	130	-	76	32	32.3	21	21.2
Nonwhite	230	102	28	100	68	49	-	16	15	65.2	4	17.4
Caldwell	286	213	29	44	93	62	-	29	7	24.5	9	31.5
White	197	163	27	7	64	39	-	23	7	35.5	4	20.3
Nonwhite	89	50	2	37	29	23	-	6	-	0	5	56.2
Cameron	120	67	51	2	40	29	-	10	7	58.3	2	16.7
Catahoula	315	224	15	76	111	81	-	28	13	41.3	10	31.7
White	201	179	10	12	63	44	-	17	7	34.8	7	34.8
Nonwhite	114	45	5	64	48	37	-	11	6	52.6	3	26.3
Claiborne	589	267	34	287	170	116	-	60	20	34.0	12	20.4
White	209	187	15	7	76	49	-	26	5	23.9	1	4.8
Nonwhite	380	80	19	280	102	67	-	34	15	39.5	11	28.9
Concordia	394	209	6	178	149	111	-	37	15	36.1	19	48.2
White	149	143	3	3	39	24	-	15	5	33.6	2	13.4
Nonwhite	245	66	3	175	110	87	-	22	10	40.8	17	69.4
De Soto	759	400	22	337	277	181	-	82	36	47.4	20	26.4
White	237	221	10	6	102	54	-	38	7	29.5	2	8.4
Nonwhite	522	179	12	331	175	127	-	44	29	55.6	18	34.5
East Baton Rouge	4,449	3,625	74	750	1,000	611	-	384	116	26.1	95	21.4
White	2,851	2,820	27	4	505	241	-	263	53	18.6	41	14.4
Nonwhite	1,598	805	47	746	495	370	-	121	63	39.4	54	33.8
Baton Rouge	1,292	1,130	11	151	413	248	-	163	39	30.2	54	41.8
White	762	757	4	1	197	96	-	101	17	22.3	23	30.2
Nonwhite	530	373	7	150	216	152	-	62	22	41.5	31	58.5
Balance of parish	3,157	2,495	63	599	587	363	-	221	77	24.4	41	13.0
White	2,089	2,063	23	3	308	145	-	162	36	17.2	18	8.6
Nonwhite	1,068	432	40	596	279	218	-	59	41	38.4	23	21.5
East Carroll	501	99	155	245	184	140	1	43	29	57.9	15	29.9
White	186	83	97	6	38	25	-	13	5	26.9	2	10.8
Nonwhite	315	16	58	239	146	115	1	30	24	76.2	13	41.3
East Feliciana	385	171	19	194	480	84	355	40	19	49.4	14	36.4
White	99	93	4	2	218	20	180	17	2	20.2	5	50.5
Nonwhite	286	78	15	192	262	64	175	23	17	59.4	9	31.5
Evangeline	713	466	86	160	238	169	-	69	28	39.3	13	18.2
White	487	408	60	19	176	124	-	52	10	20.5	9	18.5
Nonwhite	226	58	26	141	62	45	-	17	18	79.6	4	17.7
Franklin	912	442	136	334	234	150	-	81	32	35.1	24	26.3
White	497	383	89	25	121	68	-	51	14	28.2	16	32.2
Nonwhite	415	59	47	309	113	82	-	30	18	43.4	8	19.3
Grant	377	317	28	32	140	91	-	48	14	37.1	4	10.6
White	273	243	24	6	95	55	-	39	7	25.6	3	11.0
Nonwhite	104	74	4	26	45	36	-	9	7	67.3	1	9.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
LOUISIANA—Continued												
Iberia	974	700	189	83	381	260	-	118	54	55.4	28	28.7
White	626	532	90	3	204	135	-	66	26	41.5	15	24.0
Nonwhite	348	168	99	80	177	125	-	52	28	80.5	13	37.4
New Iberia	439	391	30	18	199	119	-	80	35	79.7	16	36.4
White	318	304	13	1	119	70	-	49	19	59.7	12	37.7
Nonwhite	121	87	17	17	80	49	-	31	16	132.2	4	33.1
Balance of parish	535	309	159	65	182	141	-	38	19	35.5	12	22.4
White	308	228	77	2	85	65	-	17	7	22.7	3	9.7
Nonwhite	227	81	82	63	97	76	-	21	12	52.9	9	39.6
Iberville	747	436	39	271	292	208	-	78	36	48.2	17	22.8
White	359	330	15	13	111	56	-	51	11	30.6	5	13.9
Nonwhite	388	106	24	258	181	152	-	27	25	64.4	12	30.9
Jackson	470	372	31	67	141	83	-	58	14	29.8	19	40.4
White	315	296	18	1	91	51	-	40	9	28.6	4	12.7
Nonwhite	155	76	13	66	50	32	-	18	5	32.3	15	96.8
Jefferson	2,714	2,501	150	63	548	295	-	248	81	29.8	51	18.8
White	2,187	2,014	121	52	405	207	-	193	56	25.6	38	17.4
Nonwhite	527	487	29	11	143	88	-	55	25	47.4	13	24.7
Gretna	348	319	16	13	120	68	-	52	13	37.4	7	20.1
White	230	212	10	8	82	44	-	38	7	30.4	6	26.1
Nonwhite	118	107	6	5	38	24	-	14	6	50.8	1	8.5
Balance of parish	2,366	2,182	134	50	428	227	-	196	68	28.7	44	18.6
White	1,957	1,802	111	44	323	163	-	155	49	25.0	32	16.4
Nonwhite	409	380	23	6	105	64	-	41	19	46.5	12	29.3
Jefferson Davis	780	509	144	127	211	136	-	75	34	43.6	13	16.7
White	583	449	112	22	159	94	-	65	22	37.7	8	13.7
Nonwhite	197	60	32	105	52	42	-	10	12	60.9	5	25.4
Lafayette	1,483	1,162	151	170	402	249	-	152	60	40.5	42	28.3
White	907	744	128	35	236	149	-	87	19	20.9	12	13.2
Nonwhite	576	418	23	135	166	100	-	65	41	71.2	30	52.1
Lafayette	841	705	59	77	226	124	-	101	31	36.9	18	21.4
White	557	490	55	12	137	78	-	59	9	16.2	5	9.0
Nonwhite	284	215	4	65	89	46	-	42	22	77.5	13	45.8
Balance of parish	642	457	92	93	176	125	-	51	29	45.2	24	37.4
White	350	254	73	23	99	71	-	28	10	28.6	7	20.0
Nonwhite	292	203	19	70	77	54	-	23	19	65.1	17	58.2
Lafourche	1,222	869	121	232	282	190	-	88	36	29.5	27	22.1
White	1,081	788	113	129	220	147	-	70	30	29.1	18	17.5
Nonwhite	191	80	8	103	62	43	-	19	6	31.4	9	47.1
La Salle	317	275	30	12	111	74	-	33	5	15.8	2	6.3
White	282	261	19	2	89	61	-	25	5	17.7	2	7.1
Nonwhite	35	14	11	10	22	13	-	8	-	0	-	0
Lincoln	690	463	47	180	187	102	-	81	15	21.7	22	31.9
White	385	342	21	2	105	49	-	52	6	16.4	8	21.9
Nonwhite	325	121	26	178	82	53	-	29	9	27.7	14	43.1
Livingston	599	353	191	55	137	84	-	51	25	41.7	15	25.0
White	500	305	185	10	109	68	-	38	17	34.0	10	20.0
Nonwhite	99	48	6	45	29	16	-	13	8	80.8	5	50.5
Madison	530	194	18	318	176	132	-	44	29	54.7	17	32.1
White	146	131	8	7	30	17	-	13	2	13.7	3	20.5
Nonwhite	384	63	10	311	146	115	-	31	27	70.3	14	36.5
Morehouse	929	535	150	244	271	167	-	104	42	45.2	32	34.4
White	438	413	23	2	112	58	-	54	21	47.9	5	11.4
Nonwhite	491	122	127	242	159	109	-	50	21	42.8	27	55.0
Natchitoches	1,080	546	102	431	333	232	-	98	46	42.6	34	31.5
White	518	427	61	30	152	88	-	62	14	27.0	7	13.5
Nonwhite	562	119	41	401	181	144	-	36	32	56.9	27	48.0
Orleans, coextensive with New Orleans	14,814	14,462	220	119	6,093	2,995	190	2,877	458	30.9	391	26.4
White	8,932	8,818	66	44	3,967	1,852	173	1,917	242	27.1	180	20.2
Nonwhite	5,882	5,644	154	75	2,126	1,143	17	960	216	36.7	211	35.9
Ouachita	1,961	1,667	104	170	629	301	10	313	71	36.2	56	28.6
White	1,211	1,148	52	11	352	146	3	202	39	32.2	23	19.0
Nonwhite	750	519	52	159	277	155	7	111	32	42.7	33	44.0
Monroe	1,002	883	45	74	341	153	8	176	33	32.9	30	29.9
White	589	582	5	2	192	65	2	124	20	34.0	10	17.0
Nonwhite	413	301	40	72	149	88	6	52	13	31.5	20	48.4
Balance of parish	959	804	59	96	288	148	2	137	38	39.6	26	27.1
White	622	566	47	9	160	81	1	78	19	30.5	13	20.9
Nonwhite	337	238	12	87	128	67	1	59	19	56.4	13	38.6
Plaquemines	395	313	28	54	84	48	-	35	14	35.4	2	5.1
White	220	210	8	2	38	20	-	17	6	27.3	1	4.5
Nonwhite	175	103	20	52	46	28	-	18	8	45.7	1	5.7
Pointe Coupee	596	280	124	192	227	185	-	39	24	40.3	24	40.3
White	243	202	36	5	79	54	-	23	5	20.6	3	12.3
Nonwhite	353	78	88	187	148	131	-	16	19	53.8	21	59.5
Rapides	2,441	2,178	61	200	927	386	151	384	82	33.6	61	25.0
White	1,548	1,469	41	37	562	193	98	267	53	34.2	28	18.1
Nonwhite	893	709	20	163	365	193	53	117	29	32.5	33	37.0
Alexandria	1,088	1,023	18	47	344	184	-	158	31	28.5	23	21.1
White	602	595	5	2	187	80	-	106	17	28.2	8	13.3
Nonwhite	488	428	13	45	157	104	-	52	14	28.8	15	30.9
Balance of parish	1,353	1,155	43	153	583	202	151	226	51	37.7	38	28.1
White	946	874	36	35	375	113	98	161	36	38.1	20	21.1
Nonwhite	407	281	7	119	208	89	53	65	15	36.9	18	44.2

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
LOUISIANA—Continued												
Red River	308	172	34	102	128	78	-	50	15	48.7	14	45.5
White	130	103	23	4	61	35	-	26	4	30.8	5	38.5
Nonwhite	178	69	11	98	67	43	-	24	11	61.8	9	50.6
Richland	837	450	229	157	208	137	-	66	30	35.8	20	23.9
White	495	348	143	4	93	56	-	34	11	22.2	8	16.2
Nonwhite	342	102	86	153	115	81	-	32	19	55.6	12	35.1
Sabine	491	315	75	101	136	83	-	53	17	34.6	13	26.5
White	365	287	54	24	100	55	-	45	12	32.9	6	16.4
Nonwhite	126	28	21	77	36	28	-	8	5	39.7	7	55.6
St. Bernard	303	298	2	3	79	31	-	48	23	75.9	9	29.7
White	232	229	1	2	62	22	-	40	16	69.0	5	21.6
Nonwhite	71	69	1	1	17	9	-	8	7	98.6	4	56.3
St. Charles	330	302	7	21	91	63	-	27	8	24.2	2	6.1
White	205	196	6	3	46	29	-	16	3	14.6	-	0
Nonwhite	125	106	1	18	45	34	-	11	5	40.0	2	16.0
St. Helena	180	112	7	61	61	45	-	16	12	66.7	5	27.8
White	73	60	4	9	28	21	-	7	3	41.1	-	0
Nonwhite	107	52	3	52	33	24	-	9	9	84.1	5	46.7
St. James	512	182	175	155	161	135	-	26	27	52.7	10	19.5
White	213	101	108	4	61	47	-	14	9	42.3	1	4.7
Nonwhite	299	81	67	151	100	88	-	12	18	60.2	9	30.1
St. John the Baptist	480	292	105	63	130	94	-	35	18	39.1	17	37.0
White	199	102	93	4	54	38	-	15	7	35.2	7	35.2
Nonwhite	281	190	12	59	76	56	-	20	11	42.1	10	38.3
St. Landry	2,400	1,375	254	769	600	437	-	163	131	54.6	58	24.2
White	1,158	906	152	100	277	196	-	81	34	29.4	12	10.4
Nonwhite	1,242	469	102	669	323	241	-	82	97	78.1	46	37.0
St. Martin	760	534	75	147	212	148	-	64	62	81.6	17	22.4
White	419	346	42	31	105	73	-	32	20	47.7	4	9.5
Nonwhite	341	188	33	116	107	75	-	32	42	123.2	13	38.1
St. Mary	1,096	563	246	286	307	222	-	85	39	35.6	37	33.8
White	650	485	118	47	144	80	-	64	21	32.3	14	21.5
Nonwhite	446	78	128	239	163	142	-	21	18	40.4	23	51.6
St. Tammany	655	452	99	101	257	170	1	82	22	33.6	24	36.6
White	391	302	74	14	170	106	1	60	9	23.0	9	23.0
Nonwhite	264	150	25	87	87	64	-	22	13	49.2	15	56.8
Tangipahoa	1,484	1,142	156	183	464	281	-	181	50	33.7	43	29.0
White	889	725	143	20	284	170	-	113	21	23.6	14	15.7
Nonwhite	595	417	13	163	180	111	-	68	29	48.7	29	48.7
Tensas	344	117	10	217	162	126	-	34	11	32.0	8	23.3
White	113	105	3	5	40	25	-	15	3	26.5	2	17.7
Nonwhite	231	12	7	212	122	101	-	19	8	34.6	6	26.0
Terrebonne	1,449	1,243	73	130	324	220	-	104	58	40.0	39	26.9
White	1,080	976	62	40	216	133	-	83	40	37.0	15	13.9
Nonwhite	369	267	11	90	108	87	-	21	18	48.8	24	65.0
Union	463	276	53	134	162	103	-	50	17	36.7	6	13.0
White	278	228	43	7	95	53	-	35	8	28.8	5	18.0
Nonwhite	185	48	10	127	67	50	-	15	9	48.6	1	5.4
Vermilion	970	837	56	76	250	168	-	82	40	41.2	24	24.7
White	818	731	47	39	198	136	-	62	28	34.2	15	18.3
Nonwhite	152	106	9	37	52	32	-	20	12	78.9	9	59.2
Vernon	477	383	25	69	150	77	-	65	15	31.4	12	25.2
White	408	367	22	19	131	65	-	58	14	34.3	10	24.5
Nonwhite	69	16	3	50	19	12	-	7	1	14.5	2	29.0
Washington	1,127	855	105	165	315	100	-	151	51	45.3	24	21.3
White	706	630	63	12	192	100	-	90	22	31.2	14	19.8
Nonwhite	421	225	42	153	123	60	-	61	29	68.9	10	23.8
Bogalusa	549	464	28	57	167	68	-	96	27	49.2	9	16.4
White	359	343	14	2	108	48	-	59	12	33.4	8	22.3
Nonwhite	190	121	14	55	59	20	-	37	15	78.9	1	5.3
Balance of parish	578	391	77	109	148	92	-	55	24	41.5	15	26.0
White	347	287	49	10	84	52	-	31	10	28.8	6	17.3
Nonwhite	231	104	28	98	64	40	-	24	14	60.6	9	39.0
Webster	1,093	859	67	167	298	174	-	115	50	45.7	28	25.6
White	685	653	29	3	138	73	-	58	17	24.8	6	8.8
Nonwhite	408	206	38	164	160	101	-	57	33	80.9	22	53.9
West Baton Rouge	259	154	20	85	126	94	-	31	20	77.2	9	34.7
White	122	116	5	1	36	19	-	16	6	49.2	4	32.8
Nonwhite	137	38	15	84	90	75	-	15	14	102.2	5	36.5
West Carroll	524	274	132	118	118	75	-	39	18	34.4	12	22.9
White	402	263	119	20	82	47	-	32	10	24.9	9	22.4
Nonwhite	122	11	13	98	36	28	-	7	8	65.6	3	24.6
West Feliciana	222	61	31	128	110	75	10	25	9	40.5	11	49.5
White	37	23	12	2	17	9	3	5	-	0	1	27.0
Nonwhite	185	38	19	126	93	66	7	20	9	48.6	10	54.1
Winn	392	306	18	68	124	90	-	33	6	15.3	4	10.2
White	272	257	6	9	86	59	-	26	3	11.0	2	7.4
Nonwhite	120	49	12	59	38	31	-	7	3	25.0	2	16.7
MAINE	22,071	19,913	2,111	6	9,958	5,674	456	3,546	706	32.0	367	16.6
White	22,038	19,883	2,108	6	9,928	5,662	454	3,531	703	31.9	367	16.7
Nonwhite	33	30	3	-	30	12	2	15	3	90.9	-	0
Androscoggin	1,970	1,861	108	-	879	414	82	383	50	25.4	40	20.3
Lewiston	925	893	32	-	421	187	66	176	18	19.5	18	19.5
Auburn	411	404	7	-	209	95	14	87	8	19.5	11	26.8
Balance of county	634	564	69	-	249	152	2	87	24	37.9	11	17.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
MAINE—Continued												
Aroostook	2,839	2,057	778	-	791	512	-	277	132	46.5	45	15.9
Cumberland	3,769	3,679	89	-	1,806	969	38	745	113	30.0	51	13.5
Portland	1,671	1,657	13	-	880	397	11	459	49	29.3	29	17.4
South Portland	541	538	3	-	189	110	5	62	15	27.7	6	11.1
Westbrook	253	246	7	-	105	67	-	35	9	35.6	5	19.8
Balance of county	1,304	1,238	66	-	622	395	22	189	40	30.7	11	8.4
Franklin	507	446	59	-	235	171	-	60	19	37.5	13	25.6
Hancock	740	667	73	-	371	261	1	104	14	18.9	10	13.5
Kennebec	1,980	1,934	45	-	1,003	482	138	349	53	26.8	27	13.6
Augusta	365	363	2	-	275	71	115	81	16	43.8	5	13.7
Waterville	439	428	11	-	159	98	-	55	7	15.9	7	15.9
Balance of county	1,176	1,143	32	-	569	315	23	213	30	25.5	15	12.8
Knox	589	550	38	-	363	228	25	109	20	34.0	8	13.6
Lincoln	355	323	31	-	261	145	5	101	12	33.8	5	14.1
Oxford	1,172	1,096	74	-	432	250	3	161	26	22.2	16	13.7
Penobscot	2,828	2,552	273	-	1,251	655	156	400	101	35.7	47	16.6
Bangor	836	805	31	-	541	202	152	164	29	34.7	15	17.9
Balance of county	1,993	1,747	242	-	710	453	4	236	72	36.1	32	16.1
Piscataquis	440	410	28	-	228	143	-	77	19	43.2	7	15.9
Sagadahoc	456	427	26	1	231	118	3	104	10	21.9	7	15.4
Bath	220	212	8	-	108	51	3	51	2	9.1	2	9.1
Balance of county	236	215	18	1	123	67	-	55	8	33.9	5	21.2
Somerset	948	840	99	5	404	257	1	142	20	21.1	16	16.9
Waldo	514	400	109	-	245	165	-	71	11	21.4	12	23.3
Washington	644	443	193	-	460	323	-	132	38	59.0	10	15.5
York	2,319	2,228	88	-	998	581	6	364	68	29.3	53	22.9
Biddeford	507	467	40	-	193	130	-	60	11	21.7	14	27.6
Balance of county	1,812	1,761	48	-	805	451	6	304	57	31.5	39	21.5
MARYLAND	53,423	44,722	6,522	2,130	22,440	12,719	1,075	8,387	1,537	28.8	1,204	22.5
White	42,130	37,874	3,791	430	17,728	10,051	895	6,555	1,084	25.7	781	18.8
Nonwhite	11,293	6,848	2,731	1,700	4,712	2,668	180	1,832	453	40.1	413	36.6
Allegany	2,160	2,004	152	3	895	492	31	370	86	39.8	47	21.8
Cumberland	870	833	37	-	423	211	25	187	39	44.8	18	20.7
Balance of county	1,290	1,171	115	3	472	281	8	183	47	36.4	29	22.5
Anne Arundel	2,463	1,959	317	184	924	485	137	294	76	30.9	51	20.7
White	1,881	1,676	163	40	606	353	17	231	56	29.8	33	17.5
Nonwhite	582	283	154	144	318	132	120	63	20	34.4	18	30.9
Annapolis	391	326	22	42	145	83	-	61	12	30.7	5	12.8
White	238	232	1	4	95	52	-	42	8	33.6	3	12.6
Nonwhite	153	94	21	38	50	31	-	19	4	26.1	2	13.1
Balance of county	2,072	1,633	295	142	779	402	137	233	64	30.9	46	22.2
White	1,643	1,444	162	36	511	301	17	189	48	29.2	30	18.3
Nonwhite	429	189	133	106	268	101	120	44	16	37.3	16	37.3
Baltimore	6,153	5,221	924	5	1,780	1,050	171	556	139	22.6	97	15.8
District 12[6]	581	346	243	-	172	91	-	81	29	49.1	10	16.9
District 13[6]	97	79	18	-	82	54	1	26	5	51.5	1	10.3
Balance of county	5,485	4,796	663	5	1,536	905	170	449	105	19.2	86	15.7
White	5,085	4,524	557	3	1,417	815	170	421	97	19.1	77	15.1
Nonwhite	380	272	106	2	119	90	-	28	8	21.1	9	23.7
Baltimore (city)	22,352	19,149	2,555	645	10,874	5,853	301	4,572	643	28.8	542	24.2
White	15,696	14,555	1,000	138	8,130	4,371	274	3,352	398	25.4	312	19.9
Nonwhite	6,656	4,594	1,555	507	2,754	1,482	27	1,220	245	36.8	230	34.6
Calvert	393	286	47	60	122	75	-	47	11	28.0	13	33.1
White	178	164	11	3	70	40	-	30	4	22.5	5	28.1
Nonwhite	215	122	36	57	52	35	-	17	7	32.6	8	37.2
Caroline	427	253	98	75	240	188	4	45	13	30.4	12	28.1
White	327	246	59	21	186	148	4	31	7	21.4	7	21.4
Nonwhite	100	7	39	54	54	40	-	14	6	60.0	5	50.0
Carroll	885	625	259	-	667	303	217	137	24	27.1	23	26.0
Cecil	806	696	104	-	395	182	88	123	38	47.1	19	23.6
Charles	740	428	50	259	181	120	-	60	27	36.5	20	27.0
White	420	375	11	33	114	75	-	38	13	31.0	7	16.7
Nonwhite	320	53	39	226	67	45	-	22	14	43.8	13	40.6
Dorchester	594	429	60	105	366	238	44	82	16	26.9	14	23.6
White	385	357	23	5	262	159	44	57	6	15.6	4	10.4
Nonwhite	209	72	37	100	104	79	-	25	10	47.8	10	47.8
Cambridge	262	196	15	41	158	106	5	47	10	38.7	6	23.8
White	166	157	7	2	106	67	5	34	3	18.1	2	12.0
Nonwhite	86	39	8	39	52	39	-	13	7	81.4	4	46.5
Balance of county	342	233	45	64	208	132	39	35	6	17.5	8	23.4
White	219	200	16	3	156	92	39	23	3	13.7	2	9.1
Nonwhite	123	33	29	61	52	40	-	12	3	24.4	6	48.8
Frederick	1,327	1,039	282	5	700	433	14	248	40	30.1	34	25.6
Frederick	416	387	28	1	239	126	4	98	14	33.7	10	24.0
White	345	327	19	-	206	115	4	86	12	34.7	7	20.2
Nonwhite	70	60	9	1	25	11	-	12	2	28.6	3	42.9
Balance of county	911	652	254	4	471	307	10	150	26	28.5	24	26.3
Garrett	588	280	182	119	178	141	7	30	13	22.2	8	13.7
Harford	1,350	1,186	161	1	420	256	13	144	45	33.3	30	22.2
White	1,186	1,062	122	-	351	217	12	113	34	28.7	24	20.2
Nonwhite	164	124	39	1	69	39	1	29	11	67.1	6	36.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
MARYLAND—Continued												
Howard	526	364	160	2	192	129	-	62	14	26.6	7	13.3
White	409	311	98	-	147	97	-	49	9	22.0	6	14.7
Nonwhite	117	53	62	2	45	32	-	13	5	42.7	1	8.5
Kent	324	233	75	13	181	143	1	33	8	24.7	5	15.4
White	243	211	32	-	133	100	-	29	7	28.8	4	16.5
Nonwhite	81	22	43	13	48	43	1	4	1	12.3	1	12.3
Montgomery	3,505	3,303	186	14	952	513	-	425	70	20.0	70	20.0
White	3,190	3,071	116	1	838	444	-	380	59	18.5	61	19.1
Nonwhite	315	232	70	13	114	69	-	45	11	34.9	9	28.6
Prince Georges	3,799	3,591	108	96	1,020	565	5	446	96	25.3	68	17.9
White	3,271	3,212	43	14	814	447	5	358	68	20.8	42	12.8
Nonwhite	528	379	65	82	206	118	-	88	28	53.0	26	49.2
Queen Annes	261	112	110	39	145	108	5	31	10	38.3	10	38.3
White	172	97	73	2	100	73	4	22	5	29.1	5	29.1
Nonwhite	89	15	37	37	45	35	1	9	5	56.2	5	56.2
St. Marys	678	424	89	162	173	118	-	55	24	35.4	10	14.7
White	469	398	42	26	114	79	-	35	16	34.1	3	6.4
Nonwhite	209	26	47	136	59	39	-	20	8	38.3	7	33.5
Somerset	436	277	60	99	265	187	-	74	18	41.3	22	50.5
White	259	226	29	4	169	109	-	57	8	30.9	5	19.3
Nonwhite	177	51	31	95	96	78	-	17	10	56.5	17	96.0
Talbot	414	288	42	83	234	158	2	70	12	29.0	16	38.6
White	270	256	7	7	162	110	2	46	2	7.4	4	14.8
Nonwhite	144	33	35	76	72	48	-	24	10	69.4	12	83.3
Washington	1,816	1,479	333	1	814	505	30	288	59	32.5	47	25.9
Hagerstown	947	854	91	-	450	268	14	161	31	32.7	24	25.3
Balance of county	869	625	242	1	364	237	16	105	28	32.2	23	26.5
Wicomico	901	813	75	12	459	292	5	150	37	41.1	23	25.5
White	679	639	34	5	349	215	5	119	24	35.3	16	23.6
Nonwhite	222	174	41	7	110	77	-	31	13	58.6	7	31.5
Salisbury	444	419	21	4	215	124	5	79	12	27.0	14	31.5
White	357	349	7	1	172	94	5	67	10	28.0	10	28.0
Nonwhite	87	70	14	3	43	30	-	12	2	23.0	4	46.0
Balance of county	457	394	54	8	244	168	-	71	25	54.7	9	19.7
White	322	290	27	4	177	121	-	52	14	43.5	6	18.6
Nonwhite	135	104	27	4	67	47	-	19	11	81.5	3	22.2
Worcester	527	283	93	148	253	185	-	67	18	34.2	16	30.4
White	318	248	65	6	172	130	-	41	9	28.3	6	18.9
Nonwhite	209	35	30	142	81	55	-	26	9	43.1	10	47.8
MASSACHUSETTS	[10]97,389	95,535	1,803	3	52,611	25,443	4,348	21,728	2,613	26.8	1,867	19.4
White	95,405	93,655	1,704	3	51,645	25,108	4,245	21,211	2,525	26.5	1,825	19.1
Nonwhite	1,984	1,880	99	-	966	335	103	517	88	44.4	62	31.3
Barnstable	973	929	44	-	540	364	7	155	20	20.6	12	12.3
Berkshire	2,938	2,879	51	-	1,423	862	21	517	70	23.8	56	19.1
Pittsfield	1,282	1,267	15	-	539	294	4	235	21	16.4	26	20.3
Adams (town)	285	282	1	-	166	122	5	37	11	38.9	4	14.1
North Adams	472	454	14	-	246	157	2	79	10	21.2	5	10.6
Balance of county	901	876	21	-	472	289	10	166	28	31.1	21	23.3
Bristol	7,932	7,442	488	-	4,591	2,494	562	1,488	213	26.9	156	19.7
Fall River	2,497	2,263	234	-	1,430	714	201	504	69	27.8	49	19.6
New Bedford	2,229	2,102	126	-	1,313	796	61	443	56	25.1	55	24.7
Taunton	810	799	11	-	678	246	277	148	20	24.7	10	12.3
Attleboro	563	537	25	-	250	112	1	133	14	24.9	6	10.7
Fairhaven (town)	226	211	15	-	137	93	4	38	7	31.0	4	17.7
North Attleborough (town)	237	223	14	-	120	84	3	33	6	25.3	3	12.7
Balance of county	1,370	1,307	63	-	663	449	15	189	41	29.9	29	21.2
Dukes	134	133	1	-	83	39	4	36	6	44.8	4	29.9
Essex	[10]8,611	8,458	150	-	6,167	3,001	471	2,536	232	[11]21.3	230	[12]21.1
Beverly	609	602	7	-	323	159	16	136	14	[11]22.7	16	[12]25.9
Haverhill	942	906	36	-	584	218	17	324	24	25.5	20	21.2
Lawrence	1,775	1,757	18	-	966	486	39	434	44	24.8	46	25.9
Lynn	[10]302	298	4	-	1,224	628	5	548	42	[11]20.0	47	[12]22.3
Salem	876	864	12	-	453	232	7	208	19	[11]21.3	18	[12]20.1
Amesbury (town)	235	229	6	-	148	74	18	54	6	25.5	4	17.0
Andover (town)	329	328	3	-	123	80	1	34	7	21.2	5	15.2
Danvers (town)	267	266	1	-	381	80	280	36	1	[11] 3.7	7	[12]25.7
Gloucester	524	500	24	-	314	154	20	128	5	9.5	6	11.5
Marblehead (town)	243	242	1	-	149	72	-	74	5	[11]19.2	3	[12]11.5
Methuen (town)	531	524	5	-	231	152	26	50	12	22.6	12	22.6
Newburyport	338	330	8	-	192	89	2	97	5	14.8	5	14.8
Peabody	429	428	1	-	237	100	1	128	10	[11]20.5	14	[12]28.7
Saugus (town)	150	145	5	-	108	80	1	21	3	[11] 8.7	7	[12]20.3
Swampscott (town)	90	89	1	-	99	74	-	24	5	[11]23.6	1	[12] 4.7
Balance of county	971	952	18	-	635	343	38	240	30	[11]28.7	19	[12]18.2
Franklin	849	817	23	-	607	334	4	248	26	30.6	22	25.9
Greenfield (town)	327	326	1	-	219	95	-	122	11	33.6	7	21.4
Balance of county	522	491	22	-	388	239	4	126	15	28.7	15	28.7
Hampden	8,166	8,062	99	1	3,764	1,989	239	1,499	210	25.7	170	20.8
Springfield	3,865	3,822	41	-	1,742	888	107	728	95	24.6	90	23.3
Chicopee	1,140	1,127	13	-	393	226	33	132	31	27.2	23	20.2
Holyoke	1,288	1,271	17	-	645	322	29	290	30	23.3	27	21.0
Westfield	476	472	4	-	252	129	4	118	12	25.2	7	14.7
West Springfield (town)	274	267	7	-	172	111	-	59	9	32.8	7	25.5
Balance of county	1,123	1,103	17	1	560	313	66	172	33	29.4	16	14.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MASSACHUSETTS—Continued												
Hampshire	1,762	1,732	29	-	1,065	402	290	349	53	30.1	34	19.3
Easthampton (town)	227	221	6	-	81	49	1	30	7	30.8	8	35.2
Northampton	543	527	15	-	566	108	277	176	13	23.9	14	25.8
Balance of county	992	984	8	-	418	245	20	143	33	33.3	12	12.1
Middlesex	23,121	22,867	250	-	11,017	5,613	723	4,398	582	24.3	390	16.9
Cambridge	2,905	2,869	36	-	1,607	602	262	737	94	32.4	44	15.1
Lowell	2,308	2,257	50	-	1,300	546	11	688	72	31.2	50	21.7
Somerville	2,442	2,409	33	-	1,120	626	70	398	54	22.1	50	20.5
Arlington (town)	877	870	7	-	357	232	1	121	18	20.5	16	18.2
Belmont (town)	483	479	4	-	228	153	16	54	5	10.4	9	18.6
Everett	1,094	1,086	8	-	371	197	1	166	24	21.9	19	17.4
Malden	1,286	1,274	12	-	632	352	12	236	24	18.7	28	21.8
Medford	1,345	1,340	5	-	533	312	12	199	42	31.2	17	12.6
Melrose	538	536	2	-	298	154	12	112	8	14.9	5	9.3
Newton	1,534	1,532	2	-	766	461	11	276	36	23.5	14	9.1
Waltham	1,050	1,043	7	-	460	218	34	200	16	15.2	22	21.0
Watertown (town)	794	787	7	-	238	158	9	69	15	18.9	16	20.2
Framingham (town)	607	598	9	-	332	160	8	155	12	19.8	12	19.8
Lexington (town)	280	276	4	-	295	91	175	24	10	35.7	2	7.1
Marlborough	359	358	1	-	175	98	8	67	7	19.5	5	13.9
Natick (town)	454	448	6	-	179	83	10	68	9	19.8	3	6.6
Reading (town)	317	312	5	-	145	108	-	37	8	25.2	5	15.8
Stoneham (town)	283	281	2	-	122	65	1	53	6	21.2	8	28.3
Wakefield (town)	404	398	6	-	147	89	6	48	7	17.3	5	12.4
Winchester (town)	291	290	1	-	117	68	-	47	4	13.7	7	24.1
Woburn	485	477	6	-	210	115	10	80	11	22.8	6	12.4
Balance of county	2,987	2,947	37	-	1,385	730	54	563	80	26.8	47	15.7
Nantucket	75	75	-	-	43	23	3	18	1	13.3	-	0
Norfolk	7,788	7,730	56	-	3,938	1,977	406	1,399	175	22.5	114	14.6
Brookline (town)	988	981	7	-	662	377	34	228	20	20.0	14	14.0
Quincy	1,909	1,906	3	-	814	372	23	390	46	24.1	38	19.9
Braintree (town)	492	490	2	-	183	124	2	50	7	14.2	4	8.1
Dedham (town)	326	324	2	-	157	110	-	40	6	18.4	6	18.4
Milton (town)	362	362	-	-	219	128	4	80	7	19.3	4	11.0
Needham (town)	259	259	-	-	129	81	4	39	7	27.0	4	15.4
Norwood (town)	389	389	-	-	204	72	6	114	10	25.7	5	12.9
Wellesley (town)	293	288	5	-	110	71	-	37	5	17.1	4	13.7
Weymouth (town)	752	752	-	-	320	146	1	143	18	23.9	8	10.6
Balance of county	2,008	1,969	37	-	1,140	496	332	278	49	24.4	27	13.4
Plymouth	3,931	3,817	112	-	2,113	1,241	108	693	91	23.1	70	17.8
Brockton	1,324	1,296	28	-	718	378	9	292	29	21.9	23	17.4
Plymouth (town)	291	281	10	-	163	102	3	58	7	24.1	4	13.7
Balance of county	2,316	2,240	74	-	1,232	761	97	346	55	23.7	43	18.6
Suffolk	19,556	19,242	308	2	10,953	4,215	739	5,838	638	32.8	400	20.4
Boston	17,208	16,941	262	1	9,972	3,754	634	5,451	592	34.4	365	21.1
White	16,071	15,843	224	1	9,470	3,608	604	5,128	530	33.0	328	20.4
Nonwhite	1,137	1,098	38	-	502	146	30	323	62	54.5	35	30.8
Chelsea	933	893	39	1	471	184	96	188	28	30.0	17	18.2
Revere	886	879	7	-	338	182	5	151	10	11.3	15	16.9
Winthrop (town)	529	529	-	-	172	95	4	68	8	15.1	5	9.5
Worcester	11,553	11,352	192	-	6,307	2,889	783	2,556	316	27.4	229	19.8
Worcester	4,102	4,068	30	-	2,544	995	322	1,207	111	27.1	93	22.7
Fitchburg	945	933	12	-	485	236	3	234	22	23.3	14	14.8
Athol (town)	235	220	15	-	120	74	1	42	8	34.0	7	29.8
Clinton (town)	302	299	3	-	151	74	1	53	11	36.4	7	23.2
Gardner	393	377	16	-	306	102	100	102	13	33.1	10	25.4
Leominster	592	587	5	-	280	154	6	113	19	32.1	12	20.3
Milford (town)	342	340	2	-	209	104	14	82	10	29.2	5	14.8
Northbridge (town)	235	231	4	-	102	51	1	49	12	51.1	3	12.8
Southbridge (town)	405	401	4	-	143	84	-	59	11	27.2	4	9.9
Webster (town)	325	324	1	-	127	69	-	56	10	30.8	8	24.6
Balance of county	3,677	3,572	100	-	1,860	947	315	560	89	24.2	66	17.9
MICHIGAN	154,730	148,242	6,264	78	56,786	27,542	4,823	23,870	4,639	30.0	3,090	20.0
White	142,845	137,747	4,936	47	52,937	26,352	4,178	21,682	4,169	29.2	2,716	19.0
Nonwhite	11,885	10,495	1,328	31	3,849	1,190	445	2,188	470	39.5	374	31.5
Alcona	132	80	51	-	43	32	1	9	3	22.7	1	7.6
Alger	297	290	6	-	97	50	-	43	6	20.2	4	13.5
Allegan	1,095	1,026	66	-	485	295	47	135	27	24.7	17	15.5
Alpena	603	593	9	-	208	123	12	73	16	26.5	18	29.9
Alpena	394	392	1	-	148	75	8	65	13	33.0	10	25.4
Balance of county	209	201	8	-	60	48	4	8	3	14.4	8	38.3
Antrim	245	158	85	1	137	79	18	39	7	28.6	4	16.3
Arenac	221	191	24	3	111	69	-	42	8	36.2	6	27.1
Baraga	196	135	57	-	89	66	-	22	11	56.1	4	20.4
Barry	566	556	10	-	279	158	6	113	19	33.6	12	21.2
Bay	2,336	2,173	163	-	774	445	28	299	67	28.7	43	18.4
Bay City	1,579	1,533	46	-	552	305	18	228	48	30.4	29	18.4
Balance of county	757	640	117	-	222	140	10	71	19	25.1	14	18.5
Benzie	194	174	20	-	84	61	4	19	5	25.8	3	15.5
Berrien	2,967	2,766	188	5	1,148	627	23	479	100	33.7	52	17.5
Benton Harbor	772	759	10	3	233	102	-	129	15	19.4	15	19.4
Niles	336	333	3	-	159	71	-	85	19	56.5	5	14.9
Balance of county	1,859	1,674	175	2	756	454	23	265	66	35.5	32	17.2

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MICHIGAN—Continued												
Branch	647	626	20	-	371	188	38	139	24	37.1	7	10.8
Calhoun	2,966	2,923	40	1	1,273	592	120	546	81	27.3	56	18.9
Battle Creek	1,376	1,357	17	-	624	265	6	342	37	26.9	38	27.6
Balance of county	1,590	1,566	23	1	649	327	114	204	44	27.7	18	11.3
Cass	563	521	42	-	325	190	10	122	17	30.2	20	35.5
Charlevoix	350	305	44	-	149	86	1	58	12	34.3	8	22.9
Cheboygan	369	269	99	1	161	111	2	46	13	35.2	9	24.4
Chippewa	833	795	17	13	248	117	15	116	28	33.6	16	19.2
Sault Ste. Marie	527	522	5	-	155	61	12	82	20	38.0	10	19.0
Balance of county	306	273	12	13	93	56	3	34	8	26.1	6	19.6
Clare	245	210	32	-	111	87	-	23	8	32.7	4	16.3
Clinton	714	676	37	1	256	139	12	99	30	42.0	15	21.0
Crawford	82	79	1	-	42	18	-	23	6	73.2	4	48.8
Delta	835	786	35	2	328	150	11	163	26	31.1	22	26.3
Escanaba	383	370	6	-	189	79	-	110	11	28.7	8	20.9
Balance of county	452	416	29	2	139	71	11	53	15	33.2	14	31.0
Dickinson	586	568	16	1	269	184	17	76	17	29.0	11	18.8
Iron Mountain	257	252	4	-	115	70	6	36	7	27.2	6	23.3
Balance of county	329	316	12	1	154	94	11	40	10	30.4	5	15.2
Eaton	934	916	17	-	413	276	6	122	19	20.3	28	30.0
Emmet	438	420	13	3	205	96	3	96	19	43.4	13	29.7
Genesee	6,739	6,559	173	5	1,952	961	-	965	193	28.6	137	20.3
Flint	4,141	4,056	79	5	1,320	589	-	715	133	32.1	86	20.8
Balance of county	2,598	2,503	94	-	632	372	-	250	60	23.1	51	19.6
Gladwin	220	177	41	1	71	50	1	20	3	13.6	6	27.3
Gogebic	599	574	17	2	319	168	-	151	10	16.7	10	16.7
Ironwood	272	264	8	-	121	78	-	43	6	22.1	5	18.4
Balance of county	327	310	9	2	198	90	-	108	4	12.2	5	15.3
Grand Traverse	709	689	19	-	328	156	260	108	23	32.4	6	8.5
Traverse City	375	373	2	-	158	87	1	69	14	37.3	-	0
Balance of county	334	316	17	-	368	69	259	39	9	26.9	6	18.0
Gratiot	873	828	43	-	392	239	40	110	26	29.8	29	33.2
Hillsdale	711	688	23	-	361	203	2	152	17	23.9	10	14.1
Houghton	853	800	49	3	569	328	34	207	30	35.2	18	21.1
Huron	862	810	52	-	309	196	8	99	29	33.6	19	22.0
Ingham	4,592	4,550	42	-	1,382	646	12	688	138	30.1	77	16.8
Lansing	2,197	2,184	13	-	832	375	8	432	62	28.2	40	18.2
Balance of county	2,395	2,366	29	-	550	271	4	256	76	31.7	37	15.4
Ionia	902	864	37	-	470	255	73	140	33	36.6	19	21.1
Iosco	221	177	40	1	86	60	-	22	6	27.1	5	22.6
Iron	377	371	6	-	180	87	34	59	8	21.2	11	29.2
Isabella	753	702	49	1	246	147	12	86	21	27.9	9	12.0
Jackson	2,618	2,593	24	-	1,188	541	100	522	109	41.6	55	21.0
Jackson	1,363	1,354	8	-	662	265	12	384	67	49.2	28	20.5
Balance of county	1,255	1,239	16	-	526	276	88	138	42	33.5	27	21.5
Kalamazoo	3,203	3,167	32	-	1,274	474	293	473	91	28.4	50	15.6
Kalamazoo	1,665	1,654	10	-	869	248	271	331	51	30.6	35	21.0
Balance of county	1,538	1,513	22	-	405	226	22	142	40	26.0	15	9.8
Kalkaska	94	58	35	-	50	34	-	16	2	21.3	3	31.9
Kent	7,043	6,793	246	-	2,628	1,482	339	950	139	19.7	119	16.9
Grand Rapids	4,678	4,604	74	-	1,655	1,003	120	689	96	20.5	82	17.5
Balance of county	2,364	2,189	172	-	973	479	219	261	43	18.2	37	15.7
Keweenaw	64	64	-	-	43	27	-	16	6	93.8	-	0
Lake	101	74	27	-	45	32	-	13	1	9.9	-	0
White	81	68	13	-	25	17	-	8	1	12.3	-	0
Nonwhite	20	6	14	-	20	15	-	5	-	0	-	0
Lapeer	773	631	142	-	376	226	71	76	23	29.8	14	18.1
Leelanau	196	184	11	1	86	52	5	29	8	40.8	4	20.4
Lenawee	1,750	1,663	86	-	660	370	24	247	75	42.9	39	22.3
Adrian	548	527	21	-	207	102	8	93	17	31.0	16	29.2
Balance of county	1,202	1,136	65	-	453	268	16	154	58	48.3	23	19.1
Livingston	581	562	19	-	306	200	8	88	14	24.1	16	27.5
Luce	178	175	2	-	237	42	165	30	7	39.3	6	33.7
Mackinac	261	179	80	1	81	58	-	22	5	19.2	9	34.5
Macomb	4,693	4,498	194	-	1,198	635	59	482	147	31.3	92	19.6
Mount Clemens	665	634	31	-	244	95	-	145	29	43.6	18	27.1
St. Clair Shores	471	456	14	-	112	72	-	40	19	40.3	10	21.2
Balance of county	3,557	3,408	149	-	842	468	59	297	99	27.8	64	18.0
Manistee	451	428	23	-	199	121	-	78	5	11.1	10	22.2
Marquette	1,106	1,089	16	1	493	220	11	251	33	29.9	29	26.2
Marquette	436	436	-	-	153	58	-	92	15	34.4	6	13.8
Balance of county	669	652	16	1	340	162	11	159	18	26.9	23	34.4
Mason	470	448	21	1	207	118	-	84	18	38.3	8	17.0
Mecosta	478	427	50	-	232	134	29	63	21	43.9	10	20.9
Menominee	628	620	6	1	256	117	6	128	18	28.7	10	15.9
Menominee	304	303	1	-	125	35	1	86	11	36.2	4	13.2
Balance of county	324	317	5	1	131	82	5	42	7	21.6	6	18.5
Midland	1,000	944	52	2	231	144	1	82	27	27.0	16	16.0
Midland	562	555	7	-	110	59	-	50	12	21.4	10	17.8
Balance of county	438	389	45	2	121	85	1	32	15	34.2	6	13.7
Missaukee	192	120	72	-	73	51	-	21	8	41.7	2	10.4
Monroe	1,854	1,766	88	-	582	318	26	230	52	28.0	37	20.0
Monroe	816	799	17	-	215	97	11	105	23	28.2	13	15.9
Balance of county	1,038	967	71	-	367	221	17	125	29	27.9	24	23.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MICHIGAN—Continued												
Montcalm	780	719	60	1	354	237	4	110	28	37.2	9	11.5
Montmorency	89	68	21	-	50	35	-	15	3	33.7	-	0
Muskegon	3,528	3,478	49	-	1,005	511	9	476	116	32.9	77	21.8
Muskegon	1,732	1,723	9	-	543	245	6	289	52	30.0	41	23.7
Muskegon Heights	577	572	5	-	119	67	-	51	19	32.9	9	15.6
Balance of county	1,219	1,183	35	-	343	199	3	136	45	36.9	27	22.1
Newaygo	555	474	81	-	240	173	1	64	12	21.6	5	9.0
Oakland	9,870	9,535	331	1	2,605	1,186	206	1,190	314	31.8	188	19.0
Pontiac	2,086	2,022	62	-	809	244	194	371	97	46.5	44	21.1
Royal Oak	1,278	1,266	12	-	254	124	-	127	28	21.9	33	25.8
Birmingham	418	415	3	-	87	40	-	46	12	28.7	6	14.4
Ferndale	958	947	11	-	182	80	-	100	29	30.3	18	18.8
Balance of county	5,130	4,885	243	1	1,273	698	12	546	148	28.8	87	17.0
Oceana	418	400	18	-	191	99	7	81	17	40.7	8	19.1
Ogemaw	210	194	16	-	126	91	3	32	9	42.9	3	14.3
Ontonagon	227	188	35	2	122	66	-	56	9	39.6	8	35.2
Osceola	386	345	40	-	168	122	3	41	18	46.6	5	13.0
Oscoda	64	51	13	-	33	22	-	11	1	15.6	-	0
Otsego	143	121	22	-	58	31	1	25	5	35.0	2	14.0
Ottawa	1,848	1,751	97	-	615	372	3	223	47	25.4	38	20.6
Holland	405	401	4	-	176	99	-	73	6	14.8	7	17.3
Balance of county	1,443	1,350	93	-	439	273	3	150	41	28.4	31	21.5
Presque Isle	333	258	73	-	101	66	-	35	11	33.0	6	18.0
Roscommon	119	105	10	1	53	35	-	18	1	8.4	4	33.6
Saginaw	4,029	3,897	128	-	1,333	687	8	621	128	31.8	71	17.6
Saginaw	2,404	2,377	25	-	895	427	4	455	81	33.7	48	19.1
Balance of county	1,625	1,520	103	-	438	260	4	166	47	28.9	25	15.4
St. Clair	2,322	2,164	157	-	930	602	28	289	59	25.4	46	19.8
Port Huron	958	936	22	-	411	240	-	164	27	28.2	23	24.0
Balance of county	1,364	1,228	135	-	519	362	28	125	32	23.5	23	16.9
St. Joseph	803	771	31	-	375	208	12	147	27	33.6	15	18.7
Sanilac	715	622	93	-	328	228	1	80	26	36.4	12	16.8
Schoolcraft	261	251	8	-	98	62	3	33	10	38.3	5	19.2
Shiawassee	1,147	1,102	45	-	488	295	18	181	49	42.7	14	12.2
Owosso	471	452	19	-	162	91	1	62	19	40.3	3	6.4
Balance of county	676	650	26	-	326	204	17	99	30	44.4	11	16.3
Tuscola	852	772	78	1	458	257	64	126	23	27.0	15	17.6
Van Buren	821	792	28	1	475	265	1	190	17	20.7	15	18.3
Washtenaw	3,398	3,349	48	1	1,255	481	339	427	91	26.8	62	18.2
Ann Arbor	1,059	1,056	3	-	380	170	-	207	32	30.2	16	15.1
Ypsilanti	775	770	5	-	179	75	-	104	30	38.7	24	31.0
White	677	675	2	-	150	60	-	90	24	35.5	22	32.5
Nonwhite	98	95	3	-	29	15	-	14	6	61.2	2	20.4
Balance of county	1,564	1,523	40	1	696	236	339	118	29	18.5	22	14.1
Wayne	56,783	54,895	1,838	19	20,040	8,186	1,920	9,728	1,690	29.8	1,210	21.3
Detroit	43,176	41,818	1,326	12	14,970	6,527	201	8,079	1,285	29.8	918	21.3
White	35,399	34,795	592	4	12,643	5,837	201	6,464	991	28.0	673	19.0
Nonwhite	7,777	7,023	734	8	2,327	690	-	1,615	294	37.8	245	31.5
Dearborn	2,461	2,465	15	-	489	277	-	208	65	26.2	44	17.7
Hamtramck	1,057	1,015	42	-	347	135	-	211	34	32.2	15	14.2
Highland Park	990	978	12	-	448	166	5	274	23	23.2	24	24.2
Wyandotte	1,237	1,218	18	-	324	148	1	174	25	20.2	25	20.2
Ecorse	567	495	72	-	101	60	-	41	20	35.3	14	24.7
White	363	343	20	-	83	46	-	37	6	16.5	5	13.8
Nonwhite	204	152	52	-	38	14	-	24	14	68.6	9	44.1
Grosse Pointe Park	104	103	1	-	78	65	-	11	2	19.2	2	19.2
Lincoln Park	725	708	16	-	117	54	-	60	22	30.3	15	20.7
River Rouge	616	544	72	-	157	81	-	76	29	47.1	16	26.0
White	414	397	17	-	117	58	-	59	16	38.6	8	19.3
Nonwhite	202	147	55	-	40	23	-	17	13	64.4	8	39.6
Balance of county	5,830	5,551	264	7	3,009	673	1,713	594	185	31.7	137	23.5
Wexford	471	433	35	-	192	106	3	82	12	25.5	10	21.2
MINNESOTA	72,780	70,788	1,870	52	27,400	12,083	1,767	13,263	1,959	26.9	1,291	17.7
White	72,030	70,092	1,852	48	27,044	11,964	1,750	13,043	1,899	26.4	1,260	17.5
Nonwhite	750	696	38	4	356	119	17	220	60	80.0	31	41.3
Aitkin	370	353	17	-	134	69	-	64	12	32.4	9	24.3
Anoka	828	809	18	1	271	122	71	76	24	29.0	20	24.2
Becker	667	636	30	-	224	92	-	131	30	45.0	19	28.5
Beltrami	707	645	43	15	245	117	1	124	27	38.2	20	28.3
Benton	412	398	13	-	96	52	-	42	6	14.6	2	4.9
St. Cloud (part)	83	83	-	-	14	7	-	7	2	(8)	-	(8)
Balance of county	329	315	13	-	82	45	-	35	4	12.2	2	6.1
Big Stone	228	212	16	-	87	55	-	31	7	30.7	4	17.5
Blue Earth	1,030	1,019	11	-	364	168	5	188	31	30.1	23	22.3
Mankato	557	556	1	-	213	70	5	135	21	37.7	13	23.3
Balance of county	473	463	10	-	151	98	-	53	10	21.1	10	21.1
Brown	637	619	18	-	269	121	-	148	29	45.5	17	26.7
Carlton	581	568	11	-	321	108	114	97	15	25.8	10	17.2
Carver	425	418	7	-	165	96	-	67	10	23.5	8	18.8
Cass	513	446	61	3	177	87	-	90	13	25.3	12	23.4

See footnotes on p. 93.

891562 O—50——4

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
MINNESOTA—Continued												
Chippewa	405	401	4	-	143	67	-	75	14	34.6	6	14.8
Chisago	249	246	3	-	165	76	10	74	9	36.1	3	12.0
Clay	778	755	23	-	240	133	-	106	16	20.6	12	15.4
Clearwater	277	274	2	-	84	37	-	46	7	25.3	4	14.4
Cook	63	59	4	-	25	14	-	11	-	0	1	15.9
White	59	55	4	-	25	14	-	11	-	0	1	16.9
Nonwhite	4	4	-	-	-	-	-	-	-	0	-	0
Cottonwood	374	368	6	-	117	64	-	53	7	18.7	8	21.4
Crow Wing	807	766	37	2	282	125	13	143	25	31.0	11	13.6
Brainerd	452	448	4	-	133	52	13	68	9	19.9	7	15.5
Balance of county	355	318	33	2	149	73	-	75	16	45.1	4	11.3
Dakota	1,175	1,158	17	-	460	186	81	192	35	29.8	19	16.2
South St. Paul	419	419	-	-	124	59	-	65	12	28.6	3	7.2
Balance of county	756	739	17	-	336	127	81	127	23	30.4	16	21.2
Dodge	284	280	34	-	110	79	2	26	7	23.8	5	17.0
Douglas	522	503	19	-	194	84	10	97	13	24.9	12	23.0
Faribault	578	535	43	-	207	127	2	78	12	20.6	7	12.1
Fillmore	550	514	36	-	219	128	-	85	14	25.5	8	14.5
Freeborn	867	835	30	-	270	149	6	112	25	28.8	15	17.3
Albert Lea	474	466	8	-	148	67	4	74	13	27.4	11	23.2
Balance of county	393	369	22	-	124	82	2	38	12	30.5	4	10.2
Goodhue	719	697	21	-	351	177	3	168	21	29.2	10	13.9
Grant	192	177	15	-	86	52	-	34	5	26.0	3	15.6
Hennepin	16,082	15,947	120	9	5,853	2,297	188	3,298	387	24.1	275	17.1
Minneapolis	12,809	12,704	93	8	5,009	1,921	151	2,880	323	25.2	225	17.6
Balance of county	3,273	3,243	27	1	850	376	37	418	64	19.6	50	15.3
Houston	346	342	4	-	132	53	1	77	16	46.2	4	11.6
Hubbard	293	286	5	1	107	55	1	49	6	20.5	4	13.7
Isanti	197	186	11	-	166	76	36	51	9	45.7	7	35.5
Itasca	908	890	18	-	299	126	13	160	52	57.3	8	8.8
Jackson	391	376	15	-	136	79	-	55	16	40.9	7	17.9
Kanabec	196	189	7	-	83	51	-	32	8	40.8	4	20.4
Kandiyohi	626	621	5	-	320	124	68	128	14	22.4	15	24.0
Kittson	239	230	9	-	84	34	-	47	8	33.5	1	4.2
Koochiching	505	485	17	1	139	56	2	71	16	31.7	8	15.8
Lac qui Parle	344	339	5	-	128	58	1	64	13	37.8	5	14.5
Lake	177	175	2	-	87	39	-	44	3	16.9	5	28.2
Lake of the Woods	120	103	17	-	39	25	-	14	-	0	5	41.7
Le Sueur	412	399	13	-	194	143	-	50	9	21.8	6	14.6
Lincoln	249	242	7	-	104	53	-	50	8	32.1	2	8.0
Lyon	666	649	17	-	193	109	2	81	21	31.5	7	10.5
McLeod	533	517	16	-	180	89	-	77	7	13.1	12	22.5
Mahnomen	196	193	2	-	48	19	-	29	4	20.4	4	20.4
White	156	154	2	-	42	17	-	25	4	25.6	2	12.8
Nonwhite	40	39	-	-	6	2	-	4	-	0	2	50.0
Marshall	430	402	28	-	112	63	-	48	5	11.6	9	20.9
Martin	661	647	14	-	205	127	-	78	16	24.2	8	12.1
Meeker	484	457	25	-	182	80	-	102	15	31.0	10	20.7
Mille Lacs	334	316	15	-	165	78	2	84	14	41.9	5	15.0
Morrison	705	688	9	1	196	81	10	105	19	27.0	15	21.3
Mower	1,136	1,056	80	-	317	188	7	141	33	29.0	11	9.7
Austin	643	633	10	-	191	78	7	105	23	35.8	7	10.9
Balance of county	493	423	70	-	126	88	-	36	10	20.3	4	8.1
Murray	387	377	10	-	93	47	-	44	8	20.7	2	5.2
Nicollet	397	391	6	-	386	60	249	72	9	22.7	10	25.2
Nobles	609	603	6	-	141	78	-	61	18	29.6	2	3.3
Norman	284	278	6	-	113	59	-	53	-	0	6	21.1
Olmsted	1,256	1,184	71	1	552	178	159	207	34	27.1	18	14.3
Rochester	866	849	17	-	422	101	158	161	27	31.2	12	13.9
Balance of county	390	335	54	1	130	77	1	46	7	17.9	6	15.4
Otter Tail	1,150	1,109	37	1	642	247	181	208	43	37.4	15	13.0
Fergus Falls	281	279	2	-	312	49	181	79	16	56.9	4	14.2
Balance of county	869	830	35	1	330	198	-	129	27	31.1	11	12.7
Pennington	373	373	-	-	118	48	-	70	12	32.2	10	26.8
Pine	417	363	52	-	205	118	1	86	10	24.0	7	16.8
Pipestone	387	385	2	-	122	63	-	58	18	46.5	9	23.3
Polk	888	869	17	-	325	152	5	167	27	30.4	13	14.6
Pope	287	284	3	-	108	46	-	62	10	34.8	7	24.4
Ramsey	9,011	8,921	72	14	3,394	1,284	261	1,835	215	23.9	189	21.0
St. Paul	8,221	8,139	69	10	3,139	1,171	231	1,724	198	24.1	171	20.8
Balance of county	790	782	3	4	255	113	30	111	17	21.5	18	22.8
Red Lake	202	200	1	-	55	26	-	29	4	19.8	2	9.9
Redwood	519	491	28	-	192	97	18	76	17	32.8	14	27.0
Renville	595	546	49	-	181	112	-	68	15	25.2	15	25.2
Rice	711	684	27	-	341	140	71	119	21	29.5	13	18.3
Faribault	306	295	11	-	175	55	63	55	7	22.9	5	16.3
Balance of county	405	389	16	-	166	85	8	64	14	34.6	8	19.8
Rock	326	323	3	-	95	50	-	45	9	27.6	7	21.5
Roseau	400	348	50	-	151	74	-	77	20	50.0	3	7.5
St. Louis	4,677	4,607	60	2	2,121	822	60	1,229	121	25.9	69	14.8
Duluth	2,386	2,370	13	1	1,141	378	57	701	66	27.7	32	13.4
Hibbing	406	405	1	-	185	64	-	121	19	46.8	9	22.2
Virginia	304	304	-	-	142	45	-	96	8	26.3	8	26.3
Balance of county	1,581	1,528	46	1	653	335	3	311	28	17.7	20	12.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MINNESOTA—Continued												
Scott	384	375	9	-	134	78	5	48	9	23.4	9	23.4
Sherburne	216	210	6	-	85	50	8	27	5	23.1	4	18.5
St. Cloud (part)	37	36	1	-	16	5	7	4	1	(8)	-	(8)
Balance of county	179	174	5	-	69	45	1	23	4	22.3	4	22.3
Sibley	369	347	22	-	130	83	-	38	8	21.7	14	37.9
Stearns	2,027	1,923	102	-	614	280	45	287	68	33.5	29	14.3
St. Cloud (part)	754	752	2	-	219	77	6	134	29	(8)	7	(8)
St. Cloud (total)	874	871	3	-	249	89	13	145	32	36.6	7	8.0
Balance of county	1,273	1,171	100	-	395	203	39	153	39	30.8	22	17.3
Steele	447	438	9	-	154	80	1	72	8	17.9	8	17.9
Stevens	301	292	9	-	103	40	-	60	11	36.5	4	13.3
Swift	377	370	7	-	115	53	-	62	10	26.5	8	21.2
Todd	554	503	49	-	231	133	-	96	20	36.1	19	34.3
Traverse	209	206	3	-	57	32	-	25	5	23.9	5	23.9
Wabasha	440	421	19	-	173	97	-	76	7	15.9	7	15.9
Wadena	358	329	28	-	105	52	-	53	4	11.2	8	22.3
Waseca	348	343	4	-	133	81	-	50	12	34.5	5	14.4
Washington	813	802	10	1	284	132	11	132	19	23.4	11	13.5
Watonwan	319	316	3	-	114	48	35	30	3	9.4	6	18.8
Wilkin	275	268	5	-	80	28	-	51	10	36.4	1	3.6
Winona	929	912	16	-	367	193	6	157	18	19.4	18	19.4
Winona	599	598	1	-	247	125	6	112	14	23.4	13	21.7
Balance of county	330	314	15	-	120	70	-	45	4	12.1	5	15.2
Wright	674	615	59	-	255	171	2	76	8	11.9	15	22.3
Yellow Medicine	386	376	10	-	150	85	-	64	10	25.9	4	10.4
MISSISSIPPI	[7]65,303	28,040	11,881	12,225	20,296	14,173	514	5,403	2,474	37.9	1,991	30.5
White	29,811	23,139	5,300	299	9,429	5,583	263	3,485	1,016	34.1	580	19.5
Nonwhite	35,492	4,901	6,581	11,926	10,867	8,590	251	1,918	1,458	41.1	1,411	39.8
Adams	876	645	15	194	345	213	-	130	37	42.2	38	43.4
White	391	389	1	-	108	45	-	62	12	30.7	8	20.5
Nonwhite	485	256	14	194	237	168	-	68	25	51.5	30	61.8
Natchez	666	545	9	98	246	149	-	95	24	36.0	25	37.5
White	362	361	-	-	87	36	-	50	10	27.6	7	19.3
Nonwhite	304	184	9	98	159	113	-	45	14	46.1	18	59.2
Balance of county	210	100	8	98	99	64	-	35	13	61.9	13	61.9
White	29	28	1	-	21	9	-	12	2	69.0	1	34.5
Nonwhite	181	72	5	98	78	55	-	23	11	60.8	12	66.3
Alcorn	721	378	214	37	242	175	2	51	36	49.9	18	25.0
White	602	364	168	8	183	127	2	45	26	43.2	9	15.0
Nonwhite	119	14	46	28	59	48	-	6	10	84.0	9	75.6
Amite	567	157	71	218	177	133	-	43	31	54.7	21	37.0
White	184	136	39	3	81	57	-	24	12	65.2	3	16.3
Nonwhite	383	21	32	215	96	76	-	19	19	49.6	18	47.0
Attala	785	374	159	72	257	177	1	75	29	36.9	11	14.0
White	403	325	60	2	143	85	1	55	18	44.7	3	7.4
Nonwhite	382	49	99	70	114	92	-	20	11	28.8	8	20.9
Benton	274	86	46	95	65	54	-	11	7	25.5	11	40.1
White	136	82	36	9	36	25	-	11	4	29.4	4	29.4
Nonwhite	138	4	10	86	29	29	-	-	3	21.7	7	50.7
Bolivar	2,166	592	453	620	696	516	4	153	91	42.0	78	36.0
White	539	358	136	19	160	92	-	67	22	40.8	15	27.8
Nonwhite	1,627	234	317	601	536	424	4	86	69	42.4	63	38.7
Calhoun	612	309	228	18	139	96	-	39	17	27.8	16	26.1
White	445	275	146	1	101	63	-	35	11	24.7	10	22.5
Nonwhite	167	34	82	17	38	33	-	4	6	35.9	6	35.9
Carroll	418	69	95	147	131	110	-	21	13	31.1	19	45.5
White	114	65	36	6	64	51	-	13	4	35.1	6	52.6
Nonwhite	304	4	59	141	67	59	-	8	9	29.6	13	42.8
Chickasaw	608	172	232	90	178	135	-	43	16	26.3	17	28.0
White	293	164	108	3	96	69	-	27	8	27.3	6	20.5
Nonwhite	315	8	124	87	82	66	-	16	8	25.4	11	34.9
Choctaw	297	99	105	31	94	79	-	15	8	26.9	3	10.1
White	181	93	77	3	61	50	-	11	2	11.0	2	11.0
Nonwhite	116	6	28	28	33	29	-	4	6	51.7	1	8.6
Claiborne	345	60	26	116	148	122	-	26	14	40.6	13	37.7
White	65	44	12	5	38	27	-	11	2	30.8	2	30.8
Nonwhite	280	16	14	111	110	95	-	15	12	42.9	11	39.3
Clarke	564	216	136	91	190	144	-	45	16	28.4	17	30.1
White	285	189	82	3	99	70	-	29	9	31.6	6	21.1
Nonwhite	279	27	54	88	91	74	-	16	7	25.1	11	39.4
Clay	578	199	91	287	190	139	-	51	17	29.4	11	19.0
White	202	163	31	5	67	42	-	25	3	14.9	1	5.0
Nonwhite	376	36	60	282	123	97	-	26	14	37.2	10	26.6
Coahoma	1,512	358	389	344	508	423	1	81	38	25.1	52	34.4
White	343	288	42	6	83	49	-	33	5	14.6	6	17.5
Nonwhite	1,169	70	347	338	426	374	1	48	33	28.2	46	39.3
Clarksdale	464	226	155	18	153	105	1	47	8	17.2	11	23.7
White	207	198	8	-	54	22	-	32	3	14.5	2	9.7
Nonwhite	257	28	147	18	99	83	1	15	5	19.5	9	35.0
Balance of county	1,048	132	234	326	356	318	-	34	30	28.6	41	39.1
White	136	90	34	6	29	27	-	1	2	14.7	4	29.4
Nonwhite	912	42	200	320	327	291	-	33	28	30.7	37	40.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Copiah	946	190	424	177	277	228	-	48	22	23.3	18	19.0
White	319	167	145	1	124	98	-	27	6	18.8	6	18.8
Nonwhite	627	23	279	176	153	132	-	21	16	25.5	12	19.1
Covington	469	208	132	29	148	101	-	47	15	32.0	18	38.4
White	264	177	74	1	94	57	-	37	9	34.1	9	34.1
Nonwhite	205	31	58	28	54	44	-	10	6	29.3	9	43.9
De Soto	815	259	110	299	215	166	-	48	37	45.4	30	36.8
White	200	159	30	3	60	37	-	23	13	65.0	1	5.0
Nonwhite	615	100	80	296	155	129	-	25	24	39.0	29	47.2
Forrest	1,232	885	134	150	348	214	-	133	39	31.7	26	21.1
White	813	774	30	4	216	110	-	105	25	30.8	11	13.5
Nonwhite	419	111	104	128	132	104	-	28	14	33.4	15	35.8
Hattiesburg	832	606	81	96	237	131	-	106	32	38.5	20	24.0
White	532	521	7	1	141	59	-	82	22	41.4	9	16.9
Nonwhite	300	85	74	95	96	72	-	24	10	33.3	11	36.7
Balance of county	400	279	53	34	111	83	-	27	7	17.5	6	15.0
White	281	253	23	3	75	51	-	23	3	10.7	2	7.1
Nonwhite	119	26	30	31	36	32	-	4	4	33.6	4	33.6
Franklin	312	167	22	54	93	58	-	35	4	12.8	13	41.7
White	171	148	16	2	46	26	-	20	3	17.5	5	29.2
Nonwhite	141	19	6	52	47	32	-	15	1	7.1	8	56.7
George	266	129	91	20	76	51	-	21	20	75.2	5	18.8
White	224	128	77	4	65	41	-	20	17	75.8	5	22.3
Nonwhite	42	1	14	16	11	10	-	1	3	71.4	-	0
Greene	254	56	106	35	68	51	-	17	9	35.4	4	15.7
White	179	56	96	2	52	36	-	16	8	44.7	3	16.8
Nonwhite	75	-	12	33	16	15	-	1	1	13.3	1	13.3
Grenada	538	204	28	179	177	134	-	42	25	46.5	23	42.8
White	224	188	19	6	68	40	-	27	12	53.6	4	17.9
Nonwhite	314	16	9	173	109	94	-	15	13	41.4	19	60.5
Hancock	271	174	31	33	127	85	2	40	15	55.4	8	29.5
White	218	171	27	7	106	66	1	39	12	55.0	6	27.5
Nonwhite	53	3	4	26	21	19	1	1	3	56.6	2	37.7
Harrison	1,794	1,444	78	115	650	324	33	286	82	45.7	54	30.1
White	1,442	1,331	58	16	489	209	31	244	66	45.8	39	27.0
Nonwhite	352	113	20	99	161	115	2	42	16	45.5	15	42.6
Biloxi	710	611	12	18	239	109	9	116	46	64.8	18	25.4
White	599	570	6	8	202	88	9	102	42	70.1	15	25.0
Nonwhite	111	41	6	10	37	21	-	14	4	36.0	3	27.0
Gulfport	600	524	10	40	212	91	18	103	25	41.7	19	31.7
White	492	478	10	2	143	45	18	80	17	34.6	14	28.5
Nonwhite	108	46	-	58	69	46	-	23	8	74.1	5	46.3
Balance of county	484	309	58	57	199	124	6	67	11	22.7	17	35.1
White	351	283	42	6	144	76	4	62	7	19.9	10	28.5
Nonwhite	133	26	14	51	55	48	2	5	4	30.1	7	52.6
Hinds	3,924	2,137	419	510	1,180	723	7	441	164	41.8	141	35.9
White	1,777	1,705	53	2	523	251	7	263	58	32.6	37	20.8
Nonwhite	2,147	432	366	508	657	472	-	178	106	49.4	104	48.4
Jackson	2,304	1,576	243	184	741	400	7	330	110	47.7	80	34.7
White	1,257	1,246	6	1	382	171	7	203	48	38.2	24	19.1
Nonwhite	1,047	330	237	183	359	229	-	127	62	59.2	56	53.5
Balance of county	1,820	561	176	326	439	323	-	111	54	33.3	61	37.7
White	520	459	47	1	141	80	-	60	10	19.2	13	25.0
Nonwhite	1,100	102	129	326	298	243	-	51	44	40.0	48	43.6
Holmes	1,135	170	146	362	363	295	-	67	48	42.3	50	44.1
White	180	137	34	3	88	61	-	27	9	50.0	6	33.3
Nonwhite	955	33	112	359	275	234	-	40	39	40.8	44	46.1
Humphreys	878	112	131	233	234	190	1	43	35	39.9	29	33.0
White	201	93	82	5	58	39	-	19	5	24.9	5	24.9
Nonwhite	677	19	49	228	176	151	1	24	30	44.3	24	35.5
Issaquena	142	36	10	88	58	47	-	10	11	77.5	7	49.3
White	42	29	8	4	12	9	-	3	4	95.2	1	23.8
Nonwhite	100	7	2	84	46	38	-	7	7	70.0	6	60.0
Itawamba	418	172	213	5	108	91	-	16	14	33.5	10	23.9
Jackson	915	711	39	118	251	168	-	82	22	24.0	17	18.6
White	695	651	25	10	191	116	-	74	17	24.5	9	12.9
Nonwhite	220	60	14	108	60	52	-	8	5	22.7	8	36.4
Jasper	562	311	87	92	157	116	-	34	24	42.7	15	26.7
White	223	205	14	-	85	59	-	21	12	53.8	5	22.4
Nonwhite	339	106	73	92	72	57	-	13	12	35.4	10	29.5
Jefferson	291	49	19	82	145	115	-	29	11	37.8	11	37.8
White	43	25	14	-	36	19	-	16	1	23.3	2	46.5
Nonwhite	248	24	5	82	109	96	-	13	10	40.3	9	36.3
Jefferson Davis	524	93	259	45	130	104	-	26	18	34.4	7	13.4
White	197	81	98	-	46	36	-	10	6	30.5	1	5.1
Nonwhite	327	12	161	45	84	68	-	16	12	36.7	6	18.3
Jones	1,710	1,452	58	129	452	274	3	170	79	46.2	48	28.1
White	1,169	1,124	35	2	288	166	3	117	36	30.8	17	14.5
Nonwhite	541	328	23	127	164	108	-	53	43	79.5	31	57.3
Laurel	809	691	11	85	218	120	-	96	45	55.6	24	29.7
White	482	477	4	-	115	59	-	56	14	29.0	5	10.4
Nonwhite	327	214	7	85	103	61	-	40	31	94.8	19	58.1
Balance of county	901	761	47	44	234	154	3	74	34	37.7	24	26.6
White	687	647	31	2	173	107	3	61	22	32.0	12	17.5
Nonwhite	214	114	16	42	61	47	-	13	12	56.1	12	56.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Kemper	555	99	158	268	151	123	-	28	18	32.4	15	27.0
White	126	75	44	5	66	47	-	19	6	47.6	2	15.9
Nonwhite	429	24	114	263	85	76	-	9	12	28.0	13	30.3
Lafayette	630	285	65	75	162	118	-	44	21	33.3	26	41.3
White	340	271	44	4	87	57	-	30	9	26.5	6	17.6
Nonwhite	290	14	21	71	75	61	-	14	12	41.4	20	69.0
Lamar	344	194	88	28	93	63	-	28	11	32.0	10	29.1
White	269	183	67	-	76	50	-	24	9	33.5	7	26.0
Nonwhite	75	11	21	28	17	13	-	4	2	26.7	3	40.0
Lauderdale	1,752	1,216	96	167	750	363	73	312	84	47.9	45	25.7
White	976	934	34	-	475	186	71	216	51	52.3	19	19.5
Nonwhite	776	282	62	167	275	177	2	96	33	42.5	26	33.5
Meridian	1,215	959	29	89	542	232	71	237	63	51.9	37	30.5
White	754	747	3	-	356	119	71	164	42	55.7	13	17.2
Nonwhite	461	212	26	89	186	113	-	73	21	45.6	24	52.1
Balance of county	537	257	67	78	208	131	2	75	21	39.1	8	14.9
White	222	187	31	-	119	67	-	52	9	40.5	6	27.0
Nonwhite	315	70	36	78	89	64	2	23	12	38.1	2	6.3
Lawrence	405	180	38	53	107	80	-	26	18	44.4	7	17.3
White	202	155	23	1	62	41	-	21	9	44.6	3	14.9
Nonwhite	203	25	13	52	45	39	-	5	9	44.3	4	19.7
Leake	656	174	240	111	176	145	-	29	20	30.5	18	27.4
White	287	146	130	3	97	75	-	20	3	10.5	9	31.4
Nonwhite	369	28	110	108	79	70	-	9	17	46.1	9	24.4
Lee	1,026	592	364	17	332	233	1	98	35	34.0	23	22.4
White	687	548	125	1	223	145	1	76	24	34.9	13	18.9
Nonwhite	341	44	239	16	109	88	-	20	11	32.3	10	29.3
Leflore	1,692	406	194	848	530	426	2	100	87	51.4	64	37.8
White	412	342	55	7	125	67	-	58	14	34.0	8	19.4
Nonwhite	1,280	64	139	841	405	359	2	42	73	57.0	56	43.8
Greenwood	482	302	2	122	209	142	-	66	28	58.1	13	27.0
White	261	258	-	1	77	35	-	42	11	42.1	6	23.0
Nonwhite	221	44	2	121	132	107	-	24	17	76.9	7	31.7
Balance of county	1,210	104	192	726	321	284	2	34	59	48.8	51	42.1
White	151	84	55	6	48	32	-	16	3	19.9	2	13.2
Nonwhite	1,059	20	137	720	273	252	2	18	56	52.9	49	46.3
Lincoln	863	565	68	207	284	162	-	121	42	48.7	26	30.1
White	497	475	11	5	159	74	-	84	18	36.2	6	12.1
Nonwhite	366	90	57	202	125	88	-	37	24	65.6	20	54.6
Lowndes	1,073	356	231	203	389	278	2	87	35	32.6	23	21.4
White	452	335	103	5	145	85	2	58	10	22.1	5	11.1
Nonwhite	621	21	128	198	224	193	-	29	25	40.3	18	29.0
Columbus	544	258	91	128	227	156	-	70	20	36.8	11	20.2
White	283	249	30	2	104	54	-	50	8	28.3	5	17.7
Nonwhite	261	9	61	126	123	102	-	20	12	46.0	6	23.0
Balance of county	529	98	140	75	142	122	2	17	15	28.4	12	22.7
White	169	86	73	3	41	31	2	8	2	11.8	-	0
Nonwhite	360	12	67	72	101	91	-	9	13	36.1	12	33.3
Madison	1,200	250	118	281	364	277	9	77	49	40.8	41	34.2
White	204	172	19	2	105	56	9	39	2	9.8	5	24.5
Nonwhite	996	78	99	279	259	221	-	38	47	47.2	36	36.1
Marion	717	319	122	85	184	142	-	42	24	33.5	18	25.1
White	408	294	94	1	97	68	-	29	10	24.5	8	19.6
Nonwhite	309	25	28	84	87	74	-	13	14	45.3	10	32.4
Marshall	871	165	133	217	221	164	1	54	19	21.8	21	24.1
White	157	110	37	-	75	42	-	32	4	25.5	1	6.4
Nonwhite	714	55	96	217	146	122	1	22	15	21.0	20	28.0
Monroe	1,151	569	256	142	318	231	1	74	47	40.8	23	20.0
White	633	478	110	8	174	116	-	48	25	39.5	10	15.8
Nonwhite	518	91	146	134	144	115	1	28	22	42.5	13	25.1
Montgomery	395	139	53	108	157	128	-	29	16	40.5	26	65.8
White	176	134	32	5	91	72	-	19	8	45.5	4	22.7
Nonwhite	219	5	21	103	66	56	-	10	8	36.5	22	100.5
Neshoba	741	417	174	33	179	113	-	62	29	39.1	21	28.3
White	485	369	100	-	122	69	-	50	13	26.8	7	14.4
Nonwhite	256	48	74	33	57	44	-	12	16	62.5	14	54.7
Newton	681	459	113	42	211	137	-	74	29	42.6	20	29.4
White	397	348	41	2	126	77	-	49	19	47.9	4	10.1
Nonwhite	284	111	72	40	85	60	-	25	10	35.2	16	56.3
Noxubee	711	131	45	425	230	174	-	55	21	29.5	28	39.4
White	127	102	16	3	60	37	-	23	2	15.7	1	7.9
Nonwhite	584	29	29	423	170	137	-	32	19	32.5	27	46.2
Oktibbeha	750	391	52	143	200	152	-	47	26	34.7	21	28.0
White	312	267	31	3	100	71	-	28	10	32.1	9	28.8
Nonwhite	438	124	21	140	100	81	-	19	16	36.5	12	27.4
Panola	1,059	408	160	255	293	243	-	43	36	34.0	26	24.6
White	389	288	78	4	117	82	-	30	11	28.3	6	15.4
Nonwhite	670	120	82	251	176	161	-	13	25	37.3	20	29.9
Pearl River	630	400	202	11	174	98	-	76	32	50.8	11	17.5
White	486	345	136	-	130	64	-	64	22	45.3	6	12.3
Nonwhite	144	55	66	11	44	32	-	12	10	69.4	5	34.7
Perry	311	119	64	55	67	55	-	12	9	28.9	6	19.3
White	216	118	52	9	42	31	-	11	4	18.5	4	18.5
Nonwhite	95	1	12	46	25	24	-	1	5	52.6	2	21.1

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Pike	1,067	523	237	209	343	258	-	85	43	40.3	35	32.8
White	488	426	52	3	182	128	-	54	14	28.7	7	14.3
Nonwhite	579	97	185	206	161	130	-	31	29	50.1	28	48.4
Pontotoc	525	300	125	42	153	131	-	22	10	19.0	12	22.9
White	411	286	94	3	115	95	-	20	9	21.9	7	17.0
Nonwhite	114	14	31	39	38	36	-	2	1	8.8	5	43.9
Prentiss	579	389	119	21	157	96	-	61	16	27.6	10	17.3
White	507	377	98	1	136	79	-	57	15	29.6	9	17.8
Nonwhite	72	12	21	20	21	17	-	4	1	13.9	1	13.9
Quitman	916	344	212	123	248	200	-	47	37	40.4	44	48.0
White	371	249	96	9	79	54	-	24	11	29.6	7	18.9
Nonwhite	545	95	116	114	169	146	-	23	26	47.7	37	67.9
Rankin	767	346	122	122	541	117	352	70	24	31.3	26	33.9
White	306	235	56	6	214	45	130	38	6	19.6	9	29.4
Nonwhite	461	111	66	116	327	72	222	32	18	39.0	17	36.9
Scott	714	236	213	118	188	140	-	48	28	39.2	28	39.2
White	318	205	98	4	95	66	-	29	13	40.9	10	31.4
Nonwhite	396	31	115	114	93	74	-	19	15	37.9	18	45.5
Sharkey	492	100	59	319	129	105	-	22	24	48.8	19	38.6
White	109	72	28	6	32	21	-	10	6	55.0	2	18.3
Nonwhite	383	28	31	313	97	84	-	12	18	47.0	17	44.4
Simpson	611	402	78	62	177	128	-	45	26	42.6	15	24.5
White	357	312	38	-	110	75	-	32	11	30.8	9	25.2
Nonwhite	254	90	40	62	67	53	-	13	15	59.1	6	23.6
Smith	436	249	122	12	128	96	-	32	19	43.6	8	18.3
White	303	224	71	2	99	74	-	25	15	49.5	4	13.2
Nonwhite	133	25	51	10	29	22	-	7	4	30.1	4	30.1
Stone	169	91	45	24	52	40	-	12	2	11.8	7	41.4
White	112	88	23	-	31	24	-	7	1	8.9	7	62.5
Nonwhite	57	3	22	24	21	16	-	5	1	17.5	-	0
Sunflower	1,817	363	636	225	469	366	9	90	58	31.9	53	29.2
White	472	272	169	1	113	67	2	43	11	23.3	11	23.3
Nonwhite	1,345	91	467	224	356	299	7	47	47	34.9	42	31.2
Tallahatchie	1,077	195	370	158	267	205	2	59	42	39.0	32	29.7
White	298	172	115	2	84	51	1	31	12	40.3	4	13.4
Nonwhite	779	23	255	156	183	154	1	28	30	38.5	28	35.9
Tate	606	109	160	162	148	124	-	23	16	26.4	28	46.2
White	171	97	68	1	52	40	-	11	1	5.8	4	23.4
Nonwhite	435	12	92	161	96	84	-	12	15	34.5	24	55.2
Tippah	484	287	138	23	116	90	-	24	12	24.8	10	20.7
White	360	257	95	1	94	71	-	21	9	25.0	6	16.7
Nonwhite	124	30	43	22	22	19	-	3	3	24.2	4	32.3
Tishomingo	415	100	294	-	101	78	2	19	9	21.7	5	12.0
Tunica	734	58	108	166	220	189	-	29	28	38.1	26	35.4
White	114	51	49	2	26	14	-	12	7	61.4	6	52.6
Nonwhite	620	7	59	164	194	175	-	17	21	33.9	20	32.3
Union	553	419	51	30	146	86	-	59	22	39.8	11	19.9
White	426	378	39	2	112	65	-	47	15	35.2	6	14.1
Nonwhite	127	41	12	28	34	21	-	12	7	55.1	5	39.4
Walthall	529	329	43	61	126	79	-	47	23	43.5	10	18.9
White	227	211	6	4	66	38	-	28	10	44.1	5	22.0
Nonwhite	302	118	37	57	60	41	-	19	13	43.0	5	16.8
Warren	1,052	632	28	212	459	283	-	173	39	37.1	36	34.2
White	492	474	10	6	153	62	-	89	13	26.4	8	16.3
Nonwhite	560	158	18	206	306	221	-	84	26	46.4	28	50.0
Vicksburg	828	547	22	139	354	199	-	153	31	37.4	24	29.0
White	439	430	6	2	129	47	-	81	12	27.3	6	13.7
Nonwhite	389	117	16	137	225	152	-	72	19	48.8	18	46.3
Balance of county	224	85	6	73	105	84	-	20	8	35.7	12	53.6
White	53	44	4	4	24	15	-	8	1	18.9	2	37.7
Nonwhite	171	41	2	69	81	69	-	12	7	40.9	10	58.5
Washington	2,143	667	390	587	784	543	5	204	76	35.5	93	43.4
White	602	509	79	6	187	92	-	90	29	48.2	17	28.2
Nonwhite	1,541	178	311	581	597	451	5	114	47	30.5	76	49.3
Greenville	853	421	133	193	345	212	3	124	41	48.1	28	32.8
White	362	353	6	2	110	42	-	67	16	44.2	5	13.8
Nonwhite	491	68	127	191	235	170	3	57	25	50.9	23	46.8
Balance of county	1,290	246	257	394	439	331	2	80	35	27.1	65	50.4
White	240	156	73	4	77	50	-	23	13	54.2	12	50.0
Nonwhite	1,050	110	184	390	362	281	2	57	22	21.0	53	50.5
Wayne	575	310	75	60	143	101	-	38	20	34.8	15	26.1
White	334	265	47	5	80	45	-	32	10	29.9	4	12.0
Nonwhite	241	45	28	55	63	56	-	6	10	41.5	11	45.6
Webster	276	147	86	6	102	79	-	20	11	39.9	7	25.4
White	189	125	58	-	80	60	-	19	3	15.9	5	26.5
Nonwhite	87	22	28	6	22	19	-	1	8	92.0	2	23.0
Wilkinson	519	127	40	302	158	124	-	33	24	46.2	9	17.3
White	119	101	14	2	37	22	-	14	3	25.2	3	25.2
Nonwhite	400	26	26	300	121	102	-	19	21	52.5	6	15.0
Winston	759	340	110	85	193	138	-	54	27	35.6	26	34.3
White	380	323	42	2	102	64	-	38	11	28.9	6	15.8
Nonwhite	379	17	68	83	91	74	-	16	16	42.2	20	52.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
MISSISSIPPI—Continued												
Yalobusha	465	144	91	97	166	129	-	36	15	32.3	6	12.9
White	215	134	39	16	95	62	-	32	6	27.9	3	14.0
Nonwhite	250	10	52	81	71	67	-	4	9	36.0	3	12.0
Yazoo	1,089	306	98	150	412	294	1	116	51	46.8	42	38.6
White	353	253	59	3	139	74	-	65	13	36.8	10	28.3
Nonwhite	736	53	39	147	273	220	1	51	38	51.6	32	43.5
MISSOURI	85,258	70,307	13,573	908	42,752	22,810	2,129	17,219	2,585	30.3	1,783	20.9
White	77,942	64,627	12,461	446	38,445	20,937	1,991	14,935	2,229	28.6	1,469	18.8
Nonwhite	7,316	5,680	1,112	462	4,307	1,873	138	2,284	356	48.7	314	42.9
Adair	429	320	104	-	247	135	1	105	14	32.6	6	14.0
Kirksville	265	220	45	-	171	80	-	87	11	41.5	5	18.9
Balance of county	164	100	59	-	76	55	1	18	3	18.3	1	6.1
Andrew	199	167	32	-	153	105	-	47	4	20.1	7	35.2
Atchison	217	202	15	-	101	60	-	40	7	32.3	-	0
Audrain	544	483	60	1	243	130	8	99	17	31.3	8	14.7
Barry	458	368	88	1	216	145	-	51	11	24.0	4	8.7
Barton	267	225	42	-	148	125	1	17	8	30.0	4	15.0
Bates	351	258	73	-	229	150	-	73	16	48.3	3	9.1
Benton	145	119	26	-	99	67	-	25	5	34.5	5	34.5
Bollinger	208	92	103	1	101	68	6	25	3	14.4	-	0
Boone	956	846	109	-	392	251	11	116	19	19.9	13	13.6
Columbia	638	588	50	-	227	143	-	76	9	14.1	12	18.8
White	580	560	20	-	192	119	-	66	7	12.1	8	13.8
Nonwhite	58	28	30	-	35	24	-	10	2	34.5	4	69.0
Balance of county	318	258	59	-	165	108	11	40	10	31.4	1	3.1
Buchanan	1,846	1,655	189	1	1,257	551	233	435	66	35.8	35	19.0
St. Joseph	1,498	1,341	156	1	1,116	450	231	400	55	36.7	32	21.4
Balance of county	348	314	33	-	141	101	2	35	11	31.6	3	8.6
Butler	973	582	321	68	325	199	7	118	50	51.1	31	31.7
Poplar Bluff	437	328	97	10	156	79	-	76	22	50.3	15	34.3
Balance of county	541	254	224	48	169	120	7	42	28	51.8	16	29.6
Caldwell	175	116	57	1	132	102	2	26	5	28.6	3	17.1
Callaway	417	313	104	-	410	148	199	61	10	24.0	6	14.4
White	380	291	89	-	349	133	160	54	10	26.3	4	10.5
Nonwhite	37	22	15	-	61	15	39	7	-	0	2	54.1
Camden	175	75	98	-	60	46	-	14	1	5.7	14	80.0
Cape Girardeau	903	812	79	7	355	215	3	134	30	33.2	13	14.4
Cape Girardeau	489	470	11	5	189	93	-	93	18	36.8	8	16.4
Balance of county	414	342	68	2	166	122	3	41	12	29.0	5	12.1
Carroll	291	244	45	2	198	141	-	51	13	44.7	4	13.7
Carter	107	62	34	7	53	36	-	17	5	46.7	4	37.4
Cass	355	265	90	-	240	169	7	63	10	28.2	8	22.5
Cedar	187	114	73	-	128	101	5	15	2	10.7	2	10.7
Chariton	233	151	81	-	183	146	5	29	6	25.8	5	21.5
Christian	253	150	80	1	143	107	2	30	4	17.2	3	12.9
Clark	174	137	36	-	101	63	1	37	3	17.2	5	28.7
Clay	928	864	64	-	396	240	40	114	24	25.9	7	7.5
Clinton	232	140	91	-	153	108	-	37	5	21.6	2	8.6
Cole	706	587	119	-	276	168	12	95	19	26.9	12	17.0
Jefferson City	477	423	54	-	183	100	12	70	13	27.3	7	14.7
Balance of county	229	164	65	-	93	68	-	25	6	26.2	5	21.8
Cooper	517	290	27	-	200	104	2	89	11	34.7	10	31.5
White	296	277	19	-	178	94	2	77	11	37.2	5	16.9
Nonwhite	21	13	8	-	22	10	-	12	-	0	5	238.1
Crawford	216	85	116	3	131	97	-	33	10	46.3	7	32.4
Dade	137	108	28	-	104	78	-	16	2	14.6	4	29.2
Dallas	201	72	129	-	108	86	-	20	6	29.9	2	10.0
Daviess	169	76	93	-	144	112	4	27	7	41.4	6	35.5
De Kalb	130	67	62	-	100	75	1	20	7	53.8	3	23.1
Dent	220	114	75	25	93	72	-	16	5	22.7	9	40.9
Douglas	272	57	187	4	97	72	-	23	7	25.7	6	22.1
Dunklin	1,197	433	726	23	351	246	3	99	46	38.4	32	26.7
Franklin	802	635	165	-	337	207	1	125	29	36.2	14	17.5
Gasconade	261	192	69	-	113	72	-	41	5	19.2	6	23.0
Gentry	204	118	86	-	142	105	3	31	2	9.8	5	24.5
Greene	2,470	2,370	96	-	1,052	560	36	445	69	27.9	55	22.3
Springfield	1,640	1,626	13	-	749	387	19	339	48	29.3	30	18.3
Balance of county	830	744	83	-	303	173	17	108	21	25.3	25	30.1
Grundy	221	207	14	-	196	141	2	53	9	40.7	7	31.7
Harrison	259	169	90	-	150	91	7	45	3	11.6	5	19.3
Henry	375	354	17	3	275	158	4	105	19	50.7	8	21.3
Hickory	96	51	45	-	65	52	-	13	1	10.4	1	10.4
Holt	164	111	52	1	123	88	5	28	3	18.3	2	12.2
Howard	238	192	45	1	147	83	1	61	12	50.4	7	29.4
White	206	183	23	-	120	61	-	57	10	48.5	6	29.1
Nonwhite	32	9	22	1	27	22	1	4	2	62.5	1	31.3
Howell	533	240	287	8	242	172	4	61	16	30.0	6	11.5
Iron	260	149	76	9	103	66	8	29	8	30.8	5	19.2
Jackson	11,723	11,363	356	1	5,884	2,525	216	3,087	336	28.7	212	18.1
Kansas City	9,432	9,154	275	1	5,088	2,154	140	2,746	282	29.9	179	19.0
White	8,251	8,133	116	-	4,209	1,811	140	2,213	223	27.0	136	16.5
Nonwhite	1,181	1,021	159	1	877	343	-	533	59	50.0	43	36.4
Independence	858	847	10	-	313	128	4	175	22	25.6	8	9.3
Balance of county	1,433	1,362	71	-	485	243	72	166	32	22.3	25	17.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
MISSOURI—Continued												
Jasper	1,755	1,670	81	1	1,076	577	21	456	55	31.3	34	19.4
Joplin (part)	847	833	13	-	548	258	3	278	30	(a)	21	(a)
Joplin (total)	854	839	14	-	553	258	3	280	30	35.1	22	25.8
Carthage	243	240	3	-	189	102	14	67	7	28.8	3	12.3
Balance of county	665	597	85	1	339	219	4	111	18	27.1	10	15.0
Jefferson	799	498	297	3	365	237	20	89	19	23.8	15	18.9
Johnson	413	375	38	-	251	163	12	74	15	36.3	5	12.1
Knox	172	129	42	-	101	64	-	29	5	29.1	1	5.8
Laclede	437	351	85	-	176	95	1	79	19	43.5	11	25.2
Lafayette	501	359	142	-	280	218	10	49	16	31.9	6	12.0
Lawrence	426	325	100	-	280	162	2	111	14	32.9	10	23.5
Lewis	188	121	67	-	113	77	1	34	7	37.2	6	31.9
Lincoln	232	162	70	-	177	119	1	55	6	25.9	5	21.6
Linn	319	257	61	-	248	164	6	75	7	21.9	5	15.7
Livingston	325	270	55	-	203	154	4	45	3	9.2	6	18.5
McDonald	267	179	82	5	119	100	-	19	9	33.7	6	22.5
Macon	278	206	71	-	235	162	1	62	8	28.8	3	10.8
Madison	247	94	145	1	91	67	-	24	10	40.5	5	20.2
Maries	149	60	89	-	50	33	-	15	2	13.4	5	33.6
Marion	645	607	37	1	361	166	11	183	19	29.5	12	18.6
Hannibal	425	413	11	1	258	113	1	144	12	28.2	10	23.5
Balance of county	220	194	26	-	103	53	10	39	7	31.8	2	9.1
Mercer	139	96	42	1	87	65	-	18	3	21.6	1	7.2
Miller	323	179	144	-	138	107	-	28	3	9.3	5	15.5
Mississippi	713	190	424	95	240	187	-	50	32	44.9	17	23.8
White	551	188	352	8	162	119	-	42	21	38.1	10	18.1
Nonwhite	162	2	72	87	78	68	-	8	11	67.9	7	43.2
Moniteau	207	142	65	-	145	108	-	37	7	33.8	4	19.3
Monroe	191	133	57	-	152	93	5	51	8	41.9	2	10.5
Montgomery	212	150	61	-	155	110	3	41	10	47.2	7	33.0
Morgan	184	107	75	-	111	81	-	27	6	32.6	3	16.3
New Madrid	1,162	475	534	132	293	224	-	66	65	55.9	27	23.2
White	959	467	464	14	258	175	-	60	55	57.4	23	24.0
Nonwhite	203	8	70	118	55	49	-	6	10	49.3	4	19.7
Newton	509	388	119	2	260	163	-	90	18	35.4	11	21.6
Joplin (part)	7	6	1	-	5	2	-	2	-	(a)	1	(a)
Balance of county	502	382	118	2	255	161	-	88	18	35.9	10	19.9
Nodaway	486	441	45	-	297	167	9	112	12	24.7	9	18.5
Oregon	276	97	159	12	100	88	-	12	7	25.4	9	32.6
Osage	251	170	78	-	115	78	-	35	5	19.9	6	23.9
Ozark	235	170	44	5	65	56	-	9	4	17.0	2	8.5
Pemiscot	1,245	394	629	152	390	302	2	85	70	56.2	43	34.5
White	988	388	536	25	262	191	1	70	46	46.6	31	31.4
Nonwhite	257	6	93	127	128	111	1	15	24	93.4	12	46.7
Perry	394	196	194	1	127	96	-	29	8	20.3	11	27.9
Pettis	687	622	65	-	406	251	3	143	26	37.8	13	18.9
Sedalia	445	405	38	-	291	168	-	119	22	49.7	13	29.3
Balance of county	244	217	27	-	115	83	3	24	4	16.4	-	0
Phelps	512	341	160	6	204	130	38	34	17	33.2	6	11.7
Pike	336	252	79	4	251	148	3	95	12	35.7	13	38.7
White	308	239	64	4	227	137	2	84	10	32.5	12	39.0
Nonwhite	28	13	15	-	24	11	1	11	2	71.4	1	35.7
Platte	263	254	9	-	146	105	-	41	9	34.2	8	30.4
Polk	294	186	107	-	180	145	-	32	6	20.4	3	10.2
Pulaski	238	161	107	-	98	63	-	32	8	29.9	3	11.2
Putnam	163	130	33	-	102	72	2	28	4	24.5	5	30.7
Ralls	148	117	30	-	88	55	-	32	6	40.5	3	20.3
Randolph	434	318	116	-	368	216	5	140	20	46.1	9	20.7
Moberly	236	195	41	-	228	128	1	97	14	59.3	1	4.2
Balance of county	198	123	75	-	140	90	4	43	6	30.3	8	40.4
Ray	284	184	80	-	198	142	6	48	12	45.5	9	34.1
Reynolds	174	53	93	14	67	53	-	12	5	28.7	5	28.7
Ripley	272	161	98	2	91	75	-	16	5	18.4	4	14.7
St. Charles	681	631	49	1	295	149	30	113	22	32.3	16	23.5
St. Charles	374	363	11	-	140	67	5	67	18	48.1	10	26.7
Balance of county	307	268	38	1	155	82	25	46	4	13.0	6	19.5
St. Clair	190	126	62	-	144	93	3	47	6	31.6	5	26.3
St. Francois	833	547	261	23	424	227	108	88	29	34.8	15	18.0
St. Louis	8,311	8,069	184	49	3,067	1,304	225	1,484	163	19.6	148	17.8
University City	726	721	4	1	265	137	12	115	7	9.6	11	15.2
Clayton	328	328	-	-	305	62	1	241	9	27.4	2	6.1
Kirkwood	450	440	10	-	173	82	14	76	6	13.3	10	22.2
Maplewood	288	286	2	-	109	60	-	46	10	34.7	9	31.3
Richmond Heights	326	324	2	-	135	62	-	72	8	24.5	1	3.1
Webster Groves	443	438	4	-	163	94	-	68	6	13.5	5	11.3
Balance of county	5,750	5,532	162	48	1,917	807	198	866	117	20.3	110	19.1
St. Louis (city)	19,659	19,145	404	105	10,364	4,032	523	5,757	614	31.2	477	24.3
White	15,599	15,282	253	62	8,299	3,390	474	4,385	428	27.4	286	18.3
Nonwhite	4,060	3,863	151	23	2,065	642	49	1,372	186	45.8	191	47.0
Ste. Genevieve	297	121	173	2	91	75	2	14	7	23.6	6	20.2
Saline	505	393	110	-	375	257	40	98	23	45.5	11	21.8
Schuyler	111	67	39	-	71	48	-	23	1	9.0	1	9.0
Scotland	120	85	34	-	99	66	-	32	2	16.7	2	16.7
Scott	924	652	214	54	276	190	1	81	34	36.8	14	15.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
MISSOURI—Continued												
Shannon	187	68	97	10	55	45	-	7	4	21.4	5	26.7
Shelby	176	120	56	-	127	95	1	18	4	22.7	2	11.4
Stoddard	616	328	467	11	242	178	2	60	31	38.0	25	30.8
Stone	195	91	95	3	80	71	-	8	2	10.3	5	25.6
Sullivan	198	131	64	1	135	92	1	37	6	30.3	-	0
Taney	191	89	87	3	78	56	-	19	4	20.9	4	20.9
Texas	390	89	281	5	164	135	4	24	3	7.7	12	30.8
Vernon	372	338	33	-	463	193	170	92	8	21.5	7	18.8
Warren	134	114	20	-	98	70	5	19	5	37.3	9	67.2
Washington	364	63	232	40	145	120	-	25	20	54.9	7	19.2
Wayne	240	120	110	1	95	75	-	19	6	25.0	2	8.3
Webster	304	198	102	1	148	101	3	41	8	26.3	13	42.8
Worth	94	44	50	-	57	49	-	8	3	31.9	-	0
Wright	312	108	186	4	165	133	5	25	8	25.6	8	25.6
MONTANA	15,035	14,701	271	34	5,884	2,421	214	3,172	461	30.7	236	15.7
White	14,242	14,003	216	11	5,580	2,271	207	3,025	404	28.4	218	15.3
Nonwhite	793	698	55	23	304	150	7	147	57	71.9	18	22.7
Beaverhead	131	130	1	-	97	46	9	42	5	38.2	1	7.6
Big Horn	313	294	10	5	96	56	-	40	18	57.5	8	25.6
White	191	183	6	1	52	24	-	28	7	36.6	6	31.4
Nonwhite	122	111	4	4	44	32	-	12	11	90.2	2	16.4
Blaine	263	246	12	5	72	30	-	42	8	30.4	2	7.6
White	173	169	4	-	51	22	-	29	4	23.1	-	0
Nonwhite	90	77	8	5	21	8	-	13	4	44.4	2	22.2
Broadwater	62	59	3	-	36	16	2	18	2	32.3	-	0
Carbon	252	236	16	-	105	55	-	49	14	55.6	5	19.8
Carter	79	77	2	-	22	7	-	15	2	25.3	2	25.3
Cascade	1,334	1,330	4	-	540	179	-	361	30	22.5	14	10.5
Great Falls	1,073	1,071	2	-	481	142	-	339	22	20.5	11	10.3
Balance of county	261	259	2	-	59	37	-	22	8	30.7	3	11.5
Chouteau	179	178	1	-	54	13	-	41	1	5.6	2	11.2
Custer	320	314	6	-	114	28	5	80	7	21.9	3	9.4
Daniels	116	112	4	-	33	19	-	14	5	43.1	-	0
Dawson	287	285	2	-	75	37	-	38	9	31.4	3	10.5
Deer Lodge	385	385	-	-	305	58	131	115	14	36.4	9	23.4
Anaconda	342	342	-	-	145	53	-	92	10	29.2	8	23.4
Balance of county	43	43	-	-	160	5	131	23	4	93.0	1	23.3
Fallon	73	73	-	-	26	15	-	11	-	0	1	13.7
Fergus	329	321	7	1	159	54	5	98	11	33.4	3	9.1
Flathead	744	736	8	-	293	153	2	115	20	26.9	8	10.8
Gallatin	632	628	4	-	172	78	-	94	12	19.0	8	12.7
Garfield	72	72	-	-	21	8	-	12	-	0	-	0
Glacier	322	308	10	2	106	45	-	61	15	46.6	11	34.2
White	162	160	2	-	47	22	-	25	3	18.5	5	30.9
Nonwhite	160	148	8	2	59	23	-	36	12	75.0	6	37.5
Golden Valley	27	25	2	-	10	7	-	3	-	0	1	37.0
Granite	59	58	1	-	27	18	-	3	2	33.9	2	33.9
Hill	411	402	8	1	131	41	-	90	19	46.2	11	26.8
Jefferson	80	79	-	-	34	18	2	12	2	25.0	1	12.5
Judith Basin	63	63	-	-	25	10	-	15	1	15.9	1	15.9
Lake	371	350	21	-	138	67	-	71	15	40.4	1	2.7
White	309	298	11	-	107	53	-	54	7	22.7	1	3.2
Nonwhite	62	52	10	-	31	14	-	17	8	129.0	-	0
Lewis and Clark	576	571	4	1	276	93	4	176	13	22.6	11	19.1
Helena	473	473	-	-	202	74	-	125	11	23.3	8	16.9
Balance of county	103	98	4	1	74	19	4	51	2	19.4	3	29.1
Liberty	58	56	-	-	15	6	-	7	2	35.7	1	17.9
Lincoln	226	211	15	-	71	38	-	30	5	22.1	4	17.7
McCone	95	93	1	1	29	17	-	12	3	31.6	2	21.1
Madison	101	98	3	-	65	44	2	16	4	39.6	1	9.9
Meagher	45	37	8	-	24	14	-	10	2	44.4	1	22.2
Mineral	47	46	1	-	19	10	-	9	-	0	1	21.3
Missoula	881	879	2	-	331	115	-	214	27	30.6	5	5.7
Missoula	742	740	2	-	289	87	-	200	21	28.3	3	4.0
Balance of county	139	139	-	-	42	28	-	14	6	43.2	2	14.4
Musselshell	113	108	5	-	55	33	6	16	2	17.7	4	35.4
Park	258	253	3	-	122	54	-	68	5	19.4	6	23.3
Petroleum	35	34	1	-	7	5	-	2	-	0	-	0
Phillips	179	171	8	-	55	27	-	27	3	16.8	2	11.2
Pondera	186	180	3	3	49	29	-	20	3	16.1	4	21.5
Powder River	66	65	1	-	19	10	-	9	2	30.3	-	0
Powell	132	129	3	-	80	27	10	40	3	22.7	3	22.7
Prairie	67	66	-	1	15	8	-	6	1	14.9	2	29.9
Ravalli	311	308	2	1	126	61	-	65	8	25.7	4	12.9
Richland	322	319	1	1	75	28	-	45	7	21.7	8	24.8
Roosevelt	331	317	7	4	104	50	-	46	9	27.2	9	27.2
White	226	221	5	-	70	34	-	28	6	26.5	7	31.0
Nonwhite	105	96	2	4	34	16	-	18	3	28.6	2	19.0
Rosebud	196	177	9	2	60	30	-	30	5	25.5	2	10.2
White	135	132	3	-	42	15	-	27	2	14.8	2	14.8
Nonwhite	61	45	6	2	18	15	-	3	3	49.2	-	0
Sanders	157	145	11	1	73	40	-	27	8	51.0	3	19.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
MONTANA—Continued												
Sheridan	185	184	1	-	60	26	-	34	4	21.6	2	10.8
Silver Bow	1,028	1,016	8	1	671	264	-	406	39	37.9	34	33.1
Butte	971	963	6	1	582	208	-	373	37	38.1	32	33.0
Balance of county	57	53	2	-	89	56	-	33	2	35.1	2	35.1
Stillwater	121	118	3	-	39	18	-	21	2	16.5	2	16.5
Sweet Grass	77	71	6	-	37	24	-	13	2	26.0	-	0
Teton	181	178	-	3	41	16	-	25	2	11.0	1	5.5
Toole	177	174	3	-	58	25	-	33	7	39.5	1	5.6
Treasure	38	35	3	-	5	1	-	4	-	0	1	26.3
Valley	315	305	7	1	107	46	-	61	16	50.8	8	25.4
Wheatland	67	64	3	-	29	16	-	13	6	89.6	1	14.9
Wibaux	56	55	1	-	14	7	-	7	-	0	-	0
Yellowstone	1,506	1,477	26	-	461	185	36	239	58	38.5	16	10.6
Billings	1,086	1,078	5	-	364	141	3	219	49	45.1	9	8.3
Balance of county	420	399	21	-	97	44	33	20	9	21.4	7	16.7
Yellowstone National Park (part)	-	-	-	-	1	-	-	1	1	(8)	-	(8)
NEBRASKA	31,176	29,733	1,431	1	12,615	6,415	567	5,366	835	26.8	523	16.8
White	30,495	29,099	1,391	-	12,333	6,296	570	5,220	796	26.1	505	16.6
Nonwhite	681	634	40	1	282	119	17	146	39	57.3	18	26.4
Adams	755	744	11	-	360	107	148	100	16	21.2	10	13.2
Hastings	611	607	4	-	165	80	4	78	12	19.6	7	11.5
Balance of county	144	137	7	-	195	27	144	22	4	27.8	3	20.8
Antelope	246	215	31	-	105	75	-	30	6	24.4	4	16.3
Arthur	14	11	3	-	6	3	-	3	-	0	-	0
Banner	19	19	-	-	5	2	-	3	1	52.6	-	0
Blaine	26	19	7	-	8	5	-	3	1	38.5	-	0
Boone	247	227	20	-	102	53	8	34	3	12.1	4	16.2
Box Butte	359	350	9	-	118	65	-	53	17	47.4	4	11.1
Boyd	124	115	9	-	56	37	-	18	2	16.1	4	32.3
Brown	116	115	-	-	59	29	1	28	8	69.0	1	8.6
Buffalo	799	769	30	-	248	148	3	98	18	22.5	13	16.3
Burt	242	229	13	-	111	77	2	32	5	20.7	4	16.5
Butler	257	252	5	-	106	58	3	45	3	11.7	6	23.3
Cass	341	310	31	-	173	100	19	48	11	32.3	9	26.4
Cedar	344	290	54	-	118	73	-	39	4	11.6	4	11.6
Chase	137	126	11	-	39	23	-	16	2	14.6	5	36.5
Cherry	220	217	3	-	77	33	-	44	11	50.0	1	4.5
Cheyenne	358	357	1	-	72	28	-	43	4	11.2	5	14.0
Clay	180	157	23	-	117	85	6	22	4	22.2	4	22.2
Colfax	213	207	6	-	80	42	-	38	4	18.8	2	9.4
Cuming	310	306	4	-	112	65	-	47	9	29.0	1	3.2
Custer	413	331	82	-	178	106	5	63	14	33.9	9	21.8
Dakota	259	255	4	-	91	49	-	42	6	23.2	7	27.0
Dawes	249	242	7	-	123	56	1	63	12	48.2	2	8.0
Dawson	521	506	15	-	178	95	2	74	17	32.6	10	19.2
Deuel	77	73	4	-	22	11	-	10	3	39.0	1	13.0
Dixon	201	139	62	-	76	54	-	20	1	5.0	1	5.0
Dodge	541	539	2	-	251	126	10	110	16	29.6	7	12.9
Fremont	301	300	1	-	168	73	10	84	10	33.2	4	13.3
Balance of county	240	239	1	-	83	53	-	26	6	25.0	3	12.5
Douglas	6,588	6,482	105	-	2,730	1,157	80	1,459	191	29.1	125	19.0
Omaha	6,014	5,921	92	-	2,542	1,089	32	1,388	183	30.4	115	19.1
White	5,568	5,506	61	-	2,358	1,014	32	1,279	166	29.8	103	18.5
Nonwhite	446	415	31	-	184	75	-	109	17	38.1	12	26.9
Balance of county	574	561	13	-	188	68	48	71	8	13.9	10	17.4
Dundy	126	123	3	-	44	20	-	23	2	15.9	-	0
Fillmore	193	181	12	-	94	65	1	27	3	15.5	2	10.4
Franklin	130	104	26	-	84	51	-	12	4	30.8	3	23.1
Frontier	124	81	43	-	58	43	-	14	4	32.3	3	24.2
Furnas	234	228	6	-	117	58	4	52	8	34.2	3	12.8
Gage	571	561	10	-	303	128	46	128	17	29.8	11	19.3
Beatrice	261	261	-	-	139	61	-	78	7	28.8	6	23.0
Balance of county	310	300	10	-	164	67	46	50	10	32.3	5	16.1
Garden	88	85	3	-	26	11	-	15	-	0	1	11.4
Garfield	77	71	6	-	32	29	-	2	3	39.0	1	13.0
Gosper	56	55	1	-	23	18	-	5	1	17.9	3	53.6
Grant	27	24	3	-	10	5	-	5	3	111.1	-	0
Greeley	133	118	15	-	53	35	-	18	5	37.6	1	7.5
Hall	821	782	39	-	317	126	22	162	19	23.1	12	14.6
Grand Island	626	600	26	-	269	100	22	141	16	25.6	12	19.2
Balance of county	195	182	13	-	49	26	-	21	3	15.4	-	0
Hamilton	196	191	5	-	77	40	2	29	7	35.7	4	20.4
Harlan	161	150	11	-	69	48	-	17	2	12.4	1	6.2
Hayes	50	45	5	-	12	8	-	4	-	0	-	0
Hitchcock	113	108	5	-	49	28	-	21	2	17.7	1	8.8
Holt	380	291	89	-	132	90	-	39	9	23.7	6	15.8
Hooker	31	22	9	-	7	4	-	3	1	32.3	1	32.3
Howard	156	154	2	-	69	37	-	31	7	44.9	3	19.2
Jefferson	261	253	8	-	136	72	1	63	7	26.8	8	30.7
Johnson	135	129	6	-	74	40	-	33	5	37.0	3	22.2
Kearney	117	114	3	-	78	37	17	23	2	17.1	1	8.5
Keith	201	177	24	-	58	25	-	31	8	39.8	4	19.9
Keya Paha	43	42	-	-	10	5	-	5	-	0	-	0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NEBRASKA—Continued												
Kimball	116	109	7	-	32	11	-	20	3	25.9	3	25.9
Knox	404	316	86	-	108	82	-	17	5	12.4	6	14.9
Lancaster	2,680	2,645	35	-	1,116	496	94	506	65	24.3	46	17.2
Lincoln	2,405	2,381	24	-	915	431	18	447	60	24.9	42	17.5
Balance of county	275	264	11	-	201	65	76	59	5	18.2	4	14.5
Lincoln	731	677	54	-	224	97	-	123	18	24.6	12	16.4
North Platte	473	442	31	-	143	57	-	83	8	16.9	8	18.9
Balance of county	258	235	23	-	81	40	-	40	10	38.8	4	15.5
Logan	37	26	11	-	9	5	-	4	1	27.0	-	0
Loup	28	24	4	-	10	7	-	3	-	0	-	0
McPherson	26	23	3	-	9	5	-	4	2	76.9	1	38.5
Madison	480	477	3	-	324	158	83	81	22	45.8	12	25.0
Norfolk	262	261	1	-	147	86	-	60	14	53.4	5	19.1
Balance of county	218	216	2	-	177	72	83	21	8	36.7	7	32.1
Merrick	173	169	4	-	93	46	-	42	4	23.1	1	5.8
Morrill	215	184	31	-	85	38	-	25	9	41.9	5	23.3
Nance	159	153	6	-	57	35	-	21	3	18.9	2	12.6
Nemaha	219	212	7	-	111	70	1	40	7	32.0	6	27.4
Nuckolls	211	209	2	-	85	40	-	41	3	14.2	3	14.2
Otoe	379	371	8	-	180	103	3	70	9	23.7	2	5.3
Pawnee	141	139	2	-	84	55	1	27	4	28.4	1	7.1
Perkins	136	132	4	-	32	23	-	9	1	7.4	4	29.4
Phelps	234	233	1	-	95	45	-	48	6	25.6	2	8.5
Pierce	233	217	16	-	89	61	2	21	5	21.5	7	30.0
Platte	514	495	18	-	164	85	-	79	8	15.6	9	17.5
Polk	192	192	-	-	79	49	-	29	1	5.2	3	15.6
Red Willow	342	318	24	-	148	66	-	80	17	49.7	7	20.5
Richardson	355	342	13	-	171	101	1	67	8	22.5	4	11.3
Rock	61	61	-	-	23	13	-	10	2	32.8	-	0
Saline	276	256	20	-	142	78	3	55	1	3.6	2	7.2
Sarpy	322	318	4	-	78	47	1	28	8	24.8	5	15.5
Saunders	351	343	8	-	173	101	2	70	9	25.6	-	0
Scotts Bluff	1,045	1,007	36	-	244	98	-	144	31	29.7	23	22.0
Scottsbluff	375	364	11	-	127	41	-	86	10	26.7	6	16.0
Balance of county	670	643	25	-	117	57	-	58	21	31.3	17	25.4
Seward	271	262	9	-	136	91	-	41	10	36.9	5	18.5
Sheridan	263	262	1	-	72	43	-	27	13	49.4	6	22.8
Sherman	177	166	11	-	59	31	-	13	7	39.5	6	33.9
Sioux	34	32	2	-	21	10	-	10	-	0	-	0
Stanton	159	148	11	-	48	34	-	14	3	18.9	1	6.3
Thayer	190	164	25	-	103	67	4	24	3	15.8	2	10.5
Thomas	24	19	5	-	6	3	-	3	-	0	-	0
Thurston	263	252	8	1	92	53	-	39	14	53.2	4	15.2
White	177	172	5	-	65	37	-	28	7	39.5	2	11.3
Nonwhite	86	80	3	1	27	16	-	11	7	81.4	2	23.3
Valley	168	135	33	-	73	44	-	28	5	29.8	5	29.8
Washington	242	239	3	-	99	54	2	39	3	12.4	6	24.8
Wayne	216	209	7	-	83	56	-	21	4	18.5	3	13.9
Webster	166	149	17	-	93	62	-	29	7	42.2	1	6.0
Wheeler	34	31	3	-	15	11	-	4	1	29.4	-	0
York	329	326	3	-	139	57	9	67	5	15.2	3	9.1
NEVADA	3,694	3,615	63	2	1,624	655	36	930	147	39.8	72	19.5
White	3,448	3,406	39	-	1,496	593	32	868	132	38.3	66	19.1
Nonwhite	246	209	24	2	128	62	4	62	15	61.0	6	24.4
Churchill	152	149	1	-	79	26	-	53	8	52.6	-	0
Clark	1,083	1,057	24	-	383	127	-	255	42	38.8	21	19.4
Douglas	50	47	3	-	29	15	-	14	-	0	1	20.0
White	40	40	-	-	23	13	-	10	-	0	1	25.0
Nonwhite	10	7	3	-	6	2	-	4	-	0	-	0
Elko	282	275	6	1	113	55	2	55	12	42.6	6	21.3
White	248	243	5	-	95	46	2	46	10	40.3	6	24.2
Nonwhite	34	32	1	1	18	9	-	9	2	58.8	-	0
Esmeralda	6	6	-	-	10	6	2	2	-	0	-	0
Eureka	23	22	1	-	11	6	-	5	-	0	2	87.0
Humboldt	102	98	-	-	62	27	-	35	8	78.4	-	0
Lander	40	39	1	-	21	14	-	7	-	0	-	0
White	37	37	-	-	19	13	-	6	-	0	-	0
Nonwhite	3	2	1	-	2	1	-	1	-	0	-	0
Lincoln	101	100	1	-	30	10	-	20	6	59.4	4	39.6
Lyon	81	68	12	1	47	24	-	22	4	49.4	2	24.7
Mineral	147	147	-	-	47	26	-	21	2	13.6	4	27.2
White	127	127	-	-	34	19	-	15	2	15.7	4	31.5
Nonwhite	20	20	-	-	13	7	-	6	-	0	-	0
Nye	44	43	1	-	65	31	-	34	3	68.2	-	0
White	38	37	1	-	55	26	-	29	2	52.6	-	0
Nonwhite	6	6	-	-	10	5	-	5	1	166.7	-	0
Ormsby	83	80	3	-	36	21	2	13	2	24.1	3	36.1
Pershing	60	60	-	-	42	17	-	25	4	66.7	2	33.3
Storey	13	13	-	-	9	5	-	4	-	0	-	0
Washoe	1,141	1,135	2	-	547	199	30	318	48	42.1	22	19.3
Reno	811	809	1	-	437	156	-	281	36	44.4	14	17.3
Balance of county	330	326	1	-	110	43	30	37	12	36.4	8	24.2
White Pine	286	278	8	-	113	46	-	67	8	28.0	5	17.5

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by–			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NEW HAMPSHIRE	12,423	12,208	210	-	6,172	2,906	591	2,538	361	29.1	232	18.7
White	12,408	12,192	209	-	6,167	2,905	591	2,534	361	29.1	230	18.5
Nonwhite	17	16	1	-	5	1	-	4	-	0	2	117.6
Belknap	724	721	3	-	332	156	26	144	14	19.3	16	22.1
Laconia	383	383	-	-	169	76	25	84	11	28.7	6	15.7
Balance of county	341	338	3	-	163	80	1	60	3	8.8	10	29.3
Carroll	357	352	4	-	198	103	7	86	10	28.0	3	8.4
Cheshire	931	903	28	-	414	213	24	160	29	31.1	13	14.0
Keene	377	376	1	-	189	94	1	87	9	23.9	8	21.2
Balance of county	554	527	27	-	225	119	23	73	20	36.1	5	9.0
Coos	793	754	39	-	378	173	3	155	24	30.3	17	21.4
Berlin	395	392	3	-	170	73	2	94	5	12.7	12	30.4
Balance of county	398	362	36	-	208	100	1	61	19	47.7	5	12.6
Grafton	1,128	1,089	36	-	514	270	4	235	40	35.5	25	22.2
Hillsborough	3,779	3,757	22	-	1,746	858	76	799	107	28.3	80	21.2
Manchester	2,078	2,069	9	-	899	445	28	419	61	29.4	41	19.7
Nashua	850	850	-	-	410	169	14	226	29	34.1	17	20.0
Balance of county	851	838	13	-	437	244	34	154	17	20.0	22	25.9
Merrimack	1,318	1,283	34	-	1,011	332	377	292	34	25.8	22	16.7
Concord	552	550	1	-	657	135	370	149	16	29.0	12	21.7
Balance of county	766	733	33	-	354	197	7	143	18	23.5	10	13.1
Rockingham	1,621	1,606	15	-	734	389	37	353	47	29.0	29	17.9
Portsmouth	492	492	-	-	227	94	13	115	18	36.6	8	16.3
Balance of county	1,129	1,114	15	-	567	295	24	238	29	25.7	21	18.6
Strafford	1,134	1,113	21	-	518	279	19	200	38	33.5	19	16.8
Dover	389	389	-	-	211	89	19	94	15	40.7	9	24.4
Rochester	272	268	4	-	130	76	-	48	10	36.8	2	7.4
Balance of county	493	476	17	-	177	114	-	58	13	26.4	8	16.2
Sullivan	638	630	8	-	287	133	18	114	18	28.2	8	12.5
Claremont (town)	293	290	3	-	114	61	-	53	9	30.7	2	6.8
Balance of county	345	340	5	-	153	72	18	61	9	26.1	6	17.4
NEW JERSEY	97,580	94,481	2,656	393	48,076	23,918	3,194	20,520	2,585	26.5	1,907	19.5
White	88,894	86,592	1,911	358	44,480	22,469	2,934	18,647	2,192	24.7	1,635	18.4
Nonwhite	8,686	7,889	745	35	3,596	1,449	260	1,873	393	45.2	272	31.3
Atlantic	2,456	2,266	180	10	1,751	1,015	89	637	61	24.8	53	21.6
White	1,994	1,851	137	6	1,441	833	71	529	53	26.6	42	21.1
Nonwhite	462	415	43	4	310	182	18	108	8	17.3	11	23.8
Atlantic City	1,180	1,146	32	2	940	506	3	427	36	30.5	38	32.2
White	816	807	7	2	709	375	-	334	29	35.5	27	33.1
Nonwhite	364	339	25	-	231	133	3	93	7	19.2	11	30.2
Pleasantville	266	237	29	-	131	97	-	34	6	22.6	4	15.0
White	210	183	27	-	110	80	-	30	5	23.8	4	19.0
Nonwhite	56	54	2	-	21	17	-	4	1	17.9	-	0
Balance of county	1,010	883	119	8	680	412	86	176	19	18.8	11	10.9
Bergen	9,975	9,904	59	11	4,130	2,312	170	1,619	233	23.4	185	18.5
Garfield	579	572	3	3	180	111	-	69	19	32.8	11	19.0
Hackensack	555	549	5	1	328	120	2	205	21	37.8	15	27.0
White	479	473	5	1	282	101	2	178	18	37.6	13	27.1
Nonwhite	76	76	-	-	46	19	-	27	3	39.5	2	26.3
Teaneck (twp.)[6]	546	543	2	1	256	133	12	110	20	36.6	9	16.5
Bergenfield	278	277	1	-	104	71	-	30	5	18.0	3	10.8
Cliffside Park	311	310	1	-	126	87	-	38	3	9.6	4	12.9
Englewood	469	469	-	-	233	115	-	117	14	29.9	9	19.2
White	381	381	-	-	203	106	-	96	11	28.9	6	15.7
Nonwhite	88	88	-	-	30	9	-	21	3	34.1	3	34.1
Lodi	353	349	1	3	97	56	-	41	7	19.8	5	14.2
Lyndhurst (twp.)[6]	418	415	3	-	138	92	-	45	5	12.0	11	26.3
Ridgefield Park	214	213	1	-	104	77	-	25	4	18.7	2	9.3
Ridgewood	245	243	2	-	149	102	8	39	6	24.5	5	20.4
Rutherford	300	297	3	-	159	108	-	48	5	16.7	5	16.7
Balance of county	5,707	5,667	37	3	2,256	1,240	148	852	124	21.7	106	18.6
Burlington	2,575	2,373	195	7	1,204	721	118	338	72	28.0	50	19.4
Burlington	317	284	32	1	162	107	5	39	10	31.5	7	22.1
White	256	246	9	1	147	98	5	34	10	39.1	6	23.4
Nonwhite	61	38	23	-	15	9	-	5	-	0	1	16.4
Balance of county	2,258	2,089	163	6	1,042	614	113	299	62	27.5	43	19.0
Camden	6,184	5,698	390	75	2,954	1,634	88	1,211	168	27.2	120	19.4
Camden	2,815	2,543	199	60	1,305	727	1	571	87	30.9	62	22.0
White	2,350	2,153	127	60	1,129	628	1	494	73	32.1	47	20.0
Nonwhite	465	390	72	-	176	99	-	77	14	30.1	15	32.3
Collingswood	259	258	1	-	173	101	9	61	9	34.7	3	11.6
Gloucester City	316	304	10	2	134	74	-	60	4	12.7	3	9.5
Pennsauken (twp.)[6]	279	247	30	2	162	120	1	41	7	25.1	4	14.3
Balance of county	2,515	2,346	150	11	1,180	612	77	478	61	24.3	48	19.1
Cape May	674	623	51	-	562	357	39	162	22	32.6	8	11.9
Cumberland	1,906	1,788	116	-	1,015	553	88	368	65	34.1	33	17.3
Bridgeton	447	423	24	-	213	136	-	96	17	38.0	10	22.4
White	367	351	16	-	177	104	-	72	11	30.0	9	24.5
Nonwhite	80	72	8	-	36	22	-	14	6	75.0	1	12.5
Millville	382	378	4	-	217	135	-	81	12	31.4	10	26.2
Balance of county	1,076	987	88	-	585	292	88	201	36	33.5	13	12.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
NEW JERSEY—Continued												
Essex	18,097	17,747	289	58	9,224	4,265	442	4,422	507	28.0	381	21.1
Newark	9,597	9,299	249	47	4,816	2,074	105	2,573	312	32.5	214	22.3
White	7,469	7,304	118	45	4,002	1,826	101	2,012	185	24.8	147	19.7
Nonwhite	2,128	1,995	131	2	814	248	4	561	127	59.7	67	31.5
Belleville	649	645	1	3	245	148	4	92	10	15.4	16	24.7
Bloomfield	892	884	5	3	411	219	2	185	21	23.5	16	17.9
East Orange	1,518	1,515	3	-	799	451	-	344	34	22.4	33	21.7
Irvington	1,082	1,077	2	3	529	272	4	250	19	17.6	13	12.0
Montclair	816	803	12	-	417	211	1	200	20	24.5	20	24.5
White	629	625	4	-	361	185	1	170	10	15.9	15	23.8
Nonwhite	187	178	8	-	56	26	-	30	10	53.5	5	26.7
Orange	828	821	5	2	452	196	4	248	24	29.0	23	27.8
White	669	665	3	1	374	170	4	197	14	20.9	12	17.9
Nonwhite	159	156	2	1	78	26	-	51	10	62.9	11	69.2
West Orange	565	560	5	-	209	127	-	81	14	24.8	5	8.8
Maplewood (twp.)[6]	351	350	1	-	193	96	6	88	9	25.6	8	22.8
Millburn (twp.)[6]	168	168	-	-	92	58	-	34	4	23.8	3	17.9
Nutley	517	515	2	-	180	117	-	62	17	32.9	10	19.3
South Orange	204	204	-	-	140	86	-	53	4	19.6	-	0
Balance of county	910	906	4	-	741	210	316	212	19	20.9	20	22.0
Gloucester	1,994	1,815	173	4	893	588	19	285	55	27.6	46	23.1
Hudson	13,555	13,369	154	29	7,006	3,060	341	3,589	334	24.6	256	18.9
Jersey City	6,601	6,506	89	6	3,239	1,338	25	1,872	175	26.5	125	18.9
White	5,928	5,847	75	6	3,034	1,284	25	1,721	153	25.8	111	18.7
Nonwhite	673	659	14	-	205	54	-	151	22	32.7	14	20.8
Bayonne	1,660	1,646	9	5	657	337	1	318	38	22.9	23	13.9
Hoboken	1,080	1,069	9	1	656	251	-	405	27	25.0	17	15.7
Kearny	789	788	1	-	357	192	-	161	18	22.8	21	26.6
North Bergen (twp.)[6]	739	732	5	2	352	194	-	157	17	23.0	13	17.6
Union City	1,078	1,055	17	6	561	303	-	254	22	20.4	19	17.6
West New York	763	751	7	5	345	169	-	174	19	24.9	14	18.3
Harrison	305	297	7	1	148	89	-	59	8	26.2	10	32.8
Weehawken (twp.)[6]	238	234	3	-	188	108	-	80	4	16.8	4	16.8
Balance of county	302	291	8	3	503	79	315	109	6	19.9	10	33.1
Hunterdon	795	731	63	1	488	288	7	166	37	46.5	16	20.1
Mercer	4,815	4,668	142	4	2,475	1,028	367	1,075	133	27.6	87	18.1
Trenton	2,727	2,630	92	4	1,561	599	308	651	86	31.5	57	20.9
Balance of county	2,088	2,038	50	-	914	429	59	422	47	22.5	30	14.4
Middlesex	5,653	5,431	140	80	2,173	1,138	23	1,006	136	24.1	89	15.7
New Brunswick	921	904	16	1	383	174	-	208	27	29.3	21	22.8
Perth Amboy	865	814	29	21	416	193	-	222	28	32.4	11	12.7
Woodbridge (twp.)[6]	731	689	17	24	274	146	2	124	14	19.2	12	16.4
Carteret	275	256	6	13	90	50	-	40	3	10.9	4	14.5
South River	257	246	7	4	90	50	-	40	7	27.2	2	7.8
Balance of county	2,604	2,522	65	17	920	525	21	372	57	21.9	39	15.0
Monmouth	4,697	4,609	85	-	2,697	1,234	419	1,000	127	27.0	79	16.8
Asbury Park	406	397	9	-	239	110	-	126	16	39.4	11	27.1
White	264	260	4	-	184	88	-	93	9	34.1	4	15.2
Nonwhite	142	137	5	-	55	22	-	33	7	49.3	7	49.3
Long Branch	612	612	-	-	241	127	-	113	9	14.7	8	13.1
Neptune (twp.)[6]	244	232	12	-	179	84	10	81	5	20.5	8	32.8
White	181	178	3	-	157	76	10	67	4	22.1	4	22.1
Nonwhite	63	54	9	-	22	8	-	14	1	15.9	4	63.5
Red Bank	316	315	1	-	192	103	8	75	11	34.8	4	12.7
White	255	254	1	-	155	78	8	69	9	35.3	3	11.8
Nonwhite	61	61	-	-	37	25	-	12	2	32.8	1	16.4
Balance of county	3,119	3,053	63	-	1,846	810	401	605	86	27.6	48	15.4
Morris	3,145	3,082	57	4	1,993	781	622	572	104	33.1	53	16.9
Dover	237	231	4	2	143	68	-	75	12	50.6	6	25.3
Morristown	365	364	1	-	208	99	-	105	11	30.1	14	38.4
Balance of county	2,543	2,487	52	2	1,642	614	622	392	81	31.9	33	13.0
Ocean	1,191	1,155	35	-	613	308	3	250	19	16.0	27	22.7
Passaic	6,550	6,438	105	4	3,243	1,560	162	1,502	177	27.0	147	22.4
Paterson	2,778	2,728	49	-	1,551	727	34	787	73	26.3	66	23.8
Clifton	1,280	1,271	7	2	386	245	5	134	29	22.7	21	16.4
Passaic	1,100	1,086	12	2	594	255	4	329	31	28.2	27	24.5
Hawthorne	247	244	3	-	110	69	-	41	8	32.4	6	24.3
Balance of county	1,145	1,109	34	-	602	264	119	211	36	31.4	27	23.6
Salem	1,194	1,139	54	1	474	299	14	155	36	30.2	22	18.4
White	1,029	993	35	1	392	250	8	129	29	28.2	16	15.5
Nonwhite	165	146	19	-	82	49	6	26	7	42.4	6	36.4
Somerset	2,125	2,070	41	14	913	402	165	338	50	23.5	54	25.4
North Plainfield	230	225	5	-	100	57	-	43	5	21.7	6	26.1
Balance of county	1,895	1,845	36	14	813	345	165	295	45	23.7	48	25.3
Sussex	798	744	54	-	361	220	3	136	27	33.8	28	35.1
Union	8,030	7,770	165	91	3,253	1,790	2	1,448	181	22.5	153	19.1
Elizabeth	2,383	2,254	50	76	1,161	593	-	564	65	27.3	41	17.2
Plainfield	962	933	28	-	462	199	1	261	21	21.8	27	29.1
White	800	796	4	-	397	171	1	224	16	20.0	18	22.5
Nonwhite	162	137	24	-	65	28	-	37	5	30.9	9	55.6
Cranford (twp.)[6]	424	416	8	-	119	75	-	44	7	16.5	1	2.4
Hillside (twp.)[6]	337	331	5	1	110	77	-	33	4	11.9	9	26.7
Linden	671	648	17	6	166	89	-	76	13	19.4	18	26.8
Rahway	446	433	10	3	231	127	-	104	14	31.4	13	29.1

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NEW JERSEY—Continued												
Union—Continued												
Roselle	362	351	11	-	101	66	-	34	10	27.6	7	19.3
White	295	294	1	-	85	59	-	25	5	16.9	5	20.3
Nonwhite	67	57	10	-	16	7	-	9	5	74.6	1	14.9
Summit	317	315	2	-	191	122	-	66	6	18.9	5	15.8
Union (twp.)[6]	624	616	7	1	236	141	-	94	12	19.2	15	24.0
Westfield	391	385	5	1	147	101	-	46	6	15.3	2	5.1
Balance of county	1,113	1,088	22	3	329	200	1	126	23	20.7	15	13.5
Warren	1,172	1,061	108	-	654	365	15	263	41	35.0	20	17.1
Phillipsburg	454	414	38	-	233	117	-	114	15	33.0	6	13.2
Balance of county	718	647	70	-	421	248	15	149	26	36.2	14	19.5
NEW MEXICO	20,519	13,673	3,730	2,444	5,609	3,109	65	2,262	1,438	70.1	425	20.7
White	19,127	12,715	3,671	2,314	5,005	2,869	63	1,910	1,208	63.2	391	20.4
Nonwhite	1,392	958	59	130	604	240	2	352	230	165.2	34	24.4
Bernalillo	3,792	2,940	587	219	946	525	-	369	214	56.4	79	20.8
Albuquerque	1,871	1,647	166	53	514	244	-	240	94	50.2	30	16.0
Balance of county	1,921	1,293	421	166	432	281	-	129	120	62.5	49	25.5
Catron	98	38	50	-	24	16	-	8	2	20.8	1	10.4
Chaves	1,054	934	51	62	248	108	-	140	50	47.4	23	21.8
Roswell	747	690	10	43	178	74	-	104	37	49.5	15	20.1
Balance of county	307	244	41	19	70	34	-	36	13	42.3	8	26.1
Colfax	541	449	34	37	180	90	-	87	39	72.1	13	24.0
Curry	686	633	12	41	184	91	-	93	37	53.9	10	14.6
Clovis	497	450	11	36	141	66	-	75	35	70.4	8	16.1
Balance of county	189	183	1	5	43	25	-	18	2	10.6	2	10.6
De Baca	105	86	4	15	25	11	-	14	10	95.2	1	9.5
Dona Ana	1,404	588	672	103	303	196	-	107	79	56.3	42	29.9
Eddy	1,272	1,085	136	40	296	126	-	163	83	65.3	22	17.3
Grant	738	611	92	27	200	100	-	94	41	55.6	17	23.0
Guadalupe	262	60	137	53	74	56	-	16	19	72.5	10	38.2
Harding	89	21	54	6	30	22	-	8	6	67.4	2	22.5
Hidalgo	156	114	17	18	44	28	-	10	9	57.7	5	32.1
Lea	807	789	16	-	146	80	-	57	31	38.4	13	16.1
Hobbs	471	468	3	-	83	40	-	41	22	46.7	9	19.1
Balance of county	336	321	13	-	63	40	-	16	9	26.8	4	11.9
Lincoln	241	120	70	44	70	34	-	36	15	62.2	2	8.3
Luna	217	142	73	-	82	49	-	24	16	73.7	6	27.6
McKinley	807	608	45	52	313	121	-	186	112	138.8	13	16.1
White	371	299	35	23	91	38	-	52	25	67.4	5	13.5
Nonwhite	436	309	10	29	222	83	-	134	87	199.5	8	18.3
Mora	344	92	50	156	107	81	-	25	33	95.9	10	29.1
Otero	448	266	163	9	119	72	-	46	38	84.8	10	22.3
Quay	351	328	11	10	131	69	-	58	22	62.7	5	14.2
Rio Arriba	952	392	353	156	246	159	-	82	91	95.6	19	20.0
Roosevelt	385	353	30	2	104	63	-	25	16	41.6	13	33.8
Sandoval	668	338	129	130	137	108	-	21	47	70.4	7	10.5
White	529	303	129	81	92	72	-	12	34	64.3	6	11.3
Nonwhite	139	35	-	49	45	36	-	9	13	93.5	1	7.2
San Juan	478	414	39	1	206	72	-	130	74	154.8	11	23.0
White	255	217	38	-	70	45	-	22	12	47.1	3	11.8
Nonwhite	223	197	1	1	138	27	-	108	62	278.0	8	35.9
San Miguel	1,024	461	80	447	339	156	62	120	71	69.3	16	15.6
Santa Fe	1,160	660	180	288	330	168	2	143	82	70.7	20	17.2
Santa Fe	852	524	102	210	245	123	2	108	59	69.2	16	18.8
Balance of county	308	136	78	78	85	45	-	35	23	74.7	4	13.0
Sierra	138	91	33	7	84	50	-	27	6	43.5	4	29.0
Socorro	339	113	161	52	98	83	-	14	21	61.9	4	11.8
Taos	667	347	56	256	176	108	-	68	66	99.0	16	24.0
Torrance	313	128	96	76	74	55	-	18	18	57.5	4	12.8
Union	222	123	77	17	76	44	-	31	17	76.6	6	27.0
Valencia	763	349	222	120	217	167	1	42	73	95.7	21	27.5
White	644	292	222	114	181	145	1	28	64	99.4	16	24.8
Nonwhite	119	57	-	6	36	22	-	14	9	75.6	5	42.0
NEW YORK	301,986	295,315	6,009	326	158,242	70,030	13,137	73,309	8,258	27.3	7,603	25.2
White	277,362	271,815	5,097	191	148,567	67,490	12,367	66,961	7,212	26.0	6,364	22.9
Nonwhite	24,604	23,500	912	135	9,675	2,540	770	6,348	1,046	42.5	1,239	50.4
Albany	5,062	4,960	73	24	2,948	1,482	218	1,199	165	32.6	98	19.4
Albany	3,059	3,001	32	21	1,795	842	75	842	105	34.3	55	18.0
Cohoes	486	477	8	-	241	132	-	105	19	39.1	10	20.6
Watervliet	360	349	11	-	171	115	-	55	7	19.4	8	22.2
Balance of county	1,157	1,133	21	3	741	393	143	197	34	29.4	25	21.6
Allegany	1,133	1,093	38	-	480	304	22	153	25	22.1	20	17.7
Broome	4,350	4,295	50	-	1,954	662	303	970	141	32.4	81	18.6
Binghamton	1,897	1,886	10	-	1,117	342	268	497	59	31.1	38	20.0
Endicott	592	591	1	-	148	55	-	91	13	22.0	7	11.8
Johnson City	430	429	-	-	196	49	-	136	15	34.9	8	18.6
Balance of county	1,431	1,389	39	-	503	216	35	246	54	37.7	28	19.6
Cattaraugus	1,840	1,785	52	1	871	422	12	428	55	29.9	41	22.3
Olean	648	644	4	-	256	87	-	168	18	24.7	13	20.1
Balance of county	1,192	1,141	48	1	615	335	12	260	39	32.7	28	23.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NEW YORK—Continued.												
Cayuga	1,586	1,571	12	-	788	350	11	408	42	26.5	24	15.1
Auburn	801	799	2	-	445	155	4	276	22	27.5	18	22.5
Balance of county	785	772	10	-	343	195	7	132	20	25.5	6	7.6
Chautauqua	2,921	2,883	36	-	1,459	719	40	676	88	30.1	61	20.9
Jamestown	989	989	-	-	521	230	2	282	30	30.3	24	24.3
Dunkirk	410	409	1	-	186	79	1	104	18	43.9	8	19.5
Balance of county	1,522	1,485	35	-	752	410	37	290	40	26.3	29	19.1
Chemung	2,139	2,129	9	-	929	415	22	485	61	28.5	28	13.1
Elmira	1,297	1,295	2	-	649	268	2	374	40	30.8	17	13.1
Balance of county	842	834	7	-	280	147	20	111	21	24.9	11	13.1
Chenango	881	850	27	-	481	235	53	175	28	31.8	19	21.6
Clinton	1,378	1,218	156	2	563	296	43	213	44	31.9	23	16.7
Plattsburgh	458	455	2	-	185	88	4	89	7	15.3	4	8.7
Balance of county	920	763	154	2	378	208	39	124	37	40.2	19	20.7
Columbia	880	859	26	-	612	345	36	215	17	19.1	15	16.9
Hudson	260	259	1	-	218	82	25	111	6	23.1	3	11.5
Balance of county	630	600	25	-	394	263	13	104	11	17.5	12	19.0
Cortland	891	862	25	2	435	247	6	171	30	33.7	18	20.2
Cortland	431	426	4	-	234	115	4	109	17	39.4	9	20.9
Balance of county	460	436	21	2	201	132	2	62	13	28.3	9	19.6
Delaware	1,006	915	88	-	524	298	37	188	28	27.8	21	20.9
Dutchess	2,253	2,203	42	6	2,156	871	879	583	73	32.4	37	16.4
Poughkeepsie	875	857	13	5	510	236	21	245	38	43.4	11	12.6
Beacon	248	246	2	-	171	57	48	60	2	8.1	7	28.2
Balance of county	1,130	1,100	27	1	1,475	378	810	278	33	29.2	19	16.8
Erie	19,507	19,033	439	25	9,286	4,263	916	4,009	510	26.1	405	20.8
Buffalo	12,848	12,419	205	20	6,474	2,983	343	3,076	335	26.5	271	21.4
White	11,830	11,437	178	13	6,138	2,886	332	2,849	308	26.5	240	20.6
Nonwhite	1,018	982	27	7	336	97	11	227	27	26.5	31	30.6
Kenmore	351	349	2	-	174	85	3	82	12	34.2	6	17.1
Lackawanna	752	717	33	2	310	102	58	149	35	46.5	22	29.3
Tonawanda	395	390	4	-	160	78	-	82	9	22.8	10	25.3
Balance of county	5,361	5,158	195	3	2,168	1,015	512	620	119	22.2	96	17.9
Essex	870	778	92	-	454	242	19	184	22	25.3	13	14.9
Franklin	1,082	810	268	-	500	311	5	171	32	29.6	31	28.7
Fulton	1,053	1,035	17	-	636	345	15	251	35	33.2	23	21.8
Gloversville	502	500	2	-	329	166	10	137	16	31.9	11	21.9
Johnstown	239	236	3	-	153	86	4	61	7	29.3	4	16.7
Balance of county	312	299	12	-	154	93	1	53	12	38.5	8	25.6
Genesee	1,066	1,051	11	-	519	244	34	234	21	19.7	19	17.8
Batavia	411	411	-	-	189	75	1	112	11	26.8	10	24.3
Balance of county	655	640	11	-	330	169	33	122	10	15.3	9	13.7
Greene	529	502	27	-	381	206	7	160	15	28.4	15	28.4
Hamilton	88	80	8	-	67	40	-	21	2	22.7	1	11.4
Herkimer	1,422	1,386	36	-	746	419	12	301	38	26.7	22	15.5
Little Falls	200	199	1	-	141	73	-	62	11	55.0	2	10.0
Balance of county	1,222	1,187	35	-	605	346	12	239	27	22.1	20	16.4
Jefferson	2,042	1,903	136	-	1,025	537	21	433	68	33.3	32	15.7
Watertown	826	818	8	-	438	172	14	239	30	36.3	13	15.7
Balance of county	1,216	1,085	128	-	587	365	7	194	38	31.3	19	15.6
Lewis	536	485	51	-	283	156	10	113	19	35.4	9	16.8
Livingston	853	827	25	-	533	261	76	185	30	35.2	14	16.4
Madison	1,135	1,082	53	-	519	307	14	158	31	27.3	23	20.3
Oneida	275	275	-	-	151	80	1	65	7	25.5	7	25.5
Balance of county	860	807	53	-	368	227	13	93	24	27.9	16	18.6
Monroe	10,563	10,497	60	1	5,104	2,142	769	2,090	284	26.9	190	18.0
Rochester	7,424	7,383	36	1	3,631	1,548	359	1,646	198	26.7	131	17.6
Irondequoit (town)	4	4	-	-	97	84	1	11	-	0	-	0
Balance of county	3,135	3,110	24	-	1,376	510	409	433	86	27.4	59	18.8
Montgomery	1,191	1,169	20	2	704	346	12	324	40	33.6	21	17.6
Amsterdam	676	669	5	2	397	174	3	212	28	41.4	10	14.8
Balance of county	515	500	15	-	307	172	9	112	12	23.3	11	21.4
Nassau	12,967	12,804	160	-	4,441	2,461	46	1,878	261	20.1	210	16.2
Floral Park	327	325	2	-	125	72	-	48	6	18.3	7	21.4
Freeport	474	466	7	-	222	147	-	73	10	21.1	7	14.8
Garden City	220	220	-	-	130	90	-	39	9	40.9	3	13.6
Glen Cove	291	277	14	-	157	58	-	94	6	20.6	7	24.1
Hempstead	781	774	7	-	226	127	9	87	17	21.8	9	11.5
Lynbrook	302	300	2	-	149	92	-	55	9	29.8	4	13.2
Mineola	309	309	-	-	118	59	-	59	6	19.4	4	12.9
Rockville Centre	355	353	2	-	204	119	19	65	9	25.4	-	0
Valley Stream	579	574	4	-	169	104	-	64	11	19.0	7	12.1
Balance of county	9,329	9,206	122	-	2,941	1,593	18	1,296	178	19.1	162	17.4
New York City[13]	154,064	151,396	2,233	252	82,323	34,637	4,322	42,962	4,086	26.5	4,842	31.4
White	133,852	132,041	1,541	127	74,752	32,703	4,044	37,609	3,258	24.3	3,757	28.1
Nonwhite	20,212	19,355	692	125	7,571	1,934	278	5,353	828	41.0	1,085	53.7
Niagara	4,616	4,584	30	-	1,729	744	87	870	129	27.9	90	19.5
Niagara Falls	2,324	2,313	10	-	770	298	4	460	71	30.6	51	21.9
Lockport	610	606	4	-	328	129	34	156	13	21.3	10	16.4
North Tonawanda	639	638	1	-	214	115	-	96	17	26.6	14	21.9
Balance of county	1,043	1,027	15	-	417	202	49	158	28	26.8	15	14.4
Oneida	5,114	4,988	123	2	2,684	1,096	626	1,108	162	31.7	113	22.1
Utica	2,291	2,273	17	1	1,420	527	273	596	67	29.2	53	23.1
Rome	1,114	1,107	6	-	455	139	76	221	33	29.6	29	26.0
Balance of county	1,709	1,606	100	1	1,009	430	277	291	62	36.3	31	18.1

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NEW YORK—Continued												
Onondaga	7,492	7,415	76	1	3,339	1,758	183	1,311	201	26.8	133	17.8
Syracuse	4,563	4,533	30	-	2,188	1,137	40	948	133	29.1	99	21.7
Balance of county	2,929	2,882	46	1	1,151	621	143	363	68	23.2	34	11.6
Ontario	1,347	1,324	21	-	740	341	67	313	48	35.6	19	14.1
Geneva	408	406	2	-	183	92	-	89	18	44.1	6	14.7
Balance of county	939	918	19	-	557	249	67	224	30	31.9	13	13.8
Orange	2,995	2,885	105	1	1,945	900	340	687	100	33.4	67	22.4
Newburgh	641	614	26	1	436	215	29	190	19	29.6	16	25.0
Middletown	427	422	5	-	493	132	236	122	17	39.8	8	18.7
Balance of county	1,927	1,849	74	-	1,016	553	75	375	64	33.2	43	22.3
Orleans	659	651	8	1	374	207	-	152	26	39.5	13	19.7
Oswego	1,885	1,721	160	-	855	542	24	276	55	29.2	42	22.3
Fulton	350	349	1	-	152	104	-	48	6	17.1	6	17.1
Oswego	556	550	6	-	238	124	2	110	15	27.0	15	27.0
Balance of county	979	822	153	-	465	314	22	118	34	34.7	21	21.5
Otsego	1,109	1,040	67	-	632	355	21	242	40	36.1	13	11.7
Oneonta	301	299	2	-	173	81	-	91	18	59.8	3	10.0
Balance of county	808	741	65	-	459	274	21	151	22	27.2	10	12.4
Putnam	349	332	17	-	195	105	-	78	14	40.1	6	17.2
Rensselaer	2,889	2,837	49	2	1,697	891	129	633	78	27.0	59	20.4
Troy	1,898	1,891	6	-	1,025	463	109	430	51	30.0	38	22.4
Rensselaer	266	259	5	2	137	99	-	36	6	22.6	6	22.6
Balance of county	925	887	38	-	535	329	20	167	21	22.7	15	16.2
Rockland	1,790	1,753	37	-	1,153	350	472	322	50	27.9	32	17.9
St. Lawrence	2,517	2,350	163	-	1,278	580	223	434	88	35.0	53	21.1
Massena	367	358	8	-	105	43	-	62	18	49.0	6	16.3
Ogdensburg	368	366	2	-	388	87	193	105	12	32.6	10	27.2
Balance of county	1,782	1,626	153	-	785	450	30	267	58	32.5	37	20.8
Saratoga	1,594	1,540	48	1	927	542	24	341	47	29.5	31	19.4
Saratoga Springs	338	334	4	-	220	130	1	86	8	23.7	6	17.8
Balance of county	1,256	1,206	44	1	707	412	23	255	39	31.1	25	19.9
Schenectady	2,993	2,962	30	-	1,374	730	83	519	72	24.1	41	13.7
Schenectady	2,096	2,070	25	-	959	514	14	402	50	23.9	35	16.7
Balance of county	897	892	5	-	415	216	69	117	22	24.5	6	6.7
Schoharie	489	405	83	-	254	165	2	76	14	28.6	9	18.4
Schuyler	310	304	5	-	173	84	-	85	12	38.7	10	32.3
Seneca	668	658	9	-	574	180	255	135	23	34.4	14	21.0
Steuben	2,225	2,126	96	1	1,077	510	12	530	68	39.6	41	18.4
Corning	441	440	1	-	186	82	-	101	17	38.5	9	20.4
Hornell	397	394	3	-	180	80	-	99	11	27.7	6	15.1
Balance of county	1,387	1,292	92	1	711	348	12	330	60	43.3	26	18.7
Suffolk	4,940	4,794	140	-	4,418	1,379	2,151	842	135	27.3	89	18.0
Sullivan	844	759	84	1	490	297	7	182	29	34.4	17	20.1
Tioga	739	699	35	-	377	224	7	131	25	33.8	18	24.4
Tompkins	1,378	1,358	20	-	541	232	19	268	40	29.0	19	13.8
Ithaca	647	643	4	-	245	89	-	152	16	24.7	14	21.6
Balance of county	731	715	16	-	296	143	19	116	24	32.8	5	6.8
Ulster	1,668	1,620	46	-	1,166	617	8	518	41	24.6	33	19.8
Kingston	556	552	3	-	428	176	1	243	18	32.4	14	25.2
Balance of county	1,112	1,068	43	-	740	441	7	275	23	20.7	19	17.1
Warren	991	928	58	-	568	326	6	212	38	38.3	16	16.1
Glens Falls	501	492	8	-	308	163	-	131	24	47.9	9	18.0
Balance of county	490	436	50	-	260	163	6	81	14	28.6	7	14.3
Washington	1,072	971	97	-	582	342	23	200	47	43.8	18	16.8
Wayne	1,166	1,133	30	-	701	388	53	250	28	24.0	20	17.2
Westchester	11,791	11,722	63	1	5,924	2,468	341	3,064	317	26.9	206	17.5
Yonkers	2,864	2,855	9	-	1,423	584	51	801	71	24.8	64	22.3
Mount Vernon	1,368	1,350	15	1	670	282	19	358	44	32.2	37	27.0
New Rochelle	1,156	1,146	10	-	624	243	16	360	38	32.9	15	13.0
White	988	988	-	-	554	225	16	308	25	25.3	12	12.1
Nonwhite	168	158	10	-	70	18	-	52	13	77.4	3	17.9
White Plains	882	880	2	-	444	204	-	236	27	30.6	9	10.2
Mamaroneck	267	265	2	-	111	62	-	46	6	22.5	6	22.5
Ossining	278	274	4	-	183	70	25	80	9	32.4	9	32.4
White	254	252	2	-	166	62	20	76	8	31.5	6	23.6
Nonwhite	24	22	2	-	17	8	5	4	1	41.7	3	125.0
Peekskill	374	365	9	-	189	96	6	86	10	26.7	5	13.4
Port Chester	583	583	-	-	239	69	-	170	16	27.4	9	15.4
Scarsdale	225	225	-	-	117	61	-	56	9	40.0	4	17.8
Balance of county	3,794	3,779	12	-	1,924	797	244	871	87	22.9	48	12.7
Wyoming	658	628	30	-	335	188	7	129	9	13.7	17	25.9
Yates	380	369	11	-	221	126	7	65	11	28.9	8	21.1
NORTH CAROLINA	109,430	73,171	22,320	13,822	30,161	18,606	987	10,351	3,858	35.3	2,654	24.3
White	74,582	61,351	11,382	1,764	19,897	11,608	600	7,519	2,199	29.5	1,346	18.0
Nonwhite	34,848	11,820	10,938	12,058	10,264	6,998	387	2,832	1,659	47.6	1,308	37.5
Alamance	1,851	1,454	387	8	409	305	4	96	37	20.0	39	21.1
White	1,438	1,314	123	1	340	249	3	84	30	20.9	23	16.0
Nonwhite	413	140	264	7	69	56	1	12	7	16.9	16	38.7
Burlington	631	528	102	-	131	92	-	37	12	19.0	10	15.8
Balance of county	1,220	926	285	8	278	213	4	59	25	20.5	29	23.8
White	898	802	95	1	225	168	3	52	22	24.5	16	17.8
Nonwhite	322	124	190	7	53	45	1	7	3	9.3	13	40.4
Alexander	381	258	119	3	99	72	-	27	12	31.5	9	23.6
Alleghany	169	66	97	3	65	54	-	11	6	35.5	7	41.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NORTH CAROLINA—Continued												
Anson	817	290	159	368	225	163	2	58	29	35.5	24	29.4
White	314	243	61	10	119	78	2	39	12	38.2	4	12.7
Nonwhite	503	47	98	358	104	85	-	19	17	33.8	20	39.8
Ashe	610	433	113	63	134	97	-	35	18	29.5	8	13.1
Avery	408	353	8	47	71	41	-	27	7	17.2	7	17.2
Beaufort	988	648	135	205	332	243	2	87	53	53.6	30	30.4
White	589	517	62	10	182	124	2	56	28	47.5	12	20.4
Nonwhite	399	131	73	195	150	119	-	31	25	62.7	18	45.1
Bertie	823	366	154	303	215	169	1	44	34	41.3	25	30.4
White	265	204	59	2	84	61	1	22	7	28.4	6	22.6
Nonwhite	558	162	95	301	131	108	-	22	27	48.4	19	34.1
Bladen	892	221	446	225	209	159	-	45	24	26.9	33	37.0
White	447	190	239	18	104	73	-	28	10	22.4	9	20.1
Nonwhite	445	31	207	207	105	86	-	17	14	31.5	24	53.9
Brunswick	571	311	19	240	130	76	-	54	27	47.3	16	28.0
White	295	242	14	39	75	38	-	37	16	54.2	5	16.9
Nonwhite	276	69	5	201	55	38	-	17	11	39.9	11	39.9
Buncombe	2,946	2,567	244	131	1,106	570	19	492	118	40.1	67	22.7
White	2,572	2,345	201	23	881	445	19	401	101	39.3	47	18.3
Nonwhite	374	222	43	108	225	125	-	91	17	45.5	20	53.5
Asheville	1,362	1,209	42	109	582	276	11	278	64	47.0	40	29.4
White	1,041	1,013	20	7	404	173	11	210	47	45.1	21	20.2
Nonwhite	321	196	22	102	178	103	-	68	17	53.0	19	59.2
Balance of county	1,584	1,358	202	22	524	294	8	214	54	34.1	27	17.0
Burke	1,124	1,027	29	52	397	142	137	115	27	24.0	18	16.0
Cabarrus	1,631	1,514	92	24	445	236	-	203	44	27.0	31	19.0
White	1,302	1,263	38	1	348	184	-	158	35	26.9	24	18.4
Nonwhite	329	251	54	23	97	52	-	45	9	27.4	7	21.3
Concord	491	472	16	3	169	77	-	92	11	22.4	14	28.5
White	382	382	-	-	123	54	-	69	7	18.3	10	26.2
Nonwhite	109	90	16	3	46	23	-	23	4	36.7	4	36.7
Balance of county	1,140	1,042	76	21	276	159	-	111	33	28.9	17	14.9
White	920	881	38	1	225	130	-	89	28	30.4	14	15.2
Nonwhite	220	161	38	20	51	29	-	22	5	22.7	3	13.6
Caldwell	1,298	1,064	210	22	266	168	-	97	42	32.4	22	16.9
Camden	127	34	31	62	52	37	-	14	4	31.5	-	0
White	57	28	24	5	40	27	-	12	4	70.2	-	0
Nonwhite	70	6	7	57	12	10	-	2	-	0	-	0
Carteret	563	461	42	60	172	126	-	46	15	26.6	17	30.2
White	481	442	28	11	137	105	-	32	10	20.8	16	33.3
Nonwhite	82	19	14	49	35	21	-	14	5	61.0	1	12.2
Caswell	599	224	238	137	134	89	1	44	29	48.4	12	20.0
White	247	151	91	5	68	49	-	19	12	48.6	5	20.2
Nonwhite	352	73	147	132	66	40	1	25	17	48.3	7	19.9
Catawba	1,698	1,573	27	97	417	253	-	163	31	18.3	27	15.9
White	1,542	1,482	21	39	361	206	-	154	26	16.9	27	17.5
Nonwhite	156	91	6	58	56	47	-	9	5	32.1	-	0
Hickory	545	529	4	12	122	73	-	49	6	11.0	7	12.8
White	484	481	1	2	97	50	-	47	5	10.3	7	14.5
Nonwhite	61	48	3	10	25	23	-	2	1	16.4	-	0
Balance of county	1,153	1,044	23	86	295	180	-	114	25	21.7	20	17.3
Chatham	625	303	257	65	199	163	-	36	14	22.4	12	19.2
White	388	263	119	6	127	97	-	30	6	15.5	7	18.0
Nonwhite	237	40	138	59	72	66	-	6	8	33.8	5	21.1
Cherokee	538	385	46	107	135	88	-	37	24	44.6	7	13.0
Chowan	372	123	172	76	112	89	-	23	18	48.4	23	61.8
White	169	101	66	1	47	32	-	15	2	11.8	2	11.8
Nonwhite	203	22	106	75	65	57	-	8	16	78.8	21	103.4
Clay	123	56	32	32	22	17	-	5	6	48.8	3	24.4
Cleveland	1,913	1,371	337	204	376	214	2	160	49	25.6	29	15.2
White	1,363	1,159	182	22	290	154	2	134	30	22.0	17	12.5
Nonwhite	550	212	155	182	86	60	-	26	19	34.5	12	21.8
Shelby	452	429	8	15	120	53	-	67	9	19.9	8	17.7
White	354	353	1	-	99	42	-	57	6	16.9	4	11.3
Nonwhite	98	76	7	15	21	11	-	10	3	30.6	4	40.8
Balance of county	1,461	942	329	189	256	161	2	93	40	27.4	21	14.4
White	1,009	806	181	22	191	112	2	77	24	23.8	13	12.9
Nonwhite	452	136	148	167	65	49	-	16	16	35.4	8	17.7
Columbus	1,555	900	238	416	398	258	7	132	80	51.4	48	30.9
White	1,005	761	152	92	259	158	3	97	51	50.7	25	24.9
Nonwhite	550	139	86	324	139	100	4	35	29	52.7	23	41.8
Craven	1,207	813	55	339	376	256	6	112	56	46.4	26	21.5
White	706	662	28	16	178	106	2	68	26	36.8	7	9.9
Nonwhite	501	151	27	323	198	150	4	44	30	59.9	19	37.9
New Bern	453	309	4	140	162	122	-	39	22	48.6	12	26.5
White	251	245	4	2	61	45	-	15	1	4.0	3	12.0
Nonwhite	202	64	-	138	101	77	-	24	21	104.0	9	44.6
Balance of county	754	504	51	199	214	134	6	73	34	45.1	14	18.6
White	455	417	24	14	117	61	2	53	25	54.9	4	8.8
Nonwhite	299	87	27	185	97	73	4	20	9	30.1	10	33.4

See footnotes on p. 93.

891562 O—50——5

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
NORTH CAROLINA—Continued												
Cumberland	2,930	2,105	265	559	622	318	5	288	32	31.4	59	20.1
White	2,061	1,850	160	51	381	175	5	192	62	30.1	32	15.5
Nonwhite	869	255	105	508	241	143	-	98	30	34.5	27	31.1
Fayetteville	1,326	1,050	57	219	323	134	4	182	45	33.9	29	21.9
White	941	906	22	13	202	74	4	121	29	30.8	13	13.8
Nonwhite	385	144	35	206	121	60	-	61	16	41.6	16	41.6
Balance of county	1,604	1,055	208	340	299	184	1	106	47	29.3	30	18.7
White	1,120	944	138	38	179	101	1	71	33	29.5	19	17.0
Nonwhite	484	111	70	302	120	83	-	35	14	28.9	11	22.7
Currituck	122	60	22	40	58	44	-	11	4	32.8	4	32.8
White	72	58	12	2	33	23	-	8	1	13.9	1	13.9
Nonwhite	50	2	10	38	25	21	-	3	3	60.0	3	60.0
Dare	97	46	47	4	40	30	-	10	2	20.6	4	41.2
Davidson	1,543	1,406	124	13	381	214	1	162	57	36.9	33	21.4
White	1,378	1,310	65	3	324	176	1	143	46	33.4	32	23.2
Nonwhite	165	96	59	10	57	38	-	19	11	66.7	1	6.1
Lexington	366	338	27	1	97	42	-	55	10	27.3	10	27.3
White	317	317	-	-	74	28	-	46	5	15.8	10	31.5
Nonwhite	49	21	27	1	23	14	-	9	5	102.0	-	0
Thomasville	299	291	3	5	69	43	-	26	10	33.4	6	20.1
White	255	254	1	-	52	32	-	20	8	31.4	5	19.6
Nonwhite	44	37	2	5	17	11	-	6	2	45.5	1	22.7
Balance of county	878	777	94	7	215	129	1	81	37	42.1	17	19.4
Davie	342	186	151	5	112	79	-	32	15	43.9	8	23.4
White	295	183	112	-	95	65	-	29	12	40.7	5	16.9
Nonwhite	47	3	39	5	17	14	-	3	3	63.8	3	63.8
Duplin	1,258	322	818	118	335	269	1	65	45	35.8	41	32.6
White	711	294	410	7	212	165	1	46	19	26.7	19	26.7
Nonwhite	547	28	408	111	123	104	-	19	26	47.5	22	40.2
Durham	2,555	2,426	42	86	778	399	23	353	69	27.0	75	29.4
White	1,639	1,611	22	5	475	240	17	215	37	22.6	33	20.1
Nonwhite	916	815	20	81	303	159	6	138	32	34.9	42	45.9
Durham	1,907	1,840	20	46	575	291	2	280	51	26.7	62	32.5
White	1,173	1,162	9	1	333	163	2	166	26	22.2	24	20.5
Nonwhite	734	678	11	45	242	128	-	114	25	34.1	38	51.8
Balance of county	648	586	22	40	203	108	21	73	18	27.8	13	20.1
White	466	449	13	4	142	77	15	49	11	23.6	9	18.3
Nonwhite	182	137	9	36	61	31	6	24	7	38.5	4	22.0
Edgecombe	1,497	619	504	374	439	292	8	135	71	47.4	48	32.1
White	574	492	72	10	192	101	5	84	20	34.8	10	17.4
Nonwhite	923	127	432	364	247	191	3	51	51	55.3	38	41.2
Rocky Mount (part)	317	214	93	10	112	68	-	44	11	(8)	14	(8)
White	172	170	2	-	57	27	-	30	4	(8)	5	(8)
Nonwhite	145	44	91	10	55	41	-	14	7	(8)	9	(8)
Balance of county	1,180	405	411	364	327	224	8	91	60	50.8	34	28.8
White	402	322	70	10	135	74	5	54	16	39.8	5	12.4
Nonwhite	778	83	341	354	192	150	3	37	44	56.6	29	37.3
Forsyth	3,655	3,416	223	14	1,141	572	70	495	111	30.4	93	25.4
White	2,506	2,429	71	4	665	346	60	256	53	21.1	41	16.4
Nonwhite	1,149	987	152	10	476	226	10	240	58	50.5	52	45.3
Winston-Salem	2,296	2,141	140	14	801	391	16	393	82	35.7	73	31.8
White	1,254	1,242	7	4	371	185	16	169	28	22.3	23	18.3
Nonwhite	1,042	899	133	10	430	206	-	224	54	51.8	50	48.0
Balance of county	1,359	1,275	83	-	340	181	54	102	29	21.3	20	14.7
White	1,252	1,187	64	-	294	161	44	86	25	20.0	18	14.4
Nonwhite	107	88	19	-	46	20	10	16	4	37.4	2	18.7
Franklin	810	366	233	211	257	191	7	59	41	50.6	25	30.9
White	360	264	89	7	132	93	3	36	11	30.6	4	11.1
Nonwhite	450	102	144	204	125	98	4	23	30	66.7	21	46.7
Gaston	2,850	2,263	478	109	667	415	2	250	111	38.9	72	25.3
White	2,442	2,052	382	8	558	334	2	222	100	41.0	59	24.2
Nonwhite	408	211	96	101	109	81	-	28	11	27.0	13	31.9
Gastonia	685	647	31	7	212	98	-	114	30	43.8	31	45.3
White	577	551	26	-	166	72	-	94	26	45.1	29	50.3
Nonwhite	108	96	5	7	46	26	-	20	4	37.0	2	18.5
Balance of county	2,165	1,616	447	102	455	317	2	136	81	37.4	41	18.9
White	1,865	1,501	356	8	392	262	2	128	74	39.7	30	16.1
Nonwhite	300	115	91	94	63	55	-	8	7	23.3	11	36.7
Gates	269	114	69	86	80	65	-	14	7	26.0	3	11.2
White	86	67	18	1	40	30	-	9	1	11.6	1	11.6
Nonwhite	183	47	51	85	40	35	-	5	6	32.8	2	10.9
Graham	211	125	64	20	36	29	-	2	7	33.2	2	9.5
Granville	835	396	395	44	274	155	45	74	27	32.3	21	25.1
White	322	247	73	2	159	72	43	44	8	24.8	9	28.0
Nonwhite	513	149	322	42	115	83	2	30	19	37.0	12	23.4
Greene	508	113	362	33	111	87	-	24	23	45.3	9	17.7
White	215	96	117	2	41	27	-	14	5	23.3	2	9.3
Nonwhite	293	17	245	31	70	60	-	10	18	61.4	7	23.9
Guilford	4,549	4,175	294	80	1,292	673	34	563	125	27.5	92	20.2
White	3,555	3,419	127	9	920	475	21	402	79	22.2	47	13.2
Nonwhite	994	756	167	71	372	198	13	161	46	46.3	45	45.3
Greensboro	1,909	1,874	20	15	604	276	5	313	51	26.7	40	21.0
White	1,392	1,381	11	-	399	176	5	208	24	17.2	17	12.2
Nonwhite	517	493	9	15	205	100	-	105	27	52.2	23	44.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NORTH CAROLINA—Continued												
Guilford—Continued												
High Point	989	894	78	17	288	157	-	128	28	28.3	22	22.2
White	768	764	3	1	206	103	-	100	24	31.3	15	19.5
Nonwhite	221	130	75	16	82	54	-	28	4	18.1	7	31.7
Balance of county	1,651	1,407	196	48	400	240	29	122	46	27.9	30	18.2
White	1,395	1,274	113	8	315	196	16	94	31	22.2	15	10.8
Nonwhite	256	133	83	40	85	44	13	28	15	58.6	15	58.6
Halifax	1,908	736	249	922	505	341	9	154	98	51.4	62	32.5
White	659	575	69	14	194	103	6	84	19	28.8	13	19.7
Nonwhite	1,249	161	180	908	311	238	3	70	79	63.3	49	39.2
Harnett	1,299	914	244	139	341	212	35	94	43	33.1	30	23.1
White	883	748	124	9	235	127	27	81	24	27.2	16	18.1
Nonwhite	416	166	120	130	106	85	8	13	19	45.7	14	33.7
Haywood	1,055	991	54	10	216	132	1	83	24	22.7	16	15.2
Henderson	762	686	69	5	285	154	-	107	25	32.8	10	13.1
Hertford	531	140	330	61	170	134	-	34	27	50.8	5	9.4
White	154	71	81	2	75	59	-	15	4	26.0	2	13.0
Nonwhite	377	69	249	59	95	75	-	19	23	61.0	3	8.0
Hoke	437	72	177	188	143	98	-	44	19	43.5	14	32.0
White	133	56	75	2	56	39	-	17	2	15.0	-	0
Nonwhite	304	16	102	186	87	59	-	27	17	55.9	14	46.1
Hyde	170	64	18	87	63	51	-	12	6	35.3	2	11.8
White	68	61	2	4	42	32	-	10	3	44.1	1	14.7
Nonwhite	102	3	16	83	21	19	-	2	3	29.4	1	9.8
Iredell	1,505	1,244	183	78	411	249	5	154	47	31.2	33	21.9
White	1,175	1,066	104	5	308	163	4	138	30	25.5	17	14.5
Nonwhite	330	178	79	73	103	86	1	16	17	51.5	16	48.5
Statesville	447	392	40	15	154	91	-	63	16	35.8	9	20.1
White	371	349	22	-	107	52	-	55	9	24.3	3	8.1
Nonwhite	76	43	18	15	47	39	-	8	7	92.1	6	78.9
Balance of county	1,058	852	143	63	257	158	5	91	31	29.3	24	22.7
White	804	717	82	5	201	111	4	83	21	26.1	14	17.4
Nonwhite	254	135	61	58	56	47	1	8	10	39.4	10	39.4
Jackson	533	281	204	43	143	100	-	43	11	20.6	8	15.0
Johnston	1,910	950	754	205	460	331	2	126	56	29.3	48	25.1
White	1,416	895	504	17	340	236	2	102	32	22.6	34	24.0
Nonwhite	494	55	250	188	120	95	-	24	24	48.6	14	28.3
Jones	346	179	51	115	64	45	-	19	15	43.4	7	20.2
White	185	149	28	8	36	24	-	12	5	27.0	2	10.8
Nonwhite	161	30	23	107	28	21	-	7	10	62.1	5	31.1
Lee	687	597	28	61	186	92	-	73	23	33.5	22	32.0
White	483	462	17	4	123	63	-	59	15	31.1	11	22.8
Nonwhite	204	135	11	57	43	29	-	14	8	39.2	11	53.9
Lenoir	1,358	738	234	382	417	250	15	152	64	47.2	39	28.8
White	682	622	52	7	214	100	15	99	27	39.6	13	19.1
Nonwhite	674	116	182	375	203	150	-	53	37	54.9	26	38.6
Kinston	529	341	40	148	193	115	-	78	23	43.5	14	26.5
White	297	287	7	3	99	45	-	54	11	37.0	7	23.6
Nonwhite	232	54	33	145	94	70	-	24	12	51.7	7	30.2
Balance of county	827	397	194	234	224	135	15	74	41	49.6	25	30.2
White	385	335	45	4	115	55	15	45	16	41.6	6	15.6
Nonwhite	442	62	149	230	109	80	-	29	25	56.6	19	43.0
Lincoln	756	588	106	62	187	114	-	73	23	30.4	14	18.5
White	637	571	63	3	156	91	-	65	17	26.7	13	20.4
Nonwhite	119	27	43	49	31	23	-	8	6	50.4	1	8.4
McDowell	639	474	151	14	138	76	-	60	20	31.3	3	4.7
Macon	470	193	183	92	119	82	-	37	19	40.4	11	23.4
Madison	501	223	170	98	140	103	-	36	14	27.9	12	24.0
Martin	818	191	424	197	217	172	2	41	29	35.5	22	26.9
White	334	148	181	3	103	77	1	24	10	29.9	6	18.0
Nonwhite	484	43	243	194	114	95	1	17	19	39.3	16	33.1
Mecklenburg	5,161	4,883	148	148	1,487	780	18	687	202	39.1	133	25.8
White	3,770	3,715	52	2	922	413	9	497	124	32.9	82	18.4
Nonwhite	1,391	1,148	96	146	565	367	7	190	78	56.1	71	51.0
Charlotte	3,261	3,146	39	74	1,032	509	-	521	133	40.8	85	26.1
White	2,260	2,256	3	-	616	245	-	370	77	34.1	41	18.1
Nonwhite	1,001	890	36	74	416	264	-	151	56	55.9	44	44.0
Balance of county	1,900	1,717	109	74	455	271	16	166	69	36.3	48	25.3
White	1,510	1,459	49	2	306	168	9	127	47	31.1	21	13.9
Nonwhite	390	258	60	72	149	103	7	39	22	56.4	27	69.2
Mitchell	444	266	131	43	103	76	-	27	12	27.0	4	9.0
Montgomery	472	286	125	61	134	95	-	35	11	23.3	13	27.5
White	342	275	60	7	98	61	-	33	8	23.4	9	26.3
Nonwhite	130	11	65	54	36	34	-	2	3	23.1	4	30.8
Moore	899	704	116	79	268	165	3	86	20	22.2	13	14.5
White	628	546	73	9	174	95	3	64	15	23.9	6	9.6
Nonwhite	271	158	43	70	94	70	-	22	5	18.5	7	25.8
Nash	1,806	859	665	280	512	303	9	199	92	50.9	53	29.3
White	963	772	172	19	267	129	3	134	38	39.5	17	17.7
Nonwhite	843	87	493	261	245	174	6	65	54	64.1	36	42.7
Rocky Mount (part)	439	333	92	14	153	81	-	71	24	(8)	11	(8)
White	290	287	3	-	84	35	-	48	10	(8)	5	(8)
Nonwhite	149	46	89	14	69	46	-	23	14	(8)	6	(8)

See footnotes on p. 83.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NORTH CAROLINA--Continued												
Nash—Continued												
Rocky Mount (total)	756	547	185	24	265	149	-	115	35	46.3	25	33.1
White	462	457	5	-	141	62	-	78	14	30.3	10	21.6
Nonwhite	294	90	180	24	124	87	-	37	21	71.4	15	51.0
Balance of county	1,367	528	573	266	359	222	9	128	68	49.7	42	30.7
White	673	485	183	10	183	94	3	86	28	41.6	12	17.8
Nonwhite	694	43	404	247	176	129	6	42	40	57.6	30	43.2
New Hanover	1,672	1,565	24	82	569	264	14	309	79	47.2	41	24.5
White	1,073	1,061	11	1	311	143	7	160	40	37.3	17	15.8
Nonwhite	599	504	13	81	278	121	7	149	39	65.1	24	40.1
Wilmington	1,201	1,109	17	74	453	199	-	252	59	49.1	31	25.8
White	724	718	6	-	274	110	-	123	28	38.7	13	18.0
Nonwhite	477	391	11	74	319	89	-	129	31	65.0	18	37.7
Balance of county	471	456	7	8	136	65	14	57	20	42.5	10	21.2
White	349	343	5	1	77	33	7	37	12	34.4	4	11.5
Nonwhite	122	113	2	7	59	32	7	20	8	65.6	6	49.2
Northampton	866	237	294	335	192	144	1	47	21	24.2	14	16.2
White	224	164	54	6	65	39	-	26	6	26.8	-	0
Nonwhite	642	73	240	329	127	105	1	21	15	23.4	14	21.8
Onslow	755	552	114	88	314	124	-	90	29	38.4	25	33.1
White	576	465	96	15	158	85	-	73	21	36.5	14	24.3
Nonwhite	179	87	21	71	56	39	-	17	8	44.7	11	61.5
Orange	796	623	108	65	200	141	-	57	23	28.9	20	25.1
White	521	471	48	2	133	95	-	37	7	13.4	12	23.0
Nonwhite	275	152	60	63	67	46	-	20	16	58.2	8	29.1
Pamlico	290	48	159	83	91	65	-	15	11	37.9	7	24.1
White	168	46	120	2	43	34	-	9	5	29.8	4	23.8
Nonwhite	122	2	39	81	38	31	-	6	6	49.	3	24.6
Pasquotank	615	328	66	201	196	132	1	61	25	40.7	20	32.5
White	328	298	30	-	114	70	1	41	11	33.5	8	24.4
Nonwhite	287	30	36	201	82	62	-	20	14	48.8	12	41.8
Elizabeth City	340	239	12	89	126	80	-	44	11	32.4	15	44.1
White	219	215	4	-	71	41	-	28	5	22.8	7	32.0
Nonwhite	121	24	8	89	55	39	-	16	6	49.6	8	66.1
Balance of county	275	89	74	112	70	52	1	17	14	50.9	5	18.2
White	109	83	26	-	43	29	1	13	6	55.0	1	9.2
Nonwhite	166	6	48	112	27	23	-	4	8	48.2	4	24.1
Pender	518	135	149	232	149	108	-	41	25	48.3	19	36.7
White	213	97	102	14	69	48	-	21	8	37.6	7	32.9
Nonwhite	305	38	47	218	80	60	-	20	17	55.7	12	39.3
Perquimans	262	62	63	137	88	71	-	17	9	34.4	2	7.6
White	105	59	40	6	38	31	-	7	3	28.6	-	0
Nonwhite	157	3	23	131	50	40	-	10	6	38.2	2	12.7
Person	770	359	346	65	151	93	4	53	17	22.1	29	37.7
White	401	299	96	6	100	53	3	43	8	20.0	12	29.9
Nonwhite	369	60	250	59	51	40	1	10	9	24.4	17	46.1
Pitt	1,924	895	699	329	504	361	4	133	84	43.7	63	32.7
White	858	611	239	8	222	136	1	82	21	24.5	14	16.3
Nonwhite	1,066	284	460	321	282	225	3	51	63	59.1	49	46.0
Greenville	419	317	26	76	141	97	-	44	18	43.0	14	33.4
White	204	192	12	-	62	37	-	25	5	24.5	5	24.5
Nonwhite	215	125	14	76	79	60	-	19	13	60.5	9	41.9
Balance of county	1,505	578	673	253	363	264	4	89	66	43.9	49	32.6
White	654	419	227	8	160	99	1	57	16	24.5	9	13.8
Nonwhite	851	159	446	245	203	165	3	32	50	58.8	40	47.0
Polk	268	164	94	10	93	64	-	28	8	29.9	6	22.4
White	225	150	71	4	76	51	-	24	6	26.7	6	26.7
Nonwhite	43	14	23	6	17	13	-	4	2	46.5	-	0
Randolph	1,243	1,121	94	28	342	215	6	120	33	26.5	20	16.1
Richmond	1,124	630	322	171	325	227	4	92	41	36.5	43	38.3
White	733	552	170	10	208	141	2	63	26	35.5	22	30.0
Nonwhite	391	78	152	161	117	86	2	29	15	38.4	21	53.7
Robeson	2,901	1,102	1,269	530	669	479	-	190	123	42.4	83	28.6
White	1,007	687	296	24	278	167	-	89	27	26.8	29	28.8
Nonwhite	1,894	415	973	506	391	292	-	91	96	50.7	54	28.5
Rockingham	1,664	1,210	402	51	482	308	3	169	61	36.7	34	20.4
White	1,264	1,032	227	4	348	216	2	128	47	37.2	22	17.4
Nonwhite	400	178	175	47	134	92	1	41	14	35.0	12	30.0
Reidsville	294	235	57	2	135	70	-	64	17	57.8	8	27.2
White	178	170	8	-	72	31	-	40	12	67.4	3	16.9
Nonwhite	116	65	49	2	63	39	-	24	5	43.1	5	43.1
Balance of county	1,370	975	345	48	347	238	3	105	44	32.1	26	19.0
White	1,086	862	219	4	276	185	2	88	35	32.2	19	17.5
Nonwhite	284	113	126	45	71	53	1	17	9	31.7	7	24.6
Rowan	1,698	1,420	209	68	514	303	8	203	69	40.6	38	22.4
White	1,357	1,228	127	1	388	210	5	173	50	36.8	23	16.9
Nonwhite	341	192	82	67	126	93	3	30	19	55.7	15	44.0
Salisbury	457	419	25	13	186	97	-	89	13	28.4	9	19.7
White	355	349	6	-	132	62	-	70	8	22.5	6	16.9
Nonwhite	102	70	19	13	54	35	-	19	5	49.0	3	29.4
Balance of county	1,241	1,001	184	55	328	206	8	114	56	45.1	29	23.4
White	1,002	879	121	1	256	148	5	103	42	41.9	17	17.0
Nonwhite	239	122	63	54	72	58	3	11	14	58.6	12	50.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
NORTH CAROLINA—Continued												
Rutherford	1,165	568	541	56	279	192	2	85	33	28.3	26	22.3
White	999	537	452	10	248	171	2	75	28	28.0	23	23.0
Nonwhite	166	31	89	46	31	21	-	10	5	30.1	3	18.1
Sampson	1,437	441	690	303	359	283	2	73	46	32.0	34	23.7
White	799	413	347	39	220	169	2	49	22	27.5	13	16.3
Nonwhite	638	28	343	264	139	114	-	24	24	37.6	21	32.9
Scotland	879	360	189	330	213	154	-	58	47	53.5	29	33.0
White	397	305	80	12	92	53	-	38	13	32.7	12	30.2
Nonwhite	482	55	109	318	121	101	-	20	34	70.5	17	35.3
Stanly	1,003	904	96	3	236	149	3	84	34	33.9	18	17.9
White	860	811	48	1	196	117	3	76	26	30.2	14	16.3
Nonwhite	143	93	48	2	40	32	-	8	8	55.9	4	28.0
Stokes	473	250	218	5	132	101	4	27	21	44.4	16	33.8
White	423	221	202	-	119	93	3	23	21	49.6	12	28.4
Nonwhite	50	29	16	5	13	8	1	4	-	0	4	80.0
Surry	1,340	858	423	57	311	217	3	91	37	27.6	35	26.1
Swain	313	100	160	49	82	65	-	17	14	44.7	6	19.2
White	259	36	156	46	62	50	-	12	10	41.8	6	25.1
Nonwhite	74	64	4	3	20	15	-	5	4	54.1	-	0
Transylvania	437	283	143	9	72	54	-	17	6	13.7	5	11.4
Tyrrell	125	84	4	37	33	24	-	9	1	8.0	5	40.0
White	63	58	4	1	22	16	-	6	1	15.9	1	15.9
Nonwhite	62	26	-	36	11	8	-	3	-	0	4	64.5
Union	1,160	798	264	96	301	180	4	114	43	37.1	25	21.6
White	877	750	121	6	222	120	4	98	33	37.6	15	17.1
Nonwhite	283	48	143	90	79	60	-	19	10	35.3	10	35.3
Vance	947	594	67	284	273	167	1	105	52	54.9	32	33.8
White	452	439	11	2	138	74	1	63	21	46.5	7	15.5
Nonwhite	495	155	56	282	135	93	-	42	31	62.6	25	50.5
Wake	3,352	2,430	622	250	1,127	525	161	439	109	32.5	85	25.4
White	2,196	1,916	268	12	726	305	137	282	55	25.0	48	21.9
Nonwhite	1,156	564	354	238	401	220	24	157	54	46.7	37	32.0
Raleigh	1,543	1,471	15	57	678	221	159	297	45	29.2	30	19.4
White	1,094	1,087	5	2	434	113	136	184	24	21.9	17	15.5
Nonwhite	449	384	10	55	244	108	23	113	21	46.8	13	28.0
Balance of county	1,809	1,009	607	193	449	304	2	142	64	35.4	55	30.4
White	1,102	829	263	10	292	192	1	98	31	28.1	31	28.1
Nonwhite	707	180	344	183	157	112	1	44	33	46.7	24	33.9
Warren	753	161	86	506	182	149	-	33	22	29.2	26	34.5
White	149	126	16	7	60	41	-	19	1	6.7	2	13.4
Nonwhite	604	35	70	499	122	108	-	14	21	34.8	24	39.7
Washington	383	120	93	169	119	90	-	25	19	49.6	11	28.7
White	189	111	66	12	52	33	-	17	9	47.6	5	26.5
Nonwhite	194	9	27	157	67	57	-	8	10	51.5	6	30.9
Watauga	482	408	29	25	104	66	-	38	18	39.0	8	17.3
Wayne	1,584	759	666	159	691	319	267	100	59	37.2	38	24.0
White	886	632	247	7	233	161	6	62	26	29.3	18	20.3
Nonwhite	698	127	419	152	458	158	261	38	33	47.3	20	28.7
Goldsboro	557	352	152	53	184	132	4	48	27	48.5	16	28.7
White	285	269	16	-	88	60	1	27	12	42.1	6	21.1
Nonwhite	272	83	136	53	96	72	3	21	15	55.1	10	36.8
Balance of county	1,027	407	514	106	507	187	263	52	32	31.2	22	21.4
White	601	363	231	7	145	101	5	35	14	23.3	12	20.0
Nonwhite	426	44	283	99	362	86	258	17	18	42.3	10	23.5
Wilkes	1,270	794	301	174	304	218	5	81	32	25.2	21	16.5
Wilson	1,699	980	542	277	542	319	15	205	70	41.2	58	34.1
White	848	695	148	5	278	151	9	118	23	27.1	11	13.0
Nonwhite	851	285	394	272	264	168	6	87	47	55.2	47	55.2
Wilson	858	422	72	162	260	143	1	114	30	45.7	24	38.6
White	328	322	5	1	109	57	-	52	10	30.5	4	12.2
Nonwhite	328	100	67	161	151	86	1	62	20	61.0	20	61.0
Balance of county	1,043	458	470	115	282	176	14	91	40	38.4	34	32.6
White	520	373	143	4	169	94	9	66	13	25.0	7	13.5
Nonwhite	523	85	327	111	113	82	5	25	27	51.6	27	51.6
Yadkin	524	444	77	3	127	89	1	36	16	30.5	6	11.5
Yancey	433	232	85	114	99	74	-	25	10	23.1	3	6.9
NORTH DAKOTA	16,584	15,711	776	8	5,146	2,219	252	2,614	487	29.4	237	14.3
White	16,218	15,392	767	7	5,027	2,169	249	2,548	454	28.0	227	14.0
Nonwhite	366	319	9	1	119	50	3	66	33	90.2	10	27.3
Adams	117	114	3	-	33	18	-	14	2	17.1	1	8.5
Barnes	419	412	6	-	134	44	1	88	8	14.3	5	11.9
Benson	300	289	4	-	88	41	-	46	10	33.3	5	16.7
White	251	246	2	-	73	35	-	37	6	23.9	4	15.9
Nonwhite	49	43	2	-	15	6	-	9	4	81.6	1	20.4
Billings	59	59	-	-	7	2	-	5	1	16.9	-	0
Bottineau	335	319	16	-	87	37	-	50	8	23.9	3	9.0
Bowman	110	106	3	-	23	11	-	10	2	18.2	1	9.1
Burke	172	157	11	-	45	26	-	18	7	40.7	6	34.9
Burleigh	710	699	7	1	196	54	1	139	33	46.5	17	23.9
Bismarck	548	544	3	-	162	42	1	118	29	52.9	14	25.5
Balance of county	162	155	4	1	33	12	-	21	4	24.7	3	18.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
NORTH DAKOTA—Continued												
Cass	1,535	1,519	16	-	527	211	13	298	42	27.4	20	13.0
Fargo	1,069	1,062	7	-	379	148	4	223	34	31.8	11	10.3
Balance of county	466	457	9	-	148	63	9	75	8	17.2	9	19.3
Cavalier	327	310	16	-	107	61	6	37	9	27.5	5	15.3
Dickey	222	200	22	-	81	48	-	33	6	27.0	5	22.5
Divide	127	125	2	-	62	32	5	25	5	39.4	-	0
Dunn	210	173	32	-	47	25	-	21	6	28.6	2	9.5
Eddy	145	143	2	-	42	17	-	25	4	27.6	3	20.7
Emmons	276	142	131	-	69	36	-	32	11	39.9	4	14.5
Foster	146	132	13	-	67	23	-	44	13	89.0	1	6.8
Golden Valley	111	111	-	-	23	10	-	13	1	9.0	1	9.0
Grand Forks	1,159	1,149	9	-	333	116	24	193	33	28.5	8	6.9
Grand Forks	871	864	7	-	228	69	2	157	28	32.1	7	8.0
Balance of county	288	285	2	-	105	47	22	36	5	17.4	1	3.5
Grant	192	169	23	-	43	20	-	23	3	15.6	4	20.8
Griggs	138	135	3	-	34	18	-	15	3	21.7	-	0
Hettinger	219	164	54	1	56	28	-	27	6	27.4	3	13.7
Kidder	143	138	4	-	39	26	-	13	5	35.0	2	14.0
La Moure	262	236	24	-	72	47	6	18	3	11.5	6	22.9
Logan	184	150	28	-	38	23	-	15	4	21.7	4	21.7
McHenry	360	356	1	-	98	46	-	51	5	13.9	4	11.1
McIntosh	199	152	43	-	54	33	-	21	8	40.2	7	35.2
McKenzie	175	167	6	1	56	35	-	21	4	22.9	5	28.6
McLean	523	496	24	2	109	64	-	44	15	28.7	7	13.4
Mercer	250	243	5	-	53	20	-	30	6	24.0	4	16.0
Morton	558	517	38	-	149	64	2	80	15	26.9	8	14.3
Mountrail	224	199	25	-	89	38	2	25	3	13.4	3	13.4
Nelson	188	186	2	-	90	49	3	38	8	42.6	-	0
Oliver	81	77	2	-	7	4	-	3	1	12.3	-	0
Pembina	347	318	27	-	115	74	1	29	8	23.1	4	11.5
Pierce	223	222	1	-	92	29	-	63	9	40.4	4	17.9
Ramsey	411	401	10	-	150	68	3	77	15	36.5	4	9.7
Ransom	218	189	28	-	72	43	1	28	5	22.9	1	4.6
Renville	145	141	4	-	44	25	-	19	1	6.9	1	6.9
Richland	474	463	10	-	170	62	-	107	16	33.8	7	14.8
Rolette	369	355	5	3	103	36	-	64	16	43.4	5	13.6
White	222	217	2	2	57	18	-	36	3	13.5	2	9.0
Nonwhite	147	138	3	1	46	18	-	28	13	88.4	3	20.4
Sargent	198	186	12	-	65	41	-	23	4	20.2	3	15.2
Sheridan	148	120	28	-	20	11	-	8	2	13.5	-	0
Sioux	97	82	2	-	30	10	-	20	6	61.9	3	30.9
White	45	43	2	-	8	2	-	6	2	44.4	-	0
Nonwhite	52	39	-	-	22	8	-	14	4	76.9	3	57.7
Slope	70	70	-	-	17	12	-	5	2	28.6	-	0
Stark	509	498	11	-	139	51	6	80	16	31.4	6	11.8
Steele	102	101	1	-	32	13	-	18	6	58.8	-	0
Stutsman	638	613	24	-	319	66	144	109	15	23.5	6	9.4
Towner	169	160	8	-	49	34	-	15	-	0	3	17.8
Traill	239	234	4	-	92	59	-	30	5	20.9	4	16.7
Walsh	436	432	3	-	194	86	33	73	18	41.3	11	25.2
Ward	868	866	2	-	292	83	1	207	36	41.5	16	18.4
Minot	576	574	2	-	203	50	1	151	31	53.8	11	19.1
Balance of county	292	292	-	-	89	33	-	56	5	17.1	5	17.1
Wells	282	266	15	-	55	27	-	27	4	14.2	6	21.3
Williams	465	456	8	-	159	62	-	97	15	32.3	9	19.4
OHIO	186,353	174,465	11,591	51	80,691	43,323	4,471	31,975	5,693	30.5	3,718	20.0
White	172,843	162,534	10,090	39	75,014	40,599	4,118	29,196	5,079	29.4	3,272	18.9
Nonwhite	13,510	11,931	1,501	12	5,677	2,724	352	2,779	614	45.4	446	33.0
Adams	453	156	293	2	231	186	-	44	18	39.7	7	15.5
Allen	2,221	2,122	97	-	920	441	30	440	72	32.4	52	23.4
Lima	1,462	1,408	53	-	598	260	-	335	54	36.9	39	26.7
Balance of county	759	714	44	-	322	181	30	105	18	23.7	13	17.1
Ashland	701	695	6	-	326	219	6	89	11	15.7	15	21.4
Ashland	341	341	-	-	160	96	-	61	8	23.5	5	14.7
Balance of county	360	354	6	-	166	123	6	28	3	8.3	10	27.8
Ashtabula	1,715	1,645	69	-	882	520	55	305	57	33.2	35	20.4
Ashtabula	647	627	20	-	274	149	4	121	21	32.5	15	23.2
Balance of county	1,068	1,018	49	-	608	371	51	184	36	33.7	20	18.7
Athens	916	693	219	-	613	360	130	115	35	38.2	18	19.7
Auglaize	726	696	30	-	325	208	10	100	16	22.0	14	19.3
Belmont	2,008	1,838	167	-	977	597	22	343	62	30.9	47	23.4
Bellaire	307	301	6	-	172	105	-	66	13	42.3	7	22.8
Martins Ferry	288	287	1	-	191	86	4	93	9	31.3	11	38.2
Balance of county	1,413	1,250	160	-	614	406	18	184	40	28.3	28	20.5
Brown	449	222	225	1	276	222	-	46	17	37.9	9	20.0
Butler	3,693	3,538	151	-	1,254	611	11	626	131	35.5	80	21.7
Hamilton	1,610	1,540	68	-	624	256	2	364	61	37.9	35	21.7
Middletown	905	885	19	-	321	162	-	158	27	29.8	25	27.6
Balance of county	1,178	1,113	64	-	309	193	9	104	43	36.5	20	17.0
Carroll	439	313	126	-	182	139	13	28	10	22.8	3	6.8
Champaign	696	663	33	-	321	196	1	121	38	54.6	7	10.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
OHIO—Continued												
Clark	2,735	2,589	162	-	1,261	640	126	480	99	36.2	53	19.4
Springfield	2,071	1,950	117	-	946	489	48	396	73	35.2	40	19.3
White	1,819	1,734	83	-	824	426	48	337	62	34.1	34	18.7
Nonwhite	252	216	34	-	122	63	-	59	11	43.7	6	23.8
Balance of county	664	639	45	-	315	151	78	84	26	39.2	13	19.6
Clermont	843	551	291	-	394	301	5	86	17	20.2	21	24.9
Clinton	564	346	218	-	273	194	15	64	11	19.5	6	10.6
Columbiana	2,360	2,047	308	-	1,042	622	26	360	80	33.9	46	19.5
East Liverpool	684	592	91	-	313	155	2	148	33	48.2	12	17.5
Salem	271	266	5	-	180	84	-	93	19	70.1	8	29.5
Balance of county	1,405	1,189	212	-	549	383	24	119	28	19.9	26	18.5
Coshocton	681	644	37	-	394	257	7	125	17	25.0	19	27.9
Coshocton	236	236	-	-	172	104	1	64	12	50.8	7	29.7
Balance of county	445	408	37	-	222	153	6	61	5	11.2	12	27.0
Crawford	949	911	36	-	432	255	9	166	30	31.6	16	16.9
Cuyahoga	31,426	30,539	855	9	13,364	6,715	523	5,962	835	26.6	606	19.3
Cleveland	22,693	21,850	813	8	9,883	4,720	397	4,650	619	27.3	475	20.9
White	18,748	18,492	243	6	8,440	4,098	341	3,890	472	25.2	362	19.3
Nonwhite	3,945	3,358	570	2	1,443	622	56	760	147	37.3	113	28.3
Cleveland Heights	867	865	2	-	496	317	13	161	16	18.5	14	16.1
East Cleveland	857	854	3	-	431	213	3	212	26	30.3	19	22.2
Lakewood	1,328	1,324	4	-	662	423	4	231	35	26.4	11	8.3
Euclid	885	878	7	-	213	124	-	72	30	33.9	9	10.2
Garfield Heights	392	388	3	-	129	88	2	35	7	17.9	8	20.4
Parma	554	548	6	-	145	85	18	42	10	18.1	9	16.2
Shaker Heights	415	413	2	-	199	138	-	59	12	28.9	8	19.3
Balance of county	3,435	3,419	15	1	1,206	607	86	500	80	23.3	53	15.4
Darke	969	919	50	-	456	319	17	118	23	23.7	14	14.4
Defiance	634	620	13	-	272	167	9	93	20	31.5	16	25.2
Delaware	664	618	45	-	314	160	17	110	20	30.1	13	19.6
Erie	1,210	1,196	13	-	603	251	48	298	51	42.1	20	16.5
Sandusky	745	738	6	-	355	135	5	211	33	44.3	9	12.1
Balance of county	465	458	7	-	248	116	43	87	18	38.7	11	23.7
Fairfield	1,160	1,017	143	-	515	340	12	158	33	28.4	26	22.4
Lancaster	588	543	45	-	248	149	-	96	21	35.7	14	23.8
Balance of county	572	474	98	-	267	191	12	62	12	21.0	12	21.0
Fayette	519	244	275	-	250	158	6	70	16	30.8	9	17.3
Franklin	11,807	11,306	489	-	4,914	2,620	389	1,840	323	27.4	214	18.1
White	10,410	10,091	313	-	4,270	2,268	326	1,613	273	26.2	176	16.9
Nonwhite	1,397	1,215	176	-	644	352	63	227	50	35.8	38	27.2
Columbus	8,934	8,600	323	-	3,978	2,090	319	1,512	249	27.9	174	19.5
White	7,684	7,510	169	-	3,400	1,782	261	1,322	206	26.8	142	18.5
Nonwhite	1,250	1,090	154	-	578	328	58	190	43	34.4	32	25.6
Balance of county	2,873	2,706	166	-	936	530	70	328	74	25.8	40	13.9
Fulton	691	660	30	-	295	183	15	81	16	23.2	8	11.6
Gallia	489	311	154	1	351	179	108	63	17	34.8	15	30.7
Geauga	583	496	81	4	201	132	14	50	18	30.9	21	36.0
Greene	1,425	1,222	203	-	454	305	24	110	44	30.9	31	21.8
Xenia	333	289	44	-	130	95	-	33	8	24.0	5	15.0
White	274	247	27	-	104	73	-	29	7	25.5	3	10.9
Nonwhite	59	42	17	-	26	22	-	4	1	16.9	2	33.9
Balance of county	1,092	933	159	-	324	210	24	77	36	33.0	26	23.8
Guernsey	758	624	131	1	638	291	195	145	25	33.0	15	19.8
Cambridge	325	300	25	-	203	111	22	67	10	30.8	6	18.5
Balance of county	433	324	106	1	435	180	173	78	15	34.6	9	20.8
Hamilton	16,358	15,783	549	2	8,318	4,043	645	3,605	492	30.1	366	22.4
White	14,177	13,770	395	1	7,179	3,548	565	3,041	385	27.2	274	19.3
Nonwhite	2,181	2,013	154	1	1,139	495	80	564	107	49.1	92	42.2
Cincinnati	11,687	11,333	334	1	6,575	3,016	441	3,098	383	32.8	264	22.6
White	9,768	9,525	236	-	5,580	2,597	402	2,581	290	29.7	181	18.5
Nonwhite	1,919	1,808	98	1	995	419	39	537	93	48.5	83	43.3
Norwood	809	801	8	-	269	178	-	91	11	13.6	13	16.1
Balance of county	3,862	3,649	207	1	1,474	849	204	416	98	25.4	89	23.0
Hancock	970	941	28	-	506	293	8	199	34	35.1	22	22.7
Findlay	495	489	5	-	276	152	-	120	11	22.2	13	26.3
Fostoria (part)	49	48	1	-	32	15	-	15	8	(6)	2	(6)
Balance of county	426	404	22	-	198	126	8	64	15	35.2	7	16.4
Hardin	583	621	62	-	340	153	29	150	14	20.5	13	19.0
Harrison	383	345	38	-	202	144	6	49	11	28.7	9	23.5
Henry	539	508	31	-	248	165	11	61	16	29.7	13	24.1
Highland	570	387	182	-	342	246	8	81	19	33.3	15	26.3
Hocking	449	336	107	1	199	137	-	41	19	42.3	8	17.8
Holmes	527	433	93	-	200	131	5	62	15	24.7	14	26.6
Huron	996	958	38	-	461	282	24	146	39	39.2	10	10.0
Jackson	700	282	413	2	326	248	3	71	39	55.7	10	14.3
Jefferson	2,200	2,075	124	-	906	528	17	355	68	30.9	71	32.3
Steubenville	866	852	14	-	431	213	-	216	29	33.5	30	34.8
Balance of county	1,334	1,223	110	-	475	313	17	139	39	29.2	41	30.7
Knox	838	815	23	-	403	212	18	168	31	37.0	12	14.3
Mount Vernon	343	338	5	-	167	80	1	84	18	52.5	6	17.5
Balance of county	495	477	18	-	236	132	17	84	13	26.3	6	12.1
Lake	1,773	1,753	20	-	594	323	28	212	39	22.0	31	17.5
Painesville	422	417	5	-	175	66	3	101	7	16.6	3	7.1
Balance of county	1,351	1,336	15	-	419	257	25	111	32	23.7	28	20.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 1)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[1]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (not in hospital)	Physician (in hospital)	Midwife								
OHIO—Continued												
Lawrence	1,[illegible]	1,[illegible]	[illegible]	2	458	262	-	196	48	38.7	36	29.0
Ironton	[illegible]	[illegible]	12	-	197	107	-	90	12	33.0	9	24.7
Balance of county	[illegible]	[illegible]	113	2	261	155	-	106	36	41.0	27	30.8
Licking	1,[illegible]	1,462	[illegible]	-	794	456	25	294	58	25.2	26	17.2
Newark	[illegible]	[illegible]	17	-	442	224	3	203	25	29.2	18	21.0
Balance of county	[illegible]	[illegible]	44	-	352	232	22	91	13	20.0	8	12.3
Logan	[illegible]	[illegible]	[illegible]	-	439	283	20	127	19	27.9	15	22.1
Lorain	3,691	3,[illegible]	38	-	1,352	734	33	576	111	30.1	72	19.5
Elyria	[illegible]	[illegible]	[illegible]	-	319	160	11	136	26	31.9	13	15.9
Lorain	[illegible]	1,[illegible]	[illegible]	-	517	269	4	243	48	33.5	24	16.8
Balance of county	1,443	1,[illegible]	[illegible]	-	520	297	18	197	37	25.6	35	24.3
Lucas	[illegible]	[illegible]	[illegible]	2	4,427	1,861	338	2,202	374	40.4	161	17.4
Toledo	[illegible]	7,[illegible]	[illegible]	[illegible]	3,930	1,529	325	2,052	316	39.4	142	17.7
White	[illegible]	7,[illegible]	[illegible]	2	3,531	1,425	306	1,836	265	36.2	118	16.1
Nonwhite	[illegible]	[illegible]	[illegible]	-	399	104	19	216	51	72.6	24	34.2
Balance of county	1,[illegible]	1,[illegible]	[illegible]	-	497	332	13	150	58	47.4	19	15.5
Madison	[illegible]	[illegible]	[illegible]	-	[illegible]	145	21	84	23	41.9	5	9.1
Mahoning	5,[illegible]	[illegible]	[illegible]	4	[illegible]	1,147	55	1,281	179	30.4	130	22.1
Youngstown (part)	4,327	4,[illegible]	[illegible]	3	1,905	795	3	1,083	132	(8)	97	(8)
White	3,772	3,[illegible]	[illegible]	1	[illegible]	695	8	942	102	(8)	[illegible]	(8)
Nonwhite	555	[illegible]	[illegible]	1	345	100	1	141	30	(8)	22	(8)
Youngstown (total)	4,344	4,[illegible]	[illegible]	3	1,[illegible]	799	9	1,084	134	30.6	99	22.6
White	[illegible]	[illegible]	[illegible]	2	[illegible]	699	8	943	103	27.2	76	20.1
Nonwhite	[illegible]	[illegible]	[illegible]	1	345	100	1	141	30	54.1	22	39.6
Campbell	2,[illegible]	[illegible]	[illegible]	1	[illegible]	46	-	30	13	48.0	6	22.1
White	[illegible]	235	3	1	58	35	-	23	10	41.8	4	16.7
Nonwhite	32	26	[illegible]	-	[illegible]	11	-	7	3	93.8	2	62.5
Struthers	280	275	5	-	77	46	-	29	7	25.0	2	7.1
Balance of county	1,[illegible]	998	26	-	451	260	46	139	27	26.6	25	24.6
Marion	1,[illegible]	1,175	38	-	499	293	7	191	31	25.6	21	17.3
Marion	870	868	11	-	367	211	-	150	23	26.2	14	15.9
Balance of county	334	307	27	-	132	82	7	41	8	24.0	7	21.0
Medina	890	877	13	-	389	207	13	160	18	20.2	14	15.7
Meigs	458	371	106	-	247	191	3	50	16	34.9	8	17.4
Mercer	720	710	8	-	287	177	14	95	11	15.3	23	31.9
Miami	1,530	1,506	24	-	693	384	9	253	43	28.1	28	18.3
Piqua	456	451	4	-	218	121	-	95	15	33.0	10	22.0
Balance of county	1,075	1,055	20	-	435	263	9	158	28	26.0	18	16.7
Monroe	279	123	149	-	213	170	2	41	13	46.6	8	28.7
Montgomery	10,[illegible]	10,395	206	2	5,801	1,782	273	1,697	342	32.2	216	20.4
Dayton	[illegible]	[illegible]	103	2	2,820	1,236	169	1,372	264	29.3	191	20.1
White	7,9[illegible]	7,896	55	1	2,468	1,066	152	1,207	225	28.3	145	18.2
Nonwhite	1,[illegible]	1,005	48	1	352	170	17	165	39	37.0	36	34.1
Balance of county	1,597	1,494	103	-	981	546	104	325	78	19.8	35	21.9
Morgan	241	161	79	-	170	125	-	43	10	41.0	2	8.2
Morrow	309	292	17	-	162	131	7	38	9	29.1	6	19.4
Muskingum	1,748	1,685	61	1	872	464	20	361	65	37.2	45	25.8
Zanesville	1,[illegible]	1,020	32	-	584	271	13	278	47	44.6	32	30.4
Balance of county	693	663	29	1	288	193	7	83	16	26.0	13	18.8
Noble	228	177	51	-	143	103	-	40	6	26.2	3	13.1
Ottawa	716	675	41	-	280	164	5	109	25	34.9	10	14.0
Paulding	348	334	13	-	157	93	3	60	10	28.7	8	23.0
Perry	572	390	182	-	352	274	27	43	21	36.7	8	14.0
Pickaway	541	405	134	-	383	217	75	88	22	40.7	19	35.1
Pike	338	94	229	-	146	113	-	31	12	35.5	7	20.7
Portage	1,493	1,470	23	-	512	284	6	219	33	22.1	12	8.0
Preble	573	485	88	-	298	202	7	85	18	31.4	9	15.7
Putnam	639	548	89	-	225	155	2	66	12	18.8	12	18.8
Richland	2,288	2,213	74	-	869	423	12	369	65	28.4	55	24.0
Mansfield	1,229	1,210	19	-	471	227	-	230	30	24.4	30	24.4
Balance of county	1,059	1,003	55	-	398	196	12	139	35	33.1	25	23.6
Ross	1,282	793	484	-	577	342	73	158	55	42.9	28	21.8
Chillicothe	531	460	68	-	[illegible]	161	-	98	24	45.2	10	18.8
Balance of county	751	333	416	-	316	181	73	60	31	41.3	18	24.0
Sandusky	1,132	1,095	35	-	519	283	13	218	38	33.6	17	15.0
Fremont	464	462	1	-	[illegible]	94	-	106	[illegible]	45.3	13	28.0
Balance of county	668	633	34	-	319	189	13	113	17	25.4	4	6.0
Scioto	1,969	1,603	358	7	928	511	8	295	103	52.3	44	22.3
Portsmouth	956	907	49	-	484	268	5	205	42	43.9	16	16.7
Balance of county	1,013	696	309	7	344	243	3	90	61	60.2	28	27.6
Seneca	1,395	1,358	35	-	591	301	45	238	43	30.9	23	16.5
Fostoria (part)	339	334	4	-	141	69	-	72	11	(8)	3	(8)
Fostoria (total)	387	382	5	-	173	84	-	87	19	49.1	5	12.9
Tiffin	514	509	5	-	238	106	29	103	22	42.8	11	21.4
Balance of county	541	515	26	-	212	126	16	64	10	18.5	9	16.6
Shelby	695	664	30	1	304	182	15	106	28	40.3	11	15.8
Stark	6,861	6,698	167	3	2,842	1,[illegible]	316	1,131	195	28.3	167	24.3
Canton	3,423	3,367	54	-	1,237	572	6	626	94	27.5	106	31.0
Massillon	860	854	5	-	350	164	9	175	30	34.9	18	20.9
Alliance	687	680	6	1	325	180	-	144	19	27.7	9	13.1
Balance of county	1,911	1,787	122	2	930	425	301	186	52	27.2	34	17.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
OHIO—Continued												
Summit	10,652	10,475	152	4	3,264	1,549	195	1,467	263	24.7	188	17.6
Akron	7,446	7,338	101	-	2,294	1,057	43	1,192	195	26.2	132	17.7
White	6,690	6,623	63	-	2,074	945	43	1,068	156	23.3	113	16.9
Nonwhite	756	715	38	-	220	92	-	124	39	51.6	19	25.1
Barberton	904	872	18	2	233	135	1	93	24	26.5	15	16.6
Cuyahoga Falls	686	684	2	-	189	111	16	58	10	14.6	11	16.0
Balance of county	1,616	1,581	31	2	548	268	135	126	34	21.0	30	18.6
Trumbull	3,661	3,569	90	-	1,233	633	14	568	115	31.4	76	20.8
Youngstown (part)	17	17	-	-	5	4	-	1	1	(8)	1	(8)
White	17	17	-	-	5	4	-	1	1	(8)	1	(8)
Nonwhite	-	-	-	-	-	-	-	-	-	(8)	-	(8)
Warren	1,382	1,370	11	-	470	186	5	274	50	36.2	27	19.5
Niles	404	387	17	-	129	74	-	53	5	12.4	6	14.9
Balance of county	1,858	1,795	62	-	629	369	9	240	59	31.8	42	22.6
Tuscarawas	1,634	1,516	116	-	774	471	26	260	62	37.9	38	23.3
New Philadelphia	270	261	9	-	119	78	2	32	7	25.9	7	25.9
Balance of county	1,364	1,255	107	-	655	393	24	228	55	40.3	31	22.7
Union	406	328	78	-	245	178	6	57	16	39.4	3	7.4
Van Wert	614	561	53	-	303	174	14	114	14	22.8	7	11.4
Vinton	226	53	168	-	116	83	7	19	7	31.0	12	53.1
Warren	987	850	136	1	409	252	38	107	37	37.5	19	19.3
Washington	971	814	157	-	526	364	6	155	30	30.9	18	18.5
Marietta	362	342	20	-	254	151	1	101	18	49.7	6	16.6
Balance of county	609	472	137	-	272	213	5	54	12	19.7	12	19.7
Wayne	1,451	1,306	143	-	564	358	37	153	39	26.9	25	17.2
Wooster	293	291	2	-	178	89	-	77	6	20.5	7	23.9
Balance of county	1,158	1,015	141	-	386	269	37	76	33	28.5	18	15.5
Williams	603	542	60	-	333	242	11	58	22	36.5	9	14.9
Wood	1,333	1,257	75	1	539	337	15	184	38	28.5	19	14.3
Wyandot	447	393	54	-	261	171	10	72	18	40.3	5	11.2
OKLAHOMA	50,386	41,649	7,321	1,016	19,079	10,919	790	7,030	1,731	34.4	948	18.8
White	44,769	38,298	6,094	196	16,695	9,452	684	6,268	1,415	31.6	772	17.2
Nonwhite	5,617	3,351	1,227	820	2,384	1,467	106	762	316	56.3	176	31.3
Adair	386	247	99	14	124	94	-	28	12	31.1	11	28.5
White	256	149	89	5	72	54	-	17	5	19.5	8	31.3
Nonwhite	130	98	10	9	52	40	-	11	7	53.8	3	23.1
Alfalfa	209	206	3	-	105	44	-	58	7	33.5	4	19.1
Atoka	334	117	204	8	107	84	-	23	12	35.9	8	24.0
Beaver	176	161	14	-	53	34	-	19	5	28.4	8	45.5
Beckham	408	401	6	-	184	93	-	91	24	58.8	7	17.2
Blaine	388	321	53	12	140	85	-	52	11	28.4	12	30.9
White	307	264	42	1	118	69	-	47	9	29.3	6	19.5
Nonwhite	81	57	11	11	22	16	-	5	2	24.7	6	74.1
Bryan	773	517	249	4	294	205	-	87	29	37.5	14	18.1
Durant	377	333	44	-	120	73	-	47	14	50.5	2	7.2
Balance of county	496	284	205	4	174	132	-	40	15	30.2	12	24.2
Caddo	921	708	194	13	281	169	-	110	34	36.9	14	15.2
White	757	584	170	2	232	144	-	86	18	23.8	10	13.2
Nonwhite	164	126	24	11	49	25	-	24	16	97.6	4	24.4
Canadian	497	446	49	-	207	138	3	62	23	46.3	11	22.1
El Reno	256	243	13	-	127	80	-	43	9	35.2	7	27.3
Balance of county	241	203	36	-	80	58	3	19	14	58.1	4	16.6
Carter	782	582	183	14	351	224	6	120	30	38.4	23	29.4
White	696	554	141	1	301	188	4	108	26	37.4	18	25.9
Nonwhite	86	28	42	13	50	36	2	12	4	46.5	5	58.1
Ardmore	402	337	58	7	211	128	5	78	19	47.3	14	34.8
White	350	322	27	1	175	101	4	70	16	45.7	9	25.7
Nonwhite	52	15	31	6	36	27	1	8	3	57.7	5	96.2
Balance of county	380	245	125	7	140	96	1	42	11	28.9	9	23.7
Cherokee	443	321	87	22	143	88	-	54	19	42.9	8	18.1
White	341	239	84	11	111	67	-	43	15	44.0	4	11.7
Nonwhite	102	82	3	11	32	21	-	11	4	39.2	4	39.2
Choctaw	466	241	148	68	227	163	-	62	29	62.2	14	30.0
White	352	215	125	8	168	115	-	52	22	62.5	10	28.4
Nonwhite	114	26	23	60	59	48	-	10	7	61.4	4	35.1
Cimarron	101	92	9	-	36	18	-	17	6	59.4	2	19.8
Cleveland	931	878	49	3	409	107	228	71	20	21.5	15	16.1
Norman	690	687	3	-	287	52	177	55	16	23.2	9	13.0
Balance of county	241	191	46	3	122	55	51	16	4	16.6	6	24.9
Coal	163	75	82	3	65	50	-	15	4	24.5	4	24.5
Comanche	1,100	934	142	22	329	176	-	151	58	52.7	25	22.7
Lawton	725	653	51	20	214	107	-	105	38	52.4	18	24.8
Balance of county	375	281	91	2	115	69	-	46	20	53.3	7	18.7
Cotton	208	131	75	1	82	57	-	25	2	9.6	5	24.0
Craig	311	278	31	-	305	93	165	35	15	48.2	7	22.5
Creek	974	732	176	56	458	317	-	136	41	42.1	30	30.8
White	825	672	141	7	388	260	-	123	33	40.0	25	30.3
Nonwhite	149	60	35	49	70	57	-	13	8	53.7	5	33.6
Sapulpa	337	294	11	30	180	100	-	78	16	47.5	11	32.6
White	266	256	7	2	148	74	-	72	13	48.9	8	30.1
Nonwhite	71	38	4	28	32	26	-	6	3	42.3	3	42.3
Balance of county	637	438	165	26	278	217	-	58	25	39.2	19	29.8
White	559	416	134	5	240	186	-	51	20	35.8	17	30.4
Nonwhite	78	22	31	21	38	31	-	7	5	64.1	2	25.6

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
OKLAHOMA—Continued												
Custer	524	500	21	-	214	109	-	105	22	42.0	8	15.3
Delaware	273	178	78	6	115	88	-	25	7	25.6	4	14.7
White	211	136	69	2	101	80	-	19	6	28.4	3	14.2
Nonwhite	62	42	9	4	14	8	-	6	1	16.1	1	16.1
Dewey	166	141	23	-	91	54	-	32	6	36.1	4	24.1
Ellis	145	140	5	-	66	45	-	21	5	34.5	2	13.8
Garfield	1,107	1,075	30	2	464	184	40	233	43	39.8	9	8.1
Enid	861	844	16	1	346	126	8	210	38	44.1	6	7.0
Balance of county	246	231	14	1	118	58	34	23	5	20.3	3	12.2
Garvin	706	643	59	2	209	123	10	74	19	26.9	7	9.9
Grady	774	594	178	1	334	198	-	130	38	49.1	17	22.0
Chickasha	357	285	72	-	202	97	-	100	26	72.8	13	36.4
White	324	284	40	-	181	81	-	95	22	67.9	9	27.8
Nonwhite	33	1	32	-	21	16	-	5	4	121.2	4	121.2
Balance of county	417	309	106	1	132	101	-	30	12	28.8	4	9.6
Grant	202	195	7	-	85	53	-	31	2	9.9	3	14.9
Greer	244	211	33	-	117	63	2	49	3	12.3	9	36.9
Harmon	156	116	40	-	61	36	-	17	5	32.1	3	19.2
Harper	127	112	15	-	41	30	-	10	4	31.5	3	23.6
Haskell	273	62	204	7	88	70	-	18	10	36.6	3	11.0
Hughes	510	360	135	11	209	133	-	74	27	52.9	11	21.6
White	433	320	109	1	169	104	-	64	20	46.2	10	23.1
Nonwhite	77	40	26	10	40	29	-	10	7	90.9	1	13.0
Jackson	430	381	45	4	184	114	-	64	11	25.6	17	39.5
Jefferson	232	178	53	1	82	55	-	26	4	17.2	5	21.6
Johnston	244	156	84	2	83	57	-	26	4	16.4	2	8.2
Kay	1,173	1,132	40	-	460	233	-	221	49	41.8	21	17.9
Ponca City	500	497	3	-	203	83	-	120	16	32.0	9	18.0
Balance of county	673	635	37	-	257	150	-	101	33	49.0	12	17.8
Kingfisher	283	237	43	3	117	65	-	43	12	42.4	1	3.5
White	255	228	27	-	105	57	-	40	10	39.2	1	3.9
Nonwhite	28	9	16	3	12	8	-	3	2	71.4	-	0
Kiowa	458	405	51	1	183	91	-	55	15	32.8	4	8.7
Latimer	207	79	127	-	90	55	-	35	9	43.5	5	24.2
Le Flore	782	325	431	18	276	200	-	72	27	34.5	12	15.3
Lincoln	458	345	100	8	237	180	-	56	13	28.4	7	15.3
Logan	458	344	87	23	259	150	31	73	13	28.4	8	17.5
White	341	293	45	1	193	100	31	57	6	17.6	5	14.7
Nonwhite	117	51	42	22	66	50	-	16	7	59.8	3	25.6
Guthrie	234	195	30	6	157	64	31	57	8	34.2	3	12.8
White	173	167	5	-	118	37	31	45	6	34.7	3	17.3
Nonwhite	61	28	25	6	39	27	-	12	2	32.8	-	0
Balance of county	224	149	57	17	102	86	-	16	5	22.3	5	22.3
White	168	126	40	1	75	63	-	12	-	0	2	11.9
Nonwhite	56	23	17	16	27	23	-	4	5	89.3	3	53.6
Love	175	66	108	-	62	45	-	16	5	28.6	2	11.4
McClain	297	213	79	2	94	74	-	20	4	13.5	6	20.2
McCurtain	797	247	389	79	272	203	1	67	25	31.4	17	21.3
White	534	190	302	12	209	150	1	57	17	31.8	10	18.7
Nonwhite	263	57	87	67	63	53	-	10	8	30.4	7	26.6
McIntosh	462	219	147	70	160	119	1	39	18	39.0	6	13.0
White	328	189	113	14	96	73	1	22	9	27.4	3	9.1
Nonwhite	134	30	34	56	64	46	-	17	9	67.2	3	22.4
Major	209	187	20	1	75	51	1	21	4	19.1	2	9.6
Marshall	193	147	42	1	70	55	-	15	10	51.8	5	25.9
Mayes	375	308	61	3	170	127	-	43	8	21.3	8	21.3
Murray	237	201	34	1	116	68	-	48	7	29.5	4	16.9
Muskogee	1,487	1,118	236	114	755	413	85	254	66	44.4	38	25.6
White	1,165	1,019	136	6	468	259	1	205	45	38.6	26	22.3
Nonwhite	322	99	100	108	287	154	84	49	21	65.2	12	37.3
Muskogee	861	749	38	67	457	248	1	207	39	45.3	29	33.7
White	681	668	9	2	317	146	-	170	27	39.6	20	29.4
Nonwhite	180	81	29	65	140	102	1	37	12	66.7	9	50.0
Balance of county	626	369	198	47	298	165	84	47	27	43.1	9	14.4
White	484	351	127	4	151	113	1	35	18	37.2	6	12.4
Nonwhite	142	18	71	43	147	52	83	12	9	63.4	3	21.1
Noble	252	175	77	-	94	65	-	29	5	19.8	4	15.9
Nowata	260	185	72	3	134	91	-	42	12	46.2	8	30.8
White	235	175	59	1	113	75	-	38	11	46.8	6	25.5
Nonwhite	25	10	13	2	21	15	-	6	1	40.0	2	80.0
Okfuskee	436	283	124	21	178	133	-	45	23	52.8	8	18.3
White	290	216	72	-	105	76	-	29	15	51.7	4	13.8
Nonwhite	146	67	52	21	73	57	-	14	8	54.8	4	27.4
Oklahoma	7,767	7,588	146	23	2,432	1,240	43	1,088	241	31.0	138	17.8
Oklahoma City	6,063	5,974	82	1	1,957	945	27	936	196	32.3	114	18.8
White	5,358	5,316	35	1	1,734	946	27	840	163	30.4	90	16.8
Nonwhite	705	658	47	-	223	99	-	96	33	46.8	24	34.0
Balance of county	1,704	1,614	64	22	475	295	16	152	45	26.4	24	14.1
Okmulgee	1,028	759	181	74	413	273	-	140	46	44.7	30	29.2
White	807	695	109	2	299	186	-	113	30	37.2	25	31.0
Nonwhite	221	64	72	72	114	87	-	27	16	72.4	5	22.6
Okmulgee	413	354	24	31	189	119	-	70	17	41.2	9	21.8
White	323	320	3	-	126	72	-	54	11	34.1	6	18.6
Nonwhite	90	34	21	31	63	47	-	16	6	66.7	3	33.3
Balance of county	615	405	157	43	224	154	-	70	29	47.2	21	34.1
White	484	375	106	2	173	114	-	59	19	39.3	19	39.3
Nonwhite	131	30	51	41	51	40	-	11	10	76.3	2	15.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
OKLAHOMA—Continued												
Osage	608	524	78	4	255	141	30	80	17	28.0	8	13.2
Ottawa	847	685	161	1	355	224	-	115	32	37.8	12	14.2
Pawnee	312	292	19	-	157	94	-	62	9	28.8	3	9.6
Payne	1,183	1,149	24	6	282	157	1	119	25	21.1	13	11.0
Stillwater	686	686	-	-	107	57	-	47	10	14.6	8	11.7
Balance of county	497	463	24	6	175	100	1	72	15	30.2	5	10.1
Pittsburg	899	658	192	31	353	216	16	121	21	23.4	17	18.9
White	794	600	167	15	315	193	10	112	16	20.2	15	18.9
Nonwhite	105	58	25	16	38	23	6	9	5	47.6	2	19.0
McAlester	381	336	21	15	156	91	1	64	7	18.4	7	18.4
White	319	298	14	4	131	75	-	56	5	15.7	5	15.7
Nonwhite	62	38	7	11	25	16	1	8	2	32.3	2	32.3
Balance of county	518	322	171	16	197	125	15	57	14	27.0	10	19.3
White	475	302	153	11	184	118	10	56	11	23.2	10	21.1
Nonwhite	43	20	18	5	13	7	5	1	3	69.8	-	0
Pontotoc	750	646	102	1	251	164	-	83	17	22.7	13	17.3
Ada	455	421	33	-	136	88	-	46	8	17.6	10	22.0
Balance of county	295	225	69	1	115	76	-	37	9	30.5	3	10.2
Pottawatomie	958	882	54	19	409	210	-	171	39	40.7	17	17.7
Shawnee	536	518	7	11	253	94	-	133	24	44.8	11	20.5
Balance of county	422	364	47	8	156	116	-	38	15	35.5	6	14.2
Pushmataha	285	90	177	10	85	61	-	22	8	28.1	3	10.5
Roger Mills	154	146	8	-	52	37	-	14	5	32.5	1	6.5
Rogers	367	316	46	3	194	106	-	88	15	40.9	6	16.3
Seminole	879	761	59	45	321	202	-	96	35	39.8	21	23.9
White	698	649	45	2	248	147	-	82	22	31.5	17	24.4
Nonwhite	181	112	14	43	73	55	-	14	13	71.8	4	22.1
Seminole	260	252	7	1	88	50	-	38	12	46.2	9	34.6
Wewoka	179	155	10	14	63	32	-	18	5	27.9	-	0
White	135	129	6	-	46	22	-	14	2	14.8	-	0
Nonwhite	44	26	4	14	17	10	-	4	3	68.2	-	0
Balance of county	440	354	42	30	169	120	-	42	18	40.9	12	27.3
White	326	287	35	2	121	82	-	33	9	27.6	8	24.5
Nonwhite	114	67	7	28	48	38	-	9	9	78.9	4	35.1
Sequoyah	537	201	285	27	132	96	-	36	13	24.2	16	29.8
White	485	182	272	17	115	84	-	31	11	22.7	12	24.7
Nonwhite	52	19	13	10	17	12	-	5	2	38.5	4	76.9
Stephens	763	734	27	1	240	124	-	115	23	30.1	11	14.4
Texas	339	293	45	-	83	54	-	27	4	11.8	8	23.6
Tillman	363	315	26	22	178	122	-	52	18	49.6	10	27.5
White	298	286	12	-	143	97	-	44	8	26.8	5	16.8
Nonwhite	65	29	14	22	35	25	-	8	10	153.8	5	76.9
Tulsa	5,485	5,098	291	86	1,875	890	15	958	179	32.6	87	15.9
White	4,908	4,679	221	7	1,646	778	14	842	154	31.4	69	14.1
Nonwhite	577	419	70	79	229	112	1	116	25	43.3	18	31.2
Tulsa	4,173	4,007	94	65	1,562	677	8	868	141	33.8	73	17.5
White	3,661	3,617	40	4	1,363	581	8	765	119	32.5	56	15.3
Nonwhite	512	390	54	61	199	96	-	103	22	43.0	17	33.2
Balance of county	1,312	1,091	197	21	313	213	7	90	38	29.0	14	10.7
Wagoner	436	185	208	37	106	75	-	24	13	29.8	14	32.1
White	350	173	171	5	66	41	-	18	8	22.9	10	28.6
Nonwhite	86	12	37	32	40	34	-	6	5	58.1	4	46.5
Washington	677	638	39	-	278	154	1	119	25	36.9	11	16.2
Bartlesville	421	417	4	-	188	86	1	97	15	35.6	6	14.3
Balance of county	256	221	35	-	92	68	-	22	10	39.1	5	19.5
Washita	364	354	8	2	122	81	-	39	7	19.2	5	13.7
Woods	364	364	-	-	134	62	3	59	11	30.2	5	13.7
Woodward	338	324	14	-	247	69	108	69	12	35.5	4	11.8
OREGON	35,206	34,791	338	4	14,080	6,396	948	6,311	897	25.5	527	15.0
White	34,581	34,191	327	3	13,801	6,300	920	6,161	861	24.9	511	14.8
Nonwhite	625	600	11	1	279	96	28	150	36	57.6	16	25.6
Baker	388	378	8	-	182	82	3	96	12	30.9	6	15.5
Benton	887	872	13	-	178	87	-	65	19	21.4	18	20.3
Clackamas	1,684	1,651	23	1	648	355	41	230	37	22.0	26	15.4
Clatsop	808	806	2	-	345	137	5	197	17	21.0	14	17.3
Astoria	358	358	-	-	197	57	4	132	7	19.6	10	27.9
Balance of county	450	448	2	-	148	80	1	65	10	22.2	4	8.9
Columbia	496	473	20	3	175	115	-	55	10	20.2	10	20.2
Coos	986	974	9	1	402	166	25	184	27	27.4	13	13.2
Crook	245	244	1	-	58	26	2	26	8	32.7	6	24.5
Curry	106	99	5	-	64	42	-	22	2	18.9	5	47.2
Deschutes	561	560	-	-	157	67	6	83	24	42.8	14	25.0
Bend	328	328	-	-	95	32	6	56	15	45.7	6	18.3
Balance of county	233	232	-	-	62	35	-	27	9	38.6	8	34.3
Douglas	1,291	1,280	10	-	405	201	63	137	34	26.3	24	18.6
Gilliam	67	62	4	-	19	10	-	8	2	29.9	3	44.8
Grant	200	199	-	-	74	36	-	38	8	40.0	4	20.0
Harney	146	144	1	1	55	29	-	26	6	41.1	5	34.2
Hood River	350	347	1	-	101	48	3	50	12	34.3	5	14.3
Jackson	1,356	1,350	5	-	565	279	14	265	35	25.8	13	9.6
Medford	541	540	1	-	237	88	-	149	24	44.4	7	12.9
Balance of county	815	810	4	-	328	191	14	117	11	13.5	6	7.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
OREGON—Continued												
Jefferson	136	129	1	-	27	14	-	13	8	58.8	5	36.8
White	95	94	1	-	11	5	-	6	5	52.6	5	52.6
Nonwhite	41	35	-	-	16	9	-	9	3	73.2	-	0
Josephine	596	565	27	1	276	130	-	137	19	31.9	5	8.4
Klamath	1,202	1,191	10	-	311	134	11	164	38	31.6	21	17.5
Klamath Falls	751	751	-	-	200	63	-	135	26	34.6	10	13.3
Balance of county	451	440	10	-	111	71	11	29	12	26.6	11	24.4
Lake	164	163	-	-	51	19	1	31	5	30.5	4	24.4
Lane	3,047	2,994	51	-	980	475	17	374	80	26.3	36	11.8
Eugene	1,217	1,214	3	-	467	173	17	270	29	23.8	17	14.0
Balance of county	1,830	1,780	48	-	413	302	-	104	51	27.8	19	10.4
Lincoln	476	464	9	-	212	135	-	70	21	44.1	6	12.6
Linn	1,364	1,354	9	-	438	219	14	183	31	22.7	19	13.9
Malheur	677	669	7	-	124	60	2	59	17	25.1	7	10.3
Marion	2,047	2,024	18	-	1,202	402	388	400	52	25.4	21	10.3
Salem	934	931	3	-	796	179	351	261	24	25.7	5	5.4
Balance of county	1,113	1,093	15	-	406	223	37	139	28	25.2	16	14.4
Morrow	97	91	15	-	51	27	-	24	2	20.6	3	30.9
Multnomah	13,601	13,560	34	-	5,159	2,245	191	2,518	234	22.1	152	14.3
Portland	9,770	9,738	27	-	4,403	1,944	51	2,317	205	21.0	144	14.7
Balance of county	831	822	7	-	756	301	140	201	29	34.9	8	9.6
Polk	648	641	7	-	177	135	-	65	13	20.1	10	15.4
Sherman	44	44	-	-	10	7	-	3	1	22.7	-	0
Tillamook	503	491	12	-	159	89	-	70	11	21.9	7	13.9
Umatilla	928	916	10	-	411	114	114	180	24	25.8	11	11.8
Union	435	429	5	-	183	70	-	108	12	27.6	12	27.6
Wallowa	175	174	-	-	71	38	-	25	5	28.6	2	11.4
Wasco	354	345	3	-	182	65	18	99	16	45.2	10	28.2
Washington	1,225	1,210	4	-	413	221	26	152	25	20.4	17	13.9
Wheeler	60	55	5	-	16	11	-	5	1	16.7	1	16.7
Yamhill	855	844	9	-	317	156	4	148	29	33.9	12	14.0
PENNSYLVANIA	227,227	207,755	19,233	182	109,202	57,718	7,003	43,737	6,442	28.4	4,589	20.2
White	210,761	192,967	17,628	135	101,817	55,246	6,531	39,353	5,724	27.2	4,090	19.4
Nonwhite	16,446	14,788	1,605	47	7,385	2,472	472	4,384	718	43.7	499	30.3
Adams	1,040	852	188	-	383	247	9	131	30	28.8	18	17.3
Allegheny	32,392	31,324	1,025	36	15,250	7,709	1,091	6,391	881	27.2	713	22.0
Pittsburgh	17,763	17,373	379	9	7,618	3,792	155	3,639	439	24.7	395	22.2
White	15,669	15,373	286	8	6,677	3,364	151	3,130	376	24.0	333	21.3
Nonwhite	2,094	2,000	93	1	941	428	4	509	63	30.1	62	29.6
McKeesport	1,389	1,305	73	9	586	334	-	250	42	30.2	24	17.3
Wilkinsburg	411	404	6	1	349	196	14	136	20	48.7	11	26.8
Bellevue	179	177	2	-	124	77	-	46	6	33.5	5	27.9
Braddock	432	418	13	1	173	89	-	83	11	25.5	4	9.3
White	351	340	10	1	150	76	-	73	9	25.6	2	5.7
Nonwhite	81	78	3	-	23	13	-	10	2	24.7	2	24.7
Carnegie	449	432	17	-	127	71	-	56	9	20.0	14	31.2
Clairton	444	393	49	1	120	81	-	39	6	13.5	13	29.3
White	356	331	23	1	102	72	-	30	5	14.0	7	19.7
Nonwhite	88	62	26	-	18	9	-	9	1	11.4	6	68.2
Coraopolis	311	304	7	-	100	59	-	41	6	19.3	12	38.6
Dormont	47	46	1	-	128	86	-	41	7	148.9	1	21.3
Duquesne	507	479	24	4	166	90	-	75	16	31.6	10	19.7
Harrison (twp.)[6]	223	219	4	-	105	41	-	64	4	17.9	6	26.9
Homestead	270	267	2	1	136	52	-	84	10	37.0	11	40.7
White	236	234	1	1	114	44	-	70	9	38.1	9	38.1
Nonwhite	34	33	1	-	22	8	-	14	1	29.4	2	58.8
McKees Rocks	589	584	5	-	228	112	-	116	11	18.7	13	22.1
Mount Lebanon (twp.)[6]	62	62	-	-	112	64	12	36	5	80.6	-	0
Munhall	252	250	2	-	107	50	-	56	4	15.9	5	19.8
North Braddock	315	303	11	1	126	63	-	63	9	28.6	8	25.4
Shaler (twp.)[6]	202	195	7	-	45	24	3	18	5	24.8	4	19.8
Stowe (twp.)[6]	22	22	-	-	11	8	-	3	-	0	-	0
Swissvale	268	265	3	-	131	78	1	51	11	41.0	1	3.7
Balance of county	8,257	7,826	420	9	4,758	2,342	906	1,494	260	31.5	176	21.3
White	8,000	7,595	395	9	4,506	2,281	780	1,429	250	31.3	167	20.9
Nonwhite	257	231	25	-	252	61	126	65	10	38.9	9	35.0
Armstrong	1,928	1,409	519	-	800	539	28	232	53	27.5	54	28.0
Beaver	3,977	3,736	220	19	1,501	857	21	620	121	30.4	87	21.9
Aliquippa	695	605	70	19	221	131	-	88	24	34.5	18	25.9
White	572	540	30	1	171	108	-	61	12	21.0	11	19.2
Nonwhite	123	65	40	18	50	23	-	27	12	97.6	7	56.9
Ambridge	465	475	10	-	143	79	-	64	11	22.7	9	18.6
Beaver Falls	518	500	18	-	237	133	-	104	21	40.5	8	15.4
Ellwood City (part)	25	25	-	-	1	1	-	-	-	(8)	-	(8)
Balance of county	2,254	2,131	122	-	899	513	21	364	65	28.8	52	23.1
Bedford	938	568	368	1	422	299	16	107	38	29.9	22	23.5
Berks	4,940	4,395	544	1	2,078	1,590	202	1,083	132	26.7	97	19.6
Reading	2,192	2,092	99	1	1,350	722	9	618	63	28.7	41	18.7
Balance of county	2,748	2,303	445	-	1,528	868	193	485	69	25.1	56	20.4
Blair	3,353	2,988	359	5	1,569	960	78	514	108	32.2	71	21.2
Altoona	1,871	1,791	75	4	920	550	1	359	69	36.9	40	21.4
Balance of county	1,482	1,197	284	1	649	410	77	155	39	26.3	31	20.9
Bradford	1,257	1,182	75	-	588	360	36	183	37	29.4	24	19.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
PENNSYLVANIA—Continued												
Bucks	2,768	2,673	95	-	1,284	765	50	452	82	29.6	41	14.8
Bristol	442	436	6	-	136	87	-	49	13	29.4	6	13.6
Balance of county	2,326	2,237	89	-	1,148	678	50	403	69	29.7	35	15.0
Butler	2,249	1,987	262	-	906	540	44	311	66	29.3	49	21.8
Butler	565	546	19	-	242	144	-	97	17	30.1	6	10.6
Balance of county	1,684	1,441	243	-	664	396	44	214	49	29.1	43	25.5
Cambria	5,258	4,424	828	4	2,015	1,082	132	800	164	31.2	130	24.7
Johnstown	1,956	1,889	67	-	784	402	-	381	58	29.7	60	30.7
Balance of county	3,302	2,535	761	4	1,231	680	132	419	106	32.1	70	21.2
Cameron	181	166	15	-	52	29	-	22	4	22.1	6	33.1
Carbon	1,213	967	245	-	675	398	74	205	39	32.2	20	16.5
Centre	1,490	1,378	109	-	558	360	30	167	36	24.2	22	14.8
Chester	3,363	3,169	194	-	1,578	796	191	580	103	30.6	60	17.8
Coatesville	412	385	27	-	161	107	-	54	10	24.3	3	7.3
White	313	305	8	-	141	95	-	46	9	28.8	3	9.6
Nonwhite	99	80	19	-	20	12	-	8	1	10.1	-	0
Phoenixville	285	283	2	-	124	69	-	54	14	49.1	9	31.6
West Chester	322	321	1	-	221	78	13	127	29	90.1	5	15.5
White	239	239	-	-	188	64	13	108	27	113.0	5	20.9
Nonwhite	83	82	1	-	33	14	-	19	2	24.1	-	0
Balance of county	2,344	2,180	164	-	1,072	542	178	345	50	21.3	43	18.3
Clarion	880	475	404	-	407	313	14	76	23	26.1	22	25.0
Clearfield	2,018	1,628	388	2	817	453	33	331	62	30.7	40	19.8
Du Bois	303	292	11	-	145	71	-	74	14	46.2	4	13.2
Balance of county	1,715	1,336	377	2	672	382	33	257	48	28.0	36	21.0
Clinton	928	914	14	-	395	206	3	183	45	48.5	9	9.7
Lock Haven	321	321	-	-	140	74	-	65	10	31.2	3	9.3
Balance of county	607	593	14	-	255	132	3	118	35	57.7	6	9.9
Columbia	1,161	1,073	88	-	566	346	1	218	28	24.1	23	19.8
Berwick	332	319	13	-	135	71	-	64	8	24.1	3	9.0
Balance of county	829	754	75	-	431	275	1	154	20	24.1	20	24.1
Crawford	1,839	1,763	76	-	845	426	67	349	53	28.8	35	19.0
Meadville	515	508	7	-	232	94	5	133	19	36.9	7	13.6
Balance of county	1,324	1,255	69	-	613	332	62	216	34	25.7	28	21.1
Cumberland	2,048	1,813	233	1	883	557	35	285	51	24.9	39	19.0
Carlisle	385	339	26	-	167	98	3	65	7	19.2	5	13.7
Balance of county	1,663	1,474	207	1	716	459	32	218	44	26.1	34	20.2
Dauphin	4,306	3,826	473	4	2,233	1,282	276	671	115	28.7	80	18.6
Harrisburg	2,193	2,067	123	-	1,090	641	4	442	65	29.6	40	18.2
Steelton	307	280	27	-	145	95	-	50	12	39.1	6	19.5
White	222	210	12	-	115	77	-	38	9	40.5	5	22.5
Nonwhite	85	70	15	-	30	18	-	12	3	35.3	1	11.8
Balance of county	1,806	1,479	323	4	998	546	272	179	38	21.0	34	18.8
Delaware	8,328	8,124	200	3	3,551	2,051	273	1,200	203	24.4	143	17.2
Chester	1,967	1,857	106	3	704	401	-	299	52	26.4	48	24.4
White	1,450	1,408	39	3	521	298	-	220	25	17.2	31	21.4
Nonwhite	517	449	67	-	183	103	-	79	27	52.2	17	32.9
Haverford (twp.)[6]	231	231	-	-	185	132	-	53	6	26.0	3	8.7
Upper Darby (twp.)[6]	1,352	1,345	7	-	529	351	1	172	15	11.1	13	9.6
Darby	341	337	4	-	130	71	16	42	13	38.1	3	8.8
White	308	306	2	-	117	60	16	40	12	39.0	3	9.7
Nonwhite	33	31	2	-	13	11	-	2	1	30.3	-	0
Lansdowne	308	306	2	-	154	99	2	50	4	13.0	8	26.0
Balance of county	4,129	4,048	81	-	1,849	997	254	584	113	27.4	69	16.7
Elk	820	795	23	-	307	155	7	144	29	35.4	18	22.0
Erie	5,220	5,063	156	1	2,135	1,161	113	841	136	26.1	97	18.6
Erie	3,493	3,438	58	-	1,346	724	34	574	78	22.3	67	19.2
Balance of county	1,727	1,628	98	1	789	437	79	267	58	33.6	30	17.4
Fayette	4,363	3,401	928	29	1,864	1,186	67	608	164	37.6	134	30.7
Connellsville	327	294	33	-	152	103	-	48	13	39.8	13	39.8
Uniontown	645	608	36	-	296	154	-	141	14	21.7	16	24.8
Balance of county	3,391	2,499	859	29	1,416	929	67	419	137	40.4	105	31.0
Forest	129	91	38	-	56	38	2	16	7	54.3	4	31.0
Franklin	1,724	1,524	198	-	746	450	32	260	42	24.4	25	14.5
Chambersburg	344	339	5	-	187	109	2	74	6	17.4	8	23.3
Waynesboro	204	192	12	-	110	75	1	32	7	34.3	4	19.6
Balance of county	1,176	993	181	-	449	266	29	154	29	24.7	13	11.1
Fulton	235	123	111	1	112	79	-	33	10	42.6	4	17.0
Greene	1,099	878	221	-	445	295	19	130	31	28.2	17	15.5
Huntingdon	974	623	350	-	470	304	4	162	35	35.9	28	28.7
Indiana	1,858	1,413	444	1	709	433	34	236	72	38.8	39	21.0
Indiana	247	244	3	-	120	67	-	49	11	44.5	5	20.2
Balance of county	1,611	1,169	441	1	589	366	34	187	61	37.9	34	21.1
Jefferson	1,188	1,069	117	2	535	329	22	183	34	28.6	22	18.5
Juniata	352	200	152	-	155	111	-	44	14	39.8	6	17.0
Lackawanna	5,059	4,838	208	13	3,123	1,725	221	1,169	135	26.7	111	21.9
Scranton	2,561	2,472	87	2	1,516	855	-	653	72	28.1	65	25.4
Carbondale	344	334	10	-	234	127	-	107	16	46.5	5	14.5
Dickson City	146	141	5	-	73	49	-	24	3	20.5	2	13.7
Dunmore	346	336	10	-	212	119	23	70	3	8.7	3	8.7
Old Forge	194	177	12	5	83	60	-	23	2	10.3	1	5.2
Balance of county	1,468	1,378	84	6	1,005	515	198	292	39	26.6	35	23.8
Lancaster	5,378	4,369	1,008	-	2,261	1,260	208	778	127	23.6	88	16.4
Lancaster	1,565	1,512	53	-	704	359	11	331	38	24.3	24	15.3
Columbia	284	274	10	-	133	73	-	59	11	38.7	5	17.6
Balance of county	3,529	2,583	945	-	1,424	828	197	388	78	22.1	59	16.7

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
PENNSYLVANIA—Continued												
Lawrence	2,442	2,365	73	3	972	548	32	387	46	18.8	47	19.2
New Castle	1,248	1,215	29	3	515	291	5	215	26	20.8	22	17.6
Ellwood City (part)	310	309	1	-	100	49	-	51	3	(8)	6	(8)
Ellwood City (total)	335	334	1	-	101	50	-	51	3	9.0	6	17.9
Balance of county	884	841	43	-	357	208	27	121	17	19.2	19	21.5
Lebanon	1,836	1,584	251	-	787	448	69	270	43	23.4	28	15.3
Lebanon	752	697	55	-	328	183	-	145	19	25.3	14	18.6
Balance of county	1,084	887	196	-	459	265	69	125	24	22.1	14	12.9
Lehigh	4,109	3,705	404	-	2,013	959	198	849	98	23.9	93	22.6
Allentown	2,207	2,101	106	-	1,171	479	151	536	51	23.1	50	22.7
Bethlehem (part)	351	347	4	-	165	80	-	85	11	(8)	6	(8)
Balance of county	1,551	1,257	294	-	677	400	47	228	36	25.2	37	23.9
Luzerne	7,932	7,562	364	4	4,177	2,590	58	1,503	227	28.6	163	20.5
Hazleton	704	699	4	1	383	234	-	148	29	41.2	13	18.5
Wilkes-Barre	1,821	1,749	69	3	963	577	-	380	46	25.3	37	20.3
Hanover (twp.)[6]	84	82	2	-	25	9	-	16	4	47.6	1	11.9
Kingston	435	428	7	-	243	142	-	98	13	29.9	4	9.2
Nanticoke	389	380	9	-	228	132	-	91	13	33.4	8	20.6
Pittston	386	373	13	-	188	124	-	63	14	36.3	12	31.1
Plains (twp.)[6]	226	217	9	-	100	65	-	35	7	31.0	2	8.8
Plymouth	320	302	18	-	174	110	-	64	9	28.1	4	12.5
Balance of county	3,567	3,332	233	-	1,873	1,197	58	608	92	25.8	82	23.0
Lycoming	2,348	2,216	131	1	1,112	641	46	419	60	25.6	39	16.8
Williamsport	1,142	1,110	32	-	529	303	5	220	27	23.6	14	12.3
Balance of county	1,206	1,106	99	1	583	338	41	199	33	27.4	25	20.7
McKean	1,361	1,332	29	-	554	286	15	252	48	35.3	35	25.7
Bradford	440	437	3	-	214	100	-	114	20	45.5	11	25.0
Balance of county	921	895	26	-	340	186	15	139	28	30.0	24	26.1
Mercer	2,538	2,438	100	-	1,099	618	67	412	80	31.5	44	17.3
Sharon	672	663	9	-	250	133	6	111	25	37.2	8	11.9
Farrell	302	295	7	-	119	58	-	61	11	36.4	11	36.4
White	245	240	5	-	91	49	-	42	6	24.5	9	36.7
Nonwhite	57	55	2	-	28	9	-	19	5	87.7	2	35.1
Balance of county	1,564	1,480	84	-	730	427	61	240	44	28.1	25	16.0
Mifflin	1,095	822	273	-	411	247	5	157	39	35.6	27	24.7
Lewistown	410	373	37	-	162	90	-	71	15	36.6	10	24.4
Balance of county	685	449	236	-	249	157	5	86	24	35.0	17	24.8
Monroe	740	663	77	-	362	245	9	106	26	35.1	19	25.7
Montgomery	6,919	6,746	172	-	3,468	1,760	380	1,286	160	23.1	111	16.0
Lower Merion (twp.)[6]	809	803	6	-	443	232	2	198	20	24.7	9	11.1
Norristown	839	829	10	-	662	207	289	164	34	40.5	22	26.2
Abington (twp.)[6]	340	337	3	-	187	80	18	78	7	20.6	4	11.8
Cheltenham (twp.)[6]	256	253	2	-	184	112	4	66	6	23.4	8	31.3
Conshohocken	329	310	19	-	148	85	-	63	12	36.5	2	6.1
Pottstown	563	553	10	-	233	122	-	111	14	24.9	9	16.0
Balance of county	3,783	3,661	122	-	1,611	812	67	606	67	17.7	57	15.1
Montour	308	256	52	-	298	84	168	46	16	51.9	6	19.5
Northampton	4,004	3,727	275	1	1,759	996	49	703	93	23.2	71	17.7
Bethlehem (part)	1,157	1,144	13	-	422	216	-	204	16	(8)	18	(8)
Bethlehem (total)	1,508	1,491	17	-	587	296	-	289	27	17.9	24	15.9
Easton	1,035	1,001	34	-	474	259	9	200	28	27.1	20	19.3
Balance of county	1,812	1,582	228	1	863	521	41	299	49	27.0	33	18.2
Northumberland	2,516	2,207	309	-	1,349	916	39	387	96	38.2	41	16.3
Mount Carmel	310	281	29	-	146	105	-	41	7	22.6	5	16.1
Shamokin	661	616	45	-	317	231	-	86	25	37.8	9	13.6
Sunbury	322	297	25	-	199	126	-	73	20	62.1	4	12.4
Balance of county	1,223	1,013	210	-	687	454	39	187	44	36.0	23	18.8
Perry	582	397	185	-	246	180	4	62	14	24.1	10	17.2
Philadelphia, coextensive with Philadelphia (city)	43,864	42,389	1,431	39	23,843	9,320	1,342	12,896	1,303	29.7	882	20.1
White	34,127	33,500	603	21	19,649	8,324	1,165	9,925	855	25.1	590	17.3
Nonwhite	9,737	8,889	828	18	4,194	996	177	2,971	448	46.0	292	30.0
Pike	122	101	21	-	91	73	-	18	-	0	5	41.0
Potter	398	361	37	1	216	117	10	89	16	40.1	8	20.1
Schuylkill	3,925	3,404	519	2	2,351	1,438	146	765	95	24.2	86	21.9
Mahanoy City	209	189	19	1	145	91	-	54	6	28.7	4	19.1
Pottsville	490	487	3	-	316	172	-	146	14	28.6	19	38.8
Shenandoah	357	319	18	-	218	141	-	77	11	32.6	4	11.9
Tamaqua	196	186	10	-	137	76	-	61	5	25.5	3	15.3
Balance of county	2,693	2,223	469	1	1,533	958	146	427	59	21.9	56	20.8
Snyder	466	346	118	-	265	164	40	60	22	47.2	14	30.0
Somerset	1,889	1,428	461	-	795	505	39	249	66	34.9	40	21.2
Sullivan	153	122	30	-	75	55	-	20	4	26.1	1	6.5
Susquehanna	732	566	165	-	357	239	8	100	23	31.4	8	10.9
Tioga	897	756	140	1	398	255	5	129	20	22.3	26	29.0
Union	463	399	64	-	233	161	7	57	15	32.4	8	17.3
Venango	1,454	1,388	66	-	777	373	115	284	53	36.5	20	13.8
Oil City	519	508	11	-	244	134	-	109	17	32.8	4	7.7
Balance of county	935	880	55	-	533	239	115	175	36	38.5	16	17.1
Warren	833	769	63	1	666	238	252	163	36	43.2	12	14.4
Warren	314	311	3	-	164	83	-	75	21	66.9	3	9.6
Balance of county	519	458	60	1	502	155	252	88	15	28.9	9	17.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
PENNSYLVANIA—Continued												
Washington	4,614	4,064	548	1	1,953	1,194	91	663	112	24.3	90	19.5
Washington	813	772	41	-	350	195	7	147	25	30.8	15	18.5
Canonsburg	290	280	10	-	125	70	-	54	11	37.9	5	17.2
Charleroi	220	217	3	-	98	58	-	40	6	27.3	1	4.5
Donora	280	272	8	-	105	61	-	44	2	7.1	7	25.0
Balance of county	3,011	2,523	486	1	1,275	810	84	378	68	22.6	62	20.6
Wayne	510	423	87	-	389	256	53	76	10	19.6	6	11.8
Westmoreland	7,062	6,407	644	5	2,913	1,664	257	983	188	26.6	156	22.1
Arnold	233	229	4	-	55	35	-	20	2	8.6	8	34.3
Greensburg	481	466	15	-	197	113	1	83	15	31.2	13	27.0
Jeannette	394	376	18	-	134	86	-	47	9	22.8	6	15.2
Latrobe	313	306	7	-	106	52	-	54	13	41.5	6	19.2
Monessen	402	366	33	3	162	105	-	55	12	29.9	10	24.9
New Kensington	633	621	12	-	229	122	-	107	25	39.5	16	25.3
Vandergrift	262	227	35	-	83	46	-	37	8	30.5	2	7.6
Balance of county	4,344	3,816	520	2	1,947	1,105	256	580	104	23.9	95	21.9
Wyoming	380	319	61	-	219	152	-	54	11	28.9	11	28.9
York	4,480	3,272	1,207	-	1,970	1,308	66	579	122	27.2	84	18.8
York	1,704	1,388	317	-	765	479	2	277	54	31.7	27	15.8
Hanover	354	311	43	-	177	104	-	72	19	50.8	9	25.4
Balance of county	2,422	1,575	847	-	1,028	725	64	230	50	20.6	48	19.8
RHODE ISLAND	16,861	16,563	263	9	8,188	4,317	588	3,272	444	26.3	292	17.3
White	16,445	16,158	253	9	8,005	4,243	570	3,191	429	26.1	280	17.0
Nonwhite	416	405	10	-	183	74	18	91	15	36.1	12	28.8
Bristol	600	581	12	7	263	143	7	112	19	31.7	12	20.0
Bristol (town)	263	250	9	4	112	62	7	42	10	38.0	4	15.2
Balance of county	337	331	3	3	151	81	-	70	9	26.7	8	23.7
Kent	1,676	1,649	26	-	697	450	7	240	32	19.1	32	19.1
Warwick	866	858	7	-	365	225	-	140	24	27.7	11	12.7
West Warwick (town)	497	491	6	-	180	124	-	56	4	8.0	15	30.2
Balance of county	313	300	13	-	152	101	7	44	4	12.8	6	19.2
Newport	1,549	1,532	17	-	591	278	10	303	51	32.9	24	15.5
Newport	957	950	7	-	390	155	5	230	36	37.6	13	13.6
Balance of county	592	582	10	-	201	123	5	73	15	25.3	11	18.6
Providence	12,062	11,852	203	2	6,236	3,228	554	2,444	312	25.8	209	17.3
Providence	5,473	5,396	55	2	2,832	1,461	136	1,234	124	22.7	75	13.7
Central Falls	516	486	30	-	219	141	-	78	22	42.6	8	15.5
Cranston	941	934	7	-	823	249	325	246	23	24.4	13	13.8
East Providence (town)	736	731	4	-	294	195	4	95	20	27.2	11	14.9
Pawtucket	1,716	1,664	52	-	846	432	47	366	54	31.5	41	23.9
Woonsocket	1,127	1,104	23	-	486	274	9	201	33	29.3	26	23.1
Cumberland (town)	240	228	11	-	107	84	-	22	3	12.5	7	29.2
Johnston (town)	250	249	1	-	76	58	-	18	4	16.0	4	16.0
Lincoln (town)	181	179	1	-	101	72	-	29	3	16.6	3	16.6
North Providence (town)	287	286	1	-	112	77	-	35	9	31.4	4	13.9
Balance of county	615	595	18	-	340	185	33	120	17	27.6	17	27.6
Washington	954	949	5	-	401	218	10	173	30	31.4	15	15.7
Westerly (town)	300	299	1	-	120	70	-	50	8	26.7	6	20.0
Balance of county	654	650	4	-	281	148	10	123	22	33.6	9	13.8
SOUTH CAROLINA	57,759	30,310	10,527	16,816	17,957	11,721	524	5,637	2,331	40.4	1,631	28.2
White	31,688	25,897	5,155	620	9,137	5,252	220	3,609	1,021	32.2	565	17.8
Nonwhite	26,071	4,413	5,372	16,196	8,820	6,469	304	2,028	1,310	50.2	1,066	40.9
Abbeville	440	178	137	125	211	155	-	55	21	47.7	16	38.4
White	243	164	71	8	117	77	-	39	11	45.3	8	32.9
Nonwhite	197	14	66	117	94	78	-	16	10	50.8	8	40.6
Aiken	1,402	728	399	273	509	384	-	124	53	37.8	34	24.3
White	852	667	174	9	273	185	-	87	29	34.0	15	17.6
Nonwhite	550	61	225	264	236	199	-	37	24	43.6	19	34.5
Allendale	356	45	50	261	118	106	-	12	17	47.8	13	36.5
White	66	42	20	4	28	21	-	7	2	30.3	1	15.2
Nonwhite	290	3	30	257	90	85	-	5	15	51.7	12	41.4
Anderson	2,257	1,506	525	206	688	446	-	241	85	38.0	70	31.3
White	1,702	1,404	281	17	471	275	-	196	51	30.0	45	26.4
Nonwhite	555	102	244	189	217	171	-	46	34	63.6	25	46.7
Anderson	811	702	77	32	267	150	-	116	34	41.9	24	29.6
White	660	638	21	1	193	94	-	98	21	31.8	18	27.3
Nonwhite	151	64	56	31	74	56	-	18	13	86.1	6	39.7
Balance of county	1,426	804	448	174	421	296	-	125	51	35.8	46	32.3
White	1,042	766	260	16	278	181	-	97	30	28.8	27	25.9
Nonwhite	384	38	188	158	143	115	-	28	21	54.7	19	49.5
Bamberg	431	76	98	257	138	106	-	32	13	30.2	25	58.0
White	157	73	81	3	68	49	-	19	5	31.8	3	19.1
Nonwhite	274	3	17	254	70	57	-	13	8	29.2	22	80.3
Barnwell	514	58	128	327	184	156	-	28	15	29.2	18	35.0
White	142	52	83	7	55	41	-	14	4	28.2	2	14.1
Nonwhite	372	6	45	320	129	115	-	14	11	29.6	16	43.0
Beaufort	700	223	27	447	289	220	-	49	31	44.3	25	35.7
White	174	170	2	2	64	37	-	27	10	57.5	3	17.2
Nonwhite	526	53	25	445	205	183	-	22	21	39.9	22	41.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
SOUTH CAROLINA—Continued												
Berkeley	910	249	22	637	270	210	-	59	35	38.5	23	25.3
White	235	198	13	24	66	39	-	27	4	17.0	4	17.0
Nonwhite	675	51	9	613	204	171	-	32	31	45.9	19	28.1
Calhoun	469	76	9	384	131	110	-	21	19	40.5	20	42.6
White	95	69	7	4	31	21	-	10	2	25.0	1	12.5
Nonwhite	384	7	2	380	100	89	-	11	17	43.7	19	48.8
Charleston	4,856	2,334	736	1,186	1,527	843	-	684	225	46.3	185	38.1
White	2,377	2,277	60	40	663	330	-	333	81	34.1	35	14.7
Nonwhite	2,478	857	676	1,145	864	513	-	351	144	58.1	150	60.5
Charleston	2,475	1,661	662	132	823	405	-	418	104	42.0	81	32.7
White	1,417	1,417	28	2	400	189	-	211	44	30.4	17	11.7
Nonwhite	1,058	244	634	130	423	216	-	207	60	58.4	64	62.3
Balance of county	2,381	1,283	73	1,025	704	438	-	266	121	50.8	104	43.7
White	960	860	12	38	285	141	-	122	37	38.8	18	19.4
Nonwhite	1,450	343	41	1,015	441	257	-	144	84	57.3	86	59.3
Cherokee	651	616	24	31	240	141	1	98	34	40.0	25	29.4
White	627	472	152	3	177	111	1	65	24	38.3	12	19.1
Nonwhite	324	144	72	28	63	41	-	22	10	44.6	13	58.0
Chester	841	493	115	323	241	179	2	39	24	28.9	10	12.0
White	411	365	42	4	121	81	1	24	8	19.5	5	12.2
Nonwhite	430	128	73	319	120	98	1	15	16	38.1	5	11.9
Chesterfield	1,080	287	168	133	240	210	-	55	49	49.6	29	29.4
White	547	163	378	7	116	88	-	28	18	33.0	11	20.2
Nonwhite	543	124	240	126	124	122	-	27	31	70.0	18	40.6
Clarendon	1,111	96	71	947	278	219	-	59	41	44.1	20	31.2
White	714	140	54	17	94	36	-	18	8	26.3	3	14.2
Nonwhite	717	25	16	676	184	183	-	21	33	46.8	26	36.3
Colleton	777	378	44	355	264	197	-	67	27	34.7	23	29.6
White	535	498	28	9	114	69	-	45	14	41.8	9	26.9
Nonwhite	442	30	16	346	140	118	-	22	13	29.4	14	31.7
Darlington	1,912	610	302	1,000	147	296	-	151	73	48.3	41	27.1
White	774	733	37	4	134	111	-	24	29	37.5	3	3.9
Nonwhite	738	77	73	588	243	87	-	67	44	59.6	38	51.5
Dillon	1,648	518	97	1,033	232	171	-	61	33	37.2	23	21.9
White	510	161	36	313	70	55	-	15	7	19.4	11	21.2
Nonwhite	1,138	356	61	720	162	116	-	46	26	58.6	12	22.7
Dorchester	867	141	111	615	160	115	-	45	23	34.3	13	19.4
White	245	177	22	14	79	55	-	24	8	57.7	3	12.2
Nonwhite	622	64	89	601	81	60	-	21	15	35.3	10	23.5
Edgefield	485	98	101	284	134	116	-	17	16	30.3	16	33.0
White	124	76	45	2	69	52	-	12	5	40.7	3	24.4
Nonwhite	362	14	248	102	65	61	-	5	10	27.8	13	35.9
Fairfield	603	150	211	29	177	146	-	30	27	41.5	18	29.8
White	219	197	103	2	68	54	-	14	6	27.4	2	9.1
Nonwhite	384	2	108	257	109	92	-	16	21	54.7	16	41.7
Florence	2,295	917	538	840	666	422	-	227	110	50.5	69	30.1
White	1,209	851	356	22	395	192	-	153	56	46.3	21	17.4
Nonwhite	1,086	86	182	818	311	230	-	74	60	55.2	48	44.2
Florence	659	427	37	195	223	134	-	90	34	51.6	21	31.9
White	407	382	20	5	122	60	-	59	21	51.6	5	12.3
Nonwhite	252	45	17	190	107	74	-	31	13	51.6	16	63.5
Balance of county	1,636	490	501	645	437	288	-	137	82	50.1	48	29.3
White	802	449	336	17	233	132	-	94	35	43.6	16	20.0
Nonwhite	834	41	165	628	204	156	-	43	47	56.4	32	38.4
Georgetown	954	201	237	513	260	211	3	44	43	45.1	20	21.0
White	397	190	187	20	107	79	-	27	9	22.7	5	12.6
Nonwhite	557	11	50	493	153	132	3	17	34	61.0	15	26.9
Greenville	4,286	3,593	473	218	1,314	740	2	566	150	35.0	81	18.9
White	3,436	3,162	258	16	943	513	-	424	103	30.0	60	17.5
Nonwhite	850	431	215	202	371	227	2	142	47	55.3	21	24.7
Greenville	2,304	2,116	46	141	611	282	-	328	71	30.8	35	15.2
White	1,799	1,771	28	-	401	171	-	229	40	22.2	27	15.0
Nonwhite	505	345	18	141	210	111	-	99	31	61.4	8	15.8
Balance of county	1,982	1,477	427	77	703	458	2	238	79	39.9	46	23.2
White	1,637	1,391	230	16	542	342	-	195	63	38.5	33	20.2
Nonwhite	345	86	197	61	161	116	2	43	16	46.4	13	37.7
Greenwood	986	735	99	152	348	224	-	124	30	30.4	26	26.4
White	639	582	48	9	204	122	-	82	15	23.5	8	12.5
Nonwhite	347	153	51	143	144	102	-	42	15	43.2	18	51.9
Greenwood	398	357	7	34	162	93	-	69	14	35.2	16	40.2
White	281	279	2	-	96	49	-	47	10	35.6	3	10.7
Nonwhite	117	78	5	34	66	44	-	22	4	34.2	13	111.1
Balance of county	588	378	92	118	186	131	-	55	16	27.2	10	17.0
White	358	303	46	9	108	73	-	35	5	14.0	5	14.0
Nonwhite	230	75	46	109	78	58	-	20	11	47.8	5	21.7
Hampton	506	103	126	276	214	184	-	30	30	59.3	26	51.4
White	154	91	55	7	82	62	-	20	7	45.5	-	0
Nonwhite	352	12	71	269	132	122	-	10	23	65.3	26	73.9
Horry	1,845	1,244	302	299	404	260	-	144	70	37.9	49	26.6
White	1,307	1,102	177	28	265	155	-	110	46	35.2	24	18.4
Nonwhite	538	142	125	271	139	105	-	34	24	44.6	25	46.5
Jasper	278	133	12	133	110	91	-	19	17	61.2	7	25.2
White	106	104	2	-	24	17	-	7	3	28.3	-	0
Nonwhite	172	29	10	133	86	74	-	12	14	81.4	7	40.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
SOUTH CAROLINA—Continued												
Kershaw	868	344	81	442	294	210	-	84	22	25.3	29	33.4
White	360	293	42	25	128	69	-	59	9	25.0	11	30.6
Nonwhite	508	51	39	417	166	141	-	25	13	25.6	18	35.4
Lancaster	1,000	773	65	162	222	145	-	76	30	30.0	24	24.0
White	729	692	31	6	136	78	-	57	21	28.8	12	16.5
Nonwhite	271	81	34	156	86	67	-	19	9	33.2	12	44.3
Laurens	915	402	178	335	341	237	10	91	26	28.4	9	9.8
White	521	378	127	16	206	121	10	72	16	30.7	7	13.4
Nonwhite	394	24	51	319	135	116	-	19	10	25.4	2	5.1
Lee	739	108	158	473	190	153	2	32	29	39.2	27	36.5
White	174	89	83	2	67	46	2	16	2	11.5	-	0
Nonwhite	565	19	75	471	123	107	-	16	27	47.8	27	47.8
Lexington	1,165	642	315	208	375	257	-	116	51	43.8	39	33.5
White	839	605	212	22	263	164	-	97	33	39.3	21	25.0
Nonwhite	326	37	103	186	112	93	-	19	18	55.2	18	55.2
McCormick	304	12	262	30	111	96	-	15	16	52.6	11	36.2
White	73	8	65	-	37	30	-	7	4	54.8	3	41.1
Nonwhite	231	4	197	30	74	66	-	8	12	51.9	8	34.6
Marion	1,072	636	226	209	340	231	-	107	66	61.6	30	28.0
White	442	427	11	4	125	61	-	62	25	52.0	12	27.1
Nonwhite	630	209	215	205	215	170	-	45	43	68.3	18	28.6
Marlboro	958	375	343	239	323	242	4	76	56	58.6	31	32.4
White	422	277	133	12	121	87	4	29	21	49.8	9	21.3
Nonwhite	534	98	210	226	202	155	-	47	35	65.5	22	41.2
Newberry	794	459	45	290	244	164	-	80	25	31.5	20	25.2
White	460	439	17	4	142	82	-	60	11	23.9	10	21.7
Nonwhite	334	20	28	286	102	82	-	20	14	41.9	10	29.9
Oconee	1,013	708	176	129	287	196	1	90	29	28.6	16	15.8
White	898	674	122	101	231	146	1	84	28	31.1	14	15.6
Nonwhite	114	32	54	28	56	50	-	6	1	8.8	2	17.5
Orangeburg	2,033	498	188	1,344	648	472	-	176	109	53.6	100	49.2
White	586	439	104	43	233	145	-	88	22	37.5	15	25.6
Nonwhite	1,447	59	84	1,301	415	327	-	88	87	60.1	85	58.7
Orangeburg	393	250	17	126	140	79	-	61	26	66.2	23	58.5
White	232	219	11	2	75	36	-	39	16	69.0	8	34.5
Nonwhite	161	31	6	124	65	43	-	22	10	62.1	15	93.2
Balance of county	1,640	248	171	1,218	508	393	-	115	83	50.6	77	47.0
White	354	220	93	41	158	109	-	49	6	16.9	7	19.8
Nonwhite	1,286	28	78	1,177	350	284	-	66	77	59.9	70	54.4
Pickens	985	473	476	36	270	200	-	68	27	27.4	19	19.3
White	851	458	388	5	213	150	-	61	21	24.7	17	20.0
Nonwhite	134	15	88	31	57	50	-	7	6	44.8	2	14.9
Richland	3,587	2,654	179	749	1,736	618	495	619	162	45.2	85	23.7
White	2,200	2,099	81	19	865	295	200	366	82	37.3	30	13.6
Nonwhite	1,387	555	98	730	871	323	295	253	80	57.7	55	39.7
Columbia	2,689	2,265	105	315	1,084	423	177	480	118	43.9	53	19.7
White	1,875	1,806	59	9	700	224	173	299	68	36.3	22	11.7
Nonwhite	814	460	46	306	384	199	4	181	50	61.4	31	38.1
Balance of county	898	388	74	434	652	195	318	139	44	49.0	32	35.6
White	325	293	22	10	165	71	27	67	14	43.1	8	24.6
Nonwhite	573	95	52	424	487	124	291	72	30	52.4	24	41.9
Saluda	367	79	190	97	126	109	-	17	14	38.1	13	35.4
White	171	77	88	5	66	56	-	10	5	29.2	2	11.7
Nonwhite	196	2	102	92	60	53	-	7	9	45.9	11	55.1
Spartanburg	3,775	2,664	857	153	1,057	628	1	428	142	37.6	85	22.5
White	2,861	2,382	472	7	696	389	-	307	87	30.4	52	18.2
Nonwhite	914	282	385	146	361	239	1	121	55	60.2	33	36.1
Spartanburg	1,256	1,045	155	36	371	180	-	191	46	37.2	23	18.6
White	888	867	21	-	205	84	-	121	29	32.7	8	9.0
Nonwhite	368	178	134	36	166	96	-	70	17	48.9	15	43.1
Balance of county	2,519	1,619	802	117	686	448	1	237	96	37.8	62	24.4
White	1,973	1,515	451	7	491	305	-	186	58	29.4	44	22.3
Nonwhite	566	104	351	110	195	143	1	51	38	67.1	18	31.8
Sumter	1,865	824	62	908	482	314	-	167	59	31.6	53	28.4
White	732	696	18	12	156	86	-	69	19	26.0	9	12.3
Nonwhite	1,133	128	44	896	326	228	-	98	40	35.3	44	38.8
Sumter	716	515	13	187	171	79	-	91	19	26.5	11	15.4
White	457	454	1	1	91	41	-	49	15	32.8	6	13.1
Nonwhite	259	61	12	186	80	38	-	42	4	15.4	5	19.3
Balance of county	1,149	309	49	721	311	235	-	76	40	34.8	42	36.6
White	275	242	17	11	65	45	-	20	4	14.5	3	10.9
Nonwhite	874	67	32	710	246	190	-	56	36	41.2	39	44.6
Union	808	455	171	182	254	176	1	76	36	44.6	8	9.9
White	499	423	74	2	152	96	-	56	19	38.1	5	10.0
Nonwhite	309	32	97	180	102	80	1	20	17	55.0	3	9.7
Williamsburg	1,459	321	175	963	347	266	-	80	61	41.8	45	30.8
White	406	262	127	17	109	60	-	49	8	19.7	6	14.8
Nonwhite	1,053	59	48	946	238	206	-	31	53	50.3	39	37.0
York	1,896	1,453	155	287	499	321	2	175	49	25.8	53	28.0
White	1,177	1,097	76	3	278	162	1	115	26	22.1	33	28.0
Nonwhite	719	356	79	284	221	159	1	60	23	32.0	20	27.8
Rock Hill	567	544	12	11	145	77	-	67	14	24.7	19	33.5
White	420	414	6	-	94	48	-	46	8	19.0	16	38.1
Nonwhite	147	130	6	11	51	29	-	21	6	40.8	3	20.4
Balance of county	1,329	909	143	276	354	244	2	108	35	26.3	34	25.6
White	757	683	70	3	184	114	1	69	18	23.8	17	22.5
Nonwhite	572	226	73	273	170	130	1	39	17	29.7	17	29.7

See footnotes on p. 83.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
SOUTH DAKOTA	16,405	15,300	989	41	5,806	2,715	258	2,685	525	32.0	218	13.3
White	15,700	14,706	942	31	5,546	2,602	256	2,545	457	29.1	205	13.1
Nonwhite	705	594	47	10	260	113	2	140	68	96.5	13	18.4
Armstrong	-	-	-	-	1	-	-	1	1	0	-	0
White	-	-	-	-	1	-	-	1	1	0	-	0
Nonwhite	-	-	-	-	-	-	-	-	-	0	-	0
Aurora	106	89	17	-	48	31	-	14	3	28.3	2	18.9
Beadle	518	504	10	4	191	69	-	64	20	38.6	3	5.8
Huron	346	336	7	3	135	53	-	40	12	34.7	3	8.7
Balance of county	172	168	3	1	56	16	-	24	8	46.5	-	0
Bennett	80	74	4	-	26	10	-	15	6	75.0	1	12.5
White	63	59	3	-	13	6	-	7	2	31.7	1	15.9
Nonwhite	17	15	1	-	13	4	-	8	4	235.3	-	0
Bon Homme	206	169	33	4	79	52	-	23	8	38.8	2	9.7
Brookings	485	481	2	-	145	59	3	82	16	33.1	7	14.5
Brown	887	881	6	-	272	86	8	177	15	16.9	12	13.5
Aberdeen	626	623	3	-	185	53	3	128	12	19.2	8	12.8
Balance of county	261	258	3	-	87	33	5	49	3	11.5	4	15.3
Brule	139	135	3	1	50	22	2	23	2	14.4	1	7.2
Buffalo	40	35	1	-	10	3	-	7	1	25.0	-	0
White	20	20	-	-	1	-	-	1	-	0	-	0
Nonwhite	20	15	1	-	9	3	-	6	1	50.0	-	0
Butte	191	177	13	-	54	25	-	29	9	47.1	-	0
Campbell	99	90	6	-	28	19	-	9	5	50.5	-	0
Charles Mix	370	332	36	1	126	82	-	44	11	29.7	7	18.9
White	326	290	36	-	108	70	-	38	8	24.5	6	18.4
Nonwhite	44	42	-	1	18	12	-	6	3	68.2	1	22.7
Clark	207	177	30	-	75	49	-	26	7	33.8	5	24.2
Clay	269	265	4	-	84	43	-	41	7	26.0	2	7.4
Codington	521	518	3	-	181	75	-	106	10	19.2	9	17.3
Watertown	373	371	2	-	141	61	-	80	7	18.8	4	10.7
Balance of county	148	147	1	-	40	14	-	26	3	20.3	5	33.8
Corson	169	153	8	3	34	10	-	24	4	23.7	-	0
White	130	120	7	3	25	10	-	15	1	7.7	-	0
Nonwhite	39	33	1	-	9	-	-	9	3	76.9	-	0
Custer	116	97	19	-	47	26	-	21	9	77.6	-	0
Davison	427	425	2	-	163	58	2	99	26	60.9	4	9.4
Mitchell	343	342	1	-	139	44	2	89	23	67.1	4	11.7
Balance of county	84	83	1	-	24	14	-	10	3	35.7	-	0
Day	299	287	12	-	103	55	-	47	9	30.1	4	13.4
Deuel	182	168	14	-	61	42	-	19	2	11.0	5	27.5
Dewey	157	148	9	2	31	18	-	13	6	38.2	2	12.7
White	89	86	3	-	14	10	-	4	-	0	-	0
Nonwhite	68	60	6	2	17	8	-	9	6	88.2	2	29.4
Douglas	145	141	4	-	43	28	-	15	2	13.8	1	6.9
Edmunds	172	94	77	1	51	25	-	24	8	46.5	1	5.8
Fall River	281	278	3	-	101	26	6	68	4	14.2	2	7.1
Faulk	136	118	18	-	48	18	-	30	2	14.7	5	36.8
Grant	277	254	23	-	87	53	-	32	5	18.1	1	3.6
Gregory	202	177	25	-	90	40	-	50	10	49.5	4	19.8
Haakon	73	62	11	-	25	14	-	11	-	0	2	27.4
Hamlin	161	154	7	-	51	29	4	17	5	31.1	3	18.6
Hand	177	175	2	-	56	32	-	13	6	33.9	3	16.9
Hanson	129	114	13	1	43	18	-	25	-	0	2	15.5
Harding	56	52	4	-	16	11	-	4	-	0	1	17.9
Hughes	219	214	4	-	77	30	-	46	11	50.2	3	13.7
Hutchinson	296	271	13	7	84	55	-	29	6	20.3	8	27.0
Hyde	73	64	9	-	18	10	-	8	-	0	1	13.7
Jackson	35	31	4	-	12	4	-	8	-	0	-	0
Jerauld	115	112	3	-	52	23	-	27	6	52.2	1	8.7
Jones	71	71	-	-	17	10	-	7	2	28.2	1	14.1
Kingsbury	235	168	67	-	109	71	2	25	6	25.5	5	21.3
Lake	281	226	54	-	117	66	-	51	10	35.6	2	7.1
Lawrence	415	400	14	1	169	83	5	79	16	38.6	6	14.5
Lincoln	266	235	31	-	149	69	2	78	10	37.6	6	22.6
Lyman	115	111	4	-	34	17	-	17	1	8.7	2	17.4
McCook	216	187	29	-	78	49	-	28	4	18.5	-	0
McPherson	167	124	39	1	72	32	10	30	9	53.9	4	24.0
Marshall	183	171	10	-	76	41	-	34	3	16.4	1	5.5
Meade	207	201	5	-	92	45	19	28	4	19.3	2	9.7
Mellette	84	60	6	1	49	28	1	17	6	71.4	1	11.9
White	44	43	1	-	28	16	-	10	1	22.7	-	0
Nonwhite	40	17	5	1	21	12	1	7	5	125.0	1	25.0
Miner	170	145	25	-	51	36	-	15	-	0	1	5.9
Minnehaha	1,866	1,836	30	-	615	232	16	364	57	30.5	24	12.9
Sioux Falls	1,496	1,488	8	-	485	162	14	286	45	30.1	21	14.0
Balance of county	370	348	22	-	130	70	2	78	12	32.4	3	8.1
Moody	207	184	23	-	62	36	-	26	4	19.3	4	19.3
Pennington	948	887	59	-	253	116	10	123	35	36.9	13	13.7
Rapid City	735	680	53	-	192	76	5	109	32	43.5	8	10.9
Balance of county	213	207	6	-	61	40	5	14	3	14.1	5	23.5
Perkins	191	177	13	-	58	27	-	29	3	15.7	3	15.7
Potter	134	106	28	-	48	17	-	30	4	29.9	-	0
Roberts	385	362	20	-	135	68	-	61	16	41.6	4	10.4
Sanborn	151	127	4	-	43	20	-	20	4	30.5	2	15.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by— Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
SOUTH DAKOTA—Continued												
Shannon	163	157	2	2	53	14	-	39	17	104.3	3	18.4
White	23	22	1	-	4	1	-	3	1	43.5	1	43.5
Nonwhite	140	135	1	2	49	13	-	36	16	114.3	2	14.3
Spink	275	261	9	4	131	71	18	39	8	29.1	7	25.5
Stanley	49	49	-	-	24	12	-	12	1	20.4	-	0
Sully	61	57	4	-	16	11	-	5	2	32.8	3	49.2
Todd	125	102	6	4	50	25	-	24	11	88.0	2	16.0
White	43	42	1	-	11	6	-	5	1	23.3	-	0
Nonwhite	82	60	5	4	39	19	-	19	10	122.0	2	24.4
Tripp	246	239	6	-	75	42	-	30	14	56.9	3	12.2
Turner	266	255	13	-	124	67	-	53	5	18.7	4	14.9
Union	266	257	9	-	81	55	-	26	6	22.6	2	7.5
Walworth	183	179	4	-	63	35	-	27	8	43.7	4	21.9
Washabaugh	36	31	2	-	7	5	-	2	2	55.6	-	0
White	22	20	2	-	2	1	-	1	-	0	-	0
Nonwhite	14	11	-	-	5	4	-	1	2	142.9	-	0
Washington	6	1	4	-	2	1	-	1	-	0	-	0
White	1	1	-	-	-	-	-	-	-	0	-	0
Nonwhite	5	-	4	-	2	1	-	1	-	0	-	0
Yankton	371	360	7	4	267	51	150	66	8	21.6	5	13.5
Ziebach	71	60	10	-	23	13	-	10	7	98.6	-	0
White	49	48	1	-	11	5	-	6	4	81.6	-	0
Nonwhite	22	12	9	-	12	8	-	4	3	136.4	-	0
TENNESSEE	82,127	56,336	19,239	4,938	28,826	18,384	1,060	8,995	3,098	37.7	1,753	21.3
White	67,558	49,686	15,286	2,272	22,215	14,111	761	6,979	2,419	35.8	1,279	18.9
Nonwhite	14,569	6,650	3,953	2,667	6,611	4,273	299	2,016	679	46.6	474	32.5
Anderson	1,869	1,327	488	51	511	165	-	123	57	30.5	40	21.4
Bedford	558	424	122	11	220	156	-	62	25	44.8	16	28.7
White	485	419	60	5	174	120	-	52	23	47.4	13	26.8
Nonwhite	73	5	62	6	46	36	-	10	2	27.4	3	41.1
Benton	222	155	39	28	95	82	-	10	9	40.5	5	22.5
Bledsoe	266	72	163	30	72	62	-	9	9	33.8	5	18.8
Blount	1,450	1,207	222	19	358	240	1	81	51	35.2	30	20.7
Bradley	880	585	236	58	263	201	1	58	47	53.4	16	18.2
Cleveland	422	304	90	28	124	95	-	28	21	49.8	9	21.3
White	373	286	77	10	111	83	-	27	18	48.3	8	21.4
Nonwhite	49	18	13	18	13	12	-	1	3	61.2	1	20.4
Balance of county	458	281	146	30	139	106	1	30	26	56.8	7	15.3
Campbell	1,049	485	526	34	304	219	2	64	67	63.9	24	22.9
Cannon	201	167	26	7	88	68	-	19	14	69.7	3	14.9
Carroll	605	276	319	10	235	199	-	32	17	28.1	6	9.9
White	535	271	262	2	184	152	-	28	12	22.4	6	11.2
Nonwhite	70	5	57	8	51	47	-	4	5	71.4	-	0
Carter	1,163	942	171	49	285	167	-	114	47	40.4	24	20.6
Cheatham	218	111	102	5	71	53	-	15	7	32.1	1	4.6
Chester	274	121	135	17	88	74	-	14	6	21.9	6	21.9
White	234	116	115	2	72	59	-	13	6	25.8	6	25.6
Nonwhite	40	5	20	15	16	15	-	1	-	0	-	0
Claiborne	607	306	231	66	203	137	-	64	26	42.8	10	16.5
Clay	209	25	139	35	58	48	-	9	1	4.8	2	9.6
Cocke	672	235	368	65	261	192	-	57	41	61.0	24	35.7
Coffee	522	404	102	15	182	134	-	47	30	57.5	13	24.9
Crockett	454	123	305	26	141	123	-	17	12	26.4	9	19.8
White	351	117	214	-	109	93	-	15	9	27.2	5	15.1
Nonwhite	123	6	91	26	32	30	-	2	3	24.4	4	32.5
Cumberland	484	159	224	97	127	101	-	26	13	26.9	7	14.5
Davidson	7,341	6,940	322	19	3,001	1,541	302	1,074	232	31.6	149	20.3
White	5,826	5,680	134	10	2,080	1,053	223	725	150	25.7	89	15.3
Nonwhite	1,515	1,260	188	9	921	488	79	351	82	54.1	60	39.6
Nashville	6,232	5,947	223	6	2,142	1,116	44	908	197	31.6	119	19.1
White	4,850	4,779	67	4	1,386	681	40	594	125	25.8	65	13.4
Nonwhite	1,382	1,168	156	2	756	435	4	314	72	52.1	54	39.1
Balance of county	1,109	993	99	13	859	425	258	166	35	31.6	30	27.1
White	976	901	67	6	694	372	183	129	25	25.6	24	24.6
Nonwhite	133	92	32	7	165	53	75	37	10	75.2	6	45.1
Decatur	245	91	143	9	73	66	-	7	8	32.7	5	20.4
DeKalb	243	155	77	11	115	92	-	23	8	32.9	4	16.5
Dickson	502	269	224	7	200	172	1	23	18	35.9	16	31.9
Dyer	815	451	320	43	288	225	1	62	29	35.6	14	17.2
White	719	443	261	14	232	179	1	52	19	26.4	10	13.9
Nonwhite	96	8	59	29	56	46	-	10	10	104.2	4	41.7
Dyersburg	276	193	60	23	113	90	-	23	10	36.2	3	10.9
White	222	188	26	8	81	64	-	17	5	22.5	1	4.5
Nonwhite	54	5	34	15	32	26	-	6	5	92.6	2	37.0
Balance of county	539	258	260	20	175	135	1	39	19	35.3	11	20.4
Fayette	837	99	164	567	245	208	-	37	27	32.3	19	22.7
White	183	91	79	11	73	49	-	24	3	16.4	4	21.9
Nonwhite	654	8	85	556	172	159	-	13	24	36.7	15	22.9
Fentress	473	289	91	93	102	82	-	13	14	29.6	5	10.6
Franklin	814	501	59	53	249	186	-	59	25	40.7	8	13.0
White	581	491	46	43	205	148	-	53	23	39.6	7	12.0
Nonwhite	33	10	13	10	44	38	-	6	2	60.6	1	30.3

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
TENNESSEE—Continued												
Gibson	1,184	767	372	41	428	322	-	106	50	42.2	20	16.9
White	867	660	206	-	324	234	-	90	35	40.4	14	16.1
Nonwhite	317	107	166	41	104	88	-	16	15	47.3	6	18.9
Giles	657	367	218	70	275	207	4	63	25	38.1	8	12.2
White	490	345	123	21	186	126	3	56	20	40.8	7	14.3
Nonwhite	167	22	95	49	89	81	1	7	5	29.9	1	6.0
Grainger	323	106	200	17	123	95	-	26	23	71.2	6	18.6
Greene	1,000	766	166	66	354	225	1	128	44	44.0	23	23.0
Grundy	398	243	131	24	115	83	-	27	18	45.2	11	27.6
Hamblen	549	453	68	28	180	112	1	64	25	45.5	9	16.4
Hamilton	5,390	4,501	721	134	2,052	1,018	52	950	233	43.2	103	19.1
White	4,185	3,614	523	43	1,427	723	32	652	158	37.8	68	16.2
Nonwhite	1,205	887	198	91	625	295	20	298	75	62.2	35	29.0
Chattanooga	3,975	3,550	309	88	1,553	721	9	796	179	45.0	86	21.6
White	2,841	2,691	138	11	963	444	9	515	109	38.4	53	18.7
Nonwhite	1,134	859	171	77	570	277	-	281	70	61.7	33	29.1
Balance of county	1,415	951	412	46	499	297	43	154	54	38.2	17	12.0
Hancock	253	65	50	37	65	52	-	12	11	43.5	-	0
Hardeman	672	141	347	183	418	160	226	31	27	40.2	11	16.4
White	347	131	206	9	266	77	160	28	12	34.6	9	25.9
Nonwhite	325	10	141	174	152	83	66	3	15	46.2	2	6.2
Hardin	400	126	229	44	146	124	1	19	16	40.0	8	20.0
Hawkins	724	406	266	52	256	176	-	77	19	26.2	21	29.0
Haywood	803	174	200	428	242	187	3	51	38	46.6	16	19.9
White	220	128	79	13	80	45	-	35	11	50.0	5	22.7
Nonwhite	583	46	121	415	162	142	3	16	28	48.0	11	18.9
Henderson	462	299	148	12	149	114	-	32	25	54.1	10	21.6
Henry	507	263	240	4	237	182	1	54	22	43.4	10	19.7
White	423	257	166	-	194	142	1	51	14	33.1	7	16.5
Nonwhite	84	6	74	4	43	40	-	3	8	95.2	3	35.7
Hickman	355	222	84	46	108	77	-	21	13	36.6	11	31.0
Houston	125	28	79	18	50	41	1	8	4	32.0	3	24.0
Humphreys	244	165	77	2	107	94	-	10	5	20.5	8	32.8
Jackson	301	56	189	55	87	79	3	5	5	16.6	4	13.3
Jefferson	473	285	180	8	177	132	-	38	20	42.3	13	27.5
Johnson	328	207	90	31	92	79	1	12	11	33.5	5	15.2
Knox	5,332	4,409	873	49	2,018	998	220	794	195	36.6	143	26.8
White	4,816	4,064	713	37	1,635	456	185	645	168	34.9	116	24.1
Nonwhite	516	344	160	12	383	152	34	149	27	52.3	27	52.3
Knoxville	3,319	2,972	331	15	1,169	641	1	527	121	36.5	96	28.9
White	2,837	2,643	186	7	900	448	2	434	96	33.8	73	25.7
Nonwhite	482	329	145	8	269	133	-	136	25	51.9	23	47.7
Balance of county	2,013	1,436	542	34	844	407	219	224	74	36.8	47	23.3
Lake	586	85	259	42	87	75	-	12	14	36.3	5	13.0
White	290	85	184	21	62	52	-	8	13	44.8	1	3.4
Nonwhite	96	-	75	21	25	21	-	4	1	10.4	4	41.7
Lauderdale	684	218	314	149	234	168	-	44	20	29.2	12	17.5
White	425	211	198	15	134	98	-	34	10	23.5	6	14.1
Nonwhite	259	7	116	134	100	90	-	10	10	38.6	6	23.2
Lawrence	820	480	318	21	232	170	5	58	29	35.4	6	7.3
Lewis	177	131	38	7	53	43	-	9	8	45.2	3	16.9
Lincoln	656	494	132	8	279	195	1	81	35	55.0	11	17.3
White	562	482	68	-	228	151	1	74	24	44.3	5	9.2
Nonwhite	94	42	44	8	51	44	-	7	11	117.0	6	63.8
Loudon	610	381	217	11	209	149	-	56	25	41.0	7	11.5
McMinn	779	686	110	13	265	179	-	85	25	32.1	10	12.8
McNairy	512	234	225	52	151	133	-	15	14	27.3	10	19.5
Macon	311	111	104	15	121	107	-	14	15	48.2	7	22.5
Madison	1,459	859	243	356	580	416	-	164	64	43.9	39	26.7
White	854	756	81	17	318	207	-	111	23	26.9	19	22.2
Nonwhite	605	103	162	339	262	209	-	53	41	67.8	20	33.1
Jackson	767	552	98	117	356	236	-	120	32	41.7	21	27.4
White	488	473	15	-	201	116	-	85	11	22.5	13	26.6
Nonwhite	279	79	83	117	155	120	-	35	21	75.3	8	28.7
Balance of county	692	307	145	239	224	180	-	44	32	46.2	18	26.0
White	366	283	66	17	117	91	-	26	12	32.8	6	16.4
Nonwhite	326	24	79	222	107	89	-	18	20	61.3	12	36.8
Marion	588	263	310	14	161	118	-	40	27	45.9	15	25.5
Marshall	413	342	64	7	180	113	-	67	13	31.5	7	16.9
White	355	313	42	-	162	98	-	64	11	31.0	7	19.7
Nonwhite	58	29	22	7	18	15	-	3	2	34.5	-	0
Maury	1,019	603	342	73	401	301	3	95	31	30.4	18	17.7
White	804	586	190	25	281	195	-	84	21	26.1	14	17.4
Nonwhite	215	15	152	48	120	106	3	11	10	46.5	4	18.6
Columbia	312	244	51	17	142	102	-	39	10	32.1	7	22.4
White	251	239	11	1	98	61	-	36	5	19.9	6	23.9
Nonwhite	61	5	40	16	44	41	-	3	5	82.0	1	16.4
Balance of county	707	359	291	56	259	199	3	56	21	29.7	11	15.6
White	553	549	179	24	183	134	-	48	16	28.9	8	14.5
Nonwhite	154	10	112	32	76	65	3	8	5	32.5	3	19.5
Meigs	152	83	38	30	47	27	-	20	10	65.8	2	13.2

For footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
TENNESSEE—Continued												
Monroe	763	412	276	74	219	155	-	62	44	57.7	15	19.7
Montgomery	843	444	313	85	325	251	1	72	32	38.0	21	24.9
White	625	434	179	12	224	161	1	61	23	36.8	10	16.0
Nonwhite	218	10	134	73	101	90	-	11	9	41.3	11	50.5
Clarksville	358	218	102	38	150	110	-	40	18	50.3	14	39.1
White	254	212	38	4	95	61	-	34	12	47.2	5	19.7
Nonwhite	104	6	64	34	55	49	-	6	6	57.7	9	86.5
Balance of county	485	226	211	47	175	141	1	32	14	28.9	7	14.4
White	371	222	141	8	129	100	1	27	11	29.6	5	13.5
Nonwhite	114	4	70	39	46	41	-	5	3	26.3	2	17.5
Moore	58	34	24	-	40	33	-	7	3	51.7	1	17.2
Morgan	432	143	244	45	112	96	1	15	13	30.1	11	25.5
Obion	561	361	192	7	292	225	3	65	16	28.5	16	28.5
White	498	356	140	1	238	176	2	59	13	26.1	14	28.1
Nonwhite	63	5	52	6	54	49	1	4	3	47.6	2	31.7
Overton	446	149	244	52	133	113	-	15	9	20.2	4	9.0
Perry	156	77	74	3	39	28	-	8	5	32.1	3	19.2
Pickett	127	45	74	8	35	27	-	7	4	31.5	1	7.9
Polk	392	273	107	11	115	89	1	24	21	53.6	10	25.5
Putnam	760	483	215	61	201	150	2	48	20	26.3	11	14.5
Rhea	473	248	132	75	158	117	-	36	19	40.2	8	16.9
Roane	896	700	161	35	285	182	1	100	42	46.9	20	22.3
Robertson	645	400	236	9	223	170	1	52	14	21.7	19	29.5
White	533	377	153	3	180	132	1	47	9	16.9	16	30.0
Nonwhite	112	23	83	6	43	38	-	5	5	44.6	3	26.8
Rutherford	886	738	116	30	383	234	43	103	38	42.9	16	18.1
White	719	645	59	14	283	174	33	73	29	40.3	11	15.3
Nonwhite	167	93	57	16	100	60	10	30	9	53.9	5	29.9
Scott	558	300	156	101	142	109	-	31	30	53.8	13	23.3
Sequatchie	185	31	137	17	35	26	-	9	7	37.8	5	27.0
Sevier	654	476	100	50	207	141	1	65	42	63.3	24	36.1
Shelby	11,241	9,101	686	223	4,208	2,075	173	1,945	365	32.5	292	26.0
White	6,235	6,100	76	3	2,159	943	87	1,114	176	28.2	103	16.5
Nonwhite	5,006	3,001	610	220	2,049	1,132	86	831	189	37.8	189	37.8
Memphis	8,408	6,887	481	42	3,355	1,713	15	1,614	294	35.0	215	25.6
White	4,696	4,847	21	-	1,762	794	15	940	144	30.7	76	16.2
Nonwhite	3,712	2,340	460	42	1,593	919	-	674	150	40.4	139	37.4
Balance of county	2,833	2,114	205	181	853	362	158	331	71	25.1	77	27.2
White	1,539	1,453	55	3	397	149	72	174	32	20.8	27	17.5
Nonwhite	1,294	661	150	178	456	213	86	157	39	30.1	50	38.6
Smith	305	145	157	3	127	110	-	17	11	36.1	4	13.1
Stewart	231	86	139	6	83	75	-	10	9	39.0	3	13.0
Sullivan	2,500	2,063	373	59	575	340	1	232	98	39.2	48	19.2
Bristol[14]	439	369	62	8	135	83	-	50	19	43.3	3	6.8
Kingsport	875	833	36	5	149	67	-	82	16	18.3	21	24.0
Balance of county	1,186	861	275	48	291	190	1	100	63	53.1	24	20.2
Sumner	786	544	215	27	313	243	5	60	23	29.3	11	14.0
White	681	532	123	28	257	193	4	55	20	29.4	9	13.2
Nonwhite	105	12	92	1	56	50	1	5	3	28.6	2	19.0
Tipton	852	195	469	176	252	206	1	43	35	41.1	19	22.3
White	501	168	325	8	137	103	-	32	21	41.9	10	20.0
Nonwhite	351	27	144	168	115	103	1	11	14	39.9	9	25.6
Trousdale	154	67	82	5	53	34	-	18	6	39.0	4	26.0
White	129	57	70	2	44	26	-	17	5	38.8	4	31.0
Nonwhite	25	10	12	3	9	8	-	1	1	40.0	-	0
Unicoi	469	364	73	32	125	86	-	39	22	46.9	18	38.4
Union	192	75	95	22	71	60	-	11	11	57.3	8	41.7
Van Buren	110	54	37	15	34	25	-	9	7	63.6	-	0
Warren	573	398	168	6	182	146	-	33	12	20.9	10	17.5
Washington	1,513	1,179	308	25	527	321	-	205	59	39.0	33	21.8
Johnson City	698	611	76	10	283	138	-	145	28	40.1	16	22.9
White	659	580	49	10	240	116	-	124	22	34.4	15	23.5
Nonwhite	39	31	27	-	43	22	-	21	6	101.7	1	18.9
Balance of county	815	568	232	15	244	183	-	60	31	38.0	17	20.9
Wayne	373	213	102	56	93	67	-	25	19	50.9	6	16.1
Weakley	539	402	137	-	290	226	3	60	12	22.3	8	14.8
White	468	270	176	21	141	102	-	39	10	21.4	11	23.5
Williamson	606	488	103	15	221	157	6	51	18	29.7	13	21.5
White	460	422	28	10	174	117	5	45	12	26.1	3	6.5
Nonwhite	146	66	75	5	47	40	1	6	6	41.1	10	68.5
Wilson	571	471	78	13	276	198	-	78	22	38.5	11	19.3
White	474	435	30	4	235	168	-	67	16	33.8	9	19.0
Nonwhite	97	36	48	9	41	32	-	9	6	61.9	2	20.6
TEXAS	197,750	149,168	25,515	21,168	64,245	38,514	1,626	23,501	9,131	46.2	4,412	22.3
White	172,004	135,432	20,701	14,336	53,423	31,174	1,309	20,414	7,739	45.0	3,394	19.7
Nonwhite	25,746	13,736	4,814	6,832	10,822	7,340	317	3,087	1,392	54.1	1,018	39.5
Anderson	761	493	111	161	308	213	1	85	24	31.5	6	7.9
White	490	435	51	3	193	120	1	70	14	28.6	5	10.2
Nonwhite	271	48	60	158	115	93	-	15	10	36.9	1	3.7
Palestine	321	227	42	52	170	112	1	52	14	43.6	6	18.7
White	207	202	5	-	106	63	1	41	8	38.6	5	24.2
Nonwhite	114	25	37	52	64	49	-	11	6	52.6	1	8.8
Balance of county	440	256	69	109	138	101	-	33	10	22.7	-	0
White	283	233	46	3	87	57	-	29	6	21.2	-	0
Nonwhite	157	23	23	108	51	44	-	4	4	25.5	-	0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
TEXAS—Continued												
Andrews	145	141	4	-	27	22	-	5	6	41.4	-	0
Angelina	894	775	100	18	268	159	-	107	28	31.3	1	1.1
White	726	655	69	2	203	116	-	86	18	24.8	1	1.4
Nonwhite	168	120	31	16	65	43	-	21	10	59.5	-	0
Aransas	79	51	27	1	39	28	-	11	4	50.6	-	0
Archer	116	113	5	-	47	25	-	21	4	33.9	-	0
Armstrong	40	38	2	-	16	11	-	5	1	25.0	-	0
Atascosa	569	201	287	89	172	127	-	41	44	77.3	-	0
Austin	318	169	102	45	154	120	-	34	9	28.3	-	0
White	225	151	71	3	115	84	-	31	4	17.8	-	0
Nonwhite	93	18	31	42	39	36	-	3	5	53.8	-	0
Bailey	223	221	2	-	45	18	-	27	11	49.3	-	0
Bandera	74	66	6	-	57	30	-	21	5	67.6	-	0
Bastrop	557	336	109	109	233	176	-	54	21	37.7	9	16.2
White	387	305	64	17	152	105	-	44	14	36.2	8	20.7
Nonwhite	170	31	45	92	81	71	-	10	7	41.2	1	5.9
Baylor	138	136	2	-	46	22	-	24	3	21.7	-	0
Bee	542	236	168	137	212	152	-	60	42	77.5	29	53.5
Bell	1,513	1,199	270	37	460	274	1	180	51	33.7	27	17.8
White	1,362	1,164	188	6	391	216	1	169	43	31.6	16	11.7
Nonwhite	151	35	82	31	69	58	-	11	8	53.0	11	72.8
Temple	517	378	112	26	208	115	-	89	23	44.5	14	27.1
White	420	369	47	4	159	74	-	81	19	45.2	8	19.0
Nonwhite	97	9	65	22	49	41	-	8	4	41.2	6	61.9
Balance of county	996	821	158	11	252	159	1	91	28	28.1	13	13.1
Bexar	14,801	10,196	1,251	3,264	4,578	2,514	227	1,739	793	53.6	359	24.3
San Antonio	13,655	9,408	1,121	3,049	4,007	2,269	7	1,640	734	53.8	340	24.9
White	12,857	8,852	904	3,026	3,666	2,052	6	1,527	695	54.1	306	23.8
Nonwhite	798	556	217	23	341	217	1	113	39	48.9	34	42.6
Balance of county	1,146	788	130	215	571	245	220	99	59	51.5	19	16.6
Blanco	97	87	8	2	26	17	-	9	1	10.3	-	0
Borden	2	1	1	-	-	-	-	-	-	0	-	0
Bosque	266	254	12	-	127	86	-	39	8	30.1	-	0
Bowie	1,436	933	207	283	468	331	1	132	38	26.4	23	16.0
White	1,050	890	131	23	300	191	-	107	22	21.0	17	16.2
Nonwhite	388	43	76	260	168	140	1	25	16	41.2	6	15.5
Texarkana[15]	580	462	30	83	245	167	-	76	12	20.7	16	27.6
White	452	444	5	1	155	94	-	60	5	11.1	10	22.1
Nonwhite	128	18	25	82	90	73	-	16	7	54.7	6	46.9
Balance of county	856	471	177	200	223	164	1	56	26	30.3	7	8.2
White	598	446	126	22	145	97	-	47	17	28.4	7	11.7
Nonwhite	260	25	51	178	78	67	1	9	9	34.6	-	0
Brazoria	1,174	1,051	45	71	302	164	7	130	43	36.6	11	9.4
White	1,019	974	26	14	219	111	2	105	35	34.3	7	6.9
Nonwhite	155	77	19	57	83	53	5	25	8	51.6	4	25.8
Brazos	1,091	801	29	251	285	193	-	91	38	34.8	12	11.0
White	824	751	12	58	160	91	-	69	27	32.8	3	3.6
Nonwhite	267	50	17	193	125	102	-	22	11	41.2	9	33.7
Bryan	612	454	19	133	183	122	-	60	23	37.6	12	19.6
White	476	425	7	42	108	57	-	51	17	35.7	3	6.3
Nonwhite	136	29	12	91	75	65	-	9	6	44.1	9	66.2
Balance of county	479	347	10	118	102	71	-	31	15	31.3	-	0
White	348	328	5	16	52	34	-	18	10	28.7	-	0
Nonwhite	131	21	5	102	50	37	-	13	5	38.2	-	0
Brewster	220	83	106	15	70	58	-	12	19	86.4	11	50.0
Briscoe	68	59	8	-	23	15	-	5	1	14.7	-	0
Brooks	307	233	12	23	88	75	-	12	23	74.9	10	32.6
Brown	677	641	22	14	250	137	2	106	22	32.5	14	20.7
Brownwood	530	499	18	13	168	82	2	80	21	39.6	9	17.0
Balance of county	147	142	4	1	82	55	-	26	1	6.8	5	34.0
Burleson	312	123	81	95	147	114	-	28	11	35.3	7	22.4
White	204	118	64	13	86	65	-	16	6	29.4	6	29.4
Nonwhite	108	5	17	82	61	49	-	12	5	46.3	1	9.3
Burnet	201	147	45	6	85	78	-	7	4	19.9	-	0
Caldwell	554	232	238	80	205	143	-	60	23	41.5	17	30.7
White	462	207	201	133	167	112	-	58	19	41.1	13	28.1
Nonwhite	92	25	37	27	38	31	-	6	4	43.5	4	43.5
Calhoun	206	78	115	10	66	46	-	20	10	48.5	-	0
Callahan	152	141	11	-	79	56	-	23	6	39.5	-	0
Cameron	4,984	1,461	1,181	2,123	1,217	904	7	288	411	82.5	88	17.7
Brownsville	1,359	532	127	683	350	256	7	85	105	77.3	59	43.4
Harlingen	613	393	200	19	212	103	-	103	50	81.6	14	22.8
Balance of county	3,012	536	854	1,421	655	545	-	100	256	85.0	15	5.0
Camp	251	184	19	45	78	69	-	8	7	27.9	-	0
White	151	148	3	-	51	45	-	5	6	39.7	-	0
Nonwhite	100	36	16	45	27	24	-	3	1	10.0	-	0
Carson	167	161	6	-	33	13	-	20	7	41.9	3	18.0
Cass	657	394	111	143	235	178	-	55	17	25.9	-	0
White	405	330	69	4	141	96	-	43	12	29.6	-	0
Nonwhite	252	64	42	139	94	82	-	12	5	19.8	-	0
Castro	109	109	-	-	18	11	-	7	2	18.3	-	0
Chambers	182	140	19	23	57	32	-	25	7	38.5	-	0
White	139	129	10	-	42	20	-	22	4	28.8	-	0
Nonwhite	43	11	9	23	15	12	-	3	3	69.8	-	0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
TEXAS—Continued												
Cherokee	774	532	152	85	548	219	217	111	37	47.8	8	10.3
White	577	484	88	5	345	133	118	93	21	36.4	4	6.9
Nonwhite	197	48	64	80	203	86	99	18	16	81.2	4	20.3
Childress	265	250	12	2	88	66	-	19	6	22.6	2	7.5
Clay	163	137	26	-	69	50	-	18	5	30.7	-	0
Cochran	169	164	2	1	41	31	-	5	10	59.2	-	0
Coke	90	77	13	-	18	8	-	8	2	22.2	-	0
Coleman	346	288	46	-	141	81	1	57	7	20.2	6	17.3
Collin	887	688	191	8	374	251	-	121	21	23.7	2	2.3
Collingsworth	214	200	13	1	68	40	-	27	6	28.0	-	0
Colorado	390	288	26	76	185	151	-	33	16	41.0	9	23.1
White	285	253	15	17	118	91	-	27	9	31.6	4	14.0
Nonwhite	105	35	11	59	67	60	-	6	7	66.7	5	47.6
Comal	451	271	134	33	151	89	-	61	22	48.8	8	15.3
Comanche	263	249	13	1	146	108	-	34	7	26.6	2	7.6
Concho	114	84	18	9	25	17	-	7	7	61.4	-	0
Cooke	478	432	35	10	209	147	-	62	13	27.2	8	16.7
Coryell	301	282	9	-	142	94	1	47	11	36.5	-	0
Cottle	161	129	31	1	67	33	-	33	16	99.4	-	0
Crane	108	106	2	-	21	12	-	8	4	37.0	-	0
Crockett	100	51	44	5	16	10	-	6	5	50.0	-	0
Crosby	266	213	48	5	76	56	-	20	17	63.9	-	0
Culberson	52	16	36	-	11	9	-	2	1	19.2	-	0
Dallam	180	166	14	-	45	26	-	19	2	11.1	6	33.3
Dallas	14,280	13,471	751	46	4,350	2,387	51	1,893	412	28.9	254	17.8
White	12,115	11,777	292	36	3,544	1,927	22	1,561	319	26.3	198	15.5
Nonwhite	2,165	1,694	459	10	806	460	9	332	93	43.0	66	30.5
Dallas	10,126	9,612	476	28	3,273	1,760	6	1,477	277	27.4	196	19.4
White	8,513	8,341	137	26	2,608	1,383	6	1,194	209	24.6	148	17.2
Nonwhite	1,613	1,271	339	2	665	377	-	283	68	42.2	50	31.0
Highland Park	125	125	-	-	97	62	-	35	5	40.0	2	16.0
White	122	122	-	-	90	57	-	33	5	41.0	1	8.2
Nonwhite	3	3	-	-	7	5	-	2	-	0	1	333.3
University Park	305	305	-	-	131	77	-	52	8	26.2	2	6.6
Balance of county	3,724	3,429	275	18	849	498	25	329	122	32.8	54	14.5
White	3,179	3,013	155	10	720	413	16	284	98	30.8	39	12.3
Nonwhite	545	416	120	8	129	75	9	45	24	44.0	15	27.5
Dawson	610	494	66	49	176	91	-	81	48	78.7	11	18.0
Deaf Smith	269	227	36	1	59	46	-	13	16	59.5	6	22.3
Delta	185	133	46	6	68	49	-	18	6	32.4	3	16.2
Denton	748	643	103	2	341	205	-	136	28	37.4	13	17.4
Denton	395	379	15	1	155	83	-	72	13	32.9	11	27.8
White	359	349	10	-	132	66	-	66	12	33.4	6	16.7
Nonwhite	36	30	5	1	23	17	-	6	1	27.8	5	138.9
Balance of county	353	264	88	1	186	122	-	64	15	42.5	2	5.7
De Witt	550	301	149	68	271	178	12	78	41	74.5	15	27.3
White	487	284	131	43	218	134	12	69	37	76.0	9	18.5
Nonwhite	63	17	18	25	53	44	-	9	4	63.5	6	95.2
Dickens	198	158	33	6	55	36	-	16	6	30.3	4	20.2
Dimmit	355	47	225	76	91	82	-	9	33	93.0	6	16.9
Donley	105	82	19	4	65	41	-	24	3	28.6	2	19.0
Duval	553	221	197	104	131	94	-	37	20	36.2	18	32.5
Eastland	604	576	25	1	274	170	-	103	13	21.5	17	28.1
Ector	1,098	868	115	10	148	73	-	74	40	36.4	19	17.3
Edwards	58	17	26	15	24	19	-	5	4	69.0	3	51.7
Ellis	989	764	165	57	486	322	8	152	47	47.5	43	43.5
White	758	698	57	2	338	222	8	104	25	33.0	26	34.3
Nonwhite	231	66	108	55	128	100	-	28	22	95.2	17	73.6
El Paso	6,370	5,248	432	634	1,586	811	2	769	367	57.6	122	19.2
El Paso	4,682	4,045	119	502	1,202	582	-	618	226	48.3	101	21.6
Balance of county	1,688	1,203	313	132	384	229	2	151	141	83.5	21	12.4
Erath	372	351	21	-	153	105	1	47	8	21.5	2	5.4
Falls	572	337	73	152	321	225	-	93	38	66.4	4	7.0
White	378	310	33	31	188	104	-	81	17	45.0	3	7.9
Nonwhite	194	27	40	121	133	121	-	12	21	108.2	1	5.2
Fannin	692	535	137	20	357	248	-	95	12	17.3	13	18.8
White	621	524	92	5	291	194	-	84	7	11.3	12	19.3
Nonwhite	71	11	45	15	66	54	-	11	5	70.4	1	14.1
Fayette	476	333	72	54	268	175	2	88	24	50.4	20	42.0
White	361	308	35	9	211	127	1	80	12	33.2	14	38.8
Nonwhite	115	25	37	45	57	48	1	8	12	104.3	6	52.2
Fisher	243	232	2	1	72	28	-	40	15	61.7	-	0
Floyd	227	196	27	3	76	49	-	26	12	52.9	3	13.2
Foard	97	82	15	-	36	30	-	6	4	41.2	2	20.6
Fort Bend	695	416	163	101	278	186	2	88	54	77.7	37	53.2
White	530	347	134	42	182	105	1	74	39	73.6	35	66.0
Nonwhite	165	69	29	59	96	81	1	14	15	90.9	2	12.1
Franklin	86	65	17	4	47	35	-	12	5	58.1	2	23.3
Freestone	306	158	57	85	153	122	-	29	8	26.1	13	42.5
White	151	132	19	-	82	62	-	19	1	6.6	8	53.0
Nonwhite	155	26	38	85	71	60	-	10	7	45.2	5	32.3
Frio	397	65	197	130	105	87	-	14	38	95.7	5	12.6
Gaines	262	248	14	-	66	47	-	18	15	57.3	7	26.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
TEXAS—Continued												
Galveston	3,058	2,960	91	2	1,055	461	8	585	100	32.7	62	20.3
White	2,396	2,325	70	-	795	337	8	449	75	31.3	38	15.9
Nonwhite	662	637	21	2	260	124	-	136	25	37.8	24	36.3
Galveston	1,911	1,836	71	1	813	352	6	455	57	29.8	46	24.1
White	1,409	1,352	55	-	586	242	6	338	40	28.4	25	17.7
Nonwhite	502	484	16	1	227	110	-	117	17	33.9	21	41.8
Balance of county	1,147	1,124	20	1	242	109	2	130	43	37.5	16	13.9
White	987	971	15	-	209	95	2	111	35	35.5	13	13.2
Nonwhite	160	153	5	1	33	14	-	19	8	50.0	3	18.8
Garza	162	65	89	8	39	27	-	12	6	37.0	3	18.5
Gillespie	223	216	4	2	98	72	-	26	5	22.4	4	17.9
Glasscock	10	9	1	-	9	7	-	2	3	300.0	-	0
Goliad	130	32	76	15	69	54	-	15	11	84.6	3	23.1
White	112	31	66	8	59	45	-	14	10	89.3	3	26.8
Nonwhite	18	1	10	7	10	9	-	1	1	55.6	-	0
Gonzales	572	252	244	52	262	205	-	55	36	62.9	15	26.2
White	469	258	197	16	209	154	-	53	28	59.7	11	23.5
Nonwhite	103	14	47	36	53	51	-	2	8	77.7	4	38.8
Gray	680	648	32	-	180	68	-	111	56	82.9	2	2.9
Pampa	543	524	19	-	145	52	-	93	29	53.4	2	3.7
Balance of county	137	124	13	-	35	16	-	18	7	51.1	-	0
Grayson	1,571	1,410	132	20	711	400	3	304	56	35.6	37	23.6
Denison	539	517	11	11	238	124	1	111	20	37.1	15	27.8
White	475	470	3	2	171	70	-	101	15	31.6	11	23.2
Nonwhite	64	47	8	9	67	54	1	10	5	78.1	4	62.5
Sherman	464	433	20	11	224	124	-	99	16	34.5	7	15.1
White	416	411	5	-	199	104	-	95	15	36.1	5	12.0
Nonwhite	48	22	15	11	25	20	-	4	1	20.8	2	41.7
Balance of county	568	460	101	6	249	152	1	94	20	35.2	15	26.4
Gregg	1,744	1,564	38	130	465	251	-	211	51	29.2	41	23.5
White	1,277	1,254	21	1	326	160	-	164	34	26.6	20	15.7
Nonwhite	467	310	17	129	139	91	-	47	17	36.4	21	45.0
Longview	744	659	20	61	191	91	-	100	18	24.2	17	22.8
White	514	503	10	-	135	61	-	74	15	29.2	8	15.6
Nonwhite	230	156	10	61	56	30	-	26	3	13.0	9	39.1
Balance of county	1,000	905	18	69	274	160	-	111	33	33.0	24	24.0
White	763	751	11	1	191	99	-	90	19	24.9	12	15.7
Nonwhite	237	154	7	68	83	61	-	21	14	59.1	12	50.6
Grimes	344	194	23	124	154	119	-	35	15	43.6	11	32.0
White	171	147	10	13	80	54	-	26	5	29.2	1	5.8
Nonwhite	173	47	13	111	74	65	-	9	10	57.8	10	57.8
Guadalupe	667	274	340	49	256	197	-	58	43	64.5	7	10.5
White	568	263	266	35	199	143	-	55	40	70.4	6	10.6
Nonwhite	99	11	74	14	57	54	-	3	3	30.3	1	10.1
Hale	695	587	87	18	204	118	-	86	42	60.4	22	31.7
Hall	278	240	33	5	95	52	-	41	20	71.9	15	54.0
Hamilton	208	186	22	-	111	75	-	35	5	24.0	5	24.0
Hansford	113	102	7	2	17	3	-	11	2	17.7	-	0
Hardeman	219	209	10	-	83	44	-	38	10	45.7	8	36.5
Hardin	441	236	194	8	189	148	-	42	18	40.8	18	40.8
White	368	232	134	-	146	108	-	38	16	43.7	14	38.3
Nonwhite	75	4	60	8	43	37	-	6	2	26.7	4	53.3
Harris	19,676	18,546	514	578	5,983	2,855	16	3,032	754	38.3	434	22.1
White	15,603	15,014	390	178	4,423	2,121	15	2,241	503	32.2	284	18.2
Nonwhite	4,073	3,532	124	401	1,540	734	1	791	251	61.6	150	36.8
Houston	16,257	15,409	349	470	5,153	2,411	11	2,683	628	38.7	375	23.1
White	12,593	12,155	259	160	3,746	1,766	11	1,948	412	32.7	243	19.3
Nonwhite	3,664	3,254	90	310	1,367	643	-	735	217	59.2	132	36.0
Balance of county	3,419	3,137	165	109	830	444	5	349	125	36.6	59	17.3
White	3,010	2,859	131	18	677	353	4	293	91	30.2	41	13.6
Nonwhite	409	278	34	91	153	91	1	56	34	83.1	18	44.0
Harrison	1,199	551	71	549	441	307	-	132	43	35.9	42	35.0
White	453	425	17	9	172	101	-	69	16	35.3	19	41.9
Nonwhite	746	126	54	540	269	206	-	63	27	36.2	23	30.8
Marshall	535	350	40	139	231	157	-	73	19	35.5	17	31.8
White	286	279	7	-	107	64	-	42	6	21.0	4	14.0
Nonwhite	249	71	33	139	124	93	-	31	13	52.2	13	52.2
Balance of county	664	201	31	410	210	150	-	59	24	36.1	25	37.7
White	167	146	10	9	65	37	-	27	10	59.9	15	89.8
Nonwhite	497	55	21	401	145	113	-	32	14	28.2	10	20.1
Hartley	52	50	2	-	32	3	-	29	4	76.9	1	19.2
Haskell	277	266	4	6	91	50	-	41	15	54.2	9	32.5
Hays	546	316	179	35	173	119	-	53	32	58.6	14	25.6
Hemphill	85	82	3	-	20	14	-	6	3	35.3	-	0
Henderson	519	331	124	63	229	177	-	52	23	44.3	22	42.4
White	397	329	67	1	179	131	-	48	17	42.8	14	35.3
Nonwhite	122	2	57	62	50	46	-	4	6	49.2	8	65.6
Hidalgo	6,874	1,826	2,266	2,549	1,870	1,434	4	421	737	107.2	186	27.1
McAllen	883	344	214	311	252	166	-	82	89	100.8	27	30.8
Balance of county	5,991	1,482	2,052	2,238	1,618	1,268	4	339	648	108.2	159	26.5
Hill	651	401	201	44	315	232	-	82	22	33.8	5	7.7
White	520	393	121	3	266	185	-	80	19	36.5	4	7.7
Nonwhite	131	8	80	41	49	47	-	2	3	22.9	1	7.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
TEXAS—Continued												
Hockley	632	591	28	10	124	58	-	66	33	52.2	7	11.1
Hood	96	80	16	-	46	36	-	9	5	52.1	4	41.7
Hopkins	518	473	32	13	225	146	-	78	25	48.3	5	9.7
White	444	422	21	1	208	135	-	72	23	51.8	4	9.0
Nonwhite	74	51	11	12	17	11	-	6	2	27.0	1	13.5
Houston	524	243	152	122	197	157	-	37	17	32.4	-	0
White	292	205	80	6	117	88	-	29	6	20.5	-	0
Nonwhite	232	38	72	116	80	71	-	8	11	47.4	-	0
Howard	685	612	43	26	227	93	29	105	43	62.8	19	27.7
Big Spring	550	495	39	24	166	71	-	95	35	63.6	9	18.4
Balance of county	135	127	4	2	61	22	29	10	8	59.3	10	74.1
Hudspeth	208	53	146	8	27	17	-	10	11	52.9	3	14.4
Hunt	885	641	227	15	415	278	-	129	46	52.0	22	24.9
White	718	572	143	2	338	215	-	115	30	41.8	15	20.9
Nonwhite	167	69	84	13	77	63	-	14	16	95.8	7	41.9
Greenville	376	285	82	9	171	115	-	56	22	58.5	13	34.6
White	280	239	39	1	121	71	-	48	9	32.1	6	21.4
Nonwhite	96	44	43	8	50	42	-	8	13	135.4	7	72.9
Balance of county	509	358	145	6	244	165	-	73	24	47.2	9	17.7
White	438	333	104	1	217	144	-	67	21	47.9	9	20.6
Nonwhite	71	25	41	5	27	21	-	6	3	42.3	-	0
Hutchinson	970	956	14	-	135	45	-	88	27	27.8	18	18.6
Borger	708	697	11	-	112	36	-	74	24	33.9	10	14.1
Balance of county	262	259	3	-	23	9	-	14	3	11.5	8	30.5
Irion	52	32	16	3	11	10	-	1	2	38.5	-	0
Jack	152	146	6	-	69	53	-	16	5	32.9	11	72.4
Jackson	370	172	178	20	89	72	-	17	12	32.4	13	35.1
White	323	166	148	11	75	62	-	13	11	34.1	6	18.6
Nonwhite	47	6	32	9	14	10	-	4	1	21.3	7	148.9
Jasper	529	256	198	71	188	159	-	28	24	45.4	3	5.7
White	366	211	150	4	121	100	-	21	15	41.0	3	8.2
Nonwhite	163	45	48	67	67	59	-	7	9	55.2	-	0
Jeff Davis	62	8	51	2	11	11	-	-	-	0	6	96.8
Jefferson	5,222	4,505	353	332	1,454	812	13	617	188	36.0	112	21.4
White	3,821	3,639	170	11	983	507	13	455	91	23.8	52	13.6
Nonwhite	1,401	866	183	321	471	305	-	162	97	69.2	60	42.8
Beaumont	2,468	2,134	129	203	795	438	8	346	99	40.1	71	28.8
White	1,638	1,610	24	4	483	242	8	232	40	24.4	29	17.7
Nonwhite	830	524	105	199	312	196	-	114	59	71.1	42	50.6
Port Arthur	1,800	1,812	129	29	440	240	1	196	62	34.4	41	22.8
White	1,381	1,313	67	-	314	154	1	157	35	25.3	23	16.7
Nonwhite	419	299	62	29	126	86	-	39	27	64.4	18	43.0
Balance of county	954	759	95	100	219	134	4	75	27	28.3	-	0
White	802	718	79	7	186	111	4	66	16	20.0	-	0
Nonwhite	152	43	16	93	33	23	-	9	11	72.4	-	0
Jim Hogg	175	48	54	73	38	33	-	5	6	34.3	-	0
Jim Wells	906	554	231	106	191	123	-	67	54	59.6	15	16.6
Johnson	704	623	66	15	335	221	-	104	27	38.4	3	4.3
Cleburne	338	297	30	11	158	94	-	58	11	32.5	3	8.9
Balance of county	366	326	36	4	177	127	-	46	16	43.7	-	0
Jones	507	435	60	11	184	98	-	86	26	51.3	-	0
Karnes	559	244	245	59	149	116	-	33	31	55.5	15	26.8
Kaufman	676	454	151	70	510	218	195	90	34	50.3	20	29.6
White	446	374	70	2	394	157	160	72	21	47.1	9	20.2
Nonwhite	230	80	81	68	116	61	35	18	13	56.5	11	47.8
Terrell	204	155	27	22	304	66	194	43	14	68.6	8	39.2
White	137	127	9	1	232	40	158	33	11	80.3	5	36.5
Nonwhite	67	28	18	21	72	26	36	10	3	44.8	3	44.8
Balance of county	472	299	124	48	206	152	1	47	20	42.4	12	25.4
White	309	247	61	1	162	117	1	39	10	32.4	4	12.9
Nonwhite	163	52	63	47	44	35	-	8	10	61.3	8	49.1
Kendall	121	79	25	16	63	47	-	15	3	24.8	-	0
Kenedy	12	6	3	3	2	2	-	-	-	0	-	0
Kent	34	28	5	1	13	10	-	2	2	58.8	-	0
Kerr	287	201	72	13	172	88	2	81	20	69.7	1	3.5
Kimble	102	45	53	2	29	20	-	9	5	49.0	4	39.2
King	16	13	3	-	3	2	-	1	-	0	-	0
Kinney	53	23	20	18	22	14	-	7	4	63.5	2	31.7
Kleberg	579	452	96	28	149	82	-	65	32	55.3	24	41.5
Knox	268	224	26	17	84	45	-	39	16	59.7	-	0
Lamar	1,047	693	249	97	427	281	-	144	47	44.9	14	13.4
White	796	658	131	6	351	197	-	134	26	32.7	8	10.1
Nonwhite	251	35	118	91	96	84	-	10	21	83.7	6	23.9
Paris	558	386	142	27	260	164	-	96	26	46.6	14	25.1
White	417	359	57	1	201	110	-	91	16	38.4	8	19.2
Nonwhite	141	27	85	26	59	54	-	5	10	70.9	6	42.6
Balance of county	489	307	107	70	167	117	-	48	21	42.9	-	0
White	379	299	74	5	130	87	-	43	10	26.4	-	0
Nonwhite	110	8	33	65	37	30	-	5	11	100.0	-	0
Lamb	541	484	18	36	127	55	-	72	22	40.7	6	11.1
Lampasas	211	169	41	1	104	73	-	31	10	47.4	1	4.7
La Salle	317	108	102	90	70	59	-	10	16	50.5	27	85.2
Lavaca	501	396	60	42	237	146	1	85	25	49.9	-	0
White	442	388	42	9	200	113	1	81	20	45.2	-	0
Nonwhite	59	8	18	33	37	33	-	4	5	84.7	-	0

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948–Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
TEXAS—Continued												
Lee	177	108	39	28	91	69	-	22	5	28.2	-	0
White	136	100	30	6	63	45	-	18	3	22.1	-	0
Nonwhite	41	8	9	22	28	24	-	4	2	48.8	-	0
Leon	255	85	66	101	142	120	-	20	13	51.0	5	19.6
White	133	81	49	2	86	69	-	16	2	15.0	3	22.6
Nonwhite	122	4	17	99	56	51	-	4	11	90.2	2	16.4
Liberty	701	589	28	82	194	97	-	96	37	52.8	-	0
White	531	497	20	13	141	56	-	84	26	49.0	-	0
Nonwhite	170	92	8	69	53	41	-	12	11	64.7	-	0
Limestone	482	259	138	80	275	190	12	71	19	39.4	8	16.6
White	293	239	53	-	186	111	12	62	11	37.5	3	10.2
Nonwhite	189	20	85	80	89	79	-	9	8	42.3	5	26.5
Lipscomb	80	77	3	-	31	24	-	7	1	12.5	-	0
Live Oak	236	102	103	29	77	61	-	15	18	76.3	5	21.2
Llano	121	102	18	-	55	45	-	9	2	16.5	-	0
Loving	5	5	-	-	-	-	-	-	-	0	-	0
Lubbock	2,488	1,989	436	51	592	297	-	293	160	64.3	58	23.3
Lubbock	1,642	1,363	262	16	426	213	-	212	111	67.6	43	26.2
Balance of county	846	626	174	35	166	84	-	81	49	57.9	15	17.7
Lynn	290	237	23	25	64	40	-	24	18	62.1	5	17.2
McCulloch	308	279	24	3	134	82	2	47	15	48.7	4	13.0
McLennan	2,964	2,484	244	218	1,159	685	93	376	94	31.7	50	16.9
White	2,306	2,125	147	30	898	515	72	306	62	26.9	34	14.7
Nonwhite	658	359	97	188	261	170	21	70	32	48.6	16	24.3
Waco	2,008	1,827	80	98	718	427	1	288	67	33.4	44	21.9
White	1,544	1,498	31	14	557	319	1	235	43	27.8	31	20.1
Nonwhite	464	329	49	84	161	108	-	53	24	51.7	13	28.0
Balance of county	956	657	164	120	441	258	92	88	27	28.2	6	6.3
White	762	627	116	16	341	196	71	71	19	24.9	3	3.9
Nonwhite	194	30	48	104	100	62	21	17	8	41.2	3	15.5
McMullen	32	14	9	6	7	6	-	-	1	31.3	13	406.3
Madison	148	81	15	52	98	88	-	10	7	47.3	4	27.0
White	90	79	9	2	63	57	-	6	2	22.2	4	44.4
Nonwhite	58	2	6	50	35	31	-	4	5	86.2	-	0
Marion	242	92	77	71	98	87	-	10	3	12.4	4	16.5
White	88	57	29	2	42	36	-	5	2	22.7	1	11.4
Nonwhite	154	35	48	69	56	51	-	5	1	6.5	3	19.5
Martin	132	104	4	2	25	19	-	5	3	22.7	3	22.7
Mason	105	75	28	2	49	34	-	14	6	57.1	4	38.1
Matagorda	567	365	137	60	192	119	-	72	31	54.7	5	8.8
White	431	327	96	7	142	82	-	59	20	46.4	5	11.6
Nonwhite	136	38	41	53	50	37	-	13	11	80.9	-	0
Maverick	433	101	94	217	133	108	-	24	36	83.1	7	16.2
Medina	520	320	109	85	148	102	-	45	30	57.7	16	30.8
Menard	93	25	62	5	33	26	-	7	8	86.0	3	32.3
Midland	573	529	18	20	138	85	-	53	29	50.6	-	0
Milam	508	330	109	63	255	190	-	64	18	35.4	8	15.7
White	363	290	64	9	189	131	-	57	11	30.3	7	19.3
Nonwhite	145	40	45	54	66	59	-	7	7	48.3	1	6.9
Mills	106	101	5	-	51	37	-	14	4	37.7	-	0
Mitchell	327	297	21	-	120	69	-	49	14	42.8	7	21.4
Montague	344	301	43	-	154	118	-	36	2	5.8	-	0
Montgomery	552	398	70	75	213	126	-	83	27	48.9	36	65.2
White	414	363	46	5	151	78	-	71	20	48.3	28	67.6
Nonwhite	138	35	24	70	62	48	-	12	7	50.7	8	58.0
Moore	326	291	35	-	53	37	-	15	6	18.4	6	18.4
Morris	194	105	48	38	93	72	-	20	8	41.2	13	67.0
White	119	93	26	-	64	46	-	18	7	58.8	4	33.6
Nonwhite	75	12	22	38	29	26	-	2	1	13.3	9	120.0
Motley	76	68	8	-	37	21	-	16	6	78.9	14	184.2
Nacogdoches	697	502	127	63	223	135	-	88	16	23.0	5	7.2
White	466	424	38	3	165	94	-	71	11	23.6	2	4.3
Nonwhite	231	78	89	60	58	41	-	17	5	21.6	3	13.0
Navarro	836	610	131	91	400	293	-	104	33	39.5	18	21.5
White	595	517	72	4	278	196	-	79	19	31.9	12	20.2
Nonwhite	241	93	59	87	122	97	-	25	14	58.1	6	24.9
Corsicana	395	346	33	14	231	159	-	69	19	48.1	11	27.8
White	301	292	8	-	159	100	-	56	13	43.2	8	26.6
Nonwhite	94	54	25	14	72	59	-	13	6	63.8	3	31.9
Balance of county	441	264	98	77	169	134	-	35	14	31.7	7	15.9
White	294	225	64	4	119	96	-	23	6	20.4	4	13.6
Nonwhite	147	39	34	73	50	38	-	12	8	54.4	3	20.4
Newton	269	111	78	77	90	74	-	13	9	33.5	9	33.5
White	157	101	51	5	46	33	-	11	3	19.1	-	0
Nonwhite	112	10	27	72	44	41	-	2	6	53.6	9	80.4
Nolan	467	453	14	-	174	78	-	94	24	51.4	13	27.8
Sweetwater	316	302	14	-	122	53	-	68	16	50.6	6	19.0
Balance of county	151	151	-	-	52	25	-	26	8	53.0	7	46.4
Nueces	5,299	3,605	644	983	1,099	606	1	483	263	49.6	125	23.6
Corpus Christi	3,724	2,924	180	608	786	396	1	382	169	45.4	100	26.9
Balance of county	1,575	681	464	375	313	210	-	101	94	59.7	25	15.9
Ochiltree	156	150	6	-	48	22	-	26	8	51.3	9	57.7
Oldham	49	47	2	-	9	4	-	5	2	40.8	-	0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
TEXAS—Continued												
Orange	1,342	1,219	24	97	218	94	-	123	36	26.8	31	23.1
White	1,181	1,162	14	4	175	62	-	112	28	23.7	22	18.6
Nonwhite	161	57	10	93	43	32	-	11	8	49.7	9	55.9
Palo Pinto	408	394	14	-	187	107	1	79	14	34.3	8	19.6
Panola	346	194	68	78	146	119	-	26	24	69.4	4	11.6
White	235	187	46	2	84	63	-	20	11	46.8	-	0
Nonwhite	111	7	20	76	62	56	-	6	13	117.1	4	36.0
Parker	399	382	17	-	178	119	-	59	7	17.5	4	10.0
Parmer	125	120	4	-	31	19	-	11	2	16.0	-	0
Pecos	319	160	120	35	75	45	-	30	25	78.4	4	12.5
Polk	373	256	58	50	168	133	-	35	15	40.2	11	29.5
White	238	208	28	2	105	76	-	29	6	25.2	7	29.4
Nonwhite	135	48	30	48	64	57	-	6	9	66.7	4	29.6
Potter	1,925	1,880	41	1	545	210	1	331	77	40.0	32	16.6
Amarillo (part)	1,869	1,825	41	1	527	206	-	319	75	(8)	32	(8)
Amarillo (total)	1,898	1,854	41	1	533	209	-	322	75	39.5	32	16.9
Balance of county	56	55	-	-	18	4	1	12	2	35.7	-	0
Presidio	255	28	139	83	42	37	-	5	14	54.9	6	23.5
Rains	81	49	26	5	19	14	-	5	-	0	-	0
Randall	155	154	-	1	53	31	-	22	4	25.8	-	0
Amarillo (part)	29	29	-	-	6	3	-	3	-	(8)	-	(8)
Balance of county	126	125	-	1	47	28	-	19	4	31.7	-	0
Reagan	82	72	10	-	13	6	-	6	1	12.2	-	0
Real	41	31	3	5	27	21	-	6	2	48.8	2	48.8
Red River	499	318	72	106	227	183	-	42	14	28.1	6	12.0
White	354	300	42	11	169	130	-	37	11	31.1	5	14.1
Nonwhite	145	18	30	95	58	53	-	5	3	20.7	1	6.9
Reeves	353	190	142	10	101	92	-	9	34	96.3	1	2.8
Refugio	295	220	49	24	76	46	-	30	8	27.1	3	10.2
White	259	199	47	13	66	38	-	28	8	30.9	3	11.6
Nonwhite	36	21	2	11	10	8	-	2	-	0	-	0
Roberts	22	22	-	-	10	6	-	4	1	45.5	-	0
Robertson	525	202	98	219	243	208	1	34	18	34.3	6	11.4
White	256	174	55	24	116	88	1	27	8	31.3	2	7.8
Nonwhite	269	28	43	195	127	120	-	7	10	37.2	4	14.9
Rockwall	135	67	57	10	63	43	-	19	12	88.9	11	81.5
White	95	65	27	3	50	32	-	17	4	42.1	4	42.1
Nonwhite	40	2	30	7	13	11	-	2	8	200.0	7	175.0
Runnels	366	278	86	1	142	103	-	39	13	35.5	18	49.2
Rusk	830	493	225	110	305	210	-	95	24	28.9	47	56.6
White	566	444	121	1	203	128	-	75	15	26.5	18	31.8
Nonwhite	264	49	104	109	102	82	-	20	9	34.1	29	109.8
Sabine	158	57	78	19	79	70	-	9	13	83.3	9	57.7
White	110	44	63	1	58	50	-	8	5	45.5	7	63.6
Nonwhite	46	13	15	18	21	20	-	1	8	173.9	2	43.5
San Augustine	208	73	61	70	84	76	-	7	15	72.8	4	19.4
White	104	58	45	1	45	40	-	4	6	57.7	3	28.8
Nonwhite	102	15	16	69	39	35	-	3	9	88.2	1	9.8
San Jacinto	125	48	25	45	68	48	-	19	11	88.0	-	0
White	44	38	5	1	25	12	-	13	3	68.2	-	0
Nonwhite	81	10	20	44	43	36	-	6	8	98.8	-	0
San Patricio	1,262	541	545	130	370	259	-	107	113	89.5	43	34.1
San Saba	211	139	64	6	67	56	-	11	12	56.9	6	28.4
Schleicher	81	34	33	6	22	13	-	9	8	98.8	-	0
Scurry	249	218	29	-	71	48	-	19	13	52.2	23	92.4
Shackelford	88	69	19	-	36	31	-	4	1	11.4	9	102.3
Shelby	523	363	106	51	201	171	-	25	11	21.0	4	7.6
White	381	337	42	2	149	122	-	22	4	10.5	4	10.5
Nonwhite	142	26	64	49	52	49	-	3	7	49.3	-	0
Sherman	42	39	3	-	7	-	-	7	-	0	-	0
Smith	1,757	1,242	125	386	577	402	-	165	51	29.0	73	41.5
White	1,143	1,084	59	-	373	236	-	132	32	28.0	39	34.1
Nonwhite	614	158	66	386	204	166	-	33	19	30.9	34	55.4
Tyler	971	778	33	159	318	194	-	117	29	29.9	33	34.0
White	684	669	15	-	210	112	-	94	17	24.9	12	17.5
Nonwhite	287	110	18	159	108	82	-	23	12	41.8	21	73.2
Balance of county	786	463	92	227	259	208	-	48	22	28.0	40	50.9
White	459	415	44	-	163	124	-	38	15	32.7	27	58.8
Nonwhite	327	48	48	227	96	84	-	10	7	21.4	13	39.8
Somervell	35	34	-	1	26	21	-	5	4	114.3	-	0
Starr	566	36	384	103	124	118	-	6	29	51.2	6	10.6
Stephens	203	199	3	1	93	58	-	35	8	39.4	10	49.3
Sterling	35	19	7	9	18	11	-	7	1	28.6	-	0
Stonewall	62	60	1	1	23	18	-	5	1	16.1	10	161.3
Sutton	133	35	85	4	24	19	-	5	4	30.1	6	45.1
Swisher	215	214	-	1	54	23	-	31	6	27.9	8	37.2
Tarrant	8,509	8,292	181	32	2,765	1,312	61	1,387	274	32.2	161	18.9
White	7,506	7,331	162	10	2,290	1,062	59	1,164	222	29.6	119	15.9
Nonwhite	1,003	961	19	22	475	250	2	223	52	51.8	42	41.9
Fort Worth	7,306	7,157	119	27	2,369	1,101	17	1,247	230	31.5	142	19.4
White	6,393	6,277	104	10	1,915	864	17	1,030	179	28.0	101	15.8
Nonwhite	913	880	15	17	454	237	-	217	51	55.9	41	44.9
Balance of county	1,203	1,135	62	5	396	211	44	140	44	36.6	19	15.8

See footnotes on p. 93.

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
TEXAS—Continued												
Taylor	1,445	1,386	36	8	507	266	49	190	46	31.8	17	11.8
Abilene	1,196	1,159	29	7	364	195	1	166	37	30.9	17	14.2
Balance of county	249	237	7	1	143	71	48	24	9	36.1	-	0
Terrell	81	26	54	1	9	4	-	3	1	12.3	12	148.1
Terry	369	252	106	11	84	63	-	31	20	54.2	16	43.4
Throckmorton	76	69	7	-	24	17	-	7	-	0	-	0
Titus	368	292	77	17	135	102	-	32	5	12.9	25	64.4
White	315	277	35	-	114	82	-	31	4	12.9	18	57.5
Nonwhite	75	15	42	17	21	20	-	1	1	15.3	7	93.3
Tom Green	1,515	1,337	32	169	419	188	1	227	52	34.3	33	21.8
San Angelo	1,369	1,177	27	158	358	162	1	192	46	33.6	17	12.4
Balance of county	146	130	5	11	61	26	-	35	6	41.1	16	109.6
Travis	3,963	3,670	149	129	1,448	538	387	522	152	38.4	70	17.7
White	3,349	3,104	127	103	1,105	438	267	399	123	36.7	50	14.9
Nonwhite	614	566	22	26	343	100	120	123	29	47.2	20	32.6
Austin	3,432	3,227	115	80	1,304	468	386	450	133	38 8	50	14.6
White	2,939	2,756	97	76	998	383	266	349	108	36.7	37	12.6
Nonwhite	493	471	18	4	306	85	120	101	25	50 7	13	26.4
Balance of county	531	443	34	49	141	70	1	72	19	35.8	20	37.7
White	410	348	30	27	107	55	1	50	15	36.6	13	31.7
Nonwhite	121	95	4	22	37	15	-	22	4	33.1	7	57.9
Trinity	210	87	76	43	95	95	-	0	7	33.3	9	42.9
White	158	78	69	10	60	51	-	8	3	19.0	7	44.3
Nonwhite	52	9	7	33	35	34	-	1	4	76.9	2	38.5
Tyler	254	110	117	24	92	67	-	15	7	27.6	64	252.0
White	196	105	79	12	72	59	-	14	7	35.7	64	326.5
Nonwhite	58	5	38	12	10	9	-	1	-	0	-	0
Upshur	467	389	11	83	149	120	-	27	9	19.5	22	45.2
White	320	315	3	2	96	73	-	22	4	12.5	9	28.1
Nonwhite	167	74	8	81	53	47	-	5	5	29.9	13	77.8
Upton	120	111	9	-	30	20	-	10	3	25.0	1	8.3
Uvalde	483	206	221	77	141	103	2	35	10	64.8	31	67.0
Val Verde	522	209	263	48	170	116	-	39	41	78.5	17	32.6
Del Rio	501	195	256	46	158	106	-	38	41	81.8	17	33.9
Balance of county	21	14	7	-	12	10	-	1	-	0	-	0
Van Zandt	437	272	146	16	213	169	-	41	14	32 0	12	27.5
Victoria	841	500	169	159	250	163	-	85	47	55 9	31	36.9
White	733	461	135	127	208	136	-	70	44	60.0	25	34.1
Nonwhite	108	39	34	32	42	27	-	15	3	27.9	6	55.6
Victoria	631	393	116	117	176	107	-	68	34	53.9	18	28.5
White	557	363	96	95	151	93	-	57	33	59.2	15	26.9
Nonwhite	74	30	20	22	25	14	-	11	1	13.5	3	40.5
Balance of county	210	107	53	42	74	56	-	17	13	61.9	13	61.9
White	176	98	39	32	57	43	-	13	11	62.5	10	56.8
Nonwhite	34	9	14	10	17	13	-	4	2	58.8	3	88.2
Walker	375	311	4	56	171	106	58	26	5	13.3	4	10.7
White	221	213	4	3	93	50	24	18	3	13.6	4	18.1
Nonwhite	154	98	-	53	78	56	14	8	2	13.0	-	0
Waller	214	115	19	79	86	64	-	21	8	37.4	8	37.4
White	98	78	14	6	33	18	-	14	2	20.4	3	30.6
Nonwhite	116	37	5	73	53	46	-	7	6	51.7	5	43.1
Ward	423	359	51	8	94	45	-	49	22	52.0	24	56.7
Washington	448	258	82	108	233	187	-	46	9	20.1	26	58.0
White	253	232	18	3	136	98	-	38	2	7.9	14	55.3
Nonwhite	195	26	64	102	97	89	-	8	7	35.9	12	61.5
Webb	2,017	932	386	631	494	347	-	147	140	69.4	56	27.8
Laredo	1,914	870	370	610	465	323	-	142	135	70.5	53	27.7
Balance of county	103	62	16	21	29	24	-	5	5	48.5	3	29.1
Wharton	973	797	106	50	333	170	-	162	54	55.5	29	29.8
White	780	686	72	18	244	112	-	131	44	55.7	18	22.8
Nonwhite	183	111	34	32	89	58	-	31	10	54.6	11	60.1
Wheeler	259	251	7	1	98	48	-	41	8	30.9	20	77.2
Wichita	1,935	1,871	56	8	756	299	180	273	66	34.1	44	22.7
Wichita Falls	1,470	1,414	48	8	439	214	-	221	55	37.4	35	23.8
Balance of county	465	457	8	-	317	85	180	52	11	23.7	9	19.4
Wilbarger	438	432	2	3	125	68	-	57	9	20.5	11	25.1
Willacy	972	310	105	507	290	256	-	31	124	127.6	44	45.3
Williamson	897	703	152	39	391	237	3	144	50	55.7	30	33.4
White	716	588	114	12	327	193	3	124	37	51.7	21	29.3
Nonwhite	181	115	38	27	64	44	-	20	13	71.8	9	49.7
Wilson	385	220	127	30	145	110	1	32	27	70.1	15	39.0
Winkler	323	319	4	-	52	18	-	22	17	52.6	7	21.7
Wise	320	299	21	-	168	120	-	47	11	34.4	14	43.8
Wood	483	330	138	15	187	152	-	34	16	33.1	12	24.8
White	425	317	108	-	157	124	-	32	16	37.6	9	21.2
Nonwhite	58	13	30	15	30	28	-	2	-	0	3	51.7
Yoakum	89	87	2	-	6	4	-	2	2	22.5	13	146.1
Young	397	383	13	-	136	66	-	70	13	32.7	10	25.2
Zapata	133	22	74	36	28	25	-	3	6	45.1	3	22.6
Zavala	425	158	100	161	108	68	-	20	28	65.9	18	42.4
UTAH	20,714	20,312	378	5	5,070	2,625	148	2,223	568	27.4	298	14.4
White	20,385	19,998	367	4	4,946	2,572	144	2,159	545	26.7	290	14.2
Nonwhite	329	314	11	1	124	53	5	64	23	69.9	8	24.3
Beaver	143	115	27	1	37	28	-	9	1	7.0	3	21.0
Box Elder	596	596	-	-	140	74	-	65	16	26.8	6	10.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
UTAH—Continued												
Cache	1,087	1,075	12	-	256	158	-	88	26	23.9	13	12.0
Logan	588	586	2	-	123	64	-	53	18	30.6	6	10.2
Balance of county	499	489	10	-	133	94	-	35	8	16.0	7	14.0
Carbon	778	767	10	-	174	72	2	100	37	47.6	11	14.1
Daggett	9	9	-	-	-	-	-	-	-	0	-	0
Davis	976	958	16	-	147	75	-	72	28	28.6	6	6.1
Duchesne	284	277	6	-	47	25	-	21	7	24.6	2	7.0
Emery	133	129	4	-	47	33	-	13	2	15.0	1	7.5
Garfield	129	124	3	-	28	18	-	10	4	31.0	4	31.0
Grand	41	39	1	-	12	7	-	5	2	48.8	1	24.4
Iron	306	304	1	-	69	46	-	23	9	29.4	1	3.3
Juab	182	176	6	-	61	39	-	22	6	33.0	2	11.0
Kane	64	64	-	-	19	9	-	6	4	62.5	2	31.3
Millard	267	227	40	-	69	50	-	17	8	30.0	3	11.2
Morgan	62	62	-	-	14	10	-	3	-	0	3	48.4
Piute	59	50	9	-	13	10	-	3	2	33.9	-	0
Rich	37	36	1	-	9	4	-	4	2	54.1	-	0
Salt Lake	7,912	7,807	100	-	2,038	1,011	4	986	194	24.5	120	15.2
Salt Lake City	5,373	5,323	47	-	1,543	736	4	776	137	25.5	85	15.8
Balance of county	2,539	2,484	53	-	495	275	-	210	57	22.4	35	13.8
San Juan	108	106	2	-	18	8	-	7	2	18.5	6	55.6
White	99	97	2	-	12	8	-	2	2	20.2	5	50.5
Nonwhite	9	9	-	-	6	-	-	5		0	1	111.1
Sanpete	376	315	61	-	137	114	-	22	10	26.6	3	8.0
Sevier	390	388	2	-	100	64	-	35	11	28.2	2	5.1
Summit	217	211	6	-	64	34	-	29	8	36.9	2	9.2
Tooele	551	525	6	-	115	68	-	45	16	30.1	4	7.5
Uintah	363	358	4	-	102	51	-	51	19	52.3	8	22.0
White	326	323	3	-	83	42	-	41	16	49.1	8	24.5
Nonwhite	37	35	1	-	19	9	-	10	3	81.1	-	0
Utah	2,471	2,434	36	-	591	277	110	200	75	30.4	47	19.0
Provo	818	807	11	-	229	83	80	66	26	31.8	11	13.4
Balance of county	1,653	1,627	25	-	362	194	30	134	49	29.6	36	21.8
Wasatch	153	149	4	-	40	29	-	11	5	32.7	5	32.7
Washington	327	316	9	-	72	39	2	30	2	6.1	4	12.2
Wayne	85	76	5	3	15	8	-	7	4	47.1	4	47.1
Weber	2,628	2,619	7	1	636	264	31	339	70	28.6	35	13.3
Ogden	1,791	1,784	5	1	504	198	-	304	56	31.3	23	12.8
Balance of county	837	835	2	-	132	66	31	35	14	16.7	12	14.3
VERMONT	9,369	8,580	785	-	4,096	2,185	225	1,623	271	28.9	175	18.7
White	9,366	8,577	785	-	4,093	2,184	225	1,621	271	28.9	175	18.7
Nonwhite	3	3	-	-	3	1	-	2	-	0	-	0
Addison	490	430	60	-	171	100	-	69	14	28.6	9	18.4
Bennington	528	476	52	-	293	136	4	142	15	28.4	5	9.5
Caledonia	603	528	75	-	290	177	2	108	18	29.9	15	24.9
Chittenden	1,650	1,623	26	-	533	256	8	265	48	29.1	30	18.2
Burlington	822	816	6	-	318	131	8	176	29	35.3	16	19.5
Balance of county	828	807	20	-	215	125	-	89	19	22.9	14	16.9
Essex	138	110	28	-	60	42	-	15	3	21.7	4	29.0
Franklin	820	640	179	-	312	209	6	93	15	18.3	14	17.1
Grand Isle	91	69	22	-	45	33	-	11	5	54.9	-	0
Lamoille	265	239	26	-	100	54	-	46	4	15.1	4	15.1
Orange	436	406	29	-	184	90	1	92	14	32.1	10	22.9
Orleans	659	558	101	-	228	130	5	75	26	39.5	12	18.2
Rutland	1,029	965	64	-	562	312	13	233	27	26.2	22	21.4
Rutland	452	444	8	-	199	96	4	98	17	37.6	9	19.9
Balance of county	577	521	56	-	363	216	9	135	10	17.3	13	22.5
Washington	1,079	1,048	30	-	500	200	107	192	31	28.7	16	14.8
Barre	273	267	6	-	107	44	-	63	10	36.6	2	7.3
Balance of county	806	781	24	-	393	156	107	129	21	26.1	14	17.4
Windham	596	561	35	-	408	210	73	119	16	26.8	11	18.5
Windsor	985	927	58	-	410	236	6	163	35	35.5	23	23.4
VIRGINIA[16]	82,057	56,527	14,788	10,468	28,976	17,515	1,486	9,718	3,163	38.5	2,150	26.2
White	61,049	48,864	10,419	1,592	20,057	11,676	969	7,167	2,076	34.0	1,274	20.9
Nonwhite	21,008	7,663	4,369	8,876	8,919	5,839	497	2,551	1,087	51.7	876	41.7
Accomack	712	365	106	241	409	327	-	82	39	54.8	29	40.7
White	408	327	78	3	252	195	-	57	13	31.9	7	17.2
Nonwhite	304	38	28	238	157	132	-	25	26	85.5	22	72.4
Albemarle	522	462	34	24	235	150	-	84	11	21.1	10	19.2
White	414	380	24	9	174	112	-	61	7	16.9	4	9.7
Nonwhite	108	82	10	15	61	38	-	23	4	37.0	6	55.6
Alleghany	604	403	190	7	189	110	-	52	23	38.1	19	31.5
Amelia	211	42	67	101	85	71	-	14	12	56.9	6	28.4
White	82	34	44	3	36	29	-	7	1	12.2	2	24.4
Nonwhite	129	8	23	98	49	42	-	7	11	85.3	4	31.0
Amherst	430	261	118	47	229	113	81	35	26	60.5	2	4.7
White	259	191	58	9	170	64	81	25	12	46.3	2	7.7
Nonwhite	171	70	60	38	59	49	-	10	14	81.9	-	0
Appomattox	198	101	68	27	81	70	-	11	9	45.5	3	15.2
White	143	90	52	1	55	48	-	7	3	21.0	1	7.0
Nonwhite	55	11	14	26	26	22	-	4	6	109.1	2	36.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
VIRGINIA[18]—Continued												
Arlington[17]	3,841	3,618	18	-	572	289	-	281	68	17.7	90	23.4
Augusta	1,086	894	175	14	411	272	38	101	43	39.6	20	18.4
Bath	143	112	17	10	66	43	-	22	9	62.9	2	14.0
White	133	106	16	8	59	39	-	19	8	60.2	2	15.0
Nonwhite	10	6	1	2	7	4	-	3	1	100.0	-	0
Bedford	669	450	158	57	327	209	41	77	28	41.9	23	34.4
White	508	398	98	11	240	140	41	59	17	33.5	17	33.5
Nonwhite	161	52	60	46	87	69	-	18	11	68.3	6	37.3
Bland	165	80	79	2	33	28	-	5	3	18.2	1	6.1
Botetourt	364	208	141	15	156	111	-	42	13	35.7	10	27.5
White	320	189	125	6	133	96	-	35	11	34.4	8	25.0
Nonwhite	44	19	16	9	23	15	-	7	2	45.5	2	45.5
Brunswick	518	127	139	248	178	145	-	33	22	42.5	15	29.0
White	173	111	50	12	70	52	-	18	4	23.1	3	17.3
Nonwhite	345	16	89	236	108	93	-	15	18	52.2	12	34.8
Buchanan	1,267	350	671	237	260	168	-	92	83	65.5	39	30.8
Buckingham	316	126	50	136	135	107	-	27	22	69.6	11	34.8
White	138	91	28	19	80	58	-	21	9	65.2	1	7.2
Nonwhite	178	35	22	117	55	49	-	6	13	73.0	10	56.2
Campbell	687	469	154	63	201	144	-	55	16	23.3	6	8.7
White	479	393	79	7	129	89	-	38	10	20.9	3	6.3
Nonwhite	208	76	75	56	72	55	-	17	6	28.8	3	14.4
Caroline	328	90	181	56	131	100	-	30	18	54.7	8	24.3
White	121	67	50	4	70	48	-	21	8	66.1	2	16.5
Nonwhite	208	23	131	52	61	52	-	9	10	48.1	6	28.8
Carroll	648	238	386	19	162	128	-	34	18	27.8	16	24.7
Charles City	153	35	19	99	45	35	-	10	9	58.8	5	32.7
White	27	18	9	-	10	7	-	3	-	0	-	0
Nonwhite	126	17	10	99	35	28	-	7	9	71.4	5	39.7
Charlotte	350	126	80	141	141	122	-	18	18	51.4	9	25.7
White	174	114	52	7	59	45	-	14	9	51.7	3	17.2
Nonwhite	176	14	28	134	82	77	-	4	9	51.1	6	34.1
Chesterfield	998	825	28	145	306	186	-	132	38	39.1	23	23.0
White	776	753	12	11	215	108	-	99	24	30.9	12	15.5
Nonwhite	222	72	16	134	91	57	-	33	15	67.6	11	49.5
Clarke	172	133	38	1	92	64	-	28	8	46.5	9	52.3
White	135	111	24	-	72	48	-	24	4	29.6	6	44.4
Nonwhite	37	22	14	1	20	16	-	4	4	108.1	3	81.1
Craig	76	47	27	2	35	27	-	5	-	0	-	0
Culpeper	328	169	144	14	129	100	-	28	11	33.5	9	27.4
White	221	148	68	5	88	66	-	21	6	27.1	7	31.7
Nonwhite	107	21	76	9	41	34	-	7	5	46.7	2	18.7
Cumberland	181	54	28	99	70	56	-	12	5	27.6	7	38.7
White	69	48	11	10	27	18	-	8	3	43.5	2	29.0
Nonwhite	112	6	17	89	43	38	-	4	2	17.9	5	44.6
Dickenson	856	411	353	85	167	104	-	57	55	64.3	26	30.4
Dinwiddie	389	121	82	184	465	94	333	37	16	41.1	11	28.3
White	140	101	31	8	56	32	-	23	4	28.6	1	7.1
Nonwhite	249	20	51	176	409	62	333	14	12	48.2	10	40.2
Elizabeth City	1,298	1,196	27	75	325	149	-	175	43	33.1	32	24.7
White	1,056	1,041	13	2	199	90	-	108	31	29.4	23	21.8
Nonwhite	242	155	14	73	126	59	-	67	12	49.6	9	37.2
Essex	141	46	64	31	95	76	-	19	7	49.6	4	28.4
White	54	37	16	1	42	30	-	12	1	18.5	1	18.5
Nonwhite	87	9	48	30	53	46	-	7	6	69.0	3	34.5
Fairfax	2,145	1,990	110	45	458	256	9	189	45	21.0	36	16.8
White	1,956	1,846	93	17	385	210	6	166	38	19.4	28	14.3
Nonwhite	189	144	17	28	73	46	3	23	7	37.0	8	42.3
Fauquier	505	324	111	70	242	166	-	68	16	31.7	14	27.7
White	346	263	61	22	172	113	-	51	11	31.8	9	26.0
Nonwhite	159	61	50	48	70	53	-	17	5	31.4	5	31.4
Floyd	254	133	88	29	89	64	-	25	10	39.4	6	23.6
Fluvanna	160	69	50	40	69	49	4	14	4	25.0	2	12.5
White	68	45	19	4	45	29	4	10	1	14.7	2	29.4
Nonwhite	92	24	31	36	24	20	-	4	3	32.6	-	0
Franklin	628	294	252	75	212	163	-	49	19	30.3	16	25.5
White	521	275	200	40	171	128	-	43	18	34.5	11	21.1
Nonwhite	107	19	52	35	41	35	-	6	1	9.3	5	46.7
Frederick	422	393	17	10	144	87	-	55	15	35.5	9	21.3
Giles	610	413	183	13	143	96	-	47	27	44.3	16	26.2
Gloucester	198	101	81	14	116	92	-	24	9	45.9	6	30.6
White	121	90	28	3	73	54	-	19	3	24.8	1	8.3
Nonwhite	75	11	53	11	43	38	-	5	6	80.0	5	66.7
Goochland	194	71	33	90	103	71	13	19	11	56.7	5	25.8
White	86	60	20	6	47	32	6	9	4	46.5	1	11.6
Nonwhite	108	11	13	84	56	39	7	10	7	64.8	4	37.0
Grayson	557	285	241	15	191	140	-	51	25	44.9	15	26.9
Greene	138	111	24	1	38	27	-	10	2	14.5	4	29.0
White	122	104	18	-	29	18	-	10	1	8.2	2	16.4
Nonwhite	16	7	6	1	9	9	-	-	1	62.5	2	125.0
Greensville	521	160	197	162	159	112	-	46	26	49.9	16	30.7
White	141	125	7	9	62	40	-	22	2	14.2	1	7.1
Nonwhite	380	35	190	153	97	72	-	24	24	63.2	15	39.5
Halifax	1,085	496	305	284	399	284	-	103	42	38.7	37	34.1
White	521	408	106	7	206	123	-	74	12	23.0	11	21.1
Nonwhite	564	88	199	277	193	161	-	29	30	53.2	26	46.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
VIRGINIA[16]—Continued												
Hanover	466	232	130	103	205	167	-	38	16	34.3	6	12.9
White	268	205	55	8	132	102	-	30	8	29.9	2	7.5
Nonwhite	198	27	75	95	73	65	-	8	8	40.4	4	20.2
Henrico	1,071	989	25	57	266	180	-	80	21	19.6	14	13.1
White	924	910	10	4	220	146	-	66	16	17.3	9	9.7
Nonwhite	147	79	15	53	46	34	-	12	5	34.0	5	34.0
Henry	912	450	318	139	188	130	-	57	30	32.9	21	23.0
White	609	359	234	16	114	74	-	39	12	19.7	12	19.7
Nonwhite	303	91	84	123	74	56	-	18	18	59.4	9	29.7
Highland	106	44	61	1	42	29	1	12	2	18.9	3	28.3
Isle of Wight	387	122	37	228	147	119	-	28	19	49.1	10	25.8
White	125	98	18	9	71	56	-	15	6	48.0	-	0
Nonwhite	262	24	19	219	76	63	-	13	13	49.6	10	38.2
James City	190	101	26	63	53	33	-	20	8	42.1	8	42.1
White	70	65	5	-	24	13	-	11	4	57.1	1	14.3
Nonwhite	120	36	21	63	29	20	-	9	4	33.3	7	58.3
King and Queen	149	57	56	36	56	44	-	12	8	80.4	8	53.7
White	58	42	15	1	19	15	-	4	2	34.5	1	17.2
Nonwhite	91	15	41	35	37	29	-	8	7	76.9	7	76.9
King George	144	84	36	23	44	30	-	14	6	41.7	5	34.7
White	95	74	13	8	29	22	-	7	4	42.1	3	31.6
Nonwhite	49	10	23	15	15	8	-	7	2	40.8	2	40.8
King William	204	106	65	33	92	76	-	16	13	63.7	7	34.3
White	102	85	15	2	43	34	-	9	3	29.4	3	29.4
Nonwhite	102	21	50	31	49	42	-	7	10	98.0	4	39.2
Lancaster	220	69	139	11	94	76	-	17	13	59.1	4	18.2
White	130	63	67	-	50	39	-	10	3	23.1	3	23.1
Nonwhite	90	6	72	11	44	37	-	7	10	111.1	1	11.1
Lee	1,019	273	637	87	296	230	-	65	67	65.8	38	37.3
Loudoun	561	457	91	13	211	157	1	50	20	35.7	15	26.7
White	429	362	65	2	157	113	1	40	13	30.3	10	23.3
Nonwhite	132	95	26	11	54	44	-	10	7	53.0	5	37.9
Louisa	329	229	40	60	132	100	-	30	12	36.5	9	27.4
White	182	155	17	10	73	54	-	17	5	27.5	3	16.5
Nonwhite	147	74	23	50	59	46	-	13	7	47.6	6	40.8
Lunenburg	374	126	133	114	133	109	-	23	21	56.1	16	42.8
White	190	107	80	3	76	63	-	12	8	42.1	7	36.8
Nonwhite	184	19	53	111	57	46	-	11	13	70.7	9	48.9
Madison	173	122	48	3	75	62	-	13	3	17.3	5	28.9
White	126	96	27	3	56	45	-	11	2	15.9	1	7.9
Nonwhite	47	26	21	-	19	17	-	2	1	21.3	4	85.1
Mathews	113	66	47	-	77	60	-	15	3	26.5	3	26.5
White	75	63	12	-	45	32	-	11	1	13.3	1	13.3
Nonwhite	38	3	35	-	32	28	-	4	2	52.6	2	52.6
Mecklenburg	898	279	213	406	292	250	-	42	44	49.0	26	29.0
White	328	225	63	20	123	101	-	22	9	27.4	4	12.2
Nonwhite	570	54	150	386	169	149	-	20	35	61.4	22	38.6
Middlesex	131	67	16	48	93	75	-	18	8	61.1	3	22.9
White	55	50	3	2	50	39	-	11	4	72.7	3	54.5
Nonwhite	76	17	13	46	43	36	-	7	4	52.6	-	0
Montgomery	720	634	65	19	232	150	-	80	35	48.6	16	22.2
Nansemond	636	193	105	338	284	222	-	62	37	58.2	18	28.3
White	161	132	21	8	84	60	-	24	8	49.7	3	18.6
Nonwhite	475	61	84	330	200	162	-	38	29	61.1	15	31.6
Nelson	359	228	27	96	131	92	-	39	12	33.4	7	19.5
White	233	184	19	25	95	62	-	33	9	38.6	3	12.9
Nonwhite	126	44	8	71	36	30	-	6	3	23.8	4	31.7
New Kent	98	43	15	40	44	28	-	15	4	40.8	2	20.4
White	28	25	3	-	29	17	-	11	1	35.7	-	0
Nonwhite	70	18	12	40	15	11	-	4	3	42.9	2	28.6
Norfolk	2,705	2,200	109	396	471	272	6	185	70	25.9	64	23.7
White	2,206	2,114	67	25	297	165	6	118	50	22.7	39	17.7
Nonwhite	499	86	42	371	174	107	-	67	20	40.1	25	50.1
Northampton	422	182	14	226	218	159	-	59	21	49.8	18	42.7
White	131	124	2	5	96	66	-	30	3	22.9	2	15.3
Nonwhite	291	58	12	221	122	93	-	29	18	61.9	16	55.0
Northumberland	197	43	108	46	116	107	-	9	10	50.8	12	60.9
White	86	38	48	-	59	53	-	6	5	58.1	2	23.3
Nonwhite	111	5	60	46	57	54	-	3	5	45.0	10	90.1
Nottoway	369	163	77	129	166	118	3	43	17	48.1	11	29.8
White	184	136	42	6	69	55	3	9	6	32.6	4	21.7
Nonwhite	185	27	35	123	97	63	-	34	11	59.5	7	37.8
Orange	311	242	60	9	123	81	-	39	10	32.2	7	22.5
White	231	205	24	2	83	47	-	33	8	34.6	2	8.7
Nonwhite	80	37	36	7	40	34	-	6	2	25.0	5	62.5
Page	359	228	118	11	147	102	1	43	13	36.2	11	30.6
Patrick	411	128	237	34	113	86	-	26	16	38.9	10	24.3
Pittsylvania	1,843	999	384	444	546	328	24	190	67	36.4	67	36.4
White	1,117	902	202	13	351	187	14	148	34	30.4	36	32.2
Nonwhite	726	97	182	431	195	141	10	42	33	45.5	31	42.7
Powhatan	135	60	16	59	55	41	2	12	3	22.2	3	22.2
White	65	52	10	3	25	17	1	7	-	0	2	30.8
Nonwhite	70	8	6	56	30	24	1	5	3	42.9	1	14.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
		Attended by—										
	Total[1]	Physician in hospital[2]	Physician not in hospital	Midwife	Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
VIRGINIA[18]—Continued												
Prince Edward	363	185	55	125	148	105	-	43	11	30.3	13	35.8
White	160	136	14	10	65	41	-	23	5	31.3	-	0
Nonwhite	203	47	41	115	84	64	-	20	6	29.6	13	64.0
Prince George	339	203	19	115	113	71	2	39	16	47.2	11	32.4
White	201	189	8	4	57	30	-	26	3	14.9	3	14.9
Nonwhite	138	14	11	111	56	41	2	13	13	94.2	8	58.0
Prince William	757	602	77	76	150	87	6	57	27	35.7	9	11.9
White	681	566	66	49	125	71	5	49	27	39.6	8	11.7
Nonwhite	76	36	11	27	25	16	1	8	-	0	1	13.2
Princess Anne	866	554	83	228	339	150	-	176	21	24.2	21	24.2
White	551	512	38	1	176	81	-	84	11	20.0	10	18.1
Nonwhite	315	42	45	227	163	69	-	92	10	31.7	11	34.9
Pulaski	804	668	47	77	211	120	8	82	30	37.3	17	21.1
Rappahannock	150	86	64	-	62	47	-	15	5	33.3	3	20.0
White	126	71	55	-	44	32	-	12	3	23.8	2	15.9
Nonwhite	24	15	9	-	18	15	-	3	2	83.3	1	41.7
Richmond	125	23	93	8	56	53	-	3	9	72.0	4	32.0
White	77	18	57	1	33	31	-	2	4	51.9	1	13.0
Nonwhite	48	5	36	7	23	22	-	1	5	104.2	3	62.5
Roanoke	1,251	1,161	70	17	444	311	110	120	32	25.6	24	19.2
Rockbridge	515	389	111	28	231	175	1	54	15	29.2	9	17.5
White	457	382	75	24	192	146	1	44	10	21.9	8	17.5
Nonwhite	58	16	36	4	39	29	-	10	5	89.3	1	17.9
Rockingham	942	780	160	2	301	194	-	99	32	34.0	24	25.5
Russell	770	306	425	34	215	146	-	68	36	46.8	24	31.2
Scott	634	410	70	139	200	147	-	53	23	36.3	17	26.8
Shenandoah	485	405	74	4	252	166	1	81	9	18.6	9	18.6
Smyth	817	389	394	33	309	166	73	68	41	50.2	16	19.6
Southampton	787	297	90	396	241	176	-	65	28	35.6	32	40.7
White	251	222	17	12	100	63	-	37	5	19.9	5	19.9
Nonwhite	536	75	73	384	141	113	-	28	23	42.9	27	50.4
Spotsylvania	235	162	37	35	83	60	-	23	5	21.3	3	12.8
White	159	141	16	1	57	39	-	18	3	18.9	1	6.3
Nonwhite	76	21	21	34	26	21	-	5	2	26.3	2	26.3
Stafford	246	190	20	33	106	78	-	28	11	44.7	5	20.3
White	190	173	11	6	83	55	-	28	5	26.3	3	15.8
Nonwhite	56	17	9	27	23	23	-	-	6	107.1	2	35.7
Surry	140	20	9	109	62	48	-	14	6	42.9	7	50.0
White	27	15	5	6	22	16	-	6	1	37.0	2	74.1
Nonwhite	113	5	4	103	40	32	-	8	5	44.2	5	44.2
Sussex	361	117	36	204	132	96	-	36	13	36.0	12	33.2
White	119	106	7	5	45	26	-	18	2	16.8	4	33.6
Nonwhite	242	11	29	199	87	70	-	17	11	45.5	8	33.1
Tazewell	1,523	675	828	14	411	256	-	155	91	59.8	32	21.0
Warren	394	342	44	8	112	71	-	36	15	38.1	7	17.8
Warwick	1,044	897	37	110	144	101	-	42	24	23.0	27	25.9
White	641	634	6	1	90	58	-	32	16	28.1	10	15.6
Nonwhite	403	263	31	109	54	43	-	10	6	14.9	17	42.2
Washington	985	458	452	78	300	205	-	95	35	35.2	30	30.2
Westmoreland	245	72	69	103	104	85	-	19	13	53.1	9	36.7
White	102	63	33	6	57	47	-	10	3	29.4	5	49.0
Nonwhite	143	9	36	97	47	38	-	9	10	69.9	4	28.0
Wise	1,758	678	1,014	60	453	300	5	145	82	46.6	54	30.7
Wythe	616	347	264	4	222	155	-	64	31	50.3	18	29.2
York	247	179	18	52	75	51	-	24	8	32.4	8	32.4
White	156	148	8	-	45	28	-	17	4	25.6	4	25.6
Nonwhite	91	31	8	52	30	23	-	7	4	44.0	4	44.0
Independent Cities[18]												
Alexandria	1,842	1,798	6	37	450	196	1	253	43	23.3	34	18.5
White	1,660	1,646	4	9	347	146	1	200	34	20.5	28	16.9
Nonwhite	182	152	2	28	103	50	-	53	9	49.5	6	33.0
Bristol[19]	406	343	60	3	148	85	-	61	19	46.8	13	32.0
White	369	318	48	3	133	77	-	54	19	51.5	12	32.5
Nonwhite	37	25	12	-	15	8	-	7	-	0	1	27.0
Buena Vista	142	94	40	7	29	26	-	3	1	7.0	2	14.1
Charlottesville	681	664	15	2	215	130	-	82	20	29.4	11	16.2
White	545	542	2	1	156	94	-	59	12	22.0	6	11.0
Nonwhite	136	122	13	1	59	36	-	23	8	58.8	5	36.8
Clifton Forge	140	128	11	-	72	36	-	34	5	35.7	3	21.4
White	113	110	2	-	54	26	-	26	5	44.2	3	26.5
Nonwhite	27	18	9	-	18	10	-	8	-	0	-	0
Danville	822	628	21	173	370	210	-	158	42	51.1	-	0
White	552	542	5	5	236	109	-	126	21	38.0	-	0
Nonwhite	270	86	16	168	134	101	-	32	21	77.8	-	0
Fredericksburg	284	255	10	19	98	50	-	48	11	38.7	8	28.2
White	230	229	-	1	75	38	-	37	8	34.8	7	30.4
Nonwhite	54	26	10	18	23	12	-	11	3	55.6	1	18.5
Hampton	209	193	4	12	113	45	-	67	11	52.6	15	71.8
White	146	146	-	-	64	28	-	35	6	41.1	11	75.3
Nonwhite	63	47	4	12	49	17	-	32	5	79.4	4	63.5
Harrisonburg	247	242	4	1	89	37	-	51	8	32.4	-	0
Hopewell	226	201	18	7	80	43	-	36	9	39.8	6	26.5
White	205	192	13	-	63	34	-	28	6	29.3	6	29.3
Nonwhite	21	9	5	7	17	9	-	8	3	142.9	-	0
Lynchburg	1,244	1,175	61	5	493	278	6	209	46	37.0	14	11.3
White	909	900	9	-	363	194	2	163	34	37.4	7	7.7
Nonwhite	335	275	52	5	130	84	4	42	12	35.8	7	20.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
VIRGINIA[16]—Continued												
Independent Cities[18]—Continued												
Martinsville	416	312	78	21	122	69	-	53	18	43.3	16	38.5
White	297	268	28	-	80	39	-	41	8	26.9	9	30.3
Nonwhite	119	44	50	21	42	30	-	12	10	84.0	7	58.8
Newport News	1,256	1,142	25	87	506	199	-	301	65	51.8	39	31.1
White	733	727	6	-	249	97	-	148	32	43.7	14	19.1
Nonwhite	523	415	19	87	257	102	-	153	33	63.1	25	47.8
Norfolk	4,234	3,189	451	589	1,898	932	4	945	165	39.0	154	36.4
White	2,645	2,549	87	6	1,077	492	4	569	101	38.2	55	20.8
Nonwhite	1,589	640	364	583	821	440	-	376	64	40.3	99	62.3
Petersburg	844	483	39	322	401	261	13	123	40	47.4	23	27.3
White	454	421	10	23	202	117	2	80	15	33.0	10	22.0
Nonwhite	390	62	29	299	199	144	11	43	25	64.1	13	33.3
Portsmouth	1,851	1,096	144	610	688	337	-	350	102	55.1	61	33.0
White	945	928	12	5	335	120	-	214	49	51.9	19	20.1
Nonwhite	906	168	132	605	353	217	-	136	53	58.5	42	46.4
Radford	241	241	-	-	85	54	-	31	10	41.5	1	4.1
Richmond	5,415	5,173	194	45	2,604	1,344	196	1,035	199	36.7	157	29.0
White	3,425	3,392	30	1	1,689	834	110	719	104	30.4	85	24.8
Nonwhite	1,990	1,781	164	44	915	510	86	316	95	47.7	72	36.2
Roanoke	1,816	1,751	63	1	773	425	15	314	85	46.8	40	22.0
White	1,430	1,406	23	-	590	322	12	241	59	41.3	26	18.2
Nonwhite	386	345	40	1	183	103	3	73	26	67.4	14	36.3
South Norfolk	192	136	18	38	60	47	-	13	6	31.3	3	15.6
White	147	130	12	5	36	28	-	8	1	6.8	2	13.6
Nonwhite	45	6	6	33	24	19	-	5	5	111.1	1	22.2
Staunton	335	281	30	24	438	104	283	51	10	29.9	5	14.9
White	281	264	17	-	414	86	283	45	7	24.9	4	14.2
Nonwhite	54	17	13	24	24	18	-	6	3	55.6	1	18.5
Suffolk	270	173	37	60	152	83	-	69	15	55.6	11	40.7
White	143	138	5	-	71	42	-	29	3	21.0	3	21.0
Nonwhite	127	35	32	60	81	41	-	40	12	94.5	8	63.0
Williamsburg	87	70	4	13	212	17	185	10	2	23.0	2	23.0
White	57	56	1	-	202	11	184	7	2	35.1	1	17.5
Nonwhite	30	14	3	13	10	6	1	3	-	0	1	33.3
Winchester	371	369	2	-	166	89	-	68	7	18.9	13	35.0
WASHINGTON	55,833	55,143	588	14	22,211	8,817	1,333	11,266	1,537	27.5	786	14.1
White	54,013	53,366	581	10	21,592	8,591	1,311	10,904	1,446	26.8	753	13.9
Nonwhite	1,820	1,777	27	4	619	226	22	362	91	50.0	33	18.1
Adams	149	142	7	-	55	25	-	30	8	53.7	3	20.1
Asotin	230	227	-	-	105	47	4	36	8	34.8	3	13.0
Benton	1,232	1,225	7	-	192	87	-	89	32	26.0	16	13.0
Chelan	1,083	1,051	30	-	339	133	1	195	39	36.0	21	19.4
Wenatchee	375	374	1	-	157	41	1	114	17	45.3	4	10.7
Balance of county	708	677	29	-	182	92	-	81	22	31.1	17	24.0
Clallam	686	678	7	2	254	105	4	119	22	32.1	9	13.1
Clark	2,157	2,146	11	-	699	251	11	419	55	25.5	35	16.2
Vancouver	933	926	7	-	420	83	6	328	32	34.3	22	34.3
Balance of county	1,224	1,220	4	-	279	168	5	91	23	18.8	13	10.6
Columbia	134	134	-	-	67	21	10	36	7	52.2	2	14.9
Cowlitz	1,501	1,497	4	-	394	178	-	211	29	19.3	11	7.3
Longview	669	667	2	-	175	48	-	125	9	13.5	4	6.0
Balance of county	832	830	2	-	219	130	-	86	20	24.0	7	8.4
Douglas	216	211	5	-	59	26	-	31	6	27.8	2	9.3
Ferry	89	86	1	-	50	22	-	28	3	33.7	2	22.5
White	69	69	-	-	40	16	-	24	3	43.5	2	29.0
Nonwhite	20	17	1	-	10	6	-	4	-	0	-	0
Franklin	350	347	3	-	102	33	-	66	13	37.1	4	11.4
Garfield	70	65	4	-	34	12	-	4	3	42.9	1	14.3
Grant	432	428	4	-	109	50	-	51	12	27.8	7	16.2
Grays Harbor	1,371	1,367	3	1	654	268	38	339	44	32.1	21	15.3
Aberdeen	509	509	-	-	359	95	7	251	12	23.6	7	13.8
Hoquiem	278	277	1	-	93	49	28	16	9	32.4	2	7.2
Balance of county	584	581	2	1	202	124	3	72	23	39.4	12	20.5
Island	167	163	4	-	91	57	8	23	6	35.9	3	18.0
Jefferson	300	299	1	-	88	36	3	48	13	43.3	3	10.0
King	16,878	16,744	98	1	6,908	2,861	139	3,779	458	27.1	280	16.6
Seattle	13,447	13,377	46	-	5,334	2,056	93	3,115	330	24.5	219	16.3
White	12,615	12,546	45	-	5,110	1,991	93	2,964	306	24.3	205	16.3
Nonwhite	832	831	1	-	216	65	-	151	24	28.8	14	16.8
Balance of county	3,431	3,367	52	1	1,574	805	46	664	128	37.3	61	17.8
Kitsap	2,032	2,023	6	1	594	229	32	305	51	25.1	26	12.8
Bremerton	1,045	1,044	1	-	297	72	-	208	24	23.0	13	12.4
Balance of county	987	979	5	1	297	157	32	97	27	27.4	13	13.2
Kittitas	550	541	9	-	190	72	5	109	14	25.5	12	21.8
Klickitat	307	304	2	-	104	57	-	46	5	16.3	4	13.0
Lewis	961	957	4	-	528	228	38	235	26	27.1	8	8.3
Lincoln	227	205	22	-	87	37	-	44	10	44.1	2	8.8
Mason	354	350	3	-	123	51	-	65	6	16.9	2	5.6
Okanogan	815	786	28	-	239	106	-	132	30	36.8	8	9.8
Pacific	375	342	33	-	196	71	-	116	12	32.0	5	13.3
Pend Oreille	159	154	5	-	68	27	-	40	3	18.9	1	6.3

See footnotes on p. 93.

891562 O—50——7

TABLE 1.–LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
WASHINGTON—Continued												
Pierce	5,553	5,507	38	-	2,690	893	418	1,260	150	27.0	70	12.6
Tacoma	3,511	3,492	15	-	1,708	576	16	1,054	100	28.5	48	13.7
Balance of county	2,042	2,015	23	-	981	317	402	206	50	24.5	22	10.8
San Juan	63	50	13	-	27	19	-	7	-	0	-	0
Skagit	943	935	6	-	586	166	211	195	33	35.0	19	20.1
Skamania	90	88	-	-	45	22	-	22	1	11.1	3	33.3
Snohomish	2,529	2,480	43	-	1,160	556	23	544	94	37.2	29	11.5
Everett	1,000	995	4	-	525	227	16	265	40	40.0	12	12.0
Balance of county	1,528	1,485	39	-	635	329	7	279	54	35.3	17	11.1
Spokane	5,282	5,216	42	-	2,338	851	272	1,062	118	22.4	79	15.0
Spokane	4,054	4,030	20	-	1,680	650	39	879	87	21.5	61	15.0
Balance of county	1,208	1,186	22	-	658	201	233	183	31	25.7	18	14.9
Stevens	441	435	2	2	218	82	-	134	16	36.3	4	9.1
Thurston	1,088	1,038	44	2	360	179	1	174	23	21.1	10	9.2
Olympia	410	400	10	-	209	80	-	126	11	26.8	3	7.3
Balance of county	678	638	34	2	151	99	1	49	12	17.7	7	10.3
Wahkiakum	75	75	-	-	29	19	-	9	3	40.0	1	13.3
Walla Walla	861	856	2	2	382	136	31	201	18	20.9	8	9.3
Walla Walla	537	533	1	2	297	93	15	178	10	18.6	5	9.3
Balance of county	324	323	1	-	85	43	16	23	8	24.7	3	9.3
Whatcom	1,585	1,578	7	-	729	274	58	363	40	25.2	20	12.6
Bellingham	898	898	-	-	421	128	57	204	22	24.5	10	11.1
Balance of county	687	680	7	-	308	146	1	159	18	26.2	10	14.6
Whitman	765	756	9	-	277	115	-	157	24	31.4	2	2.6
Yakima	3,754	3,660	81	3	1,040	415	26	542	102	27.2	50	13.3
Yakima	1,493	1,497	4	1	469	167	13	279	40	26.8	17	11.4
Balance of county	2,261	2,173	77	2	571	248	13	263	62	27.4	33	14.6
WEST VIRGINIA	52,396	32,338	18,377	1,030	17,600	10,987	637	5,847	2,108	40.2	1,344	25.7
White	49,608	31,385	16,625	981	16,144	10,052	568	5,389	1,990	40.1	1,228	24.8
Nonwhite	2,788	953	1,752	49	1,456	935	69	448	118	42.3	116	41.6
Barbour	495	230	169	7	184	131	3	49	25	50.5	10	20.2
Berkeley	672	648	21	3	336	213	-	161	34	50.6	16	23.8
Martinsburg	370	366	3	1	190	82	-	108	10	48.6	12	32.4
Balance of county	302	282	18	2	146	90	-	56	16	53.0	4	13.2
Boone	960	620	348	7	208	166	-	42	45	45.9	34	34.7
Braxton	523	353	128	21	148	104	-	42	25	47.8	8	15.3
Brooke	566	538	26	2	207	111	4	90	25	44.2	10	17.7
Cabell	2,746	2,635	105	1	1,098	544	103	445	114	41.5	51	18.6
Huntington (part)	2,150	2,123	24	-	920	435	97	388	87	(8)	40	(8)
Huntington (total)	2,308	2,180	-	-	953	458	97	383	88	39.9	41	18.6
Balance of county	596	512	81	1	178	109	6	62	27	45.3	11	18.5
Calhoun	287	101	166	10	91	65	-	24	15	52.3	5	17.4
Clay	468	161	217	59	114	90	-	24	26	55.6	14	29.9
Doddridge	189	64	123	2	85	62	-	23	5	26.5	8	42.3
Fayette	2,292	674	1,561	43	598	439	10	148	85	37.1	43	18.8
White	1,995	621	1,320	40	472	364	-	107	77	38.6	39	19.5
Nonwhite	297	53	241	3	126	75	10	41	8	26.9	4	13.5
Gilmer	195	65	124	4	81	63	-	18	5	25.6	3	15.4
Grant	266	184	25	55	75	55	-	20	9	33.8	9	33.8
Greenbrier	1,084	345	704	11	312	246	9	57	21	19.4	22	20.3
Hampshire	317	143	162	9	109	86	-	23	10	31.5	6	18.9
Hancock	816	720	96	-	250	137	-	113	19	23.3	20	24.5
Hardy	241	128	110	3	86	72	-	14	13	53.9	8	33.2
Harrison	2,088	1,617	465	1	772	531	3	235	63	30.2	45	21.6
Clarksburg	926	769	55	1	327	203	-	124	26	31.5	19	23.0
Balance of county	1,260	848	410	-	445	328	3	111	37	29.4	26	20.6
Jackson	342	169	164	9	136	109	-	25	12	35.1	14	40.9
Jefferson	419	358	47	8	176	118	1	54	15	35.8	13	31.0
White	346	302	40	1	148	99	1	46	14	40.5	11	31.8
Nonwhite	73	56	7	7	28	19	-	8	1	13.7	2	27.4
Kanawha	6,013	5,360	1,066	40	1,698	1,039	7	638	227	34.9	163	25.0
Charleston	2,070	2,003	64	1	693	414	-	260	56	27.1	46	22.2
White	1,912	1,871	38	1	591	355	-	227	51	26.7	41	21.4
Nonwhite	158	132	26	-	92	59	-	33	5	31.6	5	31.6
South Charleston	440	432	7	-	82	35	3	44	12	27.3	14	31.8
Balance of county	4,003	2,925	995	39	933	590	4	334	159	39.7	103	25.7
Lewis	448	335	106	7	454	144	250	60	12	26.8	4	8.9
Lincoln	601	299	225	37	194	149	-	35	39	64.9	25	41.6
Logan	2,568	649	1,638	55	608	348	1	251	135	52.6	73	28.4
White	2,356	618	1,456	54	524	276	1	239	128	54.3	68	28.9
Nonwhite	212	31	180	1	84	72	-	12	7	33.0	5	23.6
McDowell	3,041	817	2,106	79	834	496	1	335	151	49.7	108	35.5
White	2,428	735	1,597	75	556	302	-	253	130	53.5	76	31.3
Nonwhite	613	82	519	4	278	194	1	82	21	34.3	32	52.2
Marion	1,709	1,288	420	-	652	444	2	195	54	31.6	51	29.8
Fairmont	666	618	48	-	279	167	-	102	24	36.0	21	31.5
Balance of county	1,043	670	372	-	373	277	2	93	30	28.8	30	28.8
Marshall	781	708	72	-	379	221	24	130	24	30.7	18	23.0
Moundsville	328	316	12	-	172	105	14	53	13	39.6	8	24.4
Balance of county	453	392	60	-	207	116	110	77	11	24.3	10	22.1
Mason	531	279	234	13	241	161	50	29	17	32.0	11	20.7
Mercer	2,044	1,204	829	4	820	378	3	232	82	40.1	51	25.0
White	1,853	1,171	675	2	520	310	2	201	73	39.4	41	22.1
Nonwhite	191	33	154	2	100	68	1	31	9	47.1	10	52.4
Bluefield[20]	617	495	120	-	224	124	-	98	21	34.0	13	21.1
White	516	482	34	-	170	86	-	82	17	32.9	7	13.6
Nonwhite	101	13	86	-	54	38	-	16	4	39.6	6	59.4

See footnotes on p. 93

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
WEST VIRGINIA—Continued												
Mercer—Continued												
Balance of county	1,427	709	709	4	386	254	3	134	61	42.7	38	26.6
Mineral	563	449	72	32	252	184	-	68	23	40.9	19	33.7
Mingo	1,590	513	934	117	369	242	-	127	78	49.1	23	14.5
Monongalia	1,352	1,175	150	2	487	319	8	158	44	32.5	16	11.8
Morgantown	605	592	13	-	198	125	-	73	14	23.1	5	8.3
Balance of county	747	583	137	2	289	194	8	85	30	40.2	11	14.7
Monroe	290	104	179	-	159	85	55	16	10	34.5	6	20.7
Morgan	208	163	33	6	89	57	-	29	11	52.9	7	33.7
Nicholas	778	447	312	12	209	165	-	41	39	50.1	16	20.6
Ohio	1,571	1,549	22	-	843	381	19	438	56	35.6	32	20.4
Wheeling	1,335	1,324	11	-	718	319	3	391	45	33.7	29	21.7
Balance of county	236	225	11	-	125	62	16	47	11	46.6	3	12.7
Pendleton	199	80	106	7	100	73	-	26	12	60.3	6	30.2
Pleasants	150	73	76	-	57	47	-	10	5	33.3	9	60.0
Pocahontas	278	175	97	3	138	81	-	57	13	46.6	8	28.7
Preston	752	353	294	62	295	206	-	86	42	55.9	12	16.0
Putnam	491	210	248	13	171	129	-	40	29	59.1	13	26.5
Raleigh	2,737	1,063	1,607	51	754	449	-	303	124	45.3	94	34.3
White	2,381	1,003	1,335	27	609	351	-	257	102	42.8	75	31.5
Nonwhite	356	60	272	24	145	98	-	46	22	61.8	19	53.4
Beckley	442	349	90	3	199	100	-	97	25	56.6	10	22.6
White	370	331	38	1	157	72	-	84	20	54.1	9	24.3
Nonwhite	72	18	52	2	42	28	-	13	5	69.4	1	13.9
Balance of county	2,295	714	1,517	48	555	349	-	206	99	43.1	84	36.6
White	2,011	672	1,297	26	452	279	-	173	82	40.8	66	32.8
Nonwhite	284	42	220	22	103	70	-	33	17	59.9	18	63.4
Randolph	840	587	214	15	251	156	8	82	30	35.7	33	39.3
Ritchie	311	185	123	-	142	103	2	36	14	45.0	6	19.3
Roane	437	194	203	28	223	110	58	55	17	38.9	20	45.8
Summers	482	180	290	1	162	100	-	62	23	47.7	15	31.1
Taylor	404	269	117	5	204	115	-	87	15	37.1	7	17.3
Tucker	259	185	58	23	112	81	-	28	11	42.5	5	19.3
Tyler	202	126	74	-	123	83	1	37	7	34.7	5	24.8
Upshur	500	345	130	12	191	131	-	59	16	32.0	16	32.0
Wayne	857	478	310	34	281	189	1	90	31	37.0	27	32.3
Huntington (part)	58	57	-	-	33	23	-	10	1	(8)	1	(8)
Balance of county	779	421	310	34	248	166	1	80	30	38.5	26	33.4
Webster	533	284	196	42	125	94	-	30	25	46.9	16	30.0
Wetzel	536	332	187	8	210	146	1	63	18	33.6	16	29.9
Wirt	100	60	26	11	60	45	1	14	5	50.0	3	30.0
Wood	1,730	1,612	99	14	665	377	16	263	71	41.0	40	23.1
Parkersburg	911	892	17	2	398	201	13	179	46	50.5	27	29.6
Balance of county	819	720	82	12	266	176	3	84	25	30.5	13	15.9
Wyoming	1,045	221	763	42	192	159	-	33	32	30.6	31	29.7
WISCONSIN	81,630	78,740	2,743	41	32,564	15,180	1,770	15,228	2,148	26.3	1,365	16.7
White	80,595	77,804	2,655	37	32,174	15,075	1,757	14,957	2,091	25.9	1,336	16.6
Nonwhite	1,035	936	88	4	390	105	13	271	57	55.1	29	28.0
Adams	166	141	24	-	90	46	-	43	6	36.1	6	36.1
Ashland	493	466	24	-	242	105	5	131	19	38.5	9	18.3
Ashland	302	300	2	-	138	50	5	84	14	46.4	7	23.2
Balance of county	191	166	22	-	103	55	-	47	5	26.2	2	10.5
White	164	143	21	-	91	51	-	39	5	30.5	2	12.2
Nonwhite	27	23	1	-	12	4	-	8	-	0	-	0
Barron	872	853	18	-	374	181	8	173	41	47.0	20	22.9
Bayfield	286	275	8	2	165	70	-	93	16	55.9	8	28.0
Brown	2,703	2,656	43	1	809	322	58	425	83	30.7	46	17.0
Green Bay	1,465	1,460	5	-	469	187	19	261	43	29.4	27	18.4
Balance of county	1,238	1,196	38	1	340	135	39	164	40	32.3	19	15.3
Buffalo	379	375	4	-	124	64	-	59	9	23.7	6	15.8
Burnett	240	217	22	-	100	45	-	53	7	29.2	3	12.5
Calumet	510	483	26	-	170	117	-	52	5	9.8	9	17.6
Chippewa	1,194	1,130	61	1	406	144	82	179	46	38.5	15	12.6
Chippewa Falls	319	318	1	-	123	40	6	77	17	53.3	5	15.7
Balance of county	875	812	60	1	282	104	76	102	29	33.1	10	11.4
Clark	744	631	109	-	295	181	23	91	15	20.2	15	20.2
Columbia	745	729	16	-	410	192	33	166	20	26.8	9	12.1
Crawford	485	412	70	2	190	85	-	102	24	49.5	13	26.8
Dane	3,984	3,955	28	1	1,391	603	125	643	93	23.3	68	17.1
Madison	2,366	2,365	-	1	721	288	12	411	56	23.7	44	18.6
Balance of county	1,618	1,590	28	-	670	315	113	232	37	22.9	24	14.8
Dodge	1,288	1,251	37	-	527	254	32	241	34	26.4	13	10.1
Beaver Dam	270	269	1	-	130	49	-	81	11	40.7	2	7.4
Watertown (part)	51	51	-	-	36	27	-	9	3	(8)	2	(8)
Balance of county	967	931	36	-	361	178	32	151	20	20.7	9	9.3
Door	520	468	51	-	188	112	-	76	15	28.8	5	9.6
Douglas	1,089	1,076	12	1	569	198	53	314	24	22.0	24	22.0
Superior	832	828	4	-	419	163	4	248	22	26.4	21	25.2
Balance of county	257	248	8	1	150	35	49	66	2	7.8	3	11.7
Dunn	681	639	42	-	252	125	5	108	27	39.6	7	10.3
Eau Claire	1,460	1,449	9	-	457	142	25	290	23	15.8	24	16.4
Eau Claire	970	968	2	-	310	83	-	227	19	19.6	19	19.6
Balance of county	490	481	7	-	147	59	25	63	4	8.2	5	10.2
Florence	72	66	3	2	48	29	-	17	3	41.7	1	13.9
Fond du Lac	1,691	1,626	64	-	735	316	58	357	49	29.0	21	12.4
Fond du Lac	794	787	7	-	340	129	12	199	24	30.2	13	16.4
Balance of county	897	839	57	-	395	187	46	158	25	27.9	8	8.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In nonresident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
WISCONSIN—Continued												
Forest	265	211	51	-	106	63	-	39	17	64.2	8	30.2
Grant	1,024	902	120	-	493	305	28	156	37	36.1	16	15.6
Green	502	492	9	1	283	143	24	106	13	25.9	11	21.9
Green Lake	345	332	12	-	181	104	2	74	11	31.9	4	11.6
Iowa	486	469	17	-	221	108	8	105	12	24.7	5	10.3
Iron	180	162	16	-	92	51	-	41	4	22.2	-	0
Jackson	382	371	8	-	169	109	1	59	8	20.9	4	10.5
Jefferson	903	879	22	-	477	266	49	157	20	22.1	10	11.1
Watertown (part)	192	190	2	-	106	44	7	53	5	(6)	5	(6)
Watertown (total)	243	241	2	-	142	71	7	62	8	32.9	7	28.8
Balance of county	711	689	20	-	371	222	42	104	15	21.1	5	7.0
Juneau	469	376	88	-	183	129	2	51	8	17.1	9	19.2
Kenosha	1,657	1,648	7	-	596	238	16	340	43	26.0	33	19.9
Kenosha	1,290	1,288	2	-	437	168	5	264	34	26.4	18	14.0
Balance of county	367	360	5	-	159	70	11	76	9	24.5	15	40.9
Kewaunee	426	364	62	-	164	104	3	56	12	28.2	10	23.5
La Crosse	1,649	1,623	25	-	614	232	47	335	36	21.8	29	17.6
La Crosse	1,165	1,159	6	-	426	152	6	268	21	18.0	19	16.3
Balance of county	484	464	19	-	188	80	41	67	15	31.0	10	20.7
Lafayette	463	442	21	-	205	118	2	84	12	25.9	10	21.6
Langlade	636	613	16	1	202	134	-	68	20	31.4	15	23.6
Lincoln	524	512	11	-	219	75	24	120	21	40.1	6	11.5
Manitowoc	1,582	1,553	28	-	614	302	27	284	48	30.3	30	19.0
Manitowoc	645	639	6	-	297	136	19	142	18	27.9	11	17.1
Two Rivers	271	269	2	-	71	33	-	38	2	7.4	5	18.5
Balance of county	666	645	20	-	246	133	8	104	28	42.0	14	21.0
Marathon	1,983	1,827	151	1	652	307	35	309	52	26.2	29	14.6
Wausau	774	772	2	-	296	103	35	157	22	28.4	4	5.2
Balance of county	1,209	1,055	149	1	356	204	-	152	30	24.8	25	20.7
Marinette	890	857	32	-	387	165	19	197	29	32.6	10	11.2
Marinette	365	364	1	-	187	73	6	107	14	38.4	4	11.0
Balance of county	525	493	31	-	200	92	13	90	15	28.6	6	11.4
Marquette	180	165	14	-	112	74	8	26	7	38.9	2	11.1
Milwaukee	19,247	18,914	306	7	7,947	3,131	443	4,279	451	23.4	327	17.0
Milwaukee	14,398	14,156	220	6	6,164	2,449	162	3,478	356	24.7	257	17.8
Wauwatosa	594	590	3	-	279	133	22	123	14	23.6	14	23.6
West Allis	947	940	7	-	316	124	8	182	16	16.9	12	12.7
Cudahy	321	315	6	-	71	40	-	30	4	12.5	4	12.5
Shorewood	266	264	2	-	116	62	-	54	7	26.3	1	3.8
South Milwaukee	362	350	11	-	96	43	-	52	6	16.6	3	8.3
Balance of county	2,359	2,299	57	1	905	280	251	360	48	20.3	36	15.3
Monroe	759	709	50	-	278	142	24	109	24	31.6	12	15.8
Oconto	645	600	45	-	241	143	2	96	21	32.6	10	15.5
Oneida	547	533	14	-	210	97	-	103	9	16.5	7	12.8
Outagamie	2,355	2,265	85	3	699	427	2	269	62	26 3	32	13.6
Appleton	1,000	989	11	-	333	215	-	117	30	30.0	17	17.0
Balance of county	1,355	1,276	74	3	366	212	2	152	32	23.6	15	11.1
Ozaukee	554	548	6		221	106	-	113	16	28.9	5	9.0
Pepin	162	161	1	-	79	43	-	34	4	24.7	3	18.5
Pierce	517	475	42	-	211	109	3	97	6	11.6	6	11.6
Polk	590	563	26	-	257	167	-	83	13	22.0	17	28.8
Portage	872	830	38	1	325	170	3	151	25	28.7	18	20.6
Stevens Point	421	417	4	-	162	77	3	82	12	28.5	10	23.8
Balance of county	451	413	34	1	163	93	-	69	13	29.8	8	17.7
Price	409	384	25	-	138	82	4	49	7	17.1	9	22.0
Racine	2,596	2,575	19	-	1,044	471	73	497	89	34.3	41	15.8
Racine	1,719	1,714	5	-	720	343	7	367	58	33.7	25	14.5
Balance of county	877	861	14	-	324	128	66	130	31	35.3	16	18.2
Richland	470	437	33	-	184	83	8	92	10	21.3	14	29.8
Rock	2,096	2,068	28	-	898	413	24	449	55	26.2	28	13.4
Beloit	746	741	5	-	295	121	-	172	17	22.8	11	14.7
Janesville	561	558	3	-	259	118	2	134	18	32.1	9	16.0
Balance of county	789	769	20	-	344	174	22	143	20	25.3	8	10.1
Rusk	449	438	10	-	127	63	-	64	9	20.0	8	17.8
St. Croix	657	616	41	-	237	150	16	69	14	21.3	14	21.3
Sauk	1,060	1,046	27	-	413	229	19	160	21	19.4	16	14.8
Sawyer	242	177	49	14	110	62	-	47	6	24.8	4	16.5
White	198	136	46	14	96	58	-	37	3	15.2	4	20.2
Nonwhite	44	41	3	-	14	4	-	10	3	68.2	-	0
Shawano	848	791	56	-	339	169	13	154	39	46.0	13	15.3
Sheboygan	1,810	1,783	26	1	787	339	19	426	55	30.4	37	20.4
Sheboygan	897	894	3	-	440	148	3	287	28	31.2	19	21.2
Balance of county	913	889	23	1	347	191	16	139	27	29.6	18	19.7
Taylor	526	456	66	-	172	99	-	72	15	28.5	4	7.6
Trempealeau	525	503	22	-	248	126	10	110	13	24.8	11	21.0
Vernon	717	652	64	-	269	150	11	102	21	29.3	16	22.3
Vilas	211	186	23	1	79	44	-	33	6	28.4	4	19.0
White	179	161	18	-	71	41	-	28	6	33.5	4	22.3
Nonwhite	32	25	5	1	8	3	-	5	-	0	-	0
Walworth	855	838	15	-	453	260	4	147	25	29.2	16	18.7
Washburn	272	228	44	-	110	47	-	53	5	18.4	10	36.8
Washington	882	855	27	-	297	153	18	124	20	22.7	18	20.4
Waukesha	1,876	1,845	31	-	723	380	48	274	53	28.3	23	12.3
Waukesha	543	540	3	-	194	107	-	86	18	33.1	4	7.4
Balance of county	1,333	1,305	28	-	529	273	48	188	35	26.5	19	14.3
Waupaca	794	760	34	-	416	214	48	141	13	16.4	14	17.6
Waush[illegible]	272	247	25	-	144	86	1	57	4	14.7	4	14.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Con.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total[1]	Attended by—			Total[3]	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife								
WISCONSIN—Continued												
Winnebago	2,298	2,275	20	-	993	460	155	378	47	20.5	44	19.1
Oshkosh	976	972	4	-	470	232	31	207	18	18.4	23	23.6
Menasha	368	367	-	-	111	62	-	49	13	35.3	5	13.6
Neenah	330	327	3	-	103	50	-	53	6	18.2	2	6.1
Balance of county	624	609	13	-	309	116	124	69	10	16.0	14	22.4
Wood	1,349	1,284	64	1	404	207	20	176	21	15.6	17	12.6
Marshfield	327	313	14	-	97	50	9	37	3	9.2	3	9.2
Wisconsin Rapids	392	389	3	-	119	67	-	52	6	15.3	3	7.7
Balance of county	630	582	47	1	188	90	11	87	12	19.0	11	17.5
WYOMING	7,418	7,078	327	-	2,385	950	106	1,223	293	39.5	124	16.7
White	7,226	6,924	296	-	2,293	899	105	1,183	265	36.7	118	16.3
Nonwhite	192	154	31	-	92	51	1	40	28	145.8	6	31.3
Albany	488	486	1	-	112	38	-	72	16	32.8	11	22.5
Laramie	451	450	1	-	98	29	-	67	13	28.8	9	20.0
Balance of county	37	36	-	-	14	9	-	5	3	81.1	2	54.1
Big Horn	375	372	3	-	102	55	-	46	14	37.3	6	16.0
Campbell	134	133	1	-	41	12	-	29	5	37.3	1	7.5
Carbon	347	339	8	-	162	85	4	71	19	54.8	7	20.2
Converse	130	129	1	-	59	22	-	37	8	61.5	2	15.4
Crook	118	109	9	-	33	19	4	4	2	16.9	2	16.9
Fremont	503	449	54	-	198	108	10	74	28	55.0	15	29.5
White	382	355	27	-	143	75	10	52	6	15.7	13	34.0
Nonwhite	127	94	27	-	55	33	-	22	22	173.2	2	15.7
Goshen	334	324	10	-	104	45	-	59	9	26.9	8	24.0
Hot Springs	156	156	-	-	59	20	-	39	6	38.5	1	6.4
Johnson	112	110	1	-	37	16	1	20	3	26.8	4	35.7
Laramie	1,058	1,027	28	-	281	113	-	166	49	46.3	24	22.7
Cheyenne	660	641	18	-	221	77	-	143	39	45.3	22	25.6
Balance of county	198	186	10	-	60	36	-	23	10	50.5	2	10.1
Lincoln	304	302	2	-	76	27	-	48	12	39.5	6	19.7
Natrona	801	795	5	-	288	105	1	180	34	42.4	12	15.0
Casper	709	706	2	-	257	84	-	171	31	43.7	10	14.1
Balance of county	92	89	3	-	31	21	1	9	3	32.6	2	21.7
Niobrara	114	114	-	-	48	13	5	29	1	8.8	1	8.8
Park	464	445	19	-	108	43	-	59	22	47.4	1	2.2
Platte	224	181	43	-	73	26	-	42	6	26.8	1	4.5
Sheridan	482	479	3	-	223	67	34	121	21	43.6	6	12.4
Sheridan	333	332	1	-	161	46	-	114	19	57.1	4	12.0
Balance of county	149	147	2	-	62	21	34	7	2	13.4	2	13.4
Sublette	44	41	3	-	15	9	-	5	1	22.7	1	22.7
Sweetwater	590	545	45	-	173	60	-	45	20	33.9	10	16.9
Teton	70	70	-	-	16	7	-	9	2	28.6	-	0
Uinta	196	133	63	-	98	29	47	20	4	20.4	3	15.3
Washakie	207	185	21	-	36	17	-	19	5	24.2	1	4.8
Weston	159	152	7	-	41	14	-	27	5	31.4	1	6.3
Yellowstone National Park (part)	2	2	-	-	2	-	-	2	1	[8]	-	[13]
Yellowstone National Park (total)	2	2	-	-	3	-	-	3	2	1,000.0	-	0

[1]Births attended by other and not specified persons are not shown separately, but are included in total births. For the United States in 1948, these births were 29,864.
[2]It is assumed that all births in hospitals or institutions are attended by physicians.
[3]Deaths occurring in institutions of unknown type are not shown separately, but are included in total deaths. For the United States in 1948, these deaths were 18,415.
[4]Births classified as attended by "Other and not specified" persons (figure not shown separately in this table) form a somewhat greater proportion of the total births in 1948 than in former years because of special problems in coding the person-in-attendance item in Georgia, Kentucky, and Mississippi. The great majority of the "Other and not specified" attendants in these States are believed to be midwives.
[5]Includes data for Texarkana, Ark., only.
[6]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[7]Births classified as attended by "Other and not specified" persons (figure not shown separately in this table) form a much greater proportion of the total births in 1948 than in previous years because of special problems in coding the person-in-attendance item in this State. The great majority of the "Other and not specified" attendants are believed to be midwives.
[8]Rate or ratio not computed for part of an area.
[9]Figures for District 1511, Center Hill, are included in those for Atlanta.
[10]Statistical transcripts for the 2,391 births that occurred in the city of Lynn were received at the National Office of Vital Statistics after tabulations were completed: 1,805 of these births were to residents of Lynn, 576 were to residents of other areas in Massachusetts.
[11]Rate computed on basis of live births to residents of this area adjusted to include those occurring in Lynn. See footnote No. 10.
[12]Ratio computed on basis of live births to residents of this area adjusted to include those occurring in Lynn. See footnote No. 10.
[13]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[14]Includes data for Bristol, Tenn., only.
[15]Includes data for Texarkana, Tex., only.
[16]Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of the State.
[17]Classified as urban under a special rule in the 1940 census.
[18]Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[19]Includes data for Bristol, Va., only.
[20]Includes data for Bluefield, W. Va., only.

NOTES:

Infant mortality rates and stillbirth ratios are shown for all counties and cities for which resident births were reported. Caution should be exercised in the interpretation of those computed from small numbers since they are subject to relatively large sampling variation. (See section on Qualifying Factors.)

Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 2—LIVE BIRTHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1948

(By place of residence)

AREA	Total births	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	3,535,068	1,813,852	1,721,216	1,583,344	1,496,972	220,017	214,157	5,730	5,649	2,218	1,992	1,568	1,477	975	969
Alabama	85,372	43,751	41,621	27,704	26,113	16,036	15,493	5	7	3	7	1	1	2	-
Arizona	19,195	9,691	9,504	8,585	8,450	311	305	736	673	35	48	9	12	15	16
Arkansas	48,036	24,520	23,516	18,545	17,679	5,956	5,824	6	6	11	4	-	3	2	-
California	240,702	123,262	117,440	113,615	107,983	6,576	6,518	320	345	1,155	1,021	922	892	674	681
Colorado	33,010	16,904	16,106	16,612	15,831	200	189	31	20	10	8	50	57	1	1
Connecticut	42,229	21,834	20,395	21,091	19,632	730	750	-	4	9	6	1	1	3	2
Delaware	7,254	3,694	3,560	3,099	2,988	586	565	1	2	2	-	-	-	6	5
District of Columbia	20,815	10,712	10,103	6,565	6,184	4,079	3,884	3	2	46	30	7	-	12	3
Florida	59,600	30,421	29,179	22,259	21,002	8,134	8,146	18	17	3	7	1	-	6	7
Georgia	92,694	47,555	45,139	30,533	28,707	17,011	16,419	3	1	8	11	-	-	-	1
Idaho	16,132	8,245	7,887	8,138	7,787	9	8	85	58	2	4	27	30	4	2
Illinois	184,871	94,699	90,172	86,007	81,634	8,423	8,287	16	9	76	70	147	144	30	28
Indiana	92,529	47,428	45,101	45,049	42,826	2,372	2,256	-	3	7	8	-	-	-	8
Iowa	60,575	31,338	29,237	31,078	28,986	231	227	17	15	5	6	4	1	3	1
Kansas	42,714	21,844	20,870	20,942	19,926	846	893	45	39	4	6	1	3	6	3
Kentucky	77,176	39,580	37,596	37,133	35,233	2,442	2,362	1	-	3	-	-	1	1	-
Louisiana	73,312	37,748	35,564	23,080	21,734	14,608	13,774	36	36	10	6	1	1	13	13
Maine	22,071	11,367	10,704	11,351	10,687	7	8	8	8	1	-	-	1	-	-
Maryland	53,423	27,561	25,862	21,808	20,322	5,735	5,517	2	1	12	11	1	7	3	4
Massachusetts	[1]97,389	50,006	47,383	48,983	46,422	940	883	5	9	72	60	1	4	5	5
Michigan	154,730	79,611	75,119	73,559	69,286	5,916	5,709	68	78	38	20	23	17	7	9
Minnesota	72,780	37,399	35,381	36,992	35,039	138	127	231	192	15	5	18	9	5	10
Mississippi	65,303	33,221	32,082	15,378	14,433	17,784	17,576	32	49	26	22	-	-	1	2
Missouri	85,258	43,725	41,533	40,083	37,859	3,620	3,654	5	5	7	5	8	8	2	2
Montana	15,035	7,621	7,414	7,243	6,999	13	7	351	394	5	8	5	3	4	5
Nebraska	31,176	16,057	15,119	15,695	14,800	258	234	91	71	2	3	9	8	2	3
Nevada	3,694	1,872	1,822	1,758	1,690	45	50	65	68	-	7	4	3	-	4
New Hampshire	12,423	6,321	6,102	6,312	6,094	7	6	1	-	-	2	1	-	-	-
New Jersey	97,580	50,162	47,418	45,716	43,178	4,393	4,186	-	2	34	32	13	19	6	1
New Mexico	20,519	10,444	10,075	9,771	9,356	94	99	577	612	2	6	-	1	-	1
New York	301,966	154,983	146,983	142,579	134,783	11,841	11,628	147	144	356	369	39	42	21	17
North Carolina	109,430	55,850	53,580	38,135	36,447	17,080	16,546	632	580	1	6	1	1	1	-
North Dakota	16,584	8,492	8,092	8,322	7,898	1	2	167	192	2	2	-	-	-	-
Ohio	186,353	95,702	90,651	88,867	83,976	6,765	6,635	9	4	35	12	22	21	4	3
Oklahoma	50,386	25,837	24,549	22,995	21,774	1,860	1,797	977	972	3	1	-	2	2	3
Oregon	35,208	18,013	17,195	17,674	16,907	143	137	109	79	34	23	38	33	15	14
Pennsylvania	227,227	117,037	110,190	108,641	102,140	8,339	8,003	8	8	35	24	3	4	11	11
Rhode Island	16,861	8,797	8,064	8,579	7,866	211	189	3	2	4	6	-	1	-	-
South Carolina	57,759	29,861	27,898	16,588	15,100	13,269	12,791	3	7	1	-	-	-	-	-
South Dakota	16,405	8,386	8,019	8,047	7,653	3	3	334	360	2	1	-	2	-	-
Tennessee	82,127	42,058	40,069	34,657	32,901	7,395	7,161	-	1	4	3	-	-	2	3
Texas	197,750	101,413	96,337	88,490	83,514	12,853	12,785	17	18	38	35	7	1	8	4
Utah	20,714	10,658	10,056	10,473	9,912	40	37	53	40	8	11	80	52	4	4
Vermont	9,369	4,866	4,503	4,865	4,501	-	2	-	-	-	-	-	-	1	-
Virginia	82,057	42,254	39,803	31,596	29,453	10,643	10,332	3	-	5	9	2	-	5	9
Washington	55,833	28,465	27,368	27,569	26,444	375	450	258	249	72	57	108	88	83	80
West Virginia	52,396	26,823	25,573	25,431	24,177	1,386	1,393	1	-	2	1	1	-	2	2
Wisconsin	81,630	42,031	39,599	41,518	39,077	302	311	195	200	10	5	6	3	-	3
Wyoming	7,418	3,733	3,685	3,634	3,592	11	19	75	68	3	4	7	1	3	1

[1] Excludes 2,381 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1948

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	3,535,068	295,494	285,694	300,463	277,636	272,277	267,712	308,010	320,868	312,511	307,720	290,552	296,031
Male	1,813,852	151,680	146,354	153,950	142,997	139,722	137,989	158,124	164,476	160,051	157,611	149,338	151,560
Female	1,721,216	143,814	139,340	146,513	134,639	132,555	129,723	149,886	156,392	152,460	150,109	141,214	144,471
White	3,080,316	256,462	248,024	262,024	242,612	237,891	234,031	267,715	279,435	271,942	269,415	253,692	257,073
Male	1,583,344	131,939	127,272	134,575	125,208	122,159	120,829	137,697	143,493	139,642	138,121	130,455	131,954
Female	1,496,972	124,523	120,752	127,449	117,404	115,732	113,202	130,018	135,942	132,300	131,294	123,237	125,119
Nonwhite	454,752	39,032	37,670	38,439	35,024	34,386	33,681	40,295	41,535	40,569	38,305	36,860	38,958
Male	230,508	19,741	19,082	19,378	17,789	17,563	17,160	20,427	20,983	20,409	19,490	18,883	19,606
Female	224,244	19,291	18,588	19,064	17,235	16,823	16,521	19,868	20,550	20,160	18,815	17,977	19,352
ALABAMA	85,372	7,535	7,339	7,156	6,590	6,324	6,268	7,373	7,732	7,551	7,237	6,933	7,334
Male	43,751	3,853	3,704	3,668	3,400	3,304	3,283	3,787	3,980	3,745	3,738	3,575	3,714
Female	41,621	3,682	3,635	3,488	3,190	3,020	2,985	3,586	3,752	3,806	3,499	3,358	3,620
White	53,817	4,771	4,623	4,469	4,131	3,982	3,900	4,628	4,860	4,822	4,642	4,433	4,556
Male	27,704	2,487	2,347	2,302	2,145	2,057	2,021	2,408	2,504	2,434	2,409	2,267	2,322
Female	26,113	2,284	2,276	2,167	1,986	1,925	1,879	2,219	2,356	2,388	2,233	2,166	2,234
Nonwhite	31,555	2,764	2,716	2,687	2,459	2,342	2,368	2,745	2,872	2,729	2,595	2,500	2,778
Male	16,047	1,366	1,357	1,366	1,255	1,247	1,262	1,378	1,476	1,311	1,329	1,308	1,392
Female	15,508	1,398	1,359	1,321	1,204	1,095	1,106	1,367	1,396	1,418	1,266	1,192	1,386
ARIZONA	19,195	1,588	1,483	1,570	1,493	1,387	1,395	1,630	1,614	1,709	1,696	1,668	1,762
Male	9,691	765	735	821	755	711	740	826	935	864	833	827	879
Female	9,504	823	748	749	738	676	655	804	879	845	863	841	883
White	17,035	1,404	1,332	1,413	1,314	1,204	1,211	1,441	1,602	1,518	1,527	1,512	1,557
Male	8,585	681	662	734	664	611	641	736	825	767	748	751	765
Female	8,450	723	670	679	650	593	570	705	777	751	779	761	792
Nonwhite	2,160	184	151	157	179	183	184	189	212	191	169	156	205
Male	1,106	84	73	87	91	100	98	90	110	97	85	76	114
Female	1,054	100	78	70	88	83	85	99	102	94	84	80	91
ARKANSAS	48,036	4,294	4,066	3,930	3,613	3,221	3,438	4,374	4,678	4,286	4,226	4,013	3,897
Male	24,520	2,226	2,100	1,999	1,852	1,678	1,776	2,240	2,400	2,154	2,112	2,040	1,944
Female	23,516	2,069	1,966	1,931	1,761	1,543	1,662	2,134	2,278	2,132	2,114	1,973	1,953
White	36,224	3,176	3,054	2,924	2,673	2,372	2,568	3,274	3,595	3,279	3,312	3,041	2,956
Male	18,545	1,647	1,596	1,496	1,406	1,218	1,316	1,674	1,855	1,657	1,637	1,565	1,478
Female	17,679	1,529	1,458	1,428	1,267	1,154	1,252	1,600	1,740	1,622	1,675	1,476	1,478
Nonwhite	11,812	1,118	1,012	1,006	940	849	870	1,100	1,083	1,007	914	972	941
Male	5,975	576	504	503	446	460	460	566	545	497	475	475	466
Female	5,837	540	508	503	494	389	410	534	538	510	439	497	475
CALIFORNIA	240,702	19,459	18,220	19,985	19,069	20,080	19,751	20,736	21,413	20,757	20,622	19,989	20,641
Male	123,262	10,047	9,301	10,326	9,842	10,233	9,972	10,644	10,924	10,629	10,504	10,350	10,490
Female	117,440	9,412	8,919	9,659	9,227	9,827	9,779	10,092	10,489	10,128	10,118	9,639	10,151
White	221,598	17,930	16,783	18,411	17,598	18,515	18,178	19,134	19,576	19,102	18,968	18,379	19,024
Male	113,615	9,248	8,572	9,558	9,080	9,459	9,170	9,820	9,985	9,790	9,699	9,554	9,682
Female	107,983	8,684	8,211	8,853	8,518	9,056	9,008	9,314	9,591	9,312	9,269	8,825	9,342
Nonwhite	19,104	1,529	1,437	1,574	1,471	1,545	1,573	1,602	1,837	1,655	1,654	1,610	1,617
Male	9,647	801	729	768	762	774	802	824	939	839	805	796	808
Female	9,457	728	708	806	709	771	771	778	898	816	849	814	809
COLORADO	33,010	2,649	2,576	2,830	2,663	2,739	2,723	2,979	2,943	2,821	2,733	2,605	2,749
Male	16,904	1,363	1,330	1,469	1,388	1,361	1,354	1,572	1,530	1,489	1,412	1,262	1,374
Female	16,106	1,286	1,246	1,361	1,275	1,378	1,369	1,407	1,413	1,332	1,321	1,343	1,375
White	32,443	2,609	2,516	2,761	2,642	2,681	2,679	2,814	2,915	2,799	2,682	2,551	2,694
Male	16,612	1,344	1,302	1,430	1,375	1,330	1,329	1,538	1,511	1,474	1,388	1,238	1,353
Female	15,831	1,265	1,214	1,331	1,267	1,351	1,350	1,376	1,404	1,325	1,294	1,313	1,341
Nonwhite	567	40	60	69	21	58	44	65	28	22	51	54	55
Male	292	19	28	39	13	31	25	34	19	15	24	24	21
Female	275	21	32	30	8	27	19	31	9	7	27	30	34
CONNECTICUT	42,229	3,391	3,413	3,716	3,469	3,600	3,294	3,581	3,731	3,552	3,654	3,401	3,417
Male	21,834	1,731	1,754	1,874	1,806	1,868	1,750	1,837	1,954	1,816	1,911	1,748	1,785
Female	20,395	1,660	1,659	1,842	1,663	1,732	1,544	1,754	1,777	1,736	1,743	1,653	1,632
White	40,723	3,258	3,285	3,596	3,350	3,475	3,180	3,458	3,611	3,434	3,516	3,287	3,272
Male	21,091	1,658	1,692	1,818	1,755	1,810	1,690	1,762	1,898	1,761	1,840	1,690	1,719
Female	19,632	1,600	1,593	1,778	1,595	1,665	1,490	1,697	1,715	1,673	1,676	1,597	1,553
Nonwhite	1,506	133	128	120	119	125	114	132	120	118	138	114	145
Male	743	73	62	56	51	58	60	75	58	55	71	58	66
Female	763	60	66	64	68	67	54	57	62	63	67	56	79
DELAWARE	7,254	612	585	657	606	542	569	610	601	633	635	561	643
Male	3,694	301	300	329	317	282	285	304	316	325	332	276	327
Female	3,560	311	285	328	289	260	284	306	285	308	303	285	316
White	6,087	509	471	539	503	455	480	521	526	525	542	474	542
Male	3,099	252	241	286	254	234	238	261	286	276	279	236	276
Female	2,988	257	230	273	249	221	242	260	240	249	263	238	266
Nonwhite	1,167	103	114	118	103	87	89	89	75	108	93	87	101
Male	595	49	59	63	63	48	47	43	30	49	53	40	51
Female	572	54	55	55	40	39	42	46	45	59	40	47	50
DISTRICT OF COLUMBIA	20,815	1,686	1,701	1,733	1,595	1,581	1,554	1,764	1,944	1,951	1,886	1,705	1,715
Male	10,712	878	868	869	798	840	799	901	1,065	989	1,010	828	867
Female	10,103	808	833	864	797	741	755	863	879	962	876	877	848
White	12,749	986	1,066	1,108	995	989	943	1,066	1,184	1,134	1,163	1,062	1,053
Male	6,565	510	542	567	492	510	487	544	674	566	628	505	540
Female	6,184	476	524	541	503	479	456	522	510	568	535	557	513
Nonwhite	8,066	700	635	625	600	592	611	698	760	817	723	643	662
Male	4,147	368	326	302	306	330	312	357	391	423	382	323	327
Female	3,919	332	309	323	294	262	299	341	369	394	341	320	335
FLORIDA	59,600	5,262	4,699	4,673	4,217	4,239	3,972	4,991	5,645	5,626	5,559	5,228	5,491
Male	30,421	2,699	2,385	2,390	2,105	2,158	2,045	2,569	2,933	2,847	2,819	2,642	2,831
Female	29,179	2,563	2,314	2,283	2,112	2,083	1,927	2,422	2,712	2,779	2,740	2,584	2,660
White	43,261	3,868	3,417	3,386	3,069	3,085	2,888	3,630	4,114	4,059	4,045	3,810	3,890
Male	22,259	1,982	1,762	1,735	1,552	1,596	1,508	1,893	2,133	2,069	2,054	1,956	2,019
Female	21,002	1,886	1,655	1,651	1,517	1,489	1,380	1,737	1,981	1,990	1,991	1,854	1,871
Nonwhite	16,339	1,394	1,282	1,287	1,148	1,154	1,084	1,361	1,531	1,567	1,514	1,416	1,601
Male	8,162	717	623	655	553	560	537	676	800	778	765	686	812
Female	8,177	677	659	632	595	594	547	685	731	789	749	730	789

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	92,694	8,074	7,866	7,753	7,225	7,263	6,892	7,862	8,385	8,164	7,884	7,580	7,766
Male	47,555	4,066	4,049	3,942	3,835	3,710	3,548	4,074	4,284	4,122	3,959	3,950	3,976
Female	45,139	4,008	3,817	3,811	3,390	3,553	3,344	3,788	4,081	4,042	3,925	3,630	3,790
White	59,240	5,267	5,000	4,823	4 610	4,745	4,448	4,988	5,348	5,354	5,122	4,850	4,885
Male	30,533	2,670	2,590	2,456	2,450	2,378	2,298	2,616	2,729	2,710	2,556	2,517	2,559
Female	28,707	2,597	2,410	2,365	2,160	2,167	2,150	2,372	2,619	2,644	2,564	2,333	2,326
Nonwhite	33,454	2,807	2,866	2,930	2,615	2,718	2,444	2,874	3,037	2,810	2,762	2,730	2,881
Male	17,022	1,396	1,459	1,494	1,385	1,372	1,250	1,458	1,555	1,412	1,401	1,433	1,417
Female	16,432	1,411	1,407	1,446	1,250	1,346	1,194	1,416	1,482	1,398	1,361	1,297	1,464
IDAHO	16,132	1,326	1,281	1,327	1,270	1,443	1,342	1,372	1,485	1,338	1,336	1,274	1,336
Male	8,245	690	628	662	649	718	676	725	775	672	701	680	669
Female	7,887	636	653	665	621	725	666	647	710	666	635	594	669
White	15,925	1,313	1,269	1,310	1,256	1,426	1,333	1,350	1,464	1,314	1,308	1,253	1,329
Male	8,138	683	624	656	646	706	671	712	760	662	683	669	666
Female	7,787	630	645	654	610	720	662	638	704	652	625	584	663
Nonwhite	207	13	12	17	14	17	9	22	21	24	28	21	9
Male	107	7	4	6	3	12	5	13	15	10	18	11	3
Female	100	6	8	11	11	5	4	9	6	14	10	10	6
ILLINOIS	184,871	15,385	15,079	15,917	14,475	13,032	13,163	16,202	17,228	16,717	16,419	15,661	15,573
Male	94,699	7,908	7,721	8.109	7,463	6,693	6,786	8,323	8,773	8,514	8,358	8,025	8,026
Female	90,172	7,477	7,358	7 808	7.012	6,339	6.397	7,879	8,455	8,203	8,061	7,636	7,547
White	167,841	13,944	13,774	14,485	13,129	11,830	11,905	14,164	15,603	15,152	14,926	14,164	14,159
Male	86.007	7.187	7.051	7.387	6.778	6,079	6.127	7,314	7.938	7.708	,634	7,303	,301
Female	81,834	6,757	6.723	7.098	6,351	5 751	5.778	7 050	7,071	7,444	7.292	6,861	6.858
Nonwhite	17.230	1.441	1.30	1 432	1,346	1,202	1.278	1.638	1.619	1.565	1.493	1,497	1.414
Male	8,692	721	67	,22	685	614	659	808	835	806	724	722	725
Female	8,538	720	63	710	661	588	619	829	784	759	769	775	689
INDIANA	92,529	7,654	7 436	7,.38	7.213	6 522	6.609	8,066	8,620	8.366	8,401	7.944	7,878
Male	47,428	3,957	3,869	4,012	3,687	3,327	3,356	4,091	4,441	4,311	4,324	3,998	4,055
Female	45,101	3,697	3,627	3,726	3,526	3,195	3,253	3,997	4,179	4,055	4,077	3,946	3,823
White	87,875	7,278	7,129	7,352	6,847	6,209	6,265	7,689	8,160	7,941	7,999	7.544	7,462
Male	45,049	3,757	3,689	3,823	3,513	3,163	3,182	3,902	4,197	4,074	4,117	3,804	3,828
Female	42,826	3,521	3,440	3,529	3,334	3,046	3,083	3,787	3,963	3,867	3,882	3,740	3,634
Nonwhite	4,654	376	367	386	366	313	344	399	460	425	402	400	416
Male	2,379	200	180	189	174	164	174	189	244	237	207	194	227
Female	2,275	176	187	197	192	149	170	210	216	188	195	206	189
IOWA	60,575	5,135	5,075	5,264	4,709	4,200	4,465	5,284	5,661	5,248	5,433	4,978	5,123
Male	31,338	2,656	2,660	2,735	2,357	2,122	2,358	2,721	2,947	2,704	2,782	2,616	2,680
Female	29,237	2,479	2,415	2,529	2,352	2,078	2,107	2,563	2,714	2,544	2,651	2,362	2,443
White	60,064	5,087	5,032	5,210	4,670	4,166	4,425	5,248	5,616	5,201	5,380	4,952	5,077
Male	31,078	2,636	2,632	2,709	2,334	2,106	2,337	2,702	2,919	2,685	2,758	2,605	2,655
Female	28,986	2,451	2,400	2,501	2,336	2,060	2,088	2,546	2,697	2,516	2,622	2,347	2,422
Nonwhite	511	48	43	54	39	34	40	36	45	47	53	26	46
Male	260	20	28	26	23	16	21	19	28	19	24	11	25
Female	251	28	15	28	16	18	19	17	17	28	29	15	21
KANSAS	42,714	3,522	3,496	3,515	3,114	2,822	3,127	3,826	4,027	3,856	3,928	3,729	3,652
Male	21,844	1,821	1,765	1,816	1,639	1,482	1,587	1,865	2,020	1,970	2,064	1,949	1,858
Female	20,870	1,701	1,731	1,699	1,475	1,440	1,540	1,961	1,999	1,886	1,864	1,780	1,794
White	40,868	3,368	3,346	3,346	2,973	2,736	2,987	3,636	3,859	3,710	3,768	3,575	3,514
Male	20,942	1,742	1,697	1,738	1,564	1,419	1,512	1,766	1,971	1,887	1,986	1,872	1,788
Female	19,926	1,626	1,649	1,608	1,409	1,367	1,475	1,870	1,888	1,823	1,782	1,703	1,726
Nonwhite	1,846	154	150	169	141	136	140	190	168	146	160	154	138
Male	902	79	68	78	75	63	75	99	57	83	78	77	70
Female	944	75	82	91	66	73	65	91	111	63	82	77	68
KENTUCKY	77,178	6,547	6,464	6,826	6,279	5,745	5,666	6,679	7,056	6,792	6,664	6,089	6,369
Male	39,580	3,341	3,262	3,453	3,309	2,957	2,949	3,404	3,616	3,575	3,343	3,130	3,241
Female	37,598	3,206	3,202	3,373	2,970	2,788	2,717	3,275	3,440	3,217	3,321	2,959	3,128
White	72,366	6,169	6,000	6,403	5,882	5,364	5,272	6,194	6,657	6,368	6,281	5,732	5,984
Male	37,133	3,160	3,068	3,228	3,112	2,754	2,750	3,165	3,413	3,359	3,155	2,946	3,023
Female	35,233	3,009	3,012	3,175	2,770	2,610	2,522	3,029	3,244	3,009	3,106	2,786	2,961
Nonwhite	4,810	378	384	423	397	381	394	485	399	424	403	357	385
Male	2,447	181	194	225	197	203	198	239	203	216	198	184	218
Female	2,363	197	190	198	200	178	196	246	196	208	215	173	167
LOUISIANA	73,312	6,662	5,982	5,581	4,890	4,874	4,742	6,353	7,161	7,184	6,954	6,321	6,608
Male	37,748	3,438	3,134	2,850	2,536	2,486	2,439	3,252	3,699	3,612	3,601	3,262	3,439
Female	35,564	3,224	2,848	2,731	2,354	2,388	2,303	3,101	3,462	3,572	3,353	3,059	3,169
White	44,814	4,145	3,662	3,347	2,880	2,844	2,830	3,772	4,411	4,467	4,435	3,941	4,080
Male	23,080	2,143	1,922	1,718	1,485	1,441	1,436	1,945	2,279	2,229	2,301	2,024	2,157
Female	21,734	2,002	1,740	1,629	1,395	1,403	1,394	1,827	2,132	2,238	2,134	1,917	1,923
Nonwhite	28,498	2,517	2,320	2,234	2,010	2,030	1,912	2,581	2,750	2,717	2,519	2,380	2,528
Male	14,668	1,295	1,212	1,132	1,051	1,045	1,003	1,307	1,420	1,383	1,300	1,238	1,282
Female	13,830	1,222	1,108	1,102	959	985	909	1,274	1,330	1,334	1,219	1,142	1,246
MAINE	22,071	1,822	1,753	1,699	1,815	1,825	1,749	1,898	2,062	1,866	1,909	1,728	1,744
Male	11,367	914	914	876	952	940	909	1,002	1,056	924	999	876	905
Female	10,704	908	839	923	863	885	840	896	1,006	942	910	853	839
White	22,038	1,818	1,751	1,695	1,811	1,824	1,747	1,897	2,058	1,864	1,905	1,727	1,740
Male	11,351	911	912	973	951	939	908	1,002	1,054	924	998	875	904
Female	10,687	907	839	922	860	885	839	895	1,005	940	907	852	836
Nonwhite	33	4	2	4	4	1	2	1	3	2	4	2	4
Male	16	3	2	3	1	1	1	-	2	-	1	1	1
Female	17	1	-	1	3	-	1	1	1	2	3	1	3
MARYLAND	53,423	4,601	4,419	4,446	4,234	4,201	3,943	4,666	4,771	4,661	4,739	4,345	4,397
Male	27,561	2,368	2,283	2,310	2,199	2,172	1,987	2,342	2,423	2,446	2,523	2,219	2,289
Female	25,862	2,233	2,136	2,136	2,035	2,029	1,956	2,324	2,348	2,215	2,216	2,126	2,108
White	42,130	3,585	3,484	3,515	3,379	3,286	3,129	3,668	3,764	3,660	3,791	3,436	3,431
Male	21,808	1,835	1,806	1,843	1,769	1,694	1,587	1,853	1,935	1,932	2,015	1,732	1,807
Female	20,322	1,750	1,678	1,672	1,610	1,592	1,542	1,815	1,829	1,728	1,776	1,706	1,624
Nonwhite	11,293	1,016	935	931	855	915	814	998	1,007	1,001	948	907	966
Male	5,753	533	477	467	430	478	400	489	488	514	508	487	482
Female	5,540	483	458	464	425	437	414	509	519	487	440	420	484

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	[1]97,389	7,937	7,679	8,831	8,044	8,034	7,782	8,486	8,358	8,453	7,893	7,738	7,956
Male	50,006	4,123	3,981	4,549	4,251	4,056	4,007	4,333	4,237	4,329	4,128	3,961	4,051
Female	47,383	3,814	3,898	4,282	3,793	3,978	3,775	4,153	4,121	4,124	3,765	3,775	3,905
White	95,405	7,788	7,716	8,683	7,922	7,873	7,623	8,312	8,168	8,248	7,712	7,598	7,762
Male	48,983	4,038	3,896	4,479	4,186	3,976	3,933	4,241	4,147	4,215	4,025	3,893	3,954
Female	46,422	3,750	3,820	4,204	3,736	3,897	3,690	4,071	4,021	4,033	3,687	3,705	3,808
Nonwhite	1,984	149	163	148	122	161	159	174	190	205	181	138	194
Male	1,023	85	85	70	65	80	74	92	90	114	103	68	97
Female	961	64	78	78	57	81	85	82	100	91	78	70	97
MICHIGAN	154,730	12,512	12,484	13,196	12,731	12,188	11,747	13,540	13,944	13,521	13,512	12,544	12,811
Male	79,611	6,470	6,363	6,788	6,535	6,292	6,100	7,054	7,142	6,885	6,903	6,438	6,641
Female	75,119	6,042	6,121	6,408	6,196	5,896	5,647	6,486	6,802	6,636	6,608	6,106	6,170
White	142,845	11,543	11,495	12,175	11,827	11,342	10,932	12,448	12,857	12,455	12,468	11,536	11,767
Male	73,559	5,975	5,886	6,289	6,071	5,832	5,678	6,483	6,594	6,358	6,363	5,922	6,128
Female	68,286	5,568	5,609	5,886	5,756	5,510	5,254	5,965	6,263	6,097	6,105	5,614	5,639
Nonwhite	11,885	969	988	1,021	904	846	815	1,092	1,087	1,066	1,044	1,008	1,044
Male	6,052	495	477	519	464	460	422	571	548	527	540	516	515
Female	5,833	474	512	502	440	386	393	521	539	539	504	492	531
MINNESOTA	72,780	5,860	5,866	6,495	6,204	5,629	5,711	6,502	6,420	6,182	6,033	5,920	5,938
Male	37,399	3,030	2,995	3,255	3,243	2,954	2,968	3,328	3,214	3,208	3,070	3,124	3,010
Female	35,381	2,830	2,891	3,240	2,961	2,675	2,743	3,174	3,206	2,974	2,963	2,796	2,928
White	72,030	5,799	5,843	6,423	6,145	5,562	5,662	6,430	6,364	6,106	5,981	5,846	5,869
Male	36,992	3,000	2,969	3,217	3,206	2,919	2,942	3,290	3,186	3,174	3,035	3,086	2,988
Female	35,038	2,799	2,874	3,206	2,939	2,643	2,720	3,140	3,178	2,932	2,946	2,760	2,901
Nonwhite	750	61	43	72	59	67	49	72	56	76	52	74	69
Male	407	30	26	38	37	35	26	38	28	34	35	38	42
Female	343	31	17	34	22	32	23	34	28	42	17	36	27
MISSISSIPPI	65,303	6,105	5,662	5,602	5,073	4,698	4,748	5,643	5,892	5,767	5,479	5,185	5,449
Male	33,221	3,072	2,907	2,865	2,598	2,420	2,416	2,905	2,989	2,873	2,698	2,690	2,798
Female	32,082	3,033	2,755	2,737	2,495	2,278	2,332	2,738	2,903	2,894	2,781	2,495	2,651
White	29,811	2,761	2,533	2,458	2,216	2,067	2,113	2,464	2,825	2,691	2,714	2,493	2,476
Male	15,378	1,416	1,324	1,256	1,124	1,093	1,100	1,333	1,441	1,361	1,341	1,294	1,295
Female	14,433	1,345	1,209	1,202	1,092	974	1,013	1,131	1,384	1,330	1,373	1,199	1,181
Nonwhite	35,492	3,344	3,129	3,144	2,857	2,631	2,635	3,179	3,067	3,076	2,765	2,692	2,973
Male	17,843	1,656	1,583	1,609	1,464	1,327	1,316	1,572	1,548	1,512	1,357	1,396	1,503
Female	17,649	1,688	1,546	1,535	1,393	1,304	1,319	1,607	1,519	1,564	1,408	1,296	1,470
MISSOURI	85,258	7,398	7,105	7,135	6,228	5,671	5,883	7,677	8,130	7,838	7,659	7,352	7,182
Male	43,725	3,747	3,599	3,590	3,237	3,017	3,042	3,919	4,143	4,050	3,969	3,737	3,675
Female	41,533	3,651	3,506	3,545	2,991	2,654	2,841	3,758	3,987	3,788	3,690	3,615	3,507
White	77,942	6,786	6,509	6,545	5,712	5,123	5,389	7,023	7,446	7,143	7,037	6,694	6,535
Male	40,083	3,462	3,300	3,313	2,982	2,724	2,784	3,581	3,798	3,698	3,684	3,406	3,370
Female	37,859	3,324	3,209	3,232	2,730	2,399	2,605	3,442	3,648	3,444	3,353	3,288	3,165
Nonwhite	7,316	612	596	590	516	548	494	654	684	695	622	658	647
Male	3,642	285	299	277	275	293	258	338	345	351	285	331	305
Female	3,674	327	297	313	241	255	236	316	339	344	337	327	342
MONTANA	15,035	1,198	1,142	1,271	1,232	1,322	1,229	1,294	1,381	1,296	1,242	1,170	1,258
Male	7,621	609	572	621	625	670	625	648	721	671	618	604	637
Female	7,414	589	570	650	607	652	604	646	660	625	624	566	621
White	14,242	1,135	1,080	1,205	1,160	1,237	1,174	1,232	1,295	1,227	1,180	1,108	1,209
Male	7,243	573	543	595	596	622	597	620	682	642	581	572	610
Female	6,999	562	537	610	564	615	577	612	613	585	599	536	599
Nonwhite	793	63	62	66	72	85	55	62	86	69	62	62	49
Male	378	36	29	26	29	48	28	28	39	29	27	32	27
Female	415	27	33	40	43	37	27	34	47	40	35	30	22
NEBRASKA	31,176	2,578	2,631	2,631	2,288	2,217	2,408	2,848	2,861	2,670	2,825	2,539	2,680
Male	16,057	1,355	1,332	1,353	1,159	1,159	1,237	1,435	1,470	1,374	1,449	1,332	1,402
Female	15,119	1,223	1,299	1,278	1,129	1,058	1,171	1,413	1,391	1,296	1,376	1,207	1,278
White	30,495	2,523	2,556	2,568	2,248	2,182	2,354	2,796	2,800	2,619	2,755	2,486	2,608
Male	16,695	1,325	1,290	1,317	1,135	1,141	1,212	1,409	1,440	1,349	1,414	1,301	1,362
Female	14,800	1,198	1,266	1,251	1,113	1,041	1,142	1,387	1,360	1,270	1,341	1,185	1,246
Nonwhite	681	55	75	63	40	35	54	52	61	51	70	53	72
Male	362	30	42	36	24	18	25	26	30	25	35	31	40
Female	319	25	33	27	16	17	29	26	31	26	35	22	32
NEVADA	3,694	301	256	320	322	282	319	329	335	316	304	297	313
Male	1,872	138	145	163	160	143	164	153	184	148	157	158	159
Female	1,822	163	111	157	162	139	155	176	151	168	147	139	154
White	3,448	278	240	301	296	262	298	294	316	297	288	284	294
Male	1,758	128	136	157	148	131	157	139	173	139	148	151	150
Female	1,690	149	104	144	148	131	141	155	143	158	140	133	144
Nonwhite	246	23	16	19	26	20	21	35	19	19	16	13	19
Male	114	9	9	8	12	12	7	14	11	9	9	7	9
Female	132	14	7	13	14	8	14	21	8	10	7	6	10
NEW HAMPSHIRE	12,423	994	940	1,151	986	988	976	1,130	1,166	1,029	1,040	987	1,036
Male	6,321	529	476	574	504	500	494	564	580	522	554	487	537
Female	6,102	465	464	577	482	488	482	546	586	507	506	500	499
White	12,408	992	940	1,146	985	988	975	1,126	1,166	1,029	1,039	986	1,034
Male	6,312	529	476	571	503	500	493	562	580	522	553	487	536
Female	6,094	463	464	575	482	488	482	544	586	507	506	499	498
Nonwhite	17	2	-	5	1	-	1	4	-	-	1	1	2
Male	9	-	-	3	1	-	1	2	-	-	1	-	1
Female	8	2	-	2	-	-	-	2	-	-	-	1	1
NEW JERSEY	97,580	7,877	7,786	8,534	7,796	7,849	7,647	8,312	8,582	8,519	8,657	8,078	7,943
Male	50,162	4,072	3,980	4,361	3,957	4,048	3,953	4,284	4,416	4,355	4,513	4,124	4,099
Female	47,418	3,805	3,806	4,173	3,839	3,801	3,694	4,028	4,166	4,164	4,144	3,954	3,844
White	88,894	7,223	7,078	7,779	7,181	7,205	6,919	7,546	7,787	7,762	7,855	7,337	7,222
Male	45,716	3,715	3,620	3,969	3,661	3,750	3,571	3,894	4,016	3,977	4,100	3,723	3,720
Female	43,178	3,508	3,458	3,810	3,520	3,455	3,348	3,652	3,771	3,785	3,755	3,614	3,502
Nonwhite	8,686	654	708	755	615	644	728	766	795	757	802	741	721
Male	4,446	357	360	392	296	298	382	390	400	378	413	401	379
Female	4,240	297	348	363	319	346	346	376	395	379	389	340	342

[1]Excludes 2,381 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	20,519	1,707	1,592	1,751	1,640	1,764	1,650	1,805	1,775	1,804	1,701	1,633	1 697
Male	10,444	890	819	892	822	903	855	941	882	912	852	832	844
Female	10,075	817	773	859	818	861	795	864	893	892	849	801	853
White	19,127	1,588	1,478	1,631	1,523	1,635	1,536	1,692	1,647	1,683	1,597	1,525	1,596
Male	9,771	832	765	837	762	840	806	885	819	854	804	772	795
Female	9,356	754	711	794	761	795	730	807	828	829	793	753	801
Nonwhite	1,392	121	116	120	117	129	114	113	128	121	104	108	101
Male	673	58	54	55	60	63	49	56	63	58	48	60	49
Female	719	63	62	65	57	66	65	57	65	63	56	48	52
NEW YORK	301,966	24,342	24,013	26,474	24,558	24,836	23,705	26,258	26,582	25,907	25,912	24,642	24,837
Male	154,983	12,414	12,343	13,687	12,642	12,545	12,278	13,534	13,618	13,301	13,218	12,605	12,798
Female	146,983	11 928	11,670	12,787	11,916	12,091	11,427	12,724	12,964	12,606	12,694	12,037	12,139
White	277,362	22,375	22,125	24,493	22,697	22,683	21,826	24,010	24,349	23,743	23,745	22,591	22,725
Male	142,579	11,434	11,417	12,673	11,670	11,549	11,346	12,427	12,486	12,236	12,118	11,539	11,684
Female	134,783	10,941	10,708	11,820	11,027	11,134	10,480	11,583	11,863	11,507	11,627	11,052	11,041
Nonwhite	24,604	1,967	1.868	1,981	1,861	1,953	1,879	2,248	2,233	2,164	2,167	2,051	2,212
Male	12,404	980	926	1,014	972	996	932	1,107	1,132	1,065	1,100	1,066	1,114
Female	12,200	987	962	967	889	957	947	1,141	1,101	1,099	1,067	985	1,098
NORTH CAROLINA	109,430	9,488	9,143	9,599	8,981	8,810	8,296	9,299	9,590	9,497	9,033	8,725	8,868
Male	55,650	4,828	4,678	4,842	4,812	4,472	4,309	4,736	4,911	4,873	4,651	4,397	4,543
Female	53,580	4,662	4,465	4,757	4,369	4,338	3,987	4,563	4,679	4,624	4,382	4,328	4,426
White	74,582	6,490	6,118	6,552	6,139	5,972	5,673	6,376	6,485	6,417	6,284	5,987	6,089
Male	38,135	3,340	3,144	3,358	3,185	3,010	2,964	3,244	3,356	3,304	3,197	2,970	3,063
Female	36,447	3,150	2,974	3,194	2,954	2,962	2 709	3,132	3,129	3,113	3,087	3,017	3,026
Nonwhite	34,848	2,998	3,025	3,047	2,842	2,838	2,623	2,923	3,105	3,080	2,749	2,738	2,880
Male	17,715	1,486	1,534	1,484	1,427	1,462	1,345	1,492	1,555	1,569	1,454	1,427	1,480
Female	17,133	1,512	1,491	1,563	1,415	1,376	1,278	1,431	1.550	1,511	1,295	1,311	1,400
NORTH DAKOTA	16,584	1,281	1,264	1,468	1,226	1,403	1,358	1,489	1,500	1,441	1,421	1,325	1,408
Male	8,492	652	632	784	610	705	712	773	771	756	730	666	721
Female	8,092	649	632	684	616	698	646	716	729	685	691	659	687
White	16,218	1,255	1,246	1,425	1,195	1,368	1,330	1,442	1,473	1,412	1,391	1,304	1,377
Male	8,322	619	625	757	599	690	702	754	756	745	716	654	707
Female	7,896	636	621	668	596	678	628	688	717	669	675	650	670
Nonwhite	366	26	18	43	31	35	28	47	27	29	30	21	31
Male	170	13	7	27	11	15	10	19	15	13	14	12	14
Female	196	13	11	16	20	20	18	28	12	16	16	9	17
OHIO	186,355	15,303	15,014	15,756	14,899	14,209	13,937	16,223	17,118	16,709	16,367	15,326	15,493
Male	95,702	7,932	7,586	8,017	7,637	7,221	7,235	8,332	8,906	8,616	8,423	7,907	7,890
Female	90,651	7,371	7,428	7,739	7,262	6,987	6,702	7,891	8,212	8,093	7,944	7,419	7,603
White	172,843	14,182	13,986	14,593	13,833	13,244	12,897	15,072	15,814	15,505	15,202	14,191	14,324
Male	88,867	7,364	7,074	7,423	7,099	6,751	6,710	7,721	8,240	8,002	7,812	7,333	7,338
Female	83,976	6,818	6,912	7,170	6,734	6,493	6,187	7,351	7,574	7,503	7,390	6,858	6,986
Nonwhite	13,510	1,121	1,028	1,163	1,066	964	1,040	1,151	1,304	1,204	1,165	1,135	1,169
Male	6,835	568	512	594	538	470	525	611	666	614	611	574	552
Female	6,675	553	516	569	528	494	515	540	638	590	554	561	617
OKLAHOMA	50,386	4,447	4,231	3,985	3,621	3,420	3,604	4,400	4,812	4,725	4,593	4,221	4,327
Male	25,837	2,293	2,102	2,074	1,884	1,791	1,863	2,277	2,418	2,409	2,347	2,183	2,176
Female	24,549	2,154	2,129	1,911	1,737	1,629	1,721	2,123	2,394	2,316	2,246	2,038	2,151
White	44,769	3,994	3,745	3,507	3,164	3,029	3,181	3,873	4,285	4,197	4,145	3,799	3,870
Male	22,995	2,066	1,869	1,815	1,655	1,593	1,662	2,004	2,156	2,136	2,125	1,963	1,953
Female	21,774	1,928	1,876	1,694	1,509	1,436	1,519	1,869	2,109	2,061	2,020	1,836	1,917
Nonwhite	5,617	453	486	478	457	391	423	527	547	528	448	422	457
Male	2,842	227	253	261	229	198	221	273	282	273	222	220	223
Female	2,775	226	253	217	228	193	202	254	265	255	226	202	234
OREGON	35,206	2,827	2,725	2,974	2,869	3,036	3,016	3,041	2,997	3,067	3,011	2,800	2,843
Male	18,013	1,463	1,382	1,526	1.470	1,527	1,550	1,513	1,567	1,552	1,542	1,389	1,532
Female	17,193	1,364	1,343	1,448	1,399	1,509	1,466	1,528	1,430	1,515	1,469	1,411	1,311
White	34,581	2,766	2,668	2,915	2,832	2,974	2,954	2,998	2,954	2,996	2,963	2,767	2,794
Male	17,674	1,431	1,357	1,489	1,452	1,494	1,521	1,490	1,539	1,514	1,515	1,367	1,505
Female	16,907	1,335	1,311	1,426	1,380	1,480	1,433	1,508	1,415	1,482	1,448	1,400	1,289
Nonwhite	625	61	57	59	37	62	62	43	43	71	48	33	49
Male	339	32	25	37	18	33	29	23	28	38	27	22	27
Female	286	29	32	22	19	29	33	20	15	33	21	11	22
PENNSYLVANIA	227,227	18,537	18,480	19,782	18,145	18,057	17,569	19,895	20,048	19,723	19,723	18,500	18,768
Male	117,037	9,605	9,625	10,166	9,377	9,178	9,078	10,301	10,350	10,128	9,998	9,671	9,560
Female	110,190	8,932	8,855	9,616	8,768	8,879	8,491	9,594	9,698	9,595	9,725	8,829	9,208
White	210,781	17,151	17,123	18,436	16,882	16,858	16,291	18,430	18,560	18,279	18,275	17,171	17,327
Male	108,641	8,868	8,886	9,474	8,746	8,604	8,450	9,496	9,628	9,433	9,263	8,968	8,825
Female	102,140	8,283	8,237	8,962	8,136	8,252	7,841	8,934	8,932	8,846	9,012	8,203	8,502
Nonwhite	16,446	1,386	1,357	1,346	1,263	1,201	1,278	1,465	1,488	1,444	1,448	1,329	1,441
Male	8,396	737	739	692	631	574	628	805	722	695	735	703	735
Female	8,050	649	618	654	632	627	650	660	766	749	713	626	706
RHODE ISLAND	16,861	1,438	1,289	1,488	1,378	1,336	1,298	1,458	1,498	1,464	1,435	1,390	1,388
Male	8,797	742	699	756	705	699	698	736	769	782	776	745	710
Female	8,064	696	590	732	673	637	600	722	730	702	659	645	678
White	16,445	1,408	1,245	1,459	1,333	1,303	1,258	1,421	1,461	1,435	1,400	1,359	1,363
Male	8,579	726	676	743	681	679	678	723	748	742	759	727	697
Female	7,866	682	569	716	652	624	580	698	713	693	641	632	666
Nonwhite	416	30	44	29	45	33	40	37	38	29	35	31	25
Male	218	16	23	13	24	20	20	13	21	20	17	18	13
Female	198	14	21	16	21	13	20	24	17	9	18	13	12
SOUTH CAROLINA	57,759	5,105	4,804	5,011	4,637	4,549	4,258	4,987	5,258	5,241	4,832	4,521	4,556
Male	29,861	2,577	2,474	2,632	2,364	2,364	2,222	2,563	2,747	2,700	2,526	2,353	2,339
Female	27,898	2,528	2,330	2,379	2,273	2,185	2,036	2,424	2,511	2,541	2,306	2,168	2,217
White	31,688	2,794	2,546	2,678	2,484	2,470	2,342	2,741	2,920	2,949	2,742	2,582	2,440
Male	16,588	1,421	1,320	1,451	1,286	1,300	1,239	1,448	1,530	1,517	1,442	1,345	1,289
Female	15,100	1,373	1,226	1,227	1,198	1,170	1,103	1,293	1,390	1,432	1,300	1,237	1,151
Nonwhite	26,071	2,311	2,258	2,333	2,153	2,079	1,916	2,246	2,338	2,292	2,090	1,939	2,116
Male	13,273	1,156	1,154	1,181	1,078	1,064	983	1,115	1,217	1,183	1,084	1,008	1,050
Female	12,798	1,155	1,104	1,152	1,075	1,015	933	1,131	1,121	1,109	1,006	931	1,066

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	16,405	1,377	1,271	1,411	1,282	1,307	1,252	1,454	1,487	1,438	1,425	1,382	1,379
Male	8,386	702	652	709	662	702	655	756	723	767	726	664	668
Female	8,019	675	619	702	620	605	597	698	764	671	699	658	711
White	15,700	1,296	1,208	1,339	1,221	1,251	1,191	1,404	1,434	1,379	1,363	1,278	1,336
Male	8,047	663	618	676	634	675	627	730	705	736	693	639	651
Female	7,653	633	590	663	587	576	564	674	729	643	670	639	685
Nonwhite	705	81	63	72	61	56	61	50	53	59	62	44	43
Male	339	39	34	33	28	27	28	26	18	31	33	25	17
Female	366	42	29	39	33	29	33	24	35	28	29	19	26
TENNESSEE	82,127	7,109	6,698	7,000	6,584	6,123	6,138	7,151	7,470	7,369	7,059	6,640	6,786
Male	42,058	3,642	3,434	3,620	3,351	3,135	3,117	3,705	3,771	3,809	3,644	3,355	3,475
Female	40,069	3,467	3,264	3,380	3,233	2,988	3,021	3,446	3,699	3,560	3,415	3,285	3,311
White	67,558	5,835	5,439	5,736	5,452	5,075	5,048	5,836	6,208	6,068	5,828	5,452	5,581
Male	34,657	2,979	2,806	3,006	2,779	2,605	2,549	3,048	3,145	3,110	3,014	2,771	2,845
Female	32,901	2,856	2,633	2,730	2,673	2,470	2,499	2,788	3,063	2,958	2,814	2,681	2,736
Nonwhite	14,569	1,274	1,259	1,264	1,132	1,048	1,090	1,315	1,262	1,301	1,231	1,188	1,205
Male	7,401	683	628	614	572	530	588	657	626	699	630	584	630
Female	7,168	611	631	650	560	518	522	658	636	602	601	604	575
TEXAS	197,750	17,222	15,746	15,226	13,051	13,722	14,052	17,358	19,091	18,782	18,620	17,275	17,605
Male	101,413	8,830	8,108	7,761	6,668	7,108	7,140	8,999	9,708	9,630	9,495	8,942	9,006
Female	96,337	8,392	7,638	7,445	6,383	6,614	6,912	8,359	9,383	9,152	9,127	8,333	8,599
White	172,004	15,017	13,647	13,155	11,325	12,011	12,350	15,017	16,524	16,234	16,343	15,059	15,322
Male	88,490	7,702	7,029	6,747	5,807	6,249	6,289	7,808	8,447	8,379	8,342	7,816	7,876
Female	83,514	7,315	6,618	6,408	5,518	5,762	6,062	7,209	8,077	7,855	8,001	7,243	7,446
Nonwhite	25,746	2,205	2,099	2,071	1,726	1,711	1,702	2,341	2,567	2,548	2,277	2,216	2,283
Male	12,923	1,128	1,079	1,034	861	858	852	1,191	1,261	1,251	1,151	1,126	1,130
Female	12,823	1,077	1,020	1,037	865	852	850	1,150	1,306	1,297	1,126	1,090	1,153
UTAH	20,714	1,630	1,614	1,797	1,712	1,861	1,750	1,871	1,811	1,736	1,633	1,642	1,657
Male	10,658	864	845	918	839	953	937	961	900	898	853	864	826
Female	10,056	766	769	879	873	908	813	910	911	838	780	778	831
White	20,385	1,609	1,591	1,780	1,695	1,835	1,720	1,830	1,777	1,702	1,609	1,617	1,630
Male	10,473	853	834	908	822	937	920	937	883	879	843	847	810
Female	9,912	756	757	872	863	898	800	893	894	823	766	770	820
Nonwhite	329	21	23	17	27	26	30	41	34	34	24	25	27
Male	185	11	11	10	17	16	17	24	17	19	10	17	16
Female	144	10	12	7	10	10	13	17	17	15	14	8	11
VERMONT	9,369	726	724	818	820	805	755	834	829	818	824	748	868
Male	4,866	357	393	443	428	431	402	446	421	414	404	387	340
Female	4,503	369	331	375	392	374	353	388	408	404	420	361	328
White	9,366	726	724	817	820	805	754	834	829	817	824	748	668
Male	4,865	357	393	443	428	431	401	446	421	414	404	387	340
Female	4,501	369	331	374	392	374	353	388	408	403	420	361	328
Nonwhite	3	-	-	1	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	1	-	-	-
VIRGINIA	82,057	6,874	6,650	6,855	6,591	6,662	6,280	7,211	7,412	7,186	6,978	6,528	6,830
Male	42,254	3,498	3,441	3,438	3,441	3,481	3,299	3,670	3,821	3,716	3,553	3,358	3,538
Female	39,803	3,376	3,209	3,417	3,150	3,181	2,981	3,541	3,591	3,470	3,425	3,170	3,292
White	61,049	5,039	4,884	5,081	4,900	4,936	4,656	5,282	5,582	5,381	5,301	4,931	5,076
Male	31,596	2,580	2,525	2,519	2,601	2,601	2,491	2,687	2,918	2,785	2,697	2,546	2,648
Female	29,453	2,459	2,359	2,562	2,299	2,335	2,165	2,595	2,666	2,596	2,604	2,385	2,428
Nonwhite	21,008	1,835	1,766	1,774	1,691	1,726	1,624	1,929	1,830	1,805	1,677	1,597	1,754
Male	10,658	918	916	919	840	890	809	983	905	931	856	812	890
Female	10,350	917	850	855	851	846	816	946	925	874	821	785	864
WASHINGTON	55,833	4,870	4,315	4,868	4,611	4,852	4,682	4,830	4,893	4,568	4,603	4,410	4,831
Male	28,465	2,328	2,200	2,495	2,346	2,542	2,403	2,437	2,453	2,304	2,347	2,296	2,314
Female	27,368	2,242	2,115	2,373	2,265	2,310	2,279	2,393	2,440	2,264	2,256	2,114	2,217
White	54,013	4,439	4,166	4,695	4,475	4,815	4,538	4,665	4,762	4,406	4,438	4,237	4,377
Male	27,569	2,270	2,123	2,418	2,274	2,476	2,331	2,345	2,399	2,225	2,255	2,213	2,240
Female	26,444	2,169	2,043	2,277	2,201	2,339	2,207	2,320	2,363	2,181	2,183	2,024	2,137
Nonwhite	1,820	131	149	173	136	137	144	165	131	162	165	173	154
Male	896	58	77	77	72	66	72	92	54	79	92	83	74
Female	924	73	72	96	64	71	72	73	77	83	73	90	80
WEST VIRGINIA	52,396	4,375	4,253	4,568	4,219	4,155	3,926	4,658	4,780	4,609	4,371	4,268	4,214
Male	26,825	2,274	2,207	2,307	2,177	2,148	2,009	2,385	2,421	2,343	2,273	2,149	2,130
Female	25,573	2,101	2,046	2,261	2,042	2,007	1,917	2,273	2,359	2,266	2,098	2,119	2,084
White	49,608	4,130	4,006	4,317	3,978	3,959	3,723	4,412	4,538	4,388	4,137	4,013	4,007
Male	25,431	2,153	2,087	2,174	2,047	2,051	1,911	2,246	2,311	2,240	2,159	2,028	2,024
Female	24,177	1,977	1,919	2,143	1,931	1,908	1,812	2,166	2,227	2,148	1,978	1,985	1,983
Nonwhite	2,788	245	247	251	241	196	203	246	242	221	234	255	207
Male	1,392	121	120	133	130	97	98	139	110	103	114	121	106
Female	1,396	124	127	118	111	99	105	107	132	118	120	134	101
WISCONSIN	81,630	6,597	6,534	7,373	6,733	6,251	6,442	7,120	7,325	7,111	6,963	6,495	6,686
Male	42,031	3,372	3,323	3,819	3,494	3,178	3,267	3,644	3,795	3,711	3,561	3,370	3,497
Female	39,599	3,225	3,211	3,554	3,239	3,073	3,175	3,476	3,530	3,400	3,402	3,125	3,189
White	80,595	6,503	6,461	7,261	6,652	6,184	6,356	7,020	7,227	7,041	6,869	6,421	6,580
Male	41,519	3,328	3,284	3,779	3,455	3,141	3,229	3,586	3,744	3,674	3,517	3,335	3,446
Female	39,077	3,175	3,177	3,502	3,197	3,043	3,127	3,434	3,483	3,367	3,352	3,086	3,134
Nonwhite	1,035	94	73	92	81	67	86	100	98	70	94	74	106
Male	513	44	39	40	39	37	38	58	51	37	44	35	51
Female	522	50	34	52	42	30	48	42	47	33	50	39	55
WYOMING	7,418	575	570	577	636	622	612	629	685	647	657	582	626
Male	3,733	273	299	315	320	300	335	293	349	327	330	297	295
Female	3,685	302	271	262	316	322	277	336	336	320	327	285	331
White	7,226	554	556	558	618	607	600	616	672	630	638	567	610
Male	3,634	260	293	305	309	291	329	286	343	319	325	291	283
Female	3,592	294	263	253	309	316	271	330	329	311	313	276	327
Nonwhite	192	21	14	19	18	15	12	13	13	17	19	15	16
Male	99	13	6	10	11	9	6	7	6	8	5	6	12
Female	93	8	8	9	7	6	6	6	7	9	14	9	4

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER								
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UNITED STATES	3,535,068	4,884	431,933	1,159,977	980,904	580,481	289,421	74,764	5,053	162	7,589
White, mother native	2,972,835	1,735	329,978	982,359	848,367	503,906	238,325	59,907	3,700	112	4,446
White, mother foreign	106,096	17	3,762	26,378	32,452	19,692	17,266	5,924	480	11	124
White, mother's nativity not stated	1,585	1	149	394	265	147	117	41	4	1	286
Negro	434,174	3,087	95,538	144,171	94,188	53,424	31,923	8,347	789	33	2,674
Other	20,578	44	2,506	6,575	5,632	3,322	1,790	545	80	5	79
Urban	2,094,018	2,240	223,105	696,634	612,834	355,339	162,359	36,732	1,961	78	2,736
White, mother native	1,761,369	733	167,493	588,205	530,181	309,657	133,358	28,683	1,357	53	1,649
White, mother foreign	80,142	11	2,387	19,041	24,927	15,300	13,568	4,485	332	7	74
White, mother's nativity not stated	693	-	67	190	140	79	47	11	3	-	156
Negro	242,620	1,490	52,347	86,058	54,852	29,700	14,691	3,369	250	16	847
Other	9,194	6	811	3,140	2,734	1,603	695	174	19	2	10
Places of 100,000 or more	983,863	1,093	94,840	320,805	296,468	173,769	78,365	16,963	827	34	699
White, mother native	787,368	269	63,384	256,007	246,794	146,483	61,174	12,358	505	21	374
White, mother foreign	46,078	1	1,083	10,176	14,467	9,057	8,451	2,641	175	3	24
White, mother's nativity not stated	254	-	12	50	42	25	14	4	-	-	107
Negro	144,246	822	29,946	52,577	33,333	17,104	8,274	1,856	133	9	192
Other	5,917	2	415	1,995	1,832	1,100	452	104	14	1	2
Places of 25,000 to 100,000	426,856	415	45,616	144,059	124,834	71,295	32,269	7,375	418	19	556
White, mother native	368,909	143	35,631	125,222	110,533	63,515	27,289	5,952	309	16	299
White, mother foreign	14,520	3	454	3,557	4,564	2,754	2,267	822	73	2	24
White, mother's nativity not stated	150	-	23	47	36	21	14	4	1	-	14
Negro	42,146	267	9,395	14,842	9,387	4,822	2,613	566	34	1	217
Other	1,121	2	113	391	314	183	86	29	1	-	2
Places of 10,000 to 25,000	301,683	293	33,743	102,870	86,407	49,554	22,712	5,232	287	8	517
White, mother native	265,153	121	27,280	91,041	77,528	44,632	19,534	4,410	211	6	340
White, mother foreign	9,041	3	336	2,458	2,822	1,604	1,293	470	39	1	15
White, mother's nativity not stated	95	-	12	34	21	11	5	-	-	-	12
Negro	26,524	166	6,006	9,025	5,800	3,175	1,771	396	35	1	147
Other	870	1	109	312	236	132	59	16	2	-	3
Places of 2,500 to 10,000	381,616	439	48,906	128,900	105,125	60,721	28,013	7,102	429	17	964
White, mother native	330,939	201	41,198	115,935	95,326	55,027	25,311	5,963	332	10	636
White, mother foreign	10,503	4	514	2,850	3,074	1,885	1,557	582	45	1	11
White, mother's nativity not stated	184	-	20	59	41	22	14	3	2	-	23
Negro	29,704	233	7,000	9,614	6,332	3,599	2,033	549	48	5	291
Other	1,286	1	174	442	352	188	98	25	2	1	3
Rural	1,441,050	2,644	208,828	463,343	368,070	225,142	127,062	38,032	3,092	84	4,853
White, mother native	1,211,466	1,002	162,485	394,154	318,186	194,249	104,967	31,224	2,343	59	2,797
White, mother foreign	25,954	6	1,375	7,337	7,525	4,392	3,698	1,429	148	4	50
White, mother's nativity not stated	592	1	82	204	125	68	70	30	1	1	110
Negro	191,554	1,597	43,191	58,113	39,336	24,724	17,232	4,978	539	17	1,827
Other	11,384	38	1,695	3,435	2,898	1,719	1,095	371	61	3	69
ALABAMA	95,372	312	16,393	27,938	19,138	11,720	7,087	2,132	194	4	454
White, mother native	53,567	63	9,134	17,954	12,718	7,738	4,338	1,341	103	1	177
White, mother foreign	243	1	16	102	75	29	15	5	-	-	-
White, mother's nativity not stated	7	1	-	3	1	-	1	-	-	-	1
Negro	31,529	247	7,238	9,867	6,341	3,951	2,730	785	91	3	276
Other	26	-	5	12	3	2	3	1	-	-	-
Urban	31,332	90	5,492	11,044	7,755	4,235	2,088	472	33	1	122
White, mother native	19,591	9	2,822	7,138	5,221	2,786	1,275	272	16	-	52
White, mother foreign	140	1	7	56	48	19	8	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	11,591	80	2,662	3,844	2,486	1,428	805	198	17	1	70
Other	10	-	1	7	-	2	-	-	-	-	-
Places of 100,000 or more	8,287	28	1,379	2,907	2,079	1,168	577	112	8	-	29
White, mother native	4,659	-	530	1,727	1,316	713	305	54	3	-	11
White, mother foreign	34	-	-	12	11	8	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3,587	28	849	1,163	752	445	269	58	5	-	18
Other	7	-	-	5	-	2	-	-	-	-	-
Places of 25,000 to 100,000	9,662	22	1,526	3,469	2,486	1,306	671	140	10	-	32
White, mother native	6,129	3	798	2,223	1,714	856	443	80	5	-	7
White, mother foreign	69	-	4	29	24	7	3	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3,462	19	724	1,215	748	443	225	58	5	-	25
Other	2	-	-	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,138	12	1,026	1,800	1,249	637	316	79	3	-	16
White, mother native	3,119	2	540	1,150	815	396	163	43	2	-	8
White, mother foreign	17	1	2	6	5	2	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,002	9	484	644	429	239	152	36	1	-	8
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	8,245	28	1,561	2,868	1,941	1,124	524	141	12	1	45
White, mother native	5,684	4	954	2,038	1,376	821	384	95	8	-	26
White, mother foreign	20	-	1	8	8	2	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,540	24	605	822	557	301	139	46	6	1	19
Other	1	-	1	-	-	-	-	-	-	-	-
Rural	54,040	222	10,901	16,894	11,383	7,485	4,999	1,560	161	3	332
White, mother native	33,976	54	6,312	10,816	7,497	4,952	3,063	1,069	87	1	125
White, mother foreign	103	-	9	47	27	10	7	3	-	-	-
White, mother's nativity not stated	7	1	-	3	1	-	1	-	-	-	1
Negro	19,938	167	4,576	6,023	3,855	2,523	1,925	587	74	2	206
Other	16	-	4	5	3	-	3	1	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
ARIZONA	19,195	23	2,841	6,396	5,059	2,913	1,488	415	36	4	20
White, mother native	15,891	8	2,430	5,441	4,226	2,385	1,101	272	16	2	10
White, mother foreign	1,138	-	54	263	315	228	193	84	2	1	-
White, mother's nativity not stated	6	-	1	1	2	-	2	-	-	-	-
Negro	616	8	142	185	145	78	45	11	3	-	1
Other	1,544	7	214	506	371	226	147	48	15	1	9
Urban	11,258	8	1,519	3,816	3,031	1,803	864	203	10	1	3
White, mother native	9,861	4	1,361	3,431	2,666	1,564	685	141	6	1	2
White, mother foreign	751	-	58	183	210	140	128	51	1	-	-
White, mother's nativity not stated	5	-	1	1	2	-	1	-	-	-	-
Negro	406	4	94	118	99	52	28	8	3	-	-
Other	235	-	25	83	54	47	22	3	-	-	1
Places of 25,000 to 100,000	7,697	6	994	2,572	2,116	1,292	592	118	5	1	1
White, mother native	6,827	2	891	2,335	1,892	1,140	490	83	2	1	1
White, mother foreign	392	-	15	93	102	80	73	28	1	-	-
White, mother's nativity not stated	3	-	-	1	1	-	1	-	-	-	-
Negro	338	4	79	95	87	43	23	5	2	-	-
Other	137	-	9	48	34	29	15	2	-	-	-
Places of 2,500 to 10,000	3,561	2	525	1,244	915	511	272	85	5	-	2
White, mother native	3,034	2	470	1,096	774	424	205	58	4	-	1
White, mother foreign	359	-	23	90	108	60	55	23	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	68	-	15	23	12	9	5	3	1	-	-
Other	98	-	16	35	20	18	7	1	-	-	1
Rural	7,937	15	1,322	2,580	2,028	1,110	624	212	26	3	17
White, mother native	6,030	4	1,069	2,010	1,560	821	416	131	10	1	8
White, mother foreign	37	-	16	80	105	86	65	33	1	1	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	210	4	48	67	46	24	17	3	-	-	1
Other	1,309	7	189	423	317	179	125	45	15	1	8
ARKANSAS	48,036	155	9,470	15,272	10,817	6,508	3,982	1,338	95	4	395
White, mother native	35,817	44	6,554	11,731	8,429	4,893	2,815	945	73	1	232
White, mother foreign	247	-	11	88	69	31	29	17	1	-	1
White, mother's nativity not stated	160	-	19	44	35	17	23	9	-	-	13
Negro	11,780	111	2,881	3,397	2,277	1,580	1,014	367	21	3	149
Other	32	-	5	12	7	7	1	-	-	-	-
Urban	15,172	30	2,627	5,258	3,808	2,112	975	265	15	1	81
White, mother native	11,854	5	1,833	4,227	3,145	1,644	752	189	9	-	50
White, mother foreign	106	-	4	37	36	17	7	5	-	-	-
White, mother's nativity not stated	33	-	9	9	6	3	3	1	-	-	2
Negro	3,163	25	778	977	617	447	213	70	6	1	29
Other	16	-	3	8	4	1	-	-	-	-	-
Places of 25,000 to 100,000	3,723	6	570	1,297	1,002	549	222	67	3	-	7
White, mother native	2,923	1	367	1,037	831	429	179	51	3	-	5
White, mother foreign	37	-	1	14	14	7	1	-	-	-	-
White, mother's nativity not stated	7	-	4	1	-	-	1	1	-	-	-
Negro	753	5	177	245	155	113	41	15	-	-	2
Other	3	-	1	-	2	-	-	-	-	-	-
Places of 10,000 to 25,000	4,303	9	738	1,553	1,030	614	270	61	3	-	25
White, mother native	3,192	2	475	1,188	817	463	191	41	1	-	14
White, mother foreign	32	-	1	11	10	5	3	2	-	-	-
White, mother's nativity not stated	4	-	2	1	1	-	-	-	-	-	-
Negro	1,070	7	259	350	202	145	76	18	2	-	11
Other	5	-	1	3	-	1	-	-	-	-	-
Places of 2,500 to 10,000	7,146	15	1,319	2,408	1,776	949	483	137	9	1	49
White, mother native	5,739	2	971	2,002	1,497	752	382	97	5	-	31
White, mother foreign	37	-	2	12	12	5	3	3	-	-	-
White, mother's nativity not stated	22	-	3	7	5	3	2	-	-	-	2
Negro	1,340	13	342	382	260	189	96	37	4	1	16
Other	8	-	1	5	2	-	-	-	-	-	-
Rural	32,864	125	6,843	10,014	7,009	4,396	3,007	1,073	80	3	314
White, mother native	23,983	39	4,721	7,504	5,284	3,248	2,163	756	64	1	182
White, mother foreign	141	-	7	51	33	14	22	12	1	-	1
White, mother's nativity not stated	127	-	10	35	29	14	20	8	-	-	11
Negro	8,617	86	2,103	2,420	1,660	1,113	801	297	15	2	120
Other	16	-	2	4	3	6	1	-	-	-	-
CALIFORNIA	240,702	172	28,024	81,942	70,370	38,771	17,327	3,819	195	2	80
White, mother native	207,973	105	24,644	71,943	61,041	33,147	14,013	2,894	120	2	64
White, mother foreign	13,590	2	501	3,112	4,211	2,838	2,200	674	58	-	4
White, mother's nativity not stated	27	-	2	11	3	2	2	-	-	-	7
Negro	13,094	60	2,355	4,876	3,308	1,670	670	148	14	-	3
Other	6,010	5	522	2,000	1,806	1,116	442	103	14	-	2
Urban	174,220	117	18,456	59,450	52,285	28,561	12,542	2,643	123	2	36
White, mother native	148,005	63	15,759	51,222	44,796	24,119	9,975	1,966	75	2	28
White, mother foreign	10,341	1	361	2,367	3,260	2,168	1,661	485	38	-	2
White, mother's nativity not stated	13	-	1	5	1	1	-	-	-	-	5
Negro	11,508	52	2,027	4,354	2,938	1,445	566	122	2	-	1
Other	4,353	1	308	1,502	1,289	828	340	75	10	-	-
Places of 100,000 or more	88,485	63	8,722	29,941	26,838	14,874	6,825	1,342	50	1	9
White, mother native	71,512	26	6,949	24,462	22,016	12,023	5,034	967	27	1	7
White, mother foreign	5,810	-	184	1,350	1,835	1,233	940	252	16	-	-
White, mother's nativity not stated	4	-	-	2	-	-	-	-	-	-	2
Negro	8,176	37	1,415	3,125	2,111	1,010	404	73	1	-	-
Other	2,963	-	174	1,002	876	608	247	50	6	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
CALIFORNIA—Continued											
Places of 25,000 to 100,000	31,850	15	3,336	10,764	9,670	5,297	2,225	504	30	1	8
White, mother native	27,869	6	2,883	9,550	8,585	4,612	1,852	376	18	1	6
White, mother foreign	1,625	1	61	326	529	359	249	89	10	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,807	7	342	688	422	232	85	29	1	-	1
Other	549	1	50	200	154	94	39	10	1	-	-
Places of 10,000 to 25,000	24,846	17	2,779	8,719	7,377	3,919	1,661	351	15	-	8
White, mother native	22,087	11	2,489	7,847	6,577	3,472	1,396	278	10	-	7
White, mother foreign	1,221	-	48	320	382	236	181	50	3	-	1
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	1,159	6	201	419	308	146	63	16	-	-	-
Other	377	-	41	131	110	65	21	7	2	-	-
Places of 2,500 to 10,000	29,059	22	3,619	10,026	8,400	4,471	2,031	451	28	-	11
White, mother native	26,537	20	3,439	9,363	7,638	4,012	1,693	347	18	-	8
White, mother foreign	1,685	-	68	371	514	340	291	92	9	-	-
White, mother's nativity not stated	7	-	1	1	1	1	-	-	-	-	3
Negro	366	2	69	122	98	57	14	4	-	-	-
Other	464	-	43	169	149	61	33	8	1	-	-
Rural	66,482	55	9,568	22,492	18,085	10,210	4,785	1,171	72	-	44
White, mother native	59,968	42	8,885	20,721	16,245	9,028	4,038	926	47	-	36
White, mother foreign	3,257	1	140	745	951	668	539	191	20	-	2
White, mother's nativity not stated	14	-	1	6	2	1	2	-	-	-	2
Negro	1,586	8	328	522	370	225	104	28	1	-	2
Other	1,657	4	214	498	517	288	102	28	4	-	2
COLORADO	33,010	17	4,127	11,418	9,044	5,193	2,428	719	49	3	12
White, mother native	31,759	17	4,012	11,049	8,705	4,989	2,265	666	44	3	9
White, mother foreign	669	-	19	187	187	112	118	42	4	-	-
White, mother's nativity not stated	15	-	1	6	2	4	1	-	-	-	1
Negro	389	-	80	129	92	56	26	6	-	-	-
Other	178	-	15	47	58	32	18	5	1	-	2
Urban	20,355	13	2,344	7,166	5,811	3,206	1,401	381	23	3	7
White, mother native	19,466	13	2,248	6,888	5,555	3,062	1,311	359	21	3	6
White, mother foreign	413	-	12	125	130	71	58	16	1	-	-
White, mother's nativity not stated	11	-	1	4	2	3	-	-	-	-	1
Negro	373	-	78	123	89	54	23	6	-	-	-
Other	92	-	5	26	35	16	9	-	1	-	-
Places of 100,000 or more	10,337	7	1,088	3,513	3,094	1,723	726	170	9	1	6
White, mother native	9,742	7	1,012	3,338	2,917	1,625	671	158	8	1	5
White, mother foreign	213	-	6	50	75	41	34	7	-	-	-
White, mother's nativity not stated	5	-	1	2	1	-	-	-	-	-	1
Negro	306	-	67	101	72	45	16	5	-	-	-
Other	71	-	2	22	29	12	5	-	1	-	-
Places of 25,000 to 100,000	3,154	1	433	1,156	798	486	213	60	6	-	1
White, mother native	3,044	1	420	1,116	769	470	204	57	6	-	1
White, mother foreign	59	-	4	22	18	8	5	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	49	-	8	18	11	8	3	1	-	-	-
Other	2	-	1	-	-	-	1	-	-	-	-
Places of 10,000 to 25,000	2,488	1	278	952	704	349	156	47	1	-	-
White, mother native	2,418	1	277	931	682	334	148	44	1	-	-
White, mother foreign	57	-	-	17	16	13	8	3	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	5	-	1	2	2	-	-	-	-	-	-
Other	7	-	-	2	3	2	-	-	-	-	-
Places of 2,500 to 10,000	4,376	4	545	1,545	1,215	648	306	104	7	2	-
White, mother native	4,262	4	539	1,503	1,187	633	288	100	6	2	-
White, mother foreign	84	-	2	36	21	9	11	4	1	-	-
White, mother's nativity not stated	5	-	-	2	-	3	-	-	-	-	-
Negro	13	-	2	2	4	1	4	-	-	-	-
Other	12	-	2	2	3	2	3	-	-	-	-
Rural	12,655	4	1,783	4,252	3,233	1,987	1,027	358	26	-	5
White, mother native	12,293	4	1,764	4,161	3,150	1,927	954	307	23	-	3
White, mother foreign	256	-	7	62	57	41	60	26	3	-	-
White, mother's nativity not stated	4	-	-	2	-	1	1	-	-	-	-
Negro	16	-	2	6	3	2	3	-	-	-	-
Other	86	-	10	21	23	16	9	5	-	-	2
CONNECTICUT	42,229	8	2,128	12,055	14,008	9,068	3,961	898	45	-	60
White, mother native	38,235	3	1,803	10,951	12,863	8,394	3,419	716	38	-	48
White, mother foreign	2,460	-	53	533	744	491	460	168	7	-	4
White, mother's nativity not stated	28	-	2	8	6	2	4	1	-	-	5
Negro	1,490	5	269	551	389	176	74	13	-	-	3
Other	26	-	1	12	6	3	4	-	-	-	-
Urban	28,531	7	1,428	8,340	9,508	6,013	2,592	580	27	-	36
White, mother native	25,351	3	1,139	7,415	8,624	5,502	2,171	444	23	-	30
White, mother foreign	1,777	-	40	386	524	348	347	126	4	-	2
White, mother's nativity not stated	15	-	1	5	4	1	2	-	-	-	2
Negro	1,367	4	247	528	350	159	69	10	-	-	2
Other	21	-	1	8	6	3	3	-	-	-	-
Places of 100,000 or more	11,057	5	659	3,300	3,647	2,227	986	205	10	-	18
White, mother native	9,452	2	476	2,788	3,232	1,997	783	149	9	-	16
White, mother foreign	720	-	16	150	209	131	162	50	1	-	1
White, mother's nativity not stated	3	-	-	3	-	-	-	-	-	-	-
Negro	870	3	166	354	204	98	38	6	-	-	1
Other	12	-	1	5	2	1	3	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
CONNECTICUT—Continued											
Places of 25,000 to 100,000	11,312	2	436	3,203	3,804	2,494	1,110	239	12	-	12
White, mother native	10,172	1	367	2,898	3,466	2,290	946	185	10	-	9
White, mother foreign	727	-	12	156	216	151	139	50	2	-	1
White, mother's nativity not stated	8	-	-	2	2	1	1	-	-	-	2
Negro	400	1	57	146	117	51	24	4	-	-	-
Other	5	-	-	1	3	1	-	-	-	-	-
Places of 10,000 to 25,000	4,686	-	239	1,363	1,585	1,005	382	105	3	-	4
White, mother native	4,334	-	207	1,276	1,473	948	339	86	2	-	3
White, mother foreign	253	-	9	62	80	46	36	19	1	-	-
White, mother's nativity not stated	3	-	1	-	2	-	-	-	-	-	-
Negro	93	-	22	24	29	10	7	-	-	-	1
Other	3	-	-	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000	1,476	-	94	474	472	287	114	31	2	-	2
White, mother native	1,393	-	89	453	453	267	103	24	2	-	2
White, mother foreign	77	-	3	18	19	20	10	7	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	4	-	2	2	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	13,698	1	700	3,715	4,500	3,053	1,369	318	18	-	24
White, mother native	12,884	-	664	3,536	4,239	2,892	1,248	272	15	-	18
White, mother foreign	683	-	13	147	220	143	113	42	3	-	2
White, mother's nativity not stated	13	-	1	3	2	1	2	1	-	-	3
Negro	113	1	22	25	39	17	5	3	-	-	1
Other	5	-	-	4	-	-	1	-	-	-	-
DELAWARE	7,254	25	872	2,170	2,107	1,265	621	148	5	1	20
White, mother native	5,955	3	562	1,808	1,820	1,101	530	115	3	1	12
White, mother foreign	132	-	3	37	46	23	15	8	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,151	22	305	317	237	159	76	25	2	-	8
Other	16	-	2	8	4	2	-	-	-	-	-
Urban	3,790	16	368	1,119	1,166	690	343	78	2	-	8
White, mother native	3,114	1	213	934	1,012	596	292	59	1	-	6
White, mother foreign	79	-	1	23	26	12	12	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	595	15	154	161	127	82	39	14	1	-	2
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 100,000 or more	2,782	12	249	820	837	532	266	61	1	-	4
White, mother native	2,289	-	128	673	725	463	229	46	1	-	4
White, mother foreign	66	-	1	18	21	12	10	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	445	12	120	128	90	57	27	11	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 2,500 to 10,000	1,008	4	119	299	329	158	77	17	1	-	4
White, mother native	845	1	85	261	287	133	63	13	-	-	2
White, mother foreign	13	-	-	5	5	-	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	150	3	34	33	37	25	12	3	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	3,464	9	504	1,051	941	595	278	70	3	1	12
White, mother native	2,841	2	349	874	808	505	238	56	2	1	6
White, mother foreign	53	-	2	14	20	11	3	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	556	7	151	156	110	77	37	11	1	-	6
Other	14	-	2	7	3	2	-	-	-	-	-
DISTRICT OF COLUMBIA	20,815	74	2,488	6,876	6,108	3,319	1,498	323	21	1	107
White, mother native	11,922	5	909	3,840	3,866	2,154	938	186	9	-	15
White, mother foreign	743	-	25	186	272	150	87	18	2	-	3
White, mother's nativity not stated	84	-	4	6	4	3	2	1	-	-	64
Negro	7,963	69	1,541	2,812	1,935	995	461	114	10	1	25
Other	103	-	9	32	31	17	10	4	-	-	-
FLORIDA	59,600	206	9,554	19,702	15,181	8,880	4,866	1,128	81	3	198
White, mother native	42,195	44	5,632	14,324	11,370	6,639	3,261	763	40	1	101
White, mother foreign	1,035	-	37	290	342	196	131	34	2	-	3
White, mother's nativity not stated	31	-	5	11	7	3	3	-	-	-	2
Negro	16,280	162	3,877	5,061	3,451	2,026	1,262	307	39	2	93
Other	59	-	3	16	11	16	9	4	-	-	-
Urban	34,515	108	4,940	11,699	9,239	5,281	2,577	524	32	1	114
White, mother native	24,195	22	2,687	8,437	6,898	3,937	1,802	351	15	1	45
White, mother foreign	750	-	21	205	253	141	102	25	2	-	1
White, mother's nativity not stated	12	-	-	4	3	2	1	-	-	-	2
Negro	9,532	86	2,231	3,044	2,081	1,193	668	148	15	-	66
Other	26	-	1	9	4	8	4	-	-	-	-
Places of 100,000 or more	15,054	36	2,096	5,138	4,054	2,372	1,078	214	11	-	55
White, mother native	10,639	8	1,210	3,731	3,009	1,755	756	144	6	-	20
White, mother foreign	458	-	13	125	161	93	51	13	2	-	-
White, mother's nativity not stated	7	-	-	2	2	1	1	-	-	-	1
Negro	3,931	28	873	1,273	878	518	267	57	3	-	34
Other	19	-	-	7	4	5	3	-	-	-	-
Places of 25,000 to 100,000	5,610	17	708	1,864	1,601	878	434	95	5	1	7
White, mother native	4,018	2	374	1,344	1,234	684	310	64	2	1	3
White, mother foreign	107	-	2	26	38	19	16	6	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	1,483	15	332	493	328	175	108	25	3	-	4
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER								
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
FLORIDA—Continued											
Places of 10,000 to 25,000	5,433	17	874	2,079	1,550	862	458	77	6	-	10
White, mother native	4,114	4	452	1,488	1,162	642	312	50	2	-	2
White, mother foreign	78	-	3	24	23	9	16	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,238	13	418	566	365	211	129	24	4	-	8
Other	2	-	1	-	-	-	1	-	-	-	-
Places of 2,500 to 10,000	7,018	39	1,262	2,618	2,034	1,169	607	138	10	-	42
White, mother native	5,424	8	851	1,874	1,495	856	424	93	5	-	20
White, mother foreign	127	-	3	30	31	23	19	3	-	-	1
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	1,363	30	408	710	510	288	164	42	5	-	20
Other	6	-	-	2	-	1	-	-	-	-	-
Rural	15,065	39	4,614	8,063	5,342	3,599	2,089	604	49	2	85
White, mother native	10,[illegible]	22	3,345	5,887	4,172	2,702	1,450	452	25	-	56
White, mother foreign	285	-	16	85	81	55	40	9	-	-	2
White, mother's nativity not stated	13	-	1	7	4	1	2	-	-	-	-
Negro	4,748	76	1,248	2,017	1,372	837	594	151	24	2	27
Other	73	-	2	7	7	4	3	4	-	-	-
GEORGIA	92,894	334	16,163	23,617	21,745	12,978	7,361	1,913	163	7	1,613
White, mother native	48,742	66	3,402	14,[illegible]26	14,835	8,767	4,657	1,713	91	5	580
White, mother foreign	441	-	13	106	146	54	96	5	1	-	-
White, mother's nativity not stated	57	-	4	4	3	-	3	2	-	-	41
Negro	43,450	266	7,[illegible]52	10,101	6,735	4,040	2,604	192	71	2	1,018
Other	24	-	2	13	6	-	1	1	-	-	-
Urban	36,[illegible]01	113	8,[illegible]49	13,[illegible]74	9,[illegible]15	4,[illegible]17	2,[illegible]39	496	24	1	455
White, mother native	25,[illegible]77	17	3,465	8,478	6,[illegible]78	3,[illegible]72	1,[illegible]5	3[illegible]	16	1	130
White, mother foreign	[illegible]6	-	1[illegible]	1[illegible]4	[illegible]	[illegible]	[illegible]	-	-	-	-
White, mother's nativity not stated	11	-	1	-	-	-	-	-	-	-	8
Negro	10,[illegible]52	1[illegible]	[illegible],[illegible]65	4,104	[illegible],[illegible]6[illegible]	1,[illegible]11	[illegible]6	165	[illegible]	-	267
Other	21	-	[illegible]	[illegible]	[illegible]	2	1	1	-	-	-
Places of 100,000 or more	8,429	41	1,[illegible]58	2,[illegible]24	[illegible],[illegible]15	1,[illegible]14	[illegible]5	136	6	1	2
White, mother native	6,[illegible]45	-	[illegible]3[illegible]	1,[illegible]71	2,[illegible]1[illegible]	[illegible]7[illegible]	[illegible]5[illegible]	[illegible]6	2	1	1
White, mother foreign	[illegible]4	-	[illegible]	[illegible]1	[illegible]	16	[illegible]	4	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,[illegible]32	41	[illegible]3[illegible]	1,[illegible]07	[illegible]65	[illegible]34	[illegible]1[illegible]	[illegible]2	4	-	1
Other	[illegible]	-	1	[illegible]	1	-	-	-	-	-	-
Places of [illegible],[illegible]00 to 100,000	11,146	[illegible]5	[illegible],[illegible]3	[illegible],[illegible]4[illegible]	[illegible],[illegible]3[illegible]	1,573	[illegible]87	[illegible]57	[illegible]	-	134
White, mother native	[illegible],[illegible]3[illegible]	[illegible]	1,[illegible]4	[illegible],[illegible]44	1,[illegible]9[illegible]	[illegible]07	424	[illegible]5	[illegible]	-	[illegible]
White, mother foreign	[illegible]7	-	[illegible]	4[illegible]	[illegible]	[illegible]	[illegible]	1	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	1,[illegible]31	[illegible]	1,[illegible]3	1,[illegible]63	[illegible]1[illegible]	440	[illegible]7[illegible]	4[illegible]	[illegible]	-	[illegible]5
Other	[illegible]3	-	1	[illegible]	[illegible]	[illegible]	1	1	-	-	-
Places of [illegible],[illegible]00 to 25,000	[illegible],[illegible]3	[illegible]	1,[illegible]34	[illegible],[illegible]1[illegible]	1,[illegible]2[illegible]	1,[illegible]4[illegible]	[illegible]27	[illegible]4	[illegible]	-	[illegible]1
White, mother native	[illegible],[illegible]1[illegible]	[illegible]	[illegible]7[illegible]	1,[illegible]7[illegible]	[illegible],[illegible]3[illegible]	[illegible]2[illegible]	[illegible]3[illegible]	[illegible]1	1	-	[illegible]4
White, mother foreign	[illegible]6	-	1	[illegible]	16	1[illegible]	1	-	-	-	[illegible]
White, mother's nativity not stated	[illegible]	-	-	-	-	-	-	-	-	-	[illegible]
Negro	2,[illegible]47	11	[illegible]4[illegible]	[illegible]5	[illegible]5[illegible]	[illegible]63	[illegible]1[illegible]	[illegible]0	1	-	[illegible]2
Other	[illegible]	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	3,000	36	1,031	[illegible],[illegible]31	[illegible],[illegible]77	1,354	648	134	10	-	[illegible]50
White, mother native	6,557	5	[illegible]90	[illegible],[illegible]54	1,673	1,[illegible]53	437	[illegible]0	9	-	96
White, mother foreign	[illegible]0	-	[illegible]5	11	9	4	[illegible]5	-	-	-	-
White, mother's nativity not stated	6	-	-	-	1	-	-	-	-	-	[illegible]5
Negro	3,013	21	716	956	[illegible]43	322	[illegible]90	49	1	-	[illegible]49
Other	1	-	-	-	-	-	-	-	-	-	-
Rural	[illegible]5,[illegible]37	[illegible]1[illegible]	10,434	16,813	13,[illegible]27	7,[illegible]65	4,[illegible]83	1,417	139	6	1,[illegible]04
White, mother native	[illegible]4,[illegible]70	51	[illegible],[illegible]37	10,[illegible]76	[illegible],[illegible]55	[illegible],[illegible]10	3,[illegible]2	888	75	4	[illegible]50
White, mother foreign	178	-	[illegible]7	[illegible]6[illegible]	61	15	10	-	1	-	-
White, mother's nativity not stated	46	-	3	4	1	-	[illegible]3	2	-	-	33
Negro	[illegible]0,[illegible]08	184	4,[illegible]87	[illegible],[illegible]3[illegible]	4,[illegible]03	[illegible],[illegible]63	1,[illegible]68	527	[illegible]3	-	721
Other	3	-	-	[illegible]	1	-	-	-	-	-	-
IDAHO	16,152	14	2,[illegible]26	5,[illegible]70	4,[illegible]79	2,[illegible]54	1,[illegible]18	[illegible]30	[illegible]2	-	24
White, mother native	15,[illegible]36	14	2,223	5,394	4,137	2,[illegible]76	1,[illegible]81	[illegible]35	26	-	22
White, mother foreign	[illegible]28	-	[illegible]8	69	77	49	20	3	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	17	-	3	3	4	5	2	-	-	-	-
Other	[illegible]90	-	28	54	60	24	15	4	4	-	1
Urban	7,[illegible]65	3	1,042	2,[illegible]92	1,990	1,[illegible]02	[illegible]93	123	7	-	13
White, mother native	7,[illegible]93	3	1,029	2,546	1,[illegible]931	1,[illegible]068	[illegible]476	120	7	-	13
White, mother foreign	[illegible]14	-	[illegible]4	[illegible]31	39	24	13	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	16	-	3	2	4	5	2	-	-	-	-
Other	42	-	6	13	16	5	2	-	-	-	-
Places of 25,000 to 100,000	1,[illegible]64	-	[illegible]17	[illegible]84	[illegible]77	[illegible]80	90	15	1	-	-
White, mother native	1,[illegible]59	-	[illegible]16	[illegible]77	[illegible]66	[illegible]77	[illegible]87	[illegible]5	1	-	-
White, mother foreign	[illegible]8	-	-	5	8	3	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	-	3	-	-	-	-	-	-
Other	4	-	1	2	-	-	1	-	-	-	-
Places of 10,000 to 25,000	[illegible],[illegible]90	2	[illegible]70	1,[illegible]69	[illegible]95	[illegible]66	[illegible]24	57	2	-	[illegible]
White, mother native	[illegible],[illegible]03	2	[illegible]64	1,[illegible]48	[illegible]67	[illegible]45	[illegible]16	[illegible]4	2	-	[illegible]
White, mother foreign	[illegible]4	-	[illegible]	[illegible]3	[illegible]9	[illegible]4	[illegible]	[illegible]	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	-	-
Other	[illegible]7	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
IDAHO—Continued											
Places of 2,500 to 10,000	2,911	1	455	1,039	718	456	179	51	4	-	8
White, mother native	2,851	1	449	1,021	698	446	173	51	4	-	8
White, mother foreign	38	-	1	13	12	7	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	21	-	4	5	8	3	1	-	-	-	-
Rural	8,767	11	1,220	2,928	2,288	1,352	725	207	25	-	11
White, mother native	8,503	11	1,194	2,848	2,206	1,308	705	203	19	-	9
White, mother foreign	114	-	4	38	38	25	7	-	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	148	-	22	41	44	19	13	4	4	-	1
ILLINOIS	184,871	116	17,709	60,291	54,943	33,147	15,039	3,408	191	3	24
White, mother native	162,439	36	13,966	52,621	49,255	30,274	13,218	2,892	162	2	13
White, mother foreign	5,174	-	128	1,192	1,781	850	899	306	15	1	2
White, mother's nativity not stated	28	-	1	10	9	4	-	-	-	-	4
Negro	16,710	80	3,582	6,301	5,702	1,927	894	206	13	-	5
Other	520	-	32	167	196	92	28	4	1	-	-
Urban	140,142	96	12,650	45,412	42,417	25,721	11,325	2,390	112	3	16
White, mother native	118,940	21	9,063	38,137	37,072	23,012	9,619	1,920	86	2	8
White, mother foreign	4,584	-	113	989	1,580	772	837	275	15	1	2
White, mother's nativity not stated	17	-	1	4	6	4	-	-	-	-	2
Negro	16,092	75	3,441	6,121	3,585	1,844	841	191	10	-	4
Other	509	-	32	161	194	89	28	4	1	-	-
Places of 100,000 or more	81,003	63	6,693	25,731	25,064	15,437	6,655	1,287	66	3	4
White, mother native	63,898	8	3,815	19,800	20,763	13,239	5,297	928	44	2	2
White, mother foreign	3,365	-	73	667	1,159	589	663	202	11	1	-
White, mother's nativity not stated	3	-	-	-	2	1	-	-	-	-	-
Negro	13,272	55	2,775	5,119	2,960	1,525	672	154	10	-	2
Other	465	-	30	145	180	83	23	3	1	-	-
Places of 25,000 to 100,000	24,664	13	2,400	8,187	7,395	4,238	1,972	432	17	-	4
White, mother native	22,273	3	1,951	7,381	6,808	3,956	1,784	374	14	-	2
White, mother foreign	509	-	13	135	177	74	74	33	3	-	-
White, mother's nativity not stated	11	-	1	4	2	3	-	-	-	-	1
Negro	1,846	16	433	656	402	201	112	25	-	-	1
Other	25	-	2	11	6	4	2	-	-	-	-
Places of 10,000 to 25,000	14,137	3	1,431	4,781	4,084	2,500	1,062	266	9	-	1
White, mother native	13,212	1	1,271	4,482	3,839	2,376	989	244	9	-	1
White, mother foreign	321	-	12	86	111	50	45	17	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	595	2	148	210	129	73	28	5	-	-	-
Other	9	-	-	3	5	1	-	-	-	-	-
Places of 2,500 to 10,000	20,338	11	2,126	6,713	5,874	3,546	1,636	405	20	-	7
White, mother native	19,557	9	2,026	6,474	5,662	3,441	1,549	374	19	-	3
White, mother foreign	389	-	15	101	133	59	55	23	1	-	2
White, mother's nativity not stated	3	-	-	-	2	-	-	-	-	-	1
Negro	379	2	85	136	74	45	29	7	-	-	1
Other	10	-	-	2	3	1	3	1	-	-	-
Rural	44,729	20	5,059	14,879	12,526	7,426	3,714	1,018	79	-	8
White, mother native	43,499	15	4,903	14,484	12,183	7,262	3,599	972	76	-	5
White, mother foreign	590	-	15	203	201	78	62	31	-	-	-
White, mother's nativity not stated	11	-	-	6	3	-	-	-	-	-	2
Negro	618	5	141	180	137	83	53	15	3	-	1
Other	11	-	-	6	2	3	-	-	-	-	-
INDIANA	92,529	69	11,985	32,989	25,098	13,933	6,450	1,743	122	4	156
White, mother native	86,814	42	10,863	30,936	23,750	13,244	6,088	1,633	112	4	142
White, mother foreign	1,054	-	47	369	325	165	102	37	6	-	3
White, mother's nativity not stated	7	-	-	1	2	1	-	2	-	-	1
Negro	4,628	27	1,054	1,668	1,016	518	260	71	4	-	10
Other	26	-	1	15	5	5	-	-	-	-	-
Urban	55,890	48	7,380	20,362	15,393	8,204	3,843	817	59	2	82
White, mother native	50,601	23	6,321	18,472	14,154	7,571	3,217	723	49	2	69
White, mother foreign	758	-	31	267	237	118	79	27	6	-	3
White, mother's nativity not stated	4	-	-	-	2	1	-	1	-	-	-
Negro	4,504	25	1,027	1,621	995	509	247	66	4	-	10
Other	23	-	1	12	5	5	-	-	-	-	-
Places of 100,000 or more	21,506	23	2,703	7,706	6,095	3,240	1,394	316	17	-	12
White, mother native	17,910	6	1,951	6,409	5,279	2,817	1,181	248	13	-	6
White, mother foreign	322	-	14	101	106	47	37	14	3	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	1	-	-	-
Negro	3,260	17	738	1,191	707	371	176	53	1	-	6
Other	12	-	-	5	3	4	-	-	-	-	-
Places of 25,000 to 100,000	18,428	14	2,434	6,791	5,028	2,723	1,127	252	22	2	35
White, mother native	17,082	8	2,175	6,316	4,707	2,555	1,042	232	19	2	28
White, mother foreign	264	-	8	92	78	43	28	10	2	-	3
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,075	8	250	381	240	124	57	10	1	-	4
Other	6	-	1	2	2	1	-	-	-	-	-
Places of 10,000 to 25,000	6,882	5	980	2,509	1,855	974	432	110	11	-	6
White, mother native	6,704	5	953	2,456	1,801	949	419	107	8	-	6
White, mother foreign	82	-	3	27	24	17	8	2	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	95	-	24	25	30	8	5	1	2	-	-
Other	1	-	-	1	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000	9,074	6	1,283	3,356	2,415	1,267	590	139	9	-	29
White, mother native	8,905	6	1,242	3,291	2,367	1,250	575	136	9	-	29
White, mother foreign	90	-	6	37	29	11	6	1	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	74	-	15	24	18	6	9	2	-	-	-
Other	4	-	-	4	-	-	-	-	-	-	-
Rural	36,639	21	4,585	12,627	9,705	5,729	2,907	928	63	2	74
White, mother native	36,213	19	4,542	12,464	9,596	5,673	2,871	910	63	2	73
White, mother foreign	296	-	16	112	88	47	23	10	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	-	1	-	-	1
Negro	124	2	27	47	21	9	13	5	-	-	-
Other	3	-	-	3	-	-	-	-	-	-	-
IOWA	60,575	17	6,192	20,705	17,213	10,003	4,915	1,366	87	1	76
White, mother native	59,294	14	6,072	20,240	16,857	9,831	4,805	1,319	80	1	75
White, mother foreign	761	-	28	268	236	115	73	35	6	-	-
White, mother's nativity not stated	9	-	2	5	1	-	1	-	-	-	-
Negro	458	3	84	178	101	48	31	11	1	-	1
Other	53	-	6	14	18	9	5	1	-	-	-
Urban	29,321	9	3,355	10,426	8,257	4,500	2,167	548	31	-	28
White, mother native	28,401	6	3,254	10,085	8,010	4,378	2,093	521	27	-	27
White, mother foreign	444	-	16	159	140	69	41	16	3	-	-
White, mother's nativity not stated	5	-	-	3	1	-	1	-	-	-	-
Negro	438	3	81	171	93	48	30	10	1	-	1
Other	33	-	4	8	13	5	2	1	-	-	-
Places of 100,000 or more	4,459	3	503	1,613	1,222	707	312	91	1	-	7
White, mother native	4,177	2	467	1,514	1,150	669	284	84	1	-	6
White, mother foreign	61	-	2	24	15	9	10	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	216	1	34	75	55	26	18	6	-	-	1
Other	5	-	-	-	2	3	-	-	-	-	-
Places of 25,000 to 100,000	12,529	3	1,457	4,420	3,508	1,943	950	226	12	-	10
White, mother native	12,118	2	1,407	4,272	3,395	1,894	916	211	11	-	10
White, mother foreign	205	-	7	61	75	29	21	11	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	184	1	39	81	31	18	11	3	-	-	-
Other	21	-	4	5	7	2	2	1	-	-	-
Places of 10,000 to 25,000	4,542	1	455	1,712	1,367	652	286	66	1	-	2
White, mother native	4,423	-	448	1,657	1,332	636	281	66	1	-	2
White, mother foreign	84	-	1	38	27	14	4	-	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	29	1	6	13	5	2	1	-	-	-	-
Other	5	-	-	2	3	-	-	-	-	-	-
Places of 2,500 to 10,000	7,791	2	940	2,681	2,160	1,198	619	165	17	-	9
White, mother native	7,683	2	932	2,642	2,133	1,179	612	160	14	-	9
White, mother foreign	94	-	6	36	23	17	6	4	2	-	-
White, mother's nativity not stated	2	-	-	-	1	-	1	-	-	-	-
Negro	10	-	2	2	2	2	-	1	1	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
Rural	31,254	8	2,837	10,279	8,956	5,503	2,748	818	56	1	48
White, mother native	30,893	8	2,818	10,155	8,847	5,453	2,712	798	53	1	48
White, mother foreign	317	-	12	109	96	46	32	19	3	-	-
White, mother's nativity not stated	4	-	2	2	-	-	-	-	-	-	-
Negro	20	-	3	7	8	-	1	1	-	-	-
Other	20	-	2	6	5	4	3	-	-	-	-
KANSAS	42,714	23	5,109	14,739	11,792	6,583	3,282	935	77	-	174
White, mother native	40,285	16	4,673	13,877	11,260	6,273	3,103	886	60	-	157
White, mother foreign	578	-	19	203	154	91	71	29	7	-	4
White, mother's nativity not stated	5	-	1	-	1	1	-	-	-	-	2
Negro	1,739	6	402	620	345	205	104	36	10	-	11
Other	107	1	14	39	32	13	4	4	-	-	-
Urban	23,289	12	3,004	8,598	6,442	3,305	1,444	368	32	-	83
White, mother native	21,266	7	2,619	7,663	6,012	3,057	1,303	317	21	-	67
White, mother foreign	361	-	11	132	86	60	46	18	4	-	4
White, mother's nativity not stated	3	-	1	-	1	-	-	-	-	-	1
Negro	1,585	5	363	576	322	175	94	32	7	-	11
Other	74	-	10	27	21	13	1	2	-	-	-
Places of 100,000 or more	8,335	4	1,097	3,003	2,379	1,213	489	125	9	-	16
White, mother native	7,293	2	870	2,651	2,149	1,088	433	107	5	-	8
White, mother foreign	118	-	3	47	28	23	9	6	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	906	2	221	321	195	98	47	12	3	-	7
Other	18	-	3	4	7	4	-	-	-	-	-
Places of 25,000 to 100,000	2,943	2	330	1,068	847	434	185	44	8	-	25
White, mother native	2,659	1	294	955	791	402	158	33	3	-	22
White, mother foreign	61	-	-	16	13	9	15	4	3	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	198	1	34	86	37	19	12	5	2	-	2
Other	24	-	2	11	5	4	-	2	-	-	-
Places of 10,000 to 25,000	6,038	2	769	2,333	1,617	830	374	90	7	-	16
White, mother native	5,577	-	678	2,170	1,527	777	330	78	5	-	12
White, mother foreign	86	-	7	30	18	14	13	2	-	-	2
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	353	2	79	127	66	36	30	10	2	-	1
Other	20	-	4	6	6	3	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
KANSAS—Continued											
Places of 2,500 to 10,000	5,973	4	808	2,194	1,599	828	396	110	8	-	26
White, mother native	5,737	4	777	2,107	1,545	790	382	99	8	-	25
White, mother foreign	96	-	1	39	27	14	9	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	128	-	29	42	24	22	5	5	-	-	1
Other	12	-	1	6	3	2	-	-	-	-	-
Rural	19,425	11	2,105	6,141	5,350	3,278	1,838	568	45	-	91
White, mother native	19,019	9	2,054	6,014	5,248	3,216	1,800	549	39	-	90
White, mother foreign	217	-	8	71	68	31	25	11	3	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	154	1	39	44	23	30	10	4	3	-	-
Other	33	1	4	12	11	-	3	2	-	-	-
KENTUCKY	77,176	138	13,143	25,265	18,315	11,092	6,661	2,286	191	3	82
White, mother native	72,069	94	12,031	23,534	17,240	10,430	6,296	2,179	184	3	78
White, mother foreign	287	-	13	134	90	27	19	3	1	-	-
White, mother's nativity not stated	10	-	4	3	1	1	-	1	-	-	-
Negro	4,804	44	1,094	1,593	980	634	346	103	6	-	4
Other	6	-	1	1	4	-	-	-	-	-	-
Urban	25,433	47	3,940	9,159	6,614	3,510	1,670	436	38	-	19
White, mother native	22,261	19	3,214	8,048	5,916	3,134	1,499	388	34	-	16
White, mother foreign	157	-	6	81	41	16	11	1	1	-	-
White, mother's nativity not stated	5	-	2	1	1	-	-	1	-	-	-
Negro	3,005	28	717	1,027	651	360	170	46	3	-	3
Other	5	-	1	1	3	-	-	-	-	-	-
Places of 100,000 or more	10,395	25	1,478	3,702	2,837	1,452	714	166	14	-	7
White, mother native	8,842	8	1,123	3,186	2,471	1,263	626	148	12	-	5
White, mother foreign	71	-	2	37	19	4	9	-	-	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	1	-	-	-
Negro	1,478	17	353	479	344	185	78	17	2	-	2
Other	2	-	-	-	2	-	-	-	-	-	-
Places of 25,000 to 100,000	6,465	13	949	2,393	1,657	941	395	114	11	-	2
White, mother native	5,832	6	817	2,157	1,528	864	344	106	10	-	2
White, mother foreign	34	-	-	15	9	7	2	-	1	-	-
White, mother's nativity not stated	3	-	2	1	-	-	-	-	-	-	-
Negro	593	7	129	219	121	70	39	8	-	-	-
Other	3	-	1	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	1,938	3	340	686	484	253	147	32	3	-	-
White, mother native	1,692	2	278	610	433	204	136	27	2	-	-
White, mother foreign	14	-	1	6	6	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	232	1	61	80	45	28	11	5	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,635	6	1,173	2,368	1,636	884	424	124	10	-	10
White, mother native	5,895	3	996	2,096	1,488	803	383	107	10	-	9
White, mother foreign	38	-	3	23	7	4	-	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	702	3	174	249	141	77	41	16	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	51,743	91	9,203	16,106	11,701	7,582	4,991	1,850	153	3	63
White, mother native	49,808	75	8,817	15,485	11,322	7,296	4,807	1,791	150	3	62
White, mother foreign	130	-	7	53	49	11	8	2	-	-	-
White, mother's nativity not stated	5	-	2	2	-	1	-	-	-	-	-
Negro	1,799	16	377	586	329	274	176	57	3	-	1
Other	1	-	-	-	1	-	-	-	-	-	-
LOUISIANA	73,512	198	12,426	24,684	17,956	10,208	6,030	1,581	121	5	103
White, mother native	44,427	34	6,346	15,215	11,672	6,550	3,577	924	61	1	47
White, mother foreign	377	-	25	147	130	51	21	3	-	-	-
White, mother's nativity not stated	10	-	2	4	-	1	2	1	-	-	-
Negro	28,382	164	6,037	9,279	6,130	3,590	2,414	650	60	3	55
Other	116	-	16	39	24	16	16	3	-	1	1
Urban	35,141	69	5,552	12,586	9,034	4,781	2,501	557	26	3	32
White, mother native	22,038	10	2,745	7,933	8,113	3,248	1,625	334	14	-	16
White, mother foreign	255	-	18	93	89	37	15	3	-	-	-
White, mother's nativity not stated	3	-	-	2	-	-	1	-	-	-	-
Negro	12,789	59	2,782	4,542	2,818	1,492	857	219	12	2	16
Other	46	-	7	16	14	4	3	1	-	1	-
Places of 100,000 or more	14,814	21	2,131	5,278	3,868	2,148	1,121	234	10	1	2
White, mother native	8,771	3	901	3,076	2,503	1,423	728	130	6	-	1
White, mother foreign	161	-	8	55	59	26	11	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5,849	18	1,220	2,134	1,295	695	381	101	4	-	1
Other	33	-	2	13	11	4	1	1	-	1	-
Places of 25,000 to 100,000	7,046	24	1,183	2,611	1,844	846	431	92	8	-	7
White, mother native	4,093	1	478	1,543	1,193	563	254	55	5	-	1
White, mother foreign	32	-	1	7	14	6	3	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,917	23	703	1,059	636	277	174	36	3	-	6
Other	3	-	1	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	3,453	3	555	1,282	853	439	244	60	1	-	6
White, mother native	2,320	1	322	866	618	304	168	38	1	-	2
White, mother foreign	17	-	3	9	4	1	-	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	1,112	2	230	416	230	134	74	22	-	-	4
Other	2	-	-	-	1	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
LOUISIANA—Continued											
Places of 2,500 to 10,000	9,828	21	1,683	3,405	2,469	1,348	705	171	7	2	17
White, mother native	6,854	5	1,044	2,448	1,799	958	475	111	2	-	12
White, mother foreign	45	-	6	22	12	4	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,921	16	629	933	657	386	228	60	5	2	5
Other	8	-	4	2	1	-	1	-	-	-	-
Rural	38,171	129	6,874	12,098	8,922	5,427	3,529	1,024	95	2	71
White, mother native	22,389	24	3,601	7,282	5,559	3,302	1,952	590	47	1	31
White, mother foreign	122	-	7	54	41	14	6	-	-	-	-
White, mother's nativity not stated	7	-	2	2	-	1	1	1	-	-	-
Negro	15,583	105	3,255	4,737	3,312	2,098	1,557	431	48	1	39
Other	70	-	9	23	10	12	13	2	-	-	1
MAINE	22,071	16	2,890	7,750	5,893	3,319	1,631	502	30	-	40
White, mother native	20,646	16	2,785	7,377	5,462	3,042	1,471	436	26	-	33
White, mother foreign	1,381	-	99	352	426	271	160	65	4	-	4
White, mother's nativity not stated	9	-	1	3	-	2	-	-	-	-	3
Negro	15	-	2	9	1	2	-	1	-	-	-
Other	18	-	3	9	4	2	-	-	-	-	-
Urban	8,496	4	890	3,002	2,444	1,378	595	165	7	-	11
White, mother native	7,868	4	855	2,847	2,249	1,238	524	137	4	-	10
White, mother foreign	603	-	30	143	191	137	71	27	3	-	1
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-
Negro	12	-	2	7	1	1	-	1	-	-	-
Other	10	-	2	4	3	1	-	-	-	-	-
Places of 25,000 to 100,000	3,432	2	348	1,169	1,030	559	256	63	2	-	3
White, mother native	3,177	2	338	1,111	948	503	221	49	2	-	3
White, mother foreign	244	-	7	52	81	56	35	13	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	10	-	2	6	1	-	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,736	1	235	979	769	494	189	64	2	-	3
White, mother native	2,553	1	232	936	713	445	166	55	2	-	3
White, mother foreign	181	-	3	41	56	49	23	9	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,328	1	307	854	645	325	150	38	3	-	5
White, mother native	2,138	1	285	800	588	290	137	33	-	-	4
White, mother foreign	178	-	20	50	54	32	13	5	3	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	1	-	-	-	-	1	-	-	-	-	-
Other	10	-	2	4	3	1	-	-	-	-	-
Rural	13,575	12	2,000	4,748	3,449	1,941	1,036	337	23	-	29
White, mother native	12,780	12	1,930	4,530	3,213	1,804	947	299	22	-	23
White, mother foreign	778	-	69	209	235	134	89	38	1	-	3
White, mother's nativity not stated	6	-	-	2	-	1	-	-	-	-	3
Negro	3	-	-	2	-	1	-	-	-	-	-
Other	8	-	1	5	1	1	-	-	-	-	-
MARYLAND	53,423	122	6,988	17,558	15,052	8,472	4,055	1,048	55	6	67
White, mother native	41,102	21	4,223	13,538	12,234	6,969	3,222	806	41	4	24
White, mother foreign	967	-	26	283	318	181	121	35	1	-	2
White, mother's nativity not stated	61	-	6	17	8	7	10	-	-	-	13
Negro	11,252	101	2,731	3,704	2,480	1,288	700	205	13	2	28
Other	41	-	2	16	12	7	2	2	-	-	-
Urban	29,404	73	3,910	9,973	8,309	4,527	2,067	484	23	5	33
White, mother native	21,253	9	2,059	7,242	6,436	3,570	1,549	356	15	3	12
White, mother foreign	538	-	12	166	156	100	79	21	1	-	1
White, mother's nativity not stated	28	-	3	8	4	4	4	-	-	-	5
Negro	7,557	64	1,834	2,547	1,700	850	433	105	7	2	15
Other	28	-	2	10	9	3	2	2	-	-	-
Places of 100,000 or more	22,352	64	3,031	7,661	6,198	3,456	1,538	355	20	4	25
White, mother native	15,278	6	1,408	5,285	4,603	2,622	1,093	237	13	2	9
White, mother foreign	406	-	11	118	108	82	64	21	1	-	1
White, mother's nativity not stated	12	-	1	5	2	-	1	-	-	-	3
Negro	6,632	58	1,609	2,244	1,477	751	378	95	6	2	12
Other	24	-	2	9	8	1	2	2	-	-	-
Places of 25,000 to 100,000	1,817	3	235	625	530	258	121	45	-	-	-
White, mother native	1,745	3	220	604	506	249	118	45	-	-	-
White, mother foreign	14	-	1	7	4	2	-	-	-	-	-
White, mother's nativity not stated	7	-	2	2	1	1	1	-	-	-	-
Negro	51	-	12	12	19	6	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,191	3	322	722	616	321	166	35	1	1	4
White, mother native	1,512	-	178	491	442	249	122	28	-	1	1
White, mother foreign	37	-	-	11	17	5	4	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-
Negro	640	3	144	220	157	65	40	7	1	-	3
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	3,044	3	322	965	965	492	242	49	2	-	4
White, mother native	2,718	-	253	862	887	450	216	46	2	-	2
White, mother foreign	81	-	-	30	29	11	11	-	-	-	-
White, mother's nativity not stated	7	-	-	1	1	1	2	-	-	-	2
Negro	234	3	69	71	47	28	13	3	-	-	-
Other	4	-	-	1	1	2	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER								
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MARYLAND—Continued											
Rural	24,619	49	3,378	7,585	6,743	3,945	1,988	564	32	1	34
White, mother native	19,849	12	2,164	6,296	5,796	3,419	1,673	450	26	1	12
White, mother foreign	429	-	14	117	160	81	42	14	-	-	1
White, mother's nativity not stated	33	-	3	9	4	3	6	-	-	-	8
Negro	3,695	37	897	1,157	780	438	267	100	6	-	13
Other	13	-	-	6	3	4	-	-	-	-	-
MASSACHUSETTS	[1]97,389	24	5,216	28,302	31,167	20,137	9,814	2,456	131	4	139
White, mother native	89,212	23	4,814	26,399	28,866	18,607	8,416	1,891	93	3	111
White, mother foreign	6,177	1	132	1,183	1,750	1,259	1,263	535	37	-	17
White, mother's nativity not stated	16	-	-	-	5	2	-	2	-	-	7
Negro	1,823	-	259	658	503	245	122	26	-	1	9
Other	161	-	11	62	44	24	13	2	1	-	4
Urban	86,011	20	4,477	24,941	27,654	17,916	8,670	2,164	114	3	122
White, mother native	78,462	19	4,095	23,172	25,543	16,447	7,575	1,647	78	2	86
White, mother foreign	5,626	1	120	1,075	1,580	1,145	1,166	498	35	-	16
White, mother's nativity not stated	16	-	-	-	5	2	-	2	-	-	7
Negro	1,753	-	251	635	484	230	118	25	-	1	9
Other	154	-	11	59	42	22	13	2	1	-	4
Places of 100,000 or more	37,556	10	2,101	10,945	12,020	7,728	3,708	947	57	2	38
White, mother native	33,256	9	1,807	9,656	10,885	6,959	2,988	691	35	1	25
White, mother foreign	2,631	1	58	486	678	548	601	235	21	-	3
White, mother's nativity not stated	7	-	-	-	2	1	-	-	-	-	4
Negro	1,546	-	229	560	422	202	108	20	-	1	5
Other	116	-	8	43	23	18	11	1	1	-	1
Places of 25,000 to 100,000	25,020	6	1,163	7,310	8,101	5,335	2,516	616	29	1	43
White, mother native	23,188	6	1,114	6,917	7,580	4,874	2,175	468	21	1	32
White, mother foreign	1,672	-	36	335	471	339	332	143	8	-	8
White, mother's nativity not stated	5	-	-	-	2	1	-	2	-	-	-
Negro	132	-	11	49	42	19	7	2	-	-	2
Other	23	-	2	9	6	2	2	1	-	-	1
Places of 10,000 to 25,000	16,764	3	799	4,887	5,415	3,590	1,773	444	22	-	31
White, mother native	15,719	3	771	4,488	5,081	3,381	1,596	361	16	-	22
White, mother foreign	997	-	23	182	322	203	177	81	6	-	3
White, mother's nativity not stated	4	-	-	-	1	-	-	-	-	-	3
Negro	35	-	5	12	10	5	-	2	-	-	1
Other	9	-	-	5	1	1	-	-	-	-	2
Places of 2,500 to 10,000	6,671	1	414	1,999	2,118	1,293	673	157	6	-	10
White, mother native	6,299	1	403	1,911	1,997	1,233	614	127	6	-	7
White, mother foreign	326	-	3	72	109	55	56	29	-	-	2
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	40	-	7	14	10	4	3	1	-	-	1
Other	6	-	1	2	2	1	-	-	-	-	-
Rural	11,378	4	739	3,361	3,513	2,291	1,144	292	17	1	16
White, mother native	10,750	4	719	3,227	3,322	2,160	1,043	244	15	1	15
White, mother foreign	551	-	12	108	170	114	97	47	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	70	-	8	23	19	15	4	1	-	-	-
Other	7	-	-	3	2	2	-	-	-	-	-
MICHIGAN	154,730	95	16,245	53,520	45,059	25,268	11,391	2,888	168	5	91
White, mother native	136,332	46	13,768	47,548	40,064	22,549	9,726	2,411	136	2	82
White, mother foreign	6,490	-	161	1,606	2,168	1,221	968	339	22	1	4
White, mother's nativity not stated	23	-	4	7	5	5	1	-	-	-	1
Negro	11,525	46	2,290	4,277	2,746	1,443	676	131	10	2	4
Other	260	3	22	82	76	50	20	7	-	-	-
Urban	103,823	69	10,593	35,965	30,807	17,201	7,348	1,705	79	4	52
White, mother native	87,403	27	8,250	30,524	26,377	14,829	5,957	1,338	55	1	45
White, mother foreign	5,198	-	128	1,278	1,781	988	759	246	14	1	2
White, mother's nativity not stated	11	-	1	3	3	2	1	-	-	-	1
Negro	11,061	42	2,205	4,112	2,592	1,357	621	116	10	2	4
Other	150	-	9	47	54	25	10	5	-	-	-
Places of 100,000 or more	51,996	35	5,091	17,628	15,674	8,913	3,748	840	42	3	24
White, mother native	40,448	8	3,395	13,723	12,593	7,268	2,811	607	27	-	18
White, mother foreign	3,169	-	72	752	1,090	633	472	142	6	1	1
White, mother's nativity not stated	6	-	-	2	1	1	1	-	-	-	1
Negro	8,289	27	1,619	3,124	1,957	996	461	90	9	2	4
Other	84	-	5	25	33	17	3	1	-	-	-
Places of 25,000 to 100,000	23,462	15	2,484	8,429	6,877	3,670	1,592	369	13	-	12
White, mother native	21,226	9	2,182	7,724	6,269	3,346	1,372	304	9	-	11
White, mother foreign	989	-	29	243	341	176	145	50	4	-	1
White, mother's nativity not stated	4	-	1	-	2	1	-	-	-	-	-
Negro	1,215	7	272	453	257	141	71	14	-	-	-
Other	28	-	-	9	8	6	4	1	-	-	-
Places of 10,000 to 25,000	12,734	10	1,407	4,493	3,720	1,998	870	213	11	-	12
White, mother native	11,079	4	1,164	3,964	3,257	1,756	736	180	6	-	12
White, mother foreign	498	-	8	136	179	80	65	24	4	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,143	6	234	386	280	162	67	7	1	-	-
Other	15	-	1	6	4	-	2	2	-	-	-
Places of 2,500 to 10,000	15,631	8	1,611	5,417	4,536	2,620	1,138	283	13	1	4
White, mother native	14,650	6	1,509	5,113	4,268	2,461	1,038	247	13	1	4
White, mother foreign	544	-	19	148	171	99	77	30	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	414	2	80	149	98	58	22	5	-	-	-
Other	23	-	3	7	9	2	1	1	-	-	-

[1]Excludes 2,361 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MICHIGAN—Continued											
Rural	50,907	26	5,652	17,555	14,252	8,067	4,043	1,183	89	1	39
White, mother native	48,929	19	5,518	17,024	13,687	7,720	3,769	1,073	81	1	37
White, mother foreign	1,292	-	33	327	387	233	209	93	8	-	2
White, mother's nativity not stated	12	-	3	4	2	3	-	-	-	-	-
Negro	564	4	85	165	154	86	55	15	-	-	-
Other	110	3	13	35	22	25	10	2	-	-	-
MINNESOTA	72,780	18	5,593	22,663	21,640	13,805	6,889	1,991	137	8	36
White, mother native	70,640	16	5,433	22,055	21,042	13,425	6,628	1,894	114	7	26
White, mother foreign	1,364	-	42	352	404	272	199	73	20	1	1
White, mother's nativity not stated	26	-	3	10	1	3	1	1	-	-	7
Negro	265	1	52	92	66	31	17	5	1	-	-
Other	485	1	63	154	127	74	44	18	2	-	2
Urban	40,654	7	3,021	12,996	12,416	7,672	3,557	905	58	4	20
White, mother native	39,389	5	2,933	12,651	12,030	7,447	3,412	849	45	4	13
White, mother foreign	880	-	24	209	203	183	123	48	10	-	-
White, mother's nativity not stated	16	-	3	3	-	3	-	-	-	-	7
Negro	259	1	50	91	65	30	16	5	1	-	-
Other	110	1	11	42	38	9	6	3	-	-	-
Places of 100,000 or more	23,416	3	1,690	7,567	7,204	4,396	2,005	503	31	3	14
White, mother native	22,532	2	1,620	7,328	6,946	4,241	1,899	461	23	3	9
White, mother foreign	538	-	12	119	164	114	86	36	7	-	-
White, mother's nativity not stated	10	-	-	3	-	2	-	-	-	-	5
Negro	258	1	50	90	65	30	16	5	1	-	-
Other	78	-	8	27	29	9	4	1	-	-	-
Places of 25,000 to 100,000	866	-	52	259	278	175	85	19	-	-	-
White, mother native	847	-	51	256	268	171	82	19	-	-	-
White, mother foreign	18	-	1	3	7	4	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	5,315	3	421	1,784	1,549	958	466	124	9	-	1
White, mother native	5,200	3	417	1,750	1,505	943	455	118	8	-	1
White, mother foreign	108	-	4	29	43	15	11	5	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	6	-	-	4	1	-	-	1	-	-	-
Places of 2,500 to 10,000	11,057	1	858	3,386	3,387	2,143	1,001	259	16	1	5
White, mother native	10,810	-	845	3,317	3,311	2,092	976	251	14	1	3
White, mother foreign	216	-	7	58	69	50	23	7	2	-	-
White, mother's nativity not stated	6	-	3	-	-	1	-	-	-	-	2
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	25	1	3	11	7	-	2	1	-	-	-
Rural	32,126	11	2,572	9,667	9,224	6,133	3,332	1,086	81	4	16
White, mother native	31,251	11	2,500	9,404	9,012	5,978	3,216	1,045	69	3	13
White, mother foreign	484	-	18	143	121	89	76	25	10	1	1
White, mother's nativity not stated	10	-	-	7	1	-	1	1	-	-	-
Negro	6	-	2	1	1	1	1	-	-	-	-
Other	375	-	52	112	89	65	38	15	2	-	2
MISSISSIPPI	65,303	404	13,350	20,560	14,504	8,819	5,587	1,621	146	4	308
White, mother native	29,633	31	4,851	9,906	7,190	4,287	2,505	730	53	2	98
White, mother foreign	171	-	6	95	42	19	7	1	1	-	-
White, mother's nativity not stated	7	-	4	2	-	-	1	-	-	-	-
Negro	35,360	370	8,491	10,512	7,238	4,496	3,063	887	91	2	210
Other	132	3	18	45	34	17	11	3	1	-	-
Urban	17,049	62	3,048	5,874	4,228	2,302	1,179	279	15	-	62
White, mother native	9,866	8	1,370	3,487	2,675	1,430	705	161	9	-	23
White, mother foreign	83	-	4	48	19	8	2	1	1	-	-
White, mother's nativity not stated	4	-	3	1	-	-	-	-	-	-	-
Negro	7,069	54	1,668	2,325	1,529	860	472	117	5	-	39
Other	27	-	3	13	5	4	2	-	-	-	-
Places of 25,000 to 100,000	3,519	11	584	1,261	891	491	225	46	2	-	8
White, mother native	1,984	1	202	700	562	339	146	30	2	-	2
White, mother foreign	26	-	-	12	9	4	1	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	1,508	10	381	549	320	148	78	16	-	-	6
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,788	24	1,200	2,337	1,750	911	435	99	8	-	24
White, mother native	3,978	2	583	1,404	1,131	544	247	54	4	-	9
White, mother foreign	38	-	4	21	7	4	-	1	1	-	-
White, mother's nativity not stated	3	-	2	1	-	-	-	-	-	-	-
Negro	2,752	22	610	901	610	361	186	44	3	-	15
Other	17	-	1	10	2	2	2	-	-	-	-
Places of 2,500 to 10,000	6,742	27	1,264	2,276	1,587	900	519	134	5	-	30
White, mother native	3,904	5	585	1,383	962	547	310	77	3	-	12
White, mother foreign	19	-	-	15	3	-	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,809	22	677	875	599	351	208	57	2	-	18
Other	10	-	2	3	3	2	-	-	-	-	-
Rural	48,254	342	10,302	14,686	10,276	6,517	4,408	1,342	131	4	246
White, mother native	19,767	23	3,461	6,419	4,515	2,857	1,802	569	44	2	75
White, mother foreign	88	-	2	47	23	11	5	-	-	-	-
White, mother's nativity not stated	3	-	1	1	-	-	1	-	-	-	-
Negro	28,291	316	6,823	8,187	5,709	3,636	2,591	770	86	2	171
Other	105	3	15	32	29	13	9	3	1	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MISSOURI	85,258	104	11,659	28,281	22,511	13,337	7,226	1,906	117	-	117
White, mother native	76,984	46	9,943	25,504	20,706	12,278	6,569	1,736	102	-	102
White, mother foreign	946	-	27	345	279	143	108	38	4	-	1
White, mother's nativity not stated	12	-	2	7	1	-	1	-	-	-	1
Negro	7,274	56	1,685	2,408	1,516	907	545	131	11	-	13
Other	42	-	2	17	9	11	3	-	-	-	-
Urban	49,395	63	6,500	16,993	13,471	7,628	3,793	872	42	-	33
White, mother native	42,521	25	5,059	14,645	11,952	6,758	3,282	746	31	-	25
White, mother foreign	714	-	16	244	219	110	91	32	2	-	-
White, mother's nativity not stated	5	-	1	2	-	-	1	-	-	-	1
Negro	6,120	38	1,423	2,087	1,291	754	417	94	9	-	7
Other	35	-	1	15	9	8	2	-	-	-	-
Places of 100,000 or more	29,091	43	3,794	10,153	7,884	4,525	2,153	511	20	-	8
White, mother native	23,371	12	2,579	8,166	6,801	3,822	1,763	410	13	-	5
White, mother foreign	476	-	10	155	156	69	61	25	-	-	-
White, mother's nativity not stated	3	-	1	-	-	-	1	-	-	-	1
Negro	5,212	31	1,204	1,819	1,121	626	326	76	7	-	2
Other	29	-	-	13	6	8	2	-	-	-	-
Places of 25,000 to 100,000	4,718	3	634	1,638	1,290	695	384	69	3	-	2
White, mother native	4,530	2	599	1,579	1,248	666	367	65	2	-	2
White, mother foreign	65	-	1	20	19	11	10	3	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	122	1	34	39	22	18	7	1	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	6,720	5	775	2,260	1,908	1,099	556	103	8	-	6
White, mother native	6,294	2	686	2,125	1,825	1,041	510	93	8	-	4
White, mother foreign	86	-	2	34	22	13	12	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	337	3	87	100	59	45	34	7	-	-	2
Other	3	-	-	1	2	-	-	-	-	-	-
Places of 2,500 to 10,000	8,866	12	1,297	2,942	2,389	1,309	700	189	11	-	17
White, mother native	8,326	9	1,195	2,775	2,278	1,227	642	178	8	-	14
White, mother foreign	87	-	3	35	22	17	8	1	1	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	449	3	98	129	89	65	50	10	2	-	3
Other	2	-	1	1	-	-	-	-	-	-	-
Rural	35,863	41	5,159	11,288	9,040	5,709	3,433	1,034	75	-	84
White, mother native	34,463	21	4,884	10,859	8,754	5,520	3,287	990	71	-	77
White, mother foreign	232	-	11	101	60	33	17	7	2	-	1
White, mother's nativity not stated	7	-	1	5	1	-	-	-	-	-	-
Negro	1,154	20	282	321	225	153	128	37	2	-	6
Other	7	-	1	2	-	3	1	-	-	-	-
MONTANA	15,035	5	1,766	5,000	4,112	2,624	1,194	295	27	2	10
White, mother native	13,739	5	1,616	4,605	3,774	2,403	1,048	255	22	2	9
White, mother foreign	496	-	15	160	146	87	72	14	2	-	-
White, mother's nativity not stated	7	-	2	1	2	1	-	1	-	-	-
Negro	20	-	1	8	4	4	2	1	-	-	-
Other	773	-	132	226	186	129	72	24	3	-	1
Urban	7,454	4	845	2,540	2,039	1,342	542	128	11	1	2
White, mother native	7,138	4	819	2,432	1,961	1,283	506	120	10	1	2
White, mother foreign	242	-	11	84	67	42	31	6	1	-	-
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-
Negro	13	-	1	6	1	2	2	1	-	-	-
Other	58	-	13	17	10	14	3	1	-	-	-
Places of 25,000 to 100,000	2,044	-	226	666	548	401	169	30	4	-	-
White, mother native	1,945	-	217	631	527	382	159	26	3	-	-
White, mother foreign	76	-	1	28	19	16	9	2	1	-	-
White, mother's nativity not stated	2	-	1	-	-	1	-	-	-	-	-
Negro	5	-	-	2	1	-	1	1	-	-	-
Other	16	-	7	5	1	2	-	1	-	-	-
Places of 10,000 to 25,000	2,643	4	282	894	745	467	199	47	5	-	-
White, mother native	2,554	4	276	863	720	450	190	46	5	-	-
White, mother foreign	71	-	4	24	21	12	9	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	1	4	-	2	-	-	-	-	-
Other	11	-	1	3	4	3	-	-	-	-	-
Places of 2,500 to 10,000	2,767	-	337	980	746	474	174	51	2	1	2
White, mother native	2,659	-	326	938	714	451	157	48	2	1	2
White, mother foreign	95	-	6	32	27	14	13	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	-	-	-	-	-
Other	31	-	5	9	5	9	3	-	-	-	-
Rural	7,581	1	921	2,460	2,073	1,282	652	167	16	1	8
White, mother native	6,601	1	797	2,173	1,813	1,120	542	135	12	1	7
White, mother foreign	254	-	4	76	79	45	41	8	1	-	-
White, mother's nativity not stated	4	-	1	-	2	-	-	1	-	-	-
Negro	7	-	-	2	3	2	-	-	-	-	-
Other	715	-	119	209	176	115	69	23	3	-	1
NEBRASKA	31,176	15	3,317	10,764	8,802	5,144	2,426	641	37	-	30
White, mother native	30,047	10	3,161	10,385	8,505	5,006	2,319	600	34	-	27
White, mother foreign	431	1	20	143	128	44	65	28	2	-	-
White, mother's nativity not stated	17	-	2	7	5	-	1	1	-	-	1
Negro	492	4	108	178	113	55	26	8	1	-	1
Other	189	-	28	51	51	39	15	4	-	-	1

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEBRASKA—Continued											
Urban	15,010	9	1,683	5,507	4,177	2,358	1,039	217	15	-	13
White, mother native	14,222	5	1,558	5,228	3,969	2,267	972	199	12	-	12
White, mother foreign	252	-	12	87	77	24	40	10	2	-	-
White, mother's nativity not stated	5	-	-	3	2	-	-	-	-	-	-
Negro	483	4	104	172	112	55	26	8	1	-	1
Other	47	-	9	17	17	13	1	-	-	-	-
Places of 100,000 or more	6,014	6	579	2,135	1,715	1,009	479	78	7	-	6
White, mother native	5,462	2	481	1,944	1,579	947	434	65	5	-	5
White, mother foreign	106	-	4	36	26	11	22	6	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	422	4	93	146	99	46	23	7	1	-	1
Other	24	-	1	7	11	5	-	-	-	-	-
Places of 25,000 to 100,000	2,405	-	210	947	696	384	136	28	2	-	-
White, mother native	2,332	-	203	918	675	375	133	26	2	-	-
White, mother foreign	34	-	2	13	11	6	1	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	35	-	5	14	10	3	2	1	-	-	-
Other	4	-	-	2	2	-	-	-	-	-	-
Places of 10,000 to 25,000	2,809	2	385	1,083	794	431	177	45	2	-	-
White, mother native	2,624	2	370	1,056	764	421	168	42	1	-	-
White, mother foreign	55	-	4	20	15	3	9	3	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	15	-	5	4	2	4	-	-	-	-	-
Other	14	-	6	3	2	3	-	-	-	-	-
Places of 2,500 to 10,000	3,691	1	509	1,342	980	535	247	66	4	-	7
White, mother native	3,604	1	504	1,310	951	524	237	66	4	-	7
White, mother foreign	57	-	2	18	25	4	8	-	-	-	-
White, mother's nativity not stated	4	-	-	3	1	-	-	-	-	-	-
Negro	11	-	1	6	1	2	1	-	-	-	-
Other	15	-	2	5	2	5	1	-	-	-	-
Rural	16,157	6	1,634	5,257	4,625	2,785	1,387	424	22	-	17
White, mother native	15,925	5	1,603	5,187	4,536	2,739	1,347	401	22	-	15
White, mother foreign	179	1	8	56	51	20	25	10	-	-	1
White, mother's nativity not stated	12	-	2	4	3	-	1	1	-	-	1
Negro	9	-	2	6	1	-	-	-	-	-	-
Other	132	-	19	34	34	26	14	4	-	-	1
NEVADA	3,694	7	410	1,131	950	606	252	62	3	-	251
White, mother native	3,358	4	368	1,043	860	561	218	70	2	-	232
White, mother foreign	90	-	2	20	27	21	8	6	-	-	6
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	95	3	19	27	27	7	6	1	-	-	5
Other	151	-	21	41	36	19	20	5	1	-	8
Urban	1,826	3	169	570	482	314	115	32	2	-	139
White, mother native	1,689	1	154	526	448	295	105	28	1	-	131
White, mother foreign	46	-	1	11	12	13	4	2	-	-	3
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	66	2	11	21	18	4	4	1	-	-	5
Other	25	-	3	12	4	2	2	1	1	-	-
Places of 10,000 to 25,000	811	-	57	248	231	130	53	13	-	-	79
White, mother native	765	-	54	231	219	122	51	12	-	-	76
White, mother foreign	25	-	1	6	6	7	1	1	-	-	3
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	1	5	3	-	-	-	-	-	-
Other	12	-	1	6	3	1	1	-	-	-	-
Places of 2,500 to 10,000	1,015	3	112	322	251	184	62	19	2	-	60
White, mother native	924	1	100	295	229	173	54	16	1	-	55
White, mother foreign	21	-	-	5	6	6	3	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	57	2	10	16	15	4	4	1	-	-	5
Other	13	-	2	6	1	1	1	1	1	-	-
Rural	1,868	4	241	561	468	294	137	50	1	-	112
White, mother native	1,689	3	214	517	412	266	113	42	1	-	101
White, mother foreign	44	-	1	9	15	8	4	4	-	-	3
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	29	1	8	6	9	5	2	-	-	-	-
Other	126	-	18	29	32	17	18	4	-	-	8
NEW HAMPSHIRE	12,423	5	1,153	4,257	3,543	2,150	998	295	16	-	6
White, mother native	11,776	5	1,140	4,120	3,348	2,000	884	266	9	-	4
White, mother foreign	627	-	13	128	190	148	112	29	7	-	-
White, mother's nativity not stated	3	-	-	-	-	-	1	-	-	-	2
Negro	13	-	-	8	3	2	-	-	-	-	-
Other	4	-	-	1	2	-	1	-	-	-	-
Urban	7,140	1	593	2,479	2,095	1,242	561	161	7	-	1
White, mother native	6,725	1	566	2,392	1,974	1,141	488	139	4	-	-
White, mother foreign	400	-	7	78	119	99	72	22	3	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	12	-	-	8	2	2	-	-	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-
Places of 25,000 to 100,000	3,480	-	245	1,198	1,050	643	259	81	4	-	-
White, mother native	3,249	-	241	1,149	964	585	221	67	2	-	-
White, mother foreign	222	-	4	43	64	57	38	14	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	-	5	2	1	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEW HAMPSHIRE—Continued											
Places of 10,000 to 25,000	2,581	1	239	907	739	427	210	56	2	-	-
White, mother native	2,448	1	237	878	701	395	185	49	2	-	-
White, mother foreign	128	-	2	26	38	31	24	7	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	3	-	1	-	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-
Places of 2,500 to 10,000	1,079	-	109	374	306	172	92	24	1	-	1
White, mother native	1,028	-	108	365	289	161	82	23	-	-	-
White, mother foreign	50	-	1	9	17	11	10	1	1	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,283	4	560	1,778	1,448	908	437	134	9	-	5
White, mother native	5,051	4	554	1,728	1,374	859	398	127	5	-	4
White, mother foreign	227	-	6	50	71	49	40	7	4	-	-
White, mother's nativity not stated	2	-	-	-	-	-	1	-	-	-	1
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	2	-	-	-	2	-	-	-	-	-	-
NEW JERSEY	97,580	53	6,086	28,847	31,823	20,051	8,812	1,775	82	1	50
White, mother native	83,863	13	4,239	24,460	28,076	18,082	7,498	1,358	53	1	35
White, mother foreign	5,010	-	115	1,159	1,651	945	825	291	22	-	2
White, mother's nativity not stated	21	-	2	4	3	4	2	-	-	-	6
Negro	8,579	40	1,675	3,193	2,053	1,004	478	122	7	-	7
Other	107	-	5	31	40	16	11	4	-	-	-
Urban	76,986	38	4,558	22,583	25,306	16,028	7,001	1,369	61	-	42
White, mother native	65,469	8	3,032	18,864	22,144	14,387	5,912	1,054	36	-	32
White, mother foreign	4,096	-	94	932	1,352	788	685	224	19	-	2
White, mother's nativity not stated	16	-	1	3	3	4	2	-	-	-	3
Negro	7,339	30	1,426	2,759	1,788	841	395	89	6	-	5
Other	66	-	5	25	19	8	7	2	-	-	-
Places of 100,000 or more	26,901	25	2,041	8,342	8,515	5,259	2,256	430	18	-	15
White, mother native	21,380	5	1,149	6,474	7,053	4,557	1,808	317	7	-	10
White, mother foreign	1,348	-	30	318	456	244	230	63	7	-	-
White, mother's nativity not stated	6	-	1	2	-	-	1	-	-	-	2
Negro	4,130	20	860	1,528	997	455	213	50	4	-	3
Other	37	-	1	20	9	3	4	-	-	-	-
Places of 25,000 to 100,000	21,178	6	974	5,904	7,241	4,624	1,990	411	18	-	10
White, mother native	18,331	2	693	5,031	6,405	4,182	1,680	323	9	-	6
White, mother foreign	1,278	-	19	274	425	256	224	71	8	-	1
White, mother's nativity not stated	3	-	-	-	-	1	1	-	-	-	1
Negro	1,551	4	260	596	405	183	84	16	1	-	2
Other	15	-	2	3	6	2	1	1	-	-	-
Places of 10,000 to 25,000	13,852	4	772	4,033	4,623	2,857	1,298	240	12	-	8
White, mother native	12,061	-	562	3,445	4,139	2,592	1,116	191	9	-	7
White, mother foreign	728	-	22	175	236	136	115	41	2	-	1
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-
Negro	1,054	4	187	412	247	125	68	12	1	-	-
Other	7	-	1	1	1	2	1	1	-	-	-
Places of 2,500 to 10,000	15,055	3	771	4,304	4,827	3,288	1,457	283	13	-	9
White, mother native	13,697	1	628	3,914	4,547	3,056	1,308	223	11	-	9
White, mother foreign	742	-	23	165	235	152	116	49	2	-	-
White, mother's nativity not stated	5	-	-	1	3	1	-	-	-	-	-
Negro	604	2	119	223	139	78	32	11	-	-	-
Other	7	-	1	1	3	1	1	-	-	-	-
Rural	20,594	15	1,528	6,264	6,517	4,023	1,811	406	21	1	8
White, mother native	18,394	5	1,257	5,596	5,932	3,695	1,564	304	17	1	3
White, mother foreign	914	-	21	227	299	157	140	67	3	-	-
White, mother's nativity not stated	5	-	1	1	-	-	-	-	-	-	3
Negro	1,240	10	249	434	265	163	83	33	1	-	2
Other	41	-	-	6	21	8	4	2	-	-	-
NEW MEXICO	20,519	22	3,062	6,801	5,048	3,044	1,852	600	53	5	32
White, mother native	18,618	16	2,816	6,233	4,620	2,724	1,640	505	34	4	26
White, mother foreign	495	-	30	143	124	93	68	34	3	-	-
White, mother's nativity not stated	14	-	2	5	2	1	3	1	-	-	-
Negro	193	1	49	56	39	28	16	3	1	-	-
Other	1,199	5	165	364	263	198	125	57	15	1	6
Urban	8,776	7	1,370	3,028	2,198	1,293	671	193	11	1	4
White, mother native	8,300	6	1,307	2,876	2,079	1,214	628	175	10	1	4
White, mother foreign	217	-	10	75	55	39	25	13	-	-	-
White, mother's nativity not stated	5	-	1	3	1	-	-	-	-	-	-
Negro	148	1	38	43	28	24	10	3	1	-	-
Other	106	-	14	31	35	16	8	2	-	-	-
Places of 25,000 to 100,000	1,871	1	222	680	530	279	121	32	5	-	1
White, mother native	1,769	1	210	649	499	260	114	29	5	-	1
White, mother foreign	50	-	-	20	16	7	5	2	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	15	-	4	3	2	5	1	-	-	-	-
Other	37	-	7	8	13	7	1	1	-	-	-
Places of 10,000 to 25,000	2,567	3	408	912	628	350	210	52	3	1	-
White, mother native	2,424	2	385	855	602	327	200	49	3	1	-
White, mother foreign	46	-	1	23	9	9	3	1	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	84	1	21	28	13	13	6	2	-	-	-
Other	11	-	1	4	4	1	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER								
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEW MEXICO—Continued											
Places of 2,500 to 10,000	4,338	3	740	1,436	1,040	664	340	109	3	-	3
White, mother native	4,108	3	712	1,372	978	627	314	97	2	-	3
White, mother foreign	121	-	9	32	30	23	17	10	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	49	-	13	12	13	6	3	1	1	-	-
Other	58	-	6	19	18	8	6	1	-	-	-
Rural	11,743	15	1,692	3,773	2,850	1,751	1,181	407	42	4	28
White, mother native	10,318	10	1,509	3,357	2,541	1,510	1,012	330	24	3	22
White, mother foreign	278	-	20	68	68	54	43	21	3	-	-
White, mother's nativity not stated	9	-	1	2	1	1	3	1	-	-	-
Negro	45	-	11	13	11	4	6	-	-	-	-
Other	1,093	5	151	333	228	182	117	55	15	1	6
NEW YORK	301,966	147	19,579	89,996	98,474	60,901	28,185	6,268	264	7	145
White, mother native	255,181	64	15,084	75,951	83,424	53,379	22,424	4,575	171	6	103
White, mother foreign	22,121	1	453	4,588	6,858	4,416	4,295	1,424	76	-	10
White, mother's nativity not stated	60	-	2	13	12	6	9	1	-	-	15
Negro	23,469	81	3,934	9,065	5,875	2,897	1,347	238	14	1	17
Other	1,135	1	106	379	305	201	110	30	3	-	-
Urban	241,930	121	14,694	71,625	78,111	49,598	22,621	4,848	187	6	119
White, mother native	198,617	42	10,437	58,512	66,065	42,671	17,368	3,332	103	5	82
White, mother foreign	19,509	1	382	3,946	6,049	3,940	3,854	1,261	67	-	9
White, mother's nativity not stated	45	-	2	10	10	7	4	1	-	-	11
Negro	22,825	77	3,797	8,841	5,738	2,810	1,301	229	14	1	17
Other	934	1	76	316	249	170	94	25	3	-	-
Places of 100,000 or more	186,913	101	10,812	54,212	60,981	38,958	17,659	3,751	138	3	98
White, mother native	148,224	30	6,965	42,458	50,293	32,769	13,163	2,409	66	3	68
White, mother foreign	16,701	-	307	3,244	5,116	3,439	3,427	1,106	55	-	7
White, mother's nativity not stated	38	-	2	7	9	6	3	1	-	-	10
Negro	21,071	70	3,467	8,206	5,327	2,581	1,181	212	14	-	13
Other	879	1	71	297	236	163	85	23	3	-	-
Places of 25,000 to 100,000	19,196	8	1,380	6,205	5,926	3,724	1,604	330	10	2	7
White, mother native	17,194	5	1,166	5,567	5,335	3,424	1,383	279	8	1	6
White, mother foreign	1,047	-	33	262	371	179	157	43	2	-	-
White, mother's nativity not stated	2	-	-	-	1	1	-	-	-	-	-
Negro	933	3	178	351	213	118	60	8	-	1	1
Other	20	-	3	5	6	2	4	-	-	-	-
Places of 10,000 to 25,000	13,433	3	1,387	6,204	6,066	3,648	1,659	431	25	-	9
White, mother native	17,903	3	1,264	5,747	5,613	3,417	1,479	357	19	-	4
White, mother foreign	977	-	29	254	318	165	137	68	6	-	2
White, mother's nativity not stated	3	-	-	2	-	-	-	-	-	-	1
Negro	534	-	93	197	131	65	40	6	-	-	2
Other	16	-	1	4	4	4	3	-	-	-	-
Places of 2,500 to 10,000	16,388	9	1,115	5,004	5,138	3,267	1,499	336	14	1	5
White, mother native	15,298	4	1,042	4,720	4,824	3,081	1,343	287	10	1	4
White, mother foreign	784	1	13	186	244	159	133	44	4	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	287	4	59	87	67	46	20	3	-	-	1
Other	19	-	1	10	3	1	2	2	-	-	-
Rural	60,036	26	4,885	18,371	18,363	11,303	5,564	1,420	77	1	26
White, mother native	56,564	22	4,647	17,439	17,359	10,708	5,056	1,243	68	1	21
White, mother foreign	2,612	-	71	642	809	476	441	163	9	-	1
White, mother's nativity not stated	15	-	-	3	2	1	5	-	-	-	4
Negro	644	4	157	224	157	87	46	9	-	-	-
Other	201	-	30	63	56	31	16	5	-	-	-
NORTH CAROLINA	109,430	334	18,798	36,257	26,517	15,381	9,195	2,469	209	9	261
White, mother native	74,114	78	11,104	24,705	18,820	10,964	6,391	1,775	138	5	134
White, mother foreign	453	-	35	201	140	46	24	6	-	-	1
White, mother's nativity not stated	15	-	3	5	1	4	1	-	-	-	1
Negro	33,626	251	7,447	10,993	7,246	4,210	2,636	653	64	4	122
Other	1,222	5	209	353	310	157	143	35	7	-	3
Urban	32,160	104	5,191	11,408	8,263	4,455	2,242	430	24	1	42
White, mother native	22,366	24	2,918	7,982	6,123	3,353	1,624	308	13	1	20
White, mother foreign	226	-	15	87	75	32	13	4	-	-	-
White, mother's nativity not stated	6	-	1	2	-	2	-	-	-	-	1
Negro	9,533	80	2,252	3,324	2,057	1,066	604	118	11	-	21
Other	29	-	5	13	8	2	1	-	-	-	-
Places of 100,000 or more	3,261	12	493	1,116	856	516	225	40	1	-	2
White, mother native	2,239	4	259	763	632	388	163	30	-	-	-
White, mother foreign	19	-	-	4	8	4	2	1	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	1,001	8	234	349	216	123	60	9	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	11,963	27	1,863	4,293	3,099	1,664	837	167	8	-	15
White, mother native	7,814	4	900	2,794	2,205	1,226	565	109	5	-	6
White, mother foreign	91	-	5	38	30	15	3	-	-	-	-
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-
Negro	4,049	23	955	1,446	863	422	268	58	3	-	9
Other	6	-	2	2	1	-	1	-	-	-	-
Places of 10,000 to 25,000	8,947	34	1,510	3,244	2,291	1,144	594	107	6	1	16
White, mother native	6,258	4	892	2,303	1,705	842	423	78	2	1	8
White, mother foreign	79	-	6	32	27	7	4	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,600	30	610	904	556	295	167	26	4	-	8
Other	9	-	2	4	3	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NORTH CAROLINA—Continued											
Places of 2,500 to 10,000	7,989	31	1,325	2,765	2,017	1,151	586	116	9	-	9
White, mother native	6,055	12	867	2,122	1,581	897	473	91	6	-	6
White, mother foreign	37	-	4	13	10	6	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,883	19	453	623	422	226	109	25	3	-	3
Other	14	-	1	7	4	2	-	-	-	-	-
Rural	77,270	230	13,807	24,849	18,254	10,926	6,953	2,039	185	8	219
White, mother native	51,748	54	8,186	16,723	12,697	7,611	4,767	1,467	125	4	114
White, mother foreign	227	-	20	114	65	14	11	2	-	-	1
White, mother's nativity not stated	9	-	2	3	1	2	1	-	-	-	-
Negro	24,093	171	5,195	7,669	5,189	3,144	2,052	535	53	4	101
Other	1,193	5	204	340	302	155	142	35	7	-	3
NORTH DAKOTA	16,584	4	1,540	5,506	4,380	2,931	1,637	527	34	2	23
White, mother native	15,944	4	1,470	5,294	4,220	2,793	1,538	480	29	2	14
White, mother foreign	358	-	14	86	95	75	56	26	5	-	1
White, mother's nativity not stated	16	-	-	6	-	1	3	1	-	-	5
Negro	3	-	1	-	-	1	-	1	-	-	-
Other	363	-	55	120	65	61	40	19	-	-	3
Urban	4,776	2	423	1,788	1,313	761	360	98	8	-	6
White, mother native	4,643	2	420	1,741	1,280	732	365	95	5	-	3
White, mother foreign	98	-	1	34	28	21	11	2	-	-	1
White, mother's nativity not stated	6	-	-	1	-	1	2	-	-	-	2
Negro	1	-	-	-	-	1	-	-	-	-	-
Other	28	-	2	12	5	6	2	1	-	-	-
Places of 25,000 to 100,000	1,069	-	83	369	323	190	80	22	2	-	-
White, mother native	1,036	-	83	360	312	182	76	21	2	-	-
White, mother foreign	30	-	-	6	11	8	4	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	3	-	-	3	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,995	2	188	784	530	296	150	38	3	-	4
White, mother native	1,942	2	185	768	516	283	145	38	3	-	2
White, mother foreign	34	-	1	12	11	7	3	-	-	-	-
White, mother's nativity not stated	3	-	-	-	-	1	-	-	-	-	2
Negro	1	-	-	-	-	1	-	-	-	-	-
Other	15	-	2	4	3	4	2	-	-	-	-
Places of 2,500 to 10,000	1,712	-	152	635	460	275	150	38	-	-	2
White, mother native	1,665	-	152	613	452	267	144	36	-	-	1
White, mother foreign	34	-	-	16	6	6	4	1	-	-	1
White, mother's nativity not stated	3	-	-	1	-	-	2	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	10	-	-	5	2	2	-	1	-	-	-
Rural	11,808	2	1,117	3,718	3,067	2,170	1,257	429	29	2	17
White, mother native	11,201	2	1,050	3,553	2,940	2,081	1,173	385	24	2	11
White, mother foreign	260	-	13	52	67	54	45	24	5	-	-
White, mother's nativity not stated	10	-	-	5	-	-	1	1	-	-	3
Negro	2	-	1	-	-	-	-	1	-	-	-
Other	335	-	53	108	60	55	38	18	-	-	3
OHIO	186,353	135	19,797	63,592	53,936	31,018	13,966	3,580	198	3	128
White, mother native	169,183	69	16,934	57,533	49,672	28,897	12,637	3,164	171	3	103
White, mother foreign	3,644	-	105	1,003	1,152	587	586	194	15	-	2
White, mother's nativity not stated	16	-	1	4	5	1	1	-	-	-	3
Negro	13,400	66	2,753	5,018	3,062	1,515	737	217	12	-	20
Other	110	-	4	34	44	18	5	5	-	-	-
Urban	129,375	97	13,206	44,437	38,500	21,582	9,216	2,158	107	2	70
White, mother native	113,829	35	10,528	38,927	34,662	19,706	8,027	1,791	82	2	49
White, mother foreign	2,942	-	77	758	936	481	509	167	13	-	1
White, mother's nativity not stated	11	-	1	4	5	-	-	-	-	-	1
Negro	12,495	62	2,597	4,715	2,836	1,383	676	195	12	-	19
Other	98	-	3	33	41	12	4	5	-	-	-
Places of 100,000 or more	75,563	72	7,760	26,250	22,520	12,426	5,227	1,216	55	1	36
White, mother native	63,324	19	5,569	21,819	19,582	10,974	4,351	954	37	1	18
White, mother foreign	1,830	-	40	467	578	296	339	102	7	-	1
White, mother's nativity not stated	6	-	-	3	3	-	-	-	-	-	-
Negro	10,330	53	2,149	3,938	2,325	1,146	535	156	11	-	17
Other	73	-	2	23	32	10	2	4	-	-	-
Places of 25,000 to 100,000	20,239	6	2,197	6,980	5,906	3,341	1,418	355	23	-	13
White, mother native	18,554	3	1,908	6,416	5,482	3,142	1,265	304	21	-	13
White, mother foreign	423	-	15	107	133	73	84	29	2	-	-
White, mother's nativity not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	1,245	3	272	449	284	126	89	22	-	-	-
Other	15	-	1	7	7	-	-	-	-	-	-
Places of 10,000 to 25,000	15,143	13	1,439	5,071	4,498	2,661	1,154	279	14	1	13
White, mother native	14,333	9	1,339	4,815	4,283	2,552	1,063	249	12	1	10
White, mother foreign	330	-	8	86	102	52	61	20	1	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	473	4	92	167	112	57	29	9	1	-	2
Other	6	-	-	3	1	-	1	1	-	-	-
Places of 2,500 to 10,000	18,430	6	1,810	6,136	5,576	3,154	1,417	308	15	-	8
White, mother native	17,618	4	1,712	5,877	5,335	3,038	1,348	284	12	-	8
White, mother foreign	359	-	14	98	123	60	45	16	3	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	447	2	84	161	115	54	23	8	-	-	-
Other	4	-	-	-	1	2	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
OHIO—Continued											
Rural	56,478	38	6,571	12,155	15,436	9,436	4,750	1,422	91	1	58
White, mother native	55,354	34	6,406	16,636	14,300	9,191	4,610	1,373	99	1	54
White, mother foreign	702	-	29	245	316	106	77	27	2	-	1
White, mother's nativity not stated	5	-	-	-	1	1	1	-	-	-	2
Negro	995	4	156	303	226	132	61	22	-	-	1
Other	12	-	1	1	3	6	1	-	-	-	-
OKLAHOMA	50,396	61	8,951	17,429	12,052	6,597	3,748	1,094	97	2	355
White, mother native	44,417	42	7,640	15,584	10,778	5,838	3,219	944	79	2	291
White, mother foreign	312	-	14	137	102	57	15	7	-	-	-
White, mother's nativity not stated	40	-	8	11	12	2	4	1	-	-	2
Negro	3,657	31	903	1,098	699	475	315	87	14	-	45
Other	1,980	8	386	599	471	245	195	55	4	-	17
Urban	25,683	40	4,380	8,554	6,469	3,[illegible]	1,532	347	32	1	96
White, mother native	22,718	19	3,688	8,596	5,817	[illegible],880	1,511	311	28	1	80
White, mother foreign	218	-	10	34	77	24	11	2	-	-	-
White, mother's nativity not stated	15	-	1	5	7	-	1	1	-	-	-
Negro	2,241	19	558	710	445	293	171	27	6	-	14
Other	497	2	105	159	123	[illegible]	39	6	-	-	2
Places of 100,000 or more	10,236	15	1,595	3,321	2,641	1,[illegible]6	806	145	12	-	18
White, mother native	8,925	6	1,324	3,357	2,347	1,[illegible]1	515	132	11	-	15
White, mother foreign	91	-	2	39	33	[illegible]	7	2	-	-	-
White, mother's nativity not stated	3	-	-	-	[illegible]	-	-	-	-	-	-
Negro	1,126	9	246	398	233	152	73	11	1	-	3
Other	91	-	23	27	25	[illegible]	8	-	-	-	-
Places of 25,000 to 100,000	1,722	1	264	654	453	235	109	30	1	-	7
White, mother native	1,482	-	206	580	402	170	69	27	1	-	5
White, mother foreign	19	-	1	12	3	2	1	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	184	-	49	53	37	26	15	2	-	-	2
Other	36	1	6	9	10	5	4	1	-	-	-
Places of 10,000 to 25,000	7,109	13	1,192	2,758	1,783	831	406	88	10	-	28
White, mother native	6,323	8	1,004	2,509	1,613	734	344	90	7	-	24
White, mother foreign	69	-	4	25	28	9	3	-	-	-	-
White, mother's nativity not stated	5	-	1	2	2	-	-	-	-	-	-
Negro	541	4	149	160	103	67	46	6	3	-	3
Other	171	1	34	62	37	21	13	2	-	-	1
Places of 2,500 to 10,000	6,622	11	1,311	2,321	1,592	936	414	84	9	1	43
White, mother native	5,986	5	1,152	2,140	1,455	758	362	72	7	1	36
White, mother foreign	39	-	3	18	13	5	-	-	-	-	-
White, mother's nativity not stated	6	-	-	3	1	-	1	1	-	-	-
Negro	390	6	114	99	70	48	37	8	2	-	6
Other	199	-	42	61	53	25	14	3	-	-	1
Rural	24,697	41	4,569	7,875	5,583	3,341	2,216	747	65	1	259
White, mother native	21,699	23	3,952	6,998	4,961	2,958	1,909	633	53	1	211
White, mother foreign	94	-	4	43	25	13	4	5	-	-	-
White, mother's nativity not stated	25	-	7	6	5	2	3	-	-	-	2
Negro	1,416	12	345	588	246	182	144	60	8	-	31
Other	1,463	6	261	440	346	196	156	49	4	-	15
OREGON	35,206	16	4,572	12,051	9,694	5,593	2,594	641	31	-	24
White, mother native	33,575	15	4,440	11,591	9,191	5,272	2,423	594	28	-	21
White, mother foreign	1,003	-	42	255	324	227	116	36	3	-	-
White, mother's nativity not stated	3	-	1	-	2	-	-	-	-	-	-
Negro	280	-	47	91	72	44	20	3	-	-	3
Other	345	1	42	114	105	50	25	8	-	-	-
Urban	18,921	5	2,126	6,489	5,480	3,097	1,395	303	14	-	12
White, mother native	17,375	4	2,057	6,237	5,176	2,906	1,291	283	11	-	10
White, mother foreign	510	-	22	137	214	138	79	17	3	-	-
White, mother's nativity not stated	3	-	1	-	2	-	-	-	-	-	-
Negro	300	-	32	68	51	32	13	2	-	-	2
Other	133	1	14	47	37	21	12	1	-	-	-
Places of 100,000 or more	9,770	1	892	3,140	2,989	1,768	794	170	11	-	5
White, mother native	9,102	-	847	2,963	2,773	1,635	719	154	8	-	3
White, mother foreign	391	-	9	78	143	68	54	15	3	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	185	-	28	63	47	31	13	1	-	-	2
Other	90	1	8	36	24	14	8	-	-	-	-
Places of 25,000 to 100,000	334	1	96	330	271	147	73	15	1	-	-
White, mother native	308	1	90	323	261	140	72	15	1	-	-
White, mother foreign	26	-	1	7	10	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,195	1	410	1,167	865	476	194	41	1	-	-
White, mother native	3,105	1	400	1,162	857	460	185	39	1	-	-
White, mother foreign	74	-	6	21	23	14	9	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	2	2	[illegible]	-	-	-	-	-	-
Other	10	-	2	2	3	2	-	1	-	-	-
Places of 2,500 to 10,000	5,022	2	728	1,832	1,335	796	354	77	1	-	7
White, mother native	4,660	2	715	1,789	1,282	671	316	75	1	-	7
White, mother foreign	119	-	6	30	38	[illegible]	18	1	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	9	-	2	3	2	1	-	1	-	-	-
Other	33	-	4	10	10	5	4	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
OREGON—Continued											
Rural	16,285	11	2,446	5,562	4,214	2,496	1,189	338	17	-	12
White, mother native	15,600	11	2,383	5,354	4,015	2,386	1,132	311	17	-	11
White, mother foreign	393	-	20	118	110	89	37	19	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	80	-	15	23	21	12	7	1	-	-	1
Other	212	-	28	67	68	29	13	7	-	-	-
PENNSYLVANIA	227,227	179	20,411	74,421	67,768	40,814	18,686	4,549	340	10	89
White, mother native	205,328	84	16,733	67,099	62,311	38,013	16,781	3,986	244	7	71
White, mother foreign	5,422	-	151	1,490	1,691	874	892	293	29	-	2
White, mother's nativity not stated	30	-	2	10	5	3	3	-	-	-	7
Negro	16,342	95	3,517	5,785	3,740	1,905	1,003	258	27	3	9
Other	104	-	8	37	21	19	7	12	-	-	-
Urban	153,161	123	12,571	49,809	46,999	28,224	12,439	2,771	158	9	58
White, mother native	133,496	35	9,154	43,227	42,118	25,699	10,794	2,304	114	6	45
White, mother foreign	4,281	-	106	1,131	1,340	728	722	233	20	-	1
White, mother's nativity not stated	19	-	2	6	3	2	3	-	-	-	3
Negro	15,271	88	3,301	5,414	3,517	1,778	914	223	24	3	9
Other	94	-	8	31	21	17	6	11	-	-	-
Places of 100,000 or more	69,873	87	6,054	22,230	21,465	12,856	5,834	1,245	66	5	31
White, mother native	55,583	13	3,451	17,426	17,968	11,033	4,683	945	41	2	21
White, mother foreign	2,245	-	46	520	692	417	435	125	9	-	1
White, mother's nativity not stated	7	-	1	1	1	1	1	-	-	-	2
Negro	11,967	74	2,550	4,262	2,786	1,391	711	167	16	3	7
Other	71	-	6	21	18	14	4	8	-	-	-
Places of 25,000 to 100,000	28,864	15	2,344	9,557	8,861	5,293	2,343	530	27	4	10
White, mother native	26,558	8	1,964	8,807	8,273	4,950	2,050	470	23	4	9
White, mother foreign	725	-	21	228	228	122	89	35	2	-	-
White, mother's nativity not stated	3	-	1	-	-	1	1	-	-	-	-
Negro	1,565	7	358	515	358	219	103	22	2	-	1
Other	13	-	-	7	2	1	-	3	-	-	-
Places of 10,000 to 25,000	25,509	13	1,927	8,346	7,871	4,775	2,067	479	25	-	6
White, mother native	23,685	8	1,623	7,738	7,419	4,551	1,902	422	17	-	5
White, mother foreign	668	-	21	187	213	104	104	34	5	-	-
White, mother's nativity not stated	6	-	-	4	1	-	1	-	-	-	-
Negro	1,142	5	281	414	238	119	58	23	3	-	1
Other	8	-	2	3	-	1	2	-	-	-	-
Places of 2,500 to 10,000	28,895	9	2,246	9,676	8,802	5,300	2,295	517	40	-	11
White, mother native	27,670	6	2,116	9,256	8,458	5,165	2,159	467	33	-	10
White, mother foreign	643	-	18	196	207	85	94	39	4	-	-
White, mother's nativity not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	577	2	112	223	135	49	42	11	3	-	-
Other	2	-	-	-	1	1	-	-	-	-	-
Rural	74,066	56	7,840	24,612	20,769	12,593	6,247	1,778	142	1	31
White, mother native	71,833	49	7,579	23,872	20,193	12,314	5,987	1,682	130	1	26
White, mother foreign	1,141	-	45	359	351	146	170	60	9	-	1
White, mother's nativity not stated	11	-	-	4	2	1	-	-	-	-	4
Negro	1,071	7	216	371	223	127	89	35	3	-	-
Other	10	-	-	6	-	2	1	1	-	-	-
RHODE ISLAND	16,861	2	996	5,278	5,509	3,233	1,483	356	20	-	4
White, mother native	15,545	1	897	4,953	5,109	3,006	1,282	278	16	-	3
White, mother foreign	897	-	19	175	292	178	155	73	4	-	1
White, mother's nativity not stated	3	-	-	-	3	-	-	-	-	-	-
Negro	400	1	79	147	99	44	26	4	-	-	-
Other	16	-	1	3	6	5	-	1	-	-	-
Urban	14,981	2	873	4,654	4,915	2,897	1,297	319	20	-	4
White, mother native	13,761	1	781	4,350	4,548	2,687	1,127	248	16	-	3
White, mother foreign	830	-	16	160	269	166	146	68	4	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	375	1	75	141	91	40	24	3	-	-	-
Other	14	-	1	3	6	4	-	-	-	-	-
Places of 100,000 or more	5,473	1	344	1,707	1,803	1,018	477	116	7	-	-
White, mother native	4,943	-	286	1,553	1,668	935	410	86	5	-	-
White, mother foreign	267	-	5	48	79	59	47	27	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	256	1	53	103	53	23	20	3	-	-	-
Other	7	-	-	3	3	1	-	-	-	-	-
Places of 25,000 to 100,000	6,858	1	385	2,098	2,278	1,333	603	146	11	-	4
White, mother native	6,318	1	358	1,975	2,095	1,237	521	118	10	-	3
White, mother foreign	427	-	7	88	147	77	78	28	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	109	-	20	35	34	16	4	-	-	-	-
Other	5	-	-	-	2	3	-	-	-	-	-
Places of 10,000 to 25,000	2,018	-	112	670	536	407	154	37	2	-	-
White, mother native	1,896	-	106	648	594	381	139	27	1	-	-
White, mother foreign	111	-	3	20	37	25	15	10	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	8	-	2	2	3	1	-	-	-	-	-
Other	2	-	1	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	631	-	32	179	198	139	63	20	-	-	-
White, mother native	604	-	31	174	191	134	57	17	-	-	-
White, mother foreign	25	-	1	4	6	5	6	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4. LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
RHODE ISLAND—Continued											
Rural	1,880	-	123	824	594	336	166	37	-	-	-
White, mother native	1,784	-	116	803	561	319	155	30	-	-	-
White, mother foreign	67	-	3	15	23	12	9	5	-	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	25	-	4	6	8	4	2	1	-	-	-
Other	2	-	-	-	-	1	-	1	-	-	-
SOUTH CAROLINA	57,759	197	10,749	19,237	13,812	7,605	4,440	1,167	115	4	433
White, mother native	31,406	38	4,966	10,633	8,090	4,453	2,356	687	53	2	128
White, mother foreign	132	-	8	56	43	12	4	1	-	-	6
White, mother's nativity not stated	150	-	10	67	41	17	8	5	-	-	2
Negro	26,060	159	5,764	8,476	5,634	3,121	2,072	474	62	2	296
Other	11	-	1	3	4	2	-	-	-	-	1
Urban	19,346	47	3,316	6,610	4,962	2,521	1,262	296	14	2	116
White, mother native	13,352	9	1,928	4,738	3,636	1,872	896	223	8	-	42
White, mother foreign	66	-	5	28	21	7	4	-	-	-	1
White, mother's nativity not stated	83	-	4	38	22	10	6	1	-	-	2
Negro	5,843	38	1,379	2,005	1,282	632	356	72	6	2	71
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 25,000 to 100,000	8,704	25	1,380	3,043	2,371	1,138	589	106	7	-	45
White, mother native	5,926	6	757	2,085	1,712	853	421	74	4	-	14
White, mother foreign	34	-	3	12	11	5	3	-	-	-	-
White, mother's nativity not stated	49	-	2	23	12	6	4	1	-	-	1
Negro	2,694	19	618	922	636	274	161	31	3	-	30
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,544	9	621	1,242	907	469	210	46	3	1	36
White, mother native	2,427	-	360	846	662	358	149	35	3	-	16
White, mother foreign	13	-	-	6	6	-	-	-	-	-	1
White, mother's nativity not stated	17	-	-	9	5	2	1	-	-	-	-
Negro	1,086	9	261	381	233	111	60	11	-	1	19
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	7,098	13	1,315	2,525	1,884	914	463	144	4	1	35
White, mother native	4,999	3	811	1,807	1,262	663	326	114	1	-	12
White, mother foreign	19	-	2	10	4	2	1	-	-	-	-
White, mother's nativity not stated	17	-	2	6	5	2	1	-	-	-	1
Negro	2,063	10	500	702	413	247	135	30	3	1	22
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	38,413	150	7,433	12,427	8,850	5,084	3,178	871	101	2	317
White, mother native	18,054	29	3,038	5,895	4,454	2,581	1,460	464	45	2	86
White, mother foreign	66	-	3	30	22	5	-	1	-	-	5
White, mother's nativity not stated	67	-	6	29	19	7	2	4	-	-	-
Negro	20,217	121	4,385	6,471	4,352	2,489	1,716	402	56	-	225
Other	9	-	1	2	3	2	-	-	-	-	1
SOUTH DAKOTA	16,405	1	1,570	5,502	4,620	2,733	1,449	432	34	2	62
White, mother native	15,480	1	1,476	5,224	4,358	2,595	1,356	393	29	1	47
White, mother foreign	207	-	7	69	66	30	20	13	2	-	-
White, mother's nativity not stated	13	-	3	1	1	3	-	1	-	-	4
Negro	6	-	-	3	2	-	1	-	-	-	-
Other	699	-	84	205	193	105	72	25	3	1	11
Urban	5,853	-	597	2,077	1,647	916	477	108	11	1	19
White, mother native	5,694	-	583	2,023	1,605	894	457	104	10	1	17
White, mother foreign	74	-	3	21	25	10	13	1	1	-	-
White, mother's nativity not stated	4	-	2	-	-	1	-	-	-	-	1
Negro	5	-	-	2	2	-	1	-	-	-	-
Other	76	-	9	31	15	11	6	3	-	-	1
Places of 25,000 to 100,000	1,496	-	132	517	454	233	128	29	2	-	1
White, mother native	1,470	-	132	508	445	230	125	28	2	-	-
White, mother foreign	16	-	-	5	7	1	2	1	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	5	-	-	2	2	-	1	-	-	-	-
Other	3	-	-	2	-	1	-	-	-	-	-
Places of 10,000 to 25,000	2,423	-	260	856	706	364	181	41	5	1	9
White, mother native	2,366	-	256	833	692	355	175	41	4	1	9
White, mother foreign	30	-	1	11	8	5	4	-	1	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	26	-	2	12	6	4	2	-	-	-	-
Places of 2,500 to 10,000	1,934	-	205	704	487	319	168	38	4	-	9
White, mother native	1,858	-	195	682	468	309	157	35	4	-	8
White, mother foreign	28	-	2	5	10	4	7	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	47	-	7	17	9	6	4	3	-	-	1
Rural	10,552	1	973	3,425	2,973	1,817	972	324	23	1	43
White, mother native	9,786	1	893	3,201	2,753	1,701	899	289	19	-	30
White, mother foreign	133	-	4	48	41	20	7	12	1	-	-
White, mother's nativity not stated	9	-	1	1	1	2	-	1	-	-	3
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	623	-	75	174	178	94	66	22	3	1	10
TENNESSEE	82,127	225	14,532	26,990	19,393	11,626	7,004	2,080	162	3	112
White, mother native	67,180	92	10,943	22,161	16,404	9,770	5,784	1,796	138	3	89
White, mother foreign	367	-	20	172	107	37	24	7	-	-	-
White, mother's nativity not stated	11	-	2	-	2	1	1	-	1	-	4
Negro	14,556	133	3,566	4,654	2,876	1,814	1,195	277	22	-	19
Other	13	-	1	3	4	4	-	-	1	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
TENNESSEE—Continued											
Urban	33,230	104	5,742	11,729	8,237	4,534	2,295	536	28	1	24
White, mother native	24,541	25	3,648	8,780	6,488	3,504	1,674	405	19	1	17
White, mother foreign	190	-	10	80	61	20	15	4	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	1	-	1	-	-
Negro	8,489	79	2,084	2,866	1,705	1,007	605	127	7	-	7
Other	8	-	-	1	3	3	-	-	1	-	-
Places of 100,000 or more	21,934	80	3,818	7,731	5,438	2,991	1,507	343	14	1	11
White, mother native	15,087	14	2,170	5,422	4,053	2,163	1,012	240	6	1	6
White, mother foreign	136	-	9	57	39	15	13	3	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	6,704	66	1,639	2,252	1,344	810	481	100	7	-	5
Other	6	-	-	-	2	3	-	-	1	-	-
Places of 25,000 to 100,000	698	1	108	245	179	105	54	6	-	-	-
White, mother native	636	1	96	225	165	94	49	6	-	-	-
White, mother foreign	3	-	-	1	2	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	58	-	12	18	12	11	5	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,449	9	562	1,248	872	468	238	47	3	-	2
White, mother native	2,838	5	412	1,031	755	397	193	40	3	-	2
White, mother foreign	18	-	-	9	6	2	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	592	4	150	208	110	69	44	7	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	7,149	14	1,254	2,505	1,748	970	496	140	11	-	11
White, mother native	5,980	5	970	2,102	1,495	850	420	119	10	-	9
White, mother foreign	33	-	1	13	14	3	1	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	1	-	-
Negro	1,135	9	283	390	239	117	75	20	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	48,897	121	8,790	15,261	11,156	7,092	4,709	1,544	134	2	88
White, mother native	42,639	67	7,295	13,381	9,936	6,266	4,110	1,391	119	2	72
White, mother foreign	177	-	10	92	46	17	9	3	-	-	-
White, mother's nativity not stated	9	-	2	-	2	1	-	-	-	-	4
Negro	6,067	54	1,482	1,786	1,171	807	590	150	15	-	12
Other	5	-	1	2	1	1	-	-	-	-	-
TEXAS	197,750	415	32,841	66,973	49,244	27,827	15,680	3,950	343	22	455
White, mother native	161,285	204	25,747	55,696	41,497	22,932	11,868	2,812	198	13	318
White, mother foreign	10,474	10	949	2,811	2,497	1,736	1,784	564	86	7	30
White, mother's nativity not stated	245	-	28	84	57	28	17	8	3	1	19
Negro	25,618	201	6,100	8,335	5,158	3,118	2,000	564	56	1	87
Other	128	-	17	47	37	13	11	2	-	-	1
Urban	124,652	247	20,213	43,744	32,110	17,153	8,756	2,031	155	13	230
White, mother native	102,974	132	16,039	38,725	27,374	14,294	6,712	1,429	87	8	174
White, mother foreign	5,997	6	405	1,573	1,470	1,072	1,061	347	45	5	13
White, mother's nativity not stated	131	-	11	48	32	18	9	2	2	-	9
Negro	15,453	109	3,746	5,360	3,209	1,758	966	251	21	-	33
Other	97	-	12	38	25	11	8	2	-	-	1
Places of 100,000 or more	47,344	87	7,261	16,655	12,823	6,594	3,194	841	42	2	45
White, mother native	38,793	43	5,466	13,783	10,915	5,534	2,525	689	22	1	35
White, mother foreign	1,536	-	63	398	424	268	283	85	12	1	2
White, mother's nativity not stated	27	-	-	10	7	5	2	-	-	-	3
Negro	6,925	44	1,723	2,437	1,462	779	381	87	8	-	4
Other	63	-	9	27	15	8	3	-	-	-	1
Places of 25,000 to 100,000	30,485	57	4,681	11,006	7,960	4,096	2,063	512	47	6	57
White, mother native	24,959	31	3,732	9,243	6,707	3,334	1,499	348	23	4	38
White, mother foreign	1,743	2	101	409	454	336	311	104	19	2	5
White, mother's nativity not stated	26	-	2	8	8	2	2	-	1	-	3
Negro	3,752	24	845	1,338	784	421	247	58	4	-	11
Other	25	-	1	8	7	3	4	2	-	-	-
Places of 10,000 to 25,000	13,642	27	2,305	4,667	3,366	1,988	1,018	238	13	2	20
White, mother native	11,124	14	1,832	3,871	2,816	1,638	770	161	8	1	13
White, mother foreign	775	1	61	229	180	134	128	36	3	1	2
White, mother's nativity not stated	19	-	4	4	5	4	2	-	-	-	-
Negro	1,721	12	407	561	365	210	118	41	2	-	5
Other	3	-	1	2	-	-	-	-	-	-	-
Places of 2,500 to 10,000	33,181	76	5,966	11,416	7,961	4,477	2,481	640	53	3	108
White, mother native	28,098	44	5,009	9,828	6,936	3,788	1,918	451	34	2	88
White, mother foreign	1,943	3	180	537	412	334	359	122	11	1	4
White, mother's nativity not stated	59	-	5	26	12	7	3	2	1	-	3
Negro	3,075	29	771	1,024	599	348	220	65	7	-	13
Other	6	-	1	1	3	-	1	-	-	-	-
Rural	73,098	168	12,628	23,229	17,134	10,674	6,924	1,919	188	9	225
White, mother native	58,311	72	9,708	18,871	14,123	8,638	5,156	1,383	111	5	144
White, mother foreign	4,477	4	544	1,238	1,027	664	723	217	41	2	17
White, mother's nativity not stated	114	-	17	36	25	10	8	6	1	1	10
Negro	10,165	92	2,354	2,975	1,947	1,360	1,034	313	35	1	54
Other	31	-	5	9	12	2	3	-	-	-	-
UTAH	20,714	10	2,458	6,987	5,561	3,327	1,740	525	42	2	81
White, mother native	19,872	9	2,404	6,745	5,321	3,175	1,640	488	37	1	54
White, mother foreign	494	-	21	139	126	93	78	31	5	-	1
White, mother's nativity not stated	19	-	6	3	3	1	1	-	-	-	5
Negro	77	-	8	28	24	12	3	1	-	-	1
Other	252	1	20	72	87	46	18	7	-	1	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UTAH—Continued											
Urban	12,140	5	1,350	4,235	3,361	1,883	988	282	19	2	15
White, mother native	11,658	5	1,325	4,096	3,219	1,798	926	259	15	1	14
White, mother foreign	311	-	12	85	85	55	51	19	4	-	-
White, mother's nativity not stated	4	-	2	2	-	-	-	-	-	-	-
Negro	54	-	6	20	15	9	3	-	-	-	1
Other	113	-	5	32	42	21	8	4	-	1	-
Places of 100,000 or more	5,373	3	508	1,653	1,572	840	463	117	13	-	4
White, mother native	5,102	3	494	1,779	1,487	796	423	106	10	-	4
White, mother foreign	179	-	7	42	51	30	37	9	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	28	-	5	10	7	5	1	-	-	-	-
Other	64	-	2	22	27	9	2	2	-	-	-
Places of 25,000 to 100,000	1,791	-	218	612	505	288	121	40	3	-	4
White, mother native	1,705	-	216	588	478	270	112	35	3	-	3
White, mother foreign	37	-	-	11	10	7	6	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	24	-	1	9	7	4	2	-	-	-	1
Other	25	-	1	4	10	7	1	2	-	-	-
Places of 10,000 to 25,000	1,406	-	148	512	356	175	88	25	-	-	1
White, mother native	1,371	-	147	597	345	171	85	25	-	-	1
White, mother foreign	35	-	1	15	11	4	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	3,[illegible]	2	476	1,158	928	560	315	100	3	2	6
White, mother native	3,480	2	468	1,132	909	561	306	93	2	1	6
White, mother foreign	60	-	4	17	13	14	4	7	1	-	-
White, mother's nativity not stated	1	-	2	2	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	24	-	2	6	5	5	5	-	-	1	-
Rural	6,574	5	1,109	2,752	2,200	1,444	752	243	23	-	46
White, mother native	6,214	4	1,079	2,649	2,102	1,377	714	227	22	-	40
White, mother foreign	183	-	9	54	41	38	27	12	1	-	1
White, mother's nativity not stated	15	-	4	1	3	1	1	-	-	-	5
Negro	23	-	2	8	9	3	-	1	-	-	-
Other	139	1	15	40	45	25	10	3	-	-	-
VERMONT	9,369	6	1,022	3,200	2,630	1,488	765	221	15	-	2
White, mother native	8,665	6	1,000	3,017	2,423	1,344	688	178	10	-	2
White, mother foreign	699	-	21	180	209	144	97	43	5	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Urban	3,478	-	330	1,218	1,027	546	278	75	3	-	1
White, mother native	3,211	-	322	1,142	945	496	242	61	2	-	1
White, mother foreign	267	-	8	76	82	50	36	14	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	822	-	65	307	245	121	65	19	-	-	-
White, mother native	777	-	65	295	235	110	57	15	-	-	-
White, mother foreign	45	-	-	12	10	11	8	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	725	-	68	235	216	133	54	17	2	-	-
White, mother native	677	-	65	222	202	124	50	13	1	-	-
White, mother foreign	48	-	3	13	14	9	4	4	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,931	-	197	676	566	292	159	39	1	-	1
White, mother native	1,757	-	192	625	508	262	135	33	1	-	1
White, mother foreign	174	-	5	51	58	30	24	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,891	6	692	1,982	1,603	942	507	146	12	-	1
White, mother native	5,454	6	678	1,875	1,475	848	446	117	8	-	1
White, mother foreign	432	-	13	104	127	94	61	29	4	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
VIRGINIA	82,057	219	12,524	26,854	21,296	12,439	6,561	1,802	164	7	191
White, mother native	60,166	67	7,826	19,652	16,305	9,733	5,002	1,363	117	6	93
White, mother foreign	859	-	31	338	303	119	52	14	1	-	1
White, mother's nativity not stated	24	-	2	1	6	9	-	-	-	-	6
Negro	20,975	152	4,657	6,853	4,676	2,572	1,503	424	46	1	91
Other	33	-	6	10	6	6	4	1	-	-	-
Urban	30,979	78	4,124	10,237	8,799	4,959	2,236	466	31	2	46
White, mother native	22,416	18	2,287	7,291	6,728	3,961	1,735	345	21	2	18
White, mother foreign	455	-	15	161	174	74	27	12	1	-	1
White, mother's nativity not stated	10	-	1	-	3	1	-	-	-	-	5
Negro	8,069	60	1,818	2,780	1,879	919	474	108	9	-	22
Other	10	-	3	5	5	4	-	1	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
VIRGINIA—Continued											
Places of 100,000 or more	9,649	30	1,471	3,294	2,657	1,386	634	148	8	1	20
White, mother native	5,968	6	643	1,980	1,806	992	437	94	3	1	6
White, mother foreign	100	-	2	41	36	10	8	2	1	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	3,566	24	823	1,271	810	381	189	51	4	-	13
Other	13	-	3	2	4	3	-	1	-	-	-
Places of 25,000 to 100,000	13,516	36	1,548	4,208	4,085	2,381	1,037	190	11	1	19
White, mother native	10,056	8	843	3,049	3,235	1,937	819	148	9	1	7
White, mother foreign	269	-	9	81	105	52	15	6	-	-	1
White, mother's nativity not stated	5	-	-	-	1	-	-	-	-	-	4
Negro	3,181	28	696	1,075	743	391	203	36	2	-	7
Other	5	-	-	3	1	1	-	-	-	-	-
Places of 10,000 to 25,000	2,357	5	330	840	587	359	189	38	7	-	2
White, mother native	1,818	-	203	669	459	303	153	24	5	-	2
White, mother foreign	26	-	-	10	9	3	2	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	513	5	127	161	119	53	34	12	2	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,456	7	775	1,895	1,470	833	376	90	5	-	5
White, mother native	4,574	4	598	1,593	1,238	729	326	79	4	-	3
White, mother foreign	70	-	4	28	24	9	2	2	-	-	-
White, mother's nativity not stated	3	-	1	-	1	1	-	-	-	-	-
Negro	809	3	172	273	207	94	48	9	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	51,079	141	8,400	16,617	12,497	7,480	4,325	1,336	133	5	145
White, mother native	37,750	49	5,541	12,361	9,567	5,772	3,267	1,018	96	4	75
White, mother foreign	394	-	16	177	129	45	25	2	-	-	-
White, mother's nativity not stated	14	-	1	1	3	8	-	-	-	-	1
Negro	12,906	92	2,839	4,073	2,797	1,653	1,029	316	37	1	69
Other	15	-	3	5	1	2	4	-	-	-	-
WASHINGTON	55,833	27	6,429	18,997	16,233	9,007	4,076	975	50	2	37
White, mother native	51,322	22	6,073	17,622	14,807	8,207	3,653	867	44	2	25
White, mother foreign	2,679	1	108	703	886	561	323	89	4	-	4
White, mother's nativity not stated	12	-	2	1	2	1	1	-	-	-	5
Negro	825	4	98	326	247	105	40	5	-	-	-
Other	995	-	148	345	291	133	59	14	2	-	3
Urban	33,769	16	3,480	11,620	10,258	5,551	2,298	523	23	-	20
White, mother native	30,685	11	3,245	10,660	9,242	4,977	2,032	466	19	-	13
White, mother foreign	1,774	1	66	453	605	392	204	49	3	-	1
White, mother's nativity not stated	11	-	1	1	2	1	1	-	-	-	5
Negro	773	4	90	307	233	99	36	4	-	-	-
Other	526	-	58	179	176	82	25	4	1	-	1
Places of 100,000 or more	21,012	9	1,819	7,045	6,684	3,576	1,507	343	16	-	13
White, mother native	18,736	6	1,664	6,343	5,923	3,161	1,302	298	12	-	7
White, mother foreign	1,227	-	38	303	423	262	158	38	3	-	1
White, mother's nativity not stated	8	-	1	1	-	1	-	-	-	-	5
Negro	621	3	73	256	188	71	27	3	-	-	-
Other	420	-	43	142	150	61	20	3	1	-	-
Places of 25,000 to 100,000	3,391	1	444	1,212	907	558	208	57	2	-	2
White, mother native	3,142	1	427	1,130	828	510	188	55	2	-	1
White, mother foreign	192	-	8	55	65	43	19	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	37	-	7	17	9	4	-	-	-	-	-
Other	19	-	2	10	5	1	-	-	-	-	1
Places of 10,000 to 25,000	4,756	5	586	1,688	1,358	739	309	65	2	-	3
White, mother native	4,482	3	567	1,612	1,262	679	294	60	2	-	3
White, mother foreign	179	1	12	54	59	39	10	4	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	70	1	6	14	27	17	4	1	-	-	-
Other	24	-	1	9	9	4	1	-	-	-	-
Places of 2,500 to 10,000	4,610	1	611	1,674	1,309	678	274	58	3	-	2
White, mother native	4,325	1	587	1,585	1,229	607	248	53	3	-	2
White, mother foreign	176	-	8	41	58	48	17	4	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	45	-	4	20	9	7	5	-	-	-	-
Other	63	-	12	18	12	16	4	1	-	-	-
Rural	22,064	11	2,969	7,377	5,975	3,456	1,778	452	27	2	17
White, mother native	20,637	11	2,828	6,942	5,565	3,230	1,621	401	25	2	12
White, mother foreign	905	-	42	250	281	169	119	40	1	-	3
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	52	-	8	19	14	6	4	1	-	-	-
Other	469	-	90	166	115	51	34	10	1	-	2
WEST VIRGINIA	52,396	61	8,585	18,267	12,476	7,193	4,062	1,361	126	3	262
White, mother native	49,218	48	7,997	17,197	11,769	6,782	3,764	1,277	123	3	238
White, mother foreign	380	-	19	143	121	38	41	18	-	-	-
White, mother's nativity not stated	10	-	1	4	1	1	2	-	-	-	1
Negro	2,779	13	564	922	582	372	254	66	3	-	23
Other	9	-	4	1	3	-	1	-	-	-	-
Urban	15,588	8	2,201	5,895	3,998	2,200	966	250	16	-	54
White, mother native	14,870	5	2,021	5,532	3,769	2,078	882	222	15	-	46
White, mother foreign	191	-	9	61	63	24	24	10	-	-	-
White, mother's nativity not stated	3	-	1	-	-	-	1	-	-	-	1
Negro	820	3	169	302	164	98	58	18	1	-	7
Other	4	-	1	-	2	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
WEST VIRGINIA—Continued											
Places of 25,000 to 100,000	7,350	5	1,046	2,763	1,912	1,039	448	108	6	-	23
White, mother native	6,897	3	962	2,607	1,813	984	410	94	6	-	18
White, mother foreign	91	-	4	28	29	15	9	6	-	-	-
White, mother's nativity not stated	2	-	1	-	-	-	1	-	-	-	-
Negro	356	2	78	128	68	40	27	8	-	-	5
Other	4	-	1	-	2	-	1	-	-	-	-
Places of 10,000 to 25,000	3,468	1	444	1,338	900	502	209	55	8	-	13
White, mother native	3,169	-	394	1,219	837	471	183	48	5	-	12
White, mother foreign	46	-	1	15	20	4	4	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	253	1	48	104	43	27	22	5	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	4,770	2	711	1,794	1,186	659	309	87	4	-	18
White, mother native	4,504	2	665	1,706	1,119	623	289	80	4	-	16
White, mother foreign	54	-	4	18	14	5	11	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	211	-	42	70	53	31	9	5	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	36,808	53	6,384	12,372	8,478	4,993	3,096	1,111	110	3	208
White, mother native	34,648	43	5,976	11,665	8,000	4,704	2,902	1,055	108	3	192
White, mother foreign	139	-	10	82	59	14	17	8	-	-	-
White, mother's nativity not stated	7	-	-	4	1	1	1	-	-	-	-
Negro	1,959	10	395	620	418	274	176	48	2	-	16
Other	5	-	3	1	1	-	-	-	-	-	-
WISCONSIN	81,630	26	6,156	26,720	24,049	14,915	7,440	2,051	131	4	138
White, mother native	78,967	23	5,909	25,952	23,240	14,544	7,134	1,909	125	4	127
White, mother foreign	1,619	-	41	445	543	243	226	113	5	-	3
White, mother's nativity not stated	9	-	-	2	1	2	-	1	-	-	3
Negro	613	2	141	209	157	59	34	9	-	-	2
Other	422	1	65	112	106	67	46	19	1	-	3
Urban	44,924	12	3,033	14,952	13,798	8,216	3,859	952	55	1	46
White, mother native	43,186	10	2,862	14,444	13,255	7,981	3,659	882	53	1	39
White, mother foreign	1,082	-	27	291	364	173	161	61	2	-	3
White, mother's nativity not stated	4	-	-	1	-	1	-	-	-	-	2
Negro	587	2	136	198	153	55	33	8	-	-	2
Other	65	-	8	18	26	6	6	1	-	-	-
Places of 100,000 or more	14,398	4	892	4,870	4,597	2,607	1,155	248	16	1	8
White, mother native	13,384	3	761	4,579	4,271	2,483	1,050	218	15	1	3
White, mother foreign	466	-	9	107	172	78	73	24	1	-	2
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	516	1	121	177	136	43	30	6	-	-	2
Other	29	-	1	6	18	2	2	-	-	-	-
Places of 25,000 to 100,000	16,535	3	1,112	5,456	5,069	3,047	1,441	373	19	-	15
White, mother native	16,083	3	1,085	5,333	4,929	2,976	1,377	348	19	-	13
White, mother foreign	370	-	9	99	121	56	60	24	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	64	-	14	19	16	12	2	1	-	-	-
Other	17	-	4	5	3	3	2	-	-	-	-
Places of 10,000 to 25,000	6,308	1	368	2,147	1,887	1,190	550	148	7	-	8
White, mother native	6,179	1	364	2,095	1,858	1,174	533	140	6	-	8
White, mother foreign	116	-	4	47	26	16	15	7	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	-	-	-	1	-	-	-
Other	9	-	-	4	3	-	2	-	-	-	-
Places of 2,500 to 10,000	7,685	4	661	2,479	2,245	1,372	713	183	13	-	15
White, mother native	7,540	3	652	2,437	2,197	1,348	699	176	13	-	15
White, mother foreign	130	-	5	38	45	23	13	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5	1	1	1	1	-	1	-	-	-	-
Other	10	-	3	3	2	1	-	1	-	-	-
Rural	36,706	14	3,123	11,768	10,251	6,699	3,581	1,099	76	3	92
White, mother native	35,781	13	3,047	11,508	9,985	6,563	3,475	1,027	72	3	88
White, mother foreign	537	-	14	154	179	70	65	52	3	-	-
White, mother's nativity not stated	5	-	-	1	1	1	-	1	-	-	1
Negro	26	-	5	11	4	4	1	1	-	-	-
Other	357	1	57	94	82	61	40	18	1	-	3
WYOMING	7,418	8	1,021	2,607	1,944	1,128	559	134	11	-	6
White, mother native	7,054	6	990	2,493	1,843	1,073	518	118	9	-	4
White, mother foreign	166	-	6	50	44	29	23	12	1	-	1
White, mother's nativity not stated	6	-	1	2	-	1	1	-	-	-	1
Negro	30	-	3	8	13	3	3	-	-	-	-
Other	162	2	21	54	44	22	14	4	1	-	-
Urban	3,664	3	502	1,295	945	598	263	55	1	-	2
White, mother native	3,541	3	492	1,261	911	575	248	49	1	-	1
White, mother foreign	78	-	5	21	20	16	11	5	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	25	-	3	7	9	3	3	-	-	-	-
Other	19	-	2	6	5	4	1	1	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
WYOMING—Continued											
Places of 10,000 to 25,000	2,353	3	310	825	629	381	166	37	1	-	1
White, mother native	2,275	3	304	802	606	369	155	35	1	-	-
White, mother foreign	43	-	3	12	12	8	7	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	19	-	2	6	8	-	3	-	-	-	-
Other	15	-	1	5	3	4	1	1	-	-	-
Places of 2,500 to 10,000	1,311	-	192	470	316	217	97	18	-	-	1
White, mother native	1,266	-	188	459	305	206	93	14	-	-	1
White, mother foreign	35	-	2	9	8	8	4	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	6	-	1	1	1	3	-	-	-	-	-
Other	4	-	1	1	2	-	-	-	-	-	-
Rural	3,754	5	519	1,312	999	550	296	79	10	-	4
White, mother native	3,513	3	498	1,232	932	498	270	69	8	-	3
White, mother foreign	88	-	1	29	24	13	12	7	1	-	1
White, mother's nativity not stated	5	-	1	2	-	1	1	-	-	-	-
Negro	5	-	-	1	4	-	-	-	-	-	-
Other	143	2	19	48	39	18	13	3	1	-	-

TABLE 5.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS (AGE OF MOTHER FOR U. S. ONLY): UNITED STATES AND EACH STATE, 1948

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total births	WHITE									Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
UNITED STATES	3,535,068	3,080,316	2,840,749	83,147	48,939	71,514	33,750	832	841	58	486	434,174	20,578
Male	1,813,852	1,583,344	1,460,662	42,548	25,301	36,521	17,128	417	490	37	242	220,017	10,491
Female	1,721,216	1,496,972	1,380,087	40,599	23,638	34,993	16,624	415	351	21	244	214,157	10,087
Under 15 years—Male	2,492	907	552	12	329	3	6	4	1	-	-	1,563	22
Female	2,392	846	512	17	313	-	3	1	-	-	-	1,524	22
15 to 19 years—Male	222,381	172,739	159,850	1,503	9,356	1,350	539	71	36	1	33	48,381	1,261
Female	209,552	161,150	149,213	1,499	8,557	1,244	502	56	45	1	33	47,157	1,245
20 to 24 years—Male	595,236	518,702	487,449	9,023	8,627	10,650	2,600	125	174	5	49	73,143	3,391
Female	564,641	490,429	460,593	9,500	8,167	10,274	2,599	130	104	8	54	71,028	3,184
25 to 29 years—Male	503,726	453,225	420,770	11,880	3,948	12,495	3,988	86	124	6	28	47,612	2,869
Female	477,178	427,859	396,960	11,360	3,549	12,000	3,784	99	75	3	29	46,576	2,743
30 to 34 years—Male	297,377	268,504	245,580	11,032	1,789	5,392	3,580	64	64	9	14	27,204	1,669
Female	283,104	255,231	233,377	10,414	1,734	5,128	3,467	51	46	2	12	26,220	1,653
35 to 39 years—Male	147,862	130,912	114,093	6,957	991	4,417	4,343	45	42	6	18	16,073	897
Female	141,539	124,796	108,610	6,752	922	4,173	4,240	48	27	3	21	15,850	893
40 to 44 years—Male	38,195	33,661	28,385	1,968	264	1,109	1,883	18	15	5	4	4,261	273
Female	36,589	32,211	27,110	1,884	286	1,068	1,819	27	10	-	7	4,086	272
45 to 49 years—Male	2,556	2,115	1,747	124	13	64	167	-	-	-	-	398	43
Female	2,497	2,069	1,677	122	17	70	178	1	3	-	1	391	37
50 years and over—Male	83	64	56	3	1	2	1	-	-	1	-	17	2
Female	79	60	45	4	3	3	5	-	-	-	-	16	3
Not stated—Male	3,924	2,515	2,190	46	83	39	19	4	34	4	86	1,365	44
Female	3,665	2,321	1,990	47	90	33	27	2	41	4	87	1,309	35
Alabama	85,372	55,817	52,769	113	665	219	24	-	5	-	2	31,529	26
Male	43,751	27,704	27,171	56	351	109	13	-	4	-	-	16,036	11
Female	41,621	26,113	25,598	57	334	110	11	-	1	-	2	15,493	15
Arizona	19,195	17,035	14,719	939	233	723	403	12	4	-	2	616	1,544
Male	9,691	8,585	7,428	463	113	366	206	6	2	-	1	311	795
Female	9,504	8,450	7,291	476	120	357	197	6	2	-	1	305	749
Arkansas	48,036	36,224	34,867	88	762	205	41	1	125	3	32	11,780	32
Male	24,520	18,545	17,913	54	410	94	21	-	58	-	15	5,956	19
Female	23,516	17,679	17,054	54	352	111	20	1	67	3	17	5,824	13
California	240,702	221,598	194,525	11,454	1,994	8,631	4,900	67	14	3	10	13,094	6,010
Male	123,262	113,615	99,819	5,809	1,046	4,396	2,489	39	8	3	6	6,576	3,071
Female	117,440	107,983	94,706	5,645	948	4,235	2,411	28	6	-	4	6,518	2,939
Colorado	33,010	32,443	30,680	609	490	497	171	1	7	-	8	389	178
Male	16,904	16,612	15,693	309	274	256	73	-	5	-	2	200	92
Female	16,106	15,831	14,987	300	216	241	98	1	2	-	6	189	86
Connecticut	42,229	40,723	35,494	2,101	640	1,770	666	24	20	3	5	1,460	26
Male	21,834	21,091	18,422	1,086	315	899	343	10	10	2	4	730	13
Female	20,395	19,632	17,072	1,015	325	871	323	14	10	1	1	750	13
Delaware	7,254	6,087	5,682	117	156	104	27	1	-	-	-	1,151	16
Male	3,694	3,099	2,887	62	80	56	13	1	-	-	-	586	9
Female	3,560	2,988	2,795	55	76	48	14	-	-	-	-	565	7
District of Columbia	20,815	12,749	11,165	358	399	464	267	12	12	2	70	7,963	103
Male	10,712	6,565	5,749	190	203	234	147	6	7	1	29	4,079	68
Female	10,103	6,184	5,416	168	196	230	120	7	5	1	41	3,884	35
Florida	59,600	43,261	40,785	621	789	777	250	8	17	-	14	16,290	59
Male	30,421	22,259	20,977	293	425	410	135	5	7	-	7	8,134	28
Female	29,179	21,002	19,808	328	364	367	115	3	10	-	7	8,146	31
Georgia	92,694	59,240	57,813	155	774	402	38	1	6	-	51	33,430	24
Male	47,555	30,533	29,644	70	389	186	14	1	5	-	24	17,011	11
Female	45,139	28,707	27,969	85	385	216	24	-	1	-	27	16,419	13
Idaho	16,132	15,925	15,370	195	131	202	25	1	1	-	-	17	190
Male	8,245	8,138	7,857	100	69	100	10	1	1	-	-	9	98
Female	7,887	7,787	7,513	95	62	102	15	-	-	-	-	8	92
Illinois	184,871	167,641	154,678	4,986	2,775	3,659	1,481	34	6	1	21	16,710	520
Male	94,699	86,007	79,425	2,499	1,429	1,855	767	14	5	-	13	8,423	269
Female	90,172	81,634	75,253	2,487	1,346	1,804	714	20	1	1	8	8,287	251
Indiana	92,529	87,875	85,226	683	905	826	224	4	4	-	3	4,628	26
Male	47,428	45,049	43,728	361	439	402	114	2	1	-	2	2,372	7
Female	45,101	42,826	41,498	322	466	424	110	2	3	-	1	2,256	19
Iowa	60,575	60,064	57,625	593	1,078	642	118	1	5	-	4	458	53
Male	31,338	31,078	29,828	315	546	324	60	1	1	-	3	231	29
Female	29,237	28,986	27,797	278	530	318	58	-	4	-	1	227	24
Kansas	42,714	40,868	39,521	289	475	442	136	-	1	-	4	1,739	107
Male	21,844	20,942	20,242	156	258	220	64	-	-	-	2	846	56
Female	20,870	19,926	19,279	133	217	222	72	-	1	-	2	893	51
Kentucky	77,176	72,366	71,293	89	687	265	21	1	4	-	6	4,804	6
Male	39,580	37,133	36,605	46	329	139	9	1	2	-	2	2,442	5
Female	37,596	35,233	34,688	43	358	126	12	-	2	-	4	2,362	1
Louisiana	73,312	44,814	43,776	152	499	322	53	2	7	-	3	28,382	116
Male	37,748	23,080	22,566	72	250	159	30	-	2	-	1	14,608	60
Female	35,564	21,734	21,210	80	249	163	23	2	5	-	2	13,774	56
Maine	22,071	22,038	19,083	929	636	1,056	305	20	6	-	3	15	18
Male	11,367	11,351	9,807	497	338	539	158	8	3	-	1	7	9
Female	10,704	10,687	9,276	432	298	517	147	12	3	-	2	8	9
Maryland	53,423	42,130	40,027	703	372	763	201	3	20	1	40	11,252	41
Male	27,581	21,808	20,709	353	197	406	110	2	8	-	23	5,735	18
Female	25,862	20,322	19,318	350	175	357	91	1	12	1	17	5,517	23
Massachusetts	[1]97,389	95,405	82,659	4,781	1,772	4,517	1,581	79	7	2	7	1,823	161
Male	50,006	48,983	42,438	2,430	892	2,345	826	42	3	2	5	940	83
Female	47,383	46,422	40,221	2,351	880	2,172	755	37	4	-	2	883	78
Michigan	154,730	142,845	128,393	5,796	2,143	4,743	1,705	42	11	-	12	11,625	260
Male	79,611	73,559	66,093	2,961	1,111	2,453	911	17	5	-	8	5,916	136
Female	75,119	69,286	62,300	2,835	1,032	2,290	794	25	6	-	4	5,709	124

[1] Excludes 2,381 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 5.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS (AGE OF MOTHER FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND SEX OF CHILD	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
Minnesota	72,780	72,030	67,706	1,586	1,548	1,139	209	16	13	-	13	265	485
Male	37,399	36,992	34,777	694	796	586	121	7	5	-	6	138	269
Female	35,381	35,038	32,929	692	752	553	88	9	8	-	7	127	216
Mississippi	65,303	29,811	29,242	85	326	153	17	1	4	-	3	35,360	132
Male	33,221	15,378	15,068	37	178	83	7	1	1	-	3	17,784	59
Female	32,082	14,433	14,174	28	148	70	10	-	3	-	-	17,576	73
Missouri	85,258	77,942	75,024	633	1,327	783	155	8	8	-	4	7,274	42
Male	43,725	40,083	38,624	325	669	381	69	5	6	-	4	3,620	22
Female	41,533	37,859	36,400	308	658	402	86	3	2	-	-	3,654	20
Montana	15,035	14,242	13,200	418	121	419	73	4	5	-	2	20	773
Male	7,621	7,243	6,721	207	55	222	33	2	2	-	1	13	365
Female	7,414	6,999	6,479	211	66	197	40	2	3	-	1	7	408
Nebraska	31,176	30,495	29,265	326	456	355	72	4	13	1	3	492	189
Male	16,057	15,695	15,099	151	214	183	36	3	8	-	2	258	104
Female	15,119	14,800	14,167	175	242	172	36	1	5	1	1	234	85
Nevada	3,694	3,448	3,213	104	41	85	25	-	-	-	-	95	151
Male	1,872	1,758	1,623	67	27	28	13	-	-	-	-	45	69
Female	1,822	1,690	1,590	37	14	37	12	-	-	-	-	50	82
New Hampshire	12,423	12,406	11,039	462	275	511	113	3	3	-	-	13	4
Male	6,321	6,312	5,629	237	135	249	58	2	2	-	-	7	2
Female	6,102	6,094	5,410	225	140	262	55	1	1	-	-	6	2
New Jersey	97,580	88,894	78,722	4,265	876	3,593	1,400	17	17	1	3	8,579	107
Male	50,182	45,716	40,510	2,206	444	1,830	706	6	11	-	3	4,393	53
Female	47,418	43,178	38,212	2,059	432	1,763	694	11	6	1	-	4,186	54
New Mexico	20,519	19,127	17,476	517	625	339	151	5	10	-	4	193	1,199
Male	10,444	9,771	8,921	261	318	185	74	5	5	-	2	94	579
Female	10,075	9,356	8,555	256	307	154	77	-	5	-	2	99	620
New York	301,966	277,362	233,719	16,989	4,473	12,582	9,386	153	33	2	25	23,469	1,155
Male	154,983	142,579	120,195	8,729	2,358	6,491	4,692	82	18	2	12	11,841	583
Female	146,983	134,783	113,524	8,260	2,115	6,091	4,694	71	15	-	13	11,628	572
North Carolina	109,430	74,582	72,492	182	1,440	406	47	-	8	-	7	33,626	1,222
Male	55,850	38,135	37,058	79	780	191	19	-	6	-	2	17,080	635
Female	53,580	36,447	35,434	103	660	215	28	-	2	-	5	16,546	587
North Dakota	16,584	16,218	15,179	383	282	313	43	2	11	3	2	3	383
Male	8,492	8,322	7,773	205	146	160	29	1	5	2	2	1	169
Female	8,092	7,896	7,406	178	136	153	15	1	6	1	-	2	194
Ohio	186,353	172,843	163,541	2,922	2,720	2,884	745	15	8	1	7	13,400	110
Male	95,702	88,867	84,074	1,507	1,392	1,490	380	10	7	1	6	6,765	70
Female	90,651	83,976	79,467	1,415	1,328	1,394	365	5	1	-	1	6,635	40
Oklahoma	50,386	44,769	43,372	144	901	284	28	2	28	-	12	3,657	1,960
Male	25,837	22,995	22,277	65	475	146	13	-	13	-	6	1,860	982
Female	24,549	21,774	21,095	79	426	138	13	2	15	-	6	1,797	978
Oregon	35,206	34,581	32,475	771	329	865	129	9	2	-	1	280	345
Male	18,013	17,674	16,644	371	160	429	65	5	-	-	-	143	196
Female	17,193	16,907	15,831	400	169	436	64	4	2	-	1	137	149
Pennsylvania	227,227	210,781	197,657	4,786	2,906	4,176	1,222	24	20	3	7	16,342	104
Male	117,037	108,641	101,775	2,495	1,538	2,176	635	7	11	1	3	8,339	57
Female	110,190	102,140	95,882	2,291	1,368	2,000	587	17	9	2	4	8,003	47
Rhode Island	16,861	16,445	14,433	765	347	690	200	7	2	-	1	400	16
Male	8,797	8,579	7,522	410	193	346	102	3	2	-	1	211	7
Female	8,064	7,866	6,911	355	154	344	98	4	-	-	-	189	9
South Carolina	57,759	31,688	30,472	99	835	118	7	7	129	11	10	26,060	11
Male	29,861	16,588	15,958	49	429	19	-	7	114	11	1	13,269	4
Female	27,898	15,100	14,514	50	406	99	7	-	15	-	9	12,791	7
South Dakota	16,405	15,700	15,051	169	280	180	23	4	10	-	3	6	699
Male	8,386	8,047	7,728	79	136	85	11	3	4	-	1	3	336
Female	8,019	7,653	7,323	90	124	95	12	1	6	-	2	3	363
Tennessee	82,127	67,558	65,620	91	1,469	340	25	2	7	-	4	14,556	13
Male	42,058	34,657	33,665	48	756	172	10	1	3	-	2	7,395	6
Female	40,069	32,901	31,955	43	713	168	15	1	4	-	2	7,161	7
Texas	187,750	172,004	151,646	6,961	2,678	4,530	5,742	202	172	20	53	25,618	128
Male	101,413	88,490	78,096	3,569	1,387	2,316	2,889	98	99	11	24	12,853	70
Female	86,337	83,514	73,550	3,392	1,291	2,214	2,853	103	73	9	29	12,765	58
Utah	20,714	20,385	19,291	363	218	388	103	3	17	-	2	77	252
Male	10,658	10,473	9,897	197	120	207	53	-	8	-	1	40	145
Female	10,056	9,912	9,404	166	98	181	50	3	9	-	1	37	107
Vermont	9,389	9,366	7,999	422	244	434	261	4	2	-	-	2	1
Male	4,866	4,865	4,170	218	124	216	133	2	2	-	-	-	1
Female	4,503	4,501	3,829	204	120	218	128	2	-	-	-	2	-
Virginia	92,057	61,049	58,390	386	1,380	751	102	6	16	-	8	20,975	33
Male	42,254	31,596	30,235	206	707	385	48	1	10	-	4	10,643	15
Female	39,803	29,453	28,155	180	683	366	54	5	6	-	4	10,332	18
Washington	55,833	54,013	48,508	1,923	891	2,198	466	15	6	-	6	825	995
Male	28,465	27,569	24,763	985	467	1,122	219	7	3	-	3	375	521
Female	27,368	26,444	23,745	938	424	1,076	247	8	3	-	3	450	474
West Virginia	52,396	49,608	46,949	277	1,992	316	63	1	6	-	4	2,779	9
Male	26,823	25,451	24,056	134	1,054	149	34	-	3	-	1	1,386	6
Female	25,573	24,177	22,893	143	938	167	29	1	3	-	3	1,393	3
Wisconsin	81,630	80,595	75,985	1,478	1,504	1,347	268	4	5	1	3	613	422
Male	42,031	41,518	39,185	781	739	660	144	3	3	1	2	302	211
Female	39,599	39,077	36,800	697	765	687	124	1	2	-	1	311	211
Wyoming	7,418	7,226	6,853	129	72	126	40	-	4	-	2	30	162
Male	3,733	3,634	3,429	74	40	66	21	-	2	-	2	11	88
Female	3,685	3,592	3,424	55	32	60	19	-	2	-	-	19	74

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1948

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
TOTAL	3,555,068	1,257,623	976,831	505,009	249,804	138,331	84,416	55,129	37,032	25,177	17,122	11,053	7,111	4,222	2,309	1,210	605	688	161,596
Under 15 years	4,884	4,426	375	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
15 to 19 years	431,933	324,195	83,885	13,875	2,147	361	72	36	8	4	-	-	-	-	-	-	-	-	7,350
20 to 24 years	1,159,877	533,247	367,652	138,086	48,357	16,714	5,424	1,700	494	199	60	24	12	4	1	-	-	-	47,903
25 to 29 years	880,904	258,533	315,056	176,146	85,961	47,755	26,234	13,125	5,822	2,435	911	334	126	54	28	17	6	1	48,360
30 to 34 years	580,481	95,388	148,736	117,315	68,444	41,341	27,967	19,716	13,387	7,941	4,174	2,168	1,008	443	183	75	26	37	32,122
35 to 39 years	289,421	34,108	51,421	49,415	36,080	24,889	18,687	15,093	12,322	10,000	7,763	5,076	3,160	1,746	919	425	212	207	17,898
40 to 44 years	74,764	6,003	8,073	9,032	7,922	6,517	5,464	4,929	4,477	4,098	3,774	3,081	2,421	1,676	988	581	306	373	5,049
45 to 49 years	5,053	240	279	301	346	368	321	350	356	392	357	324	347	275	178	106	50	66	597
50 and over	162	13	23	24	12	7	4	11	6	13	12	8	4	6	1	1	1	-	16
Not stated	7,589	1,470	1,331	794	534	378	243	169	150	95	71	38	33	18	11	5	2	4	2,242
Male	1,813,852	647,534	502,204	257,896	127,893	70,422	43,214	28,003	18,865	12,763	8,747	5,582	3,623	2,132	1,223	609	303	362	82,777
Under 15 years	2,492	2,261	185	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
15 to 19 years	222,381	167,083	43,072	7,176	1,051	191	38	22	6	3	-	-	-	-	-	-	-	-	3,739
20 to 24 years	595,236	274,388	188,519	70,501	24,659	8,477	2,760	890	249	98	36	11	7	3	1	-	-	-	24,617
25 to 29 years	503,726	133,034	162,515	89,885	44,167	24,361	13,415	6,707	2,930	1,167	482	171	60	28	11	10	3	1	24,781
30 to 34 years	297,377	49,126	76,674	59,907	35,057	21,013	14,306	9,966	6,789	3,978	2,143	1,081	532	205	100	41	17	20	16,402
35 to 39 years	147,882	17,428	26,317	25,176	18,579	12,688	9,601	7,628	6,221	5,145	3,951	2,586	1,620	886	470	222	115	107	9,162
40 to 44 years	38,195	3,123	4,078	4,664	4,007	3,320	2,803	2,499	2,211	2,134	1,907	1,546	1,220	859	537	286	138	200	2,663
45 to 49 years	2,556	123	144	145	179	193	140	185	185	184	185	182	169	141	97	48	28	31	197
50 and over	83	6	15	14	8	3	1	5	1	7	8	4	1	2	1	-	1	-	6
Not stated	3,924	762	685	415	286	178	130	81	73	47	35	21	14	8	6	2	1	3	1,179
Female	1,721,216	610,289	474,627	247,113	121,911	67,909	41,202	27,126	18,367	12,414	8,375	5,471	3,488	2,090	1,086	601	300	326	78,821
Under 15 years	2,392	2,165	190	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	30
15 to 19 years	209,552	157,112	40,813	6,699	1,096	170	34	14	2	1	-	-	-	-	-	-	-	-	3,611
20 to 24 years	564,641	258,859	179,133	67,585	23,698	8,237	2,644	810	245	101	24	13	5	1	-	-	-	-	23,286
25 to 29 years	477,178	125,499	152,541	86,263	41,794	23,394	12,819	6,418	2,892	1,268	429	163	66	26	17	7	3	-	23,579
30 to 34 years	285,104	46,262	72,062	57,408	33,387	20,328	13,661	9,730	6,608	3,963	2,031	1,087	476	238	83	34	9	17	15,720
35 to 39 years	141,539	16,680	25,104	24,239	17,501	12,201	9,086	7,465	6,101	4,855	3,812	2,510	1,540	860	449	203	97	100	8,736
40 to 44 years	36,569	2,880	3,995	4,368	3,915	3,197	2,661	2,430	2,266	1,964	1,867	1,535	1,201	817	451	295	168	173	2,386
45 to 49 years	2,497	117	135	156	167	175	181	165	171	208	172	142	178	134	81	58	22	35	200
50 and over	79	7	8	10	4	4	3	6	5	6	4	4	3	4	-	1	-	-	10
Not stated	3,665	708	646	379	248	203	113	88	77	48	36	17	19	10	5	3	1	1	1,063
WHITE	3,080,316	1,131,375	877,877	441,005	207,701	108,582	62,831	39,114	25,428	16,789	11,121	7,059	4,503	2,538	1,377	682	338	337	141,559
Under 15 years	1,753	1,653	71	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
15 to 19 years	333,889	263,306	57,066	6,780	758	86	21	14	2	-	-	-	-	-	-	-	-	-	5,855
20 to 24 years	1,009,131	492,416	323,481	107,783	31,764	9,227	2,463	627	143	47	20	7	6	3	1	-	-	-	41,143
25 to 29 years	881,084	244,372	297,328	159,564	71,556	35,401	17,202	7,519	2,893	1,065	315	109	50	20	9	2	1	-	43,678
30 to 34 years	523,735	90,377	142,084	110,694	62,139	35,281	22,038	14,202	8,819	4,834	2,310	1,114	471	177	82	33	6	12	29,062
35 to 39 years	255,708	32,219	48,943	46,743	33,375	22,005	15,787	12,043	9,404	7,148	5,144	3,237	1,926	964	499	210	103	78	15,882
40 to 44 years	65,872	5,682	7,713	8,584	7,410	6,023	4,921	4,300	3,789	3,313	2,998	2,331	1,778	1,165	654	362	191	205	4,453
45 to 49 years	4,184	218	250	272	322	332	269	309	293	351	294	240	257	197	124	72	34	41	329
50 and over	124	11	21	21	11	6	3	8	5	10	8	4	2	4	1	1	1	-	11
Not stated	4,836	1,122	1,020	582	366	219	127	94	80	43	34	17	13	8	7	2	2	1	1,119
Male	1,583,344	583,351	452,005	225,401	106,546	55,409	32,293	19,871	12,842	8,593	5,672	3,570	2,315	1,296	751	328	164	181	72,756
Under 15 years	907	861	33	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
15 to 19 years	173,739	136,251	29,498	3,526	390	45	13	6	2	-	-	-	-	-	-	-	-	-	3,008
20 to 24 years	518,702	253,549	166,052	55,120	16,324	4,715	1,277	331	65	27	11	2	4	2	1	-	-	-	21,222
25 to 29 years	453,225	125,987	153,511	81,524	36,754	18,091	8,862	3,896	1,447	514	165	61	26	10	5	1	1	-	22,390
30 to 34 years	268,504	46,571	73,257	56,535	31,816	17,953	11,255	7,153	4,491	2,471	1,194	563	257	77	51	15	4	6	14,845
35 to 39 years	130,912	16,483	25,085	23,824	17,174	11,260	8,164	6,095	4,798	3,666	2,613	1,630	988	512	261	102	55	44	8,168
40 to 44 years	33,661	2,950	3,907	4,428	3,738	3,065	2,531	2,180	1,869	1,734	1,514	1,163	914	598	360	175	82	112	2,341
45 to 49 years	2,115	113	129	130	167	174	122	160	149	155	153	140	122	93	69	34	20	19	166
50 and over	64	4	13	12	7	3	1	3	1	6	5	2	-	1	1	-	1	-	4
Not stated	2,515	582	520	300	196	103	68	47	40	20	17	9	4	3	3	1	1	-	601
Female	1,496,972	548,024	425,972	215,604	101,155	53,173	30,538	19,243	12,586	8,196	5,449	3,489	2,188	1,242	626	354	174	156	68,803
Under 15 years	846	792	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
15 to 19 years	161,150	127,054	27,568	3,254	368	43	8	8	-	-	-	-	-	-	-	-	-	-	2,847
20 to 24 years	490,429	238,867	157,429	52,663	15,440	4,512	1,186	296	78	20	9	5	2	1	-	-	-	-	19,921
25 to 29 years	427,859	118,385	143,817	78,040	34,822	17,310	8,340	3,623	1,446	551	150	48	24	10	4	1	-	-	21,288
30 to 34 years	255,231	43,806	68,827	54,159	30,323	17,328	10,783	7,049	4,328	2,363	1,116	551	214	100	31	18	2	6	14,217
35 to 39 years	124,796	15,736	23,858	22,819	16,201	10,745	7,623	5,948	4,616	3,480	2,531	1,607	938	452	238	108	48	34	7,714
40 to 44 years	32,211	2,732	3,806	4,156	3,672	2,958	2,390	2,120	1,920	1,579	1,484	1,168	864	567	294	187	109	93	2,112
45 to 49 years	2,069	105	121	142	155	158	147	149	144	176	141	100	135	104	55	38	14	22	163
50 and over	60	7	8	9	4	3	2	3	4	4	1	2	2	3	-	1	-	-	7
Not stated	2,321	540	500	262	170	116	59	47	40	23	17	8	9	5	4	1	1	1	518
Native white	2,972,835	1,095,596	847,536	426,448	201,026	105,058	60,686	37,692	24,441	16,076	10,557	6,720	4,240	2,352	1,268	619	309	284	131,927
Under 15 years	1,735	1,657	70	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
15 to 19 years	329,978	260,407	56,294	6,692	751	86	21	13	2	-	-	-	-	-	-	-	-	-	5,712
20 to 24 years	982,359	478,981	314,970	105,424	31,243	9,095	2,424	614	140	47	19	7	6	3	1	-	-	-	39,365
25 to 29 years	848,367	232,625	286,165	155,149	69,951	34,684	16,873	7,373	2,831	1,027	308	104	47	19	9	2	1	-	41,199
30 to 34 years	503,906	85,981	136,471	107,054	60,318	34,369	21,486	13,830	8,572	4,695	2,227	1,065	449	170	79	32	4	12	27,092
35 to 39 years	238,325	29,617	45,456	43,606	31,382	20,799	14,970	11,469	8,978	6,843	4,868	3,072	1,820	888	462	188	84	88	13,745
40 to 44 years	59,907	5,128	6,917	7,717	6,734	5,517	4,554	4,011	3,577	3,107	2,834	2,223	1,671	1,079	595	325	177	168	3,573
45 to 49 years	3,700	190	217	240	278	294	234	287	258	306	263	229	232	184	115	69	30	35	239
50 and over	112	10	20	19	11	6	3	4	4	10	6	4	2	2	1	1	1	-	8
Not stated	4,446	1,020	956	545	358	208	121	91	79	41	32	16	13	7	6	2	2	1	948
Male	1,528,511	565,038	436,478	218,067	103,105	53,645	31,161	19,170	12,371	8,228	5,374	3,394	2,177	1,204	694	293	149	154	67,809
Under 15 years	893	848	32	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
15 to 19 years	170,709	134,737	29,103	3,481	386	44	13	6	2	-	-	-	-	-	-	-	-	-	2,937
20 to 24 years	505,099	248,678	161,767	53,935	16,086	4,649	1,262	325	84	27	10	2	4	2	1	-	-	-	30,308
25 to 29 years	436,498	120,010	147,752	79,275	35,907	17,727	8,673	3,824	1,420	495	160	59	23	10	5	1	1	-	21,156
30 to 34 years	258,381	44,325	70,412	54,703	30,875	17,488	10,956	6,951	4,361	2,398	1,146	532	246	74	49	14	3	6	15,844
35 to 39 years	122,041	15,154	23,280	22,273	16,134	10,653	7,737	5,820	4,592	3,511	2,458	1,548	937	478	244	90	49	37	7,046
40 to 44 years	30,627	2,652	3,509	3,975	3,393	2,829	2,347	2,049	1,760	1,631	1,440	1,108	854	552	327	154	76	94	1,877
45 to 49 years	1,884	100	116	118	145	153	108	148	132	141	138	134	109	86	65	33	18	17	123
50 and over	60	4	13	12	7	3	1	2	1	6	5	2	-	1	1	-	1	-	2
Not stated	2,319	532	494	293	193	99	64	45	39	19	17	9	4	2	2	1	1	-	505

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1948—Continued

(See headnote on p. 126)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
White—Continued																			
Native white—Con.																			
Female	1,444,324	530,558	411,058	208,381	97,921	51,413	29,525	18,522	12,070	7,848	5,183	3,326	2,063	1,148	574	326	160	130	64,118
Under 15 years	842	789	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
15 to 19 years	159,269	125,670	27,191	3,211	365	42	8	7	-	-	-	-	-	-	-	-	-	-	2,775
20 to 24 years	477,280	232,303	153,203	51,489	15,178	4,446	1,162	289	76	20	9	5	2	1	-	-	-	-	19,077
25 to 29 years	411,869	112,615	138,413	75,874	34,044	16,957	8,200	3,549	1,411	532	148	45	24	9	4	1	-	-	20,043
30 to 34 years	245,525	41,658	66,089	52,351	29,443	16,881	10,530	6,879	4,211	2,297	1,081	533	203	96	30	18	1	6	13,248
35 to 39 years	116,284	14,483	22,176	21,333	15,248	10,146	7,233	5,649	4,386	3,332	2,410	1,524	883	410	218	98	45	31	6,699
40 to 44 years	29,280	2,476	3,408	3,743	3,841	2,698	2,207	1,962	1,617	1,476	1,394	1,115	617	527	260	171	101	74	1,696
45 to 49 years	1,816	90	101	122	133	141	126	139	126	165	125	95	123	98	50	36	12	16	116
50 and over	52	6	7	7	4	3	2	2	3	4	1	2	2	2	-	1	-	-	6
Not stated	2,127	488	462	252	165	109	57	46	40	22	15	7	9	5	4	1	1	1	443
Foreign-born white	106,096	35,355	30,140	14,389	6,594	3,468	2,103	1,399	966	703	555	329	259	182	108	63	28	52	9,403
Under 15 years	17	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	3,762	2,785	741	86	6	1	-	1	-	-	-	-	-	-	-	-	-	-	142
20 to 24 years	26,378	13,296	8,384	2,291	501	128	35	12	3	-	1	-	-	-	-	-	-	-	1,727
25 to 29 years	32,452	11,688	11,100	4,367	1,574	694	314	143	62	38	7	5	3	1	-	-	-	-	2,456
30 to 34 years	19,682	4,374	5,583	3,617	1,804	905	542	366	242	137	80	48	21	7	3	1	2	-	1,350
35 to 39 years	17,266	2,589	3,470	3,125	1,985	1,198	808	583	416	298	274	160	106	75	37	22	9	10	2,121
40 to 44 years	5,924	552	795	863	674	501	368	289	207	204	161	105	105	85	59	37	13	36	872
45 to 49 years	480	28	32	32	44	38	35	22	35	25	31	10	24	13	9	3	4	6	89
50 and over	11	1	1	2	-	-	-	2	1	-	-	-	-	1	-	-	-	-	3
Not stated	124	27	33	6	6	3	3	1	-	1	1	1	-	-	-	-	-	-	42
Male	54,064	18,063	15,352	7,246	3,396	1,739	1,111	684	460	360	283	169	138	88	56	35	14	27	4,813
Under 15 years	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,960	1,460	380	45	3	1	-	-	-	-	-	-	-	-	-	-	-	-	71
20 to 24 years	13,375	6,789	4,212	1,147	251	84	13	5	1	-	1	-	-	-	-	-	-	-	892
25 to 29 years	16,569	5,941	5,719	2,223	808	351	183	70	27	19	5	2	3	-	-	-	-	-	1,220
30 to 34 years	10,036	2,233	2,823	1,820	933	482	293	199	118	71	45	31	11	3	2	1	1	-	990
35 to 39 years	8,805	1,321	1,796	1,547	1,036	602	423	266	192	152	154	78	51	33	17	12	6	7	1,112
40 to 44 years	3,010	297	397	450	343	236	183	131	105	103	73	52	60	45	33	21	5	18	458
45 to 49 years	231	13	15	12	22	21	14	12	17	14	15	6	13	7	4	1	2	2	43
50 and over	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2
Not stated	62	17	11	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-	25
Female	52,032	17,272	14,788	7,143	3,198	1,729	992	715	506	343	262	160	121	94	52	28	14	25	4,590
Under 15 years	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	1,802	1,325	361	41	3	-	1	-	-	-	-	-	-	-	-	-	-	-	71
20 to 24 years	13,003	6,507	4,172	1,144	250	64	22	7	2	-	-	-	-	-	-	-	-	-	835
25 to 29 years	15,883	5,747	5,381	2,144	768	343	131	73	35	19	2	3	-	1	-	-	-	-	1,236
30 to 34 years	9,646	2,141	2,760	1,797	871	443	249	167	124	66	35	17	10	4	1	-	1	-	960
35 to 39 years	8,461	1,269	1,674	1,578	949	598	385	297	224	146	120	82	55	42	20	10	3	3	1,009
40 to 44 years	2,914	255	398	413	331	265	183	158	102	101	88	53	45	40	26	16	8	18	414
45 to 49 years	249	15	19	20	22	17	21	10	18	11	16	4	11	6	5	2	2	4	46
50 and over	8	1	1	2	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1
Not stated	62	10	22	4	4	1	1	1	-	-	1	1	-	-	-	-	-	-	17
Nativity not stated	1,385	424	301	168	81	56	42	23	21	10	9	10	4	4	1	-	1	1	229
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	149	113	31	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
20 to 24 years	394	139	127	68	20	4	4	1	-	-	-	-	-	-	-	-	-	-	31
25 to 29 years	265	59	63	48	31	23	15	3	-	-	-	-	-	-	-	-	-	-	23
30 to 34 years	147	22	30	23	17	7	10	6	5	2	3	1	1	-	-	-	-	-	20
35 to 39 years	117	13	17	12	8	8	9	11	10	5	2	5	-	1	-	-	-	-	16
40 to 44 years	41	2	1	4	2	5	1	-	5	2	3	3	2	1	-	-	1	1	8
45 to 49 years	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
50 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Not stated	266	75	31	11	2	8	3	2	1	1	1	-	-	1	1	-	-	-	129
Male	769	230	175	88	45	25	21	17	11	5	5	7	-	4	1	-	1	-	134
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	70	54	15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	228	82	73	38	8	2	2	1	-	-	-	-	-	-	-	-	-	-	22
25 to 29 years	158	36	40	26	21	13	6	2	-	-	-	-	-	-	-	-	-	-	14
30 to 34 years	87	15	22	12	8	3	6	3	2	2	3	-	-	-	-	-	-	-	11
35 to 39 years	66	8	9	4	4	5	4	9	4	3	1	4	-	1	-	-	-	-	10
40 to 44 years	24	1	1	3	2	-	1	-	4	-	1	3	-	1	-	-	1	-	6
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Not stated	134	33	15	5	1	2	2	2	1	-	-	-	-	1	1	-	-	-	71
Female	616	194	126	80	36	31	21	6	10	5	4	3	4	-	-	-	-	1	95
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	79	59	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
20 to 24 years	166	57	54	30	12	2	2	-	-	-	-	-	-	-	-	-	-	-	9
25 to 29 years	107	23	23	22	10	10	9	1	-	-	-	-	-	-	-	-	-	-	9
30 to 34 years	60	7	8	11	9	4	4	3	3	-	-	1	1	-	-	-	-	-	9
35 to 39 years	51	5	8	8	4	3	5	2	6	2	1	1	-	-	-	-	-	-	6
40 to 44 years	17	1	-	1	-	5	-	-	1	2	2	-	2	-	-	-	-	1	2
45 to 49 years	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	132	42	16	6	1	6	1	-	-	1	1	-	-	-	-	-	-	-	58
NONWHITE	454,752	126,248	98,854	64,004	42,103	29,748	21,585	16,015	11,604	8,388	6,001	3,994	2,608	1,684	932	528	285	351	19,839
Under 15 years	3,131	2,775	304	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
15 to 19 years	98,044	60,890	26,819	7,095	1,389	273	51	22	6	4	-	-	-	-	-	-	-	-	1,495
20 to 24 years	150,746	40,831	44,171	30,303	16,583	7,487	2,961	1,075	351	152	40	17	6	1	-	-	-	-	6,760
25 to 29 years	99,820	14,161	17,728	16,582	14,405	12,354	9,032	5,606	2,929	1,370	596	225	78	34	19	15	5	1	4,682
30 to 34 years	56,746	5,011	6,652	6,621	6,305	6,060	5,929	5,514	4,578	3,107	1,864	1,054	537	266	101	42	20	25	3,060
35 to 39 years	33,713	1,889	2,478	2,672	2,705	2,684	2,900	3,050	2,918	2,854	2,619	1,839	1,234	782	420	215	109	129	2,016
40 to 44 years	8,892	321	360	448	512	494	543	629	688	785	776	750	643	511	334	219	115	168	596
45 to 49 years	869	22	29	29	24	36	52	41	63	61	63	84	90	78	54	34	16	25	68
50 and over	38	2	2	3	1	1	1	5	1	3	6	4	2	2	-	-	-	-	5
Not stated	2,753	348	311	232	168	160	116	75	70	52	37	21	20	10	4	3	-	3	1,123

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1948—Continued

(See headnote on p. 126)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
NONWHITE—Continued																			
Male	230,508	63,985	50,199	32,495	21,447	15,013	10,921	8,132	5,823	4,170	3,075	2,012	1,308	836	472	281	159	181	10,021
Under 15 years	1,585	1,400	152	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
15 to 19 years	49,642	30,832	13,574	3,650	661	146	25	16	4	3	-	-	-	-	-	-	-	-	731
20 to 24 years	76,534	20,839	22,467	15,381	8,335	3,762	1,503	559	184	71	25	9	3	1	-	-	-	-	3,395
25 to 29 years	50,501	7,047	9,004	8,359	7,433	6,270	4,553	2,811	1,483	653	317	110	34	18	6	9	2	1	2,391
30 to 34 years	28,873	2,555	3,417	3,572	3,241	3,060	3,051	2,833	2,308	1,507	949	518	275	128	49	26	13	14	1,557
35 to 39 years	16,970	945	1,232	1,352	1,405	1,428	1,437	1,533	1,453	1,479	1,338	936	632	374	209	120	60	63	984
40 to 44 years	4,534	173	171	236	269	255	272	319	342	400	393	383	306	261	177	111	56	68	322
45 to 49 years	441	10	15	15	12	19	18	25	36	29	32	42	47	48	28	14	8	12	51
50 and over	19	2	2	2	1	-	-	2	-	1	3	2	1	1	-	-	-	-	2
Not stated	1,409	180	165	115	90	73	62	34	33	27	18	12	10	5	3	1	-	3	578
Female	224,244	62,265	48,655	31,509	20,656	14,736	10,664	7,883	5,781	4,218	2,926	1,982	1,300	848	460	247	126	170	9,818
Under 15 years	1,546	1,373	152	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
15 to 19 years	48,402	30,058	13,245	3,445	728	127	26	6	2	1	-	-	-	-	-	-	-	-	764
20 to 24 years	74,212	19,992	21,704	14,922	8,258	3,725	1,458	514	167	81	15	8	3	-	-	-	-	-	3,365
25 to 29 years	49,319	7,114	8,724	8,223	6,972	6,084	4,479	2,795	1,446	717	279	115	42	16	13	6	3	-	2,291
30 to 34 years	27,873	2,456	3,235	3,249	3,064	3,000	2,678	2,681	2,270	1,600	915	536	262	138	52	16	7	11	1,503
35 to 39 years	16,743	944	1,246	1,320	1,300	1,456	1,463	1,517	1,485	1,375	1,281	903	602	408	211	95	49	66	1,022
40 to 44 years	4,358	148	189	212	243	239	271	310	346	385	383	367	337	250	157	108	59	80	274
45 to 49 years	428	12	14	14	12	17	34	16	27	32	31	42	43	30	26	20	8	13	37
50 and over	19	-	-	1	-	1	1	3	1	2	3	2	1	1	-	-	-	-	3
Not stated	1,344	168	146	117	78	87	54	41	37	25	19	9	10	5	1	2	-	-	545
Negro	434,174	119,648	94,211	61,186	40,205	28,463	20,668	15,353	11,111	8,085	5,762	3,855	2,523	1,618	901	524	255	345	19,481
Under 15 years	3,087	2,733	302	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
15 to 19 years	95,538	59,069	26,275	6,994	1,373	269	51	22	4	3	-	-	-	-	-	-	-	-	1,478
20 to 24 years	144,171	37,960	42,255	29,335	16,127	7,329	2,903	1,062	349	151	40	17	6	1	-	-	-	-	6,636
25 to 29 years	94,188	12,771	16,365	15,606	13,667	11,823	8,730	5,463	2,661	1,549	590	223	76	34	19	15	5	1	4,590
30 to 34 years	53,424	4,656	6,053	6,080	5,867	5,721	5,592	5,259	4,383	3,012	1,809	1,038	533	258	99	41	20	25	2,998
35 to 39 years	31,923	1,793	2,293	2,491	2,506	2,678	2,725	2,877	2,760	2,714	2,510	1,777	1,198	759	410	214	106	128	1,984
40 to 44 years	8,347	307	340	412	476	457	506	578	629	730	723	708	604	483	324	217	109	163	583
45 to 49 years	788	22	27	24	21	32	47	34	59	54	54	72	84	72	46	34	15	25	67
50 and over	33	2	2	2	1	1	1	5	-	2	6	2	2	2	-	-	-	-	5
Not stated	2,674	335	299	225	166	153	113	73	66	50	30	20	20	9	3	3	-	3	1,108
Male	220,017	60,600	47,758	31,065	20,491	14,380	10,474	7,802	5,583	4,011	2,957	1,954	1,265	797	451	280	132	179	9,840
Under 15 years	1,563	1,390	151	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
15 to 19 years	48,381	29,913	13,293	3,602	656	143	25	18	3	2	-	-	-	-	-	-	-	-	728
20 to 24 years	73,143	19,343	21,472	14,886	8,096	3,691	1,485	556	183	70	25	9	3	1	-	-	-	-	3,323
25 to 29 years	47,612	6,335	8,266	7,884	7,063	5,997	4,399	2,736	1,450	642	314	108	34	18	6	9	2	1	2,548
30 to 34 years	27,204	2,374	3,096	3,103	3,032	2,883	2,882	2,699	2,215	1,462	917	514	274	126	48	26	13	14	1,528
35 to 39 years	16,073	904	1,145	1,252	1,290	1,328	1,350	1,443	1,349	1,413	1,295	910	614	358	202	119	58	63	980
40 to 44 years	4,281	166	161	217	252	233	255	296	318	370	364	364	286	246	171	111	51	86	314
45 to 49 years	398	10	15	13	11	16	17	22	34	26	24	37	43	43	22	14	8	12	31
50 and over	17	2	2	1	1	-	-	2	-	1	3	1	1	1	-	-	-	-	2
Not stated	1,365	173	157	112	90	69	61	32	31	25	15	11	10	4	2	1	-	3	569
Female	214,157	59,048	46,453	30,103	19,714	14,103	10,194	7,551	5,528	4,054	2,805	1,901	1,258	821	450	244	123	166	9,641
Under 15 years	1,524	1,353	151	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	13
15 to 19 years	47,157	29,158	12,982	3,392	717	126	26	6	1	1	-	-	-	-	-	-	-	-	750
20 to 24 years	71,028	18,617	20,783	14,449	8,031	3,638	1,418	506	166	81	15	8	3	-	-	-	-	-	3,313
25 to 29 years	46,576	6,436	8,099	7,722	6,604	5,826	4,331	2,727	1,411	707	276	115	42	16	13	6	3	-	2,242
30 to 34 years	26,220	2,282	2,957	2,977	2,835	2,838	2,710	2,540	2,168	1,550	892	524	259	132	51	15	7	11	1,472
35 to 39 years	15,850	889	1,148	1,239	1,216	1,350	1,375	1,434	1,411	1,301	1,215	867	584	401	208	95	48	65	1,004
40 to 44 years	4,086	141	179	195	224	224	251	282	311	360	359	342	318	237	153	106	58	77	269
45 to 49 years	391	12	12	11	10	18	30	12	25	28	30	35	41	29	24	20	7	13	36
50 and over	16	-	-	1	-	1	1	3	-	1	3	1	1	1	-	-	-	-	3
Not stated	1,309	162	142	111	76	84	52	41	35	25	15	9	10	5	1	2	-	-	539
Other races	20,578	6,600	4,643	2,818	1,898	1,286	917	662	493	323	239	139	85	66	31	4	10	6	358
Under 15 years	44	40	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	2,506	1,821	544	101	16	4	-	-	2	1	-	-	-	-	-	-	-	-	17
20 to 24 years	6,575	2,871	1,918	968	486	158	58	11	2	1	-	-	-	-	-	-	-	-	124
25 to 29 years	5,632	1,390	1,363	976	738	531	302	143	68	21	6	2	-	-	-	-	-	-	92
30 to 34 years	3,322	355	599	541	438	339	337	275	195	95	55	16	4	8	2	1	-	-	62
35 to 39 years	1,790	96	185	181	199	206	175	173	158	140	109	62	36	23	10	1	3	1	32
40 to 44 years	545	14	20	36	36	37	37	51	59	55	53	44	39	28	10	2	6	5	13
45 to 49 years	80	-	2	5	3	4	5	7	4	7	9	12	6	6	8	-	1	-	1
50 and over	5	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
Not stated	79	13	12	9	2	7	3	2	4	2	7	1	-	1	1	-	-	-	15
Male	10,491	3,383	2,441	1,412	956	653	447	330	240	159	118	58	43	39	21	1	7	2	181
Under 15 years	22	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	1,261	919	281	48	5	3	-	-	1	1	-	-	-	-	-	-	-	-	3
20 to 24 years	3,391	1,496	995	495	239	71	18	3	1	1	-	-	-	-	-	-	-	-	72
25 to 29 years	2,889	712	758	475	370	273	154	75	33	11	3	2	-	-	-	-	-	-	43
30 to 34 years	1,669	181	321	269	209	177	169	134	93	45	32	4	1	2	1	-	-	-	31
35 to 39 years	897	41	87	100	115	100	87	90	84	66	43	26	18	16	7	1	2	-	14
40 to 44 years	273	7	10	19	17	22	17	23	24	30	29	19	20	15	6	-	5	2	8
45 to 49 years	43	-	-	2	1	3	1	3	2	3	8	5	4	5	6	-	-	-	-
50 and over	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Not stated	44	7	8	3	-	4	1	2	2	2	3	1	-	1	1	-	-	-	9
Female	10,087	3,217	2,202	1,406	942	633	470	332	253	164	121	81	42	27	10	3	3	4	177
Under 15 years	22	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	1,245	902	263	53	11	1	-	-	1	-	-	-	-	-	-	-	-	-	14
20 to 24 years	3,184	1,375	921	473	227	87	40	8	1	-	-	-	-	-	-	-	-	-	52
25 to 29 years	2,743	678	625	501	368	258	148	68	35	10	3	-	-	-	-	-	-	-	49
30 to 34 years	1,653	174	278	272	229	162	168	141	102	50	23	12	3	6	1	1	-	-	31
35 to 39 years	893	55	98	81	84	106	88	83	74	74	66	36	18	7	3	-	1	1	18
40 to 44 years	272	7	10	17	19	15	20	28	35	25	24	25	19	13	4	2	1	3	5
45 to 49 years	37	-	2	3	2	1	4	4	2	4	1	7	2	1	2	-	1	-	1
50 and over	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Not stated	35	6	4	6	2	3	2	-	2	-	4	-	-	-	-	-	-	-	6

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948

(By place of residence. Birth order refers to number of children born alive to mother. Births to white mothers whose nativity is not stated are not shown separately, but are included in "Total births," and in "White." "Negro" is shown separately only in those States where the total number of births so classified was 100 or more. "Other races" in these States may be obtained by subtracting "Negro" from "Nonwhite")

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ALABAMA												
Total births	85,372	26,005	20,205	11,915	6,984	4,709	3,484	2,581	1,782	1,308	2,523	3,876
Under 15 years	312	264	39	3	-	-	-	-	-	-	-	6
15 to 19 years	16,393	11,093	3,983	896	157	34	9	2	-	1	-	218
20 to 24 years	27,938	9,609	8,714	4,722	2,034	824	285	104	32	19	10	1,587
25 to 29 years	19,138	3,245	4,645	3,546	2,498	1,797	1,199	735	332	147	85	909
30 to 34 years	11,720	1,186	1,963	1,839	1,442	1,187	1,102	886	636	405	511	563
35 to 39 years	7,087	450	676	727	680	660	685	637	576	507	1,109	380
40 to 44 years	2,132	69	96	124	134	161	175	186	179	198	685	125
45 to 49 years	194	6	6	1	6	13	7	13	15	14	102	11
50 years and over	4	-	-	-	-	-	-	-	-	1	3	-
Not stated	454	83	83	57	33	33	24	18	12	16	18	77
White	53,817	19,077	13,982	7,552	4,018	2,502	1,693	1,135	762	521	851	1,724
Under 15 years	65	59	6	-	-	-	-	-	-	-	-	-
15 to 19 years	9,150	7,071	1,744	245	27	4	1	2	-	-	-	58
20 to 24 years	18,059	7,717	6,035	2,506	768	226	62	18	6	-	2	719
25 to 29 years	12,794	2,732	3,849	2,569	1,561	882	447	203	63	27	7	454
30 to 34 years	7,767	1,006	1,678	1,512	1,036	782	621	393	239	128	118	254
35 to 39 years	4,354	386	553	595	501	462	430	374	328	232	336	156
40 to 44 years	1,346	62	74	99	109	126	123	129	116	120	330	58
45 to 49 years	103	3	5	-	5	9	2	9	6	9	54	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	178	41	38	27	11	11	7	7	4	5	3	24
Native white	53,567	18,967	13,896	7,523	4,010	2,498	1,690	1,134	762	521	851	1,715
Under 15 years	63	57	6	-	-	-	-	-	-	-	-	-
15 to 19 years	9,134	7,060	1,741	241	27	4	1	2	-	-	-	58
20 to 24 years	17,854	7,666	5,997	2,496	767	226	62	18	6	-	2	714
25 to 29 years	12,718	2,704	3,818	2,558	1,557	882	447	203	63	27	7	452
30 to 34 years	7,738	993	1,670	1,508	1,034	782	620	393	239	128	118	253
35 to 39 years	4,338	381	549	594	501	459	429	373	328	232	336	156
40 to 44 years	1,341	62	72	99	108	125	122	129	116	120	330	58
45 to 49 years	103	3	5	-	5	9	2	9	6	9	54	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	177	41	38	27	11	11	7	7	4	5	3	23
Foreign-born white	243	109	86	27	7	3	3	1	-	-	-	7
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	11	3	2	-	-	-	-	-	-	-	-
20 to 24 years	102	51	38	8	1	-	-	-	-	-	-	4
25 to 29 years	75	28	31	11	3	-	-	-	-	-	-	2
30 to 34 years	29	13	8	4	2	-	1	-	-	-	-	1
35 to 39 years	15	5	4	2	-	2	1	1	-	-	-	-
40 to 44 years	5	-	2	-	1	1	1	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	31,555	6,928	6,223	4,363	2,966	2,207	1,791	1,446	1,020	787	1,672	2,152
Under 15 years	247	205	33	3	-	-	-	-	-	-	-	6
15 to 19 years	7,243	4,022	2,239	653	130	30	8	-	-	1	-	160
20 to 24 years	9,879	1,892	2,679	2,216	1,266	598	221	86	26	19	8	868
25 to 29 years	6,344	513	796	977	937	915	752	532	269	120	78	455
30 to 34 years	3,953	180	285	327	406	405	481	493	397	277	393	309
35 to 39 years	2,733	64	125	151	179	198	255	263	248	275	773	224
40 to 44 years	786	7	22	25	25	35	52	57	63	78	355	67
45 to 49 years	91	3	1	1	1	4	5	4	9	5	48	10
50 years and over	3	-	-	-	-	-	-	-	-	1	2	-
Not stated	276	42	45	30	22	22	17	11	8	11	15	53
Negro	31,529	6,918	6,220	4,359	2,966	2,206	1,791	1,443	1,019	787	1,671	2,149
Under 15 years	247	205	33	3	-	-	-	-	-	-	-	6
15 to 19 years	7,238	4,019	2,238	652	130	30	8	-	-	1	-	160
20 to 24 years	9,867	1,885	2,678	2,213	1,266	598	221	86	26	19	8	867
25 to 29 years	6,341	513	796	977	937	914	752	531	269	120	78	454
30 to 34 years	3,951	180	285	327	406	405	481	493	397	277	392	308
35 to 39 years	2,730	64	122	151	179	198	255	261	248	275	773	224
40 to 44 years	785	7	22	25	25	35	52	57	62	78	355	67
45 to 49 years	91	3	1	1	1	4	5	4	9	5	48	10
50 years and over	3	-	-	-	-	-	-	-	-	1	2	-
Not stated	276	42	45	30	22	22	17	11	8	11	15	53
ARIZONA												
Total births	19,195	6,321	5,086	3,132	1,743	962	630	448	320	199	346	8
Under 15 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,841	2,198	544	80	15	3	-	-	-	1	-	-
20 to 24 years	6,396	2,538	2,226	1,059	400	116	38	12	5	-	1	1
25 to 29 years	5,059	1,011	1,493	1,110	683	357	221	103	52	18	9	2
30 to 34 years	2,913	394	594	608	419	284	209	160	117	63	62	3
35 to 39 years	1,488	132	194	226	181	164	116	139	105	90	138	2
40 to 44 years	415	19	27	41	45	33	41	33	38	23	115	-
45 to 49 years	36	-	2	4	-	2	4	1	2	3	18	-
50 years and over	4	-	-	2	-	-	-	-	-	-	2	-
Not stated	20	6	6	2	-	3	1	-	1	1	-	-
White	17,035	5,807	4,636	2,815	1,493	780	491	347	239	152	267	8
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,485	1,958	449	62	14	2	-	-	-	-	-	-
20 to 24 years	5,705	2,357	1,992	910	317	88	27	7	5	-	1	1
25 to 29 years	4,543	956	1,406	1,011	586	279	164	79	40	14	6	2
30 to 34 years	2,611	376	571	571	374	239	162	122	92	47	54	3
35 to 39 years	1,296	130	187	216	162	140	97	109	74	72	107	2
40 to 44 years	356	19	26	39	40	29	39	29	27	17	91	-
45 to 49 years	18	-	2	3	-	2	1	1	-	2	7	-
50 years and over	3	-	-	2	-	-	-	-	-	-	1	-
Not stated	10	3	3	1	-	1	1	-	1	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARIZONA—Continued												
White—Continued												
Native white	15,891	5,578	4,371	2,642	1,381	701	432	283	191	128	178	6
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,430	1,922	434	59	13	2	-	-	-	-	-	-
20 to 24 years	5,441	2,261	1,888	870	301	84	27	6	3	-	1	-
25 to 29 years	4,226	894	1,312	952	542	256	148	71	34	12	4	1
30 to 34 years	2,385	357	533	531	345	214	142	102	80	42	36	3
35 to 39 years	1,101	119	175	192	145	119	79	81	55	60	74	2
40 to 44 years	272	14	24	32	35	23	34	22	18	12	58	-
45 to 49 years	16	-	2	3	-	2	1	1	-	2	5	-
50 years and over	2	-	-	2	-	-	-	-	-	-	-	-
Not stated	10	3	3	1	-	1	1	-	1	-	-	-
Foreign-born white	1,138	227	264	173	112	79	58	63	48	24	89	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	54	35	15	3	1	-	-	-	-	-	-	-
20 to 24 years	263	95	104	40	16	4	-	1	2	-	-	1
25 to 29 years	315	62	93	59	44	23	16	8	6	2	2	-
30 to 34 years	226	19	38	40	29	25	20	20	12	5	18	-
35 to 39 years	193	11	12	24	17	21	17	27	19	12	33	-
40 to 44 years	84	5	2	7	5	6	5	7	9	5	33	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,160	514	450	317	250	182	139	101	81	47	79	-
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	356	240	95	18	1	1	-	-	-	1	-	-
20 to 24 years	691	181	234	149	83	28	11	5	-	-	-	-
25 to 29 years	516	55	87	99	97	78	57	24	12	4	3	-
30 to 34 years	302	10	23	37	45	45	47	38	25	16	0	-
35 to 39 years	192	2	7	10	19	24	19	30	31	18	32	-
40 to 44 years	59	-	1	2	5	4	2	4	11	6	24	-
45 to 49 years	18	-	-	1	-	-	3	-	2	1	11	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	10	3	3	1	-	2	-	-	-	1	-	-
Negro	616	160	151	91	68	40	33	21	20	12	20	-
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	142	85	45	11	1	-	-	-	-	-	-	-
20 to 24 years	185	38	73	40	23	7	2	2	-	-	-	-
25 to 29 years	145	17	25	25	22	20	21	6	5	3	1	-
30 to 34 years	76	9	6	8	16	7	7	7	6	7	3	-
35 to 39 years	45	2	2	6	3	5	3	5	7	2	10	-
40 to 44 years	11	-	-	1	3	1	-	1	1	-	4	-
45 to 49 years	3	-	-	-	-	-	-	-	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS												
Total births	48,036	14,539	10,984	6,484	4,014	2,622	1,920	1,321	1,023	775	1,439	2,915
Under 15 years	155	128	22	-	-	-	-	-	-	-	-	5
15 to 19 years	9,470	6,688	1,953	408	85	22	4	6	1	-	-	303
20 to 24 years	15,272	5,085	4,823	2,442	1,114	459	185	53	22	15	6	1,068
25 to 29 years	10,817	1,692	2,605	2,113	1,444	989	642	334	147	86	55	710
30 to 34 years	6,508	651	1,053	969	853	684	574	477	369	224	293	401
35 to 39 years	3,982	202	391	404	398	389	393	316	336	294	605	274
40 to 44 years	1,338	43	80	89	77	91	93	110	130	141	428	76
45 to 49 years	95	3	5	2	2	1	5	9	11	8	39	10
50 years and over	4	-	1	-	-	-	-	-	1	-	1	1
Not stated	395	67	71	57	41	27	24	16	6	7	12	67
White	36,224	12,080	9,086	5,049	2,802	1,788	1,241	803	609	433	687	1,546
Under 15 years	44	43	-	-	-	-	-	-	-	-	-	1
15 to 19 years	6,584	5,108	1,200	154	24	3	1	1	-	-	-	93
20 to 24 years	11,863	4,551	4,085	1,746	627	208	57	12	3	2	-	572
25 to 29 years	8,533	1,555	2,368	1,811	1,115	683	361	148	54	17	6	415
30 to 34 years	4,941	553	867	858	703	511	418	309	185	113	102	222
35 to 39 years	2,967	181	355	358	344	291	312	226	256	188	305	153
40 to 44 years	971	35	54	80	64	75	75	93	100	105	244	46
45 to 49 years	74	2	3	2	2	1	4	8	8	6	28	10
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	246	52	54	40	23	16	13	6	2	2	4	34
Native white	35,817	11,972	8,984	4,998	2,880	1,766	1,224	796	591	428	667	1,511
Under 15 years	44	43	-	-	-	-	-	-	-	-	-	1
15 to 19 years	6,554	5,089	1,191	153	24	3	1	1	-	-	-	92
20 to 24 years	11,731	4,505	4,036	1,727	623	207	56	12	3	2	-	560
25 to 29 years	8,429	1,527	2,340	1,794	1,103	677	355	148	54	16	6	409
30 to 34 years	4,893	546	959	849	700	505	415	306	194	113	100	216
35 to 39 years	2,915	177	351	355	341	285	308	224	246	185	292	151
40 to 44 years	945	32	54	78	64	74	73	92	94	104	237	43
45 to 49 years	73	2	3	2	2	1	4	7	8	6	28	10
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	232	51	50	40	23	14	12	6	1	2	4	29
Foreign-born white	247	77	71	31	11	11	8	4	6	2	13	13
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11	8	5	-	-	-	-	-	-	-	-	-
20 to 24 years	88	34	35	11	2	1	-	-	-	-	-	5
25 to 29 years	69	25	21	9	5	2	4	-	-	1	-	2
30 to 34 years	31	6	6	7	1	2	2	2	-	-	1	4
35 to 39 years	29	4	3	2	3	5	1	-	2	-	9	-
40 to 44 years	17	2	-	2	-	1	1	1	4	1	3	2
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARKANSAS—Continued												
Nonwhite	11,812	2,459	1,898	1,435	1,112	834	679	518	414	342	752	1,369
Under 15 years	111	65	22	-	-	-	-	-	-	-	-	4
15 to 19 years	2,886	1,580	753	254	61	19	3	5	1	-	-	210
20 to 24 years	3,409	534	738	696	487	251	128	41	19	13	6	496
25 to 29 years	2,284	137	237	302	329	306	281	186	93	69	49	295
30 to 34 years	1,567	78	86	111	150	153	156	168	184	111	191	179
35 to 39 years	1,015	21	38	46	54	78	81	90	80	106	302	121
40 to 44 years	367	8	6	9	13	16	18	17	30	36	184	30
45 to 49 years	21	1	2	-	-	-	1	1	3	2	11	-
50 years and over	3	-	1	-	-	-	-	-	-	-	1	1
Not stated	149	15	17	17	18	11	11	10	4	5	8	33
Negro	11,780	2,448	1,891	1,430	1,110	832	679	517	414	342	752	1,365
Under 15 years	111	65	22	-	-	-	-	-	-	-	-	4
15 to 19 years	2,881	1,576	752	254	61	19	3	5	1	-	-	210
20 to 24 years	3,397	529	736	694	486	251	128	41	19	13	6	494
25 to 29 years	2,277	135	235	299	329	306	281	186	93	69	49	295
30 to 34 years	1,560	78	84	111	149	152	156	167	184	111	191	177
35 to 39 years	1,014	21	36	46	54	77	81	90	80	106	302	121
40 to 44 years	367	8	6	9	13	16	18	17	30	36	184	30
45 to 49 years	21	1	2	-	-	-	1	1	3	2	11	-
50 years and over	3	-	1	-	-	-	-	-	-	-	1	1
Not stated	149	15	17	17	18	11	11	10	4	5	8	33
CALIFORNIA												
Total births	240,702	93,085	77,702	37,213	15,599	6,976	3,593	2,089	1,317	933	1,545	850
Under 15 years	172	165	7	-	-	-	-	-	-	-	-	-
15 to 19 years	28,024	21,730	5,395	768	100	11	1	-	-	-	-	19
20 to 24 years	81,842	36,809	28,872	9,932	2,874	830	206	59	9	7	4	340
25 to 29 years	70,370	20,658	26,423	13,327	5,390	2,329	1,109	514	198	110	46	266
30 to 34 years	38,771	8,079	12,092	6,876	4,315	2,143	1,237	780	519	298	304	128
35 to 39 years	17,327	3,026	4,223	3,645	2,247	1,273	791	538	432	388	701	63
40 to 44 years	3,819	570	649	639	453	365	234	188	150	116	434	21
45 to 49 years	195	23	17	17	15	20	12	10	9	13	55	4
50 years and over	2	-	-	-	-	-	-	-	-	1	1	-
Not stated	80	25	24	9	5	5	3	-	-	-	-	9
White	221,598	86,554	72,582	34,075	13,611	6,049	2,997	1,729	1,079	784	1,345	793
Under 15 years	107	105	2	-	-	-	-	-	-	-	-	-
15 to 19 years	25,147	19,801	4,655	595	71	5	1	-	-	-	-	19
20 to 24 years	75,066	36,114	26,725	8,697	2,347	667	137	45	6	6	3	319
25 to 29 years	65,255	19,375	25,010	12,351	4,713	1,978	873	410	157	89	42	257
30 to 34 years	35,985	7,665	11,492	8,320	3,948	1,885	1,056	622	408	230	244	115
35 to 39 years	16,215	2,900	4,032	3,471	2,095	1,149	700	477	369	341	624	57
40 to 44 years	3,568	546	628	616	419	344	216	155	130	105	383	16
45 to 49 years	178	23	15	17	13	17	11	10	9	12	48	3
50 years and over	2	-	-	-	-	-	-	-	-	1	1	-
Not stated	75	25	23	8	5	4	3	-	-	-	-	7
Native white	207,973	82,039	68,670	31,998	12,650	5,506	2,612	1,465	868	577	838	750
Under 15 years	105	103	2	-	-	-	-	-	-	-	-	-
15 to 19 years	24,644	19,412	4,559	578	71	4	1	-	-	-	-	19
20 to 24 years	71,943	34,476	25,712	8,361	2,256	644	128	42	6	6	3	309
25 to 29 years	61,041	17,937	23,483	11,660	4,448	1,846	800	372	139	73	37	246
30 to 34 years	33,147	7,030	10,740	7,752	3,648	1,723	951	531	331	178	172	111
35 to 39 years	14,013	2,557	3,595	3,100	1,856	984	568	385	287	247	383	51
40 to 44 years	2,894	483	545	525	357	288	173	126	98	65	221	13
45 to 49 years	120	18	13	14	9	14	8	9	7	7	21	-
50 years and over	2	-	-	-	-	-	-	-	-	1	1	-
Not stated	64	23	21	8	5	3	3	-	-	-	-	1
Foreign-born white	13,598	4,508	3,908	2,071	959	542	384	264	211	207	507	37
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	501	367	96	17	-	1	-	-	-	-	-	-
20 to 24 years	3,112	1,634	1,011	332	91	25	8	3	-	-	-	10
25 to 29 years	4,211	1,438	1,526	689	265	132	73	38	18	16	5	11
30 to 34 years	2,836	635	751	568	299	162	125	91	77	52	72	4
35 to 39 years	2,200	343	437	371	238	164	132	92	82	94	241	6
40 to 44 years	674	63	83	91	62	56	43	39	32	40	162	3
45 to 49 years	58	5	2	3	4	3	3	1	2	5	27	3
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	2	-	-	1	-	-	-	-	-	-
Nonwhite	19,104	6,531	5,120	3,138	1,788	927	595	360	238	149	200	57
Under 15 years	65	60	5	-	-	-	-	-	-	-	-	-
15 to 19 years	2,877	1,929	740	173	29	6	-	-	-	-	-	-
20 to 24 years	6,876	2,695	2,147	1,235	527	163	69	14	3	1	1	21
25 to 29 years	5,115	1,283	1,413	976	677	351	236	104	41	21	4	9
30 to 34 years	2,766	414	600	556	367	258	181	158	111	68	60	13
35 to 39 years	1,112	126	191	174	152	124	91	61	63	47	77	6
40 to 44 years	251	24	21	23	34	21	18	23	20	11	51	5
45 to 49 years	17	-	2	-	2	3	1	-	-	1	7	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	1	1	-	1	-	-	-	-	-	2
Negro	13,094	4,114	3,572	2,230	1,295	682	438	274	183	123	140	45
Under 15 years	60	55	5	-	-	-	-	-	-	-	-	-
15 to 19 years	2,355	1,538	637	152	23	5	-	-	-	-	-	-
20 to 24 years	4,676	1,537	1,644	1,022	440	158	61	13	3	1	1	16
25 to 29 years	3,309	648	858	655	512	288	193	91	33	18	4	8
30 to 34 years	1,670	241	288	293	220	176	115	112	96	62	46	10
35 to 39 years	670	79	112	85	80	65	59	44	40	37	55	4
40 to 44 years	148	16	14	13	18	9	10	14	11	5	33	5
45 to 49 years	3	-	1	-	-	-	-	-	-	-	1	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	-	-	1	-	-	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
COLORADO												
Total births	33,010	12,210	9,701	5,016	2,374	1,268	763	545	348	263	481	41
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,127	3,241	786	89	10	1	-	-	-	-	-	-
20 to 24 years	11,418	5,393	3,910	1,446	444	151	35	9	2	2	3	21
25 to 29 years	9,044	2,377	3,116	1,839	796	447	243	126	61	20	12	7
30 to 34 years	5,193	819	1,382	1,153	684	368	282	215	123	85	91	11
35 to 39 years	2,428	299	435	399	350	214	160	140	102	110	217	2
40 to 44 years	719	61	66	87	81	82	59	50	55	40	138	-
45 to 49 years	49	1	3	-	7	3	1	5	5	6	18	-
50 years and over	3	-	1	-	-	1	1	-	-	-	-	-
Not stated	12	2	2	1	2	1	2	-	-	-	2	-
White	32,443	12,021	9,551	4,933	2,326	1,232	738	535	344	253	470	40
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,032	3,178	758	86	9	1	-	-	-	-	-	-
20 to 24 years	11,242	5,325	3,855	1,418	431	145	33	8	2	2	3	20
25 to 29 years	8,894	2,332	3,073	1,812	782	436	237	124	60	20	11	7
30 to 34 years	5,105	809	1,362	1,137	672	357	252	212	120	83	90	11
35 to 39 years	2,384	296	432	393	342	209	155	138	102	103	212	2
40 to 44 years	708	61	66	86	81	79	58	48	55	39	135	-
45 to 49 years	48	1	3	-	7	3	1	5	5	6	17	-
50 years and over	3	-	1	-	-	1	1	-	-	-	-	-
Not stated	10	2	1	1	2	1	1	-	-	-	2	-
Native white	31,759	11,816	9,349	4,848	2,284	1,210	716	517	323	236	421	39
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,012	3,160	756	86	9	1	-	-	-	-	-	-
20 to 24 years	11,049	5,235	3,775	1,401	429	143	32	8	2	2	3	19
25 to 29 years	8,705	2,277	2,995	1,781	771	430	233	122	60	19	10	7
30 to 34 years	4,989	783	1,333	1,118	661	352	245	208	115	79	86	11
35 to 39 years	2,265	285	419	378	328	203	148	131	91	96	184	2
40 to 44 years	666	57	66	83	77	76	55	46	51	35	120	-
45 to 49 years	44	1	3	-	7	3	1	4	4	5	16	-
50 years and over	3	-	1	-	-	1	1	-	-	-	-	-
Not stated	9	1	1	1	2	1	1	-	-	-	2	-
Foreign-born white	669	199	199	81	42	22	22	18	21	17	48	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	17	2	-	-	-	-	-	-	-	-	-
20 to 24 years	187	89	78	15	2	2	1	-	-	-	-	-
25 to 29 years	187	54	77	31	11	6	4	2	-	1	1	-
30 to 34 years	112	24	29	18	11	5	7	6	5	4	3	-
35 to 39 years	118	11	13	14	14	6	7	7	11	7	28	-
40 to 44 years	42	4	-	3	4	3	3	2	4	4	15	-
45 to 49 years	4	-	-	-	-	-	-	1	1	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	567	189	150	83	48	36	25	10	4	10	11	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	95	63	28	3	1	-	-	-	-	-	-	-
20 to 24 years	176	68	55	30	13	6	2	1	-	-	-	1
25 to 29 years	150	45	43	27	14	11	6	2	1	-	1	-
30 to 34 years	88	10	20	16	12	11	10	3	3	2	1	-
35 to 39 years	44	3	3	6	8	5	5	2	-	7	5	-
40 to 44 years	11	-	-	1	-	3	1	2	-	1	3	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	-	1	-	-	-	-	-
Negro	389	130	107	63	32	25	12	7	2	4	7	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	80	49	27	3	1	-	-	-	-	-	-	-
20 to 24 years	129	43	42	25	13	4	1	1	-	-	-	-
25 to 29 years	92	29	21	18	10	9	2	2	-	-	1	-
30 to 34 years	56	7	14	10	7	7	6	2	2	-	1	-
35 to 39 years	26	2	3	6	1	3	2	2	-	4	3	-
40 to 44 years	6	-	-	1	-	2	1	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT												
Total births	42,229	17,168	13,186	6,448	2,568	1,089	519	263	161	80	135	642
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,128	1,803	276	22	1	-	-	-	-	-	-	28
20 to 24 years	12,055	7,344	3,413	858	188	48	20	3	3	-	-	178
25 to 29 years	14,008	5,216	5,223	2,238	699	259	104	52	17	3	1	196
30 to 34 years	9,066	2,010	2,991	2,200	933	395	201	77	56	29	20	154
35 to 39 years	3,961	647	1,068	935	601	286	125	82	57	28	66	66
40 to 44 years	698	117	174	176	139	91	63	36	25	19	40	18
45 to 49 years	45	5	5	3	6	6	5	3	3	1	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	60	18	16	16	1	4	1	-	-	-	-	4
White	40,723	16,651	12,706	6,248	2,450	1,022	466	228	139	68	116	631
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,858	1,624	196	12	-	-	-	-	-	-	-	26
20 to 24 years	11,492	7,143	3,205	769	151	40	10	2	-	-	-	172
25 to 29 years	13,613	5,121	5,106	2,173	652	225	86	44	10	2	1	193
30 to 34 years	8,887	1,984	2,949	2,172	913	378	185	66	48	23	15	154
35 to 39 years	3,883	637	1,057	928	589	280	118	77	53	24	56	64
40 to 44 years	885	116	173	174	138	69	62	36	25	18	36	18
45 to 49 years	45	5	5	3	6	6	5	3	3	1	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	57	18	15	15	1	4	-	-	-	-	-	4

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
CONNECTICUT—Continued												
White—Continued												
Native white	38,235	15,753	11,932	5,837	2,260	945	427	200	122	60	101	598
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,803	1,576	191	10	-	-	-	-	-	-	-	26
20 to 24 years	10,951	6,826	3,034	725	150	39	9	2	-	-	-	166
25 to 29 years	12,863	4,798	4,820	2,076	618	223	86	43	10	2	1	186
30 to 34 years	8,394	1,868	2,789	2,052	855	360	177	61	44	23	14	151
35 to 39 years	3,419	585	937	824	515	247	97	61	46	22	49	56
40 to 44 years	716	95	144	137	115	66	54	30	21	12	31	11
45 to 49 years	38	5	4	2	6	6	4	3	1	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	48	17	13	11	1	4	-	-	-	-	-	2
Foreign-born white	2,460	891	765	401	189	77	39	27	16	8	15	32
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	53	46	5	2	-	-	-	-	-	-	-	-
20 to 24 years	533	315	168	41	1	1	1	-	-	-	-	6
25 to 29 years	744	321	282	97	34	2	-	1	-	-	-	7
30 to 34 years	491	116	160	119	57	18	8	5	4	-	1	3
35 to 39 years	460	71	119	104	74	33	21	15	6	2	7	8
40 to 44 years	168	21	29	36	23	23	8	6	4	6	5	7
45 to 49 years	7	-	1	1	-	-	1	-	2	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	1	1	-	-	-	-	-	-	-	1
Nonwhite	1,506	517	460	202	118	67	53	25	22	12	19	11
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	270	179	80	10	1	-	-	-	-	-	-	-
20 to 24 years	563	201	208	89	37	8	10	1	3	-	-	6
25 to 29 years	395	95	117	65	47	34	18	8	7	1	-	3
30 to 34 years	179	26	42	28	20	17	16	11	8	6	5	-
35 to 39 years	78	10	11	7	12	6	7	5	4	4	10	2
40 to 44 years	13	1	1	2	1	2	1	-	-	1	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	1	-	-	1	-	-	-	-	-
Negro	1,480	505	454	200	116	66	52	24	22	12	19	10
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	269	178	80	10	1	-	-	-	-	-	-	-
20 to 24 years	551	193	205	89	37	8	10	1	3	-	-	5
25 to 29 years	389	93	116	64	45	34	18	8	7	1	-	3
30 to 34 years	176	25	41	28	20	17	16	10	8	6	5	-
35 to 39 years	74	10	10	6	12	5	6	5	4	4	10	2
40 to 44 years	13	1	1	2	1	2	1	-	-	1	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	1	-	-	1	-	-	-	-	-
DELAWARE												
Total births	7,254	2,659	2,149	1,099	507	291	174	116	65	55	93	46
Under 15 years	25	22	2	1	-	-	-	-	-	-	-	-
15 to 19 years	872	658	180	28	3	2	-	-	-	-	-	1
20 to 24 years	2,170	1,035	700	274	82	39	14	5	1	-	-	20
25 to 29 years	2,107	601	763	345	167	112	53	26	12	9	8	13
30 to 34 years	1,285	229	353	300	158	81	55	35	30	17	19	8
35 to 39 years	621	93	125	121	85	44	39	31	17	20	45	1
40 to 44 years	148	16	21	26	10	12	12	18	5	8	20	-
45 to 49 years	5	-	1	1	1	-	1	1	-	-	-	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	20	5	4	2	1	1	-	-	-	1	3	3
White	6,087	2,347	1,890	942	391	204	105	75	37	31	44	21
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	565	470	86	8	-	-	-	-	-	-	-	1
20 to 24 years	1,845	975	603	198	43	14	3	-	-	-	-	9
25 to 29 years	1,866	571	725	317	127	71	26	12	7	5	1	4
30 to 34 years	1,124	218	336	280	134	66	33	23	15	8	7	4
35 to 39 years	545	90	119	110	79	41	33	25	10	16	22	-
40 to 44 years	123	15	18	25	8	12	10	14	5	2	14	-
45 to 49 years	3	-	1	1	-	-	-	1	-	-	-	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	12	5	2	2	-	-	-	-	-	-	-	3
Native white	5,955	2,289	1,849	924	387	199	104	72	36	31	44	20
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	562	467	86	8	-	-	-	-	-	-	-	1
20 to 24 years	1,808	950	592	197	43	14	3	-	-	-	-	9
25 to 29 years	1,820	554	705	310	125	71	26	12	7	5	1	4
30 to 34 years	1,101	210	329	275	133	65	33	23	15	8	7	3
35 to 39 years	530	87	116	106	78	39	32	25	9	16	22	-
40 to 44 years	115	13	18	24	8	10	10	11	5	2	14	-
45 to 49 years	3	-	1	1	-	-	-	1	-	-	-	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	12	6	2	2	-	-	-	-	-	-	-	3
Foreign-born white	132	58	41	18	4	5	1	3	1	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	3	-	-	-	-	-	-	-	-	-	-
20 to 24 years	37	25	11	1	-	-	-	-	-	-	-	-
25 to 29 years	46	17	20	7	2	-	-	-	-	-	-	-
30 to 34 years	23	8	7	5	1	1	-	-	-	-	-	1
35 to 39 years	15	3	3	4	1	2	1	-	1	-	-	-
40 to 44 years	8	2	-	1	-	2	-	3	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
DELAWARE—Continued												
Nonwhite	1,167	312	259	157	116	87	69	41	28	24	49	25
Under 15 years	22	19	2	1	-	-	-	-	-	-	-	-
15 to 19 years	307	188	94	20	3	2	-	-	-	-	-	-
20 to 24 years	325	80	97	78	39	25	11	5	1	-	-	11
25 to 29 years	241	30	38	28	40	41	27	14	5	4	5	9
30 to 34 years	161	11	17	20	24	15	22	12	15	9	12	4
35 to 39 years	76	3	6	11	6	3	6	6	7	4	23	1
40 to 44 years	25	1	3	1	2	-	2	4	-	6	6	-
45 to 49 years	2	-	-	-	1	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	-	2	-	1	1	-	-	-	1	3	-
Negro	1,151	305	257	154	115	87	69	41	28	24	48	23
Under 15 years	22	19	2	1	-	-	-	-	-	-	-	-
15 to 19 years	305	186	94	20	3	2	-	-	-	-	-	-
20 to 24 years	317	56	97	74	39	25	11	5	1	-	-	9
25 to 29 years	237	29	37	27	39	41	27	14	5	4	5	9
30 to 34 years	159	11	16	20	24	15	22	12	15	9	11	4
35 to 39 years	76	3	6	11	6	3	6	6	7	4	23	1
40 to 44 years	25	1	3	1	2	-	2	4	-	6	6	-
45 to 49 years	2	-	-	-	1	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	-	2	-	1	1	-	-	-	1	3	-
DISTRICT OF COLUMBIA												
Total births	20,815	9,415	5,782	2,598	1,183	662	342	186	116	68	128	315
Under 15 years	74	74	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,488	1,789	559	104	15	2	1	1	-	-	-	17
20 to 24 years	6,876	3,581	1,964	762	290	115	35	5	2	2	1	119
25 to 29 years	6,108	2,412	1,892	857	404	229	109	53	37	17	3	95
30 to 34 years	3,319	1,027	944	540	296	201	100	61	40	25	40	45
35 to 39 years	1,498	389	346	269	145	89	78	49	33	29	50	21
40 to 44 years	323	71	59	56	31	24	15	17	4	13	29	4
45 to 49 years	21	6	3	-	1	2	3	-	-	1	5	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	107	65	15	10	1	-	1	-	-	1	-	14
White	12,749	6,183	3,842	1,493	562	246	88	46	25	19	16	229
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	938	760	152	17	3	1	-	-	-	-	-	5
20 to 24 years	4,032	2,425	1,137	307	55	22	5	2	1	-	-	78
25 to 29 years	4,142	1,798	1,449	533	187	63	22	3	7	1	1	78
30 to 34 years	2,307	786	759	395	185	96	24	13	6	7	4	32
35 to 39 years	1,027	301	287	198	108	46	29	16	9	8	7	18
40 to 44 years	205	48	45	42	23	17	7	12	2	2	3	4
45 to 49 years	11	4	2	-	1	1	1	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	82	56	11	1	-	-	-	-	-	-	-	14
Native white	11,922	5,758	3,607	1,410	522	236	82	43	25	18	16	205
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	909	734	149	17	3	1	-	-	-	-	-	5
20 to 24 years	3,840	2,310	1,080	292	54	22	4	2	1	-	-	75
25 to 29 years	3,866	1,668	1,351	506	174	81	22	3	7	1	1	72
30 to 34 years	2,154	708	711	363	176	94	23	12	6	7	4	32
35 to 39 years	938	275	268	176	95	42	26	15	9	8	7	17
40 to 44 years	186	47	41	36	19	16	6	11	2	1	3	4
45 to 49 years	9	3	2	-	1	-	1	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	10	5	-	-	-	-	-	-	-	-	-
Foreign-born white	743	366	226	81	39	10	6	3	-	1	-	11
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	25	22	3	-	-	-	-	-	-	-	-	-
20 to 24 years	186	112	54	15	1	-	1	-	-	-	-	3
25 to 29 years	272	127	98	26	13	2	-	-	-	-	-	6
30 to 34 years	150	77	48	12	9	2	1	1	-	-	-	-
35 to 39 years	87	25	18	22	13	4	3	1	-	-	-	1
40 to 44 years	18	1	4	6	3	1	1	1	-	1	-	-
45 to 49 years	2	1	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	-	-	-	-	-	-	-	1
Nonwhite	8,066	3,232	1,940	1,105	621	416	254	140	91	69	112	86
Under 15 years	69	69	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,550	1,029	407	87	12	1	1	1	-	-	-	12
20 to 24 years	2,844	1,156	827	455	235	93	30	3	1	2	1	41
25 to 29 years	1,966	614	443	324	217	166	87	50	30	16	2	17
30 to 34 years	1,012	241	185	145	111	105	76	48	34	18	36	13
35 to 39 years	471	88	59	71	37	43	49	33	24	21	43	3
40 to 44 years	118	23	14	14	8	7	8	5	2	11	26	-
45 to 49 years	10	2	1	-	-	1	2	-	-	-	4	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	25	9	4	9	1	-	1	-	-	1	-	-
Negro	7,963	3,181	1,912	1,091	619	410	254	139	91	69	112	85
Under 15 years	69	69	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,541	1,027	406	87	12	1	1	1	-	-	-	12
20 to 24 years	2,812	1,132	823	452	235	93	30	3	1	2	1	40
25 to 29 years	1,935	691	433	319	217	163	87	50	30	16	2	17
30 to 34 years	995	238	177	142	110	103	76	48	34	18	36	13
35 to 39 years	461	85	56	70	36	42	49	32	24	21	43	3
40 to 44 years	114	23	12	12	8	7	8	5	2	11	26	-
45 to 49 years	10	2	1	-	-	1	2	-	-	-	4	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	25	9	4	9	1	-	1	-	-	1	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE. 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
FLORIDA												
Total births	59,600	21,034	16,416	9,068	4,748	2,768	1,717	1,187	763	531	937	431
Under 15 years	206	186	18	1	-	-	-	-	-	-	-	1
15 to 19 years	9,554	6,817	2,139	459	99	18	1	2	-	-	-	19
20 to 24 years	18,702	8,086	6,430	3,021	1,270	487	160	72	21	5	1	149
25 to 29 years	15,181	3,636	4,645	2,933	1,638	1,030	594	310	149	73	50	123
30 to 34 years	8,880	1,534	2,178	1,749	1,094	688	526	414	279	170	183	67
35 to 39 years	4,666	597	838	744	529	413	344	299	237	203	426	36
40 to 44 years	1,128	112	122	130	100	112	75	78	67	72	246	13
45 to 49 years	81	5	7	6	3	9	5	5	5	7	27	2
50 years and over	3	-	-	1	-	-	-	1	1	-	-	-
Not stated	199	61	39	24	15	13	12	5	4	1	4	21
White	43,261	16,575	12,878	6,609	3,109	1,493	883	568	335	243	325	245
Under 15 years	44	42	2	-	-	-	-	-	-	-	-	-
15 to 19 years	5,674	4,450	1,045	141	25	3	1	-	-	-	-	9
20 to 24 years	14,625	6,863	4,944	1,905	599	160	55	12	4	1	-	82
25 to 29 years	11,719	3,190	4,067	2,325	1,125	522	248	93	51	16	7	75
30 to 34 years	6,838	1,357	1,946	1,485	850	431	295	217	108	66	41	42
35 to 39 years	3,395	530	741	629	418	278	219	161	122	108	152	17
40 to 44 years	817	104	104	108	81	89	58	58	45	48	114	8
45 to 49 years	42	5	5	3	1	5	2	5	3	4	9	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	106	34	22	13	10	5	5	2	1	-	2	12
Native white	42,195	16,140	12,501	6,456	3,057	1,469	869	566	334	242	325	236
Under 15 years	44	42	2	-	-	-	-	-	-	-	-	-
15 to 19 years	5,632	4,412	1,041	141	25	3	1	-	-	-	-	9
20 to 24 years	14,324	6,714	4,859	1,871	591	160	55	12	4	1	-	77
25 to 29 years	11,370	3,054	3,928	2,267	1,116	519	245	92	51	16	7	74
30 to 34 years	6,639	1,286	1,877	1,454	829	427	292	217	108	66	41	42
35 to 39 years	3,261	498	696	605	406	269	211	180	121	107	152	16
40 to 44 years	783	97	93	103	79	81	57	58	45	48	114	8
45 to 49 years	40	3	5	3	1	5	2	5	3	4	9	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	101	34	20	12	10	5	5	2	1	-	2	10
Foreign-born white	1,085	426	367	150	48	24	13	1	1	1	-	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	37	34	3	-	-	-	-	-	-	-	-	-
20 to 24 years	290	145	101	33	7	-	-	-	-	-	-	4
25 to 29 years	342	136	138	56	8	3	1	-	-	-	-	-
30 to 34 years	196	70	68	31	20	4	3	-	-	-	-	-
35 to 39 years	131	32	44	24	11	9	8	1	1	1	-	-
40 to 44 years	34	7	11	5	2	8	1	-	-	-	-	-
45 to 49 years	2	2	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	2	1	-	-	-	-	-	-	-	-
Nonwhite	16,339	4,459	3,540	2,459	1,639	1,275	834	619	428	288	612	186
Under 15 years	162	144	16	1	-	-	-	-	-	-	-	1
15 to 19 years	3,880	2,367	1,094	318	74	15	-	2	-	-	-	10
20 to 24 years	5,077	1,223	1,486	1,116	671	327	105	60	17	4	1	67
25 to 29 years	3,462	446	578	608	513	508	346	217	98	57	43	48
30 to 34 years	2,042	177	252	264	244	255	231	197	171	104	142	25
35 to 39 years	1,271	67	97	115	111	135	125	118	115	95	274	19
40 to 44 years	311	8	18	22	19	23	17	21	22	24	132	5
45 to 49 years	39	-	2	3	2	4	3	-	2	3	18	2
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	93	27	17	11	5	8	7	3	3	1	2	9
Negro	16,280	4,450	3,531	2,444	1,633	1,270	826	616	428	288	611	183
Under 15 years	162	144	16	1	-	-	-	-	-	-	-	1
15 to 19 years	3,877	2,365	1,094	317	74	15	-	2	-	-	-	10
20 to 24 years	5,061	1,220	1,479	1,112	670	327	105	60	17	4	1	66
25 to 29 years	3,451	445	577	604	512	508	342	217	98	57	43	48
30 to 34 years	2,026	174	232	260	242	253	229	195	171	104	142	24
35 to 39 years	1,262	67	96	113	110	133	124	117	115	95	274	18
40 to 44 years	307	8	18	22	18	22	16	21	22	24	131	5
45 to 49 years	39	-	2	3	2	4	3	-	2	3	18	2
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	93	27	17	11	5	8	7	3	3	1	2	9
GEORGIA												
Total births	92,694	29,366	22,146	12,473	7,107	4,845	3,367	2,483	1,759	1,331	2,339	5,478
Under 15 years	334	300	22	3	-	-	-	-	-	-	-	9
15 to 19 years	16,983	11,901	3,753	760	147	23	9	5	1	-	-	384
20 to 24 years	29,617	10,864	9,130	4,738	2,105	951	341	163	52	29	8	1,436
25 to 29 years	21,785	4,204	5,711	3,863	2,493	1,875	1,242	686	329	164	124	1,094
30 to 34 years	12,872	1,535	2,474	2,107	1,510	1,232	1,002	852	618	409	468	667
35 to 39 years	7,381	613	898	836	686	604	620	603	575	540	1,028	578
40 to 44 years	1,913	104	104	130	135	130	133	151	163	167	618	78
45 to 49 years	163	3	4	7	6	10	7	7	13	19	80	7
50 years and over	7	1	-	-	1	-	1	-	-	-	4	-
Not stated	1,639	41	50	29	24	20	12	16	10	3	9	1,425
White	59,240	21,436	15,984	8,130	4,187	2,528	1,579	1,096	742	541	715	2,462
Under 15 years	68	65	2	-	-	-	-	-	-	-	-	1
15 to 19 years	9,329	7,320	1,652	204	27	4	2	2	-	-	-	118
20 to 24 years	19,416	8,529	6,443	2,544	848	283	58	33	3	2	1	672
25 to 29 years	14,982	3,584	4,805	2,858	1,504	924	461	184	68	34	10	553
30 to 34 years	8,821	1,315	2,109	1,723	1,115	789	559	411	239	133	97	331
35 to 39 years	4,686	509	758	680	520	416	397	341	315	259	297	194
40 to 44 years	1,220	96	91	111	105	95	98	106	105	96	276	41
45 to 49 years	92	3	2	5	6	8	3	5	10	17	29	4
50 years and over	5	1	-	-	1	-	1	-	-	-	2	-
Not stated	621	14	22	8	11	9	-	4	2	-	3	548

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
GEORGIA—Continued												
White—Continued												
Native white	58,742	21,235	15,718	8,075	4,124	2,522	1,577	1,095	741	540	713	2,412
Under 15 years	68	65	2	-	-	-	-	-	-	-	-	1
15 to 19 years	9,302	7,300	1,646	203	27	4	2	2	-	-	-	118
20 to 24 years	19,226	8,435	6,373	2,525	845	283	58	33	3	2	1	668
25 to 29 years	14,833	3,521	4,749	2,838	1,499	920	461	184	68	34	10	549
30 to 34 years	8,767	1,300	2,086	1,712	1,112	788	559	411	239	133	97	330
35 to 39 years	4,857	502	749	673	518	416	397	341	315	258	297	191
40 to 44 years	1,213	95	90	111	105	94	96	105	104	96	276	41
45 to 49 years	91	3	2	5	6	8	3	5	10	17	28	4
50 years and over	6	1	-	-	1	-	1	-	-	-	2	-
Not stated	580	13	21	8	11	9	-	4	2	-	2	510
Foreign-born white	441	185	164	54	13	3	2	1	-	-	1	8
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	23	17	5	1	-	-	-	-	-	-	-	-
20 to 24 years	186	92	70	18	3	-	-	-	-	-	-	3
25 to 29 years	146	63	56	17	5	2	-	-	-	-	-	3
30 to 34 years	54	15	23	11	3	1	-	-	-	-	-	1
35 to 39 years	26	7	9	7	2	-	-	-	-	-	-	1
40 to 44 years	5	1	1	-	-	-	2	1	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	33,454	7,930	6,262	4,343	2,970	2,317	1,788	1,397	1,017	790	1,624	3,016
Under 15 years	266	235	20	3	-	-	-	-	-	-	-	8
15 to 19 years	7,654	4,581	2,101	556	120	19	7	3	1	-	-	266
20 to 24 years	10,201	2,135	2,687	2,194	1,257	668	283	130	49	27	7	764
25 to 29 years	6,803	620	906	1,008	989	951	781	502	261	130	114	541
30 to 34 years	4,051	220	365	384	395	443	443	441	377	276	371	336
35 to 39 years	2,695	104	140	156	166	188	223	262	260	281	731	184
40 to 44 years	693	8	13	19	30	35	35	45	58	71	342	37
45 to 49 years	71	-	2	2	-	2	4	2	3	2	51	3
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	1,018	27	28	21	13	11	12	12	8	3	6	877
Negro	33,430	7,916	6,259	4,340	2,968	2,317	1,788	1,397	1,017	789	1,623	3,016
Under 15 years	266	235	20	3	-	-	-	-	-	-	-	8
15 to 19 years	7,652	4,580	2,100	556	120	19	7	3	1	-	-	266
20 to 24 years	10,191	2,125	2,687	2,194	1,257	668	283	130	49	27	7	764
25 to 29 years	6,795	617	905	1,005	988	951	781	502	261	130	114	541
30 to 34 years	4,049	220	364	384	394	443	443	441	377	276	371	336
35 to 39 years	2,694	104	140	156	166	188	223	262	260	280	731	184
40 to 44 years	692	8	13	19	30	35	35	45	58	71	341	37
45 to 49 years	71	-	2	2	-	2	4	2	3	2	51	3
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	1,018	27	28	21	13	11	12	12	8	3	6	877
IDAHO												
Total births	16,132	5,201	4,597	2,878	1,596	787	418	230	138	74	134	79
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,262	1,825	398	37	2	-	-	-	-	-	-	-
20 to 24 years	5,520	2,268	2,133	812	225	46	12	1	-	-	-	23
25 to 29 years	4,278	733	1,319	1,180	600	251	106	35	17	3	5	29
30 to 34 years	2,454	250	545	568	470	286	145	63	45	20	23	19
35 to 39 years	1,218	84	172	236	243	158	112	63	44	28	55	5
40 to 44 years	330	19	24	39	50	45	41	26	27	19	37	3
45 to 49 years	32	2	1	2	1	2	2	2	3	4	13	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	7	4	4	5	1	-	-	2	-	1	-
White	15,925	5,148	4,540	2,844	1,580	777	406	226	128	70	129	77
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,231	1,804	389	36	2	-	-	-	-	-	-	-
20 to 24 years	5,463	2,246	2,116	801	219	46	11	1	-	-	-	23
25 to 29 years	4,214	725	1,293	1,167	595	245	103	34	16	3	5	28
30 to 34 years	2,425	248	540	563	466	285	140	81	43	18	22	19
35 to 39 years	1,201	84	172	253	242	153	109	82	40	27	54	5
40 to 44 years	326	19	24	38	50	45	41	26	26	19	36	2
45 to 49 years	28	2	1	2	1	2	2	2	2	3	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	23	7	4	4	5	1	-	-	1	-	1	-
Native white	15,696	5,075	4,465	2,798	1,563	770	405	225	125	69	125	76
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,223	1,798	387	36	2	-	-	-	-	-	-	-
20 to 24 years	5,394	2,216	2,087	792	218	46	11	1	-	-	-	23
25 to 29 years	4,137	698	1,271	1,147	589	244	103	34	16	2	5	28
30 to 34 years	2,376	243	525	550	458	281	140	80	41	18	22	18
35 to 39 years	1,161	81	165	229	240	152	109	82	39	27	52	5
40 to 44 years	323	18	24	38	50	44	40	26	26	19	36	2
45 to 49 years	26	1	1	2	1	2	2	2	2	3	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	22	7	4	4	5	1	-	-	1	-	-	-
Foreign-born white	228	73	75	46	17	7	1	1	3	1	3	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	6	2	-	-	-	-	-	-	-	-	-
20 to 24 years	69	30	29	9	1	-	-	-	-	-	-	-
25 to 29 years	77	27	22	20	6	1	-	-	-	1	-	-
30 to 34 years	49	5	15	13	8	4	-	1	2	-	-	1
35 to 39 years	20	3	7	4	2	1	-	-	1	-	2	-
40 to 44 years	3	1	-	-	-	1	1	-	-	-	-	-
45 to 49 years	2	1	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IDAHO—Continued												
Nonwhite	207	53	57	34	16	10	12	4	10	4	5	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	31	21	9	1	-	-	-	-	-	-	-	-
20 to 24 years	57	22	17	11	6	-	1	-	-	-	-	-
25 to 29 years	64	8	26	13	5	6	3	1	1	-	-	1
30 to 34 years	29	2	5	5	4	1	5	2	2	2	1	-
35 to 39 years	17	-	-	3	1	3	3	1	4	1	1	-
40 to 44 years	4	-	-	1	-	-	-	-	1	-	1	1
45 to 49 years	4	-	-	-	-	-	-	-	1	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS												
Total births	164,871	74,302	56,610	27,914	12,355	5,844	3,043	1,848	1,092	708	1,094	61
Under 15 years	116	115	1	-	-	-	-	-	-	-	-	-
15 to 19 years	17,709	14,318	2,949	396	43	2	1	-	-	-	-	-
20 to 24 years	60,291	32,793	19,160	5,861	1,755	522	144	29	6	1	-	20
25 to 29 years	54,943	17,764	20,093	9,899	3,969	1,780	840	397	140	40	20	21
30 to 34 years	33,147	6,638	10,318	7,808	3,928	2,001	995	650	408	218	188	7
35 to 39 years	15,039	2,297	3,551	3,305	2,162	1,220	809	565	363	293	488	6
40 to 44 years	3,408	352	537	627	482	316	253	192	157	140	350	2
45 to 49 years	191	15	18	17	13	21	11	14	18	18	46	-
50 years and over	3	2	1	-	-	-	-	-	-	-	-	-
Not stated	24	8	2	1	3	2	-	1	-	-	2	5
White	167,641	68,225	52,108	25,317	10,825	4,890	2,484	1,465	849	556	866	56
Under 15 years	36	36	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14,095	11,859	2,026	193	16	1	-	-	-	-	-	-
20 to 24 years	55,823	30,503	17,061	4,660	1,194	297	75	15	2	-	-	16
25 to 29 years	51,045	16,912	19,152	9,152	3,440	1,354	639	256	87	23	9	21
30 to 34 years	31,126	6,351	9,922	7,503	3,644	1,784	808	512	295	160	142	7
35 to 39 years	14,117	2,203	3,406	3,183	2,058	1,138	712	491	304	236	380	6
40 to 44 years	3,198	338	522	609	458	286	239	176	146	120	292	2
45 to 49 years	177	14	17	16	13	19	11	14	15	17	41	-
50 years and over	3	2	1	-	-	-	-	-	-	-	-	-
Not stated	19	7	1	1	2	1	-	1	-	-	2	4
Native white	162,439	66,284	50,405	24,516	10,493	4,727	2,426	1,410	808	533	805	52
Under 15 years	36	36	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13,966	11,755	2,002	192	16	1	-	-	-	-	-	-
20 to 24 years	52,621	29,838	16,625	4,571	1,184	295	75	15	2	-	-	16
25 to 29 years	49,255	16,150	18,482	8,895	3,373	1,336	631	250	86	25	9	20
30 to 34 years	30,274	6,119	9,623	7,324	3,578	1,744	795	504	285	158	137	7
35 to 39 years	13,218	2,043	3,163	2,970	1,924	1,064	689	471	285	229	354	6
40 to 44 years	2,892	304	476	549	405	268	226	158	135	106	263	2
45 to 49 years	162	12	14	14	11	18	10	11	15	17	40	-
50 years and over	2	2	-	-	-	-	-	-	-	-	-	-
Not stated	13	5	-	1	2	1	-	1	-	-	2	1
Foreign-born white	5,174	1,945	1,697	800	331	162	58	55	41	23	61	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	128	103	24	1	-	-	-	-	-	-	-	-
20 to 24 years	1,192	657	434	69	10	2	-	-	-	-	-	-
25 to 29 years	1,781	760	666	256	66	17	8	6	1	-	-	1
30 to 34 years	850	228	299	179	66	40	13	8	10	2	5	-
35 to 39 years	899	160	223	213	134	74	23	20	19	7	26	-
40 to 44 years	306	34	46	60	53	28	13	18	11	14	29	-
45 to 49 years	15	2	3	2	2	1	1	3	-	-	1	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	17,230	6,077	4,502	2,597	1,530	954	559	383	243	152	228	5
Under 15 years	80	79	1	-	-	-	-	-	-	-	-	-
15 to 19 years	3,614	2,459	923	203	27	1	1	-	-	-	-	-
20 to 24 years	6,468	2,290	2,099	1,201	561	225	69	14	4	1	-	4
25 to 29 years	3,898	852	941	747	529	406	201	141	53	17	11	-
30 to 34 years	2,019	287	396	305	284	217	177	138	113	56	46	-
35 to 39 years	922	94	125	122	104	82	97	74	59	57	108	-
40 to 44 years	210	14	15	18	24	20	14	16	11	20	58	-
45 to 49 years	14	1	1	1	-	2	-	-	3	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	1	1	-	-	-	-	-	1
Negro	16,710	5,799	4,357	2,546	1,506	945	553	379	242	151	227	5
Under 15 years	80	79	1	-	-	-	-	-	-	-	-	-
15 to 19 years	3,582	2,430	922	201	27	1	1	-	-	-	-	-
20 to 24 years	6,301	2,175	2,057	1,194	558	225	69	14	4	1	-	4
25 to 29 years	3,702	730	880	727	523	401	199	141	53	17	11	-
30 to 34 years	1,927	263	364	287	273	216	175	136	113	55	46	-
35 to 39 years	894	88	116	119	101	80	95	73	58	57	107	-
40 to 44 years	206	12	15	18	23	19	14	16	11	20	58	-
45 to 49 years	13	1	1	-	-	2	-	-	3	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	1	1	-	-	-	-	-	1
INDIANA												
Total births	92,529	34,672	27,191	13,680	6,710	3,580	2,115	1,325	898	575	949	834
Under 15 years	69	66	2	1	-	-	-	-	-	-	-	-
15 to 19 years	11,965	9,498	2,166	242	26	2	-	-	-	-	-	31
20 to 24 years	32,989	15,649	11,372	4,000	1,178	324	116	28	8	3	-	311
25 to 29 years	25,098	6,374	8,637	4,941	2,435	1,279	661	312	141	38	30	250
30 to 34 years	13,933	2,170	3,645	3,048	1,911	1,160	729	485	316	179	150	140
35 to 39 years	6,450	751	1,148	1,183	927	620	476	353	287	238	401	66
40 to 44 years	1,743	121	176	225	215	172	123	130	136	107	318	20
45 to 49 years	122	3	5	12	7	10	8	14	8	8	45	2
50 years and over	4	-	-	-	1	-	-	-	-	1	2	-
Not stated	156	40	40	28	10	13	2	3	2	1	3	14

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
INDIANA—Continued												
White	87,875	33,167	26,060	13,007	6,293	3,311	1,925	1,198	814	517	845	738
Under 15 years	42	41	1	-	-	-	-	-	-	-	-	-
15 to 19 years	10,910	8,785	1,901	180	20	1	-	-	-	-	-	23
20 to 24 years	31,306	15,117	10,817	3,666	1,033	274	83	20	5	3	-	278
25 to 29 years	24,077	6,229	8,423	4,759	2,274	1,152	574	266	117	32	20	221
30 to 34 years	13,410	2,115	3,577	2,982	1,834	1,094	669	440	287	152	131	129
35 to 39 years	6,190	722	1,126	1,159	903	593	460	333	267	217	352	58
40 to 44 years	1,672	117	172	223	211	164	120	122	128	104	294	16
45 to 49 years	118	3	5	12	7	10	7	14	8	7	43	2
50 years and over	4	-	-	-	1	-	-	-	-	1	2	-
Not stated	146	38	38	20	10	13	2	3	1	1	3	11
Native white	86,814	32,755	25,691	12,873	6,227	3,287	1,912	1,187	806	513	831	732
Under 15 years	42	41	1	-	-	-	-	-	-	-	-	-
15 to 19 years	10,863	8,753	1,888	178	20	1	-	-	-	-	-	23
20 to 24 years	30,936	14,920	10,683	3,636	1,027	273	83	20	5	3	-	276
25 to 29 years	23,750	6,103	8,292	4,712	2,258	1,157	573	286	118	32	20	221
30 to 34 years	13,244	2,076	3,519	2,953	1,816	1,088	664	438	285	151	126	128
35 to 39 years	6,088	708	1,099	1,142	886	585	454	328	266	215	349	56
40 to 44 years	1,633	114	168	215	202	161	119	118	127	103	290	16
45 to 49 years	112	3	5	11	7	9	7	14	6	7	41	2
50 years and over	4	-	-	-	1	-	-	-	-	1	2	-
Not stated	142	37	36	26	10	13	2	3	1	1	3	10
Foreign-born white	1,054	410	368	132	64	24	13	11	8	4	14	6
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	47	32	13	2	-	-	-	-	-	-	-	-
20 to 24 years	369	196	134	30	6	1	-	-	-	-	-	2
25 to 29 years	325	126	130	47	15	5	1	-	1	-	-	-
30 to 34 years	165	39	58	29	18	6	5	2	2	1	5	1
35 to 39 years	102	14	27	17	17	8	6	5	1	2	3	2
40 to 44 years	37	3	4	7	8	3	1	4	2	1	4	-
45 to 49 years	6	-	-	1	-	1	-	-	2	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	2	-	-	-	-	-	-	-	-	1
Nonwhite	4,654	1,505	1,131	673	417	269	190	127	84	58	104	96
Under 15 years	27	25	1	1	-	-	-	-	-	-	-	-
15 to 19 years	1,055	713	265	62	6	1	-	-	-	-	-	8
20 to 24 years	1,663	532	555	334	145	50	23	8	3	-	-	33
25 to 29 years	1,021	145	214	182	161	117	87	46	24	6	10	29
30 to 34 years	523	55	68	66	77	66	60	45	29	27	19	11
35 to 39 years	260	29	22	24	24	27	16	20	20	21	49	8
40 to 44 years	71	4	4	2	4	8	3	8	7	3	24	4
45 to 49 years	4	-	-	-	-	-	1	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	2	-	-	-	-	1	-	-	3
Negro	4,628	1,490	1,125	671	415	269	189	127	84	58	104	96
Under 15 years	27	25	1	1	-	-	-	-	-	-	-	-
15 to 19 years	1,054	712	265	62	6	1	-	-	-	-	-	8
20 to 24 years	1,668	522	551	334	144	50	23	8	3	-	-	33
25 to 29 years	1,016	143	212	181	161	117	87	46	24	6	10	29
30 to 34 years	518	53	68	65	76	66	59	45	29	27	19	11
35 to 39 years	260	29	22	24	24	27	16	20	20	21	49	8
40 to 44 years	71	4	4	2	4	8	3	8	7	3	24	4
45 to 49 years	4	-	-	-	-	-	1	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	2	-	-	-	-	1	-	-	3
IOWA												
Total births	60,575	22,005	17,741	9,728	4,895	2,466	1,382	754	518	308	503	275
Under 15 years	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,192	5,100	965	91	15	-	-	-	-	-	-	1
20 to 24 years	20,705	10,479	7,053	2,209	640	156	42	6	1	2	1	116
25 to 29 years	17,213	4,275	6,083	3,909	1,663	758	357	114	48	6	8	72
30 to 34 years	10,003	1,492	2,538	2,417	1,544	836	505	282	174	94	69	52
35 to 39 years	4,915	501	892	989	788	565	347	250	195	143	217	28
40 to 44 years	1,366	115	165	193	200	146	119	88	92	55	188	5
45 to 49 years	87	3	1	9	11	5	11	11	8	8	20	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	76	24	23	11	13	-	1	3	-	-	-	1
White	60,064	21,851	17,610	9,657	4,845	2,433	1,364	739	501	297	493	274
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,102	5,037	961	88	15	-	-	-	-	-	-	1
20 to 24 years	20,513	10,417	6,993	2,175	619	148	38	6	-	2	-	115
25 to 29 years	17,094	4,257	6,047	3,791	1,665	745	351	110	44	4	8	72
30 to 34 years	9,946	1,487	2,531	2,411	1,538	829	498	275	167	91	67	52
35 to 39 years	4,879	500	889	981	786	561	346	247	190	139	212	28
40 to 44 years	1,354	113	165	191	197	145	119	87	92	54	186	5
45 to 49 years	86	3	1	9	11	5	11	11	8	7	20	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	75	24	22	11	13	-	1	3	-	-	-	1
Native white	59,294	21,585	17,322	9,553	4,804	2,413	1,345	737	491	293	482	269
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,072	5,015	953	88	15	-	-	-	-	-	-	1
20 to 24 years	20,240	10,293	6,876	2,149	616	148	38	6	-	2	-	112
25 to 29 years	16,857	4,171	5,948	3,760	1,652	739	350	110	44	4	8	71
30 to 34 years	9,851	1,465	2,494	2,385	1,526	824	492	274	165	89	66	51
35 to 39 years	4,805	490	866	968	779	556	338	247	187	138	208	28
40 to 44 years	1,319	111	161	184	192	141	115	87	88	54	161	5
45 to 49 years	80	3	1	8	10	5	11	10	7	6	19	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	75	24	22	11	13	-	1	3	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IOWA—Continued												
White—Continued												
Foreign-born white	761	261	286	103	41	19	19	2	10	4	11	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	28	21	7	-	-	-	-	-	-	-	-	-
20 to 24 years	268	121	116	25	3	-	-	-	-	-	-	3
25 to 29 years	236	85	99	31	13	6	1	-	-	-	-	1
30 to 34 years	115	22	37	26	12	5	6	1	2	2	1	1
35 to 39 years	73	10	23	13	7	4	8	-	3	1	4	-
40 to 44 years	35	2	4	7	5	4	4	-	4	-	5	-
45 to 49 years	6	-	-	1	1	-	-	1	1	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	511	154	131	71	50	33	18	15	17	11	10	1
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	80	63	24	3	-	-	-	-	-	-	-	-
20 to 24 years	192	62	60	34	21	8	4	-	1	-	1	1
25 to 29 years	119	18	36	18	18	13	6	4	4	2	-	-
30 to 34 years	57	5	7	6	6	7	7	7	7	3	2	-
35 to 39 years	36	1	3	8	2	4	1	3	5	4	5	-
40 to 44 years	12	2	-	2	3	1	-	1	-	1	2	-
45 to 49 years	1	-	-	-	-	-	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	458	135	120	62	46	30	15	14	16	10	9	1
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	84	58	23	3	-	-	-	-	-	-	-	-
20 to 24 years	178	54	57	31	21	8	4	-	1	-	1	1
25 to 29 years	101	14	32	14	14	12	6	4	3	2	-	-
30 to 34 years	48	3	5	5	6	6	5	7	7	3	1	-
35 to 39 years	31	1	2	7	2	3	-	2	5	4	5	-
40 to 44 years	11	2	-	2	3	1	-	1	-	-	2	-
45 to 49 years	1	-	-	-	-	-	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS												
Total births	42,714	15,310	13,071	6,539	3,039	1,591	932	543	342	209	348	790
Under 15 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,108	4,039	936	104	13	1	-	-	-	-	-	16
20 to 24 years	14,739	6,836	5,243	1,707	504	133	33	4	2	1	-	276
25 to 29 years	11,792	2,912	4,290	2,431	1,051	493	241	92	41	14	7	240
30 to 34 years	6,583	995	1,826	1,528	868	520	312	185	114	54	43	138
35 to 39 years	3,282	390	612	617	462	333	235	187	117	84	155	70
40 to 44 years	935	68	109	124	118	101	103	68	54	47	119	24
45 to 49 years	77	4	3	6	4	5	3	5	11	8	23	5
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	174	43	52	22	19	5	5	2	3	1	1	21
White	40,868	14,733	12,633	6,256	2,845	1,502	861	493	310	195	311	729
Under 15 years	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,693	3,756	828	83	10	1	-	-	-	-	-	15
20 to 24 years	14,080	6,643	5,029	1,576	431	111	26	3	2	-	-	259
25 to 29 years	11,415	2,857	4,216	2,344	959	462	216	81	35	14	5	226
30 to 34 years	6,365	973	1,796	1,502	841	496	288	164	103	47	36	119
35 to 39 years	3,174	378	807	604	468	326	225	174	107	80	139	66
40 to 44 years	895	65	107	119	113	97	100	64	51	45	110	23
45 to 49 years	67	3	3	6	4	4	2	5	10	7	20	3
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	163	42	47	22	19	5	4	2	2	1	1	18
Native white	40,285	14,542	12,455	6,184	2,821	1,477	845	483	296	186	281	715
Under 15 years	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,673	3,741	823	83	10	1	-	-	-	-	-	15
20 to 24 years	13,877	6,549	4,945	1,559	427	109	26	3	1	-	-	258
25 to 29 years	11,260	2,803	4,158	2,314	956	459	214	81	35	14	5	221
30 to 34 years	6,273	959	1,772	1,490	832	487	284	159	99	45	32	114
35 to 39 years	3,103	366	803	594	462	318	220	170	100	76	128	66
40 to 44 years	866	64	104	116	112	94	96	64	51	45	97	23
45 to 49 years	60	3	3	6	4	4	2	4	8	5	18	3
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	157	41	47	22	18	5	3	2	2	1	1	15
Foreign-born white	578	190	178	72	24	25	16	10	14	9	30	10
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	14	5	-	-	-	-	-	-	-	-	-
20 to 24 years	205	94	84	17	4	2	-	-	1	-	-	1
25 to 29 years	154	54	58	30	3	3	2	-	-	-	-	4
30 to 34 years	91	14	24	12	9	9	4	5	4	2	4	4
35 to 39 years	71	12	4	10	6	8	5	4	7	4	11	-
40 to 44 years	29	1	3	3	1	3	4	-	-	1	13	-
45 to 49 years	7	-	-	-	-	-	-	1	2	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	-	-	1	-	1	-	-	-	-	1
Nonwhite	1,846	577	438	283	194	89	71	50	32	14	37	61
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	416	283	108	21	3	-	-	-	-	-	-	1
20 to 24 years	659	193	214	131	73	22	7	1	-	1	-	17
25 to 29 years	377	55	74	87	72	31	25	11	6	-	2	14
30 to 34 years	218	22	30	26	27	24	24	21	11	7	7	19
35 to 39 years	108	12	5	13	14	7	10	13	10	4	16	4
40 to 44 years	40	3	2	5	5	4	3	4	3	1	9	1
45 to 49 years	10	1	-	-	-	1	1	-	1	1	3	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	11	1	5	-	-	-	1	-	1	-	-	3

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
KANSAS—Continued												
Nonwhite—Continued												
Negro	1,739	543	413	264	184	83	66	47	29	14	37	59
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	402	273	105	20	3	-	-	-	-	-	-	1
20 to 24 years	620	180	199	123	71	22	6	1	-	1	-	17
25 to 29 years	345	47	70	79	65	29	24	11	5	-	2	13
30 to 34 years	205	20	28	24	26	23	23	18	11	7	7	18
35 to 39 years	104	12	4	13	14	7	8	13	9	4	16	4
40 to 44 years	36	3	2	5	5	1	3	4	2	1	9	1
45 to 49 years	10	1	-	-	-	1	1	-	1	1	3	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	11	1	5	-	-	-	1	-	1	-	-	3
KENTUCKY												
Total births	77,176	24,983	18,666	10,179	6,220	4,331	3,091	2,306	1,739	1,266	2,324	2,071
Under 15 years	138	129	8	-	-	-	-	-	-	-	-	1
15 to 19 years	13,143	9,836	2,714	410	59	4	3	1	-	-	-	116
20 to 24 years	25,265	9,852	8,492	3,897	1,561	550	157	52	14	4	1	685
25 to 29 years	18,315	3,468	4,783	3,483	2,366	1,738	1,099	523	195	95	44	521
30 to 34 years	11,092	1,168	1,895	1,607	1,392	1,236	1,117	915	673	385	329	365
35 to 39 years	6,661	429	658	652	696	623	545	629	618	524	1,031	256
40 to 44 years	2,286	80	94	109	132	166	160	171	224	223	823	104
45 to 49 years	191	6	3	5	8	11	8	11	12	24	92	11
50 years and over	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	82	15	19	16	6	3	2	3	3	-	3	12
White	72,366	23,501	17,610	9,517	5,767	4,041	2,866	2,159	1,608	1,181	2,165	1,951
Under 15 years	94	85	8	-	-	-	-	-	-	-	-	1
15 to 19 years	12,048	9,089	2,446	340	54	4	3	-	-	-	-	112
20 to 24 years	23,671	9,376	8,007	3,579	1,386	497	133	47	10	4	1	631
25 to 29 years	17,331	3,328	4,587	3,305	2,206	1,622	1,020	473	173	80	39	498
30 to 34 years	10,458	1,117	1,825	1,550	1,319	1,153	1,037	851	619	354	288	345
35 to 39 years	6,315	409	628	620	663	591	512	607	585	501	960	239
40 to 44 years	2,183	76	88	104	126	160	151	166	207	218	784	103
45 to 49 years	185	6	3	5	7	11	8	11	11	23	89	11
50 years and over	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	78	15	18	14	6	3	2	3	3	-	3	11
Native white	72,089	23,391	17,461	9,479	5,761	4,035	2,865	2,159	1,608	1,181	2,163	1,946
Under 15 years	94	85	8	-	-	-	-	-	-	-	-	1
15 to 19 years	12,031	9,077	2,442	340	54	4	3	-	-	-	-	111
20 to 24 years	23,534	9,320	7,948	3,560	1,385	497	133	47	10	4	1	629
25 to 29 years	17,240	3,299	4,539	3,295	2,204	1,620	1,020	473	173	80	39	498
30 to 34 years	10,430	1,110	1,814	1,544	1,317	1,152	1,037	851	619	354	288	344
35 to 39 years	6,296	404	621	617	662	589	511	607	585	501	960	239
40 to 44 years	2,179	75	88	104	126	159	151	166	207	218	783	102
45 to 49 years	184	6	3	5	7	11	8	11	11	23	88	11
50 years and over	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	78	15	18	14	6	3	2	3	3	-	3	11
Foreign-born white	287	104	126	38	6	4	1	-	-	-	2	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	9	3	-	-	-	-	-	-	-	-	1
20 to 24 years	134	53	59	19	1	-	-	-	-	-	-	2
25 to 29 years	90	29	48	10	2	1	-	-	-	-	-	-
30 to 34 years	27	7	11	6	2	1	-	-	-	-	-	-
35 to 39 years	19	5	7	3	1	2	1	-	-	-	-	-
40 to 44 years	3	1	-	-	-	-	-	-	-	-	1	1
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	4,810	1,482	1,056	662	453	290	225	147	131	85	159	120
Under 15 years	44	44	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,095	747	268	70	5	-	-	1	-	-	-	4
20 to 24 years	1,594	476	485	318	175	53	24	5	4	-	-	54
25 to 29 years	984	140	196	178	160	116	79	50	22	15	5	23
30 to 34 years	634	51	70	57	73	83	80	64	54	41	41	20
35 to 39 years	346	20	30	32	33	32	33	22	33	23	71	17
40 to 44 years	103	4	6	5	6	6	9	5	17	5	39	1
45 to 49 years	6	-	-	-	1	-	-	-	1	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	1	2	-	-	-	-	-	-	-	1
Negro	4,804	1,479	1,055	662	453	289	225	147	131	85	159	119
Under 15 years	44	44	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,094	746	268	70	5	-	-	1	-	-	-	4
20 to 24 years	1,593	475	485	318	175	53	24	5	4	-	-	54
25 to 29 years	980	139	195	178	160	115	79	50	22	15	5	22
30 to 34 years	634	51	70	57	73	83	80	64	54	41	41	20
35 to 39 years	346	20	30	32	33	32	33	22	33	23	71	17
40 to 44 years	103	4	6	5	6	6	9	5	17	5	39	1
45 to 49 years	6	-	-	-	1	-	-	-	1	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	1	2	-	-	-	-	-	-	-	1
LOUISIANA												
Total births	73,312	23,772	18,709	10,932	6,264	4,152	2,837	2,010	1,434	1,034	1,757	411
Under 15 years	198	188	7	2	1	-	-	-	-	-	-	-
15 to 19 years	12,426	8,919	2,799	583	98	14	2	2	1	-	-	8
20 to 24 years	24,684	9,518	8,178	3,952	1,732	730	272	76	21	14	4	187
25 to 29 years	17,956	3,399	4,957	3,560	2,247	1,621	1,029	559	286	113	83	102
30 to 34 years	10,208	1,134	1,941	1,851	1,334	1,028	892	720	538	364	352	54
35 to 39 years	6,030	499	709	827	704	605	525	509	451	382	779	40
40 to 44 years	1,581	87	96	140	125	141	104	133	129	148	466	12
45 to 49 years	121	5	5	-	7	8	5	6	6	10	67	2
50 years and over	5	-	-	-	-	-	1	-	1	3	-	
Not stated	103	23	17	17	15	5	8	4	2	2	3	6

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
LOUISIANA—Continued												
White	44,814	16,425	12,840	6,696	3,381	1,976	1,186	766	489	344	494	217
Under 15 years	34	34	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,373	5,041	1,145	164	19	1	2	-	-	-	-	1
20 to 24 years	15,366	7,135	5,394	1,894	557	197	66	13	3	-	2	105
25 to 29 years	11,902	2,815	3,986	2,446	1,256	677	327	151	54	21	13	50
30 to 34 years	6,602	916	1,649	1,432	930	609	426	276	158	104	70	32
35 to 39 years	3,600	404	571	642	506	387	293	242	194	131	209	21
40 to 44 years	928	85	79	106	98	100	67	80	79	81	167	6
45 to 49 years	81	4	3	-	5	4	3	3	1	6	32	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	47	11	11	10	8	1	2	1	-	1	-	2
Native white	44,427	16,269	12,705	6,634	3,368	1,970	1,182	764	487	342	493	213
Under 15 years	34	34	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,346	5,017	1,142	164	19	1	2	-	-	-	-	1
20 to 24 years	15,215	7,066	5,339	1,872	555	197	66	13	3	-	2	102
25 to 29 years	11,672	2,772	3,930	2,427	1,254	676	325	151	54	21	13	49
30 to 34 years	6,550	902	1,634	1,421	926	606	425	275	156	103	70	32
35 to 39 years	3,577	398	569	634	504	385	292	241	194	131	208	21
40 to 44 years	924	65	77	106	97	100	67	80	79	80	167	6
45 to 49 years	81	4	3	-	5	4	3	3	1	6	32	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	47	11	11	10	8	1	2	1	-	1	-	2
Foreign-born white	377	151	135	61	13	5	4	1	2	1	1	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	25	22	3	-	-	-	-	-	-	-	-	-
20 to 24 years	147	67	55	21	2	-	-	-	-	-	-	2
25 to 29 years	130	43	58	21	4	1	2	-	-	-	-	1
30 to 34 years	51	14	15	11	4	2	1	1	2	1	-	-
35 to 39 years	21	5	2	8	2	2	1	-	-	-	1	-
40 to 44 years	3	-	2	-	1	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	28,488	7,347	5,869	4,236	2,883	2,176	1,651	1,244	945	690	1,263	194
Under 15 years	164	154	7	2	1	-	-	-	-	-	-	-
15 to 19 years	6,053	3,878	1,654	419	79	13	-	2	1	-	-	7
20 to 24 years	9,318	2,383	2,784	2,058	1,175	533	206	83	18	14	2	82
25 to 29 years	6,154	584	969	1,112	989	944	702	408	232	92	70	52
30 to 34 years	3,606	218	292	419	404	419	466	444	380	260	282	22
35 to 39 years	2,430	95	138	185	198	218	232	267	257	251	570	19
40 to 44 years	653	22	17	34	27	41	37	53	50	67	299	6
45 to 49 years	60	1	2	-	2	4	2	3	5	4	35	2
50 years and over	4	-	-	-	-	-	-	1	-	1	2	-
Not stated	56	12	6	7	8	4	6	3	2	1	3	4
Negro	28,382	7,324	5,853	4,216	2,871	2,164	1,643	1,240	940	685	1,254	192
Under 15 years	164	154	7	2	1	-	-	-	-	-	-	-
15 to 19 years	6,037	3,864	1,653	419	78	13	-	2	1	-	-	7
20 to 24 years	9,279	2,376	2,772	2,044	1,173	530	208	83	18	14	2	81
25 to 29 years	6,130	582	967	1,107	985	941	698	407	231	91	69	52
30 to 34 years	3,590	218	291	418	401	416	463	443	379	257	282	22
35 to 39 years	2,414	95	138	185	196	215	231	265	254	251	565	19
40 to 44 years	650	22	17	34	27	41	37	53	50	67	296	6
45 to 49 years	60	1	2	-	2	4	2	3	5	4	35	2
50 years and over	3	-	-	-	-	-	-	1	-	-	2	-
Not stated	55	12	6	7	8	4	6	3	2	1	3	3
MAINE												
Total births	22,071	7,887	6,074	3,275	1,711	980	590	414	229	169	352	390
Under 15 years	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,890	2,266	525	64	9	2	-	1	-	-	-	23
20 to 24 years	7,750	3,519	2,649	924	368	103	31	17	2	-	1	136
25 to 29 years	5,893	1,379	1,766	1,264	651	379	184	103	37	18	18	114
30 to 34 years	3,319	474	802	697	433	272	198	150	103	55	67	68
35 to 39 years	1,631	194	265	256	205	178	124	104	64	62	145	34
40 to 44 years	502	31	57	65	53	39	51	35	23	34	104	10
45 to 49 years	30	1	1	2	5	4	2	2	-	-	13	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	40	7	9	3	7	3	-	2	-	-	4	5
White	22,038	7,881	6,057	3,272	1,708	979	590	413	229	168	352	389
Under 15 years	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,885	2,264	522	64	9	2	-	1	-	-	-	23
20 to 24 years	7,732	3,517	2,638	924	365	102	31	17	2	-	1	135
25 to 29 years	5,888	1,378	1,765	1,261	631	379	184	103	37	18	18	114
30 to 34 years	3,315	474	800	697	433	272	198	149	103	54	67	68
35 to 39 years	1,631	194	265	256	205	178	124	104	64	62	145	34
40 to 44 years	501	30	57	65	53	39	51	35	23	34	104	10
45 to 49 years	30	1	1	2	5	4	2	2	-	-	13	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	40	7	9	3	7	3	-	2	-	-	4	5
Native white	20,648	7,461	5,656	3,082	1,590	906	544	384	209	149	312	355
Under 15 years	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,785	2,180	507	63	9	2	-	1	-	-	-	23
20 to 24 years	7,377	3,361	2,504	885	351	101	31	16	2	-	1	125
25 to 29 years	5,462	1,260	1,619	1,193	588	355	175	97	55	17	17	106
30 to 34 years	3,042	434	729	642	395	250	184	142	92	50	63	61
35 to 39 years	1,471	175	240	236	189	157	107	93	59	54	132	29
40 to 44 years	436	28	47	59	48	35	46	31	21	28	84	9
45 to 49 years	26	1	1	2	4	4	1	2	-	-	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	33	6	9	2	6	2	-	2	-	-	4	2

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MAINE—Continued												
White—Continued												
Foreign-born white	1,381	419	399	188	118	73	46	29	20	19	39	31
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	99	84	14	1	-	-	-	-	-	-	-	-
20 to 24 years	352	156	133	38	14	1	-	1	-	-	-	9
25 to 29 years	426	118	146	68	43	24	9	6	2	1	1	8
30 to 34 years	271	39	71	55	38	22	14	7	11	4	3	7
35 to 39 years	160	19	25	20	16	21	17	11	5	8	13	5
40 to 44 years	65	2	10	6	5	4	5	4	2	6	20	1
45 to 49 years	4	-	-	-	1	-	1	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	-	-	1	1	-	-	-	-	-	1
Nonwhite	33	6	17	3	3	1	-	1	-	1	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5	2	3	-	-	-	-	-	-	-	-	-
20 to 24 years	18	2	11	-	3	1	-	-	-	-	-	1
25 to 29 years	5	1	1	3	-	-	-	-	-	-	-	-
30 to 34 years	4	-	2	-	-	-	-	1	-	1	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	1	1	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND												
Total births	53,423	19,384	15,104	7,995	4,154	2,233	1,311	866	594	351	646	785
Under 15 years	122	118	4	-	-	-	-	-	-	-	-	-
15 to 19 years	6,988	5,234	1,397	284	52	10	2	2	-	-	-	7
20 to 24 years	17,558	7,920	5,512	2,361	915	352	133	37	9	4	2	313
25 to 29 years	15,052	3,996	4,988	2,685	1,422	804	445	254	127	51	37	243
30 to 34 years	8,472	1,481	2,263	1,745	1,064	617	390	299	236	122	128	127
35 to 39 years	4,055	525	789	756	575	342	247	193	154	122	290	62
40 to 44 years	1,048	91	132	143	113	101	90	73	63	50	171	21
45 to 49 years	55	2	5	6	6	4	1	6	5	2	16	2
50 years and over	6	1	-	2	1	-	1	1	-	-	-	-
Not stated	67	16	14	13	6	3	2	1	-	-	2	10
White	42,130	16,040	12,560	6,299	3,007	1,435	776	491	329	178	330	685
Under 15 years	21	20	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,255	3,474	680	85	13	1	-	1	-	-	-	1
20 to 24 years	13,838	6,978	4,425	1,508	467	145	42	10	-	2	-	261
25 to 29 years	12,560	3,655	4,538	2,285	1,011	472	216	98	47	12	5	221
30 to 34 years	7,177	1,360	2,075	1,590	907	449	253	183	122	63	57	118
35 to 39 years	3,353	461	704	688	502	283	192	136	110	68	154	55
40 to 44 years	841	81	121	126	99	81	72	58	47	32	105	19
45 to 49 years	42	2	5	6	6	3	1	4	3	1	9	2
50 years and over	4	1	-	2	1	-	-	-	-	-	-	-
Not stated	39	8	11	9	1	1	-	1	-	-	-	8
Native white	41,102	15,659	12,230	6,133	2,948	1,412	761	485	325	178	324	647
Under 15 years	21	20	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,223	3,448	674	85	13	1	-	1	-	-	-	1
20 to 24 years	13,538	6,832	4,324	1,475	460	145	42	10	-	2	-	248
25 to 29 years	12,234	3,523	4,413	2,245	1,000	468	213	97	47	12	5	210
30 to 34 years	6,989	1,314	2,014	1,543	890	441	251	181	121	63	57	114
35 to 39 years	3,222	436	676	650	485	276	187	134	110	68	149	51
40 to 44 years	806	79	116	118	92	78	67	57	44	32	104	19
45 to 49 years	41	1	5	6	6	3	1	4	3	1	9	2
50 years and over	4	1	-	2	1	-	-	-	-	-	-	-
Not stated	24	5	7	8	1	-	-	1	-	-	-	2
Foreign-born white	967	362	312	157	58	20	13	6	4	-	4	31
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	26	21	5	-	-	-	-	-	-	-	-	-
20 to 24 years	283	137	96	30	7	-	-	-	-	-	-	13
25 to 29 years	318	131	122	37	11	4	1	1	-	-	-	11
30 to 34 years	181	45	58	45	17	7	2	2	1	-	-	4
35 to 39 years	121	24	25	37	16	6	5	2	-	-	3	3
40 to 44 years	35	2	5	8	7	3	5	1	3	-	1	-
45 to 49 years	1	1	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	11,293	3,344	2,544	1,696	1,147	798	535	375	265	173	316	100
Under 15 years	101	98	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,733	1,760	717	199	39	9	2	1	-	-	-	6
20 to 24 years	3,720	942	1,087	853	448	207	91	27	9	2	2	52
25 to 29 years	2,492	341	450	400	411	332	229	156	80	39	32	22
30 to 34 years	1,295	121	188	155	157	168	137	116	114	59	71	9
35 to 39 years	702	64	85	88	73	59	55	57	44	54	136	7
40 to 44 years	207	10	11	17	14	20	18	15	16	18	66	2
45 to 49 years	13	-	-	-	-	1	-	2	2	1	7	-
50 years and over	2	-	-	-	-	-	1	1	-	-	-	-
Not stated	28	8	3	4	5	2	2	-	-	-	2	2
Negro	11,252	3,326	2,533	1,693	1,146	796	532	374	264	172	316	100
Under 15 years	101	98	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,731	1,759	716	199	39	9	2	1	-	-	-	6
20 to 24 years	3,704	930	1,084	852	448	207	91	27	9	2	2	52
25 to 29 years	2,480	337	447	398	411	331	229	155	80	38	32	22
30 to 34 years	1,288	120	185	155	156	168	136	116	113	59	71	9
35 to 39 years	700	64	84	68	73	59	54	57	44	54	136	7
40 to 44 years	205	10	11	17	14	19	17	15	16	18	66	2
45 to 49 years	13	-	-	-	-	1	-	2	2	1	7	-
50 years and over	2	-	-	-	-	-	1	1	-	-	-	-
Not stated	28	8	3	4	5	2	2	-	-	-	2	2

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MASSACHUSETTS[1]												
Total births	[2]97,389	665	475	205	72	23	10	6	3	3	2	95,925
Under 15 years	24	-	1	-	-	-	-	-	-	-	-	23
15 to 19 years	5,216	80	10	4	-	-	-	-	-	-	-	5,122
20 to 24 years	28,302	319	162	32	8	1	-	-	-	-	-	27,780
25 to 29 years	31,167	181	201	72	17	7	3	1	-	-	-	30,685
30 to 34 years	20,137	65	82	74	23	12	2	-	-	2	-	19,877
35 to 39 years	9,814	18	15	20	23	3	4	3	-	-	1	9,727
40 to 44 years	2,456	2	3	2	1	-	1	2	2	1	1	2,441
45 to 49 years	131	-	-	-	-	-	-	-	1	-	-	130
50 years and over	4	-	-	-	-	-	-	-	-	-	-	4
Not stated	138	-	1	1	-	-	-	-	-	-	-	136
White	95,405	659	473	203	70	22	10	6	3	3	2	93,954
Under 15 years	24	-	1	-	-	-	-	-	-	-	-	23
15 to 19 years	4,946	80	10	3	-	-	-	-	-	-	-	4,853
20 to 24 years	27,582	317	161	31	8	-	-	-	-	-	-	27,065
25 to 29 years	30,620	178	201	72	18	7	3	1	-	-	-	30,142
30 to 34 years	19,868	64	81	74	22	12	2	-	-	2	-	19,611
35 to 39 years	9,679	18	15	20	23	3	4	3	-	-	1	9,592
40 to 44 years	2,428	2	3	2	1	-	1	2	2	1	1	2,413
45 to 49 years	130	-	-	-	-	-	-	-	1	-	-	129
50 years and over	3	-	-	-	-	-	-	-	-	-	-	3
Not stated	125	-	1	1	-	-	-	-	-	-	-	123
Native white	89,212	629	447	196	65	21	8	5	2	1	2	87,836
Under 15 years	23	-	1	-	-	-	-	-	-	-	-	22
15 to 19 years	4,814	79	10	3	-	-	-	-	-	-	-	4,722
20 to 24 years	26,399	303	153	30	8	-	-	-	-	-	-	25,905
25 to 29 years	28,665	169	190	72	14	7	3	1	-	-	-	28,409
30 to 34 years	18,507	59	79	70	21	11	1	-	-	1	-	18,365
35 to 39 years	8,416	17	12	20	21	3	3	3	-	-	1	8,336
40 to 44 years	1,891	2	2	-	1	-	1	1	1	-	1	1,882
45 to 49 years	93	-	-	-	-	-	-	-	1	-	-	92
50 years and over	3	-	-	-	-	-	-	-	-	-	-	3
Not stated	101	-	-	1	-	-	-	-	-	-	-	100
Foreign-born white	6,177	30	26	7	5	1	2	1	1	2	-	6,102
Under 15 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	132	1	-	-	-	-	-	-	-	-	-	131
20 to 24 years	1,188	14	8	1	-	-	-	-	-	-	-	1,160
25 to 29 years	1,750	9	11	-	2	-	-	-	-	-	-	1,728
30 to 34 years	1,259	5	2	4	1	1	1	-	-	1	-	1,244
35 to 39 years	1,263	1	3	-	2	-	1	-	-	-	-	1,256
40 to 44 years	535	-	1	2	-	-	-	1	1	1	-	529
45 to 49 years	37	-	-	-	-	-	-	-	-	-	-	37
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	17	-	1	-	-	-	-	-	-	-	-	16
Nonwhite	1,984	6	2	2	2	1	-	-	-	-	-	1,971
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	270	-	-	1	-	-	-	-	-	-	-	269
20 to 24 years	720	2	1	1	-	1	-	-	-	-	-	715
25 to 29 years	547	3	-	-	1	-	-	-	-	-	-	543
30 to 34 years	269	1	1	-	1	-	-	-	-	-	-	266
35 to 39 years	135	-	-	-	-	-	-	-	-	-	-	135
40 to 44 years	28	-	-	-	-	-	-	-	-	-	-	28
45 to 49 years	1	-	-	-	-	-	-	-	-	-	-	1
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	13	-	-	-	-	-	-	-	-	-	-	13
Negro	1,823	6	2	2	1	1	-	-	-	-	-	1,811
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	259	-	-	1	-	-	-	-	-	-	-	258
20 to 24 years	658	2	1	1	-	1	-	-	-	-	-	653
25 to 29 years	503	3	-	-	1	-	-	-	-	-	-	499
30 to 34 years	245	1	1	-	-	-	-	-	-	-	-	243
35 to 39 years	122	-	-	-	-	-	-	-	-	-	-	122
40 to 44 years	26	-	-	-	-	-	-	-	-	-	-	26
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	9	-	-	-	-	-	-	-	-	-	-	9
MICHIGAN												
Total births	154,730	57,424	45,147	24,326	11,842	6,098	3,436	1,932	1,169	763	1,206	1,387
Under 15 years	95	86	8	-	-	-	-	-	-	-	-	1
15 to 19 years	16,245	12,911	2,852	381	54	6	1	-	-	-	-	40
20 to 24 years	53,520	26,352	17,927	6,170	1,835	555	181	27	12	2	2	477
25 to 29 years	45,059	12,267	15,314	9,165	4,184	1,955	1,000	452	173	79	36	434
30 to 34 years	23,268	4,159	6,550	5,909	3,595	3,033	1,188	662	432	251	230	261
35 to 39 years	11,391	1,378	2,091	2,258	1,754	1,210	839	555	375	293	518	120
40 to 44 years	2,888	234	378	417	385	316	226	226	166	128	369	43
45 to 49 years	168	7	13	10	20	18	22	9	10	10	47	2
50 years and over	5	1	1	2	-	-	-	-	-	-	-	1
Not stated	91	29	13	14	15	5	1	1	1	-	4	8
White	142,845	53,841	42,086	22,350	10,679	5,405	2,991	1,646	983	633	988	1,243
Under 15 years	46	42	3	-	-	-	-	-	-	-	-	1
15 to 19 years	13,933	11,452	2,190	235	23	4	-	-	-	-	-	29
20 to 24 years	49,161	25,062	16,478	5,240	1,426	400	113	13	8	-	1	421
25 to 29 years	42,237	11,759	14,698	8,614	3,758	1,647	809	346	123	57	25	401
30 to 34 years	23,775	3,959	6,315	5,667	3,374	1,871	1,061	572	353	199	171	233
35 to 39 years	10,695	1,303	2,007	2,164	1,687	1,149	770	497	338	248	426	106
40 to 44 years	2,750	228	369	408	378	311	217	209	150	119	319	42
45 to 49 years	158	7	12	9	20	18	20	8	10	10	42	2
50 years and over	3	1	1	1	-	-	-	-	-	-	-	-
Not stated	87	28	13	12	14	5	1	1	1	-	4	8

[1]Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for births to residents of the State occurring in other States.

[2]Excludes 2,381 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MICHIGAN—Continued												
White—Continued												
Native white	136,332	51,596	40,114	21,283	10,139	5,146	2,863	1,554	933	602	911	1,191
Under 15 years	46	42	3	-	-	-	-	-	-	-	-	1
15 to 19 years	13,768	11,316	2,164	233	22	4	-	-	-	-	-	29
20 to 24 years	47,548	24,189	15,936	5,091	1,394	396	112	13	8	-	1	408
25 to 29 years	40,064	11,004	13,911	8,217	3,615	1,599	791	338	118	55	25	391
30 to 34 years	22,549	3,676	5,952	5,409	3,212	1,798	1,025	556	342	195	162	222
35 to 39 years	9,726	1,138	1,816	1,964	1,529	1,055	719	456	315	237	399	98
40 to 44 years	2,411	198	309	349	335	274	199	183	140	106	283	35
45 to 49 years	136	5	10	8	18	15	16	7	9	9	37	2
50 years and over	2	-	1	1	-	-	-	-	-	-	-	-
Not stated	82	28	12	11	14	5	1	1	1	-	4	5
Foreign-born white	6,490	2,239	1,967	1,062	539	258	126	91	50	31	77	50
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	181	134	24	2	1	-	-	-	-	-	-	-
20 to 24 years	1,606	868	540	148	31	4	1	-	-	-	-	13
25 to 29 years	2,168	755	786	395	143	47	18	8	5	2	-	9
30 to 34 years	1,221	283	363	257	161	73	34	15	11	4	9	11
35 to 39 years	968	165	191	200	158	94	51	41	23	11	27	7
40 to 44 years	339	30	60	59	43	37	19	26	10	13	36	7
45 to 49 years	22	2	2	1	2	3	4	1	1	1	5	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	1	-	-	-	-	-	-	-	-	3
Nonwhite	11,885	3,583	3,061	1,976	1,163	693	445	286	186	130	218	144
Under 15 years	49	44	5	-	-	-	-	-	-	-	-	-
15 to 19 years	2,312	1,459	662	146	31	2	1	-	-	-	-	11
20 to 24 years	4,359	1,290	1,449	930	410	155	48	14	4	2	1	56
25 to 29 years	2,822	508	616	551	426	308	191	106	50	22	11	33
30 to 34 years	1,493	200	235	242	221	162	125	90	78	52	59	28
35 to 39 years	696	75	84	94	67	61	69	58	37	45	92	14
40 to 44 years	138	6	9	9	7	5	9	17	16	9	50	1
45 to 49 years	10	-	1	1	-	-	2	1	-	-	5	-
50 years and over	2	-	-	1	-	-	-	-	-	-	-	1
Not stated	4	1	-	2	1	-	-	-	-	-	-	-
Negro	11,625	3,496	3,003	1,944	1,136	680	434	278	182	123	210	139
Under 15 years	46	42	4	-	-	-	-	-	-	-	-	-
15 to 19 years	2,290	1,442	658	145	31	2	1	-	-	-	-	11
20 to 24 years	4,277	1,254	1,422	920	407	152	47	14	4	2	1	54
25 to 29 years	2,746	483	601	542	416	302	186	103	49	21	11	32
30 to 34 years	1,443	193	227	236	208	161	122	86	78	48	58	26
35 to 39 years	676	75	83	88	66	59	67	57	36	43	88	14
40 to 44 years	131	6	7	9	7	4	9	17	15	9	47	1
45 to 49 years	10	-	1	1	-	-	2	1	-	-	5	-
50 years and over	2	-	-	1	-	-	-	-	-	-	-	1
Not stated	4	1	-	2	1	-	-	-	-	-	-	-
MINNESOTA												
Total births	72,780	25,195	21,259	12,095	6,245	3,272	1,763	1,087	697	429	646	102
Under 15 years	18	17	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,593	4,679	832	77	3	1	-	-	-	-	-	1
20 to 24 years	22,663	11,864	7,719	2,287	589	133	32	8	3	-	1	27
25 to 29 years	21,640	5,682	7,647	4,622	2,121	915	360	173	63	20	8	29
30 to 34 years	13,805	2,083	3,573	3,341	2,058	1,196	670	417	231	129	91	16
35 to 39 years	6,889	718	1,231	1,445	1,189	765	507	329	266	166	260	14
40 to 44 years	1,991	140	241	311	264	245	184	149	118	94	244	3
45 to 49 years	137	5	6	6	19	15	9	10	8	18	41	-
50 years and over	8	-	2	3	-	1	-	-	-	2	-	-
Not stated	36	7	7	3	3	1	1	1	-	-	1	12
White	72,030	24,985	21,103	11,978	6,180	3,219	1,721	1,066	655	410	619	94
Under 15 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,478	4,593	812	68	3	1	-	-	-	-	-	1
20 to 24 years	22,417	11,785	7,630	2,239	569	129	27	8	3	-	1	26
25 to 29 years	21,447	5,647	7,616	4,563	2,089	890	347	166	57	18	8	26
30 to 34 years	13,700	2,079	3,563	3,329	2,046	1,180	653	407	217	124	86	16
35 to 39 years	6,828	715	1,226	1,440	1,187	758	502	325	257	157	249	12
40 to 44 years	1,968	139	240	309	264	244	182	149	113	92	235	1
45 to 49 years	134	5	6	6	19	15	9	10	8	17	39	-
50 years and over	8	-	2	3	-	1	-	-	-	2	-	-
Not stated	34	7	7	1	3	1	1	1	-	-	1	12
Native white	70,640	24,542	20,664	11,772	6,052	3,177	1,680	1,030	643	402	596	82
Under 15 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,433	4,556	805	68	2	1	-	-	-	-	-	1
20 to 24 years	22,055	11,616	7,479	2,206	564	127	27	8	3	-	1	24
25 to 29 years	21,042	5,502	7,468	4,516	2,061	883	342	163	57	18	7	25
30 to 34 years	13,425	2,022	3,478	3,275	2,004	1,169	645	394	215	122	86	15
35 to 39 years	6,628	689	1,191	1,398	1,150	744	486	311	251	156	241	11
40 to 44 years	1,894	132	227	300	253	239	172	143	109	89	229	1
45 to 49 years	114	4	6	6	15	12	7	10	8	15	31	-
50 years and over	7	-	2	2	-	1	-	-	-	2	-	-
Not stated	26	6	7	1	3	1	1	1	-	-	1	5
Foreign-born white	1,364	439	429	205	126	41	41	35	12	8	33	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	42	35	6	-	1	-	-	-	-	-	-	-
20 to 24 years	352	167	144	33	4	2	-	-	-	-	-	2
25 to 29 years	404	145	147	67	28	7	5	3	-	-	1	1
30 to 34 years	272	57	84	53	41	11	8	13	2	2	-	1
35 to 39 years	189	26	35	42	37	14	16	13	6	1	8	1
40 to 44 years	73	7	13	9	11	4	10	6	4	3	6	-
45 to 49 years	20	1	-	-	4	3	2	-	-	2	8	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MINNESOTA—Continued												
Nonwhite	750	210	156	117	65	53	42	21	32	19	27	8
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	115	86	20	9	-	-	-	-	-	-	-	-
20 to 24 years	246	79	89	48	20	4	5	-	-	-	-	1
25 to 29 years	193	35	31	39	32	25	13	7	6	2	-	3
30 to 34 years	105	4	10	12	12	16	17	10	14	5	5	-
35 to 39 years	81	3	5	5	1	7	5	4	9	9	11	2
40 to 44 years	23	1	1	2	-	1	2	-	3	2	9	2
45 to 49 years	3	-	-	-	-	-	-	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	265	91	73	44	22	12	9	1	6	-	4	3
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	52	35	10	7	-	-	-	-	-	-	-	-
20 to 24 years	92	32	37	15	7	1	-	-	-	-	-	-
25 to 29 years	66	18	16	15	9	1	3	-	2	-	-	2
30 to 34 years	31	3	5	5	6	6	3	1	2	-	-	-
35 to 39 years	17	2	4	2	-	3	2	-	2	-	2	-
40 to 44 years	5	-	1	-	-	1	1	-	-	-	1	1
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI												
Total births	65,303	17,414	14,487	8,860	5,614	4,172	3,165	2,390	1,766	1,235	2,758	3,442
Under 15 years	404	312	79	2	-	-	-	-	-	-	-	11
15 to 19 years	13,350	8,220	3,470	998	208	59	7	4	-	1	-	383
20 to 24 years	20,580	5,802	6,125	3,638	2,065	998	428	159	48	23	9	1,265
25 to 29 years	14,504	1,959	3,020	2,443	1,775	1,833	1,293	785	408	193	150	845
30 to 34 years	8,819	704	1,214	1,163	951	872	853	816	656	456	625	497
35 to 39 years	5,587	300	431	492	471	469	457	497	498	426	1,263	293
40 to 44 years	1,621	52	93	75	105	106	95	127	133	120	622	93
45 to 49 years	146	3	2	5	5	3	8	5	10	12	80	13
50 years and over	4	-	-	1	-	1	-	-	-	1	-	1
Not stated	308	62	53	43	34	31	14	7	11	3	9	41
White	29,811	10,263	8,069	4,271	2,326	1,448	906	601	413	251	505	758
Under 15 years	31	27	4	-	-	-	-	-	-	-	-	-
15 to 19 years	4,841	3,754	925	106	14	-	-	2	-	-	-	40
20 to 24 years	10,003	4,138	3,481	1,414	491	156	48	9	1	2	1	262
25 to 29 years	7,232	1,493	2,268	1,472	839	538	269	108	29	9	8	201
30 to 34 years	4,306	548	955	833	592	436	316	219	139	69	55	144
35 to 39 years	2,513	232	340	376	306	250	221	179	172	125	238	74
40 to 44 years	731	41	75	55	67	64	46	78	65	40	175	25
45 to 49 years	54	1	-	2	3	1	3	3	4	5	28	4
50 years and over	2	-	-	1	-	-	-	-	-	-	-	1
Not stated	98	29	23	12	14	3	3	3	3	1	-	7
Native white	29,633	10,190	8,003	4,255	2,314	1,446	905	600	411	250	504	755
Under 15 years	31	27	*4	-	-	-	-	-	-	-	-	-
15 to 19 years	4,831	3,748	921	106	14	-	-	2	-	-	-	40
20 to 24 years	9,906	4,092	3,443	1,406	486	156	48	9	1	2	1	262
25 to 29 years	7,190	1,476	2,248	1,470	839	536	269	107	29	9	8	199
30 to 34 years	4,287	545	949	830	588	436	315	219	139	68	55	143
35 to 39 years	2,505	231	340	373	303	250	221	179	171	125	238	74
40 to 44 years	730	41	75	55	67	64	46	78	65	40	174	25
45 to 49 years	53	1	-	2	3	1	3	3	3	5	28	4
50 years and over	2	-	-	1	-	-	-	-	-	-	-	1
Not stated	98	29	23	12	14	3	3	3	3	1	-	7
Foreign-born white	171	70	65	15	11	2	1	1	1	1	1	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6	3	3	-	-	-	-	-	-	-	-	-
20 to 24 years	95	46	38	7	4	-	-	-	-	-	-	-
25 to 29 years	42	17	18	2	-	2	-	1	-	-	-	2
30 to 34 years	19	3	6	3	4	-	1	-	-	1	-	1
35 to 39 years	7	1	-	3	3	-	-	-	-	-	-	-
40 to 44 years	1	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	35,492	7,151	6,418	4,589	3,288	2,724	2,259	1,789	1,353	984	2,253	2,684
Under 15 years	373	285	75	2	-	-	-	-	-	-	-	11
15 to 19 years	8,509	4,466	2,545	892	194	59	7	2	-	1	-	343
20 to 24 years	10,557	1,664	2,644	2,224	1,574	842	380	150	47	21	8	1,003
25 to 29 years	7,272	466	754	971	936	1,095	1,024	677	378	184	142	644
30 to 34 years	4,513	156	259	330	359	435	547	597	519	387	570	353
35 to 39 years	3,074	68	91	116	165	219	236	308	326	301	1,025	219
40 to 44 years	890	11	18	20	38	42	49	49	68	80	447	68
45 to 49 years	92	2	2	3	2	2	5	2	6	7	52	9
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	210	33	30	31	20	28	11	4	8	2	9	34
Negro	35,360	7,112	6,391	4,571	3,273	2,716	2,253	1,783	1,348	982	2,248	2,683
Under 15 years	370	282	75	2	-	-	-	-	-	-	-	11
15 to 19 years	8,491	4,456	2,537	892	194	59	7	2	-	1	-	343
20 to 24 years	10,512	1,647	2,635	2,213	1,568	841	380	149	47	21	8	1,003
25 to 29 years	7,238	459	748	966	928	1,090	1,022	676	379	184	142	644
30 to 34 years	4,486	155	255	329	358	435	544	596	515	387	570	352
35 to 39 years	3,063	67	91	116	165	218	235	305	325	300	1,022	219
40 to 44 years	887	11	18	20	38	42	49	49	68	79	445	68
45 to 49 years	91	2	2	2	2	2	5	2	6	7	52	9
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	210	33	30	31	20	28	11	4	8	2	9	34

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MISSOURI												
Total births	85,258	31,850	24,545	12,300	6,221	3,549	2,097	1,413	919	644	1,099	631
Under 15 years	104	102	2	-	-	-	-	-	-	-	-	-
15 to 19 years	11,659	9,093	2,193	304	35	5	-	-	-	-	-	29
20 to 24 years	28,281	13,425	9,578	3,444	1,125	352	89	29	3	1	-	235
25 to 29 years	22,511	5,883	7,689	4,272	2,140	1,212	643	289	119	57	26	181
30 to 34 years	13,337	2,314	3,490	2,766	1,742	1,065	692	499	305	187	176	101
35 to 39 years	7,226	832	1,354	1,240	952	725	509	439	356	289	475	55
40 to 44 years	1,906	164	207	246	204	180	151	144	121	104	361	24
45 to 49 years	117	3	5	8	11	5	10	9	12	5	47	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	117	34	27	20	12	5	3	4	3	1	4	4
White	77,942	28,580	22,781	11,260	5,505	3,091	1,779	1,208	767	525	852	594
Under 15 years	46	46	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9,972	7,971	1,749	206	16	2	-	-	-	-	-	26
20 to 24 years	25,856	12,712	8,775	2,957	864	244	59	23	2	-	-	220
25 to 29 years	20,986	5,639	7,389	4,005	1,904	1,030	511	220	79	29	9	171
30 to 34 years	12,419	2,223	3,340	2,652	1,622	964	592	429	245	139	116	97
35 to 39 years	6,678	796	1,302	1,182	887	672	463	390	312	254	369	51
40 to 44 years	1,775	159	196	234	188	169	144	133	114	99	314	24
45 to 49 years	106	3	5	6	11	5	8	9	12	4	41	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	104	31	25	18	10	5	2	4	3	-	3	3
Native white	76,984	28,198	22,444	11,141	5,445	3,072	1,768	1,201	763	522	840	590
Under 15 years	46	46	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9,943	7,947	1,745	205	18	2	-	-	-	-	-	26
20 to 24 years	25,504	12,520	8,650	2,931	858	244	59	23	2	-	-	217
25 to 29 years	20,706	5,527	7,271	3,972	1,890	1,029	510	220	79	29	9	170
30 to 34 years	12,276	2,192	3,287	2,620	1,605	960	591	428	244	138	118	97
35 to 39 years	6,569	780	1,270	1,163	870	660	460	388	311	252	364	51
40 to 44 years	1,736	153	193	227	183	167	138	131	113	99	308	24
45 to 49 years	102	3	3	6	11	5	8	9	11	4	40	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	102	30	25	17	10	5	2	4	3	-	3	3
Foreign-born white	946	378	333	118	58	19	11	7	4	3	12	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	27	22	4	1	-	-	-	-	-	-	-	-
20 to 24 years	345	191	122	25	5	-	-	-	-	-	-	2
25 to 29 years	279	112	118	33	13	1	1	-	-	-	-	1
30 to 34 years	143	31	53	32	17	4	1	3	1	1	-	-
35 to 39 years	108	16	31	19	17	12	3	2	1	2	5	-
40 to 44 years	39	6	3	7	6	2	6	2	1	-	6	-
45 to 49 years	4	-	2	-	-	-	-	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite	7,316	2,270	1,764	1,040	716	458	318	205	152	119	237	37
Under 15 years	58	56	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,687	1,122	444	98	17	3	-	-	-	-	-	3
20 to 24 years	2,425	713	803	487	261	108	30	6	1	1	-	15
25 to 29 years	1,525	244	300	267	236	182	132	69	40	28	17	10
30 to 34 years	918	91	150	114	120	101	100	70	60	48	60	4
35 to 39 years	548	36	52	58	65	53	46	49	44	35	106	4
40 to 44 years	131	5	11	12	15	11	7	11	7	5	47	-
45 to 49 years	11	-	-	2	-	-	2	-	-	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	3	2	2	2	-	1	-	-	1	1	1
Negro	7,274	2,254	1,749	1,034	714	456	317	205	152	119	237	37
Under 15 years	58	56	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,685	1,122	443	97	17	3	-	-	-	-	-	3
20 to 24 years	2,408	704	796	486	261	108	30	6	1	1	-	15
25 to 29 years	1,516	239	298	265	236	182	132	69	40	28	17	10
30 to 34 years	907	90	145	113	119	99	99	70	60	48	60	4
35 to 39 years	545	35	52	57	64	53	46	49	44	35	106	4
40 to 44 years	131	5	11	12	15	11	7	11	7	5	47	-
45 to 49 years	11	-	-	2	-	-	2	-	-	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	3	2	2	2	-	1	-	-	1	1	1
MONTANA												
Total births	15,035	5,197	4,416	2,478	1,215	731	388	222	152	92	148	16
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,766	1,425	304	31	5	-	-	-	-	-	-	1
20 to 24 years	5,000	2,294	1,831	635	158	60	11	3	2	-	-	6
25 to 29 years	4,112	937	1,401	928	429	250	106	37	14	4	2	4
30 to 34 years	2,624	375	643	638	383	237	131	89	65	29	32	2
35 to 39 years	1,194	130	207	208	199	147	99	65	38	41	61	1
40 to 44 years	295	26	28	35	37	34	21	27	27	15	44	1
45 to 49 years	27	3	2	1	2	2	-	1	5	3	8	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	10	2	-	3	2	1	-	-	1	-	-	1
White	14,242	5,012	4,259	2,390	1,139	643	321	178	114	87	104	15
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,633	1,324	277	27	4	-	-	-	-	-	-	1
20 to 24 years	4,766	2,229	1,736	590	139	52	9	3	2	-	-	6
25 to 29 years	3,922	923	1,376	902	389	197	88	26	11	4	2	4
30 to 34 years	2,491	372	636	628	374	217	110	68	41	18	25	2
35 to 39 years	1,120	128	204	203	194	141	93	57	32	30	38	-
40 to 44 years	270	26	28	35	35	33	21	23	23	12	33	1
45 to 49 years	24	3	2	1	2	2	-	1	5	3	5	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	9	2	-	3	2	1	-	-	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MONTANA—Continued												
White—Continued												
Native white	13,739	4,839	4,114	2,316	1,098	616	306	173	108	63	91	15
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,616	1,310	275	26	4	-	-	-	-	-	-	1
20 to 24 years	4,605	2,146	1,682	573	135	50	8	3	2	-	-	6
25 to 29 years	3,774	873	1,327	678	375	189	85	26	11	4	2	4
30 to 34 years	2,403	358	610	606	364	211	105	65	40	18	24	2
35 to 39 years	1,048	118	190	194	183	132	88	55	30	28	30	-
40 to 44 years	255	24	28	34	33	32	20	23	21	10	29	1
45 to 49 years	22	3	2	1	2	1	-	1	4	3	5	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	9	2	-	3	2	1	-	-	-	-	-	1
Foreign-born white	498	169	143	74	41	27	15	5	5	4	13	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	12	2	1	-	-	-	-	-	-	-	-
20 to 24 years	160	82	54	17	4	2	1	-	-	-	-	-
25 to 29 years	146	50	47	24	14	8	3	-	-	-	-	-
30 to 34 years	87	14	26	22	10	6	5	3	-	-	1	-
35 to 39 years	72	10	14	9	11	9	5	2	2	2	8	-
40 to 44 years	14	1	-	1	2	1	1	-	2	2	4	-
45 to 49 years	2	-	-	-	-	1	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	793	185	157	88	76	88	47	44	38	25	44	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	133	101	27	4	1	-	-	-	-	-	-	-
20 to 24 years	234	65	95	45	19	9	2	-	-	-	-	-
25 to 29 years	190	14	25	26	40	53	18	11	3	-	-	-
30 to 34 years	133	3	7	10	9	20	21	21	24	11	7	-
35 to 39 years	74	2	3	3	5	6	6	8	6	11	23	1
40 to 44 years	25	-	-	-	2	1	-	4	4	3	11	-
45 to 49 years	3	-	-	-	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA												
Total births	31,176	11,637	9,308	4,909	2,436	1,170	647	357	222	138	247	105
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	3,317	2,684	565	64	4	-	-	-	-	-	-	-
20 to 24 years	10,764	5,597	3,628	1,095	320	60	23	5	2	1	-	33
25 to 29 years	8,802	2,256	3,175	1,854	857	362	187	68	32	5	6	40
30 to 34 years	5,144	745	1,409	1,313	762	412	230	126	69	33	24	21
35 to 39 years	2,426	280	450	472	419	252	175	114	79	64	113	8
40 to 44 years	641	47	71	103	85	79	49	40	39	33	94	1
45 to 49 years	37	3	3	1	6	5	3	3	1	2	9	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	11	6	7	3	-	-	1	-	-	1	1
White	30,495	11,441	9,135	4,795	2,377	1,122	608	335	207	131	239	105
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,183	2,801	523	55	4	-	-	-	-	-	-	-
20 to 24 years	10,535	5,522	3,555	1,043	303	55	18	4	1	1	-	33
25 to 29 years	8,638	2,234	3,133	1,817	811	342	159	61	30	5	6	40
30 to 34 years	5,050	735	1,389	1,302	753	398	214	116	60	29	23	21
35 to 39 years	2,385	278	447	470	414	245	166	110	76	61	110	8
40 to 44 years	629	47	69	101	83	77	48	40	38	33	91	1
45 to 49 years	36	3	3	1	6	5	3	3	1	2	8	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	28	10	6	6	3	-	-	1	-	-	1	1
Native white	30,047	11,290	8,997	4,733	2,352	1,107	599	326	200	124	215	104
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,161	2,584	519	54	4	-	-	-	-	-	-	-
20 to 24 years	10,385	5,451	3,485	1,027	300	55	18	4	1	1	-	33
25 to 29 years	8,505	2,186	3,084	1,797	801	342	155	60	30	5	6	39
30 to 34 years	5,008	725	1,388	1,290	752	396	212	115	58	27	22	21
35 to 39 years	2,319	275	433	460	406	237	164	107	73	58	98	8
40 to 44 years	600	47	69	98	80	72	47	36	37	32	81	1
45 to 49 years	34	3	3	1	6	5	3	3	1	1	7	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	27	9	6	6	3	-	-	1	-	-	1	1
Foreign-born white	451	145	132	61	23	14	8	9	7	7	24	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	20	15	4	1	-	-	-	-	-	-	-	-
20 to 24 years	143	68	57	16	2	-	-	-	-	-	-	-
25 to 29 years	128	48	47	19	9	-	3	1	-	-	-	1
30 to 34 years	44	10	11	12	1	2	2	1	2	2	1	-
35 to 39 years	65	3	13	10	8	8	2	3	3	3	12	-
40 to 44 years	28	-	-	3	3	4	1	4	2	1	10	-
45 to 49 years	2	-	-	-	-	-	-	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	681	196	173	114	59	48	39	22	15	7	8	-
Under 15 years	4	3	1	-	-	-	-	-	-	-	-	-
15 to 19 years	134	83	42	9	-	-	-	-	-	-	-	-
20 to 24 years	229	75	73	52	17	5	5	1	1	-	-	-
25 to 29 years	164	22	42	37	26	20	8	7	2	-	-	-
30 to 34 years	94	10	10	11	9	14	16	10	9	4	1	-
35 to 39 years	41	2	3	2	5	7	9	4	3	3	3	-
40 to 44 years	12	-	2	2	2	2	1	-	-	-	3	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	1	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEBRASKA—Continued												
Nonwhite—Continued												
Negro	492	144	140	88	40	30	24	12	8	5	3	-
Under 15 years	4	3	1	-	-	-	-	-	-	-	-	-
15 to 19 years	106	59	38	9	-	-	-	-	-	-	-	-
20 to 24 years	178	57	59	40	14	3	3	1	1	-	-	-
25 to 29 years	113	14	29	28	17	13	6	5	1	-	-	-
30 to 34 years	55	8	8	7	6	8	9	3	3	3	-	-
35 to 39 years	26	2	3	2	1	5	8	3	1	2	1	-
40 to 44 years	8	-	2	2	2	1	-	-	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA												
Total births	3,694	1,345	1,133	622	297	130	63	34	25	11	25	9
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	410	340	59	11	-	-	-	-	-	-	-	-
20 to 24 years	1,131	498	393	172	44	17	2	-	-	-	-	5
25 to 29 years	950	245	338	205	97	35	19	9	2	1	-	1
30 to 34 years	608	126	184	125	84	44	20	9	6	4	4	2
35 to 39 years	252	41	63	54	41	11	14	11	7	1	9	-
40 to 44 years	82	11	6	18	13	9	6	3	5	3	8	-
45 to 49 years	3	-	-	-	-	-	-	-	-	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	251	77	90	39	18	14	2	2	5	2	2	-
White	3,448	1,267	1,095	585	273	113	50	24	14	7	11	9
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	370	309	50	11	-	-	-	-	-	-	-	-
20 to 24 years	1,063	470	380	154	38	14	1	-	-	-	-	5
25 to 29 years	887	232	330	188	83	28	15	7	1	1	-	1
30 to 34 years	582	124	181	124	78	41	17	6	3	2	3	2
35 to 39 years	226	41	61	52	41	9	10	6	3	1	2	-
40 to 44 years	76	11	6	18	13	8	5	3	5	2	5	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	1	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	238	76	87	38	18	12	2	2	2	1	-	-
Native white	3,358	1,223	1,075	571	267	112	48	24	13	7	9	9
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	368	307	50	11	-	-	-	-	-	-	-	-
20 to 24 years	1,043	457	374	153	39	14	1	-	-	-	-	5
25 to 29 years	860	218	323	184	82	29	14	7	1	1	-	1
30 to 34 years	561	117	177	117	77	41	16	6	3	2	3	2
35 to 39 years	218	39	60	50	40	8	10	6	2	1	2	-
40 to 44 years	70	10	5	18	11	8	5	3	5	2	3	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	1	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	232	71	86	38	18	12	2	2	2	1	-	-
Foreign-born white	90	44	20	14	6	1	2	-	1	-	2	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	2	-	-	-	-	-	-	-	-	-	-
20 to 24 years	20	13	6	1	-	-	-	-	-	-	-	-
25 to 29 years	27	14	7	4	1	-	1	-	-	-	-	-
30 to 34 years	21	7	4	7	2	-	1	-	-	-	-	-
35 to 39 years	8	2	1	2	1	1	-	-	1	-	-	-
40 to 44 years	6	1	1	-	2	-	-	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	5	1	-	-	-	-	-	-	-	-	-
Nonwhite	246	78	38	37	24	17	13	10	11	4	14	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	40	31	9	-	-	-	-	-	-	-	-	-
20 to 24 years	68	28	13	18	5	3	1	-	-	-	-	-
25 to 29 years	63	13	8	15	14	6	4	2	1	-	-	-
30 to 34 years	26	2	3	1	5	3	3	3	3	2	1	-
35 to 39 years	26	-	2	2	-	2	4	5	4	-	7	-
40 to 44 years	6	-	-	-	-	1	1	-	-	1	3	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	1	3	1	-	2	-	-	3	1	2	-
NEW HAMPSHIRE												
Total births	12,423	4,595	3,668	1,778	862	456	232	138	85	53	100	456
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,153	905	184	17	2	-	-	-	-	-	-	45
20 to 24 years	4,257	2,148	1,424	370	119	37	8	1	1	-	-	149
25 to 29 years	3,543	958	1,214	679	304	158	54	29	9	5	2	131
30 to 34 years	2,150	384	585	478	261	153	83	47	30	20	18	91
35 to 39 years	998	157	214	193	137	83	60	42	25	18	39	30
40 to 44 years	295	36	43	40	37	23	26	17	17	9	38	9
45 to 49 years	16	1	3	-	2	-	1	2	3	-	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	1	1	1	-	2	-	-	-	1	-	-
White	12,406	4,591	3,663	1,774	859	456	231	138	85	53	100	456
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,153	905	184	17	2	-	-	-	-	-	-	45
20 to 24 years	4,248	2,145	1,420	368	119	37	8	1	1	-	-	149
25 to 29 years	3,538	957	1,213	677	303	158	54	29	9	5	2	131
30 to 34 years	2,148	384	585	476	260	153	82	47	30	20	18	91
35 to 39 years	997	157	214	193	136	83	60	42	25	18	39	30
40 to 44 years	295	36	43	40	37	23	26	17	17	9	38	9
45 to 49 years	16	1	3	-	2	-	1	2	3	-	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	1	1	1	-	2	-	-	-	1	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	11,776	4,414	3,472	1,667	814	422	215	126	77	47	87	435
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,140	898	160	17	2	-	-	-	-	-	-	43
20 to 24 years	4,120	2,089	1,375	352	116	35	8	1	1	-	-	143
25 to 29 years	3,348	899	1,137	648	292	148	54	29	9	5	2	125
30 to 34 years	2,000	352	549	438	245	145	76	42	29	19	18	87
35 to 39 years	884	136	191	173	122	74	53	38	22	16	32	27
40 to 44 years	266	33	38	38	35	20	23	16	15	6	33	9
45 to 49 years	9	1	1	-	2	-	1	-	1	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	1	1	-	-	-	-	-	1	-	-
Foreign-born white	627	177	191	107	45	32	16	12	8	6	13	20
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	7	4	-	-	-	-	-	-	-	-	2
20 to 24 years	128	56	45	16	3	2	-	-	-	-	-	6
25 to 29 years	190	58	76	29	11	10	-	-	-	-	-	6
30 to 34 years	148	32	36	40	15	8	6	5	1	1	-	4
35 to 39 years	112	21	23	20	14	9	7	4	3	2	7	2
40 to 44 years	29	3	5	2	2	3	3	1	2	3	5	-
45 to 49 years	7	-	2	-	-	-	-	2	2	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	17	4	5	4	3	-	1	-	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	9	3	4	2	-	-	-	-	-	-	-	-
25 to 29 years	5	1	1	2	1	-	-	-	-	-	-	-
30 to 34 years	2	-	-	-	1	-	1	-	-	-	-	-
35 to 39 years	1	-	-	-	1	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY												
Total births	97,580	39,885	30,247	13,610	5,524	2,487	1,249	683	451	239	422	2,803
Under 15 years	53	49	4	-	-	-	-	-	-	-	-	-
15 to 19 years	6,086	4,963	962	126	19	-	1	-	-	-	-	15
20 to 24 years	28,847	16,945	8,116	2,150	583	191	62	16	9	1	2	792
25 to 29 years	31,823	11,633	11,700	4,626	1,646	684	309	112	71	33	23	986
30 to 34 years	20,051	4,515	6,839	4,381	1,905	813	411	231	155	67	90	644
35 to 39 years	8,812	1,507	2,313	1,965	1,145	626	334	232	138	93	175	284
40 to 44 years	1,775	242	287	337	232	168	127	87	54	42	125	74
45 to 49 years	82	11	14	14	12	5	5	4	4	3	7	3
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	50	19	12	11	2	-	-	1	-	-	-	5
White	88,894	36,963	28,088	12,355	4,819	2,020	952	491	296	148	247	2,517
Under 15 years	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,406	3,794	545	50	4	-	-	-	-	-	-	13
20 to 24 years	25,623	15,829	7,078	1,601	331	86	22	3	2	1	2	668
25 to 29 years	29,730	11,228	11,224	4,230	1,371	481	190	58	40	13	6	892
30 to 34 years	19,031	4,372	6,675	4,210	1,783	716	328	159	106	37	44	601
35 to 39 years	8,323	1,465	2,265	1,911	1,093	573	298	189	99	57	106	267
40 to 44 years	1,649	236	281	327	223	159	109	79	46	37	84	68
45 to 49 years	75	11	11	14	12	5	5	3	3	3	5	3
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	43	18	8	10	2	-	-	-	-	-	-	5
Native white	83,863	34,957	26,459	11,684	4,543	1,885	885	449	276	139	225	2,361
Under 15 years	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,289	3,693	532	48	4	-	-	-	-	-	-	12
20 to 24 years	24,480	15,152	6,713	1,541	327	86	22	3	2	1	2	631
25 to 29 years	28,076	10,499	10,594	4,050	1,334	465	182	54	39	13	6	840
30 to 34 years	18,082	4,098	6,340	4,030	1,703	682	320	153	105	36	43	572
35 to 39 years	7,496	1,300	2,037	1,726	988	517	269	172	88	55	101	243
40 to 44 years	1,358	201	228	271	178	130	88	65	42	31	69	55
45 to 49 years	53	8	8	9	7	5	4	2	-	3	4	3
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	35	13	6	9	2	-	-	-	-	-	-	5
Foreign-born white	5,010	1,999	1,624	665	275	135	66	42	20	9	22	153
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	115	99	13	2	-	-	-	-	-	-	-	1
20 to 24 years	1,159	697	363	59	4	-	-	-	-	-	-	36
25 to 29 years	1,651	726	629	180	37	16	7	4	1	-	-	51
30 to 34 years	945	274	334	178	79	34	8	6	1	1	1	29
35 to 39 years	825	164	228	185	105	56	29	17	11	2	5	23
40 to 44 years	291	35	53	56	45	29	21	14	4	6	15	13
45 to 49 years	22	3	3	5	5	-	1	1	3	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	8,686	2,922	2,159	1,257	705	467	297	192	155	91	175	286
Under 15 years	40	37	3	-	-	-	-	-	-	-	-	-
15 to 19 years	1,680	1,169	417	76	15	-	1	-	-	-	-	2
20 to 24 years	3,224	1,116	1,038	549	252	105	40	13	7	-	-	124
25 to 29 years	2,093	408	476	396	275	203	119	54	31	20	17	94
30 to 34 years	1,020	143	164	171	122	97	83	72	49	30	46	43
35 to 39 years	489	42	48	54	52	53	36	43	39	36	69	17
40 to 44 years	126	6	6	10	9	9	18	8	8	5	41	6
45 to 49 years	7	-	3	-	-	-	-	1	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	4	1	-	-	-	1	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW JERSEY—Continued												
Nonwhite—Continued												
Negro	8,579	2,883	2,134	1,239	694	464	293	190	134	89	175	284
Under 15 years	40	37	3	-	-	-	-	-	-	-	-	-
15 to 19 years	1,675	1,164	417	76	15	-	1	-	-	-	-	2
20 to 24 years	3,195	1,097	1,028	549	232	105	40	13	7	-	-	122
25 to 29 years	2,053	395	468	385	271	201	117	54	31	20	17	94
30 to 34 years	1,004	142	159	167	117	97	82	72	49	30	46	43
35 to 39 years	478	41	46	52	50	53	35	42	38	35	69	17
40 to 44 years	122	6	6	9	9	8	18	7	8	4	41	6
45 to 49 years	7	-	3	-	-	-	-	1	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	4	1	-	-	-	1	-	-	-	-
NEW MEXICO												
Total births	20,519	6,077	5,238	2,940	1,793	1,194	909	676	516	355	745	76
Under 15 years	22	21	-	1	-	-	-	-	-	-	-	-
15 to 19 years	3,062	2,240	671	125	20	2	2	-	1	-	-	1
20 to 24 years	6,801	2,476	2,461	1,128	471	167	60	13	6	-	1	18
25 to 29 years	5,048	884	1,381	966	730	475	303	166	76	30	9	28
30 to 34 years	3,044	309	505	493	370	330	321	253	210	116	126	11
35 to 39 years	1,852	119	191	177	168	173	167	174	160	139	371	13
40 to 44 years	600	19	22	41	29	40	47	65	59	67	209	2
45 to 49 years	53	2	2	2	4	3	5	4	2	3	25	1
50 years and over	5	-	-	2	-	1	1	-	-	-	1	-
Not stated	32	7	5	5	1	3	3	1	2	-	3	2
White	19,127	5,747	4,972	2,769	1,620	1,078	820	584	477	313	678	69
Under 15 years	16	15	-	1	-	-	-	-	-	-	-	-
15 to 19 years	2,848	2,097	618	112	16	2	2	-	-	-	-	1
20 to 24 years	6,381	2,351	2,322	1,052	423	142	55	12	6	-	1	17
25 to 29 years	4,746	850	1,338	917	661	435	270	142	72	27	9	25
30 to 34 years	2,818	294	483	471	337	294	288	221	194	107	120	9
35 to 39 years	1,711	115	185	174	154	161	151	152	146	121	340	12
40 to 44 years	540	19	20	36	25	37	45	54	57	57	188	2
45 to 49 years	37	2	2	1	3	3	5	2	-	1	17	1
50 years and over	4	-	-	1	-	1	1	-	-	-	1	-
Not stated	26	4	4	4	1	3	3	1	2	-	2	2
Native white	18,618	5,623	4,839	2,707	1,582	1,055	799	562	459	295	634	63
Under 15 years	16	15	-	1	-	-	-	-	-	-	-	-
15 to 19 years	2,816	2,076	609	110	16	2	2	-	-	-	-	1
20 to 24 years	6,233	2,291	2,267	1,032	414	139	55	12	6	-	1	16
25 to 29 years	4,620	820	1,301	896	649	428	260	139	70	26	8	23
30 to 34 years	2,724	286	459	457	326	286	283	211	188	103	117	8
35 to 39 years	1,640	112	178	170	148	158	148	148	137	113	318	12
40 to 44 years	505	17	19	35	25	35	42	51	56	52	172	1
45 to 49 years	34	2	2	1	3	3	5	2	-	1	15	-
50 years and over	4	-	-	1	-	1	1	-	-	-	1	-
Not stated	26	4	4	4	1	3	3	1	2	-	2	2
Foreign-born white	495	121	128	61	37	23	19	21	18	18	43	6
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	30	20	8	2	-	-	-	-	-	-	-	-
20 to 24 years	143	60	51	20	8	3	-	-	-	-	-	1
25 to 29 years	124	29	37	21	12	7	9	3	2	1	1	2
30 to 34 years	93	8	24	14	11	8	5	9	6	4	3	1
35 to 39 years	68	2	7	3	6	3	2	6	9	8	22	-
40 to 44 years	34	2	1	1	-	2	3	3	1	5	15	1
45 to 49 years	3	-	-	-	-	-	-	-	-	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,392	330	266	171	173	116	89	92	39	42	67	7
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	214	143	53	13	4	-	-	-	1	-	-	-
20 to 24 years	420	125	139	76	48	25	5	1	-	-	-	1
25 to 29 years	302	34	43	49	69	40	33	24	4	3	-	3
30 to 34 years	226	15	22	22	33	36	33	32	16	9	6	2
35 to 39 years	141	4	6	3	14	12	16	22	14	18	31	1
40 to 44 years	60	-	2	5	4	3	2	11	2	10	21	-
45 to 49 years	16	-	-	1	1	-	-	2	2	2	8	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	6	3	1	1	-	-	-	-	-	-	1	-
Negro	193	53	42	23	23	14	15	6	2	5	7	3
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	49	31	12	6	-	-	-	-	-	-	-	-
20 to 24 years	56	14	18	8	8	6	2	-	-	-	-	-
25 to 29 years	39	5	6	5	6	4	7	4	1	1	-	-
30 to 34 years	28	1	6	3	4	2	4	2	1	2	1	2
35 to 39 years	16	1	-	-	4	1	2	-	-	2	5	1
40 to 44 years	3	-	-	1	1	1	-	-	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK												
Total births	301,966	127,559	94,682	42,991	17,659	7,961	4,179	2,400	1,347	837	1,309	1,042
Under 15 years	147	141	6	-	-	-	-	-	-	-	-	-
15 to 19 years	19,579	16,053	3,056	387	45	3	1	-	-	-	-	34
20 to 24 years	89,996	54,012	25,772	7,175	1,940	562	162	47	7	3	-	316
25 to 29 years	96,474	36,748	35,854	14,412	5,160	2,181	1,021	447	210	74	33	334
30 to 34 years	60,901	14,566	21,034	13,389	5,820	2,627	1,409	859	433	266	278	200
35 to 39 years	28,185	5,106	7,667	6,387	3,711	1,941	1,153	751	466	314	591	98
40 to 44 years	6,266	857	1,228	1,199	939	609	405	283	208	148	371	21
45 to 49 years	264	24	32	31	33	37	27	13	20	10	35	2
50 years and over	7	2	2	-	-	-	-	-	1	1	1	-
Not stated	145	50	31	11	11	1	1	-	2	1	-	37

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW YORK—Continued												
White	277,382	118,141	87,704	39,395	15,756	6,909	3,542	2,016	1,115	708	1,098	988
Under 15 years	65	63	2	-	-	-	-	-	-	-	-	-
15 to 19 years	15,539	13,207	2,090	191	17	1	-	-	-	-	-	33
20 to 24 years	80,552	50,134	22,553	5,721	1,360	360	101	21	4	2	-	296
25 to 29 years	90,294	35,024	34,091	13,296	4,463	1,772	763	343	150	51	21	320
30 to 34 years	57,803	13,939	20,306	12,847	5,453	2,344	1,226	715	332	225	227	189
35 to 39 years	26,728	4,885	7,401	6,136	3,525	1,801	1,043	664	415	280	484	94
40 to 44 years	6,000	823	1,200	1,164	896	585	383	262	193	139	325	20
45 to 49 years	247	23	30	29	33	35	28	11	19	9	31	1
50 years and over	6	2	2	-	-	-	-	-	1	1	-	-
Not stated	128	41	29	11	9	1	-	-	1	1	-	35
Native white	255,181	108,886	80,782	36,178	14,427	6,306	3,206	1,835	1,021	639	990	911
Under 15 years	64	62	2	-	-	-	-	-	-	-	-	-
15 to 19 years	15,084	12,829	2,016	189	16	1	-	-	-	-	-	33
20 to 24 years	75,951	47,067	21,302	5,485	1,335	355	101	20	4	2	-	280
25 to 29 years	83,424	31,710	31,617	12,552	4,254	1,709	739	328	145	51	20	299
30 to 34 years	53,379	12,574	18,724	11,951	5,121	2,224	1,167	688	320	215	220	175
35 to 39 years	22,424	3,978	6,177	5,112	2,990	1,533	891	581	383	251	445	83
40 to 44 years	4,575	612	897	862	679	459	292	210	155	111	279	19
45 to 49 years	171	17	21	16	23	24	16	8	12	7	26	1
50 years and over	6	2	2	-	-	-	-	-	1	1	-	-
Not stated	103	35	24	11	9	1	-	-	1	1	-	21
Foreign-born white	22,121	9,239	6,909	3,209	1,325	601	336	179	93	69	97	64
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	453	377	73	2	1	-	-	-	-	-	-	-
20 to 24 years	4,598	3,064	1,248	232	23	5	-	1	-	-	-	15
25 to 29 years	6,858	3,311	2,469	743	208	62	24	15	5	-	1	20
30 to 34 years	4,416	1,361	1,581	894	332	120	59	27	11	10	7	14
35 to 39 years	4,295	905	1,223	1,023	534	267	152	81	32	29	39	10
40 to 44 years	1,424	211	303	302	217	136	91	52	38	28	45	1
45 to 49 years	76	6	9	13	10	11	10	3	7	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	3	3	-	-	-	-	-	-	-	-	4
Nonwhite	24,604	9,418	6,978	3,596	1,903	1,052	637	384	232	129	221	54
Under 15 years	82	78	4	-	-	-	-	-	-	-	-	-
15 to 19 years	4,040	2,846	966	196	28	2	1	-	-	-	-	1
20 to 24 years	9,444	3,678	3,219	1,454	580	202	61	28	3	1	-	20
25 to 29 years	6,180	1,724	1,763	1,116	697	409	258	104	60	23	12	14
30 to 34 years	3,098	627	728	542	367	283	183	144	101	61	51	11
35 to 39 years	1,457	221	266	251	186	140	110	87	51	34	107	4
40 to 44 years	268	34	28	35	43	14	22	21	15	9	46	1
45 to 49 years	17	1	2	2	-	2	1	2	1	1	4	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	17	9	2	-	2	-	1	-	1	-	-	2
Negro	23,469	8,907	6,695	3,451	1,825	1,018	607	361	221	125	210	49
Under 15 years	81	77	4	-	-	-	-	-	-	-	-	-
15 to 19 years	3,934	2,753	954	196	27	2	1	-	-	-	-	1
20 to 24 years	9,065	3,632	3,132	1,420	574	200	61	25	3	1	-	17
25 to 29 years	5,875	1,609	1,665	1,068	676	401	251	98	58	23	12	14
30 to 34 years	2,897	588	667	510	338	270	171	139	98	59	50	9
35 to 39 years	1,347	206	241	227	169	131	104	79	49	33	104	4
40 to 44 years	238	32	28	29	39	12	18	18	13	8	40	1
45 to 49 years	14	1	2	1	-	2	-	2	1	1	3	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	17	9	2	-	2	-	1	-	1	-	-	2
NORTH CAROLINA												
Total births	109,430	35,229	27,252	15,505	9,248	6,220	4,346	3,185	2,184	1,568	2,893	1,800
Under 15 years	334	295	36	-	-	-	-	-	-	-	-	3
15 to 19 years	18,798	13,229	4,316	920	176	29	8	2	-	-	-	118
20 to 24 years	36,257	13,548	11,729	5,817	2,743	1,172	398	138	40	17	10	645
25 to 29 years	26,517	5,344	6,926	4,887	3,310	2,451	1,537	891	422	182	112	455
30 to 34 years	15,381	1,898	2,854	2,542	1,847	1,556	1,398	1,106	813	526	549	292
35 to 39 years	9,195	736	1,158	1,132	954	814	806	809	667	607	1,321	191
40 to 44 years	2,469	116	169	177	180	167	174	216	219	209	776	66
45 to 49 years	209	4	6	3	13	10	11	15	15	21	108	3
50 years and over	9	-	-	-	-	1	-	-	1	1	5	1
Not stated	261	59	58	27	25	20	14	8	7	5	12	26
White	74,582	26,913	20,400	10,548	5,730	3,472	2,247	1,599	1,000	689	1,196	788
Under 15 years	78	71	7	-	-	-	-	-	-	-	-	-
15 to 19 years	11,142	8,704	2,123	261	35	3	-	-	-	-	-	16
20 to 24 years	24,911	11,018	8,621	3,332	1,178	368	87	23	4	2	1	277
25 to 29 years	18,961	4,634	5,865	3,678	2,141	1,317	630	337	94	24	20	221
30 to 34 years	11,014	1,685	2,553	2,135	1,454	1,051	610	553	334	198	125	156
35 to 39 years	6,416	659	1,038	976	757	593	569	513	396	303	523	89
40 to 44 years	1,781	107	155	150	146	143	134	157	156	144	458	31
45 to 49 years	138	1	5	3	8	7	9	12	13	17	62	1
50 years and over	5	-	-	-	-	1	-	-	1	1	2	-
Not stated	136	34	33	13	11	9	8	4	2	-	5	17
Native white	74,114	26,704	20,220	10,498	5,714	3,470	2,244	1,596	1,000	688	1,196	784
Under 15 years	78	71	7	-	-	-	-	-	-	-	-	-
15 to 19 years	11,104	8,678	2,113	259	35	3	-	-	-	-	-	16
20 to 24 years	24,705	10,915	8,537	3,317	1,176	368	87	23	4	2	1	275
25 to 29 years	18,820	4,578	5,808	3,657	2,136	1,316	630	337	94	24	20	220
30 to 34 years	10,964	1,669	2,532	2,129	1,449	1,030	610	552	334	198	125	136
35 to 39 years	6,391	653	1,030	973	753	593	566	512	396	303	523	89
40 to 44 years	1,775	105	155	148	146	143	134	156	156	143	458	31
45 to 49 years	138	1	5	3	8	7	9	12	13	17	62	1
50 years and over	5	-	-	-	-	1	-	-	1	1	2	-
Not stated	134	34	33	12	11	9	8	4	2	-	5	16

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NORTH CAROLINA—Continued												
White—Continued												
Foreign-born white	453	202	176	49	15	2	3	2	-	1	-	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	35	23	10	2	-	-	-	-	-	-	-	-
20 to 24 years	201	100	82	15	2	-	-	-	-	-	-	2
25 to 29 years	140	56	57	20	5	1	-	-	-	-	-	1
30 to 34 years	46	15	19	6	4	1	-	1	-	-	-	-
35 to 39 years	24	6	8	3	4	-	3	-	-	-	-	-
40 to 44 years	6	2	-	2	-	-	-	1	-	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite	34,848	8,316	6,852	4,957	3,518	2,748	2,099	1,586	1,184	879	1,697	1,012
Under 15 years	256	224	29	-	-	-	-	-	-	-	-	3
15 to 19 years	7,656	4,525	2,193	659	141	26	8	2	-	-	-	102
20 to 24 years	11,346	2,530	3,108	2,485	1,565	804	311	115	38	15	9	368
25 to 29 years	7,556	710	1,061	1,209	1,169	1,134	907	554	328	158	92	234
30 to 34 years	4,367	213	301	407	393	525	568	553	479	328	424	156
35 to 39 years	2,779	77	120	156	197	221	237	296	271	304	798	102
40 to 44 years	688	9	14	27	34	24	40	59	63	65	318	35
45 to 49 years	71	3	1	-	5	3	2	3	2	4	46	2
50 years and over	4	-	-	-	-	-	-	-	-	-	3	1
Not stated	125	25	25	14	14	11	6	4	5	5	7	9
Negro	33,626	8,104	6,826	4,801	3,375	2,618	2,019	1,522	1,129	844	1,610	978
Under 15 years	251	222	28	-	-	-	-	-	-	-	-	1
15 to 19 years	7,447	4,405	2,122	643	140	25	8	2	-	-	-	102
20 to 24 years	10,993	2,467	3,011	2,413	1,498	773	299	115	35	14	9	359
25 to 29 years	7,246	688	1,014	1,164	1,116	1,072	876	537	308	153	92	225
30 to 34 years	4,210	210	297	391	380	507	568	524	460	322	400	151
35 to 39 years	2,636	74	114	150	188	205	223	282	261	284	757	98
40 to 44 years	653	9	14	26	34	24	37	56	58	62	302	31
45 to 49 years	64	3	1	-	5	2	2	3	2	4	40	2
50 years and over	4	-	-	-	-	-	-	-	-	-	3	1
Not stated	122	25	25	14	14	10	6	3	5	5	7	8
NORTH DAKOTA												
Total births	18,584	5,272	4,503	2,720	1,484	839	547	321	217	165	305	211
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,540	1,269	246	18	2	-	-	-	-	-	-	5
20 to 24 years	5,506	2,578	1,900	693	186	40	12	1	-	-	-	96
25 to 29 years	4,380	944	1,438	1,022	511	230	124	43	20	3	1	44
30 to 34 years	2,931	306	652	643	497	316	211	119	76	44	27	40
35 to 39 years	1,637	140	224	278	235	197	145	111	80	83	127	17
40 to 44 years	527	22	39	64	50	52	54	40	39	31	130	6
45 to 49 years	34	-	-	1	1	2	-	6	2	4	18	-
50 years and over	2	-	-	1	1	-	-	-	-	-	-	-
Not stated	23	9	4	-	1	2	1	1	-	-	2	3
White	16,218	5,188	4,436	2,668	1,454	815	522	305	193	149	283	205
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,484	1,229	233	15	2	-	-	-	-	-	-	5
20 to 24 years	5,386	2,543	1,852	670	177	38	10	1	-	-	-	95
25 to 29 years	4,315	938	1,433	1,007	498	218	117	38	19	2	1	44
30 to 34 years	2,869	304	651	637	492	308	200	111	64	39	26	37
35 to 39 years	1,597	139	224	274	232	195	141	110	73	75	117	17
40 to 44 years	507	22	39	53	50	52	53	38	35	29	120	6
45 to 49 years	34	-	-	1	1	2	-	6	2	4	18	-
50 years and over	2	-	-	1	1	-	-	-	-	-	-	-
Not stated	20	9	4	-	1	2	1	1	-	-	1	1
Native white	15,844	5,088	4,338	2,615	1,426	790	504	290	185	142	269	199
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,470	1,219	229	15	2	-	-	-	-	-	-	5
20 to 24 years	5,294	2,497	1,824	657	176	36	8	1	-	-	-	95
25 to 29 years	4,220	914	1,394	990	491	214	116	37	19	2	1	42
30 to 34 years	2,793	293	635	625	478	299	196	106	65	37	28	35
35 to 39 years	1,538	134	219	263	227	188	134	103	68	73	114	15
40 to 44 years	480	20	36	63	49	51	49	36	31	26	113	6
45 to 49 years	29	-	-	1	1	1	-	6	2	4	14	-
50 years and over	2	-	-	1	1	-	-	-	-	-	-	-
Not stated	14	7	1	-	1	1	1	1	-	-	1	1
Foreign-born white	358	94	93	52	28	24	18	15	10	7	13	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	10	4	-	-	-	-	-	-	-	-	-
20 to 24 years	86	43	26	12	1	2	2	-	-	-	-	-
25 to 29 years	95	24	39	17	7	4	1	1	-	-	-	2
30 to 34 years	75	11	16	12	14	9	4	5	1	2	-	1
35 to 39 years	56	4	4	11	5	7	7	7	5	2	3	1
40 to 44 years	26	2	3	-	1	1	4	2	4	3	6	-
45 to 49 years	5	-	-	-	-	1	-	-	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	366	84	67	52	30	24	25	16	24	16	22	6
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	56	40	13	3	-	-	-	-	-	-	-	-
20 to 24 years	120	35	48	23	9	2	2	-	-	-	-	1
25 to 29 years	65	6	5	15	13	12	7	5	1	1	-	-
30 to 34 years	62	2	1	6	5	8	11	8	12	5	1	3
35 to 39 years	40	1	-	4	3	2	4	1	7	8	10	-
40 to 44 years	20	-	-	1	-	-	1	2	4	2	10	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	1	2
Not stated	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OHIO												
Total births	186,353	72,345	55,905	28,001	13,188	6,671	3,678	2,226	1,473	966	1,531	369
Under 15 years	135	133	2	-	-	-	-	-	-	-	-	-
15 to 19 years	19,797	15,949	3,398	399	35	2	-	1	1	-	-	12
20 to 24 years	63,592	32,991	20,782	6,885	2,013	558	174	49	6	-	1	133
25 to 29 years	53,936	15,541	19,474	10,314	4,552	2,178	1,023	452	199	77	31	95
30 to 34 years	31,018	5,574	8,904	7,074	4,007	2,209	1,263	854	515	296	257	67
35 to 39 years	13,966	1,792	2,889	2,768	2,095	1,304	887	630	523	392	649	37
40 to 44 years	3,580	325	409	518	455	401	319	217	210	182	531	13
45 to 49 years	198	6	9	20	24	15	10	20	17	18	58	1
50 years and over	3	-	1	2	-	-	-	-	-	-	-	-
Not stated	128	34	37	21	7	4	2	3	4	1	4	11
White	172,843	67,691	52,378	26,061	11,958	5,912	3,208	1,898	1,277	808	1,301	351
Under 15 years	69	68	1	-	-	-	-	-	-	-	-	-
15 to 19 years	17,040	13,999	2,730	276	20	2	-	1	1	-	-	11
20 to 24 years	58,540	31,193	19,055	5,969	1,608	420	128	36	3	-	-	128
25 to 29 years	50,830	14,958	18,713	9,735	4,076	1,849	826	351	153	55	23	91
30 to 34 years	29,485	5,383	8,649	6,846	3,789	2,023	1,131	721	442	242	194	65
35 to 39 years	13,224	1,743	2,794	2,699	2,006	1,209	813	563	487	339	557	34
40 to 44 years	3,358	313	392	499	431	390	301	205	190	153	471	13
45 to 49 years	186	6	9	19	23	15	7	19	17	18	52	1
50 years and over	3	-	1	2	-	-	-	-	-	-	-	-
Not stated	108	26	34	16	5	4	2	2	4	1	4	8
Native white	169,183	66,357	51,135	25,506	11,728	5,777	3,154	1,866	1,252	798	1,266	344
Under 15 years	69	68	1	-	-	-	-	-	-	-	-	-
15 to 19 years	16,934	13,930	2,694	275	20	2	-	1	1	-	-	11
20 to 24 years	57,533	30,631	18,714	5,880	1,596	419	128	35	3	-	-	127
25 to 29 years	49,672	14,517	18,227	9,558	4,041	1,834	823	350	153	55	23	91
30 to 34 years	28,897	5,237	8,437	6,712	3,739	1,993	1,120	717	440	238	193	64
35 to 39 years	12,837	1,643	2,657	2,573	1,904	1,157	788	548	455	336	544	32
40 to 44 years	3,164	298	363	473	403	350	287	194	180	150	453	13
45 to 49 years	171	6	8	17	20	12	6	19	16	17	49	1
50 years and over	3	-	1	2	-	-	-	-	-	-	-	-
Not stated	103	27	33	16	5	4	2	2	4	1	4	5
Foreign-born white	3,844	1,329	1,241	554	230	135	53	30	25	10	35	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	105	68	36	1	-	-	-	-	-	-	-	-
20 to 24 years	1,003	561	341	88	12	1	-	-	-	-	-	-
25 to 29 years	1,152	438	485	177	35	15	2	-	-	-	-	-
30 to 34 years	587	148	211	134	50	24	11	4	2	3	1	1
35 to 39 years	566	100	157	126	102	52	25	15	12	3	13	1
40 to 44 years	194	15	29	26	28	40	14	11	10	3	18	-
45 to 49 years	15	-	1	2	3	3	1	-	1	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	13,510	4,654	3,527	1,940	1,230	759	470	328	196	158	230	18
Under 15 years	66	65	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,757	1,950	668	123	15	-	-	-	-	-	-	1
20 to 24 years	5,052	1,798	1,727	916	405	138	46	13	3	-	1	5
25 to 29 years	3,106	583	761	579	476	329	197	101	46	22	8	4
30 to 34 years	1,533	191	255	228	218	186	132	133	71	54	63	2
35 to 39 years	742	49	95	69	89	95	74	67	56	53	92	3
40 to 44 years	222	12	17	19	24	11	18	12	20	29	60	-
45 to 49 years	12	-	-	1	1	-	3	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	6	3	5	2	-	-	1	-	-	-	3
Negro	13,400	4,604	3,496	1,930	1,225	754	469	327	196	157	226	18
Under 15 years	66	65	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,753	1,947	667	123	15	-	-	-	-	-	-	1
20 to 24 years	5,018	1,776	1,719	915	404	138	46	13	3	-	1	5
25 to 29 years	3,062	560	748	576	473	328	197	100	46	22	8	4
30 to 34 years	1,515	190	248	225	215	183	131	133	71	54	63	2
35 to 39 years	737	49	94	68	89	94	74	67	56	53	90	3
40 to 44 years	217	11	16	19	24	11	18	12	20	28	58	-
45 to 49 years	12	-	-	1	1	-	3	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	6	3	5	2	-	-	1	-	-	-	3
OKLAHOMA												
Total births	50,386	18,263	13,899	7,215	3,630	2,104	1,359	920	611	436	746	1,203
Under 15 years	81	78	3	-	-	-	-	-	-	-	-	-
15 to 19 years	8,931	8,927	1,713	229	21	5	1	-	1	-	-	34
20 to 24 years	17,429	7,292	6,154	2,393	801	250	55	26	4	1	1	452
25 to 29 years	12,052	2,606	3,764	2,539	1,341	801	383	171	71	24	14	318
30 to 34 years	6,587	840	1,563	1,551	882	578	452	308	195	118	118	194
35 to 39 years	3,748	363	498	556	454	365	345	293	249	184	319	122
40 to 44 years	1,094	61	95	104	99	83	96	95	76	92	254	39
45 to 49 years	97	5	3	5	4	1	11	15	7	7	33	6
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	355	91	85	38	28	21	16	11	8	10	9	38
White	44,769	16,720	12,697	6,435	3,096	1,738	1,095	718	462	333	529	946
Under 15 years	42	42	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7,662	6,069	1,391	160	14	3	1	-	-	-	-	24
20 to 24 years	15,732	6,850	5,604	2,054	632	178	32	14	1	1	1	365
25 to 29 years	10,892	2,487	3,570	2,297	1,147	636	301	131	44	18	4	257
30 to 34 years	5,877	789	1,486	1,267	769	513	367	233	147	76	67	153
35 to 39 years	3,238	344	486	521	414	310	286	259	193	146	228	91
40 to 44 years	852	58	92	99	89	79	87	79	64	77	200	28
45 to 49 years	79	5	2	4	4	1	10	11	6	6	26	4
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	293	76	75	33	27	18	11	10	7	9	3	24

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OKLAHOMA—Continued												
White—Continued												
Native white	44,417	16,576	12,572	6,392	3,080	1,735	1,090	717	459	332	523	941
Under 15 years	42	42	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7,640	6,054	1,364	160	14	3	1	-	-	-	-	24
20 to 24 years	15,564	6,779	5,549	2,040	627	178	32	14	1	1	1	362
25 to 29 years	10,778	2,442	3,524	2,281	1,142	635	301	130	44	18	4	257
30 to 34 years	5,838	780	1,486	1,256	768	511	364	233	147	75	67	151
35 to 39 years	3,219	340	462	520	410	310	285	239	191	146	225	91
40 to 44 years	944	58	90	98	88	79	87	79	63	77	197	28
45 to 49 years	79	5	2	4	4	1	10	11	6	6	26	4
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	291	76	74	33	27	18	10	10	7	9	3	24
Foreign-born white	312	133	116	35	12	2	3	1	3	-	2	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	9	5	-	-	-	-	-	-	-	-	-
20 to 24 years	137	69	51	11	3	-	-	-	-	-	-	3
25 to 29 years	102	42	44	11	4	-	-	1	-	-	-	-
30 to 34 years	37	9	10	11	1	2	2	-	-	-	-	2
35 to 39 years	15	4	4	1	3	-	1	-	2	-	-	-
40 to 44 years	7	-	2	1	1	-	-	-	1	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	5,617	1,543	1,202	780	534	366	264	202	149	103	217	257
Under 15 years	39	36	3	-	-	-	-	-	-	-	-	-
15 to 19 years	1,269	858	322	69	7	2	-	-	1	-	-	10
20 to 24 years	1,697	442	550	339	169	72	23	12	3	-	-	87
25 to 29 years	1,160	119	214	242	194	165	82	40	27	6	10	61
30 to 34 years	720	51	67	84	113	65	85	75	48	42	49	41
35 to 39 years	510	19	32	35	40	55	59	54	56	38	91	31
40 to 44 years	142	3	3	5	10	4	9	16	12	15	54	11
45 to 49 years	18	-	1	1	-	-	1	4	1	1	7	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	62	15	10	5	1	3	5	1	1	1	6	14
Negro	3,657	987	761	522	344	211	158	138	93	69	168	206
Under 15 years	31	28	3	-	-	-	-	-	-	-	-	-
15 to 19 years	903	588	246	53	7	2	-	-	-	-	-	7
20 to 24 years	1,098	236	328	240	122	61	20	10	3	-	-	78
25 to 29 years	689	71	114	151	104	86	49	33	25	4	8	44
30 to 34 years	475	39	40	50	75	35	44	54	27	34	47	30
35 to 39 years	315	13	20	19	29	24	36	28	30	22	69	25
40 to 44 years	87	3	-	5	6	2	3	12	6	7	35	8
45 to 49 years	14	-	1	1	-	-	1	1	1	1	6	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	45	9	9	3	1	1	5	-	1	1	3	12
OREGON												
Total births	35,206	12,987	11,253	5,767	2,587	1,153	590	328	172	88	167	117
Under 15 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,572	3,688	802	70	8	1	-	-	-	-	-	3
20 to 24 years	12,051	5,527	4,521	1,451	390	93	13	5	1	1	1	48
25 to 29 years	9,694	2,402	3,610	2,155	896	352	152	66	22	3	2	34
30 to 34 years	5,593	910	1,648	1,386	783	391	218	121	69	29	24	14
35 to 39 years	2,584	356	560	597	416	239	150	91	54	40	69	12
40 to 44 years	641	79	96	102	91	71	54	42	24	14	63	5
45 to 49 years	31	3	5	1	2	5	3	3	1	-	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	7	7	5	1	1	-	-	1	1	-	1
White	34,581	12,781	11,105	5,664	2,535	1,106	571	306	157	83	156	117
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,483	3,617	788	66	8	1	-	-	-	-	-	3
20 to 24 years	11,846	5,458	4,454	1,409	371	86	13	4	1	1	1	48
25 to 29 years	9,517	2,351	3,571	2,121	876	338	142	60	19	3	2	34
30 to 34 years	5,499	899	1,629	1,369	774	376	212	115	62	28	21	14
35 to 39 years	2,539	354	555	593	412	229	147	85	51	37	64	12
40 to 44 years	630	79	96	101	91	70	54	39	22	13	60	5
45 to 49 years	31	3	5	1	2	5	3	3	1	-	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	21	6	6	4	1	1	-	-	1	1	-	1
Native white	33,575	12,434	10,741	5,498	2,466	1,090	548	301	153	81	153	112
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,440	3,576	784	66	8	1	-	-	-	-	-	3
20 to 24 years	11,591	5,342	4,350	1,381	367	88	13	4	1	1	1	45
25 to 29 years	9,191	2,256	3,422	2,066	860	333	136	60	18	3	2	33
30 to 34 years	5,272	830	1,558	1,321	752	371	206	112	61	27	21	13
35 to 39 years	2,423	331	525	567	391	225	141	84	50	36	61	12
40 to 44 years	594	73	91	90	86	68	49	38	21	13	60	5
45 to 49 years	28	2	4	1	1	5	3	3	1	-	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	21	6	6	4	1	1	-	-	1	1	-	1
Foreign-born white	1,003	345	363	168	69	16	23	5	4	2	3	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	42	39	4	-	-	-	-	-	-	-	-	-
20 to 24 years	255	116	101	28	4	-	-	-	-	-	-	3
25 to 29 years	324	92	148	55	16	5	6	-	1	-	-	1
30 to 34 years	227	69	71	48	22	5	6	3	1	1	-	1
35 to 39 years	116	23	30	26	21	4	6	1	1	1	3	-
40 to 44 years	36	6	5	11	5	2	5	1	1	-	-	-
45 to 49 years	3	1	1	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OREGON—Continued												
Nonwhite	625	206	145	103	52	47	19	22	15	5	11	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	89	71	14	4	-	-	-	-	-	-	-	-
20 to 24 years	205	69	67	42	19	7	-	1	-	-	-	-
25 to 29 years	177	51	39	34	20	14	10	6	3	-	-	-
30 to 34 years	94	11	19	17	9	15	6	6	7	1	3	-
35 to 39 years	45	2	5	4	4	10	3	6	3	3	5	-
40 to 44 years	11	-	-	1	-	1	-	3	2	1	3	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	1	-	-	-	-	-	-	-	-
Negro	280	89	60	50	21	24	10	11	7	3	5	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	47	38	7	2	-	-	-	-	-	-	-	-
20 to 24 years	91	25	34	20	6	5	-	1	-	-	-	-
25 to 29 years	72	19	10	17	9	6	7	2	2	-	-	-
30 to 34 years	44	4	7	8	5	7	2	5	3	-	3	-
35 to 39 years	20	2	1	2	1	5	1	2	1	3	2	-
40 to 44 years	3	-	-	-	-	1	-	1	1	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	1	-	-	-	-	-	-	-	-
PENNSYLVANIA												
Total births	227,227	91,726	66,162	32,920	15,445	8,183	4,667	2,766	1,852	1,172	2,107	227
Under 15 years	179	172	4	3	-	-	-	-	-	-	-	-
15 to 19 years	20,411	16,549	3,338	457	58	5	-	2	-	-	-	2
20 to 24 years	74,421	41,886	22,480	7,045	2,045	605	196	57	15	4	6	62
25 to 29 years	67,788	22,102	23,861	11,940	5,129	2,510	1,200	555	223	97	65	86
30 to 34 years	40,814	7,967	11,951	9,062	4,976	2,739	1,688	997	681	357	369	30
35 to 39 years	18,686	2,557	3,882	3,769	2,590	1,822	1,185	824	659	470	909	19
40 to 44 years	4,549	444	588	601	617	473	371	303	248	223	677	6
45 to 49 years	300	18	24	29	22	27	27	26	25	20	82	-
50 years and over	10	2	7	-	-	-	-	1	-	-	-	-
Not stated	89	29	27	14	8	2	2	1	3	1	-	2
White	210,781	86,057	61,952	30,420	14,015	7,275	4,106	2,388	1,580	986	1,794	208
Under 15 years	84	82	1	1	-	-	-	-	-	-	-	-
15 to 19 years	16,886	14,134	2,459	261	26	3	-	2	-	-	-	1
20 to 24 years	68,599	39,844	20,580	5,908	1,573	433	130	40	9	2	5	75
25 to 29 years	64,007	21,398	22,959	11,226	4,601	2,109	967	409	153	66	43	76
30 to 34 years	38,890	7,692	11,581	8,760	4,708	2,549	1,528	874	585	285	298	30
35 to 39 years	17,676	2,434	3,757	3,645	2,492	1,703	1,099	756	584	412	776	18
40 to 44 years	4,279	427	561	578	588	450	356	294	224	203	602	6
45 to 49 years	273	17	23	28	22	26	25	22	23	17	70	-
50 years and over	7	1	6	-	-	-	-	-	-	-	-	-
Not stated	80	28	25	13	5	2	1	1	2	1	-	2
Native white	205,329	84,011	60,161	29,649	13,644	7,104	4,005	2,327	1,544	958	1,730	198
Under 15 years	84	82	1	1	-	-	-	-	-	-	-	-
15 to 19 years	16,733	14,009	2,433	260	26	3	-	1	-	-	-	1
20 to 24 years	67,099	38,995	20,048	5,810	1,558	430	130	40	9	2	5	72
25 to 29 years	62,311	20,724	22,271	10,994	4,532	2,091	962	407	151	65	43	71
30 to 34 years	38,013	7,462	11,286	8,572	4,617	2,509	1,514	862	580	283	297	29
35 to 39 years	16,781	2,295	3,544	3,448	2,346	1,634	1,044	727	567	405	754	17
40 to 44 years	3,986	401	527	524	539	415	331	270	214	190	570	5
45 to 49 years	244	16	22	27	21	21	23	19	21	13	61	-
50 years and over	7	1	6	-	-	-	-	-	-	-	-	-
Not stated	71	26	21	13	5	1	1	1	2	-	-	1
Foreign-born white	5,422	2,036	1,781	768	369	169	100	61	36	27	64	11
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	151	124	25	1	-	-	-	1	-	-	-	-
20 to 24 years	1,490	845	528	96	15	3	-	-	-	-	-	3
25 to 29 years	1,691	670	688	232	69	17	5	2	2	1	-	5
30 to 34 years	874	230	293	187	89	40	14	12	5	2	1	1
35 to 39 years	892	139	211	197	146	69	54	29	17	7	22	1
40 to 44 years	293	26	34	54	49	35	25	14	10	13	32	1
45 to 49 years	29	1	1	1	1	5	2	3	2	4	9	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	16,446	5,669	4,210	2,500	1,430	908	561	378	272	186	313	19
Under 15 years	95	90	3	2	-	-	-	-	-	-	-	-
15 to 19 years	3,525	2,415	879	196	32	2	-	-	-	-	-	1
20 to 24 years	5,822	2,042	1,900	1,137	472	172	66	17	6	2	1	7
25 to 29 years	3,761	704	902	714	528	401	233	146	70	31	22	10
30 to 34 years	1,924	275	370	302	268	190	158	123	96	72	70	-
35 to 39 years	1,010	123	125	124	98	119	86	68	75	58	133	1
40 to 44 years	270	17	27	23	29	23	15	19	22	20	75	-
45 to 49 years	27	1	1	1	-	1	2	4	2	3	12	-
50 years and over	3	1	1	-	-	-	-	1	-	-	-	-
Not stated	9	1	2	1	3	-	1	-	1	-	-	-
Negro	16,342	5,622	4,187	2,491	1,423	905	558	375	268	185	310	18
Under 15 years	95	90	3	2	-	-	-	-	-	-	-	-
15 to 19 years	3,517	2,407	879	196	32	2	-	-	-	-	-	1
20 to 24 years	5,785	2,019	1,889	1,135	472	172	66	17	6	2	1	6
25 to 29 years	3,740	695	894	713	525	401	233	146	70	31	22	10
30 to 34 years	1,905	268	367	297	266	189	157	123	96	72	70	-
35 to 39 years	1,003	123	124	124	97	118	84	67	75	58	132	1
40 to 44 years	258	17	27	22	28	22	15	17	18	19	73	-
45 to 49 years	27	1	1	1	-	1	2	4	2	3	12	-
50 years and over	3	1	1	-	-	-	-	1	-	-	-	-
Not stated	9	1	2	1	3	-	1	-	1	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
RHODE ISLAND												
Total births	16,861	6,851	4,950	2,381	1,024	489	225	113	91	47	78	612
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	996	810	134	11	1	-	-	-	-	-	-	40
20 to 24 years	5,278	3,176	1,457	348	86	23	9	-	-	-	-	179
25 to 29 years	5,509	1,928	1,941	917	336	117	46	21	12	-	4	187
30 to 34 years	3,233	666	1,026	688	361	182	75	39	39	16	17	124
35 to 39 years	1,463	223	327	351	189	127	69	38	29	16	30	84
40 to 44 years	356	44	61	64	49	36	25	13	9	13	24	18
45 to 49 years	20	-	3	2	1	4	1	2	2	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	1	-	1	-	-	-	-	-	-	-
White	16,445	6,722	4,844	2,312	976	473	215	104	78	42	68	611
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	916	756	114	6	-	-	-	-	-	-	-	40
20 to 24 years	5,128	3,123	1,407	320	72	20	8	-	-	-	-	178
25 to 29 years	5,404	1,916	1,914	892	316	109	42	17	7	-	4	187
30 to 34 years	3,184	657	1,019	683	352	178	72	36	34	15	14	124
35 to 39 years	1,437	223	326	346	186	126	67	36	26	12	25	64
40 to 44 years	351	44	60	63	48	36	25	13	9	13	22	18
45 to 49 years	20	-	3	2	1	4	1	2	2	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	1	-	1	-	-	-	-	-	-	-
Native white	15,545	6,420	4,580	2,183	904	425	195	91	65	39	56	587
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	897	743	109	6	-	-	-	-	-	-	-	39
20 to 24 years	4,953	3,016	1,355	310	70	19	7	-	-	-	-	176
25 to 29 years	5,109	1,800	1,797	858	302	103	41	17	5	-	4	182
30 to 34 years	3,006	622	963	647	328	168	68	34	32	14	14	118
35 to 39 years	1,282	197	303	312	167	101	58	29	19	12	23	60
40 to 44 years	276	39	50	48	36	30	21	10	7	11	14	12
45 to 49 years	16	-	2	2	1	4	1	1	2	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	2	1	-	-	-	-	-	-	-	-	-
Foreign-born white	897	301	264	129	72	47	20	13	13	3	12	23
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	13	5	-	-	-	-	-	-	-	-	1
20 to 24 years	175	107	52	10	2	1	1	-	-	-	-	2
25 to 29 years	232	115	117	34	14	5	1	-	2	-	-	4
30 to 34 years	176	35	56	36	24	10	6	2	2	1	-	6
35 to 39 years	155	26	23	34	19	25	8	7	7	-	2	4
40 to 44 years	73	5	10	15	12	6	4	3	2	2	8	6
45 to 49 years	4	-	1	-	-	-	-	1	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Nonwhite	416	129	106	69	48	16	10	9	13	5	10	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	80	54	20	5	1	-	-	-	-	-	-	-
20 to 24 years	150	53	50	28	14	3	1	-	-	-	-	1
25 to 29 years	105	12	27	25	20	8	4	4	5	-	-	-
30 to 34 years	49	9	7	5	9	4	3	3	5	1	3	-
35 to 39 years	26	-	1	5	3	1	2	2	3	4	5	-
40 to 44 years	5	-	1	1	1	-	-	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	400	123	102	66	46	16	9	9	13	5	10	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	79	53	20	5	1	-	-	-	-	-	-	-
20 to 24 years	147	51	49	28	14	3	1	-	-	-	-	1
25 to 29 years	99	11	25	23	19	8	4	4	5	-	-	-
30 to 34 years	44	7	6	5	8	4	2	3	5	1	3	-
35 to 39 years	26	-	1	5	3	1	2	2	3	4	5	-
40 to 44 years	4	-	1	-	1	-	-	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA												
Total births	57,759	16,564	12,776	7,998	5,213	3,474	2,526	1,952	1,360	1,004	1,909	2,983
Under 15 years	197	148	47	2	-	-	-	-	-	-	-	-
15 to 19 years	10,749	6,843	2,895	783	162	42	11	2	1	1	-	9
20 to 24 years	19,237	5,879	5,335	3,378	1,901	863	359	145	47	18	10	1,302
25 to 29 years	13,812	2,336	2,819	2,251	1,801	1,395	979	711	341	166	154	879
30 to 34 years	7,605	825	1,122	1,040	803	729	723	608	473	369	450	463
35 to 39 years	4,440	344	411	426	418	330	351	364	381	337	846	232
40 to 44 years	1,167	80	65	64	80	70	77	99	87	89	399	57
45 to 49 years	115	9	2	7	3	5	5	4	10	11	52	7
50 years and over	4	1	-	-	-	-	-	1	-	-	2	-
Not stated	433	99	80	47	45	40	21	18	20	13	16	34
White	31,688	10,717	8,129	4,465	2,447	1,437	960	632	424	296	475	1,706
Under 15 years	38	31	7	-	-	-	-	-	-	-	-	-
15 to 19 years	4,984	3,688	1,082	179	20	6	4	1	1	-	-	3
20 to 24 years	10,758	4,214	3,402	1,567	582	186	65	17	6	2	-	717
25 to 29 years	8,174	1,804	2,260	1,513	946	561	299	168	59	25	10	529
30 to 34 years	4,482	630	944	806	527	435	344	212	141	91	76	276
35 to 39 years	2,368	253	342	325	296	191	192	167	156	124	194	128
40 to 44 years	693	57	55	55	62	46	50	65	50	49	165	39
45 to 49 years	53	4	1	4	-	4	1	2	5	4	24	4
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	136	35	36	16	14	8	5	-	6	1	5	10

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH CAROLINA—Continued												
White—Continued												
Native white	31,406	10,606	8,042	4,427	2,438	1,430	956	631	424	296	474	1,682
Under 15 years	38	31	7	-	-	-	-	-	-	-	-	-
15 to 19 years	4,966	3,677	1,076	178	20	6	4	1	1	-	-	3
20 to 24 years	10,633	4,164	3,365	1,549	578	185	64	17	6	2	-	703
25 to 29 years	8,090	1,775	2,231	1,500	943	557	298	168	58	25	10	524
30 to 34 years	4,455	620	931	804	526	435	343	212	141	91	76	274
35 to 39 years	2,356	246	341	323	295	191	191	167	156	124	194	128
40 to 44 years	687	57	54	54	62	45	50	64	50	49	164	38
45 to 49 years	55	4	1	4	-	4	1	2	5	4	24	4
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	128	31	36	15	14	7	5	-	6	1	5	8
Foreign-born white	132	55	36	19	4	4	-	1	-	-	-	13
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	4	3	1	-	-	-	-	-	-	-	-
20 to 24 years	58	24	15	8	2	1	-	-	-	-	-	8
25 to 29 years	43	14	15	8	2	2	-	-	-	-	-	2
30 to 34 years	12	6	3	2	-	-	-	-	-	-	-	1
35 to 39 years	4	4	-	-	-	-	-	-	-	-	-	-
40 to 44 years	1	-	-	-	-	-	-	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	-	-	-	1	-	-	-	-	-	2
Nonwhite	26,071	5,847	4,647	3,533	2,766	2,037	1,566	1,320	936	708	1,434	1,277
Under 15 years	159	117	40	2	-	-	-	-	-	-	-	-
15 to 19 years	5,765	3,155	1,813	604	142	36	7	1	-	1	-	6
20 to 24 years	8,479	1,665	1,933	1,811	1,319	677	294	128	41	16	10	585
25 to 29 years	5,638	532	559	738	855	834	680	543	282	141	124	350
30 to 34 years	3,123	195	178	234	276	294	379	396	332	278	374	187
35 to 39 years	2,072	91	69	101	122	139	159	197	225	213	652	104
40 to 44 years	474	23	10	9	18	24	27	34	37	40	234	18
45 to 49 years	62	5	1	3	3	1	4	2	5	7	28	3
50 years and over	2	-	-	-	-	-	-	1	-	-	1	-
Not stated	297	64	44	31	31	32	16	18	14	12	11	24
Negro	26,060	5,842	4,646	3,533	2,763	2,036	1,566	1,319	936	708	1,434	1,277
Under 15 years	159	117	40	2	-	-	-	-	-	-	-	-
15 to 19 years	5,764	3,155	1,812	604	142	36	7	1	-	1	-	6
20 to 24 years	8,476	1,665	1,933	1,811	1,317	676	294	128	41	16	10	585
25 to 29 years	5,634	529	559	738	854	834	680	543	282	141	124	350
30 to 34 years	3,121	194	178	234	276	294	379	395	332	278	374	187
35 to 39 years	2,072	91	69	101	122	139	159	197	225	213	652	104
40 to 44 years	474	23	10	9	18	24	27	34	37	40	234	18
45 to 49 years	62	5	1	3	3	1	4	2	5	7	28	3
50 years and over	2	-	-	-	-	-	-	1	-	-	1	-
Not stated	296	63	44	31	31	32	16	18	14	12	11	24
SOUTH DAKOTA												
Total births	16,405	5,456	4,449	2,344	1,358	743	458	263	152	102	197	883
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,570	1,296	245	18	2	-	-	-	-	-	-	9
20 to 24 years	5,502	2,609	1,813	532	153	37	13	4	-	-	-	341
25 to 29 years	4,620	1,067	1,524	903	462	237	103	41	14	6	4	259
30 to 34 years	2,733	333	635	574	438	248	160	95	47	26	29	148
35 to 39 years	1,449	114	197	253	241	168	134	78	51	41	80	92
40 to 44 years	432	21	21	52	59	47	42	42	35	25	73	15
45 to 49 years	34	-	4	1	1	3	4	2	4	4	9	2
50 years and over	2	-	-	-	-	1	-	-	1	-	-	-
Not stated	62	15	10	11	2	2	2	1	-	-	2	17
White	15,700	5,285	4,301	2,259	1,277	689	407	228	136	89	164	865
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,486	1,230	227	18	2	-	-	-	-	-	-	9
20 to 24 years	5,294	2,537	1,737	499	141	32	10	3	-	-	-	335
25 to 29 years	4,425	1,045	1,481	866	424	212	87	34	12	6	3	255
30 to 34 years	2,628	324	631	561	423	234	144	78	40	23	24	146
35 to 39 years	1,376	113	192	252	228	160	122	71	47	34	67	90
40 to 44 years	407	21	21	51	58	46	40	39	33	23	60	15
45 to 49 years	31	-	3	1	1	3	4	2	4	3	8	2
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	51	14	9	11	-	1	-	1	-	-	2	13
Native white	15,480	5,225	4,232	2,230	1,255	686	396	226	136	86	156	852
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,476	1,222	225	18	2	-	-	-	-	-	-	9
20 to 24 years	5,224	2,511	1,709	490	139	32	10	3	-	-	-	330
25 to 29 years	4,358	1,026	1,456	857	418	209	85	34	12	6	3	252
30 to 34 years	2,595	321	622	556	416	234	139	78	40	22	23	144
35 to 39 years	1,356	112	188	249	222	160	120	71	47	33	66	88
40 to 44 years	393	19	21	46	57	46	38	37	33	23	56	15
45 to 49 years	29	-	3	1	1	3	4	2	4	2	7	2
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	47	13	8	11	-	1	-	1	-	-	1	12
Foreign-born white	207	56	67	26	22	3	10	2	-	3	6	12
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7	5	2	-	-	-	-	-	-	-	-	-
20 to 24 years	69	26	28	8	2	-	-	-	-	-	-	5
25 to 29 years	66	19	25	8	6	3	2	-	-	-	-	3
30 to 34 years	30	3	8	5	7	-	4	-	-	1	-	2
35 to 39 years	20	1	4	3	6	-	2	-	-	1	1	2
40 to 44 years	13	2	-	2	1	-	2	2	-	-	4	-
45 to 49 years	2	-	-	-	-	-	-	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH DAKOTA—Continued												
Nonwhite	705	171	148	85	81	54	51	35	16	13	33	18
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	84	68	18	-	-	-	-	-	-	-	-	-
20 to 24 years	208	72	76	33	12	5	3	1	-	-	-	6
25 to 29 years	195	22	43	37	38	25	16	7	2	-	1	4
30 to 34 years	105	9	4	13	15	14	16	17	7	3	5	2
35 to 39 years	73	1	5	1	13	8	12	7	4	7	13	2
40 to 44 years	25	-	-	1	1	1	2	3	2	2	13	-
45 to 49 years	3	-	1	-	-	-	-	-	-	1	1	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	11	1	1	-	2	1	2	-	-	-	-	4
TENNESSEE												
Total births	82,127	28,524	21,081	11,419	6,524	4,300	3,070	2,188	1,557	1,103	1,828	533
Under 15 years	225	218	7	-	-	-	-	-	-	-	-	-
15 to 19 years	14,532	10,913	3,037	477	68	14	2	1	-	-	-	20
20 to 24 years	26,990	10,929	9,235	4,266	1,580	594	162	51	13	5	4	151
25 to 29 years	19,393	4,210	5,518	3,690	2,443	1,654	971	472	190	70	34	141
30 to 34 years	11,626	1,541	2,283	1,930	1,547	1,231	1,073	791	564	300	273	93
35 to 39 years	7,004	569	858	897	734	643	662	679	578	501	800	63
40 to 44 years	2,080	97	123	148	141	152	165	172	197	205	653	27
45 to 49 years	162	5	4	5	5	5	7	18	14	19	79	1
50 years and over	3	-	-	1	1	-	-	-	-	1	-	-
Not stated	112	22	16	5	5	7	8	4	1	2	5	37
White	67,558	24,153	17,806	9,376	5,144	3,300	2,407	1,634	1,166	806	1,331	435
Under 15 years	92	88	4	-	-	-	-	-	-	-	-	-
15 to 19 years	10,965	8,591	2,083	254	20	6	-	1	-	-	-	10
20 to 24 years	22,333	9,647	7,755	3,271	1,071	352	85	22	6	2	2	120
25 to 29 years	16,513	3,813	4,999	3,209	1,963	1,285	707	300	96	39	11	111
30 to 34 years	9,808	1,384	2,077	1,715	1,315	996	881	598	405	201	157	79
35 to 39 years	5,809	518	756	786	636	541	557	545	473	369	570	58
40 to 44 years	1,803	89	115	154	129	130	165	150	174	176	518	23
45 to 49 years	139	5	3	3	5	4	6	15	11	17	69	1
50 years and over	3	-	-	1	1	-	-	-	-	1	-	-
Not stated	93	18	14	3	4	6	6	3	1	1	4	33
Native white	67,180	24,006	17,662	9,311	5,133	3,298	2,405	1,634	1,166	806	1,330	430
Under 15 years	92	88	4	-	-	-	-	-	-	-	-	-
15 to 19 years	10,943	8,573	2,080	253	20	6	-	1	-	-	-	10
20 to 24 years	22,161	9,581	7,674	3,250	1,070	351	85	22	6	2	2	118
25 to 29 years	16,404	3,771	4,961	3,184	1,960	1,265	706	300	96	39	11	111
30 to 34 years	9,770	1,373	2,065	1,705	1,310	996	881	598	405	201	157	79
35 to 39 years	5,784	509	747	781	635	541	556	545	473	369	570	58
40 to 44 years	1,796	87	114	151	128	130	165	150	174	176	518	23
45 to 49 years	138	5	3	3	5	4	6	15	11	17	68	1
50 years and over	3	-	-	1	1	-	-	-	-	1	-	-
Not stated	89	18	14	3	4	5	6	3	1	1	4	30
Foreign-born white	367	146	144	63	10	1	1	-	-	-	-	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	20	16	3	1	-	-	-	-	-	-	-	-
20 to 24 years	172	66	81	21	1	1	-	-	-	-	-	2
25 to 29 years	107	42	38	24	3	-	-	-	-	-	-	-
30 to 34 years	37	11	12	10	4	-	-	-	-	-	-	-
35 to 39 years	24	9	9	4	1	-	1	-	-	-	-	-
40 to 44 years	7	2	1	3	1	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	14,569	4,371	3,275	2,043	1,380	1,000	663	554	391	297	497	98
Under 15 years	133	130	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,567	2,322	954	223	48	8	2	-	-	-	-	10
20 to 24 years	4,657	1,282	1,480	995	509	242	77	29	7	3	2	31
25 to 29 years	2,880	397	519	481	480	389	264	172	94	31	23	30
30 to 34 years	1,818	157	206	215	232	235	192	193	159	99	116	14
35 to 39 years	1,195	71	102	111	98	102	105	134	105	132	230	5
40 to 44 years	277	8	8	14	12	22	20	22	23	29	115	4
45 to 49 years	23	-	1	2	-	1	1	3	3	2	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	19	4	2	2	1	1	2	1	-	1	1	4
Negro	14,556	4,366	3,273	2,043	1,376	998	663	553	391	297	497	98
Under 15 years	133	130	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,566	2,321	954	223	48	8	2	-	-	-	-	10
20 to 24 years	4,654	1,280	1,479	995	509	242	77	29	7	3	2	31
25 to 29 years	2,876	395	518	481	479	389	264	172	94	31	23	30
30 to 34 years	1,814	157	206	215	229	234	192	193	159	99	116	14
35 to 39 years	1,195	71	102	111	98	102	105	134	105	132	230	5
40 to 44 years	277	8	8	14	12	22	20	22	23	29	115	4
45 to 49 years	22	-	1	2	-	1	1	3	3	2	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	19	4	2	2	1	1	2	1	-	1	1	4
TEXAS												
Total births	197,750	69,002	51,142	25,528	12,181	6,779	3,908	2,417	1,527	909	1,120	23,237
Under 15 years	415	396	17	1	-	-	-	-	-	-	-	1
15 to 19 years	32,841	24,979	6,591	1,014	110	12	-	-	-	-	-	135
20 to 24 years	66,975	27,040	21,611	8,788	2,982	883	253	55	11	3	5	5,342
25 to 29 years	49,244	10,987	14,339	8,630	4,453	2,557	1,250	511	198	59	22	6,338
30 to 34 years	27,827	3,856	6,030	4,701	2,869	1,912	1,274	882	500	242	172	5,389
35 to 39 years	15,680	1,490	2,101	1,999	1,439	1,168	869	718	631	413	535	4,317
40 to 44 years	3,950	249	331	311	279	209	224	222	160	174	325	1,466
45 to 49 years	345	10	14	18	13	13	18	14	17	14	52	160
50 years and over	22	-	2	3	2	-	-	4	1	-	3	7
Not stated	455	95	106	63	34	25	20	11	9	4	6	82

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
TEXAS—Continued												
White	172,004	61,192	45,856	22,374	10,274	5,631	3,116	1,933	1,172	688	809	18,959
Under 15 years	214	207	7	-	-	-	-	-	-	-	-	-
15 to 19 years	26,724	20,719	5,111	729	64	10	-	-	-	-	-	91
20 to 24 years	58,591	24,764	19,191	7,220	2,291	697	177	38	8	3	3	4,199
25 to 29 years	44,051	10,207	13,470	7,821	3,745	2,052	944	369	139	38	15	5,251
30 to 34 years	24,696	3,596	5,700	4,385	2,566	1,639	1,027	682	366	174	118	4,433
35 to 39 years	13,669	1,388	1,984	1,862	1,304	1,015	743	607	504	320	387	3,575
40 to 44 years	3,384	227	310	285	258	186	196	199	138	139	238	1,208
45 to 49 years	287	9	12	15	13	12	14	14	12	12	43	131
50 years and over	21	-	2	3	2	-	-	4	1	-	3	6
Not stated	367	75	69	54	31	20	15	10	4	2	2	65
Native white	161,285	58,863	43,845	21,165	9,555	5,074	2,731	1,638	966	558	617	16,273
Under 15 years	204	198	6	-	-	-	-	-	-	-	-	-
15 to 19 years	25,747	20,033	4,857	692	61	9	-	-	-	-	-	85
20 to 24 years	55,698	23,832	18,312	6,769	2,132	635	159	33	8	3	2	3,811
25 to 29 years	41,497	9,745	12,941	7,443	3,475	1,848	846	331	124	29	13	4,702
30 to 34 years	22,932	3,462	5,476	4,191	2,399	1,481	912	605	310	154	99	3,843
35 to 39 years	11,868	1,307	1,884	1,741	1,210	903	623	489	401	249	288	2,793
40 to 44 years	2,812	212	290	260	239	167	170	160	112	114	182	906
45 to 49 years	198	7	8	14	10	11	9	11	7	8	31	82
50 years and over	13	-	2	2	2	-	-	2	-	-	2	3
Not stated	318	67	79	53	27	20	12	7	4	1	-	48
Foreign-born white	10,474	2,264	1,960	1,169	695	546	378	289	205	129	188	2,651
Under 15 years	10	9	1	-	-	-	-	-	-	-	-	-
15 to 19 years	949	666	239	36	2	-	-	-	-	-	-	6
20 to 24 years	2,811	906	853	436	153	60	17	5	-	-	1	380
25 to 29 years	2,497	450	520	365	259	199	95	37	15	9	2	546
30 to 34 years	1,736	134	220	186	164	157	114	66	56	20	19	560
35 to 39 years	1,784	80	98	118	92	110	119	116	103	71	99	778
40 to 44 years	564	15	20	25	19	19	26	39	25	24	54	298
45 to 49 years	86	2	3	1	3	1	5	3	5	4	11	48
50 years and over	7	-	-	1	-	-	-	2	1	-	-	3
Not stated	30	2	6	1	3	-	2	1	-	1	2	12
Nonwhite	25,746	7,810	5,286	3,154	1,807	1,148	792	484	355	221	311	4,278
Under 15 years	201	189	10	1	-	-	-	-	-	-	-	1
15 to 19 years	6,117	4,260	1,480	265	46	2	-	-	-	-	-	44
20 to 24 years	8,362	2,276	2,420	1,568	691	188	76	17	3	-	2	1,143
25 to 29 years	5,193	680	869	809	708	505	306	142	59	21	7	1,087
30 to 34 years	3,131	250	330	316	303	275	247	190	134	68	54	956
35 to 39 years	2,011	102	137	137	135	153	126	111	127	93	148	742
40 to 44 years	566	22	21	26	21	23	28	23	22	35	87	258
45 to 49 years	56	1	2	3	-	1	4	-	5	2	9	29
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	88	20	17	9	3	5	5	1	5	2	4	17
Negro	25,618	7,755	5,258	3,139	1,801	1,139	791	483	355	221	310	4,266
Under 15 years	201	189	10	1	-	-	-	-	-	-	-	1
15 to 19 years	6,100	4,245	1,478	265	46	2	-	-	-	-	-	44
20 to 24 years	8,335	2,248	2,412	1,565	687	186	76	17	3	-	2	1,139
25 to 29 years	5,156	669	860	801	707	501	306	142	59	21	7	1,083
30 to 34 years	3,118	260	324	314	303	270	247	190	134	68	54	954
35 to 39 years	2,000	101	135	135	134	151	125	110	127	93	148	741
40 to 44 years	564	22	21	26	21	23	28	23	22	35	86	257
45 to 49 years	56	1	2	3	-	1	4	-	5	2	9	29
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	87	20	16	9	3	5	5	1	5	2	4	17
UTAH												
Total births	20,714	6,770	5,584	3,646	2,147	1,148	616	307	174	117	137	68
Under 15 years	10	9	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,459	1,989	429	38	1	-	1	-	-	-	-	1
20 to 24 years	6,987	3,256	2,560	825	247	59	14	2	-	-	-	24
25 to 29 years	5,561	1,043	1,758	1,530	713	308	130	37	13	4	10	15
30 to 34 years	3,327	305	562	881	710	412	202	114	55	31	17	18
35 to 39 years	1,740	122	207	303	378	282	188	99	65	41	50	5
40 to 44 years	525	26	38	57	83	79	69	54	37	35	44	3
45 to 49 years	42	3	1	3	7	2	8	1	2	6	9	-
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	61	17	8	9	8	6	4	-	2	-	5	2
White	20,385	6,662	5,504	3,602	2,114	1,127	606	296	168	110	131	65
Under 15 years	9	8	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,431	1,970	421	37	1	-	1	-	-	-	-	1
20 to 24 years	6,867	3,208	2,532	805	236	57	13	2	-	-	-	24
25 to 29 years	5,450	1,008	1,729	1,509	704	299	126	35	12	3	10	15
30 to 34 years	3,269	301	571	873	699	405	199	107	51	30	16	17
35 to 39 years	1,719	121	204	300	376	279	187	98	64	38	48	4
40 to 44 years	517	26	37	56	83	79	68	53	37	33	42	3
45 to 49 years	42	3	1	3	7	2	8	1	2	6	9	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	60	17	8	9	8	6	4	-	2	-	5	1
Native white	19,872	6,506	5,372	3,526	2,052	1,094	582	288	163	102	123	64
Under 15 years	9	8	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,404	1,947	417	37	1	-	1	-	-	-	-	1
20 to 24 years	6,745	3,142	2,475	800	232	57	13	2	-	-	-	24
25 to 29 years	5,321	965	1,688	1,489	690	292	124	34	12	2	10	15
30 to 34 years	3,175	287	551	848	680	399	196	105	50	28	15	16
35 to 39 years	1,640	116	198	288	357	265	177	94	62	34	45	4
40 to 44 years	488	23	35	54	79	74	61	52	35	32	38	3
45 to 49 years	37	3	1	3	5	1	6	1	2	6	9	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	54	15	6	7	8	6	4	-	2	-	5	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UTAH—Continued												
White—Continued												
Foreign-born white	494	149	126	74	61	32	23	8	5	8	7	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	21	18	3	-	-	-	-	-	-	-	-	-
20 to 24 years	159	66	54	15	4	-	-	-	-	-	-	-
25 to 29 years	126	43	40	20	13	6	2	1	-	1	-	-
30 to 34 years	93	14	20	25	19	6	2	2	1	2	1	1
35 to 39 years	78	5	6	12	19	14	10	4	2	4	2	-
40 to 44 years	31	3	2	2	4	5	7	1	2	1	4	-
45 to 49 years	5	-	-	-	2	1	2	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	329	108	80	44	33	21	10	11	6	7	6	3
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	28	19	8	1	-	-	-	-	-	-	-	-
20 to 24 years	100	48	28	10	11	2	1	-	-	-	-	-
25 to 29 years	111	35	29	21	9	9	4	2	1	1	-	-
30 to 34 years	58	4	11	8	11	7	3	7	4	1	1	1
35 to 39 years	21	1	3	3	2	3	1	1	1	3	2	1
40 to 44 years	8	-	1	1	-	-	1	1	-	2	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT												
Total births	9,369	3,178	2,592	1,564	787	459	287	143	99	63	123	75
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,022	801	182	27	6	-	-	-	-	-	-	6
20 to 24 years	3,200	1,467	1,091	414	141	45	15	-	-	-	-	27
25 to 29 years	2,630	601	809	639	272	151	81	31	13	7	1	25
30 to 34 years	1,488	208	348	315	214	157	102	55	39	18	21	11
35 to 39 years	785	79	131	141	126	83	63	46	30	23	58	5
40 to 44 years	221	14	29	25	27	21	24	10	16	14	40	1
45 to 49 years	15	1	1	3	1	1	2	1	1	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
White	9,366	3,176	2,591	1,564	787	458	287	143	99	63	123	75
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,022	801	182	27	6	-	-	-	-	-	-	6
20 to 24 years	3,197	1,465	1,090	414	141	45	15	-	-	-	-	27
25 to 29 years	2,630	601	809	639	272	151	81	31	13	7	1	25
30 to 34 years	1,488	208	348	315	214	157	102	55	39	18	21	11
35 to 39 years	785	79	131	141	126	83	63	46	30	23	58	5
40 to 44 years	221	14	29	25	27	21	24	10	16	14	40	1
45 to 49 years	15	1	1	3	1	1	2	1	1	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Native white	8,665	2,995	2,397	1,456	716	405	252	123	88	55	107	71
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,000	784	178	26	6	-	-	-	-	-	-	6
20 to 24 years	3,017	1,383	1,025	395	130	45	14	-	-	-	-	25
25 to 29 years	2,420	540	740	597	253	141	76	30	12	7	-	24
30 to 34 years	1,344	193	316	288	192	138	87	46	37	16	21	10
35 to 39 years	688	73	112	127	112	64	56	40	25	21	53	5
40 to 44 years	178	14	24	21	23	17	18	6	13	10	31	1
45 to 49 years	10	1	1	2	-	-	1	1	1	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Foreign-born white	699	181	193	107	71	53	35	20	11	8	16	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	21	17	3	1	-	-	-	-	-	-	-	-
20 to 24 years	180	82	65	19	11	-	1	-	-	-	-	2
25 to 29 years	209	61	69	41	19	10	5	1	1	-	1	1
30 to 34 years	144	15	32	27	22	19	15	9	2	2	-	1
35 to 39 years	97	6	19	14	14	19	7	6	5	2	5	-
40 to 44 years	43	-	5	4	4	4	6	4	3	4	9	-
45 to 49 years	5	-	-	1	1	1	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	3	2	1	-	-	-	-	-	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	3	2	1	-	-	-	-	-	-	-	-	-
25 to 29 years	-	-	-	-	-	-	-	-	-	-	-	-
30 to 34 years	-	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA												
Total births	82,057	28,452	22,488	11,637	6,347	3,902	2,707	2,006	1,435	931	1,889	263
Under 15 years	219	201	17	1	-	-	-	-	-	-	-	-
15 to 19 years	12,524	8,980	2,868	552	98	15	2	2	1	-	-	6
20 to 24 years	26,854	11,392	8,796	3,833	1,694	663	256	80	40	7	2	91
25 to 29 years	21,296	5,068	6,497	3,772	2,352	1,548	991	565	266	102	68	69
30 to 34 years	12,439	1,900	3,007	2,286	1,405	1,024	840	733	532	296	358	58
35 to 39 years	6,561	748	1,078	988	635	512	485	470	432	363	826	26
40 to 44 years	1,802	123	171	176	135	112	114	134	144	145	546	2
45 to 49 years	164	9	6	5	7	9	9	14	13	14	77	1
50 years and over	7	-	4	2	1	-	-	-	-	-	-	-
Not stated	191	33	46	22	20	19	10	8	7	4	12	10

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
VIRGINIA—Continued												
White	61,049	22,766	17,755	8,626	4,270	2,347	1,621	1,174	800	513	1,000	177
Under 15 years	67	85	2	-	-	-	-	-	-	-	-	-
15 to 19 years	7,861	8,146	1,486	194	29	3	-	-	-	-	-	3
20 to 24 years	19,991	9,572	6,701	2,405	858	279	91	17	11	1	1	55
25 to 29 years	16,614	4,459	5,697	2,994	1,609	866	517	267	104	33	16	52
30 to 34 years	9,861	1,714	2,709	1,986	1,114	725	557	445	286	143	142	40
35 to 39 years	5,054	671	977	872	527	367	350	328	277	230	434	21
40 to 44 years	1,377	104	148	160	117	93	93	105	106	94	355	2
45 to 49 years	118	9	6	4	4	6	8	11	10	10	50	-
50 years and over	6	-	4	2	-	-	-	-	-	-	-	-
Not stated	100	26	25	9	12	8	5	3	4	2	2	4
Native white	60,166	22,396	17,406	8,522	4,241	2,334	1,620	1,168	799	512	998	170
Under 15 years	67	65	2	-	-	-	-	-	-	-	-	-
15 to 19 years	7,828	6,124	1,475	194	29	3	-	-	-	-	-	3
20 to 24 years	19,652	9,411	6,564	2,389	853	279	91	17	11	1	1	55
25 to 29 years	16,305	4,318	5,581	2,982	1,599	859	517	266	104	33	16	50
30 to 34 years	9,733	1,686	2,647	1,966	1,107	723	556	440	287	142	142	37
35 to 39 years	5,002	657	960	859	523	364	350	327	277	230	434	21
40 to 44 years	1,363	101	145	157	116	92	93	104	106	94	353	2
45 to 49 years	117	9	6	4	3	6	8	11	10	10	50	-
50 years and over	6	-	4	2	-	-	-	-	-	-	-	-
Not stated	93	25	22	9	11	8	5	3	4	2	2	2
Foreign-born white	859	365	344	103	27	11	-	4	-	-	2	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	31	21	10	-	-	-	-	-	-	-	-	-
20 to 24 years	338	160	137	38	5	-	-	-	-	-	-	-
25 to 29 years	303	138	116	32	9	5	-	1	-	-	-	2
30 to 34 years	119	28	61	19	7	2	-	1	-	-	-	1
35 to 39 years	52	14	17	13	4	3	-	1	-	-	-	-
40 to 44 years	14	3	3	3	1	1	-	1	-	-	2	-
45 to 49 years	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	21,008	5,686	4,733	3,011	2,077	1,555	1,086	832	635	418	889	86
Under 15 years	152	136	15	1	-	-	-	-	-	-	-	-
15 to 19 years	4,863	2,834	1,382	358	69	12	2	2	1	-	-	3
20 to 24 years	6,863	1,820	2,095	1,428	836	384	165	63	29	6	1	36
25 to 29 years	4,682	607	800	778	743	682	474	298	162	69	52	17
30 to 34 years	2,578	186	298	300	291	299	283	290	244	155	216	18
35 to 39 years	1,507	77	99	116	108	145	135	142	155	133	392	5
40 to 44 years	425	19	23	16	18	19	21	29	38	51	191	-
45 to 49 years	46	-	-	1	3	3	1	3	3	4	27	1
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	91	7	21	13	8	11	5	5	3	2	10	6
Negro	20,975	5,675	4,725	3,005	2,076	1,552	1,086	832	634	416	888	86
Under 15 years	152	136	15	1	-	-	-	-	-	-	-	-
15 to 19 years	4,657	2,830	1,381	357	69	12	2	2	1	-	-	3
20 to 24 years	6,853	1,815	2,092	1,427	836	383	165	63	29	6	1	36
25 to 29 years	4,676	606	798	776	743	681	474	298	162	69	52	17
30 to 34 years	2,572	185	297	299	290	298	283	290	244	152	216	18
35 to 39 years	1,503	77	98	115	108	145	135	142	154	132	392	5
40 to 44 years	424	19	23	16	18	19	21	29	38	51	190	-
45 to 49 years	46	-	-	1	3	3	1	3	3	4	27	1
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	91	7	21	13	8	11	5	5	3	2	10	6
WASHINGTON												
Total births	55,933	19,761	17,912	9,500	4,071	1,792	840	468	290	167	245	789
Under 15 years	27	27	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,429	5,061	1,200	135	14	2	-	-	-	-	-	17
20 to 24 years	18,997	8,481	7,020	2,465	606	133	40	5	3	1	-	243
25 to 29 years	16,233	4,025	5,977	3,583	1,455	575	243	90	35	15	4	231
30 to 34 years	9,007	1,488	2,672	2,239	1,217	591	264	157	103	59	46	171
35 to 39 years	4,076	552	878	907	622	384	215	154	105	62	105	92
40 to 44 years	975	111	149	166	152	97	72	56	40	28	77	27
45 to 49 years	50	5	5	4	2	8	5	4	3	2	11	1
50 years and over	2	-	-	-	1	-	-	-	-	-	-	1
Not stated	37	11	11	1	2	2	1	-	1	-	2	6
White	54,013	19,215	17,437	9,181	3,685	1,693	778	430	282	143	218	771
Under 15 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,183	4,904	1,133	118	12	1	-	-	-	-	-	15
20 to 24 years	18,326	8,264	6,802	2,328	541	111	36	5	2	1	-	236
25 to 29 years	15,695	3,887	5,851	3,472	1,387	530	212	82	30	14	4	226
30 to 34 years	8,769	1,453	2,626	2,198	1,177	570	253	141	90	45	37	169
35 to 39 years	3,977	547	884	894	611	374	202	144	98	53	99	91
40 to 44 years	956	111	146	166	152	97	89	54	38	28	69	26
45 to 49 years	48	5	5	4	2	8	5	4	3	2	9	1
50 years and over	2	-	-	-	1	-	-	-	-	-	-	1
Not stated	34	11	10	1	2	2	1	-	1	-	-	6
Native white	51,322	18,296	16,543	8,726	3,689	1,612	741	413	251	131	194	726
Under 15 years	22	22	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,073	4,815	1,114	116	12	1	-	-	-	-	-	15
20 to 24 years	17,822	7,807	6,552	2,261	524	107	36	5	2	1	-	227
25 to 29 years	14,807	3,591	5,507	3,305	1,332	515	212	81	30	13	3	218
30 to 34 years	8,207	1,354	2,438	2,065	1,108	542	242	137	88	42	36	155
35 to 39 years	3,653	492	794	819	572	351	182	134	94	48	84	83
40 to 44 years	867	101	126	155	137	87	63	52	34	25	62	25
45 to 49 years	44	5	4	4	1	7	5	4	2	2	9	1
50 years and over	2	-	-	-	1	-	-	-	-	-	-	1
Not stated	25	9	8	1	2	2	1	-	1	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WASHINGTON—Continued												
White—Continued												
Foreign-born white	2,679	917	892	455	194	81	36	17	11	12	24	40
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	108	87	19	2	-	-	-	-	-	-	-	-
20 to 24 years	703	357	249	67	17	4	-	-	-	-	-	9
25 to 29 years	886	296	344	167	53	15	-	1	-	1	1	8
30 to 34 years	561	109	187	133	69	28	11	4	2	3	1	14
35 to 39 years	323	55	70	75	39	23	19	10	4	5	15	8
40 to 44 years	89	10	20	11	15	10	6	2	4	3	7	1
45 to 49 years	4	-	1	-	1	1	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	2	-	-	-	-	-	-	-	-	-
Nonwhite	1,820	546	475	319	186	99	62	36	28	24	27	18
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	246	157	67	17	2	1	-	-	-	-	-	2
20 to 24 years	671	217	218	137	65	22	4	-	1	-	-	7
25 to 29 years	538	138	126	111	68	45	31	8	5	1	-	5
30 to 34 years	238	25	46	41	40	21	11	16	13	14	9	2
35 to 39 years	99	5	14	13	11	10	13	10	7	9	6	1
40 to 44 years	19	-	3	-	-	-	3	2	2	-	8	1
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	-	-	-	-	-	-	-	2	-
Negro	825	244	224	153	85	49	26	14	12	8	7	3
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	98	65	28	5	-	-	-	-	-	-	-	-
20 to 24 years	326	94	114	71	34	12	1	-	-	-	-	-
25 to 29 years	247	65	49	53	31	23	18	4	4	1	-	1
30 to 34 years	105	14	23	19	15	9	2	5	7	5	5	1
35 to 39 years	40	4	8	5	5	5	5	5	-	2	2	1
40 to 44 years	5	-	2	-	-	-	-	2	1	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA												
Total births	52,396	17,573	13,047	6,984	3,945	2,811	2,021	1,410	1,025	781	1,443	1,356
Under 15 years	61	58	3	-	-	-	-	-	-	-	-	-
15 to 19 years	8,585	6,468	1,777	246	28	3	1	-	-	-	-	62
20 to 24 years	18,267	7,372	6,143	2,676	988	390	106	26	7	1	3	550
25 to 29 years	12,476	2,433	3,292	2,389	1,579	1,141	710	346	145	63	25	353
30 to 34 years	7,193	829	1,252	1,145	861	765	688	561	408	257	226	201
35 to 39 years	4,062	314	433	409	389	402	404	361	330	298	620	122
40 to 44 years	1,361	44	75	87	92	81	98	104	115	133	492	40
45 to 49 years	126	2	4	5	3	11	2	5	6	19	66	3
50 years and over	3	-	-	-	1	-	-	-	-	1	1	-
Not stated	262	53	63	27	24	18	12	7	14	9	10	25
White	49,608	16,772	12,461	6,595	3,721	2,611	1,859	1,302	944	715	1,340	1,288
Under 15 years	48	45	3	-	-	-	-	-	-	-	-	-
15 to 19 years	8,017	6,068	1,640	222	24	2	1	-	-	-	-	60
20 to 24 years	17,344	7,095	5,852	2,484	912	354	90	25	6	-	3	523
25 to 29 years	11,891	2,368	3,201	2,284	1,497	1,050	654	301	128	53	23	332
30 to 34 years	6,821	801	1,217	1,100	821	719	637	528	368	232	206	192
35 to 39 years	3,827	307	410	394	353	383	374	333	311	276	571	115
40 to 44 years	1,295	40	74	82	90	77	91	103	111	126	465	36
45 to 49 years	123	2	4	5	3	11	2	5	6	19	63	3
50 years and over	3	-	-	-	1	-	-	-	-	1	1	-
Not stated	239	49	60	24	20	15	10	7	14	8	8	24
Native white	49,218	16,625	12,325	6,535	3,706	2,601	1,854	1,297	944	712	1,336	1,283
Under 15 years	48	45	3	-	-	-	-	-	-	-	-	-
15 to 19 years	7,997	6,056	1,632	222	24	2	1	-	-	-	-	60
20 to 24 years	17,197	7,027	5,797	2,468	911	352	90	24	6	-	3	519
25 to 29 years	11,769	2,320	3,152	2,284	1,492	1,048	653	301	128	53	23	335
30 to 34 years	6,782	793	1,206	1,085	819	718	636	528	368	232	205	192
35 to 39 years	3,784	297	400	387	350	378	371	330	311	275	570	115
40 to 44 years	1,277	36	71	80	86	77	91	102	111	124	463	36
45 to 49 years	123	2	4	5	3	11	2	5	6	19	63	3
50 years and over	3	-	-	-	1	-	-	-	-	1	1	-
Not stated	238	49	60	24	20	15	10	7	14	8	8	23
Foreign-born white	380	145	134	60	14	8	4	5	-	2	4	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	12	7	-	-	-	-	-	-	-	-	-
20 to 24 years	143	66	55	16	1	-	-	1	-	-	-	4
25 to 29 years	121	45	49	20	5	2	-	-	-	-	-	-
30 to 34 years	38	8	11	15	1	1	1	-	-	-	1	-
35 to 39 years	41	10	9	7	3	5	3	3	-	-	1	-
40 to 44 years	18	4	3	2	4	-	-	1	-	2	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,788	801	586	389	224	200	162	108	81	66	103	68
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	568	400	137	24	4	1	-	-	-	-	-	2
20 to 24 years	923	277	296	192	76	36	16	1	1	1	-	27
25 to 29 years	585	68	91	105	82	91	56	45	17	10	2	18
30 to 34 years	372	28	35	45	40	46	51	33	40	25	20	9
35 to 39 years	235	7	23	15	16	19	30	28	19	22	49	7
40 to 44 years	66	4	1	5	2	4	7	1	4	7	27	4
45 to 49 years	3	-	-	-	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	23	4	3	3	4	3	2	-	-	1	2	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WEST VIRGINIA—Continued												
Nonwhite—Continued												
Negro	2,779	798	581	389	224	200	162	107	81	66	103	68
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	564	398	135	24	4	1	-	-	-	-	-	2
20 to 24 years	922	277	295	192	76	36	16	1	1	1	-	27
25 to 29 years	582	67	90	105	82	91	56	44	17	10	2	18
30 to 34 years	372	28	35	45	40	46	51	33	40	25	20	9
35 to 39 years	234	7	22	15	16	19	30	28	19	22	49	7
40 to 44 years	66	4	1	5	2	4	7	1	4	7	27	4
45 to 49 years	3	-	-	-	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	23	4	3	3	4	3	2	-	-	1	2	1
WISCONSIN												
Total births	81,630	28,865	23,924	13,033	6,665	3,551	2,060	1,192	765	489	760	346
Under 15 years	26	25	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,156	5,087	939	108	9	2	1	-	-	-	-	10
20 to 24 years	26,720	13,959	8,945	2,685	767	199	50	11	2	2	-	100
25 to 29 years	24,049	6,583	8,477	4,867	2,105	1,062	502	215	84	30	8	116
30 to 34 years	14,915	2,191	3,987	3,537	2,248	1,225	723	415	270	142	117	60
35 to 39 years	7,440	817	1,510	1,488	1,218	828	597	386	258	182	312	44
40 to 44 years	2,051	163	220	314	291	212	176	146	142	100	277	10
45 to 49 years	131	4	11	10	12	17	6	15	6	10	40	-
50 years and over	4	1	-	-	1	1	-	-	-	1	-	-
Not stated	136	35	34	24	14	5	5	4	3	2	6	6
White	80,595	28,580	23,669	12,888	6,577	3,485	1,999	1,151	732	448	724	342
Under 15 years	23	22	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,950	4,954	877	99	8	2	1	-	-	-	-	9
20 to 24 years	26,399	13,859	8,850	2,624	740	188	46	10	2	2	-	98
25 to 29 years	23,784	6,550	8,426	4,815	2,069	1,051	470	201	73	27	6	116
30 to 34 years	14,789	2,184	3,966	3,522	2,235	1,209	709	401	256	133	115	59
35 to 39 years	7,360	810	1,305	1,482	1,209	822	588	377	253	176	294	44
40 to 44 years	2,023	162	220	313	289	210	174	144	138	97	265	10
45 to 49 years	130	4	11	10	12	17	6	14	6	10	40	-
50 years and over	4	1	-	-	1	1	-	-	-	1	-	-
Not stated	133	34	33	23	14	5	5	4	3	2	4	6
Native white	78,967	28,014	23,142	12,637	6,470	3,427	1,957	1,133	721	436	696	334
Under 15 years	23	22	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,909	4,921	869	99	8	2	1	-	-	-	-	9
20 to 24 years	25,952	13,613	8,672	2,587	735	188	45	10	2	2	-	98
25 to 29 years	23,240	6,340	8,219	4,726	2,047	1,021	469	200	73	26	6	113
30 to 34 years	14,544	2,136	3,869	3,472	2,211	1,193	702	400	256	133	113	59
35 to 39 years	7,134	789	1,261	1,424	1,173	802	571	369	247	172	283	43
40 to 44 years	1,909	154	209	297	271	199	159	136	134	90	251	9
45 to 49 years	125	4	11	10	10	16	5	14	6	10	39	-
50 years and over	4	1	-	-	1	1	-	-	-	1	-	-
Not stated	127	34	31	22	14	5	5	4	3	2	4	3
Foreign-born white	1,619	565	526	250	107	58	41	18	10	12	27	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	41	33	8	-	-	-	-	-	-	-	-	-
20 to 24 years	445	245	157	37	5	-	1	-	-	-	-	-
25 to 29 years	543	210	207	88	22	10	1	1	-	1	-	3
30 to 34 years	243	48	97	50	24	15	6	1	-	-	1	-
35 to 39 years	226	21	44	58	36	20	17	8	6	4	11	1
40 to 44 years	113	8	11	16	18	11	15	8	4	7	14	1
45 to 49 years	5	-	-	-	2	1	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	2	1	-	-	-	-	-	-	-	-
Nonwhite	1,035	285	255	145	88	66	61	41	33	21	36	4
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	206	133	62	9	1	-	-	-	-	-	-	1
20 to 24 years	321	100	115	61	27	11	4	1	-	-	-	2
25 to 29 years	265	33	51	52	36	31	32	14	11	3	2	-
30 to 34 years	126	7	21	15	13	16	14	14	14	9	2	1
35 to 39 years	80	7	5	6	9	6	9	9	5	6	18	-
40 to 44 years	28	1	-	1	2	2	2	2	3	3	12	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	1	-	-	-	-	-	-	2	-
Negro	613	192	164	106	49	41	23	13	9	9	5	2
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	141	92	39	9	1	-	-	-	-	-	-	-
20 to 24 years	209	69	72	45	12	8	2	-	-	-	-	1
25 to 29 years	157	18	33	38	22	22	11	6	5	2	-	-
30 to 34 years	59	4	16	10	6	7	5	4	3	3	-	1
35 to 39 years	34	5	4	4	7	3	3	2	1	4	1	-
40 to 44 years	9	1	-	-	1	1	2	1	-	-	3	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	-	-	-	-	-	-	1	-
WYOMING												
Total births	7,418	2,644	2,210	1,167	609	315	165	83	88	33	70	34
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,021	811	180	23	4	2	-	-	-	-	-	1
20 to 24 years	2,807	1,155	965	317	118	38	4	2	-	-	-	8
25 to 29 years	1,944	430	646	453	215	114	53	11	11	1	-	10
30 to 34 years	1,128	160	515	241	177	85	56	27	34	11	13	9
35 to 39 years	559	68	84	117	75	58	43	33	29	18	29	5
40 to 44 years	134	8	19	15	18	17	8	10	13	2	24	-
45 to 49 years	11	1	-	1	2	1	1	-	1	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	1	-	-	-	-	-	-	1	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1948—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WYOMING—Continued												
White	7,226	2,583	2,175	1,135	588	299	157	78	81	28	59	33
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	997	790	178	22	4	2	-	-	-	-	-	1
20 to 24 years	2,545	1,137	943	301	112	38	4	2	-	-	-	8
25 to 29 years	1,887	420	638	444	207	101	47	9	10	1	-	10
30 to 34 years	1,103	160	314	238	173	83	54	26	30	9	8	8
35 to 39 years	542	68	82	115	72	58	45	31	27	15	26	5
40 to 44 years	130	8	19	14	18	16	8	10	13	2	22	-
45 to 49 years	10	1	-	1	2	1	1	-	1	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	1	-	-	-	-	-	-	1	-	1
Native white	7,054	2,540	2,126	1,108	581	292	152	73	73	28	51	30
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	990	785	177	21	4	2	-	-	-	-	-	1
20 to 24 years	2,493	1,109	922	300	111	38	4	2	-	-	-	7
25 to 29 years	1,843	405	622	435	205	100	46	9	10	1	-	10
30 to 34 years	1,073	156	308	233	170	81	51	24	26	9	6	7
35 to 39 years	518	66	79	106	71	56	42	30	24	15	24	5
40 to 44 years	118	7	18	12	18	14	8	8	12	2	19	-
45 to 49 years	9	1	-	1	2	1	1	-	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	-	-	-	-	1	-	-
Foreign-born white	166	51	48	26	7	7	5	5	7	-	8	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6	4	1	1	-	-	-	-	-	-	-	-
20 to 24 years	50	27	20	1	1	-	-	-	-	-	-	1
25 to 29 years	44	15	16	9	2	1	1	-	-	-	-	-
30 to 34 years	29	2	6	5	3	2	3	2	3	-	2	1
35 to 39 years	23	2	3	8	1	2	1	1	3	-	2	-
40 to 44 years	12	1	1	2	-	2	-	2	1	-	3	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	192	51	35	32	21	16	8	5	7	5	11	1
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	24	21	2	1	-	-	-	-	-	-	-	-
20 to 24 years	62	18	22	16	6	-	-	-	-	-	-	-
25 to 29 years	57	10	6	9	8	13	6	2	1	-	-	-
30 to 34 years	25	-	1	3	4	2	2	1	4	2	5	1
35 to 39 years	17	-	2	2	3	-	-	2	2	3	3	-
40 to 44 years	4	-	-	1	-	1	-	-	-	-	2	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1948

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
ALL RACES	3,535,068	1,257,623	976,831	505,009	249,804	138,331	84,416	55,129	37,032	25,177	17,122	11,053	7,111	4,222	2,309	1,210	603	688	161,398
Under 15 years	4,884	4,426	375	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
15 years	13,484	12,160	1,082	86	8	3	-	-	-	-	-	-	-	-	-	-	-	-	145
16 years	37,552	32,761	3,919	362	36	6	4	-	-	-	-	-	-	-	-	-	-	-	444
17 years	77,144	63,262	11,324	1,336	142	26	7	9	-	-	-	-	-	-	-	-	-	-	1,036
18 years	129,640	97,609	25,459	3,784	527	96	15	10	2	-	-	-	-	-	-	-	-	-	2,138
19 years	174,133	118,403	42,101	8,307	1,434	230	46	17	6	4	-	-	-	-	-	-	-	-	3,585
20 years	209,893	122,347	59,402	15,619	3,634	767	183	55	28	9	5	2	-	-	-	-	-	-	7,842
21 years	228,319	117,885	70,874	22,553	6,147	1,511	383	103	33	12	4	2	-	-	-	-	-	-	8,812
22 years	235,278	107,987	76,001	28,196	9,319	2,635	737	245	70	24	6	5	2	-	-	-	-	-	9,852
23 years	245,992	99,052	81,331	34,620	13,444	4,690	1,537	452	148	59	23	6	7	3	-	-	-	-	10,620
24 years	240,385	85,976	80,044	37,099	15,813	6,911	2,584	845	215	95	22	9	3	1	1	-	-	-	10,777
25 years	224,483	71,867	74,431	37,014	16,680	8,211	3,576	1,427	452	162	52	19	12	8	1	-	-	-	10,591
26 years	215,061	61,597	71,052	37,278	17,525	9,414	4,674	2,013	674	266	86	26	12	2	5	2	-	-	10,435
27 years	200,092	50,757	65,393	36,352	17,713	10,086	5,579	2,660	1,089	438	148	58	22	12	5	1	2	-	9,777
28 years	185,443	41,991	57,307	35,227	16,217	10,598	6,451	3,461	1,717	723	281	89	34	14	9	8	2	1	9,333
29 years	155,825	32,321	46,873	30,275	15,846	9,446	5,974	3,564	1,890	846	344	142	46	18	8	6	2	-	8,224
30 years	148,781	28,157	42,492	29,636	16,223	9,454	6,235	4,085	2,359	1,236	542	277	93	40	14	7	4	11	7,326
31 years	123,194	21,667	33,551	25,596	13,915	8,351	5,477	3,634	2,238	1,216	571	263	100	40	20	5	1	6	6,563
32 years	115,376	18,082	28,806	23,701	14,005	8,340	5,781	4,108	2,796	1,628	814	449	208	83	22	11	4	4	6,554
33 years	101,464	14,915	23,986	20,400	12,644	7,777	5,390	3,943	2,902	1,801	1,054	495	252	98	53	22	3	5	5,824
34 years	91,656	12,567	20,021	17,982	11,657	7,419	5,104	3,946	3,102	2,060	1,193	684	335	182	74	30	14	11	5,255
35 years	78,646	10,306	16,119	15,020	9,996	6,494	4,624	3,607	2,782	2,070	1,401	800	425	207	88	39	12	15	4,671
36 years	66,733	9,093	12,513	11,972	8,416	5,713	4,249	3,377	2,699	2,090	1,529	956	543	282	149	64	29	16	4,043
37 years	56,738	6,617	9,827	9,453	7,092	4,961	3,793	2,953	2,522	2,006	1,608	1,054	679	311	165	84	28	32	3,553
38 years	50,273	5,304	7,657	7,639	6,116	4,488	3,462	2,892	2,454	2,174	1,805	1,257	761	485	288	134	72	75	3,250
39 years	37,031	3,788	5,305	5,331	4,460	3,245	2,559	2,264	1,885	1,660	1,420	1,029	752	461	249	104	71	69	2,381
40 years	28,382	2,588	3,579	3,864	3,211	2,532	2,009	1,744	1,567	1,417	1,255	1,008	691	462	276	160	58	78	1,903
41 years	18,378	1,600	2,102	2,312	2,065	1,684	1,350	1,192	1,032	953	838	675	525	372	204	109	63	70	1,232
42 years	14,449	1,041	1,372	1,590	1,482	1,210	1,109	1,020	885	839	809	670	564	362	206	120	71	92	1,007
43 years	8,709	546	674	862	750	720	634	619	651	561	542	452	395	292	176	113	73	73	576
44 years	4,846	248	346	404	414	371	362	354	342	328	330	276	246	188	126	79	41	60	331
45 years	2,698	111	149	179	189	214	177	180	195	210	185	169	193	145	89	54	23	33	204
46 years	1,251	65	63	61	102	81	81	105	94	93	89	78	79	65	43	22	16	13	101
47 years	605	34	39	35	29	36	40	41	30	54	39	38	39	42	26	19	4	11	49
48 years	375	21	17	20	17	26	17	18	31	25	31	31	29	21	17	9	5	6	34
49 years	124	9	11	6	9	11	6	6	6	10	13	8	7	2	4	2	2	3	9
50 years	38	-	6	4	2	1	2	2	1	4	5	4	1	2	-	-	-	-	4
51 years	22	2	3	3	1	-	-	4	-	4	-	1	1	-	1	1	-	-	1
52 years	19	-	2	2	4	1	1	1	-	1	3	1	1	-	-	-	1	-	1
53 years	14	-	1	3	1	1	-	3	1	-	1	-	-	2	-	-	-	-	1
54 and over	69	11	11	12	4	4	1	1	4	4	3	2	1	2	-	-	-	-	9
Not stated	7,589	1,470	1,351	794	534	379	243	169	150	95	71	38	33	18	11	5	2	4	2,242
WHITE[1]	3,080,316	1,131,375	877,977	441,005	207,701	108,582	62,851	39,114	25,428	16,789	11,121	7,059	4,503	2,538	1,377	682	338	337	141,559
Under 15 years	1,753	1,653	71	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
15 years	6,924	6,546	287	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-	70
16 years	24,209	22,276	1,588	79	10	2	1	-	-	-	-	-	-	-	-	-	-	-	253
17 years	56,853	49,164	6,420	447	32	3	2	4	-	-	-	-	-	-	-	-	-	-	761
18 years	101,852	81,356	16,963	1,667	159	30	4	6	-	-	-	-	-	-	-	-	-	-	1,667
19 years	144,051	103,963	31,808	4,572	552	52	14	4	2	-	-	-	-	-	-	-	-	-	3,084
20 years	177,264	110,402	48,456	10,061	1,651	275	55	22	10	1	1	1	-	-	-	-	-	-	6,329
21 years	197,206	108,372	60,804	16,284	3,480	648	124	30	8	-	1	-	-	-	-	-	-	-	7,455
22 years	205,009	100,158	67,000	21,764	5,793	1,376	279	83	21	6	2	1	1	-	-	-	-	-	8,525
23 years	216,186	92,520	73,490	28,190	9,184	2,628	651	157	42	13	5	3	4	3	-	-	-	-	9,296
24 years	213,466	80,964	73,731	31,484	11,658	4,300	1,354	335	82	27	11	2	1	-	1	-	-	-	9,538
25 years	200,786	67,890	69,425	32,583	13,095	5,473	1,977	660	144	44	14	3	6	6	1	-	-	-	9,465
26 years	195,787	58,372	67,082	33,436	14,325	6,741	2,817	1,028	317	87	17	6	3	-	2	-	-	-	9,454
27 years	180,417	47,970	61,949	33,145	14,931	7,529	3,681	1,533	511	193	50	9	10	4	1	-	-	-	8,901
28 years	165,759	39,585	54,277	32,255	15,415	8,131	4,298	2,012	885	319	109	35	14	4	2	-	-	-	8,418
29 years	140,335	30,555	44,595	28,145	13,790	7,527	4,329	2,286	1,036	422	125	56	17	6	3	2	1	-	7,440
30 years	134,036	26,808	40,485	27,753	14,378	7,794	4,670	2,702	1,416	664	242	114	30	12	2	3	1	2	7,160
31 years	112,466	20,682	32,156	24,258	12,684	7,146	4,287	2,588	1,410	718	311	129	43	9	11	2	1	1	6,030
32 years	103,947	17,091	27,528	22,339	12,782	7,101	4,495	2,976	1,878	958	463	223	94	34	5	4	-	3	5,975
33 years	91,338	14,173	22,828	19,321	11,590	6,754	4,386	2,898	1,959	1,157	608	267	124	41	20	10	2	2	5,198
34 years	81,948	11,823	19,087	17,023	10,705	6,486	4,200	3,038	2,156	1,337	696	381	180	81	44	14	2	4	4,701
35 years	70,302	9,760	15,394	14,208	9,213	5,686	3,830	2,779	2,037	1,412	879	472	244	107	35	21	5	5	4,215
36 years	59,086	7,624	11,874	11,369	7,797	5,011	3,576	2,686	1,987	1,489	962	568	311	148	83	26	12	4	3,619
37 years	50,186	6,218	9,346	8,939	6,584	4,413	3,219	2,398	1,962	1,434	1,103	689	398	166	93	37	9	14	3,144
38 years	43,606	5,013	7,254	7,169	5,614	3,976	2,947	2,330	1,861	1,577	1,198	797	475	268	147	70	37	34	2,819
39 years	32,538	3,604	5,075	5,058	4,167	2,919	2,215	1,870	1,537	1,264	1,002	711	498	275	141	56	40	21	2,085
40 years	24,947	2,432	3,421	3,663	2,992	2,302	1,765	1,482	1,283	1,118	974	726	488	296	154	93	36	34	1,688
41 years	16,485	1,515	2,020	2,216	1,948	1,588	1,239	1,064	890	772	662	517	385	269	141	63	37	45	1,114
42 years	12,643	986	1,302	1,506	1,378	1,124	1,010	897	747	686	645	516	415	250	144	72	46	47	872
43 years	7,546	514	641	816	704	661	577	550	561	463	428	345	290	211	126	78	47	43	491
44 years	4,251	235	329	383	388	348	330	307	308	274	289	227	200	139	89	56	25	36	288
45 years	2,300	108	141	166	181	197	148	158	171	181	152	132	148	106	65	37	15	23	171
46 years	1,048	60	57	55	94	73	71	95	76	79	75	62	59	46	29	14	12	5	86
47 years	493	29	31	32	24	31	33	36	25	46	36	27	24	32	18	15	3	7	44
48 years	253	14	12	15	15	23	11	15	17	17	22	14	21	13	8	5	3	5	23
49 years	90	7	9	4	8	8	6	5	4	8	9	5	5	-	4	1	1	1	5
50 years	27	-	5	2	2	1	1	-	1	4	2	2	1	2	-	-	-	-	4
51 years	16	1	2	2	1	-	-	3	-	2	-	1	1	-	1	1	-	-	1
52 years	16	-	2	2	3	1	1	1	-	1	2	1	-	-	-	-	1	-	1
53 years	10	-	1	3	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-
54 years and over	55	10	11	12	4	3	1	-	3	3	2	-	-	1	-	-	-	-	5
Not stated	4,856	1,122	1,020	562	366	219	127	94	80	43	34	17	13	8	7	2	2	1	1,119

[1] Includes nativity not stated.

TABLE 7.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1948—Continued

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
Native white	2,972,635	1,095,596	847,536	428,448	201,026	105,058	60,686	37,692	24,441	16,076	10,557	6,720	4,240	2,352	1,268	619	309	284	131,927
Under 15 years	1,735	1,637	70	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
15 years	6,871	6,497	284	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-	69
16 years	24,014	22,105	1,572	78	10	2	1	-	-	-	-	-	-	-	-	-	-	-	246
17 years	56,398	48,786	6,361	441	32	3	2	4	-	-	-	-	-	-	-	-	-	-	769
18 years	100,804	80,578	16,754	1,646	157	28	4	5	-	-	-	-	-	-	-	-	-	-	1,632
19 years	141,891	102,441	31,323	4,512	547	52	14	4	2	-	-	-	-	-	-	-	-	-	2,996
20 years	173,719	108,321	47,443	9,867	1,623	272	51	21	10	1	1	1	-	-	-	-	-	-	6,108
21 years	192,601	105,850	58,388	15,948	3,437	643	121	30	8	-	-	-	-	-	-	-	-	-	7,165
22 years	199,220	97,170	65,172	21,286	5,687	1,355	278	61	21	6	2	1	1	-	-	-	-	-	8,160
23 years	210,029	89,626	71,473	27,549	9,041	2,594	642	154	42	13	5	3	4	3	-	-	-	-	8,880
24 years	206,790	78,014	71,483	30,774	11,455	4,231	1,332	328	59	27	11	2	1	-	1	-	-	-	9,072
25 years	193,745	64,944	67,026	31,793	12,847	5,356	1,954	648	141	43	14	3	5	6	1	-	-	-	8,964
26 years	186,525	55,500	64,633	32,526	14,040	6,614	2,860	1,009	310	84	16	8	3	-	2	-	-	-	8,922
27 years	173,399	45,487	59,486	32,179	14,596	7,400	3,619	1,499	501	169	50	8	10	3	1	-	-	-	8,371
28 years	159,127	37,444	51,996	31,289	14,997	7,961	4,215	1,975	871	309	107	34	14	4	2	-	-	-	7,909
29 years	135,571	29,250	43,024	27,362	13,471	7,353	4,225	2,242	1,008	402	121	53	15	6	3	2	1	-	7,033
30 years	129,629	25,463	39,130	26,986	14,043	7,628	4,572	2,638	1,382	647	231	110	29	11	2	3	1	2	6,751
31 years	108,843	19,837	31,017	23,607	12,390	6,990	4,201	2,525	1,387	702	305	127	42	9	11	2	1	1	5,689
32 years	100,159	16,259	26,465	21,671	12,423	6,927	4,386	2,906	1,823	930	444	216	88	33	5	3	-	3	5,577
33 years	87,423	13,395	21,819	18,527	11,193	6,552	4,273	2,817	1,901	1,121	591	258	120	40	20	10	1	2	4,783
34 years	77,852	11,027	18,040	16,263	10,269	6,272	4,054	2,944	2,079	1,295	656	354	170	77	41	14	1	4	4,292
35 years	66,149	9,051	14,418	13,384	8,765	5,430	3,656	2,671	1,955	1,353	844	450	232	98	31	18	5	5	3,783
36 years	55,338	7,042	11,065	10,625	7,378	4,766	3,411	2,564	1,923	1,402	914	533	292	136	80	25	12	4	3,166
37 years	46,723	5,699	8,647	8,330	6,205	4,170	3,055	2,276	1,877	1,376	1,045	652	374	158	83	35	9	12	2,720
38 years	40,154	4,552	6,656	6,608	5,185	3,724	2,768	2,193	1,763	1,507	1,125	756	452	245	136	64	33	27	2,362
39 years	29,961	3,273	4,670	4,659	3,851	2,709	2,080	1,765	1,480	1,205	940	681	470	251	132	48	35	20	1,714
40 years	22,896	2,220	3,107	3,338	2,755	2,130	1,657	1,399	1,213	1,049	924	698	463	275	140	78	36	27	1,387
41 years	15,037	1,373	1,807	2,008	1,790	1,447	1,140	991	847	735	630	489	363	251	128	58	33	39	908
42 years	11,382	870	1,152	1,325	1,216	1,032	932	830	701	644	608	490	387	229	133	62	41	38	692
43 years	6,785	451	573	713	623	597	526	505	519	429	404	335	270	196	115	74	43	36	376
44 years	3,807	214	278	333	350	311	299	286	297	250	269	211	188	128	79	53	24	28	210
45 years	2,044	94	123	145	152	178	130	150	152	169	137	124	134	99	59	38	13	21	128
46 years	922	53	52	49	82	63	62	86	64	71	66	61	53	43	27	13	11	5	61
47 years	437	25	26	28	22	27	26	32	22	44	32	26	22	31	18	14	3	5	34
48 years	212	11	9	14	14	18	11	14	17	14	19	13	18	11	7	5	2	3	12
49 years	85	7	7	4	8	8	5	5	3	8	9	5	5	-	4	1	1	1	4
50 years	24	-	5	1	2	1	1	-	-	4	2	2	1	2	-	-	-	-	3
51 years	14	1	1	2	1	-	-	2	-	2	-	1	1	-	1	1	-	-	1
52 years	15	-	2	2	3	1	1	-	-	1	2	1	-	-	-	-	1	-	1
53 years	9	-	1	3	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
54 years and over	50	9	11	11	4	3	1	-	3	3	2	-	-	-	-	-	-	-	3
Not stated	4,446	1,020	956	545	358	208	121	91	79	41	32	16	13	7	6	2	2	1	948
Foreign-born white	106,096	35,355	30,140	14,389	6,594	3,488	2,103	1,399	966	703	555	329	259	182	108	63	28	52	9,403
Under 15 years	17	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 years	47	43	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
16 years	174	153	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
17 years	429	360	51	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
18 years	1,002	740	202	21	2	1	-	1	-	-	-	-	-	-	-	-	-	-	35
19 years	2,110	1,489	472	58	4	-	-	-	-	-	-	-	-	-	-	-	-	-	87
20 years	3,470	2,044	984	188	27	3	4	1	-	-	-	-	-	-	-	-	-	-	219
21 years	4,517	2,485	1,381	321	38	5	3	-	-	-	1	-	-	-	-	-	-	-	282
22 years	5,738	2,972	1,011	463	104	20	1	2	-	-	-	-	-	-	-	-	-	-	359
23 years	6,067	2,863	1,990	623	138	33	8	3	-	-	-	-	-	-	-	-	-	-	409
24 years	6,592	2,932	2,218	696	193	67	19	6	3	-	-	-	-	-	-	-	-	-	458
25 years	6,976	2,926	2,386	775	242	114	22	11	3	1	-	-	1	-	-	-	-	-	495
26 years	7,201	2,859	2,438	898	276	117	54	19	7	3	1	-	-	-	-	-	-	-	529
27 years	6,959	2,473	2,443	957	328	128	59	34	10	4	-	1	-	1	-	-	-	-	523
28 years	6,589	2,132	2,267	960	414	166	82	36	14	10	2	1	-	-	-	-	-	-	505
29 years	4,727	1,298	1,566	777	314	171	97	43	28	20	4	3	2	-	-	-	-	-	404
30 years	4,373	1,134	1,346	763	331	166	96	64	34	17	11	4	-	1	-	-	-	-	406
31 years	3,592	841	1,134	647	291	152	84	59	22	15	6	2	1	-	-	-	-	-	338
32 years	3,762	830	1,058	662	354	173	108	70	54	28	17	7	6	1	-	1	-	-	393
33 years	3,890	775	1,003	789	396	201	112	81	57	36	17	8	4	1	-	-	1	-	409
34 years	4,065	794	1,042	756	432	213	142	92	75	41	29	27	10	4	3	-	1	-	404
35 years	4,117	705	972	819	445	255	173	105	77	57	35	21	12	9	4	3	-	-	425
36 years	3,736	580	802	743	419	243	163	99	63	57	48	34	19	11	3	1	-	-	451
37 years	3,425	514	698	607	377	240	164	119	85	58	58	35	24	8	10	2	-	2	422
38 years	3,428	460	594	560	429	251	174	135	116	68	72	40	23	23	11	6	4	7	455
39 years	2,562	330	404	396	315	209	134	105	75	58	61	30	28	24	9	10	5	1	368
40 years	2,034	211	313	325	235	188	108	83	68	68	48	28	24	20	14	15	-	6	300
41 years	1,437	141	213	206	158	140	98	73	42	37	31	28	21	18	13	5	4	6	203
42 years	1,255	116	150	179	162	92	78	67	45	42	37	25	28	21	11	10	5	9	178
43 years	758	63	68	103	81	64	51	45	42	34	24	9	20	15	11	4	3	7	114
44 years	440	21	51	50	38	37	31	21	10	23	21	15	12	11	10	3	1	8	77
45 years	253	14	17	21	29	19	18	8	19	12	15	7	13	7	6	1	2	2	43
46 years	126	7	5	6	12	10	9	9	12	8	9	1	6	3	2	1	1	-	25
47 years	56	4	5	4	2	4	7	4	3	2	4	1	2	1	-	1	-	2	10
48 years	40	3	3	1	1	5	-	1	-	3	3	1	3	2	1	-	1	2	10
49 years	5	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
50 years	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
51 years	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
52 years	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
53 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54 years and over	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Not stated	124	27	33	6	6	3	3	1	-	1	1	1	-	-	-	-	-	-	42

TABLE 7.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1948—Continued

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
NONWHITE	454,752	126,248	98,854	64,004	42,103	29,749	21,585	16,015	11,604	8,388	6,001	3,994	2,608	1,684	932	528	265	351	19,838
Under 15 years	3,131	2,775	304	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	34
15 years	6,560	5,614	795	71	3	2	-	-	-	-	-	-	-	-	-	-	-	-	75
16 years	13,333	10,485	2,331	283	26	4	3	-	-	-	-	-	-	-	-	-	-	-	191
17 years	20,291	14,098	4,904	889	110	23	5	5	-	-	-	-	-	-	-	-	-	-	257
18 years	27,788	16,253	8,496	2,117	368	66	11	4	2	-	-	-	-	-	-	-	-	-	471
19 years	30,082	14,440	10,293	3,735	882	178	32	13	4	4	-	-	-	-	-	-	-	-	501
20 years	32,629	11,945	10,946	5,558	1,983	492	128	33	18	8	4	1	-	-	-	-	-	-	1,513
21 years	31,113	9,513	10,070	6,269	2,667	863	259	73	25	12	3	2	-	-	-	-	-	-	1,357
22 years	30,259	7,829	9,001	6,431	3,526	1,459	458	162	49	18	4	4	1	-	-	-	-	-	1,327
23 years	29,806	6,532	7,841	6,430	4,260	2,062	886	285	106	46	18	3	3	-	-	-	-	-	1,324
24 years	26,929	5,012	6,313	5,615	4,157	2,611	1,230	510	153	68	11	7	2	1	-	-	-	-	1,239
25 years	23,897	3,977	5,006	4,431	3,565	2,738	1,599	767	308	118	38	16	6	2	-	-	-	-	1,126
26 years	21,274	3,225	3,970	3,842	3,200	2,673	1,757	985	357	179	69	20	9	2	3	2	-	-	961
27 years	19,875	2,787	3,444	3,207	2,782	2,557	1,898	1,127	578	245	98	49	12	8	4	1	2	-	876
28 years	19,684	2,406	3,030	2,972	2,802	2,467	2,133	1,449	832	404	172	54	20	10	7	8	2	1	915
29 years	15,490	1,766	2,278	2,130	2,056	1,919	1,645	1,278	854	424	219	86	29	12	5	4	1	-	784
30 years	14,755	1,549	2,007	1,883	1,845	1,660	1,565	1,383	943	572	300	163	63	28	12	4	3	9	766
31 years	10,728	985	1,375	1,338	1,231	1,205	1,190	1,046	828	498	260	134	57	31	9	3	-	5	533
32 years	11,429	991	1,278	1,362	1,223	1,239	1,266	1,132	918	670	351	226	114	49	17	7	4	1	581
33 years	10,126	742	1,058	1,079	1,054	1,023	1,004	1,045	943	644	446	228	128	57	33	12	1	3	626
34 years	9,708	744	934	959	952	933	904	908	946	723	507	303	175	101	30	16	12	7	554
35 years	8,344	546	725	812	783	798	794	828	725	658	522	328	181	100	53	18	7	10	456
36 years	7,637	469	639	603	619	702	673	711	712	651	567	388	232	134	66	38	17	12	424
37 years	6,572	398	481	514	508	548	574	555	560	572	505	365	281	145	72	47	19	18	409
38 years	6,687	291	403	470	502	512	515	562	573	597	607	440	286	217	121	64	35	41	431
39 years	4,493	184	230	273	293	324	344	394	348	398	418	318	254	186	108	48	31	48	296
40 years	3,435	136	158	201	219	230	244	262	284	299	281	282	203	166	122	67	22	44	215
41 years	1,893	85	82	96	117	96	111	128	142	181	176	158	140	103	63	46	26	25	118
42 years	1,806	55	70	84	104	86	99	123	138	153	164	154	149	112	62	48	25	45	135
43 years	1,163	32	33	46	46	59	57	69	90	98	114	107	105	81	50	35	26	30	85
44 years	595	13	17	21	26	23	32	47	34	54	41	49	46	49	37	23	16	24	43
45 years	398	3	8	13	8	17	29	22	24	29	33	37	45	39	23	17	8	10	33
46 years	203	5	6	6	8	8	10	10	18	14	14	16	20	19	14	8	4	8	15
47 years	112	5	8	3	5	5	7	5	5	8	3	11	15	10	8	4	1	4	5
48 years	122	7	5	5	2	3	6	3	14	8	9	17	8	8	9	4	2	1	11
49 years	34	2	2	2	1	3	-	1	2	2	4	3	2	2	-	1	1	2	4
50 years	11	-	1	2	-	-	1	2	-	-	3	2	-	-	-	-	-	-	-
51 years	6	1	1	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
52 years	3	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
53 years	4	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1
54 years and over	14	1	-	-	-	1	-	1	1	1	1	2	1	1	-	-	-	-	4
Not stated	2,753	348	311	232	168	160	116	75	70	52	37	21	20	10	4	3	-	3	1,123

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U. S. ONLY): UNITED STATES AND EACH STATE, 1948

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	3,535,068	52	64,759	765,288	1,036,246	750,163	453,861	217,289	84,868	28,714	16,771	115,057
Under 15 years	4,884	12	978	966	219	46	30	16	15	5	4	2,593
15 to 19 years	431,933	19	53,476	242,218	72,614	13,900	4,058	1,288	524	202	163	43,471
20 to 24 years	1,159,877	8	9,650	466,022	476,428	124,074	32,648	10,476	3,683	1,256	910	34,742
25 to 29 years	980,804	4	460	50,522	433,455	338,203	101,523	27,838	9,500	3,013	1,987	16,399
30 to 34 years	580,481	3	74	3,909	48,841	243,826	187,328	60,432	18,024	6,262	3,468	8,314
35 to 39 years	289,421	3	28	634	5,084	29,280	118,417	86,108	30,171	9,316	5,538	4,842
40 to 44 years	74,764	3	7	80	375	1,894	9,013	30,152	20,629	7,387	3,906	1,318
45 to 49 years	5,053	-	5	15	25	62	168	602	2,126	1,208	719	123
50 years and over	162	-	-	1	11	17	21	22	16	33	33	8
Not stated	7,589	-	81	921	1,194	861	655	355	160	52	43	3,247
Male	1,813,852	27	33,287	393,705	533,618	384,812	232,059	111,123	43,246	14,634	8,524	58,817
Under 15 years	2,492	5	509	476	112	17	19	8	8	2	1	1,335
15 to 19 years	222,381	12	27,516	124,542	37,572	7,153	2,123	689	268	92	77	22,335
20 to 24 years	595,236	3	4,906	239,697	244,252	63,644	16,733	5,347	1,883	635	457	17,679
25 to 29 years	503,726	2	253	26,113	223,156	172,415	51,969	14,090	4,800	1,528	1,046	8,355
30 to 34 years	297,377	1	37	2,047	25,089	124,977	95,768	30,985	9,268	3,196	1,740	4,269
35 to 39 years	147,882	2	15	313	2,587	15,129	60,412	44,104	15,307	4,713	2,842	2,458
40 to 44 years	38,195	2	5	40	190	984	4,604	15,388	10,562	3,813	1,955	652
45 to 49 years	2,556	-	3	11	17	31	85	323	1,052	605	372	57
50 years and over	83	-	-	1	6	11	11	10	5	20	15	4
Not stated	3,924	-	41	465	637	451	336	179	93	30	19	1,673
Female	1,721,216	25	31,472	371,583	504,628	365,351	221,802	106,166	41,622	14,080	8,247	56,240
Under 15 years	2,392	7	469	490	107	29	11	8	7	3	3	1,258
15 to 19 years	209,552	7	25,958	117,676	35,042	6,747	1,935	599	256	110	86	21,136
20 to 24 years	564,641	5	4,744	226,325	232,176	60,430	15,915	5,129	1,800	601	453	17,063
25 to 29 years	477,178	2	207	24,409	210,299	163,788	49,555	13,748	4,700	1,485	941	8,044
30 to 34 years	283,104	2	37	1,862	23,752	118,849	91,560	29,447	8,756	3,066	1,728	4,045
35 to 39 years	141,539	1	13	321	2,497	14,151	58,005	42,004	14,864	4,603	2,696	2,384
40 to 44 years	36,569	1	2	40	185	910	4,409	14,764	10,067	3,574	1,951	668
45 to 49 years	2,497	-	2	4	8	31	83	279	1,074	603	347	66
50 years and over	79	-	-	-	5	6	10	12	11	13	18	4
Not stated	3,665	-	40	456	557	410	319	176	87	22	24	1,574
WHITE	3,080,316	28	49,094	661,612	933,533	683,689	404,082	189,978	71,274	23,859	12,987	50,380
Under 15 years	1,753	1	377	568	132	27	19	11	7	4	1	606
15 to 19 years	333,889	12	39,911	199,925	60,846	11,596	3,120	950	402	169	119	16,839
20 to 24 years	1,009,131	5	8,269	410,529	424,351	109,564	27,056	8,338	2,761	941	686	16,629
25 to 29 years	881,084	4	404	45,819	397,144	307,076	88,526	23,135	7,351	2,297	1,468	7,862
30 to 34 years	523,735	3	58	3,493	45,266	225,936	169,447	53,059	14,893	5,003	2,667	3,890
35 to 39 years	255,708	2	20	549	4,513	27,032	106,943	76,730	25,777	7,702	4,218	2,222
40 to 44 years	65,872	1	5	64	328	1,743	8,335	26,942	18,174	6,444	3,194	642
45 to 49 years	4,184	-	3	11	20	53	139	518	1,763	1,037	574	46
50 years and over	124	-	-	1	10	12	16	19	10	28	25	3
Not stated	4,836	-	47	653	905	650	481	276	116	34	35	1,641
Male	1,583,344	14	25,372	341,070	480,460	351,184	206,875	97,290	36,427	12,011	6,570	26,051
Under 15 years	907	-	200	284	76	9	13	4	5	2	-	314
15 to 19 years	172,739	7	20,699	103,183	31,552	6,011	1,644	514	204	77	58	8,790
20 to 24 years	516,702	2	4,176	211,439	217,929	56,249	13,669	4,258	1,424	483	353	8,520
25 to 29 years	453,225	2	231	23,693	204,692	157,713	45,394	11,796	3,719	1,141	760	4,084
30 to 34 years	268,504	1	29	1,821	23,277	115,944	86,715	27,201	7,651	2,536	1,330	1,999
35 to 39 years	130,912	1	12	271	2,293	13,959	54,657	39,370	13,136	3,898	2,160	1,157
40 to 44 years	33,661	1	3	33	168	914	4,250	13,727	9,343	3,323	1,579	320
45 to 49 years	2,115	-	3	8	13	26	70	274	881	519	301	20
50 years and over	64	-	-	1	5	7	9	9	3	17	12	1
Not stated	2,515	-	19	337	475	352	254	137	61	17	17	848
Female	1,496,972	14	23,722	320,542	453,053	332,505	197,207	92,688	34,847	11,848	6,417	24,329
Under 15 years	846	1	177	284	56	18	6	7	2	2	1	292
15 to 19 years	161,150	5	19,212	96,742	29,294	5,585	1,476	436	198	92	61	8,049
20 to 24 years	490,429	3	4,093	199,090	206,422	53,315	13,187	4,080	1,337	458	335	8,109
25 to 29 years	427,859	2	173	22,126	192,452	149,363	43,132	11,339	3,632	1,156	706	3,778
30 to 34 years	255,231	2	29	1,672	22,009	109,992	82,732	25,858	7,242	2,467	1,337	1,891
35 to 39 years	124,796	1	8	278	2,220	13,073	52,286	37,360	12,641	3,805	2,058	1,065
40 to 44 years	32,211	-	2	31	160	829	4,085	13,215	8,831	3,121	1,615	322
45 to 49 years	2,069	-	-	3	7	27	69	244	902	518	273	26
50 years and over	60	-	-	-	5	5	7	10	7	11	13	2
Not stated	2,321	-	28	316	428	298	227	139	55	17	18	795
NONWHITE	454,752	24	15,665	103,676	104,713	66,474	49,779	27,311	13,594	5,055	3,784	64,677
Under 15 years	3,131	11	601	398	87	19	11	5	8	1	3	1,987
15 to 19 years	98,044	7	13,565	42,293	11,768	2,304	938	338	122	33	44	26,632
20 to 24 years	150,746	3	1,381	55,493	52,077	14,510	5,592	2,139	922	295	222	18,113
25 to 29 years	99,820	-	56	4,703	36,311	29,127	12,997	4,703	2,149	716	521	8,537
30 to 34 years	56,746	-	16	416	3,555	17,890	17,881	7,373	3,131	1,259	801	4,424
35 to 39 years	33,713	1	8	85	571	2,248	11,474	9,378	4,394	1,614	1,320	2,620
40 to 44 years	8,892	2	2	16	47	151	678	3,210	2,455	943	712	676
45 to 49 years	869	-	2	4	5	9	29	84	343	171	145	77
50 years and over	38	-	-	-	1	5	5	3	6	5	8	5
Not stated	2,753	-	34	268	291	211	174	79	64	18	8	1,606
Male	230,508	13	7,915	52,635	53,158	33,628	25,184	13,833	6,819	2,623	1,954	32,766
Under 15 years	1,585	5	309	192	36	8	6	4	3	-	1	1,021
15 to 19 years	49,642	5	6,819	21,359	6,020	1,142	479	175	64	15	19	13,545
20 to 24 years	76,534	1	730	28,258	26,323	7,395	2,864	1,089	459	152	104	9,159
25 to 29 years	50,501	-	22	2,420	18,464	14,702	6,574	2,294	1,081	387	286	4,271
30 to 34 years	28,873	-	8	226	1,812	9,033	9,053	3,784	1,817	660	410	2,270
35 to 39 years	15,970	1	3	42	294	1,170	5,755	4,734	2,171	817	682	1,301
40 to 44 years	4,534	1	2	7	22	70	354	1,661	1,219	490	376	332
45 to 49 years	441	-	-	3	4	5	15	49	171	86	71	37
50 years and over	19	-	-	-	1	4	2	1	2	3	3	3
Not stated	1,409	-	22	128	162	99	82	42	32	13	2	827

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES—Continued												
NONWHITE—Continued												
Female	224,244	11	7,750	51,041	51,575	32,846	24,595	13,478	6,775	2,432	1,830	31,911
Under 15 years	1,546	6	292	206	51	11	5	1	5	1	2	966
15 to 19 years	48,402	2	6,746	20,934	5,748	1,162	459	163	58	18	25	13,087
20 to 24 years	74,212	2	651	27,235	25,754	7,115	2,728	1,049	463	143	118	8,954
25 to 29 years	49,319	-	34	2,283	17,847	14,425	6,423	2,409	1,068	329	235	4,266
30 to 34 years	27,873	-	8	190	1,743	8,857	8,828	3,589	1,514	599	391	2,154
35 to 39 years	16,743	-	5	43	277	1,078	5,719	4,844	2,223	797	638	1,319
40 to 44 years	4,358	1	-	9	25	81	324	1,549	1,236	453	336	344
45 to 49 years	428	-	2	1	1	4	14	35	172	85	74	40
50 years and over	19	-	-	-	-	1	3	2	4	2	5	2
Not stated	1,344	-	12	140	129	112	92	37	32	5	6	779
ALABAMA	85,372	-	2,196	20,028	21,364	14,564	10,324	5,422	2,446	900	763	7,365
Male	43,751	-	1,143	10,348	11,017	7,382	5,331	2,719	1,251	441	382	3,737
Female	41,621	-	1,053	9,680	10,347	7,182	4,993	2,703	1,195	459	381	3,628
White	53,817	-	1,294	13,607	15,163	10,400	6,805	3,394	1,355	505	399	895
Male	27,704	-	675	7,058	7,819	5,275	3,532	1,728	704	257	194	462
Female	26,113	-	619	6,549	7,344	5,125	3,273	1,666	651	248	205	433
Nonwhite	31,555	-	902	6,421	6,201	4,164	3,519	2,028	1,091	395	364	6,470
Male	16,047	-	468	3,290	3,198	2,107	1,799	991	547	184	188	3,275
Female	15,508	-	434	3,131	3,003	2,057	1,720	1,037	544	211	176	3,195
ARIZONA	19,195	1	518	4,558	5,452	3,878	2,386	1,233	559	192	144	272
Male	9,691	-	263	2,346	2,761	1,912	1,209	615	285	88	66	146
Female	9,504	1	255	2,212	2,691	1,966	1,179	618	274	104	78	126
White	17,035	-	422	4,096	4,953	3,505	2,099	1,054	467	149	116	174
Male	8,585	-	213	2,092	2,511	1,731	1,059	523	245	65	52	94
Female	8,450	-	209	2,004	2,442	1,774	1,040	531	222	84	64	80
Nonwhite	2,160	1	96	462	499	373	289	179	92	43	28	98
Male	1,106	-	50	254	250	181	150	92	40	23	14	52
Female	1,054	1	46	208	249	192	139	87	52	20	14	46
ARKANSAS	48,036	-	1,215	11,426	12,260	8,407	5,858	3,338	1,695	648	512	2,677
Male	24,520	-	630	5,882	6,269	4,190	2,996	1,715	879	317	254	1,388
Female	23,516	-	585	5,544	5,991	4,217	2,862	1,623	816	331	258	1,289
White	36,224	-	823	9,005	10,049	6,782	4,506	2,443	1,144	434	318	722
Male	18,545	-	445	4,637	5,167	3,389	2,315	1,270	584	215	155	368
Female	17,679	-	378	4,368	4,882	3,393	2,191	1,173	560	219	161	354
Nonwhite	11,812	-	392	2,421	2,211	1,625	1,352	895	551	214	198	1,955
Male	5,975	-	185	1,245	1,102	801	681	445	295	102	99	1,020
Female	5,837	-	207	1,176	1,109	824	671	450	256	112	97	935
CALIFORNIA	240,702	2	4,855	54,737	75,874	52,559	30,093	13,504	5,095	1,591	699	1,693
Male	123,262	2	2,474	28,032	39,052	26,834	15,367	6,891	2,579	799	346	886
Female	117,440	-	2,381	26,705	36,822	25,725	14,726	6,613	2,516	792	353	807
White	221,598	1	4,353	50,454	70,362	48,852	27,418	12,070	4,547	1,440	624	1,477
Male	113,615	1	2,221	25,916	36,205	24,987	14,020	6,174	2,299	713	301	768
Female	107,983	-	2,132	24,538	34,157	23,855	13,398	5,896	2,248	727	323	709
Nonwhite	19,104	1	502	4,283	5,512	3,707	2,675	1,434	548	151	75	216
Male	9,847	1	253	2,118	2,847	1,837	1,347	717	280	86	45	118
Female	9,457	-	249	2,167	2,665	1,870	1,328	717	268	65	30	98
COLORADO	33,010	-	703	7,813	10,130	6,887	3,943	1,952	814	310	159	299
Male	16,904	-	365	4,056	5,132	3,556	1,978	1,014	405	156	75	167
Female	16,106	-	338	3,757	4,998	3,331	1,965	938	409	154	84	132
White	32,443	-	686	7,676	9,970	6,793	3,881	1,913	784	303	155	282
Male	16,612	-	355	3,984	5,052	3,509	1,949	993	391	151	72	156
Female	15,831	-	331	3,692	4,918	3,284	1,932	920	393	152	83	126
Nonwhite	567	-	17	137	160	94	62	39	30	7	4	17
Male	292	-	10	72	80	47	29	21	14	5	3	11
Female	275	-	7	65	80	47	33	18	16	2	1	6
CONNECTICUT	42,229	2	279	6,739	13,207	11,260	6,059	2,600	824	269	101	889
Male	21,834	1	141	3,509	6,772	5,877	3,138	1,333	457	134	45	447
Female	20,395	1	138	3,230	6,455	5,383	2,921	1,267	367	135	56	442
White	40,723	2	235	6,345	12,748	11,047	5,911	2,549	807	260	94	725
Male	21,091	1	118	3,321	6,561	5,760	3,057	1,304	428	130	43	368
Female	19,632	1	117	3,024	6,187	5,287	2,854	1,245	379	130	51	357
Nonwhite	1,506	-	44	394	459	213	148	51	17	9	7	164
Male	743	-	23	188	211	117	81	29	9	4	2	79
Female	763	-	21	206	248	96	67	22	8	5	5	85
DELAWARE	7,254	-	108	1,393	2,117	1,581	911	427	129	52	38	498
Male	3,894	-	62	694	1,084	817	452	220	72	30	15	248
Female	3,560	-	46	699	1,033	764	459	207	57	22	23	250
White	6,087	-	80	1,202	1,890	1,420	793	363	106	43	29	161
Male	3,099	-	46	595	976	727	390	188	56	24	12	85
Female	2,988	-	34	607	914	693	403	175	50	19	17	76
Nonwhite	1,167	-	28	191	227	161	118	64	23	9	9	337
Male	595	-	16	99	108	90	62	32	16	6	3	163
Female	572	-	12	92	119	71	56	32	7	3	6	174

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U. S. ONLY): UNITED STATES AND EACH STATE. 1948—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	20,815	-	406	4,096	5,797	4,111	2,449	1,102	416	125	88	2,243
Male	10,712	-	200	2,159	2,952	2,128	1,281	571	210	73	31	1,107
Female	10,103	-	206	1,937	2,845	1,983	1,168	531	206	52	57	1,136
White	12,749	-	184	2,399	3,812	2,989	1,680	740	268	73	33	471
Male	6,565	-	79	1,275	1,988	1,557	872	378	128	42	14	232
Female	6,184	-	105	1,124	1,824	1,432	808	362	140	31	19	239
Nonwhite	8,066	-	224	1,697	1,985	1,122	769	362	148	52	35	1,772
Male	4,147	-	121	884	964	571	409	193	82	31	17	875
Female	3,919	-	103	813	921	551	360	169	66	21	18	897
FLORIDA	59,600	-	1,230	12,577	16,112	11,427	7,394	3,779	1,780	618	463	4,220
Male	30,421	-	640	6,475	8,277	5,854	3,708	1,913	879	298	242	2,135
Female	29,179	-	590	6,102	7,835	5,573	3,686	1,866	901	320	221	2,085
White	43,261	-	736	9,312	12,869	9,172	5,622	2,788	1,226	423	283	810
Male	22,259	-	379	4,799	6,716	4,710	2,835	1,412	613	209	151	435
Female	21,002	-	357	4,513	6,173	4,462	2,787	1,376	613	214	132	375
Nonwhite	16,339	-	494	3,265	3,223	2,255	1,772	991	554	195	180	3,410
Male	8,162	-	261	1,676	1,561	1,144	873	501	266	89	91	1,700
Female	8,177	-	233	1,589	1,662	1,111	899	490	288	106	89	1,710
GEORGIA	92,694	2	2,617	21,098	24,508	16,594	11,180	5,497	2,337	798	657	7,406
Male	47,555	2	1,311	10,972	12,581	8,486	5,677	2,780	1,185	402	357	3,802
Female	45,139	-	1,306	10,126	11,927	8,108	5,503	2,717	1,152	396	300	3,604
White	59,240	-	1,322	13,763	17,405	12,089	7,513	3,611	1,388	467	364	1,317
Male	30,533	-	660	7,199	9,004	6,230	3,816	1,774	736	228	197	689
Female	28,707	-	662	6,564	8,401	5,859	3,697	1,837	653	239	167	628
Nonwhite	33,454	2	1,295	7,335	7,103	4,505	3,667	1,886	948	331	293	6,089
Male	17,022	2	651	3,773	3,577	2,256	1,861	1,006	449	174	160	3,113
Female	16,432	-	644	3,562	3,526	2,249	1,806	880	499	157	133	2,976
IDAHO	16,132	1	348	3,824	4,767	3,445	2,033	1,002	393	122	65	132
Male	8,245	1	176	1,951	2,432	1,741	1,040	522	200	65	36	81
Female	7,887	-	172	1,873	2,335	1,704	993	480	193	57	29	51
White	15,925	1	344	3,789	4,712	3,397	2,008	988	382	119	63	122
Male	8,138	1	175	1,931	2,410	1,714	1,024	515	196	63	34	75
Female	7,787	-	169	1,858	2,302	1,683	984	473	186	56	29	47
Nonwhite	207	-	4	35	55	48	25	14	11	3	2	10
Male	107	-	1	20	22	27	16	7	4	2	2	6
Female	100	-	3	15	33	21	9	7	7	1	-	4
ILLINOIS	184,871	-	2,439	37,077	55,955	42,764	24,190	11,106	3,863	1,226	548	5,703
Male	94,699	-	1,276	19,034	28,786	21,911	12,379	5,673	1,992	593	277	2,878
Female	90,172	-	1,163	18,043	27,169	20,853	11,811	5,433	1,971	633	271	2,825
White	167,641	-	1,975	32,903	51,843	40,241	22,618	10,239	3,485	1,067	475	2,795
Male	86,007	-	1,037	16,931	26,713	20,632	11,597	5,210	1,708	509	240	1,430
Female	81,634	-	938	15,972	25,130	19,609	11,021	5,029	1,777	558	235	1,365
Nonwhite	17,230	-	464	4,174	4,112	2,523	1,572	867	378	159	73	2,908
Male	8,692	-	239	2,103	2,073	1,279	782	463	184	84	37	1,448
Female	8,538	-	225	2,071	2,039	1,244	790	404	194	75	36	1,460
INDIANA	92,529	3	2,190	23,836	28,132	18,628	10,667	4,913	1,952	637	325	1,244
Male	47,428	2	1,108	12,235	14,315	9,614	5,469	2,580	1,007	326	173	599
Female	45,101	1	1,082	11,603	13,817	9,014	5,198	2,333	945	311	152	645
White	87,875	2	1,938	22,437	26,987	17,937	10,215	4,687	1,830	584	282	1,006
Male	45,049	1	979	11,501	13,702	9,283	5,242	2,459	935	299	158	490
Female	42,826	1	959	10,936	13,285	8,654	4,973	2,228	895	285	134	516
Nonwhite	4,654	1	252	1,401	1,145	691	452	226	122	53	33	238
Male	2,379	1	129	734	613	331	227	121	72	27	15	109
Female	2,275	-	123	667	552	360	225	128	50	26	18	129
IOWA	60,575	1	913	13,720	18,597	13,098	7,801	3,458	1,233	402	209	1,143
Male	31,338	1	471	7,196	9,587	6,706	4,041	1,781	649	216	107	581
Female	29,237	-	442	6,522	9,010	6,392	3,760	1,677	584	186	102	562
White	60,064	1	902	13,596	18,464	13,028	7,750	3,427	1,219	394	201	1,082
Male	31,078	1	465	7,138	9,515	6,673	4,010	1,767	642	213	101	553
Female	28,986	-	437	6,458	8,949	6,355	3,740	1,660	577	181	100	529
Nonwhite	511	-	11	124	133	70	51	31	14	8	8	61
Male	260	-	6	60	72	33	31	14	7	3	6	28
Female	251	-	5	64	61	37	20	17	7	5	2	33
KANSAS	42,714	2	787	10,077	13,248	8,851	5,126	2,471	930	343	192	689
Male	21,844	1	412	5,211	6,823	4,526	2,576	1,215	471	173	93	353
Female	20,870	1	375	4,866	6,423	4,325	2,550	1,256	459	170	109	336
White	40,868	1	686	9,609	12,753	8,587	4,921	2,355	879	309	181	587
Male	20,942	1	363	4,976	6,589	4,392	2,474	1,161	451	156	78	301
Female	19,926	-	323	4,633	6,164	4,195	2,447	1,194	428	153	103	286
Nonwhite	1,846	1	101	468	493	264	205	116	51	34	11	102
Male	902	-	49	235	234	134	102	54	20	17	5	52
Female	944	1	52	233	259	130	103	62	31	17	6	50
KENTUCKY	77,176	-	2,065	18,789	21,564	14,437	9,835	5,476	2,481	907	764	858
Male	39,580	-	1,100	9,572	11,019	7,464	5,039	2,812	1,283	455	407	429
Female	37,596	-	965	9,217	10,545	6,973	4,796	2,664	1,198	452	357	429

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY—Continued												
White	72,366	-	1,787	17,501	20,363	13,757	9,258	5,148	2,305	830	723	694
Male	37,133	-	944	8,915	10,428	7,118	4,741	2,649	1,195	412	388	343
Female	35,233	-	843	8,586	9,935	6,639	4,517	2,499	1,110	418	335	351
Nonwhite	4,810	-	278	1,288	1,201	680	577	328	176	77	41	164
Male	2,447	-	156	657	591	346	298	163	88	43	19	86
Female	2,363	-	122	631	610	334	279	165	88	34	22	78
LOUISIANA	73,312	1	1,640	16,622	19,531	13,542	9,035	4,816	2,010	732	538	5,045
Male	37,748	1	868	8,580	10,076	6,957	4,581	2,409	1,014	398	274	2,592
Female	35,564	-	772	8,042	9,455	6,585	4,454	2,207	996	334	264	2,453
White	44,814	-	774	10,438	13,324	9,471	5,788	2,789	1,085	360	237	548
Male	23,080	-	407	5,385	6,864	4,880	2,937	1,461	568	186	125	267
Female	21,734	-	367	5,053	6,460	4,591	2,851	1,328	517	174	112	281
Nonwhite	28,498	1	866	6,184	6,207	4,071	3,247	1,827	925	372	301	4,497
Male	14,668	1	461	3,195	3,212	2,077	1,644	948	446	210	149	2,325
Female	13,830	-	405	2,989	2,995	1,994	1,603	879	479	162	152	2,172
MAINE	22,071	-	496	5,482	6,488	4,443	2,525	1,206	483	192	98	658
Male	11,367	-	251	2,842	3,340	2,275	1,278	639	245	101	50	346
Female	10,704	-	245	2,640	3,148	2,168	1,247	567	238	91	48	312
White	22,038	-	496	5,477	6,478	4,434	2,522	1,203	483	191	98	656
Male	11,351	-	251	2,839	3,335	2,269	1,277	638	245	101	50	346
Female	10,687	-	245	2,638	3,143	2,165	1,245	565	238	90	48	310
Nonwhite	33	-	-	5	10	9	3	3	-	1	-	2
Male	16	-	-	3	5	6	1	1	-	-	-	-
Female	17	-	-	2	5	3	2	2	-	1	-	2
MARYLAND	53,423	4	1,546	12,014	16,108	11,415	6,707	3,165	1,170	361	204	729
Male	27,561	2	798	6,180	8,302	5,903	3,465	1,646	605	191	104	365
Female	25,862	2	748	5,834	7,806	5,512	3,242	1,519	565	170	100	364
White	42,130	2	683	8,862	13,266	9,647	5,485	2,544	885	271	147	328
Male	21,808	1	363	4,595	6,853	4,982	2,842	1,321	457	148	79	169
Female	20,322	1	320	4,267	6,413	4,665	2,643	1,223	428	125	68	159
Nonwhite	11,293	2	863	3,152	2,842	1,768	1,222	621	285	90	57	401
Male	5,753	1	435	1,585	1,449	921	623	325	148	45	25	196
Female	5,540	1	428	1,567	1,393	847	599	296	137	45	32	205
MASSACHUSETTS	[1]97,389	2	654	16,935	30,516	24,248	13,727	6,194	2,012	627	223	2,251
Male	50,006	2	320	8,823	15,788	12,331	6,936	3,184	1,063	318	120	1,121
Female	47,383	-	334	8,112	14,728	11,917	6,791	3,010	949	309	103	1,130
White	95,405	1	622	16,489	29,937	23,925	13,525	6,102	1,959	602	217	2,026
Male	48,983	1	308	8,572	15,499	12,164	6,824	3,140	1,032	308	117	1,020
Female	46,422	-	314	7,917	14,438	11,761	6,701	2,962	927	298	100	1,006
Nonwhite	1,984	1	32	446	579	323	202	92	53	25	6	225
Male	1,023	1	12	251	289	167	112	44	31	12	3	101
Female	961	-	20	195	290	156	90	48	22	13	3	124
MICHIGAN	154,730	1	2,627	35,851	47,825	33,457	18,686	8,766	3,301	1,106	476	2,634
Male	79,611	-	1,357	18,397	24,614	17,315	9,629	4,448	1,696	559	241	1,355
Female	75,119	1	1,270	17,454	23,211	16,142	9,057	4,318	1,605	547	235	1,279
White	142,845	-	2,173	32,655	44,553	31,454	17,423	8,093	2,986	996	427	2,085
Male	73,559	-	1,124	16,799	22,918	16,327	8,979	4,101	1,540	497	213	1,063
Female	69,286	-	1,049	15,856	21,637	15,127	8,444	3,992	1,446	499	214	1,022
Nonwhite	11,885	1	454	3,196	3,272	2,003	1,263	673	315	110	49	549
Male	6,052	-	233	1,598	1,698	988	650	347	156	62	28	292
Female	5,833	1	221	1,598	1,574	1,015	613	326	159	48	21	257
MINNESOTA	72,780	1	575	13,011	21,858	17,199	10,333	5,163	2,009	655	261	1,715
Male	37,399	-	299	6,706	11,248	8,811	5,285	2,670	1,032	338	122	888
Female	35,381	1	276	6,305	10,610	8,388	5,048	2,493	977	317	139	827
White	72,030	1	567	12,898	21,700	17,063	10,243	5,113	1,985	644	258	1,560
Male	36,992	-	293	6,644	11,159	8,735	5,241	2,648	1,018	329	122	805
Female	35,038	1	274	6,252	10,541	8,328	5,002	2,465	969	315	136	755
Nonwhite	750	-	8	115	158	136	90	50	24	11	3	155
Male	407	-	6	62	89	76	44	22	16	9	-	83
Female	343	-	2	53	69	60	46	28	8	2	3	72
MISSISSIPPI	65,303	2	1,936	14,530	15,487	10,600	8,241	4,496	2,121	765	684	6,441
Male	33,221	1	988	7,307	7,943	5,427	4,144	2,306	1,079	386	344	3,296
Female	32,082	1	948	7,223	7,544	5,173	4,097	2,190	1,042	379	340	3,145
White	29,811	-	665	7,040	8,486	5,857	4,025	2,048	811	270	198	409
Male	15,378	-	339	3,603	4,404	3,043	2,047	1,065	414	130	101	232
Female	14,433	-	326	3,437	4,084	2,814	1,978	983	397	140	97	177
Nonwhite	35,492	2	1,271	7,490	6,999	4,743	4,216	2,448	1,310	495	486	6,032
Male	17,843	1	649	3,704	3,539	2,384	2,097	1,241	665	256	243	3,064
Female	17,649	1	622	3,786	3,460	2,359	2,119	1,207	645	239	243	2,968
MISSOURI	85,258	-	1,624	19,428	24,322	17,123	11,104	5,424	2,141	791	498	2,803
Male	43,725	-	866	10,058	12,442	8,779	5,663	2,796	1,052	405	247	1,417
Female	41,533	-	758	9,370	11,880	8,344	5,441	2,628	1,089	386	251	1,386
White	77,942	-	1,378	17,785	22,830	16,151	10,347	4,979	1,920	701	429	1,422
Male	40,083	-	743	9,245	11,690	8,288	5,283	2,582	951	357	213	731
Female	37,859	-	635	8,540	11,140	7,863	5,064	2,397	969	344	216	691
Nonwhite	7,316	-	246	1,643	1,492	972	757	445	221	90	69	1,381
Male	3,642	-	123	813	752	491	380	214	101	48	34	686
Female	3,674	-	123	830	740	481	377	231	120	42	35	695

[1]Excludes 2,381 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MONTANA	15,035	1	228	3,118	4,413	3,367	2,091	978	415	147	92	185
Male	7,621	1	120	1,550	2,266	1,728	1,052	490	201	78	49	86
Female	7,414	-	108	1,568	2,147	1,639	1,039	488	214	69	43	99
White	14,242	1	216	2,934	4,219	3,221	1,999	921	379	134	83	135
Male	7,243	1	114	1,463	2,180	1,658	1,006	465	179	68	48	63
Female	6,999	-	102	1,471	2,039	1,563	993	456	200	66	37	72
Nonwhite	793	-	12	184	194	146	92	57	36	13	9	50
Male	378	-	6	87	86	70	46	25	22	10	3	23
Female	415	-	6	97	108	76	46	32	14	3	6	27
NEBRASKA	31,176	1	475	7,139	9,530	6,803	3,916	1,807	644	229	110	522
Male	16,057	-	240	3,623	4,997	3,523	1,986	914	336	131	60	247
Female	15,119	1	235	3,516	4,533	3,280	1,930	893	308	98	50	275
White	30,495	1	456	6,962	9,376	6,690	3,853	1,771	621	218	104	443
Male	15,695	-	227	3,525	4,909	3,453	1,982	897	324	126	57	215
Female	14,800	1	229	3,437	4,467	3,237	1,891	874	297	92	47	228
Nonwhite	681	-	19	177	154	113	63	36	23	11	6	79
Male	362	-	13	98	88	70	24	17	12	5	3	32
Female	319	-	6	79	66	43	39	19	11	6	3	47
NEVADA	3,694	-	69	726	1,021	837	518	299	107	57	22	39
Male	1,872	-	35	386	514	405	260	156	51	33	7	25
Female	1,822	-	34	340	507	432	258	142	56	24	15	14
White	3,448	-	57	680	965	788	480	276	95	56	21	30
Male	1,758	-	26	364	487	384	245	147	45	33	7	20
Female	1,690	-	31	316	478	404	235	129	50	23	14	10
Nonwhite	246	-	12	46	56	49	38	22	12	1	1	9
Male	114	-	9	22	27	21	15	9	6	-	-	5
Female	132	-	3	24	29	28	23	13	6	1	1	4
NEW HAMPSHIRE	12,423	-	154	2,791	3,857	2,716	1,537	714	256	89	62	267
Male	6,321	-	79	1,466	1,945	1,364	765	368	134	36	34	130
Female	6,102	-	75	1,325	1,912	1,352	772	346	102	53	28	137
White	12,406	-	154	2,788	3,849	2,714	1,534	713	256	89	62	267
Male	6,312	-	79	1,465	1,940	1,363	763	368	134	36	34	130
Female	6,094	-	75	1,323	1,909	1,351	771	345	102	53	28	137
Nonwhite	17	-	-	3	8	2	3	1	-	-	-	-
Male	9	-	-	1	5	1	2	-	-	-	-	-
Female	8	-	-	2	3	1	1	1	-	-	-	-
NEW JERSEY	97,580	2	817	16,117	30,566	25,117	14,355	6,230	1,962	602	204	1,608
Male	50,162	1	420	8,262	15,604	13,110	7,329	3,147	1,056	312	106	815
Female	47,418	1	397	7,855	14,962	12,007	7,026	3,083	906	290	98	793
White	88,894	1	551	13,854	28,129	23,747	13,526	5,793	1,770	518	171	854
Male	45,716	-	281	7,128	14,341	12,376	6,927	2,918	957	271	86	429
Female	43,178	1	270	6,726	13,788	11,371	6,599	2,875	813	247	85	425
Nonwhite	8,686	1	286	2,263	2,437	1,370	829	437	192	84	33	754
Male	4,446	1	139	1,134	1,263	734	402	229	99	41	18	386
Female	4,240	-	147	1,129	1,174	636	427	208	93	43	15	368
NEW MEXICO	20,519	2	423	4,567	5,638	3,840	2,609	1,438	701	281	189	831
Male	10,444	1	225	2,319	2,856	1,966	1,346	720	368	138	93	412
Female	10,075	1	198	2,248	2,782	1,874	1,263	718	333	143	96	419
White	19,127	2	408	4,334	5,356	3,587	2,424	1,318	633	250	161	654
Male	9,771	1	218	2,205	2,723	1,849	1,254	663	331	124	79	324
Female	9,356	1	190	2,129	2,633	1,738	1,170	655	302	126	82	330
Nonwhite	1,392	-	15	233	282	253	185	120	69	31	28	177
Male	673	-	7	114	133	117	92	57	37	14	14	88
Female	719	-	8	119	149	136	93	63	31	17	14	89
NEW YORK	301,966	-	2,524	49,129	90,347	75,189	45,855	21,080	7,236	2,076	814	7,916
Male	154,983	-	1,333	25,294	46,466	38,567	23,298	10,779	3,671	1,056	407	4,112
Female	146,983	-	1,191	23,835	43,881	36,622	22,357	10,301	3,565	1,020	407	3,804
White	277,362	-	1,932	43,269	83,853	71,404	43,149	19,805	6,676	1,898	736	4,641
Male	142,579	-	1,040	22,340	43,211	36,623	22,040	10,150	3,403	967	360	2,445
Female	134,783	-	892	20,929	40,642	34,781	21,109	9,655	3,273	931	376	2,196
Nonwhite	24,604	-	592	5,860	6,494	3,785	2,507	1,275	560	178	78	3,275
Male	12,404	-	293	2,954	3,255	1,944	1,258	629	266	89	47	1,667
Female	12,200	-	299	2,906	3,239	1,841	1,249	646	292	89	31	1,608
NORTH CAROLINA	109,430	2	3,241	26,675	30,436	19,880	13,021	6,419	2,741	1,053	719	5,243
Male	55,850	-	1,647	13,719	15,529	10,031	6,652	3,234	1,373	535	379	2,751
Female	53,580	2	1,594	12,956	14,907	9,849	6,369	3,185	1,368	518	340	2,492
White	74,582	-	1,663	18,194	21,984	14,597	9,166	4,442	1,829	735	431	1,521
Male	38,135	-	887	9,432	11,209	7,371	4,668	2,231	919	371	228	820
Female	36,447	-	776	8,762	10,776	7,226	4,498	2,211	910	364	203	701
Nonwhite	34,848	2	1,578	8,481	8,452	5,283	3,855	1,977	912	318	288	3,722
Male	17,715	-	760	4,287	4,321	2,660	1,984	1,003	454	164	151	1,931
Female	17,133	2	798	4,194	4,131	2,623	1,871	974	458	154	137	1,791
NORTH DAKOTA	16,584	-	144	3,028	4,741	3,837	2,399	1,282	522	211	89	331
Male	8,492	-	71	1,577	2,440	1,930	1,221	661	268	106	47	171
Female	8,092	-	73	1,451	2,301	1,907	1,178	621	254	105	42	160

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH DAKOTA—Continued												
White	16,218	-	140	2,965	4,658	3,779	2,360	1,250	500	198	86	281
Male	8,322	-	70	1,543	2,389	1,904	1,206	645	262	100	45	148
Female	7,896	-	70	1,422	2,269	1,875	1,154	605	238	99	41	133
Nonwhite	366	-	4	63	83	58	39	32	22	12	3	50
Male	170	-	1	34	41	26	15	16	6	6	2	23
Female	196	-	3	29	42	32	24	16	16	6	1	27
OHIO	186,353	2	3,319	42,577	57,280	40,439	22,568	10,286	3,684	1,295	616	4,287
Male	95,702	2	1,851	21,711	29,651	20,989	11,495	5,239	1,803	646	307	2,208
Female	90,651	-	1,468	20,866	27,629	19,450	11,073	5,047	1,881	649	309	2,079
White	172,843	1	2,859	39,055	53,841	38,370	21,290	9,579	3,329	1,150	556	2,813
Male	88,867	1	1,427	19,913	27,908	19,933	10,847	4,890	1,639	576	271	1,462
Female	83,976	-	1,432	19,142	25,933	18,437	10,443	4,689	1,690	574	285	1,351
Nonwhite	13,510	1	460	3,522	3,439	2,069	1,278	707	355	145	60	1,474
Male	6,835	1	224	1,798	1,743	1,056	648	349	164	70	36	746
Female	6,675	-	236	1,724	1,696	1,013	630	358	191	75	24	728
OKLAHOMA	50,386	1	1,291	13,082	14,420	8,892	5,691	2,958	1,282	464	362	1,963
Male	25,837	-	654	6,779	7,308	4,562	2,929	1,512	635	247	174	1,037
Female	24,549	1	637	6,303	7,112	4,330	2,762	1,446	627	217	188	926
White	44,769	-	1,131	11,952	13,190	8,124	5,037	2,589	1,071	388	274	1,013
Male	22,995	-	576	6,232	6,693	4,166	2,576	1,325	544	204	131	548
Female	21,774	-	555	5,720	6,497	3,958	2,461	1,264	527	184	143	465
Nonwhite	5,617	1	160	1,130	1,230	768	654	369	191	76	88	950
Male	2,842	-	78	547	615	396	353	187	91	43	43	489
Female	2,775	1	82	583	615	372	301	182	100	33	45	461
OREGON	35,206	-	689	8,327	10,760	7,663	4,477	1,905	793	234	104	254
Male	18,013	-	345	4,228	5,540	3,936	2,293	964	406	121	56	124
Female	17,193	-	344	4,099	5,220	3,727	2,184	941	387	113	48	130
White	34,581	-	671	8,207	10,592	7,534	4,386	1,854	774	226	101	236
Male	17,674	-	333	4,165	5,447	3,862	2,244	939	399	116	55	114
Female	16,907	-	338	4,042	5,145	3,672	2,142	915	375	110	46	122
Nonwhite	625	-	18	120	168	129	91	51	19	8	3	18
Male	339	-	12	63	93	74	49	25	7	5	1	10
Female	286	-	6	57	75	55	42	26	12	3	2	8
PENNSYLVANIA	227,227	7	3,329	47,735	69,571	52,477	29,760	13,593	4,567	1,484	767	3,957
Male	117,037	3	1,663	24,619	35,918	26,924	15,395	6,993	2,329	752	391	2,051
Female	110,190	4	1,666	23,117	33,653	25,553	14,365	6,600	2,238	732	376	1,886
White	210,781	2	2,884	43,369	65,350	50,017	28,127	12,626	4,127	1,324	675	2,480
Male	108,641	-	1,358	22,393	33,731	25,699	14,557	6,499	2,093	674	340	1,307
Female	102,140	2	1,526	20,976	31,619	24,328	13,570	6,127	2,034	650	335	1,173
Nonwhite	16,446	5	645	4,366	4,221	2,460	1,633	967	440	160	92	1,457
Male	8,396	3	305	2,225	2,187	1,235	838	494	236	78	51	744
Female	8,050	2	340	2,141	2,034	1,225	795	473	204	82	41	713
RHODE ISLAND	16,861	-	137	3,258	5,446	4,017	2,243	918	272	97	37	436
Male	8,797	-	69	1,754	2,766	2,125	1,152	480	129	64	18	240
Female	8,064	-	68	1,504	2,680	1,892	1,091	438	143	33	19	198
White	15,445	-	131	3,146	5,344	3,959	2,215	902	262	95	33	358
Male	8,579	-	65	1,689	2,714	2,089	1,143	475	128	63	15	200
Female	7,866	-	66	1,457	2,630	1,870	1,072	427	136	32	18	158
Nonwhite	416	-	6	112	102	58	28	16	10	2	4	78
Male	218	-	4	65	52	36	9	5	3	1	3	40
Female	198	-	2	47	50	22	19	11	7	1	1	38
SOUTH CAROLINA	57,759	-	1,352	13,671	15,607	9,773	6,638	2,976	1,489	497	376	5,380
Male	29,861	-	709	7,102	8,098	5,007	3,404	1,531	805	254	194	2,757
Female	27,898	-	643	6,569	7,509	4,766	3,234	1,445	684	243	182	2,623
White	31,698	-	714	7,869	9,560	6,118	3,695	1,711	769	259	203	790
Male	16,588	-	378	4,130	5,046	3,156	1,942	864	420	131	100	421
Female	15,100	-	336	3,739	4,514	2,962	1,753	847	349	128	103	369
Nonwhite	26,071	-	638	5,802	6,047	3,655	2,943	1,265	720	238	173	4,590
Male	13,273	-	331	2,972	3,052	1,851	1,462	667	385	123	94	2,336
Female	12,798	-	307	2,830	2,995	1,804	1,481	598	335	115	79	2,254
SOUTH DAKOTA	16,405	-	193	3,246	4,953	3,620	2,252	1,074	449	183	58	377
Male	8,386	-	103	1,693	2,518	1,855	1,128	551	224	91	30	193
Female	8,019	-	90	1,553	2,435	1,765	1,124	523	225	92	28	184
White	15,700	-	182	3,156	4,776	3,487	2,169	1,030	413	169	55	265
Male	8,047	-	96	1,644	2,427	1,804	1,088	536	205	84	30	133
Female	7,653	-	86	1,512	2,349	1,683	1,081	494	208	85	23	132
Nonwhite	705	-	11	90	177	133	83	44	36	14	5	112
Male	339	-	7	49	91	51	40	15	19	7	-	60
Female	366	-	4	41	86	82	43	29	17	7	5	52
TENNESSEE	82,127	-	2,222	19,564	21,753	14,846	10,141	5,426	2,295	876	675	4,327
Male	42,058	-	1,124	10,011	11,035	7,678	5,202	2,810	1,193	464	352	2,189
Female	40,069	-	1,098	9,553	10,718	7,168	4,939	2,618	1,102	412	323	2,138
White	67,558	-	1,659	16,443	18,780	12,945	8,588	4,522	1,842	698	540	1,541
Male	34,657	-	841	8,432	9,567	6,707	4,392	2,329	957	358	283	791
Female	32,901	-	818	8,011	9,213	6,238	4,196	2,193	885	340	257	750
Nonwhite	14,569	-	563	3,121	2,973	1,901	1,553	906	453	178	135	2,786
Male	7,401	-	283	1,579	1,468	971	810	481	236	106	69	1,398
Female	7,168	-	280	1,542	1,505	930	743	425	217	72	66	1,388

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER (AGE OF MOTHER FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TEXAS	197,750	8	5,174	47,380	55,498	37,355	24,445	12,665	5,571	1,801	1,239	6,614
Male	101,413	3	2,690	24,232	28,445	19,272	12,637	6,430	2,824	917	620	3,343
Female	96,337	5	2,484	23,148	27,053	18,083	11,808	6,235	2,747	884	619	3,271
White	172,004	8	4,180	41,379	49,928	33,812	21,642	10,926	4,711	1,493	998	2,947
Male	88,490	3	2,202	21,192	25,650	17,466	11,250	5,568	2,380	760	501	1,518
Female	83,514	5	1,958	20,187	24,278	16,346	10,392	5,358	2,331	733	497	1,429
Nonwhite	25,746	-	1,014	6,001	5,570	3,543	2,803	1,739	860	308	241	3,667
Male	12,923	-	488	3,040	2,795	1,806	1,387	862	444	157	119	1,825
Female	12,823	-	526	2,961	2,775	1,737	1,416	877	416	151	122	1,842
UTAH	20,714	-	443	5,022	6,187	4,406	2,608	1,226	430	130	77	185
Male	10,658	-	227	2,544	3,218	2,279	1,294	652	230	67	36	111
Female	10,056	-	216	2,478	2,969	2,127	1,314	574	200	63	41	74
White	20,385	-	438	4,970	6,084	4,335	2,564	1,205	418	119	74	178
Male	10,473	-	224	2,514	3,165	2,237	1,271	638	221	62	36	105
Female	9,912	-	214	2,456	2,919	2,098	1,293	567	197	57	38	73
Nonwhite	329	-	5	52	103	71	44	21	12	11	3	7
Male	185	-	3	30	53	42	23	14	9	5	-	6
Female	144	-	2	22	50	29	21	7	3	6	3	1
VERMONT	9,369	-	139	2,077	2,804	1,970	1,201	573	245	90	45	225
Male	4,866	-	65	1,067	1,507	1,000	613	295	141	49	17	112
Female	4,503	-	74	1,010	1,297	970	588	278	104	41	28	113
White	9,366	-	139	2,077	2,802	1,970	1,201	573	245	90	45	224
Male	4,865	-	65	1,067	1,506	1,000	613	295	141	49	17	112
Female	4,501	-	74	1,010	1,296	970	588	278	104	41	28	112
Nonwhite	3	-	-	-	2	-	-	-	-	-	-	1
Male	1	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	-	1
VIRGINIA	82,057	1	1,716	18,096	23,054	16,091	10,050	4,907	2,083	751	501	4,807
Male	42,254	-	921	9,334	11,923	8,271	5,231	2,468	1,063	381	270	2,392
Female	39,803	1	795	8,762	11,131	7,820	4,819	2,439	1,020	370	231	2,415
White	61,049	-	1,010	13,464	18,169	12,921	7,912	3,745	1,515	508	357	1,448
Male	31,596	-	555	6,970	9,416	6,669	4,132	1,907	779	254	186	728
Female	29,453	-	455	6,494	8,753	6,252	3,780	1,838	736	254	171	720
Nonwhite	21,008	1	706	4,632	4,885	3,170	2,138	1,162	568	243	144	3,359
Male	10,658	-	366	2,364	2,507	1,602	1,099	561	284	127	84	1,664
Female	10,350	1	340	2,268	2,378	1,568	1,039	601	284	116	60	1,695
WASHINGTON	55,833	-	926	12,535	17,560	12,273	6,738	3,013	1,190	371	182	1,045
Male	28,465	-	480	6,430	9,018	6,233	3,346	1,504	598	198	94	564
Female	27,368	-	446	6,105	8,542	6,040	3,392	1,509	592	173	88	481
White	54,013	-	901	12,226	17,008	11,939	6,481	2,898	1,141	350	167	904
Male	27,569	-	468	6,275	8,769	6,056	3,223	1,456	569	186	87	480
Female	26,444	-	433	5,951	8,239	5,883	3,258	1,440	572	164	80	424
Nonwhite	1,820	-	25	309	552	334	257	117	49	21	15	141
Male	896	-	12	155	249	177	123	48	29	12	7	84
Female	924	-	13	154	303	157	134	69	20	9	8	57
WEST VIRGINIA	52,396	-	945	12,491	14,456	9,543	6,254	3,381	1,546	624	454	2,702
Male	26,823	-	490	6,457	7,496	4,711	3,198	1,701	793	322	238	1,417
Female	25,573	-	455	6,034	6,960	4,832	3,056	1,680	753	302	216	1,285
White	49,608	-	896	11,936	13,863	9,156	5,959	3,165	1,421	569	420	2,223
Male	25,431	-	465	6,173	7,171	4,542	3,051	1,595	742	293	220	1,179
Female	24,177	-	431	5,763	6,692	4,614	2,908	1,570	679	276	200	1,044
Nonwhite	2,788	-	49	555	593	387	295	216	125	55	34	479
Male	1,392	-	25	284	325	169	147	106	51	29	18	238
Female	1,396	-	24	271	268	218	148	110	74	26	16	241
WISCONSIN	81,630	-	693	15,554	24,855	19,115	11,181	5,381	2,082	641	251	1,897
Male	42,031	-	340	8,120	12,768	9,797	5,710	2,843	1,059	340	127	927
Female	39,599	-	353	7,434	12,087	9,318	5,471	2,538	1,023	301	124	970
White	80,595	-	674	15,363	24,611	18,935	11,074	5,314	2,024	629	242	1,729
Male	41,516	-	330	8,018	12,644	9,710	5,663	2,809	1,041	332	124	847
Female	39,077	-	344	7,345	11,967	9,225	5,411	2,505	983	297	118	882
Nonwhite	1,035	-	19	191	244	180	107	67	38	12	9	168
Male	513	-	10	102	124	87	47	34	18	8	3	80
Female	522	-	9	89	120	93	60	33	20	4	6	88
WYOMING	7,418	-	147	1,720	2,276	1,579	904	449	172	62	37	72
Male	3,733	-	67	862	1,180	753	461	229	86	36	20	39
Female	3,685	-	80	858	1,096	826	443	220	86	26	17	33
White	7,226	-	143	1,684	2,227	1,542	866	432	166	60	35	51
Male	3,634	-	65	848	1,152	732	449	220	83	35	20	30
Female	3,592	-	78	836	1,075	810	437	212	83	25	15	21
Nonwhite	192	-	4	36	49	37	18	17	6	2	2	21
Male	99	-	2	14	28	21	12	9	3	1	-	9
Female	93	-	2	22	21	16	6	8	3	1	2	12

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY— Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
UNITED STATES	3,535,068	3,025,206	323,434	156,564	[2]29,864
White	3,080,316	2,784,865	248,093	36,390	10,968
Nonwhite	454,752	240,341	75,341	120,174	18,896
Urban	2,094,018	1,967,915	81,528	38,114	6,461
White	1,842,204	1,777,135	50,502	12,350	2,217
Nonwhite	251,814	190,780	31,026	25,764	4,244
Places of 100,000 or more	983,863	946,865	27,377	7,242	2,359
White	833,700	815,337	13,281	4,266	816
Nonwhite	150,163	131,548	14,096	2,976	1,543
Places of 25,000 to 100,000	426,856	404,544	12,552	6,614	1,146
White	365,589	373,431	7,278	2,472	408
Nonwhite	43,267	31,113	5,274	6,142	738
Places of 10,000 to 25,000	301,683	279,834	11,969	8,760	1,120
White	274,289	265,087	7,042	1,911	249
Nonwhite	27,394	14,747	4,927	6,849	871
Places of 2,500 to 10,000	381,616	336,652	29,630	13,498	1,836
White	350,826	323,280	22,901	3,701	744
Nonwhite	30,990	13,372	6,729	9,797	1,092
Rural	1,441,050	1,057,291	241,906	118,450	23,403
White	1,238,112	1,007,730	197,591	24,040	8,751
Nonwhite	202,938	49,561	44,315	94,410	14,652
ALABAMA	85,372	48,310	17,836	18,798	426
White	53,817	40,071	11,969	1,628	129
Nonwhite	31,555	8,239	5,849	17,170	297
Urban	31,332	24,124	3,378	3,670	160
White	19,731	18,476	1,149	88	18
Nonwhite	11,601	5,648	2,229	3,582	142
Places of 100,000 or more	8,287	7,249	916	11	111
White	4,693	4,603	80	1	9
Nonwhite	3,594	2,646	836	10	102
Places of 25,000 to 100,000	9,682	7,279	628	1,741	14
White	6,198	5,925	254	16	3
Nonwhite	3,484	1,354	374	1,725	11
Places of 10,000 to 25,000	5,138	3,857	851	625	5
White	3,136	3,005	112	16	3
Nonwhite	2,002	852	539	609	2
Places of 2,500 to 10,000	8,245	5,739	1,183	1,293	30
White	5,704	4,943	705	55	3
Nonwhite	2,541	796	480	1,238	27
Rural	54,040	24,186	14,460	15,128	266
White	34,086	21,595	10,840	1,540	111
Nonwhite	19,954	2,591	3,620	13,588	155
ARIZONA	19,195	17,269	1,013	550	363
White	17,035	15,572	853	455	155
Nonwhite	2,160	1,697	160	95	208
Urban	11,258	10,347	506	295	110
White	10,617	9,797	462	265	93
Nonwhite	641	550	44	30	17
Places of 25,000 to 100,000	7,697	7,068	383	160	86
White	7,222	6,667	346	137	72
Nonwhite	475	401	37	23	14
Places of 2,500 to 10,000	3,561	3,279	123	135	24
White	3,395	3,130	116	128	21
Nonwhite	166	149	7	7	3
Rural	7,937	6,922	507	255	253
White	6,418	5,775	391	190	62
Nonwhite	1,519	1,147	116	65	191
ARKANSAS	48,036	28,579	11,584	7,256	607
White	36,224	26,404	8,882	692	266
Nonwhite	11,812	2,175	2,732	6,564	341
Urban	15,172	12,410	1,501	1,201	60
White	11,993	11,059	850	71	13
Nonwhite	3,179	1,351	651	1,130	47
Places of 25,000 to 100,000	3,723	3,557	101	61	4
White	2,967	2,916	48	3	-
Nonwhite	756	641	53	58	4
Places of 10,000 to 25,000	4,303	3,429	439	425	10
White	3,228	3,045	145	36	2
Nonwhite	1,075	384	294	389	8
Places of 2,500 to 10,000	7,146	5,424	961	715	46
White	5,798	5,098	657	32	11
Nonwhite	1,348	326	304	683	35
Rural	32,864	16,169	10,093	6,055	547
White	24,251	15,345	8,012	621	253
Nonwhite	8,633	824	2,081	5,434	294
CALIFORNIA	240,702	235,566	4,059	408	669
White	221,598	217,331	3,335	367	565
Nonwhite	19,104	18,235	724	41	104
Urban	174,220	171,237	2,248	333	402
White	158,359	156,023	1,695	303	340
Nonwhite	15,861	15,214	555	30	62
Places of 100,000 or more	88,465	87,121	920	227	197
White	77,326	76,375	594	201	156
Nonwhite	11,139	10,746	326	26	41
Places of 25,000 to 100,000	31,850	31,395	320	75	60
White	29,494	29,126	249	72	47
Nonwhite	2,356	2,269	71	3	13
Places of 10,000 to 25,000	24,846	24,240	546	17	43
White	23,310	22,838	419	16	37
Nonwhite	1,536	1,402	127	1	6
Places of 2,500 to 10,000	29,059	28,481	462	14	102
White	28,229	27,684	431	14	100
Nonwhite	830	797	31	-	2
Rural	66,482	64,329	1,811	75	267
White	63,239	61,308	1,642	64	225
Nonwhite	3,243	3,021	169	11	42
COLORADO	33,010	30,420	2,195	226	169
White	32,443	29,887	2,162	226	168
Nonwhite	567	533	33	-	1
Urban	20,355	19,463	762	78	52
White	19,890	19,023	737	78	52
Nonwhite	465	440	25	-	-
Places of 100,000 or more	10,337	10,089	216	22	10
White	9,960	9,725	203	22	10
Nonwhite	377	364	13	-	-
Places of 25,000 to 100,000	3,154	2,934	183	20	17
White	3,103	2,888	178	20	17
Nonwhite	51	46	5	-	-
Places of 10,000 to 25,000	2,488	2,362	118	2	6
White	2,476	2,352	116	2	6
Nonwhite	12	10	2	-	-
Places of 2,500 to 10,000	4,376	4,078	245	34	19
White	4,351	4,058	240	34	19
Nonwhite	25	20	5	-	-
Rural	12,655	10,957	1,433	148	117
White	12,553	10,864	1,425	148	116
Nonwhite	102	93	8	-	1
CONNECTICUT	42,229	41,718	498	3	10
White	40,723	40,257	457	1	8
Nonwhite	1,506	1,461	41	2	2
Urban	28,531	28,232	291	2	6
White	27,143	26,884	254	1	4
Nonwhite	1,388	1,348	37	1	2
Places of 100,000 or more	11,057	10,985	67	2	3
White	10,175	10,116	57	1	1
Nonwhite	882	869	10	1	2
Places of 25,000 to 100,000	11,312	11,140	170	-	2
White	10,907	10,759	146	-	2
Nonwhite	405	381	24	-	-
Places of 10,000 to 25,000	4,686	4,648	38	-	-
White	4,590	4,555	35	-	-
Nonwhite	96	93	3	-	-
Places of 2,500 to 10,000	1,476	1,459	16	-	1
White	1,471	1,454	16	-	1
Nonwhite	5	5	-	-	-
Rural	13,698	13,486	207	1	4
White	13,580	13,373	203	-	4
Nonwhite	118	113	4	1	-
DELAWARE	7,254	6,541	309	298	106
White	6,087	5,833	207	27	20
Nonwhite	1,167	708	102	271	86
Urban	3,790	3,656	42	78	17
White	3,193	3,159	26	6	2
Nonwhite	597	497	16	69	15
Places of 100,000 or more	2,782	2,751	10	20	1
White	2,335	2,326	6	3	-
Nonwhite	447	425	4	17	1
Places of 2,500 to 10,000	1,008	905	32	55	16
White	858	833	20	3	2
Nonwhite	150	72	12	52	14
Rural	3,464	2,885	267	223	89
White	2,894	2,674	181	21	18
Nonwhite	570	211	86	202	71
DISTRICT OF COLUMBIA	20,815	20,574	235	5	1
White	12,749	12,707	41	-	1
Nonwhite	8,066	7,867	194	5	-

See footnotes on p. 181.

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
FLORIDA	59,600	45,740	5,121	8,552	187
White	43,261	39,313	2,986	919	43
Nonwhite	16,339	6,427	2,135	7,633	144
Urban	34,515	29,288	1,604	3,505	118
White	24,957	24,298	473	175	11
Nonwhite	9,558	4,990	1,131	3,330	107
Places of 100,000 or more	15,054	13,710	358	886	100
White	11,104	10,961	88	49	6
Nonwhite	3,950	2,749	270	837	94
Places of 25,000 to 100,000	5,610	4,829	296	480	5
White	4,127	4,067	53	5	2
Nonwhite	1,483	762	243	475	3
Places of 10,000 to 25,000	5,933	4,804	292	831	6
White	4,193	4,063	58	69	2
Nonwhite	1,740	741	233	762	4
Places of 2,500 to 10,000	7,918	5,945	658	1,308	7
White	5,533	5,207	273	52	1
Nonwhite	2,385	738	385	1,256	6
Rural	25,085	16,452	3,517	5,047	69
White	18,304	15,015	2,513	744	32
Nonwhite	6,781	1,437	1,004	4,303	37
GEORGIA	92,894	61,004	11,261	17,606	[3]2,823
White	59,240	50,909	6,640	1,194	497
Nonwhite	33,454	10,095	4,621	16,412	2,326
Urban	36,801	30,528	2,378	3,388	507
White	24,048	23,117	795	81	55
Nonwhite	12,753	7,411	1,583	3,307	452
Places of 100,000 or more	8,429	8,184	191	34	20
White	5,220	5,141	72	-	7
Nonwhite	3,209	3,043	119	34	13
Places of 25,000 to 100,000	11,143	9,879	663	433	168
White	7,000	6,913	70	7	10
Nonwhite	4,143	2,966	593	426	158
Places of 10,000 to 25,000	7,620	5,712	529	1,230	149
White	5,233	5,050	135	39	9
Nonwhite	2,387	662	394	1,191	140
Places of 2,500 to 10,000	9,609	6,753	995	1,691	170
White	6,595	6,013	518	35	29
Nonwhite	3,014	740	477	1,656	141
Rural	55,893	30,476	8,883	14,218	2,316
White	35,192	27,792	5,845	1,113	442
Nonwhite	20,701	2,684	3,038	13,105	1,874
IDAHO	16,132	15,818	276	5	33
White	15,925	15,622	268	4	31
Nonwhite	207	196	8	1	2
Urban	7,365	7,282	74	1	8
White	7,307	7,225	73	1	8
Nonwhite	58	57	1	-	-
Places of 25,000 to 100,000	1,164	1,157	1	1	5
White	1,157	1,150	1	1	5
Nonwhite	7	7	-	-	-
Places of 10,000 to 25,000	3,290	3,264	26	-	-
White	3,261	3,236	25	-	-
Nonwhite	29	28	1	-	-
Places of 2,500 to 10,000	2,911	2,861	47	-	3
White	2,889	2,839	47	-	3
Nonwhite	22	22	-	-	-
Rural	8,767	8,536	202	4	25
White	8,618	8,597	195	3	23
Nonwhite	149	139	7	1	2
ILLINOIS	184,871	174,882	9,623	103	263
White	167,641	161,054	6,338	81	168
Nonwhite	17,230	13,828	3,285	22	95
Urban	140,142	134,383	5,520	80	159
White	123,541	120,946	2,436	67	92
Nonwhite	16,601	13,437	3,084	13	67
Places of 100,000 or more	81,003	77,008	3,887	61	47
White	67,266	65,979	1,197	54	36
Nonwhite	13,737	11,029	2,690	7	11
Places of 25,000 to 100,000	24,664	24,285	352	11	16
White	22,793	22,643	133	8	9
Nonwhite	1,871	1,642	219	3	7
Places of 10,000 to 25,000	14,137	13,781	301	2	53
White	13,533	13,337	187	1	8
Nonwhite	604	444	114	1	45
Places of 2,500 to 10,000	20,338	19,309	980	6	43
White	19,949	18,987	919	4	39
Nonwhite	389	322	61	2	4
Rural	44,729	40,499	4,103	23	104
White	44,100	40,108	3,902	14	76
Nonwhite	629	391	201	9	28

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
INDIANA	92,529	84,013	8,076	50	390
White	87,875	80,827	6,779	49	220
Nonwhite	4,654	3,186	1,297	1	170
Urban	55,890	52,517	3,065	16	292
White	51,363	49,395	1,828	17	123
Nonwhite	4,527	3,122	1,235	1	169
Places of 100,000 or more	21,506	19,847	1,397	4	258
White	18,234	17,623	516	3	92
Nonwhite	3,272	2,224	881	1	166
Places of 25,000 to 100,000	18,428	17,531	865	12	20
White	17,347	16,765	551	12	19
Nonwhite	1,081	766	314	-	1
Places of 10,000 to 25,000	6,682	6,706	172	-	4
White	6,786	6,625	158	-	3
Nonwhite	96	81	14	-	1
Places of 2,500 to 10,000	9,074	8,433	629	2	10
White	8,996	8,362	603	2	9
Nonwhite	78	51	26	-	1
Rural	36,639	31,496	5,013	32	98
White	36,512	31,432	4,951	32	97
Nonwhite	127	64	62	-	1
IOWA	60,575	57,792	2,685	12	86
White	60,064	57,314	2,661	4	85
Nonwhite	511	478	24	8	1
Urban	29,321	28,855	438	1	27
White	28,850	28,405	418	1	26
Nonwhite	471	450	20	-	1
Places of 100,000 or more	4,459	4,369	87	-	3
White	4,238	4,158	77	-	3
Nonwhite	221	211	10	-	-
Places of 25,000 to 100,000	12,529	12,398	118	1	12
White	12,324	12,203	109	1	11
Nonwhite	205	195	9	-	1
Places of 10,000 to 25,000	4,542	4,509	30	-	3
White	4,509	4,477	29	-	3
Nonwhite	33	32	1	-	-
Places of 2,500 to 10,000	7,791	7,579	203	-	9
White	7,779	7,567	203	-	9
Nonwhite	12	12	-	-	-
Rural	31,254	28,937	2,247	11	59
White	31,214	28,909	2,243	3	59
Nonwhite	40	28	4	8	-
KANSAS	42,714	39,993	2,553	10	158
White	40,868	38,593	2,156	7	112
Nonwhite	1,846	1,400	397	3	46
Urban	23,289	22,439	765	3	82
White	21,630	21,157	430	2	41
Nonwhite	1,659	1,282	335	1	41
Places of 100,000 or more	8,335	7,960	343	-	32
White	7,411	7,292	101	-	18
Nonwhite	924	668	242	-	14
Places of 25,000 to 100,000	2,943	2,825	92	-	26
White	2,721	2,652	62	-	7
Nonwhite	222	173	30	-	19
Places of 10,000 to 25,000	6,039	5,865	156	2	15
White	5,665	5,543	113	2	7
Nonwhite	373	322	43	-	8
Places of 2,500 to 10,000	5,973	5,789	174	1	9
White	5,833	5,670	154	-	9
Nonwhite	140	119	20	1	-
Rural	19,425	17,554	1,788	7	76
White	19,238	17,436	1,726	5	71
Nonwhite	187	118	62	2	5
KENTUCKY	77,176	45,032	26,067	3,497	[3]2,580
White	72,366	42,707	23,831	3,364	2,464
Nonwhite	4,810	2,325	2,236	133	116
Urban	25,433	21,907	3,385	60	101
White	22,423	20,062	2,263	36	62
Nonwhite	3,010	1,845	1,102	24	39
Places of 100,000 or more	10,395	9,635	746	1	13
White	8,915	8,437	469	1	8
Nonwhite	1,480	1,198	277	-	5
Places of 25,000 to 100,000	6,485	5,825	625	2	13
White	5,889	5,479	377	2	11
Nonwhite	596	346	248	-	2
Places of 10,000 to 25,000	1,938	1,561	339	9	29
White	1,706	1,501	197	2	6
Nonwhite	232	60	142	7	23
Places of 2,500 to 10,000	6,635	4,886	1,655	48	46
White	5,933	4,645	1,220	31	37
Nonwhite	702	241	435	17	9

See footnotes on p. 181.

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
KENTUCKY—Continued					
Rural	51,743	23,125	22,702	3,437	2,479
White	49,943	22,645	21,568	3,328	2,402
Nonwhite	1,800	480	1,134	109	77
LOUISIANA	73,312	58,745	5,539	10,969	59
White	44,814	40,085	3,519	1,183	17
Nonwhite	28,498	16,660	2,020	9,786	42
Urban	35,141	31,916	987	2,209	29
White	22,296	21,536	527	224	9
Nonwhite	12,845	10,380	460	1,985	20
Places of 100,000 or more	14,814	14,462	220	119	13
White	8,932	8,818	66	44	4
Nonwhite	5,882	5,644	154	75	9
Places of 25,000 to 100,000	7,046	6,564	109	370	3
White	4,126	4,086	35	5	-
Nonwhite	2,920	2,478	74	365	3
Places of 10,000 to 25,000	3,453	2,951	149	353	-
White	2,339	2,215	95	29	-
Nonwhite	1,114	736	54	324	-
Places of 2,500 to 10,000	9,828	7,939	509	1,367	13
White	6,899	6,417	331	146	5
Nonwhite	2,929	1,522	178	1,221	8
Rural	38,171	24,829	4,552	8,760	30
White	22,518	18,559	2,992	959	8
Nonwhite	15,653	6,270	1,560	7,801	22
MAINE	22,071	19,913	2,111	6	41
White	22,038	19,883	2,108	6	41
Nonwhite	33	30	3	-	-
Urban	8,496	8,233	261	-	2
White	8,474	8,212	260	-	2
Nonwhite	22	21	1	-	-
Places of 25,000 to 100,000	3,432	3,355	76	-	1
White	3,422	3,345	76	-	1
Nonwhite	10	10	-	-	-
Places of 10,000 to 25,000	2,736	2,658	78	-	-
White	2,735	2,657	78	-	-
Nonwhite	1	1	-	-	-
Places of 2,500 to 10,000	2,328	2,220	107	-	1
White	2,317	2,210	106	-	1
Nonwhite	11	10	1	-	-
Rural	13,575	11,680	1,850	6	39
White	13,564	11,671	1,848	6	39
Nonwhite	11	9	2	-	-
MARYLAND	53,425	44,722	6,522	2,130	49
White	42,130	37,874	3,781	430	35
Nonwhite	11,293	6,848	2,731	1,700	14
Urban	29,404	25,331	3,261	798	14
White	21,819	20,259	1,401	149	10
Nonwhite	7,585	5,072	1,860	649	4
Places of 100,000 or more	22,352	19,149	2,555	645	3
White	15,696	14,555	1,000	138	3
Nonwhite	6,656	4,594	1,555	507	-
Places of 25,000 to 100,000	1,817	1,687	128	-	2
White	1,766	1,646	118	-	2
Nonwhite	51	41	10	-	-
Places of 10,000 to 25,000	2,191	1,753	347	88	3
White	1,551	1,424	119	7	1
Nonwhite	640	329	228	81	2
Places of 2,500 to 10,000	3,044	2,742	231	65	6
White	2,806	2,634	164	4	4
Nonwhite	238	108	67	61	2
Rural	24,019	19,391	3,261	1,332	35
White	20,311	17,615	2,390	281	25
Nonwhite	3,708	1,776	871	1,051	10
MASSACHUSETTS	[4]97,399	95,535	1,803	3	48
White	95,405	93,655	1,704	3	43
Nonwhite	1,984	1,880	99	-	5
Urban	86,011	84,457	1,528	2	24
White	84,104	82,635	1,446	2	21
Nonwhite	1,907	1,822	82	-	3
Places of 100,000 or more	37,556	36,731	812	1	12
White	35,894	35,140	743	1	10
Nonwhite	1,662	1,591	69	-	2
Places of 25,000 to 100,000	25,020	24,736	283	1	-
White	24,865	24,588	276	1	-
Nonwhite	155	148	7	-	-
MASSACHUSETTS—Con.					
Urban—Continued					
Places of 10,000 to 25,000	16,764	16,490	266	-	8
White	16,720	16,451	261	-	8
Nonwhite	44	39	5	-	-
Places of 2,500 to 10,000	6,671	6,500	167	-	4
White	6,625	6,456	166	-	3
Nonwhite	46	44	1	-	1
Rural	11,378	11,078	275	1	24
White	11,301	11,020	258	1	22
Nonwhite	77	58	17	-	2
MICHIGAN	154,730	148,242	6,264	78	146
White	142,845	137,747	4,936	47	115
Nonwhite	11,885	10,495	1,328	31	31
Urban	103,823	101,139	2,610	21	53
White	92,612	91,090	1,482	5	35
Nonwhite	11,211	10,049	1,128	16	18
Places of 100,000 or more	51,995	50,478	1,479	17	22
White	43,623	42,928	681	4	10
Nonwhite	8,373	7,550	798	13	12
Places of 25,000 to 100,000	23,462	23,138	314	-	10
White	22,219	21,971	240	-	8
Nonwhite	1,243	1,167	74	-	2
Places of 10,000 to 25,000	12,734	12,392	338	3	11
White	11,576	11,356	209	-	11
Nonwhite	1,158	1,026	129	3	-
Places of 2,500 to 10,000	15,631	15,141	479	1	10
White	15,194	14,835	352	1	6
Nonwhite	437	306	127	-	4
Rural	50,907	47,103	3,654	57	93
White	50,233	46,657	3,454	42	80
Nonwhite	674	446	200	15	13
MINNESOTA	72,780	70,788	1,870	52	70
White	72,030	70,092	1,832	48	58
Nonwhite	750	696	38	4	12
Urban	40,654	40,247	364	31	12
White	40,285	39,896	347	30	12
Nonwhite	369	351	17	1	-
Places of 100,000 or more	23,416	23,213	175	19	9
White	23,080	22,895	158	18	9
Nonwhite	336	318	17	1	-
Places of 25,000 to 100,000	866	849	17	-	-
White	865	848	17	-	-
Nonwhite	1	1	-	-	-
Places of 10,000 to 25,000	5,315	5,274	41	-	-
White	5,308	5,267	41	-	-
Nonwhite	7	7	-	-	-
Places of 2,500 to 10,000	11,057	10,911	131	12	3
White	11,032	10,886	131	12	3
Nonwhite	25	25	-	-	-
Rural	32,126	30,541	1,506	21	58
White	31,745	30,196	1,485	18	46
Nonwhite	381	345	21	3	12
MISSISSIPPI	65,303	28,040	11,881	12,225	[3]13,157
White	29,811	23,139	5,300	299	1,073
Nonwhite	35,492	4,901	6,581	11,926	12,084
Urban	17,049	11,521	1,645	2,055	1,828
White	9,953	9,493	328	43	89
Nonwhite	7,096	2,028	1,317	2,012	1,739
Places of 25,000 to 100,000	3,519	2,535	272	273	439
White	2,011	1,993	9	1	8
Nonwhite	1,508	542	263	272	431
Places of 10,000 to 25,000	6,788	4,731	526	935	596
White	4,019	3,895	77	18	29
Nonwhite	2,769	836	449	917	567
Places of 2,500 to 10,000	6,742	4,255	847	847	793
White	3,923	3,605	242	24	52
Nonwhite	2,819	650	605	823	741
Rural	48,254	16,519	10,236	10,170	11,329
White	19,858	13,846	4,972	256	984
Nonwhite	28,396	2,673	5,264	9,914	10,345
MISSOURI	85,258	70,307	13,573	908	470
White	77,942	64,627	12,461	446	408
Nonwhite	7,316	5,680	1,112	462	62

See footnotes on p. 181.

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
MISSOURI—Continued					
Urban	49,395	46,150	2,941	271	33
White	43,240	40,780	2,303	137	20
Nonwhite	6,155	5,370	638	134	13
Places of 100,000 or more	29,091	28,299	679	106	7
White	23,850	23,395	369	82	4
Nonwhite	5,241	4,904	310	24	3
Places of 25,000 to 100,000	4,718	4,527	187	2	2
White	4,595	4,428	163	2	2
Nonwhite	123	99	24	-	-
Places of 10,000 to 25,000	6,720	6,308	389	16	7
White	6 360	6,080	289	7	4
Nonwhite	340	228	100	9	3
Places of 2,500 to 10,000	8,866	7,016	1,686	147	17
White	8,415	6,877	1,482	46	10
Nonwhite	451	139	204	101	7
Rural	35,863	24,157	10,632	637	437
White	34,702	23,847	10,158	309	388
Nonwhite	1,161	310	474	328	49
MONTANA	15,035	14,701	271	34	29
White	14,242	14,003	216	11	12
Nonwhite	793	698	55	23	17
Urban	7,454	7,395	53	2	4
White	7,383	7,328	49	2	4
Nonwhite	71	67	4	-	-
Places of 25,000 to 100,000	2,044	2,034	8	1	1
White	2,023	2,013	8	1	1
Nonwhite	21	21	-	-	-
Places of 10,000 to 25,000	2,643	2,633	7	-	3
White	2,625	2,615	7	-	3
Nonwhite	18	18	-	-	-
Places of 2,500 to 10,000	2,767	2,728	38	1	-
White	2,735	2,700	34	1	-
Nonwhite	32	28	4	-	-
Rural	7,581	7,306	218	32	25
White	6,859	6,675	167	9	8
Nonwhite	722	631	51	23	17
NEBRASKA	31,176	29,733	1,431	1	11
White	30,495	29,099	1,391	-	5
Nonwhite	681	634	40	1	6
Urban	15,019	14,713	305	-	1
White	14,479	14,205	273	-	1
Nonwhite	540	508	32	-	-
Places of 100 000 or more	6,014	5,921	92	-	1
White	5,568	5,506	61	-	1
Nonwhite	446	415	31	-	-
Places of 25,000 to 100.000	2,405	2,381	24	-	-
White	2,366	2,342	24	-	-
Nonwhite	39	39	-	-	-
Places of 10,000 to 25,000	2,909	2,835	74	-	-
White	2,880	2,807	73	-	-
Nonwhite	29	28	1	-	-
Places of 2,500 to 10,000	3,691	3,576	115	-	-
White	3,665	3,550	115	-	-
Nonwhite	26	26	-	-	-
Rural	16,157	15,020	1,126	1	10
White	16,016	14,894	1,118	-	4
Nonwhite	141	126	8	1	6
NEVADA	3,694	3,615	63	2	14
White	3,448	3,406	39	-	3
Nonwhite	246	209	24	2	11
Urban	1,826	1,810	15	-	1
White	1,735	1,729	5	-	1
Nonwhite	91	81	10	-	-
Places of 10,000 to 25,000	811	809	1	-	1
White	790	788	1	-	1
Nonwhite	21	21	-	-	-
Places of 2,500 to 10,000	1,015	1,001	14	-	-
White	945	941	4	-	-
Nonwhite	70	60	10	-	-
Rural	1,868	1,805	48	2	13
White	1,713	1,677	34	-	2
Nonwhite	155	128	14	2	11
NEW HAMPSHIRE	12,423	12,208	210	-	5
White	12,406	12,192	209	-	5
Nonwhite	17	16	1	-	-
NEW HAMPSHIRE—Con.					
Urban	7,140	7,103	36	-	1
White	7,126	7,090	35	-	1
Nonwhite	14	13	1	-	-
Places of 25,000 to 100,000	3,480	3,469	10	-	1
White	3,471	3,461	9	-	1
Nonwhite	9	8	1	-	-
Places of 10,000 to 25,000	2,581	2,570	11	-	-
White	2,576	2,565	11	-	-
Nonwhite	5	5	-	-	-
Places of 2,500 to 10,000	1,079	1,064	15	-	-
White	1,079	1,064	15	-	-
Nonwhite	-	-	-	-	-
Rural	5,283	5,105	174	-	4
White	5.280	5,102	174	-	4
Nonwhite	3	3	-	-	-
NEW JERSEY	97,580	94,481	2,656	393	50
White	88,894	86,592	1,911	358	33
Nonwhite	8,686	7,889	745	35	17
Urban	76,986	74,988	1,615	344	39
White	69,581	68,124	1,105	323	29
Nonwhite	7,405	6,864	510	21	10
Places of 100,000 or more	26,901	25,960	728	193	20
White	22 734	22,107	435	177	15
Nonwhite	4 167	3,853	293	16	5
Places of 25,000 to 100,000	21,178	20,853	231	87	7
White	19,612	19,364	160	83	5
Nonwhite	1,566	1,489	71	4	2
Places of 10,000 to 25,000	13,852	13,503	306	40	3
White	12,791	12,525	224	39	3
Nonwhite	1,081	978	82	1	-
Places of 2,500 to 10,000	15,055	14,672	350	24	9
White	14,444	14,128	286	24	6
Nonwhite	611	544	64	-	3
Rural	20,594	19,493	1,041	49	11
White	19,313	18,468	806	35	4
Nonwhite	1,281	1,025	235	14	7
NEW MEXICO	20,519	13,673	3,730	2,444	672
White	19,127	12,715	3,671	2,314	427
Nonwhite	1,392	958	59	130	245
Urban	8,776	6,977	1,025	690	84
White	8,522	6,749	1,002	668	83
Nonwhite	254	228	23	2	1
Places of 25,000 to 100,000	1,871	1,647	166	53	5
White	1,819	1,598	163	53	5
Nonwhite	52	49	3	-	-
Places of 10,000 to 25,000	2,567	2,132	126	289	20
White	2,472	2,040	125	287	20
Nonwhite	95	92	1	2	-
Places of 2,500 to 10,000	4,338	3,198	733	348	59
White	4,231	3,111	714	348	58
Nonwhite	107	87	19	-	1
Rural	11,743	6,696	2,705	1,754	588
White	10,605	5,966	2,689	1,626	344
Nonwhite	1,138	730	36	128	244
NEW YORK	301,966	295,315	6,009	326	316
White	277,362	271,815	5,097	191	259
Nonwhite	24,604	23,500	912	135	57
Urban	241,930	238,169	3,234	310	217
White	218,171	215,408	2,417	175	171
Nonwhite	23,759	22,761	817	135	46
Places of 100,000 or more	186,813	183,860	2,562	295	196
White	164,963	162,817	1,833	160	153
Nonwhite	21,950	21,043	729	135	43
Places of 25,000 to 100,000	19,196	19,036	143	9	8
White	18,243	18,119	110	9	5
Nonwhite	953	917	33	-	3
Places of 10,000 to 25,000	19,433	19,232	189	4	8
White	18,883	18,723	148	4	8
Nonwhite	550	509	41	-	-
Places of 2,500 to 10,000	16,388	16,041	340	2	5
White	16,082	15,749	326	2	5
Nonwhite	306	292	14	-	-
Rural	60,036	57,146	2,775	16	99
White	59,191	56,407	2,680	16	88
Nonwhite	845	739	95	-	11

See footnotes on p. 181.

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
NORTH CAROLINA	109,430	73,171	22,320	13,822	117
White	74,582	61,351	11,392	1,764	75
Nonwhite	34,848	11,820	10,928	12,058	42
Urban	32,160	27,997	2,234	1,925	14
White	22,598	21,868	671	54	5
Nonwhite	9,562	6,119	1,563	1,871	9
Places of 100,000 or more	3,261	3,146	39	74	2
White	2,260	2,256	3	-	1
Nonwhite	1,001	890	36	74	1
Places of 25,000 to 100,000	11,963	11,085	517	356	5
White	7,908	7,824	66	15	3
Nonwhite	4,055	3,261	451	341	2
Places of 10,000 to 25,000	8,947	7,310	676	960	1
White	6,338	6,154	163	21	-
Nonwhite	2,609	1,156	513	939	1
Places of 2,500 to 10,000	7,989	6,446	1,002	535	6
White	6,082	5,634	439	18	1
Nonwhite	1,897	812	563	517	5
Rural	77,270	45,184	20,086	11,897	103
White	51,984	39,483	10,721	1,710	70
Nonwhite	25,286	5,701	9,365	10,187	33
NORTH DAKOTA	16,584	15,711	776	8	89
White	16,218	15,392	767	7	52
Nonwhite	366	319	9	1	37
Urban	4,776	4,735	38	-	3
White	4,747	4,707	38	-	2
Nonwhite	29	28	-	-	1
Places of 25,000 to 100,000	1,069	1,062	7	-	-
White	1,066	1,059	7	-	-
Nonwhite	3	3	-	-	-
Places of 10,000 to 25,000	1,995	1,982	12	-	1
White	1,979	1,967	12	-	-
Nonwhite	16	15	-	-	1
Places of 2,500 to 10,000	1,712	1,691	19	-	2
White	1,702	1,681	19	-	2
Nonwhite	10	10	-	-	-
Rural	11,808	10,976	738	8	86
White	11,471	10,685	729	7	50
Nonwhite	337	291	9	1	36
OHIO	186,353	174,465	11,591	51	246
White	172,843	162,534	10,090	39	180
Nonwhite	13,510	11,931	1,501	12	66
Urban	129,375	125,419	3,817	22	117
White	116,782	114,136	2,569	15	82
Nonwhite	12,593	11,283	1,248	7	55
Places of 100,000 or more	75,563	73,526	1,949	16	72
White	65,160	64,172	942	11	35
Nonwhite	10,403	9,354	1,007	5	37
Places of 25,000 to 100,000	20,239	19,777	449	-	13
White	18,979	18,642	329	-	8
Nonwhite	1,260	1,135	120	-	5
Places of 10,000 to 25,000	15,143	14,660	458	4	21
White	14,664	14,249	404	3	8
Nonwhite	479	411	54	1	13
Places of 2,500 to 10,000	18,430	17,456	961	2	11
White	17,979	17,073	894	1	11
Nonwhite	451	383	67	1	-
Rural	56,978	49,046	7,774	29	129
White	56,061	49,398	7,521	24	118
Nonwhite	917	648	253	5	11
OKLAHOMA	50,386	41,649	7,321	1,016	400
White	44,768	38,298	6,094	196	181
Nonwhite	5,617	3,351	1,227	820	219
Urban	25,689	23,853	1,392	378	66
White	22,951	21,981	909	32	29
Nonwhite	2,738	1,872	483	346	37
Places of 100,000 or more	10,236	9,981	176	66	13
White	9,019	8,933	75	5	6
Nonwhite	1,217	1,048	101	61	7
Places of 25,000 to 100,000	1,722	1,593	54	68	7
White	1,502	1,474	23	3	2
Nonwhite	220	119	31	65	5
Places of 10,000 to 25,000	7,109	6,563	391	135	20
White	6,397	6,167	213	11	6
Nonwhite	712	396	178	124	14
Places of 2,500 to 10,000	6,622	5,716	771	109	26
White	6,033	5,407	598	13	15
Nonwhite	589	309	173	96	11
Rural	24,697	17,796	5,929	638	334
White	21,818	16,317	5,185	164	152
Nonwhite	2,879	1,479	744	474	182
OREGON	35,206	34,791	338	4	73
White	34,581	34,191	327	3	60
Nonwhite	625	600	11	1	13
Urban	18,921	18,848	61	-	12
White	18,588	18,522	55	-	11
Nonwhite	333	326	6	-	1
Places of 100,000 or more	9,770	9,738	27	-	5
White	9,495	9,468	23	-	4
Nonwhite	275	270	4	-	1
Places of 25,000 to 100,000	934	931	3	-	-
White	934	931	3	-	-
Nonwhite	-	-	-	-	-
Places of 10,000 to 25,000	3,195	3,191	4	-	-
White	3,179	3,175	4	-	-
Nonwhite	16	16	-	-	-
Places of 2,500 to 10,000	5,022	4,988	27	-	7
White	4,980	4,948	25	-	7
Nonwhite	42	40	2	-	-
Rural	16,285	15,943	277	4	61
White	15,993	15,669	272	3	49
Nonwhite	292	274	5	1	12
PENNSYLVANIA	227,227	207,755	19,233	182	57
White	210,781	192,967	17,628	135	51
Nonwhite	16,446	14,788	1,605	47	6
Urban	153,161	146,844	6,161	126	30
White	137,796	132,880	4,809	82	25
Nonwhite	15,365	13,964	1,352	44	5
Places of 100,000 or more	69,873	67,761	2,054	51	7
White	57,835	56,676	1,122	32	5
Nonwhite	12,038	11,085	932	19	2
Places of 25,000 to 100,000	28,884	27,522	1,309	43	10
White	27,286	26,175	1,081	22	8
Nonwhite	1,598	1,347	228	21	2
Places of 10,000 to 25,000	25,509	24,542	947	17	3
White	24,359	23,525	817	14	3
Nonwhite	1,150	1,017	130	3	-
Places of 2,500 to 10,000	28,895	27,019	1,851	15	10
White	29,316	26,504	1,789	14	9
Nonwhite	579	515	62	1	1
Rural	74,066	60,911	13,072	56	27
White	72,985	60,087	12,819	53	26
Nonwhite	1,081	824	253	3	1
RHODE ISLAND	16,861	16,563	263	9	26
White	16,445	16,158	253	9	25
Nonwhite	416	405	10	-	1
Urban	14,981	14,715	233	9	24
White	14,592	14,338	224	9	23
Nonwhite	389	379	9	-	1
Places of 100,000 or more	5,473	5,396	55	2	20
White	5,210	5,136	53	2	19
Nonwhite	263	260	2	-	1
Places of 25,000 to 100,000	6,859	6,727	130	-	2
White	6,745	6,619	124	-	2
Nonwhite	114	108	6	-	-
Places of 10,000 to 25,000	2,018	1,982	30	4	2
White	2,008	1,972	30	4	2
Nonwhite	10	10	-	-	-
Places of 2,500 to 10,000	631	610	18	3	-
White	629	609	17	3	-
Nonwhite	2	1	1	-	-
Rural	1,880	1,848	30	-	2
White	1,853	1,822	29	-	2
Nonwhite	27	26	1	-	-
SOUTH CAROLINA	57,759	30,310	10,527	16,816	106
White	31,688	25,897	5,155	620	16
Nonwhite	26,071	4,413	5,372	16,196	90
Urban	19,346	14,912	2,248	2,178	8
White	13,501	12,678	780	41	2
Nonwhite	5,845	2,234	1,468	2,137	6
Places of 25,000 to 100,000	8,704	7,108	968	624	4
White	6,009	5,861	136	11	1
Nonwhite	2,695	1,247	832	613	3
Places of 10,000 to 25,000	3,544	2,795	183	585	1
White	2,457	2,386	61	9	1
Nonwhite	1,087	409	102	576	-
Places of 2,500 to 10,000	7,098	5,009	1,117	969	3
White	5,035	4,451	583	21	-
Nonwhite	2,063	558	534	948	3
Rural	38,413	15,398	8,279	14,638	98
White	18,187	13,219	4,375	579	14
Nonwhite	20,226	2,179	3,904	14,059	84

See footnotes on p. 181.

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
SOUTH DAKOTA	16,405	15,300	989	41	75
White	15,700	14,706	942	31	21
Nonwhite	705	594	47	10	54
Urban	5,853	5,712	135	4	2
White	5,772	5,636	132	4	-
Nonwhite	81	76	3	-	2
Places of 25,000 to 100,000	1,496	1,488	8	-	-
White	1,488	1,481	7	-	-
Nonwhite	8	7	1	-	-
Places of 10,000 to 25,000	2,423	2,352	66	3	2
White	2,397	2,329	65	3	-
Nonwhite	26	23	1	-	2
Places of 2,500 to 10,000	1,934	1,872	61	1	-
White	1,887	1,826	60	1	-
Nonwhite	47	46	1	-	-
Rural	10,552	9,588	854	37	73
White	9,929	9,070	810	27	21
Nonwhite	624	518	44	10	52
TENNESSEE	82,127	56,336	19,239	4,939	1,613
White	67,558	49,686	15,286	2,272	314
Nonwhite	14,569	6,650	3,953	2,667	1,299
Urban	33,230	28,361	3,174	690	1,005
White	24,733	23,114	1,448	136	35
Nonwhite	8,497	5,247	1,726	554	970
Places of 100,000 or more	21,934	19,456	1,344	151	983
White	15,224	14,780	412	22	30
Nonwhite	6,710	4,696	932	129	953
Places of 25,000 to 100,000	698	611	76	10	1
White	639	580	49	10	-
Nonwhite	59	31	27	-	1
Places of 10,000 to 25,000	3,449	2,713	499	234	3
White	2,856	2,566	255	32	3
Nonwhite	593	147	244	202	-
Places of 2,500 to 10,000	7,149	5,581	1,255	295	18
White	6,014	5,208	732	72	2
Nonwhite	1,135	373	523	223	16
Rural	48,897	27,975	16,065	4,249	608
White	42,825	26,572	13,838	2,136	279
Nonwhite	6,072	1,403	2,227	2,113	329
TEXAS	197,750	149,168	25,515	21,168	1,899
White	172,004	135,432	20,701	14,336	1,535
Nonwhite	25,746	13,736	4,814	6,832	364
Urban	124,652	101,168	11,767	11,096	621
White	109,102	90,386	9,319	8,894	503
Nonwhite	15,550	10,782	2,448	2,202	118
Places of 100,000 or more	47,344	41,586	2,085	3,574	119
White	40,356	35,625	1,404	3,222	105
Nonwhite	6,988	5,961	681	352	14
Places of 25,000 to 100,000	30,485	26,221	1,633	2,478	153
White	26,728	23,511	1,178	1,924	115
Nonwhite	3,757	2,710	455	554	38
Places of 10,000 to 25,000	13,642	10,120	1,637	1,815	70
White	11,918	9,428	1,208	1,235	46
Nonwhite	1,724	691	429	580	24
Places of 2,500 to 10,000	33,181	23,241	6,432	3,229	279
White	30,100	21,821	5,529	2,513	237
Nonwhite	3,081	1,420	903	716	42
Rural	73,098	48,000	13,748	10,072	1,278
White	62,902	45,046	11,382	5,442	1,032
Nonwhite	10,196	2,954	2,366	4,630	246
UTAH	20,714	20,312	378	5	19
White	20,385	19,998	367	4	16
Nonwhite	329	314	11	1	3
Urban	12,140	12,006	126	1	7
White	11,973	11,846	120	-	7
Nonwhite	167	160	6	1	-
Places of 100,000 or more	5,373	5,323	47	-	3
White	5,281	5,236	42	-	3
Nonwhite	92	87	5	-	-
Places of 25,000 to 100,000	1,791	1,784	5	1	1
White	1,742	1,736	5	-	1
Nonwhite	49	48	-	1	-
Places of 10,000 to 25,000	1,408	1,393	13	-	-
White	1,408	1,393	13	-	-
Nonwhite	-	-	-	-	-
UTAH—Continued					
Urban—Continued					
Places of 2,500 to 10,000	3,570	3,506	61	-	3
White	3,544	3,481	60	-	3
Nonwhite	26	25	1	-	-
Rural	8,574	8,306	252	4	12
White	8,412	8,152	247	4	9
Nonwhite	162	154	5	-	3
VERMONT	9,389	8,580	785	-	4
White	9,366	8,577	785	-	4
Nonwhite	3	3	-	-	-
Urban	3,478	3,403	75	-	-
White	3,478	3,403	75	-	-
Nonwhite	-	-	-	-	-
Places of 25,000 to 100,000	822	816	6	-	-
White	822	816	6	-	-
Nonwhite	-	-	-	-	-
Places of 10,000 to 25,000	725	711	14	-	-
White	725	711	14	-	-
Nonwhite	-	-	-	-	-
Places of 2,500 to 10,000	1,931	1,876	55	-	-
White	1,931	1,876	55	-	-
Nonwhite	-	-	-	-	-
Rural	5,891	5,177	710	-	4
White	5,888	5,174	710	-	4
Nonwhite	3	3	-	-	-
VIRGINIA	82,057	56,527	14,788	10,468	274
White	61,049	48,864	10,419	1,592	174
Nonwhite	21,008	7,663	4,369	8,876	100
Urban	30,978	26,765	1,974	2,208	31
White	22,891	22,017	773	88	13
Nonwhite	8,087	4,748	1,201	2,120	18
Places of 100,000 or more	9,649	8,362	645	634	8
White	6,070	5,941	117	7	5
Nonwhite	3,579	2,421	528	627	3
Places of 25,000 to 100,000	13,516	11,891	377	1,235	13
White	10,330	10,207	76	42	5
Nonwhite	3,186	1,684	301	1,193	8
Places of 10,000 to 25,000	2,357	2,054	172	126	5
White	1,844	1,787	54	2	1
Nonwhite	513	267	118	124	4
Places of 2,500 to 10,000	5,456	4,458	780	213	5
White	4,647	4,082	526	37	2
Nonwhite	809	376	254	176	3
Rural	51,079	29,762	12,814	8,260	243
White	38,158	26,847	9,646	1,504	161
Nonwhite	12,921	2,915	3,168	6,756	82
WASHINGTON	55,833	55,143	588	14	88
White	54,013	53,366	561	10	76
Nonwhite	1,820	1,777	27	4	12
Urban	33,769	33,583	145	3	38
White	32,470	32,288	141	3	38
Nonwhite	1,299	1,295	4	-	-
Places of 100,000 or more	21,012	20,899	81	-	32
White	19,971	19,862	77	-	32
Nonwhite	1,041	1,037	4	-	-
Places of 25,000 to 100,000	3,391	3,380	8	1	2
White	3,335	3,324	8	1	2
Nonwhite	56	56	-	-	-
Places of 10,000 to 25,000	4,756	4,730	23	2	1
White	4,662	4,636	23	2	1
Nonwhite	94	94	-	-	-
Places of 2,500 to 10,000	4,610	4,574	33	-	3
White	4,502	4,466	33	-	3
Nonwhite	108	108	-	-	-
Rural	22,064	21,560	443	11	50
White	21,543	21,078	420	7	38
Nonwhite	521	482	23	4	12
WEST VIRGINIA	52,396	32,338	18,377	1,030	651
White	49,608	31,385	16,625	981	617
Nonwhite	2,788	953	1,752	49	34
Urban	15,588	14,270	1,283	19	16
White	14,764	13,762	976	15	11
Nonwhite	824	508	307	4	5

See footnotes on p. 181.

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
WEST VIRGINIA—Con.					
Urban—Continued					
Places of 25,000 to 100,000--	7,350	7,168	171	4	7
White-----	6,990	6,849	130	4	7
Nonwhite--	360	319	41	-	-
Places of 10,000 to 25,000---	3,468	3,168	293	4	3
White-----	3,215	3,080	134	1	-
Nonwhite--	253	88	159	3	3
Places of 2,500 to 10,000----	4,770	3,934	819	11	6
White-----	4,559	3,833	712	10	4
Nonwhite--	211	101	107	1	2
Rural----------	36,808	18,068	17,094	1,011	635
White-----	34,844	17,623	15,649	966	606
Nonwhite--	1,964	445	1,445	45	29
WISCONSIN----------	81,630	78,740	2,743	41	106
White-----	80,595	77,804	2,655	37	99
Nonwhite--	1,035	936	88	4	7
Urban----------	44,924	44,403	494	7	20
White-----	44,272	43,811	435	7	19
Nonwhite--	652	592	59	-	1
Places of 100,000 or more----	14,398	14,156	220	6	16
White-----	13,853	13,668	164	6	15
Nonwhite--	545	488	56	-	1
Places of 25,000 to 100,000--	16,535	16,467	66	1	1
White-----	16,454	16,387	65	1	1
Nonwhite--	81	80	1	-	-
WISCONSIN—Con.					
Urban—Continued					
Places of 10,000 to 25,000---	6,306	6,240	64	-	2
White-----	6,295	6,231	62	-	2
Nonwhite--	11	9	2	-	-
Places of 2,500 to 10,000----	7,685	7,540	144	-	1
White-----	7,670	7,525	144	-	1
Nonwhite--	15	15	-	-	-
Rural----------	36,706	34,337	2,249	34	86
White-----	36,323	33,993	2,220	30	80
Nonwhite--	383	344	29	4	6
WYOMING----------	7,418	7,078	327	-	13
White-----	7,226	6,924	296	-	6
Nonwhite--	192	154	31	-	7
Urban----------	3,664	3,540	121	-	3
White-----	3,620	3,497	120	-	3
Nonwhite--	44	43	1	-	-
Places of 10,000 to 25,000---	2,353	2,329	22	-	2
White-----	2,319	2,295	22	-	2
Nonwhite--	34	34	-	-	-
Places of 2,500 to 10,000----	1,311	1,211	99	-	1
White-----	1,301	1,202	98	-	1
Nonwhite--	10	9	1	-	-
Rural----------	3,754	3,538	206	-	10
White-----	3,606	3,427	176	-	3
Nonwhite--	148	111	30	-	7

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

[2] Births classified as attended by "Other and not specified" persons form a somewhat greater proportion of the total births in 1948 than in former years because of special problems in coding the person-in-attendance item in Georgia, Kentucky, and Mississippi. The great majority of the "Other and not specified" attendants in these States are believed to be midwives.

[3] Births classified as attended by "Other and not specified" persons form a much greater proportion of the total births in 1948 than in previous years because of special problems in coding the person-in-attendance item in this State. The great majority of the "Other and not specified" attendants are believed to be midwives.

[4] Excludes 2,381 births which occurred in the city of Lynn to residents of Massachusetts. Statistical transcripts for these births were received at the National Office of Vital Statistics after tabulations were completed.

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS				
UNITED STATES[1]	37,271	31,591	5,469	211
Both living	34,547	29,520	4,828	199
1 living	1,699	1,273	415	11
Both stillborn	1,025	798	226	1
2 males	12,796	10,962	1,762	72
Both living	11,687	10,086	1,534	67
1 living	610	472	134	4
Both stillborn	499	404	94	1
1 male, 1 female	12,144	10,128	1,960	56
Both living	11,469	9,671	1,746	52
1 living—Male	222	154	67	1
Female	268	186	79	3
Both stillborn	185	117	68	-
2 females	12,331	10,501	1,747	83
Both living	11,391	9,763	1,548	80
1 living	599	461	135	3
Both stillborn	341	277	64	-
ALABAMA				
2 males	325	192	133	-
Both living	294	175	109	-
1 living	28	12	16	-
Both stillborn	13	5	8	-
1 male, 1 female	318	157	161	-
Both living	290	155	135	-
1 living—Male	10	2	8	-
Female	10	-	10	-
Both stillborn	8	-	8	-
2 females	292	177	115	-
Both living	258	160	98	-
1 living	26	14	12	-
Both stillborn	8	3	5	-
ARIZONA				
2 males	60	53	1	6
Both living	55	49	-	6
1 living	1	1	-	-
Both stillborn	4	3	1	-
1 male, 1 female	63	55	5	3
Both living	61	54	4	3
1 living—Female	2	1	1	-
2 females	76	67	3	6
Both living	73	64	3	6
1 living	1	1	-	-
Both stillborn	2	2	-	-
ARKANSAS				
2 males	201	142	59	-
Both living	181	130	51	-
1 living	12	6	6	-
Both stillborn	8	6	2	-
1 male, 1 female	201	145	56	-
Both living	188	138	50	-
1 living—Male	2	1	1	-
Female	7	5	2	-
Both stillborn	4	1	3	-
2 females	209	148	61	-
Both living	196	139	57	-
1 living	10	7	3	-
Both stillborn	3	2	1	-
CALIFORNIA				
2 males	877	815	48	14
Both living	810	750	46	14
1 living	33	32	1	-
Both stillborn	34	33	1	-
1 male, 1 female	822	744	72	6
Both living	792	717	69	6
1 living—Male	10	10	-	-
Female	16	15	1	-
Both stillborn	4	2	2	-
2 females	863	789	55	19
Both living	816	746	51	19
1 living	32	28	4	-
Both stillborn	15	15	-	-
COLORADO				
2 males	97	93	3	1
Both living	90	86	3	1
1 living	2	2	-	-
Both stillborn	5	5	-	-
1 male, 1 female	115	111	3	1
Both living	113	109	3	1
1 living—Male	1	1	-	-
Female	1	1	-	-
2 females	105	104	1	-
Both living	101	100	1	-
1 living	3	3	-	-
Both stillborn	1	1	-	-
CASES OF TWINS—Con.				
CONNECTICUT				
2 males	137	133	4	-
Both living	128	124	4	-
1 living	6	6	-	-
Both stillborn	3	3	-	-
1 male, 1 female	133	126	7	-
Both living	126	120	6	-
1 living—Male	4	3	1	-
Female	2	2	-	-
Both stillborn	1	1	-	-
2 females	142	136	6	-
Both living	133	127	6	-
1 living	6	6	-	-
Both stillborn	3	3	-	-
DELAWARE				
2 males	23	19	4	-
Both living	21	17	4	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
1 male, 1 female	23	14	9	-
Both living	20	12	8	-
1 living—Female	2	2	-	-
Both stillborn	1	-	1	-
2 females	27	21	6	-
Both living	25	20	5	-
1 living	2	1	1	-
DISTRICT OF COLUMBIA				
2 males	64	33	30	1
Both living	61	32	28	1
1 living	1	-	1	-
Both stillborn	2	1	1	-
1 male, 1 female	44	28	16	-
Both living	44	28	16	-
2 females	72	45	27	-
Both living	67	40	27	-
1 living	4	4	-	-
Both stillborn	1	1	-	-
FLORIDA				
2 males	199	137	61	1
Both living	179	127	51	1
1 living	11	3	8	-
Both stillborn	9	7	2	-
1 male, 1 female	217	146	71	-
Both living	198	138	60	-
1 living—Male	7	3	4	-
Female	7	3	4	-
Both stillborn	5	2	3	-
2 females	199	141	58	-
Both living	170	127	43	-
1 living	24	11	13	-
Both stillborn	5	3	2	-
GEORGIA				
2 males	220	117	103	-
Both living	194	106	88	-
1 living	10	5	5	-
Both stillborn	16	6	10	-
1 male, 1 female	233	126	107	-
Both living	199	116	83	-
1 living—Male	15	4	11	-
Female	15	4	11	-
Both stillborn	4	2	2	-
2 females	237	137	100	-
Both living	204	120	84	-
1 living	19	10	9	-
Both stillborn	14	7	7	-
IDAHO				
2 males	57	55	-	2
Both living	56	54	-	2
1 living	1	1	-	-
Both stillborn	-	-	-	-
1 male, 1 female	69	68	-	1
Both living	67	66	-	1
1 living—Male	1	1	-	-
Both stillborn	1	1	-	-
2 females	46	44	-	2
Both living	45	43	-	2
Both stillborn	1	1	-	-
ILLINOIS				
2 males	705	623	78	4
Both living	654	581	69	4
1 living	33	27	6	-
Both stillborn	18	15	3	-
1 male, 1 female	629	556	71	2
Both living	606	535	69	2
1 living—Male	10	10	-	-
Female	11	9	2	-
Both stillborn	2	2	-	-
CASES OF TWINS—Con.				
ILLINOIS—Con.				
2 females	664	590	71	3
Both living	618	548	67	3
1 living	31	28	3	-
Both stillborn	15	14	1	-
INDIANA				
2 males	330	311	19	-
Both living	301	283	18	-
1 living	21	20	1	-
Both stillborn	8	8	-	-
1 male, 1 female	288	274	14	-
Both living	277	264	13	-
1 living—Male	6	6	-	-
Female	1	1	-	-
Both stillborn	4	3	1	-
2 females	302	280	22	-
Both living	273	253	20	-
1 living	16	14	2	-
Both stillborn	13	13	-	-
IOWA				
2 males	231	230	1	-
Both living	220	220	-	-
1 living	7	6	1	-
Both stillborn	4	4	-	-
1 male, 1 female	212	207	5	-
Both living	210	205	5	-
1 living—Male	1	1	-	-
Female	1	1	-	-
2 females	245	241	4	-
Both living	236	232	4	-
1 living	5	5	-	-
Both stillborn	4	4	-	-
KANSAS				
2 males	148	142	5	1
Both living	139	133	5	1
1 living	6	6	-	-
Both stillborn	3	3	-	-
1 male, 1 female	160	148	12	-
Both living	155	143	12	-
1 living—Female	2	2	-	-
Both stillborn	3	3	-	-
2 females	133	125	7	1
Both living	118	110	7	1
1 living	12	12	-	-
Both stillborn	3	3	-	-
KENTUCKY				
2 males	270	251	19	-
Both living	250	233	17	-
1 living	10	9	1	-
Both stillborn	10	9	1	-
1 male, 1 female	227	205	22	-
Both living	214	194	20	-
1 living—Female	4	4	-	-
Both stillborn	9	7	2	-
2 females	232	213	19	-
Both living	220	203	17	-
1 living	5	4	1	-
Both stillborn	7	6	1	-
LOUISIANA				
2 males	232	138	93	1
Both living	207	124	82	1
1 living	14	9	5	-
Both stillborn	11	5	6	-
1 male, 1 female	227	112	115	-
Both living	208	106	102	-
1 living—Male	6	1	5	-
Female	9	3	6	-
Both stillborn	4	2	2	-
2 females	218	112	105	1
Both living	199	109	89	1
1 living	11	3	8	-
Both stillborn	8	-	8	-
MAINE				
2 males	71	71	-	-
Both living	65	65	-	-
1 living	2	2	-	-
Both stillborn	4	4	-	-
1 male, 1 female	98	98	-	-
Both living	96	96	-	-
1 living—Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	78	78	-	-
Both living	76	76	-	-
1 living	2	2	-	-

[1] Excludes 478 cases in which only one mate was reported, and 113 cases in which sex of stillborn mates was undetermined.

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
MARYLAND				
2 males	214	157	57	-
Both living	197	146	51	-
1 living	7	4	3	-
Both stillborn	10	7	3	-
1 male, 1 female	175	129	46	-
Both living	169	124	45	-
1 living—Male	2	1	1	-
Female	2	2	-	-
Both stillborn	2	2	-	-
2 females	198	144	54	-
Both living	180	131	49	-
1 living	13	8	5	-
Both stillborn	5	5	-	-
MASSACHUSETTS				
2 males	365	358	7	-
Both living	337	331	6	-
1 living	16	15	1	-
Both stillborn	12	12	-	-
1 male, 1 female	341	333	8	-
Both living	328	321	7	-
1 living—Male	4	4	-	-
Female	6	5	1	-
Both stillborn	3	3	-	-
2 females	387	359	8	-
Both living	342	334	8	-
1 living	16	16	-	-
Both stillborn	9	9	-	-
MICHIGAN				
2 males	498	463	35	-
Both living	460	427	33	-
1 living	19	17	2	-
Both stillborn	19	19	-	-
1 male, 1 female	427	382	44	1
Both living	402	359	42	1
1 living—Male	10	10	-	-
Female	8	8	-	-
Both stillborn	7	5	2	-
2 females	484	435	29	-
Both living	434	407	27	-
1 living	22	20	2	-
Both stillborn	8	8	-	-
MINNESOTA				
2 males	273	272	-	1
Both living	250	249	-	1
1 living	15	15	-	-
Both stillborn	8	8	-	-
1 male, 1 female	266	263	2	1
Both living	255	252	2	1
1 living—Male	3	3	-	-
Female	6	6	-	-
Both stillborn	2	2	-	-
2 females	265	264	1	-
Both living	237	236	1	-
1 living	19	19	-	-
Both stillborn	9	9	-	-
MISSISSIPPI				
2 males	226	104	122	-
Both living	193	95	98	-
1 living	22	7	15	-
Both stillborn	11	2	9	-
1 male, 1 female	246	98	148	-
Both living	229	92	137	-
1 living—Male	5	2	3	-
Female	6	3	3	-
Both stillborn	6	1	5	-
2 females	257	114	142	1
Both living	230	105	124	1
1 living	15	4	11	-
Both stillborn	12	5	7	-
MISSOURI				
2 males	281	254	27	-
Both living	260	236	24	-
1 living	5	5	-	-
Both stillborn	16	13	3	-
1 male, 1 female	286	254	32	-
Both living	273	243	30	-
1 living—Male	4	3	1	-
Female	5	5	-	-
Both stillborn	4	3	1	-
2 females	283	247	36	-
Both living	260	229	31	-
1 living	11	9	2	-
Both stillborn	12	9	3	-
CASES OF TWINS—Con.				
MONTANA				
2 males	121	115	-	6
Both living	114	110	-	4
1 living	5	3	-	2
Both stillborn	2	2	-	-
1 male, 1 female	126	118	-	8
Both living	122	114	-	8
1 living—Male	1	1	-	-
Female	2	2	-	-
Both stillborn	1	1	-	-
2 females	120	114	-	6
Both living	116	110	-	6
1 living	3	3	-	-
Both stillborn	1	1	-	-
NEBRASKA				
2 males	104	99	2	3
Both living	96	91	2	3
1 living	3	3	-	-
Both stillborn	5	5	-	-
1 male, 1 female	105	101	3	1
Both living	101	97	3	1
1 living—Male	1	1	-	-
Female	2	2	-	-
Both stillborn	1	1	-	-
2 females	118	114	2	2
Both living	105	102	1	2
1 living	9	8	1	-
Both stillborn	4	4	-	-
NEVADA				
2 males	16	14	2	-
Both living	16	14	2	-
1 male, 1 female	13	11	1	1
Both living	11	9	1	1
1 living—Male	1	1	-	-
Both stillborn	1	1	-	-
2 females	10	10	-	-
Both living	8	8	-	-
1 living	2	2	-	-
NEW HAMPSHIRE				
2 males	43	43	-	-
Both living	37	37	-	-
1 living	4	4	-	-
Both stillborn	2	2	-	-
1 male, 1 female	33	33	-	-
Both living	33	33	-	-
2 females	54	54	-	-
Both living	52	52	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
NEW JERSEY				
2 males	361	330	31	-
Both living	334	306	28	-
1 living	14	12	2	-
Both stillborn	13	12	1	-
1 male, 1 female	338	298	40	-
Both living	313	277	36	-
1 living—Male	9	7	2	-
Female	8	7	1	-
Both stillborn	8	7	1	-
2 females	345	314	31	-
Both living	317	288	29	-
1 living	16	15	1	-
Both stillborn	12	11	1	-
NEW MEXICO				
2 males	65	64	1	-
Both living	62	61	1	-
1 living	1	1	-	-
Both stillborn	2	2	-	-
1 male, 1 female	76	73	-	3
Both living	73	70	-	3
1 living—Male	1	1	-	-
Female	2	2	-	-
2 females	77	69	1	7
Both living	68	60	1	7
1 living	6	6	-	-
Both stillborn	3	3	-	-
NEW YORK				
2 males	1,158	1,040	114	4
Both living	1,046	945	97	4
1 living	53	47	6	-
Both stillborn	59	48	11	-
1 male, 1 female	1,067	959	106	2
Both living	1,008	913	95	-
1 living—Male	18	16	2	-
Female	21	18	1	2
Both stillborn	20	12	8	-
2 females	1,154	1,043	104	7
Both living	1,066	965	95	6
1 living	54	47	6	1
Both stillborn	34	31	3	-
CASES OF TWINS—Con.				
NORTH CAROLINA				
2 males	403	256	142	5
Both living	350	224	123	3
1 living	39	23	15	1
Both stillborn	14	9	4	1
1 male, 1 female	371	235	130	6
Both living	350	226	118	6
1 living—Male	9	3	6	-
Female	7	5	2	-
Both stillborn	5	1	4	-
2 females	327	194	130	3
Both living	302	186	113	3
1 living	17	6	11	-
Both stillborn	8	2	6	-
NORTH DAKOTA				
2 males	63	63	-	-
Both living	60	60	-	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
1 male, 1 female	76	75	-	1
Both living	74	73	-	1
1 living—Female	2	2	-	-
2 females	69	68	-	1
Both living	63	62	-	1
1 living	6	6	-	-
OHIO				
2 males	641	573	67	1
Both living	589	526	62	1
1 living	27	24	3	-
Both stillborn	25	23	2	-
1 male, 1 female	639	576	62	1
Both living	620	561	58	1
1 living—Male	4	4	-	-
Female	10	7	3	-
Both stillborn	5	4	1	-
2 females	633	585	50	-
Both living	585	540	45	-
1 living	28	26	2	-
Both stillborn	20	17	3	-
OKLAHOMA				
2 males	195	166	19	10
Both living	179	151	18	10
1 living	8	8	-	-
Both stillborn	8	7	1	-
1 male, 1 female	172	150	15	7
Both living	164	145	13	6
1 living—Male	2	-	2	-
Female	3	2	-	1
Both stillborn	3	3	-	-
2 females	170	141	21	8
Both living	159	133	19	7
1 living	6	4	1	1
Both stillborn	5	4	1	-
OREGON				
2 males	106	101	2	3
Both living	101	96	2	3
1 living	2	2	-	-
Both stillborn	3	3	-	-
1 male, 1 female	80	79	-	1
Both living	76	75	-	1
1 living—Male	2	2	-	-
Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	85	84	-	1
Both living	81	80	-	1
Both stillborn	4	4	-	-
PENNSYLVANIA				
2 males	861	768	91	2
Both living	756	674	81	1
1 living	57	52	4	1
Both stillborn	48	42	6	-
1 male, 1 female	766	677	89	-
Both living	708	631	77	-
1 living—Male	17	12	5	-
Female	26	22	4	-
Both stillborn	15	12	3	-
2 females	789	717	71	1
Both living	725	659	65	1
1 living	39	35	4	-
Both stillborn	25	23	2	-
RHODE ISLAND				
2 males	53	51	2	-
Both living	49	48	1	-
Both stillborn	4	3	1	-
1 male, 1 female	50	47	3	-
Both living	49	46	3	-
1 living—Female	1	1	-	-
2 females	51	51	-	-
Both living	50	50	-	-
Both stillborn	1	1	-	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS—Con.				
SOUTH CAROLINA				
2 males	215	106	109	-
Both living	198	102	96	-
1 living	10	2	8	-
Both stillborn	7	2	5	-
1 male, 1 female	269	121	148	-
Both living	242	113	129	-
1 living—Male	6	3	3	-
Female	10	1	9	-
Both stillborn	11	4	7	-
2 females	193	96	97	-
Both living	173	89	84	-
1 living	13	4	9	-
Both stillborn	7	3	4	-
SOUTH DAKOTA				
2 males	82	82	-	-
Both living	75	75	-	-
1 living	3	3	-	-
Both stillborn	4	4	-	-
1 male, 1 female	49	47	-	2
Both living	49	47	-	2
2 females	52	50	-	2
Both living	51	49	-	2
1 living	1	1	-	-
TENNESSEE				
2 males	282	218	64	-
Both living	260	200	60	-
1 living	14	12	2	-
Both stillborn	8	6	2	-
1 male, 1 female	316	241	75	-
Both living	289	226	63	-
1 living—Male	12	8	4	-
Female	10	4	6	-
Both stillborn	5	3	2	-
2 females	287	208	79	-
Both living	266	197	69	-
1 living	15	9	6	-
Both stillborn	6	2	4	-
TEXAS				
2 males	713	610	103	-
Both living	658	564	94	-
1 living	33	27	6	-
Both stillborn	22	19	3	-
1 male, 1 female	641	525	116	-
Both living	594	493	101	-
1 living—Male	16	14	2	-
Female	16	10	6	-
Both stillborn	15	8	7	-
2 females	690	566	124	-
Both living	644	533	111	-
1 living	28	18	10	-
Both stillborn	18	15	3	-
UTAH				
2 males	72	71	-	1
Both living	70	69	-	1
1 living	1	1	-	-
Both stillborn	1	1	-	-
1 male, 1 female	71	70	1	-
Both living	70	69	1	-
Both stillborn	1	1	-	-
2 females	95	93	1	1
Both living	88	87	-	1
1 living	4	3	1	-
Both stillborn	3	3	-	-
VERMONT				
2 males	34	34	-	-
Both living	34	34	-	-
1 male, 1 female	22	22	-	-
Both living	21	21	-	-
Both stillborn	1	1	-	-
2 females	35	35	-	-
Both living	32	32	-	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
VIRGINIA				
2 males	336	244	92	-
Both living	301	231	70	-
1 living	21	7	14	-
Both stillborn	14	6	8	-
CASES OF TWINS—Con.				
VIRGINIA—Con.				
1 male, 1 female	334	208	125	1
Both living	313	201	111	1
1 living—Male	7	2	5	-
Female	9	3	6	-
Both stillborn	5	2	3	-
2 females	333	241	91	1
Both living	302	219	82	1
1 living	19	12	7	-
Both stillborn	12	10	2	-
WASHINGTON				
2 males	225	220	1	4
Both living	214	209	1	4
1 living	6	6	-	-
Both stillborn	5	5	-	-
1 male, 1 female	200	193	4	3
Both living	194	187	4	3
1 living—Male	2	2	-	-
Female	2	2	-	-
Both stillborn	2	2	-	-
2 females	203	194	6	3
Both living	192	183	6	3
1 living	9	9	-	-
Both stillborn	2	2	-	-
WEST VIRGINIA				
2 males	213	204	9	-
Both living	185	178	7	-
1 living	14	12	2	-
Both stillborn	14	14	-	-
1 male, 1 female	209	197	12	-
Both living	189	178	11	-
1 living—Male	6	5	1	-
Female	7	7	-	-
Both stillborn	7	7	-	-
2 females	182	176	6	-
Both living	169	163	6	-
1 living	7	7	-	-
Both stillborn	6	6	-	-
WISCONSIN				
2 males	306	304	2	-
Both living	291	289	2	-
1 living	8	8	-	-
Both stillborn	7	7	-	-
1 male, 1 female	269	262	4	3
Both living	255	249	4	2
1 living—Male	7	6	-	1
Female	4	4	-	-
Both stillborn	3	3	-	-
2 females	263	254	3	6
Both living	245	237	3	5
1 living	8	7	-	1
Both stillborn	10	10	-	-
WYOMING				
2 males	24	23	-	1
Both living	20	19	-	1
1 living	3	3	-	-
Both stillborn	1	1	-	-
1 male, 1 female	32	31	-	1
Both living	31	30	-	1
1 living—Female	1	1	-	-
2 females	22	21	-	1
Both living	21	20	-	1
1 living	1	1	-	-
CASES OF TRIPLETS				
UNITED STATES	[2]350	288	60	2
All living	284	241	41	2
2 living	38	26	12	-
1 living	14	10	4	-
All stillborn	14	11	3	-
3 males	80	69	9	2
All living	66	58	6	2
2 living	7	6	1	-
1 living	3	2	1	-
All stillborn	4	3	1	-
2 males, 1 female	80	61	19	-
All living	64	54	10	-
2 living—2 males	3	-	3	-
1 male, 1 female	8	5	3	-
1 living—Male	1	1	-	-
Female	2	-	2	-
All stillborn	2	1	1	-
CASES OF TRIPLETS—Con.				
UNITED STATES—Con.				
1 male, 2 females	82	67	15	-
All living	69	57	12	-
2 living—2 females	2	2	-	-
1 male, 1 female	7	5	2	-
1 living—Male	3	2	1	-
Female	-	-	-	-
All stillborn	1	1	-	-
3 females	108	91	17	-
All living	85	72	13	-
2 living	11	8	3	-
1 living	5	5	-	-
Both stillborn	7	6	1	-
ALABAMA				
3 males	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
ARIZONA				
3 males	1	1	-	-
All stillborn	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
ARKANSAS				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
1 living	1	1	-	-
CALIFORNIA				
3 males	7	7	-	-
All living	6	6	-	-
2 living	1	1	-	-
2 males, 1 female	7	7	-	-
All living	6	6	-	-
2 living, 1 male, 1 female	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	12	10	2	-
All living	9	7	2	-
2 living	1	1	-	-
1 living	1	1	-	-
All stillborn	1	1	-	-
COLORADO				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
CONNECTICUT				
3 males	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
DELAWARE				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
2 living	1	1	-	-
DISTRICT OF COLUMBIA				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	1	1	-
All living	2	1	1	-
FLORIDA				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	2	-	2	-
All living	1	-	1	-
2 living—2 males	1	-	1	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	2	1	1	-
All living	2	1	1	-

[2]Excludes 17 cases in which only one or two mates were reported and 4 cases in which sex of stillborn mates was undetermined.

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
GEORGIA				
3 males	2	1	1	-
All living	1	1	-	-
All stillborn	1	-	1	-
2 males, 1 female	2	1	1	-
All living	2	1	1	-
1 male, 2 females	1	-	1	-
1 living—Male	1	-	1	-
3 females	2	1	1	-
All living	1	-	1	-
1 living	1	1	-	-
ILLINOIS				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	4	4	-	-
All living	4	4	-	-
3 females	5	5	-	-
All living	4	4	-	-
2 living	1	1	-	-
INDIANA				
2 males, 1 female	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
1 male, 2 females	1	1	-	-
2 living—2 females	1	1	-	-
3 females	4	4	-	-
All living	3	3	-	-
1 living	1	1	-	-
IOWA				
3 males	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
KANSAS				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
All living	1	1	-	-
KENTUCKY				
3 males	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	3	3	-	-
LOUISIANA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	5	3	2	-
All living	4	2	2	-
All stillborn	1	1	-	-
1 male, 2 females	3	-	3	-
All living	2	-	2	-
2 living; 1 male, 1 female	1	-	1	-
3 females	1	1	-	-
All living	1	1	-	-
MAINE				
2 males, 1 female	2	2	-	-
All living	2	2	-	-
MARYLAND				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	-	1	-
All living	1	-	1	-
3 females	1	1	-	-
All living	1	1	-	-
MASSACHUSETTS				
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	7	7	-	-
All living	5	5	-	-
2 living—2 females	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
3 females	3	3	-	-
All living	1	1	-	-
All stillborn	2	2	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
MICHIGAN				
3 males	2	-	2	-
All living	2	-	2	-
2 males, 1 female	3	3	-	-
All living	3	3	-	-
1 male, 2 females	3	2	1	-
All living	2	1	1	-
2 living; 1 male, 1 female	1	1	-	-
3 females	7	3	4	-
All living	6	3	3	-
2 living	1	-	1	-
MINNESOTA				
3 males	3	3	-	-
All living	2	2	-	-
All stillborn	1	1	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	3	3	-	-
All living	2	2	-	-
All stillborn	1	1	-	-
MISSISSIPPI				
3 males	1	1	-	-
2 living	1	1	-	-
2 males, 1 female	4	1	3	-
All living	3	1	2	-
2 living; 1 male, 1 female	1	-	1	-
1 male, 2 females	3	1	2	-
All living	3	1	2	-
3 females	1	-	1	-
2 living	1	-	1	-
MISSOURI				
3 males	1	-	1	-
All living	1	-	1	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	1	1	-
All living	2	1	1	-
MONTANA				
3 females	2	2	-	-
All living	2	2	-	-
NEBRASKA				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	-	1	-
All living	1	-	1	-
3 females	1	-	1	-
All stillborn	1	-	1	-
NEW JERSEY				
3 males	5	5	-	-
All living	4	4	-	-
2 living	1	1	-	-
2 males, 1 female	2	1	1	-
All living	1	1	-	-
2 living—2 males	1	-	1	-
1 male, 2 females	5	3	2	-
All living	4	3	1	-
2 living; 1 male, 1 female	1	-	1	-
3 females	4	3	1	-
All living	4	3	1	-
NEW MEXICO				
1 male, 2 females	2	2	-	-
All living	2	2	-	-
NEW YORK				
3 males	5	4	-	1
All living	3	2	-	1
1 living	1	1	-	-
All stillborn	1	1	-	-
2 males, 1 female	4	4	-	-
All living	3	3	-	-
2 living; 1 male, 1 female	1	1	-	-
1 male, 2 females	12	11	1	-
All living	11	10	1	-
2 living; 1 male, 1 female	1	1	-	-
3 females	14	14	-	-
All living	13	13	-	-
2 living	1	1	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
NORTH CAROLINA				
3 males	4	1	3	-
All living	4	1	3	-
2 males, 1 female	3	-	3	-
2 living—2 males	1	-	1	-
2 living; 1 male, 1 female	1	-	1	-
All stillborn	1	-	1	-
1 male, 2 females	2	1	1	-
All living	2	1	1	-
3 females	1	1	-	-
All living	1	1	-	-
OHIO				
3 males	7	7	-	-
All living	7	7	-	-
2 males, 1 female	5	5	-	-
All living	5	5	-	-
1 male, 2 females	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
3 females	4	4	-	-
All living	4	4	-	-
OKLAHOMA				
3 males	1	1	-	-
2 living	1	1	-	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	4	4	-	-
All living	3	3	-	-
2 living; 1 male, 1 female	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
OREGON				
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All stillborn	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
PENNSYLVANIA				
3 males	8	8	-	-
All living	5	5	-	-
2 living	2	2	-	-
1 living	1	1	-	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	5	4	1	-
All living	4	3	1	-
1 living—Male	1	1	-	-
3 females	7	7	-	-
All living	3	3	-	-
2 living	2	2	-	-
1 living	1	1	-	-
All stillborn	1	1	-	-
RHODE ISLAND				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
1 male, 2 females	1	1	-	-
1 living—Male	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
SOUTH CAROLINA				
3 males	2	1	1	-
All living	1	1	-	-
1 living	1	-	1	-
2 males, 1 female	1	-	1	-
2 living; 1 male, 1 female	1	-	1	-
3 females	3	-	3	-
All living	2	-	2	-
2 living	1	-	1	-
SOUTH DAKOTA				
3 males	1	-	-	1
All living	1	-	-	1
TENNESSEE				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TRIPLETS—Con.				
TEXAS				
3 males	7	6	1	-
All living	6	6	-	-
2 living	1	-	1	-
2 males, 1 female	11	10	1	-
All living	8	8	-	-
2 living; 1 male, 1 female	1	1	-	-
1 living—Male	1	1	-	-
1 living—Female	1	-	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	7	6	1	-
All living	4	3	1	-
2 living	2	2	-	-
All stillborn	1	1	-	-
UTAH				
3 males	2	2	-	-
All living	2	2	-	-
VIRGINIA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	3	1	2	-
All living	2	1	1	-
1 living—Female	1	-	1	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	2	1	1	-
All living	2	1	1	-
CASES OF TRIPLETS—Con.				
WASHINGTON				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	3	3	-	-
All living	3	3	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
WEST VIRGINIA				
3 males	1	1	-	-
All living	1	1	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	1	1	-	-
All living	1	1	-	-
WISCONSIN				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	2	2	-	-
All living	2	2	-	-
CASES OF QUADRUPLETS				
UNITED STATES	3	3	-	-
4 males	1	1	-	-
3 living	1	1	-	-
CASES OF QUADRUPLETS—Con.				
UNITED STATES—Con.				
1 male, 3 females	2	2	-	-
All living	2	2	-	-
MICHIGAN				
1 male, 3 females	1	1	-	-
All living	1	1	-	-
NEW JERSEY				
4 males	1	1	-	-
3 living	1	1	-	-
PENNSYLVANIA				
1 male, 3 females	1	1	-	-
All living	1	1	-	-
CASES OF QUINTUPLETS				
UNITED STATES	1	1	-	-
2 males, 3 females	1	1	-	-
2 living—2 males	1	1	-	-
KENTUCKY				
2 males, 3 females	1	1	-	-
2 living, 2 males	1	1	-	-

TABLE 11.—STILLBIRTHS BY RACE AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES, 1948

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
TOTAL	72,838	174	7,981	18,312	17,270	13,383	9,429	3,490	376	10	2,413
White	56,232	42	5,065	13,985	13,900	10,819	7,471	2,809	295	8	1,838
Negro	16,199	130	2,868	4,224	3,294	2,491	1,896	651	78	1	566
Other	407	2	48	103	76	73	62	30	3	1	9
Urban	43,300	87	4,125	11,160	11,036	8,303	5,307	1,772	163	3	1,344
White	34,076	21	2,544	8,575	9,048	6,879	4,387	1,484	134	3	1,001
Negro	9,090	65	1,569	2,542	1,959	1,407	900	278	29	-	341
Other	134	1	12	43	29	17	20	10	-	-	2
Places of 100,000 or more	21,637	38	1,853	5,517	5,599	4,427	2,734	870	72	1	526
White	16,389	8	1,007	3,948	4,447	3,576	2,228	712	58	1	404
Negro	5,179	30	840	1,547	1,134	841	495	156	14	-	122
Other	69	-	6	22	18	10	11	2	-	-	-
Places of 25,000 to 100,000	8,444	18	855	2,228	2,177	1,517	1,007	339	34	-	269
White	6,749	4	542	1,779	1,806	1,262	855	290	28	-	183
Negro	1,674	13	312	442	367	251	150	47	6	-	86
Other	21	1	1	7	4	4	2	2	-	-	-
Places of 10,000 to 25,000	5,729	3	566	1,552	1,419	1,052	647	222	19	2	247
White	4,675	-	367	1,267	1,211	910	538	187	15	2	178
Negro	1,037	3	198	277	204	140	109	33	4	-	69
Other	17	-	1	8	4	2	-	2	-	-	-
Places of 2,500 to 10,000	7,490	28	851	1,863	1,841	1,307	919	341	38	-	302
White	6,263	9	628	1,581	1,584	1,131	766	295	33	-	236
Negro	1,200	19	219	276	254	175	146	42	5	-	64
Other	27	-	4	6	3	1	7	4	-	-	2
Rural	29,538	87	3,856	7,152	6,234	5,080	4,122	1,718	213	7	1,069
White	22,156	21	2,521	5,410	4,852	3,940	3,084	1,325	161	5	837
Negro	7,109	65	1,299	1,682	1,335	1,084	996	373	49	1	225
Other	273	1	36	60	47	56	42	20	3	1	7

TABLE 12.—STILLBIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, AND BIRTH ORDER: UNITED STATES, 1948

(Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including children born dead. Stillbirths occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order since this State does not require the reporting of birth order)

SEX OF CHILD, AGE OF MOTHER, AND RACE	Total stillbirths	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
TOTAL	72,838	23,081	13,657	8,915	5,532	3,549	2,626	1,985	1,440	1,042	830	602	439	308	202	122	71	96	8,441
Male	38,725	12,331	7,174	4,691	2,947	1,920	1,396	1,055	773	560	474	316	222	161	103	62	36	46	4,458
Female	32,449	10,259	6,157	4,006	2,460	1,536	1,175	810	642	468	350	284	213	142	98	60	35	48	3,706
Not stated	1,664	491	326	218	125	93	55	20	25	14	6	2	4	5	1	-	-	2	277
Under 15 years	174	159	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	7,981	5,740	1,478	416	81	21	7	2	-	1	-	-	-	-	-	-	-	-	235
20 to 24 years	18,312	7,793	4,574	2,283	1,051	500	220	81	43	13	6	3	2	1	1	-	-	-	1,741
25 to 29 years	17,270	4,795	3,731	2,617	1,647	1,013	680	419	250	124	55	31	16	10	1	4	2	-	1,875
30 to 34 years	13,383	2,610	2,357	1,980	1,400	937	791	587	402	288	202	118	82	49	30	16	12	5	1,517
35 to 39 years	9,429	1,323	1,080	1,163	966	737	624	537	472	394	348	257	163	126	74	35	23	43	1,082
40 to 44 years	3,490	293	245	319	298	262	239	208	229	185	179	160	145	101	78	54	29	33	433
45 to 49 years	376	14	13	23	25	20	27	26	28	23	24	19	27	19	15	12	5	13	45
50 years and over	10	2	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	3
Not stated	2,413	352	166	113	62	59	38	24	16	13	15	13	4	2	2	1	-	2	1,531
WHITE	56,232	18,730	11,137	7,186	4,176	2,533	1,754	1,217	867	601	465	326	245	150	92	50	33	35	6,635
Male	29,839	9,977	5,821	3,767	2,226	1,383	924	667	473	318	265	168	122	78	47	29	17	22	3,535
Female	25,172	8,370	5,055	3,238	1,859	1,091	797	538	381	274	199	157	121	69	44	21	16	12	2,930
Not stated	1,221	383	261	181	91	59	33	12	13	9	1	1	2	3	1	-	-	1	170
Under 15 years	42	41	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,065	3,884	827	182	18	2	-	2	-	-	-	-	-	-	-	-	-	-	150
20 to 24 years	13,985	6,550	3,564	1,609	582	238	85	26	12	1	-	1	1	-	1	-	-	-	1,315
25 to 29 years	15,900	4,239	3,290	2,205	1,248	662	381	195	102	46	14	9	2	5	1	2	-	-	1,499
30 to 34 years	10,819	2,307	2,112	1,732	1,158	742	561	390	228	168	78	45	31	19	5	3	4	2	1,234
35 to 39 years	7,471	1,184	967	1,053	838	606	476	388	313	230	212	134	84	58	35	15	8	15	855
40 to 44 years	2,809	267	221	290	263	231	198	179	172	127	131	116	105	55	42	25	18	13	356
45 to 49 years	295	12	13	23	23	17	25	20	26	22	19	11	20	12	7	5	3	4	33
50 years and over	8	2	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	2
Not stated	1,838	244	142	92	46	35	28	16	14	6	10	9	2	1	1	-	-	1	1,191
NONWHITE	16,606	4,351	2,520	1,729	1,356	1,016	872	768	573	441	365	276	194	158	110	72	38	61	1,806
Male	8,886	2,354	1,353	924	721	537	472	388	300	242	209	148	100	83	56	33	19	24	923
Female	7,277	1,889	1,102	768	601	445	378	272	261	194	151	127	92	73	54	39	19	36	776
Not stated	443	108	65	37	34	34	22	8	12	5	5	1	2	2	-	-	-	1	107
Under 15 years	132	118	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,916	1,856	651	234	63	19	7	-	-	1	-	-	-	-	-	-	-	-	85
20 to 24 years	4,327	1,243	1,010	674	469	262	135	55	31	12	6	2	1	1	-	-	-	-	426
25 to 29 years	3,370	556	441	412	399	351	299	224	148	78	41	22	14	5	-	2	2	-	376
30 to 34 years	2,564	303	245	248	242	195	230	197	174	120	124	73	51	30	25	13	8	3	283
35 to 39 years	1,958	139	113	110	130	131	148	149	159	164	136	123	79	68	39	20	15	28	207
40 to 44 years	681	26	24	29	35	31	41	29	57	58	48	44	40	46	36	29	11	20	77
45 to 49 years	81	2	-	-	2	3	2	6	2	1	5	8	7	7	8	7	2	9	10
50 years and over	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Not stated	575	108	24	21	16	24	10	8	2	7	5	4	2	1	1	1	-	1	340
Negro	16,199	4,241	2,462	1,684	1,328	991	844	652	561	419	355	267	190	153	105	71	37	60	1,779
Male	8,674	2,298	1,327	902	709	521	456	378	295	229	203	143	97	82	54	32	19	23	906
Female	7,086	1,836	1,071	746	585	437	366	266	254	185	147	123	91	69	51	39	18	36	766
Not stated	439	107	64	36	34	33	22	8	12	5	5	1	2	2	-	-	-	1	107
Under 15 years	130	116	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,868	1,819	643	233	63	19	7	-	-	1	-	-	-	-	-	-	-	-	83
20 to 24 years	4,224	1,201	988	659	457	258	133	54	31	12	6	2	1	1	-	-	-	-	421
25 to 29 years	3,294	545	427	393	392	343	290	222	147	78	41	22	14	5	-	2	2	-	371
30 to 34 years	2,491	295	237	241	239	188	219	190	169	116	123	70	51	29	25	12	8	3	276
35 to 39 years	1,896	132	109	109	124	126	144	146	158	151	132	119	77	66	36	20	15	27	205
40 to 44 years	651	26	24	27	35	30	39	27	52	53	43	43	38	45	34	29	10	20	76
45 to 49 years	78	2	-	-	2	3	2	6	2	1	5	7	7	6	8	7	2	9	9
50 years and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Not stated	566	105	22	21	16	24	10	7	2	7	5	4	2	1	1	1	-	1	337
Other races	407	110	58	45	28	25	28	16	12	22	10	9	4	5	5	1	1	1	27
Male	212	56	26	22	12	16	16	10	5	13	6	5	3	1	2	1	-	1	17
Female	191	53	31	22	16	8	12	6	7	9	4	4	1	4	3	-	1	-	10
Not stated	4	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	48	37	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
20 to 24 years	103	42	22	15	12	4	2	1	-	-	-	-	-	-	-	-	-	-	5
25 to 29 years	76	11	14	19	7	8	9	2	1	-	-	-	-	-	-	-	-	-	5
30 to 34 years	73	8	8	7	3	7	11	7	5	4	1	3	-	1	-	1	-	-	7
35 to 39 years	62	7	4	1	6	5	4	3	1	13	4	4	2	2	3	-	-	1	2
40 to 44 years	30	-	-	2	-	1	2	2	5	5	5	1	2	1	2	-	1	-	1
45 to 49 years	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
50 years and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	9	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3

TABLE 13.—STILLBIRTHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1948

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UNITED STATES	72,838	174	7,981	18,312	17,270	13,383	9,429	3,490	376	10	2,413
White	56,232	42	5,065	13,985	13,900	10,819	7,471	2,809	295	8	1,838
Nonwhite	16,606	132	2,916	4,327	3,370	2,564	1,958	681	81	2	575
Alabama	2,292	9	370	519	447	385	299	117	14	-	132
White	1,074	1	168	238	210	183	123	59	6	-	86
Nonwhite	1,218	8	202	281	237	202	176	58	8	-	46
Arizona	337	3	44	83	88	50	36	11	4	-	18
White	266	1	28	64	79	40	25	9	3	-	17
Nonwhite	71	2	16	19	9	10	11	2	1	-	1
Arkansas	919	8	153	238	194	128	92	45	1	-	60
White	602	1	87	162	128	83	60	32	1	-	48
Nonwhite	317	7	66	76	66	45	32	13	-	-	12
California	3,859	3	352	1,071	979	771	488	177	14	-	24
White	3,426	2	306	937	884	679	427	156	12	-	23
Nonwhite	433	1	46	134	95	92	61	21	2	-	1
Colorado	554	1	53	168	129	88	81	26	2	-	4
White	537	1	53	163	124	85	79	26	2	-	4
Nonwhite	17	-	-	5	5	3	2	2	-	-	-
Connecticut	608	1	19	136	181	141	63	37	3	-	7
White	573	-	16	125	174	135	78	36	3	-	6
Nonwhite	35	1	3	11	7	6	5	1	-	-	1
Delaware	158	-	16	39	42	29	24	7	-	-	1
White	115	-	9	29	37	20	15	4	-	-	1
Nonwhite	43	-	7	10	5	9	9	3	-	-	-
District of Columbia	438	-	40	129	115	88	50	16	-	-	-
White	192	-	8	55	57	45	20	7	-	-	-
Nonwhite	246	-	32	74	58	43	30	9	-	-	-
Florida	1,480	5	214	353	348	258	197	64	4	-	37
White	761	1	79	193	194	138	100	35	2	-	19
Nonwhite	719	4	135	160	154	120	97	29	2	-	18
Georgia	2,422	8	413	616	527	357	317	89	7	-	88
White	1,126	1	168	278	271	165	134	44	3	-	42
Nonwhite	1,296	7	245	338	256	172	183	45	4	-	46
Idaho	225	-	31	57	47	34	25	9	1	-	21
White	221	-	31	55	47	33	25	8	1	-	21
Nonwhite	4	-	-	2	-	1	-	1	-	-	-
Illinois	3,284	6	267	850	849	653	454	159	17	-	29
White	2,835	-	192	728	757	578	403	139	16	-	22
Nonwhite	449	6	75	122	92	75	51	20	1	-	7
Indiana	1,515	1	163	396	365	271	163	87	10	-	59
White	1,360	-	133	353	327	245	156	80	10	-	56
Nonwhite	155	1	30	43	38	26	7	7	-	-	3
Iowa	898	2	79	228	226	165	114	49	5	-	28
White	888	2	78	225	224	163	114	49	5	-	28
Nonwhite	10	-	1	3	4	2	-	-	-	-	-
Kansas	682	-	59	197	166	121	73	28	4	-	34
White	628	-	53	175	158	116	69	23	3	-	31
Nonwhite	54	-	6	22	8	5	4	5	1	-	3
Kentucky	1,463	2	230	379	286	262	190	93	7	1	13
White	1,330	1	195	351	261	245	172	86	7	1	11
Nonwhite	133	1	35	28	25	17	18	7	-	-	2
Louisiana	1,872	10	262	495	398	280	254	82	13	-	77
White	766	1	84	189	162	125	108	41	5	-	51
Nonwhite	1,106	9	178	306	237	155	146	41	8	-	26
Maine	367	-	40	103	91	68	49	8	1	-	7
White	367	-	40	103	91	68	49	8	1	-	7
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,204	3	171	291	292	222	126	47	5	-	47
White	791	-	75	199	204	159	84	35	2	-	33
Nonwhite	413	3	96	92	88	63	42	12	3	-	14
Massachusetts	1,887	-	99	426	520	423	298	115	3	-	13
White	1,825	-	88	405	506	416	293	111	3	-	13
Nonwhite	62	-	11	21	14	7	5	4	-	-	-
Michigan	3,090	4	283	830	769	588	362	156	10	1	87
White	2,716	-	231	715	681	540	327	145	10	1	66
Nonwhite	374	4	52	115	88	48	35	11	-	-	21
Minnesota	1,291	1	77	318	364	272	186	67	5	1	-
White	1,260	1	74	312	356	269	179	63	5	1	-
Nonwhite	31	-	3	6	8	3	7	4	-	-	-
Mississippi	1,991	23	345	502	367	320	284	107	14	-	29
White	580	2	91	144	109	103	91	28	5	-	7
Nonwhite	1,411	21	254	356	258	217	193	79	9	-	22
Missouri	1,783	3	234	459	395	316	248	85	7	-	36
White	1,469	1	182	355	344	264	213	71	7	-	32
Nonwhite	314	2	52	104	51	52	35	14	-	-	4

TABLE 13.—STILLBIRTHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1948—Con.

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	AGE OF MOTHER									
		Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
Montana	236	-	18	56	57	56	37	10	-	-	2
White	218	-	15	50	55	52	34	10	-	-	2
Nonwhite	18	-	3	6	2	4	3	-	-	-	-
Nebraska	523	1	42	149	133	103	63	20	3	-	9
White	505	1	41	146	128	96	63	19	3	-	8
Nonwhite	18	-	1	3	5	7	-	1	-	-	1
Nevada	72	-	1	9	8	9	1	1	-	-	43
White	66	-	-	7	8	9	1	-	-	-	41
Nonwhite	6	-	1	2	-	-	-	1	-	-	2
New Hampshire	232	-	19	52	60	47	32	17	2	-	3
White	230	-	19	51	60	47	32	16	2	-	3
Nonwhite	2	-	-	1	-	-	-	1	-	-	-
New Jersey	1,907	1	100	444	532	443	271	88	7	1	20
White	1,635	1	62	367	466	398	242	77	5	1	16
Nonwhite	272	-	38	77	66	45	29	11	2	-	4
New Mexico	425	-	54	105	89	71	55	42	3	-	6
White	391	-	45	99	83	71	51	35	3	-	4
Nonwhite	34	-	9	6	6	-	4	7	-	-	2
New York	7,603	7	463	1,727	2,093	1,658	1,141	338	39	1	136
White	6,364	2	293	1,332	1,802	1,455	1,012	311	31	1	125
Nonwhite	1,239	5	170	395	291	203	129	27	8	-	11
North Carolina	2,654	17	453	684	550	442	336	124	19	5	24
White	1,346	5	184	369	293	245	160	67	9	3	11
Nonwhite	1,308	12	269	315	257	197	176	57	10	2	13
North Dakota	237	-	13	64	55	42	38	15	1	-	9
White	227	-	13	63	52	40	36	15	1	-	7
Nonwhite	10	-	-	1	3	2	2	-	-	-	2
Ohio	3,718	4	370	979	941	691	441	171	21	-	100
White	3,272	1	283	851	842	618	406	158	20	-	93
Nonwhite	445	3	87	128	99	73	35	13	1	-	7
Oklahoma	948	1	151	219	189	130	109	42	14	-	93
White	772	-	123	185	163	102	84	28	13	-	74
Nonwhite	176	1	28	34	26	28	25	14	1	-	19
Oregon	527	-	63	132	134	95	60	25	-	-	18
White	511	-	61	128	129	94	57	24	-	-	18
Nonwhite	16	-	2	4	5	1	3	1	-	-	-
Pennsylvania	4,589	3	373	1,171	1,185	979	624	222	26	-	6
White	4,090	-	294	1,012	1,076	896	580	202	24	-	6
Nonwhite	499	3	79	159	109	83	44	20	2	-	-
Rhode Island	292	-	16	82	67	55	52	16	1	-	3
White	280	-	13	79	62	55	52	15	1	-	3
Nonwhite	12	-	3	3	5	-	-	1	-	-	-
South Carolina	1,631	9	259	403	314	256	193	70	10	-	117
White	565	3	61	147	101	100	71	24	3	-	55
Nonwhite	1,066	6	198	256	213	156	122	46	7	-	62
South Dakota	218	1	15	64	51	28	32	15	3	-	9
White	205	-	15	59	49	25	30	15	3	-	9
Nonwhite	13	1	-	5	2	3	2	-	-	-	-
Tennessee	1,753	3	279	479	361	268	231	98	7	-	27
White	1,279	1	181	359	268	193	175	75	5	-	22
Nonwhite	474	2	98	120	93	75	56	23	2	-	5
Texas	4,412	19	631	1,098	909	625	510	180	21	-	419
White	3,394	7	438	862	712	478	406	151	19	-	321
Nonwhite	1,018	12	193	236	197	147	104	29	2	-	98
Utah	298	-	32	63	69	64	40	18	2	-	10
White	290	-	31	60	67	63	39	18	2	-	10
Nonwhite	8	-	1	3	2	1	1	-	-	-	-
Vermont	175	-	14	44	41	39	20	14	1	-	2
White	175	-	14	44	41	39	20	14	1	-	2
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,150	11	283	521	410	333	229	92	19	-	252
White	1,274	2	122	320	255	198	147	62	12	-	156
Nonwhite	876	9	161	201	155	135	82	30	7	-	96
Washington	786	-	59	191	220	167	103	34	5	-	7
White	753	-	52	182	212	161	102	33	5	-	6
Nonwhite	33	-	7	9	8	6	1	1	-	-	1
West Virginia	1,344	3	167	301	235	186	131	80	8	-	233
White	1,228	2	146	277	221	170	124	71	8	-	209
Nonwhite	116	1	21	24	14	16	7	9	-	-	24
Wisconsin	1,365	1	78	363	349	288	195	71	13	-	9
White	1,336	1	74	355	343	279	193	70	13	-	8
Nonwhite	29	-	2	8	6	9	2	1	-	-	1
Wyoming	124	-	16	29	30	18	22	4	-	-	5
White	118	-	16	28	27	18	20	4	-	-	5
Nonwhite	6	-	-	1	3	-	2	-	-	-	-

TABLE 14.—STILLBIRTHS BY BIRTH ORDER AND RACE: UNITED STATES AND EACH STATE, 1948

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including children born dead. Stillbirths occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

AREA AND RACE	Total stillbirths	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UNITED STATES	72,838	23,081	13,657	8,915	5,532	3,549	2,626	1,885	1,440	1,042	2,670	8,441
White	56,232	18,730	11,137	7,186	4,176	2,533	1,754	1,217	867	601	1,398	6,635
Nonwhite	16,606	4,351	2,520	1,729	1,356	1,016	872	668	573	441	1,274	1,806
Alabama	2,292	598	342	198	170	150	117	83	90	64	168	312
White	1,074	351	185	102	69	65	41	26	31	19	36	149
Nonwhite	1,218	247	157	96	101	85	76	57	59	45	132	163
Arizona	337	98	79	45	29	21	19	10	7	6	10	13
White	266	76	68	39	24	16	12	6	5	4	5	11
Nonwhite	71	22	11	6	5	5	7	4	2	2	5	2
Arkansas	919	252	126	97	74	49	40	25	20	20	40	176
White	602	167	87	70	53	33	25	13	13	8	18	115
Nonwhite	317	85	39	27	21	16	15	12	7	12	22	61
California	3,859	1,397	969	556	322	167	93	67	57	52	89	90
White	3,426	1,261	870	498	281	140	76	58	46	41	76	79
Nonwhite	433	136	99	58	41	27	17	9	11	11	13	11
Colorado	554	185	100	75	49	31	19	17	9	4	32	23
White	537	182	98	69	48	30	18	17	9	4	30	22
Nonwhite	17	3	2	6	1	1	1	-	-	-	2	1
Connecticut	608	236	146	91	47	21	11	6	6	6	7	31
White	573	229	139	85	42	21	9	6	5	4	4	29
Nonwhite	35	7	7	6	5	-	2	-	1	2	3	2
Delaware	158	52	30	25	10	15	7	3	5	2	6	3
White	115	41	24	21	7	9	4	3	4	-	-	2
Nonwhite	43	11	6	4	3	6	3	-	1	2	6	1
District of Columbia	438	201	92	41	40	22	8	8	6	8	8	4
White	192	108	43	17	14	3	2	-	1	-	1	3
Nonwhite	246	93	49	24	26	19	6	8	5	8	7	1
Florida	1,480	453	277	204	130	88	61	62	53	25	81	46
White	761	268	161	122	60	36	24	20	20	8	18	24
Nonwhite	719	185	116	82	70	52	37	42	33	17	63	22
Georgia	2,422	622	406	258	188	125	113	87	63	60	138	362
White	1,126	363	219	125	83	45	38	30	17	14	29	163
Nonwhite	1,296	259	187	133	105	80	75	57	46	46	109	199
Idaho	225	55	40	32	18	5	11	6	5	3	4	46
White	221	54	40	32	17	5	11	5	4	3	4	46
Nonwhite	4	1	-	-	1	-	-	1	1	-	-	-
Illinois	3,284	1,328	724	472	267	164	80	59	44	26	54	66
White	2,835	1,180	642	417	218	132	61	43	32	16	41	53
Nonwhite	449	148	82	55	49	32	19	16	12	10	13	13
Indiana	1,515	443	295	222	157	71	63	35	28	17	55	129
White	1,360	409	270	202	136	62	56	30	21	14	46	114
Nonwhite	155	34	25	20	21	9	7	5	7	3	9	15
Iowa	698	326	189	122	72	55	21	26	17	7	31	32
White	688	324	187	119	71	54	20	26	17	7	31	32
Nonwhite	10	2	2	3	1	1	1	-	-	-	-	-
Kansas	682	227	158	98	49	30	23	15	7	8	12	55
White	628	208	152	93	42	25	21	14	6	7	9	51
Nonwhite	54	19	6	5	7	5	2	1	1	1	3	4
Kentucky	1,463	449	254	168	131	86	68	61	43	40	100	43
White	1,330	413	224	152	116	74	63	58	40	38	92	40
Nonwhite	133	36	30	16	15	12	5	3	3	2	8	3
Louisiana	1,872	457	284	200	168	107	85	87	64	41	135	244
White	766	208	135	85	69	40	32	26	14	7	33	117
Nonwhite	1,106	249	149	115	99	67	53	61	50	34	102	127
Maine	367	128	77	38	25	26	12	12	11	3	23	12
White	367	128	77	38	25	26	12	12	11	3	23	12
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,204	397	225	152	88	72	45	22	29	23	36	115
White	791	268	152	116	70	47	22	12	11	8	10	75
Nonwhite	413	129	73	36	18	25	23	10	18	15	26	40
Massachusetts[1]	1,887	7	8	2	-	-	2	-	-	-	-	1,870
White	1,825	7	8	2	-	-	2	-	-	-	-	1,808
Nonwhite	62	-	-	-	-	-	-	-	-	-	-	62
Michigan	3,090	1,056	594	459	258	153	105	81	53	32	75	244
White	2,716	918	531	406	226	131	86	71	46	28	63	210
Nonwhite	374	118	63	53	32	22	19	10	7	4	12	34
Minnesota	1,291	485	293	197	106	63	44	34	14	10	28	17
White	1,260	482	288	192	103	61	43	32	13	7	23	16
Nonwhite	31	3	5	5	3	2	1	2	1	3	5	1
Mississippi	1,991	481	255	216	161	125	121	82	84	62	218	186
White	580	189	108	67	47	38	29	17	19	8	25	33
Nonwhite	1,411	292	147	149	114	87	92	65	65	54	193	153
Missouri	1,783	624	359	237	142	88	74	45	32	25	65	92
White	1,469	535	295	200	114	67	56	38	22	18	44	80
Nonwhite	314	89	64	37	28	21	18	7	10	7	21	12

[1] Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for stillbirths to residents of the State occurring in other States.

TABLE 14.—STILLBIRTHS BY BIRTH ORDER AND RACE: UNITED STATES AND EACH STATE, 1948—Continued

(See headnote on p. 190)

AREA AND RACE	Total stillbirths	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
Montana	236	71	42	42	27	15	11	6	8	1	9	6
White	218	66	41	40	24	12	10	5	8	-	6	6
Nonwhite	18	5	1	2	3	1	1	1	-	1	3	-
Nebraska	523	153	132	80	52	25	22	23	8	6	8	14
White	505	149	130	77	49	24	21	23	8	6	6	12
Nonwhite	18	4	2	3	3	1	1	-	-	-	2	2
Nevada	72	17	14	13	9	5	4	1	1	-	2	6
White	66	15	14	12	9	3	4	1	1	-	1	6
Nonwhite	6	2	-	1	-	2	-	-	-	-	1	-
New Hampshire	232	65	58	35	23	9	15	8	-	3	7	9
White	230	65	57	35	23	9	15	8	-	3	6	9
Nonwhite	2	-	1	-	-	-	-	-	-	-	1	-
New Jersey	1,907	412	208	123	64	34	26	15	7	2	22	994
White	1,635	362	191	111	56	28	21	8	4	1	9	844
Nonwhite	272	50	17	12	8	6	5	7	3	1	13	150
New Mexico	426	126	67	65	33	25	27	16	19	18	24	6
White	391	112	62	61	31	24	26	15	16	17	21	6
Nonwhite	34	13	5	4	2	1	1	1	3	1	3	-
New York	7,603	2,830	1,674	1,046	580	347	211	127	87	60	110	531
White	6,364	2,433	1,406	893	486	282	168	94	70	52	70	410
Nonwhite	1,239	397	268	153	94	65	43	33	17	8	40	121
North Carolina	2,854	738	453	310	204	139	143	97	70	50	192	258
White	1,546	436	265	177	101	61	60	33	30	14	51	118
Nonwhite	1,308	302	188	133	103	78	83	64	40	36	141	140
North Dakota	237	63	38	17	16	15	9	8	4	3	9	55
White	227	62	37	17	14	15	7	8	4	3	8	52
Nonwhite	10	1	1	-	2	-	2	-	-	-	1	3
Ohio	3,718	1,360	825	562	317	198	137	73	44	27	97	78
White	3,272	1,192	739	509	272	171	115	62	37	20	85	70
Nonwhite	446	168	86	53	45	27	22	11	7	7	12	8
Oklahoma	948	312	143	104	58	56	24	26	18	16	45	146
White	772	258	126	91	51	40	19	17	15	7	30	118
Nonwhite	176	54	17	13	7	16	5	9	3	9	15	28
Oregon	527	166	112	80	47	18	22	13	3	7	7	52
White	511	162	111	80	45	16	20	13	2	5	6	50
Nonwhite	16	4	1	-	1	2	2	-	1	2	1	2
Pennsylvania	4,589	1,714	1,018	663	389	250	159	107	81	63	136	11
White	4,090	1,563	913	594	344	211	123	89	71	56	115	11
Nonwhite	499	151	105	69	45	39	36	18	10	7	21	-
Rhode Island	292	126	64	26	25	14	5	4	3	1	3	21
White	280	119	61	25	24	14	5	4	3	1	3	21
Nonwhite	12	7	3	1	1	-	-	-	-	-	-	-
South Carolina	1,631	465	254	171	137	118	107	88	74	59	163	4
White	565	214	107	59	41	26	38	26	10	13	27	4
Nonwhite	1,066	251	127	112	96	92	69	73	64	46	136	-
South Dakota	218	70	48	18	18	12	11	1	10	3	5	22
White	205	68	44	17	16	10	11	1	9	2	5	22
Nonwhite	13	2	4	1	2	2	-	-	1	1	-	-
Tennessee	1,753	602	326	204	133	107	79	55	53	37	90	67
White	1,279	450	246	156	94	69	56	40	34	26	55	53
Nonwhite	474	152	80	48	39	38	23	15	19	11	35	14
Texas	4,412	1,333	771	418	241	142	114	85	72	27	77	1,132
White	3,394	1,032	620	333	184	114	74	54	50	19	55	859
Nonwhite	1,018	301	151	85	57	28	40	31	22	8	22	273
Utah	298	88	57	55	27	26	18	12	5	4	7	1
White	290	87	55	53	26	26	18	11	4	4	7	1
Nonwhite	8	1	2	2	1	-	-	1	1	-	-	-
Vermont	175	64	44	24	12	7	6	4	4	2	5	3
White	175	64	44	24	12	7	6	4	4	2	5	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,150	662	348	224	164	94	94	77	62	52	104	269
White	1,274	394	226	139	94	58	40	48	30	30	47	168
Nonwhite	876	268	122	85	70	36	54	29	32	22	57	101
Washington	786	260	179	136	80	37	31	12	7	12	12	20
White	753	245	176	132	79	34	29	10	6	11	12	19
Nonwhite	33	15	3	4	1	3	2	2	1	1	-	1
West Virginia	1,344	356	211	119	77	60	54	49	38	28	84	268
White	1,228	329	197	108	71	57	50	47	31	26	73	239
Nonwhite	116	27	14	11	6	3	4	2	7	2	11	29
Wisconsin	1,365	448	242	160	90	56	30	31	13	17	34	244
White	1,336	440	238	159	86	54	30	30	11	17	31	240
Nonwhite	29	8	4	1	4	2	-	1	2	-	3	4
Wyoming	124	34	31	15	8	8	7	3	2	-	3	13
White	118	34	30	15	8	8	7	3	2	-	1	10
Nonwhite	6	-	1	-	-	-	-	-	-	-	2	3

TABLE 15.—STILLBIRTHS BY RACE AND PERSON IN ATTENDANCE: UNITED STATES AND EACH STATE, 1948

(By place of residence Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
UNITED STATES	72,838	57,860	9,321	3,410	2,247
White	56,232	48,709	6,025	467	1,031
Nonwhite	16,606	9,151	3,296	2,943	1,216
Alabama	2,282	1,234	417	380	281
White	1,074	796	205	13	60
Nonwhite	1,218	438	212	367	201
Arizona	337	295	27	3	12
White	266	240	21	1	4
Nonwhite	71	55	6	2	8
Arkansas	919	552	224	114	29
White	602	443	145	7	7
Nonwhite	317	109	79	107	22
California	3,859	3,652	139	-	68
White	3,426	3,263	112	-	51
Nonwhite	433	389	27	-	17
Colorado	554	486	56	-	12
White	537	471	54	-	12
Nonwhite	17	15	2	-	-
Connecticut	608	581	24	-	3
White	573	548	22	-	3
Nonwhite	35	33	2	-	-
Delaware	158	127	19	11	1
White	115	107	6	2	-
Nonwhite	43	20	13	9	1
District of Columbia	438	415	22	-	1
White	192	189	3	-	-
Nonwhite	246	226	19	-	1
Florida	1,480	989	211	263	17
White	761	665	72	16	8
Nonwhite	719	324	139	247	9
Georgia	2,422	1,344	216	459	403
White	1,126	918	87	28	93
Nonwhite	1,296	426	129	431	310
Idaho	225	211	12	-	2
White	221	208	12	-	1
Nonwhite	4	3	-	-	1
Illinois	3,284	2,976	266	1	41
White	2,835	2,633	169	1	32
Nonwhite	449	343	97	-	9
Indiana	1,515	1,287	223	-	5
White	1,360	1,191	165	-	4
Nonwhite	155	96	58	-	1
Iowa	898	838	53	-	7
White	888	828	53	-	7
Nonwhite	10	10	-	-	-
Kansas	682	605	58	2	17
White	628	573	41	2	12
Nonwhite	54	32	17	-	5
Kentucky	1,463	868	383	43	169
White	1,330	811	334	39	146
Nonwhite	133	57	49	4	23
Louisiana	1,872	1,379	243	191	59
White	766	655	85	17	9
Nonwhite	1,106	724	158	174	50
Maine	367	307	59	-	1
White	367	307	59	-	1
Nonwhite	-	-	-	-	-
Maryland	1,204	894	246	32	32
White	791	652	113	6	20
Nonwhite	413	242	133	26	12
Massachusetts	1,887	1,792	92	-	3
White	1,825	1,737	85	-	3
Nonwhite	62	55	7	-	-
Michigan	3,090	2,855	228	2	5
White	2,716	2,540	172	1	3
Nonwhite	374	315	56	1	2
Minnesota	1,291	1,205	84	2	-
White	1,260	1,177	81	2	-
Nonwhite	31	28	3	-	-
Mississippi	1,991	859	383	435	314
White	580	464	90	8	18
Nonwhite	1,411	395	293	427	296
Missouri	1,783	1,363	350	12	58
White	1,469	1 121	303	3	42
Nonwhite	314	242	47	9	16
Montana	236	225	10	-	1
White	218	209	9	-	-
Nonwhite	18	16	1	-	1
Nebraska	523	491	31	-	1
White	505	476	28	-	1
Nonwhite	18	15	3	-	-
Nevada	72	70	1	-	1
White	66	64	1	-	1
Nonwhite	6	6	-	-	-
New Hampshire	232	219	13	-	-
White	230	217	13	-	-
Nonwhite	2	2	-	-	-
New Jersey	1,907	1,751	143	4	9
White	1,635	1,522	104	3	6
Nonwhite	272	229	39	1	3
New Mexico	425	292	94	9	30
White	391	263	92	8	28
Nonwhite	34	29	2	1	2
New York	7,603	6,827	585	2	189
White	6,364	5,810	412	-	142
Nonwhite	1,239	1,017	173	2	47
North Carolina	2,654	1,687	625	306	36
White	1,346	1,100	217	21	8
Nonwhite	1,308	587	408	285	28
North Dakota	237	211	21	-	5
White	227	204	20	-	3
Nonwhite	10	7	1	-	2
Ohio	3,718	3,299	369	1	49
White	3,272	2,936	295	-	41
Nonwhite	446	363	74	1	8
Oklahoma	948	752	148	29	19
White	772	644	112	8	8
Nonwhite	176	108	36	21	11
Oregon	527	509	16	-	2
White	511	494	15	-	2
Nonwhite	16	15	1	-	-
Pennsylvania	4,589	4,053	523	1	12
White	4,090	3,631	449	1	9
Nonwhite	499	422	74	-	3
Rhode Island	292	278	13	-	1
White	280	267	12	-	1
Nonwhite	12	11	1	-	-
South Carolina	1,631	775	394	437	25
White	585	440	109	10	6
Nonwhite	1,046	335	285	427	19
South Dakota	218	200	14	1	3
White	205	188	14	-	3
Nonwhite	13	12	-	1	-
Tennessee	1,753	1,234	379	39	101
White	1,279	957	259	10	53
Nonwhite	474	277	120	29	48
Texas	4,412	3,034	914	381	83
White	3,394	2,426	691	219	58
Nonwhite	1,018	608	223	162	25
Utah	298	273	24	-	1
White	290	266	23	-	1
Nonwhite	8	7	1	-	-
Vermont	175	159	16	-	-
White	175	159	16	-	-
Nonwhite	-	-	-	-	-
Virginia	2,150	1,372	515	230	33
White	1,274	978	260	22	14
Nonwhite	876	394	255	208	19
Washington	786	769	11	-	6
White	753	739	9	-	5
Nonwhite	33	30	2	-	1
West Virginia	1,344	860	367	20	97
White	1,228	807	318	19	84
Nonwhite	116	53	49	1	13
Wisconsin	1,365	1,291	53	-	21
White	1,336	1,265	51	-	20
Nonwhite	29	26	2	-	1
Wyoming	124	115	7	-	2
White	118	110	7	-	1
Nonwhite	6	5	-	-	1

[1] It is assumed that all stillbirths in hospitals or institutions are attended by physicians.

TABLE 16.—STILLBIRTHS BY RACE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	72,838	43,300	21,637	8,444	5,729	7,490	29,538
White	56,232	34,076	16,389	6,749	4,675	6,263	22,156
Nonwhite	16,606	9,224	5,248	1,695	1,054	1,227	7,382
Alabama	2,292	822	238	259	139	186	1,470
White	1,074	368	98	114	59	97	706
Nonwhite	1,218	454	140	145	80	89	764
Arizona	337	204	...	139	...	65	133
White	266	176	...	117	...	59	90
Nonwhite	71	28	...	22	...	6	43
Arkansas	919	271	...	68	83	120	648
White	602	180	...	40	60	80	422
Nonwhite	317	91	...	28	23	40	226
California	3,859	2,720	1,463	489	343	425	1,139
White	3,426	2,386	1,217	446	305	418	1,040
Nonwhite	433	334	246	43	38	7	99
Colorado	554	317	161	48	33	75	237
White	537	302	152	44	33	73	235
Nonwhite	17	15	9	4	-	2	2
Connecticut	608	454	183	172	73	26	154
White	573	423	166	160	71	26	150
Nonwhite	35	31	17	12	2	-	4
Delaware	158	80	60	...	...	20	78
White	115	63	47	...	...	16	52
Nonwhite	43	17	13	...	...	4	26
District of Columbia	438	438	438	...	...	...	...
White	192	192	192	...	...	...	...
Nonwhite	246	246	246	...	...	...	...
Florida	1,480	835	344	128	148	217	645
White	761	430	190	72	68	100	331
Nonwhite	719	405	154	54	80	117	314
Georgia	2,422	1,016	227	348	186	255	1,406
White	1,128	492	112	154	85	141	634
Nonwhite	1,298	524	115	194	101	114	772
Idaho	225	92	...	18	37	37	133
White	221	91	...	18	36	37	130
Nonwhite	4	1	...	-	1	-	3
Illinois	3,284	2,582	1,537	437	254	354	702
White	2,835	2,158	1,217	372	228	341	677
Nonwhite	449	424	320	65	26	13	25
Indiana	1,515	951	443	285	102	121	564
White	1,360	799	331	249	100	119	561
Nonwhite	155	152	112	36	2	2	3
Iowa	898	467	84	196	66	121	431
White	888	457	79	193	65	120	431
Nonwhite	10	10	5	3	1	1	-
Kansas	682	403	139	48	112	105	279
White	628	354	112	44	97	101	274
Nonwhite	54	49	26	4	15	4	5
Kentucky	1,463	468	166	117	89	146	995
White	1,330	387	132	100	31	124	943
Nonwhite	133	81	34	17	8	22	52
Louisiana	1,872	930	391	191	83	265	942
White	766	391	180	64	47	100	375
Nonwhite	1,106	539	211	127	36	165	567
Maine	367	147	...	62	50	35	220
White	367	147	...	62	50	35	220
Nonwhite	-	-	...	-	-	-	-
Maryland	1,204	691	542	42	46	61	513
White	791	426	312	38	29	47	365
Nonwhite	413	265	230	4	17	14	148
Massachusetts	1,887	1,696	794	500	282	120	191
White	1,825	1,637	739	497	281	120	188
Nonwhite	62	59	55	3	1	-	3
Michigan	3,090	2,136	1,086	481	250	319	954
White	2,716	1,784	823	442	214	305	932
Nonwhite	374	352	263	39	36	14	22
Minnesota	1,281	733	428	12	87	206	558
White	1,260	719	415	12	87	205	541
Nonwhite	31	14	13	-	-	1	17
Mississippi	1,991	503	...	117	193	193	1,488
White	580	186	...	37	74	75	394
Nonwhite	1,411	317	...	80	119	118	1,094
Missouri	1,783	1,038	656	95	119	168	745
White	1,469	768	422	91	106	149	701
Nonwhite	314	270	234	4	13	19	44
Montana	236	123	...	43	28	52	113
White	218	121	...	42	27	52	97
Nonwhite	18	2	...	1	1	-	16
Nebraska	523	256	115	42	48	51	267
White	505	242	103	41	47	51	263
Nonwhite	18	14	12	1	1	-	4
Nevada	72	39	...	...	14	25	33
White	66	34	...	...	13	21	32
Nonwhite	6	5	...	...	1	4	1
New Hampshire	232	143	...	70	47	26	89
White	230	143	...	70	47	26	87
Nonwhite	2	-	...	-	-	-	2
New Jersey	1,907	1,549	565	425	265	294	358
White	1,635	1,311	441	367	229	274	324
Nonwhite	272	238	124	58	36	20	34
New Mexico	425	170	...	30	48	92	255
White	391	164	...	30	46	88	227
Nonwhite	34	6	...	-	2	4	28
New York	7,603	6,542	5,515	375	358	294	1,061
White	6,364	5,331	4,370	345	330	286	1,033
Nonwhite	1,239	1,211	1,145	30	28	8	28
North Carolina	2,654	874	85	323	236	230	1,780
White	1,346	442	41	140	129	132	904
Nonwhite	1,309	432	44	183	107	98	876
North Dakota	237	73	...	11	32	30	164
White	227	72	...	11	31	30	155
Nonwhite	10	1	...	-	1	-	9
Ohio	3,718	2,613	1,572	418	282	341	1,105
White	3,272	2,192	1,227	370	269	326	1,080
Nonwhite	446	421	345	48	13	15	25
Oklahoma	948	507	187	35	146	139	441
White	772	407	148	25	117	118	365
Nonwhite	176	100	41	10	29	20	76
Oregon	527	273	144	5	50	74	254
White	511	265	136	5	50	74	246
Nonwhite	16	8	8	-	-	-	8
Pennsylvania	4,589	3,037	1,450	555	484	548	1,552
White	4,090	2,575	1,085	507	451	532	1,515
Nonwhite	499	462	365	48	33	16	37
Rhode Island	292	255	75	125	43	14	37
White	280	245	69	119	43	14	35
Nonwhite	12	10	6	4	-	-	2
South Carolina	1,631	443	...	192	114	137	1,188
White	565	201	...	74	56	71	364
Nonwhite	1,066	242	...	118	58	66	824
South Dakota	218	70	...	21	27	22	148
White	205	69	...	21	27	21	136
Nonwhite	13	1	...	-	-	1	12
Tennessee	1,753	754	516	16	78	144	999
White	1,279	454	267	15	54	118	825
Nonwhite	474	300	249	1	24	26	174
Texas	4,412	2,851	1,053	683	339	776	1,561
White	3,394	2,204	796	524	257	627	1,190
Nonwhite	1,018	647	257	159	82	149	371
Utah	298	178	65	23	17	53	120
White	290	176	64	22	17	53	114
Nonwhite	8	2	1	1	-	-	6
Vermont	175	65	...	16	11	38	110
White	175	65	...	16	11	38	110
Nonwhite	-	-	...	-	-	-	-
Virginia	2,150	830	311	301	64	154	1,320
White	1,274	470	140	170	42	118	804
Nonwhite	876	360	171	131	22	36	516
Washington	786	489	328	39	60	62	297
White	753	465	307	39	58	61	288
Nonwhite	33	24	21	-	2	1	9
West Virginia	1,344	363	...	162	83	118	981
White	1,228	326	...	147	71	108	902
Nonwhite	116	37	...	15	12	10	79
Wisconsin	1,365	748	257	288	85	120	617
White	1,336	728	241	283	85	119	608
Nonwhite	29	20	16	3	-	1	9
Wyoming	124	61	...	...	45	16	63
White	118	58	...	...	42	16	60
Nonwhite	6	3	...	...	3	-	3

TABLE 17.—DEATHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,444,337	820,931	623,406	725,818	544,771	90,732	76,314	2,388	1,917	1,004	158	674	200	315	46
Alabama	28,620	14,896	11,724	9,010	6,512	5,880	5,210	5	1	1	1	-	-	-	-
Arizona	6,586	4,099	2,487	3,555	2,067	161	99	366	318	15	3	1	-	1	-
Arkansas	15,224	8,850	6,374	6,478	4,335	2,367	2,039	3	-	1	-	-	-	1	-
California	98,905	58,154	40,751	54,993	38,776	1,958	1,599	195	139	386	92	398	120	224	25
Colorado	12,582	7,337	5,245	7,165	5,131	122	95	21	9	1	-	27	9	1	1
Connecticut	19,569	10,841	8,728	10,533	8,493	297	229	1	4	5	2	3	-	2	-
Delaware	3,407	1,923	1,484	1,550	1,238	372	242	-	-	-	-	-	-	1	4
District of Columbia	8,197	4,506	3,691	2,868	2,363	1,615	1,328	1	-	16	-	1	-	5	-
Florida	24,767	14,691	10,076	10,801	7,088	3,874	2,984	8	4	2	-	6	-	-	-
Georgia	29,528	16,807	12,919	10,086	7,210	6,517	5,708	1	-	3	1	-	-	-	-
Idaho	4,906	3,109	1,797	3,048	1,767	9	5	37	18	3	-	10	6	2	1
Illinois	91,328	52,139	39,189	48,075	35,853	3,952	3,320	11	-	59	5	36	11	6	-
Indiana	39,544	22,319	17,225	21,092	16,195	1,219	1,027	2	2	5	1	-	-	1	-
Iowa	28,064	14,761	11,303	14,610	11,187	142	115	7	1	1	-	-	-	1	-
Kansas	18,553	10,621	7,932	10,117	7,512	494	411	7	9	1	-	2	-	-	-
Kentucky	28,050	15,788	12,262	13,913	10,729	1,872	1,533	2	-	1	-	-	-	-	-
Louisiana	23,561	13,284	10,277	7,945	5,634	5,323	4,636	11	6	5	-	-	1	-	-
Maine	9,958	5,556	4,402	5,541	4,387	6	7	9	8	-	-	-	-	-	-
Maryland	22,440	12,533	9,907	9,875	7,853	2,642	2,052	-	-	12	1	-	1	4	-
Massachusetts	52,611	28,012	24,599	27,463	24,182	476	403	9	8	57	5	3	-	4	1
Michigan	56,786	32,857	23,929	30,717	22,220	2,066	1,672	47	34	22	-	4	2	1	1
Minnesota	27,400	16,003	11,397	15,811	11,233	106	82	75	79	8	1	1	2	2	-
Mississippi	20,296	11,145	9,151	5,469	3,960	5,662	5,182	11	6	3	3	-	-	-	-
Missouri	42,752	23,950	18,802	21,607	16,838	2,330	1,963	4	1	4	-	3	-	2	-
Montana	5,884	3,794	2,090	3,626	1,952	12	8	145	127	2	2	7	1	-	-
Nebraska	12,615	7,318	5,297	7,149	5,184	125	93	39	20	1	-	4	-	-	-
Nevada	1,624	1,108	516	1,032	464	17	13	55	39	2	-	1	-	1	-
New Hampshire	6,172	3,333	2,839	3,329	2,838	3	1	1	-	-	-	-	-	-	-
New Jersey	48,076	26,672	21,404	24,712	19,768	1,942	1,629	-	1	12	1	6	1	-	4
New Mexico	5,609	3,281	2,328	2,957	2,048	57	23	266	257	-	-	1	-	-	-
New York	158,242	87,378	70,864	82,074	66,493	4,946	4,300	70	43	248	18	27	5	13	5
North Carolina	30,161	17,144	13,017	11,611	8,286	5,407	4,651	125	80	1	-	-	-	-	-
North Dakota	5,146	3,157	1,989	3,087	1,940	4	3	66	46	-	-	-	-	-	-
Ohio	80,891	45,493	35,398	42,116	32,896	3,348	2,497	8	2	14	2	5	1	2	-
Oklahoma	19,079	11,377	7,702	10,055	6,640	1,004	785	313	277	5	-	-	-	-	-
Oregon	14,080	8,578	5,502	8,400	5,401	59	47	64	40	27	7	24	7	4	-
Pennsylvania	109,202	60,789	48,413	56,673	45,144	4,073	3,262	3	1	32	5	2	1	6	-
Rhode Island	8,188	4,275	3,913	4,183	3,822	89	87	2	4	1	-	-	-	-	-
South Carolina	17,957	10,131	7,826	5,450	3,687	4,678	4,135	2	4	-	-	-	-	1	-
South Dakota	5,806	3,500	2,306	3,359	2,187	6	1	134	118	1	-	-	-	-	-
Tennessee	28,826	16,091	12,735	12,603	9,612	3,488	3,123	-	-	-	-	-	-	-	-
Texas	64,245	37,510	26,735	31,656	21,767	5,836	4,966	8	2	9	-	-	-	1	-
Utah	5,070	2,979	2,091	2,892	2,054	17	10	29	15	4	2	37	10	-	-
Vermont	4,096	2,226	1,870	2,225	1,868	-	1	-	1	1	-	-	-	-	-
Virginia	28,976	16,611	12,365	11,659	8,398	4,945	3,965	4	1	2	-	-	1	1	-
Washington	22,211	13,623	8,588	13,236	8,356	147	97	131	107	26	6	58	18	25	3
West Virginia	17,600	10,427	7,173	9,538	6,606	888	567	-	-	1	-	-	-	-	-
Wisconsin	32,564	18,632	13,932	18,405	13,769	160	102	61	59	3	-	2	1	1	1
Wyoming	2,385	1,523	862	1,465	828	19	7	31	26	1	-	5	1	2	-

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND STATE, 1948

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,444,337	138,240	128,158	129,842	118,730	120,403	113,901	112,814	115,418	105,053	118,744	115,173	127,861
Male	820,931	77,783	71,981	73,198	67,386	68,368	64,813	64,342	65,698	60,272	67,973	65,950	73,167
Female	623,406	60,457	56,177	56,644	51,344	52,035	49,088	48,472	49,720	44,781	50,771	49,223	54,694
White	1,270,589	121,361	112,099	114,555	104,672	106,082	100,088	99,133	101,530	92,179	104,504	101,804	112,582
Male	725,818	68,553	63,227	64,944	59,793	60,603	57,279	56,822	57,984	53,173	60,067	58,667	64,706
Female	544,771	52,808	48,872	49,611	44,879	45,479	42,809	42,311	43,546	39,006	44,437	43,137	47,876
Nonwhite	173,748	16,879	16,059	15,287	14,058	14,321	13,813	13,681	13,888	12,874	14,240	13,369	15,279
Male	95,113	9,230	8,754	8,254	7,593	7,765	7,534	7,520	7,714	7,099	7,906	7,283	8,461
Female	78,635	7,649	7,305	7,033	6,465	6,556	6,279	6,161	6,174	5,775	6,334	6,086	6,818
ALABAMA	26,620	2,626	2,508	2,424	2,127	2,108	2,148	2,104	1,971	1,911	2,266	2,153	2,274
Male	14,896	1,449	1,407	1,334	1,182	1,173	1,232	1,146	1,108	1,071	1,274	1,228	1,292
Female	11,724	1,177	1,101	1,090	945	935	916	958	863	840	992	925	982
White	15,522	1,526	1,468	1,416	1,236	1,207	1,257	1,234	1,173	1,127	1,336	1,255	1,307
Male	9,010	895	842	794	706	715	726	696	692	649	791	751	756
Female	6,512	631	626	622	530	494	512	538	481	478	545	504	551
Nonwhite	11,098	1,100	1,040	1,008	891	901	911	870	798	784	930	898	967
Male	5,886	554	565	540	476	460	507	450	416	422	483	477	536
Female	5,212	546	475	468	415	441	404	420	382	362	447	421	431
ARIZONA	6,586	681	638	529	521	569	515	531	471	516	484	542	589
Male	4,099	432	408	324	315	336	312	317	305	324	309	349	368
Female	2,487	249	230	205	206	233	203	214	166	192	175	193	221
White	5,622	589	565	467	438	472	438	465	396	416	410	468	510
Male	3,555	376	371	291	268	288	272	287	249	264	261	304	324
Female	2,067	213	194	176	168	184	166	178	137	152	149	164	186
Nonwhite	964	92	73	62	85	97	77	66	85	100	74	74	79
Male	544	56	37	33	47	48	40	30	56	60	48	45	44
Female	420	36	36	29	38	49	37	36	29	40	26	29	35
ARKANSAS	15,224	1,512	1,394	1,339	1,222	1,329	1,250	1,209	1,090	1,108	1,210	1,203	1,358
Male	8,850	884	806	794	718	752	762	674	623	641	717	686	793
Female	6,374	628	588	545	504	577	488	535	467	467	493	517	565
White	10,813	1,093	978	955	830	954	905	838	749	807	839	885	980
Male	6,478	683	570	574	502	550	563	480	447	486	523	528	592
Female	4,335	430	408	381	328	404	342	358	302	321	316	357	388
Nonwhite	4,411	419	416	384	392	375	345	371	341	301	371	318	378
Male	2,372	221	236	220	216	202	199	194	176	155	194	158	201
Female	2,039	198	180	164	176	173	146	177	165	146	177	160	177
CALIFORNIA	98,905	10,064	8,911	8,750	7,851	8,062	7,542	7,727	7,514	7,310	7,836	7,977	9,361
Male	58,154	5,839	5,224	5,117	4,832	4,708	4,484	4,497	4,455	4,259	4,615	4,805	5,519
Female	40,751	4,225	3,687	3,633	3,219	3,354	3,058	3,230	3,059	3,051	3,221	3,172	3,842
White	93,769	9,537	8,439	8,299	7,451	7,654	7,144	7,282	7,129	6,906	7,435	7,575	8,918
Male	54,993	5,511	4,927	4,846	4,381	4,450	4,248	4,214	4,216	4,014	4,378	4,556	5,255
Female	38,776	4,026	3,512	3,453	3,070	3,204	2,896	3,068	2,913	2,892	3,060	3,019	3,663
Nonwhite	5,136	527	472	451	400	408	398	445	385	404	401	402	443
Male	3,161	328	297	271	251	258	236	283	239	245	240	249	264
Female	1,975	199	175	180	149	150	162	162	146	159	161	153	179
COLORADO	12,582	1,208	1,027	1,155	1,054	1,081	981	997	961	949	1,114	1,058	1,017
Male	7,337	721	610	637	611	628	576	600	531	523	674	643	583
Female	5,245	487	417	518	443	433	405	397	430	426	440	415	434
White	12,296	1,174	1,002	1,127	1,029	1,041	961	980	945	933	1,080	1,035	989
Male	7,165	699	592	624	600	617	562	589	521	515	656	627	563
Female	5,131	475	410	503	429	424	399	391	424	418	424	408	426
Nonwhite	286	34	25	28	25	20	20	17	16	18	34	23	28
Male	172	22	18	13	11	11	14	11	10	8	18	16	20
Female	114	12	7	15	14	9	6	6	6	8	16	7	8
CONNECTICUT	19,569	1,906	1,694	1,716	1,693	1,578	1,551	1,535	1,672	1,399	1,586	1,509	1,730
Male	10,841	1,052	925	929	960	884	863	880	944	754	853	834	963
Female	8,728	854	769	787	733	694	688	655	728	645	733	675	767
White	19,026	1,848	1,651	1,665	1,648	1,545	1,511	1,489	1,628	1,353	1,554	1,447	1,696
Male	10,533	1,019	909	903	932	863	838	853	916	731	836	793	940
Female	8,493	830	742	762	716	682	673	636	712	622	718	654	746
Nonwhite	543	57	43	51	45	33	40	46	44	46	32	62	44
Male	308	33	16	26	28	21	25	27	28	23	17	41	23
Female	235	24	27	25	17	12	15	19	16	23	15	21	21
DELAWARE	3,407	346	310	304	262	279	273	269	283	240	285	249	307
Male	1,923	176	184	167	142	156	157	150	158	139	165	143	186
Female	1,484	170	126	137	120	123	116	119	125	101	120	106	121
White	2,768	279	245	253	216	242	217	208	226	196	245	199	262
Male	1,550	137	142	136	113	132	124	113	122	114	143	116	158
Female	1,238	142	103	117	103	110	93	95	104	82	102	83	104
Nonwhite	619	67	65	51	46	37	56	61	57	44	40	50	45
Male	373	39	42	31	29	24	33	37	36	25	22	27	28
Female	246	28	23	20	17	13	23	24	21	19	18	23	17
DISTRICT OF COLUMBIA	8,197	765	738	798	626	682	626	693	644	566	649	662	748
Male	4,506	413	399	420	344	378	344	377	371	309	358	372	421
Female	3,691	352	339	378	282	304	282	316	273	257	291	290	327
White	5,231	512	451	532	383	453	368	445	413	341	428	424	481
Male	2,868	273	243	280	217	250	201	252	248	182	235	245	262
Female	2,363	239	208	252	166	203	167	213	165	159	193	179	219
Nonwhite	2,966	253	287	266	243	229	258	248	231	225	221	238	267
Male	1,638	140	156	140	127	128	143	145	123	127	123	127	159
Female	1,328	113	131	126	116	101	115	103	108	98	99	111	108
FLORIDA	24,767	2,504	2,060	2,151	1,963	2,017	2,016	1,886	1,962	1,915	2,029	2,018	2,266
Male	14,691	1,480	1,177	1,237	1,197	1,182	1,164	1,137	1,145	1,116	1,243	1,193	1,420
Female	10,076	1,024	883	894	766	835	852	749	817	799	786	825	846
White	17,869	1,820	1,492	1,544	1,446	1,433	1,485	1,345	1,427	1,351	1,449	1,466	1,632
Male	10,801	1,100	857	913	904	861	878	824	844	784	890	885	1,061
Female	7,068	720	635	631	542	572	607	521	583	567	559	581	571
Nonwhite	6,878	684	568	587	517	584	531	541	535	564	581	552	634
Male	3,890	380	320	324	295	321	286	315	301	332	353	308	359
Female	2,988	304	248	263	224	263	245	228	234	232	228	244	275

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	29,526	3,019	2,675	2,487	2,359	2,366	2,373	2,358	2,340	2,133	2,511	2,328	2,579
Male	16,607	1,660	1,485	1,395	1,368	1,348	1,340	1,332	1,303	1,189	1,447	1,297	1,443
Female	12,919	1,359	1,190	1,092	991	1,018	1,033	1,026	1,037	944	1,064	1,029	1,136
White	17,296	1,752	1,563	1,475	1,359	1,355	1,396	1,392	1,390	1,247	1,497	1,408	1,462
Male	10,086	995	905	874	804	792	827	810	789	736	891	812	851
Female	7,210	757	658	601	555	563	569	582	601	511	606	596	611
Nonwhite	12,230	1,267	1,112	1,012	1,000	1,011	977	966	950	886	1,014	918	1,117
Male	6,521	685	580	521	564	556	513	522	514	453	556	485	592
Female	5,709	602	532	491	436	455	464	444	436	433	458	433	525
IDAHO	4,906	428	440	416	395	418	409	441	363	343	425	407	421
Male	3,109	259	270	288	259	241	254	283	231	229	273	257	265
Female	1,797	169	170	128	136	177	155	158	132	114	152	150	156
White	4,815	421	431	407	388	409	404	433	354	339	417	398	414
Male	3,048	253	262	283	252	238	252	277	223	228	270	250	260
Female	1,767	168	169	124	136	171	152	156	131	111	147	148	154
Nonwhite	91	7	9	9	7	9	5	8	9	4	8	9	7
Male	61	6	8	5	7	3	2	6	8	1	3	7	5
Female	30	1	1	4	-	6	3	2	1	3	5	2	2
ILLINOIS	91,329	8,365	8,128	8,145	7,567	7,720	7,155	7,013	7,296	6,645	7,706	7,381	8,207
Male	52,139	4,719	4,595	4,615	4,380	4,417	4,017	4,029	4,135	3,815	4,474	4,217	4,726
Female	39,189	3,646	3,533	3,530	3,187	3,303	3,138	2,984	3,161	2,830	3,232	3,164	3,481
White	83,928	7,724	7,490	7,476	6,998	7,066	6,577	6,461	6,709	6,081	7,115	6,739	7,512
Male	48,075	4,355	4,232	4,257	4,071	4,050	3,711	3,717	3,822	3,491	4,132	3,875	4,362
Female	35,853	3,369	3,258	3,219	2,927	3,016	2,866	2,744	2,887	2,570	2,983	2,864	3,150
Nonwhite	7,400	641	638	669	569	654	578	552	587	564	591	642	695
Male	4,064	364	363	358	309	367	306	312	313	324	342	342	364
Female	3,336	277	275	311	260	287	272	240	274	240	249	300	331
INDIANA	39,544	3,687	3,412	3,588	3,273	3,441	3,077	3,050	3,025	2,907	3,310	3,192	3,582
Male	22,319	2,050	1,915	2,010	1,830	1,921	1,790	1,739	1,682	1,651	1,916	1,780	2,055
Female	17,225	1,657	1,497	1,578	1,443	1,520	1,287	1,311	1,343	1,256	1,394	1,412	1,527
White	37,287	3,484	3,214	3,384	3,127	3,225	2,902	2,878	2,849	2,726	3,110	3,011	3,377
Male	21,092	1,932	1,804	1,902	1,763	1,806	1,685	1,643	1,594	1,548	1,795	1,686	1,934
Female	16,195	1,552	1,410	1,482	1,364	1,419	1,217	1,235	1,255	1,178	1,315	1,325	1,443
Nonwhite	2,257	203	198	204	146	216	175	172	176	181	200	181	205
Male	1,227	98	111	108	67	115	105	96	88	103	121	94	121
Female	1,030	105	87	96	79	101	70	76	88	78	79	87	84
IOWA	26,064	2,510	2,261	2,288	2,136	2,153	1,844	2,109	2,001	1,835	2,234	2,190	2,403
Male	14,761	1,381	1,243	1,300	1,199	1,224	1,116	1,236	1,111	1,062	1,292	1,258	1,339
Female	11,303	1,129	1,018	988	937	929	828	873	890	773	942	932	1,064
White	25,797	2,485	2,245	2,265	2,119	2,124	1,828	2,084	1,981	1,818	2,211	2,158	2,379
Male	14,610	1,364	1,233	1,265	1,189	1,210	1,107	1,223	1,103	1,051	1,278	1,239	1,328
Female	11,187	1,121	1,012	980	930	914	821	861	878	767	933	919	1,051
Nonwhite	267	25	16	23	17	29	16	25	20	17	23	32	24
Male	151	17	10	15	10	14	9	13	8	11	14	19	11
Female	116	8	6	8	7	15	7	12	12	6	9	13	13
KANSAS	18,553	1,626	1,599	1,671	1,565	1,499	1,423	1,505	1,486	1,321	1,615	1,580	1,684
Male	10,621	914	918	954	886	855	837	889	854	767	899	894	954
Female	7,932	712	681	717	679	643	586	616	632	554	716	686	730
White	17,629	1,533	1,512	1,591	1,495	1,427	1,366	1,432	1,417	1,267	1,523	1,476	1,590
Male	10,117	861	873	907	846	816	802	848	823	734	852	851	904
Female	7,512	672	639	684	649	611	564	584	594	533	671	625	686
Nonwhite	924	93	87	80	70	71	57	73	69	54	92	84	94
Male	504	53	45	47	40	39	35	41	31	33	47	43	50
Female	420	40	42	33	30	32	22	32	38	21	45	41	44
KENTUCKY	28,050	2,738	2,459	2,576	2,335	2,260	2,130	2,148	2,180	2,154	2,424	2,177	2,469
Male	15,788	1,531	1,329	1,417	1,319	1,277	1,231	1,244	1,225	1,282	1,354	1,224	1,355
Female	12,262	1,207	1,130	1,159	1,016	983	899	904	955	872	1,070	953	1,114
White	24,642	2,429	2,131	2,252	2,065	1,961	1,896	1,889	1,905	1,917	2,125	1,906	2,166
Male	13,913	1,368	1,140	1,233	1,184	1,100	1,109	1,099	1,074	1,132	1,194	1,072	1,208
Female	10,729	1,061	991	1,019	881	861	787	790	831	785	931	834	958
Nonwhite	3,408	309	328	324	270	299	234	259	275	237	299	271	303
Male	1,875	163	189	184	135	177	122	145	151	150	160	152	147
Female	1,533	146	139	140	135	122	112	114	124	87	139	119	156
LOUISIANA	23,561	2,452	2,349	2,112	1,856	1,895	1,881	1,856	1,805	1,632	1,866	1,831	2,026
Male	13,284	1,358	1,295	1,201	1,033	1,078	1,068	1,036	1,048	907	1,075	1,043	1,144
Female	10,277	1,094	1,054	911	823	817	815	820	757	725	791	788	882
White	13,579	1,456	1,362	1,186	1,047	1,103	1,037	1,054	1,061	904	1,080	1,095	1,194
Male	7,945	829	769	711	626	635	621	610	632	520	641	648	703
Female	5,634	627	593	475	421	468	416	444	429	384	439	447	491
Nonwhite	9,982	996	987	926	809	792	844	802	744	728	786	736	832
Male	5,339	529	526	490	407	443	445	426	416	387	434	395	441
Female	4,643	467	461	436	402	349	399	376	328	341	352	341	391
MAINE	9,958	890	955	967	887	891	786	773	748	658	827	750	826
Male	5,556	513	510	515	495	514	432	449	409	372	461	418	468
Female	4,402	377	445	452	392	377	354	324	339	286	366	332	358
White	9,928	888	952	963	886	890	785	770	746	658	824	742	824
Male	5,541	512	510	513	495	513	432	447	408	372	460	412	467
Female	4,387	376	442	450	391	377	353	323	338	286	364	330	357
Nonwhite	30	2	3	4	1	1	1	3	2	-	3	8	2
Male	15	1	-	2	-	1	-	2	1	-	1	6	1
Female	15	1	3	2	1	-	1	1	1	-	2	2	1
MARYLAND	22,440	2,153	2,038	2,024	1,852	1,891	1,800	1,745	1,832	1,579	1,806	1,739	1,981
Male	12,533	1,176	1,112	1,153	1,041	1,033	1,007	960	1,072	875	1,009	977	1,118
Female	9,907	977	926	871	811	858	793	785	760	704	797	762	863
White	17,728	1,723	1,605	1,563	1,478	1,520	1,435	1,348	1,427	1,244	1,428	1,399	1,558
Male	9,875	942	868	885	833	833	809	740	819	681	791	786	888
Female	7,853	781	737	678	645	687	626	608	608	563	637	613	670
Nonwhite	4,712	430	433	461	374	371	365	397	405	335	378	340	423
Male	2,658	254	244	268	208	200	198	220	253	194	218	191	230
Female	2,054	196	189	193	166	171	167	177	152	141	160	149	193

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	52,611	5,195	4,705	4,824	4,450	4,378	4,318	3,770	4,420	3,676	4,143	4,114	4,618
Male	28,012	2,702	2,500	2,574	2,330	2,338	2,278	2,023	2,353	2,014	2,235	2,204	2 461
Female	24,599	2,493	2,205	2,250	2,120	2,040	2,040	1,747	2,067	1,662	1,908	1,910	2,157
White	51,645	5,096	4,609	4,751	4,377	4,297	4,239	3,690	4,340	3,607	4,067	4,043	4,529
Male	27,463	2,644	2,451	2,536	2,300	2,294	2,237	1,973	2,305	1,973	2,187	2,159	2,404
Female	24,182	2,452	2,158	2,215	2,077	2,003	2,002	1,717	2,035	1,634	1,880	1,884	2,125
Nonwhite	966	99	96	73	73	81	79	80	80	69	76	71	89
Male	549	58	49	38	30	44	41	50	48	41	48	45	57
Female	417	41	47	35	43	37	38	30	32	28	28	26	32
MICHIGAN	56,786	5,043	4,764	4,990	4,819	4,847	4,558	4,492	4,706	4,219	4,644	4,608	5,096
Male	32,857	2,839	2,700	2,838	2,748	2,828	2,645	2,621	2,730	2,497	2,688	2,724	2,999
Female	23,929	2,204	2,064	2,152	2,071	2,019	1,913	1,871	1,976	1,722	1,956	1,884	2,097
White	52,937	4,708	4,433	4,712	4,513	4,527	4,228	4,217	4,354	3,894	4,323	4,316	4,712
Male	30,717	2,654	2,518	2,700	2,573	2,663	2,458	2,466	2,539	2,319	2,508	2,551	2,768
Female	22,220	2,054	1,915	2,012	1,940	1,864	1,770	1,751	1,815	1,575	1,815	1,765	1,944
Nonwhite	3,849	335	331	278	306	320	330	275	352	325	321	292	384
Male	2,140	185	182	138	175	165	187	155	191	178	180	173	231
Female	1,709	150	149	140	131	155	143	120	161	147	141	119	153
MINNESOTA	27,400	2,614	2,385	2,396	2,253	2,421	2,131	2,379	2,137	1,955	2,242	2,207	2,280
Male	16,003	1,512	1,341	1,373	1,277	1,433	1,263	1,373	1,247	1,206	1,338	1,302	1,338
Female	11,397	1,102	1,044	1,023	976	988	868	1,006	890	749	904	905	942
White	27,044	2,584	2,350	2,367	2,217	2,391	2,104	2,351	2,112	1,929	2,216	2,178	2,245
Male	15,811	1,499	1,321	1,356	1,258	1,416	1,245	1,362	1,233	1,192	1,322	1,290	1,317
Female	11,233	1,085	1,029	1,011	959	975	859	989	879	737	894	888	928
Nonwhite	356	30	35	29	36	30	27	28	25	26	26	29	35
Male	192	13	20	17	19	17	18	11	14	14	16	12	21
Female	164	17	15	12	17	13	9	17	11	12	10	17	14
MISSISSIPPI	20,296	1,993	1,958	1,880	1,604	1,634	1,605	1,576	1,486	1,471	1,646	1,625	1,818
Male	11,145	1,078	1,068	1,021	863	898	870	859	824	831	928	898	1,029
Female	9,151	917	890	859	741	736	735	737	662	640	718	727	789
White	9,429	934	884	846	730	746	755	756	699	672	780	788	840
Male	5,469	509	502	495	421	434	445	411	404	411	460	478	499
Female	3,960	425	382	351	299	311	310	345	295	261	320	310	341
Nonwhite	10,867	1,059	1,064	1,034	884	889	850	820	787	799	866	837	978
Male	5,676	567	568	526	442	464	425	428	420	420	468	420	530
Female	5,191	492	498	508	442	425	425	392	367	379	398	417	448
MISSOURI	42,752	4,173	3,862	3,850	3,494	3,449	3,190	3,402	3,375	3,153	3,632	3,448	3,724
Male	23,950	2,278	2,160	2,112	1,954	1,943	1,759	1,902	1,911	1,809	2,063	1,983	2,096
Female	18,802	1,895	1,702	1,738	1,540	1,506	1,431	1,500	1,464	1,344	1,569	1,465	1,628
White	38,445	3,738	3,437	3,487	3,138	3,099	2,837	3,093	3,033	2,859	3,266	3,097	3,361
Male	21,607	2,056	1,909	1,919	1,777	1,764	1,569	1,732	1,719	1,630	1,846	1,769	1,917
Female	16,838	1,682	1,528	1,568	1,361	1,335	1,268	1,361	1,314	1,229	1,420	1,328	1,444
Nonwhite	4,307	435	425	363	356	350	353	309	342	294	366	351	363
Male	2,343	222	251	193	177	179	190	170	192	179	217	194	179
Female	1,964	213	174	170	179	171	163	139	150	115	149	157	184
MONTANA	5,884	504	500	511	468	525	493	497	473	440	505	471	497
Male	3,794	331	314	328	294	336	302	319	308	275	348	313	326
Female	2,090	173	186	183	174	189	191	178	165	165	157	158	171
White	5,580	483	470	482	443	502	469	468	447	416	475	453	472
Male	3,628	321	299	312	284	321	290	304	294	262	330	301	310
Female	1,952	162	171	170	159	181	179	164	153	154	145	152	162
Nonwhite	304	21	30	29	25	23	24	29	26	24	30	18	25
Male	166	10	15	16	10	15	12	15	14	13	18	12	16
Female	138	11	15	13	15	8	12	14	12	11	12	6	9
NEBRASKA	12,615	1,153	1,018	1,099	1,043	1,068	943	1,055	998	903	1,105	1,051	1,179
Male	7,318	673	595	625	608	649	550	583	574	505	647	623	686
Female	5,297	480	423	474	435	419	393	472	424	398	458	428	493
White	12,333	1,110	995	1,068	1,016	1,042	931	1,034	977	888	1,082	1,040	1,150
Male	7,149	644	582	610	590	630	542	574	562	497	632	617	669
Female	5,184	466	413	458	426	412	389	460	415	391	450	423	481
Nonwhite	282	43	23	31	27	26	12	21	21	15	23	11	29
Male	169	29	13	15	18	19	8	9	12	8	15	6	17
Female	113	14	10	16	9	7	4	12	9	7	8	5	12
NEVADA	1,624	134	189	160	120	134	114	139	134	130	126	122	142
Male	1,108	105	108	101	87	91	77	92	104	75	81	94	93
Female	516	29	81	59	33	43	37	47	30	55	45	28	49
White	1,496	122	156	145	109	121	111	130	120	123	107	117	135
Male	1,032	95	100	93	81	85	75	86	94	71	72	92	88
Female	464	27	56	52	28	36	36	44	26	52	35	25	47
Nonwhite	128	12	13	15	11	13	3	9	14	7	19	5	7
Male	76	10	8	8	6	6	2	6	10	4	9	2	5
Female	52	2	5	7	5	7	1	3	4	3	10	3	2
NEW HAMPSHIRE	6,172	599	518	542	511	514	498	484	505	445	518	456	582
Male	3,333	316	283	295	260	272	262	259	272	246	278	260	330
Female	2,839	283	235	247	251	242	236	225	233	199	240	196	252
White	6,167	599	518	541	509	514	498	484	505	444	518	455	582
Male	3,329	316	283	294	258	272	262	259	272	245	278	260	330
Female	2,838	283	235	247	251	242	236	225	233	199	240	195	252
Nonwhite	5	-	-	1	2	-	-	-	-	1	-	1	-
Male	4	-	-	1	2	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
NEW JERSEY	48,076	4,629	4,213	4,341	3,992	4,046	3,851	3,642	3,924	3,488	3,854	3,841	4,255
Male	26,672	2,531	2,284	2,413	2,226	2,249	2,145	2,040	2,159	1,945	2,115	2,140	2,425
Female	21,404	2,098	1,929	1,928	1,766	1,797	1,706	1,602	1,765	1,543	1,739	1,701	1,830
White	44,480	4,308	3,907	4,027	3,698	3,731	3,523	3,380	3,613	3,216	3,551	3,579	3,947
Male	24,712	2,359	2,121	2,256	2,073	2,081	1,953	1,898	1,995	1,802	1,950	1,997	2,247
Female	19,768	1,949	1,786	1,791	1,625	1,650	1,570	1,482	1,618	1,414	1,601	1,582	1,700
Nonwhite	3,596	321	306	314	294	315	328	262	311	272	303	262	308
Male	1,960	172	163	177	153	168	192	142	164	143	165	143	178
Female	1,636	149	143	137	141	147	136	120	147	129	138	119	130

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	5,609	480	504	467	461	460	445	461	452	436	498	461	484
Male	3,281	284	292	270	286	270	269	256	256	247	308	255	290
Female	2,328	196	212	197	175	190	176	205	196	189	192	206	194
White	5,005	428	443	408	407	405	407	418	403	383	452	430	421
Male	2,957	255	255	241	260	242	253	234	231	220	278	241	247
Female	2,048	173	188	167	147	163	154	184	172	163	174	189	174
Nonwhite	604	52	61	59	54	55	38	43	49	53	46	31	63
Male	324	29	37	29	26	28	16	22	25	27	28	14	43
Female	280	23	24	30	28	27	22	21	24	26	18	17	20
NEW YORK	158,242	14,813	14,200	14,734	13,172	13,374	12,599	12,022	13,524	11,138	12,584	12,238	13,844
Male	87,378	8,171	7,746	8,091	7,220	7,313	6,981	6,646	7,385	5,307	6,953	6,836	7,729
Female	70,864	6,642	6,454	6,643	5,952	6,061	5,618	5,376	6,139	4,831	5,631	5,402	6,115
White	148,567	13,970	13,349	13,879	12,353	12,547	11,812	11,236	12,650	10,421	11,823	11,505	13,022
Male	82,074	7,708	7,291	7,632	6,793	6,858	6,564	6,207	6,894	5,011	6,515	6,433	7,268
Female	66,493	6,262	6,058	6,247	5,560	5,689	5,248	5,029	5,756	4,510	5,308	5,072	5,754
Nonwhite	9,675	843	851	855	819	827	787	786	874	717	761	733	822
Male	5,304	463	455	459	427	455	417	439	491	396	438	403	461
Female	4,371	380	396	396	392	372	370	347	383	321	323	330	361
NORTH CAROLINA	30,161	3,099	2,773	2,651	2,360	2,438	2,380	2,348	2,380	2,225	2,444	2,423	2,640
Male	17,144	1,775	1,560	1,470	1,321	1,364	1,370	1,337	1,403	1,285	1,406	1,394	1,469
Female	13,017	1,324	1,213	1,181	1,039	1,074	1,010	1,011	977	940	1,038	1,029	1,171
White	19,897	2,043	1,819	1,773	1,567	1,613	1,547	1,545	1,586	1,454	1,610	1,606	1,734
Male	11,611	1,183	1,056	1,021	921	934	915	876	952	859	954	954	986
Female	8,286	860	763	752	646	679	632	669	634	595	656	652	748
Nonwhite	10,264	1,056	954	878	793	825	833	803	794	771	834	817	908
Male	5,533	592	504	449	400	430	455	461	451	426	452	430	483
Female	4,731	464	450	429	393	395	378	342	343	345	382	387	425
NORTH DAKOTA	5,146	464	421	415	459	447	416	453	365	389	454	408	475
Male	3,157	289	259	242	274	275	263	277	231	234	273	251	289
Female	1,989	175	162	173	185	172	153	176	134	155	181	157	186
White	5,027	456	414	404	444	436	406	438	358	359	443	403	485
Male	3,087	281	256	237	267	268	259	268	226	230	267	247	281
Female	1,940	175	158	167	177	170	146	170	132	129	176	156	184
Nonwhite	119	8	7	11	15	9	11	15	7	10	11	5	10
Male	70	8	3	5	7	7	4	9	5	4	6	4	8
Female	49	-	4	6	8	2	7	6	2	6	5	1	2
OHIO	80,891	7,622	7,017	7,262	6,619	6,825	6,470	6,183	6,378	5,044	6,787	6,460	7,224
Male	45,493	4,293	3,849	4,047	3,779	3,884	3,595	3,452	3,659	3,416	3,772	3,694	4,063
Female	35,398	3,329	3,168	3,215	2,840	2,941	2,875	2,731	2,719	2,628	3,015	2,776	3,161
White	75,014	7,082	6,504	6,785	6,137	6,321	5,987	5,707	5,870	5,624	6,286	5,996	6,715
Male	42,118	3,988	3,583	3,767	3,475	3,593	3,299	3,198	3,356	3,180	3,503	3,420	3,756
Female	32,896	3,094	2,921	3,018	2,662	2,728	2,688	2,509	2,514	2,444	2,783	2,576	2,959
Nonwhite	5,877	540	513	477	482	504	483	476	508	420	501	464	509
Male	3,375	305	266	280	304	291	296	254	303	236	269	264	307
Female	2,502	235	247	197	178	213	187	222	205	184	232	200	202
OKLAHOMA	19,079	1,910	1,645	1,701	1,568	1,553	1,524	1,479	1,535	1,352	1,554	1,577	1,881
Male	11,377	1,133	948	1,030	833	940	918	882	892	808	952	967	974
Female	7,702	777	697	671	635	613	606	597	643	544	602	610	707
White	16,695	1,697	1,416	1,511	1,375	1,354	1,355	1,295	1,316	1,176	1,357	1,394	1,449
Male	10,055	1,004	831	920	813	832	826	788	770	714	836	864	857
Female	6,640	693	585	591	562	522	529	507	546	462	521	530	592
Nonwhite	2,384	213	229	190	193	199	169	184	219	176	197	183	232
Male	1,322	129	117	110	120	108	92	94	122	94	116	103	117
Female	1,062	84	112	80	73	91	77	90	97	82	81	80	115
OREGON	14,080	1,202	1,295	1,306	1,159	1,255	1,162	1,091	1,037	1,066	1,148	1,113	1,246
Male	8,578	710	804	807	697	723	713	668	671	675	703	660	747
Female	5,502	492	491	499	462	532	449	423	366	391	445	453	499
White	13,801	1,172	1,278	1,279	1,143	1,228	1,140	1,068	1,012	1,038	1,130	1,090	1,223
Male	8,400	690	793	789	688	709	698	654	652	658	692	643	734
Female	5,401	482	485	490	455	519	442	414	360	380	438	447	489
Nonwhite	279	30	17	27	16	27	22	23	25	28	18	23	23
Male	178	20	11	18	9	14	15	14	19	17	11	17	13
Female	101	10	6	9	7	13	7	9	6	11	7	6	10
PENNSYLVANIA	109,202	10,460	9,612	9,881	9,204	9,210	8,443	8,432	8,588	7,883	9,035	8,744	9,710
Male	60,789	5,835	5,325	5,489	5,118	5,114	4,615	4,770	4,842	4,407	5,030	4,843	5,401
Female	48,413	4,625	4,287	4,392	4,086	4,096	3,828	3,662	3,746	3,476	4,005	3,901	4,309
White	101,817	9,723	8,946	9,252	8,570	8,566	7,857	7,849	8,014	7,372	8,427	8,154	9,087
Male	56,673	5,395	4,944	5,153	4,774	4,764	4,281	4,444	4,519	4,138	4,693	4,513	5,055
Female	45,144	4,328	4,002	4,099	3,796	3,802	3,576	3,405	3,495	3,234	3,734	3,641	4,032
Nonwhite	7,385	737	666	629	634	644	586	583	574	511	608	590	623
Male	4,116	440	381	336	344	350	334	326	323	269	337	330	346
Female	3,269	297	285	293	290	294	252	257	251	242	271	260	277
RHODE ISLAND	8,188	765	755	783	712	642	612	604	698	582	655	634	746
Male	4,275	405	392	378	371	312	339	327	345	311	359	344	392
Female	3,913	360	363	405	341	330	273	277	353	271	296	290	354
White	8,005	746	736	767	698	626	600	589	688	568	640	619	728
Male	4,183	395	381	369	364	306	333	319	340	303	352	338	383
Female	3,822	351	355	398	334	320	267	270	348	265	288	281	345
Nonwhite	183	19	19	16	14	16	12	15	10	14	15	15	18
Male	92	10	11	9	7	6	6	8	5	8	7	6	9
Female	91	9	8	7	7	10	6	7	5	6	8	9	9
SOUTH CAROLINA	17,957	1,869	1,751	1,589	1,445	1,433	1,474	1,436	1,409	1,324	1,363	1,325	1,539
Male	10,131	1,030	985	878	773	842	859	842	778	756	757	758	873
Female	7,826	839	766	711	672	591	615	594	631	568	606	567	666
White	9,137	908	871	788	720	760	783	749	727	673	678	695	785
Male	5,450	525	517	453	413	492	469	469	415	414	405	412	466
Female	3,687	383	354	335	307	268	314	280	312	259	273	283	319
Nonwhite	8,820	961	880	801	725	673	691	687	682	651	685	630	754
Male	4,681	505	468	425	360	350	390	373	363	342	352	346	407
Female	4,139	456	412	376	365	323	301	314	319	309	333	284	347

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	5,806	526	470	541	450	485	420	497	458	469	527	478	475
Male	3,500	315	275	312	276	289	247	314	279	290	326	299	278
Female	2,306	211	195	229	174	206	173	183	179	179	201	179	197
White	5,546	497	444	506	425	477	397	476	444	450	509	461	460
Male	3,359	301	263	297	260	282	236	298	274	275	314	289	270
Female	2,187	196	181	209	165	195	161	178	170	175	195	172	190
Nonwhite	260	29	26	35	25	18	23	21	14	19	18	17	15
Male	141	14	12	15	16	7	11	16	5	15	12	10	8
Female	119	15	14	20	9	11	12	5	9	4	6	7	7
TENNESSEE	28,826	2,888	2,601	2,608	2,341	2,325	2,230	2,197	2,306	2,118	2,389	2,290	2,533
Male	16,091	1,574	1,396	1,464	1,326	1,302	1,287	1,238	1,333	1,177	1,324	1,227	1,463
Female	12,735	1,314	1,205	1,144	1,015	1,023	983	959	973	941	1,065	1,063	1,070
White	22,215	2,215	1,944	2,028	1,801	1,799	1,746	1,707	1,773	1,651	1,800	1,812	1,939
Male	12,603	1,224	1,070	1,170	1,031	1,016	1,016	977	1,031	947	1,019	980	1,122
Female	9,612	991	874	858	770	783	730	730	742	704	781	832	817
Nonwhite	6,611	673	657	580	540	526	484	490	533	467	589	478	594
Male	3,488	350	326	294	295	286	251	261	302	250	305	247	341
Female	3,123	323	331	286	245	240	233	229	231	217	284	231	253
TEXAS	64,245	6,036	5,652	5,819	5,089	5,238	5,252	5,405	5,368	4,615	5,203	5,111	5,457
Male	37,510	3,512	3,349	3,432	2,979	3,055	3,050	3,095	3,083	2,693	3,078	3,017	3,187
Female	26,735	2,524	2,303	2,387	2,110	2,183	2,202	2,310	2,305	1,922	2,125	2,094	2,270
White	53,423	4,993	4,656	4,879	4,197	4,406	4,404	4,509	4,434	3,785	4,337	4,267	4,556
Male	31,656	2,940	2,796	2,913	2,501	2,636	2,591	2,611	2,570	2,228	2,601	2,570	2,699
Female	21,767	2,053	1,860	1,966	1,696	1,770	1,813	1,898	1,864	1,557	1,736	1,697	1,857
Nonwhite	10,822	1,043	996	940	892	832	848	896	934	830	866	844	901
Male	5,854	572	553	519	478	419	459	484	493	465	477	447	488
Female	4,968	471	443	421	414	413	389	412	441	365	389	397	413
UTAH	5,070	443	409	486	417	479	370	429	413	375	406	404	437
Male	2,979	254	209	309	224	297	235	253	243	222	246	235	252
Female	2,091	189	200	179	193	182	135	176	170	153	160	169	185
White	4,946	431	405	482	407	467	358	417	402	364	399	396	419
Male	2,892	245	206	303	217	286	226	247	235	214	241	229	243
Female	2,054	186	199	179	190	181	132	170	167	150	157	167	176
Nonwhite	124	12	4	6	10	12	12	12	11	11	8	8	18
Male	87	9	3	6	7	11	9	6	8	8	5	6	9
Female	37	3	1	-	3	1	3	6	3	3	3	2	9
VERMONT	4,096	373	377	357	368	313	308	324	342	310	325	341	358
Male	2,226	206	217	190	193	148	164	184	198	156	186	198	186
Female	1,870	167	160	167	175	165	144	140	144	154	139	143	172
White	4,093	372	377	357	368	313	308	324	342	309	325	341	357
Male	2,225	205	217	190	193	148	164	184	198	156	186	198	186
Female	1,868	167	160	167	175	165	144	140	144	153	139	143	171
Nonwhite	3	1	-	-	-	-	-	-	-	1	-	-	1
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	1
VIRGINIA	28,976	2,857	2,619	2,632	2,322	2,358	2,280	2,232	2,328	2,145	2,442	2,256	2,505
Male	16,611	1,606	1,475	1,519	1,332	1,355	1,288	1,319	1,342	1,237	1,376	1,266	1,496
Female	12,365	1,251	1,144	1,113	990	1,003	992	913	986	908	1,066	990	1,009
White	20,057	1,971	1,778	1,835	1,636	1,606	1,571	1,532	1,577	1,495	1,699	1,615	1,742
Male	11,659	1,125	1,029	1,073	949	943	935	954	903	854	986	905	1,043
Female	8,398	846	749	762	687	663	636	598	674	641	733	710	699
Nonwhite	8,919	886	841	797	686	752	709	700	751	650	743	641	763
Male	4,952	481	448	446	383	412	353	385	439	383	410	361	453
Female	3,967	405	393	351	303	340	356	315	312	267	333	280	310
WASHINGTON	22,211	1,947	1,857	1,913	1,858	1,933	1,760	1,742	1,734	1,736	1,885	1,825	2,021
Male	13,623	1,197	1,166	1,171	1,151	1,184	1,053	1,087	1,059	1,075	1,157	1,123	1,200
Female	8,588	750	691	742	707	749	707	655	675	661	728	702	821
White	21,592	1,898	1,801	1,868	1,801	1,884	1,706	1,696	1,682	1,685	1,817	1,780	1,974
Male	13,236	1,162	1,127	1,142	1,118	1,154	1,021	1,060	1,028	1,043	1,109	1,094	1,178
Female	8,356	736	674	726	683	730	685	636	654	642	708	686	796
Nonwhite	619	49	56	45	57	49	54	46	52	51	68	45	47
Male	387	35	39	29	33	30	32	27	31	32	48	29	22
Female	232	14	17	16	24	19	22	19	21	19	20	16	25
WEST VIRGINIA	17,600	1,757	1,549	1,614	1,502	1,457	1,347	1,334	1,386	1,334	1,495	1,343	1,482
Male	10,427	1,031	900	932	890	878	797	766	820	802	898	802	911
Female	7,173	726	649	682	612	579	550	568	566	532	597	541	571
White	16,144	1,637	1,430	1,481	1,362	1,341	1,222	1,222	1,255	1,219	1,372	1,240	1,363
Male	9,538	958	833	853	799	814	714	708	741	729	817	741	831
Female	6,606	679	597	628	563	527	508	514	514	490	555	499	532
Nonwhite	1,456	120	119	133	140	116	125	112	131	115	123	103	119
Male	889	73	67	79	91	64	83	58	79	73	81	61	80
Female	567	47	52	54	49	52	42	54	52	42	42	42	39
WISCONSIN	32,564	3,033	2,751	2,875	2,734	2,729	2,645	2,583	2,705	2,335	2,749	2,854	2,771
Male	18,632	1,700	1,541	1,562	1,586	1,538	1,530	1,489	1,560	1,364	1,607	1,519	1,636
Female	13,932	1,333	1,210	1,313	1,188	1,191	1,115	1,094	1,125	971	1,142	1,135	1,135
White	32,174	2,994	2,720	2,841	2,701	2,690	2,617	2,553	2,683	2,302	2,713	2,832	2,728
Male	18,405	1,679	1,521	1,545	1,541	1,516	1,516	1,467	1,571	1,345	1,587	1,506	1,611
Female	13,769	1,315	1,199	1,296	1,160	1,174	1,101	1,086	1,112	957	1,126	1,126	1,117
Nonwhite	390	39	31	34	33	39	28	30	22	33	36	22	43
Male	227	21	20	17	25	22	14	22	9	19	20	13	25
Female	163	18	11	17	8	17	14	8	13	14	16	9	18
WYOMING	2,385	179	212	193	192	205	183	177	210	196	203	221	214
Male	1,523	113	128	118	119	143	125	114	127	122	135	143	136
Female	862	66	84	75	73	62	58	63	83	74	68	78	78
White	2,293	172	203	186	183	191	179	173	199	192	198	216	201
Male	1,465	109	123	114	115	133	121	112	119	121	133	140	125
Female	828	63	80	72	68	58	58	61	80	71	65	76	76
Nonwhite	92	7	9	7	9	14	4	4	11	4	5	5	13
Male	58	4	5	4	4	10	4	2	8	1	2	3	11
Female	34	3	4	3	5	4	-	2	3	3	3	2	2

TABLE 19.—DEATHS BY RACE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA AND RACE	Total deaths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	1,444,337	908,407	451,266	179,707	122,894	154,540	535,930
White	1,270,589	804,823	391,861	161,631	111,294	140,037	465,766
Nonwhite	173,748	103,584	59,405	18,076	11,600	14,503	70,164
Alabama	26,620	10,839	3,021	3,320	1,694	2,804	15,781
White	15,522	6,125	1,562	1,931	862	1,770	9,397
Nonwhite	11,098	4,714	1,459	1,389	832	1,034	6,384
Arizona	6,586	3,193	...	2,169	...	1,024	3,393
White	5,622	3,014	...	2,031	...	983	2,608
Nonwhite	964	179	...	138	...	41	785
Arkansas	15,224	5,925	...	1,798	1,599	2,528	9,299
White	10,813	4,216	...	1,274	1,110	1,832	6,597
Nonwhite	4,411	1,709	...	524	489	696	2,702
California	98,805	70,967	41,242	12,925	7,569	9,231	27,838
White	93,789	67,170	38,359	12,456	7,358	9,017	26,599
Nonwhite	5,136	3,797	2,883	469	211	214	1,339
Colorado	12,582	8,654	4,201	1,645	1,075	1,733	3,928
White	12,296	8,419	4,034	1,597	1,069	1,719	3,877
Nonwhite	286	235	167	48	6	14	51
Connecticut	19,569	13,290	5,422	5,348	1,932	588	6,279
White	19,026	12,858	5,129	5,215	1,909	585	6,168
Nonwhite	543	432	293	133	23	3	91
Delaware	3,407	1,786	1,373	...	...	413	1,621
White	2,788	1,483	1,153	...	...	330	1,305
Nonwhite	619	303	220	...	...	83	316
District of Columbia	8,197	8,197	8,197	...	...	...	...
White	5,231	5,231	5,231	...	...	...	...
Nonwhite	2,966	2,966	2,966	...	...	...	...
Florida	24,767	15,763	6,134	3,206	2,655	3,768	9,004
White	17,989	11,544	4,392	2,590	1,884	2,678	6,345
Nonwhite	6,878	4,219	1,742	616	771	1,090	2,659
Georgia	29,526	13,496	3,541	4,055	2,434	3,466	16,030
White	17,296	7,511	1,963	2,162	1,418	1,968	9,785
Nonwhite	12,230	5,985	1,578	1,893	1,016	1,498	6,245
Idaho	4,906	2,490	...	367	1,113	990	2,416
White	4,815	2,465	...	381	1,097	987	2,350
Nonwhite	91	25	...	6	16	3	66
Illinois	91,328	68,417	40,219	12,260	6,738	9,200	22,911
White	83,928	61,801	34,776	11,545	6,477	9,003	22,127
Nonwhite	7,400	6,616	5,443	715	261	197	784
Indiana	39,544	22,838	8,564	7,224	2,909	4,141	16,706
White	37,287	20,782	7,141	6,722	2,836	4,083	16,505
Nonwhite	2,257	2,056	1,423	502	73	58	201
Iowa	26,064	13,780	1,900	5,218	1,949	4,713	12,284
White	25,797	13,546	1,805	5,132	1,921	4,688	12,251
Nonwhite	267	234	95	86	28	25	33
Kansas	18,553	9,778	2,770	1,195	2,836	2,977	8,775
White	17,629	9,045	2,396	1,092	2,657	2,900	8,584
Nonwhite	924	733	374	103	179	77	191
Kentucky	28,050	11,464	4,357	3,085	1,043	2,979	16,586
White	24,642	9,239	3,408	2,570	805	2,456	15,403
Nonwhite	3,408	2,225	949	515	238	523	1,183
Louisiana	23,561	12,661	6,093	2,235	1,070	3,263	10,900
White	13,579	7,745	3,967	1,193	661	1,924	5,834
Nonwhite	9,982	4,916	2,126	1,042	409	1,339	5,066
Maine	9,958	4,073	...	1,852	1,238	983	5,885
White	9,928	4,063	...	1,847	1,237	979	5,865
Nonwhite	30	10	...	5	1	4	20
Maryland	22,440	13,732	10,874	873	1,001	984	8,708
White	17,728	10,593	8,120	821	785	867	7,135
Nonwhite	4,712	3,139	2,754	52	216	117	1,573
Massachusetts	52,511	46,570	21,028	13,176	8,988	3,378	6,041
White	51,645	45,694	20,319	13,099	8,927	3,349	5,951
Nonwhite	966	876	709	77	61	29	90
Michigan	56,786	35,541	18,145	8,439	3,802	5,155	21,245
White	52,937	32,418	15,681	8,076	3,588	5,073	20,519
Nonwhite	3,849	3,123	2,464	363	214	82	726
Minnesota	27,400	15,965	9,289	422	2,117	4,137	11,435
White	27,044	15,766	9,102	422	2,113	4,129	11,278
Nonwhite	356	199	187	-	4	8	157
Mississippi	20,296	6,136	...	1,283	2,440	2,413	14,160
White	9,429	3,188	...	738	1,162	1,288	6,241
Nonwhite	10,867	2,948	...	545	1,278	1,125	7,919
Missouri	42,752	25,720	15,450	2,683	3,230	4,357	17,032
White	38,445	22,028	12,508	2,578	2,928	4,014	16,417
Nonwhite	4,307	3,692	2,942	105	302	343	615

TABLE 19.—DEATHS BY RACE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA AND RACE	Total deaths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	5,884	3,143	...	1,063	1,000	1,080	2,741
White	5,580	3,101	...	1,052	988	1,061	2,479
Nonwhite	304	42	...	11	12	19	262
Nebraska	12,615	6,257	2,542	915	1,157	1,643	6,358
White	12,333	6,041	2,358	905	1,147	1,631	6,292
Nonwhite	282	216	184	10	10	12	66
Nevada	1,624	853	...	...	437	416	771
White	1,498	811	...	...	423	388	685
Nonwhite	128	42	...	...	14	28	86
New Hampshire	6,172	3,709	...	1,966	1,230	513	2,463
White	6,167	3,708	...	1,966	1,229	513	2,459
Nonwhite	5	1	...	-	1	-	4
New Jersey	48,076	37,102	13,633	10,209	6,369	6,891	10,974
White	44,480	34,214	12,130	9,525	5,976	6,583	10,266
Nonwhite	3,596	2,888	1,503	684	393	308	709
New Mexico	5,609	2,456	...	514	647	1,295	3,153
White	5,005	2,350	...	494	618	1,238	2,655
Nonwhite	604	106	...	20	29	57	498
New York	158,242	126,369	99,254	9,886	9,589	7,640	31,873
White	148,567	117,456	91,101	9,517	9,325	7,513	31,111
Nonwhite	9,675	8,913	8,153	369	264	127	762
North Carolina	30,161	10,355	1,032	4,246	2,784	2,293	19,806
White	19,897	6,472	616	2,522	1,729	1,605	13,425
Nonwhite	10,264	3,883	416	1,724	1,055	688	6,381
North Dakota	5,146	1,628	...	379	593	656	3,518
White	5,027	1,619	...	379	588	652	3,408
Nonwhite	119	9	...	-	5	4	110
Ohio	80,891	56,234	32,625	8,778	6,569	8,262	24,657
White	75,014	51,040	28,388	8,280	6,342	8,030	23,974
Nonwhite	5,877	5,194	4,237	498	227	232	683
Oklahoma	19,079	10,462	3,519	803	2,880	3,260	8,617
White	16,695	9,251	3,097	648	2,528	2,978	7,444
Nonwhite	2,384	1,211	422	155	352	282	1,173
Oregon	14,080	8,936	4,403	796	1,196	2,541	5,144
White	13,801	8,786	4,286	789	1,187	2,524	5,015
Nonwhite	279	150	117	7	9	17	129
Pennsylvania	109,202	74,591	35,673	13,492	11,716	13,710	34,611
White	101,817	67,991	30,467	12,788	11,260	13,476	33,826
Nonwhite	7,385	6,600	5,206	704	456	234	785
Rhode Island	8,188	7,375	2,832	3,423	808	312	813
White	8,005	7,202	2,755	3,354	804	309	803
Nonwhite	183	173	97	69	4	3	10
South Carolina	17,957	6,187	...	2,689	1,114	2,184	11,770
White	9,137	3,594	...	1,706	671	1,217	5,543
Nonwhite	8,820	2,593	...	1,183	443	967	6,227
South Dakota	5,806	2,014	...	465	792	757	3,792
White	5,546	1,992	...	462	786	744	3,554
Nonwhite	260	22	...	3	6	13	238
Tennessee	28,826	12,358	8,219	283	1,169	2,687	16,468
White	22,215	8,227	5,031	240	846	2,110	13,988
Nonwhite	6,611	4,131	3,188	43	323	577	2,480
Texas	64,245	39,927	14,782	8,981	5,058	11,126	24,318
White	53,423	32,951	11,935	7,425	4,142	9,449	20,472
Nonwhite	10,822	6,976	2,847	1,536	916	1,677	3,846
Utah	5,070	3,258	1,543	504	352	859	1,812
White	4,946	3,195	1,514	485	347	849	1,751
Nonwhite	124	63	29	19	5	10	61
Vermont	4,096	1,678	...	318	306	1,054	2,418
White	4,093	1,676	...	316	306	1,054	2,417
Nonwhite	3	2	...	2	-	-	1
Virginia	28,976	12,232	4,502	4,253	1,191	2,286	16,744
White	20,057	8,407	2,766	2,843	935	1,863	11,650
Nonwhite	8,919	3,825	1,736	1,410	256	423	5,094
Washington	22,211	14,062	8,723	1,415	2,007	1,917	8,149
White	21,592	13,690	8,421	1,397	1,985	1,887	7,902
Nonwhite	619	372	302	18	22	30	247
West Virginia	17,600	6,532	...	3,080	1,344	2,108	11,068
White	16,144	5,980	...	2,852	1,202	1,926	10,164
Nonwhite	1,456	552	...	228	142	182	904
Wisconsin	32,564	18,261	6,164	6,271	2,417	3,409	14,303
White	32,174	18,015	5,970	6,234	2,408	3,403	14,159
Nonwhite	390	246	194	37	9	6	144
Wyoming	2,385	1,153	...	...	737	416	1,232
White	2,293	1,130	...	...	718	412	1,163
Nonwhite	92	23	...	...	19	4	69

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—All causes	1,444,337	138,240	128,158	129,842	118,730	120,403	113,801	112,814	115,418	105,053	118,744	115,173	127,661
Typhoid and paratyphoid fever—1,2	233	17	13	11	14	16	20	29	29	29	20	20	15
Cerebrospinal (meningococcus) meningitis—6	873	94	98	118	61	78	47	49	50	55	68	73	82
Scarlet fever—8	68	6	6	6	5	14	7	4	5	1	4	5	5
Whooping cough—9	1,146	164	166	145	131	118	99	88	66	57	56	33	43
Diphtheria—10	634	89	48	39	47	40	22	19	31	46	103	75	75
Tuberculosis (all forms)—13-22	43,833	4,046	3,819	4,031	3,871	3,980	3,707	3,710	3,538	3,066	3,374	3,227	3,464
Tuberculosis of respiratory system, etc.*—13	40,420	3,742	3,561	3,750	3,548	3,665	3,413	3,382	3,230	2,840	3,105	2,972	3,212
Tuberculosis (other forms)—14-22	3,413	304	258	281	323	315	294	328	308	226	269	255	252
Dysentery—27	1,078	47	48	38	63	96	114	132	160	124	106	86	63
Malaria—28	170	7	7	7	10	11	17	26	28	24	14	12	7
Syphilis—30	11,616	1,196	1,064	1,079	927	949	965	881	893	904	894	888	976
Measles—35	888	83	118	142	142	148	109	46	34	11	15	20	40
Poliomyelitis, polioencephalitis (acute)—36	1,895	21	17	17	21	55	81	228	375	441	374	175	90
Cancer and other malignant tumors—45-55	197,042	16,812	15,393	16,675	15,996	16,811	16,121	16,377	17,092	15,596	16,946	16,237	16,996
Cancer of the digestive organs and peritoneum—46	85,056	7,313	6,697	7,102	7,102	7,183	7,064	7,133	7,363	6,775	7,172	6,908	7,244
Cancer of female genital organs—48,49	23,262	2,004	1,874	1,998	1,913	1,895	1,846	1,961	1,996	1,850	2,009	1,921	2,005
Cancer of the breast—50	19,162	1,668	1,516	1,608	1,422	1,751	1,550	1,561	1,670	1,499	1,812	1,641	1,664
Cancer (other sites)—45,47,51-55	69,562	5,827	5,306	5,967	5,559	5,982	5,661	5,722	6,063	5,472	6,153	5,767	6,083
Acute rheumatic fever—58	927	82	90	101	90	92	73	79	67	53	58	69	73
Diabetes mellitus—61	38,638	3,799	3,481	3,520	3,173	3,213	3,049	2,851	3,014	2,728	3,202	3,118	3,490
Exophthalmic goiter—63b	1,976	179	217	192	183	174	158	133	156	144	144	144	152
Pellagra (except alcoholic)—69	606	56	68	60	57	52	52	42	47	44	53	42	33
Alcoholism (ethylism)—77	2,433	220	201	208	200	173	187	203	191	171	200	201	278
Intracranial lesions of vascular origin—83	131,036	12,799	11,685	11,768	10,772	10,822	10,271	10,178	10,227	9,546	10,819	10,413	11,736
Diseases of the heart—90-95	471,469	46,883	43,311	43,853	39,483	39,462	36,516	35,136	35,536	32,445	36,313	37,492	43,029
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	23,287	2,430	2,202	2,159	1,975	1,914	1,786	1,715	1,701	1,608	1,914	1,831	2,052
Diseases of coronary arteries and angina pectoris—94	160,520	15,372	13,842	14,259	13,101	13,595	12,414	12,314	12,246	11,646	13,333	13,332	15,064
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	287,662	29,091	27,267	27,435	24,407	23,953	22,316	21,107	21,587	19,191	23,066	22,329	25,913
Arteriosclerosis and high blood pressure*—97,102	27,565	2,683	2,462	2,518	2,233	2,248	2,126	2,194	2,175	2,006	2,205	2,274	2,441
Pneumonia (all forms) and influenza—107-109,33	56,493	8,243	7,638	6,566	4,734	3,660	3,094	2,762	3,061	2,792	4,014	4,261	5,418
Bronchopneumonia—107	27,722	3,739	3,450	2,983	2,569	2,010	1,613	1,504	1,721	1,506	2,093	2,126	2,608
Lobar pneumonia—108	18,028	2,552	2,381	2,138	1,539	1,301	1,054	876	932	873	1,256	1,364	1,782
Pneumonia (unspecified)—109	5,675	790	746	637	443	341	288	281	306	299	430	501	613
Influenza—33	5,068	1,162	1,061	808	433	208	139	101	102	114	255	270	415
Ulcer of stomach or duodenum—117	8,706	802	796	791	689	722	671	670	685	613	746	718	807
Diarrhea, enteritis, etc.*—119,120	8,831	833	494	513	534	677	715	846	974	1,056	936	748	705
Appendicitis—121	4,171	344	335	299	363	356	381	418	410	313	329	305	318
Hernia and intestinal obstruction—122	10,099	888	872	892	796	825	803	897	889	805	831	757	844
Cirrhosis of the liver—124	16,512	1,442	1,384	1,375	1,314	1,354	1,303	1,217	1,360	1,283	1,453	1,395	1,632
Biliary calculi, etc.*—126,127	6,248	554	457	603	512	568	565	525	556	454	493	456	505
Nephritis—130-132	77,377	7,720	7,335	7,190	6,579	6,670	6,266	5,851	5,862	5,358	6,039	5,940	6,567
Diseases of the prostate—137	6,790	608	583	594	587	576	568	526	560	512	598	544	534
Diseases of pregnancy, etc.*—140-150	4,122	377	326	332	342	382	338	419	409	335	299	257	306
Puerperal septicemia—140,142a,145A,147	1,209	98	91	93	104	112	112	102	120	98	96	84	99
Puerperal toxemia—141a,c,144,148	1,164	102	95	101	85	115	84	138	108	109	87	64	76
Hemorrhage, trauma or shock*—141b,142b,143,146,149	1,345	132	102	105	111	119	111	133	143	107	90	89	103
Other puerperal causes—141d,e,f,145B,150	404	45	38	33	42	36	31	46	38	21	26	20	28
Congenital malformations—157	19,246	1,809	1,623	1,677	1,522	1,554	1,477	1,504	1,585	1,540	1,625	1,634	1,696
Diseases peculiar to first year of life—158-161	61,543	5,147	4,701	4,801	4,346	5,302	5,368	5,520	5,520	5,017	5,285	4,864	5,072
Premature birth—159	39,085	3,164	2,881	2,923	3,231	3,436	3,595	3,524	3,477	3,192	3,310	3,093	3,259
Other diseases peculiar to first year of life—158,160,161	22,458	1,983	1,820	1,878	1,715	1,866	1,773	1,996	2,043	1,825	1,975	1,771	1,813
Suicide—163,164	18,354	1,239	1,237	1,510	1,481	1,455	1,410	1,482	1,349	1,250	1,314	1,337	1,290
Homicide—165-168	8,536	562	635	755	673	798	685	817	788	701	693	690	749
Accidental deaths—169-195	98,001	8,214	7,652	7,660	7,329	8,087	8,045	8,802	9,029	7,819	8,410	8,075	8,879
Motor-vehicle accidents—170	32,259	2,197	2,077	2,235	2,230	2,734	2,494	2,813	3,110	3,006	3,230	2,974	3,159
Other accidents—169,171-195	65,742	6,017	5,575	5,425	5,099	5,353	5,551	5,989	5,919	4,813	5,180	5,101	5,720
Senility, ill-defined and unknown causes—162,199,200	27,291	3,021	2,785	2,552	2,167	2,115	1,895	1,909	2,068	1,860	2,130	2,265	2,424
All other causes	79,889	7,364	6,992	7,204	6,633	6,560	6,476	6,264	6,611	5,854	6,581	6,323	7,027
ALABAMA—All causes	26,620	2,626	2,508	2,424	2,127	2,108	2,148	2,104	1,971	1,911	2,266	2,153	2,274
Typhoid and paratyphoid fever—1,2	5	-	-	-	-	1	1	1	-	1	-	1	-
Cerebrospinal (meningococcus) meningitis—6	32	4	3	4	1	2	3	1	3	5	-	3	3
Scarlet fever—8	3	-	-	-	1	-	-	-	-	-	1	1	-
Whooping cough—9	59	12	7	7	4	7	7	3	1	4	2	3	2
Diphtheria—10	39	5	4	1	-	2	1	1	-	6	11	5	3
Tuberculosis (all forms)—13-22	1,022	90	83	83	77	110	102	92	78	71	88	76	72
Tuberculosis of respiratory system, etc.*—13	937	85	77	76	68	98	93	84	68	66	85	68	69
Tuberculosis (other forms)—14-22	85	5	6	7	9	12	9	8	10	5	3	8	3
Dysentery—27	28	2	2	2	1	1	4	5	1	3	1	4	2
Malaria—28	16	2	2	-	-	1	-	4	2	4	-	1	-
Syphilis—30	287	36	31	31	27	22	19	25	27	16	26	11	16
Measles—35	14	2	1	2	3	2	2	-	-	-	1	-	1
Poliomyelitis, polioencephalitis (acute)—36	16	-	1	2	1	-	-	5	1	3	1	-	2
Cancer and other malignant tumors—45-55	2,653	229	214	239	217	236	193	231	214	202	236	224	218
Cancer of the digestive organs and peritoneum—46	991	87	79	87	82	91	78	88	94	75	78	70	82
Cancer of female genital organs—48,49	471	47	39	45	47	38	24	48	37	34	48	34	30
Cancer of the breast—50	227	19	22	24	12	22	21	19	18	9	27	19	15
Cancer (other sites)—45,47,51-55	964	76	74	83	76	85	70	78	65	84	83	101	91
Acute rheumatic fever—58	36	2	4	5	6	3	2	2	-	2	6	2	2
Diabetes mellitus—61	409	26	28	31	38	37	34	32	36	34	40	29	44
Exophthalmic goiter—63b	26	-	8	-	-	2	3	2	1	1	3	3	3
Pellagra (except alcoholic)—69	71	7	11	9	6	7	5	5	6	-	5	7	3
Alcoholism (ethylism)—77	46	3	2	3	5	2	1	5	5	5	3	2	10
Intracranial lesions of vascular origin—83	2,709	265	230	251	241	206	201	217	190	201	252	214	241
Diseases of the heart—90-95	6,443	620	610	618	531	402	523	492	428	480	591	523	545
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	404	41	39	40	29	35	31	34	26	29	29	43	28
Diseases of coronary arteries and angina pectoris—94	1,908	155	169	170	147	141	146	165	126	150	219	147	173
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,131	424	402	408	355	306	346	293	276	301	343	333	344
Arteriosclerosis and high blood pressure*—97,102	282	25	20	23	25	20	29	22	19	14	25	21	19

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—Continued													
Pneumonia (all forms) and influenza—107-109,33	1,456	274	251	179	101	53	71	56	63	65	89	110	144
Bronchopneumonia—107	608	107	99	57	42	29	37	28	33	30	40	51	55
Lobar pneumonia—108	487	98	77	67	30	14	23	22	22	21	31	34	48
Pneumonia (unspecified)—109	106	18	20	11	6	3	4	2	4	8	6	10	14
Influenza—33	255	51	55	44	23	7	7	4	4	6	12	15	27
Ulcer of stomach or duodenum—117	106	11	13	9	8	13	6	8	4	8	5	14	7
Diarrhea, enteritis, etc.*—119,120	177	6	11	8	4	12	15	19	33	26	17	17	9
Appendicitis—121	84	6	8	6	5	4	10	8	5	7	9	7	9
Hernia and intestinal obstruction—122	155	15	11	12	13	13	11	17	12	16	8	13	15
Cirrhosis of the liver—124	149	13	12	11	12	16	13	10	11	14	17	7	13
Biliary calculi, etc.*—126,127	67	6	2	7	10	2	6	9	4	10	3	4	4
Nephritis—130-132	2,018	187	185	206	158	187	180	160	145	132	155	158	165
Diseases of the prostate—137	120	16	12	10	4	9	10	4	13	9	15	8	9
Diseases of pregnancy, etc.*—140-150	194	23	17	9	21	23	8	19	19	18	10	12	15
Puerperal septicemia—140,142a,145A,147	53	5	4	4	7	3	4	4	6	2	6	-	8
Puerperal toxemia—141a,c,144,148	85	8	4	5	5	9	3	10	3	8	1	6	3
Hemorrhage, trauma or shock*—141b,142b,143,146,149	51	5	6	-	5	7	1	4	7	4	3	6	3
Other puerperal causes—141d,e,f,145B,150	25	5	3	-	4	4	-	1	3	4	-	-	1
Congenital malformations—157	352	33	33	18	30	22	26	27	29	39	30	37	28
Diseases peculiar to first year of life—158-161	1,613	134	132	122	121	133	155	158	153	115	109	148	133
Premature birth—159	1,072	79	95	72	92	93	102	111	101	73	71	99	84
Other diseases peculiar to first year of life—158,160,161	541	55	37	50	29	40	53	47	52	42	38	49	49
Suicide—163,164	194	14	19	13	12	21	17	18	20	23	10	13	14
Homicide—165-168	467	25	41	39	37	46	39	33	47	44	39	39	38
Accidental deaths—169-195	1,992	164	177	154	157	175	180	186	156	111	169	162	181
Motor-vehicle accidents—170	742	50	70	48	57	59	62	61	77	47	81	62	68
Other accidents—169,171-195	1,250	114	107	106	100	116	118	125	79	64	108	100	113
Senility, ill-defined and unknown causes—162,199,200	1,845	234	200	179	128	131	138	115	128	118	145	158	174
All other causes	1,455	135	125	151	122	105	133	112	117	107	122	116	132
ARIZONA—All causes	6,586	681	638	529	521	569	515	531	471	516	484	542	589
Typhoid and paratyphoid fever—1,2	3	-	-	-	-	-	-	-	-	1	-	-	2
Cerebrospinal (meningococcus) meningitis—6	3	-	1	1	-	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	20	3	5	2	2	1	3	1	2	-	1	-	-
Diphtheria—10	7	1	1	1	-	3	-	-	1	-	-	-	-
Tuberculosis (all forms)—13-22	580	68	57	53	54	53	40	35	34	46	42	48	50
Tuberculosis of respiratory system, etc.*—13	538	65	51	49	47	49	34	35	33	44	40	44	47
Tuberculosis (other forms)—14-22	42	3	6	4	7	4	6	-	1	2	2	4	3
Dysentery—27	20	1	-	-	2	2	4	2	1	1	3	4	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	63	6	1	7	3	7	7	7	4	4	8	5	4
Measles—35	21	-	-	2	4	8	2	2	-	-	-	3	-
Poliomyelitis, polioencephalitis (acute)—36	18	-	-	-	-	1	1	2	8	4	1	1	-
Cancer and other malignant tumors—45-55	610	68	49	40	48	49	50	41	55	43	54	51	62
Cancer of the digestive organs and peritoneum—46	243	38	21	14	23	23	18	18	14	12	18	21	23
Cancer of female genital organs—48,49	80	7	6	5	7	7	6	4	8	8	6	5	11
Cancer of the breast—50	58	3	6	2	3	4	6	9	6	6	3	7	3
Cancer (other sites)—45,47,51-55	229	20	16	19	15	15	20	10	27	17	27	18	25
Acute rheumatic fever—58	3	2	1	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	98	15	9	10	9	5	8	8	5	6	7	6	10
Exophthalmic goiter—65b	7	-	1	1	-	-	-	3	-	-	1	1	-
Pellagra (except alcoholic)—69	2	-	-	-	-	-	-	-	-	1	-	-	1
Alcoholism (ethylism)—77	22	1	2	1	1	3	-	1	3	3	-	3	4
Intracranial lesions of vascular origin—83	393	40	37	28	30	30	26	45	31	30	35	34	27
Diseases of the heart—90-95	1,424	161	157	123	113	120	104	110	82	94	102	113	145
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	96	14	7	8	9	4	4	4	5	12	6	12	11
Diseases of coronary arteries and angina pectoris—94	496	44	56	43	32	49	32	41	38	32	35	39	55
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	832	103	94	72	72	67	68	65	39	50	61	62	79
Arteriosclerosis and high blood pressure*—97,102	94	19	8	5	7	6	7	10	5	6	6	9	6
Pneumonia (all forms) and influenza—107-109,33	415	71	68	42	33	34	25	15	18	25	16	30	38
Bronchopneumonia—107	209	33	33	16	16	17	17	7	11	12	11	19	17
Lobar pneumonia—108	120	24	16	16	9	11	5	7	5	9	4	7	8
Pneumonia (unspecified)—109	41	2	11	5	3	1	3	1	1	3	1	3	7
Influenza—33	45	12	8	6	5	5	-	-	1	1	-	1	6
Ulcer of stomach or duodenum—117	42	4	4	5	1	3	3	3	1	5	6	4	3
Diarrhea, enteritis, etc.*—119,120	237	15	2	8	16	21	28	20	31	42	25	16	13
Appendicitis—121	29	-	2	-	3	3	2	3	7	3	-	3	3
Hernia and intestinal obstruction—122	73	2	5	9	3	5	7	10	8	2	3	10	9
Cirrhosis of the liver—124	89	4	5	6	5	8	7	7	3	10	3	8	3
Biliary calculi, etc.*—126,127	21	1	2	-	1	2	6	3	-	1	1	3	1
Nephritis—130-132	227	24	28	27	24	14	14	10	12	18	18	15	23
Diseases of the prostate—137	21	2	2	-	1	1	3	3	-	5	2	1	1
Diseases of pregnancy, etc.*—140-150	25	3	-	4	1	5	3	1	1	1	1	2	3
Puerperal septicemia—140,142a,145A,147	10	3	-	1	1	-	1	1	-	-	1	-	2
Puerperal toxemia—141a,c,144,148	4	-	-	-	-	2	-	-	-	1	-	1	-
Hemorrhage, trauma or shock*—141b,142b;143,146,149	8	-	-	2	-	1	2	-	1	-	-	1	1
Other puerperal causes—141d,e,f,145B,150	3	-	-	1	-	2	-	-	-	-	-	-	-
Congenital malformations—157	114	4	10	12	12	9	9	10	11	10	7	12	8
Diseases peculiar to first year of life—158-161	412	27	33	31	33	32	38	43	30	37	36	43	29
Premature birth—159	242	11	17	17	22	20	28	26	12	24	20	31	14
Other diseases peculiar to first year of life—158,160,161	170	16	16	14	11	12	10	17	18	13	16	12	15
Suicide—163,164	100	4	9	7	8	11	13	5	8	9	7	8	11
Homicide—165-168	44	5	6	3	2	3	3	6	4	6	2	1	3
Accidental deaths—169-195	649	62	63	42	47	65	42	59	54	52	53	47	63
Motor-vehicle accidents—170	253	25	25	18	20	24	14	14	20	24	22	19	28
Other accidents—169,171-195	396	37	38	24	27	41	28	45	34	28	31	28	35
Senility, ill-defined and unknown causes—162,199,200	272	26	27	15	23	24	23	23	23	19	20	25	24
All other causes	448	42	43	44	35	41	37	42	29	32	24	36	43

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—All causes	15,224	1,512	1,394	1,339	1,222	1,329	1,250	1,209	1,090	1,108	1,210	1,203	1,358
Typhoid and paratyphoid fever—1,2	8	1	-	-	-	-	1	-	3	1	2	-	-
Cerebrospinal (meningococcus) meningitis—6	7	1	1	1	-	1	-	1	1	-	-	1	-
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	31	1	2	4	5	5	5	1	3	2	3	-	-
Diphtheria—10	8	3	-	1	-	-	-	-	-	1	3	-	1
Tuberculosis (all forms)—15-22	727	63	69	58	70	66	71	58	54	50	51	55	62
Tuberculosis of respiratory system, etc.*—13	690	57	67	56	65	65	63	55	52	45	50	55	60
Tuberculosis (other forms)—14-22	37	6	2	2	5	1	8	3	2	5	1	-	2
Dysentery—27	15	2	1	3	-	1	-	1	-	5	2	-	-
Malaria—28	22	-	-	-	-	1	3	4	2	5	3	2	2
Syphilis—30	148	13	13	9	12	13	17	8	14	14	13	8	14
Measles—35	19	2	4	2	1	3	3	1	-	-	1	-	2
Poliomyelitis, polioencephalitis (acute)—36	14	-	-	-	-	-	-	3	2	4	3	1	1
Cancer and other malignant tumors—45-55	1,680	151	113	143	110	178	134	153	143	136	142	138	139
Cancer of the digestive organs and peritoneum—46	705	61	47	70	42	82	46	59	56	62	57	56	67
Cancer of female genital organs—48,49	280	33	23	20	16	31	22	20	20	26	21	28	20
Cancer of the breast—50	119	15	6	6	6	11	10	13	9	10	11	11	11
Cancer (other sites)—45,47,51-55	576	42	37	47	46	54	56	61	58	38	53	43	41
Acute rheumatic fever—58	13	1	-	-	5	-	1	-	1	-	-	2	3
Diabetes mellitus—61	230	20	25	17	21	19	19	16	20	9	25	15	24
Exophthalmic goiter—63b	12	2	2	1	-	2	2	-	-	1	-	-	2
Pellagra (except alcoholic)—69	16	-	4	2	3	2	-	2	1	-	1	1	-
Alcoholism (ethylism)—77	18	2	2	1	2	2	1	3	-	-	1	3	1
Intracranial lesions of vascular origin—83	1,525	159	140	125	112	113	131	117	111	111	130	121	145
Diseases of the heart—90-95	3,967	401	335	370	340	388	339	316	242	295	286	288	367
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	197	16	16	22	18	17	16	15	11	17	16	17	16
Diseases of coronary arteries and angina pectoris—94	1,341	122	115	116	120	135	125	114	79	97	105	94	119
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,429	263	204	232	202	236	198	187	152	181	165	177	232
Arteriosclerosis and high blood pressure*—97,102	243	18	21	25	12	14	19	30	17	16	21	29	21
Pneumonia (all forms) and influenza—107-109,33	887	138	142	122	77	47	47	27	27	37	55	71	97
Bronchopneumonia—107	375	62	51	52	28	22	21	11	12	17	25	33	41
Lobar pneumonia—108	303	46	46	48	29	14	13	11	8	12	17	21	37
Pneumonia (unspecified)—109	87	7	15	5	8	6	5	4	3	7	6	9	12
Influenza—33	122	23	30	17	12	5	8	1	3	1	7	8	7
Ulcer of stomach or duodenum—117	81	7	5	9	6	8	4	6	10	6	7	5	8
Diarrhea, enteritis, etc.*—119,120	101	8	2	10	-	3	6	4	21	14	16	8	8
Appendicitis—121	71	7	4	7	3	3	8	10	8	7	4	5	5
Hernia and intestinal obstruction—122	123	14	9	9	14	10	7	10	7	10	12	5	16
Cirrhosis of the liver—124	114	16	17	10	8	15	5	1	5	7	10	12	7
Biliary calculi, etc.*—126,127	39	2	2	5	6	1	6	3	4	-	3	6	1
Nephritis—130-132	1,029	113	71	87	89	96	92	72	60	78	84	86	101
Diseases of the prostate—137	81	6	8	8	6	5	12	6	9	4	9	6	2
Diseases of pregnancy, etc.*—140-150	100	7	8	7	9	7	7	17	8	10	8	3	8
Puerperal septicemia—140,142a,145A,147	17	1	1	3	-	1	-	3	2	4	1	-	1
Puerperal toxemia—141a,c,144,148	46	5	4	3	5	4	-	9	3	4	6	-	3
Hemorrhage, trauma or shock*—141b,142b,143,146,149	29	1	2	-	3	2	6	3	3	2	2	2	3
Other puerperal causes—141d,e,f,145B,150	8	-	1	1	1	-	1	2	-	-	-	1	1
Congenital malformations—157	177	16	12	18	22	10	18	13	14	12	11	19	12
Diseases peculiar to first year of life—158-161	601	51	61	43	43	45	47	50	61	50	54	52	44
Premature birth—159	381	27	44	23	30	33	33	27	41	30	31	33	29
Other diseases peculiar to first year of life—158,160,161	220	24	17	20	13	12	14	23	20	20	23	19	15
Suicide—163,164	122	10	14	10	8	13	6	15	10	10	15	5	6
Homicide—165-168	143	14	11	12	11	15	10	14	11	10	13	10	12
Accidental deaths—169-195	1,206	102	133	83	87	93	111	105	103	86	85	106	112
Motor-vehicle accidents—170	384	30	31	21	25	29	28	33	34	37	34	46	36
Other accidents—169,171-195	822	72	102	62	62	64	83	72	69	49	51	60	76
Senility, ill-defined and unknown causes—162,193,200	758	81	80	67	62	68	43	65	49	50	61	71	61
All other causes	886	69	83	70	77	82	75	77	69	67	75	69	73
CALIFORNIA—All causes	98,905	10,064	8,911	8,750	7,851	8,062	7,542	7,727	7,514	7,310	7,836	7,977	9,361
Typhoid and paratyphoid fever—1,2	11	2	2	2	-	1	1	1	1	-	-	1	-
Cerebrospinal (meningococcus) meningitis—6	62	10	7	9	4	6	6	2	5	4	3	2	4
Scarlet fever—8	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough—9	25	3	4	-	4	4	2	-	1	3	1	1	2
Diphtheria—10	45	6	5	5	3	2	4	2	3	3	2	4	6
Tuberculosis (all forms)—13-22	3,301	357	313	340	271	306	266	259	236	238	250	239	226
Tuberculosis of respiratory system, etc.*—13	3,070	332	300	321	260	284	248	238	215	214	226	218	214
Tuberculosis (other forms)—14-22	231	25	13	19	11	22	18	21	21	24	24	21	12
Dysentery—27	38	5	3	1	5	1	4	5	2	4	3	3	2
Malaria—28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis—30	870	103	87	84	67	49	69	72	52	61	54	84	88
Measles—35	45	-	2	6	5	12	5	5	7	2	-	1	-
Poliomyelitis, polioencephalitis (acute)—36	355	1	1	-	2	7	9	50	55	81	70	50	29
Cancer and other malignant tumors—45-55	14,067	1,231	1,075	1,211	1,095	1,195	1,158	1,170	1,156	1,254	1,181	1,164	1,280
Cancer of the digestive organs and peritoneum—46	5,812	520	452	490	468	486	485	474	473	451	477	484	552
Cancer of female genital organs—48,49	1,685	138	134	143	124	132	157	141	147	133	145	142	149
Cancer of the breast—50	1,531	136	115	139	121	124	121	145	124	140	128	112	126
Cancer (other sites)—45,47,51-55	5,039	437	374	439	382	453	392	410	412	430	451	426	453
Acute rheumatic fever—58	28	2	5	4	1	3	3	3	1	1	4	1	-
Diabetes mellitus—61	2,184	258	198	200	210	170	152	157	158	134	163	163	201
Exophthalmic goiter—63b	90	12	10	4	6	6	4	9	5	10	9	6	9
Pellagra (except alcoholic)—69	13	2	1	-	-	1	-	-	-	3	3	1	2
Alcoholism (ethylism)—77	171	19	18	10	17	12	12	20	9	17	15	9	13
Intracranial lesions of vascular origin—83	7,739	757	742	699	612	625	580	586	564	616	624	629	705
Diseases of the heart—90-95	33,709	3,641	3,204	3,063	2,747	2,711	2,482	2,462	2,407	2,335	2,595	2,716	3,346
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,723	215	161	140	145	125	118	121	126	124	136	138	174
Diseases of coronary arteries and angina pectoris—94	12,286	1,203	1,090	1,087	999	1,002	925	905	902	891	983	1,029	1,270
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	19,700	2,223	1,953	1,836	1,603	1,584	1,439	1,436	1,379	1,320	1,476	1,549	1,902
Arteriosclerosis and high blood pressure*—97,102	2,089	242	174	197	151	171	146	177	164	159	144	155	209

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA—Continued													
Pneumonia (all forms) and influenza—107-109,33	4,043	683	557	385	307	291	236	227	220	211	252	266	428
Bronchopneumonia—107	2,553	391	327	223	204	189	158	163	145	142	178	168	266
Lobar pneumonia—108	1,107	154	133	129	85	88	71	59	65	63	61	74	125
Pneumonia (unspecified)—109	112	24	5	8	5	7	6	3	6	4	5	15	24
Influenza—33	271	114	72	25	13	8	1	2	4	2	8	9	13
Ulcer of stomach or duodenum—117	807	80	89	68	63	71	56	58	53	55	57	76	81
Diarrhea, enteritis, etc.*—119,120	544	46	22	18	28	37	38	45	42	55	65	86	62
Appendicitis—121	240	21	25	24	16	34	21	18	22	21	10	16	12
Hernia and intestinal obstruction—122	647	37	48	53	52	56	53	58	59	67	52	63	56
Cirrhosis of the liver—124	2,189	207	184	167	158	181	176	170	185	189	164	175	233
Biliary calculi, etc.*—126,127	387	38	28	39	29	41	30	31	37	35	29	24	26
Nephritis—130-132	3,800	377	333	339	318	321	302	297	284	264	306	308	351
Diseases of the prostate—137	449	45	46	46	31	36	34	42	31	28	28	38	44
Diseases of pregnancy, etc.*—140-150	206	21	10	17	25	27	16	14	26	10	19	14	7
Puerperal septicemia—140,142a,145A,147	65	9	2	3	8	7	5	5	8	4	8	3	3
Puerperal toxemia—141a,c,144,148	42	8	3	3	3	4	4	2	7	4	1	2	3
Hemorrhage, trauma or shock*—141b,142b,143,146,149	80	3	2	9	12	15	6	6	10	2	8	7	-
Other puerperal causes—141d,e,f,145B,150	19	3	3	2	2	1	1	1	1	-	2	2	1
Congenital malformations—157	1,369	106	116	106	108	114	110	138	122	109	116	105	119
Diseases peculiar to first year of life—158-161	4,053	320	315	310	332	369	351	369	376	320	329	309	353
Premature birth—159	2,489	186	206	196	191	228	218	215	228	203	212	184	222
Other diseases peculiar to first year of life—158,160,161	1,564	134	109	114	141	141	133	154	148	117	117	125	131
Suicide—163,164	1,802	154	173	170	145	154	144	169	127	135	153	135	143
Homicide—165-168	471	42	40	45	43	38	38	42	38	37	43	29	36
Accidental deaths—169-195	7,029	670	577	583	492	555	552	621	625	527	569	569	689
Motor-vehicle accidents—170	2,962	256	244	222	183	254	219	251	284	244	288	254	303
Other accidents—169,171-195	4,047	434	333	361	309	301	333	370	341	285	281	315	386
Senility, ill-defined and unknown causes—162,199,200	623	53	40	43	52	35	45	42	45	44	40	94	90
All other causes	5,402	513	477	502	452	421	439	411	395	378	483	421	510
COLORADO—All causes	12,582	1,208	1,027	1,155	1,054	1,061	981	997	981	949	1,114	1,058	1,017
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	10	1	-	-	-	2	1	-	2	1	-	3	-
Scarlet fever—8	3	-	-	-	1	1	1	-	-	-	-	-	-
Whooping cough—9	24	5	5	5	4	2	1	2	-	-	-	-	-
Diphtheria—10	8	-	-	4	1	1	-	-	-	1	1	-	-
Tuberculosis (all forms)—15-22	362	37	28	32	23	34	29	32	27	22	29	32	37
Tuberculosis of respiratory system, etc.*—13	335	32	28	31	19	28	29	31	25	20	28	28	35
Tuberculosis (other forms)—14-22	27	5	-	1	4	5	-	1	2	2	1	4	2
Dysentery—27	10	-	-	1	1	-	-	2	-	1	2	3	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	105	16	9	15	10	8	7	4	8	8	7	9	4
Measles—35	6	-	-	1	-	2	1	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	12	1	-	-	-	1	-	2	2	3	2	-	1
Cancer and other malignant tumors—45-55	1,570	136	111	132	137	120	126	144	141	109	143	142	129
Cancer of the digestive organs and peritoneum—46	694	52	49	55	58	54	50	62	69	55	62	73	55
Cancer of female genital organs—48,49	172	16	16	14	20	16	13	17	11	11	15	12	11
Cancer of the breast—50	162	17	13	14	12	8	8	16	21	9	14	14	16
Cancer (other sites)—45,47,51-55	542	51	33	49	47	42	55	49	40	34	52	43	47
Acute rheumatic fever—58	6	1	-	-	-	1	-	1	-	2	1	-	-
Diabetes mellitus—61	240	21	21	26	22	20	16	15	16	16	19	22	26
Exophthalmic goiter—63b	20	2	-	-	1	1	4	1	2	1	3	2	3
Pellagra (except alcoholic)—69	2	-	1	-	-	-	-	-	1	-	-	-	-
Alcoholism (ethylism)—77	27	2	-	4	3	3	2	2	-	2	5	2	2
Intracranial lesions of vascular origin—83	997	91	86	103	76	77	68	95	79	82	76	74	90
Diseases of the heart—90-95	3,618	365	291	346	312	317	266	271	253	263	319	333	282
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	257	32	17	22	23	32	19	19	17	15	24	20	17
Diseases of coronary arteries and angina pectoris—94	1,301	114	95	121	115	107	94	102	108	97	120	125	103
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,060	219	179	203	174	178	153	150	128	151	175	188	162
Arteriosclerosis and high blood pressure*—97,102	196	24	17	21	12	21	14	13	11	16	12	19	16
Pneumonia (all forms) and influenza—107-109,33	681	81	73	87	59	52	38	37	32	43	66	65	48
Bronchopneumonia—107	413	53	43	50	37	36	23	30	23	24	33	39	23
Lobar pneumonia—108	203	19	23	27	16	14	11	5	8	14	27	21	18
Pneumonia (unspecified)—109	32	3	1	3	3	1	3	1	-	4	4	3	6
Influenza—33	33	6	6	7	3	1	1	1	1	1	2	3	1
Ulcer of stomach or duodenum—117	121	10	11	10	14	7	6	7	8	12	7	13	16
Diarrhea, enteritis, etc.*—119,120	167	6	4	3	4	7	7	6	21	44	38	13	14
Appendicitis—121	51	5	6	1	4	5	8	3	3	7	6	2	1
Hernia and intestinal obstruction—122	126	15	17	12	12	10	11	14	6	5	9	9	6
Cirrhosis of the liver—124	172	14	17	12	20	12	14	15	19	9	14	10	16
Biliary calculi, etc.*—126,127	97	7	8	9	8	5	10	7	15	6	7	5	10
Nephritis—130-132	703	87	62	58	53	66	62	40	58	38	55	64	62
Diseases of the prostate—137	67	3	5	4	10	6	5	5	3	4	5	7	10
Diseases of pregnancy, etc.*—140-150	32	1	1	2	5	1	2	4	3	4	4	1	4
Puerperal septicemia—140,142a,145A,147	12	-	-	-	4	1	1	2	2	1	1	-	-
Puerperal toxemia—141a,c,144,148	4	-	1	-	-	-	1	-	-	-	1	-	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	15	1	-	2	1	-	-	1	1	3	2	1	3
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations—157	207	19	24	21	13	12	18	18	18	14	19	16	15
Diseases peculiar to first year of life—158-161	645	47	43	59	59	60	51	60	48	57	57	53	51
Premature birth—159	373	29	25	36	33	26	31	40	26	31	35	28	33
Other diseases peculiar to first year of life—158,160,161	272	18	18	23	26	34	20	20	22	26	22	25	18
Suicide—163,164	188	13	17	20	10	16	12	18	17	13	22	18	12
Homicide—165-168	58	4	5	6	5	3	3	7	3	6	11	3	2
Accidental deaths—169-195	1,101	95	69	69	84	111	129	99	95	89	88	86	85
Motor-vehicle accidents—170	343	23	16	12	24	36	37	29	34	31	30	33	38
Other accidents—169,171-195	758	72	53	57	60	75	92	70	61	58	58	55	47
Senility, ill-defined and unknown causes—162,199,200	151	13	19	18	11	20	11	11	14	12	11	6	5
All other causes	798	86	77	74	80	57	58	61	57	59	76	44	69

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—All causes	19,569	1,906	1,694	1,716	1,693	1,578	1,551	1,535	1,672	1,399	1,586	1,509	1,730
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis—6	9	3	-	2	-	-	-	-	4	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	2	-	-	1	1	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	528	50	40	53	55	55	41	45	46	28	42	39	34
Tuberculosis of respiratory system, etc.*—13	488	44	33	49	53	55	40	40	42	27	37	36	32
Tuberculosis (other forms)—14-22	40	6	7	4	2	-	1	5	4	1	5	3	2
Dysentery—27	2	-	-	1	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	132	15	9	6	8	10	10	14	13	19	13	10	5
Measles—35	2	1	-	-	-	-	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer and other malignant tumors—45-55	3,451	275	268	246	306	297	289	278	326	270	308	273	315
Cancer of the digestive organs and peritoneum—46	1,587	132	113	109	140	131	136	127	153	123	140	130	153
Cancer of female genital organs—48,49	332	29	28	22	29	27	32	23	29	23	33	29	28
Cancer of the breast—50	348	24	29	28	29	40	21	30	33	31	29	29	25
Cancer (other sites)—45,47,51-55	1,184	90	98	87	108	99	100	98	111	93	106	85	109
Acute rheumatic fever—58	4	1	1	-	-	-	-	-	-	1	1	-	-
Diabetes mellitus—61	671	69	56	58	61	48	46	48	59	61	65	43	57
Exophthalmic goiter—63b	15	1	1	2	4	-	1	2	2	-	1	1	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	61	6	7	6	5	5	5	4	7	3	4	5	4
Intracranial lesions of vascular origin—83	1,683	145	168	158	133	142	127	125	162	105	131	135	152
Diseases of the heart—90-95	7,135	725	642	680	623	558	576	515	543	508	543	569	655
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	311	22	23	27	31	26	26	19	20	31	25	34	27
Diseases of coronary arteries and angina pectoris—94	2,348	265	207	206	186	164	194	180	174	163	181	197	231
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,476	438	412	447	406	366	356	316	349	314	337	338	397
Arteriosclerosis and high blood pressure*—97,102	300	38	32	38	19	17	19	26	27	19	24	24	17
Pneumonia (all forms) and influenza—107-109,33	478	80	55	45	53	37	36	24	35	15	21	38	39
Bronchopneumonia—107	220	41	30	13	21	17	13	15	18	8	11	17	16
Lobar pneumonia—108	206	28	23	27	25	15	18	9	17	5	8	15	16
Pneumonia (unspecified)—109	43	9	2	4	6	3	4	2	-	1	2	6	4
Influenza—33	9	2	-	1	1	2	1	-	-	1	-	-	1
Ulcer of stomach or duodenum—117	136	13	16	8	15	7	8	13	10	10	15	7	14
Diarrhea, enteritis, etc.*—119,120	47	3	6	2	6	3	3	3	3	6	5	4	3
Appendicitis—121	41	6	5	5	6	2	4	4	4	1	-	3	1
Hernia and intestinal obstruction—122	133	10	15	13	10	11	11	12	15	11	4	17	4
Cirrhosis of the liver—124	300	25	20	19	15	33	24	29	28	27	24	24	32
Biliary calculi, etc.*—126,127	97	8	13	9	7	9	5	10	7	7	8	4	10
Nephritis—130-132	836	96	96	71	75	67	70	67	56	68	57	52	61
Diseases of the prostate—137	85	6	5	4	10	12	10	8	5	3	14	4	6
Diseases of pregnancy, etc.*—140-150	25	1	2	3	3	2	2	2	3	2	3	-	2
Puerperal septicemia—140,142a,145A,147	9	-	1	2	1	-	1	-	-	1	2	-	1
Puerperal toxemia—141a,c,144,148	5	1	1	-	1	-	-	-	1	-	-	-	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	8	-	-	1	-	1	-	2	2	1	1	-	-
Other puerperal causes—141d,e,f,145B,150	3	-	-	-	1	1	1	-	-	-	-	-	-
Congenital malformations—157	279	35	17	29	16	23	17	23	28	21	30	19	21
Diseases peculiar to first year of life—158-161	630	71	30	50	54	56	62	55	61	42	50	47	52
Premature birth—159	381	40	13	30	35	37	39	29	41	22	30	32	33
Other diseases peculiar to first year of life—158,160,161	249	31	17	20	19	19	23	26	20	20	20	15	19
Suicide—163,164	240	19	12	22	23	23	24	21	23	14	13	25	21
Homicide—165-168	34	3	-	3	4	4	2	4	2	3	1	3	5
Accidental deaths—169-195	1,062	87	79	92	82	73	79	112	104	67	101	77	109
Motor-vehicle accidents—170	263	16	16	23	21	19	24	18	23	19	31	23	30
Other accidents—169,171-195	799	71	63	69	61	54	55	94	81	48	70	54	79
Senility, ill-defined and unknown causes—162,193,200	143	16	12	12	11	12	6	12	15	9	12	12	12
All other causes	1,005	96	87	78	88	74	73	81	83	78	96	73	98
DELAWARE—All causes	3,407	346	310	304	262	279	273	269	283	240	285	249	307
Typhoid and paratyphoid fever—1,2	2	-	1	-	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	1	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	1	-	-	-	1	-	-	-	-	-	-	-
Diphtheria—10	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms)—13-22	119	7	13	11	12	10	10	14	13	7	6	7	9
Tuberculosis of respiratory system, etc.*—13	107	6	13	10	9	8	9	14	11	7	4	7	9
Tuberculosis (other forms)—14-22	12	1	-	1	3	2	1	-	2	-	2	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	31	3	-	-	2	1	4	5	2	3	2	4	5
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	3	-	-	-	-	-	-	3	-	-	-	-	-
Cancer and other malignant tumors—45-55	434	32	32	43	40	27	27	36	43	45	42	35	32
Cancer of the digestive organs and peritoneum—46	175	10	10	14	17	12	8	12	16	25	19	12	20
Cancer of female genital organs—48,49	70	6	7	8	6	5	5	4	3	5	7	10	4
Cancer of the breast—50	45	3	4	4	4	2	6	3	6	2	5	3	3
Cancer (other sites)—45,47,51-55	144	13	11	17	13	8	8	17	18	13	11	10	5
Acute rheumatic fever—58	2	-	-	-	-	-	-	1	-	-	1	-	-
Diabetes mellitus—61	115	16	9	12	9	7	10	6	8	5	9	10	14
Exophthalmic goiter—63b	5	2	-	-	-	-	-	1	-	-	-	2	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	11	-	2	1	1	1	-	-	1	-	3	2	-
Intracranial lesions of vascular origin—83	263	20	23	27	18	22	17	24	18	25	24	22	23
Diseases of the heart—90-95	1,136	129	103	107	73	110	100	84	89	72	94	71	104
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	57	3	2	6	6	8	9	3	6	5	3	3	3
Diseases of coronary arteries and angina pectoris—94	410	53	38	38	23	32	34	23	35	28	37	28	43
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	669	73	63	63	44	70	57	58	48	39	54	42	58
Arteriosclerosis and high blood pressure*—97,102	84	8	13	10	9	13	4	4	1	4	5	6	7

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—Continued													
Pneumonia (all forms) and influenza—107-109,33	124	13	13	16	15	10	6	6	9	3	19	2	12
Bronchopneumonia—107	54	6	4	7	10	1	4	2	6	1	8	1	4
Lobar pneumonia—108	54	5	8	8	4	6	2	2	2	2	9	1	5
Pneumonia (unspecified)—109	7	-	1	1	-	-	-	-	1	-	2	-	2
Influenza—33	9	2	-	-	1	3	-	2	-	-	-	-	1
Ulcer of stomach or duodenum—117	17	5	2	3	-	1	2	-	1	1	1	-	1
Diarrhea, enteritis, etc.*—119,120	10	1	-	1	1	1	-	-	1	2	3	-	-
Appendicitis—121	6	2	-	-	-	1	-	-	2	-	-	-	1
Hernia and intestinal obstruction—122	26	2	3	-	2	3	1	2	3	2	4	3	1
Cirrhosis of the liver—124	37	4	4	3	4	4	2	1	4	-	4	4	3
Biliary calculi, etc.*—126,127	4	-	2	1	-	-	-	-	1	-	-	-	-
Nephritis—130-132	290	38	19	17	23	18	31	28	28	21	15	21	31
Diseases of the prostate—137	9	1	1	2	1	-	-	-	3	-	-	-	1
Diseases of pregnancy, etc.*—140-150	8	1	1	-	3	1	1	-	1	-	-	-	-
Puerperal septicemia—140,142a,145A,147	2	-	-	-	1	1	-	-	-	-	-	-	-
Puerperal toxemia—141a,c,144,148	2	-	1	-	1	-	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	3	1	-	-	-	-	1	-	1	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	30	5	2	4	3	1	-	3	1	3	1	2	5
Diseases peculiar to first year of life—158-161	126	15	8	12	4	9	15	9	9	12	13	9	11
Premature birth—159	86	10	5	9	2	7	13	3	4	9	9	7	8
Other diseases peculiar to first year of life—158,160,161	40	5	3	3	2	2	2	6	5	3	4	2	3
Suicide—163,164	50	2	-	5	3	7	6	3	6	-	4	8	6
Homicide—165-168	18	1	1	2	1	1	-	2	2	2	1	3	2
Accidental deaths—169-195	214	17	27	15	21	13	17	17	18	16	14	19	20
Motor-vehicle accidents—170	69	3	5	5	4	8	3	6	5	5	8	8	9
Other accidents—169,171-195	145	14	22	10	17	5	14	11	13	11	6	11	11
Senility, ill-defined and unknown causes—162,199,200	39	4	8	2	5	2	-	6	-	1	4	4	3
All other causes	187	16	22	9	12	14	20	14	19	15	16	14	16
DISTRICT OF COLUMBIA—All causes	8,197	765	738	798	626	682	626	693	644	566	649	662	748
Typhoid and paratyphoid fever—1,2	3	-	-	-	2	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	2	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	2	-	-	-	-	-	-	-	-	-	1	-	1
Tuberculosis (all forms)—13-22	441	48	45	33	41	44	28	42	40	25	32	29	34
Tuberculosis of respiratory system, etc.*—13	376	40	42	28	39	40	27	35	33	16	24	22	30
Tuberculosis (other forms)—14-22	65	8	3	5	2	4	1	7	7	9	8	7	4
Dysentery—27	1	1	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	115	12	9	11	12	8	7	8	10	10	7	9	12
Measles—35	3	-	-	1	-	-	1	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute)—36	2	-	-	-	-	-	-	-	1	-	-	-	1
Cancer and other malignant tumors—45-55	1,199	90	115	124	102	100	91	105	81	98	107	99	87
Cancer of the digestive organs and peritoneum—46	445	28	45	42	40	32	39	46	30	40	33	40	30
Cancer of female genital organs—48,49	166	18	14	16	10	22	12	14	12	11	16	10	11
Cancer of the breast—50	162	14	17	23	15	11	13	11	7	10	15	13	13
Cancer (other sites)—45,47,51-55	426	30	39	43	37	35	27	34	32	37	43	36	33
Acute rheumatic fever—58	3	2	-	-	-	1	-	-	-	-	-	-	-
Diabetes mellitus—61	220	21	17	24	15	12	19	16	18	13	23	18	24
Exophthalmic goiter—63b	10	-	2	1	-	1	1	-	-	2	1	1	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	18	3	1	-	-	3	1	2	-	-	1	1	6
Intracranial lesions of vascular origin—83	563	61	56	48	39	42	43	44	37	46	45	41	61
Diseases of the heart—90-95	2,472	237	225	247	167	210	192	202	183	158	204	210	237
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	113	18	13	8	8	10	5	13	6	11	7	7	7
Diseases of coronary arteries and angina pectoris—94	682	58	54	59	40	53	53	53	61	42	68	59	72
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,677	161	158	180	119	147	134	126	116	105	129	144	158
Arteriosclerosis and high blood pressure*—97,102	102	15	11	9	7	7	9	6	6	6	3	14	9
Pneumonia (all forms) and influenza—107-109,33	282	28	28	40	22	23	11	12	14	11	28	18	27
Bronchopneumonia—107	113	15	6	14	11	16	5	7	6	5	8	7	13
Lobar pneumonia—108	116	10	19	20	9	5	3	2	6	5	18	9	10
Pneumonia (unspecified)—109	29	2	2	5	2	2	3	3	2	1	1	2	4
Influenza—33	4	1	1	1	-	-	-	-	-	-	1	-	-
Ulcer of stomach or duodenum—117	41	5	2	6	3	4	4	4	2	-	3	6	2
Diarrhea, enteritis, etc.*—119,120	13	-	2	-	2	1	2	-	1	2	-	2	1
Appendicitis—121	28	2	5	3	2	2	3	1	2	2	2	2	2
Hernia and intestinal obstruction—122	51	5	3	6	6	4	4	7	5	2	3	1	5
Cirrhosis of the liver—124	167	18	15	20	14	15	14	8	16	13	12	12	12
Biliary calculi, etc.*—126,127	25	2	-	2	3	2	1	3	4	1	2	3	2
Nephritis—130-132	709	81	55	63	58	52	48	59	77	41	40	50	85
Diseases of the prostate—137	34	3	3	2	3	1	2	3	4	2	5	2	4
Diseases of pregnancy, etc.*—140-150	19	3	1	3	2	2	1	1	2	-	3	-	1
Puerperal septicemia—140,142a,145A,147	9	1	1	1	-	-	1	1	1	-	2	-	1
Puerperal toxemia—141a,c,144,148	3	-	-	-	1	1	-	-	-	-	1	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	3	1	-	2	-	-	-	-	-	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	4	1	-	-	1	1	-	-	1	-	-	-	-
Congenital malformations—157	90	7	9	10	9	13	6	8	4	9	5	5	6
Diseases peculiar to first year of life—158-161	370	30	23	27	30	21	35	33	36	37	30	35	33
Premature birth—159	232	18	12	15	22	12	26	17	23	28	17	23	19
Other diseases peculiar to first year of life—158,160,161	138	12	11	12	8	9	9	16	13	9	13	12	14
Suicide—163,164	97	5	4	4	8	9	14	14	4	6	9	11	9
Homicide—165-168	84	5	11	6	7	2	7	12	4	8	10	7	5
Accidental deaths—169-195	325	33	47	39	40	30	43	46	53	47	37	33	37
Motor-vehicle accidents—170	104	8	7	10	6	14	7	7	13	9	7	11	5
Other accidents—169,171-195	421	25	40	49	34	36	36	39	40	38	30	22	32
Senility, ill-defined and unknown causes—162,199,200	26	2	2	1	4	1	2	4	1	-	1	8	-
All other causes	499	46	47	48	28	52	37	52	39	27	35	44	44

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA—All causes	24,767	2,504	2,060	2,131	1,963	2,017	2,016	1,886	1,962	1,915	2,029	2,018	2,266
Typhoid and paratyphoid fever—1,2	4	-	1	-	-	2	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	11	3	-	1	-	-	-	2	1	-	-	3	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	21	6	2	3	3	1	2	1	1	1	1	-	-
Diphtheria—10	14	-	-	-	1	1	1	1	-	2	2	4	2
Tuberculosis (all forms)—13-22	745	66	52	66	67	58	66	66	66	73	62	53	52
Tuberculosis of respiratory system, etc.*—13	713	63	50	63	65	53	64	60	65	70	61	50	49
Tuberculosis (other forms)—14-22	32	3	2	3	2	5	2	6	1	3	1	3	3
Dysentery—27	18	1	4	-	-	-	2	2	2	3	1	3	-
Malaria—28	13	1	-	-	1	2	2	1	4	-	1	1	-
Syphilis—30	273	24	21	26	20	23	27	24	20	19	24	20	25
Measles—35	7	-	-	2	-	1	1	1	-	-	-	-	2
Poliomyelitis, polioencephalitis (acute)—36	19	-	1	-	-	3	2	4	2	4	2	-	1
Cancer and other malignant tumors—45-55	2,987	266	259	226	219	258	269	242	242	234	268	249	255
Cancer of the digestive organs and peritoneum—46	1,116	98	87	90	90	83	115	100	90	81	102	89	91
Cancer of female genital organs—48,49	459	49	37	35	36	44	28	35	34	41	38	37	45
Cancer of the breast—50	265	20	25	22	12	21	26	19	20	21	28	33	18
Cancer (other sites)—45,47,51-55	1,147	99	110	79	81	110	100	88	98	91	100	90	101
Acute rheumatic fever—58	14	-	2	4	-	1	-	-	3	2	-	1	1
Diabetes mellitus—61	505	71	41	47	31	41	36	31	42	41	36	43	45
Exophthalmic goiter—63b	26	3	4	3	2	1	2	3	1	3	1	1	2
Pellagra (except alcoholic)—69	28	3	3	4	-	1	3	1	3	2	3	1	4
Alcoholism (ethylism)—77	41	4	2	3	4	4	3	5	2	5	2	1	6
Intracranial lesions of vascular origin—83	2,460	235	201	195	208	198	203	177	198	199	211	194	241
Diseases of the heart—90-95	6,994	744	571	620	543	563	570	561	508	513	542	604	655
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	339	39	29	35	26	24	25	22	29	18	31	28	33
Diseases of coronary arteries and angina pectoris—94	2,719	272	218	234	227	223	208	223	202	215	208	230	258
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,936	433	324	351	290	316	337	316	277	280	303	346	363
Arteriosclerosis and high blood pressure*—97,102	410	55	39	43	30	32	37	22	25	38	23	28	38
Pneumonia (all forms) and influenza—107-109,33	881	146	114	95	53	49	53	49	43	56	70	59	94
Bronchopneumonia—107	408	58	49	38	29	29	30	31	20	29	25	33	37
Lobar pneumonia—108	275	48	34	30	18	11	17	13	15	16	26	15	32
Pneumonia (unspecified)—109	76	13	7	4	2	6	4	3	5	7	9	5	11
Influenza—33	122	27	24	23	4	3	2	2	3	4	10	6	14
Ulcer of stomach or duodenum—117	134	14	10	13	15	14	7	8	11	6	9	15	12
Diarrhea, enteritis, etc.*—119,120	137	11	16	22	2	15	8	8	15	13	8	5	14
Appendicitis—121	83	9	6	5	7	8	4	8	6	6	7	7	10
Hernia and intestinal obstruction—122	184	18	11	15	17	16	14	20	12	9	23	12	17
Cirrhosis of the liver—124	280	25	22	11	27	18	24	16	30	27	22	28	30
Biliary calculi, etc.*—126,127	103	11	6	8	6	14	9	7	8	11	10	7	6
Nephritis—130-132	1,495	154	141	143	127	134	119	98	113	123	107	120	116
Diseases of the prostate—137	141	15	7	6	16	9	15	14	8	14	13	14	10
Diseases of pregnancy, etc.*—140-150	115	11	6	8	8	12	7	15	17	14	5	6	6
Puerperal septicemia—140,142a,145A,147	28	2	1	2	2	3	-	3	6	5	-	2	2
Puerperal toxemia—141a,c,144,148	44	5	2	4	2	6	2	8	5	2	4	2	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	32	2	2	2	3	2	4	3	4	7	1	1	1
Other puerperal causes—141d,e,f,145B,150	11	2	1	-	1	1	1	1	2	-	-	1	1
Congenital malformations—157	302	30	21	31	22	24	17	22	27	23	22	34	29
Diseases peculiar to first year of life—158-161	1,214	89	88	75	91	93	101	105	137	102	123	86	124
Premature birth—159	785	48	59	49	59	59	59	75	91	76	75	57	78
Other diseases peculiar to first year of life—158,160,161	429	41	29	26	32	34	42	30	46	26	48	29	46
Suicide—163,164	314	27	21	43	28	18	25	11	26	28	29	29	29
Homicide—165-168	376	25	24	46	33	26	33	36	34	26	26	28	39
Accidental deaths—169-195	1,955	197	150	144	171	176	162	154	167	143	144	154	193
Motor-vehicle accidents—170	689	64	54	48	60	73	55	53	51	42	55	57	77
Other accidents—169,171-195	1,266	133	96	96	111	103	107	101	116	101	88	97	116
Senility, ill-defined and unknown causes—162,193,200	924	109	87	93	84	75	74	52	58	71	87	69	65
All other causes	1,538	131	127	130	127	128	117	119	130	104	145	139	141
GEORGIA—All causes	29,526	3,019	2,675	2,487	2,359	2,366	2,373	2,358	2,340	2,133	2,511	2,328	2,579
Typhoid and paratyphoid fever—1,2	9	-	-	-	1	1	1	1	4	-	-	-	1
Cerebrospinal (meningococcus) meningitis—6	19	-	3	2	-	2	-	2	3	1	1	3	2
Scarlet fever—8	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—9	41	4	7	5	2	9	2	4	3	2	1	1	1
Diphtheria—10	29	3	2	2	1	-	-	1	-	2	9	8	1
Tuberculosis (all forms)—13-22	1,002	87	68	93	75	94	94	93	90	67	80	77	84
Tuberculosis of respiratory system, etc.*—13	924	81	62	87	74	87	87	87	82	57	74	68	78
Tuberculosis (other forms)—14-22	78	6	6	6	1	7	7	6	8	10	6	9	6
Dysentery—27	51	1	1	2	1	6	2	8	14	7	4	2	3
Malaria—28	4	-	-	-	-	-	1	2	-	1	-	-	-
Syphilis—30	281	24	20	30	30	28	19	22	21	24	17	19	27
Measles—35	7	1	1	-	-	2	-	-	-	-	-	1	2
Poliomyelitis, polioencephalitis (acute)—36	7	1	-	-	-	-	2	1	1	1	1	-	-
Cancer and other malignant tumors—45-55	2,937	264	239	225	226	252	254	235	239	244	259	257	243
Cancer of the digestive organs and peritoneum—46	1,044	92	80	84	96	83	98	79	85	84	92	79	92
Cancer of female genital organs—48,49	498	43	47	35	39	45	39	37	42	43	44	42	42
Cancer of the breast—50	277	29	19	22	25	24	14	21	27	22	26	24	24
Cancer (other sites)—45,47,51-55	1,118	100	93	84	66	100	103	98	85	95	97	112	85
Acute rheumatic fever—58	32	2	1	6	3	2	2	4	3	2	3	1	3
Diabetes mellitus—61	459	56	36	47	31	32	36	38	31	30	50	36	36
Exophthalmic goiter—63b	26	3	3	3	4	2	2	1	2	2	1	1	2
Pellagra (except alcoholic)—69	83	10	7	8	8	7	8	4	4	7	7	8	5
Alcoholism (ethylism)—77	84	8	5	12	11	5	2	3	3	3	4	11	17
Intracranial lesions of vascular origin—83	3,532	358	300	292	251	285	278	278	284	296	306	280	330
Diseases of the heart—90-95	7,301	764	628	624	607	579	556	537	590	521	656	578	661
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	314	42	32	29	21	22	24	23	23	18	28	25	27
Diseases of coronary arteries and angina pectoris—94	2,396	238	190	221	215	202	188	182	171	182	210	181	218
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,591	486	406	374	371	355	344	332	396	321	418	372	416
Arteriosclerosis and high blood pressure*—97,102	468	49	45	28	51	43	39	35	30	36	32	41	39

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—Continued													
Pneumonia (all forms) and influenza—107-109,33	1,484	256	252	156	122	70	72	65	71	59	128	114	119
Bronchopneumonia—107	616	99	95	55	52	37	26	26	34	26	67	40	59
Lobar pneumonia—108	463	77	70	40	39	21	29	28	20	22	40	41	36
Pneumonia (unspecified)—109	182	36	34	20	12	5	11	6	11	6	11	18	12
Influenza—33	223	44	53	41	19	7	6	5	6	5	10	15	12
Ulcer of stomach or duodenum—117	156	13	13	20	12	18	11	20	16	5	13	7	8
Diarrhea, enteritis, etc.*—119,120	249	12	10	6	20	10	22	34	41	38	17	17	22
Appendicitis—121	87	3	6	1	8	8	12	8	11	6	6	12	6
Hernia and intestinal obstruction—122	216	19	21	22	17	13	23	26	18	16	11	17	13
Cirrhosis of the liver—124	202	16	21	9	18	11	18	13	19	18	19	16	24
Biliary calculi, etc.*—126,127	100	7	5	10	2	9	14	9	9	9	13	7	6
Nephritis—130-132	2,491	263	248	207	209	207	219	223	170	167	187	194	197
Diseases of the prostate—137	145	16	17	13	13	7	5	8	15	10	10	19	13
Diseases of pregnancy, etc.*—140-150	198	13	11	18	10	15	27	22	24	11	18	10	19
Puerperal septicemia—140,142a,145A,147	50	4	2	3	2	4	9	5	6	3	5	3	4
Puerperal toxemia—141a,c,144,148	72	5	4	8	4	4	10	8	7	7	6	4	5
Hemorrhage, trauma or shock*—141b,142b,143,146,149	52	4	2	6	4	5	6	6	7	1	4	2	5
Other puerperal causes—141d,e,f,145B,150	24	-	3	1	-	2	2	3	4	-	3	1	5
Congenital malformations—157	358	45	25	22	26	30	25	36	26	28	32	32	31
Diseases peculiar to first year of life—158-161	1,624	116	131	114	149	149	139	136	137	137	149	129	138
Premature birth—159	1,037	66	76	76	85	98	94	88	92	84	97	83	98
Other diseases peculiar to first year of life—158,160,161	587	50	55	38	64	51	45	48	45	53	52	46	40
Suicide—163,164	272	20	17	23	21	16	22	21	29	27	26	26	24
Homicide—165-168	535	38	42	46	45	61	47	39	54	30	44	39	50
Accidental deaths—169-195	2,135	232	205	167	159	166	172	196	164	136	174	157	207
Motor-vehicle accidents—170	779	58	56	68	62	68	54	61	69	63	73	51	96
Other accidents—169,171-195	1,356	174	149	99	97	98	118	135	95	73	101	106	111
Senility, ill-defined and unknown causes—162,199,200	1,093	139	127	102	78	88	83	77	71	82	77	81	88
All other causes	1,809	176	158	172	148	139	164	161	143	108	156	126	157
IDAHO—All causes	4,906	428	440	416	395	418	409	441	363	343	425	407	421
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	6	1	-	1	-	1	1	-	-	1	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	1	-	-	-	-	-	1	1	-	-
Diphtheria—10	3	-	1	-	-	1	-	-	-	1	-	-	-
Tuberculosis (all forms)—15-22	70	5	6	9	8	4	7	6	7	5	4	5	4
Tuberculosis of respiratory system, etc.*—15	62	5	5	7	8	4	6	4	7	5	3	4	4
Tuberculosis (other forms)—16-22	8	-	1	2	-	-	1	2	-	-	1	1	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	19	3	2	4	2	-	2	2	2	-	1	-	1
Measles—35	3	-	1	-	-	-	1	-	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	6	1	-	-	-	1	-	1	-	1	2	-	-
Cancer and other malignant tumors—45-55	575	48	49	52	49	35	60	49	46	41	58	44	44
Cancer of the digestive organs and peritoneum—46	245	26	23	22	24	11	22	20	20	19	27	16	15
Cancer of female genital organs—48,49	60	2	4	7	6	5	4	4	8	3	8	3	6
Cancer of the breast—50	45	3	2	2	4	7	4	6	1	7	3	5	1
Cancer (other sites)—45,47,51-55	225	17	20	21	15	12	30	19	17	12	20	20	22
Acute rheumatic fever—58	3	-	-	-	-	-	1	1	-	1	-	-	-
Diabetes mellitus—61	114	11	17	9	15	14	5	10	6	10	7	5	5
Exophthalmic goiter—63b	6	-	1	-	1	-	-	1	-	1	1	1	-
Pellagra (except alcoholic)—69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	10	1	-	1	-	1	2	-	2	1	1	-	1
Intracranial lesions of vascular origin—83	447	41	49	40	29	34	32	42	29	37	35	38	41
Diseases of the heart—90-95	1,437	127	125	136	125	116	115	106	98	90	128	141	130
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	98	10	9	3	4	10	9	4	7	9	13	10	10
Diseases of coronary arteries and angina pectoris—94	571	52	46	54	46	45	41	38	50	37	46	61	55
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	768	65	70	79	75	61	65	64	41	44	69	70	65
Arteriosclerosis and high blood pressure*—97,102	72	2	8	6	4	6	3	10	4	5	5	8	11
Pneumonia (all forms) and influenza—107-109,33	187	27	24	16	26	15	8	10	11	9	15	14	12
Bronchopneumonia—107	90	12	12	6	12	6	4	3	7	6	8	9	5
Lobar pneumonia—108	38	2	6	2	7	3	3	2	4	1	4	1	3
Pneumonia (unspecified)—109	41	7	4	6	5	5	1	4	-	2	2	2	3
Influenza—33	18	6	2	2	2	1	-	1	-	-	1	2	1
Ulcer of stomach or duodenum—117	41	1	3	5	1	4	2	5	5	5	-	2	8
Diarrhea, enteritis, etc.*—119,120	18	1	3	-	2	3	3	2	1	2	-	1	-
Appendicitis—121	19	1	-	-	2	4	2	1	2	2	-	3	2
Hernia and intestinal obstruction—122	23	2	2	1	1	5	1	1	4	1	2	-	3
Cirrhosis of the liver—124	32	4	3	4	-	4	1	2	3	4	1	2	4
Biliary calculi, etc.*—126,127	28	3	2	4	1	5	2	1	2	2	2	2	2
Nephritis—130-132	276	27	22	25	20	24	26	26	20	13	28	17	28
Diseases of the prostate—137	18	1	1	2	-	3	2	1	2	-	5	-	1
Diseases of pregnancy, etc.*—140-150	13	1	1	-	1	3	-	1	-	2	1	1	2
Puerperal septicemia—140,142a,145A,147	5	-	-	-	1	3	-	-	-	1	-	-	-
Puerperal toxemia—141a,c,144,148	5	-	1	-	-	-	-	1	-	1	-	1	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	3	1	-	-	-	-	-	-	-	-	1	-	1
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	86	7	10	6	10	8	6	9	2	2	11	9	6
Diseases peculiar to first year of life—158-161	283	31	26	20	19	26	19	34	25	21	17	19	26
Premature birth—159	171	15	12	14	15	16	13	20	14	11	12	11	18
Other diseases peculiar to first year of life—158,160,161	112	16	14	6	4	10	6	14	11	10	5	8	8
Suicide—163,164	97	9	5	9	3	8	16	9	7	7	7	9	8
Homicide—165-168	20	3	1	-	-	-	1	2	1	2	4	3	3
Accidental deaths—169-195	555	35	32	33	41	58	61	68	53	46	57	38	31
Motor-vehicle accidents—170	196	14	10	13	13	27	15	19	19	14	23	19	10
Other accidents—169,171-195	357	21	22	20	28	31	46	49	34	32	34	19	21
Senility, ill-defined and unknown causes—162,199,200	134	12	18	8	7	12	6	16	11	8	15	10	11
All other causes	302	23	28	23	28	23	23	25	19	22	17	35	36

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS—All causes	91,328	8,365	8,128	8,145	7,567	7,720	7,155	7,013	7,296	6,645	7,706	7,361	8,207
Typhoid and paratyphoid fever—1,2	6	-	-	-	1	1	1	2	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	54	6	7	9	4	3	1	5	1	3	6	4	5
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	28	6	1	2	7	2	2	2	1	-	1	1	2
Diphtheria—10	9	1	1	-	1	1	3	-	-	-	1	1	-
Tuberculosis (all forms)—13-22	2,658	230	254	239	215	229	231	226	230	186	212	197	209
Tuberculosis of respiratory system, etc.*—13	2,438	212	224	218	197	204	214	212	209	175	199	185	189
Tuberculosis (other forms)—14-22	220	18	30	21	18	25	17	14	21	11	13	12	20
Dysentery—27	16	2	2	1	-	-	-	2	1	2	5	-	1
Malaria—28	6	2	1	1	-	-	1	-	-	1	-	-	-
Syphilis—30	622	67	52	51	45	61	52	48	37	63	45	45	56
Measles—35	83	9	31	21	13	6	1	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	70	1	1	-	-	1	2	4	9	24	25	2	1
Cancer and other malignant tumors—45-55	13,845	1,211	1,041	1,160	1,137	1,189	1,100	1,157	1,228	1,036	1,257	1,156	1,173
Cancer of the digestive organs and peritoneum—46	5,337	578	470	521	530	517	508	520	563	504	592	534	500
Cancer of female genital organs—48,49	1,527	112	130	140	124	113	126	136	134	126	129	116	141
Cancer of the breast—50	1,368	126	95	117	90	145	125	109	111	88	119	119	124
Cancer (other sites)—45,47,51-55	4,613	395	346	382	393	414	341	392	420	318	417	387	408
Acute rheumatic fever—58	42	2	4	2	9	5	4	2	4	3	-	3	4
Diabetes mellitus—61	2,806	266	234	250	219	231	232	190	247	195	248	229	265
Exophthalmic goiter—63b	161	13	20	13	12	12	12	18	14	8	14	11	13
Pellagra (except alcoholic)—69	5	1	1	-	-	-	-	-	1	-	1	1	-
Alcoholism (ethylism)—77	61	6	3	5	8	4	4	6	4	8	4	2	9
Intracranial lesions of vascular origin—83	7,263	686	646	662	601	589	549	550	576	526	619	585	674
Diseases of the heart—90-95	34,807	3,227	3,162	3,187	2,808	2,961	2,687	2,479	2,584	2,401	2,810	2,768	3,133
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,535	162	152	145	133	134	126	87	90	109	135	123	139
Diseases of coronary arteries and angina pectoris—94	8,854	801	735	787	691	791	712	691	711	662	735	715	813
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	23,618	2,264	2,275	2,255	1,984	2,036	1,849	1,711	1,783	1,610	1,940	1,930	2,181
Arteriosclerosis and high blood pressure*—97,102	1,436	122	124	120	107	123	113	111	123	105	144	117	127
Pneumonia (all forms) and influenza—107-109,33	2,761	305	357	256	242	216	166	155	177	153	227	228	284
Bronchopneumonia—107	1,595	175	184	130	146	127	92	97	116	98	147	130	153
Lobar pneumonia—108	967	101	138	100	77	81	56	52	59	49	68	78	108
Pneumonia (unspecified)—109	59	3	10	6	6	3	8	2	1	-	5	9	6
Influenza—33	140	26	25	20	13	5	10	4	1	6	7	6	17
Ulcer of stomach or duodenum—117	641	60	62	59	61	54	49	41	53	39	46	57	60
Diarrhea, enteritis, etc.*—119,120	254	26	26	25	24	9	12	20	15	25	25	28	19
Appendicitis—121	273	23	24	20	23	16	18	25	23	15	29	23	34
Hernia and intestinal obstruction—122	674	64	60	61	48	52	59	50	49	55	55	48	73
Cirrhosis of the liver—124	1,207	107	103	79	101	125	95	80	91	95	110	92	128
Biliary calculi, etc.*—126,127	484	42	42	34	38	43	48	51	33	30	38	37	48
Nephritis—130-132	5,143	491	459	470	466	451	430	396	371	365	398	413	433
Diseases of the prostate—137	545	47	56	41	45	45	43	37	45	39	45	52	40
Diseases of pregnancy, etc.*—140-150	151	18	11	15	13	9	9	18	17	14	8	5	14
Puerperal septicemia—140,142a,145A,147	54	6	5	5	5	3	5	5	5	3	3	2	7
Puerperal toxemia—141a,c,144,148	29	1	1	3	3	5	2	6	3	2	1	-	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	56	8	2	6	5	-	2	7	8	8	2	3	5
Other puerperal causes—141d,e,f,145B,150	12	3	3	1	-	1	-	-	1	1	2	-	-
Congenital malformations—157	1,087	112	102	92	100	74	74	75	97	72	92	97	100
Diseases peculiar to first year of life—158-161	3,048	241	225	241	252	234	254	284	275	285	268	240	249
Premature birth—159	1,953	145	146	148	186	158	165	168	162	195	182	147	151
Other diseases peculiar to first year of life—158,160,161	1,095	96	79	93	66	76	89	116	113	90	86	93	98
Suicide—163,164	887	65	67	88	75	89	66	74	92	65	78	61	69
Homicide—165-168	479	26	32	44	36	49	39	51	42	38	39	49	34
Accidental deaths—169-195	5,752	476	490	486	457	445	458	494	503	460	469	470	544
Motor-vehicle accidents—170	1,950	130	149	149	158	156	140	161	198	192	173	173	173
Other accidents—169,171-195	3,802	346	341	337	301	289	318	333	305	268	296	297	371
Senility, ill-defined and unknown causes—162,199,200	311	40	29	19	23	24	25	21	26	26	30	17	31
All other causes	4,253	364	396	392	378	367	315	338	326	305	360	347	365
INDIANA—All causes	39,544	3,687	3,412	3,589	3,273	3,441	3,077	3,050	3,025	2,907	3,310	3,192	3,582
Typhoid and paratyphoid fever—1,2	3	-	-	-	-	-	-	1	1	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	34	7	1	3	2	7	1	-	4	1	2	3	3
Scarlet fever—8	2	-	-	-	-	1	-	-	-	-	-	-	1
Whooping cough—9	21	3	1	3	3	4	2	2	1	1	-	-	1
Diphtheria—10	16	4	1	-	2	-	1	-	-	-	2	3	3
Tuberculosis (all forms)—13-22	917	94	63	84	85	90	76	87	63	68	66	73	68
Tuberculosis of respiratory system, etc.*—13	817	85	56	75	71	85	69	76	56	61	54	67	62
Tuberculosis (other forms)—14-22	100	9	7	9	14	5	7	11	7	7	12	6	6
Dysentery—27	10	-	-	-	1	-	-	1	2	4	-	-	2
Malaria—28	2	-	-	-	-	-	-	-	-	-	2	-	-
Syphilis—30	312	30	32	30	24	21	24	20	24	31	25	21	32
Measles—35	37	4	4	7	5	6	6	2	1	1	-	1	-
Poliomyelitis, polioencephalitis (acute)—36	29	-	-	-	2	-	1	-	14	8	3	1	-
Cancer and other malignant tumors—45-55	5,282	454	407	445	418	499	453	431	414	408	431	432	490
Cancer of the digestive organs and peritoneum—46	2,310	221	174	208	203	224	184	170	180	202	167	177	200
Cancer of female genital organs—48,49	676	63	54	57	56	54	61	56	47	44	52	61	71
Cancer of the breast—50	498	34	43	31	34	53	42	49	39	32	48	51	42
Cancer (other sites)—45,47,51-55	1,798	136	136	149	125	168	166	156	148	130	164	143	177
Acute rheumatic fever—58	25	3	6	2	1	-	1	1	2	2	-	2	5
Diabetes mellitus—61	1,024	95	83	98	80	85	87	79	77	64	100	89	87
Exophthalmic goiter—63b	81	8	7	7	11	10	11	2	5	9	2	3	6
Pellagra (except alcoholic)—69	5	1	-	-	-	2	-	-	-	2	-	-	-
Alcoholism (ethylism)—77	56	11	2	7	4	2	4	4	3	4	1	10	4
Intracranial lesions of vascular origin—83	4,212	425	372	394	348	359	325	323	329	288	354	304	393
Diseases of the heart—90-95	12,424	1,202	1,037	1,132	1,047	1,119	964	944	879	857	1,043	1,023	1,177
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	643	71	57	53	62	60	46	52	46	38	58	40	60
Diseases of coronary arteries and angina pectoris—94	4,866	436	397	425	415	444	357	384	363	340	433	396	476
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	6,915	695	583	654	570	615	561	508	470	479	552	587	641
Arteriosclerosis and high blood pressure*—97,102	1,057	105	107	98	96	85	60	69	82	83	79	95	98

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—Continued													
Pneumonia (all forms) and influenza---107-109,33	1,393	200	197	160	133	99	65	60	60	69	111	117	132
Bronchopneumonia---107	622	77	91	65	60	52	25	27	29	34	52	50	60
Lobar pneumonia---108	455	61	59	46	56	31	30	22	20	22	34	33	41
Pneumonia (unspecified)---109	139	19	12	14	7	7	4	5	9	7	16	22	17
Influenza---33	177	43	25	35	10	9	6	6	2	6	9	12	14
Ulcer of stomach or duodenum---117	212	19	19	18	18	21	14	16	13	17	15	15	27
Diarrhea, enteritis, etc.*---119,120	219	28	14	19	11	12	9	17	18	30	21	21	19
Appendicitis---121	140	11	9	12	12	10	13	13	10	17	14	8	11
Hernia and intestinal obstruction---122	265	19	23	14	20	22	24	17	31	28	20	26	21
Cirrhosis of the liver---124	368	26	30	39	29	27	29	25	27	28	44	25	39
Biliary calculi, etc.*---126,127	201	21	12	15	10	23	20	15	19	18	12	23	13
Nephritis---130-132	2,821	228	270	257	235	261	214	218	237	211	224	226	240
Diseases of the prostate---137	156	13	12	13	13	10	8	13	14	16	15	16	13
Diseases of pregnancy, etc.*---140-150	92	7	10	7	11	8	8	7	9	7	4	7	7
Puerperal septicemia---140,142a,145A,147	38	1	1	3	5	5	4	3	4	3	1	4	4
Puerperal toxemia---141a,c,144,148	19	1	6	2	2	1	-	1	1	2	-	2	1
Hemorrhage, trauma or shock*---141b,142b,143,146,149	28	5	3	2	2	2	2	2	4	2	3	1	-
Other puerperal causes---141d,e,f,145B,150	7	-	-	-	2	-	2	1	-	-	-	-	2
Congenital malformations---157	547	48	38	44	38	39	43	51	57	41	55	45	48
Diseases peculiar to first year of life---158-161	1,491	120	118	123	119	122	126	132	121	112	145	132	121
Premature birth---159	990	74	60	87	74	85	94	94	80	76	94	94	78
Other diseases peculiar to first year of life---158,160,161	501	46	58	36	45	37	32	38	41	36	51	38	43
Suicide---163,164	502	40	36	47	44	43	55	58	45	27	47	33	27
Homicide---165-168	164	7	12	20	16	17	10	18	14	11	10	16	13
Accidental deaths---169-195	2,953	233	245	263	226	237	231	258	259	256	254	238	253
Motor-vehicle accidents---170	1,073	70	84	82	69	92	81	90	83	121	100	99	102
Other accidents---169,171-195	1,880	163	161	181	157	145	150	168	176	135	154	139	151
Senility, ill-defined and unknown causes---162,199,200	300	27	30	28	26	25	23	17	16	35	29	22	22
All other causes----	2,171	194	224	199	183	175	169	149	174	155	181	162	206
IOWA---All causes	26,064	2,510	2,261	2,288	2,136	2,153	1,944	2,109	2,001	1,835	2,234	2,190	2,403
Typhoid and paratyphoid fever---1,2	3	-	1	1	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis---6	18	2	1	5	1	2	1	1	-	1	-	-	4
Scarlet fever---8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	3	-	-	-	1	-	-	1	-	-	-	1	-
Diphtheria---10	2	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)---13-22	249	22	14	18	22	28	17	29	18	21	18	18	24
Tuberculosis of respiratory system, etc.*---13	231	21	13	17	19	27	15	27	16	20	17	18	21
Tuberculosis (other forms)---14-22	18	1	1	1	3	1	2	2	2	1	1	-	3
Dysentery---27	4	-	1	-	-	-	-	-	1	2	-	-	-
Malaria---28	1	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis---30	143	14	12	9	14	13	17	10	9	17	11	12	5
Measles---35	27	4	6	12	2	1	1	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute)---36	76	1	-	-	-	2	2	6	5	19	17	15	9
Cancer and other malignant tumors---45-55	3,891	367	294	308	344	302	280	336	348	329	337	315	330
Cancer of the digestive organs and peritoneum---46	1,734	163	115	140	159	125	122	166	162	144	143	142	153
Cancer of female genital organs---48,49	371	38	32	32	37	28	26	25	35	28	33	27	30
Cancer of the breast---50	394	27	33	27	35	41	36	33	44	29	39	23	27
Cancer (other sites)---45,47,51-55	1,392	139	114	110	113	108	96	112	107	128	122	123	120
Acute rheumatic fever---58	12	-	2	2	-	-	1	-	3	-	1	1	2
Diabetes mellitus---61	740	65	63	65	71	63	58	44	56	51	65	76	65
Exophthalmic goiter---63b	42	4	3	6	3	2	2	1	4	3	5	6	3
Pellagra (except alcoholic)---69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism)---77	14	1	2	1	-	2	1	1	4	-	-	1	1
Intracranial lesions of vascular origin---83	2,959	280	246	274	246	226	220	236	214	210	243	250	314
Diseases of the heart---90-95	8,803	884	774	822	717	711	631	629	616	517	733	741	828
Chronic rheumatic diseases of the heart---90a,92b,c,93c,95b	433	44	40	43	34	41	28	27	41	26	28	36	45
Diseases of coronary arteries and angina pectoris---94	3,852	352	321	347	302	307	276	256	256	233	317	344	341
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,518	488	413	432	381	363	327	346	319	258	388	361	442
Arteriosclerosis and high blood pressure*---97,102	589	48	52	58	55	51	41	59	50	27	49	55	44
Pneumonia (all forms) and influenza---107-109,33	902	132	98	81	81	67	51	58	65	47	73	61	88
Bronchopneumonia---107	459	57	40	39	40	33	35	32	32	32	43	30	46
Lobar pneumonia---108	283	44	36	21	26	20	11	19	20	13	21	24	28
Pneumonia (unspecified)---109	80	14	9	6	10	9	2	4	10	2	4	3	7
Influenza---33	80	17	13	15	5	5	3	3	3	-	5	4	7
Ulcer of stomach or duodenum---117	165	14	15	13	17	15	9	19	12	11	17	7	18
Diarrhea, enteritis, etc.*---119,120	96	10	10	4	12	17	4	13	4	7	3	4	8
Appendicitis---121	89	10	10	4	4	6	4	11	8	5	15	6	6
Hernia and intestinal obstruction---122	191	13	20	15	13	14	17	14	13	16	23	18	15
Cirrhosis of the liver---124	153	15	9	8	10	19	15	11	17	13	7	14	15
Biliary calculi, etc.*---126,127	136	13	11	12	13	3	10	14	14	10	16	8	12
Nephritis---130-132	1,305	131	135	125	116	107	101	111	84	79	96	116	104
Diseases of the prostate---137	147	10	13	11	16	13	14	15	6	12	15	10	12
Diseases of pregnancy, etc.*---140-150	47	3	4	3	1	7	3	3	7	5	6	1	4
Puerperal septicemia---140,142a,145A,147	18	1	-	1	-	2	1	2	3	1	4	-	3
Puerperal toxemia---141a,c,144,148	12	-	-	-	-	4	1	1	3	2	1	-	-
Hemorrhage, trauma or shock*---141b,142b,143,146,149	14	2	3	1	1	1	-	-	1	2	1	1	1
Other puerperal causes---141d,e,f,145B,150	3	-	1	1	-	-	1	-	-	-	-	-	-
Congenital malformations---157	375	39	39	26	22	44	30	23	19	36	38	28	31
Diseases peculiar to first year of life---158-161	950	90	71	75	52	77	78	100	88	79	92	80	68
Premature birth---159	581	47	42	45	31	50	44	73	55	50	50	50	44
Other diseases peculiar to first year of life---158,160,161	369	43	29	30	21	27	34	27	33	29	42	30	24
Suicide---163,164	361	20	35	31	35	28	38	37	28	27	32	16	34
Homicide---165-168	57	2	1	4	-	5	2	4	4	3	2	6	4
Accidental deaths---169-195	1,960	127	142	141	138	173	162	179	170	161	194	175	198
Motor-vehicle accidents---170	601	28	30	37	33	52	42	57	63	67	70	59	63
Other accidents---169,171-195	1,359	99	112	104	105	121	120	122	107	94	124	116	135
Senility, ill-defined and unknown causes---162,199,200	287	35	35	25	28	24	21	23	28	11	12	24	21
All other causes----	1,485	153	140	128	101	131	115	120	106	116	114	123	138

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS—All causes	18,553	1,626	1,599	1,671	1,565	1,498	1,423	1,505	1,486	1,321	1,615	1,560	1,684
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	14	2	2	3	-	-	1	-	-	1	2	1	2
Scarlet fever—8	2	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	13	-	1	4	-	3	2	-	1	-	1	-	1
Diphtheria—10	2	-	-	-	-	-	-	-	-	-	-	-	2
Tuberculosis (all forms)—13-22	252	19	15	24	17	24	23	24	18	21	24	22	21
Tuberculosis of respiratory system, etc.*—13	235	17	15	21	16	23	22	22	17	19	21	21	21
Tuberculosis (other forms)—14-22	17	2	-	3	1	1	1	2	1	2	3	1	-
Dysentery—27	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	118	11	12	10	11	10	10	7	12	3	7	15	10
Measles—35	1	-	-	-	-	-	-	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	26	1	-	-	-	-	-	3	4	10	5	2	1
Cancer and other malignant tumors—45-55	2,568	208	204	216	226	219	210	231	213	206	215	218	202
Cancer of the digestive organs and peritoneum—46	1,110	80	84	90	105	87	101	100	88	89	94	96	96
Cancer of female genital organs—48,49	274	22	18	25	26	19	23	33	27	16	19	27	19
Cancer of the breast—50	270	20	25	29	20	31	17	20	17	30	22	18	21
Cancer (other sites)—45,47,51-55	914	86	77	72	75	82	69	78	81	71	80	77	66
Acute rheumatic fever—58	9	-	-	1	-	1	-	3	3	1	-	-	-
Diabetes mellitus—61	429	38	38	59	32	25	32	30	26	33	36	35	45
Exophthalmic goiter—63b	26	4	2	4	3	3	1	1	3	3	1	-	1
Pellagra (except alcoholic)—69	4	-	-	1	1	-	-	-	-	-	2	-	-
Alcoholism (ethylism)—77	10	1	1	-	-	1	1	2	1	-	1	1	1
Intracranial lesions of vascular origin—83	2,133	184	194	180	183	149	150	178	170	163	208	190	184
Diseases of the heart—90-95	5,967	532	567	566	487	478	452	465	448	377	518	513	566
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	297	31	34	23	28	19	23	19	25	19	27	21	28
Diseases of coronary arteries and angina pectoris—94	2,531	223	230	235	193	222	184	207	186	177	211	213	250
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,139	278	303	308	266	237	245	239	235	181	280	279	298
Arteriosclerosis and high blood pressure*—97,102	418	41	29	38	30	41	29	31	32	30	50	42	25
Pneumonia (all forms) and influenza—107-109,33	556	65	61	65	55	38	40	20	39	26	36	37	74
Bronchopneumonia—107	289	28	29	31	21	20	21	13	29	18	14	19	46
Lobar pneumonia—108	158	21	17	18	20	13	14	4	9	2	14	10	16
Pneumonia (unspecified)—109	35	7	2	5	2	1	4	3	1	2	3	3	2
Influenza—33	74	9	13	11	12	4	1	-	-	4	5	5	10
Ulcer of stomach or duodenum—117	105	8	11	10	11	9	7	4	9	3	9	10	14
Diarrhea, enteritis, etc.*—119,120	86	7	4	6	8	3	5	2	19	6	9	12	5
Appendicitis—121	56	2	2	2	7	9	4	6	8	6	4	3	3
Hernia and intestinal obstruction—122	161	15	15	12	12	11	10	16	16	20	12	8	14
Cirrhosis of the liver—124	124	15	6	14	9	4	9	10	10	6	19	13	9
Biliary calculi, etc.*—126,127	100	5	3	12	10	6	14	7	9	16	6	5	7
Nephritis—130-132	1,190	118	132	111	104	111	74	94	64	85	94	90	113
Diseases of the prostate—137	128	12	8	11	15	12	8	12	10	7	17	6	10
Diseases of pregnancy, etc.*—140-150	35	5	4	2	1	3	2	2	2	-	2	5	7
Puerperal septicemia—140,142a,145A,147	13	1	3	1	-	2	-	1	-	-	1	2	2
Puerperal toxemia—141a,c,144,148	10	1	-	-	-	1	1	1	-	-	-	2	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	12	3	1	1	1	-	1	-	2	-	1	1	1
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	225	22	18	11	17	15	23	16	23	22	18	25	15
Diseases peculiar to first year of life—158-161	668	47	46	27	56	46	49	72	70	61	66	60	68
Premature birth—159	388	33	19	16	39	23	25	39	40	34	34	36	50
Other diseases peculiar to first year of life—158,160,161	280	14	27	11	17	23	24	33	30	27	32	24	18
Suicide—163,164	208	15	15	22	28	15	19	18	15	18	15	13	15
Homicide—165-168	63	6	2	4	6	7	2	5	7	5	9	5	5
Accidental deaths—169-195	1,495	118	91	109	127	123	144	142	148	114	129	116	134
Motor-vehicle accidents—170	499	37	25	22	41	47	44	43	52	41	52	48	47
Other accidents—169,171-195	996	81	66	87	86	76	100	99	96	73	77	68	87
Senility, ill-defined and unknown causes—162,198,200	273	25	31	26	23	31	14	21	15	18	22	23	24
All other causes	1,086	99	85	120	86	101	88	82	92	59	78	90	106
KENTUCKY—All causes	28,050	2,738	2,459	2,576	2,335	2,260	2,130	2,148	2,180	2,154	2,424	2,177	2,469
Typhoid and paratyphoid fever—1,2	10	-	1	-	1	1	1	1	3	1	1	-	-
Cerebrospinal (meningococcus) meningitis—6	38	4	9	3	1	3	3	2	4	-	1	2	6
Scarlet fever—8	2	-	-	-	-	-	-	-	-	1	1	-	-
Whooping cough—9	57	6	9	8	6	4	7	1	8	-	3	3	2
Diphtheria—10	31	5	2	-	1	1	-	2	3	4	6	1	6
Tuberculosis (all forms)—13-22	1,290	138	107	118	98	122	101	88	106	81	104	92	135
Tuberculosis of respiratory system, etc.*—13	1,186	129	102	106	88	110	97	76	97	76	100	83	122
Tuberculosis (other forms)—14-22	104	9	5	12	10	12	4	12	9	5	4	9	13
Dysentery—27	67	4	4	2	1	2	2	6	13	19	6	2	6
Malaria—28	2	-	1	-	-	-	1	-	-	-	-	-	-
Syphilis—30	192	18	13	15	20	13	20	15	17	21	19	12	9
Measles—35	39	2	5	3	11	8	6	-	-	2	1	-	1
Poliomyelitis, polioencephalitis (acute)—36	10	-	-	-	-	-	-	-	3	4	2	1	-
Cancer and other malignant tumors—45-55	3,110	258	241	279	248	268	266	264	232	236	309	239	270
Cancer of the digestive organs and peritoneum—46	1,299	109	119	106	103	107	112	109	97	100	124	98	116
Cancer of female genital organs—48,49	457	39	34	41	39	35	39	39	36	33	46	34	42
Cancer of the breast—50	269	17	27	24	24	28	17	23	17	15	29	26	22
Cancer (other sites)—45,47,51-55	1,085	93	61	108	82	98	98	93	82	88	110	81	91
Acute rheumatic fever—58	18	3	2	2	2	2	1	-	3	-	1	1	1
Diabetes mellitus—61	469	44	42	42	33	41	36	25	31	28	52	41	53
Exophthalmic goiter—63b	38	3	7	6	3	1	1	1	4	4	3	2	3
Pellagra (except alcoholic)—69	13	-	1	1	1	1	1	1	-	2	2	1	2
Alcoholism (ethylism)—77	48	5	1	4	3	3	3	7	6	3	2	5	6
Intracranial lesions of vascular origin—83	2,780	259	239	247	229	259	216	243	210	218	225	209	226
Diseases of the heart—90-95	7,847	762	715	759	686	640	600	559	544	564	669	624	725
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	449	47	44	42	52	31	38	27	40	30	25	35	38
Diseases of coronary arteries and angina pectoris—94	2,363	222	228	223	212	174	169	170	169	181	214	186	215
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	5,035	493	443	494	422	435	393	362	335	353	430	403	472
Arteriosclerosis and high blood pressure*—97,102	609	57	46	46	51	40	43	35	57	59	55	61	59

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—Continued													
Pneumonia (all forms) and influenza----107-109,33	1,532	270	211	188	125	86	53	63	63	63	122	125	163
Bronchopneumonia----107	696	106	86	84	68	39	29	30	34	31	61	67	63
Lobar pneumonia----108	348	59	52	47	25	23	14	18	11	9	24	25	41
Pneumonia (unspecified)----109	308	51	43	33	23	16	8	11	16	16	28	23	40
Influenza----33	180	54	30	24	11	8	2	4	2	7	9	10	19
Ulcer of stomach or duodenum----117	119	9	12	10	11	11	12	12	7	7	10	5	13
Diarrhea, enteritis, etc.*----119,120	441	24	14	11	16	12	17	48	78	91	78	31	21
Appendicitis----121	76	1	5	10	7	3	7	7	6	8	6	7	9
Hernia and intestinal obstruction----122	177	18	14	19	17	16	7	6	12	18	20	12	18
Cirrhosis of the liver----124	194	19	7	13	19	18	13	15	22	16	17	17	18
Biliary calculi, etc.*----126,127	113	13	10	16	7	10	5	3	4	7	20	6	12
Nephritis----130-132	1,737	194	194	162	152	122	109	114	118	129	152	141	150
Diseases of the prostate----137	122	7	10	13	10	16	7	11	11	7	10	11	9
Diseases of pregnancy, etc.*----140-150	116	8	8	13	12	12	11	12	8	11	8	6	7
Puerperal septicemia----140,142a,145A,147	25	-	2	2	2	3	3	2	2	2	1	2	2
Puerperal toxemia----141a,c,144,148	41	2	2	7	3	5	2	5	-	4	5	3	3
Hemorrhage, trauma or shock*----141b,142b,143,146,149	40	5	3	4	6	2	4	3	5	4	1	1	2
Other puerperal causes----141d,e,f,145B,150	12	1	1	-	1	2	2	2	1	1	1	-	-
Congenital malformations----157	400	41	25	36	19	31	33	45	37	23	40	36	34
Diseases peculiar to first year of life----158-161	1,373	140	99	120	120	95	128	116	129	111	102	106	100
Premature birth----159	834	76	54	70	81	67	80	62	79	68	65	70	62
Other diseases peculiar to first year of life----158,160,161	539	64	44	50	47	28	48	54	50	43	37	36	38
Suicide----163,164	275	26	29	18	25	27	15	28	29	20	22	12	24
Homicide----165-168	313	20	27	33	25	26	29	24	29	26	31	20	23
Accidental deaths----169-195	2,138	168	157	179	172	183	196	193	191	195	150	168	188
Motor-vehicle accidents----170	727	44	48	55	63	69	55	62	59	79	59	69	65
Other accidents----169,171-195	1,411	124	109	124	109	114	141	131	132	116	91	99	121
Senility, ill-defined and unknown causes----162,199,200	638	69	65	58	56	52	58	49	47	51	50	40	45
All other causes----	1,617	143	128	142	139	131	124	152	145	124	124	138	127
LOUISIANA----All causes	23,561	2,452	2,349	2,112	1,856	1,895	1,881	1,856	1,805	1,632	1,866	1,831	2,026
Typhoid and paratyphoid fever----1,2	12	-	-	-	1	1	1	3	1	2	1	1	1
Cerebrospinal (meningococcus) meningitis----6	24	2	4	4	1	1	-	2	3	-	2	2	3
Scarlet fever----8	2	-	-	-	1	-	-	-	1	-	-	-	-
Whooping cough----9	38	8	3	5	3	3	2	1	1	5	4	1	2
Diphtheria----10	18	3	4	-	-	1	-	-	-	2	-	5	3
Tuberculosis (all forms)----13-22	947	81	104	101	69	92	88	72	68	72	66	60	74
Tuberculosis of respiratory system, etc.*----13	894	79	94	97	65	82	84	68	64	70	64	56	71
Tuberculosis (other forms)----14-22	53	2	10	4	4	10	4	4	4	2	2	4	3
Dysentery----27	12	1	-	-	3	1	-	2	1	1	1	1	1
Malaria----28	17	-	-	-	1	1	2	2	4	4	-	2	1
Syphilis----30	403	43	34	45	38	34	36	37	27	25	28	28	28
Measles----35	15	2	3	1	2	1	2	-	-	-	1	1	2
Poliomyelitis, polioencephalitis (acute)----36	17	-	-	-	2	1	1	2	3	3	1	3	1
Cancer and other malignant tumors----45-55	2,751	237	227	212	208	251	223	235	223	225	239	243	228
Cancer of the digestive organs and peritoneum----46	1,061	84	85	81	86	102	78	88	96	98	84	79	100
Cancer of female genital organs----48,49	386	40	32	37	31	27	20	40	24	29	32	37	37
Cancer of the breast----50	211	19	32	11	11	18	18	15	21	14	20	19	13
Cancer (other sites)----45,47,51-55	1,093	94	78	83	80	104	107	92	82	84	103	108	78
Acute rheumatic fever----58	15	2	6	-	-	-	-	2	1	1	1	1	1
Diabetes mellitus----61	455	49	43	37	35	29	47	31	28	30	46	39	41
Exophthalmic goiter----63b	26	3	3	1	-	4	4	2	2	2	-	5	-
Pellagra (except alcoholic)----69	15	-	1	1	2	3	-	-	-	1	4	1	2
Alcoholism (ethylism)----77	18	-	4	2	2	3	2	2	1	-	-	-	2
Intracranial lesions of vascular origin----83	1,962	212	187	184	165	149	141	145	147	140	148	162	182
Diseases of the heart----90-95	7,293	814	777	656	598	539	583	542	541	480	554	549	660
Chronic rheumatic diseases of the heart----90a,92b,c,93c,95b	256	37	23	32	24	19	11	26	13	12	24	13	22
Diseases of coronary arteries and angina pectoris----94	1,615	208	159	153	155	151	133	136	147	120	134	150	169
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	5,222	569	595	471	419	369	439	380	381	348	396	386	469
Arteriosclerosis and high blood pressure*----97,102	267	23	26	23	19	26	19	26	22	15	20	21	27
Pneumonia (all forms) and influenza----107-109,33	1,289	210	215	171	101	83	58	76	56	47	81	86	105
Bronchopneumonia----107	696	109	112	80	51	46	35	53	37	31	43	49	50
Lobar pneumonia----108	308	55	40	41	20	19	15	15	15	12	24	19	33
Pneumonia (unspecified)----109	88	9	16	10	5	6	5	7	1	-	9	8	12
Influenza----33	197	37	47	40	25	12	3	1	3	4	5	10	10
Ulcer of stomach or duodenum----117	104	11	13	5	9	8	12	9	4	10	8	11	4
Diarrhea, enteritis, etc.*----119,120	154	17	17	4	3	16	15	8	12	11	22	14	15
Appendicitis----121	71	7	7	1	3	9	11	10	10	4	5	2	2
Hernia and intestinal obstruction----122	162	22	12	16	5	17	8	17	16	12	12	14	11
Cirrhosis of the liver----124	186	17	26	16	17	12	11	24	8	17	10	8	20
Biliary calculi, etc.*----126,127	78	7	6	10	5	3	9	9	7	5	4	10	3
Nephritis----130-132	1,411	156	158	141	102	115	111	108	90	98	104	98	130
Diseases of the prostate----137	93	8	7	8	7	9	3	4	8	8	16	7	8
Diseases of pregnancy, etc.*----140-150	121	11	15	9	13	7	12	18	7	8	7	3	11
Puerperal septicemia----140,142a,145A,147	30	1	4	2	4	2	2	5	3	1	1	2	3
Puerperal toxemia----141a,c,144,148	45	3	8	4	6	4	7	4	2	2	2	-	3
Hemorrhage, trauma or shock*----141b,142b,143,146,149	35	7	3	2	2	1	1	8	-	2	4	-	5
Other puerperal causes----141d,e,f,145B,150	11	-	-	1	1	-	2	1	2	3	-	1	-
Congenital malformations----157	324	31	22	22	16	37	27	31	15	24	36	33	30
Diseases peculiar to first year of life----158-161	1,505	125	103	112	134	140	127	115	161	131	135	108	112
Premature birth----159	951	73	63	75	87	94	77	78	107	80	86	63	68
Other diseases peculiar to first year of life----158,160,161	552	52	40	37	47	46	50	37	54	51	49	45	44
Suicide----163,164	154	9	13	14	13	17	15	15	10	7	17	11	13
Homicide----165-168	232	9	19	21	23	21	20	19	23	17	21	10	29
Accidental deaths----169-195	1,588	165	117	118	134	136	135	137	139	111	122	145	129
Motor-vehicle accidents----170	504	46	34	33	34	45	47	46	47	39	41	57	35
Other accidents----169,171-195	1,084	119	83	85	100	91	88	91	92	72	81	88	94
Senility, ill-defined and unknown causes----162,199,200	428	48	47	40	28	26	42	37	33	26	30	38	33
All other causes----	1,356	119	126	132	93	99	114	113	132	88	120	108	112

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE—All causes	9,958	890	955	967	887	891	786	773	748	658	827	750	826
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	4	-	-	1	-	-	2	1	-	-	-	-	-
Scarlet fever—8	3	1	-	-	-	1	-	-	-	-	-	-	1
Whooping cough—9	5	-	-	-	3	-	-	-	1	-	-	1	-
Diphtheria—10	3	-	-	-	-	2	1	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	197	19	21	19	11	14	17	22	13	17	18	9	17
Tuberculosis of respiratory system, etc.*—13	178	18	18	19	10	14	13	19	13	16	15	6	17
Tuberculosis (other forms)—14-22	19	1	3	-	1	-	4	3	-	1	3	3	-
Dysentery—27	2	-	-	-	-	1	1	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	46	4	1	6	7	2	4	2	4	4	1	4	7
Measles—35	6	-	-	-	-	-	1	-	-	2	-	1	2
Poliomyelitis, polioencephalitis (acute)—36	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer and other malignant tumors—45-55	1,472	117	124	129	117	115	123	118	130	100	140	121	138
Cancer of the digestive organs and peritoneum—46	666	45	59	53	54	63	48	51	53	49	68	54	69
Cancer of female genital organs—48,49	182	12	19	11	17	9	17	19	17	12	18	16	15
Cancer of the breast—50	151	13	14	10	7	10	12	5	13	6	10	18	13
Cancer (other sites)—45,47,51-55	493	47	32	55	39	33	46	43	47	33	44	33	41
Acute rheumatic fever—58	3	-	-	1	1	-	-	-	-	-	1	-	-
Diabetes mellitus—61	244	25	18	25	25	16	19	21	24	16	22	13	20
Exophthalmic goiter—63b	7	-	2	1	1	-	-	1	1	-	-	-	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	24	2	3	-	4	-	1	1	2	1	4	2	4
Intracranial lesions of vascular origin—83	1,056	116	102	97	85	94	86	82	76	72	70	83	93
Diseases of the heart—90-95	3,367	309	317	329	318	307	272	257	216	220	297	250	275
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	177	15	18	20	14	11	18	15	8	7	18	17	16
Diseases of coronary arteries and angina pectoris—94	1,304	124	111	114	129	117	95	106	79	104	107	109	109
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,886	170	188	195	175	179	161	136	129	109	172	124	148
Arteriosclerosis and high blood pressure*—97,102	244	32	16	26	20	18	19	20	16	12	21	27	17
Pneumonia (all forms) and influenza—107-109,33	428	45	60	67	57	45	24	19	16	20	22	22	31
Bronchopneumonia—107	224	22	35	35	22	23	13	15	10	10	11	11	17
Lobar pneumonia—108	129	18	13	18	21	17	6	3	6	5	7	6	9
Pneumonia (unspecified)—109	34	2	5	7	7	1	-	-	-	2	4	4	2
Influenza—33	41	3	7	7	7	4	5	1	-	3	-	1	3
Ulcer of stomach or duodenum—117	58	3	6	10	3	5	5	4	6	2	7	3	4
Diarrhea, enteritis, etc.*—119,120	51	3	5	4	1	5	2	5	5	4	8	3	6
Appendicitis—121	22	-	2	1	3	2	1	3	3	-	3	2	2
Hernia and intestinal obstruction—122	65	8	6	4	11	8	6	4	5	5	4	2	2
Cirrhosis of the liver—124	80	7	8	8	11	8	5	7	2	5	5	4	10
Biliary calculi, etc.*—126,127	27	1	3	1	1	1	3	3	3	5	-	2	4
Nephritis—130-132	548	44	62	56	47	51	52	42	40	35	42	40	37
Diseases of the prostate—137	46	4	3	3	5	2	1	4	9	3	5	5	2
Diseases of pregnancy, etc.*—140-150	18	-	4	1	1	2	1	-	2	1	2	1	3
Puerperal septicemia—140,142a,145A,147	6	-	1	1	1	-	-	-	-	-	1	1	1
Puerperal toxemia—141a,c,144,148	6	-	1	-	-	-	1	-	2	1	-	-	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	5	-	1	-	-	2	-	-	-	-	1	-	1
Other puerperal causes—141d,e,f,145B,150	1	-	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	140	12	17	16	13	10	5	8	13	7	11	12	16
Diseases peculiar to first year of life—158-161	353	29	32	23	26	47	32	37	25	24	29	22	27
Premature birth—159	190	19	18	11	11	27	14	18	10	16	18	13	15
Other diseases peculiar to first year of life—158,160,161	163	10	14	12	15	20	18	19	15	8	11	9	12
Suicide—163,164	120	10	11	9	6	13	9	13	9	13	9	7	11
Homicide—165-168	15	5	-	-	-	2	-	1	1	3	-	2	1
Accidental deaths—169-195	582	34	52	43	46	65	48	49	59	37	53	54	42
Motor-vehicle accidents—170	173	7	17	11	10	24	11	14	20	12	20	13	14
Other accidents—169,171-195	409	27	35	32	36	41	37	35	39	25	33	41	28
Senility, ill-defined and unknown causes—162,199,200	162	13	22	19	14	14	8	9	16	6	12	13	16
All other causes	559	47	58	68	50	41	38	40	50	44	41	45	37
MARYLAND—All causes	22,440	2,153	2,038	2,024	1,852	1,891	1,800	1,745	1,832	1,579	1,806	1,739	1,981
Typhoid and paratyphoid fever—1,2	5	-	-	-	1	-	1	-	-	-	1	1	1
Cerebrospinal (meningococcus) meningitis—6	9	2	1	1	1	1	-	-	-	-	-	1	2
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	3	-	1	-	-	-	2	-	-	-	-	-
Diphtheria—10	9	2	1	-	2	1	-	-	-	-	1	1	1
Tuberculosis (all forms)—13-22	1,010	95	96	93	81	69	80	96	82	86	82	74	76
Tuberculosis of respiratory system, etc.*—13	955	92	91	90	75	67	74	91	78	81	78	72	66
Tuberculosis (other forms)—14-22	55	3	5	3	6	2	6	5	4	5	4	2	10
Dysentery—27	4	-	-	2	-	-	-	-	-	-	2	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	275	19	29	25	25	22	21	29	26	19	21	15	24
Measles—35	8	-	-	-	2	2	-	2	1	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	11	-	-	1	-	1	-	1	1	3	2	2	-
Cancer and other malignant tumors—45-55	2,984	260	257	230	232	277	210	244	269	258	228	246	273
Cancer of the digestive organs and peritoneum—46	1,179	103	91	86	98	104	92	100	108	109	75	102	111
Cancer of female genital organs—48,49	392	31	33	24	29	40	32	39	34	33	33	31	33
Cancer of the breast—50	319	26	34	22	18	38	19	23	30	24	26	30	29
Cancer (other sites)—45,47,51-55	1,094	100	99	98	87	95	67	82	97	92	94	83	100
Acute rheumatic fever—58	13	1	1	2	-	1	3	-	1	2	-	1	1
Diabetes mellitus—61	657	84	84	67	49	57	56	52	50	46	42	52	58
Exophthalmic goiter—63b	25	-	3	1	3	7	1	1	4	1	1	1	2
Pellagra (except alcoholic)—69	3	1	1	-	-	-	-	-	1	-	-	-	-
Alcoholism (ethylism)—77	59	6	7	5	5	6	1	1	9	3	6	5	5
Intracranial lesions of vascular origin—83	1,702	178	167	138	138	132	146	118	143	99	146	138	159
Diseases of the heart—90-95	7,897	776	724	703	659	671	634	569	564	471	628	584	716
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	368	38	29	40	37	34	30	20	24	23	32	25	36
Diseases of coronary arteries and angina pectoris—94	2,079	217	192	163	174	185	174	156	165	133	156	163	201
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	5,250	521	503	500	448	452	430	393	375	315	438	396	479
Arteriosclerosis and high blood pressure*—97,102	395	35	33	52	31	33	37	28	26	28	29	30	33

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—Continued													
Pneumonia (all forms) and influenza---107-109,33	751	114	98	95	68	53	27	27	52	52	41	55	69
Bronchopneumonia---107	356	53	42	35	33	29	10	10	27	23	22	19	33
Lobar pneumonia---108	331	51	46	49	28	18	14	13	19	23	15	25	30
Pneumonia (unspecified)---109	51	6	5	5	5	4	2	3	5	4	2	5	5
Influenza---33	33	4	5	6	2	2	1	1	1	2	2	6	1
Ulcer of stomach or duodenum---117	115	7	14	11	10	6	12	11	9	9	10	11	5
Diarrhea, enteritis, etc.*---119,120	66	6	2	3	4	8	4	5	7	7	11	2	7
Appendicitis---121	40	1	4	2	4	2	8	10	1	2	3	-	3
Hernia and intestinal obstruction---122	137	13	5	15	14	8	16	15	6	10	13	10	12
Cirrhosis of the liver---124	282	24	17	20	24	22	20	21	31	18	34	25	26
Biliary calculi, etc.*---126,127	66	4	4	10	3	9	6	6	6	6	6	1	5
Nephritis---130-132	1,657	176	155	146	148	160	129	121	135	111	113	129	134
Diseases of the prostate---137	98	6	13	8	10	3	11	8	10	9	8	10	2
Diseases of pregnancy, etc.*---140-150	49	7	3	6	2	8	6	6	4	2	1	2	2
Puerperal septicemia---140,142a,145A,147	18	2	1	3	-	3	3	1	2	1	-	1	1
Puerperal toxemia---141a,c,144,148	8	1	-	1	1	-	2	1	1	-	1	-	-
Hemorrhage, trauma or shock*---141b,142b,143,146,149	18	2	1	2	1	4	1	3	1	1	-	1	1
Other puerperal causes---141d,e,f,145B,150	5	2	1	-	-	1	-	1	-	-	-	-	-
Congenital malformations---157	307	42	25	29	23	16	23	18	27	22	25	29	28
Diseases peculiar to first year of life---158-161	878	65	65	73	67	72	68	91	71	77	80	71	78
Premature birth---159	545	38	39	49	44	43	43	61	48	49	49	43	39
Other diseases peculiar to first year of life---158,160,161	333	27	26	24	23	29	25	30	23	28	31	28	39
Suicide---163,164	320	27	27	30	33	22	19	19	33	24	28	25	33
Homicide---165-168	176	10	11	20	11	20	15	18	13	20	12	12	14
Accidental deaths---169-195	1,337	96	106	116	97	95	122	112	139	102	138	103	111
Motor-vehicle accidents---170	413	31	18	26	28	37	41	37	43	29	48	35	40
Other accidents---169,171-195	924	65	88	90	69	58	81	75	96	73	90	68	71
Senility, ill-defined and unknown causes---162,199,200	87	8	3	3	10	5	6	10	10	4	9	2	17
All other causes	1,202	105	102	116	95	102	118	104	101	88	87	101	83
MASSACHUSETTS---All causes	52,611	5,195	4,705	4,824	4,450	4,378	4,318	3,770	4,420	3,678	4,143	4,114	4,618
Typhoid and paratyphoid fever---1,2	4	-	-	-	1	-	-	-	2	-	1	-	-
Cerebrospinal (meningococcus) meningitis---6	25	3	1	2	-	1	1	2	5	3	2	3	2
Scarlet fever---8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough---9	12	4	3	1	2	-	-	-	-	2	-	-	-
Diphtheria---10	30	4	2	2	2	3	1	1	1	-	5	2	7
Tuberculosis (all forms)---13-22	1,373	114	120	112	124	138	115	118	119	91	95	110	117
Tuberculosis of respiratory system, etc.*---13	1,277	105	113	106	108	129	108	111	112	83	90	105	107
Tuberculosis (other forms)---14-22	96	9	7	6	16	9	7	7	7	8	5	5	10
Dysentery---27	25	5	2	-	2	3	6	1	3	1	1	1	-
Malaria---28	3	1	-	1	-	-	-	-	-	-	-	-	1
Syphilis---30	258	16	22	26	25	19	26	16	24	16	20	25	23
Measles---35	18	2	2	2	2	1	3	2	4	-	-	-	-
Poliomyelitis, polioencephalitis (acute)---36	6	-	-	-	-	-	-	1	5	-	-	-	-
Cancer and other malignant tumors---45-55	8,487	776	692	742	706	732	731	683	706	628	698	710	703
Cancer of the digestive organs and peritoneum---46	3,871	347	318	335	319	301	344	317	324	288	334	315	329
Cancer of female genital organs---48,49	818	75	71	69	73	62	69	63	75	64	53	79	65
Cancer of the breast---50	926	95	73	78	76	99	75	70	73	74	66	72	75
Cancer (other sites)---45,47,51-55	2,872	259	230	260	238	270	243	213	234	202	245	244	234
Acute rheumatic fever---58	15	3	3	1	2	3	-	-	1	-	2	-	-
Diabetes mellitus---61	1,703	151	166	165	148	143	145	127	130	117	131	140	140
Exophthalmic goiter---63b	45	5	4	3	3	4	5	-	5	7	4	4	1
Pellagra (except alcoholic)---69	2	-	-	-	-	-	1	-	-	-	1	-	-
Alcoholism (ethylism)---77	128	6	9	13	7	10	14	18	12	9	8	11	13
Intracranial lesions of vascular origin---83	4,879	522	403	439	427	387	380	345	454	350	359	411	402
Diseases of the heart---90-85	20,419	2,112	1,930	1,899	1,710	1,691	1,615	1,443	1,673	1,430	1,598	1,525	1,793
Chronic rheumatic diseases of the heart---90a,92b,c,93c,95b	991	107	93	83	73	72	73	78	71	72	88	73	108
Diseases of coronary arteries and angina pectoris---94	6,498	661	585	591	515	535	538	459	500	477	507	540	590
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	12,930	1,344	1,252	1,225	1,122	1,084	1,004	906	1,102	881	1,003	912	1,095
Arteriosclerosis and high blood pressure*---97,102	965	92	84	90	85	83	88	60	82	66	58	75	102
Pneumonia (all forms) and influenza---107-109,33	1,844	232	207	209	168	140	137	83	107	108	133	133	187
Bronchopneumonia---107	1,171	144	127	108	104	83	90	60	80	77	93	87	118
Lobar pneumonia---108	510	74	58	75	53	45	36	17	18	23	32	31	46
Pneumonia (unspecified)---109	116	9	12	14	8	10	9	6	8	8	3	13	16
Influenza---33	47	5	10	12	3	2	2	-	1	-	5	2	5
Ulcer of stomach or duodenum---117	370	30	24	38	28	43	30	21	26	29	36	30	35
Diarrhea, enteritis, etc.*---119,120	155	18	17	9	14	17	8	8	12	14	9	11	18
Appendicitis---121	109	11	12	8	10	9	10	8	13	8	9	6	5
Hernia and intestinal obstruction---122	343	28	24	32	24	29	28	17	31	19	38	34	39
Cirrhosis of the liver---124	737	63	59	65	55	69	69	53	57	51	63	55	78
Biliary calculi, etc.*---126,127	242	22	16	23	28	21	30	18	25	12	13	14	20
Nephritis---130-132	1,980	215	182	222	170	144	165	108	162	122	145	152	173
Diseases of the prostate---137	206	15	12	17	11	24	22	14	16	13	30	13	19
Diseases of pregnancy, etc.*---140-150	73	6	4	3	8	6	6	8	8	6	5	4	9
Puerperal septicemia---140,142a,145A,147	27	1	2	1	2	2	3	1	4	2	4	2	3
Puerperal toxemia---141a,c,144,148	13	3	-	1	-	2	1	1	1	1	-	1	2
Hemorrhage, trauma or shock*---141b,142b,143,146,149	24	-	2	1	4	-	2	5	1	3	1	1	4
Other puerperal causes---141d,e,f,145B,150	9	2	-	-	2	2	-	1	2	-	-	-	-
Congenital malformations---157	539	62	60	72	65	42	50	41	61	40	50	38	58
Diseases peculiar to first year of life---158-161	1,574	150	131	141	135	128	146	133	135	105	135	107	128
Premature birth---159	992	86	75	84	87	81	100	779	93	67	78	73	89
Other diseases peculiar to first year of life---158,160,161	582	64	56	57	48	47	46	54	42	38	57	34	39
Suicide---163,164	478	36	29	39	38	39	41	52	39	26	52	49	38
Homicide---165-168	64	8	8	9	7	1	2	7	7	6	3	5	1
Accidental deaths---169-195	2,682	215	213	215	220	215	204	231	261	191	215	238	264
Motor-vehicle accidents---170	520	26	31	24	45	36	32	42	62	48	55	53	66
Other accidents---169,171-195	2,162	189	182	191	175	179	172	189	199	143	160	185	198
Senility, ill-defined and unknown causes---162,199,200	167	21	14	14	14	19	13	8	9	15	11	15	14
All other causes	2,570	246	250	210	209	214	226	165	225	191	213	193	228

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	56,786	5,043	4,764	4,990	4,819	4,847	4,558	4,492	4,706	4,219	4,644	4,608	5,096
Typhoid and paratyphoid fever—1,2	5	-	-	1	-	1	-	-	1	1	1	-	-
Cerebrospinal (meningococcus) meningitis—6	34	4	5	4	6	3	3	1	-	-	1	3	4
Scarlet fever—8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	9	-	5	-	1	1	-	-	-	2	-	-	-
Diphtheria—10	8	1	-	1	-	-	-	1	1	1	1	1	1
Tuberculosis (all forms)—13-22	1,590	133	134	125	147	144	131	146	154	108	113	122	133
Tuberculosis of respiratory system, etc.*—13	1,423	120	120	111	130	123	124	126	138	101	103	110	117
Tuberculosis (other forms)—14-22	167	13	14	14	17	21	7	20	16	7	10	12	16
Dysentery—27	16	-	2	-	5	-	1	-	1	3	3	-	1
Malaria—28	2	-	-	-	-	-	1	1	-	-	-	-	-
Syphilis—30	502	50	43	48	41	39	37	44	27	52	52	37	34
Measles—35	41	3	2	5	12	8	7	3	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	55	-	1	-	-	-	2	5	12	13	14	6	2
Cancer and other malignant tumors—45-55	8,004	622	625	704	657	663	646	671	691	662	672	655	736
Cancer of the digestive organs and peritoneum—46	3,425	282	273	282	310	294	290	273	287	284	261	284	305
Cancer of female genital organs—48,49	968	85	83	91	73	75	57	82	73	97	91	69	92
Cancer of the breast—50	773	61	58	81	45	62	71	59	64	53	68	71	80
Cancer (other sites)—45,47,51-55	2,838	194	211	250	229	232	228	257	267	228	252	231	259
Acute rheumatic fever—58	24	-	1	3	1	3	2	4	3	-	2	3	2
Diabetes mellitus—61	1,761	162	148	146	155	127	131	143	150	127	163	148	161
Exophthalmic goiter—63b	121	11	10	19	10	9	9	6	14	8	10	6	9
Pellagra (except alcoholic)—69	6	1	-	-	-	1	-	1	-	1	1	1	-
Alcoholism (ethylism)—77	44	2	3	1	1	4	6	8	3	5	4	4	3
Intracranial lesions of vascular origin—83	5,240	518	446	500	465	463	387	403	419	386	404	396	451
Diseases of the heart—90-95	18,771	1,739	1,633	1,687	1,582	1,668	1,521	1,471	1,470	1,270	1,526	1,511	1,693
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	895	62	88	87	94	91	67	63	89	52	89	64	69
Diseases of coronary arteries and angina pectoris—94	7,352	691	611	610	602	671	560	565	585	536	600	645	676
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	10,524	986	934	990	886	906	894	843	796	682	857	802	948
Arteriosclerosis and high blood pressure*—97,102	1,175	109	96	106	103	101	100	88	104	88	86	90	104
Pneumonia (all forms) and influenza—107-109,33	1,916	242	206	190	173	145	115	86	105	122	138	187	205
Bronchopneumonia—107	980	104	82	89	88	60	55	46	48	63	62	84	98
Lobar pneumonia—108	672	87	72	59	51	60	39	29	36	42	54	68	75
Pneumonia (unspecified)—109	290	36	39	32	29	20	18	12	16	16	16	29	27
Influenza—33	74	15	13	10	5	5	3	1	5	1	6	6	4
Ulcer of stomach or duodenum—117	338	26	32	39	28	24	25	23	29	27	30	22	33
Diarrhea, enteritis, etc.*—119,120	333	42	30	32	31	37	27	26	19	27	22	19	21
Appendicitis—121	169	18	12	7	17	11	20	18	15	6	15	12	18
Hernia and intestinal obstruction—122	400	30	41	33	27	37	37	47	42	26	28	26	26
Cirrhosis of the liver—124	773	55	71	57	58	63	64	63	80	64	75	73	50
Biliary calculi, etc.*—126,127	261	17	20	29	15	21	19	23	22	17	26	27	25
Nephritis—130-132	2,479	234	241	221	182	217	209	162	208	177	194	204	220
Diseases of the prostate—137	243	20	20	19	24	22	24	13	20	18	26	17	20
Diseases of pregnancy, etc.*—140-150	118	10	8	8	5	11	16	15	10	7	12	7	9
Puerperal septicemia—140,142a,145A,147	35	1	-	2	1	5	6	3	2	2	6	3	4
Puerperal toxemia—141a,c,144,148	29	1	2	-	3	4	3	5	4	-	4	1	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	49	7	8	6	1	2	7	6	3	5	1	2	3
Other puerperal causes—141d,e,f,145B,150	5	1	-	-	-	-	-	1	1	-	1	1	-
Congenital malformations—157	944	83	72	97	88	80	54	68	77	79	88	80	78
Diseases peculiar to first year of life—158-161	2,677	217	206	204	241	237	244	211	231	213	252	196	225
Premature birth—159	1,834	143	133	143	164	164	178	145	166	133	164	140	159
Other diseases peculiar to first year of life—158,160,161	843	74	73	61	77	73	66	66	65	80	88	56	66
Suicide—163,164	647	44	45	55	72	49	57	57	52	49	56	52	59
Homicide—165-169	211	14	11	17	13	16	19	16	18	23	22	21	21
Accidental deaths—169-195	4,090	304	260	300	300	334	338	387	391	340	318	383	415
Motor-vehicle accidents—170	1,605	97	77	104	106	132	129	151	154	152	126	179	198
Other accidents—169,171-195	2,485	207	203	196	194	202	209	236	237	188	192	204	217
Senility, ill-defined and unknown causes—162,199,200	571	37	51	49	57	48	42	35	49	47	49	56	51
All other causes	3,207	294	264	285	292	260	264	244	288	247	240	243	286
MINNESOTA—All causes	27,400	2,614	2,385	2,398	2,253	2,421	2,131	2,379	2,137	1,955	2,242	2,207	2,280
Typhoid and paratyphoid fever—1,2	4	-	1	-	-	-	-	-	1	2	-	-	-
Cerebrospinal (meningococcus) meningitis—6	12	2	-	-	-	2	-	-	-	1	2	3	2
Scarlet fever—8	3	-	-	-	-	-	1	-	-	-	-	2	-
Whooping cough—9	14	3	3	2	1	1	1	1	2	-	-	-	-
Diphtheria—10	16	2	1	1	2	2	-	1	2	-	3	2	-
Tuberculosis (all forms)—13-22	492	47	47	31	40	43	52	54	40	34	34	43	27
Tuberculosis of respiratory system, etc.*—13	444	39	42	30	37	41	47	46	36	31	31	38	26
Tuberculosis (other forms)—14-22	48	8	5	1	3	2	5	8	4	3	3	5	1
Dysentery—27	2	-	-	-	-	-	1	-	-	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	135	13	15	7	9	18	6	13	14	8	7	11	14
Measles—35	11	2	2	1	-	2	2	1	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute)—36	106	-	-	1	1	3	1	4	18	32	28	13	5
Cancer and other malignant tumors—45-55	4,253	412	306	374	341	392	345	398	363	317	355	333	318
Cancer of the digestive organs and peritoneum—46	1,979	201	130	183	166	192	162	173	168	158	158	148	140
Cancer of female genital organs—48,49	379	35	23	34	29	29	33	40	39	31	31	33	22
Cancer of the breast—50	418	38	34	32	24	36	36	49	33	28	37	31	40
Cancer (other sites)—45,47,51-55	1,477	138	118	125	122	135	114	136	123	100	129	121	116
Acute rheumatic fever—58	13	1	-	-	3	-	2	3	1	-	1	1	1
Diabetes mellitus—61	775	78	79	69	76	68	48	53	60	48	53	69	64
Exophthalmic goiter—63b	48	4	1	7	5	7	4	4	2	3	3	3	5
Pellagra (except alcoholic)—69	2	-	1	-	-	-	-	-	-	1	-	-	-
Alcoholism (ethylism)—77	36	3	3	2	4	2	6	4	3	-	3	3	3
Intracranial lesions of vascular origin—83	2,918	270	248	269	230	245	229	267	219	201	250	247	243
Diseases of the heart—90-95	8,909	840	835	823	751	775	894	710	673	602	712	703	791
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	449	44	52	39	37	38	45	39	35	23	34	37	26
Diseases of coronary arteries and angina pectoris—94	4,107	380	365	383	281	355	314	312	300	293	363	339	412
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,353	416	418	401	423	382	335	359	338	286	315	327	353
Arteriosclerosis and high blood pressure*—97,102	748	64	76	47	60	71	61	69	64	44	86	60	64

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—Continued													
Pneumonia (all forms) and influenza—107-109,33	1,083	158	141	127	102	86	62	65	50	52	79	73	88
Bronchopneumonia—107	630	89	83	71	58	50	36	43	29	30	54	40	47
Lobar pneumonia—108	287	46	36	33	29	21	18	13	17	11	15	22	26
Pneumonia (unspecified)—109	105	11	8	14	10	11	4	8	4	10	8	6	9
Influenza—33	63	12	14	9	5	4	4	1	-	1	2	5	6
Ulcer of stomach or duodenum—117	182	17	17	21	12	11	18	11	8	10	17	18	22
Diarrhea, enteritis, etc.*—119,120	75	11	4	7	12	6	5	7	3	3	5	7	5
Appendicitis—121	70	7	9	6	6	6	4	12	5	3	2	4	6
Hernia and intestinal obstruction—122	177	13	16	21	8	14	10	18	14	16	14	20	13
Cirrhosis of the liver—124	248	20	23	25	23	16	24	19	21	18	16	24	19
Biliary calculi, etc.*—126,127	160	20	16	20	14	18	13	12	10	6	14	3	14
Nephritis—130-132	811	91	78	77	55	71	59	68	49	61	65	72	65
Diseases of the prostate—137	148	16	10	15	12	9	19	11	9	14	7	11	15
Diseases of pregnancy, etc.*—140-150	48	4	-	2	5	4	3	6	4	4	5	6	5
Puerperal septicemia—140,142a,145A,147	17	1	-	2	1	1	1	3	1	-	2	3	2
Puerperal toxemia—141a,c,144,148	13	2	-	-	3	1	-	-	1	3	2	-	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	11	-	-	-	-	-	1	2	2	1	1	3	1
Other puerperal causes—141d,e,f,145B,150	7	1	-	-	1	2	1	1	-	-	-	-	1
Congenital malformations—157	433	36	36	37	37	34	32	33	27	34	39	47	41
Diseases peculiar to first year of life—158-161	1,177	105	84	85	90	129	100	111	88	101	86	87	111
Premature birth—159	717	65	52	58	54	86	67	64	58	53	49	54	77
Other diseases peculiar to first year of life—158,160,161	460	40	32	47	36	43	33	47	30	48	37	33	34
Suicide—163,164	336	30	24	25	27	30	28	30	33	25	22	31	31
Homicide—165-168	55	4	2	5	1	5	2	8	6	3	6	7	6
Accidental deaths—169-195	1,947	155	121	110	148	179	159	220	190	181	190	146	148
Motor-vehicle accidents—170	593	34	28	30	45	53	46	66	60	68	73	49	40
Other accidents—169,171-195	1,354	121	93	80	102	126	113	154	130	113	117	97	108
Senility, ill-defined and unknown causes—162,199,200	282	22	31	22	27	28	15	27	26	19	19	25	23
All other causes	1,673	164	156	157	151	144	125	139	132	112	129	134	130
MISSISSIPPI—All causes	20,296	1,993	1,958	1,880	1,604	1,634	1,605	1,576	1,486	1,471	1,646	1,625	1,818
Typhoid and paratyphoid fever—1,2	2	-	-	-	-	-	-	-	1	-	-	-	1
Cerebrospinal (meningococcus) meningitis—6	19	1	1	2	3	2	-	1	-	2	2	2	3
Scarlet fever—8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	30	1	3	3	4	3	6	1	3	-	1	1	4
Diphtheria—10	15	-	1	-	1	1	-	-	2	2	3	2	3
Tuberculosis (all forms)—13-22	666	44	54	64	61	68	40	56	42	47	56	45	69
Tuberculosis of respiratory system, etc.*—13	623	41	50	60	77	65	34	53	37	46	51	40	69
Tuberculosis (other forms)—14-22	43	3	4	4	4	3	6	3	5	1	5	5	-
Dysentery—27	30	1	2	1	4	2	1	3	4	2	3	7	-
Malaria—28	10	-	1	-	1	2	-	2	2	1	1	-	-
Syphilis—30	209	15	28	23	17	20	20	17	12	19	10	12	16
Measles—35	26	4	3	5	4	1	-	3	3	-	1	-	2
Poliomyelitis, polioencephalitis (acute)—36	6	-	-	-	-	1	2	1	1	1	-	-	-
Cancer and other malignant tumors—45-55	1,912	164	151	186	159	164	167	166	175	173	147	148	154
Cancer of the digestive organs and peritoneum—46	794	71	60	77	67	62	77	77	73	68	55	49	58
Cancer of female genital organs—48,49	295	26	20	27	24	23	24	23	22	31	26	24	25
Cancer of the breast—50	149	12	10	14	6	13	11	11	18	13	11	14	15
Cancer (other sites)—45,47,51-55	675	55	41	68	42	66	55	55	62	61	55	59	56
Acute rheumatic fever—58	25	4	2	6	1	3	2	1	1	2	1	1	1
Diabetes mellitus—61	315	34	41	28	28	34	24	14	14	11	27	31	29
Exophthalmic goiter—63b	16	1	1	-	2	1	-	3	3	2	-	1	2
Pellagra (except alcoholic)—69	29	2	3	3	1	5	5	4	2	1	1	1	1
Alcoholism (ethylism)—77	20	1	1	-	2	-	1	1	1	1	5	2	5
Intracranial lesions of vascular origin—83	1,984	207	195	159	144	161	159	153	151	158	173	168	156
Diseases of the heart—90-95	4,384	421	441	407	363	364	327	318	310	325	337	377	394
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	305	28	32	21	33	27	24	19	19	25	29	25	23
Diseases of coronary arteries and angina pectoris—94	1,181	123	122	101	93	93	69	91	85	94	99	104	107
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,898	270	287	285	237	244	234	208	206	206	209	248	284
Arteriosclerosis and high blood pressure*—97,102	254	19	18	26	22	31	19	17	17	16	31	19	19
Pneumonia (all forms) and influenza—107-109,33	974	159	152	146	78	44	49	43	48	42	46	72	95
Bronchopneumonia—107	318	51	37	39	24	13	16	20	20	20	20	24	34
Lobar pneumonia—108	313	45	52	42	20	14	23	17	14	12	17	29	28
Pneumonia (unspecified)—109	83	11	7	11	7	7	3	3	8	7	4	8	7
Influenza—33	260	52	56	54	27	10	7	3	6	3	5	11	26
Ulcer of stomach or duodenum—117	70	6	7	8	5	4	7	6	3	3	4	6	11
Diarrhea, enteritis, etc.*—119,120	129	7	10	4	3	5	21	15	14	19	18	6	7
Appendicitis—121	77	10	8	7	5	2	9	9	6	7	9	1	2
Hernia and intestinal obstruction—122	152	11	13	13	11	15	16	13	16	10	18	10	6
Cirrhosis of the liver—124	103	9	16	7	8	6	14	5	5	7	8	6	12
Biliary calculi, etc.*—126,127	40	5	5	1	2	6	2	5	2	2	4	3	3
Nephritis—130-132	1,645	165	163	175	138	129	134	124	118	118	133	112	136
Diseases of the prostate—137	99	10	9	9	8	8	5	9	8	7	10	10	6
Diseases of pregnancy, etc.*—140-150	169	19	16	17	9	14	13	17	19	20	3	10	12
Puerperal septicemia—140,142a,145A,147	41	3	4	5	2	4	7	3	7	2	-	2	2
Puerperal toxemia—141a,c,144,148	54	7	4	4	3	4	1	5	3	11	1	7	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	59	9	7	6	2	5	4	7	6	7	2	1	3
Other puerperal causes—141d,e,f,145B,150	15	-	1	2	2	1	1	2	3	-	-	-	3
Congenital malformations—157	200	19	15	17	11	17	20	13	18	20	14	24	12
Diseases peculiar to first year of life—158-161	1,131	108	80	85	88	89	104	116	96	84	92	101	88
Premature birth—159	706	54	48	49	55	56	74	74	63	48	61	63	61
Other diseases peculiar to first year of life—158,160,161	425	54	32	36	33	33	30	42	33	36	31	38	27
Suicide—163,164	125	8	11	15	8	6	10	14	8	9	15	11	10
Homicide—165-168	322	17	18	26	21	35	28	37	20	16	27	24	53
Accidental deaths—169-195	1,435	111	116	120	99	116	106	112	115	112	159	114	155
Motor-vehicle accidents—170	460	32	24	31	24	46	30	29	48	51	60	34	51
Other accidents—169,171-195	975	79	92	89	75	70	76	83	67	61	99	80	104
Senility, ill-defined and unknown causes—162,199,200	2,575	308	285	221	198	180	200	181	167	155	192	218	280
All other causes	1,097	102	97	96	95	95	94	96	77	77	95	82	91

*Refer to International List for complete title, table IX, Part I.

891562 O—50——15

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI—All causes	42,752	4,173	3,862	3,850	3,494	3,449	3,190	3,402	3,375	3,153	3,632	3,448	3,724
Typhoid and paratyphoid fever—1,2	13	-	-	1	1	-	-	1	3	4	-	1	2
Cerebrospinal (meningococcus) meningitis—6	18	2	1	3	1	-	3	1	1	1	1	2	2
Scarlet fever—8	2	-	-	1	-	-	1	-	-	-	-	-	-
Whooping cough—9	35	7	4	5	8	3	1	1	2	1	1	1	1
Diphtheria—10	10	-	-	2	1	-	-	-	1	1	2	1	2
Tuberculosis (all forms)—13-22	1,016	100	99	88	95	78	85	71	69	71	94	88	78
Tuberculosis of respiratory system, etc.*—13	950	92	98	83	89	71	73	63	63	69	90	86	73
Tuberculosis (other forms)—14-22	66	8	1	5	6	7	12	8	6	2	4	2	5
Dysentery—27	24	-	3	1	2	1	1	2	2	6	2	1	3
Malaria—28	3	-	-	1	-	-	1	1	-	-	-	-	-
Syphilis—30	365	40	45	25	24	30	28	24	37	30	27	30	27
Measles—35	32	1	1	7	8	5	7	-	-	-	1	-	2
Poliomyelitis, polioencephalitis (acute)—36	31	-	1	-	-	-	1	2	4	11	8	3	1
Cancer and other malignant tumors—45-55	6,129	520	485	522	468	530	474	518	534	509	522	497	550
Cancer of the digestive organs and peritoneum—46	2,614	209	214	232	216	231	211	233	226	204	227	197	214
Cancer of female genital organs—48,49	696	61	47	70	54	72	44	56	59	61	49	58	67
Cancer of the breast—50	568	68	39	41	35	51	43	52	43	43	41	52	60
Cancer (other sites)—45,47,51-55	2,251	182	185	179	163	176	176	177	206	201	205	192	208
Acute rheumatic fever—58	22	2	3	2	1	3	2	4	2	-	-	3	-
Diabetes mellitus—61	989	80	95	89	68	89	93	75	70	58	85	91	96
Exophthalmic goiter—63b	77	6	11	5	11	7	5	4	5	7	3	5	8
Pellagra (except alcoholic)—69	3	-	1	-	1	-	-	-	1	-	-	-	-
Alcoholism (ethylism)—77	65	12	7	3	5	7	5	1	3	5	8	4	5
Intracranial lesions of vascular origin—83	4,309	459	357	386	370	372	320	329	337	317	333	348	383
Diseases of the heart—90-95	14,150	1,433	1,327	1,280	1,215	1,085	1,018	1,128	1,063	976	1,227	1,146	1,252
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	815	90	90	81	85	68	44	72	50	58	76	62	61
Diseases of coronary arteries and angina pectoris—94	4,564	426	401	409	388	341	358	382	390	356	402	371	440
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	8,671	917	836	790	762	678	616	674	623	562	749	713	751
Arteriosclerosis and high blood pressure*—97,102	706	71	53	75	58	72	52	71	45	49	54	44	62
Pneumonia (all forms) and influenza—107-109,33	1,826	267	245	197	162	131	88	79	96	84	139	161	176
Bronchopneumonia—107	770	101	91	84	65	57	37	35	54	42	64	73	67
Lobar pneumonia—108	759	104	94	83	71	58	44	37	34	35	52	65	82
Pneumonia (unspecified)—109	125	25	22	10	9	9	5	3	4	5	11	11	11
Influenza—33	172	37	38	20	17	7	3	4	4	2	12	12	16
Ulcer of stomach or duodenum—117	235	28	31	17	15	14	12	17	18	19	20	25	19
Diarrhea, enteritis, etc.*—119,120	202	18	21	19	12	17	3	18	28	28	18	11	9
Appendicitis—121	126	7	13	12	9	15	14	9	7	11	8	10	11
Hernia and intestinal obstruction—122	335	30	39	27	15	28	29	31	27	26	36	21	26
Cirrhosis of the liver—124	463	35	39	43	39	42	34	41	34	34	41	43	39
Biliary calculi, etc.*—126,127	195	15	12	24	19	13	19	12	14	17	20	14	16
Nephritis—130-132	2,793	284	266	262	226	233	237	233	198	181	238	211	224
Diseases of the prostate—137	214	26	22	15	14	16	13	18	16	20	18	16	20
Diseases of pregnancy, etc.*—140-150	91	13	7	3	6	9	7	9	8	9	4	11	5
Puerperal septicemia—140,142a,145A,147	24	4	2	1	2	3	3	2	-	3	1	3	-
Puerperal toxemia—141a,c,144,148	28	4	1	-	2	2	2	4	4	3	2	3	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	31	4	3	1	1	4	2	2	4	2	1	5	2
Other puerperal causes—141d,e,f,145B,150	8	1	1	1	1	-	-	1	-	1	-	-	2
Congenital malformations—157	479	51	34	43	35	42	33	41	43	48	38	36	35
Diseases peculiar to first year of life—158-161	1,415	109	104	107	102	136	114	130	140	123	132	101	117
Premature birth—159	826	58	64	59	62	86	64	76	78	74	76	56	73
Other diseases peculiar to first year of life—158,160,161	589	51	40	48	40	50	50	54	62	49	56	45	44
Suicide—163,164	428	25	33	40	45	35	43	41	40	37	33	33	23
Homicide—165-168	242	18	24	25	12	18	17	26	27	22	17	15	21
Accidental deaths—169-195	2,730	243	213	234	200	210	202	228	266	215	255	218	246
Motor-vehicle accidents—170	881	71	55	43	75	62	72	85	91	78	96	78	75
Other accidents—169,171-195	1,849	172	158	191	125	148	130	143	175	137	159	140	171
Senility, ill-defined and unknown causes—162,199,200	582	64	59	61	53	41	49	32	35	45	54	41	48
All other causes—	2,397	207	207	225	193	167	190	204	199	188	193	218	216
MONTANA—All causes	5,884	504	500	511	468	525	493	497	473	440	505	471	497
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	-	1	-	-	-	-	2	2	-	1	-	-
Diphtheria—10	3	1	1	-	1	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	146	10	6	25	6	9	9	6	17	10	15	14	21
Tuberculosis of respiratory system, etc.*—13	136	9	6	22	6	9	8	6	16	8	13	12	21
Tuberculosis (other forms)—14-22	10	1	-	1	-	-	1	-	1	2	2	2	-
Dysentery—27	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	39	1	8	-	3	2	3	7	1	2	3	5	4
Measles—35	12	1	2	2	2	2	3	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	6	1	-	-	-	1	1	-	-	1	1	1	-
Cancer and other malignant tumors—45-55	724	79	52	55	51	74	66	62	50	50	58	63	64
Cancer of the digestive organs and peritoneum—46	271	33	23	24	19	28	24	20	12	23	22	19	24
Cancer of female genital organs—48,49	78	5	4	6	7	8	8	6	5	6	5	13	5
Cancer of the breast—50	56	4	3	7	6	1	7	7	2	4	7	6	2
Cancer (other sites)—45,47,51-55	319	37	22	18	19	37	27	29	31	17	24	25	33
Acute rheumatic fever—58	2	-	-	-	1	1	-	-	-	-	-	-	-
Diabetes mellitus—61	116	12	7	9	12	12	9	11	5	7	5	16	13
Exophthalmic goiter—63b	10	-	-	1	-	1	1	1	-	-	1	3	2
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	14	3	2	1	1	1	1	1	-	-	1	1	2
Intracranial lesions of vascular origin—83	581	51	45	62	49	48	36	43	59	40	50	46	52
Diseases of the heart—90-95	1,603	172	163	156	137	160	157	141	123	130	155	150	159
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	102	14	10	13	6	7	7	4	11	6	10	6	8
Diseases of coronary arteries and angina pectoris—94	733	69	67	56	56	64	61	60	50	49	65	77	59
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	968	89	86	87	75	89	89	77	62	75	80	67	92
Arteriosclerosis and high blood pressure*—97,102	109	6	16	13	5	11	11	13	3	7	9	6	9

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—Continued													
Pneumonia (all forms) and influenza—107-109,33	202	23	31	22	16	15	15	12	15	6	12	19	16
Bronchopneumonia—107	95	14	11	13	5	9	7	4	11	1	5	6	9
Lobar pneumonia—108	58	5	11	6	6	4	5	4	1	1	5	10	-
Pneumonia (unspecified)—109	36	2	5	2	3	2	3	4	1	4	1	2	7
Influenza—33	13	2	4	1	2	-	-	-	2	-	1	1	-
Ulcer of stomach or duodenum—117	40	4	1	1	5	2	3	5	1	2	4	2	10
Diarrhea, enteritis, etc.*—119,120	28	5	5	-	3	3	3	-	1	2	3	3	-
Appendicitis—121	28	1	1	1	4	5	-	1	5	3	2	2	3
Hernia and intestinal obstruction—122	45	1	3	5	7	4	3	4	7	2	5	5	1
Cirrhosis of the liver—124	48	5	3	2	2	5	3	6	5	3	4	3	7
Biliary calculi, etc.*—126,127	43	5	6	3	5	4	4	5	3	-	2	2	4
Nephritis—130-132	247	24	22	17	22	29	17	25	18	23	18	11	21
Diseases of the prostate—137	29	5	1	5	2	4	1	2	1	1	5	1	1
Diseases of pregnancy, etc.*—140-150	14	-	-	-	4	3	1	-	3	-	1	2	-
Puerperal septicemia—140,142a,145A,147	4	-	-	-	2	1	-	-	-	-	-	1	-
Puerperal toxemia—141a,c,144,148	3	-	-	-	1	-	-	-	-	-	1	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	7	-	-	-	1	2	1	-	3	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	63	4	4	3	10	5	7	5	6	2	6	8	5
Diseases peculiar to first year of life—158-161	261	14	21	31	14	20	30	23	28	27	24	9	20
Premature birth—159	161	11	12	19	11	13	20	15	13	13	14	6	14
Other diseases peculiar to first year of life—158,160,161	100	3	9	12	3	7	10	8	15	14	10	3	6
Suicide—163,164	68	7	7	9	6	6	6	10	4	13	11	2	7
Homicide—165-169	15	-	3	2	1	1	-	1	1	-	3	1	2
Accidental deaths—169-195	575	27	46	29	35	55	46	59	65	65	61	53	34
Motor-vehicle accidents—170	165	4	11	13	6	11	13	15	22	22	25	16	7
Other accidents—169,171-195	410	23	35	16	29	44	33	44	43	43	36	37	27
Senility, ill-defined and unknown causes—162,199,200	206	16	16	20	24	19	21	18	20	14	15	14	9
All other causes	377	26	27	39	40	23	36	34	29	29	30	33	31
NEBRASKA—All causes	12,615	1,153	1,018	1,099	1,043	1,068	943	1,055	998	903	1,105	1,051	1,179
Typhoid and paratyphoid fever—1,2	1	-	-	-	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	4	-	2	1	1	-	-	-	-	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough—9	7	1	2	1	-	1	-	-	2	-	-	-	-
Diphtheria—10	2	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (all forms)—13-22	167	19	17	20	11	15	11	13	20	9	12	8	12
Tuberculosis of respiratory system, etc.*—13	152	18	17	19	11	14	11	12	16	7	9	8	10
Tuberculosis (other forms)—14-22	15	1	-	1	-	1	-	1	4	2	3	-	2
Dysentery—27	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	68	9	6	6	4	8	4	2	7	5	5	5	7
Measles—35	12	1	-	3	3	3	1	-	-	-	-	-	1
Poliomyelitis, poliocencephalitis (acute)—56	28	-	-	1	-	1	1	2	7	8	5	1	2
Cancer and other malignant tumors—45-55	1,941	177	128	168	150	159	155	174	169	147	181	157	176
Cancer of the digestive organs and peritoneum—46	888	87	56	75	71	74	71	67	73	72	73	64	65
Cancer of female genital organs—48,49	192	14	15	19	12	11	19	21	19	15	14	14	20
Cancer of the breast—50	184	16	13	15	9	16	10	18	17	14	20	18	16
Cancer (other sites)—45,47,51-55	677	60	44	59	58	58	58	48	61	46	74	61	55
Acute rheumatic fever—58	3	-	-	-	-	1	-	-	-	-	1	-	1
Diabetes mellitus—61	382	32	32	28	29	32	33	33	33	29	29	39	33
Exophthalmic goiter—63b	22	4	3	-	5	-	1	1	1	2	1	2	2
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	10	-	1	-	-	3	-	1	1	-	1	2	1
Intracranial lesions of vascular origin—83	1,308	124	107	125	107	105	95	105	90	96	128	96	130
Diseases of the heart—90-95	3,877	360	315	348	357	348	274	318	300	252	308	330	367
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	199	23	13	24	16	11	13	14	21	14	15	13	22
Diseases of coronary arteries and angina pectoris—94	1,632	139	120	132	155	136	128	125	130	104	139	172	162
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,046	208	182	192	186	201	133	179	149	134	154	145	183
Arteriosclerosis and high blood pressure*—97,102	284	18	22	21	24	23	15	28	21	20	30	27	35
Pneumonia (all forms) and influenza—107-109,33	439	47	60	39	34	24	14	27	28	28	47	41	50
Bronchopneumonia—107	196	21	24	14	15	9	8	13	14	16	21	21	20
Lobar pneumonia—108	98	11	16	11	8	4	3	6	5	7	11	6	10
Pneumonia (unspecified)—109	76	7	9	8	4	7	1	6	5	3	7	9	10
Influenza—33	69	8	11	6	7	4	2	2	4	2	8	5	10
Ulcer of stomach or duodenum—117	78	8	2	7	7	9	10	5	4	7	6	8	5
Diarrhea, enteritis, etc.*—119,120	42	4	2	5	2	2	3	5	5	7	3	2	2
Appendicitis—121	45	3	3	3	7	2	4	5	4	5	3	5	1
Hernia and intestinal obstruction—122	114	11	11	8	9	9	5	7	10	12	11	5	16
Cirrhosis of the liver—124	109	8	8	7	8	11	6	6	7	10	10	16	12
Biliary calculi, etc.*—126,127	82	6	7	7	12	6	6	5	7	4	8	7	7
Nephritis—130-132	649	57	50	55	48	49	56	54	58	52	48	54	68
Diseases of the prostate—137	81	9	6	7	10	8	9	4	4	4	9	5	6
Diseases of pregnancy, etc.*—140-150	22	3	3	-	3	-	2	2	2	2	-	3	2
Puerperal septicemia—140,142a,145A,147	8	1	3	-	1	-	1	1	-	-	-	1	-
Puerperal toxemia—141a,c,144,148	7	1	-	-	-	-	1	1	1	1	-	2	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	6	-	-	-	2	-	-	-	1	1	-	-	2
Other puerperal causes—141d,e,f,145B,150	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	169	26	11	17	9	11	19	9	9	17	15	17	9
Diseases peculiar to first year of life—158-161	513	40	31	36	43	44	43	50	46	40	59	37	44
Premature birth—159	348	20	19	19	29	32	33	36	34	33	38	30	25
Other diseases peculiar to first year of life—158,160,161	165	20	12	17	14	12	10	14	12	7	21	7	19
Suicide—163,164	175	12	13	17	17	22	19	15	8	12	17	12	12
Homicide—165-169	32	3	5	4	3	4	2	2	3	1	1	3	1
Accidental deaths—169-195	940	61	80	69	65	81	82	101	69	78	79	82	93
Motor-vehicle accidents—170	279	17	19	8	13	35	23	38	19	26	29	23	29
Other accidents—169,171-195	661	44	61	61	52	48	59	63	50	52	50	59	64
Senility, ill-defined and unknown causes—162,199,200	258	39	21	24	17	18	16	20	27	11	23	24	18
All other causes	748	70	70	72	57	68	56	61	56	45	65	62	66

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	1,624	134	169	160	120	134	114	139	134	130	126	122	142
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	72	4	7	8	1	9	8	8	6	7	9	-	5
Tuberculosis of respiratory system, etc.*—13	63	4	7	7	1	6	6	7	6	7	7	-	5
Tuberculosis (other forms)—14-22	9	-	-	1	-	3	2	1	-	-	2	-	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	15	-	1	1	1	-	2	2	2	1	2	3	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliencephalitis (acute)—36	2	-	-	-	-	-	-	-	-	-	-	1	1
Cancer and other malignant tumors—45-55	190	19	22	12	16	12	9	16	13	25	17	15	14
Cancer of the digestive organs and peritoneum—46	94	9	11	4	9	6	6	4	9	13	10	6	7
Cancer of female genital organs—48,49	15	-	2	-	1	2	-	-	-	3	3	4	-
Cancer of the breast—50	16	1	1	-	-	1	-	3	1	4	-	4	1
Cancer (other sites)—45,47,51-55	65	9	8	8	6	3	3	9	3	5	4	1	6
Acute rheumatic fever—58	1	-	-	-	-	1	-	-	-	-	-	-	-
Diabetes mellitus—61	25	2	4	3	2	2	-	3	2	3	3	-	1
Exophthalmic goiter—63b	-	-	-	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)—69	1	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism (ethylism)—77	9	1	-	2	-	1	1	-	-	-	1	2	1
Intracranial lesions of vascular origin—83	105	13	14	16	7	4	9	10	5	5	8	6	8
Diseases of the heart—90-95	465	30	47	50	30	44	37	44	37	27	35	41	43
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	17	1	2	-	2	1	-	1	2	-	2	4	2
Diseases of coronary arteries and angina pectoris—94	203	7	21	21	12	22	20	14	18	9	13	23	23
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	245	22	24	29	16	21	17	29	17	18	20	14	18
Arteriosclerosis and high blood pressure*—97,102	17	2	1	4	2	-	3	1	-	1	1	1	1
Pneumonia (all forms) and influenza—107-109,33	78	10	11	13	6	5	3	1	4	3	7	6	9
Bronchopneumonia—107	37	2	4	7	4	2	3	-	3	2	4	3	3
Lobar pneumonia—108	29	6	6	4	1	2	-	-	-	1	2	1	6
Pneumonia (unspecified)—109	6	-	1	2	1	-	-	1	1	-	1	1	-
Influenza—33	4	2	-	-	-	1	-	-	-	-	-	1	-
Ulcer of stomach or duodenum—117	8	-	1	-	-	-	1	-	-	2	-	1	3
Diarrhea, enteritis, etc.*—119,120	2	-	-	-	-	-	1	-	-	-	-	1	-
Appendicitis—121	9	-	2	-	-	-	1	-	1	2	1	-	2
Hernia and intestinal obstruction—122	12	-	2	1	1	1	-	1	2	-	2	1	1
Cirrhosis of the liver—124	32	-	1	5	1	2	2	-	6	2	1	8	4
Biliary calculi, etc.*—126,127	7	-	-	-	-	-	-	1	2	2	-	-	2
Nephritis—130-132	64	8	10	3	11	4	2	12	1	7	1	-	5
Diseases of the prostate—137	4	-	-	-	-	3	-	1	-	-	-	-	-
Diseases of pregnancy, etc.*—140-150	6	-	-	-	1	-	-	-	-	1	2	1	1
Puerperal septicemia—140,142a,145A,147	3	-	-	-	1	-	-	-	-	-	2	-	-
Puerperal toxemia—141a,c,144,148	1	-	-	-	-	-	-	-	-	-	-	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	1	-	-	-	-	-	-	-	-	-	-	-	1
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations—157	25	2	3	-	1	2	1	3	3	3	2	2	3
Diseases peculiar to first year of life—158-161	90	7	11	10	7	6	4	8	11	6	3	7	10
Premature birth—159	60	4	7	5	4	5	3	6	7	4	2	5	8
Other diseases peculiar to first year of life—158,160,161	30	3	4	5	3	1	1	2	4	2	1	2	2
Suicide—163,164	44	3	5	5	4	8	2	5	2	2	3	3	2
Homicide—165-168	19	3	-	1	2	1	2	3	2	1	2	1	1
Accidental deaths—169-195	191	15	14	10	10	16	21	12	25	17	16	16	19
Motor-vehicle accidents—170	77	8	2	3	3	8	9	7	7	7	4	9	10
Other accidents—169,171-195	114	7	12	7	7	8	12	5	18	10	12	7	9
Senility, ill-defined and unknown causes—162,199,200	37	1	6	6	4	4	1	3	2	3	3	2	2
All other causes	92	14	7	10	12	9	3	5	6	10	6	4	4
NEW HAMPSHIRE—All causes	6,172	599	518	542	511	514	498	484	505	445	518	456	582
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	1	-	-	1	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	1	-	2	-	-	-	-	-	-	-	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	72	4	4	5	3	10	9	7	4	3	10	7	6
Tuberculosis of respiratory system, etc.*—13	62	2	4	5	3	9	7	5	3	3	10	6	6
Tuberculosis (other forms)—14-22	10	2	-	-	-	2	2	2	1	-	-	1	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	47	5	4	8	3	2	2	2	4	5	4	3	5
Measles—35	2	-	-	-	-	-	-	-	-	-	1	1	-
Poliomyelitis, poliencephalitis (acute)—36	1	-	-	-	-	-	-	-	-	-	-	1	-
Cancer and other malignant tumors—45-55	984	88	88	75	71	93	64	82	86	83	81	70	83
Cancer of the digestive organs and peritoneum—46	443	47	43	33	32	46	26	37	38	42	35	22	42
Cancer of female genital organs—48,49	121	7	10	8	11	11	9	13	11	7	15	10	9
Cancer of the breast—50	87	4	8	6	7	7	9	6	6	8	7	10	9
Cancer (other sites)—45,47,51-55	313	30	27	28	21	29	20	26	31	26	24	28	23
Acute rheumatic fever—58	1	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	174	13	19	17	18	11	14	18	11	11	14	15	13
Exophthalmic goiter—63b	7	1	1	1	-	-	1	1	1	-	-	-	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	15	1	2	-	-	-	2	5	1	1	-	1	2
Intracranial lesions of vascular origin—83	613	54	57	54	55	58	55	43	44	45	49	57	42
Diseases of the heart—90-95	2,254	232	202	190	195	167	184	175	166	154	184	149	236
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	126	11	13	12	8	11	12	11	14	5	15	4	10
Diseases of coronary arteries and angina pectoris—94	774	85	61	67	49	62	75	53	39	54	59	61	110
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,354	136	128	111	138	114	97	111	114	95	110	84	116
Arteriosclerosis and high blood pressure*—97,102	187	21	21	13	15	10	18	9	16	15	18	18	13

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—Continued													
Pneumonia (all forms) and influenza—107-109,33	236	37	22	31	13	21	10	15	14	14	22	12	25
Bronchopneumonia—107	134	25	9	14	9	8	3	10	13	9	11	7	16
Lobar pneumonia—108	65	9	5	12	4	12	1	2	1	3	7	5	4
Pneumonia (unspecified)—109	27	1	6	2	-	1	6	2	-	1	4	-	4
Influenza—33	10	2	2	3	-	-	-	1	-	1	-	-	1
Ulcer of stomach or duodenum—117	40	4	2	5	4	1	1	3	4	3	7	3	3
Diarrhea, enteritis, etc.*—119,120	18	4	1	2	1	1	2	1	-	-	1	1	4
Appendicitis—121	24	2	-	1	1	2	3	3	1	2	1	4	4
Hernia and intestinal obstruction—122	47	3	2	6	7	1	3	5	5	1	7	2	5
Cirrhosis of the liver—124	47	3	2	1	5	6	6	3	1	5	7	3	5
Biliary calculi, etc.*—126,127	30	3	7	2	2	-	2	1	2	2	4	3	2
Nephritis—130-132	272	32	22	26	21	23	23	20	26	22	18	17	22
Diseases of the prostate—137	26	1	1	1	5	1	2	3	3	1	1	3	4
Diseases of pregnancy, etc.*—140-150	15	2	1	1	-	2	2	1	1	-	2	2	1
Puerperal septicemia—140,142a,145A,147	4	-	-	-	-	1	-	1	-	-	-	1	1
Puerperal toxemia—141a,c,144,148	6	2	-	-	-	1	2	-	1	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	4	-	1	-	-	-	-	-	-	-	2	1	-
Other puerperal causes—141d,e,f,145B,150	1	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations—157	83	5	2	13	4	6	13	4	6	3	8	10	9
Diseases peculiar to first year of life—158-161	208	19	14	18	17	18	16	15	22	15	13	17	24
Premature birth—159	141	14	9	12	12	9	11	12	10	7	13	11	21
Other diseases peculiar to first year of life—158,160,161	67	5	5	6	5	9	5	3	12	8	-	6	3
Suicide—163,164	80	5	1	6	6	4	13	5	11	11	5	7	6
Homicide—165-168	6	1	-	-	1	1	-	-	1	1	-	-	-
Accidental deaths—169-195	304	18	22	20	26	22	19	33	38	22	26	25	33
Motor-vehicle accidents—170	95	3	4	2	7	4	7	13	11	8	9	11	18
Other accidents—169,171-195	209	15	18	18	19	18	12	20	27	14	17	14	17
Senility, ill-defined and unknown causes—162,199,200	69	11	5	9	4	6	6	2	7	3	4	6	6
All other causes	326	28	16	35	34	28	28	27	30	23	30	19	28
NEW JERSEY—All causes	48,076	4,629	4,213	4,341	3,992	4,046	3,851	3,642	3,924	3,486	3,854	3,841	4,255
Typhoid and paratyphoid fever—1,2	7	-	-	-	1	1	-	2	1	-	1	1	-
Cerebrospinal (meningococcus) meningitis—6	22	3	3	1	1	1	1	1	2	1	6	1	1
Scarlet fever—8	2	-	-	-	-	-	-	1	-	-	-	-	1
Whooping cough—9	6	2	-	-	1	1	-	-	1	-	1	-	-
Diphtheria—10	4	1	1	1	-	-	-	1	-	-	-	-	-
Tuberculosis (all forms)—13-22	1,393	117	112	151	119	118	115	134	119	112	100	108	110
Tuberculosis of respiratory system, etc.*—13	1,299	109	107	120	104	114	112	129	109	103	89	100	103
Tuberculosis (other forms)—14-22	94	8	5	11	15	4	3	5	10	9	11	6	7
Dysentery—27	4	-	-	-	-	1	-	2	-	1	-	-	-
Malaria—28	1	-	-	1	-	-	-	-	-	-	-	-	-
Syphilis—30	341	36	21	33	28	26	23	17	28	30	34	29	36
Measles—35	18	1	3	1	1	6	2	4	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	42	-	-	-	-	-	-	2	14	10	12	3	1
Cancer and other malignant tumors—45-55	7,716	656	598	638	633	656	650	620	704	616	627	664	654
Cancer of the digestive organs and peritoneum—46	3,640	323	295	285	309	320	301	308	333	291	277	304	294
Cancer of female genital organs—48,49	760	61	70	68	54	68	62	50	67	65	61	66	68
Cancer of the breast—50	789	63	60	81	59	71	71	65	68	69	66	77	59
Cancer (other sites)—45,47,51-55	2,527	209	173	224	211	197	216	197	236	191	223	217	233
Acute rheumatic fever—58	31	1	3	3	1	4	2	4	1	3	2	4	3
Diabetes mellitus—61	1,566	131	126	147	132	113	111	114	141	123	129	138	161
Exophthalmic goiter—63b	57	7	5	12	4	6	2	4	2	6	3	5	1
Pellagra (except alcoholic)—69	1	-	-	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism)—77	65	6	10	8	10	4	2	4	4	3	-	1	15
Intracranial lesions of vascular origin—83	4,065	400	358	311	340	311	362	310	357	296	339	347	354
Diseases of the heart—90-95	17,613	1,808	1,666	1,702	1,469	1,484	1,350	1,280	1,327	1,176	1,367	1,354	1,630
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	782	85	87	75	64	52	59	56	52	54	65	60	73
Diseases of coronary arteries and angina pectoris—94	5,801	604	528	563	480	530	442	406	433	424	441	423	527
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	11,030	1,119	1,051	1,084	925	902	849	818	842	698	861	871	1,030
Arteriosclerosis and high blood pressure*—97,102	1,204	126	91	117	118	95	88	99	98	94	93	93	92
Pneumonia (all forms) and influenza—107-109,33	1,339	167	150	178	114	109	86	70	91	63	79	96	117
Bronchopneumonia—107	713	103	78	95	56	58	40	48	52	42	53	51	57
Lobar pneumonia—108	503	68	60	64	46	43	39	15	33	18	36	37	45
Pneumonia (unspecified)—109	88	7	7	11	7	4	6	6	6	3	9	7	15
Influenza—33	35	9	5	8	5	3	1	1	1	-	1	1	-
Ulcer of stomach or duodenum—117	341	28	35	25	23	28	36	35	24	24	30	29	24
Diarrhea, enteritis, etc.*—119,120	89	8	9	4	1	7	7	6	12	7	10	5	13
Appendicitis—121	143	11	5	7	13	14	8	21	21	14	10	11	8
Hernia and intestinal obstruction—122	355	34	25	32	29	28	26	24	39	32	24	28	34
Cirrhosis of the liver—124	656	59	45	65	58	64	49	43	57	46	55	58	58
Biliary calculi, etc.*—126,127	212	19	21	17	28	12	22	17	15	17	19	12	15
Nephritis—130-132	2,554	264	268	236	223	232	202	171	167	192	194	189	216
Diseases of the prostate—137	194	11	15	17	23	16	18	15	21	16	11	13	18
Diseases of pregnancy, etc.*—140-150	74	6	5	7	7	5	5	6	5	7	7	5	9
Puerperal septicemia—140,142a,145A,147	19	2	3	-	1	1	2	1	3	3	1	1	1
Puerperal toxemia—141a,c,144,148	22	-	1	1	3	1	-	4	2	2	2	2	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	27	4	1	4	3	3	3	-	-	1	3	2	3
Other puerperal causes—141d,e,f,145B,150	6	-	-	2	-	-	-	1	-	1	1	-	1
Congenital malformations—157	547	58	40	45	53	52	41	51	40	34	41	52	40
Diseases peculiar to first year of life—158-161	1,586	127	128	129	112	141	139	121	149	115	160	143	122
Premature birth—159	1,016	79	90	82	76	93	90	83	82	58	107	100	76
Other diseases peculiar to first year of life—158,160,161	570	48	38	47	36	48	49	38	67	57	53	43	46
Suicide—163,164	597	51	42	52	51	55	62	50	44	45	53	46	46
Homicide—165-168	123	11	3	13	8	14	9	7	13	16	9	10	10
Accidental deaths—169-195	2,399	203	181	200	177	221	193	192	221	183	204	190	234
Motor-vehicle accidents—170	616	35	36	48	35	45	59	52	54	61	55	70	86
Other accidents—169,171-195	1,783	168	145	152	142	176	134	140	167	122	149	120	168
Senility, ill-defined and unknown causes—162,199,200	251	18	25	18	21	16	18	22	16	23	16	19	19
All other causes	2,478	240	219	192	195	208	222	192	210	183	217	189	213

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—All causes	5,609	480	504	467	461	460	445	461	452	436	498	461	484
Typhoid and paratyphoid fever—1,2	5	-	-	-	-	-	-	-	-	-	-	3	2
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	1	-	-	-	-	-	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	43	4	15	9	6	2	3	1	1	2	-	-	-
Diphtheria—10	9	2	-	2	3	-	-	-	-	1	1	-	-
Tuberculosis (all forms)—13-22	303	24	24	28	31	40	18	23	27	15	23	14	36
Tuberculosis of respiratory system, etc.*—13	269	21	21	23	30	31	16	20	23	14	23	13	34
Tuberculosis (other forms)—14-22	34	3	3	5	1	9	2	3	4	1	-	1	2
Dysentery—27	39	-	-	-	1	-	6	6	8	7	8	3	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	63	2	14	3	3	7	5	4	7	6	3	5	4
Measles—35	9	-	-	1	-	2	3	1	1	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	9	-	-	1	-	-	-	-	3	3	2	-	-
Cancer and other malignant tumors—45-55	445	34	32	44	34	32	38	41	47	28	36	32	47
Cancer of the digestive organs and peritoneum—46	199	14	12	22	17	11	18	21	22	10	19	12	21
Cancer of female genital organs—48,49	42	3	2	3	5	4	3	5	5	3	5	2	2
Cancer of the breast—50	34	1	2	2	-	6	2	3	1	5	1	5	6
Cancer (other sites)—45,47,51-55	170	16	16	17	12	11	15	12	19	10	11	13	18
Acute rheumatic fever—58	10	1	2	-	2	1	-	1	1	1	-	1	-
Diabetes mellitus—61	55	3	7	4	5	6	3	6	7	4	2	5	3
Exophthalmic goiter—63b	10	-	-	-	2	1	2	1	1	-	-	2	1
Pellagra (except alcoholic)—69	4	-	-	1	1	-	-	-	1	-	-	1	-
Alcoholism (ethylism)—77	13	1	2	1	-	-	2	1	-	3	2	-	1
Intracranial lesions of vascular origin—83	273	22	21	20	22	27	25	32	16	23	20	25	20
Diseases of the heart—90-95	921	84	85	77	87	69	78	60	62	59	66	89	105
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	86	7	7	8	12	8	9	5	6	2	4	9	9
Diseases of coronary arteries and angina pectoris—94	331	32	26	25	25	26	31	22	27	23	25	32	37
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	504	45	52	44	50	35	38	33	29	34	37	48	59
Arteriosclerosis and high blood pressure*—97,102	60	5	7	5	4	4	5	8	4	1	9	3	5
Pneumonia (all forms) and influenza—107-109,33	400	52	67	46	39	36	12	17	20	27	23	25	36
Bronchopneumonia—107	174	17	27	21	21	16	8	6	11	14	11	6	16
Lobar pneumonia—108	131	19	22	16	10	12	3	4	6	5	9	13	12
Pneumonia (unspecified)—109	64	6	7	9	5	8	1	6	3	7	1	5	8
Influenza—33	31	10	11	-	3	-	-	1	-	1	2	1	2
Ulcer of stomach or duodenum—117	23	2	3	3	4	1	2	-	1	-	2	3	2
Diarrhea, enteritis, etc.*—119,120	282	3	3	5	8	12	26	35	55	52	43	27	13
Appendicitis—121	25	-	1	3	-	3	6	3	3	-	3	2	1
Hernia and intestinal obstruction—122	47	5	2	3	5	5	5	4	3	6	4	4	1
Cirrhosis of the liver—124	38	6	4	2	2	1	6	1	2	6	2	3	3
Biliary calculi, etc.*—126,127	26	1	2	2	1	1	1	2	4	5	5	-	2
Nephritis—130-132	204	16	21	16	16	22	16	13	12	13	29	19	11
Diseases of the prostate—137	26	2	1	4	2	3	2	2	2	1	1	4	2
Diseases of pregnancy, etc.*—140-150	49	2	3	4	2	4	9	6	3	7	2	2	5
Puerperal septicemia—140,142a,145A,147	9	1	-	1	1	-	1	1	-	3	1	-	-
Puerperal toxemia—141a,c,144,148	18	1	1	2	-	1	3	3	1	2	-	-	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	14	-	2	-	-	2	2	2	2	1	1	1	1
Other puerperal causes—141d,e,f,145B,150	8	-	-	1	1	1	3	-	-	1	-	1	-
Congenital malformations—157	110	11	11	11	8	13	13	5	7	6	10	6	9
Diseases peculiar to first year of life—158-161	490	40	35	47	38	46	30	58	40	28	55	32	41
Premature birth—159	319	24	23	29	25	35	21	39	26	19	28	23	27
Other diseases peculiar to first year of life—158,160,161	172	16	12	18	13	11	9	19	14	9	27	9	14
Suicide—163,164	46	3	2	5	8	9	3	4	2	2	1	3	4
Homicide—165-168	43	2	2	4	5	3	2	4	3	2	6	5	5
Accidental deaths—169-195	543	45	47	29	50	38	49	58	40	53	46	43	45
Motor-vehicle accidents—170	226	10	17	11	21	19	19	21	17	28	25	19	18
Other accidents—169,171-195	317	35	30	18	29	19	30	37	23	25	21	24	28
Senility, ill-defined and unknown causes—162,199,200	654	69	61	59	55	49	48	43	41	49	66	66	48
All other causes	330	39	30	28	17	22	27	21	28	26	28	33	31
NEW YORK—All causes	158,242	14,813	14,200	14,734	13,172	13,374	12,599	12,022	13,524	11,158	12,584	12,238	13,844
Typhoid and paratyphoid fever—1,2	5	1	-	-	-	2	-	1	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis—6	61	4	6	9	3	7	4	4	2	1	6	6	7
Scarlet fever—8	2	-	-	-	-	-	1	-	1	-	-	-	-
Whooping cough—9	31	6	5	1	3	5	3	1	1	-	1	2	3
Diphtheria—10	10	2	-	2	1	3	-	-	-	1	-	-	1
Tuberculosis (all forms)—13-22	5,128	467	427	519	470	479	407	431	437	365	386	362	378
Tuberculosis of respiratory system, etc.*—13	4,799	438	403	492	437	448	379	398	389	344	364	340	357
Tuberculosis (other forms)—14-22	329	29	24	27	33	31	28	33	38	21	22	22	21
Dysentery—27	16	2	-	1	2	1	2	1	3	1	-	3	-
Malaria—28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	1,189	126	107	118	91	94	97	89	93	81	90	103	100
Measles—35	48	1	4	7	6	7	7	1	10	-	1	2	2
Poliomyelitis, polioencephalitis (acute)—36	53	-	1	-	1	-	2	5	11	17	10	4	2
Cancer and other malignant tumors—45-55	25,528	2,141	2,051	2,203	2,109	2,174	2,122	2,082	2,330	1,877	2,170	2,061	2,208
Cancer of the digestive organs and peritoneum—46	11,200	935	945	983	910	958	948	921	987	824	940	919	950
Cancer of female genital organs—48,49	2,582	222	221	248	218	210	191	221	248	188	210	187	218
Cancer of the breast—50	2,747	232	220	230	216	254	222	201	277	201	210	248	236
Cancer (other sites)—45,47,51-55	8,999	752	665	762	765	752	761	739	818	664	810	707	804
Acute rheumatic fever—58	82	7	6	7	11	10	8	5	6	3	4	8	7
Diabetes mellitus—61	6,233	582	572	554	528	522	491	471	522	493	483	467	548
Exophthalmic goiter—63b	205	22	21	17	21	18	16	12	17	13	17	16	15
Pellagra (except alcoholic)—69	5	1	1	-	-	1	-	-	1	-	-	1	-
Alcoholism (ethylism)—77	310	22	27	25	33	17	24	30	32	21	24	25	30
Intracranial lesions of vascular origin—83	10,874	1,061	1,009	1,036	905	900	869	783	942	737	841	826	945
Diseases of the heart—90-95	61,733	6,137	5,852	5,955	5,093	5,091	4,768	4,454	5,017	4,191	4,906	4,768	5,521
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	2,663	284	225	267	215	219	200	190	177	202	203	216	265
Diseases of coronary arteries and angina pectoris—94	18,254	1,760	1,613	1,623	1,500	1,513	1,423	1,380	1,493	1,340	1,476	1,484	1,649
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	40,816	4,093	3,994	4,065	3,378	3,359	3,145	2,884	3,347	2,649	3,227	3,068	3,607
Arteriosclerosis and high blood pressure*—97,102	3,041	288	277	290	245	244	249	248	267	210	228	233	262

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—Continued													
Pneumonia (all forms) and influenza—107-109,33	5,282	608	624	626	476	446	320	289	381	286	357	366	503
Bronchopneumonia—107	2,760	287	333	313	252	229	181	153	229	152	187	191	253
Lobar pneumonia—108	2,250	286	263	277	201	199	128	124	138	119	136	158	221
Pneumonia (unspecified)—109	170	19	10	19	9	13	6	11	12	14	26	11	20
Influenza—33	102	16	18	17	14	5	5	1	2	1	8	6	9
Ulcer of stomach or duodenum—117	1,135	122	95	94	79	91	90	80	88	73	105	97	121
Diarrhea, enteritis, etc.*—119,120	388	36	34	38	27	36	37	27	33	19	26	36	39
Appendicitis—121	453	38	34	32	40	39	42	53	47	29	34	29	36
Hernia and intestinal obstruction—122	1,095	111	90	98	92	91	96	98	89	87	92	70	81
Cirrhosis of the liver—124	2,447	202	212	229	202	201	207	183	185	175	212	192	247
Biliary calculi, etc.*—126,127	755	63	50	74	63	81	66	53	71	51	66	55	62
Nephritis—130-132	5,764	592	562	566	515	540	469	405	453	381	417	398	466
Diseases of the prostate—137	697	60	53	66	58	57	65	58	57	62	55	43	63
Diseases of pregnancy, etc.*—140-150	257	16	23	21	27	16	23	20	39	19	22	8	23
Puerperal septicemia—140,142a,145A,147	81	4	11	7	11	8	8	3	10	5	7	2	5
Puerperal toxemia—141a,c,144,148	50	1	1	8	3	3	4	3	12	6	4	1	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	107	10	9	5	10	4	11	9	15	8	11	3	12
Other puerperal causes—141d,e,f,145B,150	19	1	2	1	3	1	-	5	2	-	-	2	2
Congenital malformations—157	1,802	163	167	146	150	150	146	127	153	143	152	139	166
Diseases peculiar to first year of life—158-161	5,020	435	387	423	400	443	438	454	469	399	398	386	398
Premature birth—159	3,279	282	238	262	273	299	298	307	305	263	226	261	265
Other diseases peculiar to first year of life—158,160,161	1,741	153	149	161	127	144	140	147	164	126	172	125	133
Suicide—163,164	1,623	115	131	151	140	142	143	133	142	124	110	146	146
Homicide—165-168	431	26	35	34	40	34	38	39	37	39	35	43	31
Accidental deaths—169-195	8,310	642	659	655	686	694	647	733	849	651	689	680	725
Motor-vehicle accidents—170	1,974	104	110	166	170	188	121	161	208	153	195	197	201
Other accidents—169,171-195	6,336	538	549	489	516	506	526	572	641	498	494	483	524
Senility, ill-defined and unknown causes—162,199,200	726	76	60	69	53	79	45	54	65	35	53	87	70
All other causes	7,502	638	636	668	601	659	637	598	674	564	594	595	638
NORTH CAROLINA—All causes	30,161	3,099	2,773	2,651	2,360	2,138	2,380	2,348	2,380	2,225	2,444	2,423	2,640
Typhoid and paratyphoid fever—1,2	8	1	-	1	-	-	1	1	-	2	2	-	-
Cerebrospinal (meningococcus) meningitis—6	20	3	3	1	2	3	-	2	-	3	1	-	2
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	44	5	4	7	5	3	9	2	2	3	-	4	-
Diphtheria—10	30	4	1	2	2	2	-	1	4	2	1	4	7
Tuberculosis (all forms)—13-22	949	88	70	81	93	88	69	86	87	79	77	61	70
Tuberculosis of respiratory system, etc.*—13	882	81	64	78	85	84	65	78	83	72	70	56	66
Tuberculosis (other forms)—14-22	67	7	6	3	8	4	4	8	4	7	7	5	4
Dysentery—27	17	2	2	3	1	1	-	-	1	3	2	1	1
Malaria—28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	194	23	15	18	13	16	12	15	17	8	16	16	25
Measles—35	8	-	-	-	-	2	2	-	-	-	-	2	-
Poliomyelitis, polioencephalitis (acute)—36	143	1	1	-	-	4	17	46	43	17	11	3	-
Cancer and other malignant tumors*—45-55	2,855	253	215	223	218	246	253	253	247	223	219	260	245
Cancer of the digestive organs and peritoneum—46	1,040	91	88	72	65	96	94	85	90	86	72	110	91
Cancer of female genital organs—48,49	518	41	32	32	42	53	47	53	53	37	53	38	37
Cancer of the breast—50	240	28	12	17	16	27	28	20	14	18	15	23	22
Cancer (other sites)—45,47,51-55	1,057	93	83	102	95	70	84	95	90	82	79	89	95
Acute rheumatic fever—58	30	3	5	3	-	1	2	1	2	6	1	3	3
Diabetes mellitus—61	564	53	58	58	32	48	37	36	33	41	56	44	68
Exophthalmic goiter—63b	30	3	3	5	4	1	2	3	2	2	2	1	2
Pellagra (except alcoholic)—69	40	3	3	6	5	3	2	6	3	2	2	1	4
Alcoholism (ethylism)—77	99	9	7	12	7	6	10	3	10	6	8	5	16
Intracranial lesions of vascular origin—83	3,355	329	328	290	244	283	284	244	252	255	276	256	314
Diseases of the heart—90-95	8,048	817	707	755	658	688	629	610	617	598	676	619	674
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	405	47	36	40	35	28	35	38	29	26	41	24	28
Diseases of coronary arteries and angina pectoris—94	2,746	263	214	247	212	257	209	205	217	201	240	235	246
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,897	507	457	468	411	403	385	369	371	371	395	360	400
Arteriosclerosis and high blood pressure*—97,102	434	47	48	27	35	38	41	39	28	21	31	40	43
Pneumonia (all forms) and influenza—107-109,33	1,472	293	263	159	98	70	69	59	55	54	94	115	143
Bronchopneumonia—107	732	131	125	87	60	37	38	34	30	24	36	61	69
Lobar pneumonia—108	401	70	67	43	18	18	22	18	16	17	39	31	42
Pneumonia (unspecified)—109	180	36	33	18	12	8	4	2	8	11	12	17	19
Influenza—33	159	56	38	11	8	7	5	5	1	2	7	6	13
Ulcer of stomach or duodenum—117	137	19	16	11	10	9	10	7	15	14	12	7	7
Diarrhea, enteritis, etc.*—119,120	229	11	11	16	8	13	15	32	28	29	29	25	12
Appendicitis—121	92	12	7	7	4	11	6	6	11	11	4	4	9
Hernia and intestinal obstruction—122	177	19	21	10	11	13	14	14	18	11	17	14	15
Cirrhosis of the liver—124	184	16	12	10	6	13	17	21	16	10	18	28	17
Biliary calculi, etc.*—126,127	84	6	4	11	7	8	11	8	9	5	3	6	6
Nephritis—130-132	2,431	248	237	229	216	185	186	179	210	156	210	193	182
Diseases of the prostate—137	115	9	12	8	12	6	7	12	6	12	12	12	7
Diseases of pregnancy, etc.*—140-150	207	14	28	17	20	27	18	15	16	15	13	11	13
Puerperal septicemia—140,142a,145A,147	50	4	3	3	7	5	3	6	2	6	4	2	5
Puerperal toxemia—141a,c,144,148	68	6	13	7	4	9	7	4	6	4	3	2	3
Hemorrhage, trauma or shock*—141b,142b,143,146,149	68	2	9	6	6	11	7	5	5	4	3	6	4
Other puerperal causes—141d,e,f,145B,150	21	2	3	1	3	2	1	-	3	1	3	1	1
Congenital malformations—157	512	49	39	36	39	46	35	41	38	46	38	50	55
Diseases peculiar to first year of life—158-161	2,011	194	168	173	169	156	176	160	159	164	160	143	189
Premature birth—159	1,309	114	109	112	108	97	109	110	104	116	94	98	138
Other diseases peculiar to first year of life—158,160,161	702	80	59	61	61	59	67	50	55	48	66	45	51
Suicide—163,164	322	26	20	27	25	34	27	38	27	16	21	37	24
Homicide—165-168	419	25	27	46	34	31	39	44	37	37	33	26	40
Accidental deaths—169-195	2,244	214	178	182	161	200	184	168	187	160	190	208	212
Motor-vehicle accidents—170	827	71	44	52	58	68	68	67	78	69	82	86	84
Other accidents—169,171-195	1,417	143	134	130	103	132	116	101	109	91	108	122	128
Senility, ill-defined and unknown causes—162,199,200	914	111	107	78	75	63	62	42	72	69	70	79	86
All other causes	1,743	189	152	138	146	122	134	154	150	145	139	145	149

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	5,146	464	421	415	459	447	416	453	365	369	454	408	475
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	6	-	-	-	2	2	-	-	-	-	1	1	-
Scarlet fever—8	2	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	1	-	-	1	-	-	-	-	-	-
Diphtheria—10	6	2	-	-	-	-	1	-	-	1	2	-	-
Tuberculosis (all forms)—13-22	62	6	6	5	7	6	6	5	2	3	10	3	3
Tuberculosis of respiratory system, etc.*—13	54	5	5	4	6	5	6	4	1	3	10	3	2
Tuberculosis (other forms)—14-22	8	1	1	1	1	1	-	1	1	-	-	-	1
Dysentery—27	1	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis—30	17	1	2	2	2	1	-	1	-	2	4	-	2
Measles—35	7	2	1	1	-	-	-	-	-	-	2	-	1
Poliomyelitis, polioencephalitis (acute)—36	9	-	-	-	-	-	-	1	2	2	4	-	-
Cancer and other malignant tumors—45-55	651	63	43	54	64	52	58	52	56	55	52	52	50
Cancer of the digestive organs and peritoneum—46	308	23	27	26	31	22	27	25	28	22	22	25	30
Cancer of female genital organs—48,49	63	6	3	4	5	2	6	5	5	6	9	9	3
Cancer of the breast—50	67	7	6	6	9	6	7	4	4	7	5	2	4
Cancer (other sites)—45,47,51-55	213	27	7	18	19	22	18	18	19	20	16	16	13
Acute rheumatic fever—58	3	1	-	-	1	-	-	-	-	-	-	1	-
Diabetes mellitus—61	171	17	14	12	17	14	17	13	16	7	14	12	18
Exophthalmic goiter—63b	6	-	-	1	-	1	-	-	-	1	-	2	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	7	-	-	1	1	-	-	1	1	-	2	-	1
Intracranial lesions of vascular origin—83	550	50	47	55	60	51	37	50	23	33	53	41	50
Diseases of the heart—90-95	1,539	142	111	100	140	152	120	140	118	112	123	130	151
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	68	7	4	6	10	6	6	5	2	3	3	6	10
Diseases of coronary arteries and angina pectoris—94	584	64	37	35	60	54	43	54	42	43	46	57	49
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	687	71	70	59	70	92	71	81	74	66	74	67	92
Arteriosclerosis and high blood pressure*—97,102	122	7	13	11	10	15	8	11	7	8	11	12	9
Pneumonia (all forms) and influenza—107-109,33	181	19	16	26	8	11	7	14	9	8	15	12	16
Bronchopneumonia—107	82	12	8	13	3	6	3	7	6	2	8	8	8
Lobar pneumonia—108	42	6	4	5	4	1	2	4	1	5	2	4	4
Pneumonia (unspecified)—109	25	1	3	2	1	2	2	3	2	1	3	2	3
Influenza—33	12	-	1	6	-	2	-	-	-	-	2	-	1
Ulcer of stomach or duodenum—117	25	1	4	3	3	3	1	1	3	2	3	-	1
Diarrhea, enteritis, etc.*—119,120	33	6	6	4	2	2	1	1	2	2	-	5	2
Appendicitis—121	19	1	2	2	1	2	-	2	1	3	1	1	3
Hernia and intestinal obstruction—122	40	7	5	2	3	4	-	4	3	1	2	6	3
Cirrhosis of the liver—124	35	2	1	2	4	2	4	4	5	3	3	1	4
Biliary calculi, etc.*—126,127	29	2	4	1	4	-	2	1	4	1	2	2	6
Nephritis—130-132	236	26	26	17	17	18	17	19	15	18	19	20	24
Diseases of the prostate—137	32	8	2	4	2	3	1	1	1	5	3	2	-
Diseases of pregnancy, etc.*—140-150	16	2	-	-	5	-	1	3	2	1	-	1	1
Puerperal septicemia—140,142a,145A,147	5	-	-	-	4	-	-	-	-	1	-	-	-
Puerperal toxemia—141a,s,144,148	5	1	-	-	-	-	-	3	1	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	5	1	-	-	-	-	1	-	1	-	-	1	1
Other puerperal causes—141d,e,f,145B,150	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations—157	75	5	8	6	4	5	8	9	9	5	7	4	5
Diseases peculiar to first year of life—158-161	295	30	21	21	24	25	35	24	10	18	31	23	33
Premature birth—159	184	21	10	13	17	13	23	14	5	12	18	15	23
Other diseases peculiar to first year of life—158,160,161	111	9	11	8	7	12	12	10	5	6	13	8	10
Suicide—163,164	48	3	5	5	6	7	5	3	4	6	-	2	2
Homicide—165-168	5	-	-	1	1	-	1	-	2	-	-	-	-
Accidental deaths—169-195	440	24	35	28	24	40	44	49	32	42	42	37	43
Motor-vehicle accidents—170	115	2	3	3	7	8	10	9	16	13	11	19	14
Other accidents—169,171-195	325	22	32	25	17	32	34	40	16	29	31	18	29
Senility, ill-defined and unknown causes—162,199,200	154	11	19	22	12	12	15	14	14	8	7	9	11
All other causes	341	26	28	27	35	19	26	30	23	22	41	29	35
OHIO—All causes	80,891	7,622	7,017	7,262	6,619	6,825	6,470	6,183	6,378	6,044	6,767	6,460	7,224
Typhoid and paratyphoid fever—1,2	12	-	-	1	-	-	-	2	-	2	2	1	4
Cerebrospinal (meningococcus) meningitis—6	61	6	5	15	4	3	4	5	1	5	6	4	3
Scarlet fever—8	4	1	-	1	-	1	-	-	-	-	1	-	-
Whooping cough—9	53	9	8	7	6	1	2	3	4	6	2	3	2
Diphtheria—10	24	4	3	-	2	2	-	2	-	2	1	2	6
Tuberculosis (all forms)—13-22	2,145	166	184	203	183	168	206	172	168	157	185	168	163
Tuberculosis of respiratory system, etc.*—13	1,953	154	170	192	163	169	185	156	147	144	167	152	154
Tuberculosis (other forms)—14-22	192	12	14	11	20	19	23	16	21	13	18	16	9
Dysentery—27	21	2	3	3	1	-	1	-	2	4	2	2	1
Malaria—28	2	-	-	-	-	-	-	-	1	-	-	1	-
Syphilis—30	796	86	76	73	66	72	59	53	68	61	59	60	63
Measles—35	59	7	13	15	10	8	6	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	87	1	2	1	-	-	3	15	19	25	9	10	2
Cancer and other malignant tumors—45-55	11,353	955	927	940	872	927	951	962	987	936	1,029	885	1,002
Cancer of the digestive organs and peritoneum—46	4,967	433	409	392	376	412	410	457	449	397	446	364	422
Cancer of female genital organs—48,49	1,388	128	123	117	102	108	124	108	114	113	127	108	115
Cancer of the breast—50	1,092	88	89	96	83	78	80	95	99	86	94	87	116
Cancer (other sites)—45,47,51-55	3,906	304	306	335	311	329	317	302	325	340	362	326	349
Acute rheumatic fever—58	44	4	-	8	4	4	4	6	2	1	2	5	4
Diabetes mellitus—61	2,329	241	194	216	179	218	198	158	172	171	215	171	196
Exophthalmic goiter—63b	174	12	22	18	18	18	11	10	21	6	9	13	16
Pellagra (except alcoholic)—69	3	-	-	1	-	-	-	-	-	-	2	-	-
Alcoholism (ethylism)—77	127	15	11	5	7	9	14	12	9	14	6	14	11
Intracranial lesions of vascular origin—83	8,204	796	738	701	673	711	640	616	612	608	674	684	751
Diseases of the heart—90-95	26,452	2,559	2,366	2,394	2,243	2,291	2,188	1,913	1,928	1,827	2,195	2,129	2,439
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,434	141	124	124	119	130	131	102	109	120	96	110	128
Diseases of coronary arteries and angina pectoris—94	9,608	939	814	784	791	857	777	746	696	697	832	798	877
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	15,410	1,479	1,428	1,486	1,333	1,304	1,260	1,065	1,123	1,010	1,267	1,221	1,434
Arteriosclerosis and high blood pressure*—97,102	1,715	171	143	172	121	149	126	107	141	158	124	134	169

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—Continued													
Pneumonia (all forms) and influenza—107-109,33	2,824	395	323	341	258	190	185	119	147	139	232	219	276
Bronchopneumonia—107	1,467	188	152	164	131	105	101	66	90	75	137	118	140
Lobar pneumonia—108	890	109	101	107	81	61	58	38	42	46	65	76	106
Pneumonia (unspecified)—109	209	29	23	32	16	13	15	10	11	11	14	18	17
Influenza—33	258	69	47	38	30	11	11	5	4	7	16	7	13
Ulcer of stomach or duodenum—117	443	41	35	39	27	31	34	39	53	38	45	34	27
Diarrhea, enteritis, etc.*—119,120	484	40	31	35	23	33	21	27	56	94	56	38	30
Appendicitis—121	209	17	12	26	21	14	13	16	21	16	19	23	11
Hernia and intestinal obstruction—122	535	43	52	44	41	36	32	55	58	47	38	38	51
Cirrhosis of the liver—124	951	89	86	89	80	78	80	59	72	66	74	83	95
Biliary calculi, etc.*—126,127	356	39	17	46	20	29	31	35	38	26	26	21	28
Nephritis—130-132	4,358	409	408	430	402	374	327	324	324	279	342	346	393
Diseases of the prostate—137	367	34	27	40	41	30	34	22	31	17	31	33	27
Diseases of pregnancy, etc.*—140-150	159	16	10	13	11	13	8	23	16	24	7	8	10
Puerperal septicemia—140,142a,145A,147	51	6	4	5	2	3	3	5	5	7	3	2	6
Puerperal toxemia—141a,c,144,148	32	4	1	2	3	3	1	4	3	6	3	1	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	54	3	4	5	4	6	3	10	5	8	1	3	2
Other puerperal causes—141d,e,f,145B,150	22	3	1	1	2	1	1	4	3	3	-	2	1
Congenital malformations—157	1,091	85	101	105	78	89	83	81	96	94	105	86	88
Diseases peculiar to first year of life—158-161	3,204	265	241	228	252	275	279	319	292	263	285	255	250
Premature birth—159	1,956	101	154	115	171	166	177	195	169	167	166	143	152
Other diseases peculiar to first year of life—158,160,161	1,248	84	87	113	81	109	102	124	123	96	119	112	98
Suicide—163,164	976	70	50	86	96	106	82	102	74	72	77	79	82
Homicide—165-168	353	27	28	26	33	42	20	41	32	21	21	35	27
Accidental deaths—169-195	5,441	469	434	433	380	424	462	459	494	465	482	429	510
Motor-vehicle accidents—170	1,954	134	130	133	127	158	163	168	173	187	195	188	198
Other accidents—169,171-195	3,487	335	304	300	253	266	299	291	321	278	287	241	312
Senility, ill-defined and unknown causes—162,198,200	1,015	107	83	91	93	81	70	84	79	61	85	90	91
All other causes	4,460	441	384	416	374	378	334	342	360	339	339	357	396
OKLAHOMA—All causes	19,079	1,910	1,645	1,701	1,568	1,553	1,524	1,479	1,535	1,352	1,554	1,577	1,681
Typhoid and paratyphoid fever—1,2	6	-	1	2	-	-	1	1	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	10	-	-	1	1	1	-	3	-	1	2	1	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	44	4	6	10	6	4	5	5	1	2	-	-	1
Diphtheria—10	16	2	2	-	-	-	-	1	1	1	2	3	4
Tuberculosis (all forms)—13-22	606	53	51	58	70	54	46	42	45	37	48	52	50
Tuberculosis of respiratory system, etc.*—13	568	51	49	56	66	52	43	38	41	35	40	49	48
Tuberculosis (other forms)—14-22	38	2	2	2	4	2	3	4	4	2	8	3	2
Dysentery—27	28	-	-	1	1	3	3	1	6	7	5	1	-
Malaria—28	6	-	-	1	-	-	-	2	-	1	-	1	1
Syphilis—30	185	18	12	7	21	14	16	14	14	10	10	12	17
Measles—35	10	-	1	1	1	3	3	-	-	1	-	-	-
Poliomyelitis, policencephalitis (acute)—36	35	3	-	1	-	-	-	9	6	6	5	4	1
Cancer and other malignant tumors—45-55	2,486	220	171	232	218	210	202	203	218	196	204	220	192
Cancer of the digestive organs and peritoneum—46	993	100	76	97	89	70	73	71	87	84	74	82	90
Cancer of female genital organs—48,49	307	27	15	23	34	26	26	23	26	21	28	32	26
Cancer of the breast—50	206	16	18	16	18	21	12	20	20	19	12	21	13
Cancer (other sites)—45,47,51-55	980	77	62	96	77	93	91	89	85	72	90	85	63
Acute rheumatic fever—58	9	1	2	-	1	-	1	2	1	-	-	-	1
Diabetes mellitus—61	397	53	37	27	40	28	32	27	24	30	25	31	43
Exophthalmic goiter—63b	15	2	1	-	2	3	2	1	-	2	1	-	1
Pellagra (except alcoholic)—69	37	4	3	6	3	1	3	3	4	3	2	4	1
Alcoholism (ethylism)—77	20	3	2	3	3	2	-	1	-	2	-	3	1
Intracranial lesions of vascular origin—83	2,024	180	188	161	180	181	167	165	161	123	172	168	178
Diseases of the heart—90-95	5,185	536	469	494	403	441	415	379	366	359	414	441	448
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	237	26	26	26	19	23	16	19	12	16	16	25	13
Diseases of coronary arteries and angina pectoris—94	2,171	219	167	210	163	186	166	161	162	157	194	194	192
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,757	291	276	258	221	232	233	199	192	186	204	222	243
Arteriosclerosis and high blood pressure*—97,102	350	33	18	30	31	27	34	30	27	24	30	32	34
Pneumonia (all forms) and influenza—107-109,33	836	142	127	95	73	38	36	42	32	31	56	61	103
Bronchopneumonia—107	255	46	29	24	18	7	11	15	12	14	22	26	31
Lobar pneumonia—108	201	38	31	23	12	10	14	9	8	3	15	10	28
Pneumonia (unspecified)—109	286	36	38	35	26	18	11	14	11	9	17	16	35
Influenza—33	114	22	29	13	17	3	-	4	1	5	2	9	9
Ulcer of stomach or duodenum—117	87	7	4	8	2	7	6	4	7	7	13	10	12
Diarrhea, enteritis, etc.*—119,120	118	7	2	10	6	3	7	11	25	19	9	10	9
Appendicitis—121	83	8	7	4	16	8	5	5	7	7	4	4	8
Hernia and intestinal obstruction—122	132	15	12	12	3	10	11	14	11	8	8	16	12
Cirrhosis of the liver—124	153	20	14	16	11	15	6	12	9	10	16	8	16
Biliary calculi, etc.*—126,127	88	8	6	12	9	11	8	9	6	6	5	4	4
Nephritis—130-132	1,038	99	91	89	90	80	88	82	92	63	83	86	95
Diseases of the prostate—137	108	11	11	11	6	8	7	10	10	8	8	12	6
Diseases of pregnancy, etc.*—140-150	57	7	3	7	2	3	4	7	4	7	6	5	2
Puerperal septicemia—140,142a,145A,147	10	1	-	-	-	1	2	-	-	2	2	2	-
Puerperal toxemia—141a,c,144,148	19	2	-	4	1	-	2	4	1	1	3	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	21	3	2	-	1	1	-	2	3	4	1	2	2
Other puerperal causes—141d,e,f,145B,150	7	1	1	3	-	1	-	1	-	-	-	-	-
Congenital malformations—157	257	29	30	17	16	16	20	20	22	22	24	18	24
Diseases peculiar to first year of life—158-161	958	68	68	62	65	94	84	84	90	87	90	80	86
Premature birth—159	631	43	48	35	43	62	60	55	67	57	63	47	51
Other diseases peculiar to first year of life—158,160,161	327	25	20	27	22	32	24	29	23	30	27	33	35
Suicide—163,164	172	16	12	20	13	18	16	12	14	13	11	12	15
Homicide—165-168	119	7	10	9	8	8	6	11	15	12	14	9	10
Accidental deaths—169-195	1,506	166	111	126	101	116	119	131	143	104	141	120	126
Motor-vehicle accidents—170	518	40	34	32	34	39	38	47	57	45	66	40	46
Other accidents—169,171-195	988	126	77	94	67	79	81	84	86	59	75	80	80
Senility, ill-defined and unknown causes—162,199,200	725	75	73	60	57	45	57	49	68	52	57	59	73
All other causes	1,213	114	100	108	109	99	114	87	106	90	89	90	107

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON—All causes	14,080	1,202	1,295	1,306	1,159	1,255	1,162	1,091	1,037	1,066	1,148	1,113	1,246
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	1	-	1	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	1	-	1	-	1	2	-	-	-	-	-	-
Diphtheria—10	6	1	-	-	-	-	-	1	1	-	-	1	2
Tuberculosis (all forms)—13-22	249	20	25	23	26	20	18	27	15	16	24	19	16
Tuberculosis of respiratory system, etc.*—13	225	17	24	21	24	17	17	26	11	15	20	19	14
Tuberculosis (other forms)—14-22	24	3	1	2	2	3	1	1	4	1	4	-	2
Dysentery—27	2	-	-	-	-	1	-	-	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	100	12	10	7	6	9	13	6	13	7	5	3	9
Measles—35	3	-	-	-	-	-	1	1	-	-	1	-	-
Poliomyelitis, polioencephalitis (acute)—36	13	2	-	-	-	-	-	2	3	2	4	-	-
Cancer and other malignant tumors—45-55	1,941	152	159	180	160	151	158	156	161	144	168	150	202
Cancer of the digestive organs and peritoneum—46	795	63	72	77	71	55	61	67	76	54	64	57	78
Cancer of female genital organs—48,49	208	22	12	20	22	19	20	6	13	16	19	18	21
Cancer of the breast—50	198	13	18	20	13	17	20	13	16	16	17	15	20
Cancer (other sites)—45,47,51-55	740	54	57	63	54	60	57	70	56	58	68	60	83
Acute rheumatic fever—58	5	-	-	1	-	-	-	1	1	-	1	-	1
Diabetes mellitus—61	273	22	27	23	24	37	17	24	20	18	21	20	22
Exophthalmic goiter—63b	18	1	1	3	1	2	2	1	1	-	2	3	1
Pellagra (except alcoholic)—69	1	1	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	25	2	3	2	2	1	5	1	2	2	2	1	2
Intracranial lesions of vascular origin—83	1,395	124	136	136	113	126	117	110	95	90	98	124	126
Diseases of the heart—90-95	4,276	379	368	402	367	358	321	315	316	329	352	358	411
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	250	20	19	26	19	25	20	16	22	12	21	22	28
Diseases of coronary arteries and angina pectoris—94	1,788	145	147	152	157	146	139	154	129	144	141	155	179
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,236	214	202	224	191	187	162	145	165	173	190	181	204
Arteriosclerosis and high blood pressure*—97,102	332	28	25	32	24	32	23	34	21	27	25	35	26
Pneumonia (all forms) and influenza—107-109,33	530	47	107	70	47	38	17	27	23	26	30	42	56
Bronchopneumonia—107	319	26	46	37	34	31	9	10	17	16	20	33	32
Lobar pneumonia—108	131	15	41	14	4	3	6	7	3	8	7	5	18
Pneumonia (unspecified)—109	25	1	5	3	4	1	1	1	2	-	2	3	2
Influenza—33	55	5	15	16	5	3	1	1	1	2	1	1	4
Ulcer of stomach or duodenum—117	87	8	12	7	5	6	10	8	10	3	8	7	3
Diarrhea, enteritis, etc.*—119,120	34	5	-	-	4	4	6	3	2	1	4	3	2
Appendicitis—121	34	1	2	4	5	3	5	3	2	1	1	1	6
Hernia and intestinal obstruction—122	79	10	8	2	11	8	7	10	4	6	7	4	2
Cirrhosis of the liver—124	114	6	6	11	8	12	13	10	7	12	9	8	12
Biliary calculi, etc.*—126,127	56	6	6	3	2	5	7	8	6	3	-	4	6
Nephritis—130-132	939	75	95	87	87	88	79	69	64	65	98	68	74
Diseases of the prostate—137	79	6	7	11	8	5	7	7	4	2	7	5	10
Diseases of pregnancy, etc.*—140-150	15	-	2	1	2	3	-	-	2	-	3	-	2
Puerperal septicemia—140,142a,145A,147	5	-	1	-	1	-	-	-	1	-	2	-	-
Puerperal toxemia—141a,c,144,148	3	-	1	-	-	2	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	6	-	-	-	1	1	-	-	1	-	1	-	2
Other puerperal causes—141d,e,f,145B,150	1	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations—157	204	17	24	13	20	21	22	12	11	14	16	9	25
Diseases peculiar to first year of life—158-161	537	44	43	49	32	55	49	32	35	65	45	44	44
Premature birth—159	327	24	27	31	16	37	29	23	20	31	33	27	28
Other diseases peculiar to first year of life—158,160,161	210	20	16	18	16	18	20	9	15	34	12	17	15
Suicide—163,164	222	18	16	22	31	17	22	25	16	19	9	16	11
Homicide—165-168	53	3	-	5	5	7	7	4	5	8	-	5	4
Accidental deaths—169-195	1,318	114	103	107	79	134	123	119	126	128	108	82	95
Motor-vehicle accidents—170	416	32	29	33	24	38	38	41	42	48	35	19	36
Other accidents—169,171-195	902	82	74	74	55	95	85	78	84	80	73	63	59
Senility, ill-defined and unknown causes—162,199,200	332	30	29	31	25	32	33	23	26	25	28	26	24
All other causes	800	67	80	73	64	79	78	54	46	52	84	71	52
PENNSYLVANIA—All causes	109,202	10,460	9,612	9,881	9,204	9,210	8,443	8,432	8,588	7,883	9,035	8,744	9,710
Typhoid and paratyphoid fever—1,2	13	4	2	-	-	1	2	2	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis—6	55	4	4	6	5	7	2	3	2	6	6	5	5
Scarlet fever—8	8	1	1	-	1	4	-	-	1	-	-	-	-
Whooping cough—9	48	6	12	2	4	6	-	4	1	3	2	3	5
Diphtheria—10	17	3	-	1	4	2	1	-	-	1	3	-	2
Tuberculosis (all forms)—13-22	3,076	303	272	269	279	275	267	271	237	185	220	234	264
Tuberculosis of respiratory system, etc.*—13	2,793	273	243	245	255	256	240	238	217	173	196	210	247
Tuberculosis (other forms)—14-22	283	30	29	24	24	19	27	33	20	12	24	24	17
Dysentery—27	6	-	-	1	-	1	-	1	-	-	-	1	2
Malaria—28	3	-	-	-	1	-	-	1	-	1	-	-	-
Syphilis—30	771	90	69	77	68	66	58	61	47	65	51	56	63
Measles—35	25	-	-	2	6	6	3	7	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	45	2	-	2	1	3	-	3	9	14	6	2	3
Cancer and other malignant tumors—45-55	15,613	1,306	1,231	1,349	1,315	1,289	1,289	1,278	1,351	1,260	1,341	1,289	1,315
Cancer of the digestive organs and peritoneum—46	7,250	597	561	604	602	591	647	614	613	598	617	612	596
Cancer of female genital organs—48,49	1,798	146	139	163	164	133	143	149	154	139	168	153	143
Cancer of the breast—50	1,433	134	101	123	115	134	118	107	124	107	118	119	133
Cancer (other sites)—45,47,51-55	5,132	429	430	453	434	431	381	408	460	418	440	405	443
Acute rheumatic fever—58	106	10	10	14	16	10	10	7	8	5	5	6	5
Diabetes mellitus—61	3,549	357	323	352	276	302	314	263	259	210	274	302	317
Exophthalmic goiter—63b	178	17	21	18	10	17	14	7	9	12	21	12	20
Pellagra (except alcoholic)—69	5	-	1	1	-	1	-	1	-	-	1	-	-
Alcoholism (ethylism)—77	134	11	14	9	11	8	9	8	11	11	19	10	13
Intracranial lesions of vascular origin—83	9,238	818	795	822	773	804	747	716	666	674	747	742	854
Diseases of the heart—90-95	39,296	3,913	3,649	3,631	3,361	3,319	2,870	2,889	2,961	2,709	3,258	3,073	3,663
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	2,013	196	191	186	162	167	160	150	149	131	163	165	171
Diseases of coronary arteries and angina pectoris—94	13,083	1,215	1,165	1,151	1,037	1,102	952	1,014	1,018	951	1,134	1,088	1,256
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	24,200	2,500	2,293	2,294	2,162	2,050	1,758	1,725	1,794	1,627	1,941	1,820	2,236
Arteriosclerosis and high blood pressure*—97,102	2,475	261	230	221	204	174	177	180	210	178	216	215	209

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—Continued													
Pneumonia (all forms) and influenza—107-109,33	3,743	512	473	431	329	292	191	182	204	187	301	282	359
Bronchopneumonia—107	1,658	201	185	191	149	136	90	90	96	78	144	131	167
Lobar pneumonia—108	1,373	196	175	167	129	112	72	62	69	79	90	104	118
Pneumonia (unspecified)—109	425	52	55	43	29	27	19	24	30	24	48	29	45
Influenza—33	287	63	58	30	22	17	10	6	9	6	19	18	29
Ulcer of stomach or duodenum—117	617	44	48	55	49	52	45	58	52	48	50	55	61
Diarrhea, enteritis, etc.*—119,120	355	29	38	27	32	29	20	34	26	37	25	27	31
Appendicitis—121	281	30	22	20	30	22	25	33	26	15	14	23	21
Hernia and intestinal obstruction—122	780	69	66	79	68	66	65	65	66	57	52	61	66
Cirrhosis of the liver—124	1,143	98	109	104	104	68	69	78	91	91	107	97	127
Biliary calculi, etc.*—126,127	478	38	33	43	49	52	50	36	52	33	29	27	36
Nephritis—130-132	6,415	617	582	584	537	572	544	478	438	449	529	490	545
Diseases of the prostate—137	421	35	31	44	37	39	34	31	44	31	36	33	26
Diseases of pregnancy, etc.*—140-150	229	23	18	16	15	16	20	26	17	19	16	26	18
Puerperal septicemia—140,142a,145A,147	88	10	11	5	1	7	5	6	7	8	7	10	11
Puerperal toxemia—141a,c,144,148	42	2	4	4	4	5	2	9	3	2	2	4	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	73	7	1	5	5	3	12	10	6	6	5	9	4
Other puerperal causes—141d,e,f,145B,150	26	4	2	2	5	1	1	1	1	2	2	3	2
Congenital malformations—157	1,306	116	101	132	87	118	102	103	94	114	105	106	128
Diseases peculiar to first year of life—158-161	3,740	301	256	300	321	335	339	340	328	309	324	299	290
Premature birth—159	2,367	201	141	182	203	214	245	215	212	197	205	185	187
Other diseases peculiar to first year of life—158,160,161	1,373	100	115	118	118	121	94	125	116	112	119	114	125
Suicide—163,164	1,150	90	71	122	113	91	92	103	99	104	80	110	75
Homicide—165-168	305	14	18	26	25	31	25	31	32	26	23	33	21
Accidental deaths—169-195	6,249	544	509	464	470	510	504	580	585	495	555	515	520
Motor-vehicle accidents—170	1,790	128	108	137	104	151	124	166	173	187	199	148	165
Other accidents—169,171-195	4,459	416	401	327	366	359	380	414	412	308	354	367	355
Senility, ill-defined and unknown causes—162,199,200	1,171	131	107	112	96	108	73	81	78	72	99	118	96
All other causes—	6,158	563	496	545	507	514	482	471	536	463	520	492	569
RHODE ISLAND—All causes	8,188	765	755	783	712	642	612	604	698	582	655	634	746
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	2	-	1	-	-	-	-	-	-	-	-	-	1
Scarlet fever—8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	1	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	199	8	21	26	25	16	18	12	11	15	15	15	17
Tuberculosis of respiratory system, etc.*—13	185	6	20	25	24	16	18	10	11	15	14	13	15
Tuberculosis (other forms)—14-22	14	2	1	1	1	-	2	2	-	-	1	2	2
Dysentery—27	2	1	-	-	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	45	1	5	2	2	10	8	2	5	-	1	2	7
Measles—35	1	-	-	-	-	-	-	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)—36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors—45-55	1,201	96	116	102	91	87	104	91	116	95	112	96	95
Cancer of the digestive organs and peritoneum—48	525	33	60	50	40	41	35	35	45	45	51	44	46
Cancer of female genital organs—48,49	131	11	13	11	6	8	12	15	19	9	10	10	7
Cancer of the breast—50	142	15	14	12	14	9	16	11	11	8	12	8	12
Cancer (other sites)—45,47,51-55	403	37	29	29	31	29	41	30	41	33	39	34	30
Acute rheumatic fever—58	2	-	-	-	-	-	-	1	-	-	-	-	1
Diabetes mellitus—61	338	30	27	25	31	33	24	27	32	24	32	22	31
Exophthalmic goiter—63b	5	-	-	2	-	1	1	-	-	-	1	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	10	2	1	1	-	1	-	2	1	-	1	1	-
Intracranial lesions of vascular origin—83	696	69	73	72	63	46	47	55	55	53	52	42	69
Diseases of the heart—90-95	3,142	327	280	312	272	258	235	198	270	211	243	249	287
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	123	14	9	12	12	12	10	6	13	4	10	10	11
Diseases of coronary arteries and angina pectoris—94	1,001	104	84	89	72	89	74	68	85	71	91	78	96
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,018	209	187	211	188	157	151	124	172	136	142	161	180
Arteriosclerosis and high blood pressure*—97,102	164	10	18	14	11	13	6	17	16	13	17	9	20
Pneumonia (all forms) and influenza—107-109,33	229	35	32	24	20	25	16	10	18	8	9	15	17
Bronchopneumonia—107	128	17	21	10	8	21	10	7	11	5	3	6	9
Lobar pneumonia—108	78	14	9	10	9	3	6	3	8	2	4	6	6
Pneumonia (unspecified)—109	18	3	-	4	3	-	-	-	1	1	2	3	1
Influenza—33	5	1	2	-	-	1	-	-	-	-	-	-	1
Ulcer of stomach or duodenum—117	63	5	3	5	13	2	3	4	5	2	4	7	10
Diarrhea, enteritis, etc.*—119,120	22	1	3	2	2	2	2	-	3	-	3	1	3
Appendicitis—121	29	2	2	1	3	-	3	4	3	2	3	3	1
Hernia and intestinal obstruction—122	73	3	6	2	6	5	5	11	7	4	12	6	6
Cirrhosis of the liver—124	106	8	5	13	9	2	9	8	7	5	18	9	13
Biliary calculi, etc.*—126,127	41	6	1	4	5	2	4	3	3	6	1	3	3
Nephritis—130-132	457	50	51	50	48	39	34	33	30	32	27	29	34
Diseases of the prostate—137	53	5	3	5	4	8	4	3	1	2	3	8	7
Diseases of pregnancy, etc.*—140-150	22	2	3	2	2	6	-	2	1	1	1	1	1
Puerperal septicemia—140,142a,145A,147	10	2	2	1	-	2	-	1	-	1	-	1	-
Puerperal toxemia—141a,c,144,148	2	-	-	-	-	-	-	-	1	-	1	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	7	-	-	1	2	3	-	-	-	-	-	-	1
Other puerperal causes—141d,e,f,145B,150	3	-	1	-	-	1	-	1	-	-	-	-	-
Congenital malformations—157	103	7	14	15	8	8	6	8	13	3	6	7	8
Diseases peculiar to first year of life—158-161	276	19	24	19	24	29	14	31	20	20	18	31	27
Premature birth—159	180	16	11	13	20	17	12	21	9	14	12	22	13
Other diseases peculiar to first year of life—158,160,161	96	3	13	6	4	12	2	10	11	6	6	9	14
Suicide—163,164	49	4	2	1	4	7	6	7	3	2	3	10	-
Homicide—165-168	20	1	1	3	-	1	4	1	1	3	2	2	1
Accidental deaths—169-195	389	31	23	41	24	21	20	41	38	41	38	33	38
Motor-vehicle accidents—170	75	6	2	6	4	5	6	6	6	13	6	7	8
Other accidents—169,171-195	314	25	21	35	20	16	14	35	32	28	30	26	32
Senility, ill-defined and unknown causes—162,199,200	28	2	-	1	3	-	2	2	5	5	3	5	-
All other causes—	419	40	40	39	42	18	37	31	33	35	30	26	48

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	17,957	1,869	1,751	1,589	1,445	1,433	1,474	1,436	1,409	1,324	1,363	1,325	1,539
Typhoid and paratyphoid fever—1,2	15	2	1	2	1	-	1	2	1	2	1	2	-
Cerebrospinal (meningococcus) meningitis—6	14	1	1	1	-	1	1	1	2	2	3	1	-
Scarlet fever—8	2	-	-	-	-	1	-	-	-	-	-	1	-
Whooping cough—9	77	9	12	14	9	10	5	3	2	3	4	3	3
Diphtheria—10	41	8	4	-	1	1	3	1	4	5	6	6	2
Tuberculosis (all forms)—13-22	547	43	40	44	41	50	46	44	54	43	43	41	58
Tuberculosis of respiratory system, etc.*—13	506	36	38	43	40	48	44	38	51	40	40	38	50
Tuberculosis (other forms)—14-22	41	7	2	1	1	2	2	6	3	3	3	3	8
Dysentery—27	11	-	-	-	-	-	2	-	7	2	-	-	-
Malaria—28	12	-	-	-	1	-	3	2	3	1	1	1	-
Syphilis—30	230	21	22	24	9	19	21	22	23	20	18	17	16
Measles—35	4	-	-	1	-	1	1	-	-	-	-	1	-
Poliomyelitis, policencephalitis (acute)—36	15	-	1	-	1	-	-	2	5	4	1	-	1
Cancer and other malignant tumors—45-55	1,496	121	110	137	138	121	123	131	129	119	104	132	131
Cancer of the digestive organs and peritoneum—46	552	46	43	42	48	54	44	44	44	43	47	52	45
Cancer of female genital organs—48,49	251	25	20	28	26	13	21	18	22	19	12	26	21
Cancer of the breast—50	135	9	6	11	17	12	9	11	10	14	9	12	15
Cancer (other sites)—45,47,51-55	556	41	41	56	47	42	49	58	53	43	36	42	50
Acute rheumatic fever—58	16	-	2	3	4	-	2	-	-	-	2	2	1
Diabetes mellitus—61	316	27	42	29	30	23	27	24	21	16	29	15	33
Exophthalmic goiter—63b	11	-	1	2	2	2	2	-	-	2	-	-	-
Pellagra (except alcoholic)—69	33	1	3	3	2	3	4	3	2	4	5	1	2
Alcoholism (ethylism)—77	37	5	4	3	1	3	3	4	2	2	3	3	4
Intracranial lesions of vascular origin—83	1,962	189	204	171	154	153	149	163	144	183	172	130	170
Diseases of the heart—90-95	4,612	468	435	416	384	382	369	347	347	314	363	376	411
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	220	21	23	15	19	23	15	24	11	20	18	14	17
Diseases of coronary arteries and angina pectoris—94	1,619	155	137	139	132	143	124	116	117	112	136	136	172
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,773	292	275	262	233	216	230	207	219	182	209	226	222
Arteriosclerosis and high blood pressure*—97,102	411	39	44	33	39	31	41	42	20	30	29	21	42
Pneumonia (all forms) and influenza—107-109,33	994	209	172	117	73	42	49	42	44	31	57	70	88
Bronchopneumonia—107	451	84	82	46	33	16	26	20	22	17	27	39	39
Lobar pneumonia—108	294	58	44	29	22	17	18	14	15	10	19	22	26
Pneumonia (unspecified)—109	95	21	13	13	6	5	5	4	4	2	5	2	15
Influenza—33	154	46	33	29	12	4	-	4	3	2	6	7	8
Ulcer of stomach or duodenum—117	68	7	7	4	4	11	6	8	8	3	2	2	6
Diarrhea, enteritis, etc.*—119,120	138	1	8	11	3	8	17	16	25	15	11	10	13
Appendicitis—121	41	1	5	-	1	2	8	7	7	3	5	1	1
Hernia and intestinal obstruction—122	97	7	7	12	8	5	7	8	10	8	6	6	13
Cirrhosis of the liver—124	84	12	6	6	11	3	5	4	8	7	6	10	6
Biliary calculi, etc.*—126,127	29	2	1	2	2	5	2	2	3	4	1	3	2
Nephritis—130-132	1,512	158	162	124	126	117	132	131	113	110	105	103	131
Diseases of the prostate—137	73	7	10	7	4	4	7	4	2	3	7	8	10
Diseases of pregnancy, etc.*—140-150	137	10	11	9	12	18	11	13	17	11	11	5	9
Puerperal septicemia—140,142a,145A,147	32	3	3	1	2	6	1	4	4	1	2	2	3
Puerperal toxemia—141a,c,144,148	47	3	4	5	4	6	5	3	4	4	6	1	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	41	3	4	1	4	5	4	3	6	6	2	1	2
Other puerperal causes—141d,e,f,145B,150	17	1	-	2	2	1	1	3	3	-	1	1	2
Congenital malformations—157	234	25	16	21	21	21	21	16	14	25	14	21	17
Diseases peculiar to first year of life—158-161	1,100	119	87	78	89	102	100	97	79	95	82	81	91
Premature birth—159	693	70	52	38	54	63	69	65	47	62	60	54	59
Other diseases peculiar to first year of life—158,160,161	407	49	35	40	35	39	31	32	32	33	22	27	32
Suicide—163,164	108	7	13	13	10	11	13	4	8	10	7	5	7
Homicide—165-168	250	24	26	20	12	25	17	20	23	15	19	23	26
Accidental deaths—169-195	1,361	120	105	105	102	126	120	139	107	121	103	105	108
Motor-vehicle accidents—170	535	31	30	37	42	50	35	53	52	56	52	46	51
Other accidents—169,171-195	826	89	75	68	60	76	85	86	55	65	51	59	57
Senility, ill-defined and unknown causes—162,199,200	889	125	97	99	64	55	64	56	81	69	63	51	65
All other causes	980	101	90	78	86	77	92	78	94	62	82	68	72
SOUTH DAKOTA—All causes	5,806	526	470	541	450	495	420	497	458	469	527	478	475
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	9	3	1	1	-	1	1	-	-	-	1	1	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	113	9	6	11	12	13	11	10	8	8	11	7	7
Tuberculosis of respiratory system, etc.*—13	99	6	5	9	11	13	11	9	7	6	8	6	7
Tuberculosis (other forms)—14-22	14	3	1	2	1	-	-	1	1	2	2	1	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	33	2	3	3	1	5	2	4	2	4	2	4	1
Measles—35	5	-	-	2	1	-	1	1	-	-	-	-	-
Poliomyelitis, policencephalitis (acute)—36	90	-	-	-	-	-	-	1	13	27	38	8	3
Cancer and other malignant tumors—45-55	730	56	52	66	71	62	60	59	55	68	54	57	70
Cancer of the digestive organs and peritoneum—46	309	26	20	22	29	25	32	21	17	30	26	32	29
Cancer of female genital organs—48,49	74	7	5	9	7	9	5	8	4	6	6	1	7
Cancer of the breast—50	76	4	8	8	6	3	5	7	7	9	5	6	8
Cancer (other sites)—45,47,51-55	271	19	19	27	29	25	18	23	27	23	17	18	28
Acute rheumatic fever—58	4	1	1	-	-	1	-	1	-	-	-	-	-
Diabetes mellitus—61	162	10	23	20	10	9	16	11	14	9	11	14	15
Exophthalmic goiter—63b	6	1	2	-	1	-	-	1	-	-	1	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	9	1	-	1	1	2	-	-	1	-	-	2	1
Intracranial lesions of vascular origin—83	625	57	46	68	53	52	48	47	45	47	52	51	59
Diseases of the heart—90-95	1,658	164	132	143	123	156	123	160	118	118	144	135	142
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	79	10	10	3	5	7	8	4	5	6	12	4	5
Diseases of coronary arteries and angina pectoris—94	720	78	48	60	58	69	57	70	48	57	51	66	60
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	859	76	74	80	62	80	58	86	65	55	81	65	77
Arteriosclerosis and high blood pressure*—97,102	162	17	9	12	11	11	13	13	11	14	15	19	17

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA—Continued													
Pneumonia (all forms) and influenza—107-109,33	226	31	31	36	19	18	7	20	12	7	14	17	14
Bronchopneumonia—107	67	13	12	14	7	8	2	8	6	1	4	6	6
Lobar pneumonia—108	66	10	8	14	3	5	-	9	2	2	7	3	3
Pneumonia (unspecified)—109	55	4	8	5	8	4	5	3	3	3	3	6	3
Influenza—33	18	4	3	3	1	1	-	-	1	1	-	2	2
Ulcer of stomach or duodenum—117	26	1	3	1	2	2	1	6	1	4	2	2	1
Diarrhea, enteritis, etc.*—119,120	26	1	3	3	2	1	-	3	1	5	3	3	1
Appendicitis—121	18	-	4	1	-	-	1	-	2	4	2	1	3
Hernia and intestinal obstruction—122	53	6	2	7	5	6	3	7	6	5	2	1	3
Cirrhosis of the liver—124	35	4	4	-	2	4	4	4	4	2	2	4	1
Biliary calculi, etc.*—126,127	30	2	1	5	5	3	1	-	4	1	4	3	1
Nephritis—130-132	223	20	20	27	15	22	16	17	17	14	14	22	19
Diseases of the prostate—137	39	3	3	2	4	3	4	4	4	4	3	3	2
Diseases of pregnancy, etc.*—140-150	17	2	2	1	1	3	-	-	1	2	4	-	1
Puerperal septicemia—140,142a,145A,147	5	-	1	1	-	2	-	-	-	-	-	-	1
Puerperal toxemia—141a,c,144,148	4	-	1	-	-	-	-	-	-	1	2	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	6	2	-	-	1	-	-	-	1	1	1	-	-
Other puerperal causes—141d,e,f,145B,150	2	-	-	-	-	1	-	-	-	-	1	-	-
Congenital malformations—157	93	12	3	6	8	9	7	5	8	13	7	7	8
Diseases peculiar to first year of life—158-161	286	26	23	19	16	22	30	27	26	22	20	26	29
Premature birth—159	199	15	15	12	12	16	24	18	18	16	15	16	22
Other diseases peculiar to first year of life—158,160,161	87	11	8	7	4	6	6	9	8	6	5	10	7
Suicide—163,164	65	4	7	3	10	2	4	11	4	3	7	7	3
Homicide—165-168	12	-	1	-	-	2	-	1	2	2	1	1	2
Accidental deaths—169-195	495	36	36	44	32	36	32	38	65	50	60	46	20
Motor-vehicle accidents—170	155	12	12	12	6	9	10	10	18	18	24	17	7
Other accidents—169,171-195	340	24	24	32	26	27	22	28	47	32	36	29	13
Senility, ill-defined and unknown causes—162,199,200	160	18	16	22	13	14	15	12	8	4	15	13	10
All other causes	395	39	35	37	32	36	20	34	26	32	38	24	42
TENNESSEE—All causes	28,826	2,888	2,601	2,608	2,341	2,325	2,230	2,197	2,306	2,118	2,389	2,290	2,533
Typhoid and paratyphoid fever—1,2	10	-	-	-	1	-	1	3	2	2	-	1	-
Cerebrospinal (meningococcus) meningitis—6	24	2	4	4	2	3	-	1	-	3	-	2	3
Scarlet fever—8	8	-	2	-	-	2	1	1	1	-	-	1	-
Whooping cough—9	45	9	4	4	7	5	3	1	-	1	7	1	3
Diphtheria—10	23	3	1	1	-	-	-	-	1	-	9	6	2
Tuberculosis (all forms)—13-22	1,423	137	142	129	134	111	116	105	129	107	108	95	110
Tuberculosis of respiratory system, etc.*—13	1,308	127	136	119	121	97	107	95	116	99	103	89	99
Tuberculosis (other forms)—14-22	115	10	6	10	13	14	9	10	13	8	5	6	11
Dysentery—27	26	-	1	2	2	1	1	6	4	4	1	3	1
Malaria—28	8	-	-	-	1	-	-	1	1	-	5	-	-
Syphilis—30	220	28	17	16	19	12	25	15	14	22	22	15	15
Measles—35	22	1	4	1	9	2	1	-	1	-	-	1	2
Poliomyelitis, polioencephalitis (acute)—36	31	1	2	2	-	-	1	2	8	8	6	-	1
Cancer and other malignant tumors—45-55	3,043	244	233	257	249	259	247	250	245	239	276	274	270
Cancer of the digestive organs and peritoneum—46	1,191	104	93	114	96	107	96	100	97	74	111	95	114
Cancer of female genital organs—48,49	465	31	40	36	39	30	31	46	42	40	51	53	26
Cancer of the breast—50	249	17	26	19	17	16	22	19	21	29	18	24	21
Cancer (other sites)—45,47,51-55	1,138	92	64	88	97	106	98	85	85	96	96	102	109
Acute rheumatic fever—58	49	5	3	4	2	10	3	4	2	2	5	5	4
Diabetes mellitus—61	439	45	29	37	30	43	25	39	39	41	43	36	34
Exophthalmic goiter—63b	27	1	3	1	3	3	3	3	3	2	2	1	2
Pellagra (except alcoholic)—69	45	5	4	5	5	4	7	4	3	2	1	3	2
Alcoholism (ethylism)—77	49	4	5	3	4	3	3	4	4	4	4	4	7
Intracranial lesions of vascular origin—83	3,016	281	270	279	227	263	247	245	241	207	266	213	277
Diseases of the heart—90-95	7,459	786	672	729	627	611	590	544	562	540	606	559	663
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	495	52	49	46	43	37	44	39	43	42	31	33	36
Diseases of coronary arteries and angina pectoris—94	2,329	234	207	212	198	198	197	176	163	171	179	179	215
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,635	470	416	471	386	376	349	329	356	327	396	347	412
Arteriosclerosis and high blood pressure*—97,102	360	43	48	26	21	31	25	29	26	29	30	19	33
Pneumonia (all forms) and influenza—107-109,33	1,577	277	231	181	123	85	66	79	78	57	123	126	151
Bronchopneumonia—107	695	108	93	77	51	46	28	33	42	27	63	58	69
Lobar pneumonia—108	549	89	74	53	46	31	31	33	25	21	37	55	54
Pneumonia (unspecified)—109	97	22	12	8	3	3	4	8	6	5	8	7	11
Influenza—33	236	58	52	43	23	5	3	5	5	4	15	6	17
Ulcer of stomach or duodenum—117	139	13	7	14	12	8	16	10	12	11	14	13	9
Diarrhea, enteritis, etc.*—119,120	211	13	9	10	14	8	11	21	35	31	29	17	13
Appendicitis—121	94	6	6	8	13	10	5	6	7	7	12	7	7
Hernia and intestinal obstruction—122	163	15	17	17	16	9	17	13	13	10	11	13	12
Cirrhosis of the liver—124	200	21	16	18	7	8	14	17	17	23	15	18	26
Biliary calculi, etc.*—126,127	97	12	1	6	5	4	9	15	14	7	7	11	6
Nephritis—130-132	1,706	184	147	135	140	158	147	123	130	123	128	148	143
Diseases of the prostate—137	167	14	17	11	13	18	14	18	14	17	15	10	6
Diseases of pregnancy, etc.*—140-150	144	16	10	15	7	13	9	18	12	12	13	13	6
Puerperal septicemia—140,142a,145A,147	52	7	3	3	4	5	6	4	4	6	6	3	1
Puerperal toxemia—141a,c,144,148	40	5	2	7	-	2	1	6	3	5	3	6	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	38	2	4	4	3	4	-	4	5	1	3	3	5
Other puerperal causes—141d,e,f,145B,150	14	2	1	1	-	2	2	4	-	-	1	1	-
Congenital malformations—157	423	41	37	41	42	38	34	26	32	33	30	33	36
Diseases peculiar to first year of life—158-161	1,595	153	112	132	129	132	119	128	130	133	149	144	134
Premature birth—159	1,000	94	63	80	92	84	81	85	80	83	95	82	81
Other diseases peculiar to first year of life—158,160,161	595	59	49	52	37	48	38	43	50	50	54	62	53
Suicide—163,164	262	18	18	23	29	20	21	19	31	19	20	24	20
Homicide—165-168	367	24	34	24	31	41	25	34	33	33	30	26	32
Accidental deaths—169-195	1,805	152	125	148	140	149	153	169	169	142	141	160	157
Motor-vehicle accidents—170	650	37	34	56	44	46	59	60	68	63	72	64	47
Other accidents—169,171-195	1,155	115	91	92	96	103	94	109	101	79	69	96	110
Senility, ill-defined and unknown causes—162,199,200	1,949	226	236	173	151	133	135	133	148	116	132	185	201
All other causes	1,600	140	134	152	126	128	136	111	145	131	129	123	145

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS—All causes	64,245	6,036	5,652	5,819	5,089	5,238	5,252	5,405	5,368	4,615	5,203	5,111	5,457
Typhoid and paratyphoid fever—1,2	20	4	1	-	-	2	2	2	2	5	1	1	-
Cerebrospinal (meningococcus) meningitis—6	34	3	4	4	4	6	2	1	1	2	1	2	4
Scarlet fever—8	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—9	120	13	20	18	14	12	9	11	8	4	7	2	2
Diphtheria—10	62	7	4	4	8	4	4	-	5	3	12	5	6
Tuberculosis (all forms)—13-22	2,634	269	237	238	229	256	245	229	197	166	190	182	198
Tuberculosis of respiratory system, etc.*—13	2,421	258	226	224	203	235	224	208	174	152	175	166	176
Tuberculosis (other forms)—14-22	213	11	11	12	26	21	21	21	23	14	15	16	22
Dysentery—27	462	10	12	7	24	64	68	70	70	26	38	40	33
Malaria—28	28	1	1	1	3	3	2	2	7	3	1	2	2
Syphilis—30	589	59	51	61	47	41	58	37	52	32	55	41	55
Measles—35	87	3	10	11	16	19	13	4	2	1	2	1	5
Poliomyelitis, polioencephalitis (acute)—36	190	-	-	4	9	24	27	26	40	21	16	13	10
Cancer and other malignant tumors—45-55	6,936	584	506	583	534	608	536	590	584	588	625	606	592
Cancer of the digestive organs and peritoneum—46	2,610	198	191	205	212	232	199	228	235	221	239	229	221
Cancer of female genital organs—48,49	903	87	67	72	64	70	58	84	72	79	83	83	84
Cancer of the breast—50	541	43	34	51	42	41	51	43	45	55	49	45	42
Cancer (other sites)—45,47,51-55	2,882	256	214	255	216	265	228	235	232	233	254	249	245
Acute rheumatic fever—58	44	3	2	5	4	2	8	3	5	5	-	3	4
Diabetes mellitus—61	1,078	131	99	93	87	86	72	78	80	89	94	73	96
Exophthalmic goiter—63b	46	3	4	9	8	2	1	4	2	4	3	4	2
Pellagra (except alcoholic)—69	97	11	13	5	13	5	9	7	12	10	5	3	4
Alcoholism (ethylism)—77	90	8	6	9	5	6	6	5	9	8	10	6	12
Intracranial lesions of vascular origin—83	5,335	499	467	487	425	400	447	486	408	379	495	399	453
Diseases of the heart—90-95	16,270	1,621	1,522	1,594	1,348	1,313	1,265	1,256	1,284	1,051	1,315	1,310	1,391
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	504	65	48	50	40	38	39	32	40	35	45	36	36
Diseases of coronary arteries and angina pectoris—94	6,992	680	624	682	591	572	546	550	541	453	549	598	609
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	8,774	876	850	862	717	703	680	674	703	563	721	679	746
Arteriosclerosis and high blood pressure*—97,102	947	93	90	88	72	72	83	83	82	58	68	74	84
Pneumonia (all forms) and influenza—107-109,33	3,338	498	550	463	261	173	190	162	160	154	188	254	285
Bronchopneumonia—107	1,147	142	165	160	89	75	77	63	63	68	75	83	87
Lobar pneumonia—108	713	98	115	91	58	38	38	37	38	36	36	53	75
Pneumonia (unspecified)—109	1,029	144	164	131	83	54	62	51	54	45	60	93	88
Influenza—33	449	114	106	81	31	6	13	11	5	5	17	25	35
Ulcer of stomach or duodenum—117	256	25	28	29	16	20	24	14	20	19	22	16	23
Diarrhea, enteritis, etc.*—119,120	1,800	82	45	76	124	213	244	249	168	129	152	152	168
Appendicitis—121	193	16	9	15	13	15	17	16	29	11	21	16	15
Hernia and intestinal obstruction—122	432	33	39	34	33	41	31	45	42	43	34	25	32
Cirrhosis of the liver—124	508	54	42	48	38	30	27	43	37	35	38	53	63
Biliary calculi, etc.*—126,127	238	15	26	19	18	26	26	20	16	15	13	25	17
Nephritis—130-132	3,062	293	268	294	251	236	242	286	248	237	241	215	251
Diseases of the prostate—137	292	24	31	23	19	27	17	24	21	35	29	21	21
Diseases of pregnancy, etc.*—140-150	301	22	22	27	25	27	25	32	30	22	27	24	18
Puerperal septicemia—140,142a,145A,147	91	6	3	10	6	9	13	9	8	7	4	11	4
Puerperal toxemia—141a,c,144,148	98	6	9	6	10	10	5	11	12	10	8	5	6
Hemorrhage, trauma or shock*—141b,142b,143,146,149	86	7	8	7	7	8	6	8	6	4	10	7	8
Other puerperal causes—141d,e,f,145B,150	26	3	2	4	2	-	1	4	3	1	5	1	-
Congenital malformations—157	959	99	71	81	66	71	67	80	98	77	70	90	89
Diseases peculiar to first year of life—158-161	3,885	291	286	283	302	322	364	359	403	326	337	304	308
Premature birth—159	2,589	197	167	177	216	213	263	239	260	229	226	198	204
Other diseases peculiar to first year of life—158,160,161	1,296	94	119	106	86	109	101	120	143	97	111	106	104
Suicide—163,164	625	47	40	50	58	64	50	61	46	48	42	67	52
Homicide—165-168	767	37	55	49	58	73	58	83	82	70	55	61	76
Accidental deaths—169-195	5,269	451	419	402	390	415	452	448	469	424	444	487	468
Motor-vehicle accidents—170	2,012	146	141	137	140	150	168	163	200	191	189	196	191
Other accidents—169,171-195	3,257	305	278	265	250	265	284	285	269	233	255	291	277
Senility, ill-defined and unknown causes—162,199,200	2,780	315	277	323	201	190	205	222	245	184	198	198	222
All other causes	4,472	422	395	384	366	370	346	366	406	331	354	336	396
UTAH—All causes	5,070	443	409	488	417	479	370	429	413	375	406	404	437
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	7	-	1	-	-	-	-	-	-	1	2	2	1
Scarlet fever—8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	5	1	-	1	1	1	-	1	-	-	-	-	-
Diphtheria—10	3	1	-	-	-	1	-	-	-	-	-	1	-
Tuberculosis (all forms)—13-22	69	7	4	6	9	7	5	4	1	2	9	5	10
Tuberculosis of respiratory system, etc.*—13	59	6	3	5	6	7	4	4	1	2	7	5	9
Tuberculosis (other forms)—14-22	10	1	1	1	3	-	1	-	-	-	2	-	1
Dysentery—27	4	1	1	-	-	-	-	-	1	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	30	1	1	2	2	2	3	7	3	3	2	2	2
Measles—35	2	-	-	-	-	1	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	12	-	-	-	-	-	-	2	3	-	1	3	3
Cancer and other malignant tumors—45-55	565	52	47	56	38	51	43	42	51	58	47	29	51
Cancer of the digestive organs and peritoneum—46	224	19	22	20	18	23	18	17	12	23	19	10	23
Cancer of female genital organs—48,49	70	4	4	6	4	3	6	4	9	9	5	8	8
Cancer of the breast—50	50	8	5	3	2	7	3	3	5	4	2	2	6
Cancer (other sites)—45,47,51-55	221	21	16	27	14	18	18	18	25	22	21	9	14
Acute rheumatic fever—58	9	-	-	2	-	1	-	1	1	3	1	-	-
Diabetes mellitus—61	121	16	12	14	13	8	6	11	9	11	5	7	9
Exophthalmic goiter—63b	13	1	1	2	2	1	1	3	-	2	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	7	-	1	-	-	1	2	-	1	-	-	-	2
Intracranial lesions of vascular origin—83	393	36	31	35	30	36	31	33	34	25	34	39	29
Diseases of the heart—90-95	1,586	142	130	151	155	163	110	128	111	94	128	143	131
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	161	12	12	12	8	20	15	18	13	10	12	18	11
Diseases of coronary arteries and angina pectoris—94	572	51	39	62	55	53	37	44	45	38	48	49	51
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	853	79	79	77	92	90	58	66	53	46	68	76	69
Arteriosclerosis and high blood pressure*—97,102	96	10	10	10	6	5	6	10	4	13	12	1	9

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—Continued													
Pneumonia (all forms) and influenza—107-109,33	187	17	18	29	21	10	8	10	8	11	13	23	19
Bronchopneumonia—107	78	8	6	13	11	2	2	3	3	3	5	13	9
Lobar pneumonia—108	68	8	8	10	2	3	4	7	4	4	6	6	6
Pneumonia (unspecified)—109	24	1	2	3	4	3	1	-	1	3	-	3	3
Influenza—33	17	-	2	3	4	2	1	-	-	1	2	1	1
Ulcer of stomach or duodenum—117	46	3	3	3	2	5	3	11	3	2	4	2	5
Diarrhea, enteritis, etc.*—119,120	25	1	2	1	3	-	1	1	2	6	3	2	3
Appendicitis—121	12	1	1	-	3	1	-	-	2	1	2	1	-
Hernia and intestinal obstruction—122	29	6	1	2	3	3	-	3	1	3	3	1	3
Cirrhosis of the liver—124	38	3	1	4	4	4	7	-	2	2	7	3	1
Biliary calculi, etc.*—126,127	24	4	-	-	4	3	-	3	2	1	1	3	3
Nephritis—130-132	218	23	26	21	25	18	17	11	15	16	13	14	19
Diseases of the prostate—137	21	1	3	3	-	5	2	-	3	-	1	1	2
Diseases of pregnancy, etc.*—140-150	12	2	1	2	-	-	2	-	2	1	-	-	2
Puerperal septicemia—140,142a,145A,147	4	-	1	-	-	-	2	-	2	-	-	-	-
Puerperal toxemia—141a,c,144,148	2	1	-	1	-	-	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	5	1	-	-	-	-	1	-	-	1	-	-	2
Other puerperal causes—141d,e,f,145B,150	1	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations—157	93	7	7	11	5	4	8	11	10	11	5	9	5
Diseases peculiar to first year of life—158-161	356	24	30	20	26	41	34	36	28	25	21	34	37
Premature birth—159	206	18	17	9	13	18	24	18	18	13	18	21	19
Other diseases peculiar to first year of life—158,160,161	150	6	13	11	13	23	10	18	10	12	3	13	18
Suicide—163,164	37	1	6	6	2	1	2	3	3	3	5	4	1
Homicide—165-168	13	3	-	-	2	2	-	4	-	-	2	-	-
Accidental deaths—169-195	544	33	28	47	30	54	50	60	75	43	46	32	46
Motor-vehicle accidents—170	226	11	14	9	11	19	24	31	34	14	21	13	25
Other accidents—169,171-195	318	22	14	38	19	35	26	29	41	29	25	19	21
Senility, ill-defined and unknown causes—162,199,200	174	16	16	22	15	11	9	11	11	14	13	14	22
All other causes	318	30	27	38	16	38	19	23	27	24	26	29	21
VERMONT—All causes	4,096	373	377	357	368	313	308	324	342	310	325	341	356
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	2	-	-	-	-	-	-	-	1	-
Scarlet fever—8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	3	1	-	1	-	-	-	-	-	-	-	-	1
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	118	11	11	8	9	11	11	11	7	9	5	9	13
Tuberculosis of respiratory system, etc.*—13	109	11	11	7	9	11	10	9	7	8	5	9	12
Tuberculosis (other forms)—14-22	6	-	-	1	-	-	1	2	-	1	-	-	1
Dysentery—27	1	1	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	13	1	1	1	-	1	-	-	2	2	3	-	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliocencephalitis (acute)—56	2	-	-	-	-	-	-	-	-	1	-	1	-
Cancer and other malignant tumors—45-55	603	35	51	44	65	48	50	41	57	59	48	50	55
Cancer of the digestive organs and peritoneum—46	251	10	15	24	26	22	27	17	23	21	17	24	25
Cancer of female genital organs—48,49	59	4	9	3	9	7	4	2	6	7	4	2	2
Cancer of the breast—50	82	6	6	4	5	2	3	8	7	7	7	2	5
Cancer (other sites)—45,47,51-55	231	15	21	13	25	17	16	14	21	24	20	22	23
Acute rheumatic fever—58	4	1	-	-	1	-	-	1	-	-	-	1	-
Diabetes mellitus—61	106	13	9	7	7	10	12	10	8	6	9	7	8
Exophthalmic goiter—63b	6	-	-	-	1	3	-	-	-	-	1	-	1
Pellagra (except alcoholic)—69	3	1	1	-	-	1	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	5	1	-	-	-	1	-	-	-	1	1	1	-
Intracranial lesions of vascular origin—83	369	40	35	37	32	27	24	35	29	20	28	32	29
Diseases of the heart—90-95	1,424	146	130	138	127	108	105	106	112	108	114	111	119
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	67	4	9	7	2	5	1	9	5	6	6	9	4
Diseases of coronary arteries and angina pectoris—94	456	42	30	52	47	33	32	38	35	38	33	41	35
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	901	100	91	79	78	70	72	59	72	64	75	61	80
Arteriosclerosis and high blood pressure*—97,102	128	10	16	13	7	6	5	9	11	13	14	17	7
Pneumonia (all forms) and influenza—107-109,33	153	12	20	22	17	10	7	14	10	10	9	11	11
Bronchopneumonia—107	92	4	11	13	10	6	4	8	7	7	9	6	7
Lobar pneumonia—108	38	6	5	5	6	1	2	4	1	2	-	4	2
Pneumonia (unspecified)—109	11	1	1	1	1	2	1	1	2	-	-	-	1
Influenza—33	12	1	3	3	-	1	-	1	-	1	-	1	1
Ulcer of stomach or duodenum—117	33	2	2	3	2	1	4	2	3	1	4	4	5
Diarrhea, enteritis, etc.*—119,120	8	2	-	-	-	2	-	1	-	-	1	2	-
Appendicitis—121	17	1	1	1	2	1	2	1	-	3	2	3	-
Hernia and intestinal obstruction—122	35	1	5	4	6	3	1	2	1	4	4	2	2
Cirrhosis of the liver—124	31	-	2	5	1	1	4	1	3	5	5	1	3
Biliary calculi, etc.*—126,127	29	6	-	4	2	2	1	4	1	1	4	-	4
Nephritis—130-132	192	22	23	14	16	15	16	13	19	11	13	17	13
Diseases of the prostate—137	32	5	1	5	5	3	2	2	3	1	1	2	2
Diseases of pregnancy, etc.*—140-150	9	1	1	1	1	-	2	1	1	-	-	-	1
Puerperal septicemia—140,142a,145A,147	3	-	-	-	1	-	1	-	-	-	-	-	1
Puerperal toxemia—141a,c,144,148	5	1	-	1	-	-	1	1	1	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	1	-	1	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	63	3	10	3	8	3	6	-	3	5	3	10	9
Diseases peculiar to first year of life—158-161	144	9	8	13	12	19	11	13	21	8	12	11	7
Premature birth—159	90	6	7	8	7	14	7	7	12	5	6	6	5
Other diseases peculiar to first year of life—158,160,161	54	3	1	5	5	5	4	6	9	3	6	5	2
Suicide—163,164	49	5	4	4	5	1	6	-	8	8	2	2	4
Homicide—165-168	3	-	-	1	1	-	-	-	-	1	-	-	-
Accidental deaths—169-195	279	22	25	10	30	21	15	31	22	14	22	26	41
Motor-vehicle accidents—170	85	5	9	3	5	5	5	9	8	2	6	11	17
Other accidents—169,171-195	194	17	16	7	25	16	10	22	14	12	16	15	24
Senility, ill-defined and unknown causes—162,199,200	28	4	1	2	1	2	4	2	4	1	-	4	3
All other causes	205	17	20	14	10	12	20	24	17	18	19	16	18

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	28,976	2,857	2,619	2,632	2,322	2,358	2,280	2,232	2,328	2,145	2,442	2,256	2,505
Typhoid and paratyphoid fever—1,2	9	2	-	-	-	-	2	-	-	-	3	1	1
Cerebrospinal (meningococcus) meningitis—6	26	1	7	2	1	1	2	1	1	3	3	3	1
Scarlet fever—8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough—9	41	5	7	1	1	6	5	5	4	2	5	-	-
Diphtheria—10	15	2	1	1	2	-	-	-	-	1	4	3	1
Tuberculosis (all forms)—13-22	1,087	108	104	92	103	82	103	81	89	76	79	81	91
Tuberculosis of respiratory system, etc.*—13	999	99	103	82	94	75	92	70	83	71	75	74	81
Tuberculosis (other forms)—14-22	88	7	1	10	9	7	11	11	6	5	4	7	10
Dysentery—27	13	-	2	2	-	1	-	-	3	-	5	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	282	27	37	36	14	30	24	20	24	13	19	17	21
Measles—35	16	2	1	3	1	1	2	-	2	-	1	-	3
Poliomyelitis, polioencephalitis (acute)—36	29	1	1	-	-	-	2	1	7	7	7	1	2
Cancer and other malignant tumors—45-55	3,038	248	240	246	232	269	255	236	284	223	286	262	257
Cancer of the digestive organs and peritoneum—46	1,152	100	84	105	94	98	106	90	118	85	98	94	82
Cancer of female genital organs—48,49	445	34	42	33	32	43	38	32	30	27	45	43	48
Cancer of the breast—50	313	31	20	22	19	35	22	22	33	25	38	23	25
Cancer (other sites)—45,47,51-55	1,128	83	94	86	87	93	91	92	103	86	109	102	102
Acute rheumatic fever—58	40	3	5	1	3	9	1	5	2	-	1	3	7
Diabetes mellitus—61	657	67	59	61	46	62	43	51	51	47	49	55	66
Exophthalmic goiter—63b	38	4	4	4	5	3	2	4	3	4	1	4	-
Pellagra (except alcoholic)—69	24	1	3	2	4	2	2	-	1	2	3	4	-
Alcoholism (ethylism)—77	110	5	7	20	9	8	8	2	7	5	12	14	13
Intracranial lesions of vascular origin—83	3,158	353	281	276	267	264	239	229	252	207	280	244	286
Diseases of the heart—90-95	8,297	840	759	775	708	657	654	635	632	586	687	604	760
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	446	40	45	47	41	32	35	35	36	22	37	34	42
Diseases of coronary arteries and angina pectoris—94	2,653	259	229	225	223	211	224	218	208	211	220	187	238
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	5,198	541	485	503	444	414	395	382	388	353	430	383	480
Arteriosclerosis and high blood pressure*—97,102	528	38	52	49	53	38	45	39	38	44	46	44	42
Pneumonia (all forms) and influenza—107-109,33	1,269	222	186	142	95	78	71	47	68	66	88	106	120
Bronchopneumonia—107	583	108	68	61	38	40	31	17	31	31	33	55	70
Lobar pneumonia—108	312	47	55	39	29	18	22	13	16	11	23	22	19
Pneumonia (unspecified)—109	245	36	26	17	21	15	12	16	15	18	25	22	22
Influenza—33	149	31	39	25	7	5	6	1	6	6	7	7	9
Ulcer of stomach or duodenum—117	132	18	11	11	12	10	7	15	9	8	9	10	12
Diarrhea, enteritis, etc.*—119,120	188	13	9	10	10	7	7	12	26	32	27	17	18
Appendicitis—121	74	9	6	1	4	8	6	11	8	3	6	7	5
Hernia and intestinal obstruction—122	216	18	12	21	11	19	20	24	21	22	17	16	15
Cirrhosis of the liver—124	193	12	18	20	7	15	10	21	21	20	17	22	10
Biliary calculi, etc.*—126,127	84	7	6	11	4	4	5	5	9	9	7	9	8
Nephritis—130-132	1,961	196	176	171	152	183	157	155	160	149	169	142	151
Diseases of the prostate—137	122	15	14	9	7	7	12	12	13	5	8	11	8
Diseases of pregnancy, etc.*—140-150	113	10	15	13	8	12	9	12	5	4	10	7	8
Puerperal septicemia—140,142a,145A,147	26	1	2	5	3	-	1	4	2	2	2	3	1
Puerperal toxemia—141a,c,144,148	39	3	7	5	1	5	2	3	-	2	5	-	6
Hemorrhage, trauma or shock*—141b,142b,143,146,149	34	4	3	2	3	5	3	4	3	-	3	4	-
Other puerperal causes—141d,e,f,145B,150	14	2	3	1	1	2	3	1	-	-	-	-	1
Congenital malformations—157	424	36	44	34	38	33	36	29	26	34	36	38	40
Diseases peculiar to first year of life—158-161	1,740	151	153	148	143	147	146	142	149	148	151	129	133
Premature birth—159	1,128	101	109	88	82	101	103	91	99	87	99	84	84
Other diseases peculiar to first year of life—158,160,161	812	50	44	60	61	46	43	51	50	61	52	45	49
Suicide—163,164	336	27	30	30	30	29	29	35	21	23	32	29	21
Homicide—165-168	299	19	18	29	22	22	38	29	31	23	25	24	22
Accidental deaths—169-195	2,072	180	133	178	144	167	165	219	163	187	178	162	196
Motor-vehicle accidents—170	699	42	22	57	43	57	59	65	48	77	78	68	73
Other accidents—169,171-195	1,373	138	111	121	101	100	106	154	115	110	100	94	123
Senility, ill-defined and unknown causes—162,199,200	555	66	57	54	42	38	35	35	46	50	38	43	51
All other causes	1,770	153	161	179	143	146	141	120	152	142	153	144	136
WASHINGTON—All causes	22,211	1,947	1,857	1,913	1,858	1,933	1,760	1,742	1,734	1,736	1,885	1,825	2,021
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis—6	4	1	-	1	2	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	4	-	-	-	-	1	-	1	1	1	-	-	-
Diphtheria—10	9	-	-	-	3	1	1	1	-	-	2	1	-
Tuberculosis (all forms)—13-22	598	57	64	48	57	51	55	58	51	38	44	43	32
Tuberculosis of respiratory system, etc.*—13	541	51	59	44	53	43	48	56	47	36	37	37	30
Tuberculosis (other forms)—14-22	57	6	5	4	4	8	7	2	4	2	7	6	2
Dysentery—27	5	1	-	-	-	-	1	2	-	-	1	-	-
Malaria—28	2	-	-	-	-	1	-	-	-	1	-	-	-
Syphilis—30	132	13	13	10	8	12	14	8	6	11	14	13	10
Measles—35	11	-	1	1	2	3	1	-	-	-	-	1	2
Poliomyelitis, polioencephalitis (acute)—38	42	1	3	-	-	-	-	3	1	10	17	5	2
Cancer and other malignant tumors—45-55	3,042	216	236	245	281	283	239	236	268	258	241	255	284
Cancer of the digestive organs and peritoneum—46	1,359	93	113	102	129	130	116	107	132	110	105	112	110
Cancer of female genital organs—48,49	295	23	17	20	31	29	20	31	23	20	19	22	40
Cancer of the breast—50	296	22	19	23	33	31	20	12	31	25	29	22	29
Cancer (other sites)—45,47,51-55	1,092	78	87	100	88	93	83	86	82	103	88	99	105
Acute rheumatic fever—58	10	-	-	2	1	2	1	-	1	2	-	-	1
Diabetes mellitus—61	488	54	43	39	37	43	35	36	46	38	31	39	47
Exophthalmic goiter—63b	29	6	2	2	3	-	4	3	4	-	4	-	1
Pellagra (except alcoholic)—69	2	-	-	-	1	1	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	76	7	3	7	6	4	8	8	5	3	8	8	9
Intracranial lesions of vascular origin—83	2,131	177	193	185	182	185	169	162	157	185	168	159	209
Diseases of the heart—90-95	7,310	697	610	623	612	637	557	584	505	561	602	641	681
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	389	28	43	31	34	30	31	41	32	35	25	30	29
Diseases of coronary arteries and angina pectoris—94	3,256	294	262	274	270	284	224	271	247	260	257	284	329
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,665	375	305	318	308	323	302	272	226	266	320	327	323
Arteriosclerosis and high blood pressure*—97,102	393	33	32	39	29	41	34	25	33	27	23	47	30

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON—Continued													
Pneumonia (all forms) and influenza—107-109,33	862	88	103	106	78	67	61	53	55	56	69	59	67
Bronchopneumonia—107	541	56	57	59	48	41	44	40	41	33	47	34	41
Lobar pneumonia—108	221	25	28	20	19	25	14	8	12	18	20	17	15
Pneumonia (unspecified)—109	52	2	7	11	6	1	1	4	1	4	2	7	6
Influenza—33	46	5	11	16	5	-	2	1	1	1	-	1	5
Ulcer of stomach or duodenum—117	176	10	14	22	15	15	11	13	14	16	16	11	19
Diarrhea, enteritis, etc.*—119,120	49	8	2	3	5	3	7	2	3	2	5	4	5
Appendicitis—121	43	1	7	4	4	4	6	5	5	4	2	-	1
Hernia and intestinal obstruction—122	164	12	16	16	17	15	10	11	14	13	11	12	17
Cirrhosis of the liver—124	219	19	16	16	13	24	19	18	19	11	28	19	17
Biliary calculi, etc.*—126,127	81	7	2	4	9	13	6	3	7	7	3	7	13
Nephritis—130-132	953	84	76	94	84	77	70	67	84	68	90	70	89
Diseases of the prostate—137	119	9	11	9	11	12	17	13	7	7	6	11	6
Diseases of pregnancy, etc.*—140-150	29	2	5	1	2	1	5	1	5	3	1	2	1
Puerperal septicemia—140,142a,145A,147	7	-	-	-	1	-	1	-	3	1	-	1	-
Puerperal toxemia—141a,c,144,148	8	1	1	1	1	-	1	-	-	1	1	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	9	1	2	-	-	-	1	1	2	1	-	-	1
Other puerperal causes—141d,e,f,145B,150	5	-	2	-	-	1	2	-	-	-	-	-	-
Congenital malformations—157	291	29	25	29	18	22	22	31	18	28	31	18	20
Diseases peculiar to first year of life—158-161	952	76	83	66	67	78	88	90	95	52	89	82	96
Premature birth—159	593	50	54	33	43	53	63	51	51	31	54	46	64
Other diseases peculiar to first year of life—158,160,161	359	28	29	33	24	25	25	39	34	21	35	36	32
Suicide—163,164	327	29	22	32	30	26	27	35	23	36	31	14	22
Homicide—165-168	68	8	8	4	8	3	6	9	4	6	5	5	2
Accidental deaths—169-195	1,829	143	137	142	135	137	139	149	184	162	183	147	171
Motor-vehicle accidents—170	557	39	35	46	34	30	44	45	57	58	60	57	52
Other accidents—169,171-195	1,272	104	102	96	101	107	95	104	127	104	123	90	119
Senility, ill-defined and unknown causes—162,199,200	511	37	46	37	31	52	47	28	34	50	51	44	56
All other causes	1,249	122	84	126	107	119	100	89	95	80	109	107	111
WEST VIRGINIA—All causes	17,600	1,757	1,549	1,614	1,502	1,457	1,347	1,334	1,386	1,334	1,495	1,343	1,482
Typhoid and paratyphoid fever—1,2	5	-	1	-	-	-	-	1	1	-	-	2	-
Cerebrospinal (meningococcus) meningitis—6	27	3	1	3	5	-	3	-	1	1	4	2	4
Scarlet fever—8	3	-	-	1	-	-	-	-	1	-	1	-	-
Whooping cough—9	36	8	2	2	5	1	3	2	1	3	4	-	5
Diphtheria—10	20	4	2	2	-	1	-	1	1	-	7	2	-
Tuberculosis (all forms)—11-22	622	71	41	63	66	48	59	56	52	44	47	39	36
Tuberculosis of respiratory system, etc.*—11	585	69	39	59	62	45	56	52	50	42	42	35	34
Tuberculosis (other forms)—12-22	37	2	2	4	4	3	3	4	2	2	5	4	2
Dysentery—27	15	1	-	-	2	-	1	-	3	3	4	-	1
Malaria—28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis—30	165	23	14	17	13	18	15	7	5	14	20	13	6
Measles—35	31	3	10	7	6	4	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	14	1	-	-	1	-	-	1	2	2	5	1	1
Cancer and other malignant tumors—45-55	1,875	174	127	132	157	174	166	145	181	148	161	147	163
Cancer of the digestive organs and peritoneum—46	816	70	56	55	79	80	67	65	63	64	79	69	69
Cancer of female genital organs—48,49	272	25	22	14	23	21	26	20	27	27	26	16	25
Cancer of the breast—50	139	20	9	13	10	13	10	10	13	7	10	11	13
Cancer (other sites)—45,47,51-55	648	59	40	50	45	60	63	50	78	50	46	51	56
Acute rheumatic fever—58	23	3	3	5	1	-	1	2	-	-	5	2	1
Diabetes mellitus—61	375	45	38	31	29	36	33	35	26	26	23	29	24
Exophthalmic goiter—63b	28	2	3	2	3	1	4	2	2	2	1	3	3
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	48	3	3	5	4	3	5	7	2	4	6	3	3
Intracranial lesions of vascular origin—83	1,665	164	136	156	152	143	129	130	137	121	138	122	137
Diseases of the heart—90-95	4,716	468	470	453	432	384	354	328	333	333	383	350	428
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	260	22	33	32	23	20	11	18	21	16	21	24	19
Diseases of coronary arteries and angina pectoris—94	1,543	161	135	129	124	114	121	118	107	109	145	130	150
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,913	285	302	292	285	250	222	192	205	208	217	196	259
Arteriosclerosis and high blood pressure*—97,102	239	21	24	19	32	13	15	14	22	16	26	20	17
Pneumonia (all forms) and influenza—107-109,33	856	130	106	122	61	59	39	32	48	39	63	70	87
Bronchopneumonia—107	407	62	55	54	33	29	19	14	20	19	34	34	34
Lobar pneumonia—108	253	30	30	37	19	21	17	15	20	12	13	17	22
Pneumonia (unspecified)—109	102	22	13	11	3	4	2	3	5	5	8	11	15
Influenza—33	94	16	8	20	6	5	1	-	3	3	8	8	16
Ulcer of stomach or duodenum—117	81	5	9	7	10	8	4	5	8	11	5	7	2
Diarrhea, enteritis, etc.*—119,120	179	13	6	15	7	3	3	15	13	42	44	9	9
Appendicitis—121	42	-	2	6	5	7	5	6	-	3	6	2	-
Hernia and intestinal obstruction—122	115	9	9	13	11	9	11	4	14	4	16	9	7
Cirrhosis of the liver—124	139	8	12	9	14	12	8	10	13	11	14	16	12
Biliary calculi, etc.*—126,127	63	4	7	6	6	9	5	5	4	4	5	6	2
Nephritis—130-132	930	94	82	87	82	89	79	70	75	58	68	72	74
Diseases of the prostate—137	80	9	7	5	9	7	8	3	10	9	4	5	4
Diseases of pregnancy, etc.*—140-150	60	6	4	4	3	6	5	7	5	5	5	6	4
Puerperal septicemia—140,142a,145A,147	15	-	2	1	2	1	-	1	1	2	1	2	2
Puerperal toxemia—141a,c,144,148	20	1	2	-	-	3	4	3	2	3	1	-	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	16	3	-	3	1	2	1	2	-	-	1	3	-
Other puerperal causes—141d,e,f,145B,150	9	2	-	-	-	-	-	1	2	-	2	1	1
Congenital malformations—157	323	28	29	35	25	20	20	21	25	30	28	27	37
Diseases peculiar to first year of life—158-161	1,052	98	83	89	91	88	90	98	90	97	80	79	69
Premature birth—159	666	62	45	53	58	60	65	68	55	65	42	47	48
Other diseases peculiar to first year of life—158,160,161	394	36	38	36	33	28	25	30	35	32	38	32	21
Suicide—163,164	194	16	24	19	18	16	12	14	16	14	12	20	13
Homicide—165-168	151	9	8	15	11	16	10	17	14	14	9	18	10
Accidental deaths—169-195	1,709	162	130	135	95	148	143	169	158	141	146	139	145
Motor-vehicle accidents—170	456	31	21	43	24	48	27	52	41	41	44	39	45
Other accidents—169,171-195	1,253	131	109	92	71	100	116	117	115	100	102	100	100
Senility, ill-defined and unknown causes—162,199,200	675	69	66	58	62	61	44	40	47	49	61	48	70
All other causes	1,043	104	90	91	84	73	72	87	78	85	98	75	108

*Refer to International List for complete title, table IX, Part I.

891562 O—50——16

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN—All causes	32,564	3,033	2,751	2,875	2,734	2,729	2,645	2,583	2,705	2,335	2,749	2,654	2,771
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	13	-	2	4	1	2	1	1	-	-	1	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	14	-	2	1	-	3	3	-	2	2	1	-	-
Diphtheria—10	4	-	1	2	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms)—13-22	474	31	41	45	47	47	36	42	37	24	34	45	45
Tuberculosis of respiratory system, etc.*—13	440	29	37	38	43	46	32	41	37	21	33	42	43
Tuberculosis (other forms)—14-22	34	2	4	9	4	1	4	1	-	3	1	3	2
Dysentery—27	4	-	-	1	1	-	-	1	-	-	-	-	1
Malaria—28	2	-	-	1	-	-	-	-	-	-	-	1	-
Syphilis—30	146	15	14	11	10	10	12	10	13	9	9	17	16
Measles—35	16	1	-	2	-	4	3	1	1	1	1	-	2
Poliomyelitis, polioencephalitis (acute)—36	92	-	-	1	-	-	1	5	28	21	27	9	-
Cancer and other malignant tumors—45-55	5,001	433	376	424	418	407	402	442	457	412	442	399	389
Cancer of the digestive organs and peritoneum—46	2,429	212	180	208	225	178	183	224	224	212	217	193	173
Cancer of female genital organs—48,49	510	42	33	38	43	47	54	42	39	41	38	40	53
Cancer of the breast—50	451	45	39	38	36	43	29	41	38	40	37	36	30
Cancer (other sites)—45,47,51-55	1,611	134	124	140	114	139	137	135	156	118	150	130	133
Acute rheumatic fever—58	17	3	2	-	-	1	3	2	1	-	2	1	2
Diabetes mellitus—61	1,064	107	105	91	77	97	87	90	78	86	78	93	73
Exophthalmic goiter—63b	77	5	12	4	3	8	12	4	8	5	6	7	3
Pellagra (except alcoholic)—69	1	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism (ethylism)—77	39	4	2	6	3	1	3	3	4	2	4	4	3
Intracranial lesions of vascular origin—83	3,222	306	250	305	286	274	247	238	261	228	284	275	288
Diseases of the heart—90-95	11,201	1,074	1,000	1,028	977	941	918	898	863	744	918	861	979
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	603	67	56	46	51	40	52	56	47	37	61	46	44
Diseases of coronary arteries and angina pectoris—94	3,716	323	315	362	308	313	316	286	296	258	306	304	329
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	6,882	684	629	620	618	588	550	556	520	449	551	511	606
Arteriosclerosis and high blood pressure*—97,102	591	41	56	47	45	40	46	65	39	39	54	62	57
Pneumonia (all forms) and influenza—107-109,33	967	144	106	92	80	77	60	51	53	54	90	66	85
Bronchopneumonia—107	498	65	55	54	40	39	32	23	29	38	51	30	42
Lobar pneumonia—108	332	48	34	29	30	33	33	20	16	12	22	22	33
Pneumonia (unspecified)—109	57	12	4	4	4	2	2	4	6	1	6	7	3
Influenza—33	80	19	13	5	6	3	2	4	2	3	9	7	7
Ulcer of stomach or duodenum—117	212	23	19	17	14	22	22	11	16	13	24	18	13
Diarrhea, enteritis, etc.*—119,120	106	10	12	11	9	7	9	11	9	5	5	9	8
Appendicitis—121	99	13	8	8	7	8	12	5	8	10	4	6	8
Hernia and intestinal obstruction—122	244	24	24	24	19	18	20	27	11	16	20	14	27
Cirrhosis of the liver—124	346	30	25	26	32	23	26	18	32	30	43	32	29
Biliary calculi, etc.*—126,127	207	22	19	20	14	19	9	21	14	11	20	23	15
Nephritis—130-132	1,480	145	142	135	115	132	135	106	136	76	114	116	128
Diseases of the prostate—137	185	16	11	16	18	21	16	14	21	17	12	14	9
Diseases of pregnancy, etc.*—140-150	87	17	4	8	6	6	6	7	9	6	6	8	4
Puerperal septicemia—140,142a,145A,147	21	3	1	2	1	2	3	-	2	2	1	4	-
Puerperal toxemia—141a,c,144,148	23	5	1	2	2	1	-	4	2	1	3	1	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	38	8	2	4	2	3	2	3	5	2	1	3	3
Other puerperal causes—141d,e,f,145B,150	5	1	-	-	1	-	1	-	-	1	1	-	-
Congenital malformations—157	490	44	41	38	44	40	35	35	46	36	34	46	51
Diseases peculiar to first year of life—158-161	1,277	110	114	117	116	103	110	98	101	111	88	116	90
Premature birth—159	784	70	65	78	80	61	71	60	58	64	56	68	53
Other diseases peculiar to first year of life—158,160,161	493	40	49	39	38	42	39	38	43	47	33	48	37
Suicide—163,164	403	27	26	38	48	46	31	28	26	24	34	37	40
Homicide—165-168	29	4	3	3	3	2	1	1	2	3	3	2	2
Accidental deaths—169-195	2,389	183	156	167	180	192	184	214	253	210	219	208	223
Motor-vehicle accidents—170	842	62	53	51	54	63	64	70	79	94	103	69	80
Other accidents—169,171-195	1,547	121	103	116	126	129	120	144	174	116	116	139	143
Senility, ill-defined and unknown causes—162,199,200	337	38	25	32	23	37	21	21	31	21	35	26	27
All other causes	1,728	163	153	150	158	141	184	115	145	116	135	137	153
WYOMING—All causes	2,385	179	212	193	192	205	183	177	210	196	203	221	214
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	2	-	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	2	1	-	-	-	-
Diphtheria—10	1	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	30	2	1	3	2	6	1	2	5	1	2	4	1
Tuberculosis of respiratory system, etc.*—13	22	2	-	3	2	3	-	-	5	1	2	3	1
Tuberculosis (other forms)—14-22	8	-	1	-	-	3	1	2	-	-	-	1	-
Dysentery—27	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	22	1	1	2	-	1	2	3	-	5	2	1	4
Measles—35	11	1	-	1	4	3	1	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)—36	8	-	-	-	-	-	-	2	-	4	2	-	-
Cancer and other malignant tumors—45-55	254	14	25	21	21	19	25	17	24	26	19	25	18
Cancer of the digestive organs and peritoneum—46	114	10	14	10	9	7	11	6	11	9	7	13	7
Cancer of female genital organs—48,49	21	1	3	3	-	2	2	1	1	4	2	1	1
Cancer of the breast—50	27	1	4	2	2	1	3	2	5	2	1	1	3
Cancer (other sites)—45,47,51-55	92	2	4	6	10	9	9	8	7	11	9	10	7
Acute rheumatic fever—58	2	-	-	-	1	1	-	-	-	-	-	-	-
Diabetes mellitus—61	47	3	4	2	1	5	6	1	3	5	4	5	8
Exophthalmic goiter—63b	1	-	1	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	13	1	1	1	-	3	1	1	-	1	-	1	3
Intracranial lesions of vascular origin—83	171	18	22	13	13	11	17	12	14	10	13	18	10
Diseases of the heart—90-95	678	56	61	53	56	59	44	64	59	43	61	62	60
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	36	3	8	2	4	6	-	3	2	1	1	1	5
Diseases of coronary arteries and angina pectoris—94	231	22	17	17	18	22	17	24	21	12	23	21	17
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	411	31	36	34	34	31	27	37	36	30	37	40	38
Arteriosclerosis and high blood pressure*—97,102	35	2	3	2	5	2	2	2	3	5	4	2	3

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—Continued													
Pneumonia (all forms) and influenza—107-109,33	120	12	14	20	12	8	7	4	7	8	9	9	10
Bronchopneumonia—107	48	6	6	8	4	4	4	2	2	3	3	3	3
Lobar pneumonia—108	40	4	3	7	4	3	1	1	4	3	3	3	4
Pneumonia (unspecified)—109	24	1	2	4	4	1	2	1	-	2	2	3	2
Influenza—33	8	1	3	1	-	-	-	-	1	-	1	-	1
Ulcer of stomach or duodenum—117	19	1	1	2	3	3	-	-	4	1	3	1	-
Diarrhea, enteritis, etc.*—119,120	16	3	1	-	2	1	1	-	2	4	-	1	1
Appendicitis—121	7	-	2	-	-	1	1	1	-	-	1	1	-
Hernia and intestinal obstruction—122	24	4	2	4	2	-	1	-	7	1	1	1	1
Cirrhosis of the liver—124	27	2	-	1	-	2	2	1	6	3	3	3	4
Biliary calculi, etc.*—126,127	10	1	-	-	-	2	-	2	1	-	1	2	1
Nephritis—130-132	138	10	13	15	15	10	8	9	12	9	11	12	14
Diseases of the prostate—137	14	1	1	1	2	-	2	-	2	-	1	2	2
Diseases of pregnancy, etc.*—140-150	8	-	-	2	1	-	-	-	2	1	-	-	2
Puerperal septicemia—140,142a,145A,147	2	-	-	-	-	-	-	-	1	-	-	-	1
Puerperal toxemia—141a,c,144,148	1	-	-	-	-	-	-	-	1	-	-	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	5	-	-	2	1	-	-	-	-	1	-	-	1
Other puerperal causes—141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	42	4	2	-	5	4	6	2	2	4	6	3	4
Diseases peculiar to first year of life—158-161	158	10	21	11	10	16	17	13	8	18	9	11	14
Premature birth—159	101	7	12	7	5	12	13	9	2	12	5	8	9
Other diseases peculiar to first year of life—158,160,161	57	3	9	4	5	4	4	4	6	6	4	3	5
Suicide—163,164	38	3	4	5	3	4	3	2	3	2	2	2	5
Homicide—165-168	12	-	1	-	-	3	-	-	2	-	2	-	4
Accidental deaths—169-195	290	20	14	14	18	22	26	26	31	26	36	32	25
Motor-vehicle accidents—170	112	7	3	2	9	7	13	9	13	13	18	13	5
Other accidents—169,171-195	178	13	11	12	9	15	13	17	18	13	18	19	20
Senility, ill-defined and unknown causes—162,199,200	42	2	4	5	3	5	4	1	1	3	3	5	6
All other causes	141	8	13	14	12	13	6	9	10	16	8	18	14

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	UNITED STATES										
	ALL CAUSES	1,444,337	113,169	8,612	4,258	3,302	2,645	131,984	8,671	7,092	12,989
	White—M	725,818	53,297	3,848	1,902	1,541	1,247	61,835	4,344	3,613	6,568
	F	544,771	38,737	3,100	1,521	1,164	907	45,429	2,897	2,130	3,474
	Nonwhite—M	95,113	11,854	869	436	320	256	13,735	766	719	1,525
	F	78,635	9,281	795	397	277	235	10,985	664	630	1,422
1,2	Typhoid and paratyphoid fever	233	5	3	2	3	-	13	15	15	14
	White—M	99	3	1	-	1	-	5	3	3	7
	F	81	1	1	1	1	-	4	6	2	2
	Nonwhite—M	44	1	1	1	-	-	3	5	6	2
	F	29	-	-	-	1	-	1	1	4	3
6	Cerebrospinal (meningococcus) meningitis	873	245	116	63	51	41	518	75	34	42
	White—M	420	116	57	41	31	17	262	33	17	20
	F	329	84	47	18	13	21	183	33	10	17
	Nonwhite—M	73	26	7	1	5	1	40	5	4	4
	F	51	19	7	3	2	2	33	4	3	1
8	Scarlet fever	68	5	4	2	5	4	20	20	8	3
	White—M	32	3	3	-	2	2	10	12	4	2
	F	31	-	1	2	3	1	7	8	4	1
	Nonwhite—M	5	2	-	-	-	1	3	-	-	-
	F	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	1,146	842	174	56	24	16	1,112	24	1	4
	White—M	354	272	51	16	2	7	348	5	-	1
	F	397	273	63	26	13	5	380	12	-	1
	Nonwhite—M	183	141	25	4	7	3	180	3	-	-
	F	212	156	35	10	2	1	204	4	1	2
10	Diphtheria	634	47	80	84	79	69	359	141	18	12
	White—M	289	22	31	37	29	26	145	58	8	4
	F	228	15	28	29	30	30	132	59	7	6
	Nonwhite—M	63	6	12	9	12	6	45	12	2	1
	F	54	4	9	9	8	7	37	12	1	1
13-22	Tuberculosis (all forms)	43,933	325	406	208	122	77	1,136	216	282	1,190
	White—M	21,616	94	144	70	44	23	375	66	51	191
	F	10,134	96	135	67	35	20	353	68	80	305
	Nonwhite—M	6,936	78	66	32	21	22	219	40	52	236
	F	5,147	57	61	39	22	12	191	42	99	458
13	Tuberculosis of respiratory system, etc.*	40,420	135	133	68	46	28	410	92	197	1,052
	White—M	20,354	47	40	21	19	8	135	22	26	156
	F	9,187	33	45	17	11	7	113	23	54	278
	Nonwhite—M	6,239	35	25	13	6	7	86	18	35	201
	F	4,640	20	23	17	10	6	76	29	80	417
14-22	Tuberculosis (other forms)	3,413	190	273	140	76	49	728	124	85	138
	White—M	1,262	47	104	49	25	15	240	44	23	35
	F	947	63	90	50	24	13	240	45	26	27
	Nonwhite—M	697	43	41	19	15	15	133	22	17	35
	F	507	37	38	22	12	6	115	13	19	41
27	Dysentery	1,078	621	102	30	15	12	780	22	6	6
	White—M	486	297	45	6	5	3	356	10	2	3
	F	414	232	44	16	7	6	305	10	3	1
	Nonwhite—M	102	52	8	4	1	2	67	1	1	-
	F	76	40	5	4	2	1	52	1	-	2
28	Malaria	170	10	4	5	3	1	23	5	3	2
	White—M	61	3	1	1	-	-	5	1	2	-
	F	33	4	1	-	1	-	6	-	-	1
	Nonwhite—M	38	1	1	2	2	1	7	1	-	-
	F	38	2	1	2	-	-	5	3	1	1
30	Syphilis	11,616	439	6	2	2	1	449	4	13	48
	White—M	5,598	92	1	-	-	-	93	1	3	13
	F	1,880	59	1	-	-	-	60	1	-	16
	Nonwhite—M	2,876	173	1	1	-	-	175	1	5	9
	F	1,262	114	3	1	2	1	121	1	5	10
35	Measles	888	183	204	89	63	49	588	173	40	27
	White—M	382	78	88	33	26	27	252	83	17	10
	F	376	66	78	43	28	17	232	78	18	11
	Nonwhite—M	59	22	16	5	5	2	50	5	3	1
	F	71	17	22	8	4	3	54	7	2	5
36	Poliomyelitis, polioencephalitis (acute)	1,895	84	80	90	79	97	430	384	269	213
	White—M	1,088	49	40	48	43	61	241	222	141	120
	F	711	30	35	37	29	30	161	139	116	77
	Nonwhite—M	55	2	3	1	5	2	13	15	4	11
	F	41	3	2	4	2	4	15	8	8	5
45-55	Cancer and other malignant tumors	197,042	112	172	156	184	150	754	410	329	503
	White—M	90,942	57	103	76	88	70	394	223	161	248
	F	90,917	43	59	67	58	60	287	154	134	184
	Nonwhite—M	7,002	7	5	7	10	12	41	17	12	38
	F	8,181	5	5	6	8	8	32	16	22	33
46	Cancer of the digestive organs and peritoneum	85,056	9	18	14	14	11	66	38	43	68
	White—M	43,126	3	11	7	9	6	36	23	26	29
	F	35,785	3	6	6	3	3	21	11	10	25
	Nonwhite—M	3,577	1	1	1	-	2	5	2	3	9
	F	2,568	2	-	-	2	-	4	2	4	5

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948

and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
19,376	21,055	24,622	34,279	46,824	63,922	89,982	114,618	138,445	159,401	170,510	164,267	125,030	75,629	27,170	6,042	1,363	1,068	
9,623	9,480	10,979	15,331	22,587	32,078	47,926	63,670	77,589	86,048	87,995	81,389	58,525	33,069	10,640	1,961	261	497	
4,935	6,011	7,449	10,560	13,974	18,654	26,297	35,396	45,687	58,277	70,282	73,813	60,808	39,492	15,112	3,369	485	240	
2,550	2,952	3,187	4,337	5,553	7,106	8,920	8,947	8,465	8,342	6,896	5,137	3,033	1,589	627	315	216	196	
2,268	2,612	3,007	4,051	4,910	6,084	6,839	6,805	6,704	6,734	5,337	3,918	2,664	1,479	791	397	401	135	
15	16	17	17	20	6	14	6	26	17	11	8	1	2	-	-	-	-	1,2
3	5	6	8	9	5	8	4	17	7	5	3	1	2	-	-	-	-	
8	6	3	2	7	-	2	1	5	4	6	3	-	-	-	-	-	-	
1	-	4	5	3	1	4	-	3	6	-	1	-	-	-	-	-	-	
3	5	4	2	1	-	2	1	1	-	-	1	-	-	-	-	-	-	
15	12	11	23	19	23	28	19	24	8	10	4	7	1	-	-	-	2	6
6	4	4	14	10	11	11	5	10	3	3	-	5	1	-	-	-	1	
6	5	4	5	9	8	12	11	12	4	5	4	1	-	-	-	-	-	
2	3	3	1	-	3	1	1	1	1	2	-	1	-	-	-	-	1	
1	-	-	3	-	1	2	1	-	-	-	-	-	-	-	-	-	-	
3	3	1	5	1	-	-	1	2	-	1	-	-	-	-	-	-	-	8
-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	1	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	5	4	11	21	13	14	12	9	4	5	2	1	-	-	-	-	-	10
2	2	3	5	17	9	14	7	5	4	3	2	-	-	-	-	-	-	
1	2	1	3	3	3	-	5	3	-	2	-	1	-	-	-	-	-	
-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
2,743	3,226	3,365	3,766	3,807	3,940	4,225	4,061	3,676	3,206	2,339	1,559	727	265	61	8	3	30	13-22
529	797	1,123	1,467	1,859	2,221	2,705	2,654	2,552	2,068	1,433	917	426	133	33	3	2	11	
786	982	954	1,008	794	647	621	645	618	709	683	518	245	105	24	4	-	7	
570	628	656	755	750	782	672	582	381	306	167	91	40	20	1	-	-	8	
858	839	632	538	404	310	227	180	125	123	56	33	16	7	3	1	1	4	
2,536	3,001	3,148	3,550	3,568	3,737	4,032	3,856	3,498	3,032	2,203	1,478	687	250	55	6	3	29	13
481	742	1,072	1,403	1,767	2,134	2,614	2,564	2,454	1,975	1,353	976	405	127	31	3	2	10	
728	906	892	952	749	601	584	588	575	654	643	490	229	99	20	2	-	7	
515	570	590	703	691	715	630	541	353	286	156	85	38	17	1	-	-	8	
812	783	594	492	361	287	204	163	116	117	51	27	15	7	3	1	1	4	
207	225	217	216	239	203	193	205	178	174	136	81	40	15	6	2	-	1	14-22
48	55	51	64	92	87	91	90	98	93	80	41	21	6	2	-	-	1	
59	56	62	54	45	46	37	57	43	55	40	28	16	6	4	2	-	-	
55	58	66	52	59	47	42	41	28	20	11	6	2	3	-	-	-	-	
46	56	38	46	43	23	23	17	9	6	5	6	1	-	-	-	-	-	
12	12	7	7	13	14	10	17	24	35	25	37	21	22	4	2	2	-	27
6	5	4	5	5	5	3	5	11	14	11	19	8	11	1	1	1	-	
4	5	1	1	4	3	4	5	7	14	11	14	9	10	2	1	-	-	
1	1	2	1	4	3	2	2	3	6	3	3	1	1	-	-	-	-	
1	1	-	-	-	3	1	5	3	1	-	1	3	-	1	-	1	-	
3	7	5	4	13	12	10	11	10	17	17	18	3	3	3	-	1	-	28
2	1	4	2	4	6	4	4	5	8	2	7	2	1	1	-	-	-	
-	4	-	1	1	-	-	-	1	2	9	7	-	-	1	-	-	-	
-	1	1	1	5	2	2	3	1	3	4	3	1	2	1	-	-	-	
1	1	-	-	3	4	4	4	3	4	2	1	-	-	-	-	1	-	
76	138	282	526	876	1,231	1,423	1,855	1,602	1,377	941	578	254	100	19	3	1	20	30
12	24	56	119	271	469	637	929	1,002	827	560	352	142	55	8	2	-	5	
12	24	35	82	111	163	193	240	243	223	210	140	81	32	10	1	1	3	
20	57	104	210	340	409	463	365	267	236	111	64	20	7	1	-	-	12	
32	33	87	115	154	190	131	121	90	91	40	22	11	8	-	-	-	-	
4	12	10	8	1	2	-	2	2	6	7	2	1	1	1	1	-	-	35
1	1	3	3	1	1	-	-	2	2	4	1	-	-	1	-	-	-	
2	11	7	5	-	1	-	1	-	4	3	1	1	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
185	168	134	66	20	10	10	7	1	-	-	-	-	-	-	-	-	-	36
115	95	87	42	9	6	4	5	1	-	-	-	-	-	-	-	-	-	
64	65	45	24	8	4	6	2	-	-	-	-	-	-	-	-	-	-	
3	4	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
779	1,368	2,491	4,630	7,571	11,751	17,472	23,009	26,519	27,988	27,058	22,434	13,710	8,286	1,569	251	36	104	45-55
389	538	810	1,290	2,277	4,047	7,045	10,452	13,109	14,109	13,756	11,479	6,846	2,980	644	100	7	38	
296	646	1,279	2,605	4,179	6,107	8,361	10,390	11,506	12,105	11,987	10,086	6,454	3,111	866	129	14	37	
33	59	90	169	363	628	957	1,079	968	963	729	485	214	98	29	9	6	15	
61	145	312	566	752	969	1,109	1,088	936	811	586	384	196	97	30	13	9	14	
163	309	620	1,169	2,197	3,771	6,426	9,338	11,868	13,437	13,501	11,350	6,922	2,961	666	93	11	39	46
69	144	267	471	944	1,742	3,140	4,878	6,408	7,236	7,091	5,737	3,287	1,316	231	33	2	15	
68	106	262	525	903	1,484	2,457	3,527	4,587	5,362	5,780	5,206	3,425	1,551	411	48	3	13	
17	29	42	75	177	309	507	575	510	538	572	230	107	44	13	6	2	5	
9	30	49	98	173	256	322	357	363	301	258	177	105	50	11	6	4	6	

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	UNITED STATES—Continued										
	Cancer and other malignant tumors—Continued										
48,49	Cancer of female genital organs	23,262	-	3	3	3	-	9	7	13	47
	White—F	20,243	-	2	3	2	-	7	5	10	35
	Nonwhite—F	3,019	-	1	-	1	-	2	2	3	12
50	Cancer of breast	19,162	-	-	-	1	-	1	-	2	-
	White—M	209	-	-	-	-	-	-	-	-	-
	F	17,686	-	-	-	1	-	1	-	2	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-
	F	1,242	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	69,562	103	151	139	146	139	678	365	271	388
	White—M	47,607	54	92	69	79	64	358	200	135	219
	F	17,203	40	51	58	52	57	258	138	112	124
	Nonwhite—M	3,400	6	4	6	10	10	36	15	9	29
	F	1,352	3	4	6	5	8	26	12	15	16
58	Acute rheumatic fever	927	9	9	10	15	25	68	151	152	87
	White—M	344	-	1	3	4	12	20	50	55	33
	F	360	6	3	4	4	7	24	62	61	30
	Nonwhite—M	99	1	4	1	3	3	12	15	16	11
	F	124	2	1	2	4	3	12	24	20	13
61	Diabetes mellitus	38,638	19	21	8	12	9	69	56	101	139
	White—M	13,456	7	8	3	4	5	27	16	28	37
	F	22,339	11	12	2	7	4	36	30	58	88
	Nonwhite—M	928	1	-	1	-	-	2	5	5	14
	F	1,915	-	1	2	1	-	4	5	14	20
63b	Exophthalmic goiter	1,976	-	-	-	-	-	-	1	3	11
	White—M	293	-	-	-	-	-	-	-	2	1
	F	1,473	-	-	-	-	-	-	1	1	7
	Nonwhite—M	21	-	-	-	-	-	-	-	-	1
	F	189	-	-	-	-	-	-	-	-	2
69	Pellagra (except alcoholic)	606	1	-	-	-	1	2	-	-	1
	White—M	164	1	-	-	-	1	2	-	-	-
	F	296	-	-	-	-	-	-	-	-	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	1
	F	108	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	2,433	1	1	-	1	2	5	3	-	8
	White—M	1,715	-	-	-	-	-	-	1	-	4
	F	295	-	-	-	-	1	1	-	-	-
	Nonwhite—M	311	1	1	-	-	-	2	1	-	2
	F	112	-	-	-	1	1	2	1	-	2
83	Intracranial lesions of vascular origin	131,036	184	85	40	36	21	366	103	98	126
	White—M	56,276	94	42	18	22	11	187	47	44	52
	F	57,954	63	29	18	8	7	125	41	39	53
	Nonwhite—M	7,856	16	8	2	3	1	30	7	6	14
	F	8,950	11	6	2	3	2	24	8	9	7
90-95	Diseases of the heart	471,469	131	99	52	56	56	394	337	529	797
	White—M	259,308	54	35	22	20	18	149	129	212	358
	F	171,696	44	40	14	21	23	142	116	186	262
	Nonwhite—M	21,966	19	14	11	7	5	56	44	81	75
	F	18,507	14	10	5	8	10	47	48	80	102
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	23,287	1	12	5	15	21	54	193	348	444
	White—M	10,591	-	5	3	5	5	18	69	134	206
	F	10,206	1	3	-	6	8	18	68	128	155
	Nonwhite—M	1,228	-	3	-	2	2	7	24	33	32
	F	1,262	-	1	2	2	6	11	32	53	51
94	Diseases of coronary arteries and angina pectoris	160,520	21	3	2	1	4	31	13	22	79
	White—M	109,582	6	-	1	-	3	10	6	10	35
	F	43,025	7	2	-	1	-	10	6	10	18
	Nonwhite—M	4,791	6	1	1	-	1	9	1	1	12
	F	3,122	2	-	-	-	-	2	-	1	14
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	287,662	109	84	45	40	31	309	131	159	274
	White—M	139,135	48	30	18	15	10	121	54	68	117
	F	118,455	36	35	14	14	15	114	42	48	89
	Nonwhite—M	15,949	13	10	10	5	2	40	19	17	31
	F	14,123	12	9	3	6	4	34	16	26	37
97,102	Arteriosclerosis and high blood pressure*	27,565	-	-	-	-	-	-	1	1	5
	White—M	12,935	-	-	-	-	-	-	1	-	1
	F	12,289	-	-	-	-	-	-	-	-	3
	Nonwhite—M	1,205	-	-	-	-	-	-	-	1	-
	F	1,136	-	-	-	-	-	-	-	-	1
107-109, 33	Pneumonia (all forms) and influenza	56,493	12,922	1,717	617	316	218	15,790	557	357	438
	White—M	26,465	5,291	726	241	141	87	6,486	235	141	178
	F	19,812	4,164	560	219	95	63	5,101	189	135	135
	Nonwhite—M	5,646	1,895	209	80	41	29	2,254	69	39	58
	F	4,572	1,572	222	77	39	39	1,949	64	42	87
107	Bronchopneumonia	27,722	7,967	965	323	172	116	9,543	268	132	156
	White—M	12,954	3,303	413	133	79	53	3,981	127	56	76
	F	10,323	2,533	316	113	50	28	3,040	97	50	46
	Nonwhite—M	2,361	1,147	107	40	27	17	1,338	24	13	13
	F	2,084	984	129	37	16	18	1,184	20	13	21

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
101	263	651	1,136	1,804	2,463	2,850	3,145	2,970	2,638	2,262	1,569	869	371	92	9	1	12	48,49
74	207	469	858	1,451	2,046	2,430	2,746	2,676	2,371	2,095	1,474	836	355	82	7	-	9	
27	56	162	278	353	417	420	399	294	267	167	95	33	16	10	2	1	3	
18	124	333	853	1,272	1,811	2,299	2,430	2,245	2,342	1,995	1,642	1,044	537	172	32	3	7	50
-	1	3	2	12	8	23	20	27	36	24	22	20	7	3	1	-	-	
17	95	280	738	1,139	1,630	2,089	2,260	2,097	2,183	1,887	1,568	999	512	164	28	2	6	
-	-	1	1	4	4	3	2	3	2	2	2	-	1	-	-	-	-	
1	28	49	112	127	169	184	148	118	121	82	50	26	17	5	3	1	1	
497	692	907	1,472	2,298	3,706	5,897	8,096	9,436	9,571	9,300	7,873	4,675	2,417	639	117	21	46	45,47,
320	393	540	817	1,321	2,297	3,882	5,553	6,674	6,837	6,641	5,720	3,539	1,657	410	68	5	23	51-55
157	238	268	484	696	947	1,335	1,857	2,146	2,189	2,225	1,838	1,195	693	209	48	9	9	
16	30	47	93	182	315	447	502	455	423	355	253	107	53	16	3	4	10	
24	31	52	78	99	147	183	184	161	122	79	62	34	14	4	2	3	4	
60	36	56	61	47	29	36	30	22	17	17	26	15	10	5	1	1	-	58
27	13	24	20	17	8	17	14	9	8	10	9	5	2	2	-	1	-	
20	17	25	28	21	7	9	10	8	4	5	14	6	5	3	1	-	-	
5	1	2	7	4	7	4	4	1	4	2	1	1	2	-	-	-	-	
8	5	5	6	5	7	6	2	4	1	-	2	3	1	-	-	-	-	
182	263	307	438	669	1,187	2,239	4,080	5,891	6,828	6,791	5,384	2,814	962	195	23	2	18	61
65	116	144	188	241	428	814	1,383	1,988	2,260	2,310	1,950	1,026	365	65	3	-	4	
87	110	114	147	285	471	1,044	2,303	3,487	4,185	4,209	3,268	1,723	562	119	15	-	10	
15	19	16	30	41	76	110	129	128	108	107	73	30	11	4	3	-	2	
15	18	33	73	102	212	271	265	288	265	165	93	35	24	7	2	2	2	
23	37	61	66	110	120	213	217	302	299	272	157	59	16	7	1	-	1	63b
3	5	10	8	18	22	31	45	68	36	29	10	4	1	-	-	-	-	
13	16	32	41	66	69	159	157	214	245	235	142	53	15	7	-	-	-	
1	1	-	1	5	4	3	3	1	1	-	-	-	-	-	-	-	-	
6	15	19	16	21	25	20	12	19	17	8	5	2	-	-	1	-	1	
5	6	6	8	18	18	30	30	56	83	104	114	65	44	10	3	1	2	69
1	-	-	2	2	4	5	10	11	22	32	39	19	11	3	1	-	-	
-	2	-	1	6	8	11	11	22	41	58	65	39	25	5	1	-	1	
-	-	3	-	4	2	4	3	6	5	4	3	1	1	-	1	-	-	
4	4	3	5	6	4	10	6	17	15	10	7	6	7	2	-	1	1	
31	79	157	317	382	379	306	260	212	150	78	37	11	5	2	-	-	11	77
11	34	87	194	252	284	237	197	168	126	69	29	6	5	1	-	-	10	
2	9	25	55	61	49	31	22	18	11	5	3	3	-	-	-	-	-	
16	22	29	49	47	33	35	35	19	10	3	5	2	-	-	-	-	1	
2	14	16	19	22	13	3	6	7	3	1	-	-	-	1	-	-	-	
233	347	696	1,321	2,477	4,385	7,128	9,890	13,480	17,744	20,862	21,937	16,561	9,364	3,083	635	123	77	83
112	137	244	414	780	1,380	2,567	4,128	6,138	8,226	9,576	9,937	7,178	3,769	1,157	161	20	24	
69	115	220	408	810	1,519	2,564	3,636	5,073	7,248	9,442	10,625	8,566	5,186	1,765	387	44	19	
26	40	104	206	354	631	943	1,062	1,069	1,088	883	692	363	203	71	34	16	14	
26	55	128	293	533	855	1,054	1,084	1,202	1,182	961	683	454	206	90	53	43	20	
1,138	1,751	3,054	6,067	11,356	18,943	30,696	41,602	53,298	63,925	70,244	68,253	53,112	32,015	11,002	2,267	393	296	90-95
511	774	1,449	3,323	6,727	11,584	19,483	26,736	33,354	37,579	38,231	34,552	24,981	13,913	4,253	788	81	141	
383	585	910	1,448	2,399	3,906	6,441	9,921	14,807	21,146	27,752	30,440	26,112	17.002	6,233	1,268	157	80	
98	179	317	619	1,150	1,807	2,687	2,879	2,910	2,859	2,378	1,824	1,050	545	228	106	59	47	
146	233	378	677	1,080	1,646	2,085	2,066	2,227	2,341	1,883	1,437	969	555	288	105	66	29	
554	753	1,003	1,356	1,626	1,822	2,064	2,090	2,082	2,082	2,058	2,022	1,462	896	296	63	10	9	90a,
252	318	446	611	745	817	963	1,014	1,021	998	954	934	637	334	101	14	2	3	92b,c,
224	322	451	591	709	774	866	857	856	873	905	944	726	517	177	38	3	4	93c,
26	56	45	63	84	106	125	128	110	117	105	78	54	22	4	7	-	2	95b
52	57	61	91	68	125	110	91	95	94	94	66	45	23	14	4	5	-	
164	368	909	2,413	5,365	9,252	14,807	19,539	22,753	24,413	22,933	18,888	11,201	5,588	1,557	294	55	98	94
81	211	586	1,772	4,110	7,200	11,537	14,981	16,618	16,769	14,662	11,033	6,149	2,882	729	131	15	55	
40	71	149	319	677	1,220	2,194	3,435	5,032	6,697	7,636	7,176	4,812	2,567	779	142	17	18	
18	36	88	170	341	522	695	699	681	576	405	297	120	56	29	10	11	16	
25	50	86	152	257	310	381	424	422	371	232	182	120	61	20	11	12	9	
420	630	1,142	2,298	4,365	7,869	13,825	19,973	28,463	37,430	45,283	47,543	40,449	25,553	9,149	1,910	328	189	90b,91,
178	245	417	940	1,872	3,567	6,983	10,741	15,715	19,812	22,615	22,585	18,195	10,697	3,423	643	84	83	92a,d,e,
119	172	310	538	1,013	1,912	3,381	5,629	8,919	13,576	19,211	22,320	20,574	13,918	5,277	1,088	147	58	93a,b,d,e,
54	87	184	386	725	1,179	1,867	2,052	2,119	2,166	1,870	1,449	876	467	195	89	48	29	95a,c
69	126	231	434	755	1,211	1,594	1,551	1,710	1,876	1,557	1,189	804	471	254	90	69	19	
8	22	55	98	169	260	439	658	1,225	2,127	3,625	5,105	5,825	4,890	2,346	568	120	19	97,102
1	6	26	28	54	102	170	281	574	1,039	1,833	2,569	2,827	2,241	955	189	38	2	
3	6	11	21	43	64	124	180	394	782	1,448	2,250	2,758	2,497	1,321	329	47	10	
1	4	8	24	30	38	64	99	138	176	181	161	126	90	30	20	10	4	
3	6	10	25	42	56	81	99	117	130	163	125	116	62	42	30	25	3	
516	565	720	1,054	1,468	1,851	2,156	2,689	3,300	3,976	4,768	5,456	5,043	3,654	1,557	434	100	44	107-109,
184	178	258	442	676	925	1,155	1,520	1,917	2,137	2,474	2,777	2,362	1,594	641	143	29	13	33
172	210	217	252	323	368	444	599	818	1,266	1,822	2,312	2,418	1,910	836	242	33	10	
73	74	125	194	277	328	344	354	327	348	273	214	144	77	31	19	14	10	
87	103	122	166	192	230	213	216	238	225	199	153	119	73	49	30	24	11	
183	205	236	338	476	575	712	996	1,298	1,650	2,182	2,751	2,659	2,084	942	256	58	22	107
75	77	95	149	221	295	383	545	749	903	1,125	1,441	1,263	903	375	88	19	8	
63	81	83	91	118	129	182	274	358	555	877	1,171	1,289	1,120	521	153	20	5	
25	20	28	41	75	80	85	99	106	115	90	85	54	33	18	5	9	5	
20	27	30	57	62	71	62	78	85	77	90	54	53	26	28	10	10	4	

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	UNITED STATES—Continued										
	Pneumonia (all forms) and influenza—Continued										
108	Lobar pneumonia	16,028	2,127	362	120	60	44	2,713	159	115	161
	White—M	8,979	826	131	45	25	16	1,043	58	48	54
	White—F	5,679	744	116	44	21	15	940	50	41	46
	Nonwhite—M	2,014	308	59	16	6	3	392	25	11	25
	Nonwhite—F	1,356	249	56	15	8	10	338	25	15	36
109	Pneumonia (unspecified)	5,675	1,889	240	86	46	28	2,289	65	54	66
	White—M	2,617	800	111	35	18	6	970	27	16	31
	White—F	1,961	621	83	28	16	8	756	19	28	22
	Nonwhite—M	628	274	27	10	7	7	325	10	4	9
	Nonwhite—F	469	194	19	13	5	7	238	9	6	4
33	Influenza	5,068	939	150	68	38	30	1,245	66	56	55
	White—M	1,913	362	71	28	19	12	492	23	21	17
	White—F	1,849	266	45	34	8	12	365	23	18	21
	Nonwhite—M	643	166	16	14	1	2	199	10	11	11
	Nonwhite—F	663	145	18	12	10	4	189	10	8	6
117	Ulcer of stomach or duodenum	8,708	42	2	1	2	1	48	4	6	10
	White—M	6,618	23	1	1	1	1	27	2	1	5
	White—F	1,409	13	1	-	1	-	15	1	2	3
	Nonwhite—M	508	3	-	-	-	-	3	-	1	1
	Nonwhite—F	173	3	-	-	-	-	3	1	2	1
119,120	Diarrhea, enteritis, etc.*	8,831	6,322	586	128	88	42	7,166	78	35	37
	White—M	3,895	2,867	244	49	34	14	3,208	30	14	20
	White—F	3,339	2,269	232	38	36	16	2,591	35	18	16
	Nonwhite—M	916	709	58	26	10	4	807	10	2	1
	Nonwhite—F	681	477	52	15	8	8	560	3	1	-
121	Appendicitis	4,171	26	40	60	61	48	235	186	185	212
	White—M	2,244	13	22	31	37	19	122	93	96	106
	White—F	1,396	9	16	23	20	20	88	80	55	72
	Nonwhite—M	309	2	2	3	2	5	14	20	18	22
	Nonwhite—F	222	2	-	3	2	4	11	13	16	12
122	Hernia, intestinal obstruction	10,099	456	104	37	26	28	651	71	46	69
	White—M	4,534	220	56	20	11	14	321	33	25	38
	White—F	4,260	147	26	11	9	7	200	23	11	16
	Nonwhite—M	719	60	15	5	3	6	89	5	6	5
	Nonwhite—F	586	29	7	1	3	1	41	10	4	10
124	Cirrhosis of the liver	16,512	27	15	6	7	4	59	14	17	41
	White—M	10,259	7	6	2	3	2	20	6	7	12
	White—F	5,148	13	8	1	3	2	27	4	10	22
	Nonwhite—M	662	3	1	2	-	-	6	3	-	2
	Nonwhite—F	443	4	-	1	1	-	6	1	-	5
126,127	Biliary calculi, etc.*	6,248	7	6	2	1	-	16	4	1	4
	White—M	2,137	4	3	2	-	-	9	1	-	2
	White—F	3,854	2	1	-	-	-	3	3	1	1
	Nonwhite—M	94	1	1	-	-	-	2	-	-	-
	Nonwhite—F	183	-	1	-	1	-	2	-	-	1
130-132	Nephritis	77,377	102	56	71	88	50	367	207	242	418
	White—M	34,547	55	21	35	38	29	178	85	111	204
	White—F	29,835	26	17	25	39	14	121	76	91	139
	Nonwhite—M	6,843	13	12	8	7	4	44	23	15	34
	Nonwhite—F	6,152	8	6	3	4	3	24	23	25	41
137	Diseases of the prostate	6,790	-	-	-	-	-	-	-	-	1
	White—M	6,090	-	-	-	-	-	-	-	-	1
	Nonwhite—M	700	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*	4,122	-	-	-	-	-	-	-	18	435
	White—F	2,753	-	-	-	-	-	-	-	4	218
	Nonwhite—F	1,369	-	-	-	-	-	-	-	14	217
140,142a, 145A,147	Puerperal septicemia	1,209	-	-	-	-	-	-	-	3	113
	White—F	835	-	-	-	-	-	-	-	1	56
	Nonwhite—F	374	-	-	-	-	-	-	-	2	57
141a,c, 144,148	Puerperal toxemia	1,164	-	-	-	-	-	-	-	8	204
	White—F	731	-	-	-	-	-	-	-	3	87
	Nonwhite—F	433	-	-	-	-	-	-	-	5	117
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	1,345	-	-	-	-	-	-	-	3	82
	White—F	920	-	-	-	-	-	-	-	-	54
	Nonwhite—F	425	-	-	-	-	-	-	-	3	28
141d,e,f, 145B,150	Other puerperal causes	404	-	-	-	-	-	-	-	4	36
	White—F	267	-	-	-	-	-	-	-	-	21
	Nonwhite—F	137	-	-	-	-	-	-	-	4	15
157	Congenital malformations	19,246	15,778	882	315	172	121	17,268	380	219	209
	White—M	9,706	7,993	424	144	84	55	8,700	182	106	116
	White—F	7,856	6,424	386	140	68	53	7,071	154	85	76
	Nonwhite—M	943	762	39	15	14	8	838	25	15	14
	Nonwhite—F	741	599	33	16	6	5	659	19	13	3

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
219	246	328	510	723	926	1,111	1,263	1,451	1,676	1,793	1,835	1,482	886	312	86	20	14	108
78	71	115	226	346	495	635	772	895	936	981	950	709	396	132	29	6	4	
65	84	92	101	142	169	188	227	307	487	632	751	686	449	169	44	6	3	
37	40	75	118	141	172	187	182	158	156	120	81	55	22	6	6	3	2	
39	51	46	65	94	90	101	82	91	97	60	53	32	19	5	7	5	5	
53	59	81	118	151	183	161	214	273	311	386	390	391	282	121	37	6	4	109
16	16	31	46	70	82	83	120	158	153	199	199	200	127	62	9	1	1	
25	23	23	36	36	37	46	45	69	109	150	165	172	124	50	23	2	1	
3	12	9	16	31	41	25	25	24	33	21	13	14	6	3	2	1	1	
9	8	18	20	14	23	7	24	22	16	16	13	5	5	6	3	2	1	
61	55	75	88	118	167	172	216	278	339	407	480	511	422	182	55	16	4	33
15	14	15	21	39	53	54	83	115	145	169	187	190	168	72	17	3	-	
19	22	19	24	27	33	28	53	84	115	163	225	271	217	96	22	5	1	
8	2	13	19	30	35	47	48	39	44	42	35	21	16	4	6	1	2	
19	17	28	24	22	46	43	32	40	35	33	33	29	21	10	10	7	1	
41	98	160	301	487	724	993	1,131	1,241	1,191	975	865	591	173	56	8	1	4	117
25	61	119	200	341	556	784	927	1,012	933	732	479	285	97	24	4	1	3	
4	15	17	48	72	79	108	125	155	195	202	167	100	69	32	2	-	-	
11	19	20	40	51	66	77	55	82	45	29	17	5	4	-	1	-	1	
1	3	4	13	23	23	28	24	12	18	12	2	1	3	-	1	-	-	
81	75	77	85	92	92	107	132	104	116	137	150	116	90	42	12	5	2	119,120
32	27	32	31	44	44	49	60	37	54	47	65	52	30	17	2	-	-	
38	38	30	40	33	25	31	54	53	46	67	80	56	55	22	7	2	2	
5	4	5	4	5	14	15	7	7	7	10	3	6	1	1	1	1	-	
6	6	10	10	10	9	12	11	7	9	13	2	2	4	2	2	2	-	
158	150	182	227	217	296	300	394	386	338	305	224	121	43	7	2	-	3	121
77	75	95	108	121	175	164	233	207	192	164	120	69	24	-	-	-	3	
56	45	49	62	60	85	96	111	141	122	122	96	50	18	7	1	-	-	
16	16	21	30	18	23	22	32	23	12	13	6	2	1	-	-	-	-	
9	14	17	27	18	13	18	18	15	12	6	2	-	-	-	1	-	-	
108	139	163	290	395	488	679	823	991	1,181	1,254	1,161	893	488	143	32	6	8	122
35	32	54	81	126	187	263	370	469	556	622	559	443	252	52	13	-	3	
44	64	87	123	158	191	270	331	412	515	555	534	403	222	80	17	4	-	
12	19	15	33	48	43	84	72	67	70	53	44	31	9	9	1	1	3	
17	24	27	53	63	67	62	50	43	40	24	24	16	5	2	1	1	2	
56	159	409	847	1,431	1,832	2,152	2,181	2,121	1,814	1,442	1,040	571	257	44	12	1	12	124
24	66	196	456	875	1,136	1,377	1,463	1,449	1,180	909	622	312	116	19	5	-	9	
18	69	160	303	429	528	621	583	542	557	476	388	245	134	24	6	-	2	
6	15	22	49	55	103	91	95	86	55	41	16	11	3	-	1	1	1	
8	9	31	39	72	65	63	40	44	22	16	14	3	4	1	-	-	-	
19	44	71	129	258	304	560	736	832	869	869	746	469	245	55	15	1	1	126,127
6	6	17	31	73	110	188	248	297	303	315	279	150	87	11	3	-	1	
9	32	42	85	160	165	339	456	504	539	536	456	313	154	43	12	1	-	
1	3	4	7	7	5	17	14	12	7	6	3	3	3	-	-	-	-	
3	3	8	6	18	24	16	18	19	20	12	8	3	1	1	-	-	-	
579	756	938	1,598	2,230	3,096	4,541	5,665	7,046	9,077	10,733	11,703	9,571	5,965	2,065	429	97	56	130-132
271	320	338	521	798	1,135	1,828	2,516	3,219	4,207	4,955	5,554	4,476	2,769	898	135	13	16	
209	228	310	504	660	942	1,506	1,699	2,333	3,254	4,373	5,102	4,377	2,840	1,011	216	29	15	
44	87	116	241	342	485	751	774	859	873	814	611	408	209	71	31	17	14	
55	121	174	330	430	534	656	676	855	743	591	436	310	147	85	47	38	11	
-	3	3	3	7	26	115	237	520	872	1,327	1,591	1,115	713	206	40	5	6	137
-	3	3	-	3	10	61	176	427	757	1,187	1,492	1,049	685	196	34	1	5	
-	-	-	3	4	16	54	61	93	115	140	99	66	28	10	6	4	1	
834	869	844	772	316	31	2	-	-	-	-	-	-	-	-	-	-	1	140-150
540	596	580	555	236	22	2	-	-	-	-	-	-	-	-	-	-	-	
294	273	264	217	80	9	-	-	-	-	-	-	-	-	-	-	-	1	
267	269	256	216	75	9	1	-	-	-	-	-	-	-	-	-	-	-	140,142a,
175	190	172	172	60	8	1	-	-	-	-	-	-	-	-	-	-	-	145A,147
92	79	84	44	15	1	-	-	-	-	-	-	-	-	-	-	-	-	
256	212	192	202	84	6	-	-	-	-	-	-	-	-	-	-	-	-	141a,c,
159	144	131	140	62	5	-	-	-	-	-	-	-	-	-	-	-	-	144,148
97	68	61	62	22	1	-	-	-	-	-	-	-	-	-	-	-	-	
229	294	326	284	115	11	1	-	-	-	-	-	-	-	-	-	-	-	140b,142b,
155	197	226	194	85	8	1	-	-	-	-	-	-	-	-	-	-	-	143,146,
74	97	100	90	30	3	-	-	-	-	-	-	-	-	-	-	-	-	149
82	94	70	70	42	5	-	-	-	-	-	-	-	-	-	-	-	1	141d,e,f,
51	65	51	49	29	1	-	-	-	-	-	-	-	-	-	-	-	-	145B,150
31	29	19	21	13	4	-	-	-	-	-	-	-	-	-	-	-	1	
188	164	126	138	120	116	92	95	43	34	27	19	4	-	1	-	-	3	157
111	89	70	63	56	56	41	48	24	17	14	10	2	-	-	-	-	1	
57	60	50	58	52	51	44	43	16	15	11	9	2	-	1	-	-	1	
14	8	3	6	4	4	3	3	2	1	2	-	-	-	-	-	-	1	
6	7	3	11	8	5	4	1	1	1	-	-	-	-	-	-	-	-	

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	UNITED STATES—Continued										
158-161	Diseases peculiar to first year	61,543	61,543	...	...	...	...	61,543	...	...	...
	White—M	30,563	30,563	...	...	...	...	30,563	...	...	...
	F	20,904	20,904	...	...	...	...	20,904	...	...	...
	Nonwhite—M	5,666	5,666	...	...	...	...	5,666	...	...	...
	F	4,410	4,410	...	...	...	...	4,410	...	...	...
159	Premature birth	39,085	39,085	...	...	...	...	39,085	...	...	...
	White—M	18,970	18,970	...	...	...	...	18,970	...	...	...
	F	13,497	13,497	...	...	...	...	13,497	...	...	...
	Nonwhite—M	3,632	3,632	...	...	...	...	3,632	...	...	...
	F	2,986	2,986	...	...	...	...	2,986	...	...	...
158,160, 161	Other diseases peculiar to first year	22,458	22,458	...	...	...	...	22,458	...	...	...
	White—M	11,593	11,593	...	...	...	...	11,593	...	...	...
	F	7,407	7,407	...	...	...	...	7,407	...	...	...
	Nonwhite—M	2,034	2,034	...	...	...	...	2,034	...	...	...
	F	1,424	1,424	...	...	...	...	1,424	...	...	...
163,164	Suicide	16,354	-	-	-	-	-	-	2	45	311
	White—M	11,989	-	-	-	-	-	-	2	39	181
	F	3,731	-	-	-	-	-	-	-	5	108
	Nonwhite—M	516	-	-	-	-	-	-	-	-	11
	F	118	-	-	-	-	-	-	-	1	11
165-168	Homicide	8,536	151	28	11	12	13	215	54	82	445
	White—M	2,908	67	13	3	5	9	87	24	24	107
	F	972	67	8	5	3	3	86	20	24	50
	Nonwhite—M	3,743	15	4	2	1	1	23	7	18	223
	F	913	12	3	1	3	-	19	3	16	65
169-195	Accidental deaths	98,001	3,505	1,840	1,112	1,022	908	8,387	3,174	2,685	5,489
	White—M	59,143	1,515	917	548	505	476	3,961	1,840	1,723	3,778
	F	27,985	1,163	634	362	342	257	2,758	853	539	1,030
	Nonwhite—M	7,939	465	150	101	86	89	901	278	306	554
	F	2,934	362	129	101	89	86	767	203	117	127
170	Motor-vehicle accidents	32,259	187	400	315	355	378	1,635	1,389	948	3,049
	White—M	22,343	80	207	160	200	211	858	835	613	2,153
	F	6,731	88	169	118	118	116	609	402	241	681
	Nonwhite—M	2,538	16	11	20	23	34	104	104	64	166
	F	647	3	13	17	14	17	64	48	30	49
169,171-195	Other accidents	65,742	3,318	1,440	797	667	530	6,752	1,785	1,737	2,440
	White—M	36,800	1,435	710	388	305	265	3,103	1,005	1,110	1,625
	F	21,254	1,075	465	244	224	141	2,149	451	298	349
	Nonwhite—M	5,401	449	149	81	63	55	797	174	242	388
	F	2,287	359	116	84	75	69	708	155	87	78
162,199, 200	Senility, ill-defined and unknown causes	27,291	3,851	298	110	64	30	4,353	120	79	126
	White—M	10,489	1,030	81	28	25	3	1,167	38	22	33
	F	7,930	822	72	24	12	12	942	39	18	27
	Nonwhite—M	4,793	1,096	76	33	18	8	1,231	20	20	29
	F	4,079	903	69	25	9	7	1,013	23	19	37
	All other causes	79,889	5,175	1,470	889	713	551	8,798	1,679	1,173	1,506
	White—M	38,375	2,417	683	424	336	255	4,115	812	556	682
	F	31,384	1,687	562	329	278	228	3,084	622	415	516
	Nonwhite—M	5,254	615	120	79	57	41	912	129	111	151
	F	4,876	456	105	57	42	27	687	116	91	157

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158-161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	159
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158,160, 161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
761	937	1,154	1,388	1,616	1,731	1,815	1,775	1,564	1,204	957	611	314	128	23	6	-	12	163,164
493	624	737	913	1,094	1,252	1,337	1,375	1,277	965	790	497	267	111	18	6	-	11	
202	236	347	392	452	404	425	367	261	213	148	104	45	16	5	-	-	1	
52	55	52	72	54	66	45	30	25	24	17	10	2	1	-	-	-	-	
14	22	18	11	16	9	8	3	1	2	2	-	-	-	-	-	-	-	
1,154	1,302	1,165	1,141	881	653	507	312	216	174	110	62	31	12	4	-	-	16	165-168
300	352	329	362	311	232	245	172	135	100	66	30	21	3	1	-	-	7	
107	99	103	115	100	70	51	44	27	30	15	16	3	8	2	-	-	2	
586	691	580	541	374	306	184	84	45	34	24	12	4	1	1	-	-	5	
161	160	153	123	96	45	27	12	9	10	5	4	3	-	-	-	-	2	
7,106	5,630	4,811	4,982	4,871	4,760	4,867	5,038	5,144	5,442	5,846	6,543	6,038	4,609	1,914	430	73	182	169-195
5,365	4,082	3,479	3,472	3,352	3,280	3,422	3,541	3,502	3,460	3,052	2,942	2,418	1,594	612	129	10	129	
895	751	631	752	751	741	612	969	1,187	1,579	2,439	3,336	3,445	2,928	1,248	282	40	20	
698	659	560	592	637	612	513	402	339	271	238	163	100	43	32	10	7	24	
148	138	141	146	131	127	120	126	118	132	118	102	75	44	22	9	16	9	
4,169	2,772	2,078	1,990	1,862	1,778	1,777	1,812	1,823	1,747	1,426	1,073	630	213	45	7	-	36	170
3,206	2,046	1,494	1,336	1,254	1,165	1,202	1,224	1,258	1,272	996	758	452	167	28	5	-	21	
584	416	322	380	355	362	366	433	408	361	346	262	142	44	10	1	-	6	
305	257	213	223	207	210	175	133	128	91	71	41	32	1	5	1	-	7	
74	53	49	51	46	41	34	22	29	23	13	12	4	1	2	-	-	2	
2,937	2,658	2,733	2,872	3,009	2,982	3,090	3,226	3,321	3,695	4,420	5,470	5,408	4,396	1,869	423	73	146	169,171-
2,159	2,036	1,985	2,136	2,098	2,115	2,220	2,317	2,244	2,188	2,056	2,184	1,966	1,427	584	124	10	108	195
311	335	309	372	396	379	446	536	779	1,218	2,092	3,074	3,303	2,884	1,238	281	40	14	
393	402	347	368	430	402	338	269	211	180	167	122	68	42	27	9	7	17	
74	85	92	95	85	86	86	104	87	109	105	90	71	43	20	9	16	7	
248	270	353	481	701	912	1,190	1,235	1,529	1,923	2,322	2,665	3,037	2,867	1,805	642	345	88	162,199,
79	88	117	174	272	387	518	560	727	856	1,019	1,129	1,218	1,167	646	168	47	37	200
54	62	81	80	115	121	146	157	240	413	609	891	1,267	1,324	925	326	81	12	
53	53	82	117	168	217	304	296	297	389	406	369	307	186	91	60	78	20	
62	67	73	110	146	187	222	202	265	285	288	276	245	190	143	88	139	19	
2,007	2,368	2,707	3,426	4,144	4,687	5,615	6,607	7,029	7,359	7,031	5,974	4,129	2,398	941	217	46	48	
825	918	1,053	1,342	1,692	2,001	2,741	3,562	3,868	3,993	3,762	2,969	1,925	1,052	383	71	10	23	
770	936	1,078	1,305	1,565	1,833	2,023	2,317	2,579	2,798	2,837	2,740	2,054	1,263	520	121	22	8	
167	228	241	320	406	413	465	422	344	319	256	164	94	43	16	12	2	12	
225	286	335	451	481	441	386	286	238	251	176	101	76	40	22	13	12	5	

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	ALL CAUSES-------	26,620	3,228	277	135	93	80	218	242	401	606	609	720	948	1,133	1,367	1,806	2,023	2,210	2,605	2,569	2,283	1,507	934	362	134	67	64
	White-----M--	9,010	1,052	95	38	31	18	74	83	121	175	166	198	279	300	419	526	706	773	993	1,049	924	526	313	123	16	3	9
	F--	6,512	719	71	28	26	17	55	45	63	90	102	128	161	210	232	275	364	491	696	771	779	587	398	143	46	5	10
	Nonwhite--M--	5,886	814	64	34	19	17	44	67	117	181	167	205	249	292	352	531	557	489	478	423	337	196	127	49	37	19	21
	F--	5,212	643	47	35	17	28	45	47	100	160	173	189	259	331	364	474	396	457	438	326	243	198	96	47	35	40	24
1,2	Typhoid and paratyphoid fever---	5	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	32	13	6	-	1	1	3	3	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	11	3	3	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	10	6	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	3	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	59	42	12	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	9	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	12	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	39	4	9	4	4	4	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	3	3	2	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	3	2	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	3	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)------	1,022	13	8	7	2	2	6	12	35	114	103	103	92	83	71	69	75	49	74	51	31	14	5	-	1	-	2
	White-----M--	268	1	1	1	-	-	2	4	2	10	7	18	17	26	20	28	31	19	33	29	11	5	1	-	-	-	-
	F--	171	3	3	1	1	1	2	-	2	8	17	14	9	13	14	7	15	14	15	12	13	5	2	-	-	-	-
	Nonwhite--M--	297	6	3	-	-	-	-	5	13	34	34	38	32	23	16	27	20	12	16	7	4	3	2	-	-	-	2
	F--	288	3	1	5	1	1	2	3	18	62	45	33	34	21	21	7	9	4	10	3	3	1	-	-	1	-	-
13	Tuberculosis of respiratory system, etc.*---	937	5	1	1	-	-	2	9	33	108	96	96	87	74	69	66	73	44	72	51	30	13	4	-	1	-	2
	White-----M--	250	-	1	-	-	-	1	3	2	8	7	18	17	23	19	27	31	15	32	29	10	5	1	-	-	-	-
	F--	159	1	-	-	-	-	-	-	2	8	16	14	9	13	14	7	15	14	15	12	13	4	2	-	-	-	-
	Nonwhite--M--	266	4	-	-	-	-	-	3	11	30	31	33	28	21	16	25	20	12	15	7	4	3	1	-	-	-	2
	F--	262	-	-	1	-	-	1	3	18	61	42	31	33	17	20	7	7	3	10	3	3	1	-	-	1	-	-
14-22	Tuberculosis (other forms)---	85	8	7	6	2	2	4	3	2	6	7	7	5	9	2	3	2	5	2	-	1	1	1	-	-	-	-
	White-----M--	16	1	-	1	-	-	1	1	-	1	-	-	-	3	1	1	-	4	1	-	1	-	-	-	-	-	-
	F--	12	2	3	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	31	2	3	-	-	-	-	2	2	4	3	5	4	2	-	2	-	-	1	-	-	-	1	-	-	-	-
	F--	26	3	1	4	1	1	1	-	-	1	3	2	1	4	1	-	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery--------	28	6	2	1	-	-	1	-	-	-	1	-	2	1	-	1	1	2	2	3	2	2	-	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	12	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	2	-	-	1	-	-
	Nonwhite--M--	7	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	16	-	-	-	-	-	1	-	-	2	1	-	-	2	2	1	2	-	1	2	1	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	2	-	1	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
30	Syphilis---------	287	23	-	-	-	-	-	1	5	4	8	15	28	37	27	39	32	21	29	8	7	3	1	-	-	-	-
	White-----M--	50	1	-	-	-	-	-	-	1	1	1	1	2	3	6	4	9	5	9	2	4	1	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	153	11	-	-	-	-	-	1	4	2	4	5	15	17	14	31	17	12	11	5	2	1	1	-	-	-	-
	F--	73	10	-	-	-	-	-	-	-	1	2	8	10	16	5	3	5	3	7	1	1	1	-	-	-	-	-
35	Measles----------	14	3	3	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	6	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	16	1	3	1	2	-	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
45-55	Cancer and other malignant tumors	2,653	-	4	4	6	5	14	10	12	15	28	54	112	152	234	259	339	290	379	299	221	120	63	18	3	1	11
	White-----M--	871	-	3	1	1	1	6	3	5	5	8	15	25	26	54	64	105	105	144	143	76	49	23	7	-	-	2
	F--	1,010	-	1	-	3	1	4	7	4	6	8	18	41	67	97	85	122	114	130	111	97	56	30	8	2	-	-
	Nonwhite--M--	326	-	-	2	-	3	3	-	3	-	2	4	8	14	25	43	60	35	50	28	26	8	5	2	-	-	5
	F--	446	-	-	1	2	-	1	-	-	4	12	17	38	45	58	67	52	36	55	17	22	7	5	1	1	1	4
46	Cancer of the digestive organs and peritoneum--	991	-	2	-	2	-	-	2	2	4	7	15	19	42	72	98	125	113	156	138	110	51	20	6	1	1	4
	White-----M--	351	-	2	-	-	-	-	1	-	2	-	5	4	12	23	30	38	41	68	69	34	15	5	1	-	-	-
	F--	336	-	-	-	1	-	-	1	-	1	2	6	7	17	24	26	35	44	43	47	56	29	13	4	-	-	-
	Nonwhite--M--	171	-	-	-	-	-	-	-	2	-	1	1	2	8	13	27	32	19	28	17	13	5	1	-	-	-	2
	F--	113	-	-	-	1	-	-	-	-	1	4	3	6	5	12	16	19	9	17	5	7	2	1	1	1	1	2
48,49	Cancer of female genital organs--	471	-	-	-	1	-	-	1	-	3	9	16	34	51	64	59	51	53	61	29	24	11	2	-	-	-	2
	White-----F--	270	-	-	-	1	-	-	1	-	1	2	8	14	28	37	27	36	35	34	23	13	9	1	-	-	-	-
	Nonwhite--F--	201	-	-	-	-	-	-	-	-	2	7	8	20	23	27	32	15	18	27	6	11	2	1	-	-	-	2
50	Cancer of breast-	227	-	-	-	-	-	-	-	-	-	2	4	19	25	34	31	27	21	27	19	7	6	6	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	150	-	-	-	-	-	-	-	-	-	-	1	10	14	21	18	18	16	21	15	6	5	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	1	3	9	9	12	13	9	5	6	4	1	1	2	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	984	-	2	4	3	5	14	7	10	8	10	19	40	36	64	70	136	103	135	113	80	52	35	11	2	-	5
	White-----M--	518	-	1	1	1	1	6	2	5	3	7	10	21	14	30	34	66	64	76	74	42	34	18	6	-	-	2
	F--	234	-	1	-	1	1	4	5	4	4	2	3	10	8	15	14	33	19	32	26	22	13	12	3	2	-	-
	Nonwhite--M--	155	-	-	2	-	3	3	-	1	-	1	3	6	6	12	16	28	16	22	11	13	5	4	2	-	-	3
	F--	57	-	-	1	1	-	1	-	-	1	-	3	3	8	7	6	9	4	5	2	3	2	1	-	-	-	-
58	Acute rheumatic fever----------	36	-	-	1	1	1	6	7	5	1	-	-	5	2	1	-	2	-	1	1	1	-	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	3	1	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	2	3	3	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	10	-	-	1	1	1	1	2	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	409	-	1	-	-	-	-	6	6	4	4	17	14	13	21	36	37	48	67	64	41	23	6	1	-	-	-
	White-----M--	125	-	1	-	-	-	-	-	2	-	-	7	6	3	4	10	11	13	18	25	14	10	1	-	-	-	-
	F--	151	-	-	-	-	-	-	4	-	3	2	5	-	2	3	7	12	17	32	25	21	12	5	1	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	2	2	1	-	3	1	3	3	4	4	5	3	6	1	1	-	-	-	-	-
	F--	94	-	-	-	-	-	-	-	2	-	2	2	7	5	11	15	10	13	14	8	5	-	-	-	-	-	-
63b	Exophthalmic goiter----------	26	-	-	-	-	-	1	-	-	1	-	1	1	1	3	3	2	1	3	2	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	71	-	-	-	-	-	-	-	-	1	2	-	1	3	1	3	3	12	7	12	14	5	4	-	1	-	2
	White-----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	8	1	1	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	4	2	7	5	4	2	-	-	-	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	1	3	2	1	-	-	1	-	-	-	-	1
77	Alcoholism (ethylism)-------	46	-	-	-	-	1	-	-	-	2	2	2	16	5	6	4	8	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	1	1	-	9	4	3	2	8	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	1	-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin-----	2,709	5	2	2	-	-	2	3	-	7	11	28	41	95	143	230	254	307	405	387	355	222	131	41	20	8	10
	White-----M--	739	2	1	-	-	-	2	1	-	3	3	1	10	14	22	31	52	75	133	138	128	68	44	10	-	-	1
	F--	727	1	-	2	-	-	-	-	-	1	2	5	5	19	15	34	46	66	114	128	131	85	50	13	8	1	1
	Nonwhite--M--	542	2	-	-	-	-	-	1	-	2	3	6	10	24	43	75	81	68	61	50	52	29	19	8	5	1	3
	F--	701	-	1	-	-	-	-	1	-	1	3	16	16	38	63	90	75	98	97	71	44	41	18	10	7	6	5
90-95	Diseases of the heart----------	6,443	-	2	1	1	3	15	16	22	22	41	77	139	252	330	531	639	771	857	876	818	561	301	100	39	12	17
	White-----M--	2,590	-	-	-	-	-	7	4	7	5	11	21	40	83	138	193	268	304	359	392	371	219	112	45	7	2	2
	F--	1,561	-	-	-	-	1	3	3	2	4	8	20	23	27	30	53	77	151	228	255	285	217	135	38	17	1	3
	Nonwhite--M--	1,198	-	1	-	1	-	3	4	5	4	6	14	29	63	85	144	167	165	146	134	106	62	31	9	10	4	5
	F--	1,094	-	1	1	-	2	2	5	8	9	16	22	47	79	77	141	127	151	124	95	76	63	23	8	5	5	7
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	404	-	-	-	-	1	8	9	10	9	12	16	16	18	19	28	28	30	41	45	57	33	17	5	-	-	2
	White-----M--	116	-	-	-	-	-	3	4	4	1	5	4	3	5	4	8	5	12	8	15	16	8	10	1	-	-	-
	F--	90	-	-	-	-	-	3	2	-	3	3	4	3	3	1	4	2	3	12	11	18	11	6	1	-	-	-
	Nonwhite--M--	107	-	-	-	-	-	1	-	2	-	2	3	3	6	9	8	15	11	13	11	11	7	1	2	-	-	2
	F--	91	-	-	-	-	1	1	3	4	5	2	5	7	4	5	8	6	4	8	8	12	7	-	1	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,908	-	-	-	-	-	-	-	4	6	12	18	49	110	140	192	214	271	285	234	197	100	48	14	6	3	5
	White-----M--	1,063	-	-	-	-	-	-	-	2	2	5	8	27	54	85	115	139	150	164	141	100	43	17	8	1	1	1
	F--	432	-	-	-	-	-	-	-	-	-	1	5	7	8	15	24	27	59	67	62	73	47	27	4	4	-	2
	Nonwhite--M--	232	-	-	-	-	-	-	-	1	3	1	3	9	24	23	29	30	37	34	17	14	3	-	2	-	1	1
	F--	181	-	-	-	-	-	-	-	1	1	5	2	6	24	17	24	18	25	20	14	10	7	4	-	1	1	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	4,151	-	2	1	1	2	7	7	8	7	17	43	74	184	171	311	397	470	551	597	564	428	236	81	33	9	10
	White-----M--	1,411	-	-	-	-	-	4	-	1	2	1	9	10	24	49	70	124	142	187	236	255	168	85	36	6	1	1
	F--	1,039	-	-	-	-	1	-	1	2	1	4	11	13	16	14	25	48	89	149	182	174	159	102	33	13	1	1
	Nonwhite--M--	859	-	1	-	1	-	2	4	2	1	3	8	17	33	53	107	128	117	99	106	81	52	30	5	10	3	2
	F--	822	-	1	1	-	1	1	2	3	3	9	15	34	51	55	109	103	122	96	73	54	49	19	7	4	4	6

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	262	-	-	-	-	-	-	-	-	1	-	1	2	6	8	10	18	26	37	44	37	37	12	14	4	3	2
	White-----M--	90	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	7	20	17	17	13	6	2	-	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	7	13	18	3	8	2	-	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	6	8	5	12	5	2	3	1	1	-	-
	F--	60	-	-	-	-	-	-	-	-	1	-	1	2	2	3	7	5	6	9	8	2	6	-	3	1	3	1
107-109, 33	Pneumonia (all forms) and influenza-------	1,456	402	61	26	12	13	16	9	16	16	17	18	29	26	48	56	66	78	96	126	104	97	77	30	12	2	4
	White-----M--	428	109	19	9	5	3	3	2	3	1	1	3	8	4	12	14	17	27	36	37	41	26	31	11	4	-	2
	F--	360	83	10	3	3	1	3	1	2	5	4	2	2	3	4	2	7	16	22	47	40	50	33	15	2	-	-
	Nonwhite--M--	360	121	21	6	5	2	4	1	3	4	6	10	10	8	13	28	27	20	22	22	9	12	5	2	3	-	-
	F--	308	89	11	8	1	7	6	5	8	6	6	3	9	11	19	14	15	15	15	20	14	9	8	2	3	2	2
107	Bronchopneumonia-	608	227	34	15	6	7	3	3	2	4	5	6	9	7	15	10	18	26	33	45	31	38	38	16	7	-	3
	White-----M--	188	58	12	6	2	1	-	1	-	1	-	1	2	1	6	2	6	14	14	9	11	13	16	7	3	-	2
	F--	158	44	5	1	2	1	3	-	-	2	3	-	2	-	2	-	3	4	8	20	14	18	17	7	2	-	-
	Nonwhite--M--	139	74	8	3	2	1	-	-	-	-	2	4	3	4	2	4	7	5	5	6	3	3	1	1	1	-	-
	F--	123	51	9	5	-	4	-	2	2	1	-	1	2	2	5	4	2	3	6	10	3	4	4	1	1	-	1
108	Lobar pneumonia--	487	84	16	5	1	2	7	3	10	5	8	7	14	10	19	30	30	35	41	49	46	35	22	5	1	1	1
	White-----M--	140	24	2	1	1	1	2	-	2	-	-	-	4	1	5	7	7	9	16	19	19	9	9	2	-	-	-
	F--	117	22	4	1	-	-	-	-	1	2	-	2	-	-	1	2	4	10	9	14	14	19	9	3	-	-	-
	Nonwhite--M--	118	20	9	1	-	-	2	1	2	2	3	3	4	3	4	15	11	9	10	8	5	4	2	-	-	-	-
	F--	112	18	1	2	-	1	3	2	5	1	5	2	6	6	9	6	8	7	6	8	8	3	2	-	1	1	1
109	Pneumonia (unspecified)-------	106	42	2	4	3	2	2	-	-	2	2	1	2	4	3	4	4	3	5	9	6	2	2	1	-	1	-
	White-----M--	30	13	1	2	2	-	-	-	-	-	1	1	1	1	-	1	-	1	-	2	2	-	1	1	-	-	-
	F--	28	10	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	3	6	3	1	1	-	-	-	-
	Nonwhite--M--	25	8	1	1	1	1	1	-	-	-	1	-	1	-	2	2	1	1	1	1	1	1	-	-	-	-	-
	F--	23	11	-	-	-	1	1	-	-	1	-	-	-	1	1	1	3	1	1	-	-	-	-	-	-	1	-
33	Influenza-------	255	49	9	2	2	2	4	3	4	5	2	4	4	5	11	12	14	14	16	23	21	22	15	8	4	-	-
	White-----M--	70	14	4	-	-	1	1	1	1	-	-	1	1	1	1	4	4	3	6	7	9	4	5	1	1	-	-
	F--	57	7	1	-	1	-	-	1	1	-	1	-	-	1	1	-	-	2	2	7	9	12	6	5	-	-	-
	Nonwhite--M--	78	19	3	1	-	-	1	-	1	2	-	3	2	1	5	5	8	5	6	7	-	4	2	1	2	-	-
	F--	50	9	1	1	1	1	2	1	1	3	1	-	1	2	4	3	2	4	2	2	3	2	2	1	1	-	-
117	Ulcer of stomach or duodenum-----	106	-	-	-	-	-	-	2	1	2	3	6	2	14	11	12	10	14	7	13	2	3	2	-	-	1	1
	White-----M--	55	-	-	-	-	-	-	-	1	1	1	5	2	4	7	4	5	6	4	9	1	3	-	-	-	1	1
	F--	16	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	2	3	1	3	1	-	-	-	-	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	2	1	-	4	4	6	2	3	1	1	-	-	1	-	-	1	-
	F--	10	-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	1	2	1	-	-	-	1	-	-	1	-
119, 120	Diarrhea, enteritis, etc.*------	177	125	19	7	5	1	1	-	-	1	1	-	1	-	-	2	-	-	1	6	2	2	1	1	1	-	-
	White-----M--	57	41	9	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	43	28	3	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
	Nonwhite--M--	43	30	4	3	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
	F--	34	25	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-
121	Appendicitis-----	84	-	-	1	1	-	3	5	6	5	3	4	8	5	5	9	11	9	1	5	-	2	-	-	1	-	-
	White-----M--	35	-	-	-	1	-	1	1	2	2	1	1	2	2	5	4	6	4	-	2	-	1	-	-	-	-	-
	F--	18	-	-	1	-	-	1	-	2	-	2	1	1	1	-	1	2	2	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	3	-	2	-	-	4	1	-	3	3	2	-	1	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	1	1	2	1	-	2	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-
122	Hernia, intestinal obstruction-	155	8	6	2	-	-	2	1	-	7	3	3	12	10	7	18	10	12	18	10	13	6	5	2	-	-	-
	White-----M--	51	3	2	2	-	-	1	1	-	3	-	-	4	1	-	4	3	4	8	5	8	1	1	-	-	-	-
	F--	42	2	3	-	-	-	-	-	-	2	-	2	3	2	1	4	3	3	6	2	2	3	2	2	-	-	-
	Nonwhite--M--	35	1	1	-	-	-	1	-	-	2	-	-	3	3	2	3	3	4	3	3	2	2	2	-	-	-	-
	F--	27	2	-	-	-	-	-	-	-	-	3	1	2	4	4	7	1	1	1	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	149	-	-	1	-	-	-	-	1	1	1	5	6	10	10	17	22	20	21	15	12	1	5	-	-	1	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	3	5	6	4	7	15	7	12	8	5	1	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	2	7	3	4	-	3	-	-	-	-
	Nonwhite--M--	27	-	-	1	-	-	-	-	-	-	1	1	1	1	3	4	4	5	1	3	1	-	-	-	-	1	-
	F--	22	-	-	-	-	-	-	-	-	1	-	1	-	2	2	4	1	6	1	1	2	-	1	-	-	-	-
126, 127	Biliary calculi, etc.*----------	67	-	-	-	-	-	-	-	-	-	-	1	4	3	3	9	15	3	15	7	2	4	1	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	6	-	4	2	-	1	1	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	9	2	9	3	2	2	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	2	1	-	1	-	-	-	-	-
130-132	Nephritis--------	2,018	-	3	2	5	1	5	7	6	15	24	30	54	74	94	158	161	194	254	280	282	188	111	49	12	4	5
	White-----M--	627	-	1	1	1	-	2	1	3	5	6	7	4	9	18	38	32	66	78	104	125	68	34	21	3	-	-
	F--	467	-	1	1	2	-	-	1	-	3	4	3	8	13	14	15	21	28	53	77	88	60	47	19	6	1	3
	Nonwhite--M--	530	-	-	-	1	1	2	2	-	3	3	10	18	25	31	60	63	54	78	64	46	37	23	3	2	2	2
	F--	394	-	1	-	1	-	1	3	3	4	11	10	24	27	31	45	45	46	45	35	23	23	7	6	1	2	-
137	Diseases of the prostate--------	120	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	8	7	9	20	21	28	8	10	3	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	12	11	20	7	8	2	-	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	6	7	8	10	8	1	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
140-150	Diseases of pregnancy, etc.*----	194	-	-	-	-	-	-	1	32	43	43	27	29	19	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	65	-	-	-	-	-	-	-	11	15	16	8	9	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	129	-	-	-	-	-	-	1	21	28	27	19	20	13	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	55	-	-	-	-	-	-	-	8	15	14	5	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	-	-	-	-	-	-	-	2	4	7	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	-	6	11	7	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	65	-	-	-	-	-	-	-	14	18	11	9	4	9	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	-	-	-	-	-	-	-	4	8	6	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	42	-	-	-	-	-	-	-	10	10	5	7	4	6	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	51	-	-	-	-	-	-	-	6	7	12	10	12	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	-	-	-	-	-	-	3	2	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	-	-	-	-	-	-	-	3	5	10	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	25	-	-	-	-	-	-	1	4	3	6	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	1	2	2	5	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	352	290	24	4	3	1	9	4	3	2	2	4	1	3	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	160	151	13	-	1	-	4	1	2	1	-	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	106	84	10	2	1	1	2	-	1	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	55	50	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	25	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,613	1,613	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	612	612	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	399	399	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	336	336	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	266	266	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,072	1,072	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	397	397	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	174	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	541	541	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	215	215	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	120	120	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	92	92	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	194	-	-	-	-	-	-	-	10	11	17	13	21	25	28	18	12	14	11	8	5	1	-	-	-	-
	White-----M--	121	-	-	-	-	-	-	-	5	2	10	8	11	12	21	12	9	13	7	7	4	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	4	5	3	3	6	10	6	5	3	1	3	1	1	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	3	2	2	4	2	1	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	467	2	-	1	-	-	-	2	32	81	72	82	58	41	40	22	13	9	6	2	3	-	-	-	-	1
	White-----M--	110	1	-	1	-	-	-	-	2	14	15	11	18	11	8	9	7	5	5	2	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	2	4	-	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	277	1	-	-	-	-	-	2	24	54	47	54	33	19	24	10	5	2	1	-	-	-	-	-	-	-	1
	F--	62	-	-	-	-	-	-	-	4	9	10	12	3	8	8	3	1	2	-	-	2	-	-	-	-	-	-
169-195	Accidental deaths	1,992	87	50	35	26	35	73	93	146	180	137	140	134	123	114	85	83	88	70	83	69	54	51	27	8	2	1
	White-----M--	916	22	19	11	8	9	23	43	68	102	83	76	75	58	55	45	46	39	38	35	19	16	16	9	-	-	1
	F--	377	21	15	5	4	1	18	13	24	17	17	19	11	11	13	8	10	16	14	30	32	28	32	12	5	1	-
	Nonwhite--M--	508	24	9	10	7	9	11	26	45	52	32	34	45	50	37	25	21	25	12	11	14	4	-	5	-	-	-
	F--	191	20	7	9	7	16	21	11	9	9	5	11	3	4	9	7	6	8	6	7	4	6	3	1	1	1	-
170	Motor-vehicle accidents--------	742	4	7	8	11	10	33	32	74	102	74	73	51	43	45	35	32	34	30	24	11	5	3	1	-	-	-
	White-----M--	403	2	4	1	3	3	16	15	41	57	44	39	29	23	20	23	21	15	18	17	7	2	3	-	-	-	-
	F--	129	2	3	3	3	-	9	7	17	12	13	14	9	5	8	3	4	7	8	-	1	-	-	1	-	-	-
	Nonwhite--M--	171	-	-	1	4	4	3	10	13	27	15	14	13	13	15	8	6	11	4	5	2	3	-	-	-	-	-
	F--	39	-	-	3	1	3	5	-	3	6	2	6	-	2	2	1	1	1	-	2	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,250	83	43	27	15	25	40	61	72	78	63	67	83	80	69	50	51	54	40	58	58	49	48	26	6	2	1
	White-----M--	513	20	15	10	5	6	7	28	27	45	39	37	46	35	35	22	25	24	20	18	12	14	13	9	-	-	1
	F--	248	19	12	2	1	1	9	6	7	5	4	5	2	6	5	5	6	9	6	30	31	28	32	11	5	1	-
	Nonwhite--M--	337	24	9	9	3	5	8	16	32	25	17	20	32	37	22	17	15	14	8	6	12	1	-	5	-	-	-
	F--	152	20	7	6	6	13	16	11	6	3	3	5	3	2	7	6	5	7	6	5	3	6	3	1	1	1	-
162, 199, 200	Senility, ill-defined and unknown causes-----	1,845	433	21	10	7	1	2	7	11	19	24	33	37	52	78	104	99	128	119	158	154	107	113	64	27	32	5
	White-----M--	372	70	2	1	2	-	-	1	1	4	5	4	7	12	23	23	31	26	32	36	32	23	23	13	1	-	-
	F--	228	40	1	1	-	1	-	2	-	1	1	3	4	3	3	8	8	11	14	22	29	20	33	19	2	2	-
	Nonwhite--M--	633	164	10	5	3	-	2	3	3	5	10	13	18	18	24	32	38	39	39	51	52	31	32	18	11	11	2
	F--	612	159	8	3	2	-	-	1	7	9	8	13	8	19	28	41	22	52	35	49	41	33	25	14	13	19	3
	All other causes-	1,455	157	41	22	14	9	39	48	48	48	59	55	96	74	79	99	102	105	98	84	76	47	34	11	6	1	3
	White-----M--	457	40	15	8	6	3	15	18	16	13	11	13	27	18	15	27	38	41	34	38	37	13	9	3	1	-	-
	F--	445	34	16	4	7	5	11	11	7	13	15	15	27	16	27	32	23	35	34	31	30	24	20	6	1	-	1
	Nonwhite--M--	278	51	5	5	1	1	9	10	11	10	13	10	11	11	18	24	25	20	18	9	7	4	1	-	3	-	1
	F--	275	32	5	5	-	-	6	9	14	12	20	17	31	29	19	16	16	9	12	6	2	6	4	2	1	1	1

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																										
	ALL CAUSES-------	6,586	1,083	135	54	39	26	74	57	91	136	155	185	251	261	335	421	474	558	585	552	452	343	208	75	18	14	8
	White-----M--	3,555	467	42	22	8	11	35	33	42	61	79	100	131	140	196	271	308	357	370	321	229	181	106	33	7	3	2
	F--	2,067	326	34	12	13	8	21	6	22	33	43	54	83	85	94	118	129	161	161	191	191	143	92	36	5	6	-
	Nonwhite--M--	544	148	33	14	8	1	10	6	15	24	21	17	20	21	23	22	21	23	40	30	18	11	5	5	3	2	3
	F--	420	142	26	6	10	6	8	12	12	18	12	14	17	15	22	10	16	17	14	10	14	8	5	1	1	3	1
1,2	Typhoid and paratyphoid fever---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	20	12	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	7	-	1	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	580	18	12	8	3	4	7	5	17	32	45	54	64	48	41	56	59	36	30	21	12	4	3	-	-	-	1
	White-----M--	296	2	3	1	-	-	-	1	1	3	16	24	31	26	31	41	45	26	23	14	5	1	1	-	-	-	1
	F--	138	2	4	2	-	1	-	-	6	11	15	17	22	12	,	11	10	6	1	4	4	1	2	-	-	-	-
	Nonwhite--M--	80	7	1	4	-	-	3	-	5	10	7	8	8	6	3	4	1	2	4	3	2	2	-	-	-	-	-
	F--	66	7	4	1	3	3	4	4	5	8	7	5	3	4	-	-	3	2	2	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	538	10	5	2	3	3	5	5	15	27	42	53	63	48	39	54	59	36	30	21	11	4	2	-	-	-	1
	White-----M--	283	1	1	-	-	-	-	1	1	2	14	23	31	26	29	39	45	26	23	14	4	1	1	-	-	-	1
	F--	125	1	1	-	-	-	-	-	5	8	14	17	22	12	7	11	10	6	1	4	4	1	1	-	-	-	-
	Nonwhite--M--	73	5	1	2	-	-	2	-	5	9	7	8	7	8	3	4	1	2	4	3	2	2	-	-	-	-	-
	F--	57	3	2	-	3	3	3	4	4	8	7	5	3	4	-	-	3	2	2	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	42	8	7	6	-	1	2	-	2	5	3	1	1	-	2	2	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	13	1	2	1	-	-	-	-	-	1	2	1	-	-	2	2	-	-	-	-	1	-	-	-	-	-	-
	F--	13	1	3	2	-	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	7	2	-	2	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	20	16	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	63	8	-	-	-	-	-	-	2	-	1	4	4	3	2	9	5	10	7	4	2	1	1	-	-	-	-
	White-----M--	39	2	-	-	-	-	-	-	1	-	1	3	2	2	2	7	4	7	5	2	1	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	2	1	1	-	-	-	-	-
	Nonwhite--M--	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-
	F--	5	2	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	21	6	10	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	3	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	18	1	1	1	1	4	4	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	1	-	1	2	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																											
45-55	Cancer and other malignant tumors	610	-	1	-	1	2	3	-	-	4	6	8	19	28	47	60	67	85	83	75	63	37	13	8	-	-	-
	White-----M--	299	-	1	-	1	2	3	-	-	3	6	4	5	8	17	31	32	41	48	30	36	20	8	3	-	-	-
	F--	272	-	-	-	-	-	-	-	-	1	-	3	14	17	24	24	29	39	32	40	23	17	5	4	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	1	-	-	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	4	3	2	4	3	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	243	-	1	-	1	-	-	-	-	2	1	3	3	6	19	21	23	21	45	35	33	18	7	4	-	-	-
	White-----M--	132	-	1	-	1	-	-	-	-	1	1	2	-	5	8	15	12	12	27	12	20	11	2	2	-	-	-
	F--	95	-	-	-	-	-	-	-	-	1	-	-	3	1	7	5	9	8	16	20	12	7	5	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	3	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	80	-	-	-	-	-	-	-	-	-	-	-	1	8	10	10	13	16	4	6	8	3	-	1	-	-	-
	White-----F--	67	-	-	-	-	-	-	-	-	-	-	-	1	6	8	10	10	13	4	5	6	3	-	1	-	-	-
	Nonwhite--F--	13	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	3	-	1	2	-	-	-	-	-	-
50	Cancer of breast-	58	-	-	-	-	-	-	-	-	-	-	3	6	9	3	6	7	9	4	7	-	3	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	3	6	8	3	5	7	9	4	7	-	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	229	-	-	-	-	2	3	-	-	2	5	2	9	5	15	23	24	39	30	27	22	13	6	2	-	-	-
	White-----M--	167	-	-	-	-	2	3	-	-	2	5	2	5	3	9	16	20	29	21	18	16	9	6	1	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	4	2	6	4	3	9	8	8	5	4	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	98	1	-	-	-	-	-	1	1	1	2	2	1	1	3	6	13	14	20	13	15	4	-	-	-	-	-
	White-----M--	42	-	-	-	-	-	-	-	1	-	2	-	-	-	1	4	5	9	7	5	6	2	-	-	-	-	-
	F--	45	1	-	-	-	-	-	1	-	1	-	1	-	1	1	2	7	4	10	7	7	2	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	1	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	22	-	-	-	-	-	-	-	-	1	1	-	1	2	4	4	1	3	1	4	-	-	-	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	3	1	3	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	393	2	1	1	-	-	3	1	2	2	5	2	6	6	22	26	31	49	50	58	50	47	15	12	1	1	-
	White-----M--	212	1	-	1	-	-	2	1	1	1	2	2	2	4	11	13	18	34	29	34	19	19	11	7	-	-	-
	F--	157	-	-	-	-	-	-	-	1	1	3	-	3	2	9	10	10	12	18	21	30	26	4	5	1	1	-
	Nonwhite--M--	15	-	1	-	-	-	1	-	-	-	-	-	1	-	1	2	2	1	3	1	1	1	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	1	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,424	-	-	-	-	-	-	4	2	3	10	13	34	36	71	121	144	180	215	191	158	119	92	24	2	3	2
	White-----M--	909	-	-	-	-	-	-	3	-	-	6	8	22	26	47	88	105	124	156	124	83	63	42	9	2	-	1
	F--	458	-	-	-	-	-	-	1	2	2	2	5	11	8	20	29	32	51	49	58	72	54	47	13	-	2	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	4	5	7	8	1	-	1	1	-	1	1
	F--	21	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	3	-	3	1	2	2	2	1	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	96	-	-	-	-	-	-	3	-	1	5	9	10	11	11	15	7	12	7	4	1	-	-	-	-	-	-
	White-----M--	53	-	-	-	-	-	-	2	-	-	3	4	6	6	5	10	3	8	5	1	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	1	-	-	1	5	4	5	5	5	3	4	2	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	496	-	-	-	-	-	-	-	-	-	-	2	13	9	30	56	71	70	86	71	44	26	16	-	-	2	-
	White-----M--	361	-	-	-	-	-	-	-	-	-	-	2	9	8	25	47	59	50	67	46	27	13	8	-	-	-	-
	F--	124	-	-	-	-	-	-	-	-	-	-	-	3	1	5	8	11	19	17	21	16	13	8	-	-	2	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	832	-	-	-	-	-	-	1	2	2	5	2	11	16	30	50	66	98	122	116	113	93	78	24	2	1	2
	White-----M--	495	-	-	-	-	-	-	1	-	-	3	2	7	12	17	31	43	66	84	77	58	50	34	9	2	-	1
	F--	295	-	-	-	-	-	-	-	2	2	1	-	4	2	10	16	18	28	30	34	55	41	39	13	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	4	5	4	1	-	1	1	-	1	1
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	3	1	1	2	2	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	94	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	4	9	15	18	18	10	7	2	1	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	3	5	10	8	9	8	4	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	4	6	9	2	3	2	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
107-109, 33	Pneumonia (all forms) and influenza-------	415	165	26	8	8	1	9	5	3	4	1	4	4	9	14	9	12	33	22	13	28	19	14	3	-	1	-
	White-----M--	179	57	6	3	1	-	4	4	1	3	-	2	3	5	8	7	6	19	9	8	16	11	7	-	-	1	-
	F--	129	57	4	3	2	1	1	-	1	-	1	1	1	3	3	2	5	9	8	4	11	4	6	2	-	-	-
	Nonwhite--M--	60	22	9	1	4	-	3	1	1	-	-	-	-	-	1	-	1	5	3	3	1	3	1	1	-	-	-
	F--	47	29	7	1	1	-	1	-	-	1	-	1	-	1	2	-	-	-	2	-	-	1	-	-	-	-	-
107	Bronchopneumonia-	209	96	16	5	3	1	3	2	1	1	-	1	1	3	9	2	5	17	9	4	13	7	6	3	-	1	-
	White-----M--	83	30	3	3	1	-	-	1	1	1	-	-	1	2	3	2	3	8	5	3	7	6	2	-	-	1	-
	F--	66	34	2	-	-	1	-	-	-	-	-	1	-	-	3	-	2	7	4	-	5	1	4	2	-	-	-
	Nonwhite--M--	31	12	7	1	2	-	2	1	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	1	-	-	-
	F--	29	20	4	1	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	120	33	4	1	3	-	-	1	1	3	1	2	3	5	1	5	4	12	8	6	11	10	6	-	-	-	-
	White-----M--	57	12	2	-	-	-	-	1	-	2	-	2	2	2	1	3	2	9	3	2	6	5	3	-	-	-	-
	F--	44	14	-	1	1	-	-	-	-	-	1	-	1	3	-	2	2	2	4	3	5	3	2	-	-	-	-
	Nonwhite--M--	13	5	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-
	F--	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	41	18	4	1	1	-	2	-	-	-	-	1	-	1	3	1	3	2	1	-	1	-	2	-	-	-	-
	White-----M--	19	7	1	-	-	-	1	-	-	-	-	-	-	1	3	1	1	1	-	-	1	-	2	-	-	-	-
	F--	6	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	6	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	45	18	2	1	1	-	4	2	1	-	-	-	-	-	1	1	-	2	4	3	3	2	-	-	-	-	-
	White-----M--	20	8	-	-	-	-	3	2	-	-	-	-	-	-	1	1	-	1	1	1	2	-	-	-	-	-	-
	F--	13	6	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	F--	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	42	-	-	-	-	-	-	-	-	-	-	1	3	4	3	7	4	5	7	2	3	1	1	1	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	3	4	2	6	4	4	6	2	3	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	237	191	23	6	2	1	2	-	-	1	1	1	1	-	-	2	2	-	1	2	1	-	-	-	-	-	-
	White-----M--	79	74	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	58	44	5	1	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	60	45	8	3	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	28	8	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	29	-	-	1	2	1	-	1	1	1	2	1	-	1	3	2	5	1	-	3	3	1	-	-	-	-	-
	White-----M--	16	-	-	1	1	1	-	1	-	1	-	1	-	-	2	1	3	1	-	1	2	-	-	-	-	-	-
	F--	10	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	1	-	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	73	10	1	-	-	-	-	1	1	1	1	2	3	8	1	7	9	2	9	5	3	4	3	2	-	-	-
	White-----M--	25	3	-	-	-	-	-	-	1	-	-	1	1	2	-	2	6	-	3	3	2	1	-	-	-	-	-
	F--	38	3	1	-	-	-	-	-	-	1	1	1	2	4	1	4	3	1	5	2	1	3	3	2	-	-	-
	Nonwhite--M--	9	4	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	69	1	-	-	-	-	-	-	-	1	2	4	2	11	8	8	8	1	6	3	7	4	3	-	-	-	-
	White-----M--	37	1	-	-	-	-	-	-	-	-	1	2	2	4	7	3	3	1	4	2	4	2	1	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	1	2	-	6	1	4	4	-	2	1	3	1	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	21	-	-	-	-	-	-	-	-	1	-	1	-	-	3	4	3	2	-	1	4	-	1	1	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	1	-	1	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	1	-	-	3	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis--------	227	1	-	1	-	1	1	-	3	5	5	3	8	6	7	8	17	29	29	37	19	30	11	4	1	1	-
	White-----M--	140	1	-	1	-	1	1	-	2	1	3	1	2	3	3	4	14	18	17	21	11	23	8	4	1	-	-
	F--	66	-	-	-	-	-	-	-	1	1	2	2	4	3	3	4	1	10	6	12	8	6	3	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	5	4	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
137	Diseases of the prostate--------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	2	2	2	1	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	1	2	1	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
140-150	Diseases of pregnancy, etc.*----	25	-	-	-	-	-	-	-	3	7	2	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	-	-	-	-	-	-	1	4	1	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	2	3	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	10	-	-	-	-	-	-	-	1	2	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	-	2	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	8	-	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	114	99	5	3	-	2	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	54	47	1	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	43	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	412	412	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	226	226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	127	127	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	170	170	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	100	-	-	-	-	-	2	1	6	9	10	9	14	15	8	3	7	8	7	1	-	-	-	-	-	-
	White-----M--	72	-	-	-	-	-	2	-	3	4	7	5	10	14	5	3	7	5	6	1	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	3	3	4	1	2	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	44	-	-	-	1	-	1	-	3	2	1	3	7	9	6	2	4	3	-	1	1	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	-	-	1	1	-	2	3	4	2	1	3	2	-	1	1	-	-	-	-	-
	F--	8	-	-	-	1	-	1	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	2	-	-	1	1	2	3	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	549	35	26	13	10	7	20	29	42	52	46	46	51	35	32	24	30	33	37	25	17	19	10	5	3	1	1
	White-----M--	409	16	15	8	2	1	13	18	29	39	32	35	37	22	21	19	20	18	24	13	7	13	5	1	1	-	-
	F--	149	11	9	2	5	2	6	3	7	5	6	3	8	8	6	4	7	11	11	11	8	5	5	4	2	-	-
	Nonwhite--M--	63	4	1	2	1	1	1	4	4	8	7	7	4	5	3	1	3	3	1	1	1	-	-	-	-	-	1
	F--	28	4	1	1	2	3	-	4	2	-	1	1	2	-	2	-	-	1	1	-	1	1	-	-	-	1	-
170	Motor-vehicle accidents-------	253	2	7	1	4	-	9	12	17	34	27	22	22	13	17	7	16	10	18	9	1	4	1	-	-	-	-
	White-----M--	166	1	4	1	-	-	6	7	12	27	19	15	14	5	10	6	10	5	12	7	1	4	-	-	-	-	-
	F--	60	1	3	-	4	-	3	3	4	2	5	2	4	8	4	1	4	4	5	2	-	-	1	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	-	5	2	5	3	-	1	-	2	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	1	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	396	33	19	12	6	7	11	17	25	18	19	24	29	22	15	17	14	23	19	16	16	15	9	5	3	1	1
	White-----M--	243	15	11	7	2	1	7	11	17	12	13	20	23	17	11	13	10	13	12	6	6	9	5	1	1	-	-
	F--	89	10	6	2	1	2	3	-	3	3	1	1	4	-	2	3	3	7	6	9	8	5	4	4	2	-	-
	Nonwhite--M--	43	4	1	2	1	1	1	3	4	3	5	2	1	5	2	1	1	2	1	1	1	-	-	-	-	-	1
	F--	21	4	1	1	2	3	-	3	1	-	-	1	1	-	-	-	-	1	-	-	1	1	-	-	-	1	-
162, 199, 200	Senility, ill-defined and unknown causes----	272	55	9	4	1	-	1	4	3	3	1	2	9	6	17	13	10	18	20	22	23	16	17	6	5	6	1
	White-----M--	93	8	-	-	-	-	-	-	-	-	-	-	4	3	5	7	6	9	12	11	9	5	9	2	1	2	-
	F--	36	4	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	2	7	3	5	4	3	-	3	-
	Nonwhite--M--	72	20	6	3	1	-	-	-	1	2	-	-	4	1	5	4	1	2	5	2	4	4	1	1	3	1	1
	F--	71	23	3	1	-	-	-	4	2	1	1	2	1	1	6	2	2	6	1	2	7	2	3	-	1	-	-
	All other causes-	448	50	14	5	8	2	12	3	5	6	11	15	20	29	34	39	42	37	26	41	21	16	12	-	1	-	1
	White-----M--	244	18	9	2	3	2	5	3	3	4	5	6	8	15	18	23	27	25	14	27	13	10	3	-	1	-	-
	F--	159	18	2	2	1	-	6	-	2	2	6	8	10	8	12	13	13	12	9	12	8	6	9	-	-	-	-
	Nonwhite--M--	21	6	3	1	-	-	-	-	-	-	-	1	-	4	-	2	-	-	2	2	-	-	-	-	-	-	-
	F--	24	8	-	-	2	-	1	-	-	-	-	-	2	2	4	1	2	-	1	-	-	-	-	-	-	-	1

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																										
	ALL CAUSES-------	15,224	1,363	142	71	60	45	140	114	237	296	297	318	412	555	688	907	1,155	1,345	1,638	1,743	1,646	1,112	606	225	63	33	13
	White-----M--	6,478	551	53	25	22	14	43	44	84	124	124	119	156	187	256	373	465	624	739	808	791	496	260	89	22	3	6
	F--	4,335	417	42	17	20	20	50	32	52	60	68	69	100	150	162	188	244	306	454	523	574	424	253	79	23	5	3
	Nonwhite--M--	2,372	207	26	15	6	7	24	20	47	53	54	60	61	109	152	189	251	248	246	229	171	117	51	25	10	12	2
	F--	2,039	188	21	14	12	4	23	18	54	59	51	70	95	109	138	157	195	167	199	193	110	75	42	32	8	13	2
1,2	Typhoid and paratyphoid fever---	8	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	7	1	1	1	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	31	28	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	9	1	2	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	727	3	6	3	-	-	5	4	28	43	49	51	57	64	56	74	62	58	47	50	39	16	10	-	-	1	-
	White-----M--	286	-	5	1	-	-	-	-	4	5	13	15	13	27	23	34	26	37	20	29	18	9	7	-	-	-	-
	F--	172	-	-	-	-	-	1	1	3	10	14	10	14	16	9	15	14	10	15	16	17	5	2	-	-	-	-
	Nonwhite--M--	144	3	-	-	-	-	1	2	6	15	12	14	12	12	11	17	13	9	7	4	3	2	1	-	-	-	-
	F--	125	-	1	2	-	-	3	1	15	13	10	12	18	9	13	8	9	3	5	1	1	-	-	-	-	1	-
13	Tuberculosis of respiratory system, etc.*---	690	1	2	2	-	-	4	2	26	39	47	49	53	61	56	73	60	58	44	48	38	16	10	-	-	1	-
	White-----M--	271	-	2	-	-	-	-	-	4	4	12	15	12	25	23	34	25	36	18	28	17	9	7	-	-	-	-
	F--	165	-	-	-	-	-	-	1	2	9	14	10	12	15	9	15	14	10	14	16	17	5	2	-	-	-	-
	Nonwhite--M--	134	1	-	-	-	-	1	1	5	13	11	13	12	12	11	16	13	9	7	3	3	2	1	-	-	-	-
	F--	120	-	-	2	-	-	3	-	15	13	10	11	17	9	13	8	8	3	5	1	1	-	-	-	-	1	-
14-22	Tuberculosis (other forms)---	37	2	4	1	-	-	1	2	2	4	2	2	4	3	-	1	2	1	3	2	1	-	-	-	-	-	-
	White-----M--	15	-	3	1	-	-	-	-	-	1	1	-	1	2	-	-	1	1	2	1	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	2	-	-	-	-	-	1	1	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	15	8	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-
	White-----M--	8	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	Malaria----------	22	1	-	1	-	-	-	-	1	-	-	-	-	1	-	2	2	3	4	3	3	1	-	-	-	-	-
	White-----M--	6	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	-	-	-	-	-	-	-
30	Syphilis----------	148	5	-	-	-	-	-	-	1	4	8	9	7	8	19	16	19	13	13	13	6	6	1	-	-	-	-
	White-----M--	41	3	-	-	-	-	-	-	-	-	1	1	1	2	2	4	6	4	6	7	2	2	-	-	-	-	-
	F--	18	1	-	-	-	-	-	-	1	-	-	2	1	-	4	2	1	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	1	2	4	2	5	9	7	6	7	4	3	2	-	1	-	-	-	-
	F--	36	1	-	-	-	-	-	-	-	3	5	2	3	1	4	3	6	1	2	2	1	2	-	-	-	-	-
35	Measles----------	19	4	2	3	1	2	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	10	3	-	2	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	14	-	-	-	1	1	7	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
45-55	Cancer and other malignant tumors	1,680	2	2	3	2	3	3	4	7	12	20	34	53	81	122	153	184	214	222	215	184	92	45	14	4	3	2
	White----M--	852	2	-	1	1	-	1	3	1	5	5	8	12	19	33	48	66	88	96	102	88	41	19	8	3	1	1
	F--	652	-	1	2	1	3	2	1	2	4	8	10	29	42	59	70	52	73	85	77	69	35	23	3	1	-	-
	Nonwhite--M--	163	-	-	-	-	-	-	-	1	1	3	2	2	7	9	12	27	30	22	18	18	7	3	1	-	1	1
	F--	213	-	1	-	-	-	-	-	3	2	4	14	10	13	21	23	39	23	19	18	11	9	-	2	-	1	-
46	Cancer of the digestive organs and peritoneum--	705	-	1	-	-	-	-	2	3	5	3	8	11	25	36	51	80	96	115	109	94	42	18	6	-	-	-
	White----M--	317	-	-	-	-	-	-	2	1	1	-	1	2	9	15	23	38	45	54	55	46	15	7	3	-	-	-
	F--	240	-	1	-	-	-	-	-	1	2	-	1	7	11	12	20	17	26	40	37	36	19	9	1	-	-	-
	Nonwhite--M--	80	-	-	-	-	-	-	-	1	1	2	1	-	3	6	5	8	16	12	11	7	4	2	1	-	-	-
	F--	68	-	-	-	-	-	-	-	-	1	1	5	2	2	3	3	17	9	9	6	5	4	-	1	-	-	-
48,49	Cancer of female genital organs--	280	-	1	1	-	-	-	-	3	2	7	6	13	27	40	39	34	28	30	23	12	10	3	1	-	-	-
	White----F--	188	-	-	1	-	-	-	-	-	1	5	4	8	19	29	25	19	20	25	18	8	7	3	-	-	-	-
	Nonwhite--F--	92	-	1	-	-	-	-	-	3	1	2	2	5	8	11	14	15	8	5	7	6	3	-	1	-	-	-
50	Cancer of breast-	119	-	-	-	-	-	-	-	-	-	1	6	8	6	14	20	9	16	12	13	9	2	3	-	-	-	-
	White----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	91	-	-	-	-	-	-	-	-	-	-	3	7	5	9	15	8	12	9	10	9	1	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	3	1	1	5	5	1	4	2	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	576	2	-	2	2	3	3	2	1	5	9	14	21	25	32	43	61	74	65	70	69	38	21	7	4	3	2
	White----M--	332	2	-	1	1	-	1	1	-	4	5	7	10	10	18	25	28	43	41	46	42	25	12	5	3	1	1
	F--	133	-	-	1	1	3	2	1	1	1	3	2	7	7	9	10	8	15	11	14	18	8	8	2	1	-	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	1	1	2	4	3	7	19	14	10	7	9	3	1	-	-	1	1
	F--	28	-	-	-	-	-	-	-	-	-	-	4	2	2	2	1	6	2	3	3	-	2	-	-	-	1	-
58	Acute rheumatic fever----------	13	-	-	1	-	-	1	2	2	1	1	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	White----M--	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	230	-	-	-	-	-	2	2	-	2	1	4	4	6	13	14	25	36	34	37	31	14	5	-	-	-	-
	White----M--	75	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	5	11	15	15	15	5	2	-	-	-	-
	F--	98	-	-	-	-	-	-	1	-	1	-	2	2	2	4	4	14	16	11	18	13	8	2	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	2	-	-	-	-	1	-	1	3	3	3	4	4	2	2	1	-	-	-	-	-
	F--	31	-	-	-	-	-	-	1	-	1	-	1	2	3	3	4	3	5	4	2	1	-	1	-	-	-	-
63b	Exophthalmic goiter----------	12	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	1	2	2	1	1	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	16	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	5	5	1	-	-	-	-	-
	White----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	18	-	-	-	-	-	-	-	-	-	1	1	2	4	-	3	3	2	1	-	1	-	-	-	-	-	-
	White----M--	13	-	-	-	-	-	-	-	-	-	1	1	1	2	-	3	2	1	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,525	-	-	-	1	-	3	2	4	1	2	5	19	30	61	102	130	174	235	242	254	154	74	21	7	3	1
	White----M--	546	-	-	-	1	-	1	-	2	1	-	1	9	5	12	29	28	62	100	95	105	61	26	7	-	1	-
	F--	499	-	-	-	-	-	2	1	2	-	1	-	3	10	15	19	38	41	64	89	102	62	35	10	4	-	1
	Nonwhite--M--	211	-	-	-	-	-	-	-	-	-	-	1	3	5	16	21	33	32	35	21	22	13	4	3	2	-	-
	F--	269	-	-	-	-	-	-	1	-	-	1	3	4	10	18	33	31	39	36	37	25	18	9	1	1	2	-
90-95	Diseases of the heart----------	3,967	4	2	3	-	1	7	6	16	11	15	25	60	107	169	264	361	428	606	638	574	365	207	74	14	7	2
	White----M--	1,966	2	1	1	-	-	1	3	2	4	9	9	29	50	82	126	174	235	303	334	300	181	87	26	7	-	-
	F--	1,048	1	-	-	-	1	2	2	4	1	3	6	9	18	17	44	57	82	154	183	194	133	98	30	4	4	1
	Nonwhite--M--	545	1	1	2	-	-	2	-	5	3	1	6	6	23	33	58	85	63	81	67	53	31	11	9	2	2	-
	F--	408	-	-	-	-	-	2	1	5	3	2	4	16	16	37	36	45	48	68	55	27	20	11	9	1	1	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	197	-	1	-	-	-	3	4	5	3	5	5	11	10	8	9	17	17	14	28	23	18	10	6	-	-	-
	White----M--	91	-	-	-	-	-	-	1	-	2	3	3	7	4	3	2	7	8	5	17	15	5	4	5	-	-	-
	F--	60	-	-	-	-	-	2	2	-	-	2	2	3	3	1	4	4	5	5	6	6	9	5	1	-	-	-
	Nonwhite--M--	27	-	1	-	-	-	-	-	3	-	-	-	-	1	3	3	6	1	1	4	2	2	-	-	-	-	-
	F--	19	-	-	-	-	-	1	1	2	1	-	-	1	2	1	-	-	3	3	1	-	2	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,341	1	-	-	-	-	-	-	3	4	4	9	24	55	80	119	165	172	203	213	151	70	46	18	3	-	1
	White----M--	807	-	-	-	-	-	-	-	-	2	3	4	14	32	50	83	97	115	128	128	80	38	24	6	3	-	-
	F--	303	-	-	-	-	-	-	-	1	1	-	1	-	10	9	16	25	31	47	60	51	24	18	9	-	-	-
	Nonwhite--M--	135	1	-	-	-	-	-	-	1	-	-	2	2	10	13	14	29	13	15	14	15	3	1	2	-	-	-
	F--	96	-	-	-	-	-	-	-	1	1	1	2	8	3	8	6	14	13	13	11	5	5	3	1	-	-	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,429	3	1	3	-	1	4	2	8	4	6	11	25	42	81	136	179	239	389	398	400	277	151	50	11	7	1
	White----M--	1,068	2	1	1	-	-	1	2	2	-	3	2	8	14	29	41	70	112	170	189	205	138	59	15	4	-	-
	F--	685	1	-	-	-	1	-	-	3	-	1	3	6	5	7	24	28	46	102	117	137	100	75	20	4	4	1
	Nonwhite--M--	383	-	-	2	-	-	2	-	1	3	1	4	4	12	17	41	50	49	65	49	36	26	10	7	2	2	-
	F--	293	-	-	-	-	-	1	-	2	1	1	2	7	11	28	30	31	32	52	43	22	13	7	8	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
97, 102	Arteriosclerosis and high blood pressure*--------	243	-	-	-	-	-	-	-	-	1	-	1	-	4	5	5	14	11	26	41	34	45	34	12	8	2	-
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	11	16	18	22	16	9	2	-	-	-
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	9	8	8	11	10	1	3	-	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	3	9	3	11	8	1	1	1	-
	F--	34	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	5	2	3	8	5	1	-	1	2	1	-
107-109, 33	Pneumonia (all forms) and influenza--------	887	231	35	11	5	3	14	5	10	14	6	8	13	21	24	33	33	54	62	73	82	78	44	18	7	-	3
	White-----M--	323	71	10	4	1	-	5	2	3	6	2	2	3	4	10	9	11	30	22	33	34	30	18	7	5	-	1
	F--	262	79	7	3	-	1	3	-	3	2	2	2	1	4	4	4	4	7	13	19	36	36	21	8	2	-	1
	Nonwhite--M--	160	50	10	2	1	2	4	3	2	-	-	-	3	6	6	11	9	11	14	11	8	4	2	-	-	-	1
	F--	142	31	8	2	3	-	2	-	2	6	2	4	6	7	4	9	9	6	13	10	4	8	3	3	-	-	-
107	Bronchopneumonia-	375	137	15	3	2	1	6	1	2	3	2	2	2	6	10	8	11	21	20	25	40	30	17	8	2	-	1
	White-----M--	139	44	4	2	-	-	4	-	-	1	1	-	-	1	5	1	2	13	9	13	17	12	6	2	2	-	-
	F--	122	48	3	1	-	-	1	-	1	1	1	-	1	1	2	1	5	4	5	19	14	9	4	-	-	-	-
	Nonwhite--M--	59	28	4	-	-	1	-	1	-	-	-	-	-	1	3	3	4	3	2	3	2	2	1	-	-	-	1
	F--	55	17	4	-	2	-	1	-	1	1	-	2	1	3	1	2	4	-	5	4	2	2	1	2	-	-	-
108	Lobar pneumonia--	303	50	10	3	1	1	6	1	4	8	3	3	6	10	7	18	12	26	27	29	24	25	20	7	1	-	1
	White-----M--	122	13	3	1	-	-	1	1	2	5	1	1	2	2	3	5	5	15	10	15	9	13	10	4	1	-	-
	F--	74	16	3	-	-	-	1	-	1	-	1	-	-	2	3	1	3	-	3	7	11	9	9	3	-	-	1
	Nonwhite--M--	60	14	3	1	1	1	3	-	-	-	-	-	2	3	1	7	2	7	7	3	3	2	-	-	-	-	-
	F--	47	7	1	1	-	-	1	-	1	3	1	2	2	3	-	5	2	4	7	4	1	1	1	-	-	-	-
109	Pneumonia (unspecified)------	87	23	9	3	1	1	1	-	1	-	1	2	1	2	3	5	4	2	6	5	8	2	3	1	2	-	1
	White-----M--	34	5	3	1	1	-	-	-	1	-	-	1	1	1	1	3	3	-	2	3	4	1	1	1	-	-	1
	F--	28	10	1	1	-	1	1	-	-	-	-	1	-	1	-	1	-	1	1	1	3	1	2	-	2	-	-
	Nonwhite--M--	13	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	-	-	-	-	-	-
	F--	12	5	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
33	Influenza--------	122	21	1	2	1	-	1	3	3	3	-	1	4	3	4	2	6	5	9	14	10	21	4	2	2	-	-
	White-----M--	28	9	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	1	2	4	4	1	-	2	-	-
	F--	38	5	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	1	5	6	3	12	1	1	-	-	-
	Nonwhite--M--	28	5	-	1	-	-	1	2	2	-	-	-	1	2	1	1	2	1	2	4	2	-	1	-	-	-	-
	F--	28	2	1	-	1	-	-	-	-	2	-	-	3	1	2	1	3	1	1	2	1	5	1	1	-	-	-
117	Ulcer of stomach or duodenum-----	81	1	-	-	-	-	-	-	1	-	-	-	2	3	9	11	12	14	8	9	5	2	3	-	1	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	-	-	-	1	1	6	8	6	10	8	5	4	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	3	1	1	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	3	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-
119, 120	Diarrhea, enteritis, etc.*-----	101	66	10	2	2	-	2	-	-	1	2	1	-	-	1	1	2	1	1	2	3	1	2	-	-	1	-
	White-----M--	42	29	4	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-
	F--	28	20	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	14	7	2	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	17	10	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
121	Appendicitis-----	71	1	-	1	3	2	9	4	6	3	4	1	4	5	4	1	4	4	3	9	1	2	-	-	-	-	-
	White-----M--	30	-	-	-	2	-	3	1	3	3	1	-	-	3	1	-	1	1	2	7	1	1	-	-	-	-	-
	F--	21	-	-	1	1	-	3	1	3	-	1	-	-	1	2	1	2	1	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	1	1	-	-	2	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	10	1	-	-	-	1	2	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	123	7	1	-	-	1	1	1	3	3	5	1	7	11	7	10	11	5	9	16	9	11	2	-	2	-	-
	White-----M--	38	3	1	-	-	-	-	1	-	-	-	-	1	3	1	2	4	2	3	5	4	7	1	-	-	-	-
	F--	38	2	-	-	-	1	1	-	-	-	3	1	2	2	2	3	4	-	4	6	1	3	1	-	2	-	-
	Nonwhite--M--	23	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	2	4	3	1	-	-	-	-	-
	F--	24	1	-	-	-	-	-	-	3	3	1	-	3	5	2	3	1	-	-	1	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	114	-	-	-	-	-	-	-	-	1	-	-	1	13	9	10	17	11	10	21	15	5	1	-	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	1	-	-	1	6	6	6	9	6	3	8	9	4	1	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	5	5	9	2	1	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	6	-	2	3	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	1	2	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	39	-	-	-	-	-	-	-	-	-	-	1	-	4	5	4	3	8	5	2	4	2	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	-	2	2	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	6	3	2	2	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,029	2	1	-	-	-	3	4	9	9	9	17	21	28	38	48	77	121	134	150	151	116	62	19	6	2	2
	White-----M--	412	1	-	-	-	-	-	1	4	1	4	4	6	6	14	15	21	51	48	66	76	57	27	7	2	-	1
	F--	277	-	-	-	-	3	2	3	5	1	5	9	8	9	6	16	22	39	34	47	35	23	7	2	1	-	
	Nonwhite--M--	201	1	1	-	-	-	-	-	1	1	3	5	-	6	6	12	21	31	28	34	22	18	8	1	1	1	-
	F--	139	-	-	-	-	-	-	1	1	2	1	3	6	8	9	15	19	17	19	18	6	6	4	4	1	-	1
137	Diseases of the prostate--------	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	3	9	18	19	13	6	2	-	2	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	5	10	17	10	5	2	-	1	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	8	2	3	1	-	-	1	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
140-150	Diseases of pregnancy, etc.*----	100	-	-	-	-	-	-	-	16	19	14	22	19	10	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	51	-	-	-	-	-	-	-	3	10	9	13	11	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	49	-	-	-	-	-	-	-	13	9	5	9	8	5	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	17	-	-	-	-	-	-	-	6	2	3	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	1	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	5	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	46	-	-	-	-	-	-	-	8	9	5	10	10	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	1	3	4	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	28	-	-	-	-	-	-	-	7	6	1	4	8	2	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	29	-	-	-	-	-	-	-	1	6	5	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	-	-	-	-	-	-	1	4	2	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	-	2	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	8	-	-	-	-	-	-	-	1	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	177	144	8	4	3	2	6	2	1	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	82	70	2	1	1	1	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	58	5	2	1	1	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	5	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	11	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	601	601	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	381	381	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	179	179	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	119	119	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	220	220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	122	-	-	-	-	-	-	1	3	5	5	9	9	9	11	11	20	11	15	6	2	3	2	-	-	-
	White-----M--	92	-	-	-	-	-	-	-	1	2	3	7	8	3	8	9	15	10	13	6	2	3	2	-	-	-
	F--	24	-	-	-	-	-	-	1	2	2	1	2	1	5	1	2	4	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	143	1	-	-	-	-	-	1	9	21	16	18	21	19	11	8	5	6	5	1	-	-	-	-	-	1
	White-----M--	52	1	-	-	-	-	-	-	1	9	4	5	6	7	4	5	2	3	3	1	-	-	-	-	-	1
	F--	9	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	87	-	-	-	-	-	-	-	6	7	11	8	13	9	6	1	3	2	1	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	1	2	4	-	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,206	51	38	23	21	18	47	54	91	106	83	75	69	52	60	58	53	52	53	37	70	44	34	15	2	1	1
	White-----M--	652	19	20	8	8	8	16	24	52	73	63	54	52	29	32	31	33	27	27	15	28	12	13	6	1	-	1
	F--	272	15	10	5	7	7	18	14	17	11	7	4	6	6	10	5	9	10	14	13	33	27	17	7	-	-	-
	Nonwhite--M--	200	8	4	4	-	2	9	11	18	19	11	13	9	16	14	17	6	11	9	7	5	4	2	-	1	-	-
	F--	82	9	4	6	6	1	4	5	4	3	2	4	2	1	4	3	5	4	3	2	4	1	2	2	-	1	-
170	Motor-vehicle accidents-------	384	6	10	1	6	7	17	19	44	47	38	20	30	24	24	17	16	18	16	10	8	5	-	-	-	-	1
	White-----M--	243	2	5	1	2	6	8	9	29	34	32	15	25	14	11	11	7	11	10	6	3	1	-	-	-	-	1
	F--	75	2	5	-	2	1	7	7	7	6	3	1	2	4	5	2	7	3	4	2	3	2	-	-	-	-	-
	Nonwhite--M--	50	1	-	-	-	-	1	3	6	5	2	3	3	6	6	4	1	2	1	2	2	2	-	-	-	-	-
	F--	16	1	-	-	2	-	1	-	2	2	1	1	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	822	45	28	22	15	11	30	35	47	59	45	55	39	28	36	39	37	34	37	27	62	39	34	15	2	1	-
	White-----M--	409	17	15	7	6	2	8	15	23	39	31	39	27	15	21	20	26	16	17	9	25	11	13	6	1	-	-
	F--	197	13	5	5	5	6	11	7	10	5	4	3	4	2	5	3	2	7	10	11	30	25	17	7	-	-	-
	Nonwhite--M--	150	7	4	4	-	2	8	8	12	14	9	10	6	10	8	13	5	9	8	5	3	2	2	-	1	-	-
	F--	66	8	4	6	4	1	3	5	2	1	1	3	2	1	2	3	4	2	2	2	4	1	2	2	-	1	-
162, 199, 200	Senility, ill-defined and unknown causes----	758	123	6	6	3	2	4	1	5	7	8	8	10	23	15	35	38	37	63	76	98	81	47	40	12	11	1
	White-----M--	210	33	1	1	2	2	1	-	2	1	-	2	1	5	4	13	10	7	15	17	33	22	21	14	2	-	1
	F--	147	19	2	-	-	-	1	1	-	2	-	1	2	5	2	3	3	2	9	13	24	36	8	9	5	-	-
	Nonwhite--M--	215	34	1	3	1	-	-	-	1	2	3	2	2	5	7	11	13	18	22	28	22	15	7	9	3	6	-
	F--	186	37	2	2	-	-	2	-	2	2	5	3	5	8	2	8	12	10	17	18	17	8	11	8	2	5	-
	All other causes-	886	78	26	6	13	8	21	17	20	27	43	23	31	48	48	42	59	73	67	74	57	59	26	10	-	-	-
	White-----M--	353	29	6	3	5	3	10	7	7	9	14	8	11	13	11	21	32	29	34	32	29	24	13	3	-	-	-
	F--	292	24	14	1	3	3	4	5	5	10	15	8	10	18	17	6	18	24	22	27	19	26	9	4	-	-	-
	Nonwhite--M--	121	11	4	1	3	2	3	3	5	4	4	2	3	7	4	9	12	15	6	6	6	7	3	1	-	-	-
	F--	120	14	2	1	2	-	4	2	3	4	10	5	7	10	16	6	7	5	5	9	3	2	1	2	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	ALL CAUSES-------	98,905	6,885	534	290	226	185	580	385	783	1,296	1,496	1,772	2,489	3,489	4,787	6,302	8,017	9,685	11,025	11,392	10,955	8,575	5,297	1,864	421	70	105
	White-----M--	54,993	3,639	273	155	110	101	315	240	480	747	784	962	1,318	1,975	2,866	3,953	5,120	6,093	6,609	6,275	5,623	4,038	2,341	720	154	19	83
	F--	38,776	2,605	214	108	93	73	228	118	243	380	477	595	897	1,152	1,515	1,929	2,496	3,176	3,955	4,755	5,077	4,394	2,880	1,106	256	40	14
	Nonwhite--M--	3,161	347	29	13	13	8	20	17	36	101	139	127	168	234	257	261	247	290	292	227	168	84	44	20	7	4	8
	F--	1,975	294	18	14	10	3	17	10	24	68	96	88	106	128	149	159	154	126	169	135	87	59	32	18	4	7	-
1,2	Typhoid and paratyphoid fever---	11	-	-	-	-	-	-	-	-	-	1	4	-	1	2	-	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	62	21	7	5	2	3	4	2	3	-	1	-	3	-	2	1	-	3	1	1	1	1	-	-	-	-	1
	White-----M--	35	6	3	5	1	3	3	2	1	-	1	-	1	-	2	1	-	2	1	1	-	1	-	-	-	-	1
	F--	22	11	4	-	1	-	1	-	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	25	21	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	45	-	1	3	1	4	5	2	1	-	-	-	2	5	6	6	6	3	-	-	-	-	-	-	-	-	-
	White-----M--	30	-	-	1	-	1	1	2	-	-	-	-	1	5	5	6	5	3	-	-	-	-	-	-	-	-	-
	F--	14	-	1	2	1	2	4	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	3,301	16	36	27	12	3	19	17	56	181	222	225	263	274	319	353	323	297	296	159	117	54	24	6	1	-	1
	White-----M--	2,016	5	14	9	4	2	10	5	14	47	70	98	115	150	231	265	248	234	232	116	84	40	17	4	1	-	1
	F--	794	6	14	13	7	1	8	10	29	73	80	80	95	62	55	50	47	47	42	29	26	12	6	2	-	-	-
	Nonwhite--M--	328	1	5	1	1	-	-	1	4	32	37	27	38	48	24	34	22	14	18	14	4	2	1	-	-	-	-
	F--	163	4	3	4	-	-	1	1	9	29	35	20	15	14	9	4	6	2	4	-	3	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	3,070	7	18	8	5	2	9	10	50	170	212	209	247	259	302	343	312	282	281	153	110	51	23	5	1	-	1
	White-----M--	1,902	3	5	1	1	1	4	3	12	42	68	91	110	145	219	258	242	224	221	114	80	37	18	3	1	-	1
	F--	725	2	9	4	4	1	4	7	28	72	77	75	98	57	54	47	43	44	40	25	24	12	6	2	-	-	-
	Nonwhite--M--	300	-	3	1	-	-	-	-	3	28	32	24	37	46	22	34	21	12	16	14	4	2	1	-	-	-	-
	F--	143	2	1	2	-	-	1	-	7	28	35	19	12	11	7	4	6	2	4	-	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	231	9	18	19	7	1	10	7	6	11	10	16	16	15	17	10	11	15	15	6	7	3	1	1	-	-	-
	White-----M--	114	2	9	8	3	1	6	2	2	5	2	7	5	5	12	7	6	10	11	2	4	3	1	1	-	-	-
	F--	69	4	5	9	3	-	4	3	1	1	3	5	7	5	1	3	4	3	2	4	2	-	-	-	-	-	-
	Nonwhite--M--	28	1	2	-	1	-	-	1	1	4	5	3	1	2	2	-	1	2	2	-	-	-	-	-	-	-	-
	F--	20	2	2	2	-	-	-	1	2	1	-	1	3	3	2	-	-	-	-	-	1	-	-	-	-	-	-
27	Dysentery-------	38	12	3	1	3	4	5	-	-	1	1	-	2	1	1	1	-	-	-	1	1	-	-	1	-	-	-
	White-----M--	13	5	1	-	-	1	2	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	22	5	2	1	3	3	3	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	870	21	-	-	-	-	1	-	1	3	4	14	28	50	107	90	132	133	114	72	54	27	11	4	1	1	2
	White-----M--	538	12	-	-	-	-	1	-	-	2	1	3	11	27	56	54	91	92	76	43	38	20	9	1	-	-	1
	F--	182	5	-	-	-	-	-	-	-	-	2	6	5	9	23	12	24	29	21	22	12	6	2	2	1	1	-
	Nonwhite--M--	110	4	-	-	-	-	-	-	-	-	-	4	9	11	18	18	14	10	10	6	3	1	-	1	-	-	1
	F--	40	-	-	-	-	-	-	-	1	1	1	1	3	3	10	6	3	2	7	1	1	-	-	-	-	-	-
35	Measles----------	45	8	11	3	4	5	11	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	6	5	2	2	3	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	1	6	-	2	2	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	355	7	11	11	19	12	63	44	33	45	44	42	17	2	1	4	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	198	5	7	6	11	7	34	24	20	23	23	24	10	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	146	2	4	3	5	4	28	18	12	21	21	18	7	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
45-55	Cancer and other malignant tumors	14,087	9	15	8	8	12	28	27	37	59	97	167	313	528	808	1,208	1,659	1,962	2,043	1,861	1,592	1,011	455	122	24	4	10
	White—M	6,721	2	9	6	4	5	15	19	22	32	44	53	86	177	290	505	791	1,030	1,078	987	803	494	217	57	10	1	4
	F	6,753	6	6	2	4	7	10	8	10	26	44	98	203	313	455	636	797	856	876	855	747	499	252	61	14	3	5
	Nonwhite—M	336	-	-	-	-	-	2	-	4	1	4	6	5	18	32	36	40	50	57	37	29	10	4	-	-	-	1
	F	257	1	-	-	-	-	1	-	1	-	5	10	19	20	31	31	31	26	32	22	13	8	2	4	-	-	-
46	Cancer of the digestive organs and peritoneum	5,612	1	2	2	-	-	3	2	5	12	20	40	83	143	240	411	642	838	932	916	784	488	196	44	5	-	3
	White—M	3,104	-	-	2	-	-	-	1	2	5	8	18	32	76	112	208	356	485	536	503	408	236	96	17	2	-	1
	F	2,443	-	2	-	-	-	1	1	2	6	7	19	46	57	109	181	256	307	348	382	351	242	96	25	3	-	2
	Nonwhite—M	182	-	-	-	-	-	1	-	1	1	3	3	2	5	14	14	19	34	36	22	19	5	3	-	-	-	-
	F	83	1	-	-	-	-	1	-	-	-	2	-	3	5	5	8	11	12	12	9	6	5	1	2	-	-	-
48,49	Cancer of female genital organs	1,685	-	-	-	1	-	-	1	4	6	19	35	68	121	157	209	220	212	181	170	142	78	40	9	1	-	1
	White—F	1,606	-	-	-	1	-	-	1	4	6	16	30	63	111	144	202	214	206	178	165	137	78	39	9	1	-	1
	Nonwhite—F	79	-	-	-	-	-	-	-	-	-	3	5	5	10	13	7	6	6	13	5	5	-	1	-	-	-	-
50	Cancer of breast	1,531	-	-	-	-	-	-	-	-	-	6	28	65	90	150	174	201	192	182	141	134	90	56	16	6	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	1	1	3	-	1	-	-	-
	F	1,487	-	-	-	-	-	-	-	-	-	6	26	58	88	140	160	194	186	179	138	131	86	56	15	6	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	2	6	2	10	12	6	4	3	2	1	1	-	2	-	-	-	-
45,47, 51-55	Cancer (other sites)	5,039	8	13	6	7	12	25	24	28	41	52	64	97	174	261	414	596	720	738	634	532	355	163	53	12	4	6
	White—M	3,605	2	9	4	4	5	15	18	20	27	36	35	53	101	178	295	434	543	542	463	394	255	121	39	8	1	3
	F	1,257	6	4	2	3	7	9	6	4	14	15	23	36	57	62	93	133	157	171	150	128	93	41	14	4	3	2
	Nonwhite—M	153	-	-	-	-	-	1	-	3	-	1	3	3	13	18	22	21	16	21	15	9	5	1	-	-	-	1
	F	44	-	-	-	-	-	-	-	1	-	-	3	5	3	3	4	8	4	4	6	1	2	-	-	-	-	-
58	Acute rheumatic fever	28	-	1	1	1	2	2	2	3	4	1	-	2	5	-	2	-	1	-	1	-	-	-	-	-	-	-
	White—M	10	-	-	1	-	-	-	1	1	2	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	14	-	-	-	1	2	1	1	2	1	1	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,184	2	-	2	1	-	4	7	4	8	13	13	31	43	76	110	215	354	376	371	303	169	71	11	-	-	-
	White—M	877	1	-	1	1	-	2	2	1	3	4	5	17	19	35	48	94	137	147	153	119	59	30	1	-	-	-
	F	1,212	1	-	1	-	-	2	5	3	5	8	8	13	18	27	55	108	201	213	205	180	108	41	10	-	-	-
	Nonwhite—M	42	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	6	10	6	7	3	1	-	-	-	-	-
	F	53	-	-	-	-	-	-	-	-	-	1	-	-	5	9	7	7	6	10	6	1	1	-	-	-	-	-
63b	Exophthalmic goiter	90	-	-	-	-	-	1	1	2	1	1	5	5	3	11	9	9	8	19	9	3	1	1	1	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	2	1	4	1	-	-	-	-	-	-	-
	F	70	-	-	-	-	-	1	1	2	1	-	4	4	1	8	6	7	7	15	8	3	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
69	Pellagra (except alcoholic)	13	1	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	3	-	2	-	-	-	-	-	-
	White—M	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	171	-	-	-	-	-	-	-	-	-	2	8	17	25	31	25	23	12	12	11	1	2	-	-	-	-	2
	White—M	139	-	-	-	-	-	-	-	-	-	1	4	11	20	27	21	21	9	11	10	1	1	-	-	-	-	2
	F	28	-	-	-	-	-	-	-	-	-	1	4	4	5	4	4	1	2	1	1	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,739	12	3	2	-	3	6	4	6	5	23	36	47	110	208	351	546	776	986	1,248	1,332	1,111	649	226	42	6	1
	White—M	3,452	6	3	2	-	2	3	2	1	3	12	15	18	44	85	156	265	391	491	559	582	458	251	91	11	1	-
	F	3,949	5	-	-	-	1	3	2	5	2	8	17	22	44	107	156	243	337	445	635	721	638	391	131	31	5	-
	Nonwhite—M	171	-	-	-	-	-	-	-	-	-	1	1	2	13	8	18	15	31	24	28	14	9	3	3	-	-	1
	F	167	1	-	-	-	-	-	-	-	-	2	3	5	9	8	21	23	17	26	26	15	6	4	1	-	-	-
90-95	Diseases of the heart	35,709	5	7	3	1	3	15	14	37	51	97	171	396	800	1,409	2,133	2,939	3,819	4,680	4,945	4,852	3,898	2,424	796	176	17	21
	White—M	20,186	2	4	3	-	3	3	9	18	30	44	116	276	581	1,014	1,608	2,144	2,672	2,999	2,808	2,552	1,817	1,090	307	76	4	16
	F	12,424	3	2	-	1	-	12	3	15	19	38	40	95	158	299	421	683	1,001	1,517	2,016	2,200	2,016	1,308	471	94	8	4
	Nonwhite—M	698	-	1	-	-	-	-	1	3	1	10	9	16	39	63	61	73	101	106	73	71	38	16	10	3	2	1
	F	401	-	-	-	-	-	-	1	1	1	5	6	9	22	33	43	39	45	58	48	29	27	20	8	3	3	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	1,723	-	2	-	-	1	7	12	20	34	35	61	100	126	145	183	184	190	163	145	145	91	60	15	4	-	-
	White—M	865	-	1	-	-	1	1	8	8	18	12	36	49	67	68	96	111	90	91	71	73	36	24	4	-	-	-
	F	795	-	1	-	-	-	6	2	11	15	20	21	48	53	70	79	65	90	64	73	71	55	36	11	4	-	-
	Nonwhite—M	37	-	-	-	-	-	-	1	-	-	3	1	2	3	4	5	5	5	6	1	1	-	-	-	-	-	-
	F	26	-	-	-	-	-	-	1	1	1	-	3	1	3	3	3	3	5	2	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	12,286	1	-	-	-	2	-	1	2	5	26	63	172	404	760	1,093	1,463	1,739	1,921	1,741	1,425	840	462	134	23	3	6
	White—M	8,710	1	-	-	-	2	-	1	1	4	17	52	150	352	643	918	1,169	1,337	1,366	1,136	822	456	226	61	10	1	5
	F	3,325	-	-	-	-	-	-	-	-	1	6	7	17	34	93	148	263	362	511	589	584	395	229	70	11	2	1
	Nonwhite—M	186	-	-	-	-	-	-	-	1	-	2	3	4	12	21	20	18	32	34	11	16	6	4	1	1	-	-
	F	67	-	-	-	-	-	-	-	-	-	1	1	1	6	3	7	13	8	10	5	3	3	3	2	1	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	19,700	4	5	3	1	-	8	1	15	12	36	47	124	270	504	857	1,292	1,890	2,596	3,059	3,282	2,987	1,902	647	149	14	15
	White—M	10,611	1	3	3	-	-	2	-	9	8	15	28	77	162	303	594	864	1,245	1,542	1,801	1,657	1,345	830	242	66	3	11
	F	8,306	3	1	-	1	-	6	1	4	3	12	12	30	71	136	194	355	549	942	1,354	1,545	1,588	1,045	380	79	6	3
	Nonwhite—M	475	-	1	-	-	-	-	-	2	1	5	5	10	24	38	36	50	64	66	61	54	32	12	9	2	2	1
	F	308	-	-	-	-	-	-	-	-	-	4	2	7	13	27	33	23	32	46	43	28	24	17	6	2	3	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	2,089	-	-	-	-	-	-	-	-	-	-	2	1	6	16	31	26	95	128	271	426	461	393	171	50	11	1
	White-----M--	969	-	-	-	-	-	-	-	-	-	-	2	-	3	9	13	13	49	65	142	205	223	187	57	18	2	1
	F--	1,056	-	-	-	-	-	-	-	-	-	-	-	1	-	7	16	8	41	56	117	211	230	222	112	30	5	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	5	6	4	3	-	2	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	2	5	7	4	4	1	2	-	4	-
107-109, 33	Pneumonia (all forms) and influenza-------	4,043	662	74	47	15	18	42	18	27	38	31	63	89	123	179	171	201	223	312	406	395	393	292	148	37	15	4
	White-----M--	2,214	330	36	18	8	11	22	12	12	26	13	33	45	75	126	116	144	154	206	227	196	196	120	67	14	7	2
	F--	1,553	267	32	27	5	6	19	5	12	9	12	20	29	32	32	44	42	59	94	162	184	192	164	77	21	6	1
	Nonwhite--M--	164	40	4	1	2	1	1	-	1	1	4	5	7	9	16	6	11	7	8	11	10	4	7	3	2	2	1
	F--	112	45	2	3	-	-	-	1	2	2	2	5	8	7	5	5	4	3	4	6	5	1	1	1	-	-	-
107	Bronchopneumonia-	2,553	511	55	29	10	12	22	13	14	19	18	32	38	45	66	86	84	125	181	263	259	291	218	122	28	11	1
	White-----M--	1,360	249	28	10	7	9	14	8	8	12	8	17	19	31	48	57	60	81	120	134	131	151	91	49	13	5	-
	F--	1,035	196	22	15	2	2	8	4	5	5	7	9	14	11	15	24	18	36	58	117	119	137	121	70	15	4	1
	Nonwhite--M--	87	30	4	1	1	1	-	-	1	-	3	3	2	2	3	1	4	5	3	7	5	2	5	2	-	2	-
	F--	71	36	1	3	-	-	-	1	-	2	-	3	3	1	-	4	2	3	-	5	4	1	1	1	-	-	-
108	Lobar pneumonia--	1,107	127	12	9	4	2	13	1	10	11	11	22	41	67	91	78	95	81	99	104	92	68	47	13	4	3	2
	White-----M--	672	58	5	4	1	1	4	1	3	7	5	12	23	39	63	56	73	63	71	72	46	32	19	10	-	2	2
	F--	337	55	6	5	2	1	8	-	5	3	3	7	10	16	12	16	16	16	20	27	41	34	27	3	3	1	-
	Nonwhite--M--	62	8	-	-	1	-	1	-	-	1	1	1	4	7	11	5	4	2	4	4	4	2	1	-	1	-	-
	F--	36	6	1	-	-	-	-	-	2	-	2	2	4	5	5	1	2	-	4	1	1	-	-	-	-	-	-
109	Pneumonia (unspecified)------	112	26	2	1	-	1	3	2	3	2	-	2	5	3	10	3	9	5	6	11	5	6	6	1	-	-	-
	White-----M--	62	14	-	-	-	-	3	1	1	2	-	1	2	2	7	1	6	4	1	7	2	5	3	-	-	-	-
	F--	41	7	2	1	-	1	-	1	2	-	-	1	2	1	2	2	2	1	4	4	3	1	3	1	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	271	18	5	8	1	3	4	2	-	6	2	7	5	8	12	4	13	12	26	28	39	28	21	12	5	1	1
	White-----M--	120	9	3	2	-	1	1	2	-	5	-	3	1	3	8	2	5	6	14	14	17	8	7	8	1	-	-
	F--	140	9	2	6	1	2	3	-	-	1	2	3	3	4	3	2	6	6	12	14	21	20	13	3	3	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	1	1	1	-	1
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	607	5	-	-	-	-	-	1	-	1	1	11	31	31	51	75	116	133	111	84	89	43	11	11	1	-	1
	White-----M--	635	4	-	-	-	-	-	-	-	1	-	9	24	21	42	62	98	108	87	63	71	33	7	3	1	-	1
	F--	138	-	-	-	-	-	-	-	-	-	1	1	5	9	8	9	15	18	18	17	16	9	4	8	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	3	7	6	2	1	1	-	-	-	-	-
	F--	6	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	544	416	25	4	5	2	7	3	1	-	1	3	8	9	6	4	11	6	7	7	6	10	3	-	-	-	-
	White-----M--	248	198	11	2	3	1	2	-	-	-	-	1	3	4	3	1	7	3	2	2	2	3	-	-	-	-	-
	F--	246	177	13	2	1	-	5	2	1	-	1	2	3	5	2	3	4	3	5	5	4	5	3	-	-	-	-
	Nonwhite--M--	31	26	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	21	17	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	240	2	2	5	4	3	9	4	17	4	8	15	8	18	18	21	24	20	16	17	14	3	8	-	-	-	-
	White-----M--	150	1	1	1	4	1	7	2	11	1	5	11	6	14	7	11	15	15	14	11	5	2	5	-	-	-	-
	F--	74	1	1	2	-	2	1	2	6	3	1	3	1	3	7	9	8	4	1	6	9	1	3	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	11	-	-	1	-	-	-	-	-	-	2	1	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	647	27	12	3	1	3	1	2	2	6	9	14	18	21	36	59	47	62	81	75	63	53	42	5	5	-	-
	White-----M--	316	15	8	3	1	3	1	2	2	3	3	1	3	5	18	25	22	30	39	39	33	29	24	3	4	-	-
	F--	291	11	2	-	-	-	-	-	-	2	5	12	11	14	16	22	23	28	39	34	29	23	18	1	1	-	-
	Nonwhite--M--	24	1	1	-	-	-	-	-	-	1	-	1	-	-	1	8	1	4	3	2	-	-	-	1	-	-	-
	F--	16	-	1	-	-	-	-	-	-	-	1	-	4	2	1	4	1	-	-	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver----------	2,189	2	5	2	-	-	2	1	6	4	21	64	155	263	324	328	281	226	209	144	73	49	19	6	1	-	4
	White-----M--	1,372	1	2	1	-	-	2	-	4	1	9	29	77	150	205	217	196	149	144	96	44	30	9	2	-	-	4
	F--	725	1	3	-	-	-	-	1	2	2	11	27	70	102	104	99	73	66	58	46	28	18	9	4	1	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	1	1	4	6	4	12	8	6	8	6	2	-	-	-	-	-	-	-
	F--	34	-	-	1	-	-	-	-	-	-	-	4	2	7	3	4	6	3	1	-	1	1	1	-	-	-	-
126, 127	Biliary calculi, etc.*----------	387	-	1	-	-	-	-	-	-	3	4	6	9	8	23	30	33	44	57	62	52	38	17	-	-	-	-
	White-----M--	139	-	1	-	-	-	-	-	-	1	-	1	-	2	12	14	9	12	21	21	25	12	8	-	-	-	-
	F--	237	-	-	-	-	-	-	-	-	1	2	3	9	6	9	16	23	29	36	41	27	26	9	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	3,800	4	-	2	7	1	11	16	17	45	39	50	81	103	189	217	306	353	433	524	545	431	285	111	25	3	2
	White-----M--	1,947	3	-	2	1	1	7	9	8	22	28	25	39	47	85	105	201	199	228	275	287	197	128	45	5	2	1
	F--	1,811	1	-	-	5	-	3	6	8	17	8	17	28	33	67	79	77	140	177	234	244	225	155	65	20	1	1
	Nonwhite--M--	131	-	-	-	1	-	1	-	1	5	2	4	8	14	17	17	17	6	14	8	8	5	3	-	-	-	-
	F--	111	-	-	-	-	-	-	1	-	1	3	4	6	9	20	16	11	8	13	7	6	4	1	1	-	-	-
137	Diseases of the prostate--------	449	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	17	38	49	102	105	76	38	15	2	-	-
	White-----M--	433	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	16	38	49	95	101	75	36	14	2	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	4	1	2	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																											
140-150	Diseases of pregnancy, etc.*----	206	-	-	-	-	-	-	1	17	42	56	36	37	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	168	-	-	-	-	-	-	-	15	29	46	29	33	14	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	38	-	-	-	-	-	-	1	2	13	10	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	65	-	-	-	-	-	-	1	7	11	21	13	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	51	-	-	-	-	-	-	-	7	7	16	9	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	1	-	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	42	-	-	-	-	-	-	-	5	9	10	8	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	-	-	-	-	-	-	-	4	8	9	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*----------	80	-	-	-	-	-	-	-	4	16	21	13	17	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	66	-	-	-	-	-	-	-	4	11	18	11	14	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	-	-	5	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes---------	19	-	-	-	-	-	-	-	1	6	4	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	-	3	3	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	1,369	1,032	70	19	21	4	26	17	24	23	17	12	15	19	14	17	15	8	8	6	2	-	-	-	-	-	-
	White-----M--	753	567	36	9	8	2	11	11	17	18	8	6	8	12	8	10	12	3	4	3	-	-	-	-	-	-	-
	F--	538	404	29	10	11	2	12	6	7	3	7	6	7	7	5	6	3	5	3	3	2	-	-	-	-	-	-
	Nonwhite--M--	38	30	4	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	31	1	-	1	-	3	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	4,053	4,053	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	2,183	2,183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,497	1,497	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	205	205	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	170	170	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	2,489	2,489	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,319	1,319	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	927	927	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	113	113	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year-------	1,564	1,564	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	864	864	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	570	570	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	1,802	-	-	-	-	-	1	5	33	88	104	143	166	190	184	205	176	159	121	97	88	43	14	2	-	-	3
	White-----M--	1,297	-	-	-	-	-	1	5	23	56	73	93	102	127	133	149	138	120	95	77	52	38	12	1	-	-	2
	F--	438	-	-	-	-	-	-	-	9	25	20	46	55	59	41	50	37	35	24	16	12	5	2	1	-	-	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	7	6	2	7	2	9	5	1	3	2	4	4	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	5	2	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	471	9	3	-	1	1	6	2	20	52	70	62	50	55	34	32	22	18	15	9	5	3	1	-	-	-	1
	White-----M--	234	4	2	-	1	1	3	1	10	25	31	28	28	20	19	22	13	9	9	5	2	3	-	-	-	-	-
	F--	99	5	1	-	-	-	3	1	3	9	13	11	7	11	8	7	5	6	4	3	1	-	1	-	-	-	-
	Nonwhite--M--	112	-	-	-	-	-	-	-	5	15	20	18	13	21	7	2	3	3	2	-	2	-	-	-	-	-	1
	F--	26	-	-	-	-	-	-	-	2	3	6	5	4	3	-	1	1	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	7,029	213	151	85	77	61	185	132	348	491	465	400	411	437	389	378	374	429	399	364	401	358	295	111	30	3	42
	White-----M--	4,608	110	81	52	37	35	119	96	266	396	345	305	291	308	274	293	262	316	277	215	191	146	113	32	7	1	40
	F--	2,035	80	57	24	32	19	48	26	68	68	80	64	85	98	92	69	89	100	105	136	202	208	180	78	23	2	2
	Nonwhite--M--	302	14	9	6	3	5	12	8	13	24	35	24	28	24	23	14	17	12	14	9	4	2	1	1	-	-	-
	F--	84	9	4	3	5	2	6	2	1	3	5	7	7	7	-	2	6	1	3	4	4	2	1	-	-	-	-
170	Motor-vehicle accidents-------	2,982	19	45	28	40	26	68	53	249	318	279	200	210	200	176	179	172	198	176	129	95	64	32	2	1	-	3
	White-----M--	2,102	9	27	16	25	18	55	37	191	251	206	141	139	131	111	126	121	137	133	89	62	44	29	1	-	-	3
	F--	719	10	15	8	13	7	27	14	52	49	56	39	52	52	54	43	45	54	37	36	31	20	3	1	1	-	-
	Nonwhite--M--	138	-	2	3	1	1	5	2	6	15	14	16	17	15	11	9	3	7	6	3	2	-	-	-	-	-	-
	F--	23	-	1	1	1	-	1	-	-	3	3	4	2	2	-	1	3	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents--	4,047	194	106	57	37	35	97	79	99	173	186	200	201	237	213	199	202	231	223	235	306	294	263	109	29	3	39
	White-----M--	2,506	101	54	36	12	17	64	59	75	145	139	164	152	177	165	167	141	179	144	126	129	102	84	31	7	1	37
	F--	1,316	70	42	16	19	12	21	12	16	19	24	25	33	46	38	26	44	46	68	100	171	188	177	77	22	2	2
	Nonwhite--M--	164	14	7	3	2	4	7	6	7	9	21	8	11	9	12	5	14	5	8	6	2	2	1	1	-	-	-
	F--	61	9	3	2	4	2	5	2	1	-	2	3	5	5	-	1	3	1	3	3	4	2	1	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	623	34	7	-	1	1	6	6	3	19	11	28	29	36	21	28	31	23	35	44	47	69	71	45	14	7	7
	White-----M--	355	17	3	-	1	-	2	5	2	10	6	16	21	21	18	20	25	20	25	32	26	38	30	8	3	1	5
	F--	219	12	1	-	-	1	4	1	-	6	3	7	4	7	1	4	5	3	8	12	20	27	40	36	11	6	-
	Nonwhite--M--	36	3	1	-	-	-	-	-	1	3	2	4	3	7	2	4	1	-	2	-	-	1	-	-	-	-	2
	F--	13	2	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	3	1	1	-	-	-
	All other causes-	5,402	271	87	57	41	40	121	56	85	120	150	182	254	303	327	404	482	477	528	488	402	267	172	72	11	3	2
	White-----M--	2,882	147	45	33	23	19	60	30	48	45	64	80	124	136	156	224	286	294	307	308	202	122	80	27	2	-	2
	F--	2,181	96	35	21	13	21	54	20	32	55	60	75	98	134	141	148	173	158	205	163	193	141	88	45	9	3	-
	Nonwhite--M--	220	18	3	2	4	-	2	5	3	7	15	16	20	21	16	22	13	17	12	12	5	3	4	-	-	-	-
	F--	139	10	4	1	1	-	5	1	4	13	11	11	12	12	14	10	10	8	4	5	2	1	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	ALL CAUSES-------	12,582	1,267	99	51	38	25	74	89	126	194	177	223	277	357	476	579	807	1,060	1,265	1,449	1,564	1,246	791	285	50	9	4
	White-----M--	7,165	705	58	24	19	11	31	56	84	121	102	118	150	214	296	370	502	698	760	836	850	617	395	137	16	2	3
	F--	5,131	532	38	23	19	13	41	31	37	60	66	88	120	137	163	195	278	348	468	595	691	617	388	144	33	6	-
	Nonwhite--M--	172	17	3	2	-	1	2	1	3	6	7	9	5	5	5	9	14	13	30	11	12	8	5	3	1	-	-
	F--	114	13	-	2	-	-	-	1	2	7	2	8	2	1	12	5	13	11	7	7	11	4	3	1	-	1	1
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	10	-	-	1	1	2	2	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	24	15	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	8	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	8	1	1	1	1	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	1	1	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	362	3	1	3	1	2	1	2	5	23	23	30	33	33	38	44	22	31	22	18	14	7	3	3	-	-	-
	White-----M--	229	2	-	1	1	1	1	1	3	8	11	17	14	20	27	38	19	22	17	12	7	5	-	2	-	-	-
	F--	106	-	1	1	-	1	-	-	2	12	8	9	16	12	10	5	2	8	2	6	7	1	3	-	-	-	-
	Nonwhite--M--	20	1	-	1	-	-	-	-	-	1	3	4	2	1	-	1	1	1	3	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*---	335	2	1	-	1	1	-	1	5	21	22	28	32	31	34	43	22	28	20	16	14	7	3	3	-	-	-
	White-----M--	216	2	-	-	1	-	-	-	3	8	11	15	13	18	25	38	19	22	16	11	7	5	-	2	-	-	-
	F--	97	-	1	-	-	1	-	-	2	10	8	9	16	12	8	5	2	6	1	5	7	1	3	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	2	4	2	1	-	-	1	-	3	-	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
14-22	Tuberculosis (other forms)---	27	1	-	3	-	1	1	1	-	2	1	2	1	2	4	1	-	3	2	2	-	-	-	-	-	-	-
	White-----M--	13	-	-	1	-	1	1	1	-	-	-	2	1	2	2	-	-	-	1	1	-	-	-	-	-	-	-
	F--	9	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	10	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	7	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	105	1	-	-	-	-	-	-	-	-	2	-	4	3	9	10	15	21	13	8	8	9	1	1	-	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	1	-	1	2	8	9	12	16	9	7	5	6	1	1	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	1	4	2	1	3	3	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
35	Measles----------	6	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)---	12	-	-	-	1	-	4	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	1	-	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																											
45-55	Cancer and other malignant tumors	1,570	1	4	1	-	-	3	2	2	4	12	15	31	52	85	105	184	218	227	217	209	135	74	10	1	-	-
	White-----M--	774	-	3	-	-	-	1	1	-	2	6	5	8	15	29	43	72	113	124	118	109	78	39	8	-	-	-
	F--	766	1	1	1	-	-	2	1	2	2	6	9	23	37	51	62	87	97	98	98	94	56	34	2	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	2	-	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	3	3	2	-	4	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	684	-	-	-	-	-	-	1	-	-	-	1	10	15	21	36	72	104	111	104	108	74	33	4	-	-	-
	White-----M--	369	-	-	-	-	-	-	1	-	-	-	1	3	7	9	18	43	56	65	58	53	39	14	2	-	-	-
	F--	315	-	-	-	-	-	-	-	-	-	-	-	7	8	10	18	29	46	42	46	53	34	18	2	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-	-	-	-
48,49	Cancer of female genital organs--	172	-	-	-	-	-	-	-	-	1	2	2	6	16	21	21	30	20	18	16	8	8	3	-	-	-	-
	White-----F--	166	-	-	-	-	-	-	-	-	1	2	2	6	16	19	21	28	20	18	16	6	8	3	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-	-
50	Cancer of breast-	162	-	-	-	-	-	-	-	-	-	-	7	5	8	16	17	20	20	19	23	12	7	8	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	157	-	-	-	-	-	-	-	-	-	-	7	5	8	15	16	19	18	19	23	12	7	8	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	542	1	4	1	-	-	3	1	2	3	10	5	10	13	27	31	42	72	79	74	81	46	30	6	1	-	-
	White-----M--	404	-	3	-	-	-	1	-	-	2	6	4	5	8	20	24	29	57	59	60	56	39	25	6	-	-	-
	F--	130	1	1	1	-	-	2	1	2	1	4	-	5	5	7	7	11	13	19	14	23	7	5	-	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	6	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	240	-	-	-	1	-	1	1	1	1	2	3	6	4	2	14	24	30	30	43	41	23	10	3	-	-	-
	White-----M--	102	-	-	-	-	-	-	-	1	1	2	1	3	3	-	7	9	11	8	20	18	11	5	2	-	-	-
	F--	134	-	-	-	1	-	1	1	-	-	-	2	3	1	2	7	15	16	22	23	23	12	4	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	5	4	1	4	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	5	3	1	3	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	27	-	-	-	-	-	-	-	-	-	1	-	4	6	6	4	-	2	2	2	-	-	-	-	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	6	6	3	-	2	2	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	997	3	1	1	-	1	1	4	-	1	4	5	7	9	23	35	58	85	126	155	206	160	78	26	6	2	-
	White-----M--	472	1	1	-	-	1	-	4	-	1	4	3	3	5	9	15	29	51	60	86	97	65	24	9	3	1	-
	F--	506	2	-	1	-	-	1	-	-	-	-	2	4	4	12	18	27	31	62	68	106	95	52	17	3	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	2	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	1	-	-	-	-
90-95	Diseases of the heart----------	3,618	1	-	-	1	-	2	11	12	14	11	30	41	82	130	164	241	367	461	565	612	462	289	96	22	3	1
	White-----M--	2,258	1	-	-	-	-	-	9	6	5	8	16	19	55	96	131	175	278	317	336	363	225	150	40	6	1	1
	F--	1,310	-	-	-	1	-	1	2	5	7	3	11	22	26	29	30	56	86	133	219	240	233	136	53	15	2	-
	Nonwhite--M--	41	-	-	-	-	-	1	-	1	1	-	1	-	1	2	2	4	2	8	7	3	2	2	3	1	-	-
	F--	29	-	-	-	-	-	-	-	-	1	-	2	-	-	3	1	6	1	3	3	6	2	1	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	257	-	-	-	-	-	2	9	10	6	7	13	15	25	17	20	21	28	20	14	24	13	13	-	-	-	-
	White-----M--	129	-	-	-	-	-	-	7	5	-	5	6	6	13	7	10	14	14	9	5	15	6	7	-	-	-	-
	F--	119	-	-	-	-	-	1	2	4	5	2	6	9	12	9	10	7	13	9	9	8	7	6	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	1,301	-	-	-	-	-	-	-	-	2	2	7	13	36	64	88	122	158	193	219	208	109	57	15	7	1	-
	White-----M--	947	-	-	-	-	-	-	-	-	2	2	6	9	31	54	75	95	140	150	145	138	53	35	9	2	1	-
	F--	342	-	-	-	-	-	-	-	-	-	-	1	4	5	10	12	22	18	41	73	69	56	20	6	6	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,060	1	-	-	1	-	-	2	2	6	2	10	13	21	49	56	98	181	248	332	380	340	219	81	15	2	1
	White-----M--	1,162	1	-	-	-	-	-	2	1	3	1	4	4	11	35	46	66	124	158	186	210	166	108	31	4	-	1
	F--	849	-	-	-	1	-	-	-	1	2	1	4	9	9	10	8	27	55	83	137	163	170	110	47	10	2	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	1	4	6	3	2	1	3	1	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	1	3	3	4	2	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	196	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	5	12	22	36	45	49	17	3	1	-
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	15	22	23	27	12	1	-	-
	F--	77	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	4	7	14	21	21	5	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	681	166	19	6	4	2	6	5	2	6	5	4	8	12	12	8	27	37	46	70	79	71	62	21	2	-	1
	White-----M--	384	94	13	2	2	1	2	-	1	4	2	2	4	8	6	6	19	30	26	37	45	33	37	11	1	-	-
	F--	280	67	6	4	2	1	4	4	1	1	3	1	4	4	5	2	7	6	18	30	36	38	25	10	1	-	-
	Nonwhite--M--	10	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1
107	Bronchopneumonia-	413	115	13	5	3	1	4	1	2	3	3	1	-	2	3	2	12	19	20	37	50	51	48	17	-	-	1
	White-----M--	225	64	11	2	2	-	2	-	1	3	1	-	-	1	2	2	8	14	9	18	25	25	28	7	-	-	-
	F--	178	48	2	3	1	1	2	1	1	-	2	-	-	1	1	-	3	4	10	17	25	26	20	10	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1
108	Lobar pneumonia--	203	36	4	-	-	1	1	3	-	3	2	2	5	9	9	6	11	15	21	24	21	17	9	3	1	-	-
	White-----M--	120	22	1	-	-	1	-	-	-	1	1	1	2	6	4	4	7	14	13	14	14	7	5	3	-	-	-
	F--	78	12	3	-	-	-	1	2	-	1	1	1	3	3	4	2	4	1	7	9	7	10	4	-	1	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	32	10	1	1	-	-	-	1	-	-	-	-	1	1	-	-	2	2	1	6	3	1	1	1	-	-	-
	White-----M--	18	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	4	1	1	-	1	-	-	-
	F--	14	6	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	33	5	1	-	1	-	1	-	-	-	-	1	2	-	-	-	2	1	4	3	5	2	4	-	1	-	-
	White-----M--	21	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	3	1	3	-	4	-	1	-	-
	F--	12	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	1	2	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	121	1	1	-	-	-	-	-	-	1	1	2	1	3	8	17	16	14	28	5	10	4	8	1	-	-	-
	White-----M--	98	1	1	-	-	-	-	-	-	-	-	1	1	2	7	14	14	12	24	4	9	3	5	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	2	2	4	1	-	1	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	167	140	7	1	-	-	-	2	-	3	-	2	-	1	-	-	1	1	4	-	2	2	-	1	-	-	-
	White-----M--	93	78	5	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	3	-	2	1	-	-	-	-	-
	F--	70	59	1	1	-	-	-	1	-	2	-	2	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis------	51	-	-	-	-	1	4	3	1	5	-	-	1	3	6	3	8	3	4	4	1	4	-	-	-	-	-
	White-----M--	28	-	-	-	-	-	1	1	1	4	-	-	1	2	5	1	4	2	2	1	1	2	-	-	-	-	-
	F--	22	-	-	-	-	1	3	2	-	1	-	-	-	1	1	2	3	1	2	3	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	126	5	-	1	-	-	-	-	-	-	4	2	3	5	7	6	6	10	12	17	18	20	8	2	-	-	-
	White-----M--	52	4	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	1	5	8	5	12	6	2	-	-	-
	F--	71	1	-	1	-	-	-	-	-	-	4	1	1	4	3	4	5	9	6	9	13	8	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	172	-	-	-	-	-	-	-	1	-	5	5	12	19	9	18	15	25	21	19	12	7	3	1	-	-	-
	White-----M--	103	-	-	-	-	-	-	-	1	-	3	1	8	16	6	7	13	15	13	10	7	3	-	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	-	2	2	3	3	3	11	2	9	8	9	4	4	3	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	97	-	-	-	-	-	-	-	-	-	-	1	1	5	8	8	9	10	14	14	15	7	5	-	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	3	5	5	4	9	4	1	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	1	1	5	6	6	5	8	10	6	3	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	703	4	-	1	-	-	2	4	5	4	7	13	7	10	20	25	49	57	69	103	118	97	71	34	5	-	-
	White-----M--	357	1	-	-	-	-	-	4	4	2	3	5	3	5	11	12	25	31	34	60	53	46	36	19	3	-	-
	F--	334	3	-	1	-	-	2	-	1	2	4	7	3	4	8	11	23	26	35	42	62	48	35	15	2	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1	3	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate--------	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	12	9	10	19	12	3	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	9	10	19	12	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO--Con.																										
140-150	Diseases of pregnancy, etc.*----	32	-	-	-	-	-	-	-	8	2	5	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	31	-	-	-	-	-	-	-	8	1	5	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	12	-	-	-	-	-	-	-	2	1	1	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	2	-	1	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	15	-	-	-	-	-	-	-	3	1	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	-	-	-	-	-	-	3	1	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	207	165	8	3	2	1	1	2	1	3	4	4	4	1	2	-	2	2	1	-	1	-	-	-	-	-
	White-----M--	119	102	4	-	1	1	-	1	-	2	-	2	2	1	-	-	1	1	1	-	-	-	-	-	-	-
	F--	85	60	4	3	1	-	1	1	1	1	4	2	2	-	2	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year----	645	645	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	358	358	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	273	273	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	373	373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	166	166	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	272	272	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	188	-	-	-	-	-	-	1	-	8	8	10	20	19	24	22	22	15	13	12	7	5	2	-	-	-
	White-----M--	138	-	-	-	-	-	-	1	-	7	4	4	19	7	17	16	16	13	11	11	6	5	1	-	-	-
	F--	47	-	-	-	-	-	-	-	-	1	3	6	1	12	7	5	5	2	2	1	1	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	58	1	-	-	-	-	1	1	3	7	8	6	6	7	4	2	5	2	2	2	-	-	-	-	-	1
	White-----M--	37	-	-	-	-	-	1	1	1	5	5	1	4	5	3	2	4	1	2	1	-	-	-	-	-	1
	F--	14	1	-	-	-	-	-	-	2	2	1	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
169-195	Accidental deaths	1,101	41	31	22	13	12	31	34	74	90	51	58	58	43	47	50	44	45	55	67	68	83	56	23	3	1	1
	White-----M--	718	12	18	14	7	7	18	23	61	70	43	49	45	35	40	37	35	32	37	35	32	36	20	11	-	-	1
	F--	355	29	13	5	6	4	13	11	11	15	6	8	12	6	7	11	8	11	15	30	36	47	36	12	3	-	-
	Nonwhite--M--	20	-	-	1	-	1	-	-	2	4	2	1	1	2	-	1	1	1	3	-	-	-	-	-	-	-	-
	F--	9	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-
170	Motor-vehicle accidents--------	343	5	5	5	3	7	10	10	36	52	29	19	19	19	19	17	15	13	16	19	14	8	3	-	-	-	-
	White-----M--	249	3	3	4	1	5	5	6	28	44	25	15	14	14	15	12	9	7	12	11	8	6	2	-	-	-	-
	F--	85	2	2	1	2	2	5	4	8	7	3	3	5	3	4	4	5	5	3	8	6	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	758	36	26	17	10	5	21	24	38	38	22	38	39	24	28	33	29	32	39	48	54	75	53	23	3	1	1
	White-----M--	469	9	15	10	6	2	13	17	33	26	18	34	31	21	25	25	26	25	25	24	24	30	18	11	-	-	1
	F--	270	27	11	4	4	2	8	7	3	8	3	5	7	3	3	7	3	6	12	22	30	45	35	12	3	-	-
	Nonwhite--M--	13	-	-	1	-	1	-	-	2	4	1	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-
162, 199, 200	Senility, ill-defined and unknown causes----	151	4	1	-	-	-	-	-	-	1	1	-	1	-	3	1	-	1	3	7	27	38	26	31	5	1	-
	White-----M--	68	3	1	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	2	14	16	12	14	1	-	-
	F--	78	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	5	11	21	14	17	4	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other causes-	798	62	18	10	8	3	9	8	10	18	21	23	21	38	31	39	73	73	85	86	67	48	33	12	3	1	-
	White-----M--	438	38	9	5	3	-	2	4	5	9	8	9	11	21	17	22	47	45	41	58	37	24	19	3	1	-	-
	F--	345	22	8	5	5	3	7	4	3	8	13	13	10	16	14	16	24	27	40	28	30	23	14	9	2	1	-
	Nonwhite--M--	9	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	1	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																										
	ALL CAUSES-------	19,569	1,026	66	48	24	30	65	50	82	157	181	259	370	540	755	1,287	1,724	2,097	2,381	2,521	2,315	1,895	1,135	435	103	9	14
	White-----M--	10,533	526	31	20	10	17	39	26	52	86	85	128	218	328	432	815	1,056	1,272	1,345	1,363	1,165	858	468	156	32	-	5
	F--	8,493	443	27	25	12	12	22	20	25	60	81	105	131	184	281	430	603	782	986	1,110	1,115	1,018	656	277	70	9	9
	Nonwhite--M--	308	32	3	3	1	-	2	2	2	6	13	12	13	15	23	27	40	24	35	24	22	6	2	1	-	-	-
	F--	235	25	5	-	1	1	2	2	3	5	2	14	8	13	19	15	25	19	15	24	13	13	9	1	1	-	-
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	9	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	528	-	2	1	-	1	1	3	4	10	36	39	41	40	53	63	71	53	47	30	25	6	-	-	-	-	2
	White-----M--	352	-	2	-	-	-	-	1	-	6	12	19	29	26	32	50	59	40	33	23	16	3	-	-	-	-	1
	F--	135	-	-	1	-	1	1	2	3	3	19	14	8	10	13	10	9	11	12	7	8	2	-	-	-	-	1
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	5	2	3	3	7	3	3	2	2	-	1	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	488	-	1	-	-	-	-	1	4	9	33	35	39	36	49	63	66	52	43	28	23	4	-	-	-	-	2
	White-----M--	333	-	1	-	-	-	-	-	-	5	12	18	27	24	30	50	55	40	32	21	15	2	-	-	-	-	1
	F--	123	-	-	-	-	-	-	1	3	3	18	13	8	10	12	10	8	10	10	7	8	1	-	-	-	-	1
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	3	2	3	1	6	3	3	2	1	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	40	-	1	1	-	1	1	2	-	1	3	4	2	4	4	-	5	1	4	2	2	2	-	-	-	-	-
	White-----M--	19	-	1	-	-	-	-	1	-	1	-	1	2	2	2	-	4	-	1	2	1	1	-	-	-	-	-
	F--	12	-	-	1	-	1	1	1	-	-	1	1	-	-	1	-	1	1	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	132	-	-	-	-	-	-	-	-	-	1	-	8	3	10	10	28	21	16	16	11	5	-	1	-	-	2
	White-----M--	83	-	-	-	-	-	-	-	-	-	-	-	4	2	8	9	17	16	12	8	4	3	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	6	3	3	5	5	2	-	1	-	-	2
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	4	2	-	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	2	1	-	-	-	-	-	-
35	Measles----------	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT-Con.																										
45-55	Cancer and other malignant tumors	3,451	-	4	3	1	2	3	4	8	15	10	33	54	96	181	333	379	480	526	509	370	268	131	33	5	-	3
	White-----M--	1,747	-	2	-	1	2	2	2	8	8	4	18	14	47	69	175	189	254	301	270	186	118	60	15	1	-	1
	F--	1,641	-	2	2	-	-	1	2	-	7	6	13	39	45	108	150	179	219	219	226	179	149	71	18	4	-	2
	Nonwhite--M--	32	-	-	1	-	-	-	-	-	-	-	1	-	2	1	4	6	3	4	7	3	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	5	4	2	6	2	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,587	-	1	-	-	-	1	-	-	3	1	12	18	25	52	139	181	229	262	258	192	140	62	10	1	-	-
	White-----M--	868	-	-	-	-	-	-	-	-	2	1	7	6	16	27	77	101	135	165	139	93	68	27	3	-	-	-
	F--	685	-	1	-	-	-	1	-	-	1	-	5	11	8	24	56	73	91	93	112	95	71	35	7	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	3	4	2	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	1	3	2	1	-	-	-	-	-
48,49	Cancer of female genital organs--	332	-	-	-	-	-	-	-	-	1	1	7	7	11	28	34	45	51	44	35	35	21	9	2	1	-	-
	White-----F--	325	-	-	-	-	-	-	-	-	1	1	6	7	11	27	34	43	50	44	33	35	21	9	2	1	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-
50	Cancer of breast-	348	-	-	-	-	-	-	-	-	1	2	1	11	20	42	33	31	44	46	46	23	34	8	5	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	342	-	-	-	-	-	-	-	-	1	2	1	11	19	40	32	31	42	46	46	23	34	8	5	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,184	-	3	3	1	2	2	4	8	10	6	13	18	40	59	127	122	156	174	170	120	73	52	16	3	-	2
	White-----M--	878	-	2	-	1	2	2	2	8	6	3	11	8	31	42	98	88	117	136	131	93	50	33	12	1	-	1
	F--	289	-	1	2	-	-	-	2	-	4	3	1	10	7	17	28	32	36	36	35	26	23	19	4	2	-	1
	Nonwhite--M--	13	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	2	2	1	3	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
59	Acute rheumatic fever----------	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	671	-	-	-	-	-	1	-	1	-	-	8	5	4	15	37	75	105	129	118	95	62	15	1	-	-	-
	White-----M--	232	-	-	-	-	-	-	-	-	-	-	4	3	1	5	12	23	36	44	40	35	23	6	-	-	-	-
	F--	423	-	-	-	-	-	-	-	-	-	-	4	2	2	9	24	46	67	84	78	58	39	9	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	3	2	1	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter----------	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	5	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	5	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	61	-	-	-	-	-	-	-	-	-	2	3	7	7	11	8	9	5	5	2	1	1	-	-	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	1	2	4	3	8	5	8	4	4	2	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,683	1	1	-	-	1	1	2	2	-	5	5	18	27	39	69	134	173	228	259	301	213	141	53	10	-	-
	White-----M--	811	-	1	-	-	-	-	2	-	-	1	1	10	13	14	33	76	98	122	131	133	105	56	14	3	-	-
	F--	829	-	-	-	-	1	1	-	2	-	3	3	7	12	25	31	51	75	99	124	161	105	83	39	7	-	-
	Nonwhite--M--	21	1	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	2	6	-	4	-	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	4	-	1	4	3	3	1	-	-	-	-
90-95	Diseases of the heart----------	7,135	3	-	2	-	-	-	5	10	12	18	44	67	156	219	438	624	850	950	1,055	995	889	521	220	44	8	5
	White-----M--	4,080	1	-	-	-	-	-	1	5	6	8	20	51	107	151	327	426	565	561	588	518	414	223	92	16	-	2
	F--	2,902	2	-	2	-	-	-	4	4	5	8	20	11	41	56	96	177	272	371	446	466	464	290	128	28	8	3
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	1	2	1	3	5	6	10	12	8	11	12	6	4	1	-	-	-	-
	F--	71	-	-	-	-	-	-	-	1	-	-	3	2	3	6	5	9	7	7	9	5	7	7	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	311	-	-	-	-	-	-	2	5	5	11	21	17	31	33	34	37	28	21	17	21	15	7	5	1	-	-
	White-----M--	138	-	-	-	-	-	-	-	2	4	3	8	8	16	19	20	12	16	7	6	8	6	2	1	-	-	-
	F--	162	-	-	-	-	-	-	2	3	1	6	11	6	14	12	14	24	12	14	11	13	9	5	4	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,348	-	-	-	-	-	-	2	3	1	1	13	34	81	123	234	317	365	347	307	266	146	77	26	3	-	2
	White-----M--	1,631	-	-	-	-	-	-	1	2	-	1	10	31	65	99	194	248	264	238	195	161	71	37	11	1	-	2
	F--	674	-	-	-	-	-	-	1	-	1	-	2	1	12	19	34	62	98	105	106	102	74	40	15	2	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	4	1	2	4	2	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	-	-	1	1	1	3	2	3	2	2	2	1	1	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	4,476	3	-	2	-	-	-	1	2	6	6	10	16	44	63	170	270	457	582	731	708	728	437	189	40	8	3
	White-----M--	2,311	1	-	-	-	-	-	-	1	2	4	2	12	26	33	113	166	283	316	387	349	337	184	80	15	-	-
	F--	2,066	2	-	2	-	-	-	1	1	3	2	7	4	15	25	48	91	162	252	329	351	381	245	109	25	8	3
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	1	-	-	-	1	2	6	7	7	9	8	4	4	1	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	5	5	7	4	6	7	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT-Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	300	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	11	19	34	49	62	74	36	7	-	1
	White-----M--	119	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	10	18	27	25	24	8	-	-	-
	F--	175	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	6	8	16	21	37	49	27	6	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	478	55	10	3	5	2	3	3	3	1	6	5	12	10	14	23	31	31	34	49	57	60	40	14	6	1	-
	White-----M--	259	25	6	2	2	2	2	1	3	-	5	2	8	7	10	13	18	21	21	31	30	27	18	4	1	-	-
	F--	203	25	4	-	3	-	1	2	-	-	1	3	3	2	2	9	12	8	13	18	27	32	22	10	5	1	-
	Nonwhite--M--	8	2	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-
107	Bronchopneumonia-	220	31	5	1	3	-	3	2	1	1	2	3	3	2	4	7	6	13	13	19	35	28	25	10	3	-	-
	White-----M--	104	13	2	-	2	-	2	-	1	-	2	1	2	1	3	5	4	6	4	9	18	16	11	2	-	-	-
	F--	108	15	3	-	1	-	1	2	-	-	-	2	-	1	1	2	2	5	9	10	17	12	14	8	3	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	206	12	3	-	-	1	-	1	2	-	4	2	7	8	9	13	23	14	16	23	19	31	12	3	2	1	-
	White-----M--	126	7	2	-	-	1	-	1	2	-	3	1	5	6	6	7	12	13	14	16	11	10	6	2	1	-	-
	F--	74	5	1	-	-	-	-	-	-	-	1	1	2	1	1	5	10	1	2	7	8	20	6	1	1	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)------	45	12	1	1	1	1	-	-	-	-	-	-	2	-	1	3	2	3	3	7	2	-	3	1	-	-	-
	White-----M--	24	5	1	1	-	1	-	-	-	-	-	-	1	-	1	1	2	1	2	5	1	-	1	-	-	-	-
	F--	17	5	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	2	1	1	1	-	2	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	9	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	1	-	-
	White-----M--	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	136	-	-	-	-	-	-	-	-	1	2	-	4	8	15	18	17	13	12	22	16	6	2	-	-	-	-
	White-----M--	109	-	-	-	-	-	-	-	-	1	2	-	4	7	14	16	14	12	10	14	9	5	1	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	2	8	7	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	47	28	-	1	-	-	-	-	2	-	1	1	-	1	-	2	1	5	-	1	2	1	1	-	-	-	-
	White-----M--	17	13	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	24	9	-	-	-	-	-	-	1	-	1	1	-	1	-	2	-	4	-	1	2	1	1	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	41	1	-	-	-	-	1	-	1	1	3	2	4	2	1	3	3	4	5	4	2	4	-	-	-	-	-
	White-----M--	23	1	-	-	-	-	-	-	-	-	2	1	4	2	-	1	2	2	3	2	-	3	-	-	-	-	-
	F--	15	-	-	-	-	-	1	-	-	1	-	-	-	-	1	2	1	2	2	2	2	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	133	4	1	-	-	-	-	1	-	2	2	1	2	1	6	8	15	13	19	19	17	10	10	1	1	-	-
	White-----M--	65	3	-	-	-	-	-	1	-	-	-	-	1	-	1	5	8	6	12	11	7	4	5	1	-	-	-
	F--	63	1	-	-	-	-	-	-	-	2	2	-	1	1	3	3	7	6	7	8	10	6	5	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	300	-	-	-	1	-	-	-	1	-	2	8	17	28	23	41	49	48	33	20	16	10	3	-	-	-	-
	White-----M--	182	-	-	-	-	-	-	-	-	-	-	5	8	16	16	26	29	37	17	10	10	6	2	-	-	-	-
	F--	111	-	-	-	-	-	-	-	1	-	2	2	8	11	7	13	19	11	16	10	6	4	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	97	-	-	-	-	-	-	-	-	1	1	1	1	1	5	12	7	10	18	11	13	8	6	2	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	4	8	3	5	2	-	-	-	-	-
	F--	65	-	-	-	-	-	-	-	-	1	1	1	1	-	2	9	4	6	10	8	8	6	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	836	-	-	2	1	1	2	3	6	5	9	10	12	33	29	42	64	68	104	113	129	115	82	22	4	-	-
	White-----M--	424	-	-	2	-	-	1	2	4	3	4	5	11	17	18	20	43	39	46	64	68	46	23	7	1	-	-
	F--	368	-	-	-	1	1	1	1	2	2	5	4	1	14	7	21	18	25	55	47	59	68	39	15	3	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	1	3	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate--------	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	12	19	24	12	6	2	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	12	19	24	12	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT-Con.																											
140-150	Diseases of pregnancy, etc.*----	25	-	-	-	-	-	-	-	-	8	4	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	-	5	4	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	9	-	-	-	-	-	-	-	-	4	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	5	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	8	-	-	-	-	-	-	-	-	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	279	220	8	7	2	4	5	3	2	6	3	4	5	-	3	2	3	1	1	-	-	-	-	-	-	-	-
	White-----M--	130	104	1	3	1	3	2	1	1	2	2	3	3	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F--	142	112	5	4	1	1	3	2	1	3	1	1	2	-	2	1	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	630	630	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	333	333	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	265	265	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	381	381	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	200	200	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	249	249	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	133	133	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	240	-	-	-	-	-	-	1	4	13	7	13	22	22	28	29	30	25	16	13	12	2	3	-	-	-	-
	White-----M--	184	-	-	-	-	-	-	1	3	7	5	8	17	16	22	24	21	23	13	9	10	2	3	-	-	-	-
	F--	53	-	-	-	-	-	-	-	1	6	2	5	5	5	6	5	9	2	3	3	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
165-168	Homicide---------	34	3	1	1	-	-	1	1	-	2	3	3	9	2	3	1	-	-	1	2	1	-	-	-	-	-	-
	White-----M--	17	1	1	-	-	-	1	1	-	-	-	1	5	1	2	1	-	-	1	2	-	-	-	-	-	-	-
	F--	9	1	-	1	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,062	31	18	12	6	11	32	15	23	50	40	33	36	45	40	58	65	66	85	94	85	96	82	26	12	-	1
	White-----M--	600	14	10	6	4	6	21	10	19	36	30	25	22	37	27	48	47	43	48	51	29	30	27	3	6	-	1
	F--	417	12	6	6	2	4	9	1	3	12	9	6	11	7	9	10	15	20	30	41	56	65	55	22	6	-	-
	Nonwhite--M--	32	3	2	-	-	-	2	2	1	2	1	1	2	1	3	-	3	3	4	1	-	-	-	1	-	-	-
	F--	13	2	-	-	-	1	-	2	-	-	-	1	1	-	1	-	-	-	3	1	-	1	-	-	-	-	-
170	Motor-vehicle accidents-------	283	-	3	7	3	5	18	2	14	28	21	10	18	10	15	19	22	17	18	10	10	9	3	-	1	-	-
	White-----M--	190	-	3	3	2	3	11	1	12	20	18	8	9	6	10	17	14	12	14	9	7	7	3	-	1	-	-
	F--	65	-	-	4	1	2	6	1	2	8	3	1	8	4	4	2	6	5	2	1	3	2	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents---	799	31	15	5	3	6	14	13	9	22	19	23	18	35	25	39	43	49	67	84	75	87	79	26	11	-	1
	White-----M--	410	14	7	3	2	3	10	9	7	16	12	17	13	31	17	31	33	31	34	42	22	23	24	3	5	-	1
	F--	352	12	6	2	1	2	3	-	1	4	6	5	3	3	5	8	9	15	28	40	53	63	55	22	6	-	-
	Nonwhite--M--	26	3	2	-	-	-	1	2	1	2	1	1	1	1	2	-	1	3	3	1	-	-	-	1	-	-	-
	F--	11	2	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	143	6	3	-	-	-	1	-	-	1	-	-	-	5	9	11	10	7	13	14	12	18	14	10	9	-	-
	White-----M--	84	4	-	-	-	-	1	-	-	-	-	-	-	5	7	7	8	7	9	4	8	9	7	7	1	-	-
	F--	54	1	2	-	-	-	-	-	-	1	-	-	-	-	1	4	1	-	3	10	4	9	7	3	8	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	1,005	41	17	12	7	7	13	9	14	28	26	37	42	44	50	73	99	98	105	112	82	46	24	14	5	-	-
	White-----M--	512	25	8	5	1	3	8	3	8	17	9	14	20	18	24	37	56	58	57	63	45	20	7	3	3	-	-
	F--	466	14	7	7	5	4	4	6	6	10	16	19	21	26	26	31	41	39	46	47	35	26	17	11	2	-	-
	Nonwhite--M--	18	1	-	-	1	-	-	-	-	-	1	3	1	-	-	3	2	-	2	2	2	-	-	-	-	-	-
	F--	9	1	2	-	-	-	1	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	ALL CAUSES-------	3,407	214	11	8	12	8	17	20	20	40	46	50	85	131	164	209	270	329	378	397	369	342	199	60	16	3	9
	White-----M--	1,550	85	5	2	8	5	8	10	4	17	13	21	37	54	70	104	133	172	189	178	172	145	81	31	4	-	2
	F--	1,238	70	4	5	4	2	5	2	7	7	12	10	19	36	46	49	82	110	131	164	159	173	107	24	7	2	1
	Nonwhite--M--	373	37	2	-	-	-	2	6	5	11	10	12	14	26	36	36	37	28	30	30	25	10	8	3	-	-	5
	F--	246	22	-	1	-	1	2	2	4	5	11	7	15	15	12	20	18	19	28	25	13	14	3	2	5	1	1
1,2	Typhoid and paratyphoid fever---	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	119	1	-	-	2	-	-	1	1	9	8	8	9	13	11	10	14	12	9	3	4	2	-	-	1	-	1
	White-----M--	49	-	-	-	2	-	-	-	-	2	-	4	3	6	7	4	7	5	5	1	1	2	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	1	4	2	2	1	-	-	-	1	-	-
	Nonwhite--M--	36	1	-	-	-	-	-	-	-	4	3	3	3	3	4	4	5	2	1	-	2	-	-	-	-	-	1
	F--	16	-	-	-	-	-	-	1	1	2	4	1	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	107	-	-	-	1	-	-	-	-	9	8	7	8	11	11	9	13	12	8	3	4	2	-	-	-	-	1
	White-----M--	45	-	-	-	1	-	-	-	-	2	-	3	2	5	7	4	7	5	5	1	1	2	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	1	4	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	4	3	3	3	3	4	3	4	2	1	-	2	-	-	-	-	-	1
	F--	12	-	-	-	-	-	-	-	-	2	4	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	12	1	-	-	1	-	-	1	1	-	-	1	1	2	-	1	1	-	1	-	-	-	-	-	1	-	-
	White-----M--	4	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	31	3	-	-	-	-	-	-	-	-	1	-	2	3	3	3	5	3	5	2	-	1	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	2	2	1	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	-	2	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
35	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																											
45-55	Cancer and other malignant tumors	434	-	-	2	1	-	1	-	-	2	2	3	8	19	36	37	56	58	65	60	36	27	19	1	-	-	1
	White-----M--	181	-	-	-	-	-	1	-	-	1	-	1	-	4	12	11	29	25	28	33	18	10	6	1	-	-	1
	F--	200	-	-	2	1	-	-	-	-	-	2	2	5	12	16	17	22	26	27	22	16	17	13	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	-	-	-	1	2	5	4	5	5	3	2	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	3	2	6	4	1	2	5	2	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	175	-	-	-	-	-	-	-	-	-	-	-	-	4	12	13	21	35	27	27	16	9	11	-	-	-	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	-	-	-	1	6	7	13	17	13	15	8	3	4	-	-	-	-
	F--	71	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	6	13	11	11	7	6	7	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	3	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	70	-	-	-	-	-	-	-	-	-	1	1	5	5	11	7	9	4	12	6	3	4	2	-	-	-	-
	White-----F--	54	-	-	-	-	-	-	-	-	-	1	1	3	4	6	5	9	4	7	5	3	4	2	-	-	-	-
	Nonwhite--F--	16	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	-	-	5	1	-	-	-	-	-	-	-	-
50	Cancer of breast-	45	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	6	8	5	4	2	4	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	5	7	5	4	2	4	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	144	-	-	2	1	-	1	-	-	2	1	1	1	7	10	10	20	11	21	23	15	10	6	1	-	-	1
	White-----M--	94	-	-	-	-	-	1	-	-	1	-	1	-	3	6	4	16	8	15	18	10	7	2	1	-	-	1
	F--	36	-	-	2	1	-	-	-	-	-	1	-	1	3	3	4	2	2	4	2	4	3	4	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	1	2	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	115	-	-	-	-	-	-	-	-	3	-	1	2	2	8	15	18	22	18	12	8	3	-	2	-	1
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	5	5	8	3	1	-	-	-	-
	F--	64	-	-	-	-	-	-	-	-	2	-	1	-	-	-	3	10	10	13	12	4	5	2	-	1	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	3	1	-	-	-	-	1	-	-
63b	Exophthalmic goiter----------	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (othylism)-------	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	1	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin-----	263	-	-	-	-	-	-	-	-	1	1	2	4	2	9	13	14	31	30	38	39	45	21	12	2	-	1
	White-----M--	111	-	-	-	-	-	-	-	-	-	1	1	3	1	2	5	5	16	13	10	19	18	10	6	1	-	-
	F--	114	-	-	-	-	-	-	-	-	1	-	1	-	-	6	4	6	11	13	20	17	21	8	5	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	2	4	2	1	2	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	4	1	3	1	-	-	-	1
90-95	Diseases of the heart----------	1,136	-	-	1	-	-	1	1	1	1	4	6	13	39	33	62	103	119	152	172	168	151	82	19	6	1	1
	White-----M--	576	-	-	1	-	-	1	-	-	1	1	4	6	21	14	41	57	73	89	81	76	63	38	7	2	-	-
	F--	396	-	-	-	-	-	-	1	-	-	-	1	2	6	9	8	23	28	45	71	73	77	39	10	3	-	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	1	-	-	1	4	8	10	9	13	13	9	11	11	5	4	1	-	-	1
	F--	63	-	-	-	-	-	-	-	-	3	-	1	4	-	4	10	5	9	9	8	6	1	1	1	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	57	-	-	1	-	-	1	1	1	1	1	2	4	7	3	6	8	2	4	4	6	4	-	1	-	-	-
	White-----M--	22	-	-	1	-	-	1	-	-	1	1	2	2	2	1	4	2	-	2	1	1	1	-	-	-	-	-
	F--	30	-	-	-	-	-	-	1	-	-	-	-	2	5	2	1	5	1	2	2	5	3	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	410	-	-	-	-	-	-	-	-	-	-	2	4	21	16	32	48	60	71	47	55	35	14	2	2	-	1
	White-----M--	269	-	-	-	-	-	-	-	-	-	-	2	4	14	10	24	37	46	45	31	28	15	9	2	2	-	-
	F--	106	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	10	22	14	24	18	4	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	3	3	1	1	2	1	1	-	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	3	1	1	1	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	669	-	-	-	-	-	-	-	-	-	3	2	5	11	14	24	47	57	77	121	107	112	68	16	4	1	-
	White-----M--	285	-	-	-	-	-	-	-	-	-	-	-	-	5	5	13	18	27	42	49	47	47	29	5	-	-	-
	F--	260	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	11	17	21	55	44	56	35	9	3	-	-
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	1	4	4	6	5	10	9	8	9	9	4	3	1	-	-	-
	F--	51	-	-	-	-	-	-	-	-	-	3	-	1	2	-	3	8	4	6	8	7	5	1	1	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	10	13	26	15	6	4	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	2	11	3	5	1	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	13	10	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	1	-	3	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	124	31	4	1	-	1	-	1	1	1	2	1	2	3	11	4	6	6	8	10	11	6	10	4	-	-	-
	White-----M--	47	12	4	-	-	-	-	-	-	-	-	-	-	-	6	1	4	2	5	3	5	2	1	2	-	-	-
	F--	40	7	-	1	-	-	-	-	1	-	-	-	-	2	1	1	1	2	1	3	5	4	9	2	-	-	-
	Nonwhite--M--	23	6	-	-	-	-	-	1	-	1	-	1	-	-	4	1	1	2	2	4	-	-	-	-	-	-	-
	F--	14	6	-	-	-	1	-	-	-	-	2	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-
107	Bronchopneumonia-	54	22	2	1	-	-	-	-	1	1	-	1	1	-	2	1	2	-	4	1	5	2	6	2	-	-	-
	White-----M--	22	11	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1	1	1	-	-	-
	F--	17	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	2	1	5	1	-	-	-
	Nonwhite--M--	9	4	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
106	Lobar pneumonia--	54	5	1	-	-	-	-	-	-	-	2	-	1	3	7	3	3	5	4	7	4	4	4	1	-	-	-
	White-----M--	18	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	3	3	1	1	-	1	-	-	-
	F--	20	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	2	3	3	4	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	2	-	-	-	-	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)-------	7	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	9	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-
	White-----M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	17	-	-	-	-	-	-	-	-	-	1	-	-	3	4	2	1	2	1	-	2	1	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	-	-	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	10	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	6	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	26	2	-	-	-	-	-	-	-	2	1	-	2	1	2	2	1	2	2	3	2	3	1	-	-	-	-
	White-----M--	10	1	-	-	-	-	-	-	-	2	-	-	1	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	37	-	-	-	-	-	-	-	-	-	-	-	5	1	2	8	4	5	3	3	1	3	2	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	3	-	1	4	3	3	2	2	-	1	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	2	1	1	1	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	290	-	-	-	-	-	-	1	1	2	3	4	7	14	22	13	25	31	39	47	45	28	7	1	-	-	-
	White-----M--	116	-	-	-	-	-	-	-	1	-	-	2	2	4	8	5	10	16	10	21	19	13	5	-	-	-	-
	F--	122	-	-	-	-	-	-	-	-	1	1	1	2	4	6	6	12	9	20	22	21	14	2	1	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	3	3	5	2	1	1	4	4	2	1	-	-	-	-	-
	F--	26	-	-	-	-	-	-	1	-	1	2	1	-	3	3	-	2	5	5	-	3	-	-	-	-	-	-
137	Diseases of the prostate--------	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	1
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																										
140-150	Diseases of pregnancy, etc.*----	8	-	-	-	-	-	-	-	2	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 149	Puerperal toxemia---------	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	30	27	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	11	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	12	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	50	-	-	-	-	-	-	1	-	2	4	3	7	5	6	3	3	4	4	4	3	1	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	1	-	2	2	2	6	2	3	2	1	2	3	4	3	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	2	-	-	3	3	-	2	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	18	1	-	-	-	-	-	-	2	3	3	3	1	1	1	1	-	-	-	1	-	-	-	-	-	1
	White-----M--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	214	4	2	1	3	5	10	11	9	12	10	11	13	17	13	14	9	10	10	16	11	9	9	2	-	1	2
	White-----M--	118	2	-	1	3	4	3	8	3	7	6	5	7	10	9	9	4	8	5	11	4	6	3	-	-	-	-
	F--	44	-	1	-	-	1	3	1	3	2	-	1	-	4	-	-	3	1	3	3	6	3	6	2	-	1	-
	Nonwhite--M--	41	1	1	-	-	-	2	2	3	2	4	3	4	3	4	3	1	1	2	2	1	-	-	-	-	-	2
	F--	11	1	-	-	-	-	2	-	-	1	-	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	69	-	-	-	1	3	4	1	3	6	3	4	5	8	4	6	4	5	4	4	2	-	2	-	-	-	-
	White-----M--	50	-	-	-	1	2	2	1	1	4	2	2	3	5	3	6	2	5	4	4	2	-	1	-	-	-	-
	F--	12	-	-	-	-	1	2	-	2	1	-	1	-	2	-	-	2	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	145	4	2	1	2	2	6	10	6	6	7	7	8	9	9	8	5	5	6	12	9	9	7	2	-	1	2
	White-----M--	68	2	-	1	2	2	1	7	2	3	4	3	4	5	6	3	2	3	1	7	2	8	2	-	-	-	-
	F--	32	-	1	-	-	-	1	1	1	1	-	-	-	2	-	-	1	1	3	3	6	3	5	2	-	1	-
	Nonwhite--M--	36	1	1	-	-	-	2	2	3	1	3	2	4	2	3	3	1	1	2	2	1	-	-	-	-	-	2
	F--	9	1	-	-	-	-	2	-	-	1	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	39	1	-	-	1	-	-	-	-	-	1	1	-	-	1	2	1	2	6	4	3	4	5	7	-	-	-
	White-----M--	21	1	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	4	2	2	1	2	3	-	-	-
	F--	14	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	3	3	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	All other causes-	187	10	4	2	2	1	2	4	2	5	2	6	9	11	11	15	19	22	21	11	12	10	3	2	-	1	-
	White-----M--	80	1	-	-	-	1	2	1	1	1	-	2	5	3	4	7	8	13	7	7	8	5	2	2	-	-	-
	F--	67	7	3	2	2	-	-	-	-	2	2	2	2	3	3	4	5	8	9	4	4	3	1	-	-	1	-
	Nonwhite--M--	24	1	1	-	-	-	-	2	-	1	-	1	-	2	4	2	4	1	4	-	-	1	-	-	-	-	-
	F--	16	1	-	-	-	-	-	1	1	1	-	1	2	3	-	2	2	-	1	-	-	1	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	ALL CAUSES-------	8,197	531	26	17	10	11	29	23	58	115	157	226	350	430	547	653	692	789	880	950	773	528	327	130	22	8	3
	White-----M--	2,888	179	8	4	3	1	10	7	17	23	22	57	86	127	190	248	308	318	354	313	293	163	98	35	1	2	1
	F--	2,383	110	8	5	1	2	4	3	9	19	30	35	60	67	110	130	152	194	250	303	329	271	183	73	11	3	1
	Nonwhite--M--	1,638	126	7	3	2	4	10	10	13	33	53	76	121	132	153	163	143	146	166	129	73	40	19	9	4	2	1
	F--	1,328	116	5	5	4	4	5	3	19	40	52	58	83	104	94	112	89	131	120	105	78	54	27	13	6	1	-
1,2	Typhoid and paratyphoid fever---	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	441	3	4	1	1	-	2	1	18	31	41	52	49	39	41	38	31	26	23	15	15	5	4	1	-	-	-
	White-----M--	96	-	-	-	-	-	-	-	2	3	3	6	9	8	10	13	11	5	8	8	4	3	2	1	-	-	-
	F--	63	-	-	-	-	-	-	-	3	7	4	8	7	7	5	3	5	2	2	2	6	1	1	-	-	-	-
	Nonwhite--M--	169	1	3	1	-	-	1	1	4	7	14	20	22	18	19	16	13	14	9	3	1	1	1	-	-	-	-
	F--	113	2	1	-	1	-	1	-	9	14	20	18	11	6	7	6	2	5	4	2	4	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*---	376	-	-	-	-	-	-	1	15	27	37	47	42	34	38	32	29	23	17	12	12	5	4	1	-	-	-
	White-----M--	90	-	-	-	-	-	-	-	2	3	3	6	9	7	10	11	11	5	6	7	4	3	2	1	-	-	-
	F--	57	-	-	-	-	-	-	-	3	6	4	9	7	6	4	2	4	2	2	2	5	1	1	-	-	-	-
	Nonwhite--M--	138	-	-	-	-	-	1	2	6	11	17	16	16	18	15	12	12	6	3	1	1	1	-	-	-	-	-
	F--	91	-	-	-	-	-	-	-	8	12	19	16	10	5	6	4	2	4	3	-	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	65	3	4	1	1	-	2	-	3	4	4	5	7	5	3	6	2	3	6	3	3	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	31	1	3	1	-	-	1	-	2	1	3	3	6	2	1	1	1	2	3	-	-	-	-	-	-	-	-	-
	F--	22	2	1	-	1	-	1	-	1	2	1	2	1	1	1	2	-	1	1	2	2	-	-	-	-	-	-	-
27	Dysentery--------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	115	-	-	-	-	-	-	-	-	-	-	3	6	8	18	15	10	17	20	11	6	1	-	-	-	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	1	-	5	5	4	8	6	7	3	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	3	-	1	-	-	-	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	3	2	5	7	7	4	5	8	2	2	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	-	3	3	2	-	1	-	-	-	-	-	-
35	Measles----------	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
45-55	Cancer and other malignant tumors	1,199	2	-	2	2	-	2	-	2	8	11	24	36	62	97	137	168	153	141	134	131	52	21	11	2	1	-
	White-----M--	399	-	-	1	1	-	2	-	2	1	2	10	4	19	21	34	66	51	57	47	51	16	11	3	-	-	-
	F--	464	2	-	1	-	-	-	-	-	4	4	6	10	15	45	53	53	60	45	59	61	27	10	8	-	1	-
	Nonwhite--M--	176	-	-	-	1	-	-	-	-	1	2	2	8	9	12	27	30	21	22	22	12	6	-	-	1	-	-
	F--	160	-	-	-	-	-	-	-	-	2	5	6	14	19	19	23	19	21	17	6	7	3	-	-	1	-	-
46	Cancer of the digestive organs and peritoneum--	445	-	-	-	-	-	-	-	-	1	2	6	9	13	21	45	63	65	66	66	55	20	8	4	1	-	-
	White-----M--	172	-	-	-	-	-	-	-	-	-	1	4	1	4	10	11	25	26	30	24	27	3	4	2	-	-	-
	F--	143	-	-	-	-	-	-	-	-	-	1	1	2	1	6	13	16	20	20	25	21	11	4	2	-	-	-
	Nonwhite--M--	89	-	-	-	-	-	-	-	-	1	-	1	4	3	4	14	19	11	9	13	5	4	-	-	1	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	2	5	1	7	3	8	7	4	2	2	-	-	-	-	-
48,49	Cancer of female genital organs--	166	-	-	-	-	-	-	-	-	3	3	6	6	12	24	18	22	22	12	14	18	4	1	1	-	-	-
	White-----F--	111	-	-	-	-	-	-	-	-	2	1	2	3	6	12	13	12	17	8	14	16	3	1	1	-	-	-
	Nonwhite--F--	55	-	-	-	-	-	-	-	-	1	2	4	3	6	12	5	10	5	4	-	2	1	-	-	-	-	-
50	Cancer of breast-	162	-	-	-	-	-	-	-	-	1	1	2	12	7	23	21	22	17	11	13	14	9	3	4	1	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	124	-	-	-	-	-	-	-	-	1	-	1	3	3	18	16	18	13	9	12	13	9	3	4	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	1	-	9	4	5	5	4	4	2	1	1	-	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites)----------	426	2	-	2	2	-	2	-	2	3	5	10	9	30	29	53	61	49	52	41	44	19	9	2	-	-	-
	White-----M--	227	-	-	1	1	-	2	-	2	1	1	6	3	15	11	23	41	25	27	23	24	13	7	1	-	-	-
	F--	86	2	-	1	-	-	-	-	-	1	2	2	2	5	9	11	7	10	8	8	11	4	2	1	-	-	-
	Nonwhite--M--	86	-	-	-	1	-	-	-	-	-	2	-	4	6	8	13	11	10	13	9	7	2	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	1	-	2	-	4	1	6	2	4	4	1	2	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	220	-	-	-	-	-	-	-	-	1	3	1	6	5	21	19	30	39	46	34	10	4	1	-	-	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	3	3	8	8	8	8	14	9	3	1	1	-	-	-	-
	F--	91	-	-	-	-	-	-	-	-	1	1	1	-	1	4	5	13	18	23	17	5	2	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	6	1	-	1	-	-	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	1	-	3	1	7	5	7	7	8	8	1	1	-	-	-	-	-
63b	Exophthalmic goiter----------	10	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	1	-	3	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	18	-	-	-	-	-	-	-	-	1	2	-	5	2	3	2	-	1	-	1	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin-----	563	-	-	-	-	-	1	-	-	-	3	5	5	17	23	41	42	64	93	89	65	59	39	12	3	2	-
	White-----M--	142	-	-	-	-	-	-	-	-	-	1	-	1	1	7	9	9	20	22	25	21	13	10	3	-	-	-
	F--	215	-	-	-	-	-	-	-	-	-	-	-	-	4	4	10	8	18	34	37	30	36	23	9	2	-	-
	Nonwhite--M--	107	-	-	-	-	-	1	-	-	-	2	2	2	7	9	11	13	16	20	12	6	3	2	-	-	1	-
	F--	99	-	-	-	-	-	-	-	-	-	-	3	2	5	3	11	12	10	17	15	8	7	4	-	1	1	-
90-95	Diseases of the heart----------	2,472	-	-	-	-	-	2	4	6	4	17	24	68	105	152	201	244	284	360	302	276	234	130	46	8	4	1
	White-----M--	1,022	-	-	-	-	-	-	2	1	-	1	9	27	32	71	97	123	136	163	127	107	79	36	9	-	2	-
	F--	654	-	-	-	-	-	1	-	1	-	4	1	6	10	11	27	47	46	92	93	105	110	70	24	4	2	-
	Nonwhite--M--	422	-	-	-	-	-	-	2	2	-	6	9	23	37	41	41	45	50	60	39	32	19	8	5	2	-	1
	F--	374	-	-	-	-	-	1	-	2	4	6	5	12	26	29	36	29	52	45	43	32	26	16	8	2	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	113	-	-	-	-	-	2	2	3	-	6	4	9	7	10	6	15	7	13	11	5	5	6	2	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	1	-	-	2	3	2	3	3	6	5	2	4	1	3	-	-	-	-	-
	F--	50	-	-	-	-	-	1	-	1	-	2	-	2	2	5	2	7	2	10	5	2	2	3	2	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	2	1	-	-	1	3	1	1	-	1	-	-	1	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	-	4	1	1	2	1	1	1	-	1	1	1	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	682	-	-	-	-	-	-	-	-	-	1	5	17	27	56	80	93	97	98	79	66	42	16	3	2	-	-
	White-----M--	433	-	-	-	-	-	-	-	-	-	-	2	12	18	43	58	63	65	81	45	37	21	7	1	-	-	-
	F--	159	-	-	-	-	-	-	-	-	-	-	-	2	2	4	12	13	17	29	28	24	19	6	2	1	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	1	3	2	5	7	8	15	9	3	3	3	1	-	-	1	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	6	5	3	2	1	3	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	1,677	-	-	-	-	-	-	2	3	4	10	15	42	71	86	115	136	180	249	212	205	187	108	41	6	4	1
	White-----M--	554	-	-	-	-	-	-	2	-	-	1	5	12	12	25	36	54	66	100	78	69	55	29	8	-	2	-
	F--	445	-	-	-	-	-	-	-	-	-	2	1	2	6	2	13	27	27	55	60	79	89	59	20	3	2	-
	Nonwhite--M--	349	-	-	-	-	-	-	-	1	-	5	5	18	31	33	33	29	41	57	35	28	18	8	5	1	-	1
	F--	329	-	-	-	-	-	-	-	2	4	2	4	10	22	26	33	26	46	39	39	29	25	12	8	2	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
97, 102	Arteriosclerosis and high blood pressure*--------	102	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	8	4	24	14	16	18	9	1	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	9	4	7	3	2	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	10	2	6	9	7	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	5	4	-	3	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	4	3	3	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	262	27	3	2	-	2	-	1	1	2	2	11	10	10	18	14	16	28	27	22	23	17	15	11	-	-
	White-----M--	75	6	-	-	-	-	-	-	-	-	-	3	3	2	3	6	4	8	11	7	11	2	5	4	-	-
	F--	72	6	1	-	-	-	-	-	-	-	1	1	-	2	2	2	3	6	5	8	10	11	8	6	-	-
	Nonwhite--M--	62	5	1	-	-	2	-	-	1	1	-	5	3	3	7	5	4	9	7	4	1	2	1	1	-	-
	F--	53	10	1	2	-	-	-	1	-	1	1	2	4	3	6	1	5	5	4	3	1	2	1	-	-	-
107	Bronchopneumonia-	113	18	1	1	-	1	-	-	1	-	1	1	3	4	5	7	7	9	11	8	13	9	5	8	-	-
	White-----M--	30	2	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	2	4	2	6	2	-	4	-	-
	F--	38	3	1	-	-	-	-	-	-	-	1	-	-	1	2	1	2	3	2	1	7	5	5	4	-	-
	Nonwhite--M--	20	3	-	-	-	1	-	-	1	-	-	-	-	-	1	3	1	3	3	3	-	1	-	-	-	-
	F--	25	10	-	1	-	-	-	-	-	-	-	1	1	2	1	1	2	1	2	2	-	1	-	-	-	-	-
108	Lobar pneumonia--	116	5	2	-	-	-	-	1	-	2	1	8	5	5	11	7	9	16	14	12	9	6	3	-	-	-
	White-----M--	36	2	-	-	-	-	-	-	-	-	-	3	-	1	2	4	2	5	6	4	5	-	2	-	-	-
	F--	23	2	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	3	6	2	4	-	-	-	-
	Nonwhite--M--	38	1	1	-	-	-	-	-	-	1	-	4	3	3	6	2	3	6	4	1	1	1	1	-	-	-
	F--	19	-	1	-	-	-	-	1	-	1	1	-	2	-	3	-	3	3	1	1	1	1	-	-	-	-
109	Pneumonia (unspecified)------	29	4	-	-	-	1	-	-	-	-	-	2	2	1	1	-	-	3	1	2	1	2	6	3	-	-
	White-----M--	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	3	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	-	-
	Nonwhite--M--	4	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
33	Influenza--------	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum-----	41	-	-	-	-	-	-	-	-	-	1	-	3	5	6	8	4	3	5	3	1	-	1	-	1	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	3	2	4	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	1	1	-	1	-	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	1	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	13	7	-	-	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	28	-	1	-	-	1	-	1	-	3	-	-	4	1	-	1	2	4	2	3	2	2	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	2	-	-	3	1	-	-	-	2	-	2	-	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	51	-	1	-	-	-	-	-	-	-	-	3	1	3	3	5	8	2	13	3	6	1	1	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	-	7	2	3	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	1	3	-	1	-	-	-	-
	Nonwhite--M--	13	-	1	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	3	-	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	167	-	-	-	-	-	-	-	-	-	2	5	18	22	28	25	16	18	12	9	7	2	2	1	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	1	4	9	11	16	10	9	4	4	4	1	1	1	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	2	6	3	9	5	1	7	6	4	3	-	1	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	2	-	6	4	7	-	4	1	2	-	-	1	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	2	2	6	1	4	1	1	-	1	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	25	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	2	4	4	3	2	4	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis--------	709	-	-	-	-	-	-	2	4	2	14	14	40	39	55	53	53	69	68	77	94	58	46	16	4	1
	White-----M--	240	-	-	-	-	-	-	-	1	-	2	2	9	9	23	16	27	29	24	22	36	15	20	4	1	-
	F--	213	-	-	-	-	-	-	2	2	1	3	1	4	9	6	6	9	16	24	22	42	33	23	9	1	-
	Nonwhite--M--	134	-	-	-	-	-	-	-	-	-	2	5	15	10	17	19	13	9	11	18	8	3	2	1	-	1
	F--	122	-	-	-	-	-	-	-	1	1	7	6	12	11	9	12	4	15	9	15	8	7	1	2	2	-
137	Diseases of the prostate--------	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	7	4	12	2	2	1	1	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	11	2	2	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	1	-	-	-	1	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
140-150	Diseases of pregnancy, etc.*----	19	-	-	-	-	-	-	-	2	5	4	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	-	2	4	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	9	-	-	-	-	-	-	-	-	5	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	90	72	4	2	1	1	1	2	1	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	37	33	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	24	18	2	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	13	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	12	8	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	370	370	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159, 160, 161	Other diseases peculiar to first year------	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	97	-	-	-	-	-	-	-	1	6	6	8	8	14	12	12	8	7	9	2	3	1	-	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	3	4	3	3	11	3	6	4	3	8	-	2	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	4	3	2	6	4	4	3	-	2	1	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	2	1	1	1	-	3	1	-	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	84	1	-	-	-	-	-	1	1	7	15	17	12	9	8	10	1	-	1	-	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	1	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	1	7	13	11	7	5	6	8	-	-	-	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	2	2	3	2	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	525	29	7	4	2	2	11	10	17	29	24	27	30	43	33	28	21	26	26	50	34	36	24	9	2	-	1
	White-----M--	194	3	1	1	1	-	2	3	8	12	9	16	12	19	13	16	10	9	6	23	12	12	3	3	-	-	-
	F--	158	6	3	1	-	1	1	-	3	2	8	1	5	4	8	4	5	8	12	16	21	21	20	5	2	-	1
	Nonwhite--M--	122	11	2	-	1	1	6	5	5	8	5	9	11	16	11	7	3	5	4	10	-	1	1	-	-	-	-
	F--	51	9	1	2	-	-	2	2	1	7	2	1	2	4	1	1	3	4	4	1	1	2	-	1	-	-	-
170	Motor-vehicle accidents-------	104	-	2	2	-	-	6	2	8	16	8	8	7	9	5	3	4	4	5	9	1	4	1	-	-	-	-
	White-----M--	50	-	-	-	-	-	2	1	3	7	4	6	1	4	3	1	2	2	2	7	1	3	1	-	-	-	-
	F--	20	-	2	1	-	-	-	-	3	2	3	1	1	1	1	1	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	4	1	1	1	-	1	4	3	1	1	-	1	1	1	-	-	-	-	-	-	-
	F--	14	-	-	1	-	-	-	-	1	6	1	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-
169, 171-195	Other accidents--	421	29	5	2	2	2	5	8	9	13	18	19	23	34	28	25	17	22	21	41	33	32	23	9	2	-	1
	White-----M--	144	3	1	1	1	-	-	2	5	5	5	10	11	15	10	15	8	7	4	16	11	9	2	3	-	-	-
	F--	138	6	1	-	-	1	1	-	-	-	5	-	4	3	7	3	4	8	10	15	21	21	20	5	2	-	1
	Nonwhite--M--	102	11	2	-	1	1	2	4	4	7	5	8	7	13	10	6	3	4	3	9	-	1	1	-	-	-	-
	F--	37	9	1	1	-	-	2	2	-	1	1	1	1	3	1	1	2	3	4	1	1	1	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	26	-	-	-	-	1	1	-	-	1	-	-	2	2	-	-	-	3	-	2	2	6	2	3	-	-	1
	White-----M--	12	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	3	-	1	1	1	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	All other causes-	499	18	7	4	2	2	8	1	3	11	11	24	44	41	39	32	44	40	35	46	43	23	13	8	-	-	-
	White-----M--	158	2	5	2	1	-	4	-	1	3	-	3	10	10	11	11	21	20	15	12	11	7	4	3	-	-	-
	F--	132	5	1	-	-	1	1	-	-	1	2	6	5	8	8	8	7	9	6	18	23	13	7	3	-	-	-
	Nonwhite--M--	109	7	-	2	-	-	2	1	-	2	2	6	14	12	12	7	9	6	10	9	5	1	1	1	-	-	-
	F--	102	4	1	-	1	1	1	-	2	5	7	9	15	11	8	6	7	5	4	7	4	2	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																										
	ALL CAUSES-------	24,767	2,103	153	93	56	66	178	131	252	418	553	641	846	1,096	1,493	1,912	2,111	2,215	2,545	2,508	2,271	1,643	979	372	92	28	24
	White-----M--	10,801	762	49	27	19	25	70	49	89	170	191	200	265	416	536	756	949	1,081	1,274	1,308	1,127	801	445	150	29	5	8
	F--	7,088	594	35	22	16	19	44	27	47	59	105	123	182	215	286	380	477	568	772	879	890	674	454	172	39	4	5
	Nonwhite--M--	3,890	400	36	15	12	15	31	28	61	110	137	173	200	255	376	436	419	334	289	196	160	107	51	22	15	5	7
	F--	2,988	347	33	19	9	7	33	27	55	79	120	145	199	210	295	340	266	232	210	125	94	61	29	28	9	12	4
1,2	Typhoid and paratyphoid fever---	4	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	11	3	2	-	-	-	1	1	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	21	15	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	14	1	2	2	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	745	6	5	1	-	-	1	4	12	49	67	74	81	82	79	57	68	54	43	28	23	8	3	-	-	-	-
	White-----M--	270	2	3	-	-	-	-	1	-	10	10	13	17	28	24	29	34	28	28	21	16	5	1	-	-	-	-
	F--	83	1	-	1	-	-	2	2	4	10	11	7	9	3	3	7	3	6	3	7	2	2	-	-	-	-	-
	Nonwhite--M--	224	2	1	-	-	-	-	-	3	15	21	27	28	26	31	19	21	20	5	4	-	1	-	-	-	-	-
	F--	168	1	1	-	-	-	1	1	7	20	26	23	29	19	21	6	6	5	4	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	713	1	2	-	-	-	1	4	12	49	61	69	80	79	76	56	67	53	43	28	21	8	3	-	-	-	-
	White-----M--	259	-	1	-	-	-	-	1	-	10	10	11	17	26	23	29	33	28	28	21	15	5	1	-	-	-	-
	F--	79	-	-	-	-	-	-	2	2	4	9	11	7	9	3	3	7	3	6	3	6	2	2	-	-	-	-
	Nonwhite--M--	212	1	-	-	-	-	-	-	3	15	18	25	27	26	29	18	21	19	5	4	-	1	-	-	-	-	-
	F--	163	-	1	-	-	-	1	1	7	20	24	22	29	18	21	6	6	3	4	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	32	5	3	1	-	-	-	-	-	-	6	5	1	3	3	1	1	1	-	-	2	-	-	-	-	-	-
	White-----M--	11	2	2	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	12	1	1	-	-	-	-	-	-	-	3	2	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	18	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	13	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	2	-	-	2	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
30	Syphilis---------	273	8	-	-	-	-	1	-	1	3	2	9	17	32	35	39	35	30	19	19	13	8	2	-	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	1	-	1	2	5	3	9	15	20	6	9	9	3	2	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	5	2	4	4	-	2	-	-	-	-	-
	Nonwhite--M--	121	6	-	-	-	-	1	-	1	-	1	6	10	14	23	26	11	4	7	4	4	3	-	-	-	-	-
	F--	42	2	-	-	-	-	-	-	-	2	1	2	5	9	6	3	4	4	2	2	-	-	-	-	-	-	-
35	Measles----------	7	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	19	2	1	1	-	2	4	2	-	-	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	2	3	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																											
45-55	Cancer and other malignant tumors	2,987	5	2	1	4	1	6	1	8	8	32	61	86	146	221	320	385	372	371	366	290	195	93	24	5	-	4
	White-----M--	1,215	1	1	1	1	-	1	-	1	1	8	14	12	36	65	106	153	157	166	187	139	106	47	9	2	-	1
	F--	1,276	3	-	-	2	1	5	1	3	5	17	25	46	59	81	129	146	158	165	156	132	84	43	11	2	-	2
	Nonwhite--M--	229	1	1	-	1	-	-	-	-	-	1	4	9	15	31	37	38	30	19	17	16	3	3	2	-	-	1
	F--	267	-	-	-	-	-	-	-	4	2	6	18	19	36	44	48	28	27	21	6	3	2	-	2	1	-	-
46	Cancer of the digestive organs and peritoneum--	1,116	-	-	-	1	-	1	-	2	-	5	13	26	44	59	114	122	140	152	156	130	93	39	14	3	-	2
	White-----M--	505	-	-	-	1	-	-	-	-	-	1	4	6	14	31	42	53	68	68	72	64	54	21	4	2	-	-
	F--	441	-	-	-	-	-	1	-	1	-	2	3	13	15	8	34	48	54	69	74	55	35	17	9	1	-	2
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	-	1	4	3	4	8	22	15	11	8	7	9	3	1	-	-	-	-
	F--	74	-	-	-	-	-	-	-	1	-	1	2	4	11	12	16	6	7	7	3	2	1	-	1	-	-	-
48,49	Cancer of female genital organs--	459	-	-	-	-	-	1	-	3	2	12	18	26	42	55	64	58	59	44	30	21	13	9	1	1	-	-
	White-----F--	333	-	-	-	-	-	1	-	-	2	8	9	15	25	36	45	44	43	35	29	20	12	9	-	-	-	-
	Nonwhite--F--	126	-	-	-	-	-	-	-	3	-	4	9	11	17	19	19	14	16	9	1	1	1	-	1	1	-	-
50	Cancer of breast--	265	-	-	-	-	-	-	-	-	1	2	10	13	18	26	36	30	29	31	27	22	11	8	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	251	-	-	-	-	-	-	-	-	1	1	6	11	11	20	31	27	28	29	25	22	10	8	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	4	2	6	6	3	3	1	2	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,147	5	2	1	3	1	4	1	3	5	13	20	21	42	81	106	155	144	144	153	117	78	37	8	1	-	2
	White-----M--	708	1	1	1	-	-	1	-	1	1	7	10	6	22	34	63	100	89	98	115	75	51	26	5	-	-	1
	F--	271	3	-	-	2	1	3	1	2	2	6	7	7	8	17	19	27	33	32	28	35	27	9	1	1	-	-
	Nonwhite--M--	131	1	1	-	1	-	-	-	-	-	-	-	-	6	10	23	14	23	19	11	10	7	-	2	2	-	-	1
	F--	37	-	-	-	-	-	-	-	-	2	-	3	2	2	7	10	5	3	3	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	14	1	-	-	-	1	4	1	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	505	1	-	-	-	-	1	2	5	4	7	7	14	5	35	44	56	67	64	68	50	33	19	3	-	-	-
	White-----M--	185	1	-	-	-	-	-	1	2	1	1	4	2	1	3	12	15	28	39	21	29	10	12	3	-	-	-
	F--	206	-	-	-	-	-	1	1	2	1	1	1	3	1	8	12	26	28	37	39	18	21	6	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	2	-	3	2	5	3	4	3	3	2	-	1	-	-	-	-	-
	F--	86	-	-	-	-	-	-	-	1	2	3	2	6	1	19	17	11	8	5	6	3	1	1	-	-	-	-
63b	Exophthalmic goiter----------	26	-	-	-	-	-	-	-	-	-	3	1	-	1	1	4	1	6	2	4	1	1	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	4	1	2	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	2	1	-	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	28	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	3	7	4	3	2	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	-	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	3	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-
77	Alcoholism (ethylism)-------	41	-	-	-	-	-	-	-	-	1	-	1	11	7	7	5	5	-	2	1	-	-	-	-	-	-	-	1
	White-----M--	27	-	-	-	-	-	-	-	-	1	-	-	6	4	5	4	3	-	2	1	-	-	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin-----	2,460	5	2	-	-	1	2	1	4	4	11	21	50	77	137	199	225	256	363	339	330	239	124	52	13	3	2
	White-----M--	851	4	1	-	-	-	1	-	1	-	5	3	9	16	21	45	54	86	141	148	132	105	52	23	2	1	1
	F--	785	1	1	-	-	-	-	-	1	1	2	6	13	15	26	39	54	61	120	122	139	100	60	17	6	1	-
	Nonwhite--M--	415	-	-	-	-	-	-	-	2	-	2	4	13	21	47	53	65	49	62	34	32	19	7	5	2	-	-
	F--	409	-	-	-	-	1	1	1	-	3	2	8	15	25	43	62	54	60	40	35	27	15	5	7	3	1	1
90-95	Diseases of the heart----------	6,994	4	1	2	2	1	8	12	11	23	29	69	126	238	424	596	726	835	984	954	826	617	351	121	22	7	5
	White-----M--	3,719	-	-	1	2	1	-	1	1	5	9	18	57	131	197	307	392	481	564	559	440	321	164	51	12	3	2
	F--	1,922	2	-	-	-	-	1	4	7	5	7	14	21	31	67	82	127	195	268	305	319	245	156	57	9	-	-
	Nonwhite--M--	759	2	1	-	-	-	3	2	2	7	5	15	25	44	86	118	114	95	79	61	35	33	20	8	1	2	1
	F--	594	-	-	1	-	-	4	5	1	6	8	22	23	32	74	89	93	64	73	29	32	18	11	5	-	2	2
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	339	-	-	1	-	-	5	8	6	8	11	16	26	30	33	30	29	33	30	33	23	7	8	2	-	-	-
	White-----M--	129	-	-	-	-	-	-	1	1	3	1	6	10	12	10	16	15	12	11	16	10	3	1	1	-	-	-
	F--	135	-	-	-	-	-	-	4	5	2	7	10	9	12	15	5	8	15	10	14	9	3	6	1	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	2	1	-	2	2	-	3	5	2	7	3	5	6	3	3	-	1	-	-	-	-
	F--	30	-	-	1	-	-	3	2	-	1	1	-	4	1	6	2	3	1	3	-	1	1	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,719	2	-	-	-	-	-	-	2	4	5	24	51	114	205	255	345	400	421	364	263	166	74	20	1	1	2
	White-----M--	1,792	-	-	-	-	-	-	-	-	-	3	8	28	83	136	167	229	268	281	254	163	118	43	11	1	-	1
	F--	595	1	-	-	-	-	-	-	1	1	-	4	6	9	23	34	54	84	113	102	86	43	27	7	-	-	-
	Nonwhite--M--	196	1	-	-	-	-	-	-	-	-	-	4	8	15	31	35	36	31	14	6	8	3	2	2	-	-	-
	F--	136	-	-	-	-	-	-	-	1	3	2	8	9	7	15	19	26	17	13	2	6	4	2	-	-	1	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	3,956	2	1	1	2	1	3	4	3	11	13	29	49	94	186	311	352	402	533	557	540	444	269	99	21	6	3
	White-----M--	1,798	-	-	1	2	1	-	-	-	2	5	4	19	36	51	124	148	201	272	289	267	202	120	39	11	3	1
	F--	1,192	1	-	-	-	-	1	-	1	2	-	-	6	10	29	43	65	96	145	189	224	199	123	49	9	-	-
	Nonwhite--M--	518	1	1	-	-	-	1	1	2	5	3	11	14	24	53	76	75	59	59	52	24	30	17	6	1	2	1
	F--	428	-	-	-	-	-	1	3	-	2	5	14	10	24	53	68	64	46	57	27	25	13	9	5	-	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	410	-	-	-	-	-	-	-	-	-	1	1	1	4	3	22	17	27	34	54	73	73	58	34	4	3	1
	White-----M--	153	-	-	-	-	-	-	-	-	-	-	1	-	3	-	4	9	6	16	21	29	31	21	11	1	-	-
	F--	174	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	6	8	27	34	35	33	20	3	1	1
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	10	6	1	7	4	4	1	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	1	1	2	9	4	5	4	5	3	3	-	2	-	2	-
107-109, 33	Pneumonia (all forms) and influenza-------	881	184	39	11	4	4	17	1	14	10	12	19	30	36	34	41	55	49	58	66	71	52	46	18	10	-	-
	White-----M--	305	45	8	3	1	1	7	-	2	1	1	3	11	10	10	10	23	18	27	30	35	24	22	8	5	-	-
	F--	223	36	6	2	-	1	1	-	1	3	6	2	3	7	7	7	10	12	15	23	26	20	22	10	3	-	-
	Nonwhite--M--	185	45	13	2	2	2	4	1	8	4	2	5	7	10	8	14	15	9	9	10	9	3	2	-	1	-	-
	F--	168	58	12	4	1	-	5	-	3	2	3	9	9	9	9	10	7	10	7	8	1	5	-	-	1	-	-
107	Bronchopneumonia-	408	115	21	4	1	2	8	-	3	3	3	3	11	11	6	11	21	20	25	25	42	25	32	11	5	-	-
	White-----M--	160	34	4	-	-	1	5	-	-	-	-	-	4	1	2	4	10	9	14	14	20	14	18	4	2	-	-
	F--	108	22	4	1	-	1	-	-	-	2	3	1	1	2	3	-	6	3	4	9	16	8	13	7	2	-	-
	Nonwhite--M--	71	26	7	1	1	-	2	-	1	1	-	1	2	4	1	5	2	2	5	2	5	2	1	-	-	-	-
	F--	68	33	6	2	-	-	1	-	2	-	-	1	4	4	-	2	3	6	2	-	1	1	-	-	1	-	-
108	Lobar pneumonia--	275	25	10	2	-	1	6	-	6	4	5	12	16	19	20	19	21	21	24	21	23	12	4	3	1	-	-
	White-----M--	99	4	2	1	-	-	1	-	-	-	1	3	7	7	6	6	11	7	9	11	13	6	1	2	1	-	-
	F--	61	6	1	1	-	-	1	-	-	-	1	1	1	4	4	4	1	6	9	6	6	5	3	1	-	-	-
	Nonwhite--M--	69	9	4	-	-	1	1	-	5	3	2	2	5	3	4	5	7	7	3	3	4	1	-	-	-	-	-
	F--	46	6	3	-	-	-	3	-	1	1	1	6	3	5	6	4	2	1	3	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	76	19	4	1	1	1	3	1	3	1	1	1	2	2	3	1	3	3	2	7	4	5	3	1	4	-	-
	White-----M--	26	3	1	-	-	-	1	-	-	1	-	-	-	1	2	-	1	2	1	3	2	3	2	1	2	-	-
	F--	20	5	1	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	-	3	2	2	1	-	1	-	-
	Nonwhite--M--	20	5	2	1	1	1	1	2	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-
	F--	10	6	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza-------	122	25	4	4	2	-	-	-	2	2	3	3	1	4	5	10	10	5	7	13	2	10	7	3	-	-	-
	White-----M--	20	4	1	2	1	-	-	-	2	-	-	-	-	1	-	-	1	-	5	2	-	1	1	1	-	-	-
	F--	34	3	-	-	-	-	-	-	-	1	1	-	-	1	-	3	2	2	2	5	2	5	5	2	-	-	-
	Nonwhite--M--	25	5	-	-	-	-	-	-	-	-	-	1	-	2	3	4	5	-	-	4	-	-	1	-	-	-	-
	F--	43	13	3	2	1	-	-	-	-	1	2	2	1	-	2	3	2	3	2	2	-	4	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	134	-	-	-	-	-	-	-	2	2	2	7	5	10	12	19	15	16	12	16	7	3	6	-	-	-	-
	White-----M--	84	-	-	-	-	-	-	-	1	-	1	4	3	5	5	10	8	12	10	12	7	3	3	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	1	1	-	-	1	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	2	1	3	1	3	3	5	6	-	1	2	-	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	2	-	1	-	-	1	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	137	89	11	5	3	1	-	1	-	1	-	2	-	1	4	6	1	-	1	2	6	-	2	-	1	-	-
	White-----M--	38	25	4	2	-	-	-	1	-	1	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-
	F--	44	26	4	1	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	4	-	2	-	1	-	-
	Nonwhite--M--	33	23	2	1	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-
	F--	22	15	1	1	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	83	-	-	-	-	1	6	2	4	3	6	1	8	2	7	9	11	6	7	2	3	5	-	-	-	-	-
	White-----M--	40	-	-	-	-	-	1	1	2	1	-	1	4	1	3	1	10	2	5	2	2	4	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	2	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	1	4	1	2	1	2	-	2	-	2	4	1	1	1	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	4	-	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	184	13	1	1	-	1	-	2	-	4	5	5	8	13	10	17	11	10	21	18	22	15	3	4	-	-	-
	White-----M--	64	3	1	1	-	-	-	-	-	1	-	2	1	3	3	5	4	1	9	7	13	6	2	2	-	-	-
	F--	59	3	-	-	-	-	-	-	-	1	3	2	-	3	2	6	4	2	8	9	6	8	1	1	-	-	-
	Nonwhite--M--	36	5	-	-	-	1	-	1	-	1	1	-	3	3	2	1	2	7	4	1	2	1	-	1	-	-	-
	F--	25	2	-	-	-	-	-	1	-	1	1	1	4	4	3	5	1	-	-	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	280	1	-	-	-	1	1	-	1	2	5	11	14	17	34	33	29	39	27	32	19	9	4	-	1	-	-
	White-----M--	162	-	-	-	-	-	1	-	-	1	-	5	4	8	17	24	17	30	19	17	12	5	2	-	-	-	-
	F--	79	1	-	-	-	1	-	-	-	-	2	5	8	4	8	5	8	5	5	13	7	4	2	-	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	3	-	-	3	5	3	3	3	-	1	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	1	1	-	1	2	2	4	1	1	1	3	1	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	103	-	-	-	1	-	-	-	-	1	2	-	2	12	5	12	17	14	14	12	8	1	2	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	4	6	6	4	4	1	1	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	1	1	-	-	7	1	5	9	7	7	7	4	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	1	-	-	-	-	-	1	-	1	2	-	2	2	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis--------	1,495	3	3	2	2	2	5	5	9	4	21	15	52	66	70	125	146	142	170	190	190	145	84	30	11	1	2
	White-----M--	513	1	2	-	-	1	1	1	2	1	7	4	16	14	10	26	41	58	60	77	74	65	37	12	2	1	-
	F--	452	1	-	1	1	-	2	4	2	3	4	5	10	14	12	20	19	29	50	72	79	61	42	16	5	-	-
	Nonwhite--M--	304	-	-	-	1	1	-	-	3	-	3	3	9	18	26	46	55	33	34	26	23	14	5	-	3	-	1
	F--	226	1	1	1	-	-	2	-	2	-	7	3	17	20	22	33	31	22	26	15	14	5	-	2	1	-	1
137	Diseases of the prostate--------	141	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	11	15	18	21	29	22	12	2	2	-	-
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	8	12	18	25	20	12	2	1	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	5	7	6	3	4	2	-	-	1	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

end of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA--Con.																											
140-150	Diseases of pregnancy, etc.*----	115	-	-	-	-	-	-	-	17	21	29	19	25	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	48	-	-	-	-	-	-	-	5	8	10	8	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	67	-	-	-	-	-	-	-	12	13	19	10	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	28	-	-	-	-	-	-	-	2	6	7	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	1	5	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	-	1	1	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	44	-	-	-	-	-	-	-	10	7	11	3	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	-	-	-	-	-	-	-	1	2	5	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	28	-	-	-	-	-	-	-	9	5	6	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	32	-	-	-	-	-	-	-	3	5	7	7	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	1	1	1	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	20	-	-	-	-	-	-	-	2	4	6	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	11	-	-	-	-	-	-	-	2	3	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	302	254	12	3	3	2	2	4	3	2	4	2	3	3	1	1	2	1	-	-	-	-	-	-	-	-	-
	White-----M--	140	125	3	1	-	-	1	3	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	89	4	2	2	2	1	1	-	-	3	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	21	2	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	26	19	3	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,214	1,214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	472	472	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	356	356	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	218	218	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	168	168	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	785	785	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	298	298	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	234	234	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	118	118	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	429	429	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	174	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	83	83	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	314	-	-	-	-	-	-	-	4	14	23	20	32	40	42	37	34	17	16	18	11	5	1	-	-	-	-
	White-----M--	207	-	-	-	-	-	-	-	2	9	16	11	19	25	26	25	20	13	11	16	8	5	1	-	-	-	-
	F--	87	-	-	-	-	-	-	-	2	4	5	8	10	11	13	10	10	4	5	2	3	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	2	1	2	3	3	2	4	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	376	1	1	-	1	-	5	3	19	55	67	64	48	44	23	21	9	3	7	-	1	2	-	1	-	-	1
	White-----M--	73	-	1	-	1	-	1	-	3	6	11	4	12	10	6	6	6	2	2	-	1	-	-	1	-	-	-
	F--	23	1	-	-	-	-	2	1	2	1	2	1	4	4	2	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	217	-	-	-	-	-	2	1	8	36	41	46	25	24	13	13	2	1	3	-	-	1	-	-	-	-	1
	F--	63	-	-	-	-	-	-	1	6	12	13	13	7	6	2	2	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,955	64	43	22	17	22	69	67	109	168	173	149	124	137	138	100	80	56	86	91	93	67	50	21	7	-	4
	White-----M--	1,076	19	20	7	8	11	42	32	62	117	105	90	65	74	80	54	51	30	49	57	45	29	19	6	2	-	2
	F--	379	15	10	7	3	1	12	9	16	14	19	12	17	19	10	20	15	8	23	27	42	32	30	13	4	-	1
	Nonwhite--M--	378	14	6	4	3	5	8	15	26	34	43	42	33	36	39	19	12	14	11	3	6	3	-	-	1	-	1
	F--	122	16	7	4	3	5	7	11	5	3	6	5	9	8	7	7	2	4	3	4	-	3	1	2	-	-	-
170	Motor-vehicle accidents-------	689	3	14	7	5	7	26	23	49	80	66	46	43	66	50	45	33	24	34	32	19	14	2	1	-	-	-
	White-----M--	406	-	10	1	3	3	15	15	30	62	36	21	18	34	29	25	22	16	20	22	13	9	2	-	-	-	-
	F--	125	2	3	3	1	-	5	6	12	8	9	8	8	10	6	9	7	3	8	9	5	3	-	-	-	-	-
	Nonwhite--M--	119	1	1	1	1	2	3	1	5	10	17	15	13	14	12	8	3	4	6	-	1	1	-	-	-	-	-
	F--	39	-	-	2	-	2	3	1	2	-	4	2	4	8	3	3	1	1	-	1	-	1	-	1	-	-	-
169, 171-195	Other accidents--	1,266	61	29	15	12	15	43	44	60	88	107	103	81	71	88	55	47	32	52	59	74	53	48	20	7	-	4
	White-----M--	670	19	10	6	5	8	27	17	32	55	69	69	47	40	51	29	29	14	29	35	32	20	17	6	2	-	2
	F--	254	13	7	4	2	1	7	3	4	6	10	4	9	9	4	11	8	5	15	18	37	29	30	13	4	-	1
	Nonwhite--M--	259	13	5	3	2	3	5	14	21	24	26	27	20	22	27	11	9	10	5	3	5	2	-	-	1	-	1
	F--	83	16	7	2	3	3	4	10	3	3	2	3	5	-	4	4	1	3	3	3	-	2	1	1	-	-	-
162, 198, 200	Senility, ill-defined and unknown causes----	924	76	4	4	1	-	2	1	4	6	8	17	29	33	54	77	65	73	74	84	85	80	82	41	11	11	2
	White-----M--	333	12	-	3	-	-	-	-	1	-	-	4	3	15	20	26	26	29	33	37	42	35	33	14	2	-	-
	F--	179	20	-	-	-	-	1	-	-	2	-	1	3	1	5	7	2	9	12	17	22	24	34	15	1	2	1
	Nonwhite--M--	280	21	2	1	1	-	-	1	1	3	2	4	10	11	18	31	33	30	22	20	13	14	8	4	6	3	1
	F--	152	23	2	-	-	-	1	-	2	1	6	8	13	6	11	13	4	5	7	10	8	9	7	8	2	6	-
	All other causes-	1,538	137	19	26	12	23	38	21	23	33	39	63	77	82	114	115	118	122	126	116	114	58	34	20	5	1	2
	White-----M--	602	40	3	8	5	8	11	8	8	12	12	16	19	20	33	47	56	66	62	60	63	23	14	7	-	-	1
	F--	447	33	7	5	4	11	14	2	4	5	10	18	20	17	33	23	27	29	35	43	42	31	18	12	4	-	-
	Nonwhite--M--	248	33	5	6	1	4	5	5	3	6	5	12	16	21	27	23	21	16	17	7	8	4	1	1	-	-	1
	F--	241	31	4	7	2	-	8	6	8	10	12	17	22	24	21	22	14	11	12	6	1	-	1	-	1	1	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																										
	ALL CAUSES-------	29,526	3,169	217	110	95	59	257	223	438	659	738	846	1,151	1,441	1,839	2,197	2,417	2,513	2,888	2,772	2,441	1,539	972	325	93	60	67
	White-----M--	10,086	944	71	29	31	15	90	81	138	211	202	244	314	415	513	664	846	949	1,207	1,150	976	565	303	88	21	2	17
	F--	7,210	736	48	32	17	20	49	32	54	93	103	112	175	221	263	316	443	557	797	924	929	613	476	152	33	5	10
	Nonwhite--M--	6,521	828	47	30	24	15	72	65	118	192	240	234	346	425	543	658	606	543	462	384	308	200	99	38	10	15	19
	F--	5,709	661	51	19	23	9	46	45	128	163	193	256	316	380	520	559	522	464	422	314	228	161	94	47	29	38	21
1,2	Typhoid and paratyphoid fever---	9	-	1	-	-	-	-	1	1	-	1	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	19	6	3	-	1	-	2	1	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	4	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	41	29	5	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	10	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	11	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	29	2	4	5	6	3	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	2	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	2	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)-----	1,002	3	8	3	3	1	7	6	44	96	108	101	98	87	78	94	78	61	51	38	25	10	1	-	-	-	1
	White-----M--	276	1	1	1	1	-	1	-	7	11	12	21	25	29	34	37	35	26	14	15	3	1	-	-	-	-	1
	F--	127	1	4	-	-	-	2	-	3	10	11	7	7	12	6	9	14	6	8	17	5	5	-	-	-	-	-
	Nonwhite--M--	272	1	2	2	1	1	4	1	8	26	36	29	37	19	26	29	18	14	7	7	3	1	-	-	-	-	-
	F--	327	-	1	-	1	-	-	5	33	53	50	53	33	31	17	22	9	6	10	-	2	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	924	1	4	1	2	1	3	5	41	90	99	96	90	81	67	89	75	60	47	37	24	9	1	-	-	-	1
	White-----M--	258	-	1	-	1	-	-	-	-	6	9	12	21	23	26	33	36	35	25	13	14	3	1	-	-	-	1
	F--	116	-	2	-	-	-	-	-	3	9	10	6	7	12	5	9	14	6	7	17	5	4	-	-	-	-	-
	Nonwhite--M--	247	1	1	1	-	1	3	-	6	26	33	26	35	17	21	27	18	13	7	7	3	1	-	-	-	-	-
	F--	303	-	-	-	1	-	-	5	32	49	47	52	27	29	15	20	7	6	10	-	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	78	2	4	2	1	-	4	1	3	6	9	5	8	6	11	5	3	1	4	1	1	1	-	-	-	-	-
	White-----M--	18	1	-	1	-	-	1	-	-	1	2	-	-	2	3	1	1	-	3	1	1	-	-	-	-	-	-
	F--	11	1	2	-	-	-	2	-	-	1	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	25	-	1	1	1	-	1	1	2	-	3	3	2	2	5	2	-	1	-	-	-	-	-	-	-	-	-
	F--	24	-	1	-	-	-	-	-	1	4	3	1	6	2	2	2	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	51	15	8	4	-	-	1	-	2	-	-	1	-	1	4	1	2	1	3	1	1	3	3	-	-	-	-
	White-----M--	9	3	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	11	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	-	-	-	-
	Nonwhite--M--	20	8	3	1	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	-	1	-	-	-	-	-
	F--	11	1	2	1	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	2	-	-	-	-	-
28	Malaria----------	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	281	16	1	-	-	-	-	-	3	6	11	15	26	30	39	40	25	27	20	14	6	1	-	-	-	-	1
	White-----M--	59	-	1	-	-	-	-	-	2	-	-	-	2	5	6	8	11	9	8	6	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	144	10	-	-	-	-	-	-	-	4	8	5	16	15	23	25	9	12	6	6	3	1	-	-	-	-	1
	F--	67	6	-	-	-	-	-	-	1	2	3	10	8	9	8	5	4	3	6	1	1	-	-	-	-	-	-
35	Measles----------	7	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	7	-	1	1	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table II, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
45-55	Cancer and other malignant tumors	2,937	1	4	3	2	3	8	12	11	13	42	66	122	154	261	308	384	358	381	335	229	128	87	17	2	1	7
	White—M	992	-	4	-	2	2	6	5	6	3	9	18	19	27	56	87	130	141	158	145	84	60	20	4	2	-	4
	F	1,095	1	-	1	-	-	2	2	2	4	12	16	45	63	90	95	130	123	140	141	109	54	55	10	-	-	-
	Nonwhite—M	312	-	-	1	-	-	-	1	2	2	4	6	11	22	32	45	48	41	41	23	21	5	4	2	-	1	-
	F	538	-	-	1	-	1	-	4	1	4	17	26	47	42	83	79	76	53	42	26	15	9	8	1	-	-	3
46	Cancer of the digestive organs and peritoneum	1,044	-	-	1	-	-	1	1	1	5	7	10	25	47	72	86	137	147	152	155	100	54	34	5	1	-	3
	White—M	392	-	-	-	-	-	1	-	-	1	3	4	6	10	24	27	51	62	63	70	37	24	6	1	1	-	1
	F	363	-	-	-	-	-	-	-	-	1	1	2	5	16	17	16	36	46	60	67	45	25	23	3	-	-	-
	Nonwhite—M	143	-	-	1	-	-	-	-	-	2	2	2	5	9	17	24	21	16	20	11	11	1	-	1	-	-	-
	F	146	-	-	-	-	-	-	1	1	1	1	2	9	12	14	19	29	25	9	7	7	4	5	-	-	-	2
48,49	Cancer of female genital organs	498	-	-	-	-	-	-	1	-	2	15	24	42	44	75	71	64	38	48	31	21	9	10	3	-	-	-
	White—F	275	-	-	-	-	-	-	-	-	1	8	8	19	25	32	37	33	23	30	22	17	7	10	3	-	-	-
	Nonwhite—F	223	-	-	-	-	-	-	1	-	1	7	16	23	19	43	34	31	15	18	9	4	2	-	-	-	-	-
50	Cancer of breast	277	-	-	-	-	-	-	-	-	1	6	5	18	20	34	31	41	29	31	27	20	6	7	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	194	-	-	-	-	-	-	-	-	-	1	1	8	11	22	20	37	21	22	23	17	4	6	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	81	-	-	-	-	-	-	-	-	1	5	4	10	9	12	11	3	8	8	4	3	2	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,118	1	4	2	2	3	7	10	10	5	14	27	37	43	80	118	142	144	150	122	88	59	36	8	1	1	4
	White—M	600	-	4	-	2	2	5	5	6	2	6	14	13	17	32	60	79	79	95	75	47	36	14	3	1	-	3
	F	263	1	-	1	-	-	2	2	2	2	2	5	13	11	19	22	24	33	28	29	30	18	16	3	-	-	-
	Nonwhite—M	167	-	-	-	-	-	-	1	2	-	2	4	6	13	15	21	26	25	20	12	10	4	4	1	-	1	-
	F	88	-	-	1	-	1	-	2	-	1	4	4	5	2	14	15	13	7	7	6	1	1	2	1	-	-	1
58	Acute rheumatic fever	32	1	-	-	1	-	4	6	4	3	-	1	-	-	2	1	-	-	2	-	1	3	3	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	F	8	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite—M	7	-	-	-	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
	F	11	1	-	-	-	-	1	2	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	459	1	-	1	1	-	1	4	6	8	9	5	15	12	30	47	51	67	70	58	42	19	9	3	-	-	-
	White—M	149	1	-	-	-	-	-	-	-	3	4	1	6	4	10	10	19	26	31	15	12	6	1	-	-	-	-
	F	180	-	-	-	-	-	-	1	-	4	3	2	4	-	3	7	14	26	33	40	26	11	4	2	-	-	-
	Nonwhite—M	42	-	-	1	-	-	-	-	4	-	-	-	1	1	6	10	5	6	2	1	2	-	2	1	-	-	-
	F	88	-	-	-	1	-	1	3	2	1	2	2	4	7	11	20	13	9	4	2	2	2	2	-	-	-	-
63b	Exophthalmic goiter	26	-	-	-	-	-	-	-	-	-	3	-	2	5	2	1	4	1	4	2	-	1	-	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	1	1	3	1	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	2	-	1	1	-	-	-	-	-	-	1
69	Pellagra (except alcoholic)	83	-	-	-	-	-	-	-	-	1	-	-	-	7	3	3	6	4	13	15	12	10	8	1	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	3	2	3	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	8	9	8	7	3	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	3	1	1	1	1	1	2	-	-	-	-
77	Alcoholism (ethylism)	84	-	-	-	-	-	-	-	2	5	8	10	11	12	12	9	5	3	4	-	1	-	-	-	-	-	2
	White—M	50	-	-	-	-	-	-	-	-	2	4	5	5	8	11	5	5	2	1	-	1	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	1	2	2	4	4	2	-	4	-	1	2	-	-	-	-	-	-	-	-	1
	F	8	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,532	5	1	1	2	-	2	4	8	11	14	45	86	139	277	323	353	440	506	450	404	259	130	42	11	6	13
	White—M	983	3	-	-	1	-	2	2	2	3	6	12	10	16	36	56	88	120	161	141	152	96	39	13	2	-	2
	F	902	1	-	1	-	-	-	1	1	-	-	6	8	19	25	46	62	89	145	161	151	104	58	18	3	1	2
	Nonwhite—M	770	1	1	-	1	-	-	-	3	5	3	16	32	43	102	99	103	112	74	72	48	34	14	5	-	-	2
	F	877	-	-	-	-	-	-	1	2	3	5	11	38	61	114	122	100	119	108	76	53	25	19	8	6	5	7
90-95	Diseases of the heart	7,301	3	-	1	2	1	12	21	29	32	58	98	174	328	485	679	802	855	981	955	842	490	303	97	25	12	18
	White—M	2,978	1	-	-	-	1	6	7	6	9	12	26	53	105	163	259	328	380	477	446	358	196	100	34	7	1	3
	F	1,714	-	-	-	-	-	1	1	5	5	11	14	18	27	45	64	108	161	235	299	318	191	155	40	11	1	4
	Nonwhite—M	1,447	1	-	1	1	-	-	6	6	10	17	22	53	107	152	206	212	178	150	120	101	55	27	8	-	6	8
	F	1,162	1	-	-	1	-	5	7	12	8	18	34	50	89	125	150	154	136	119	90	65	48	21	15	7	4	3
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	514	-	-	-	1	-	7	14	11	11	20	5	22	21	24	20	32	28	24	29	20	14	10	1	-	-	-
	White—M	87	-	-	-	-	-	4	4	2	3	6	2	5	7	5	3	6	7	13	9	2	6	3	-	-	-	-
	F	74	-	-	-	-	-	1	1	3	4	4	-	8	5	2	3	5	5	4	9	11	3	6	-	-	-	-
	Nonwhite—M	85	-	-	-	1	-	-	4	2	3	7	-	6	4	8	8	15	9	3	4	5	4	1	1	-	-	-
	F	68	-	-	-	-	-	2	5	4	1	3	3	3	5	9	6	6	7	4	7	2	1	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	2,396	-	-	-	-	-	-	1	7	4	14	37	66	133	206	286	314	317	324	285	211	109	53	13	7	2	7
	White—M	1,367	-	-	-	-	-	-	1	1	-	4	11	34	66	113	172	189	205	209	169	108	54	24	4	1	-	2
	F	506	-	-	-	-	-	-	-	1	-	2	6	3	9	17	25	53	57	80	84	87	46	25	8	3	-	-
	Nonwhite—M	313	-	-	-	-	-	-	-	1	3	5	8	18	33	47	55	48	29	19	23	8	5	4	1	-	2	4
	F	210	-	-	-	-	-	-	-	4	1	3	12	11	25	29	34	24	26	16	9	8	4	-	-	3	-	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	4,591	3	-	1	1	1	5	6	11	17	24	54	86	174	255	373	456	510	633	641	611	367	240	83	18	10	11
	White—M	1,524	1	-	-	-	1	2	2	3	6	2	13	14	32	45	84	133	168	255	288	248	136	73	30	6	1	1
	F	1,134	-	-	-	-	-	-	-	1	1	5	8	7	13	28	36	50	99	151	206	220	142	124	32	8	1	4
	Nonwhite—M	1,049	1	-	1	-	-	-	2	3	4	5	14	29	70	97	143	149	140	128	93	88	46	22	6	-	4	4
	F	884	1	-	-	1	-	3	2	4	6	12	19	36	59	87	110	124	103	99	74	55	43	21	15	4	4	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	468	-	-	-	-	-	-	-	-	2	2	3	6	10	10	21	29	48	62	71	81	62	43	12	5	1	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	10	11	18	25	25	17	14	4	3	-	-
	F--	132	-	-	-	-	-	-	-	-	1	-	-	2	1	-	3	1	14	15	20	28	19	20	6	2	-	-
	Nonwhite--M--	101	-	-	-	-	-	-	-	-	1	1	2	1	3	2	7	6	9	18	15	20	13	3	-	-	-	-
	F--	97	-	-	-	-	-	-	-	-	-	1	-	2	3	6	7	12	14	11	11	8	13	6	2	-	1	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,484	413	49	16	13	6	21	13	27	23	32	32	39	60	55	62	81	69	92	93	95	86	65	25	9	3	5
	White-----M--	373	91	16	2	3	2	5	3	8	1	4	5	9	11	11	13	13	12	26	41	38	31	19	8	1	-	-
	F--	353	91	7	4	1	1	2	2	5	4	5	3	4	5	4	8	13	8	26	28	40	39	38	10	5	-	-
	Nonwhite--M--	393	115	12	8	3	-	8	6	6	9	11	10	13	25	18	24	32	27	24	10	12	7	3	6	1	2	2
	F--	365	116	14	2	6	3	6	2	9	9	12	14	13	19	22	17	23	22	16	14	5	9	5	1	2	1	3
107	Bronchopneumonia-	616	232	23	7	9	3	7	3	7	4	5	7	14	23	11	19	22	28	29	29	44	36	34	12	7	1	1
	White-----M--	171	54	9	2	2	1	2	-	3	-	2	3	3	4	1	4	5	6	7	15	19	13	12	3	1	-	-
	F--	166	52	3	1	1	1	2	-	2	-	1	-	-	2	3	3	6	2	9	11	20	16	21	5	5	-	-
	Nonwhite--M--	133	56	5	3	3	-	3	2	-	4	1	1	3	8	1	8	6	8	7	1	3	3	1	3	-	1	1
	F--	146	70	6	1	3	1	-	1	2	-	1	3	8	9	6	4	5	11	5	2	2	4	-	1	1	-	-
108	Lobar pneumonia--	463	60	16	4	1	-	6	7	13	12	17	14	16	22	25	21	34	26	38	46	33	25	17	6	-	2	2
	White-----M--	116	18	5	-	-	-	2	2	4	1	-	2	4	3	7	4	4	4	12	21	10	7	6	-	-	-	-
	F--	105	15	3	1	-	-	-	2	1	3	2	2	3	2	1	2	2	3	11	12	16	11	9	4	-	-	-
	Nonwhite--M--	140	17	5	2	-	-	3	2	3	3	8	7	7	10	11	7	13	12	9	5	4	2	1	2	-	1	-
	F--	102	10	3	1	1	-	1	1	5	5	7	3	2	7	6	8	9	7	6	8	3	5	1	-	-	1	2
109	Pneumonia (unspecified)------	182	74	6	4	3	1	3	-	3	2	7	6	3	10	10	7	9	3	7	3	6	9	3	2	-	-	1
	White-----M--	43	11	1	-	1	-	1	-	1	-	1	-	1	4	3	3	2	-	2	2	3	5	1	1	-	-	-
	F--	34	11	-	1	-	-	-	-	1	-	2	1	1	-	-	2	3	2	2	-	2	4	2	-	-	-	-
	Nonwhite--M--	51	28	2	3	-	-	-	-	-	-	2	1	-	4	2	2	2	-	2	-	1	-	-	1	-	-	1
	F--	54	24	3	-	2	1	2	-	1	2	2	4	1	2	5	-	2	1	1	1	-	-	-	-	-	-	-
33	Influenza--------	223	47	4	1	-	2	5	3	4	5	3	5	6	5	9	15	16	12	19	15	12	16	11	5	2	-	1
	White-----M--	43	9	1	-	-	1	-	1	-	-	1	-	1	-	-	2	2	2	5	3	6	6	-	4	-	-	-
	F--	48	13	1	1	-	-	-	-	1	1	-	-	-	1	-	1	2	1	4	5	2	8	6	1	-	-	-
	Nonwhite--M--	89	14	-	-	-	-	2	2	2	2	-	1	3	3	4	7	5	6	6	4	4	2	1	-	1	-	-
	F--	63	12	2	-	-	1	3	-	1	2	2	4	2	1	5	5	7	3	4	3	-	-	4	-	1	-	1
117	Ulcer of stomach or duodenum------	156	-	-	-	-	-	-	1	-	2	3	6	9	22	22	19	15	13	11	20	6	5	2	-	-	-	-
	White-----M--	85	-	-	-	-	-	-	1	-	1	-	4	5	8	13	11	8	8	5	14	3	4	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	4	4	2	1	-	-	-	-	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	1	2	2	3	9	4	2	4	5	1	1	1	-	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	-	3	4	5	2	-	1	1	-	-	1	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	249	169	11	6	3	1	4	1	1	-	1	4	3	3	2	11	3	7	3	5	2	1	6	1	1	-	-
	White-----M--	88	46	5	2	1	-	-	-	1	-	1	2	1	-	1	4	-	-	-	-	1	-	1	-	-	-	-
	F--	55	38	3	1	1	-	-	1	-	-	-	-	-	-	-	1	1	3	1	1	1	-	3	-	-	-	-
	Nonwhite--M--	64	49	2	1	1	1	2	-	-	-	-	-	-	1	-	3	-	1	1	1	-	1	-	-	-	-	-
	F--	64	36	1	2	-	-	2	-	-	-	-	2	2	2	1	3	2	3	1	3	-	-	2	1	1	-	-
121	Appendicitis-----	87	-	2	-	1	2	4	4	9	2	3	6	7	3	9	8	9	6	5	3	1	1	2	-	-	-	-
	White-----M--	34	-	1	-	-	1	1	2	4	-	-	-	3	2	5	1	7	3	1	1	1	-	1	-	-	-	-
	F--	28	-	-	-	1	-	-	1	3	2	1	1	2	1	1	5	-	3	3	2	-	1	1	-	-	-	-
	Nonwhite--M--	15	-	1	-	-	1	3	1	2	-	2	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	3	2	-	1	2	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	216	13	2	-	1	2	3	1	2	8	7	7	10	14	11	21	14	24	13	29	21	9	1	1	1	-	1
	White-----M--	60	4	-	-	-	-	1	-	-	-	1	1	4	1	-	6	5	7	3	12	11	2	1	-	-	-	1
	F--	55	-	1	-	-	2	-	-	-	3	1	3	1	4	3	4	2	5	7	8	7	4	-	-	-	-	-
	Nonwhite--M--	47	6	-	-	-	-	1	1	1	-	3	2	2	4	3	6	4	6	-	4	2	2	-	-	-	-	-
	F--	54	3	1	-	1	-	1	-	1	5	2	1	3	5	5	5	3	6	3	5	1	1	-	1	1	-	-
124	Cirrhosis of the liver----------	202	1	-	-	-	-	-	-	1	2	1	6	16	18	18	20	23	29	25	21	16	4	1	-	-	-	-
	White-----M--	110	-	-	-	-	-	-	-	-	1	-	1	5	10	13	13	12	19	10	13	11	2	-	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	1	4	8	3	2	2	5	6	10	4	4	1	-	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	2	3	2	-	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	1	-	1	1	3	2	2	4	2	2	2	1	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	100	-	-	-	-	-	-	-	-	1	2	2	4	5	7	7	9	12	19	14	11	7	-	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	3	6	5	5	1	-	-	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	1	-	2	2	3	4	4	8	10	9	6	6	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	1	2	-	-	-	-	-	-	-	-
130-132	Nephritis--------	2,491	1	4	-	2	1	10	6	10	16	21	43	74	105	141	208	203	213	333	319	341	233	134	47	15	9	2
	White-----M--	743	-	1	-	2	-	5	4	5	6	2	11	7	19	23	36	42	47	120	117	144	87	52	8	5	-	-
	F--	619	-	-	-	-	1	-	1	-	3	1	6	8	13	21	20	26	41	85	102	112	94	58	23	2	1	-
	Nonwhite--M--	607	1	3	-	-	-	4	-	2	2	5	14	30	40	48	89	69	70	71	53	48	34	13	7	5	-	1
	F--	522	-	-	-	-	-	1	1	3	5	13	12	29	33	49	65	66	55	57	47	39	18	10	9	3	8	1
137	Diseases of the prostate--------	145	-	-	-	-	-	-	-	-	-	-	-	-	1	8	8	8	14	18	31	28	12	13	3	-	-	1
	White-----M--	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	10	20	23	9	8	3	-	-	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	-	-	-	1	8	6	6	9	8	11	5	3	5	-	-	-	1

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
140-150	Diseases of pregnancy, etc.*----	198	-	-	-	-	-	-	-	31	35	34	40	42	14	1	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	74	-	-	-	-	-	-	-	5	9	10	20	21	8	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	124	-	-	-	-	-	-	-	26	26	24	20	21	6	-	-	-	-	-	-	-	-	-	-	-	1
140, 142a, 145A, 147	Puerperal septicemia------	50	-	-	-	-	-	-	-	7	8	11	11	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	-	-	-	-	-	-	-	1	2	2	4	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	-	6	6	9	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia--------	72	-	-	-	-	-	-	-	19	15	10	13	11	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	-	-	-	-	-	-	-	3	3	3	8	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	45	-	-	-	-	-	-	-	16	12	7	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	52	-	-	-	-	-	-	-	3	4	11	13	14	6	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	-	1	3	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	-	3	3	8	6	9	3	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	24	-	-	-	-	-	-	-	2	8	2	3	7	1	-	-	-	-	-	-	-	-	-	-	-	1
	White-----F--	9	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	-	-	-	-	-	-	-	1	5	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	1
157	Congenital malformations---	358	282	30	6	2	2	6	5	4	3	4	1	4	2	4	1	-	2	-	-	-	-	-	-	-	-
	White-----M--	154	122	11	1	1	-	4	3	1	1	3	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-
	F--	108	90	11	2	-	-	1	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	40	2	3	-	2	1	2	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	42	30	6	-	1	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,624	1,624	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	566	566	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	411	411	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	365	365	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	282	282	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,037	1,037	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	352	352	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	282	282	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	216	216	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	587	587	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	214	214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	129	129	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	272	-	-	-	-	-	-	-	8	14	20	16	34	48	35	24	27	15	13	10	6	1	1	-	-	-
	White-----M--	191	-	-	-	-	-	-	-	2	9	14	9	25	31	27	16	20	14	10	7	5	1	1	-	-	-
	F--	57	-	-	-	-	-	-	-	4	4	3	4	4	13	5	7	7	1	3	1	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	1	1	4	4	3	-	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	2	-	2	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-
165-168	Homicide----------	535	2	-	-	1	-	2	8	31	80	102	84	80	53	37	26	5	10	4	4	3	2	-	-	-	1
	White-----M--	99	1	-	-	-	-	-	2	2	7	14	16	12	18	6	9	1	6	1	2	1	-	-	-	-	1
	F--	19	-	-	-	-	-	-	-	-	2	4	2	6	-	3	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	352	1	-	-	-	-	1	4	23	57	72	56	56	27	25	14	4	4	1	2	1	2	-	-	-	-
	F--	65	-	-	-	1	-	1	2	6	14	12	8	6	8	3	3	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths	2,135	132	45	36	31	27	103	80	158	214	152	142	154	140	98	78	90	62	72	78	94	60	54	25	4	1	6
	White-----M--	985	27	14	11	9	6	40	37	83	133	84	85	87	69	49	34	40	25	33	38	29	17	10	3	-	-	2
	F--	391	24	10	13	6	11	22	9	16	27	15	12	12	13	3	2	9	14	18	20	47	31	38	17	3	-	1
	Nonwhite--M--	570	49	10	8	7	6	23	29	49	47	49	31	47	47	36	32	34	15	12	13	8	8	3	5	1	-	3
	F--	209	32	11	6	9	4	18	5	10	7	4	14	8	11	10	11	7	8	11	5	10	4	3	-	-	1	-
170	Motor-vehicle accidents-------	779	5	10	11	11	12	45	19	64	116	78	53	69	63	42	31	43	26	24	22	15	11	3	4	1	-	1
	White-----M--	449	2	3	1	6	5	22	7	43	78	51	36	43	34	26	17	19	12	12	15	9	6	1	1	-	-	-
	F--	98	-	4	4	2	3	7	6	5	15	6	3	8	8	2	2	5	4	3	3	4	2	2	-	-	-	-
	Nonwhite--M--	198	2	1	4	2	4	10	5	12	19	21	8	16	19	12	10	16	8	7	3	1	3	-	3	1	-	1
	F--	44	1	2	2	1	-	6	1	4	4	-	6	2	2	2	2	3	2	2	1	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,356	127	35	25	20	15	58	61	94	98	74	89	85	77	56	48	47	36	48	54	79	49	51	21	3	1	5
	White-----M--	516	25	11	10	3	1	18	30	40	55	33	49	44	35	25	17	21	13	21	23	20	11	9	2	-	-	2
	F--	293	24	6	9	4	8	15	3	11	12	9	9	4	5	1	-	4	10	13	17	43	29	36	17	3	-	1
	Nonwhite--M--	382	47	9	2	5	2	13	24	37	28	28	23	31	28	24	22	18	7	5	10	7	5	3	2	-	-	2
	F--	165	31	9	4	8	4	12	4	6	3	4	8	6	9	8	9	4	6	9	4	9	4	3	-	-	1	-
162, 199, 200	Senility, ill-defined and unknown causes-----	1,093	284	13	3	4	-	3	5	2	19	15	23	25	44	54	52	58	53	62	73	73	82	67	33	16	25	5
	White-----M--	244	38	1	1	-	-	-	-	-	4	7	8	7	13	10	12	23	23	18	23	18	15	15	5	-	1	2
	F--	169	37	5	-	1	-	-	1	-	-	3	1	-	2	5	4	2	4	9	13	19	19	20	14	6	2	2
	Nonwhite--M--	363	113	3	-	2	-	2	3	-	7	2	8	5	15	22	23	18	13	26	23	20	26	19	4	3	6	-
	F--	317	96	4	2	1	-	1	1	2	8	3	6	13	14	17	13	15	13	9	14	16	22	13	10	7	16	1
	All other causes-	1,808	160	24	23	19	9	49	42	42	60	83	91	109	122	134	124	133	118	120	134	97	50	39	18	4	2	2
	White-----M--	604	37	11	9	10	2	14	12	12	19	24	27	29	37	39	40	42	51	59	80	32	15	16	6	1	-	-
	F--	475	27	4	5	6	4	10	8	10	13	18	11	18	27	35	30	41	37	33	42	41	24	18	11	1	-	1
	Nonwhite--M--	370	54	3	6	3	3	18	10	10	16	21	20	28	30	25	28	26	17	11	18	15	5	3	-	-	-	-
	F--	359	42	6	3	-	-	7	12	10	12	20	33	34	28	35	26	24	13	17	14	9	6	2	1	2	2	1

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	ALL CAUSES	4,906	481	51	21	14	13	49	44	73	82	73	78	114	155	187	245	303	416	534	589	570	447	250	80	18	7	12
	White—M	3,048	258	29	15	8	7	34	28	43	55	40	49	72	104	122	169	198	283	336	398	332	269	145	40	6	2	6
	F	1,767	211	20	6	5	4	15	16	28	21	29	26	40	49	62	89	98	125	192	186	234	173	102	37	11	4	4
	Nonwhite—M	61	8	1	-	1	1	-	-	1	4	2	3	1	1	3	6	4	7	4	5	3	3	-	2	-	-	1
	F	30	4	1	-	-	1	-	-	1	2	2	-	1	1	-	1	3	1	2	-	1	2	3	1	1	1	1
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	-	1	1	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	70	-	-	-	-	1	-	1	3	2	2	1	2	9	4	8	6	8	6	9	4	2	1	-	-	-	1
	White—M	49	-	-	-	-	-	-	1	1	1	-	1	1	6	3	5	6	7	5	7	3	1	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	-	1	1	2	1	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*	62	-	-	-	-	1	-	1	3	2	2	1	1	7	4	7	5	6	6	8	4	2	1	-	-	-	1
	White—M	45	-	-	-	-	-	-	1	1	1	-	1	1	5	3	5	5	6	5	6	3	1	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	1	2	1	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	19	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	4	4	3	1	-	1	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	4	3	1	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO--Continued																											
45-55	Cancer and other malignant tumors	575	1	1	-	1	1	1	2	4	-	8	10	17	21	29	34	49	74	98	85	77	41	15	6	-	-	-
	White-----M--	301	1	1	-	-	-	1	1	1	-	3	6	4	9	12	18	21	38	48	54	42	30	9	3	-	-	-
	F--	270	-	-	-	1	1	1	1	3	-	5	4	13	12	17	15	28	35	49	31	35	10	6	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	245	-	-	-	-	-	1	-	1	-	-	2	7	9	11	17	20	35	47	37	29	18	8	3	-	-	-
	White-----M--	136	-	-	-	-	-	-	-	-	-	-	2	3	6	7	11	7	19	28	21	15	11	5	1	-	-	-
	F--	107	-	-	-	-	-	1	-	1	-	-	-	4	3	4	6	13	16	18	16	14	6	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs--	60	-	-	-	-	-	-	1	1	-	3	3	4	2	7	2	9	7	11	6	2	1	1	-	-	-	-
	White-----F--	60	-	-	-	-	-	-	1	1	-	3	3	4	2	7	2	9	7	11	6	2	1	1	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	45	-	-	-	-	-	-	-	-	-	1	-	2	3	4	4	2	4	9	3	10	3	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	1	-	2	3	4	4	2	4	9	3	10	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	225	1	1	-	1	1	-	1	2	-	4	5	4	7	7	11	18	28	31	39	36	19	6	3	-	-	-
	White-----M--	185	1	1	-	-	-	-	1	1	-	3	4	1	3	5	7	14	19	20	33	27	19	4	2	-	-	-
	F--	38	-	-	-	1	1	-	-	1	-	1	1	3	4	2	3	4	8	11	6	9	-	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
61	Diabetes mellitus	114	-	-	-	-	-	-	2	1	-	-	-	-	4	3	4	12	15	23	21	22	7	-	-	-	-	-
	White-----M--	54	-	-	-	-	-	-	1	1	-	-	-	-	4	1	3	3	6	12	11	9	3	-	-	-	-	-
	F--	59	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	8	9	11	10	13	4	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	10	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	447	-	-	-	2	1	1	1	-	-	-	1	2	3	13	16	24	40	60	70	81	69	45	14	1	-	3
	White-----M--	247	-	-	-	1	1	-	1	-	-	-	1	2	3	1	7	11	25	32	44	46	40	26	4	1	-	1
	F--	196	-	-	-	1	-	1	-	-	-	-	-	-	-	12	9	12	15	28	25	35	29	19	9	-	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,437	-	-	1	-	-	2	3	4	5	5	7	10	39	45	82	117	158	193	233	230	172	94	25	8	1	3
	White-----M--	961	-	-	-	-	-	1	1	2	3	-	6	4	29	35	65	90	117	141	162	136	99	48	17	4	-	1
	F--	456	-	-	1	-	-	1	2	2	2	5	-	6	10	10	17	25	37	48	70	92	72	44	8	3	1	2
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	1	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	98	-	-	-	-	-	1	1	4	4	4	1	2	7	6	9	6	11	9	13	9	7	3	-	1	-	-
	White-----M--	50	-	-	-	-	-	1	-	2	2	-	1	1	3	4	5	3	6	5	7	5	4	1	-	-	-	-
	F--	45	-	-	-	-	-	-	1	2	2	4	-	1	4	2	4	3	4	3	6	4	3	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	571	-	-	-	-	-	1	-	-	-	-	3	5	22	26	47	71	78	88	87	75	38	24	3	1	-	2
	White-----M--	430	-	-	-	-	-	-	-	-	-	-	3	2	17	23	41	63	60	65	66	50	24	12	2	1	-	1
	F--	135	-	-	-	-	-	1	-	-	-	-	-	3	5	3	6	8	16	21	21	23	14	12	1	-	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	768	-	-	1	-	-	-	2	-	1	1	3	3	10	13	26	40	69	96	133	146	127	67	22	6	1	1
	White-----M--	481	-	-	-	-	-	-	1	-	1	-	2	1	9	8	19	24	51	71	89	81	71	35	15	3	-	-
	F--	278	-	-	1	-	-	-	1	-	-	1	-	2	1	5	7	14	17	24	43	65	55	31	7	2	1	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
97, 102	Arteriosclerosis and high blood pressure*	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	14	16	17	12	5	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	10	9	5	2	-	-
	F	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	6	6	8	7	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	187	67	7	1	2	-	2	2	3	4	1	3	4	2	7	1	4	8	14	15	16	11	7	1	2	1	2
	White—M	113	37	4	1	1	-	1	1	1	4	1	-	1	1	5	1	3	7	8	14	10	4	5	-	-	1	2
	F	68	25	3	-	1	-	1	1	2	-	-	3	3	1	2	-	1	-	6	1	6	7	2	1	2	-	-
	Nonwhite—M	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	90	35	5	1	1	-	1	1	1	2	-	-	1	-	3	1	3	3	6	4	6	5	5	1	2	1	2
	White—M	52	18	3	1	1	-	1	-	1	2	-	-	-	-	2	1	2	2	1	4	4	3	3	-	-	1	2
	F	36	16	2	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	5	-	2	2	2	1	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	38	10	1	-	1	-	-	1	-	2	1	1	1	2	2	-	-	3	5	4	3	1	-	-	-	-	-
	White—M	26	7	-	-	-	-	-	1	-	2	1	-	-	1	1	-	-	3	4	4	2	-	-	-	-	-	-
	F	11	2	1	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	41	20	-	-	-	-	1	-	-	-	-	1	2	-	2	-	1	1	2	3	5	2	1	-	-	-	-
	White—M	25	11	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	3	1	1	-	-	-	-	-
	F	13	6	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	18	2	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	1	4	2	3	1	-	-	-	-
	White—M	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-	1	-	-	-	-
	F	8	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	41	-	-	-	-	-	-	-	-	-	-	-	3	-	2	6	4	8	6	3	5	3	1	-	-	-	-
	White—M	38	-	-	-	-	-	-	-	-	-	-	-	3	-	2	5	4	8	6	2	4	3	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	18	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-
	White—M	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	19	-	1	2	1	-	-	-	3	1	-	1	1	1	-	1	1	-	1	2	3	-	-	-	-	-	-
	White—M	17	-	1	2	-	-	-	-	3	1	-	1	1	1	-	1	1	-	1	2	2	-	-	-	-	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	23	2	-	-	-	-	-	-	-	-	1	-	-	2	1	4	2	-	3	3	2	2	1	-	-	-	-
	White—M	11	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	1	-	1	1	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	32	-	-	-	-	-	-	-	-	-	1	-	-	2	5	1	3	3	2	8	1	5	-	1	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	3	2	1	4	-	4	-	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	3	1	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	28	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	2	5	2	3	5	2	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	3	1	2	1	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	1	4	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	276	2	-	-	-	-	1	3	2	6	2	5	5	14	8	15	15	22	42	31	43	35	18	7	-	-	-
	White—M	167	1	-	-	-	-	1	1	-	3	-	3	4	7	5	7	9	14	27	20	25	26	10	4	-	-	-
	F	98	-	-	-	-	-	-	2	2	2	2	2	1	7	3	5	4	8	14	10	18	7	8	3	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	-	1	-	2	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	6	1	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	5	6	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
140-150	Diseases of pregnancy, etc.*----	13	-	-	-	-	-	-	-	1	1	4	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	1	1	4	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	5	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	86	69	5	-	1	-	4	1	-	1	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	46	34	5	-	1	-	3	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	38	35	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	283	283	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	123	123	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	97	-	-	-	-	-	-	-	-	7	2	8	9	11	12	12	9	11	6	6	2	2	-	-	-	-	-
	White-----M--	78	-	-	-	-	-	-	-	-	5	2	5	7	8	9	11	8	8	5	6	2	2	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	3	2	3	2	1	1	3	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	20	-	-	-	-	-	-	-	1	2	2	2	4	1	1	2	1	1	-	1	1	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	1	1	2	2	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	553	22	22	10	6	5	25	19	40	45	37	26	38	23	32	33	22	21	24	32	26	21	14	5	3	-	2
	White-----M--	403	8	11	7	5	2	22	14	27	34	31	19	33	18	29	30	18	18	17	24	13	11	8	3	-	-	1
	F--	135	12	10	3	-	2	3	5	13	8	5	8	4	5	1	2	4	2	7	8	13	10	6	2	3	-	1
	Nonwhite--M--	12	2	-	-	1	-	-	-	-	2	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	196	3	4	3	2	2	10	7	17	29	16	13	16	7	11	9	11	8	9	7	7	2	2	1	-	-	-
	White-----M--	139	1	3	2	2	-	8	5	7	20	13	9	12	5	10	7	8	8	5	5	4	2	2	1	-	-	-
	F--	50	1	1	1	-	1	2	2	10	8	2	3	3	2	-	2	3	-	4	2	3	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	357	19	18	7	4	3	15	12	23	16	21	13	22	16	21	24	11	13	15	25	19	19	12	4	3	-	2
	White-----M--	264	7	8	5	3	2	14	9	20	14	18	10	21	13	19	23	10	10	12	19	9	9	6	2	-	-	1
	F--	85	11	9	2	-	1	1	3	3	-	3	3	1	3	1	-	1	2	3	6	10	10	6	2	3	-	1
	Nonwhite--M--	6	1	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	134	2	2	1	-	-	1	1	-	-	-	1	2	3	6	3	3	11	7	17	13	22	21	11	3	4	-
	White-----M--	95	2	1	1	-	-	-	1	-	-	-	1	1	3	5	2	3	10	5	14	9	16	16	4	1	-	-
	F--	33	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	2	3	2	6	5	5	2	3	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	All other causes-	302	15	9	4	-	4	9	8	7	7	7	7	13	10	12	14	23	27	35	28	22	25	11	4	1	1	1
	White-----M--	159	8	4	2	-	3	4	5	3	2	2	3	8	5	5	7	11	17	18	18	15	11	7	1	-	1	1
	F--	140	7	5	2	-	1	5	3	4	5	4	4	5	5	7	7	11	10	17	12	7	11	4	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																										
	ALL CAUSES-------	91,328	5,123	386	201	131	134	465	321	653	968	1,104	1,370	1,970	3,002	4,186	6,158	8,187	9,575	10,578	10,909	10,703	8,378	4,814	1,648	334	44	6
	White-----M--	48,075	2,569	173	99	75	74	255	184	355	513	481	611	930	1,541	2,233	3,505	4,806	5,632	5,976	5,827	5,369	4,018	2,049	653	128	15	4
	F--	35,853	1,812	160	75	44	50	172	96	205	252	340	503	651	892	1,312	1,935	2,611	3,287	3,928	4,592	4,957	4,146	2,670	953	188	21	1
	Nonwhite--M--	4,064	410	29	9	4	8	22	18	51	98	155	139	194	301	371	415	464	357	370	257	206	117	57	20	8	3	1
	F--	3,336	332	24	18	8	2	16	23	42	105	128	117	195	268	250	303	306	299	304	233	171	97	58	22	10	5	-
1,2	Typhoid and paratyphoid fever---	6	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	54	11	6	5	2	4	6	2	2	-	2	2	-	-	3	3	2	1	-	2	1	-	-	-	-	-	-
	White-----M--	25	7	1	1	2	1	2	1	2	-	2	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-
	F--	18	3	3	2	-	3	2	-	-	-	-	1	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	6	1	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	28	18	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	9	-	-	-	-	2	-	1	2	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,858	19	22	14	7	5	11	15	65	134	195	193	206	277	247	262	295	227	184	139	82	39	16	4	-	-	-
	White-----M--	1,392	8	5	1	4	2	4	2	9	17	40	67	88	141	149	173	210	167	127	96	53	23	6	2	-	-	-
	F--	540	3	7	3	-	2	4	4	14	32	54	63	52	49	28	40	35	33	35	33	27	13	7	2	-	-	-
	Nonwhite--M--	424	4	5	2	1	1	1	4	17	25	41	36	41	59	53	36	47	23	19	4	2	2	1	-	-	-	-
	F--	302	6	5	8	2	-	2	5	25	60	60	27	25	28	17	13	3	4	3	6	-	1	2	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	2,438	6	8	5	3	-	1	11	55	124	176	180	196	251	237	249	283	211	177	131	78	37	15	4	-	-	-
	White-----M--	1,318	3	2	1	2	-	1	1	7	16	36	62	87	131	145	167	206	158	125	89	50	22	5	2	-	-	-
	F--	489	-	2	1	-	-	-	3	11	31	51	61	48	46	27	36	33	28	31	32	26	13	7	2	-	-	-
	Nonwhite--M--	372	2	2	-	-	-	-	3	15	21	36	31	39	51	49	34	41	21	19	4	2	1	1	-	-	-	-
	F--	259	1	2	3	1	-	-	4	22	56	53	26	22	23	16	12	3	4	2	6	-	1	2	-	-	-	-
14-22	Tuberculosis (other forms)---	220	13	14	9	4	5	10	4	10	10	19	13	10	26	10	13	12	16	7	8	4	2	1	-	-	-	-
	White-----M--	74	3	3	-	2	2	3	1	2	1	4	5	1	10	4	6	4	9	2	7	3	1	1	-	-	-	-
	F--	51	3	5	2	-	2	4	1	3	1	3	2	4	3	1	4	2	5	4	1	1	-	-	-	-	-	-
	Nonwhite--M--	52	2	3	2	1	1	1	1	2	4	5	5	2	8	4	2	6	2	-	-	-	1	-	-	-	-	-
	F--	43	5	3	5	1	-	2	1	3	4	7	1	3	5	1	1	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery--------	16	4	2	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	2	1	-	-	-	-	-
	White-----M--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	6	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	622	3	-	-	-	-	-	1	-	3	6	10	26	36	64	73	98	86	90	70	35	17	3	1	-	-	-
	White-----M--	333	1	-	-	-	-	-	1	-	-	-	1	4	15	34	34	60	49	55	49	19	9	1	1	-	-	-
	F--	129	1	-	-	-	-	-	-	-	1	3	3	6	5	10	13	15	16	19	16	12	7	2	-	-	-	-
	Nonwhite--M--	119	1	-	-	-	-	-	-	-	1	1	5	10	9	14	22	21	16	12	4	3	-	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	1	2	1	6	7	6	4	2	5	4	1	1	1	-	-	-	-	-	-
35	Measles----------	83	11	15	10	8	7	21	3	2	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	6	8	7	1	4	7	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	5	5	3	7	3	14	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	70	1	2	2	3	3	17	9	10	7	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	1	2	1	2	3	9	3	3	5	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	-	-	1	1	-	8	5	7	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
45-55	Cancer and other malignant tumors	13,845	3	8	13	6	9	20	16	30	58	78	171	270	524	852	1,249	1,675	1,995	1,989	1,879	1,528	932	415	99	23	2	1
	White-----M--	6,616	1	5	6	4	5	8	8	12	27	25	57	97	151	309	525	799	1,048	1,050	991	776	460	200	44	8	-	-
	F--	6,425	1	2	6	1	4	12	5	13	25	39	94	141	302	458	610	757	847	847	818	715	451	208	54	13	2	-
	Nonwhite--M--	358	1	1	-	-	-	-	-	5	4	5	6	4	16	41	46	60	41	48	46	19	11	2	1	-	-	1
	F--	446	-	-	1	1	-	-	3	-	2	9	14	28	55	44	68	59	59	44	24	18	10	5	-	2	-	-
46	Cancer of the digestive organs and peritoneum	6,337	1	1	-	1	1	-	2	1	13	16	43	79	141	270	503	706	971	1,048	980	809	496	196	37	11	-	1
	White-----M--	3,376	-	-	-	1	1	-	1	1	7	8	16	42	63	125	254	398	565	592	552	405	238	94	10	3	-	-
	F--	2,660	1	-	-	-	-	-	1	-	6	6	21	30	58	114	206	262	372	412	402	386	250	99	27	7	-	-
	Nonwhite--M--	188	-	1	-	-	-	-	-	-	-	-	1	1	7	16	25	29	22	26	21	10	5	1	-	-	-	1
	F--	153	-	-	-	-	-	-	-	-	-	2	5	6	13	13	18	17	12	18	15	8	3	2	-	1	-	-
48,49	Cancer of female genital organs	1,527	-	-	-	-	-	1	-	4	11	20	38	56	136	172	190	196	206	155	143	112	54	22	11	-	-	-
	White-----F--	1,349	-	-	-	-	-	1	-	4	9	15	33	38	111	154	159	176	177	145	137	107	52	20	11	-	-	-
	Nonwhite--F--	178	-	-	-	-	-	-	-	-	2	5	5	18	25	18	31	20	29	10	6	5	2	2	-	-	-	-
50	Cancer of breast	1,368	-	-	-	-	-	-	-	-	1	4	30	50	99	120	158	193	162	169	142	105	75	49	8	2	1	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	2	1	1	2	-	-	-	-
	F--	1,269	-	-	-	-	-	-	-	-	1	3	27	48	91	116	147	177	151	159	138	103	71	47	8	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	-	1	3	2	7	3	10	13	8	9	2	1	3	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	4,813	2	7	13	5	8	13	14	25	33	38	60	85	148	290	398	580	656	617	604	502	307	148	43	10	1	-
	White-----M--	3,224	1	5	6	3	4	8	7	11	20	17	41	55	87	183	270	398	480	457	437	370	221	104	34	5	-	-
	F--	1,127	-	2	6	1	4	11	4	9	9	15	13	25	42	74	98	142	147	131	141	119	78	42	8	5	1	-
	Nonwhite--M--	190	1	-	-	-	-	-	-	5	4	5	5	3	9	23	21	31	19	22	25	9	6	1	1	-	-	-
	F--	72	-	-	1	1	-	-	3	-	-	1	1	2	10	10	9	9	10	7	1	4	2	1	-	-	-	-
59	Acute rheumatic fever	42	-	1	2	1	2	9	7	4	3	3	2	2	1	2	1	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	1	2	2	2	1	2	-	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	20	-	1	1	-	1	5	3	2	2	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,806	2	2	-	1	-	5	8	8	12	6	17	25	42	90	177	334	448	492	467	392	199	62	16	1	-	-
	White-----M--	978	1	-	-	-	-	1	4	3	4	1	8	9	19	42	70	112	157	164	140	140	80	16	7	-	-	-
	F--	1,687	1	2	-	1	-	3	3	5	6	4	8	14	14	37	78	207	270	307	313	243	116	45	9	1	-	-
	Nonwhite--M--	38	-	-	-	-	-	-	1	-	1	-	-	-	2	2	8	5	3	2	7	5	2	-	-	-	-	-
	F--	103	-	-	-	-	-	1	-	-	1	1	1	2	7	9	21	10	18	19	7	4	1	1	-	-	-	-
63b	Exophthalmic goiter	161	-	-	-	-	-	-	-	3	3	3	2	4	6	9	22	23	19	32	8	15	8	4	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	2	1	-	-	1	-	3	5	6	6	1	2	1	1	-	-	-	-
	F--	127	-	-	-	-	-	-	-	3	1	1	1	4	4	8	19	17	13	26	7	13	7	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	61	-	-	-	-	-	-	-	1	-	7	2	13	6	11	6	8	3	2	2	-	-	-	-	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	-	5	2	10	5	8	6	6	3	2	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,263	9	3	2	1	1	3	1	4	17	13	26	75	124	232	401	607	767	1,018	1,138	1,174	937	515	163	30	2	-
	White-----M--	3,405	8	2	2	1	1	-	-	2	9	3	7	26	52	86	167	296	395	520	556	556	436	196	73	10	1	-
	F--	3,324	1	1	-	-	-	2	1	2	6	7	9	29	42	98	170	229	304	426	530	576	475	309	88	18	1	-
	Nonwhite--M--	252	-	-	-	-	-	1	-	-	2	1	4	6	10	17	35	47	51	44	22	18	10	1	2	1	-	-
	F--	282	-	-	-	-	-	-	-	-	-	2	6	14	20	31	29	35	37	28	30	24	16	9	-	1	-	-
90-95	Diseases of the heart	34,207	11	8	2	5	1	20	20	41	71	125	213	451	829	1,379	2,345	3,251	3,934	4,436	4,747	4,852	4,022	2,382	861	178	22	1
	White-----M--	18,899	3	2	2	2	1	10	11	23	33	55	95	243	492	870	1,528	2,139	2,502	2,658	2,596	2,396	1,873	975	314	68	8	1
	F--	13,034	7	5	-	2	-	8	4	15	22	44	82	119	186	313	548	812	1,150	1,487	1,926	2,275	2,039	1,357	521	101	11	-
	Nonwhite--M--	1,192	1	-	-	-	-	2	1	8	13	19	35	86	112	156	170	152	147	100	92	57	23	12	4	2	-
	F--	1,082	-	1	-	1	-	2	3	2	8	13	17	54	65	84	113	131	130	144	125	89	53	27	14	5	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	1,535	1	-	-	1	-	11	9	18	25	50	75	99	90	111	134	180	149	141	144	114	103	64	21	4	1	-
	White-----M--	739	-	-	-	1	-	7	3	13	12	21	32	45	51	53	62	99	72	73	64	52	44	26	8	-	1	-
	F--	709	1	-	-	-	-	3	3	4	10	25	39	33	33	48	61	71	72	80	75	59	58	37	13	4	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	2	3	1	4	6	5	4	-	3	3	2	-	-	-	-	-	-
	F--	54	-	-	-	-	-	1	3	1	3	2	1	10	2	4	6	6	5	5	2	1	1	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	8,854	-	-	-	-	-	-	3	2	9	22	43	98	282	501	866	1,185	1,268	1,302	1,212	1,041	636	271	93	16	3	1
	White-----M--	6,200	-	-	-	-	-	-	2	1	5	15	23	80	222	401	704	951	955	915	776	618	348	134	39	8	2	1
	F--	2,463	-	-	-	-	-	-	-	1	2	5	14	14	49	82	138	204	285	363	418	414	281	134	51	8	-	-
	Nonwhite--M--	120	-	-	-	-	-	1	-	1	1	4	3	7	12	16	18	18	19	17	12	4	3	-	2	-	-	-
	F--	71	-	-	-	-	-	-	-	-	1	1	2	1	4	6	8	12	9	7	6	5	4	3	1	-	1	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	23,818	10	8	2	4	1	9	8	21	37	53	95	264	457	767	1,345	1,886	2,517	2,993	3,391	3,697	3,283	2,047	747	158	18	-
	White-----M--	11,960	3	2	2	1	1	3	6	9	16	19	40	118	219	416	762	1,088	1,475	1,670	1,756	1,726	1,481	815	267	60	5	-
	F--	9,862	6	5	-	2	-	5	1	10	10	14	29	72	104	183	349	537	793	1,064	1,433	1,802	1,700	1,186	457	89	11	-
	Nonwhite--M--	1,039	1	-	-	-	-	-	1	1	7	10	12	31	75	94	135	148	133	127	85	86	54	23	10	4	2	-
	F--	957	-	1	-	1	-	1	-	1	4	10	14	43	59	74	99	113	116	132	117	83	48	23	13	5	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	1,436	-	-	-	-	-	-	-	1	-	-	4	2	2	8	20	28	67	115	230	268	303	250	106	25	7	-
	White-----M--	727	-	-	-	-	-	-	-	-	-	-	2	-	1	3	13	13	36	60	114	141	157	124	48	11	4	-
	F--	639	-	-	-	-	-	-	-	1	-	-	2	-	1	3	6	11	25	46	101	115	135	122	55	14	2	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	8	8	7	8	1	1	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	1	7	5	3	3	2	-	1	-
107-109, 33	Pneumonia (all forms) and influenza-------	2,761	487	73	24	17	3	28	15	12	15	25	42	66	108	134	143	159	206	233	225	272	235	165	54	18	2	-
	White-----M--	1,511	215	41	16	14	2	13	8	6	6	9	17	31	66	85	87	102	134	132	138	166	117	78	20	7	1	-
	F--	884	157	23	8	3	1	12	4	5	4	11	20	20	18	23	33	36	47	68	69	89	110	83	30	10	-	-
	Nonwhite--M--	243	76	4	-	-	-	2	1	-	2	2	2	10	17	20	19	14	17	20	13	14	3	3	2	1	1	-
	F--	123	39	5	-	-	-	1	2	1	3	3	3	5	7	6	4	7	8	13	5	3	5	1	2	-	-	-
107	Bronchopneumonia-	1,595	390	58	13	13	1	22	8	5	9	11	17	24	52	42	69	66	103	115	119	169	151	90	34	12	2	-
	White-----M--	844	164	31	10	10	1	13	4	3	5	5	6	11	32	24	40	39	62	75	73	105	75	40	13	4	1	-
	F--	529	120	18	3	3	-	7	1	2	3	8	9	8	8	9	23	17	30	27	36	53	70	48	19	7	-	-
	Nonwhite--M--	143	70	4	-	-	-	2	1	-	-	-	-	3	8	7	5	7	7	7	5	9	3	2	1	1	1	-
	F--	79	36	5	-	-	-	-	2	-	1	-	2	2	4	2	1	3	4	6	5	2	3	-	1	-	-	-
108	Lobar pneumonia--	967	60	7	5	2	-	3	6	4	5	12	22	36	53	82	65	90	96	104	87	86	71	56	12	3	-	-
	White-----M--	576	31	4	2	2	-	-	4	2	1	5	10	19	32	60	43	62	69	51	56	52	36	30	4	1	-	-
	F--	270	22	3	3	-	-	2	2	2	1	3	9	8	9	8	7	19	15	35	25	29	34	24	8	2	-	-
	Nonwhite--M--	90	5	-	-	-	-	-	-	-	2	2	2	7	9	11	13	7	9	12	6	4	-	1	-	-	-	-
	F--	31	2	-	-	-	-	1	-	-	1	2	1	2	3	3	2	2	3	6	-	1	1	1	-	-	-	-
109	Pneumonia (unspecified)------	59	16	4	1	1	-	1	1	2	-	-	-	1	2	2	5	1	2	2	4	4	4	4	1	1	-	-
	White-----M--	27	9	2	-	1	-	-	-	1	-	-	-	-	1	1	2	-	1	1	3	2	1	1	-	1	-	-
	F--	28	7	2	1	-	-	1	1	1	-	-	-	1	1	-	3	-	1	1	1	1	3	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
33	Influenza--------	140	21	4	5	1	2	2	-	1	1	2	3	5	1	8	4	2	5	12	15	13	9	15	7	2	-	-
	White-----M--	54	11	4	4	1	1	-	-	-	-	1	1	1	1	-	2	1	2	5	6	7	5	7	3	1	-	-
	F--	57	8	-	1	-	1	2	-	-	-	-	2	3	-	6	-	-	1	5	7	6	3	8	3	1	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	1	-	-	-
	F--	11	1	-	-	-	-	-	-	1	1	1	-	1	-	1	1	1	1	1	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	641	3	-	-	-	-	1	1	1	2	10	9	14	43	50	60	95	95	88	66	56	32	13	1	1	-	-
	White-----M--	499	1	-	-	-	-	-	-	-	2	6	7	12	32	42	48	77	77	74	50	44	22	5	-	-	-	-
	F--	106	1	-	-	-	-	1	1	1	-	3	1	2	7	4	8	11	11	10	14	11	10	8	1	1	-	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	6	3	1	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	1	1	1	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	254	160	18	2	-	-	3	-	1	6	4	1	5	5	4	3	7	2	5	10	5	7	4	2	-	-	-
	White-----M--	116	71	7	2	-	-	-	-	1	4	2	-	1	4	1	1	3	1	3	4	4	4	1	2	-	-	-
	F--	94	53	7	-	-	-	2	-	-	2	1	1	4	1	2	1	4	1	2	6	1	3	3	-	-	-	-
	Nonwhite--M--	22	19	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	22	17	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	273	2	3	7	2	5	13	14	11	9	5	12	16	15	17	26	22	25	28	16	9	11	4	-	1	-	-
	White-----M--	165	2	2	1	1	3	9	8	5	6	2	8	9	6	10	19	15	18	15	11	5	7	3	-	-	-	-
	F--	87	-	1	6	1	1	4	6	5	3	3	3	5	6	5	4	5	6	10	5	3	4	-	-	1	-	-
	Nonwhite--M--	14	-	-	-	-	1	-	-	1	-	-	1	1	2	2	2	-	-	3	-	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	674	21	7	1	2	-	5	3	3	3	6	12	15	23	35	55	74	78	85	80	76	47	32	11	-	-	-
	White-----M--	332	8	6	1	-	-	4	1	2	2	3	5	8	10	17	32	33	38	36	45	36	28	14	3	-	-	-
	F--	294	8	-	-	2	-	1	1	1	1	2	6	6	11	15	17	34	35	44	31	36	18	17	8	-	-	-
	Nonwhite--M--	26	3	1	-	-	-	-	-	-	-	-	-	1	-	2	5	2	4	2	2	3	-	1	-	-	-	-
	F--	22	2	-	-	-	-	1	-	-	1	1	-	2	1	1	5	1	3	2	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	1,207	12	2	-	-	1	1	2	-	1	10	27	61	101	120	155	160	162	128	103	87	48	24	2	-	-	-
	White-----M--	811	3	1	-	-	1	1	-	-	-	6	10	41	71	82	110	120	116	88	72	57	22	9	1	-	-	-
	F--	351	7	1	-	-	-	-	2	-	1	3	15	18	26	29	41	33	43	34	29	29	24	15	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	1	1	-	7	3	5	2	5	1	1	2	-	-	-	-	-
	F--	17	2	-	-	-	-	-	-	-	-	1	1	1	4	2	1	2	1	1	1	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	484	-	-	-	-	-	-	-	2	3	3	5	10	16	28	52	52	68	62	76	57	31	16	2	1	-	-
	White-----M--	173	-	-	-	-	-	-	-	1	1	-	4	1	4	7	19	22	23	25	33	16	13	4	-	-	-	-
	F--	304	-	-	-	-	-	-	-	1	2	3	1	8	12	20	32	28	44	36	43	41	18	12	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	5,143	2	4	3	5	2	14	5	28	29	40	51	81	142	179	284	363	471	591	686	794	757	449	156	23	4	-
	White-----M--	2,469	-	1	-	4	1	7	2	12	15	22	16	31	59	70	132	170	233	300	353	388	379	198	67	8	1	-
	F--	2,246	2	3	3	1	1	5	3	13	12	12	25	23	43	73	100	132	198	240	294	371	347	245	86	13	1	-
	Nonwhite--M--	201	-	-	-	-	-	1	-	2	-	3	1	8	13	19	23	34	24	22	22	18	9	-	1	1	-	-
	F--	227	-	-	-	-	-	1	-	1	2	3	9	19	27	17	29	27	16	29	17	17	2	6	2	1	2	-
137	Diseases of the prostate--------	545	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	18	49	74	103	136	81	62	13	1	-	-
	White-----M--	516	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	14	49	70	96	131	74	62	13	1	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	4	7	5	7	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
140-150	Diseases of pregnancy, etc.*----	151	-	-	-	-	-	-	-	10	33	36	33	26	9	4	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	135	-	-	-	-	-	-	-	8	29	34	28	24	8	4	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	-	-	-	-	-	-	-	2	4	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	54	-	-	-	-	-	-	-	3	13	15	13	7	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	46	-	-	-	-	-	-	-	2	10	14	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	29	-	-	-	-	-	-	-	5	2	6	6	6	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	-	-	-	-	-	-	-	4	2	5	6	6	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	56	-	-	-	-	-	-	-	1	14	13	10	12	4	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	50	-	-	-	-	-	-	-	1	13	13	8	10	3	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	12	-	-	-	-	-	-	-	1	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	1	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	1,087	878	62	17	10	6	22	13	13	9	14	7	8	2	10	4	9	-	-	1	2	-	-	-	-	-
	White-----M--	557	441	27	7	7	2	15	8	9	7	11	5	4	1	8	3	3	-	-	-	2	-	-	-	-	-
	F--	458	373	35	8	3	4	7	5	3	2	3	2	2	-	5	1	5	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	32	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	35	32	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	3,048	3,048	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,580	1,580	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,034	1,034	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	237	237	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	197	197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,953	1,953	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	997	997	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	674	674	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	133	133	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	1,095	1,095	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	583	583	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	887	-	-	-	-	-	-	1	16	31	32	56	67	83	94	97	107	92	80	60	41	23	6	1	-	-
	White-----M--	674	-	-	-	-	-	-	1	9	23	19	26	46	67	74	83	85	72	60	49	34	20	5	1	-	-
	F--	187	-	-	-	-	-	-	-	6	6	10	28	15	15	17	12	22	18	17	11	6	3	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	1	1	2	2	5	1	3	2	-	-	2	3	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	479	11	2	-	-	1	2	3	20	62	79	70	64	54	37	24	18	11	7	9	4	1	-	-	-	-
	White-----M--	149	3	-	-	-	-	-	2	8	15	20	18	18	15	9	11	10	6	4	7	3	-	-	-	-	-
	F--	58	5	1	-	-	1	2	-	4	10	3	6	7	6	3	4	1	1	1	2	1	-	-	-	-	-
	Nonwhite--M--	221	1	-	-	-	-	-	-	7	29	49	36	32	28	21	9	4	3	2	-	-	-	-	-	-	-
	F--	51	2	1	-	-	-	-	1	1	8	7	10	7	5	4	-	3	1	-	-	-	1	-	-	-	-
169-195	Accidental deaths	5,752	124	73	49	40	47	166	117	280	356	276	239	269	294	291	371	380	379	405	394	454	403	232	91	19	-	3
	White-----M--	3,674	61	37	25	25	27	108	81	194	293	199	175	184	216	206	287	283	276	276	213	211	170	86	51	8	-	2
	F--	1,659	37	27	18	10	14	44	24	66	40	42	42	56	37	44	59	65	84	114	167	230	229	141	57	11	-	1
	Nonwhite--M--	308	13	5	2	2	5	11	9	13	19	26	17	23	31	34	20	26	16	12	10	7	2	2	1	-	-	-
	F--	111	13	4	4	3	1	3	3	7	4	7	5	6	10	7	5	6	3	3	4	6	2	3	2	-	-	-
170	Motor-vehicle accidents-------	1,950	6	10	12	16	24	73	38	158	219	154	117	116	103	109	131	132	154	140	111	68	45	12	1	-	-	1
	White-----M--	1,439	3	3	5	6	13	47	29	118	187	115	93	86	74	74	91	98	109	111	90	48	29	12	-	-	-	1
	F--	376	3	7	4	7	7	19	7	40	25	20	18	21	16	18	30	26	35	24	19	15	15	-	-	-	-	-
	Nonwhite--M--	102	-	-	1	1	3	6	1	1	6	15	4	7	8	15	8	8	8	4	2	2	1	-	-	-	-	-
	F--	33	-	-	2	2	1	1	1	2	1	4	2	2	5	2	2	-	1	1	-	3	-	-	1	-	-	-
169, 171-195	Other accidents--	3,802	118	63	37	24	23	93	79	122	137	122	122	153	191	182	240	248	225	265	283	386	358	220	90	19	-	2
	White-----M--	2,235	58	34	20	19	14	61	52	79	106	84	82	98	142	132	196	185	167	165	123	163	141	74	31	8	-	1
	F--	1,283	34	20	14	3	7	25	17	26	15	22	24	35	21	26	29	39	49	90	148	215	214	141	57	11	-	1
	Nonwhite--M--	206	13	5	1	1	2	5	8	12	13	13	13	16	23	19	12	18	7	8	8	5	1	2	1	-	-	-
	F--	78	13	4	2	1	-	2	2	5	3	3	3	4	5	5	3	6	2	2	4	3	2	3	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	311	16	-	1	1	-	4	3	-	5	9	10	11	14	7	12	15	10	12	23	31	49	43	27	5	2	1
	White-----M--	168	8	-	-	1	-	1	1	-	5	6	5	8	7	5	8	12	7	10	14	15	27	16	9	2	-	1
	F--	127	8	-	-	-	-	3	2	-	-	3	4	2	2	1	4	2	3	2	9	15	21	26	18	1	1	-
	Nonwhite--M--	11	-	-	1	-	-	-	-	-	-	-	1	1	4	1	-	1	-	-	-	-	-	1	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	1	-
	All other causes-	4,253	287	66	45	18	34	93	61	84	94	112	140	189	236	263	301	386	372	418	371	325	212	117	38	8	3	-
	White-----M--	2,111	135	25	27	7	17	54	36	51	36	45	64	63	100	118	135	214	214	238	194	171	94	49	17	5	-	-
	F--	1,774	93	30	15	11	15	33	21	28	41	46	54	91	95	112	132	149	136	156	165	144	114	66	21	3	3	-
	Nonwhite--M--	186	17	8	2	-	1	3	-	3	6	9	7	14	15	16	22	15	12	13	9	9	4	1	-	-	-	-
	F--	182	22	3	1	-	1	3	2	2	11	12	15	21	26	17	12	8	10	11	3	1	-	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																										
	ALL CAUSES-------	39,544	2,780	209	86	101	69	197	185	326	480	466	587	765	1,107	1,575	2,137	2,778	3,421	4,339	4,872	5,149	4,210	2,620	901	162	21	21
	White-----M--	21,092	1,447	111	44	49	38	106	118	199	291	237	308	380	579	853	1,235	1,600	1,990	2,516	2,661	2,645	2,038	1,218	374	57	11	7
	F--	16,195	1,069	89	32	44	26	76	55	97	132	167	192	302	384	514	674	966	1,246	1,631	2,063	2,368	2,095	1,354	508	98	6	7
	Nonwhite--M--	1,227	133	4	5	5	3	9	7	14	31	30	38	56	69	118	129	125	113	108	80	66	37	29	8	4	1	5
	F--	1,030	111	5	5	3	2	8	5	16	28	32	49	47	75	90	99	87	72	84	68	70	40	19	11	3	3	2
1,2	Typhoid and paratyphoid fever---	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	34	8	6	2	3	-	6	-	1	-	1	-	2	-	2	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	13	3	1	1	2	-	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	5	5	1	1	-	1	-	1	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	21	15	1	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	9	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	16	-	2	-	4	4	1	1	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	13	-	1	-	4	3	1	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)-----	917	10	8	-	5	-	6	5	18	54	62	69	80	80	78	92	75	79	71	70	41	23	8	3	-	-	-
	White-----M--	462	1	2	-	2	-	5	1	3	11	20	28	24	44	44	56	50	53	48	36	15	15	3	1	-	-	-
	F--	287	6	4	-	2	-	1	2	6	18	24	20	21	20	23	19	15	21	15	32	26	8	2	2	-	-	-
	Nonwhite--M--	98	1	1	-	-	-	-	1	5	13	5	8	9	10	8	12	8	5	7	2	-	-	3	-	-	-	-
	F--	70	2	1	-	1	-	-	1	4	12	13	13	6	6	3	5	2	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	817	4	1	-	2	-	2	3	15	48	54	66	56	73	69	86	66	75	68	62	36	23	6	2	-	-	-
	White-----M--	417	-	-	-	1	-	2	-	2	9	16	28	23	40	37	54	45	53	46	30	14	15	2	-	-	-	-
	F--	256	2	-	-	1	-	-	1	5	16	22	20	21	19	21	17	14	17	15	31	22	8	2	2	-	-	-
	Nonwhite--M--	86	1	-	-	-	-	-	1	4	12	4	8	8	9	8	10	6	5	7	1	-	-	2	-	-	-	-
	F--	58	1	1	-	-	-	-	1	4	11	12	10	4	5	3	5	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	100	6	7	-	3	-	4	2	3	6	8	3	4	7	9	6	9	4	3	8	5	-	2	1	-	-	-
	White-----M--	45	1	2	-	1	-	3	1	1	2	4	-	1	4	7	2	5	-	2	6	1	-	1	1	-	-	-
	F--	31	4	4	-	1	-	1	1	1	2	2	-	-	1	2	2	1	4	-	1	4	-	-	-	-	-	-
	Nonwhite--M--	12	-	1	-	-	-	-	-	1	1	1	-	1	1	-	2	2	-	-	1	-	-	1	-	-	-	-
	F--	12	1	-	-	1	-	-	-	-	1	1	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
27	Dysentery--------	10	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	312	4	-	-	-	-	-	1	2	1	3	5	15	26	33	44	49	40	39	25	11	8	5	-	-	-	1
	White-----M--	177	1	-	-	-	-	-	1	2	-	2	2	4	10	14	27	30	29	23	16	9	4	3	-	-	-	-
	F--	70	1	-	-	-	-	-	-	-	-	-	1	6	8	8	9	11	6	9	5	1	3	2	-	-	-	-
	Nonwhite--M--	44	2	-	-	-	-	-	-	-	-	1	1	3	4	8	8	6	4	5	2	-	1	-	-	-	-	1
	F--	21	-	-	-	-	-	-	-	-	1	-	1	2	4	3	2	2	1	2	2	1	-	-	-	-	-	-
35	Measles----------	37	9	8	3	2	4	8	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	White-----M--	24	6	7	1	1	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	3	1	2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	29	-	1	1	-	3	6	7	3	3	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	-	-	-	-	1	4	4	3	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	1	1	-	2	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
45-55	Cancer and other malignant tumors	5,282	-	4	3	7	6	6	9	8	16	41	74	111	171	306	431	553	654	688	750	670	486	238	42	6	1	1
	White-----M--	2,462	-	3	2	3	4	3	8	6	12	11	25	30	54	115	190	239	315	331	385	352	245	111	18	-	-	-
	F--	2,600	-	1	1	4	1	3	1	2	3	27	43	71	103	166	206	284	308	335	347	303	236	124	24	6	-	1
	Nonwhite--M--	99	-	-	-	-	-	-	-	-	1	1	-	1	3	14	19	10	17	13	8	7	4	1	-	-	-	-
	F--	121	-	-	-	-	1	-	-	-	-	2	6	9	11	11	16	20	14	9	10	8	1	2	-	-	1	-
46	Cancer of the digestive organs and peritoneum--	2,310	-	-	1	1	1	3	1	3	3	9	18	22	44	97	163	207	285	335	390	335	242	125	20	4	-	1
	White-----M--	1,192	-	-	1	1	1	2	1	3	2	4	12	13	28	52	81	103	154	186	214	165	117	45	7	-	-	-
	F--	1,028	-	-	-	-	-	1	-	-	-	3	6	8	15	35	63	92	110	139	172	167	124	78	13	4	-	1
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	1	-	-	1	1	7	13	5	13	8	2	2	1	1	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	2	-	-	2	3	6	7	8	3	2	1	-	1	-	-	-	-
48,49	Cancer of female genital organs--	676	-	-	-	-	-	-	-	1	1	13	28	34	52	76	75	80	72	80	63	53	33	12	3	-	-	-
	White-----F--	630	-	-	-	-	-	-	-	1	1	13	24	29	46	71	70	74	70	77	57	50	33	11	3	-	-	-
	Nonwhite--F--	46	-	-	-	-	-	-	-	-	-	-	4	5	6	5	5	6	2	3	6	3	-	1	-	-	-	-
50	Cancer of breast-	498	-	-	-	-	-	-	-	-	-	1	9	21	30	38	51	65	69	59	51	51	38	12	1	2	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	477	-	-	-	-	-	-	-	-	-	1	7	20	28	36	48	62	66	58	50	48	38	12	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	2	3	1	-	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,798	-	4	2	6	5	3	8	4	12	18	19	34	45	95	142	201	228	214	246	231	173	88	18	-	1	-
	White-----M--	1,267	-	3	1	2	3	1	7	3	10	7	13	17	26	63	109	135	161	145	170	186	128	66	11	-	-	-
	F--	465	-	1	1	4	1	2	1	1	2	10	6	14	16	24	25	56	62	62	68	38	41	23	7	-	-	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	1	-	-	2	7	6	5	4	5	5	5	3	-	-	-	-	-
	F--	22	-	-	-	-	1	-	-	-	-	-	-	3	1	1	2	5	1	2	2	2	1	-	-	-	1	-
58	Acute rheumatic fever----------	25	1	-	-	-	1	3	6	2	1	2	1	3	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	15	-	-	-	-	1	1	4	2	-	2	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	1	2	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,024	-	-	-	1	-	1	-	4	2	6	5	14	15	32	49	94	156	183	176	185	84	31	4	1	-	1
	White-----M--	385	-	-	-	-	-	-	-	2	1	3	2	5	4	14	18	35	52	58	79	63	29	17	2	1	-	-
	F--	588	-	-	-	1	-	1	-	2	-	2	3	7	7	15	24	51	97	121	93	97	50	14	2	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	1	1	2	-	-	-	-	-
	F--	40	-	-	-	-	-	-	-	-	1	1	-	2	3	2	5	8	5	3	3	4	3	-	-	-	-	-
63b	Exophthalmic goiter----------	81	-	-	-	-	-	-	-	1	1	2	1	3	6	6	10	6	12	14	6	9	4	-	-	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	5	1	-	1	1	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	1	2	1	2	8	4	6	13	5	8	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	1	-	-	3	2	-	-	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	56	-	-	-	-	-	-	-	-	-	-	2	4	7	9	4	6	11	7	4	1	1	-	-	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	-	-	-	1	1	4	5	4	5	11	5	3	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	4,212	3	2	-	1	1	5	1	2	4	10	18	27	68	116	160	256	388	540	708	784	615	367	120	13	1	2
	White-----M--	2,015	1	1	-	-	-	2	-	1	2	2	5	10	22	41	81	110	202	287	374	372	288	165	44	4	1	-
	F--	1,980	2	1	-	1	1	3	1	-	2	7	7	10	33	49	54	119	161	229	317	394	308	195	75	9	-	2
	Nonwhite--M--	92	-	-	-	-	-	-	-	1	-	1	2	3	5	15	6	12	11	11	6	10	5	4	-	-	-	-
	F--	125	-	-	-	-	-	-	-	-	-	-	4	4	8	11	19	15	14	13	11	8	14	3	1	-	-	-
90-95	Diseases of the heart----------	12,424	4	4	-	4	5	15	15	14	27	30	54	125	274	466	713	1,001	1,242	1,646	1,842	1,961	1,615	978	312	60	9	8
	White-----M--	7,260	3	3	-	-	1	5	6	8	18	12	35	69	184	313	482	688	822	1,085	1,060	1,068	797	463	125	23	5	5
	F--	4,550	1	1	-	3	4	9	7	6	6	16	9	40	59	98	167	284	357	494	743	844	800	503	179	37	2	1
	Nonwhite--M--	296	-	-	-	1	-	1	-	-	-	1	7	9	14	25	37	49	45	45	22	22	6	7	3	-	1	1
	F--	218	-	-	-	-	-	-	2	-	3	1	3	7	17	30	27	20	18	22	17	27	12	5	5	-	1	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	543	-	-	-	1	2	10	12	10	9	13	9	41	38	54	52	59	46	69	54	69	46	38	10	1	-	-
	White-----M--	323	-	-	-	-	-	1	3	6	6	5	5	16	24	25	31	31	27	43	25	39	23	10	3	-	-	-
	F--	269	-	-	-	1	2	9	7	4	1	8	3	20	14	21	17	20	15	23	26	26	20	25	6	1	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	2	-	5	3	4	3	1	2	2	1	2	-	-	-	-
	F--	25	-	-	-	-	-	-	2	-	2	-	-	3	-	3	1	4	1	2	1	2	2	1	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	4,866	-	-	-	-	-	1	-	-	3	5	27	49	151	259	402	505	653	746	734	651	409	197	58	7	3	6
	White-----M--	3,382	-	-	-	-	-	1	-	-	2	2	23	40	120	206	320	387	474	536	490	396	236	113	28	5	2	3
	F--	1,345	-	-	-	-	-	-	-	-	1	2	1	7	17	38	59	93	163	189	240	247	171	82	29	4	1	1
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	-	1	3	-	5	9	13	18	12	15	2	2	-	1	1	-	-	1
	F--	56	-	-	-	-	-	-	-	-	-	-	-	2	9	6	10	7	4	6	2	6	2	1	-	-	-	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	6,915	4	4	-	3	3	4	3	4	15	12	18	35	85	153	259	437	545	851	1,054	1,241	1,160	743	244	52	6	2
	White-----M--	3,555	3	3	-	-	1	3	3	2	10	5	7	13	40	82	131	250	321	506	545	633	538	340	94	20	3	2
	F--	3,036	1	1	-	2	2	-	-	2	4	6	5	13	28	39	91	151	179	282	477	571	609	396	144	32	1	-
	Nonwhite--M--	187	-	-	-	1	-	1	-	-	-	-	3	7	9	11	21	27	30	29	18	18	5	4	2	-	1	-
	F--	137	-	-	-	-	-	-	-	-	1	1	3	2	8	21	16	9	13	14	14	19	8	3	4	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	1,057	-	-	-	-	-	-	-	-	-	-	-	3	2	8	9	16	29	80	131	204	248	206	94	20	5	2
	White-----M--	531	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	6	16	39	72	113	126	102	38	6	2	-
	F--	489	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	9	11	37	53	87	118	99	55	11	2	1
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	1	1	2	4	-	1	-	1
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	5	3	2	1	1	2	1	-
107-109, 38	Pneumonia (all forms) and influenza-------	1,393	304	49	18	9	2	14	13	12	15	16	17	28	24	48	43	62	70	95	124	141	137	96	49	7	-	-
	White-----M--	694	157	23	5	6	1	5	9	10	5	8	7	14	9	25	24	43	41	56	54	68	56	42	24	4	-	-
	F--	556	109	22	10	2	-	5	3	2	7	7	6	8	8	11	9	8	19	30	64	69	78	53	23	3	-	-
	Nonwhite--M--	83	20	3	1	1	1	1	-	-	1	-	3	4	3	7	6	8	6	6	4	3	3	1	1	-	-	-
	F--	60	18	1	2	-	-	3	1	-	2	3	1	2	4	5	4	3	4	3	2	1	-	-	1	-	-	-
107	Bronchopneumonia-	622	188	27	11	5	2	10	4	3	7	6	3	11	6	21	14	19	17	31	49	59	63	41	20	5	-	-
	White-----M--	282	91	13	3	3	1	3	3	2	4	3	1	4	3	9	3	11	12	18	24	23	28	18	10	2	-	-
	F--	263	71	12	6	1	-	4	1	1	3	2	1	4	1	4	7	4	3	11	25	34	33	23	9	3	-	-
	Nonwhite--M--	38	13	1	1	1	1	1	-	-	-	-	1	2	1	4	4	2	2	1	-	1	2	-	-	-	-	-
	F--	29	13	1	1	-	-	2	-	-	-	1	-	1	1	4	-	2	-	1	-	1	-	-	1	-	-	-
108	Lobar pneumonia--	455	52	13	4	1	-	4	4	4	8	6	9	11	10	17	19	28	39	40	52	52	42	24	14	2	-	-
	White-----M--	235	32	6	2	1	-	2	3	4	1	-	5	7	4	9	13	21	20	21	20	29	15	11	7	2	-	-
	F--	162	12	5	1	-	-	1	1	-	4	4	2	4	2	6	1	1	11	13	27	22	28	13	6	-	-	-
	Nonwhite--M--	35	5	2	-	-	-	-	-	-	1	-	1	-	2	2	2	5	4	4	4	1	1	-	1	-	-	-
	F--	23	3	-	1	-	-	1	-	-	2	2	1	-	2	-	3	1	4	2	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	139	36	4	2	1	-	-	3	5	-	3	2	4	6	7	4	11	3	11	6	10	9	7	5	-	-	-
	White-----M--	81	21	2	-	-	-	-	2	4	-	2	1	2	1	4	4	8	2	10	2	6	6	1	3	-	-	-
	F--	48	12	2	2	1	-	-	1	1	-	1	-	-	4	1	-	2	1	1	4	4	3	6	2	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	177	28	5	1	2	-	-	2	-	-	1	3	2	2	3	6	4	11	13	17	20	23	24	10	-	-	-
	White-----M--	86	13	2	-	2	-	-	1	-	-	1	-	1	1	3	4	3	7	7	8	10	7	12	4	-	-	-
	F--	83	14	3	1	-	-	-	-	-	-	-	3	-	1	-	1	1	4	5	8	9	16	11	6	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	212	2	-	-	-	-	-	-	-	-	2	4	11	11	15	24	24	19	33	25	21	14	6	1	-	-	-
	White-----M--	152	1	-	-	-	-	-	-	-	-	-	3	6	8	11	15	22	17	24	16	14	10	4	1	-	-	-
	F--	41	1	-	-	-	-	-	-	-	-	-	-	3	2	-	5	2	1	8	7	6	4	2	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	2	1	1	1	3	3	-	1	-	2	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	219	154	11	2	1	-	1	2	-	3	2	2	-	5	1	1	3	2	5	5	8	3	3	5	-	-	-
	White-----M--	110	77	7	2	-	-	1	1	-	1	-	-	-	4	1	-	2	2	2	2	5	1	1	1	-	-	-
	F--	85	56	4	-	1	-	-	1	-	2	1	2	-	1	-	1	1	-	2	3	3	2	1	4	-	-	-
	Nonwhite--M--	13	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
121	Appendicitis-----	140	2	1	1	3	1	5	3	8	2	5	6	-	10	10	13	15	13	18	11	9	3	1	-	-	-	-
	White-----M--	94	2	1	1	1	-	3	3	5	2	3	6	-	7	8	6	8	9	12	8	5	3	1	-	-	-	-
	F--	36	-	-	-	2	1	2	-	1	-	-	-	-	1	2	7	4	4	5	3	4	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	285	18	1	3	2	2	2	1	3	5	2	8	8	11	10	17	26	25	34	25	28	13	10	10	1	-	-
	White-----M--	126	5	1	2	-	1	2	1	2	-	1	3	3	4	5	4	14	16	16	14	14	8	8	2	-	-	-
	F--	119	11	-	1	2	1	-	-	-	4	-	3	5	6	5	11	10	8	15	10	12	5	2	7	1	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	1	1	1	2	-	1	-	1	1	-	2	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	368	2	1	-	-	-	1	-	1	2	-	8	20	38	38	40	41	47	47	34	23	15	8	2	-	-	-
	White-----M--	245	-	1	-	-	-	-	-	-	2	-	3	8	25	28	28	31	30	37	29	10	9	2	2	-	-	-
	F--	105	2	-	-	-	-	1	-	1	-	-	3	9	11	9	9	8	13	9	5	13	6	6	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	3	1	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	201	-	-	-	-	-	-	-	-	-	-	1	1	8	7	19	28	28	21	26	25	20	12	4	1	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	14	5	11	10	9	10	5	-	-	-	-
	F--	126	-	-	-	-	-	-	-	-	-	-	1	1	6	6	11	14	23	10	16	16	10	7	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	2,821	4	1	2	1	1	8	9	18	12	15	21	28	52	65	133	169	223	316	393	526	430	294	112	17	3	-
	White-----M--	1,359	2	-	-	-	-	2	5	10	7	8	9	8	22	24	50	86	110	163	202	247	195	146	57	5	1	-
	F--	1,266	2	1	2	-	1	4	3	6	5	5	9	19	23	24	36	63	97	133	161	253	221	136	51	9	2	-
	Nonwhite--M--	106	-	-	-	1	-	-	-	2	-	1	1	-	3	10	10	11	8	7	18	15	9	6	2	2	-	-
	F--	90	-	-	-	-	-	-	1	-	-	1	2	1	4	7	7	9	8	13	12	11	5	6	2	1	-	-
137	Diseases of the prostate-------	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	10	15	37	45	24	12	6	1	-	-
	White-----M--	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	10	14	35	44	24	12	6	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
140-150	Diseases of pregnancy, etc.*----	92	-	-	-	-	-	-	-	13	17	16	21	19	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	77	-	-	-	-	-	-	-	10	15	14	14	18	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	-	-	-	-	-	-	-	3	2	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	36	-	-	-	-	-	-	-	5	9	6	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	28	-	-	-	-	-	-	-	3	9	4	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	2	-	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia----------	19	-	-	-	-	-	-	-	5	1	4	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	4	1	4	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	28	-	-	-	-	-	-	-	3	4	4	7	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	-	-	-	-	-	-	-	3	2	4	6	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	7	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	547	461	29	6	4	6	9	3	4	4	2	1	1	2	1	7	4	-	-	-	3	-	-	-	-	-
	White-----M--	287	246	14	3	2	2	5	2	2	2	-	1	-	2	-	3	1	-	-	-	2	-	-	-	-	-
	F--	242	200	15	2	2	3	4	1	2	2	2	-	1	-	1	3	3	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	10	8	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,491	1,491	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	791	791	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	562	562	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	990	990	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	526	526	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	369	369	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	501	501	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	265	265	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	302	-	-	-	-	-	-	-	5	26	19	38	36	28	48	60	59	58	43	37	26	10	7	2	-	-
	White-----M--	393	-	-	-	-	-	-	-	2	19	14	27	24	20	38	48	47	55	33	30	20	9	6	1	-	-
	F--	99	-	-	-	-	-	-	-	3	6	4	11	11	6	8	10	12	3	10	7	5	1	1	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	164	6	-	-	-	-	-	1	4	17	23	21	23	13	21	13	8	5	5	2	1	1	-	-	-	-
	White-----M--	68	2	-	-	-	-	-	-	-	7	10	11	5	3	10	5	5	5	3	1	-	1	-	-	-	-
	F--	38	2	-	-	-	-	-	1	1	3	4	4	5	4	5	5	-	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	1	6	6	6	12	4	6	2	2	-	-	-	-	-	-	-	-	-	-
	F--	13	2	-	-	-	-	-	-	2	1	3	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,953	109	45	19	31	22	60	76	157	222	148	138	142	144	119	125	131	144	175	205	223	242	199	61	10	2	4
	White-----M--	1,863	65	28	16	14	15	37	52	114	177	114	110	106	102	90	96	95	96	120	118	103	97	66	23	5	2	2
	F--	942	36	16	1	14	5	19	19	37	34	25	21	27	29	16	20	28	40	47	78	118	140	130	36	5	-	1
	Nonwhite--M--	110	5	-	1	1	1	3	5	4	10	8	4	5	13	10	7	5	6	5	9	1	4	2	1	-	-	-
	F--	38	3	1	1	2	1	1	-	2	1	1	3	4	-	3	2	3	2	3	-	1	1	1	1	-	-	1
170	Motor-vehicle accidents--------	1,073	4	10	6	10	8	20	31	103	153	80	83	70	68	55	58	57	65	61	55	39	23	7	5	-	-	2
	White-----M--	774	1	2	5	4	5	13	23	78	118	65	63	51	54	37	42	36	43	42	39	29	16	4	3	-	-	1
	F--	251	3	8	1	6	2	7	5	25	30	12	18	16	11	12	11	20	18	16	10	10	5	3	1	-	-	1
	Nonwhite--M--	36	-	-	-	-	-	-	3	-	4	2	1	1	3	4	3	1	3	2	6	-	2	-	1	-	-	-
	F--	12	-	-	-	-	1	-	-	-	1	1	1	2	-	2	2	-	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,880	105	35	13	21	14	40	45	54	69	68	55	72	76	64	67	74	79	114	150	184	219	192	56	10	2	2
	White-----M--	1,089	64	26	11	10	10	24	29	36	59	49	47	55	48	53	54	59	53	78	79	74	81	62	20	5	2	1
	F--	691	33	8	-	8	3	12	14	12	4	13	3	11	18	4	9	8	22	31	68	108	135	127	35	5	-	-
	Nonwhite--M--	74	5	-	1	1	1	3	2	4	6	6	3	4	10	6	4	4	3	3	3	1	2	2	-	-	-	-
	F--	26	3	1	1	2	-	1	-	2	-	-	2	2	-	1	-	3	1	2	-	1	1	1	1	-	-	1
162, 199, 200	Senility, ill-defined and unknown causes----	300	12	3	-	-	-	-	-	1	1	3	2	2	4	4	5	3	11	22	29	37	54	32	39	16	-	-
	White-----M--	142	4	2	-	-	-	-	-	1	-	3	2	1	2	4	3	1	10	15	13	17	22	22	15	5	-	-
	F--	146	4	1	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	7	15	18	31	30	24	10	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-
	F--	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	All other causes-	2,171	134	31	24	22	11	41	31	43	45	54	67	76	98	132	148	144	152	239	204	186	160	84	34	8	-	2
	White-----M--	1,092	71	16	11	13	6	18	19	25	22	25	24	35	45	56	76	82	78	132	102	92	88	39	14	3	-	-
	F--	954	54	14	9	8	5	18	12	16	22	26	33	34	43	60	58	54	68	96	96	89	70	44	20	5	-	-
	Nonwhite--M--	59	4	-	3	1	-	3	-	-	-	2	5	4	3	7	9	6	3	3	2	1	-	1	-	-	-	2
	F--	66	5	1	1	-	-	2	-	2	1	1	5	3	7	9	6	2	3	8	4	4	2	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																										
	ALL CAUSES------	26,064	1,610	127	44	49	42	165	134	230	253	255	306	394	540	746	1,154	1,637	2,166	2,740	3,362	3,689	3,333	2,114	792	151	21	8
	White-----M--	14,610	952	74	25	31	23	92	79	149	177	148	184	238	310	443	700	1,013	1,392	1,583	1,891	2,016	1,666	1,010	347	57	5	5
	F--	11,187	643	53	19	17	17	70	54	80	67	101	117	143	217	289	434	597	754	1,127	1,439	1,654	1,649	1,097	438	92	16	3
	Nonwhite--M--	151	5	-	-	1	1	2	-	-	4	3	6	6	7	5	13	21	13	18	19	11	7	6	2	1	-	-
	F--	116	10	-	-	-	1	1	1	1	5	3	1	7	6	9	7	6	7	12	13	9	11	1	5	1	-	-
1,2	Typhoid and paratyphoid fever---	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	18	7	1	1	-	1	2	1	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	14	6	1	1	-	-	1	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	249	-	1	-	1	1	-	3	3	6	15	18	16	19	23	22	27	27	15	26	16	6	2	-	1	-	1
	White-----M--	148	-	1	-	1	-	-	2	1	1	7	5	9	10	17	18	19	19	12	14	8	3	-	-	-	-	1
	F--	91	-	-	-	-	1	-	-	2	3	8	12	7	6	6	3	7	8	3	11	8	3	2	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	231	-	-	-	-	-	-	3	2	5	13	18	14	18	21	21	27	25	14	25	16	5	2	-	1	-	1
	White-----M--	137	-	-	-	-	-	-	2	-	1	6	5	8	9	15	17	19	18	11	14	8	3	-	-	-	-	1
	F--	84	-	-	-	-	-	-	-	2	2	7	12	6	6	6	3	7	7	3	10	8	2	2	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	18	-	1	-	1	1	-	-	1	1	2	-	2	1	2	1	-	2	1	1	-	1	-	-	-	-	-
	White-----M--	11	-	1	-	1	-	-	-	1	-	1	-	1	1	2	1	-	1	1	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	143	3	-	-	-	-	-	-	-	1	-	2	3	4	5	15	21	28	22	15	20	3	1	-	-	-	-
	White-----M--	103	1	-	-	-	-	-	-	-	1	-	2	-	4	5	9	13	21	18	11	15	2	1	-	-	-	-
	F--	29	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	5	3	3	5	1	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	2	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
35	Measles----------	27	6	7	-	3	-	5	2	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	15	3	3	-	2	-	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	11	3	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	76	2	2	2	2	1	16	17	10	5	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	51	1	2	1	1	1	6	12	10	4	5	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	1	-	1	1	-	10	5	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Con.																										
45-55	Cancer and other malignant tumors	3,891	1	-	2	3	2	11	5	12	13	20	39	71	125	154	269	377	416	572	582	559	391	214	39	11	-	3
	White-----M--	1,970	-	-	2	1	1	5	3	6	7	10	20	28	38	58	115	181	220	289	306	330	213	117	15	3	-	2
	F--	1,888	1	-	-	2	1	6	2	6	6	10	19	41	85	95	151	192	195	275	272	227	174	95	24	8	-	1
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	7	4	1	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	1	-	1	3	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,734	-	-	-	-	-	1	2	1	3	5	13	14	30	43	92	169	185	278	270	292	203	108	22	2	-	1
	White-----M--	935	-	-	-	-	-	1	1	1	1	5	6	9	15	21	51	91	101	148	153	165	103	56	6	-	-	1
	F--	784	-	-	-	-	-	-	1	-	2	-	7	5	14	22	41	76	84	124	115	126	98	51	16	2	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5	2	-	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-
48,49	Cancer of female genital organs--	371	-	-	-	-	-	1	-	1	1	3	3	17	29	31	39	44	39	46	58	32	17	10	-	-	-	-
	White-----F--	367	-	-	-	-	-	1	-	1	1	3	3	16	28	30	39	43	39	46	58	32	17	10	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	394	-	-	-	-	-	-	-	-	1	2	3	15	28	26	47	42	40	65	52	33	20	14	3	3	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	388	-	-	-	-	-	-	-	-	1	2	3	14	27	26	45	42	40	65	52	33	18	14	3	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,392	1	-	2	3	2	9	3	10	8	10	20	25	38	54	91	122	152	183	202	202	151	82	14	6	-	2
	White-----M--	1,032	-	-	2	1	1	4	2	5	6	5	14	19	22	37	63	90	119	141	153	165	109	61	9	3	-	1
	F--	349	1	-	-	2	1	5	1	5	2	5	6	6	16	17	28	51	32	40	47	36	41	20	5	3	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
59	Acute rheumatic fever----------	12	-	-	1	-	1	5	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	7	-	-	1	-	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	740	2	1	-	-	-	1	-	5	2	6	9	6	5	14	28	52	77	122	154	137	78	32	9	-	-	-
	White-----M--	307	2	-	-	-	-	-	-	2	-	-	6	5	3	5	11	21	31	48	67	62	30	11	3	-	-	-
	F--	420	-	1	-	-	-	1	-	3	2	6	3	1	2	8	14	30	45	72	85	73	48	20	6	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter----------	42	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	8	8	9	6	1	1	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	7	9	6	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	14	-	-	-	-	-	-	-	-	1	-	2	3	1	1	1	1	1	1	1	-	-	-	-	-	-	1
	White-----M--	14	-	-	-	-	-	-	-	-	1	-	2	3	1	1	1	1	1	1	1	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,959	4	3	1	-	1	2	1	1	3	5	9	12	19	54	77	155	213	337	468	575	589	309	105	14	1	1
	White-----M--	1,452	4	1	-	-	1	-	1	-	2	4	8	6	6	31	47	77	121	174	244	278	243	149	45	3	-	1
	F--	1,477	-	2	1	-	-	2	-	1	1	1	1	5	11	22	30	73	91	160	217	292	338	158	60	10	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	1	1	-	3	1	2	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	7	2	1	-	-	1	-	-
90-95	Diseases of the heart----------	8,603	1	2	-	1	2	3	4	7	12	25	38	73	140	205	402	561	849	1,056	1,319	1,410	1,261	854	305	62	9	2
	White-----M--	5,154	1	2	-	-	1	3	2	2	10	17	23	48	101	148	296	421	618	671	774	786	668	402	135	24	1	-
	F--	3,378	-	-	-	1	1	-	2	5	1	8	14	23	36	50	100	133	221	375	537	619	587	450	168	37	8	2
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	5	5	6	7	4	5	2	-	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	2	2	5	1	2	5	4	1	1	1	-	2	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	433	-	1	-	-	-	3	1	3	6	12	12	14	18	23	26	33	33	48	55	47	54	32	11	1	-	-
	White-----M--	229	-	1	-	-	-	3	1	-	5	8	9	5	12	9	13	21	17	27	25	27	24	18	4	-	-	-
	F--	198	-	-	-	-	-	-	-	3	1	4	3	8	6	13	12	10	16	21	30	20	30	14	7	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	3,652	-	-	-	-	1	-	1	3	3	4	12	42	82	122	259	359	495	516	572	532	388	190	61	10	-	-
	White-----M--	2,496	-	-	-	-	1	-	-	2	3	4	7	32	62	100	207	289	391	360	376	314	225	93	25	7	-	-
	F--	1,134	-	-	-	-	-	-	1	1	-	-	4	10	20	18	49	68	101	154	195	216	163	96	35	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	1	1	2	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-	1	-	1	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	4,518	1	1	-	1	1	-	2	1	3	3	14	17	40	60	117	169	321	492	692	831	819	632	233	51	9	2
	White-----M--	2,429	1	1	-	-	-	-	1	-	2	5	7	11	27	39	76	111	210	284	373	445	421	291	106	17	1	-
	F--	2,046	-	-	-	1	1	-	1	1	-	4	7	5	10	19	39	55	104	200	312	385	394	340	126	34	8	2
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	4	5	6	2	4	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	3	3	1	1	-	-	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	589	-	-	-	-	-	1	-	-	-	-	1	-	2	1	2	7	13	30	59	123	154	116	69	10	1	-
	White-----M--	307	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	3	5	22	34	67	82	58	32	4	-	-
	F--	282	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	8	8	25	56	72	60	37	6	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	902	125	24	7	7	1	10	6	11	2	15	7	7	11	21	25	26	38	51	92	108	126	123	49	10	-	-
	White-----M--	496	74	18	4	6	-	6	4	7	-	3	5	4	6	15	16	16	25	30	57	59	69	47	20	5	-	-
	F--	397	51	6	3	1	-	4	2	4	2	11	2	3	4	6	9	10	13	20	35	48	56	78	26	5	-	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	2	-	-	-
107	Bronchopneumonia-	459	80	15	5	2	1	6	2	7	1	6	3	5	5	11	11	7	14	18	40	48	65	67	33	7	-	-
	White-----M--	228	45	12	4	2	-	2	1	4	-	2	3	3	3	6	6	3	8	8	21	22	31	25	15	2	-	-
	F--	226	35	3	1	-	-	4	1	3	1	3	-	2	2	5	5	4	6	10	19	25	33	42	17	5	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
108	Lobar pneumonia--	283	20	1	-	2	-	1	1	1	-	7	2	2	3	5	11	14	18	23	35	51	41	34	8	3	-	-
	White-----M--	179	13	-	-	1	-	1	1	1	-	1	1	1	2	4	9	11	13	16	28	31	26	15	1	3	-	-
	F--	100	7	1	-	1	-	-	-	-	-	6	1	1	-	1	2	3	5	6	7	20	15	19	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
109	Pneumonia (unspecified)------	80	12	7	-	2	-	-	1	3	-	2	1	-	3	4	3	2	3	8	8	5	6	6	4	-	-	-
	White-----M--	47	8	5	-	2	-	-	1	2	-	-	1	-	1	4	1	1	2	4	2	3	4	3	3	-	-	-
	F--	33	4	2	-	-	-	-	-	1	-	2	-	-	2	-	2	1	1	4	6	2	2	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	80	13	1	2	1	-	3	2	-	1	-	1	-	-	1	-	3	3	2	9	4	14	16	4	-	-	-
	White-----M--	42	8	1	-	1	-	3	1	-	-	-	-	-	-	1	-	1	2	2	6	3	8	4	1	-	-	-
	F--	38	5	-	2	-	-	-	1	-	1	-	1	-	-	-	-	2	1	-	3	1	6	12	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum------	165	1	-	-	-	-	-	-	-	-	-	4	2	5	13	20	17	19	20	25	20	10	7	2	-	-	-
	White-----M--	138	1	-	-	-	-	-	-	-	-	-	4	1	5	8	16	15	14	18	23	20	7	4	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	1	-	5	4	2	4	2	2	-	3	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	96	64	5	-	-	1	1	1	-	1	2	-	4	3	1	2	1	-	2	-	3	3	1	1	-	-	-
	White-----M--	54	42	3	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	1	-	1	2	-	-	-	-	-
	F--	41	22	2	-	-	1	-	1	-	1	2	-	2	2	-	2	1	-	-	-	2	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
121	Appendicitis-----	89	-	2	-	-	1	3	6	4	5	6	2	3	2	9	8	7	8	6	10	3	4	-	-	-	-	-
	White-----M--	59	-	2	-	-	1	3	2	1	3	4	-	2	2	8	6	5	6	4	6	2	2	-	-	-	-	-
	F--	29	-	-	-	-	-	-	4	3	2	1	2	1	-	1	2	2	2	2	4	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	191	7	1	-	-	-	1	-	2	1	1	3	5	9	9	6	12	21	28	19	23	31	8	4	-	-	-
	White-----M--	100	4	1	-	-	-	-	-	2	-	-	1	1	2	6	2	4	15	14	13	10	20	5	-	-	-	-
	F--	88	3	-	-	-	-	1	-	-	1	-	2	4	7	3	4	8	6	12	6	13	11	3	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	153	-	-	-	-	-	-	-	1	-	-	5	5	9	11	13	19	23	23	17	13	12	2	-	-	-	-
	White-----M--	99	-	-	-	-	-	-	-	1	-	-	3	5	6	7	11	14	18	9	9	9	7	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	2	-	3	4	2	5	5	14	8	4	5	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	138	-	-	-	-	-	-	-	-	-	1	1	2	1	4	15	21	17	17	15	21	14	6	-	1	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	12	7	5	8	6	3	1	-	-	-	-
	F--	86	-	-	-	-	-	-	-	-	-	1	1	2	1	1	10	9	10	12	7	15	11	5	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,305	1	-	-	-	2	2	4	11	10	8	8	16	28	38	52	68	119	130	180	247	198	128	50	8	1	-
	White-----M--	688	1	-	-	-	2	-	2	6	7	4	4	5	18	16	24	34	76	78	104	130	82	68	24	2	1	-
	F--	601	-	-	-	-	-	2	2	4	3	2	4	9	10	22	26	31	42	51	73	116	115	60	25	4	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	3	1	-	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	1	1	-	-	1	-	-	-	-	-
137	Diseases of the prostate--------	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	14	18	40	33	24	5	3	-	-
	White-----M--	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	14	18	40	33	24	5	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Con.																											
140-150	Diseases of pregnancy, etc.*----	47	-	-	-	-	-	-	1	2	12	9	12	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	-	-	-	-	-	-	1	2	10	9	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	18	-	-	-	-	-	-	-	-	5	2	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	-	-	-	-	-	-	-	-	4	2	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia----------	12	-	-	-	-	-	-	1	1	4	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	1	1	4	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	14	-	-	-	-	-	-	-	1	3	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	1	2	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	375	304	10	3	3	2	8	7	7	7	3	7	1	2	4	2	4	-	-	-	1	-	-	-	-	-	-
	White-----M--	198	164	5	2	3	2	5	3	1	2	2	4	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	F--	174	136	5	1	-	-	3	4	6	5	1	3	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	950	950	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	565	565	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	373	373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	581	581	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	340	340	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	233	233	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	369	369	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	361	-	-	-	-	-	-	1	4	9	12	15	34	28	45	33	48	43	24	30	17	13	5	-	-	-	-
	White-----M--	292	-	-	-	-	-	-	1	3	8	8	12	24	24	35	27	39	34	19	25	17	12	4	-	-	-	-
	F--	68	-	-	-	-	-	-	-	1	1	4	3	9	4	10	6	9	9	5	5	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	37	2	1	-	-	-	-	-	-	3	-	2	3	2	5	5	7	2	2	1	1	1	-	-	-	-	-
	White-----M--	22	1	-	-	-	-	-	-	-	2	-	-	2	1	3	3	5	2	2	-	1	-	-	-	-	-	-
	F--	9	1	1	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,960	55	42	15	22	14	62	53	127	127	84	75	78	59	63	63	83	94	94	133	169	209	140	81	14	4	-
	White-----M--	1,234	35	21	9	14	7	40	34	98	109	70	62	69	48	49	48	61	68	64	70	76	90	50	32	7	3	-
	F--	706	19	21	6	7	6	22	18	29	16	13	11	8	10	12	15	20	26	30	60	92	117	90	49	7	1	-
	Nonwhite--M--	11	-	-	-	1	-	-	-	-	1	-	2	1	1	1	-	2	-	-	1	1	-	-	-	-	-	-
	F--	9	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-
170	Motor-vehicle accidents-------	601	2	10	5	4	7	32	17	88	70	47	37	32	26	24	24	35	34	32	33	23	16	3	-	-	-	-
	White-----M--	429	1	3	4	4	3	19	8	66	56	35	30	26	20	15	17	21	24	25	21	16	12	3	-	-	-	-
	F--	165	1	7	1	-	4	13	9	22	13	11	7	5	5	8	7	14	10	7	11	6	4	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,359	53	32	10	18	7	30	36	39	57	37	38	46	33	39	39	48	60	62	100	146	193	137	81	14	4	-
	White-----M--	805	34	18	5	10	4	21	26	32	53	35	32	43	28	34	31	40	44	39	49	60	78	47	32	7	3	-
	F--	541	18	14	5	7	2	9	10	7	3	2	4	3	5	4	8	6	16	23	49	86	113	90	49	7	1	-
	Nonwhite--M--	6	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F--	7	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	287	9	-	-	-	-	1	-	-	-	-	1	-	-	-	6	2	6	3	21	31	75	75	39	14	4	-
	White-----M--	136	4	-	-	-	-	-	-	-	-	-	1	-	-	-	5	2	4	2	9	14	37	36	18	4	-	-
	F--	146	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	11	15	37	39	20	10	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-
	All other causes-	1,485	60	25	12	6	12	29	22	20	31	35	38	38	58	68	83	114	136	163	166	145	121	66	33	5	1	-
	White-----M--	779	39	14	6	3	7	14	11	8	18	14	15	22	30	26	37	63	76	88	97	83	55	35	16	2	-	-
	F--	690	21	11	6	3	5	13	11	12	12	21	22	15	28	39	44	49	57	75	67	62	65	31	17	3	1	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	2	3	-	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	ALL CAUSES------	18,553	1,151	89	34	36	24	85	97	179	229	242	200	310	387	604	872	1,250	1,514	1,948	2,374	2,357	2,104	1,437	575	128	17	10
	White-----M--	10,117	620	46	22	23	13	52	63	115	152	140	111	173	224	346	505	733	876	1,140	1,309	1,436	1,036	662	261	47	5	7
	F--	7,512	457	37	11	12	10	27	29	53	60	87	73	105	129	199	305	416	541	713	969	1,135	1,011	750	301	72	10	-
	Nonwhite--M--	504	40	3	1	1	1	3	3	7	6	12	10	17	11	24	29	57	64	53	52	50	33	12	7	4	1	3
	F--	420	34	3	-	-	-	3	2	4	11	3	6	15	23	35	33	44	33	42	44	36	24	13	6	5	1	-
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	14	4	1	1	1	-	2	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	4	1	-	-	-	1	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	13	9	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria------	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	252	2	3	1	1	-	-	-	8	14	20	13	19	14	16	12	26	27	18	22	17	16	2	-	-	-	1
	White-----M--	134	1	1	-	-	-	-	-	4	5	6	6	8	9	10	7	18	18	9	12	10	8	1	-	-	-	1
	F--	79	-	2	1	-	-	-	-	3	4	8	5	9	4	5	3	3	5	6	6	7	7	1	-	-	-	-
	Nonwhite--M--	26	1	-	-	1	-	-	-	-	-	5	1	-	1	1	1	5	4	2	3	-	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	5	1	1	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	235	2	1	-	-	-	-	-	7	13	20	13	18	13	15	11	25	24	16	21	17	16	2	-	-	-	1
	White-----M--	127	1	-	-	-	-	-	-	3	5	6	6	7	8	9	8	18	17	9	12	10	8	1	-	-	-	1
	F--	73	-	1	-	-	-	-	-	3	3	8	5	9	4	5	3	2	5	5	5	7	7	1	-	-	-	-
	Nonwhite--M--	22	1	-	-	-	-	-	-	-	-	5	1	-	1	1	1	5	2	1	3	-	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	5	1	1	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	17	-	2	1	1	-	-	-	1	1	-	-	1	1	1	1	1	3	2	1	-	-	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	118	2	-	-	-	-	-	-	1	-	3	-	3	4	13	15	15	19	14	12	10	2	4	-	-	-	1
	White-----M--	67	-	-	-	-	-	-	-	-	-	2	-	2	1	8	9	10	12	7	5	7	1	2	-	-	-	1
	F--	26	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	1	3	4	6	2	1	2	-	-	-	-
	Nonwhite--M--	19	1	-	-	-	-	-	-	-	-	1	-	-	-	3	3	4	2	3	1	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-
35	Measles----------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	26	1	3	-	1	-	5	2	1	3	4	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	1	3	-	1	-	3	1	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	1	1	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Continued																										
45-55	Cancer and other malignant tumors	2,568	-	1	1	1	1	8	5	4	13	20	27	44	66	118	188	291	289	360	394	352	242	99	36	6	2	-
	White-----M--	1,228	-	-	1	-	1	4	4	3	8	9	13	14	28	42	73	133	128	185	207	188	116	51	17	2	1	-
	F--	1,231	-	1	-	1	-	3	-	1	4	10	13	24	35	64	108	142	142	158	175	158	120	48	19	4	1	-
	Nonwhite--M--	60	-	-	-	-	-	-	1	-	-	1	-	3	-	5	3	9	9	12	7	4	6	-	-	-	-	-
	F--	49	-	-	-	-	-	1	-	-	1	-	1	3	3	7	4	7	10	5	5	2	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,110	-	-	-	-	-	1	2	2	1	2	6	12	21	36	60	105	109	169	211	172	130	51	15	4	1	-
	White-----M--	587	-	-	-	-	-	1	2	1	1	1	3	5	18	20	29	57	62	94	109	90	58	29	5	1	1	-
	F--	476	-	-	-	-	-	-	-	1	-	1	3	6	3	10	30	38	42	65	93	80	69	22	10	3	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	2	8	4	2	3	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	3	2	5	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	274	-	-	-	-	-	-	-	-	1	3	3	5	15	23	38	38	36	39	34	19	15	4	1	-	-	-
	White-----F--	263	-	-	-	-	-	-	-	-	1	3	2	5	12	22	36	36	36	37	34	19	15	4	1	-	-	-
	Nonwhite--F--	11	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	2	-	2	-	-	-	-	-	-	-	-
50	Cancer of breast-	270	-	-	-	-	-	-	-	-	-	1	5	7	14	19	27	38	38	38	23	31	20	6	3	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	-	-	-	1	-	-	-
	F--	249	-	-	-	-	-	-	-	-	-	1	5	6	14	18	24	36	32	34	21	30	20	6	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	1	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	914	-	1	1	1	1	7	3	2	11	14	13	20	16	40	63	110	106	114	126	130	77	38	17	2	1	-
	White-----M--	631	-	-	1	-	1	3	2	2	7	8	10	9	10	22	42	75	65	88	96	98	58	22	11	1	-	-
	F--	243	-	1	-	1	-	3	-	-	3	5	3	7	6	14	18	32	32	22	27	29	16	16	6	1	1	-
	Nonwhite--M--	29	-	-	-	-	-	-	1	-	-	1	-	2	-	3	2	2	6	4	3	2	3	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	1	-	-	2	-	1	1	1	3	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	9	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1	-	1	1	-	-	-	1	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	429	-	-	-	1	-	-	2	2	1	3	4	5	6	9	14	34	53	71	94	72	38	14	6	-	-	-
	White-----M--	171	-	-	-	-	-	-	-	-	-	2	3	5	3	4	5	11	17	30	39	29	16	7	-	-	-	-
	F--	245	-	-	-	1	-	-	2	2	1	1	1	-	3	2	9	20	35	40	54	42	19	7	6	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	1	1	2	-	-	-	-	-
63b	Exophthalmic goiter----------	28	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	4	4	8	2	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	4	8	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	10	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	1	1	1	-	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	1	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,133	3	1	1	-	-	-	-	-	1	4	6	7	15	41	68	121	173	233	341	481	324	213	88	12	-	-
	White-----M--	1,052	-	1	1	-	-	-	-	-	1	3	4	5	10	18	32	59	96	116	169	255	146	94	34	8	-	-
	F--	977	3	-	-	-	-	-	-	-	-	1	1	1	3	16	29	48	65	102	160	209	168	117	50	4	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	7	10	11	8	8	6	2	2	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	7	2	4	4	9	4	-	2	-	-	-
90-95	Diseases of the heart----------	5,967	2	3	-	-	-	3	5	15	12	14	29	52	96	186	291	433	548	770	892	1,043	783	538	196	39	5	2
	White-----M--	3,536	1	1	-	-	-	2	3	9	6	6	16	36	65	137	199	306	360	514	550	583	386	257	98	10	-	1
	F--	2,185	-	2	-	-	-	1	1	4	6	8	11	11	23	34	71	95	158	228	303	451	378	273	95	27	5	-
	Nonwhite--M--	122	-	-	-	-	-	-	-	1	-	-	-	2	4	3	11	17	18	14	17	17	9	5	1	2	-	1
	F--	124	1	-	-	-	-	-	1	1	-	-	2	3	4	12	10	15	12	14	22	12	10	3	2	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	297	-	-	-	-	-	1	3	5	3	8	10	6	13	14	25	25	26	33	23	43	29	20	8	2	-	-
	White-----M--	150	-	-	-	-	-	1	2	2	1	4	4	3	7	4	14	15	15	20	15	25	10	5	2	1	-	-
	F--	129	-	-	-	-	-	-	-	2	2	4	4	3	5	8	10	8	8	12	8	17	17	14	6	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	1	2	-	-	1	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	2,531	-	1	-	-	-	-	-	2	4	4	13	34	53	119	162	282	301	399	379	390	230	133	36	7	-	2
	White-----M--	1,747	-	-	-	-	-	-	-	2	1	1	10	27	43	105	132	196	221	293	265	229	123	74	22	2	-	1
	F--	726	-	1	-	-	-	-	-	-	3	3	3	5	8	12	26	52	76	101	106	155	100	57	13	5	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	9	3	3	3	4	4	2	-	-	-	1
	F--	25	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	5	1	2	5	2	3	-	1	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	3,139	2	2	-	-	-	2	2	8	5	2	6	12	30	53	104	146	221	338	490	610	534	385	152	30	5	-
	White-----M--	1,638	1	1	-	-	-	1	1	5	4	1	2	6	15	28	53	95	124	201	270	309	263	178	74	7	-	-
	F--	1,330	-	1	-	-	-	1	1	2	1	1	4	3	10	14	35	35	74	115	199	279	261	202	76	21	5	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	-	-	2	3	2	8	7	14	10	14	13	3	3	1	2	-	-
	F--	88	1	-	-	-	-	-	-	1	-	-	-	1	2	9	8	9	9	12	17	9	7	2	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Continued																										
97, 102	Arteriosclerosis and high blood pressure*-------	418	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	5	12	28	47	79	82	93	39	16	2	-
	White-----M--	204	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	7	13	21	47	45	38	21	7	-	-
	F--	201	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	14	24	31	45	52	17	8	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	556	116	15	4	1	2	3	6	3	5	4	-	7	9	8	11	23	35	39	61	52	77	46	23	6	-	-
	White-----M--	269	51	11	2	1	1	1	3	1	4	3	-	5	2	5	6	10	20	17	29	27	44	19	7	-	-	-
	F--	243	48	2	2	-	1	2	3	2	1	1	-	2	6	3	2	10	12	20	27	21	31	27	15	5	-	-
	Nonwhite--M--	23	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	1	-	-	-	-	-
	F--	21	9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	2	-	1	-	1	1	-	-
107	Bronchopneumonia-	289	80	6	2	-	1	2	1	1	4	1	-	3	6	4	5	12	22	11	26	28	34	25	12	3	-	-
	White-----M--	133	39	6	1	-	1	1	1	1	3	-	-	1	1	2	2	4	13	5	7	15	17	9	4	-	-	-
	F--	136	31	1	1	-	-	1	-	-	1	1	-	2	5	2	1	8	7	6	16	11	16	16	7	3	-	-
	Nonwhite--M--	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	1	-	-	-
108	Lobar pneumonia--	158	20	5	-	1	1	-	5	1	-	2	-	3	1	2	4	7	9	17	23	17	24	11	3	2	-	-
	White-----M--	86	7	3	-	1	-	-	2	-	-	2	-	3	-	2	3	4	6	7	13	9	17	6	1	-	-	-
	F--	55	8	1	-	-	1	-	3	1	-	-	-	-	1	-	-	1	2	9	8	6	6	5	2	1	-	-
	Nonwhite--M--	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-
	F--	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-
109	Pneumonia (unspecified)------	35	10	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	6	2	3	3	-	2	-	-	-
	White-----M--	16	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	2	1	-	-	-	-	-
	F--	15	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	2	-	2	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
33	Influenza--------	74	6	1	2	-	-	1	-	1	1	1	-	1	2	-	1	2	1	5	10	6	16	10	6	1	-	-
	White-----M--	34	1	1	1	-	-	-	-	-	1	1	-	1	1	-	1	1	-	2	7	1	9	4	2	-	-	-
	F--	37	4	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	1	3	3	4	7	6	4	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	105	-	-	-	-	-	-	-	-	2	1	3	4	2	4	9	14	20	16	11	13	2	2	1	1	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	1	-	3	2	2	3	6	14	16	11	7	10	1	-	-	1	-	-
	F--	25	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	-	3	4	4	3	1	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	86	45	3	-	1	-	-	2	1	-	-	1	1	1	2	2	2	4	3	2	2	7	4	2	1	-	-
	White-----M--	45	25	2	-	1	-	-	-	-	-	-	1	-	-	2	1	1	4	1	-	-	5	1	1	-	-	-
	F--	36	16	1	-	-	-	-	2	1	-	-	-	1	1	-	1	-	-	2	2	2	2	3	1	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis------	56	-	-	-	-	-	3	5	4	2	1	4	3	3	5	2	3	5	6	2	5	1	1	1	-	-	-
	White-----M--	30	-	-	-	-	-	2	4	4	-	-	1	1	1	4	2	1	-	4	1	5	-	-	-	-	-	-
	F--	23	-	-	-	-	-	1	1	-	2	1	2	1	2	1	-	2	4	2	1	-	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	161	8	-	-	-	-	1	-	2	1	1	1	2	5	8	9	7	17	19	24	19	22	13	1	1	-	-
	White-----M--	74	3	-	-	-	-	-	-	1	-	-	-	-	2	2	2	2	9	7	11	10	16	9	-	-	-	-
	F--	78	5	-	-	-	-	1	-	1	1	1	1	1	3	6	7	3	6	9	13	8	6	4	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	124	-	1	-	-	-	-	-	-	-	3	1	3	8	8	15	10	13	19	17	14	7	5	-	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	1	-	3	6	5	13	5	10	14	13	10	4	1	-	-	-	-
	F--	35	-	1	-	-	-	-	-	-	-	2	1	-	2	1	2	4	3	4	4	4	3	4	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	100	-	-	-	-	-	-	-	-	-	1	-	1	2	4	6	15	3	14	14	14	13	5	3	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	9	2	5	3	4	4	1	1	-	-	-
	F--	65	-	-	-	-	-	-	-	-	-	1	-	-	2	2	4	6	6	8	11	10	9	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,190	2	-	-	-	1	3	2	8	4	11	10	23	21	27	46	59	87	115	183	198	186	149	45	9	1	-
	White-----M--	633	1	-	-	-	1	-	2	5	3	4	4	12	10	13	26	33	45	60	98	112	99	78	22	5	-	-
	F--	486	1	-	-	-	-	1	-	3	1	7	6	6	9	13	18	19	32	44	69	71	80	64	20	3	1	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	4	7	2	8	9	3	2	2	-	-	-
	F--	49	-	-	-	-	-	2	-	-	-	-	-	2	1	1	3	3	3	9	8	6	4	5	1	1	-	-
137	Diseases of the prostate--------	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	12	18	40	22	20	6	3	-	-
	White-----M--	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	11	18	38	21	19	6	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Continued																										
140-150	Diseases of pregnancy, etc.*----	35	-	-	-	-	-	-	-	3	8	11	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	31	-	-	-	-	-	-	-	3	6	11	2	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	13	-	-	-	-	-	-	-	1	1	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	1	1	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	10	-	-	-	-	-	-	-	1	2	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	1	2	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	12	-	-	-	-	-	-	-	1	5	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	1	3	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	225	189	6	4	3	3	3	3	-	4	3	1	1	-	-	1	1	1	-	1	-	-	-	1	-	-
	White-----M--	132	111	4	3	2	1	3	-	-	2	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	85	71	1	1	1	2	-	3	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	668	668	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	370	370	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	263	263	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	388	388	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	209	209	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	280	280	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	208	-	-	-	-	-	1	4	7	10	10	18	16	25	23	26	21	16	13	5	11	2	-	-	-	-
	White-----M--	158	-	-	-	-	-	1	4	2	7	6	12	12	19	15	18	18	15	12	4	11	2	-	-	-	-
	F--	46	-	-	-	-	-	-	-	5	3	3	5	4	6	8	8	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	63	1	-	1	-	-	2	-	2	6	7	5	6	10	9	3	3	2	3	-	-	2	-	1	-	-	-
	White-----M--	30	-	-	1	-	-	2	-	-	4	3	2	2	1	6	3	1	2	1	-	-	2	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	1	-	1	1	1	2	1	-	1	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	1	2	2	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	1	-	1	4	1	-	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,495	48	29	10	18	11	29	49	100	125	92	56	66	62	55	79	65	56	63	83	98	124	111	51	11	1	3
	White-----M--	935	20	15	7	12	7	20	34	74	107	77	42	49	52	40	64	51	37	47	37	42	46	30	18	4	-	3
	F--	504	22	11	3	6	3	7	13	21	14	13	11	16	9	12	10	11	16	13	44	53	76	79	33	7	1	-
	Nonwhite--M--	38	4	1	-	-	1	2	1	3	3	2	2	1	-	1	5	2	3	2	1	2	1	1	-	-	-	-
	F--	18	2	2	-	-	-	-	1	2	1	-	1	-	1	2	-	1	-	1	1	1	1	1	-	-	-	-
170	Motor-vehicle accidents-------	499	2	10	2	4	5	10	16	56	70	42	22	32	30	24	40	22	24	33	23	10	18	3	1	-	-	-
	White-----M--	372	1	4	2	3	3	7	11	40	57	34	14	22	27	16	33	17	18	26	16	7	11	2	1	-	-	-
	F--	115	1	5	-	1	1	3	5	15	9	8	7	9	3	8	5	5	6	7	6	3	7	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	1	-	-	1	3	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	996	46	19	8	14	6	19	33	44	55	50	34	34	32	31	39	43	32	30	60	88	106	108	50	11	1	3
	White-----M--	563	19	11	5	9	4	13	23	34	50	43	26	27	25	24	31	34	19	21	21	35	35	28	17	4	-	3
	F--	389	21	6	3	5	2	4	8	8	5	5	4	7	6	4	5	6	10	6	38	50	69	78	33	7	1	-
	Nonwhite--M--	28	4	1	-	-	-	2	1	2	-	2	2	-	-	1	3	2	3	2	-	2	1	1	-	-	-	-
	F--	15	2	1	-	-	-	-	1	2	-	-	-	-	1	2	-	1	-	1	1	1	1	1	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	273	8	-	1	-	-	-	1	1	2	1	-	2	1	1	3	8	16	16	13	35	41	59	43	16	4	1
	White-----M--	125	4	-	1	-	-	-	1	1	-	-	-	1	1	-	2	3	9	8	7	18	17	28	17	6	2	1
	F--	134	4	-	-	-	-	-	-	-	2	1	-	1	-	1	-	4	6	7	5	16	22	29	26	9	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	-	1	1	-
	All other causes-	1,086	43	19	10	7	6	20	12	17	18	28	21	36	38	59	66	83	98	107	120	102	81	56	31	6	2	2
	White-----M--	557	28	8	5	4	2	11	9	8	8	10	7	13	16	24	35	41	59	63	68	56	37	23	18	2	2	-
	F--	469	14	11	4	3	4	9	2	7	8	14	12	17	16	27	26	35	35	42	51	43	42	33	12	2	-	-
	Nonwhite--M--	34	1	-	1	-	-	-	1	2	2	1	2	3	1	5	2	5	2	-	1	1	-	-	1	1	-	2
	F--	26	-	-	-	-	-	-	-	-	-	1	-	3	5	3	3	2	2	2	-	2	2	-	-	1	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																										
	ALL CAUSES-------	28,060	3,073	271	98	92	60	208	185	351	513	532	566	710	891	1,118	1,561	1,790	2,162	2,677	3,110	3,336	2,527	1,507	531	133	44	4
	White-----M--	13,913	1,809	134	55	45	29	110	104	188	304	268	282	376	414	541	776	921	1,097	1,356	1,529	1,625	1,178	703	215	46	6	2
	F--	10,729	1,231	115	36	39	25	77	57	115	147	169	190	214	286	329	452	559	738	1,024	1,263	1,445	1,161	698	274	65	17	1
	Nonwhite--M--	1,875	131	10	2	-	1	9	16	31	32	52	48	56	110	126	197	180	185	149	187	147	107	58	21	14	6	-
	F--	1,533	102	12	3	8	5	12	8	17	30	45	46	64	81	122	136	130	142	148	131	119	81	48	21	8	15	1
1,2	Typhoid and paratyphoid fever---	10	-	-	-	1	-	-	-	-	3	-	-	1	-	-	1	-	1	-	2	-	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	38	10	6	5	3	3	4	-	1	1	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	22	5	5	3	2	2	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	15	3	1	2	-	1	3	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	57	44	7	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	31	23	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	19	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	31	5	-	2	6	4	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	4	-	2	2	-	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	1	-	-	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,290	13	9	6	4	3	4	7	37	89	100	91	122	102	97	114	102	94	93	76	80	35	9	2	1	-	-
	White-----M--	602	7	3	2	-	2	1	2	9	25	25	39	68	49	54	65	68	48	43	36	39	13	3	-	1	-	-
	F--	474	4	4	3	2	-	2	4	15	45	47	38	39	30	19	31	22	33	44	33	33	20	4	2	-	-	-
	Nonwhite--M--	129	2	2	-	-	-	-	-	6	6	11	6	8	20	17	16	11	9	4	3	5	2	1	-	-	-	-
	F--	85	-	-	1	2	1	1	1	7	13	17	8	7	3	7	2	1	4	2	4	3	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,186	3	3	1	1	-	2	6	29	83	92	89	118	90	93	111	97	86	91	71	76	34	9	-	1	-	-
	White-----M--	559	2	1	-	-	-	-	1	6	24	22	39	66	45	50	65	63	44	41	35	38	13	3	-	1	-	-
	F--	444	1	2	-	1	-	1	4	13	43	45	37	39	28	19	30	22	30	44	30	31	20	4	-	-	-	-
	Nonwhite--M--	108	-	-	-	-	-	-	-	4	4	10	5	7	15	17	14	11	8	4	2	5	1	1	-	-	-	-
	F--	75	-	-	1	-	-	1	1	6	12	15	8	6	2	7	2	1	4	2	4	2	-	1	-	-	-	-
14-22	Tuberculosis (other forms)---	104	10	6	5	3	3	2	1	8	6	8	2	4	12	4	3	5	8	2	5	4	1	-	2	-	-	-
	White-----M--	43	5	2	2	-	2	1	1	3	1	3	-	2	4	4	-	5	4	2	1	1	-	-	-	-	-	-
	F--	30	3	2	3	1	-	1	-	2	2	2	1	-	2	-	1	-	3	-	3	2	-	-	2	-	-	-
	Nonwhite--M--	21	2	2	-	-	-	-	-	2	2	1	1	1	5	-	2	-	1	-	1	-	1	-	-	-	-	-
	F--	10	-	-	-	2	1	-	-	1	1	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
27	Dysentery-------	67	45	8	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-	1	2	2	1	3	-	-	-	-
	White-----M--	44	30	5	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	-	-	-
	F--	22	14	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	192	12	-	-	-	-	-	1	2	-	3	7	14	16	20	26	27	20	26	9	4	2	2	-	1	-	-
	White-----M--	85	5	-	-	-	-	-	1	1	-	1	3	5	7	7	9	15	11	13	3	3	-	-	-	1	-	-
	F--	33	7	-	-	-	-	-	-	1	-	2	-	2	2	2	4	2	3	5	2	1	-	-	-	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	2	6	5	7	9	7	5	8	4	-	1	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	2	1	2	4	4	3	1	-	-	-	1	1	-	-	-	-
35	Measles----------	39	6	7	2	2	3	4	4	3	1	4	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	White-----M--	13	2	2	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	24	4	4	1	1	1	3	3	1	-	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	10	1	2	-	2	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	-	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																											
45-55	Cancer and other malignant tumors	3,110	4	5	4	5	5	10	11	7	22	31	55	77	124	187	268	325	354	402	461	373	230	120	26	4	-	-
	White-----M--	1,268	1	2	3	3	3	5	7	1	13	13	19	25	28	53	98	126	147	170	200	178	106	60	7	2	-	-
	F--	1,536	3	3	1	2	2	5	3	5	9	14	28	45	75	108	126	152	174	198	225	173	111	54	18	2	-	-
	Nonwhite--M--	133	-	-	-	-	-	-	1	-	-	2	2	1	10	9	22	21	15	15	17	8	6	4	-	-	-	-
	F--	173	-	-	-	-	-	-	-	1	-	2	6	8	11	17	22	26	18	19	19	14	7	2	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,299	1	1	-	-	1	-	2	3	6	12	13	23	37	64	84	114	148	207	236	175	99	60	12	1	-	-
	White-----M--	582	1	1	-	-	1	-	1	-	2	8	5	9	10	28	41	55	72	92	109	78	39	30	1	1	-	-
	F--	594	-	-	-	-	-	-	-	3	4	3	5	11	19	30	24	40	63	101	110	90	53	27	11	-	-	-
	Nonwhite--M--	66	-	-	-	-	-	-	1	-	-	1	1	-	4	5	12	12	5	7	9	2	4	3	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	-	-	2	3	4	3	7	7	8	7	8	5	3	-	-	-	-	-
48,49	Cancer of female genital organs--	457	-	-	-	-	-	1	-	-	2	5	10	24	33	54	59	58	60	43	48	29	20	9	2	-	-	-
	White-----F--	387	-	-	-	-	-	1	-	-	2	4	7	21	28	45	51	49	55	35	39	22	17	9	2	-	-	-
	Nonwhite--F--	70	-	-	-	-	-	-	-	-	-	1	3	3	5	9	8	9	5	8	9	7	3	-	-	-	-	-
50	Cancer of breast-	269	-	-	-	-	-	-	-	-	1	2	9	6	17	20	30	33	28	32	27	32	19	10	3	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	F--	243	-	-	-	-	-	-	-	-	1	2	8	6	14	19	27	28	28	28	25	31	18	7	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	2	3	1	1	1	1	1	-	-	-
45,47 51-55	Cancer (other sites)----------	1,085	3	4	4	5	4	9	9	4	13	12	23	24	37	49	95	120	118	120	150	137	92	41	9	3	-	-
	White-----M--	682	-	1	3	3	2	5	6	1	11	5	14	14	18	27	57	71	75	77	90	100	67	28	6	1	-	-
	F--	312	3	3	1	2	2	4	3	2	2	5	8	7	14	14	24	34	30	34	51	30	23	11	3	2	-	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	1	1	1	5	4	10	9	10	8	8	6	2	1	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	-	1	-	2	-	4	4	8	3	1	1	1	-	1	-	-	-	-
58	Acute rheumatic fever----------	18	1	1	-	-	-	2	4	1	1	3	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	7	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	468	-	-	-	-	-	1	2	8	4	5	4	4	10	22	26	33	65	91	76	83	36	14	3	-	1	-
	White-----M--	178	-	-	-	-	-	1	-	4	3	2	1	1	5	6	11	13	21	29	29	24	19	8	1	-	-	-
	F--	249	-	-	-	-	-	-	2	3	1	3	3	2	4	11	11	12	37	53	44	39	17	5	2	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	2	1	2	-	-	-	-	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	6	7	3	-	-	1	-	-	1	-
63b	Exophthalmic goiter----------	38	-	-	-	-	-	-	-	1	-	-	3	2	1	-	5	4	4	8	6	3	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	32	-	-	-	-	-	-	-	1	-	-	2	1	1	-	5	4	3	7	4	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	2	2	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	48	-	-	-	-	-	-	-	-	1	3	4	7	8	6	3	5	2	7	-	2	-	-	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	-	1	1	3	5	3	6	3	4	2	7	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,780	5	1	-	1	-	5	4	3	5	8	28	27	63	82	148	179	255	365	427	519	370	199	68	12	5	1
	White-----M--	1,233	3	1	-	1	-	4	4	3	4	4	17	12	23	24	61	70	107	170	201	230	165	96	26	4	2	1
	F--	1,156	2	-	-	-	-	1	-	-	1	-	7	7	21	26	43	66	94	154	188	243	170	92	33	7	1	-
	Nonwhite--M--	194	-	-	-	-	-	-	-	-	-	2	2	1	9	10	23	24	28	20	24	21	16	7	6	-	1	-
	F--	197	-	-	-	-	-	-	-	-	-	2	2	7	10	22	21	19	26	21	14	25	19	4	3	1	1	-
90-95	Diseases of the heart----------	7,847	8	2	1	2	2	5	10	22	20	36	49	120	178	314	508	613	800	1,000	1,211	1,282	946	508	156	43	10	1
	White-----M--	4,091	5	2	-	2	-	3	2	11	9	16	25	64	91	167	290	358	464	562	638	639	448	224	57	13	1	-
	F--	2,766	3	-	1	-	1	2	4	7	8	11	18	27	42	78	108	150	212	330	442	539	431	244	82	22	3	1
	Nonwhite--M--	548	-	-	-	-	-	-	2	1	-	4	4	15	20	34	56	62	74	50	81	60	44	22	10	7	2	-
	F--	442	-	-	-	-	1	-	2	3	3	5	2	14	25	35	54	43	50	58	50	44	23	18	7	1	4	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	449	-	1	-	-	1	3	5	6	9	16	14	18	27	30	30	24	41	41	53	63	36	21	9	1	-	-
	White-----M--	207	-	1	-	-	-	2	1	4	4	8	10	8	10	11	8	12	22	16	26	31	20	10	2	1	-	-
	F--	170	-	-	-	-	-	1	2	2	3	5	2	7	13	14	13	9	12	20	18	21	12	10	6	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	2	-	-	1	1	2	2	3	3	2	4	3	3	4	3	-	-	-	-	-
	F--	39	-	-	-	-	1	-	-	-	2	2	1	1	2	2	6	1	3	2	6	7	1	1	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	2,363	-	-	-	-	-	-	1	2	4	9	18	58	73	119	221	263	291	352	317	329	185	88	28	2	3	-
	White-----M--	1,562	-	-	-	-	-	-	1	1	3	5	9	39	53	87	170	186	214	247	200	186	101	43	15	2	-	-
	F--	615	-	-	-	-	-	-	-	-	-	4	7	9	8	15	22	53	54	86	101	127	78	42	9	-	-	-
	Nonwhite--M--	110	-	-	-	-	-	-	-	1	-	-	1	5	6	7	20	18	13	10	11	10	4	2	3	-	1	-
	F--	76	-	-	-	-	-	-	-	-	1	-	1	5	6	10	9	8	10	9	5	6	2	1	1	-	2	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	5,035	8	1	1	2	1	2	4	14	7	11	17	44	78	165	257	326	468	607	841	890	725	399	119	40	7	1
	White-----M--	2,322	5	1	-	2	-	1	-	6	2	3	6	17	28	69	112	160	228	299	412	422	327	171	40	10	1	-
	F--	1,981	3	-	1	-	1	1	2	5	5	2	9	11	21	49	73	88	148	224	323	391	341	192	67	22	3	1
	Nonwhite--M--	405	-	-	-	-	-	-	-	-	-	-	3	2	8	12	24	33	44	57	37	67	46	37	20	7	7	1	-
	F--	327	-	-	-	-	-	-	2	3	-	3	-	8	17	23	39	34	37	47	39	31	20	16	5	1	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
97, 102	Arteriosclerosis and high blood pressure*	609	-	-	-	-	-	-	-	-	-	-	-	1	5	3	7	15	27	52	88	118	137	105	41	9	2	-
	White—M	292	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	14	28	46	56	70	50	18	3	-	-
	F	246	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	6	9	18	34	49	53	46	21	3	-	-
	Nonwhite—M	37	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	3	4	7	7	5	-	2	1	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	4	6	7	4	2	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	1,532	502	78	16	10	3	18	10	11	14	17	12	16	30	31	36	44	46	87	104	149	145	85	50	11	7	-
	White—M	716	247	31	14	3	2	9	3	5	6	5	3	6	10	9	15	24	23	45	44	79	68	34	27	2	2	-
	F	617	203	39	1	5	1	8	6	5	6	7	4	5	10	5	7	10	14	28	49	57	71	44	21	7	4	-
	Nonwhite—M	116	31	4	1	-	-	-	1	-	-	1	4	1	6	9	11	6	6	11	6	7	4	4	1	2	-	-
	F	83	21	4	-	2	-	1	-	1	2	4	1	4	4	8	3	4	3	3	5	8	2	3	1	-	1	-
107	Bronchopneumonia	696	281	41	6	6	3	7	1	3	3	6	3	6	7	10	11	17	12	31	44	64	61	40	25	5	3	-
	White—M	326	133	15	6	2	2	4	-	3	2	3	1	2	2	4	3	8	5	17	20	34	30	14	13	1	2	-
	F	290	117	25	-	4	1	2	1	-	1	2	-	2	3	-	3	6	5	9	19	22	29	24	11	3	1	-
	Nonwhite—M	48	18	-	-	-	-	-	-	-	-	1	2	-	2	2	5	1	1	5	3	4	1	1	1	1	-	-
	F	32	13	1	-	-	-	1	-	-	-	-	-	2	-	4	-	2	1	-	2	4	1	1	-	-	-	-
108	Lobar pneumonia	348	68	14	4	-	-	4	3	3	8	6	3	6	14	9	18	11	17	26	30	42	38	14	5	4	1	-
	White—M	157	32	6	3	-	-	2	2	-	4	1	1	1	5	3	8	8	7	14	9	21	20	6	3	1	-	-
	F	132	27	6	1	-	-	2	1	2	3	2	1	3	3	3	2	-	6	8	17	17	18	7	2	2	1	-
	Nonwhite—M	36	4	1	-	-	-	-	-	-	-	-	1	1	3	2	6	2	4	3	2	3	2	1	-	1	-	-
	F	23	5	1	-	-	-	-	-	1	1	3	-	1	3	1	2	1	-	1	2	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	308	130	14	5	1	-	5	5	3	-	3	5	1	4	3	3	9	7	13	16	24	24	13	11	1	2	-
	White—M	155	67	9	5	-	-	2	1	2	-	1	-	1	1	-	2	3	5	9	8	17	7	8	7	-	-	-
	F	123	53	2	-	1	-	3	4	1	-	2	3	-	2	-	1	3	1	9	7	7	15	3	4	1	1	-
	Nonwhite—M	21	8	2	-	-	-	-	-	-	-	-	1	-	1	3	-	2	-	1	1	-	1	1	-	-	-	-
	F	9	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-
33	Influenza	180	23	9	1	3	-	2	1	2	3	2	1	3	5	9	4	7	10	11	14	19	22	18	9	1	1	-
	White—M	78	15	1	-	1	-	1	-	-	-	-	1	2	2	2	2	5	6	5	7	7	11	6	4	-	-	-
	F	72	6	6	-	-	-	1	-	2	2	1	-	-	2	2	1	1	2	2	6	11	11	10	4	1	1	-
	Nonwhite—M	11	1	1	1	-	-	-	1	-	-	-	-	-	-	2	-	1	1	2	-	-	-	1	-	-	-	-
	F	19	1	1	-	2	-	-	-	-	1	1	-	1	1	3	1	-	1	2	1	1	-	1	1	-	-	-
117	Ulcer of stomach or duodenum	119	1	-	-	1	-	1	-	-	-	1	2	4	5	9	14	16	15	16	19	9	4	2	-	-	-	-
	White—M	79	1	-	-	1	-	1	-	-	-	1	2	2	4	7	11	11	12	9	11	2	3	1	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	6	7	5	1	1	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	441	350	35	4	3	-	1	3	1	1	1	1	3	1	2	3	1	3	3	5	4	4	9	3	-	-	-
	White—M	228	185	18	2	1	-	-	1	-	1	1	1	-	1	2	1	-	1	2	2	2	1	6	-	-	-	-
	F	189	145	15	2	2	-	1	2	1	-	-	-	2	-	-	2	1	1	1	3	2	3	3	3	-	-	-
	Nonwhite—M	18	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	76	2	-	1	-	1	4	6	4	5	3	2	5	2	4	8	7	7	5	7	2	1	-	-	-	-	-
	White—M	32	-	-	1	-	-	3	2	1	3	2	-	2	-	4	4	2	2	2	4	-	-	-	-	-	-	-
	F	30	1	-	-	-	1	1	3	2	1	1	1	2	1	-	1	3	4	2	3	2	1	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	177	10	1	-	1	-	2	1	2	4	1	5	3	8	10	10	11	22	15	17	30	14	6	3	1	-	-
	White—M	82	6	1	-	1	-	-	-	1	1	-	1	3	4	5	3	4	9	6	9	14	8	4	1	1	-	-
	F	75	4	-	-	-	-	2	1	1	3	1	3	-	4	4	3	5	10	7	6	13	5	1	2	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	1	2	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	2	1	1	1	1	-	-	-	-
124	Cirrhosis of the liver	194	-	-	-	1	-	-	1	-	2	1	12	12	18	12	23	28	18	22	14	14	10	5	1	-	-	-
	White—M	132	-	-	-	-	-	-	1	-	2	1	7	8	12	10	16	20	14	16	8	7	6	3	1	-	-	-
	F	44	-	-	-	1	-	-	-	-	-	-	4	2	3	2	5	6	2	4	5	6	3	1	-	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	2	1	1	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
126, 127	Biliary calculi, etc.*	113	1	-	-	-	-	-	-	-	-	-	1	4	7	6	12	10	17	16	11	16	7	3	1	1	-	-
	White—M	33	1	-	-	-	-	-	-	-	-	-	1	2	4	3	3	1	5	3	3	4	2	-	-	1	-	-
	F	74	-	-	-	-	-	-	-	-	-	-	-	2	3	1	9	9	10	13	8	12	4	2	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,737	3	-	-	3	3	6	5	10	21	16	25	33	45	60	68	99	135	192	244	292	251	168	45	10	3	-
	White—M	807	2	-	-	2	3	3	1	6	13	7	10	14	17	24	28	39	59	82	112	151	116	95	18	3	-	-
	F	609	-	-	-	1	-	3	3	3	4	9	10	12	13	18	15	34	38	64	86	108	103	57	23	4	1	-
	Nonwhite—M	167	1	-	-	-	-	-	1	-	1	-	1	1	7	7	13	15	19	25	30	21	15	8	1	1	-	-
	F	154	-	-	-	-	-	-	-	1	3	-	4	6	8	11	12	11	19	21	16	12	15	8	3	2	2	-
137	Diseases of the prostate	122	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	11	13	19	32	22	10	6	1	1	-
	White—M	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	11	17	29	20	9	5	1	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	3	2	1	1	-	1	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
140-150	Diseases of pregnancy, etc.*----	116	-	-	-	-	-	-	-	14	18	15	29	22	18	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	105	-	-	-	-	-	-	-	14	17	13	26	19	16	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	-	-	-	-	-	-	-	-	1	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	23	-	-	-	-	-	-	-	4	3	2	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	-	-	-	-	-	-	-	4	3	1	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	41	-	-	-	-	-	-	-	8	6	4	10	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	-	-	-	-	-	-	-	8	5	3	8	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	40	-	-	-	-	-	-	-	2	8	8	7	8	7	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	-	-	-	-	-	-	-	2	8	8	6	5	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	12	-	-	-	-	-	-	-	-	1	1	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	-	1	1	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	400	348	18	6	2	4	3	3	5	4	2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	216	187	7	4	1	2	2	2	4	3	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	165	143	11	2	1	2	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,373	1,373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	714	714	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	551	551	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	834	834	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	426	426	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	345	345	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	539	539	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	288	288	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	206	206	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	275	-	-	-	-	-	-	-	6	13	23	21	22	24	27	35	27	23	21	12	9	5	5	2	-	-
	White-----M--	194	-	-	-	-	-	-	-	3	9	16	13	16	15	16	23	20	20	16	11	7	3	4	2	-	-
	F--	68	-	-	-	-	-	-	-	3	2	6	5	6	8	7	12	7	3	5	-	2	2	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	1	2	-	1	4	-	-	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	313	3	-	-	-	-	-	1	15	36	46	33	45	37	33	30	15	7	3	5	2	1	-	-	-	1
	White-----M--	177	-	-	-	-	-	-	-	7	22	26	18	29	21	18	16	8	4	3	3	1	1	-	-	-	-
	F--	37	3	-	-	-	-	-	1	1	4	5	2	3	2	6	3	3	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	6	8	14	10	6	12	7	8	3	1	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	1	2	1	3	7	2	2	3	1	-	-	1	-	-	-	-	-	1
169-195	Accidental deaths	2,130	81	39	21	22	18	61	79	160	200	150	125	111	92	96	89	103	77	97	100	140	116	93	35	9	2	1
	White-----M--	1,365	44	21	9	9	9	39	54	115	164	118	102	88	70	80	54	71	48	61	46	62	49	34	13	2	-	1
	F--	590	32	14	10	11	7	27	18	33	23	18	11	12	13	8	20	16	21	30	44	71	66	57	22	7	1	-
	Nonwhite--M--	127	4	1	1	-	1	7	6	11	11	11	9	9	7	8	11	9	5	3	4	6	1	1	-	-	1	-
	F--	58	1	3	1	2	2	8	3	1	2	3	3	2	2	-	4	7	3	3	6	1	-	1	-	-	-	-
170	Motor-vehicle accidents-------	727	2	7	7	5	5	36	36	94	121	60	53	41	28	33	28	40	31	38	24	22	14	2	-	-	-
	White-----M--	528	2	4	6	4	2	22	22	66	101	46	41	32	20	24	16	25	20	30	17	16	10	2	-	-	-
	F--	137	-	3	1	1	2	10	9	21	12	10	6	5	5	6	8	9	8	6	6	5	4	-	-	-	-
	Nonwhite--M--	48	-	-	-	-	1	2	2	6	6	4	4	3	2	3	4	5	3	1	1	1	-	-	-	-	-	-
	F--	14	-	-	-	-	-	2	3	1	2	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,411	79	32	14	17	14	45	43	66	79	90	72	70	64	63	61	63	46	59	76	118	102	91	35	9	2	1
	White-----M--	835	42	17	3	5	7	17	32	49	63	72	61	56	50	56	38	46	28	31	29	46	39	32	13	2	-	1
	F--	453	32	11	9	10	5	17	7	12	11	8	5	7	8	2	12	7	13	24	38	66	62	57	22	7	1	-
	Nonwhite--M--	79	4	1	1	-	-	5	4	5	5	7	5	6	5	5	7	4	2	2	3	5	1	1	-	-	1	-
	F--	44	1	3	1	2	2	6	-	-	-	3	1	1	1	-	4	6	3	2	6	1	-	1	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	638	102	7	1	3	1	4	-	2	6	6	3	5	9	11	20	7	25	20	54	59	91	101	64	27	10	-
	White-----M--	304	49	4	1	3	-	1	-	1	3	5	1	3	5	7	10	6	16	13	31	25	38	46	23	12	1	-
	F--	278	43	3	-	-	1	3	-	-	1	1	2	2	3	2	5	1	8	6	18	27	46	53	36	11	6	-
	Nonwhite--M--	27	5	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-	1	-	3	3	5	1	2	1	-	-
	F--	28	5	-	-	-	-	-	-	-	2	-	-	-	-	1	2	-	-	1	2	4	2	1	3	3	3	-
	All other causes-	1,617	142	45	24	19	8	37	29	36	42	56	53	49	84	81	100	115	133	118	137	126	95	56	25	4	3	-
	White-----M--	788	86	27	10	10	3	23	19	15	18	21	15	23	43	36	50	52	59	63	70	69	38	22	18	-	-	-
	F--	658	45	15	13	8	4	12	6	16	19	24	26	22	29	28	36	48	56	47	57	53	51	31	8	2	1	-
	Nonwhite--M--	91	4	2	-	-	-	2	3	4	3	6	4	3	6	9	10	8	12	4	5	2	2	1	-	1	-	-
	F--	80	7	1	1	1	1	-	1	1	2	5	8	1	6	7	4	7	6	4	5	2	4	2	1	1	2	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																										
	ALL CAUSES-------	23,561	2,779	209	96	61	57	177	128	296	421	466	479	693	892	1,227	1,609	1,950	2,168	2,505	2,343	2,221	1,422	834	308	114	75	31
	White-----M--	7,945	748	58	25	17	15	62	45	96	139	144	153	198	276	400	576	710	810	933	881	803	453	279	87	24	8	9
	F--	5,834	537	41	28	17	18	36	21	41	67	84	80	110	149	190	244	363	483	623	697	762	546	336	125	34	7	3
	Nonwhite--M--	5,339	869	53	30	15	13	40	38	92	108	129	122	195	240	303	444	488	464	482	424	372	223	102	41	25	14	12
	F--	4,843	627	57	13	12	11	37	24	67	106	109	124	190	227	334	345	389	411	467	351	284	200	117	55	31	48	7
1,2	Typhoid and paratyphoid fever---	12	-	-	-	-	-	1	2	-	-	1	1	1	1	-	1	2	1	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	24	10	3	1	2	1	1	-	-	1	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	3	1	1	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	38	28	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	18	3	3	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	947	6	6	5	1	3	4	7	30	69	93	66	90	99	75	94	89	75	58	35	23	7	4	1	-	1	-
	White-----M--	320	-	-	-	-	-	-	-	1	6	9	19	20	31	32	49	41	41	28	18	17	5	2	-	-	1	-
	F--	109	-	-	1	1	1	1	-	-	8	14	2	9	11	8	7	7	13	13	8	3	1	-	1	-	-	-
	Nonwhite--M--	301	4	3	2	-	1	2	3	7	17	31	24	33	38	27	28	37	17	12	5	7	1	2	-	-	-	-
	F--	217	2	3	2	-	1	1	4	22	38	39	21	28	19	8	10	4	4	5	4	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	894	2	2	1	-	1	1	7	27	68	90	60	84	98	72	92	86	72	58	34	26	7	4	1	-	1	-
	White-----M--	311	-	-	-	-	-	-	1	6	7	17	20	31	31	48	40	39	28	18	17	5	2	-	-	1	-
	F--	104	-	-	-	-	1	-	-	-	8	14	2	9	11	8	7	7	13	13	7	2	1	-	1	-	-	-
	Nonwhite--M--	278	2	1	-	-	-	3	7	16	30	21	30	38	25	28	35	16	12	5	6	1	2	-	-	-	-
	F--	201	-	1	1	-	-	1	4	19	38	39	20	25	18	8	9	4	4	5	4	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	53	4	4	4	1	2	3	-	3	1	3	6	6	1	3	2	3	3	-	1	3	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	23	2	2	2	-	1	2	-	-	1	1	3	3	-	2	-	2	1	-	-	1	-	-	-	-	-	-
	F--	16	2	2	1	-	1	-	-	3	-	-	1	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-
27	Dysentery-------	12	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	3	2	1	-	1	-	2	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
28	Malaria----------	17	2	1	1	-	1	1	1	-	-	1	-	-	-	2	-	-	2	1	1	2	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis---------	405	38	-	1	-	-	-	-	1	1	9	11	32	25	43	57	52	51	30	20	20	6	1	-	-	-	5
	White-----M--	80	2	-	-	-	-	-	-	-	-	-	4	3	4	5	11	10	19	6	8	5	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	2	3	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	212	25	-	-	-	-	-	-	-	-	6	3	19	17	24	32	27	19	13	9	10	3	-	-	-	-	5
	F--	97	11	-	1	-	-	-	-	1	1	3	3	9	4	12	11	13	10	11	3	4	-	-	-	-	-	-
35	Measles----------	15	4	2	3	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	17	1	1	1	-	2	2	1	3	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
45-55	Cancer and other malignant tumors	2,751	2	2	1	2	2	14	3	12	14	26	49	77	139	178	279	363	395	366	309	279	137	73	23	2	1	3
	White—M—	944	2	1	-	-	-	8	1	2	5	11	11	20	30	51	86	127	151	129	115	121	56	25	10	1	-	1
	F—	888	-	-	1	-	2	5	1	4	1	10	18	25	49	58	84	105	127	110	104	95	54	27	8	-	-	-
	Nonwhite—M—	420	-	1	-	2	-	-	1	2	4	1	6	9	20	21	47	65	66	59	49	40	14	9	2	-	-	2
	F—	499	-	-	-	-	-	1	-	4	4	4	14	23	40	48	62	66	71	68	41	23	13	12	3	1	1	-
46	Cancer of the digestive organs and peritoneum	1,061	-	-	-	-	-	1	-	1	4	4	6	27	35	54	101	134	164	173	128	122	67	30	9	-	-	1
	White—M—	368	-	-	-	-	-	1	-	-	2	-	3	9	8	19	34	44	58	58	46	48	26	8	4	-	-	-
	F—	301	-	-	-	-	-	-	-	-	-	2	-	7	9	11	19	33	43	54	39	42	28	13	3	-	-	-
	Nonwhite—M—	214	-	-	-	-	-	-	-	-	2	1	2	6	10	11	24	40	34	30	25	18	8	3	1	-	-	1
	F—	178	-	-	-	-	-	-	-	1	-	1	1	5	8	13	24	17	29	31	20	14	7	6	1	-	-	-
48,49	Cancer of female genital organs	386	-	-	-	-	-	1	-	4	2	3	16	21	30	46	44	63	49	41	38	13	9	5	1	-	-	-
	White—F—	220	-	-	-	-	-	1	-	3	-	2	9	6	19	24	23	35	27	24	24	13	7	3	-	-	-	-
	Nonwhite—F—	166	-	-	-	-	-	-	-	1	2	1	7	15	11	22	21	28	22	17	14	-	2	2	1	-	-	-
50	Cancer of breast	211	-	-	-	-	-	-	-	-	-	3	4	10	23	23	31	25	29	19	18	14	7	4	-	1	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F—	146	-	-	-	-	-	-	-	-	-	2	3	9	13	14	25	15	22	12	14	10	6	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	61	-	-	-	-	-	-	-	-	-	1	1	1	10	9	5	10	7	6	4	2	1	3	-	1	-	-
45,47, 51-55	Cancer (other sites)	1,093	2	2	1	2	2	12	3	7	8	16	23	19	51	55	103	141	153	133	125	130	54	34	13	1	1	2
	White—M—	573	2	1	-	-	-	7	1	2	3	11	8	11	22	32	52	83	73	70	69	71	30	17	6	1	-	1
	F—	221	-	-	1	-	2	4	1	1	1	4	6	3	8	9	17	22	35	20	27	30	15	10	5	-	-	-
	Nonwhite—M—	205	-	1	-	2	-	-	1	2	2	-	4	3	10	10	22	25	32	29	26	22	6	6	1	-	-	1
	F—	94	-	-	-	-	-	1	-	2	2	1	5	2	11	4	12	11	13	14	3	7	3	1	1	-	1	-
59	Acute rheumatic fever	15	-	-	-	-	-	2	2	4	-	-	-	-	-	2	1	1	-	1	1	-	1	-	-	-	-	-
	White—M—	6	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	455	-	-	-	-	-	-	-	5	3	6	5	7	6	17	34	51	68	76	74	63	30	6	4	-	-	-
	White—M—	112	-	-	-	-	-	-	-	2	1	2	2	1	1	7	9	8	21	15	14	19	6	3	1	-	-	-
	F—	192	-	-	-	-	-	-	-	1	1	2	-	2	-	1	7	23	23	40	45	30	17	-	-	-	-	-
	Nonwhite—M—	50	-	-	-	-	-	-	-	1	1	1	1	-	1	2	5	5	10	8	5	7	2	-	1	-	-	-
	F—	101	-	-	-	-	-	-	-	1	a	1	2	4	4	7	13	15	14	13	10	7	5	3	2	-	-	-
63b	Exophthalmic goiter	26	-	-	-	-	-	-	-	-	2	1	1	1	-	3	3	4	4	3	1	1	2	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	3	3	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	3	1	-	1	-	2	-	-	-	-	-
69	Pellagra (except alcoholic)	15	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	5	1	4	-	1	-	-	1	-
	White—M—	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-	1	-
77	Alcoholism (ethylism)	18	-	-	-	-	-	-	-	-	-	-	2	5	2	1	4	3	1	-	-	-	-	-	-	-	-	-
	White—M—	12	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	2	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,982	5	1	1	-	-	1	4	2	7	11	13	42	59	110	141	204	231	294	278	273	158	83	24	12	6	2
	White—M—	526	2	1	1	-	-	-	2	-	2	4	4	9	10	21	27	44	67	84	86	82	44	24	7	3	1	1
	F—	454	-	-	-	-	-	-	-	1	-	3	1	9	12	20	19	30	44	66	65	89	55	27	9	3	1	-
	Nonwhite—M—	461	3	-	-	-	-	1	1	-	3	1	4	10	17	32	47	57	54	67	61	54	29	13	3	3	-	1
	F—	521	-	-	-	-	-	-	1	1	2	3	4	14	20	37	48	73	66	77	66	48	30	19	5	3	4	-
90-95	Diseases of the heart	7,293	7	-	-	4	3	10	4	14	23	38	60	121	203	406	604	698	858	1,067	1,012	960	627	365	138	41	23	9
	White—M—	2,767	2	-	-	2	-	4	-	4	8	20	14	43	64	142	244	302	353	428	408	354	207	118	35	11	1	3
	F—	1,761	-	-	-	1	1	-	1	2	6	3	4	10	19	33	58	94	166	250	300	332	256	156	55	9	4	1
	Nonwhite—M—	1,424	3	-	-	-	1	4	2	3	4	4	17	25	60	94	179	173	179	201	157	148	86	45	19	13	5	2
	F—	1,341	2	-	-	1	1	2	1	5	5	11	25	43	60	137	123	127	160	198	147	128	78	46	29	8	13	3
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	256	-	-	-	1	1	2	2	2	7	7	10	15	11	16	16	24	29	19	36	28	16	8	3	1	2	-
	White—M—	69	-	-	-	-	-	-	-	1	2	6	1	4	3	3	4	9	5	6	12	5	5	2	1	-	-	-
	F—	54	-	-	-	-	-	-	1	-	2	1	2	4	3	3	3	3	4	6	7	8	4	2	-	-	1	-
	Nonwhite—M—	69	-	-	-	-	-	2	1	-	1	-	3	4	5	4	7	7	10	3	8	8	2	3	-	1	-	-
	F—	64	-	-	-	1	1	-	-	1	2	-	4	3	-	6	2	5	10	4	9	7	5	1	2	-	1	-
94	Diseases of coronary arteries and angina pectoris	1,815	1	-	-	-	1	1	-	5	7	12	18	48	69	134	214	233	240	291	220	164	89	52	10	3	1	2
	White—M—	1,004	-	-	-	-	-	-	-	1	3	9	6	28	39	87	134	152	137	158	110	78	35	23	3	2	-	1
	F—	345	-	-	-	-	-	-	-	2	3	-	-	3	6	4	14	31	42	63	65	53	33	19	6	1	-	1
	Nonwhite—M—	263	1	-	-	-	1	1	-	1	1	1	6	6	15	24	40	27	30	41	24	24	13	6	1	-	-	-
	F—	203	-	-	-	-	-	-	-	1	-	2	6	13	9	19	26	23	31	29	21	9	8	4	1	-	1	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	5,222	6	-	-	3	1	7	2	7	9	19	32	58	123	256	374	439	589	757	756	768	522	305	125	37	20	7
	White—M—	1,694	2	-	-	2	-	4	-	2	3	5	7	13	22	52	106	141	211	264	286	271	187	93	31	9	1	2
	F—	1,362	-	-	-	1	1	-	-	-	1	2	2	3	10	28	41	60	120	181	228	271	219	135	50	8	3	-
	Nonwhite—M—	1,092	2	-	-	-	-	1	1	2	2	3	8	15	40	66	132	139	139	157	125	116	71	36	18	12	5	2
	F—	1,074	2	-	-	-	-	2	1	3	3	9	15	27	51	112	95	99	119	155	117	110	65	41	26	8	11	3

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	267	-	-	-	-	-	-	-	-	1	1	1	2	6	11	11	10	16	25	38	34	48	33	18	9	2	1
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	5	8	13	3	11	11	4	-	-	-
	F--	99	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	5	9	10	19	19	15	9	5	-	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	-	3	3	6	5	8	3	1	2	-	-
	F--	62	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3	5	3	5	9	7	10	4	4	2	2	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,289	478	58	19	9	7	20	9	14	11	9	13	22	26	28	47	56	48	89	84	77	81	60	20	12	10	1
	White-----M--	332	94	12	6	1	2	3	3	2	4	2	1	5	8	12	14	8	14	26	33	26	17	26	9	2	2	-
	F--	279	68	8	3	2	1	3	4	2	2	-	2	4	5	5	11	9	7	27	26	27	27	22	9	4	1	-
	Nonwhite--M--	344	179	16	7	3	1	9	1	2	2	1	3	8	4	5	15	19	13	19	14	11	8	1	1	1	1	-
	F--	334	137	23	3	3	3	5	1	8	3	6	7	5	9	6	7	20	14	17	11	13	9	11	1	5	6	1
107	Bronchopneumonia-	696	332	40	8	5	4	11	2	4	7	5	3	9	8	8	20	19	22	37	33	39	28	31	9	7	4	1
	White-----M--	169	63	6	2	1	2	3	1	-	3	-	-	2	-	3	7	2	7	11	12	15	9	15	3	1	1	-
	F--	130	48	3	-	1	-	2	-	-	1	-	1	2	2	1	4	3	4	7	7	15	12	11	4	2	-	-
	Nonwhite--M--	197	127	11	4	3	-	3	1	-	1	1	-	3	2	2	3	7	5	9	6	4	3	-	1	1	-	-
	F--	200	94	20	2	-	2	3	-	4	2	4	2	2	4	2	6	7	6	10	8	5	4	5	1	3	3	1
108	Lobar pneumonia--	308	62	11	5	2	1	7	4	7	2	2	6	7	12	10	16	18	16	32	32	19	19	10	6	-	2	-
	White-----M--	87	15	3	2	-	-	-	1	1	1	2	-	2	5	5	4	3	3	9	13	7	4	2	4	-	1	-
	F--	88	10	4	2	-	-	1	3	2	-	-	1	1	2	4	5	4	3	13	13	5	9	3	2	-	1	-
	Nonwhite--M--	71	17	2	1	-	-	5	-	2	-	-	3	2	2	1	6	6	5	5	5	5	3	1	-	-	-	-
	F--	62	20	2	-	2	1	1	-	2	1	-	2	2	3	-	1	5	5	5	1	2	3	4	-	-	-	-
109	Pneumonia (unspecified)------	88	25	2	2	1	-	-	1	1	1	1	2	2	3	5	3	8	3	7	9	5	3	3	1	-	-	-
	White-----M--	29	5	1	-	-	-	-	-	-	-	-	1	-	1	2	2	2	2	3	6	2	-	1	1	-	-	-
	F--	27	6	1	1	1	-	-	-	-	1	-	-	1	1	-	-	2	-	2	3	3	3	2	-	-	-	-
	Nonwhite--M--	16	8	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	-	-	-	-	-	-	-
	F--	16	6	-	1	-	-	-	1	1	-	1	1	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-
33	Influenza--------	197	59	6	4	1	2	2	2	2	1	1	2	4	3	5	8	11	7	13	10	14	11	16	4	5	4	-
	White-----M--	47	11	2	2	-	-	-	1	1	-	-	-	1	2	2	1	1	2	3	2	2	4	8	1	1	-	-
	F--	34	4	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	5	3	4	3	6	3	2	-	-
	Nonwhite--M--	60	27	3	2	-	1	1	-	-	1	-	-	2	-	-	5	4	2	4	3	2	2	-	-	-	1	-
	F--	56	17	1	-	1	-	1	-	1	-	1	2	1	1	3	-	6	3	1	2	6	2	2	-	2	3	-
117	Ulcer of stomach or duodenum-----	104	-	-	-	-	-	-	-	-	1	3	3	3	12	7	7	18	12	16	9	11	1	1	-	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	3	3	-	7	6	3	13	7	10	4	4	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	3	-	1	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	1	-	-	2	3	1	3	3	3	1	2	4	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	3	1	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	154	113	12	1	-	2	2	-	1	1	2	1	-	-	3	2	4	3	3	1	1	1	1	-	-	-	-
	White-----M--	32	20	3	-	-	2	1	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-
	F--	28	15	4	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	56	47	2	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-
	F--	38	31	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
121	Appendicitis-----	71	1	-	1	-	-	2	2	6	3	3	6	6	3	7	2	6	5	3	7	5	1	2	-	-	-	-
	White-----M--	30	-	-	1	-	-	1	2	2	1	2	2	-	3	2	-	2	4	2	4	1	1	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	1	1	1	5	-	3	-	4	-	-	2	2	-	2	-	-	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	3	1	-	1	-	-	1	1	-	1	1	1	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	162	11	1	1	1	-	2	3	4	1	3	3	4	10	14	10	22	12	12	21	12	9	4	2	-	-	-
	White-----M--	43	5	-	-	-	-	-	1	2	-	-	-	2	-	3	2	6	4	4	7	4	2	-	1	-	-	-
	F--	50	1	-	-	-	-	-	-	1	-	1	2	-	4	7	5	4	2	3	8	3	5	3	1	-	-	-
	Nonwhite--M--	43	3	1	1	1	-	1	1	1	1	2	-	1	4	1	1	8	4	4	4	2	1	1	-	-	-	-
	F--	26	2	-	-	-	-	1	1	-	-	-	1	1	2	3	2	4	2	1	2	3	1	-	-	-	-	-
124	Cirrhosis of the liver----------	186	3	-	-	1	-	1	1	1	1	2	4	4	15	17	18	32	26	16	26	15	2	1	-	-	-	-
	White-----M--	105	1	-	-	1	-	-	1	1	-	1	3	2	6	9	9	21	17	11	15	7	-	1	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	1	1	1	2	4	5	2	7	2	6	5	1	-	-	-	-	-
	Nonwhite--M--	29	1	-	-	-	-	1	-	-	-	-	-	-	4	2	2	9	2	2	4	1	1	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	1	-	-	1	3	2	3	-	-	1	1	2	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	78	-	2	-	-	-	-	-	-	-	2	1	4	4	2	5	12	7	8	14	10	4	2	1	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	2	1	2	8	3	2	1	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	6	5	5	5	7	2	1	1	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis--------	1,411	6	2	1	2	-	5	1	4	10	17	20	37	59	67	90	98	143	178	190	193	163	61	28	9	7	-
	White-----M--	386	1	-	1	-	-	2	-	1	2	4	5	3	11	12	26	20	37	51	60	66	49	26	8	1	-	-
	F--	367	1	1	-	2	-	2	-	-	3	4	3	6	13	11	14	22	33	41	46	65	55	34	9	2	-	-
	Nonwhite--M--	333	2	1	-	-	-	-	1	2	1	5	5	11	13	20	22	30	41	43	53	38	30	8	9	-	-	-
	F--	325	2	-	-	-	-	1	-	1	4	4	7	17	22	24	28	26	32	43	31	28	29	13	2	6	7	-
137	Diseases of the prostate--------	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	13	17	29	15	7	1	-	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	8	7	22	8	5	-	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	10	7	7	2	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
140-150	Diseases of pregnancy, etc.*----	121	-	-	-	-	-	-	1	13	20	28	34	19	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	45	-	-	-	-	-	-	3	9	10	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	76	-	-	-	-	-	-	1	10	11	18	21	10	5	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	30	-	-	-	-	-	-	-	4	6	5	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	-	4	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	-	-	-	-	-	-	-	4	2	2	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	45	-	-	-	-	-	-	1	4	10	10	12	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	-	2	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	34	-	-	-	-	-	-	1	4	8	7	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	35	-	-	-	-	-	-	-	3	4	11	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	3	3	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	-	-	-	-	-	-	-	-	1	7	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	11	-	-	-	-	-	-	-	2	-	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	324	273	15	3	4	3	9	1	1	2	3	2	-	4	1	-	3	-	-	-	-	-	-	-	-	-	-
	White-----M--	102	85	6	1	1	1	2	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	110	87	8	1	1	2	3	1	1	-	1	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	63	56	1	1	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	45	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,503	1,503	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	468	468	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	308	308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	428	428	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	299	299	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	951	951	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	314	314	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	202	202	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	241	241	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	194	194	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	552	552	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	154	-	-	-	-	-	-	-	2	10	12	10	12	17	20	21	22	9	9	4	4	2	-	-	-	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	5	7	6	4	13	17	15	14	5	6	4	4	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	2	5	4	2	4	3	2	3	7	3	2	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	1	2	2	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	232	1	-	-	-	-	1	2	12	40	40	26	41	17	20	13	6	1	5	3	3	-	1	-	-	-	-
	White-----M--	48	-	-	-	-	-	-	-	1	5	8	4	8	4	2	4	2	-	5	2	-	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	1	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	139	1	-	-	-	-	1	-	9	24	30	14	26	10	12	5	4	1	-	-	2	-	-	-	-	-	-	-
	F--	35	-	-	-	-	-	-	2	2	10	1	4	5	-	5	4	-	-	-	1	1	-	-	-	-	-	-	-
169-195	Accidental deaths	1,588	81	51	21	20	16	63	61	125	144	108	96	89	87	78	62	75	68	77	64	86	56	36	14	3	3	4
	White-----M--	724	22	17	4	5	5	26	27	60	81	55	56	49	48	41	34	33	28	39	27	32	17	12	4	-	-	2
	F--	266	14	7	5	6	4	10	7	14	13	14	13	7	5	9	5	8	9	15	20	31	19	20	8	3	-	-
	Nonwhite--M--	433	24	15	9	3	3	13	20	45	38	37	23	29	28	25	20	22	21	14	13	13	10	4	2	-	1	1
	F--	165	21	12	3	6	4	14	7	6	12	2	4	4	6	3	3	12	10	9	4	10	10	-	-	-	2	1
170	Motor-vehicle accidents-------	504	1	7	4	4	4	18	14	48	73	55	48	31	31	35	17	27	21	22	18	20	4	1	1	-	-	-
	White-----M--	267	-	4	-	1	2	8	9	27	45	27	26	12	20	19	9	11	8	17	11	10	-	1	-	-	-	-
	F--	88	1	3	4	2	1	5	-	10	9	11	9	4	4	5	2	5	3	2	3	5	-	-	-	-	-	-
	Nonwhite--M--	131	-	-	-	-	-	4	2	11	14	17	12	14	6	11	6	9	9	3	4	4	4	-	1	-	-	-
	F--	18	-	-	-	1	1	1	3	-	5	-	1	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,084	80	44	17	16	12	45	47	77	71	53	48	58	56	43	45	48	47	55	46	66	52	35	13	3	3	4
	White-----M--	457	22	13	4	4	3	18	18	33	36	28	30	37	28	22	25	22	20	22	16	22	17	11	4	-	-	2
	F--	178	13	4	1	4	3	5	7	4	4	3	4	5	1	4	3	3	6	13	17	26	19	20	8	3	-	-
	Nonwhite--M--	302	24	15	9	3	3	9	18	34	24	20	11	15	22	14	14	13	12	11	9	9	6	4	1	-	1	1
	F--	147	21	12	3	5	3	13	4	6	7	2	3	3	5	3	3	10	9	9	4	9	10	-	-	-	2	1
162, 199, 200	Senility, ill-defined and unknown causes----	428	61	7	-	1	-	2	-	-	6	5	2	5	4	17	18	16	17	37	33	40	50	39	25	20	19	4
	White-----M--	95	4	1	-	-	-	2	-	-	-	1	-	1	-	4	6	5	3	13	8	13	11	10	5	6	1	1
	F--	84	6	1	-	1	-	-	-	-	1	1	-	-	-	2	1	1	4	10	4	9	10	17	10	5	1	-
	Nonwhite--M--	124	27	2	-	-	-	-	-	-	-	-	2	1	2	7	6	4	5	8	11	10	18	8	2	3	7	1
	F--	125	24	3	-	-	-	-	-	-	5	3	-	3	2	4	5	6	5	6	10	8	11	4	8	6	10	2
	All other causes-	1,356	141	34	25	12	13	30	23	41	45	39	48	70	83	97	87	98	102	109	100	69	41	30	9	6	2	2
	White-----M--	482	30	12	6	5	4	12	6	16	14	12	17	23	26	28	28	36	45	54	39	18	15	12	3	-	-	1
	F--	387	29	8	11	3	3	10	7	6	12	9	8	14	15	23	17	34	26	25	35	36	20	7	5	3	-	1
	Nonwhite--M--	295	49	6	5	3	4	4	7	15	11	7	14	16	14	20	22	21	17	18	19	12	4	6	-	3	-	-
	F--	232	33	8	3	1	2	4	3	4	8	11	9	17	28	26	20	7	14	14	7	3	2	5	1	-	2	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																										
	ALL CAUSES-------	9,958	706	64	29	18	20	64	37	87	66	105	114	151	223	309	459	612	799	1,126	1,301	1,457	1,122	723	268	60	7	1
	White-----M--	5,541	405	34	15	11	10	47	21	62	52	62	60	92	133	182	289	384	504	648	734	750	581	331	111	23	-	-
	F--	4,387	298	30	14	6	10	17	16	24	34	41	53	59	87	126	179	224	293	472	564	706	541	392	157	37	6	1
	Nonwhite--M--	15	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	2	-	5	2	-	-	-	-	-	1	-
	F--	15	3	-	-	-	-	-	-	1	-	1	-	-	2	1	-	2	2	1	1	1	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	197	3	1	3	-	-	-	-	5	7	12	16	6	18	16	31	24	15	22	8	9	-	1	2	-	-	-
	White-----M--	139	1	1	2	-	-	-	-	2	2	8	8	5	12	9	26	20	11	20	4	5	-	1	2	-	-	-
	F--	57	2	-	1	-	-	-	-	2	5	4	8	1	4	7	5	4	4	2	4	4	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	178	-	1	1	-	-	-	-	4	6	11	14	6	15	15	28	24	14	20	7	9	-	1	2	-	-	-
	White-----M--	130	-	1	1	-	-	-	-	1	2	8	8	5	11	9	24	20	10	18	4	5	-	1	2	-	-	-
	F--	47	-	-	-	-	-	-	-	2	4	3	6	1	4	6	4	4	4	2	3	4	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	19	3	-	2	-	-	-	-	1	1	1	2	-	1	1	3	-	1	2	1	-	-	-	-	-	-	-
	White-----M--	9	1	-	1	-	-	-	-	1	-	-	-	-	1	-	2	-	1	2	-	-	-	-	-	-	-	-
	F--	10	2	-	1	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	46	1	-	-	-	-	-	-	1	-	-	1	3	2	4	12	5	3	3	6	4	1	-	-	-	-	-
	White-----M--	30	1	-	-	-	-	-	-	-	-	-	-	1	2	3	9	4	2	2	3	3	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	1	2	-	1	3	1	1	1	3	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	6	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																										
45-55	Cancer and other malignant tumors	1,472	-	3	2	1	1	1	2	2	6	9	16	22	46	61	91	129	175	216	236	233	127	76	13	1	-	1
	White-----M--	711	-	3	2	1	-	1	1	2	3	3	4	10	16	22	33	57	94	104	120	118	72	40	5	-	-	-
	F--	753	-	-	-	-	1	-	1	-	3	6	12	12	29	38	57	71	80	110	115	115	55	36	8	1	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	666	-	-	1	-	-	-	-	-	1	1	4	5	15	22	21	53	82	111	120	120	65	39	5	-	-	1
	White-----M--	342	-	-	1	-	-	-	-	-	1	-	2	3	7	12	9	27	50	54	67	54	34	19	2	-	-	-
	F--	318	-	-	-	-	-	-	-	-	-	1	2	2	8	10	11	25	31	55	52	66	31	20	3	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	182	-	-	-	-	-	-	-	-	1	2	6	5	12	21	23	19	19	12	25	22	6	7	2	-	-	-
	White-----F--	180	-	-	-	-	-	-	-	-	1	2	6	5	11	20	23	19	19	12	25	22	6	7	2	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	131	-	-	-	-	-	-	-	-	1	1	1	4	5	4	14	11	20	25	10	13	13	6	1	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	128	-	-	-	-	-	-	-	-	1	1	1	4	5	4	14	11	19	25	10	13	12	6	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	493	-	3	1	1	1	1	2	2	3	5	5	8	14	14	33	46	54	67	81	78	43	26	5	-	-	-
	White-----M--	366	-	3	1	1	-	1	1	2	2	3	2	7	9	10	24	30	43	49	53	64	37	21	3	-	-	-
	F--	127	-	-	-	-	1	-	1	-	1	2	3	1	5	4	9	16	11	18	28	14	6	5	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	244	-	-	-	-	-	-	1	1	1	1	1	3	5	10	13	19	35	41	33	42	28	9	1	-	-	-
	White-----M--	92	-	-	-	-	-	-	-	1	1	-	-	-	3	3	5	7	16	15	10	15	13	2	1	-	-	-
	F--	152	-	-	-	-	-	-	1	-	-	1	1	3	2	7	8	12	19	26	23	27	15	7	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	24	-	-	-	-	-	-	-	-	-	-	1	2	3	3	6	2	2	4	1	-	-	-	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	2	2	3	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,056	2	2	-	-	1	3	-	1	2	-	2	5	19	18	28	63	73	113	196	208	179	102	29	9	-	-
	White-----M--	506	1	-	-	-	1	2	-	-	1	-	1	2	9	10	14	39	43	59	108	83	81	38	12	2	-	-
	F--	550	1	2	-	-	-	1	-	1	1	-	1	3	10	9	14	24	30	54	88	125	98	64	17	7	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	3,367	2	-	1	-	-	3	2	1	5	10	12	26	53	104	166	203	327	471	523	622	436	273	105	17	5	-
	White-----M--	1,974	-	-	-	-	-	1	-	1	3	4	6	19	40	69	118	152	223	287	300	345	233	125	43	5	-	-
	F--	1,387	2	-	1	-	-	2	2	-	2	6	6	7	13	35	48	50	103	183	221	276	203	148	62	12	5	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	177	-	-	-	-	-	3	1	1	3	4	4	4	8	10	14	12	19	21	20	27	19	6	1	-	-	-
	White-----M--	92	-	-	-	-	-	1	-	1	1	1	2	1	5	6	9	8	11	9	11	9	14	2	1	-	-	-
	F--	83	-	-	-	-	-	2	1	-	2	3	2	3	3	4	5	4	7	12	8	18	5	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,304	1	-	-	-	-	-	-	-	-	2	2	16	37	54	102	121	178	208	216	208	96	48	12	2	1	-
	White-----M--	880	-	-	-	-	-	-	-	-	-	1	2	13	30	42	80	99	132	146	129	121	59	20	6	-	-	-
	F--	424	1	-	-	-	-	-	-	-	-	1	-	3	7	12	22	22	46	62	87	87	37	29	6	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	1,886	1	-	1	-	-	-	1	-	2	4	6	6	8	40	50	70	130	242	287	387	321	219	92	15	4	-
	White-----M--	1,002	-	-	-	-	-	-	-	-	2	2	2	5	5	21	29	45	80	132	160	215	160	103	36	5	-	-
	F--	880	1	-	1	-	-	-	1	-	-	2	4	1	3	19	21	24	50	109	126	171	161	116	56	10	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																										
97, 102	Arteriosclerosis and high blood pressure*	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	10	24	36	71	57	26	8	-	-
	White—M	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	6	16	18	34	29	14	5	-	-
	F	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	4	8	18	37	28	12	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	428	104	18	2	-	-	4	3	2	4	3	1	4	8	9	11	14	18	35	36	56	40	29	20	6	1	-
	White—M	235	60	13	1	-	-	3	1	1	1	1	1	4	3	6	9	10	12	16	23	30	19	11	9	1	-	-
	F	188	44	5	1	-	-	1	2	1	3	2	-	-	3	3	2	3	6	18	13	26	21	18	11	5	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	224	58	12	1	-	-	1	1	-	1	1	-	-	3	4	2	7	7	16	12	35	23	20	15	5	-	-
	White—M	125	37	9	1	-	-	-	-	-	-	1	-	-	1	4	1	4	5	6	9	20	12	7	7	1	-	-
	F	97	21	3	-	-	-	1	1	-	1	-	-	-	1	-	1	2	2	10	3	15	11	13	8	4	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	129	21	3	1	-	-	-	1	2	3	1	-	3	4	3	8	3	9	14	19	13	14	3	3	1	-	-
	White—M	75	11	2	-	-	-	-	1	1	1	-	-	3	2	1	8	3	6	6	13	7	7	2	1	-	-	-
	F	52	10	1	1	-	-	-	-	1	2	1	-	-	1	2	-	-	3	7	6	6	7	1	2	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	34	15	1	-	-	-	2	-	-	-	-	1	-	-	1	-	1	2	3	2	1	1	2	1	-	1	-
	White—M	16	6	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	2	1	-	-	-
	F	17	9	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	41	10	2	-	-	-	1	1	-	-	1	-	1	1	1	1	3	-	2	3	7	2	4	1	-	-	-
	White—M	19	6	2	-	-	-	1	-	-	-	-	-	1	-	1	-	3	-	1	1	3	-	-	-	-	-	-
	F	22	4	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	1	2	4	2	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	58	1	-	-	-	-	-	-	-	-	1	2	1	2	4	6	10	6	7	11	4	3	-	-	-	-	-
	White—M	49	1	-	-	-	-	-	-	-	-	1	1	1	2	2	5	9	6	7	9	3	2	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	2	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	51	33	5	-	1	-	-	-	1	1	2	-	-	-	1	1	1	-	2	1	1	1	-	-	-	-	-
	White—M	32	21	4	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-
	F	17	10	1	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	22	2	-	2	1	1	1	1	2	-	-	1	2	2	-	-	-	1	2	2	1	1	-	-	-	-	-
	White—M	17	1	-	2	1	1	1	1	2	-	-	1	2	2	-	-	-	1	1	-	-	1	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	65	1	-	-	-	-	-	-	-	-	-	2	2	-	3	2	5	4	8	12	8	11	3	3	1	-	-
	White—M	39	1	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	4	5	6	5	6	2	-	1	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	3	6	3	5	1	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	80	-	-	-	-	-	-	-	3	1	2	2	2	8	7	13	8	6	9	8	5	5	1	-	-	-	-
	White—M	52	-	-	-	-	-	-	-	1	-	1	-	1	5	6	9	5	5	9	4	3	3	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	2	1	1	2	1	3	1	4	3	1	-	4	2	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	-	6	4	5	3	1	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	-	4	3	4	2	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	548	-	-	-	-	1	1	3	3	2	3	4	4	5	16	22	28	31	71	76	83	93	71	23	8	-	-
	White—M	271	-	-	-	-	-	-	-	3	2	-	3	1	2	7	10	13	19	35	38	44	43	34	11	5	-	-
	F	275	-	-	-	-	1	1	3	-	-	3	1	3	3	9	12	15	12	34	37	39	50	37	12	3	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	11	12	7	1	1	-	-
	White—M	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	9	11	12	7	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Con.																											
140-150	Diseases of pregnancy, etc.*----	18	-	-	-	-	-	-	-	2	5	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	2	5	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	6	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	6	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*----------	5	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	140	110	10	3	3	2	4	3	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	74	55	4	3	3	1	3	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	66	55	6	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	353	353	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	190	190	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	80	80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	120	-	-	-	-	-	-	-	2	5	7	5	13	6	8	13	14	11	10	11	7	5	2	1	-	-	-
	White-----M--	106	-	-	-	-	-	-	-	2	4	7	5	11	4	6	11	11	11	8	11	7	5	2	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	3	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	15	-	-	-	-	-	-	-	2	2	1	1	1	1	1	-	2	2	1	-	1	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	2	2	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	582	21	11	8	7	6	29	17	45	35	32	26	34	23	19	20	27	26	26	44	39	37	32	16	2	-	-
	White-----M--	401	14	3	4	4	4	23	13	35	28	29	21	26	21	18	14	21	22	21	29	17	15	15	4	-	-	-
	F--	178	7	8	4	2	2	6	4	10	7	2	4	8	2	1	6	6	4	5	15	22	22	17	12	2	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	173	-	4	2	3	2	15	10	21	22	12	9	8	8	5	9	12	7	9	10	2	2	1	-	-	-	-
	White-----M--	136	-	2	1	2	1	12	7	14	17	10	9	7	8	5	5	9	5	8	9	2	2	1	-	-	-	-
	F--	37	-	2	1	1	1	3	3	7	5	2	-	1	-	-	4	3	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	409	21	7	6	4	4	14	7	24	13	20	17	26	15	14	11	15	19	17	34	37	35	31	16	2	-	-
	White-----M--	265	14	1	3	2	3	11	6	21	11	19	12	19	13	13	9	12	17	13	20	15	13	14	4	-	-	-
	F--	141	7	6	3	1	1	3	1	3	2	-	4	7	2	1	2	3	2	4	14	22	22	17	12	2	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182, 199, 200	Senility, ill-defined and unknown causes----	162	16	-	1	-	-	1	-	-	-	1	-	-	-	3	-	4	5	9	9	21	27	38	21	5	1	-
	White-----M--	79	7	-	-	-	-	1	-	-	-	1	-	-	-	2	-	4	4	5	7	8	13	18	7	2	-	-
	F--	83	9	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	13	14	20	14	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	559	47	10	6	3	6	11	4	15	7	17	15	20	22	22	37	34	50	56	53	56	39	18	7	2	-	-
	White-----M--	299	26	3	1	1	3	9	2	10	5	6	5	9	9	12	21	18	22	39	34	31	24	7	1	1	-	-
	F--	260	21	7	5	2	5	2	2	5	2	11	10	11	13	10	16	16	28	17	19	25	15	11	6	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	ALL CAUSES-------	22,440	1,537	92	63	58	36	126	99	208	308	398	458	636	873	1,193	1,574	1,870	2,212	2,493	2,572	2,379	1,699	1,028	418	86	19	5
	White-----M--	9,875	637	39	26	24	13	59	44	74	128	139	153	227	366	509	721	919	1,106	1,171	1,190	1,063	693	402	144	22	3	3
	F--	7,853	447	21	16	19	13	38	21	48	57	87	126	147	217	295	376	509	674	900	1,040	1,079	869	564	238	48	6	-
	Nonwhite--M--	2,658	270	17	12	8	6	14	19	49	63	87	94	149	170	231	285	251	251	229	203	125	70	31	14	4	5	1
	F--	2,054	183	15	9	7	4	17	15	37	60	85	85	113	120	158	192	191	181	193	139	112	67	31	22	12	5	1
1,2	Typhoid and paratyphoid fever---	5	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	9	2	1	-	1	1	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	9	-	-	1	2	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	6	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,010	3	3	2	3	1	6	5	32	67	88	78	94	104	109	110	88	66	62	43	27	15	3	1	-	-	-
	White-----M--	381	2	-	-	2	-	-	-	-	8	12	17	21	46	48	56	50	41	35	20	14	8	1	-	-	-	-
	F--	140	-	-	1	1	-	-	-	5	10	14	18	9	14	9	9	9	4	10	15	6	4	1	1	-	-	-
	Nonwhite--M--	293	1	1	1	-	-	3	1	8	18	26	20	39	35	43	29	22	14	15	8	6	2	1	-	-	-	-
	F--	196	-	2	-	-	1	3	4	19	31	36	23	25	9	9	16	7	7	2	-	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	955	-	2	2	-	1	5	2	29	83	83	73	92	97	108	105	85	64	60	41	26	13	3	1	-	-	-
	White-----M--	363	-	-	-	-	-	-	-	-	6	11	16	21	44	47	55	50	41	33	18	14	6	1	-	-	-	-
	F--	130	-	-	1	-	-	-	-	4	10	14	14	9	12	9	9	8	3	10	15	6	4	1	1	-	-	-
	Nonwhite--M--	282	-	1	1	-	-	3	-	7	17	24	20	39	33	43	28	21	14	15	8	5	2	1	-	-	-	-
	F--	180	-	1	-	-	1	2	2	18	30	34	23	23	8	9	13	6	6	2	-	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	55	3	1	-	3	-	1	3	3	4	5	5	2	7	1	5	3	2	2	2	1	2	-	-	-	-	-
	White-----M--	18	2	-	-	2	-	-	-	-	2	1	1	-	2	1	1	-	-	2	2	-	2	-	-	-	-	-
	F--	10	-	-	-	1	-	-	-	1	-	-	4	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	1	-	-	-	-	-	1	1	1	2	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	16	-	1	-	-	-	1	2	1	1	2	-	2	1	-	3	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery--------	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	275	11	-	-	-	-	-	-	-	3	3	15	12	20	31	40	38	45	23	19	7	4	2	1	1	-	-
	White-----M--	95	1	-	-	-	-	-	-	-	-	1	2	-	5	9	13	16	19	13	9	4	1	1	-	1	-	-
	F--	31	2	-	-	-	-	-	-	-	1	-	2	1	-	3	2	2	6	2	4	3	1	1	1	-	-	-
	Nonwhite--M--	98	4	-	-	-	-	-	-	-	-	-	7	8	9	9	22	11	16	5	5	-	2	-	-	-	-	-
	F--	51	4	-	-	-	-	-	-	-	2	2	4	3	6	10	3	9	4	3	1	-	-	-	-	-	-	-
35	Measles----------	8	-	2	2	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	11	-	-	3	-	-	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND--Con.																										
45-55	Cancer and other malignant tumors	2,984	3	3	7	4	2	7	3	7	14	22	50	69	124	200	263	351	409	407	411	324	201	76	22	5	-	-
	White-----M--	1,259	1	1	3	3	1	7	-	2	7	5	9	20	32	61	109	156	186	175	200	154	96	25	6	-	-	-
	F--	1,322	1	2	2	1	1	-	1	2	4	10	28	37	69	95	108	125	170	181	178	142	98	48	16	3	-	-
	Nonwhite--M--	203	1	-	1	-	-	-	1	3	1	2	2	2	7	23	21	35	33	21	26	16	6	1	-	1	-	-
	F--	200	-	-	1	-	-	-	1	-	2	5	11	10	18	21	25	35	20	30	7	12	1	2	-	1	-	-
46	Cancer of the digestive organs and peritoneum--	1,179	-	1	-	1	-	-	-	-	3	7	9	14	27	62	85	147	158	190	187	157	88	31	10	2	-	-
	White-----M--	543	-	-	-	1	-	-	-	-	1	2	2	6	10	24	42	74	75	90	91	70	39	15	1	-	-	-
	F--	473	-	1	-	-	-	-	-	-	1	2	4	6	11	23	23	41	61	75	79	74	46	15	9	2	-	-
	Nonwhite--M--	103	-	-	-	-	-	-	-	-	-	2	1	1	3	10	14	19	16	14	14	6	2	1	-	-	-	-
	F--	60	-	-	-	-	-	-	-	-	1	1	2	1	3	5	6	13	6	11	3	7	1	-	-	-	-	-
48,49	Cancer of female genital organs--	392	-	-	-	-	-	-	1	-	1	6	16	20	33	42	42	45	54	51	32	27	12	7	3	-	-	-
	White-----F--	326	-	-	-	-	-	-	-	-	1	4	12	15	24	34	37	31	48	42	30	27	12	6	3	-	-	-
	Nonwhite--F--	66	-	-	-	-	-	-	1	-	-	2	4	5	9	8	5	14	6	9	2	-	-	1	-	-	-	-
50	Cancer of breast-	319	-	-	-	-	-	-	-	-	-	2	7	11	26	31	37	36	31	38	33	32	17	15	3	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	280	-	-	-	-	-	-	-	-	-	2	4	10	24	24	28	31	30	31	33	28	17	15	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	3	1	2	7	8	5	1	7	-	3	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,094	3	2	7	3	2	7	2	7	10	7	18	24	38	65	98	123	166	128	158	108	84	23	6	3	-	-
	White-----M--	714	1	1	3	2	1	7	-	2	8	3	7	14	22	37	66	82	111	85	109	83	57	10	5	-	-	-
	F--	243	1	1	2	1	1	-	1	2	2	2	8	6	10	14	20	22	31	33	36	13	23	12	1	1	-	-
	Nonwhite--M--	100	1	-	1	-	-	-	1	3	1	-	1	1	4	13	7	16	17	7	12	10	4	-	-	1	-	-
	F--	37	-	-	1	-	-	-	-	-	1	2	2	3	2	1	6	3	7	3	2	2	-	1	-	1	-	-
58	Acute rheumatic fever----------	13	-	-	-	-	-	2	4	1	1	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	657	-	-	1	-	-	1	1	2	2	1	5	5	8	33	45	68	102	132	111	77	49	10	3	-	1	-
	White-----M--	186	-	-	-	-	-	-	-	-	1	4	2	2	9	9	9	22	31	31	34	26	12	2	1	-	-	-
	F--	385	-	-	-	-	1	-	1	2	-	1	1	4	15	22	35	56	84	72	47	36	7	1	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	-	-	-	1	-	6	4	4	4	5	1	2	-	1	-	-	-	-
	F--	57	-	-	1	-	-	-	1	-	-	-	-	1	2	3	10	7	11	12	4	2	1	-	1	-	1	-
63b	Exophthalmic goiter----------	25	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	2	5	4	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	2	1	4	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	59	-	-	-	-	-	-	-	-	3	1	3	7	16	10	6	5	5	2	1	-	-	-	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	3	10	6	4	2	3	2	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	3	1	1	3	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,702	2	2	-	4	-	-	1	1	1	7	14	37	48	59	100	134	176	236	262	261	188	123	36	9	1	-
	White-----M--	627	-	1	-	2	-	-	-	1	1	4	5	5	13	17	27	33	65	95	117	113	67	44	14	3	-	-
	F--	704	1	-	-	-	-	-	1	-	-	1	7	8	11	6	31	53	61	95	103	124	105	71	22	3	1	-
	Nonwhite--M--	174	-	1	-	1	-	-	-	-	-	-	1	1	2	9	24	27	25	24	19	12	8	4	-	1	-	-
	F--	197	1	-	-	1	-	-	-	-	-	1	2	18	12	27	18	21	25	22	23	12	8	4	-	2	-	-
90-95	Diseases of the heart----------	7,697	2	3	1	2	1	3	3	19	15	39	45	103	215	356	538	724	868	1,047	1,135	1,069	782	461	214	40	10	2
	White-----M--	3,784	1	-	-	1	-	1	1	9	8	19	19	62	114	193	279	426	500	535	557	469	316	183	76	13	1	1
	F--	2,736	-	-	-	1	-	1	1	2	4	7	11	14	46	62	105	167	220	342	446	501	406	255	120	22	3	-
	Nonwhite--M--	650	-	1	1	-	-	-	-	2	1	7	10	14	26	63	88	78	87	96	72	49	32	11	6	1	5	-
	F--	527	1	2	-	-	1	1	1	6	2	6	5	13	29	38	66	53	61	74	60	50	28	12	12	4	1	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	368	-	1	-	1	-	3	2	15	10	14	14	21	33	43	44	32	34	26	19	25	17	10	3	1	-	-
	White-----M--	147	-	-	-	-	-	1	-	7	5	5	6	13	9	21	15	14	13	11	10	9	5	3	-	-	-	-
	F--	151	-	-	-	1	-	1	1	1	4	5	5	5	16	13	19	13	18	10	7	12	10	7	2	1	-	-
	Nonwhite--M--	37	-	1	-	-	-	-	-	1	-	2	1	3	4	7	6	3	3	3	-	2	1	-	-	-	-	-
	F--	33	-	-	-	-	-	1	1	6	1	2	2	-	4	2	4	2	-	2	2	2	1	-	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	2,079	-	-	-	-	-	-	-	2	1	10	12	47	90	160	221	263	305	274	286	217	120	43	21	4	2	1
	White-----M--	1,422	-	-	-	-	-	-	-	1	1	7	7	34	71	122	169	198	230	182	184	121	65	23	5	2	-	-
	F--	483	-	-	-	-	-	-	-	-	-	-	1	3	12	21	26	47	49	69	87	83	49	19	15	2	-	-
	Nonwhite--M--	117	-	-	-	-	-	-	1	-	-	1	3	7	6	13	17	13	17	16	9	9	3	-	-	-	2	-
	F--	57	-	-	-	-	-	-	-	-	-	2	1	3	1	4	9	5	9	7	6	4	3	1	1	-	-	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	5,250	2	2	1	1	1	-	1	2	4	15	19	35	92	153	273	429	529	747	830	827	645	408	190	35	8	1
	White-----M--	2,215	1	-	-	1	-	-	1	1	2	7	6	15	34	50	95	214	257	342	363	339	246	157	71	11	1	1
	F--	2,102	-	-	-	-	-	-	-	1	-	2	5	6	18	28	60	107	153	263	352	406	347	229	103	19	3	-
	Nonwhite--M--	496	-	-	1	-	-	-	-	-	1	4	6	4	16	43	65	62	67	77	63	38	28	11	6	1	3	-
	F--	437	1	2	-	-	1	-	-	-	1	2	2	10	24	32	53	46	52	65	52	44	24	11	10	4	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	395	-	-	-	-	-	-	-	-	-	-	-	1	1	1	9	15	23	48	48	66	67	65	43	5	3	-
	White-----M--	160	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	6	15	19	34	30	29	15	1	1	-
	F--	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	20	18	27	31	33	22	4	1	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	7	6	8	2	3	2	3	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	7	3	3	3	1	3	-	1	-
107-109, 33	Pneumonia (all forms) and influenza-------	751	155	10	8	5	2	10	5	5	12	3	15	26	29	39	52	43	54	59	49	56	53	41	16	4	-	-
	White-----M--	262	53	2	4	1	1	4	2	1	1	-	4	3	5	10	19	20	27	24	20	23	15	18	4	1	-	-
	F--	232	39	3	1	2	-	3	1	1	2	1	1	7	8	10	4	9	13	20	16	24	35	18	11	3	-	-
	Nonwhite--M--	142	32	2	1	1	-	2	2	1	5	1	3	11	13	9	16	8	7	11	9	6	2	-	-	-	-	-
	F--	115	31	3	2	1	1	1	-	2	4	1	7	5	3	10	13	6	7	4	4	3	1	5	1	-	-	-
107	Bronchopneumonia-	336	118	2	5	2	2	1	2	-	7	1	4	6	7	10	10	18	20	26	15	25	22	23	7	3	-	-
	White-----M--	131	42	1	3	1	1	1	2	-	-	-	3	-	-	5	5	8	7	13	7	12	8	11	1	-	-	-
	F--	101	24	1	1	1	-	-	-	-	1	-	-	2	3	1	1	4	9	7	6	11	12	9	5	3	-	-
	Nonwhite--M--	47	23	-	-	-	-	-	-	-	3	-	-	2	4	2	3	1	2	3	1	2	1	-	-	-	-	-
	F--	57	29	-	1	-	1	-	-	-	3	1	1	2	-	2	1	5	2	3	1	-	1	3	1	-	-	-
108	Lobar pneumonia--	331	18	6	-	2	-	8	2	4	5	2	9	18	19	26	35	22	24	28	31	23	25	15	8	1	-	-
	White-----M--	100	2	-	-	-	-	3	-	1	1	-	1	3	5	5	12	9	14	8	12	11	5	5	2	1	-	-
	F--	105	10	1	-	1	-	2	-	-	1	1	1	4	3	8	3	5	2	11	9	10	19	8	6	-	-	-
	Nonwhite--M--	81	6	2	-	-	-	2	2	1	2	1	3	9	8	6	9	7	5	8	8	1	1	-	-	-	-	-
	F--	45	-	3	-	1	-	1	-	2	1	-	4	2	3	7	11	1	3	1	2	1	-	2	-	-	-	-
109	Pneumonia (unspecified)------	51	17	1	2	1	-	-	1	1	-	-	-	1	3	2	2	3	5	5	1	3	2	1	-	-	-	-
	White-----M--	19	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	-	-	-	1	-	-	-	-	-
	F--	19	5	1	-	-	-	-	1	1	-	-	-	1	2	-	-	-	1	2	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	7	2	-	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
33	Influenza-------	33	2	1	1	-	-	1	-	-	-	-	2	1	-	1	5	-	5	-	2	5	4	2	1	-	-	-
	White-----M--	12	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	2	1	1	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	115	-	-	-	-	-	-	-	-	-	-	5	2	7	11	11	17	19	19	13	5	3	3	-	-	-	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	-	2	2	4	8	10	12	15	15	12	3	2	2	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	2	3	1	2	1	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	2	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	66	42	4	-	-	1	-	1	1	3	2	-	4	-	1	-	1	-	2	-	-	2	2	-	-	-	-
	White-----M--	23	16	-	-	-	-	-	-	1	-	2	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F--	20	10	2	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-
	Nonwhite--M--	18	14	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
121	Appendicitis-----	40	-	-	3	1	1	-	1	-	2	1	-	-	3	3	3	4	6	4	3	-	4	-	1	-	-	-
	White-----M--	18	-	-	1	-	1	-	1	-	2	-	-	-	1	1	2	3	2	2	-	-	2	-	-	-	-	-
	F--	16	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1	3	2	3	-	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	137	3	4	1	-	-	1	-	-	-	2	3	5	3	8	10	7	17	21	15	16	11	8	1	-	1	-
	White-----M--	49	2	2	-	-	-	1	-	-	-	-	1	2	2	1	5	3	6	8	6	8	1	1	-	-	-	-	-
	F--	58	-	-	1	-	-	-	-	-	-	2	-	2	1	5	3	-	6	10	5	6	9	6	-	-	-	-
	Nonwhite--M--	20	1	2	-	-	-	-	-	-	-	-	1	1	-	1	1	1	3	2	3	1	1	1	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	1	1	-	-	-	-	1	-	-
124	Cirrhosis of the liver----------	282	-	-	1	-	-	-	-	-	-	2	5	20	31	48	44	43	30	17	20	14	6	1	-	-	-	-
	White-----M--	168	-	-	1	-	-	-	-	-	-	2	2	10	17	27	34	27	13	10	12	7	3	1	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	3	7	7	12	6	7	12	4	6	6	2	-	-	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	6	4	2	2	1	1	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	2	4	3	1	3	1	1	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	66	1	-	-	-	-	-	-	-	1	1	-	-	2	6	5	7	10	12	5	5	6	2	2	1	-	-
	White-----M--	21	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	5	1	2	3	2	-	-	-	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	6	7	5	4	3	3	-	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,657	1	-	-	1	-	4	4	8	8	19	26	42	58	56	123	135	165	175	236	245	175	126	37	12	-	1
	White-----M--	613	-	-	-	-	-	2	2	4	4	5	6	10	21	22	34	43	60	62	87	101	82	53	12	2	-	1
	F--	575	1	-	-	1	-	-	2	-	2	7	8	10	14	12	27	33	54	54	96	106	66	59	19	4	-	-
	Nonwhite--M--	224	-	-	-	-	-	1	-	3	1	3	5	13	9	10	31	27	26	31	27	16	9	9	2	1	-	-
	F--	245	-	-	-	-	-	1	-	1	1	4	7	9	14	12	31	32	25	28	26	22	18	5	4	5	-	-
137	Diseases of the prostate--------	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	11	13	18	25	13	12	1	-	-	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	11	16	22	12	12	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	3	1	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																											
140-150	Diseases of pregnancy, etc.*----	49	-	-	-	-	-	-	-	4	8	16	9	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	30	-	-	-	-	-	-	-	2	5	10	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	-	2	3	6	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	18	-	-	-	-	-	-	-	1	3	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	1	3	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	8	-	-	-	-	-	-	-	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	18	-	-	-	-	-	-	-	-	2	7	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	1	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	5	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	307	238	17	6	2	2	6	3	8	3	6	2	2	1	3	2	3	1	1	-	1	-	-	-	-	-	-
	White-----M--	141	113	8	2	1	-	2	1	2	1	3	1	-	-	3	1	2	-	1	-	-	-	-	-	-	-	-
	F--	111	85	5	1	-	2	3	-	5	2	2	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	31	24	2	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	16	2	1	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	878	878	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White-----M--	374	374	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	257	257	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Nonwhite--M--	150	150	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	97	97	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
159	Premature birth--	545	545	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White-----M--	225	225	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	157	157	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Nonwhite--M--	97	97	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	66	66	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
158, 160, 161	Other diseases peculiar to first year------	333	333	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	White-----M--	149	149	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	100	100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Nonwhite--M--	53	53	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	F--	31	31	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
163, 164	Suicide----------	320	-	-	-	-	-	3	8	17	22	29	35	30	44	28	18	31	28	12	11	3	1	-	-	-	-
	White-----M--	212	-	-	-	-	-	3	3	11	14	18	18	23	21	17	14	23	26	7	10	3	1	-	-	-	-
	F--	82	-	-	-	-	-	-	2	5	7	10	10	5	18	7	3	8	2	4	1	-	-	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	2	1	1	1	7	2	4	4	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	176	4	-	-	1	-	1	3	8	29	25	27	31	18	12	7	2	6	1	-	-	1	-	-	-	-	-
	White-----M--	37	3	-	-	1	-	1	-	-	2	6	5	5	1	2	3	-	4	1	-	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	3	2	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	101	1	-	-	-	-	-	2	5	19	14	12	20	14	9	3	2	-	-	-	-	-	-	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	6	3	9	4	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,337	76	21	15	13	13	44	40	85	87	82	79	69	65	68	87	67	68	74	70	78	70	56	25	2	1	2
	White-----M--	683	24	9	7	4	4	20	23	37	67	51	40	41	37	36	51	38	43	46	27	33	18	15	10	1	-	1
	F--	353	22	5	5	4	4	14	6	9	5	5	12	8	8	11	10	14	14	25	30	40	46	39	15	1	1	-
	Nonwhite--M--	214	17	3	1	3	4	6	7	15	10	18	24	14	16	18	24	10	8	1	10	2	2	-	-	-	-	1
	F--	87	13	4	2	2	1	4	4	4	5	8	3	6	4	3	2	5	3	2	3	3	4	2	-	-	-	-
170	Motor-vehicle accidents-------	413	-	2	6	6	9	18	14	34	52	34	31	21	26	25	26	24	20	26	14	13	8	2	1	-	-	1
	White-----M--	241	-	2	4	2	3	9	8	18	38	22	15	11	17	10	15	13	10	19	8	10	5	1	1	-	-	-
	F--	78	-	-	2	2	3	6	2	8	5	2	5	5	1	5	5	5	5	6	5	2	3	1	-	-	-	-
	Nonwhite--M--	73	-	-	-	1	2	3	2	6	6	8	10	4	8	7	6	5	4	1	1	1	-	-	-	-	-	1
	F--	21	-	-	-	1	1	-	2	2	3	2	1	1	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	924	76	19	9	7	4	26	26	31	35	48	48	48	39	43	61	43	48	48	56	65	62	54	24	2	1	1
	White-----M--	442	24	7	3	2	1	11	15	19	28	29	25	30	20	26	36	25	33	27	19	23	13	14	9	1	-	1
	F--	275	22	5	3	2	1	8	4	1	-	3	7	3	7	6	5	9	9	19	25	38	43	38	15	1	1	-
	Nonwhite--M--	141	17	3	1	2	2	3	5	9	4	10	14	10	11	11	18	5	4	-	9	1	2	-	-	-	-	-
	F--	66	13	4	2	1	-	4	2	2	2	6	2	5	1	-	2	4	2	2	3	3	4	2	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	87	14	2	-	-	-	1	-	-	-	2	2	-	1	2	2	3	6	5	11	8	9	8	7	3	1	-
	White-----M--	39	5	1	-	-	-	-	-	-	-	1	1	-	-	1	1	1	5	3	6	5	4	2	3	-	-	-
	F--	32	4	-	-	-	-	1	-	-	-	1	1	-	1	1	1	1	1	-	3	2	4	5	3	3	-	-
	Nonwhite--M--	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-
	F--	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-
	All other causes-	1,202	95	18	12	19	11	33	18	33	30	54	44	61	85	86	78	91	88	100	90	79	36	28	8	4	1	-
	White-----M--	512	35	13	5	7	5	19	9	13	14	11	16	21	30	32	39	45	44	55	40	33	17	10	2	-	1	-
	F--	416	22	3	3	7	4	7	4	13	9	20	13	23	22	24	24	34	31	37	36	35	19	18	4	4	-	-
	Nonwhite--M--	161	23	2	4	3	2	1	3	6	3	11	6	7	21	16	12	9	9	5	9	8	-	-	1	-	-	-
	F--	113	15	-	-	2	-	6	2	1	4	12	9	10	12	14	3	5	4	5	5	3	-	-	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																										
	ALL CAUSES-------	52,611	2,813	191	93	92	63	205	147	237	358	473	574	852	1,326	1,951	3,134	4,277	5,291	6,350	7,134	6,950	5,462	3,248	1,187	270	25	108
	White-----M--	27,463	1,440	109	60	62	34	122	80	143	197	255	314	462	776	1,196	1,899	2,620	3,104	3,539	3,605	3,277	2,418	1,245	368	69	3	64
	F--	24,182	1,385	77	30	30	26	76	57	86	156	179	242	361	500	708	1,163	1,576	2,088	2,711	3,419	3,591	2,996	1,977	805	199	20	42
	Nonwhite--M--	549	51	4	-	-	-	3	5	5	13	20	8	19	26	30	39	57	55	60	66	51	21	9	5	-	-	2
	F--	417	37	1	3	-	1	4	5	3	12	19	10	10	22	17	33	24	44	40	44	31	27	17	9	2	2	-
1,2	Typhoid and paratyphoid fever---	4	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	25	9	5	2	-	1	-	1	-	-	1	-	1	-	2	2	1	-	1	1	-	2	-	-	-	-	-
	White-----M--	12	3	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F--	10	1	1	1	-	1	-	1	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	12	6	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	4	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	30	3	1	3	2	-	3	-	2	1	-	1	2	5	1	4	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	15	-	-	-	1	-	-	-	-	1	-	1	2	5	-	4	-	-	1	-	-	-	-	-	-	-	-
	F--	15	3	1	3	1	-	3	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,373	5	9	7	4	-	4	5	21	46	79	95	94	124	144	162	153	134	124	86	46	22	5	2	-	-	2
	White-----M--	943	2	4	3	3	-	-	1	11	11	37	49	53	84	111	137	117	118	85	66	30	13	5	1	-	-	2
	F--	347	3	4	3	1	-	3	2	7	25	25	39	35	32	25	22	31	14	34	18	15	8	-	1	-	-	-
	Nonwhite--M--	51	-	1	-	-	-	-	1	2	5	6	2	5	5	6	3	5	2	5	1	1	1	-	-	-	-	-
	F--	32	-	-	1	-	-	1	1	1	5	11	5	1	3	2	-	-	-	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,277	4	2	2	1	-	2	2	20	40	76	90	84	120	139	157	146	127	119	76	43	20	5	1	-	-	1
	White-----M--	895	2	1	-	-	-	-	-	10	10	36	47	48	81	108	132	114	112	85	62	27	13	5	1	-	-	1
	F--	306	2	1	2	1	-	2	1	7	21	23	36	30	31	23	22	27	13	30	13	15	6	-	-	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	1	2	5	6	2	5	5	6	3	5	2	4	-	1	1	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	1	4	11	5	1	3	2	-	-	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	96	1	7	5	3	-	2	3	1	6	3	5	10	4	5	5	7	7	5	10	3	2	-	1	-	-	1
	White-----M--	48	-	3	3	3	-	-	1	1	1	1	2	5	3	3	5	3	6	-	4	3	-	-	-	-	-	1
	F--	41	1	3	1	-	-	1	1	-	4	2	3	3	1	2	-	4	1	4	5	-	2	-	1	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	25	-	1	1	1	-	-	1	-	2	-	-	-	1	-	1	-	1	1	6	6	3	-	-	-	-	-
	White-----M--	9	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	4	-	-	-	-	-	-
	F--	15	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	4	2	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	258	2	-	-	-	-	-	-	-	1	2	4	3	9	18	26	44	39	51	32	13	11	3	-	-	-	-
	White-----M--	170	-	-	-	-	-	-	-	-	-	1	3	2	5	10	20	30	27	38	21	8	4	1	-	-	-	-
	F--	68	1	-	-	-	-	-	-	-	-	1	-	1	3	5	3	11	8	11	11	5	6	2	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	4	2	-	-	1	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
35	Measles----------	18	1	2	3	-	1	8	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	-	1	2	-	1	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)---	6	-	-	-	-	-	1	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
45-55	Cancer and other malignant tumors	8,487	4	12	3	8	2	14	7	11	23	50	56	145	247	445	682	955	1,130	1,215	1,307	1,106	618	334	79	14	4	16
	White-----M--	4,070	3	8	2	4	2	10	2	8	11	21	21	51	78	198	296	469	579	623	673	518	309	142	27	6	-	9
	F--	4,268	1	4	1	4	-	4	4	3	11	28	34	92	161	239	371	469	527	572	613	570	306	185	51	8	3	7
	Nonwhite--M--	78	-	-	-	-	-	-	-	-	1	-	-	1	3	5	8	8	14	10	12	14	1	1	-	-	-	-
	F--	71	-	-	-	-	-	-	1	-	-	1	1	1	5	3	7	9	10	10	9	4	2	6	1	-	1	-
46	Cancer of the digestive organs and peritoneum--	3,871	-	2	2	1	-	1	-	1	4	15	17	42	71	165	252	419	531	578	673	575	311	153	40	6	2	10
	White-----M--	1,998	-	2	1	-	-	1	-	1	1	7	6	26	37	94	124	240	294	325	357	267	135	62	11	-	-	7
	F--	1,821	-	-	1	1	-	-	-	-	3	7	11	16	32	68	122	175	226	245	310	303	174	88	29	6	1	3
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	3	8	5	4	3	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	3	2	2	2	3	-	-	1	-
48,49	Cancer of female genital organs--	818	-	-	-	-	-	-	-	1	4	7	8	26	46	68	101	111	113	103	101	70	32	22	3	1	-	1
	White-----F--	802	-	-	-	-	-	-	-	1	4	7	8	26	45	67	100	106	109	101	99	70	32	22	3	1	-	1
	Nonwhite--F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	4	2	2	-	-	-	-	-	-	-
50	Cancer of breast-	926	-	-	-	-	-	-	-	-	-	4	7	33	63	70	95	98	110	120	113	107	55	39	9	-	-	3
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	1	-	-	-	-	-	-
	F--	900	-	-	-	-	-	-	-	-	-	4	7	33	59	69	90	95	110	117	108	105	55	36	9	-	-	3
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	-	2	2	1	-	3	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	2,872	4	10	1	7	2	13	7	9	15	24	24	44	67	142	234	327	376	414	420	354	220	120	27	7	2	2
	White-----M--	2,064	3	6	1	4	2	9	2	7	10	14	15	25	40	104	172	227	285	297	313	250	174	80	16	6	-	2
	F--	745	1	4	-	3	-	4	4	2	4	10	8	17	25	35	59	93	82	109	96	92	45	39	10	1	2	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	5	6	5	8	11	1	1	-	-	-	-
	F--	18	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	2	3	3	3	1	-	-	1	-	-	-
58	Acute rheumatic fever----------	15	-	1	-	-	1	1	3	1	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	-	1	-	-	1	1	2	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,703	-	-	-	-	1	1	5	4	5	4	5	12	16	41	89	161	271	307	313	266	139	45	12	4	-	2
	White-----M--	537	-	-	-	-	-	-	1	1	1	3	3	6	10	23	30	54	78	89	83	82	48	20	4	-	-	1
	F--	1,139	-	-	-	-	1	1	4	3	3	1	2	6	6	17	57	105	189	209	224	182	91	25	8	4	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	4	1	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	7	2	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	45	-	-	-	-	-	-	-	1	1	1	3	1	4	2	2	3	7	7	7	6	-	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	3	2	3	-	-	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	2	4	5	4	6	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	128	-	-	-	-	-	-	-	-	-	3	6	18	17	19	20	13	13	9	5	3	-	2	-	-	-	-
	White-----M--	102	-	-	-	-	-	-	-	-	-	3	5	14	11	13	18	12	10	8	4	2	-	2	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	-	2	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	4,879	3	1	1	1	-	4	2	4	3	7	16	23	52	111	234	327	480	697	832	830	698	393	130	27	-	3
	White-----M--	2,024	1	-	-	1	-	2	1	2	2	6	3	11	24	44	99	151	227	330	359	357	266	111	24	2	-	1
	F--	2,782	2	1	1	-	-	2	1	2	1	1	13	11	25	64	125	166	244	359	461	468	424	278	106	25	-	2
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	5	4	9	3	3	4	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	3	4	4	3	2	5	-	-	-	-	-
90-95	Diseases of the heart----------	20,419	3	2	1	-	1	6	18	20	29	49	92	186	356	601	1,155	1,674	2,164	2,664	3,187	3,206	2,635	1,605	604	112	9	40
	White-----M--	11,195	2	1	-	-	-	3	9	11	12	27	56	108	257	443	850	1,183	1,397	1,621	1,669	1,520	1,182	621	188	33	-	24
	F--	8,938	1	1	-	-	1	3	6	9	15	19	35	72	89	149	305	469	726	1,010	1,468	1,647	1,430	972	409	78	9	15
	Nonwhite--M--	155	-	-	-	-	-	-	2	-	-	2	-	4	5	8	13	19	21	17	27	21	10	3	2	-	-	1
	F--	131	-	-	1	-	-	-	1	-	2	1	1	4	5	1	7	3	20	16	23	18	13	9	5	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	991	-	-	-	-	-	3	8	13	20	35	40	64	70	93	108	85	78	81	84	77	51	47	17	3	-	4
	White-----M--	414	-	-	-	-	-	2	3	6	8	16	17	28	34	49	43	45	32	36	32	30	11	19	2	1	-	2
	F--	559	-	-	-	-	-	1	4	7	10	16	23	38	33	43	63	48	45	44	51	46	40	28	15	2	-	2
	Nonwhite--M--	10	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	2	-	1	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	2	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	6,498	-	-	-	-	-	-	1	-	4	4	31	65	182	296	597	820	951	1,033	957	783	459	223	66	15	2	8
	White-----M--	4,467	-	-	-	-	-	-	-	-	2	2	28	51	152	262	493	659	697	723	577	450	237	94	29	6	-	5
	F--	1,968	-	-	-	-	-	-	1	-	2	2	2	13	26	30	100	156	243	302	368	326	219	127	37	9	2	3
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	5	6	5	8	3	1	-	-	-	-	1
	F--	23	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	5	3	4	4	2	2	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	12,950	3	2	1	-	1	3	9	7	5	10	21	57	104	212	450	759	1,138	1,550	2,146	2,346	2,125	1,335	521	94	7	27
	White-----M--	6,314	2	1	-	-	-	1	6	5	2	9	11	29	71	132	294	479	668	862	1,060	1,040	934	508	157	26	-	17
	F--	6,411	1	1	-	-	1	2	1	2	3	1	10	21	30	76	142	265	438	664	1,049	1,275	1,171	817	357	67	7	10
	Nonwhite--M--	105	-	-	-	-	-	-	1	-	-	-	-	3	1	4	9	12	15	11	18	17	9	3	2	-	-	-
	F--	100	-	-	1	-	-	-	1	-	-	-	-	4	2	-	5	3	14	13	19	14	11	7	5	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 38	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																										
97, 102	Arteriosclerosis and high blood pressure*-------	965	-	-	-	-	-	-	-	-	-	2	1	1	2	2	7	18	28	65	97	175	213	206	103	36	6	3
	White-----M--	454	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	11	18	35	62	94	100	76	33	13	3	1
	F--	503	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	6	10	29	35	78	111	129	70	23	3	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,844	212	47	11	7	3	16	6	12	9	12	21	27	42	55	70	109	126	159	187	239	228	157	59	25	2	3
	White-----M--	984	109	27	7	4	1	11	1	7	4	4	12	16	25	35	51	71	82	94	105	118	109	67	17	5	-	2
	F--	823	98	20	4	3	2	5	4	3	3	8	9	9	14	18	18	36	42	59	82	117	118	89	41	20	2	1
	Nonwhite--M--	21	2	-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	2	6	-	3	-	-	1	-	-	-
	F--	16	3	-	-	-	-	-	1	1	1	-	-	1	2	1	1	-	-	-	-	1	3	1	-	-	-	-
107	Bronchopneumonia-	1,171	145	27	7	5	1	14	4	7	4	3	13	17	19	21	29	61	73	83	110	166	166	120	49	23	2	2
	White-----M--	590	73	13	4	3	1	11	-	4	2	-	8	10	12	13	20	37	48	48	57	82	78	50	13	4	-	1
	F--	566	68	14	3	2	-	3	4	3	2	3	5	6	6	8	9	24	25	35	53	81	86	69	35	19	2	1
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	2	1	-	-	-	-
108	Lobar pneumonia--	510	29	6	2	1	2	1	1	5	3	6	6	8	21	29	36	40	48	65	65	59	44	25	5	2	-	1
	White-----M--	304	14	4	1	-	-	-	3	2	3	2	4	13	20	29	27	30	44	42	28	21	12	3	1	-	1
	F--	185	14	2	1	1	2	1	-	-	-	3	4	3	6	7	6	11	16	17	23	30	22	13	2	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	2	4	-	1	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified)------	116	31	11	1	1	-	-	1	-	2	2	2	1	2	3	3	5	4	7	7	11	11	7	4	-	-	-
	White-----M--	72	20	8	1	1	-	-	1	-	-	1	2	1	-	1	1	5	3	2	5	7	9	4	-	-	-	-
	F--	43	11	3	-	-	-	-	-	-	1	1	-	-	2	2	2	-	1	5	2	4	2	3	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	47	7	3	1	-	-	1	-	-	-	1	-	1	-	2	2	3	1	4	5	3	7	5	1	-	-	-
	White-----M--	18	2	2	1	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	1	1	1	1	1	-	-	-
	F--	29	5	1	-	-	-	1	-	-	-	1	-	-	-	1	1	1	-	2	4	2	6	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	370	-	-	-	-	-	-	-	-	2	2	4	8	15	26	47	30	62	62	41	33	24	10	1	1	-	2
	White-----M--	299	-	-	-	-	-	-	-	-	2	2	4	7	13	23	39	27	51	48	27	27	20	7	-	1	-	1
	F--	65	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	2	10	13	14	6	4	3	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	155	90	7	-	-	-	2	1	4	4	5	4	2	1	3	2	2	10	4	3	6	1	3	1	-	-	-
	White-----M--	67	42	2	-	-	-	-	1	1	1	2	3	-	1	1	1	1	5	1	1	2	-	1	1	-	-	-
	F--	78	40	3	-	-	-	2	-	3	3	3	1	2	-	2	1	1	5	3	2	4	1	2	-	-	-	-
	Nonwhite--M--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	109	-	2	3	1	2	6	6	4	6	7	4	4	6	7	7	14	4	5	5	9	5	-	-	-	-	2
	White-----M--	72	-	1	3	1	-	4	5	2	5	5	3	4	5	5	3	9	1	2	3	6	3	-	-	-	-	2
	F--	37	-	1	-	-	2	2	1	2	1	2	1	-	1	2	4	5	3	3	2	3	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	343	8	2	1	-	1	1	1	1	2	4	4	3	8	5	15	33	26	43	60	62	38	18	7	-	-	-
	White-----M--	170	6	1	1	-	-	1	-	1	2	2	1	1	4	4	10	16	11	28	22	25	21	12	1	-	-	-
	F--	167	1	1	-	-	1	-	1	-	-	2	3	2	4	1	5	17	14	14	38	35	17	6	5	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	737	-	-	-	-	-	1	-	1	3	2	18	39	48	76	95	95	108	95	57	54	30	8	3	1	-	3
	White-----M--	482	-	-	-	-	-	-	-	1	-	2	10	25	32	45	60	71	72	63	41	35	17	3	2	1	-	2
	F--	249	-	-	-	-	-	1	-	-	3	-	8	14	15	31	32	24	34	32	16	19	13	5	1	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
126, 127	Baliary calculi, etc.*----------	242	-	-	-	-	-	1	-	-	1	-	-	3	8	11	19	38	28	33	40	30	18	11	1	2	-	-
	White-----M--	86	-	-	-	-	-	1	-	-	-	-	-	-	1	6	5	14	14	9	16	12	4	3	1	-	-	-
	F--	156	-	-	-	-	-	-	-	-	1	-	-	3	7	5	14	24	14	24	24	18	12	8	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,960	-	1	4	3	2	3	9	13	14	17	23	33	39	72	102	145	154	234	284	287	292	152	50	20	1	6
	White-----M--	946	-	1	3	2	1	3	6	5	7	10	12	15	20	40	51	79	85	123	135	135	127	64	15	4	-	3
	F--	965	-	-	1	1	1	-	2	8	6	5	9	15	18	29	46	65	66	107	138	148	164	87	31	15	-	3
	Nonwhite--M--	26	-	-	-	-	-	-	1	-	-	2	2	2	1	-	3	-	1	3	7	2	-	1	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	1	2	1	4	2	1	-	3	1	1	-
137	Diseases of the prostate--------	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	17	28	39	57	37	14	4	-	-	3
	White-----M--	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	17	28	39	57	37	14	4	-	-	3
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
140-150	Diseases of pregnancy, etc.*----	73	-	-	-	-	-	-	-	6	8	21	21	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	68	-	-	-	-	-	-	-	6	7	17	21	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	27	-	-	-	-	-	-	-	1	5	7	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	-	-	-	-	-	-	-	1	4	7	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	13	-	-	-	-	-	-	-	1	1	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	1	1	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	24	-	-	-	-	-	-	-	2	2	6	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	-	-	-	-	-	-	-	2	2	4	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	9	-	-	-	-	-	-	-	2	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	2	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	639	514	30	7	8	-	15	9	8	5	3	5	4	6	3	7	4	4	3	2	1	-	-	-	-	-	1
	White-----M--	350	272	23	6	7	-	7	2	6	5	2	2	3	-	4	1	3	2	2	1	-	-	-	-	-	-	-
	F--	285	239	7	1	1	-	8	7	2	-	1	3	2	2	3	3	3	1	1	-	-	-	-	-	-	-	1
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,574	1,574	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	887	887	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	622	622	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	992	992	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	542	542	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	582	582	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	345	345	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	221	221	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	478	-	-	-	-	-	-	2	8	17	29	22	36	49	51	59	63	47	36	29	14	8	6	-	1	-	1
	White-----M--	362	-	-	-	-	-	-	1	4	12	23	13	23	33	39	47	52	40	29	24	10	6	4	-	1	-	1
	F--	108	-	-	-	-	-	-	1	4	4	6	9	13	15	12	12	8	6	6	4	4	2	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	1	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	64	2	-	-	1	3	3	2	3	3	9	5	5	6	5	2	2	6	4	-	2	-	-	-	-	-	1
	White-----M--	40	-	-	-	-	2	3	1	2	2	4	3	4	4	4	2	2	4	2	-	1	-	-	-	-	-	-
	F--	21	2	-	-	1	1	-	1	1	1	2	2	1	2	1	-	-	2	2	-	1	-	-	-	-	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,682	61	25	26	37	18	71	40	78	104	79	81	98	102	97	112	137	172	189	256	283	298	200	87	17	2	12
	White-----M--	1,574	39	15	18	24	10	47	31	63	87	63	67	75	82	74	81	100	118	127	121	134	96	56	36	3	-	9
	F--	1,065	20	12	8	13	8	21	8	13	14	12	11	20	17	22	29	32	53	59	132	148	199	144	51	14	2	3
	Nonwhite--M--	36	2	-	-	-	-	3	1	2	2	4	3	2	3	1	1	5	1	3	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	3	-	-	-	-	-
170	Motor-vehicle accidents-------	320	1	8	10	12	12	29	13	32	52	31	28	28	28	23	26	31	34	32	29	37	18	5	4	-	-	2
	White-----M--	401	-	5	7	10	5	20	10	23	44	29	21	22	22	19	15	24	29	28	18	30	10	4	4	-	-	2
	F--	109	1	3	3	2	7	6	3	8	6	2	5	5	1	4	10	6	5	4	11	7	8	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	3	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	2,162	60	17	16	25	6	42	27	46	52	48	53	70	79	74	86	106	138	157	227	346	280	195	83	17	2	10
	White-----M--	1,173	38	8	11	14	5	27	21	40	43	34	46	53	60	55	66	76	89	99	103	104	86	52	32	3	-	7
	F--	956	19	9	5	11	1	15	5	5	8	10	6	14	16	18	19	26	48	55	121	141	191	143	51	14	2	3
	Nonwhite--M--	27	2	-	-	-	-	-	1	1	1	4	1	2	3	1	-	4	1	3	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	3	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	167	9	2	-	-	-	1	-	1	2	2	2	2	5	4	6	13	10	17	15	11	28	16	16	3	-	2
	White-----M--	76	7	2	-	-	-	1	-	-	-	-	2	2	2	3	3	8	5	9	9	4	9	8	2	-	-	-
	F--	89	2	-	-	-	-	-	-	1	2	2	-	-	3	1	3	5	4	8	6	6	19	8	14	3	-	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	2,570	111	39	18	17	27	41	26	33	62	81	77	90	150	150	203	238	249	295	243	204	115	59	28	7	1	6
	White-----M--	1,277	65	19	13	13	16	20	13	18	28	36	35	40	74	73	98	137	138	141	118	94	45	27	12	-	-	3
	F--	1,231	44	18	4	4	10	18	13	15	33	40	40	48	70	70	97	93	109	148	122	108	68	32	16	7	1	3
	Nonwhite--M--	40	2	2	-	-	-	-	-	-	1	4	-	2	4	4	4	6	1	4	2	2	2	-	-	-	-	-
	F--	22	-	-	1	-	1	3	-	-	-	1	2	-	2	3	3	2	1	2	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	ALL CAUSES-------	56,786	4,639	304	140	116	82	355	270	463	698	760	914	1,291	1,831	2,486	3,686	4,968	5,722	6,186	6,446	6,165	4,958	3,075	1,020	219	29	15
	White-----M--	30,717	2,438	150	68	58	45	198	160	277	375	389	435	614	934	1,349	2,127	2,982	3,470	3,533	3,449	3,255	2,443	1,433	450	70	7	9
	F--	22,220	1,731	121	59	41	28	128	88	123	195	237	289	443	597	745	1,159	1,601	1,928	2,376	2,612	2,780	2,438	1,598	546	139	15	5
	Nonwhite--M--	2,140	272	19	5	12	3	18	13	31	66	68	98	115	168	219	224	224	201	129	106	68	35	28	9	5	3	1
	F--	1,709	198	14	8	5	6	11	9	32	52	66	92	119	132	174	156	159	123	128	77	62	42	20	15	5	4	-
1,2	Typhoid and paratyphoid fever---	5	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	34	9	5	4	1	2	5	1	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	5	3	4	1	2	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	12	4	2	-	-	-	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	8	-	-	2	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,590	12	19	4	2	1	7	11	32	81	92	113	128	159	144	161	165	167	129	87	37	23	11	5	-	-	-
	White-----M--	838	5	8	-	1	-	3	2	2	7	21	36	43	79	75	112	105	122	102	63	26	17	4	5	-	-	-
	F--	332	5	4	3	1	-	3	5	5	26	36	33	45	30	17	10	34	25	14	16	9	4	7	-	-	-	-
	Nonwhite--M--	270	1	5	1	-	-	1	2	10	18	14	25	26	38	39	33	18	18	12	6	1	2	-	-	-	-	-
	F--	150	1	2	-	-	1	-	2	15	30	21	19	14	12	13	6	8	2	1	2	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,423	5	4	1	-	-	3	6	27	70	85	101	119	147	135	148	143	157	118	81	36	22	10	5	-	-	-
	White-----M--	772	3	1	-	-	-	-	1	2	6	18	33	43	73	72	105	96	115	94	60	26	16	3	5	-	-	-
	F--	284	1	1	-	-	-	2	2	3	24	33	31	42	27	16	9	25	22	13	14	8	4	7	-	-	-	-
	Nonwhite--M--	237	-	1	1	-	-	1	2	9	16	14	20	24	35	35	28	14	18	10	6	1	2	-	-	-	-	-
	F--	130	1	1	-	-	-	-	1	13	24	20	17	10	12	12	6	8	2	1	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	167	7	15	3	2	1	4	5	5	11	7	12	9	12	9	13	22	10	11	6	1	1	1	-	-	-	-
	White-----M--	66	2	7	-	1	-	3	1	-	1	3	3	-	6	3	7	9	7	8	3	-	1	1	-	-	-	-
	F--	48	4	3	3	1	-	1	3	2	2	3	2	3	3	1	1	9	3	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	33	1	4	-	-	-	-	-	1	2	-	5	2	3	4	5	4	-	2	-	-	-	-	-	-	-	-
	F--	20	-	1	-	-	1	-	1	2	6	1	2	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery-------	16	3	2	-	1	-	2	-	-	-	-	1	-	1	1	-	-	-	2	1	1	-	-	1	-	-	-
	White-----M--	11	1	2	-	1	-	2	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
28	Malaria---------	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	502	12	-	-	-	-	-	-	2	2	2	12	12	30	57	64	80	74	69	48	19	12	5	1	-	-	1
	White-----M--	276	1	-	-	-	-	-	-	-	2	-	2	3	8	20	36	55	51	38	38	12	7	3	-	-	-	-
	F--	88	1	-	-	-	-	-	-	1	-	-	1	3	2	14	10	8	12	14	8	6	5	2	1	-	-	-
	Nonwhite--M--	85	7	-	-	-	-	-	-	-	-	1	4	3	12	13	12	12	7	10	2	1	-	-	-	-	-	1
	F--	53	3	-	-	-	-	-	-	1	-	1	5	3	8	10	6	5	4	7	-	-	-	-	-	-	-	-
35	Measles----------	41	8	7	9	6	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	4	3	1	3	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	4	4	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	55	2	-	4	1	3	8	11	5	10	2	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	-	-	2	-	-	6	6	3	6	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	2	-	2	1	3	2	5	1	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
45-55	Cancer and other malignant tumors	8,004	7	9	4	7	6	17	13	18	43	55	112	200	317	481	720	997	1,113	1,136	1,025	826	584	246	55	8	2	1
	White——M—	3,873	4	5	2	4	2	10	8	10	20	24	34	45	94	177	318	508	601	565	524	448	323	121	22	3	1	-
	F—	3,718	3	4	2	2	2	5	4	6	21	27	64	125	183	251	348	432	467	522	476	365	253	119	31	5	-	1
	Nonwhite—M—	201	-	-	-	1	-	1	1	2	-	1	3	7	15	25	31	30	28	21	16	8	5	3	2	-	1	-
	F—	212	-	-	-	-	2	1	-	-	2	3	11	23	25	28	23	27	17	28	9	7	3	3	-	-	-	-
46	Cancer of the digestive organs and peritoneum—	3,425	-	-	1	-	1	2	2	3	7	11	30	45	88	160	264	420	499	519	516	429	287	116	23	2	-	-
	White——M—	1,888	-	-	1	-	-	1	-	2	3	5	12	13	37	76	147	255	299	280	286	231	158	56	6	-	-	-
	F—	1,404	-	-	-	-	1	1	2	-	4	5	16	25	37	66	98	142	182	216	218	192	125	58	16	2	-	-
	Nonwhite—M—	93	-	-	-	-	-	-	-	1	-	1	1	4	10	9	13	16	13	10	8	3	2	1	1	-	-	-
	F—	60	-	-	-	-	-	-	-	-	-	-	1	3	4	9	6	7	5	13	4	3	2	3	-	-	-	-
48,49	Cancer of female genital organs—	968	-	-	-	-	-	-	1	2	6	10	33	57	84	90	108	129	128	109	98	51	44	16	1	-	-	1
	White——F—	897	-	-	-	-	-	-	1	2	6	9	26	47	72	81	102	121	123	103	93	50	43	16	1	-	-	1
	Nonwhite—F—	71	-	-	-	-	-	-	-	-	-	1	7	10	12	9	6	8	5	6	5	1	1	-	-	-	-	-
50	Cancer of breast—	773	-	-	-	-	-	-	-	-	2	2	12	36	50	80	103	103	78	118	67	52	43	22	5	-	-	-
	White——M—	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	1	1	-	-	-	-	-
	F—	721	-	-	-	-	-	-	-	-	2	2	10	31	43	74	94	97	72	111	66	50	42	22	5	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	42	-	-	-	-	-	-	-	-	-	-	1	5	6	5	8	6	5	5	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	2,838	7	9	3	7	5	15	10	13	28	32	37	62	95	151	245	345	408	390	344	296	210	92	26	6	2	-
	White——M—	1,996	4	5	1	4	2	9	8	8	17	19	21	32	57	100	170	253	301	283	237	216	164	65	16	3	1	-
	F—	696	3	4	2	2	1	4	1	4	9	11	12	22	31	30	54	72	90	92	99	73	43	25	9	3	-	-
	Nonwhite—M—	107	-	-	-	1	-	1	1	1	-	-	2	3	4	16	18	14	15	11	8	5	3	2	1	-	1	-
	F—	39	-	-	-	-	2	1	-	-	2	2	2	5	3	5	3	6	2	4	-	2	-	-	-	-	-	-
58	Acute rheumatic fever—	24	-	-	1	-	1	6	4	1	1	-	-	-	4	-	2	-	2	-	1	-	1	-	-	-	-	-
	White——M—	10	-	-	-	-	1	1	3	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	F—	13	-	-	1	-	-	5	1	-	1	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,751	-	1	-	1	1	2	2	2	13	13	16	21	22	41	98	203	296	297	339	226	121	42	3	1	-	-
	White——M—	625	-	1	-	-	1	-	1	1	5	10	8	8	9	13	34	64	109	94	117	78	54	17	1	-	-	-
	F—	1,062	-	-	-	1	-	2	1	-	6	2	6	8	10	20	52	126	177	195	219	143	67	24	2	1	-	-
	Nonwhite—M—	19	-	-	-	-	-	-	-	-	1	-	-	3	-	1	2	2	3	3	1	3	-	-	-	-	-	-
	F—	55	-	-	-	-	-	-	-	1	1	1	2	2	3	7	10	11	7	5	2	2	-	1	-	-	-	-
63b	Exophthalmic goiter—	121	-	-	-	-	-	-	-	-	-	4	3	2	3	7	13	18	16	18	19	12	4	2	-	-	-	-
	White——M—	19	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	1	4	2	-	1	-	-	-	-	-	-
	F—	97	-	-	-	-	-	-	-	-	-	3	2	1	1	3	8	16	12	16	19	10	4	2	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)—	44	-	-	-	1	-	-	-	-	-	2	3	5	5	9	-	3	12	2	2	-	-	-	-	-	-	-
	White——M—	34	-	-	-	-	-	-	-	-	-	1	3	3	4	7	-	3	10	1	2	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	5,240	4	5	1	1	-	2	1	4	8	15	26	40	99	157	297	395	548	711	846	870	661	405	107	29	6	2
	White——M—	2,424	1	3	-	-	-	1	-	2	2	2	10	17	42	55	110	190	290	354	421	406	295	172	42	8	1	-
	F—	2,561	3	2	1	1	-	1	1	2	5	10	10	18	41	76	150	163	222	324	403	453	358	228	63	21	3	2
	Nonwhite—M—	121	-	-	-	-	-	-	-	-	1	1	3	3	8	11	16	21	21	13	7	6	5	3	1	-	1	-
	F—	134	-	-	-	-	-	-	-	-	-	2	3	2	8	15	21	21	15	20	15	5	3	2	1	-	1	-
90-95	Diseases of the heart—	18,771	1	6	-	2	-	9	19	23	47	59	124	250	472	791	1,287	1,857	2,186	2,451	2,597	2,618	2,095	1,344	436	84	11	2
	White——M—	11,102	1	3	-	1	-	3	10	13	25	30	75	147	309	536	903	1,269	1,449	1,560	1,453	1,430	1,012	648	191	31	1	2
	F—	6,757	-	3	-	-	-	4	7	5	17	16	36	61	107	146	266	448	608	811	1,073	1,130	1,046	677	239	46	7	-
	Nonwhite—M—	498	-	-	-	1	-	2	1	5	2	5	3	20	33	59	68	81	78	37	43	31	15	8	3	2	1	-
	F—	414	-	-	-	-	-	-	1	-	3	6	10	22	23	48	50	59	51	43	28	27	22	11	3	5	2	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart—	695	-	-	-	-	-	7	9	16	21	18	39	55	65	65	90	90	81	81	77	80	46	43	10	2	-	-
	White——M—	434	-	-	-	-	-	1	5	10	7	7	17	28	32	34	50	46	37	45	36	38	17	17	7	-	-	-
	F—	394	-	-	-	-	-	4	3	3	10	9	20	18	25	19	34	39	41	32	40	41	27	25	3	1	-	-
	Nonwhite—M—	36	-	-	-	-	-	2	-	3	2	1	-	3	7	5	5	2	2	-	1	1	2	-	-	-	-	-
	F—	31	-	-	-	-	-	-	1	-	2	1	2	6	1	7	1	3	1	4	-	-	-	1	-	1	-	-
94	Diseases of coronary arteries and angina pectoris—	7,352	-	-	-	-	-	-	-	-	3	11	40	101	267	456	744	979	1,068	1,077	968	825	490	245	60	15	2	-
	White——M—	5,164	-	-	-	-	-	-	-	-	3	9	33	74	210	363	586	778	782	757	602	501	280	142	23	11	-	-
	F—	1,944	-	-	-	-	-	-	-	-	-	1	3	20	37	63	111	169	252	295	340	311	203	99	37	3	-	-
	Nonwhite—M—	151	-	-	-	-	-	-	-	-	-	-	1	5	12	19	22	24	22	14	20	8	2	1	-	-	1	-
	F—	93	-	-	-	-	-	-	-	-	-	1	1	3	2	8	11	15	8	12	11	7	5	5	3	-	1	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)—	10,524	1	6	-	2	-	2	10	7	23	30	45	94	140	270	453	798	1,037	1,293	1,551	1,713	1,559	1,056	368	67	9	2
	White——M—	5,504	1	3	-	1	-	2	5	3	15	14	25	45	67	139	257	445	630	758	815	881	715	489	161	20	1	2
	F—	4,419	-	3	-	-	-	-	4	2	7	8	13	23	45	66	121	240	315	484	693	778	816	553	199	42	7	-
	Nonwhite—M—	311	-	-	-	1	-	-	1	2	-	4	2	12	14	35	41	55	54	23	22	22	11	7	3	2	-	-
	F—	290	-	-	-	-	-	-	-	-	1	4	5	14	14	30	34	48	38	28	21	22	17	7	3	3	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
97, 102	Arteriosclerosis and high blood pressure*	1,175	-	-	-	-	-	-	-	-	-	2	1	8	9	13	19	18	38	52	143	214	281	225	122	25	5	-
	White—M	608	-	-	-	-	-	-	-	-	-	-	1	3	1	4	6	11	20	30	82	123	148	108	62	6	3	-
	F	518	-	-	-	-	-	-	-	-	-	1	-	2	4	3	8	4	14	19	56	86	129	114	57	19	2	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	1	2	3	2	-	3	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	1	3	1	2	3	4	-	3	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,816	415	49	24	7	7	17	11	9	8	23	25	54	53	78	91	118	132	134	163	180	148	109	50	11	-	-
	White—M	1,050	214	22	14	3	2	8	7	3	2	4	5	28	23	44	62	71	97	87	103	99	74	50	25	3	-	-
	F	656	158	19	6	2	3	6	4	4	5	12	11	12	8	17	17	26	26	36	51	76	68	58	21	8	-	-
	Nonwhite—M	137	26	4	1	1	-	1	-	-	1	6	7	9	13	14	11	16	7	7	8	4	2	1	-	-	-	-
	F	73	17	4	3	1	2	-	-	2	-	1	2	5	9	3	1	5	2	4	3	1	4	-	4	-	-	-
107	Bronchopneumonia	880	243	28	16	4	5	8	6	2	4	12	8	13	15	18	24	39	43	56	78	82	85	62	22	7	-	-
	White—M	457	125	12	9	2	2	3	3	2	1	3	1	5	5	9	18	19	30	34	48	47	41	24	12	2	-	-
	F	328	85	11	3	1	1	5	3	-	2	6	4	5	5	5	5	11	10	18	27	32	40	37	7	5	-	-
	Nonwhite—M	55	17	3	1	1	-	-	-	-	1	2	2	1	4	3	1	5	3	4	1	3	2	1	-	-	-	-
	F	40	16	2	3	-	2	-	-	-	-	1	1	2	1	1	-	4	-	-	2	-	2	-	3	-	-	-
108	Lobar pneumonia	672	64	6	1	2	-	5	2	3	3	9	15	35	31	46	48	63	64	59	62	65	39	28	18	4	-	-
	White—M	387	29	2	-	1	-	3	2	-	1	-	3	19	14	28	34	39	46	41	38	40	21	15	10	1	-	-
	F	189	31	1	1	-	-	1	-	1	2	5	6	6	2	6	6	12	12	12	20	24	16	13	7	3	-	-
	Nonwhite—M	69	4	1	-	-	-	1	-	-	-	4	5	7	9	9	7	11	4	2	4	1	-	-	-	-	-	-
	F	27	-	2	-	1	-	-	-	2	-	-	1	3	6	1	1	1	2	4	-	-	2	-	1	-	-	-
109	Pneumonia (unspecified)	290	88	13	5	-	1	2	1	2	1	2	2	6	6	14	15	11	20	14	19	27	22	13	6	-	-	-
	White—M	170	50	7	5	-	-	1	1	1	-	1	1	4	3	7	9	9	17	10	14	11	11	7	1	-	-	-
	F	106	35	6	-	-	1	1	-	1	1	1	1	1	1	4	5	2	3	3	3	15	11	6	5	-	-	-
	Nonwhite—M	9	3	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-
33	Influenza	74	20	2	2	1	1	2	2	2	-	-	-	-	1	-	4	5	5	5	4	6	2	6	4	-	-	-
	White—M	36	10	1	-	-	-	1	1	-	-	-	-	-	1	-	1	4	4	2	3	1	1	4	2	-	-	-
	F	33	7	1	2	1	1	1	1	2	-	-	-	-	-	-	1	1	1	3	1	5	1	2	2	-	-	-
	Nonwhite—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	338	5	-	-	-	-	-	-	-	-	8	6	8	12	25	41	50	55	34	38	24	22	7	3	-	-	-
	White—M	278	2	-	-	-	-	-	-	-	-	6	5	7	9	23	37	43	46	30	30	17	18	5	-	-	-	-
	F	49	2	-	-	-	-	-	-	-	-	1	1	1	3	2	1	5	9	3	6	6	4	2	3	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	2	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	333	262	16	2	-	-	2	1	3	2	1	5	-	1	2	1	5	4	6	6	6	2	4	1	1	-	-
	White—M	168	142	7	-	-	-	1	-	2	1	-	2	-	-	-	-	1	1	3	1	4	-	2	1	-	-	-
	F	123	83	8	2	-	-	1	1	1	1	1	2	-	1	2	1	3	3	2	5	1	2	2	-	1	-	-
	Nonwhite—M	25	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	17	13	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
121	Appendicitis	169	-	1	1	3	1	11	5	9	6	9	11	5	7	14	12	19	17	16	10	9	3	-	-	-	-	-
	White—M	84	-	1	-	1	-	5	3	4	1	7	5	1	2	7	7	12	8	6	4	7	3	-	-	-	-	-
	F	65	-	-	-	2	-	5	2	5	4	1	3	2	4	4	4	5	8	9	5	2	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-
	F	11	-	-	1	-	1	1	-	-	-	1	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	400	14	4	2	-	1	5	3	2	7	7	4	11	23	12	22	32	42	50	47	42	42	21	6	1	-	-
	White—M	203	7	3	2	-	1	1	3	1	3	2	-	4	8	8	7	20	20	25	29	23	21	12	3	-	-	-
	F	176	5	1	-	-	-	4	-	1	2	5	3	4	10	3	14	11	21	22	18	19	20	9	3	1	-	-
	Nonwhite—M	9	2	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	2	-	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	1	-	1	2	5	1	-	-	1	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	773	-	-	-	-	-	-	1	3	-	1	19	31	70	80	98	111	114	80	74	52	22	15	1	1	-	-
	White—M	473	-	-	-	-	-	-	-	-	-	-	12	18	42	54	62	67	79	53	39	27	12	7	-	1	-	-
	F	259	-	-	-	-	-	-	1	3	-	1	4	11	21	19	26	39	32	27	32	24	10	8	1	-	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	4	3	-	2	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	2	1	3	4	4	1	-	-	1	1	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	261	1	-	-	-	-	1	-	-	-	3	2	4	11	9	16	45	45	38	37	27	14	7	1	-	-	-
	White—M	81	1	-	-	-	-	-	-	-	-	-	-	-	3	3	4	16	20	7	8	10	5	4	-	-	-	-
	F	174	-	-	-	-	-	1	-	-	-	3	-	4	7	5	12	28	24	31	29	17	9	3	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,479	5	-	3	2	1	8	9	14	23	21	46	50	74	130	149	209	218	298	313	340	297	179	69	16	3	2
	White—M	1,248	4	-	1	1	1	4	5	6	10	12	17	19	29	57	74	112	111	170	152	179	153	89	35	6	-	1
	F	1,059	-	-	2	1	-	3	3	7	10	5	16	21	28	43	56	79	87	113	146	151	141	84	31	8	2	1
	Nonwhite—M	99	1	-	-	-	-	1	-	-	2	2	6	5	12	12	9	8	13	8	6	4	1	4	3	2	-	-
	F	94	-	-	-	-	-	-	1	1	1	2	7	5	5	18	10	10	7	7	9	6	2	2	-	-	1	-
137	Diseases of the prostate	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	12	21	29	39	56	41	31	7	2	-	-
	White—M	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	15	26	34	54	41	31	7	1	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	5	2	-	-	-	1	-	-

*Refer to International List for complete title, table II, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
140-150	Diseases of pregnancy, etc.*----	118	-	-	-	-	-	-	-	7	19	25	28	26	12	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	88	-	-	-	-	-	-	-	5	16	17	20	20	9	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	30	-	-	-	-	-	-	-	2	3	8	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	35	-	-	-	-	-	-	-	2	5	6	10	8	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	-	-	-	-	-	-	-	1	4	4	7	7	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	-	-	1	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	29	-	-	-	-	-	-	-	2	6	4	4	8	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	-	-	-	-	-	-	-	1	6	3	3	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*---------	49	-	-	-	-	-	-	-	2	7	12	14	10	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	-	-	-	-	-	-	-	2	6	8	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	-	-	-	-	-	-	-	-	1	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	5	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	944	788	39	12	8	3	24	14	5	10	9	5	7	4	2	4	2	4	2	1	-	1	-	-	-	-
	White-----M--	470	397	15	4	1	3	16	5	2	7	6	3	2	-	1	2	1	3	-	1	-	1	-	-	-	-
	F--	415	345	19	8	5	-	7	8	3	3	3	2	4	3	-	2	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	37	30	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	16	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	2,677	2,677	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,427	1,427	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	970	970	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	123	123	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,834	1,834	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	967	967	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	682	682	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	843	843	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	460	460	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	288	288	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	647	-	-	-	-	-	-	2	15	36	47	38	49	71	54	68	78	66	44	40	20	13	5	-	-	-	1
	White-----M--	484	-	-	-	-	-	-	2	11	24	27	21	38	54	39	49	65	55	35	30	16	12	5	-	-	-	1
	F--	139	-	-	-	-	-	-	-	3	9	16	10	9	16	13	17	12	11	9	10	3	1	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	1	1	3	5	2	1	2	2	1	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	211	5	1	1	-	-	1	4	10	23	28	33	30	21	17	11	6	5	7	7	1	-	-	-	-	-	-
	White-----M--	64	2	-	-	-	-	1	4	1	3	8	6	8	7	5	4	4	4	5	4	-	-	-	-	-	-	-
	F--	36	3	1	-	-	-	-	-	3	3	3	4	4	4	2	3	2	-	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	4	11	14	18	14	6	10	3	-	1	1	2	-	-	-	-	-	-	-
	F--	27	-	-	1	-	-	-	-	2	6	3	5	4	4	-	1	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	4,090	149	86	42	48	35	159	121	241	281	224	164	186	182	189	211	227	216	231	251	269	264	218	81	13	-	2
	White-----M--	2,610	78	42	22	28	20	94	85	180	223	177	129	141	133	140	157	162	161	151	137	128	112	80	27	2	-	1
	F--	1,247	54	37	15	12	12	54	28	50	37	29	17	28	33	33	44	52	48	72	108	133	151	135	53	11	-	1
	Nonwhite--M--	157	11	2	2	6	3	5	6	6	19	12	13	11	12	10	7	9	7	6	5	3	-	2	-	-	-	-
	F--	78	6	5	3	2	-	6	2	5	2	6	5	6	4	6	3	4	-	2	1	5	1	1	1	-	-	-
170	Motor-vehicle accidents-------	1,605	8	24	13	18	17	63	60	148	174	109	90	97	88	92	109	112	113	90	76	53	37	12	1	-	-	1
	White-----M--	1,144	5	11	7	10	9	38	40	108	134	88	69	66	60	64	79	79	81	66	50	40	28	10	1	-	-	1
	F--	371	3	12	5	5	6	24	18	35	30	15	12	20	20	19	24	29	27	22	22	12	9	2	-	-	-	-
	Nonwhite--M--	68	-	-	1	2	2	1	2	2	10	4	6	8	5	6	4	3	5	2	4	1	-	-	-	-	-	-
	F--	22	-	1	-	1	-	-	-	3	-	2	3	3	3	3	2	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	2,485	141	62	29	30	18	96	61	93	107	115	74	89	94	97	102	115	103	141	175	216	227	206	80	13	-	1
	White-----M--	1,466	73	31	15	18	11	56	45	72	89	89	60	75	73	76	78	83	80	85	87	88	84	70	26	2	-	-
	F--	676	51	25	10	7	6	30	10	15	7	14	5	8	13	14	20	23	21	50	86	121	142	133	53	11	-	1
	Nonwhite--M--	89	11	2	1	4	1	4	4	4	9	8	7	3	7	4	3	6	2	4	1	2	-	2	-	-	-	-
	F--	54	6	4	3	1	-	6	2	2	2	4	2	3	1	3	1	3	-	2	1	5	1	1	1	-	-	-
182, 199, 200	Senility, ill-defined and unknown causes----	571	29	2	1	1	-	2	1	3	2	5	4	5	7	9	22	20	30	42	45	65	111	100	41	20	1	3
	White-----M--	275	12	2	1	-	-	-	1	1	-	3	2	4	1	7	15	10	19	22	26	35	50	36	18	7	-	3
	F--	274	11	-	-	1	-	2	-	2	1	2	2	1	2	2	6	9	9	20	18	27	60	63	22	13	1	-
	Nonwhite--M--	11	2	-	-	-	-	-	-	-	1	-	-	-	4	-	1	-	-	-	1	1	-	1	-	-	-	-
	F--	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	1	-	-	-
	All other causes-	3,207	222	50	23	23	18	57	35	53	66	103	106	153	159	161	252	294	299	287	267	248	196	96	30	7	1	1
	White-----M--	1,671	125	28	15	12	10	33	14	32	34	48	52	69	70	69	118	182	174	167	150	131	85	38	11	2	1	1
	F--	1,293	75	17	8	10	8	16	16	16	24	38	40	57	69	65	103	96	109	112	112	117	105	57	18	5	-	-
	Nonwhite--M--	116	11	4	-	-	-	6	3	2	7	8	8	8	7	11	16	11	6	2	1	-	4	1	-	-	-	-
	F--	127	11	1	-	1	-	2	2	3	1	9	6	19	13	16	15	5	10	6	4	-	2	-	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																										
	ALL CAUSES-------	27,400	1,959	142	66	56	56	145	136	226	314	318	309	513	593	909	1,334	1,926	2,534	2,917	3,318	3,566	3,086	2,113	702	155	14	1
	White-----M--	15,811	1,095	73	27	27	37	93	78	154	203	213	172	302	355	526	809	1,253	1,599	1,794	1,818	2,015	1,647	1,106	332	78	5	-
	F--	11,233	804	60	34	30	18	47	54	65	99	98	127	199	223	362	508	656	904	1,092	1,465	1,518	1,425	998	365	73	9	-
	Nonwhite--M--	192	39	5	1	1	1	1	1	1	8	1	5	5	3	10	7	7	21	20	24	19	7	4	1	-	-	-
	F--	164	21	4	4	-	2	4	2	6	4	6	5	7	2	10	10	10	10	11	11	14	7	5	4	4	-	1
1,2	Typhoid and paratyphoid fever---	4	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	12	2	-	2	1	2	-	2	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	3	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	14	6	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	16	1	2	1	1	2	2	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	2	2	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	492	4	5	1	3	1	2	3	8	12	24	16	41	43	44	44	50	49	42	45	28	19	8	-	-	-	-
	White-----M--	313	3	3	-	1	-	-	1	1	2	8	8	27	20	27	33	40	38	25	34	22	13	7	-	-	-	-
	F--	147	-	1	1	2	-	1	2	3	8	14	7	13	20	12	9	9	9	16	8	5	6	1	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	1	-	-	1	-	-	1	-	2	4	2	1	2	1	3	1	-	-	-	-	-	-
	F--	12	-	1	-	-	-	1	-	3	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	444	2	1	-	2	-	-	2	7	10	22	14	36	41	44	43	48	42	36	42	25	19	8	-	-	-	-
	White-----M--	285	1	1	-	1	-	-	-	1	2	8	7	23	19	27	32	38	32	22	32	19	13	7	-	-	-	-
	F--	131	-	-	-	1	-	-	2	2	6	13	6	12	19	12	9	9	8	13	7	5	6	1	-	-	-	-
	Nonwhite--M--	19	1	-	-	-	-	-	-	1	-	-	1	-	2	4	2	1	2	1	3	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	3	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	48	2	4	1	1	1	2	1	1	2	2	2	5	2	-	1	2	7	6	3	3	-	-	-	-	-	-
	White-----M--	28	2	2	-	-	-	-	1	-	-	-	1	4	1	-	1	2	6	3	2	3	-	-	-	-	-	-
	F--	16	-	1	1	1	-	1	-	1	2	1	1	1	1	-	-	-	1	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	135	-	-	-	-	-	-	-	-	1	-	-	-	6	3	11	27	25	23	17	12	7	2	1	-	-	-
	White-----M--	100	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	20	20	16	15	8	6	1	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	1	-	-	-	4	-	3	5	4	5	2	2	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles---------	11	1	2	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	5	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	106	4	4	5	4	8	13	17	16	13	6	8	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	68	2	1	2	4	7	10	10	10	7	5	4	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	38	2	3	3	-	1	3	7	6	6	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
45-55	Cancer and other malignant tumors	4,253	3	7	5	5	4	11	12	15	13	24	37	85	108	161	296	412	542	598	619	603	416	204	43	8	2	-
	White-----M--	2 217	2	4	3	-	2	4	3	11	8	12	16	26	40	64	110	214	281	345	330	339	245	133	20	4	1	-
	F--	1,992	1	3	2	5	2	7	9	4	5	12	20	58	68	116	183	193	253	246	280	259	170	69	23	3	1	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	5	3	-	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	4	3	4	2	1	2	-	1	-	-
46	Cancer of the digestive organs and peritoneum--	1,979	-	-	-	1	1	1	1	1	6	10	10	24	25	68	108	162	245	319	327	322	216	105	23	4	2	-
	White-----M--	1,147	-	-	-	-	1	1	1	1	5	6	5	8	15	34	60	105	147	191	184	180	124	65	11	2	1	-
	F--	809	-	-	-	1	-	-	-	-	1	4	5	15	10	31	48	53	96	125	137	137	92	40	12	1	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	3	2	-	-	-	1	-	-
48,49	Cancer of female genital organs--	379	-	-	-	-	-	-	-	2	-	2	6	14	23	37	45	56	58	36	43	32	21	4	-	-	-	-
	White-----F--	374	-	-	-	-	-	-	-	2	-	2	5	14	23	37	45	55	57	36	42	32	21	3	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
50	Cancer of breast-	418	-	-	-	1	-	-	-	-	-	3	4	12	26	33	61	52	50	39	54	39	26	13	4	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	414	-	-	-	1	-	-	-	-	-	3	4	12	26	33	61	52	49	38	54	39	25	12	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,477	3	7	5	3	3	10	11	12	7	9	17	35	34	45	82	142	189	204	195	210	153	82	16	3	-	-
	White-----M--	1,067	2	4	3	-	1	3	2	10	3	6	11	18	25	30	50	109	133	153	146	159	120	68	9	2	-	-
	F--	395	1	3	2	3	2	7	9	2	4	3	6	17	9	15	29	33	51	47	47	51	32	14	7	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-
59	Acute rheumatic fever----------	13	-	-	-	-	-	2	4	1	1	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	2	2	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	775	-	1	-	-	-	1	1	1	5	9	6	11	13	25	35	78	93	131	141	130	70	20	4	-	-	-
	White-----M--	307	-	1	-	-	-	-	-	-	2	3	5	4	6	13	14	30	42	49	46	55	27	9	1	-	-	-
	F--	460	-	-	-	-	-	1	1	1	3	5	1	6	7	11	20	48	51	82	91	75	43	11	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	48	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	7	7	8	5	3	4	1	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	-	-	1	-	-	-	-	-
	F--	41	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	7	5	5	5	3	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	36	-	-	-	-	-	-	-	-	-	-	3	6	5	5	6	2	3	3	2	1	-	-	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	1	4	4	2	6	2	3	3	2	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,918	2	1	-	2	-	1	-	1	6	6	8	22	33	56	124	178	264	354	434	530	481	290	102	21	2	-
	White-----M--	1,478	-	-	-	1	-	1	-	1	4	4	3	13	13	24	62	94	148	193	205	285	233	133	55	5	1	-
	F--	1,421	1	1	-	1	-	-	-	-	2	2	5	9	20	31	62	82	113	157	225	242	247	157	47	16	1	-
	Nonwhite--M--	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	-	-	-	-
90-95	Diseases of the heart----------	8,909	-	2	-	-	-	1	3	10	14	44	24	95	142	271	431	692	990	1,147	1,324	1,410	1,200	818	234	47	5	-
	White-----M--	5,497	-	1	-	-	-	1	5	4	9	30	15	70	109	188	316	518	693	762	754	821	657	413	105	27	1	-
	F--	3,335	-	1	-	-	-	-	3	4	5	13	11	24	33	79	110	171	286	374	559	574	537	401	128	18	4	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	8	7	8	6	5	3	-	-	-	-
	F--	34	-	-	-	-	-	-	-	2	-	1	-	1	-	1	3	2	3	4	3	9	1	1	1	2	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	449	-	-	-	-	-	-	2	5	4	12	9	24	16	29	28	36	57	51	50	48	39	25	14	-	-	-
	White-----M--	234	-	-	-	-	-	-	1	1	3	8	4	15	11	17	14	18	34	28	20	24	18	12	6	-	-	-
	F--	208	-	-	-	-	-	-	1	3	1	3	5	8	5	12	14	18	21	22	29	24	21	13	8	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	4,107	-	-	-	-	-	-	2	2	5	13	8	47	90	164	258	438	556	600	581	612	424	240	54	12	1	-
	White-----M--	2,886	-	-	-	-	-	-	-	2	4	9	7	39	79	133	205	356	419	433	387	388	246	130	22	6	1	-
	F--	1,216	-	-	-	-	-	-	2	-	1	4	1	8	11	30	51	81	131	160	190	223	175	110	32	6	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	5	3	-	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	4,353	-	2	-	-	-	1	4	3	5	19	7	24	38	78	145	218	377	496	693	750	737	553	166	35	4	-
	White-----M--	2,397	-	1	-	-	-	1	4	1	2	13	2	16	19	38	97	144	240	301	347	409	393	271	77	21	-	-
	F--	1,911	-	1	-	-	-	-	-	1	3	6	5	8	17	37	45	72	134	192	340	327	341	278	88	12	4	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	5	6	3	3	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	2	1	8	-	1	1	2	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*	748	-	-	-	-	-	-	-	-	1	1	-	2	1	3	3	8	22	40	85	127	164	187	78	22	2	-
	White—M	405	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	5	14	20	49	70	79	105	40	15	2	-
	F	335	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	3	7	20	36	56	83	81	37	7	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,083	181	20	6	3	-	12	6	7	7	7	17	12	12	11	26	49	59	76	73	149	145	134	55	15	1	-
	White—M	603	82	12	5	1	-	5	4	6	4	5	9	8	9	9	15	34	35	48	36	85	80	79	25	7	-	-
	F	445	79	5	1	2	-	6	1	1	2	2	6	4	3	1	10	15	22	27	37	64	64	55	29	8	1	-
	Nonwhite—M	14	10	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	21	10	2	-	-	-	1	1	-	-	-	2	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-
107	Bronchopneumonia	630	125	13	3	-	-	7	1	4	1	-	7	4	5	7	10	17	29	39	41	90	88	85	41	12	1	-
	White—M	334	58	7	2	-	-	2	1	4	1	-	3	2	3	6	5	10	18	22	22	51	42	49	20	6	-	-
	F	272	52	4	1	-	-	5	-	-	-	-	3	2	2	1	4	7	9	16	19	39	45	36	20	6	1	-
	Nonwhite—M	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	15	8	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
108	Lobar pneumonia	287	25	2	2	3	-	2	2	2	4	4	7	6	6	3	16	24	25	32	25	30	29	31	5	2	-	-
	White—M	186	12	1	2	1	-	1	1	2	3	4	6	4	5	2	10	18	15	23	14	18	20	21	2	1	-	-
	F	93	9	1	-	2	-	-	-	-	1	-	-	2	1	-	6	6	10	9	11	12	9	10	3	1	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	103	19	3	-	-	-	1	-	-	2	2	1	2	-	1	-	4	2	2	6	19	22	11	6	-	-	-
	White—M	57	8	2	-	-	-	1	-	-	-	1	-	2	-	1	-	4	1	2	-	12	15	5	3	-	-	-
	F	44	11	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	6	7	7	6	3	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	63	12	2	1	-	-	2	3	1	-	1	2	-	1	-	-	4	3	3	1	10	6	7	3	1	-	-
	White—M	28	4	2	1	-	-	1	2	-	-	-	-	-	1	-	-	2	1	1	-	4	3	4	-	-	-	-
	F	36	7	-	-	-	-	1	1	1	-	1	2	-	-	-	-	2	2	2	1	6	3	3	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	182	-	-	-	-	-	-	-	-	1	1	3	7	5	12	19	20	20	30	23	17	13	6	5	-	-	-
	White—M	138	-	-	-	-	-	-	-	-	1	-	3	6	4	11	17	15	19	23	17	7	8	4	3	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	1	6	6	9	5	2	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	75	44	7	3	-	1	-	1	1	2	1	2	-	1	1	1	1	1	3	1	-	2	1	1	-	-	-
	White—M	33	23	2	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-
	F	35	16	5	1	-	-	-	1	-	2	-	1	-	1	-	1	1	1	2	1	-	-	1	1	-	-	-
	Nonwhite—M	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	70	-	-	-	1	-	4	3	2	2	5	3	2	4	8	4	4	3	6	8	5	3	3	-	-	-	-
	White—M	45	-	-	-	1	-	3	1	-	2	3	1	-	4	6	4	3	2	5	4	3	1	2	-	-	-	-
	F	24	-	-	-	-	-	1	2	2	-	2	2	2	-	1	-	1	1	1	4	2	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	177	6	-	-	-	-	-	1	3	1	4	1	5	3	7	5	12	16	17	29	32	19	14	2	-	-	-
	White—M	100	2	-	-	-	-	-	1	3	-	3	1	4	1	5	2	7	13	7	17	18	10	5	1	-	-	-
	F	73	4	-	-	-	-	-	-	-	1	1	-	-	1	2	2	4	3	10	12	14	9	9	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	246	-	-	-	1	-	-	-	-	2	5	3	12	21	16	27	27	32	38	17	22	16	5	3	1	-	-
	White—M	153	-	-	-	-	-	-	-	-	-	2	3	7	13	8	16	24	20	26	10	11	9	3	-	1	-	-
	F	93	-	-	-	1	-	-	-	-	2	3	-	5	8	8	10	3	11	12	7	11	7	2	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	160	-	-	-	-	-	-	-	-	-	2	3	4	4	11	13	15	17	16	27	15	18	11	3	1	-	-
	White—M	57	-	-	-	-	-	-	-	-	-	1	-	2	3	3	4	7	5	4	10	6	4	7	1	-	-	-
	F	103	-	-	-	-	-	-	-	-	-	1	3	2	1	8	9	8	12	12	17	9	14	4	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	811	-	1	-	1	1	5	5	4	15	8	16	20	15	31	40	55	75	83	109	102	104	84	30	7	-	-
	White—M	461	-	-	-	1	1	4	4	3	8	6	6	8	9	15	25	29	49	52	63	58	55	45	16	4	-	-
	F	337	-	1	-	-	-	1	1	1	7	2	9	10	5	15	13	25	25	29	45	44	48	39	14	3	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	148	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	7	11	15	31	41	24	11	2	-	-
	White—M	147	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	7	11	15	31	41	23	11	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
140-150	Diseases of pregnancy, etc.*----	48	-	-	-	-	-	-	-	-	10	7	18	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	45	-	-	-	-	-	-	-	-	9	6	17	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	17	-	-	-	-	-	-	-	-	1	4	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	-	-	-	-	-	-	-	1	3	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	13	-	-	-	-	-	-	-	-	4	-	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	-	4	-	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	11	-	-	-	-	-	-	-	-	2	1	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	-	1	1	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	7	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	433	363	13	4	2	4	10	5	3	7	5	3	4	2	1	2	2	-	1	2	-	-	-	-	-	-
	White-----M--	232	191	7	1	2	3	5	2	1	5	4	2	3	-	-	2	2	-	-	1	-	-	-	-	-	-
	F--	197	169	6	3	-	1	5	2	2	1	1	1	1	2	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,177	1,177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	707	707	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	452	452	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	717	717	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	426	426	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	460	460	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	281	281	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	175	175	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	336	-	-	-	-	-	-	-	8	9	21	19	26	24	45	36	47	37	23	21	6	8	5	1	-	-
	White-----M--	283	-	-	-	-	-	-	-	6	4	18	13	21	19	37	30	40	33	22	21	5	8	5	1	-	-
	F--	52	-	-	-	-	-	-	-	2	4	3	6	5	5	8	6	7	4	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	55	8	1	1	-	-	1	2	3	3	5	1	5	4	3	2	2	5	6	2	-	-	1	-	-	-
	White-----M--	31	2	1	-	-	-	1	1	1	1	5	-	4	3	1	2	1	3	4	1	-	-	-	-	-	-
	F--	19	5	-	1	-	-	-	1	2	1	-	1	-	1	1	-	1	2	2	1	-	-	1	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,947	68	42	19	19	22	42	41	118	143	90	65	68	60	88	93	100	105	115	132	140	160	154	50	13	2	-
	White-----M--	1,318	30	25	7	11	15	35	30	90	117	78	54	59	51	65	73	84	80	85	76	79	77	73	17	7	-	-
	F--	609	32	16	12	8	7	7	11	28	22	11	9	7	9	22	20	14	25	29	54	61	83	81	33	6	2	-
	Nonwhite--M--	14	3	1	-	-	-	-	-	-	4	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	593	7	11	5	6	12	17	15	71	92	41	25	28	27	26	36	34	40	29	27	24	12	8	-	-	-	-
	White-----M--	461	2	4	3	4	9	14	9	54	76	35	20	23	23	18	26	31	31	24	17	21	10	7	-	-	-	-
	F--	124	5	7	2	2	3	3	6	17	13	5	4	3	4	7	10	3	9	5	10	3	2	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents---	1,354	59	31	14	13	10	25	26	47	51	49	40	40	33	62	57	68	65	86	105	116	148	146	50	13	2	-
	White-----M--	857	28	21	4	7	6	21	21	36	41	43	34	36	28	47	47	53	49	61	59	58	67	66	17	7	-	-
	F--	485	27	9	10	6	4	4	5	11	9	6	5	4	5	15	10	11	16	24	44	58	81	80	33	6	2	-
	Nonwhite--M--	7	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	282	9	2	2	-	-	2	-	1	-	-	1	2	4	4	2	12	9	3	22	33	48	54	50	11	-	1
	White-----M--	135	3	-	-	-	-	-	-	-	-	-	-	1	3	3	-	9	7	9	10	21	21	21	25	2	-	-
	F--	132	3	-	1	-	-	-	-	-	-	-	1	-	1	1	2	3	2	4	12	12	26	33	23	8	-	-
	Nonwhite--M--	6	2	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1
	All other causes-	1,673	82	28	13	14	11	34	22	22	44	41	50	64	61	77	105	120	153	132	165	167	147	86	28	7	-	-
	White-----M--	909	46	15	6	4	5	20	11	15	25	23	27	29	33	38	65	69	85	80	102	89	70	38	10	4	-	-
	F--	742	34	13	6	10	6	13	11	7	17	17	22	34	28	37	39	51	67	51	62	73	76	47	18	3	-	-
	Nonwhite--M--	12	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	1	3	1	-	-	-	-	-
	F--	10	-	-	1	-	-	1	-	-	1	1	-	-	-	2	1	-	-	-	-	2	-	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	ALL CAUSES	20,296	2,474	211	107	78	63	189	170	335	451	422	475	668	736	1,018	1,218	1,352	1,561	1,994	2,074	1,911	1,364	754	371	130	112	57
	White----M--	5,489	597	38	18	17	13	43	39	81	104	100	118	127	156	229	304	402	491	580	655	597	409	217	96	21	6	11
	F--	3,980	419	37	16	10	11	24	21	39	50	44	66	106	108	158	158	205	269	419	472	530	388	247	127	25	6	5
	Nonwhite--M--	5,676	816	69	41	32	22	63	51	104	137	141	133	180	228	308	384	393	417	545	529	458	306	154	58	38	32	25
	F--	5,191	640	67	32	19	17	59	59	111	160	137	158	255	244	324	362	352	384	450	418	326	261	136	90	46	68	16
1,2	Typhoid and paratyphoid fever---	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	19	7	3	1	3	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	White----M--	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	F--	7	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	30	20	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	8	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	15	1	4	3	-	3	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	4	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	666	3	4	2	-	2	5	8	45	83	47	61	73	51	46	54	49	32	42	34	18	7	1	-	-	-	-
	White----M--	125	-	1	1	-	-	1	-	1	5	2	5	11	5	9	16	16	15	17	9	6	4	1	-	-	-	-
	F--	85	1	1	-	-	-	-	-	1	7	3	8	5	3	4	4	9	6	9	16	8	-	-	-	-	-	-
	Nonwhite--M--	219	1	1	1	-	2	2	3	12	23	11	22	34	27	20	20	14	5	9	5	4	3	-	-	-	-	-
	F--	237	1	1	-	-	-	2	5	31	48	31	26	23	16	13	14	9	6	7	4	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	623	-	1	-	-	2	2	5	41	76	45	58	71	47	45	51	47	31	42	33	18	7	1	-	-	-	-
	White----M--	120	-	-	-	-	-	-	-	-	5	2	5	11	5	9	16	16	15	17	8	6	4	1	-	-	-	-
	F--	83	-	1	-	-	-	-	-	1	6	3	8	5	3	4	4	9	6	9	16	8	-	-	-	-	-	-
	Nonwhite--M--	198	-	-	-	-	2	1	1	10	20	11	19	32	26	20	18	13	4	9	5	4	3	-	-	-	-	-
	F--	222	-	-	-	-	-	1	4	30	45	29	26	23	13	12	13	9	6	7	4	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	43	3	3	2	-	-	3	3	4	7	2	3	2	4	1	3	1	1	-	1	-	-	-	-	-	-	-
	White----M--	5	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	1	1	1	-	-	1	2	2	3	-	3	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	F--	15	1	1	-	-	-	1	1	1	3	2	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	30	11	2	1	-	-	1	-	-	1	1	1	-	1	-	-	2	1	3	-	-	2	2	-	-	1	-
	White----M--	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-
	F--	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
28	Malaria----------	10	1	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	1	-	-	-
	White----M--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	209	21	-	-	-	1	-	-	3	5	4	5	13	29	24	26	22	17	17	13	6	-	3	-	-	-	-
	White----M--	35	2	-	-	-	-	-	-	-	-	-	-	2	2	2	4	4	4	4	7	4	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	108	9	-	-	-	-	-	-	2	4	1	4	20	15	13	15	10	9	3	2	-	1	-	-	-	-	-
	F--	62	10	-	-	-	1	-	-	3	3	-	4	6	6	7	9	3	5	2	3	-	-	2	-	-	-	-
35	Measles----------	26	9	4	-	1	1	2	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	5	3	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	4	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	6	-	1	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Continued																										
45-55	Cancer and other malignant tumors	1,912	2	1	1	3	3	5	5	9	15	21	42	54	91	161	177	209	201	244	248	222	122	45	19	6	2	4
	White-----M--	557	-	-	-	2	1	-	1	2	6	7	8	9	14	35	41	49	55	66	91	84	41	17	4	3	-	1
	F--	621	1	-	1	1	-	-	1	2	4	4	11	25	27	55	55	54	63	98	71	77	44	16	9	1	1	-
	Nonwhite--M--	317	-	1	-	-	1	2	-	1	1	2	6	5	13	22	28	45	35	45	48	30	19	7	3	1	1	1
	F--	437	1	-	-	-	1	3	3	4	4	8	17	15	37	49	53	61	48	35	38	31	18	5	3	1	-	2
46	Cancer of the digestive organs and peritoneum--	784	-	-	1	-	-	-	-	1	5	4	15	12	33	55	58	85	88	111	118	109	69	20	7	1	1	1
	White-----M--	214	-	-	-	-	-	-	-	1	1	1	4	2	8	11	15	25	15	30	38	31	22	7	3	-	-	-
	F--	243	-	-	1	-	-	-	-	-	2	1	4	5	4	11	18	18	27	38	32	45	25	9	3	-	-	-
	Nonwhite--M--	183	-	-	-	-	-	-	-	-	-	1	4	1	7	16	14	27	24	29	28	18	11	1	1	-	1	-
	F--	154	-	-	-	-	-	-	-	-	2	1	3	4	14	17	11	15	22	14	20	15	11	3	-	1	-	1
48,49	Cancer of female genital organs--	295	-	-	-	-	-	2	-	1	3	3	16	16	29	40	38	42	24	29	18	21	7	1	5	-	-	-
	White-----F--	133	-	-	-	-	-	-	-	1	1	1	5	9	11	25	13	15	8	20	9	12	3	-	2	-	-	-
	Nonwhite--F--	162	-	-	-	-	-	2	-	1	2	2	11	7	18	15	25	27	16	9	10	9	4	1	3	-	-	-
50	Cancer of breast-	148	-	-	-	-	-	-	-	-	-	2	3	10	10	20	22	16	12	24	14	9	4	1	-	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
	F--	93	-	-	-	-	-	-	-	-	-	-	2	7	6	11	14	8	9	17	10	6	3	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	49	-	-	-	-	-	-	-	-	-	2	1	3	3	8	7	8	3	6	4	3	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	675	2	1	-	3	3	3	5	7	7	12	8	16	19	46	59	66	77	80	98	83	42	23	7	4	1	3
	White-----M--	320	-	-	-	2	1	-	1	1	5	6	4	7	6	23	25	24	40	36	53	53	19	10	1	2	-	1
	F--	152	1	-	-	1	-	-	1	2	1	2	-	4	6	8	10	13	19	23	21	14	13	7	4	1	1	-
	Nonwhite--M--	131	-	1	-	-	1	2	-	1	1	1	2	4	5	6	14	18	11	15	20	12	8	5	2	1	-	1
	F--	72	1	-	-	-	1	1	3	3	-	3	2	1	2	9	10	11	7	6	4	4	2	1	-	-	-	1
58	Acute rheumatic fever----------	25	-	1	1	-	1	2	4	2	2	2	1	3	3	-	-	1	-	2	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	1	1	2	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	9	-	1	1	-	-	1	1	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	315	1	-	-	-	-	3	3	1	2	6	5	7	15	18	13	38	44	49	43	33	18	12	2	1	-	3
	White-----M--	83	-	-	-	-	-	-	-	-	1	1	1	1	2	1	3	8	13	18	13	7	9	3	-	-	-	2
	F--	109	1	-	-	-	-	1	1	-	-	2	1	-	5	4	2	15	14	18	15	18	6	5	1	-	-	-
	Nonwhite--M--	42	-	-	-	-	-	1	1	-	-	1	1	2	1	5	3	6	5	1	5	4	1	3	-	1	-	1
	F--	81	-	-	-	-	-	1	1	1	1	2	2	4	7	8	5	9	12	12	10	4	-	1	1	-	-	-
63b	Exophthalmic goiter----------	16	-	-	-	-	-	-	-	1	-	3	1	1	2	1	-	2	1	1	2	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	29	-	-	-	-	-	-	-	-	2	-	-	1	1	-	2	1	4	-	5	8	4	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	2	-	1	1	2	-	1	-	-	-
77	Alcoholism (ethylism)------	20	1	-	-	-	-	1	-	1	-	-	2	3	2	3	3	2	2	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,984	4	1	4	-	-	1	3	-	9	10	9	39	57	109	141	162	216	297	271	283	196	105	40	14	8	5
	White-----M--	473	1	-	1	-	-	-	1	-	3	3	1	4	8	11	26	35	56	73	73	74	59	33	8	2	-	1
	F--	440	-	-	2	-	-	-	-	-	1	2	1	7	6	20	21	26	41	66	59	78	52	39	13	3	2	1
	Nonwhite--M--	477	2	-	-	-	-	-	1	-	4	2	3	9	19	25	39	49	55	71	63	66	38	17	6	5	1	2
	F--	594	1	1	1	-	-	1	1	-	1	3	4	19	24	53	55	52	64	87	78	65	47	16	13	4	5	1
90-95	Diseases of the heart----------	4,384	9	3	-	2	-	8	8	14	15	27	51	90	124	227	331	384	492	611	659	606	398	188	96	34	13	13
	White-----M--	1,588	3	-	-	-	-	1	1	2	3	5	13	21	35	63	104	155	201	237	259	228	143	65	36	10	-	3
	F--	924	-	1	-	1	-	-	1	1	3	3	5	6	20	21	35	45	78	112	172	176	133	70	32	4	1	4
	Nonwhite--M--	996	3	1	-	1	-	6	1	5	2	8	11	25	32	64	107	93	117	137	126	124	75	27	9	15	3	4
	F--	876	3	1	-	-	-	1	5	6	7	11	22	38	37	79	85	71	96	125	102	78	47	27	19	5	9	2
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	305	-	-	-	1	-	4	6	5	5	7	9	5	10	10	20	25	21	38	44	36	27	16	10	5	1	-
	White-----M--	91	-	-	-	-	-	-	1	1	3	3	5	2	1	-	4	8	6	8	15	17	6	8	3	-	-	-
	F--	62	-	-	-	-	-	-	1	-	1	1	1	-	5	1	2	7	3	8	11	6	7	2	6	-	-	-
	Nonwhite--M--	76	-	-	-	1	-	3	-	1	-	2	2	1	2	3	8	6	7	11	9	7	7	4	-	4	-	-
	F--	74	-	-	-	-	-	1	4	3	1	1	1	2	2	6	6	4	5	11	9	6	7	2	1	1	1	-
94	Diseases of coronary arteries and angina pectoris---------	1,181	2	1	-	-	-	-	-	1	2	7	15	41	47	70	111	128	172	168	154	138	78	32	6	3	1	4
	White-----M--	637	-	-	-	-	-	-	-	-	-	1	6	16	24	38	60	82	102	98	79	71	42	15	2	1	-	2
	F--	251	-	-	-	-	-	-	-	-	-	-	1	2	8	5	16	15	32	33	48	44	28	13	4	1	-	1
	Nonwhite--M--	157	1	1	-	-	-	-	-	-	-	1	2	8	6	16	22	19	22	16	17	15	6	3	-	1	-	1
	F--	136	1	-	-	-	-	-	-	1	2	5	6	15	9	13	13	12	16	21	10	8	2	1	-	-	1	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,898	7	2	-	1	-	4	2	8	8	13	27	44	67	147	200	211	299	405	461	432	293	141	80	26	11	9
	White-----M--	860	3	-	-	-	-	1	-	1	-	1	2	3	10	27	40	65	93	131	165	140	95	42	31	9	-	1
	F--	611	-	1	-	1	-	-	-	1	2	2	3	4	7	15	17	23	43	71	113	126	98	55	22	3	1	3
	Nonwhite--M--	761	2	-	-	-	-	3	1	4	2	5	7	16	24	45	77	68	88	110	100	102	62	20	9	10	3	3
	F--	666	2	1	-	-	-	-	1	2	4	5	15	21	26	60	66	55	75	93	83	64	38	24	18	4	7	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Continued																											
97, 102	Arteriosclerosis and high blood pressure*	254	-	-	-	-	-	-	-	1	-	2	1	3	3	3	10	17	20	26	29	45	34	31	17	6	5	1
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	6	12	8	10	6	1	1	-
	F	71	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	3	7	5	18	11	9	10	2	-	-
	Nonwhite—M	68	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	9	8	10	9	7	5	8	1	2	2	1
	F	64	-	-	-	-	-	-	-	-	-	-	1	2	2	-	6	6	5	8	9	8	10	4	-	1	2	-
107-109, 33	Pneumonia (all forms) and influenza	874	288	45	20	7	6	18	7	8	9	12	10	12	16	30	28	42	41	56	80	70	87	45	25	8	4	-
	White	215	46	5	1	3	3	2	1	-	3	4	4	2	1	6	6	10	10	17	27	17	27	11	7	-	2	-
	F	188	31	6	1	-	1	-	1	1	-	-	-	1	3	4	2	10	8	11	15	22	38	18	9	5	-	-
	Nonwhite—M	290	110	13	10	3	2	6	2	5	1	2	3	2	7	10	15	9	13	18	16	17	11	11	-	1	1	-
	F	261	101	21	8	1	-	10	3	2	5	6	3	7	5	10	5	13	10	10	20	14	10	5	9	2	1	-
107	Bronchopneumonia	318	127	15	6	4	3	5	2	-	1	2	1	-	-	10	4	15	5	19	20	20	30	12	12	2	3	-
	White—M	83	25	2	1	1	1	1	-	-	1	1	-	-	-	3	4	6	1	4	8	6	9	3	4	-	2	-
	F	68	16	6	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	5	3	11	13	4	4	2	-	-
	Nonwhite—M	90	40	4	3	3	2	2	1	-	-	1	1	-	-	2	-	3	1	10	4	3	4	5	-	-	1	-
	F	77	46	3	1	-	-	2	-	-	-	-	-	-	-	5	-	4	3	-	5	-	4	-	4	-	-	-
108	Lobar pneumonia	313	70	17	5	2	1	6	1	3	4	5	5	5	8	8	17	14	17	22	33	23	23	19	2	3	-	-
	White—M	71	10	-	-	2	-	-	-	-	2	1	3	1	1	1	2	2	4	8	11	7	11	4	1	-	-	-
	F	51	6	-	-	-	1	-	-	1	-	-	-	-	1	-	2	3	4	1	6	5	8	10	1	1	-	-
	Nonwhite—M	94	29	5	2	-	-	1	-	1	1	-	1	1	2	4	10	4	4	7	10	5	3	3	-	1	-	-
	F	97	25	12	3	-	-	5	1	1	1	4	1	3	3	3	3	5	5	6	6	6	1	2	-	1	-	-
109	Pneumonia (unspecified)	83	31	5	1	-	-	2	1	1	1	3	1	2	3	3	4	2	4	4	2	3	4	3	2	1	-	-
	White—M	19	5	1	-	-	-	1	-	-	-	2	-	1	-	-	-	1	2	3	-	1	1	1	-	-	-	-
	F	11	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	2	2	1	-	-
	Nonwhite—M	32	19	2	-	-	-	-	-	1	-	-	1	-	2	1	4	-	1	-	-	-	1	-	-	-	-	-
	F	21	5	2	1	-	-	1	1	-	1	1	-	1	1	-	-	-	1	1	2	2	1	-	-	-	-	-
33	Influenza	260	60	8	8	1	2	5	3	4	3	2	3	5	5	9	3	11	15	11	25	24	30	11	9	2	1	-
	White—M	42	6	2	-	-	2	-	1	-	-	-	1	-	-	2	-	1	3	2	8	3	6	3	2	-	-	-
	F	58	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	4	5	6	6	17	2	2	1	-	-
	Nonwhite—M	74	22	2	5	-	-	3	1	3	-	1	-	1	3	3	1	2	7	1	4	9	3	3	-	-	-	-
	F	86	25	4	3	1	-	2	1	1	3	1	2	3	1	2	2	4	1	3	7	6	4	3	5	1	1	-
117	Ulcer of stomach or duodenum	70	1	-	-	-	-	-	1	-	3	3	3	4	3	8	7	4	9	7	5	8	2	1	1	-	-	-
	White—M	36	-	-	-	-	-	-	-	-	-	1	2	-	2	5	4	1	8	3	4	5	1	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	Nonwhite—M	27	-	-	-	-	-	1	-	3	2	1	2	1	3	3	2	1	3	1	3	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
118, 120	Diarrhea, enteritis, etc.*	129	70	9	11	4	1	2	-	-	-	3	3	1	-	-	3	2	1	3	3	4	4	2	2	1	-	-
	White—M	31	17	1	2	-	1	1	-	-	-	2	-	-	-	-	1	1	-	2	-	1	2	-	-	-	-	-
	F	30	11	2	2	1	-	1	-	-	-	-	2	-	-	-	-	1	-	1	1	3	2	1	1	1	-	-
	Nonwhite—M	44	28	4	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-
	F	24	14	2	3	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	77	-	1	-	2	2	6	12	4	5	1	6	8	3	6	4	1	5	4	2	3	2	-	-	-	-	-
	White—M	21	-	-	-	1	-	1	2	2	-	-	2	2	-	3	1	-	2	2	-	2	1	-	-	-	-	-
	F	7	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	26	-	1	-	1	-	1	3	1	3	1	4	1	1	1	2	-	3	-	2	-	1	-	-	-	-	-
	F	23	-	-	-	-	1	3	7	1	2	-	-	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	152	12	1	1	2	-	3	2	4	2	4	3	7	10	9	9	15	16	9	11	15	8	8	1	-	-	-
	White—M	38	2	-	-	-	-	1	1	2	-	-	1	2	2	1	2	1	6	2	5	3	1	5	1	-	-	-
	F	37	2	-	1	-	-	-	-	-	1	-	1	2	3	2	-	3	4	3	2	8	3	2	-	-	-	-
	Nonwhite—M	45	7	-	-	1	-	1	1	1	-	1	-	1	2	1	5	6	3	3	4	4	3	1	-	-	-	-
	F	32	1	1	-	1	-	1	-	1	1	3	1	2	3	5	2	5	3	1	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	103	-	-	-	-	-	-	1	-	1	1	-	4	10	14	15	7	17	13	10	7	1	1	1	-	-	-
	White—M	50	-	-	-	-	-	-	1	-	-	-	-	1	8	4	8	3	7	7	6	4	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	3	2	2	-	1	-	-	-	-
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	1	-	8	2	1	2	2	1	1	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	1	-	-	2	2	1	5	2	5	1	1	-	-	1	-	-	-	-
126, 127	Biliary calculi, etc.*	40	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	1	2	6	7	5	3	2	1	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	2	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	3	3	2	1	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	1	1	-	2	-	-	-	-	-	-	-
130-132	Nephritis	1,645	3	3	5	5	3	4	9	13	10	17	22	39	46	93	119	146	161	194	230	193	158	94	46	15	11	6
	White—M	371	-	-	2	2	1	-	1	5	1	3	4	4	6	16	17	30	25	44	58	58	47	28	17	1	-	1
	F	288	-	-	1	1	-	-	1	1	1	-	1	9	8	12	14	12	21	31	45	48	35	30	13	3	1	-
	Nonwhite—M	512	1	1	2	1	1	3	2	1	5	5	4	5	7	32	46	61	71	58	70	52	40	24	8	3	6	3
	F	474	2	2	-	1	1	1	5	6	3	9	13	21	25	33	42	43	44	61	57	35	36	12	8	8	4	2
137	Diseases of the prostate	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	5	11	25	24	16	9	2	-	-	-
	White—M	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	16	8	7	2	-	-	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	4	8	21	8	8	2	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Continued																										
140-150	Diseases of pregnancy, etc.*----	169	-	-	-	-	-	-	3	23	33	26	35	36	10	3	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	55	-	-	-	-	-	-	-	6	8	6	6	7	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	154	-	-	-	-	-	-	3	17	25	20	29	29	9	2	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	41	-	-	-	-	-	-	-	5	9	5	12	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	1	1	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	-	4	8	4	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	54	-	-	-	-	-	-	1	15	11	9	6	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	-	-	-	-	-	-	-	4	4	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	38	-	-	-	-	-	-	1	11	7	5	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	59	-	-	-	-	-	-	-	3	10	8	14	17	6	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	1	3	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	49	-	-	-	-	-	-	-	2	7	7	10	16	6	1	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	15	-	-	-	-	-	-	2	-	3	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	-	-	-	-	-	-	2	-	3	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	200	160	10	5	1	5	6	2	6	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	73	62	4	2	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	45	4	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	32	1	2	1	3	2	1	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	28	21	1	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,131	1,131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	387	387	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	269	269	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	198	198	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	706	706	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	425	425	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	145	145	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	125	-	-	-	-	-	1	1	4	7	8	14	9	19	15	11	12	7	7	7	3	-	-	-	-	-
	White-----M--	90	-	-	-	-	-	1	1	1	3	6	10	7	10	12	11	9	7	4	6	2	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	1	2	2	4	1	5	2	-	2	-	3	1	1	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	2	1	-	-	1	4	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	322	2	2	-	1	-	1	2	22	55	53	38	46	29	26	15	5	8	9	4	2	-	1	1	-	-
	White-----M--	46	1	-	-	-	-	-	-	1	4	5	7	6	7	4	3	-	5	1	1	1	-	-	-	-	-	-
	F--	13	1	-	-	-	-	-	-	-	2	2	1	2	1	1	-	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	221	-	2	-	1	-	-	1	14	36	40	26	32	20	19	12	4	3	6	3	1	-	-	1	-	-	-
	F--	42	-	-	-	-	-	1	1	7	13	6	4	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,435	84	46	27	20	17	76	58	116	127	99	95	89	68	70	70	49	47	50	55	58	44	31	20	6	5	9
	White-----M--	547	16	15	5	4	3	28	21	51	65	51	53	32	32	31	26	25	21	14	14	19	11	6	2	-	-	2
	F--	227	15	8	2	5	4	10	8	14	12	6	8	13	6	5	5	3	6	10	19	19	13	20	14	2	-	-
	Nonwhite--M--	462	21	14	12	6	5	22	20	42	36	37	29	29	26	31	32	15	14	19	14	13	11	3	4	1	-	6
	F--	199	32	9	8	5	5	16	9	9	14	5	5	14	4	3	7	6	6	7	8	7	9	2	-	3	5	1
170	Motor-vehicle accidents-------	460	3	10	5	6	3	34	19	44	65	44	44	37	23	29	29	10	14	13	13	8	4	1	-	-	-	2
	White-----M--	241	2	5	2	3	1	19	7	24	39	27	25	15	13	12	17	5	9	4	6	5	1	-	-	-	-	-
	F--	58	1	2	-	2	-	4	4	8	9	2	5	6	3	3	-	1	1	2	3	1	1	-	-	-	-	-
	Nonwhite--M--	129	-	1	2	-	1	10	4	11	14	13	14	10	7	13	8	4	3	6	4	1	2	-	-	-	-	1
	F--	32	-	2	1	1	1	1	4	1	3	2	-	6	-	1	4	-	1	1	-	1	-	1	-	-	-	1
169, 171-195	Other accidents--	975	81	36	22	14	14	42	39	72	62	55	51	51	45	41	41	39	33	37	42	50	40	30	20	6	5	7
	White-----M--	306	14	10	3	1	2	9	14	27	26	24	28	17	19	19	9	20	12	10	9	14	10	6	2	-	-	2
	F--	169	14	6	2	3	4	6	4	6	3	4	3	7	3	2	5	2	5	8	16	18	12	20	14	2	-	-
	Nonwhite--M--	333	21	13	10	6	4	12	16	31	22	24	15	19	19	18	24	11	11	13	10	12	9	3	4	1	-	5
	F--	167	32	7	7	4	4	15	5	8	11	3	5	8	4	2	3	6	5	6	8	6	9	1	-	3	5	-
162, 199, 200	Senility, ill-defined and unknown causes-----	2,575	529	32	10	10	7	16	9	16	24	23	24	49	69	80	115	133	140	249	245	234	221	145	84	37	62	13
	White-----M--	290	55	2	-	1	-	2	2	-	3	-	1	4	6	8	16	29	19	36	33	26	30	21	11	3	3	1
	F--	186	13	3	1	-	1	-	-	2	1	2	3	4	2	5	4	5	5	15	21	25	29	22	18	4	1	-
	Nonwhite--M--	1,078	266	13	5	6	2	8	4	8	8	11	14	14	28	33	45	46	50	114	111	110	87	42	22	9	18	4
	F--	1,021	217	14	4	3	4	6	3	6	12	10	6	26	33	34	50	53	66	84	80	73	75	60	35	21	40	8
	All other causes-	1,097	104	30	13	16	9	24	26	33	39	49	41	77	70	66	57	62	70	83	86	61	39	26	11	2	1	2
	White-----M--	292	24	6	3	3	2	2	5	8	7	9	4	17	13	15	13	23	31	25	33	25	15	8	2	1	-	-
	F--	271	20	6	4	1	1	10	5	7	8	9	12	17	15	17	12	15	16	20	24	19	18	11	5	-	-	-
	Nonwhite--M--	268	42	11	3	5	4	6	6	7	11	12	7	10	17	15	15	11	13	30	21	10	3	5	2	-	-	2
	F--	266	18	7	3	7	2	6	10	11	13	19	18	33	25	19	17	13	10	8	8	9	5	2	2	1	1	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																										
	ALL CAUSES-------	42,752	2,585	197	101	56	61	203	170	310	434	469	573	813	1,217	1,641	2,372	3,168	3,800	4,810	5,494	5,669	4,464	2,849	1,020	214	29	33
	White-----M--	21,607	1,314	88	56	24	29	102	77	176	223	210	281	366	574	761	1,237	1,703	2,123	2,600	2,827	2,881	2,164	1,317	378	72	10	14
	F--	16,838	915	85	33	24	22	80	69	87	120	149	174	267	371	527	681	987	1,256	1,767	2,330	2,534	2,155	1,438	617	127	12	11
	Nonwhite--M--	2,343	182	11	9	4	6	12	9	22	45	59	57	92	141	191	251	274	237	243	205	140	80	45	11	7	3	7
	F--	1,964	174	13	3	4	4	9	15	25	46	51	61	88	131	162	203	204	184	200	132	114	65	49	14	8	4	1
1,2	Typhoid and paratyphoid fever---	13	1	-	-	-	-	1	-	1	1	-	-	1	-	1	-	1	3	-	1	1	-	1	-	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	3	-	1	1	-	1	-	-	-	-
	F--	4	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	18	4	3	3	-	1	2	1	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	8	1	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	2	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	35	30	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	10	2	1	2	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,016	9	9	6	2	4	4	7	19	48	61	62	84	83	84	101	93	99	92	80	47	18	6	-	1	-	-
	White-----M--	531	3	5	2	-	2	1	-	2	8	22	24	33	43	44	62	61	70	66	44	23	10	5	-	1	-	-
	F--	231	2	1	3	1	-	2	1	4	15	14	23	21	14	12	18	12	15	13	31	23	8	-	-	-	-	-
	Nonwhite--M--	145	2	1	-	1	2	-	1	5	5	7	6	18	19	24	15	14	10	11	4	-	-	-	-	-	-	-
	F--	109	2	2	1	-	-	1	5	8	20	18	9	12	7	4	6	8	4	2	1	1	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*---	950	4	4	2	-	2	3	7	17	44	59	61	81	82	81	93	88	98	85	71	47	15	5	-	1	-	-
	White-----M--	507	1	1	1	-	2	1	-	2	8	21	24	32	43	44	58	59	70	62	39	23	10	5	-	1	-	-
	F--	209	1	-	1	-	-	1	1	3	13	14	22	21	14	10	16	11	14	12	27	23	5	-	-	-	-	-
	Nonwhite--M--	134	1	1	-	-	-	-	1	5	5	6	6	16	19	24	14	13	10	9	4	-	-	-	-	-	-	-
	F--	100	1	2	-	-	-	1	5	7	18	18	9	12	6	3	5	5	4	2	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	66	5	5	4	2	2	1	-	2	4	2	1	3	1	3	8	5	1	7	9	-	1	-	-	-	-	-
	White-----M--	24	2	4	1	-	-	-	-	-	-	1	-	1	-	-	4	2	-	4	5	-	-	-	-	-	-	-
	F--	22	1	1	2	1	-	1	-	1	2	-	1	-	-	2	2	1	1	1	4	-	1	-	-	-	-	-
	Nonwhite--M--	11	1	-	-	1	2	-	-	-	-	1	-	2	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	F--	9	1	-	1	-	-	-	-	1	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	24	10	1	-	-	-	1	-	-	-	1	-	1	-	-	1	1	1	1	-	4	1	1	-	-	-	-
	White-----M--	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-	-	-
	F--	8	2	1	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	365	9	-	-	-	-	2	1	2	5	4	9	31	47	44	43	46	51	30	23	11	5	1	-	-	1
	White-----M--	167	2	-	-	-	-	-	-	1	1	1	4	8	15	17	27	31	24	19	6	7	3	1	-	-	-
	F--	82	2	-	-	-	-	-	1	1	2	2	1	6	10	10	5	10	11	6	9	4	2	-	-	-	-
	Nonwhite--M--	81	5	-	-	-	-	1	-	-	1	-	3	14	13	13	7	-	13	4	6	-	-	-	-	-	1
	F--	35	-	-	-	-	-	1	-	-	1	1	1	3	9	4	4	5	3	1	2	-	-	-	-	-	-
35	Measles----------	32	12	3	2	-	1	4	3	3	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	6	1	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	6	2	1	-	1	3	2	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	31	2	2	-	1	-	5	6	4	2	3	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	16	2	-	-	-	-	2	1	2	2	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	14	-	2	-	1	-	3	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																											
45-55	Cancer and other malignant tumors	6,129	2	7	2	4	2	10	12	15	23	28	68	138	241	335	478	694	767	836	912	748	484	242	64	14	1	2
	White-----M--	2,786	1	5	1	3	1	3	6	8	12	10	30	39	75	116	223	282	357	381	428	395	240	126	23	10	-	1
	F--	2,879	1	1	1	1	1	5	6	7	7	14	32	85	137	160	198	326	346	397	431	325	230	108	38	4	-	-
	Nonwhite--M--	219	-	-	-	-	-	2	-	-	2	1	-	3	8	13	22	47	35	33	23	15	8	5	1	-	-	1
	F--	245	-	1	-	-	-	-	-	-	2	3	6	11	21	26	35	29	29	25	30	13	6	5	2	-	1	-
46	Cancer of the digestive organs and peritoneum--	2,614	-	-	-	-	1	1	3	1	5	3	15	26	74	103	171	245	336	391	457	379	259	109	27	5	1	2
	White-----M--	1,256	-	-	-	-	1	-	2	-	2	1	8	14	29	40	83	109	174	190	229	196	112	54	7	4	-	1
	F--	1,154	-	-	-	-	-	1	1	1	2	2	4	10	31	53	62	101	131	173	206	170	138	48	18	1	-	-
	Nonwhite--M--	110	-	-	-	-	-	-	-	-	1	-	-	-	4	4	12	25	19	17	11	8	5	3	-	-	-	1
	F--	94	-	-	-	-	-	-	-	-	-	-	3	2	10	6	14	10	12	11	11	5	4	3	2	-	1	-
48,49	Cancer of female genital organs--	896	-	1	-	-	-	-	-	1	1	6	15	41	53	64	74	91	80	100	91	44	24	8	-	2	-	-
	White-----F--	823	-	1	-	-	-	-	-	1	1	5	14	34	48	54	60	84	73	94	81	42	22	7	-	2	-	-
	Nonwhite--F--	73	-	-	-	-	-	-	-	-	-	1	1	7	5	10	14	7	7	6	10	2	2	1	-	-	-	-
50	Cancer of breast-	568	-	-	-	-	-	-	-	-	-	3	10	22	37	54	51	81	73	57	60	62	32	20	6	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	531	-	-	-	-	-	-	-	-	-	2	8	20	33	51	48	75	70	53	58	57	32	18	6	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	6	5	4	2	3	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	2,251	2	6	2	4	1	9	9	13	17	16	28	49	77	114	182	277	278	288	304	263	169	105	31	7	-	-
	White-----M--	1,526	1	5	1	3	-	3	4	8	10	9	22	25	44	76	140	183	183	191	199	198	128	71	16	6	-	-
	F--	571	1	-	1	1	1	4	5	5	4	5	6	21	25	22	28	66	72	77	86	56	38	32	14	1	-	-
	Nonwhite--M--	106	-	-	-	-	-	2	-	-	1	1	-	2	4	8	10	22	16	16	12	6	3	2	1	-	-	-
	F--	48	-	1	-	-	-	-	-	-	2	1	-	1	4	8	4	6	7	4	7	3	-	-	-	-	-	-
58	Acute rheumatic fever----------	22	1	-	-	2	1	4	4	2	-	-	1	2	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	10	1	-	-	1	-	2	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	989	3	1	-	-	-	3	2	3	3	10	6	13	20	21	54	98	136	168	188	144	76	33	6	1	-	-
	White-----M--	344	-	-	-	-	-	2	-	2	1	3	3	6	10	5	18	29	42	63	67	53	30	9	1	-	-	-
	F--	585	3	1	-	-	-	1	2	-	1	5	3	4	7	10	23	52	87	95	113	83	46	24	4	1	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	1	2	-	2	1	1	4	4	2	5	5	7	-	-	-	-	-	-
	F--	46	-	-	-	-	-	-	-	1	-	-	-	1	2	5	9	13	5	5	3	1	-	-	1	-	-	-
63b	Exophthalmic goiter----------	77	-	-	-	-	-	-	-	-	1	-	4	1	4	4	6	8	12	14	16	5	2	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	8	8	14	15	5	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	-	3	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	65	-	-	-	-	-	-	-	-	1	1	5	11	10	6	5	13	6	3	2	1	-	1	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	1	3	3	7	3	5	5	4	3	2	1	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	5	2	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	4,309	5	5	-	-	-	4	6	1	8	7	20	38	69	109	194	282	385	580	684	777	651	348	101	31	2	2
	White-----M--	1,939	3	3	-	-	-	1	4	1	5	4	4	11	24	38	61	127	185	270	348	366	304	134	39	5	-	2
	F--	1,974	1	1	-	-	-	3	1	-	2	2	10	9	23	43	84	108	151	239	302	375	334	204	59	21	2	-
	Nonwhite--M--	174	1	-	-	-	-	-	-	-	-	1	2	8	7	7	23	23	19	34	17	17	5	7	-	3	-	-
	F--	222	-	1	-	-	-	-	1	-	1	-	4	10	15	21	26	24	30	37	17	19	8	3	3	2	-	-
90-95	Diseases of the heart----------	14,150	4	1	1	1	1	7	14	21	22	37	76	135	250	433	763	1,113	1,425	1,823	2,181	2,254	1,870	1,197	425	72	12	12
	White-----M--	7,660	-	-	-	-	-	3	4	14	12	16	37	80	136	233	455	702	990	1,073	1,187	1,186	899	555	149	20	6	3
	F--	5,283	4	1	1	1	1	1	8	4	6	10	24	29	53	109	159	241	368	591	863	973	900	595	264	46	4	7
	Nonwhite--M--	661	-	-	-	-	-	1	1	2	-	3	8	13	33	49	83	95	94	85	86	44	36	16	7	2	1	2
	F--	566	-	-	-	-	-	2	1	1	4	8	7	13	28	42	66	75	73	74	45	51	35	31	5	4	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	815	-	-	-	-	-	3	8	10	7	8	26	30	38	50	49	72	59	88	92	99	98	52	20	4	2	-
	White-----M--	379	-	-	-	-	-	1	2	7	5	4	12	13	12	22	22	38	34	38	42	50	44	21	9	2	1	-
	F--	357	-	-	-	-	-	-	4	3	1	3	10	13	19	25	18	27	21	37	40	48	47	28	11	2	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	1	-	-	-	-	3	1	4	-	3	2	3	8	7	-	1	-	-	-	-
	F--	46	-	-	-	-	-	2	1	-	1	1	1	3	3	3	6	5	1	5	3	1	6	3	-	-	1	-
94	Diseases of coronary arteries and angina pectoris---------	4,664	2	-	-	-	-	1	1	1	7	11	18	51	108	198	350	519	601	720	724	641	404	230	59	12	1	5
	White-----M--	3,132	-	-	-	-	-	1	-	1	4	5	12	37	82	148	268	398	425	501	469	405	210	132	26	4	1	2
	F--	1,280	2	-	-	-	-	-	1	-	3	4	1	6	13	34	53	74	131	187	228	221	187	96	31	6	-	2
	Nonwhite--M--	152	-	-	-	-	-	-	-	-	-	1	1	5	6	11	20	26	24	20	21	10	3	1	1	1	-	1
	F--	100	-	-	-	-	-	-	-	-	-	1	4	3	7	5	9	20	21	12	6	5	4	1	1	1	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	8,671	2	1	1	1	1	3	5	10	8	18	32	54	104	185	364	522	765	1,015	1,365	1,514	1,368	915	346	56	9	7
	White-----M--	4,149	-	-	-	-	-	1	2	6	3	7	13	30	42	63	165	265	431	534	676	731	645	402	114	14	4	1
	F--	3,626	2	1	1	1	1	1	3	1	2	3	13	10	21	50	86	140	216	367	595	704	666	471	222	38	4	5
	Nonwhite--M--	476	-	-	-	-	-	1	-	2	-	2	4	7	23	38	60	67	67	57	58	34	32	15	6	1	1	1
	F--	420	-	-	-	-	-	-	-	1	3	6	2	7	18	34	51	50	51	57	36	45	25	27	4	3	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																											
97, 102	Arteriosclerosis and high blood pressure*	706	-	-	-	-	-	-	-	-	-	-	1	3	5	5	4	13	27	53	92	137	158	125	64	17	2	-
	White—M	349	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	8	12	29	43	64	85	68	28	5	-	-
	F	317	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	8	21	42	65	71	55	36	11	1	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	1	3	6	1	2	-	-	1	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	4	2	1	-	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,826	291	41	13	6	7	13	13	18	11	18	15	24	38	55	71	81	115	149	179	241	192	149	69	16	-	1
	White—M	878	147	15	6	1	2	6	6	10	5	3	8	9	18	22	31	49	66	79	95	129	69	55	23	4	-	-
	F	707	98	17	5	5	4	6	5	7	4	10	6	4	7	14	15	8	31	44	74	100	96	88	46	12	-	1
	Nonwhite—M	140	22	4	2	-	-	-	1	-	1	2	1	4	7	15	14	17	15	13	7	7	6	2	-	-	-	-
	F	101	24	5	-	-	1	1	1	1	1	3	-	7	6	4	11	7	3	13	3	5	1	4	-	-	-	-
107	Bronchopneumonia	770	188	23	8	1	4	4	1	9	3	7	5	10	11	18	22	19	31	52	72	104	82	62	28	5	-	1
	White—M	375	96	11	4	-	1	3	-	6	2	1	2	3	4	7	10	9	16	30	35	55	47	21	10	2	-	-
	F	294	57	7	3	1	2	1	1	2	-	4	3	3	3	6	3	2	8	16	32	45	34	39	18	3	-	1
	Nonwhite—M	61	18	3	1	-	-	-	-	1	-	-	-	1	1	5	4	7	5	6	4	3	1	1	-	-	-	-
	F	40	17	2	-	-	1	-	-	1	-	2	-	3	3	-	5	1	2	-	1	1	-	1	-	-	-	-
108	Lobar pneumonia	759	62	8	3	3	2	7	8	4	5	9	8	9	23	29	36	51	73	78	83	95	81	55	21	6	-	-
	White—M	377	32	2	1	1	1	2	4	1	2	2	5	4	11	12	16	34	44	45	45	50	31	22	8	2	-	-
	F	277	22	5	1	2	1	5	2	3	2	4	2	-	3	7	10	4	19	19	34	40	45	30	13	4	-	-
	Nonwhite—M	64	4	-	1	-	-	-	1	-	-	2	1	1	6	8	7	8	9	5	3	3	4	1	-	-	-	-
	F	41	4	1	-	-	-	-	1	-	1	1	-	4	3	2	3	5	1	9	1	2	1	2	-	-	-	-
109	Pneumonia (unspecified)	125	23	7	1	1	1	1	3	1	2	-	2	3	2	5	4	2	3	10	10	12	11	11	6	4	-	-
	White—M	59	11	2	1	-	-	1	1	1	-	-	1	2	1	2	3	1	2	2	7	9	5	5	2	-	-	-
	F	52	10	3	-	1	1	-	2	-	2	-	1	-	1	1	-	-	1	6	2	3	5	5	4	4	-	-
	Nonwhite—M	6	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	1	-	-	-	-	-
	F	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	-	-	-
33	Influenza	172	18	3	1	1	-	1	1	4	1	2	-	2	2	3	9	9	8	9	14	30	18	21	14	1	-	-
	White—M	67	8	-	-	-	-	-	1	2	1	-	-	-	2	1	2	5	4	2	8	15	6	7	3	-	-	-
	F	84	9	2	1	1	-	-	-	2	-	2	-	1	-	-	2	2	3	3	6	12	12	14	11	1	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	1	-	1	-	-	-	-	-	-
	F	12	1	1	-	-	-	1	-	-	-	-	-	-	-	2	2	-	-	3	-	2	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	235	-	-	-	-	-	-	-	-	1	1	5	6	16	22	26	31	31	33	31	14	11	3	3	1	-	-
	White—M	177	-	-	-	-	-	-	-	-	1	-	5	5	9	17	21	26	23	27	21	8	9	2	2	1	-	-
	F	40	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	7	6	8	6	2	1	1	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	1	-	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	202	151	6	2	1	-	1	-	-	2	1	-	1	2	1	3	6	1	4	3	6	5	1	4	-	-	1
	White—M	93	65	4	2	1	-	-	-	-	-	1	-	1	1	-	1	4	1	-	2	5	2	1	2	-	-	-
	F	76	59	2	-	-	-	-	-	-	2	-	-	-	-	-	2	1	-	2	1	1	3	-	2	-	-	1
	Nonwhite—M	19	15	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F	14	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	126	-	-	-	2	1	8	5	8	2	1	5	8	8	19	12	11	10	6	10	8	1	1	-	-	-	-
	White—M	60	-	-	-	2	1	3	2	3	1	-	2	3	5	9	7	6	4	4	3	4	1	-	-	-	-	-
	F	49	-	-	-	-	-	2	3	4	1	1	1	4	3	6	5	2	5	2	6	3	-	1	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	3	-	1	-	-	1	1	-	3	-	2	1	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	335	9	2	1	2	-	1	1	2	2	5	4	11	14	18	14	30	26	44	33	53	40	19	3	1	-	-
	White—M	145	5	-	-	1	-	-	1	1	2	1	-	1	4	4	6	12	15	21	16	23	21	9	2	-	-	-
	F	147	3	2	1	1	-	1	-	1	-	2	1	6	4	9	4	14	10	20	14	25	17	10	1	1	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	2	5	1	2	3	1	1	3	4	2	-	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	-	2	3	2	1	4	2	1	-	2	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	463	-	-	-	-	-	-	1	-	4	3	7	17	29	51	59	55	63	63	43	33	22	10	3	-	-	-
	White—M	293	-	-	-	-	-	-	-	-	-	1	4	12	19	29	43	34	48	45	27	15	12	4	-	-	-	-
	F	131	-	-	-	-	-	-	1	-	3	2	2	2	6	12	12	19	10	14	13	17	10	5	3	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	3	3	3	-	-	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	-	1	2	2	7	2	1	2	1	-	1	-	-	-	-	-	-
128, 127	Biliary calculi, etc.*	195	1	-	-	-	-	-	1	-	-	2	2	4	5	15	12	21	23	32	28	24	12	10	2	-	-	-
	White—M	69	1	-	-	-	-	-	-	-	-	1	2	1	1	4	4	5	6	14	10	8	7	3	2	-	-	-
	F	118	-	-	-	-	-	-	1	-	-	1	-	3	4	8	8	14	17	17	19	15	4	7	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	-	-	-
130-132	Nephritis	2,793	3	1	5	1	-	7	9	9	14	19	14	38	60	81	145	159	205	313	426	486	413	287	76	15	3	4
	White—M	1,380	1	-	2	-	-	2	3	4	6	5	8	15	32	29	61	74	92	172	206	248	217	151	39	9	-	3
	F	1,087	1	1	1	-	-	3	5	4	5	8	4	12	15	23	46	43	73	107	175	214	179	125	36	5	1	1
	Nonwhite—M	174	-	-	2	1	-	1	-	1	2	3	1	3	5	14	21	22	20	15	25	15	12	9	1	-	1	-
	F	152	1	-	-	-	-	1	1	-	1	3	1	7	8	15	17	20	20	19	20	9	5	2	-	1	1	-
137	Diseases of the prostate	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	17	35	27	53	40	30	3	2	-	-
	White—M	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	30	25	49	38	30	3	2	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	2	4	2	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
140-150	Diseases of pregnancy, etc.*----	91	-	-	-	-	-	-	1	9	19	21	18	15	6	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	72	-	-	-	-	-	-	-	4	17	16	14	14	5	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	1	5	2	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	24	-	-	-	-	-	-	-	1	3	5	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	-	-	-	-	-	-	1	3	3	3	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia--------	28	-	-	-	-	-	-	1	6	7	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	-	-	-	-	-	-	-	2	7	7	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	31	-	-	-	-	-	-	-	1	8	6	9	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	-	-	-	-	-	-	-	-	6	5	7	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	8	-	-	-	-	-	-	-	1	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	479	394	21	11	1	5	13	4	2	5	3	1	2	4	-	3	4	1	2	1	1	1	-	-	-	-
	White-----M--	240	201	8	6	1	1	5	3	1	4	2	-	1	2	-	1	1	-	2	-	-	1	-	-	-	-
	F--	203	165	11	4	-	4	7	-	1	-	1	1	1	2	-	1	2	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	20	14	2	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	16	14	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,415	1,415	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	742	742	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	468	468	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	826	826	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	418	418	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	589	589	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	428	-	-	-	-	-	-	2	8	16	17	36	27	37	45	45	37	38	41	28	27	13	8	1	1	-	-
	White-----M--	321	-	-	-	-	-	-	1	4	11	11	22	20	24	32	38	34	30	33	22	23	9	8	-	1	-	-
	F--	93	-	-	-	-	-	-	1	3	4	3	12	6	11	12	8	3	7	8	6	4	4	-	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	3	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	242	5	1	-	1	-	1	-	7	28	41	42	24	26	20	18	10	6	6	4	1	1	-	-	-	-
	White-----M--	65	2	1	-	-	-	-	-	3	3	11	10	4	5	5	8	3	5	3	2	-	-	-	-	-	-
	F--	32	3	-	-	-	-	1	-	2	4	4	3	1	4	3	-	2	-	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	115	-	-	-	-	-	-	-	1	15	23	21	14	13	11	10	5	1	1	-	-	-	-	-	-	-	-
	F--	30	-	-	-	1	-	-	-	1	6	3	8	5	4	1	-	-	-	-	-	-	1	-	-	-	-	-
169-195	Accidental deaths	2,730	61	36	28	14	22	74	47	137	171	114	107	103	132	116	125	128	132	181	200	286	212	186	91	18	5	4
	White-----M--	1,606	29	17	17	8	16	47	33	102	135	86	83	74	98	82	82	84	96	113	98	127	89	59	22	6	1	2
	F--	936	21	16	8	5	4	23	9	24	19	20	11	21	22	20	29	36	29	53	90	149	119	126	67	11	3	1
	Nonwhite--M--	134	4	1	2	-	1	1	5	8	15	6	8	6	8	12	12	7	6	9	9	7	3	1	1	1	-	1
	F--	54	7	2	1	1	1	3	-	3	2	2	5	2	4	2	2	1	1	6	3	3	1	-	1	-	1	-
170	Motor-vehicle accidents-------	881	5	8	10	5	11	24	20	86	105	67	58	38	56	48	51	51	45	66	50	46	22	5	2	-	-	2
	White-----M--	641	4	2	8	5	8	18	15	64	83	51	47	25	39	32	*30	36	30	48	34	39	18	3	2	-	-	-
	F--	185	1	5	2	-	2	6	4	18	12	12	9	9	11	11	17	15	12	14	14	5	3	2	-	-	-	1
	Nonwhite--M--	44	-	-	-	-	1	-	1	4	10	2	1	2	4	3	4	-	3	4	2	1	1	-	-	-	-	1
	F--	11	-	1	-	-	-	-	-	-	-	2	1	2	2	2	-	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,849	56	28	18	9	11	50	27	51	66	47	49	65	76	68	74	77	87	115	150	240	190	181	89	18	5	2
	White-----M--	965	25	15	9	3	8	29	18	38	52	35	36	49	59	50	52	48	66	65	64	88	71	56	20	6	1	2
	F--	751	20	11	6	5	2	17	5	6	7	8	2	12	11	9	12	21	17	39	75	144	116	124	67	11	3	-
	Nonwhite--M--	90	4	1	2	-	-	1	4	4	5	4	7	4	4	9	8	7	3	5	7	6	2	1	1	1	-	-
	F--	43	7	1	1	1	1	3	-	3	2	-	4	-	2	-	2	1	1	6	3	2	1	-	1	-	1	-
162, 199, 200	Senility, ill-defined and unknown causes----	582	40	2	3	-	1	2	-	3	-	5	2	8	10	16	23	20	35	42	45	64	80	99	60	15	3	4
	White-----M--	297	22	-	3	-	-	1	-	3	-	4	2	7	6	9	14	14	25	28	28	27	29	46	22	3	3	1
	F--	242	11	1	-	-	1	1	-	-	-	1	-	1	2	3	3	4	6	12	14	33	47	53	38	11	-	-
	Nonwhite--M--	26	5	1	-	-	-	-	-	-	-	-	-	-	1	2	6	1	2	-	3	1	1	-	-	1	-	2
	F--	17	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	2	-	3	3	-	-	-	-	1
	All other causes-	2,397	121	51	21	17	14	34	28	37	48	64	64	86	116	130	162	211	186	236	247	229	152	87	44	9	1	2
	White-----M--	1,144	62	26	12	7	5	22	12	13	14	24	29	32	43	59	77	102	102	118	132	116	64	46	20	5	-	2
	F--	966	45	21	6	8	5	11	15	16	28	30	22	33	40	43	49	80	67	98	102	105	81	35	21	4	1	-
	Nonwhite--M--	147	8	2	2	1	3	1	-	4	1	7	6	9	11	18	18	13	11	12	8	5	4	2	1	-	-	-
	F--	140	6	2	1	1	1	-	1	4	5	3	7	12	22	10	18	16	6	8	5	3	3	4	2	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	ALL CAUSES	5,884	461	42	25	14	18	47	41	69	85	86	97	132	178	220	288	432	659	637	710	680	539	315	87	12	10	-
	White—M	3,628	239	13	11	5	12	25	25	36	52	54	55	86	115	146	202	292	470	415	432	418	309	172	37	5	2	-
	F	1,952	165	15	11	4	3	13	8	21	19	25	32	37	52	63	75	126	170	196	283	241	221	136	46	7	3	-
	Nonwhite—M	186	31	3	2	3	2	5	5	6	6	2	4	5	5	5	5	10	14	17	11	10	8	3	1	-	1	-
	F	138	26	11	1	2	1	4	3	4	8	5	6	4	6	6	6	4	5	9	4	11	1	4	3	-	4	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	146	2	1	-	-	1	3	4	9	10	10	5	7	10	6	13	20	17	12	5	7	1	2	1	-	-	-
	White—M	83	-	-	-	-	-	1	1	1	3	2	5	5	5	5	12	15	14	10	3	3	1	1	1	-	-	-
	F	13	-	-	-	-	-	-	1	1	2	-	1	3	1	-	2	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	30	1	1	-	-	1	3	2	5	1	2	1	1	1	-	2	2	2	2	3	-	-	-	-	-	-	-
	F	20	1	-	-	-	-	-	1	2	7	3	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	136	1	1	-	-	1	2	3	7	10	10	5	6	9	6	13	18	17	11	5	7	1	2	1	-	-	-
	White—M	79	-	-	-	-	-	-	1	-	1	3	2	4	5	5	12	14	14	9	3	3	1	1	1	-	-	-
	F	12	-	-	-	-	-	-	-	1	1	2	-	1	3	1	-	1	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	26	1	1	-	-	1	2	1	4	1	2	1	1	-	-	-	2	2	2	2	3	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	1	2	7	3	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	10	1	-	-	-	-	1	1	2	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	39	3	-	-	-	-	-	-	1	-	-	-	1	4	-	2	7	6	4	4	5	2	-	-	-	-	-
	White—M	24	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	5	3	3	2	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	1	1	1	3	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	12	2	5	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, policencephalitis (acute)	6	-	-	1	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
45-55	Cancer and other malignant tumors	724	-	-	1	1	-	4	2	5	3	3	7	15	29	34	53	76	118	111	114	77	50	18	3	-	-
	White-----M--	409	-	-	1	1	-	4	1	2	1	2	4	4	11	12	23	32	73	65	66	58	33	13	3	-	-
	F--	282	-	-	-	-	-	-	-	3	2	1	3	10	15	20	27	42	42	42	45	18	17	5	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	3	4	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	2	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	271	-	-	-	-	-	-	-	1	-	1	1	6	7	9	15	28	43	44	39	44	23	8	1	-	-
	White-----M--	166	-	-	-	-	-	-	-	1	-	-	-	3	5	4	9	16	27	26	22	33	14	5	1	-	-
	F--	97	-	-	-	-	-	-	-	-	-	1	1	2	2	5	5	12	14	16	16	11	9	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	78	-	-	-	-	-	-	-	-	1	-	1	4	8	8	8	12	13	9	10	1	3	-	-	-	-
	White-----F--	74	-	-	-	-	-	-	-	-	1	-	1	4	7	6	7	12	13	9	10	1	3	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	56	-	-	-	-	-	-	-	-	-	-	-	1	5	5	6	11	5	7	9	4	2	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	1	4	5	6	11	5	7	8	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	319	-	-	1	1	-	4	2	4	2	2	5	4	9	12	24	24	57	51	56	28	22	9	2	-	-
	White-----M--	242	-	-	1	1	-	4	1	1	2	4	1	6	8	14	16	46	39	43	25	19	8	2	-	-	-
	F--	67	-	-	-	-	-	-	-	3	1	-	1	3	2	4	9	7	10	10	11	2	3	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-
58	Acute rheumatic fever----------	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	118	-	-	-	-	-	1	1	-	3	1	2	3	2	7	10	14	20	24	14	11	5	-	-	-	-
	White-----M--	52	-	-	-	-	-	-	1	-	2	1	-	-	1	4	6	6	10	5	8	5	3	-	-	-	-
	F--	60	-	-	-	-	-	1	-	-	1	-	2	3	1	3	4	7	8	17	6	5	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	14	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	2	3	1	1	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	3	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	581	2	1	1	-	-	1	-	1	-	-	1	5	9	15	28	34	66	71	87	111	80	55	11	2	-
	White-----M--	316	1	1	-	-	-	-	-	1	-	-	-	2	5	6	10	23	36	38	53	58	47	31	3	1	-
	F--	243	-	-	1	-	-	1	-	-	-	-	1	3	4	8	14	11	29	28	31	49	32	22	8	1	-
	Nonwhite--M--	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	-	2	1	1	-	-	-
90-95	Diseases of the heart----------	1,803	-	1	-	-	-	1	2	4	7	5	10	26	37	67	81	155	236	249	299	258	214	115	31	2	3
	White-----M--	1,204	-	-	-	-	-	-	1	1	3	4	7	16	29	56	67	121	189	155	190	158	118	66	12	1	-
	F--	565	-	1	-	-	-	-	1	3	4	1	1	9	7	9	14	31	43	76	108	96	93	48	17	1	2
	Nonwhite--M--	23	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	3	3	7	1	2	3	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	1	-	2	-	1	1	-	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	102	-	-	-	-	-	-	2	3	3	2	3	7	5	4	5	6	10	17	10	10	11	4	-	-	-
	White-----M--	47	-	-	-	-	-	-	1	1	1	2	-	3	3	2	2	3	7	9	6	3	4	-	-	-	-
	F--	48	-	-	-	-	-	-	1	2	2	-	1	4	1	2	3	3	3	6	4	5	7	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	733	-	-	-	-	-	-	-	1	1	-	4	10	23	38	45	87	129	104	99	89	70	27	5	-	1	-
	White-----M--	576	-	-	-	-	-	-	-	-	1	-	4	8	20	35	43	75	112	73	72	60	49	20	4	-	-	-
	F--	154	-	-	-	-	-	-	-	1	-	-	-	2	3	3	2	12	17	28	27	29	21	7	1	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	968	-	1	-	-	-	1	-	-	3	3	3	9	9	25	31	62	97	128	190	159	133	84	28	2	2	-
	White-----M--	581	-	-	-	-	-	-	-	-	1	2	3	5	6	19	22	43	70	83	112	95	65	46	8	1	-	-
	F--	363	-	1	-	-	-	-	-	-	2	1	-	3	3	4	9	16	23	42	77	62	65	37	16	1	1	-
	Nonwhite--M--	18	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	3	3	1	2	3	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	1	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	109	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	6	7	11	25	28	16	8	1	2	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	5	8	17	13	3	3	1	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	3	7	15	13	4	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	202	56	9	-	3	5	2	3	-	2	2	2	1	5	4	7	7	7	14	12	25	16	15	-	2	3	-
	White-----M--	102	23	2	-	-	3	2	1	-	1	-	1	-	5	2	7	5	4	12	5	12	9	5	-	1	2	-
	F--	64	14	2	-	-	-	-	1	-	1	1	1	-	-	2	-	2	3	2	5	13	6	10	-	1	-	-
	Nonwhite--M--	18	10	1	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	18	9	4	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
107	Bronchopneumonia-	95	31	4	-	2	3	2	1	-	1	1	2	-	2	1	1	5	4	1	6	8	9	9	-	1	1	-
	White-----M--	41	12	2	-	-	2	2	-	-	1	-	1	-	2	1	1	3	1	1	1	3	4	2	-	1	1	-
	F--	35	8	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	3	-	3	5	5	7	-	-	-	-
	Nonwhite--M--	8	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	11	7	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia--	58	12	5	-	-	2	-	-	-	-	1	-	1	1	2	3	2	1	8	4	11	3	2	-	-	-	-
	White-----M--	36	5	-	-	-	1	-	-	-	-	-	-	-	1	1	3	2	1	7	3	7	3	2	-	-	-	-
	F--	14	4	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	4	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	36	10	-	-	1	-	-	2	-	-	-	-	-	2	1	2	-	2	4	1	5	3	3	-	-	-	-
	White-----M--	19	4	-	-	-	-	-	1	-	-	-	-	-	2	-	2	-	2	3	1	1	2	1	-	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	-	2	-	-	-	-
	Nonwhite--M--	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	13	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	1	1	-	1	2	-
	White-----M--	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
117	Ulcer of stomach or duodenum-----	40	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	3	8	4	4	6	2	2	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	3	6	2	3	4	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	28	21	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	12	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	11	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	28	-	-	1	1	-	1	-	-	2	-	3	3	2	2	-	2	5	4	-	1	1	-	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	2	-	2	1	2	2	-	2	4	3	-	1	1	-	-	-	-	-
	F--	8	-	-	1	1	-	1	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	45	-	-	-	-	-	-	1	-	1	-	3	-	1	1	-	5	8	3	6	6	6	3	1	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	2	6	3	5	1	4	2	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	-	1	5	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	48	-	-	-	-	-	-	-	1	-	1	2	1	3	3	3	9	5	9	3	3	1	2	2	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	1	-	1	1	1	2	3	3	6	3	7	2	3	-	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	1	-	1	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	43	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	5	6	4	7	7	4	2	2	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	5	1	1	-	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	4	3	1	3	3	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-
130-132	Nephritis--------	247	1	-	-	-	1	2	1	5	5	3	2	4	4	10	10	19	31	25	37	41	30	13	2	1	-	-
	White-----M--	159	1	-	-	-	1	-	1	4	5	1	2	3	2	6	7	15	20	18	22	26	16	8	1	-	-	-
	F--	86	-	-	-	-	-	2	-	1	-	2	-	1	2	4	3	4	11	7	15	14	13	5	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate--------	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	6	5	5	3	1	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	6	5	5	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																											
140-150	Diseases of pregnancy, etc.*----	14	-	-	-	-	-	-	1	-	3	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	1	-	2	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	4	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	7	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	63	56	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	31	27	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	28	25	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	261	261	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	88	-	-	-	-	-	-	-	2	2	5	7	8	12	6	7	11	14	5	1	5	2	1	-	-	-	-
	White-----M--	67	-	-	-	-	-	-	-	2	2	3	2	6	10	4	5	9	13	3	1	5	1	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	2	4	2	2	2	2	2	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	15	-	-	-	-	-	-	-	-	-	2	3	2	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	575	18	14	13	3	8	17	17	35	43	40	27	41	31	36	27	25	36	40	30	22	27	16	6	2	1	-
	White-----M--	406	7	6	9	1	6	13	13	23	35	33	21	35	24	29	25	19	31	30	15	17	9	4	1	1	-	-
	F--	133	8	6	4	1	2	2	2	9	3	7	4	2	5	6	1	3	4	10	14	5	18	11	5	1	-	-
	Nonwhite--M--	24	3	-	-	-	-	1	2	3	5	-	1	2	1	1	-	3	1	-	1	-	-	-	-	-	-	-
	F--	12	-	2	-	1	-	1	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	1	-	-	1	-
170	Motor-vehicle accidents-------	165	3	3	3	1	4	4	5	18	19	25	10	12	8	9	8	4	11	7	3	6	2	-	-	-	-	-
	White-----M--	123	1	-	1	-	3	4	3	12	16	19	9	10	5	8	8	3	8	7	2	3	1	-	-	-	-	-
	F--	33	2	2	2	1	1	-	1	4	1	6	-	1	2	1	-	1	3	-	1	3	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	410	15	11	10	2	4	13	12	17	24	15	17	29	23	27	19	21	25	33	27	16	25	16	6	2	1	-
	White-----M--	283	6	6	8	1	3	9	10	11	19	14	12	25	19	20	17	16	23	23	13	14	8	4	1	1	-	-
	F--	100	6	4	2	-	1	2	1	5	2	1	4	1	3	5	1	2	1	10	13	2	17	11	5	1	-	-
	Nonwhite--M--	18	3	-	-	-	-	1	1	1	3	-	1	1	1	1	-	3	1	-	1	-	-	-	-	-	-	-
	F--	9	-	1	-	1	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	-	-	1	-
162, 199, 200	Senility, ill-defined and unknown causes----	206	11	2	2	1	-	2	-	-	-	2	2	-	4	7	8	12	11	15	13	25	36	34	16	2	1	-
	White-----M--	138	7	1	-	-	-	-	-	-	-	-	-	-	1	6	8	10	10	13	11	15	25	23	8	-	-	-
	F--	45	3	-	-	-	-	1	-	-	-	1	1	-	2	1	-	1	-	-	2	6	9	9	7	2	-	-
	Nonwhite--M--	11	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	3	2	1	-	-	-	-
	F--	12	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	1	1	-	1	-
	All other causes-	377	23	3	2	4	1	9	7	5	4	6	14	12	14	19	26	30	52	33	40	36	21	13	3	-	-	-
	White-----M--	233	12	-	-	2	1	5	5	-	1	3	7	9	9	11	18	17	35	21	28	23	16	8	2	-	-	-
	F--	132	11	2	1	2	-	4	2	3	3	3	7	3	4	7	8	13	13	11	12	13	5	4	1	-	-	-
	Nonwhite--M--	6	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	ALL CAUSES-------	12,815	855	68	41	26	12	69	80	120	147	145	128	197	280	429	587	805	1,070	1,359	1 585	1,718	1,434	1,017	392	74	5	14
	White-----M--	7,149	462	26	18	15	6	42	41	81	93	87	78	124	149	243	358	500	666	805	893	930	796	509	184	35	1	7
	F--	5,184	334	33	19	11	5	24	18	35	41	55	44	67	113	163	212	283	374	524	677	766	632	504	203	36	4	7
	Nonwhite--M--	169	22	4	3	-	1	2	1	2	9	1	3	3	14	14	11	12	15	16	9	17	4	3	2	1	-	-
	F--	113	17	3	1	-	-	1	-	2	4	2	3	3	4	9	6	10	15	14	6	5	2	1	3	2	-	-
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	4	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	167	1	4	-	1	-	1	-	4	8	12	7	21	13	9	16	12	10	21	12	8	6	1	-	-	-	-
	White-----M--	92	-	-	-	1	-	-	-	1	2	4	2	11	9	5	10	8	8	17	8	2	4	-	-	-	-	-
	F--	55	-	2	-	-	-	1	-	2	4	8	3	9	3	3	6	2	2	2	3	4	1	-	-	-	-	-
	Nonwhite--M--	13	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	1	2	1	1	-	-	-	-
	F--	7	-	1	-	-	-	-	-	1	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	152	-	2	-	1	-	1	-	4	6	11	7	20	12	9	14	12	9	19	12	7	5	1	-	-	-	-
	White-----M--	85	-	-	-	1	-	-	-	1	1	4	2	10	8	5	9	8	7	15	8	2	4	-	-	-	-	-
	F--	48	-	-	-	-	-	1	-	2	3	7	3	9	3	3	5	2	2	2	3	3	-	-	-	-	-	-
	Nonwhite--M--	12	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	1	2	1	1	-	-	-	-
	F--	7	-	1	-	-	-	-	-	1	2	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	15	1	2	-	-	-	-	-	-	2	1	-	1	1	-	2	-	1	2	-	1	1	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	F--	7	-	2	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	68	2	-	-	-	-	-	-	-	-	-	1	3	2	3	6	5	11	8	13	7	5	2	-	-	-	-
	White-----M--	43	1	-	-	-	-	-	-	-	-	-	1	3	-	1	4	3	6	6	9	5	3	1	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	1	2	1	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	-	1	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	12	1	3	2	-	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	28	1	-	-	1	1	6	3	5	5	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	1	-	-	1	1	4	3	4	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	1	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
45-55	Cancer and other malignant tumors	1,941	-	2	-	1	-	5	4	4	9	10	17	33	58	100	133	196	241	276	285	257	190	89	25	3	-	3
	White-----M--	971	-	1	-	-	-	4	2	3	5	7	5	8	17	33	60	89	110	149	163	132	108	57	15	2	-	1
	F--	935	-	1	-	1	-	1	2	1	3	3	10	23	40	63	72	102	125	122	121	121	79	32	10	1	-	2
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	3	3	2	1	3	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	3	3	-	1	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	888	-	-	-	-	-	-	-	-	-	2	5	14	16	36	43	69	123	128	158	133	109	39	9	2	-	2
	White-----M--	471	-	-	-	-	-	-	-	-	-	2	1	3	7	17	25	30	67	76	87	71	59	20	4	1	-	1
	F--	400	-	-	-	-	-	-	-	-	-	-	4	10	9	18	17	36	51	50	70	60	49	19	5	1	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	192	-	-	-	-	-	-	-	-	2	1	2	5	13	19	23	22	27	24	19	18	11	4	1	-	-	1
	White-----F--	185	-	-	-	-	-	-	-	-	1	1	1	5	13	18	23	21	27	22	19	18	10	4	1	-	-	1
	Nonwhite--F--	7	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-
50	Cancer of breast-	184	-	-	-	-	-	-	-	-	-	1	3	3	15	15	18	31	23	27	12	25	7	4	2	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	182	-	-	-	-	-	-	-	-	-	1	3	3	12	15	18	31	23	27	12	24	7	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	577	-	2	-	1	-	5	4	4	7	6	7	11	16	30	49	74	68	97	96	81	63	42	13	1	-	-
	White-----M--	500	-	1	-	-	-	4	2	3	5	5	4	5	10	16	35	59	43	73	76	61	49	37	11	1	-	-
	F--	168	-	1	-	1	-	1	2	1	2	1	2	5	6	12	14	14	24	23	20	19	13	5	2	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	382	-	-	1	-	-	-	-	3	2	8	4	3	4	7	10	29	47	62	77	57	43	19	4	-	-	2
	White-----M--	166	-	-	-	-	-	-	-	-	2	7	3	3	2	5	3	16	17	22	31	28	16	9	2	-	-	-
	F--	214	-	-	1	-	-	-	-	3	-	1	1	-	2	2	7	12	30	39	46	29	27	10	2	-	-	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	22	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	3	1	6	3	3	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	6	3	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	10	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	1	2	1	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,308	1	-	-	2	-	-	1	1	4	2	3	10	8	24	54	65	89	179	224	254	185	153	43	6	-	-
	White-----M--	634	1	-	-	1	-	-	-	-	3	2	1	8	4	11	24	33	44	94	116	116	91	66	16	3	-	-
	F--	658	-	-	-	1	-	-	1	1	1	-	2	2	4	12	30	30	45	80	105	136	94	86	27	3	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	3,877	1	4	-	2	-	2	1	8	13	10	20	28	62	119	173	290	364	510	591	637	554	338	127	18	1	4
	White-----M--	2,400	-	2	-	1	-	-	-	7	8	1	13	22	37	79	127	201	267	350	343	371	333	160	65	10	-	3
	F--	1,400	-	2	-	1	-	2	1	1	4	8	6	6	20	32	39	82	86	151	241	257	219	177	58	6	1	1
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	1	1	1	-	4	3	4	4	6	6	4	6	1	-	2	1	-	-
	F--	33	1	-	-	-	-	-	-	-	-	-	-	-	1	5	3	3	6	3	3	3	1	1	2	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	199	-	1	-	1	-	1	1	4	5	3	11	8	6	9	13	16	17	21	28	30	10	9	4	1	-	-
	White-----M--	97	-	-	-	-	-	-	-	3	3	-	5	4	5	5	6	4	7	13	15	14	4	5	4	-	-	-
	F--	99	-	1	-	1	-	1	1	1	2	3	6	4	1	4	7	11	10	8	12	16	6	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,632	-	-	-	-	-	-	-	-	2	2	6	11	37	80	101	184	213	258	250	227	160	70	25	2	-	4
	White-----M--	1,159	-	-	-	-	-	-	-	-	1	-	6	10	23	62	84	139	169	194	162	145	105	42	13	1	-	3
	F--	451	-	-	-	-	-	-	-	-	1	2	-	1	10	15	14	43	39	61	88	80	55	28	12	1	-	1
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	2	3	3	-	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,046	1	3	-	1	-	1	-	4	6	5	3	9	19	30	59	90	134	231	313	380	384	259	98	15	1	-
	White-----M--	1,144	-	2	-	1	-	-	-	4	4	1	2	8	9	12	37	58	91	143	166	212	224	113	48	9	-	-
	F--	850	-	1	-	-	-	1	-	-	1	3	-	1	9	13	18	28	36	82	141	161	158	145	46	5	1	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	1	1	1	-	1	2	2	2	3	5	3	4	1	-	2	1	-	-
	F--	25	1	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	3	3	3	1	1	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	284	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	11	20	30	60	61	60	29	5	1	-
	White-----M--	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	7	16	31	31	36	14	2	-	-
	F--	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	12	14	29	30	24	15	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	439	81	11	8	4	2	4	3	5	3	6	3	1	11	4	6	14	18	27	36	56	52	53	25	6	-	-
	White-----M--	241	41	5	4	2	-	1	2	1	2	4	2	-	7	4	3	12	14	16	23	32	25	28	10	3	-	-
	F--	175	29	5	4	2	2	2	1	3	-	2	1	1	3	-	2	1	2	11	13	23	27	25	14	2	-	-
	Nonwhite--M--	9	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F--	14	6	1	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-	1	1	-	-
107	Bronchopneumonia-	196	45	5	4	2	1	2	1	-	-	-	-	-	3	2	2	5	4	10	11	33	19	28	16	3	-	-
	White-----M--	113	25	2	3	-	-	-	1	-	-	-	-	-	2	2	1	5	4	6	9	18	10	16	6	3	-	-
	F--	73	15	2	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-	4	2	14	9	12	9	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
108	Lobar pneumonia--	98	9	2	-	-	-	1	1	2	2	2	-	-	3	2	3	5	9	8	14	8	13	9	4	1	-	-
	White-----M--	53	4	1	-	-	-	1	1	-	1	1	-	-	1	2	1	4	6	5	8	6	7	4	-	-	-	-
	F--	39	3	1	-	-	-	-	-	1	-	1	-	-	2	-	2	-	2	3	6	2	6	5	4	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	76	16	3	1	1	-	1	-	1	-	-	2	-	3	-	1	4	3	4	7	11	9	4	4	1	-	-
	White-----M--	44	9	2	1	1	-	-	-	1	-	-	1	-	2	-	1	3	2	2	3	6	5	1	4	-	-	-
	F--	29	6	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	2	4	5	4	3	-	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
33	Influenza--------	69	11	1	3	1	1	-	1	2	1	4	1	1	2	-	-	-	2	5	4	4	11	12	1	1	-	-
	White-----M--	31	3	-	-	1	-	-	-	-	1	3	1	-	2	-	-	-	2	3	3	2	3	7	-	-	-	-
	F--	34	5	1	3	-	1	-	1	2	-	1	-	1	-	-	-	-	-	2	1	2	8	5	1	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
117	Ulcer of stomach or duodenum-----	78	-	-	-	-	-	-	-	-	-	-	-	4	3	7	10	7	10	7	5	13	4	6	2	-	-	-
	White-----M--	54	-	-	-	-	-	-	-	-	-	-	-	3	2	5	7	4	8	6	5	10	2	2	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	-	-	3	2	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	42	19	4	1	-	-	-	-	-	-	1	1	1	-	1	-	-	2	-	1	5	3	-	2	-	-	1
	White-----M--	19	10	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	2	-	1	-	-	-
	F--	17	5	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	3	1	-	1	-	-	1
	Nonwhite--M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	45	-	-	-	-	-	1	2	-	-	1	-	5	1	3	2	4	6	4	5	8	2	1	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	2	-	-	-	-	4	1	2	1	3	5	-	4	5	1	1	-	-	-	-
	F--	15	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	1	1	3	1	3	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	114	3	1	-	-	-	1	1	-	-	5	1	3	5	5	2	8	11	12	16	13	14	8	4	1	-	-
	White-----M--	58	2	-	-	-	-	1	1	-	-	1	1	1	3	4	1	5	4	4	7	9	8	2	3	1	-	-
	F--	51	1	1	-	-	-	-	-	-	-	3	-	2	2	1	1	2	7	6	9	3	6	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	109	-	-	-	-	-	-	-	-	1	2	1	3	3	13	11	8	10	14	11	16	3	10	2	1	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	1	-	1	3	2	12	6	7	5	10	9	12	2	4	-	-	-	-
	F--	34	-	-	-	-	-	-	-	-	-	2	-	-	1	-	5	1	5	4	2	4	1	6	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	82	-	-	-	-	-	1	-	-	-	-	-	-	2	5	8	9	10	11	14	8	10	4	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	6	3	2	-	-	-	-
	F--	55	-	-	-	-	-	1	-	-	-	-	-	-	2	5	7	7	6	6	10	2	7	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	649	-	1	-	-	1	1	6	4	7	1	4	6	15	15	28	26	55	74	79	107	107	75	31	5	-	-
	White-----M--	356	-	-	-	-	1	-	5	2	2	1	2	3	11	8	19	12	39	39	42	53	59	38	18	2	-	-
	F--	286	-	1	-	-	-	1	1	2	4	-	2	3	4	6	9	13	15	34	36	54	48	37	13	3	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate--------	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	8	13	18	18	14	3	-	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	13	18	18	14	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
140-150	Diseases of pregnancy, etc.*----	22	-	-	-	-	-	-	-	-	6	5	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	-	-	-	-	-	-	-	-	6	5	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	8	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	7	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	6	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	169	148	4	3	2	-	3	1	3	-	-	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	85	76	1	1	1	-	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	67	3	2	1	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	513	513	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	303	303	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	206	206	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	133	133	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	8	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	165	165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	176	-	-	-	-	-	-	-	3	8	9	10	12	16	17	18	20	26	12	7	8	6	3	1	-	-	-
	White-----M--	142	-	-	-	-	-	-	-	3	8	7	9	9	11	12	14	17	23	8	6	6	5	3	1	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	2	-	3	5	4	4	3	3	4	1	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	32	1	-	-	-	-	2	-	2	3	2	-	2	7	1	3	2	2	1	1	1	-	1	-	-	-	1
	White-----M--	16	-	-	-	-	-	-	-	1	2	-	-	1	2	1	2	2	2	1	1	-	-	-	-	-	-	1
	F--	7	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	940	22	21	12	6	6	25	26	59	59	52	28	32	39	51	46	44	61	38	56	68	70	74	31	10	1	1
	White-----M--	637	11	11	6	4	2	22	21	49	47	43	27	26	25	45	37	35	47	25	35	36	36	33	10	4	-	-
	F--	286	10	10	5	2	3	3	4	10	8	9	1	4	12	6	8	8	13	13	23	32	34	41	21	6	1	1
	Nonwhite--M--	13	-	-	1	-	1	-	1	-	4	-	-	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	279	1	2	3	2	1	13	8	29	28	29	10	16	18	23	11	20	18	9	14	10	7	5	-	1	-	1
	White-----M--	222	1	1	2	2	-	11	7	24	24	24	9	13	9	18	9	18	14	6	12	8	5	4	-	1	-	-
	F--	56	-	1	1	-	1	2	1	5	4	5	1	3	8	5	2	2	4	3	2	2	2	1	-	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	661	21	19	9	4	5	12	18	30	31	23	18	16	21	28	35	24	43	29	44	58	63	69	31	9	1	-
	White-----M--	415	10	10	4	2	2	11	14	25	23	19	18	13	16	27	28	17	33	19	23	28	31	29	10	3	-	-
	F--	232	10	9	4	2	2	1	3	5	4	4	-	1	4	1	6	6	9	10	21	30	32	40	21	6	1	-
	Nonwhite--M--	12	-	-	1	-	1	-	1	-	4	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	258	5	2	-	-	-	-	-	-	-	2	-	1	-	4	5	8	4	12	19	37	42	63	38	15	1	-
	White-----M--	135	2	1	-	-	-	-	-	-	-	2	-	1	-	1	4	7	3	9	11	19	21	30	16	7	1	-
	F--	115	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	3	7	16	21	32	22	8	-	-
	Nonwhite--M--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	All other causes-	748	30	8	13	6	2	11	11	15	19	15	21	21	22	34	51	49	74	59	80	76	56	43	25	4	1	2
	White-----M--	399	10	3	7	4	2	6	3	6	9	7	8	14	14	13	33	37	48	29	45	37	28	23	10	1	-	2
	F--	332	17	5	4	2	-	5	8	8	8	7	13	7	6	18	17	12	25	29	35	38	28	20	15	3	1	-
	Nonwhite--M--	11	2	-	1	-	-	-	-	1	2	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																											
	ALL CAUSES-------	1,624	147	7	7	1	4	14	10	19	28	27	54	46	75	88	107	130	180	185	171	149	98	48	16	7	3	3
	White-----M--	1,032	78	1	6	-	3	5	5	10	15	16	25	27	44	55	79	94	137	138	111	94	58	23	3	1	1	3
	F--	464	54	3	1	1	1	5	3	3	4	6	23	13	25	20	24	33	35	40	52	47	35	21	9	5	1	-
	Nonwhite--M--	76	8	2	-	-	-	4	1	3	5	3	2	4	4	9	2	2	6	4	3	6	3	2	1	1	1	-
	F--	52	7	1	-	-	-	-	1	3	4	2	4	2	2	4	2	1	2	3	5	2	2	2	3	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	72	-	1	-	-	-	2	1	3	5	2	2	1	3	5	6	5	17	10	7	1	1	-	-	-	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	1	-	1	-	3	3	5	4	15	6	5	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	2	-	1	2	1	-	1	-	2	-	-	1	1	1	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	2	3	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	63	-	-	-	-	-	1	1	2	3	2	2	1	3	5	6	3	17	10	6	1	-	-	-	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	3	15	6	4	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	1	-	1	1	1	-	1	-	2	-	-	1	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	9	-	1	-	-	-	1	-	1	2	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
27	Dysentery--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	15	1	-	-	-	-	-	-	-	-	-	1	1	-	3	2	3	1	-	2	1	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
45-55	Cancer and other malignant tumors	190	1	-	-	-	1	-	-	3	-	1	3	4	10	8	18	18	28	34	27	20	10	2	1	1	-	-
	White-----M--	109	1	-	-	-	-	-	-	3	-	1	2	-	1	4	11	9	19	27	13	12	6	-	-	-	-	-
	F--	70	-	-	-	-	1	-	-	-	-	-	1	3	8	3	5	8	8	8	14	7	3	2	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	1	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	94	-	-	-	-	-	-	-	1	-	1	-	2	4	2	8	9	17	19	13	11	5	2	-	-	-	-
	White-----M--	58	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4	6	13	15	6	8	4	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	3	3	7	3	-	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	4	2	1	-	1	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	4	2	1	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
50	Cancer of breast-	16	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	3	2	1	2	2	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	3	2	1	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47 51-55	Cancer (other sites)----------	65	1	-	-	-	1	-	-	2	-	-	2	1	5	4	8	4	7	13	9	5	2	-	-	1	-	-
	White-----M--	51	1	-	-	-	-	-	-	2	-	-	2	-	1	4	7	3	6	12	7	4	2	-	-	-	-	-
	F--	13	-	-	-	-	1	-	-	-	-	-	-	1	4	-	1	1	1	1	2	-	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	25	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	5	4	3	5	1	2	-	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	3	1	3	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	1	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	1	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	105	-	-	-	-	-	-	-	-	-	-	3	1	2	3	8	6	8	16	19	16	12	5	4	1	1	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	5	9	7	8	8	3	2	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	2	1	2	1	4	4	2	6	11	8	4	1	2	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	465	-	-	-	-	-	-	1	1	1	2	5	7	12	26	39	44	68	65	64	65	37	20	4	1	1	2
	White-----M--	335	-	-	-	-	-	-	-	-	-	1	3	6	9	21	31	32	53	49	50	43	22	12	1	-	-	2
	F--	113	-	-	-	-	-	-	-	1	-	-	1	1	3	4	6	12	15	14	12	20	14	7	2	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	2	1	1	1	-	1	-
	F--	5	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90a, 92b,c 95c, 95b	Chronic rheumatic diseases of the heart----------	17	-	-	-	-	-	-	-	-	-	-	-	-	4	3	3	2	5	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	203	-	-	-	-	-	-	-	-	-	1	4	4	6	13	24	22	25	38	30	18	12	2	2	1	1	-
	White-----M--	158	-	-	-	-	-	-	-	-	-	-	3	4	5	11	20	20	20	30	24	13	6	2	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	5	8	5	5	5	-	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	245	-	-	-	-	-	-	1	1	1	1	1	3	2	10	12	20	38	27	34	47	25	18	2	-	-	2
	White-----M--	167	-	-	-	-	-	-	-	-	-	1	-	2	1	8	10	11	30	19	26	30	16	10	1	-	-	2
	F--	67	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	9	8	6	7	15	9	7	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	2	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	3	4	2	-	1	1	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	2	-	-	1	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	78	19	2	-	-	-	-	1	-	-	-	3	2	5	2	-	3	9	6	8	2	6	8	1	1	-	-
	White-----M--	45	11	-	-	-	-	-	1	-	-	-	2	2	3	1	-	3	7	3	6	-	4	2	-	-	-	-
	F--	21	3	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	3	1	1	2	5	-	-	-	-
	Nonwhite--M--	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
107	Bronchopneumonia-	37	12	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	5	1	2	4	7	1	-	-	-
	White-----M--	19	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	2	1	-	3	2	-	-	-	-
	F--	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	4	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
108	Lobar pneumonia--	29	5	-	-	-	-	-	-	-	-	-	3	1	2	2	-	2	5	-	6	-	1	1	-	1	-	-
	White-----M--	19	3	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	4	-	4	-	1	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	8	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	1	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	9	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	3	-	1	-	-	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	12	2	-	-	-	1	-	-	-	1	1	2	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	32	-	-	-	-	-	-	-	-	1	-	1	1	3	2	4	4	8	2	3	2	1	-	-	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	5	2	3	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis--------	64	-	-	-	-	-	1	1	-	-	1	1	2	3	5	3	4	4	8	11	10	7	2	1	-	-	-
	White-----M--	37	-	-	-	-	-	1	-	-	-	1	1	1	1	2	2	3	3	6	4	6	5	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	1	7	3	2	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate--------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
140-150	Diseases of pregnancy, etc.*----	6	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	25	23	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	15	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	44	-	-	-	-	-	-	-	1	1	-	5	2	5	1	4	6	4	6	6	3	-	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	1	-	-	2	1	5	1	4	6	3	6	6	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	19	-	-	-	-	-	-	1	2	2	1	5	5	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	1	-	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	191	3	2	2	-	2	6	6	7	15	15	18	15	14	19	11	15	11	11	3	6	6	1	1	1	-	1
	White-----M--	134	1	1	2	-	2	1	4	4	13	11	9	11	11	13	8	14	10	7	2	4	4	-	-	1	-	1
	F--	37	1	-	-	-	-	3	2	1	-	3	7	1	3	2	3	-	-	4	1	2	2	1	1	-	-	-
	Nonwhite--M--	16	1	1	-	-	-	2	-	2	2	1	-	2	-	3	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	77	-	-	-	-	1	2	2	3	5	9	5	9	8	8	4	5	5	8	-	1	3	-	1	-	-	-
	White-----M--	54	-	-	-	-	1	1	1	2	5	7	2	7	5	5	3	5	4	3	-	1	2	-	-	-	-	-
	F--	16	-	-	-	-	-	1	1	1	-	1	2	-	3	1	1	-	-	3	-	-	1	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	114	3	2	2	-	1	4	4	4	10	6	13	6	6	11	7	10	6	5	3	5	3	1	-	1	-	1
	White-----M--	80	1	1	2	-	1	-	3	2	8	4	7	4	6	8	5	9	6	4	2	3	2	-	-	1	-	1
	F--	21	1	-	-	-	-	2	1	-	-	2	5	1	-	1	2	-	-	1	1	2	1	1	-	-	-	-
	Nonwhite--M--	11	1	1	-	-	-	2	-	2	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	37	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	2	4	3	4	6	8	4	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	3	2	3	3	2	-	-	-	-
	F--	11	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	5	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
	All other causes-	92	5	2	4	-	-	3	-	2	-	1	2	3	7	7	7	11	8	13	5	7	3	1	1	-	-	-
	White-----M--	62	2	-	3	-	-	2	-	2	-	-	1	2	2	3	7	8	6	11	5	6	2	-	-	-	-	-
	F--	25	3	1	1	-	-	1	-	-	-	1	-	1	3	3	-	3	2	2	-	1	1	1	1	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																										
	ALL CAUSES-------	6,172	361	31	12	9	6	26	22	28	58	58	59	89	127	177	302	400	515	734	922	875	701	448	172	28	3	9
	White-----M--	3 329	209	9	8	2	3	15	14	19	33	30	34	56	68	109	188	241	328	418	501	435	328	211	49	11	1	7
	F--	2,838	152	12	4	7	3	11	8	9	25	28	25	41	59	67	113	159	186	315	421	440	373	236	123	17	2	2
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	72	-	2	-	1	-	-	-	2	5	5	2	2	3	6	6	4	6	7	8	6	3	-	-	-	-	-
	White-----M--	40	-	-	-	1	-	-	-	1	-	1	1	-	3	6	4	3	4	6	4	5	1	-	-	-	-	-
	F--	31	-	2	-	-	-	-	-	1	5	4	1	2	-	1	4	1	2	1	4	1	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	62	-	1	-	-	-	-	-	2	4	5	1	1	3	8	8	3	6	7	6	6	1	-	-	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	1	-	1	1	-	3	6	4	3	4	6	3	5	-	-	-	-	-	-
	F--	24	-	1	-	-	-	-	-	1	4	4	-	1	-	1	4	-	2	1	3	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	10	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	2	-	2	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	47	-	-	-	-	-	1	-	1	1	-	-	2	4	1	2	4	7	10	8	3	2	1	-	-	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	3	6	6	6	3	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	1	-	-	-	-	2	1	-	1	1	4	2	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)---	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																										
45-55	Cancer and other malignant tumors	964	-	1	-	1	-	1	1	1	1	6	8	18	23	34	62	118	113	137	149	136	91	48	12	1	-	2
	White-----M--	446	-	-	-	1	-	1	1	1	-	-	2	3	4	12	32	53	61	62	76	72	39	22	4	-	-	1
	F--	517	-	1	-	-	-	-	-	-	1	6	6	15	19	22	30	65	52	75	73	64	53	25	8	1	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	443	-	-	-	-	-	-	-	-	-	4	2	5	8	10	29	48	59	71	67	62	41	27	8	-	-	2
	White-----M--	222	-	-	-	-	-	-	-	-	-	-	1	-	2	4	24	23	34	35	39	29	16	11	3	-	-	1
	F--	221	-	-	-	-	-	-	-	-	-	4	1	5	6	6	5	25	25	36	28	33	25	16	5	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	121	-	-	-	-	-	-	-	-	-	-	3	6	5	10	16	21	8	11	19	12	9	1	2	-	-	-
	White-----F--	121	-	-	-	-	-	-	-	-	-	-	3	6	5	10	16	21	8	11	19	12	9	1	2	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	87	-	-	-	-	-	-	-	-	-	1	2	2	5	4	5	10	10	12	13	6	10	5	1	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	-	-	-	-	-	-	-	-	-	1	2	2	5	4	5	10	10	12	13	6	10	5	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	313	-	1	-	1	-	1	1	1	1	1	1	5	5	10	12	39	38	43	50	56	31	15	1	-	-	-
	White-----M--	224	-	-	-	1	-	1	1	1	-	-	1	3	2	8	8	30	27	27	37	43	22	11	1	-	-	-
	F--	88	-	1	-	-	-	-	-	-	1	1	-	2	3	2	4	9	11	16	13	13	9	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	174	-	-	-	-	-	-	-	2	-	2	1	3	3	2	8	19	25	23	49	23	11	2	1	-	-	-
	White-----M--	68	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	11	11	6	19	9	4	-	-	-	-	-
	F--	106	-	-	-	-	-	-	-	2	-	1	-	1	3	-	6	8	14	17	30	14	7	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	15	-	-	-	-	-	-	-	-	-	-	-	4	1	3	3	2	-	-	1	1	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	2	-	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	613	-	-	-	-	-	-	-	-	-	-	2	1	6	9	21	35	43	70	117	117	103	66	22	1	-	-
	White-----M--	293	-	-	-	-	-	-	-	-	-	-	1	1	-	4	8	21	21	35	57	54	43	32	6	-	-	-
	F--	320	-	-	-	-	-	-	-	-	-	-	1	-	6	5	13	14	22	35	50	63	60	34	16	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	2,254	1	-	-	-	-	-	4	2	5	4	8	20	37	57	101	135	185	324	399	387	305	184	81	13	-	2
	White-----M--	1,276	1	-	-	-	-	-	1	2	-	2	5	16	26	46	73	100	140	200	221	180	147	84	22	9	-	1
	F--	976	-	-	-	-	-	-	3	-	5	2	3	4	11	11	27	35	45	123	178	207	158	100	59	4	-	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	126	-	-	-	-	-	-	3	1	5	2	6	7	7	7	6	11	6	16	14	15	10	7	3	-	-	-
	White-----M--	64	-	-	-	-	-	-	1	1	-	-	4	4	4	6	1	6	4	11	5	6	5	5	1	-	-	-
	F--	62	-	-	-	-	-	-	2	-	5	2	2	3	3	1	5	5	2	5	9	9	5	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	774	-	-	-	-	-	-	-	1	-	2	-	7	19	33	49	75	92	130	142	105	76	34	7	2	-	-
	White-----M--	557	-	-	-	-	-	-	-	1	-	2	-	7	16	31	43	63	73	87	98	62	51	18	3	2	-	-
	F--	216	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	12	19	43	44	43	25	16	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	1,354	1	-	-	-	-	-	1	-	-	-	2	6	11	17	46	49	87	178	243	267	219	143	71	11	-	2
	White-----M--	655	1	-	-	-	-	-	-	-	-	-	1	5	6	9	29	31	63	102	118	112	91	61	18	7	-	1
	F--	698	-	-	-	-	-	-	1	-	-	-	1	1	5	8	17	18	24	75	125	155	128	82	53	4	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																										
97, 102	Arteriosclerosis and high blood pressure*--------	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	14	21	33	37	47	20	4	3	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	11	9	17	17	23	3	-	1	-
	F--	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	16	20	24	17	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	236	32	5	-	1	-	4	2	1	5	2	-	2	4	5	8	8	14	18	21	34	38	19	10	3	-	-
	White-----M--	129	20	1	-	-	-	4	1	-	2	1	-	2	3	2	4	4	8	10	12	20	21	9	3	2	-	-
	F--	107	12	4	-	1	-	-	1	1	3	1	-	-	1	3	4	4	6	8	9	14	17	10	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia-	134	20	2	-	-	-	2	1	1	1	1	-	1	1	3	3	5	7	6	13	22	22	13	8	2	-	-
	White-----M--	71	13	-	-	-	-	2	-	-	1	1	-	1	1	1	2	2	3	4	7	12	11	7	1	2	-	-
	F--	63	7	2	-	-	-	-	1	1	-	-	-	-	-	2	1	3	4	2	6	10	11	6	7	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lober pneumonia--	65	1	-	-	1	-	1	1	-	1	-	-	1	1	2	4	1	4	10	8	11	13	4	1	-	-	-
	White-----M--	37	1	-	-	-	-	1	1	-	-	-	-	1	-	1	1	1	2	4	5	8	9	1	1	-	-	-
	F--	28	-	-	-	1	-	-	-	-	1	-	-	-	1	1	3	-	2	6	3	3	4	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	27	9	1	-	-	-	-	-	-	2	1	-	-	2	-	-	2	2	2	-	1	2	2	-	1	-	-
	White-----M--	15	5	1	-	-	-	-	-	-	1	-	-	-	2	-	-	1	2	2	-	-	-	1	-	-	-	-
	F--	12	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	10	2	2	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
	White-----M--	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
	F--	4	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	40	-	-	-	-	-	-	-	-	-	1	2	-	2	1	4	6	6	7	5	2	1	1	2	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	1	2	-	2	1	4	5	5	6	4	1	-	1	2	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	18	11	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-
	White-----M--	10	6	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	24	-	-	-	-	-	-	1	-	1	1	2	2	1	-	5	-	2	2	5	1	-	1	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	1	1	2	1	-	4	-	2	2	2	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	47	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	7	7	6	8	8	2	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	5	3	5	6	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	2	3	3	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	47	-	-	-	-	-	-	-	-	-	-	-	4	1	9	6	4	7	5	5	3	2	1	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	-	-	2	1	6	5	1	6	2	3	2	-	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	1	3	2	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	8	3	6	2	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	-	1	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	3	5	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	272	1	1	1	1	-	2	-	1	3	3	4	6	4	12	10	19	26	28	36	43	37	25	6	1	-	1
	White-----M--	133	-	1	1	-	-	-	-	1	2	1	1	4	1	7	4	12	10	17	17	24	14	12	3	-	-	1
	F--	138	1	-	-	1	-	2	-	-	1	2	3	2	3	5	6	7	15	12	19	19	23	13	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate--------	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	8	5	4	3	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	8	5	4	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
140-150	Diseases of pregnancy, etc.*----	15	-	-	-	-	-	-	-	1	-	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	-	-	-	-	-	-	1	-	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia--------	6	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	4	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	83	72	3	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	47	40	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	36	32	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	208	208	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	121	121	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	141	141	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	85	85	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	80	-	-	-	-	-	-	1	2	4	2	4	8	11	8	9	6	5	6	8	3	3	-	-	-	-	-
	White-----M--	64	-	-	-	-	-	-	1	2	3	2	4	5	8	7	8	3	5	5	6	3	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	-	3	3	1	1	3	-	1	2	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-169	Homicide----------	5	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	304	14	4	4	3	4	9	7	10	23	18	9	14	11	5	13	12	20	20	17	27	24	22	8	3	-	3
	White-----M--	194	10	2	1	-	1	6	6	9	19	16	8	8	9	3	11	6	17	12	12	12	13	9	1	-	-	3
	F--	110	4	2	3	3	3	3	1	1	4	2	1	6	2	2	2	6	3	8	5	15	11	13	7	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	95	1	1	2	1	3	5	3	7	16	9	6	5	4	1	2	5	10	2	6	4	1	-	-	-	-	1
	White-----M--	67	1	1	1	-	-	2	2	6	12	8	6	2	4	1	1	1	8	1	6	2	1	-	-	-	-	1
	F--	28	-	-	1	1	3	3	1	1	4	1	-	3	-	-	1	4	2	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	209	13	3	2	2	1	4	4	3	7	9	3	9	7	4	11	7	10	18	11	23	23	22	8	3	-	2
	White-----M--	127	9	1	-	-	1	4	4	3	7	8	2	6	5	2	10	5	9	11	6	10	12	9	1	-	-	2
	F--	82	4	2	2	2	-	-	-	-	-	1	1	3	2	2	1	2	1	7	5	13	11	13	7	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	69	6	-	-	-	-	-	-	-	-	1	-	1	-	4	4	2	4	4	10	6	6	17	2	2	-	-
	White-----M--	47	4	-	-	-	-	-	-	-	-	-	-	1	-	3	4	2	3	4	7	5	4	10	-	-	-	-
	F--	22	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	1	2	7	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	326	14	3	4	2	2	8	3	3	7	8	11	8	14	15	30	17	27	39	41	30	24	8	8	-	-	1
	White-----M--	169	5	2	3	-	2	3	3	3	3	4	7	5	8	5	17	8	12	21	22	14	13	3	5	-	-	1
	F--	157	9	1	1	2	-	5	-	-	4	4	4	3	6	10	13	9	15	17	19	16	11	5	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																										
	ALL CAUSES-------	48,076	2,585	176	103	78	59	216	162	228	455	485	690	1,003	1,546	2,239	3,408	4,474	5,326	5,785	6,165	5,502	4,043	2,394	765	154	30	5
	White-----M--	24,712	1,299	91	49	46	28	108	79	123	236	218	307	462	789	1,224	1,907	2,635	3,141	3,177	3,143	2,603	1,750	980	267	41	6	3
	F--	19,768	893	56	44	25	20	75	51	53	121	168	252	351	529	726	1,157	1,527	1,867	2,289	2,743	2,706	2,163	1,344	491	105	22	2
	Nonwhite--M--	1,960	233	14	7	1	5	23	17	25	46	45	65	102	128	166	192	178	170	180	152	108	61	34	5	2	1	-
	F--	1,636	160	15	3	6	6	10	15	27	52	56	66	88	100	123	152	134	148	139	127	85	69	36	12	6	1	-
1,2	Typhoid and paratyphoid fever---	7	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	22	6	2	3	1	-	1	-	1	1	-	-	-	-	3	1	-	3	-	-	-	-	-	-	-	-	-
	White-----M--	15	6	1	3	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	4	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,393	-	11	2	2	1	4	4	29	65	69	126	111	110	145	142	140	150	108	73	56	28	11	6	-	-	-
	White-----M--	766	-	7	1	1	1	2	-	6	17	14	39	43	58	91	94	98	116	80	47	26	17	4	4	-	-	-
	F--	304	-	-	-	-	-	1	2	4	13	27	43	36	20	17	25	19	13	20	20	25	10	7	2	-	-	-
	Nonwhite--M--	193	-	1	-	1	-	-	1	6	13	11	25	20	20	30	18	18	14	7	6	3	1	-	-	-	-	-
	F--	130	-	3	1	-	-	1	1	13	22	17	21	12	12	7	5	5	7	1	-	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,299	-	2	1	1	-	2	-	23	61	64	116	105	104	139	137	133	144	103	71	49	27	11	6	-	-	-
	White-----M--	727	-	1	-	1	-	-	-	3	17	13	38	40	56	90	90	95	112	77	46	23	16	4	4	-	-	-
	F--	282	-	-	-	-	-	1	-	4	12	24	39	35	19	16	24	16	13	19	20	22	10	7	2	-	-	-
	Nonwhite--M--	173	-	-	-	-	-	-	-	5	12	10	19	16	19	28	18	17	13	6	5	2	1	-	-	-	-	-
	F--	117	-	1	1	-	-	1	-	11	20	17	20	12	10	5	5	5	6	1	-	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	94	-	9	1	1	1	2	4	6	4	5	10	6	6	6	5	7	6	5	2	7	1	-	-	-	-	-
	White-----M--	39	-	6	1	-	1	1	-	3	-	1	1	3	2	1	4	3	4	3	1	3	1	-	-	-	-	-
	F--	22	-	-	-	-	-	1	2	-	1	3	4	1	1	1	1	3	-	1	-	3	-	-	-	-	-	-
	Nonwhite--M--	20	-	1	-	1	-	-	1	1	1	1	4	2	1	2	-	1	1	1	1	1	-	-	-	-	-	-
	F--	13	-	2	-	-	-	-	1	2	2	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery--------	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	341	6	-	-	-	-	-	-	-	2	1	4	10	18	32	31	60	57	53	31	25	6	5	-	-	-	-
	White-----M--	178	1	-	-	-	-	-	-	-	-	-	1	4	5	9	13	34	40	32	21	13	3	2	-	-	-	-
	F--	58	1	-	-	-	-	-	-	-	-	-	-	1	3	5	7	10	9	5	6	7	1	3	-	-	-	-
	Nonwhite--M--	68	2	-	-	-	-	-	-	-	1	1	2	3	7	12	9	10	5	9	3	4	-	-	-	-	-	-
	F--	37	2	-	-	-	-	-	-	-	1	-	1	2	3	6	2	6	3	7	1	1	2	-	-	-	-	-
35	Measles----------	18	2	4	2	1	-	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	1	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	-	2	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	42	-	-	1	2	2	9	8	3	7	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	-	-	-	-	2	4	5	2	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	1	2	-	3	2	1	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
45-55	Cancer and other malignant tumors	7,716	7	7	3	10	5	12	8	12	22	41	78	162	291	458	743	996	1,082	1,134	1,054	853	474	212	47	2	1	2
	White-----M--	3,777	4	5	1	9	3	6	3	7	10	17	37	56	108	188	317	489	581	625	534	449	219	96	14	-	-	1
	F--	3,532	3	2	2	-	2	6	4	4	10	18	34	93	156	226	360	458	440	471	476	381	240	109	31	2	1	1
	Nonwhite--M--	201	-	-	-	-	-	-	-	-	-	1	1	4	15	19	38	24	33	21	25	10	5	3	2	-	-	-
	F--	206	-	-	-	1	-	-	1	1	2	5	6	9	12	23	26	25	28	19	19	13	10	4	-	-	-	-
48	Cancer of the digestive organs and peritoneum--	3,640	1	-	-	-	-	1	1	4	1	19	30	53	109	165	313	447	504	585	559	453	249	116	27	1	1	1
	White-----M--	1,886	-	-	-	-	-	1	-	1	-	8	16	26	48	89	165	241	266	329	285	242	107	50	11	-	-	1
	F--	1,556	1	-	-	-	-	-	-	3	1	8	9	24	50	57	122	178	204	238	249	201	134	82	15	1	1	-
	Nonwhite--M--	117	-	-	-	-	-	-	-	-	-	1	1	1	8	12	20	16	23	12	14	5	2	1	1	-	-	-
	F--	79	-	-	-	-	-	-	1	-	-	2	4	2	3	7	6	12	11	6	11	5	6	3	-	-	-	-
48,49	Cancer of female genital organs--	760	-	-	-	-	-	-	-	-	2	8	10	26	46	65	114	113	104	90	76	61	30	11	3	-	-	1
	White-----F--	703	-	-	-	-	-	-	-	-	1	7	8	23	39	56	103	108	99	86	71	57	30	11	3	-	-	1
	Nonwhite--F--	57	-	-	-	-	-	-	-	-	1	1	2	3	7	9	11	5	5	4	5	4	-	-	-	-	-	-
50	Cancer of breast-	789	-	-	-	-	-	-	1	-	1	2	10	43	53	90	99	112	79	81	90	63	43	14	8	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	1	-	-	-	-
	F--	742	-	-	-	-	-	-	1	-	1	1	10	40	53	87	90	107	69	77	86	59	40	13	8	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	1	-	3	-	3	9	3	8	4	3	3	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	2,527	6	7	3	10	5	11	6	8	18	12	28	40	83	138	217	324	395	378	329	276	152	71	9	1	-	-
	White-----M--	1,883	4	5	1	9	3	5	3	6	10	9	21	30	60	99	152	246	313	294	248	206	111	45	3	-	-	-
	F--	529	2	2	2	-	2	6	3	1	7	2	7	6	14	28	45	65	68	70	70	64	36	23	5	1	-	-
	Nonwhite--M--	84	-	-	-	-	-	-	-	-	-	-	-	3	7	7	18	8	10	9	11	5	3	2	1	-	-	-
	F--	31	-	-	-	1	-	-	-	1	1	1	-	1	2	4	2	5	4	5	-	1	2	1	-	-	-	-
59	Acute rheumatic fever----------	31	-	-	-	-	1	7	1	2	4	1	3	6	-	1	1	1	-	1	-	1	-	1	-	-	-	-
	White-----M--	15	-	-	-	-	-	4	-	1	1	-	2	3	-	1	1	1	-	1	-	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	2	1	1	2	1	1	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,566	-	3	1	-	-	-	2	1	3	4	3	13	13	44	104	186	279	317	266	206	92	24	4	1	-	-
	White-----M--	486	-	1	1	-	-	-	-	-	1	1	1	5	8	19	41	52	89	93	77	54	31	12	-	-	-	-
	F--	997	-	2	-	-	-	-	2	-	1	3	2	6	3	21	53	118	174	212	181	144	59	11	4	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	4	7	3	1	5	1	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	1	1	-	-	1	2	4	5	12	9	9	7	3	1	1	-	-	-	-
65b	Exophthalmic goiter----------	57	-	-	-	-	-	-	-	-	-	1	2	3	8	5	4	11	7	8	6	2	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	2	1	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	1	2	4	4	1	8	5	6	6	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	65	-	-	-	-	-	-	-	-	-	6	4	8	15	12	6	5	1	7	-	1	-	-	-	-	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	2	4	4	8	9	4	4	1	6	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	2	-	2	5	2	1	1	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	4,065	9	4	-	1	2	3	2	3	6	6	24	26	88	188	262	363	448	570	665	640	452	236	71	12	6	-
	White-----M--	1,746	5	1	-	1	1	1	1	2	4	2	16	9	35	70	107	171	208	244	305	259	172	98	30	3	1	-
	F--	2,044	3	3	-	-	-	2	1	1	2	2	5	10	39	66	121	158	206	269	328	354	267	133	41	9	4	-
	Nonwhite--M--	124	-	-	-	-	1	-	-	-	-	1	2	1	2	13	17	17	18	20	12	10	6	4	-	-	-	-
	F--	151	1	-	-	-	-	-	-	-	-	1	1	6	10	19	17	17	16	17	20	17	7	1	-	-	1	-
90-95	Diseases of the heart----------	17,613	2	4	2	-	1	10	16	14	47	47	108	228	424	726	1,285	1,697	2,144	2,407	2,691	2,349	1,852	1,145	340	63	10	1
	White-----M--	9,751	-	2	1	-	-	3	9	11	20	25	48	127	273	470	858	1,157	1,383	1,431	1,434	1,118	799	453	111	17	3	-
	F--	6,958	1	1	-	-	-	5	4	2	21	16	45	70	108	181	325	440	661	855	1,150	1,159	993	652	220	42	6	1
	Nonwhite--M--	491	1	1	1	-	-	2	1	-	1	-	9	18	23	48	56	63	51	65	59	42	27	18	3	1	1	-
	F--	413	-	-	-	-	1	-	2	1	5	8	6	13	20	27	46	37	49	58	48	30	33	22	6	3	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	782	-	2	-	-	1	4	9	9	26	27	44	71	89	89	92	74	70	50	45	29	31	15	3	2	-	-
	White-----M--	335	-	1	-	-	-	1	6	8	7	12	18	31	37	39	42	40	33	22	17	7	10	2	1	1	-	-
	F--	384	-	-	-	-	-	2	2	1	17	10	23	33	43	43	48	29	32	25	25	20	18	11	1	1	-	-
	Nonwhite--M--	26	-	1	-	-	-	1	-	-	-	-	2	4	1	5	1	3	2	2	-	1	2	1	-	-	-	-
	F--	37	-	-	-	-	1	-	1	-	2	5	1	3	8	2	1	2	3	1	3	1	1	1	1	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	5,801	1	-	-	-	-	2	-	1	5	10	23	80	205	350	618	800	868	885	810	581	349	173	36	3	1	-
	White-----M--	3,980	-	-	-	-	-	-	-	1	3	6	12	58	163	264	479	598	651	602	513	332	188	92	16	1	1	-
	F--	1,591	-	-	-	-	-	2	-	-	-	1	6	13	30	62	110	160	192	259	272	233	152	78	19	2	-	-
	Nonwhite--M--	141	1	-	-	-	-	-	-	-	1	-	3	6	7	15	19	26	13	13	18	12	5	2	-	-	-	-
	F--	89	-	-	-	-	-	-	-	-	1	3	2	3	5	9	10	16	12	11	7	4	4	1	1	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	11,030	1	2	2	-	-	4	7	4	16	10	41	77	130	287	575	823	1,206	1,472	1,836	1,739	1,472	957	301	58	9	1
	White-----M--	5,436	-	1	1	-	-	2	3	2	10	5	18	38	73	167	357	519	699	807	904	779	601	359	94	15	2	-
	F--	4,983	1	1	-	-	-	1	2	1	4	5	16	24	35	76	167	251	437	571	853	906	823	563	200	39	6	1
	Nonwhite--M--	324	-	-	1	-	-	1	1	-	-	-	4	8	15	28	36	34	36	50	41	29	20	15	3	1	1	-
	F--	287	-	-	-	-	-	-	1	1	2	-	3	7	7	16	35	19	34	44	38	25	28	20	4	3	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																										
97, 102	Arteriosclerosis and high blood pressure*	1,204	-	-	-	-	-	-	-	-	-	-	4	5	9	11	17	30	48	103	159	220	271	206	99	16	6	-
	White—M	557	-	-	-	-	-	-	-	-	-	-	2	3	7	6	8	21	32	50	83	108	116	83	32	4	2	-
	F	603	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	9	12	44	65	108	152	121	66	12	4	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	3	8	4	3	2	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	7	1	1	1	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,339	261	32	11	7	10	10	9	11	12	14	21	20	45	50	60	93	82	93	131	131	128	70	29	8	1	-
	White—M	649	108	15	3	4	2	4	4	3	4	6	11	8	25	32	30	58	58	53	67	64	55	29	6	-	-	-
	F	518	94	9	7	2	6	6	2	7	4	5	5	7	9	8	16	23	17	35	57	62	67	40	23	6	1	-
	Nonwhite—M	105	39	2	-	-	1	-	-	1	4	1	4	5	7	5	5	8	5	4	5	4	4	1	-	-	-	-
	F	67	20	6	1	1	1	-	3	-	-	2	1	-	4	5	9	4	2	1	2	1	2	-	-	2	-	-
107	Bronchopneumonia	713	194	22	6	6	5	7	3	4	3	6	7	3	19	16	16	40	32	41	63	76	76	45	16	6	1	-
	White—M	329	78	8	2	4	1	2	2	2	-	4	4	1	10	10	9	26	20	24	28	39	32	18	5	-	-	-
	F	293	73	8	4	1	3	5	-	2	2	2	2	1	4	1	4	10	8	15	30	32	42	27	11	5	1	-
	Nonwhite—M	58	29	2	-	-	1	-	-	-	1	-	1	1	3	2	2	2	3	2	4	4	1	-	-	-	-	-
	F	33	14	4	-	1	-	-	1	-	-	-	-	-	2	3	1	2	1	-	1	1	1	-	-	1	-	-
108	Lobar pneumonia	503	41	6	3	1	2	2	4	5	8	7	12	10	21	26	39	45	45	47	58	47	44	17	12	1	-	-
	White—M	255	15	3	-	-	-	1	1	1	3	2	6	3	11	18	19	27	34	27	32	22	19	6	1	-	-	-
	F	183	16	1	3	1	1	1	1	3	2	2	3	3	4	4	10	12	8	18	24	25	21	9	11	-	-	-
	Nonwhite—M	38	7	-	-	-	-	-	-	1	3	1	3	2	4	3	3	4	2	1	1	-	3	-	-	-	-	-
	F	27	3	2	-	-	1	-	2	-	-	2	-	-	2	1	7	2	1	1	1	-	1	-	-	1	-	-
109	Pneumonia (unspecified)	88	23	3	2	-	2	-	2	2	-	-	2	7	2	7	4	3	3	2	7	6	5	5	-	1	-	-
	White—M	48	12	3	1	-	1	-	1	-	-	-	1	2	2	4	2	2	3	1	6	3	2	2	-	-	-	-
	F	28	5	-	-	-	1	-	1	2	-	-	-	3	-	2	2	1	-	-	1	3	3	3	-	1	-	-
	Nonwhite—M	6	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	35	3	1	-	-	1	1	-	-	1	1	-	-	3	1	1	5	2	3	3	2	3	3	1	-	-	-
	White—M	17	3	1	-	-	-	1	-	-	1	-	-	-	2	-	-	3	1	1	1	-	2	1	-	-	-	-
	F	14	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	1	2	2	2	1	1	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	341	4	-	-	-	-	-	-	-	1	2	5	10	24	30	48	48	50	45	35	21	10	7	1	-	-	-
	White—M	284	2	-	-	-	-	-	-	-	1	2	4	7	16	27	42	41	43	37	30	18	8	5	1	-	-	-
	F	43	2	-	-	-	-	-	-	-	-	-	-	1	5	2	3	7	4	8	4	3	2	2	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	-	3	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	89	39	5	3	-	-	1	-	1	4	5	3	2	4	3	2	6	-	5	4	1	1	-	-	-	-	-
	White—M	43	20	2	-	-	-	-	-	-	2	-	2	1	1	2	2	2	-	5	2	1	1	-	-	-	-	-
	F	37	13	2	1	-	-	1	-	1	2	5	1	1	3	1	-	4	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	143	-	-	1	2	1	5	5	11	6	2	5	5	4	10	13	23	20	13	8	6	2	1	-	-	-	-
	White—M	70	-	-	1	2	-	1	1	7	5	1	2	3	1	5	6	12	10	8	2	1	2	-	-	-	-	-
	F	62	-	-	-	-	1	3	1	3	1	1	2	2	3	4	6	9	9	5	6	5	-	1	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	355	10	2	1	2	1	4	-	2	3	4	2	6	10	16	25	35	44	53	47	43	23	14	4	4	-	-
	White—M	159	7	1	1	1	1	3	-	1	2	2	1	-	2	10	10	16	12	27	24	19	10	5	1	3	-	-
	F	172	1	1	-	1	-	1	-	1	1	1	1	2	6	5	14	17	26	25	22	23	11	9	3	1	-	-
	Nonwhite—M	11	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	1	1	1	1	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	2	4	-	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	656	-	2	-	1	-	-	1	1	1	4	16	24	52	64	77	94	102	71	66	51	15	14	-	-	-	-
	White—M	422	-	-	-	1	-	-	1	-	-	2	11	10	30	41	44	71	76	48	39	33	8	7	-	-	-	-
	F	212	-	1	-	-	-	-	-	1	1	2	5	10	21	21	29	22	22	23	23	17	7	7	-	-	-	-
	Nonwhite—M	14	-	1	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	-	2	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	1	-	2	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	212	-	-	-	-	-	1	-	-	1	1	3	4	15	8	20	26	35	30	26	25	7	7	2	1	-	-
	White—M	67	-	-	-	-	-	-	-	-	-	-	2	-	2	3	9	8	10	10	11	7	1	4	-	-	-	-
	F	134	-	-	-	-	-	1	-	-	-	1	1	4	11	5	6	18	23	18	14	18	6	3	2	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	2	2	-	-	-	-	-	-	-	-
130-132	Nephritis	2,554	1	-	3	6	2	2	6	7	17	28	27	60	91	90	164	184	242	298	372	400	306	185	48	13	2	-
	White—M	1,156	-	-	2	3	1	1	2	4	11	14	9	28	49	51	74	93	115	132	162	184	138	76	21	4	-	-
	F	1,111	-	-	1	3	-	1	4	3	4	9	11	18	24	36	58	64	94	125	186	184	153	98	22	9	2	-
	Nonwhite—M	133	1	-	-	-	-	-	-	-	1	1	3	4	7	11	13	12	13	22	14	18	8	5	-	-	-	-
	F	154	-	-	-	-	1	-	-	-	1	4	4	10	11	12	19	15	20	19	8	14	7	4	5	-	-	-
137	Diseases of the prostate	194	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	9	19	31	48	34	30	17	4	-	-	-
	White—M	185	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	8	17	29	44	34	30	17	4	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																											
140-150	Diseases of pregnancy, etc.*-----	74	-	-	-	-	-	-	-	3	11	15	20	18	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	64	-	-	-	-	-	-	-	2	7	15	16	17	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	1	4	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	19	-	-	-	-	-	-	-	1	1	3	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	1	-	3	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	22	-	-	-	-	-	-	-	2	4	3	4	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	-	-	-	-	-	-	1	3	3	4	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	27	-	-	-	-	-	-	-	-	4	9	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	-	-	-	-	-	-	-	-	3	9	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes----------	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	547	452	24	8	4	3	12	7	5	5	5	3	3	3	7	2	1	1	2	-	-	-	-	-	-	-	-
	White-----M--	294	242	12	4	4	2	5	4	5	3	3	2	2	1	2	-	1	1	1	-	-	-	-	-	-	-	-
	F--	206	170	9	4	-	1	7	3	-	1	2	-	-	1	5	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	26	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	14	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,586	1,586	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	806	806	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	539	539	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,016	1,016	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	491	491	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	342	342	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	570	570	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	315	315	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	197	197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	597	-	-	-	-	-	-	2	4	23	29	35	43	57	57	64	66	72	44	47	34	14	5	1	-	-	-
	White-----M--	419	-	-	-	-	-	-	2	3	11	18	22	25	30	43	51	41	63	34	36	24	12	3	1	-	-	-
	F--	155	-	-	-	-	-	-	-	1	10	9	11	13	19	12	12	24	9	10	11	10	2	2	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	2	-	5	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	123	8	1	-	-	-	1	2	4	6	18	17	16	13	11	12	5	4	1	3	1	-	-	-	-	-	-
	White-----M--	40	2	1	-	-	-	-	-	-	2	4	5	3	4	3	7	4	3	1	-	1	-	-	-	-	-	-
	F--	26	4	-	-	-	-	1	2	1	-	4	2	3	2	2	2	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	40	1	-	-	-	-	-	-	3	4	9	7	7	2	4	1	-	-	-	2	-	-	-	-	-	-	-
	F--	17	1	-	-	-	-	-	-	-	-	1	3	3	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,399	66	30	25	19	16	86	55	73	140	98	81	113	118	117	127	152	150	148	197	214	176	138	52	15	1	2
	White-----M--	1,401	29	13	10	11	8	48	35	46	109	65	54	79	71	79	90	115	113	94	107	95	63	48	13	4	-	2
	F--	760	18	10	12	6	3	16	6	9	14	8	17	11	24	26	27	30	33	48	81	115	108	88	39	10	1	-
	Nonwhite--M--	160	9	4	3	-	3	15	8	14	14	10	6	17	18	8	8	5	2	5	5	2	3	-	-	1	-	-
	F--	78	10	3	-	2	2	7	6	4	3	5	4	6	5	4	2	2	2	1	4	2	2	2	-	-	-	-
170	Motor-vehicle accidents-------	616	-	8	4	4	5	32	14	33	74	38	32	30	37	31	37	42	42	44	52	35	15	7	-	-	-	-
	White-----M--	453	-	4	-	4	3	21	9	22	63	29	25	24	20	22	28	29	33	33	41	25	11	7	-	-	-	-
	F--	120	-	4	3	-	1	7	4	6	7	5	5	3	12	6	6	12	9	10	9	9	2	-	-	-	-	-
	Nonwhite--M--	29	-	-	1	-	-	4	-	3	3	3	1	1	5	2	3	1	-	1	-	1	1	-	-	-	-	-
	F--	14	-	-	-	-	1	-	1	2	1	1	1	2	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,783	66	22	21	15	11	54	41	40	66	50	49	83	81	86	90	110	108	104	145	179	161	131	52	15	1	2
	White-----M--	948	29	9	10	7	5	27	26	24	46	36	29	55	51	57	62	85	80	61	66	70	52	41	13	4	-	2
	F--	640	18	6	9	6	2	9	2	3	7	3	12	8	12	20	21	18	24	38	72	106	108	88	39	10	1	-
	Nonwhite--M--	131	9	4	2	-	3	11	8	11	11	7	5	16	13	6	5	4	2	4	5	2	2	-	-	1	-	-
	F--	64	10	3	-	2	1	7	5	2	2	4	3	4	5	3	2	2	2	1	2	1	1	2	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	231	14	1	-	-	-	-	-	-	1	3	4	2	4	3	3	4	9	7	14	20	46	48	35	11	2	-
	White-----M--	101	9	-	-	-	-	-	-	-	-	3	2	-	2	2	3	2	3	3	5	8	15	19	21	4	-	-
	F--	112	3	1	-	-	-	-	-	-	1	-	2	1	2	1	-	-	3	4	8	10	28	26	14	6	2	-
	Nonwhite--M--	12	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	2	1	3	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	-
	All other causes-	2,478	106	44	35	20	13	39	33	41	67	85	88	102	124	166	194	237	274	235	222	167	110	47	22	8	1	-
	White-----M--	1,230	56	26	21	8	7	21	12	25	28	33	29	40	50	78	92	132	163	134	113	86	50	16	8	2	-	-
	F--	1,026	38	15	14	11	6	15	16	10	23	35	43	38	55	70	82	88	102	84	94	78	57	51	14	6	1	-
	Nonwhite--M--	107	6	1	-	-	-	2	5	1	6	6	5	9	11	7	9	10	6	12	7	2	2	-	-	-	-	-
	F--	115	6	2	-	1	-	1	-	5	10	9	11	15	8	11	11	7	3	5	8	1	1	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																										
	ALL CAUSES-------	5,609	1,438	139	49	32	26	73	58	115	125	150	124	163	194	209	252	303	335	373	419	398	293	223	68	27	12	11
	White-----M--	2,957	679	55	12	19	11	45	32	60	53	66	62	80	109	126	153	179	199	236	232	217	163	118	35	9	5	2
	F--	2,048	529	43	19	10	7	18	16	38	45	53	39	64	66	67	77	105	115	122	172	167	118	101	28	17	4	8
	Nonwhite--M--	324	121	18	4	3	4	4	5	7	16	18	11	7	8	11	13	15	13	10	9	11	7	3	2	1	2	1
	F--	280	109	23	14	-	4	6	5	10	11	13	12	12	11	5	9	4	8	5	6	3	5	1	3	-	1	-
1,2	Typhoid and paratyphoid fever---	5	-	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	43	25	8	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	7	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	8	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	3	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	9	-	1	-	1	-	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	1	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	303	8	8	5	2	2	5	8	14	22	42	26	27	23	22	28	16	19	11	7	5	1	-	1	-	-	1
	White-----M--	129	1	2	1	1	-	1	-	3	2	12	10	10	17	13	17	11	15	6	3	3	1	-	-	-	-	-
	F--	91	3	2	1	1	-	2	3	6	12	16	9	8	2	7	8	2	2	3	-	2	-	-	1	-	-	1
	Nonwhite--M--	44	3	3	1	-	1	1	3	3	4	7	4	2	-	1	2	2	2	1	4	-	-	-	-	-	-	-
	F--	39	1	1	2	-	1	1	2	2	4	7	3	7	4	1	1	1	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	269	3	3	4	1	1	2	5	12	20	38	24	24	22	22	28	16	19	10	7	5	1	-	1	-	-	1
	White-----M--	119	-	-	1	1	-	-	-	2	1	10	9	10	17	13	17	11	15	5	3	3	1	-	-	-	-	-
	F--	81	1	1	1	-	-	1	1	6	12	15	8	8	1	7	8	2	2	3	-	2	-	-	1	-	-	1
	Nonwhite--M--	34	1	1	1	-	-	-	3	2	3	6	4	1	-	1	2	2	2	1	4	-	-	-	-	-	-	-
	F--	35	1	1	1	-	1	1	1	2	4	7	3	5	4	1	1	1	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	34	5	5	1	1	1	3	3	2	2	4	2	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	10	1	2	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	2	1	-	1	-	1	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	2	2	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	39	36	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	23	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	12	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	63	10	-	-	-	-	-	-	1	-	1	1	3	4	2	8	8	10	1	7	4	3	-	-	-	-	-
	White-----M--	34	2	-	-	-	-	-	-	-	-	1	-	1	1	2	6	5	5	1	6	3	1	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-
	F--	13	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	-	-	1	1	-	-	-	-	-
35	Measles----------	9	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Policmyelitis, polioencephalitis (acute)---	9	-	-	-	-	2	2	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	2	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																										
45-55	Cancer and other malignant tumors	445	1	1	1	1	-	1	1	1	1	5	3	10	18	29	35	44	59	63	60	57	31	19	3	-	-	1
	White-----M--	211	-	1	-	-	-	1	-	1	1	3	2	5	5	11	14	15	23	39	29	27	21	12	1	-	-	-
	F--	223	1	-	1	1	-	-	1	-	-	2	1	5	12	18	18	27	33	24	31	28	10	7	2	-	-	1
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	199	1	-	-	-	-	-	-	-	-	1	1	4	5	8	8	21	29	33	25	35	20	7	-	-	-	1
	White-----M--	92	-	-	-	-	-	-	-	-	-	1	1	2	2	2	6	7	10	18	10	17	13	2	-	-	-	-
	F--	102	1	-	-	-	-	-	-	-	-	-	-	2	3	6	2	14	16	14	15	16	7	5	-	-	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	42	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	3	9	2	6	6	1	1	-	-	-	-
	White-----F--	42	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	3	9	2	6	6	1	1	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	34	-	-	-	-	-	-	-	-	-	1	-	1	5	5	4	3	4	4	4	1	1	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	1	-	1	4	5	4	3	4	4	4	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47 51-55	Cancer (other sites)----------	170	-	1	1	1	-	1	1	1	1	3	2	4	8	11	17	17	17	24	25	15	9	10	3	-	-	-
	White-----M--	119	-	1	-	-	-	1	-	1	1	2	1	3	3	9	8	8	13	20	19	10	8	10	1	-	-	-
	F--	46	-	-	1	1	-	-	1	-	-	1	1	1	3	2	6	7	4	4	6	5	1	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	10	-	-	-	-	-	1	3	-	2	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	55	-	-	1	-	-	-	1	1	-	2	1	3	3	3	1	5	4	6	12	5	5	1	1	-	-	-
	White-----M--	24	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	2	3	3	3	3	2	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	1	-	2	-	1	1	2	-	3	1	3	9	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
63b	Exophthalmic goiter----------	10	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	1	-	1	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	13	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	1	4	-	-	-	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	4	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	275	3	-	-	-	-	1	-	1	2	-	-	2	6	8	14	18	25	37	48	39	35	25	4	4	-	1
	White-----M--	158	1	-	-	-	-	1	-	-	1	-	-	-	1	3	7	8	14	19	26	20	24	11	2	-	-	-
	F--	129	2	-	-	-	-	-	-	1	1	-	-	1	3	5	5	10	11	18	22	19	10	14	2	4	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	921	4	2	-	-	-	3	3	3	11	9	11	22	36	37	56	91	92	134	127	124	84	52	12	6	1	1
	White-----M--	563	1	-	-	-	-	3	2	1	5	5	5	13	22	26	38	62	62	92	82	62	43	29	7	2	1	-
	F--	333	2	1	-	-	-	-	1	2	5	3	6	7	14	9	16	26	26	41	45	57	40	23	5	3	-	1
	Nonwhite--M--	17	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	-	5	1	-	-	1	-	-
	F--	8	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	86	-	-	-	-	-	3	2	2	4	4	8	7	8	5	4	7	5	9	8	4	5	-	1	-	-	-
	White-----M--	42	-	-	-	-	-	3	2	1	2	3	5	3	4	2	1	3	3	4	4	-	2	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	1	1	1	3	3	4	1	2	4	2	5	4	3	3	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	331	-	1	-	-	-	-	-	-	2	-	1	10	17	13	33	47	41	58	42	41	13	9	2	1	-	-
	White-----M--	243	-	-	-	-	-	-	-	-	-	-	-	8	13	11	25	37	33	43	32	24	9	5	2	1	-	-
	F--	85	-	1	-	-	-	-	-	-	2	-	1	2	4	2	8	9	7	15	10	16	4	4	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	604	4	1	-	-	-	1	1	5	5	2	5	11	18	19	37	46	67	77	79	66	43	9	5	1	1
	White-----M--	278	1	-	-	-	-	-	-	3	2	-	2	5	13	12	22	26	45	46	38	32	24	5	1	1	-	-
	F--	210	2	-	-	-	-	1	1	2	2	2	2	6	6	6	13	17	21	31	38	33	19	4	3	-	1	
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	3	1	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
97, 102	Arteriosclerosis and high blood pressure*	60	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	1	10	7	13	14	5	1	-	-
	White—M	37	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	5	6	8	9	3	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	5	1	5	5	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	400	198	31	10	1	2	5	1	-	4	1	4	5	14	10	6	9	15	13	16	27	13	9	4	1	1	-
	White—M	192	92	13	3	1	2	2	1	-	1	-	2	4	7	2	2	6	11	9	6	13	6	7	2	-	-	-
	F	143	67	12	5	-	-	2	-	-	3	1	-	1	4	5	2	2	3	4	8	12	6	2	2	1	1	-
	Nonwhite—M	24	14	2	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	2	-	-	-	-	-	-
	F	41	25	4	2	-	-	1	-	-	-	-	2	-	2	1	1	-	-	-	2	-	1	-	-	-	-	-
107	Bronchopneumonia	174	100	14	4	-	-	3	1	-	3	-	-	-	5	2	1	3	6	4	7	12	1	4	3	1	-	-
	White—M	77	38	6	-	-	-	1	1	-	1	-	-	-	4	2	1	2	5	4	2	5	-	3	1	-	-	-
	F	62	34	3	3	-	-	1	-	-	2	-	-	-	-	-	-	1	1	-	3	7	1	1	2	1	-	-
	Nonwhite—M	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	15	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	131	48	11	5	-	1	-	-	-	1	-	2	4	6	5	3	4	7	6	7	8	8	3	1	-	1	-
	White—M	83	22	5	3	-	1	-	-	-	-	-	-	4	2	-	1	2	4	3	4	4	5	2	1	-	-	-
	F	45	18	5	1	-	-	-	-	-	1	-	-	-	3	3	-	1	2	3	2	2	2	1	-	-	1	-
	Nonwhite—M	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	-	-	-	-	-	-
	F	15	7	1	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	64	37	2	1	1	-	-	-	-	-	1	2	1	2	2	1	1	1	3	1	3	2	1	-	-	-	-
	White—M	38	24	1	-	1	-	-	-	-	-	-	2	-	1	-	-	1	1	2	-	3	1	1	-	-	-	-
	F	21	10	1	1	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	2	1	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	31	13	4	-	-	1	2	-	-	-	-	-	-	1	1	1	1	1	-	1	2	2	1	-	-	-	-
	White—M	14	7	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	F	15	5	3	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	1	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	23	-	-	-	-	-	-	-	-	-	1	1	3	1	4	6	-	2	3	1	-	-	1	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	1	-	3	1	4	6	-	2	3	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	282	250	15	2	1	1	2	2	-	-	-	1	-	-	1	1	1	1	-	-	1	-	1	1	1	-	-
	White—M	114	105	4	1	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	119	103	4	1	-	1	2	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	1	1	-	-
	Nonwhite—M	26	22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	25	1	-	-	1	1	3	4	2	2	-	2	2	-	2	-	1	2	1	1	-	-	-	-	-	-	-
	White—M	13	-	-	-	-	-	1	3	1	1	-	2	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	1	1	2	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	8	1	-	2	1	1	-	-	1	1	-	3	1	2	-	3	6	5	6	1	2	2	-	-	-	1
	White—M	17	3	-	-	1	1	-	-	-	-	-	-	-	-	2	-	1	2	1	3	1	1	1	-	-	-	-
	F	28	4	1	-	1	-	1	-	-	1	1	-	3	1	-	-	2	4	4	3	-	1	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	39	-	-	-	-	-	-	-	-	-	3	-	-	4	5	3	8	3	4	3	5	-	-	-	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	1	-	-	-	4	2	8	3	3	1	4	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	2	-	-	4	1	1	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	26	-	-	-	-	-	-	-	-	-	2	2	-	1	1	5	5	1	3	2	3	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	2	1	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	5	-	1	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis	204	3	-	1	3	-	3	3	2	1	7	3	8	5	6	7	10	14	23	33	27	18	18	5	2	1	1
	White—M	109	1	-	-	3	-	1	2	1	1	2	1	3	1	3	4	6	5	13	24	14	10	7	3	1	1	1
	F	88	2	-	-	-	-	1	-	-	-	3	2	5	4	3	3	4	8	9	9	13	8	11	2	1	-	-
	Nonwhite—M	6	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	6	7	1	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	6	7	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																										
140-150	Diseases of pregnancy, etc.*----	49	-	-	-	-	-	-	-	10	8	10	7	10	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	-	-	-	-	-	-	-	6	5	9	5	9	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	-	-	-	-	-	-	-	4	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	9	-	-	-	-	-	-	-	2	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	18	-	-	-	-	-	-	-	5	1	5	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	3	1	4	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	14	-	-	-	-	-	-	-	2	5	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	-	1	3	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	8	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	110	100	2	2	-	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	47	1	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	46	43	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	490	490	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	266	266	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158	Premature birth--	319	319	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	182	182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	46	-	-	-	-	-	1	2	3	5	5	1	4	6	3	4	1	3	2	3	2	1	-	-	-	-
	White-----M--	34	-	-	-	-	-	1	-	2	3	3	-	3	5	2	4	-	3	2	3	2	1	-	-	-	-
	F--	10	-	-	-	-	-	-	2	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-166	Homicide----------	43	-	-	-	-	-	2	3	3	10	5	4	5	3	2	2	1	2	-	-	-	1	-	-	-	-
	White-----M--	24	-	-	-	-	-	1	2	2	5	-	2	4	2	2	1	1	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	2	4	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-185	Accidental deaths	543	25	21	7	10	8	22	18	51	51	38	29	37	36	32	21	28	24	12	13	21	15	17	4	2	1	-
	White-----M--	378	14	12	2	7	5	17	14	41	33	28	26	28	30	24	15	20	21	10	7	12	3	6	1	2	-	-
	F--	115	8	8	4	2	2	3	3	8	10	4	1	7	4	3	3	6	2	1	4	6	12	11	2	-	1	-
	Nonwhite--M--	41	2	1	-	1	1	2	1	2	8	5	1	1	2	4	3	2	1	1	1	1	-	-	1	-	-	-
	F--	9	1	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	2	-	-	-	-	-	-
170	Motor-vehicle accidents-------	226	4	7	1	2	5	5	8	28	30	17	16	17	22	15	8	15	11	3	3	6	2	1	-	-	-	-
	White-----M--	158	2	3	-	1	3	3	7	22	20	11	15	10	17	9	5	10	10	3	2	4	1	-	-	-	-	-
	F--	49	2	4	-	1	2	1	1	5	6	3	-	6	4	2	1	5	1	-	1	2	1	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	-	1	4	2	1	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	317	21	14	6	8	3	17	10	23	21	21	13	20	14	17	13	13	13	9	10	15	13	16	4	2	1	-
	White-----M--	220	12	9	2	6	2	14	7	19	13	17	11	18	13	15	10	10	11	7	5	8	2	6	1	2	-	-
	F--	66	6	4	4	1	-	2	2	3	4	1	1	1	-	1	2	1	1	1	3	4	11	10	2	-	1	-
	Nonwhite--M--	26	2	1	-	1	1	1	1	1	4	3	-	1	1	1	1	2	1	1	1	1	-	-	1	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	654	220	30	5	1	2	7	-	7	6	3	4	6	8	17	25	26	27	29	47	42	55	44	20	10	8	5
	White-----M--	307	97	11	-	-	-	4	-	1	1	1	-	4	3	12	14	15	12	13	22	26	29	23	11	4	3	1
	F--	225	72	5	2	1	-	1	-	3	1	1	2	2	4	3	8	7	10	8	22	15	20	20	7	6	2	4
	Nonwhite--M--	63	28	4	1	-	-	-	-	1	3	-	1	-	-	2	2	1	3	6	2	1	4	1	1	-	2	-
	F--	58	23	10	2	-	2	2	-	2	1	1	1	-	1	-	1	3	2	2	1	-	2	-	1	-	1	-
	All other causes-	330	54	14	6	6	3	10	7	13	7	6	15	11	14	15	26	20	20	18	18	21	9	11	6	-	-	-
	White-----M--	160	18	8	3	3	1	5	2	5	2	2	6	4	8	7	18	11	10	13	8	13	5	5	3	-	-	-
	F--	124	14	2	2	2	1	4	3	8	3	4	8	6	5	7	7	8	10	4	9	8	4	4	1	-	-	-
	Nonwhite--M--	22	12	2	1	1	1	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-
	F--	24	10	2	-	-	-	1	1	-	2	-	1	-	1	1	-	-	-	1	1	-	-	1	2	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	ALL CAUSES	158,242	8,258	534	264	212	171	594	461	818	1,394	1,780	2,200	3,338	5,100	7,596	11,259	14,397	17,891	19,488	20,236	18,096	13,445	7,488	2,597	524	63	58
	White	82,074	4,205	269	134	103	103	344	257	421	682	751	918	1,498	2,595	4,188	6,515	8,382	10,554	10,775	10,572	8,678	5,970	3,015	931	169	16	40
	M	66,493	3,009	203	106	82	52	198	155	243	418	611	807	1,228	1,707	2,502	3,775	5,109	6,537	8,004	9,093	9,043	7,254	4,343	1,621	346	37	12
	F	5,304	601	34	11	12	11	34	22	74	143	220	246	317	463	528	568	532	455	373	303	169	91	54	15	3	1	5
	Nonwhite	4,371	445	28	13	15	6	20	27	80	171	198	229	295	335	378	401	364	345	336	268	186	130	56	30	7	7	1
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	61	13	7	4	2	3	2	3	3	2	-	2	2	3	2	4	3	4	1	1	-	-	-	-	-	-	-
	White	39	10	5	4	1	3	2	2	3	1	-	1	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-
	F	19	2	2	-	1	-	-	1	-	-	-	-	1	3	-	2	3	2	1	1	-	-	-	-	-	-	-
	Nonwhite	3	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	31	16	10	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	15	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	5	4	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	10	-	-	-	1	1	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	5,128	24	29	14	8	9	11	12	97	252	349	356	418	484	540	597	514	455	395	260	178	88	29	9	-	-	1
	White	2,893	5	9	8	3	2	6	2	17	47	85	111	172	264	337	450	369	358	286	175	118	52	13	3	-	-	1
	F	1,058	9	9	4	1	1	3	5	22	74	102	109	113	96	72	72	64	53	78	66	52	35	12	6	-	-	-
	Nonwhite	703	4	2	1	1	3	2	-	16	46	70	75	78	93	107	59	61	38	19	16	7	-	3	-	-	-	-
	F	474	6	9	1	3	2	-	5	42	85	92	61	55	31	24	16	20	6	12	1	1	1	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	4,799	11	12	4	1	4	5	8	83	236	321	331	400	465	517	572	486	433	370	245	170	86	29	9	-	-	1
	White	2,766	3	3	3	1	1	3	2	14	43	81	105	170	255	327	435	353	345	273	162	114	50	13	3	-	-	1
	F	966	2	5	-	-	1	1	4	18	71	95	102	105	94	63	68	56	47	68	65	48	35	12	6	-	-	-
	Nonwhite	649	3	1	1	-	1	1	-	13	41	66	69	74	86	104	55	54	35	18	17	7	-	3	-	-	-	-
	F	418	3	3	-	-	1	-	2	38	81	79	55	51	30	23	14	17	6	11	1	1	1	1	-	-	-	-
14-22	Tuberculosis (other forms)	329	13	17	10	7	4	6	4	14	16	28	25	18	13	23	25	28	22	25	15	8	2	-	-	-	-	-
	White	127	2	6	5	2	1	3	-	3	4	4	6	2	9	10	15	10	13	13	13	4	2	-	-	-	-	-
	F	92	7	4	4	1	-	2	1	4	3	7	7	8	2	9	4	8	6	10	1	4	-	-	-	-	-	-
	Nonwhite	54	1	1	-	1	2	1	-	3	5	4	6	4	7	3	4	7	3	1	1	-	-	-	-	-	-	-
	F	56	3	6	1	3	1	-	3	4	4	13	6	4	1	1	2	3	-	1	-	-	-	-	-	-	-	-
27	Dysentery	16	5	2	-	-	2	2	-	-	1	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	White	8	2	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
	F	7	3	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,189	14	-	-	1	-	-	-	1	2	11	20	44	97	114	149	163	190	168	112	68	26	6	1	-	-	2
	White	657	9	-	-	-	-	-	-	-	-	2	2	9	27	51	69	99	137	129	68	41	11	2	-	-	-	1
	F	229	2	-	-	-	-	-	-	1	1	3	-	7	15	18	35	30	30	23	29	19	12	4	1	-	-	1
	Nonwhite	229	1	-	-	-	-	-	-	-	1	5	11	15	45	37	39	27	15	13	11	7	2	-	-	-	-	-
	F	74	2	-	-	1	-	-	-	-	-	1	7	13	10	10	6	7	8	3	4	1	1	-	-	-	-	-
35	Measles	48	3	6	4	4	6	16	5	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	23	1	3	2	1	6	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	21	2	3	2	2	-	8	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	53	2	1	-	-	1	6	11	7	6	6	6	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	32	2	-	-	-	1	4	5	3	5	4	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	-	1	-	-	-	2	6	3	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
45-55	Cancer and other malignant tumors	25,528	12	11	14	17	13	41	31	54	75	158	258	586	932	1,618	2,483	3,280	3,840	3,799	3,429	2,672	1,454	583	144	21	1	2
	White-----M--	12,322	8	6	6	11	5	20	14	24	44	64	90	164	300	616	1,056	1,617	2,044	2,045	1,824	1,358	686	263	47	8	1	1
	F--	12,036	3	4	7	3	7	17	15	22	24	76	141	344	540	870	1,233	1,487	1,649	1,649	1,520	1,260	750	308	93	13	-	1
	Nonwhite--M--	556	1	-	-	2	-	2	-	4	3	5	5	17	37	61	105	88	78	58	42	29	10	6	3	-	-	-
	F--	614	-	1	1	1	1	2	2	4	4	13	22	61	55	71	89	88	69	47	43	25	8	6	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	11,200	-	1	1	2	1	4	6	5	14	35	89	156	278	552	977	1,365	1,722	1,831	1,765	1,370	731	272	44	9	-	-
	White-----M--	5,867	-	1	1	2	-	3	3	2	4	20	27	63	112	268	491	744	979	1,012	947	713	342	116	12	5	-	-
	F--	4,853	-	-	-	-	1	-	2	2	7	11	29	72	132	238	401	541	675	767	774	636	382	149	30	4	-	-
	Nonwhite--M--	289	-	-	-	-	-	-	-	1	2	3	1	8	21	32	55	46	40	36	23	14	3	2	2	-	-	-
	F--	191	-	-	-	-	-	1	1	-	1	1	2	13	13	14	30	34	28	16	21	7	4	5	-	-	-	-
48,49	Cancer of female genital organs--	2,582	-	-	-	-	-	-	-	7	8	13	55	118	179	266	338	382	367	299	250	169	85	39	6	1	-	-
	White-----F--	2,369	-	-	-	-	-	-	-	6	6	10	44	90	155	236	312	353	344	282	240	162	84	39	5	1	-	-
	Nonwhite--F--	213	-	-	-	-	-	-	-	1	2	3	11	28	24	30	26	29	23	17	10	7	1	-	1	-	-	-
50	Cancer of breast-	2,747	-	-	-	-	-	-	1	-	-	20	40	128	172	273	340	355	325	327	275	234	147	69	36	5	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	4	5	2	-	3	-	1	-	-	-
	F--	2,628	-	-	-	-	-	-	1	-	-	17	35	115	158	262	328	345	312	313	264	227	143	68	35	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	-	-	-	-	-	-	-	-	-	3	4	13	12	9	9	8	9	9	9	7	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	8,999	12	10	13	15	12	37	24	42	53	90	104	184	303	527	828	1,176	1,426	1,342	1,139	899	491	203	58	6	1	2
	White-----M--	6,430	8	5	5	9	5	17	11	22	40	44	62	101	186	346	562	871	1,061	1,028	875	645	341	147	34	3	1	1
	F--	2,186	3	4	7	3	6	17	12	14	11	36	33	67	95	134	192	248	318	287	242	235	141	52	23	3	-	1
	Nonwhite--M--	267	1	-	-	2	-	2	-	3	1	2	4	9	16	29	50	42	38	22	19	15	7	4	1	-	-	-
	F--	116	-	1	1	1	1	1	1	3	1	6	5	7	6	18	24	17	9	5	3	4	2	-	-	-	-	-
58	Acute rheumatic fever----------	82	-	-	-	1	1	13	16	6	5	5	9	8	5	5	2	4	-	-	1	1	-	-	-	-	-	-
	White-----M--	32	-	-	-	-	1	7	7	2	3	1	2	1	3	2	1	1	-	-	-	1	-	-	-	-	-	-
	F--	42	-	-	-	1	-	5	8	2	2	3	7	6	2	1	1	3	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	6,233	2	1	-	1	2	1	5	14	11	23	25	47	67	176	384	698	1,050	1,192	1,103	828	441	128	32	-	-	2
	White-----M--	2,121	-	-	-	-	-	1	2	3	3	9	15	19	29	63	144	260	351	370	384	286	134	37	11	-	-	-
	F--	3,858	2	1	-	1	2	-	3	8	6	9	6	17	25	80	204	408	664	785	691	527	306	90	21	-	-	2
	Nonwhite--M--	75	-	-	-	-	-	-	-	2	1	3	2	3	4	9	11	11	10	6	8	5	-	-	-	-	-	-
	F--	179	-	-	-	-	-	-	-	1	1	2	2	8	9	24	25	19	25	31	20	10	1	1	-	-	-	-
63b	Exophthalmic goiter----------	205	-	-	-	-	-	-	-	-	2	2	9	10	9	8	24	22	38	32	27	17	4	1	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	8	9	4	3	1	-	-	-	-	-	-
	F--	159	-	-	-	-	-	-	-	-	2	-	6	8	7	6	22	13	25	25	24	16	4	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	4	3	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	310	-	-	-	-	-	-	-	-	-	4	19	30	48	56	45	37	32	20	9	7	1	1	1	-	-	-
	White-----M--	208	-	-	-	-	-	-	-	-	-	1	9	23	26	41	30	24	23	15	8	6	-	1	1	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	2	3	8	8	5	7	7	1	-	1	1	-	-	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	3	4	3	12	4	9	6	2	3	1	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	4	1	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	10,874	15	5	1	-	1	5	11	7	17	29	44	84	160	345	597	852	1,201	1,510	1,777	1,754	1,417	745	249	40	7	1
	White-----M--	4,793	10	3	1	-	-	1	5	4	10	12	12	33	58	138	252	394	604	749	807	745	579	289	72	14	1	-
	F--	5,622	5	1	-	-	1	4	5	2	4	13	24	35	70	157	281	406	530	708	916	978	822	454	174	28	6	-
	Nonwhite--M--	199	-	1	-	-	-	-	1	1	2	1	3	8	10	26	33	21	22	22	27	12	8	1	-	-	-	-
	F--	260	-	-	-	-	-	-	-	-	1	3	5	8	22	24	31	31	45	31	27	19	6	1	3	-	-	1
90-95	Diseases of the heart----------	61,733	1	7	2	3	5	31	51	61	106	200	333	672	1,431	2,487	4,059	5,597	7,442	8,641	9,530	8,681	8,799	3,916	1,314	294	28	22
	White-----M--	33,732	1	4	-	1	2	13	24	40	53	96	173	405	910	1,658	2,715	3,610	4,718	4,975	5,071	4,159	2,970	1,541	473	91	10	19
	F--	25,459	-	3	2	-	2	14	19	32	43	72	112	182	361	594	1,044	1,662	2,397	3,351	4,204	4,334	3,698	2,309	814	195	12	3
	Nonwhite--M--	1,277	-	-	-	-	1	3	3	4	4	17	24	40	78	114	149	183	191	159	126	93	47	30	8	2	1	-
	F--	1,265	-	-	-	2	-	1	5	5	6	15	24	45	82	121	151	142	136	156	129	95	84	36	19	6	5	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	2,663	-	2	-	2	1	23	41	57	71	135	154	212	283	304	298	263	209	173	142	124	95	53	18	3	-	-
	White-----M--	1,151	-	1	-	1	1	10	20	26	35	53	71	87	113	125	125	121	101	77	72	59	36	14	3	-	-	-
	F--	1,341	-	1	-	-	-	9	14	25	30	57	67	108	148	156	154	134	105	90	68	63	56	39	14	3	-	-
	Nonwhite--M--	78	-	-	-	-	-	3	3	2	3	14	9	5	8	9	9	6	2	4	-	2	1	-	-	-	-	-
	F--	93	-	-	-	1	-	1	4	4	3	11	7	14	14	14	10	2	1	2	2	-	2	-	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	18,254	-	-	-	-	-	1	1	4	7	29	75	247	646	1,153	1,826	2,345	2,800	2,825	2,557	1,898	1,152	511	138	31	2	6
	White-----M--	12,762	-	-	-	-	-	-	-	3	6	23	57	205	530	986	1,499	1,827	2,081	1,960	1,615	1,071	611	226	60	15	1	6
	F--	5,117	-	-	-	-	-	1	1	-	1	3	14	27	75	144	272	472	660	818	918	804	530	285	78	15	1	-
	Nonwhite--M--	242	-	-	-	-	-	-	-	1	-	2	2	11	25	29	40	29	43	28	15	11	6	-	-	-	-	-
	F--	133	-	-	-	-	-	-	-	-	-	1	2	4	16	14	15	17	16	19	9	12	5	2	-	1	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	40,816	1	5	2	1	4	7	9	20	28	36	104	213	502	1,030	1,935	2,989	4,435	5,643	6,851	6,659	5,552	3,352	1,158	260	26	16
	White-----M--	19,819	1	3	-	-	1	3	4	11	12	20	45	113	267	567	1,091	1,862	2,536	2,938	3,384	3,029	2,323	1,301	410	76	9	13
	F--	19,001	-	2	2	-	2	4	4	7	12	12	31	47	138	294	618	1,056	1,632	2,443	3,218	3,467	3,112	1,987	722	177	11	3
	Nonwhite--M--	957	-	-	-	-	1	-	-	1	1	1	13	26	45	76	100	148	146	127	111	80	40	30	8	2	1	-
	F--	1,039	-	-	-	1	-	-	1	1	3	3	15	27	52	93	126	123	119	135	118	85	77	34	18	5	5	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																											
97, 102	Arteriosclerosis and high blood pressure*	3,041	-	-	-	-	-	-	-	1	-	-	6	10	16	27	46	60	143	218	398	614	665	531	250	47	8	1
	White—M	1,469	-	-	-	-	-	-	-	1	-	-	2	4	5	9	24	31	82	123	220	304	314	240	97	11	2	-
	F	1,465	-	-	-	-	-	-	-	-	-	-	2	2	4	10	14	23	50	86	162	299	340	282	151	34	5	1
	Nonwhite—M	61	-	-	-	-	-	-	-	-	-	-	1	1	4	5	4	5	5	5	12	7	4	6	1	1	-	-
	F	46	-	-	-	-	-	-	-	-	-	-	1	3	3	3	4	1	6	4	4	4	7	3	1	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	5,282	798	110	36	21	12	32	31	34	48	62	84	141	195	218	305	336	428	446	524	513	450	282	129	30	3	4
	White—M	2,884	375	57	13	7	9	13	14	18	18	26	31	74	100	131	204	224	300	272	302	277	220	133	53	11	1	1
	F	1,864	267	41	20	11	2	17	16	9	20	18	26	25	51	41	63	87	99	149	205	228	219	156	73	19	1	1
	Nonwhite—M	352	96	5	1	1	1	1	-	3	5	8	18	31	35	34	30	19	18	21	9	3	7	3	1	-	-	2
	F	182	60	7	2	2	-	1	1	4	5	10	9	11	9	12	8	6	11	4	8	5	4	-	2	-	1	-
107	Bronchopneumonia	2,760	619	76	30	16	9	21	17	12	23	30	31	44	63	67	93	136	175	203	266	288	250	180	89	18	3	1
	White—M	1,447	291	36	11	6	8	10	8	5	7	17	11	30	33	39	58	83	125	115	150	161	118	82	37	4	1	1
	F	1,045	194	30	17	8	-	10	8	5	10	4	12	6	21	15	26	43	41	79	106	123	126	86	50	14	1	-
	Nonwhite—M	150	61	5	1	1	1	-	-	1	3	3	5	5	6	7	6	7	3	5	4	-	4	2	-	-	-	-
	F	118	53	5	1	1	-	1	1	1	3	6	3	3	3	6	3	3	8	4	6	4	2	-	2	-	1	-
108	Lobar pneumonia	2,250	124	27	4	3	2	8	12	18	21	32	47	88	121	144	193	189	232	222	240	206	175	100	31	8	-	3
	White—M	1,286	54	16	1	1	1	3	5	9	9	9	16	40	61	88	135	135	161	142	140	106	93	47	10	4	-	-
	F	721	52	10	3	2	1	4	7	4	8	14	12	15	29	25	32	41	53	64	93	96	78	53	20	4	-	1
	Nonwhite—M	185	11	-	-	-	-	1	-	2	2	5	13	26	26	26	21	10	13	16	5	3	2	-	1	-	-	2
	F	58	7	1	-	-	-	-	-	3	2	4	6	7	5	5	5	3	5	-	2	1	2	-	-	-	-	-
109	Pneumonia (unspecified)	170	36	6	-	1	-	1	-	1	3	-	5	6	6	6	13	5	14	15	15	9	16	7	4	1	-	-
	White—M	89	18	4	-	-	-	-	-	1	2	-	3	2	3	3	8	1	9	9	10	5	8	2	3	-	-	-
	F	64	15	1	-	1	-	1	-	-	1	-	2	3	1	1	3	2	3	6	5	4	9	4	1	1	-	-
	Nonwhite—M	14	3	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	-	-	-	1	1	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	102	19	1	2	1	1	2	2	3	1	-	1	3	5	1	6	6	7	6	3	10	9	5	5	3	-	-
	White—M	62	12	1	1	-	-	-	1	3	-	-	1	2	3	1	3	5	5	6	2	5	3	2	3	3	-	-
	F	34	6	-	-	-	1	2	1	-	1	-	-	1	-	-	2	1	2	-	1	5	6	3	2	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	1,135	5	-	-	-	-	1	-	-	5	11	20	36	59	100	128	163	160	179	139	62	42	15	10	-	-	-
	White—M	886	2	-	-	-	-	1	-	-	4	8	9	24	48	82	112	139	126	143	105	41	30	9	3	-	-	-
	F	202	3	-	-	-	-	-	-	-	1	1	6	6	6	13	11	20	27	31	31	21	12	6	7	-	-	-
	Nonwhite—M	36	-	-	-	-	-	-	-	-	-	1	4	5	3	5	5	2	6	3	2	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	2	1	2	1	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	388	208	20	5	2	3	8	3	7	8	9	13	16	14	7	14	15	10	5	8	4	5	3	1	-	-	-
	White—M	205	115	6	4	1	2	5	3	3	5	4	5	3	7	5	10	9	3	1	6	2	3	2	1	-	-	-
	F	148	71	11	-	1	-	1	-	4	3	5	6	12	4	2	4	6	7	4	2	2	2	1	-	-	-	-
	Nonwhite—M	22	15	2	-	-	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	7	1	1	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	453	4	8	9	10	5	11	10	9	14	13	16	15	30	27	41	43	56	45	45	28	9	5	-	-	-	-
	White—M	257	2	5	4	5	1	6	7	7	6	6	6	9	18	15	30	31	28	24	27	12	4	4	-	-	-	-
	F	169	2	3	5	4	3	4	3	2	6	5	8	4	7	11	9	10	26	21	14	16	5	1	-	-	-	-
	Nonwhite—M	16	-	-	-	-	1	-	-	-	1	2	-	2	4	-	2	-	1	-	3	-	-	-	-	-	-	-	-
	F	11	-	-	-	1	-	1	-	-	1	-	2	-	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	1,095	31	10	4	3	1	6	2	4	7	6	14	21	38	49	85	92	135	121	187	135	99	44	17	2	2	-
	White—M	542	16	5	1	3	-	6	1	2	2	2	6	8	19	22	36	48	74	59	86	69	42	27	8	1	-	-
	F	475	14	3	2	-	-	-	1	2	3	2	5	10	9	13	37	38	57	55	80	61	55	16	9	1	2	-
	Nonwhite—M	41	-	2	1	-	1	-	-	-	1	2	-	-	4	8	5	5	2	4	1	3	1	-	1	-	-	-
	F	37	1	-	-	-	-	-	-	-	1	-	3	3	6	6	7	-	2	3	-	2	1	1	1	-	-	-
124	Cirrhosis of the liver	2,447	1	1	-	-	-	2	2	4	7	26	57	120	179	308	374	365	340	267	195	107	69	20	1	2	-	-
	White—M	1,474	1	1	-	-	-	2	-	-	4	10	21	51	98	174	233	228	234	175	128	82	35	15	1	1	-	-
	F	840	-	-	-	-	-	-	2	4	2	11	26	51	60	110	114	125	99	88	64	44	34	5	-	1	-	-
	Nonwhite—M	76	-	-	-	-	-	-	-	-	1	2	6	11	8	12	17	9	6	2	2	-	-	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	3	4	7	13	12	10	3	1	2	1	1	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	755	1	1	-	-	-	-	-	1	1	5	11	13	37	28	71	87	116	105	101	92	57	20	8	-	-	-
	White—M	271	-	1	-	-	-	-	-	1	-	1	1	5	10	15	27	28	49	42	40	32	16	5	-	-	-	-
	F	469	1	-	-	-	-	-	-	-	-	4	9	8	23	14	44	56	64	63	61	58	41	15	8	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	2	1	-	-	2	-	-	-	-	-	-	-
130-132	Nephritis	5,764	3	5	3	9	3	15	12	31	53	69	88	129	166	274	396	460	570	677	779	833	649	375	129	27	7	2
	White—M	2,748	2	4	3	6	1	7	8	17	28	32	33	46	64	107	207	231	315	335	368	389	312	157	60	10	2	1
	F	2,640	1	-	-	3	2	7	4	13	23	25	33	54	55	117	138	182	224	314	384	428	331	212	67	17	5	1
	Nonwhite—M	164	-	-	-	-	-	-	-	-	-	5	4	10	19	17	24	26	19	15	13	6	2	3	1	-	-	-
	F	214	-	1	-	-	-	1	-	1	2	7	18	19	28	33	27	21	12	13	13	10	4	3	1	-	-	-
137	Diseases of the prostate	697	-	-	-	-	-	-	-	-	-	-	-	-	2	-	12	35	65	101	153	159	95	55	15	4	-	1
	White—M	673	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10	31	64	96	151	155	91	54	15	4	-	1
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	5	2	4	4	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
140-150	Diseases of pregnancy, etc.*----	257	-	-	-	-	-	-	1	10	54	65	60	45	19	3	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	210	-	-	-	-	-	-	-	3	41	58	48	38	19	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	47	-	-	-	-	-	-	1	7	13	7	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	81	-	-	-	-	-	-	-	6	19	23	14	13	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	62	-	-	-	-	-	-	-	1	14	19	12	10	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	-	-	-	-	5	5	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	50	-	-	-	-	-	-	-	1	12	12	10	10	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	40	-	-	-	-	-	-	-	-	7	12	7	9	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	1	5	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	107	-	-	-	-	-	-	1	3	20	20	34	19	8	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	90	-	-	-	-	-	-	-	2	17	18	27	16	8	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	17	-	-	-	-	-	-	1	1	3	2	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	19	-	-	-	-	-	-	-	-	3	10	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	-	3	9	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	1,802	1,449	87	26	14	11	42	16	16	21	19	16	20	13	15	13	10	5	4	1	2	-	-	-	-	2
	White-----M--	894	723	45	15	6	7	19	8	10	12	11	6	5	6	7	3	7	2	1	-	-	-	-	-	-	1
	F--	793	629	38	11	6	4	19	8	6	9	8	10	12	6	7	9	3	2	3	1	2	-	-	-	-	-
	Nonwhite--M--	58	45	4	-	1	-	3	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	1
	F--	57	52	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	5,020	5,020	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	2,606	2,606	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,749	1,749	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	388	386	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	3,279	3,279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,634	1,634	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,149	1,149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	284	284	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	1,741	1,741	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	972	972	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	600	600	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	1,623	-	-	-	-	-	-	5	22	65	77	100	114	163	172	209	201	157	125	95	73	28	14	1	-	2
	White-----M--	1,110	-	-	-	-	-	-	4	11	46	44	59	64	98	123	138	148	115	96	76	53	21	11	1	-	2
	F--	452	-	-	-	-	-	-	1	9	11	23	39	45	57	44	65	45	39	26	18	20	7	3	-	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	2	7	7	2	4	6	4	4	6	3	3	1	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	3	-	1	2	1	2	2	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	431	21	3	3	1	-	1	8	22	51	52	52	56	44	34	25	21	16	10	6	2	2	-	-	-	1
	White-----M--	173	8	2	1	1	-	1	-	5	15	14	17	19	20	16	14	14	13	6	4	2	-	-	-	-	1
	F--	59	12	1	2	-	-	-	2	1	4	8	5	8	8	4	3	4	2	3	1	-	1	-	-	-	-
	Nonwhite--M--	136	-	-	-	-	-	-	4	12	22	21	21	21	9	13	7	3	1	1	1	-	-	-	-	-	-
	F--	53	1	-	-	-	-	-	2	4	10	9	9	8	7	1	1	-	-	-	-	-	1	-	-	-	-
169-195	Accidental deaths	8,310	234	86	59	44	54	212	135	271	366	333	295	327	401	406	502	589	596	637	673	715	653	485	186	34	5	12
	White-----M--	4,802	105	48	35	18	41	149	95	195	268	221	191	208	270	287	371	423	410	380	325	295	268	135	47	9	-	10
	F--	2,883	88	27	16	20	10	44	25	57	50	52	52	71	64	72	92	133	167	224	325	404	375	345	139	25	5	1
	Nonwhite--M--	489	25	6	3	4	1	14	10	16	35	50	39	38	58	44	33	26	18	20	12	10	5	1	-	-	-	1
	F--	136	16	5	5	2	2	5	5	3	15	10	13	10	9	3	6	7	1	13	11	6	5	4	-	-	-	-
170	Motor-vehicle accidents-------	1,974	9	12	10	19	20	103	47	135	200	152	97	110	108	109	120	148	152	132	136	84	53	12	6	1	-	3
	White-----M--	1,357	3	9	5	9	16	70	33	95	152	109	65	69	74	73	88	98	106	92	87	51	38	7	6	1	-	1
	F--	461	6	2	4	8	3	26	11	35	29	27	18	24	20	23	25	41	39	31	44	29	12	5	-	-	-	1
	Nonwhite--M--	132	-	1	1	2	1	5	2	5	11	12	12	15	12	13	8	7	6	7	5	4	2	-	-	-	-	1
	F--	24	-	-	-	-	-	2	1	-	8	4	2	2	-	-	1	-	1	2	-	-	1	-	-	-	-	-
169, 171-195	Other accidents--	6,336	225	74	49	25	34	109	88	136	166	181	198	217	295	297	382	443	444	505	537	631	600	473	180	33	5	9
	White-----M--	3,445	102	39	30	9	25	79	62	100	114	112	126	139	196	214	283	325	304	288	238	244	230	128	41	8	-	9
	F--	2,422	82	25	12	12	7	18	14	22	21	25	34	47	44	49	69	92	128	193	281	375	363	340	139	25	5	-
	Nonwhite--M--	337	25	5	2	2	-	9	8	11	24	38	27	23	46	51	25	19	12	13	7	6	3	1	-	-	-	-
	F--	132	16	5	5	2	2	3	4	3	7	6	11	8	9	3	5	7	-	11	11	6	4	4	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	726	48	10	1	4	-	9	2	7	23	26	30	38	52	60	58	44	50	37	31	30	54	51	48	11	1	1
	White-----M--	369	24	4	-	3	-	2	1	1	6	4	12	21	27	37	43	34	37	21	23	12	18	18	16	4	1	-
	F--	282	15	4	1	1	-	5	1	4	11	15	11	12	15	16	10	7	10	13	6	17	36	33	32	7	-	-
	Nonwhite--M--	44	4	2	-	-	-	1	-	1	3	3	1	3	6	6	4	1	3	3	2	-	-	-	-	-	-	1
	F--	31	5	-	-	-	-	1	-	1	3	4	6	2	4	1	1	2	-	-	-	1	-	-	-	-	-	-
	All other causes-	7,502	328	114	78	66	38	118	89	107	190	219	257	331	432	514	635	704	789	752	670	519	337	148	52	12	1	2
	White-----M--	3,798	167	55	37	36	22	69	54	52	83	93	98	128	185	247	332	383	455	427	369	257	163	59	24	4	-	1
	F--	3,185	124	45	33	27	15	38	27	37	77	96	112	152	190	221	263	285	306	303	286	255	168	89	26	8	1	1
	Nonwhite--M--	268	23	10	5	2	1	5	4	11	9	14	23	24	25	20	26	28	13	11	10	3	1	-	-	-	-	-
	F--	251	14	4	3	1	-	6	4	7	21	16	24	29	32	26	14	8	15	11	5	4	5	-	2	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	ALL CAUSES-------	30,161	3,858	248	168	119	111	292	248	461	707	710	768	1,054	1,292	1,538	1,948	2,235	2,691	2 979	3,081	2,516	1,581	1,012	357	122	41	24
	White-----M--	11,611	1 297	85	50	40	43	110	105	156	263	233	269	330	456	564	761	946	1.079	1,227	1,265	1,125	628	393	127	27	9	3
	F--	8,286	902	58	49	37	25	78	51	95	113	114	141	236	247	315	378	480	656	854	1.095	988	706	470	163	45	8	2
	Nonwhite--M--	5,533	935	58	41	22	19	54	48	115	186	195	202	258	315	338	442	456	501	470	375	236	127	78	24	19	8	12
	F--	4 731	724	47	28	20	24	50	44	95	145	170	156	230	274	320	367	353	475	428	326	167	120	71	43	31	16	7
1,2	Typhoid and paratyphoid fever---	8	-	-	-	-	-	2	1	-	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	20	7	2	4	-	-	2	2	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	4	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	44	38	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	17	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	30	3	7	4	5	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	1	3	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	1	3	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	949	4	8	2	3	1	2	9	40	95	101	94	105	79	88	75	73	62	50	39	12	5	2	-	-	-	-
	White-----M--	263	1	3	1	-	-	1	1	-	9	14	19	29	23	34	29	26	26	23	16	4	4	-	-	-	-	-
	F--	123	-	2	-	-	-	-	-	1	10	14	7	11	15	7	10	11	11	9	10	3	1	1	-	-	-	-
	Nonwhite--M--	296	3	2	1	2	1	-	3	14	32	32	37	38	25	28	23	20	11	12	7	4	-	1	-	-	-	-
	F--	267	-	1	-	1	-	1	5	25	44	41	31	27	16	19	13	16	14	6	6	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	882	1	2	1	1	-	1	8	39	91	95	89	95	76	81	71	69	59	48	37	12	4	2	-	-	-	-
	White-----M--	244	-	2	-	-	-	-	1	-	8	13	18	24	23	33	28	26	25	21	15	4	3	-	-	-	-	-
	F--	119	-	-	-	-	-	-	-	1	10	14	7	10	15	7	9	11	11	9	10	3	1	1	-	-	-	-
	Nonwhite--M--	263	1	-	1	-	-	-	3	13	29	28	34	35	23	26	21	17	9	12	6	4	-	1	-	-	-	-
	F--	256	-	-	-	1	-	1	4	25	44	40	30	26	15	15	13	15	14	6	6	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	67	3	6	1	2	1	1	1	1	4	6	5	10	3	7	4	4	3	2	2	-	1	-	-	-	-	-
	White-----M--	19	1	1	1	-	-	1	-	-	1	1	1	5	-	1	1	-	1	2	1	-	1	-	-	-	-	-
	F--	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	33	2	2	-	2	1	-	-	1	3	4	3	3	2	2	2	3	2	-	1	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	1	-	-	1	1	1	1	4	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	17	7	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	1	1	2	-	-	-	-	-	-
	White-----M--	5	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	194	22	1	-	-	-	-	1	3	2	3	12	11	30	24	17	18	12	14	12	5	7	-	-	-	-	-
	White-----M--	52	1	-	-	-	-	-	-	1	-	-	2	3	3	7	5	6	4	7	5	3	5	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	95	13	-	-	-	-	-	1	1	2	7	5	22	14	9	5	6	5	4	-	1	-	-	-	-	-	-
	F--	36	7	1	-	-	-	-	1	1	1	1	2	3	4	3	3	5	-	1	2	1	-	-	-	-	-	-
35	Measles----------	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	143	10	9	15	10	18	30	20	18	5	3	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	75	3	5	9	5	10	13	14	8	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	4	3	6	5	5	12	5	9	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	3	-	1	-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
45-55	Cancer and other malignant tumors	2,855	4	2	1	5	7	8	9	11	21	36	68	129	199	235	307	311	355	338	336	241	157	57	23	5	-	-
	White-----M--	990	3	1	-	1	1	5	5	1	6	11	15	24	52	55	103	100	128	130	131	114	64	28	9	3	-	-
	F--	1,158	1	1	1	2	4	2	2	6	9	12	32	62	77	106	109	125	128	134	142	94	71	24	13	1	-	-
	Nonwhite--M--	294	-	-	-	1	2	1	1	1	1	4	6	9	18	25	45	38	41	38	32	17	13	1	-	-	-	-
	F--	415	-	-	-	1	-	-	1	3	5	9	15	34	42	49	50	48	58	36	31	16	9	4	1	1	-	-
46	Cancer of the digestive organs and peritoneum--	1,040	-	-	1	-	1	1	2	2	6	10	15	33	52	64	100	108	132	147	149	113	67	24	11	2	-	-
	White-----M--	412	-	-	-	-	1	1	1	-	2	2	4	10	22	23	45	41	48	60	60	50	24	11	5	2	-	-
	F--	364	-	-	1	-	-	-	-	1	2	1	6	13	13	16	22	30	39	56	70	45	34	10	5	-	-	-
	Nonwhite--M--	143	-	-	-	-	-	-	1	1	1	3	5	5	9	11	23	24	19	19	7	7	7	1	-	-	-	-
	F--	121	-	-	-	-	-	-	-	-	1	4	-	5	8	14	10	13	26	12	12	11	2	2	1	-	-	-
48,49	Cancer of female genital organs--	518	-	-	-	1	-	-	-	1	3	9	27	38	56	71	60	66	61	43	39	22	16	3	1	1	-	-
	White-----F--	339	-	-	-	-	-	-	-	-	1	6	16	21	28	49	36	44	45	28	29	18	14	1	1	-	-	-
	Nonwhite--F--	179	-	-	-	1	-	-	-	1	2	3	9	17	28	22	24	22	16	15	10	4	2	2	-	1	-	-
50	Cancer of breast-	240	-	-	-	-	-	-	-	-	-	3	9	18	27	31	37	30	20	21	19	12	9	2	2	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	182	-	-	-	-	-	-	-	-	-	1	5	14	22	22	29	23	13	18	14	11	6	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	2	4	4	3	8	8	7	7	3	5	-	3	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,057	4	2	-	4	6	7	7	8	12	14	17	40	54	69	110	107	142	127	129	94	65	28	9	2	-	-
	White-----M--	575	3	1	-	1	-	4	4	1	4	9	11	14	28	32	58	59	80	70	71	63	40	17	4	1	-	-
	F--	273	1	1	-	2	4	2	2	5	6	4	3	14	14	19	22	28	31	32	29	20	17	11	5	1	-	-
	Nonwhite--M--	150	-	-	-	1	2	1	-	-	-	1	1	4	9	13	22	14	22	19	25	10	8	-	-	-	-	-
	F--	59	-	-	-	-	-	-	1	2	2	-	2	8	3	5	8	6	9	6	4	1	2	-	-	-	-	-
58	Acute rheumatic fever----------	30	-	1	-	-	1	6	3	6	2	-	1	1	1	1	1	2	1	-	-	1	-	-	1	-	1	-
	White-----M--	9	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	9	-	1	-	-	1	2	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	4	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	564	-	2	-	2	-	4	5	5	6	11	6	13	22	23	47	47	101	95	72	71	18	9	3	2	-	-
	White-----M--	195	-	-	-	1	-	1	-	-	1	6	3	7	2	9	18	12	33	39	26	26	6	3	1	-	-	-
	F--	222	-	2	-	1	-	2	3	3	3	1	1	-	6	1	13	18	37	37	37	43	9	4	1	-	-	-
	Nonwhite--M--	57	-	-	-	-	-	1	-	-	-	2	1	2	8	4	4	8	10	9	4	1	1	1	-	1	-	-
	F--	90	-	-	-	-	-	-	2	2	2	-	1	4	6	9	12	9	21	10	5	2	2	1	1	1	-	-
63b	Exophthalmic goiter----------	30	-	-	-	-	-	-	-	-	-	1	2	1	1	1	4	4	2	3	6	5	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	3	2	1	4	5	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	1	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	40	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	5	6	7	8	6	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	4	1	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	4	4	4	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	-	3	-	-	-	-	-
77	Alcoholism (ethylism)------	99	-	-	-	-	-	1	-	1	5	8	11	12	18	16	14	3	3	7	1	1	-	-	-	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	1	1	3	3	5	5	11	9	3	1	5	1	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	4	2	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	1	-	-	3	3	5	4	4	3	4	-	2	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	3,355	6	6	2	1	1	3	1	5	7	19	28	66	106	149	254	321	426	551	533	433	248	125	47	11	3	3
	White-----M--	1,143	5	1	-	-	-	-	-	2	2	4	8	9	31	35	64	109	141	194	187	200	96	35	17	1	2	-
	F--	1,052	1	2	-	-	-	1	2	2	3	2	15	15	31	52	62	100	177	204	172	122	65	18	6	-	-	-
	Nonwhite--M--	560	-	1	1	1	-	1	-	-	-	5	11	22	22	33	69	81	84	84	72	34	14	17	5	1	1	1
	F--	600	-	2	1	-	1	2	-	1	3	7	7	20	38	50	69	69	101	96	70	27	16	8	7	3	-	2
90-95	Diseases of the heart----------	8,048	5	1	6	3	2	10	27	28	48	66	103	181	315	458	652	777	969	1,088	1,173	993	585	378	114	34	14	7
	White-----M--	3,626	3	1	1	-	-	1	6	10	15	18	38	63	132	206	311	406	474	509	539	460	228	159	38	9	1	-
	F--	2,168	1	-	-	1	2	1	6	5	6	10	17	38	38	60	91	127	202	286	394	383	270	170	47	10	2	1
	Nonwhite--M--	1,196	-	-	3	-	-	4	5	2	11	16	24	40	78	108	141	139	160	163	125	90	39	20	11	6	4	5
	F--	1,058	1	-	2	2	-	4	10	11	18	22	24	40	66	83	109	105	133	141	115	60	48	29	18	9	7	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	405	-	-	1	1	-	6	22	17	17	22	17	16	28	16	27	28	35	36	42	37	22	15	-	-	-	-
	White-----M--	136	-	-	-	-	-	-	6	5	6	3	6	5	8	4	9	8	17	10	18	15	11	5	-	-	-	-
	F--	124	-	-	-	1	-	1	4	4	3	6	5	9	7	7	4	6	7	11	17	18	5	9	-	-	-	-
	Nonwhite--M--	70	-	-	-	-	-	3	4	2	3	4	1	1	6	3	6	10	6	11	3	3	3	1	-	-	-	-
	F--	75	-	-	1	-	-	2	8	6	5	9	5	1	7	2	8	4	5	4	4	1	3	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	2,746	-	-	2	-	-	-	-	1	7	17	25	61	111	211	305	338	378	390	375	272	143	73	30	3	2	2
	White-----M--	1,668	-	-	1	-	-	-	-	1	3	8	14	32	68	134	199	241	245	236	217	146	68	40	14	1	-	-
	F--	659	-	-	-	-	-	-	-	-	-	1	5	8	8	25	45	53	75	102	128	108	63	28	10	-	-	-
	Nonwhite--M--	249	-	-	1	-	-	-	-	-	3	6	4	10	25	30	48	28	31	31	13	9	7	1	2	1	-	1
	F--	170	-	-	-	-	-	-	-	-	1	2	2	11	12	22	13	16	27	21	17	9	5	4	4	1	2	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	4,897	5	1	3	2	2	4	5	10	24	27	61	104	176	231	320	411	556	673	756	684	420	290	84	31	12	5
	White-----M--	1,822	3	1	-	-	-	1	-	4	4	7	18	28	56	68	103	157	212	263	304	299	149	114	24	8	1	-
	F--	1,385	1	-	-	-	2	-	2	1	3	3	7	21	23	28	42	68	120	173	249	257	202	133	37	10	2	1
	Nonwhite--M--	877	-	-	2	-	-	1	1	-	5	6	19	29	50	76	67	101	123	121	109	78	29	18	9	5	4	4
	F--	813	1	-	1	2	-	2	2	5	12	11	17	28	47	59	88	85	101	116	94	50	40	25	14	8	5	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																										
97, 102	Arteriosclerosis and high blood pressure*-------	434	-	-	-	-	-	-	-	1	-	-	1	2	11	14	16	36	38	51	67	64	52	50	21	9	-	1
	White-----M--	142	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	5	9	12	25	23	24	26	9	1	-	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	9	10	11	22	27	19	20	9	2	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	10	10	15	13	8	4	2	1	4	-	-
	F--	75	-	-	-	-	-	-	-	1	-	-	-	-	4	7	4	12	9	13	7	6	5	2	2	2	-	1
107-109, 33	Pneumonia (all forms) and influenza-------	1,472	571	60	34	7	14	20	19	9	14	18	23	18	34	36	34	47	68	83	95	89	70	61	26	15	8	1
	White-----M--	415	140	11	4	2	3	8	3	3	5	5	5	4	9	11	13	14	15	27	42	33	24	20	9	4	1	-
	F--	396	108	11	7	-	3	7	6	2	2	3	6	5	8	7	5	10	18	26	32	38	39	33	14	5	1	-
	Nonwhite--M--	346	176	18	14	1	2	-	6	2	4	4	2	6	9	9	6	15	19	9	17	10	4	7	2	2	1	1
	F--	315	147	20	9	4	6	5	4	2	3	6	10	3	8	9	10	8	16	21	4	8	3	1	1	4	3	-
107	Bronchopneumonia-	732	350	38	16	7	7	11	7	1	2	6	5	1	14	8	14	13	26	25	40	43	38	32	17	5	5	1
	White-----M--	197	93	6	-	2	-	3	-	-	1	2	3	1	3	3	7	2	4	8	18	16	11	6	6	2	-	-
	F--	199	61	9	3	-	2	4	2	1	-	1	1	-	4	1	2	3	8	7	16	19	22	21	9	2	1	-
	Nonwhite--M--	170	107	8	7	1	2	-	4	-	1	1	-	-	4	2	1	4	9	-	3	6	3	4	1	-	1	1
	F--	166	89	15	6	4	3	4	1	-	-	2	1	-	3	2	4	4	5	10	3	2	2	1	1	1	3	-
108	Lobar pneumonia--	401	97	10	9	-	4	8	5	3	8	5	8	11	14	13	15	25	22	37	33	28	20	14	6	5	1	-
	White-----M--	124	16	1	1	-	2	5	1	2	4	2	1	3	5	5	2	10	6	14	14	10	9	7	1	2	1	-
	F--	108	26	1	2	-	1	2	3	-	1	-	3	2	3	2	3	3	4	10	10	12	9	5	4	2	-	-
	Nonwhite--M--	91	28	5	4	-	-	-	-	-	1	1	1	5	2	3	5	9	6	5	8	3	1	2	1	1	-	-
	F--	78	27	3	2	-	1	1	1	1	2	2	3	1	4	3	5	3	6	8	1	3	1	-	-	-	-	-
109	Pneumonia (unspecified)------	180	79	8	6	-	2	-	2	5	2	3	3	1	4	7	2	6	9	10	16	5	5	3	1	1	-	-
	White-----M--	52	16	2	2	-	-	-	1	1	-	-	1	-	1	2	2	2	3	2	8	3	3	2	1	-	-	-
	F--	42	14	1	2	-	-	-	-	1	1	1	1	-	1	3	-	2	3	4	4	1	2	-	-	1	-	-
	Nonwhite--M--	56	31	3	1	-	-	-	1	2	1	2	-	1	2	1	-	1	2	3	4	-	-	1	-	-	-	-
	F--	30	18	2	1	-	2	-	-	1	-	-	1	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-
33	Influenza--------	159	45	4	3	-	1	1	5	-	2	4	7	5	2	8	3	3	11	11	6	13	7	12	2	4	-	-
	White-----M--	42	15	2	1	-	1	-	1	-	-	1	-	-	-	1	2	-	2	3	2	4	1	5	1	-	-	-
	F--	47	7	-	-	-	-	1	1	-	-	1	1	3	-	1	-	2	3	5	2	6	6	7	1	-	-	-
	Nonwhite--M--	29	10	2	2	-	-	-	1	-	1	-	1	-	1	3	-	1	2	1	2	1	-	-	-	1	-	-
	F--	41	13	-	-	-	-	-	2	-	1	2	5	2	1	3	1	-	4	2	-	2	-	-	-	3	-	-
117	Ulcer of stomach or duodenum-----	137	1	-	-	-	-	-	-	2	1	3	4	5	9	16	14	14	21	23	15	7	-	2	-	-	-	-
	White-----M--	78	1	-	-	-	-	-	-	2	-	1	-	2	6	2	9	10	15	15	10	4	-	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	3	6	4	3	-	1	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	2	3	3	3	8	3	2	2	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	229	152	14	4	9	1	2	2	2	4	3	-	1	3	3	2	4	2	2	4	1	2	1	-	1	-	-
	White-----M--	71	45	7	1	4	-	1	-	1	-	1	-	1	1	1	2	4	-	1	-	-	1	-	-	-	-	-
	F--	45	29	2	1	2	-	1	1	-	1	-	-	-	-	1	-	-	2	1	1	-	1	1	-	1	-	-
	Nonwhite--M--	64	49	2	2	2	-	-	1	1	2	1	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	F--	49	39	3	-	1	1	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis-----	92	-	2	5	2	1	5	3	9	4	2	6	7	5	1	4	11	8	6	5	6	-	-	-	-	-	-
	White-----M--	34	-	1	2	-	-	1	1	4	1	1	3	2	3	-	3	3	3	2	2	2	-	-	-	-	-	-
	F--	27	-	1	1	1	1	1	1	2	1	-	-	-	1	-	-	5	3	2	3	4	-	-	-	-	-	-
	Nonwhite--M--	21	-	-	2	1	-	1	1	1	1	1	3	4	1	-	1	2	1	1	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	2	-	2	1	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	177	17	3	-	2	3	-	3	5	2	5	6	10	5	13	12	18	18	17	13	13	9	3	-	-	-	-
	White-----M--	63	4	2	-	-	1	-	2	-	1	-	1	1	2	6	3	5	6	10	5	6	6	2	-	-	-	-
	F--	43	3	-	-	-	-	-	1	1	-	2	3	3	2	1	3	3	3	4	6	5	2	1	-	-	-	-
	Nonwhite--M--	31	5	1	-	1	1	-	-	2	1	-	-	1	-	2	2	5	6	2	-	1	1	-	-	-	-	-
	F--	40	5	-	-	1	1	-	-	2	-	3	2	5	1	4	4	5	3	1	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver----------	184	-	-	-	-	-	2	2	-	1	5	4	16	25	25	25	15	20	9	16	6	8	5	-	-	-	-
	White-----M--	106	-	-	-	-	-	-	-	-	-	3	2	11	19	11	19	11	13	3	8	1	4	1	-	-	-	-
	F--	47	-	-	-	-	-	-	2	-	-	1	-	3	1	11	3	2	3	4	8	2	3	4	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	1	-	-	-	1	1	2	4	2	2	-	1	1	-	3	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	1	-	1	-	1	1	1	2	3	1	-	-	1	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	84	-	-	2	-	-	-	-	-	-	-	-	6	2	4	7	11	13	12	9	7	4	7	-	-	-	-
	White-----M--	27	-	-	2	-	-	-	-	-	-	-	-	1	1	1	2	4	3	2	2	4	3	2	-	-	-	-
	F--	50	-	-	-	-	-	-	-	-	-	-	-	5	-	2	5	7	8	10	7	2	1	5	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	2,431	1	2	2	6	3	13	10	15	23	27	31	65	103	121	169	198	274	292	343	294	230	150	44	8	4	3
	White-----M--	799	-	-	-	2	2	3	4	6	8	10	7	7	26	34	46	68	74	97	120	118	94	55	16	1	1	-
	F--	635	-	-	1	2	1	5	1	3	7	6	5	16	16	17	24	31	47	66	111	105	85	62	19	5	-	-
	Nonwhite--M--	508	-	2	-	1	-	4	1	1	5	5	10	21	24	28	45	50	80	77	61	41	29	17	2	-	1	3
	F--	489	1	-	1	1	-	1	4	5	3	6	9	21	37	42	54	49	73	52	51	30	22	16	7	2	2	-
137	Diseases of the prostate--------	115	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	12	14	28	23	7	13	7	1	-	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	8	21	20	5	12	6	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	6	7	3	2	1	1	1	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																										
140-150	Diseases of pregnancy, etc.*----	207	-	-	-	-	-	-	1	26	38	47	33	36	19	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	92	-	-	-	-	-	-	1	13	15	16	19	20	10	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	115	-	-	-	-	-	-	-	13	25	31	20	16	9	1	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	50	-	-	-	-	-	-	-	8	13	13	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	2	4	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	-	6	9	7	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	68	-	-	-	-	-	-	1	13	14	15	16	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	28	-	-	-	-	-	-	1	7	3	4	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	40	-	-	-	-	-	-	-	6	11	11	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	68	-	-	-	-	-	-	-	3	8	17	12	18	10	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	32	-	-	-	-	-	-	-	3	3	6	6	9	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	-	-	-	-	-	-	-	-	5	11	6	9	5	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	21	-	-	-	-	-	-	-	2	3	2	2	6	4	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	1	3	-	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	512	428	21	10	6	1	10	5	7	5	2	4	1	5	3	-	2	-	1	-	-	1	-	-	-	-
	White-----M--	241	202	10	4	4	1	2	2	4	3	1	1	1	1	2	-	2	-	1	-	-	-	-	-	-	-
	F--	148	120	8	4	1	-	6	-	2	1	-	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	65	56	1	1	-	-	2	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	58	50	2	1	1	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	2,011	2 011	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	734	734	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	495	495	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	451	451	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	331	331	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,309	1,309	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	464	464	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	335	335	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	287	287	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	702	702	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	322	-	-	-	-	-	-	2	14	33	19	38	39	31	36	23	36	20	18	10	2	1	-	-	-	-
	White-----M--	230	-	-	-	-	-	-	2	4	22	10	32	28	24	30	15	24	14	13	10	2	-	-	-	-	-
	F--	56	-	-	-	-	-	-	-	7	7	5	3	9	4	1	4	10	4	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	2	4	4	3	2	3	5	3	2	2	3	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	419	6	1	-	-	-	4	1	22	87	73	59	53	36	22	21	15	9	5	3	1	1	-	-	-	-
	White-----M--	94	2	-	-	-	-	-	-	3	13	12	15	14	10	8	8	3	3	2	-	1	-	-	-	-	-	-
	F--	34	1	-	-	-	-	2	-	2	9	5	5	4	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	238	2	-	-	-	-	1	-	16	54	46	30	27	21	12	11	11	2	1	3	-	1	-	-	-	-	-
	F--	53	1	1	-	-	-	1	1	1	11	10	9	8	3	1	1	-	3	2	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,244	170	57	39	30	28	110	74	174	223	177	141	139	117	96	93	93	77	75	96	88	68	44	17	10	3	5
	White-----M--	1,142	37	23	17	15	15	55	44	93	147	111	88	77	69	50	45	57	38	38	45	42	18	10	4	2	-	2
	F--	443	51	11	12	9	1	22	10	19	22	17	14	15	11	20	10	7	17	14	36	34	40	30	12	6	3	-
	Nonwhite--M--	489	46	16	4	3	5	19	16	53	45	43	35	38	31	23	33	26	14	12	8	8	6	3	-	1	-	1
	F--	170	36	7	6	3	7	14	4	9	9	6	4	9	6	3	5	3	8	11	7	4	4	1	1	1	-	2
170	Motor-vehicle accidents-------	827	9	9	15	10	9	54	25	89	136	93	65	60	47	26	39	40	28	26	23	19	5	1	-	-	-	1
	White-----M--	519	2	5	8	6	6	29	21	53	96	66	42	35	30	9	17	28	15	15	17	15	2	1	-	-	-	1
	F--	114	5	3	5	3	-	11	-	14	16	8	7	8	5	8	6	4	5	3	1	2	-	-	-	-	-	-
	Nonwhite--M--	165	2	1	1	1	2	11	3	18	19	17	14	14	12	9	15	7	4	7	3	2	3	-	-	-	-	-
	F--	29	-	-	1	-	1	3	1	4	5	2	2	3	-	-	1	1	2	1	2	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,417	161	48	24	20	19	56	49	85	87	84	76	79	70	70	54	53	51	49	73	69	63	43	17	10	3	4
	White-----M--	623	35	18	9	9	9	26	23	40	51	45	46	42	39	41	28	29	23	23	28	27	16	9	4	2	-	1
	F--	329	46	8	7	6	1	11	10	5	6	9	7	7	8	12	4	3	12	11	35	32	40	30	12	6	3	-
	Nonwhite--M--	324	44	15	3	2	3	8	13	35	26	26	21	24	19	14	18	19	10	5	5	6	3	3	-	1	-	1
	F--	141	36	7	5	3	6	11	3	5	4	4	2	6	6	3	4	2	6	10	5	4	4	1	1	1	-	2
182, 199, 200	Senility, ill-defined and unknown causes----	914	225	12	6	4	2	3	3	6	9	12	14	25	27	32	31	52	61	76	76	57	51	65	35	20	9	1
	White-----M--	294	52	3	-	1	-	-	1	-	2	2	3	9	8	13	12	18	21	30	36	21	20	24	11	4	3	-
	F--	216	48	1	2	1	2	2	-	1	-	-	4	3	4	3	3	6	12	13	17	23	18	27	19	7	2	-
	Nonwhite--M--	228	74	4	3	1	-	1	1	3	4	5	3	8	9	10	11	22	16	18	9	6	7	7	1	3	1	1
	F--	174	51	4	1	1	-	-	1	2	3	5	4	5	6	6	5	6	12	15	14	7	6	7	4	6	3	-
	All other causes-	1,743	156	32	31	22	20	51	45	52	69	66	71	108	97	110	121	121	113	126	122	91	51	39	19	6	1	3
	White-----M--	613	51	11	9	5	7	19	17	13	23	16	20	31	23	35	39	51	49	56	52	37	25	14	7	2	-	1
	F--	528	30	10	10	7	4	13	10	16	18	17	19	27	27	35	35	39	24	41	50	42	21	22	10	2	-	1
	Nonwhite--M--	312	40	8	7	7	4	10	11	12	14	14	20	21	26	16	23	16	27	12	10	8	4	1	1	-	-	-
	F--	290	35	3	5	3	5	9	7	11	14	19	12	29	21	26	24	15	13	17	10	4	1	2	1	2	1	1

*Refer to International List for complete title, table IX, Part I.

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	ALL CAUSES-------	5,146	487	39	15	18	11	41	39	55	73	69	93	97	128	150	227	334	421	560	663	575	532	348	149	16	1	5
	White-----M--	3,087	256	18	7	7	6	30	26	35	47	49	59	62	73	90	151	217	283	335	404	335	296	202	89	8	-	4
	F--	1,840	198	19	6	10	3	9	11	15	22	18	31	30	50	56	73	116	133	217	243	238	232	143	57	8	1	1
	Nonwhite--M--	70	24	-	2	1	1	2	1	4	3	1	-	2	1	3	2	1	4	4	10	1	-	3	-	-	-	-
	F--	49	9	4	-	-	1	-	1	1	1	1	3	3	4	1	1	-	1	4	6	1	4	-	3	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	6	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	6	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	62	-	1	-	1	-	1	2	4	3	1	6	7	6	4	4	5	4	4	4	3	-	2	-	-	-	-
	White-----M--	38	-	1	-	-	-	-	2	2	1	-	2	7	4	2	2	3	4	3	2	2	-	1	-	-	-	-
	F--	15	-	-	-	1	-	-	-	-	1	1	1	-	1	2	1	2	-	1	2	1	-	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	54	-	1	-	-	-	-	1	4	2	1	5	6	5	3	4	5	4	4	4	3	-	2	-	-	-	-
	White-----M--	35	-	1	-	-	-	-	1	2	1	-	1	6	4	2	2	3	4	3	2	2	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	2	1	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	8	-	-	-	1	-	1	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	17	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	4	-	2	-	2	1	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	-	-	-	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	7	1	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	9	-	-	-	-	1	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors	651	1	-	1	-	-	4	3	1	5	5	6	8	29	29	43	63	79	104	107	80	49	27	6	-	-	1
	White-----M--	330	1	-	1	-	-	4	2	-	2	2	1	1	9	9	18	32	41	53	61	47	24	17	4	-	-	1
	F--	314	-	-	-	-	-	-	1	1	3	3	5	7	19	20	25	30	37	49	44	33	25	10	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	308	-	-	-	-	-	-	1	-	2	1	3	-	7	10	17	27	41	49	58	42	31	17	2	-	-	-
	White-----M--	169	-	-	-	-	-	-	1	-	-	-	1	-	3	4	8	19	21	29	31	25	16	11	-	-	-	-
	F--	137	-	-	-	-	-	-	-	-	2	1	2	-	4	6	9	8	19	19	27	17	15	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	63	-	-	-	-	-	-	-	-	1	-	2	3	8	9	4	7	3	8	5	6	4	2	-	-	-	-
	White-----F--	61	-	-	-	-	-	-	-	-	1	-	2	3	7	9	4	7	3	8	5	6	4	2	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast-	67	-	-	-	-	-	-	-	-	-	1	-	4	5	2	8	8	8	16	5	8	1	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	66	-	-	-	-	-	-	-	-	-	1	-	4	5	2	8	8	8	16	5	7	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	213	1	-	1	-	-	4	2	1	2	3	1	1	9	8	14	21	27	30	39	24	13	7	4	-	-	1
	White-----M--	160	1	-	1	-	-	4	1	-	2	2	-	1	6	5	10	13	20	24	30	21	8	6	4	-	-	1
	F--	50	-	-	-	-	-	-	1	1	-	1	1	-	3	3	4	7	7	6	7	3	5	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus	171	-	-	-	-	-	1	1	1	1	2	3	3	1	1	6	11	19	38	33	24	13	12	-	-	-	1
	White-----M--	78	-	-	-	-	-	1	-	-	1	-	2	3	1	1	2	9	8	15	14	11	4	5	-	-	-	1
	F--	92	-	-	-	-	-	-	1	1	-	2	1	-	-	-	4	2	11	23	18	13	9	7	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	1	-	-	-	-	-	-	-
	White-----M--	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	550	-	-	-	-	-	1	-	-	-	1	3	3	9	9	18	35	49	81	105	86	87	42	19	3	-	-
	White-----M--	311	-	-	-	-	-	-	-	-	-	1	2	2	6	4	9	18	31	41	58	45	53	27	12	2	-	-
	F--	236	-	-	-	-	-	1	-	-	-	-	1	1	3	5	8	17	17	40	46	41	33	15	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
90-95	Diseases of the heart----------	1,539	-	2	-	-	-	1	1	2	4	8	9	16	26	54	83	118	146	219	239	229	200	131	46	3	-	2
	White-----M--	1,019	-	1	-	-	-	1	1	1	3	5	4	11	20	40	66	81	110	149	162	141	109	86	23	3	-	2
	F--	504	-	1	-	-	-	-	-	1	1	2	5	5	5	13	16	37	35	66	74	87	90	43	23	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	-	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	68	-	-	-	-	-	1	1	1	3	4	2	2	5	7	11	6	6	6	5	3	1	1	2	1	-	-
	White-----M--	42	-	-	-	-	-	1	1	-	2	2	1	-	2	4	8	2	5	2	5	3	1	1	1	1	-	-
	F--	24	-	-	-	-	-	-	-	1	1	1	1	2	3	3	2	4	1	4	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	584	-	-	-	-	-	-	-	-	2	3	7	16	28	40	60	79	96	103	58	57	29	4	-	-	2
	White-----M--	462	-	-	-	-	-	-	-	-	2	2	5	16	25	35	46	65	73	80	39	35	23	4	-	-	2
	F--	129	-	-	-	-	-	-	-	-	-	1	2	-	3	5	14	14	21	22	19	22	6	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	887	-	2	-	-	-	-	-	1	1	2	4	7	5	19	32	52	61	117	131	168	142	101	40	2	-	-
	White-----M--	525	-	1	-	-	-	-	-	1	1	1	1	6	2	11	23	33	40	74	77	99	73	62	18	2	-	-
	F--	351	-	1	-	-	-	-	-	-	-	1	3	1	2	7	9	19	20	41	52	68	68	37	22	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
97, 102	Arteriosclerosis and high blood pressure*-------	122	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	6	8	15	14	28	25	16	2	-	1
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	5	5	8	10	14	12	11	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	7	4	14	10	4	2	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	161	47	5	4	-	-	-	-	1	2	-	4	3	-	3	3	3	11	8	12	16	22	12	5	-	-	-
	White-----M--	89	25	1	1	-	-	-	-	1	1	-	3	1	-	1	3	3	6	4	9	7	13	5	5	-	-	-
	F--	61	18	3	2	-	-	-	-	-	1	-	1	1	-	-	-	-	4	4	3	8	9	7	-	-	-	-
	Nonwhite--M--	8	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia-	82	29	3	2	-	-	-	-	1	2	-	2	-	-	1	2	1	2	3	4	8	12	7	4	-	-	-
	White-----M--	50	17	1	1	-	-	-	-	1	1	-	2	-	-	-	2	1	1	1	4	4	7	3	4	-	-	-
	F--	29	11	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	3	5	4	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	42	6	1	1	-	-	-	-	-	-	-	1	2	-	2	1	1	7	5	2	3	6	4	-	-	-	-
	White-----M--	24	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	4	3	2	2	4	2	-	-	-	-
	F--	15	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	2	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	25	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	3	2	4	-	1	-	-	-
	White-----M--	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	1	-	-	-
	F--	9	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza-------	12	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	3	-	1	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	25	1	-	-	-	-	-	-	-	-	-	1	-	2	-	4	5	2	1	5	-	4	-	-	-	-	-
	White-----M--	22	1	-	-	-	-	-	-	-	-	-	1	-	2	-	4	4	2	1	3	-	4	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	33	23	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	2	2	1	-	-	-	-
	White-----M--	19	10	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	2	2	1	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	19	-	-	-	2	1	1	3	-	-	2	-	1	2	1	1	1	2	1	-	1	-	-	-	-	-	-
	White-----M--	11	-	-	-	1	-	-	2	-	-	2	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	40	7	1	1	-	-	-	-	-	-	-	-	-	1	-	2	4	6	2	7	6	2	1	-	-	-	-
	White-----M--	24	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	2	4	5	-	1	-	-	-	-
	F--	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	35	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	2	4	5	5	4	6	-	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	4	4	3	4	4	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128, 127	Biliary calculi, etc.*----------	29	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	3	3	3	5	4	2	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	3	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	2	3	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	236	2	-	-	-	-	1	2	-	-	7	8	4	9	8	9	16	19	24	40	26	28	19	13	-	1	-
	White-----M--	141	1	-	-	-	-	1	-	-	-	5	4	3	2	6	7	11	10	15	24	15	18	8	10	-	-	-
	F--	90	1	-	-	-	-	-	1	-	-	2	4	1	7	2	2	5	9	8	13	11	10	10	3	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
137	Diseases of the prostate--------	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	13	2	1	9	1	1	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	13	2	1	9	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																										
140-150	Diseases of pregnancy, etc.*----	16	-	-	-	-	-	-	-	1	5	-	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	1	5	-	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	5	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	5	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	5	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	75	64	3	-	3	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	40	31	3	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	29	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	295	295	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	184	184	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year-------	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	48	-	-	-	-	-	-	-	1	3	7	9	1	4	2	4	7	3	4	2	1	-	-	-	-	-	-
	White-----M--	40	-	-	-	-	-	-	-	1	3	5	8	1	3	1	4	6	3	4	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	5	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	440	10	14	6	6	4	14	18	29	41	28	21	20	20	15	15	20	25	14	19	27	38	19	14	2	-	-
	White-----M--	315	2	7	3	1	3	11	12	23	34	23	19	20	15	14	14	18	23	9	12	17	18	7	10	-	-	-
	F--	108	5	6	2	4	-	3	5	4	4	4	2	-	5	1	1	2	1	4	7	10	21	12	3	2	-	-
	Nonwhite--M--	13	3	-	1	1	-	-	1	2	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents-------	115	2	3	1	1	1	3	1	13	18	8	10	10	4	6	7	7	4	5	2	3	4	1	1	-	-	-
	White-----M--	96	1	1	1	-	1	3	1	11	14	8	8	10	3	5	7	6	4	2	2	3	4	-	1	-	-	-
	F--	15	-	2	-	1	-	-	-	2	2	-	2	-	1	1	-	1	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	325	8	11	5	5	3	11	17	16	23	20	11	10	16	9	8	13	21	9	17	24	35	18	13	2	-	-
	White-----M--	219	1	6	2	1	2	8	11	12	20	15	11	10	12	9	7	12	19	7	10	14	14	7	9	-	-	-
	F--	93	5	4	2	3	-	3	5	2	2	4	-	-	4	-	1	1	1	2	7	10	21	11	3	2	-	-
	Nonwhite--M--	10	2	-	1	1	-	-	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	154	3	-	-	-	-	-	-	-	1	-	2	-	3	2	6	2	11	9	21	20	22	29	19	4	-	-
	White-----M--	79	2	-	-	-	-	-	-	-	-	-	2	-	3	1	3	2	7	5	10	9	14	10	10	1	-	-
	F--	66	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	4	4	6	11	7	19	8	3	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-
	All other causes-	341	29	5	2	2	4	9	6	9	7	6	11	18	10	14	18	25	26	27	28	30	23	21	10	1	-	-
	White-----M--	191	18	-	1	2	3	5	5	3	2	5	6	9	3	5	11	17	16	17	18	14	14	13	3	1	-	-
	F--	145	10	5	1	-	1	4	1	5	5	1	5	5	6	9	7	8	9	10	9	16	9	8	7	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	ALL CAUSES	60,891	5,693	406	197	139	115	437	339	601	946	986	1,209	1,695	2,313	3,327	4,940	6,443	7,979	8,855	9,824	9,889	7,741	4,755	1,657	329	40	36
	White-----M--	42,118	2,984	202	93	68	59	232	169	331	493	482	604	786	1,155	1,711	2,791	3,719	4,574	4,972	5,192	4,918	3,708	2,058	674	111	8	24
	F--	32,896	2,095	165	80	57	44	162	136	191	287	305	398	608	803	1,086	1,509	2,130	2,889	3,452	4,263	4,648	3,835	2,589	936	201	20	7
	Nonwhite--M--	3,375	340	23	13	10	5	16	16	39	95	104	120	154	196	299	398	371	323	271	208	186	96	59	22	4	4	5
	F--	2,502	274	16	11	4	7	27	18	40	71	95	87	147	159	231	242	223	193	160	163	137	102	49	25	13	8	-
1,2	Typhoid and paratyphoid fever---	12	1	-	-	-	-	-	1	-	1	-	1	-	2	-	1	-	3	-	1	-	1	-	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	61	24	14	3	3	3	6	-	2	-	-	-	1	-	1	1	1	1	-	-	-	1	-	-	-	-	-
	White-----M--	27	13	4	1	3	2	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	32	11	9	2	-	1	5	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	4	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	53	37	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	24	18	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	24	-	1	6	3	1	6	-	-	1	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-
	White-----M--	11	-	1	3	-	1	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	3	3	-	2	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,145	12	16	12	6	5	13	11	42	136	155	168	204	150	201	201	210	197	153	117	74	40	20	1	-	-	1
	White-----M--	1,079	6	4	4	1	1	4	3	6	31	48	62	85	60	102	131	139	126	101	71	41	22	10	-	-	-	1
	F--	522	4	8	5	3	3	5	1	12	38	41	53	61	34	41	21	27	42	34	41	24	14	9	1	-	-	-
	Nonwhite--M--	344	2	3	2	2	1	1	2	6	36	29	29	36	20	44	45	35	25	13	4	7	1	1	-	-	-	-
	F--	200	-	1	1	-	-	3	5	18	31	37	24	22	16	14	4	9	4	5	1	2	3	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,853	6	3	4	3	-	4	8	33	126	143	159	188	141	190	193	193	191	141	109	68	32	16	1	-	-	1
	White-----M--	1,019	5	-	2	1	-	-	2	4	30	47	59	78	79	101	129	130	123	94	68	40	17	9	-	-	-	1
	F--	451	1	1	-	-	-	2	1	9	36	38	49	56	31	36	20	23	41	30	37	21	11	7	1	-	-	-
	Nonwhite--M--	304	-	2	1	2	-	-	1	4	30	25	28	35	17	40	41	32	24	12	3	8	1	-	-	-	-	-
	F--	179	-	-	1	-	-	2	4	16	30	33	23	19	14	13	3	8	3	5	1	1	3	-	-	-	-	-
14-22	Tuberculosis (other forms)---	192	8	13	8	3	5	9	3	9	10	12	9	16	9	11	8	17	6	12	8	6	8	4	-	-	-	-
	White-----M--	60	1	4	2	-	1	4	1	2	1	1	3	7	1	1	2	9	3	7	3	1	5	1	-	-	-	-
	F--	71	3	7	5	3	3	3	-	3	2	3	4	5	3	5	1	4	1	4	4	3	3	2	-	-	-	-
	Nonwhite--M--	40	2	1	1	-	1	1	1	2	6	4	1	1	3	4	4	3	1	1	1	1	-	1	-	-	-	-
	F--	21	-	1	-	-	-	1	1	2	1	4	1	3	2	1	1	1	1	-	-	1	-	-	-	-	-	-
27	Dysentery--------	21	7	1	1	-	-	1	2	-	2	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-
	White-----M--	12	3	1	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-
	F--	5	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	796	22	-	-	-	-	-	2	4	9	6	15	35	60	98	109	126	118	96	60	34	7	4	1	-	-	-
	White-----M--	421	4	-	-	-	-	-	-	3	1	-	5	10	24	33	52	76	77	64	42	20	6	4	-	-	-	-
	F--	155	8	-	-	-	-	-	-	1	3	3	1	12	9	15	13	26	23	17	13	9	1	-	1	-	-	-
	Nonwhite--M--	155	4	-	-	-	-	-	1	-	1	2	4	7	17	27	32	21	17	13	5	4	-	-	-	-	-	-
	F--	65	8	-	-	-	-	-	1	-	4	1	5	6	10	13	12	3	1	2	-	1	-	-	-	-	-	-
35	Measles----------	59	14	14	7	5	3	10	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	White-----M--	32	8	8	5	2	-	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	23	5	6	1	2	2	3	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	87	3	1	2	1	4	16	14	7	12	10	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	59	2	1	2	-	3	12	7	4	8	7	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	1	-	-	-	1	3	6	2	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																										
45-55	Cancer and other malignant tumors	11,353	4	8	9	7	8	30	18	24	38	69	130	255	401	616	1,014	1,249	1,525	1,626	1,669	1,360	814	372	95	10	-	2
	White—M	5,392	2	3	7	4	4	19	9	15	21	26	48	77	116	204	439	597	780	837	846	720	408	166	37	6	-	1
	F	5,371	2	5	2	2	3	9	8	7	11	38	69	147	242	347	487	560	669	727	771	614	389	200	57	4	-	1
	Nonwhite—M	297	-	-	-	-	1	-	-	-	1	-	6	7	16	29	46	54	46	37	26	15	7	5	1	-	-	-
	F	293	-	-	-	1	-	2	1	2	5	5	7	24	27	36	42	38	30	25	26	11	10	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum	4,967	-	2	-	-	-	1	3	1	5	15	43	61	130	183	381	506	703	785	819	674	432	173	45	5	-	-
	White—M	2,603	-	1	-	-	-	1	2	1	3	5	17	24	51	86	209	281	391	449	435	359	204	67	16	2	-	-
	F	2,106	-	1	-	-	-	-	-	-	2	8	20	28	65	73	135	184	272	304	364	299	217	102	28	3	-	-
	Nonwhite—M	156	-	-	-	-	-	-	-	-	-	-	5	3	8	15	24	31	23	21	11	7	4	3	1	-	-	-
	F	102	-	-	-	-	-	-	1	-	-	2	1	5	6	9	14	10	17	11	9	9	7	1	-	-	-	-
48,49	Cancer of female genital organs	1,398	-	-	-	-	-	-	2	3	5	12	33	68	96	139	164	192	158	173	166	94	51	27	5	-	-	-
	White—F	1,290	-	-	-	-	-	-	2	2	3	12	29	55	86	127	148	176	152	166	157	93	50	27	5	-	-	-
	Nonwhite—F	98	-	-	-	-	-	-	-	1	2	-	4	13	10	12	16	16	6	7	9	1	1	-	-	-	-	-
50	Cancer of breast	1,092	-	-	-	-	-	-	-	-	-	10	12	42	66	102	133	118	132	145	132	105	54	28	12	1	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	1	-	-	-	-	-
	F	1,040	-	-	-	-	-	-	-	-	-	9	12	40	58	93	126	111	129	140	125	103	53	28	12	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	-	-	1	-	2	8	9	5	5	2	3	6	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,906	4	6	9	7	8	29	13	20	28	32	42	84	109	192	336	433	532	523	552	487	277	144	33	4	-	2
	White—M	2,778	2	2	7	4	4	18	7	14	18	21	31	53	65	118	229	314	388	386	410	359	203	99	21	4	-	1
	F	935	2	4	2	2	3	9	6	5	6	9	8	23	33	54	78	89	116	117	125	119	69	43	12	-	-	1
	Nonwhite—M	141	-	-	-	-	1	-	-	-	1	-	1	4	8	14	22	23	23	16	15	8	3	2	-	-	-	-
	F	52	-	-	-	1	-	2	-	1	3	2	2	4	3	6	7	7	5	4	2	1	2	-	-	-	-	-
59	Acute rheumatic fever	44	1	-	-	1	1	7	11	1	2	4	2	2	2	2	2	2	2	-	-	-	1	1	-	-	-	-
	White—M	20	-	-	-	-	1	1	6	1	1	1	2	-	2	-	1	1	2	-	-	-	1	-	-	-	-	-
	F	20	-	-	-	-	-	5	5	-	1	3	-	1	-	2	1	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,329	-	1	-	-	-	2	3	11	17	15	22	22	93	49	78	292	356	436	423	300	144	60	5	-	-	-
	White—M	752	-	-	-	-	-	-	-	2	7	6	13	9	14	17	47	94	106	136	137	82	53	25	3	-	-	-
	F	1,450	-	1	-	-	-	2	3	7	9	5	6	11	75	25	15	180	233	282	267	212	86	31	2	-	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	1	2	-	-	-	2	1	3	5	7	5	1	4	3	-	-	-	-	-
	F	93	-	-	-	-	-	-	-	2	-	-	3	2	2	8	13	13	11	13	18	2	2	4	-	-	-	-
63b	Exophthalmic goiter	174	-	-	-	-	-	-	-	1	3	1	3	4	8	8	15	22	31	26	29	14	5	3	2	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	4	4	3	1	-	-	-	-	-	-
	F	148	-	-	-	-	-	-	-	1	2	-	3	2	5	7	14	19	27	21	25	12	5	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	2	3	-	1	-	-	1	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	127	-	-	-	-	-	-	-	-	1	3	8	22	15	18	14	18	14	7	3	2	2	-	-	-	-	-
	White—M	86	-	-	-	-	-	-	-	-	-	-	5	13	12	13	10	12	10	6	3	1	1	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	4	2	3	2	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	1	-	1	3	1	-	2	4	2	-	-	1	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	3	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	8,204	9	4	4	-	2	3	2	10	13	18	28	51	110	220	403	537	836	1,023	1,344	1,465	1,148	691	236	38	4	5
	White—M	3,700	6	3	2	-	2	2	-	3	6	5	13	18	38	77	158	238	395	513	641	686	498	284	101	8	1	2
	F	4,002	3	1	1	-	-	1	2	7	5	10	10	24	51	95	179	232	387	447	645	735	621	384	130	27	2	3
	Nonwhite—M	229	-	-	1	-	-	-	-	-	1	1	4	1	10	20	31	30	30	33	25	19	12	9	1	1	-	-
	F	273	-	-	-	-	-	-	-	-	1	2	1	8	11	28	35	37	24	30	33	25	17	14	4	2	1	-
90-95	Diseases of the heart	26,452	9	1	2	3	2	20	26	38	52	84	164	324	572	998	1,697	2,361	3,055	3,402	3,837	3,974	3,125	1,890	655	134	13	14
	White—M	14,825	4	-	2	3	1	8	10	14	20	45	76	185	368	626	1,133	1,573	1,950	2,043	2,117	2,003	1,503	804	274	50	2	11
	F	10,148	5	-	-	-	1	9	13	16	25	32	62	90	122	233	368	597	924	1,210	1,573	1,836	1,547	1,045	355	77	7	1
	Nonwhite—M	675	-	1	-	-	-	1	2	4	2	3	15	25	47	80	117	124	111	98	92	77	36	23	12	2	1	2
	F	604	-	-	-	-	-	2	1	4	5	4	11	24	35	59	79	67	70	51	55	58	39	18	14	5	3	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	1,434	-	-	-	1	1	16	22	19	30	38	63	82	97	88	130	120	137	137	125	140	108	55	18	6	-	-
	White—M	682	-	-	-	1	-	7	7	8	10	17	20	43	51	44	65	51	71	74	57	73	55	20	10	-	-	-
	F	658	-	-	-	-	1	6	12	9	18	20	37	32	36	36	53	63	60	54	63	62	53	33	7	5	-	-
	Nonwhite—M	44	-	-	-	-	-	1	2	1	1	1	4	4	5	1	6	3	3	6	2	3	-	1	-	-	-	-
	F	50	-	-	-	-	-	2	1	3	3	-	2	3	5	7	6	3	3	3	3	2	1	1	1	1	-	-
94	Diseases of coronary arteries and angina pectoris	9,608	5	-	-	-	-	-	-	4	6	22	47	140	288	551	861	1,183	1,368	1,392	1,373	1,142	728	340	110	21	-	7
	White—M	6,554	3	-	-	-	-	-	-	2	3	17	30	102	230	439	709	939	988	923	870	653	399	172	59	10	-	6
	F	2,689	2	-	-	-	-	-	-	-	3	2	12	21	32	79	119	186	336	432	477	456	311	164	46	11	-	-
	Nonwhite—M	258	-	-	-	-	-	-	-	1	-	1	4	11	21	20	38	40	36	29	20	19	10	3	4	-	-	1
	F	107	-	-	-	-	-	-	-	1	-	2	1	6	5	13	15	18	8	8	6	14	8	1	1	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	15,410	4	1	2	2	1	4	4	15	16	24	64	102	187	359	688	1,058	1,550	1,873	2,339	2,682	2,288	1,495	527	107	13	7
	White—M	7,589	1	-	2	2	1	1	3	6	7	11	26	40	87	143	359	583	891	1,046	1,190	1,277	1,049	612	205	40	2	5
	F	6,801	3	-	-	-	-	3	1	7	6	10	13	37	54	118	196	348	528	724	1,033	1,318	1,183	848	302	61	7	1
	Nonwhite—M	573	-	1	-	-	-	-	-	2	1	1	7	10	21	59	73	81	72	63	70	55	26	19	8	2	1	1
	F	447	-	-	-	-	-	-	-	2	2	2	8	15	25	39	58	46	59	40	46	42	30	16	12	4	3	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
97, 102	Arteriosclerosis and high blood pressure*-------	1,715	-	-	-	-	-	-	-	-	-	1	2	2	4	9	23	28	60	111	200	313	406	341	173	40	2	-
	White-----M--	841	-	-	-	-	-	-	-	-	-	-	-	1	-	6	12	13	27	61	109	161	209	152	77	10	1	-
	F--	804	-	-	-	-	-	-	-	-	-	-	2	-	2	-	7	8	22	42	85	139	193	180	96	28	-	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	3	6	6	3	9	4	6	-	1	1	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	5	2	3	4	2	3	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	2,824	609	67	26	15	8	22	14	23	21	26	25	45	71	84	105	144	171	196	241	291	294	219	86	19	2	-
	White-----M--	1,473	305	32	10	10	4	12	4	9	7	6	10	20	38	45	58	83	103	132	140	158	141	99	38	8	1	-
	F--	1,034	220	29	12	4	3	7	9	8	11	13	7	9	12	12	21	37	46	51	94	119	138	116	46	10	-	-
	Nonwhite--M--	173	43	2	2	1	-	1	-	3	2	2	4	7	11	17	19	13	13	9	3	9	8	2	1	-	1	-
	F--	144	41	4	2	-	1	2	1	3	1	5	4	9	10	10	7	11	9	4	4	5	7	2	1	1	-	-
107	Bronchopneumonia-	1,467	417	39	17	8	5	10	7	12	5	13	9	16	17	24	38	51	69	85	131	161	155	121	55	10	-	-
	White-----M--	761	212	21	7	4	3	5	2	3	1	3	6	7	10	12	17	29	35	57	77	94	70	56	25	5	-	-
	F--	566	143	15	8	3	2	4	5	6	3	6	2	5	4	5	7	15	26	24	49	61	77	63	28	5	-	-
	Nonwhite--M--	78	35	1	1	1	-	1	-	2	1	2	-	1	2	5	5	2	5	3	1	4	4	1	1	-	-	-
	F--	62	27	2	1	-	-	-	-	1	-	2	1	3	1	2	1	5	3	1	4	2	4	1	1	-	-	-
108	Lobar pneumonia--	890	104	17	4	4	2	4	4	7	10	10	12	23	39	47	64	71	67	81	72	84	80	56	23	3	2	-
	White-----M--	481	50	8	2	3	1	2	-	3	4	3	3	9	21	27	38	42	44	54	40	49	46	21	11	1	1	-
	F--	272	38	8	1	1	-	2	3	1	4	4	3	4	3	4	10	16	10	20	31	31	29	35	12	2	-	-
	Nonwhite--M--	78	6	1	1	-	-	-	-	1	1	-	4	5	8	11	11	9	7	4	1	3	4	-	-	-	1	-
	F--	59	10	2	-	-	1	-	1	2	1	3	2	5	7	5	5	4	6	3	-	1	1	-	-	-	-	-
109	Pneumonia (unspecified)------	209	55	5	2	-	-	5	2	3	2	2	4	5	8	5	4	9	16	14	18	13	21	11	4	1	-	-
	White-----M--	113	26	2	-	-	-	3	2	-	-	1	3	5	3	2	7	11	9	12	6	10	7	2	-	-	-	-
	F--	76	23	3	1	-	-	-	-	1	2	2	2	-	2	1	1	1	4	4	6	6	11	4	2	-	-	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	1	-	-	-	-	-	-
	F--	11	4	-	1	-	-	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-
33	Influenza--------	258	33	6	3	3	1	3	1	1	4	1	-	1	7	8	7	13	19	16	20	33	38	31	4	5	-	-
	White-----M--	118	17	3	1	3	-	2	-	1	2	-	-	1	2	3	1	5	13	12	11	9	15	15	-	2	-	-
	F--	120	16	3	2	-	1	1	1	-	2	1	-	-	3	2	3	5	6	3	8	21	21	14	4	3	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	1	-	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	2	2	1	-	-	-	-
117	Ulcer of stomach or duodenum-----	443	3	-	-	1	-	-	-	-	2	8	5	12	25	24	52	60	66	64	47	33	30	7	4	-	-	-
	White-----M--	349	2	-	-	-	-	-	-	-	2	5	5	10	18	21	42	52	60	43	39	23	21	4	2	-	-	-
	F--	76	1	-	-	1	-	-	-	-	-	1	-	1	5	2	7	2	6	18	8	10	9	3	2	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	6	-	2	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	484	351	31	2	-	2	6	1	2	5	5	2	7	7	4	8	5	8	7	8	8	4	8	2	1	-	-
	White-----M--	229	169	9	-	-	2	3	-	2	3	1	-	1	5	3	6	1	6	4	2	5	2	3	2	-	-	-
	F--	200	139	18	2	-	-	3	1	-	2	3	2	4	1	1	-	4	2	2	6	3	1	5	-	1	-	-
	Nonwhite--M--	31	26	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F--	24	17	2	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	209	3	2	5	3	-	12	6	7	7	6	12	10	7	14	18	26	22	18	10	14	8	1	-	-	-	-
	White-----M--	117	2	1	4	3	-	9	2	4	5	3	7	6	3	11	5	13	9	12	5	8	5	-	-	-	-	-
	F--	68	1	1	1	-	-	2	4	2	1	3	2	1	2	3	9	9	8	6	5	5	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	-	-	2	1	1	-	1	1	2	-	-	1	1	-	-	-	-	-
	F--	13	-	-	-	-	-	-	1	1	-	1	1	2	1	-	1	3	3	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	535	30	4	1	-	1	4	1	1	1	5	10	19	10	27	25	40	50	72	78	63	50	33	7	3	-	-
	White-----M--	240	19	3	-	-	-	2	1	-	-	1	4	6	-	12	9	22	24	34	31	33	27	11	1	-	-	-
	F--	264	9	1	-	-	1	1	-	1	-	3	4	12	7	11	13	17	21	35	46	29	22	22	6	3	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	-	1	1	1	1	3	2	1	2	3	1	1	1	-	-	-	-	-
	F--	13	2	-	1	-	-	1	-	-	-	1	1	-	2	1	1	-	3	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	951	-	-	1	-	-	1	-	4	1	8	17	32	86	90	123	141	137	105	87	84	32	21	1	-	-	-
	White-----M--	586	-	-	-	-	-	-	-	-	1	2	7	19	58	63	75	89	91	63	53	34	21	9	1	-	-	-
	F--	316	-	-	1	-	-	1	-	2	-	2	8	9	20	24	41	46	38	39	32	30	11	12	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	1	-	1	1	-	3	1	5	3	7	3	2	-	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	-	3	1	4	5	2	2	3	1	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	356	-	-	-	-	-	-	-	-	-	3	2	7	20	22	31	37	35	46	50	46	30	20	5	1	-	1
	White-----M--	119	-	-	-	-	-	-	-	-	-	1	-	2	4	9	9	11	19	17	20	13	6	7	-	-	-	1
	F--	225	-	-	-	-	-	-	-	-	-	2	2	5	15	11	21	22	16	29	30	32	22	13	4	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	-	-	-
130-132	Nephritis--------	4,358	8	1	4	3	5	9	8	17	27	33	42	74	102	143	247	295	396	498	588	736	624	379	99	18	3	1
	White-----M--	2,144	3	1	2	1	3	3	3	11	9	17	23	28	39	52	123	158	205	270	310	349	313	174	40	6	1	-
	F--	1,884	4	-	1	2	2	5	5	6	16	8	12	27	39	55	84	100	157	197	250	358	290	199	57	9	-	1
	Nonwhite--M--	177	1	-	1	-	-	1	-	-	1	5	1	10	10	18	21	19	17	21	20	16	7	5	2	-	1	-
	F--	153	-	-	-	-	-	-	-	-	1	3	6	9	14	18	19	18	17	10	6	13	14	1	-	3	1	-
137	Diseases of the prostate--------	367	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	10	22	48	78	77	75	43	4	1	-	-
	White-----M--	349	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	9	20	47	75	72	73	42	4	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	3	5	2	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																										
140-150	Diseases of pregnancy, etc.*----	159	-	-	-	-	-	-	-	12	36	33	31	35	11	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	136	-	-	-	-	-	-	-	8	31	27	27	33	9	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	-	4	5	6	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	51	-	-	-	-	-	-	-	3	5	14	10	12	6	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	-	-	-	-	-	-	-	2	4	12	10	11	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	32	-	-	-	-	-	-	-	4	10	3	6	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	28	-	-	-	-	-	-	-	3	9	2	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	54	-	-	-	-	-	-	-	4	15	8	13	11	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	-	-	-	-	-	-	-	2	13	6	10	10	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	2	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	22	-	-	-	-	-	-	-	1	6	8	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	20	-	-	-	-	-	-	-	1	5	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	1,091	890	59	21	12	12	20	9	8	7	7	4	11	6	7	6	3	3	3	1	2	-	-	-	-	-
	White-----M--	541	438	35	8	5	10	12	1	6	3	4	2	3	3	4	1	1	2	1	-	2	-	-	-	-	-
	F--	475	388	18	15	7	1	8	6	2	4	2	2	7	3	3	5	2	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	37	32	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	32	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	3,204	3,204	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,733	1,733	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,126	1,126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158	Premature birth--	1,956	1,956	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,037	1,037	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	692	692	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	123	123	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159, 160, 161	Other diseases peculiar to first year------	1,248	1,248	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	696	696	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	434	434	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	976	-	-	-	-	-	-	-	15	42	50	65	78	76	103	107	105	117	79	68	43	16	5	5	1	-	1
	White-----M--	733	-	-	-	-	-	-	-	12	22	33	46	53	53	68	79	81	100	63	60	37	15	4	5	1	-	1
	F--	216	-	-	-	-	-	-	-	3	17	14	15	24	20	29	26	24	16	13	7	6	1	1	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	3	1	4	1	2	4	2	-	1	2	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide----------	353	7	1	2	1	-	4	7	11	44	44	41	57	31	24	24	18	14	11	6	5	1	-	-	-	-	-
	White-----M--	122	4	-	-	-	-	2	2	2	10	10	17	17	9	8	13	6	8	6	4	3	1	-	-	-	-	-
	F--	55	2	-	1	1	-	2	4	-	10	3	2	7	5	2	2	5	4	3	-	2	-	-	-	-	-	-
	Nonwhite--M--	145	-	-	1	-	-	-	-	8	19	23	18	30	15	12	9	6	2	2	2	-	-	-	-	-	-	-
	F--	31	1	1	-	-	-	-	1	1	5	8	6	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,441	170	89	47	42	41	148	159	282	359	271	234	207	221	278	276	304	281	340	356	466	437	305	115	25	2	8
	White-----M--	3,320	84	52	26	22	20	89	87	198	284	206	174	147	162	204	204	211	189	232	192	214	164	107	38	9	-	5
	F--	1,794	60	31	14	16	17	45	41	70	57	42	37	45	39	46	49	67	76	96	156	240	264	193	75	16	2	1
	Nonwhite--M--	247	17	5	3	3	1	3	8	13	18	18	21	12	18	21	21	23	12	9	4	7	7	2	1	-		2
	F--	80	9	1	4	1	3	11	3	1	2	5	2	3	3	7	2	3	4	3	4	5	2	1	1	-	-	-
170	Motor-vehicle accidents-------	1,954	10	16	18	17	16	81	56	185	236	151	123	102	83	124	113	131	107	127	91	90	50	23	3	-	-	3
	White-----M--	1,393	5	12	7	10	7	45	34	133	189	121	95	70	55	68	71	89	73	102	66	65	34	18	3	-	-	1
	F--	457	4	4	8	7	9	28	20	45	38	20	23	28	22	28	31	33	25	22	23	22	12	4	-	-	-	1
	Nonwhite--M--	78	1	-	1	-	-	2	1	6	7	7	5	2	4	7	9	9	6	2	1	2	4	1	-	-	-	1
	F--	26	-	-	-	-	-	6	1	1	2	3	-	2	2	1	2	-	3	1	1	1	-	-	-	-	-	-
169, 171-195	Other accidents---	3,487	160	73	31	25	25	67	83	97	123	120	111	105	138	154	163	173	174	213	265	376	387	280	112	25	2	5
	White-----M--	1,927	79	40	19	12	13	44	53	85	95	85	79	77	107	116	133	122	116	130	126	149	130	89	35	9	-	4
	F--	1,337	56	27	6	9	8	17	21	25	19	22	14	17	16	18	18	34	51	74	133	218	252	189	75	16	2	-
	Nonwhite--M--	169	16	5	2	3	1	1	7	7	9	11	16	10	14	14	12	14	6	7	3	5	3	1	1	-	-	1
	F--	54	9	1	4	1	3	5	2	-	-	2	2	1	1	6	-	3	1	2	3	4	2	1	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	1,015	40	4	3	-	-	2	1	3	9	8	13	15	11	29	33	18	52	65	89	113	186	164	114	30	12	1
	White-----M--	452	17	2	2	-	-	1	-	2	5	4	7	7	4	11	12	8	31	36	46	51	81	76	38	9	1	1
	F--	435	11	1	1	-	-	-	1	1	1	1	3	4	5	2	6	5	11	19	32	54	98	80	71	20	8	-
	Nonwhite--M--	59	6	1	-	-	-	-	-	-	-	2	2	1	-	10	10	3	4	4	5	4	1	4	2	-	-	-
	F--	69	6	-	-	-	-	1	-	-	3	1	1	3	2	6	5	2	6	6	6	4	6	4	3	1	3	-
	All other causes-	4,460	235	77	34	32	16	95	61	76	97	111	148	157	211	265	321	391	404	421	433	390	257	169	47	8	2	2
	White-----M--	2,304	141	39	13	14	4	42	30	36	45	48	67	63	105	115	168	228	229	245	245	199	134	76	15	3	1	1
	F--	1,828	78	30	17	18	9	43	26	34	36	45	66	66	77	119	116	135	154	161	172	179	121	91	31	5	1	-
	Nonwhite--M--	183	8	4	3	1	2	6	2	3	10	10	8	11	18	11	25	17	16	9	9	6	2	1	2	-	-	1
	F--	145	8	4	1	1	1	4	3	3	6	8	7	17	11	20	14	11	5	6	7	6	-	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	ALL CAUSES-------	19,079	1,731	131	73	59	44	158	123	213	299	279	300	444	572	753	958	1,274	1,487	1,973	2,291	2,458	1,734	1,141	434	104	26	20
	White-----M--	10,055	823	46	26	30	23	73	68	112	188	133	138	222	295	398	518	727	809	1,110	1,244	1,343	921	568	194	44	8	14
	F--	6,640	592	46	30	19	17	60	33	65	76	85	103	130	176	205	291	376	511	815	827	949	675	498	206	48	8	1
	Nonwhite--M--	1,322	181	24	10	3	3	12	7	17	33	35	25	47	49	80	81	86	91	143	135	104	86	41	17	6	4	2
	F--	1,062	135	15	7	7	1	13	15	19	22	26	34	45	52	70	68	85	76	105	85	82	52	34	17	8	6	3
1,2	Typhoid and paratyphoid fever---	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	10	1	1	2	1	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	1	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	44	34	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	11	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	16	2	4	3	1	1	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	1	-	3	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	606	3	6	1	1	1	4	2	17	33	42	41	64	55	67	46	53	43	46	30	29	14	5	3	-	-	-
	White-----M--	281	-	1	1	-	1	1	-	4	6	12	14	28	21	37	33	29	25	20	15	20	9	3	1	-	-	-
	F--	142	1	1	-	-	-	2	1	4	10	11	8	13	17	11	6	13	13	14	9	5	1	1	1	-	-	-
	Nonwhite--M--	103	-	3	-	-	-	-	1	4	9	7	7	14	10	14	5	8	1	9	4	4	3	-	-	-	-	-
	F--	80	2	1	-	1	-	1	-	5	8	12	12	9	7	5	2	3	4	3	2	-	1	1	1	-	-	-
13	Tuberculosis of respiratory system, etc.*---	568	2	4	-	1	1	2	1	16	31	42	39	62	52	60	44	49	41	44	30	27	13	5	2	-	-	-
	White-----M--	283	-	1	-	-	1	-	-	4	5	12	13	26	19	35	32	26	23	20	15	13	8	3	1	-	-	-
	F--	134	1	1	-	-	-	1	-	4	9	11	8	13	16	10	5	13	13	13	9	5	1	1	-	-	-	-
	Nonwhite--M--	95	-	2	-	-	-	-	1	4	9	7	7	14	10	10	5	7	1	8	4	3	3	-	-	-	-	-
	F--	76	1	-	-	1	-	1	-	4	8	12	11	9	7	5	2	3	4	3	2	-	1	1	1	-	-	-
14-22	Tuberculosis (other forms)---	38	1	2	1	-	-	2	1	1	2	-	2	2	3	7	2	4	2	2	-	2	1	-	1	-	-	-
	White-----M--	18	-	-	1	-	-	1	-	-	1	-	1	2	2	2	1	3	2	-	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	8	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	-	1	-	-	-	-	-	-
	F--	4	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	28	17	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	1	-	-	-	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	9	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	Malaria----------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	165	10	-	-	-	-	-	-	-	-	-	3	3	13	14	16	22	29	22	15	9	5	2	1	-	-	1
	White-----M--	103	2	-	-	-	-	-	-	-	-	-	-	1	9	9	8	15	20	17	10	7	4	1	-	-	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	2	1	2	-	5	2	2	2	4	2	-	-	1	-	-	-
	Nonwhite--M--	29	5	-	-	-	-	-	-	-	-	-	1	1	1	5	2	5	7	1	-	-	-	-	-	-	-	1
	F--	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	1	-	-	-	-
35	Measles----------	10	-	1	2	1	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	5	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	4	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	35	3	2	1	-	2	14	5	3	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	23	1	2	1	-	1	7	4	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	1	-	-	-	1	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
45-55	Cancer and other malignant tumors	2,486	4	1	1	2	2	5	3	8	6	15	34	59	80	135	209	283	284	332	351	343	196	101	25	6	-	1
	White-----M--	1,125	2	-	-	1	1	1	2	4	5	8	6	16	26	55	74	115	127	153	179	185	105	46	10	2	-	-
	F--	1,136	1	1	1	1	1	4	1	2	1	5	24	32	47	63	114	132	134	138	147	142	79	51	13	2	-	-
	Nonwhite--M--	115	1	-	-	-	-	-	-	1	-	2	1	3	1	4	10	14	14	28	14	9	8	3	1	1	-	-
	F--	112	-	-	-	-	-	-	-	1	-	-	3	8	6	13	11	22	9	13	11	7	4	1	1	1	-	1
46	Cancer of the digestive organs and peritoneum--	993	-	-	-	-	-	-	-	1	3	2	2	18	16	35	72	107	111	144	156	183	91	42	7	3	-	-
	White-----M--	479	-	-	-	-	-	-	-	-	3	1	-	8	8	19	33	51	59	70	71	99	39	16	2	-	-	-
	F--	418	-	-	-	-	-	-	-	-	-	-	2	7	8	11	28	43	42	54	75	74	44	26	5	1	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	1	-	2	1	2	6	7	7	16	4	6	5	-	-	1	-	-
	F--	36	-	-	-	-	-	-	-	1	-	-	-	1	1	3	5	6	3	4	6	4	3	-	-	1	-	-
48,49	Cancer of female genital organs--	307	-	-	1	-	-	-	-	-	-	3	9	12	27	31	44	45	38	37	22	19	14	2	3	-	-	-
	White-----F--	275	-	-	1	-	-	-	-	-	-	3	7	9	23	29	39	38	34	34	21	18	14	2	3	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	-	-	-	-	2	3	4	2	5	7	4	3	1	1	-	-	-	-	-	-
50	Cancer of breast-	206	-	-	-	-	-	-	-	-	-	1	8	10	11	13	29	30	24	22	21	18	9	11	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	1	-	-	-	-
	F--	174	-	-	-	-	-	-	-	-	-	1	7	7	10	10	28	23	22	16	17	15	9	9	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	3	-	3	1	6	-	4	3	1	-	1	1	-	-	-
45,47, 51-55	Cancer (other sites)----------	980	4	1	-	2	2	5	3	7	3	9	15	19	26	56	64	101	111	129	152	125	82	46	14	3	-	1
	White-----M--	636	2	-	-	1	1	1	2	4	2	7	6	8	17	36	41	63	66	81	107	86	66	29	8	2	-	-
	F--	269	1	1	-	1	1	4	1	2	1	1	8	9	8	13	19	28	36	34	34	35	12	14	5	1	-	-
	Nonwhite--M--	57	1	-	-	-	-	-	-	1	-	1	1	1	-	2	4	7	7	12	10	3	3	3	1	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-	3	2	2	1	1	1	-	-	-	-	1
56	Acute rheumatic fever----------	9	-	-	1	1	-	2	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	397	-	-	-	-	-	1	-	1	3	5	5	2	11	9	16	26	41	72	86	74	30	12	2	1	-	-
	White-----M--	169	-	-	-	-	-	1	-	-	-	-	3	2	5	2	7	8	11	26	42	40	15	7	-	-	-	-
	F--	184	-	-	-	-	-	-	-	1	3	4	1	-	1	6	8	14	24	36	39	30	12	3	1	1	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	3	5	4	1	3	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	4	3	5	1	3	-	-	-	-	-	-
63b	Exophthalmic goiter----------	15	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	3	3	3	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	3	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	37	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	3	4	4	7	5	4	2	2	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	3	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	3	5	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	1	-	-	-	-
77	Alcoholism (ethylism)------	20	-	-	-	-	-	-	-	-	-	1	1	3	1	2	4	2	4	1	-	1	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	2	3	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	2,024	2	2	-	1	-	1	2	2	4	2	8	10	26	56	76	120	191	284	343	403	256	177	43	13	2	-
	White-----M--	1,006	1	1	-	-	-	1	-	-	2	-	3	7	6	18	36	67	98	147	183	212	121	77	20	5	1	-
	F--	798	1	-	-	-	-	-	2	1	2	2	3	3	12	22	20	35	74	101	132	165	114	85	19	5	-	-
	Nonwhite--M--	108	-	1	-	-	-	-	-	1	-	-	1	-	2	3	12	5	8	20	16	16	12	6	3	2	-	-
	F--	112	-	-	-	1	-	-	-	-	-	-	1	-	6	13	8	13	11	16	12	10	9	9	1	1	1	-
90-95	Diseases of the heart----------	5,165	3	2	1	3	-	11	3	7	15	18	37	55	118	179	291	427	516	686	858	852	582	361	112	19	4	7
	White-----M--	3,147	1	-	1	1	-	4	1	3	9	9	18	27	70	120	201	289	334	459	508	484	339	194	56	9	4	6
	F--	1,589	2	2	-	2	-	3	2	4	5	7	10	18	27	34	50	93	132	164	293	326	209	148	49	8	-	1
	Nonwhite--M--	225	-	-	-	-	-	1	-	-	1	2	1	5	10	11	20	24	25	38	28	27	16	12	2	2	-	-
	F--	204	-	-	-	-	-	3	-	-	-	-	8	5	9	14	20	21	25	25	29	15	18	7	5	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	237	-	-	1	1	-	5	1	4	6	6	10	8	15	13	22	16	14	27	27	22	24	13	2	-	-	-
	White-----M--	115	-	-	1	1	-	2	-	2	5	3	2	4	4	8	12	7	9	12	11	15	12	4	1	-	-	-
	F--	90	-	-	-	-	-	1	1	2	1	3	7	4	5	2	7	5	4	10	12	7	10	8	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	3	1	-	2	1	-	-	-	-
	F--	17	-	-	-	-	-	2	-	-	-	-	1	-	2	2	2	2	1	2	3	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	2,171	-	-	-	-	-	1	1	1	2	6	13	28	55	102	155	225	280	327	377	310	169	89	21	7	1	1
	White-----M--	1,532	-	-	-	-	-	-	-	1	2	3	10	19	43	81	124	173	204	240	244	208	109	54	14	3	1	1
	F--	549	-	-	-	-	-	1	1	-	-	3	1	6	8	16	22	47	59	70	121	97	53	33	7	4	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	11	10	3	5	3	1	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	2	3	2	1	4	3	6	7	8	2	4	1	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,757	3	2	-	2	-	5	1	2	7	6	14	19	46	64	114	186	222	332	454	520	389	259	89	12	3	6
	White-----M--	1,500	1	-	-	-	-	2	1	-	2	3	6	4	23	31	65	109	121	207	253	263	218	136	41	6	3	5
	F--	950	2	2	-	2	-	1	-	2	4	1	2	8	14	18	21	41	69	84	160	222	146	107	41	4	-	1
	Nonwhite--M--	164	-	-	-	-	-	1	-	-	1	2	1	5	4	6	14	20	14	25	24	22	11	10	2	2	-	-
	F--	143	-	-	-	-	-	1	-	-	-	-	5	2	5	11	14	16	18	16	17	13	14	6	5	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	350	-	-	-	-	-	-	-	-	-	-	2	2	2	4	4	14	14	34	42	81	64	52	29	5	1	-
	White-----M--	193	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	9	4	21	22	49	40	27	11	4	1	-
	F--	122	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	8	6	14	27	20	24	16	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	2	4	1	-	1	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	3	4	1	3	1	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	836	202	33	9	7	6	9	5	4	11	8	5	14	8	24	11	23	33	48	64	93	103	70	36	10	2	-
	White-----M--	354	71	8	2	5	4	1	2	4	5	-	2	1	4	13	5	15	15	17	33	46	51	33	15	2	-	-
	F--	300	61	13	4	1	2	3	2	-	3	2	1	6	2	2	3	3	10	19	21	35	43	35	20	7	2	-
	Nonwhite--M--	103	40	6	2	-	-	3	-	-	1	3	1	4	2	6	-	4	4	5	8	8	4	1	-	1	-	-
	F--	79	30	6	1	1	-	2	1	-	2	3	1	3	-	3	3	1	4	5	2	4	5	1	1	-	-	-
107	Bronchopneumonia-	255	79	9	4	3	1	3	1	2	4	1	1	3	2	6	3	6	9	12	16	22	31	19	14	3	1	-
	White-----M--	104	28	3	-	2	1	-	-	2	2	-	-	1	2	4	1	3	5	3	8	13	13	7	6	-	-	-
	F--	97	23	4	2	1	-	2	1	-	-	-	1	-	-	-	1	1	2	7	4	6	18	12	8	3	1	-
	Nonwhite--M--	32	15	1	1	-	-	1	-	-	1	1	-	1	-	2	-	2	1	1	3	2	-	-	-	-	-	-
	F--	22	13	1	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-
108	Lobar pneumonia--	201	31	7	3	2	4	2	1	1	1	3	1	2	1	6	4	8	8	14	18	34	28	15	5	2	-	-
	White-----M--	92	10	2	1	1	2	-	-	1	1	-	1	-	-	1	3	6	5	6	9	17	15	8	2	1	-	-
	F--	57	8	1	2	-	2	-	1	-	-	-	-	-	1	1	1	-	1	4	3	13	8	7	3	1	-	-
	Nonwhite--M--	31	6	2	-	-	-	1	-	-	-	1	-	1	-	2	-	2	2	3	5	4	2	-	-	-	-	-
	F--	21	7	2	-	1	-	1	-	-	-	2	-	1	-	2	-	-	-	1	1	-	3	-	-	-	-	-
109	Pneumonia (unspecified)------	266	72	11	1	2	1	2	1	1	6	3	2	7	5	6	1	6	7	16	21	31	29	22	10	3	-	-
	White-----M--	112	29	3	-	2	1	1	-	1	2	-	1	-	2	3	1	4	2	6	12	12	14	11	4	1	-	-
	F--	102	23	7	-	-	-	-	-	-	3	2	-	5	1	-	-	1	3	6	9	14	12	10	5	1	-	-
	Nonwhite--M--	30	13	1	1	-	-	1	-	-	-	1	1	1	2	2	-	-	1	1	-	2	2	-	-	1	-	-
	F--	22	7	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	1	3	-	3	1	1	1	-	-	-
33	Influenza-------	114	20	6	1	-	-	2	2	-	-	1	1	2	-	6	3	3	9	4	9	6	15	14	7	2	1	-
	White-----M--	46	4	-	1	-	-	-	2	-	-	-	-	-	-	5	-	2	3	2	4	4	9	7	3	-	-	-
	F--	44	7	1	-	-	-	1	-	-	-	-	-	1	-	1	1	1	4	2	5	2	5	6	4	2	1	-
	Nonwhite--M--	10	6	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	14	3	3	-	-	-	1	-	-	-	1	1	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	67	-	-	-	-	-	-	-	-	2	-	1	7	3	9	11	13	12	9	10	6	2	2	-	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	1	-	1	4	3	6	10	12	12	8	9	4	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	1	2	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	118	83	8	4	1	-	-	-	-	1	3	-	1	-	1	-	2	1	2	3	4	3	1	-	-	-	-
	White-----M--	41	31	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	2	2	1	1	-	-	-	-
	F--	42	29	4	1	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-
	Nonwhite--M--	25	15	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	10	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis-----	83	1	1	2	-	1	3	6	6	2	4	3	5	5	3	4	9	5	3	5	5	5	5	-	-	-	-
	White-----M--	46	1	1	1	-	-	1	4	2	2	2	2	3	2	2	-	6	1	3	4	3	4	2	-	-	-	-
	F--	31	-	-	1	-	1	2	1	4	-	2	1	2	2	1	3	2	3	-	-	2	1	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	132	6	3	-	-	-	2	1	2	2	-	5	2	3	8	7	7	15	16	13	15	14	8	2	-	-	1
	White-----M--	56	4	1	-	-	-	1	-	2	1	-	1	-	2	1	2	1	9	7	7	6	6	4	1	-	-	-
	F--	51	-	1	-	-	-	1	1	-	1	-	3	1	-	4	4	4	6	6	6	7	3	2	1	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	2	2	-	-	-	-
	F--	15	1	1	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	2	-	1	3	-	-	-	-	1
124	Cirrhosis of the liver----------	153	-	-	-	-	-	-	-	1	1	3	-	5	7	10	22	10	20	19	21	18	8	7	-	1	-	-
	White-----M--	94	-	-	-	-	-	-	-	1	1	2	-	4	6	6	9	7	12	11	13	11	5	5	-	1	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	2	5	6	7	7	1	2	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	2	1	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	88	-	-	-	-	-	-	-	1	-	-	2	3	5	2	9	10	13	10	16	9	3	3	1	1	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	2	3	2	3	4	1	1	-	1	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	7	9	7	12	5	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-
130-132	Nephritis--------	1,038	4	-	2	-	1	3	5	7	14	10	7	19	18	46	41	68	61	110	149	174	144	101	38	11	4	1
	White-----M--	497	3	-	1	-	1	-	3	2	10	5	2	10	6	16	20	34	21	49	73	85	71	62	19	4	-	-
	F--	340	-	-	1	-	-	2	1	5	2	3	3	5	6	10	9	17	26	34	42	62	62	30	12	6	2	-
	Nonwhite--M--	117	1	-	-	-	-	-	-	-	-	2	2	2	3	11	9	7	8	12	23	15	10	7	5	-	-	-
	F--	84	-	-	-	-	-	1	1	-	2	-	-	2	3	9	3	10	6	15	11	12	1	2	2	1	2	1
137	Diseases of the prostate--------	108	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	14	19	29	19	6	8	4	-	-
	White-----M--	99	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	14	17	27	16	6	8	4	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
140-150	Diseases of pregnancy, etc.*----	57	-	-	-	-	-	-	1	7	10	9	10	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	41	-	-	-	-	-	-	-	5	7	7	8	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	-	-	-	-	-	-	1	2	3	2	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	10	-	-	-	-	-	-	1	-	1	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	19	-	-	-	-	-	-	-	5	4	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	3	2	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	21	-	-	-	-	-	-	-	2	4	4	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	2	3	3	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	7	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	257	220	7	4	3	2	6	2	2	3	2	1	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	134	114	6	3	-	-	3	2	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	89	1	1	3	2	2	-	1	2	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	958	958	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	504	504	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	328	328	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	631	631	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	322	322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	230	230	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	327	327	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	182	182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	172	-	-	-	-	-	-	1	4	8	16	10	19	23	15	16	17	17	12	7	4	2	1	-	-	-	-
	White-----M--	129	-	-	-	-	-	-	1	2	7	10	4	14	19	8	11	16	14	10	6	4	2	1	-	-	-	-
	F--	37	-	-	-	-	-	-	-	2	1	4	6	4	4	7	4	1	1	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	119	-	-	-	-	1	2	-	4	21	11	11	14	18	9	11	7	6	3	-	1	-	-	-	-	-	-
	White-----M--	61	-	-	-	-	1	2	-	3	9	2	5	6	11	7	4	6	3	2	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	2	3	1	2	1	-	3	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	7	4	4	5	4	1	3	-	2	1	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	3	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,506	54	27	19	17	18	62	52	98	133	90	81	89	95	77	65	64	49	72	66	83	70	68	35	8	1	3
	White-----M--	914	23	14	6	8	8	34	37	71	92	63	63	67	67	48	47	49	26	44	31	40	29	25	17	2	-	3
	F--	417	21	10	9	5	7	21	10	15	26	15	14	14	16	15	9	8	15	21	23	48	36	36	16	6	1	-
	Nonwhite--M--	130	8	3	2	2	3	4	3	8	12	10	3	6	9	10	9	6	6	3	11	3	8	4	2	-	-	-
	F--	45	2	-	2	2	-	3	2	4	3	2	1	2	3	4	-	1	2	4	1	2	2	3	-	-	-	-
170	Motor-vehicle accidents-------	518	3	2	3	7	11	24	20	51	76	42	34	34	36	31	29	21	21	25	17	19	9	2	1	-	-	-
	White-----M--	353	1	-	1	4	6	14	15	40	54	28	25	22	24	21	22	15	10	18	11	11	9	2	-	-	-	-
	F--	118	2	2	2	3	4	6	4	9	14	8	7	9	8	7	5	4	8	6	4	5	-	-	1	-	-	-
	Nonwhite--M--	36	-	-	-	-	1	3	1	-	6	6	1	3	3	1	2	2	2	1	2	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	2	2	-	1	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-
168, 171-195	Other accidents---	988	51	25	16	10	7	38	32	47	57	48	47	55	59	46	36	43	28	47	49	74	61	66	34	8	1	3
	White-----M--	561	22	14	5	4	2	20	22	31	38	35	38	45	43	27	25	34	16	26	20	29	20	23	17	2	-	3
	F--	299	19	8	7	2	3	15	6	6	12	7	7	5	8	8	4	4	7	15	19	43	38	36	15	6	1	-
	Nonwhite--M--	94	8	3	2	2	2	1	2	8	6	4	2	3	6	9	7	4	4	2	9	1	3	4	2	-	-	-
	F--	34	2	-	2	2	-	2	2	2	1	2	-	2	2	2	-	1	1	4	1	1	2	3	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	725	46	5	4	-	-	3	1	6	3	4	3	6	14	13	20	20	33	50	79	100	118	96	68	20	9	4
	White-----M--	339	15	-	1	-	-	-	1	-	3	1	-	4	6	9	10	9	18	24	40	58	57	44	26	9	1	3
	F--	256	15	2	1	-	-	2	-	2	-	1	2	1	5	2	5	7	8	15	23	30	42	45	37	9	2	-
	Nonwhite--M--	80	9	1	1	-	-	1	-	1	-	1	1	1	-	1	3	2	5	5	13	10	16	2	2	-	4	1
	F--	50	7	2	1	-	-	-	-	3	-	1	-	-	3	1	2	2	2	6	3	2	3	5	3	2	2	-
	All other causes-	1,213	78	20	14	17	9	20	31	32	26	32	28	42	56	67	70	70	84	119	102	106	91	61	28	5	3	2
	White-----M--	575	35	9	3	12	5	10	10	10	13	16	11	16	28	36	35	32	45	72	43	54	39	28	9	1	1	2
	F--	487	24	5	8	4	3	6	11	13	10	12	13	17	21	22	26	28	34	37	47	44	47	29	18	1	1	-
	Nonwhite--M--	69	12	3	2	-	-	2	2	1	2	2	1	2	3	6	2	6	2	5	8	3	3	2	-	-	-	-
	F--	82	7	3	1	1	1	2	8	2	1	2	3	7	4	3	7	4	3	5	4	5	2	2	1	3	1	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																											
	ALL CAUSES-------	14,080	897	65	39	27	32	75	66	127	177	209	203	297	380	585	780	1,033	1,355	1,659	1,721	1,722	1,350	867	316	75	8	17
	White-----M--	8,400	498	36	28	13	22	42	43	89	119	143	127	173	238	369	513	703	903	1,063	987	939	719	448	148	28	1	8
	F--	5,401	363	26	8	11	7	29	21	33	44	57	68	100	123	200	249	324	435	571	711	768	621	411	163	45	5	8
	Nonwhite--M--	176	25	1	1	2	2	2	1	4	10	6	4	16	10	10	13	2	9	20	14	10	7	4	2	2	-	1
	F--	101	11	2	2	1	1	2	1	1	4	3	4	8	9	6	5	4	6	5	9	5	3	4	3	-	2	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria------	6	-	-	1	1	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	1	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	249	1	3	5	3	1	1	1	3	12	12	11	22	21	26	23	20	22	22	21	10	5	1	2	-	-	1
	White-----M--	152	1	-	4	-	1	-	-	2	2	4	5	8	12	14	17	18	16	16	17	9	3	1	2	-	-	-
	F--	72	-	2	1	-	-	1	1	-	6	7	4	8	9	10	6	2	5	5	2	1	1	-	-	-	-	1
	Nonwhite--M--	14	-	-	-	2	-	-	-	1	3	1	-	3	-	1	-	-	-	1	1	-	1	-	-	-	-	-
	F--	11	-	1	-	1	-	-	-	-	1	-	2	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	225	1	-	3	2	-	-	1	3	10	11	10	20	19	26	22	20	20	20	21	8	4	1	2	-	-	1
	White-----M--	143	1	-	3	-	-	-	-	2	1	3	5	8	12	14	16	18	15	15	17	7	3	1	2	-	-	-
	F--	61	-	-	-	-	-	1	-	-	6	7	3	7	7	10	6	2	4	4	2	1	-	-	-	-	-	1
	Nonwhite--M--	11	-	-	-	1	-	-	-	1	2	1	-	2	-	1	-	-	-	1	1	-	1	-	-	-	-	-
	F--	10	-	-	-	1	-	-	-	-	1	-	2	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	24	-	3	2	1	1	1	-	-	2	1	1	2	2	-	1	-	2	2	-	2	1	-	-	-	-	-
	White-----M--	9	-	-	1	-	1	-	-	-	1	1	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-	-
	F--	11	-	2	1	-	-	1	-	-	-	-	1	1	2	-	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	100	1	-	-	-	-	-	-	-	1	-	-	3	4	7	10	16	17	17	9	9	3	3	-	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	-	-	1	2	6	7	10	16	13	7	8	2	1	-	-	-	-
	F--	23	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	6	1	3	2	1	1	2	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	13	-	1	-	-	1	-	-	3	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	2	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
45-55	Cancer and other malignant tumors	1,341	2	6	3	-	-	2	3	6	4	12	12	39	62	98	163	177	252	313	252	263	183	69	16	4	-	-
	White-----M--	979	1	4	3	-	-	1	1	2	2	6	4	11	25	39	79	84	146	171	127	137	92	35	7	2	-	-
	F--	932	1	2	-	-	-	1	2	4	2	6	8	26	35	56	82	89	102	137	123	123	88	34	9	2	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	1	4	1	3	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	1	1	-	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	795	-	-	-	-	-	-	-	-	-	1	1	9	16	30	46	56	107	160	101	134	90	34	9	1	-	-
	White-----M--	434	-	-	-	-	-	-	-	-	-	-	-	5	7	15	27	30	68	96	58	68	44	14	4	-	-	-
	F--	348	-	-	-	-	-	-	-	-	-	1	1	3	9	13	19	24	38	61	42	65	45	20	5	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	3	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs--	208	-	1	-	-	-	-	-	-	1	3	3	15	12	20	20	25	24	23	26	14	16	4	1	-	-	-
	White-----F--	203	-	1	-	-	-	-	-	-	1	3	3	14	12	20	20	23	24	22	25	14	16	4	1	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-
50	Cancer of breast-	198	-	-	-	-	-	-	-	-	-	-	1	7	9	13	26	23	24	29	24	20	16	2	3	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	196	-	-	-	-	-	-	-	-	-	-	1	7	9	13	26	23	24	27	24	20	16	2	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	740	2	5	3	-	-	2	3	6	3	8	7	8	25	35	71	73	97	101	101	95	61	29	3	2	-	-
	White-----M--	543	1	4	3	-	-	1	1	2	2	6	4	6	18	24	52	54	80	73	69	69	49	21	3	2	-	-
	F--	185	1	1	-	-	-	1	2	4	1	2	3	2	5	10	17	19	15	27	32	24	11	8	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	2	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	5	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	273	1	-	-	1	-	-	-	-	-	6	4	1	2	7	10	31	32	48	51	36	30	10	2	-	-	1
	White-----M--	118	-	-	-	1	-	-	-	-	-	4	1	1	1	5	8	14	14	19	21	16	7	5	1	-	-	-
	F--	151	1	-	-	-	-	-	-	-	-	2	3	-	1	1	2	17	18	28	30	19	22	5	1	-	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	3	1	2	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	25	-	-	-	-	-	-	-	-	-	-	2	5	3	4	3	1	2	2	1	2	-	-	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	1	3	1	4	3	1	2	2	1	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Intracranial lesions of vascular origin----	1,395	-	1	-	-	-	-	1	1	1	1	-	11	10	28	45	92	146	208	231	259	181	127	40	10	1	1
	White-----M--	725	-	1	-	-	-	-	1	1	1	-	-	4	6	12	28	49	90	126	104	133	83	61	22	2	-	1
	F--	657	-	-	-	-	-	-	-	-	-	1	-	7	2	15	15	43	55	79	125	125	97	66	18	8	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	-	-
90-95	Diseases of the heart----------	4,276	-	-	1	1	1	3	7	9	10	10	17	38	88	176	265	372	497	609	664	639	453	288	93	25	4	6
	White-----M--	2,804	-	-	-	-	1	-	3	2	4	7	10	28	67	126	207	297	358	437	427	355	270	149	44	9	-	3
	F--	1,420	-	-	1	1	-	2	4	7	6	2	7	8	17	44	51	74	135	169	229	278	181	136	47	15	3	3
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	1	-	-	2	4	4	1	3	2	5	5	1	2	-	1	-	-
	F--	21	-	-	-	-	-	1	-	-	-	-	-	2	2	2	3	-	1	1	3	1	1	1	2	-	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	250	-	-	-	1	-	2	6	7	6	5	4	11	15	25	21	27	21	26	19	22	16	9	6	-	1	-
	White-----M--	134	-	-	-	-	-	-	2	2	2	4	2	6	9	15	12	16	11	13	13	13	9	3	2	-	-	-
	F--	112	-	-	-	1	-	1	4	5	4	1	2	4	6	9	9	11	10	13	6	9	7	6	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
94	Diseases of coronary arteries and angina pectoris--------	1,788	-	-	-	-	-	-	-	-	-	1	4	17	42	105	153	211	260	278	283	218	128	70	11	6	-	1
	White-----M--	1,350	-	-	-	-	-	-	-	-	-	1	4	13	38	86	128	184	207	219	199	138	84	39	6	3	-	1
	F--	423	-	-	-	-	-	-	-	-	-	-	-	3	4	18	23	27	50	58	82	77	43	30	5	3	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	2	3	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
90b, 91, 93a, d,e, 93e,b d,e, 95a,c	Diseases of the heart (other forms)----------	2,238	-	-	1	-	1	1	1	2	4	4	9	10	31	46	91	134	216	305	362	399	309	209	76	19	3	5
	White-----M--	1,320	-	-	-	-	1	-	1	-	2	2	4	9	20	25	67	97	140	205	215	204	177	107	36	6	-	2
	F--	885	-	-	1	-	-	1	-	2	2	1	5	1	7	17	19	36	75	98	141	192	131	100	38	12	3	3
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	1	3	2	-	2	-	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	1	1	3	1	1	-	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	332	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	4	11	30	43	60	67	64	32	11	-	-
	White-----M--	178	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	8	18	25	32	40	33	14	4	-	-
	F--	153	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	4	3	12	17	28	27	31	18	7	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	530	61	8	3	-	3	3	2	8	3	5	9	11	13	15	17	26	31	47	47	65	61	62	20	5	1	4
	White-----M--	315	35	5	1	-	1	3	-	4	-	2	3	6	7	10	10	19	25	34	28	42	38	30	8	2	1	1
	F--	194	19	3	1	-	1	-	2	3	2	3	5	5	6	4	7	7	6	8	19	23	22	31	12	3	-	2
	Nonwhite--M--	13	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-	1	1	-	-	-	1
	F--	8	2	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia-	319	41	5	2	-	1	1	2	4	-	2	5	7	2	6	8	11	15	28	31	41	41	43	14	4	1	4
	White-----M--	189	27	2	1	-	1	1	-	2	-	-	1	4	1	2	4	9	11	19	19	26	25	23	7	2	1	1
	F--	116	9	3	1	-	-	-	2	1	-	2	3	3	1	3	4	2	4	5	12	15	15	20	7	2	-	2
	Nonwhite--M--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-	1
	F--	5	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	131	9	-	1	-	1	1	-	3	1	2	3	2	8	5	8	12	7	15	12	16	14	8	2	1	-	-
	White-----M--	81	3	-	-	-	-	1	-	1	-	2	2	2	5	5	5	9	6	12	6	10	9	3	-	-	-	-
	F--	46	5	-	-	-	1	-	-	2	-	-	1	-	3	-	3	3	1	2	6	6	5	5	2	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	25	6	2	-	-	-	-	-	1	2	-	1	1	-	-	-	1	3	1	-	4	1	2	-	-	-	-
	White-----M--	15	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	-	-	4	1	1	-	-	-	-
	F--	8	3	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	55	5	1	-	-	1	1	-	-	-	-	1	-	1	3	4	1	2	6	3	4	4	5	9	4	-	-
	White-----M--	30	3	1	-	-	-	1	-	-	-	-	-	-	1	3	1	-	5	3	3	2	3	3	1	-	-	-
	F--	24	2	-	-	-	-	-	-	-	-	1	-	1	2	1	-	2	1	-	1	2	2	6	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	87	1	-	-	-	-	-	-	-	-	-	-	1	3	7	6	14	12	11	16	8	5	2	1	-	-	-
	White-----M--	71	1	-	-	-	-	-	-	-	-	-	-	1	2	6	4	11	12	10	14	6	3	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	2	2	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	34	12	-	-	1	1	1	-	2	-	1	-	-	2	3	-	1	1	2	-	1	3	2	1	-	-	-
	White-----M--	16	6	-	-	-	-	1	-	2	-	1	-	-	1	2	-	-	-	1	-	-	1	-	1	-	-	-
	F--	16	6	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
121	Appendicitis-----	34	-	-	-	-	-	2	3	1	-	2	-	-	-	-	5	-	5	4	7	3	2	-	-	-	-	-
	White-----M--	21	-	-	-	-	-	1	2	1	-	1	-	-	-	-	3	-	3	2	4	2	2	-	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	2	2	3	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	79	3	1	-	-	2	-	-	2	-	-	1	3	2	5	3	6	6	6	5	15	9	8	2	-	-	-
	White-----M--	46	-	1	-	-	1	-	-	2	-	-	1	1	-	3	3	5	2	3	3	8	7	4	2	-	-	-
	F--	31	2	-	-	-	1	-	-	-	-	-	-	1	2	2	-	1	4	3	2	7	2	4	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	114	-	-	-	-	-	-	-	-	-	2	-	9	8	14	15	18	13	14	9	9	2	1	-	-	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	2	-	5	8	9	7	12	10	10	7	5	2	-	-	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	4	-	5	7	6	3	4	2	4	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	56	-	1	-	-	-	-	-	-	1	-	2	-	-	-	3	4	10	7	10	8	8	1	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	4	4	1	2	1	-	-	-	-
	F--	38	-	1	-	-	-	-	-	-	-	-	2	-	-	-	2	4	6	3	6	7	6	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	939	1	-	1	1	-	1	2	2	4	6	9	15	15	34	41	70	83	112	145	155	128	76	30	6	-	2
	White-----M--	480	1	-	1	-	-	-	2	2	3	4	3	6	6	20	17	39	50	57	70	84	57	38	17	2	-	1
	F--	444	-	-	-	1	-	1	-	-	1	2	6	9	6	13	23	30	32	53	72	70	71	37	13	3	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	1	1	-	1	-	-	-	-	-
137	Diseases of the prostate--------	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	14	18	23	9	1	-	-	-
	White-----M--	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	10	14	18	23	9	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																											
140-150	Diseases of pregnancy, etc.*----	15	-	-	-	-	-	-	-	1	3	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	1	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia-------	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia----------	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	6	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	204	165	5	4	1	1	5	1	1	2	1	2	4	1	4	3	2	1	-	1	-	-	-	-	-	-	-
	White-----M--	117	93	4	3	-	1	2	-	1	1	1	1	2	1	2	2	1	1	-	1	-	-	-	-	-	-	-
	F--	85	71	1	1	1	-	2	1	-	1	-	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	537	537	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	327	327	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	176	176	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	137	137	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year-------	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	125	125	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	222	-	-	-	-	-	-	1	1	11	13	17	12	27	28	25	20	23	23	12	5	2	2	-	-	-	-
	White-----M--	175	-	-	-	-	-	-	1	1	7	10	12	7	18	22	20	19	17	21	11	5	2	2	-	-	-	-
	F--	44	-	-	-	-	-	-	-	-	3	3	5	4	9	6	4	1	6	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-169	Homicide----------	53	1	1	-	-	1	-	3	-	2	4	5	8	4	7	4	6	3	2	-	-	1	-	1	-	-	-
	White-----M--	29	1	-	-	-	1	-	2	-	1	1	1	4	2	5	3	4	3	-	-	-	1	-	-	-	-	-
	F--	14	-	1	-	-	-	-	1	-	1	3	-	1	1	2	-	2	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	3	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,318	54	25	14	14	12	44	38	72	103	106	76	73	77	73	75	73	69	57	69	52	74	43	19	6	-	-
	White-----M--	935	26	15	11	9	10	28	29	55	84	86	65	64	61	61	56	62	49	38	40	19	34	21	7	3	-	-
	F--	347	27	9	2	5	2	15	8	15	13	16	10	5	12	11	17	11	17	17	26	32	40	22	12	3	-	-
	Nonwhite--M--	30	1	1	1	-	-	1	1	2	6	3	1	3	4	-	-	-	2	1	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	416	1	5	1	5	1	15	7	45	57	47	24	25	19	21	23	24	23	20	27	10	11	5	-	-	-	-
	White-----M--	308	-	3	1	3	1	9	4	32	46	34	20	20	10	17	19	18	16	13	21	8	9	4	-	-	-	-
	F--	97	1	2	-	2	-	6	2	12	8	12	4	3	7	4	4	6	6	7	6	2	2	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	1	3	1	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	902	53	20	13	9	11	28	31	27	46	59	52	48	58	52	52	49	46	37	42	42	63	38	19	6	-	-
	White-----M--	627	26	12	10	6	9	19	25	23	38	52	45	44	51	44	39	44	33	25	19	11	25	17	7	3	-	-
	F--	250	26	7	2	3	2	9	6	3	5	4	6	2	5	7	13	5	11	10	20	30	38	21	12	3	-	-
	Nonwhite--M--	19	1	1	1	-	-	1	-	1	3	2	1	1	2	-	-	-	1	1	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	332	7	-	1	-	-	1	-	-	3	2	1	1	3	6	10	12	10	26	33	46	51	68	42	6	2	1
	White-----M--	191	4	-	1	-	-	-	-	-	1	1	1	-	1	4	8	10	8	20	22	27	26	38	15	3	-	1
	F--	129	3	-	-	-	-	-	-	-	1	1	-	-	2	2	1	2	2	6	10	18	25	28	24	3	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	2	-	-	-
	F--	7	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-
	All other causes-	800	43	12	5	4	7	10	2	14	13	19	26	38	35	38	47	64	99	85	78	57	57	31	13	2	-	1
	White-----M--	456	26	5	3	3	5	6	1	11	8	12	16	19	17	19	24	46	63	51	40	29	24	19	7	1	-	1
	F--	328	16	6	2	1	2	4	1	2	4	6	10	16	16	19	22	18	35	33	37	27	32	12	6	1	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																										
	ALL CAUSES-------	109,202	6,442	441	239	180	161	544	457	719	1,118	1,318	1,625	2,369	3,315	4,711	7,132	9,394	11,595	13,168	14,085	12,842	9,589	5,293	1,941	362	58	14
	White-----M--	56,673	3,321	223	125	96	83	298	248	385	601	653	787	1,173	1,699	2,475	3,974	5,443	6,607	7,167	7,390	6,411	4,419	2,244	688	121	14	8
	F--	45,144	2,403	170	91	73	59	199	164	241	339	461	592	822	1,128	1,530	2,384	3,187	4,273	5,295	6,216	6,040	4,968	3,042	1,206	222	37	4
	Nonwhite--M--	4,116	400	27	14	7	13	24	27	42	100	104	130	195	247	404	475	436	407	394	287	209	105	52	27	5	5	-
	F--	3,269	318	21	9	4	6	23	18	51	78	100	116	179	241	302	299	318	308	292	212	182	99	55	20	14	2	2
1,2	Typhoid and paratyphoid fever---	13	-	-	-	-	-	-	-	1	2	-	2	2	-	1	1	-	-	2	1	1	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	55	11	12	2	5	4	6	5	3	-	-	-	1	1	2	-	1	1	-	1	-	-	-	-	-	-	-
	White-----M--	26	7	7	1	1	2	2	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	28	4	5	1	4	2	4	3	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	8	1	-	-	-	-	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	48	32	8	5	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	15	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	15	5	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	17	1	1	2	3	1	6	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	8	1	1	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	3,076	12	26	15	9	4	7	20	78	172	208	258	267	280	298	292	322	299	216	152	102	47	11	1	-	-	-
	White-----M--	1,656	2	11	5	3	-	2	4	13	44	62	101	120	156	171	192	217	209	136	105	66	28	8	1	-	-	-
	F--	751	5	12	4	3	2	2	6	36	48	76	76	79	50	48	41	58	52	60	37	34	17	3	-	-	-	-
	Nonwhite--M--	432	2	1	2	3	2	3	4	10	39	34	41	39	53	59	47	39	32	16	5	2	-	-	-	-	-	-
	F--	237	3	2	4	-	-	-	6	19	42	34	20	29	21	20	12	8	6	4	5	-	2	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	2,793	3	7	5	3	1	-	15	68	150	186	217	250	255	273	273	308	283	204	143	94	45	9	1	-	-	-
	White-----M--	1,561	1	3	3	1	-	-	3	10	38	57	99	113	146	163	185	210	201	134	99	60	27	7	1	-	-	-
	F--	657	1	1	1	1	1	-	4	34	39	70	69	75	46	41	37	53	48	50	36	32	16	2	-	-	-	-
	Nonwhite--M--	373	1	1	-	1	-	-	2	9	35	29	33	35	44	52	42	38	28	16	5	2	-	-	-	-	-	-
	F--	202	-	2	1	-	-	-	6	15	38	30	16	27	19	17	9	7	6	4	3	-	2	-	-	-	-	-
14-22	Tuberculosis (other forms)---	283	9	19	10	6	3	7	5	10	22	22	21	17	25	25	19	14	16	12	9	8	2	2	-	-	-	-
	White-----M--	95	1	8	2	2	-	2	1	3	6	5	2	7	10	8	7	7	8	2	6	6	1	1	-	-	-	-
	F--	94	4	11	3	2	1	2	2	2	9	8	7	4	4	7	4	5	4	10	1	2	1	1	-	-	-	-
	Nonwhite--M--	59	1	-	2	2	2	3	2	1	3	5	8	4	9	7	5	1	4	-	-	-	-	-	-	-	-	-
	F--	35	3	-	3	-	-	-	-	4	4	4	4	2	2	3	3	1	-	-	2	-	-	-	-	-	-	-
27	Dysentery--------	6	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	771	30	-	-	-	-	-	3	4	9	17	34	61	103	114	128	102	75	50	27	8	4	2	-	-	-	-
	White-----M--	374	6	-	-	-	-	-	1	1	2	5	7	27	38	58	70	57	49	26	19	3	2	2	-	-	-	-
	F--	139	6	-	-	-	-	-	1	2	1	2	7	7	14	18	18	22	14	15	6	5	1	-	-	-	-	-
	Nonwhite--M--	183	13	-	-	-	-	-	1	-	5	7	15	14	38	26	31	17	6	8	2	-	-	-	-	-	-	-
	F--	75	5	-	-	-	-	-	-	1	1	3	5	13	13	11	9	6	6	1	-	-	1	-	-	-	-	-
35	Measles----------	25	1	8	3	3	1	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	12	1	3	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	3	-	-	-	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	45	-	1	1	-	2	8	6	7	6	7	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	-	-	1	-	1	6	3	2	6	4	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	-	1	-	-	1	2	3	5	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																										
45-55	Cancer and other malignant tumors	15,613	8	9	11	8	14	32	26	28	59	97	181	321	602	893	1,384	1,901	2,254	2,354	2,190	1,674	1,022	431	103	8	1	2
	White	7,303	6	7	6	6	8	18	12	16	32	40	53	96	201	316	560	934	1,128	1,195	1,111	848	495	169	40	4	-	1
	F	7,486	2	2	4	2	5	11	13	12	26	48	113	199	338	476	712	838	1,014	1,089	1,011	777	505	255	80	3	-	1
	Nonwhite	394	-	-	1	-	1	2	-	-	-	3	4	5	19	40	63	70	59	56	34	24	8	1	2	1	1	-
	F	430	-	-	-	-	-	1	1	-	1	6	11	21	44	61	49	59	53	44	34	24	14	6	1	-	-	-
48	Cancer of the digestive organs and peritoneum	7,250	2	2	-	-	2	5	3	6	11	27	51	76	200	329	558	843	1,090	1,214	1,161	881	521	217	46	4	-	1
	White	3,681	2	2	-	-	-	2	2	3	6	14	21	38	90	156	272	468	588	654	613	407	235	89	17	2	-	-
	F	3,210	-	-	-	-	1	2	1	3	5	8	27	35	93	136	240	306	445	512	514	450	276	126	28	1	-	1
	Nonwhite	204	-	-	-	-	1	1	-	-	-	2	2	1	11	18	27	41	30	30	20	14	3	1	1	1	-	-
	F	155	-	-	-	-	-	-	-	-	-	3	1	2	6	19	19	28	27	18	14	10	7	1	-	-	-	-
48,49	Cancer of female genital organs	1,798	-	-	-	-	-	-	3	2	10	11	54	87	135	169	214	244	246	231	176	106	75	26	9	-	-	-
	White	1,659	-	-	-	-	-	-	3	2	8	9	47	76	112	150	195	229	230	221	170	101	72	25	8	-	-	-
	Nonwhite	139	-	-	-	-	-	-	-	-	1	2	7	11	23	19	19	15	16	10	6	5	3	1	1	-	-	-
50	Cancer of breast	1,433	-	-	-	-	-	-	-	-	2	7	22	65	90	126	178	178	172	183	157	116	85	44	7	1	-	-
	White	27	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	7	1	5	3	-	-	-	-	-	-
	F	1,333	-	-	-	-	-	-	-	-	2	7	21	60	78	113	167	171	166	166	148	107	78	41	7	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	71	-	-	-	-	-	-	-	-	-	-	1	5	10	12	7	4	3	10	8	4	4	3	-	-	-	-
45,47, 51-55	Cancer (other sites)	5,132	6	7	11	8	12	27	20	20	36	52	54	93	177	269	434	636	746	726	696	571	341	144	41	3	1	1
	White	3,585	4	5	6	6	8	16	10	13	26	26	32	58	109	159	284	464	538	534	497	457	257	80	23	2	-	1
	F	1,284	2	2	4	2	4	9	9	7	10	24	18	28	55	77	110	132	173	160	179	119	79	63	17	1	-	-
	Nonwhite	188	-	-	1	-	-	1	-	-	-	1	2	4	8	22	36	28	28	26	14	10	5	-	1	-	1	-
	F	65	-	-	-	-	-	1	1	-	-	1	2	3	5	11	4	12	7	6	6	5	-	1	-	-	-	-
59	Acute rheumatic fever	106	-	-	1	1	3	18	16	10	2	6	8	11	6	5	5	3	4	2	2	2	1	1	1	-	-	-
	White	54	-	-	1	-	2	6	7	7	2	4	5	6	1	3	2	1	2	1	1	1	-	1	1	-	-	-
	F	43	-	-	-	1	1	7	6	3	-	1	3	4	5	2	2	2	2	1	1	1	1	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,549	-	3	-	-	3	5	4	6	15	15	27	33	49	115	222	384	562	641	658	494	234	65	12	2	-	-
	White	1,059	-	1	-	-	2	2	1	3	6	11	13	13	20	34	64	116	159	179	185	148	79	21	2	-	-	-
	F	2,312	-	1	-	-	1	3	2	3	7	4	11	13	21	57	138	244	369	437	458	335	153	43	10	2	-	-
	Nonwhite	43	-	-	-	-	-	-	-	-	2	-	1	2	1	5	2	8	8	6	5	2	1	-	-	-	-	-
	F	135	-	1	-	-	-	-	1	-	-	-	2	5	7	19	18	16	26	19	10	9	1	1	-	-	-	-
63b	Exophthalmic goiter	178	-	-	-	-	-	-	-	1	1	4	3	2	14	12	22	19	41	20	20	15	2	1	1	-	-	-
	White	27	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	5	8	1	4	-	-	-	-	-	-	-	-
	F	142	-	-	-	-	-	-	-	1	1	2	2	2	10	8	17	13	32	19	16	15	2	1	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	134	-	-	-	-	-	-	-	1	-	3	8	15	23	20	20	20	10	8	5	-	1	-	-	-	-	-	-
	White	101	-	-	-	-	-	-	-	-	-	2	6	7	17	17	15	16	9	6	5	-	1	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	1	4	4	1	3	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	9,238	9	7	3	3	1	8	6	8	19	18	48	88	166	274	518	777	904	1,261	1,512	1,637	1,126	594	206	42	1	2
	White	4,121	3	5	1	3	-	4	3	3	11	4	26	36	55	107	234	340	420	616	701	748	500	223	67	9	-	2
	F	4,568	5	-	2	-	1	2	2	4	7	9	16	38	82	115	219	360	410	569	765	828	606	362	133	32	1	-
	Nonwhite	248	-	1	-	-	-	1	1	1	1	2	4	7	7	22	34	45	27	34	24	29	4	3	3	-	-	-
	F	301	1	1	-	-	-	1	-	-	-	3	2	7	22	30	31	34	47	42	22	32	16	6	3	1	-	-
90-96	Diseases of the heart	39,296	3	6	2	3	5	23	53	73	97	153	250	508	903	1,516	2,602	3,492	4,669	5,499	6,100	5,602	4,277	2,458	835	141	24	2
	White	21,840	1	1	-	-	2	10	24	46	50	71	127	296	563	976	1,691	2,263	2,915	3,230	3,386	2,854	1,962	1,028	290	50	4	-
	F	15,383	2	3	1	3	3	9	20	23	37	65	88	143	226	369	637	963	1,478	2,000	2,502	2,580	2,226	1,378	524	84	17	1
	Nonwhite	1,151	-	2	1	-	-	2	3	2	4	7	14	34	53	93	154	149	165	165	125	92	47	26	12	-	1	-
	F	922	-	-	-	-	-	2	6	2	6	9	21	35	61	78	120	117	111	104	87	76	42	26	9	7	2	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	2,013	-	-	-	1	3	17	36	42	61	74	101	130	153	149	181	185	180	170	170	147	113	71	23	4	1	-
	White	940	-	-	-	-	1	6	15	30	34	28	43	58	72	71	88	91	91	74	91	63	50	26	6	2	-	-
	F	956	-	-	-	1	2	7	13	9	22	40	52	64	73	61	76	88	83	87	71	81	62	45	17	2	-	-
	Nonwhite	53	-	-	-	-	-	2	2	1	1	2	4	4	4	6	9	3	4	6	5	-	-	-	-	-	-	-
	F	64	-	-	-	-	-	2	6	2	4	4	2	4	4	11	8	4	2	3	3	3	1	-	-	-	1	-
94	Diseases of coronary arteries and angina pectoris	13,083	-	-	-	-	-	1	3	8	12	26	70	214	458	781	1,332	1,673	1,972	2,033	1,890	1,320	775	391	100	12	2	-
	White	8,985	-	-	-	-	-	1	2	4	3	18	50	171	358	615	1,018	1,274	1,423	1,367	1,210	817	411	199	39	7	-	-
	F	3,662	-	-	-	-	-	-	1	4	7	6	12	33	70	129	246	330	486	615	651	486	354	186	59	5	2	-
	Nonwhite	271	-	-	-	-	-	-	-	-	1	1	3	5	20	38	48	45	43	29	18	13	2	3	2	-	-	-
	F	145	-	-	-	-	-	-	-	-	1	1	5	5	10	11	20	24	20	22	11	4	8	3	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	24,200	3	6	2	2	2	5	14	23	24	53	79	164	292	576	1,089	1,633	2,517	3,296	4,040	4,135	3,389	1,996	712	125	21	2
	White	11,915	1	1	-	-	1	3	7	12	13	25	34	67	133	292	585	898	1,401	1,789	2,085	1,974	1,501	803	245	41	4	-
	F	10,745	2	3	1	2	1	2	6	10	8	20	24	46	83	179	315	545	909	1,298	1,780	2,013	1,810	1,147	448	77	15	1
	Nonwhite	827	-	2	1	-	-	-	1	1	2	4	7	25	29	49	97	101	118	130	102	79	45	23	10	-	1	-
	F	713	-	-	-	-	-	-	-	-	1	4	14	26	47	56	92	89	89	79	73	69	33	23	9	7	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
97, 102	Arteriosclerosis and high blood pressure*-------	2,475	-	-	-	-	-	-	-	-	-	4	3	9	16	27	27	44	98	201	343	456	555	423	208	53	8	-
	White-----M--	1,161	-	-	-	-	-	-	-	-	-	3	3	3	5	14	9	24	52	105	158	232	252	186	86	24	5	-
	F--	1,222	-	-	-	-	-	-	-	-	-	-	-	3	8	8	12	15	37	86	168	215	295	228	120	24	3	-
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	3	7	7	8	4	5	6	2	2	-	-
	F--	40	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	2	2	3	9	5	3	3	-	3	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	3,743	704	101	30	17	11	33	16	28	35	48	38	75	112	129	174	203	287	320	348	384	337	211	79	18	5	-
	White-----M--	1,967	319	54	20	7	5	18	5	8	15	17	12	34	64	65	105	137	199	180	194	217	165	95	24	7	1	-
	F--	1,397	298	34	7	9	5	13	10	13	17	19	19	21	18	27	33	45	65	113	134	156	161	112	54	10	4	-
	Nonwhite--M--	224	46	8	2	-	-	1	-	3	1	5	3	12	22	23	24	17	13	19	10	7	7	1	-	-	-	-
	F--	155	41	5	1	1	1	1	1	4	2	7	4	8	8	14	12	4	10	8	10	4	4	3	1	1	-	-
107	Bronchopneumonia-	1,658	424	62	14	9	5	15	5	11	12	21	11	22	26	35	56	65	83	115	149	167	172	111	52	12	4	-
	White-----M--	834	185	33	10	5	3	10	3	3	6	9	3	10	16	17	33	42	60	62	79	97	78	50	14	5	1	-
	F--	665	183	19	3	4	2	4	1	5	6	8	7	6	4	6	14	19	14	46	59	62	86	60	37	7	3	-
	Nonwhite--M--	86	28	7	1	-	-	1	-	1	-	1	-	2	3	8	6	3	6	4	5	5	5	-	-	-	-	-
	F--	73	28	3	-	-	-	-	1	2	-	3	1	4	3	4	3	1	3	3	6	3	3	1	1	-	-	-
108	Lobar pneumonia--	1,373	140	21	9	4	2	13	5	6	16	19	24	37	53	76	84	108	144	154	135	154	100	54	9	4	-	-
	White-----M--	750	60	13	6	-	-	4	2	1	5	7	8	17	29	38	54	77	99	85	83	83	51	23	4	1	-	-
	F--	460	63	6	1	3	1	8	3	5	8	6	11	10	8	16	11	16	31	53	48	68	48	29	5	2	-	-
	Nonwhite--M--	104	9	1	1	-	-	-	-	1	1	3	3	7	11	14	14	13	7	12	3	2	1	1	-	-	-	-
	F--	59	8	1	1	1	1	1	-	1	2	3	2	3	5	8	5	2	7	4	1	1	-	1	-	1	-	-
109	Pneumonia (unspecified)------	425	105	14	6	2	2	3	5	4	3	3	2	11	21	12	22	23	36	30	33	31	30	24	3	-	-	-
	White-----M--	243	52	5	3	-	1	3	-	2	1	1	1	7	14	8	10	16	28	22	19	19	16	13	2	-	-	-
	F--	147	42	8	3	2	1	-	5	1	2	1	-	2	3	3	7	5	8	6	12	12	12	11	1	-	-	-
	Nonwhite--M--	25	9	-	-	-	-	-	-	1	-	-	-	1	4	1	4	1	-	2	1	-	1	-	-	-	-	-
	F--	10	2	1	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-
33	Influenza-------	287	35	4	1	2	2	2	1	5	4	5	1	5	12	6	12	7	24	21	31	32	35	22	15	2	1	-
	White-----M--	140	22	3	1	2	1	1	-	2	3	-	-	-	5	2	8	2	12	11	13	18	20	9	4	1	-	-
	F--	125	10	1	-	-	1	1	1	2	1	4	1	3	3	2	1	5	12	8	15	14	15	12	11	1	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	13	3	-	-	-	-	-	-	1	-	-	-	-	-	2	3	-	-	1	2	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum-----	617	-	-	1	-	-	-	-	1	3	6	13	34	34	57	75	93	96	89	65	33	29	7	1	-	-	-
	White-----M--	498	-	-	1	-	-	-	-	-	3	6	11	22	29	43	64	82	80	56	55	22	19	4	1	-	-	-
	F--	85	-	-	-	-	-	-	-	1	-	-	1	6	3	7	4	8	13	12	8	11	8	3	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	4	2	3	4	1	2	1	2	-	2	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	2	1	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	355	211	19	6	4	5	5	1	1	7	3	7	5	8	11	7	9	6	7	8	14	6	4	1	-	-	-
	White-----M--	161	104	11	4	2	-	1	1	1	3	1	4	3	4	4	3	-	2	2	5	3	2	1	-	-	-	-
	F--	150	75	6	1	2	4	4	-	-	4	2	3	2	4	3	4	8	4	4	1	11	4	3	1	-	-	-
	Nonwhite--M--	21	16	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	F--	23	16	1	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
121	Appendicitis-----	281	1	3	2	2	2	9	9	12	11	12	12	17	15	23	16	29	29	23	26	16	9	2	1	-	-	-
	White-----M--	153	1	1	1	2	2	5	5	5	5	6	6	10	7	9	10	18	19	14	14	7	4	2	-	-	-	-
	F--	110	-	2	1	-	-	4	2	6	6	4	5	3	7	12	5	10	9	9	11	8	5	-	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	1	-	1	-	3	-	-	1	1	-	-	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	780	28	7	3	1	4	4	4	3	4	6	13	12	30	35	57	76	75	93	109	88	85	33	8	1	-	1
	White-----M--	354	15	2	2	-	2	2	4	2	1	2	4	3	11	8	23	37	33	47	56	43	40	13	4	-	-	-
	F--	375	10	2	-	1	-	2	-	1	3	3	6	7	15	25	28	30	39	44	49	44	42	19	4	1	-	-
	Nonwhite--M--	30	3	2	1	-	2	-	-	-	-	-	1	-	3	-	4	5	2	1	3	1	2	-	-	-	-	-
	F--	21	-	1	-	-	-	-	-	-	-	1	2	2	1	2	2	4	1	1	1	-	1	1	-	-	-	1
124	Cirrhosis of the liver----------	1,143	2	-	-	1	-	-	1	2	2	11	32	61	78	121	145	165	148	138	108	71	38	14	4	-	-	1
	White-----M--	725	-	-	-	-	-	-	1	-	2	1	16	39	47	79	97	103	113	88	73	44	17	3	1	-	-	1
	F--	387	1	-	-	1	-	-	-	-	-	8	14	17	28	32	45	53	28	46	32	27	21	11	3	-	-	-
	Nonwhite--M--	31	1	-	-	-	-	-	-	-	-	-	1	4	1	7	3	6	3	3	2	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	2	-	2	1	1	2	3	-	3	4	1	1	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	478	-	-	-	-	-	-	-	-	-	2	3	8	24	24	48	66	70	73	48	55	30	20	4	2	1	-
	White-----M--	155	-	-	-	-	-	-	-	-	-	1	1	3	7	11	18	19	22	23	15	22	7	4	1	1	-	-
	F--	317	-	-	-	-	-	-	-	-	-	1	2	5	17	11	29	46	48	49	33	33	23	15	3	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis--------	6,415	7	4	4	7	-	15	19	21	29	57	67	93	157	232	368	453	580	788	980	1,012	842	472	187	16	4	1
	White-----M--	2,964	5	2	2	4	-	7	9	13	15	27	30	37	55	103	161	220	281	381	446	508	374	208	67	8	1	-
	F--	2,982	-	1	1	3	-	5	10	6	11	21	22	36	62	91	154	185	244	337	502	469	448	252	111	8	2	1
	Nonwhite--M--	245	2	1	1	-	-	-	-	2	3	4	6	7	21	23	33	16	34	33	13	17	15	8	5	-	1	-
	F--	224	-	-	-	-	-	3	-	-	-	5	9	13	19	15	20	32	21	37	19	18	5	4	4	-	-	-
137	Diseases of the prostate-------	421	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	16	28	50	94	107	66	38	13	1	1	-
	White-----M--	398	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	15	26	48	90	101	65	37	13	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	4	6	1	1	-	-	1	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
140-150	Diseases of pregnancy, etc.*----	229	-	-	-	-	-	-	-	20	47	46	47	52	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	193	-	-	-	-	-	-	-	13	38	42	40	44	14	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	-	-	-	-	-	-	-	7	9	4	7	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	88	-	-	-	-	-	-	-	8	24	17	17	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	74	-	-	-	-	-	-	-	7	20	15	13	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	-	1	4	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	42	-	-	-	-	-	-	-	6	10	7	5	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	-	-	-	-	-	-	-	4	8	7	5	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	73	-	-	-	-	-	-	-	5	8	16	20	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	62	-	-	-	-	-	-	-	2	7	14	17	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	11	-	-	-	-	-	-	-	3	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	26	-	-	-	-	-	-	-	1	5	6	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	-	-	-	-	-	-	-	-	3	6	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	1,306	1,107	63	19	8	5	18	15	9	7	21	4	11	8	4	1	1	3	-	2	-	-	-	-	-	-	-
	White-----M--	661	562	27	10	3	2	10	8	6	3	9	4	5	4	2	1	1	3	-	1	-	-	-	-	-	-	-
	F--	561	475	33	7	5	3	7	5	3	2	9	-	5	4	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	45	35	2	1	-	-	1	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	35	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	3,740	3,740	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,992	1,992	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,320	1,320	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	238	238	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	190	190	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	2,367	2,367	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,210	1,210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	855	855	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	1,373	1,373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	782	782	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	465	465	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	1,150	-	-	-	-	-	-	2	20	64	64	70	104	96	104	155	128	122	101	59	35	18	4	3	-	-	1
	White-----M--	857	-	-	-	-	-	-	2	15	45	48	47	66	62	75	112	101	100	85	50	28	16	3	1	-	-	1
	F--	265	-	-	-	-	-	-	-	5	13	16	17	35	31	27	41	26	21	14	8	6	2	1	2	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	5	-	4	2	3	1	2	1	1	1	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide----------	305	10	2	-	1	-	3	8	16	29	38	40	45	35	20	14	15	5	9	7	3	4	1	-	-	-	-
	White-----M--	96	2	1	-	1	-	1	5	3	5	10	10	12	13	4	4	6	4	5	5	1	4	-	-	-	-	-
	F--	55	3	-	-	-	-	1	3	7	5	5	6	5	7	2	2	6	-	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	123	3	1	-	-	-	1	-	5	18	16	18	22	10	14	8	1	1	2	2	1	-	-	-	-	-	-
	F--	31	2	-	-	-	-	-	-	1	1	7	6	6	5	-	-	2	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	8,249	147	63	72	53	58	213	151	250	340	297	264	302	266	295	336	379	429	454	490	466	429	312	146	31	3	3
	White-----M--	3,993	77	33	35	30	34	138	104	182	274	239	205	235	203	208	240	293	317	292	289	215	181	120	41	5	-	3
	F--	1,803	48	25	35	19	17	64	39	53	44	35	38	40	40	43	63	72	93	144	188	242	241	190	104	23	3	-
	Nonwhite--M--	277	12	4	2	1	5	7	8	11	19	20	18	21	18	39	31	10	15	12	10	8	5	1	1	1	-	-
	F--	76	10	1	-	3	2	4	-	4	3	3	5	6	5	5	2	4	4	6	3	1	2	1	-	2	-	-
170	Motor-vehicle accidents-------	1,790	5	14	31	22	31	111	59	143	198	140	99	97	85	86	103	110	110	117	108	65	37	12	6	-	-	1
	White-----M--	1,330	2	7	17	12	20	75	41	102	158	117	74	71	65	54	73	82	87	89	85	53	34	8	2	-	-	1
	F--	388	3	7	14	8	9	33	16	37	30	17	17	19	15	24	25	23	20	25	21	12	3	4	4	-	-	-
	Nonwhite--M--	69	-	-	-	1	2	2	2	3	9	6	8	7	4	8	5	4	3	3	2	-	-	-	-	-	-	-
	F--	5	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	4,459	142	49	41	31	27	102	92	107	142	157	165	205	181	209	233	269	319	337	382	401	382	300	140	31	3	2
	White-----M--	2,663	75	26	18	18	14	63	63	80	115	122	131	164	138	154	167	211	230	203	204	162	147	112	39	5	-	2
	F--	1,517	45	18	21	11	8	31	23	16	14	18	21	21	25	19	38	49	73	119	167	230	238	186	100	23	3	-
	Nonwhite--M--	208	12	4	2	-	3	5	6	8	10	14	8	14	14	31	26	6	12	9	8	8	5	1	1	1	-	-
	F--	71	10	1	-	2	2	3	-	3	3	3	5	6	4	5	2	3	4	6	3	1	2	1	-	2	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	1,171	37	4	3	4	-	4	3	4	5	8	10	13	25	31	58	74	97	124	144	122	138	149	72	33	8	1
	White-----M--	634	12	2	-	3	-	2	-	1	2	5	4	6	14	19	37	56	69	82	91	70	73	57	19	8	2	-
	F--	436	15	1	3	1	-	1	3	3	2	2	5	2	4	7	11	10	23	32	46	41	57	87	49	25	5	1
	Nonwhite--M--	65	8	-	-	-	-	-	-	-	-	1	1	3	3	4	8	6	3	8	5	5	4	3	2	-	1	-
	F--	36	2	1	-	-	-	1	-	-	1	-	-	2	4	1	2	2	2	2	2	6	4	2	2	-	-	-
	All other causes-	6,158	338	94	54	47	37	117	91	110	157	174	215	246	289	353	466	585	675	636	561	424	284	137	52	14	2	-
	White-----M--	3,257	189	52	30	27	19	58	48	53	75	77	90	112	133	163	265	367	379	365	323	211	131	59	26	4	1	-
	F--	2,468	118	34	20	19	14	46	36	41	65	81	98	101	130	139	166	175	269	242	227	199	144	77	26	9	1	-
	Nonwhite--M--	215	19	3	2	1	2	5	6	6	7	4	7	12	15	26	23	26	15	19	4	7	4	1	-	1	-	-
	F--	218	12	5	2	-	2	8	1	10	10	12	19	21	21	25	12	17	12	10	7	7	5	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																										
	ALL CAUSES	8,188	444	32	12	10	18	20	27	35	75	54	103	153	207	303	504	641	839	1,012	1,180	1,092	813	413	167	31	5	-
	White----M--	4,183	251	21	8	5	9	13	16	18	42	22	49	81	102	178	305	381	476	543	572	504	348	174	54	11	-	-
	F--	3,822	178	10	4	4	5	6	10	13	27	31	52	66	96	113	187	250	348	446	585	569	461	230	108	19	4	-
	Nonwhite--M--	92	6	1	-	-	-	1	-	2	3	1	1	3	6	7	5	4	12	14	9	10	1	4	2	-	-	-
	F--	91	9	-	-	1	2	-	1	2	3	-	1	3	3	5	7	6	3	9	14	9	3	5	3	1	1	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2 F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	199	-	1	-	-	2	2	1	4	5	5	16	18	20	15	24	19	27	19	13	7	1	-	-	-	-	-
	White----M--	136	-	-	-	-	1	1	-	-	1	3	9	9	12	11	19	17	23	16	7	6	1	-	-	-	-	-
	F--	47	-	1	-	-	-	1	1	2	1	2	7	7	3	4	4	2	3	2	6	1	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	1	-	-	1	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	185	-	1	-	-	-	1	-	3	4	5	16	17	20	14	20	19	26	19	12	7	1	-	-	-	-	-
	White----M--	130	-	-	-	-	-	1	-	-	-	3	9	9	12	10	17	17	22	16	7	6	1	-	-	-	-	-
	F--	41	-	1	-	-	-	-	-	1	1	2	7	6	3	4	3	2	3	2	5	1	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	14	-	-	-	-	2	1	1	1	1	-	-	1	-	1	4	-	1	-	1	-	-	-	-	-	-	-
	White----M--	6	-	-	-	-	1	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	45	-	-	-	-	-	-	-	-	-	-	2	-	1	4	5	7	5	6	7	3	4	1	-	-	-	-
	White----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	5	5	5	5	2	2	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
35	Measles---------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																										
45-55	Cancer and other malignant tumors	1,201	-	3	2	-	1	2	1	1	5	5	14	29	42	49	104	125	172	184	188	146	89	29	8	1	1
	White-----M--	555	-	3	1	-	-	2	1	1	3	2	6	11	12	14	42	57	86	90	100	73	34	14	2	1	-
	F--	629	-	-	1	-	1	-	-	-	2	3	6	18	30	34	59	68	84	92	86	71	53	15	6	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	2	1	-	-	-	1
46	Cancer of the digestive organs and peritoneum--	525	-	-	-	-	-	1	-	-	1	-	6	6	12	17	45	55	68	80	95	75	50	10	2	1	1
	White-----M--	273	-	-	-	-	-	1	-	-	-	-	4	3	6	8	22	31	40	41	56	36	18	6	-	1	-
	F--	244	-	-	-	-	-	-	-	-	1	-	1	3	6	9	22	24	27	39	39	37	30	4	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
48,49	Cancer of female genital organs--	131	-	-	1	-	-	-	-	-	-	2	3	7	9	14	15	15	17	15	13	12	6	2	-	-	-
	White-----F--	130	-	-	1	-	-	-	-	-	-	2	3	7	9	14	14	15	17	15	13	12	6	2	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	142	-	-	-	-	-	-	-	-	-	1	2	6	11	8	15	14	23	23	12	12	8	4	3	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	139	-	-	-	-	-	-	-	-	-	1	1	6	11	8	14	14	23	22	12	12	8	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	403	-	3	1	-	1	1	1	1	4	2	3	10	10	10	29	41	64	66	68	47	25	13	3	-	-
	White-----M--	281	-	3	1	-	-	1	1	1	3	2	2	8	6	6	20	26	46	48	44	37	16	8	2	-	-
	F--	116	-	-	-	-	1	-	-	-	1	-	1	2	4	3	9	15	17	16	22	10	9	5	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
58	Acute rheumatic fever----------	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	338	-	-	-	-	-	-	-	-	-	1	-	1	8	9	19	32	50	63	64	52	28	8	4	1	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	12	14	15	20	17	12	2	-	-	-
	F--	229	-	-	-	-	-	-	-	-	-	-	-	-	3	7	14	19	36	48	41	35	18	6	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-
63b	Exophthalmic goiter----------	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	10	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	2	1	2	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	2	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	696	-	-	-	-	-	-	1	2	-	1	5	10	7	23	32	50	77	78	128	131	99	38	12	2	-
	White-----M--	320	-	-	-	-	-	-	-	1	-	-	4	5	5	14	16	29	41	38	55	53	38	16	5	-	-
	F--	357	-	-	-	-	-	-	1	1	-	1	1	5	2	8	14	20	34	38	70	73	60	21	6	2	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	3	1	1	1	-	-
90-95	Diseases of the heart----------	3,142	-	-	-	1	2	-	1	2	8	4	19	35	52	107	200	252	346	419	511	483	392	203	86	19	-
	White-----M--	1,679	-	-	-	-	1	-	-	1	6	1	11	22	34	77	149	169	209	243	258	222	164	81	24	7	-
	F--	1,403	-	-	-	1	1	-	-	1	1	3	8	9	18	26	47	78	130	165	245	254	227	118	60	11	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	6	6	4	4	-	1	1	-	-
	F--	30	-	-	-	-	-	-	1	-	1	-	-	2	-	2	2	3	1	5	4	3	1	3	1	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	123	-	-	-	-	2	-	-	2	5	3	8	8	8	11	13	6	9	12	14	9	9	3	-	1	-
	White-----M--	55	-	-	-	-	1	-	-	1	3	-	4	2	2	4	5	3	4	9	8	3	5	1	-	-	-
	F--	64	-	-	-	-	1	-	-	1	1	3	4	5	6	7	7	3	5	3	5	6	4	2	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,001	-	-	-	1	-	-	-	-	1	1	5	12	22	53	109	131	144	147	188	107	61	27	9	2	-
	White-----M--	684	-	-	-	-	-	-	-	-	1	1	5	11	19	46	92	100	99	99	103	67	34	15	4	-	-
	F--	292	-	-	-	1	-	-	-	-	-	-	-	1	3	5	16	28	42	47	65	58	26	13	5	2	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,018	-	-	-	-	-	1	-	2	-	6	15	22	43	78	115	195	260	328	367	322	173	77	15	-	-
	White-----M--	930	-	-	-	-	-	-	-	2	-	2	9	13	27	52	68	106	135	147	152	125	67	20	7	-	-
	F--	1,047	-	-	-	-	-	-	-	-	-	4	3	9	14	24	47	83	115	175	210	197	103	55	8	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	5	2	3	-	-	1	-	-	-
	F--	23	-	-	-	-	-	1	-	-	-	-	2	-	2	1	1	-	5	4	2	-	3	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
97, 102	Arteriosclerosis and high blood pressure*-------	164	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	7	31	37	33	33	13	1	2	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	16	25	16	13	6	1	-	-
	F--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	14	10	17	20	7	-	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	229	28	3	1	-	-	-	4	1	3	2	1	3	7	6	11	13	16	22	23	25	31	18	8	1	2	-
	White-----M--	114	13	-	1	-	-	-	3	-	-	1	1	3	4	2	6	8	11	15	10	9	17	7	2	1	-	-
	F--	112	13	3	-	-	-	-	1	1	3	1	-	-	3	3	5	5	5	7	13	16	14	11	6	-	2	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia-	128	22	3	1	-	-	-	3	-	2	2	-	1	5	1	3	5	8	11	8	14	20	11	6	-	2	-
	White-----M--	60	12	-	1	-	-	-	2	-	-	1	-	1	2	-	-	2	5	9	5	4	11	4	1	-	-	-
	F--	67	9	3	-	-	-	-	1	-	2	1	-	-	3	1	3	3	3	2	3	10	9	7	5	-	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	78	3	-	-	-	-	-	1	1	-	-	-	1	2	5	7	6	6	10	11	10	8	4	2	1	-	-
	White-----M--	43	-	-	-	-	-	-	1	-	-	-	-	1	2	2	5	5	5	6	4	4	5	1	1	1	-	-
	F--	34	3	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	1	4	7	6	3	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	18	2	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	2	1	2	1	2	2	-	-	-	-
	White-----M--	10	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	1	1	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	63	-	-	-	-	-	-	-	-	-	-	1	1	3	5	6	9	10	9	8	6	3	2	-	-	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	8	8	8	5	6	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	3	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	22	13	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	2	1	-	-	-	-
	White-----M--	11	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	10	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	29	-	1	-	1	-	-	-	-	1	1	-	2	2	3	2	4	3	1	3	2	3	-	-	-	-	-
	White-----M--	16	-	-	-	1	-	-	-	-	-	-	-	1	1	3	1	2	3	-	3	-	1	-	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	1	1	-	1	1	-	1	2	-	1	-	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	73	-	1	-	-	-	-	-	-	2	-	-	-	5	9	5	1	19	9	9	6	7	-	-	-	-	-
	White-----M--	38	-	1	-	-	-	-	-	-	1	-	-	-	3	5	4	1	11	5	2	1	4	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	1	-	-	-	2	4	1	-	8	4	7	5	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	106	-	-	-	-	-	-	-	-	-	2	2	4	9	11	13	13	13	13	14	8	3	-	1	-	-	-
	White-----M--	68	-	-	-	-	-	-	-	-	-	1	1	3	5	7	9	10	8	8	8	5	3	-	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	-	1	1	1	4	3	4	3	5	5	6	3	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	41	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	6	8	9	1	4	-	-	1	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	2	4	-	1	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	6	5	1	3	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	457	-	-	-	-	-	-	1	-	3	2	2	6	11	20	31	29	41	61	70	78	55	27	17	3	-	-
	White-----M--	198	-	-	-	-	-	-	-	-	1	1	-	2	5	7	14	18	17	29	29	30	22	17	6	-	-	-
	F--	246	-	-	-	-	-	-	1	-	2	1	2	4	5	11	17	10	22	30	40	47	33	8	10	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	1	1	-	-	-
137	Diseases of the prostate-------	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	14	19	7	2	1	-	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	13	18	7	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																										
140-150	Diseases of pregnancy, etc.*----	22	-	-	-	-	-	-	-	1	8	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	22	-	-	-	-	-	-	-	1	6	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	10	-	-	-	-	-	-	-	-	2	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	10	-	-	-	-	-	-	-	-	2	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	7	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	103	87	3	-	1	2	2	2	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White----M--	54	46	3	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	41	-	-	1	1	2	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	276	276	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	156	156	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	180	180	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	49	-	-	-	-	-	-	-	-	1	4	2	5	4	7	7	3	3	7	3	1	-	2	-	-	-
	White----M--	35	-	-	-	-	-	-	-	-	1	2	1	4	2	5	4	2	3	6	3	1	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	2	1	1	1	2	3	1	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	20	2	1	-	-	-	1	-	2	4	1	2	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	White----M--	9	1	-	-	-	-	-	-	2	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169- 195	Accidental deaths	389	20	8	3	1	8	7	9	14	21	7	7	7	11	15	12	27	22	34	37	46	34	27	12	-	-	-
	White----M--	214	14	6	2	1	5	6	8	10	16	3	5	6	8	10	6	18	14	22	10	16	17	7	4	-	-	-
	F--	163	4	2	1	-	2	1	1	2	3	3	2	1	3	5	6	9	8	9	27	30	17	19	8	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-
	F--	4	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents--------	75	-	-	2	1	3	-	2	7	10	2	3	1	3	4	4	8	7	8	3	3	2	2	-	-	-	-
	White----M--	51	-	-	1	1	1	-	2	4	8	1	2	-	2	2	4	6	4	6	2	2	2	1	-	-	-	-
	F--	22	-	-	1	-	2	-	-	2	2	1	1	1	1	2	-	2	3	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171- 195	Other accidents--	314	20	8	1	-	5	7	7	7	11	5	4	6	8	11	8	19	15	26	34	43	32	25	12	-	-	-
	White----M--	163	14	6	1	-	4	6	6	6	8	2	3	6	6	8	2	12	10	16	8	14	15	6	4	-	-	-
	F--	141	4	2	-	-	-	1	1	-	1	2	1	-	2	3	6	7	5	8	26	29	17	19	8	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	F--	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
182, 199, 200	Senility, ill-defined and unknown causes----	28	2	-	-	-	-	-	-	1	1	1	1	-	-	-	1	1	1	3	3	2	2	4	3	2	-	-
	White----M--	15	2	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	1	-	2	2	2	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	1	-	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	419	15	10	5	5	1	6	6	6	13	11	23	21	24	19	19	41	38	48	42	36	17	11	2	-	-	-
	White----M--	212	11	8	3	2	1	4	2	1	7	6	10	11	6	10	14	19	24	21	18	19	7	6	2	-	-	-
	F--	198	4	2	2	2	-	2	4	5	6	5	13	10	18	7	5	21	13	25	22	17	10	5	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	ALL CAUSES-------	17,957	2,331	189	92	86	68	173	168	304	421	484	569	766	826	1,101	1,428	1,485	1,704	1,718	1,419	1,207	728	426	156	55	49	6
	White-----M--	5,450	600	39	32	28	14	49	47	72	117	121	150	178	196	308	401	455	535	622	573	470	259	137	34	11	4	-
	F--	3,687	421	40	21	15	19	32	21	44	40	60	61	123	110	134	184	207	303	385	460	461	286	185	56	16	2	1
	Nonwhite--M--	4,681	732	59	18	21	16	39	51	97	140	166	182	257	256	333	451	429	461	369	225	155	113	49	29	15	17	1
	F--	4,139	578	51	21	22	19	53	49	91	124	137	176	208	264	328	392	394	405	340	161	121	70	55	37	13	26	4
1,2	Typhoid and paratyphoid fever---	15	-	-	-	-	-	-	3	-	-	1	1	2	2	-	1	-	1	2	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	14	2	2	-	2	-	2	-	1	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	2	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	77	59	10	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	5	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	22	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	24	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	41	3	4	8	7	4	12	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	-	3	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	2	-	2	2	2	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	1	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	547	4	6	2	1	1	5	11	30	57	73	62	54	47	38	42	34	27	30	9	9	4	1	-	-	-	-
	White-----M--	101	2	1	-	-	-	1	-	-	2	3	4	8	11	8	12	15	11	12	4	4	2	1	-	-	-	-
	F--	53	2	-	-	-	-	1	-	1	1	4	3	5	4	4	6	3	5	6	2	4	2	-	-	-	-	-
	Nonwhite--M--	207	-	2	2	-	1	-	2	11	24	32	31	26	16	14	16	11	7	9	2	1	-	-	-	-	-	-
	F--	186	-	3	-	1	-	3	9	18	30	34	24	15	16	12	8	5	4	3	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	506	2	-	1	-	1	3	9	27	56	69	59	51	44	37	41	30	26	28	8	9	4	1	-	-	-	-
	White-----M--	95	1	-	-	-	-	-	-	-	2	3	4	7	11	8	12	14	11	11	4	4	2	1	-	-	-	-
	F--	50	1	-	-	-	-	1	-	1	1	4	3	5	4	4	6	2	5	5	2	4	2	-	-	-	-	-
	Nonwhite--M--	193	-	-	1	-	1	-	2	10	24	29	30	26	14	13	16	9	7	9	1	1	-	-	-	-	-	-
	F--	168	-	-	-	-	-	2	7	16	29	33	22	13	15	12	7	5	3	3	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	41	2	6	1	1	-	2	2	3	1	4	3	3	3	1	1	4	1	2	1	-	-	-	-	-	-	-
	White-----M--	6	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	2	1	-	-	-	-	1	-	3	1	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-
	F--	18	-	3	-	1	-	1	2	2	1	1	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery--------	11	4	1	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	12	-	-	1	1	-	-	-	-	1	1	-	1	2	1	-	-	-	1	3	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	230	22	-	-	1	-	1	-	3	3	7	12	24	36	29	25	18	15	21	9	3	1	-	-	-	-	-
	White-----M--	28	1	-	-	-	-	-	-	-	-	-	1	1	3	3	5	1	2	6	2	2	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	131	11	-	-	-	-	-	-	1	2	5	8	14	25	14	16	11	9	12	3	-	-	-	-	-	-	-
	F--	61	9	-	-	1	-	1	-	1	1	1	3	8	8	11	4	5	4	1	2	1	-	-	-	-	-	-
35	Measles----------	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	15	1	1	3	1	2	3	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	2	1	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
45-55	Cancer and other malignant tumors	1,496	1	3	-	2	5	3	3	10	12	23	41	79	92	136	183	196	209	164	149	103	53	27	6	3	1	2
	White----M--	468	1	1	-	1	2	2	-	5	7	4	10	15	13	22	45	48	72	65	72	46	21	13	1	1	1	-
	F--	466	-	1	-	-	1	-	2	1	-	10	13	26	29	44	44	53	62	53	48	41	22	10	3	2	-	1
	Nonwhite--M--	243	-	1	-	1	1	-	-	3	2	2	4	15	16	30	40	36	34	22	17	8	7	3	1	-	-	-
	F--	319	-	-	-	-	1	1	1	1	3	7	14	23	34	40	54	49	41	24	12	8	3	1	1	-	-	1
46	Cancer of the digestive organs and peritoneum--	552	-	-	-	-	-	-	-	-	2	1	10	22	22	45	81	69	84	70	70	37	26	10	3	-	-	-
	White----M--	176	-	-	-	-	-	-	-	-	1	1	4	3	3	7	17	18	28	34	30	16	10	3	1	-	-	-
	F--	146	-	-	-	-	-	-	-	-	-	-	1	7	4	9	15	13	24	20	23	15	11	3	1	-	-	-
	Nonwhite--M--	124	-	-	-	-	-	-	-	-	1	-	1	9	5	18	28	17	15	9	11	3	3	3	1	-	-	-
	F--	106	-	-	-	-	-	-	-	-	-	-	4	3	10	11	21	21	17	7	6	3	2	1	-	-	-	-
48,49	Cancer of female genital organs--	251	-	-	-	-	-	-	-	2	2	9	11	23	29	31	29	29	31	26	8	11	5	3	-	1	-	1
	White----F--	139	-	-	-	-	-	-	-	1	-	6	4	11	14	17	12	12	21	15	7	10	4	3	-	1	-	1
	Nonwhite--F--	112	-	-	-	-	-	-	-	1	2	3	7	12	15	14	17	17	10	11	1	1	1	-	-	-	-	-
50	Cancer of breast-	135	-	-	-	-	-	-	-	-	-	3	3	9	11	18	16	22	12	15	14	7	2	1	2	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	-	-	-	-	-	-	-	-	-	2	2	5	5	11	10	15	5	12	10	5	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	1	1	4	6	7	6	7	7	3	4	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	558	1	3	-	2	5	3	3	8	8	10	17	25	30	42	57	66	82	53	57	48	20	13	1	2	1	1
	White----M--	292	1	1	-	1	2	2	-	5	6	3	6	12	10	15	28	30	44	31	42	30	11	10	-	1	1	-
	F--	94	-	1	-	-	1	-	2	-	-	2	6	3	6	7	7	13	12	6	8	11	5	3	-	1	-	-
	Nonwhite--M--	119	-	1	-	1	1	-	-	3	1	2	3	6	11	12	12	19	19	13	6	5	4	-	-	-	-	-
	F--	53	-	-	-	-	1	1	1	-	1	3	2	4	3	8	10	4	7	3	1	2	-	-	1	-	-	1
59	Acute rheumatic fever----------	16	-	1	-	-	-	1	2	3	-	-	1	2	2	-	-	-	-	1	1	1	-	1	-	-	-	-
	White----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	316	1	-	-	-	-	4	4	6	3	5	3	7	13	18	36	47	45	49	33	28	9	4	-	1	-	-
	White----M--	85	-	-	-	-	-	2	-	1	-	-	-	1	2	4	10	9	13	17	12	10	3	1	-	-	-	-
	F--	113	-	-	-	-	-	1	1	1	1	2	3	-	1	2	11	15	18	20	17	14	4	2	-	-	-	-
	Nonwhite--M--	45	1	-	-	-	-	-	1	2	1	3	-	2	3	3	6	7	2	6	3	3	1	-	-	1	-	-
	F--	73	-	-	-	-	-	1	2	3	-	-	-	4	7	9	9	16	12	6	1	1	1	1	-	-	-	-
63b	Exophthalmic goiter----------	11	-	-	-	-	-	-	-	-	-	-	2	2	3	-	1	-	1	-	1	1	-	-	-	-	-	-
	White----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	33	-	-	-	-	-	-	-	-	-	2	2	-	-	2	2	2	4	3	6	8	1	1	-	-	-	-
	White----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	4	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	3	1	3	1	-	1	-	-	-	-
77	Alcoholism (ethylism)-------	37	-	1	-	-	-	-	-	-	-	6	4	5	6	7	4	2	2	-	-	-	-	-	-	-	-	-
	White----M--	19	-	-	-	-	-	-	-	-	-	2	2	3	1	5	3	1	2	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	1	-	-	-	-	-	-	-	4	2	2	4	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	1,962	3	1	-	2	-	4	1	2	10	4	31	64	101	132	193	227	267	273	223	210	114	65	22	5	8	-
	White----M--	493	-	-	-	1	-	2	-	1	2	-	5	8	14	28	31	42	57	91	84	70	35	17	4	1	-	-
	F--	436	-	-	-	-	-	1	-	1	1	-	3	9	12	8	25	26	49	52	82	80	49	29	8	1	-	-
	Nonwhite--M--	489	1	1	-	-	-	1	-	-	3	2	10	24	27	40	71	77	81	62	33	32	13	4	4	1	2	-
	F--	544	2	-	-	1	-	-	1	-	4	2	13	23	48	56	66	82	80	68	24	28	17	15	6	2	6	-
90-95	Diseases of the heart----------	4,612	4	5	2	-	2	16	17	19	20	44	84	142	200	336	494	518	574	680	533	438	259	138	56	16	15	-
	White----M--	1,771	1	-	1	-	-	3	4	3	3	6	20	38	64	120	190	214	225	284	246	185	95	50	15	2	2	-
	F--	1,016	-	2	1	-	1	2	4	3	1	9	9	18	26	30	47	65	99	150	160	180	113	68	21	6	1	-
	Nonwhite--M--	934	3	2	-	-	-	5	4	6	6	13	26	47	61	86	134	127	129	113	65	41	34	12	12	3	5	-
	F--	891	-	1	-	-	1	6	5	7	10	16	29	39	49	100	123	112	121	133	62	32	17	8	8	5	7	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	220	-	1	1	-	1	5	9	9	5	6	12	17	14	15	18	17	13	23	16	16	10	8	3	-	1	-
	White----M--	63	-	-	1	-	-	-	2	1	2	1	5	4	5	3	5	4	-	10	4	7	5	3	1	-	-	-
	F--	56	-	-	-	-	1	-	3	1	-	1	4	5	4	2	2	5	4	4	3	8	3	4	1	-	1	-
	Nonwhite--M--	44	-	-	-	-	-	2	2	4	1	3	-	4	-	6	5	4	4	3	5	-	1	-	-	-	-	-
	F--	57	-	1	-	-	-	3	2	3	2	1	3	4	5	4	6	4	5	6	4	1	1	1	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	1,619	1	-	-	-	-	-	2	3	5	15	29	63	90	140	198	204	207	248	185	129	60	28	9	2	1	-
	White----M--	905	1	-	-	-	-	-	1	-	-	2	11	32	47	78	127	129	121	144	110	64	25	10	3	-	-	-
	F--	347	-	-	-	-	-	-	-	-	-	3	3	9	13	7	18	29	39	63	54	54	35	15	4	1	-	-
	Nonwhite--M--	196	-	-	-	-	-	-	2	1	3	10	14	18	31	26	25	27	18	11	5	-	3	2	-	-	-	-
	F--	171	-	-	-	-	-	-	1	1	4	7	5	8	12	24	27	21	20	23	10	6	-	-	-	1	1	-
90c, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,773	3	4	1	-	1	11	5	7	10	23	43	62	96	161	278	297	354	409	332	293	189	102	44	14	13	-
	White----M--	803	-	-	-	-	-	3	1	2	1	3	4	2	12	39	58	81	104	130	132	114	65	37	11	2	2	-
	F--	613	-	2	1	-	-	2	1	2	1	5	2	4	9	21	27	31	56	83	103	118	75	49	16	5	-	-
	Nonwhite--M--	694	3	2	-	-	-	3	2	-	4	7	16	29	43	49	103	98	98	92	49	36	33	9	10	3	5	-
	F--	663	-	-	-	-	1	3	2	3	4	8	21	27	32	72	90	87	96	104	48	25	16	7	7	4	6	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
97, 102	Arteriosclerosis and high blood pressure*-------	411	-	-	-	-	-	-	-	-	-	1	3	10	8	17	24	34	44	62	65	56	37	28	16	3	2	1
	White-----M--	116	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	5	9	20	23	18	13	13	6	-	-	-
	F--	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	6	17	17	27	17	11	3	2	-	-
	Nonwhite--M--	104	-	-	-	-	-	-	-	-	-	-	2	7	4	6	7	15	18	16	13	5	5	2	3	-	1	-
	F--	88	-	-	-	-	-	-	-	-	-	1	1	2	4	9	8	14	11	9	12	8	2	2	4	1	1	1
107-109, 33	Pneumonia (all forms) and influenza-------	994	366	37	15	8	5	8	16	11	19	9	18	29	26	31	44	37	66	40	57	63	43	24	12	6	4	-
	White-----M--	215	59	7	4	2	-	3	2	2	2	2	4	6	4	4	11	8	19	13	18	21	14	5	2	2	1	-
	F--	202	57	9	3	-	1	-	1	1	-	2	-	3	2	2	2	2	11	14	23	24	23	12	8	2	-	-
	Nonwhite--M--	301	141	9	4	3	2	4	8	5	6	2	7	8	10	14	13	10	15	8	11	8	5	5	1	1	1	-
	F--	276	109	12	4	3	2	1	5	3	11	3	7	12	10	11	18	17	21	5	5	10	1	2	1	1	2	-
107	Bronchopneumonia-	451	214	20	7	6	3	2	2	6	6	3	4	12	10	8	15	9	23	12	24	22	18	13	8	2	2	-
	White-----M--	111	38	4	2	1	-	-	-	2	-	-	2	5	-	1	4	1	9	5	13	10	8	4	1	1	-	-
	F--	88	55	3	1	-	-	-	-	-	-	2	-	1	2	2	2	1	3	3	6	8	8	5	5	1	-	-
	Nonwhite--M--	125	77	5	3	2	2	2	1	3	2	-	2	1	3	2	1	1	4	2	4	2	1	3	1	-	1	-
	F--	127	64	8	1	3	1	-	1	1	4	1	-	5	5	3	8	6	7	2	1	2	1	1	1	-	1	-
108	Lobar pneumonia--	294	66	9	2	-	2	4	6	4	10	4	5	11	12	11	14	19	24	18	18	28	15	6	3	2	1	-
	White-----M--	59	9	1	1	-	-	3	2	-	2	1	1	1	3	1	3	5	5	7	3	6	3	-	1	1	-	-
	F--	67	14	4	-	-	1	-	-	1	-	-	-	-	-	-	-	1	3	4	9	13	10	5	2	-	-	-
	Nonwhite--M--	94	25	2	-	-	-	-	3	1	3	1	3	5	5	7	7	7	7	4	5	6	2	1	-	-	-	-
	F--	74	18	2	1	-	1	1	1	2	5	2	1	5	4	3	4	6	9	3	1	3	-	-	-	1	1	-
109	Pneumonia (unspecified)------	95	45	3	-	1	-	2	2	1	-	2	2	4	-	3	3	1	8	2	6	6	2	2	-	-	-	-
	White-----M--	16	2	-	-	1	-	-	-	-	-	1	1	-	-	1	2	-	2	-	1	3	1	1	-	-	-	-
	F--	18	6	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	3	2	3	1	-	-	-	-	-	-
	Nonwhite--M--	34	20	1	-	-	-	2	1	1	-	1	-	1	-	1	1	-	2	-	1	-	1	1	-	-	-	-
	F--	27	17	1	-	-	-	-	1	-	-	-	1	1	-	1	-	1	1	-	1	2	-	-	-	-	-	-
33	Influenza--------	154	41	5	6	1	-	-	6	-	3	-	7	2	4	9	12	8	11	8	9	7	8	3	1	2	1	-
	White-----M--	29	10	2	1	-	-	-	-	-	-	-	-	-	1	1	2	2	3	1	1	2	2	-	-	-	1	-
	F--	29	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	5	5	2	5	2	1	1	-	-
	Nonwhite--M--	48	19	1	1	1	-	-	3	-	1	-	2	1	2	4	4	2	2	2	1	-	1	-	-	-	-	-
	F--	48	10	1	2	-	-	-	2	-	2	-	5	1	1	4	6	4	4	-	2	3	-	1	-	-	-	-
117	Ulcer of stomach or duodenum-----	68	1	-	-	-	-	-	-	-	1	4	3	10	5	4	5	7	6	11	4	3	4	-	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	1	1	1	4	3	2	2	6	2	5	2	2	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	2	1	5	-	1	3	-	1	4	1	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	1	-	-	1	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	138	94	11	2	3	2	1	1	1	3	1	3	1	4	1	1	2	1	-	1	2	1	1	-	-	1	-
	White-----M--	21	13	-	1	-	-	1	-	1	-	-	-	1	1	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	24	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	46	36	4	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
	F--	47	30	4	-	1	2	-	1	-	3	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	41	-	1	-	2	-	1	-	4	5	2	1	2	1	2	5	4	2	1	5	2	-	-	1	-	-	-
	White-----M--	11	-	1	-	-	-	-	-	1	1	2	-	-	-	1	1	-	1	-	2	1	-	-	-	-	-	-
	F--	13	-	-	-	1	-	-	-	1	2	-	1	-	-	1	2	1	1	-	2	-	-	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-
	F--	9	-	-	-	1	-	-	-	1	1	-	-	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	97	8	1	-	-	1	4	-	-	2	1	4	6	8	7	8	7	12	6	7	8	2	3	-	-	2	-
	White-----M--	27	2	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	5	-	4	4	-	2	-	-	-	-
	F--	21	2	-	-	-	-	-	-	-	1	1	1	1	-	2	1	1	3	2	1	3	1	-	-	-	1	-
	Nonwhite--M--	26	3	1	-	-	1	-	-	-	-	-	2	1	1	3	3	2	3	2	2	1	-	-	-	-	1	-
	F--	23	1	-	-	-	-	4	-	-	1	-	-	4	3	1	2	2	1	2	-	-	1	1	-	-	-	-
124	Cirrhosis of the liver----------	84	-	-	-	-	1	-	-	-	-	4	2	3	5	9	8	9	14	10	6	6	2	4	1	-	-	-
	White-----M--	43	-	-	-	-	1	-	-	-	-	1	1	1	3	7	5	3	6	6	2	3	2	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	1	-	2	3	-	2	1	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	2	-	-	2	-	1	2	6	2	2	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	29	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	2	5	4	2	3	3	1	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	3	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	2	2	2	-	2	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,512	-	2	-	1	2	5	6	18	16	14	32	52	63	103	129	158	207	200	157	147	104	66	19	5	4	2
	White-----M--	344	-	-	-	-	-	-	2	4	1	2	4	5	15	16	24	27	44	51	45	50	36	15	3	-	-	-
	F--	253	-	-	-	-	1	-	-	2	5	-	2	8	4	9	11	17	19	25	45	48	27	27	5	-	-	-
	Nonwhite--M--	494	-	1	-	-	-	2	1	8	5	7	8	14	20	44	50	61	86	68	40	35	25	11	2	4	1	1
	F--	421		1	-	1	1	3	3	4	5	5	18	25	24	34	44	53	58	56	27	16	16	13	9	1	3	1
137	Diseases of the prostate--------	73	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	9	14	12	14	8	5	1	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	10	6	3	-	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	9	6	4	2	2	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
140-150	Diseases of pregnancy, etc.*-----	137	-	-	-	-	-	-	1	23	25	21	24	29	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	34	-	-	-	-	-	-	1	2	4	2	5	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	103	-	-	-	-	-	-	-	21	21	19	19	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	32	-	-	-	-	-	-	-	3	8	5	5	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	1	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	25	-	-	-	-	-	-	-	2	8	4	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	47	-	-	-	-	-	-	1	15	7	5	5	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	-	-	-	-	-	-	1	1	1	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	37	-	-	-	-	-	-	-	14	6	5	3	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	41	-	-	-	-	-	-	-	4	7	9	10	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	-	3	1	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	-	-	-	-	-	-	-	4	4	8	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	17	-	-	-	-	-	-	-	1	3	2	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	-	-	-	-	-	-	-	1	3	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	234	184	9	6	2	2	10	7	2	2	1	1	1	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	81	68	1	1	1	-	-	2	1	1	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	79	64	7	3	-	-	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	33	-	1	1	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	19	1	1	-	1	2	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,100	1,100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	371	371	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	265	265	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	693	693	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	235	235	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	156	156	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	407	407	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	136	136	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	108	-	-	-	-	-	-	-	4	5	8	17	21	7	15	7	6	8	6	3	1	-	-	-	-	-	-	-
	White-----M--	72	-	-	-	-	-	-	-	3	2	3	12	11	6	11	3	6	7	5	2	1	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	1	3	1	7	-	3	1	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	2	2	3	3	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	250	4	-	-	1	2	1	3	17	38	52	32	34	20	16	12	6	6	1	2	2	-	1	-	-	-	-	-
	White-----M--	56	1	-	-	-	1	1	-	2	5	7	9	10	4	5	4	3	2	-	1	1	-	-	-	-	-	-	-
	F--	20	2	-	-	-	1	-	-	2	1	2	1	2	2	1	3	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	142	1	-	-	-	-	-	2	11	22	35	17	19	14	9	5	2	3	-	1	1	-	-	-	-	-	-	-
	F--	32	-	-	-	1	-	-	1	2	10	8	5	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,361	79	44	23	28	24	53	65	105	139	118	117	87	56	79	63	51	55	41	41	31	29	21	4	5	2	1	
	White-----M--	615	29	12	12	9	5	21	30	45	78	68	63	44	25	34	21	27	25	18	16	15	12	3	3	2	-	-	
	F--	210	14	10	2	7	10	8	7	18	10	5	7	8	5	5	4	6	9	10	18	14	17	15	-	1	-	-	
	Nonwhite--M--	383	22	14	2	8	4	11	17	32	43	32	41	30	20	32	26	16	14	9	5	-	-	1	1	2	1	-	
	F--	153	14	8	7	4	5	13	11	10	8	13	6	5	6	8	12	2	9	4	2	2	-	2	-	-	1	1	
170	Motor-vehicle accidents--------	535	4	11	10	10	11	22	24	56	85	62	41	38	24	26	28	25	25	15	10	3	4	-	-	1	-	-	
	White-----M--	265	3	4	6	5	2	10	15	26	52	34	23	17	9	8	12	10	13	5	4	3	3	-	-	1	-	-	
	F--	76	-	3	2	2	6	6	1	11	7	4	2	3	3	4	2	4	5	6	4	-	1	-	-	-	-	-	
	Nonwhite--M--	150	1	2	-	2	3	1	5	15	22	18	15	15	10	10	12	10	4	3	2	-	-	-	-	-	-	-	
	F--	44	-	2	2	1	-	5	3	4	4	6	1	3	2	4	2	1	3	1	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents---	826	75	33	13	18	13	31	41	49	54	56	76	49	32	53	35	26	30	26	31	28	25	21	4	4	2	1	
	White-----M--	350	26	8	6	4	3	11	15	19	26	34	40	27	16	26	9	17	10	13	12	12	9	3	3	1	-	-	
	F--	134	14	7	-	5	4	2	6	7	3	1	5	5	2	1	2	2	4	4	14	14	16	15	-	1	-	-	
	Nonwhite--M--	233	21	12	2	6	1	10	12	17	21	14	28	15	10	22	14	6	10	6	3	-	-	1	1	2	1	-	
	F--	108	14	6	5	3	5	8	8	6	4	7	5	2	4	4	10	1	6	3	2	2	-	2	-	-	1	1	
182, 199, 200	Senility, ill-defined and unknown causes----	869	284	21	8	6	3	6	5	8	9	15	17	35	34	43	66	59	72	40	31	38	33	23	15	7	10	-	
	White-----M--	116	18	3	1	2	-	-	-	-	1	-	2	3	5	12	12	8	10	5	7	10	8	8	-	1	-	-	
	F--	54	12	1	2	-	-	2	-	-	-	1	1	1	1	2	1	4	1	3	6	6	2	3	4	1	-	-	
	Nonwhite--M--	414	156	9	3	3	2	2	3	5	7	6	8	18	14	15	31	28	37	14	12	10	17	6	4	2	4	-	
	F--	305	98	8	2	1	1	2	3	3	1	8	6	13	14	14	22	21	24	18	6	12	6	6	7	3	6	-	
	All other causes-	980	105	27	20	14	9	29	21	35	46	66	49	58	67	70	64	54	55	60	57	33	19	15	3	4	-	-	
	White-----M--	264	25	6	5	4	3	7	6	3	9	19	10	15	12	21	12	21	20	19	21	11	8	5	-	2	-	-	
	F--	238	18	6	6	2	1	7	3	7	11	16	10	13	14	17	15	7	13	21	24	16	2	6	2	1	-	-	
	Nonwhite--M--	233	35	5	4	1	1	6	8	9	14	17	9	17	15	15	20	15	11	11	9	5	4	1	-	1	-	-	
	F--	245	27	10	5	7	4	9	4	16	12	14	20	13	26	17	17	11	11	9	3	1	5	3	1	-	-	-	

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	ALL CAUSES-------	5,806	525	53	18	27	15	56	43	73	96	80	81	105	145	163	254	373	498	611	697	683	615	389	163	32	7	4
	White-----M--	3,359	263	26	8	14	8	34	26	44	53	52	42	62	88	87	163	249	309	376	411	386	358	206	79	11	-	4
	F--	2,187	194	18	3	12	5	20	16	16	30	18	28	37	51	70	79	111	177	220	272	288	244	173	78	19	6	-
	Nonwhite--M--	141	39	4	1	1	1	2	-	5	5	5	3	6	5	1	4	8	7	9	12	6	10	4	2	-	1	-
	F--	119	29	5	6	-	1	-	1	8	8	5	7	-	1	5	8	5	5	6	2	3	3	6	3	2	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	9	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	113	11	4	1	1	-	1	-	11	5	6	10	8	8	9	10	6	7	4	8	1	2	-	-	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	2	1	1	2	5	3	4	8	3	4	1	6	-	1	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	1	-	-	3	2	3	4	1	2	1	3	2	1	1	-	-	-	-	-
	Nonwhite--M--	21	7	2	-	1	-	1	-	3	-	1	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	27	4	2	1	-	-	-	-	5	4	4	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	99	6	4	-	1	-	-	-	9	5	6	9	8	6	9	9	6	7	4	7	1	2	-	-	-	-	-
	White-----M--	39	-	-	-	-	-	-	-	2	1	1	2	5	2	4	8	3	4	1	5	-	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	-	-	2	2	2	4	-	2	1	3	2	1	1	-	-	-	-	-
	Nonwhite--M--	16	4	2	-	1	-	-	-	2	-	1	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	23	2	2	-	-	-	-	-	4	4	4	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	14	5	-	1	-	-	1	-	2	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	33	2	-	-	-	-	-	-	-	-	-	1	-	1	2	2	6	5	5	4	5	-	-	-	-	-	-
	White-----M--	27	2	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	3	3	3	5	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35	Measles----------	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	90	4	5	2	5	4	26	14	8	11	6	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	52	4	3	-	2	3	18	5	6	5	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	38	-	2	2	3	1	8	9	2	6	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors	730	-	-	1	1	-	3	-	2	2	2	9	13	23	43	43	80	87	108	118	93	57	34	11	-	-	-
	White-----M--	392	-	-	1	-	-	2	-	2	1	1	3	7	7	15	22	40	38	66	69	57	35	22	4	-	-	-
	F--	326	-	-	-	1	-	1	-	-	1	1	5	5	15	28	21	39	47	38	48	35	22	12	7	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	309	-	-	-	-	-	-	-	-	-	2	1	5	7	14	14	33	30	49	55	42	33	20	4	-	-	-
	White-----M--	194	-	-	-	-	-	-	-	-	-	1	1	2	4	6	11	21	16	33	35	25	23	15	1	-	-	-
	F--	109	-	-	-	-	-	-	-	-	-	1	-	2	2	8	3	12	12	15	20	16	10	5	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	74	-	-	-	-	-	-	-	-	-	-	1	2	6	8	9	8	9	13	8	8	2	-	-	-	-	-
	White-----F--	71	-	-	-	-	-	-	-	-	-	-	-	2	6	8	9	8	9	11	8	8	2	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
50	Cancer of breast-	76	-	-	-	-	-	-	-	-	-	-	-	-	6	7	5	9	15	7	9	8	5	3	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	-	-	-	6	7	5	9	15	7	8	8	5	3	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	271	-	-	1	1	-	3	-	2	2	-	7	6	4	14	15	30	33	39	46	35	17	11	5	-	-	-
	White-----M--	197	-	-	1	-	-	2	-	2	1	-	2	5	3	9	11	19	22	33	33	32	12	7	3	-	-	-
	F--	71	-	-	-	1	-	1	-	-	1	-	5	1	1	5	4	10	11	5	12	3	5	4	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
59	Acute rheumatic fever----------	4	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	162	-	-	-	-	-	-	-	2	-	3	2	2	-	4	10	10	22	31	25	24	17	5	4	1	-	-
	White-----M--	58	-	-	-	-	-	-	-	-	-	3	1	1	-	2	3	3	5	7	10	9	8	1	2	1	-	-
	F--	95	-	-	-	-	-	-	-	1	-	-	1	1	-	2	4	5	16	23	14	14	8	4	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter----------	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	9	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	1	-	-	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	625	1	1	1	-	-	1	1	1	1	-	2	4	6	17	27	38	60	89	92	120	96	55	12	-	-	-
	White-----M--	341	1	-	1	-	-	-	-	1	-	-	-	2	2	9	16	19	36	49	46	69	56	29	5	-	-	-
	F--	277	-	1	-	-	-	1	1	-	1	-	2	2	4	8	11	18	22	39	45	50	40	25	7	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
90-95	Diseases of the heart----------	1,658	1	-	-	-	2	-	3	4	5	5	8	13	36	31	79	122	175	222	271	247	233	142	51	3	4	1
	White-----M--	1,042	-	-	-	-	-	-	1	2	2	2	5	8	27	21	61	99	130	149	162	146	129	68	29	-	-	1
	F--	585	1	-	-	-	1	-	2	1	3	2	1	3	9	9	15	20	44	71	106	99	101	71	19	3	4	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	2	1	2	3	1	2	1	2	-	-	-
	F--	10	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	1	2	1	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	79	-	-	-	-	1	-	1	1	3	3	1	3	2	4	5	4	9	11	9	9	8	4	-	-	1	-
	White-----M--	41	-	-	-	-	-	-	1	-	-	1	-	2	1	3	1	3	6	6	7	6	3	1	-	-	-	-
	F--	34	-	-	-	-	-	-	-	1	3	2	-	1	1	1	4	1	3	4	2	3	4	3	-	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	720	-	-	-	-	-	-	-	1	1	-	4	5	23	17	52	75	89	115	125	82	76	39	12	1	2	1
	White-----M--	498	-	-	-	-	-	-	-	1	1	-	4	5	20	14	45	63	70	81	75	50	40	21	7	-	-	1
	F--	218	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	10	19	33	50	32	36	18	5	1	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93e,b, d,e, 95a,c	Diseases of the heart (other forms)----------	859	1	-	-	-	1	-	2	2	1	2	3	5	11	10	22	43	77	96	137	156	149	99	39	2	1	-
	White-----M--	503	-	-	-	-	-	-	-	1	1	1	1	1	6	4	15	33	54	62	80	90	86	46	22	-	-	-
	F--	333	1	-	-	-	1	-	2	-	-	-	1	2	5	5	5	9	22	34	54	64	61	50	14	2	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	1	1	-	3	1	1	1	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	2	1	-	-	-

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA--Continued																										
97, 102	Arteriosclerosis and high blood pressure*	162	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	8	11	19	18	40	31	23	5	-	-
	White----M--	93	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	8	15	8	22	19	10	3	-	-
	F--	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	10	16	12	13	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	226	62	8	3	1	-	1	2	3	2	2	1	3	7	5	4	14	12	12	23	17	20	10	10	4	-	-
	White----M--	125	25	5	1	1	-	-	2	2	1	1	1	-	5	3	2	13	8	8	17	7	11	4	6	2	-	-
	F--	66	17	1	-	-	-	1	-	1	-	1	-	3	1	2	1	-	4	3	6	10	7	6	3	1	-	-
	Nonwhite--M--	19	12	1	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-
	F--	14	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-
107	Bronchopneumonia-	87	27	5	1	1	-	-	1	-	1	-	1	-	1	2	1	5	3	1	12	7	6	6	5	1	-	-
	White----M--	46	12	3	-	1	-	-	1	-	-	-	1	-	1	1	1	4	2	-	8	2	4	2	2	1	-	-
	F--	26	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	5	1	4	3	-	-	-
	Nonwhite--M--	9	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	66	9	-	1	-	-	-	1	1	-	2	-	2	3	2	2	8	5	7	6	3	7	2	3	2	-	-
	White----M--	39	2	-	1	-	-	-	1	1	-	1	-	-	1	1	-	6	3	5	5	2	3	1	3	1	-	-
	F--	18	2	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	2	1	1	1	3	1	-	1	-	-
	Nonwhite--M--	7	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	55	19	3	1	-	-	1	-	2	1	-	-	1	2	1	1	1	2	3	3	5	6	1	1	1	-	-
	White----M--	28	9	2	-	-	-	-	-	1	1	-	-	-	2	1	1	1	2	2	2	1	3	-	1	-	-	-
	F--	19	5	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	1	4	3	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
33	Influenza	18	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	1	1	1	-	-	-
	White----M--	11	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	1	1	-	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	26	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	8	1	6	2	-	-	-	-	-	-
	White----M--	21	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	6	1	6	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	26	17	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-
	White----M--	10	6	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	11	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	18	-	-	-	-	2	-	1	1	-	1	1	3	-	-	1	2	2	-	2	1	-	-	1	-	-	-
	White----M--	11	-	-	-	-	1	-	1	1	-	1	1	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	53	4	-	-	-	-	-	-	-	-	-	1	4	1	1	4	1	6	8	3	8	8	4	-	-	-	-
	White----M--	25	2	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	3	1	2	6	3	-	-	-	-
	F--	26	1	-	-	-	-	-	-	-	-	-	1	2	-	1	3	-	5	4	2	6	-	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	35	-	-	-	-	-	1	-	1	-	-	2	2	-	1	1	6	3	7	2	6	-	1	1	1	-	-
	White----M--	27	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	5	3	7	1	5	-	1	1	-	-	-
	F--	8	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	30	-	-	-	-	-	-	-	-	-	-	2	-	3	2	5	3	1	3	3	3	1	2	1	1	-	-
	White----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	1	1	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	3	1	-	1	1	-	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis	223	1	-	-	-	-	1	2	4	4	2	1	1	2	4	13	14	16	31	28	40	29	20	8	2	-	-
	White----M--	142	1	-	-	-	-	1	1	4	3	2	-	-	-	2	11	9	10	25	15	22	18	12	4	2	-	-
	F--	76	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	5	6	6	12	17	11	8	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	9	7	8	7	-	-	-	-
	White----M--	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	7	8	7	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																										
140-150	Diseases of pregnancy, etc.*----	17	-	-	-	-	-	-	-	-	8	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	-	5	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	5	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	4	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	6	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	93	85	2	-	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	44	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	37	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	286	286	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	65	-	-	-	-	-	-	-	2	3	3	3	8	7	6	5	7	7	4	3	4	3	-	-	-	-
	White-----M--	53	-	-	-	-	-	-	-	2	2	2	2	7	7	5	2	7	6	4	2	3	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	1	1	1	-	1	3	-	1	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	12	2	-	-	-	-	-	-	1	2	-	-	-	1	2	1	-	-	1	2	-	-	-	-	-	-	-
	White-----M--	7	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	495	12	13	6	11	4	10	9	28	43	39	19	23	21	18	20	19	29	20	34	30	40	26	12	4	2	3
	White-----M--	335	4	7	4	7	2	5	9	19	31	29	15	20	21	13	16	17	24	14	18	14	24	14	5	-	-	3
	F--	136	5	5	1	4	1	4	-	8	8	7	2	2	-	4	4	2	5	6	13	16	16	12	6	4	1	-
	Nonwhite--M--	15	1	-	-	-	1	1	-	1	4	2	1	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-
	F--	9	2	1	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
170	Motor-vehicle accidents-------	155	1	4	-	4	-	3	2	15	23	15	8	6	11	6	8	8	14	8	7	6	6	-	-	-	-	-
	White-----M--	117	-	2	-	4	-	3	2	9	17	11	5	5	11	5	6	6	11	6	4	4	6	-	-	-	-	-
	F--	33	-	2	-	-	-	-	-	6	6	3	2	1	-	-	2	2	3	2	2	2	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	340	11	9	6	7	4	7	7	13	20	24	11	17	10	12	12	11	15	12	27	24	34	28	12	4	2	3
	White-----M--	218	4	5	4	3	2	2	7	10	14	18	10	15	10	8	10	11	13	8	14	10	18	14	5	-	-	3
	F--	103	5	3	1	4	1	4	-	2	2	4	-	1	-	4	2	-	2	4	11	14	16	12	6	4	1	-
	Nonwhite--M--	12	-	-	-	-	1	1	-	1	4	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	F--	7	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	160	9	-	2	-	1	-	-	1	1	2	2	2	1	1	2	4	10	7	7	22	25	32	21	7	1	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	7	3	3	13	15	14	8	3	-	-
	F--	57	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	2	3	2	8	8	12	13	3	1	-
	Nonwhite--M--	16	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	1	1	3	-	-	-	-
	F--	15	3	-	2	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	1	-	1	3	-	1	-	-
	All other causes-	395	21	14	1	6	2	11	6	3	6	7	11	15	17	11	20	31	38	39	37	33	34	20	8	4	-	-
	White-----M--	214	13	8	1	2	2	8	5	2	4	6	5	5	7	3	11	17	21	19	24	16	19	11	5	-	-	-
	F--	170	7	5	-	4	-	3	1	1	2	1	6	10	8	8	8	13	16	19	13	16	13	9	3	4	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																											
	ALL CAUSES-------	28,826	3,098	237	119	82	50	221	197	402	528	563	658	866	1,051	1,288	1,729	2,070	2,276	2,936	3,265	3,227	2,143	1,231	423	120	40	6
	White-----M--	12,603	1,381	95	50	37	15	108	89	192	240	225	251	338	431	516	717	918	1,045	1,332	1,508	1,484	915	533	145	33	5	2
	F--	9,612	1,038	95	43	31	21	76	55	100	127	151	171	235	273	313	403	539	640	975	1,189	1,317	974	572	218	47	9	-
	Nonwhite--M--	3,488	379	18	12	7	6	18	24	49	80	92	108	164	170	212	331	364	300	352	300	231	137	76	26	17	11	3
	F--	3,123	300	28	14	7	10	19	29	61	81	95	128	129	177	247	278	249	291	277	268	195	117	50	34	23	15	1
1,2	Typhoid and paratyphoid fever---	10	-	-	-	-	-	1	-	1	-	2	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	24	5	3	1	2	1	3	-	4	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	9	1	1	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	10	2	1	-	1	1	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	8	-	-	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	45	39	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	12	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	23	-	4	6	5	1	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	1	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	3	3	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,423	13	15	10	3	1	11	16	51	97	107	114	119	102	88	112	109	112	121	113	70	29	9	-	1	-	-
	White-----M--	559	6	6	8	-	-	3	2	9	18	27	32	42	43	45	55	52	66	44	52	34	14	1	-	-	-	-
	F--	449	4	7	2	1	1	3	3	11	21	33	32	36	27	15	27	32	31	58	52	31	13	8	-	1	-	-
	Nonwhite--M--	210	2	2	-	-	-	1	2	9	20	12	26	25	18	17	20	21	11	12	7	4	1	-	-	-	-	-
	F--	205	1	-	-	2	-	4	9	22	38	35	24	16	14	11	10	4	4	7	2	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,308	4	4	4	-	-	5	12	45	89	99	108	114	93	85	105	103	109	115	109	69	28	8	-	1	-	-
	White-----M--	513	1	-	3	-	-	1	1	6	16	23	31	40	40	44	51	50	66	42	49	34	14	1	-	-	-	-
	F--	418	2	3	1	-	-	1	1	10	21	31	32	36	25	14	24	29	30	55	52	30	13	7	-	1	-	-
	Nonwhite--M--	192	1	1	-	-	-	-	1	8	19	11	20	24	17	17	20	21	10	11	6	4	1	-	-	-	-	-
	F--	185	-	-	-	-	-	3	9	21	33	34	23	14	11	10	10	3	3	7	2	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	115	9	11	6	3	1	6	4	6	8	8	8	5	9	3	7	6	3	6	4	1	-	1	-	-	-	-
	White-----M--	46	5	6	5	-	-	2	1	3	2	4	1	2	3	1	4	2	-	2	3	-	-	-	-	-	-	-
	F--	31	2	4	1	1	1	2	2	1	-	2	-	-	2	1	3	3	1	3	-	1	-	1	-	-	-	-
	Nonwhite--M--	18	1	1	-	-	-	1	1	1	1	1	6	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	20	1	-	-	2	-	1	-	1	5	1	1	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	26	16	2	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-
	White-----M--	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	14	8	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	8	2	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis----------	220	11	2	-	-	-	-	-	-	2	2	13	15	20	24	32	39	22	17	14	5	1	1	-	-	-	-
	White-----M--	77	5	-	-	-	-	-	-	-	-	-	2	3	8	7	5	14	13	8	8	2	1	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	2	1	3	1	-	-	-	-	-	-
	Nonwhite--M--	89	2	-	-	-	-	-	-	-	2	1	2	8	7	10	22	19	6	7	2	1	-	-	-	-	-	-
	F--	38	4	2	-	-	-	-	-	-	-	1	8	3	3	6	4	3	1	1	1	1	-	-	-	-	-	-
35	Measles----------	22	9	5	-	2	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	4	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	3	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	31	1	2	4	2	-	9	4	4	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	1	-	3	2	-	5	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	2	1	-	-	4	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
45-55	Cancer and other malignant tumors	3,043	2	4	6	5	3	9	10	14	15	35	60	90	167	205	281	360	360	403	380	332	203	74	21	4	-	-
	White-----M--	1,157	-	1	2	3	-	4	4	7	6	12	13	22	45	56	90	121	139	155	179	164	93	32	7	2	-	-
	F--	1,397	-	1	3	1	1	4	4	5	6	16	33	46	85	102	129	169	165	181	167	135	97	34	13	-	-	-
	Nonwhite--M--	210	-	-	-	1	1	-	1	1	1	2	1	5	8	14	34	35	21	41	16	16	6	4	-	2	-	-
	F--	279	2	2	1	-	1	1	1	1	2	5	13	17	29	33	28	35	35	26	18	17	7	4	1	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,191	-	-	1	1	1	1	1	2	4	7	20	24	40	67	88	127	147	177	177	166	98	31	9	2	-	-
	White-----M--	497	-	-	-	1	-	1	-	-	2	3	6	7	17	30	34	42	67	72	77	86	41	8	3	-	-	-
	F--	493	-	-	1	-	-	-	-	1	1	2	10	10	14	22	31	55	56	74	80	62	51	18	5	-	-	-
	Nonwhite--M--	120	-	-	-	-	1	-	1	1	1	2	-	3	5	8	18	20	13	21	11	9	2	2	-	2	-	-
	F--	81	-	-	-	-	-	-	-	-	-	-	4	4	4	7	5	10	11	10	9	9	4	3	1	-	-	-
48,49	Cancer of female genital organs--	465	-	-	-	-	-	-	-	-	2	6	16	28	48	59	57	73	50	49	30	27	11	7	2	-	-	-
	White-----F--	362	-	-	-	-	-	-	-	-	-	5	11	19	33	46	45	58	36	37	28	25	11	6	2	-	-	-
	Nonwhite--F--	103	-	-	-	-	-	-	-	-	2	1	5	9	15	13	12	15	14	12	2	2	-	1	-	-	-	-
50	Cancer of breast-	249	-	-	-	-	-	-	-	-	1	5	7	12	20	21	34	34	35	26	27	17	8	1	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	191	-	-	-	-	-	-	-	-	1	2	5	8	15	12	27	29	27	24	21	12	6	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	3	2	4	5	8	7	5	6	2	5	5	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	1,138	2	4	5	4	2	8	8	12	8	17	17	26	59	58	102	126	128	151	148	122	86	35	9	2	-	-
	White-----M--	657	-	1	2	2	-	3	4	7	4	9	7	15	28	26	56	79	70	83	101	78	52	24	4	2	-	-
	F--	351	-	1	2	1	1	4	4	4	4	7	7	9	23	22	26	27	46	46	38	36	29	9	5	-	-	-
	Nonwhite--M--	89	-	-	-	1	-	-	-	-	-	-	1	2	3	5	16	15	8	20	5	7	4	2	-	-	-	-
	F--	41	2	2	1	-	1	1	1	1	-	1	2	-	5	5	4	5	4	2	2	1	1	-	-	-	-	-
58	Acute rheumatic fever----------	49	-	1	-	1	-	11	7	3	2	1	1	-	1	3	3	2	2	1	3	3	1	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	5	1	2	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	18	-	1	-	-	-	5	4	1	-	1	-	-	-	1	-	-	-	-	1	2	1	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	1	-	1	-	-	-	1	1	2	-	2	1	-	1	-	-	-	-	-	-
61	Diabetes mellitus	439	-	-	-	-	1	-	5	3	5	2	6	7	8	28	30	51	45	76	59	68	29	13	3	-	-	-
	White-----M--	167	-	-	-	-	1	-	4	-	1	2	-	1	1	9	7	17	18	30	21	34	15	5	1	-	-	-
	F--	193	-	-	-	-	-	-	1	3	1	-	2	1	6	10	11	23	16	38	32	28	14	6	1	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	6	5	2	3	1	-	-	-	-	-	-
	F--	57	-	-	-	-	-	-	-	-	3	-	2	4	1	8	11	5	6	6	3	5	-	2	1	-	-	-
63b	Exophthalmic goiter----------	27	-	-	-	-	-	-	-	-	1	-	2	3	2	4	1	6	1	1	3	2	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	-	1	-	1	4	-	3	1	1	3	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	45	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	1	4	8	5	8	5	5	1	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	-	1	1	1	2	-	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	4	7	4	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	49	-	-	-	-	-	-	-	-	1	4	6	8	7	8	6	4	3	1	1	-	-	-	-	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	1	4	5	6	5	6	3	3	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	3,016	5	1	1	3	-	3	6	5	10	10	21	44	71	123	176	232	299	408	512	494	340	174	54	17	6	1
	White-----M--	1,202	1	-	1	1	-	2	2	2	4	6	5	13	16	34	50	90	138	184	227	204	136	60	18	7	1	-
	F--	1,087	3	1	-	2	-	1	3	1	4	3	2	11	16	33	45	84	67	128	190	225	160	95	29	4	-	-
	Nonwhite--M--	331	1	-	-	-	-	-	1	1	1	1	4	10	20	21	34	38	35	45	45	36	17	11	3	3	3	1
	F--	396	-	-	-	-	-	-	-	1	1	-	10	10	19	35	47	40	59	51	50	29	27	8	4	3	2	-
90-95	Diseases of the heart----------	7,459	1	1	-	1	2	7	15	28	34	21	73	112	203	311	459	638	751	1,047	1,197	1,178	782	446	125	37	8	2
	White-----M--	3,596	1	-	-	1	-	4	7	9	7	5	33	49	98	145	232	345	387	514	581	572	342	207	44	10	1	1
	F--	2,411	-	-	-	-	-	1	3	12	12	8	17	26	38	58	78	122	192	341	413	473	335	196	65	19	2	-
	Nonwhite--M--	724	-	-	-	-	-	1	1	4	9	3	9	12	21	48	74	106	85	101	104	63	44	28	4	4	3	-
	F--	729	-	1	-	-	2	1	4	3	6	5	14	25	46	60	75	65	87	91	99	70	41	15	12	4	2	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	495	-	-	-	-	1	6	10	22	17	8	27	19	18	33	29	35	45	40	57	67	32	21	6	2	-	-
	White-----M--	194	-	-	-	-	-	4	5	8	4	2	12	6	8	8	9	12	19	18	25	28	16	7	2	1	-	-
	F--	173	-	-	-	-	-	1	2	9	7	5	9	9	9	15	10	11	11	11	14	24	11	11	3	1	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	1	3	4	-	1	-	-	2	2	6	3	5	10	8	4	1	-	-	-	-
	F--	78	-	-	-	-	1	1	2	2	2	1	5	4	1	8	8	6	12	6	8	7	1	2	1	-	-	-
9a,	Diseases of coronary arteries and angina pectoris--------	2,329	-	-	-	-	-	-	-	2	5	5	16	42	93	127	182	283	289	359	347	314	149	90	16	5	3	2
	White-----M--	1,426	-	-	-	-	-	-	-	-	1	1	10	29	64	90	136	201	179	222	198	174	66	42	11	1	-	1
	F--	665	-	-	-	-	-	-	-	2	2	1	-	5	11	18	25	48	73	108	128	122	70	45	4	4	1	-
	Nonwhite--M--	116	-	-	-	-	-	-	-	-	1	1	3	2	7	11	11	21	14	15	11	10	3	3	1	-	2	-
	F--	122	-	-	-	-	-	-	-	-	1	2	3	6	11	8	10	13	23	16	10	8	10	-	-	-	-	1
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	4,635	1	1	-	1	1	1	5	4	12	8	30	51	92	151	248	320	417	648	795	797	581	335	103	30	5	-
	White-----M--	1,975	1	-	-	1	-	-	2	1	2	2	11	14	26	47	87	132	189	274	358	370	260	158	51	8	1	-
	F--	1,573	-	-	-	-	-	-	1	1	3	2	8	12	18	25	43	63	108	224	271	327	254	140	58	14	1	-
	Nonwhite--M--	558	-	-	-	-	-	1	-	1	4	2	5	10	14	35	61	79	68	81	83	45	37	24	3	4	1	-
	F--	529	-	1	-	-	1	-	2	1	3	2	6	15	34	44	57	46	52	69	81	55	30	13	11	4	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
97, 102	Arteriosclerosis and high blood pressure*-------	360	-	-	-	-	-	-	-	-	-	-	3	4	6	5	8	14	23	37	54	65	61	51	25	3	3	-
	White-----M--	137	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	5	8	11	23	29	27	22	4	1	-	-
	F--	144	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	4	9	9	22	25	28	24	16	1	1	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	8	3	8	2	2	3	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	1	4	9	6	3	4	3	-	1	2	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,577	382	49	17	10	8	18	8	17	11	19	20	19	36	51	50	55	72	109	132	183	154	102	40	9	6	-
	White-----M--	622	159	26	5	6	2	7	2	9	2	8	3	5	13	15	16	21	21	48	57	78	57	43	15	2	2	-
	F--	561	118	14	8	4	3	7	3	1	4	7	9	3	3	10	10	12	22	36	46	83	79	52	20	5	2	-
	Nonwhite--M--	194	54	4	1	-	2	2	1	2	1	3	4	4	11	11	17	12	15	14	11	5	14	3	3	-	-	-
	F--	200	51	5	3	-	1	2	2	5	4	1	4	7	9	15	7	10	14	11	18	17	4	4	2	2	2	-
107	Bronchopneumonia-	695	216	30	6	5	5	8	3	7	2	3	7	6	11	19	16	21	31	38	43	66	64	56	20	7	5	-
	White-----M--	280	93	17	2	2	2	2	1	5	1	2	1	-	4	4	7	13	7	17	18	27	21	23	7	2	2	-
	F--	265	69	8	3	3	1	4	1	-	-	1	4	1	-	6	4	3	10	12	16	36	38	29	11	4	1	-
	Nonwhite--M--	72	31	2	-	-	1	1	-	1	-	-	1	3	4	4	3	1	8	5	3	-	3	-	1	-	-	-
	F--	78	23	3	1	-	1	1	1	1	1	-	1	2	3	5	2	4	6	4	6	3	2	4	1	1	2	-
108	Lobar pneumonia--	549	79	12	4	3	-	7	3	6	7	10	7	8	17	18	22	21	19	43	65	88	62	32	14	2	-	-
	White-----M--	218	28	5	1	2	-	4	1	1	1	4	-	3	6	7	6	4	8	22	29	45	22	13	6	-	-	-
	F--	188	23	4	2	1	-	1	-	1	3	5	4	1	2	2	5	5	4	17	23	30	31	16	7	1	-	-
	Nonwhite--M--	75	15	2	-	-	-	1	1	1	1	1	2	1	4	2	9	7	4	3	6	3	8	3	1	-	-	-
	F--	68	13	1	1	-	-	1	1	3	2	-	1	3	5	7	2	5	3	1	7	10	1	-	-	1	-	-
109	Pneumonia (unspecified)------	97	39	4	1	1	1	-	1	2	-	3	3	2	3	4	2	1	5	3	6	6	7	2	1	-	-	-
	White-----M--	45	19	2	-	1	-	-	-	1	-	1	2	1	3	2	1	-	2	-	2	2	4	2	-	-	-	-
	F--	33	14	1	1	-	1	-	1	-	-	-	-	-	-	1	1	-	3	1	4	3	2	-	-	-	-	-
	Nonwhite--M--	9	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-
	F--	10	3	1	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-
33	Influenza--------	236	48	3	6	1	2	3	1	2	2	3	3	3	5	10	10	12	17	25	18	23	21	12	5	-	1	-
	White-----M--	79	19	2	2	1	-	1	-	2	-	1	-	1	-	2	2	4	4	9	8	4	10	5	2	-	-	-
	F--	75	12	1	2	-	1	2	1	-	1	1	1	1	1	1	-	4	5	6	3	14	8	7	2	-	1	-
	Nonwhite--M--	38	5	-	1	-	1	-	-	-	-	-	1	-	3	4	5	4	3	4	2	2	2	-	1	-	-	-
	F--	44	12	-	1	-	-	-	-	-	1	1	1	1	1	3	3	-	5	6	5	3	1	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	139	1	-	-	-	-	-	-	1	1	4	-	4	11	15	16	19	11	23	13	10	8	1	-	1	-	-
	White-----M--	87	-	-	-	-	-	-	-	1	1	4	-	1	8	10	7	12	8	13	8	6	7	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	3	3	4	1	-	-	-	-	-
	Nonwhite--M--	26	1	-	-	-	-	-	-	-	-	-	-	2	1	2	7	2	2	6	2	-	-	-	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	211	151	13	3	1	3	1	1	-	3	-	3	2	2	6	3	2	1	3	5	4	2	1	-	1	-	-
	White-----M--	86	70	4	1	-	-	-	-	-	2	-	2	-	-	3	-	1	-	1	-	-	1	1	-	-	-	-
	F--	77	52	6	-	-	3	1	1	-	-	-	1	1	1	2	-	1	-	2	2	4	-	-	-	-	-	-
	Nonwhite--M--	27	19	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	1	-	-	-	-	-
	F--	21	10	3	1	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	2	-	-	-	-	1	-	-
121	Appendicitis-----	94	-	2	-	2	1	6	10	5	3	4	7	7	7	6	7	6	7	3	4	5	2	-	-	-	-	-
	White-----M--	53	-	-	-	2	1	5	9	3	2	-	5	4	1	3	4	4	2	1	3	4	-	-	-	-	-	-
	F--	21	-	2	-	-	-	1	-	-	1	2	1	1	4	1	-	-	2	2	1	1	2	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	2	-	2	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	1	-	-	-	1	1	2	-	2	1	2	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	163	7	5	2	-	-	3	-	2	3	2	6	8	5	6	16	9	14	21	20	14	12	5	2	1	-	-
	White-----M--	60	3	3	1	-	-	-	-	1	-	1	3	1	2	1	8	3	7	7	8	4	3	3	1	-	-	-
	F--	53	2	-	-	-	-	3	-	-	1	1	1	3	-	3	1	3	6	6	7	6	7	2	1	-	-	-
	Nonwhite--M--	35	2	2	1	-	-	-	-	-	1	-	1	4	2	-	4	3	-	7	4	2	1	-	-	1	-	-
	F--	15	-	-	-	-	-	-	-	1	1	-	1	-	1	2	3	-	1	1	1	2	1	-	-	-	-	-
124	Cirrhosis of the liver----------	200	1	-	-	-	-	-	-	2	1	3	7	12	17	22	24	28	21	23	12	13	4	8	2	-	-	-
	White-----M--	115	-	-	-	-	-	-	-	-	-	2	6	6	15	12	9	17	12	15	5	7	1	6	2	-	-	-
	F--	50	1	-	-	-	-	-	-	2	-	-	1	3	1	5	10	8	2	3	5	4	3	2	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	1	1	-	2	1	3	1	2	6	4	2	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	1	1	1	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	97	-	-	-	-	-	-	-	-	2	-	3	3	5	3	7	9	13	16	15	7	10	3	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	4	5	6	4	4	2	1	-	-	-
	F--	52	-	-	-	-	-	-	-	-	1	-	2	2	3	2	4	5	5	9	9	3	6	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	3	2	-	-	-	-	-	-	-	-
130-132	Nephritis--------	1,706	1	2	4	2	-	8	9	18	17	18	23	41	56	61	104	120	145	222	270	260	178	105	30	10	1	-
	White-----M--	675	1	1	2	1	-	3	4	7	8	7	7	16	17	24	35	36	54	85	109	111	75	55	14	3	-	-
	F--	528	-	1	1	1	-	4	4	8	8	3	8	9	15	8	24	30	37	59	91	94	69	38	13	3	-	-
	Nonwhite--M--	269	-	-	1	-	-	-	1	1	-	2	1	11	12	8	24	30	35	41	36	33	20	7	3	2	1	-
	F--	234	-	-	-	-	-	1	-	2	1	7	7	5	12	21	21	24	19	37	34	22	14	5	-	2	-	-
137	Diseases of the prostate--------	167	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	8	14	18	32	45	26	16	6	-	-
	White-----M--	137	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	5	6	12	27	41	23	16	5	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	8	6	5	4	3	-	1	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
140-150	Diseases of pregnancy, etc.*----	144	-	-	-	-	-	-	2	26	24	28	27	26	9	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	104	-	-	-	-	-	-	-	16	20	20	19	18	9	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	40	-	-	-	-	-	-	2	10	4	8	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	52	-	-	-	-	-	-	-	9	10	14	7	10	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	30	-	-	-	-	-	-	-	4	8	9	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	22	-	-	-	-	-	-	-	5	2	5	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	40	-	-	-	-	-	-	-	10	8	6	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	-	-	-	-	-	-	-	6	8	5	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	38	-	-	-	-	-	-	1	4	6	7	8	9	2	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	28	-	-	-	-	-	-	-	3	4	5	7	6	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	1	1	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	14	-	-	-	-	-	-	1	3	-	1	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	3	-	1	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	423	330	26	15	8	2	14	2	9	6	3	2	1	-	3	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	224	178	11	7	4	1	6	1	7	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	156	124	12	6	3	-	7	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	19	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	17	9	2	1	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,595	1,595	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	733	733	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	545	545	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,000	1,000	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	436	436	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	350	350	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	595	595	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	297	297	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	195	195	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicides----------	262	-	-	-	-	-	-	1	7	9	27	23	34	30	28	26	20	16	11	19	6	5	-	-	-	-
	White-----M--	194	-	-	-	-	-	-	-	5	8	17	16	22	23	18	21	16	12	10	17	6	3	-	-	-	-
	F--	56	-	-	-	-	-	-	1	2	-	9	7	10	7	7	5	2	3	-	2	-	1	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	1	1	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	367	-	1	1	-	-	-	1	22	42	71	57	56	29	31	21	12	8	7	4	2	1	1	-	-	-	-
	White-----M--	130	-	1	-	-	-	-	-	9	14	18	12	25	17	10	10	5	2	3	2	1	1	-	-	-	-	-
	F--	23	-	-	-	-	-	-	1	-	5	2	6	1	1	2	1	1	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	181	-	-	1	-	-	-	-	8	17	44	32	27	8	17	10	6	4	4	2	1	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	-	5	6	7	7	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,805	75	42	21	19	13	66	61	135	178	124	91	115	92	83	82	83	95	74	85	96	79	61	27	7	1	-
	White-----M--	1,012	24	17	7	8	2	37	36	92	133	85	71	81	56	55	43	50	57	39	42	31	20	19	4	3	-	-
	F--	441	29	16	8	5	6	16	9	23	27	18	2	15	12	8	8	13	11	16	23	56	56	40	20	2	-	-
	Nonwhite--M--	241	12	4	3	3	1	9	11	18	16	14	12	18	19	14	21	13	19	11	13	6	2	1	1	-	-	-
	F--	111	10	5	3	3	4	4	5	2	2	7	6	1	5	8	10	7	8	6	7	3	1	1	2	2	1	-
170	Motor-vehicle accidents-------	650	1	7	9	6	3	32	22	73	109	53	42	41	42	37	29	33	38	27	27	11	7	1	-	-	-	-
	White-----M--	427	-	1	3	3	2	20	12	56	82	36	32	30	28	27	13	22	22	18	9	5	5	1	-	-	-	-
	F--	109	1	4	5	1	1	11	5	11	17	10	2	9	6	4	3	7	1	1	7	2	1	-	-	-	-	-
	Nonwhite--M--	82	-	1	-	1	-	1	2	6	10	4	6	2	7	3	9	2	11	4	9	3	1	-	-	-	-	-
	F--	32	-	1	1	1	-	-	3	-	-	3	2	-	1	3	4	2	4	4	2	1	-	-	-	-	-	-
169, 171-195	Other accidents--	1,155	74	35	12	13	10	34	39	62	69	71	49	74	50	46	53	50	57	47	58	85	72	60	27	7	1	-
	White-----M--	585	24	16	4	5	-	17	24	36	51	49	39	51	28	28	30	28	36	21	33	26	15	18	4	3	-	-
	F--	332	28	12	3	4	5	5	4	12	10	8	-	6	6	4	5	6	10	17	16	54	55	40	20	2	-	-
	Nonwhite--M--	159	12	3	3	2	1	8	9	12	6	10	6	16	12	11	12	11	6	7	4	3	1	1	1	-	-	-
	F--	79	10	4	2	2	4	4	2	2	2	4	4	1	4	3	6	5	4	2	5	2	1	1	2	2	1	-
162, 199, 200	Senility, ill-defined and unknown causes----	1,949	325	20	7	3	-	6	3	10	17	16	30	39	64	84	131	120	132	153	173	221	158	122	71	27	14	3
	White-----M--	748	123	2	1	1	-	3	1	6	9	8	10	14	21	28	60	39	47	78	70	91	59	47	24	5	-	1
	F--	518	95	12	2	2	-	-	1	2	2	4	7	7	11	10	15	14	21	32	49	72	68	50	28	10	4	-
	Nonwhite--M--	382	57	3	2	-	-	1	-	-	3	-	6	10	21	20	35	39	32	29	33	38	18	18	7	4	4	2
	F--	301	50	3	2	-	-	2	1	2	3	4	7	8	11	26	21	28	32	14	21	20	13	7	12	8	6	-
	All other causes-	1,600	126	35	17	12	12	30	31	33	44	55	56	91	98	81	128	123	105	132	136	134	72	30	16	2	1	-
	White-----M--	682	50	17	7	3	4	13	15	18	18	19	22	26	37	29	54	58	39	68	59	59	32	9	5	-	1	-
	F--	560	39	15	6	7	5	12	11	9	13	20	17	35	26	24	29	26	43	40	62	61	29	19	10	2	-	-
	Nonwhite--M--	189	19	1	1	1	2	3	2	1	6	5	5	16	19	16	21	20	10	13	9	10	7	1	1	-	-	-
	F--	189	18	2	3	1	1	2	3	5	7	11	12	14	16	12	24	19	13	11	6	4	4	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																										
	ALL CAUSES-------	64,245	9,151	682	355	280	179	588	444	945	1,390	1,531	1,359	1,859	2,390	2,943	3,835	4,547	5,100	6,078	6,357	6,072	4,013	2,630	1,087	282	100	88
	White-----M--	31,656	4,413	416	174	140	92	273	210	485	882	630	603	808	1,089	1,429	1,886	2,383	2,757	3,201	3,172	3,057	1,924	1,211	472	95	32	42
	F--	21,767	3,326	368	137	96	55	209	159	283	402	389	397	543	616	709	927	1,229	1,471	1,866	2,305	2,466	1,797	1,260	554	152	32	19
	Nonwhite--M--	5,854	759	55	19	25	19	62	37	100	170	163	194	233	350	408	576	531	478	568	486	300	153	84	28	20	19	17
	F--	4,968	633	43	25	19	13	44	38	77	136	149	165	255	355	397	446	404	394	443	394	249	139	75	33	15	17	10
1,2	Typhoid and paratyphoid fever---	20	2	1	-	1	-	1	1	2	2	2	1	-	2	-	2	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	6	1	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	34	10	5	1	1	2	1	2	4	1	1	-	1	1	1	-	-	1	-	-	-	2	-	-	-	-	-
	White-----M--	12	2	2	-	1	-	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	18	5	3	1	-	2	-	1	2	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	120	91	20	4	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	48	34	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	26	8	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	11	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	62	9	17	8	6	6	13	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	27	5	5	7	3	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	19	2	6	-	1	3	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	2	4	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,634	47	55	19	10	9	27	29	128	282	218	195	244	194	203	216	196	178	155	119	67	33	18	4	-	-	7
	White-----M--	1,298	21	23	10	6	5	13	8	42	90	89	82	107	97	115	121	121	124	94	70	47	20	10	2	-	-	1
	F--	871	22	24	7	4	3	10	14	61	124	96	70	95	47	54	42	44	32	43	41	17	10	8	2	-	-	1
	Nonwhite--M--	262	2	4	1	-	1	1	4	10	23	23	21	21	30	22	40	22	17	10	4	2	1	-	-	-	-	3
	F--	203	2	4	1	-	-	3	3	16	25	30	22	21	20	12	13	9	5	8	4	1	2	-	-	-	-	2
13	Tuberculosis of respiratory system, etc.*---	2,421	24	11	7	6	5	13	22	117	250	206	186	231	184	196	207	192	170	153	115	65	33	17	4	-	-	7
	White-----M--	1,208	13	5	2	4	3	6	3	37	94	65	80	103	95	112	117	120	119	93	69	45	20	10	2	-	-	1
	F--	731	10	5	4	2	2	5	13	60	118	91	64	90	44	51	42	42	31	42	38	17	10	7	2	-	-	1
	Nonwhite--M--	239	1	1	-	-	-	-	3	7	23	22	21	16	27	21	37	22	16	10	4	2	1	-	-	-	-	3
	F--	183	-	-	1	-	-	2	3	15	25	28	21	20	18	12	11	8	4	8	4	1	2	-	-	-	-	2
14-22	Tuberculosis (other forms)---	213	23	44	12	4	4	14	7	12	12	12	9	13	10	7	9	4	8	2	4	2	-	1	-	-	-	-
	White-----M--	90	8	18	6	2	2	7	5	5	6	4	2	4	2	3	4	1	5	1	1	2	-	-	-	-	-	-
	F--	80	12	19	3	2	1	5	1	1	6	5	6	5	3	3	-	2	1	1	3	-	-	1	-	-	-	-
	Nonwhite--M--	23	1	3	1	-	1	1	1	3	-	1	-	3	3	1	3	-	1	-	-	-	-	-	-	-	-	-
	F--	20	2	4	-	-	-	1	-	3	-	2	1	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery--------	462	331	56	14	4	2	3	2	3	-	4	1	1	2	1	-	2	6	8	4	7	3	5	1	1	1	-
	White-----M--	232	173	28	5	1	1	1	-	1	-	2	-	-	1	1	-	-	3	3	2	2	1	4	1	1	1	-
	F--	201	138	27	9	2	-	2	2	1	-	1	1	1	1	-	-	1	3	4	2	3	2	1	-	-	-	-
	Nonwhite--M--	17	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	12	7	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
28	Malaria----------	28	4	2	-	1	-	1	2	1	-	1	-	-	-	2	1	2	1	2	3	3	-	-	1	-	1	-
	White-----M--	9	1	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-
	F--	6	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-
	F--	8	1	1	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-
30	Syphilis---------	589	44	1	-	-	-	-	2	3	4	11	18	30	57	59	82	85	73	46	35	26	7	5	1	-	-	-
	White-----M--	263	13	-	-	-	-	-	-	-	2	4	8	20	26	34	48	37	26	19	18	4	3	1	-	-	-	-
	F--	76	8	1	-	-	-	-	-	3	-	3	3	4	3	3	11	5	9	6	10	5	2	-	-	-	-	-
	Nonwhite--M--	169	16	-	-	-	-	1	-	1	3	5	13	25	18	27	25	20	10	3	1	1	-	-	-	-	-	-
	F--	81	7	-	-	-	-	1	-	3	3	6	5	9	12	10	7	7	4	3	2	-	2	-	-	-	-	-
35	Measles----------	87	24	26	11	3	3	12	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	37	12	12	4	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	7	14	6	2	1	7	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	190	26	15	16	13	7	43	15	19	14	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	102	15	8	8	6	3	26	7	10	7	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	11	6	7	5	3	10	8	6	6	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	2	1	6	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																											
45-55	Cancer and other malignant tumors	6,936	5	6	10	4	6	15	10	35	31	72	107	250	360	482	667	786	861	936	894	744	391	195	54	8	2	5
	White—M	3,010	2	3	5	1	4	5	4	9	16	35	32	69	92	157	247	309	380	485	448	384	192	99	28	4	-	-
	F	3,041	2	3	4	3	2	9	3	20	10	30	52	128	189	225	301	372	376	348	360	315	178	82	24	3	-	2
	Nonwhite—M	372	-	-	1	-	-	1	2	4	2	2	5	12	20	36	48	46	48	59	40	24	10	7	1	1	1	2
	F	513	1	-	-	-	-	-	1	2	3	5	18	41	59	64	71	59	57	44	46	21	11	7	1	-	1	1
46	Cancer of the digestive organs and peritoneum	2,610	1	1	1	-	-	3	-	5	5	14	25	52	96	141	201	290	348	399	390	341	180	92	21	2	1	1
	White—M	1,226	-	1	-	-	-	1	-	2	2	10	11	21	36	66	80	133	157	214	201	163	80	38	9	1	-	-
	F	1,049	-	-	1	-	-	2	-	1	2	3	10	20	34	39	81	122	146	136	147	158	91	45	11	-	-	-
	Nonwhite—M	182	-	-	-	-	-	-	-	1	1	1	2	6	8	18	20	20	28	34	21	9	5	5	1	1	1	-
	F	153	1	-	-	-	-	-	-	1	-	-	2	5	18	18	20	15	17	15	21	11	4	4	-	-	-	1
48,49	Cancer of female genital organs	903	-	-	-	-	-	-	-	2	6	11	27	67	100	112	107	116	126	80	72	50	19	6	1	-	1	-
	White—F	708	-	-	-	-	-	-	-	2	3	8	16	44	72	78	80	97	107	68	60	48	18	6	1	-	-	-
	Nonwhite—F	195	-	-	-	-	-	-	-	-	3	3	11	23	28	34	27	19	19	12	12	2	1	-	-	-	1	-
50	Cancer of breast	541	-	-	-	-	-	-	-	-	3	6	11	43	48	69	69	75	44	57	49	30	21	11	4	1	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	1	-	-	-	-	-
	F	466	-	-	-	-	-	-	-	-	3	6	8	34	42	59	59	65	40	47	41	29	18	11	3	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	64	-	-	-	-	-	-	-	-	-	-	3	9	6	8	9	9	2	8	6	1	2	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	2,882	4	5	9	4	6	12	10	28	17	41	44	88	116	160	290	305	343	400	383	323	171	86	28	5	-	4
	White—M	1,775	2	2	5	1	4	4	4	7	14	25	21	48	56	90	166	175	222	269	245	221	111	61	19	3	-	-
	F	818	2	3	3	3	2	7	3	17	2	13	18	30	41	49	81	88	83	97	112	80	51	20	9	2	-	2
	Nonwhite—M	188	-	-	1	-	-	1	2	3	1	1	3	6	12	17	28	26	19	25	19	15	5	2	-	-	-	2
	F	101	-	-	-	-	-	-	1	1	-	2	2	4	7	4	15	16	19	9	7	7	4	3	-	-	-	-
58	Acute rheumatic fever	44	1	-	-	1	1	8	8	2	-	2	8	1	2	-	1	-	4	1	-	2	2	-	-	-	-	-
	White—M	13	-	-	-	1	1	2	4	1	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F	25	1	-	-	-	-	5	2	1	-	2	6	-	2	-	-	-	3	1	-	2	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	1,078	1	1	1	1	-	3	8	4	12	8	8	18	36	44	71	117	153	156	169	160	76	25	5	1	-	-
	White—M	425	1	1	1	1	-	1	3	-	3	2	3	7	9	14	22	43	64	82	56	69	29	11	2	1	-	-
	F	517	-	-	-	-	-	2	4	4	5	6	4	4	18	12	28	50	74	63	98	83	45	14	3	-	-	-
	Nonwhite—M	58	-	-	-	-	-	-	-	-	4	-	1	2	5	9	11	2	4	10	4	1	-	-	-	-	-	-
	F	81	-	-	-	-	-	-	1	-	-	-	-	5	7	13	12	13	13	7	5	4	1	-	-	-	-	-
63b	Exophthalmic goiter	46	-	-	-	-	-	-	1	-	-	1	4	4	7	1	4	3	4	8	5	2	1	-	1	-	-	-
	White—M	6	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	-	-	1	3	1	7	-	4	2	3	7	4	1	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	97	-	-	-	-	1	-	-	-	-	1	1	-	1	-	2	5	11	20	15	21	11	4	2	2	-	-
	White—M	22	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	5	5	7	2	-	-	1	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	11	9	11	9	4	2	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	3	1	2	-	-	-	-	-	-
77	Alcoholism (ethylism)	90	-	-	-	-	-	-	-	-	-	3	10	13	15	16	12	6	7	3	1	2	-	-	-	-	-	2
	White—M	70	-	-	-	-	-	-	-	-	-	1	5	11	13	14	10	4	5	3	1	1	-	-	-	-	-	2
	F	10	-	-	-	-	-	-	-	-	-	1	3	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	5,335	16	6	1	4	1	6	7	13	17	23	28	71	126	244	341	440	594	737	843	850	499	317	105	28	10	8
	White—M	2,193	6	4	1	3	-	3	3	4	8	7	12	24	44	65	99	179	252	327	358	391	216	133	40	7	2	5
	F	1,992	7	2	-	1	1	1	3	7	6	8	7	19	23	67	92	123	199	253	329	368	231	166	57	19	2	1
	Nonwhite—M	519	-	-	-	-	-	-	-	2	1	1	4	3	22	47	65	73	73	70	73	42	21	12	4	1	4	1
	F	631	3	-	-	-	-	2	1	-	2	7	5	25	37	65	85	65	70	87	83	49	31	6	4	1	2	1
90-95	Diseases of the heart	16,270	13	8	5	3	2	21	22	39	62	73	131	255	520	778	1,228	1,628	1,851	2,301	2,375	2,201	1,458	877	315	68	14	22
	White—M	8,938	5	1	3	1	2	10	6	13	21	25	53	138	287	453	723	1,012	1,151	1,315	1,296	1,131	728	403	123	22	6	10
	F	4,903	3	4	2	-	-	7	10	16	22	23	39	46	82	114	203	306	408	638	800	891	652	421	170	34	4	8
	Nonwhite—M	1,348	2	1	-	1	-	-	-	5	7	8	22	35	64	104	185	180	159	209	166	104	46	26	10	7	1	4
	F	1,081	3	2	-	1	-	4	6	5	12	17	17	36	87	107	117	130	133	139	113	75	32	25	12	5	3	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	504	-	-	-	-	-	9	11	17	17	20	25	40	37	30	31	33	45	34	54	36	41	12	6	5	-	1
	White—M	239	-	-	-	-	-	3	2	7	7	13	11	20	21	13	15	17	23	14	29	16	21	3	1	3	-	-
	F	189	-	-	-	-	-	3	7	8	7	5	10	11	11	10	11	11	14	16	16	16	19	8	4	1	-	1
	Nonwhite—M	36	-	-	-	-	-	-	-	1	2	-	2	2	2	3	2	3	5	1	6	4	1	1	-	1	-	-
	F	40	-	-	-	-	-	3	2	1	1	2	2	7	3	4	3	2	3	3	3	-	-	-	1	-	-	-
94	Diseases of coronary arteries and angina pectoris	6,992	3	-	-	-	-	2	1	5	19	21	62	112	280	436	642	867	917	1,073	987	813	421	241	65	13	4	8
	White—M	4,561	1	-	-	-	-	2	1	2	7	4	31	73	196	312	453	628	653	720	615	454	233	135	29	4	2	6
	F	1,732	1	-	-	-	-	-	-	1	4	8	17	17	33	47	96	126	183	260	319	316	171	93	31	7	1	1
	Nonwhite—M	404	-	-	-	-	-	-	-	1	2	4	9	12	21	48	57	60	50	58	38	27	10	5	1	2	-	1
	F	295	1	-	-	-	-	-	-	1	6	5	5	10	30	31	36	53	31	35	15	18	7	8	4	-	1	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	8,774	10	8	5	3	2	10	10	17	26	32	44	103	203	312	555	728	889	1,194	1,334	1,352	996	624	244	50	10	13
	White—M	4,138	4	1	3	1	2	5	3	4	7	8	11	45	70	126	255	367	475	581	652	661	474	265	93	15	4	4
	F	2,982	2	4	2	-	-	4	3	7	11	10	12	19	38	57	96	169	211	362	465	559	462	320	135	26	3	6
	Nonwhite—M	908	2	1	-	1	-	-	-	3	3	4	11	21	41	55	126	117	104	150	122	73	35	22	9	4	1	3
	F	746	2	2	-	1	-	1	4	3	5	10	10	19	54	72	78	75	99	101	95	59	25	17	7	5	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	947	-	-	-	-	-	-	-	1	1	-	5	4	13	8	21	38	53	96	144	167	174	128	67	18	8	1
	White-----M--	446	-	-	-	-	-	-	-	-	-	-	2	2	3	3	7	11	22	47	70	91	98	58	23	5	4	-
	F--	345	-	-	-	-	-	-	-	1	-	-	-	1	3	1	4	11	15	22	51	61	59	65	40	8	3	-
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	6	7	17	11	6	8	4	2	1	1	1
	F--	83	-	-	-	-	-	-	-	-	1	-	3	-	4	3	6	10	9	10	12	9	9	1	2	4	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	3,338	1,221	162	54	38	22	41	22	22	34	26	33	47	72	85	102	100	136	184	222	248	198	158	78	21	8	6
	White-----M--	1,449	543	75	24	19	9	15	5	10	10	6	10	12	20	31	48	42	58	77	86	125	93	73	47	9	2	-
	F--	1,188	439	64	22	9	5	17	13	9	13	12	10	10	17	16	18	23	40	58	92	89	93	67	28	11	1	2
	Nonwhite--M--	376	125	16	2	5	3	6	2	3	7	4	9	11	17	22	18	21	20	26	24	17	7	7	-	-	2	2
	F--	325	114	7	6	5	5	3	2	-	4	4	4	14	18	16	18	14	16	23	20	7	5	9	3	1	3	2
107	Bronchopneumonia-	1,147	504	61	16	8	5	14	6	7	10	7	6	7	17	17	27	34	33	62	63	84	70	51	26	10	1	1
	White-----M--	509	226	22	5	4	3	5	3	4	4	2	3	3	5	9	13	11	13	28	22	49	28	25	15	5	-	-
	F--	434	186	26	9	2	2	6	2	3	5	4	2	-	4	-	4	9	13	18	29	32	41	22	10	5	-	-
	Nonwhite--M--	105	44	8	-	1	-	1	1	-	-	1	1	3	4	3	8	9	4	7	8	1	-	3	-	-	1	1
	F--	99	46	5	2	1	-	2	-	-	1	-	-	1	4	5	4	5	3	9	6	2	1	1	1	-	-	-
108	Lobar pneumonia--	713	185	29	10	8	5	8	5	5	16	7	16	12	20	30	36	33	41	47	57	73	33	36	15	2	3	1
	White-----M--	318	65	14	7	5	2	4	1	3	4	2	3	3	6	11	20	17	22	24	25	37	16	17	8	1	1	-
	F--	242	69	10	3	1	1	3	3	2	6	4	4	3	6	8	4	7	9	11	20	28	16	16	7	1	-	-
	Nonwhite--M--	85	17	4	-	1	-	1	-	-	5	1	7	4	2	7	4	7	5	5	7	5	1	1	-	-	1	-
	F--	58	14	1	-	1	2	-	1	-	1	-	2	2	6	4	8	2	5	7	5	3	-	2	-	-	1	1
109	Pneumonia (unspecified)------	1,029	433	49	22	14	9	14	9	5	6	6	9	19	21	24	23	23	50	44	68	53	61	38	23	5	1	2
	White-----M--	432	191	25	10	4	2	4	1	3	2	-	4	5	7	6	9	10	20	16	23	23	35	16	14	2	-	-
	F--	380	143	20	6	5	1	7	7	2	1	3	2	5	4	6	6	5	13	19	30	24	22	17	7	3	1	1
	Nonwhite--M--	127	53	3	2	3	3	2	-	-	1	2	1	1	7	9	6	3	9	5	8	5	3	1	-	-	-	-
	F--	110	46	1	4	2	3	1	1	-	2	1	2	8	3	3	2	5	8	4	7	1	1	2	2	-	-	1
33	Influenza--------	449	119	23	8	8	3	5	2	5	2	6	2	9	14	14	16	10	12	31	34	38	34	33	14	4	3	2
	White-----M--	190	59	14	2	6	2	2	-	-	-	2	-	1	2	5	6	4	3	9	16	16	14	15	10	1	1	-
	F--	152	41	8	4	1	1	1	1	2	1	1	2	2	3	2	4	2	5	10	13	15	14	12	4	2	-	1
	Nonwhite--M--	59	11	1	-	-	-	2	1	3	1	-	-	3	4	3	2	2	2	9	3	6	3	2	-	-	-	1
	F--	48	8	-	-	1	-	-	-	-	-	3	-	3	5	4	4	2	2	3	2	1	3	4	-	1	2	-
117	Ulcer of stomach or duodenum-----	256	2	1	-	-	-	1	-	-	1	4	8	7	15	35	34	24	34	37	24	17	9	2	1	-	-	-
	White-----M--	191	-	-	-	-	-	-	-	-	-	3	8	4	10	23	26	18	31	31	18	12	6	-	1	-	-	-
	F--	32	2	1	-	-	-	-	-	-	-	1	-	2	2	2	4	3	1	3	3	4	3	1	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	3	10	3	1	1	2	1	1	-	1	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	2	1	1	2	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	1,800	1,442	157	30	24	6	13	3	1	3	1	5	9	2	7	6	10	9	10	15	17	14	8	7	1	-	-
	White-----M--	865	694	82	12	12	3	6	2	1	-	-	3	4	-	3	1	4	2	5	6	11	7	3	3	1	-	-
	F--	768	619	67	14	10	3	5	1	-	2	1	-	5	2	1	-	2	4	4	7	6	6	5	4	-	-	-
	Nonwhite--M--	91	72	4	3	2	-	2	-	-	-	-	2	-	-	2	1	-	2	-	-	-	1	-	-	-	-	-
	F--	76	57	4	1	-	-	-	-	-	1	-	-	-	-	1	4	4	1	1	2	-	-	-	-	-	-	-
121	Appendicitis-----	193	1	1	4	-	4	10	11	19	11	12	5	16	10	14	8	14	9	19	9	8	6	2	-	-	-	-
	White-----M--	98	-	1	3	-	3	3	6	7	5	6	2	5	5	10	4	9	2	13	4	6	3	1	-	-	-	-
	F--	63	1	-	1	-	1	6	5	8	3	5	3	4	1	2	4	2	4	3	4	2	3	1	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	1	-	3	2	-	-	5	2	1	-	3	2	-	1	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	1	1	-	2	2	1	-	-	1	3	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	432	26	9	2	1	1	5	3	4	9	11	9	24	19	27	31	31	30	45	55	39	23	19	7	-	-	2
	White-----M--	152	13	6	1	-	1	1	2	2	3	3	2	3	2	4	6	6	15	18	29	15	7	11	2	-	-	-
	F--	175	9	2	1	1	-	2	-	1	3	3	4	11	8	13	12	18	12	18	15	18	13	7	4	-	-	-
	Nonwhite--M--	55	2	-	-	-	-	-	1	-	2	4	-	3	3	4	9	7	3	3	6	3	2	-	1	-	-	2
	F--	50	2	1	-	-	-	2	-	1	1	1	3	7	6	6	4	-	-	6	5	3	1	1	-	-	-	-
124	Cirrhosis of the liver----------	508	-	1	-	-	-	1	1	1	1	4	11	16	46	50	57	63	52	54	55	43	36	10	2	1	-	3
	White-----M--	310	-	-	-	-	-	-	1	-	-	3	5	9	26	32	38	39	32	33	32	30	23	5	1	-	-	1
	F--	141	-	1	-	-	-	-	-	-	-	1	-	3	6	7	13	15	12	18	22	11	11	3	1	-	-	1
	Nonwhite--M--	33	-	-	-	-	-	1	-	1	-	-	1	1	-	-	4	3	7	6	3	-	1	2	1	-	1	-	1
	F--	24	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	3	2	2	-	1	1	-	1	-	-	-	-
126, 127	Biliary calculi, etc.*----------	256	-	1	-	-	-	-	-	-	-	2	3	7	13	8	20	27	26	26	37	32	18	12	4	-	-	-
	White-----M--	85	-	1	-	-	-	-	-	-	-	-	-	2	4	3	4	12	7	11	12	15	4	9	1	-	-	-
	F--	133	-	-	-	-	-	-	-	-	-	2	2	5	6	5	9	14	17	14	23	17	14	2	3	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	1	-	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	2	-	-	1	-	-	-	-
130-132	Nephritis--------	3,062	12	10	4	3	7	9	4	15	25	43	32	77	89	110	188	242	264	380	446	440	324	221	91	21	2	3
	White-----M--	1,384	8	3	2	1	5	6	1	8	12	16	15	28	34	39	77	93	126	168	214	205	160	113	46	4	-	-
	F--	1,021	3	6	2	2	1	3	3	2	6	18	10	22	20	26	36	67	69	119	146	178	128	99	39	14	2	-
	Nonwhite--M--	349	1	1	-	-	1	-	-	2	1	3	3	9	15	24	42	43	39	54	51	34	14	6	3	2	-	1
	F--	308	-	-	-	-	-	-	-	3	6	6	4	18	20	21	33	39	30	39	35	23	22	3	3	1	-	2
137	Diseases of the prostate--------	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	14	11	39	40	67	50	35	22	3	1	-
	White-----M--	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	10	7	26	36	59	45	32	21	2	-	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	4	13	4	8	5	3	1	1	1	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Con.																										
140-150	Diseases of pregnancy, etc.*----	301	-	-	-	-	-	-	2	28	75	73	54	49	17	3	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	194	-	-	-	-	-	-	-	13	49	50	38	32	11	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	107	-	-	-	-	-	-	2	15	26	23	16	17	6	2	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	91	-	-	-	-	-	-	-	8	33	19	19	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	62	-	-	-	-	-	-	-	4	21	10	18	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	-	-	-	-	-	-	-	4	12	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	98	-	-	-	-	-	-	1	13	29	22	11	18	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	62	-	-	-	-	-	-	-	5	21	16	7	11	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	36	-	-	-	-	-	-	1	8	8	6	4	7	2	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	86	-	-	-	-	-	-	1	5	11	23	20	17	7	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	53	-	-	-	-	-	-	-	3	7	16	12	10	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	33	-	-	-	-	-	-	1	2	4	7	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	26	-	-	-	-	-	-	-	2	2	9	4	3	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	-	-	-	-	-	-	-	1	-	8	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	-	-	1	2	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	959	824	38	14	3	5	11	14	11	5	5	6	7	5	2	1	4	2	1	1	-	-	-	-	-	-
	White-----M--	484	423	19	5	2	-	2	6	5	2	4	2	5	2	2	-	2	2	-	1	-	-	-	-	-	-
	F--	385	330	17	6	1	4	5	7	5	3	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	49	40	1	-	-	1	2	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	41	31	1	3	-	-	2	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	3,885	3,885	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,944	1,944	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,312	1,312	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	329	329	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	300	300	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	2,589	2,589	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	1,278	1,278	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	875	875	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	213	213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	1,296	1,296	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	666	666	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	437	437	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	625	-	-	-	-	-	-	2	19	37	36	60	52	70	71	63	56	54	30	32	31	5	4	-	2	-	1
	White-----M--	450	-	-	-	-	-	-	1	9	21	19	29	36	48	52	47	50	49	23	28	26	5	4	-	2	-	1
	F--	134	-	-	-	-	-	-	-	9	12	10	20	11	18	15	14	6	5	5	3	5	-	-	-	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	3	6	9	4	2	4	2	-	-	1	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	767	4	-	-	-	1	1	3	52	125	125	107	99	90	49	51	24	12	8	8	5	2	2	-	-	-	1
	White-----M--	322	1	-	-	-	1	1	-	20	48	54	43	31	34	19	27	17	8	5	5	3	2	2	-	-	-	1
	F--	47	2	-	-	-	-	-	1	5	6	6	4	4	7	5	5	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	328	1	-	-	-	-	-	1	21	55	53	47	53	43	22	18	5	4	2	2	1	-	-	-	-	-	-
	F--	70	-	-	-	-	-	-	1	6	14	12	13	11	6	3	1	1	-	1	-	1	-	-	-	-	-	-
169-195	Accidental deaths	5,269	236	117	66	93	55	200	178	407	496	421	322	308	306	304	251	206	188	208	206	251	169	160	80	18	10	15
	White-----M--	3,257	105	61	31	50	31	106	116	292	371	320	226	222	200	212	172	137	116	123	93	108	61	64	23	5	1	11
	F--	1,320	70	39	25	29	13	60	40	77	69	46	46	44	50	58	43	39	45	62	93	125	100	91	54	13	6	3
	Nonwhite--M--	496	36	7	4	7	7	20	15	30	48	40	39	37	45	41	26	21	20	18	14	9	6	3	2	-	3	-
	F--	196	25	10	6	7	4	14	7	8	8	15	11	5	11	13	10	9	7	5	6	9	2	2	1	-	-	1
170	Motor-vehicle accidents-------	2,012	23	28	16	25	22	82	64	213	293	208	151	149	129	132	116	79	90	79	43	48	16	2	1	-	-	3
	White-----M--	1,393	8	17	9	18	14	39	43	151	215	161	113	105	80	96	75	53	65	56	28	34	12	2	-	-	-	1
	F--	409	11	10	7	6	6	30	17	52	46	28	22	22	25	19	25	20	18	17	13	10	3	-	1	-	-	1
	Nonwhite--M--	168	3	-	-	1	1	8	1	6	27	15	14	19	19	14	12	5	6	6	4	4	1	-	-	-	-	-
	F--	44	1	1	-	-	1	5	3	4	5	4	2	3	5	3	4	1	1	-	-	-	-	-	-	-	-	1
169, 171-195	Other accidents--	3,257	213	89	50	68	33	118	114	194	203	213	171	159	177	172	135	127	98	127	163	203	153	158	79	18	10	12
	White-----M--	1,864	97	44	22	32	17	67	73	141	156	158	113	117	120	116	97	84	51	67	67	74	49	62	23	5	1	10
	F--	911	59	29	18	23	7	30	23	25	23	18	24	22	25	19	18	19	27	45	80	115	97	91	53	13	6	2
	Nonwhite--M--	330	33	7	4	6	6	12	14	24	21	25	25	18	26	27	14	16	14	10	10	5	5	3	2	-	3	-
	F--	152	24	9	6	7	3	9	4	4	3	11	9	2	6	10	6	8	6	5	6	9	2	2	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	2,780	399	45	14	5	6	13	12	12	20	13	32	42	75	90	97	103	161	215	259	310	278	274	182	72	41	10
	White-----M--	1,240	178	20	8	4	1	9	2	6	9	5	10	15	38	40	46	54	97	90	105	147	108	118	82	24	16	8
	F--	939	145	21	5	1	3	2	3	3	6	5	9	17	9	21	10	13	30	54	70	104	133	132	90	40	12	1
	Nonwhite--M--	327	38	3	1	-	2	1	3	2	2	1	5	6	15	12	25	25	21	42	49	31	22	9	3	5	6	-
	F--	274	38	1	-	-	-	1	4	1	3	2	8	4	13	17	16	13	13	29	35	28	15	15	7	3	7	1
	All other causes-	4,472	455	121	77	60	29	128	74	96	144	122	149	185	223	249	269	321	315	352	340	311	224	151	57	17	2	2
	White-----M--	2,026	213	50	41	27	16	53	27	43	55	40	50	62	76	110	123	161	165	189	177	152	108	55	24	7	-	2
	F--	1,644	160	52	25	23	9	50	36	28	55	51	55	66	70	80	71	109	100	110	120	140	103	91	32	9	2	-
	Nonwhite--M--	397	53	12	7	8	3	17	6	12	11	13	18	18	35	28	36	29	29	21	25	7	6	3	1	1	-	-
	F--	405	29	7	4	2	1	8	5	15	23	18	28	39	42	31	38	23	21	32	18	12	7	2	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																											
	ALL CAUSES-------	5,070	568	49	22	22	8	51	53	78	110	86	110	119	153	171	241	305	433	516	516	576	482	285	109	22	1	4
	White-----M--	2,882	301	18	11	6	3	29	25	53	70	59	79	73	98	113	166	186	281	318	303	293	236	113	47	8	-	3
	F--	2,054	244	29	9	14	5	20	27	23	33	25	28	42	50	51	73	112	140	183	204	273	243	151	61	14	-	-
	Nonwhite--M--	87	13	1	2	-	-	2	1	-	5	2	3	1	2	5	1	5	11	12	8	7	2	1	1	-	1	1
	F--	37	10	1	-	2	-	-	-	2	2	-	-	3	3	2	1	2	1	3	1	3	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	7	2	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	5	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)------	69	-	1	-	1	-	1	3	1	-	3	3	3	4	7	9	7	11	2	5	5	1	-	1	1	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	3	2	2	2	6	9	6	9	2	4	2	-	-	-	-	-	-
	F--	15	-	1	-	-	-	2	-	-	-	-	1	1	1	1	-	1	2	-	1	2	1	-	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	59	-	-	-	1	-	1	-	1	-	3	3	3	3	5	9	7	10	2	4	5	1	-	1	-	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	3	2	2	2	5	9	6	8	2	4	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	2	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	10	-	1	-	-	-	-	3	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	30	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	6	8	1	-	-	-	-	-	-	1
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	6	5	-	-	-	-	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	12	-	2	-	-	-	3	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Con.																										
45-55	Cancer and other malignant tumors	565	-	2	1	-	-	1	3	3	3	4	18	16	12	27	40	65	66	86	70	82	42	20	6	-	-
	White-----M--	282	-	-	-	-	-	-	1	1	1	2	10	8	3	8	15	26	35	49	41	46	24	10	2	-	-
	F--	270	-	2	1	-	-	1	2	2	2	2	6	8	9	18	25	38	29	34	25	34	18	10	4	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	224	-	-	-	-	-	-	-	1	-	-	2	1	1	5	10	21	27	45	35	41	26	6	3	-	-	-
	White-----M--	126	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	10	19	32	19	20	14	3	-	-	-	-
	F--	92	-	-	-	-	-	-	-	1	-	-	1	-	-	3	6	11	8	12	13	19	12	3	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
48,49	Cancer of female genital organs--	70	-	-	-	-	-	-	-	-	1	-	3	5	4	6	7	13	10	9	3	3	4	2	-	-	-	-
	White-----F--	70	-	-	-	-	-	-	-	-	1	-	3	5	4	6	7	13	10	9	3	3	4	2	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	50	-	-	-	-	-	-	-	-	-	-	1	1	1	5	5	10	6	9	1	7	1	2	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	-	1	1	1	5	5	10	5	8	1	7	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
45,47 51-55	Cancer (other sites)----------	221	-	2	1	-	-	1	3	2	2	4	10	9	6	11	18	21	23	23	31	31	11	10	2	-	-	-
	White-----M--	156	-	-	-	-	-	-	1	1	1	2	9	7	2	6	11	16	16	17	22	26	10	7	2	-	-	-
	F--	60	-	2	1	-	-	1	2	1	1	2	1	2	4	4	7	4	6	5	8	5	1	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Acute rheumatic fever----------	9	-	-	-	-	1	1	-	2	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	1	-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	121	-	-	-	-	-	-	-	-	2	2	2	2	2	1	4	9	17	18	19	26	11	5	1	-	-	-
	White-----M--	59	-	-	-	-	-	-	-	-	1	2	2	1	1	-	3	3	8	6	9	13	8	1	1	-	-	-
	F--	61	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	6	8	12	10	13	3	4	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter----------	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	2	3	2	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	393	2	2	-	1	-	1	1	1	2	2	1	2	9	8	12	22	39	49	55	76	65	36	7	-	-	-
	White-----M--	207	2	-	-	1	-	1	-	1	1	1	-	-	6	4	7	10	26	32	34	37	28	14	2	-	-	-
	F--	178	-	2	-	-	-	-	1	-	-	1	1	2	3	4	5	10	11	15	21	38	37	22	5	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	1,586	1	-	1	-	-	1	5	11	13	14	20	19	49	55	78	106	178	211	236	226	214	100	41	7	-	-
	White-----M--	914	-	-	1	-	-	1	2	8	4	11	13	10	33	42	55	78	120	138	129	122	91	37	17	2	-	-
	F--	651	1	-	-	-	-	-	3	3	9	3	7	9	15	10	22	25	55	70	104	101	122	63	24	5	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	2	3	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	161	-	-	-	-	-	-	4	8	9	4	12	12	16	13	12	16	8	12	13	9	6	4	3	-	-	-
	White-----M--	84	-	-	-	-	-	-	2	5	1	4	7	6	9	7	9	9	3	10	4	3	3	2	-	-	-	-
	F--	76	-	-	-	-	-	-	2	3	8	-	5	6	7	5	3	7	5	2	9	6	3	2	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	572	-	-	-	-	-	-	-	-	-	4	5	5	21	32	37	57	96	87	98	70	40	17	3	-	-	-
	White-----M--	411	-	-	-	-	-	-	-	-	-	3	5	4	18	28	30	50	74	56	67	43	22	11	-	-	-	-
	F--	154	-	-	-	-	-	-	-	-	-	1	-	1	3	2	7	5	20	30	31	27	18	6	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	853	1	-	1	-	-	1	1	3	4	6	3	2	12	10	29	33	74	112	125	147	168	79	35	7	-	-
	White-----M--	419	-	-	1	-	-	1	-	3	3	4	1	-	6	7	16	19	43	72	58	76	66	24	17	2	-	-
	F--	421	1	-	-	-	-	-	1	-	1	2	2	2	5	3	12	13	30	38	64	68	101	55	18	5	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Con.																											
97, 102	Arteriosclerosis and high blood pressure*----	96	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	6	7	17	28	19	11	3	-	-
	White---M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	5	6	12	9	7	1	-	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	11	15	10	4	2	-	-
	Nonwhite---M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza------	187	48	8	3	2	1	1	1	1	2	3	2	5	5	1	10	10	11	11	9	17	22	5	7	2	-	-
	White---M--	104	23	3	-	-	-	1	-	-	1	3	2	1	4	1	8	9	7	5	6	11	8	4	6	1	-	-
	F--	74	23	4	3	2	1	-	1	1	-	-	-	4	1	-	2	1	2	5	2	6	13	1	1	1	-	-
	Nonwhite---M--	7	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
107	Bronchopneumonia---	78	26	3	3	1	1	-	1	-	1	-	-	3	1	-	4	2	3	3	4	3	8	3	6	2	-	-
	White---M--	41	12	1	-	-	-	-	-	-	1	-	-	1	1	-	3	1	2	1	3	2	4	3	5	1	-	-
	F--	34	12	2	3	1	1	-	1	-	-	-	-	2	-	-	1	1	1	2	-	1	4	-	1	1	-	-
	Nonwhite---M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia---	68	10	1	-	-	-	-	-	-	1	1	1	2	4	1	5	5	7	6	3	9	9	2	1	-	-	-
	White---M--	41	5	1	-	-	-	-	-	-	-	1	1	-	3	1	4	5	4	3	2	6	3	1	1	-	-	-
	F--	24	5	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	3	1	3	6	1	-	-	-	-
	Nonwhite---M--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	24	9	2	-	1	-	1	-	1	-	1	-	-	-	-	1	2	1	2	1	2	-	-	-	-	-	-
	White---M--	13	4	-	-	-	-	1	-	-	-	1	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-
	F--	9	5	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite---M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza-------	17	3	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	3	5	-	-	-	-	-
	White---M--	9	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
	F--	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	46	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	8	6	8	11	2	3	-	-	-	-	-
	White---M--	39	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	7	4	8	10	1	3	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	1	-	-	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	25	15	-	1	1	-	-	-	1	2	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M--	12	8	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	5	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite---M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	12	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	2	2	2	1	-	-	-	-	-	-
	White---M--	7	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	29	2	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	7	4	2	3	1	1	1	-	1
	White---M--	18	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	4	3	1	2	1	1	-	-	1
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	1	1	1	-	-	1	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	38	-	1	-	-	-	-	-	-	1	-	2	-	3	4	7	5	6	3	5	-	-	-	1	-	-	-
	White---M--	26	-	-	-	-	-	-	-	-	1	-	-	-	2	3	7	4	3	3	3	-	-	-	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	1	3	-	2	-	-	-	1	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	24	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	4	3	1	3	3	1	-	-	-	-
	White---M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	3	1	3	3	1	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	218	1	-	1	1	-	-	3	2	5	3	3	4	10	7	9	13	18	23	28	33	30	19	5	-	-	-
	White---M--	126	1	-	1	-	-	-	1	1	4	1	1	1	5	5	5	7	9	18	18	18	22	8	-	-	-	-
	F--	88	-	-	-	1	-	-	2	1	1	1	1	3	5	2	4	6	8	4	10	15	8	11	5	-	-	-
	Nonwhite---M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate--------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	2	4	5	-	-	-
	White---M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	2	4	5	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Con.																											
140-150	Diseases of pregnancy, etc.*----	12	-	-	-	-	-	-	-	1	2	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	-	-	-	-	-	-	-	1	2	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	5	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 143B, 150	Other puerperal causes----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations----	93	76	4	2	1	-	3	1	1	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	58	49	1	1	-	-	2	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	32	24	3	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year----	356	356	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	176	176	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	206	206	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	150	150	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	37	-	-	-	-	-	-	-	1	1	2	4	4	5	5	2	2	6	1	2	1	-	1	-	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	1	-	1	3	2	3	4	2	2	5	1	2	1	-	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	13	-	-	-	-	-	-	-	1	2	2	-	3	3	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	1	2	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	544	16	21	7	7	3	21	27	42	62	27	33	37	23	25	29	18	21	28	19	31	14	23	7	1	-	2
	White-----M--	372	8	10	4	2	1	9	18	32	50	22	32	33	18	22	25	13	17	17	10	12	5	8	2	1	-	1
	F--	159	6	10	3	4	2	12	9	10	7	5	1	3	4	3	4	4	4	11	9	19	9	15	5	-	-	-
	Nonwhite--M--	9	1	1	-	-	-	-	-	-	4	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1
	F--	4	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents--------	226	1	3	2	3	2	10	15	32	41	12	12	10	11	12	12	11	11	12	2	8	3	-	-	-	-	1
	White-----M--	160	-	2	1	1	1	4	7	23	35	9	11	8	9	9	8	6	9	9	2	4	1	-	-	-	-	1
	F--	63	1	1	1	2	1	6	8	9	5	3	1	1	2	3	4	4	2	3	-	4	2	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	318	15	18	5	4	1	11	12	10	21	15	21	27	12	13	17	7	10	16	17	23	11	23	7	1	-	1
	White-----M--	212	8	8	3	1	-	5	11	9	15	13	21	25	9	13	17	7	8	8	8	8	4	8	2	1	-	-
	F--	96	5	9	2	2	1	6	1	1	2	2	-	2	2	-	-	-	2	8	9	15	7	15	5	-	-	-
	Nonwhite--M--	7	1	1	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	3	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes-----	174	15	-	-	-	-	2	-	-	-	-	2	3	2	4	9	7	6	12	17	25	28	19	15	7	1	-
	White-----M--	94	8	-	-	-	-	2	-	-	-	-	2	1	2	2	9	5	5	5	11	10	18	7	6	3	-	-
	F--	68	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	6	12	10	11	9	4	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	2	-	1	-	-	1	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other causes-	316	27	7	4	6	3	12	6	6	8	17	15	10	16	11	21	19	26	32	17	25	13	11	6	-	-	-
	White-----M--	182	18	2	3	1	2	9	1	3	1	9	9	6	11	6	14	7	18	19	12	10	10	8	3	-	-	-
	F--	128	9	5	1	5	1	2	5	2	7	8	5	4	4	4	7	12	7	11	5	15	3	3	3	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	ALL CAUSES-------	4,096	271	17	13	7	9	19	17	29	43	30	47	57	79	106	180	281	347	412	556	632	488	305	117	22	5	7
	White-----M--	2,225	146	7	5	5	5	12	10	18	21	19	30	27	46	64	120	177	208	244	292	321	263	120	52	7	-	6
	F--	1,868	125	10	8	2	4	7	7	11	22	11	17	30	33	42	60	104	139	165	264	311	225	185	65	15	5	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	115	-	1	1	-	-	-	-	-	8	2	6	4	5	10	5	9	21	15	11	10	6	1	-	-	-	-
	White-----M--	83	-	1	-	-	-	-	-	-	3	2	3	2	4	8	4	9	17	11	7	6	6	-	-	-	-	-
	F--	32	-	-	1	-	-	-	-	-	5	-	3	2	1	2	1	-	4	4	4	4	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	109	-	-	-	-	-	-	-	-	7	2	6	4	5	10	5	9	20	15	9	10	6	1	-	-	-	-
	White-----M--	81	-	-	-	-	-	-	-	-	2	2	3	2	4	8	4	9	17	11	7	6	6	-	-	-	-	-
	F--	28	-	-	-	-	-	-	-	-	5	-	3	2	1	2	1	-	3	4	2	4	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	6	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	13	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	3	1	4	1	-	1	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	3	-	2	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																											
45-55	Cancer and other malignant tumors	603	-	-	-	2	1	1	-	1	-	1	7	9	13	22	36	75	64	71	100	87	67	34	10	-	1	1
	White	279	-	-	-	1	1	1	-	1	-	-	1	3	3	10	14	30	34	29	52	44	38	11	5	-	-	1
	M	324	-	-	-	1	-	-	-	-	-	1	6	6	10	12	22	45	30	42	48	43	29	23	5	-	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	251	-	-	-	-	-	-	-	-	-	-	1	2	4	8	9	29	26	36	45	33	35	17	5	-	-	1
	White	123	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	12	17	15	24	16	20	4	2	-	-	1
	M	128	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	17	9	21	21	17	15	13	3	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	59	-	-	-	-	-	-	-	-	-	1	3	3	1	4	9	8	6	5	5	9	2	2	1	-	-	-
	White	59	-	-	-	-	-	-	-	-	-	1	3	3	1	4	9	8	6	5	5	9	2	2	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	62	-	-	-	-	-	-	-	-	-	-	2	2	4	4	3	8	8	8	9	7	4	3	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	62	-	-	-	-	-	-	-	-	-	-	2	2	4	4	3	8	8	8	9	7	4	3	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	231	-	-	-	2	1	1	-	1	-	-	1	2	4	8	15	30	24	22	41	38	26	12	4	-	1	-
	White	156	-	-	-	1	1	1	-	1	-	-	1	2	1	8	9	18	17	14	28	28	18	7	3	-	-	-
	F	75	-	-	-	1	-	-	-	-	-	-	-	-	3	-	6	12	7	8	13	10	8	5	1	-	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	106	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	14	16	12	24	20	8	6	2	-	-	-
	White	41	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	4	8	8	2	3	1	-	-	-
	F	65	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	9	9	8	16	12	6	3	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	5	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	369	-	-	-	-	-	-	-	-	-	-	-	2	4	3	15	22	22	38	62	76	62	45	13	3	2	-
	White	166	-	-	-	-	-	-	-	-	-	-	-	1	2	-	6	12	10	21	34	28	25	20	6	1	-	-
	F	202	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	10	12	16	28	48	37	25	7	2	2	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	1,424	-	-	-	-	-	2	-	-	1	4	3	6	18	28	66	91	131	191	222	269	201	122	55	10	-	4
	White	821	-	-	-	-	-	-	-	-	-	3	1	3	13	17	56	73	86	129	114	148	104	43	25	3	-	3
	F	601	-	-	-	-	-	2	-	-	1	1	2	3	5	11	10	18	45	60	108	121	97	79	30	7	-	1
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	67	-	-	-	-	-	-	-	-	1	2	1	2	3	4	9	5	4	9	4	8	5	8	1	1	-	-
	White	33	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	4	2	6	2	5	3	3	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	1	1	1	1	2	4	4	1	2	3	2	3	2	5	1	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	456	-	-	-	-	-	-	-	-	-	2	1	1	10	11	46	44	61	80	73	74	38	8	6	-	-	1
	White	335	-	-	-	-	-	-	-	-	-	2	1	1	8	11	42	38	47	62	39	48	26	5	4	-	-	1
	F	121	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	14	18	34	26	12	3	2	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)	901	-	-	-	-	-	2	-	-	-	-	1	3	5	13	11	42	66	102	145	187	158	106	48	9	-	3
	White	453	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	31	37	61	73	95	75	35	21	3	-	2
	F	446	-	-	-	-	-	2	-	-	-	-	1	2	1	7	2	11	29	39	72	92	83	71	27	6	-	1
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	14	23	35	27	12	5	-	-
	White-----M--	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	7	11	21	14	4	2	-	-
	F--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	7	12	14	13	8	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	153	37	-	2	-	1	1	1	-	1	1	-	1	-	4	-	9	12	6	16	18	17	17	7	2	-	-
	White-----M--	80	24	-	-	-	-	1	1	-	1	-	-	1	-	2	-	7	7	2	7	10	10	3	4	-	-	-
	F--	73	13	-	2	-	1	-	-	-	-	1	-	-	-	2	-	2	5	4	9	8	7	14	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia-	92	26	-	1	-	1	-	1	-	-	-	-	1	-	1	-	4	4	3	10	13	8	15	4	-	-	-
	White-----M--	50	16	-	-	-	-	-	1	-	-	-	-	1	-	-	-	4	2	2	5	8	6	3	2	-	-	-
	F--	42	10	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	5	5	2	12	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	38	4	-	1	-	-	1	-	-	-	1	-	-	-	1	-	3	6	2	5	4	6	1	2	1	-	-
	White-----M--	17	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	-	2	2	2	-	1	-	-	-
	F--	21	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	3	2	4	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	11	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1	-	-
	White-----M--	7	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	2	1	1	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	33	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	3	8	7	2	3	-	-	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	2	8	5	-	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	White-----M--	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	17	-	1	-	-	-	2	1	-	1	1	-	2	2	2	-	-	1	1	1	-	2	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	2	1	-	-	1	-	1	2	2	-	-	-	1	1	-	1	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	35	-	-	2	-	-	-	1	1	-	-	-	1	-	1	2	1	3	3	4	9	4	3	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	1	-	3	5	4	2	-	-	-	-
	F--	15	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	2	3	1	4	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	31	-	1	-	-	-	-	-	-	-	-	-	1	2	3	6	5	1	2	5	3	1	-	1	-	-	-
	White-----M--	20	-	1	-	-	-	-	-	-	-	-	-	1	2	1	3	4	1	1	3	2	-	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	2	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	29	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	6	2	5	5	5	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	2	1	1	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	3	2	3	4	4	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	192	-	-	1	-	-	-	-	-	2	1	1	4	10	3	10	11	17	13	34	38	27	17	2	-	1	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	1	1	2	4	1	6	7	8	6	21	20	16	9	1	-	-	-
	F--	89	-	-	1	-	-	-	-	-	2	-	-	2	6	2	4	4	9	7	13	18	11	8	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate--------	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	11	11	2	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	11	11	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT--Con.																											
140-150	Diseases of pregnancy, etc.*----	9	-	-	-	-	-	-	-	1	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	9	-	-	-	-	-	-	-	1	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	5	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	63	55	3	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	26	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	29	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	144	144	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	49	49	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	34	34	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	49	-	-	-	-	-	-	-	1	3	2	5	3	3	2	5	6	2	4	7	2	3	-	1	-	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	2	3	2	3	2	3	5	5	1	4	5	-	3	-	1	-	-	-
	F--	15	-	-	-	-	-	-	-	1	3	-	2	1	-	-	2	1	1	-	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	279	16	6	5	3	4	11	7	20	18	15	17	7	11	12	15	8	8	8	17	18	23	17	9	2	-	2
	White-----M--	177	10	1	4	3	2	6	4	15	14	9	17	4	7	11	14	5	6	3	10	8	13	6	2	1	-	2
	F--	102	6	5	1	-	2	5	3	5	4	6	-	3	4	1	1	3	2	5	7	10	10	11	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	85	2	3	1	-	-	4	3	13	12	9	4	5	3	5	4	2	4	3	5	2	1	-	-	-	-	-
	White-----M--	59	2	1	1	-	-	2	2	9	11	5	4	2	2	5	3	1	2	1	4	1	1	-	-	-	-	-
	F--	26	-	2	-	-	-	2	1	4	1	4	-	3	1	-	1	1	2	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	194	14	3	4	3	4	7	4	7	6	6	13	2	8	7	11	6	4	5	12	16	22	17	9	2	-	2
	White-----M--	118	8	-	3	3	2	4	2	6	3	4	13	2	5	6	11	4	4	2	6	7	12	6	2	1	-	2
	F--	76	6	3	1	-	2	3	2	1	3	2	-	-	3	1	-	2	-	3	6	9	10	11	7	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 189, 200	Senility, ill-defined and unknown causes----	28	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	4	7	1	2	1	6	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	6	1	-	1	2	1	-	-	-
	F--	11	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	205	9	2	2	2	3	1	5	3	3	3	2	7	7	6	7	25	23	17	21	34	13	7	3	-	-	-
	White-----M--	103	5	-	1	1	2	1	4	-	1	1	2	3	5	2	5	16	10	10	10	15	5	4	-	-	-	-
	F--	102	4	2	1	1	1	-	1	3	2	2	-	4	2	4	2	9	13	7	11	19	8	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																										
	ALL CAUSES-------	28,976	3,163	183	111	84	61	199	181	385	554	589	666	871	1,099	1,378	1,818	2,207	2,714	2,994	3,148	2,854	1,927	1,153	437	137	47	38
	White-----M--	11,659	1,209	59	32	35	18	81	74	141	237	230	231	315	421	526	674	898	1,126	1,265	1,388	1,261	814	433	147	32	6	6
	F--	8,398	867	48	35	17	20	59	46	78	103	105	121	159	230	267	367	451	639	862	1,079	1,147	835	558	211	71	15	8
	Nonwhite--M--	4,952	647	32	25	22	13	31	36	80	123	142	165	218	252	320	429	487	531	481	378	241	149	74	37	18	8	13
	F--	3,967	440	44	19	10	10	28	25	66	91	112	149	179	196	265	348	371	418	386	303	205	129	88	42	16	18	9
1,2	Typhoid and paratyphoid fever---	9	-	-	-	-	-	-	2	-	1	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	26	15	1	1	4	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	8	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	2	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	41	34	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	12	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	15	1	4	1	4	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,087	17	6	7	1	2	3	7	40	84	91	105	110	90	91	81	82	70	68	53	44	23	9	2	-	-	1
	White-----M--	352	3	2	1	-	1	-	1	9	17	23	32	31	30	34	34	32	34	22	23	10	3	1	-	-	-	-
	F--	189	1	1	1	-	-	2	1	2	15	19	16	13	8	11	8	10	14	16	20	17	10	4	-	-	-	-
	Nonwhite--M--	309	8	2	4	1	1	-	-	14	30	25	30	39	31	29	27	30	14	12	8	1	3	-	-	-	-	-
	F--	237	5	1	1	-	-	1	8	23	30	30	36	26	20	12	12	8	10	6	3	3	-	2	1	-	-	1
13	Tuberculosis of respiratory system, etc.*---	999	8	1	2	-	-	1	5	37	77	84	99	104	86	87	76	78	67	63	47	43	22	9	2	-	-	1
	White-----M--	324	1	-	-	-	-	-	-	9	16	22	31	31	36	31	32	30	32	17	23	9	3	1	-	-	-	-
	F--	178	1	-	1	-	-	-	-	2	14	17	15	12	8	11	8	10	14	15	20	16	10	4	-	-	-	-
	Nonwhite--M--	281	2	1	1	-	-	-	-	14	25	24	28	36	31	28	27	28	14	11	7	1	3	-	-	-	-	-
	F--	216	4	-	-	-	-	1	5	21	29	27	34	25	16	12	10	8	9	5	3	3	-	2	1	-	-	1
14-22	Tuberculosis (other forms)---	88	9	5	5	1	2	2	2	3	7	7	6	6	4	4	5	4	3	5	6	1	1	-	-	-	-	-
	White-----M--	28	2	2	1	-	1	-	-	1	-	1	1	1	-	3	3	2	2	2	5	-	1	-	-	-	-	-
	F--	11	-	1	-	-	-	2	1	-	1	2	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	28	6	1	3	1	1	-	-	-	5	1	2	3	-	1	-	2	-	1	1	-	-	-	-	-	-	-
	F--	21	1	1	1	-	-	-	1	2	1	3	2	1	4	-	2	-	1	1	-	-	-	-	-	-	-	-
27	Dysentery-------	13	9	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	282	25	1	1	-	-	-	-	2	5	5	9	14	27	38	39	35	24	30	13	12	1	-	-	-	-	1
	White-----M--	75	2	-	-	-	-	-	-	1	1	-	1	1	5	8	10	15	6	9	7	8	-	-	-	-	-	1
	F--	24	3	-	-	-	-	-	-	-	-	-	-	2	2	3	1	3	2	3	2	2	1	-	-	-	-	-
	Nonwhite--M--	134	10	1	1	-	-	-	-	1	1	3	5	8	12	19	23	12	15	17	4	2	-	-	-	-	-	-
	F--	49	10	-	-	-	-	-	-	-	3	2	3	3	8	8	5	5	1	1	-	-	-	-	-	-	-	-
35	Measles---------	16	5	7	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	29	4	1	2	-	-	4	4	3	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	3	1	2	-	-	2	2	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	1	3	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
45-55	Cancer and other malignant tumors	3,038	2	-	5	2	5	11	8	11	17	28	49	85	142	207	304	345	399	411	398	317	190	74	19	6	1	2
	White-----M--	1,153	1	-	3	2	2	7	4	7	6	12	14	20	45	58	86	110	155	168	178	148	85	31	10	1	-	-
	F--	1,199	-	-	2	-	1	2	3	3	7	8	21	27	59	81	117	134	154	155	153	137	84	38	7	4	-	2
	Nonwhite--M--	331	1	-	-	-	2	1	-	1	2	5	4	8	15	30	43	52	51	43	36	20	12	4	1	1	-	-
	F--	355	-	-	-	-	-	1	1	-	2	3	10	30	23	38	58	50	39	45	31	12	9	1	1	-	1	-
46	Cancer of the digestive organs and peritoneum--	1,152	1	-	1	1	-	2	-	4	9	6	8	14	45	57	113	131	160	165	173	136	89	29	6	2	-	-
	White-----M--	484	-	-	-	1	-	2	-	2	1	4	4	5	19	21	35	49	59	65	77	69	38	11	1	1	-	-
	F--	412	-	-	1	-	-	-	-	2	5	1	2	3	10	12	35	39	62	56	64	58	39	17	5	1	-	-
	Nonwhite--M--	171	1	-	-	-	-	-	-	-	2	1	2	3	10	16	26	29	25	25	18	5	7	1	-	-	-	-
	F--	105	-	-	-	-	-	-	-	-	1	-	-	3	6	9	17	14	14	19	14	4	5	-	-	-	-	-
48,49	Cancer of female genital organs--	445	-	-	-	-	-	-	1	1	-	6	17	19	33	59	58	67	49	50	38	28	9	6	2	-	-	2
	White-----F--	306	-	-	-	-	-	-	-	1	-	5	10	6	23	39	34	45	39	34	29	24	9	5	1	-	-	2
	Nonwhite--F--	139	-	-	-	-	-	-	1	-	-	1	7	13	10	20	24	22	10	16	9	4	-	1	1	-	-	-
50	Cancer of breast-	313	-	-	-	-	-	-	-	-	-	3	7	19	22	30	42	34	41	37	25	24	22	5	-	1	1	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	2	-	-	-	-	-	-
	F--	245	-	-	-	-	-	-	-	-	-	1	5	10	19	22	31	23	32	32	22	21	21	5	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	-	2	1	8	3	8	10	10	7	5	2	1	1	-	-	-	1	-
45,47, 51-55	Cancer (other sites)----------	1,128	1	-	4	1	5	9	7	6	8	13	17	33	42	61	91	113	149	159	162	129	70	34	11	3	-	-
	White-----M--	681	1	-	3	1	2	5	4	5	5	8	9	14	26	37	50	60	94	103	101	77	47	20	9	-	-	-
	F--	236	-	-	1	-	1	2	3	-	2	1	4	8	7	8	17	27	21	33	38	34	15	11	1	2	-	-
	Nonwhite--M--	159	-	-	-	-	2	1	-	1	-	4	2	5	5	14	17	22	26	18	17	15	5	3	1	1	-	-
	F--	52	-	-	-	-	-	1	-	-	1	-	2	6	4	2	7	4	8	5	6	3	3	-	-	-	-	-
59	Acute rheumatic fever----------	40	-	-	-	1	-	6	4	6	4	3	1	5	3	-	1	1	2	-	-	-	2	-	1	-	-	-
	White-----M--	12	-	-	-	-	-	3	1	2	2	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	16	-	-	-	1	-	2	2	3	2	1	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus	657	1	1	-	-	-	-	2	2	2	10	10	12	17	28	46	67	96	101	115	88	39	13	4	-	-	3
	White-----M--	212	-	-	-	-	-	-	-	-	-	5	1	6	9	9	17	14	31	30	36	32	13	7	2	-	-	-
	F--	294	1	1	-	-	-	-	-	1	2	3	2	1	4	6	13	31	39	49	63	50	20	5	2	-	-	1
	Nonwhite--M--	54	-	-	-	-	-	-	-	1	-	1	2	1	3	4	8	10	8	3	8	3	2	-	-	-	-	1
	F--	97	-	-	-	-	-	-	2	-	-	1	5	4	1	9	10	12	18	19	7	3	4	1	-	-	-	1
63b	Exophthalmic goiter----------	38	-	-	-	-	-	-	-	-	1	-	5	1	2	4	3	1	5	5	8	2	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	3	-	8	2	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	4	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)-------	24	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	2	3	3	3	4	2	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	3	3	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)-------	110	-	-	-	-	-	-	-	2	2	5	8	29	15	17	9	9	7	3	2	1	-	-	1	-	-	-
	White-----M--	66	-	-	-	-	-	-	-	2	-	3	1	20	11	11	7	4	5	1	1	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	1	2	4	-	3	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	-	3	4	3	2	1	3	2	1	1	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-
83	Intracranial lesions of vascular origin----	3,158	4	2	3	2	1	3	2	3	3	12	31	47	96	139	214	283	419	441	479	462	280	153	54	19	6	1
	White-----M--	1,050	1	1	2	2	1	2	-	-	-	2	9	6	20	21	50	80	131	144	165	196	123	52	17	5	-	-
	F--	987	2	1	1	-	-	1	2	-	1	3	7	11	17	29	47	44	97	135	157	189	120	82	33	7	1	-
	Nonwhite--M--	534	1	-	-	-	-	-	-	1	-	4	8	16	22	40	59	67	85	84	74	39	16	12	1	3	1	1
	F--	587	-	-	-	-	-	-	-	2	2	3	7	14	37	48	58	92	106	78	63	38	21	7	3	4	4	-
90-95	Diseases of the heart----------	8,297	3	1	5	2	4	6	16	18	26	48	73	140	232	381	597	752	1,015	1,170	1,248	1,123	737	485	152	41	12	12
	White-----M--	3,806	1	-	3	1	-	2	5	5	11	17	19	63	107	194	269	368	482	569	594	524	319	187	54	9	1	2
	F--	2,305	-	-	1	-	1	1	6	6	5	11	21	16	38	42	84	119	200	300	411	420	315	216	85	23	2	4
	Nonwhite--M--	1,226	1	-	1	1	3	1	3	2	7	9	12	34	54	80	139	155	200	170	139	95	54	34	17	8	3	4
	F--	960	1	1	-	-	-	2	2	5	3	11	21	27	33	65	105	110	133	131	104	84	51	46	16	1	6	2
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	446	-	-	-	-	3	3	13	15	11	12	18	16	21	31	29	33	51	40	44	56	31	14	4	1	-	-
	White-----M--	158	-	-	-	-	-	-	3	4	5	5	3	6	5	10	12	10	22	17	11	24	15	4	2	-	-	-
	F--	143	-	-	-	-	1	-	5	4	3	3	12	6	11	12	8	10	9	11	13	22	9	3	-	1	-	-
	Nonwhite--M--	81	-	-	-	-	2	1	3	2	3	4	-	2	3	4	8	6	10	7	10	5	6	4	1	-	-	-
	F--	64	-	-	-	-	-	2	2	5	-	-	3	2	2	5	1	7	10	5	10	5	1	3	1	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	2,653	1	-	-	-	-	-	-	3	5	15	23	69	104	181	254	326	397	400	369	292	120	68	16	5	-	5
	White-----M--	1,659	-	-	-	-	-	-	-	1	3	7	8	44	68	136	168	228	242	252	224	170	68	32	8	-	-	-
	F--	573	-	-	-	-	-	-	-	2	-	3	5	3	14	14	31	38	69	101	108	95	45	32	8	2	-	3
	Nonwhite--M--	265	1	-	-	-	-	-	-	-	1	3	5	13	17	18	29	39	54	35	23	15	5	2	-	3	-	2
	F--	156	-	-	-	-	-	-	-	-	1	2	5	9	5	13	26	21	32	12	14	12	2	2	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	5,198	2	1	5	2	1	3	3	-	10	21	32	55	107	169	314	393	567	730	855	775	586	401	132	35	12	7
	White-----M--	1,989	1	-	3	1	-	2	2	-	3	5	8	13	34	48	89	130	218	300	359	330	256	151	44	9	1	2
	F--	1,589	-	-	1	-	-	1	1	-	2	5	4	7	13	16	45	71	122	188	290	303	259	181	57	20	2	1
	Nonwhite--M--	880	-	-	1	1	1	-	-	-	3	2	7	19	34	58	102	110	136	128	106	75	43	28	18	5	3	2
	F--	740	1	1	-	-	-	-	-	-	2	9	13	16	26	47	78	82	91	114	80	67	48	41	15	1	6	2

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	528	-	-	-	-	-	-	1	-	-	1	1	6	5	7	8	16	38	52	82	103	78	70	42	11	7	-
	White-----M--	178	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	12	19	27	34	33	26	10	3	2	-
	F--	181	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	7	10	25	44	27	30	24	6	4	-
	Nonwhite--M--	89	-	-	-	-	-	-	1	-	-	1	1	1	1	2	1	6	10	15	15	13	12	5	5	-	-	-
	F--	80	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	5	9	8	15	12	6	9	3	2	1	-
107-109, 33	Pneumonia (all forms) and influenza-------	1,269	402	42	16	7	6	11	8	12	18	14	20	26	26	41	31	61	75	88	95	102	93	52	29	10	4	2
	White-----M--	408	106	10	4	2	2	2	4	2	5	4	1	4	9	8	9	23	25	33	44	41	36	19	12	2	1	-
	F--	372	102	10	4	2	-	4	3	3	5	3	2	7	1	6	4	6	19	24	32	40	45	31	10	4	2	1
	Nonwhite--M--	340	116	9	5	2	2	4	-	5	4	4	9	11	13	14	11	25	15	19	10	11	5	1	3	2	-	-
	F--	209	78	13	3	1	2	1	1	2	4	3	8	4	3	11	7	7	16	10	9	10	7	1	4	2	1	1
107	Bronchopneumonia-	583	236	23	8	5	3	6	2	4	2	4	4	9	7	13	11	21	22	32	40	46	33	31	15	4	1	1
	White-----M--	161	59	6	2	2	1	2	1	-	-	2	1	1	3	1	4	8	8	15	18	18	11	9	8	1	-	-
	F--	179	58	5	2	1	-	3	1	-	-	1	-	6	-	3	2	4	7	8	16	16	18	21	5	1	1	-
	Nonwhite--M--	124	69	2	3	1	1	1	-	2	2	-	1	1	4	3	4	8	3	7	1	7	1	-	2	1	-	-
	F--	99	50	10	1	1	1	-	-	2	-	1	2	1	-	6	1	1	4	2	5	5	3	1	-	1	-	1
108	Lobar pneumonia--	312	46	9	3	1	1	3	2	3	8	5	5	8	9	12	17	24	25	26	28	36	27	5	7	1	2	1
	White-----M--	91	7	-	-	-	-	-	2	-	2	-	-	1	5	3	4	9	8	9	12	14	13	1	1	-	-	-
	F--	84	15	2	1	-	-	1	-	1	3	2	1	-	-	1	2	1	7	5	6	16	11	3	4	-	1	1
	Nonwhite--M--	90	11	4	2	1	-	2	-	2	2	3	4	7	3	7	6	11	6	8	5	3	1	1	-	1	-	-
	F--	47	13	3	-	-	1	-	-	-	1	-	-	-	1	1	5	3	4	4	3	3	2	-	2	-	1	-
109	Pneumonia (unspecified)------	245	95	8	3	1	1	2	2	4	4	3	4	4	5	6	-	11	11	18	18	10	17	9	4	4	1	-
	White-----M--	90	30	4	1	-	-	-	1	1	3	1	-	1	1	1	-	4	5	6	10	5	9	5	1	-	1	-
	F--	70	26	2	1	1	-	-	1	2	-	-	1	-	1	-	-	1	1	6	6	5	8	4	1	3	-	-
	Nonwhite--M--	53	27	2	-	-	1	1	-	1	-	1	1	2	2	3	-	3	2	4	2	-	-	-	1	-	-	-
	F--	32	12	-	1	-	-	1	-	-	1	1	2	1	1	2	-	3	3	2	-	-	-	-	1	1	-	-
33	Influenza--------	149	25	2	2	-	1	-	2	1	4	2	7	5	5	10	3	5	17	10	11	10	16	7	3	1	-	-
	White-----M--	46	10	-	1	-	1	-	-	1	-	1	-	1	-	3	1	2	4	3	4	4	3	4	2	1	-	-
	F--	39	3	1	-	-	-	-	1	-	2	-	-	1	-	4	-	-	4	5	4	3	8	3	-	-	-	-
	Nonwhite--M--	33	9	1	-	-	-	-	-	-	-	-	3	1	4	1	1	3	4	-	2	1	3	-	-	-	-	-
	F--	31	3	-	1	-	-	-	1	-	2	1	4	2	1	2	1	-	5	2	1	2	2	-	1	-	-	-
117	Ulcer of stomach or duodenum------	132	-	-	-	-	-	-	-	-	2	2	1	11	10	14	19	12	18	16	15	7	4	1	-	-	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	1	5	7	9	8	8	12	10	9	4	-	1	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	1	1	4	3	4	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	2	1	-	4	1	3	4	2	5	3	1	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	2	2	-	5	1	-	2	1	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	188	136	10	2	1	3	1	1	-	1	1	1	-	2	1	1	6	5	1	6	2	1	2	1	1	2	-
	White-----M--	71	48	3	1	-	2	1	1	-	1	1	-	-	2	-	-	3	2	-	4	-	-	1	-	1	-	-
	F--	53	37	4	-	1	1	-	-	-	-	-	-	-	-	-	1	-	3	-	1	2	1	1	-	-	1	-
	Nonwhite--M--	41	36	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	23	15	-	1	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	1	-	1	-
121	Appendicitis-----	74	-	-	1	2	-	5	5	1	2	3	5	4	2	3	2	6	8	13	6	2	2	-	1	-	-	1
	White-----M--	16	-	-	1	2	-	1	-	-	-	-	1	1	-	-	-	1	3	2	2	1	-	-	-	-	-	1
	F--	32	-	-	-	-	-	2	1	1	2	1	2	2	-	1	-	3	4	6	3	1	2	-	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	1	3	-	-	-	2	-	2	1	1	1	1	3	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	1	-	-	2	-	1	-	1	1	1	-	2	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	216	13	1	2	1	-	1	-	-	6	2	4	11	18	21	18	13	20	22	19	17	15	7	4	-	1	-
	White-----M--	74	6	-	1	1	-	1	-	-	2	2	1	2	2	5	4	6	9	10	9	6	4	2	1	-	-	-
	F--	60	3	1	-	-	-	-	-	-	3	-	1	4	3	4	1	-	4	5	7	10	6	5	2	-	1	-
	Nonwhite--M--	49	2	-	1	-	-	-	-	-	-	-	2	2	7	4	9	5	3	6	2	1	4	-	1	-	-	-
	F--	33	2	-	-	-	-	-	-	-	1	-	-	3	6	8	4	2	4	1	1	-	1	-	-	-	-	-
124	Cirrhosis of the liver----------	193	1	-	1	-	1	-	-	2	1	3	7	9	27	24	20	17	19	26	13	12	8	1	-	1	-	-
	White-----M--	113	-	-	-	-	-	-	-	1	1	1	3	4	18	14	12	12	9	17	7	9	4	1	-	-	-	-
	F--	40	-	-	-	-	1	-	-	1	-	1	-	2	6	4	4	2	3	6	3	2	4	-	-	1	-	-
	Nonwhite--M--	26	-	-	1	-	-	-	-	-	-	1	1	1	2	6	3	3	6	2	2	-	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	3	2	1	-	1	-	1	1	1	1	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	84	2	-	-	-	-	-	-	-	-	-	1	1	3	2	7	5	14	18	16	13	1	1	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	8	2	4	5	1	-	-	-	-	-
	F--	45	1	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	4	13	8	8	-	1	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	-	-	-	-	-	-	-
130-132	Nephritis--------	1 961	1	-	-	2	1	3	4	13	16	20	21	52	70	89	123	171	185	242	267	276	220	125	41	13	2	4
	White-----M--	657	1	-	-	-	-	-	1	4	7	6	5	13	16	25	30	53	46	78	100	110	91	54	14	3	-	-
	F--	564	-	-	-	2	1	-	1	5	4	2	3	8	15	18	15	29	34	65	85	105	92	54	20	6	-	-
	Nonwhite--M--	381	-	-	-	-	-	1	2	2	3	5	7	14	17	17	41	46	59	56	41	32	20	10	4	1	1	2
	F--	359	-	-	-	-	-	2	-	2	2	7	6	17	22	29	37	43	46	43	41	29	17	7	3	3	1	2
137	Diseases of the prostate--------	121	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	15	20	28	24	10	12	5	-	-	-
	White-----M--	89	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	6	15	22	22	5	11	4	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	5	6	2	5	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. list No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
140-150	Diseases of pregnancy, etc.*----	113	-	-	-	-	-	-	1	16	28	17	22	20	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	47	-	-	-	-	-	-	-	4	12	7	8	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	66	-	-	-	-	-	-	1	12	16	10	14	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	26	-	-	-	-	-	-	-	2	5	4	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	-	-	-	-	1	1	2	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	-	-	-	-	-	-	-	1	4	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	38	-	-	-	-	-	-	1	8	10	2	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	-	-	-	-	-	-	-	2	5	-	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	1	6	5	2	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	34	-	-	-	-	-	-	-	4	10	5	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	-	-	-	-	-	-	-	1	4	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	-	3	6	4	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	14	-	-	-	-	-	-	-	2	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	424	350	21	9	2	2	7	3	10	5	2	2	1	2	2	2	1	-	1	1	1	-	-	-	-	-	-
	White-----M--	191	164	8	1	-	4	1	3	1	1	1	1	1	1	2	1	1	-	-	1	-	-	-	-	-	-	-
	F--	146	117	6	5	1	2	2	1	6	2	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	56	47	3	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	22	4	2	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,740	1,740	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	718	718	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	466	466	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	320	320	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	236	236	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,128	1,128	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	439	439	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	211	211	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	612	612	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	336	-	-	-	-	-	-	-	11	17	32	33	38	38	29	34	37	24	20	13	6	2	2	-	-	-	-
	White-----M--	220	-	-	-	-	-	-	-	5	15	21	25	20	19	19	24	25	18	11	8	6	2	2	-	-	-	-
	F--	79	-	-	-	-	-	-	-	6	2	8	4	11	14	7	8	7	3	7	2	-	-	-	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	3	2	7	4	2	2	5	3	2	3	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	299	8	1	-	-	3	3	3	22	45	46	50	28	34	19	14	6	3	8	4	2	1	-	-	-	-	1
	White-----M--	87	4	-	-	-	2	2	-	2	11	5	16	9	12	4	7	3	2	4	3	-	1	-	-	-	-	-
	F--	20	3	1	-	-	-	1	1	-	2	2	2	1	2	2	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	153	1	-	-	-	1	-	1	16	28	26	30	12	15	12	4	3	1	1	-	1	-	-	-	-	-	1
	F--	39	-	-	-	-	-	-	1	4	4	13	2	6	5	1	1	-	-	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,072	118	35	33	24	16	78	69	144	206	168	132	119	116	88	94	103	85	73	84	93	88	61	30	10	1	4
	White-----M--	1,075	46	16	10	9	5	30	35	89	148	107	80	67	70	52	48	57	45	37	31	35	32	11	9	3	1	2
	F--	459	32	10	10	5	5	20	14	24	19	17	15	14	15	9	12	10	14	14	39	43	50	44	17	7	-	-
	Nonwhite--M--	403	25	2	6	6	2	16	18	23	31	38	34	33	26	25	28	27	18	15	9	11	5	2	1	-	-	2
	F--	135	15	7	7	4	4	12	2	8	8	6	3	5	5	2	6	9	8	7	5	4	1	4	3	-	-	-
170	Motor-vehicle accidents-------	699	6	6	11	7	8	38	22	78	125	76	58	42	41	28	32	28	23	21	20	22	2	1	-	-	-	3
	White-----M--	416	2	5	3	4	2	16	9	50	95	47	34	23	28	15	18	14	14	9	12	13	2	1	-	-	-	2
	F--	108	2	1	5	1	3	10	9	10	12	8	9	4	6	3	4	3	4	4	5	5	-	-	-	-	-	-
	Nonwhite--M--	145	2	-	3	2	2	8	4	11	14	19	14	14	7	9	9	10	5	4	3	4	-	-	-	-	-	1
	F--	30	-	-	-	-	1	4	-	7	4	2	2	1	2	1	1	1	-	4	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,373	112	29	22	17	8	40	47	66	81	92	73	77	75	60	62	75	62	52	64	71	86	60	30	10	1	1
	White-----M--	659	44	11	7	5	3	14	26	39	53	60	46	44	44	37	30	43	31	28	19	22	30	10	9	3	1	-
	F--	351	30	9	5	4	2	10	5	14	7	9	6	10	9	6	8	7	10	10	34	38	50	44	17	7	-	-
	Nonwhite--M--	258	23	2	3	4	-	8	14	12	17	19	20	19	19	16	19	17	13	11	6	7	5	2	1	-	-	1
	F--	105	15	7	7	4	3	8	2	1	4	4	1	4	3	1	5	8	8	3	5	4	1	4	3	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	555	131	7	4	-	1	3	4	1	5	8	7	10	13	18	21	21	20	30	34	37	62	49	37	21	9	2
	White-----M--	157	32	1	-	-	-	-	1	1	2	-	3	4	3	5	8	8	7	7	19	11	21	11	9	4	-	-
	F--	199	49	1	1	-	-	3	1	-	2	1	-	1	6	3	3	4	2	5	5	20	30	26	21	11	4	-
	Nonwhite--M--	109	35	5	3	-	1	-	1	-	-	3	3	4	2	5	4	6	5	9	5	3	4	5	1	2	2	1
	F--	90	15	-	-	-	-	-	1	-	1	4	1	1	2	5	6	3	6	9	5	3	7	7	6	4	3	1
	All other causes-	1,770	141	36	18	28	15	48	34	46	53	60	65	96	100	111	123	154	146	135	145	105	65	36	14	4	2	2
	White-----M--	720	56	12	3	12	3	21	18	16	13	24	23	33	30	39	41	65	76	63	74	45	33	14	4	1	1	-
	F--	526	36	8	8	5	8	18	10	13	18	11	14	21	27	27	36	43	32	45	48	48	21	19	8	2	-	-
	Nonwhite--M--	270	28	7	2	9	1	5	3	12	11	12	10	15	22	24	20	26	20	14	11	6	7	-	2	1	1	1
	F--	254	21	9	3	2	3	4	3	5	11	13	18	17	21	21	26	20	18	13	12	8	4	3	-	-	-	1

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	ALL CAUSES-------	22,211	1.537	121	60	54	44	128	116	149	258	295	366	447	624	866	1,169	1,643	2,151	2,539	2,804	2,645	2,241	1,385	462	81	13	13
	White-----M--	13,236	842	60	37	30	23	81	68	110	157	184	216	263	370	541	752	1,079	1,432	1,576	1,646	1,543	1,225	727	228	31	8	10
	F--	8,356	604	54	15	20	19	41	43	32	75	84	126	153	220	306	382	528	655	912	1,093	1,073	998	641	231	43	4	2
	Nonwhite--M--	387	45	4	4	3	1	5	3	4	15	16	7	18	25	31	23	23	34	39	48	18	8	8	2	2	1	-
	F--	232	46	3	4	1	1	1	2	3	11	9	15	13	9	8	12	13	10	12	17	11	10	9	3	5	3	1
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	4	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	9	1	1	-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	598	1	7	4	4	1	5	6	10	28	34	44	44	47	46	57	62	50	57	42	35	8	6	-	-	-	-
	White-----M--	381	-	4	-	2	-	1	2	4	6	18	22	22	27	34	41	54	38	39	30	28	6	3	-	-	-	-
	F--	138	-	2	-	-	-	2	3	5	10	10	17	15	14	7	12	6	7	11	8	5	2	2	-	-	-	-
	Nonwhite--M--	60	1	1	2	2	1	2	1	-	8	4	2	5	8	3	4	2	3	6	4	2	-	1	-	-	-	-
	F--	19	-	-	2	-	-	-	-	1	4	2	3	2	-	2	-	-	2	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	541	-	2	3	2	-	1	3	9	23	32	39	40	46	43	56	56	49	49	41	34	7	6	-	-	-	-
	White-----M--	352	-	1	-	1	-	-	-	4	4	16	21	21	26	31	40	51	38	33	29	27	6	3	-	-	-	-
	F--	121	-	1	-	-	-	-	2	4	9	10	14	13	14	7	12	3	6	10	8	5	1	2	-	-	-	-
	Nonwhite--M--	49	-	-	1	1	-	1	1	-	6	4	1	4	6	3	4	2	3	5	4	2	-	1	-	-	-	-
	F--	19	-	-	2	-	-	-	-	1	4	2	3	2	-	2	-	-	2	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	57	1	5	1	2	1	4	3	1	5	2	5	4	1	3	1	6	1	8	1	1	1	-	-	-	-	-
	White-----M--	29	-	3	-	1	-	1	2	-	2	2	1	1	1	3	1	3	-	6	1	1	-	-	-	-	-	-
	F--	17	-	1	-	-	-	2	1	1	1	-	3	2	-	-	-	3	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	11	1	1	1	1	1	1	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-------	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria---------	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	132	-	-	-	-	-	-	1	-	-	-	2	3	4	13	11	15	25	23	18	7	7	3	-	-	-	-
	White-----M--	97	-	-	-	-	-	-	-	-	-	-	1	1	-	9	9	13	22	17	15	4	5	1	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	3	3	2	3	2	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
35	Measles---------	11	1	3	1	1	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	42	1	1	4	1	4	6	7	3	4	4	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	-	1	3	1	2	5	2	2	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	1	-	1	-	2	1	5	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																										
45-55	Cancer and other malignant tumors	3,042	2	2	3	6	1	6	4	5	12	21	28	54	85	159	227	346	404	464	437	386	256	105	25	1	-	3
	White——M—	1,616	1	1	1	4	1	4	1	4	5	10	9	17	35	50	108	177	233	259	252	229	158	65	12	1	-	1
	F—	1,369	1	1	2	2	-	2	2	1	6	10	17	34	48	103	112	166	164	196	193	156	97	41	13	-	-	2
	Nonwhite—M—	39	-	-	-	-	-	-	1	-	-	1	-	-	2	5	4	3	4	8	9	-	1	1	-	-	-	-
	F—	18	-	-	-	-	-	-	-	-	1	-	2	3	-	1	3	-	3	1	3	1	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum—	1,359	-	-	-	-	-	-	-	-	2	7	5	11	25	56	78	141	196	223	214	203	132	50	15	1	-	-
	White——M—	808	-	-	-	-	-	-	-	-	-	5	2	6	14	21	47	86	130	133	117	127	84	27	8	1	-	-
	F—	523	-	-	-	-	-	-	-	-	2	2	3	5	9	31	29	52	63	83	90	76	48	23	7	-	-	-
	Nonwhite—M—	22	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	2	6	5	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs—	295	-	-	-	-	-	-	1	1	2	1	7	14	18	32	27	41	44	38	35	22	11	1	-	-	-	-
	White——F—	289	-	-	-	-	-	-	1	1	2	1	5	12	18	32	27	41	43	38	34	22	11	1	-	-	-	-
	Nonwhite—F—	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
50	Cancer of breast—	296	-	-	-	-	-	-	-	-	-	2	6	11	12	30	36	44	29	39	31	30	18	4	3	-	-	1
	White——M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-
	F—	285	-	-	-	-	-	-	-	-	-	2	6	10	12	30	33	43	28	37	30	28	18	4	3	-	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	1,092	2	2	3	6	1	6	3	4	8	11	10	18	30	41	88	120	135	164	157	131	95	50	7	-	-	2
	White——M—	801	1	1	1	4	1	4	1	4	5	5	7	11	21	29	60	90	102	124	114	101	74	38	4	-	-	1
	F—	272	1	1	2	2	-	2	1	-	2	5	3	7	9	10	23	30	30	38	39	30	20	13	3	-	-	1
	Nonwhite—M—	17	-	-	-	-	-	-	1	-	-	1	-	-	-	2	3	-	2	2	4	-	1	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever—	10	-	-	-	-	-	1	4	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White——M—	7	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	488	-	1	-	-	1	-	5	-	2	6	8	5	8	5	22	45	72	77	92	67	51	18	4	-	-	-
	White——M—	207	-	1	-	-	1	-	3	-	1	1	3	5	4	4	12	11	29	36	36	29	20	8	3	-	-	-
	F—	277	-	-	-	-	-	-	2	-	1	5	4	-	2	1	10	33	43	41	56	38	30	10	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
63b	Exophthalmic goiter—	29	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	4	3	5	3	4	1	-	-	-	-	-
	White——M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	3	-	1	-	-	-	-	-	-
	F—	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	2	3	3	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)—	76	-	-	-	-	-	-	-	-	-	-	6	5	17	10	12	10	5	6	2	2	-	-	-	-	-	1
	White——M—	62	-	-	-	-	-	-	-	-	-	-	4	3	10	9	11	9	5	6	2	2	-	-	-	-	-	1
	F—	11	-	-	-	-	-	-	-	-	-	-	1	1	6	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	2,131	5	2	1	-	-	2	2	1	3	2	8	12	25	45	77	133	204	268	382	420	305	161	62	10	1	-
	White——M—	1,132	4	-	-	-	-	-	1	1	2	-	3	5	15	20	35	76	114	155	202	228	160	76	31	4	-	-
	F—	954	1	2	1	-	-	2	1	-	1	2	5	5	7	24	39	56	86	106	174	183	143	82	30	5	1	-
	Nonwhite—M—	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	5	3	4	1	-	1	-	-	-
	F—	23	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	2	3	5	1	3	-	3	-	-
90-95	Diseases of the heart—	7,310	2	2	1	-	-	5	10	8	9	25	39	75	164	272	405	586	798	1,049	1,105	1,027	935	567	188	34	4	-
	White——M—	4,639	2	1	1	-	-	1	4	4	9	19	23	49	108	197	307	457	586	686	690	601	508	295	95	15	3	-
	F—	2,559	-	1	-	-	-	4	6	3	-	6	14	25	51	68	89	135	197	351	395	418	421	264	91	19	1	-
	Nonwhite—M—	69	-	-	-	-	-	-	-	-	-	-	-	-	3	6	6	5	13	8	13	5	4	4	1	1	-	-
	F—	43	-	-	-	-	-	-	-	1	-	-	2	1	2	1	3	9	2	4	7	3	2	4	1	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart—	389	-	-	-	-	-	1	7	6	5	18	17	18	18	30	35	33	36	36	36	39	32	17	5	-	-	-
	White——M—	204	-	-	-	-	-	-	3	2	5	13	8	11	5	17	17	17	21	20	20	21	11	10	3	-	-	-
	F—	181	-	-	-	-	-	1	4	3	-	5	8	7	13	13	17	16	15	16	16	18	20	7	2	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris—	3,256	-	-	-	-	-	1	-	-	-	3	15	34	97	171	252	369	466	537	496	374	259	118	55	7	2	-
	White——M—	2,413	-	-	-	-	-	-	-	-	-	3	11	29	84	147	210	301	380	387	348	260	150	68	33	1	1	-
	F—	796	-	-	-	-	-	1	-	-	-	-	3	5	9	21	36	59	80	146	142	113	107	46	22	5	1	-
	Nonwhite—M—	33	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	5	6	3	5	1	1	1	-	-	-	-
	F—	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	-	1	1	-	1	3	-	1	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)—	3,685	2	2	1	-	-	3	3	2	4	4	7	23	49	71	118	164	296	476	573	614	644	432	128	27	2	-
	White——M—	2,022	2	1	1	-	-	1	1	2	4	3	4	9	19	33	80	119	185	279	322	320	347	217	59	12	2	-
	F—	1,582	-	1	-	-	-	2	2	-	-	1	3	13	29	34	36	60	102	189	237	287	294	211	67	14	-	-
	Nonwhite—M—	35	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	7	5	8	4	2	3	1	1	-	-
	F—	26	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	2	3	6	3	1	1	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
97, 102	Arteriosclerosis and high blood pressure*	383	-	-	-	-	-	-	-	-	-	1	1	2	4	6	7	8	13	32	62	86	69	66	31	4	1	-
	White—M	213	-	-	-	-	-	-	-	-	-	1	1	2	3	3	6	3	9	14	34	51	36	36	12	1	1	-
	F	174	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	3	17	28	33	33	29	19	3	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	862	134	13	8	4	-	7	6	2	8	5	10	11	13	22	29	41	56	47	90	100	114	103	31	6	-	2
	White—M	503	59	8	6	2	-	4	2	2	2	2	6	6	8	15	22	27	43	30	52	60	69	60	13	3	-	2
	F	320	49	5	2	1	-	2	3	-	6	1	4	5	5	6	6	13	13	16	35	39	45	43	18	3	-	-
	Nonwhite—M	19	11	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-
	F	20	15	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
107	Bronchopneumonia	541	96	4	7	3	-	2	2	1	5	-	4	3	8	6	7	24	35	23	62	65	83	72	23	5	-	1
	White—M	314	44	2	6	1	-	1	1	1	2	-	2	2	4	5	5	18	23	15	35	39	50	44	10	3	-	1
	F	200	31	2	1	1	-	1	-	-	3	-	2	1	4	1	2	6	12	7	25	25	33	28	13	2	-	-
	Nonwhite—M	16	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	F	11	10	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	221	19	6	-	1	-	2	2	-	1	4	5	5	4	13	21	10	20	18	19	29	18	17	5	1	-	1
	White—M	142	7	4	-	1	-	1	-	-	-	1	3	3	3	9	17	6	20	11	14	17	11	11	2	-	-	1
	F	69	8	2	-	-	-	-	2	-	1	1	2	2	1	3	3	3	-	7	5	12	7	6	3	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	52	14	2	-	-	-	2	1	1	2	-	-	3	1	1	1	4	1	1	5	3	4	6	-	-	-	-
	White—M	18	5	1	-	-	-	1	-	1	-	-	-	1	1	-	-	2	-	-	1	1	2	2	-	-	-	-
	F	32	8	1	-	-	-	1	1	-	2	-	-	2	-	1	1	2	1	1	3	2	2	4	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	48	5	1	1	-	-	1	1	-	-	1	1	-	-	2	-	3	-	5	4	3	9	8	3	-	-	-
	White—M	29	3	1	-	-	-	1	1	-	-	1	1	-	-	1	-	1	-	4	2	3	6	3	1	-	-	-
	F	19	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	3	5	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	176	-	-	-	-	1	-	-	-	-	2	1	4	4	9	19	19	35	26	19	17	9	9	2	-	-	-
	White—M	143	-	-	-	-	1	-	-	-	-	2	1	3	2	8	14	16	31	24	15	13	7	5	1	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	3	2	2	3	4	2	4	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	49	21	1	-	2	1	-	-	1	-	2	1	2	2	2	3	3	1	1	3	-	3	-	-	-	-	-
	White—M	19	9	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-
	F	27	10	1	-	2	1	-	-	1	-	2	-	-	-	2	1	1	1	-	2	-	3	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	43	-	-	-	-	-	-	3	1	1	2	3	1	5	2	3	4	8	2	3	5	-	-	-	-	-	-
	White—M	28	-	-	-	-	-	-	2	-	-	2	2	1	4	1	3	2	5	-	3	3	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	3	2	-	2	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	164	10	1	-	-	-	1	-	1	-	3	4	3	4	4	3	11	22	18	30	18	16	12	3	-	-	-
	White—M	84	8	1	-	-	-	-	-	1	-	-	1	-	1	2	-	5	13	12	12	11	9	7	1	-	-	-
	F	78	2	-	-	-	-	-	-	-	-	2	3	3	3	2	3	6	9	6	18	7	7	5	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	219	-	-	-	-	-	-	-	-	3	1	12	16	19	21	20	15	23	27	24	17	13	7	1	-	-	-
	White—M	140	-	-	-	-	-	-	-	-	2	-	6	9	15	14	13	10	17	14	19	12	5	4	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	1	1	5	6	4	6	5	5	6	11	5	5	8	3	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	81	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	8	15	12	19	5	11	4	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	7	4	3	1	-	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	10	7	11	1	8	3	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	953	4	1	3	-	-	-	1	5	5	13	11	20	25	35	46	69	89	109	131	151	136	74	25	-	1	-
	White—M	540	3	-	2	-	-	-	1	2	2	8	5	5	12	20	24	43	64	66	78	75	68	49	15	-	-	-
	F	384	1	-	1	-	-	-	-	3	3	5	5	12	8	13	19	22	22	42	52	74	66	25	10	-	1	-
	Nonwhite—M	17	-	1	-	-	-	-	-	-	-	-	1	2	2	1	-	2	2	-	3	2	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	1	1	1	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	119	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	10	14	25	20	19	19	3	2	-	-
	White—M	119	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	10	14	25	20	19	19	3	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
140-150	Diseases of pregnancy, etc.*-----	29	-	-	-	-	-	-	-	-	11	8	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	27	-	-	-	-	-	-	-	-	10	8	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	7	-	-	-	-	-	-	-	-	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	8	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	9	-	-	-	-	-	-	-	-	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	-	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	291	237	13	3	2	2	7	3	6	2	3	2	2	2	2	1	3	-	-	1	-	-	-	-	-	-	-
	White-----M--	160	135	6	1	1	1	5	1	1	1	1	1	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	117	89	7	2	1	1	2	2	4	1	2	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	952	952	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	538	538	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	379	379	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	593	593	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	325	325	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	248	248	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	359	359	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	213	213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	327	-	-	-	-	-	-	2	1	12	17	25	28	38	28	40	36	28	28	25	10	11	3	1	-	-	1
	White-----M--	240	-	-	-	-	-	-	2	1	6	12	15	21	27	17	25	28	22	18	21	10	10	3	1	-	-	1
	F--	83	-	-	-	-	-	-	-	-	6	4	9	7	11	11	15	8	6	2	3	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	68	1	1	-	-	-	1	1	1	5	6	7	11	7	9	7	4	2	1	1	1	1	-	-	-	-	1
	White-----M--	41	1	1	-	-	-	-	1	1	2	3	3	5	2	6	6	3	2	1	1	1	1	-	-	-	-	1
	F--	14	-	-	-	-	-	1	-	-	1	-	3	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	2	2	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,829	76	46	20	19	23	53	49	82	129	109	101	108	76	89	71	88	113	113	107	114	112	89	34	3	1	4
	White-----M--	1,284	38	24	13	10	15	41	38	73	107	85	91	88	61	69	54	72	84	82	68	70	54	29	13	1	1	3
	F--	488	34	20	4	9	7	11	10	8	15	16	9	16	13	14	13	13	25	31	36	44	58	59	21	2	-	-
	Nonwhite--M--	42	1	2	2	-	-	1	-	1	4	8	1	3	2	5	4	2	3	-	2	-	-	1	-	-	-	-
	F--	15	3	-	1	-	1	-	1	-	3	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	1
170	Motor-vehicle accidents-------	557	2	12	3	8	11	22	13	47	72	44	32	31	33	28	27	23	34	35	22	26	21	9	-	-	-	2
	White-----M--	414	-	7	3	3	6	13	10	40	61	35	27	24	22	20	20	16	20	28	16	17	19	5	-	-	-	2
	F--	121	2	4	-	5	4	8	2	6	8	6	4	5	10	6	6	6	11	7	6	9	2	4	-	-	-	-
	Nonwhite--M--	18	-	1	-	-	-	1	-	1	2	3	1	2	1	2	1	1	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,272	74	34	17	11	12	31	36	35	57	65	69	77	43	61	44	65	79	78	85	88	91	80	34	3	1	2
	White-----M--	870	38	17	10	7	9	28	28	33	46	50	64	64	39	49	34	56	64	54	52	53	55	24	13	1	1	1
	F--	367	32	16	4	4	3	3	8	2	7	10	5	11	3	8	7	7	14	24	30	35	56	55	21	2	-	-
	Nonwhite--M--	24	1	1	2	-	-	-	-	-	2	5	-	1	1	3	3	1	1	-	2	-	-	1	-	-	-	-
	F--	11	3	-	1	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	1
162, 199, 200	Senility, ill-defined and unknown causes-----	511	14	2	-	-	1	-	-	-	1	4	4	2	9	21	16	32	39	40	68	63	73	67	36	14	4	1
	White-----M--	316	6	1	-	-	-	-	-	-	-	4	2	2	8	17	11	26	33	29	47	38	35	36	19	1	-	1
	F--	162	6	-	-	-	1	-	-	-	1	-	1	-	1	1	5	3	5	11	15	22	33	30	15	12	-	-
	Nonwhite--M--	19	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	-	6	2	1	-	1	1	-	-
	F--	14	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	1	2	-	3	-	-
	All other causes-	1,249	67	24	11	15	8	31	12	20	22	24	41	30	57	77	85	96	114	125	114	90	91	71	16	7	1	-
	White-----M--	644	34	9	10	10	2	16	6	12	8	13	15	11	23	39	44	57	66	64	57	53	52	31	7	5	-	-
	F--	555	28	13	1	4	6	14	6	5	13	8	22	16	33	33	40	38	46	53	53	36	38	40	9	1	1	-
	Nonwhite--M--	28	3	-	-	-	-	1	-	2	-	-	1	2	1	4	1	1	1	7	3	1	-	-	-	-	-	-
	F--	22	4	2	-	1	-	-	-	1	1	3	3	1	-	1	-	-	1	1	1	-	1	-	-	1	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	ALL CAUSES-------	17,800	2,108	127	83	60	52	157	127	232	382	374	409	478	640	767	974	1,164	1,439	1,682	1,826	1,872	1,394	816	298	63	18	58
	White-----M--	9,538	1,151	70	33	29	27	85	74	132	249	203	221	278	344	409	534	660	833	922	988	1,001	715	388	139	25	9	19
	F--	6,606	839	46	43	26	23	62	38	75	103	129	145	135	200	240	293	364	481	628	733	783	620	395	151	30	5	19
	Nonwhite--M--	889	79	4	3	2	1	8	13	15	17	17	19	36	42	70	104	88	80	91	68	82	34	17	4	2	2	11
	F--	567	39	7	4	3	1	2	2	10	13	25	24	29	54	48	43	52	45	41	37	26	25	16	4	6	2	9
1,2	Typhoid and paratyphoid fever---	5	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	27	6	3	1	1	2	4	1	4	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-
	White-----M--	15	4	2	-	-	1	3	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	2	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	36	27	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	12	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	15	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	20	2	1	3	2	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	1	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	1	1	2	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	622	8	5	2	4	1	2	1	16	57	60	62	48	64	49	50	55	36	39	27	18	11	2	-	-	-	5
	White-----M--	288	2	1	1	2	1	-	-	2	24	19	18	22	30	31	24	31	26	25	14	11	4	-	-	-	-	-
	F--	223	4	2	1	2	-	-	-	8	26	27	28	22	22	11	10	13	9	9	11	7	6	2	-	-	-	3
	Nonwhite--M--	65	1	1	-	-	-	2	-	3	2	6	4	3	6	5	15	8	1	4	2	-	-	-	-	-	-	2
	F--	46	1	1	-	-	-	-	1	3	5	8	12	1	6	2	1	3	-	1	-	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	585	2	3	-	-	-	1	1	14	54	58	61	46	61	48	49	53	33	38	25	18	11	2	-	-	-	5
	White-----M--	270	2	-	-	-	-	-	-	2	22	18	17	22	27	31	24	30	24	24	12	11	4	-	-	-	-	-
	F--	214	-	2	-	-	-	-	-	8	25	27	28	22	22	11	9	13	9	9	11	7	6	2	-	-	-	3
	Nonwhite--M--	56	-	-	-	-	-	1	-	1	2	5	4	3	6	4	15	7	-	4	2	-	-	-	-	-	-	2
	F--	45	-	1	-	-	-	-	1	3	5	8	12	1	6	2	1	3	-	1	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)---	37	6	2	2	4	1	1	-	2	3	2	1	-	3	1	1	2	3	1	2	-	-	-	-	-	-	-
	White-----M--	18	-	1	1	2	1	-	-	-	2	1	1	-	3	-	-	1	2	1	2	-	-	-	-	-	-	-
	F--	9	4	-	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	1	1	-	-	-	1	-	2	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	15	8	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	10	5	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	165	8	-	-	-	-	-	1	-	-	3	3	13	10	25	18	23	19	13	16	6	1	3	2	-	-	1
	White-----M--	81	5	-	-	-	-	-	-	-	-	2	-	5	7	11	9	10	10	6	9	5	1	1	-	-	-	-
	F--	33	2	-	-	-	-	-	-	-	-	1	1	4	2	4	4	3	4	2	3	1	-	-	2	-	-	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	-	-	-	1	3	-	5	5	10	3	5	3	-	-	2	-	-	-	1
	F--	12	-	-	-	-	-	-	1	-	-	-	1	1	1	5	-	-	2	-	1	-	-	-	-	-	-	-
35	Measles----------	31	10	6	2	1	2	5	-	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	14	5	5	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	16	5	-	2	1	1	4	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	14	2	-	3	2	-	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	2	-	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
45-55	Cancer and other malignant tumors	1,875	2	2	4	2	1	1	3	5	8	23	28	49	92	119	170	198	250	232	258	202	137	59	21	4	-	5
	White-----M--	848	1	2	1	-	1	1	1	3	4	8	9	14	27	43	65	78	130	108	134	102	77	28	9	1	-	1
	F--	894	-	-	3	1	-	-	2	2	3	15	16	27	54	68	84	100	114	106	114	87	57	27	11	1	-	2
	Nonwhite--M--	71	1	-	-	-	-	-	-	-	-	-	-	2	4	2	10	13	4	15	6	9	2	3	-	-	-	-
	F--	62	-	-	-	1	-	-	-	-	1	-	3	6	7	6	11	7	2	3	4	4	1	1	1	2	-	2
46	Cancer of the digestive organs and peritoneum--	816	-	-	-	1	-	-	1	1	1	3	6	7	22	36	68	78	136	114	136	99	76	22	8	1	-	-
	White-----M--	412	-	-	-	-	-	-	1	1	1	1	4	1	8	19	35	43	80	54	70	46	38	8	2	-	-	-
	F--	355	-	-	-	-	-	-	-	-	-	2	2	5	11	16	23	25	54	51	63	49	37	12	5	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	1	3	1	8	6	1	8	3	2	-	1	-	-	-	-
	F--	15	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	4	1	1	-	2	1	1	1	1	-	-
48,49	Cancer of female genital organs--	272	-	-	-	-	-	-	-	-	-	9	9	13	28	27	37	42	33	26	20	11	7	7	1	-	-	2
	White-----F--	245	-	-	-	-	-	-	-	-	-	9	7	10	25	24	32	39	32	25	17	9	7	7	1	-	-	1
	Nonwhite--F--	27	-	-	-	-	-	-	-	-	-	-	2	3	3	3	5	3	1	1	3	2	-	-	-	-	-	1
50	Cancer of breast-	139	-	-	-	-	-	-	-	-	1	1	6	9	10	16	17	18	9	11	14	15	3	3	3	1	-	2
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	127	-	-	-	-	-	-	-	-	1	1	5	7	10	14	14	18	9	10	12	15	3	3	3	1	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	-	-	1	1	-	-	-	-	-	-	1
45,47, 51-55	Cancer (other sites)----------	648	2	2	4	1	1	1	2	4	6	10	7	20	32	40	48	60	72	81	88	77	51	27	9	2	-	1
	White-----M--	436	1	2	1	-	1	1	-	2	3	7	5	13	19	24	30	35	50	54	64	56	39	20	7	1	-	1
	F--	167	-	-	3	1	-	-	2	2	2	3	2	5	8	14	15	18	19	20	22	14	10	5	2	-	-	-
	Nonwhite--M--	36	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	7	3	7	2	7	2	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	1	4	1	1	-	-	-	-	-	-	-	-	1	-	-
58	Acute rheumatic fever----------	23	-	-	-	2	1	2	4	4	2	1	2	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	9	-	-	-	2	-	-	1	1	1	-	2	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	F--	12	-	-	-	-	1	1	2	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	375	-	1	-	-	-	1	1	1	5	2	2	1	7	15	26	33	57	60	64	52	29	15	2	-	-	1
	White-----M--	119	-	1	-	-	-	-	1	1	4	-	1	-	2	4	5	8	16	20	18	22	11	5	-	-	-	-
	F--	228	-	-	-	-	-	-	-	-	1	2	1	1	3	10	17	23	35	37	40	27	18	10	2	-	-	1
	Nonwhite--M--	10	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	4	1	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	5	2	2	2	-	-	-	-	-	-
63b	Exophthalmic goiter----------	28	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	4	5	5	3	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	4	3	2	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (athylism)------	48	-	-	-	-	1	1	-	-	3	3	3	8	5	6	6	5	1	3	1	-	-	-	-	-	-	2
	White-----M--	37	-	-	-	-	-	1	-	-	2	2	3	7	3	4	4	4	1	3	1	-	-	-	-	-	-	2
	F--	6	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin----	1,665	3	1	2	-	-	2	1	5	4	8	8	11	38	54	83	93	177	224	279	310	225	96	32	4	-	5
	White-----M--	823	1	-	-	-	-	1	1	1	2	7	3	4	13	20	36	48	93	102	141	178	108	46	15	1	-	2
	F--	713	1	1	2	-	-	-	-	3	2	-	3	4	15	22	37	31	65	106	122	125	108	46	16	2	-	2
	Nonwhite--M--	68	1	-	-	-	-	-	-	1	-	-	1	1	3	8	7	7	12	9	6	6	4	2	-	-	-	-
	F--	61	-	-	-	-	-	1	-	-	-	1	1	2	7	4	3	7	7	7	10	1	5	2	1	1	-	1
90-95	Diseases of the heart----------	4,716	1	4	1	-	-	3	10	13	23	21	44	73	109	183	282	400	537	647	705	727	502	306	86	18	8	13
	White-----M--	2,746	1	2	-	-	-	3	2	7	19	9	27	52	68	104	173	264	348	376	420	413	263	142	41	8	3	3
	F--	1,599	-	2	-	-	-	-	5	5	3	10	12	15	23	47	67	88	139	229	251	281	211	152	45	8	3	5
	Nonwhite--M--	215	-	-	1	-	-	-	3	-	-	-	-	1	4	15	28	28	32	28	22	24	16	7	1	1	1	3
	F--	156	-	-	-	-	-	-	-	1	1	2	5	5	14	17	14	20	20	14	12	9	12	5	1	1	1	2
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	260	-	-	-	-	-	1	9	4	13	12	15	11	13	21	16	18	20	25	19	34	15	10	2	1	-	1
	White-----M--	140	-	-	-	-	-	1	2	3	11	4	8	10	5	10	8	11	11	13	10	16	13	3	1	-	-	-
	F--	101	-	-	-	-	-	-	4	1	2	6	7	1	5	10	7	5	7	10	8	17	2	6	1	1	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	1	-	1	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--------	1,543	-	-	-	-	-	1	-	3	4	1	15	34	53	72	146	190	230	230	226	181	87	49	15	3	1	2
	White-----M--	1,100	-	-	-	-	-	1	-	1	3	1	11	24	47	50	111	142	178	159	153	120	59	29	9	2	-	-
	F--	365	-	-	-	-	-	-	-	1	1	-	2	7	5	11	24	34	39	65	66	58	25	18	6	1	-	1
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	1	-	5	7	8	9	3	5	2	2	1	-	-	1	-
	F--	34	-	-	-	-	-	-	-	1	-	-	2	2	1	6	4	6	4	3	2	-	1	1	-	-	-	1
90b, 91, 93a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	2,913	1	4	1	-	-	1	1	6	6	8	14	28	43	90	120	192	287	392	460	512	400	247	60	14	7	10
	White-----M--	1,506	1	2	-	-	-	1	-	3	5	4	8	18	16	44	54	111	157	204	257	277	191	110	31	6	3	3
	F--	1,133	-	2	-	-	-	-	1	3	-	4	3	7	13	26	36	49	93	154	177	205	184	128	36	6	3	3
	Nonwhite--M--	160	-	-	1	-	-	-	-	-	-	-	-	-	4	9	20	19	21	24	16	21	14	6	1	1	-	3
	F--	114	-	-	-	-	-	-	-	-	1	-	3	3	10	11	10	13	16	10	10	9	11	3	1	1	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																										
97, 102	Arteriosclerosis and high blood pressure*-------	239	-	-	-	-	-	-	-	-	1	1	1	-	-	2	7	10	16	19	30	48	49	42	7	4	-	2
	White-----M--	127	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	1	14	9	20	22	26	25	2	1	-	-
	F--	92	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	6	1	7	8	22	21	17	4	2	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	1	-	1	-	-	1
	F--	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	1	1	-	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	856	289	32	9	4	2	8	5	5	9	6	13	11	16	24	21	30	23	37	68	84	76	52	25	5	1	1
	White-----M--	426	154	17	2	-	1	4	3	1	4	2	4	8	9	15	14	17	7	18	34	39	37	23	12	1	-	-
	F--	381	119	13	6	3	-	3	2	3	5	4	9	3	4	8	5	8	13	15	33	43	38	27	13	4	-	-
	Nonwhite--M--	32	10	1	1	-	1	1	-	1	-	-	-	-	3	1	1	3	3	2	1	1	-	1	-	-	1	-
	F--	17	6	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1	1	-	-	-	1
107	Bronchopneumonia-	407	187	19	4	2	2	1	1	1	4	3	4	2	6	5	3	10	7	14	29	35	36	23	7	1	1	-
	White-----M--	210	103	11	2	-	1	1	1	-	1	2	-	1	2	4	1	5	4	8	13	19	20	9	2	-	-	-
	F--	176	74	7	1	2	-	-	-	1	3	1	4	1	3	1	1	4	2	6	16	15	15	13	5	1	-	-
	Nonwhite--M--	15	6	-	1	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	1	-	-	1	-
	F--	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia--	253	47	6	2	-	-	5	1	1	4	1	5	9	5	14	14	13	9	16	31	27	23	10	7	2	-	1
	White-----M--	132	25	2	-	-	-	3	-	-	3	-	2	7	4	8	11	9	3	5	16	14	11	5	4	-	-	-
	F--	102	18	3	2	-	-	2	1	1	1	1	3	2	-	5	2	2	5	7	14	12	12	4	3	2	-	-
	Nonwhite--M--	10	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	1	-	-	-	1
109	Pneumonia (unspecified)------	102	42	6	2	1	-	2	1	2	-	1	2	-	2	5	3	3	2	2	5	6	6	4	4	2	-	-
	White-----M--	47	22	3	-	-	-	-	1	-	-	-	-	-	-	3	2	-	-	2	4	3	1	2	3	1	-	-
	F--	47	18	2	2	-	-	1	-	1	-	1	2	-	1	2	1	1	2	-	1	3	5	2	1	1	-	-
	Nonwhite--M--	6	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	94	13	2	1	1	-	-	2	1	1	1	2	-	3	-	1	4	5	5	3	16	11	15	7	-	-	-
	White-----M--	37	4	1	-	-	-	-	1	1	-	-	2	-	3	-	-	3	-	3	1	3	5	7	3	-	-	-
	F--	56	9	1	1	1	-	-	1	-	1	1	-	-	-	-	1	1	4	2	2	13	6	8	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	81	1	-	-	-	-	-	-	-	1	2	4	6	6	8	11	10	11	3	9	5	3	1	-	-	-	-
	White-----M--	65	1	-	-	-	-	-	-	-	1	1	4	4	4	7	9	9	10	3	6	3	2	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	3	2	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	179	138	12	2	2	1	4	-	-	-	1	1	-	1	1	2	1	1	1	-	6	-	4	1	-	-	-
	White-----M--	91	71	5	2	1	-	3	-	-	-	1	-	-	1	1	2	1	-	-	2	-	1	1	-	-	-	-
	F--	79	60	6	-	1	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-	4	-	3	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	42	-	-	1	-	-	2	3	2	2	1	-	3	4	2	1	4	3	7	3	1	1	2	-	-	-	-
	White-----M--	23	-	-	-	-	-	2	-	2	-	1	-	1	3	1	-	1	3	5	2	-	-	2	-	-	-	-
	F--	14	-	-	1	-	-	-	2	-	1	-	-	1	1	1	1	2	-	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	115	12	-	-	-	-	1	1	1	2	3	4	3	3	6	8	9	11	9	10	10	11	6	3	1	-	1
	White-----M--	51	8	-	-	-	-	1	-	-	1	-	-	1	1	2	2	-	6	2	6	6	6	5	2	1	-	1
	F--	57	4	-	-	-	-	-	1	1	1	2	4	1	2	4	5	8	4	5	4	4	5	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	139	-	-	-	-	1	-	1	-	1	4	7	6	13	18	16	19	13	13	7	12	6	1	-	-	-	1
	White-----M--	90	-	-	-	-	1	-	-	-	1	2	5	3	8	8	12	16	10	10	3	7	2	1	-	-	-	1
	F--	38	-	-	-	-	-	-	1	-	-	2	1	2	5	8	2	3	2	1	3	4	4	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	63	-	-	-	-	-	-	-	-	-	2	2	1	2	3	7	8	8	9	9	7	3	2	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	4	5	1	1	2	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	2	2	1	2	3	4	4	3	5	4	6	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	930	1	1	2	1	-	3	7	4	9	17	10	30	29	34	58	64	72	106	114	144	113	70	32	5	1	3
	White-----M--	449	1	1	1	1	-	2	3	1	5	7	3	9	11	12	25	32	36	59	55	68	64	34	14	3	1	1
	F--	361	-	-	-	-	-	1	2	3	4	7	5	15	9	11	18	22	28	34	48	64	40	30	16	2	-	2
	Nonwhite--M--	67	-	-	-	-	-	-	2	-	-	1	1	3	2	5	9	5	5	7	9	9	6	2	1	-	-	-
	F--	53	-	-	1	-	-	-	-	-	-	2	1	3	7	6	6	5	3	6	2	3	3	4	1	-	-	-
137	Diseases of the prostate--------	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	19	18	15	13	8	1	-	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	16	17	15	13	8	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
140-150	Diseases of pregnancy, etc.*----	60	-	-	-	-	-	-	-	7	14	16	7	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	57	-	-	-	-	-	-	-	6	13	15	7	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	15	-	-	-	-	-	-	-	-	5	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	14	-	-	-	-	-	-	-	-	4	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	20	-	-	-	-	-	-	-	5	1	6	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	-	-	-	-	-	-	-	4	1	5	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*----------	16	-	-	-	-	-	-	-	1	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	-	-	-	-	-	-	-	1	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	8	-	-	-	-	-	-	-	1	3	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	-	-	1	3	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	323	274	9	7	5	4	4	5	3	1	-	-	1	2	1	3	2	-	-	1	-	1	-	-	-	-	-
	White-----M--	169	145	5	4	1	2	2	4	-	1	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	F--	139	118	3	3	3	2	2	1	2	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	11	7	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,052	1,052	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	602	602	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	386	386	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth---	668	668	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	387	387	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	236	236	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	384	384	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	215	215	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	150	150	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	194	-	-	-	-	-	-	-	10	15	24	12	13	17	20	17	18	18	12	9	4	4	-	-	-	-	1
	White-----M--	153	-	-	-	-	-	-	-	4	9	18	10	11	11	17	17	13	15	12	8	4	3	-	-	-	-	1
	F--	37	-	-	-	-	-	-	-	5	5	5	2	2	6	3	-	5	3	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	151	3	1	-	-	-	1	-	9	20	20	20	22	11	11	8	15	3	3	1	1	-	-	-	-	-	2
	White-----M--	87	2	1	-	-	-	-	-	3	11	11	13	12	6	6	4	12	1	3	1	1	-	-	-	-	-	-
	F--	23	1	-	-	-	-	1	-	2	4	3	4	4	-	1	-	1	1	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	31	-	-	-	-	-	-	-	3	4	3	3	4	3	4	4	2	1	-	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	1	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
169-195	Accidental deaths	1,709	53	16	20	22	17	66	62	114	161	117	116	117	130	103	90	60	69	70	65	81	72	51	23	8	1	5
	White-----M--	1,187	24	11	5	13	10	41	46	91	133	99	92	96	97	80	75	48	44	49	24	43	31	19	10	4	-	2
	F--	397	27	5	12	8	7	22	12	18	18	13	18	9	18	8	5	8	13	16	36	35	39	31	13	4	1	1
	Nonwhite--M--	102	1	-	1	-	-	3	4	3	8	4	6	10	14	13	9	3	11	5	2	2	2	-	-	-	-	1
	F--	23	1	-	2	1	-	-	-	2	2	1	-	2	1	2	1	1	1	-	3	1	-	1	-	-	-	1
170	Motor-vehicle accidents-------	456	1	2	4	7	7	25	21	48	68	40	34	28	34	31	23	17	15	21	10	11	6	3	-	-	-	-
	White-----M--	340	-	-	-	2	3	14	16	39	54	30	26	22	25	27	17	13	10	19	6	10	4	3	-	-	-	-
	F--	92	1	2	4	5	4	10	4	8	10	8	7	5	5	3	3	3	3	1	4	1	1	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	1	1	-	2	1	1	1	3	1	2	1	2	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	1,253	52	14	16	15	10	41	41	66	93	77	82	89	96	72	67	43	54	49	55	70	66	48	23	8	1	5
	White-----M--	847	24	11	5	11	7	27	30	52	79	69	66	74	72	53	58	35	34	30	18	33	27	16	10	4	-	2
	F--	305	26	3	8	3	3	12	8	10	8	5	11	4	13	5	2	5	10	15	32	34	38	31	13	4	1	1
	Nonwhite--M--	84	1	-	1	-	-	2	3	3	6	3	5	9	11	12	7	2	9	4	2	2	1	-	-	-	-	1
	F--	17	1	-	2	1	-	-	-	1	-	-	-	2	-	2	-	1	1	-	3	1	-	1	-	-	-	1
182, 199, 200	Senility, ill-defined and unknown causes----	675	115	6	2	1	-	2	5	4	7	4	6	4	13	21	18	29	28	54	55	70	84	70	54	10	6	7
	White-----M--	363	60	5	1	1	-	1	3	1	5	1	-	2	11	11	10	19	19	34	32	36	37	35	27	3	5	4
	F--	262	49	1	-	-	-	1	1	3	1	3	5	2	2	2	2	2	8	6	15	20	30	44	33	27	5	1	1
	Nonwhite--M--	34	3	-	-	-	-	-	1	-	-	-	1	-	-	6	3	2	3	5	3	3	2	-	-	1	-	1
	F--	16	3	-	1	-	-	-	-	-	1	-	-	-	-	2	3	-	-	-	-	1	1	2	-	1	-	1
	All other causes-	1,043	93	19	19	8	12	34	15	22	37	33	52	44	59	57	64	72	77	96	70	65	53	25	9	4	1	3
	White-----M--	525	44	8	12	4	6	15	8	10	22	12	26	24	31	28	36	42	38	56	34	22	29	10	5	2	-	1
	F--	437	44	9	7	4	6	18	6	10	14	16	24	10	19	24	23	26	33	34	29	38	23	15	3	2	-	-
	Nonwhite--M--	52	5	-	-	-	-	-	1	1	1	1	1	6	3	4	5	3	4	4	5	4	1	-	1	-	-	2
	F--	29	-	2	-	-	-	1	-	1	-	4	1	4	6	1	-	1	2	2	2	1	-	-	-	-	1	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																										
	ALL CAUSES-------	32,564	2,148	164	86	54	50	181	162	305	350	336	412	528	840	1,119	1,751	2,323	3,131	3,484	3,977	4,264	3,646	2,264	806	167	13	3
	White-----M--	16,405	1,213	102	41	32	31	105	101	198	240	201	240	308	489	684	1,069	1,429	1,902	2,065	2,218	2,276	1,916	1,108	373	58	2	3
	F--	13,769	878	57	45	18	18	74	61	96	103	114	150	208	327	411	645	865	1,199	1,393	1,732	1,971	1,716	1,143	427	108	10	-
	Nonwhite--M--	227	35	2	-	3	-	2	-	7	3	12	4	7	14	11	25	22	18	15	19	8	7	8	4	-	1	-
	F--	163	22	3	-	1	1	-	-	4	4	9	18	5	10	13	12	7	12	11	7	9	7	5	2	1	-	-
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	13	5	1	1	-	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	8	2	1	1	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	14	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	4	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	474	2	6	1	1	1	1	2	9	21	24	37	31	43	49	41	40	57	40	31	16	14	6	-	-	1	-
	White-----M--	289	-	4	-	-	-	1	1	2	3	6	19	17	20	33	30	30	46	33	20	8	11	4	-	-	1	-
	F--	161	2	2	1	-	1	-	-	5	15	14	13	13	20	15	10	8	11	7	11	7	3	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-
	F--	17	-	-	-	1	-	-	-	2	2	4	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	440	2	5	-	1	-	1	1	9	19	20	32	30	39	43	38	39	56	39	30	16	13	6	-	-	1	-
	White-----M--	276	-	3	-	-	-	1	-	2	3	5	18	17	18	30	29	30	45	32	19	8	11	4	-	-	1	-
	F--	144	2	2	-	-	-	-	1	5	13	13	10	12	18	13	8	7	11	7	11	7	2	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-
	F--	13	-	-	-	1	-	-	-	2	2	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	34	-	1	1	-	1	-	1	-	2	4	5	1	4	6	3	1	1	1	1	-	1	-	-	-	-	-
	White-----M--	13	-	1	-	-	-	-	1	-	-	1	1	-	2	3	1	-	1	1	1	-	-	-	-	-	-	-
	F--	17	-	-	1	-	1	-	-	-	2	1	3	1	2	2	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	146	2	-	-	-	-	-	-	-	-	1	2	4	2	9	19	19	38	21	10	12	4	2	-	-	-	-
	White-----M--	101	2	-	-	-	-	-	-	-	-	1	-	2	2	6	13	14	31	14	6	8	1	1	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	1	2	-	2	5	5	5	5	3	4	2	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35	Measles----------	16	1	5	1	2	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	1	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	92	-	2	2	1	6	27	17	11	5	7	9	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-
	White-----M--	57	-	1	-	1	5	15	9	7	4	6	6	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	35	-	1	2	-	1	12	8	4	1	1	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
45-55	Cancer and other malignant tumors	5,001	2	3	4	2	3	7	13	16	16	21	52	98	148	222	403	552	685	695	719	651	421	200	59	9	-	-
	White——M—	2,598	2	3	-	1	2	5	7	9	11	8	15	37	54	96	173	268	344	400	405	376	241	103	36	2	-	-
	F—	2,361	-	-	4	1	1	2	6	7	5	11	34	61	90	126	221	280	337	289	312	270	180	94	23	7	-	-
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	4	3	5	2	1	-	2	-	-	-	-
	F—	19	-	-	-	-	-	-	-	-	-	2	3	-	1	-	6	-	1	1	-	4	-	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum—	2,429	-	-	-	-	-	1	2	2	4	4	14	31	57	76	149	258	328	350	403	390	226	112	29	3	-	-
	White——M—	1,390	-	-	-	-	-	1	2	1	3	2	9	16	31	42	87	144	187	218	241	220	119	48	18	1	-	-
	F—	1,015	-	-	-	-	-	-	-	1	1	2	4	15	24	34	56	113	137	127	161	158	107	62	11	2	-	-
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	5	1	-	-	1	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	2	-	1	-	-	-	-
48,49	Cancer of female genital organs—	510	-	-	-	-	-	-	-	-	1	3	16	23	25	40	68	67	89	55	54	37	21	8	3	-	-	-
	White——F—	503	-	-	-	-	-	-	-	-	1	2	14	23	24	40	67	67	89	55	54	35	21	8	3	-	-	-
	Nonwhite—F—	7	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-
50	Cancer of breast—	451	-	-	-	-	-	-	-	-	-	5	9	15	28	33	63	59	62	52	51	37	22	7	6	2	-	-
	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F—	446	-	-	-	-	-	-	-	-	-	4	9	15	28	33	62	59	62	50	51	37	21	7	6	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	1,611	2	3	4	2	3	6	11	14	11	9	13	29	38	73	123	168	206	238	211	197	152	73	21	4	-	-
	White——M—	1,206	2	3	-	1	2	4	5	8	8	6	6	21	23	54	86	124	157	181	164	156	121	55	18	1	-	-
	F—	397	-	-	4	1	1	2	6	6	3	3	7	8	14	19	36	41	49	57	46	40	31	17	3	3	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	1	-	1	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
59	Acute rheumatic fever—	17	-	-	-	-	-	4	4	2	-	-	-	-	2	-	1	1	1	-	1	1	-	-	-	-	-	-
	White——M—	11	-	-	-	-	-	3	2	-	-	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,064	-	-	-	-	-	5	1	4	9	8	13	12	19	16	58	108	146	171	200	160	101	28	4	1	-	-
	White——M—	410	-	-	-	-	-	1	-	1	5	3	8	8	12	8	28	45	49	54	75	63	37	10	3	-	-	-
	F—	641	-	-	-	-	-	4	1	3	4	5	5	4	7	7	28	60	95	117	124	97	60	18	1	1	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	3	-	-	-	-	-
63b	Exophthalmic goiter—	77	-	-	-	-	-	-	-	1	1	1	2	-	3	6	11	6	12	13	13	5	2	1	-	-	-	-
	White——M—	11	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	3	-	1	-	-	-	-	-	-	-
	F—	65	-	-	-	-	-	-	-	-	1	1	1	-	3	4	8	5	9	13	12	5	2	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)—	39	-	-	-	-	-	-	-	-	1	2	-	1	8	5	5	5	7	3	1	1	-	-	-	-	-	-
	White——M—	35	-	-	-	-	-	-	-	-	1	2	-	1	8	5	4	3	6	3	1	1	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	3,222	5	-	2	-	1	2	4	4	3	5	17	16	46	76	130	207	309	399	554	565	504	269	89	15	-	-
	White——M—	1,562	3	-	1	-	-	2	1	4	3	5	7	9	19	36	59	101	143	200	267	292	250	121	34	5	-	-
	F—	1,634	2	-	1	-	1	-	3	-	-	-	8	7	26	38	68	103	160	197	285	271	254	145	55	10	-	-
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	5	1	2	2	-	2	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	1	-	-	-	1	-	-	-	-
90-95	Diseases of the heart—	11,201	1	-	-	1	1	1	8	10	25	37	51	106	183	326	583	763	1,151	1,399	1,650	1,807	1,658	1,006	364	62	6	2
	White——M—	6,627	1	-	-	1	1	1	5	6	14	23	34	78	132	230	433	548	796	880	980	927	859	467	166	22	1	2
	F—	4,487	-	-	-	-	-	-	3	3	11	12	17	25	45	91	140	205	346	508	656	874	796	516	195	39	5	-
	Nonwhite—M—	48	-	-	-	-	-	-	-	-	-	2	-	2	3	2	9	6	4	5	8	2	1	2	2	-	-	-
	F—	39	-	-	-	-	-	-	-	1	-	-	-	1	3	3	1	4	5	6	6	4	2	1	1	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart—	603	-	-	-	1	1	-	5	8	17	21	17	28	31	52	56	34	67	64	57	63	38	28	12	4	-	1
	White——M—	337	-	-	-	1	1	-	4	5	10	12	10	14	20	31	37	20	44	33	30	30	24	7	2	1	-	1
	F—	260	-	-	-	-	-	-	1	2	7	8	7	13	11	20	19	13	23	31	26	33	14	19	10	3	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris—	3,716	-	-	-	-	-	-	1	-	-	4	18	52	97	169	319	412	520	551	528	461	356	179	46	3	-	-
	White——M—	2,654	-	-	-	-	-	-	-	-	-	2	16	49	82	140	268	337	402	362	370	270	205	103	26	2	-	-
	F—	1,039	-	-	-	-	-	-	1	-	-	2	2	2	14	28	45	71	116	167	155	190	150	75	20	1	-	-
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	3	1	2	2	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-
90a, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)—	6,002	1	-	-	-	-	1	2	2	8	12	16	26	55	105	208	317	564	784	1,065	1,283	1,264	801	306	55	6	1
	White——M—	3,636	1	-	-	-	-	1	1	1	4	9	8	15	30	59	128	191	350	465	580	627	630	377	138	19	1	1
	F—	3,188	-	-	-	-	-	-	1	1	4	2	8	10	20	43	76	121	207	310	475	651	632	422	165	35	5	-
	Nonwhite—M—	30	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	3	3	6	2	1	2	2	-	-	-
	F—	28	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	4	6	4	3	1	-	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
97, 102	Arteriosclerosis and high blood pressure*------	591	-	-	-	-	-	-	-	-	-	-	2	2	2	2	8	10	14	33	59	103	134	136	67	18	1	-
	White-----M--	332	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	7	9	15	37	67	78	71	33	6	-	-
	F--	258	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	3	5	18	22	36	55	65	34	12	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza------	967	189	26	10	3	5	3	5	8	7	6	17	14	23	30	37	42	43	61	71	112	115	99	27	14	1	-
	White-----M--	553	116	14	4	3	3	3	2	5	4	3	9	9	14	18	21	30	32	45	39	64	64	35	9	7	-	-
	F--	391	65	11	6	-	2	-	3	3	3	3	4	3	9	11	13	10	11	16	29	48	51	64	18	7	1	-
	Nonwhite--M--	16	5	-	-	-	-	-	-	-	-	-	2	1	-	1	2	2	-	-	3	-	-	-	-	-	-	-
	F--	7	2	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia-	498	130	16	4	3	4	3	2	2	1	2	9	6	8	13	10	13	16	26	29	46	59	71	16	8	1	-
	White-----M--	281	81	10	1	3	2	3	1	2	1	1	4	3	5	7	5	8	11	19	17	27	33	27	6	4	-	-
	F--	208	46	6	3	-	2	-	1	-	-	1	3	1	3	6	5	5	5	7	10	19	26	44	10	4	1	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	332	29	3	1	-	1	-	2	4	3	4	6	5	10	15	19	19	22	32	36	54	43	13	8	3	-	-
	White-----M--	197	19	-	-	-	1	-	1	2	2	2	3	4	7	9	11	16	18	23	19	31	23	4	2	-	-	-
	F--	125	8	2	1	-	-	-	1	2	1	2	1	1	3	5	6	2	4	9	16	23	20	9	6	3	-	-
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	57	15	1	2	-	-	-	1	-	1	-	1	-	3	1	5	6	2	1	2	2	6	5	1	2	-	-
	White-----M--	34	9	-	1	-	-	-	-	-	-	-	1	-	2	1	3	4	1	1	1	1	5	2	-	2	-	-
	F--	23	6	1	1	-	-	-	1	-	1	-	-	-	1	-	2	2	1	-	1	1	1	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza--------	80	14	6	3	-	-	-	-	2	2	-	1	3	2	1	3	4	3	2	4	10	7	10	2	1	-	-
	White-----M--	41	7	4	2	-	-	-	-	1	1	-	1	2	-	1	2	2	2	2	2	5	3	2	1	1	-	-
	F--	35	5	2	1	-	-	-	-	1	1	-	-	1	2	-	-	1	1	-	2	5	4	8	1	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	212	1	-	-	-	-	-	-	1	-	1	4	6	18	19	20	27	25	35	21	20	6	7	1	-	-	-
	White-----M--	177	1	-	-	-	-	-	-	-	-	1	4	3	13	17	19	23	21	29	17	18	5	5	1	-	-	-
	F--	35	-	-	-	-	-	-	-	1	-	-	-	3	5	2	1	4	4	6	4	2	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	106	59	10	1	1	1	1	1	-	3	3	1	1	3	3	2	4	3	1	1	4	2	1	-	-	-	-
	White-----M--	67	39	5	1	1	1	1	1	-	2	2	1	1	2	2	1	3	-	1	-	-	2	1	-	-	-	-
	F--	35	17	5	-	-	-	-	-	-	1	1	-	-	1	1	1	1	3	-	1	3	-	-	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	99	2	2	-	3	2	3	3	7	6	1	6	3	3	9	4	6	13	9	5	9	3	-	-	-	-	-
	White-----M--	62	-	1	-	2	1	3	1	3	3	1	6	2	1	7	4	3	9	6	2	5	2	-	-	-	-	-
	F--	35	1	1	-	1	1	-	2	3	3	-	-	1	2	2	-	3	4	3	3	4	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	244	8	4	1	2	1	3	3	4	2	3	2	1	12	7	14	18	19	28	25	28	32	19	5	3	-	-
	White-----M--	137	6	3	1	2	1	2	-	3	2	1	2	-	8	5	6	11	10	17	11	19	14	10	2	1	-	-
	F--	102	2	1	-	-	-	1	3	1	-	1	-	1	4	2	8	5	9	11	14	9	16	9	3	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	346	-	-	-	-	-	-	1	1	1	3	6	20	25	35	41	46	56	32	28	31	16	4	-	-	-	-
	White-----M--	236	-	-	-	-	-	-	1	-	1	2	4	11	15	24	24	39	44	23	21	17	9	1	-	-	-	-
	F--	106	-	-	-	-	-	-	-	1	-	1	2	9	9	11	15	7	11	9	7	14	7	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	207	-	-	-	-	-	-	-	-	2	1	2	6	9	9	16	27	35	22	25	28	16	8	1	-	-	-
	White-----M--	73	-	-	-	-	-	-	-	-	1	-	-	1	3	3	9	8	11	7	10	13	5	1	1	-	-	-
	F--	131	-	-	-	-	-	-	-	-	1	1	2	5	5	5	7	19	24	15	15	15	10	7	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
130-132	Nephritis--------	1,480	2	2	2	1	-	2	6	10	9	6	18	21	41	51	67	108	145	158	163	273	194	145	45	10	1	-
	White-----M--	819	2	2	-	-	-	2	2	6	4	2	8	12	20	29	39	62	87	93	71	145	115	89	26	3	-	-
	F--	649	-	-	2	1	-	-	4	4	5	4	10	9	19	19	27	45	57	64	92	126	78	55	19	7	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	1	-	-	-	-
137	Diseases of the prostate--------	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	20	20	40	41	35	15	7	1	-	-
	White-----M--	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	20	20	40	41	35	14	7	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
140-150	Diseases of pregnancy, etc.*----	87	-	-	-	-	-	-	-	4	20	21	13	19	10	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	82	-	-	-	-	-	-	-	4	18	20	11	19	10	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	21	-	-	-	-	-	-	-	1	5	6	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	-	-	-	-	-	-	-	1	5	6	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	23	-	-	-	-	-	-	-	1	9	7	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	23	-	-	-	-	-	-	-	1	9	7	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*----------	38	-	-	-	-	-	-	-	1	4	8	9	11	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	34	-	-	-	-	-	-	-	1	2	7	8	11	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	5	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	490	395	20	17	4	2	6	8	9	3	1	4	5	7	8	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	265	214	10	9	2	1	3	4	5	2	1	3	3	2	6	-	-	-	-	-	-	-	-	-	-	-
	F--	216	173	10	8	2	1	3	4	4	1	-	1	2	5	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	1,277	1,277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	706	706	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	539	539	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	784	784	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	423	423	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	339	339	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	493	493	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-----M--	283	283	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	200	200	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	403	-	-	-	-	-	-	1	9	12	19	25	19	38	40	53	52	43	35	28	14	9	5	-	1	-	-
	White-----M--	311	-	-	-	-	-	-	1	5	10	17	21	11	29	29	37	40	36	31	21	10	7	5	-	1	-	-
	F--	91	-	-	-	-	-	-	-	4	2	2	4	8	9	10	16	12	7	4	7	4	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---------	29	1	-	-	-	-	-	-	4	3	6	3	2	3	1	4	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	18	1	-	-	-	-	-	-	2	2	1	2	2	3	1	3	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,389	77	46	25	21	12	68	62	164	166	116	93	88	102	91	108	120	141	140	133	186	200	160	67	12	-	1
	White-----M--	1,630	52	31	16	12	9	37	48	127	149	95	68	74	88	69	88	90	109	103	82	93	90	68	28	3	-	1
	F--	718	24	14	9	8	2	29	14	33	17	16	14	9	9	17	19	29	29	36	49	93	110	92	37	9	-	-
	Nonwhite--M--	31	-	1	-	1	-	2	-	4	-	4	-	3	4	5	1	1	2	-	2	-	-	-	1	-	-	-
	F--	10	1	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	1	1	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents-------	842	8	10	6	8	4	37	20	118	127	65	42	38	47	37	35	48	56	45	34	31	14	11	-	-	-	1
	White-----M--	664	5	6	4	5	3	27	13	89	115	54	36	30	40	24	27	32	48	35	28	24	10	8	-	-	-	1
	F--	163	3	4	2	2	-	10	7	27	12	10	5	6	5	12	8	15	6	9	6	7	4	3	-	-	-	-
	Nonwhite--M--	10	-	-	-	1	-	-	-	2	-	1	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
189, 171-195	Other accidents--	1,547	69	36	19	13	8	31	42	46	39	51	41	50	55	54	73	72	85	95	89	155	186	149	67	12	-	-
	White-----M--	966	47	25	12	7	6	10	35	38	34	41	32	44	48	45	61	58	61	68	54	89	80	60	28	3	-	-
	F--	555	21	10	7	6	2	19	7	6	5	6	9	3	4	5	11	14	23	27	43	86	106	89	37	9	-	-
	Nonwhite--M--	21	-	1	-	-	-	2	-	2	-	3	-	2	2	4	1	-	1	-	2	-	-	-	1	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	337	14	1	-	-	-	-	-	-	3	5	-	1	4	6	7	9	7	14	26	43	60	72	47	17	1	-
	White-----M--	176	7	1	-	-	-	-	-	-	1	3	-	-	2	5	6	5	5	9	15	27	33	34	17	6	-	-
	F--	158	7	-	-	-	-	-	-	-	2	2	-	1	2	1	1	3	2	5	10	16	27	38	29	11	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other causes-	1,728	95	32	18	11	13	40	21	27	31	37	43	51	65	97	116	144	159	155	173	153	119	79	23	4	2	-
	White-----M--	934	56	24	8	7	6	20	14	12	18	18	23	25	38	49	61	91	89	82	97	81	57	47	10	1	-	-
	F--	769	37	7	10	4	7	20	7	13	12	19	17	25	46	46	51	52	70	70	76	72	61	30	13	3	1	-
	Nonwhite--M--	16	2	-	-	-	-	-	-	2	1	-	1	-	1	1	4	1	-	1	-	-	-	1	-	-	1	-
	F--	9	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	2	-	-	1	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	ALL CAUSES-------	2,385	293	38	7	9	6	27	15	37	55	42	45	57	74	94	135	179	189	209	241	232	154	109	40	12	2	4
	White-----M--	1,465	142	22	3	4	4	15	12	24	32	25	24	28	48	64	97	130	131	181	162	143	84	51	28	8	1	2
	F--	828	123	9	2	3	1	10	2	11	18	11	18	27	24	30	34	45	55	103	74	86	70	55	12	4	1	-
	Nonwhite--M--	58	15	5	-	2	-	1	1	1	4	3	2	2	1	-	1	3	2	5	5	2	-	3	-	-	-	-
	F--	34	13	2	2	-	1	1	-	1	1	3	1	-	1	-	3	1	1	-	-	1	-	-	-	-	-	2
1,2	Typhoid and paratyphoid fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	30	-	2	-	2	-	2	-	1	1	3	-	5	3	2	2	4	2	1	-	-	-	-	-	-	-	-
	White-----M--	13	-	1	-	1	-	-	-	-	-	-	-	1	3	1	1	4	1	-	-	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	1	-	-	-	1	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	1	-	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	22	-	-	-	-	-	-	-	1	1	3	-	5	2	2	2	3	2	1	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---	8	-	2	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis---------	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	7	1	2	1	3	1	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	1	2	1	3	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles----------	11	2	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)---	8	-	-	-	-	-	1	2	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																										
45-55	Cancer and other malignant tumors	254	-	-	-	1	-	-	-	1	1	2	4	5	9	13	24	34	30	48	35	31	7	7	2	-	-	-
	White------M--	129	-	-	-	1	-	-	-	1	-	1	-	1	1	5	13	18	17	25	20	17	5	3	1	-	-	-
	F--	119	-	-	-	-	-	-	-	-	-	-	3	4	8	8	11	16	12	23	13	14	2	4	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	Cancer of the digestive organs and peritoneum--	114	-	-	-	-	-	-	-	-	-	1	-	1	4	4	9	19	13	25	14	15	2	5	2	-	-	-
	White------M--	56	-	-	-	-	-	-	-	-	-	-	-	1	1	3	7	12	6	8	7	7	1	2	1	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	7	6	17	6	8	1	3	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	21	-	-	-	-	-	-	-	-	-	-	3	1	2	1	5	4	1	2	-	2	-	-	-	-	-	-
	White------F--	21	-	-	-	-	-	-	-	-	-	-	3	1	2	1	5	4	1	2	-	2	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast-	27	-	-	-	-	-	-	-	-	-	-	-	3	2	4	3	3	3	1	4	3	-	1	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	-	-	3	2	4	3	3	3	1	4	3	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)----------	92	-	-	-	1	-	-	-	1	1	1	1	-	1	4	7	8	13	20	17	11	5	1	-	-	-	-
	White------M--	73	-	-	-	1	-	-	-	1	-	1	-	-	-	2	6	6	11	17	13	10	4	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	3	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever----------	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	47	-	-	-	-	-	-	1	-	1	1	1	1	1	-	4	3	9	6	4	6	7	1	-	-	-	1
	White------M--	22	-	-	-	-	-	-	1	-	-	-	-	1	-	-	4	3	2	1	2	4	4	-	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	7	5	2	2	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
63b	Exophthalmic goiter----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White------M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)------	13	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	1	1	2	-	-	-	-	-	-	-
	White------M--	11	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	1	1	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin----	171	-	-	-	-	-	-	-	-	1	2	2	1	4	4	12	14	18	22	28	27	19	15	2	-	-	-
	White------M--	90	-	-	-	-	-	-	-	-	-	1	1	-	1	2	8	9	10	9	16	16	7	10	-	-	-	-
	F--	79	-	-	-	-	-	-	-	-	1	1	1	1	3	2	3	5	8	13	11	11	12	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart----------	678	1	-	-	-	-	3	-	4	6	1	5	11	17	29	36	68	59	117	103	93	56	43	19	4	1	2
	White------M--	476	1	-	-	-	-	2	-	3	3	-	3	6	15	24	31	57	48	85	69	64	28	19	15	3	1	1
	F--	189	-	-	-	-	-	1	-	1	2	1	2	5	2	5	4	10	11	30	32	27	28	23	4	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	2	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart----------	36	-	-	-	-	-	1	-	2	3	1	3	3	-	2	2	3	1	5	6	3	-	1	-	-	-	-
	White------M--	25	-	-	-	-	-	1	-	1	1	-	3	2	-	1	2	3	1	3	5	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	2	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris---------	231	-	-	-	-	-	-	-	-	2	-	1	3	9	17	19	33	26	49	31	20	13	5	2	1	-	-
	White------M--	181	-	-	-	-	-	-	-	-	2	-	-	1	7	17	17	28	23	35	24	15	7	3	1	1	-	-
	F--	46	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	4	3	14	6	5	6	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d,e, 93a,b, d,e, 95a,c	Diseases of the heart (other forms)----------	411	1	-	-	-	-	2	-	2	1	-	1	5	8	10	15	32	32	63	66	70	43	37	17	3	1	2
	White------M--	270	1	-	-	-	-	1	-	2	-	-	-	3	6	6	12	26	24	47	40	47	21	16	14	2	1	1
	F--	133	-	-	-	-	-	1	-	-	1	-	1	2	1	4	3	6	8	14	25	21	22	20	3	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																											
97, 102	Arteriosclerosis and high blood pressure*-------	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	9	2	13	1	3	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	7	-	3	1	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	10	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-------	120	45	8	4	-	-	1	-	1	1	1	1	2	2	4	5	3	-	12	7	10	6	4	1	2	-	-
	White-----M--	64	19	3	2	-	-	-	-	1	-	1	-	1	2	2	3	2	-	6	7	6	4	3	1	1	-	-
	F--	38	13	3	1	-	-	-	-	-	1	-	1	1	-	2	2	1	-	6	-	3	2	1	-	1	-	-
	Nonwhite--M--	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107	Bronchopneumonia-	48	29	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	2	4	1	-	1	-	-
	White-----M--	18	10	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-
	F--	18	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	2	-	-	1	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia--	40	5	2	1	-	-	1	-	-	-	-	-	1	2	2	4	2	-	7	5	4	2	2	-	-	-	-
	White-----M--	29	3	1	1	-	-	-	-	-	-	-	-	1	2	-	3	2	-	5	5	2	2	2	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	2	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)------	24	10	4	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	1	-	4	-	-	-	-	-	-
	White-----M--	12	5	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-
	F--	9	4	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
33	Influenza-------	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	1	1	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	19	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	6	3	1	-	1	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	2	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*------	16	12	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	7	-	-	-	-	-	1	-	1	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-	24	2	-	-	-	-	-	-	1	-	1	1	1	2	-	3	-	4	2	2	1	1	2	1	-	-	-
	White-----M--	11	1	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	2	-	-	1	1	-	-	-
	F--	11	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	2	2	-	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver----------	27	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	4	3	7	4	2	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	4	3	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	3	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*----------	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	-	2	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis--------	158	-	-	-	-	-	-	-	2	1	-	2	1	3	3	5	10	12	17	22	22	21	12	4	1	-	-
	White-----M--	72	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	5	7	9	14	8	13	6	3	1	-	-
	F--	63	-	-	-	-	-	-	-	1	1	-	2	1	1	2	3	5	4	7	8	14	8	5	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate-------	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	4	1	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	4	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																											
140-150	Diseases of pregnancy, etc.*----	8	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	8	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia------	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*---------	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e,f, 145B, 150	Other puerperal causes----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---	42	33	1	1	-	-	3	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White----M--	25	20	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	17	13	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	49	49	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year------	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White----M--	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide----------	38	-	-	-	-	-	-	-	1	2	3	4	1	4	7	2	3	5	2	2	2	-	-	-	-	-	-
	White----M--	30	-	-	-	-	-	-	-	1	1	3	1	1	2	6	2	3	4	2	2	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	3	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide----------	12	-	-	-	-	-	-	-	-	2	1	1	-	3	1	1	-	-	2	-	1	-	-	-	-	-	-
	White----M--	7	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	290	15	14	1	4	3	11	8	17	32	20	16	18	16	10	13	14	18	23	9	10	8	4	3	2	-	1
	White----M--	223	6	12	1	1	3	7	8	13	26	16	16	13	15	8	12	11	13	17	6	7	4	2	3	2	-	1
	F--	60	7	1	-	3	-	4	-	4	6	3	-	5	1	2	1	1	5	5	3	3	4	2	-	-	-	-
	Nonwhite--M--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents-------	112	2	4	1	-	1	7	2	12	15	11	6	5	8	6	3	5	7	9	3	2	-	1	1	1	-	-
	White----M--	83	-	3	1	-	1	4	2	9	12	8	6	2	7	4	2	3	5	6	3	2	-	1	1	1	-	-
	F--	27	2	1	-	-	-	3	-	3	3	3	-	3	1	2	1	-	2	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	178	13	10	-	4	2	4	6	5	17	9	10	13	8	4	10	9	11	14	6	8	8	3	2	1	-	1
	White----M--	140	6	9	-	1	2	3	6	4	14	8	10	11	8	4	10	8	8	11	3	5	4	1	2	1	-	1
	F--	33	5	-	-	3	-	1	-	1	3	-	-	2	-	-	-	1	3	2	3	3	4	2	-	-	-	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes----	42	7	1	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	2	4	13	3	5	-	1	-
	White----M--	21	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	2	8	1	1	-	-	-
	F--	20	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	5	2	4	-	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes-	141	14	3	-	1	2	4	2	4	3	4	4	6	4	12	12	9	8	19	10	11	5	3	1	-	-	-
	White----M--	82	5	2	-	1	1	4	1	1	-	2	1	3	3	9	8	5	6	12	8	6	2	1	1	-	-	-
	F--	52	7	1	-	-	1	-	-	2	2	1	3	3	1	3	3	4	2	7	2	5	3	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,444,337	725,818	544,771	95,113	78,635	26,620	9,010	6,512	5,886	5,212
	I.—Infectious and parasitic diseases	73,016	35,236	18,227	11,553	8,000	1,894	491	333	597	473
1	Typhoid fever	205	84	55	41	25	5	2	1	1	1
2	Paratyphoid fever	28	15	6	3	4	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	55	27	18	4	6	2	-	1	-	1
6	Cerebrospinal (meningococcus) meningitis	873	420	329	73	51	32	11	10	9	2
7	Anthrax (infection by Bacillus anthracis)	5	1	3	1	-	-	-	-	-	-
8	Scarlet fever	68	32	31	5	-	3	3	-	-	-
9	Whooping cough	1,146	354	397	183	212	59	12	17	17	13
10	Diphtheria (infection by C. diphtheriae)	634	289	228	63	54	39	15	11	8	5
11	Erysipelas	89	29	34	1	5	3	3	-	-	-
12	Tetanus	506	194	115	126	71	27	3	8	7	9
13-22	Tuberculosis (all forms)	43,833	21,616	10,134	6,936	5,147	1,022	266	171	237	288
13	Tuberculosis of respiratory system, etc.*	40,420	20,354	9,187	6,239	4,640	937	250	159	266	262
14	Tuberculosis of meninges, etc.*	1,048	378	320	205	145	31	6	7	10	8
15	Tuberculosis of intestines and peritoneum	382	96	127	76	83	16	4	-	6	6
16	Tuberculosis of vertebral column	399	149	120	89	41	8	1	-	5	2
17	Tuberculosis of bones and joints, etc.*	101	55	26	12	8	4	1	-	1	2
18	Tuberculosis of skin, etc.*	18	7	8	2	1	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	66	20	21	11	14	1	1	-	-	-
20	Tuberculosis of genito-urinary system	327	200	101	18	8	1	-	1	-	-
21	Tuberculosis of other organs	101	51	25	18	7	1	-	-	1	-
22	Disseminated tuberculosis	971	306	199	266	200	23	3	4	8	8
23	Leprosy	21	15	3	1	2	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	496	227	179	46	44	16	2	5	4	5
25	Gonococcus infection	71	9	11	16	35	4	-	2	-	2
26	Other diseases due to bacteria (except dysentery)	46	19	6	11	10	1	1	-	-	-
27	Dysentery	1,078	486	414	102	76	28	6	12	7	3
28	Malaria	170	61	33	38	38	16	2	2	9	3
29	Other diseases due to parasitic protozoa, etc.*	38	20	11	2	5	2	2	-	-	-
30	Syphilis (all forms)	11,616	5,598	1,880	2,878	1,262	287	50	11	153	73
30a	Locomotor ataxia (tabes dorsalis)	375	270	59	38	8	6	2	1	3	-
30b	General paralysis of insane	2,913	1,378	450	819	266	77	10	1	22	4
30d	Aneurysm of aorta	3,639	2,079	624	683	253	60	18	1	28	13
30f	Congenital syphilis	505	110	87	181	127	26	1	1	14	10
30c,e,g	Syphilis (other forms)	4,184	1,761	660	1,155	608	158	19	7	86	46
31	Relapsing fever	1	1	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	370	197	133	23	17	5	3	2	-	-
33	Influenza	5,088	1,913	1,849	643	663	255	70	57	78	50
34	Smallpox	5	3	1	-	1	-	-	-	-	-
35	Measles	888	382	376	59	71	14	6	4	1	3
36	Poliomyelitis and polioencephalitis (acute)	1,895	1,088	711	55	41	16	6	7	1	2
37	Acute infectious encephalitis (lethargic)	570	315	200	30	25	5	2	1	-	2
38	Other diseases due to filtrable viruses	164	85	52	19	8	3	2	1	-	-
39	Typhus fever and typhus-like diseases*	177	94	55	15	13	14	5	4	2	3
40	Ankylostomiasis	6	4	1	1	-	1	1	-	-	-
41	Hydatid disease	12	11	1	-	-	-	-	-	-	-
42	Other diseases caused by helminths	54	23	18	4	9	1	-	-	-	1
43	Mycoses	381	187	102	63	29	5	1	1	-	3
44	Other infectious and parasitic diseases	2,467	1,437	841	113	76	29	17	5	3	4
	II.—Cancer and other tumors	202,386	92,695	93,663	7,217	8,811	2,773	893	1,057	340	483
45-55	Cancer and other malignant tumors	197,042	90,842	90,917	7,002	8,181	2,653	871	1,010	326	446
45	Cancer of buccal cavity and pharynx	5,712	4,261	1,046	297	108	94	51	26	7	10
45a	Cancer of lip	568	511	45	11	1	8	8	-	-	-
45b	Cancer of tongue	1,395	1,042	254	76	23	15	8	4	1	2
45c	Cancer of mouth	834	608	170	38	18	15	8	4	1	2
45d	Cancer of jaw bone	620	568	178	44	30	24	6	11	3	4
45e	Cancer of unspecified parts of buccal cavity	101	72	27	1	1	2	1	1	-	-
45f	Cancer of pharynx	1,994	1,460	372	127	35	30	20	6	2	2
46	Cancer of digestive organs and peritoneum	85,056	43,126	35,785	3,577	2,568	991	351	356	171	113
46a	Cancer of esophagus	3,691	2,575	678	342	86	40	13	15	10	2
46b	Cancer of stomach	26,215	14,717	9,022	1,604	872	346	119	95	89	43
46c	Cancer of duodenum	338	189	131	9	9	4	1	1	1	1
46d	Cancer of rectum and anus	10,834	5,881	4,290	319	344	87	33	33	9	12
46e	Cancer of intestines, etc.*	22,860	9,895	11,822	527	616	241	80	119	22	20
46f	Cancer of liver and biliary passages	10,598	4,384	5,492	382	340	155	53	58	21	23
46g	Cancer of pancreas	8,234	4,458	3,271	295	210	89	40	26	16	7
46h	Cancer of mesentery and peritoneum	1,409	652	680	38	38	17	9	3	1	4
46m	Cancer of other and unspecified sites	887	375	399	61	52	12	3	6	2	1
47	Cancer of respiratory system	18,970	14,221	3,602	892	255	240	158	49	26	7
47a	Cancer of larynx	1,868	1,598	154	96	20	29	18	3	7	1
47b	Cancer of trachea	70	50	15	3	2	1	-	1	-	-
47c,d	Cancer of bronchus and lung	16,331	12,131	3,220	760	220	204	136	44	18	6
47e	Cancer of pleura	119	56	56	3	4	-	-	-	-	-
47f	Cancer of other respiratory organs	582	386	157	30	9	6	4	1	1	-
48	Cancer of uterus	17,120	...	14,458	...	2,662	406	...	217	...	189
48a	Cancer of cervix	7,983	...	6,674	...	1,309	197	...	103	...	94
48b	Cancer of other and unspecified sites of uterus	9,137	...	7,784	...	1,353	209	...	114	...	95
49	Cancer of other female genital organs	6,142	...	5,785	...	357	65	...	53	...	12
49a,b	Cancer of ovary, fallopian tube, and parametrium	5,326	...	5,037	...	289	56	...	46	...	10
49c-e	Cancer of other female genital organs	816	...	748	...	68	9	...	7	...	2
50	Cancer of breast	19,162	209	17,686	25	1,242	227	2	150	-	75
51	Cancer of male genital organs	12,764	11,677	...	1,087	...	186	116	...	70	...
51b	Cancer of prostate	11,758	10,759	...	999	...	172	106	...	66	...
51a,c-e	Cancer of other male genital organs	1,006	918	...	88	...	14	10	...	4	...
52	Cancer of urinary organs	9,783	6,087	3,115	350	251	95	46	27	16	6
52a	Cancer of kidney	3,342	2,012	1,156	110	64	23	12	8	1	2
52b	Cancer of bladder	6,278	3,983	1,882	233	180	70	34	17	15	4
52c	Cancer of other and unspecified sites	163	72	77	7	7	2	-	2	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,586	3,555	2,067	544	420	15,224	6,478	4,335	2,372	2,039	98,905	54,993	38,776	3,161	1,975	12,582	7,165	5,131	172	114	
813	402	205	110	96	1,197	435	282	252	228	5,400	3,187	1,473	509	231	632	401	197	24	10	
3	-	-	3	-	7	5	2	-	-	11	6	3	1	1	1	-	1	-	-	1
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	-	1	-	1	1	1	-	-	-	1	-	1	-	-	1	-	1	-	-	5
3	1	2	-	-	7	4	1	1	1	62	35	22	3	2	10	4	6	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	3	1	2	-	-	8
20	8	6	3	3	31	12	6	1	12	25	11	11	1	2	24	9	14	1	-	9
7	3	2	-	2	9	4	2	2	1	45	30	14	1	-	8	6	2	-	-	10
-	-	-	-	-	3	1	2	-	-	2	1	1	-	-	1	1	-	-	-	11
2	1	-	1	-	13	1	3	7	2	13	10	2	1	-	-	-	-	-	-	12
580	296	138	80	66	727	286	172	144	125	3,301	2,016	794	328	163	362	229	106	20	7	13-22
538	283	125	73	57	690	271	165	134	120	3,070	1,902	725	300	143	335	216	97	15	7	13
19	6	4	3	6	9	5	2	2	-	70	36	20	6	8	9	6	2	1	-	14
3	-	1	2	-	4	-	1	2	1	22	7	9	3	3	2	-	1	1	-	15
4	3	-	1	-	-	-	-	-	-	20	9	9	2	-	3	1	2	-	-	16
-	-	-	-	-	2	1	-	-	1	3	2	1	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	18
-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	1	-	1	-	-	19
2	1	1	-	-	3	3	-	-	-	32	22	7	2	1	3	3	-	-	-	20
1	-	1	-	-	-	-	-	-	-	12	9	3	-	-	2	1	1	-	-	21
13	3	6	1	3	19	6	4	6	3	67	27	18	14	8	6	1	2	3	-	22
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	23
5	-	2	1	2	9	4	2	1	2	23	14	6	1	2	3	1	2	-	-	24
-	-	-	-	-	-	-	-	-	-	6	2	1	1	2	-	-	-	-	-	25
-	-	-	-	-	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	26
20	6	6	4	4	15	8	3	3	1	38	13	22	3	-	10	3	7	-	-	27
-	-	-	-	-	22	6	4	2	10	1	1	-	-	-	-	-	-	-	-	28
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	29
63	39	12	7	5	148	41	18	53	36	870	538	182	110	40	105	78	21	3	3	30
1	1	-	-	-	1	-	1	-	-	36	26	6	4	-	4	2	2	-	-	30a
8	8	-	-	-	40	10	6	15	9	144	82	26	29	7	12	11	1	-	-	30b
20	10	7	3	-	35	18	5	9	3	350	225	75	35	15	63	49	11	2	1	30d
9	3	1	3	2	6	3	2	-	1	24	15	5	4	-	2	-	1	1	-	30f
25	17	4	1	3	66	10	4	29	23	316	190	70	38	18	24	16	6	-	2	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
3	2	1	-	-	3	1	2	-	-	31	19	10	1	1	2	2	-	-	-	32
45	20	13	6	6	122	28	38	28	28	271	120	140	9	2	33	21	12	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	34
21	5	8	3	5	19	2	10	4	3	45	24	19	2	-	6	4	2	-	-	35
18	7	9	1	1	14	5	6	1	2	355	198	146	6	5	12	9	3	-	-	36
3	1	2	-	-	8	2	2	3	1	30	14	15	1	-	10	6	4	-	-	37
5	2	1	1	1	4	2	1	1	-	9	6	2	-	1	1	1	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	41
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	42
3	3	-	-	-	4	2	1	-	1	73	22	7	35	9	4	3	1	-	-	43
10	8	2	-	-	21	14	5	-	2	179	100	73	5	1	29	17	12	-	-	44
620	303	278	11	28	1,739	685	679	169	226	14,355	6,928	6,914	341	272	1,632	792	808	13	19	
610	299	272	11	28	1,680	652	652	163	213	14,067	6,721	6,753	336	257	1,570	774	766	12	18	45-55
16	14	2	-	-	47	30	8	4	5	390	308	60	19	3	39	30	8	1	-	45
1	1	-	-	-	4	4	-	-	-	41	38	3	-	-	3	3	-	-	-	45a
6	5	1	-	-	4	2	-	1	1	115	91	16	5	3	12	8	4	-	-	45b
2	2	-	-	-	7	5	1	-	1	53	44	5	3	-	4	2	2	-	-	45c
3	3	-	-	-	10	6	2	-	2	45	33	10	2	-	7	7	-	-	-	45d
-	-	-	-	-	1	-	1	-	-	4	4	-	-	-	-	-	-	-	-	45e
4	3	1	-	-	21	13	4	3	1	132	98	25	9	-	13	10	2	1	-	45f
243	132	95	6	10	705	317	240	80	68	5,812	3,104	2,443	182	83	694	369	313	6	6	46
9	7	2	-	-	25	9	5	10	1	232	171	46	14	1	25	21	4	-	-	46a
76	43	23	6	4	241	107	74	36	24	1,876	1,122	645	76	33	222	140	78	2	2	46b
4	3	1	-	-	3	3	-	-	-	31	19	11	1	-	7	3	3	1	-	46c
26	15	11	-	-	57	23	16	8	10	768	433	311	16	8	83	37	45	-	1	46d
54	24	28	-	2	161	71	66	9	15	1,462	645	781	23	13	170	77	91	-	2	46e
36	18	15	-	3	125	53	49	11	12	597	256	307	23	11	96	40	54	1	1	46f
24	15	8	-	1	71	39	24	4	4	672	377	264	20	11	78	46	30	2	-	46g
11	5	6	-	-	17	11	4	2	-	108	53	48	4	3	10	3	7	-	-	46h
3	2	1	-	-	5	1	2	-	2	66	28	30	5	3	3	2	1	-	-	46m
80	62	14	3	1	116	79	20	12	5	1,489	1,140	289	49	11	133	106	26	1	-	47
9	6	2	1	-	13	9	-	2	2	150	132	13	3	2	7	6	-	1	-	47a
1	1	-	-	-	-	-	-	-	-	7	4	3	-	-	-	-	-	-	-	47b
70	55	12	2	1	97	68	18	6	3	1,282	969	261	44	8	119	96	23	-	-	47a,d
-	-	-	-	-	1	-	-	1	-	15	11	2	1	1	-	-	-	-	-	47e
-	-	-	-	-	5	2	2	1	-	35	24	10	1	-	7	4	3	-	-	47f
83	...	53	...	10	236	...	154	...	82	1,132	...	1,064	...	68	123	...	119	...	4	48
31	...	27	...	4	81	...	57	...	24	606	...	570	...	36	61	...	58	...	3	48a
32	...	26	...	6	155	...	97	...	58	526	...	494	...	32	62	...	61	...	1	48b
17	...	14	...	3	44	...	34	...	10	553	...	542	...	11	49	...	47	...	2	49
16	...	13	...	3	39	...	33	...	6	481	...	474	...	7	39	...	38	...	1	49a,b
1	...	1	...	-	5	...	1	...	4	72	...	68	...	4	10	...	9	...	1	49c-e
58	-	56	-	2	119	3	91	-	25	1,531	12	1,467	1	51	162	1	157	-	4	50
35	35	...	-	...	124	84	...	40	...	898	871	...	27	...	128	124	...	4	...	51
30	30	...	-	...	112	76	...	36	...	824	800	...	24	...	121	117	...	4	...	51b
5	5	...	-	...	12	8	...	4	...	74	71	...	3	...	7	7	...	-	...	51a,c-e
24	16	8	-	-	56	28	17	7	4	736	462	249	15	10	85	60	25	-	-	52
13	9	4	-	-	18	10	5	-	3	259	158	93	6	2	27	18	9	-	-	52a
10	7	3	-	-	38	18	12	7	1	458	295	147	8	8	56	40	16	-	-	52b
1	-	1	-	-	-	-	-	-	-	19	9	9	1	-	2	2	-	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	3,568	2,063	1,406	48	51	81	39	41	-	1
54	Cancer of central nervous system*	3,880	2,294	1,413	88	95	75	39	24	8	4
55	Cancer of other and unspecified organs	14,875	7,024	6,821	636	592	183	69	67	28	29
56,57	Nonmalignant tumors and tumors of unspecified nature	5,344	1,753	2,746	215	630	120	22	47	14	37
56	Nonmalignant tumors (including dermoid cysts)	3,013	654	1,780	65	514	77	10	33	5	29
56a-c	Nonmalignant tumors of female genital organs	1,588	...	1,151	...	437	46	...	20	...	26
56d	Nonmalignant tumors of central nervous system*	773	362	358	26	25	21	7	7	4	3
56e	Nonmalignant tumors of other and unspecified organs	652	292	271	37	52	10	3	6	1	-
57	Tumors of unspecified nature	2,331	1,099	966	150	116	43	12	14	9	8
57a-c	Tumors, female genital organs (nature unspecified)	58	...	46	...	12	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	1,550	766	630	91	63	27	7	8	6	6
57e	Tumors, other organs (nature unspecified)	723	333	290	59	41	16	5	6	3	2
	III.—Rheumatism, diseases of nutrition, etc.*	46,730	15,991	26,850	1,316	2,573	625	172	227	80	146
58	Acute rheumatic fever	927	344	360	99	124	36	3	10	13	10
58a	Acute rheumatic pericarditis	35	14	10	4	7	1	-	-	-	1
58b	Acute rheumatic endocarditis	205	87	86	11	21	8	2	4	1	1
58c	Acute rheumatic myocarditis	106	35	41	14	16	5	-	-	2	3
58d	Other acute rheumatic heart diseases	206	78	84	18	26	4	-	-	3	1
58e,f	Other forms of acute rheumatic fever, etc.*	375	130	139	52	54	18	1	6	7	4
59	Chronic rheumatism, other rheumatic diseases	1,827	601	1,096	54	76	32	10	12	6	4
60	Gout	3	3	-	-	-	-	-	-	-	-
61	Diabetes mellitus	38,638	13,456	22,339	928	1,915	409	125	151	39	94
62	Diseases of pituitary gland	152	57	80	6	9	3	1	1	1	-
63	Diseases of thyroid and parathyroid glands	2,513	431	1,832	25	225	31	2	15	1	13
63a	Simple goiter	136	28	86	1	21	3	-	2	-	1
63b	Exophthalmic goiter	1,976	293	1,473	21	189	26	2	12	1	11
63c-e	Other diseases of thyroid and parathyroid glands	401	110	273	3	15	2	-	1	-	1
64	Diseases of thymus gland	828	423	293	69	43	21	4	3	8	6
65	Diseases of adrenal glands*	492	211	249	22	10	4	1	2	1	-
66	Other general diseases	496	198	210	45	43	16	3	5	5	3
67	Scurvy	12	5	6	-	1	-	-	-	-	-
68	Beriberi	66	33	24	6	3	-	-	-	-	-
69	Pellagra (except alcoholic)	606	164	296	38	108	71	21	28	6	16
70	Rickets	41	16	10	12	3	1	1	-	-	-
71	Other avitaminoses	129	49	55	12	13	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	11,697	6,054	4,836	433	374	162	71	51	17	23
72	Hemorrhagic conditions	544	260	230	23	31	18	9	6	2	1
73	Anemias (except splenic anemia)	2,605	1,156	1,181	124	144	32	6	10	6	10
73a	Pernicious anemia	1,453	670	712	29	42	8	3	4	-	1
73b-d	Other anemias (except splenic)	1,152	486	469	95	102	24	3	6	6	9
74	Leukemias and aleukemias	7,782	4,267	3,102	245	168	98	49	31	6	12
74a	Leukemias	7,448	4,091	2,951	242	164	97	48	31	6	12
74b	Aleukemias	334	176	151	3	4	1	1	-	-	-
75	Diseases of spleen	474	235	194	27	18	11	6	3	2	-
76	Other diseases of blood and blood-forming organs	292	136	129	14	13	3	1	1	1	-
	V —Chronic poisoning and intoxication	2,550	1,784	322	330	114	49	29	8	11	1
77	Alcoholism (ethylism)	2,433	1,715	295	311	112	46	28	8	9	1
78	Lead poisoning	46	32	5	8	1	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	71	37	22	11	1	3	1	-	2	-
	VI.—Diseases of the nervous system, etc.*	145,534	63,236	63,527	8,984	9,787	3,013	826	830	612	745
80	Encephalitis (nonepidemic)	1,163	572	406	113	72	15	6	3	5	1
81	Meningitis (not due to meningococcus)	1,851	833	563	261	194	67	15	20	17	15
82	Diseases of spinal cord (see exceptions)*	2,574	1,436	928	116	94	35	13	14	6	2
83	Intracranial lesions of vascular origin	131,056	56,276	57,954	7,856	8,950	2,709	738	727	542	701
83a	Cerebral hemorrhage or effusion*	110,394	46,706	48,703	6,953	8,032	2,532	673	671	520	668
83b,c	Cerebral embolism, thrombosis, and softening	17,743	8,362	8,086	656	639	128	49	46	12	21
83d	Hemiplegia, other paralysis, etc.*	2,899	1,208	1,165	247	279	49	17	10	10	12
84	Mental diseases and deficiency (see exception)*	1,376	474	631	129	142	74	9	43	15	7
85	Epilepsy	1,968	948	664	230	127	40	12	5	13	10
86	Convulsions (under 5 years)	285	107	93	47	38	8	4	-	2	2
87	Other diseases of nervous system	4,820	2,250	2,065	173	132	47	21	16	6	4
88	Diseases of organs of vision	38	10	20	6	2	4	1	-	3	-
89	Diseases of ear and mastoid process	622	330	203	53	36	14	6	2	3	3
	VII.—Diseases of the circulatory system	505,716	275,787	186,428	23,565	19,936	6,795	2,706	1,645	1,273	1,171
90-95	Diseases of the heart (all forms)	471,468	259,308	171,686	21,968	18,507	6,443	2,590	1,561	1,198	1,094
90	Pericarditis (except acute rheumatic)	469	247	130	61	31	3	1	-	2	-
90a	Chronic rheumatic pericarditis	12	6	3	2	1	-	-	-	-	-
90b	Other pericarditis	457	241	127	59	30	3	1	-	2	-
91	Acute endocarditis (except rheumatic)	1,102	498	348	135	121	20	7	5	5	3
91a,b	Bacterial, acute, and subacute endocarditis	1,026	490	321	122	103	19	7	5	5	2
91c	Endocarditis (unspecified, under 45 years)	76	18	27	13	18	1	-	-	-	1
92	Chronic affections of valves and endocardium	29,544	13,753	12,028	1,968	1,795	719	192	160	203	164
92a	Diseases of aortic valve, etc.*	3,052	1,595	860	338	258	67	19	13	23	12
92b	Diseases of mitral valve, etc.*	12,550	5,615	5,421	780	734	286	80	61	83	62
92c	Chronic rheumatic endocarditis, etc.*	2,037	1,130	776	63	68	24	7	8	7	2
92d	Other chronic endocarditis, etc.*	10,579	4,847	4,462	654	616	334	83	77	87	87
92e	Endocarditis (unspecified, 45 years and over)	1,326	566	509	133	118	8	3	1	3	1
93	Diseases of the myocardium	246,250	118,099	104,465	12,356	11,330	3,286	1,109	883	854	640
93a	Acute myocarditis (except rheumatic)	2,895	1,311	1,073	252	259	102	37	20	20	25
93b	Myocarditis (unspecified, under 45 years)	259	103	65	42	49	9	3	1	1	4
93c	Chronic rheumatic myocarditis, etc.*	1,265	527	646	51	41	19	6	6	5	2
93d	Other chronic myocarditis, etc.*	227,042	108,945	97,151	10,857	10,089	3,026	1,035	818	589	584
93e	Other myocarditis (unspecified)	14,789	7,213	5,530	1,154	892	110	28	16	39	25
94	Diseases of coronary arteries, angina pectoris	160,520	109,582	43,025	4,791	3,122	1,908	1,063	432	232	181
94a	Diseases of coronary arteries	157,833	107,880	42,290	4,646	3,017	1,831	1,024	408	222	177
94b	Angina pectoris	2,687	1,702	735	145	105	77	39	24	10	4

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11	8	3	-	-	54	29	20	3	2	232	133	97	2	-	36	21	15	-	-	53
9	6	3	-	-	31	18	10	1	2	314	189	121	2	2	29	18	10	-	1	54
54	26	24	2	2	148	64	58	16	10	980	502	421	39	18	92	45	46	-	1	55
10	4	6	-	-	59	13	27	6	13	288	107	161	5	15	62	18	42	1	1	56,57
3	1	2	-	-	29	3	15	1	10	197	64	118	2	13	43	8	34	-	1	56
-	...	-	...	-	16	...	9	...	7	76	...	68	...	8	24	...	24	...	-	56a-c
2	1	1	-	-	7	3	4	-	-	66	33	28	2	3	11	3	7	-	1	56d
1	-	1	-	-	6	-	2	1	3	55	31	22	-	2	8	5	3	-	-	56e
7	3	4	-	-	30	10	12	5	3	91	43	43	3	2	19	10	8	1	-	57
-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	-	..	-	...	-	57a-c
3	2	1	-	-	20	9	6	2	3	55	29	25	-	1	13	9	4	-	-	57d
4	1	3	-	-	9	1	5	3	-	33	14	16	3	-	6	1	4	1	-	57e
143	65	60	9	9	310	99	130	37	44	2,610	1,056	1,461	49	64	312	121	183	5	3	
3	1	1	1	-	13	4	3	2	4	28	10	14	2	2	6	-	5	1	-	58
-	-	-	-	-	1	-	-	-	1	3	1	2	-	-	-	-	-	-	-	58a
1	-	1	-	-	3	-	2	1	-	8	3	4	-	1	3	-	3	-	-	58b
-	-	-	-	-	3	2	-	1	-	4	-	4	-	-	-	-	-	-	-	58c
2	1	-	1	-	1	-	1	-	-	8	3	2	2	1	1	-	1	-	-	58d
-	-	-	-	-	5	2	-	-	3	5	3	2	-	-	2	-	1	1	-	58e,f
14	8	5	1	-	19	6	10	2	1	104	40	63	-	1	15	2	12	1	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
98	42	45	6	5	230	75	98	26	31	2,184	877	1,212	42	53	240	102	134	2	2	61
2	1	1	-	-	1	-	1	-	-	10	4	6	-	-	-	-	-	-	-	62
10	5	3	-	2	13	1	7	-	5	125	23	97	1	4	30	5	23	1	1	63
1	-	-	-	1	-	-	-	-	-	9	1	6	-	2	1	-	1	-	-	63a
7	3	3	-	1	12	1	6	-	5	90	17	70	1	2	20	3	16	1	-	63b
2	2	-	-	-	1	-	1	-	-	26	5	21	-	-	9	2	6	-	1	63c-e
6	4	1	-	1	4	2	2	-	-	70	43	23	3	1	8	5	3	-	-	64
3	1	2	-	-	2	1	1	-	-	50	21	27	1	1	4	3	1	-	-	65
2	1	1	-	-	11	4	3	3	1	15	7	7	-	1	6	3	3	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	-	-	1	-	-	-	-	-	7	4	3	-	-	-	-	-	-	-	68
2	-	1	1	-	16	5	5	4	2	13	6	6	-	1	2	-	2	-	-	69
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	-	4	1	3	-	-	1	1	-	-	-	71
39	19	19	1	-	114	55	45	9	5	841	460	352	17	12	88	54	32	1	1	
5	2	3	-	-	2	2	-	-	-	31	18	12	-	1	2	1	1	-	-	72
6	4	2	-	-	28	10	12	4	2	137	76	54	3	4	19	11	8	-	-	73
4	3	1	-	-	10	5	4	1	-	73	38	34	-	1	10	7	3	-	-	73a
2	1	1	-	-	18	5	8	3	2	64	38	20	3	3	9	4	5	-	-	73b-d
28	13	14	1	-	74	37	29	5	3	635	347	270	12	6	60	37	21	1	1	74
27	13	13	1	-	73	36	29	5	3	604	329	258	12	5	56	34	20	1	1	74a
1	-	1	-	-	1	1	-	-	-	31	18	12	-	1	4	3	1	-	-	74b
-	-	-	-	-	6	3	3	-	-	26	12	11	2	1	3	2	1	-	-	75
-	-	-	-	-	4	3	1	-	-	12	7	5	-	-	4	3	1	-	-	76
22	15	2	5	-	18	13	-	3	2	172	140	28	3	1	28	20	7	1	-	
22	15	2	5	-	18	13	-	3	2	171	139	28	3	1	27	20	6	1	-	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	79
457	248	177	18	14	1,723	620	562	245	296	8,582	3,888	4,307	204	183	1,131	550	560	14	7	
5	4	-	-	1	18	7	8	3	-	67	38	27	2	-	11	7	4	-	-	80
14	7	4	-	3	25	14	4	3	4	91	43	35	8	5	10	6	4	-	-	81
13	7	6	-	-	24	13	7	1	3	190	112	67	8	3	31	20	11	-	-	82
393	212	157	15	9	1,525	546	499	211	269	7,739	3,452	3,949	171	167	997	472	506	12	7	83
325	175	131	13	6	1,365	474	450	196	245	5,988	2,635	3,089	126	138	831	383	430	11	7	83a
52	28	21	1	2	65	33	21	5	6	1,688	792	823	44	29	138	75	63	-	-	83b,c
16	9	5	1	1	95	39	28	10	18	63	25	37	1	-	28	14	13	1	-	83d
4	3	1	-	-	35	6	12	12	5	58	23	34	1	-	6	3	3	-	-	84
5	3	2	-	-	26	7	8	5	6	86	38	41	5	2	16	11	5	-	-	85
3	1	-	2	-	15	4	4	4	3	4	2	-	2	-	1	-	1	-	-	86
16	8	6	1	1	44	18	15	6	5	313	160	142	6	5	50	25	24	1	-	87
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	88
4	3	1	-	-	11	5	5	-	1	32	19	11	1	1	9	6	2	1	-	89
1,546	985	495	45	23	4,273	2,100	1,124	594	455	36,505	21,584	13,715	755	451	3,876	2,368	1,413	43	32	
1,424	909	458	36	21	3,967	1,966	1,048	545	408	33,709	20,186	12,424	698	401	3,618	2,238	1,310	41	29	90-95
3	3	-	-	-	5	1	2	1	1	39	25	12	2	-	7	2	4	-	1	90
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	90a
3	3	-	-	-	5	1	2	1	1	38	25	11	2	-	7	2	4	-	1	90b
8	4	4	-	-	19	3	4	7	5	51	27	15	7	2	11	7	4	-	-	91
7	4	3	-	-	19	3	4	7	5	50	27	14	7	2	10	7	3	-	-	91a,b
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	91c
74	39	32	1	2	341	143	89	68	41	1,871	977	817	43	34	308	158	139	5	4	92
6	4	2	-	-	41	12	11	15	3	237	171	55	4	7	17	11	5	-	1	92a
37	14	21	-	2	145	68	42	23	12	927	429	468	18	12	153	77	70	3	3	92b
8	5	3	-	-	3	1	1	-	1	232	138	80	7	7	17	10	6	1	-	92c
22	15	6	1	-	144	57	33	29	25	433	222	194	11	6	108	55	53	-	-	92d
1	1	-	-	-	8	5	2	1	-	42	17	20	3	2	11	5	5	1	-	92e
699	410	257	19	13	1,618	703	504	225	186	18,134	9,724	7,708	428	274	1,744	997	705	26	16	93
12	5	4	-	3	27	12	9	2	4	86	48	31	5	2	18	14	4	-	-	93a
-	-	-	-	-	2	-	-	1	1	20	15	2	2	1	2	-	1	1	-	93b
6	3	3	-	-	4	-	2	1	1	94	47	46	1	-	14	6	7	1	-	93c
628	377	225	17	9	1,453	632	457	192	172	17,429	9,327	7,433	402	267	1,563	897	629	21	16	93d
53	25	25	2	1	132	59	36	29	8	505	287	196	18	4	147	80	64	3	-	93e
496	361	124	9	2	1,341	807	303	135	96	12,286	8,710	3,323	186	67	1,301	947	342	7	5	94
491	357	123	9	2	1,285	775	289	130	91	12,217	8,669	3,298	184	66	1,266	920	334	7	5	94a
5	4	1	-	-	56	32	14	5	5	69	41	25	2	1	35	27	8	-	-	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	33,584	17,129	11,690	2,657	2,108	527	218	101	102	106
95a	Functional diseases of heart, etc.*	1,039	498	457	37	47	20	8	8	-	4
95b	Other diseases of heart (rheumatic)	7,423	3,313	3,360	332	418	75	23	15	12	25
95c	Other diseases of heart (not rheumatic)	25,122	13,318	7,873	2,288	1,643	432	187	78	90	77
96	Aneurysm (except of heart and aorta)	2,613	1,589	777	145	102	25	12	5	4	4
97	Arteriosclerosis (except coronary or renal sclerosis)	25,629	12,266	11,542	979	842	190	75	52	30	33
98	Gangrene	348	143	131	50	24	12	2	4	5	1
99	Other diseases of arteries	2,055	1,009	925	62	79	25	5	9	4	7
100	Diseases of veins	1,420	638	644	73	65	19	5	4	7	3
101	Diseases of lymphatic system	49	21	21	5	2	2	1	-	-	1
102	High blood pressure (idiopathic)	1,936	668	747	226	294	72	15	8	22	27
103	Other diseases of circulatory system	197	84	55	37	21	7	1	2	3	1
	VIII.—Diseases of the respiratory system	65,929	32,412	22,889	5,969	4,659	1,460	445	388	327	303
104	Diseases of nasal fossae, accessory sinuses	451	170	125	83	73	14	-	3	5	6
105	Diseases of larynx	245	117	93	16	19	8	3	2	-	3
106	Bronchitis	3,450	1,908	1,205	190	147	71	24	28	10	9
107	Bronchopneumonia (including capillary bronchitis)	27,722	12,954	10,323	2,361	2,084	608	188	158	139	123
108	Lobar pneumonia	18,028	8,979	5,679	2,014	1,356	487	140	117	118	112
109	Pneumonia (unspecified)	5,875	2,817	1,961	628	469	106	30	28	25	23
109A	Atypical or virus pneumonia	1,180	576	458	76	52	31	9	12	7	3
109B	Pneumonia (all other, unspecified)	4,515	2,041	1,505	552	417	75	21	16	18	20
110	Pleurisy (not tuberculous)	1,108	589	342	110	67	13	5	3	3	2
111	Hemorrhagic infarction, thrombosis, edema*	4,114	1,871	1,814	215	214	67	24	24	8	11
112	Asthma	2,627	1,465	850	170	142	42	14	12	9	7
113	Pulmonary emphysema	449	339	77	25	8	6	5	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	2,060	1,403	420	157	80	36	12	9	10	7
114a,b	Silicosis, other forms of pneumoconioses	627	607	5	14	1	3	2	-	1	-
114c-e	Other diseases of respiratory system (except tuberculosis)	1,433	796	415	143	79	33	10	9	9	7
	IX.—Diseases of the digestive system	63,319	33,755	22,688	3,902	2,974	906	350	220	189	147
115	Diseases of buccal cavity and adnexa, etc.*	1,310	563	507	124	116	48	15	16	9	8
116	Diseases of esophagus	285	145	103	24	13	3	1	2	-	-
117	Ulcer of stomach or duodenum	8,708	6,618	1,409	508	173	108	55	16	25	10
117a	Ulcer of stomach	5,297	3,939	859	371	128	86	33	12	14	7
117b	Ulcer of duodenum	3,411	2,679	550	137	45	40	22	4	11	3
118	Other diseases of stomach (except cancer)	1,259	564	309	195	191	33	10	4	12	7
119	Diarrhea, enteritis, etc.* (under 2 years)	6,908	3,111	2,501	767	529	144	50	32	34	28
120	Diarrhea, enteritis, etc.* (2 years and over)	1,923	784	638	149	152	33	7	11	9	6
121	Appendicitis	4,171	2,244	1,396	309	222	84	35	18	19	12
122	Hernia and intestinal obstruction	10,099	4,534	4,260	719	586	155	51	42	35	27
122a	Hernia	4,321	2,243	1,651	313	114	54	22	12	16	4
122b	Intestinal obstruction	5,778	2,291	2,609	406	472	101	29	30	19	23
123	Other diseases of intestines	1,992	971	804	110	107	23	10	3	4	6
124	Cirrhosis of liver	16,512	10,259	5,148	662	443	149	74	26	27	22
124a	Cirrhosis of liver with mention of alcoholism	2,885	1,974	745	108	58	12	9	-	3	-
124b	Cirrhosis of liver without mention of alcoholism	13,627	8,285	4,403	554	385	137	65	26	24	22
125	Other diseases of liver	1,886	830	789	126	141	38	15	10	8	5
126	Biliary calculi	3,775	1,228	2,441	35	71	38	15	19	2	2
127	Other diseases of gallbladder, biliary ducts	2,473	903	1,413	59	98	29	5	18	1	5
128	Diseases of pancreas (except diabetes mellitus)	1,213	629	481	58	45	7	4	2	1	-
129	Peritonitis (cause not stated)	805	366	289	57	93	16	3	1	3	9
	X.—Diseases of the genito-urinary system	90,549	43,322	32,499	8,034	6,694	2,250	728	508	601	413
130	Acute nephritis	2,136	886	640	328	282	82	18	15	20	21
131	Chronic nephritis	71,866	32,080	27,991	6,067	5,528	1,905	600	451	495	359
131a	Arteriosclerotic kidney	55,407	24,518	22,120	4,544	4,225	1,363	418	351	332	262
131b	Other chronic nephritis	16,259	7,562	5,871	1,523	1,303	542	182	100	163	97
132	Nephritis unspecified (10 years and over)	3,575	1,581	1,204	448	342	51	11	11	15	14
133	Other diseases of kidneys, ureters, etc.*	3,187	1,443	1,291	265	188	55	18	21	9	7
134	Calculi of urinary passages	1,342	793	450	60	39	23	12	9	2	-
135	Diseases of urinary bladder	551	257	197	77	20	9	2	1	4	2
136	Diseases of urethra (except calculus)	274	167	20	80	7	3	2	-	1	-
137	Diseases of prostate	6,790	6,090	...	700	...	120	67	...	53	...
137a	Hypertrophy of prostate	5,808	5,224	...	584	...	109	63	...	46	...
137b	Other diseases of prostate	982	866	...	116	...	11	4	...	7	...
138	Diseases of other male genital organs (not venereal)	34	25	...	9	...	2	-	...	2	...
139	Diseases of female genital organs	994	...	706	...	288	20	...	10	...	10
139a	Diseases of ovaries, fallopian tubes, and parametria	580	...	353	...	227	15	...	5	...	10
139b	Diseases of uterus	392	...	339	...	53	5	...	5	...	-
139c	Diseases of other female genital organs*	22	...	14	...	8	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	4,122	...	2,753	...	1,369	194	...	65	...	129
140	Abortion with mention of infection	289	...	174	...	115	15	...	8	...	7
141	Abortion without mention of infection	207	...	147	...	60	9	...	3	...	6
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	62	...	49	...	13	4	...	2	...	2
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	70	...	47	...	23	5	...	1	...	4
141d-f	Other abortions (nonseptic)*	75	...	51	...	24	-	...	-	...	-
142	Ectopic gestation	243	...	136	...	107	7	...	3	...	4
142a	Ectopic gestation, with mention of infection	43	...	27	...	16	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	200	...	109	...	91	6	...	2	...	4
143	Hemorrhage of pregnancy (death before delivery)	55	...	38	...	17	7	...	-	...	7
144	Toxemias of pregnancy (death before delivery)	458	...	265	...	193	20	...	6	...	14
145	Other diseases of pregnancy (death before delivery)*	258	...	191	...	67	14	...	5	...	9
145A	With mention of infection	171	...	129	...	42	7	...	3	...	4
145B	Without mention of infection	87	...	62	...	25	7	...	2	...	5
146	Hemorrhage of childbirth and puerperium	718	...	508	...	210	27	...	9	...	18
147	Infection during childbirth and puerperium	706	...	505	...	201	30	...	9	...	21
148	Puerperal toxemias (excluding death before delivery)	644	...	417	...	227	41	...	15	...	26
149	Other accidents and specified conditions of childbirth	302	...	218	...	84	8	...	3	...	3
150	Other and unspecified conditions of childbirth and puerperium	242	...	154	...	88	18	...	4	...	14

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
144	92	41	7	4	643	309	146	109	79	1,328	723	549	32	24	249	127	116	3	3	95
5	3	1	-	1	22	11	6	1	4	39	14	25	-	-	8	4	4	-	-	95a
45	31	12	1	1	45	22	15	3	5	489	251	200	11	7	75	36	36	1	-	95b
94	58	28	6	2	576	276	125	105	70	820	458	324	21	17	168	87	76	2	3	95c
15	12	3	-	-	11	7	2	-	2	448	293	128	21	6	14	8	6	-	-	96
84	48	27	7	2	203	96	53	34	20	2,019	942	1,019	25	33	188	111	74	1	2	97
1	-	-	1	-	5	3	1	1	-	9	2	5	2	-	1	-	1	-	-	98
5	4	1	-	-	25	9	7	1	8	128	74	45	3	6	28	17	9	1	1	99
4	2	2	-	-	17	6	6	2	3	111	56	50	4	1	18	8	10	-	-	100
1	1	-	-	-	-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	101
10	6	4	-	-	40	11	6	9	14	70	27	37	2	4	8	5	3	-	-	102
2	1	-	1	-	5	2	1	2	-	7	2	5	-	-	-	-	-	-	-	103
527	252	167	60	48	896	357	262	150	127	4,684	2,637	1,732	187	128	619	473	328	10	8	
3	-	1	1	1	9	2	2	3	2	17	6	10	-	1	2	2	-	-	-	104
3	2	1	-	-	4	2	-	-	2	12	8	4	-	-	3	2	1	-	-	105
49	25	20	1	3	32	15	12	2	3	216	135	71	5	5	43	25	18	-	-	106
209	83	66	31	29	375	139	122	59	55	2,553	1,360	1,035	87	71	413	225	178	5	5	107
120	57	44	13	6	303	122	74	60	47	1,107	672	337	62	36	203	120	76	5	2	108
41	19	6	10	6	87	34	28	13	12	112	62	41	6	3	32	18	14	-	-	109
6	3	1	1	1	23	6	12	2	3	31	16	13	1	1	18	9	9	-	-	109A
35	16	5	9	5	84	28	16	11	9	81	46	28	5	2	14	9	5	-	-	109B
10	5	3	1	1	9	4	3	2	-	100	66	28	4	2	13	7	6	-	-	110
18	10	7	1	-	31	16	10	3	2	256	135	103	11	7	36	21	15	-	-	111
40	27	11	1	1	28	15	4	8	1	156	84	64	7	1	41	24	16	-	1	112
10	7	2	1	-	1	-	1	-	-	40	33	4	2	1	5	5	-	-	-	113
24	17	6	-	1	17	8	6	-	3	115	76	35	3	1	28	24	4	-	-	114
7	6	1	-	-	-	-	-	-	-	27	26	1	-	-	16	16	-	-	-	114a,b
17	11	5	-	1	17	8	6	-	3	88	50	34	3	1	12	8	4	-	-	114c-e
518	223	173	75	47	636	274	170	94	98	5,430	3,178	1,959	178	115	826	459	348	13	6	
7	1	6	-	-	13	3	5	2	3	64	33	24	3	4	12	2	10	-	-	115
-	-	-	-	-	-	-	-	-	-	26	14	9	3	-	7	2	5	-	-	116
42	36	6	-	-	81	52	11	11	7	807	635	138	28	6	121	98	21	2	-	117
26	22	4	-	-	55	30	10	8	7	437	358	77	18	4	77	61	14	2	-	117a
16	14	2	-	-	26	22	1	3	-	370	297	61	10	2	44	37	7	-	-	117b
5	3	2	-	-	42	12	7	8	15	35	21	13	-	1	11	6	5	-	-	118
214	76	49	53	36	76	33	22	9	12	441	207	190	26	18	147	83	60	2	2	119
23	3	9	7	4	25	9	6	5	5	103	39	56	5	3	20	10	10	-	-	120
29	16	10	3	-	71	30	21	10	10	240	150	74	5	11	51	28	22	1	-	121
73	25	38	9	1	123	38	38	23	24	647	316	291	24	16	126	52	71	1	2	122
17	9	7	-	1	36	17	7	9	3	264	148	103	9	4	49	24	25	-	-	122a
56	16	31	9	-	87	21	31	14	21	383	168	188	15	12	77	26	46	1	2	122b
8	4	4	-	-	17	6	6	2	3	151	77	64	4	6	27	19	8	-	-	123
69	37	28	2	2	114	60	27	19	8	2,189	1,372	725	58	34	172	103	64	4	1	124
6	5	1	-	-	8	5	1	2	-	770	504	236	19	11	27	18	8	1	-	124a
63	32	27	2	2	106	55	26	17	8	1,419	868	489	39	23	145	85	56	3	1	124b
7	3	4	-	-	18	10	4	2	2	183	92	72	10	9	12	5	6	1	-	125
9	4	5	-	-	19	6	11	-	2	261	95	162	2	2	70	27	41	1	1	126
12	5	6	-	1	20	6	9	2	3	126	44	75	4	3	27	13	14	-	-	127
13	10	2	1	-	8	5	2	-	1	122	68	48	5	1	13	7	5	1	-	128
7	-	4	-	3	9	4	1	1	3	55	15	18	1	1	10	4	6	-	-	[1]129
271	165	76	25	7	1,191	493	312	238	148	4,672	2,576	1,800	169	127	835	458	363	10	4	
12	7	4	-	1	59	22	19	12	6	78	40	27	8	3	16	7	9	-	-	130
205	127	58	15	5	894	364	237	171	122	3,616	1,852	1,541	120	103	665	339	315	7	4	131
155	94	44	13	4	586	233	163	108	82	2,902	1,468	1,254	95	85	525	263	254	6	2	131a
50	33	14	2	1	308	131	74	63	40	714	384	287	25	18	140	76	61	1	2	131b
10	6	4	-	-	76	26	21	18	11	106	55	43	3	5	22	11	10	1	-	132
14	6	5	2	1	35	12	17	4	2	228	109	97	15	7	33	20	12	1	-	133
4	3	1	-	-	14	12	2	-	-	102	61	33	5	3	14	11	3	-	-	134
-	-	-	-	-	9	1	3	5	-	30	18	11	1	-	7	3	4	-	-	135
1	1	-	-	-	4	1	1	2	-	9	7	1	1	-	1	1	-	-	-	136
21	15	...	6	...	81	55	...	26	...	449	433	...	16	...	67	66	...	1	...	137
16	11	...	5	...	59	41	...	18	...	417	403	...	14	...	59	58	...	1	...	137a
5	4	...	1	...	22	14	...	8	...	32	30	...	2	...	8	8	...	-	...	137b
-	-	...	-	...	-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	138
4	...	4	...	-	19	...	12	...	7	58	...	47	...	6	10	...	10	...	-	139
3	...	3	...	-	11	...	7	...	4	25	...	21	...	4	7	...	7	...	-	139a
1	...	1	...	-	7	...	5	...	2	27	...	25	...	2	3	...	3	...	-	139b
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	139c
25	...	15	...	10	100	...	51	...	49	206	...	168	...	38	32	...	31	...	1	
2	...	1	...	1	5	...	1	...	4	21	...	15	...	6	3	...	3	...	-	140
-	...	-	...	-	4	...	2	...	2	14	...	12	...	2	1	...	1	...	-	141
-	...	-	...	-	1	...	1	...	-	5	...	4	...	1	-	...	-	...	-	141a,c
-	...	-	...	-	1	...	-	...	1	4	...	4	...	-	1	...	1	...	-	141b
-	...	-	...	-	2	...	1	...	1	5	...	4	...	1	-	...	-	...	-	141d-f
1	...	-	...	1	2	...	-	...	2	11	...	6	...	5	1	...	1	...	-	142
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	142a
1	...	-	...	1	2	...	-	...	2	11	...	6	...	5	1	...	1	...	-	142b
-	...	-	...	-	2	...	2	...	-	3	...	3	...	-	-	...	-	...	-	143
2	...	1	...	1	24	...	10	...	14	6	...	6	...	-	1	...	1	...	-	144
1	...	1	...	-	4	...	4	...	-	15	...	11	...	4	2	...	2	...	-	145
1	...	1	...	-	3	...	3	...	-	11	...	9	...	2	1	...	1	...	-	145A
-	...	-	...	-	1	...	1	...	-	4	...	2	...	2	1	...	1	...	-	145B
6	...	2	...	4	19	...	14	...	5	34	...	29	...	5	9	...	9	...	-	146
7	...	6	...	1	9	...	5	...	4	33	...	27	...	6	8	...	7	...	1	147
2	...	2	...	-	21	...	7	...	14	31	...	27	...	4	3	...	3	...	-	148
1	...	-	...	1	5	...	3	...	2	28	...	24	...	4	4	...	4	...	-	149
3	...	2	...	1	5	...	3	...	2	10	...	8	...	2	-	...	-	...	-	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	941	355	401	72	113	22	5	2	7	8
151	Carbuncle and furuncle	41	32	4	3	2	1	-	-	1	-
152	Phlegmon and acute abscess	137	61	45	11	20	3	-	-	-	3
153	Other diseases of skin and cellular tissue	763	262	352	58	91	18	5	2	6	5
	XIII.—Diseases of the bones, etc.*	759	358	310	55	36	12	2	1	7	2
154	Osteomyelitis and periostitis	170	68	43	30	9	7	-	-	6	1
155	Other diseases of bones (except tuberculosis)	191	56	123	6	6	2	-	1	1	-
156	Diseases of joints, other organs of movement	398	214	144	19	21	3	2	-	-	1
157	XIV.—Congenital malformations	19,246	9,706	7,856	943	741	352	160	106	55	31
157a-d	Congenital malformations of central nervous system	5,860	2,600	2,854	215	191	97	36	33	14	14
157e,f	Congenital malformations of cardiovascular system	9,016	4,772	3,438	449	357	163	82	48	23	10
157g,h,m	Other congenital malformations	4,370	2,334	1,564	279	193	92	42	25	18	7
	XV.—Diseases peculiar to the first year of life	61,543	30,563	20,904	5,866	4,410	1,613	612	399	336	266
158	Congenital debility (cause not stated)	1,613	636	471	309	197	46	9	4	16	17
159	Premature birth (cause not stated)	39,085	18,970	13,497	3,632	2,986	1,072	397	279	222	174
160	Injury at birth	12,191	6,563	4,026	945	657	301	134	72	53	42
161	Other diseases peculiar to first year of life	8,654	4,394	2,910	780	570	194	72	44	45	33
162	XVI.—Senility	9,209	3,452	4,303	696	759	274	40	70	75	89
	XVII.—Violent or accidental deaths	123,009	74,075	32,688	12,281	3,965	2,655	1,148	447	801	259
163,164	Suicide	16,354	11,989	3,731	516	118	194	121	52	15	6
163	Suicide by poisoning	3,830	2,186	1,545	65	34	33	11	19	1	2
164	Suicide by other means	12,524	9,803	2,186	451	84	161	110	33	14	4
165-168	Homicide[1]	8,536	2,908	972	3,743	913	467	110	18	277	62
166	Homicide by firearms	4,894	1,778	533	2,158	425	266	78	10	148	30
167	Homicide by cutting or piercing instruments	2,074	382	108	1,256	328	152	18	2	113	19
168	Homicide by other means	1,568	748	331	329	160	49	14	6	16	13
169-195	Accidental deaths	98,001	59,143	27,985	7,939	2,934	1,992	916	377	508	191
169	Railway accidents (except collisions with motor vehicles)	2,502	1,904	199	355	44	71	34	3	31	3
170	Motor-vehicle accidents	32,259	22,343	6,731	2,538	647	742	403	128	171	39
170a	Collisions between automobiles and trains	1,474	1,033	349	73	19	15	9	3	3	-
170b	Collisions between automobiles and streetcars	83	47	18	16	2	2	1	-	1	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	29,915	20,578	6,290	2,422	625	702	375	122	166	39
170d	Motorcycle accidents (exc. collisions with automobiles)	787	685	74	27	1	23	18	4	1	-
171	Streetcar and other road-transport accidents	484	319	94	61	10	9	3	3	3	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	325	215	69	35	6	3	-	3	-	-
171b	Other and unspecified road-transport accidents	159	104	25	26	4	6	3	-	3	-
172	Water-transport accidents	1,364	1,092	100	154	18	48	32	-	12	4
173	Air-transport accidents	1,912	1,719	172	20	1	27	24	1	2	-
174	Accidents in mines and quarries	1,348	1,230	10	108	-	66	33	1	32	-
175	Agricultural and forestry accidents	2,294	1,948	130	208	10	49	26	3	19	1
175a-c	Agricultural accidents	1,866	1,573	127	158	8	36	19	3	13	1
175d,e	Forestry accidents	428	375	3	48	2	13	7	-	6	-
176	Other accidents involving machinery	1,240	1,054	33	151	2	21	14	-	7	-
177	Food poisoning	277	107	83	43	44	11	6	-	3	2
178	Accidental absorption of poisonous gas	2,002	1,225	626	109	42	13	7	3	2	1
179	Acute accidental poisoning by solids or liquids	1,436	709	491	145	91	36	13	5	12	6
180	Conflagration	3,075	1,392	808	460	395	95	22	14	26	33
181	Accidental burns (except conflagration)	4,593	1,910	1,606	534	543	155	36	34	39	46
182	Accidental mechanical suffocation	1,883	897	550	257	159	48	11	10	18	9
183	Accidental drowning	5,299	3,706	662	808	103	104	53	11	33	7
184	Accidental injury by firearms	2,270	1,587	204	401	78	83	35	5	35	8
185	Accidental injury by cutting or piercing instruments	288	149	41	50	28	8	4	-	2	2
186	Accidental injury by fall or crushing	24,687	10,654	12,982	848	405	271	104	127	23	17
186a	Accidental injury by fall	24,266	10,320	12,955	593	398	261	96	127	23	15
186b	Accidental injury by crushing	421	334	27	53	7	10	8	-	-	2
187	Cataclysm, etc.*	243	129	79	18	17	3	-	1	1	1
188	Injury by animals (except in agriculture and forestry)	95	64	17	10	4	3	1	-	2	-
189	Hunger or thirst	35	13	12	4	6	1	1	-	-	-
190	Excessive cold	345	208	36	73	28	5	1	-	3	1
191	Excessive heat	392	223	87	62	20	4	1	-	2	1
192	Lightning	256	166	34	43	13	12	7	3	2	-
193	Accidents due to electric currents (except lightning)	871	764	54	51	2	19	14	2	2	1
194	Poisoning by venomous animals (except in agriculture and forestry)*	40	25	6	5	4	2	-	-	1	1
195	Other accidents	6,551	3,606	2,118	607	220	66	31	22	25	8
195a	Sequelae of preventive immunization, etc.*	10	6	3	-	1	1	1	-	-	-
195b	Other accidents due to medical or surgical intervention	48	16	19	7	6	2	-	2	-	-
195d	Obstruction, suffocation, etc.*	1,299	664	436	119	80	25	7	5	8	5
195c,e	Other and unspecified accidents	5,194	2,920	1,660	481	133	58	23	15	17	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	118	35	-	83	-	2	1	-	1	-
	XVIII.—Ill-defined and unknown causes	18,082	7,037	3,627	4,098	3,320	1,571	332	156	558	523
199	Sudden death	1,115	511	195	235	174	79	31	6	17	25
200	Ill-defined and unknown causes	16,967	6,526	3,432	3,863	3,146	1,492	301	152	541	498
200a	Ill-defined causes	7,958	3,852	1,863	1,324	919	581	148	65	196	172
200b,c	Unknown or unspecified causes	9,009	2,674	1,569	2,539	2,227	911	153	87	345	326

*Refer to International List for complete title, table II, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	2	3	2	1	7	2	1	2	2	47	21	21	2	3	11	5	5	-	1	
-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	151
1	-	1	-	-	2	1	-	1	-	6	3	2	1	-	2	1	1	-	-	152
7	2	2	2	1	4	-	1	1	2	37	14	19	1	3	9	4	4	-	1	153
6	3	3	-	-	11	5	4	1	-	43	19	20	2	2	10	6	4	-	-	
1	1	-	-	-	3	1	1	1	-	9	6	2	1	-	2	1	1	-	-	154
4	1	3	-	-	1	-	1	-	-	8	3	5	-	-	1	-	1	-	-	155
1	1	-	-	-	7	5	2	-	-	26	10	13	1	2	7	5	2	-	-	156
114	54	50	7	3	177	82	72	9	14	1,369	753	538	38	40	207	119	85	1	2	157
27	12	13	2	-	32	7	17	4	4	354	185	152	7	10	48	27	21	-	-	157a-d
64	32	26	3	3	95	49	37	4	5	698	391	268	22	17	105	54	48	1	2	157e,f
23	10	11	2	-	50	26	18	1	5	317	177	118	9	13	54	38	16	-	-	157g,h,m
412	226	130	26	30	601	270	189	92	60	4,053	2,183	1,497	203	170	645	358	275	8	6	
34	14	5	10	5	24	6	4	8	8	39	20	17	1	1	19	13	6	-	-	158
242	127	90	12	13	381	179	119	46	37	2,489	1,319	927	130	113	373	199	166	3	5	159
70	44	20	-	6	124	48	46	22	8	920	495	344	47	34	175	99	71	4	1	160
66	41	15	4	6	72	37	20	8	7	605	349	209	25	22	78	47	30	1	-	161
41	17	17	4	3	210	62	64	48	36	234	91	137	2	4	132	53	75	3	1	162
793	502	178	80	33	1,473	797	305	272	99	9,313	6,148	2,572	488	125	1,347	893	416	26	12	
100	72	21	6	1	122	92	24	4	2	1,802	1,297	438	52	15	188	138	47	3	-	163,164
25	16	9	-	-	18	12	5	1	-	607	357	237	6	7	55	34	21	-	-	163
75	56	12	6	1	104	80	19	3	2	1,195	940	201	46	8	133	104	26	3	-	164
44	21	8	11	4	143	52	9	67	15	471	234	99	112	26	58	37	14	3	4	165-168
22	11	5	3	3	91	37	8	41	5	226	116	53	48	9	23	16	5	1	1	166
10	4	-	6	-	31	6	-	18	7	129	55	13	49	12	6	2	2	1	1	167
12	6	3	2	1	21	9	1	8	3	116	63	33	15	5	29	19	7	1	2	168
649	409	149	63	28	1,206	652	272	200	82	7,029	4,608	2,035	302	84	1,101	718	355	20	8	169-195
20	11	1	8	-	28	17	-	10	1	150	121	10	18	1	33	21	2	-	-	169
253	166	60	20	7	384	243	75	50	16	2,982	2,102	719	138	23	343	249	85	7	2	170
2	2	-	-	-	17	13	2	2	-	143	99	34	8	2	22	19	3	-	-	170a
-	-	-	-	-	-	-	-	-	-	15	9	5	1	-	1	1	-	-	-	170b
245	158	60	20	7	364	227	73	48	16	2,740	1,921	689	129	21	313	222	82	7	2	170c
6	6	-	-	-	3	3	-	-	-	84	73	11	-	-	7	7	-	-	-	170d
-	-	-	-	-	2	1	-	1	-	22	17	4	1	-	3	2	1	-	-	171
-	-	-	-	-	-	-	-	-	-	15	12	2	1	-	-	-	-	-	-	171a
-	-	-	-	-	2	1	-	1	-	7	5	2	-	-	3	2	1	-	-	171b
-	-	-	-	-	11	11	-	-	-	61	56	3	2	-	14	12	2	-	-	172
24	21	3	-	-	19	19	-	-	-	243	221	16	6	-	25	25	-	-	-	173
12	12	-	-	-	16	16	-	-	-	27	27	-	-	-	26	25	-	1	-	174
18	14	-	4	-	44	30	2	12	-	119	107	5	7	-	35	34	1	-	-	175
17	13	-	4	-	31	22	2	7	-	72	62	5	5	-	33	32	1	-	-	175a-c
1	1	-	-	-	13	8	-	5	-	47	45	-	2	-	2	2	-	-	-	175d,e
9	9	-	-	-	25	18	-	6	1	76	75	1	-	-	16	15	1	-	-	176
4	2	1	-	1	13	3	5	3	2	10	5	4	1	-	8	3	5	-	-	177
12	5	3	2	2	12	5	4	2	1	110	69	33	6	2	20	13	5	2	-	178
16	8	5	3	-	17	6	7	2	2	171	88	77	4	4	13	6	7	-	-	179
22	8	6	6	4	69	24	15	14	16	177	93	48	20	16	48	28	17	-	1	180
35	18	11	1	5	111	28	41	20	22	279	150	104	15	10	27	12	12	2	1	181
20	12	4	3	1	18	7	4	4	3	123	68	40	11	4	20	8	12	-	-	182
46	32	5	6	3	74	47	7	18	2	363	277	55	26	5	49	36	11	2	-	183
16	13	1	2	-	50	25	4	20	1	91	70	15	5	1	41	31	5	5	-	184
2	1	1	-	-	6	3	-	2	1	11	9	1	1	-	-	-	-	-	-	185
84	42	37	2	3	158	65	75	10	8	1,552	723	795	23	11	294	128	160	1	4	186
78	38	36	1	3	154	63	75	8	8	1,519	697	791	20	11	283	119	159	1	4	186a
6	4	1	1	-	4	2	-	2	-	33	26	4	3	-	11	10	1	-	-	186b
-	-	-	-	-	2	-	-	2	-	2	2	-	-	-	4	2	2	-		187
-	-	-	-	-	4	3	-	1	-	9	6	2	-	1	7	6	1	-	-	188
2	1	-	-	1	1	-	1	-	-	3	1	2	-	-	-	-	-	-	-	189
-	-	-	-	-	4	1	-	3	-	3	3	-	-	-	7	7	-	-	-	190
4	3	1	-	-	4	2	1	-	1	15	10	4	1	-	1	1	-	-	-	191
1	1	-	-	-	8	6	-	2	-	-	-	-	-	-	7	7	-	-	-	192
7	5	1	1	-	25	21	3	1	-	39	36	2	1	-	8	8	-	-	-	193
2	-	-	2	-	1	-	1	-	-	2	-	2	-	-	1	-	1	-	-	194
40	27	9	3	1	100	51	27	17	5	389	274	93	16	6	63	38	25	-	-	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	195b
12	6	5	1	-	8	4	2	1	1	92	54	30	5	3	24	14	10	-	-	195d
28	21	4	2	1	92	47	25	16	4	296	219	63	11	3	39	24	15	-	-	195e,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	2	1	-	1	-	11	9	-	2	-	-	-	-	-	-	198
231	76	19	68	68	548	148	83	167	150	389	264	82	34	9	19	15	3	-	1	
2	1	-	-	1	32	6	8	12	6	4	3	1	-	-	4	3	1	-	-	199
229	75	19	68	67	516	142	75	155	144	385	261	81	34	9	15	12	2	-	1	200
109	67	13	17	12	128	53	26	25	24	93	67	16	7	3	10	8	1	-	1	200a
120	8	6	51	55	388	89	49	130	120	292	194	65	27	6	5	4	1	-	-	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	19,569	10,533	8,493	308	235	3,407	1,550	1,238	373	246
	I.—Infectious and parasitic diseases	755	484	208	46	17	183	75	34	51	23
1	Typhoid fever	1	1	-	-	-	2	-	1	-	1
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	-	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	6	3	-	-	3	3	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	-	-	-	-	-	2	-	1	1	-
10	Diphtheria (infection by C. diphtheriae)	2	-	1	1	-	1	-	1	-	-
11	Erysipelas	-	-	-	-	-	-	-	-	-	-
12	Tetanus	3	2	1	-	-	2	1	-	1	-
13-22	Tuberculosis (all forms)	528	352	135	32	9	119	49	18	36	16
13	Tuberculosis of respiratory system, etc.*	486	333	123	25	7	107	45	17	33	12
14	Tuberculosis of meninges, etc.*	9	3	5	1	-	4	2	-	1	1
15	Tuberculosis of intestines and peritoneum	2	1	1	-	-	1	-	1	-	-
16	Tuberculosis of vertebral column	7	3	2	1	1	3	2	-	1	-
17	Tuberculosis of bones and joints, etc.*	1	-	1	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	2	-	1	1	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	8	6	2	-	-	1	-	-	1	-
21	Tuberculosis of other organs	1	1	-	-	-	1	-	-	-	1
22	Disseminated tuberculosis	9	4	-	4	1	2	-	-	-	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	9	6	3	-	-	2	-	2	-	-
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	2	-	-	-	1	-	1	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	132	83	30	11	8	31	12	5	10	4
30a	Locomotor ataxia (tabes dorsalis)	5	5	-	-	-	-	-	-	-	-
30b	General paralysis of insane	15	8	7	-	-	8	4	1	3	-
30d	Aneurysm of aorta	69	46	14	6	3	10	4	2	3	1
30f	Congenital syphilis	-	-	-	-	-	3	-	-	1	2
30c,e,g	Syphilis (other forms)	43	24	9	5	5	10	4	2	3	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	4	-	4	-	-	-	-	-	-	-
33	Influenza	9	5	4	-	-	9	4	2	1	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	2	-	2	-	-	-	-	-	-	-
36	Poliomyelitis and polioencephalitis (acute)	1	-	1	-	-	3	2	1	-	-
37	Acute infectious encephalitis (lethargic)	11	5	6	-	-	2	1	-	1	-
38	Other diseases due to filtrable viruses	1	-	1	-	-	1	-	-	1	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	1	-	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	1	-	-	-	-	-	-	-	-
43	Mycoses	3	3	-	-	-	1	1	-	-	-
44	Other infectious and parasitic diseases	36	18	16	2	-	3	2	1	-	-
	II.—Cancer and other tumors	3,544	1,783	1,697	32	32	442	182	204	28	28
45-55	Cancer and other malignant tumors	3,451	1,747	1,641	32	31	434	181	200	28	25
45	Cancer of buccal cavity and pharynx	101	89	11	-	1	15	13	1	1	-
45a	Cancer of lip	7	7	-	-	-	2	2	-	-	-
45b	Cancer of tongue	31	29	2	-	-	2	2	-	-	-
45c	Cancer of mouth	14	11	3	-	-	2	2	-	-	-
45d	Cancer of jaw bone	10	8	2	-	-	5	4	-	1	-
45e	Cancer of unspecified parts of buccal cavity	4	2	1	-	1	2	2	-	-	-
45f	Cancer of pharynx	35	32	3	-	-	2	1	1	-	-
46	Cancer of digestive organs and peritoneum	1,587	868	685	19	15	175	87	71	16	1
46a	Cancer of esophagus	91	74	16	1	-	6	6	-	-	-
46b	Cancer of stomach	479	287	178	9	4	55	31	15	8	1
46c	Cancer of duodenum	2	-	2	-	-	1	1	-	-	-
46d	Cancer of rectum and anus	242	154	87	-	1	24	12	10	2	-
46e	Cancer of intestines, etc.*	469	205	251	4	9	58	26	29	3	-
46f	Cancer of liver and biliary passages	142	60	78	4	-	17	3	13	1	-
46g	Cancer of pancreas	121	68	52	-	1	9	6	1	2	-
46h	Cancer of mesentery and peritoneum	24	10	13	1	-	3	1	2	-	-
46m	Cancer of other and unspecified sites	18	10	8	-	-	2	1	1	-	-
47	Cancer of respiratory system	339	279	54	8	-	48	35	10	3	-
47a	Cancer of larynx	30	30	-	-	-	4	4	-	-	-
47b	Cancer of trachea	1	1	-	-	-	-	-	-	-	-
47c,d	Cancer of bronchus and lung	301	243	52	6	-	42	29	10	3	-
47e	Cancer of pleura	1	-	1	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs	6	5	1	-	-	2	2	-	-	-
48	Cancer of uterus	211	...	206	...	5	53	...	42	...	11
48a	Cancer of cervix	98	...	97	...	1	22	...	17	...	5
48b	Cancer of other and unspecified sites of uterus	113	...	109	...	4	31	...	25	...	6
49	Cancer of other female genital organs	121	...	119	...	2	17	...	12	...	5
49a,b	Cancer of ovary, fallopian tube, and parametrium	101	...	99	...	2	17	...	12	...	5
49c-e	Cancer of other female genital organs	20	...	20	...	-	-	...	-	...	-
50	Cancer of breast	348	1	342	-	5	45	-	39	-	6
51	Cancer of male genital organs	196	192	...	4	...	25	22	...	3	...
51b	Cancer of prostate	176	172	...	4	...	24	21	...	3	...
51a,c-e	Cancer of other male genital organs	20	20	...	-	...	1	1	...	-	...
52	Cancer of urinary organs	190	122	64	3	1	19	9	7	2	1
52a	Cancer of kidney	64	36	27	1	-	8	3	4	1	-
52b	Cancer of bladder	122	84	35	2	1	11	6	3	1	1
52c	Cancer of other and unspecified sites	4	2	2	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,197	2,868	2,363	1,638	1,328	24,767	10,801	7,088	3,890	2,988	29,526	10,096	7,210	6,521	5,709	4,906	3,048	1,767	61	30	
603	151	80	224	148	1,376	454	193	427	302	1,848	474	253	580	529	142	85	38	5	4	
2	-	-	1	1	4	1	-	2	1	6	3	1	2	-	1	-	1	-	-	1
1	-	-	1	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	1	1	-	-	-	5
3	2	1	-	-	11	2	3	-	6	19	6	8	4	1	6	3	3	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	8
-	-	-	-	-	21	7	2	8	4	41	3	7	16	15	3	1	2	-	-	9
2	1	-	-	1	14	1	9	3	1	29	8	9	5	7	3	1	2	-	-	10
1	-	1	-	-	1	-	1	-	-	2	-	1	-	1	-	-	-	-	-	11
1	-	-	1	-	43	4	4	26	9	30	2	2	15	11	-	-	-	-	-	12
441	96	63	169	113	745	270	83	224	168	1,002	276	127	272	327	70	49	14	3	4	13-22
376	90	57	138	91	713	259	79	212	163	924	258	116	247	303	62	45	11	3	3	15
15	-	1	9	5	10	5	2	2	1	16	6	5	3	2	-	-	-	-	-	14
3	-	-	2	1	2	-	-	1	1	10	3	2	1	4	-	-	-	-	-	15
6	1	-	3	2	5	1	1	3	-	9	1	2	3	3	-	-	-	-	-	16
1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	2	2	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	19
3	2	-	-	1	5	3	1	-	1	2	-	1	1	-	2	-	1	-	1	20
1	-	-	1	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	21
35	2	5	15	13	8	1	-	5	2	36	7	1	14	14	3	2	1	-	-	22
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	1	12	5	3	1	3	14	7	1	3	3	1	1	-	-	-	24
-	-	-	-	-	2	-	1	-	1	11	-	2	4	5	-	-	-	-	-	25
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	26
1	1	-	-	-	18	4	3	6	5	51	9	11	20	11	-	-	-	-	-	27
-	-	-	-	-	13	5	-	3	5	4	1	1	2	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
115	39	10	45	21	273	85	25	121	42	261	59	11	144	47	19	15	3	1	-	30
7	7	-	-	-	2	2	-	-	-	4	2	-	2	-	1	1	-	-	-	30a
18	4	1	7	6	52	14	9	24	5	93	21	4	46	22	5	4	-	1	-	30b
46	17	5	16	8	110	47	12	36	15	66	20	4	30	12	7	6	1	-	-	30d
-	-	-	-	-	10	-	-	8	2	17	1	-	10	6	-	-	-	-	-	30f
44	11	4	22	7	99	22	4	53	20	101	15	3	56	27	6	4	2	-	-	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
5	3	1	-	1	8	5	3	-	-	8	2	3	2	1	-	-	-	-	-	32
4	-	-	-	4	122	20	34	25	43	223	43	48	89	63	18	10	8	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
3	1	-	-	2	7	3	2	-	2	7	1	2	2	2	3	1	1	1	-	35
2	1	1	-	-	19	11	7	1	-	7	2	3	1	1	6	5	1	-	-	36
3	2	-	-	1	3	2	-	-	1	6	4	2	-	-	4	2	2	-	-	37
1	-	-	1	-	3	1	-	2	-	5	2	2	-	1	-	-	-	-	-	38
1	-	1	-	-	8	2	4	-	2	27	16	7	2	2	1	1	-	-	-	39
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	6	1	1	-	4	1	-	-	-	1	-	-	-	-	-	42
3	1	-	2	-	5	3	-	2	-	7	3	1	1	2	3	3	-	-	-	43
13	4	2	4	3	31	19	6	2	4	58	25	11	14	8	3	2	1	-	-	44
1,248	410	474	187	177	3,083	1,242	1,302	241	298	3,053	1,013	1,129	324	587	595	307	282	3	1	
1,199	399	464	176	160	2,987	1,215	1,276	229	267	2,937	992	1,095	312	538	575	301	270	3	1	45-55
34	24	6	4	-	95	67	16	12	-	115	59	34	14	8	7	6	1	-	-	45
-	-	-	-	-	7	6	1	-	-	9	7	2	-	-	2	2	-	-	-	45a
13	10	1	2	-	21	17	3	1	-	15	8	6	1	-	-	-	-	-	-	45b
8	3	3	-	-	9	4	3	2	-	24	7	12	4	1	-	-	-	-	-	45c
1	1	-	-	-	17	11	3	3	-	21	7	4	6	4	1	1	-	-	-	45d
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	45e
13	9	2	2	-	41	29	6	6	-	44	29	9	3	3	4	3	1	-	-	45f
445	172	143	89	41	1,116	505	441	96	74	1,044	392	383	143	146	245	136	107	1	1	46
36	14	2	16	4	45	22	13	9	1	55	19	17	14	5	9	7	2	-	-	46a
112	49	25	29	9	339	162	98	56	23	351	128	84	78	61	81	51	29	1	-	46b
1	1	-	-	-	4	4	-	-	-	5	2	1	1	1	-	-	-	-	-	46c
62	25	22	8	7	130	57	49	9	15	102	39	42	10	11	27	17	10	-	-	46d
121	39	58	15	9	300	117	160	9	14	234	89	91	16	38	58	28	28	-	1	46e
41	18	15	6	2	150	67	62	9	12	128	37	65	11	15	37	14	23	-	-	46f
58	23	17	12	6	121	63	48	3	7	147	71	58	8	10	27	14	13	-	-	46g
5	-	3	1	1	18	11	6	-	1	11	1	2	4	4	4	2	2	-	-	46h
9	3	1	2	3	9	2	5	1	1	11	6	3	1	1	2	2	-	-	-	46m
122	68	22	27	4	330	241	52	28	9	236	158	44	25	9	41	30	10	1	-	47
14	9	-	5	-	40	28	5	4	2	22	12	6	3	1	4	4	-	-	-	47a
1	-	1	-	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	47b
103	58	20	22	3	276	204	44	21	7	203	138	37	20	8	34	25	9	-	-	47c,d
2	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	47e
2	1	1	-	-	11	6	2	3	-	10	8	1	1	-	2	-	1	1	-	47f
125	...	77	...	48	376	...	267	...	109	427	...	224	...	203	42	...	42	...	-	48
64	...	36	...	28	163	...	122	...	41	225	...	114	...	111	19	...	19	...	-	48a
61	...	41	...	20	213	...	145	...	68	202	...	110	...	92	23	...	23	...	-	48b
41	...	34	...	7	83	...	66	...	17	71	...	51	...	20	18	...	18	...	-	49
36	...	30	...	6	71	...	57	...	14	62	...	50	...	12	18	...	18	...	-	49a,b
3	...	4	...	1	12	...	9	...	3	9	...	1	...	8	-	...	-	...	-	49c-e
162	-	124	1	37	265	2	231	2	30	277	-	194	2	81	45	-	45	-	-	50
69	41	...	28	...	206	158	...	48	...	209	131	...	78	...	70	70	...	-	...	51
64	38	...	26	...	183	143	...	40	...	187	121	...	66	...	70	70	...	-	...	51b
5	3	...	2	...	23	15	...	8	...	22	10	...	12	...	-	-	...	-	...	51a,c-e
67	43	14	7	3	136	75	41	12	8	130	61	34	17	18	30	16	14	-	-	52
21	15	5	1	-	44	22	15	4	3	41	24	12	3	2	11	3	8	-	-	52a
43	27	8	6	2	89	52	25	7	5	86	37	19	14	16	19	13	6	-	-	52b
3	1	1	-	1	3	1	1	1	-	3	-	3	-	-	-	-	-	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	43	25	18	-	-	6	3	3	-	-
54	Cancer of central nervous system*	66	38	28	-	-	7	1	6	-	-
55	Cancer of other and unspecified organs	249	133	114	-	2	24	11	9	3	1
56,57	Nonmalignant tumors and tumors of unspecified nature	93	38	56	-	1	8	1	4	-	3
56	Nonmalignant tumors (including dermoid cysts)	39	9	29	-	1	5	1	1	-	3
56a-c	Nonmalignant tumors of female genital organs	19	...	18	...	1	4	...	1	...	3
56d	Nonmalignant tumors of central nervous system*	14	7	7	-	-	1	1	-	-	-
56e	Nonmalignant tumors of other and unspecified organs	6	2	4	-	-	-	-	-	-	-
57	Tumors of unspecified nature	54	27	27	-	-	3	-	3	-	-
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	36	19	17	-	-	3	-	3	-	-
57e	Tumors, other organs (nature unspecified)	16	8	8	-	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	747	256	472	8	11	132	38	75	6	13
58	Acute rheumatic fever	4	-	4	-	-	2	-	2	-	-
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	-	-	-	-	-	1	-	1	-	-
58c	Acute rheumatic myocarditis	1	-	1	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	2	-	2	-	-	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	1	-	1	-	-	1	-	1	-	-
59	Chronic rheumatism, other rheumatic diseases	18	8	10	-	-	4	1	3	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	671	232	423	5	11	115	36	64	6	9
62	Diseases of pituitary gland	4	2	2	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	27	3	23	1	-	6	-	2	-	4
63a	Simple goiter	4	-	4	-	-	-	-	-	-	-
63b	Exophthalmic goiter	16	1	14	1	-	5	-	1	-	4
63c-e	Other diseases of thyroid and parathyroid glands	7	2	5	-	-	1	-	1	-	-
64	Diseases of thymus gland	5	2	2	1	-	1	1	-	-	-
65	Diseases of adrenal glands*	10	6	3	1	-	2	-	2	-	-
66	Other general diseases	2	1	1	-	-	2	-	2	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	2	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	4	-	4	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	157	88	65	2	2	40	17	17	4	2
72	Hemorrhagic conditions	6	-	5	-	1	-	-	-	-	-
73	Anemias (except splenic anemia)	25	12	12	1	-	12	5	4	2	1
73a	Pernicious anemia	11	5	6	-	-	5	3	2	-	-
73b-d	Other anemias (except splenic)	14	7	6	1	-	7	2	2	2	1
74	Leukemias and aleukemias	113	72	41	-	-	24	11	11	1	1
74a	Leukemias	112	72	40	-	-	22	10	10	1	1
74b	Aleukemias	1	-	1	-	-	2	1	1	-	-
75	Diseases of spleen	8	2	4	1	1	3	1	2	-	-
76	Other diseases of blood and blood-forming organs	5	2	3	-	-	1	-	-	1	-
	V.—Chronic poisoning and intoxication	63	44	13	4	2	11	8	-	2	1
77	Alcoholism (ethylism)	61	43	12	4	2	11	8	-	2	1
78	Lead poisoning	1	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,847	887	914	22	24	298	130	121	24	23
80	Encephalitis (nonepidemic)	5	1	4	-	-	4	1	1	2	-
81	Meningitis (not due to meningococcus)	14	4	9	-	1	2	1	-	-	1
82	Diseases of spinal cord (see exceptions)*	35	13	22	-	-	4	4	-	-	-
83	Intracranial lesions of vascular origin	1,683	811	829	21	22	263	111	114	20	18
83a	Cerebral hemorrhage or effusion*	1,316	646	639	13	18	217	90	94	18	15
83b,c	Cerebral embolism, thrombosis, and softening	352	158	183	7	4	43	19	19	2	3
83d	Hemiplegia, other paralysis, etc.*	15	7	7	1	-	3	2	1	-	-
84	Mental diseases and deficiency (see exception)*	10	7	3	-	-	-	-	-	-	-
85	Epilepsy	20	11	8	1	-	10	3	3	1	3
86	Convulsions (under 5 years)	4	1	3	-	-	-	-	-	-	-
87	Other diseases of nervous system	71	38	34	-	1	14	10	3	1	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	5	3	2	-	-	1	-	-	-	1
	VII.—Diseases of the circulatory system	7,521	4,243	3,117	85	76	1,233	612	435	109	77
90-95	Diseases of the heart (all forms)	7,135	4,080	2,902	82	71	1,136	576	396	101	63
90	Pericarditis (except acute rheumatic)	3	3	-	-	-	1	-	-	1	-
90a	Chronic rheumatic pericarditis	1	1	-	-	-	-	-	-	-	-
90b	Other pericarditis	2	2	-	-	-	1	-	-	1	-
91	Acute endocarditis (except rheumatic)	18	9	9	-	-	1	-	-	1	-
91a,b	Bacterial, acute, and subacute endocarditis	16	9	7	-	-	1	-	-	1	-
91c	Endocarditis (unspecified, under 45 years)	2	-	2	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	260	128	128	3	1	83	37	30	12	4
92a	Diseases of aortic valve, etc.*	27	19	8	-	-	6	2	-	3	1
92b	Diseases of mitral valve, etc.*	121	51	68	1	1	26	10	14	2	-
92c	Chronic rheumatic endocarditis, etc.*	23	11	10	2	-	6	5	1	-	-
92d	Other chronic endocarditis, etc.*	88	46	42	-	-	44	20	14	7	3
92e	Endocarditis (unspecified, 45 years and over)	1	1	-	-	-	1	-	1	-	-
93	Diseases of the myocardium	4,181	2,144	1,947	47	43	579	245	238	52	44
93a	Acute myocarditis (except rheumatic)	33	17	16	-	-	13	3	1	4	5
93b	Myocarditis (unspecified, under 45 years)	2	1	1	-	-	1	1	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	16	10	5	1	-	1	1	-	-	-
93d	Other chronic myocarditis, etc.*	4,037	2,065	1,885	44	43	534	226	230	44	34
93e	Other myocarditis (unspecified)	93	51	40	2	-	30	14	7	4	5
94	Diseases of coronary arteries, angina pectoris	2,348	1,631	674	23	20	410	269	106	25	10
94a	Diseases of coronary arteries	2,343	1,628	672	23	20	406	265	106	25	10
94b	Angina pectoris	5	3	2	-	-	4	4	-	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	5	3	-	-	76	39	31	3	3	86	48	30	3	5	13	7	6	-	-	53
12	7	4	-	1	58	30	25	2	1	68	46	20	1	1	12	7	4	1	-	54
114	38	37	20	19	248	98	106	26	16	274	97	101	29	47	52	29	23	-	-	55
49	11	10	11	17	96	27	26	12	31	116	21	34	12	49	18	6	12	-	-	56,57
29	4	7	4	14	52	7	17	2	26	60	5	18	1	36	9	-	9	-	-	56
17	...	5	...	12	34	...	11	...	23	46	...	14	...	32	7	...	7	...	-	56a-c
2	2	-	-	-	9	4	4	1	-	5	3	1	-	1	1	-	1	-	-	56d
10	2	2	4	2	9	3	2	1	3	9	2	3	1	3	1	-	1	-	-	56e
20	7	3	7	3	44	20	9	10	5	56	16	16	11	13	9	6	3	-	-	57
1	...	-	...	1	2	...	-	...	2	1	...	1	...	-	1	...	1	...	-	57a-c
14	6	2	5	1	23	11	6	4	2	36	11	11	7	7	4	3	1	-	-	57d
5	1	1	2	1	19	9	3	6	1	19	5	4	4	6	4	3	1	-	-	57e
252	73	101	19	59	656	226	267	45	118	700	203	280	76	141	144	62	80	-	2	
3	2	-	1	-	14	1	2	5	6	32	6	8	7	11	3	1	1	-	1	58
1	-	-	1	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	58a
2	2	-	-	-	1	-	-	-	1	5	-	2	2	1	1	1	-	-	-	58b
-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	-	-	-	-	-	58c
-	-	-	-	-	2	-	-	1	1	3	-	1	-	2	-	-	-	-	-	58d
-	-	-	-	-	10	1	2	4	3	19	5	4	4	6	2	-	1	-	1	58e,f
10	2	4	1	3	33	13	16	2	2	37	11	17	2	7	8	3	5	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
220	66	91	14	49	505	185	206	28	86	459	149	180	42	88	114	54	59	-	1	61
-	-	-	-	-	3	1	1	-	1	2	-	-	2	-	-	-	-	-	-	62
12	1	4	2	5	30	5	14	1	10	37	3	19	3	12	11	2	9	-	-	63
1	-	1	-	-	1	-	1	-	-	3	-	-	1	2	1	-	1	-	-	63a
10	-	3	2	5	26	3	13	-	10	26	1	14	1	10	6	1	5	-	-	63b
1	1	-	-	-	3	2	-	1	-	8	2	5	1	-	4	1	3	-	-	63c-e
3	1	-	-	2	18	6	9	2	1	20	7	5	4	4	3	1	2	-	-	64
1	-	1	-	-	9	3	4	1	1	3	1	1	1	-	3	1	2	-	-	65
2	-	1	1	-	10	2	2	4	2	16	6	4	3	3	1	-	1	-	-	66
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	28	8	12	1	7	83	18	43	7	15	1	-	1	-	-	69
-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	70
1	1	-	-	-	2	1	-	-	1	9	2	2	4	1	-	-	-	-	-	71
66	28	20	8	10	208	96	80	15	17	207	94	74	22	17	39	25	14	-	-	
6	2	1	1	2	8	5	2	-	1	10	5	3	-	2	2	-	2	-	-	72
7	3	1	1	2	57	20	19	7	11	46	18	13	8	7	7	6	1	-	-	73
4	3	1	-	-	29	15	9	3	2	17	6	6	3	2	5	5	-	-	-	73a
3	-	-	1	2	28	5	10	4	9	29	12	7	5	5	2	1	1	-	-	73b-d
47	20	18	4	5	122	61	52	6	3	139	65	55	13	6	27	17	10	-	-	74
44	19	16	4	5	119	58	52	6	3	136	64	53	13	6	27	17	10	-	-	74a
3	1	2	-	-	3	3	-	-	-	3	1	2	-	-	-	-	-	-	-	74b
6	3	-	2	1	11	5	4	2	-	9	6	2	1	-	2	1	1	-	-	75
-	-	-	-	-	10	5	3	-	2	3	-	1	-	2	1	1	-	-	-	76
19	5	4	10	-	44	29	8	6	1	86	51	3	24	8	10	9	1	-	-	
18	5	4	9	-	41	27	8	5	1	84	50	3	23	8	10	9	1	-	-	77
-	-	-	-	-	2	1	-	1	-	2	1	-	1	-	-	-	-	-	-	78
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	79
628	159	237	120	112	2,686	932	860	451	443	3,848	1,084	964	860	940	507	275	228	4	-	
7	3	1	1	2	21	11	6	3	1	24	11	4	7	2	4	2	2	-	-	80
12	2	3	4	3	35	7	6	10	12	55	19	7	15	14	5	-	5	-	-	81
14	4	5	1	4	46	24	14	1	7	44	15	15	13	1	12	8	4	-	-	82
563	142	215	107	99	2,460	681	785	415	409	3,532	983	902	770	877	447	247	196	4	-	83
421	102	150	85	84	2,102	715	654	372	363	3,125	838	776	704	807	390	214	172	4	-	83a
132	38	60	20	14	300	123	121	26	30	287	112	98	40	37	49	30	19	-	-	83b,c
10	2	5	2	1	58	15	10	17	16	120	33	28	26	33	8	3	5	-	-	83d
3	1	1	-	1	22	7	8	4	3	27	3	3	10	11	4	4	-	-	-	84
9	5	-	3	1	26	8	8	8	2	75	18	10	28	19	8	4	4	-	-	85
1	-	-	1	-	13	1	3	4	5	23	5	4	5	9	1	1	-	-	-	86
16	1	10	3	2	52	19	25	5	3	58	27	17	10	4	23	7	15	-	-	87
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	88
2	1	1	-	-	10	4	5	-	1	10	3	2	2	3	2	2	-	-	-	89
2,621	1,071	712	442	396	7,510	3,930	2,121	815	644	7,907	3,180	1,883	1,565	1,279	1,530	1,010	502	11	7	
2,472	1,022	654	422	374	6,994	3,719	1,922	759	594	7,301	2,978	1,714	1,447	1,162	1,437	961	458	11	7	90-95
4	3	-	-	1	10	1	1	6	2	9	6	-	2	1	1	1	-	-	-	90
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	90a
4	3	-	-	1	10	1	1	6	2	8	5	-	2	1	-	-	-	-	-	90b
24	8	1	8	7	18	10	5	-	3	40	11	4	11	14	3	2	1	-	-	91
23	8	1	7	7	16	9	5	-	2	36	10	4	11	11	3	2	1	-	-	91a,b
1	-	-	1	-	2	1	-	-	1	4	1	-	-	3	-	-	-	-	-	91c
111	42	40	12	17	488	193	156	85	54	526	137	103	167	119	98	57	38	1	2	92
18	9	3	3	3	56	24	6	15	11	80	22	7	32	19	8	5	3	-	-	92a
64	21	30	5	8	186	72	67	32	15	211	52	46	66	47	40	24	13	1	2	92b
5	4	1	-	-	27	17	9	1	-	15	6	5	2	2	12	4	8	-	-	92c
20	7	5	4	4	171	65	59	27	20	167	49	35	49	34	36	22	14	-	-	92d
4	1	1	-	2	48	15	15	10	8	53	8	10	18	17	2	2	-	-	-	92e
1,545	508	418	319	300	3,080	1,376	976	384	324	3,378	1,112	930	699	637	619	379	234	2	4	93
6	1	5	-	-	86	22	11	15	18	90	20	19	22	29	10	5	4	1	-	93a
1	-	-	1	-	9	2	1	2	4	18	4	2	6	6	1	1	-	-	-	93b
5	3	1	-	1	9	3	3	1	2	6	2	1	1	2	10	4	6	-	-	93c
1,232	416	366	218	232	2,616	1,210	852	296	258	2,789	958	774	556	501	529	328	197	1	3	93d
301	88	46	100	67	360	139	109	70	42	475	128	134	114	99	69	41	27	-	1	93e
682	433	159	61	29	2,719	1,792	595	198	136	2,396	1,367	506	313	210	571	430	135	6	-	94
681	433	158	61	29	2,648	1,755	578	187	128	2,313	1,328	488	297	200	560	422	132	6	-	94a
1	-	1	-	-	71	37	17	9	8	83	39	18	16	10	11	8	3	-	-	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	325	165	144	9	7	62	25	22	10	5
95a	Functional diseases of heart, etc.*	7	2	5	-	-	1	1	-	-	-
95b	Other diseases of heart (rheumatic)	150	65	79	5	1	24	6	16	1	2
95c	Other diseases of heart (not rheumatic)	168	98	60	4	6	37	18	7	9	3
96	Aneurysm (except of heart and aorta)	40	26	14	-	-	7	2	3	2	-
97	Arteriosclerosis (except coronary or renal sclerosis)	294	117	171	2	4	62	30	35	5	12
98	Gangrene	2	1	1	-	-	1	-	-	1	-
99	Other diseases of arteries	17	8	8	-	1	1	1	-	-	-
100	Diseases of veins	25	8	16	1	-	4	2	1	-	1
101	Diseases of lymphatic system	2	1	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	6	2	4	-	-	2	1	-	-	1
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	651	372	258	11	10	147	57	50	26	14
104	Diseases of nasal fossae, accessory sinuses	7	5	2	-	-	-	-	-	-	-
105	Diseases of larynx	2	1	-	-	1	1	-	-	1	-
106	Bronchitis	42	27	14	-	1	9	4	5	-	-
107	Bronchopneumonia (including capillary bronchitis)	220	104	108	3	5	54	22	17	9	6
108	Lobar pneumonia	206	126	74	4	2	54	18	20	10	6
109	Pneumonia (unspecified)	43	24	17	1	1	7	3	1	3	-
109A	Atypical or virus pneumonia	14	9	5	-	-	1	-	1	-	-
109B	Pneumonia (all other, unspecified)	29	15	12	1	1	6	3	-	3	-
110	Pleurisy (not tuberculous)	21	14	7	-	-	4	3	1	-	-
111	Hemorrhagic infarction, thrombosis, edema*	43	22	19	2	-	7	3	2	1	1
112	Asthma	28	14	12	-	-	5	2	3	-	-
113	Pulmonary emphysema	8	7	1	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	33	28	4	1	-	6	2	1	2	1
114a,b	Silicosis, other forms of pneumoconioses	10	10	-	-	-	1	1	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	23	18	4	1	-	5	1	1	2	1
	IX.—Diseases of the digestive system	858	482	350	13	13	119	58	39	13	8
115	Diseases of buccal cavity and adnexa, etc.*	13	4	9	-	-	2	1	-	1	-
116	Diseases of esophagus	3	2	-	1	-	3	3	-	-	-
117	Ulcer of stomach or duodenum	136	109	26	1	-	17	11	3	2	1
117a	Ulcer of stomach	82	65	17	-	-	9	6	1	1	1
117b	Ulcer of duodenum	54	44	9	1	-	8	5	2	1	-
118	Other diseases of stomach (except cancer)	5	4	1	-	-	1	1	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	28	13	9	3	3	5	3	-	1	1
120	Diarrhea, enteritis, etc.* (2 years and over)	19	4	15	-	-	5	1	2	1	1
121	Appendicitis	41	23	15	3	-	6	3	1	2	-
122	Hernia and intestinal obstruction	133	65	63	2	3	26	10	9	5	2
122a	Hernia	64	33	30	1	-	7	4	2	1	-
122b	Intestinal obstruction	69	32	33	1	3	19	6	7	4	2
123	Other diseases of intestines	39	22	16	1	-	6	2	2	-	2
124	Cirrhosis of liver	300	182	111	1	6	37	20	15	1	1
124a	Cirrhosis of liver with mention of alcoholism	43	23	17	1	2	4	1	3	-	-
124b	Cirrhosis of liver without mention of alcoholism	257	159	94	-	4	33	19	12	1	1
125	Other diseases of liver	27	15	11	1	-	2	1	1	-	-
126	Biliary calculi	61	20	41	-	-	3	-	3	-	-
127	Other diseases of gallbladder, biliary ducts	36	12	24	-	-	1	-	1	-	-
128	Diseases of pancreas (except diabetes mellitus)	8	3	5	-	-	1	1	-	-	-
129	Peritonitis (cause not stated)	9	4	4	-	1	3	1	2	-	-
	X.—Diseases of the genito-urinary system	996	540	430	17	9	315	129	128	31	27
130	Acute nephritis	14	9	4	1	-	5	5	-	-	-
131	Chronic nephritis	802	401	378	14	9	275	106	118	25	26
131a	Arteriosclerotic kidney	681	338	322	13	8	221	85	97	22	17
131b	Other chronic nephritis	121	63	56	1	1	54	21	21	3	9
132	Nephritis unspecified (10 years and over)	20	14	6	-	-	10	5	4	1	-
133	Other diseases of kidneys, ureters, etc.*	37	17	18	2	-	8	-	4	4	-
134	Calculi of urinary passages	18	7	11	-	-	6	4	2	-	-
135	Diseases of urinary bladder	11	6	5	-	-	1	-	-	1	-
136	Diseases of urethra (except calculus)	2	1	1	-	-	-	-	-	-	-
137	Diseases of prostate	85	85	...	-	...	9	9	...	-	...
137a	Hypertrophy of prostate	72	72	...	-	...	7	7	...	-	...
137b	Other diseases of prostate	13	13	...	-	...	2	2	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	7	...	7	...	-	1	...	-	...	1
139a	Diseases of ovaries, fallopian tubes, and parametria	3	...	3	...	-	1	...	-	...	1
139b	Diseases of uterus	4	...	4	...	-	-	...	-	...	-
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	25	...	20	...	5	8	...	6	...	2
140	Abortion with mention of infection	3	...	2	...	1	1	...	1	...	-
141	Abortion without mention of infection	1	...	-	...	1	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	1	...	-	...	1	-	...	-	...	-
142	Ectopic gestation	2	...	-	...	2	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	-	...	1	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	1	...	-	...	1	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	1	...	1	...	-	2	...	-	...	2
145	Other diseases of pregnancy (death before delivery)*	3	...	3	...	-	-	...	-	...	-
145A	With mention of infection	2	...	2	...	-	-	...	-	...	-
145B	Without mention of infection	1	...	1	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	3	...	3	...	-	2	...	2	...	-
147	Infection during childbirth and puerperium	3	...	3	...	-	1	...	1	...	-
148	Puerperal toxemias (excluding death before delivery)	4	...	4	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	3	...	2	...	1	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	-	1	...	1	...	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
106	28	36	22	20	699	347	189	88	75	952	345	171	255	181	145	92	50	2	1	95
1	-	1	-	-	25	11	13	-	1	25	11	7	3	4	4	1	3	-	-	95a
39	7	18	7	7	117	37	56	11	13	81	26	22	16	17	35	17	18	-	-	95b
66	21	17	15	13	557	289	120	77	61	846	308	142	236	160	106	74	29	2	1	95c
18	8	3	2	5	34	24	8	2	-	56	33	10	8	5	3	1	2	-	-	96
97	32	38	15	12	347	134	150	31	32	393	124	124	77	68	62	34	28	-	-	97
1	-	-	1	-	5	-	2	3	-	13	1	2	5	5	-	-	-	-	-	98
15	5	8	-	2	34	23	6	2	3	36	17	13	2	4	10	6	4	-	-	99
13	4	7	1	1	20	8	5	5	2	25	8	11	1	5	5	3	2	-	-	100
-	-	-	-	-	3	1	1	2	1	-	-	-	-	-	1	-	1	-	-	101
5	-	2	1	2	63	19	24	11	9	75	14	8	24	29	10	3	7	-	-	102
-	-	-	-	-	8	2	3	-	3	8	5	1	1	1	2	2	-	-	-	103
361	114	91	88	68	1,034	427	256	196	155	1,567	442	392	383	350	236	148	81	6	1	
1	-	-	1	-	8	3	2	2	1	28	6	-	11	11	1	-	-	1	-	104
1	-	1	-	-	1	1	-	-	-	6	1	1	1	3	1	1	-	-	-	105
22	9	6	6	1	68	44	11	8	6	74	23	28	14	9	21	15	6	-	-	106
113	30	38	20	25	408	160	108	71	69	616	171	166	133	146	90	52	36	1	1	107
116	36	23	38	19	275	98	61	68	46	463	116	105	140	102	38	26	11	1	-	108
29	9	11	4	5	76	26	20	20	10	182	43	34	51	54	41	25	13	3	-	109
4	2	2	-	-	18	10	5	2	1	38	12	9	9	8	7	4	3	-	-	109A
25	7	9	4	5	58	16	15	18	9	144	31	25	42	46	34	21	10	3	-	109B
11	5	-	4	2	13	6	4	2	1	20	4	5	6	5	4	3	1	-	-	110
36	10	8	8	10	83	30	32	12	9	68	25	26	7	10	18	7	11	-	-	111
15	7	2	2	4	63	34	12	9	8	67	28	21	11	7	16	13	3	-	-	112
5	3	-	2	-	9	6	1	2	-	11	5	3	1	2	1	1	-	-	-	113
12	5	2	3	2	29	18	5	1	5	32	20	3	8	1	5	5	-	-	-	114
1	-	-	1	-	2	2	-	-	-	8	8	-	-	-	2	2	-	-	-	114a,b
11	5	2	2	2	27	16	5	1	5	24	12	3	8	1	3	3	-	-	-	114c-e
383	148	113	80	42	1,139	490	314	191	144	1,224	434	306	241	243	197	132	62	2	1	
4	1	1	1	1	39	7	16	9	7	39	8	9	11	13	9	4	5	-	-	115
1	-	-	1	-	6	2	2	1	1	2	1	-	-	1	1	1	-	-	-	116
41	19	9	10	3	134	84	10	29	11	156	85	17	36	18	41	38	3	-	-	117
23	13	1	8	1	90	52	6	24	8	118	58	15	30	17	23	21	2	-	-	117a
18	6	8	2	2	44	32	4	5	3	38	27	4	6	1	18	17	1	-	-	117b
1	-	-	1	-	49	7	3	19	20	62	12	9	18	23	3	2	1	-	-	118
7	2	3	1	1	100	29	30	25	16	180	51	41	51	37	14	9	4	1	-	119
8	1	3	-	2	37	9	14	8	6	69	15	14	13	27	4	2	2	-	-	120
28	7	13	5	3	83	40	10	22	11	87	34	28	15	10	19	17	2	-	-	121
51	20	12	13	6	184	64	59	36	25	216	60	55	47	54	23	11	11	-	1	122
21	9	5	5	2	77	28	22	19	8	70	27	12	22	9	8	5	2	-	1	122a
30	11	7	8	4	107	36	37	17	17	146	33	43	25	45	15	6	9	-	-	122b
21	6	5	7	3	48	21	16	7	4	34	10	8	9	7	10	5	5	-	-	123
167	75	47	27	18	280	162	79	21	18	202	110	50	20	22	32	21	10	1	-	124
18	12	-	3	1	32	18	15	1	-	56	33	14	5	4	2	2	-	-	-	124a
151	63	47	24	17	248	148	64	20	16	146	77	36	15	18	30	19	10	1	-	124b
7	3	1	2	1	42	15	15	3	9	33	10	10	6	7	6	4	2	-	-	125
10	2	5	2	1	45	20	21	2	2	43	11	28	-	4	19	10	9	-	-	126
15	4	7	3	1	58	16	29	4	9	57	16	27	8	6	9	5	4	-	-	127
19	6	7	6	-	17	8	5	2	2	24	11	5	4	4	5	2	3	-	-	128
5	2	-	1	2	17	6	5	3	3	20	2	5	3	10	2	1	1	-	-	129
796	277	228	155	136	1,785	663	493	372	257	2,808	875	672	705	556	316	189	114	9	4	
4	1	1	-	2	75	21	17	18	19	110	25	16	37	32	10	5	4	-	1	130
676	235	206	124	111	1,364	476	423	273	192	2,304	708	590	534	472	253	153	90	8	2	131
626	219	190	112	105	1,021	372	326	182	141	1,681	517	471	364	329	179	110	63	6	-	131a
50	16	16	12	6	343	104	97	91	51	623	191	119	170	143	74	43	27	2	2	131b
29	4	6	10	9	56	18	12	13	15	77	10	13	36	18	13	9	4	-	-	132
34	10	8	10	6	61	20	20	11	10	83	28	31	17	7	6	-	5	1	-	133
5	1	2	-	2	41	24	10	3	4	29	13	8	7	1	5	1	4	-	-	134
-	-	-	-	-	17	-	3	12	2	16	4	3	6	3	1	1	-	-	-	135
3	-	-	2	1	6	1	-	5	-	9	5	-	4	-	2	2	-	-	-	136
34	26	...	8	...	141	105	...	36	...	145	82	...	63	...	18	18	...	-	...	137
29	21	...	8	...	106	79	...	27	...	126	72	...	54	...	16	16	...	-	...	137a
5	5	...	-	...	35	26	...	9	...	19	10	...	9	...	2	2	...	-	...	137b
1	-	...	1	...	1	-	...	1	...	1	-	...	1	...	-	-	...	-	...	138
10	...	3	...	7	23	...	8	...	15	34	...	11	...	23	8	...	7	...	1	139
8	...	2	...	6	18	...	7	...	11	21	...	5	...	16	7	...	6	...	1	139a
2	...	1	...	1	4	...	1	...	3	12	...	6	...	6	1	...	1	...	-	139b
-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	139c
19	...	5	...	14	115	...	48	...	67	198	...	74	...	124	13	...	13	...	-	
2	...	-	...	2	6	...	4	...	2	7	...	-	...	7	1	...	1	...	-	140
-	...	-	...	-	5	...	2	...	3	12	...	5	...	7	1	...	1	...	-	141
-	...	-	...	-	3	...	2	...	1	4	...	1	...	3	1	...	1	...	-	141a,c
-	...	-	...	-	1	...	-	...	1	3	...	1	...	2	-	...	-	...	-	141b
-	...	-	...	-	1	...	-	...	1	5	...	3	...	2	-	...	-	...	-	141d-f
-	...	-	...	-	8	...	1	...	7	8	...	2	...	6	-	...	-	...	-	142
-	...	-	...	-	4	...	1	...	3	2	...	1	...	1	-	...	-	...	-	142a
-	...	-	...	-	4	...	-	...	4	6	...	1	...	5	-	...	-	...	-	142b
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	143
1	...	-	...	1	16	...	2	...	14	16	...	4	...	12	1	...	1	...	-	144
1	...	-	...	1	3	...	1	...	2	13	...	5	...	8	-	...	-	...	-	145
1	...	-	...	1	1	...	1	...	-	9	...	3	...	6	-	...	-	...	-	145A
-	...	-	...	-	2	...	-	...	2	4	...	2	...	2	-	...	-	...	-	145B
2	...	-	...	2	16	...	6	...	10	29	...	12	...	17	2	...	2	...	-	146
6	...	3	...	3	17	...	8	...	9	32	...	14	...	18	4	...	4	...	-	147
2	...	-	...	2	25	...	12	...	13	52	...	22	...	30	3	...	3	...	-	148
1	...	-	...	1	11	...	6	...	5	12	...	5	...	7	1	...	1	...	-	149
4	...	2	...	2	8	...	6	...	2	15	...	4	...	11	-	...	-	...	-	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	12	4	7	1	-	3	3	-	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	-	-	-	-	-	1	1	-	-	-
153	Other diseases of skin and cellular tissue	12	4	7	1	-	2	2	-	-	-
	XIII.—Diseases of the bones, etc.*	4	2	2	-	-	-	-	-	-	-
154	Osteomyelitis and periostitis	1	1	-	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	1	-	1	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	2	1	1	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	279	130	142	6	1	30	13	13	2	2
157a-d	Congenital malformations of central nervous system	112	43	67	2	-	11	6	4	1	-
157e,f	Congenital malformations of cardiovascular system	113	59	52	1	1	13	4	7	1	1
157g,h,m	Other congenital malformations	54	28	23	3	-	6	3	2	-	1
	XV.—Diseases peculiar to the first year of life	630	333	265	17	15	126	52	42	23	9
158	Congenital debility (cause not stated)	10	3	7	-	-	2	1	1	-	-
159	Premature birth (cause not stated)	381	200	154	13	14	86	35	24	20	7
160	Injury at birth	123	64	56	2	1	18	9	8	1	-
161	Other diseases peculiar to first year of life	116	66	48	2	-	20	7	9	2	2
162	XVI.—Senility	63	26	37	-	-	14	4	7	1	2
	XVII.—Violent or accidental deaths	1,337	801	479	40	17	282	155	60	52	15
163,164	Suicide	240	184	53	1	2	50	33	14	3	-
163	Suicide by poisoning	95	56	37	-	2	19	6	12	1	-
164	Suicide by other means	145	128	16	1	-	31	27	2	2	-
165-168	Homicide[1]	34	17	9	6	2	18	4	2	8	4
166	Homicide by firearms	10	5	2	3	-	8	1	2	4	1
167	Homicide by cutting or piercing instruments	9	4	1	3	1	6	1	-	3	2
168	Homicide by other means	15	8	6	-	1	4	2	-	1	1
169-195	Accidental deaths	1,062	600	417	32	13	214	118	44	41	11
169	Railway accidents (except collisions with motor vehicles)	5	4	-	1	-	9	7	-	2	-
170	Motor-vehicle accidents	263	190	65	6	2	69	50	12	5	2
170a	Collisions between automobiles and trains	2	2	-	-	-	6	4	2	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	256	184	64	6	2	63	46	10	5	2
170d	Motorcycle accidents (exc. collisions with automobiles)	5	4	1	-	-	-	-	-	-	-
171	Streetcar and other road-transport accidents	4	3	1	-	-	-	-	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	-	-	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	4	3	1	-	-	-	-	-	-	-
172	Water-transport accidents	8	7	1	-	-	4	3	-	1	-
173	Air-transport accidents	10	8	2	-	-	4	2	2	-	-
174	Accidents in mines and quarries	3	1	2	-	-	-	-	-	-	-
175	Agricultural and forestry accidents	10	10	-	-	-	3	2	-	1	-
175a-c	Agricultural accidents	10	10	-	-	-	3	2	-	1	-
175d,e	Forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	13	12	-	1	-	3	2	-	1	-
177	Food poisoning	-	-	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	43	25	16	2	-	4	2	1	1	-
179	Acute accidental poisoning by solids or liquids	11	8	2	1	-	2	2	-	-	-
180	Conflagration	24	9	9	2	4	15	3	-	7	5
181	Accidental burns (except conflagration)	35	14	16	3	2	10	1	2	3	4
182	Accidental mechanical suffocation	17	10	4	2	1	1	-	-	1	-
183	Accidental drowning	66	51	7	8	-	22	11	3	8	-
184	Accidental injury by firearms	11	8	3	-	-	3	1	-	2	-
185	Accidental injury by cutting or piercing instruments	4	3	1	-	-	-	-	-	-	-
186	Accidental injury by fall or crushing	424	177	242	3	2	45	22	20	3	-
186a	Accidental injury by fall	421	174	242	3	2	44	21	20	3	-
186b	Accidental injury by crushing	3	3	-	-	-	1	1	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	6	5	-	-	1	1	1	-	-	-
191	Excessive heat	10	1	6	2	1	2	-	-	2	-
192	Lightning	3	3	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	6	5	1	-	-	2	2	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	2	2	-	-	-	-	-	-	-	-
195	Other accidents	84	44	39	1	-	15	7	4	4	-
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	1	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	15	8	7	-	-	1	1	-	-	-
195c,e	Other and unspecified accidents	68	36	31	1	-	14	6	4	4	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	-	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	80	58	17	4	1	25	17	7	1	-
199	Sudden death	23	17	6	-	-	-	-	-	-	-
200	Ill-defined and unknown causes	57	41	11	4	1	25	17	7	1	-
200a	Ill-defined causes	50	35	11	3	1	23	17	5	1	-
200b,c	Unknown or unspecified causes	7	6	-	1	-	2	-	2	-	-

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4	-	2	1	1	22	4	6	4	8	36	9	7	10	10	2	1	1	-	-	
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	151
1	-	1	-	-	5	1	-	2	2	8	3	1	2	2	-	-	-	-	-	152
3	-	1	1	1	16	2	6	2	6	27	5	6	8	8	2	1	1	-	-	153
3	-	2	1	-	16	6	7	2	1	16	6	8	1	1	4	3	1	-	-	
-	-	-	-	-	3	-	2	1	-	4	-	3	1	-	-	-	-	-	-	154
1	-	-	1	-	5	3	2	-	-	3	-	3	-	-	1	-	1	-	-	155
2	-	2	-	-	8	3	3	1	1	9	6	2	-	1	3	3	-	-	-	156
90	37	24	17	12	302	140	109	27	26	358	154	108	54	42	86	46	38	2	-	157
32	15	11	2	4	103	39	52	4	9	101	40	40	13	8	17	8	9	-	-	157a-d
40	13	10	10	7	138	67	44	12	15	179	90	47	22	20	45	24	20	1	-	157e,f
18	9	3	5	1	61	35	13	11	2	78	24	21	19	14	24	14	9	1	-	157g,h,m
370	131	69	88	82	1,214	472	356	218	168	1,624	566	411	365	282	283	157	123	1	2	
4	1	-	1	2	38	9	7	16	6	73	14	9	32	18	4	3	1	-	-	158
252	71	43	58	60	785	298	234	135	118	1,037	352	282	216	187	171	95	73	1	2	159
85	40	19	15	11	236	111	65	38	22	311	124	76	68	43	68	40	28	-	-	160
49	19	7	14	9	155	54	50	29	22	203	76	44	49	34	40	19	21	-	-	161
13	2	7	2	2	236	69	72	42	33	245	41	70	65	69	67	39	23	2	3	162
708	252	195	194	67	2,653	1,357	489	620	187	2,955	1,257	467	948	283	670	494	156	15	5	
97	50	30	11	6	314	207	87	18	2	272	191	57	15	9	97	78	17	1	1	163,164
25	9	13	2	2	88	47	40	1	-	40	20	19	-	1	16	9	7	-	-	163
72	42	17	9	4	226	160	47	17	2	232	171	38	15	8	81	69	10	1	1	164
84	8	7	59	10	376	73	23	217	63	535	99	19	352	65	20	13	4	2	1	165-168
35	5	2	25	3	218	47	16	129	26	351	75	16	225	35	14	10	4	-	-	166
27	1	3	20	3	113	11	2	71	29	137	10	-	103	24	3	1	-	2	-	167
22	2	2	14	4	45	15	5	17	8	47	14	3	24	6	3	2	-	-	1	168
525	194	158	122	51	1,955	1,076	379	378	122	2,135	965	391	570	209	553	403	135	12	3	169-195
5	3	-	2	-	52	25	6	19	2	63	34	4	24	1	8	4	1	3	-	169
104	50	20	20	14	689	406	125	119	39	779	449	98	188	44	196	139	50	6	1	170
-	-	-	-	-	26	19	3	3	1	16	9	3	4	-	10	6	4	-	-	170a
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	170b
98	47	20	18	13	642	367	121	116	38	737	422	89	182	44	183	130	46	6	1	170c
5	3	-	1	1	21	20	1	-	-	25	18	6	1	-	3	3	-	-	-	170d
18	7	5	4	2	7	5	1	-	1	8	5	1	1	1	2	1	1	-	-	171
17		5	3	2	2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	171a
1	-	-	1	-	5	3	1	-	1	6	4	-	1	1	2	1	1	-	-	171b
10	7	1	2	-	70	49	3	12	6	59	33	7	19	-	5	4	-	1	-	172
16	14	2	-	-	103	92	7	4	-	51	45	4	2	-	20	16	4	-	-	173
-	-	-	-	-	2	1	-	1	-	3	2	-	1	-	13	13	-	-	-	174
-	-	-	-	-	18	11	-	7	-	67	32	5	28	2	59	57	2	-	-	175
-	-	-	-	-	14	9	-	5	-	52	25	5	20	2	34	32	2	-	-	175a-c
-	-	-	-	-	4	2	-	2	-	15	7	-	8	-	25	25	-	-	-	175d,e
2	-	1	1	-	23	10	-	5	-	28	14	-	11	-	10	10	-	-	-	176
-	-	-	-	-	14	6	4	2	2	14	3	1	4	6	-	-	-	-	-	177
3	2	-	-	1	23	10	11	2	-	17	11	5	1	-	5	4	1	-	-	178
13	10	1	1	1	37	13	13	4	7	38	18	3	10	7	3	2	1	-	-	179
14	3	3	4	4	38	17	5	10	6	61	20	12	19	10	8	2	6	-	-	180
37	6	11	13	7	73	28	13	17	14	166	29	41	39	57	18	11	7	-	-	181
23	4	4	7	8	35	13	9	7	6	61	11	14	23	13	12	7	4	1	-	182
31	8	-	23	-	218	122	20	67	9	115	43	11	50	11	42	35	6	-	1	183
5	2	-	1	2	64	38	2	19	5	103	46	8	41	8	27	24	2	-	1	184
1	-	-	-	1	14	2	1	7	4	10	2	-	4	4	1	1	-	-	-	185
202	64	102	25	11	281	119	125	29	8	310	98	153	37	22	78	40	38	-	-	186
196	62	101	23	10	272	116	125	24	7	305	95	153	35	22	74	36	38	-	-	186a
6	2	1	2	1	9	3	-	5	1	5	3	-	2	-	4	4	-	-	-	186b
-	-	-	-	-	3	-	1	1	1	3	1	1	-	1	2	2	-	-	-	187
-	-	-	-	-	3	1	-	1	1	2	-	-	2	-	2	2	-	-	-	188
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	189
1	-	-	1	-	1	1	-	-	-	7	1	-	5	1	2	2	-	-	-	190
8	3	-	5	-	3	2	-	1	-	8	1	-	7	-	1	1	-	-	-	191
-	-	-	-	-	8	5	-	2	1	20	11	2	6	1	3	3	-	-	-	192
1	-	-	1	-	39	30	3	6	-	31	23	4	4	-	4	4	-	-	-	193
-	-	-	-	-	6	5	-	-	1	2	1	-	1	-	-	-	-	-	-	194
31	11	8	12	-	131	56	30	36	9	110	32	16	43	19	32	19	12	1	-	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	195b
9	2	3	4	-	12	7	3	2	-	28	6	8	8	6	7	3	4	-	-	195d
22	9	5	8	-	119	49	27	34	9	80	26	8	34	12	25	16	8	1	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
2	-	-	2	-	8	1	-	7	-	13	2	-	11	-	-	-	-	-	-	198
13	10	1	2	-	688	244	107	218	119	848	203	99	298	248	67	58	10	1	-	
1	1	-	-	-	68	21	8	31	8	99	28	13	32	26	4	2	2	-	-	199
12	9	1	2	-	620	223	99	187	111	749	175	86	266	222	63	54	8	1	-	200
6	3	1	2	-	410	164	66	117	63	278	90	38	86	64	50	44	5	1	-	200a
6	6	-	-	-	210	59	33	70	48	471	85	48	180	158	13	10	3	-	-	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	91,328	48,075	35,853	4,064	3,336	39,544	21,092	16,195	1,227	1,030
	I.—Infectious and parasitic diseases	3,937	2,050	933	582	372	1,702	889	559	153	101
1	Typhoid fever	4	1	2	1	-	2	2	-	-	-
2	Paratyphoid fever	2	1	-	-	1	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	5	4	1	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis	54	25	18	6	5	34	13	18	-	3
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	2	2	-	-	-
9	Whooping cough	28	6	18	4	-	21	6	12	2	1
10	Diphtheria (infection by C. diphtheriae)	9	4	4	-	1	16	13	3	-	-
11	Erysipelas	2	2	-	-	-	3	2	1	-	-
12	Tetanus	14	8	5	1	-	10	6	4	-	-
13-22	Tuberculosis (all forms)	2,658	1,392	540	424	302	917	462	287	98	70
13	Tuberculosis of respiratory system, etc.*	2,438	1,318	489	372	259	817	417	256	86	58
14	Tuberculosis of meninges, etc.*	73	20	20	16	17	27	6	15	4	2
15	Tuberculosis of intestines and peritoneum	28	5	7	7	9	18	4	6	2	6
16	Tuberculosis of vertebral column	23	8	5	9	1	17	11	4	1	1
17	Tuberculosis of bones and joints, etc.*	8	7	-	1	-	2	2	-	-	-
18	Tuberculosis of skin, etc.*	1	-	1	-	-	1	-	-	1	-
19	Tuberculosis of lymphatic system, etc.*	2	-	1	-	1	1	-	1	-	-
20	Tuberculosis of genito-urinary system	21	14	5	2	-	10	8	2	-	-
21	Tuberculosis of other organs	6	3	1	2	-	2	1	-	1	-
22	Disseminated tuberculosis	58	17	11	15	15	22	13	3	3	3
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	15	8	4	2	1	14	7	6	1	-
25	Gonococcus infection	4	1	1	-	2	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	2	-	2	-	-	2	1	1	-	-
27	Dysentery	16	6	6	4	-	10	6	4	-	-
28	Malaria	6	3	2	1	-	2	2	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	4	2	2	-	-	6	3	2	1	-
30	Syphilis (all forms)	622	333	129	119	41	312	177	70	44	21
30a	Locomotor ataxia (tabes dorsalis)	17	10	6	1	-	13	7	3	2	1
30b	General paralysis of insane	215	103	44	53	15	104	60	17	16	11
30d	Aneurysm of aorta	193	119	39	30	5	83	54	14	9	6
30f	Congenital syphilis	6	1	3	1	1	9	4	3	2	-
30c,e,g	Syphilis (other forms)	191	100	37	34	20	103	52	33	15	3
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	10	9	1	-	-	9	5	4	-	-
33	Influenza	140	64	57	8	11	177	86	83	4	4
34	Smallpox	-	-	-	-	-	1	1	-	-	-
35	Measles	83	39	42	1	1	37	24	13	-	-
36	Poliomyelitis and policencephalitis (acute)	70	37	31	1	1	29	18	10	1	-
37	Acute infectious encephalitis (lethargic)	25	13	10	2	-	17	9	8	-	-
38	Other diseases due to filtrable viruses	6	3	2	1	-	8	5	3	-	-
39	Typhus fever and typhus-like diseases*	2	2	-	-	-	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	1	1	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	1	-	-	-
43	Mycoses	16	8	5	1	2	9	1	6	1	1
44	Other infectious and parasitic diseases	139	78	51	6	4	57	32	23	1	1
	II.—Cancer and other tumors	14,162	6,704	6,618	367	473	5,425	2,518	2,677	99	131
45-55	Cancer and other malignant tumors	13,845	6,616	6,425	358	446	5,282	2,462	2,600	99	121
45	Cancer of buccal cavity and pharynx	454	347	91	14	2	155	124	23	5	3
45a	Cancer of lip	42	37	5	-	-	20	17	2	1	-
45b	Cancer of tongue	107	79	20	7	1	44	35	4	3	2
45c	Cancer of mouth	60	44	12	4	-	27	21	5	1	-
45d	Cancer of jaw bone	69	56	12	-	1	23	17	5	-	1
45e	Cancer of unspecified parts of buccal cavity	8	6	2	-	-	1	1	-	-	-
45f	Cancer of pharynx	168	125	40	3	-	40	33	7	-	-
46	Cancer of digestive organs and peritoneum	6,337	3,376	2,660	168	133	2,310	1,192	1,028	55	35
46a	Cancer of esophagus	343	264	54	19	6	79	53	18	6	2
46b	Cancer of stomach	1,876	1,082	681	76	39	645	372	242	22	9
46c	Cancer of duodenum	26	11	13	-	2	12	9	3	-	-
46d	Cancer of rectum and anus	850	519	297	15	19	279	148	122	6	3
46e	Cancer of intestines, etc.*	1,713	765	888	21	39	679	315	331	16	17
46f	Cancer of liver and biliary passages	798	338	429	18	13	344	148	191	2	3
46g	Cancer of pancreas	590	332	231	15	12	210	119	87	3	1
46h	Cancer of mesentery and peritoneum	105	49	54	-	2	40	21	19	-	-
46m	Cancer of other and unspecified sites	34	16	13	4	1	22	7	15	-	-
47	Cancer of respiratory system	1,325	1,012	253	42	18	435	329	90	14	2
47a	Cancer of larynx	154	140	10	3	1	58	50	5	3	-
47b	Cancer of trachea	5	2	3	-	-	1	1	-	-	-
47c,d	Cancer of bronchus and lung	1,117	836	226	39	16	358	268	77	11	2
47e	Cancer of pleura	7	3	4	-	-	1	-	1	-	-
47f	Cancer of other respiratory organs	42	31	10	-	1	17	10	7	-	-
48	Cancer of uterus	1,103	...	943	...	160	519	...	479	...	40
48a	Cancer of cervix	429	...	354	...	75	252	...	228	...	24
48b	Cancer of other and unspecified sites of uterus	674	...	589	...	85	267	...	251	...	16
49	Cancer of other female genital organs	424	...	406	...	18	157	...	151	...	6
49a,b	Cancer of ovary, fallopian tube, and parametrium	373	...	358	...	15	133	...	127	...	6
49c-e	Cancer of other female genital organs	51	...	48	...	3	24	...	24	...	-
50	Cancer of breast	1,368	16	1,289	-	63	498	3	477	-	18
51	Cancer of male genital organs	818	762	...	56	...	371	359	...	12	...
51b	Cancer of prostate	739	688	...	51	...	343	332	...	11	...
51a,c-e	Cancer of other male genital organs	79	74	...	5	...	28	27	...	1	...
52	Cancer of urinary organs	727	438	244	31	14	239	148	85	3	3
52a	Cancer of kidney	255	143	99	11	2	94	63	30	1	-
52b	Cancer of bladder	467	295	140	20	12	141	83	54	1	3
52c	Cancer of other and unspecified sites	5	-	5	-	-	4	2	1	1	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS				KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,064	14,610	11,187	151	116	18,553	10,117	7,512	504	420	28,050	13,913	10,729	1,675	1,533	23,561	7,945	5,634	5,339	4,643	
700	432	244	17	7	577	302	203	48	24	2,043	984	725	202	132	1,843	542	229	646	426	
3	2	1	-	-	-	-	-	-	-	7	4	3	-	-	11	4	1	3	3	1
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	1	-	-	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	-	-	-	-	-	5
18	14	4	-	-	14	4	10	-	-	38	22	13	1	2	24	4	10	7	3	6
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	7
1	-	1	-	-	2	2	-	-	-	2	2	-	-	-	2	-	-	2	-	8
3	2	1	-	-	13	5	8	-	-	57	31	23	1	2	38	5	7	12	14	9
2	1	1	-	-	2	2	-	-	-	31	20	11	-	-	18	6	3	5	4	10
1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	11
7	5	2	-	-	2	2	-	-	-	13	9	3	1	-	22	4	4	11	3	12
249	148	91	5	5	252	134	79	26	13	1,290	602	474	129	85	947	320	109	301	217	13-22
231	137	84	5	5	235	127	73	22	13	1,186	559	444	108	75	894	311	104	278	201	13
6	3	3	-	-	7	4	2	1	-	37	18	11	4	4	17	1	2	9	5	14
2	1	1	-	-	2	-	1	1	-	18	4	10	2	2	4	1	1	-	2	15
-	-	-	-	-	1	-	1	-	-	13	6	4	3	-	7	2	-	2	3	16
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	17
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	18
1	1	-	-	-	1	1	-	-	-	3	2	-	1	-	2	1	1	-	-	19
3	3	-	-	-	-	-	-	-	-	8	5	3	-	-	-	-	-	-	-	20
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	21
4	2	2	-	-	3	1	-	2	-	22	6	2	11	3	23	4	1	12	6	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	11	2	1	1	23
6	5	1	-	-	4	2	2	-	-	12	3	9	-	-	15	6	5	1	3	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	9	1	-	4	4	26
4	2	2	-	-	1	1	-	-	-	67	44	22	-	1	12	5	3	1	3	27
1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	17	3	5	4	5	28
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	4	-	-	1	3	29
143	103	29	9	2	118	67	26	19	6	192	85	33	55	19	403	80	14	212	97	30
11	7	4	-	-	5	2	2	1	-	5	3	1	-	1	5	2	-	3	-	30a
28	24	3	1	-	35	20	7	6	2	66	30	4	25	7	96	24	4	50	18	30b
54	40	8	5	1	36	23	7	5	1	42	22	7	11	2	66	23	4	40	19	30d
4	1	3	-	-	2	-	1	1	-	15	7	8	-	-	40	2	-	25	13	30f
46	31	11	3	1	40	22	9	6	3	64	23	13	19	9	176	29	6	94	47	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
8	2	6	-	-	3	1	2	-	-	10	4	5	-	1	5	1	3	1	-	32
80	42	38	-	-	74	34	37	1	2	160	78	72	11	19	197	47	34	60	56	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	34
27	15	11	1	-	1	-	1	-	-	39	13	24	1	1	15	4	5	3	3	35
76	51	25	-	-	26	15	9	1	1	10	7	3	-	-	17	7	5	4	1	36
12	8	3	1	-	12	5	6	-	1	9	5	2	1	1	6	4	1	-	1	37
1	-	1	-	-	1	-	1	-	-	8	3	4	1	-	4	2	1	1	-	38
-	-	-	-	-	-	-	-	-	-	7	2	5	-	-	5	3	-	2	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	-	-	-	-	-	3	3	-	-	-	7	3	3	1	-	42
8	5	3	-	-	7	5	2	-	-	6	5	1	-	-	3	2	1	-	-	43
48	26	22	1	-	40	20	18	1	1	50	34	16	-	-	42	19	11	8	4	44
3,967	1,999	1,935	20	13	2,631	1,247	1,266	61	57	3,190	1,291	1,586	135	178	2,839	972	918	428	521	
3,881	1,970	1,888	20	13	2,568	1,228	1,231	60	49	3,110	1,268	1,536	133	173	2,751	944	868	420	499	45-55
110	92	17	1	-	56	44	10	2	-	89	63	21	5	-	96	49	18	19	10	45
24	22	2	-	-	12	11	1	-	-	8	8	-	-	-	5	4	1	-	-	45a
21	16	5	-	-	7	4	2	1	-	24	16	6	2	-	18	10	1	3	4	45b
18	15	3	-	-	9	8	1	-	-	11	8	3	-	-	12	4	3	4	1	45c
13	10	3	-	-	9	5	3	1	-	18	11	7	-	-	13	5	4	1	3	45d
2	2	-	-	-	4	4	-	-	-	1	-	1	-	-	1	1	-	-	-	45e
32	27	4	1	-	15	12	3	-	-	27	20	4	3	-	47	25	9	11	2	45f
1,734	935	784	11	4	1,110	587	476	30	17	1,299	582	594	66	57	1,061	368	301	214	178	46
49	30	18	1	-	35	27	6	2	-	31	16	9	3	3	36	12	5	14	5	46a
536	346	185	5	-	319	185	115	14	5	405	229	130	28	18	389	119	85	112	73	46b
10	7	3	-	-	7	6	1	-	-	6	3	3	-	-	5	-	4	-	1	46c
198	116	80	1	1	125	69	48	4	4	125	45	68	5	7	114	38	35	17	24	46d
511	227	280	3	1	303	134	159	5	5	314	110	178	9	17	175	61	71	17	26	46e
218	90	127	-	1	174	80	92	-	2	227	92	121	11	3	160	58	51	22	29	46f
172	102	68	1	1	128	71	51	5	1	148	72	63	6	7	130	62	36	19	13	46g
25	10	15	-	-	13	11	2	-	-	21	8	12	1	-	15	5	6	3	1	46h
15	7	8	-	-	6	4	2	-	-	22	7	10	3	2	37	13	8	10	6	46m
274	202	67	4	1	204	151	44	6	3	222	141	58	18	5	328	203	41	65	19	47
28	26	2	-	-	12	10	1	1	-	21	17	3	1	-	25	17	2	4	2	47a
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	1	1	-	-	-	47b
231	167	59	4	1	181	133	41	5	2	194	118	54	17	5	297	182	38	60	17	47c,d
3	1	2	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	47e
12	8	4	-	-	9	6	2	-	1	3	3	-	-	-	4	2	1	1	-	47f
263	...	260	...	3	190	...	180	...	10	372	...	310	...	62	319	...	176	...	143	48
96	...	93	...	3	82	...	75	...	7	145	...	121	...	24	162	...	93	...	69	48a
167	...	167	...	-	109	...	105	...	3	227	...	189	...	38	157	...	83	...	74	48b
108	...	107	...	1	84	...	83	...	1	85	...	77	...	8	67	...	44	...	23	49
100	...	99	...	1	76	...	75	...	1	69	...	65	...	4	53	...	34	...	19	49a,b
8	...	8	...	-	8	...	8	...	-	16	...	12	...	4	14	...	10	...	4	49c-e
394	3	388	-	3	270	10	249	1	10	269	4	243	1	21	211	3	146	1	61	50
348	345	...	3	...	206	199	...	7	...	232	213	...	19	...	178	114	...	64	...	51
329	326	...	3	...	189	182	...	7	...	218	200	...	18	...	162	101	...	61	...	51b
19	19	...	-	...	17	17	...	-	...	14	13	...	1	...	16	13	...	3	...	51a,c-e
209	137	72	-	-	119	70	44	4	1	109	53	44	7	5	145	69	31	27	18	52
72	46	26	-	-	45	26	15	3	1	35	17	16	1	1	40	21	9	7	3	52a
134	91	43	-	-	71	42	28	1	-	73	36	27	6	4	103	48	20	20	15	52b
3	-	3	-	-	3	2	1	-	-	1	-	1	-	-	2	-	2	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	197	128	67	1	1	99	59	40	-	-
54	Cancer of central nervous system*	270	154	100	8	8	79	49	29	-	1
55	Cancer of other and unspecified organs	822	383	372	38	29	420	199	198	10	13
56,57	Nonmalignant tumors and tumors of unspecified nature	317	88	193	9	27	143	56	77	-	10
56	Nonmalignant tumors (including dermoid cysts)	245	57	157	5	26	78	17	52	-	9
56a-c	Nonmalignant tumors of female genital organs	135	...	113	...	22	43	...	34	...	9
56d	Nonmalignant tumors of central nervous system*	59	33	23	1	2	18	7	11	-	-
56e	Nonmalignant tumors of other and unspecified organs	51	24	21	4	2	17	10	7	-	-
57	Tumors of unspecified nature	72	31	36	4	1	65	39	25	-	1
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	...	-	1	...	-	...	1
57d	Tumors, central nervous system* (nature unspecified)	51	25	24	2	-	48	29	19	-	-
57e	Tumors, other organs (nature unspecified)	19	6	10	2	1	16	10	6	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	3,244	1,117	1,960	48	119	1,255	456	732	13	54
58	Acute rheumatic fever	42	16	20	2	4	25	15	8	1	1
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	5	3	1	-	1	4	2	2	-	-
58c	Acute rheumatic myocarditis	5	2	2	1	-	7	4	1	1	1
58d	Other acute rheumatic heart diseases	17	5	9	-	3	4	3	1	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	15	6	8	1	-	10	6	4	-	-
59	Chronic rheumatism, other rheumatic diseases	80	26	54	-	-	63	16	46	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,806	978	1,687	39	103	1,024	385	588	11	40
62	Diseases of pituitary gland	7	2	5	-	-	1	-	1	-	-
63	Diseases of thyroid and parathyroid glands	184	38	141	2	5	94	23	60	1	10
63a	Simple goiter	3	1	2	-	-	5	3	1	-	1
63b	Exophthalmic goiter	161	29	127	2	3	81	17	54	1	9
63c-e	Other diseases of thyroid and parathyroid glands	20	6	12	-	2	8	3	5	-	-
64	Diseases of thymus gland	67	31	27	5	4	14	6	8	-	-
65	Diseases of adrenal glands*	29	11	17	-	1	11	3	8	-	-
66	Other general diseases	18	10	5	1	2	12	5	6	-	1
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	5	4	1	-	-	5	1	4	-	-
70	Rickets	2	1	1	-	-	2	-	2	-	-
71	Other avitaminoses	3	1	2	-	-	3	1	1	-	1
	IV.—Diseases of the blood and blood-forming organs	744	379	332	18	15	315	148	156	5	6
72	Hemorrhagic conditions	31	19	9	2	1	17	8	7	1	1
73	Anemias (except splenic anemia)	172	65	100	6	1	67	25	39	-	3
73a	Pernicious anemia	116	46	71	1	-	41	15	25	-	1
73b-d	Other anemias (except splenic)	54	19	29	5	1	26	10	14	-	2
74	Leukemias and aleukemias	507	278	208	8	13	207	104	98	3	2
74a	Leukemias	488	264	203	8	13	194	98	91	3	2
74b	Aleukemias	19	14	5	-	-	13	6	7	-	-
75	Diseases of spleen	22	11	10	1	-	17	7	10	-	-
76	Other diseases of blood and blood-forming organs	12	6	5	1	-	7	4	2	1	-
	V.—Chronic poisoning and intoxication	62	50	6	5	1	57	40	11	3	3
77	Alcoholism (ethylism)	61	49	6	5	1	56	40	11	3	2
78	Lead poisoning	-	-	-	-	-	1	-	-	-	1
79	Chronic poisoning by other mineral substances*	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	8,070	3,807	3,653	297	313	4,627	2,233	2,150	108	136
80	Encephalitis (nonepidemic)	63	41	15	4	3	44	22	17	4	1
81	Meningitis (not due to meningococcus)	112	55	33	18	6	55	29	20	5	1
82	Diseases of spinal cord (see exceptions)*	152	80	62	5	5	74	46	22	2	4
83	Intracranial lesions of vascular origin	7,263	3,405	3,324	252	282	4,212	2,015	1,980	92	125
83a	Cerebral hemorrhage or effusion*	5,982	2,753	2,799	200	230	3,700	1,743	1,765	85	107
83b,c	Cerebral embolism, thrombosis, and softening	1,085	547	445	45	48	424	226	179	7	12
83d	Hemiplegia, other paralysis, etc.*	196	105	80	7	4	88	46	36	-	6
84	Mental diseases and deficiency (see exception)*	56	19	30	4	3	40	21	18	1	-
85	Epilepsy	91	48	33	4	6	43	22	15	1	5
86	Convulsions (under 5 years)	4	2	1	-	1	1	-	1	-	-
87	Other diseases of nervous system	296	134	150	8	4	137	64	71	2	-
88	Diseases of organs of vision	2	1	1	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	31	22	4	2	3	21	14	6	1	-
	VII.—Diseases of the circulatory system	35,984	19,827	13,792	1,242	1,123	13,647	7,888	5,195	322	242
90-95	Diseases of the heart (all forms)	34,207	18,899	13,034	1,192	1,082	12,424	7,260	4,650	296	218
90	Pericarditis (except acute rheumatic)	27	15	8	2	2	12	8	3	1	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	27	15	8	2	2	12	8	3	1	-
91	Acute endocarditis (except rheumatic)	73	39	26	5	3	32	10	15	4	3
91a,b	Bacterial, acute, and subacute endocarditis	71	39	24	5	3	28	9	14	3	2
91c	Endocarditis (unspecified, under 45 years)	2	-	2	-	-	4	1	1	1	1
92	Chronic affections of valves and endocardium	1,795	893	829	32	41	784	414	324	24	22
92a	Diseases of aortic valve, etc.*	137	79	55	3	-	53	30	20	3	-
92b	Diseases of mitral valve, etc.*	844	416	396	13	19	333	176	128	15	14
92c	Chronic rheumatic endocarditis, etc.*	113	66	46	1	-	60	33	25	-	2
92d	Other chronic endocarditis, etc.*	611	291	289	11	20	304	162	134	4	4
92e	Endocarditis (unspecified, 45 years and over)	90	41	43	4	2	34	13	17	2	2
93	Diseases of the myocardium	20,883	10,372	8,827	878	806	5,746	2,897	2,580	156	113
93a	Acute myocarditis (except rheumatic)	211	99	101	8	3	119	58	51	8	2
93b	Myocarditis (unspecified, under 45 years)	12	7	4	1	-	6	3	2	-	1
93c	Chronic rheumatic myocarditis, etc.*	101	37	58	2	4	46	22	21	2	1
93d	Other chronic myocarditis, etc.*	19,596	9,730	8,251	838	776	5,107	2,581	2,299	131	96
93e	Other myocarditis (unspecified)	963	499	413	28	23	468	233	207	15	13
94	Diseases of coronary arteries, angina pectoris	8,854	6,200	2,463	120	71	4,866	3,382	1,345	83	56
94a	Diseases of coronary arteries	8,710	6,111	2,412	118	69	4,749	3,298	1,316	81	54
94b	Angina pectoris	144	89	51	2	2	117	84	29	2	2

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
79	48	31	-	-	59	30	27	1	1	91	47	42	1	1	55	25	21	6	3	53
80	48	32	-	-	53	31	17	1	4	64	36	25	1	2	35	21	10	1	3	54
292	160	130	1	1	217	106	101	8	2	278	129	122	15	12	256	92	100	23	41	55
76	29	47	-	-	63	19	35	1	8	80	23	50	2	5	88	28	30	8	22	56,57
42	13	29	-	-	43	9	26	-	8	44	3	37	-	4	42	9	17	2	14	56
21	...	21	...	-	26	...	19	...	7	27	...	23	...	4	23	...	11	...	12	56a-c
10	5	5	-	-	10	6	3	-	1	6	-	6	-	-	11	6	5	-	-	56d
11	8	3	-	-	7	3	4	-	-	11	3	8	-	-	8	3	1	2	2	56e
34	16	18	-	-	20	10	9	1	-	36	20	13	2	1	46	19	13	6	8	57
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	57a-c
24	9	15	-	-	12	8	4	-	-	27	18	7	2	-	33	15	9	6	3	57d
10	7	3	-	-	8	2	5	1	-	8	2	5	-	1	10	4	2	-	4	57e
879	364	501	6	8	535	210	306	5	14	640	231	352	13	44	600	143	242	74	141	
12	5	7	-	-	9	6	3	-	-	18	8	7	2	4	15	6	1	5	3	58
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	58a
3	1	2	-	-	2	2	-	-	-	2	-	2	-	-	1	1	-	-	-	58b
2	-	2	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	58c
3	1	2	-	-	4	3	1	-	-	-	-	-	-	-	3	-	-	2	1	58d
3	2	1	-	-	3	1	2	-	-	14	5	5	2	2	8	4	1	2	1	58e,f
42	21	21	-	-	35	12	21	1	1	43	13	28	1	1	24	5	13	3	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
740	307	420	6	7	429	171	245	3	10	468	178	249	10	31	455	112	192	50	101	61
2	1	1	-	-	4	2	1	1	-	5	4	1	-	-	2	2	-	-	-	62
52	9	42	-	1	32	5	24	-	3	50	6	40	-	4	31	1	17	-	13	63
2	-	2	-	-	-	-	-	-	-	5	1	3	-	1	-	-	-	-	-	63a
42	4	37	-	1	26	3	20	-	3	38	3	32	-	3	26	1	12	-	13	63b
8	5	3	-	-	6	2	4	-	-	7	2	5	-	-	5	-	5	-	-	63c-e
12	7	5	-	-	11	6	5	-	-	11	8	3	-	-	18	3	5	5	5	64
12	7	5	-	-	6	3	3	-	-	6	1	5	-	-	5	2	3	-	-	65
4	4	-	-	-	3	2	1	-	-	18	7	9	-	2	21	6	4	6	5	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	4	-	2	2	-	68
1	1	-	-	-	4	2	2	-	-	13	4	8	-	1	15	3	3	1	8	69
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	-	1	2	1	70
2	2	-	-	-	1	-	1	-	-	4	3	1	-	-	6	3	1	-	2	71
251	136	115	-	-	178	91	80	6	1	217	114	86	7	10	169	60	53	31	25	
10	3	7	-	-	9	2	7	-	-	19	10	8	-	1	5	3	-	1	1	72
64	26	38	-	-	55	31	23	-	1	61	31	20	4	6	36	6	9	14	7	73
45	16	29	-	-	38	23	14	-	1	36	17	13	2	4	7	-	6	-	1	73a
19	10	9	-	-	17	8	9	-	-	25	14	7	2	2	29	6	3	14	6	73b-d
160	99	61	-	-	103	53	44	6	-	122	65	52	3	2	111	46	39	13	13	74
155	98	57	-	-	96	49	41	6	-	114	63	46	3	2	106	45	35	13	13	74a
5	1	4	-	-	7	4	3	-	-	8	2	6	-	-	5	1	4	-	-	74b
10	4	6	-	-	7	3	4	-	-	5	2	3	-	-	12	3	3	2	4	75
7	4	3	-	-	4	2	2	-	-	10	6	3	-	1	5	2	2	1	-	76
20	16	4	-	-	11	9	2	-	-	51	40	3	4	4	19	13	-	5	1	
14	14	-	-	-	10	9	1	-	-	48	37	3	4	4	18	12	-	5	1	77
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	78
4	-	4	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	79
3,289	1,614	1,641	17	17	2,344	1,167	1,065	69	43	3,114	1,402	1,284	216	212	2,203	607	510	531	555	
20	9	10	-	1	15	11	4	-	-	41	18	17	5	1	33	10	10	9	4	80
31	22	8	1	-	20	13	7	-	-	39	19	13	4	3	53	12	10	21	10	81
49	28	21	-	-	38	24	13	1	-	49	28	17	2	2	24	11	8	2	3	82
2,959	1,452	1,477	15	15	2,133	1,052	977	61	43	2,780	1,253	1,156	194	197	1,962	526	454	461	521	83
2 601	1,267	1,308	12	14	1,862	908	857	57	40	2,417	1,073	1,007	169	168	1,782	465	391	435	491	83a
334	176	154	3	1	253	135	112	3	3	208	101	79	12	16	144	50	54	17	23	83b,c
24	9	15	-	-	18	9	8	1	-	155	59	70	13	13	36	11	9	9	7	83d
34	18	15	-	1	17	5	12	-	-	29	13	14	1	1	25	9	10	4	2	84
43	19	23	1	-	28	12	13	3	-	59	32	19	6	2	36	13	6	11	6	85
1	1	-	-	-	2	-	2	-	-	10	6	1	-	3	6	1	-	3	2	86
143	63	80	-	-	83	47	32	4	-	87	38	42	4	3	46	19	11	11	5	87
2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	88
7	2	5	-	-	7	3	4	-	-	20	15	5	-	-	17	5	1	9	2	89
9,329	5,534	3,722	47	26	6,460	3,779	2,417	133	131	8,570	4,444	3,050	592	484	7,621	2,856	1,871	1,482	1,412	
8,603	5,154	3,378	45	26	5,967	3,536	2,185	122	124	7,847	4,091	2,768	548	442	7,293	2,767	1,761	1,424	1,341	90-95
7	5	2	-	-	17	8	7	1	1	10	3	5	2	-	8	6	-	2	-	90
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	90a
7	5	2	-	-	17	8	7	1	1	8	3	4	1	-	7	6	-	1	-	90b
16	10	6	-	-	13	6	7	-	-	12	3	5	1	3	35	8	4	10	13	91
16	10	6	-	-	13	6	7	-	-	7	2	3	-	2	32	8	2	10	12	91a,b
-	-	-	-	-	-	-	-	-	-	5	1	2	1	1	3	-	2	-	1	91c
620	327	284	6	3	511	265	215	13	18	747	351	283	62	51	465	104	102	137	122	92
53	34	19	-	-	49	28	15	3	3	68	30	30	8	-	65	11	6	27	21	92a
256	131	119	4	2	205	104	88	5	8	279	127	99	24	29	177	42	34	54	47	92b
43	25	18	-	-	29	14	12	1	2	17	10	6	-	1	7	2	2	-	3	92c
230	116	111	2	1	208	109	91	3	5	337	164	133	24	16	193	38	54	53	48	92d
38	21	17	-	-	20	10	9	1	-	46	20	15	6	5	23	11	6	3	3	92e
3,742	1,984	1,722	27	9	2,519	1,288	1,096	60	75	3,685	1,644	1,512	284	245	4,465	1,496	1,207	874	888	93
39	17	21	1	-	44	28	12	3	1	84	32	19	25	8	57	13	11	15	18	93a
2	1	1	-	-	-	-	-	-	-	8	3	3	1	1	2	-	-	1	1	93b
42	15	27	-	-	13	8	5	-	-	14	5	6	1	2	7	4	1	-	2	93c
3,389	1,810	1,529	22	8	2,287	1,170	995	53	69	3,203	1,431	1,352	224	196	4,124	1,381	1,128	794	821	93d
290	141	144	4	1	175	82	84	4	5	378	173	132	33	39	275	98	67	64	46	93e
3,652	2,496	1,134	12	10	2,531	1,747	726	33	25	2,363	1,562	615	110	76	1,815	1,004	345	263	203	94
3,595	2,450	1,123	12	10	2,478	1,709	711	33	25	2,250	1,485	589	106	70	1,773	980	340	254	199	94a
57	46	11	-	-	53	38	15	-	-	113	77	26	4	6	42	24	5	9	4	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA			
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	2,575	1,380	881	155	159	984	549	383	28	24
95a	Functional diseases of heart, etc.*	47	21	24	1	1	32	20	11	1	-
95b	Other diseases of heart (rheumatic)	477	220	209	17	31	204	92	95	9	8
95c	Other diseases of heart (not rheumatic)	2,051	1,139	648	137	127	748	437	277	18	16
96	Aneurysm (except of heart and aorta)	156	102	43	7	4	44	30	11	2	1
97	Arteriosclerosis (except coronary or renal sclerosis)	1,387	708	618	36	25	997	508	455	14	19
98	Gangrene	18	9	7	1	1	8	3	4	1	-
99	Other diseases of arteries	101	53	40	3	5	62	38	22	1	1
100	Diseases of veins	64	35	29	-	-	42	21	14	5	2
101	Diseases of lymphatic system	-	-	-	-	-	2	1	1	-	-
102	High blood pressure (idiopathic)	49	19	21	3	6	60	22	34	3	1
103	Other diseases of circulatory system	2	2	-	-	-	8	4	4	-	-
	VIII.—Diseases of the respiratory system	3,265	1,821	1,051	265	128	1,864	864	644	93	63
104	Diseases of nasal fossae, accessory sinuses	14	8	8	-	-	6	3	3	-	-
105	Diseases of larynx	9	4	5	-	-	5	5	-	-	-
106	Bronchitis	171	102	60	3	6	108	68	33	5	2
107	Bronchopneumonia (including capillary bronchitis)	1,595	844	523	143	79	622	292	263	38	29
108	Lobar pneumonia	967	576	270	90	31	455	235	162	35	23
109	Pneumonia (unspecified)	59	27	28	2	2	139	81	48	6	4
109A	Atypical or virus pneumonia	17	7	9	1	-	56	40	13	2	1
109B	Pneumonia (all other, unspecified)	42	20	19	1	2	83	41	35	4	3
110	Pleurisy (not tuberculous)	75	48	16	9	1	27	15	10	2	-
111	Hemorrhagic infarction, thrombosis, edema*	145	67	69	7	2	163	72	84	2	5
112	Asthma	123	75	41	3	4	78	47	29	2	-
113	Pulmonary emphysema	21	15	4	2	-	14	11	3	-	-
114	Other diseases of respiratory system (except tuberculosis)	86	56	21	6	3	47	35	9	3	-
114a,b	Silicosis, other forms of pneumoconioses	15	11	1	3	-	7	6	-	1	-
114c-e	Other diseases of respiratory system (except tuberculosis)	71	45	20	3	3	40	29	9	2	-
	IX.—Diseases of the digestive system	3,962	2,314	1,390	145	113	1,620	914	593	61	52
115	Diseases of buccal cavity and adnexa, etc.*	55	28	23	3	1	41	23	15	-	3
116	Diseases of esophagus	20	13	6	1	-	10	4	5	1	-
117	Ulcer of stomach or duodenum	641	499	106	26	10	212	152	41	15	4
117a	Ulcer of stomach	384	293	66	17	8	133	95	25	10	3
117b	Ulcer of duodenum	257	206	40	9	2	79	57	16	5	1
118	Other diseases of stomach (except cancer)	40	26	10	3	1	22	12	8	2	-
119	Diarrhea, enteritis, etc.* (under 2 years)	178	78	60	20	20	165	84	60	12	9
120	Diarrhea, enteritis, etc.* (2 years and over)	76	38	34	2	2	54	26	25	1	2
121	Appendicitis	273	165	87	14	7	140	94	36	5	5
122	Hernia and intestinal obstruction	674	332	294	26	22	265	126	119	9	11
122a	Hernia	340	168	155	14	3	104	66	34	3	1
122b	Intestinal obstruction	334	164	139	12	19	161	60	85	6	10
123	Other diseases of intestines	89	46	32	4	7	42	24	14	2	2
124	Cirrhosis of liver	1,207	811	351	28	17	368	245	105	12	6
124a	Cirrhosis of liver with mention of alcoholism	233	173	44	11	5	35	29	3	1	2
124b	Cirrhosis of liver without mention of alcoholism	974	638	307	17	12	333	216	102	11	4
125	Other diseases of liver	123	54	45	9	15	41	15	19	1	6
126	Biliary calculi	324	106	215	1	4	110	33	76	-	1
127	Other diseases of gallbladder, biliary ducts	160	67	91	2	-	91	41	50	-	-
128	Diseases of pancreas (except diabetes mellitus)	58	31	21	1	5	34	21	11	1	1
129	Peritonitis (cause not stated)	44	20	17	5	2	25	14	9	-	2
	X.—Diseases of the genito-urinary system	6,082	3,164	2,415	257	256	3,140	1,579	1,352	115	94
130	Acute nephritis	55	33	19	1	2	57	33	18	1	5
131	Chronic nephritis	4,975	2,379	2,185	194	217	2,643	1,270	1,193	98	82
131a	Arteriosclerotic kidney	3,577	1,698	1,592	138	149	2,147	1,017	986	76	66
131b	Other chronic nephritis	1,398	681	593	56	68	496	253	207	20	16
132	Nephritis unspecified (10 years and over)	113	57	42	6	8	121	56	55	7	3
133	Other diseases of kidneys, ureters, etc.*	209	103	78	17	11	82	37	42	2	1
134	Calculi of urinary passages	78	47	26	3	2	34	24	10	-	-
135	Diseases of urinary bladder	31	15	15	1	-	10	4	6	-	-
136	Diseases of urethra (except calculus)	17	11	-	6	-	5	4	-	1	-
137	Diseases of prostate	545	518	...	29	...	156	150	...	6	...
137a	Hypertrophy of prostate	520	492	...	28	...	119	113	...	6	...
137b	Other diseases of prostate	25	24	...	1	...	37	37	...	-	...
138	Diseases of other male genital organs (not venereal)	3	3	...	-	...	1	1	...	-	...
139	Diseases of female genital organs	66	...	50	...	16	31	..	28	...	3
139a	Diseases of ovaries, fallopian tubes, and parametria	42	...	28	...	14	17	...	14	...	3
139b	Diseases of uterus	23	...	21	...	2	13	...	13	...	-
139c	Diseases of other female genital organs*	1	...	1	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	151	...	135	...	16	92	...	77	...	15
140	Abortion with mention of infection	12	...	8	...	4	12	...	6	...	6
141	Abortion without mention of infection	10	...	10	...	-	8	...	8	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	4	...	4	...	-	2	...	2	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	3	...	3	...	-
141d-f	Other abortions (nonseptic)*	5	...	5	...	-	3	...	3	...	-
142	Ectopic gestation	11	...	8	...	3	8	...	7	...	1
142a	Ectopic gestation, with mention of infection	2	...	1	...	1	3	...	3	...	-
142b	Ectopic gestation, without mention of infection	9	...	7	...	2	5	...	4	...	1
143	Hemorrhage of pregnancy (death before delivery)	4	...	4	...	-	2	...	2	...	-
144	Toxemias of pregnancy (death before delivery)	8	...	7	...	1	5	...	5	...	-
145	Other diseases of pregnancy (death before delivery)*	11	...	11	...	-	10	...	6	...	4
145A	With mention of infection	7	...	7	...	-	10	...	6	...	4
145B	Without mention of infection	4	...	4	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	25	...	24	...	1	11	...	9	...	2
147	Infection during childbirth and puerperium	33	...	30	...	3	13	...	13	...	-
148	Puerperal toxemias (excluding death before delivery)	17	...	16	...	1	12	...	11	...	1
149	Other accidents and specified conditions of childbirth	17	...	14	...	3	7	...	6	...	1
150	Other and unspecified conditions of childbirth and puerperium	3	...	3	...	-	4	...	4	...	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
566	332	230	-	4	376	222	134	15	5	1,030	528	346	89	67	505	149	103	138	115	95
31	16	15	-	-	27	12	13	2	-	23	9	10	3	1	19	6	5	5	3	95a
92	58	34	-	-	50	24	24	1	1	137	65	58	7	7	64	21	17	14	12	95b
443	258	181	-	4	299	188	97	12	4	870	454	278	79	59	422	122	81	119	100	95c
40	28	11	1	-	16	8	6	1	1	18	13	5	-	-	19	7	4	5	3	96
574	303	271	-	-	399	196	191	7	5	553	274	218	33	28	207	59	82	26	40	97
11	4	6	1	-	7	3	4	-	-	12	3	5	-	4	8	1	2	5	-	98
61	28	33	-	-	34	17	15	2	-	43	28	13	2	-	18	10	2	5	1	99
21	12	9	-	-	17	10	6	1	-	33	14	13	4	2	13	5	3	1	4	100
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	101
15	4	11	-	-	19	8	10	-	1	56	18	28	4	6	60	7	17	14	22	102
3	1	2	-	-	1	1	-	-	-	7	3	1	1	2	3	-	-	2	1	103
1,047	591	444	5	7	684	353	280	27	24	1,658	790	672	120	76	1,333	364	308	337	324	
6	3	3	-	-	1	-	1	-	-	5	4	1	-	-	13	1	3	6	3	104
7	5	2	-	-	4	1	3	-	-	14	6	7	1	-	4	1	1	1	1	105
59	37	20	1	1	54	31	19	4	-	75	36	30	5	4	52	24	9	9	10	106
459	228	226	2	3	289	133	136	9	11	696	326	290	48	32	696	169	130	197	200	107
283	179	100	1	3	158	86	55	10	7	348	157	132	36	23	308	87	88	71	62	108
80	47	33	-	-	35	16	15	3	1	308	155	123	21	9	88	29	27	16	16	109
39	22	17	-	-	20	7	11	2	-	32	17	12	1	2	16	7	5	1	3	109A
41	25	16	-	-	15	9	4	1	1	276	138	111	20	7	72	22	22	15	13	109B
15	12	3	-	-	11	9	2	-	-	10	2	6	1	1	28	9	5	7	7	110
67	36	31	-	-	76	38	32	1	5	100	45	48	2	5	69	21	25	11	12	111
46	26	20	-	-	35	21	14	-	-	58	33	21	2	2	38	13	11	6	6	112
5	5	-	-	-	4	4	-	-	-	4	2	2	-	-	9	3	2	1	3	113
20	13	6	1	-	17	14	3	-	-	40	24	12	4	-	30	7	7	12	4	114
6	5	-	1	-	2	2	-	-	-	6	4	1	1	-	-	-	-	-	-	114a,b
14	8	6	-	-	15	12	3	-	-	34	20	11	3	-	30	7	7	12	4	114c-e
974	587	380	5	2	742	386	312	19	15	1,317	671	517	86	43	919	361	232	199	127	
26	13	13	-	-	18	10	6	2	-	28	14	11	2	1	16	4	3	6	3	115
4	4	-	-	-	6	2	3	-	1	3	2	1	-	-	2	1	-	1	-	116
165	138	26	1	-	105	77	25	3	-	119	79	29	10	1	104	60	11	24	9	117
107	93	14	-	-	72	55	16	1	-	82	53	19	9	1	72	35	9	21	7	117a
58	45	12	1	-	33	22	9	2	-	37	26	10	1	-	32	25	2	3	2	117b
15	13	2	-	-	16	10	6	-	-	41	17	10	10	4	40	14	6	12	8	118
69	45	24	-	-	48	27	17	1	3	385	203	160	17	5	125	23	19	49	34	119
27	9	17	-	1	38	18	19	1	-	56	25	29	1	1	29	9	9	7	4	120
89	59	29	-	1	56	30	23	2	1	76	32	30	8	6	71	30	22	13	6	121
191	100	88	3	-	161	74	78	5	4	177	82	75	9	11	182	43	50	43	28	122
85	48	37	-	-	71	34	33	3	1	55	30	21	2	2	50	15	14	17	4	122a
106	52	51	3	-	90	40	45	2	3	122	52	54	7	9	112	28	36	26	22	122b
35	17	17	1	-	26	15	10	-	1	47	16	23	4	4	36	16	12	5	3	123
153	99	54	-	-	124	85	35	3	1	194	132	44	13	5	186	105	37	29	15	124
18	15	3	-	-	13	10	1	1	1	19	12	4	3	-	20	15	3	1	1	124a
135	84	51	-	-	111	75	34	2	-	175	120	40	10	5	166	90	34	28	14	124b
29	18	11	-	-	25	8	16	-	1	44	20	16	7	1	35	14	11	5	5	125
81	26	55	-	-	72	28	44	-	-	81	13	47	-	1	32	10	18	2	2	126
55	24	31	-	-	28	5	21	-	2	52	20	27	3	2	46	19	19	3	5	127
23	16	7	-	-	10	6	4	-	-	13	5	7	-	1	19	7	8	-	4	128
12	6	6	-	-	9	1	5	2	1	21	11	8	2	-	16	6	7	-	3	129
1,568	884	665	11	8	1,401	804	496	50	51	1,986	965	647	192	162	1,654	480	402	398	354	
33	18	13	2	-	30	12	14	1	3	73	35	21	9	8	52	14	13	11	14	130
1,221	645	563	6	7	1,138	610	445	38	45	1,506	696	532	141	137	1,248	554	327	286	281	131
988	518	463	3	4	797	420	326	25	26	1,109	509	385	105	110	975	287	263	230	215	131a
233	127	100	3	3	341	190	119	13	19	397	187	147	36	27	273	87	64	56	66	131b
51	25	25	1	-	22	11	7	3	1	158	76	56	17	9	111	18	27	36	30	132
43	18	24	-	1	45	25	17	2	1	52	34	13	4	1	65	22	19	15	9	133
28	16	11	1	-	21	17	4	-	-	25	10	12	2	1	16	11	5	-	-	134
16	10	5	1	-	8	5	3	-	-	16	8	5	1	2	11	2	3	6	-	135
5	4	1	-	-	2	2	-	-	-	1	1	-	-	-	11	2	1	7	1	136
147	147	...	-	...	128	122	...	6	...	122	104	...	18	...	93	56	...	37	...	137
119	119	...	-	...	113	108	...	5	...	84	72	...	12	...	79	46	...	33	...	137a
28	28	...	-	...	15	14	...	1	...	38	32	...	6	...	14	10	...	4	...	137b
1	1	...	-	...	-	-	...	-	...	1	1	...	-	...	1	1	...	-	...	138
23	...	23	...	-	7	...	6	...	1	12	...	8	...	4	26	...	7	...	19	139
8	...	8	...	-	4	...	3	...	1	6	...	2	...	4	14	...	3	...	11	138a
15	...	15	...	-	3	...	3	...	-	6	...	6	...	-	11	...	4	...	7	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	139c
47	...	44	...	3	35	...	31	...	4	116	...	105	...	11	121	...	45	...	76	
11	...	10	...	1	3	...	3	...	-	8	...	6	...	2	2	...	-	...	2	140
3	...	3	...	-	-	...	-	...	-	7	...	6	...	1	5	...	3	...	2	141
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	141a,c
1	...	1	...	-	-	...	-	...	-	6	...	5	...	1	1	...	1	...	-	141b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	141d-f
1	...	-	...	1	4	...	3	...	1	6	...	3	...	3	9	...	4	...	5	142
1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	142a
-	...	-	...	-	3	...	2	...	1	6	...	3	...	3	8	...	3	...	5	142b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	143
3	...	3	...	-	4	...	4	...	-	18	...	15	...	3	21	...	4	...	17	144
2	...	2	...	-	-	...	-	...	-	4	...	4	...	-	7	...	4	...	3	145
2	...	2	...	-	-	...	-	...	-	2	...	2	...	-	6	...	3	...	3	145A
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	145B
9	...	9	...	-	7	...	6	...	1	25	...	25	...	-	21	...	9	...	12	146
4	...	4	...	-	9	...	7	...	2	13	...	13	...	-	21	...	8	...	13	147
8	...	8	...	-	6	...	6	...	-	22	...	20	...	2	23	...	6	...	17	148
4	...	3	...	1	1	...	1	...	-	2	...	2	...	-	5	...	4	...	1	149
2	...	2	...	-	-	...	-	...	-	10	...	10	...	-	7	...	3	...	4	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	42	17	20	-	5	19	7	10	-	2
151	Carbuncle and furuncle	2	2	-	-	-	1	1	-	-	-
152	Phlegmon and acute abscess	8	4	4	-	-	2	1	-	-	1
153	Other diseases of skin and cellular tissue	32	11	16	-	5	16	5	10	-	1
	XIII.—Diseases of the bones, etc.*	48	22	25	1	-	24	12	10	1	1
154	Osteomyelitis and periostitis	8	5	3	-	-	8	5	2	1	-
155	Other diseases of bones (except tuberculosis)	19	4	15	-	-	5	-	5	-	-
156	Diseases of joints, other organs of movement	21	13	7	1	-	11	7	3	-	1
157	XIV.—Congenital malformations	1,087	557	458	37	35	547	287	242	10	8
157a-d	Congenital malformations of central nervous system	356	159	177	8	12	168	83	79	5	1
157e,f	Congenital malformations of cardiovascular system	476	265	180	18	13	257	134	116	4	3
157g,h,m	Other congenital malformations	255	133	101	11	10	122	70	47	1	4
	XV.—Diseases peculiar to the first year of life	3,048	1,580	1,034	237	197	1,491	791	562	75	63
158	Congenital debility (cause not stated)	29	15	8	3	3	34	18	14	2	-
159	Premature birth (cause not stated)	1,953	997	674	149	133	990	526	389	52	43
160	Injury at birth	614	342	198	41	32	252	136	97	11	8
161	Other diseases peculiar to first year of life	452	226	153	44	29	215	111	82	10	12
162	XVI.—Senility	146	62	78	2	4	202	78	120	3	1
	XVII.—Violent or accidental deaths	7,119	4,498	1,904	552	165	3,619	2,324	1,079	163	53
163,164	Suicide	987	674	107	23	3	502	393	99	8	2
163	Suicide by poisoning	119	60	56	2	1	98	56	39	2	1
164	Suicide by other means	768	614	131	21	2	404	337	60	6	1
165-168	Homicide[1]	479	149	58	221	51	164	68	38	45	13
166	Homicide by firearms	288	85	30	131	22	97	34	27	30	6
167	Homicide by cutting or piercing instruments	104	15	4	64	21	24	9	2	10	3
168	Homicide by other means	107	49	24	26	8	43	25	9	5	4
169-195	Accidental deaths	5,752	3,674	1,659	308	111	2,953	1,863	942	110	38
169	Railway accidents (except collisions with motor vehicles)	217	177	24	14	2	68	55	6	6	1
170	Motor-vehicle accidents	1,950	1,439	376	102	33	1,073	774	251	36	12
170a	Collisions between automobiles and trains	124	90	32	1	1	107	76	28	2	1
170b	Collisions between automobiles and streetcars	14	6	4	4	-	2	1	1	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	1,760	1,294	337	97	32	931	668	219	33	11
170d	Motorcycle accidents (exc. collisions with automobiles)	52	49	3	-	-	33	29	3	1	-
171	Streetcar and other road-transport accidents	93	60	21	11	1	10	10	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	79	49	20	10	-	4	4	-	-	-
171b	Other and unspecified road-transport accidents	14	11	1	1	1	6	6	-	-	-
172	Water-transport accidents	47	38	7	2	-	20	20	-	-	-
173	Air-transport accidents	96	80	16	-	-	35	34	1	-	-
174	Accidents in mines and quarries	80	80	-	-	-	40	37	3	-	-
175	Agricultural and forestry accidents	65	60	4	1	-	55	52	3	-	-
175a-c	Agricultural accidents	65	60	4	1	-	54	51	3	-	-
175d,e	Forestry accidents	-	-	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	81	65	5	11	-	30	26	1	3	-
177	Food poisoning	7	4	2	-	1	5	3	2	-	-
178	Accidental absorption of poisonous gas	76	49	19	6	2	45	26	12	4	3
179	Acute accidental poisoning by solids or liquids	104	48	38	10	8	30	16	10	3	1
180	Conflagration	193	116	48	20	9	79	37	26	10	6
181	Accidental burns (except conflagration)	224	116	82	18	8	105	55	44	3	3
182	Accidental mechanical suffocation	75	45	17	8	5	65	41	17	6	1
183	Accidental drowning	244	177	39	22	6	140	107	23	10	-
184	Accidental injury by firearms	116	83	10	17	6	37	34	2	1	-
185	Accidental injury by cutting or piercing instruments	15	10	2	2	1	10	3	3	4	-
186	Accidental injury by fall or crushing	1,703	802	837	43	21	770	348	398	16	8
186a	Accidental injury by fall	1,670	775	834	40	21	757	339	397	13	8
186b	Accidental injury by crushing	33	27	3	3	-	13	9	1	3	-
187	Cataclysm, etc.*	33	13	19	-	1	23	14	9	-	-
188	Injury by animals (except in agriculture and forestry)	3	3	-	-	-	5	5	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	17	13	4	-	-	8	5	-	1	2
191	Excessive heat	17	11	5	1	-	2	2	-	-	-
192	Lightning	4	2	2	-	-	9	7	1	1	-
193	Accidents due to electric currents (except lightning)	36	33	3	-	-	25	25	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	256	150	79	20	7	263	126	130	6	1
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	1	-	1	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	52	22	21	5	4	32	15	17	-	-
195c,e	Other and unspecified accidents	204	128	58	15	3	230	111	112	6	1
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	1	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	165	106	49	9	1	98	64	26	3	5
199	Sudden death	4	3	1	-	-	10	6	4	-	-
200	Ill-defined and unknown causes	161	103	48	9	1	88	58	22	3	5
200a	Ill-defined causes	68	42	23	3	-	61	40	17	1	3
200b,c	Unknown or unspecified causes	93	61	25	6	1	27	18	5	2	2

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12	1	10	-	1	10	2	6	1	1	14	6	6	1	1	16	8	4	1	3	
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	3	2	-	1	-	151
1	-	1	-	-	2	1	-	1	-	-	-	-	-	-	5	3	1	-	1	152
11	1	9	-	1	8	1	6	-	1	10	4	4	1	1	8	3	3	-	2	153
11	5	6	-	-	13	7	5	-	1	14	5	7	-	2	9	4	1	2	2	
2	2	-	-	-	1	1	-	-	-	3	3	-	-	-	4	-	1	1	2	154
6	1	5	-	-	3	1	2	-	-	4	-	3	-	1	1	1	-	-	-	155
3	2	1	-	-	9	5	3	-	1	7	2	4	-	1	4	3	-	1	-	156
375	198	174	2	1	225	132	85	4	4	400	216	165	8	11	324	102	110	63	49	157
105	49	55	1	-	52	31	20	1	-	98	47	48	1	2	102	37	35	18	12	157a-d
190	101	87	1	1	126	75	45	3	3	210	114	85	4	7	153	45	54	31	23	157e,f
80	48	32	-	-	47	26	20	-	1	92	55	32	3	2	69	20	21	14	14	157g,h,m
950	565	373	4	8	668	370	263	20	15	1,373	714	551	57	51	1,503	468	308	428	299	
14	6	6	-	2	8	4	4	-	-	77	38	31	3	5	55	10	7	23	15	158
581	340	233	3	5	388	209	157	12	10	834	426	345	31	32	951	314	202	241	194	159
235	156	77	1	1	161	95	61	3	2	270	156	96	8	10	293	84	57	100	52	160
120	63	57	-	-	111	62	41	5	3	192	94	79	15	4	204	60	42	64	38	161
243	109	131	-	3	183	78	97	3	5	337	134	172	14	17	185	42	52	44	47	162
2,358	1,548	783	17	10	1,766	1,123	561	55	27	2,729	1,736	695	215	83	1,980	870	317	590	203	
361	292	68	1	-	208	158	46	4	-	275	194	69	12	1	154	100	39	12	3	163,164
61	39	22	-	-	43	24	19	-	-	34	20	14	-	-	22	8	13	1	-	163
300	253	48	1	-	165	134	27	4	-	241	174	54	12	1	132	92	26	11	3	164
37	22	9	5	1	63	30	11	13	9	313	177	37	75	24	232	46	12	139	35	165-168
17	9	3	4	1	45	23	7	10	5	230	144	27	47	12	142	35	7	85	15	166
3	1	1	1	-	8	2	-	3	3	41	10	1	23	7	63	3	3	44	13	167
17	12	5	-	-	10	5	4	-	1	42	23	9	5	5	27	8	2	10	7	168
1,960	1,234	706	11	9	1,495	935	504	38	18	2,138	1,363	590	127	58	1,588	724	268	433	165	169-195
31	29	2	-	-	32	27	4	1	-	81	67	7	5	2	46	25	-	18	3	169
601	429	165	5	2	499	372	115	9	3	727	528	137	48	14	504	267	88	131	18	170
50	32	18	-	-	32	26	6	-	-	35	25	10	-	-	21	13	2	4	2	170a
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	170b
539	387	146	4	2	453	334	107	9	3	673	484	127	48	14	471	246	85	124	16	170c
10	8	1	1	-	14	12	2	-	-	19	19	-	-	-	11	8	1	2	-	170d
7	6	1	-	-	3	2	-	1	-	2	1	-	1	-	4	1	-	3	-	171
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	171a
4	4	-	-	-	3	2	-	1	-	2	1	-	1	-	2	-	-	2	-	171b
20	18	1	1	-	9	7	2	-	-	12	8	4	-	-	79	47	4	26	2	172
40	38	2	-	-	66	63	3	-	-	22	19	3	-	-	10	10	-	-	-	173
10	10	-	-	-	6	6	-	-	-	135	132	-	3	-	2	2	-	-	-	174
86	80	6	-	-	60	54	5	1	-	44	39	2	3	-	35	20	-	14	1	175
85	79	6	-	-	60	54	5	1	-	39	34	2	3	-	26	13	-	12	1	175a-c
1	1	-	-	-	-	-	-	-	-	5	5	-	-	-	9	7	-	2	-	175d,e
11	11	-	-	-	15	15	-	-	-	26	24	1	1	-	35	22	-	12	1	176
2	1	1	-	-	7	1	5	-	1	13	5	7	-	1	14	2	1	5	6	177
25	18	7	-	-	23	14	9	-	-	25	13	11	1	-	10	5	3	1	1	178
17	7	9	1	-	16	7	7	-	2	29	21	8	-	-	35	8	9	11	7	179
55	29	23	-	3	58	36	13	7	2	77	26	24	13	14	84	17	7	36	24	180
68	37	31	-	-	59	26	26	4	3	125	47	50	12	16	125	32	23	29	41	181
29	18	10	-	1	29	11	13	4	1	42	26	13	2	1	35	12	6	7	10	182
69	61	7	1	-	50	42	5	3	-	109	83	14	11	1	114	54	8	49	3	183
32	28	4	-	-	37	30	5	1	1	65	51	7	6	1	60	27	5	25	3	184
6	3	3	-	-	4	4	-	-	-	15	9	6	-	-	8	1	2	3	2	185
716	311	400	2	3	389	135	247	3	4	450	175	259	10	6	218	87	88	22	21	186
709	304	400	2	3	383	129	247	3	4	444	172	258	8	6	206	78	88	19	21	186a
7	7	-	-	-	6	6	-	-	-	6	3	1	2	-	12	9	-	3	-	186b
6	3	3	-	-	10	8	2	-	-	9	6	3	-	-	6	-	2	3	1	187
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	189
5	4	-	1	-	13	7	5	1	-	10	8	-	2	-	6	1	-	2	3	190
4	4	-	-	-	2	1	1	-	-	6	3	-	3	-	4	1	-	2	1	191
4	4	-	-	-	6	4	2	-	-	11	9	2	-	-	8	3	-	4	1	192
24	24	-	-	-	26	25	-	1	-	11	11	-	-	-	33	28	1	4	-	193
-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	194
91	60	31	-	-	73	37	33	2	1	89	49	32	6	2	111	51	19	25	16	195
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195b
23	15	8	-	-	11	5	6	-	-	21	9	10	1	1	21	9	3	4	5	195d
68	45	23	-	-	61	31	27	2	1	68	40	22	5	1	90	42	16	21	11	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	6	-	-	6	-	198
44	27	15	-	2	90	47	37	3	3	301	170	106	13	12	243	53	32	80	78	
2	1	1	-	-	4	2	2	-	-	25	19	6	-	-	25	8	5	5	7	199
42	26	14	-	2	86	45	35	3	3	276	151	100	13	12	218	45	27	75	71	200
36	23	11	-	2	64	32	26	3	3	131	80	37	8	6	127	34	18	39	36	200a
6	3	3	-	-	22	13	9	-	-	145	71	63	5	6	91	11	9	36	35	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	9,958	5,541	4,387	15	15	22,440	9,875	7,853	2,658	2,054
	I.—Infectious and parasitic diseases	336	220	115	-	1	1,463	556	228	412	267
1	Typhoid fever	-	-	-	-	-	5	3	-	2	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	4	4	-	-	-	9	5	3	1	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	2	1	-	-	-	-	-	-	-
9	Whooping cough	5	1	4	-	-	6	1	4	-	1
10	Diphtheria (infection by C. diphtheriae)	3	1	2	-	-	9	6	3	-	-
11	Erysipelas	-	-	-	-	-	1	-	1	-	-
12	Tetanus	-	-	-	-	-	6	2	-	2	2
13-22	Tuberculosis (all forms)	197	139	57	-	1	1,010	361	140	293	196
13	Tuberculosis of respiratory system, etc.*	178	130	47	-	1	955	363	130	282	180
14	Tuberculosis of meninges, etc.*	7	3	4	-	-	16	4	2	3	7
15	Tuberculosis of intestines and peritoneum	3	1	2	-	-	2	1	1	-	-
16	Tuberculosis of vertebral column	2	1	1	-	-	12	7	1	1	3
17	Tuberculosis of bones and joints, etc.*	1	1	-	-	-	5	2	-	2	1
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	1	-	-	-	1
20	Tuberculosis of genito-urinary system	1	1	-	-	-	4	2	2	-	-
21	Tuberculosis of other organs	-	-	-	-	-	4	-	2	1	1
22	Disseminated tuberculosis	5	2	3	-	-	11	2	2	4	3
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	5	5	-	-	-	10	3	4	2	1
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	1	-	-	4	3	1	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	46	30	16	-	-	275	95	31	98	51
30a	Locomotor ataxia (tabes dorsalis)	1	1	-	-	-	8	2	1	4	1
30b	General paralysis of insane	13	7	6	-	-	64	16	3	34	11
30d	Aneurysm of aorta	15	11	4	-	-	102	47	11	24	20
30f	Congenital syphilis	3	2	1	-	-	13	1	3	5	4
30c,e,g	Syphilis (other forms)	14	9	5	-	-	88	28	13	31	15
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	2	-	-	-	3	2	-	-	1
33	Influenza	41	19	22	-	-	33	12	7	7	7
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	6	4	2	-	-	8	2	4	1	1
36	Poliomyelitis and polioencephalitis (acute)	1	1	-	-	-	11	3	4	1	3
37	Acute infectious encephalitis (lethargic)	3	2	1	-	-	6	1	3	2	-
38	Other diseases due to filtrable viruses	1	-	1	-	-	2	1	-	1	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	9	5	3	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	1	1	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	1	-	-	-
43	Mycoses	-	-	-	-	-	7	2	3	-	2
44	Other infectious and parasitic diseases	17	9	8	-	-	46	27	16	1	2
	II.—Cancer and other tumors	1,512	730	774	5	3	3,050	1,281	1,354	208	207
45-55	Cancer and other malignant tumors	1,472	711	753	5	3	2,984	1,259	1,322	203	200
45	Cancer of buccal cavity and pharynx	51	40	11	-	-	82	56	12	11	3
45a	Cancer of lip	8	7	1	-	-	7	6	-	1	-
45b	Cancer of tongue	10	5	5	-	-	24	16	4	3	1
45c	Cancer of mouth	7	6	1	-	-	12	9	1	2	-
45d	Cancer of jaw bone	12	10	2	-	-	8	3	2	2	1
45e	Cancer of unspecified parts of buccal cavity	1	1	-	-	-	1	-	1	-	-
45f	Cancer of pharynx	13	11	2	-	-	30	22	4	3	1
46	Cancer of digestive organs and peritoneum	666	342	318	5	1	1,179	543	473	103	60
46a	Cancer of esophagus	25	16	9	-	-	51	41	3	6	1
46b	Cancer of stomach	203	116	83	4	-	348	160	111	49	28
46c	Cancer of duodenum	5	2	3	-	-	1	1	-	-	-
46d	Cancer of rectum and anus	89	48	41	-	-	167	81	66	10	10
46e	Cancer of intestines, etc.*	210	97	112	-	1	331	126	173	20	12
46f	Cancer of liver and biliary passages	72	37	34	1	-	138	56	69	10	3
46g	Cancer of pancreas	52	23	29	-	-	107	59	37	6	5
46h	Cancer of mesentery and peritoneum	5	2	3	-	-	22	13	9	-	-
46m	Cancer of other and unspecified sites	5	1	4	-	-	14	6	5	2	1
47	Cancer of respiratory system	95	76	19	-	-	323	231	52	32	8
47a	Cancer of larynx	9	9	-	-	-	30	24	4	1	1
47b	Cancer of trachea	-	-	-	-	-	-	-	-	-	-
47c,d	Cancer of bronchus and lung	82	65	17	-	-	282	200	44	31	7
47e	Cancer of pleura	-	-	-	-	-	3	2	1	-	-
47f	Cancer of other respiratory organs	4	2	2	-	-	8	5	3	-	-
48	Cancer of uterus	141	...	139	...	2	293	...	234	...	59
48a	Cancer of cervix	71	...	70	...	1	128	...	100	...	28
48b	Cancer of other and unspecified sites of uterus	70	...	69	...	1	165	...	134	...	31
49	Cancer of other female genital organs	41	...	41	...	-	99	...	92	...	7
49a,b	Cancer of ovary, fallopian tube, and parametrium	34	...	34	...	-	86	...	79	...	7
49c-e	Cancer of other female genital organs	7	...	7	...	-	13	...	13	...	-
50	Cancer of breast	131	3	128	-	-	319	2	280	-	37
51	Cancer of male genital organs	125	125	...	-	...	196	163	...	33	...
51b	Cancer of prostate	114	114	...	-	...	177	150	...	27	...
51a,c-e	Cancer of other male genital organs	11	11	...	-	...	19	13	...	6	...
52	Cancer of urinary organs	80	46	34	-	-	161	99	48	7	7
52a	Cancer of kidney	25	15	10	-	-	65	34	25	4	2
52b	Cancer of bladder	54	31	23	-	-	95	64	23	3	5
52c	Cancer of other and unspecified sites	1	-	1	-	-	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
52,611	27,463	24,182	549	417	56,786	30,717	22,220	2,140	1,709	27,400	15,611	11,233	192	164	20,296	5,469	3,960	5,676	5,191	
1,961	1,278	573	71	39	2,513	1,360	565	375	213	973	614	310	30	19	1,357	260	196	453	448	
2	2	-	-	-	4	4	-	-	-	4	3	-	-	1	2	-	-	2	-	1
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	5
25	12	10	3	-	34	20	12	1	1	12	6	5	-	1	19	3	3	6	7	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	1	-	-	1	1	-	-	-	3	1	2	-	-	1	1	-	-	-	8
12	4	8	-	-	9	5	2	-	2	14	3	8	2	1	30	4	6	7	13	9
30	15	15	-	-	8	3	3	1	1	16	11	1	2	2	15	4	5	1	5	10
1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	2	-	1	-	1	11
4	2	2	-	-	9	5	3	-	1	8	6	2	-	-	11	4	3	2	2	12
1,373	943	347	51	32	1,590	838	332	270	150	492	313	147	20	12	866	125	85	219	237	13-22
1,277	895	306	48	28	1,423	772	284	237	130	444	285	131	19	9	623	120	83	198	222	13
28	14	14	-	-	46	16	13	7	10	12	6	3	1	2	11	4	1	2	4	14
8	4	3	1	-	17	7	2	4	4	5	3	2	-	-	8	-	-	4	4	15
17	9	7	1	-	19	8	4	6	1	5	3	2	-	-	3	-	-	2	1	16
5	4	1	-	-	9	5	4	-	-	2	1	1	-	-	2	-	-	2	-	17
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	18
6	-	4	-	2	1	-	-	-	1	1	1	-	-	-	2	-	-	2	-	19
10	5	5	-	-	20	10	9	1	-	8	6	2	-	-	2	1	-	1	-	20
7	3	4	-	-	5	4	1	-	-	2	2	-	-	-	1	-	-	1	-	21
15	9	3	1	2	50	16	15	15	4	11	5	5	-	1	14	-	1	7	6	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
7	4	3	-	-	23	12	11	-	-	7	4	3	-	-	9	1	2	1	5	24
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	25
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
25	9	15	1	-	16	11	3	-	2	2	1	1	-	-	30	7	5	8	9	27
3	2	1	-	-	2	2	-	-	-	-	-	-	-	-	10	4	1	3	2	28
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	29
258	170	68	14	6	502	276	88	85	53	135	100	28	6	1	209	35	4	108	62	30
15	13	1	1	-	18	15	2	1	-	6	5	-	1	-	4	2	-	2	-	30a
44	35	6	2	1	102	40	27	21	14	25	19	6	-	-	38	8	2	19	9	30b
120	78	38	3	1	257	150	38	29	20	56	40	13	3	-	41	13	1	22	5	30d
4	-	3	-	1	14	2	2	7	3	-	-	-	-	-	22	2	-	9	11	30f
75	44	20	8	3	131	69	19	27	16	48	36	9	2	1	104	10	1	56	37	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
9	2	7	-	-	20	11	2	5	2	7	4	3	-	-	3	1	-	1	1	32
47	18	29	-	-	74	36	33	4	1	63	26	36	-	1	260	42	58	74	86	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	34
18	13	5	-	-	41	21	19	1	-	11	5	6	-	-	28	2	2	13	9	35
6	5	1	-	-	55	30	24	1	-	106	68	38	-	-	5	-	3	1	2	36
10	7	3	-	-	23	13	9	1	-	11	7	4	-	-	8	3	3	1	1	37
-	-	-	-	-	5	4	1	-	-	4	3	1	-	-	1	-	-	1	-	38
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	42
9	4	4	1	-	16	10	4	2	-	5	4	1	-	-	8	5	2	1	-	43
117	64	52	1	-	74	51	19	4	-	71	49	22	-	-	33	16	9	3	5	44
8,878	4,139	4,383	82	74	8,233	3,963	3,831	206	233	4,355	2,258	2,050	24	23	1,999	549	648	330	472	
8,487	4,070	4,288	78	71	8,004	3,873	3,718	201	212	4,253	2,217	1,992	21	23	1,912	537	621	317	437	45-59
272	230	39	3	-	247	199	40	2	6	81	65	15	-	1	56	34	10	8	4	45
20	17	3	-	-	33	32	1	-	-	9	9	-	-	-	7	7	-	-	-	45a
88	62	6	-	-	58	49	7	1	1	25	18	7	-	-	13	4	4	3	2	45b
40	31	8	1	-	26	23	2	-	1	11	6	4	-	1	6	4	-	1	1	45c
33	26	6	1	-	38	28	9	-	1	9	7	2	-	-	10	7	2	1	-	45d
3	3	-	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	45e
108	91	16	1	-	89	65	20	1	3	26	24	2	-	-	20	12	4	3	1	45f
3,871	1,998	1,821	32	20	3,425	1,868	1,404	93	60	1,979	1,147	809	12	11	794	214	243	183	154	46
191	143	42	6	-	156	120	23	11	2	60	49	11	-	-	28	8	3	11	6	46a
1,023	610	402	6	5	1,111	681	371	41	18	769	496	263	6	4	284	85	55	89	55	46b
9	4	5	-	-	14	9	4	-	1	7	4	3	-	-	1	-	-	1	-	46c
578	316	253	4	5	440	263	158	12	7	225	141	78	2	2	64	12	17	20	15	46d
1,267	540	713	9	5	887	399	457	12	19	471	220	244	3	4	200	44	98	22	36	46e
373	158	209	3	3	411	192	209	7	3	199	95	104	-	-	121	24	40	25	32	46f
339	190	145	2	2	321	174	134	9	4	196	116	79	-	1	78	34	27	11	6	46g
54	21	33	-	-	50	15	33	1	1	41	21	20	-	-	8	4	1	1	2	46h
37	16	19	2	-	35	15	15	-	5	13	5	7	1	-	10	3	2	3	2	46m
766	600	151	13	2	782	591	150	36	5	313	234	73	5	1	131	77	26	21	7	47
79	67	7	4	1	71	66	4	1	-	23	19	4	-	-	6	3	1	2	-	47a
4	4	-	-	-	1	1	-	-	-	2	2	-	-	-	1	-	-	-	1	47b
658	514	134	9	1	683	508	136	34	5	273	205	63	5	-	121	74	23	18	6	47c,d
5	2	3	-	-	7	2	5	-	-	4	2	2	-	-	1	-	1	-	-	47e
20	13	7	-	-	20	14	5	1	-	11	6	4	-	1	2	-	1	1	-	47f
552	...	537	...	15	681	...	623	...	58	246	...	241	...	5	242	...	102	...	140	48
226	...	216	...	10	310	...	274	...	36	109	...	106	...	3	104	...	37	...	67	48a
326	...	321	...	5	371	...	349	...	22	137	...	135	...	2	138	...	65	...	73	48b
266	...	265	...	1	287	...	274	...	13	133	...	133	...	-	53	...	31	...	22	49
228	...	227	...	1	244	...	233	...	11	111	...	111	...	-	43	...	25	...	18	49a,b
38	...	38	...	-	43	...	41	...	2	22	...	22	...	-	10	...	6	...	4	49c-e
926	8	900	1	17	775	9	721	1	42	418	3	414	-	1	148	3	93	3	49	50
483	471	...	12	...	513	483	...	30	...	364	360	...	4	...	138	86	...	52	...	51
456	444	...	12	...	477	447	...	30	...	341	337	...	4	...	128	79	...	49	...	51b
27	27	...	-	...	36	36	...	-	...	23	23	...	-	...	10	7	...	3	...	51a,c-e
438	293	134	5	6	392	246	122	15	9	233	154	77	-	2	68	22	17	19	10	52
147	89	57	-	1	128	79	37	9	3	97	59	37	-	1	21	7	7	5	2	52a
290	204	78	5	5	257	163	82	6	6	130	91	38	-	1	46	14	10	14	8	52b
1	-	1	-	-	7	4	3	-	-	6	4	2	-	-	1	1	-	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	20	16	4	-	-	44	25	17	1	1
54	Cancer of central nervous system*	20	14	6	-	-	77	47	23	4	3
55	Cancer of other and unspecified organs	102	49	53	-	-	211	93	91	12	15
56,57	Nonmalignant tumors and tumors of unspecified nature	40	19	21	-	-	66	22	32	5	7
56	Nonmalignant tumors (including dermoid cysts)	19	6	13	-	-	41	12	21	1	7
56a-c	Nonmalignant tumors of female genital organs	8	...	8	...	-	17	...	11	...	6
56d	Nonmalignant tumors of central nervous system*	6	3	3	-	-	11	7	4	-	-
56e	Nonmalignant tumors of other and unspecified organs	5	3	2	-	-	13	5	6	1	1
57	Tumors of unspecified nature	21	13	8	-	-	25	10	11	4	-
57a-c	Tumors, female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	16	11	5	-	-	12	8	4	-	-
57e	Tumors, other organs (nature unspecified)	4	2	2	-	-	13	2	7	4	-
	III.—Rheumatism, diseases of nutrition, etc.*	287	109	178	-	-	768	219	441	42	66
58	Acute rheumatic fever	3	3	-	-	-	13	4	6	2	1
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	1	1	-	-	-	3	1	1	-	1
58c	Acute rheumatic myocarditis	1	1	-	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	-	-	-	-	-	3	-	3	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	1	1	-	-	-	7	3	2	2	-
59	Chronic rheumatism, other rheumatic diseases	13	6	7	-	-	32	10	16	4	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	244	92	152	-	-	657	186	385	29	57
62	Diseases of pituitary gland	1	-	1	-	-	1	-	1	-	-
63	Diseases of thyroid and parathyroid glands	13	2	11	-	-	32	3	25	-	4
63a	Simple goiter	1	-	1	-	-	2	-	2	-	-
63b	Exophthalmic goiter	7	-	7	-	-	25	2	19	-	4
63c-e	Other diseases of thyroid and parathyroid glands	5	2	3	-	-	5	1	4	-	-
64	Diseases of thymus gland	5	2	3	-	-	11	4	1	5	1
65	Diseases of adrenal glands*	5	3	2	-	-	8	4	3	-	1
66	Other general diseases	3	1	2	-	-	10	5	4	1	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	3	2	-	1	-
71	Other avitaminoses	-	-	-	-	-	1	1	-	-	-
							-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	81	43	38	-	-	143	71	52	12	8
72	Hemorrhagic conditions	3	2	1	-	-	5	2	1	1	1
73	Anemias (except splenic anemia)	26	11	15	-	-	27	12	11	-	4
73a	Pernicious anemia	15	7	8	-	-	11	6	4	-	1
73b-d	Other anemias (except splenic)	11	4	7	-	-	16	6	7	-	3
74	Leukemias and aleukemias	45	27	18	-	-	98	51	38	9	-
74a	Leukemias	42	25	17	-	-	92	49	34	9	-
74b	Aleukemias	3	2	1	-	-	6	2	4	-	-
75	Diseases of spleen	4	1	3	-	-	10	5	1	1	3
76	Other diseases of blood and blood-forming organs	3	2	1	-	-	3	1	1	1	-
	V.—Chronic poisoning and intoxication	25	20	5	-	-	64	32	6	19	7
77	Alcoholism (ethylism)	24	20	4	-	-	59	30	6	16	7
78	Lead poisoning	-	-	-	-	-	5	2	-	3	-
79	Chronic poisoning by other mineral substances*	1	-	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,169	561	607	-	-	1,948	730	791	212	215
80	Encephalitis (noncpidemic)	7	4	3	-	-	17	7	5	5	-
81	Meningitis (not due to meningococcus)	16	8	8	-	-	31	12	6	10	3
82	Diseases of spinal cord (see exceptions)*	21	13	8	-	-	50	24	19	4	3
83	Intracranial lesions of vascular origin	1,056	508	550	-	-	1,702	627	704	174	197
83a	Cerebral hemorrhage or effusion*	800	435	465	-	-	1,454	522	599	152	181
83b,c	Cerebral embolism, thrombosis, and softening	150	67	83	-	-	197	90	81	17	9
83d	Hemiplegia, other paralysis, etc.*	6	4	2	-	-	51	15	24	5	7
84	Mental diseases and deficiency (see exception)*	6	3	3	-	-	26	6	11	4	5
85	Epilepsy	13	5	8	-	-	37	15	11	8	3
86	Convulsions (under 5 years)	1	1	-	-	-	2	1	1	-	-
87	Other diseases of nervous system	46	21	25	-	-	75	34	31	6	4
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	2	-	2	-	-	8	4	3	1	-
	VII.—Diseases of the circulatory system	3,656	2,127	1,523	2	4	8,171	3,984	2,927	696	564
90-95	Diseases of the heart (all forms)	3,367	1,974	1,387	2	4	7,697	3,784	2,736	650	527
90	Pericarditis (except acute rheumatic)	1	-	1	-	-	9	4	1	-	4
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	1	-	1	-	-	9	4	1	-	4
91	Acute endocarditis (except rheumatic)	2	1	1	-	-	14	7	1	2	4
91a,b	Bacterial, acute, and subacute endocarditis	2	1	1	-	-	14	7	1	2	4
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	275	149	123	1	2	484	176	181	58	49
92a	Diseases of aortic valve, etc.*	11	6	5	-	-	49	23	11	10	5
92b	Diseases of mitral valve, etc.*	89	51	36	1	1	204	75	85	26	18
92c	Chronic rheumatic endocarditis, etc.*	14	3	11	-	-	21	10	8	1	2
92d	Other chronic endocarditis, etc.*	146	83	62	-	1	172	62	71	19	20
92e	Endocarditis (unspecified, 45 years and over)	15	6	9	-	-	18	6	6	2	4
93	Diseases of the myocardium	1,601	840	758	1	2	4,804	2,022	1,959	442	381
93a	Acute myocarditis (except rheumatic)	22	10	12	-	-	33	13	6	8	6
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	4	1	-	1	2
93c	Chronic rheumatic myocarditis, etc.*	16	12	4	-	-	37	17	16	3	1
93d	Other chronic myocarditis, etc.*	1,486	777	706	1	2	4,563	1,927	1,889	397	350
93e	Other myocarditis (unspecified)	77	41	36	-	-	167	64	48	33	22
94	Diseases of coronary arteries, angina pectoris	1,304	880	424	-	-	2,079	1,422	483	117	57
94a	Diseases of coronary arteries	1,251	843	408	-	-	2,045	1,396	475	117	57
94b	Angina pectoris	53	37	16	-	-	34	26	8	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
110	59	49	1	1	122	70	48	2	2	60	30	28	-	2	72	34	28	3	7	53
193	118	73	1	1	152	92	52	6	2	111	65	46	-	-	28	11	7	1	9	54
610	293	299	10	8	630	315	284	16	15	315	159	156	-	-	182	56	64	27	35	55
191	69	115	4	3	229	90	113	5	21	102	41	58	3	-	87	12	27	13	35	56,57
106	30	72	3	1	123	31	71	3	18	62	20	41	1	-	47	3	16	2	26	56
45	...	45	...	-	59	...	43	...	16	26	...	26	...	-	35	...	13	...	22	56a-c
34	17	14	2	1	27	14	12	1	-	25	13	11	1	-	8	3	3	1	1	56d
27	13	13	1	-	37	17	16	2	2	11	7	4	-	-	4	-	-	1	3	56e
85	39	43	1	2	106	59	42	2	3	40	21	17	2	-	40	9	11	11	9	57
1	...	1	...	-	4	...	4	...	-	1	...	1	...	-	-	...	-	...	-	57a-c
55	24	28	1	2	74	40	29	2	3	27	16	11	-	-	31	7	11	8	5	57d
29	15	14	-	-	28	19	9	-	-	12	5	5	2	-	9	2	-	3	4	57e
1,912	622	1,261	9	20	2,167	764	1,303	29	71	941	367	565	4	5	444	105	146	69	124	
15	11	3	-	1	24	10	13	1	-	13	8	5	-	-	25	2	5	9	9	58
1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	1	58a
5	4	-	-	1	3	2	1	-	-	5	4	1	-	-	4	1	1	2	-	58b
2	-	2	-	-	3	2	1	-	-	1	1	-	-	-	4	-	2	1	1	58c
4	4	-	-	-	9	3	6	-	-	2	1	1	-	-	6	-	2	2	2	58d
3	2	1	-	-	8	3	5	-	-	4	1	3	-	-	10	1	-	4	5	58e,f
51	20	31	-	-	90	34	55	-	1	49	21	28	-	-	29	9	15	1	4	59
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1,703	537	1,139	9	18	1,761	625	1,062	19	55	775	307	460	3	5	315	83	109	42	81	61
6	3	3	-	-	7	2	3	-	2	4	1	3	-	-	-	-	-	-	-	62
83	20	62	-	1	154	24	123	2	5	64	13	51	-	-	19	1	3	3	12	63
6	2	4	-	-	9	-	8	-	1	4	2	2	-	-	1	-	1	-	-	63a
45	14	30	-	1	121	19	97	2	3	48	7	41	-	-	16	1	2	2	11	63b
32	4	28	-	-	24	5	18	-	1	12	4	8	-	-	2	-	-	1	1	63c-e
12	7	5	-	-	57	36	20	4	7	7	4	3	-	-	4	2	2	-	-	64
15	9	6	-	-	30	16	11	2	1	16	8	8	-	-	1	-	-	1	-	65
16	6	10	-	-	17	9	7	1	-	8	3	5	-	-	14	2	4	2	6	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
5	5	-	-	-	5	4	1	-	-	1	1	-	-	-	3	2	-	-	1	68
2	2	-	-	-	6	1	5	-	-	2	1	1	-	-	29	4	8	6	11	69
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	2	-	70
4	2	2	-	-	3	-	3	-	-	2	-	1	1	-	3	-	-	3	-	71
367	180	184	1	2	463	235	201	14	13	300	176	122	2	-	132	49	42	19	22	
13	5	8	-	-	25	13	11	1	-	10	5	5	-	-	14	4	4	1	5	72
55	11	42	1	1	116	52	59	3	2	72	45	27	-	-	34	10	8	6	10	73
38	8	30	-	-	78	38	38	1	1	56	36	20	-	-	14	7	5	1	1	73a
17	3	12	1	1	38	14	21	2	1	16	9	7	-	-	20	3	3	5	9	73b-d
280	156	123	-	1	295	156	119	9	11	198	118	78	2	-	75	34	25	10	6	74
266	149	116	-	1	277	147	110	9	11	193	114	77	2	-	72	33	23	10	6	74a
14	7	7	-	-	18	9	9	-	-	5	4	1	-	-	3	1	2	-	-	74b
9	4	5	-	-	20	12	7	1	-	12	6	6	-	-	3	1	1	-	1	75
10	4	6	-	-	7	2	5	-	-	8	2	6	-	-	8	-	4	2	-	76
133	104	20	6	3	48	38	4	3	3	37	29	7	-	1	21	7	1	7	6	
126	102	18	5	3	44	34	4	3	3	36	28	7	-	1	20	6	1	7	6	77
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78
3	1	2	-	-	3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	79
5,341	2,278	2,974	49	40	5,820	2,743	2,794	136	145	3,217	1,634	1,561	13	9	2,183	518	481	538	646	
22	11	6	4	1	38	22	14	2	-	16	6	10	-	-	23	7	4	6	6	80
39	23	14	1	1	71	41	22	5	3	23	11	11	1	-	41	3	2	20	16	81
73	48	25	-	-	126	85	34	4	3	44	28	16	-	-	17	8	3	4	2	82
4,879	2 024	2,782	39	34	5,240	2,424	2,561	121	134	2,918	1,478	1,421	12	7	1,984	473	440	477	594	83
3,843	1,580	2,203	33	27	4,434	2,035	2,197	93	109	2,455	1,224	1,216	9	6	1,865	430	411	454	570	83a
993	423	557	6	7	732	351	329	28	24	420	238	179	3	-	71	28	20	12	11	83b,c
43	21	22	-	-	74	38	35	-	1	43	16	26	-	1	48	15	9	11	13	83d
28	17	10	1	1	53	22	30	1	-	37	11	26	-	-	24	2	7	5	10	84
90	56	29	3	2	51	32	17	1	1	31	21	10	-	-	29	4	4	12	9	85
8	4	2	-	-	6	4	2	-	-	5	1	3	-	1	10	2	2	5	1	86
181	82	97	1	1	206	97	103	2	4	131	70	60	-	1	48	18	17	8	5	87
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	88
21	12	9	-	-	28	15	11	2	-	11	8	3	-	-	7	1	2	1	3	89
21,600	11,753	9,549	161	137	20,195	11,635	7,366	527	447	9,808	5,984	3,737	48	39	4,710	1,664	1,008	1,087	951	
20,418	11,195	8,938	155	131	18,771	11,102	6,757	498	414	8,909	5,497	3,335	43	34	4,384	1,586	924	996	878	90-95
9	3	6	-	-	17	11	4	1	1	4	2	2	-	-	15	1	-	11	3	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
9	3	6	-	-	17	11	4	1	1	4	2	2	-	-	15	1	-	11	3	90b
30	12	18	-	-	50	29	16	5	-	19	12	6	-	1	20	5	4	6	5	91
29	12	17	-	-	49	28	16	5	-	18	11	6	-	1	18	5	4	5	4	91a,b
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	2	-	-	1	1	91c
1,029	448	563	11	7	1,238	641	530	37	30	690	369	314	2	5	500	141	96	137	126	92
129	73	54	2	-	137	97	29	7	4	85	50	32	-	3	75	18	19	19	21	92a
448	181	253	3	1	487	230	224	20	13	297	146	148	2	1	243	73	52	64	54	92b
79	35	40	2	2	64	36	23	2	3	70	43	26	-	1	10	3	1	2	4	92c
341	141	195	3	4	482	241	225	7	9	207	106	101	-	-	158	44	19	51	44	92d
32	18	13	1	-	68	37	29	1	1	21	14	7	-	-	14	5	5	1	3	92e
11,418	5,450	5,786	92	90	8,785	4,514	3,762	257	252	3,358	1,801	1,523	19	15	2,117	640	480	507	490	93
90	41	48	-	1	124	58	54	-	12	28	18	9	1	-	27	7	1	10	9	93a
5	3	2	-	-	7	1	4	-	2	2	1	1	-	-	2	-	-	2	-	93b
59	.20	38	1	-	50	20	26	2	2	15	10	5	-	-	9	2	2	2	3	93c
10,962	5,235	5,550	89	88	7,974	4,067	3,438	244	225	3,152	1,673	1,446	18	15	1,910	573	442	455	440	93d
302	151	148	2	1	630	368	240	11	11	161	99	62	-	-	189	58	35	38	38	93e
6,498	4,467	1,968	40	23	7,352	5,164	1,944	151	93	4,107	2,886	1,216	17	8	1,161	637	251	157	138	94
6,437	4,427	1,949	38	23	7,266	5,112	1,910	151	93	4,085	2,852	1,208	17	8	1,127	604	241	151	131	94a
61	40	19	2	-	86	52	34	-	-	22	14	8	-	-	54	33	10	6	5	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	184	104	80	-	-	327	153	111	31	32
95a	Functional diseases of heart, etc.*	11	3	8	-	-	8	5	1	1	1
95b	Other diseases of heart (rheumatic)	58	26	32	-	-	106	45	42	7	12
95c	Other diseases of heart (not rheumatic)	115	75	40	-	-	213	103	68	23	19
96	Aneurysm (except of heart and aorta)	7	6	1	-	-	42	27	8	3	4
97	Arteriosclerosis (except coronary or renal sclerosis)	233	119	114	-	-	376	157	157	35	27
98	Gangrene	2	1	1	-	-	3	1	1	1	-
99	Other diseases of arteries	16	8	8	-	-	18	5	12	1	-
100	Diseases of veins	18	10	8	-	-	13	6	4	1	2
101	Diseases of lymphatic system	1	1	-	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	11	8	3	-	-	19	3	7	5	4
103	Other diseases of circulatory system	1	-	1	-	-	2	1	1	-	-
	VIII.—Diseases of the respiratory system	485	281	209	4	1	964	361	289	178	136
104	Diseases of nasal fossae, accessory sinuses	4	3	1	-	-	25	11	2	5	7
105	Diseases of larynx	2	1	1	-	-	2	-	1	1	-
106	Bronchitis	24	13	11	-	-	58	33	13	7	5
107	Bronchopneumonia (including capillary bronchitis)	224	125	97	1	1	336	131	101	47	57
108	Lobar pneumonia	129	75	52	2	-	331	100	105	81	45
109	Pneumonia (unspecified)	34	16	17	1	-	51	19	19	7	6
109A	Atypical or virus pneumonia	12	4	7	1	-	11	2	6	1	2
109B	Pneumonia (all other, unspecified)	22	12	10	-	-	40	17	13	6	4
110	Pleurisy (not tuberculous)	2	2	-	-	-	30	12	11	4	3
111	Hemorrhagic infarction, thrombosis, edema*	54	23	11	-	-	57	19	23	8	7
112	Asthma	24	11	13	-	-	37	18	9	5	5
113	Pulmonary emphysema	5	5	-	-	-	11	7	1	3	-
114	Other diseases of respiratory system (except tuberculosis)	13	7	6	-	-	26	11	4	8	3
114a,b	Silicosis, other forms of pneumoconioses	1	1	-	-	-	2	2	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	12	6	6	-	-	24	9	4	8	3
	IX.—Diseases of the digestive system	360	225	132	-	3	826	420	261	93	52
115	Diseases of buccal cavity and adnexa, etc.*	13	7	6	-	-	24	12	6	4	2
116	Diseases of esophagus	4	2	2	-	-	3	1	1	1	-
117	Ulcer of stomach or duodenum	58	49	9	-	-	115	87	16	9	3
117a	Ulcer of stomach	38	31	7	-	-	70	55	6	8	1
117b	Ulcer of duodenum	20	18	2	-	-	45	32	10	1	2
118	Other diseases of stomach (except cancer)	3	1	2	-	-	17	9	3	4	1
119	Diarrhea, enteritis, etc.* (under 2 years)	38	25	11	-	2	46	16	12	16	2
120	Diarrhea, enteritis, etc.* (2 years and over)	13	7	6	-	-	20	7	8	2	3
121	Appendicitis	22	17	5	-	-	40	18	16	1	5
122	Hernia and intestinal obstruction	65	39	25	-	1	157	49	56	20	12
122a	Hernia	30	19	10	-	1	70	29	25	10	6
122b	Intestinal obstruction	35	20	15	-	-	67	20	31	10	6
123	Other diseases of intestines	12	7	5	-	-	29	12	13	2	2
124	Cirrhosis of liver	80	52	28	-	-	282	166	78	29	15
124a	Cirrhosis of liver with mention of alcoholism	11	10	1	-	-	55	39	10	5	1
124b	Cirrhosis of liver without mention of alcoholism	69	42	27	-	-	227	127	62	24	14
125	Other diseases of liver	10	7	3	-	-	21	8	9	2	2
126	Biliary calculi	20	3	17	-	-	32	12	20	-	-
127	Other diseases of gallbladder, biliary ducts	7	2	5	-	-	34	9	22	2	1
128	Diseases of pancreas (except diabetes mellitus)	6	1	5	-	-	19	10	6	-	3
129	Peritonitis (cause not stated)	9	6	3	-	-	7	4	1	1	1
	X.—Diseases of the genito-urinary system	641	341	298	1	1	1,850	724	618	251	257
130	Acute nephritis	7	2	5	-	-	25	11	5	7	2
131	Chronic nephritis	532	265	265	1	1	1,601	589	564	210	238
131a	Arteriosclerotic kidney	373	177	194	1	1	1,357	494	480	176	207
131b	Other chronic nephritis	159	88	71	-	-	244	95	84	34	31
132	Nephritis unspecified (10 years and over)	9	4	5	-	-	31	13	6	7	5
133	Other diseases of kidneys, ureters, etc.*	23	10	13	-	-	36	6	21	5	4
134	Calculi of urinary passages	13	9	4	-	-	24	11	8	3	2
135	Diseases of urinary bladder	-	-	-	-	-	11	6	3	1	1
136	Diseases of urethra (except calculus)	5	4	1	-	-	8	3	1	5	-
137	Diseases of prostate	46	46	...	-	...	98	85	...	13	...
137a	Hypertrophy of prostate	40	40	...	-	...	85	74	...	11	...
137b	Other diseases of prostate	6	6	...	-	...	13	11	...	2	...
138	Diseases of other male genital organs (not venereal)	1	1	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	5	...	5	...	-	15	...	10	...	5
139a	Diseases of ovaries, fallopian tubes, and parametria	3	...	3	...	-	9	...	4	...	5
139b	Diseases of uterus	2	...	2	...	-	6	...	6	...	-
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	18	...	17	...	1	49	...	30	...	19
140	Abortion with mention of infection	2	...	2	...	-	6	...	4	...	2
141	Abortion without mention of infection	2	...	2	...	-	1	...	-	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	1	...	-	...	1
141d-f	Other abortions (nonseptic)*	-	...	-	...	-	-	...	-	...	-
142	Ectopic gestation	-	...	-	...	-	3	...	1	...	2
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	1	...	-	...	1
142b	Ectopic gestation, without mention of infection	-	...	-	...	-	2	...	1	...	1
143	Hemorrhage of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	2	...	1	...	1	4	...	3	...	1
145	Other diseases of pregnancy (death before delivery)*	1	...	1	...	-	1	...	1	...	-
145A	With mention of infection	-	...	-	...	-	1	...	1	...	-
145B	Without mention of infection	1	...	1	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	1	...	1	...	-	9	...	5	...	4
147	Infection during childbirth and puerperium	4	...	4	...	-	10	...	9	...	1
148	Puerperal toxemias (excluding death before delivery)	3	...	3	...	-	4	...	2	...	2
149	Other accidents and specified conditions of childbirth	3	...	3	...	-	8	...	4	...	2
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	5	...	1	...	4

*Refer to International List for complete title. table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,435	815	597	12	11	1,329	743	501	47	38	731	447	274	5	5	551	164	93	178	116	95
15	6	9	-	-	36	21	15	-	-	38	22	16	-	-	15	5	3	4	4	95a
405	178	218	4	5	294	148	121	12	13	67	35	29	1	2	43	13	7	10	13	95b
1,015	631	370	8	6	999	574	365	35	25	626	390	229	4	3	492	146	83	164	99	95c
76	47	29	-	-	89	48	35	1	5	68	43	24	-	1	19	7	3	5	4	96
938	442	488	4	4	1,095	578	485	16	16	703	383	314	3	3	198	44	57	51	46	97
6	3	3	-	-	18	4	14	-	-	3	1	1	1	-	8	1	-	6	1	98
66	29	35	2	-	94	52	39	3	-	54	26	26	1	1	23	12	5	3	3	99
61	23	36	-	2	41	17	20	3	1	26	11	15	-	-	14	4	4	5	1	100
1	-	1	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	101
27	12	15	-	-	80	30	33	6	11	43	22	21	-	-	56	7	14	17	18	102
6	2	4	-	-	5	3	2	-	-	1	-	1	-	-	8	1	1	4	2	103
2,251	1,228	977	27	19	2,428	1,361	818	159	90	1,346	759	550	15	22	885	216	174	257	238	
10	4	5	1	-	13	9	4	-	-	6	4	2	-	-	16	1	1	7	7	104
8	5	2	1	-	9	5	4	-	-	3	-	3	-	-	4	-	2	1	1	105
106	68	37	1	-	119	70	41	4	4	83	45	37	-	1	41	17	14	4	6	106
1,171	590	566	7	8	880	457	328	55	40	630	334	272	9	15	318	83	68	90	77	107
510	304	185	14	7	672	387	189	69	27	287	186	93	3	5	313	71	51	94	97	108
116	72	43	-	1	290	170	106	9	5	103	57	44	2	-	83	19	11	32	21	109
40	18	22	-	-	64	35	25	3	1	20	13	6	1	-	12	5	1	4	2	109A
76	54	21	-	1	226	135	81	6	4	83	44	38	1	-	71	14	10	28	19	109B
24	14	10	-	-	44	25	15	2	2	21	14	7	-	-	7	2	2	2	1	110
136	67	68	1	-	172	81	76	8	7	106	49	56	1	-	35	9	11	5	10	111
80	46	31	1	2	109	75	24	6	4	76	45	31	-	-	47	8	11	16	12	112
14	11	2	1	-	23	18	5	-	-	9	9	-	-	-	2	2	-	-	-	113
76	47	28	-	1	97	64	28	8	1	22	16	5	-	1	19	4	3	6	6	114
10	10	-	-	-	16	16	-	-	-	2	2	-	-	-	-	-	-	-	-	114a,b
66	37	28	-	1	81	48	26	6	1	20	14	5	-	1	19	4	3	6	6	114c-e
2,235	1,318	880	23	14	2,626	1,460	987	97	82	1,054	604	433	12	5	699	220	134	196	149	
25	16	9	-	-	52	24	21	4	3	19	10	9	-	-	25	5	4	10	6	115
7	3	4	-	-	14	11	3	-	-	6	1	5	-	-	2	-	-	1	1	116
370	299	65	5	1	338	278	49	8	3	182	138	42	2	-	70	38	5	27	2	117
184	148	32	4	-	208	172	32	3	1	91	68	20	2	-	53	24	4	24	1	117a
186	151	33	1	1	130	106	17	5	2	91	68	22	-	-	17	12	1	3	1	117b
28	17	8	2	1	44	26	13	3	2	16	11	5	-	-	33	11	2	10	10	118
97	44	43	6	4	278	149	91	24	14	51	25	21	5	-	78	18	13	32	15	119
58	23	35	-	-	55	19	32	1	3	24	8	14	1	1	50	13	17	12	8	120
109	72	37	-	-	169	84	65	9	11	70	45	24	1	-	77	21	7	26	23	121
343	170	167	4	2	400	203	176	9	12	177	100	73	2	2	152	38	37	45	32	122
174	90	81	2	1	183	99	59	4	1	80	49	30	-	1	50	15	12	19	5	122a
169	80	86	2	1	237	104	117	5	11	97	51	43	2	1	102	23	25	27	27	122b
78	38	38	2	-	78	34	37	2	5	37	19	16	-	-	18	5	5	4	4	123
737	482	249	2	4	773	473	259	24	17	248	153	93	-	2	103	50	14	18	21	124
183	124	56	2	1	48	36	9	1	2	28	20	8	-	-	4	3	-	1	-	124a
554	358	193	-	3	725	437	250	23	15	220	133	85	-	2	99	47	14	17	21	124b
64	23	39	1	1	74	28	34	9	3	30	18	12	-	-	22	5	5	3	9	125
155	54	101	-	-	146	45	99	-	2	124	46	78	-	-	18	5	11	1	1	126
87	32	55	-	-	115	36	75	2	2	36	11	25	-	-	22	6	7	-	9	127
59	33	24	1	1	53	31	20	1	1	21	12	8	1	-	12	4	5	2	1	128
18	12	6	-	-	37	19	13	1	4	13	7	6	-	-	16	3	2	5	6	129
2,385	1,248	1,089	33	25	2,978	1,593	1,146	124	115	1,059	665	376	5	13	1,875	443	320	605	507	
29	16	13	-	-	68	28	31	7	2	26	14	12	-	-	81	14	12	30	25	130
1,880	903	930	25	22	2,263	1,147	942	86	88	715	405	298	3	9	1,486	339	260	456	431	131
1,483	706	741	18	18	1,656	822	704	64	66	520	297	212	3	8	1,058	250	196	315	297	131a
397	197	189	7	4	607	325	238	22	22	195	108	86	-	1	428	89	64	141	134	131b
51	27	22	1	1	148	73	65	6	4	70	42	27	1	-	78	18	16	26	18	132
130	64	60	4	2	126	62	55	4	5	52	31	20	-	1	65	24	17	15	9	133
48	20	25	3	-	56	37	16	-	3	18	12	6	-	-	15	1	9	4	1	134
16	6	10	-	-	20	8	12	-	-	11	10	1	-	-	10	4	-	6	-	135
3	3	-	-	-	14	13	-	1	-	3	3	-	-	-	10	2	-	8	-	136
206	206	...	-	...	243	223	...	20	...	148	147	...	1	...	99	41	...	58	...	137
185	185	...	-	...	198	180	...	18	...	137	136	...	1	...	74	30	...	44	...	137a
21	21	...	-	...	45	43	...	2	...	11	11	...	-	...	25	11	...	14	...	137b
3	3	...	-	...	2	2	...	-	...	1	1	...	-	...	2	-	...	2	...	138
29	...	29	...	-	38	...	25	...	13	15	...	12	...	3	29	...	6	...	23	139
8	...	8	...	-	25	...	12	...	13	12	...	9	...	3	18	...	1	...	17	139a
21	...	21	...	-	13	...	13	...	-	3	...	3	...	-	9	...	5	...	4	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	139c
73	...	69	...	5	118	...	88	...	30	48	...	45	...	3	169	...	35	...	134	
7	...	7	...	-	6	...	5	...	1	5	...	4	...	1	9	...	1	...	8	140
4	...	3	...	1	5	...	4	...	1	3	...	2	...	1	3	...	-	...	3	141
-	...	-	...	-	2	...	2	...	-	2	...	2	...	-	1	...	-	...	1	141a,c
2	...	2	...	-	3	...	2	...	1	1	...	-	...	1	1	...	-	...	1	141b
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	141d-f
4	...	3	...	1	12	...	5	...	7	1	...	1	...	-	9	...	1	...	8	142
1	...	1	...	-	1	...	-	...	1	1	...	1	...	-	1	...	-	...	1	142a
3	...	2	...	1	11	...	5	...	6	-	...	-	...	-	8	...	1	...	7	142b
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143
5	...	5	...	-	10	...	6	...	4	4	...	4	...	-	36	...	13	...	23	144
5	...	5	...	-	12	...	8	...	4	4	...	4	...	-	6	...	2	...	4	145
3	...	3	...	-	9	...	6	...	3	2	...	2	...	-	3	...	2	...	1	145A
2	...	2	...	-	3	...	2	...	1	2	...	2	...	-	3	...	-	...	3	145B
16	...	15	...	1	23	...	20	...	3	7	...	7	...	-	35	...	5	...	30	146
16	...	15	...	1	19	...	15	...	4	9	...	8	...	1	28	...	6	...	22	147
8	...	7	...	1	17	...	15	...	2	7	...	7	...	-	17	...	3	...	14	148
2	...	2	...	-	12	...	9	...	3	2	...	2	...	-	15	...	4	...	11	149
5	...	5	...	-	2	...	1	...	1	5	...	5	...	-	11	...	-	...	11	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	3	3	-	-	-	22	5	6	4	7
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	-	-	-	-	-	2	1	-	1	-
153	Other diseases of skin and cellular tissue	3	3	-	-	-	20	4	6	3	7
	XIII.—Diseases of the bones, etc.*	4	1	3	-	-	14	5	4	3	2
154	Osteomyelitis and periostitis	1	-	1	-	-	2	1	-	1	-
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	6	2	3	-	1
156	Diseases of joints, other organs of movement	3	1	2	-	-	6	2	1	2	1
157	XIV.—Congenital malformations	140	74	66	-	-	307	141	111	31	24
157a-d	Congenital malformations of central nervous system	52	28	24	-	-	86	35	35	5	11
157e,f	Congenital malformations of cardiovascular system	54	31	23	-	-	153	74	55	16	8
157g,h,m	Other congenital malformations	34	15	19	-	-	68	32	21	10	5
	XV.—Diseases peculiar to the first year of life	353	210	142	-	1	878	374	257	150	97
158	Congenital debility (cause not stated)	12	6	6	-	-	28	12	7	9	-
159	Premature birth (cause not stated)	190	108	80	-	1	545	225	157	97	66
160	Injury at birth	83	49	34	-	-	186	82	64	22	18
161	Other diseases peculiar to first year of life	68	46	22	-	-	119	55	29	22	13
162	XVI.—Senility	97	41	56	-	-	37	14	19	1	3
	XVII.—Violent or accidental deaths	717	517	197	3	-	1,838	933	448	341	116
163,164	Suicide	120	106	14	-	-	320	212	82	24	2
163	Suicide by poisoning	24	23	1	-	-	104	52	46	5	1
164	Suicide by other means	96	83	13	-	-	216	160	36	19	1
165-168	Homicide[1]	15	10	5	-	-	176	37	11	101	27
166	Homicide by firearms	11	7	4	-	-	88	17	7	52	12
167	Homicide by cutting or piercing instruments	-	-	-	-	-	52	3	2	38	9
168	Homicide by other means	4	3	1	-	-	36	17	2	11	6
169-195	Accidental deaths	582	401	176	3	-	1,337	683	353	214	87
169	Railway accidents (except collisions with motor vehicles)	12	9	2	1	-	28	24	2	1	1
170	Motor-vehicle accidents	173	136	37	-	-	413	241	78	73	21
170a	Collisions between automobiles and trains	5	4	1	-	-	4	2	1	1	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	167	131	36	-	-	401	234	75	71	21
170d	Motorcycle accidents (exc. collisions with automobiles)	1	1	-	-	-	8	5	2	1	-
171	Streetcar and other road-transport accidents	-	-	-	-	-	14	7	5	2	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	-	-	-	-	-	13	7	5	1	-
171b	Other and unspecified road-transport accidents	-	-	-	-	-	1	-	-	1	-
172	Water-transport accidents	22	18	3	1	-	21	17	2	2	-
173	Air-transport accidents	15	14	1	-	-	16	15	1	-	-
174	Accidents in mines and quarries	1	1	-	-	-	6	6	-	-	-
175	Agricultural and forestry accidents	20	18	2	-	-	21	12	2	6	1
175a-c	Agricultural accidents	13	11	2	-	-	20	11	2	6	1
175d,e	Forestry accidents	7	7	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	5	5	-	-	-	18	13	-	5	-
177	Food poisoning	2	1	1	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	12	5	7	-	-	28	21	3	4	-
179	Acute accidental poisoning by solids or liquids	9	8	1	-	-	15	6	5	3	1
180	Conflagration	30	18	12	-	-	60	16	4	23	17
181	Accidental burns (except conflagration)	23	18	5	-	-	61	20	18	12	11
182	Accidental mechanical suffocation	12	8	4	-	-	31	9	12	7	3
183	Accidental drowning	45	39	5	1	-	108	58	6	39	5
184	Accidental injury by firearms	23	22	1	-	-	30	22	3	4	1
185	Accidental injury by cutting or piercing instruments	2	2	-	-	-	5	1	1	2	1
186	Accidental injury by fall or crushing	131	50	81	-	-	332	126	178	16	12
186a	Accidental injury by fall	131	50	81	-	-	329	123	178	16	12
186b	Accidental injury by crushing	-	-	-	-	-	3	3	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	2	2	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	3	2	1	-	-	6	2	1	3	-
191	Excessive heat	1	1	-	-	-	7	4	1	1	1
192	Lightning	1	-	1	-	-	4	3	1	-	-
193	Accidents due to electric currents (except lightning)	5	4	1	-	-	9	7	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	35	22	13	-	-	102	51	20	11	12
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	1	1	-	-	-
195d	Obstruction, suffocation, etc.*	9	7	2	-	-	39	13	11	5	10
195c,e	Other and unspecified accidents	26	15	11	-	-	62	37	17	6	2
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	3	1	-	2	-
	XVIII.—Ill-defined and unknown causes	65	38	27	-	-	50	25	13	7	5
199	Sudden death	9	6	3	-	-	1	-	1	-	-
200	Ill-defined and unknown causes	56	32	24	-	-	49	25	12	7	5
200a	Ill-defined causes	38	20	18	-	-	27	12	6	6	3
200b,c	Unknown or unspecified causes	18	12	6	-	-	22	13	6	1	2

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30	10	20	-	-	30	17	9	1	3	18	9	9	-	-	19	1	3	10	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	151
4	2	2	-	-	7	5	2	-	-	1	1	-	-	-	3	-	1	-	2	152
26	8	18	-	-	23	12	7	1	3	17	8	9	-	-	15	1	2	9	3	153
31	16	14	1	-	27	18	7	2	-	14	6	7	1	-	7	3	1	3	-	
6	3	3	-	-	8	6	-	2	-	4	1	2	1	-	5	2	-	3	-	154
8	3	5	-	-	6	2	4	-	-	3	2	1	-	-	-	-	-	-	-	155
17	10	6	1	-	13	10	3	-	-	7	3	4	-	-	2	1	1	-	-	156
639	350	285	1	3	944	470	415	37	22	433	232	197	4	-	200	73	52	47	28	157
245	112	133	-	-	332	134	188	6	4	145	57	88	-	-	60	17	17	18	8	157a-d
268	156	108	-	2	432	236	184	20	12	182	103	75	4	-	77	35	17	16	9	157e,f
128	82	44	1	1	180	100	83	11	6	106	72	34	-	-	63	21	18	13	11	157g,h,m
1,574	887	622	37	28	2,677	1,427	970	157	123	1,177	707	452	9	9	1,131	387	269	277	198	
17	11	2	2	2	38	23	9	4	2	14	9	4	1	-	50	8	8	24	10	158
992	542	401	28	21	1,854	967	682	101	84	717	426	277	7	7	706	242	167	163	134	159
305	174	122	6	3	440	238	154	29	19	300	187	110	1	2	223	82	59	51	31	160
260	160	97	1	2	365	199	125	23	18	146	65	61	-	-	152	55	35	39	23	161
47	11	35	1	-	359	157	195	3	4	189	83	105	-	1	324	46	58	93	127	162
3,224	1,976	1,194	46	8	4,948	3,158	1,422	260	108	2,338	1,632	680	19	7	1,890	684	264	700	242	
478	362	108	8	-	647	484	139	19	5	336	283	52	1	-	125	90	24	10	1	163,164
198	131	67	-	-	112	66	45	1	-	46	35	11	-	-	15	9	5	1	-	163
280	231	41	8	-	535	418	94	18	5	290	248	41	1	-	110	81	19	9	1	164
64	40	21	2	1	211	64	36	84	27	55	31	19	4	1	322	46	13	221	42	165-168
30	23	7	-	-	94	27	16	39	12	23	16	7	-	-	211	35	8	142	26	166
12	6	3	2	1	61	10	6	36	9	11	4	3	3	1	77	5	2	57	13	167
22	11	11	-	-	56	27	14	9	6	21	11	9	1	-	34	6	3	22	3	168
2,682	1,574	1,065	36	7	4,090	2,610	1,247	157	76	1,947	1,318	609	14	6	1,435	547	227	462	199	169-195
38	32	4	2	-	56	49	1	6	-	41	40	1	-	-	43	14	3	22	4	169
520	401	109	9	1	1,605	1,144	371	66	22	593	461	124	7	1	460	241	58	129	32	170
3	2	1	-	-	98	61	36	-	1	25	20	5	-	-	15	9	2	4	-	170a
1	1	-	-	-	7	5	1	1	-	7	4	1	2	-	-	-	-	-	-	170b
503	386	107	9	1	1,472	1,053	332	66	21	549	427	116	5	1	438	226	55	125	32	170c
13	12	1	-	-	28	25	2	1	-	12	10	2	-	-	7	6	1	-	-	170d
16	13	3	-	-	10	6	2	2	-	8	4	2	-	-	3	1	-	2	-	171
11	10	1	-	-	6	4	2	-	-	4	2	2	-	-	-	-	-	-	-	171a
5	3	2	-	-	4	2	-	2	-	2	2	-	-	-	3	1	-	2	-	171b
37	35	2	-	-	74	65	5	2	2	52	44	8	-	-	16	14	1	1	-	172
30	30	-	-	-	81	77	4	-	-	36	34	2	-	-	12	12	-	-	-	173
1	-	1	-	-	30	26	1	3	-	10	10	-	-	-	2	1	-	1	-	174
20	19	1	-	-	68	66	2	-	-	80	71	8	1	-	64	26	3	33	3	175
19	18	1	-	-	62	60	2	-	-	77	68	8	1	-	45	15	2	27	1	175a-c
1	1	-	-	-	6	6	-	-	-	3	3	-	-	-	19	11	-	6	2	175d,e
29	25	2	2	-	51	47	-	4	-	20	19	1	-	-	14	8	-	6	-	176
2	-	2	-	-	5	3	2	-	-	2	1	1	-	-	13	5	2	4	2	177
87	47	40	-	-	55	34	19	1	1	34	27	6	1	-	3	2	-	-	1	178
44	24	19	1	-	39	22	14	-	3	21	11	10	-	-	22	7	4	7	4	179
54	34	19	1	-	141	68	40	16	17	62	47	15	-	-	70	9	11	23	27	180
103	65	33	2	3	162	88	61	5	8	68	42	26	-	1	144	17	33	44	50	181
31	19	11	1	-	81	44	28	4	5	30	16	12	2	-	30	5	6	11	8	182
145	117	19	8	1	201	155	33	12	1	92	57	24	1	-	99	41	5	46	7	183
18	16	2	-	-	53	47	2	3	1	33	29	3	1	-	88	29	5	48	7	184
5	4	1	-	-	5	4	-	1	-	4	4	-	-	-	5	2	-	2	1	185
1,284	554	723	5	2	1,140	501	606	19	14	610	281	328	-	3	127	32	55	24	16	186
1,276	547	722	5	2	1,121	483	605	19	14	605	276	328	-	3	125	31	55	23	16	186a
8	7	1	-	-	19	18	1	-	-	5	5	-	-	-	2	1	-	1	-	186b
-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	22	4	6	4	8	187
5	2	3	-	-	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	188
1	-	1	-	-	2	1	1	-	-	1	-	1	-	-	2	-	-	-	2	189
4	3	1	-	-	15	11	3	1	-	15	14	1	-	-	13	1	-	10	2	190
20	14	6	-	-	9	7	1	1	-	18	15	2	-	1	6	1	-	4	1	191
1	1	-	-	-	8	8	-	-	-	5	4	1	-	-	17	6	5	5	1	192
10	10	-	-	-	29	27	2	-	-	10	10	-	-	-	21	16	-	4	1	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	194
177	109	63	5	-	166	108	48	8	2	100	66	33	1	-	137	52	31	32	22	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	195a
1	1	-	-	-	4	2	1	-	1	4	2	2	-	-	1	-	-	-	1	195b
51	33	14	4	-	55	28	22	5	-	29	21	7	1	-	25	8	2	7	8	195d
125	75	49	1	-	107	78	25	3	1	67	43	24	-	-	110	43	29	25	13	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1	-	7	-	198
120	65	54	1	-	212	118	79	8	7	93	52	27	6	8	2,251	244	128	985	894	
18	9	9	-	-	16	6	8	2	-	2	2	-	-	-	132	27	16	47	42	199
102	56	45	1	-	196	112	71	6	7	91	50	27	6	8	2,119	217	112	938	852	200
85	45	40	-	-	122	68	45	4	5	63	39	24	-	-	309	98	33	110	68	200a
17	11	5	1	-	74	44	26	2	2	28	11	3	6	8	1,810	119	79	828	784	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	42,752	21,607	16,838	2,343	1,964	5,884	3,628	1,852	166	138
	I.—Infectious and parasitic diseases	1,856	920	518	253	165	248	136	47	35	30
1	Typhoid fever	10	7	3	-	-	-	-	-	-	-
2	Paratyphoid fever	3	2	1	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	1	-	2	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	18	8	8	1	1	1	-	1	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	2	-	-	-	-	-	-	-
9	Whooping cough	35	13	18	2	2	6	2	3	-	1
10	Diphtheria (infection by C. diphtheriae)	10	3	6	1	-	3	1	2	-	-
11	Erysipelas	2	1	1	-	-	-	-	-	-	-
12	Tetanus	12	8	3	1	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,016	531	231	145	109	146	83	13	30	20
13	Tuberculosis of respiratory system, etc.*	950	507	209	134	100	136	79	12	26	19
14	Tuberculosis of meninges, etc.*	20	7	7	4	2	4	-	-	3	1
15	Tuberculosis of intestines and peritoneum	4	-	3	1	-	-	-	-	-	-
16	Tuberculosis of vertebral column	13	6	6	-	1	3	1	1	1	-
17	Tuberculosis of bones and joints, etc.*	3	1	2	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	-	-	1	-	-	-	-	-
20	Tuberculosis of genito-urinary system	8	5	2	-	1	2	2	-	-	-
21	Tuberculosis of other organs	2	-	1	-	1	-	-	-	-	-
22	Disseminated tuberculosis	15	5	1	6	3	1	1	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	15	7	7	1	-	3	1	2	-	-
25	Gonococcus infection	2	-	-	2	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	5	3	2	-	-	1	1	-	-	-
27	Dysentery	24	13	8	2	1	1	-	-	1	-
28	Malaria	3	2	1	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	365	167	82	81	35	39	24	11	2	2
30a	Locomotor ataxia (tabes dorsalis)	10	10	-	-	-	1	1	-	-	-
30b	General paralysis of insane	79	33	26	14	6	2	2	-	-	-
30d	Aneurysm of aorta	116	62	25	24	5	17	10	5	1	1
30f	Congenital syphilis	12	3	3	5	1	5	2	1	1	1
30c,e,g	Syphilis (other forms)	148	59	28	38	23	14	9	5	-	-
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	4	1	2	1	-	2	1	1	-	-
33	Influenza	172	67	84	9	12	13	6	5	1	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	32	12	20	-	-	12	2	4	1	5
36	Poliomyelitis and polioencephalitis (acute)	31	16	14	-	1	6	3	3	-	-
37	Acute infectious encephalitis (lethargic)	6	2	2	1	1	2	1	1	-	-
38	Other diseases due to filtrable viruses	8	5	3	-	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases*	3	2	1	-	-	1	-	-	-	1
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	1	-	-	-
43	Mycoses	10	8	1	-	1	1	-	1	-	-
44	Other infectious and parasitic diseases	65	41	18	4	2	9	9	-	-	-
	II.—Cancer and other tumors	6,284	2,836	2,963	220	265	744	419	302	12	11
45-55	Cancer and other malignant tumors	6,129	2,766	2,879	219	245	724	409	292	12	11
45	Cancer of buccal cavity and pharynx	192	148	29	10	5	19	16	3	-	-
45a	Cancer of lip	12	12	-	-	-	3	3	-	-	-
45b	Cancer of tongue	38	30	3	5	-	6	4	2	-	-
45c	Cancer of mouth	35	28	6	-	1	2	2	-	-	-
45d	Cancer of jaw bone	30	19	7	2	2	5	4	1	-	-
45e	Cancer of unspecified parts of buccal cavity	6	5	1	-	-	-	-	-	-	-
45f	Cancer of pharynx	71	54	12	3	2	3	3	-	-	-
46	Cancer of digestive organs and peritoneum	2,614	1,256	1,154	110	94	271	166	97	7	1
46a	Cancer of esophagus	89	69	12	6	2	10	9	1	-	-
46b	Cancer of stomach	745	396	279	42	28	103	67	31	5	-
46c	Cancer of duodenum	11	7	4	-	-	1	1	-	-	-
46d	Cancer of rectum and anus	272	120	125	10	17	23	15	8	-	-
46e	Cancer of intestines, etc.*	733	310	376	25	22	68	38	30	-	-
46f	Cancer of liver and biliary passages	458	196	241	11	10	27	12	14	-	1
46g	Cancer of pancreas	242	130	91	13	8	34	20	12	2	-
46h	Cancer of mesentery and peritoneum	36	16	18	-	2	2	1	1	-	-
46m	Cancer of other and unspecified sites	28	12	8	3	5	3	3	-	-	-
47	Cancer of respiratory system	618	447	111	44	16	80	71	7	-	2
47a	Cancer of larynx	54	48	2	4	-	3	3	-	-	-
47b	Cancer of trachea	2	2	-	-	-	-	-	-	-	-
47c,d	Cancer of bronchus and lung	545	385	105	39	16	72	64	7	-	1
47e	Cancer of pleura	2	2	-	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs	15	10	4	1	-	5	4	-	-	1
48	Cancer of uterus	519	...	459	...	60	48	...	45	...	3
48a	Cancer of cervix	231	...	200	...	31	21	...	20	...	1
48b	Cancer of other and unspecified sites of uterus	288	...	259	...	29	27	...	25	...	2
49	Cancer of other female genital organs	177	...	164	...	13	30	...	29	...	1
49a,b	Cancer of ovary, fallopian tube, and parametrium	160	...	148	...	12	26	...	25	...	1
49c-e	Cancer of other female genital organs	17	...	16	...	1	4	...	4	...	-
50	Cancer of breast	568	4	531	3	30	56	1	54	-	1
51	Cancer of male genital organs	415	390	...	25	...	60	59	...	1	...
51b	Cancer of prostate	386	362	...	24	...	51	51	...	-	...
51a,c-e	Cancer of other male genital organs	29	28	...	1	...	9	8	...	1	...
52	Cancer of urinary organs	280	158	105	8	9	31	23	8	-	-
52a	Cancer of kidney	103	59	40	1	3	15	11	4	-	-
52b	Cancer of bladder	171	98	60	7	6	16	12	4	-	-
52c	Cancer of other and unspecified sites	6	1	5	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,615	7,149	5,184	169	113	1,624	1,032	464	76	52	6,172	3,329	2,838	4	1	48,076	24,712	19,768	1,960	1,636	
399	221	139	26	13	99	57	9	19	14	158	93	64	1	-	2,050	1,113	474	280	183	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7	4	2	1	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
4	2	2	-	-	1	-	-	1	-	2	1	1	-	-	22	15	5	2	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	8
7	2	4	-	1	-	-	-	-	-	3	2	1	-	-	6	1	2	-	3	9
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	10
3	1	2	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	1	11
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	1	-	12
167	92	55	13	7	72	43	6	12	11	72	40	31	1	-	1,393	766	304	193	130	13-22
152	85	48	12	7	63	41	6	10	6	62	37	24	1	-	1,299	727	282	173	117	13
5	1	3	1	-	-	-	-	-	-	3	-	3	-	-	26	13	5	5	3	14
-	-	-	-	-	4	-	-	1	3	2	-	2	-	-	12	5	3	3	1	15
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	12	1	8	1	2	16
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
4	2	2	-	-	1	1	-	-	-	2	1	1	-	-	5	3	1	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
3	2	1	-	-	4	1	-	1	2	2	1	1	-	-	36	15	4	10	7	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
4	2	2	-	-	-	-	-	-	-	2	2	-	-	-	13	8	3	2	-	24
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	1	4	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	4	3	1	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
68	43	13	10	2	15	8	2	3	2	47	31	16	-	-	341	178	58	68	37	30
4	4	-	-	-	1	1	-	-	-	4	3	1	-	-	8	6	1	1	-	30a
21	12	3	6	-	6	3	1	1	1	6	4	2	-	-	88	44	12	21	11	30b
25	18	6	-	1	3	1	1	1	-	16	11	5	-	-	127	72	29	16	10	30d
2	1	-	-	1	1	-	-	1	-	3	2	1	-	-	7	1	1	3	2	30f
16	8	4	4	-	4	3	-	-	1	18	11	7	-	-	111	55	15	27	14	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	13	9	3	1	-	32
69	31	34	2	2	4	3	-	1	-	10	6	4	-	-	35	17	14	3	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
12	5	6	1	-	-	-	-	-	-	2	2	-	-	-	18	9	7	-	2	35
28	19	8	-	1	2	2	-	-	-	1	1	-	-	-	42	22	17	3	-	36
3	3	-	-	-	1	-	-	1	-	2	-	2	-	-	22	10	8	2	2	37
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
3	2	1	-	-	1	-	-	1	-	1	-	1	-	-	11	5	6	-	-	43
18	11	7	-	-	1	-	1	-	-	14	7	7	-	-	98	55	38	3	2	44
1,976	979	962	19	16	193	109	72	4	8	985	454	528	1	-	7,873	3,829	3,615	207	222	
1,941	971	935	19	16	190	109	70	4	7	964	446	517	1	-	7,716	3,777	3,532	201	206	45-55
53	42	10	1	-	6	5	1	-	-	22	16	6	-	-	210	177	25	6	2	45
13	12	1	-	-	-	-	-	-	-	1	1	-	-	-	17	16	1	-	-	45a
5	3	2	-	-	3	3	-	-	-	5	3	2	-	-	55	44	9	2	-	45b
6	5	1	-	-	1	-	1	-	-	4	3	1	-	-	38	33	5	-	-	45c
8	6	2	-	-	-	-	-	-	-	2	2	-	-	-	22	16	4	-	2	45d
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	45e
20	15	4	1	-	2	2	-	-	-	10	7	3	-	-	76	66	6	4	-	45f
888	471	400	11	6	94	58	28	3	5	443	222	221	-	-	3,640	1,986	1,558	117	79	46
24	20	3	1	-	5	5	-	-	-	9	7	2	-	-	179	118	37	21	3	46a
288	168	111	5	4	23	18	2	1	2	132	71	61	-	-	1,071	613	385	48	25	46b
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	13	8	4	-	1	46c
86	58	24	4	-	11	6	3	1	1	70	44	26	-	-	546	296	221	15	14	46d
262	121	138	1	2	31	17	14	-	-	132	58	74	-	-	1,013	452	518	18	25	46e
114	51	63	-	-	13	4	7	1	1	49	17	32	-	-	387	153	220	8	6	46f
96	42	54	-	-	11	8	2	-	1	39	20	19	-	-	306	177	119	6	4	46g
12	7	5	-	-	-	-	-	-	-	8	3	5	-	-	69	40	29	-	-	46h
3	2	1	-	-	-	-	-	-	-	4	2	2	-	-	56	28	25	1	1	46m
174	133	37	3	1	21	20	1	-	-	85	71	14	-	-	847	682	132	30	3	47
16	14	2	-	-	1	1	-	-	-	10	9	1	-	-	77	69	6	2	-	47a
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	47b
152	116	32	3	1	17	16	1	-	-	70	58	12	-	-	726	582	114	27	3	47c,d
2	1	1	-	-	1	1	-	-	-	1	-	1	-	-	6	4	2	-	-	47e
3	1	2	-	-	2	2	-	-	-	4	4	-	-	-	35	24	10	1	-	47f
139	...	133	...	6	13	...	11	...	2	92	...	92	...	-	527	...	479	...	48	48
56	...	53	...	3	3	...	3	...	-	37	...	37	...	-	215	...	194	...	21	48a
83	...	80	...	3	10	...	8	...	2	55	...	55	...	-	312	...	285	...	27	48b
53	...	52	...	1	2	...	2	...	-	29	...	29	...	-	233	...	224	...	9	49
44	...	43	...	1	-	...	-	...	-	25	...	25	...	-	208	...	200	...	8	49a,b
9	...	9	...	-	2	...	2	...	-	4	...	4	...	-	25	...	24	...	1	49c-e
184	-	182	-	2	16	-	16	-	-	97	-	97	-	-	789	9	742	-	39	50
152	149	...	3	...	12	11	...	1	...	69	68	...	1	...	412	385	...	27	...	51
138	136	...	2	...	11	11	...	-	...	69	68	...	1	...	373	348	...	25	...	51b
14	13	...	1	...	1	-	...	1	...	-	-	...	-	...	38	37	...	2	...	51a,c-e
80	57	23	-	-	2	2	-	-	-	57	34	23	-	-	407	288	100	10	9	52
25	14	11	-	-	2	2	-	-	-	15	9	6	-	-	122	86	28	6	2	52a
54	42	12	-	-	-	-	-	-	-	40	25	15	-	-	281	198	72	4	7	52b
1	1	-	-	-	-	-	-	-	-	2	-	2	-	-	4	4	-	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	108	70	37	1	-	15	14	-	1	-
54	Cancer of central nervous system*	127	76	48	1	2	12	8	4	-	-
55	Cancer of other and unspecified organs	511	237	241	17	16	102	51	45	3	3
56,57	Nonmalignant tumors and tumors of unspecified nature	155	50	84	1	20	20	10	10	-	-
56	Nonmalignant tumors (including dermoid cysts)	78	9	50	-	19	5	1	4	-	-
56a-c	Nonmalignant tumors of female genital organs	52	...	34	...	18	3	...	3	...	-
56d	Nonmalignant tumors of central nervous system*	13	3	9	-	1	1	1	-	-	-
56e	Nonmalignant tumors of other and unspecified organs	13	6	7	-	-	1	-	1	-	-
57	Tumors of unspecified nature	77	41	34	1	1	15	9	6	-	-
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	54	26	26	1	1	8	6	2	-	-
57e	Tumors, other organs (nature unspecified)	23	15	8	-	-	6	3	3	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,230	412	704	44	70	152	64	82	2	4
58	Acute rheumatic fever	22	6	10	1	5	2	1	1	-	-
58a	Acute rheumatic pericarditis	2	-	2	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	3	-	2	-	1	1	1	-	-	-
58c	Acute rheumatic myocarditis	1	1	-	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	2	1	1	-	-	1	-	1	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	14	4	5	1	4	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	61	21	34	2	4	10	4	6	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	989	344	565	34	46	118	52	60	2	4
62	Diseases of pituitary gland	3	-	2	-	1	1	-	1	-	-
63	Diseases of thyroid and parathyroid glands	89	12	66	-	11	12	3	9	-	-
63a	Simple goiter	1	-	1	-	-	2	1	1	-	-
63b	Exophthalmic goiter	77	7	59	-	11	10	2	8	-	-
63c-e	Other diseases of thyroid and parathyroid glands	11	5	6	-	-	-	-	-	-	-
64	Diseases of thymus gland	30	15	10	3	2	8	3	3	-	-
65	Diseases of adrenal glands*	11	5	4	2	-	3	1	2	-	-
66	Other general diseases	16	8	8	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	2	-	-	2	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	1	2	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	4	-	3	-	1	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	356	186	154	7	9	43	29	13	1	-
72	Hemorrhagic conditions	17	7	10	-	-	1	1	-	-	-
73	Anemias (except splenic anemia)	105	45	53	3	4	10	8	1	1	-
73a	Pernicious anemia	72	31	37	3	1	6	5	-	1	-
73b-d	Other anemias (except splenic)	33	14	16	-	3	4	3	1	-	-
74	Leukemias and aleukemias	215	126	81	3	5	28	18	10	-	-
74a	Leukemias	209	123	78	3	5	27	17	10	-	-
74b	Aleukemias	6	3	3	-	-	1	1	-	-	-
75	Diseases of spleen	12	6	5	1	-	3	1	2	-	-
76	Other diseases of blood and blood-forming organs	7	2	5	-	-	1	1	-	-	-
	V.—Chronic poisoning and intoxication	68	40	9	14	5	14	11	2	1	-
77	Alcoholism (ethylism)	65	38	8	14	5	14	11	2	1	-
78	Lead poisoning	3	2	1	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	4,735	2,141	2,149	207	238	655	358	272	12	13
80	Encephalitis (nonepidemic)	34	16	15	1	2	6	4	2	-	-
81	Meningitis (not due to meningococcus)	61	26	20	10	5	5	2	2	-	1
82	Diseases of spinal cord (see exceptions)*	81	48	31	2	-	9	5	4	-	-
83	Intracranial lesions of vascular origin	4,309	1,939	1,974	174	222	561	316	243	11	11
83a	Cerebral hemorrhage or effusion*	3,657	1,645	1,677	141	194	507	277	208	11	11
83b,c	Cerebral embolism, thrombosis, and softening	513	231	233	26	23	56	33	23	-	-
83d	Hemiplegia, other paralysis, etc.*	139	63	64	7	5	18	6	12	-	-
84	Mental diseases and deficiency (see exception)*	18	8	9	-	1	8	6	2	-	-
85	Epilepsy	48	23	18	4	1	7	5	2	-	-
86	Convulsions (under 5 years)	9	5	4	-	-	1	1	-	-	-
87	Other diseases of nervous system	155	66	67	15	7	34	18	14	1	1
88	Diseases of organs of vision	1	-	1	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	23	12	10	1	-	4	1	3	-	-
	VII.—Diseases of the circulatory system	15,075	8,115	5,671	698	591	1,960	1,293	628	26	13
90-95	Diseases of the heart (all forms)	14,150	7,660	5,263	661	566	1,803	1,204	585	23	11
90	Pericarditis (except acute rheumatic)	30	8	12	7	3	3	3	-	-	-
90a	Chronic rheumatic pericarditis	1	1	-	-	-	-	-	-	-	-
90b	Other pericarditis	29	7	12	7	3	3	3	-	-	-
91	Acute endocarditis (except rheumatic)	36	19	11	4	2	9	6	3	-	-
91a,b	Bacterial, acute, and subacute endocarditis	34	18	10	4	2	8	5	3	-	-
91c	Endocarditis (unspecified, under 45 years)	2	1	1	-	-	1	1	-	-	-
92	Chronic affections of valves and endocardium	1,202	606	497	52	57	128	72	47	4	5
92a	Diseases of aortic valve, etc.*	144	86	41	12	5	11	7	2	2	-
92b	Diseases of mitral valve, etc.*	565	265	246	24	30	69	30	34	1	4
92c	Chronic rheumatic endocarditis, etc.*	51	28	21	1	1	8	5	2	1	-
92d	Other chronic endocarditis, etc.*	393	201	161	12	19	38	28	9	-	1
92e	Endocarditis (unspecified, 45 years and over)	49	26	18	3	2	2	2	-	-	-
93	Diseases of the myocardium	7,327	3,413	3,161	397	356	706	395	298	7	6
93a	Acute myocarditis (except rheumatic)	134	63	47	11	13	11	8	3	-	-
93b	Myocarditis (unspecified, under 45 years)	11	6	3	-	2	1	-	1	-	-
93c	Chronic rheumatic myocarditis, etc.*	39	15	23	1	-	9	5	3	-	1
93d	Other chronic myocarditis, etc.*	6,630	3,073	2,876	359	322	602	324	267	7	4
93e	Other myocarditis (unspecified)	513	256	212	26	19	83	58	24	-	1
94	Diseases of coronary arteries, angina pectoris	4,664	3,132	1,280	152	100	733	576	154	3	-
94a	Diseases of coronary arteries	4,563	3,073	1,250	147	93	718	567	148	3	-
94b	Angina pectoris	101	59	30	5	7	15	9	6	-	-

*Refer to International List for complete title, table II, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32	23	9	-	-	2	1	1	-	-	13	4	9	-	-	93	47	44	1	1	53
40	21	19	-	-	7	3	4	-	-	11	9	2	-	-	142	93	45	1	3	54
146	75	70	1	-	15	9	6	-	-	56	22	34	-	-	416	211	183	9	13	55
35	8	27	-	-	3	-	2	-	1	19	8	11	-	-	157	52	83	6	16	56,57
28	5	23	-	-	2	-	1	-	1	9	2	7	-	-	101	23	61	2	15	56
15	...	15	...	-	2	...	1	...	1	7	...	7	...	-	52	...	38	...	14	56a-c
10	5	5	-	-	-	-	-	-	-	1	1	-	-	-	27	14	13	-	-	56d
3	-	3	-	-	-	-	-	-	-	1	1	-	-	-	22	9	10	2	1	56e
7	3	4	-	-	1	-	1	-	-	10	6	4	-	-	56	29	22	4	1	57
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	57a-c
6	2	4	-	-	1	-	1	-	-	8	5	3	-	-	38	19	15	3	1	57d
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	17	10	6	1	-	57e
445	187	256	-	2	32	16	16	-	-	205	84	121	-	-	1,780	559	1,124	29	68	
3	1	2	-	-	1	-	1	-	-	1	1	-	-	-	31	15	13	-	3	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	58a
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	7	2	5	-	-	58b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	58c
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	7	3	2	-	2	58d
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	9	5	4	-	-	58e,f
21	8	13	-	-	1	-	1	-	-	10	5	5	-	-	56	16	38	-	2	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
382	166	214	-	2	25	14	11	-	-	174	88	106	-	-	1,566	486	997	27	56	61
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	7	2	4	1	-	62
27	4	23	-	-	1	-	1	-	-	13	6	7	-	-	68	14	46	1	7	63
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	63a
22	3	19	-	-	-	-	-	-	-	7	4	3	-	-	57	11	39	1	6	63b
4	1	3	-	-	1	-	1	-	-	6	2	4	-	-	10	3	7	-	-	63c-e
6	4	2	-	-	1	-	1	-	-	1	1	-	-	-	20	12	8	-	-	64
1	1	-	-	-	2	2	-	-	-	1	-	1	-	-	16	7	9	-	-	65
2	1	1	-	-	-	-	-	-	-	2	1	1	-	-	13	5	8	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	68
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	71
136	69	63	3	1	8	5	2	1	-	52	25	27	-	-	397	215	163	10	9	
5	2	3	-	-	1	1	-	-	-	3	-	3	-	-	16	8	6	2	-	72
46	23	22	-	1	1	1	-	-	-	12	6	6	-	-	73	31	38	4	-	73
30	16	14	-	-	-	-	-	-	-	7	3	4	-	-	34	13	19	2	-	73a
16	7	8	-	1	1	1	-	-	-	5	3	2	-	-	39	18	19	2	-	73b-d
78	41	34	3	-	5	3	1	1	-	32	17	15	-	-	277	156	109	4	8	74
76	38	34	3	-	5	3	1	1	-	30	17	13	-	-	265	149	104	4	8	74a
2	2	-	-	-	-	-	-	-	-	2	-	2	-	-	12	7	5	-	-	74b
5	3	2	-	-	1	-	1	-	-	3	2	1	-	-	19	13	5	-	1	75
2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	12	7	5	-	-	76
11	9	2	-	-	9	6	2	1	-	15	12	3	-	-	68	45	5	15	3	
10	8	2	-	-	9	6	2	1	-	15	12	3	-	-	65	42	5	15	3	77
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	79
1,486	718	721	8	8	124	65	55	2	2	672	320	352	-	-	4,463	1,844	2,204	145	170	
13	8	4	-	1	-	-	-	-	-	2	2	-	-	-	31	17	11	-	3	80
13	4	9	-	-	3	2	1	-	-	2	-	2	-	-	41	16	13	6	6	81
23	13	10	-	-	6	3	3	-	-	17	9	8	-	-	83	46	32	3	2	82
1,308	634	658	9	7	105	51	50	2	2	613	293	320	-	-	4,085	1,746	2,044	124	151	83
1,102	535	551	9	7	93	44	45	2	2	488	235	253	-	-	3,255	1,377	1,646	101	131	83a
176	85	91	-	-	10	7	3	-	-	117	54	63	-	-	736	335	363	21	17	83b,c
30	14	16	-	-	2	-	2	-	-	8	4	4	-	-	74	34	35	2	3	83d
14	8	6	-	-	1	1	-	-	-	6	3	3	-	-	31	12	14	-	5	84
23	15	8	-	-	3	3	-	-	-	9	5	4	-	-	57	27	20	8	2	85
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	86
59	35	24	-	-	3	3	-	-	-	19	7	12	-	-	142	72	67	2	1	87
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	88
2	-	2	-	-	2	1	1	-	-	4	1	3	-	-	11	7	2	2	-	89
4,218	2,577	1,556	47	36	494	354	123	12	5	2,468	1,376	1,090	2	-	19,021	10,417	7,840	526	438	
3,877	2,400	1,400	44	33	465	335	113	12	5	2,254	1,276	976	2	-	17,613	9,751	6,956	491	413	90-95
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	15	14	-	-	1	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	15	14	-	-	1	90b
9	7	2	-	-	4	1	2	-	1	-	-	-	-	-	51	35	12	2	2	91
9	7	2	-	-	4	1	2	-	1	-	-	-	-	-	47	34	10	1	2	91a,b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	91c
306	169	132	2	3	24	14	10	-	-	172	93	79	-	-	818	364	396	24	34	92
22	10	11	-	1	2	2	-	-	-	15	7	8	-	-	93	44	37	7	5	92a
131	64	64	1	2	13	7	6	-	-	69	38	31	-	-	298	120	150	10	18	92b
19	11	8	-	-	1	1	-	-	-	12	8	4	-	-	87	44	41	1	1	92c
114	72	41	1	-	7	4	3	-	-	68	36	32	-	-	309	139	158	5	7	92d
20	12	8	-	-	1	-	1	-	-	8	4	4	-	-	31	17	10	1	3	92e
1,498	809	650	21	18	193	134	54	4	1	1,116	516	599	1	-	9,889	4,905	4,552	279	253	93
21	12	9	-	-	9	7	2	-	-	12	6	6	-	-	101	53	46	2	-	93a
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	6	3	1	1	1	93b
10	3	7	-	-	-	-	-	-	-	6	1	5	-	-	44	21	19	4	-	93c
1,290	700	556	17	17	172	117	51	3	1	1,052	488	563	1	-	8,702	4,116	4,121	236	229	93d
176	93	78	4	1	12	10	1	1	-	45	21	24	-	-	1,136	712	365	36	23	93e
1,632	1,159	451	16	6	203	158	39	4	2	774	557	216	1	-	5,801	3,980	1,591	141	89	94
1,600	1,138	440	16	6	198	155	38	3	2	761	547	213	1	-	5,765	3,956	1,580	140	89	94a
32	21	11	-	-	5	3	1	1	-	13	10	3	-	-	36	24	11	1	-	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	891	482	312	49	48	224	152	63	9	-
95a	Functional diseases of heart, etc.*	44	31	11	2	-	7	2	4	1	-
95b	Other diseases of heart (rheumatic)	159	70	67	7	15	16	7	9	-	-
95c	Other diseases of heart (not rheumatic)	688	381	234	40	33	201	143	50	8	-
96	Aneurysm (except of heart and aorta)	83	47	26	7	3	5	4	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	661	334	291	22	14	100	52	45	1	2
98	Gangrene	11	5	4	1	1	3	2	1	-	-
99	Other diseases of arteries	73	34	34	2	3	23	16	7	-	-
100	Diseases of veins	47	16	26	3	2	15	11	4	-	-
101	Diseases of lymphatic system	1	-	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	45	15	26	2	2	9	3	5	1	-
103	Other diseases of circulatory system	4	4	-	-	-	2	1	-	1	-
	VIII.—Diseases of the respiratory system	2,118	1,046	787	163	122	262	150	76	18	18
104	Diseases of nasal fossae, accessory sinuses	12	4	6	1	1	1	-	-	-	1
105	Diseases of larynx	4	1	2	1	-	1	1	-	-	-
106	Bronchitis	105	50	44	5	6	11	8	3	-	-
107	Bronchopneumonia (including capillary bronchitis)	770	375	294	61	40	95	41	35	8	11
108	Lobar pneumonia	759	377	277	64	41	58	36	14	5	3
109	Pneumonia (unspecified)	125	59	52	6	8	36	19	10	4	3
109A	Atypical or virus pneumonia	33	16	15	2	-	3	2	1	-	-
109B	Pneumonia (all other, unspecified)	92	43	37	4	8	33	17	9	4	3
110	Pleurisy (not tuberculous)	40	12	8	11	9	3	2	1	-	-
111	Hemorrhagic infarction, thrombosis, edema*	175	81	77	4	13	20	10	9	1	-
112	Asthma	61	43	14	2	2	13	10	3	-	-
113	Pulmonary emphysema	7	5	1	1	-	7	6	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	60	39	12	7	2	17	17	-	-	-
114a,b	Silicosis, other forms of pneumoconioses	9	8	-	1	-	15	15	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	51	31	12	6	2	2	2	-	-	-
	IX.—Diseases of the digestive system	1,793	948	855	107	83	279	167	94	8	10
115	Diseases of buccal cavity and adnexa, etc.*	30	14	11	2	3	11	6	4	1	-
116	Diseases of esophagus	7	4	3	-	-	3	2	1	-	-
117	Ulcer of stomach or duodenum	235	177	40	13	5	40	30	9	1	-
117a	Ulcer of stomach	138	102	25	7	4	19	15	3	1	-
117b	Ulcer of duodenum	97	75	15	6	1	21	15	6	-	-
118	Other diseases of stomach (except cancer)	39	19	15	3	2	7	5	1	-	1
119	Diarrhea, enteritis, etc.* (under 2 years)	157	69	61	15	12	24	10	9	3	2
120	Diarrhea, enteritis, etc.* (2 years and over)	45	24	15	4	2	4	2	2	-	-
121	Appendicitis	126	60	49	14	3	28	20	8	-	-
122	Hernia and intestinal obstruction	335	145	147	24	19	45	28	16	-	1
122a	Hernia	148	77	57	9	5	18	11	7	-	-
122b	Intestinal obstruction	187	68	90	15	14	27	17	9	-	1
123	Other diseases of intestines	50	23	23	2	2	7	6	1	-	-
124	Cirrhosis of liver	463	293	131	19	20	48	34	11	2	1
124a	Cirrhosis of liver with mention of alcoholism	49	38	9	2	-	9	7	-	1	1
124b	Cirrhosis of liver without mention of alcoholism	414	255	122	17	20	39	27	11	1	-
125	Other diseases of liver	55	25	21	3	6	10	4	6	-	-
126	Biliary calculi	106	30	76	-	-	28	9	14	1	4
127	Other diseases of gallbladder, biliary ducts	89	39	42	3	5	15	5	10	-	-
128	Diseases of pancreas (except diabetes mellitus)	37	15	17	4	1	7	4	2	-	1
129	Peritonitis (cause not stated)	19	11	4	1	3	2	2	-	-	-
	X.—Diseases of the genito-urinary system	3,223	1,672	1,162	215	174	299	199	97	2	1
130	Acute nephritis	75	34	23	6	12	11	8	2	-	1
131	Chronic nephritis	2,596	1,276	1,029	157	134	222	142	79	1	-
131a	Arteriosclerotic kidney	1,944	951	777	114	102	152	95	56	1	-
131b	Other chronic nephritis	652	325	252	43	32	70	47	23	-	-
132	Nephritis unspecified (10 years and over)	122	70	35	11	6	14	9	5	-	-
133	Other diseases of kidneys, ureters, etc.*	126	65	39	12	10	8	5	3	-	-
134	Calculi of urinary passages	28	19	7	2	-	4	3	1	-	-
135	Diseases of urinary bladder	19	12	4	2	1	4	2	1	1	-
136	Diseases of urethra (except calculus)	8	3	-	4	1	1	1	-	-	-
137	Diseases of prostate	214	193	...	21	...	29	29	...	-	...
137a	Hypertrophy of prostate	170	152	...	18	...	21	21	...	-	...
137b	Other diseases of prostate	44	41	...	3	...	8	8	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	35	...	25	...	10	6	...	6	...	-
139a	Diseases of ovaries, fallopian tubes, and parametria	22	...	14	...	8	2	...	2	...	-
139b	Diseases of uterus	12	...	10	...	2	3	...	3	...	-
139c	Diseases of other female genital organs*	1	...	1	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	91	...	72	...	19	14	...	12	...	2
140	Abortion with mention of infection	6	...	5	...	1	2	...	1	...	1
141	Abortion without mention of infection	2	...	2	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	-	...	-	...	-	-	...	-	...	-
142	Ectopic gestation	9	...	8	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	9	...	8	...	1	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery)	2	...	1	...	1	1	...	1	...	-
144	Toxemias of pregnancy (death before delivery)	17	...	13	...	4	2	...	2	...	-
145	Other diseases of pregnancy (death before delivery)*	10	...	8	...	2	-	...	-	...	-
145A	With mention of infection	5	...	4	...	1	-	...	-	...	-
145B	Without mention of infection	5	...	4	...	1	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	15	...	11	...	4	4	...	4	...	-
147	Infection during childbirth and puerperium	13	...	10	...	3	2	...	2	...	-
149	Puerperal toxemias (excluding death before delivery)	10	...	8	...	2	1	...	-	...	1
149	Other accidents and specified conditions of childbirth	4	...	4	...	-	2	...	2	...	-
150	Other and unspecified conditions of childbirth and puerperium	3	...	2	...	1	-	...	-	...	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
431	255	165	5	6	41	28	8	4	1	191	110	81	-	-	939	453	407	45	34	95
30	16	14	-	-	-	-	-	-	-	2	1	1	-	-	23	7	15	1	-	95a
39	19	20	-	-	3	2	1	-	-	39	17	22	-	-	353	150	174	11	18	95b
362	220	131	5	6	38	26	7	4	1	150	92	58	-	-	563	296	218	33	16	95c
12	8	3	1	-	4	2	2	-	-	5	2	3	-	-	90	55	26	6	3	96
265	142	119	2	2	15	9	6	-	-	184	85	99	-	-	1,138	521	580	23	14	97
9	6	3	-	-	-	-	-	-	-	2	2	-	-	-	6	4	2	-	-	98
22	11	11	-	-	3	3	-	-	-	10	3	7	-	-	53	24	28	-	1	99
10	4	5	-	1	4	2	2	-	-	9	4	5	-	-	52	24	23	2	3	100
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	101
19	5	14	-	-	2	2	-	-	-	3	3	-	-	-	66	36	23	3	4	102
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	3	2	-	1	-	103
512	285	193	11	13	98	61	25	6	6	294	168	126	-	-	1,762	878	675	128	81	
7	3	3	1	-	1	1	-	-	-	3	2	1	-	-	3	1	1	1	-	104
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	5	1	4	-	-	105
24	16	7	1	-	1	1	-	-	-	7	5	2	-	-	116	70	37	5	4	106
196	113	73	4	6	37	19	11	3	4	134	71	63	-	-	713	329	293	58	33	107
98	53	39	2	4	28	19	8	1	1	65	37	28	-	-	503	255	183	38	27	108
76	44	29	1	2	8	4	2	2	-	27	15	12	-	-	88	48	28	6	6	109
18	12	5	-	1	1	1	-	-	-	4	3	1	-	-	37	22	13	-	2	109A
58	32	24	1	1	7	3	2	2	-	23	12	11	-	-	51	26	15	6	4	109B
10	6	3	-	1	-	-	-	-	-	4	2	2	-	-	34	16	13	2	3	110
68	37	29	2	-	3	3	-	-	-	32	19	13	-	-	145	65	72	5	3	111
25	17	8	-	-	13	8	4	-	1	10	7	3	-	-	76	43	24	5	4	112
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	19	11	7	1	-	113
3	2	1	-	-	6	6	-	-	-	10	8	2	-	-	60	39	13	7	1	114
-	-	-	-	-	6	6	-	-	-	2	2	-	-	-	14	13	1	-	-	114a,b
3	2	1	-	-	-	-	-	-	-	8	6	2	-	-	46	26	12	7	1	114c-e
546	306	224	9	7	78	48	24	5	1	237	148	89	-	-	2,091	1,200	776	66	49	
15	8	6	1	-	1	-	1	-	-	6	4	2	-	-	30	12	14	2	2	115
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	11	7	2	2	-	116
78	54	23	1	-	8	5	3	-	-	40	34	6	-	-	341	284	43	14	-	117
51	36	14	1	-	4	3	1	-	-	20	17	3	-	-	208	169	27	12	-	117a
27	18	9	-	-	4	2	2	-	-	20	17	3	-	-	133	115	16	2	-	117b
10	6	3	1	-	1	1	-	-	-	1	1	-	-	-	28	18	5	3	2	118
23	11	7	4	1	2	2	-	-	-	12	7	5	-	-	44	22	15	4	3	119
19	8	10	1	-	-	-	-	-	-	6	3	3	-	-	45	21	22	2	-	120
45	29	15	-	1	9	4	5	-	-	24	16	8	-	-	143	70	62	7	4	121
114	58	51	-	5	12	7	3	2	-	47	30	17	-	-	358	159	172	11	13	122
47	32	14	-	1	1	-	-	1	-	24	19	5	-	-	181	101	72	5	3	122a
67	26	37	-	4	11	7	3	1	-	23	11	12	-	-	174	58	100	6	10	122b
20	15	5	-	-	3	2	1	-	-	11	6	5	-	-	83	42	38	1	2	123
109	74	34	1	-	32	22	7	3	-	47	29	18	-	-	656	422	212	14	8	124
23	20	2	1	-	5	3	1	1	-	1	1	-	-	-	84	58	22	4	-	124a
86	54	32	-	-	27	19	6	2	-	46	28	18	-	-	572	364	190	10	8	124b
19	11	8	-	-	2	1	1	-	-	8	3	5	-	-	61	32	23	2	4	125
43	15	28	-	-	4	1	2	-	1	25	10	15	-	-	149	45	96	1	7	126
39	12	27	-	-	3	2	1	-	-	5	1	4	-	-	63	22	38	1	2	127
5	3	2	-	-	-	-	-	-	-	2	2	-	-	-	58	30	24	2	2	128
5	2	3	-	-	1	1	-	-	-	2	1	1	-	-	26	16	10	-	-	129
782	460	313	5	4	74	46	23	3	2	323	172	150	-	1	2,944	1,425	1,199	149	171	
9	5	4	-	-	2	1	-	1	-	10	5	5	-	-	52	28	20	1	3	130
595	327	263	2	3	60	34	22	2	2	250	124	125	-	1	2,421	1,089	1,060	126	146	131
460	250	206	1	3	40	22	16	1	1	189	92	96	-	1	2,003	882	998	102	121	131a
135	77	57	1	-	20	12	6	1	1	61	32	29	-	-	410	207	162	24	25	131b
45	24	19	2	-	2	2	-	-	-	12	4	8	-	-	81	39	31	6	5	132
19	11	8	-	-	2	2	-	-	-	10	6	4	-	-	86	41	37	5	3	133
11	8	3	-	-	3	2	1	-	-	5	5	-	-	-	55	31	20	1	3	134
9	4	5	-	-	1	1	-	-	-	2	1	1	-	-	15	8	7	-	-	135
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	5	4	-	1	-	136
81	80	...	1	...	4	4	...	-	...	26	26	...	-	...	194	185	...	9	...	137
66	65	...	1	...	3	3	...	-	...	21	21	...	-	...	181	172	...	9	...	137a
15	15	...	-	...	1	1	...	-	...	5	5	...	-	...	13	13	...	-	...	137b
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
12	...	11	...	1	-	...	-	...	-	7	...	7	...	-	35	...	24	...	11	139
6	...	5	...	1	-	...	-	...	-	6	...	6	...	-	26	...	15	...	11	139a
6	...	6	...	-	-	...	-	...	-	1	...	1	...	-	9	...	9	...	-	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
22	...	22	...	-	6	...	6	...	-	15	...	15	...	-	74	...	64	...	10	
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	140
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	6	...	4	...	2	141
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	141a,c
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	141b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	141d-f
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	6	...	4	...	2	142
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	142a
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	5	...	3	...	2	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	5	...	4	...	1	144
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	145
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	145A
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	145B
4	...	4	...	-	1	...	1	...	-	2	...	2	...	-	13	...	12	...	1	146
5	...	5	...	-	2	...	2	...	-	2	...	2	...	-	12	...	12	...	-	147
6	...	6	...	-	1	...	1	...	-	4	...	4	...	-	15	...	13	...	2	148
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	6	...	5	...	1	149
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	4	...	4	...	-	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	21	5	12	2	2	5	-	5	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	4	2	1	-	1	-	-	-	-	-
153	Other diseases of skin and cellular tissue	17	3	11	2	1	5	-	5	-	-
	XIII.—Diseases of the bones, etc.*	26	15	8	3	-	1	-	1	-	-
154	Osteomyelitis and periostitis	5	2	1	2	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	7	2	5	-	-	1	-	1	-	-
156	Diseases of joints, other organs of movement	14	11	2	1	-	-	-	-	-	-
157	XIV.—Congenital malformations	479	240	203	20	16	63	31	28	1	3
157a-d	Congenital malformations of central nervous system	121	48	65	5	3	16	7	7	1	1
157e,f	Congenital malformations of cardiovascular system	257	137	103	10	7	34	18	15	-	1
157g,h,m	Other congenital malformations	101	55	35	5	6	13	6	6	-	1
	XV.—Diseases peculiar to the first year of life	1,415	742	468	103	102	261	149	94	9	9
158	Congenital debility (cause not stated)	56	24	20	7	5	6	2	2	1	1
159	Premature birth (cause not stated)	826	418	279	64	65	161	95	59	4	3
160	Injury at birth	327	193	103	13	18	54	35	15	2	2
161	Other diseases peculiar to first year of life	206	107	66	19	14	40	17	18	2	3
162	XVI.—Senility	282	114	158	4	6	106	70	26	6	4
	XVII.—Violent or accidental deaths	3,400	1,992	1,081	261	86	678	484	154	28	12
163,164	Suicide	428	321	93	12	2	88	67	19	2	-
163	Suicide by poisoning	80	45	31	2	2	13	9	4	-	-
164	Suicide by other means	348	276	62	10	-	75	58	15	2	-
165-168	Homicide[1]	242	65	32	115	30	15	11	2	2	-
166	Homicide by firearms	151	41	21	73	16	9	8	1	-	-
167	Homicide by cutting or piercing instruments	55	9	3	34	9	1	-	-	1	-
168	Homicide by other means	36	15	8	8	5	5	3	1	1	-
169-195	Accidental deaths	2,730	1,606	936	134	54	575	406	133	24	12
169	Railway accidents (except collisions with motor vehicles)	75	55	14	5	1	19	17	1	1	-
170	Motor-vehicle accidents	881	641	185	44	11	165	123	33	6	3
170a	Collisions between automobiles and trains	43	31	6	5	1	6	4	2	-	-
170b	Collisions between automobiles and streetcars	4	2	1	-	1	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	821	596	177	39	9	157	117	31	6	3
170d	Motorcycle accidents (exc. collisions with automobiles)	13	12	1	-	-	2	2	-	-	-
171	Streetcar and other road-transport accidents	15	11	3	1	-	2	1	-	1	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	13	9	3	1	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	2	2	-	-	-	2	1	-	1	-
172	Water-transport accidents	19	16	2	1	-	11	9	2	-	-
173	Air-transport accidents	29	25	4	-	-	20	16	3	1	-
174	Accidents in mines and quarries	10	10	-	-	-	20	19	-	1	-
175	Agricultural and forestry accidents	65	59	5	1	-	46	43	3	-	-
175a-c	Agricultural accidents	60	55	4	1	-	38	35	3	-	-
175d,e	Forestry accidents	5	4	1	-	-	8	8	-	-	-
176	Other accidents involving machinery	24	21	1	2	-	8	8	-	-	-
177	Food poisoning	8	2	6	-	-	2	2	-	-	-
178	Accidental absorption of poisonous gas	33	22	8	3	-	14	11	2	1	-
179	Acute accidental poisoning by solids or liquids	27	11	14	2	-	9	7	2	-	-
180	Conflagration	54	26	20	3	5	15	8	5	1	1
181	Accidental burns (except conflagration)	153	65	63	11	14	16	13	3	-	-
182	Accidental mechanical suffocation	35	18	9	2	4	13	7	3	3	-
183	Accidental drowning	111	83	16	10	2	41	28	9	4	2
184	Accidental injury by firearms	75	60	10	3	2	19	16	2	1	-
185	Accidental injury by cutting or piercing instruments	7	2	1	1	3	-	-	-	-	-
186	Accidental injury by fall or crushing	822	330	458	24	10	111	48	57	2	4
186a	Accidental injury by fall	815	324	458	23	10	104	42	56	2	4
186b	Accidental injury by crushing	7	6	-	1	-	7	6	1	-	-
187	Cataclysm, etc.*	7	7	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	2	1	-	1	-	-	-	-	-	-
189	Hunger or thirst	1	-	1	-	-	-	-	-	-	-
190	Excessive cold	10	5	1	4	-	8	5	1	-	2
191	Excessive heat	9	3	1	5	-	1	1	-	-	-
192	Lightning	6	5	1	-	-	2	1	1	-	-
193	Accidents due to electric currents (except lightning)	15	15	-	-	-	2	2	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	1	1	-	-	-	1	1	-	-	-
195	Other accidents	238	112	113	11	2	29	21	6	2	-
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	1	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	34	18	14	1	1	8	5	2	1	-
195c,e	Other and unspecified accidents	203	94	98	10	1	21	16	4	1	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	300	183	84	22	11	100	68	19	5	8
199	Sudden death	9	6	-	1	2	6	3	-	3	-
200	Ill-defined and unknown causes	291	177	84	21	9	94	65	19	2	8
200a	Ill-defined causes	115	72	35	5	3	63	45	14	1	3
200b,c	Unknown or unspecified causes	176	105	49	16	6	31	20	5	1	5

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16	8	7	-	1	-	-	-	-	-	1	-	1	-	-	29	8	14	-	7	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	152
14	7	7	-	-	-	-	-	-	-	1	-	1	-	-	28	7	14	-	7	153
9	2	7	-	-	3	3	-	-	-	-	-	-	-	-	38	18	17	2	1	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	154
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	13	5	5	2	1	155
5	2	3	-	-	3	3	-	-	-	-	-	-	-	-	18	9	9	-	-	156
169	85	78	4	2	25	17	7	-	1	85	47	36	-	-	547	294	206	30	17	157
46	18	27	1	-	6	6	-	-	-	35	17	18	-	-	193	95	87	6	5	157a-d
79	43	31	3	2	12	7	4	-	1	31	17	14	-	-	238	140	78	13	7	157e,f
44	24	20	-	-	7	4	3	-	-	17	13	4	-	-	116	59	41	11	5	157g,h,m
513	303	199	7	4	90	46	39	1	4	208	121	87	-	-	1,586	806	539	142	99	
9	4	5	-	-	-	-	-	-	-	3	1	2	-	-	16	9	5	1	1	158
348	206	133	6	3	60	31	25	1	3	141	85	56	-	-	1,016	491	342	107	76	159
91	56	33	1	1	16	10	5	-	1	42	24	18	-	-	293	165	102	19	7	160
65	37	29	-	-	14	5	9	-	-	22	11	11	-	-	261	141	90	15	15	161
195	93	100	2	-	20	7	9	1	3	24	12	12	-	-	161	66	86	4	5	162
1,149	795	327	24	3	254	179	50	20	5	389	262	127	-	-	3,122	1,860	941	219	102	
176	142	32	2	-	44	37	6	1	-	80	64	16	-	-	597	419	155	16	7	163-164
20	12	7	1	-	8	7	1	-	-	27	18	9	-	-	240	139	95	3	3	163
156	130	25	1	-	36	30	5	1	-	53	46	7	-	-	357	280	60	13	4	164
32	16	7	8	1	19	8	7	3	1	5	4	1	-	-	123	40	26	40	17	165-166
24	13	5	5	1	14	6	5	2	1	2	2	-	-	-	48	16	7	16	9	166
4	1	-	3	-	-	-	-	-	-	1	1	-	-	-	33	6	5	19	3	167
4	2	2	-	-	5	2	2	1	-	2	1	1	-	-	42	18	14	5	5	168
940	637	288	13	2	191	134	37	16	4	304	194	110	-	-	2,389	1,401	780	160	78	169-185
18	16	2	-	-	20	18	-	1	1	4	2	2	-	-	51	38	3	6	4	169
279	222	56	1	-	77	54	16	5	2	95	67	28	-	-	616	453	120	29	14	170
23	17	6	-	-	2	1	1	-	-	3	3	-	-	-	24	17	4	2	1	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
252	202	49	1	-	73	52	14	5	2	88	61	27	-	-	576	423	114	26	13	170c
4	3	1	-	-	2	1	1	-	-	4	3	1	-	-	16	13	2	1	-	170d
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	8	6	2	-	-	171
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	171a
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	4	3	1	-	-	171b
2	2	-	-	-	-	-	-	-	-	5	5	-	-	-	30	27	2	1	-	172
27	21	6	-	-	8	4	3	1	-	4	4	-	-	-	31	23	7	1	-	173
5	5	-	-	-	5	5	-	-	-	-	-	-	-	-	6	6	-	-	-	174
51	48	2	1	-	6	5	1	-	-	6	6	-	-	-	6	5	-	1	-	175
51	48	2	1	-	6	5	1	-	-	6	6	-	-	-	6	5	-	1	-	175a-c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d,e
10	10	-	-	-	1	1	-	-	-	3	3	-	-	-	33	28	1	6	-	176
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	177
21	16	4	1	-	1	1	-	-	-	7	6	1	-	-	127	70	50	4	3	178
9	7	2	-	-	5	3	2	-	-	6	3	3	-	-	29	15	10	3	1	179
37	23	14	-	-	8	8	-	-	-	13	8	5	-	-	82	27	11	28	16	180
39	22	14	3	-	8	1	2	4	1	12	5	7	-	-	118	52	41	15	10	181
14	6	8	-	-	1	-	1	-	-	4	3	1	-	-	45	21	11	5	8	182
38	30	6	2	-	2	-	-	2	-	21	18	3	-	-	155	111	14	26	4	183
18	17	1	-	-	7	5	-	2	-	5	5	-	-	-	23	21	1	1	-	184
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	5	3	-	2	-	185
276	124	150	1	1	10	7	2	1	-	98	43	55	-	-	835	369	434	19	13	186
275	123	150	1	1	10	7	2	1	-	98	43	55	-	-	829	363	434	19	13	186a
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	186b
7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
8	5	1	2	-	2	2	-	-	-	2	2	-	-	-	7	5	1	1	-	190
5	4	1	-	-	-	-	-	-	-	2	1	1	-	-	38	21	13	2	2	191
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	192
10	9	1	-	-	2	1	1	-	-	3	3	-	-	-	18	15	2	1	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
61	39	20	1	1	26	18	8	-	-	12	9	3	-	-	131	84	37	8	2	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	195b
12	9	2	-	1	4	4	-	-	-	4	4	-	-	-	29	19	9	1	1	195d
48	29	18	1	-	21	14	7	-	-	8	5	3	-	-	101	66	27	7	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	198
63	42	15	3	3	17	13	2	1	1	45	35	10	-	-	70	35	26	8	1	
10	9	1	-	-	-	-	-	-	-	8	8	-	-	-	2	1	1	-	-	199
53	33	14	3	3	17	13	2	1	1	37	27	10	-	-	68	34	25	8	1	200
37	25	10	2	2	15	12	1	1	1	29	21	8	-	-	58	30	19	8	1	200a
16	10	4	1	1	2	1	1	-	-	8	6	2	-	-	10	4	6	-	-	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	5,609	2,957	2,048	324	280	158,242	82,074	66,493	5,304	4,371
	I.—Infectious and parasitic diseases	531	238	152	70	71	7,191	4,048	1,606	960	577
1	Typhoid fever	5	3	-	2	-	5	3	2	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	2	2	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	2	-	-	-	61	38	19	3	1
7	Anthrax (infection by Bacillus anthracis)	1	-	-	1	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	2	1	1	-	-
9	Whooping cough	43	8	13	11	11	31	15	14	-	2
10	Diphtheria (infection by C. diphtheriae)	9	7	1	1	-	10	2	6	1	1
11	Erysipelas	-	-	-	-	-	4	2	2	-	-
12	Tetanus	2	1	-	-	1	10	8	-	2	-
13-22	Tuberculosis (all forms)	303	129	91	44	39	5,128	2,893	1,058	703	474
13	Tuberculosis of respiratory system, etc.*	269	119	81	34	35	4,799	2,766	966	649	418
14	Tuberculosis of meninges, etc.*	17	4	5	7	1	88	27	29	16	16
15	Tuberculosis of intestines and peritoneum	6	-	4	1	1	31	11	10	3	7
16	Tuberculosis of vertebral column	2	1	-	1	-	51	24	14	9	4
17	Tuberculosis of bones and joints, etc.*	-	-	-	-	-	5	1	3	1	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	7	3	1	1	2
20	Tuberculosis of genito-urinary system	4	2	1	1	-	36	21	12	3	-
21	Tuberculosis of other organs	-	-	-	-	-	9	5	2	1	1
22	Disseminated tuberculosis	5	3	-	-	2	101	35	20	20	26
23	Leprosy	-	-	-	-	-	1	1	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	3	2	-	-	1	29	17	11	1	-
25	Gonococcus infection	-	-	-	-	-	4	1	-	-	3
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	39	24	14	-	1	16	8	7	1	-
28	Malaria	-	-	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	2	1	1	-	-
30	Syphilis (all forms)	63	34	8	8	13	1,189	657	229	229	74
30a	Locomotor ataxia (tabes dorsalis)	-	-	-	-	-	40	31	5	3	1
30b	General paralysis of insane	5	5	-	-	-	352	188	70	72	22
30d	Aneurysm of aorta	20	12	3	3	2	363	222	74	54	13
30f	Congenital syphilis	11	2	2	2	5	15	9	3	1	2
30c,e,g	Syphilis (other forms)	27	15	3	3	6	419	207	77	99	36
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	1	1	-	-	37	21	11	3	2
33	Influenza	31	14	15	-	2	102	62	34	3	3
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	9	1	4	1	3	48	23	21	-	4
36	Poliomyelitis and polioencephalitis (acute)	9	8	1	-	-	53	32	18	3	-
37	Acute infectious encephalitis (lethargic)	2	1	1	-	-	83	50	29	-	4
38	Other diseases due to filtrable viruses	2	-	-	2	-	12	6	4	1	1
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	2	1	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	4	4	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	5	3	2	-	-
43	Mycoses	2	-	2	-	-	37	21	14	2	-
44	Other infectious and parasitic diseases	4	3	1	-	-	313	175	122	8	8
	II.—Cancer and other tumors	463	213	239	8	3	26,165	12,561	12,378	570	656
45-55	Cancer and other malignant tumors	445	211	223	8	3	25,528	12,322	12,036	556	614
45	Cancer of buccal cavity and pharynx	14	12	2	-	-	740	578	128	26	8
45a	Cancer of lip	-	-	-	-	-	57	49	6	2	-
45b	Cancer of tongue	2	2	-	-	-	231	181	45	4	1
45c	Cancer of mouth	2	2	-	-	-	125	104	14	5	3
45d	Cancer of jaw bone	3	2	1	-	-	79	61	14	4	-
45e	Cancer of unspecified parts of buccal cavity	1	-	1	-	-	17	12	5	-	-
45f	Cancer of pharynx	6	6	-	-	-	230	171	44	11	4
46	Cancer of digestive organs and peritoneum	199	92	102	5	-	11,200	5,867	4,853	289	191
46a	Cancer of esophagus	5	4	1	-	-	623	469	109	40	5
46b	Cancer of stomach	65	41	23	1	-	3,150	1,774	1,202	115	59
46c	Cancer of duodenum	3	1	2	-	-	41	21	20	-	-
46d	Cancer of rectum and anus	17	13	4	-	-	1,791	1,012	716	31	32
46e	Cancer of intestines, etc.*	54	16	36	2	-	3,170	1,425	1,648	45	52
46f	Cancer of liver and biliary passages	36	12	23	1	-	1,090	434	612	26	18
46g	Cancer of pancreas	15	5	9	1	-	1,037	585	413	21	18
46h	Cancer of mesentery and peritoneum	1	-	1	-	-	209	104	94	7	4
46m	Cancer of other and unspecified sites	3	-	3	-	-	89	43	39	4	3
47	Cancer of respiratory system	36	27	9	-	-	3,075	2,393	558	91	33
47a	Cancer of larynx	4	4	-	-	-	323	290	18	12	3
47b	Cancer of trachea	-	-	-	-	-	4	2	1	1	-
47c,d	Cancer of bronchus and lung	30	21	9	-	-	2,650	2,038	507	75	30
47e	Cancer of pleura	-	-	-	-	-	27	12	15	-	-
47f	Cancer of other respiratory organs	2	2	-	-	-	71	51	17	3	-
48	Cancer of uterus	32	...	32	...	-	1,678	...	1,507	...	171
48a	Cancer of cervix	11	...	11	...	-	947	...	820	...	127
48b	Cancer of other and unspecified sites of uterus	21	...	21	...	-	731	...	687	...	44
49	Cancer of other female genital organs	10	...	10	...	-	904	...	862	...	42
49a,b	Cancer of ovary, fallopian tube, and parametrium	7	...	7	...	-	811	...	774	...	37
49c-e	Cancer of other female genital organs	3	...	3	...	-	93	...	88	...	5
50	Cancer of breast	34	-	33	-	1	2,747	25	2,628	-	94
51	Cancer of male genital organs	31	30	...	1	...	1,269	1,209	...	60	...
51b	Cancer of prostate	29	28	...	1	...	1,152	1,095	...	57	...
51a,c-e	Cancer of other male genital organs	2	2	...	-	...	117	114	...	3	...
52	Cancer of urinary organs	26	16	10	-	-	1,418	941	421	35	21
52a	Cancer of kidney	10	6	4	-	-	487	305	162	12	8
52b	Cancer of bladder	18	10	6	-	-	910	627	249	21	13
52c	Cancer of other and unspecified sites	-	-	-	-	-	21	9	10	2	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,161	11,611	8,286	5,533	4,731	5,146	3,087	1,940	70	49	80,891	42,118	32,896	3,375	2,502	19,079	10,055	6,640	1,322	1,062	
1,700	495	304	495	406	146	82	51	5	8	3,795	1,960	1,010	531	294	1,116	539	281	170	126	
7	1	2	3	1	-	-	-	-	-	10	3	5	1	1	5	2	3	-	-	1
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
20	9	6	2	3	6	3	2	-	1	61	27	32	2	-	10	7	3	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
1	1	-	-	-	2	2	-	-	-	4	1	3	-	-	-	-	-	-	-	9
44	4	6	18	16	2	2	-	-	-	53	24	23	1	5	44	13	16	6	9	10
30	5	12	9	4	6	3	3	-	-	24	11	13	-	-	16	9	5	2	-	11
2	1	1	-	-	-	-	-	-	-	6	3	2	-	1	-	-	-	-	-	12
18	5	1	5	7	1	-	1	-	-	12	6	6	-	-	10	3	2	3	2	13-22
949	263	125	296	267	62	38	15	4	5	2,145	1,079	522	344	200	606	281	142	103	80	13-22
882	244	119	263	256	54	35	11	3	5	1,953	1,019	451	304	179	568	263	134	95	76	13
17	3	2	10	2	3	1	1	1	-	58	21	22	11	4	11	7	1	1	2	14
8	1	-	4	3	2	1	1	-	-	21	3	8	6	6	6	-	3	2	1	15
6	-	-	4	2	1	1	-	-	-	24	7	9	5	3	5	1	3	1	-	16
-	-	-	-	-	1	-	1	-	-	7	2	4	-	1	3	2	-	1	-	17
1	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	18
1	-	-	1	-	1	-	1	-	-	3	1	2	-	-	1	-	-	1	-	19
5	5	-	-	-	-	-	-	-	-	15	7	7	1	-	2	1	-	1	-	20
2	2	-	-	-	-	-	-	-	-	11	5	3	2	1	2	-	1	1	-	21
27	7	2	14	4	-	-	-	-	-	51	14	17	14	6	8	7	-	-	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
16	2	4	6	4	1	1	-	-	-	28	17	9	1	1	14	6	6	2	-	24
5	-	-	-	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	25
3	-	-	2	1	-	-	-	-	-	1	1	-	-	-	3	2	-	-	1	26
17	5	5	4	3	1	1	-	-	-	21	12	5	3	1	28	5	9	4	10	27
1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	6	4	1	1	-	28
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
194	52	11	95	36	17	10	7	-	-	796	421	155	155	65	165	103	24	29	9	30
3	3	-	-	-	-	-	-	-	-	35	28	6	1	-	4	3	-	1	-	30a
35	10	-	21	4	1	-	1	-	-	220	116	43	48	13	45	34	8	3	-	30b
51	21	5	22	3	10	5	5	-	-	234	143	41	44	6	47	32	5	7	3	30d
22	1	1	11	9	-	-	-	-	-	27	6	10	4	7	9	2	-	5	2	30f
83	17	5	41	20	6	5	1	-	-	280	128	55	58	39	60	32	11	13	4	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
10	6	2	2	-	3	2	1	-	-	29	16	11	2	-	2	2	-	-	-	32
159	42	47	29	41	12	3	8	-	1	258	118	120	8	12	114	46	44	10	14	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	34
6	3	2	1	-	7	3	3	-	1	59	32	23	1	3	10	5	4	1	-	35
143	75	52	5	11	9	4	4	1	-	87	59	22	5	1	35	23	11	1	-	36
9	4	3	2	-	5	4	1	-	-	27	18	6	1	2	6	3	2	1	-	37
1	1	-	-	-	1	-	1	-	-	12	6	6	-	-	4	1	1	2	-	38
19	5	9	3	2	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	-	-	2	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	42
9	-	4	4	1	1	-	1	-	-	13	7	5	1	-	6	5	-	-	1	43
34	9	14	7	4	8	5	3	-	-	133	91	35	5	2	29	16	8	5	-	44
2,978	1,031	1,184	314	449	667	332	328	2	5	11,641	5,481	5,530	304	326	2,594	1,160	1,192	118	124	
2,855	990	1,158	294	413	651	330	314	2	5	11,353	5,392	5,371	297	293	2,486	1,123	1,136	115	112	45-55
97	52	25	15	5	16	11	5	-	-	286	221	48	15	2	72	51	15	4	2	45
8	6	-	2	-	2	2	-	-	-	25	23	1	1	-	8	8	-	-	-	45a
25	10	8	6	1	5	3	2	-	-	77	59	14	4	-	12	9	1	2	-	45b
12	5	6	1	-	2	2	-	-	-	34	31	2	1	-	10	5	3	2	-	45c
21	13	5	3	-	2	2	-	-	-	42	31	9	2	-	15	11	3	-	1	45d
3	1	2	-	-	-	-	-	-	-	7	6	1	-	-	3	1	2	-	-	45e
28	17	4	3	4	5	2	3	-	-	101	71	21	7	2	24	17	6	-	1	45f
1,040	412	364	143	121	308	169	137	-	2	4,967	2,603	2,106	156	102	993	479	418	58	38	46
38	18	3	9	8	8	7	1	-	-	207	157	30	16	4	33	22	5	5	1	46a
359	142	113	60	44	126	78	47	-	1	1,462	854	514	64	30	330	185	107	23	15	46b
2	-	-	2	-	1	1	-	-	-	22	14	8	-	-	5	2	3	-	-	46c
103	47	31	12	13	24	13	10	-	1	670	370	259	23	18	83	33	38	8	4	46d
259	79	117	32	31	72	37	35	-	-	1,362	647	670	26	19	231	102	112	9	8	46e
140	53	57	16	14	38	10	28	-	-	671	262	379	14	16	166	72	81	8	5	46f
112	59	35	9	9	31	18	13	-	-	448	240	184	11	13	117	54	54	5	4	46g
14	3	3	1	1	4	2	2	-	-	81	39	40	-	2	17	5	12	-	-	46h
13	5	5	2	1	4	3	1	-	-	44	20	22	2	-	11	4	6	-	1	46m
224	133	56	26	9	39	32	6	-	1	1,063	825	182	48	10	199	138	52	7	2	47
20	12	4	3	1	2	2	-	-	-	122	100	14	6	2	17	16	1	-	-	47a
1	1	-	-	-	1	1	-	-	-	6	6	-	-	-	-	-	-	-	-	47b
198	117	51	23	7	34	28	5	-	1	914	704	163	39	8	175	120	47	6	2	47c,d
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	47e
5	3	1	-	1	2	1	1	-	-	20	13	4	3	-	7	2	4	1	-	47f
463	...	293	...	170	35	...	33	...	2	1,035	...	956	...	79	245	...	213	...	32	48
238	...	153	...	85	15	...	13	...	2	478	...	442	...	36	86	...	76	...	10	48a
225	...	140	...	85	20	...	20	...	-	557	...	514	...	43	159	...	137	...	22	48b
55	...	46	...	9	28	...	28	...	-	353	...	334	...	19	82	...	82	...	-	49
46	...	39	...	7	24	...	24	...	-	312	...	296	...	16	52	...	52	...	-	49a,b
9	...	7	...	2	4	...	4	...	-	41	...	38	...	3	10	...	10	...	-	49c-e
240	3	182	1	54	67	1	66	-	-	1,092	11	1,040	-	41	206	8	174	-	24	50
213	158	...	55	...	51	50	...	1	...	766	726	...	40	...	223	195	...	28	...	51
197	142	...	55	...	49	48	...	1	...	715	677	...	38	...	201	177	...	24	...	51b
16	16	...	-	...	2	2	...	-	...	51	49	...	2	...	22	18	...	4	...	51a,c-e
102	42	44	11	5	29	18	11	-	-	546	338	182	10	16	102	62	35	2	3	52
40	18	19	1	2	11	7	4	-	-	185	124	54	4	3	34	19	13	1	1	52a
60	22	25	10	3	17	11	6	-	-	349	207	124	6	12	66	42	21	1	2	52b
2	2	-	-	-	1	-	1	-	-	12	7	4	-	1	2	1	1	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	11	8	3	-	-	346	185	155	1	5
54	Cancer of central nervous system*	7	3	4	-	-	537	319	196	12	10
55	Cancer of other and unspecified organs	45	23	18	2	2	1,614	805	728	42	39
56,57	Nonmalignant tumors and tumors of unspecified nature	18	2	16	-	-	637	259	342	14	42
56	Nonmalignant tumors (including dermoid cysts)	13	-	13	-	-	353	90	219	5	39
56a-c	Nonmalignant tumors of female genital organs	8	...	8	...	-	167	...	133	...	34
56d	Nonmalignant tumors of central nervous system*	4	-	4	-	-	101	44	52	4	1
56e	Nonmalignant tumors of other and unspecified organs	1	-	1	-	-	85	46	34	1	4
57	Tumors of unspecified nature	5	2	3	-	-	284	149	123	9	3
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	4	...	4	...	-
57d	Tumors, central nervous system* (nature unspecified)	3	2	1	-	-	202	109	88	5	-
57e	Tumors, other organs (nature unspecified)	2	-	2	-	-	78	40	31	4	3
	III.—Rheumatism, diseases of nutrition, etc.*	101	44	52	2	3	6,896	2,343	4,262	85	206
58	Acute rheumatic fever	10	4	6	-	-	82	32	42	2	6
58a	Acute rheumatic pericarditis	-	-	-	-	-	6	3	3	-	-
58b	Acute rheumatic endocarditis	3	2	1	-	-	23	6	16	-	1
58c	Acute rheumatic myocarditis	3	-	3	-	-	15	5	7	-	3
58d	Other acute rheumatic heart diseases	2	-	2	-	-	23	11	10	-	2
58e,f	Other forms of acute rheumatic fever, etc.*	2	2	-	-	-	15	7	6	2	-
59	Chronic rheumatism, other rheumatic diseases	5	2	2	-	1	117	38	74	2	3
60	Gout	-	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	55	24	29	-	2	6,233	2,121	3,858	75	179
62	Diseases of pituitary gland	1	1	-	-	-	16	8	8	-	-
63	Diseases of thyroid and parathyroid glands	14	2	12	-	-	261	48	198	-	15
63a	Simple goiter	1	-	1	-	-	20	8	12	-	-
63b	Exophthalmic goiter	10	1	9	-	-	205	33	159	-	13
63c-e	Other diseases of thyroid and parathyroid glands	3	1	2	-	-	36	7	27	-	2
64	Diseases of thymus gland	5	4	-	1	-	75	43	28	2	2
65	Diseases of adrenal glands*	3	2	1	-	-	59	24	31	3	1
66	Other general diseases	2	1	-	1	-	33	21	12	-	-
67	Scurvy	-	-	-	-	-	1	1	-	-	-
68	Beriberi	-	-	-	-	-	2	-	2	-	-
69	Pellagra (except alcoholic)	4	3	1	-	-	5	1	4	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	2	1	1	-	-	11	5	5	1	-
	IV.—Diseases of the blood and blood-forming organs	34	19	14	1	-	1,245	655	543	31	16
72	Hemorrhagic conditions	1	-	1	-	-	48	25	19	1	3
73	Anemias (except splenic anemia)	7	4	3	-	-	194	89	99	4	2
73a	Pernicious anemia	1	-	1	-	-	112	50	61	-	1
73b-d	Other anemias (except splenic)	6	4	2	-	-	82	39	38	4	1
74	Leukemias and aleukemias	26	15	10	1	-	943	509	401	24	9
74a	Leukemias	24	14	9	1	-	894	492	373	22	7
74b	Aleukemias	2	1	1	-	-	49	17	28	2	2
75	Diseases of spleen	-	-	-	-	-	36	20	15	1	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	24	12	9	1	2
	V.—Chronic poisoning and intoxication	14	13	-	1	-	327	218	45	52	12
77	Alcoholism (ethylism)	13	12	-	1	-	310	208	43	47	12
78	Lead poisoning	-	-	-	-	-	5	4	1	-	-
79	Chronic poisoning by other mineral substances*	1	1	-	-	-	12	6	1	5	-
	VI.—Diseases of the nervous system, etc.*	332	166	145	8	13	12,193	5,465	6,160	262	306
80	Encephalitis (nonepidemic)	6	1	2	1	2	69	38	23	4	4
81	Meningitis (not due to meningococcus)	17	4	6	3	4	144	81	39	15	9
82	Diseases of spinal cord (see exceptions)*	9	8	1	-	-	288	155	118	10	5
83	Intracranial lesions of vascular origin	273	136	129	3	3	10,874	4,793	5,622	199	260
83a	Cerebral hemorrhage or effusion*	232	118	108	3	3	8,595	3,636	4,398	153	208
83b,c	Cerebral embolism, thrombosis, and softening	23	13	10	-	-	2,351	1,101	1,161	42	47
83d	Hemiplegia, other paralysis, etc.*	18	7	11	-	-	128	56	63	4	5
84	Mental diseases and deficiency (see exception)*	2	1	1	-	-	119	39	64	8	8
85	Epilepsy	4	4	-	-	-	161	86	57	11	7
86	Convulsions (under 5 years)	1	1	-	-	-	13	6	5	-	-
87	Other diseases of nervous system	14	8	6	-	-	455	226	211	8	10
88	Diseases of organs of vision	1	-	-	-	1	3	-	2	1	-
89	Diseases of ear and mastoid process	5	1	-	1	3	67	39	19	6	3
	VII.—Diseases of the circulatory system	1,004	608	368	18	10	65,450	35,560	27,208	1,352	1,330
90-95	Diseases of the heart (all forms)	921	563	333	17	8	61,733	33,732	25,459	1,277	1,265
90	Pericarditis (except acute rheumatic)	4	1	2	1	-	35	24	8	1	2
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	4	1	2	1	-	35	24	8	1	2
91	Acute endocarditis (except rheumatic)	4	1	2	-	1	64	33	23	7	1
91a,b	Bacterial, acute, and subacute endocarditis	4	1	2	-	1	63	32	23	7	1
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	1	1	-	-	-
92	Chronic affections of valves and endocardium	89	44	40	4	1	2,608	1,249	1,272	41	46
92a	Diseases of aortic valve, etc.*	8	6	2	-	-	221	129	81	6	5
92b	Diseases of mitral valve, etc.*	40	17	20	3	-	895	444	518	13	20
92c	Chronic rheumatic endocarditis, etc.*	5	3	1	-	1	284	165	108	7	4
92d	Other chronic endocarditis, etc.*	30	15	14	1	-	1,052	485	540	14	15
92e	Endocarditis (unspecified, 45 years and over)	6	3	3	-	-	56	28	25	1	2
93	Diseases of the myocardium	338	186	143	5	4	38,391	16,561	17,933	901	996
93a	Acute myocarditis (except rheumatic)	7	2	4	1	-	189	86	98	1	4
93b	Myocarditis (unspecified, under 45 years)	2	1	1	-	-	6	4	2	-	-
93c	Chronic rheumatic myocarditis, etc.*	8	4	4	-	-	127	44	76	4	3
93d	Other chronic myocarditis, etc.*	290	158	124	4	4	37,522	16,137	17,514	892	979
93e	Other myocarditis (unspecified)	31	21	10	-	-	547	290	243	4	10
94	Diseases of coronary arteries, angina pectoris	331	243	85	3	-	18,254	12,762	5,117	242	133
94a	Diseases of coronary arteries	322	236	83	3	-	18,179	12,715	5,091	241	132
94b	Angina pectoris	9	7	2	-	-	75	47	26	1	1

*Refer to International List for complete title. table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
71	39	28	2	2	6	3	3	-	-	208	132	73	2	1	83	47	32	2	2	53
87	46	31	5	5	16	11	5	-	-	211	136	66	5	4	39	20	19	-	-	54
263	105	89	36	33	56	35	20	1	-	826	402	384	21	19	262	123	116	14	9	55
123	41	26	20	36	16	2	14	-	-	288	89	159	7	33	108	37	36	3	12	56,57
61	13	17	3	28	11	1	10	-	-	184	39	111	4	30	38	2	28	-	8	56
39	...	14	...	25	6	...	6	...	-	92	...	71	...	21	30	...	22	...	8	56a-c
11	6	3	2	-	1	-	1	-	-	50	23	21	1	5	2	1	1	-	-	56d
11	7	-	1	3	4	1	3	-	-	42	16	19	3	4	6	1	5	-	-	56e
62	28	9	17	8	5	1	4	-	-	104	50	48	3	3	70	35	28	3	4	57
1	...	-	...	1	-	...	-	...	-	3	...	3	...	-	1	...	1	...	-	57a-c
50	22	9	13	6	2	-	2	-	-	56	26	26	2	2	52	27	21	2	2	57d
11	6	-	4	1	3	1	2	-	-	45	24	19	1	1	17	8	6	1	2	57e
757	247	304	79	127	208	94	112	1	1	2,792	884	1,757	42	109	530	205	261	30	33	
30	9	4	9	8	3	1	1	-	1	44	20	20	2	2	9	2	4	2	1	58
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	58a
4	1	-	1	2	-	-	-	-	-	17	7	8	-	1	-	-	-	-	-	58b
1	-	-	1	-	-	-	-	-	-	3	1	1	1	-	2	1	-	1	-	58c
5	-	1	2	2	-	-	-	-	-	11	6	4	-	1	4	-	3	-	1	58d
19	7	3	5	4	3	1	1	-	1	12	6	5	1	-	3	1	1	1	-	58e,f
45	15	24	3	3	11	5	6	-	-	108	34	70	1	1	31	9	21	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
564	195	222	57	90	171	78	92	1	-	2,329	752	1,450	34	93	397	169	184	24	20	61
1	-	1	-	-	1	1	-	-	-	10	3	6	-	1	1	1	-	-	-	62
41	4	21	2	14	10	4	6	-	-	194	25	161	-	10	23	3	16	-	4	63
4	-	1	-	3	-	-	-	-	-	7	2	4	-	1	3	-	2	-	1	63a
30	3	17	2	8	6	2	4	-	-	174	17	148	-	9	15	-	12	-	3	63b
7	1	3	-	3	4	2	2	-	-	13	4	9	-	-	5	3	2	-	-	63c-e
13	6	4	3	-	2	1	1	-	-	41	24	14	2	1	10	5	5	-	-	64
5	1	4	-	-	6	1	5	-	-	31	13	16	1	1	2	2	-	-	-	65
11	3	5	2	1	4	3	1	-	-	25	9	14	2	-	15	5	8	1	1	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	3	1	2	-	-	68
40	13	17	1	9	-	-	-	-	-	3	2	1	-	-	37	9	20	2	6	69
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	70
5	1	2	1	1	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	71
226	103	74	25	24	72	50	21	1	-	857	342	280	28	7	195	92	84	5	14	
15	8	5	2	-	3	2	1	-	-	22	8	11	3	-	12	3	6	1	2	72
50	18	17	4	11	25	16	8	1	-	176	74	91	11	-	54	25	24	1	4	73
21	10	9	1	1	15	9	5	1	-	109	46	62	1	-	19	13	5	-	1	73a
29	8	8	3	10	10	7	3	-	-	67	28	29	10	-	35	12	19	1	3	73b-d
144	72	46	17	9	37	26	11	-	-	409	234	158	12	5	113	53	51	2	7	74
139	69	44	17	9	36	25	11	-	-	400	229	155	12	4	112	52	51	2	7	74a
5	3	2	-	-	1	1	-	-	-	9	5	3	-	1	1	1	-	-	-	74b
10	3	4	1	2	1	1	-	-	-	31	17	11	1	2	9	6	1	1	1	75
7	2	2	1	2	6	5	1	-	-	19	9	9	1	-	7	5	2	-	-	76
103	51	11	31	10	7	7	-	-	-	138	94	17	17	10	23	14	2	5	2	
99	49	10	30	10	7	7	-	-	-	127	86	16	16	9	20	13	1	4	2	77
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	78
4	2	1	1	-	-	-	-	-	-	7	5	1	-	1	3	1	1	1	-	79
3,724	1,276	1,140	632	676	621	353	263	1	4	9,043	4,156	4,326	259	302	2,239	1,118	873	121	127	
37	21	8	4	4	9	3	6	-	-	68	40	23	2	3	21	10	8	1	2	80
41	13	6	9	13	5	3	1	1	-	96	50	35	6	5	24	15	5	1	3	81
80	19	14	7	10	8	6	2	-	-	145	84	57	1	3	41	20	16	3	2	82
3,355	1,143	1,052	560	600	550	311	236	-	3	8,204	3,700	4,002	229	273	2,024	1,006	798	108	112	83
3,023	998	946	525	554	479	273	203	-	3	7,110	3,161	3,503	199	247	1,767	864	710	95	98	83a
270	120	84	32	34	51	26	25	-	-	1,009	498	464	23	23	145	81	52	5	7	83b,c
62	25	22	3	12	20	12	8	-	-	86	41	35	7	3	112	61	36	8	7	83d
53	5	14	15	19	10	4	6	-	-	66	26	33	3	4	29	13	12	2	2	84
74	26	16	18	14	7	6	-	-	1	125	58	48	8	1	28	16	10	2	-	85
13	5	3	4	1	3	2	1	-	-	8	2	4	-	2	6	2	-	4	-	86
80	36	21	12	11	27	18	9	-	-	302	189	114	9	10	58	31	21	-	6	87
2	-	1	-	1	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	88
19	8	5	3	3	2	-	2	-	-	28	17	9	1	1	6	5	1	-	-	89
8,598	3,820	2,341	1,291	1,146	1,880	1,103	559	11	7	28,608	15,925	11,111	934	638	5,585	3,382	1,736	244	223	
8,048	3,626	2,168	1,196	1,058	1,539	1,019	504	10	6	26,452	14,825	10,148	875	604	5,185	3,147	1,589	225	204	90-95
5	2	1	1	1	1	1	-	-	-	19	10	5	4	-	5	3	2	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
5	2	1	1	1	1	1	-	-	-	19	10	5	4	-	5	3	2	-	-	90b
28	11	4	4	9	6	4	2	-	-	48	30	14	1	3	20	8	8	2	2	91
26	11	4	3	8	6	4	2	-	-	45	29	12	1	3	18	8	6	2	2	91a,b
2	-	-	1	1	-	-	-	-	-	3	1	2	-	-	2	-	2	-	-	91c
574	212	133	114	115	124	80	41	2	1	1,805	871	820	59	55	343	186	107	19	31	92
86	23	12	25	28	9	6	3	-	-	172	97	60	10	5	36	24	5	5	2	92a
225	79	63	41	42	39	25	12	1	1	856	389	404	28	35	144	72	50	9	13	92b
38	17	9	3	9	11	9	2	-	-	132	82	45	2	3	16	12	4	-	-	92c
218	90	47	45	36	33	33	19	1	-	552	260	268	16	8	125	67	41	4	13	92d
7	3	2	2	-	12	7	5	-	-	93	43	43	3	4	22	11	7	1	3	92e
3,556	1,275	1,101	585	595	679	395	277	4	3	13,232	6,433	5,938	486	375	1,921	1,028	702	102	91	93
56	12	20	12	12	10	7	3	-	-	186	86	76	16	8	50	28	18	1	3	93a
2	1	1	-	-	2	1	1	-	-	15	5	7	1	2	5	3	2	-	-	93b
22	7	10	3	2	5	2	3	-	-	82	30	49	3	-	12	9	3	-	-	93c
3,267	1,185	1,002	533	547	605	348	251	3	3	12,194	5,926	5,478	445	347	1,530	825	553	85	67	93d
209	70	68	37	34	57	37	19	1	-	755	386	330	21	18	324	181	126	16	21	93e
2,746	1,668	659	249	170	584	452	129	2	1	9,608	6,554	2,689	258	107	2,171	1,532	549	46	44	94
2,647	1,614	626	239	168	572	441	129	1	1	9,472	6,471	2,641	255	105	2,097	1,487	526	43	41	94a
99	54	33	10	2	12	11	-	1	-	136	83	48	3	2	74	45	23	3	3	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	155	88	61	4	2	2,381	1,103	1,106	85	87
95a	Functional diseases of heart, etc.*	6	2	4	-	-	28	11	17	-	-
95b	Other diseases of heart (rheumatic)	33	18	13	-	2	1,257	498	639	54	66
95c	Other diseases of heart (not rheumatic)	116	68	44	4	-	1,096	594	450	31	21
96	Aneurysm (except of heart and aorta)	3	2	1	-	-	311	185	112	7	7
97	Arteriosclerosis (except coronary or renal sclerosis)	55	35	20	-	-	2,930	1,425	1,419	50	36
98	Gangrene	2	-	1	1	-	16	6	9	-	1
99	Other diseases of arteries	11	5	6	-	-	184	95	78	4	7
100	Diseases of veins	5	1	3	-	1	157	68	82	3	4
101	Diseases of lymphatic system	-	-	-	-	-	2	2	-	-	-
102	High blood pressure (idiopathic)	5	2	3	-	-	111	44	46	11	10
103	Other diseases of circulatory system	2	-	1	-	1	6	3	3	-	-
	VIII.—Diseases of the respiratory system	445	221	151	28	45	6,289	3,474	2,204	401	210
104	Diseases of nasal fossae, accessory sinuses	2	-	1	1	-	33	14	12	2	5
105	Diseases of larynx	3	2	-	1	-	21	5	14	1	1
106	Bronchitis	23	14	6	-	3	320	194	108	15	3
107	Bronchopneumonia (including capillary bronchitis)	174	77	62	14	21	2,760	1,447	1,045	150	118
108	Lobar pneumonia	131	63	45	8	15	2,250	1,286	721	185	58
109	Pneumonia (unspecified)	64	38	21	2	3	170	89	64	14	3
109A	Atypical or virus pneumonia	6	6	-	-	-	63	28	30	4	1
109B	Pneumonia (all other, unspecified)	58	32	21	2	3	107	61	34	10	2
110	Pleurisy (not tuberculous)	4	2	-	1	1	116	72	35	5	4
111	Hemorrhagic infarction, thrombosis, edema*	16	10	5	-	1	205	101	94	4	6
112	Asthma	16	8	7	-	1	203	117	66	12	8
113	Pulmonary emphysema	-	-	-	-	-	60	46	12	2	-
114	Other diseases of respiratory system (except tuberculosis)	12	7	4	1	-	151	103	33	11	4
114a,b	Silicosis, other forms of pneumoconioses	5	5	-	-	-	19	19	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	7	2	4	1	-	132	84	33	11	4
	IX.—Diseases of the digestive system	487	219	206	35	27	7,047	4,008	2,639	232	168
115	Diseases of buccal cavity and adnexa, etc.*	14	4	9	-	1	80	32	40	2	6
116	Diseases of esophagus	1	-	1	-	-	35	15	18	2	-
117	Ulcer of stomach or duodenum	25	21	2	-	-	1,135	886	202	36	11
117a	Ulcer of stomach	13	11	2	-	-	679	530	121	22	6
117b	Ulcer of duodenum	10	10	-	-	-	456	356	81	14	5
118	Other diseases of stomach (except cancer)	6	3	2	1	-	67	37	27	3	-
119	Diarrhea, enteritis, etc.* (under 2 years)	265	109	107	26	23	228	121	82	17	8
120	Diarrhea, enteritis, etc.* (2 years and over)	17	5	12	-	-	160	84	66	5	5
121	Appendicitis	25	13	10	2	-	453	257	169	16	11
122	Hernia and intestinal obstruction	47	17	28	2	-	1,095	542	475	41	37
122a	Hernia	13	5	7	1	-	591	326	229	25	11
122b	Intestinal obstruction	34	12	21	1	-	504	216	246	16	26
123	Other diseases of intestines	9	6	2	1	-	220	111	99	6	4
124	Cirrhosis of liver	38	26	11	1	-	2,447	1,474	840	76	57
124a	Cirrhosis of liver with mention of alcoholism	8	6	2	-	-	549	354	159	27	9
124b	Cirrhosis of liver without mention of alcoholism	30	20	9	1	-	1,898	1,120	681	49	48
125	Other diseases of liver	7	1	5	1	-	145	65	64	6	10
126	Biliary calculi	12	3	8	1	-	486	163	312	5	6
127	Other diseases of gallbladder, biliary ducts	14	5	6	-	3	269	108	157	1	3
128	Diseases of pancreas (except diabetes mellitus)	5	3	2	-	-	158	79	62	13	4
129	Peritonitis (cause not stated)	4	3	1	-	-	69	34	26	3	6
	X.—Diseases of the genito-urinary system	250	145	93	8	4	7,078	3,705	2,922	209	242
130	Acute nephritis	17	7	6	3	1	86	44	36	4	2
131	Chronic nephritis	172	89	79	3	1	5,552	2,641	2,549	156	206
131a	Arteriosclerotic kidney	115	58	55	1	1	4,375	2,032	2,036	133	174
131b	Other chronic nephritis	57	31	24	2	-	1,177	609	513	23	32
132	Nephritis unspecified (10 years and over)	15	12	3	-	-	126	61	55	4	6
133	Other diseases of kidneys, ureters, etc.*	11	7	2	2	-	283	123	137	14	9
134	Calculi of urinary passages	3	3	-	-	-	186	111	68	3	4
135	Diseases of urinary bladder	2	1	1	-	-	47	24	21	2	-
136	Diseases of urethra (except calculus)	-	-	-	-	-	28	24	1	2	1
137	Diseases of prostate	26	26	...	-	...	697	673	...	24	...
137a	Hypertrophy of prostate	21	21	...	-	...	629	605	...	24	...
137b	Other diseases of prostate	5	5	...	-	...	68	68	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	4	4	...	-	...
139	Diseases of female genital organs	4	...	2	...	2	69	...	55	...	14
139a	Diseases of ovaries, fallopian tubes, and parametria	3	...	1	...	2	42	...	30	...	12
139b	Diseases of uterus	1	...	1	...	-	26	...	24	...	2
139c	Diseases of other female genital organs*	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	49	...	37	...	12	257	...	210	...	47
140	Abortion with mention of infection	3	...	3	...	-	22	...	10	...	12
141	Abortion without mention of infection	5	...	4	...	1	16	...	13	...	3
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	1	...	1	5	...	4	...	1
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	4	...	3	...	1
141d-f	Other abortions (nonseptic)*	1	...	1	...	-	7	...	6	...	1
142	Ectopic gestation	1	...	1	...	-	19	...	11	...	8
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	3	...	2	...	1
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	16	...	9	...	7
143	Hemorrhage of pregnancy (death before delivery)	-	...	-	...	-	3	...	3	...	-
144	Toxemias of pregnancy (death before delivery)	6	...	5	...	1	18	...	15	...	3
145	Other diseases of pregnancy (death before delivery)*	2	...	2	...	-	16	...	14	...	2
145A	With mention of infection	-	...	-	...	-	13	...	11	...	2
145B	Without mention of infection	2	...	2	...	-	3	...	3	...	-
146	Hemorrhage of childbirth and puerperium	10	...	7	...	3	54	...	47	...	7
147	Infection during childbirth and puerperium	6	...	4	...	2	43	...	39	...	4
148	Puerperal toxemias (excluding death before delivery)	10	...	7	...	3	27	...	21	...	6
149	Other accidents and specified conditions of childbirth	1	...	-	...	1	30	...	28	...	2
150	Other and unspecified conditions of childbirth and puerperium	5	...	4	...	1	9	...	9	...	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,139	458	270	243	168	145	87	55	2	1	1,740	927	682	67	64	705	392	221	56	36	95
26	12	12	1	1	9	7	2	-	-	48	21	24	-	3	36	16	18	1	1	95a
120	33	42	23	22	13	6	7	-	-	364	181	160	11	12	66	22	33	6	4	95b
993	413	216	219	145	123	74	46	2	1	1,328	725	498	56	49	604	354	170	49	31	95c
37	16	10	6	5	5	3	2	-	-	161	106	43	7	5	24	18	6	-	-	96
380	134	117	69	60	100	60	38	1	1	1,650	813	777	38	22	288	170	98	10	10	97
5	2	1	2	-	2	2	-	-	-	21	16	5	-	-	5	4	1	-	-	98
34	16	11	3	4	6	3	3	-	-	151	83	60	6	2	27	17	10	-	-	99
30	14	12	1	3	5	3	2	-	-	99	50	46	2	1	8	2	4	2	-	100
1	-	-	1	-	-	-	-	-	-	5	1	4	-	-	-	-	-	-	-	101
54	8	21	10	15	22	12	10	-	-	65	28	27	6	4	62	23	24	6	9	102
9	4	1	3	1	1	1	-	-	-	4	3	1	-	-	6	1	4	1	-	103
1,604	471	441	376	316	197	113	73	9	2	3,329	1,778	1,196	204	151	948	420	345	107	76	
17	3	1	9	4	2	2	-	-	-	18	11	6	-	1	7	6	-	1	-	104
10	5	3	-	2	-	-	-	-	-	11	9	2	-	-	1	1	-	-	-	105
68	15	31	14	8	11	6	3	-	-	197	101	84	8	4	54	25	21	4	4	106
732	197	199	170	166	82	50	29	3	-	1,467	761	566	78	62	255	104	97	32	22	107
401	124	108	91	78	42	24	15	2	1	890	481	272	78	59	201	92	57	31	21	108
180	52	42	56	30	25	12	9	3	1	209	113	76	9	11	266	112	102	30	22	109
52	19	17	11	5	2	1	1	-	-	69	36	29	1	3	23	7	15	1	-	109A
128	33	25	45	25	23	11	8	3	1	140	77	47	8	8	243	105	87	29	22	109B
21	5	7	6	3	5	1	3	1	-	64	37	19	5	3	7	4	3	-	-	110
73	28	24	13	8	24	11	13	-	-	205	99	89	12	5	93	36	52	2	3	111
52	16	19	9	8	6	5	1	-	-	138	81	48	6	3	38	23	8	3	4	112
6	5	-	-	1	-	-	-	-	-	30	20	9	1	-	2	1	-	1	-	113
44	21	7	8	8	-	-	-	-	-	100	65	25	7	3	24	16	5	3	-	114
5	5	-	-	-	-	-	-	-	-	38	34	-	3	1	1	1	-	-	-	114a,b
39	16	7	8	8	-	-	-	-	-	62	31	25	4	2	23	15	5	3	-	114c-e
1,113	454	295	208	156	217	125	81	10	1	3,485	1,903	1,352	136	94	796	399	275	63	59	
55	15	14	14	12	3	1	2	-	-	90	43	41	5	1	28	13	10	2	3	115
5	1	1	-	3	1	1	-	-	-	18	10	6	2	-	3	3	-	-	-	116
137	78	24	29	6	25	22	3	-	-	443	349	76	14	4	87	73	9	3	2	117
85	45	16	20	4	17	14	3	-	-	270	214	44	9	3	59	48	7	2	2	117a
52	33	8	9	2	8	8	-	-	-	173	135	32	5	1	28	25	2	1	-	117b
37	9	8	11	9	3	1	2	-	-	48	25	18	4	1	45	20	13	3	9	118
178	52	31	51	42	24	10	8	5	1	382	178	157	28	19	91	31	33	19	8	119
53	19	14	13	7	9	9	-	-	-	102	51	43	3	5	27	10	9	6	2	120
92	34	27	21	10	19	11	7	1	-	209	117	68	11	13	83	46	31	2	4	121
177	63	43	31	40	40	24	16	-	-	535	240	264	18	13	132	56	51	10	15	122
62	29	12	15	6	18	12	6	-	-	238	126	102	9	1	42	20	12	6	4	122a
115	34	31	16	34	22	12	10	-	-	297	114	162	9	12	90	38	39	4	11	122b
30	9	16	4	1	11	5	5	1	-	134	71	55	5	3	16	8	8	-	-	123
184	106	47	18	13	35	24	10	1	-	951	588	316	27	22	153	94	43	13	3	124
30	26	3	-	1	5	5	-	-	-	152	108	37	2	7	11	10	-	1	-	124a
154	80	44	18	12	30	19	10	1	-	799	480	279	25	15	142	84	43	12	3	124b
40	17	10	9	4	8	2	6	-	-	113	60	42	7	4	23	9	8	3	3	125
45	11	32	-	2	16	5	10	1	-	212	65	141	3	3	43	7	29	2	5	126
39	16	18	3	2	13	6	6	1	-	144	54	84	3	3	45	17	25	-	3	127
24	16	6	1	1	8	4	4	-	-	54	27	25	2	-	7	7	-	-	-	128
19	8	4	3	4	2	-	2	-	-	50	27	16	4	3	13	5	6	-	2	129
2,682	913	696	561	512	288	187	96	2	3	5,076	2,653	2,041	208	174	1,232	634	381	129	88	
104	32	20	29	23	7	3	3	-	1	89	40	37	10	2	46	23	15	4	4	130
2,213	735	585	447	448	196	118	75	1	2	4,162	2,049	1,803	163	147	851	409	280	93	69	131
1,782	585	478	363	356	133	76	55	1	1	3,349	1,640	1,473	125	111	604	296	206	61	41	131a
431	150	105	84	92	63	42	20	-	1	813	409	330	38	36	247	113	74	32	28	131b
114	32	32	32	18	33	20	12	1	-	107	55	44	4	4	141	65	45	20	11	132
73	21	30	10	12	12	8	4	-	-	183	86	74	10	13	45	24	16	2	3	133
28	9	15	3	1	3	3	-	-	-	71	49	20	1	1	15	11	4	-	-	134
7	1	4	2	-	3	3	-	-	-	24	11	12	-	1	8	3	5	-	-	135
6	2	-	3	1	-	-	-	-	-	19	14	2	2	1	3	-	2	1	-	136
115	80	...	35	...	32	32	...	-	...	367	349	...	18	...	108	99	...	9	...	137
100	66	...	34	...	25	25	...	-	...	320	303	...	17	...	79	72	...	7	...	137a
15	14	...	1	...	7	7	...	-	...	47	46	...	1	...	29	27	...	2	...	137b
1	1	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
21	...	12	...	9	2	...	2	...	-	54	...	49	...	5	15	...	14	...	1	139
12	...	4	...	8	-	...	-	...	-	24	...	19	...	5	5	...	5	...	-	139a
6	...	6	...	-	2	...	2	...	-	29	...	29	...	-	9	...	8	...	1	139b
3	...	2	...	1	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	139c
207	...	92	...	115	16	...	14	...	2	159	...	138	...	23	57	...	41	...	16	
9	...	4	...	5	1	...	1	...	-	7	...	5	...	2	5	...	4	...	1	140
5	...	3	...	2	-	...	-	...	-	16	...	14	...	2	2	...	2	...	-	141
2	...	1	...	1	-	...	-	...	-	4	...	4	...	-	1	...	1	...	-	141a,c
2	...	1	...	1	-	...	-	...	-	6	...	6	...	-	-	...	-	...	-	141b
1	...	1	...	-	-	...	-	...	-	6	...	4	...	2	1	...	1	...	-	141d-f
10	...	3	...	7	1	...	-	...	1	11	...	8	...	3	6	...	5	...	1	142
1	...	-	...	1	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	142a
9	...	3	...	6	1	...	-	...	1	9	...	6	...	3	5	...	4	...	1	142b
1	...	-	...	1	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	143
21	...	4	...	17	4	...	4	...	-	12	...	10	...	2	8	...	6	...	2	144
20	...	10	...	10	-	...	-	...	-	8	...	6	...	2	2	...	2	...	-	145
10	...	3	...	7	-	...	-	...	-	6	...	4	...	2	-	...	-	...	-	145A
10	...	7	...	3	-	...	-	...	-	2	...	2	...	-	2	...	2	...	-	145B
47	...	24	...	23	4	...	4	...	-	25	...	21	...	4	11	...	9	...	2	146
30	...	11	...	19	4	...	4	...	-	36	...	33	...	3	4	...	3	...	1	147
45	...	23	...	22	1	...	1	...	-	16	...	14	...	2	10	...	6	...	4	148
9	...	4	...	5	-	...	-	...	-	12	...	9	...	3	4	...	3	...	1	149
10	...	6	...	4	1	...	-	...	1	14	...	14	...	-	4	...	-	...	4	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	10	5	4	1	-	105	43	50	2	10
151	Carbuncle and furuncle	1	1	-	-	-	1	1	-	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	14	7	5	1	1
153	Other diseases of skin and cellular tissue	7	3	3	1	-	90	35	45	1	9
	XIII.—Diseases of the bones, etc.*	3	3	-	-	-	81	37	38	3	3
154	Osteomyelitis and periostitis	-	-	-	-	-	10	6	2	-	2
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	29	7	21	-	1
156	Diseases of joints, other organs of movement	3	3	-	-	-	42	24	15	3	-
157	XIV.—Congenital malformations	110	54	46	7	3	1,802	894	793	58	57
157a-d	Congenital malformations of central nervous system	25	9	13	3	-	646	297	321	12	16
157e,f	Congenital malformations of cardiovascular system	52	31	17	2	2	775	395	324	28	28
157g,h,m	Other congenital malformations	33	14	16	2	1	381	202	148	18	13
	XV.—Diseases peculiar to the first year of life	490	266	187	20	17	5,020	2,606	1,749	386	279
158	Congenital debility (cause not stated)	36	14	20	1	1	33	15	15	2	1
159	Premature birth (cause not stated)	319	182	114	13	10	3,279	1,634	1,149	284	212
160	Injury at birth	81	43	35	2	1	1,036	582	365	56	33
161	Other diseases peculiar to first year of life	54	27	18	4	5	672	375	220	44	33
162	XVI.—Senility	69	32	35	2	-	167	56	109	1	1
	XVII.—Violent or accidental deaths	632	456	128	54	14	10,370	6,088	3,404	657	221
163,164	Suicide	46	34	10	2	-	1,623	1,110	452	49	12
163	Suicide by poisoning	9	4	5	-	-	490	252	223	12	3
164	Suicide by other means	37	30	5	2	-	1,133	858	229	37	9
165-168	Homicide[1]	43	24	3	11	5	431	173	69	136	53
166	Homicide by firearms	23	14	3	5	1	159	78	21	46	14
167	Homicide by cutting or piercing instruments	3	3	-	-	-	148	31	14	72	31
168	Homicide by other means	17	7	-	6	4	124	64	34	18	8
169-195	Accidental deaths	543	378	115	41	9	8,310	4,802	2,883	469	156
169	Railway accidents (except collisions with motor vehicles)	12	10	-	2	-	159	134	11	12	2
170	Motor-vehicle accidents	226	158	49	15	4	1,974	1,357	461	132	24
170a	Collisions between automobiles and trains	2	1	-	1	-	49	37	11	-	1
170b	Collisions between automobiles and streetcars	-	-	-	-	-	5	2	2	1	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	220	153	49	14	4	1,880	1,284	445	128	23
170d	Motorcycle accidents (exc. collisions with automobiles)	4	4	-	-	-	40	34	3	3	-
171	Streetcar and other road-transport accidents	2	1	-	1	-	89	68	10	10	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	-	-	-	-	-	81	62	8	10	1
171b	Other and unspecified road-transport accidents	2	1	-	1	-	8	6	2	-	-
172	Water-transport accidents	1	1	-	-	-	119	105	7	7	-
173	Air-transport accidents	20	19	1	-	-	92	82	10	-	-
174	Accidents in mines and quarries	9	9	-	-	-	9	9	-	-	-
175	Agricultural and forestry accidents	14	14	-	-	-	103	97	6	-	-
175a-c	Agricultural accidents	10	10	-	-	-	92	87	5	-	-
175d,e	Forestry accidents	4	4	-	-	-	11	10	1	-	-
176	Other accidents involving machinery	11	11	-	-	-	98	87	4	7	-
177	Food poisoning	5	3	2	-	-	8	5	3	-	-
178	Accidental absorption of poisonous gas	13	9	4	-	-	413	233	147	23	10
179	Acute accidental poisoning by solids or liquids	10	4	4	2	-	78	38	36	1	3
180	Conflagration	18	10	6	2	-	191	96	58	19	18
181	Accidental burns (except conflagration)	26	16	4	3	3	291	137	116	26	12
182	Accidental mechanical suffocation	12	6	5	-	1	126	68	37	14	7
183	Accidental drowning	28	21	5	2	-	449	346	47	50	6
184	Accidental injury by firearms	22	18	1	3	-	86	75	6	5	-
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	19	12	3	4	-
186	Accidental injury by fall or crushing	62	31	26	5	-	2,901	1,214	1,572	70	45
186a	Accidental injury by fall	56	25	26	5	-	2,884	1,203	1,569	68	44
186b	Accidental injury by crushing	6	6	-	-	-	17	11	3	2	1
187	Cataclysm, etc.*	-	-	-	-	-	3	3	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	4	3	1	-	-
189	Hunger or thirst	1	-	-	1	-	1	-	1	-	-
190	Excessive cold	4	2	-	1	1	13	5	7	-	1
191	Excessive heat	-	-	-	-	-	63	37	21	2	3
192	Lightning	4	3	-	1	-	3	2	1	-	-
193	Accidents due to electric currents (except lightning)	7	7	-	-	-	38	30	5	3	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	36	25	8	3	-	980	557	313	84	26
195a	Sequelae of preventive immunization, etc.*	2	2	-	-	-	1	-	1	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	9	4	2	3	-
195d	Obstruction, suffocation, etc.*	11	9	1	1	-	112	53	46	6	7
195c,e	Other and unspecified accidents	23	14	7	2	-	858	500	264	75	19
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	6	3	-	3	-
	XVIII.—Ill-defined and unknown causes	585	275	191	61	58	559	313	173	43	30
199	Sudden death	-	-	-	-	-	15	12	2	-	1
200	Ill-defined and unknown causes	585	275	191	61	58	544	301	171	43	29
200a	Ill-defined causes	457	253	177	17	10	274	144	85	26	17
200b,c	Unknown or unspecified causes	128	22	14	44	48	270	157	86	15	12

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	11	7	5	5	4	1	3	-	-	41	17	22	-	2	10	5	3	2	-	
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	151
4	2	-	2	-	-	-	-	-	-	4	1	3	-	-	2	1	-	1	-	152
23	8	7	5	3	4	1	3	-	-	35	14	19	-	2	8	4	3	1	-	153
11	4	3	3	1	6	4	2	-	-	40	21	17	-	2	15	5	8	-	2	
2	1	-	1	-	1	1	-	-	-	12	6	6	-	-	1	-	-	-	1	154
-	-	-	-	-	-	-	-	-	-	8	5	3	-	-	6	1	5	-	-	155
9	3	3	2	1	5	3	2	-	-	20	10	8	-	2	8	4	3	-	1	156
512	241	148	65	58	75	40	31	1	3	1,091	541	475	37	38	257	134	105	8	10	157
126	62	42	11	11	23	11	12	-	-	311	140	156	5	10	55	23	30	-	2	157a-d
254	122	77	30	25	35	22	10	1	2	529	272	211	22	24	138	75	50	7	6	157e,f
132	57	29	24	22	17	7	9	-	1	251	129	108	10	4	64	36	25	1	2	157g,h,m
2,011	734	495	451	331	295	159	122	10	4	3,204	1,733	1,126	199	146	958	504	328	73	53	
77	14	10	33	20	6	1	1	4	-	58	27	22	7	2	35	19	9	5	2	158
1,309	484	335	287	223	184	103	75	4	2	1,856	1,037	682	123	104	631	322	230	45	34	159
353	159	96	64	34	62	32	28	1	1	707	411	228	46	22	157	93	44	9	11	160
272	97	54	67	54	43	23	18	1	1	483	259	184	23	18	135	70	45	14	6	161
202	54	84	21	43	87	37	46	1	3	567	217	321	7	22	345	146	149	35	16	162
2,993	1,466	533	769	225	493	359	118	13	4	6,777	4,178	2,065	417	117	1,799	1,104	489	167	59	
322	230	58	34	2	48	40	8	-	-	976	733	216	21	6	172	129	37	4	2	163,164
44	26	18	-	-	3	3	-	-	-	162	88	70	3	1	33	18	15	-	-	163
278	204	38	34	2	45	37	8	-	-	814	645	146	18	5	139	111	22	4	2	164
419	94	34	238	53	5	3	2	-	-	353	122	55	145	31	119	61	15	31	12	165-168
288	66	23	168	31	1	-	1	-	-	193	63	29	85	16	65	38	8	15	4	166
79	11	4	51	13	-	-	-	-	-	83	15	6	50	12	28	6	2	13	7	167
52	17	7	19	9	4	3	1	-	-	77	44	20	10	3	26	17	5	3	1	168
2,244	1,142	443	489	170	440	315	108	13	4	5,441	3,320	1,794	247	80	1,506	914	417	130	45	169-195
66	35	3	24	4	16	15	1	-	-	176	150	15	10	1	52	40	2	10	-	169
827	519	114	165	29	115	96	15	3	1	1,954	1,393	457	78	26	518	353	118	36	11	170
31	26	2	2	1	1	1	-	-	-	165	107	55	3	-	18	14	4	-	-	170a
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	170b
775	475	112	160	28	113	94	15	3	1	1,722	1,228	387	71	26	485	325	113	36	11	170c
21	18	-	3	-	1	1	-	-	-	65	57	5	3	-	14	13	1	-	-	170d
6	4	-	1	1	1	1	-	-	-	10	4	4	2	-	3	1	2	-	-	171
-	-	-	-	-	-	-	-	-	-	6	3	2	1	-	-	-	-	-	-	171a
6	4	-	1	1	1	1	-	-	-	4	1	2	1	-	3	1	2	-	-	171b
76	49	3	22	2	14	10	4	-	-	63	52	7	4	-	3	3	-	-	-	172
42	36	3	1	-	8	8	-	-	-	64	57	6	1	-	44	38	6	-	-	173
4	3	-	1	-	-	-	-	-	-	58	54	-	4	-	3	3	-	-	-	174
54	38	-	17	1	48	43	3	2	-	87	77	10	-	-	50	40	5	5	-	175
43	31	-	11	1	48	43	3	2	-	85	75	10	-	-	48	38	5	5	-	175a-c
11	5	-	6	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	175d,e
22	9	1	12	-	4	4	-	-	-	74	60	-	14	-	23	22	-	1	-	176
12	2	2	2	6	1	1	-	-	-	4	2	1	1	-	11	5	1	4	1	177
5	3	1	1	-	8	7	1	-	-	100	69	22	7	2	28	17	8	3	-	178
40	20	6	9	5	5	2	2	1	-	66	32	25	8	1	24	18	3	3	-	179
118	39	29	26	24	20	10	7	1	2	147	82	35	16	14	53	12	19	15	7	180
126	35	31	31	29	18	11	6	-	1	230	104	102	16	8	109	47	37	13	12	181
104	23	24	36	21	7	-	6	1	-	90	52	27	7	4	28	14	11	2	1	182
101	54	8	36	3	28	23	3	2	-	171	129	26	15	1	68	45	16	7	-	183
96	55	5	32	4	10	8	1	1	-	63	49	10	4	-	60	43	3	11	3	184
6	1	1	3	1	1	1	-	-	-	16	10	6	-	-	6	6	-	-	-	185
333	122	166	23	22	95	47	48	-	-	1,581	665	869	32	15	214	98	104	5	7	186
331	121	166	23	21	95	47	48	-	-	1,561	650	868	28	15	208	92	104	5	7	186a
2	1	-	-	1	-	-	-	-	-	20	15	1	4	-	6	6	-	-	-	186b
-	-	-	-	-	5	5	-	-	-	8	7	-	1	-	27	13	14	-	-	187
2	1	-	-	1	2	1	1	-	-	4	3	1	-	-	4	3	-	1	-	188
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	189
12	3	1	6	2	4	3	-	1	-	26	20	2	3	1	5	3	-	2	-	190
4	-	-	3	1	-	-	-	-	-	9	7	1	-	1	3	2	1	-	-	191
9	4	1	3	1	2	2	-	-	-	8	6	1	1	-	8	7	-	1	-	192
31	26	1	4	-	3	2	1	-	-	57	51	4	2	-	18	16	1	1	-	193
3	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	194
144	62	41	30	11	25	15	9	1	-	373	184	162	21	6	144	65	66	10	3	195
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	195a
1	-	1	-	-	1	-	1	-	-	3	1	1	-	1	-	-	-	-	-	195b
48	21	15	7	5	2	1	1	-	-	66	27	27	8	4	15	7	6	2	-	195d
95	41	25	23	6	22	14	7	1	-	303	155	134	13	1	129	58	60	8	3	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
8	-	-	8	-	-	-	-	-	-	7	3	-	4	-	2	-	-	2	-	198
712	240	134	207	131	67	42	20	3	2	448	235	114	52	47	379	193	107	45	34	
68	32	6	17	13	17	12	5	-	-	30	22	5	2	1	18	12	4	1	1	199
644	208	128	190	118	50	30	15	3	2	418	213	109	50	46	361	181	103	44	33	200
377	144	73	103	57	42	26	14	2	-	281	141	79	31	30	236	130	74	22	10	200a
267	64	55	87	61	8	4	1	1	2	137	72	30	19	16	125	51	29	22	23	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	14,080	8,400	5,401	178	101	109,202	58,673	45,144	4,116	3,269
	I.—Infectious and parasitic diseases	487	308	147	19	13	4,722	2,477	1,253	650	342
1	Typhoid fever	-	-	-	-	-	12	6	5	-	1
2	Paratyphoid fever	-	-	-	-	-	1	-	1	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	1	-	-	-	4	2	2	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	1	1	-	55	26	28	-	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	1	-	1	-	-
8	Scarlet fever	-	-	-	-	-	8	3	4	1	-
9	Whooping cough	5	2	3	-	-	48	20	25	1	2
10	Diphtheria (infection by C. diphtheriae)	6	5	1	-	-	17	8	5	4	-
11	Erysipelas	1	-	1	-	-	9	2	7	-	-
12	Tetanus	2	1	1	-	-	13	8	4	-	1
13-22	Tuberculosis (all forms)	249	152	72	14	11	3,076	1,656	751	432	237
13	Tuberculosis of respiratory system, etc.*	225	143	61	11	10	2,793	1,561	657	373	202
14	Tuberculosis of meninges, etc.*	9	3	4	1	1	84	28	26	21	9
15	Tuberculosis of intestines and peritoneum	3	2	1	-	-	33	6	16	6	5
16	Tuberculosis of vertebral column	3	-	2	1	-	37	12	14	8	3
17	Tuberculosis of bones and joints, etc.*	-	-	-	-	-	7	3	3	1	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	1	-	-	-	8	2	1	-	3
20	Tuberculosis of genito-urinary system	2	1	1	-	-	30	18	10	2	-
21	Tuberculosis of other organs	-	-	-	-	-	6	3	-	3	-
22	Disseminated tuberculosis	6	2	3	1	-	80	23	24	18	15
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	3	3	-	-	-	30	14	15	1	-
25	Gonococcus infection	-	-	-	-	-	8	-	3	2	3
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	-	1	-	1	6	3	3	-	-
28	Malaria	-	-	-	-	-	3	2	-	1	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	3	1	2	-	-
30	Syphilis (all forms)	100	73	23	4	-	771	374	139	183	75
30a	Locomotor ataxia (tabes dorsalis)	5	4	1	-	-	33	24	7	-	2
30b	General paralysis of insane	25	20	5	-	-	231	112	40	64	15
30d	Aneurysm of aorta	44	30	12	2	-	155	85	20	37	13
30f	Congenital syphilis	1	-	-	1	-	35	6	10	14	5
30c.e,g	Syphilis (other forms)	25	19	5	1	-	317	147	62	68	40
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	6	4	2	-	-	39	20	15	2	2
33	Influenza	55	30	24	-	1	287	140	125	9	13
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	3	1	2	-	-	25	12	10	1	2
36	Poliomyelitis and polioencephalitis (acute)	13	9	4	-	-	45	28	17	-	-
37	Acute infectious encephalitis (lethargic)	3	2	1	-	-	55	34	18	2	1
38	Other diseases due to filtrable viruses	3	-	3	-	-	8	3	3	1	1
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	1	1	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	2	1	1	-	-
43	Mycoses	3	3	-	-	-	19	6	9	3	1
44	Other infectious and parasitic diseases	29	21	9	-	-	174	105	60	7	2
	II.—Cancer and other tumors	1,982	988	962	21	11	16,067	7,458	7,747	406	456
45-55	Cancer and other malignant tumors	1,941	979	932	20	10	15,613	7,303	7,486	394	430
45	Cancer of buccal cavity and pharynx	34	26	5	3	-	435	328	84	19	4
45a	Cancer of lip	10	9	1	-	-	32	26	5	-	1
45b	Cancer of tongue	2	2	-	-	-	116	87	22	5	2
45c	Cancer of mouth	6	4	2	-	-	76	58	15	3	-
45d	Cancer of jaw bone	4	4	-	-	-	55	44	8	2	1
45e	Cancer of unspecified parts of buccal cavity	2	2	-	-	-	6	5	1	-	-
45f	Cancer of pharynx	10	5	2	3	-	150	108	33	9	-
46	Cancer of digestive organs and peritoneum	795	434	348	10	3	7,250	3,681	3,210	204	155
46a	Cancer of esophagus	12	9	3	-	-	301	222	50	23	6
46b	Cancer of stomach	274	166	102	4	2	2,113	1,246	748	78	41
46c	Cancer of duodenum	5	3	2	-	-	26	14	12	-	-
46d	Cancer of rectum and anus	101	57	42	1	1	974	528	405	17	24
46e	Cancer of intestines, etc.*	198	96	100	2	-	2,056	880	1,099	33	44
46f	Cancer of liver and biliary passages	96	40	54	2	-	910	372	497	21	20
46g	Cancer of pancreas	84	48	35	1	-	669	334	292	27	16
46h	Cancer of mesentery and peritoneum	12	7	5	-	-	143	66	69	5	3
46m	Cancer of other and unspecified sites	13	8	5	-	-	58	19	38	-	1
47	Cancer of respiratory system	196	147	43	5	1	1,527	1,165	288	61	15
47a	Cancer of larynx	12	10	2	-	-	156	140	13	3	-
47b	Cancer of trachea	1	1	-	-	-	6	5	-	1	-
47c,d	Cancer of bronchus and lung	173	132	35	5	1	1,289	970	253	52	14
47e	Cancer of pleura	1	-	1	-	-	5	4	1	-	-
47f	Cancer of other respiratory organs	9	4	5	-	-	71	46	19	5	1
48	Cancer of uterus	143	...	138	..	5	1,330	...	1,210	...	120
48a	Cancer of cervix	71	...	68	..	3	569	...	504	...	65
48b	Cancer of other and unspecified sites of uterus	72	...	70	...	2	761	...	706	...	55
49	Cancer of other female genital organs	65	..	65	..	-	468	...	449	...	19
49a,b	Cancer of ovary, fallopian tube, and parametrium	59	...	59	..	-	399	...	382	...	17
49c-e	Cancer of other female genital organs	6	...	6	..	-	69	...	67	...	2
50	Cancer of breast	198	2	196	-	-	1,433	27	1,333	2	71
51	Cancer of male genital organs	143	143	...	-	...	854	802	..	52	...
51b	Cancer of prostate	133	133	...	-	...	796	746	...	50	...
51a,c-e	Cancer of other male genital organs	10	10	...	-	...	58	56	...	2	...
52	Cancer of urinary organs	121	93	27	-	1	821	521	261	21	18
52a	Cancer of kidney	34	26	8	-	-	222	148	68	4	2
52b	Cancer of bladder	83	64	18	-	1	585	370	196	16	13
52c	Cancer of other and unspecified sites	4	3	1	-	-	14	3	7	1	3

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,188	4,163	3,622	92	91	17,957	5,450	3,687	4,681	4,139	5,806	3,359	2,187	141	119	28,826	12,603	9,612	3,488	3,123	
284	188	74	11	11	1,205	233	146	460	366	294	146	85	30	33	2,234	873	663	372	326	
-	-	-	-	-	15	3	2	5	5	-	-	-	-	-	10	3	2	3	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	1	-	1	-	-	5
2	1	-	1	-	14	6	4	2	2	1	1	-	-	-	24	9	10	3	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	1	-	-	-	2	-	-	2	-	-	-	-	-	-	8	5	3	-	-	8
-	-	-	-	-	77	10	8	31	28	9	1	2	3	3	45	15	16	5	9	9
1	-	1	-	-	41	15	15	4	7	-	-	-	-	-	23	9	13	1	-	10
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	11
-	-	-	-	-	15	1	2	8	4	4	2	2	-	-	18	7	1	6	4	12
199	136	47	8	8	547	101	53	207	186	113	41	24	21	27	1,423	559	449	210	205	13–22
185	130	41	8	6	506	95	50	193	168	99	39	21	16	23	1,308	513	418	192	185	13
2	2	-	-	-	8	2	-	2	4	6	-	-	5	1	40	18	14	3	5	14
1	1	-	-	-	6	-	-	1	5	4	-	1	-	3	6	2	2	2	-	15
1	-	1	-	-	8	-	2	3	3	-	-	-	-	-	13	4	5	4	-	16
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	3	2	-	1	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	19
4	2	2	-	-	1	1	-	-	-	1	-	1	-	-	11	7	3	-	1	20
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	1	21
6	1	3	-	2	17	2	1	8	6	1	-	1	-	-	38	12	6	8	12	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	-	3	-	-	9	2	2	4	1	4	1	3	-	-	15	5	5	2	3	24
-	-	-	-	-	5	-	-	-	5	1	-	1	-	-	5	-	-	3	2	25
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	26
2	-	2	-	-	11	3	2	5	1	-	-	-	-	-	26	9	14	2	1	27
-	-	-	-	-	12	2	3	4	3	-	-	-	-	-	8	1	4	1	2	28
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	5	4	1	-	-	29
45	34	8	-	3	230	28	10	131	61	33	27	1	4	1	220	77	16	89	38	30
5	5	-	-	-	2	1	-	1	-	1	-	-	-	1	7	6	-	1	-	30a
9	7	1	-	1	74	10	1	51	12	14	12	-	2	-	70	28	8	24	10	30b
12	10	1	-	1	52	10	3	23	16	10	9	1	-	-	58	19	3	27	9	30d
-	-	-	-	-	25	1	2	11	11	2	2	-	-	-	13	5	-	2	6	30f
19	12	6	-	1	77	6	4	45	22	6	4	-	2	-	72	19	5	35	13	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
3	-	3	-	-	4	1	2	-	1	1	1	-	-	-	6	4	1	-	1	32
5	1	3	1	-	154	29	29	48	48	18	11	5	1	1	236	79	75	38	44	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	1	-	-	-	4	1	2	-	1	5	1	3	-	1	22	10	7	3	2	35
-	-	-	-	-	15	10	3	2	-	90	52	38	-	-	31	18	12	-	1	36
1	1	-	-	-	5	2	1	1	1	2	-	2	-	-	31	17	9	1	4	37
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	7	6	1	-	-	38
-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	13	6	6	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	4	-	1	-	3	-	-	-	-	-	2	1	1	-	-	42
-	-	-	-	-	4	1	1	-	2	1	1	-	-	-	6	2	4	-	-	43
18	12	6	1	-	28	17	4	4	3	11	7	4	-	-	47	27	11	4	5	44
1,242	571	654	8	9	1,546	476	476	251	343	755	402	340	6	7	3,147	1,181	1,438	220	308	
1,201	555	629	8	9	1,496	468	466	243	319	730	392	326	6	6	3,043	1,157	1,397	210	279	45-55
44	35	7	1	1	52	29	6	13	4	20	16	4	-	-	102	55	33	10	4	45
12	10	2	-	-	3	2	-	1	-	5	5	-	-	-	14	11	2	1	-	45a
9	7	2	-	-	10	5	2	2	1	5	4	1	-	-	19	9	7	3	-	45b
4	4	-	-	-	4	2	2	-	-	3	2	1	-	-	13	4	7	-	2	45c
8	4	3	1	-	12	6	1	4	1	3	2	1	-	-	17	9	6	1	1	45d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	45e
11	10	-	-	1	23	14	1	6	2	4	3	1	-	-	35	21	8	5	1	45f
525	273	244	4	4	552	178	148	124	106	308	194	109	4	2	1,191	497	493	120	81	46
17	14	3	-	-	51	10	15	15	11	7	5	2	-	-	49	21	12	16	-	46a
137	87	47	3	-	202	62	36	64	40	121	86	30	3	2	404	184	138	50	32	46b
2	1	1	-	-	3	1	1	-	1	1	-	1	-	-	3	3	-	-	-	46c
83	45	38	-	-	48	18	11	4	15	39	30	9	-	-	101	43	43	8	7	46d
171	72	95	1	3	111	35	39	19	18	61	31	30	-	-	271	95	144	15	17	46e
53	25	27	-	1	76	26	24	14	12	43	18	24	1	-	205	78	100	15	12	46f
44	23	21	-	-	41	16	14	5	6	30	21	9	-	-	123	59	42	13	9	46g
11	3	8	-	-	11	3	6	1	1	4	2	2	-	-	10	3	5	-	2	46h
7	3	4	-	-	9	5	-	2	2	3	1	2	-	-	25	11	9	3	2	46m
97	70	24	3	-	130	78	19	22	11	54	47	7	-	-	241	160	64	15	2	47
8	6	1	1	-	14	7	1	6	-	5	5	-	-	-	20	14	4	2	-	47a
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	47b
84	61	21	2	-	110	68	17	16	9	44	38	6	-	-	206	139	54	11	2	47c,d
1	-	1	-	-	3	1	1	-	1	-	-	-	-	-	1	-	-	1	-	47e
2	2	-	-	-	3	2	-	-	1	5	4	1	-	-	13	7	5	1	-	47f
94	...	93	...	1	216	...	111	...	105	55	...	52	...	3	387	...	291	...	96	48
44	...	43	...	1	96	...	53	...	43	24	...	22	...	2	201	...	157	...	44	48a
50	...	50	...	-	120	...	58	...	62	31	...	30	...	1	186	...	134	...	52	48b
37	...	37	...	-	35	...	28	...	7	19	...	19	...	-	78	...	71	...	7	49
31	...	31	...	-	23	...	19	...	4	18	...	18	...	-	70	...	63	...	7	49a,b
6	...	6	...	-	12	...	9	...	3	1	...	1	...	-	8	...	8	...	-	49c-e
142	1	139	-	2	135	-	87	-	48	76	1	75	-	-	249	3	191	1	54	50
49	49	...	-	...	108	65	...	43	...	64	64	...	-	...	199	166	...	33	...	51
44	44	...	-	...	98	60	...	38	...	60	60	...	-	...	187	156	...	31	...	51b
5	5	...	-	...	10	5	...	5	...	4	4	...	-	...	12	10	...	2	...	51a,c-e
67	48	18	-	1	38	20	8	6	5	35	23	12	-	-	131	68	48	7	8	52
18	13	5	-	-	14	6	3	3	2	18	10	8	-	-	58	27	22	2	7	52a
49	35	13	-	1	24	14	5	2	3	17	13	4	-	-	70	40	24	5	1	52b
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	1	2	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	37	23	14	-	-	268	150	116	-	2
54	Cancer of central nervous system*	42	30	12	-	-	210	121	79	6	4
55	Cancer of other and unspecified organs	167	81	84	2	-	1,017	508	458	29	22
56,57	Nonmalignant tumors and tumors of unspecified nature	41	9	30	1	1	454	155	261	12	26
56	Nonmalignant tumors (including dermoid cysts)	21	1	18	1	1	244	56	161	6	21
56a-c	Nonmalignant tumors of female genital organs	10	...	9	...	1	132	...	115	...	17
56d	Nonmalignant tumors of central nervous system*	8	1	6	1	-	58	30	25	2	1
56e	Nonmalignant tumors of other and unspecified organs	3	-	3	-	-	54	26	21	4	3
57	Tumors of unspecified nature	20	8	12	-	-	210	99	100	6	5
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	...	-	5	...	5	...	-
57d	Tumors, central nervous system* (nature unspecified)	8	3	5	-	-	139	64	68	4	3
57e	Tumors, other organs (nature unspecified)	10	5	5	-	-	66	35	27	2	2
	III.—Rheumatism, diseases of nutrition, etc.*	348	146	198	3	1	4,179	1,283	2,676	55	165
58	Acute rheumatic fever	5	2	3	-	-	106	54	43	3	6
58a	Acute rheumatic pericarditis	-	-	-	-	-	4	3	-	1	-
58b	Acute rheumatic endocarditis	2	1	1	-	-	25	17	6	-	2
58c	Acute rheumatic myocarditis	-	-	-	-	-	8	3	5	-	-
58d	Other acute rheumatic heart diseases	3	1	2	-	-	31	16	13	1	1
58e,f	Other forms of acute rheumatic fever, etc.*	-	-	-	-	-	38	15	19	1	3
59	Chronic rheumatism, other rheumatic diseases	22	8	14	-	-	130	45	83	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	273	118	151	3	1	3,549	1,059	2,312	43	135
62	Diseases of pituitary gland	1	-	1	-	-	13	6	7	-	-
63	Diseases of thyroid and parathyroid glands	24	5	19	-	-	216	41	163	-	12
63a	Simple goiter	-	-	-	-	-	14	5	6	-	3
63b	Exophthalmic goiter	18	3	15	-	-	178	27	142	-	9
63c-e	Other diseases of thyroid and parathyroid glands	6	2	4	-	-	24	9	15	-	-
64	Diseases of thymus gland	10	5	5	-	-	80	44	29	5	2
65	Diseases of adrenal glands*	9	4	5	-	-	31	12	17	1	1
66	Other general diseases	3	3	-	-	-	32	11	15	1	5
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	2	1	1	-	-
69	Pellagra (except alcoholic)	1	1	-	-	-	5	4	-	1	-
70	Rickets	-	-	-	-	-	4	3	1	-	-
71	Other avitaminoses	-	-	-	-	-	11	3	5	-	3
	IV.—Diseases of the blood and blood-forming organs	125	72	52	1	-	874	469	362	23	20
72	Hemorrhagic conditions	3	1	2	-	-	45	25	17	-	3
73	Anemias (except splenic anemia)	30	14	16	-	-	191	83	98	4	6
73a	Pernicious anemia	21	9	12	-	-	103	44	58	1	-
73b-d	Other anemias (except splenic)	9	5	4	-	-	88	39	40	3	6
74	Leukemias and aleukemias	84	53	30	1	-	571	327	218	16	10
74a	Leukemias	73	44	28	1	-	543	313	204	16	10
74b	Aleukemias	11	9	2	-	-	28	14	14	-	-
75	Diseases of spleen	4	1	3	-	-	50	25	22	3	-
76	Other diseases of blood and blood-forming organs	4	3	1	-	-	17	9	7	-	1
	V.—Chronic poisoning and intoxication	26	20	5	-	1	140	104	19	9	8
77	Alcoholism (ethylism)	25	20	4	-	1	134	101	16	9	8
78	Lead poisoning	-	-	-	-	-	4	3	1	-	-
79	Chronic poisoning by other mineral substances*	1	-	1	-	-	2	-	2	-	-
	VI.—Diseases of the nervous system, etc.*	1,532	805	709	10	8	10,310	4,659	5,018	285	338
80	Encephalitis (nonepidemic)	7	6	1	-	-	98	44	42	4	8
81	Meningitis (not due to meningococcus)	20	11	7	-	2	137	62	46	17	12
82	Diseases of spinal cord (see exceptions)*	19	12	7	-	-	232	137	78	11	6
83	Intracranial lesions of vascular origin	1,395	725	657	7	6	9,239	4,121	4,568	248	301
83a	Cerebral hemorrhage or effusion*	1,183	610	562	6	5	7,548	3,362	3,758	192	236
83b,c	Cerebral embolism, thrombosis, and softening	177	99	76	1	1	1,478	662	719	45	52
83d	Hemiplegia, other paralysis, etc.*	35	16	19	-	-	212	97	91	11	13
84	Mental diseases and deficiency (see exception)*	12	5	7	-	-	64	22	39	1	2
85	Epilepsy	20	13	5	2	-	137	74	55	6	2
86	Convulsions (under 5 years)	3	1	2	-	-	21	8	12	-	1
87	Other diseases of nervous system	51	28	22	1	-	337	158	166	7	6
88	Diseases of organs of vision	-	-	-	-	-	2	2	-	-	-
89	Diseases of ear and mastoid process	5	4	1	-	-	44	31	12	1	-
	VII.—Diseases of the circulatory system	4,685	3,036	1,596	32	21	42,310	23,283	16,816	1,231	980
90-95	Diseases of the heart (all forms)	4,276	2,804	1,420	31	21	39,296	21,840	15,383	1,151	922
90	Pericarditis (except acute rheumatic)	6	2	4	-	-	35	23	7	4	1
90a	Chronic rheumatic pericarditis	-	-	-	-	-	1	-	1	-	-
90b	Other pericarditis	6	2	4	-	-	34	23	6	4	1
91	Acute endocarditis (except rheumatic)	14	7	5	2	-	72	36	28	6	2
91a,b	Bacterial, acute, and subacute endocarditis	13	7	4	2	-	65	31	27	5	2
91c	Endocarditis (unspecified, under 45 years)	1	-	1	-	-	7	5	1	1	-
92	Chronic affections of valves and endocardium	263	157	104	1	1	2,405	1,175	1,110	57	63
92a	Diseases of aortic valve, etc.*	36	26	10	-	-	214	126	67	12	9
92b	Diseases of mitral valve, etc.*	115	64	49	1	1	959	461	454	20	24
92c	Chronic rheumatic endocarditis, etc.*	40	23	17	-	-	179	97	75	6	1
92d	Other chronic endocarditis, etc.*	61	35	26	-	-	948	453	463	14	19
92e	Endocarditis (unspecified, 45 years and over)	11	9	2	-	-	104	38	51	5	10
93	Diseases of the myocardium	1,787	1,015	742	14	16	21,486	10,444	9,641	748	653
93a	Acute myocarditis (except rheumatic)	15	9	5	1	-	311	161	123	15	12
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	26	13	7	2	4
93c	Chronic rheumatic myocarditis, etc.*	9	2	6	-	1	126	53	67	2	4
93d	Other chronic myocarditis, etc.*	1,639	923	691	10	15	19,722	9,546	8,885	696	597
93e	Other myocarditis (unspecified)	124	81	40	3	-	1,301	671	561	33	36
94	Diseases of coronary arteries, angina pectoris	1,788	1,350	423	13	2	13,083	8,985	3,682	271	145
94a	Diseases of coronary arteries	1,765	1,335	415	13	2	12,930	8,880	3,638	268	144
94b	Angina pectoris	23	15	8	-	-	153	105	44	3	1

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
19	10	9	-	-	33	20	10	-	3	17	13	4	-	-	104	54	49	1	-	53
21	12	9	-	-	48	24	11	5	8	10	6	4	-	-	79	34	36	3	6	54
106	57	49	-	-	148	58	40	30	22	71	28	40	2	1	282	120	121	20	21	55
41	16	25	-	-	50	8	10	8	24	25	10	14	-	1	104	24	41	10	29	56,57
17	4	13	-	-	31	1	7	3	20	9	4	4	-	1	72	10	29	5	28	56
11	...	11	...	-	22	...	5	...	17	2	...	2	...	-	36	...	16	...	20	56a-c
4	2	2	-	-	3	1	1	1	-	5	3	1	-	1	19	8	8	2	1	56d
2	2	-	-	-	6	-	1	2	3	2	1	1	-	-	17	2	5	3	7	56e
24	12	12	-	-	19	7	3	5	4	16	6	10	-	-	32	14	12	5	1	57
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	57a-c
14	7	7	-	-	12	7	2	1	2	11	5	6	-	-	21	10	9	2	-	57d
10	5	5	-	-	7	-	1	4	2	3	1	2	-	-	9	4	2	3	-	57e
375	114	254	2	5	433	104	153	67	109	205	81	113	4	7	657	223	316	42	86	
2	1	1	-	-	16	1	8	8	4	4	2	2	-	-	49	12	18	8	11	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58a
-	-	-	-	-	5	-	1	3	1	2	1	1	-	-	5	-	2	1	2	58b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	2	1	2	3	58c
-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	8	2	6	-	-	58d
2	1	1	-	-	8	1	1	4	2	1	-	1	-	-	28	8	9	5	6	58e,f
15	3	11	-	1	10	2	4	2	2	14	6	8	-	-	50	10	28	4	8	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
338	103	229	2	4	316	85	113	45	73	182	56	95	4	7	439	167	193	22	57	61
1	-	1	-	-	4	-	1	-	3	1	1	-	-	-	4	2	2	-	-	62
10	2	8	-	-	19	1	9	1	8	10	6	4	-	-	36	4	24	1	7	63
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3	-	2	-	1	63a
5	1	4	-	-	11	-	5	1	5	6	4	2	-	-	27	2	18	1	6	63b
5	1	4	-	-	7	1	4	-	2	4	2	2	-	-	6	2	4	-	-	63c-e
3	2	1	-	-	15	3	5	6	1	6	6	-	-	-	7	4	2	-	1	64
2	1	1	-	-	2	-	1	-	1	5	2	3	-	-	10	4	4	2	-	65
3	2	1	-	-	7	4	-	1	2	2	1	1	-	-	19	5	11	3	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	68
-	-	-	-	-	33	5	13	1	14	-	-	-	-	-	45	11	31	1	2	69
-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	1	-	-	1	-	70
1	-	1	-	-	7	3	3	1	-	-	-	-	-	-	3	1	2	-	-	71
66	36	28	1	1	104	38	34	13	19	64	38	25	-	1	192	94	77	10	11	
2	1	1	-	-	8	1	1	3	3	-	-	-	-	-	8	4	3	1	-	72
19	5	12	1	1	33	10	10	2	11	19	8	11	-	-	47	20	16	4	7	73
12	3	7	1	1	7	1	2	1	3	14	6	8	-	-	16	8	5	-	3	73a
7	2	5	-	-	28	9	8	1	8	5	2	3	-	-	31	12	11	4	4	73b-d
41	26	15	-	-	53	25	19	5	4	42	29	12	-	1	121	61	52	5	3	74
40	26	14	-	-	52	25	18	5	4	41	28	12	-	1	116	56	52	5	3	74a
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	5	5	-	-	-	74b
3	3	-	-	-	5	1	3	1	-	2	1	1	-	-	7	4	2	-	1	75
1	1	-	-	-	5	1	1	2	1	1	-	1	-	-	9	5	4	-	-	76
13	12	1	-	-	37	19	-	17	1	9	8	-	1	-	54	36	4	9	5	
10	9	1	-	-	37	19	-	17	1	9	8	-	1	-	49	35	2	7	5	77
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	78
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	79
770	356	392	9	13	2,170	546	474	546	604	699	379	300	5	5	3,306	1,338	1,186	364	418	
4	2	1	1	-	25	8	3	7	7	8	5	3	-	-	21	10	7	4	-	80
7	4	2	1	-	31	7	4	11	9	12	9	3	-	-	34	18	7	5	4	81
15	11	4	-	-	21	7	7	4	3	3	1	2	-	-	53	27	18	4	4	82
696	320	357	7	12	1,962	493	436	489	544	625	341	277	3	4	3,016	1,202	1,087	331	396	83
491	223	255	4	9	1,719	416	368	443	492	521	283	235	-	3	2,731	1,085	983	300	363	83a
191	93	92	3	3	189	57	57	38	37	79	41	35	2	1	239	103	88	26	22	83b,c
14	4	10	-	-	54	20	11	8	15	25	17	7	1	-	46	14	16	5	11	83d
8	2	6	-	-	39	3	6	12	18	3	1	2	-	-	43	16	15	7	5	84
7	5	1	-	1	33	8	3	14	8	7	5	2	-	-	52	20	23	6	3	85
2	2	-	-	-	11	1	3	2	5	2	1	-	1	-	9	4	5	-	-	86
28	10	18	-	-	34	15	8	3	8	27	16	9	1	1	84	33	20	6	5	87
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	88
3	-	3	-	-	13	4	3	4	2	2	-	2	-	-	14	8	4	1	1	89
3,339	1,784	1,492	32	31	5,103	1,911	1,139	1,061	992	1,857	1,152	672	23	10	7,925	3,776	2,591	777	781	
3,142	1,679	1,403	30	30	4,612	1,771	1,016	934	891	1,658	1,042	585	21	10	7,439	3,595	2,411	724	729	90-95
3	2	1	-	-	1	-	-	-	1	5	3	2	-	-	24	8	9	5	2	90
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	90a
3	2	1	-	-	1	-	-	-	-	4	2	2	-	-	24	8	9	5	2	90b
7	4	3	-	-	28	4	3	13	8	4	1	3	-	-	25	10	7	3	5	91
6	3	3	-	-	23	4	3	10	6	3	1	2	-	-	25	10	7	3	5	91a,b
1	1	-	-	-	5	-	-	3	2	1	-	1	-	-	-	-	-	-	-	91c
157	77	75	4	1	365	77	72	94	122	106	53	49	4	-	689	250	213	100	126	92
12	8	4	-	-	65	14	10	15	26	3	2	-	1	-	77	25	11	17	24	92a
75	37	37	1	-	144	38	36	32	38	49	25	21	3	-	343	135	108	39	60	92b
4	1	1	2	-	9	2	3	1	3	11	5	6	-	-	29	10	12	2	5	92c
80	26	52	1	1	125	18	16	40	51	35	17	18	-	-	190	70	68	26	26	92d
6	5	1	-	-	22	5	7	6	4	8	4	4	-	-	50	10	13	16	11	92e
1 839	833	972	14	20	2,136	640	511	515	470	685	418	265	7	5	3,611	1,525	1,305	396	385	93
18	10	8	-	-	26	5	10	6	5	17	11	6	-	-	91	31	23	19	18	93a
1	1	-	-	-	14	2	-	6	6	1	1	-	-	-	6	4	-	-	2	93b
3	1	2	-	-	6	1	-	2	3	5	4	1	-	-	12	2	6	2	2	93c
1,747	784	930	14	19	1,845	585	441	444	395	596	351	234	6	5	3,044	1,321	1,109	311	303	93d
70	37	32	-	1	245	67	60	57	61	76	51	24	1	-	458	167	187	64	60	93e
1,001	694	292	9	6	1,619	905	347	196	171	720	498	218	2	2	2,329	1,426	665	116	122	94
994	689	290	9	6	1,518	846	329	186	157	710	490	216	2	2	2,234	1,366	637	112	119	94a
7	5	2	-	-	101	59	18	10	14	10	8	2	-	-	95	60	28	4	3	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	418	273	142	1	2	2,215	1,177	915	65	58
95a	Functional diseases of heart, etc.*	17	9	8	-	-	66	33	31	1	1
95b	Other diseases of heart (rheumatic)	86	45	40	-	1	748	329	359	25	35
95c	Other diseases of heart (not rheumatic)	315	219	94	1	1	1,401	815	525	39	22
96	Aneurysm (except of heart and aorta)	40	29	11	-	-	236	131	78	18	9
97	Arteriosclerosis (except coronary or renal sclerosis)	313	170	142	1	-	2,353	1,114	1,163	44	32
98	Gangrene	3	1	2	-	-	26	13	13	-	-
99	Other diseases of arteries	21	16	5	-	-	163	86	66	6	5
100	Diseases of veins	10	6	4	-	-	105	49	48	4	3
101	Diseases of lymphatic system	1	-	1	-	-	2	1	1	-	-
102	High blood pressure (idiopathic)	19	8	11	-	-	122	47	59	8	8
103	Other diseases of circulatory system	2	2	-	-	-	7	2	4	-	1
	VIII.—Diseases of the respiratory system	543	389	230	14	10	4,840	2,761	1,654	248	177
104	Diseases of nasal fossae, accessory sinuses	1	-	1	-	-	20	12	7	1	-
105	Diseases of larynx	2	1	1	-	-	18	9	7	-	2
106	Bronchitis	38	27	6	1	2	277	172	94	7	4
107	Bronchopneumonia (including capillary bronchitis)	319	189	116	9	5	1,658	834	665	86	73
108	Lobar pneumonia	131	81	46	2	2	1,373	750	460	104	59
109	Pneumonia (unspecified)	25	15	8	2	-	425	243	147	25	10
109A	Atypical or virus pneumonia	5	4	1	-	-	93	61	28	2	2
109B	Pneumonia (all other, unspecified)	20	11	7	2	-	332	182	119	23	8
110	Pleurisy (not tuberculous)	21	9	12	-	-	78	46	27	2	3
111	Hemorrhagic infarction, thrombosis, edema*	45	25	21	-	-	308	137	150	8	13
112	Asthma	34	21	13	-	-	215	137	59	7	12
113	Pulmonary emphysema	2	2	-	-	-	40	32	8	-	-
114	Other diseases of respiratory system (except tuberculosis)	26	19	6	-	1	428	389	30	8	1
114a,b	Silicosis, other forms of pneumoconioses	2	2	-	-	-	322	321	-	1	-
114c-e	Other diseases of respiratory system (except tuberculosis)	24	17	6	-	1	106	68	30	7	1
	IX.—Diseases of the digestive system	472	284	181	4	3	4,257	2,355	1,653	136	113
115	Diseases of buccal cavity and adnexa, etc.*	8	4	4	-	-	67	36	28	-	3
116	Diseases of esophagus	3	2	1	-	-	15	8	5	-	2
117	Ulcer of stomach or duodenum	87	71	16	-	-	617	498	85	22	12
117a	Ulcer of stomach	54	44	10	-	-	383	302	57	17	7
117b	Ulcer of duodenum	33	27	6	-	-	234	196	28	5	5
118	Other diseases of stomach (except cancer)	11	6	5	-	-	57	36	19	-	2
119	Diarrhea, enteritis, etc.* (under 2 years)	12	6	6	-	-	230	115	81	17	17
120	Diarrhea, enteritis, etc.* (2 years and over)	22	10	10	1	1	125	46	69	4	6
121	Appendicitis	34	21	12	-	1	281	153	110	10	8
122	Hernia and intestinal obstruction	79	46	31	2	-	780	354	375	30	21
122a	Hernia	35	23	12	1	-	362	170	169	18	5
122b	Intestinal obstruction	43	23	19	1	-	418	184	206	12	16
123	Other diseases of intestines	14	7	6	-	1	149	84	52	5	8
124	Cirrhosis of liver	114	77	36	1	-	1,143	725	367	31	20
124a	Cirrhosis of liver with mention of alcoholism	30	23	7	-	-	84	61	20	2	1
124b	Cirrhosis of liver without mention of alcoholism	84	54	29	1	-	1,059	664	347	29	19
125	Other diseases of liver	12	6	6	-	-	139	61	65	7	6
126	Biliary calculi	33	10	23	-	-	310	94	214	-	2
127	Other diseases of gallbladder, biliary ducts	23	8	15	-	-	168	61	103	1	3
128	Diseases of pancreas (except diabetes mellitus)	15	5	10	-	-	105	45	52	5	3
129	Peritonitis (cause not stated)	5	5	-	-	-	71	39	28	4	-
	X.—Diseases of the genito-urinary system	1,080	594	469	9	8	7,243	3,542	3,162	290	249
130	Acute nephritis	17	6	10	-	1	142	76	48	10	8
131	Chronic nephritis	904	463	427	7	7	5,973	2,746	2,814	215	198
131a	Arteriosclerotic kidney	797	396	391	6	4	4,853	2,176	2,326	176	175
131b	Other chronic nephritis	107	67	36	1	3	1,120	570	488	39	23
132	Nephritis unspecified (10 years and over)	18	11	7	-	-	300	142	120	20	18
133	Other diseases of kidneys, ureters, etc.*	40	25	13	2	-	201	98	76	15	12
134	Calculi of urinary passages	9	7	2	-	-	79	44	29	3	3
135	Diseases of urinary bladder	5	3	2	-	-	47	24	20	2	1
136	Diseases of urethra (except calculus)	-	-	-	-	-	17	13	2	2	-
137	Diseases of prostate	79	79	...	-	...	421	398	...	23	...
137a	Hypertrophy of prostate	64	64	...	-	...	387	364	...	23	...
137b	Other diseases of prostate	15	15	...	-	...	34	34	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	...	-	...	1	1	...	-	...
139	Diseases of female genital organs	8	...	8	...	-	62	...	53	...	9
139a	Diseases of ovaries, fallopian tubes, and parametria	7	...	7	...	-	36	...	30	...	6
139b	Diseases of uterus	1	...	1	...	-	25	...	22	...	3
139c	Diseases of other female genital organs*	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	15	...	13	...	2	229	...	193	...	36
140	Abortion with mention of infection	3	...	3	...	-	14	...	11	...	3
141	Abortion without mention of infection	-	...	-	...	-	11	...	9	...	2
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	2	...	1	...	1
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	-	...	-	...	-	9	...	8	...	1
142	Ectopic gestation	3	...	2	...	1	20	...	18	...	2
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	2	...	2	...	-
142b	Ectopic gestation, without mention of infection	3	...	2	...	1	18	...	16	...	2
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	-	2	...	1	...	1
144	Toxemias of pregnancy (death before delivery)	2	...	2	...	-	10	...	9	...	1
145	Other diseases of pregnancy (death before delivery)*	1	...	1	...	-	14	...	12	...	2
145A	With mention of infection	1	...	1	...	-	9	...	9	...	-
145B	Without mention of infection	-	...	-	...	-	5	...	3	...	2
146	Hemorrhage of childbirth and puerperium	2	...	2	...	-	32	...	29	...	3
147	Infection during childbirth and puerperium	1	...	1	...	-	63	...	52	...	11
148	Puerperal toxemias (excluding death before delivery)	1	...	1	...	-	30	...	26	...	4
149	Other accidents and specified conditions of childbirth	-	...	-	...	-	21	...	16	...	5
150	Other and unspecified conditions of childbirth and puerperium	1	...	-	...	1	12	...	10	...	2

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
135	69	60	3	3	463	145	83	116	119	128	69	48	8	3	781	376	212	104	89	95
2	1	1	-	-	11	4	4	-	3	5	-	5	-	-	32	15	12	3	2	95a
41	16	24	-	1	61	22	17	9	13	13	6	6	-	1	111	47	46	7	11	95b
92	52	35	3	2	381	119	62	107	103	110	63	37	8	2	638	314	154	94	76	95c
12	7	5	-	-	32	13	4	9	6	2	1	1	-	-	23	8	7	4	4	96
161	84	74	2	1	372	111	100	91	70	143	87	54	2	-	296	124	121	24	27	97
-	-	-	-	-	2	-	-	-	2	5	1	4	-	-	7	4	-	3	-	98
10	5	5	-	-	26	8	9	6	3	16	11	5	-	-	33	17	13	3	-	99
9	6	3	-	-	12	3	5	3	1	13	3	10	-	-	23	9	10	2	2	100
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	101
3	1	2	-	-	39	5	3	13	18	19	6	13	-	-	64	13	23	12	16	102
1	1	-	-	-	7	-	1	5	1	1	1	-	-	-	19	5	6	5	3	103
282	145	134	1	2	1,004	233	213	297	261	285	158	94	18	15	1,611	662	571	188	190	
2	1	1	-	-	17	2	-	9	6	3	2	1	-	-	14	2	5	3	4	104
-	-	-	-	-	4	3	-	1	-	3	-	3	-	-	7	2	3	-	2	105
15	8	7	-	-	36	13	12	6	5	11	6	4	-	1	79	40	26	6	7	106
128	60	67	1	-	451	111	88	125	127	87	46	26	9	6	695	280	265	72	78	107
78	43	34	-	#1	294	59	67	94	74	66	39	18	7	2	549	218	188	75	68	108
18	10	8	-	-	95	16	18	34	27	55	29	19	2	5	97	45	33	9	10	109
2	1	1	-	-	21	4	5	8	4	6	4	2	-	-	25	14	8	-	1	109A
16	9	7	-	-	74	12	13	26	23	49	25	17	2	5	74	31	25	9	9	109B
7	4	3	-	-	11	3	1	5	2	4	2	1	-	1	25	9	9	4	3	110
13	5	8	-	-	54	15	14	15	10	38	24	14	-	-	59	28	16	11	4	111
13	8	4	-	1	22	5	10	3	4	12	6	6	-	-	55	24	14	5	12	112
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	113
6	4	2	-	-	20	8	3	5	6	5	3	2	-	-	28	13	11	2	2	114
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	114a,b
6	4	2	-	-	19	5	3	5	6	5	3	2	-	-	24	9	11	2	2	114c-e
381	228	151	1	3	565	173	125	134	133	223	123	87	11	2	1,092	499	326	162	105	
4	3	1	-	-	29	8	7	3	11	4	3	1	-	-	31	11	9	6	5	115
-	-	-	-	-	2	-	-	1	1	3	2	1	-	-	5	1	2	1	1	116
63	51	11	-	1	68	33	6	20	9	26	21	4	-	1	139	87	20	26	6	117
41	36	5	-	-	42	19	3	13	7	14	12	1	-	1	92	52	16	20	4	117a
22	15	6	-	1	26	14	3	7	2	12	9	3	-	-	47	35	4	6	2	117b
3	3	-	-	-	24	6	2	7	9	6	3	3	-	-	47	7	8	17	15	118
14	8	5	-	1	105	13	18	40	34	20	7	8	5	-	164	74	58	19	13	119
8	3	5	-	-	33	8	6	6	13	6	3	3	-	-	47	12	19	8	8	120
29	16	13	-	-	41	11	13	8	9	18	11	6	1	-	94	53	21	10	10	121
73	38	35	-	-	97	27	21	26	23	53	25	26	2	-	163	60	53	35	15	122
35	22	13	-	-	34	13	8	9	4	24	11	12	1	-	57	24	15	17	1	122a
38	16	22	-	-	63	14	13	17	19	29	14	14	1	-	106	36	38	18	14	122b
14	7	7	-	-	14	5	3	3	3	8	5	2	1	-	37	16	12	5	4	123
106	68	37	1	-	84	43	17	17	7	35	27	8	-	-	200	115	50	25	10	124
23	18	5	-	-	6	4	1	-	1	5	4	1	-	-	22	12	5	1	4	124a
83	50	32	1	-	78	39	16	17	6	30	23	7	-	-	178	103	45	24	6	124b
7	3	4	-	-	20	3	9	1	7	3	1	2	-	-	40	15	14	6	5	125
21	7	14	-	-	19	8	10	1	-	12	4	6	1	1	52	15	31	1	5	126
20	8	11	-	1	10	2	7	-	1	18	6	12	-	-	45	17	21	2	5	127
12	6	6	-	-	11	4	4	-	3	8	4	3	1	-	17	11	5	-	1	128
7	5	2	-	-	8	2	2	1	3	3	1	2	-	-	11	5	3	1	2	129
537	263	258	10	6	1,688	401	284	562	441	291	193	91	5	2	2,016	864	582	317	253	
3	2	1	-	-	62	7	3	26	26	11	9	1	-	1	69	22	21	20	6	130
446	192	243	7	4	1,351	313	229	445	364	193	121	68	3	1	1,530	613	481	224	212	131
365	150	205	6	4	1,114	259	187	360	308	148	97	50	1	-	1,088	444	325	165	154	131a
81	42	38	1	-	237	54	42	85	56	45	24	18	2	1	442	169	156	59	58	131b
8	4	2	-	2	99	24	21	23	31	19	12	7	-	-	107	40	26	25	16	132
11	6	5	-	-	48	13	13	11	11	17	10	7	-	-	84	33	36	8	7	133
7	6	1	-	-	20	9	7	4	-	3	2	1	-	-	23	14	7	1	1	134
3	1	2	-	-	7	1	-	6	-	2	2	-	-	-	14	4	1	6	3	135
2	1	-	1	-	8	1	7	-	-	-	-	-	-	-	5	1	1	3	-	136
53	51	...	2	...	73	34	...	39	...	39	37	...	2	...	167	137	...	30	...	137
45	43	...	2	...	56	30	...	26	...	35	33	...	2	...	142	118	...	24	...	137a
8	8	...	-	...	17	4	...	13	...	4	4	...	-	...	25	19	...	6	...	137b
-	-	...	-	...	1	-	...	1	...	-	-	...	-	...	-	-	...	-	...	138
4	...	4	...	-	19	...	10	...	9	7	...	7	...	-	17	...	9	...	8	139
3	...	3	...	-	15	...	6	...	9	1	...	1	...	-	13	...	5	...	8	139a
1	...	1	...	-	4	...	4	...	-	6	...	6	...	-	3	...	3	...	-	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	139c
22	...	22	...	-	137	...	34	...	103	17	...	14	...	3	144	...	104	...	40	
1	...	1	...	-	7	...	-	...	7	1	...	1	...	-	13	...	6	...	7	140
2	...	2	...	-	9	...	2	...	7	2	...	1	...	1	6	...	3	...	3	141
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	141a,c
-	...	-	...	-	3	...	-	...	3	1	...	1	...	-	5	...	2	...	3	141b
2	...	2	...	-	4	...	1	...	3	1	...	-	...	1	-	...	-	...	-	141d-f
3	...	3	...	-	5	...	-	...	5	1	...	1	...	-	6	...	4	...	2	142
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	142a
2	...	2	...	-	5	...	-	...	5	1	...	1	...	-	4	...	2	...	2	142b
-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	4	...	4	...	-	143
2	...	2	...	-	20	...	4	...	16	3	...	2	...	1	12	...	9	...	3	144
2	...	2	...	-	8	...	2	...	-	1	...	1	...	-	10	...	7	...	3	145
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	8	...	6	...	2	145A
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	145B
4	...	4	...	-	24	...	10	...	14	2	...	2	...	-	15	...	11	...	4	146
7	...	7	...	-	24	...	6	...	18	3	...	3	...	-	29	...	16	...	13	147
-	...	-	...	-	25	...	5	...	20	1	...	1	...	-	27	...	23	...	4	148
1	...	1	...	-	6	...	2	...	4	2	...	2	...	-	10	...	9	...	1	149
-	...	-	...	-	12	...	3	...	9	1	...	-	...	1	12	...	12	...	-	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	10	5	5	-	-	63	28	29	2	4
151	Carbuncle and furuncle	-	-	-	-	-	3	3	-	-	-
152	Phlegmon and acute abscess	1	-	1	-	-	13	8	5	-	-
153	Other diseases of skin and cellular tissue	9	5	4	-	-	47	17	24	2	4
	XIII.—Diseases of the bones, etc.*	8	5	3	-	-	44	19	22	-	3
154	Osteomyelitis and periostitis	2	1	1	-	-	6	4	2	-	-
155	Other diseases of bones (except tuberculosis)	4	2	2	-	-	10	3	6	-	1
156	Diseases of joints, other organs of movement	2	2	-	-	-	28	12	14	-	2
157	XIV.—Congenital malformations	204	117	85	1	1	1,306	661	561	45	39
157a-d	Congenital malformations of central nervous system	58	32	25	-	1	414	184	215	9	6
157e,f	Congenital malformations of cardiovascular system	96	54	41	1	-	592	310	237	23	22
157g,h,m	Other congenital malformations	50	31	19	-	-	300	167	109	13	11
	XV.—Diseases peculiar to the first year of life	537	301	212	16	8	3,740	1,992	1,320	239	190
158	Congenital debility (cause not stated)	10	6	3	1	-	91	43	36	9	3
159	Premature birth (cause not stated)	327	176	137	9	5	2,367	1,210	855	167	135
160	Injury at birth	118	71	43	2	2	724	443	216	31	34
161	Other diseases peculiar to first year of life	82	48	29	4	1	558	296	213	31	18
162	XVI.—Senility	193	99	89	3	2	449	185	234	13	17
	XVII.—Violent or accidental deaths	1,594	1,139	405	43	7	7,707	4,948	2,223	423	113
163,164	Suicide	222	175	44	3	-	1,150	857	265	22	6
163	Suicide by poisoning	58	41	17	-	-	253	152	94	4	3
164	Suicide by other means	164	134	27	3	-	897	705	171	18	3
165-168	Homicide[1]	53	29	14	9	1	305	96	55	123	31
166	Homicide by firearms	21	10	7	4	-	150	50	28	63	9
167	Homicide by cutting or piercing instruments	11	5	1	4	1	71	6	6	47	12
168	Homicide by other means	21	14	6	1	-	84	40	21	13	10
169-195	Accidental deaths	1,318	935	347	30	6	6,249	3,993	1,903	277	76
169	Railway accidents (except collisions with motor vehicles)	26	22	3	1	-	179	145	24	9	1
170	Motor-vehicle accidents	416	308	97	11	-	1,790	1,330	386	69	5
170a	Collisions between automobiles and trains	18	12	6	-	-	57	46	10	1	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	18	10	3	2	1
170c	Automobile accidents (exc. collisions with trains or streetcars)	387	286	90	11	-	1,674	1,238	368	64	4
170d	Motorcycle accidents (exc. collisions with automobiles)	11	10	1	-	-	43	36	5	2	-
171	Streetcar and other road-transport accidents	2	2	-	-	-	57	35	14	5	3
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	1	1	-	-	-	48	29	11	5	3
171b	Other and unspecified road-transport accidents	1	1	-	-	-	9	6	3	-	-
172	Water-transport accidents	36	33	1	2	-	33	28	1	3	1
173	Air-transport accidents	38	36	2	-	-	69	65	4	-	-
174	Accidents in mines and quarries	1	1	-	-	-	292	286	1	5	-
175	Agricultural and forestry accidents	131	124	3	4	-	86	79	8	1	-
175a-c	Agricultural accidents	28	25	3	-	-	86	77	8	1	-
175d,e	Forestry accidents	103	99	-	4	-	2	2	-	-	-
176	Other accidents involving machinery	21	20	1	-	-	91	81	4	6	-
177	Food poisoning	3	2	1	-	-	11	5	3	-	3
178	Accidental absorption of poisonous gas	27	18	9	-	-	194	116	59	12	5
179	Acute accidental poisoning by solids or liquids	14	4	9	1	-	82	36	33	7	6
180	Conflagration	44	28	15	1	-	145	69	50	17	9
181	Accidental burns (except conflagration)	43	24	18	1	-	248	137	91	11	9
182	Accidental mechanical suffocation	24	15	9	-	-	91	48	28	10	4
183	Accidental drowning	108	83	22	3	-	292	213	40	39	-
184	Accidental injury by firearms	24	20	3	1	-	91	75	9	5	2
185	Accidental injury by cutting or piercing instruments	1	1	-	-	-	7	5	1	-	1
186	Accidental injury by fall or crushing	245	118	124	-	3	2,067	947	1,064	37	19
186a	Accidental injury by fall	241	114	124	-	3	2,026	913	1,061	33	19
186b	Accidental injury by crushing	4	4	-	-	-	41	34	3	4	-
187	Cataclysm, etc.*	20	11	5	1	3	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	1	-	1	-	-	2	1	1	-	-
190	Excessive cold	4	2	-	2	-	16	13	1	1	1
191	Excessive heat	1	-	-	1	-	39	21	9	8	1
192	Lightning	-	-	-	-	-	8	7	1	-	-
193	Accidents due to electric currents (except lightning)	13	12	1	-	-	47	41	4	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	75	51	23	1	-	310	208	66	30	6
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	1	-	1	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	5	2	2	-	1
195d	Obstruction, suffocation, etc.*	38	23	15	-	-	68	43	18	4	3
195c,e	Other and unspecified accidents	37	28	8	1	-	236	163	45	26	2
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	-	-	1	-	3	2	-	1	-
	XVIII.—Ill-defined and unknown causes	159	92	40	2	5	722	449	202	52	19
199	Sudden death	10	8	1	1	-	19	12	7	-	-
200	Ill-defined and unknown causes	129	84	39	1	5	703	437	195	52	19
200a	Ill-defined causes	101	71	28	1	1	581	363	170	33	15
200b,c	Unknown or unspecified causes	28	13	11	-	4	122	74	25	19	4

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6	3	3	-	-	6	1	3	1	1	3	1	2	-	-	25	10	12	1	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	151
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	152
5	2	3	-	-	5	1	2	1	1	3	1	2	-	-	21	8	10	1	2	153
8	2	4	-	-	12	4	1	6	1	3	2	-	1	-	8	5	3	-	-	
-	-	-	-	-	6	1	-	4	1	1	-	-	1	-	5	4	1	-	-	154
3	1	2	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	155
3	1	2	-	-	5	2	1	2	-	1	1	-	-	-	2	1	1	-	-	156
103	54	49	-	-	234	81	79	44	30	93	49	40	3	1	423	224	156	26	17	157
49	18	31	-	-	72	24	27	9	12	24	6	16	1	1	113	56	49	6	2	157a-d
34	20	14	-	-	109	39	39	16	15	46	31	14	1	-	214	117	79	10	8	157e,f
20	16	4	-	-	53	18	13	19	3	23	12	10	1	-	96	51	28	10	7	157g,h,m
276	156	111	4	5	1,100	371	223	263	243	286	160	116	2	8	1,595	733	545	183	134	
8	3	3	-	-	48	3	6	22	17	4	1	1	-	2	76	35	20	9	12	158
180	97	77	2	4	693	235	151	151	156	199	109	86	1	3	1,000	436	350	132	82	159
55	36	17	2	-	208	79	35	49	45	46	33	11	1	1	324	169	110	24	21	160
35	20	14	-	1	151	54	31	41	25	37	17	18	-	2	195	93	65	18	19	161
13	6	6	1	-	78	15	12	25	26	87	44	40	1	2	269	83	122	37	27	162
458	258	184	11	5	1,724	743	249	545	187	572	395	151	16	10	2,438	1,337	520	435	146	
49	35	13	1	-	108	72	19	15	2	65	53	12	-	-	262	194	56	10	2	163,164
14	9	5	-	-	8	3	4	1	-	8	6	2	-	-	36	24	11	1	-	165
35	26	8	1	-	100	69	15	14	2	57	47	10	-	-	226	170	45	9	2	164
20	9	8	2	1	250	56	20	142	32	12	7	3	1	1	367	130	23	181	33	165-168
7	5	2	-	-	169	41	11	97	20	5	3	2	-	-	234	97	15	106	16	166
3	2	1	-	-	42	4	1	31	6	2	1	-	-	1	84	12	3	58	11	167
10	2	5	2	1	39	11	8	14	6	5	3	1	1	-	49	21	5	17	6	168
389	214	163	8	4	1,361	615	210	383	153	495	335	136	15	9	1,805	1,012	441	241	111	169-195
3	3	-	-	-	37	25	2	10	-	6	5	1	-	-	57	40	1	14	2	169
75	51	22	1	1	535	265	76	150	44	155	117	33	3	2	650	427	109	82	32	170
-	-	-	-	-	22	11	5	3	3	13	9	4	-	-	24	19	4	1	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
70	47	21	1	1	500	242	71	146	41	140	106	29	3	2	612	396	103	81	32	170c
5	4	1	-	-	13	12	-	1	-	2	2	-	-	-	14	12	2	-	-	170d
1	1	-	-	-	3	2	-	1	-	1	1	-	-	-	3	2	1	-	-	171
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	171a
-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	3	2	1	-	-	171b
6	5	-	1	-	45	31	3	11	-	-	-	-	-	-	41	33	2	5	1	172
6	4	2	-	-	34	29	5	-	-	28	27	1	-	-	23	18	5	-	-	173
1	1	-	-	-	4	2	-	2	-	-	-	-	-	-	25	25	-	-	-	174
1	1	-	-	-	29	17	-	11	1	41	36	1	4	-	45	38	3	4	-	175
1	1	-	-	-	26	14	-	11	1	40	35	1	4	-	44	38	3	3	-	175a-c
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	1	-	-	1	-	175d,e
2	2	-	-	-	16	8	-	8	-	8	5	1	-	-	19	14	-	5	-	176
-	-	-	-	-	6	1	-	2	3	-	-	-	-	-	11	2	2	4	3	177
21	12	9	-	-	8	7	-	1	-	11	7	1	1	2	12	7	2	1	2	178
4	2	2	-	-	36	14	1	15	6	5	2	3	-	-	28	15	10	2	1	179
13	5	6	2	-	46	13	6	17	10	10	7	3	-	-	85	23	21	21	20	180
14	4	9	-	1	96	13	19	25	39	16	6	8	-	2	100	30	44	14	12	181
9	7	2	-	-	45	18	10	10	7	10	6	3	-	1	33	15	11	3	4	182
40	37	-	2	1	73	32	5	33	3	29	23	4	2	-	88	52	7	17	2	183
1	1	-	-	-	57	28	3	21	5	9	9	-	-	-	64	40	4	14	6	184
2	2	-	-	-	3	-	1	1	1	1	1	-	-	-	7	3	2	1	1	185
123	48	73	1	1	152	57	61	19	15	107	52	51	3	1	344	135	173	26	10	186
123	48	73	1	1	145	54	61	15	15	104	49	51	3	1	334	128	173	23	10	186a
-	-	-	-	-	7	3	-	4	-	3	3	-	-	-	10	7	-	3	-	186b
-	-	-	-	-	1	-	-	1	-	3	3	-	-	-	2	-	-	1	1	187
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	1	-	1	-	-	188
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	189
-	-	-	-	-	9	1	1	6	1	2	2	-	-	-	18	6	2	5	5	190
8	3	4	1	-	8	3	-	-	3	-	-	-	-	-	4	2	-	-	2	191
-	-	-	-	-	18	3	1	8	6	1	1	-	-	-	8	3	1	3	1	192
-	-	-	-	-	15	10	1	4	-	4	3	-	1	-	24	22	-	2	-	193
-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	2	2	-	-	-	194
59	25	34	-	-	79	30	15	26	8	50	22	26	1	1	110	48	39	17	6	195
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195b
9	6	3	-	-	21	6	4	7	4	3	1	2	-	-	25	9	9	5	2	195d
50	19	31	-	-	58	24	11	19	4	47	21	24	1	1	85	39	30	12	4	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	5	-	-	5	-	-	-	-	-	-	4	1	-	3	-	198
15	9	5	1	-	811	101	42	389	279	73	28	17	15	13	1,680	665	398	345	274	
1	1	-	-	-	25	5	2	13	5	5	5	-	-	-	132	53	23	34	22	198
14	8	5	1	-	786	96	40	376	274	68	23	17	15	13	1,548	612	373	311	252	200
10	4	5	1	-	364	70	21	160	113	35	20	13	2	-	247	112	48	56	30	200a
4	4	-	-	-	422	26	19	216	161	33	3	4	13	13	1,301	500	324	255	222	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	64,245	31,656	21,767	5,854	4,968	5,070	2,892	2 064	87	37
	I.—Infectious and parasitic diseases	5,050	2,411	1,613	613	413	169	111	44	8	6
1	Typhoid fever	19	5	5	5	4	-	-	-	-	-
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	7	3	-	-	4	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	34	12	18	3	1	7	5	2	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	1	1	-	-	-
9	Whooping cough	120	48	36	21	15	5	3	1	1	-
10	Diphtheria (infection by C. diphtheriae)	62	27	19	9	7	3	2	1	-	-
11	Erysipelas	4	-	4	-	-	1	1	-	-	-
12	Tetanus	114	48	37	18	10	1	1	-	-	-
13-22	Tuberculosis (all forms)	2,634	1,298	871	262	203	69	47	15	5	2
13	Tuberculosis of respiratory system, etc.*	2,421	1,208	791	239	183	59	45	8	4	2
14	Tuberculosis of meninges, etc.*	94	40	37	11	6	5	1	3	1	-
15	Tuberculosis of intestines and peritoneum	28	12	13	1	2	-	-	-	-	-
16	Tuberculosis of vertebral column	10	1	3	2	4	1	-	1	-	-
17	Tuberculosis of bones and joints, etc.*	7	3	2	1	1	-	-	-	-	-
18	Tuberculosis of skin, etc.*	2	1	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	2	1	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	15	7	6	-	2	2	-	2	-	-
21	Tuberculosis of other organs	3	-	1	2	-	1	-	1	-	-
22	Disseminated tuberculosis	52	25	16	6	5	1	1	-	-	-
23	Leprosy	1	-	1	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	47	18	18	8	2	2	1	1	-	-
25	Gonococcus infection	1	-	-	1	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	3	1	-	2	-	1	-	-	-	1
27	Dysentery	462	232	201	17	12	4	2	2	-	-
28	Malaria	28	9	6	5	8	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	1	-	-	-	1	-	-	-	-	-
30	Syphilis (all forms)	589	283	76	169	81	30	22	5	1	2
30a	Locomotor ataxia (tabes dorsalis)	11	5	2	3	1	-	-	-	-	-
30b	General paralysis of insane	167	69	18	60	20	8	6	1	1	-
30d	Aneurysm of aorta	155	92	22	34	7	15	12	3	-	-
30f	Congenital syphilis	44	12	10	15	7	-	-	-	-	-
30c,e,g	Syphilis (other forms)	212	85	24	57	46	7	4	1	-	2
31	Relapsing fever	1	1	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	23	11	10	1	1	4	1	3	-	-
33	Influenza	449	190	152	59	48	17	9	7	-	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	87	37	41	5	4	2	1	1	-	-
36	Poliomyelitis and polioencephalitis (acute)	190	102	72	13	3	12	7	5	-	-
37	Acute infectious encephalitis (lethargic)	13	8	4	1	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	14	7	4	1	2	-	-	-	-	-
39	Typhus fever and typhus-like diseases*	25	17	6	2	-	1	1	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	1	1	-	-	-	-	-	-	-
43	Mycoses	21	11	5	4	1	-	-	-	-	-
44	Other infectious and parasitic diseases	97	58	26	7	6	8	6	1	1	-
	II.—Cancer and other tumors	7,188	3,108	3,148	382	550	589	291	285	9	4
45-55	Cancer and other malignant tumors	6,936	3,010	3,041	372	513	565	282	270	9	4
45	Cancer of buccal cavity and pharynx	233	149	54	19	11	18	14	3	1	-
45a	Cancer of lip	26	25	-	1	-	1	1	-	-	-
45b	Cancer of tongue	42	30	6	6	-	4	3	1	-	-
45c	Cancer of mouth	33	15	13	1	4	2	-	2	-	-
45d	Cancer of jaw bone	34	18	11	1	4	4	3	-	1	-
45e	Cancer of unspecified parts of buccal cavity	2	1	-	1	-	-	-	-	-	-
45f	Cancer of pharynx	96	60	24	9	3	7	7	-	-	-
46	Cancer of digestive organs and peritoneum	2,610	1,226	1,049	182	153	224	126	92	4	2
46a	Cancer of esophagus	107	64	26	14	3	3	2	1	-	-
46b	Cancer of stomach	828	430	278	74	46	91	60	28	2	1
46c	Cancer of duodenum	11	6	3	2	-	-	-	-	-	-
46d	Cancer of rectum and anus	226	96	97	11	22	26	12	14	-	-
46e	Cancer of intestines, etc.*	643	256	322	31	34	48	24	24	-	-
46f	Cancer of liver and biliary passages	434	190	189	27	28	25	11	13	-	1
46g	Cancer of pancreas	269	144	100	16	9	28	16	10	2	-
46h	Cancer of mesentery and peritoneum	44	21	16	3	4	1	-	1	-	-
46m	Cancer of other and unspecified sites	46	19	18	4	7	2	1	1	-	-
47	Cancer of respiratory system	643	447	132	43	21	63	45	14	4	-
47a	Cancer of larynx	60	50	3	6	1	2	2	-	-	-
47b	Cancer of trachea	2	1	1	-	-	-	-	-	-	-
47c,d	Cancer of bronchus and lung	559	382	122	36	19	60	43	14	3	-
47e	Cancer of pleura	6	3	2	-	1	-	-	-	-	-
47f	Cancer of other respiratory organs	16	11	4	1	-	1	-	-	1	-
48	Cancer of uterus	722	...	545	...	177	48	...	48	...	-
48a	Cancer of cervix	347	...	268	...	79	26	...	26	...	-
48b	Cancer of other and unspecified sites of uterus	375	...	277	...	98	22	...	22	...	-
49	Cancer of other female genital organs	181	...	163	...	18	22	...	22	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	151	...	138	...	13	19	...	19	...	-
49c-e	Cancer of other female genital organs	30	...	25	...	5	3	...	3	...	-
50	Cancer of breast	541	9	466	2	64	50	-	48	-	2
51	Cancer of male genital organs	474	421	...	53	...	40	40	...	-	...
51b	Cancer of prostate	429	383	...	46	...	37	37	...	-	...
51a,c-e	Cancer of other male genital organs	45	38	...	7	...	3	3	...	-	...
52	Cancer of urinary organs	291	151	108	19	13	21	16	5	-	-
52a	Cancer of kidney	129	69	51	7	2	7	4	3	-	-
52b	Cancer of bladder	157	78	57	12	10	14	12	2	-	-
52c	Cancer of other and unspecified sites	5	4	-	-	1	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,098	2,225	1,868	1	2	28,976	11,659	8,398	4,952	3,967	22,211	13,236	8,356	387	232	17,600	9,538	6,606	889	567	
156	107	49	-	-	1,776	570	315	519	372	952	599	239	70	24	1,118	541	402	111	64	
-	-	-	-	-	6	-	2	2	2	1	-	1	-	-	5	1	3	1	-	1
-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	5
3	2	1	-	-	26	12	3	7	4	4	3	1	-	-	27	15	8	3	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	8
3	2	1	-	-	41	7	9	7	18	4	1	3	-	-	36	16	19	-	1	9
-	-	-	-	-	15	6	4	1	4	9	5	4	-	-	20	9	11	-	-	10
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	11
2	2	-	-	-	13	4	1	6	2	1	1	-	-	-	5	2	2	-	1	12
115	83	32	-	-	1,087	352	189	309	237	598	381	138	60	19	622	288	225	65	46	13-22
109	81	28	-	-	998	324	178	281	216	541	352	121	49	19	585	270	214	56	45	13
-	-	-	-	-	23	8	4	6	5	17	6	4	7	-	17	8	6	3	-	14
-	-	-	-	-	6	-	1	2	3	6	3	2	1	-	4	1	1	2	-	15
-	-	-	-	-	11	5	2	3	1	4	1	3	-	-	4	2	-	2	-	16
-	-	-	-	-	4	3	-	-	1	3	3	-	-	-	1	-	1	-	-	17
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	18
-	-	-	-	-	5	2	-	1	2	2	1	1	-	-	-	-	-	-	-	19
1	1	-	-	-	6	5	1	-	-	12	7	4	1	-	3	3	-	-	-	20
-	-	-	-	-	2	2	-	-	-	3	3	-	-	-	-	-	-	-	-	21
4	1	3	-	-	31	3	3	16	9	9	5	2	2	-	7	3	1	2	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	14	8	3	-	3	5	1	4	-	-	7	4	3	-	-	24
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	25
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	26
1	-	1	-	-	13	2	3	3	5	5	3	1	1	-	15	10	3	2	-	27
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	29
13	8	5	-	-	282	75	24	134	49	132	97	24	8	3	165	81	33	39	12	30
1	1	-	-	-	8	3	4	1	-	3	3	-	-	-	4	3	1	-	-	30a
1	1	-	-	-	86	24	5	48	9	22	17	2	3	-	46	29	11	5	1	30b
8	5	3	-	-	66	25	6	26	9	48	33	11	3	1	35	22	4	9	-	30d
1	-	1	-	-	28	2	3	12	11	1	-	-	1	-	10	6	2	1	1	30f
2	1	1	-	-	94	21	6	47	20	58	44	11	1	2	70	21	15	24	10	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	5	-	2	1	2	6	7	1	-	-	2	-	2	-	-	32
12	6	6	-	-	149	46	39	33	31	48	29	19	-	-	94	37	56	1	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	16	5	3	4	4	11	5	5	-	1	31	14	16	-	1	35
2	1	1	-	-	29	15	11	1	2	42	25	16	-	1	14	8	5	-	1	36
-	-	-	-	-	11	4	3	4	-	10	7	3	-	-	13	8	4	-	1	37
-	-	-	-	-	2	1	-	-	1	2	1	-	1	-	1	1	-	-	-	38
-	-	-	-	-	11	7	2	2	-	1	-	1	-	-	3	2	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	42
-	-	-	-	-	9	3	2	2	2	4	4	-	-	-	8	7	1	-	-	43
3	2	1	-	-	40	22	14	1	3	42	26	16	-	-	35	28	7	-	-	44
610	281	329	-	-	3,144	1,182	1,227	340	395	3,110	1,637	1,413	40	20	1,938	868	932	72	66	
603	279	324	-	-	3,038	1,153	1,199	331	355	3,042	1,616	1,369	39	18	1,875	848	894	71	62	45-55
18	14	4	-	-	81	50	12	15	4	74	53	17	4	-	35	20	13	2	-	45
-	-	-	-	-	5	4	-	1	-	12	10	2	-	-	3	2	1	-	-	45a
3	2	1	-	-	17	13	1	2	1	14	9	5	-	-	5	3	1	1	-	45b
3	3	-	-	-	10	6	3	1	-	9	5	4	-	-	4	2	2	-	-	45c
3	2	1	-	-	14	7	4	2	1	6	5	1	-	-	9	6	3	-	-	45d
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	1	-	1	-	-	45e
9	7	2	-	-	34	19	4	9	2	31	23	4	4	-	13	7	5	1	-	45f
251	123	128	-	-	1,152	464	412	171	105	1,359	808	523	22	6	816	412	355	34	15	46
6	3	3	-	-	59	29	7	20	3	39	31	7	1	-	26	17	6	2	1	46a
69	39	30	-	-	381	167	95	88	31	490	328	147	12	3	299	187	94	12	6	46b
1	1	-	-	-	3	1	1	-	1	6	2	4	-	-	3	2	1	-	-	46c
38	24	14	-	-	103	43	42	9	9	154	94	58	1	1	71	30	36	4	1	46d
77	27	50	-	-	283	94	142	18	29	339	170	163	5	1	180	64	108	4	4	46e
27	10	17	-	-	166	56	71	21	18	152	79	69	3	1	131	58	65	5	3	46f
23	16	7	-	-	123	59	39	13	12	134	92	52	-	-	79	46	29	4	-	46g
6	2	4	-	-	18	7	9	1	1	22	8	14	-	-	9	5	3	1	-	46h
4	1	3	-	-	16	8	6	1	1	13	4	9	-	-	18	3	13	2	-	46m
45	33	12	-	-	302	203	55	34	10	269	223	39	7	-	166	117	38	10	1	47
6	4	2	-	-	24	19	1	4	-	25	22	2	1	-	10	8	2	-	-	47a
1	-	1	-	-	2	1	-	-	1	2	1	1	-	-	1	-	1	-	-	47b
36	27	9	-	-	257	173	47	29	8	231	193	33	5	-	144	102	32	10	-	47c,d
-	-	-	-	-	2	1	1	-	-	2	-	2	-	-	1	-	1	-	-	47e
2	2	-	-	-	17	9	6	1	1	9	7	1	1	-	10	7	2	-	1	47f
41	...	41	...	-	359	...	240	...	119	188	...	183	...	5	232	...	206	...	26	48
23	...	23	...	-	168	...	127	...	41	101	...	98	...	3	119	...	107	...	12	48a
18	...	18	...	-	191	...	113	...	78	87	...	85	...	2	113	...	99	...	14	48b
18	...	18	...	-	86	...	66	...	20	107	...	106	...	1	40	...	39	...	1	49
12	...	12	...	-	72	...	57	...	15	94	...	93	...	1	28	...	27	...	1	49a,b
6	...	6	...	-	14	...	9	...	5	13	...	13	...	-	12	...	12	...	-	49c-e
62	-	62	-	-	313	8	245	1	59	296	7	285	-	4	139	-	127	1	11	50
62	62	...	-	...	223	171	...	52	...	222	220	...	2	...	141	128	...	13	...	51
59	59	...	-	...	212	162	...	50	...	208	206	...	2	...	131	121	...	10	...	51b
3	3	...	-	...	11	9	...	2	...	14	14	...	-	...	10	7	...	3	...	51a,c-e
35	20	15	-	-	143	72	38	19	14	169	98	69	1	1	78	52	22	3	1	52
9	6	3	-	-	53	27	14	9	3	64	34	29	-	1	31	17	12	2	-	52a
26	14	12	-	-	86	43	23	10	10	101	62	38	1	-	45	33	10	1	1	52b
-	-	-	-	-	4	2	1	-	1	4	2	2	-	-	2	2	-	-	-	52c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	206	142	57	5	2	7	4	3	-	-
54	Cancer of central nervous system*	126	75	44	3	4	19	11	8	-	-
55	Cancer of other and unspecified organs	909	390	423	46	50	53	26	27	-	-
56,57	Nonmalignant tumors and tumors of unspecified nature	252	98	107	10	37	24	9	15	-	-
56	Nonmalignant tumors (including dermoid cysts)	66	12	31	1	22	11	3	8	-	-
56a-c	Nonmalignant tumors of female genital organs	35	...	14	...	21	3	...	3	...	-
56d	Nonmalignant tumors of central nervous system*	17	4	12	1	-	5	2	3	-	-
56e	Nonmalignant tumors of other and unspecified organs	14	8	5	-	1	3	1	2	-	-
57	Tumors of unspecified nature	186	86	76	9	15	13	6	7	-	-
57a-c	Tumors, female genital organs (nature unspecified)	7	...	3	...	4	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	124	64	46	7	7	5	2	3	-	-
57e	Tumors, other organs (nature unspecified)	55	22	27	2	4	8	4	4	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,497	538	760	84	115	182	78	82	1	-
58	Acute rheumatic fever	44	13	25	2	4	9	7	2	-	-
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	8	4	4	-	-	4	3	1	-	-
58c	Acute rheumatic myocarditis	3	-	2	1	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	7	2	3	1	1	4	3	1	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	26	7	16	-	3	1	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	92	22	60	5	5	5	1	4	-	-
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,078	425	517	55	81	121	59	61	1	-
62	Diseases of pituitary gland	5	1	3	1	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	62	8	47	-	7	16	4	12	-	-
63a	Simple goiter	3	-	2	-	1	2	1	1	-	-
63b	Exophthalmic goiter	46	8	35	-	5	13	3	10	-	-
63c-e	Other diseases of thyroid and parathyroid glands	13	2	10	-	1	1	-	1	-	-
64	Diseases of thymus gland	42	16	18	7	1	5	4	1	-	-
65	Diseases of adrenal glands*	16	7	5	4	-	3	2	1	-	-
66	Other general diseases	31	13	10	4	4	3	2	1	-	-
67	Scurvy	3	1	2	-	-	-	-	-	-	-
68	Beriberi	8	-	7	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	97	22	58	4	13	-	-	-	-	-
70	Rickets	6	3	2	1	-	-	-	-	-	-
71	Other avitaminoses	12	6	6	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	592	310	222	32	28	48	34	12	1	1
72	Hemorrhagic conditions	35	19	14	-	2	2	1	1	-	-
73	Anemias (except splenic anemia)	136	71	43	10	12	9	7	1	-	1
73a	Pernicious anemia	58	31	18	2	9	3	2	-	-	1
73b-d	Other anemias (except splenic)	78	40	27	8	3	6	5	1	-	-
74	Leukemias and aleukemias	382	202	147	19	14	32	21	10	1	-
74a	Leukemias	375	199	144	18	14	29	18	10	1	-
74b	Aleukemias	7	3	3	1	-	3	3	-	-	-
75	Diseases of spleen	22	9	11	2	-	3	3	-	-	-
76	Other diseases of blood and blood-forming organs	17	9	7	1	-	2	2	-	-	-
	V.—Chronic poisoning and intoxication	95	74	11	7	3	9	9	-	-	-
77	Alcoholism (ethylism)	90	70	10	7	3	7	7	-	-	-
78	Lead poisoning	2	1	1	-	-	1	1	-	-	-
79	Chronic poisoning by other mineral substances*	3	3	-	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc.*	6,111	2,554	2,275	597	685	443	238	197	5	3
80	Encephalitis (nonepidemic)	80	37	30	10	3	3	2	1	-	-
81	Meningitis (not due to meningococcus)	139	59	50	20	10	9	5	4	-	-
82	Diseases of spinal cord (see exceptions)*	112	61	36	7	8	12	10	2	-	-
83	Intracranial lesions of vascular origin	5,335	2,193	1,992	519	631	393	207	178	5	3
83a	Cerebral hemorrhage or effusion*	4,595	1,837	1,701	447	560	326	174	147	3	2
83b,c	Cerebral embolism, thrombosis, and softening	455	205	191	27	32	59	29	27	2	1
83d	Hemiplegia, other paralysis, etc.*	285	101	100	45	39	8	4	4	-	-
84	Mental diseases and deficiency (see exception)*	113	45	43	9	16	4	2	2	-	-
85	Epilepsy	94	39	35	15	5	7	5	2	-	-
86	Convulsions (under 5 years)	32	11	14	7	-	-	-	-	-	-
87	Other diseases of nervous system	171	90	64	8	9	11	7	4	-	-
88	Diseases of organs of vision	4	-	3	1	-	-	-	-	-	-
89	Diseases of ear and mastoid process	31	19	8	1	3	4	-	4	-	-
	VII.—Diseases of the circulatory system	17,498	9,515	5,339	1,450	1,194	1,706	970	714	18	4
90-95	Diseases of the heart (all forms)	16,270	8,938	4,903	1,348	1,081	1,586	914	651	17	4
90	Pericarditis (except acute rheumatic)	24	10	8	3	3	2	1	1	-	-
90a	Chronic rheumatic pericarditis	2	1	-	-	1	-	-	-	-	-
90b	Other pericarditis	22	9	8	3	2	2	1	1	-	-
91	Acute endocarditis (except rheumatic)	57	12	19	14	12	3	2	1	-	-
91a,b	Bacterial, acute, and subacute endocarditis	49	12	16	12	9	3	2	1	-	-
91c	Endocarditis (unspecified, under 45 years)	8	-	3	2	3	-	-	-	-	-
92	Chronic affections of valves and endocardium	688	323	212	86	67	123	69	54	-	-
92a	Diseases of aortic valve, etc.*	90	44	13	22	11	4	2	2	-	-
92b	Diseases of mitral valve, etc.*	285	128	109	26	22	54	30	24	-	-
92c	Chronic rheumatic endocarditis, etc.*	32	20	5	2	5	17	11	6	-	-
92d	Other chronic endocarditis, etc.*	194	99	57	20	18	41	21	20	-	-
92e	Endocarditis (unspecified, 45 years and over)	87	32	28	16	11	7	5	2	-	-
93	Diseases of the myocardium	6,401	2,950	2,374	546	531	750	361	378	8	3
93a	Acute myocarditis (except rheumatic)	106	45	27	10	24	13	8	4	-	1
93b	Myocarditis (unspecified, under 45 years)	20	3	8	5	4	2	-	2	-	-
93c	Chronic rheumatic myocarditis, etc.*	17	8	7	1	1	15	7	8	-	-
93d	Other chronic myocarditis, etc.*	5,259	2,445	1,962	426	426	671	315	348	6	2
93e	Other myocarditis (unspecified)	999	449	370	104	76	49	31	16	2	-
94	Diseases of coronary arteries, angina pectoris	6,992	4,561	1,732	404	295	572	411	154	7	-
94a	Diseases of coronary arteries	6,786	4,434	1,695	378	279	564	406	151	7	-
94b	Angina pectoris	206	127	37	26	16	8	5	3	-	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	6	2	-	-	67	40	20	5	2	50	34	16	-	-	38	23	14	-	1	53
7	3	4	-	-	58	37	14	5	2	58	38	19	1	-	40	20	15	3	2	54
56	18	38	-	-	254	108	97	29	20	250	155	112	2	1	150	76	65	5	4	55
7	2	5	-	-	106	29	28	9	40	68	21	44	1	2	63	20	38	1	4	56,57
4	-	4	-	-	54	6	16	3	29	46	11	33	-	2	29	8	18	-	3	56
4	...	4	...	-	33	...	9	...	24	18	...	16	...	2	14	...	11	...	3	56a-c
-	-	-	-	-	12	5	4	1	2	16	6	10	-	-	6	3	3	-	-	56d
-	-	-	-	-	9	1	3	2	3	12	5	7	-	-	9	5	4	-	-	56e
3	2	1	-	-	52	23	12	6	11	22	10	11	1	-	34	12	20	1	1	57
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	57a-c
2	1	1	-	-	33	17	7	3	6	16	8	7	1		17	5	11	1	-	57d
1	1	-	-	-	18	6	4	3	5	5	2	3	-	-	16	7	8	-	1	57e
134	52	82	-	-	871	259	389	77	146	606	252	348	2	4	505	164	302	15	24	
4	2	2	-	-	40	12	6	6	16	10	7	3	-	-	23	9	12	2	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	58a
-	-	-	-	-	9	4	1	-	4	4	3	1	-	-	6	1	5	-	-	58b
-	-	-	-	-	5	1	1	1	2	1	-	1	-	-	2	1	1	-	-	58c
1	1	-	-	-	8	2	1	1	4	1	1	-	-	-	2	1	-	1	-	58d
3	1	2	-	-	18	5	3	4	6	4	3	1	-	-	12	6	5	1	-	58e,f
11	5	6	-	-	56	9	29	7	11	31	10	21	-	-	28	11	13	2	2	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
106	41	65	-	-	657	212	294	54	97	488	207	277	1	3	375	119	228	10	18	61
-	-	-	-	-	3	-	2	-	1	4	2	2	-	-	2	-	2	-	-	62
8	3	5	-	-	52	9	31	1	11	42	13	27	1	1	37	6	29	-	2	63
-	-	-	-	-	5	-	5	-	-	4	1	3	-	-	1	-	1	-	-	63a
6	1	5	-	-	38	6	21	1	10	29	9	18	1	1	28	5	21	-	2	63b
2	2	-	-	-	9	3	5	-	1	9	3	6	-	-	8	1	7	-	-	63c-e
-	-	-	-	-	12	6	2	3	1	10	5	5	-	-	8	6	2	-	-	64
1	-	1	-	-	7	2	3	1	1	13	5	8	-	-	5	1	4	-	-	65
1	-	1	-	-	13	2	7	2	2	3	1	2	-	-	18	5	10	1	2	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	67
-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	1	1	-	-	-	68
3	1	2	-	-	24	6	14	1	3	2	1	1	-	-	-	-	-	-	-	69
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	70
-	-	-	-	5	5	-	1	1	3	-	-	-	-	-	5	5	-	-	-	71
29	15	14	-	-	219	104	77	21	17	183	101	73	5	4	133	69	63	1	-	
3	2	1	-	-	11	6	5	-	-	10	5	5	-	-	7	3	4	-	-	72
6	2	4	-	-	52	20	15	6	11	35	18	16	1	-	39	22	16	1	-	73
4	1	3	-	-	21	8	6	2	5	20	11	8	1	-	23	14	9	-	-	73a
2	1	1	-	-	31	12	9	4	6	15	7	8	-	-	16	8	7	1	-	73b-d
18	10	8	-	-	136	69	47	14	6	128	74	48	4	2	79	41	38	-	-	74
17	10	7	-	-	128	65	43	14	6	123	71	46	4	2	76	40	38	-	-	74a
1	-	1	-	-	8	4	4	-	-	5	3	2	-	-	3	1	2	-	-	74b
1	1	-	-	-	15	9	5	1	-	5	3	2	-	-	4	1	3	-	-	75
1	-	1	-	-	5	-	5	-	-	5	1	2	-	2	4	2	2	-	-	76
5	5	-	-	-	111	66	16	22	7	77	62	12	2	1	50	38	7	4	1	
5	5	-	-	-	110	66	15	22	7	76	62	11	2	1	48	37	6	4	1	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	2	1	1	-	-	79
425	194	230	-	1	3,517	1,188	1,093	608	628	2,332	1,243	1,036	25	28	1,841	903	794	77	67	
2	-	2	-	-	33	10	8	8	7	15	7	4	2	2	16	7	7	2	-	80
4	3	1	-	-	47	17	13	12	5	22	14	6	-	2	30	14	14	-	2	81
14	7	7	-	-	54	21	19	8	6	34	22	11	-	1	13	6	5	1	1	82
388	186	202	-	1	3,158	1,050	987	534	587	2,131	1,132	954	22	23	1,665	823	713	68	61	83
293	129	163	-	1	2,762	911	855	467	529	1,736	903	798	18	17	1,470	728	628	61	53	83a
72	35	37	-	-	256	102	82	41	31	353	209	135	4	5	129	67	56	3	3	83b,c
4	2	2	-	-	140	37	50	26	27	42	20	21	-	1	66	28	29	4	5	83d
2	1	1	-	-	49	16	15	7	11	24	9	15	-	-	13	4	7	1	1	84
7	3	4	-	-	64	26	16	17	5	29	18	11	-	-	38	21	13	4	-	85
-	-	-	-	-	7	3	1	1	2	1	-	1	-	-	6	3	3	-	-	86
24	12	12	-	-	92	41	33	14	4	69	38	30	1	-	47	21	25	-	1	87
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	88
3	2	1	-	-	12	3	1	7	1	7	3	4	-	-	13	4	7	1	1	89
1,572	898	672	1	1	8,977	4,065	2,518	1,337	1,057	7,830	4,831	2,778	76	45	5,020	2,904	1,718	231	167	
1,424	821	601	1	1	8,297	3,806	2,305	1,226	960	7,310	4,638	2,559	69	43	4,716	2,746	1,599	215	156	90-95
-	-	-	-	-	6	4	1	1	-	11	7	4	-	-	2	1	1	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
-	-	-	-	-	6	4	1	1	-	11	7	4	-	-	2	1	1	-	-	90b
5	1	4	-	-	20	5	5	4	6	24	11	12	1	-	9	5	3	-	1	91
5	1	4	-	-	15	4	5	3	3	23	11	11	1	-	9	5	3	-	1	91a,b
-	-	-	-	-	5	1	-	1	3	1	-	1	-	-	-	-	-	-	-	91c
104	54	50	-	-	703	222	187	162	132	541	305	228	4	4	397	209	165	13	10	92
6	5	1	-	-	90	27	13	27	23	50	31	18	1	-	38	23	14	1	-	92a
45	23	22	-	-	290	103	84	56	47	231	122	107	1	1	130	67	55	5	3	92b
3	1	2	-	-	21	6	9	4	2	27	16	10	-	1	20	16	3	1	-	92c
48	25	23	-	-	251	82	72	54	43	218	126	88	2	2	169	84	74	5	6	92d
2	-	2	-	-	51	4	9	21	17	15	10	5	-	-	40	19	19	1	1	92e
778	391	385	1	1	4,258	1,664	1,364	665	565	2,984	1,620	1,317	27	20	2,250	1,134	866	138	92	93
3	1	2	-	-	44	15	11	7	11	23	14	9	-	-	33	13	17	1	2	93a
-	-	-	-	-	14	3	1	6	4	-	-	-	-	-	4	2	1	-	1	93b
2	1	1	-	-	16	6	7	2	1	19	6	13	-	-	21	9	9	3	-	93c
741	371	368	1	1	3,708	1,463	1,217	550	478	2,722	1,472	1,208	23	19	1,940	987	760	111	82	93d
32	18	14	-	-	476	177	128	100	71	220	128	87	4	1	252	123	99	23	7	93e
456	335	121	-	-	2,653	1,659	573	265	156	3,256	2,413	796	33	14	1,543	1,100	365	44	34	94
437	321	116	-	-	2,545	1,596	544	256	149	3,217	2,382	789	32	14	1,510	1,076	358	44	32	94a
19	14	5	-	-	108	63	29	9	7	39	31	7	1	-	33	24	7	-	2	94b

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	2,108	1,082	558	295	173	136	70	63	2	1
95a	Functional diseases of heart, etc.*	98	48	38	6	6	4	2	2	-	-
95b	Other diseases of heart (rheumatic)	168	82	68	7	11	75	36	38	-	1
95c	Other diseases of heart (not rheumatic)	1,842	952	452	282	156	57	32	23	2	-
96	Aneurysm (except of heart and aorta)	55	29	13	7	6	8	4	2	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	780	392	288	54	46	88	45	42	1	-
98	Gangrene	36	12	13	5	6	-	-	-	-	-
99	Other diseases of arteries	116	54	48	9	7	11	4	7	-	-
100	Diseases of veins	52	26	15	3	8	7	2	5	-	-
101	Diseases of lymphatic system	4	2	2	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	167	54	57	19	37	8	1	7	-	-
103	Other diseases of circulatory system	18	8	2	5	3	-	-	-	-	-
	VIII.—Diseases of the respiratory system	3,779	1,691	1,369	382	337	240	137	93	9	1
104	Diseases of nasal fossae, accessory sinuses	35	15	8	5	7	3	2	1	-	-
105	Diseases of larynx	17	9	6	2	-	2	1	1	-	-
106	Bronchitis	182	96	66	10	10	21	10	10	1	-
107	Bronchopneumonia (including capillary bronchitis)	1,147	509	434	105	99	78	41	34	3	-
108	Lobar pneumonia	713	318	242	85	68	68	41	24	3	-
109	Pneumonia (unspecified)	1,029	432	360	127	110	24	13	9	1	1
109A	Atypical or virus pneumonia	62	29	29	2	2	7	2	4	1	-
109B	Pneumonia (all other, unspecified)	967	403	331	125	108	17	11	5	-	1
110	Pleurisy (not tuberculous)	43	21	11	9	2	4	1	2	1	-
111	Hemorrhagic infarction, thrombosis, edema*	361	145	170	16	30	20	14	6	-	-
112	Asthma	145	83	42	12	8	11	7	4	-	-
113	Pulmonary emphysema	23	20	2	1	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	84	43	28	10	3	9	7	2	-	-
114a,b	Silicosis, other forms of pneumoconioses	2	2	-	-	-	4	4	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	82	41	28	10	3	5	3	2	-	-
	IX.—Diseases of the digestive system	4,008	1,944	1,499	294	271	212	126	81	3	2
115	Diseases of buccal cavity and adnexa, etc.*	91	43	32	9	7	10	5	5	-	-
116	Diseases of esophagus	11	5	3	1	2	2	1	1	-	-
117	Ulcer of stomach or duodenum	256	191	32	23	10	46	39	7	-	-
117a	Ulcer of stomach	169	125	19	16	9	27	23	4	-	-
117b	Ulcer of duodenum	87	66	13	7	1	19	16	3	-	-
118	Other diseases of stomach (except cancer)	168	70	30	29	39	5	3	2	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	1,589	776	686	76	61	15	8	5	1	1
120	Diarrhea, enteritis, etc.* (2 years and over)	201	89	82	15	15	10	4	5	1	-
121	Appendicitis	193	98	63	20	12	12	7	5	-	-
122	Hernia and intestinal obstruction	432	152	175	55	50	29	18	11	-	-
122a	Hernia	122	49	50	16	7	14	9	5	-	-
122b	Intestinal obstruction	310	103	125	39	43	15	9	6	-	-
123	Other diseases of intestines	110	48	40	10	12	3	2	1	-	-
124	Cirrhosis of liver	508	310	141	33	24	38	26	12	-	-
124a	Cirrhosis of liver with mention of alcoholism	29	17	9	1	2	3	3	-	-	-
124b	Cirrhosis of liver without mention of alcoholism	479	293	132	32	22	35	23	12	-	-
125	Other diseases of liver	109	43	48	6	12	7	4	3	-	-
126	Biliary calculi	87	33	49	3	2	11	2	8	-	1
127	Other diseases of gallbladder, biliary ducts	149	52	84	6	7	13	3	10	-	-
128	Diseases of pancreas (except diabetes mellitus)	30	16	11	1	2	5	3	2	-	-
129	Peritonitis (cause not stated)	64	18	23	7	16	6	1	4	1	-
	X.—Diseases of the genito-urinary system	3,723	1,765	1,156	437	365	258	158	95	4	1
130	Acute nephritis	158	64	48	24	22	10	7	3	-	-
131	Chronic nephritis	2,447	1,115	840	256	236	197	113	80	3	1
131a	Arteriosclerotic kidney	1,727	781	611	171	164	139	77	59	2	1
131b	Other chronic nephritis	720	334	229	85	72	58	36	21	1	-
132	Nephritis unspecified (10 years and over)	457	205	133	69	50	11	6	5	-	-
133	Other diseases of kidneys, ureters, etc.*	184	78	77	18	11	11	7	4	-	-
134	Calculi of urinary passages	54	34	14	5	1	4	2	2	-	-
135	Diseases of urinary bladder	29	14	5	8	2	-	-	-	-	-
136	Diseases of urethra (except calculus)	21	12	2	6	1	3	2	-	1	-
137	Diseases of prostate	292	241	...	51	...	21	21	...	-	...
137a	Hypertrophy of prostate	176	148	...	28	...	19	19	...	-	...
137b	Other diseases of prostate	116	93	...	23	...	2	2	...	-	...
138	Diseases of other male genital organs (not venereal)	2	2	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	79	...	37	...	42	1	...	1	...	-
139a	Diseases of ovaries, fallopian tubes, and parametria	45	...	20	...	25	-	...	-	...	-
139b	Diseases of uterus	33	...	17	...	16	1	...	1	...	-
139c	Diseases of other female genital organs*	1	...	-	...	1	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	301	...	194	...	107	12	...	12	...	-
140	Abortion with mention of infection	28	...	15	...	13	-	...	-	...	-
141	Abortion without mention of infection	10	...	8	...	2	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	4	...	4	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	6	...	4	...	2	1	...	1	...	-
142	Ectopic gestation	15	...	5	...	10	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	3	...	-	...	3	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	12	...	5	...	7	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	72	...	45	...	27	-	...	-	...	-
145	Other diseases of pregnancy (death before delivery)*	18	...	14	...	4	1	...	1	...	-
145A	With mention of infection	16	...	13	...	3	1	...	1	...	-
145B	Without mention of infection	2	...	1	...	1	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	54	...	36	...	18	2	...	2	...	-
147	Infection during childbirth and puerperium	44	...	34	...	10	3	...	3	...	-
148	Puerperal toxemias (excluding death before delivery)	26	...	17	...	9	2	...	2	...	-
149	Other accidents and specified conditions of childbirth	14	...	6	...	8	3	...	3	...	-
150	Other and unspecified conditions of childbirth and puerperium	18	...	12	...	6	-	...	-	...	-

*Refer to International List for complete title, table IX, Part I.

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
81	40	41	-	-	657	252	175	129	101	494	283	202	4	5	515	297	179	20	19	95
4	2	2	-	-	21	9	7	-	5	20	12	8	-	-	23	16	6	-	1	95a
17	8	9	-	-	119	43	43	19	14	112	60	51	-	1	89	48	34	2	5	95b
60	30	30	-	-	517	200	125	110	82	362	211	143	4	4	403	233	139	18	13	95c
6	3	3	-	-	67	40	14	7	6	49	38	11	-	-	12	6	4	1	1	96
128	68	60	-	-	481	160	174	79	68	326	174	150	2	-	213	114	83	10	6	97
-	-	-	-	-	9	6	1	1	1	6	5	-	-	1	9	4	3	2	-	98
4	3	1	-	-	37	19	9	6	3	43	21	22	-	-	23	12	9	1	1	98
10	3	7	-	-	30	12	7	5	6	25	12	12	1	-	19	8	10	1	-	100
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	101
-	-	-	-	-	47	18	7	10	12	67	39	24	3	1	26	13	9	1	3	102
-	-	-	-	-	8	4	1	2	1	3	3	-	-	-	2	1	1	-	-	103
173	92	81	-	-	1,464	506	414	326	218	1,074	609	408	30	27	999	509	416	52	22	
1	-	1	-	-	15	2	5	5	3	5	3	1	-	1	12	5	6	1	-	104
-	-	-	-	-	9	5	1	3	-	3	1	2	-	-	6	4	1	-	1	105
12	5	7	-	-	76	37	21	11	7	57	29	24	3	1	55	34	16	4	1	106
92	50	42	-	-	583	181	179	124	99	541	314	200	16	11	407	210	176	15	6	107
38	17	21	-	-	312	91	84	90	47	221	142	69	3	7	253	132	102	10	9	108
11	7	4	-	-	245	90	70	53	32	52	18	32	-	2	102	47	47	6	2	109
7	4	3	-	-	31	12	13	3	3	14	6	8	-	-	16	5	9	2	-	109A
4	3	1	-	-	214	78	57	50	29	38	12	24	-	2	86	42	38	4	2	109B
1	1	-	-	-	30	12	7	7	4	27	11	14	2	-	15	8	7	-	-	110
9	5	4	-	-	71	27	22	9	13	98	50	43	4	1	59	19	30	9	1	111
7	6	1	-	-	69	30	18	13	8	49	28	18	2	1	42	19	20	3	-	112
1	1	-	-	-	8	7	-	1	-	4	3	-	-	1	7	4	2	1	-	113
1	-	1	-	-	46	24	7	10	5	17	10	5	-	2	41	27	9	3	2	114
-	-	-	-	-	7	7	-	-	-	3	3	-	-	-	18	17	-	1	-	114a,b
1	-	1	-	-	39	17	7	10	5	14	7	5	-	2	23	10	9	2	2	114c-e
176	106	70	-	-	1,068	455	315	188	130	880	510	342	19	9	716	398	277	22	19	
2	1	1	-	-	38	12	15	6	5	23	14	7	1	1	15	7	7	1	-	115
-	-	-	-	-	8	4	-	4	-	10	7	3	-	-	3	1	2	-	-	116
33	26	7	-	-	132	74	19	26	13	176	143	29	2	2	81	65	12	2	2	117
12	9	3	-	-	89	41	15	22	11	106	82	21	2	1	55	42	9	2	2	117a
21	17	4	-	-	43	33	4	4	2	70	61	8	-	1	26	23	3	-	-	117b
-	-	-	-	-	28	6	8	6	8	22	13	8	1	-	16	12	3	-	1	118
5	4	1	-	-	146	51	41	39	15	22	9	11	1	1	150	76	66	4	4	119
3	2	1	-	-	42	20	12	2	8	27	10	16	1	-	29	15	13	-	1	120
17	12	5	-	-	74	16	32	15	11	43	28	12	3	-	42	23	14	3	2	121
35	20	15	-	-	216	74	60	49	33	164	84	78	1	1	115	51	57	3	4	122
16	13	3	-	-	71	30	15	20	6	57	40	27	-	-	41	20	17	2	2	122a
19	7	12	-	-	145	44	45	29	27	97	44	51	1	1	74	31	40	1	2	122b
8	4	4	-	-	37	14	12	3	8	31	12	17	2	-	16	6	10	-	-	123
31	20	11	-	-	193	113	40	28	12	219	140	72	4	3	139	90	38	6	5	124
1	-	1	-	-	24	17	5	1	1	32	24	7	1	-	16	11	3	2	-	124a
30	20	10	-	-	169	96	35	27	11	187	116	65	3	3	123	79	35	4	5	124b
5	4	1	-	-	51	24	20	3	4	40	10	30	-	-	22	11	10	1	-	125
16	6	10	-	-	46	13	28	1	4	44	15	28	1	-	34	13	21	-	-	126
13	3	10	-	-	38	13	17	3	5	37	15	21	1	-	29	12	17	-	-	127
5	3	2	-	-	21	9	8	2	2	14	6	8	-	-	17	14	3	-	-	128
3	1	2	-	-	18	12	3	1	2	8	4	2	1	1	8	2	4	2	-	129
240	141	99	-	-	2,221	801	605	432	383	1,149	695	424	17	13	1,090	568	380	77	55	
5	2	3	-	-	62	13	10	22	17	26	16	9	-	1	38	18	13	3	4	130
179	96	83	-	-	1,774	593	518	339	324	901	510	364	17	10	810	389	316	61	44	131
138	74	64	-	-	1,423	471	413	282	257	688	396	278	9	5	597	284	232	46	35	131a
41	22	19	-	-	351	122	105	57	67	213	114	86	8	5	213	105	84	15	9	131b
8	5	3	-	-	125	51	36	20	18	26	14	11	-	1	82	42	32	3	5	132
6	3	3	-	-	71	28	24	10	9	42	18	24	-	-	44	25	15	2	2	133
4	3	1	-	-	30	18	5	3	4	13	8	5	-	-	15	10	5	-	-	134
3	-	3	-	-	12	5	2	3	2	8	6	2	-	-	7	6	1	-	-	135
1	-	1	-	-	6	4	-	2	-	4	4	-	-	-	6	3	1	2	-	136
32	32	...	-	...	121	89	...	32	...	119	119	...	-	...	80	74	...	6	...	137
27	27	...	-	...	107	75	...	32	...	100	100	...	-	...	59	54	...	5	...	137a
5	5	...	-	...	14	14	...	-	...	19	19	...	-	...	21	20	...	1	...	137b
-	-	...	-	...	1	-	...	1	...	-	-	...	-	...	1	1	...	-	...	138
2	...	2	...	-	19	...	10	...	9	10	...	9	...	1	7	...	7	...	-	139
1	...	1	...	-	13	...	5	...	8	3	...	3	...	-	4	...	4	...	-	139a
1	...	1	...	-	5	...	4	...	1	6	...	5	...	1	3	...	3	...	-	139b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	139c
9	...	9	...	-	113	...	47	...	66	29	...	27	...	2	60	...	57	...	3	
-	...	-	...	-	7	...	2	...	5	1	...	1	...	-	3	...	3	...	-	140
-	...	-	...	-	7	...	4	...	3	-	...	-	...	-	2	...	2	...	-	141
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	2	...	2	...	-	141a,c
-	...	-	...	-	3	...	1	...	2	-	...	-	...	-	-	...	-	...	-	141b
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	141d-f
-	...	-	...	-	7	...	2	...	5	2	...	2	...	-	1	...	1	...	-	142
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	1	...	1	...	-	142a
-	...	-	...	-	6	...	2	...	4	1	...	1	...	-	-	...	-	...	-	142b
-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	2	...	2	...	-	143
2	...	2	...	-	14	...	7	...	7	2	...	2	...	-	6	...	6	...	-	144
-	...	-	...	-	9	...	6	...	3	5	...	5	...	-	5	...	5	...	-	145
-	...	-	...	-	4	...	3	...	1	1	...	1	...	-	1	...	1	...	-	145A
-	...	-	...	-	5	...	3	...	2	4	...	4	...	-	4	...	4	...	-	145B
1	...	1	...	-	17	...	7	...	10	7	...	6	...	1	9	...	9	...	-	146
3	...	3	...	-	14	...	8	...	6	4	...	4	...	-	10	...	9	...	1	147
3	...	3	...	-	23	...	7	...	16	6	...	5	...	1	12	...	10	...	2	148
-	...	-	...	-	5	...	1	...	4	1	...	1	...	-	5	...	5	...	-	149
-	...	-	...	-	7	...	3	...	4	1	...	1	...	-	5	...	5	...	-	150

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	69	28	32	4	5	4	1	3	-	-
151	Carbuncle and furuncle	5	4	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	12	3	6	-	3	-	-	-	-	-
153	Other diseases of skin and cellular tissue	52	21	25	4	2	4	1	3	-	-
	XIII.—Diseases of the bones, etc.*	38	16	12	5	5	1	1	-	-	-
154	Osteomyelitis and periostitis	13	8	2	2	1	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	6	2	2	1	1	-	-	-	-	-
156	Diseases of joints, other organs of movement	19	6	8	2	3	1	1	-	-	-
157	XIV.—Congenital malformations	359	484	385	49	41	93	58	32	2	1
157a-d	Congenital malformations of central nervous system	279	122	134	12	11	24	15	8	-	1
157e,f	Congenital malformations of cardiovascular system	436	227	166	23	20	45	28	16	1	-
157g,h,m	Other congenital malformations	244	135	85	14	10	24	15	8	1	-
	XV.—Diseases peculiar to the first year of life	3,965	1,944	1,312	329	300	356	176	167	7	6
158	Congenital debility (cause not stated)	238	112	92	22	12	4	1	3	-	-
159	Premature birth (cause not stated)	2,589	1,278	875	223	213	206	102	98	3	3
160	Injury at birth	568	291	134	47	36	80	41	36	2	1
161	Other diseases peculiar to first year of life	430	263	151	37	39	66	32	30	2	2
162	XVI.—Senility	1,075	410	486	91	94	82	39	42	1	-
	XVII.—Violent or accidental deaths	6,672	4,034	1,501	862	275	594	409	169	11	5
163,164	Suicide	625	452	134	32	9	37	28	9	-	-
163	Suicide by poisoning	118	59	52	3	4	5	2	3	-	-
164	Suicide by other means	507	391	82	29	5	32	26	6	-	-
165-168	Homicide[1]	767	322	47	328	70	13	9	1	2	1
166	Homicide by firearms	469	213	31	191	34	4	4	-	-	-
167	Homicide by cutting or piercing instruments	229	65	7	129	28	4	2	1	-	1
168	Homicide by other means	69	44	9	8	8	5	3	-	2	-
169-195	Accidental deaths	5,269	3,257	1,320	496	196	544	372	159	9	4
169	Railway accidents (except collisions with motor vehicles)	136	93	19	23	4	11	11	-	-	-
170	Motor-vehicle accidents	2,712	1,393	479	166	44	226	160	63	2	1
170a	Collisions between automobiles and trains	83	55	20	8	-	11	11	-	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	1,894	1,310	383	157	44	212	146	63	2	1
170d	Motorcycle accidents (exc. collisions with automobiles)	35	28	6	1	-	3	3	-	-	-
171	Streetcar and other road-transport accidents	15	11	1	3	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	4	3	-	1	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	11	8	1	2	-	1	1	-	-	-
172	Water-transport accidents	28	25	2	1	-	1	1	-	-	-
173	Air-transport accidents	168	145	21	1	1	19	18	1	-	-
174	Accidents in mines and quarries	2	2	-	-	-	24	23	-	1	-
175	Agricultural and forestry accidents	37	32	2	3	-	18	16	1	1	-
175a-c	Agricultural accidents	31	26	2	3	-	18	16	1	1	-
175d,e	Forestry accidents	6	6	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	86	81	1	4	-	7	6	1	-	-
177	Food poisoning	31	11	12	6	2	-	-	-	-	-
178	Accidental absorption of poisonous gas	64	42	15	7	-	5	5	-	-	-
179	Acute accidental poisoning by solids or liquids	101	53	29	9	10	6	3	3	-	-
180	Conflagration	174	78	44	26	26	2	1	1	-	-
181	Accidental burns (except conflagration)	354	133	132	45	44	14	7	5	1	1
182	Accidental mechanical suffocation	100	53	20	17	10	7	5	2	-	-
183	Accidental drowning	348	246	48	46	8	47	32	12	3	-
184	Accidental injury by firearms	215	153	22	36	4	25	21	4	-	-
185	Accidental injury by cutting or piercing instruments	15	8	2	3	2	2	2	-	-	-
186	Accidental injury by fall or crushing	763	315	401	28	19	85	35	49	-	1
186a	Accidental injury by fall	725	284	399	24	18	85	35	49	-	1
186b	Accidental injury by crushing	38	31	2	4	1	-	-	-	-	-
187	Cataclysm, etc.*	11	4	5	2	-	2	1	1	-	-
188	Injury by animals (except in agriculture and forestry)	8	7	1	-	-	1	1	-	-	-
189	Hunger or thirst	6	4	-	2	-	-	-	-	-	-
190	Excessive cold	6	5	-	1	-	3	2	-	1	-
191	Excessive heat	32	21	6	5	-	-	-	-	-	-
192	Lightning	18	13	4	-	1	1	1	-	-	-
193	Accidents due to electric currents (except lightning)	70	60	5	5	-	4	4	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	4	3	-	-	1	-	-	-	-	-
195	Other accidents	465	266	128	51	20	33	16	16	-	1
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	4	-	2	2	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	55	29	17	5	4	6	4	2	-	-
195c,e	Other and unspecified accidents	408	237	109	44	16	27	12	14	-	1
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	11	5	-	6	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	1,705	830	459	236	180	92	55	26	8	3
199	Sudden death	18	6	6	3	3	3	2	1	-	-
200	Ill-defined and unknown causes	1,687	824	453	233	177	89	53	25	8	3
200a	Ill-defined causes	1,217	597	310	177	133	70	46	22	2	-
200b,c	Unknown or unspecified causes	470	227	143	56	44	19	7	3	6	3

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1948—Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	-	-	-	-	30	8	10	2	10	17	10	7	-	-	13	7	3	1	2	
-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	3	3	-	-	-	151
-	-	-	-	-	2	-	-	1	1	3	1	2	-	-	1	-	1	-	-	152
-	-	-	-	-	26	8	10	1	7	13	8	5	-	-	9	4	2	1	2	153
1	-	1	-	-	16	7	3	3	3	14	8	6	-	-	9	6	1	1	1	
1	-	1	-	-	4	2	-	1	1	3	3	-	-	-	1	1	-	-	-	154
-	-	-	-	-	3	-	2	1	-	2	1	1	-	-	1	1	-	-	-	155
-	-	-	-	-	9	5	1	1	2	9	4	5	-	-	7	4	1	1	1	156
63	30	33	-	-	424	191	146	56	31	291	160	117	7	7	323	169	139	11	4	157
15	3	12	-	-	125	46	58	14	7	68	34	30	2	2	96	37	54	4	1	157a-d
32	17	15	-	-	219	109	64	31	15	155	87	60	3	5	141	80	52	6	3	157e,f
16	10	6	-	-	80	36	24	11	9	68	39	27	2	-	86	52	33	1	-	157g,h,m
144	75	69	-	-	1,740	718	466	320	236	952	538	379	20	15	1,052	602	386	43	21	
1	1	-	-	-	79	21	9	28	21	12	7	4	1	-	27	13	11	3	-	158
90	41	49	-	-	1,128	439	324	211	154	583	325	248	10	10	668	387	236	31	14	159
33	20	13	-	-	295	146	75	39	35	185	106	72	5	2	208	126	76	5	1	160
20	13	7	-	-	238	112	58	42	26	162	100	55	4	3	149	76	63	4	6	161
10	4	6	-	-	199	50	101	21	27	195	86	98	5	6	209	98	107	3	1	162
331	212	119	-	-	2,710	1,382	558	592	178	2,224	1,565	585	55	19	2,058	1,429	457	137	35	
49	34	15	-	-	336	220	79	33	4	327	240	83	3	1	194	153	37	2	2	163,164
10	3	7	-	-	84	45	30	9	-	97	61	34	2	-	25	13	11	-	1	163
39	31	8	-	-	252	175	49	24	4	230	179	49	1	1	169	140	26	2	1	164
3	1	2	-	-	299	87	20	153	39	68	41	14	10	3	151	87	23	31	10	165-168
2	-	2	-	-	178	58	9	89	22	34	23	6	4	1	102	60	19	18	5	166
-	-	-	-	-	69	4	2	54	9	12	4	1	6	1	26	9	1	11	5	167
1	1	-	-	-	52	25	9	10	8	22	14	7	-	1	25	18	3	2	-	168
279	177	102	-	-	2,072	1,075	459	403	135	1,829	1,284	488	42	15	1,709	1,187	397	102	23	169-195
7	7	-	-	-	67	41	6	18	2	40	35	2	2	1	80	70	8	2	-	169
85	59	26	-	-	699	416	108	145	30	557	414	121	18	4	456	340	92	18	6	170
2	2	-	-	-	22	7	-	14	1	13	11	2	-	-	11	4	3	1	3	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
82	56	26	-	-	652	387	108	128	29	527	390	116	17	4	431	322	89	17	3	170c
1	1	-	-	-	25	22	-	3	-	17	13	3	1	-	14	14	-	-	-	170d
-	-	-	-	-	10	4	2	4	-	1	-	1	-	-	4	4	-	-	-	171
-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	171a
-	-	-	-	-	6	2	1	3	-	1	-	1	-	-	4	4	-	-	-	171b
4	3	1	-	-	34	25	-	9	-	39	34	4	1	-	15	14	-	1	-	172
2	2	-	-	-	36	34	2	-	-	40	39	1	-	-	14	14	-	-	-	173
3	3	-	-	-	57	54	-	3	-	9	9	-	-	-	294	245	-	49	-	174
14	14	-	-	-	53	36	6	11	-	107	103	2	2	-	29	27	2	-	-	175
12	12	-	-	-	44	31	6	7	-	33	32	1	-	-	21	19	2	-	-	175a-c
2	2	-	-	-	9	5	-	4	-	74	71	1	2	-	8	8	-	-	-	175d,e
2	2	-	-	-	27	19	2	6	-	34	32	1	1	-	20	19	1	-	-	176
-	-	-	-	-	10	5	2	2	1	-	-	-	-	-	5	3	1	-	1	177
6	3	3	-	-	29	16	8	2	3	81	57	21	3	-	24	15	8	1	-	178
3	3	-	-	-	31	14	9	4	4	26	12	11	3	-	24	16	6	1	1	179
19	8	11	-	-	75	24	15	19	17	71	48	18	2	3	45	24	13	4	4	180
15	8	7	-	-	128	33	38	30	27	48	25	21	-	2	82	35	39	4	4	181
8	4	4	-	-	62	25	17	15	5	44	26	16	2	-	33	18	14	-	1	182
11	8	3	-	-	147	70	17	52	8	130	110	17	2	1	105	84	15	6	-	183
7	6	1	-	-	64	37	5	18	4	28	24	4	-	-	61	42	10	7	2	184
1	1	-	-	-	8	4	-	3	1	5	2	1	1	1	7	7	-	-	-	185
62	28	34	-	-	356	135	179	24	18	426	216	207	3	-	269	119	144	3	3	186
61	27	34	-	-	347	130	179	20	18	410	203	204	3	-	263	113	144	3	3	186a
1	1	-	-	-	9	5	-	4	-	16	13	3	-	-	6	6	-	-	-	186b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9	7	2	-	-	187
-	-	-	-	-	2	1	-	1	-	2	-	2	-	-	4	4	-	-	-	188
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	12	4	-	4	4	3	3	-	-	-	7	6	1	-	-	190
-	-	-	-	-	6	3	-	3	-	2	2	-	-	-	2	1	1	-	-	191
-	-	-	-	-	5	2	-	3	-	1	1	-	-	-	3	2	1	-	-	192
-	-	-	-	-	17	17	-	-	-	16	16	-	-	-	12	12	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
29	17	12	-	-	136	55	43	27	11	118	75	38	2	3	105	59	39	6	1	195
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	1	-	-	1	-	2	1	-	-	1	1	-	1	-	-	195b
6	5	1	-	-	34	14	9	8	3	42	22	18	1	1	13	4	7	1	1	195d
23	12	11	-	-	100	41	34	18	7	74	52	20	1	1	91	55	31	5	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	4	2	-	2	-	198
18	13	5	-	-	356	107	98	89	63	316	230	64	14	8	466	265	155	31	15	
6	5	1	-	-	38	12	6	9	11	22	18	4	-	-	65	47	13	5	-	199
12	8	4	-	-	318	95	92	79	52	294	212	60	14	8	401	218	142	26	15	200
8	7	1	-	-	113	38	34	25	18	181	137	35	5	4	107	71	20	12	4	200a
4	1	3	-	-	205	59	58	54	34	113	75	25	9	4	294	147	122	14	11	200b,c

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	32,564	18,405	13,769	227	163	2,385	1,465	828	58	34
	I.—Infectious and parasitic diseases	957	576	334	20	27	97	58	22	11	6
1	Typhoid fever	-	-	-	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	13	5	8	-	-	2	1	1	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	14	5	6	-	3	3	2	1	-	-
10	Diphtheria (infection by C. diphtheriae)	4	3	-	1	-	1	1	-	-	-
11	Erysipelas	-	-	-	-	-	-	-	-	-	-
12	Tetanus	5	4	1	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	474	289	161	7	17	30	13	9	7	1
13	Tuberculosis of respiratory system, etc.*	440	276	144	7	13	22	9	7	5	1
14	Tuberculosis of meninges, etc.*	10	3	6	-	1	2	1	-	1	-
15	Tuberculosis of intestines and peritoneum	8	2	6	-	-	1	-	-	1	-
16	Tuberculosis of vertebral column	3	3	-	-	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	1	-	1	-	-
20	Tuberculosis of genito-urinary system	5	2	3	-	-	1	1	-	-	-
21	Tuberculosis of other organs	3	1	1	-	1	-	-	-	-	-
22	Disseminated tuberculosis	4	2	-	-	2	3	2	1	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	6	3	2	-	1	-	-	-	-	-
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	2	2	-	-	1	1	-	-	-
28	Malaria	2	1	-	1	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	146	101	35	6	4	22	20	1	1	-
30a	Locomotor ataxia (tabes dorsalis)	10	8	1	1	-	-	-	-	-	-
30b	General paralysis of insane	31	23	7	1	-	7	7	-	-	-
30d	Aneurysm of aorta	44	31	10	1	2	7	7	-	-	-
30f	Congenital syphilis	2	2	-	-	-	-	-	-	-	-
30c,e,g	Syphilis (other forms)	59	37	17	3	2	8	6	1	1	-
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	6	6	-	-	-	-	-	-	-	-
33	Influenza	80	41	35	2	2	8	5	3	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	16	7	6	3	-	11	1	2	3	5
36	Poliomyelitis and polioencephalitis (acute)	92	57	35	-	-	8	4	4	-	-
37	Acute infectious encephalitis (lethargic)	27	15	12	-	-	3	2	1	-	-
38	Other diseases due to filtrable viruses	5	3	2	-	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	3	3	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	6	5	1	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	57	29	28	-	-	4	4	-	-	-
	II.—Cancer and other tumors	5,121	2,648	2,430	23	20	263	131	125	6	1
45-55	Cancer and other malignant tumors	5,001	2,598	2,361	23	19	254	129	119	5	1
45	Cancer of buccal cavity and pharynx	130	103	26	1	-	7	6	1	-	-
45a	Cancer of lip	19	18	1	-	-	1	1	-	-	-
45b	Cancer of tongue	32	23	9	-	-	-	-	-	-	-
45c	Cancer of mouth	18	14	3	1	-	2	2	-	-	-
45d	Cancer of jaw bone	21	17	4	-	-	2	2	-	-	-
45e	Cancer of unspecified parts of buccal cavity	1	1	-	-	-	-	-	-	-	-
45f	Cancer of pharynx	39	30	9	-	-	2	1	1	-	-
46	Cancer of digestive organs and peritoneum	2,429	1,390	1,015	16	8	114	56	55	2	1
46a	Cancer of esophagus	113	97	16	-	-	4	4	-	-	-
46b	Cancer of stomach	819	521	290	6	2	46	27	17	2	-
46c	Cancer of duodenum	7	5	2	-	-	-	-	-	-	-
46d	Cancer of rectum and anus	305	188	113	2	2	9	5	4	-	-
46e	Cancer of intestines, etc.*	622	302	316	3	1	24	7	16	-	1
46f	Cancer of liver and biliary passages	315	152	159	2	2	17	6	11	-	-
46g	Cancer of pancreas	189	103	83	2	1	12	7	5	-	-
46h	Cancer of mesentery and peritoneum	37	13	24	-	-	1	-	1	-	-
46m	Cancer of other and unspecified sites	22	9	12	1	-	1	-	1	-	-
47	Cancer of respiratory system	384	296	86	2	-	20	16	4	-	-
47a	Cancer of larynx	38	35	3	-	-	1	1	-	-	-
47b	Cancer of trachea	1	1	-	-	-	-	-	-	-	-
47c,d	Cancer of bronchus and lung	328	248	78	2	-	19	15	4	-	-
47e	Cancer of pleura	2	-	2	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs	15	12	3	-	-	-	-	-	-	-
48	Cancer of uterus	350	...	344	...	6	14	...	14	...	-
48a	Cancer of cervix	168	...	160	...	6	9	...	9	...	-
48b	Cancer of other and unspecified sites of uterus	184	...	184	...	-	5	...	5	...	-
49	Cancer of other female genital organs	160	...	159	...	1	7	...	7	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	142	...	142	...	-	7	...	7	...	-
49c-e	Cancer of other female genital organs	18	...	17	...	1	-	...	-	...	-
50	Cancer of breast	451	2	446	-	3	27	-	27	-	-
51	Cancer of male genital organs	365	363	...	2	...	29	29	...	-	...
51b	Cancer of prostate	331	329	...	2	...	26	26	...	-	...
51a,c-e	Cancer of other male genital organs	34	34	...	-	...	3	3	...	-	...
52	Cancer of urinary organs	254	184	69	1	-	10	9	1	-	-
52a	Cancer of kidney	80	53	27	-	-	3	3	-	-	-
52b	Cancer of bladder	171	130	40	1	-	7	6	1	-	-
52c	Cancer of other and unspecified sites	3	1	2	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	71	42	29	-	-	1	1	-	-	-
54	Cancer of central nervous system*	93	53	40	-	-	-	-	-	-	-
55	Cancer of other and unspecified organs	314	165	147	1	1	25	12	10	3	-
56,57	Nonmalignant tumors and tumors of unspecified nature	120	50	69	-	1	9	2	6	1	-
56	Nonmalignant tumors (including dermoid cysts)	86	31	54	-	1	5	-	5	-	-
56a-c	Nonmalignant tumors of female genital organs	37	...	36	...	1	4	...	4	...	-
56d	Nonmalignant tumors of central nervous system*	34	21	13	-	-	1	-	1	-	-
56e	Nonmalignant tumors of other and unspecified organs	15	10	5	-	-	-	-	-	-	-
57	Tumors of unspecified nature	34	19	15	-	-	4	2	1	1	-
57a-c	Tumors, female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d	Tumors, central nervous system* (nature unspecified)	21	12	9	-	-	3	1	1	1	-
57e	Tumors, other organs (nature unspecified)	12	7	5	-	-	1	1	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,257	473	770	4	10	60	25	33	-	2
58	Acute rheumatic fever	17	11	6	-	-	2	-	2	-	-
58a	Acute rheumatic pericarditis	1	1	-	-	-	1	-	1	-	-
58b	Acute rheumatic endocarditis	5	3	2	-	-	-	-	-	-	-
58c	Acute rheumatic myocarditis	4	3	1	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	2	2	-	-	-	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	5	2	3	-	-	1	-	1	-	-
59	Chronic rheumatism, other rheumatic diseases	41	14	27	-	-	3	1	2	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,064	410	641	4	9	47	22	24	-	1
62	Diseases of pituitary gland	5	1	4	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	86	13	72	-	1	2	-	1	-	1
63a	Simple goiter	1	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	77	11	65	-	1	1	-	-	-	1
63c-e	Other diseases of thyroid and parathyroid glands	8	2	6	-	-	1	-	1	-	-
64	Diseases of thymus gland	18	11	7	-	-	4	1	3	-	-
65	Diseases of adrenal glands*	12	6	6	-	-	1	1	-	-	-
66	Other general diseases	11	5	6	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	1	-	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	1	-	1	-	-	1	-	1	-	-
	IV.—Diseases of the blood and blood-forming organs	304	182	120	1	1	22	13	9	-	-
72	Hemorrhagic conditions	14	6	8	-	-	1	1	-	-	-
73	Anemias (except splenic anemia)	71	38	32	-	1	4	2	2	-	-
73a	Pernicious anemia	50	24	26	-	-	2	-	2	-	-
73b-d	Other anemias (except splenic)	21	14	6	-	1	2	2	-	-	-
74	Leukemias and aleukemias	205	133	71	1	-	15	10	5	-	-
74a	Leukemias	192	124	67	1	-	14	9	5	-	-
74b	Aleukemias	13	9	4	-	-	1	1	-	-	-
75	Diseases of spleen	7	2	5	-	-	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	7	3	4	-	-	2	-	2	-	-
	V.—Chronic poisoning and intoxication	44	39	4	1	-	13	11	2	-	-
77	Alcoholism (ethylism)	39	35	3	1	-	13	11	2	-	-
78	Lead poisoning	3	3	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	2	1	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	3,584	1,751	1,802	22	9	203	109	90	1	3
80	Encephalitis (nonepidemic)	30	12	18	-	-	5	3	2	-	-
81	Meningitis (not due to meningococcus)	43	27	15	1	-	3	1	1	-	1
82	Diseases of spinal cord (see exceptions)*	58	36	21	1	-	9	6	2	-	1
83	Intracranial lesions of vascular origin	3,222	1,562	1,634	17	9	171	90	79	1	1
83a	Cerebral hemorrhage or effusion*	2,852	1,376	1,456	11	9	152	78	72	1	1
83b,c	Cerebral embolism, thrombosis, and softening	349	176	168	5	-	16	11	5	-	-
83d	Hemiplegia, other paralysis, etc.*	21	10	10	1	-	3	1	2	-	-
84	Mental diseases and deficiency (see exception)*	27	11	15	1	-	1	1	-	-	-
85	Epilepsy	54	25	28	1	-	4	3	1	-	-
86	Convulsions (under 5 years)	8	3	5	-	-	-	-	-	-	-
87	Other diseases of nervous system	126	68	58	-	-	8	5	3	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	16	7	8	1	-	2	-	2	-	-
	VII.—Diseases of the circulatory system	11,948	7,054	4,804	50	40	719	496	209	9	5
90-95	Diseases of the heart (all forms)	11,201	6,627	4,487	48	39	678	476	189	9	4
90	Pericarditis (except acute rheumatic)	10	7	3	-	-	-	-	-	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	10	7	3	-	-	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	20	9	11	-	-	6	6	-	-	-
91a,b	Bacterial, acute, and subacute endocarditis	20	9	11	-	-	6	6	-	-	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	762	405	354	1	2	53	36	15	1	1
92a	Diseases of aortic valve, etc.*	60	33	26	-	1	4	3	1	-	-
92b	Diseases of mitral valve, etc.*	303	165	137	-	1	25	17	7	-	1
92c	Chronic rheumatic endocarditis, etc.*	77	46	30	1	-	5	3	2	-	-
92d	Other chronic endocarditis, etc.*	306	154	152	-	-	17	11	5	1	-
92e	Endocarditis (unspecified, 45 years and over)	16	7	9	-	-	2	2	-	-	-
93	Diseases of the myocardium	6,043	3,183	2,810	27	23	340	218	115	6	1
93a	Acute myocarditis (except rheumatic)	62	39	22	1	-	6	1	5	-	-
93b	Myocarditis (unspecified, under 45 years)	1	-	-	1	-	3	2	1	-	-
93c	Chronic rheumatic myocarditis, etc.*	56	29	27	-	-	1	-	1	-	-
93d	Other chronic myocarditis, etc.*	5,680	2,985	2,653	21	21	303	194	102	6	1
93e	Other myocarditis (unspecified)	244	130	108	4	2	27	21	6	-	-
94	Diseases of coronary arteries, angina pectoris	3,716	2,654	1,039	16	7	231	181	46	2	2
94a	Diseases of coronary arteries	3,694	2,637	1,034	16	7	228	179	45	2	2
94b	Angina pectoris	22	17	5	-	-	3	2	1	-	-

*Refer to International List for complete title, table IX, Part I.

891562 O—50——33

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	650	369	270	4	7	48	35	13	-	-
95a	Functional diseases of heart, etc.*	15	8	7	-	-	2	1	1	-	-
95b	Other diseases of heart (rheumatic)	167	97	66	1	3	5	5	-	-	-
95c	Other diseases of heart (not rheumatic)	468	264	197	3	4	41	29	12	-	-
96	Aneurysm (except of heart and aorta)	87	40	25	1	1	1	-	-	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	557	314	242	1	-	33	14	19	-	-
98	Gangrene	8	4	4	-	-	1	1	-	-	-
99	Other diseases of arteries	38	26	13	-	-	2	2	-	-	-
100	Diseases of veins	38	21	17	-	-	2	1	1	-	-
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	34	18	16	-	-	2	2	-	-	-
103	Other diseases of circulatory system	4	4	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	1,138	656	460	16	6	137	76	42	8	11
104	Diseases of nasal fossae, accessory sinuses	7	4	3	-	-	1	-	-	-	1
105	Diseases of larynx	2	1	1	-	-	-	-	-	-	-
106	Bronchitis	53	32	20	-	1	5	2	3	-	-
107	Bronchopneumonia (including capillary bronchitis)	498	281	208	6	3	48	18	18	5	7
108	Lobar pneumonia	332	197	125	8	2	40	29	8	2	1
109	Pneumonia (unspecified)	77	34	23	-	-	24	12	9	1	2
109A	Atypical or virus pneumonia	27	17	10	-	-	5	3	2	-	-
109B	Pneumonia (all other, unspecified)	50	17	13	-	-	19	9	7	1	2
110	Pleurisy (not tuberculous)	22	16	6	-	-	-	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	86	41	44	1	-	10	6	4	-	-
112	Asthma	51	30	21	-	-	3	3	-	-	-
113	Pulmonary emphysema	6	4	2	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	24	16	7	1	-	6	6	-	-	-
114a,b	Silicosis, other forms of pneumoconioses	3	3	-	-	-	3	3	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	21	13	7	1	-	3	3	-	-	-
	IX.—Diseases of the digestive system	1,390	846	521	16	7	121	67	45	8	1
115	Diseases of buccal cavity and adnexa, etc.*	28	18	8	1	1	5	3	1	1	-
116	Diseases of esophagus	2	-	2	-	-	1	-	1	-	-
117	Ulcer of stomach or duodenum	212	177	35	-	-	19	15	2	2	-
117a	Ulcer of stomach	136	114	22	-	-	14	12	1	1	-
117b	Ulcer of duodenum	76	63	13	-	-	5	3	1	1	-
118	Other diseases of stomach (except cancer)	17	8	7	2	-	3	3	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	69	44	22	3	-	14	5	7	2	-
120	Diarrhea, enteritis, etc.* (2 years and over)	37	23	13	1	-	2	1	1	-	-
121	Appendicitis	99	62	35	1	1	7	6	1	-	-
122	Hernia and intestinal obstruction	244	137	102	5	-	24	11	11	2	-
122a	Hernia	116	71	43	2	-	4	2	1	1	-
122b	Intestinal obstruction	128	66	59	3	-	20	9	10	1	-
123	Other diseases of intestines	39	24	14	1	-	7	2	5	-	-
124	Cirrhosis of liver	346	236	106	2	2	27	16	10	-	1
124a	Cirrhosis of liver with mention of alcoholism	40	31	9	-	-	1	1	-	-	-
124b	Cirrhosis of liver without mention of alcoholism	306	205	97	2	2	26	15	10	-	1
125	Other diseases of liver	45	23	22	-	-	2	1	-	1	-
126	Biliary calculi	161	50	108	-	3	7	3	4	-	-
127	Other diseases of gallbladder, biliary ducts	46	23	23	-	-	3	1	2	-	-
128	Diseases of pancreas (except diabetes mellitus)	24	11	13	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)	21	10	11	-	-	-	-	-	-	-
	X.—Diseases of the genito-urinary system	1,772	1,055	700	9	8	156	88	65	2	1
130	Acute nephritis	42	25	16	-	1	2	1	1	-	-
131	Chronic nephritis	1,378	757	610	7	4	126	63	60	2	1
131a	Arteriosclerotic kidney	1,103	591	503	6	3	101	51	47	2	1
131b	Other chronic nephritis	275	166	107	1	1	25	12	13	-	-
132	Nephritis unspecified (10 years and over)	60	37	23	-	-	10	8	2	-	-
133	Other diseases of kidneys, ureters, etc.*	48	24	23	-	1	-	-	-	-	-
134	Calculi of urinary passages	31	17	11	1	2	1	1	-	-	-
135	Diseases of urinary bladder	11	6	5	-	-	1	1	-	-	-
136	Diseases of urethra (except calculus)	4	4	-	-	-	-	-	-	-	-
137	Diseases of prostate	185	184	...	1	...	14	14	...	-	...
137a	Hypertrophy of prostate	174	173	...	1	...	12	12	...	-	...
137b	Other diseases of prostate	11	11	...	-	...	2	2	...	-	...
138	Diseases of other male genital organs (not venereal)	1	1	...	-	...	-	-	...	-	...
139	Diseases of female genital organs	12	...	12	...	-	2	...	2	...	-
139a	Diseases of ovaries, fallopian tubes, and parametria	6	...	6	...	-	-	...	-	...	-
139b	Diseases of uterus	6	...	6	...	-	2	...	2	...	-
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	87	...	82	...	5	8	...	8	...	-
140	Abortion with mention of infection	2	...	2	...	-	-	...	-	...	-
141	Abortion without mention of infection	6	...	5	...	1	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	3	...	2	...	1	-	...	-	...	-
142	Ectopic gestation	6	...	6	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	4	...	4	...	-	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	7	...	7	...	-	1	...	1	...	-
145	Other diseases of pregnancy (death before delivery)*	7	...	7	...	-	-	...	-	...	-
145A	With mention of infection	6	...	6	...	-	-	...	-	...	-
145B	Without mention of infection	1	...	1	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	16	...	15	...	1	5	...	5	...	-
147	Infection during childbirth and puerperium	11	...	11	...	-	2	...	2	...	-
148	Puerperal toxemias (excluding death before delivery)	14	...	14	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	15	...	12	...	3	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	-	-	...	-	...	-

*Refer to International List for complete title, table IX, Part I.

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	15	7	6	2	-	1	1	-	-	-
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	5	4	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	10	3	5	2	-	1	1	-	-	-
	XIII.—Diseases of the bones, etc.*	22	12	10	-	-	3	2	1	-	-
154	Osteomyelitis and periostitis	6	4	2	-	-	1	1	-	-	-
155	Other diseases of bones (except tuberculosis)	4	1	3	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	12	7	5	-	-	2	1	1	-	-
157	XIV.—Congenital malformations	490	265	216	6	3	42	25	17	-	-
157a-d	Congenital malformations of central nervous system	176	79	95	2	-	9	5	4	-	-
157e,f	Congenital malformations of cardiovascular system	209	124	82	1	2	25	16	9	-	-
157g,h,m	Other congenital malformations	105	62	39	3	1	8	4	4	-	-
	XV.—Diseases peculiar to the first year of life	1,277	706	539	17	15	158	82	69	5	2
158	Congenital debility (cause not stated)	8	5	3	-	-	5	2	2	-	1
159	Premature birth (cause not stated)	784	423	339	11	11	101	49	48	3	1
160	Injury at birth	307	189	114	2	2	28	21	7	-	-
161	Other diseases peculiar to first year of life	178	89	83	4	2	24	10	12	2	-
162	XVI.—Senility	226	103	121	2	-	20	7	13	-	-
	XVII.—Violent or accidental deaths	2,821	1,959	813	38	11	340	260	71	7	2
163,164	Suicide	403	311	91	1	-	38	30	8	-	-
163	Suicide by poisoning	81	46	35	-	-	7	2	5	-	-
164	Suicide by other means	322	265	56	1	-	31	28	3	-	-
165-168	Homicide[1]	29	18	4	6	1	12	7	3	2	-
166	Homicide by firearms	14	9	2	2	1	8	4	2	2	-
167	Homicide by cutting or piercing instruments	6	3	-	3	-	1	1	-	-	-
168	Homicide by other means	9	6	2	1	-	3	2	1	-	-
169-195	Accidental deaths	2,389	1,630	718	31	10	290	223	60	5	2
169	Railway accidents (except collisions with motor vehicles)	47	39	5	3	-	11	9	-	2	-
170	Motor-vehicle accidents	842	684	163	10	5	112	83	27	2	-
170a	Collisions between automobiles and trains	46	39	7	-	-	7	6	1	-	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	771	600	156	10	5	101	73	26	2	-
170d	Motorcycle accidents (exc. collisions with automobiles)	24	24	-	-	-	4	4	-	-	-
171	Streetcar and other road-transport accidents	4	3	1	-	-	-	-	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	2	1	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	2	2	-	-	-	-	-	-	-	-
172	Water-transport accidents	40	36	3	1	-	-	-	-	-	-
173	Air-transport accidents	34	31	3	-	-	11	11	-	-	-
174	Accidents in mines and quarries	5	4	1	-	-	11	11	-	-	-
175	Agricultural and forestry accidents	108	97	10	1	-	17	15	2	-	-
175a-c	Agricultural accidents	107	96	10	1	-	15	13	2	-	-
175d,e	Forestry accidents	1	1	-	-	-	2	2	-	-	-
176	Other accidents involving machinery	37	33	1	3	-	3	3	-	-	-
177	Food poisoning	1	-	1	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	54	32	22	-	-	11	8	3	-	-
179	Acute accidental poisoning by solids or liquids	26	16	9	1	-	4	2	2	-	-
180	Conflagration	53	29	19	3	2	5	4	-	-	1
181	Accidental burns (except conflagration)	59	39	20	-	-	16	11	5	-	-
182	Accidental mechanical suffocation	42	30	12	-	-	10	4	4	1	1
183	Accidental drowning	106	89	14	3	-	16	15	1	-	-
184	Accidental injury by firearms	42	37	5	-	-	11	11	-	-	-
185	Accidental injury by cutting or piercing instruments	4	3	1	-	-	1	1	-	-	-
186	Accidental injury by fall or crushing	748	344	398	4	2	33	22	11	-	-
186a	Accidental injury by fall	745	341	398	4	2	28	17	11	-	-
186b	Accidental injury by crushing	3	3	-	-	-	5	5	-	-	-
187	Cataclysm, etc.*	5	3	2	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	1	-	1	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	8	7	1	-	-	4	4	-	-	-
191	Excessive heat	2	2	-	-	-	-	-	-	-	-
192	Lightning	4	3	1	-	-	2	2	-	-	-
193	Accidents due to electric currents (except lightning)	24	21	2	1	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	1	1	-	-	-	-	-	-	-	-
195	Other accidents	92	66	24	1	1	10	6	4	-	-
195a	Sequelae of preventive immunization, etc.*	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	30	23	7	-	-	3	2	1	-	-
195c,e	Other and unspecified accidents	62	43	17	1	1	7	4	3	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	111	73	37	-	1	22	14	7	1	-
199	Sudden death	23	17	6	-	-	1	1	-	-	-
200	Ill-defined and unknown causes	88	56	31	-	1	21	13	7	1	-
200a	Ill-defined causes	59	38	20	-	1	12	10	1	1	-
200b,c	Unknown or unspecified causes	29	18	11	-	-	9	3	6	-	-

*Refer to International List for complete title, table IX, Part I.
[1]Includes figures for infanticide (165).

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
1	UNITED STATES	1,444,337	233	873	68	1,146	634	43,833	1,078	170	11,816	868	1,895	197,042	927	38,638
2	ALABAMA	26,620	5	32	3	50	30	1,022	28	16	287	14	16	2,653	36	409
3	Autauga	203	-	-	-	-	-	7	-	1	2	-	-	25	1	6
4	Baldwin	344	-	2	-	3	-	13	2	1	6	-	-	36	-	6
5	Barbour	303	-	-	-	2	-	5	1	-	1	-	-	26	-	4
6	Bibb	180	-	-	-	1	-	5	-	1	-	-	-	20	-	2
7	Blount	198	-	-	-	1	-	8	-	-	-	-	-	17	-	2
8	Bullock	175	-	1	-	-	-	2	-	-	-	-	-	15	-	1
9	Butler	277	-	-	-	1	1	4	-	-	2	-	-	25	-	4
10	Calhoun	554	1	-	-	1	-	24	-	-	1	-	1	66	-	10
11	Anniston	239	-	-	-	-	-	9	-	-	1	-	1	31	-	4
12	Balance of county	315	1	-	-	1	-	15	-	-	-	-	-	35	-	6
13	Chambers	348	-	-	-	-	-	9	-	-	3	-	-	38	2	6
14	Cherokee	143	-	1	-	-	-	4	-	-	-	-	2	14	1	2
15	Chilton	188	-	1	-	-	1	5	-	-	1	-	-	23	-	1
16	Choctaw	159	-	1	-	-	1	9	-	-	2	-	-	13	-	2
17	Clarke	266	-	-	-	-	-	7	1	-	-	-	-	32	1	3
18	Clay	143	-	-	-	-	1	4	-	-	-	-	-	24	-	2
19	Cleburne	80	-	1	-	-	-	1	-	-	-	-	-	9	-	1
20	Coffee	181	-	1	-	-	-	5	-	-	2	-	-	8	-	1
21	Colbert	321	-	-	-	2	-	13	-	-	2	-	-	34	-	6
22	Conecuh	174	-	1	-	-	-	2	-	-	-	-	-	13	-	3
23	Coosa	111	-	-	-	-	1	2	-	-	-	1	-	15	-	1
24	Covington	348	-	-	-	1	-	4	-	-	1	-	-	31	-	4
25	Crenshaw	198	-	-	1	-	-	6	-	-	4	1	-	21	-	3
26	Cullman	317	-	-	-	1	2	7	-	-	-	1	-	47	-	3
27	Dale	175	-	-	-	1	-	1	-	-	1	-	-	20	-	2
28	Dallas	642	-	2	-	4	-	16	1	-	6	-	-	4	-	12
29	Selma	273	-	-	-	1	-	7	-	-	5	-	-	4	-	9
30	Balance of county	369	-	2	-	3	-	9	1	-	1	-	-	24	-	3
31	De Kalb	297	-	1	-	1	1	14	-	-	1	-	-	35	2	4
32	Elmore	325	-	1	-	-	-	9	1	-	3	-	-	35	-	4
33	Escambia	285	-	-	-	1	1	14	-	-	3	-	-	28	-	1
34	Etowah	677	1	3	-	2	-	27	1	-	6	1	-	74	-	12
35	Gadsden	360	-	2	-	-	-	16	-	-	4	-	-	48	-	2
36	Balance of county	317	1	1	-	2	-	11	1	-	2	1	-	26	-	10
37	Fayette	147	-	1	-	-	1	3	-	-	1	-	1	8	-	2
38	Franklin	198	-	-	-	1	1	5	-	-	-	-	-	14	1	1
39	Geneva	193	-	1	-	1	-	5	-	-	2	-	-	20	-	1
40	Greene	219	-	-	-	1	-	9	1	-	1	-	1	19	-	-
41	Hale	225	-	-	-	1	-	7	-	-	1	-	-	16	1	7
42	Henry	163	-	-	-	1	-	5	-	-	5	-	-	9	-	3
43	Houston	379	-	2	-	-	-	10	-	-	6	2	-	27	1	10
44	Dothan	184	-	1	-	-	-	6	-	-	4	-	-	12	1	4
45	Balance of county	195	-	1	-	-	-	4	-	-	2	2	-	15	-	6
46	Jackson	296	-	-	-	3	-	21	-	1	-	-	-	35	-	2
47	Jefferson	5,020	-	2	1	5	7	224	2	3	50	-	4	553	8	93
48	Birmingham	3,021	-	-	-	1	3	130	2	2	23	-	4	329	8	54
49	Bessemer	325	-	2	-	1	-	12	-	-	7	-	-	36	-	3
50	Fairfield	130	-	-	-	-	-	12	-	-	1	-	-	12	-	2
51	Balance of county	1,544	-	-	1	3	4	70	-	1	19	-	-	176	-	34
52	Lamar	124	-	-	-	-	-	7	-	-	-	-	-	15	-	2
53	Lauderdale	364	-	-	-	1	1	23	-	-	1	-	-	34	1	3
54	Florence	176	-	-	-	-	-	12	-	-	1	-	-	17	1	2
55	Balance of county	188	-	-	-	1	1	11	-	-	-	-	-	17	-	1
56	Lawrence	196	-	-	-	-	-	7	1	-	-	-	-	12	-	5
57	Lee	328	-	-	-	1	-	11	-	-	4	-	-	31	1	5
58	Limestone	281	-	-	-	2	2	12	-	-	4	1	-	28	4	4
59	Lowndes	182	-	-	-	1	-	12	-	1	3	-	-	11	1	2
60	Macon	341	1	1	-	2	3	21	1	-	22	-	-	29	1	5
61	Madison	644	-	1	-	1	-	36	-	-	-	5	-	65	4	7
62	Huntsville	240	-	-	-	-	-	9	-	-	-	-	-	25	1	3
63	Balance of county	404	-	1	-	1	-	27	-	-	-	5	-	40	3	4
64	Marengo	340	-	-	-	-	-	8	-	-	3	-	-	29	-	6
65	Marion	166	-	-	-	-	1	7	1	-	-	-	-	17	1	-
66	Marshall	365	1	-	-	1	-	10	-	-	1	-	-	28	1	4
67	Mobile	2,169	-	3	-	3	3	92	2	1	77	-	1	214	1	43
68	Mobile	1,270	-	1	-	1	2	45	1	1	16	-	-	148	-	31
69	Balance of county	899	-	2	-	2	1	47	1	-	61	-	1	66	1	12
70	Monroe	213	-	-	-	-	-	9	-	2	1	-	-	17	1	7
71	Montgomery	1,281	-	1	-	1	1	69	1	1	14	-	-	138	-	19
72	Montgomery	1,001	-	1	-	-	1	48	-	-	9	-	-	106	-	16
73	Balance of county	280	-	-	-	1	-	21	1	1	5	-	-	32	-	3
74	Morgan	385	-	-	-	1	-	19	1	-	2	-	3	47	-	7
75	Decatur	160	-	-	-	1	-	2	1	-	1	-	1	22	-	3
76	Balance of county	225	-	-	-	-	-	16	-	-	1	-	2	25	-	4
77	Perry	223	-	1	-	-	1	11	-	1	-	-	-	15	-	4
78	Pickens	230	-	-	-	-	-	8	-	-	2	-	-	12	1	4
79	Pike	289	-	-	-	1	-	4	2	-	2	-	-	20	-	4
80	Randolph	184	-	-	-	-	1	4	2	-	1	1	-	21	1	3
81	Russell	422	1	-	-	-	-	15	-	-	-	-	-	30	-	3
82	Phenix city	206	1	-	-	-	-	7	-	-	-	-	-	16	-	3
83	Balance of county	216	-	-	-	-	-	8	-	-	-	-	-	14	-	-
84	St. Clair	216	-	-	-	1	-	10	1	-	-	-	-	23	-	2
85	Shelby	247	-	1	-	1	-	11	-	-	2	-	-	24	-	4
86	Sumter	245	-	1	-	1	-	8	-	2	3	-	-	17	-	4
87	Talladega	518	-	-	-	2	3	15	-	-	5	-	2	63	-	9
88	Tallapoosa	282	-	-	-	-	-	6	1	-	1	-	-	36	-	7
89	Tuscaloosa	963	-	-	1	1	-	50	5	1	18	-	-	79	-	8
90	Tuscaloosa	450	-	-	-	1	-	20	1	1	8	-	-	37	-	6
91	Balance of county	513	-	-	1	-	-	30	4	-	10	-	-	42	-	2
92	Walker	483	-	1	-	-	1	11	-	-	4	-	1	86	-	5
93	Washington	113	-	-	-	-	-	1	-	-	1	-	-	7	-	1
94	Wilcox	250	-	-	-	3	-	5	-	-	3	-	-	19	-	4
95	Winston	126	-	-	-	-	4	4	-	-	-	1	-	10	-	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations	Premature birth	Other diseases peculiar to early infancy	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	83	90-95	107-109,33	119,120	130-132	140-150	157	159	158, 160,161	163,164	165-168	170	159. 171-195	162, 199.200		
808	131,036	471,469	56,493	8,831	77,377	4,122	19,246	39,085	22,458	16,354	8,536	32,259	65,742	27,291	164,391	1
71	2.709	6,443	1,456	177	2,018	194	352	1,072	541	194	467	742	1,380	1,845	2,470	2
-	15	46	13	-	12	6	1	6	3	-	3	6	12	20	18	3
1	36	91	9	3	24	3	9	11	6	3	2	10	26	11	30	4
-	31	90	18	1	19	1	2	14	7	-	1	20	15	25	22	5
-	22	35	12	-	17	2	1	6	7	5	1	4	9	8	22	6
-	25	49	15	1	13	-	5	13	4	1	-	10	7	8	19	7
-	14	55	11	2	9	1	2	6	1	-	3	8	6	33	5	8
1	20	85	17	2	14	1	6	7	5	2	4	10	10	28	28	9
1	51	149	27	5	49	3	2	35	13	3	6	16	22	19	49	10
-	16	76	7	3	24	2	1	13	6	1	4	6	6	8	20	11
1	35	73	20	2	25	1	1	22	7	2	2	10	16	11	29	12
-	51	75	17	7	37	3	5	6	6	3	7	7	18	17	31	13
1	7	34	11	3	10	1	2	7	4	1	1	-	7	17	13	14
-	15	63	10	2	13	1	3	7	6	2	3	6	8	4	13	15
1	12	37	6	-	12	1	1	10	5	-	4	5	9	11	17	16
-	27	63	11	1	24	1	2	8	3	2	6	6	11	38	19	17
2	18	27	14	1	8	-	4	4	2	2	-	1	5	9	15	18
-	9	18	4	-	8	-	1	5	-	-	1	4	3	10	4	19
1	24	44	15	3	9	1	2	9	1	2	5	7	6	15	16	20
2	31	82	21	1	19	3	2	22	2	2	6	7	19	22	23	21
1	20	39	7	-	18	1	2	5	2	1	5	7	12	24	11	22
-	8	34	9	1	8	1	1	-	-	1	2	6	3	12	5	23
1	38	91	19	6	19	2	8	13	9	7	4	16	14	23	37	24
-	17	52	10	1	13	2	-	3	1	4	4	5	7	30	13	25
-	32	71	24	-	37	3	6	16	6	5	-	12	14	6	26	26
2	23	43	9	-	17	1	3	3	2	5	2	12	6	7	13	27
1	62	142	28	3	76	6	3	17	8	-	8	9	32	100	58	28
-	23	80	17	3	20	2	1	12	7	-	3	3	11	18	27	29
1	38	62	12	-	56	4	2	5	1	-	5	6	21	82	31	30
3	27	58	18	3	23	2	2	17	13	1	-	7	7	20	37	31
2	36	59	15	4	19	4	6	10	6	3	6	15	15	45	27	32
-	18	85	19	4	18	3	2	13	7	1	6	11	13	14	23	33
4	53	155	40	4	55	3	15	28	18	7	10	21	32	41	64	34
1	29	87	20	1	30	1	9	15	10	4	6	10	11	17	37	35
3	24	68	20	3	25	2	6	13	8	3	4	11	21	24	27	36
-	17	44	11	-	10	1	2	6	5	2	4	6	5	8	9	37
-	20	46	28	2	10	1	1	6	3	1	2	5	15	12	23	38
3	27	53	7	-	11	1	-	6	6	2	-	7	7	4	29	39
-	27	43	12	-	12	5	-	5	2	-	6	3	8	42	22	40
-	32	63	7	1	12	1	5	5	4	-	3	1	9	34	15	41
1	22	37	8	2	11	3	5	5	4	1	3	3	7	11	17	42
2	48	74	12	3	58	5	1	17	14	2	8	13	19	11	34	43
2	18	32	7	1	35	2	-	13	8	-	5	6	11	3	13	44
-	30	42	5	2	23	3	1	4	6	2	3	7	8	8	21	45
2	25	73	37	2	11	2	4	10	7	2	1	5	17	12	24	46
7	488	1,281	232	10	265	20	81	222	103	38	125	139	230	380	447	47
1	287	795	113	6	148	13	48	130	62	29	82	89	129	272	261	48
1	40	65	23	-	31	3	6	9	6	1	13	8	13	4	43	49
-	9	32	6	-	11	1	2	3	1	1	3	4	7	9	14	50
5	152	391	90	4	75	3	25	80	34	7	27	38	81	95	129	51
1	12	27	7	3	9	3	1	2	4	1	3	5	2	7	13	52
5	30	93	19	4	24	2	2	9	9	3	6	12	13	29	40	53
3	9	45	7	2	14	2	1	7	7	2	3	5	7	14	15	54
2	21	48	12	2	10	-	1	2	2	1	3	7	6	15	25	55
1	18	39	6	4	12	7	4	14	6	1	4	3	16	18	18	56
-	48	65	26	3	13	5	6	19	6	2	5	5	15	23	34	57
-	24	47	17	4	33	3	4	23	7	1	6	6	15	15	19	58
-	22	37	10	-	7	1	-	5	3	-	1	10	5	36	14	59
2	37	60	16	7	22	2	2	6	5	1	6	9	13	40	27	60
1	50	152	45	8	56	7	3	33	12	6	9	16	34	38	55	61
1	18	60	16	6	20	4	-	13	6	1	2	7	13	13	22	62
-	32	92	29	2	36	3	3	20	8	5	7	9	21	25	33	63
1	59	58	15	2	30	8	3	12	4	1	4	8	12	40	36	64
-	18	34	13	-	12	1	5	8	-	-	2	8	10	8	20	65
1	30	88	21	4	37	1	16	20	19	6	4	14	19	10	31	66
2	168	624	108	14	181	16	30	111	56	21	32	48	92	25	201	67
-	108	378	64	6	112	10	17	65	29	11	20	23	54	17	112	68
2	62	246	44	8	69	6	13	46	27	10	12	25	38	8	89	69
1	24	44	7	1	20	-	2	7	5	-	5	6	14	26	14	70
3	165	334	57	10	87	6	12	30	17	10	36	25	47	61	136	71
-	139	275	46	9	66	3	10	29	15	9	25	20	30	39	105	72
3	26	59	11	1	21	3	2	1	2	1	11	5	17	22	31	73
-	57	82	17	2	23	2	7	21	2	4	5	14	22	20	28	74
-	33	33	7	-	8	-	2	5	-	2	2	6	8	10	13	75
-	24	49	10	2	15	2	5	16	2	2	3	8	14	10	15	76
2	30	41	12	2	20	-	2	6	-	-	2	6	9	38	20	77
-	23	67	10	-	24	1	-	11	3	1	4	3	12	17	27	78
1	43	89	13	3	18	-	10	4	12	-	6	10	20	20	27	79
-	15	29	17	1	31	2	2	5	5	3	1	5	12	9	13	80
1	64	112	41	5	33	8	5	6	3	1	8	8	18	22	38	81
-	23	66	16	3	19	2	3	4	2	1	2	2	9	8	19	82
1	41	46	25	2	14	6	2	2	1	-	6	6	9	14	19	83
2	19	53	11	-	19	3	6	10	4	1	6	6	8	5	26	84
-	23	61	14	-	29	-	2	15	7	-	2	4	16	16	15	85
-	20	45	17	1	26	1	1	5	7	-	5	3	12	46	20	86
1	48	102	29	10	49	4	5	24	18	3	15	24	25	19	43	87
2	25	61	10	2	38	2	1	8	9	8	4	8	14	13	26	88
1	93	256	47	3	67	4	11	26	12	6	23	21	45	18	167	89
-	50	119	16	2	18	1	7	14	10	3	14	10	29	7	76	90
1	43	157	31	1	49	3	4	12	2	3	9	11	16	11	91	91
1	43	93	36	2	29	5	8	28	6	3	9	14	37	36	44	92
2	12	28	13	1	9	2	-	7	2	-	1	2	6	11	7	93
-	31	27	9	3	54	3	2	9	3	-	1	1	12	41	20	94
1	11	29	9	-	6	1	3	6	-	-	-	8	12	7	13	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
1	ARIZONA	6,586	3	3	-	20	7	580	20	-	63	21	18	610	3	98
2	Apache	218	2	-	-	4	1	37	-	-	1	-	-	8	-	3
3	Cochise	371	-	-	-	-	1	13	-	-	1	1	2	32	-	5
4	Coconino	241	-	-	-	1	1	32	1	-	3	1	1	21	-	2
5	Gila	242	-	-	-	2	-	9	-	-	1	3	1	22	-	1
6	Graham	98	-	-	-	-	-	5	-	-	1	-	-	12	-	-
7	Greenlee	86	-	-	-	-	1	-	-	-	-	-	-	3	-	2
8	Maricopa	2,779	-	2	-	4	1	237	4	-	34	5	4	285	1	53
9	Phoenix	1,528	-	1	-	2	-	105	2	-	14	4	1	155	-	33
10	Balance of county	1,251	-	1	-	2	1	132	2	-	20	1	3	130	1	20
11	Mohave	86	-	-	-	1	-	5	1	-	1	-	-	4	-	1
12	Navajo	182	-	-	-	1	-	23	1	-	3	-	-	13	-	1
13	Pima	1,191	-	1	-	5	1	145	3	-	8	11	4	120	1	20
14	Tucson	641	-	-	-	4	-	70	1	-	2	6	3	63	1	9
15	Balance of county	550	-	1	-	1	1	75	2	-	6	5	1	57	-	11
16	Pinal	423	-	-	-	1	1	37	5	-	2	-	-	30	1	1
17	Santa Cruz	96	1	-	-	-	-	6	1	-	2	-	1	7	-	1
18	Yavapai	349	-	-	-	-	-	24	1	-	5	-	3	45	-	4
19	Yuma	214	-	-	-	1	-	7	3	-	1	-	2	8	-	3
20	ARKANSAS	15,224	8	7	1	31	9	727	15	22	148	19	14	1,680	13	230
21	Arkansas	157	-	-	-	-	-	11	-	-	-	-	-	15	-	4
22	Ashley	211	-	-	-	-	-	2	-	-	1	-	1	18	-	5
23	Baxter	68	-	-	-	-	-	4	-	-	-	1	-	10	-	-
24	Benton	369	-	1	-	-	1	7	-	1	2	-	-	36	-	6
25	Boone	117	1	-	-	2	-	3	-	1	-	-	-	13	-	4
26	Bradley	146	-	-	-	-	-	9	-	-	-	-	2	11	-	2
27	Calhoun	53	-	-	-	-	-	4	-	-	-	-	-	9	-	1
28	Carroll	124	1	-	-	-	-	5	-	-	-	-	-	14	-	1
29	Chicot	219	-	-	-	2	-	10	1	-	3	-	1	20	-	3
30	Clark	164	-	-	-	-	-	12	-	-	-	-	-	15	-	2
31	Clay	179	-	-	1	-	-	13	-	-	-	-	-	20	-	3
32	Cleburne	88	-	-	-	-	-	1	-	-	-	-	-	9	-	2
33	Cleveland	62	-	-	-	-	-	1	-	-	1	-	1	6	-	-
34	Columbia	161	-	-	-	-	-	7	-	-	-	-	-	12	1	3
35	Conway	165	-	-	-	1	-	3	-	-	2	-	-	15	1	6
36	Craighead	344	1	-	-	-	1	8	-	-	3	1	-	52	-	4
37	Jonesboro	139	1	-	-	-	-	4	-	-	2	-	-	19	-	-
38	Balance of county	205	-	-	-	-	1	4	-	-	1	1	-	33	-	4
39	Crawford	187	-	-	-	-	-	7	-	-	-	-	1	23	-	3
40	Crittenden	421	-	-	-	1	-	15	1	1	3	1	-	25	-	3
41	Cross	207	1	1	-	1	1	14	1	1	4	2	-	18	-	2
42	Dallas	93	-	-	-	-	-	3	-	-	2	-	-	9	-	1
43	Desha	174	-	-	-	1	-	6	-	1	3	-	-	16	-	-
44	Drew	159	-	-	-	-	-	6	-	-	-	-	1	19	-	5
45	Faulkner	172	-	-	-	-	-	9	-	-	1	-	-	22	-	3
46	Franklin	83	-	-	-	-	-	6	-	-	-	-	-	12	-	-
47	Fulton	53	-	-	-	-	-	1	-	-	-	-	-	9	-	1
48	Garland	514	-	-	-	2	-	29	1	-	3	-	1	65	-	7
49	Hot Springs	438	-	-	-	2	-	26	1	-	3	-	1	57	-	5
50	Balance of county	76	-	-	-	-	-	3	-	-	-	-	-	8	-	2
51	Grant	73	-	-	-	-	-	1	-	-	1	-	-	10	-	-
52	Greene	221	-	-	-	1	-	6	-	-	-	1	-	32	-	6
53	Hempstead	202	-	-	-	-	-	7	-	1	2	1	-	27	-	4
54	Hot Spring	122	-	-	-	-	-	1	-	-	1	-	-	18	-	-
55	Howard	126	-	-	-	-	-	6	-	-	-	-	-	20	-	2
56	Independence	158	-	-	-	-	-	6	-	-	1	-	-	20	-	2
57	Izard	56	-	-	-	-	-	3	-	1	-	-	-	8	-	1
58	Jackson	224	-	-	-	1	1	12	1	-	1	1	-	23	1	5
59	Jefferson	653	-	1	-	4	-	20	-	4	4	-	-	66	-	8
60	Pine Bluff	355	-	-	-	-	-	11	-	3	1	-	-	38	-	3
61	Balance of county	298	-	1	-	4	-	9	-	1	3	-	-	28	-	5
62	Johnson	109	-	-	-	-	-	6	1	-	2	-	-	18	-	3
63	Lafayette	89	-	-	-	-	-	3	-	-	-	-	1	12	-	-
64	Lawrence	145	-	-	-	-	-	4	-	-	-	-	-	11	-	1
65	Lee	172	-	-	-	1	-	9	-	-	-	1	-	17	-	3
66	Lincoln	139	-	-	-	-	-	8	-	-	5	1	-	17	-	4
67	Little River	81	-	-	-	-	-	4	-	-	3	-	-	8	-	-
68	Logan	183	-	-	-	-	-	44	-	-	-	-	-	22	-	4
69	Lonoke	212	-	-	-	2	-	10	-	-	3	-	1	23	1	-
70	Madison	87	-	-	-	-	-	1	-	-	2	-	-	10	1	1
71	Marion	73	-	-	-	1	-	3	1	-	-	1	-	8	-	-
72	Miller	279	-	-	-	1	-	18	1	-	1	-	-	35	-	2
73	Texarkana[1]	164	-	-	-	1	-	10	1	-	1	-	-	25	-	1
74	Balance of county	115	-	-	-	-	-	8	-	-	-	-	-	10	-	1
75	Mississippi	547	-	1	-	3	-	25	2	2	3	1	1	44	-	4
76	Blytheville	127	-	-	-	-	-	9	-	1	1	-	-	5	-	1
77	Balance of county	420	-	1	-	3	-	16	2	1	2	1	1	39	-	3
78	Monroe	171	-	-	-	-	-	13	-	-	2	-	-	24	-	2
79	Montgomery	38	-	-	-	-	-	-	-	-	-	-	-	2	-	-
80	Nevada	107	-	-	-	-	-	4	-	-	1	1	-	16	-	2
81	Newton	38	-	-	-	-	-	1	-	-	-	-	-	3	-	-
82	Ouachita	256	-	-	-	-	-	9	-	-	3	-	-	30	-	7
83	Perry	32	-	-	-	-	-	-	-	1	-	-	-	1	-	-
84	Phillips	484	-	2	-	1	-	30	-	-	2	1	-	45	1	8
85	Pike	55	-	-	-	-	-	2	-	-	-	-	-	3	-	2
86	Poinsett	247	1	-	-	-	-	10	1	-	2	1	-	26	-	-
87	Polk	125	-	-	-	-	-	7	-	-	-	-	-	19	-	-
88	Pope	165	-	-	-	-	1	5	-	-	-	-	1	22	1	4
89	Prairie	83	-	-	-	-	-	3	-	-	-	-	-	9	-	1
90	Pulaski	2,044	-	1	-	3	2	90	2	4	58	-	2	223	2	44
91	Little Rock	1,387	-	1	-	-	1	52	2	1	54	-	2	148	1	38
92	North Little Rock	235	-	-	-	1	-	13	-	-	2	-	-	29	1	2
93	Balance of county	422	-	-	-	2	1	25	-	3	2	-	-	48	-	4

[1] Includes data for Texarkana, Ark., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
2	393	1,424	415	237	227	25	114	242	170	100	44	253	396	272	828	1
-	3	9	18	29	2	2	2	7	6	2	-	7	10	45	19	2
-	25	107	15	10	12	-	3	16	8	5	1	9	29	10	65	3
1	8	25	33	16	4	3	5	13	15	5	3	10	10	6	21	4
-	12	47	14	8	17	-	3	13	4	6	2	12	16	27	22	5
-	5	20	9	3	-	-	2	4	5	3	1	5	6	5	12	6
-	2	15	14	1	3	-	1	6	6	1	-	5	10	2	14	7
1	177	672	167	58	95	9	65	94	62	42	23	106	150	52	376	8
1	92	382	93	26	53	7	35	57	38	31	16	65	77	11	227	9
-	85	290	74	32	42	2	30	37	24	11	7	41	73	41	149	10
-	12	18	9	2	8	-	1	1	-	1	-	9	9	3	10	11
-	6	21	12	20	5	3	4	8	10	1	1	5	9	11	24	12
-	84	255	66	33	34	3	15	40	35	17	3	31	60	38	158	13
-	43	147	42	19	18	1	14	33	26	12	2	14	31	10	70	14
-	41	108	24	14	16	2	1	7	9	5	1	17	29	28	88	15
-	18	56	28	31	25	3	4	14	9	5	4	32	32	46	38	16
-	3	15	10	7	4	-	2	5	3	-	-	3	5	5	15	17
-	26	112	6	7	11	2	4	8	2	6	-	11	25	18	29	18
-	12	52	14	12	7	-	3	13	5	6	6	8	25	3	23	19
16	1,525	3,967	887	101	1,029	100	177	381	220	122	143	384	822	758	1,668	20
-	16	44	6	1	8	2	2	-	2	1	1	7	16	6	15	21
-	21	46	13	-	13	1	2	14	5	-	-	10	12	11	36	22
-	7	14	4	1	2	-	1	2	1	3	1	2	3	1	11	23
1	43	121	13	1	14	-	3	3	6	6	1	16	14	21	52	24
1	15	28	3	-	14	1	3	7	1	-	-	4	6	3	7	25
-	9	53	9	-	4	1	1	2	-	1	-	3	13	10	16	26
-	6	18	2	-	-	2	-	-	-	-	2	-	2	2	5	27
-	17	40	7	1	6	-	1	2	2	-	-	4	3	4	16	28
-	20	43	12	-	18	4	3	1	1	-	4	6	12	39	16	29
-	16	38	11	-	11	2	2	9	-	3	1	4	7	9	22	30
-	17	39	10	1	25	2	2	9	1	2	-	5	6	8	15	31
-	8	24	6	-	14	-	1	1	2	1	1	2	3	2	11	32
-	7	21	4	-	2	-	1	-	-	-	-	2	4	4	8	33
1	17	39	15	1	11	2	1	1	1	2	3	3	15	5	21	34
-	16	46	7	-	19	1	1	5	3	-	-	2	8	10	19	35
-	24	92	29	2	27	4	5	16	4	4	3	12	14	6	32	36
-	13	39	11	1	8	-	3	3	2	1	-	6	7	4	15	37
-	11	53	18	1	19	4	2	13	2	3	3	6	7	2	17	38
-	23	53	11	1	12	2	1	3	-	2	-	10	7	12	16	39
-	55	94	17	4	18	3	2	6	12	2	7	13	23	63	52	40
-	19	51	8	2	12	2	2	5	1	2	1	4	22	11	19	41
-	16	23	2	1	7	-	1	-	3	-	2	2	3	3	15	42
1	14	47	8	1	9	3	1	2	1	-	4	6	16	13	21	43
-	12	55	8	2	4	2	-	5	2	1	-	6	8	9	14	44
-	17	49	6	-	9	-	3	7	3	3	1	4	7	8	20	45
-	16	21	2	-	5	-	-	1	1	-	-	3	5	1	10	46
-	-	15	3	-	5	-	-	3	-	-	1	-	3	4	8	47
2	53	144	40	5	46	-	5	11	7	7	4	9	18	5	50	48
2	45	119	36	5	39	-	3	11	7	5	4	7	13	3	44	49
-	8	25	4	-	7	-	2	-	-	2	-	2	5	2	6	50
-	7	24	8	-	6	1	1	2	-	-	-	1	5	1	5	51
-	18	63	16	2	16	1	2	9	7	1	1	7	5	7	20	52
-	24	34	17	-	19	1	4	2	3	-	1	11	11	10	23	53
-	15	31	9	-	5	-	-	5	-	3	-	4	4	9	17	54
-	9	30	5	-	8	2	3	4	2	1	-	4	7	8	15	55
-	15	50	6	3	21	-	2	4	-	-	-	1	8	9	10	56
-	10	13	4	1	7	-	-	-	2	-	-	-	2	1	3	57
-	12	53	16	-	12	4	2	5	3	2	3	8	24	11	23	58
4	61	183	21	6	54	6	10	15	10	3	14	13	36	33	77	59
1	35	110	6	4	28	1	6	13	6	1	7	8	18	8	47	60
3	26	73	15	2	26	5	4	2	4	2	7	5	18	25	30	61
-	14	24	3	-	10	-	1	2	3	-	3	4	2	3	10	62
-	5	29	7	1	-	2	2	2	2	1	1	3	5	6	7	63
-	18	46	10	-	7	2	3	7	2	1	1	-	7	3	21	64
-	15	43	8	2	7	2	1	6	2	1	2	2	10	23	17	65
-	12	27	5	2	8	1	3	2	4	-	1	3	17	9	10	66
-	4	29	3	-	4	-	1	2	2	-	-	3	5	5	8	67
-	12	49	4	-	4	1	4	1	1	-	2	3	11	5	16	68
-	21	43	19	3	18	2	3	8	2	-	5	4	9	10	25	69
-	6	25	1	-	7	1	-	3	2	1	1	3	3	4	15	70
1	10	20	7	-	4	1	1	1	-	2	1	5	-	1	5	71
-	26	78	14	1	14	1	4	8	6	2	8	10	12	18	19	72
-	15	47	7	1	8	1	2	6	4	2	4	8	7	5	8	73
-	11	31	7	-	6	-	2	2	2	-	4	2	5	13	11	74
-	62	105	47	15	24	5	13	18	9	2	5	18	38	34	66	75
-	23	28	8	2	2	1	3	2	3	-	2	4	4	7	21	76
-	39	77	39	13	22	4	10	16	6	2	3	14	34	27	45	77
-	16	43	17	1	7	1	1	3	4	1	1	6	7	7	15	78
-	4	9	4	1	4	-	1	-	1	-	-	-	-	6	6	79
-	26	26	4	-	5	3	-	-	-	-	1	4	2	4	8	80
-	4	14	3	-	4	-	-	-	-	2	-	-	4	2	1	81
1	21	75	13	-	12	1	5	7	4	5	8	4	13	14	24	82
-	9	4	2	1	2	-	-	2	1	1	-	-	-	-	8	83
-	38	98	25	4	49	3	1	12	8	2	6	2	33	75	40	84
-	9	13	3	1	4	1	1	-	-	-	2	-	4	2	8	85
-	18	69	13	9	13	3	6	12	7	2	1	5	12	13	23	86
-	17	33	7	1	7	2	1	6	1	1	-	2	4	6	11	87
-	15	52	8	2	9	-	3	4	1	4	-	4	8	11	10	88
-	6	19	5	1	8	-	2	3	-	2	1	3	3	3	14	89
2	188	531	137	10	147	8	27	61	31	14	14	43	85	21	296	90
1	120	360	86	5	109	4	12	40	17	10	9	32	52	13	217	91
1	14	80	13	2	19	2	10	10	7	3	-	5	9	1	31	92
-	54	111	38	3	19	2	5	11	7	1	5	6	22	7	48	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	ARKANSAS—Continued															
1	Randolph	114	-	-	-	-	-	5	-	-	-	-	-	8	-	2
2	St. Francis	288	-	-	-	-	1	19	1	1	3	1	-	30	1	4
3	Saline	246	-	-	-	-	-	34	-	-	12	-	-	17	-	-
4	Scott	59	-	-	-	-	-	3	-	-	-	-	-	7	1	3
5	Searcy	55	-	-	-	-	-	5	-	-	-	-	-	9	-	-
6	Sebastian	525	3	-	-	-	-	27	-	1	2	-	-	72	-	7
7	Fort Smith	411	3	-	-	-	-	16	-	1	2	-	-	57	1	7
8	Balance of county	114	-	-	-	-	-	11	-	-	-	-	-	15	-	-
9	Sevier	98	-	-	-	1	-	6	-	-	1	-	-	11	-	2
10	Sharp	48	-	-	-	-	-	2	-	-	-	-	-	7	-	-
11	Stone	44	-	-	-	-	-	8	-	-	-	1	-	5	-	1
12	Union	329	-	-	-	-	-	15	-	-	4	2	-	34	1	3
13	El Dorado	141	-	-	-	-	-	7	-	-	1	-	-	9	-	2
14	Balance of county	188	-	-	-	-	-	8	-	-	3	2	-	25	1	1
15	Van Buren	68	-	-	-	-	-	3	-	-	-	-	-	9	-	1
16	Washington	359	-	-	-	1	-	9	-	-	-	-	-	50	-	8
17	White	277	-	-	-	-	-	10	1	-	-	-	-	36	-	6
18	Woodruff	141	-	-	-	1	1	7	-	-	1	-	-	9	-	1
19	Yell	87	-	-	-	-	-	7	-	2	-	-	-	11	-	1
20	CALIFORNIA	98,905	11	62	1	25	45	3,301	38	1	870	45	355	14,067	28	2,184
21	Alameda	6,987	-	4	-	1	3	217	1	-	36	2	17	1,045	1	164
22	Oakland	4,199	-	2	-	-	2	126	1	-	21	2	8	641	1	101
23	Alameda	441	-	-	-	-	-	10	-	-	2	-	1	55	-	12
24	Berkeley	965	-	-	-	-	-	16	-	-	4	-	4	180	-	15
25	Albany	103	-	-	-	-	-	4	-	-	-	-	1	12	-	1
26	San Leandro	221	-	-	-	-	-	6	-	-	2	-	1	33	-	8
27	Balance of county	1,058	-	2	-	1	1	55	-	-	7	-	2	124	-	27
28	Alpine	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-
29	Amador	111	-	-	-	-	-	7	-	-	1	-	-	9	-	3
30	Butte	727	-	-	1	-	-	20	-	-	6	-	1	103	-	10
31	Calaveras	115	-	-	-	-	-	7	1	-	1	-	-	15	-	-
32	Colusa	143	-	-	-	-	-	2	-	-	1	-	-	24	-	6
33	Contra Costa	1,571	-	5	-	1	1	35	1	-	17	1	8	209	-	34
34	Richmond	519	-	4	-	-	1	16	1	-	6	-	1	68	-	8
35	Balance of county	1,052	-	1	-	1	-	19	-	-	11	1	7	141	-	26
36	Del Norte	83	-	-	-	-	-	1	-	-	-	-	-	8	-	-
37	El Dorado	195	-	-	-	-	-	5	-	-	2	-	-	23	-	4
38	Fresno	2,364	-	3	-	-	2	99	1	-	13	1	11	339	-	41
39	Fresno	1,327	-	2	-	-	-	71	-	-	11	-	8	208	-	25
40	Balance of county	1,037	-	1	-	-	2	28	1	-	2	1	3	131	-	16
41	Glenn	131	-	-	-	-	-	2	1	-	1	-	-	18	-	5
42	Humboldt	752	-	1	-	-	-	13	-	-	2	-	1	90	-	11
43	Eureka	397	-	1	-	-	-	6	-	-	-	-	-	55	-	5
44	Balance of county	335	-	-	-	-	-	7	-	-	2	-	1	35	-	6
45	Imperial	538	1	2	-	-	-	19	1	-	4	1	6	36	-	6
46	Brawley	98	-	1	-	-	-	4	-	-	1	-	3	4	-	3
47	El Centro	96	-	-	-	-	-	1	1	-	-	-	-	11	-	-
48	Balance of county	344	1	1	-	-	-	14	-	-	3	1	3	21	-	3
49	Inyo	118	-	-	-	-	-	3	-	-	2	1	1	15	-	2
50	Kern	1,654	-	5	-	2	-	86	-	-	16	4	12	184	-	27
51	Bakersfield	465	-	3	-	1	-	12	-	-	4	2	4	50	-	10
52	Balance of county	1,189	-	2	-	1	-	54	-	-	12	2	8	134	-	17
53	Kings	429	-	1	-	-	-	18	-	-	3	1	1	65	-	16
54	Lake	166	-	-	-	1	-	3	-	-	1	-	-	22	-	2
55	Lassen	149	-	1	-	-	-	5	-	-	2	-	-	17	-	3
56	Los Angeles	36,751	2	13	-	7	15	1,098	6	-	206	21	136	5,953	11	945
57	Long Beach	2,522	-	1	-	-	-	31	-	-	16	-	10	401	-	74
58	Los Angeles	20,702	-	7	-	1	10	667	2	-	163	6	57	3,271	8	528
59	Alhambra	500	-	-	-	-	-	7	-	-	2	-	-	86	1	14
60	Belvedere (twp.)[2]	280	-	-	-	-	1	17	1	-	2	1	1	37	1	8
61	Beverly Hills	196	-	-	-	-	-	2	-	-	3	-	-	30	-	10
62	Burbank	476	1	1	-	-	-	9	-	-	2	-	5	69	-	11
63	Glendale	966	-	-	-	-	-	11	-	-	7	-	3	155	-	17
64	Huntington Park	298	-	1	-	-	-	8	-	-	-	-	2	51	-	5
65	Inglewood	428	-	-	-	-	-	6	-	-	1	-	5	68	-	13
66	Pasadena	1,482	-	-	-	-	-	24	-	-	4	-	6	245	-	30
67	Santa Monica	813	-	-	-	-	-	21	-	-	5	-	2	128	1	17
68	South Gate	306	-	-	-	-	-	5	-	-	1	-	1	44	-	6
69	Bell	129	-	-	-	-	-	1	1	-	-	-	2	27	-	2
70	Compton	292	-	1	-	-	-	8	-	-	-	1	4	31	-	10
71	Lynwood	154	-	-	-	1	-	3	-	-	2	-	3	27	-	5
72	Maywood	117	-	-	-	-	1	1	-	-	-	-	1	15	-	2
73	Monrovia	260	-	-	-	-	-	15	-	-	-	-	1	42	-	4
74	Pomona	357	-	-	-	3	-	8	-	-	-	-	-	49	-	11
75	Redondo Beach	224	-	-	-	-	-	4	-	-	-	-	-	24	-	3
76	San Gabriel	182	-	1	-	-	-	5	-	-	-	-	2	22	-	6
77	South Pasadena	188	-	-	-	-	-	2	-	-	-	-	-	33	-	5
78	Whittier	248	-	-	-	-	-	5	-	-	1	-	1	37	-	5
79	Balance of county	7,631	1	1	-	2	3	226	2	-	77	13	30	1,060	-	159
80	Madera	318	-	1	-	-	-	21	1	-	2	-	2	40	-	2
81	Marin	696	-	1	-	-	-	24	-	-	2	-	5	89	-	13
82	Mariposa	58	-	-	-	-	-	-	-	-	1	-	-	7	-	1
83	Mendocino	526	-	1	-	2	-	22	-	-	8	-	-	57	-	14
84	Merced	513	1	-	-	1	-	24	2	-	7	-	4	54	1	5
85	Merced	242	1	-	-	-	-	19	1	-	4	-	-	30	1	2
86	Balance of county	271	-	-	-	1	-	5	1	-	3	-	4	24	-	3
87	Modoc	94	-	-	-	-	-	3	-	-	-	-	1	8	-	1
88	Mono	14	-	-	-	-	-	1	-	-	-	-	1	1	-	-
89	Monterey	906	-	2	-	2	1	35	-	-	9	1	2	122	-	24
90	Monterey	111	-	1	-	-	-	2	-	-	1	-	-	18	-	8
91	Salinas	149	-	-	-	1	-	3	-	-	1	-	1	18	-	6
92	Balance of county	646	-	1	-	1	1	30	-	-	7	1	1	86	-	12

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
1	20	25	7	-	7	-	1	4	2	1	-	7	9	7	8	1
-	31	60	15	1	16	-	5	6	6	1	4	5	9	37	30	2
1	33	76	25	1	7	-	-	4	2	-	1	6	8	2	17	3
-	3	7	4	-	4	-	-	-	3	-	-	6	3	5	10	4
-	6	18	3	-	4	-	1	-	1	-	-	1	3	1	3	5
-	55	164	17	2	32	-	4	5	6	5	5	7	42	10	58	6
-	49	138	9	2	27	-	3	3	5	4	5	6	25	6	42	7
-	6	26	8	-	5	-	1	2	1	1	-	1	17	4	16	8
-	6	33	4	-	5	1	1	4	2	1	1	-	4	7	8	9
-	3	8	3	-	3	-	1	-	1	-	1	-	4	1	14	10
-	4	11	7	-	2	-	-	-	-	-	-	-	1	-	4	11
-	28	85	15	1	33	2	4	6	5	1	8	12	51	4	35	12
-	10	41	5	-	15	-	3	2	2	-	7	6	12	-	19	13
-	18	44	10	1	18	2	1	4	3	1	1	6	19	4	16	14
-	13	14	5	-	8	-	2	1	-	2	1	-	3	4	2	15
-	44	106	15	5	27	2	3	8	5	6	-	10	21	4	35	16
-	27	62	19	-	28	4	1	8	5	5	-	6	20	18	21	17
-	14	33	10	-	7	2	-	2	5	4	2	4	17	8	13	18
-	6	22	11	-	5	-	1	2	-	2	-	1	3	6	7	19
13	7,739	33,709	4,043	544	3,800	206	1,369	2,489	1,584	1,802	471	2,982	4,047	623	12,471	20
-	546	2,659	298	28	278	10	80	160	96	144	27	159	223	37	751	21
-	318	1,605	168	16	165	8	44	77	49	96	20	94	136	21	477	22
-	33	177	15	3	13	-	7	21	6	14	-	12	15	1	44	23
-	88	378	32	1	45	1	8	14	18	14	2	15	24	5	101	24
-	9	46	5	1	3	-	-	4	2	3	-	-	3	-	9	25
-	16	74	11	2	9	-	5	11	3	2	-	3	10	1	24	26
-	82	379	67	5	43	1	16	33	18	15	5	35	35	9	96	27
-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	28
-	7	37	6	-	5	-	2	-	1	4	-	8	6	1	14	29
-	72	247	26	-	38	3	13	13	16	12	2	35	37	3	69	30
-	14	42	1	-	4	-	1	1	1	2	-	5	10	2	8	31
-	16	32	3	1	14	-	2	1	3	2	3	6	10	-	17	32
-	115	437	56	14	78	9	44	72	52	37	21	62	82	5	175	33
-	33	117	17	7	28	2	20	38	25	13	8	19	26	1	60	34
-	82	320	39	7	50	7	24	34	27	24	13	43	58	4	115	35
-	10	28	1	-	-	-	3	5	1	2	-	6	5	2	11	36
-	16	72	14	2	7	-	2	1	5	-	1	5	10	3	23	37
-	218	612	115	56	89	7	39	67	40	53	18	131	136	3	270	38
-	128	345	52	7	57	5	15	26	19	25	9	62	60	1	190	39
-	89	267	63	49	32	2	24	41	21	28	9	69	76	2	80	40
1	8	25	7	-	14	-	1	6	2	1	1	6	10	4	18	41
-	51	277	18	2	16	1	13	19	18	6	-	42	60	5	86	42
-	29	167	12	1	7	-	7	8	7	2	-	14	18	4	54	43
-	22	110	6	1	9	1	6	11	11	4	-	28	42	1	32	44
-	21	136	35	27	14	3	6	29	21	10	18	31	52	3	56	45
-	2	18	10	11	2	-	3	8	4	-	2	3	7	1	11	46
-	7	32	4	5	1	1	2	3	4	3	-	2	11	-	8	47
-	12	86	21	11	11	2	1	18	13	7	16	26	34	2	37	48
-	6	30	4	-	3	1	1	3	5	2	-	13	11	-	15	49
-	76	468	84	43	50	-	49	67	44	23	20	111	98	6	199	50
-	22	130	23	13	26	-	21	27	11	4	3	16	24	3	56	51
-	54	338	61	30	24	-	28	40	33	19	17	95	74	3	143	52
-	37	96	32	8	10	3	6	16	5	11	3	20	23	4	50	53
-	16	54	11	3	4	1	1	5	2	4	2	4	12	1	17	54
-	11	34	7	-	6	2	5	12	5	3	1	9	6	2	18	55
6	3,153	13,859	1,334	110	1,434	86	494	902	616	723	167	948	1,270	118	5,048	56
-	202	944	73	6	78	1	32	56	24	46	16	81	98	10	322	57
4	1,649	7,144	747	50	802	62	242	465	327	409	101	446	681	51	2,802	58
-	40	221	17	-	14	-	2	8	7	3	-	10	13	2	53	59
-	16	73	19	2	7	2	6	7	7	4	6	8	6	-	48	60
-	11	99	5	-	6	-	1	-	1	5	-	3	3	-	17	61
-	44	157	23	1	15	4	4	16	12	6	-	11	13	2	70	62
-	91	379	21	-	42	-	6	15	13	25	-	21	23	1	138	63
-	27	113	6	-	16	-	3	8	1	9	2	10	4	1	31	64
-	26	166	9	-	11	1	8	12	7	8	-	7	15	-	65	65
-	139	550	48	8	53	1	13	34	13	25	4	28	59	12	186	66
-	82	293	25	2	30	1	9	16	13	12	1	20	25	3	106	67
-	31	115	5	-	10	-	9	13	10	4	-	9	9	-	34	68
1	9	40	4	-	6	-	2	6	5	4	-	1	4	-	14	69
-	24	98	7	1	15	-	9	11	6	7	1	13	9	2	34	70
-	7	54	2	-	8	-	1	8	9	1	1	5	3	-	14	71
-	6	44	3	-	-	-	3	3	2	1	-	7	4	-	24	72
-	36	73	9	-	8	-	3	6	4	3	-	5	11	2	38	73
-	33	128	11	2	21	1	4	10	4	6	-	13	10	1	42	74
-	22	77	9	-	8	-	5	8	2	6	2	8	12	-	34	75
-	15	60	4	1	4	-	2	9	3	7	-	4	6	-	31	76
-	30	70	3	1	7	-	2	2	4	2	1	3	6	1	16	77
-	29	85	9	-	11	-	3	7	3	2	1	6	12	1	30	78
1	584	2,878	275	36	262	13	125	182	139	128	31	229	244	29	901	79
-	33	81	14	9	12	2	6	11	8	3	3	15	14	4	34	80
-	55	245	19	-	44	-	6	10	6	14	4	24	30	4	101	81
-	4	15	4	-	6	-	-	-	1	1	-	3	7	-	8	82
-	48	176	22	-	21	1	4	6	9	12	-	14	26	3	80	83
-	36	128	24	22	10	2	11	22	12	10	6	31	35	7	58	84
-	18	58	15	8	7	-	5	9	3	2	2	9	11	3	34	85
-	18	70	9	14	3	2	6	13	9	8	4	22	24	4	24	86
-	5	34	3	-	2	-	1	5	1	4	1	6	17	-	2	87
-	1	4	-	-	1	-	-	-	-	-	-	-	1	2	2	88
-	84	279	35	7	31	1	11	40	17	15	2	38	31	21	116	89
-	10	30	2	1	4	-	1	3	1	-	-	3	5	2	21	90
-	14	52	3	1	5	-	1	6	2	3	-	5	9	1	17	91
-	40	197	30	5	22	1	9	31	14	12	2	30	17	18	78	92

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) menin-gitis	Scarlet fever	Whoop-ing cough	Diph-the-ria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-ilis	Measles	Polio-myelitis, polio-encepha-litis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
	CALIFORNIA—Continued															
1	Napa	901	-	-	-	-	-	46	-	-	28	1	-	86	-	19
2	Nevada	243	-	-	-	-	-	12	-	-	-	-	-	32	-	7
3	Orange	1,929	-	1	-	2	1	39	1	-	14	1	3	283	-	52
4	Santa Ana	483	-	-	-	1	-	6	1	-	4	-	-	64	-	14
5	Anaheim	160	-	1	-	-	-	3	-	-	-	1	-	26	-	5
6	Fullerton	132	-	-	-	-	-	-	-	-	-	-	-	20	-	5
7	Balance of county	1,154	-	-	-	1	1	30	-	-	10	-	3	173	-	28
8	Placer	500	-	-	-	-	-	54	-	-	2	-	4	51	-	5
9	Plumas	117	-	-	-	-	-	7	-	-	8	1	-	9	-	2
10	Riverside	1,560	-	1	-	-	-	74	2	1	4	1	6	214	1	41
11	Riverside	592	-	1	-	-	-	11	-	-	-	-	2	92	-	14
12	Balance of county	968	-	-	-	-	-	63	2	1	4	1	4	122	1	27
13	Sacramento	2,569	2	1	-	1	-	147	-	-	15	-	13	311	4	53
14	Sacramento	1,704	1	1	-	-	-	113	-	-	8	-	8	205	3	36
15	Balance of county	865	1	-	-	1	-	34	-	-	7	-	5	106	1	17
16	San Benito	159	-	-	-	-	-	5	-	-	1	-	-	25	-	10
17	San Bernardino	2,780	-	1	-	-	-	125	2	-	47	-	11	299	1	54
18	San Bernardino	985	-	1	-	-	-	53	1	-	9	-	7	117	-	17
19	Ontario	131	-	-	-	-	-	3	-	-	-	-	-	24	-	3
20	Redlands	191	-	-	-	-	-	6	-	-	-	-	-	20	-	5
21	Balance of county	1,473	-	-	-	-	-	83	1	-	38	-	4	138	1	29
22	San Diego	4,400	-	5	-	-	-	105	1	-	28	2	38	631	-	79
23	San Diego	2,761	-	3	-	-	-	72	1	-	18	2	18	414	-	50
24	National City	169	-	-	-	-	-	6	-	-	-	-	3	27	-	1
25	Balance of county	1,470	-	2	-	-	-	27	-	-	10	-	17	190	-	28
26	San Francisco, coextensive with San Francisco (city)	9,354	2	9	-	1	18	359	1	-	75	2	26	1,459	-	198
27	San Joaquin	2,242	1	-	-	1	-	139	-	-	54	-	4	259	1	43
28	Stockton	665	-	-	-	-	-	26	-	-	4	-	-	85	-	11
29	Lodi	138	-	-	-	1	-	2	-	-	1	-	-	20	-	2
30	Balance of county	1,439	1	-	-	-	-	111	-	-	49	-	4	154	1	30
31	San Luis Obispo	522	-	-	-	-	1	12	-	-	3	-	3	77	-	10
32	San Mateo	1,475	1	-	-	-	-	63	-	-	18	-	5	209	-	36
33	Burlingame	114	-	-	-	-	-	-	-	-	1	-	-	22	-	2
34	Redwood City	148	-	-	-	-	-	4	-	-	-	-	1	14	-	6
35	San Mateo	424	-	-	-	-	-	12	-	-	6	-	1	69	-	10
36	Balance of county	789	1	-	-	-	-	47	-	-	11	-	3	104	-	18
37	Santa Barbara	848	-	1	-	-	-	23	-	-	6	-	6	121	1	22
38	Santa Barbara	449	-	1	-	-	-	6	-	-	2	-	5	75	-	10
39	Balance of county	399	-	-	-	-	-	17	-	-	4	-	1	46	1	12
40	Santa Clara	2,944	-	2	-	1	1	79	-	-	40	-	5	379	-	65
41	San Jose	808	-	-	-	-	-	15	-	-	6	-	1	115	-	23
42	Palo Alto	297	-	-	-	1	-	3	-	-	3	-	-	51	-	12
43	Balance of county	1,839	-	2	-	-	1	61	-	-	31	-	4	213	-	30
44	Santa Cruz	910	-	-	-	-	-	20	-	-	8	-	4	135	1	24
45	Santa Cruz	422	-	-	-	-	-	2	-	-	-	-	1	66	-	12
46	Balance of county	488	-	-	-	-	-	18	-	-	8	-	3	69	1	12
47	Shasta	337	-	-	-	-	-	8	-	-	-	-	-	32	-	4
48	Sierra	24	-	-	-	-	-	1	-	-	-	-	-	3	-	-
49	Siskiyou	293	-	-	-	-	-	7	-	-	2	-	1	40	2	5
50	Solano	700	1	-	-	-	-	16	-	-	4	-	3	123	-	16
51	Vallejo	325	-	-	-	-	-	8	-	-	4	-	-	54	-	8
52	Balance of county	377	1	-	-	-	-	8	-	-	-	-	3	69	-	8
53	Sonoma	1,258	-	-	-	-	-	48	10	-	17	1	-	158	2	12
54	Santa Rosa	252	-	-	-	-	-	6	-	-	1	-	-	40	1	4
55	Balance of county	1,006	-	-	-	-	-	42	10	-	16	1	-	118	1	8
56	Stanislaus	1,141	-	-	-	1	-	37	-	-	15	2	3	137	-	25
57	Modesto	454	-	-	-	-	-	16	-	-	3	-	2	63	-	7
58	Balance of county	687	-	-	-	1	-	19	-	-	12	2	1	74	-	18
59	Sutter	189	-	-	-	-	-	1	-	-	4	-	1	21	-	6
60	Tehama	248	-	-	-	-	-	5	-	-	1	1	-	37	-	3
61	Trinity	72	-	-	-	-	-	1	1	-	-	-	-	11	-	-
62	Tulare	1,083	-	-	-	1	-	32	5	-	11	-	3	137	2	19
63	Tuolumne	158	-	-	-	-	-	4	-	-	2	-	-	18	-	4
64	Ventura	1,133	-	-	-	-	1	69	-	-	32	-	4	128	-	16
65	San Buenaventura	127	-	-	-	-	-	2	-	-	-	-	1	21	-	2
66	Balance of county	1,006	-	-	-	-	1	67	-	-	32	-	3	107	-	14
67	Yolo	422	-	-	-	-	-	16	-	-	5	-	3	55	-	9
68	Yuba	299	-	1	-	-	1	7	-	-	3	-	-	33	-	6
69	COLORADO	12,582	1	10	3	24	8	362	10	-	105	6	12	1,570	6	240
70	Adams	226	-	1	-	-	-	18	1	-	1	-	1	27	-	3
71	Alamosa	89	-	-	-	-	-	2	-	-	1	-	-	7	-	1
72	Arapahoe	333	-	-	-	-	-	15	-	-	3	-	-	41	-	4
73	Archuleta	28	-	-	-	-	-	-	-	-	1	-	-	2	-	-
74	Baca	55	-	-	-	-	-	-	-	-	-	-	-	8	-	1
75	Bent	81	-	1	-	-	-	7	-	-	5	-	-	12	-	3
76	Boulder	426	-	-	-	1	-	23	-	-	-	1	-	51	-	12
77	Boulder	218	-	-	-	-	-	18	-	-	-	1	-	21	-	3
78	Balance of county	208	-	-	-	1	-	5	-	-	-	-	-	30	-	9
79	Chaffee	86	-	-	-	-	-	3	-	-	1	-	-	8	-	-
80	Cheyenne	26	-	-	-	-	-	1	-	-	-	-	-	4	-	-
81	Clear Creek	24	-	-	-	-	-	-	-	-	-	-	-	4	-	-
82	Conejos	87	-	-	-	-	-	2	1	-	-	-	-	7	-	1
83	Costilla	37	-	-	-	-	-	1	-	-	-	-	-	6	-	1
84	Crowley	28	-	-	-	1	-	1	-	-	1	-	-	2	-	1
85	Custer	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-
86	Delta	203	-	-	-	1	-	3	-	-	-	-	-	22	1	7
87	Denver, coextensive with Denver (city)	4,201	-	3	-	1	2	117	-	-	47	-	2	598	3	85
88	Dolores	16	-	-	-	-	-	1	-	-	1	-	-	-	-	1
89	Douglas	16	-	-	-	-	-	-	-	-	-	-	1	3	-	-
90	Eagle	36	-	-	-	-	-	-	-	-	-	-	-	5	-	-
91	Elbert	23	-	-	-	-	-	-	-	-	1	-	-	1	-	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	67	361	74	2	37	1	6	5	2	12	2	12	25	9	106	1
-	9	90	10	-	33	1	2	-	2	5	-	7	13	-	20	2
-	185	638	72	12	90	1	32	60	27	22	2	72	75	17	227	3
-	53	186	14	3	21	-	4	16	5	6	-	12	20	5	48	4
-	21	45	7	2	13	-	2	1	3	3	-	7	1	1	18	5
-	11	49	7	1	6	1	-	1	3	1	-	6	3	1	17	6
-	100	358	44	6	50	-	26	42	16	12	2	47	51	10	144	7
-	42	181	22	-	13	2	8	7	5	12	-	11	20	2	59	8
-	6	31	1	-	4	-	2	5	3	6	3	5	8	3	13	9
-	110	507	79	22	36	3	21	43	32	27	6	63	71	6	189	10
-	54	200	29	7	17	2	8	15	14	13	-	19	19	-	75	11
-	56	307	50	15	19	1	13	28	18	14	6	44	52	6	114	12
-	180	910	83	12	93	5	36	80	31	41	16	95	139	7	294	13
-	129	617	50	7	66	1	17	39	18	28	10	49	84	6	208	14
-	51	293	33	5	27	4	19	41	13	13	6	46	55	1	86	15
-	9	44	9	3	4	1	1	5	3	2	-	8	11	-	18	16
1	205	927	175	20	97	6	46	74	35	48	11	101	118	15	361	17
-	89	296	50	5	35	2	14	27	14	20	2	40	39	5	142	18
-	10	44	8	-	3	-	6	10	2	2	-	1	2	-	13	19
-	16	78	15	1	5	-	2	5	2	3	1	2	7	2	21	20
1	90	509	102	14	54	4	24	32	17	23	8	58	70	8	185	21
1	359	1,390	161	10	288	11	71	134	90	79	17	135	179	24	562	22
-	237	841	87	8	179	7	42	83	64	51	13	63	112	13	383	23
-	10	54	9	-	11	-	3	6	5	5	-	4	4	1	20	24
1	112	495	65	2	98	4	26	45	21	23	4	68	63	10	159	25
2	660	3,228	402	17	332	14	82	158	101	189	41	156	403	79	1,340	26
1	160	697	125	20	54	1	24	41	21	34	15	91	137	21	298	27
-	51	212	37	5	21	1	7	15	8	14	7	28	43	15	75	28
-	9	59	1	3	4	-	4	1	1	2	-	2	7	1	18	29
1	100	426	87	12	29	-	13	25	12	18	8	61	87	5	205	30
-	42	192	15	-	31	1	6	7	9	7	3	28	22	1	52	31
-	121	483	37	2	48	1	27	52	20	34	3	34	44	56	101	32
-	10	45	2	-	2	-	1	4	1	3	-	3	3	3	12	33
-	9	54	3	-	2	-	5	4	6	2	-	6	6	9	17	34
-	37	130	11	-	17	-	4	17	4	12	1	8	12	11	62	35
-	65	254	21	2	27	1	17	27	9	17	2	17	23	33	90	36
-	62	289	32	2	26	2	9	24	15	18	2	35	40	3	109	37
-	46	152	14	1	11	1	4	8	5	11	1	9	22	3	62	38
-	16	137	18	1	15	1	5	16	10	7	1	26	18	-	47	39
-	233	1,058	124	28	134	3	28	65	27	41	7	101	104	13	426	40
-	70	289	30	8	45	2	9	23	3	12	-	34	17	6	100	41
-	32	108	5	2	4	1	2	4	2	4	-	12	10	1	40	42
-	131	641	89	18	85	-	17	38	22	25	7	55	77	6	286	43
-	98	350	18	1	32	2	14	20	11	13	4	11	38	10	95	44
-	42	172	10	1	18	-	7	12	7	7	2	3	16	4	40	45
-	57	178	8	-	14	2	7	8	4	6	2	8	22	6	55	46
-	24	114	13	2	19	-	8	8	12	7	3	13	28	4	38	47
-	3	9	1	-	1	-	-	-	-	1	-	-	2	-	3	48
-	25	80	12	1	18	-	1	10	2	8	2	8	20	4	45	49
-	41	195	32	6	20	3	16	37	32	10	2	22	42	1	78	50
-	21	98	15	5	12	2	8	18	19	3	-	5	9	-	34	51
-	20	97	17	1	8	1	8	19	13	7	2	17	33	1	44	52
-	88	402	74	1	53	-	39	17	8	23	1	21	49	39	195	53
-	18	97	3	-	16	-	2	5	2	4	-	3	4	9	37	54
-	70	305	71	1	37	-	37	12	6	19	1	18	45	30	158	55
-	102	387	76	10	30	3	22	37	16	8	12	48	41	5	124	56
-	48	151	24	2	11	3	3	7	6	3	8	16	17	1	61	57
-	54	236	52	8	19	-	19	30	10	5	4	32	24	4	63	58
-	16	55	6	2	5	1	2	5	3	4	3	10	15	1	28	59
-	27	92	12	1	7	-	3	7	3	2	1	8	10	3	25	60
-	6	18	1	-	7	-	1	1	3	2	1	4	7	-	8	61
-	71	288	68	26	32	6	30	58	25	21	5	72	57	11	103	62
-	15	52	6	-	17	1	4	3	-	3	1	4	8	5	13	63
-	86	326	86	8	30	3	18	37	21	13	3	42	50	23	129	64
-	11	47	7	-	3	1	-	6	4	2	1	5	3	-	11	65
-	85	279	79	6	27	2	18	31	17	11	2	37	47	23	118	66
1	24	126	24	3	10	1	5	6	8	8	3	21	29	18	47	67
-	13	102	19	3	8	1	4	10	10	4	2	12	20	1	39	68
2	997	3,618	681	167	703	32	207	373	272	188	58	343	758	151	1,675	69
-	13	56	7	2	18	-	5	6	16	3	1	9	18	2	18	70
-	2	20	6	4	9	-	1	8	7	1	-	2	4	2	12	71
-	26	94	18	2	20	1	13	15	9	7	2	11	12	2	38	72
-	2	9	4	-	-	-	2	-	1	-	-	-	4	-	3	73
-	6	13	-	1	3	-	-	8	1	1	1	1	2	1	8	74
-	3	22	4	-	3	-	1	1	-	-	-	1	7	-	11	75
-	34	113	12	-	25	1	8	8	7	6	1	15	26	4	78	76
-	13	59	9	-	12	1	5	6	2	1	1	7	16	1	42	77
-	21	54	3	-	13	-	3	2	5	5	-	8	10	3	36	78
-	6	35	3	-	3	-	-	3	2	3	-	1	6	-	12	79
-	3	6	3	-	1	-	-	2	-	1	-	2	-	-	3	80
-	2	8	-	-	-	-	-	-	1	1	-	1	3	-	4	81
-	3	21	9	1	9	2	-	4	3	-	1	3	12	1	7	82
-	3	7	4	2	1	-	-	3	-	1	-	1	2	-	5	83
-	2	9	-	1	-	-	-	1	2	1	-	2	-	-	4	84
-	2	5	1	-	3	-	-	-	-	-	-	-	2	-	2	85
-	14	58	11	2	13	-	7	8	6	3	-	3	23	2	19	86
-	323	1,277	149	19	248	9	56	110	79	82	24	79	222	48	618	87
-	1	1	1	-	-	-	-	-	-	1	1	4	2	1	1	88
-	1	6	-	-	2	-	-	-	-	-	-	-	1	-	2	89
-	5	2	4	1	1	1	-	-	2	2	-	2	4	-	7	90
-	4	8	1	-	3	-	-	-	-	1	-	1	-	-	2	91

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	COLORADO—Continued															
1	El Paso	798	-	-	-	1	-	49	-	-	6	-	1	110	-	16
2	Colorado Springs	651	-	-	-	-	-	36	-	-	6	-	1	99	-	14
3	Balance of county	147	-	-	-	1	-	13	-	-	-	-	-	11	-	2
4	Fremont	256	-	1	-	-	1	3	-	-	-	-	2	42	-	4
5	Garfield	122	-	-	-	-	-	3	-	-	1	-	1	15	-	4
6	Gilpin	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-
7	Grand	40	-	-	-	-	-	-	-	-	-	-	-	1	-	1
8	Gunnison	39	-	1	-	-	-	-	-	-	-	-	-	4	-	-
9	Hinsdale	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
10	Huerfano	120	-	1	-	1	2	5	-	-	1	1	-	11	-	1
11	Jackson	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2
12	Jefferson	366	-	-	-	-	-	19	-	-	4	-	-	61	-	4
13	Kiowa	23	-	-	-	-	-	-	-	-	-	-	-	2	-	-
14	Kit Carson	59	-	-	-	-	-	-	-	-	1	-	-	6	-	1
15	Lake	83	-	-	-	-	-	-	-	-	3	-	-	8	-	5
16	La Plata	163	-	-	-	-	-	2	-	-	1	-	-	21	-	3
17	Larimer	391	-	-	-	-	-	6	-	-	-	2	1	57	1	5
18	Fort Collins	221	-	-	-	-	-	5	-	-	-	-	1	34	1	3
19	Balance of county	170	-	-	-	-	-	1	-	-	-	2	-	23	-	2
20	Las Animas	278	1	-	-	-	1	4	-	-	3	-	2	27	1	3
21	Trinidad	193	-	-	-	-	-	2	-	-	1	-	2	21	1	3
22	Balance of county	85	1	-	-	-	1	2	-	-	2	-	-	6	-	-
23	Lincoln	42	-	-	-	-	-	1	-	-	1	-	-	3	-	1
24	Logan	130	-	-	-	-	1	2	-	-	1	-	-	17	-	1
25	Mesa	359	-	1	1	1	-	8	1	-	-	-	-	44	-	9
26	Grand Junction	196	-	-	-	1	-	6	1	-	-	-	-	23	-	8
27	Balance of county	163	-	1	1	-	-	2	-	-	-	-	-	21	-	1
28	Mineral	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Moffat	56	-	-	-	-	-	3	-	-	-	-	-	2	-	3
30	Montezuma	79	-	-	-	1	-	3	1	-	1	-	-	5	-	3
31	Montrose	129	-	1	-	-	-	4	-	-	-	-	1	12	-	3
32	Morgan	168	-	-	-	-	-	1	-	-	-	-	-	20	-	1
33	Otero	248	-	-	-	2	-	7	-	-	-	-	-	20	-	6
34	Ouray	24	-	-	-	-	-	1	-	-	-	-	-	3	-	-
35	Park	15	-	-	-	-	-	-	-	-	-	-	-	3	-	-
36	Phillips	37	-	-	-	-	-	1	-	-	-	-	-	5	-	1
37	Pitkin	19	-	-	-	-	-	-	-	-	-	-	-	2	-	-
38	Prowers	139	-	-	-	-	-	2	-	-	1	-	-	15	-	2
39	Pueblo	1,205	-	-	1	6	1	22	-	-	11	2	-	128	-	17
40	Pueblo	994	-	-	1	5	-	16	-	-	10	1	-	96	-	13
41	Balance of county	211	-	-	-	1	1	6	-	-	1	1	-	32	-	4
42	Rio Blanco	33	-	-	-	1	-	-	-	-	-	-	-	6	-	1
43	Rio Grande	148	-	-	-	1	-	2	1	-	2	-	-	4	-	3
44	Routt	81	-	1	-	-	-	-	1	-	1	-	-	14	-	1
45	Saguache	53	-	-	-	3	-	1	1	-	-	-	-	3	-	-
46	San Juan	15	-	-	-	-	-	1	-	-	-	-	-	3	-	-
47	San Miguel	24	-	-	-	-	-	2	-	-	-	-	-	3	-	-
48	Sedgwick	40	-	-	-	-	-	1	-	-	-	-	-	4	-	1
49	Summit	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Teller	40	-	-	-	-	-	4	1	-	-	-	-	1	-	-
51	Washington	43	-	-	-	-	-	1	-	-	-	-	-	8	-	2
52	Weld	517	-	-	-	3	-	10	2	-	5	-	-	55	-	11
53	Greeley	247	-	-	-	-	-	8	1	-	3	-	-	31	-	7
54	Balance of county	270	-	-	-	3	-	2	1	-	2	-	-	24	-	4
55	Yuma	97	-	-	-	-	-	-	-	-	-	-	-	9	-	4
56	CONNECTICUT	19,569	1	9	-	-	2	528	2	-	132	2	1	3,451	4	671
57	Fairfield	4,852	-	2	-	-	1	116	-	-	41	2	-	887	1	140
58	Bridgeport	1,734	-	1	-	-	1	31	-	-	7	-	-	339	-	44
59	Norwalk	503	-	-	-	-	-	18	-	-	2	-	-	104	-	15
60	Stamford	679	-	-	-	-	-	18	-	-	5	-	-	128	1	20
61	Danbury	322	-	-	-	-	-	-	-	-	3	-	-	48	-	14
62	Shelton	94	-	-	-	-	-	17	-	-	-	1	-	13	-	3
63	Stratford (town)	200	-	-	-	-	-	3	-	-	-	-	-	35	-	4
64	Balance of county	1,320	-	1	-	-	-	29	-	-	24	1	-	220	-	40
65	Hartford	4,815	-	2	-	-	1	155	-	-	22	-	-	887	1	198
66	Hartford	1,806	-	-	-	-	1	71	-	-	8	-	-	297	1	88
67	Bristol	298	-	1	-	-	-	6	-	-	-	-	-	52	-	9
68	New Britain	643	-	-	-	-	-	17	-	-	4	-	-	131	-	28
69	West Hartford (town)	364	-	-	-	-	-	6	-	-	1	-	-	71	-	10
70	East Hartford (town)	217	-	-	-	-	-	5	-	-	-	-	-	44	-	8
71	Balance of county	1,467	-	1	-	-	-	50	-	-	9	-	-	292	-	85
72	Litchfield	971	-	-	-	-	-	10	-	-	5	-	-	190	-	34
73	Torrington	234	-	-	-	-	-	4	-	-	-	-	-	54	-	12
74	Balance of county	737	-	-	-	-	-	6	-	-	5	-	-	136	-	22
75	Middlesex	300	-	-	-	-	-	32	-	-	12	-	1	121	-	29
76	Middletown	506	-	-	-	-	-	22	-	-	10	-	-	52	-	17
77	Balance of county	394	-	-	-	-	-	10	-	-	2	-	1	69	-	12
78	New Haven	5,353	1	5	-	-	-	132	2	-	35	-	-	965	-	197
79	New Haven	1,862	1	4	-	-	-	44	1	-	18	-	-	347	-	89
80	Meriden	416	-	-	-	-	-	26	-	-	2	-	-	77	-	13
81	Waterbury	1,032	-	-	-	-	-	26	1	-	8	-	-	167	-	32
82	West Haven (town)	311	-	1	-	-	-	2	-	-	3	-	-	59	-	19
83	Ansonia	165	-	-	-	-	-	7	-	-	-	-	-	28	-	2
84	Derby	140	-	-	-	-	-	-	-	-	-	-	-	25	-	5
85	Naugatuck	154	-	-	-	-	-	1	-	-	-	-	-	21	-	4
86	Wallingford	175	-	-	-	-	-	4	-	-	-	-	-	42	-	5
87	Balance of county	1,078	-	-	-	-	-	22	-	-	4	-	-	199	-	28
88	New London	1,662	-	-	-	-	-	73	-	-	14	-	-	231	1	47
89	New London	342	-	-	-	-	-	4	-	-	4	-	-	65	1	14
90	Norwich	510	-	-	-	-	-	18	-	-	1	-	-	54	-	7
91	Balance of county	1,010	-	-	-	-	-	51	-	-	9	-	-	112	-	26
92	Tolland	359	-	-	-	-	-	3	-	-	1	-	-	67	-	9
93	Windham	657	-	-	-	-	-	7	-	-	2	-	-	103	1	17
94	Willimantic	155	-	-	-	-	-	2	-	-	1	-	-	17	1	5
95	Balance of county	502	-	-	-	-	-	5	-	-	1	-	-	86	-	12

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	75	227	26	3	36	-	5	22	15	8	6	18	45	6	123	1
-	63	185	21	3	28	-	4	19	9	6	5	12	32	4	104	2
-	12	42	5	-	8	-	1	3	6	2	1	6	13	2	19	3
-	22	90	9	1	12	1	3	3	2	4	1	8	15	-	32	4
-	8	37	2	1	6	-	2	4	3	-	-	6	7	4	18	5
-	-	6	-	-	1	-	-	-	-	1	-	1	1	-	-	6
-	4	19	1	1	-	1	-	1	-	-	1	-	3	-	7	7
-	3	8	2	-	4	-	1	3	-	2	-	2	1	-	8	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9
-	3	37	13	-	8	-	3	5	-	1	-	8	7	-	14	10
-	-	5	1	-	-	-	-	1	-	-	-	2	-	-	3	11
-	33	84	21	2	26	1	7	9	9	11	1	15	21	2	36	12
-	3	5	-	-	1	-	1	-	-	-	1	-	6	1	3	13
-	5	17	3	-	1	-	1	1	3	-	1	2	5	2	8	14
-	6	21	3	1	4	2	2	4	1	1	-	8	6	2	11	15
-	15	39	8	7	11	-	5	5	5	2	3	6	8	4	18	16
-	49	127	14	-	23	-	4	12	10	5	2	9	27	3	34	17
-	33	68	9	-	13	-	-	7	2	1	1	6	13	1	23	18
-	16	59	5	-	10	-	4	5	8	4	1	3	14	2	11	19
1	25	68	27	17	15	-	3	9	6	2	1	12	17	4	29	20
-	16	51	19	8	11	-	3	3	4	2	-	8	13	2	23	21
1	9	17	8	9	4	-	-	6	2	-	1	4	4	2	6	22
-	3	16	1	1	2	-	1	3	-	-	-	-	3	-	6	23
-	11	48	5	2	9	1	4	2	3	2	-	3	7	-	13	24
-	26	105	12	4	18	1	9	9	8	7	1	5	28	3	58	25
-	16	59	7	1	11	1	1	5	4	4	1	1	11	3	32	26
-	10	46	5	3	7	-	8	4	4	3	-	4	17	-	26	27
-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	3	28
-	9	11	1	1	2	2	-	1	1	1	1	6	5	1	6	29
-	7	17	5	3	4	-	3	1	3	1	2	3	8	-	8	30
-	16	33	8	1	5	-	2	1	1	1	-	7	11	3	19	31
-	16	59	10	-	15	1	4	8	4	-	-	7	8	-	34	32
-	18	88	14	12	10	2	7	15	4	2	2	8	18	1	32	33
-	2	6	-	-	1	-	-	1	1	-	-	-	5	-	4	34
-	-	4	-	-	1	-	-	-	-	1	-	-	2	1	3	35
-	1	11	2	-	1	-	1	-	2	1	-	3	3	1	2	36
-	1	7	1	-	1	-	-	1	1	1	-	-	-	-	4	37
-	8	36	5	5	17	-	4	6	4	1	-	10	11	-	12	38
-	81	343	187	40	38	1	15	23	20	14	1	23	68	35	130	39
-	63	289	164	24	34	-	12	18	18	11	1	19	57	34	108	40
-	18	54	23	16	2	1	3	5	2	3	-	4	11	1	22	41
-	-	7	3	-	4	1	1	1	-	-	-	1	3	2	2	42
-	3	28	12	20	10	2	4	12	8	1	2	5	7	5	18	43
-	4	26	4	-	8	-	-	5	2	-	-	3	5	2	4	44
-	4	8	15	-	3	-	1	3	3	-	-	3	1	-	4	45
-	-	-	1	-	-	-	1	-	-	-	-	-	4	1	4	46
-	1	4	1	-	2	-	1	2	-	-	-	-	2	-	6	47
-	3	13	2	-	1	1	1	2	2	-	-	-	4	-	5	48
-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	2	49
-	3	8	1	-	2	-	1	1	1	1	-	1	4	2	9	50
-	4	10	1	-	2	-	-	1	3	-	-	2	1	1	7	51
-	57	160	20	10	29	1	12	13	10	3	1	21	25	1	68	52
-	30	85	7	4	13	1	5	3	4	-	-	8	9	-	28	53
-	27	75	13	6	16	-	7	10	6	3	1	13	16	1	40	54
1	13	25	3	-	9	-	5	6	1	-	-	4	3	1	13	55
-	1,683	7,135	478	47	836	25	279	381	249	240	34	263	799	143	2,174	56
-	418	1,736	109	11	212	6	58	120	61	66	10	50	214	30	561	57
-	147	655	32	4	57	2	27	47	22	19	4	21	75	5	194	58
-	51	175	7	2	23	1	3	12	11	3	-	7	15	1	53	59
-	47	240	10	2	29	1	7	17	11	9	3	7	28	-	96	60
-	33	119	5	1	14	1	4	8	-	2	1	6	10	4	49	61
-	6	28	1	-	4	-	2	-	2	4	-	-	5	-	8	62
-	20	82	6	-	6	-	3	12	2	3	1	1	7	-	15	63
-	114	437	48	2	79	1	12	24	13	26	1	8	74	20	146	64
-	345	1,802	114	10	171	5	52	85	54	60	14	72	182	21	562	65
-	87	681	45	3	61	3	27	31	14	24	9	20	77	8	240	66
-	34	100	11	-	21	1	2	9	4	2	1	2	9	-	34	67
-	61	213	20	1	26	-	7	12	9	15	-	9	26	2	62	68
-	38	155	6	1	16	-	-	3	3	6	-	2	18	3	47	69
-	16	87	4	1	3	1	3	6	5	4	1	1	9	-	19	70
-	111	556	28	4	44	-	13	24	19	9	3	38	43	8	160	71
-	84	319	21	2	58	3	14	28	17	14	2	13	40	8	109	72
-	18	79	7	-	12	1	2	8	3	5	-	1	7	-	21	73
-	68	240	14	2	46	2	12	20	14	9	2	12	33	8	88	74
-	89	360	34	2	21	1	15	13	8	5	-	17	58	-	82	75
-	47	219	25	2	13	1	4	4	2	3	-	5	37	-	43	76
-	42	141	9	-	8	-	11	9	6	2	-	12	21	-	39	77
-	509	1,832	135	17	246	6	103	92	69	63	7	74	196	70	597	78
-	184	636	44	5	83	4	32	27	26	14	4	23	70	30	196	79
-	47	135	11	4	16	-	5	4	6	3	-	6	13	1	47	80
-	81	344	26	2	54	1	24	31	11	20	1	13	41	7	142	81
-	29	116	6	2	11	-	8	5	3	1	1	4	9	1	31	82
-	22	54	7	-	8	1	3	1	2	3	-	1	4	1	21	83
-	13	48	7	1	13	-	2	1	-	-	1	2	9	2	11	84
-	10	69	5	-	2	-	3	4	5	3	-	3	2	6	16	85
-	17	52	3	1	7	-	-	2	1	2	-	2	7	8	22	86
-	106	378	26	2	52	-	26	17	15	17	-	20	41	14	111	87
-	138	691	45	4	72	1	25	28	23	17	1	16	73	13	149	88
-	29	129	9	-	10	-	4	8	5	2	1	3	11	3	40	89
-	28	121	4	1	18	-	5	4	4	6	-	5	10	2	22	90
-	91	441	32	3	44	1	16	16	14	9	-	8	52	8	87	91
-	31	135	3	-	23	2	6	7	6	7	-	7	9	1	42	92
-	69	260	17	1	33	1	6	8	11	8	-	14	27	-	72	93
-	14	60	6	1	11	-	2	1	1	2	-	-	9	-	22	94
-	55	200	11	-	22	1	4	7	10	6	-	14	18	-	50	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
1	DELAWARE	3,407	2	3	-	2	1	119	1	-	31	-	3	434	2	115
2	Kent	580	-	-	-	1	-	11	-	-	5	-	-	62	-	24
3	New Castle	2,134	1	2	-	1	1	77	1	-	20	-	3	298	2	76
4	Wilmington	1,373	-	2	-	-	1	49	1	-	10	-	3	186	-	56
5	Balance of county	761	1	-	-	1	-	28	-	-	10	-	-	112	2	20
6	Sussex	693	1	1	-	-	-	31	-	-	6	-	-	74	-	15
7	DISTRICT OF COLUMBIA	8,197	3	3	-	-	2	441	1	-	115	3	2	1,199	3	220
8	FLORIDA	24,767	4	11	1	21	14	745	18	13	273	7	19	2,987	14	505
9	Alachua	447	-	-	-	-	-	12	1	1	4	-	-	36	-	13
10	Gainesville	201	-	-	-	-	-	8	-	-	2	-	-	16	-	9
11	Balance of county	246	-	-	-	-	-	4	1	1	2	-	-	20	-	4
12	Baker	62	-	-	-	-	-	1	-	-	-	-	-	3	-	1
13	Bay	284	1	1	-	-	1	4	-	-	1	-	-	25	-	6
14	Panama City	196	1	1	-	-	1	2	-	-	1	-	-	15	-	5
15	Balance of county	88	-	-	-	-	-	2	-	-	-	-	-	10	-	1
16	Bradford	105	-	-	-	-	1	2	-	-	-	-	-	9	-	2
17	Brevard	187	-	-	-	-	-	5	-	-	2	-	-	21	-	8
18	Broward	633	-	1	-	1	-	17	2	-	4	-	5	69	-	15
19	Fort Lauderdale	317	-	1	-	-	-	11	1	-	2	-	3	32	-	11
20	Balance of county	316	-	-	-	1	-	6	1	-	2	-	2	37	-	4
21	Calhoun	59	-	-	-	-	-	2	-	-	-	-	-	6	-	-
22	Charlotte	63	-	-	-	-	-	-	-	-	-	-	-	4	-	-
23	Citrus	55	-	-	-	-	-	4	-	-	-	-	-	7	-	-
24	Clay	107	-	-	-	-	-	2	-	-	3	-	-	12	-	2
25	Collier	41	-	-	-	-	1	-	-	-	-	-	-	6	-	1
26	Columbia	164	-	-	-	1	-	6	-	-	1	-	-	14	-	4
27	Dade	3,825	1	1	-	2	1	117	-	-	40	-	1	541	1	101
28	Miami	2,341	1	-	-	-	1	73	-	-	25	-	-	322	-	67
29	Miami Beach	352	-	-	-	-	-	3	-	-	3	-	-	61	-	13
30	Balance of county	1,132	-	1	-	2	-	41	-	-	12	-	1	158	1	21
31	De Soto	91	-	-	-	-	1	3	1	1	1	-	-	17	-	1
32	Dixie	24	-	-	-	-	-	-	-	-	-	-	-	3	-	-
33	Duval	2,894	2	1	-	-	-	108	-	2	41	1	1	327	3	41
34	Jacksonville	2,223	2	1	-	-	-	88	-	2	34	1	1	282	3	32
35	Balance of county	471	-	-	-	-	-	20	-	-	7	-	-	45	-	9
36	Escambia	883	-	-	-	2	1	31	-	1	8	-	5	97	-	16
37	Pensacola	520	-	-	-	1	1	21	-	-	5	-	1	60	-	10
38	Balance of county	363	-	-	-	1	-	10	-	1	3	-	4	37	-	8
39	Flagler	33	-	-	-	-	-	1	-	-	1	-	-	3	-	-
40	Franklin	57	-	-	-	-	-	1	-	-	3	-	-	7	-	2
41	Gadsden	691	-	-	-	2	-	46	1	1	60	-	-	35	1	10
42	Gilchrist	34	-	-	-	-	-	3	-	-	-	-	-	6	-	-
43	Glades	21	-	-	-	-	-	2	-	-	1	-	-	1	-	-
44	Gulf	67	-	-	-	-	-	1	-	-	1	-	-	12	-	1
45	Hamilton	95	-	-	-	-	-	2	-	-	-	-	-	6	-	-
46	Hardee	104	-	-	-	-	-	-	-	-	1	-	-	23	-	3
47	Hendry	51	-	-	-	-	-	2	-	-	1	-	-	5	-	-
48	Hernando	51	-	-	-	-	-	2	-	-	-	-	-	5	-	1
49	Highlands	138	-	-	-	-	-	4	-	-	-	-	-	11	-	4
50	Hillsborough	2,228	-	-	-	-	2	85	-	1	18	-	1	314	1	35
51	Tampa	1,570	-	-	-	-	1	56	-	-	14	-	1	229	1	27
52	Balance of county	658	-	-	-	-	1	29	-	1	4	-	-	85	-	8
53	Holmes	92	-	-	-	-	-	1	-	-	-	-	-	7	-	2
54	Indian River	101	-	-	-	-	-	6	-	-	-	-	-	14	-	2
55	Jackson	318	-	-	1	-	-	20	-	1	1	-	1	21	-	8
56	Jefferson	150	-	-	-	-	-	2	-	-	-	-	-	9	-	3
57	Lafayette	26	-	-	-	-	-	-	-	-	1	-	-	3	-	1
58	Lake	361	-	-	-	-	-	10	2	1	3	-	-	45	-	9
59	Lee	222	-	-	-	-	-	8	-	1	3	-	-	30	-	3
60	Fort Myers	165	-	-	-	-	-	3	-	-	3	-	-	20	-	3
61	Balance of county	57	-	-	-	-	-	3	-	1	-	-	-	10	-	-
62	Leon	293	-	-	-	-	-	5	1	-	2	-	-	23	-	7
63	Tallahassee	145	-	-	-	-	-	2	-	-	2	-	-	12	-	4
64	Balance of county	148	-	-	-	-	-	3	1	-	-	-	-	11	-	3
65	Levy	120	-	1	-	1	-	3	-	-	1	-	-	8	1	3
66	Liberty	35	-	1	-	-	-	-	1	-	-	-	-	4	-	-
67	Madison	156	-	-	-	-	-	4	1	-	-	-	1	10	-	1
68	Manatee	321	-	-	-	3	-	2	2	-	-	-	-	45	-	8
69	Marion	393	-	-	-	-	-	22	-	-	5	-	-	28	-	10
70	Martin	84	-	-	-	1	-	-	-	-	-	-	-	3	-	1
71	Monroe	232	-	-	-	-	-	8	-	-	-	-	-	23	-	10
72	Key West	218	-	-	-	-	-	8	-	-	-	-	-	22	-	9
73	Balance of county	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1
74	Nassau	113	-	1	-	-	-	5	-	-	-	-	-	13	-	-
75	Okaloosa	159	-	-	-	-	-	3	-	-	-	-	-	10	-	-
76	Okeechobee	35	-	-	-	-	1	-	-	-	2	-	-	5	-	2
77	Orange	1,018	-	-	-	-	-	43	-	-	8	-	1	129	-	23
78	Orlando	641	-	-	-	-	-	18	-	-	2	-	-	91	-	20
79	Balance of county	377	-	-	-	-	-	25	-	-	6	-	1	38	-	3
80	Osceola	176	-	-	-	-	-	1	-	-	1	-	1	35	-	2
81	Palm Beach	1,056	-	2	-	-	2	29	1	-	11	-	-	134	1	28
82	West Palm Beach	483	-	1	-	-	-	13	-	-	8	-	-	65	-	13
83	Balance of county	573	-	1	-	-	2	16	1	-	3	-	-	69	1	15
84	Pasco	204	-	-	-	-	1	5	-	-	-	1	-	19	1	7
85	Pinellas	1,947	-	1	-	-	-	34	-	1	7	2	-	303	1	38
86	St. Petersburg	1,210	-	-	-	-	-	19	-	1	4	-	-	186	-	24
87	Clearwater	168	-	1	-	-	-	4	-	-	1	2	-	30	-	4
88	Balance of county	569	-	-	-	-	-	11	-	-	2	-	-	87	1	10
89	Polk	1,011	-	-	-	2	-	17	1	-	11	2	1	111	1	20
90	Lakeland	322	-	-	-	-	-	4	1	-	2	-	-	44	-	5
91	Balance of county	689	-	-	-	2	-	13	-	-	9	2	1	67	1	15
92	Putnam	247	-	-	-	-	-	4	1	-	-	-	-	23	-	3
93	St. Johns	279	-	-	-	-	1	5	-	-	5	-	-	37	-	4
94	St. Augustine	200	-	-	-	-	-	2	-	-	5	-	-	30	-	3
95	Balance of county	79	-	-	-	-	1	3	-	-	-	-	-	7	-	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 89	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	263	1,136	124	10	290	8	30	86	40	50	18	69	145	39	386	1
-	63	212	9	-	54	-	3	13	2	2	-	8	30	8	73	2
-	153	695	83	5	164	5	21	47	32	31	6	43	80	29	258	3
-	94	432	59	3	116	4	14	34	17	18	5	17	49	21	182	4
-	59	263	24	2	48	1	7	13	15	13	1	26	31	8	76	5
-	47	229	32	5	72	3	6	26	6	17	12	18	35	2	55	6
-	563	2,472	282	13	709	.19	90	232	138	97	84	104	421	26	975	7
28	2,460	6,994	881	137	1,495	115	302	785	429	314	376	689	1,266	924	2,940	8
1	74	119	16	2	26	5	5	7	7	3	7	12	23	15	67	9
-	23	53	5	1	15	3	2	4	4	2	1	5	8	9	31	10
1	51	57	11	1	11	2	3	3	3	1	6	7	15	6	36	11
-	7	17	5	1	10	-	-	2	1	-	1	1	5	4	3	12
-	32	63	12	8	9	2	4	15	6	7	6	9	24	19	29	13
-	19	47	11	5	7	2	4	13	3	6	5	7	18	7	16	14
-	13	16	1	3	2	-	-	2	3	1	1	2	6	12	13	15
-	3	31	12	-	7	2	-	2	2	-	1	8	4	3	16	16
-	27	53	4	-	6	1	4	3	3	2	4	6	10	4	24	17
-	52	185	20	3	35	6	7	30	18	5	11	27	37	6	77	18
-	27	98	6	-	22	4	3	17	6	2	5	13	15	1	37	19
-	25	87	14	3	13	2	4	13	12	3	6	14	22	5	40	20
1	8	19	4	-	1	-	1	1	-	-	1	2	4	-	9	21
-	10	24	1	-	7	-	-	2	-	1	1	2	2	2	7	22
-	6	16	2	2	2	-	2	-	1	1	1	-	4	4	3	23
-	10	38	6	-	4	1	-	3	2	-	1	-	3	3	17	24
-	4	5	-	-	1	1	1	3	1	-	-	4	6	-	8	25
-	25	40	9	2	8	2	5	5	3	1	4	4	10	4	16	26
2	251	1,203	84	23	166	12	52	133	78	65	50	122	194	82	502	27
1	161	699	51	13	110	6	35	66	48	41	38	64	122	68	329	28
-	21	155	6	-	10	1	-	7	5	7	1	6	9	1	43	29
1	69	349	27	10	46	5	17	60	25	17	11	52	63	13	130	30
-	12	22	2	-	10	-	1	2	5	-	3	1	4	1	3	31
-	6	6	2	-	1	-	1	-	-	-	-	1	1	-	3	32
2	257	618	96	13	164	16	43	94	61	30	59	70	125	238	280	33
2	216	530	78	11	144	15	31	73	50	21	51	50	81	191	233	34
-	41	89	18	2	20	1	12	21	11	9	8	20	44	47	47	35
4	78	231	42	8	56	4	18	42	13	13	19	18	56	14	106	36
2	55	154	20	5	28	3	9	26	5	5	15	11	25	7	51	37
2	23	77	22	3	28	1	9	16	8	8	4	7	31	7	55	38
-	2	3	1	-	1	-	-	-	2	-	5	1	3	3	7	39
-	10	12	2	1	6	-	-	-	-	-	1	-	3	1	8	40
-	50	235	51	3	48	11	3	10	7	5	8	7	20	24	53	41
-	6	7	-	1	1	-	-	2	-	-	-	1	3	1	3	42
-	1	3	-	-	1	1	-	1	1	-	2	-	3	1	3	43
-	3	13	4	2	2	3	-	4	2	-	-	3	4	7	5	44
1	13	24	5	1	4	-	5	2	2	-	3	-	5	8	14	45
1	11	25	3	-	5	1	2	2	2	1	-	1	1	8	14	46
-	4	14	1	1	5	-	1	2	3	-	1	1	2	-	8	47
1	8	11	3	1	-	-	-	3	1	1	-	3	2	4	5	48
-	14	47	3	2	8	-	2	5	-	2	3	7	5	1	20	49
5	196	558	72	24	162	11	27	95	40	42	30	65	104	77	263	50
5	148	399	53	16	102	8	18	65	25	31	21	39	61	48	202	51
-	48	159	19	8	60	3	9	30	15	11	9	26	43	29	61	52
1	9	28	2	2	10	1	-	1	1	1	1	3	3	7	11	53
-	9	30	2	-	7	-	-	1	4	1	1	2	5	6	11	54
-	45	64	22	1	26	2	3	7	5	1	4	8	17	22	38	55
-	9	35	10	-	31	2	1	9	3	-	2	3	8	12	11	56
-	5	8	-	-	2	-	-	-	1	-	2	-	1	-	2	57
1	27	100	8	4	44	-	4	10	5	8	5	11	16	5	43	58
-	16	73	8	-	9	1	2	5	8	2	2	6	12	-	35	59
-	15	56	4	-	7	1	1	3	5	2	-	5	7	-	30	60
-	1	17	4	-	2	-	1	2	3	-	2	1	5	-	5	61
-	30	71	13	-	29	-	-	14	5	4	7	9	20	18	35	62
-	12	41	12	-	13	-	-	5	1	3	5	2	7	7	17	63
-	18	30	1	-	16	-	-	9	4	1	2	7	13	11	18	64
-	16	26	5	1	5	-	1	5	-	-	3	2	10	4	23	65
-	6	4	1	-	3	1	1	2	1	-	1	-	2	3	4	66
2	21	38	7	-	13	-	1	6	2	1	5	6	9	12	18	67
-	30	115	13	2	16	1	3	12	2	3	1	7	12	6	38	68
-	61	113	15	1	29	4	3	3	2	2	3	8	30	18	36	69
-	13	23	1	-	17	-	-	4	1	-	2	7	8	-	5	70
-	19	65	14	-	7	1	8	10	6	4	3	1	19	11	23	71
-	19	61	14	-	7	1	8	10	6	3	2	1	15	11	21	72
-	-	4	-	-	-	-	-	-	-	1	1	-	4	-	2	73
-	11	39	3	1	7	-	4	1	-	-	2	3	9	4	10	74
-	17	35	12	-	12	3	3	8	4	1	-	6	27	5	13	75
-	2	5	1	-	-	-	1	4	-	1	1	1	3	4	2	76
1	125	300	35	2	57	3	14	31	12	14	12	25	40	18	125	77
1	84	187	24	1	28	2	5	20	8	12	8	13	26	10	80	78
-	41	113	11	1	29	1	9	11	3	2	4	12	14	8	45	79
-	19	64	8	-	6	1	2	-	1	1	1	2	11	4	16	80
-	94	302	32	3	56	6	9	25	19	13	21	43	54	45	126	81
-	56	148	8	1	36	-	5	8	9	4	3	11	17	13	64	82
-	38	154	24	2	20	6	4	17	10	9	18	32	37	32	62	83
-	33	46	5	2	8	1	4	3	1	3	1	10	13	13	27	84
-	242	640	59	2	106	1	9	33	20	35	5	33	83	35	257	85
-	161	388	34	-	68	1	6	18	14	26	2	23	46	24	165	86
-	24	56	5	-	6	-	-	3	1	3	-	1	7	1	19	87
-	57	196	20	2	32	-	3	12	5	6	3	9	30	10	73	88
2	113	281	34	5	37	1	12	41	25	11	20	42	52	40	129	89
-	32	111	13	1	15	-	4	10	2	4	4	8	15	8	39	90
2	81	170	21	4	22	1	8	31	23	7	16	34	37	32	90	91
2	21	93	10	1	20	3	1	5	7	3	3	11	11	11	14	92
-	29	79	6	-	15	-	5	3	6	5	10	6	8	11	44	93
-	23	54	5	-	13	-	1	3	6	2	6	2	3	5	37	94
-	6	25	1	-	2	-	4	-	-	3	4	4	5	6	7	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	FLORIDA—Continued															
1	St. Lucie	172	-	-	-	1	-	6	-	-	4	1	-	19	-	4
2	Santa Rosa	125	-	-	-	-	-	-	-	-	1	-	-	15	-	2
3	Sarasota	263	-	-	-	-	-	5	-	1	1	-	-	36	-	4
4	Sarasota	204	-	-	-	-	-	4	-	1	1	-	-	29	-	4
5	Balance of county	59	-	-	-	-	-	1	-	-	-	-	-	7	-	-
6	Seminole	251	-	-	-	-	-	7	1	-	4	-	1	26	-	8
7	Sanford	136	-	-	-	-	-	3	1	-	3	-	1	14	-	6
8	Balance of county	115	-	-	-	-	-	4	-	-	1	-	-	12	-	2
9	Sumter	98	-	-	-	-	-	2	-	-	2	-	-	12	1	3
10	Suwannee	204	-	1	-	-	1	2	-	-	2	-	-	23	-	5
11	Taylor	95	-	-	-	-	-	4	-	-	-	-	-	11	-	3
12	Union	73	-	-	-	-	-	3	-	-	2	-	-	8	-	1
13	Volusia	812	-	-	-	4	-	14	2	1	4	-	-	102	1	10
14	Daytona Beach	383	-	-	-	2	-	8	-	1	-	-	-	53	-	4
15	Balance of county	429	-	-	-	2	-	6	2	-	4	-	-	49	1	6
16	Wakulla	38	-	-	-	-	-	-	-	-	-	-	-	4	-	-
17	Walton	112	-	-	-	-	-	-	-	-	1	-	-	7	1	2
18	Washington	81	-	-	-	1	-	4	-	-	-	-	-	6	-	1
19	GEORGIA	29,526	9	19	1	41	29	1,002	51	4	281	7	7	2,937	32	459
20	Appling	87	-	-	-	-	-	4	-	-	-	-	-	9	-	3
21	Atkinson	48	-	-	-	-	-	-	-	-	-	-	-	4	-	-
22	Bacon	82	-	-	-	1	-	1	-	-	-	-	-	3	-	-
23	Baker	34	-	-	-	-	-	-	-	-	-	-	-	3	-	-
24	Baldwin	995	-	1	-	-	-	125	3	-	91	-	-	40	-	17
25	Banks	29	-	-	-	1	-	-	-	-	-	-	-	5	-	-
26	Barrow	119	-	1	-	-	-	3	-	-	-	-	-	9	-	1
27	Bartow	226	-	-	-	-	1	5	-	-	3	-	-	32	1	2
28	Ben Hill	139	-	-	-	1	-	3	-	-	1	-	-	14	-	3
29	Berrien	88	-	-	-	-	-	2	2	-	-	-	-	11	-	2
30	Bibb	1,073	1	-	-	-	-	42	1	-	10	-	-	107	-	13
31	Macon	942	1	-	-	-	-	40	1	-	10	-	-	88	-	13
32	Balance of county	131	-	-	-	-	-	2	-	-	-	-	-	19	-	-
33	Bleckley	75	-	-	-	-	-	3	-	-	1	-	-	7	-	1
34	Brantley	49	-	-	-	-	-	1	1	-	-	-	-	3	-	-
35	Brooks	194	-	-	-	-	-	3	2	-	-	-	-	13	1	4
36	Bryan	57	-	-	-	-	1	1	-	-	1	-	-	4	-	-
37	Bulloch	175	-	-	-	-	1	7	-	-	-	-	-	16	-	2
38	Burke	204	-	-	-	1	-	9	-	-	3	-	-	14	1	4
39	Butts	98	-	-	-	-	-	-	-	-	-	-	-	6	-	-
40	Calhoun	75	-	-	-	-	1	2	-	-	-	-	-	6	-	-
41	Camden	54	-	-	-	-	-	3	-	-	1	-	-	7	-	-
42	Candler	60	-	-	-	1	-	1	-	-	-	-	-	4	-	-
43	Carroll	271	-	1	-	-	-	4	-	-	-	-	-	33	-	2
44	Catoosa	77	-	-	-	-	-	4	-	-	-	-	-	4	-	1
45	Charlton	28	-	-	-	-	-	1	-	-	-	-	-	1	-	-
46	Chatham	1,537	-	1	-	2	-	60	-	-	8	-	-	163	-	31
47	Savannah	1,282	-	1	-	1	-	50	-	-	7	-	-	139	-	27
48	Balance of county	255	-	-	-	1	-	10	-	-	1	-	-	25	-	4
49	Chattahoochee	34	-	-	-	-	-	-	-	-	-	-	-	2	-	1
50	Chattooga	133	-	-	-	-	-	6	1	-	-	-	-	22	-	3
51	Cherokee	148	-	-	-	-	-	8	-	-	-	-	-	15	-	5
52	Clarke	327	-	-	-	-	1	12	-	-	-	-	-	37	-	3
53	Athens	266	-	-	-	-	-	10	-	-	-	-	-	29	-	2
54	Balance of county	61	-	-	-	-	1	2	-	-	-	-	-	8	-	1
55	Clay	68	-	-	-	-	-	-	-	-	-	-	-	6	-	-
56	Clayton	79	-	-	-	-	-	4	-	-	-	-	-	7	-	1
57	Clinch	49	-	-	-	-	-	1	-	-	-	-	-	4	-	-
58	Cobb	423	-	-	-	-	-	10	1	-	3	-	-	43	-	2
59	Coffee	190	-	-	-	-	-	5	1	-	1	-	-	16	-	3
60	Colquitt	272	-	-	-	-	-	4	-	-	1	-	1	20	-	3
61	Moultrie	108	-	-	-	-	-	2	-	-	1	-	-	12	-	1
62	Balance of county	164	-	-	-	-	-	2	-	-	-	-	1	8	-	2
63	Columbia	78	-	-	-	-	-	2	-	-	3	-	-	5	-	-
64	Cook	94	1	-	-	1	-	1	-	-	1	-	-	13	-	-
65	Coweta	241	-	-	-	-	-	2	1	-	1	-	-	24	-	3
66	Crawford	59	-	-	-	1	-	-	-	-	2	-	-	8	-	2
67	Crisp	149	-	-	-	-	-	3	-	-	2	-	-	10	-	-
68	Dade	41	-	-	-	-	-	2	-	-	-	-	-	5	-	-
69	Dawson	25	-	-	-	-	-	1	-	-	-	-	-	2	-	-
70	Decatur	232	-	-	-	-	-	4	-	-	2	-	-	16	-	8
71	De Kalb	749	-	-	-	-	2	22	-	-	4	-	1	93	1	16
72	Atlanta (part)	234	-	-	-	-	1	5	-	-	2	-	1	34	-	7
73	Decatur	166	-	-	-	-	-	4	-	-	-	-	-	19	1	3
74	Balance of county	349	-	-	-	-	1	13	-	-	2	-	-	40	-	6
75	Dodge	130	-	-	-	-	-	1	2	-	1	-	-	11	-	-
76	Dooly	141	-	-	-	-	-	1	1	-	-	-	-	15	-	2
77	Dougherty	400	-	2	-	1	-	11	-	-	4	-	-	38	1	9
78	Albany	344	-	2	-	1	-	11	-	-	3	-	-	35	1	9
79	Balance of county	56	-	-	-	-	-	-	-	-	1	-	-	3	-	-
80	Douglas	65	-	-	-	-	-	2	-	-	-	-	-	7	-	1
81	Early	180	-	-	-	-	1	5	4	-	1	-	-	15	-	1
82	Echols	27	-	-	-	-	-	-	1	-	-	-	-	-	-	-
83	Effingham	128	-	-	-	-	-	1	-	-	-	-	-	6	1	-
84	Elbert	192	-	1	-	-	-	9	2	-	1	-	-	16	-	2
85	Emanuel	172	1	-	-	-	-	5	-	1	-	-	-	15	1	4
86	Evans	51	-	-	-	-	-	2	-	-	-	-	-	2	-	2
87	Fannin	97	-	-	-	-	-	3	-	-	-	-	-	9	-	1
88	Fayette	73	-	-	-	-	-	2	-	-	-	-	-	4	1	-
89	Floyd	524	-	1	-	-	1	80	-	-	3	1	-	46	1	12
90	Rome	277	-	-	-	-	-	10	-	-	3	1	-	29	1	6
91	Balance of county	247	-	1	-	-	1	70	-	-	-	-	-	17	-	6
92	Forsyth	76	-	-	-	-	-	1	-	-	-	-	-	13	-	1
93	Franklin	120	-	-	-	-	-	1	-	-	-	-	-	13	-	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 193,200	All other causes	
1	10	49	6	1	14	-	1	7	1	2	6	3	7	7	22	1
-	24	29	8	1	9	-	1	3	-	1	-	4	8	6	13	2
-	30	101	9	1	10	-	2	4	-	4	5	4	12	7	27	3
-	22	79	8	1	8	-	1	1	-	3	4	3	7	7	21	4
-	8	22	1	-	2	-	1	3	-	1	1	1	5	-	6	5
-	24	57	15	2	28	-	2	6	9	2	5	5	10	3	36	6
-	14	32	8	1	16	-	1	4	2	1	3	3	4	1	18	7
-	10	25	7	1	12	-	1	2	7	1	2	2	6	2	18	8
-	8	37	2	-	3	-	-	2	-	-	3	3	3	4	13	9
-	9	77	5	1	4	1	4	5	2	1	3	6	5	15	32	10
-	16	18	4	1	10	-	1	2	-	-	1	2	7	2	13	11
-	8	14	1	1	4	-	3	2	-	1	4	3	3	1	14	12
-	96	243	35	2	70	2	8	31	12	10	6	20	46	10	83	13
-	40	120	19	1	48	-	1	19	5	8	2	5	14	1	32	14
-	56	123	18	1	22	2	7	12	7	2	4	15	32	9	51	15
-	5	15	-	-	1	1	-	2	-	-	-	1	-	5	4	16
-	11	24	1	1	13	-	4	7	2	-	3	5	11	10	9	17
-	17	20	7	1	1	-	1	1	1	-	-	2	7	6	5	18
83	3,532	7,301	1,484	249	2,491	198	359	1,037	587	272	535	779	1,356	1,093	3,282	19
-	13	18	3	1	12	2	-	1	3	-	4	5	3	2	4	20
-	8	8	-	1	6	3	3	3	-	1	-	1	2	3	5	21
2	16	14	3	-	3	-	1	9	4	1	-	-	3	4	17	22
-	3	4	4	-	1	-	1	2	-	-	2	1	2	3	8	23
2	82	180	66	-	61	1	3	3	4	7	1	4	28	11	265	24
-	2	8	-	1	1	-	-	-	1	-	-	2	-	3	5	25
1	11	30	5	3	16	1	1	6	1	3	2	7	3	1	14	26
-	26	38	13	1	26	1	3	12	3	3	2	6	14	14	20	27
-	17	37	8	-	6	1	2	13	2	-	2	4	6	5	14	28
3	14	18	4	2	5	-	1	5	1	-	1	2	2	2	11	29
5	110	273	30	7	100	4	10	46	26	13	24	18	37	83	107	30
5	95	243	28	6	89	4	9	39	19	12	23	16	31	69	95	31
-	15	30	2	1	11	-	1	7	7	1	1	2	6	14	12	32
1	14	13	4	1	10	1	-	1	2	1	2	-	2	4	7	33
1	6	14	4	2	7	-	1	2	1	-	-	2	-	1	3	34
1	33	33	17	2	30	-	2	6	3	2	3	4	11	14	10	35
-	6	14	3	-	6	-	3	-	1	-	-	-	4	2	11	36
2	24	47	10	-	9	3	-	2	5	2	1	6	9	7	22	37
-	27	47	5	2	24	2	1	2	4	-	4	5	11	16	22	38
-	13	17	14	1	19	-	-	2	-	1	1	3	6	9	6	39
-	10	24	3	-	6	-	1	1	-	-	2	-	5	5	9	40
-	-	12	2	-	2	1	-	2	-	-	1	3	5	8	7	41
-	10	17	2	-	3	1	1	2	1	-	-	3	4	3	7	42
-	24	78	15	4	22	3	4	13	10	6	4	9	8	7	23	43
-	11	28	3	-	4	-	-	1	3	2	-	-	5	4	7	44
-	2	7	1	-	3	-	1	1	1	1	3	1	3	-	3	45
5	225	436	66	10	126	6	21	47	24	14	22	32	82	8	148	46
5	176	372	50	9	114	4	17	41	18	11	18	26	64	8	125	47
-	49	64	16	1	12	2	4	6	6	3	4	6	18	-	23	48
-	-	6	-	-	1	-	-	6	-	-	1	4	4	2	7	49
-	18	24	9	3	7	-	-	5	4	1	1	4	4	2	19	50
-	22	30	10	-	11	2	-	6	5	1	1	4	6	2	20	51
-	34	70	9	1	61	2	9	14	6	1	3	7	13	7	37	52
-	28	58	6	1	54	2	7	10	3	1	3	6	10	6	30	53
-	6	12	3	-	7	-	2	4	3	-	-	1	3	1	7	54
-	12	17	1	1	10	-	2	-	-	1	-	-	2	7	9	55
-	10	14	4	2	6	1	-	5	2	-	2	2	3	4	12	56
-	1	18	1	1	2	1	-	-	2	-	3	2	2	6	5	57
3	63	129	25	7	28	3	5	18	6	2	5	15	17	4	34	58
-	25	49	10	2	5	5	1	9	2	2	9	3	8	16	18	59
1	29	72	16	6	37	4	4	6	7	3	8	2	12	13	23	60
-	15	25	8	1	9	-	1	3	3	2	4	2	6	3	10	61
1	14	47	8	5	28	4	3	3	4	1	4	-	6	10	13	62
-	9	18	7	1	7	-	-	1	-	1	1	3	2	1	17	63
2	11	19	6	3	5	-	2	1	-	1	-	4	6	5	12	64
-	38	59	13	2	15	1	3	9	4	2	2	9	15	18	20	65
-	3	18	1	2	3	-	1	3	2	2	1	3	2	3	4	66
-	20	40	6	3	21	-	1	3	1	-	1	3	14	10	11	67
-	4	12	3	1	3	-	1	3	-	-	-	2	2	-	3	68
-	1	7	-	2	1	-	-	-	1	-	1	-	2	5	2	69
2	19	51	11	5	17	-	3	6	8	2	7	8	16	11	36	70
1	61	193	31	6	61	4	11	32	17	13	8	12	34	23	103	71
-	13	62	8	2	23	-	3	7	7	5	3	4	8	8	31	72
-	10	51	6	2	11	1	2	11	4	3	2	1	9	6	20	73
1	38	80	17	2	27	3	6	14	6	5	3	7	17	9	52	74
-	17	36	4	1	7	1	2	6	3	1	5	3	6	9	14	75
-	20	35	11	1	11	-	-	1	2	1	7	8	6	4	15	76
-	46	87	13	6	29	2	7	20	8	5	8	9	21	23	50	77
-	40	74	10	6	26	2	5	18	7	4	7	8	18	16	43	78
-	6	13	3	-	3	-	2	2	1	1	1	1	5	7	7	79
-	6	26	5	-	1	-	1	-	1	-	1	4	4	1	5	80
-	8	46	7	6	23	1	2	6	2	1	8	8	10	7	20	81
-	4	9	2	-	1	-	-	2	-	-	2	-	1	2	3	82
1	16	42	6	1	10	2	1	5	2	1	2	1	8	11	11	83
-	22	39	13	2	27	3	1	4	2	1	1	4	14	9	19	84
1	23	34	8	1	13	2	2	4	3	1	5	4	6	15	23	85
-	9	17	1	-	1	-	1	2	2	-	1	1	3	2	5	86
2	8	29	14	-	1	1	2	3	2	-	1	2	5	3	11	87
-	11	11	5	1	6	1	-	1	1	1	4	1	4	11	8	88
2	43	94	28	3	52	1	6	17	14	4	5	21	24	12	52	89
-	29	60	12	3	36	1	4	8	6	2	2	9	15	4	36	90
2	14	34	17	-	16	-	2	9	8	2	3	12	9	6	16	91
1	8	16	7	-	4	-	3	3	3	-	-	2	2	7	5	92
-	16	30	7	1	17	1	3	6	1	-	1	1	8	3	9	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 29	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 59	Diabetes mellitus 61
	GEORGIA—Continued															
1	Fulton	4,311	1	-	-	2	-	159	5	-	39	-	1	611	3	86
2	Atlanta (part)[3]	3,307	1	-	-	2	-	128	5	-	36	-	-	511	3	71
3	Atlanta (total)[3]	3,541	1	-	-	2	1	133	5	-	38	-	1	545	3	78
4	District 1511, Center Hill[3]															
5	East Point	107	-	-	-	-	-	6	-	-	-	-	1	9	-	2
6	Balance of county	897	-	-	-	-	-	25	-	-	3	-	-	91	-	13
7	Gilmer	67	-	-	-	1	-	1	-	-	-	-	-	6	1	-
8	Glascock	25	-	-	-	-	-	1	-	-	-	-	-	1	-	1
9	Glynn	278	-	-	-	-	-	3	-	-	1	-	-	22	-	3
10	Brunswick	222	-	-	-	-	-	3	-	-	1	-	-	17	-	3
11	Balance of county	56	-	-	-	-	-	-	-	-	-	-	-	5	-	-
12	Gordon	112	-	-	-	-	-	-	-	-	-	-	-	12	-	4
13	Grady	140	-	1	-	-	-	3	-	-	-	-	-	10	-	2
14	Greene	133	-	-	-	-	-	1	-	-	1	-	-	6	-	4
15	Gwinnett	169	-	-	-	-	2	4	1	-	1	-	-	30	-	3
16	Habersham	131	-	-	-	-	1	3	-	-	2	-	-	14	1	1
17	Hall	282	-	1	-	-	3	8	1	-	-	-	-	27	-	3
18	Gainesville	127	-	-	-	-	-	3	-	-	-	-	-	11	-	3
19	Balance of county	155	-	1	-	-	3	5	1	-	-	-	-	16	-	-
20	Hancock	83	-	-	-	-	-	4	-	-	1	-	-	8	-	2
21	Haralson	99	-	-	-	-	-	4	-	-	-	-	-	10	-	-
22	Harris	107	-	-	-	-	-	1	-	-	-	-	-	9	-	2
23	Hart	110	-	-	-	-	-	4	1	-	-	-	1	12	-	-
24	Heard	57	-	-	-	3	1	2	-	-	-	-	-	4	-	1
25	Henry	136	-	-	-	1	-	5	-	-	3	-	-	7	-	2
26	Houston	147	-	-	-	-	-	2	-	-	2	-	-	12	-	3
27	Irwin	91	-	-	-	1	-	1	1	-	1	-	-	9	-	-
28	Jackson	112	-	-	-	-	-	2	-	-	-	-	-	11	-	2
29	Jasper	92	-	-	-	-	-	1	-	-	1	-	-	7	-	1
30	Jeff Davis	83	-	-	-	-	-	2	-	-	1	-	-	8	2	2
31	Jefferson	151	-	-	-	-	-	5	1	-	-	-	-	17	-	-
32	Jenkins	93	-	1	-	-	-	3	1	-	-	-	-	3	1	1
33	Johnson	74	-	-	-	-	-	2	-	-	-	-	-	3	-	1
34	Jones	85	-	-	-	2	-	1	-	-	-	-	-	8	-	-
35	Lamar	87	-	-	-	-	-	1	-	-	-	-	-	10	-	-
36	Lanier	17	-	-	-	-	-	-	-	-	-	-	-	2	-	2
37	Laurens	345	-	-	-	-	1	4	-	1	-	-	-	29	-	5
38	Lee	73	-	-	-	1	-	4	-	-	1	-	-	6	-	-
39	Liberty	97	-	-	-	-	-	1	-	-	-	-	-	4	-	2
40	Lincoln	31	-	-	-	-	-	-	-	-	-	-	-	1	1	-
41	Long	35	-	-	-	-	-	2	-	-	-	-	1	4	-	-
42	Lowndes	271	-	-	-	-	-	8	-	-	1	-	-	22	-	4
43	Valdosta	178	-	-	-	-	-	3	-	-	1	-	-	14	-	2
44	Balance of county	93	-	-	-	-	-	5	-	-	-	-	-	8	-	2
45	Lumpkin	42	-	-	-	-	-	2	1	-	-	-	-	5	-	1
46	McDuffie	95	-	-	-	-	-	2	1	-	-	-	-	11	-	-
47	McIntosh	81	-	-	-	1	-	1	-	-	1	-	-	2	-	-
48	Macon	163	-	-	-	1	-	3	-	-	2	-	-	13	-	-
49	Madison	95	-	-	-	-	-	1	-	-	-	-	-	12	1	1
50	Marion	69	-	-	-	-	-	1	-	-	-	-	-	4	-	3
51	Meriwether	197	-	-	-	-	1	7	-	-	3	-	-	18	-	1
52	Miller	66	-	-	-	-	-	1	-	-	1	-	-	9	-	-
53	Mitchell	204	-	-	-	-	1	3	-	-	1	-	-	19	-	1
54	Monroe	90	-	-	-	1	-	1	-	-	2	-	-	9	-	-
55	Montgomery	63	-	-	-	1	-	3	-	-	-	-	-	5	1	2
56	Morgan	127	-	-	-	2	-	1	-	-	-	-	-	10	-	1
57	Murray	79	1	-	-	2	-	1	-	-	-	2	-	13	-	-
58	Muscogee	859	-	-	-	-	-	33	2	-	7	-	-	95	2	11
59	Columbus	662	-	-	-	-	-	18	2	-	6	-	-	77	2	10
60	Balance of county	197	-	-	-	-	-	15	-	-	1	-	-	18	-	1
61	Newton	161	-	-	-	-	-	3	-	-	-	-	-	24	1	-
62	Oconee	68	-	-	-	-	-	-	-	-	-	-	-	6	-	-
63	Oglethorpe	92	1	-	-	-	-	3	-	-	-	-	-	9	-	1
64	Paulding	74	1	-	1	-	-	2	1	-	-	-	-	7	-	-
65	Peach	114	-	-	-	-	-	4	-	-	2	-	-	15	1	1
66	Pickens	75	-	-	-	-	-	-	-	-	2	-	-	8	-	2
67	Pierce	92	-	-	-	-	-	1	-	-	-	-	-	8	-	2
68	Pike	69	-	-	-	-	-	2	-	-	-	-	-	5	-	1
69	Polk	237	-	1	-	1	2	8	-	-	2	-	-	21	-	4
70	Pulaski	72	-	-	-	-	-	1	-	-	-	-	-	12	-	4
71	Putnam	79	-	-	-	-	-	2	-	-	-	-	-	9	-	2
72	Quitman	38	-	-	-	1	-	2	-	-	-	-	-	3	-	-
73	Rabun	31	-	-	-	-	-	-	-	-	-	-	-	3	-	-
74	Randolph	167	-	-	-	-	-	4	-	1	3	-	-	10	-	1
75	Richmond	1,043	-	1	-	2	1	37	2	-	25	-	1	102	-	28
76	Augusta	892	-	1	-	2	1	31	-	-	22	-	1	88	-	28
77	Balance of county	151	-	-	-	-	-	6	2	-	3	-	-	14	-	4
78	Rockdale	73	-	-	-	-	-	4	-	-	1	-	-	6	-	-
79	Schley	43	-	-	-	-	-	2	-	-	-	-	-	4	-	-
80	Screven	119	-	-	-	1	-	2	-	-	-	-	-	11	-	1
81	Seminole	67	-	-	-	-	-	2	-	-	-	-	-	6	-	2
82	Spalding	269	-	-	-	-	-	6	-	-	4	-	-	30	-	9
83	Griffin	176	-	-	-	-	-	3	-	-	3	-	-	13	-	5
84	Balance of county	113	-	-	-	-	-	3	-	-	1	-	-	17	-	4
85	Stephens	76	-	-	-	-	-	5	2	-	-	-	-	6	-	-
86	Stewart	107	-	-	-	-	1	3	-	-	-	-	-	7	-	4
87	Sumter	245	-	-	-	-	1	3	-	-	1	-	-	22	-	3
88	Talbot	85	-	-	-	1	-	-	-	-	-	-	-	8	1	1
89	Taliaferro	51	-	-	-	-	-	3	1	-	-	-	-	3	1	-
90	Tattnall	125	-	-	-	-	-	2	-	-	3	-	-	15	-	5
91	Taylor	53	-	-	-	-	-	1	-	-	-	-	-	2	-	-
92	Telfair	108	-	-	-	-	-	2	-	-	-	-	-	10	1	-
93	Terrell	156	-	-	-	1	-	2	1	-	2	-	-	14	-	1

[3]Figures for District 1511, Center Hill, are included in those for Atlanta.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
5	496	1,107	174	22	343	14	59	154	114	40	100	84	177	29	488	1
5	369	833	135	16	265	7	43	106	76	24	86	68	140	14	363	2
5	382	895	143	18	288	7	46	113	83	29	89	72	148	22	394	3
-	12	25	5	-	7	1	2	6	8	3	3	1	3	1	12	5
-	115	249	34	6	71	6	14	42	30	13	11	15	34	14	111	6
-	4	13	3	-	7	-	-	4	4	1	-	7	5	3	7	7
-	3	7	-	-	2	-	-	-	1	1	-	1	4	1	2	8
1	27	87	12	3	22	4	4	14	10	5	3	12	16	5	24	9
-	21	67	12	3	20	3	3	9	8	5	3	10	12	3	19	10
1	6	20	-	-	2	1	1	5	2	-	-	2	4	2	5	11
1	8	39	4	1	10	1	2	6	3	2	-	3	2	3	11	12
-	17	30	7	1	16	1	1	9	3	1	2	5	5	9	17	13
-	16	50	11	-	12	2	2	5	1	2	2	2	5	4	7	14
4	22	39	9	3	14	-	4	7	4	1	1	5	8	1	26	15
1	12	36	4	2	9	2	3	4	5	-	2	7	4	3	15	16
1	29	62	22	1	31	2	3	9	2	2	2	12	13	17	31	17
1	12	23	8	-	22	-	2	4	1	1	2	7	6	6	15	18
-	17	39	14	1	9	2	1	5	1	1	-	5	7	11	16	19
-	14	18	5	-	5	1	-	1	1	2	1	1	1	7	11	20
1	12	22	4	2	12	2	2	1	-	2	-	1	5	1	18	21
-	18	28	8	-	6	1	1	1	1	2	3	4	8	4	10	22
-	20	23	15	-	14	1	2	2	1	1	1	2	3	2	5	23
1	13	9	-	-	3	-	-	4	2	-	2	-	-	7	5	24
1	15	33	8	1	14	-	1	5	2	3	6	3	6	11	10	25
-	16	40	8	-	2	3	8	6	4	3	4	10	10	-	14	26
-	16	19	5	1	1	2	1	4	1	1	1	3	3	6	14	27
-	8	26	5	-	23	1	2	2	2	1	5	3	4	5	10	28
2	9	29	5	-	5	2	2	1	5	-	1	3	3	7	8	29
-	5	17	11	1	6	-	-	9	1	-	2	2	3	3	8	30
-	23	38	8	3	10	-	3	4	2	1	-	6	8	9	13	31
-	8	20	7	1	5	3	3	1	3	1	1	3	6	10	11	32
2	18	14	4	-	7	1	-	-	2	1	2	6	3	2	6	33
-	10	22	8	-	10	-	2	2	2	-	3	5	3	2	5	34
-	10	31	1	-	9	-	-	2	1	1	-	4	3	8	6	35
-	3	5	1	-	-	-	-	1	-	-	-	1	-	1	1	36
3	24	90	22	2	42	3	2	10	11	3	9	12	16	20	36	37
-	12	15	6	1	8	-	-	2	1	-	-	2	-	9	5	38
1	21	18	10	2	6	4	1	1	2	1	-	2	7	7	7	39
-	3	5	-	-	8	1	-	4	-	1	-	1	2	-	4	40
-	3	11	3	-	-	-	1	-	-	-	2	3	-	4	1	41
1	39	72	9	-	19	2	1	3	5	3	7	12	17	21	25	42
1	26	48	6	-	12	2	-	3	4	3	3	7	13	13	17	43
-	13	24	3	-	7	-	1	-	1	-	4	5	4	8	8	44
-	5	7	5	-	8	1	2	-	-	-	-	2	2	-	1	45
-	12	25	7	1	3	1	-	8	3	2	1	1	5	1	11	46
1	5	15	9	-	2	1	-	1	1	-	-	3	12	1	5	47
2	29	42	2	1	11	-	3	6	3	1	2	5	14	8	15	48
-	14	24	3	1	12	-	-	1	2	1	-	2	5	6	9	49
1	9	12	5	2	5	1	-	-	-	-	1	7	3	13	2	50
-	26	53	7	1	22	2	1	9	-	1	2	3	8	15	17	51
-	10	17	1	2	8	-	-	3	-	-	1	2	3	1		52
-	37	45	6	2	16	-	2	17	4	2	3	8	13	6	18	53
-	12	24	7	1	9	1	-	2	-	-	2	4	3	3	9	54
-	8	16	3	2	3	-	1	4	-	1	2	2	2	4	3	55
1	14	24	4	1	21	2	4	3	-	1	2	7	9	9	11	56
-	6	14	3	-	7	-	-	2	3	-	-	7	4	7	7	57
2	89	208	45	5	54	11	13	45	28	5	16	34	37	23	94	58
1	66	169	36	4	37	8	10	36	19	5	15	23	21	15	82	59
1	23	39	9	1	17	3	3	9	9	-	1	11	16	8	12	60
1	23	41	8	-	17	-	1	3	3	1	5	4	7	2	17	61
-	9	14	2	1	17	1	1	3	-	-	1	3	1	3	6	62
1	16	27	6	-	13	1	-	2	2	1	3	1	1	-	5	63
-	17	16	4	-	3	-	1	2	2	1	-	1	8	-	7	64
-	12	21	9	1	6	1	5	4	2	1	3	8	3	4	13	65
-	11	19	2	2	6	-	-	1	1	-	2	3	5	2	9	66
1	9	18	7	2	9	2	-	3	1	-	2	4	8	3	12	67
-	18	12	4	-	4	-	-	-	3	-	2	-	5	1	12	68
-	31	50	17	3	13	-	6	12	5	3	5	6	16	11	20	69
-	9	13	4	2	7	1	1	-	1	-	4	1	1	3	8	70
-	8	20	3	1	9	4	2	5	2	-	-	1	1	3	7	71
-	5	9	1	1	4	-	1	3	-	-	-	2	2	1	3	72
-	-	5	-	1	4	-	2	3	1	-	1	1	2	-	8	73
-	18	65	11	1	5	3	4	3	1	-	4	3	5	9	16	74
1	138	324	45	8	63	1	5	20	9	10	21	21	38	7	132	75
1	117	281	36	5	55	1	5	18	7	10	20	14	34	7	110	76
-	21	43	9	3	8	-	-	2	2	-	1	7	4	-	22	77
-	9	14	5	-	8	-	1	3	1	1	1	1	3	-	9	78
-	4	10	1	-	7	-	1	1	1	-	-	2	4	1	5	79
-	16	24	2	1	16	2	-	3	2	1	-	3	3	3	16	80
-	2	26	3	-	2	-	-	-	1	-	-	2	3	2	14	81
1	36	53	11	3	14	1	7	16	3	5	7	4	16	16	41	82
-	24	39	7	2	10	1	6	10	7	1	4	2	7	10	22	83
1	12	14	4	1	4	-	1	6	2	4	3	2	9	6	19	84
-	5	23	5	-	1	1	1	2	1	3	3	3	5	1	9	85
-	17	24	10	1	2	2	1	1	3	-	6	-	8	7	10	86
-	23	79	8	2	23	-	5	10	5	8	1	4	11	8	28	87
-	15	21	6	-	8	1	-	3	1	-	-	3	2	6	8	88
-	8	8	5	-	5	2	-	1	1	-	1	2	2	4	4	89
-	12	23	6	1	9	1	2	3	1	1	4	3	6	2	26	90
-	12	15	1	1	4	1	-	1	-	-	1	3	4	4	3	91
-	11	32	3	-	5	3	2	4	1	-	2	3	8	6	13	92
-	17	42	3	2	8	2	-	5	6	2	3	-	7	23	15	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	GEORGIA—Continued															
1	Thomas	283	-	-	-	-	-	8	-	-	1	-	-	24	-	5
2	Thomasville	184	-	-	-	-	-	7	-	-	-	-	-	15	-	4
3	Balance of county	109	-	-	-	-	-	1	-	-	1	-	-	9	-	1
4	Tift	192	-	-	-	-	-	5	1	-	1	1	-	12	-	4
5	Toombs	142	-	1	-	2	-	1	-	-	1	1	-	5	-	2
6	Towns	26	-	-	-	-	-	-	-	-	-	-	-	3	-	-
7	Treutlen	49	-	1	-	-	-	1	-	-	-	-	-	3	-	2
8	Troup	446	-	2	-	-	3	18	-	-	2	1	-	46	-	5
9	La Grange	214	-	1	-	-	2	8	-	-	-	-	-	25	-	4
10	Balance of county	232	-	1	-	-	1	10	-	-	2	1	-	21	-	1
11	Turner	75	-	-	-	-	-	3	-	-	2	-	-	8	-	1
12	Twiggs	78	-	-	-	-	-	2	-	-	-	-	-	5	-	1
13	Union	39	-	-	-	-	-	-	-	-	-	-	-	4	-	-
14	Upson	212	-	-	-	-	1	6	-	-	-	-	-	24	-	1
15	Walker	236	-	1	-	-	1	11	-	-	-	-	-	37	-	-
16	Walton	181	-	-	-	-	-	4	2	-	4	1	-	12	-	1
17	Ware	296	-	1	-	-	-	7	-	-	-	-	-	19	1	7
18	Waycross	222	-	1	-	-	-	6	-	-	-	-	-	16	1	6
19	Balance of county	74	-	-	-	-	-	1	-	-	-	-	-	3	-	1
20	Warren	91	-	-	-	1	-	2	-	-	-	-	-	5	-	-
21	Washington	231	-	-	-	-	-	6	1	1	-	-	-	20	-	-
22	Wayne	117	-	-	-	-	-	2	-	-	1	-	-	9	1	3
23	Webster	48	-	-	-	-	-	-	-	-	-	-	-	1	-	1
24	Wheeler	44	-	-	-	-	-	-	-	-	-	-	-	4	1	-
25	White	39	-	-	-	-	-	-	-	-	-	-	-	3	-	1
26	Whitfield	211	-	-	-	-	-	13	2	-	-	-	-	18	-	9
27	Dalton	120	-	-	-	-	-	9	-	-	-	-	-	7	-	4
28	Balance of county	91	-	-	-	-	-	4	2	-	-	-	-	11	-	5
29	Wilcox	99	-	-	-	2	-	2	-	-	-	-	-	14	-	-
30	Wilkes	130	-	-	-	-	-	3	-	-	1	-	-	12	1	3
31	Wilkinson	93	1	-	-	-	-	2	-	-	1	-	1	5	-	-
32	Worth	155	1	-	-	-	-	3	-	-	2	-	-	10	1	3
33	IDAHO	4,906	1	6	-	3	3	70	-	-	19	3	6	575	3	114
34	Ada	585	-	-	-	-	-	3	-	-	2	-	-	76	-	18
35	Boise City	367	-	-	-	-	-	2	-	-	1	-	-	50	-	12
36	Balance of county	198	-	-	-	-	-	1	-	-	1	-	-	26	-	6
37	Adams	31	-	-	-	-	-	1	-	-	-	-	-	2	-	2
38	Bannock	302	-	2	-	-	-	4	-	-	2	2	2	31	-	7
39	Pocatello	222	-	1	-	-	-	3	-	-	2	2	2	22	-	6
40	Balance of county	80	-	1	-	-	-	1	-	-	-	-	-	9	-	1
41	Bear Lake	54	-	-	-	-	-	1	-	-	-	-	-	4	-	-
42	Benewah	53	-	-	-	-	-	1	-	-	-	-	-	8	-	2
43	Bingham	231	-	1	-	-	1	6	-	-	3	1	-	26	-	2
44	Blaine	43	-	-	-	-	-	-	-	-	-	-	-	4	-	-
45	Boise	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1
46	Bonner	160	-	-	-	-	-	1	-	-	-	-	-	14	-	2
47	Bonneville	225	-	-	-	-	-	1	-	-	1	-	-	28	-	2
48	Idaho Falls	172	-	-	-	-	-	1	-	-	1	-	-	22	-	2
49	Balance of county	53	-	-	-	-	-	-	-	-	-	-	-	6	-	-
50	Boundary	55	-	-	-	-	-	-	-	-	-	-	-	4	-	1
51	Butte	19	-	-	-	-	-	1	-	-	-	-	-	2	-	2
52	Camas	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-
53	Canyon	441	-	-	-	-	-	10	-	-	1	-	-	53	-	12
54	Nampa	186	-	-	-	-	-	3	-	-	1	-	-	32	-	5
55	Balance of county	255	-	-	-	-	-	7	-	-	-	-	-	21	-	7
56	Caribou	24	-	-	-	-	-	-	-	-	-	-	-	2	-	-
57	Cassia	132	-	-	-	-	-	1	-	-	-	-	-	16	-	1
58	Clark	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Clearwater	110	-	-	-	1	-	2	-	-	6	-	-	11	-	3
60	Custer	26	-	-	-	-	-	1	-	-	-	-	-	2	-	1
61	Elmore	45	-	-	-	-	-	1	-	-	-	-	-	6	-	1
62	Franklin	60	-	-	-	-	-	-	-	-	-	-	-	4	-	2
63	Fremont	85	-	-	-	-	-	-	-	-	1	-	-	7	1	1
64	Gem	63	-	-	-	1	-	3	-	-	-	-	-	15	-	3
65	Gooding	78	1	-	-	-	-	2	-	-	1	-	-	8	-	1
66	Idaho	106	-	-	-	-	-	-	-	-	-	-	1	11	-	3
67	Jefferson	61	-	1	-	-	-	-	-	-	-	-	-	5	-	4
68	Jerome	68	-	1	-	-	-	2	-	-	-	-	-	2	-	-
69	Kootenai	272	-	-	-	-	-	1	-	-	-	-	-	39	-	4
70	Coeur d'Alene	174	-	-	-	-	-	1	-	-	-	-	-	24	-	3
71	Balance of county	98	-	-	-	-	-	-	-	-	-	-	-	15	-	1
72	Latah	146	-	-	-	-	-	2	-	-	-	-	-	15	-	7
73	Lemhi	59	-	-	-	-	-	2	-	-	-	-	1	3	-	1
74	Lewis	39	-	-	-	-	-	-	-	-	-	-	-	6	-	-
75	Lincoln	26	-	-	-	-	-	1	-	-	1	-	-	2	-	2
76	Madison	58	-	-	-	-	-	1	-	-	-	-	-	7	-	-
77	Minidoka	60	-	-	-	-	-	-	-	-	-	-	-	11	-	-
78	Nez Perce	225	-	1	-	-	2	2	-	-	-	-	-	29	1	7
79	Lewiston	170	-	1	-	-	2	2	-	-	-	-	-	23	-	7
80	Balance of county	55	-	-	-	-	-	-	-	-	-	-	-	6	1	-
81	Oneida	36	-	-	-	-	-	-	-	-	-	-	-	1	-	-
82	Owyhee	24	-	-	-	-	-	-	-	-	-	-	-	7	-	-
83	Payette	102	-	-	-	-	-	1	-	-	-	-	-	19	-	3
84	Power	35	-	-	-	-	-	-	-	-	-	-	1	5	1	-
85	Shoshone	207	-	-	-	-	-	14	-	-	1	-	1	25	-	7
86	Teton	23	-	-	-	-	-	-	-	-	-	-	-	5	-	-
87	Twin Falls	320	-	-	-	1	-	4	-	-	-	-	-	44	-	6
88	Twin Falls	189	-	-	-	-	-	2	-	-	-	-	-	25	-	4
89	Balance of county	131	-	-	-	1	-	2	-	-	-	-	-	19	-	2
90	Valley	33	-	-	-	-	-	1	-	-	-	-	-	5	-	1
91	Washington	85	-	-	-	-	-	-	-	-	-	-	-	10	-	5
92	Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-185	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	62	73	21	3	20	4	1	11	5	-	7	9	7	1	31	1
-	42	44	10	2	12	-	1	9	3	-	2	6	2	-	25	2
-	20	29	11	1	8	4	-	2	2	-	5	3	5	1	6	3
-	27	32	5	5	22	-	2	8	5	2	5	9	15	10	21	4
-	23	28	4	1	17	2	1	7	2	2	9	3	11	3	16	5
-	-	10	2	-	3	1	1	-	1	-	-	-	1	1	3	6
-	7	6	4	-	10	-	-	2	1	3	1	3	1	-	4	7
-	48	94	26	9	50	3	4	21	7	-	13	14	22	15	43	8
-	18	43	16	6	25	2	2	10	3	-	4	6	9	7	23	9
-	50	51	10	3	25	1	2	11	4	-	9	8	13	8	20	10
-	3	23	4	-	5	1	-	1	1	2	-	7	1	7	6	11
-	14	19	5	-	9	-	-	2	1	-	2	1	2	4	11	12
1	5	16	5	-	2	-	-	-	-	-	-	1	-	2	3	13
-	20	55	10	1	22	2	4	4	6	3	4	5	8	16	20	14
2	20	64	12	2	15	-	6	10	1	3	1	9	7	10	24	15
-	18	47	14	2	6	-	2	11	2	3	4	10	9	6	23	16
1	37	101	18	-	20	2	4	15	2	4	3	4	12	13	25	17
-	29	73	13	-	15	-	3	12	2	4	2	3	8	9	19	18
1	8	28	5	-	5	2	1	3	-	-	1	1	4	4	8	19
1	18	14	10	2	9	-	1	8	5	-	-	-	6	5	8	20
-	34	52	13	2	20	4	2	15	4	1	5	4	8	14	25	21
-	15	26	8	1	10	-	3	7	7	1	3	3	8	1	10	22
-	9	9	3	-	5	-	1	1	5	2	1	1	2	5	4	23
-	3	14	4	1	1	-	1	2	-	-	-	2	2	3	8	24
1	1	9	1	-	12	-	-	-	1	1	2	2	1	2	2	25
1	15	40	13	7	24	2	2	6	5	2	3	6	4	9	30	26
1	7	29	11	3	12	-	1	1	3	1	1	6	3	4	17	27
-	8	11	2	4	12	2	1	5	2	1	2	-	1	5	13	28
-	9	24	7	3	7	1	2	3	1	2	2	2	5	5	8	29
-	32	30	1	1	13	1	1	4	2	-	1	1	8	6	9	30
-	14	18	9	-	8	2	-	5	1	-	2	5	4	7	8	31
-	14	37	9	-	15	2	1	5	5	2	5	2	10	15	13	32
1	447	1,437	187	18	276	13	86	171	112	97	20	196	357	134	551	33
-	48	194	25	2	34	1	9	16	12	14	2	20	29	18	62	34
-	30	127	18	2	27	-	4	10	9	8	1	13	25	8	40	35
-	18	67	7	-	7	1	5	6	3	8	1	7	4	10	22	36
-	1	10	-	-	1	-	-	1	1	2	-	-	2	1	7	37
-	21	70	15	2	25	4	11	17	8	7	2	11	24	8	27	38
-	15	55	7	1	21	2	10	13	4	6	1	7	18	5	21	39
-	6	17	8	1	4	2	1	4	4	1	1	4	6	3	6	40
-	4	18	1	-	3	-	2	2	2	1	-	4	2	3	7	41
-	10	12	3	-	1	-	-	-	1	-	1	1	6	2	5	42
-	21	69	11	4	20	-	2	7	4	5	2	7	12	3	24	43
-	5	21	1	-	3	-	1	1	-	-	-	1	-	3	3	44
-	-	7	1	-	-	1	-	-	-	-	-	1	1	3	3	45
-	17	64	4	-	6	-	3	5	2	5	1	2	19	3	12	46
-	16	66	11	-	12	1	5	10	14	2	-	15	15	3	23	47
-	11	54	9	-	9	1	2	5	10	1	-	12	9	3	20	48
-	5	12	2	-	3	-	3	5	4	1	-	3	6	-	3	49
-	5	20	-	-	2	-	-	2	3	-	-	3	9	-	6	50
-	1	4	-	-	1	-	1	-	-	1	-	1	1	2	2	51
-	-	5	-	-	-	-	-	-	-	-	-	-	-	1	3	52
-	44	119	19	-	25	1	12	16	9	8	1	17	30	5	59	53
-	22	46	5	-	16	-	2	5	5	3	-	6	5	2	28	54
-	22	73	14	-	9	1	10	11	4	5	1	11	25	3	31	55
-	-	6	1	-	1	-	-	4	1	-	-	-	7	-	2	56
-	8	49	8	2	2	1	-	2	2	4	-	5	9	3	19	57
-	-	4	1	-	-	-	-	-	-	-	-	-	1	-	3	58
-	12	24	4	-	11	-	1	1	2	2	-	3	8	8	11	59
-	2	7	4	-	1	-	1	-	-	-	-	1	4	1	1	60
-	7	14	-	-	4	-	-	1	-	-	-	-	2	-	9	61
-	14	16	2	-	3	-	-	1	-	1	-	3	8	-	6	62
1	10	29	3	-	3	-	1	8	4	1	-	3	4	4	4	63
-	6	29	2	-	3	-	-	1	-	-	-	4	5	1	10	64
-	5	21	2	-	5	-	3	3	-	3	1	6	5	2	11	65
-	10	15	8	-	3	1	-	6	9	-	-	6	12	3	18	66
-	5	26	6	-	4	-	1	8	1	1	-	5	6	-	8	67
-	4	23	1	-	4	-	1	1	2	2	-	8	7	2	8	68
-	44	96	10	3	15	-	1	2	2	3	1	5	12	5	29	69
-	36	59	7	3	7	-	-	1	1	1	-	4	6	5	16	70
-	8	37	3	-	8	-	1	1	1	2	1	1	6	-	13	71
-	20	31	4	1	11	-	1	8	4	3	1	9	15	2	14	72
-	4	17	5	-	7	-	2	1	-	1	-	2	4	-	9	73
-	2	15	1	-	-	-	1	-	1	-	-	1	5	-	7	74
-	5	3	-	-	1	-	-	1	3	-	-	2	3	1	1	75
-	4	22	2	-	2	1	-	5	2	1	1	-	-	2	8	76
-	8	28	4	1	3	-	3	2	1	5	-	4	4	-	6	77
-	21	62	6	-	10	1	4	13	3	8	1	14	9	7	24	78
-	13	50	4	-	8	1	4	9	3	8	-	10	7	2	16	79
-	8	12	2	-	2	-	-	4	-	-	1	4	2	5	8	80
-	3	13	1	-	2	-	-	2	1	1	-	-	8	2	4	81
-	1	4	-	-	1	-	2	-	-	-	-	3	3	1	2	82
-	8	28	2	-	3	-	2	3	-	1	1	5	7	5	14	83
-	2	10	1	-	1	-	1	-	3	-	-	2	2	1	5	84
-	15	40	6	-	4	1	6	7	5	6	2	9	19	14	25	85
-	-	9	1	-	-	-	-	5	-	-	-	1	2	-	-	86
-	25	91	8	3	20	-	7	10	8	8	2	10	29	6	38	87
-	17	52	6	-	10	-	5	7	4	5	-	9	16	3	24	88
-	8	39	2	3	10	-	2	3	4	3	2	1	13	3	14	89
-	2	2	2	-	1	-	1	1	2	1	-	1	3	3	7	90
-	7	24	1	-	18	-	1	-	-	-	1	1	6	6	5	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
1	ILLINOIS	91,328	6	54	-	28	9	2,658	16	6	622	83	70	13,845	42	2,806
2	Adams	770	-	-	-	2	-	12	-	-	2	-	-	121	-	24
3	Quincy	543	-	-	-	1	-	7	-	-	-	-	-	93	-	22
4	Balance of county	227	-	-	-	1	-	5	-	-	2	-	-	28	-	2
5	Alexander	267	-	-	-	-	-	11	-	-	2	-	-	36	2	6
6	Cairo	188	-	-	-	-	-	9	-	-	2	-	-	28	2	5
7	Balance of county	79	-	-	-	-	-	2	-	-	-	-	-	8	-	1
8	Bond	156	-	1	-	-	-	1	-	-	2	-	-	23	-	8
9	Boone	201	-	-	-	-	-	-	-	-	-	-	-	29	-	11
10	Brown	83	-	-	-	-	-	2	-	-	-	-	-	10	-	5
11	Bureau	406	-	-	-	-	-	4	-	-	1	-	-	64	-	12
12	Calhoun	67	-	-	-	1	-	-	-	-	-	-	1	8	-	2
13	Carroll	243	-	-	-	-	-	1	-	-	1	-	-	31	-	5
14	Cass	191	-	-	-	-	-	1	-	-	2	-	-	33	-	7
15	Champaign	714	-	-	-	-	-	5	-	-	2	-	-	102	-	14
16	Champaign	277	-	-	-	-	-	2	-	-	1	-	-	47	-	2
17	Urbana	140	-	-	-	-	-	1	-	-	-	-	-	19	-	2
18	Balance of county	297	-	-	-	-	-	2	-	-	1	-	-	36	-	10
19	Christian	389	-	-	-	-	-	3	-	-	4	-	-	62	-	14
20	Clark	219	1	1	-	-	1	1	-	-	-	-	1	27	-	4
21	Clay	160	-	-	-	-	-	6	-	-	1	-	-	17	-	4
22	Clinton	202	-	-	-	-	-	3	-	-	2	1	1	26	-	5
23	Centralia (part)	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
24	Balance of county	197	-	-	-	-	-	3	-	-	2	1	1	25	-	5
25	Coles	440	-	-	-	1	-	5	-	1	4	1	-	56	-	10
26	Mattoon	189	-	-	-	1	-	3	-	1	1	-	-	23	-	7
27	Balance of county	251	-	-	-	-	-	2	-	-	3	1	-	33	-	3
28	Cook	47,101	3	36	-	4	1	1,782	9	2	207	20	18	7,552	25	1,558
29	Chicago	39,078	3	29	-	4	1	1,586	8	2	150	18	12	6,264	20	1,293
30	Berwyn	450	-	-	-	-	-	4	-	-	-	-	-	92	1	21
31	Cicero	627	-	1	-	-	-	10	-	-	1	-	1	122	-	23
32	Elgin (part)	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1
33	Evanston	692	-	-	-	-	-	8	-	-	6	-	-	133	-	23
34	Maywood	257	-	1	-	-	-	7	-	-	2	-	-	42	-	6
35	Oak Park	642	-	1	-	-	-	2	-	-	2	-	1	115	1	17
36	Blue Island	183	-	-	-	-	-	3	-	-	-	-	1	42	-	4
37	Brookfield	94	-	-	-	-	-	1	-	-	-	-	1	18	-	3
38	Calumet City	104	-	-	-	-	-	3	-	-	-	-	-	17	-	5
39	Chicago Heights	246	-	-	-	-	-	7	-	-	1	-	-	29	-	8
40	Elmwood Park	95	-	-	-	-	-	2	-	-	-	-	1	13	1	4
41	Forest Park	169	-	-	-	-	-	-	-	-	-	-	-	32	-	9
42	Harvey	185	-	1	-	-	-	4	-	-	-	-	-	30	-	10
43	La Grange	118	-	-	-	-	-	3	-	-	-	-	-	30	-	4
44	Melrose Park	122	-	1	-	-	-	2	-	-	-	-	-	15	-	4
45	Park Ridge	111	-	-	-	-	-	-	-	-	1	-	-	19	-	5
46	Wilmette	177	-	-	-	-	-	-	-	-	2	-	-	33	-	9
47	Winnetka	89	-	-	-	-	-	-	-	-	-	-	-	25	-	3
48	Balance of county	3,674	-	2	-	-	-	140	1	-	42	2	1	480	2	107
49	Crawford	262	-	-	-	-	-	2	-	-	1	1	-	34	-	8
50	Cumberland	132	-	-	-	-	-	1	-	-	-	-	-	33	-	4
51	De Kalb	407	-	-	-	-	-	8	-	-	2	-	1	67	-	11
52	De Witt	194	-	-	-	-	-	1	-	-	-	1	-	22	-	8
53	Douglas	175	-	-	-	-	-	5	-	-	-	-	-	23	-	8
54	Du Page	1,057	-	-	-	-	-	21	1	-	4	-	2	179	1	39
55	Elmhurst	155	-	-	-	-	-	1	-	-	-	-	1	18	-	10
56	Balance of county	902	-	-	-	-	-	20	1	-	4	-	1	161	1	29
57	Edgar	259	-	-	-	-	-	4	-	-	1	-	-	42	-	3
58	Edwards	111	-	-	-	-	-	-	-	-	-	-	-	10	-	3
59	Effingham	203	-	-	-	-	-	3	-	-	1	1	-	28	1	11
60	Fayette	237	-	-	-	-	-	4	-	-	-	1	-	41	-	7
61	Ford	156	-	1	-	-	-	-	-	-	-	-	-	24	-	2
62	Franklin	512	-	1	-	-	-	12	-	-	6	-	-	74	-	13
63	West Frankfort	131	-	-	-	-	-	5	-	-	1	-	-	18	-	4
64	Balance of county	381	-	1	-	-	-	7	-	-	5	-	-	56	-	9
65	Fulton	476	-	-	-	-	-	2	-	-	2	1	-	56	-	17
66	Canton	171	-	-	-	-	-	1	-	-	1	-	-	26	-	3
67	Balance of county	305	-	-	-	-	-	1	-	-	1	1	-	30	-	14
68	Gallatin	114	-	-	-	-	-	1	-	1	1	-	-	18	-	2
69	Greene	194	-	-	-	-	-	2	-	-	-	-	-	24	-	5
70	Grundy	191	-	-	-	-	-	2	-	-	-	-	1	22	-	3
71	Hamilton	125	-	-	-	1	-	-	-	-	-	-	-	21	-	5
72	Hancock	320	-	-	-	-	-	2	-	-	-	-	-	45	-	13
73	Hardin	81	-	-	-	-	-	5	-	-	-	-	-	12	-	4
74	Henderson	75	-	-	-	-	-	1	-	-	1	-	-	6	-	4
75	Henry	503	-	-	-	-	-	1	-	-	3	2	2	90	-	11
76	Kewanee	217	-	-	-	-	-	1	-	-	1	-	-	38	-	6
77	Balance of county	286	-	-	-	-	-	-	-	-	2	2	2	52	-	5
78	Iroquois	298	-	-	-	-	-	-	-	-	2	-	-	45	-	13
79	Jackson	407	-	1	-	-	-	7	-	-	2	1	-	52	-	10
80	Jasper	132	-	-	-	-	-	-	-	-	1	-	-	24	-	3
81	Jefferson	340	-	-	-	-	-	7	-	-	1	-	-	37	-	2
82	Mount Vernon	186	-	-	-	-	-	2	-	-	1	-	-	24	-	1
83	Balance of county	154	-	-	-	-	-	5	-	-	-	-	-	13	-	1
84	Jersey	141	-	-	-	-	-	-	-	-	-	-	3	21	-	6
85	Jo Daviess	275	-	-	-	-	-	3	-	-	1	-	-	36	-	6
86	Johnson	101	-	-	-	-	-	1	-	-	1	-	-	8	-	1
87	Kane	1,954	-	-	-	1	3	35	1	-	45	-	2	264	2	40
88	Aurora	552	-	-	-	1	2	6	-	-	4	-	-	86	2	16
89	Elgin (part)	925	-	-	-	-	1	16	1	-	38	-	2	110	-	11
90	Elgin (total)	933	-	-	-	-	1	16	1	-	38	-	2	111	-	12
91	Balance of county	477	-	-	-	-	-	13	-	-	3	-	-	68	-	13
92	Kankakee	1,461	-	1	-	1	-	92	1	-	70	-	-	125	-	35
93	Kankakee	249	-	-	-	1	-	3	-	-	-	-	-	44	-	6
94	Balance of county	1,212	-	1	-	-	-	89	1	-	70	-	-	81	-	29
95	Kendall	136	-	-	-	-	-	4	-	-	-	-	-	24	-	7
96	Knox	591	-	-	-	-	-	5	-	-	5	1	-	85	1	14
97	Galesburg	387	-	-	-	-	-	3	-	-	5	-	-	53	-	11
98	Balance of county	204	-	-	-	-	-	2	-	-	-	1	-	32	1	3

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
5	7,263	34,207	2,761	254	5,143	151	1,087	1,953	1,095	887	479	1,950	3,802	311	9,735	1
-	92	302	16	3	51	1	5	15	8	8	1	10	14	-	83	2
-	65	205	13	2	33	1	4	9	5	4	1	8	11	-	59	3
-	27	97	3	1	18	-	1	6	3	4	-	2	3	-	24	4
-	29	96	12	2	17	1	3	2	2	1	1	7	9	3	25	5
-	19	70	9	1	10	1	1	1	-	1	-	4	4	3	18	6
-	10	26	3	1	7	-	2	1	2	-	1	3	5	-	7	7
-	21	54	2	-	10	1	1	3	2	2	-	1	5	-	19	8
-	14	81	8	1	12	-	5	4	-	3	-	4	11	-	18	9
-	7	31	-	-	8	-	1	2	-	1	-	1	1	-	14	10
-	39	148	8	1	25	1	7	5	1	4	-	14	17	3	52	11
-	11	27	1	-	2	-	3	-	-	3	-	-	5	-	3	12
-	29	97	5	-	15	-	3	4	2	2	-	4	10	-	34	13
-	20	55	8	-	13	-	1	8	1	2	-	4	5	3	28	14
-	79	253	18	4	51	1	6	21	10	6	1	18	35	1	87	15
-	34	98	9	1	20	1	3	8	-	-	1	4	9	1	36	16
-	11	48	2	1	17	-	1	6	3	1	-	4	6	-	18	17
-	34	107	7	2	14	-	2	7	7	5	-	10	20	-	33	18
-	40	128	8	1	16	-	8	3	6	6	2	22	20	2	46	19
-	30	87	3	-	37	-	-	3	4	2	-	3	9	-	25	20
-	20	52	8	1	8	-	2	-	5	2	-	6	7	1	20	21
-	28	71	6	1	10	-	-	4	2	2	-	4	11	1	24	22
-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	23
-	28	68	6	1	10	-	-	4	2	2	-	4	11	1	23	24
-	47	136	9	4	49	1	4	11	3	4	-	18	18	-	58	25
-	17	57	5	2	17	-	3	6	1	-	-	9	9	-	27	26
-	30	79	4	2	32	1	1	5	2	4	-	9	9	-	31	27
1	3,153	16,657	1,390	105	2,486	63	538	1,035	521	435	352	822	1,703	50	4,575	28
1	2,583	15,396	1,202	86	2,093	55	437	871	436	360	344	654	1,459	42	3,669	29
-	31	178	5	-	19	1	5	7	8	4	-	6	16	1	51	30
-	52	218	16	2	35	-	11	16	9	12	3	11	17	-	67	31
-	1	2	-	-	-	-	-	-	-	2	-	1	-	-	-	32
-	58	273	15	-	41	1	10	16	8	5	-	9	15	1	69	33
-	24	91	5	-	14	-	7	5	1	2	-	3	12	-	15	34
-	53	270	10	2	44	1	5	12	7	3	-	10	23	-	63	35
-	17	64	4	-	14	-	1	6	1	4	-	3	3	-	16	36
-	3	40	-	-	3	-	2	4	1	1	-	2	4	1	10	37
-	8	32	3	1	4	-	3	3	1	1	-	2	7	-	14	38
-	16	92	6	2	9	-	7	5	4	4	1	13	9	-	33	39
-	6	42	3	-	3	-	2	2	-	1	-	1	3	1	10	40
-	10	66	2	-	16	-	2	2	3	-	-	4	5	-	18	41
-	16	60	7	-	8	2	3	7	1	2	-	8	10	1	15	42
-	6	45	2	1	4	1	4	5	1	1	-	1	4	-	6	43
-	7	42	2	-	4	-	2	6	3	3	-	3	8	-	20	44
-	10	42	2	-	7	-	3	4	2	2	-	2	3	-	9	45
-	15	68	4	-	7	-	4	3	3	1	-	3	3	1	22	46
-	13	31	2	-	1	-	-	1	1	2	-	3	3	-	4	47
-	223	1,605	100	11	160	2	30	60	31	23	4	83	99	2	464	48
-	24	87	6	1	22	1	-	6	6	4	-	8	16	-	35	49
-	14	36	5	-	11	-	2	1	-	1	-	-	6	1	17	50
-	30	155	5	-	33	-	6	8	5	10	-	15	11	2	38	51
-	16	76	-	1	14	1	1	7	4	3	1	4	12	1	21	52
-	11	65	2	-	29	-	3	2	2	-	-	2	6	1	18	53
-	81	363	25	5	68	4	17	27	15	9	1	30	45	8	112	54
-	7	59	4	-	13	1	2	3	3	-	-	4	8	3	16	55
-	74	304	21	5	55	3	15	24	12	9	1	26	37	5	94	56
-	31	87	7	-	12	-	1	6	2	1	-	9	15	2	36	57
-	19	31	3	-	5	1	4	1	-	1	-	7	4	3	19	58
-	19	73	4	2	15	-	6	4	-	1	-	3	8	1	22	59
-	20	98	3	-	14	-	2	4	4	2	-	7	7	-	23	60
-	20	58	1	1	11	-	2	2	5	1	-	3	7	1	17	61
-	46	166	9	3	35	1	5	9	9	4	3	11	40	9	56	62
-	15	41	4	-	6	1	1	2	3	1	-	4	9	1	15	63
-	31	125	5	3	29	-	4	7	6	3	3	7	31	8	41	64
-	47	184	9	3	42	1	5	17	4	8	1	15	23	8	51	65
-	15	58	2	2	18	-	2	4	3	3	1	1	5	3	23	66
-	32	106	7	1	24	1	3	13	1	5	-	14	18	5	28	67
-	14	39	4	3	9	-	1	-	2	2	-	1	6	-	10	68
-	24	79	7	-	10	1	-	5	3	5	1	4	7	2	15	69
-	21	73	8	-	9	-	1	4	4	2	1	11	6	-	23	70
-	21	47	3	-	5	-	1	2	-	1	-	3	5	-	10	71
-	35	135	6	2	15	1	1	7	4	3	-	6	9	3	33	72
-	8	20	3	-	6	-	-	1	3	1	-	3	4	-	11	73
-	4	25	2	-	6	-	1	-	1	5	-	5	4	1	9	74
-	41	192	12	-	34	-	2	13	4	6	1	10	23	1	55	75
-	14	76	7	-	27	-	2	8	2	1	-	4	8	-	22	76
-	27	116	5	-	7	-	-	5	2	5	1	6	15	1	33	77
-	31	109	8	-	16	1	3	7	5	2	-	11	15	-	30	78
-	38	158	10	1	26	4	7	6	1	-	1	9	30	3	40	79
-	14	42	8	1	12	-	3	2	-	1	-	4	6	-	11	80
-	35	119	6	3	24	1	4	6	8	2	-	5	24	19	37	81
-	24	72	5	2	10	1	3	1	5	1	-	2	11	8	13	82
-	11	47	1	1	14	-	1	5	3	1	-	3	13	11	24	83
-	13	45	3	1	14	-	2	4	2	1	-	5	5	1	16	84
-	39	118	4	-	9	-	4	4	5	-	-	6	15	-	25	85
-	16	27	4	1	10	2	3	3	1	2	-	3	-	-	18	86
-	161	690	145	2	91	5	20	28	25	21	3	32	94	7	237	87
-	65	200	14	-	21	2	6	13	11	7	1	10	24	1	60	88
-	49	319	120	1	37	2	4	2	7	4	-	11	54	4	132	89
-	50	321	120	1	37	2	4	2	7	6	-	12	54	4	132	90
-	47	171	11	1	33	1	10	13	7	10	2	11	16	2	45	91
-	74	659	113	6	21	-	10	21	10	10	3	22	51	6	130	92
-	27	94	6	1	4	-	4	8	6	2	2	10	10	-	21	93
-	47	565	107	5	17	-	6	13	4	8	1	12	41	6	109	94
-	7	54	1	-	5	-	1	3	3	4	-	4	11	-	8	95
-	51	207	16	-	39	2	7	13	8	7	1	16	21	6	86	96
-	35	141	9	-	19	1	5	9	5	5	1	8	11	3	63	97
-	16	66	7	-	20	1	2	4	3	2	-	8	10	3	23	98

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	ILLINOIS—Continued															
1	Lake	1,378	-	2	-	-	-	42	-	-	9	1	1	221	-	37
2	Waukegan	261	-	-	-	-	-	15	-	-	4	1	-	49	-	10
3	Highland Park	126	-	-	-	-	-	-	-	-	-	-	-	23	-	7
4	Balance of county	971	-	2	-	-	-	27	-	-	5	-	1	149	-	20
5	La Salle	1,088	-	-	-	1	-	23	-	-	1	4	2	170	1	48
6	La Salle	134	-	-	-	-	-	3	-	-	-	-	-	23	1	3
7	Ottawa	184	-	-	-	-	-	2	-	-	1	-	-	28	-	8
8	Streator	199	-	-	-	-	-	1	-	-	-	3	1	30	-	11
9	Balance of county	571	-	-	-	1	-	17	-	-	-	1	1	89	-	26
10	Lawrence	206	-	-	-	-	-	1	-	1	-	-	-	31	1	2
11	Lee	512	-	-	-	-	1	20	1	-	4	2	1	66	-	12
12	Dixon	129	-	-	-	-	-	-	-	-	2	2	-	30	-	4
13	Balance of county	383	-	-	-	-	1	20	1	-	2	-	1	36	-	8
14	Livingston	406	-	1	-	-	-	10	-	-	2	2	-	63	-	23
15	Logan	411	-	-	-	-	-	18	1	-	3	20	-	61	-	19
16	Lincoln	227	-	-	-	-	-	16	1	-	3	18	-	29	-	10
17	Balance of county	184	-	-	-	-	-	2	-	-	-	1	-	32	-	9
18	McDonough	323	-	-	-	-	-	6	-	-	1	1	-	56	-	17
19	McHenry	465	-	-	-	-	-	2	-	-	1	-	1	79	-	17
20	McLean	815	-	-	-	1	-	9	-	-	4	1	1	128	-	18
21	Bloomington	462	-	-	-	-	-	4	-	-	3	1	1	73	-	9
22	Balance of county	353	-	-	-	1	-	5	-	-	1	-	-	55	-	9
23	Macon	954	-	-	-	-	-	17	-	-	6	-	1	172	1	31
24	Decatur	726	-	-	-	-	-	14	-	-	6	-	1	131	1	25
25	Balance of county	228	-	-	-	-	-	3	-	-	-	-	-	41	-	6
26	Macoupin	552	-	-	-	-	-	5	-	-	4	1	-	81	1	12
27	Madison	1,737	-	2	-	2	-	40	-	-	15	1	7	236	1	40
28	Alton	384	-	-	-	-	-	4	-	-	2	1	1	63	-	9
29	Granite City	213	-	2	-	-	-	7	-	-	4	-	-	29	-	8
30	Balance of county	1,140	-	-	-	2	-	29	-	-	9	-	6	144	1	23
31	Marion	435	-	-	-	2	1	4	-	-	1	-	-	69	-	10
32	Centralia (part)	164	-	-	-	-	-	1	-	-	-	-	-	31	-	4
33	Centralia (total)	169	-	-	-	-	-	1	-	-	-	-	-	32	-	4
34	Balance of county	271	-	-	-	2	1	3	-	-	1	-	-	38	-	6
35	Marshall	111	-	-	-	-	-	1	-	-	1	-	-	19	-	3
36	Mason	172	-	-	-	-	-	4	-	-	-	-	-	18	-	6
37	Massac	179	-	-	-	-	-	5	1	-	3	-	-	19	-	2
38	Menard	89	-	-	-	-	-	1	-	-	-	-	-	14	-	1
39	Mercer	172	-	1	-	-	-	1	-	-	-	-	-	26	-	5
40	Monroe	131	-	-	-	-	-	1	-	-	-	-	-	24	-	1
41	Montgomery	366	-	-	-	1	-	5	-	-	-	1	-	48	-	13
42	Morgan	663	-	1	-	-	-	20	-	-	17	-	-	81	1	15
43	Jacksonville	527	-	1	-	-	-	18	-	-	16	-	-	54	1	10
44	Balance of county	136	-	-	-	-	-	2	-	-	1	-	-	27	-	5
45	Moultrie	159	-	-	-	-	-	3	-	-	-	1	-	26	-	6
46	Ogle	324	-	-	-	-	-	3	-	-	1	2	-	51	-	12
47	Peoria	1,989	1	2	-	-	-	41	-	-	32	1	3	258	1	53
48	Peoria	1,141	-	2	-	-	-	18	-	-	15	1	2	169	-	41
49	Balance of county	748	1	-	-	-	-	23	-	-	17	-	1	89	1	12
50	Perry	204	-	-	-	1	-	2	-	-	3	-	-	25	-	7
51	Piatt	152	-	-	-	-	-	1	-	-	1	-	-	21	-	7
52	Pike	284	-	-	-	-	-	3	-	1	2	-	-	35	1	8
53	Pope	82	-	-	-	-	-	2	-	-	-	-	-	11	-	2
54	Pulaski	184	-	-	-	-	-	6	-	-	-	2	-	13	-	1
55	Putnam	40	-	-	-	-	-	-	-	-	-	-	-	6	-	1
56	Randolph	309	-	-	-	-	-	6	-	-	3	-	-	42	-	8
57	Richland	202	-	-	-	1	-	3	-	-	-	-	-	28	-	9
58	Rock Island	1,427	-	-	-	-	-	33	-	-	24	-	7	201	-	43
59	Moline	370	-	-	-	-	-	2	-	-	1	-	3	67	-	10
60	Rock Island	454	-	-	-	-	-	11	-	-	1	-	2	60	-	14
61	East Moline	378	-	-	-	-	-	17	-	-	22	-	1	38	-	13
62	Balance of county	225	-	-	-	-	-	3	-	-	-	-	1	36	-	6
63	St. Clair	2,036	1	-	-	2	1	72	-	-	16	4	2	263	-	50
64	Belleville	389	-	-	-	-	1	4	-	-	3	-	-	46	-	14
65	East St. Louis	980	-	-	-	2	-	40	-	-	13	-	-	119	-	20
66	Balance of county	667	1	-	-	-	-	28	-	-	-	4	2	98	-	16
67	Saline	395	-	-	-	-	-	8	-	-	1	-	2	63	-	5
68	Harrisburg	146	-	-	-	-	-	1	-	-	1	-	-	20	-	3
69	Balance of county	249	-	-	-	-	-	7	-	-	-	-	2	43	-	2
70	Sangamon	1,414	-	1	-	1	-	31	-	-	12	3	1	211	-	35
71	Springfield	1,087	-	1	-	1	-	19	-	-	10	1	1	169	-	27
72	Balance of county	327	-	-	-	-	-	12	-	-	2	2	-	42	-	8
73	Schuyler	111	-	-	-	-	-	-	-	-	2	-	-	12	-	3
74	Scott	86	-	-	-	-	-	2	-	-	-	1	-	7	-	1
75	Shelby	278	-	-	-	1	-	5	-	-	1	1	-	44	-	8
76	Stark	83	-	-	-	-	-	1	-	-	-	-	-	13	-	-
77	Stephenson	472	-	-	-	-	-	3	1	-	1	-	-	85	-	14
78	Freeport	316	-	-	-	-	-	2	1	-	-	-	-	62	-	8
79	Balance of county	156	-	-	-	-	-	1	-	-	1	-	-	23	-	6
80	Tazewell	538	-	-	-	-	-	10	-	-	1	-	-	77	-	8
81	Pekin	215	-	-	-	-	-	2	-	-	1	-	-	34	-	5
82	Balance of county	321	-	-	-	-	-	8	-	-	-	-	-	43	-	3
83	Union	479	-	-	-	-	-	26	-	-	22	1	-	31	-	5
84	Vermilion	1,043	-	-	-	-	-	23	-	-	26	1	1	139	1	40
85	Danville	460	-	-	-	-	-	6	-	-	-	1	1	58	1	23
86	Balance of county	583	-	-	-	-	-	17	-	-	26	-	-	81	-	17
87	Wabash	176	-	-	-	2	-	1	-	-	2	-	1	26	-	3
88	Warren	220	-	1	-	1	-	1	-	-	1	-	-	37	-	9
89	Washington	147	-	-	-	-	-	2	-	-	-	-	-	22	-	6
90	Wayne	184	-	-	-	-	-	6	-	-	-	-	-	17	1	3
91	White	215	-	-	-	-	-	3	-	-	-	-	-	25	-	7
92	Whiteside	466	-	-	-	-	-	4	-	-	2	1	1	70	-	17
93	Sterling	179	-	-	-	-	-	2	-	-	-	-	1	30	-	11
94	Balance of county	287	-	-	-	-	-	2	-	-	2	1	-	40	-	6
95	Will	1,271	-	-	-	-	1	16	-	-	7	-	-	216	-	43
96	Joliet	717	-	-	-	-	-	4	-	-	4	-	-	141	-	23
97	Balance of county	554	-	-	-	-	1	12	-	-	3	-	-	75	-	20

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	91	467	38	2	97	4	14	35	22	20	5	40	72	3	155	1
-	21	83	7	-	11	-	4	6	8	5	1	8	13	2	33	2
-	10	51	1	1	6	-	-	2	2	2	-	4	6	-	11	3
-	60	333	30	1	80	4	10	27	12	13	4	28	53	1	111	4
-	103	416	21	2	65	1	9	23	9	7	1	26	54	-	101	5
-	18	48	4	-	10	-	1	1	-	1	-	3	6	-	12	6
-	16	77	-	-	11	-	1	7	3	1	1	4	10	-	14	7
-	17	70	7	1	12	1	2	4	1	-	-	4	13	-	21	8
-	52	221	10	1	32	-	5	11	5	5	-	15	25	-	54	9
-	27	56	11	1	17	1	2	5	1	1	-	10	9	1	18	10
-	26	132	20	9	33	-	41	11	4	4	1	5	20	-	99	11
-	6	44	1	1	8	-	1	2	2	1	-	2	7	-	16	12
-	20	88	19	8	25	-	40	9	2	3	1	3	13	-	83	13
-	39	127	6	1	34	1	5	3	2	2	-	13	23	3	46	14
-	23	110	24	4	25	3	21	4	2	2	-	13	15	2	41	15
-	13	51	16	2	13	1	15	2	-	2	-	6	7	1	20	16
-	10	59	8	2	12	2	6	2	2	-	-	7	8	1	21	17
-	31	99	13	1	12	-	1	1	6	3	-	11	19	-	45	18
-	40	168	6	1	28	-	10	19	5	6	2	18	21	2	41	19
-	65	302	17	3	57	1	1	14	9	13	1	21	40	9	100	20
-	40	185	10	1	27	1	-	10	4	4	1	7	25	7	49	21
-	25	117	7	2	30	-	1	4	5	9	-	14	15	2	51	22
1	75	323	24	2	50	3	19	28	14	6	2	21	40	8	110	23
1	60	255	19	2	35	3	13	22	10	3	1	14	25	2	83	24
-	15	68	5	-	15	-	6	6	4	3	1	7	15	6	27	25
-	49	213	12	1	34	-	4	8	12	5	3	3	36	1	67	26
1	176	603	44	6	87	4	38	40	21	17	8	57	91	12	195	27
-	30	148	10	-	15	1	8	14	4	2	4	10	18	2	38	28
-	19	68	1	-	11	1	4	2	8	4	-	11	9	1	24	29
1	127	387	33	6	61	2	16	24	12	11	4	36	64	9	133	30
-	43	144	20	1	17	1	12	5	6	4	-	13	28	6	50	31
-	16	48	5	-	8	-	5	2	2	1	-	4	17	-	20	32
-	16	51	5	-	8	-	5	2	2	1	-	4	17	-	21	33
-	27	96	15	1	9	1	7	3	4	3	-	9	9	6	30	34
-	14	40	3	-	6	-	3	2	1	1	-	4	4	-	9	35
-	19	73	2	-	10	-	-	2	3	2	-	9	9	1	14	36
-	19	68	8	2	3	2	-	4	4	1	-	7	7	5	19	37
-	12	26	4	-	4	-	-	-	-	2	-	3	4	-	18	38
-	20	70	3	-	10	-	3	4	-	1	-	4	7	-	17	39
-	16	42	2	-	8	1	1	2	-	3	-	2	9	-	19	40
-	50	130	11	1	24	1	3	8	2	5	-	9	20	1	33	41
-	53	280	15	2	20	1	5	8	4	3	1	8	38	2	98	42
-	35	239	11	2	13	1	-	5	3	2	1	2	31	2	80	43
-	18	51	4	-	7	-	5	3	1	1	-	6	7	-	18	44
-	17	58	-	-	7	1	-	2	-	2	-	2	13	3	18	45
-	33	109	8	1	17	1	5	7	5	7	6	10	12	2	32	46
-	131	601	76	10	159	3	19	41	24	18	12	38	100	9	256	47
-	86	390	29	7	82	3	8	29	14	8	9	27	53	3	145	48
-	45	211	47	3	77	-	11	12	10	10	3	11	47	6	111	49
-	24	75	6	1	6	-	2	1	10	-	1	8	15	1	16	50
-	11	57	5	-	7	1	3	3	1	3	-	7	10	-	14	51
-	37	102	10	-	9	-	1	4	2	5	1	6	19	1	37	52
-	5	29	5	1	8	-	1	-	2	1	2	-	2	-	11	53
-	26	73	7	1	12	-	1	3	4	4	1	6	6	1	17	54
-	1	14	-	-	1	1	-	-	1	1	-	4	2	-	8	55
-	23	110	12	-	12	1	2	11	10	5	1	7	11	4	41	56
-	17	81	4	1	6	1	1	5	1	2	-	6	7	1	28	57
-	142	538	49	3	43	3	25	33	21	17	1	24	68	7	145	58
-	28	142	7	2	16	-	6	6	6	3	-	7	17	5	42	59
-	54	174	13	1	11	1	9	14	6	7	-	8	22	1	45	60
-	41	140	25	-	7	1	3	4	2	3	1	2	21	-	37	61
-	19	82	4	-	9	1	7	9	7	4	-	7	8	1	21	62
-	176	678	55	14	137	2	20	65	44	25	31	60	83	18	217	63
-	32	140	5	1	22	-	5	14	12	6	-	13	17	7	47	64
-	82	332	37	9	67	1	3	24	16	6	24	24	36	5	120	65
-	62	206	13	4	48	1	12	27	16	13	7	23	30	6	50	66
-	38	115	11	-	50	-	3	8	12	3	4	8	28	1	35	67
-	18	38	3	-	25	-	-	4	6	-	1	4	8	-	14	68
-	20	77	8	-	25	-	3	4	6	3	3	4	20	1	21	69
-	130	447	48	1	110	4	14	36	23	15	3	35	57	21	175	70
-	102	331	38	1	93	4	11	33	17	11	2	25	42	10	138	71
-	28	116	10	-	17	-	3	3	6	4	1	10	15	11	37	72
-	15	35	4	-	10	-	-	1	1	-	-	3	4	3	18	73
-	10	32	5	1	6	-	-	1	-	1	-	2	6	-	11	74
-	26	112	6	1	12	-	1	2	4	3	1	12	14	-	26	75
-	11	30	5	-	4	1	1	2	1	-	-	1	3	-	10	76
1	45	163	14	2	32	4	6	10	8	7	-	9	15	3	49	77
1	31	109	12	-	15	3	5	8	6	3	-	4	8	1	37	78
-	14	54	2	2	17	1	1	2	2	4	-	5	7	2	12	79
-	43	190	16	-	26	1	9	12	12	9	2	20	35	1	64	80
-	13	78	6	-	13	1	3	2	3	6	-	9	15	-	24	81
-	30	112	10	-	13	-	6	10	9	3	2	11	20	1	40	82
-	40	135	7	5	10	1	2	10	2	2	-	10	27	-	143	83
-	95	371	33	3	78	2	10	14	8	9	3	20	51	1	114	84
-	41	172	13	1	28	2	6	7	5	2	2	10	26	-	55	85
-	54	199	20	2	50	-	4	7	3	7	1	10	25	1	59	86
-	27	58	4	1	15	-	2	2	-	1	-	4	7	1	19	87
-	19	80	6	1	17	-	3	4	2	3	1	7	13	-	14	88
1	24	47	4	1	5	-	1	2	2	-	-	3	4	1	22	89
-	19	76	8	-	2	-	3	3	3	2	-	9	7	6	20	90
-	22	77	7	-	19	-	2	7	5	3	-	6	9	3	20	91
-	54	157	11	-	19	-	9	7	8	2	1	12	19	4	58	92
-	20	60	1	-	6	-	1	2	4	1	-	2	7	1	30	93
-	34	107	10	-	13	-	8	5	4	1	1	10	12	3	28	94
-	99	414	30	2	80	1	20	42	12	10	2	41	70	4	161	95
-	50	223	15	-	49	1	6	25	8	2	2	19	44	1	100	96
-	49	191	15	2	31	-	14	17	4	8	-	22	26	3	61	97

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	ILLINOIS—Continued															
1	Williamson	586	-	1	-	1	-	14	-	-	2	-	-	66	-	16
2	Winnebago	1,275	-	-	-	-	-	21	-	-	6	-	5	206	-	35
3	Rockford	887	-	-	-	-	-	20	-	-	4	-	-	153	-	29
4	Balance of county	388	-	-	-	-	-	1	-	-	2	-	5	53	-	6
5	Woodford	205	-	-	-	-	-	3	-	-	2	-	1	27	-	6
6	INDIANA	39,544	3	34	2	21	16	917	10	2	312	37	29	5,282	25	1,024
7	Adams	226	-	-	-	1	-	2	-	-	-	-	1	36	-	7
8	Allen	1,728	1	1	-	-	1	57	-	-	9	-	3	247	2	59
9	Fort Wayne	1,342	1	1	-	-	-	37	-	-	8	-	1	205	2	51
10	Balance of county	386	-	-	-	-	1	20	-	-	1	-	2	42	-	8
11	Bartholomew	325	-	-	-	-	-	6	-	-	-	-	-	32	-	11
12	Columbus	138	-	-	-	-	-	2	-	-	-	-	-	16	-	3
13	Balance of county	189	-	-	-	-	-	4	-	-	-	-	-	16	-	8
14	Benton	90	-	-	-	-	-	-	-	-	-	-	-	12	-	4
15	Blackford	141	-	-	-	-	-	1	-	-	-	-	-	15	-	3
16	Boone	262	-	-	-	-	-	4	-	-	-	-	-	45	-	4
17	Brown	61	-	-	-	-	-	1	-	-	3	-	-	7	-	2
18	Carroll	171	-	-	-	-	2	-	-	-	-	-	-	18	-	3
19	Cass	641	-	-	-	1	-	27	-	-	12	2	-	83	1	12
20	Logansport	299	-	-	-	1	-	10	-	-	-	2	-	52	1	6
21	Balance of county	343	-	-	-	-	-	17	-	-	12	-	-	31	-	6
22	Clark	411	-	-	1	-	-	7	-	-	4	-	-	51	-	12
23	Jeffersonville	167	-	-	-	-	-	4	-	-	1	-	-	16	-	5
24	Balance of county	244	-	-	1	-	-	3	-	-	3	-	-	35	-	7
25	Clay	298	-	-	-	-	-	3	-	-	4	-	-	39	-	5
26	Clinton	319	-	-	-	1	-	3	-	-	2	1	-	53	-	8
27	Frankfort	173	-	-	-	-	-	3	-	-	2	1	-	31	-	4
28	Balance of county	146	-	-	-	1	-	-	-	-	-	-	-	22	-	4
29	Crawford	118	-	-	-	-	-	2	-	-	-	-	-	22	-	1
30	Daviess	262	-	-	-	-	-	2	-	-	-	-	-	36	-	7
31	Dearborn	222	-	1	-	-	1	5	-	-	1	1	-	40	-	3
32	Decatur	225	-	-	-	-	-	3	-	-	1	-	-	18	-	6
33	De Kalb	282	-	-	-	-	1	7	-	-	-	2	-	40	-	9
34	Delaware	797	-	1	-	3	1	19	-	-	6	1	-	95	2	20
35	Muncie	558	-	1	-	3	-	14	-	-	5	-	-	68	2	11
36	Balance of county	239	-	-	-	-	1	5	-	-	1	1	-	27	-	9
37	Dubois	190	-	-	-	-	-	1	-	-	1	-	-	22	-	4
38	Elkhart	794	-	1	-	-	-	10	-	-	9	2	-	112	-	25
39	Elkhart	355	-	-	-	-	-	6	-	-	5	-	-	58	-	12
40	Goshen	135	-	-	-	-	-	2	-	-	2	-	-	17	-	3
41	Balance of county	304	-	1	-	-	-	2	-	-	2	2	-	39	-	10
42	Fayette	209	-	-	-	-	-	7	-	-	-	-	-	28	-	2
43	Connersville	155	-	-	-	-	-	4	-	-	-	-	-	25	-	2
44	Balance of county	54	-	-	-	-	-	3	-	-	-	-	-	3	-	-
45	Floyd	468	-	-	-	-	1	21	-	-	2	-	2	51	-	12
46	New Albany	338	-	-	-	-	1	5	-	-	2	-	2	33	-	10
47	Balance of county	130	-	-	-	-	-	16	-	-	-	-	-	18	-	2
48	Fountain	169	-	-	-	-	-	4	-	-	-	-	-	20	-	5
49	Franklin	160	-	2	-	-	-	3	-	-	-	-	-	23	-	1
50	Fulton	193	-	-	-	-	-	5	-	-	1	-	-	19	-	7
51	Gibson	341	-	-	-	-	-	8	-	-	4	-	-	49	-	7
52	Grant	685	-	-	-	-	-	11	-	-	15	-	3	95	1	18
53	Marion	346	-	-	-	-	-	2	-	-	1	-	3	49	1	3
54	Balance of county	339	-	-	-	-	-	9	-	-	14	-	-	46	-	15
55	Greene	316	-	-	-	-	-	5	-	1	4	-	-	38	1	5
56	Hamilton	286	-	-	-	1	-	4	-	-	1	-	-	30	-	8
57	Hancock	215	-	-	-	-	1	4	-	-	3	1	-	21	-	3
58	Harrison	157	-	-	-	-	-	3	-	-	-	-	-	22	-	5
59	Hendricks	256	-	1	-	-	-	5	-	-	-	-	1	22	-	8
60	Henry	442	-	-	-	-	1	17	-	-	3	-	1	47	-	11
61	New Castle	151	-	-	-	-	-	6	-	-	1	-	1	16	-	6
62	Balance of county	291	-	-	-	-	1	11	-	-	2	-	-	31	-	5
63	Howard	525	-	1	-	-	-	13	1	-	3	-	-	78	1	15
64	Kokomo	396	-	1	-	-	-	8	-	-	3	-	-	62	1	8
65	Balance of county	129	-	-	-	-	-	5	1	-	-	-	-	16	-	7
66	Huntington	389	-	-	-	1	2	3	-	-	-	1	-	61	-	9
67	Huntington	197	-	-	-	1	1	3	-	-	-	-	-	31	-	2
68	Balance of county	192	-	-	-	-	1	-	-	-	-	1	-	30	-	7
69	Jackson	258	-	-	-	1	-	4	-	-	-	1	-	39	-	2
70	Jasper	168	-	1	-	-	-	-	-	-	2	-	-	18	-	9
71	Jay	248	-	-	-	-	-	3	-	-	3	-	-	28	-	6
72	Jefferson	367	-	-	-	-	-	10	-	-	8	-	-	38	2	3
73	Jennings	155	-	-	-	-	1	5	-	-	1	1	-	13	-	4
74	Johnson	325	-	1	-	1	-	8	-	-	1	-	-	30	-	13
75	Knox	414	2	-	-	-	-	3	-	1	3	-	1	71	-	6
76	Vincennes	188	-	-	-	-	-	1	-	-	1	-	-	38	-	6
77	Balance of county	226	2	-	-	-	-	2	-	1	2	-	1	33	-	-
78	Kosciusko	354	-	-	-	-	-	2	-	-	-	1	-	80	-	12
79	Lagrange	135	-	-	-	-	-	-	-	-	1	-	-	15	-	2
80	Lake	3,013	-	2	-	1	-	97	-	-	18	3	3	441	2	75
81	Gary	1,240	-	1	-	1	-	49	-	-	11	1	1	170	-	24
82	East Chicago	527	-	-	-	-	-	15	-	-	3	2	1	70	1	17
83	Hammond	650	-	1	-	-	-	11	-	-	2	-	-	116	1	19
84	Whiting	90	-	-	-	-	-	-	-	-	1	-	-	14	-	3
85	Balance of county	506	-	-	-	-	-	22	-	-	1	-	1	71	-	12
86	La Porte	909	-	3	-	2	-	9	-	-	8	2	-	127	-	26
87	Michigan City	337	-	2	-	1	-	5	-	-	7	-	-	49	-	10
88	La Porte	253	-	-	-	1	-	1	-	-	-	-	-	52	-	8
89	Balance of county	219	-	1	-	-	-	3	-	-	1	2	-	26	-	8
90	Lawrence	370	-	-	-	-	-	7	-	-	2	-	1	59	-	5
91	Bedford	158	-	-	-	-	-	3	-	-	2	-	-	26	-	1
92	Balance of county	214	-	-	-	-	-	4	-	-	-	-	1	33	-	4
93	Madison	850	-	1	-	-	-	26	1	-	9	-	-	114	2	25
94	Anderson	483	-	-	-	-	-	12	-	-	4	-	-	53	2	13
95	Elwood	122	-	1	-	-	-	5	-	-	1	-	-	14	-	2
96	Balance of county	345	-	-	-	-	-	9	1	-	4	-	-	47	-	10

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
-	70	184	6	2	33	2	5	16	5	5	3	20	38	4	73	1
-	136	403	45	4	62	1	19	26	20	10	5	39	55	4	173	2
-	104	275	29	3	38	-	9	13	11	5	4	22	39	2	128	3
-	32	128	16	1	24	1	10	13	9	5	1	17	17	2	45	4
-	23	89	6	-	6	1	3	4	-	3	-	2	12	1	16	5
5	4,212	12,424	1,393	219	2,821	92	547	990	501	502	164	1,073	1,880	300	4,707	6
-	23	68	19	2	16	-	3	5	1	2	-	4	10	-	26	7
-	145	522	67	3	133	4	37	51	18	31	4	51	71	4	206	8
-	111	411	43	3	110	4	28	42	15	23	4	40	47	1	154	9
-	34	111	24	-	23	-	9	9	4	8	-	11	24	3	52	10
-	45	125	14	-	6	-	8	10	3	3	1	13	13	4	31	11
-	19	53	3	-	3	-	4	3	1	1	1	5	8	1	13	12
-	26	72	11	-	3	-	4	7	2	2	-	8	5	3	18	13
-	8	31	3	-	6	-	1	3	-	1	-	2	3	3	13	14
-	23	37	4	1	10	-	3	8	1	4	-	5	5	1	20	15
-	25	86	6	1	29	-	2	5	2	5	-	10	13	7	18	16
-	7	18	2	-	2	-	1	-	2	1	1	1	4	1	8	17
-	24	50	5	1	17	-	4	1	1	3	-	3	10	3	26	18
-	47	244	21	2	31	1	7	18	2	5	3	18	34	1	69	19
-	20	105	4	-	18	1	3	12	2	2	3	11	17	1	27	20
-	27	139	17	2	13	-	4	6	-	3	-	7	17	-	42	21
1	32	132	24	3	19	2	9	16	10	8	3	10	24	1	42	22
-	15	69	10	1	6	1	1	2	4	2	2	1	8	1	18	23
1	17	63	14	2	13	1	8	14	6	6	1	9	16	-	24	24
-	46	61	9	3	64	-	1	6	5	5	-	4	6	1	36	25
-	48	86	7	1	21	-	3	6	3	3	-	7	18	4	44	26
-	25	47	3	-	11	-	1	3	2	1	-	4	8	4	23	27
-	23	39	4	1	10	-	2	3	1	2	-	3	10	-	21	28
-	23	36	4	-	8	1	2	-	2	1	-	3	3	-	10	29
-	38	90	10	1	17	2	1	4	3	1	-	8	12	-	30	30
-	27	75	6	-	18	-	2	2	4	1	-	4	12	-	19	31
-	34	77	9	1	20	-	6	3	1	2	-	4	9	1	30	32
-	27	75	9	5	38	1	3	6	2	1	-	10	11	11	24	33
-	77	263	34	2	45	-	16	22	15	8	2	31	37	6	91	34
-	41	191	26	2	27	-	12	17	10	4	-	25	29	4	66	35
-	38	72	8	-	18	-	4	5	5	4	2	8	8	2	25	36
-	33	49	9	1	5	-	5	8	4	1	-	3	9	-	35	37
-	100	272	29	3	33	2	11	30	8	10	2	21	32	7	75	38
-	43	117	14	2	13	-	6	11	4	5	2	7	17	2	33	39
-	20	49	3	1	4	-	1	10	1	-	-	4	4	1	13	40
-	37	106	12	-	16	2	4	9	3	5	-	10	11	4	29	41
-	23	76	4	1	9	-	2	8	2	-	-	6	15	2	24	42
-	12	54	2	1	7	-	2	7	1	-	-	4	13	2	19	43
-	11	22	2	-	2	-	-	1	1	-	-	2	2	-	5	44
-	51	173	16	7	22	1	4	18	2	6	1	10	19	1	47	45
-	36	134	11	7	15	1	3	17	2	1	1	6	16	-	35	46
-	15	39	5	-	7	-	1	2	-	5	-	4	3	1	12	47
-	14	52	4	-	17	-	3	1	2	1	-	7	5	1	33	48
-	15	55	2	1	21	-	4	3	1	2	1	7	6	-	13	49
-	19	53	12	1	25	-	5	6	1	2	-	2	14	2	19	50
-	26	115	15	4	23	-	4	9	4	3	1	10	27	2	30	51
-	79	188	28	3	67	-	5	16	14	11	1	14	25	5	86	52
-	42	95	8	1	43	-	2	12	8	6	1	8	16	4	41	53
-	37	93	20	2	24	-	3	4	6	5	-	6	9	1	45	54
-	44	112	11	2	30	4	2	3	4	4	-	3	12	4	27	55
-	37	95	11	1	22	-	5	7	2	6	1	12	8	2	33	56
-	32	69	6	-	17	1	3	1	3	1	2	7	7	2	31	57
-	18	49	3	2	26	1	-	5	3	1	-	3	5	3	8	58
1	34	90	6	1	13	-	1	3	2	-	2	11	31	1	23	59
-	37	138	21	6	38	-	5	7	2	5	2	13	31	2	55	60
-	9	49	8	3	18	-	2	6	-	4	-	2	9	-	11	61
-	28	89	13	3	20	-	3	1	2	1	2	11	22	2	44	62
-	58	144	25	3	46	2	4	10	10	4	5	12	27	4	59	63
-	35	115	21	2	41	1	3	8	5	3	5	6	23	3	42	64
-	23	29	4	1	5	1	1	2	5	1	-	6	4	1	17	65
-	32	150	9	5	20	1	6	5	3	4	1	8	8	10	50	66
-	14	75	6	2	4	-	3	3	3	3	1	4	6	9	26	67
-	18	75	3	3	16	1	3	2	-	1	-	4	2	1	24	68
-	31	63	7	2	33	2	4	5	4	1	1	6	15	6	32	69
-	12	57	8	-	5	-	2	4	6	1	-	7	12	1	23	70
-	23	99	14	1	8	1	3	2	1	2	-	8	14	-	32	71
-	22	86	13	3	13	-	6	2	2	3	1	4	22	1	128	72
-	24	30	9	1	14	1	6	4	2	2	-	-	4	3	30	73
-	47	112	6	2	23	1	3	3	4	4	2	4	13	2	45	74
-	42	130	14	1	35	-	5	14	5	3	-	11	28	4	35	75
-	11	60	2	-	19	-	2	3	2	3	-	6	15	2	17	76
-	31	70	12	1	16	-	3	11	3	-	-	5	13	2	18	77
-	35	125	8	4	15	-	3	8	3	4	-	7	18	2	47	78
-	12	60	5	1	10	1	1	2	2	2	-	-	5	-	16	79
-	293	910	145	10	125	13	46	88	54	30	36	87	155	25	354	80
-	119	340	73	4	55	11	18	45	22	10	21	29	73	19	143	81
-	43	168	23	3	29	2	7	11	10	7	10	16	28	1	60	82
-	60	217	31	2	17	-	5	15	13	9	5	13	28	2	83	83
-	7	35	2	-	6	-	4	3	-	-	-	6	1	-	8	84
-	64	150	16	1	18	-	12	14	9	4	-	23	25	3	60	85
-	76	249	23	1	68	2	13	20	8	8	1	27	45	10	81	86
-	30	108	10	1	29	-	4	7	2	-	1	14	20	3	34	87
-	27	69	9	-	23	1	6	7	1	4	-	7	13	3	21	88
-	19	72	4	-	18	1	3	6	5	4	-	6	12	4	26	89
-	45	106	15	3	25	-	4	11	4	1	2	7	18	2	53	90
-	14	48	6	1	14	-	-	6	-	1	1	4	7	-	24	91
-	31	60	9	2	11	-	4	5	4	-	1	3	11	2	29	92
1	106	307	25	9	73	3	16	27	15	19	2	21	35	3	110	93
-	54	161	16	4	34	2	7	18	8	10	1	10	21	-	55	94
-	14	39	2	2	13	-	3	3	3	-	-	4	3	1	12	95
1	38	107	7	3	26	1	6	6	4	9	1	7	11	2	45	96

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	INDIANA—Continued															
1	Marion	5,736	-	5	-	-	1	207	1	-	77	2	3	795	4	168
2	Indianapolis	4,929	-	5	-	-	1	162	-	-	73	2	1	672	4	148
3	Balance of county	807	-	-	-	-	-	45	1	-	4	-	2	113	-	20
4	Marshall	304	-	-	1	-	-	2	-	-	-	2	-	43	-	8
5	Martin	105	-	-	-	-	-	4	-	-	-	-	-	15	-	1
6	Miami	366	-	-	-	-	-	10	-	-	3	1	-	59	1	10
7	Peru	193	-	-	-	-	-	7	-	-	1	1	-	31	-	6
8	Balance of county	173	-	-	-	-	-	3	-	-	2	-	-	28	1	4
9	Monroe	356	-	-	-	-	-	11	-	-	-	-	1	37	-	11
10	Bloomington	207	-	-	-	-	-	6	-	-	-	-	1	23	-	8
11	Balance of county	149	-	-	-	-	-	5	-	-	-	-	-	14	-	3
12	Montgomery	295	-	-	-	-	-	5	-	-	-	-	-	32	1	5
13	Crawfordsville	140	-	-	-	-	-	3	-	-	-	-	-	15	-	2
14	Balance of county	155	-	-	-	-	-	2	-	-	-	-	-	17	1	3
15	Morgan	219	-	1	-	-	-	2	-	-	-	-	-	24	-	6
16	Newton	113	-	-	-	-	-	1	-	-	-	1	-	17	1	9
17	Noble	299	-	1	-	-	-	4	-	-	1	-	-	37	-	11
18	Ohio	52	-	-	-	-	-	1	-	-	-	-	-	6	-	-
19	Orange	186	-	-	-	-	-	2	-	-	2	-	-	25	-	2
20	Owen	151	-	-	-	-	-	2	-	-	1	-	-	31	-	1
21	Parke	222	-	1	-	-	-	21	-	-	-	-	-	19	-	5
22	Perry	153	-	-	-	1	-	5	-	-	-	-	-	20	1	5
23	Pike	187	-	-	-	1	-	2	-	-	-	-	-	22	-	6
24	Porter	317	-	-	-	-	-	6	-	-	-	-	-	47	-	7
25	Posey	197	-	-	-	-	-	3	-	-	-	-	1	17	-	6
26	Pulaski	116	-	-	-	-	-	2	-	-	-	-	-	15	-	2
27	Putnam	257	-	-	-	-	-	8	-	-	2	-	-	32	-	12
28	Randolph	303	-	-	-	-	-	4	-	-	-	1	-	36	-	12
29	Ripley	228	-	-	-	-	-	4	-	-	-	1	-	31	-	3
30	Rush	219	-	1	-	-	-	-	-	-	-	-	-	31	-	5
31	St. Joseph	1,628	-	1	-	-	1	29	1	-	13	-	4	237	1	49
32	South Bend	1,053	-	-	-	-	-	17	-	-	9	-	4	163	-	36
33	Mishawaka	259	-	-	-	-	-	5	-	-	3	-	-	35	-	8
34	Balance of county	316	-	1	-	-	1	9	1	-	1	-	-	39	1	7
35	Scott	100	-	-	-	1	-	3	2	-	-	-	-	9	-	-
36	Shelby	311	-	-	-	1	-	7	-	-	1	-	-	44	-	4
37	Shelbyville	148	-	-	-	-	-	2	-	-	-	-	-	22	-	3
38	Balance of county	163	-	-	-	1	-	5	-	-	1	-	-	22	-	1
39	Spencer	199	-	-	-	-	-	3	-	-	-	1	-	15	-	3
40	Starke	148	-	-	-	-	-	2	-	-	-	-	-	19	-	2
41	Steuben	186	-	-	-	-	-	1	-	-	1	-	-	23	-	10
42	Sullivan	304	-	-	-	-	-	2	-	-	3	-	-	43	-	9
43	Switzerland	103	-	-	-	-	-	1	-	-	1	-	-	13	-	1
44	Tippecanoe	670	-	1	-	-	-	8	1	-	6	-	-	99	-	17
45	Lafayette	420	-	-	-	-	-	3	-	-	5	-	-	67	-	15
46	Balance of county	250	-	1	-	-	-	5	1	-	1	-	-	32	-	2
47	Tipton	167	-	-	-	-	-	2	-	-	2	1	-	25	-	2
48	Union	64	-	-	-	-	-	-	-	-	-	-	-	12	-	4
49	Vanderburgh	1,628	-	2	-	3	-	45	1	-	25	-	1	198	1	26
50	Evansville	1,304	-	2	-	3	-	26	1	-	9	-	1	170	1	23
51	Balance of county	324	-	-	-	-	-	19	-	-	16	-	-	28	-	3
52	Vermillion	238	-	-	-	-	-	2	-	-	-	-	-	42	-	8
53	Vigo	1,234	-	-	-	-	-	21	-	-	8	4	-	154	-	26
54	Terre Haute	864	-	-	-	-	-	17	-	-	6	1	-	112	-	19
55	Balance of county	370	-	-	-	-	-	4	-	-	2	3	-	42	-	7
56	Wabash	328	-	-	-	-	2	8	-	-	1	1	-	35	1	5
57	Warren	92	-	1	-	-	-	2	-	-	-	-	-	12	-	3
58	Warrick	204	-	1	-	1	-	1	-		1	-	-	23	-	6
59	Washington	179	-	-	-	-	-	2	2	-	2	1	-	22	-	3
60	Wayne	854	-	2	-	-	-	22	-	-	17	2	2	100	-	24
61	Richmond	387	-	1	-	-	-	8	-	-	1	2	-	54	-	9
62	Balance of county	467	-	1	-	-	-	14	-	-	16	-	2	46	-	15
63	Wells	191	-	1	-	-	-	2	-	-	-	-	-	29	-	5
64	White	198	-	-	-	-	-	1	-	-	1	1	-	38	-	7
65	Whitley	217	-	-	-	-	-	-	-	-	-	-	-	30	-	8
66	IOWA	28,064	3	18	1	3	2	249	4	1	143	27	76	3,891	12	740
67	Adair	86	-	-	-	-	-	1	-	-	1	-	-	13	-	1
68	Adams	75	-	-	-	-	-	1	-	-	2	-	-	8	-	1
69	Allamakee	159	-	-	-	-	1	-	-	-	1	-	-	18	-	4
70	Appanoose	270	-	-	-	-	-	2	-	-	1	-	-	49	-	5
71	Audubon	95	-	-	-	-	-	-	-	-	-	-	-	20	-	2
72	Benton	237	1	-	-	-	-	1	-	-	2	-	-	40	-	5
73	Black Hawk	833	-	-	-	-	-	7	-	-	4	3	3	119	-	22
74	Waterloo	453	-	-	-	-	-	5	-	-	2	2	3	70	-	14
75	Balance of county	380	-	-	-	-	-	2	-	-	2	1	-	49	-	8
76	Boone	360	-	-	-	-	-	10	1	-	-	-	3	44	-	11
77	Boone	179	-	-	-	-	-	2	-	-	-	-	2	22	-	5
78	Balance of county	181	-	-	-	-	-	8	1	-	-	-	1	22	-	6
79	Bremer	187	-	-	-	-	-	1	-	-	1	1	-	32	-	11
80	Buchanan	342	-	-	-	-	-	11	-	-	3	1	-	36	-	8
81	Buena Vista	207	-	-	-	-	-	1	-	-	-	-	-	44	-	8
82	Butler	148	-	-	-	-	-	1	-	-	-	-	-	30	-	3
83	Calhoun	154	-	-	-	-	-	1	-	-	-	-	-	23	-	4
84	Carroll	222	-	-	-	-	-	3	-	-	-	-	2	35	-	5
85	Cass	181	-	-	-	-	-	1	-	-	-	-	-	28	-	5
86	Cedar	186	-	-	-	-	-	3	-	-	1	-	-	27	-	5
87	Cerro Gordo	427	-	-	-	-	-	7	-	-	3	-	3	64	-	22
88	Mason City	285	-	-	-	-	-	6	-	-	3	-	3	42	-	14
89	Balance of county	142	-	-	-	-	-	1	-	-	-	-	-	22	-	8
90	Cherokee	315	-	-	-	-	-	13	-	-	7	-	1	40	-	9
91	Chickasaw	156	-	-	-	-	-	1	-	-	1	-	-	26	-	3
92	Clarke	107	-	-	-	-	-	2	-	-	-	-	-	18	-	2
93	Clay	155	-	-	-	-	-	3	-	-	-	-	-	24	-	2
94	Clayton	247	-	-	-	-	-	-	-	-	-	-	-	34	-	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 63	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 198,200	All other causes	
-	557	1,754	172	53	380	14	78	176	74	67	39	151	238	15	715	1
-	481	1,476	152	50	324	11	68	169	63	57	38	133	205	11	631	2
-	76	276	20	3	56	3	10	17	11	10	1	18	33	4	84	3
-	57	87	18	2	15	-	2	7	7	4	-	6	6	-	37	4
-	9	32	7	-	10	1	4	1	1	2	-	4	6	-	8	5
-	48	122	13	2	21	1	6	5	4	3	1	9	12	2	33	6
-	21	68	5	1	8	1	3	2	3	2	1	6	6	-	20	7
-	27	54	8	1	13	-	3	3	1	1	-	3	6	2	13	8
-	45	103	12	-	37	2	5	12	4	7	-	9	17	2	41	9
-	17	62	8	-	18	1	2	9	4	6	-	3	8	2	29	10
-	28	41	4	-	19	1	3	3	-	1	-	6	9	-	12	11
-	35	108	11	-	33	1	2	4	2	5	-	6	12	2	31	12
-	19	48	5	-	18	1	-	2	-	3	-	1	8	1	14	13
-	16	60	6	-	15	-	2	2	2	2	-	5	4	1	17	14
-	32	81	3	-	12	3	3	8	3	2	-	6	9	7	17	15
-	6	34	6	-	6	-	2	2	3	3	1	5	6	-	10	16
-	32	98	11	-	20	-	5	5	3	6	-	8	14	3	40	17
-	7	14	3	-	6	-	-	1	2	3	-	2	1	-	6	18
-	26	46	6	1	15	-	5	6	1	3	1	6	10	1	28	19
-	14	39	4	1	21	-	2	5	2	2	-	3	8	1	14	20
-	17	71	4	1	32	-	3	1	4	3	1	1	8	3	27	21
-	8	37	9	1	9	1	1	4	3	3	-	3	9	3	30	22
-	36	56	5	1	15	-	2	1	-	-	-	8	9	1	24	23
-	32	99	11	-	15	-	4	13	2	6	3	21	19	5	27	24
-	18	55	13	1	22	-	3	8	2	2	-	7	17	-	22	25
-	5	37	2	-	9	1	3	8	3	1	1	5	2	5	15	26
-	37	64	9	2	20	1	1	2	-	4	-	6	8	3	26	27
-	40	87	10	6	37	1	1	8	1	1	-	10	10	3	35	28
-	15	79	6	-	25	-	5	7	3	4	-	5	12	3	25	29
-	25	59	7	2	37	1	2	4	2	2	1	7	7	2	24	30
-	155	580	50	8	58	1	25	47	24	34	7	55	69	7	172	31
-	105	376	35	4	41	1	13	27	15	26	6	23	45	3	104	32
-	28	88	8	2	7	-	8	11	3	5	1	11	14	-	28	33
-	24	116	7	2	10	-	4	9	6	3	-	21	10	4	40	34
-	11	29	10	1	5	-	2	1	-	1	-	9	1	1	14	35
-	28	106	4	3	42	-	4	5	3	2	-	13	14	4	26	36
-	14	56	3	2	18	-	-	4	-	-	-	3	5	1	15	37
-	14	50	1	1	24	-	4	1	3	2	-	10	9	3	11	38
-	23	65	10	1	25	-	2	-	3	1	1	6	15	2	23	39
-	22	43	6	-	3	-	1	8	-	2	-	19	10	2	10	40
-	23	64	1	-	8	-	1	6	4	4	2	4	9	1	24	41
-	30	104	5	1	33	3	1	5	3	6	-	10	21	-	25	42
-	12	41	2	-	6	1	-	2	-	2	1	2	5	2	11	43
-	73	224	19	9	26	2	10	17	13	3	-	21	31	-	90	44
-	42	137	12	5	18	2	3	13	9	1	-	16	20	-	52	45
-	31	87	7	4	8	-	7	4	4	2	-	5	11	-	38	46
1	17	54	6	1	15	-	2	2	1	4	-	4	7	1	20	47
-	10	18	-	-	2	-	-	-	-	2	1	-	4	-	11	48
1	181	476	54	6	142	4	29	48	17	22	16	35	82	28	185	49
1	153	389	38	5	117	4	26	45	16	19	13	31	65	5	141	50
-	28	87	16	1	25	-	3	3	1	3	3	4	17	23	44	51
-	31	82	8	-	17	-	1	2	4	2	-	2	7	1	31	52
-	103	418	37	3	91	3	13	22	19	19	5	26	75	11	176	53
-	73	288	29	3	54	2	6	15	13	11	3	20	53	7	132	54
-	30	130	8	-	37	1	7	7	6	8	2	6	22	4	44	55
-	54	87	10	2	33	2	5	3	8	3	-	6	23	5	34	56
-	7	33	1	-	7	-	-	2	1	1	-	5	6	-	11	57
-	25	63	11	1	16	-	1	7	6	4	-	5	14	1	17	58
-	21	67	6	-	14	-	2	-	5	2	-	2	6	2	20	59
-	106	223	38	3	50	2	9	15	8	16	5	26	42	15	127	60
-	48	131	17	2	13	1	7	11	2	6	4	10	23	9	28	61
-	58	92	21	1	37	1	2	4	6	10	1	16	19	6	99	62
-	17	65	7	-	20	-	2	6	2	2	-	2	15	-	16	63
-	22	68	4	-	9	-	2	5	1	3	-	3	7	1	25	64
-	21	62	7	2	21	-	6	2	-	8	-	6	17	-	27	65
1	2,959	8,803	902	96	1,305	47	375	581	369	361	37	601	1,359	287	3,011	66
-	8	35	2	-	7	-	-	1	2	4	-	1	3	5	2	67
-	10	26	1	-	2	-	3	-	1	2	-	1	7	1	9	68
-	18	52	7	1	8	1	1	1	1	-	-	3	17	2	23	69
-	38	91	5	2	12	-	2	2	2	5	1	5	13	3	32	70
-	8	28	2	-	8	-	2	5	-	2	-	1	5	1	11	71
-	34	88	4	2	25	-	1	-	4	4	1	8	21	2	16	72
-	103	275	30	1	34	5	22	24	13	7	2	22	35	12	90	73
-	37	155	15	1	21	3	13	17	6	3	2	15	22	3	44	74
-	66	120	15	-	13	2	9	7	7	4	-	7	13	9	46	75
-	28	102	22	1	19	1	14	8	5	4	1	7	18	4	57	76
-	19	65	4	-	15	1	2	4	5	-	-	3	12	2	16	77
-	9	37	18	1	4	-	12	4	-	4	1	4	6	2	41	78
-	18	55	3	1	10	-	5	5	2	2	-	3	11	-	26	79
-	25	135	9	2	16	1	4	1	5	3	-	7	23	-	52	80
-	26	58	5	3	9	-	2	4	5	1	-	7	15	-	20	81
-	14	49	4	-	3	-	1	3	1	1	-	1	9	1	27	82
-	18	44	4	-	5	-	3	2	2	2	-	-	8	5	33	83
-	22	71	3	1	6	1	4	5	7	3	1	12	14	2	25	84
-	18	58	6	1	21	-	1	7	2	2	-	6	9	2	14	85
-	32	52	3	-	15	-	2	2	2	4	-	3	11	2	22	86
-	45	160	12	-	11	1	9	10	3	3	1	5	22	6	40	87
-	30	107	8	-	8	-	9	7	1	2	-	3	15	3	24	88
-	15	53	4	-	3	1	-	3	2	1	1	2	7	3	16	89
-	34	113	20	-	5	-	2	6	3	2	-	3	21	2	34	90
-	20	50	5	1	12	1	1	2	5	1	-	5	8	1	13	91
-	17	23	4	-	11	-	1	-	1	1	-	4	8	-	15	92
-	19	54	8	-	3	1	4	1	2	1	-	7	6	1	19	93
-	24	89	15	2	27	1	5	3	2	9	-	3	10	1	20	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	IOWA—Continued															
1	Clinton	550	-	1	-	-	-	2	-	-	1	1	3	80	-	17
2	Clinton	330	-	1	-	-	-	2	-	-	1	-	1	44	-	14
3	Balance of county	200	-	-	-	-	-	-	-	-	-	1	2	36	-	3
4	Crawford	164	-	-	-	-	-	-	-	-	1	-	4	30	-	4
5	Dallas	218	-	-	-	-	-	1	-	-	-	-	-	24	1	9
6	Davis	87	-	-	-	-	-	1	-	-	-	-	-	14	-	3
7	Decatur	161	-	-	-	-	-	2	-	-	-	-	3	24	-	4
8	Delaware	166	-	-	-	-	-	3	-	-	1	-	-	23	1	7
9	Des Moines	471	-	-	-	-	-	4	-	-	1	-	1	60	-	10
10	Burlington	364	-	-	-	-	-	3	-	-	-	-	1	47	-	9
11	Balance of county	107	-	-	-	-	-	1	-	-	1	-	-	13	-	1
12	Dickinson	106	-	-	-	-	-	2	-	-	-	-	-	12	-	1
13	Dubuque	742	-	-	-	-	-	11	1	-	4	-	-	112	-	28
14	Dubuque	580	-	-	-	-	-	10	-	-	4	-	-	84	-	25
15	Balance of county	162	-	-	-	-	-	1	1	-	-	-	-	28	-	3
16	Emmet	135	-	-	-	-	-	-	-	-	1	-	3	15	-	3
17	Fayette	288	-	-	-	-	-	-	-	-	-	-	-	39	-	8
18	Floyd	186	-	-	-	-	-	1	-	-	1	1	-	28	-	3
19	Franklin	125	-	-	-	-	-	-	-	-	1	-	2	16	-	3
20	Fremont	138	-	-	1	-	-	-	-	-	-	-	-	26	1	4
21	Greene	151	-	-	-	-	-	-	-	-	-	1	-	19	-	7
22	Grundy	104	-	-	-	-	-	-	-	-	-	2	-	17	-	5
23	Guthrie	166	-	-	-	-	-	-	-	-	3	-	-	24	-	5
24	Hamilton	179	-	-	-	-	-	1	-	-	-	-	-	26	-	5
25	Hancock	109	-	-	-	-	-	-	-	-	-	-	-	23	-	3
26	Hardin	218	-	-	-	-	-	1	-	-	1	1	-	38	-	9
27	Harrison	215	-	-	-	-	-	3	-	-	2	-	3	35	-	5
28	Henry	345	-	-	-	-	-	6	-	-	9	-	-	32	-	10
29	Howard	131	-	-	-	1	-	1	-	-	-	-	1	18	-	4
30	Humboldt	112	-	-	-	-	-	1	-	1	-	-	-	16	-	2
31	Ida	98	-	-	-	-	-	2	-	-	1	-	3	11	-	6
32	Iowa	164	-	-	-	-	-	1	-	-	-	-	-	24	-	5
33	Jackson	216	-	-	-	-	-	-	-	-	1	-	-	32	1	7
34	Jasper	308	-	-	-	-	-	3	-	-	1	-	-	33	-	9
35	Newton	131	-	-	-	-	-	1	-	-	-	-	-	12	-	3
36	Balance of county	177	-	-	-	-	-	2	-	-	1	-	-	21	-	6
37	Jefferson	154	-	-	-	-	-	1	-	-	1	2	1	16	-	3
38	Johnson	365	-	-	-	-	-	19	-	-	4	-	-	58	-	12
39	Iowa City	235	-	-	-	-	-	5	-	-	3	-	-	39	-	6
40	Balance of county	130	-	-	-	-	-	14	-	-	1	-	-	19	-	4
41	Jones	178	-	-	-	-	-	1	-	-	1	-	-	34	-	2
42	Keokuk	198	-	-	-	-	-	2	-	-	1	-	-	33	-	4
43	Kossuth	193	-	1	-	-	-	-	-	-	-	-	2	24	-	6
44	Lee	486	1	2	-	-	1	3	1	-	1	2	-	65	1	17
45	Fort Madison	162	1	-	-	-	-	2	-	-	-	1	-	23	-	10
46	Keokuk	211	-	-	-	-	-	1	1	-	1	1	-	29	1	6
47	Balance of county	113	-	2	-	-	1	-	-	-	-	-	-	13	-	1
48	Linn	953	-	2	-	-	-	4	-	-	12	-	-	155	1	30
49	Cedar Rapids	650	-	1	-	-	-	4	-	-	11	-	-	108	-	23
50	Balance of county	303	-	1	-	-	-	-	-	-	1	-	-	47	1	7
51	Louisa	103	-	-	-	-	-	-	-	-	-	1	-	8	-	2
52	Lucas	141	-	-	-	-	-	1	-	-	1	-	-	24	-	-
53	Lyon	113	-	-	-	-	-	1	-	-	-	-	-	22	-	3
54	Madison	131	-	-	-	-	-	1	-	-	-	-	-	17	-	4
55	Mahaska	335	-	-	-	-	-	4	-	-	3	-	-	50	-	6
56	Oskaloosa	196	-	-	-	-	-	4	-	-	2	-	-	31	-	5
57	Balance of county	139	-	-	-	-	-	-	-	-	1	-	-	19	-	3
58	Marion	276	-	1	-	-	-	5	-	-	5	-	-	34	-	9
59	Marshall	381	-	-	-	-	-	3	-	-	6	-	-	61	-	12
60	Marshalltown	217	-	-	-	-	-	3	-	-	3	-	-	38	-	7
61	Balance of county	164	-	-	-	-	-	-	-	-	3	-	-	23	-	5
62	Mills	151	-	-	-	-	-	2	-	-	2	-	1	14	-	1
63	Mitchell	136	-	-	-	-	-	1	-	-	-	-	1	22	-	3
64	Monona	117	-	1	-	-	-	-	-	-	2	-	-	17	-	1
65	Monroe	142	-	1	-	-	-	-	-	-	-	-	-	19	-	1
66	Montgomery	163	-	-	-	-	-	-	-	-	-	-	-	23	-	6
67	Muscatine	370	-	1	-	-	-	1	-	-	1	1	2	55	-	12
68	Muscatine	259	-	-	-	-	-	1	-	-	1	1	1	39	-	8
69	Balance of county	111	-	1	-	-	-	-	-	-	-	-	1	16	-	4
70	O'Brien	177	-	-	-	-	-	1	-	-	-	-	2	30	-	4
71	Osceola	59	-	-	-	-	-	-	-	-	-	-	1	7	1	2
72	Page	333	-	-	-	-	-	11	-	-	-	-	1	42	-	2
73	Palo Alto	168	-	-	-	-	-	-	-	-	-	-	-	23	-	4
74	Plymouth	198	-	2	-	-	-	3	-	-	1	1	3	26	-	6
75	Pocahontas	144	-	-	-	-	-	-	-	-	-	-	-	25	-	5
76	Polk	2,206	-	-	-	-	-	17	1	-	21	-	7	362	1	64
77	Des Moines	1,900	-	-	-	-	-	17	1	-	20	-	6	330	1	53
78	Balance of county	306	-	-	-	-	-	-	-	-	1	-	1	44	-	11
79	Pottawattamie	724	-	2	-	1	-	5	-	-	4	-	2	100	1	24
80	Council Bluffs	538	-	1	-	1	-	3	-	-	2	-	2	75	-	22
81	Balance of county	186	-	1	-	-	-	2	-	-	2	-	-	25	1	2
82	Poweshiek	229	-	1	-	-	-	-	-	-	-	-	-	40	-	6
83	Ringgold	108	-	-	-	-	-	-	-	-	-	-	-	17	-	6
84	Sac	148	-	-	-	-	-	1	-	-	-	-	-	20	-	4
85	Scott	936	-	1	-	-	-	11	-	-	7	2	3	146	-	28
86	Davenport	761	-	-	-	-	-	10	-	-	6	-	2	124	-	22
87	Balance of county	175	-	1	-	-	-	1	-	-	1	2	1	22	-	7
88	Shelby	109	-	-	-	-	-	2	-	-	-	-	1	24	-	4
89	Sioux	198	-	-	-	-	-	1	-	-	-	-	2	38	-	6
90	Story	293	-	-	-	-	-	2	-	-	-	-	2	43	-	3
91	Ames	107	-	-	-	-	-	1	-	-	-	-	-	14	-	1
92	Balance of county	186	-	-	-	-	-	1	-	-	-	-	2	29	-	2
93	Tama	201	-	-	-	-	-	2	-	-	-	2	-	27	-	9
94	Taylor	130	-	-	-	-	-	-	-	-	-	-	-	20	-	2
95	Union	180	-	-	-	-	-	2	-	-	1	-	-	37	-	9
96	Van Buren	163	-	-	-	-	-	-	-	-	1	-	1	29	1	3

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations	Premature birth	Other diseases peculiar to early infancy	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	83	90-95	107-109,33	119,120	130-132	140-150	157	159	158, 160,161	163,164	165-168	170	169, 171-195	162, 199,200		
-	61	161	18	1	36	1	8	10	9	13	-	15	38	3	71	1
-	35	118	12	1	18	1	5	5	6	9	-	10	28	-	41	2
-	26	43	6	-	18	-	3	5	3	4	-	5	12	3	30	3
-	16	50	3	-	3	-	1	3	2	4	-	7	10	5	21	4
-	39	68	6	-	9	1	2	6	1	1	-	7	7	3	31	5
-	4	47	1	-	4	-	1	-	-	1	-	1	1	-	9	6
1	27	33	12	1	12	-	2	-	1	1	-	2	11	3	22	7
-	25	54	4	-	8	-	2	6	3	1	-	6	7	2	13	8
-	78	154	9	2	21	1	6	4	7	8	-	3	30	5	67	9
-	60	124	8	2	16	1	2	2	5	6	-	2	19	5	52	10
-	18	30	1	-	5	-	4	2	2	2	-	1	11	-	15	11
-	19	45	4	1	2	-	1	1	-	1	-	4	-	2	11	12
-	79	256	13	4	30	1	9	13	13	5	-	17	56	10	80	13
-	63	200	10	2	28	1	4	8	9	4	-	14	49	5	60	14
-	16	56	3	2	2	-	5	5	4	1	-	3	7	5	20	15
-	19	38	7	1	8	1	4	4	5	1	-	1	7	-	17	16
-	40	94	5	-	26	-	6	6	2	2	1	10	16	6	27	17
-	24	64	3	1	13	-	-	3	3	-	1	3	9	1	27	18
-	10	41	4	-	6	-	2	5	3	1	-	10	10	-	11	19
-	11	41	2	-	11	-	1	5	2	1	-	3	8	3	18	20
-	20	51	5	1	7	-	4	3	1	6	-	1	6	7	12	21
-	6	44	2	-	2	-	2	3	3	1	-	1	6	1	9	22
-	26	47	3	-	7	-	3	4	1	1	-	2	8	8	24	23
-	26	71	3	-	9	1	1	4	4	-	-	7	10	1	10	24
-	14	36	4	-	3	-	1	1	3	-	-	8	5	-	10	25
-	22	73	8	1	9	-	3	6	3	3	-	5	12	1	22	26
-	20	72	4	-	12	-	4	7	1	-	1	6	7	5	28	27
-	42	109	34	1	24	1	6	6	3	6	1	5	14	3	33	28
-	14	39	5	-	7	-	1	4	3	2	-	1	9	1	20	29
-	17	33	4	1	5	1	2	3	-	5	-	-	6	-	15	30
-	11	31	1	-	2	-	1	4	1	1	-	1	5	-	17	31
-	21	51	4	-	9	-	-	3	3	1	-	8	9	1	24	32
-	17	71	8	-	20	-	1	7	3	6	-	5	17	1	19	33
-	27	113	13	1	14	1	2	11	7	8	-	6	22	-	37	34
-	9	49	5	-	9	1	1	6	5	2	-	4	9	-	15	35
-	18	64	8	1	5	-	1	5	2	6	-	2	13	-	22	36
-	27	60	5	1	2	-	1	3	2	2	-	2	8	2	15	37
-	46	109	8	-	10	-	7	11	3	5	-	7	11	1	54	38
-	27	73	6	-	8	-	6	9	3	1	-	4	8	1	34	39
-	19	36	2	-	2	-	1	2	-	4	-	3	3	-	20	40
-	11	63	7	-	11	1	1	5	2	-	-	8	11	2	18	41
-	28	58	6	-	7	-	1	8	2	6	-	5	9	3	25	42
-	18	48	9	2	19	-	4	6	3	3	-	8	10	2	28	43
-	54	175	19	1	22	1	8	12	4	10	4	5	26	2	49	44
-	22	59	5	-	7	-	1	2	1	2	4	2	9	-	11	45
-	19	70	13	1	8	-	1	9	2	4	-	3	12	2	27	46
-	13	46	1	-	7	1	6	1	1	4	-	-	5	-	11	47
-	103	303	25	7	42	2	13	24	15	16	1	20	40	18	120	48
-	63	213	21	5	28	1	7	15	14	10	1	11	26	5	83	49
-	40	90	4	2	14	1	6	9	1	6	-	9	14	13	37	50
-	16	40	4	-	7	-	1	1	-	3	-	-	5	-	15	51
-	20	49	4	-	7	-	1	1	-	3	-	1	9	3	17	52
-	9	32	3	-	7	-	2	-	2	3	-	2	3	1	17	53
-	24	50	7	-	3	-	1	3	3	4	-	4	3	-	7	54
-	32	138	8	2	12	-	3	2	5	5	-	9	14	3	37	55
-	21	80	5	2	8	-	1	1	2	2	-	1	8	2	21	56
-	11	58	3	-	4	-	2	1	3	3	-	8	6	1	16	57
-	36	81	17	1	17	1	2	2	5	2	-	1	20	4	33	58
-	53	120	15	1	9	1	3	15	4	7	1	3	17	4	46	59
-	32	67	6	1	3	1	3	7	2	1	-	3	9	4	27	60
-	21	53	9	-	6	-	-	8	2	6	1	-	8	-	19	61
-	23	46	10	3	13	-	1	5	1	1	1	3	8	2	23	62
-	23	39	5	-	5	1	3	4	2	2	-	2	6	-	17	63
-	13	41	1	-	3	-	4	6	1	-	-	4	10	1	12	64
-	21	51	2	3	9	1	2	3	-	-	-	2	6	6	13	65
-	14	62	4	2	1	-	1	2	6	1	-	2	9	8	22	66
-	45	119	7	4	21	-	8	7	10	7	-	8	17	2	42	67
-	34	81	5	3	13	-	7	4	8	3	-	5	10	2	33	68
-	11	38	2	1	8	-	1	3	2	4	-	3	7	-	9	69
-	17	54	7	-	8	-	3	4	2	4	-	2	8	5	26	70
-	4	18	4	1	6	-	-	1	-	2	-	2	-	-	9	71
-	38	99	19	-	9	1	2	7	2	6	1	4	14	13	62	72
-	24	52	4	-	11	1	4	6	2	2	-	6	8	-	21	73
-	23	64	5	1	11	1	3	3	4	3	-	2	5	-	29	74
-	14	48	8	1	5	-	4	5	4	1	-	3	7	-	14	75
-	215	789	84	6	72	4	27	68	27	30	8	62	108	9	224	76
-	179	667	67	6	70	4	25	59	23	22	8	54	98	5	199	77
-	36	122	17	-	2	-	2	9	4	8	-	8	12	4	25	78
-	64	246	23	8	39	1	11	17	11	12	-	19	40	10	84	79
-	50	189	18	6	29	1	8	14	7	6	-	13	28	6	59	80
-	14	57	5	2	10	-	3	3	4	6	-	6	14	4	25	81
-	21	78	12	1	15	1	2	6	2	4	-	4	7	2	27	82
-	13	38	7	-	4	-	-	4	1	6	-	1	1	-	10	83
-	18	54	2	2	4	-	1	5	7	2	-	4	9	2	13	84
-	78	311	37	3	58	-	16	21	7	18	3	20	58	11	96	85
-	62	249	31	2	53	-	14	19	3	15	2	14	45	9	79	86
-	16	62	6	1	5	-	2	2	4	3	1	6	13	2	17	87
-	8	29	4	1	5	-	1	5	1	-	1	2	7	-	14	88
-	17	66	7	-	6	-	5	2	-	2	-	6	8	1	31	89
-	39	94	10	-	18	-	3	11	5	3	1	13	12	3	31	90
-	19	29	4	-	6	-	2	5	5	-	-	7	4	1	9	91
-	20	65	6	-	12	-	1	6	-	3	1	6	8	2	22	92
-	21	77	8	2	13	-	2	2	3	1	-	3	7	1	21	93
-	8	56	5	1	3	-	2	2	-	3	-	3	7	1	17	94
-	23	50	6	1	15	-	5	-	5	2	-	6	7	-	11	95
-	20	49	6	-	16	-	-	1	-	2	-	4	9	2	19	96

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	IOWA—Continued															
1	Wapello	466	-	-	-	-	-	5	-	-	4	1	-	62	-	12
2	Ottumwa	345	-	-	-	-	-	2	-	-	3	1	-	51	-	8
3	Balance of county	123	-	-	-	-	-	3	-	-	1	-	-	11	-	4
4	Warren	180	-	1	-	-	-	1	-	-	-	-	-	15	-	6
5	Washington	196	1	-	-	-	-	1	-	-	-	-	1	31	-	9
6	Wayne	142	-	-	-	-	-	1	-	-	-	-	-	29	-	4
7	Webster	401	-	-	-	-	-	3	-	-	1	-	1	62	1	12
8	Fort Dodge	252	-	-	-	-	-	2	-	-	1	-	-	34	-	8
9	Balance of county	149	-	-	-	-	-	1	-	-	-	-	1	28	1	4
10	Winnebago	143	-	-	-	-	-	2	-	-	-	-	1	19	-	2
11	Winneshiek	215	-	-	-	-	-	2	-	-	2	-	1	37	-	6
12	Woodbury	1,078	-	1	-	1	-	11	-	-	4	4	4	162	1	31
13	Sioux City	892	-	1	-	1	-	10	-	-	4	4	3	136	1	27
14	Balance of county	186	-	-	-	-	-	1	-	-	-	-	1	26	-	4
15	Worth	95	-	-	-	-	-	-	-	-	-	-	-	15	-	1
16	Wright	168	-	-	-	-	-	-	-	-	1	-	1	29	-	3
17	KANSAS	18,553	1	14	2	13	2	252	1	-	118	1	26	2,569	9	429
18	Allen	180	-	-	-	1	-	1	-	-	1	-	-	35	-	5
19	Anderson	124	-	-	-	-	-	-	-	-	-	-	-	16	-	3
20	Atchison	267	-	-	-	-	-	2	-	-	1	-	1	31	-	6
21	Atchison	188	-	-	-	-	-	2	-	-	1	-	1	21	-	6
22	Balance of county	79	-	-	-	-	-	-	-	-	-	-	-	10	-	-
23	Barber	92	-	-	-	-	-	1	-	-	-	-	-	7	-	2
24	Barton	221	-	-	-	-	-	2	-	-	1	-	1	30	1	3
25	Bourbon	223	-	-	-	-	-	1	-	-	-	-	-	25	-	3
26	Fort Scott	157	-	-	-	-	-	-	-	-	-	-	-	17	-	3
27	Balance of county	66	-	-	-	-	-	1	-	-	-	-	-	8	-	-
28	Brown	188	-	1	-	-	-	1	-	-	-	-	-	28	-	5
29	Butler	266	-	-	-	-	-	5	-	-	-	-	1	30	-	6
30	El Dorado	132	-	-	-	-	-	1	-	-	-	-	-	12	-	3
31	Balance of county	134	-	-	-	-	-	4	-	-	-	-	1	18	-	5
32	Chase	44	-	-	-	1	-	-	-	-	-	-	-	3	-	1
33	Chautauqua	95	-	-	-	-	-	1	-	-	-	-	-	10	-	3
34	Cherokee	271	-	-	-	-	-	13	-	-	1	-	-	30	-	6
35	Cheyenne	47	-	-	-	-	-	3	-	-	-	-	-	5	-	1
36	Clark	42	-	-	-	-	-	-	-	-	-	-	-	6	-	2
37	Clay	141	-	-	-	-	-	1	-	-	-	-	-	20	-	2
38	Cloud	194	-	-	1	-	-	-	-	-	1	-	-	24	-	6
39	Coffey	107	-	-	-	-	-	1	-	-	-	-	-	14	-	6
40	Comanche	27	-	-	-	-	-	1	-	-	-	-	-	2	-	-
41	Cowley	435	-	-	-	-	-	8	-	-	3	-	-	60	-	11
42	Arkansas City	142	-	-	-	-	-	1	-	-	-	-	-	30	-	4
43	Balance of county	293	-	-	-	-	-	7	-	-	3	-	-	30	-	7
44	Crawford	552	-	-	-	-	-	9	1	-	-	-	-	75	1	10
45	Pittsburg	201	-	-	-	-	-	4	-	-	-	-	-	28	-	3
46	Balance of county	351	-	-	-	-	-	5	1	-	-	-	-	47	1	7
47	Decatur	63	-	-	-	-	-	-	-	-	-	-	-	10	-	3
48	Dickinson	217	-	-	-	-	-	1	-	-	1	-	-	37	-	4
49	Doniphan	124	-	-	-	-	-	2	-	-	-	-	-	19	-	4
50	Douglas	278	-	-	-	-	-	-	-	-	1	-	-	44	-	7
51	Lawrence	198	-	-	-	-	-	-	-	-	1	-	-	32	-	5
52	Balance of county	80	-	-	-	-	-	-	-	-	-	-	-	12	-	2
53	Edwards	51	1	-	-	-	-	2	-	-	-	-	-	7	-	2
54	Elk	73	-	-	-	-	-	1	-	-	-	-	-	8	-	2
55	Ellis	120	-	-	-	-	-	2	-	-	-	-	-	16	-	6
56	Ellsworth	97	-	-	-	1	-	1	-	-	1	-	-	13	-	2
57	Finney	118	-	-	-	-	1	-	-	-	-	-	-	13	-	1
58	Ford	220	-	-	-	-	-	2	-	-	-	-	-	35	-	7
59	Franklin	236	-	-	-	1	-	2	-	-	3	-	-	37	-	4
60	Ottawa	151	-	-	-	1	-	2	-	-	2	-	-	22	-	4
61	Balance of county	85	-	-	-	-	-	-	-	-	1	-	-	15	-	-
62	Geary	126	-	2	-	-	-	-	-	-	2	-	-	14	-	3
63	Gove	28	-	-	-	-	-	-	-	-	-	-	-	5	-	1
64	Graham	40	-	-	-	-	-	-	-	-	-	-	-	7	-	-
65	Grant	17	-	-	-	-	-	-	-	-	-	-	-	4	-	-
66	Gray	31	-	-	-	-	-	-	-	-	-	-	-	3	-	-
67	Greeley	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Greenwood	123	-	-	-	-	-	2	-	-	1	-	-	13	2	4
69	Hamilton	30	-	-	-	-	-	-	-	-	-	-	-	5	-	-
70	Harper	139	-	-	-	-	-	2	-	-	-	-	-	21	-	7
71	Harvey	182	-	-	-	-	-	2	-	-	-	-	2	29	-	7
72	Newton	123	-	-	-	-	-	2	-	-	-	-	-	20	-	6
73	Balance of county	59	-	-	-	-	-	-	-	-	-	-	2	9	-	1
74	Haskell	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-
75	Hodgeman	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1
76	Jackson	123	-	1	-	-	1	-	-	-	-	-	-	15	-	1
77	Jefferson	121	-	-	-	-	-	1	-	-	-	-	-	21	-	1
78	Jewell	102	-	-	-	1	-	1	-	-	-	-	1	14	-	2
79	Johnson	320	-	-	-	-	-	3	-	-	1	-	-	52	-	3
80	Kearny	24	-	-	-	-	-	-	-	-	-	-	-	2	-	-
81	Kingman	104	-	-	-	-	-	-	-	-	-	-	1	16	-	-
82	Kiowa	39	-	-	-	-	-	-	-	-	-	-	-	1	-	2
83	Labette	374	-	-	-	1	-	8	-	-	2	-	-	55	-	6
84	Parsons	151	-	-	-	1	-	5	-	-	-	-	-	22	-	2
85	Balance of county	223	-	-	-	-	-	3	-	-	2	-	-	33	-	4
86	Lane	23	-	-	-	-	-	-	-	-	-	-	-	4	-	-
87	Leavenworth	418	-	1	-	-	-	6	-	-	2	-	-	59	-	10
88	Leavenworth	265	-	1	-	-	-	1	-	-	-	-	-	30	-	6
89	Balance of county	153	-	-	-	-	-	5	-	-	2	-	-	29	-	4
90	Lincoln	65	-	-	-	-	-	-	-	-	-	-	-	10	-	-
91	Linn	116	-	-	-	-	-	3	-	-	-	-	-	20	-	3
92	Logan	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93	Lyon	325	-	1	-	-	-	-	-	-	3	-	-	49	-	6
94	Emporia	236	-	1	-	-	-	-	-	-	3	-	-	33	-	6
95	Balance of county	89	-	-	-	-	-	-	-	-	-	-	-	16	-	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	61	147	14	1	31	2	5	12	9	6	2	9	29	8	48	1
-	48	103	12	1	26	2	2	9	5	4	-	4	24	8	32	2
-	13	44	2	-	5	-	3	3	4	2	2	5	5	-	16	3
-	15	63	8	-	5	-	3	2	4	1	-	5	7	3	21	4
-	24	50	11	-	16	-	2	4	4	2	-	6	13	5	16	5
-	22	41	4	-	12	-	-	3	1	1	1	4	6	-	13	6
-	38	123	17	4	34	2	7	14	3	3	-	16	18	1	41	7
-	27	83	11	1	21	1	4	7	2	2	-	8	10	1	28	8
-	11	40	6	3	13	1	3	7	1	1	-	8	8	-	12	9
-	15	47	1	-	6	-	2	1	2	2	-	6	9	2	26	10
-	26	64	12	-	12	-	3	3	2	1	-	5	20	1	18	11
-	133	355	29	1	45	2	25	29	29	13	2	20	38	11	126	12
-	105	296	23	1	42	2	19	24	26	11	2	16	33	5	100	13
-	28	59	6	-	3	-	6	5	3	2	-	4	6	6	26	14
-	8	26	9	1	6	1	-	1	1	4	-	5	5	2	10	15
-	22	57	4	-	6	-	1	2	4	2	-	6	9	3	18	16
4	2,133	5,967	556	86	1,190	35	225	388	280	208	63	499	996	273	2,214	17
-	24	46	11	1	14	-	1	4	2	2	-	5	6	1	20	18
-	13	55	2	-	2	-	2	1	3	1	-	1	9	3	15	19
-	23	90	7	3	27	-	-	6	3	3	-	4	14	3	43	20
-	12	61	3	3	21	-	-	5	3	1	-	3	8	1	36	21
-	11	29	4	-	6	-	-	1	-	2	-	1	6	2	7	22
-	12	29	2	-	10	-	3	2	1	-	1	3	5	2	12	23
-	30	64	5	2	13	-	4	4	2	3	2	11	16	2	25	24
-	23	85	4	1	22	1	2	3	3	3	-	7	11	5	24	25
-	16	56	3	1	14	1	2	3	3	2	-	5	8	4	19	26
-	7	29	1	-	8	-	-	-	-	1	-	2	3	1	5	27
-	26	63	12	-	17	-	-	2	1	2	-	2	10	-	18	28
-	42	91	4	1	23	1	1	3	-	2	-	11	11	4	30	29
-	24	41	2	1	15	1	-	1	-	1	-	4	5	2	19	30
-	18	50	2	-	8	-	1	2	-	1	-	7	6	2	11	31
-	8	17	2	-	1	-	1	2	-	1	-	1	1	-	5	32
-	7	37	4	1	11	1	-	-	1	2	-	5	3	1	8	33
-	43	72	7	1	22	-	5	5	1	3	1	13	15	5	28	34
-	2	19	1	1	1	-	1	2	1	1	-	-	4	2	3	35
-	5	14	-	-	2	-	1	2	-	1	-	1	1	2	5	36
-	18	48	3	1	12	-	5	1	3	-	1	1	11	1	13	37
-	21	74	2	1	15	1	1	5	4	2	-	8	8	3	17	38
-	14	28	3	-	8	-	1	2	2	3	-	1	7	5	12	39
-	4	9	3	-	1	-	-	-	2	-	-	-	1	1	3	40
-	53	138	10	1	29	1	11	2	5	4	-	7	23	12	57	41
-	23	43	-	-	8	-	2	-	3	2	-	-	9	4	13	42
-	30	95	10	1	21	1	9	2	2	2	-	7	14	8	44	43
-	86	210	19	2	21	1	3	6	6	5	4	10	20	7	56	44
-	26	95	6	-	3	-	1	2	2	1	2	3	5	2	18	45
-	60	115	13	2	18	1	2	4	4	4	2	7	15	5	38	46
-	7	18	1	1	3	-	-	1	2	-	-	2	1	4	10	47
-	24	71	4	-	13	1	1	5	2	4	-	4	14	2	29	48
-	17	43	5	-	3	-	4	2	2	1	-	8	5	1	8	49
-	31	107	10	1	8	-	3	4	-	2	-	9	13	3	35	50
-	22	75	8	1	6	-	3	3	-	2	-	6	11	1	22	51
-	9	32	2	-	2	-	-	1	-	-	-	3	2	2	13	52
-	4	13	2	-	3	-	2	1	-	-	-	2	5	1	6	53
-	7	28	3	-	4	-	1	-	2	2	1	1	3	2	8	54
-	8	47	4	-	2	-	2	5	4	-	1	3	8	1	11	55
-	13	33	-	-	3	-	2	3	1	1	1	5	7	-	10	56
-	6	24	5	2	15	-	4	7	-	1	1	10	15	1	12	57
-	18	68	5	1	12	-	5	11	6	2	-	5	9	9	25	58
-	20	80	7	-	22	-	4	4	2	2	-	6	10	3	29	59
-	12	49	5	-	18	-	2	3	1	1	-	2	6	1	20	60
-	8	31	2	-	4	-	2	1	1	1	-	4	4	2	9	61
-	11	49	2	1	7	-	2	3	2	4	1	3	7	1	12	62
-	3	11	1	-	3	-	-	-	1	-	-	2	-	1	-	63
-	6	12	-	-	2	-	1	-	1	-	2	1	5	-	3	64
-	4	3	-	-	1	-	-	-	2	-	-	1	1	-	1	65
-	5	12	2	-	2	-	-	1	-	1	-	1	1	-	3	66
-	-	5	-	1	2	-	1	-	1	-	-	-	-	-	-	67
-	11	37	6	3	9	2	-	4	2	-	-	8	7	1	11	68
-	5	4	1	-	2	-	-	-	1	-	-	3	3	1	5	69
-	20	28	7	-	17	-	1	3	3	-	-	4	4	1	21	70
-	18	63	6	2	9	2	1	3	1	5	1	1	8	3	19	71
-	15	47	4	1	5	1	1	-	1	4	1	-	3	-	12	72
-	3	16	2	1	4	1	-	3	-	1	-	1	5	3	7	73
-	2	2	2	-	2	-	-	1	-	-	-	1	1	-	1	74
-	-	3	2	-	2	-	-	1	-	-	-	2	2	-	3	75
-	8	59	5	-	7	-	1	1	-	2	-	3	7	1	11	76
-	19	37	3	1	11	-	1	-	-	2	-	1	6	1	16	77
-	7	40	1	1	7	1	2	4	1	-	-	4	4	2	9	78
-	23	113	7	2	23	-	6	7	6	6	-	11	19	5	33	79
-	1	7	1	-	1	-	1	-	-	-	-	3	5	-	3	80
-	8	37	2	-	8	1	2	3	2	1	-	3	5	1	14	81
-	4	7	4	-	3	-	2	4	1	3	-	5	-	-	3	82
-	50	107	8	1	23	1	4	7	1	4	1	15	15	3	62	83
-	12	51	2	1	4	-	2	4	-	3	-	4	5	-	33	84
-	38	56	6	-	19	1	2	3	1	1	1	11	10	3	29	85
-	-	6	-	-	-	-	-	-	2	-	-	-	3	3	5	86
-	58	136	9	-	38	1	2	10	10	5	1	6	21	3	40	87
-	42	98	6	-	27	1	2	3	7	2	1	3	13	-	27	88
-	16	43	3	-	11	-	-	7	3	3	-	3	8	3	13	89
-	6	25	3	-	8	-	2	-	-	-	-	1	4	-	6	90
-	20	34	2	1	8	-	-	2	-	2	-	1	7	-	13	91
-	4	13	-	-	3	-	1	2	-	-	-	2	2	2	2	92
-	29	99	16	4	31	-	1	4	6	3	1	10	16	12	34	93
-	20	85	10	4	27	-	1	3	6	2	1	4	14	8	28	94
-	9	34	6	-	4	-	-	1	-	1	-	6	2	4	6	95

891562 O—50——35

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	KANSAS—Continued															
1	McPherson	220	-	1	-	-	-	2	-	-	1	-	-	30	-	12
2	Marion	164	-	-	-	-	-	1	-	-	1	-	-	24	-	4
3	Marshall	227	-	-	-	-	-	1	-	-	1	-	-	34	-	3
4	Meade	39	-	-	-	-	-	-	-	-	-	-	-	4	-	2
5	Miami	354	-	-	-	-	-	6	-	-	14	-	-	43	-	6
6	Mitchell	102	-	-	-	-	-	1	-	-	1	-	-	14	-	3
7	Montgomery	548	-	1	-	-	-	7	-	-	4	-	2	72	-	14
8	Coffeyville	175	-	-	-	-	-	-	-	-	-	-	-	24	-	4
9	Independence	192	-	-	-	-	-	1	-	-	3	-	2	28	-	3
10	Balance of county	181	-	1	-	-	-	6	-	-	1	-	-	20	-	7
11	Morris	104	-	-	-	-	-	2	-	-	-	-	-	12	-	2
12	Morton	22	-	-	-	-	-	-	-	-	-	-	-	3	-	-
13	Nemaha	131	-	-	-	-	-	-	-	-	-	-	-	15	-	6
14	Neosho	233	-	-	-	-	-	4	-	-	-	-	2	28	-	8
15	Chanute	163	-	-	-	-	-	3	-	-	-	-	2	20	-	7
16	Balance of county	70	-	-	-	-	-	1	-	-	-	-	-	8	-	1
17	Ness	49	-	-	-	-	-	-	-	-	-	-	-	5	-	1
18	Norton	111	-	1	-	-	-	25	-	-	1	-	-	9	-	2
19	Osage	142	-	-	-	-	-	2	-	-	1	-	-	22	-	7
20	Osborne	81	-	-	-	-	-	-	-	-	1	-	-	20	-	-
21	Ottawa	92	-	-	-	-	-	2	-	-	1	-	-	16	-	2
22	Pawnee	197	-	-	-	-	-	5	-	-	10	-	1	11	-	3
23	Phillips	100	-	-	-	-	-	-	-	-	-	-	-	15	-	3
24	Pottawatomie	118	-	-	-	-	-	-	-	-	1	-	-	18	-	5
25	Pratt	121	-	-	-	-	-	3	-	-	1	-	-	16	-	2
26	Rawlins	36	-	-	-	-	-	-	-	-	-	-	-	7	-	1
27	Reno	503	-	1	-	2	-	1	-	-	2	-	-	66	-	16
28	Hutchinson	367	-	1	-	2	-	1	-	-	2	-	-	47	-	11
29	Balance of county	136	-	-	-	-	-	-	-	-	-	-	-	19	-	5
30	Republic	119	-	-	-	-	-	-	-	-	-	-	-	14	-	5
31	Rice	165	-	-	-	1	-	1	-	-	-	-	-	15	-	9
32	Riley	194	-	-	-	-	-	-	-	-	1	-	1	30	-	5
33	Manhattan	124	-	-	-	-	-	-	-	-	1	-	1	18	-	3
34	Balance of county	70	-	-	-	-	-	-	-	-	-	-	-	12	-	2
35	Rooks	89	-	-	-	-	-	-	-	-	-	-	-	13	-	2
36	Rush	64	-	-	-	-	-	-	-	-	-	-	-	8	-	1
37	Russell	102	-	-	-	1	-	1	-	-	-	-	-	20	-	-
38	Saline	305	-	-	-	-	-	3	-	-	1	-	-	46	-	4
39	Salina	238	-	-	-	-	-	3	-	-	-	-	-	39	-	4
40	Balance of county	67	-	-	-	-	-	-	-	-	1	-	-	7	-	-
41	Scott	36	-	-	-	-	-	-	-	-	-	-	-	1	-	1
42	Sedgwick	1,679	-	2	-	2	-	19	-	-	14	-	5	260	2	42
43	Wichita	1,403	-	1	-	2	-	11	-	-	9	-	4	207	2	38
44	Balance of county	276	-	1	-	-	-	8	-	-	5	-	1	53	-	4
45	Seward	74	-	-	1	-	-	1	-	-	1	-	-	4	-	1
46	Shawnee	1,231	-	-	-	-	-	22	-	-	22	-	1	155	-	23
47	Topeka	828	-	-	-	-	-	9	-	-	5	-	-	109	-	13
48	Balance of county	403	-	-	-	-	-	13	-	-	17	-	1	46	-	10
49	Sheridan	32	-	-	-	-	-	1	-	-	-	-	-	11	-	1
50	Sherman	71	-	-	-	-	-	2	-	-	-	-	-	10	-	1
51	Smith	97	-	-	-	-	-	1	-	-	-	-	-	14	-	1
52	Stafford	103	-	1	-	-	-	-	-	-	-	-	-	14	-	3
53	Stanton	6	-	-	-	-	-	-	-	-	-	-	-	3	-	-
54	Stevens	29	-	-	-	-	-	-	-	-	-	-	1	4	-	-
55	Sumner	227	-	-	-	-	-	2	-	-	1	-	2	28	-	8
56	Thomas	79	-	1	-	-	-	1	-	-	-	-	-	16	-	2
57	Trego	31	-	-	-	-	-	-	-	-	-	-	-	5	-	-
58	Wabaunsee	89	-	-	-	-	-	-	-	-	-	-	-	11	-	2
59	Wallace	15	-	-	-	-	-	-	-	-	-	-	-	3	-	-
60	Washington	136	-	-	-	1	-	2	-	-	1	-	-	21	-	3
61	Wichita	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	Wilson	190	-	-	-	-	-	2	-	-	1	-	-	27	-	3
63	Woodson	70	-	-	-	-	-	-	-	-	-	-	1	10	2	-
64	Wyandotte	1,584	-	-	-	-	-	41	-	-	11	1	3	231	1	30
65	Kansas City	1,367	-	-	-	-	-	39	-	-	10	1	3	212	1	28
66	Balance of county	217	-	-	-	-	-	2	-	-	1	-	-	19	-	2
67	KENTUCKY	28,050	10	38	2	57	31	1,290	67	2	192	39	10	3,110	18	468
68	Adair	141	-	1	-	1	-	12	-	-	-	1	-	13	1	3
69	Allen	139	-	-	-	1	-	14	1	-	-	-	-	17	-	2
70	Anderson	89	-	-	-	-	-	7	-	-	-	-	-	10	-	2
71	Ballard	91	-	-	-	1	-	3	-	-	2	-	-	6	-	-
72	Barren	277	-	-	-	-	-	14	2	-	-	-	-	34	-	3
73	Bath	92	-	-	-	-	-	8	1	-	1	-	-	8	-	2
74	Bell	417	-	-	-	4	-	12	9	-	2	2	-	38	-	3
75	Middlesborough	129	-	-	-	1	-	2	1	-	2	1	-	19	-	2
76	Balance of county	288	-	-	-	3	-	10	8	-	-	1	-	19	-	1
77	Boone	140	-	-	-	-	-	6	-	-	-	-	-	22	-	1
78	Bourbon	210	-	-	-	-	-	4	-	-	1	-	-	21	-	6
79	Boyd	417	-	-	-	-	1	17	1	-	4	-	-	57	-	13
80	Ashland	272	-	-	-	-	-	10	1	-	2	-	-	40	-	11
81	Balance of county	145	-	-	-	-	1	7	-	-	2	-	-	17	-	2
82	Boyle	271	1	-	-	-	-	8	3	-	7	-	-	24	-	5
83	Bracken	113	-	1	-	-	-	-	-	-	-	-	-	10	-	2
84	Breathitt	113	1	-	1	-	1	7	-	-	-	-	-	15	-	1
85	Breckinridge	183	-	-	-	2	1	6	-	-	-	1	-	19	-	1
86	Bullitt	106	-	-	-	-	-	3	-	-	2	1	-	10	-	1
87	Butler	104	-	-	-	-	1	6	1	-	-	-	-	8	1	2
88	Caldwell	143	-	-	-	-	-	7	1	-	-	-	-	17	-	4
89	Calloway	172	-	-	-	-	-	9	-	-	1	-	-	27	-	1
90	Campbell	796	-	4	-	-	1	29	-	-	-	-	-	103	-	15
91	Newport	375	-	2	-	-	-	17	-	-	-	-	-	44	-	7
92	Fort Thomas	100	-	-	-	-	-	4	-	-	-	-	-	15	-	1
93	Balance of county	321	-	2	-	-	1	8	-	-	-	-	-	44	-	7
94	Carlisle	74	-	-	-	-	-	2	-	-	-	-	-	8	-	-
95	Carroll	105	-	-	-	-	-	5	1	-	-	-	-	10	-	3

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	30	59	3	-	17	1	5	1	5	3	2	4	9	2	33	1
-	23	49	5	1	14	-	4	1	4	1	-	7	6	2	17	2
-	37	75	3	1	12	-	-	7	4	2	-	4	9	12	22	3
-	1	10	2	1	3	-	-	1	-	-	-	1	9	-	5	4
-	31	113	16	1	30	-	2	7	1	2	-	7	16	6	53	5
-	16	31	1	1	7	-	1	-	3	-	-	-	5	1	17	6
-	55	185	25	2	36	1	8	11	12	5	3	11	24	4	66	7
-	19	61	6	1	14	-	4	4	6	1	1	3	6	-	21	8
-	22	59	11	1	13	-	3	3	2	3	1	3	13	-	21	9
-	14	65	8	-	9	1	1	4	4	1	1	5	5	4	24	10
-	10	32	-	-	3	-	2	-	1	1	-	3	8	2	26	11
-	7	9	1	-	1	-	-	1	-	2	-	3	1	-	5	12
-	13	38	4	1	10	-	-	5	6	2	1	3	5	1	21	13
-	26	85	5	-	7	-	1	2	-	4	1	6	16	10	28	14
-	18	52	3	-	5	-	1	2	-	3	1	3	10	9	24	15
-	8	33	2	-	2	-	-	-	-	1	-	3	6	1	4	16
-	9	14	3	-	1	-	1	1	2	-	-	5	4	-	3	17
-	14	24	2	-	6	1	1	3	-	1	-	10	1	2	8	18
-	19	55	4	-	4	-	1	1	3	1	-	-	8	1	13	19
-	7	19	2	1	6	-	2	1	-	-	1	-	6	1	14	20
-	9	32	5	-	1	-	-	-	3	2	-	2	8	1	8	21
-	24	58	3	-	4	-	-	1	2	1	-	2	12	-	60	22
1	6	29	2	2	12	-	1	2	-	-	-	2	9	-	16	23
-	14	32	2	-	10	-	2	-	2	4	-	3	6	5	14	24
-	15	43	2	-	7	-	2	1	1	-	-	-	13	1	14	25
-	3	8	1	-	4	-	-	1	-	-	-	1	3	-	7	26
-	65	161	14	-	28	4	3	12	11	9	-	16	24	2	68	27
-	43	127	11	-	17	3	3	8	9	7	-	11	16	1	47	28
-	20	34	3	-	11	1	-	4	2	2	-	5	8	1	21	29
-	14	42	2	2	3	-	-	3	3	5	-	3	6	3	14	30
1	22	45	6	1	23	1	3	1	5	-	-	4	8	2	17	31
-	25	60	9	-	12	2	2	5	5	1	1	3	7	2	25	32
-	12	35	8	-	7	2	-	5	4	-	1	3	6	1	17	33
-	13	25	1	-	5	-	2	-	1	1	-	-	1	1	8	34
-	13	26	2	-	4	1	-	2	2	2	-	2	5	2	13	35
-	9	22	5	1	3	-	1	-	1	1	-	3	2	-	7	36
-	14	27	3	-	8	-	2	1	2	1	-	3	9	2	8	37
-	26	92	8	-	18	-	3	9	9	7	1	5	32	6	35	38
-	18	82	5	-	14	-	3	7	6	6	1	2	12	6	30	39
-	8	10	3	-	4	-	-	2	3	1	-	3	20	-	5	40
-	-	9	1	-	2	-	1	8	1	-	-	3	7	1	1	41
1	184	489	65	7	101	3	26	58	2	24	5	51	72	12	203	42
-	152	411	55	7	85	3	26	55	30	21	3	42	61	10	168	43
1	32	78	10	-	16	-	-	3	2	3	2	9	11	2	35	44
-	4	28	4	2	3	-	2	8	3	-	-	3	3	1	5	45
1	189	366	39	9	67	1	18	24	15	15	9	24	70	26	136	46
1	123	274	28	5	48	1	16	20	12	9	7	17	46	8	77	47
-	66	92	11	4	19	-	2	4	3	6	2	7	24	18	58	48
-	2	8	1	-	-	-	-	-	-	-	-	2	2	-	4	49
-	8	22	-	-	1	-	2	3	1	-	-	3	13	-	5	50
-	12	32	3	1	11	-	-	3	-	1	-	-	4	1	13	51
-	8	40	2	-	2	-	-	6	2	-	-	1	7	4	13	52
-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	53
-	2	7	1	-	3	-	1	1	-	-	-	5	-	-	4	54
-	30	89	2	-	9	-	1	5	-	4	-	3	10	5	28	55
-	5	27	2	-	2	-	2	1	-	3	-	4	2	-	11	56
-	3	9	1	-	3	-	-	-	-	-	-	2	-	4	4	57
-	13	19	3	-	6	-	-	-	-	2	-	1	3	-	9	58
-	-	5	-	-	1	-	-	1	1	-	-	1	1	-	1	59
-	11	50	2	1	16	-	1	1	1	-	-	1	7	3	14	60
-	1	5	-	-	-	-	-	-	-	-	-	2	-	-	1	61
-	23	68	3	2	6	2	2	4	1	3	-	4	11	4	24	62
-	10	26	1	-	1	-	1	-	1	1	-	1	1	2	12	63
-	149	523	49	11	94	3	20	31	29	8	19	36	92	13	189	64
-	126	426	46	10	79	3	18	24	21	8	18	31	80	8	175	65
-	23	97	3	1	15	-	2	7	8	-	1	5	12	5	14	66
13	2,780	7,847	1,532	441	1,737	116	400	834	539	275	313	727	1,411	638	3,113	67
-	12	44	9	1	8	2	1	6	3	2	1	-	3	4	13	68
-	8	62	5	1	3	-	1	3	-	-	-	-	3	2	16	69
-	6	30	11	1	5	-	1	-	1	-	1	4	2	2	6	70
-	12	25	6	1	3	1	-	2	2	-	-	4	7	8	8	71
-	30	75	16	3	30	1	5	4	6	2	3	8	7	6	28	72
-	11	20	8	-	4	-	1	4	1	1	2	1	9	1	9	73
-	31	88	35	14	24	3	7	13	13	2	17	5	25	25	47	74
-	18	36	8	3	4	-	3	6	2	1	2	-	2	1	15	75
-	13	52	27	11	20	3	4	7	11	1	15	5	23	22	32	76
-	12	51	3	2	4	-	1	3	1	1	-	5	4	1	23	77
-	17	65	13	1	21	1	1	6	2	4	3	5	15	6	18	78
-	40	117	24	6	30	3	8	17	3	4	2	10	18	11	31	79
-	26	80	17	3	21	3	5	11	2	2	2	4	8	5	19	80
-	14	37	7	3	9	-	3	6	1	2	-	6	10	6	12	81
-	28	67	23	4	17	2	5	2	2	5	2	8	16	2	40	82
-	16	42	6	-	3	-	1	5	-	1	2	2	10	3	9	83
-	13	25	9	1	2	3	2	7	1	-	3	2	4	6	9	84
-	24	55	9	2	15	1	5	10	2	-	1	2	7	-	20	85
-	10	19	11	3	8	-	-	3	1	3	1	5	12	1	12	86
1	12	25	7	1	6	1	2	2	3	4	1	1	7	-	12	87
-	14	37	2	2	18	-	1	2	1	5	1	2	4	8	16	88
-	25	47	11	1	5	1	3	3	4	3	-	1	5	2	23	89
-	72	274	24	18	43	2	7	31	8	8	3	14	38	7	95	90
-	32	113	12	15	17	2	3	17	7	4	3	7	23	3	47	91
-	8	51	4	-	3	-	-	2	-	-	-	2	-	1	9	92
-	332	110	8	3	23	-	4	12	1	4	-	5	15	3	39	93
-	12	20	1	-	6	1	1	1	-	3	-	1	4	5	9	94
-	12	25	9	3	4	-	4	2	2	1	2	2	10	-	10	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	KENTUCKY—Continued															
1	Carter	195	-	-	-	3	-	12	2	-	-	-	1	16	-	2
2	Casey	105	-	-	1	-	-	12	-	-	-	-	-	13	-	1
3	Christian	602	-	-	-	-	-	61	1	-	18	1	-	39	-	5
4	Hopkinsville	198	-	-	-	-	-	10	1	-	-	-	-	19	-	3
5	Balance of county	404	-	-	-	-	-	51	-	-	18	1	-	20	-	2
6	Clark	224	-	-	-	-	-	9	-	-	-	-	-	30	-	4
7	Clay	99	-	1	-	-	1	3	1	-	-	1	1	5	-	2
8	Clinton	66	1	-	-	-	-	6	1	-	-	-	-	7	-	2
9	Crittenden	108	-	-	-	-	-	6	-	-	-	-	-	15	-	3
10	Cumberland	69	-	1	-	-	-	10	-	-	-	-	-	6	-	1
11	Daviess	543	-	1	-	-	1	12	1	-	1	1	-	58	-	8
12	Owensboro	386	-	1	-	-	-	8	1	-	1	1	-	40	-	4
13	Balance of county	177	-	-	-	-	1	4	-	-	-	-	-	18	-	4
14	Edmonson	73	-	-	-	-	-	5	1	-	-	-	-	5	-	3
15	Elliott	43	-	-	-	-	-	1	-	-	-	-	-	1	-	1
16	Estill	118	-	-	-	1	-	11	-	-	-	-	-	6	-	3
17	Fayette	1,205	-	3	-	1	-	74	1	-	42	-	1	137	1	29
18	Lexington	845	-	3	-	1	-	58	1	-	28	-	-	96	1	17
19	Balance of county	360	-	-	-	-	-	16	-	-	14	-	1	41	-	12
20	Fleming	151	-	-	-	-	-	7	-	-	-	-	-	17	-	4
21	Floyd	335	-	-	-	2	-	21	7	-	-	1	-	22	-	4
22	Franklin	240	-	-	-	-	-	10	-	-	2	-	-	25	-	8
23	Frankfort	151	-	-	-	-	-	7	-	-	2	-	-	13	-	6
24	Balance of county	89	-	-	-	-	-	3	-	-	-	-	-	12	-	2
25	Fulton	162	-	-	-	-	-	7	-	-	-	-	-	19	-	2
26	Gallatin	41	-	-	-	-	-	3	-	-	-	-	-	6	-	-
27	Garrard	101	-	-	-	-	-	9	-	-	-	-	-	12	-	-
28	Grant	111	-	-	-	-	-	2	-	-	-	-	-	12	-	3
29	Graves	299	-	-	-	-	-	10	-	-	2	-	-	32	-	4
30	Grayson	164	-	-	-	-	-	6	-	-	-	-	-	17	-	-
31	Green	98	1	-	-	1	-	7	1	-	-	-	-	14	-	1
32	Greenup	188	-	-	-	1	-	5	1	-	1	-	-	19	-	3
33	Hancock	62	-	-	-	1	-	2	-	-	-	-	-	6	-	1
34	Hardin	251	-	-	-	-	1	9	-	-	-	2	-	23	-	4
35	Harlan	566	-	6	-	1	2	23	1	-	5	1	-	48	1	-
36	Harrison	190	1	-	-	-	-	11	-	-	-	-	-	17	-	5
37	Hart	141	-	-	-	-	-	4	1	-	-	-	-	9	-	1
38	Henderson	328	-	-	-	-	-	7	-	-	2	-	-	40	-	7
39	Henderson	205	-	-	-	-	-	7	-	-	2	-	-	28	-	2
40	Balance of county	123	-	-	-	-	-	-	-	-	-	-	-	12	-	5
41	Henry	120	-	-	-	-	-	4	-	-	1	-	-	17	-	3
42	Hickman	78	-	1	-	-	-	3	-	-	-	-	-	7	-	-
43	Hopkins	370	-	-	-	1	-	17	-	1	1	-	-	38	-	5
44	Jackson	73	-	-	-	2	-	7	-	-	-	1	-	4	-	-
45	Jefferson	5,271	-	2	-	2	2	249	1	-	52	3	2	648	1	94
46	Louisville	4,357	-	2	-	-	2	180	1	-	27	3	1	545	1	87
47	Balance of county	914	-	-	-	2	-	69	-	-	25	-	1	103	-	7
48	Jessamine	122	-	-	-	-	-	-	-	-	-	1	-	13	-	2
49	Johnson	192	-	1	-	1	-	10	-	-	2	1	-	14	-	6
50	Kenton	1,164	1	4	-	-	1	30	-	-	7	-	-	166	-	25
51	Covington	823	-	1	-	-	1	22	-	-	6	-	-	111	-	19
52	Balance of county	341	1	3	-	-	-	8	-	-	1	-	-	55	-	6
53	Knott	86	-	-	-	1	-	4	1	-	-	2	-	4	-	-
54	Knox	249	-	-	-	1	1	14	2	-	-	-	-	20	-	8
55	Larue	114	-	-	-	-	-	6	-	-	1	-	-	20	-	3
56	Laurel	179	-	-	-	2	-	5	1	-	-	2	-	16	-	4
57	Lawrence	114	-	1	-	-	-	6	-	-	1	-	-	12	1	1
58	Lee	65	-	-	-	-	-	6	-	-	-	-	-	8	-	-
59	Leslie	88	-	-	-	-	-	3	-	-	1	1	-	5	-	2
60	Letcher	317	-	1	-	1	1	19	-	1	1	1	-	21	3	3
61	Lewis	139	-	-	-	1	-	4	2	-	-	-	-	17	-	2
62	Lincoln	171	1	-	-	1	-	6	-	-	-	-	-	13	1	2
63	Livingston	77	-	-	-	-	-	4	-	-	-	-	-	9	-	2
64	Logan	280	-	-	-	-	-	16	2	-	3	-	-	34	1	5
65	Lyon	72	-	-	-	-	-	-	-	-	1	-	-	5	-	1
66	McCracken	556	-	-	-	-	-	23	-	-	7	-	-	61	-	6
67	Paducah	404	-	-	-	-	-	14	-	-	6	-	-	48	-	5
68	Balance of county	152	-	-	-	-	-	9	-	-	1	-	-	13	-	1
69	McCreary	131	-	-	-	-	-	4	-	-	3	-	-	18	-	1
70	McLean	101	-	-	-	1	1	-	-	-	-	-	-	13	-	2
71	Madison	277	-	-	-	2	-	13	-	-	1	-	-	34	-	4
72	Magoffin	82	-	-	-	-	-	2	-	-	-	-	-	9	-	1
73	Marion	186	-	-	-	-	-	5	-	-	1	-	-	24	-	2
74	Marshall	123	-	-	-	-	2	3	-	-	-	-	-	14	-	1
75	Martin	103	-	-	-	2	-	10	-	-	-	2	-	12	-	-
76	Mason	226	-	1	-	-	-	9	-	-	-	-	-	26	-	7
77	Meade	78	-	-	-	1	-	-	-	-	-	-	-	12	-	-
78	Menifee	39	-	-	-	1	-	4	-	-	-	-	-	3	-	-
79	Mercer	138	-	-	-	-	-	7	-	-	-	-	-	21	-	-
80	Metcalfe	101	-	-	-	-	-	6	-	-	-	-	1	12	-	2
81	Monroe	120	-	2	-	1	1	7	-	-	-	-	-	8	-	3
82	Montgomery	133	-	-	-	-	-	8	-	-	-	-	-	12	-	3
83	Morgan	109	-	-	-	1	-	7	2	-	-	-	1	10	-	2
84	Muhlenberg	268	-	-	-	-	-	14	-	-	1	3	-	30	-	5
85	Nelson	196	-	1	-	-	-	6	-	-	-	-	-	21	-	4
86	Nicholas	79	-	-	-	-	1	3	-	-	-	-	-	8	-	3
87	Ohio	213	-	-	-	-	-	4	-	-	1	2	1	30	2	-
88	Oldham	103	-	-	-	-	-	6	-	-	1	-	-	13	-	3
89	Owen	105	-	-	-	1	-	6	-	-	-	-	-	18	-	1
90	Owsley	33	-	-	-	-	-	3	-	-	-	-	-	4	-	-
91	Pendleton	124	1	-	-	1	-	2	-	-	-	-	-	20	-	2
92	Perry	318	-	-	-	2	1	19	3	-	1	2	-	30	-	1
93	Pike	585	-	4	-	6	3	38	7	-	1	5	2	39	-	6
94	Powell	64	-	-	-	-	-	5	1	-	1	-	-	15	-	1
95	Pulaski	313	-	-	-	1	1	18	-	-	1	-	-	42	-	10
96	Robertson	38	-	-	-	-	-	-	-	-	1	-	-	4	-	1
97	Rockcastle	117	-	-	-	-	-	10	-	-	1	-	-	17	-	5

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide * 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	22	49	22	2	9	2	3	9	6	-	-	5	5	4	21	1
1	6	28	6	1	5	1	1	2	5	-	1	3	3	1	14	2
1	75	124	34	4	42	3	10	8	10	3	4	11	22	8	118	3
-	28	50	5	3	16	1	7	3	5	1	3	5	5	1	32	4
1	47	74	29	1	26	2	3	5	5	2	1	6	17	7	86	5
-	31	54	12	1	13	1	4	6	3	4	4	8	15	3	22	6
-	9	23	14	4	2	-	1	3	3	-	3	6	8	1	7	7
-	7	15	1	-	2	-	1	1	3	-	-	2	6	5	4	8
1	7	32	4	-	6	-	-	1	4	1	-	4	8	5	11	9
-	8	22	1	1	6	-	-	3	1	-	-	2	2	1	6	10
-	63	160	21	7	51	2	13	22	7	2	4	10	26	5	66	11
-	32	108	11	6	35	2	9	15	6	2	3	9	17	5	50	12
-	31	52	10	1	16	-	4	7	1	-	1	1	9	-	16	13
-	7	17	8	-	6	-	-	2	3	1	-	1	3	-	7	14
-	4	14	2	1	1	-	-	1	1	-	3	2	1	4	4	15
1	12	25	6	1	9	-	-	3	1	1	-	4	4	10	16	16
-	123	337	54	5	59	-	-	10	19	3	3	7	18	47	179	17
-	93	226	40	4	36	-	-	7	12	2	7	11	13	31	127	18
-	30	111	14	1	23	-	-	3	7	2	5	7	8	16	52	19
-	16	39	10	2	5	-	1	1	6	2	2	4	4	5	10	20
-	39	55	26	19	12	-	4	5	15	7	1	6	13	36	25	21
-	32	59	17	5	8	-	-	5	6	2	1	1	6	15	37	22
-	16	39	10	4	7	-	-	3	3	1	1	1	4	10	23	23
-	16	20	7	1	1	-	-	2	3	1	1	-	2	5	14	24
-	16	40	6	3	16	-	2	1	3	1	6	-	3	6	25	25
-	4	9	4	1	-	-	1	1	1	1	2	-	-	2	7	26
-	14	28	4	1	11	-	1	-	2	1	5	1	2	4	9	27
1	15	44	-	1	3	-	1	1	1	1	4	-	4	5	10	28
-	50	90	17	2	22	-	1	3	6	1	3	-	7	7	34	29
-	21	44	12	5	11	-	-	2	2	2	1	-	5	7	25	30
-	8	33	10	-	7	-	-	-	2	2	-	-	1	5	3	31
-	14	57	11	4	8	-	-	1	7	5	3	2	8	13	18	32
-	6	22	2	2	9	-	-	-	-	-	-	-	1	5	4	33
-	25	62	10	6	17	-	-	6	18	2	3	-	12	15	28	34
-	36	113	34	42	27	2	-	14	21	25	3	25	21	49	54	35
-	46	58	9	4	4	-	-	2	4	2	-	2	8	4	12	36
-	7	51	12	2	15	-	1	3	1	-	1	2	4	9	5	37
1	33	93	9	4	30	-	4	7	11	6	2	2	12	21	34	38
1	22	57	5	2	19	-	2	3	9	5	2	2	6	12	17	39
-	11	36	4	2	11	-	2	4	2	1	1	-	6	9	17	40
1	13	33	5	1	13	-	-	4	2	1	1	1	5	2	13	41
-	9	27	2	-	2	-	-	-	1	1	4	-	-	5	7	42
-	59	82	18	3	21	-	4	5	9	4	5	4	11	34	42	43
-	4	13	3	-	7	-	1	6	6	3	-	-	3	5	7	44
-	441	1,751	225	44	321	-	6	64	153	85	57	61	119	208	624	45
-	360	1,484	157	42	283	-	4	49	128	77	51	60	95	176	497	46
-	81	267	66	2	38	-	2	15	27	8	6	1	24	32	127	47
-	16	48	8	2	4	-	1	1	1	-	1	2	3	1	15	48
-	12	44	15	3	10	-	1	1	9	6	-	4	10	14	14	49
-	107	388	38	17	65	-	3	19	36	20	14	2	21	50	136	50
-	80	283	24	11	52	-	2	10	21	16	8	1	11	35	98	51
-	27	105	14	6	13	-	1	9	15	4	6	1	10	15	38	52
-	8	13	9	3	4	-	3	2	-	2	1	4	5	7	7	53
-	20	43	29	15	19	-	1	3	16	10	1	1	11	8	21	54
-	7	41	6	1	10	-	-	1	-	-	1	-	3	-	11	55
-	17	37	15	4	30	-	1	1	2	5	1	1	7	8	17	56
-	13	33	1	-	10	-	-	3	3	4	-	-	5	5	11	57
1	9	18	3	-	3	-	-	-	1	1	2	2	4	3	2	58
-	7	10	9	2	2	-	1	3	3	6	1	10	3	6	10	59
-	18	58	20	9	15	-	3	10	16	27	3	13	11	26	25	60
-	11	40	8	9	4	-	-	1	6	5	1	-	3	6	18	61
-	30	49	10	3	9	-	-	2	8	2	1	1	10	6	12	62
-	8	24	4	-	5	-	-	-	2	1	1	2	1	8	6	63
-	32	80	4	2	15	-	4	1	5	7	4	2	8	10	39	64
-	8	22	6	1	6	-	-	-	3	1	-	-	6	6	11	65
-	61	206	32	1	27	-	3	4	10	10	12	6	17	16	44	66
-	45	150	18	1	23	-	-	2	9	7	9	4	14	10	30	67
-	16	56	14	-	4	-	3	2	1	3	3	2	3	6	14	68
-	16	27	9	3	5	-	1	2	6	8	-	2	2	8	11	69
-	11	22	7	-	11	-	-	-	5	2	1	2	3	9	9	70
-	21	77	18	1	32	-	1	5	8	5	2	1	10	9	26	71
-	18	14	8	-	2	-	-	4	5	2	1	2	1	6	6	72
-	21	36	13	5	9	-	1	-	16	6	1	2	5	13	20	73
-	20	40	7	-	13	-	-	2	-	8	1	1	-	7	9	74
-	8	17	3	3	4	-	-	2	8	2	1	2	3	12	9	75
1	24	73	10	2	11	-	-	1	2	1	1	6	1	3	23	76
-	8	25	8	-	4	-	-	-	1	1	5	-	3	18	13	77
-	1	10	3	-	2	-	-	1	1	3	-	-	2	2	7	78
-	14	45	9	2	10	-	1	-	1	1	1	2	-	3	19	79
-	13	14	4	2	13	-	-	1	1	5	3	3	-	-	6	80
1	16	38	6	1	1	-	1	1	3	8	1	1	9	1	12	81
-	9	24	1	6	14	-	1	1	1	1	2	1	10	4	17	82
-	4	31	9	2	12	-	-	3	9	2	-	2	2	5	18	83
-	31	67	13	3	21	-	4	2	7	1	1	4	10	6	23	84
-	20	64	14	-	16	-	-	2	-	7	2	1	1	9	15	85
-	11	28	2	2	7	-	-	-	7	5	1	1	2	2	10	86
-	31	47	9	2	13	-	2	4	2	-	3	2	3	13	28	87
-	6	32	5	3	9	-	-	-	1	3	1	-	2	5	7	88
-	8	26	3	-	1	-	-	1	1	1	2	-	4	5	25	89
1	4	9	1	-	1	-	-	1	1	-	1	1	3	-	2	90
-	15	35	4	1	4	-	-	4	3	1	2	2	3	8	16	91
-	20	49	36	17	10	-	1	10	15	17	2	10	15	21	26	92
1	44	88	75	25	16	-	11	13	38	16	7	12	28	57	38	93
-	4	8	1	2	5	-	1	3	-	1	-	1	1	3	5	94
-	25	91	21	8	12	-	5	2	10	9	-	-	10	18	25	95
-	4	13	-	-	3	-	-	-	-	1	-	-	4	1	7	96
-	10	21	7	3	4	-	-	4	1	1	1	2	5	3	12	97

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	KENTUCKY—Continued															
1	Rowan	95	-	-	-	-	-	6	-	-	-	-	-	12	-	-
2	Russell	94	-	-	-	1	-	7	1	-	-	-	-	7	-	2
3	Scott	155	-	-	-	1	-	7	-	-	-	-	-	20	-	5
4	Shelby	182	-	-	-	-	-	2	-	-	4	-	-	19	-	1
5	Simpson	120	-	1	-	-	-	7	-	-	-	-	-	16	-	-
6	Spencer	47	-	-	-	-	-	-	-	-	-	-	-	1	-	-
7	Taylor	134	1	-	-	-	-	2	-	-	-	-	-	16	-	-
8	Todd	145	1	-	-	-	-	8	-	-	1	-	-	18	1	3
9	Trigg	88	-	-	-	-	-	6	-	-	-	-	-	3	-	3
10	Trimble	29	-	-	-	-	-	2	-	-	-	-	-	2	-	1
11	Union	182	-	-	-	-	1	4	-	-	-	1	-	24	1	3
12	Warren	473	-	-	-	-	-	8	-	-	1	-	-	50	3	10
13	Bowling Green	260	-	-	-	-	-	1	-	-	-	-	-	25	2	6
14	Balance of county	213	-	-	-	-	-	7	-	-	1	-	-	25	1	4
15	Washington	90	-	-	-	-	-	2	-	-	1	-	-	10	-	2
16	Wayne	95	-	-	-	-	-	2	1	-	-	-	-	9	-	4
17	Webster	208	-	-	-	-	-	11	1	-	-	-	-	29	-	4
18	Whitley	268	-	1	-	-	2	12	1	-	-	-	-	27	-	2
19	Wolfe	72	-	-	-	-	3	1	2	-	-	-	-	7	-	1
20	Woodford	112	-	-	-	2	-	4	-	-	-	-	-	15	-	2
21	LOUISIANA	23,561	12	24	2	38	18	947	12	17	403	15	17	2,751	15	455
22	Acadia	419	-	-	-	2	1	16	-	-	5	-	-	51	-	7
23	Allen	151	-	-	-	-	-	4	-	-	2	2	-	17	-	-
24	Ascension	223	-	-	-	2	-	8	-	-	2	1	-	28	1	4
25	Assumption	188	-	-	-	-	1	7	-	-	1	1	-	30	-	2
26	Avoyelles	320	-	-	-	1	-	7	-	-	3	-	-	45	-	5
27	Beauregard	166	-	-	-	-	1	4	-	1	-	-	-	16	1	-
28	Bienville	152	-	-	-	-	-	4	-	-	2	-	-	17	1	3
29	Bossier	252	1	2	-	-	-	12	-	-	1	-	1	30	-	4
30	Caddo	1,510	-	2	-	-	1	54	-	2	27	-	1	174	1	32
31	Shreveport	1,137	-	1	-	-	1	37	-	-	24	-	1	139	-	24
32	Balance of parish	373	-	1	-	-	-	17	-	2	3	-	-	35	1	8
33	Calcasieu	651	1	-	-	-	1	24	-	-	4	1	-	67	-	12
34	Lake Charles	358	-	-	-	-	1	14	-	-	3	1	-	45	-	4
35	Balance of parish	293	1	-	-	-	-	10	-	-	1	-	-	22	-	8
36	Caldwell	93	-	-	-	-	-	1	-	-	1	-	-	13	-	3
37	Cameron	40	-	-	-	-	-	-	-	-	-	1	-	3	-	-
38	Catahoula	111	-	-	-	-	-	4	-	-	-	-	1	11	-	2
39	Claiborne	178	-	-	-	1	-	7	-	-	-	-	1	22	-	4
40	Concordia	148	-	-	-	-	-	2	-	-	11	-	-	9	-	1
41	De Soto	277	-	-	-	2	-	8	1	-	3	-	-	37	1	7
42	East Baton Rouge	1,000	-	-	-	1	-	44	-	-	14	1	1	122	-	17
43	Baton Rouge	413	-	-	-	-	-	18	-	-	6	-	1	49	-	4
44	Balance of parish	587	-	-	-	1	-	26	-	-	8	1	-	73	-	13
45	East Carroll	184	-	-	-	-	-	2	1	1	4	-	-	15	-	7
46	East Feliciana	480	1	-	-	1	-	42	-	4	76	-	-	16	-	4
47	Evangeline	238	-	-	-	2	-	16	-	2	-	-	-	30	1	4
48	Franklin	234	-	-	-	1	-	6	-	-	1	-	1	23	-	2
49	Grant	140	-	-	-	-	-	2	1	1	-	-	-	21	-	4
50	Iberia	381	2	-	-	2	1	16	-	-	3	-	-	47	2	7
51	New Iberia	199	-	-	-	2	1	10	-	-	1	-	-	23	1	3
52	Balance of parish	182	2	-	-	-	-	6	-	-	2	-	-	24	1	4
53	Iberville	293	-	-	-	1	1	7	-	-	2	-	-	15	-	4
54	Jackson	141	-	-	-	1	-	6	-	-	-	-	-	7	-	1
55	Jefferson	548	-	1	-	-	-	22	-	-	7	-	1	57	-	12
56	Gretna	120	-	-	-	-	-	6	-	-	1	-	-	13	-	3
57	Balance of parish	428	-	1	-	-	-	16	-	-	6	-	1	44	-	9
58	Jefferson Davis	211	-	2	-	-	-	7	-	-	4	-	-	20	-	7
59	Lafayette	402	-	1	-	1	-	21	-	-	5	2	-	44	1	4
60	Lafayette	226	-	-	-	-	-	10	-	-	5	1	-	30	-	4
61	Balance of parish	176	-	1	-	1	-	11	-	-	-	1	-	14	1	-
62	Lafourche	282	-	-	-	-	1	6	-	-	3	-	-	44	-	4
63	La Salle	111	-	-	-	2	-	5	-	-	-	-	-	12	-	3
64	Lincoln	187	-	1	-	1	1	12	-	-	2	-	-	20	-	2
65	Livingston	137	-	-	-	-	-	4	-	-	1	-	-	21	-	2
66	Madison	176	-	-	-	1	-	2	-	-	-	-	-	18	-	-
67	Morehouse	271	-	1	-	-	-	4	-	1	3	-	-	28	-	8
68	Natchitoches	333	1	-	-	2	-	8	-	-	2	-	-	39	-	5
69	Orleans, coextensive with New Orleans	6,093	5	7	1	1	3	295	3	-	114	-	1	841	2	162
70	Ouachita	629	1	1	-	1	-	30	-	1	7	-	1	70	1	16
71	Monroe	341	1	-	-	-	-	15	-	-	3	-	1	38	1	12
72	Balance of parish	288	-	1	-	1	-	15	-	1	4	-	-	32	-	4
73	Plaquemines	84	-	1	-	1	-	2	-	-	2	-	-	9	-	-
74	Pointe Coupee	227	-	-	-	1	-	3	-	-	3	-	-	30	-	7
75	Rapides	927	-	-	-	-	-	58	1	-	37	1	5	76	-	15
76	Alexandria	344	-	-	-	-	-	12	-	-	8	-	3	37	-	10
77	Balance of parish	583	-	-	-	-	-	46	1	-	29	1	2	39	-	5
78	Red River	128	-	-	-	-	-	3	-	-	2	2	-	18	-	2
79	Richland	208	-	-	-	-	-	7	-	1	2	-	-	25	1	3
80	Sabine	136	-	-	-	-	-	2	-	-	1	-	-	25	-	-
81	St. Bernard	79	-	-	-	-	-	3	-	-	-	-	-	8	-	1
82	St. Charles	91	-	-	-	-	-	3	-	-	-	-	-	14	-	2
83	St. Helena	61	-	1	-	1	-	-	-	-	-	-	-	-	-	1
84	St. James	161	-	-	-	1	-	8	-	-	1	-	-	12	-	1
85	St. John the Baptist	130	-	-	-	-	-	-	-	-	2	-	-	15	-	2
86	St. Landry	600	-	-	-	3	-	21	2	-	6	-	-	58	-	8
87	St. Martin	212	-	1	-	2	-	12	-	-	1	1	-	20	-	3
88	St. Mary	307	-	1	-	-	2	5	-	-	1	1	-	32	-	6
89	St. Tammany	257	-	-	-	-	-	9	-	-	5	-	-	32	-	5
90	Tangipahoa	464	-	-	-	1	3	16	-	-	5	-	-	48	1	7
91	Tensas	162	-	-	-	-	-	4	-	-	2	-	-	14	-	3
92	Terrebonne	324	-	-	-	-	1	13	-	-	7	-	1	36	-	-
93	Union	162	-	-	-	-	-	7	-	1	-	-	-	18	-	4
94	Vermilion	250	-	1	-	-	-	4	1	-	2	-	1	38	-	5

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	10	24	10	1	4	-	-	4	3	2	-	3	2	5	9	1
-	15	21	2	1	5	-	5	2	4	1	-	4	5	1	10	2
-	17	43	4	1	10	-	4	2	3	2	2	1	9	5	19	3
-	27	47	5	1	8	-	1	7	3	3	1	5	9	2	37	4
-	15	30	10	-	11	-	3	1	2	1	1	2	9	6	5	5
-	1	18	8	2	6	-	1	-	-	-	2	-	3	2	3	6
-	13	43	1	2	9	-	4	6	6	2	1	5	1	4	18	7
-	13	40	3	-	19	1	1	1	2	-	2	3	10	2	16	8
-	11	29	4	-	6	-	1	-	4	1	-	2	2	2	10	9
-	4	10	2	1	1	-	-	1	-	-	-	2	1	-	2	10
-	16	44	5	3	11	1	2	6	2	2	6	4	10	13	23	11
-	52	131	29	10	54	-	8	11	9	5	7	8	25	9	44	12
-	31	74	14	7	27	-	4	6	5	3	3	5	16	3	28	13
-	21	57	15	3	27	-	4	5	4	2	4	3	9	5	16	14
-	7	27	6	1	7	-	1	2	3	3	1	1	5	-	11	15
-	5	26	10	3	4	1	2	-	1	-	1	2	11	6	7	16
-	15	56	4	2	21	-	1	6	5	6	1	2	10	4	30	17
-	24	62	27	4	11	-	5	12	6	3	1	8	12	10	38	18
-	3	15	5	2	-	2	2	4	1	-	1	2	3	8	10	19
-	12	39	3	1	8	-	3	2	1	-	1	-	8	1	10	20
15	1,962	7,293	1,289	154	1,411	121	324	951	552	154	232	504	1,084	428	2,361	21
-	32	112	27	7	19	3	5	16	13	6	1	9	19	22	47	22
-	9	51	13	1	9	2	3	3	6	-	2	4	6	7	10	23
-	15	65	15	5	6	-	2	7	7	1	7	7	9	16	17	24
-	12	62	18	1	9	-	2	1	4	1	-	4	5	6	21	25
-	28	101	28	3	11	-	3	3	8	1	1	6	20	6	40	26
-	10	57	10	-	7	3	4	7	2	-	2	7	7	3	24	27
-	10	45	8	1	10	1	2	4	5	1	1	6	4	14	13	28
-	31	56	16	2	20	1	2	14	6	3	2	11	8	7	22	29
-	130	442	58	10	112	1	16	79	35	15	24	41	71	24	158	30
-	89	350	41	9	87	1	10	63	27	14	16	26	49	9	119	31
-	41	92	17	1	25	-	6	16	8	1	8	15	22	15	39	32
1	51	171	46	4	45	10	8	45	20	3	6	15	39	15	62	33
-	23	101	23	1	27	5	7	29	11	1	3	4	16	8	31	34
1	28	70	23	3	18	5	1	16	9	2	3	11	23	7	31	35
-	5	25	4	-	8	1	-	5	-	-	-	8	3	4	12	36
-	5	7	4	-	4	1	1	1	2	1	-	3	2	2	3	37
1	18	30	7	-	8	-	1	1	3	-	2	4	8	2	8	38
1	12	49	8	1	15	3	2	4	1	-	2	5	14	5	21	39
1	17	28	5	1	33	2	4	3	4	-	3	5	10	5	9	40
-	38	68	18	2	15	2	7	15	2	-	3	7	11	3	31	41
-	100	280	56	7	67	4	21	42	24	3	13	28	44	13	98	42
-	38	115	18	1	32	2	5	15	13	2	6	12	21	4	51	43
-	62	165	38	6	35	2	16	27	11	1	7	16	23	9	47	44
-	25	58	5	2	7	1	6	7	10	1	-	2	11	4	15	45
1	13	203	29	-	15	2	1	4	4	1	2	1	11	2	45	46
-	23	70	19	3	9	1	3	6	3	3	2	2	9	4	26	47
1	31	65	13	2	15	3	1	9	7	-	7	4	18	2	22	48
1	11	55	8	-	5	-	2	3	4	-	1	6	9	2	6	49
-	25	98	25	3	30	3	2	20	12	2	2	6	24	12	37	50
-	15	56	14	2	11	-	2	16	4	1	1	4	9	5	18	51
-	10	42	11	1	19	3	-	4	8	1	1	2	15	7	19	52
-	47	98	20	3	22	3	1	10	10	-	1	7	10	1	29	53
-	11	32	6	-	14	1	1	7	2	2	3	3	11	19	14	54
1	28	184	32	3	26	3	16	31	19	5	7	9	28	-	56	55
-	7	41	5	1	5	1	2	5	6	1	3	-	5	-	15	56
1	21	143	27	2	21	2	14	26	13	4	4	9	23	-	41	57
-	17	83	9	1	10	1	2	15	9	-	2	8	11	4	19	58
1	20	114	32	4	10	5	5	19	11	6	2	6	20	10	58	59
1	7	59	13	2	4	5	1	11	8	4	2	6	8	6	39	60
-	13	55	19	2	6	-	4	8	3	2	-	-	12	4	19	61
-	20	95	14	1	10	2	5	9	10	4	-	6	12	5	31	62
-	8	48	3	-	7	-	-	3	-	1	-	2	5	2	10	63
-	16	56	13	4	15	2	2	4	1	-	3	8	7	2	15	64
-	8	39	5	1	6	-	6	11	4	1	-	4	6	3	15	65
-	19	46	2	1	6	1	2	11	6	-	2	5	16	23	15	66
1	25	78	15	7	18	3	2	13	7	1	6	2	18	12	18	67
-	26	99	11	2	27	6	5	11	16	4	5	5	11	14	34	68
-	445	2,193	245	26	357	16	73	189	103	42	56	78	234	15	588	69
1	72	174	21	4	31	3	13	31	11	4	11	21	34	4	65	70
1	33	109	12	2	14	-	6	15	5	3	3	9	20	2	36	71
-	39	65	9	2	17	3	7	16	6	1	8	12	14	2	29	72
-	10	20	5	1	4	-	1	5	3	-	-	2	7	2	9	73
-	20	82	15	1	8	3	3	4	-	1	1	1	17	9	18	74
1	66	248	51	1	59	2	13	38	12	9	6	25	44	52	107	75
-	27	96	15	1	19	1	3	14	5	2	4	11	14	14	48	76
1	39	152	36	-	40	1	10	24	7	7	2	14	30	38	59	77
-	17	13	5	1	7	1	-	8	3	-	-	8	9	13	16	78
-	28	62	6	3	8	1	3	13	5	1	1	7	9	2	20	79
-	13	38	9	1	6	3	1	7	5	2	1	-	5	-	17	80
-	8	21	4	-	2	-	6	11	1	-	-	2	5	-	7	81
1	8	36	6	-	3	-	-	2	4	-	3	1	3	-	5	82
-	7	22	5	1	5	-	3	4	-	-	1	2	2	2	4	83
-	19	58	10	1	6	-	5	6	7	1	-	3	5	3	15	84
-	11	42	6	1	7	3	2	8	3	1	-	1	4	4	16	85
-	57	160	71	10	22	3	10	32	23	4	5	12	24	10	59	86
-	6	59	28	4	15	-	2	16	10	1	-	4	6	1	20	87
-	28	80	24	3	32	2	4	9	9	1	3	3	20	3	38	88
-	22	91	17	1	16	-	4	7	2	3	-	9	11	1	22	89
-	41	143	35	1	27	4	1	19	15	3	4	16	19	1	54	90
-	22	57	6	-	13	1	-	5	-	2	1	2	17	-	13	91
-	22	89	25	-	26	1	9	18	15	1	-	7	18	6	29	92
1	23	34	10	-	19	2	5	8	2	1	1	4	2	2	18	93
-	19	65	20	4	7	-	4	10	5	5	1	3	12	8	35	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	LOUISIANA—Continued															
1	Vernon	150	1	-	-	-	-	2	-	-	-	-	-	21	1	3
2	Washington	315	-	-	-	1	-	13	1	-	3	1	-	35	-	6
3	Bogalusa	167	-	-	-	1	-	7	1	-	3	-	-	14	-	5
4	Balance of parish	148	-	-	-	-	-	6	-	-	-	1	-	21	-	1
5	Webster	298	-	-	-	-	-	16	-	1	4	-	1	37	-	7
6	West Baton Rouge	126	-	-	-	-	-	1	-	-	-	-	-	11	-	-
7	West Carroll	116	1	-	1	1	-	4	-	1	-	-	-	10	-	2
8	West Feliciana	110	-	-	-	-	-	4	-	-	4	-	-	11	-	1
9	Winn	124	-	1	-	-	-	10	1	-	1	-	-	20	-	-
10	MAINE	9,956	-	4	3	5	3	197	2	-	46	6	1	1,472	3	244
11	Androscoggin	879	-	-	-	-	-	9	-	-	1	-	-	132	-	26
12	Lewiston	421	-	-	-	-	-	6	-	-	-	-	-	61	-	13
13	Auburn	209	-	-	-	-	-	1	-	-	1	-	-	36	-	7
14	Balance of county	249	-	-	-	-	-	2	-	-	-	-	-	35	-	6
15	Aroostook	791	-	2	-	2	-	22	1	-	-	2	-	108	-	12
16	Cumberland	1,806	-	-	-	1	-	39	-	-	8	1	-	235	-	45
17	Portland	890	-	-	-	1	-	17	-	-	4	1	-	123	-	25
18	South Portland	189	-	-	-	-	-	3	-	-	1	-	-	30	-	6
19	Westbrook	105	-	-	-	-	-	3	-	-	-	-	-	11	-	1
20	Balance of county	622	-	-	-	-	-	16	-	-	3	-	-	71	-	13
21	Franklin	235	-	-	-	-	-	3	-	-	1	-	-	48	-	2
22	Hancock	371	-	-	-	-	-	5	-	-	3	-	1	59	-	17
23	Kennebec	1,003	-	1	-	-	-	19	-	-	12	1	-	142	2	19
24	Augusta	275	-	-	-	-	-	10	-	-	5	1	-	22	-	7
25	Waterville	159	-	-	-	-	-	1	-	-	1	-	-	22	-	2
26	Balance of county	569	-	1	-	-	-	8	-	-	6	-	-	98	2	10
27	Knox	363	-	-	-	-	-	9	-	-	1	-	-	63	-	11
28	Lincoln	261	-	-	1	-	1	3	-	-	1	-	-	50	-	2
29	Oxford	432	-	-	-	-	2	12	-	-	2	-	-	72	-	13
30	Penobscot	1,251	-	-	-	2	-	19	1	-	10	1	-	159	-	31
31	Bangor	541	-	-	-	-	-	13	-	-	8	-	-	72	-	12
32	Balance of county	710	-	-	-	2	-	6	1	-	2	1	-	87	-	19
33	Piscataquis	228	-	-	-	-	-	3	-	-	-	-	-	42	-	6
34	Sagadahoc	231	-	-	-	-	-	4	-	-	1	-	-	38	-	4
35	Bath	108	-	-	-	-	-	2	-	-	1	-	-	14	-	3
36	Balance of county	123	-	-	-	-	-	2	-	-	-	-	-	24	-	1
37	Somerset	404	-	-	1	-	-	20	-	-	-	-	-	52	1	11
38	Waldo	245	-	-	-	-	-	6	-	-	-	-	-	50	-	4
39	Washington	460	-	1	1	-	-	10	-	-	1	-	-	71	-	12
40	York	998	-	-	-	-	-	14	-	-	5	1	-	153	-	29
41	Biddeford	193	-	-	-	-	-	4	-	-	-	1	-	26	-	6
42	Balance of county	805	-	-	-	-	-	10	-	-	5	-	-	127	-	23
43	MARYLAND	22,440	5	9	-	6	9	1,010	4	-	275	8	11	2,984	13	657
44	Allegany	895	-	1	-	1	3	14	-	-	4	-	-	113	-	30
45	Cumberland	423	-	-	-	1	2	4	-	-	4	-	-	53	-	18
46	Balance of county	472	-	1	-	-	1	10	-	-	-	-	-	60	-	12
47	Anne Arundel	924	1	1	-	-	-	38	-	-	44	1	-	108	-	16
48	Annapolis	145	-	-	-	-	-	6	-	-	1	-	-	21	-	2
49	Balance of county	779	1	1	-	-	-	32	-	-	43	1	-	87	-	14
50	Baltimore	1,790	1	1	-	1	-	37	-	-	15	-	-	272	2	51
51	District 12[2]	172	-	-	-	-	-	6	-	-	1	-	-	26	1	2
52	District 13[2]	82	-	-	-	-	-	2	-	-	-	-	-	14	-	2
53	Balance of county	1,536	1	1	-	1	-	29	-	-	14	-	-	232	1	47
54	Baltimore (city)	10,874	1	3	-	-	2	602	1	-	152	2	2	1,443	5	326
55	Calvert	122	-	1	-	1	-	2	-	-	2	-	2	20	1	3
56	Caroline	240	-	-	-	1	-	6	-	-	1	-	-	36	-	5
57	Carroll	667	-	-	-	-	-	77	1	-	15	1	1	62	-	23
58	Cecil	395	-	-	-	-	-	22	-	-	7	-	-	46	-	12
59	Charles	181	1	-	-	-	-	3	-	-	2	-	-	19	-	4
60	Dorchester	366	-	-	-	-	-	12	-	-	8	-	-	36	-	17
61	Cambridge	158	-	-	-	-	-	3	-	-	1	-	-	13	-	10
62	Balance of county	208	-	-	-	-	-	9	-	-	7	-	-	23	-	7
63	Frederick	700	1	-	-	-	2	17	-	-	4	-	-	102	-	20
64	Frederick	229	1	-	-	-	1	2	-	-	2	-	-	34	-	7
65	Balance of county	471	-	-	-	-	1	15	-	-	2	-	-	68	-	13
66	Garrett	178	-	-	-	-	-	1	-	-	1	-	-	24	-	1
67	Harford	420	-	-	-	-	-	11	-	-	2	-	-	61	-	12
68	Howard	192	-	-	-	-	-	3	-	-	-	-	-	21	-	5
69	Kent	181	-	-	-	-	-	4	-	-	-	-	-	36	-	6
70	Montgomery	952	-	1	-	-	1	22	-	-	12	2	3	133	1	32
71	Prince Georges	1,020	-	-	-	-	-	40	-	-	4	2	1	143	3	35
72	Queen Annes	145	-	-	-	-	-	4	-	-	1	-	-	19	-	4
73	St. Marys	173	-	-	-	-	-	8	-	-	2	-	-	17	-	2
74	Somerset	265	-	-	-	-	-	11	1	-	2	-	-	41	-	8
75	Talbot	234	-	-	-	1	-	7	-	-	2	-	-	40	-	8
76	Washington	814	-	1	-	1	1	28	1	-	10	-	-	113	-	25
77	Hagerstown	450	-	1	-	1	-	17	-	-	6	-	-	66	-	17
78	Balance of county	364	-	-	-	-	1	11	1	-	4	-	-	47	-	8
79	Wicomico	459	-	-	-	-	-	21	-	-	5	-	-	56	-	8
80	Salisbury	215	-	-	-	-	-	11	-	-	3	-	-	30	-	5
81	Balance of county	244	-	-	-	-	-	10	-	-	2	-	-	26	-	3
82	Worcester	253	-	-	-	-	-	14	-	-	-	-	2	33	1	4
83	MASSACHUSETTS	52,611	4	25	1	12	30	1,373	25	3	258	18	6	8,487	15	1,703
84	Barnstable	540	-	-	-	-	-	6	-	-	6	-	-	85	-	23
85	Berkshire	1,423	-	-	-	-	-	25	-	-	3	-	-	245	-	64
86	Pittsfield	539	-	-	-	-	-	11	-	-	2	-	-	97	-	32
87	Adams (town)	166	-	-	-	-	-	7	-	-	-	-	-	30	-	11
88	North Adams	246	-	-	-	-	-	4	-	-	-	-	-	39	-	7
89	Balance of county	472	-	-	-	-	-	3	-	-	1	-	-	79	-	14

[2]Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	6	36	12	1	22	-	3	7	2	1	-	5	7	1	19	1
1	20	95	12	2	17	1	7	24	11	1	8	15	14	6	21	2
1	13	51	5	1	6	1	4	12	7	-	4	8	6	5	12	3
-	7	44	7	1	11	-	3	12	4	1	4	7	8	1	9	4
-	32	67	11	3	16	2	3	15	11	3	8	9	13	5	34	5
-	18	28	11	2	15	1	1	5	5	-	1	5	9	1	12	6
-	13	36	7	-	5	-	1	4	4	2	1	2	7	-	16	7
-	7	47	7	-	2	-	1	1	2	-	1	2	7	2	11	8
-	6	53	3	-	2	1	1	2	2	-	4	2	3	-	12	9
-	1,056	3,367	428	51	548	18	140	190	163	120	15	173	409	162	1,132	10
-	111	301	35	4	61	-	12	13	15	10	-	11	28	4	106	11
-	51	141	16	3	39	-	5	6	5	5	-	5	14	1	50	12
-	31	74	10	-	9	-	-	2	5	2	-	2	4	-	25	13
-	29	86	9	1	13	-	7	5	5	3	-	4	10	3	31	14
-	69	212	64	16	40	2	14	23	26	4	1	23	42	18	88	15
-	193	682	80	1	83	3	21	41	20	24	-	31	84	23	211	16
-	85	334	38	-	23	2	6	18	7	14	-	15	45	14	118	17
-	22	66	7	-	6	-	3	5	2	4	-	3	9	1	21	18
-	19	30	4	-	6	-	3	3	2	-	-	-	6	1	16	19
-	67	252	31	1	28	1	9	15	9	6	-	13	24	7	56	20
-	26	69	10	1	13	-	5	6	5	5	-	4	7	6	26	21
-	48	117	15	1	26	-	3	3	6	9	-	3	17	8	30	22
-	97	356	46	9	77	1	6	18	10	13	1	14	36	6	117	23
-	19	100	19	5	26	1	1	5	5	5	1	3	12	-	28	24
-	13	68	5	1	11	-	2	1	2	1	-	2	7	1	19	25
-	65	188	22	3	40	-	3	12	3	7	-	9	17	5	70	26
-	48	116	11	2	20	-	7	3	4	7	1	3	10	8	39	27
-	28	68	19	-	18	1	4	2	4	4	-	1	10	7	37	28
-	37	145	17	2	14	1	2	10	12	7	-	11	13	6	54	29
-	116	435	41	8	55	2	29	24	24	8	6	22	62	36	160	30
-	53	204	14	1	20	1	8	9	8	4	-	6	28	20	60	31
-	63	231	27	7	35	1	21	15	16	4	5	16	34	16	100	32
-	22	72	7	1	11	1	5	8	4	3	-	8	11	4	20	33
-	31	75	13	-	15	-	1	2	4	3	2	1	6	4	27	34
-	13	43	9	-	3	-	1	1	-	-	-	1	2	-	15	35
-	18	32	4	-	12	-	-	1	4	3	2	-	4	4	12	36
-	52	133	10	-	29	-	7	6	3	5	-	8	19	3	44	37
-	31	75	4	2	17	-	-	3	3	7	-	3	11	6	23	38
-	47	158	19	1	31	2	8	10	9	2	3	10	19	6	39	39
-	100	353	37	3	58	5	16	18	14	9	1	20	34	17	111	40
-	24	64	9	-	10	2	5	1	3	1	-	5	7	3	22	41
-	76	289	28	3	48	3	11	17	11	8	1	15	27	14	89	42
3	1,702	7,697	751	66	1,657	49	307	545	333	320	176	413	924	87	2,418	43
-	69	303	26	6	82	4	14	32	18	12	2	16	35	6	104	44
-	39	143	7	5	37	1	3	14	11	5	1	10	14	5	46	45
-	30	160	18	1	45	3	11	18	7	7	1	6	21	1	58	46
-	78	282	40	4	40	3	12	26	15	11	7	21	35	3	138	47
-	20	47	8	1	6	-	2	5	3	1	1	-	7	-	14	48
-	58	235	32	3	34	3	10	21	12	10	6	21	28	3	124	49
-	117	684	58	6	92	1	36	48	31	35	6	40	77	7	172	50
-	5	49	9	2	7	-	7	7	9	9	1	7	8	-	16	51
-	4	37	1	-	5	-	-	3	2	3	-	-	4	-	5	52
-	108	598	48	4	80	1	29	38	20	23	5	33	65	7	151	53
2	709	3,983	352	24	762	23	131	250	140	150	110	136	405	30	1,149	54
-	17	30	5	-	5	1	3	3	1	-	2	3	9	1	10	55
-	19	82	5	1	18	1	5	2	6	4	3	5	10	-	30	56
-	67	226	36	2	36	-	4	6	5	5	-	6	28	1	65	57
-	19	103	23	3	39	-	7	12	7	7	2	10	19	2	55	58
-	11	49	7	4	14	2	6	5	6	4	4	8	10	2	20	59
-	44	118	13	1	31	-	1	5	6	3	4	5	10	2	50	60
-	18	54	10	1	14	-	-	2	5	-	2	-	4	1	20	61
-	26	64	3	-	17	-	1	3	1	3	2	5	6	1	30	62
-	93	248	12	-	44	3	7	8	14	10	5	11	27	3	69	63
-	26	87	4	-	12	1	2	3	3	3	2	5	5	1	28	64
-	67	161	8	-	32	2	5	6	11	7	3	6	22	2	41	65
-	19	60	13	-	16	-	4	2	1	3	1	3	13	2	14	66
-	43	129	18	1	28	-	4	18	11	5	2	15	26	-	34	67
-	16	69	3	1	11	2	2	3	4	4	1	8	12	1	20	68
-	15	78	3	-	10	-	1	2	3	2	1	3	12	-	15	69
1	76	319	32	1	64	1	19	30	12	17	4	21	29	12	107	70
-	64	235	35	2	140	3	19	25	26	17	6	35	59	7	119	71
-	14	48	3	-	15	-	4	1	4	1	1	4	5	-	17	72
-	16	46	6	-	10	1	4	10	2	4	3	14	10	-	18	73
-	20	67	7	1	45	-	5	4	2	1	3	6	15	-	26	74
-	22	74	7	1	19	2	1	4	4	-	-	3	8	-	31	75
-	74	270	20	2	60	-	9	26	12	18	1	19	34	3	86	76
-	39	154	13	1	24	-	3	17	5	12	-	6	14	1	53	77
-	35	116	7	1	36	-	6	9	7	6	1	13	20	2	33	78
-	62	119	17	2	43	2	5	20	2	4	5	15	21	2	50	79
-	28	61	10	-	21	1	3	5	2	3	4	4	10	2	14	80
-	38	58	7	2	22	1	2	15	-	1	1	11	11	-	36	81
-	18	75	10	4	33	-	4	3	1	3	3	6	15	3	21	82
2	4,879	20,419	1,844	155	1,960	73	639	992	582	478	64	520	2,162	167	5,715	83
-	70	188	17	4	28	-	4	9	3	4	-	4	19	6	64	84
-	120	534	37	1	79	1	19	29	11	17	1	22	71	4	141	85
-	50	187	13	-	27	-	6	9	4	8	1	7	29	2	54	86
-	11	62	1	1	6	-	1	4	3	2	-	3	5	-	19	87
-	11	105	9	-	24	-	2	6	-	1	-	2	11	1	24	88
-	48	180	14	-	21	1	10	10	4	6	-	10	26	1	44	89

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 8	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	MASSACHUSETTS—Continued															
1	Bristol	4,591	1	3	-	-	-	115	1	-	27	2	1	775	-	173
2	Fall River	1,430	-	-	-	-	-	44	-	-	7	1	-	338	-	57
3	New Bedford	1,513	1	1	-	-	-	26	-	-	6	-	1	190	-	46
4	Taunton	678	-	1	-	-	-	27	1	-	7	-	-	80	-	18
5	Attleboro	250	-	-	-	-	-	6	-	-	3	1	-	36	-	10
6	Fairhaven (town)	137	-	1	-	-	-	-	-	-	2	-	-	20	-	8
7	North Attleborough (town)	120	-	-	-	-	-	1	-	-	1	-	-	21	-	5
8	Balance of county	663	-	-	-	-	-	11	-	-	1	-	-	90	-	29
9	Dukes	83	-	-	-	-	-	-	-	-	1	-	-	15	-	2
10	Essex	6,167	1	1	1	2	3	112	-	1	29	2	2	1,040	3	202
11	Beverly	323	-	-	-	-	-	3	-	-	2	-	-	66	-	12
12	Haverhill	584	-	1	-	1	1	6	-	-	2	1	-	89	-	26
13	Lawrence	966	1	-	-	-	-	12	-	1	8	-	-	153	1	37
14	Lynn	1,224	-	-	1	-	-	22	-	-	5	-	-	210	-	50
15	Salem	453	-	-	-	-	-	5	-	-	3	-	-	74	-	11
16	Amesbury (town)	148	-	-	-	-	-	1	-	-	-	-	-	20	-	3
17	Andover (town)	123	-	-	-	-	-	2	-	-	-	-	-	21	-	2
18	Danvers (town)	381	-	-	-	-	-	13	-	-	4	-	-	38	-	6
19	Gloucester	314	-	-	-	-	-	10	-	-	-	-	-	60	-	9
20	Marblehead (town)	149	-	-	-	-	-	1	-	-	1	-	-	35	-	6
21	Methuen (town)	231	-	-	-	-	-	4	-	-	-	-	-	41	-	8
22	Newburyport	192	-	-	-	-	-	3	-	-	-	-	-	33	-	7
23	Peabody	237	-	-	-	-	-	6	-	-	-	1	1	36	-	6
24	Saugus (town)	109	-	-	-	-	-	4	-	-	1	-	-	17	-	3
25	Swampscott (town)	99	-	-	-	1	-	1	-	-	2	-	-	19	1	-
26	Balance of county	635	-	-	-	-	2	19	-	-	1	-	1	120	1	16
27	Franklin	807	-	-	-	-	-	7	-	-	3	-	-	95	-	18
28	Greenfield (town)	219	-	-	-	-	-	1	-	-	3	-	-	33	-	9
29	Balance of county	588	-	-	-	-	-	6	-	-	-	-	-	62	-	9
30	Hampden	3,764	-	1	-	-	1	81	-	-	12	-	1	617	-	93
31	Springfield	1,742	-	1	-	-	1	27	-	-	9	-	-	265	-	43
32	Chicopee	393	-	-	-	-	-	11	-	-	1	-	1	59	-	10
33	Holyoke	645	-	-	-	-	-	9	-	-	1	-	-	123	-	19
34	Westfield	252	-	-	-	-	-	26	-	-	-	-	-	52	-	6
35	West Springfield (town)	172	-	-	-	-	-	-	-	-	-	-	-	25	-	4
36	Balance of county	560	-	-	-	-	-	8	-	-	1	-	-	93	-	11
37	Hampshire	1,065	-	-	-	-	-	43	-	1	9	-	-	116	-	25
38	Easthampton (town)	81	-	-	-	-	-	1	-	-	-	-	-	10	-	5
39	Northampton	566	-	-	-	-	-	33	-	1	8	-	-	94	-	11
40	Balance of county	418	-	-	-	-	-	7	-	-	1	-	-	52	-	9
41	Middlesex	11,017	-	4	-	3	8	214	1	1	41	6	1	1,888	5	343
42	Cambridge	1,607	-	1	-	-	1	29	-	-	1	2	-	392	-	52
43	Lowell	1,300	-	1	-	-	-	24	1	-	4	1	-	219	-	43
44	Somerville	1,120	-	-	-	-	2	17	-	-	2	1	-	147	-	36
45	Arlington (town)	357	-	-	-	1	1	8	-	-	1	-	-	62	-	11
46	Belmont (town)	228	-	-	-	-	-	5	-	-	-	-	-	35	-	7
47	Everett	371	-	-	-	-	-	5	-	-	-	-	-	58	-	12
48	Malden	632	-	1	-	-	1	9	-	-	7	-	-	105	1	16
49	Medford	533	-	-	-	-	-	11	-	-	3	-	-	83	-	21
50	Melrose	298	-	-	-	-	-	6	-	-	1	-	-	59	-	7
51	Newton	766	-	-	-	-	1	12	-	1	1	-	-	151	-	26
52	Waltham	460	-	1	-	-	1	31	-	-	4	-	-	58	1	12
53	Watertown (town)	258	-	-	-	-	1	4	-	-	-	-	1	44	1	8
54	Framingham (town)	332	-	-	-	1	-	6	-	-	1	-	-	45	-	9
55	Lexington (town)	295	-	-	-	-	-	9	-	-	7	-	-	38	-	12
56	Marlborough	175	-	-	-	-	-	2	-	-	-	-	-	30	1	6
57	Natick (town)	179	-	-	-	-	-	-	-	-	2	-	-	23	-	5
58	Reading (town)	145	-	-	-	-	-	-	-	-	-	1	-	20	-	4
59	Stoneham (town)	122	-	-	-	-	-	1	-	-	-	-	-	23	-	1
60	Wakefield (town)	147	-	-	-	-	-	2	-	-	-	-	-	29	-	3
61	Winchester (town)	117	-	-	-	-	-	-	-	-	-	-	-	25	-	3
62	Woburn	210	-	-	-	-	-	7	-	-	-	-	-	37	-	6
63	Balance of county	1,385	-	-	-	1	-	26	-	-	7	1	-	205	1	43
64	Nantucket	43	-	-	-	-	-	2	-	-	-	1	-	3	-	-
65	Norfolk	3,938	-	2	-	-	-	79	5	-	20	3	-	643	1	129
66	Brookline (town)	662	-	1	-	-	-	7	-	-	5	-	-	124	-	25
67	Quincy	814	-	-	-	-	-	13	1	-	4	-	-	138	-	28
68	Braintree (town)	183	-	-	-	-	-	11	-	-	2	-	-	26	-	8
69	Bedham (town)	157	-	-	-	-	-	7	-	-	1	1	-	22	-	5
70	Milton (town)	219	-	-	-	-	-	5	-	-	-	-	-	29	-	3
71	Needham (town)	129	-	-	-	-	-	1	-	-	1	-	-	31	-	4
72	Norwood (town)	204	-	-	-	-	-	3	-	-	1	-	-	39	-	8
73	Wellesley (town)	110	-	-	-	-	-	-	-	-	1	-	-	16	-	1
74	Weymouth (town)	320	-	-	-	-	-	2	-	-	1	-	-	46	1	11
75	Balance of county	1,140	-	1	-	-	-	30	4	-	4	2	-	172	-	35
76	Plymouth	2,113	-	2	-	1	-	54	-	-	8	-	-	347	-	77
77	Brockton	718	-	1	-	-	-	11	-	-	2	-	-	129	-	29
78	Plymouth (town)	183	-	-	-	1	-	2	-	-	1	-	-	22	-	4
79	Balance of county	1,232	-	1	-	-	-	41	-	-	5	-	-	196	-	44
80	Suffolk	10,953	1	9	-	5	17	440	1	-	64	3	-	1,700	4	349
81	Boston	9,972	1	8	-	5	15	423	1	-	56	3	-	1,521	3	299
82	Chelsea	471	-	-	-	-	-	6	-	-	5	-	-	93	1	22
83	Revere	358	-	-	-	-	2	10	-	-	3	-	-	54	-	22
84	Winthrop (town)	172	-	1	-	-	-	1	-	-	-	-	-	32	-	6
85	Worcester	6,307	1	3	-	1	1	195	17	-	35	1	1	918	2	205
86	Worcester	2,544	1	-	-	1	-	71	17	-	26	1	1	383	-	77
87	Fitchburg	485	-	-	-	-	-	11	-	-	-	-	-	65	-	19
88	Athol (town)	120	-	-	-	-	-	2	-	-	1	-	-	13	1	6
89	Clinton (town)	131	-	-	-	-	1	-	-	-	-	-	-	21	-	8
90	Gardner	306	-	-	-	-	-	1	-	-	-	-	-	40	-	11
91	Leominster	280	-	-	-	-	-	4	-	-	2	-	-	44	-	6
92	Milford (town)	209	-	-	-	-	-	3	-	-	-	-	-	33	-	10
93	Northbridge (town)	102	-	-	-	-	-	1	-	-	-	-	-	22	-	5
94	Southbridge (town)	143	-	-	-	-	-	1	-	-	1	-	-	23	-	9
95	Webster (town)	127	-	-	-	-	-	2	-	-	-	-	-	27	-	5
96	Balance of county	1,860	-	3	-	-	-	99	-	-	5	-	-	247	1	49

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	444	1,842	152	14	172	6	49	72	53	28	6	44	161	18	432	1
-	139	514	27	7	57	3	14	30	14	5	3	8	34	5	123	2
-	141	541	58	3	35	1	15	16	14	14	1	15	50	3	135	3
-	56	316	33	-	26	-	2	8	3	5	-	2	26	2	65	4
-	21	88	1	1	12	-	5	6	3	-	1	8	18	1	28	5
-	8	63	7	-	6	-	1	3	-	1	-	-	4	-	13	6
-	14	43	1	-	4	-	1	2	4	1	-	3	4	1	14	7
-	65	276	25	3	32	2	11	7	15	2	1	8	25	6	54	8
-	10	30	-	1	2	-	-	4	2	-	-	-	4	-	12	9
-	606	2,410	185	10	272	6	75	90	45	57	6	50	256	26	674	10
-	33	112	9	-	13	-	5	4	4	5	-	4	10	2	39	11
-	58	243	13	1	19	3	8	10	4	7	-	4	25	7	55	12
-	86	386	15	-	51	2	14	21	8	10	1	-	52	-	108	13
-	150	445	40	2	58	-	17	17	6	11	-	15	50	2	135	14
-	34	193	19	2	10	-	5	8	2	3	2	5	22	-	55	15
-	12	67	4	-	11	-	2	2	1	1	-	4	6	-	14	16
-	12	48	10	-	5	-	1	1	2	4	-	2	1	-	12	17
-	19	187	36	1	3	-	1	-	1	-	-	3	16	2	51	18
-	30	119	4	1	27	-	2	-	4	1	-	2	7	1	37	19
-	22	52	-	-	3	-	1	2	2	-	-	-	11	-	13	20
-	28	98	4	1	12	-	3	7	1	4	-	1	5	1	15	21
-	28	70	7	-	3	-	1	2	1	-	-	1	15	1	20	22
-	28	88	4	1	6	-	3	4	1	3	-	1	10	6	32	23
-	6	52	3	1	6	-	2	1	-	-	1	1	2	1	7	24
-	10	38	2	-	5	-	-	2	1	1	-	-	3	-	13	25
-	70	215	15	-	40	1	10	9	7	7	2	7	21	3	68	26
-	69	222	19	-	32	1	6	8	7	7	-	10	39	3	61	27
-	19	81	11	-	7	-	3	4	2	3	-	3	16	1	23	28
-	50	141	8	-	25	1	3	4	5	4	-	7	23	2	36	29
-	292	1,570	117	7	135	8	53	75	46	60	4	29	119	28	415	30
-	134	751	50	4	68	5	26	34	18	32	2	12	54	19	187	31
-	34	164	13	-	15	-	7	14	4	6	1	-	12	1	40	32
-	51	279	21	-	22	-	6	10	10	4	-	7	22	-	61	33
-	21	92	5	-	4	-	4	4	2	5	-	2	7	2	20	34
-	15	71	3	-	6	1	2	4	1	1	-	1	8	3	27	35
-	37	213	25	3	20	2	8	9	11	12	1	7	16	3	80	36
-	81	446	22	1	34	2	16	20	12	12	-	15	66	5	129	37
-	10	34	1	-	3	-	3	2	2	-	-	-	4	-	6	38
-	37	267	11	-	15	1	5	5	2	4	-	8	32	5	65	39
-	44	145	10	1	16	1	8	13	8	8	-	7	30	-	58	40
-	1,116	4,158	395	26	409	13	157	190	149	81	19	113	463	26	1,187	41
-	126	519	67	2	43	1	27	33	25	12	5	13	79	3	174	42
-	126	455	57	1	64	1	19	22	20	9	-	14	59	9	151	43
-	114	487	34	3	48	3	12	22	14	6	2	11	35	1	113	44
-	33	140	11	1	11	-	3	8	3	3	-	4	17	-	39	45
-	25	95	5	-	6	-	2	1	3	-	-	1	9	-	34	46
-	42	182	10	1	17	1	7	8	5	2	-	5	13	2	31	47
-	66	242	19	1	24	-	7	7	8	5	1	6	26	1	81	48
-	61	209	16	2	20	1	6	16	17	2	1	6	12	3	43	49
-	28	128	6	-	7	-	-	2	4	3	-	4	13	2	28	50
-	92	280	21	-	23	-	12	16	8	3	-	11	20	-	88	51
-	60	151	13	1	25	1	3	3	9	2	1	1	26	1	55	52
-	30	85	12	1	4	-	4	8	4	2	-	1	5	-	23	53
-	29	138	13	1	12	-	5	5	1	3	1	3	14	1	44	54
-	28	96	24	5	10	-	1	5	-	1	-	-	25	-	36	55
-	13	81	6	2	3	-	4	-	2	1	-	3	8	-	13	56
-	24	64	5	-	10	-	2	3	4	1	-	2	14	-	20	57
-	21	59	4	-	7	1	2	2	3	-	-	1	9	-	11	58
-	14	44	6	3	5	-	2	3	1	1	-	-	6	-	13	59
-	12	60	2	-	5	-	3	1	2	3	-	2	3	1	19	60
-	14	39	2	-	10	-	3	-	-	3	-	2	7	-	9	61
-	21	84	2	-	9	-	5	5	3	-	-	5	7	-	18	62
-	139	540	60	2	46	4	27	22	15	19	8	18	56	2	143	63
-	4	22	1	-	2	2	-	-	1	2	-	-	2	-	1	64
-	403	1,513	144	5	138	4	50	63	46	35	4	46	147	15	443	65
-	59	261	26	2	24	1	5	9	3	6	-	4	22	2	76	66
-	94	312	22	-	30	-	9	16	15	9	-	7	25	3	88	67
-	18	79	4	-	3	-	1	3	3	2	3	2	5	-	11	68
-	18	66	2	-	2	-	3	1	1	1	-	1	8	2	15	69
-	33	84	10	-	8	-	2	3	1	2	-	7	6	2	24	70
-	10	52	5	1	-	-	-	3	2	-	-	1	6	-	12	71
-	19	76	11	-	11	1	4	3	3	3	-	-	7	-	15	72
-	18	42	4	-	4	-	1	3	2	2	-	1	6	1	8	73
-	33	129	6	2	10	2	4	4	6	3	-	5	15	2	38	74
1	235	808	45	4	87	2	27	29	18	13	1	18	47	3	156	75
1	68	265	13	1	29	-	8	11	8	4	1	19	86	7	242	76
-	24	70	1	-	10	-	1	5	-	-	-	6	26	3	103	77
-	143	473	31	3	48	2	18	13	10	9	-	12	53	3	127	78
1	898	4,080	496	59	315	16	121	278	123	93	17	95	473	12	1,273	80
2	825	3,714	467	57	282	16	111	261	109	86	16	86	442	12	1,162	81
-	32	171	17	2	12	-	7	8	8	2	-	3	19	-	63	82
-	25	140	5	-	17	-	-	5	4	4	1	4	9	-	33	83
-	28	65	7	-	4	-	3	4	2	1	-	2	3	-	15	84
-	521	2,586	214	23	256	12	62	125	66	69	8	73	256	17	641	85
-	187	1,062	82	8	103	2	22	45	24	33	2	25	97	1	273	86
-	49	209	13	1	15	3	4	12	3	5	2	5	20	-	49	87
-	16	48	5	-	2	-	3	1	2	3	-	1	2	-	14	88
-	12	53	7	4	2	-	2	1	-	1	-	1	3	1	14	89
-	30	131	12	-	12	1	2	6	2	2	-	3	25	-	28	90
-	23	118	11	-	5	-	5	8	3	-	-	3	9	-	39	91
-	25	71	8	-	12	-	3	5	1	1	-	1	6	1	29	92
-	8	33	6	1	3	-	1	6	4	2	-	-	6	-	4	93
-	9	63	3	4	5	-	-	1	6	-	-	3	2	-	13	94
-	9	54	3	1	1	-	-	8	1	1	1	2	2	1	9	95
-	153	744	64	4	96	6	20	32	20	21	1	29	84	13	169	96

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 38	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
1	MICHIGAN	56,786	5	34	1	9	8	1,590	16	2	502	41	55	8,004	24	1,761
2	Alcona	43	-	-	-	-	-	-	-	-	1	-	-	3	-	2
3	Alger	97	-	-	-	-	-	2	-	-	1	-	-	9	-	5
4	Allegan	485	-	-	-	-	-	4	-	-	3	2	-	55	-	8
5	Alpena	208	-	1	-	-	-	4	-	-	2	-	-	19	-	5
6	Alpena	148	-	1	-	-	-	3	-	-	1	-	-	15	-	5
7	Balance of county	60	-	-	-	-	-	1	-	-	1	-	-	4	-	-
8	Antrim	137	-	-	-	-	-	2	-	-	-	-	2	20	-	4
9	Arenac	111	-	-	-	-	-	1	-	-	-	-	-	22	-	8
10	Baraga	89	-	-	-	-	-	1	-	-	-	-	-	11	-	2
11	Barry	279	-	-	-	-	-	1	-	-	1	-	1	29	-	10
12	Bay	774	-	-	-	-	-	11	-	-	1	-	1	116	4	26
13	Bay City	552	-	-	-	-	-	9	-	-	-	-	1	84	4	20
14	Balance of county	222	-	-	-	-	-	2	-	-	1	-	-	32	-	6
15	Benzie	84	-	-	-	-	-	-	-	-	-	-	-	10	-	1
16	Berrien	1,149	-	2	-	-	-	19	1	-	10	-	-	183	-	34
17	Benton Harbor	233	-	-	-	-	-	3	-	-	3	-	-	51	-	7
18	Niles	159	-	-	-	-	-	3	1	-	-	-	-	23	-	3
19	Balance of county	756	-	2	-	-	-	13	-	-	7	-	-	109	-	24
20	Branch	371	-	-	-	-	-	5	-	-	4	5	-	39	-	6
21	Calhoun	1,273	-	3	-	-	1	42	-	-	14	3	2	152	-	33
22	Battle Creek	624	-	1	-	-	1	10	-	-	3	2	2	81	-	20
23	Balance of county	649	-	2	-	-	-	32	-	-	11	1	-	71	-	13
24	Cass	325	-	-	-	-	-	5	-	-	1	-	-	46	-	4
25	Charlevoix	149	-	-	-	1	-	-	-	-	-	-	-	14	-	5
26	Cheboygan	161	-	-	-	-	-	1	-	-	2	-	-	18	-	5
27	Chippewa	248	-	-	-	-	-	2	-	1	1	-	-	34	-	9
28	Sault Ste. Marie	155	-	-	-	-	-	2	-	-	1	-	-	20	-	8
29	Balance of county	93	-	-	-	-	-	-	-	1	-	-	-	14	-	1
30	Clare	111	-	-	-	-	-	1	-	-	1	-	-	18	-	4
31	Clinton	256	-	-	-	-	-	1	-	-	1	-	-	32	-	13
32	Crawford	42	-	-	-	-	-	-	-	-	-	-	-	9	-	1
33	Delta	328	-	-	-	-	-	3	1	-	1	-	-	59	1	6
34	Escanaba	189	-	-	-	-	-	1	1	-	1	-	-	38	1	4
35	Balance of county	139	-	-	-	-	-	2	-	-	-	-	-	21	-	2
36	Dickinson	269	-	-	-	-	-	9	1	-	-	2	1	41	-	5
37	Iron Mountain	115	-	-	-	-	-	3	-	-	-	-	-	14	-	1
38	Balance of county	154	-	-	-	-	-	6	1	-	-	2	1	27	-	4
39	Eaton	413	-	-	-	-	-	4	-	-	-	1	-	57	-	12
40	Emmet	205	-	-	-	-	-	-	-	-	2	-	1	26	-	6
41	Genesee	1,952	-	2	-	-	-	25	1	-	9	2	3	278	1	59
42	Flint	1,320	-	2	-	-	-	21	1	-	6	2	2	191	1	38
43	Balance of county	632	-	-	-	-	-	4	-	-	3	-	1	87	-	21
44	Gladwin	71	-	-	-	-	-	-	-	-	-	-	-	10	-	4
45	Gogebic	319	-	1	-	-	-	10	-	-	1	-	-	45	-	12
46	Ironwood	121	-	1	-	-	-	3	-	-	1	-	-	17	-	3
47	Balance of county	198	-	-	-	-	-	7	-	-	-	-	-	28	-	9
48	Grand Traverse	526	-	-	-	-	-	12	-	-	12	-	-	48	-	15
49	Traverse City	158	-	-	-	-	-	2	-	-	1	-	-	23	-	7
50	Balance of county	368	-	-	-	-	-	10	-	-	11	-	-	25	-	8
51	Gratiot	392	-	-	-	-	-	3	-	-	-	1	-	47	-	15
52	Hillsdale	361	-	-	-	-	-	3	-	-	3	-	-	53	-	15
53	Houghton	569	-	-	-	-	-	13	-	-	2	1	2	91	-	17
54	Huron	308	-	-	-	-	-	6	-	-	-	-	-	49	-	7
55	Ingham	1,382	-	-	1	1	-	17	-	-	9	-	3	189	-	37
56	Lansing	832	-	-	-	-	-	4	-	-	8	-	1	125	-	29
57	Balance of county	550	-	-	1	1	-	13	-	-	1	-	2	64	-	9
58	Ionia	470	-	1	-	-	-	13	-	-	4	-	-	68	-	12
59	Iosco	86	-	-	-	-	-	3	-	-	-	-	1	14	-	6
60	Iron	160	-	-	-	-	-	11	-	-	-	-	-	39	-	4
61	Isabella	246	-	-	-	-	-	1	-	-	1	-	1	24	-	12
62	Jackson	1,168	-	3	-	-	-	20	-	-	11	2	1	173	-	28
63	Jackson	662	-	1	-	-	-	14	-	-	5	1	1	94	-	18
64	Balance of county	506	-	2	-	-	-	6	-	-	6	1	-	79	-	10
65	Kalamazoo	1,274	-	-	-	-	-	45	-	-	17	1	2	149	-	31
66	Kalamazoo	869	-	-	-	-	-	41	-	-	13	1	-	93	-	19
67	Balance of county	405	-	-	-	-	-	4	-	-	4	-	2	56	-	12
68	Kalkaska	50	-	-	-	-	-	-	-	-	-	-	-	9	-	1
69	Kent	2,828	-	1	-	-	-	51	1	-	19	1	2	386	2	104
70	Grand Rapids	1,855	-	1	-	-	-	28	-	-	12	1	1	263	1	74
71	Balance of county	973	-	-	-	-	-	25	1	-	7	-	1	123	1	30
72	Keweenaw	43	-	-	-	-	-	-	-	-	-	-	-	6	-	-
73	Lake	45	-	-	-	-	-	1	-	-	-	-	-	7	-	1
74	Lapeer	376	-	-	-	-	-	8	3	-	2	-	1	30	-	10
75	Leelanau	86	-	-	-	-	-	2	-	-	1	-	-	15	-	3
76	Lenawee	660	-	-	-	-	-	7	-	-	1	1	-	77	-	22
77	Adrian	207	-	-	-	-	-	1	-	-	1	-	-	27	-	4
78	Balance of county	453	-	-	-	-	-	6	-	-	-	1	-	50	-	18
79	Livingston	306	-	-	-	-	-	23	-	-	-	-	-	41	-	11
80	Luce	237	-	-	-	-	-	19	-	-	3	-	-	17	-	3
81	Mackinac	81	-	-	-	-	-	2	-	-	-	-	-	9	-	3
82	Macomb	1,198	-	-	-	-	1	24	-	-	5	3	2	183	-	33
83	Mount Clemens	244	-	-	-	-	-	5	-	-	2	-	1	35	-	8
84	St. Clair Shores	112	-	-	-	-	-	6	-	-	-	-	1	14	-	1
85	Balance of county	842	-	-	-	-	1	13	-	-	5	3	-	134	-	24
86	Manistee	199	-	-	-	-	-	1	-	-	-	-	-	25	-	9
87	Marquette	493	-	-	-	-	-	17	-	-	-	-	2	59	-	18
88	Marquette	153	-	-	-	-	-	1	-	-	-	-	1	19	-	4
89	Balance of county	340	-	-	-	-	-	16	-	-	-	-	1	40	-	14
90	Mason	207	1	-	-	-	-	2	-	-	1	-	-	25	-	11
91	Mecosta	232	-	-	-	-	-	-	-	-	1	-	-	27	-	9
92	Menominee	256	-	-	-	-	-	12	1	-	1	-	-	43	-	13
93	Menominee	125	-	-	-	-	-	2	-	-	1	-	-	30	-	7
94	Balance of county	131	-	-	-	-	-	10	1	-	-	-	-	13	-	6
95	Midland	231	-	-	-	-	-	1	-	-	-	-	-	34	-	6
96	Midland	110	-	-	-	-	-	1	-	-	-	-	-	12	-	4
97	Balance of county	121	-	-	-	-	-	-	-	-	-	-	-	22	-	2
98	Missaukee	73	-	-	-	-	-	-	-	-	-	-	2	7	-	6

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199.200	All other causes	
6	5,240	18,771	1,916	333	2,479	118	944	1,834	843	647	211	1,605	2,485	571	6,731	1
-	4	14	2	-	3	-	-	-	1	-	-	3	3	2	5	2
-	9	29	2	-	3	1	-	4	2	2	-	9	6	3	10	3
-	74	186	12	3	17	-	5	10	6	7	-	12	26	13	42	4
-	19	86	7	2	8	1	5	6	3	2	-	6	10	1	21	5
-	13	60	4	1	6	1	4	5	3	1	-	3	6	1	15	6
-	6	26	3	1	2	-	1	1	-	1	-	3	4	-	6	7
-	21	58	2	-	-	-	-	2	3	-	-	5	2	-	16	8
-	10	32	2	-	2	-	1	3	2	2	-	5	8	1	12	9
-	7	26	2	-	2	-	3	4	1	3	-	2	7	9	9	10
-	23	108	3	1	18	1	4	7	7	6	-	4	15	1	39	11
2	69	247	18	12	36	1	15	23	7	14	2	25	25	13	106	12
2	48	182	15	6	22	-	11	18	5	10	1	14	12	9	79	13
-	21	65	3	6	14	1	4	5	2	4	1	11	13	4	27	14
-	5	40	3	-	4	-	-	1	1	-	-	4	7	1	7	15
-	109	359	35	2	73	2	18	35	22	17	14	45	43	10	115	16
-	17	74	6	-	11	1	4	6	3	1	3	9	8	1	25	17
-	20	46	-	-	12	-	2	9	5	-	2	4	9	2	18	18
-	72	239	29	2	50	1	12	20	14	16	9	32	26	7	72	19
-	57	108	14	1	21	1	8	6	5	4	1	12	26	6	42	20
-	129	428	39	2	54	2	23	32	14	24	4	32	63	15	182	21
-	62	223	13	-	22	-	9	20	7	6	3	18	33	5	83	22
-	67	205	26	2	32	2	14	12	7	18	1	14	30	10	79	23
-	47	127	9	3	7	-	2	4	1	3	2	12	14	7	31	24
-	11	63	2	1	4	1	2	4	5	-	1	1	6	2	26	25
-	9	70	3	-	3	-	2	3	5	-	1	5	11	-	23	26
-	22	97	4	1	7	-	6	9	5	4	-	3	20	6	17	27
-	12	64	1	1	4	-	4	6	4	2	-	2	11	4	9	28
-	10	33	3	-	3	-	2	3	1	2	-	1	9	2	8	29
-	10	36	2	-	5	-	2	1	1	3	-	10	5	4	7	30
-	30	78	6	3	21	-	2	13	3	1	-	5	11	4	32	31
-	2	8	1	-	3	1	1	4	1	3	-	3	3	-	2	32
-	29	116	12	-	6	2	3	5	5	2	-	7	26	1	43	33
-	20	58	7	-	3	1	1	2	3	-	-	3	19	-	28	34
-	9	58	5	-	3	1	2	3	2	2	-	4	7	1	17	35
-	34	75	7	1	11	1	2	4	3	2	-	9	17	4	40	36
-	17	31	4	1	4	-	-	3	1	2	-	5	7	2	20	37
-	17	44	3	-	7	1	2	1	2	-	-	4	10	2	20	38
-	46	137	11	2	37	-	3	6	3	1	-	14	21	10	48	39
-	20	92	1	1	5	-	4	9	5	2	-	6	9	1	15	40
-	186	596	58	5	105	1	38	82	35	24	4	86	71	17	264	41
-	128	396	40	3	66	1	29	61	22	17	4	63	45	14	167	42
-	58	200	18	2	38	-	9	21	13	7	-	23	26	3	97	43
-	15	20	5	-	3	-	-	1	1	-	-	-	2	-	10	44
-	36	113	3	1	14	-	2	4	2	5	2	3	23	9	33	45
-	13	49	-	1	5	-	1	3	-	2	2	1	4	2	13	46
-	23	64	3	-	9	-	1	1	2	3	-	2	19	7	20	47
-	49	224	28	-	19	1	5	7	3	5	-	13	23	1	61	48
-	16	48	2	-	7	1	4	7	1	1	-	9	7	-	22	49
-	33	176	26	-	12	-	1	-	2	4	-	4	16	1	39	50
-	39	133	16	1	22	1	3	11	4	3	-	9	16	17	51	51
-	40	135	9	-	24	2	3	10	1	6	-	7	13	4	33	52
-	68	196	14	-	10	-	6	15	2	6	2	13	33	22	56	53
-	30	88	4	2	12	3	7	14	3	5	-	8	21	4	45	54
1	125	472	26	14	82	1	26	38	31	12	1	50	64	20	162	55
1	81	295	17	5	47	1	10	18	18	4	1	33	41	6	88	56
-	44	177	9	9	35	-	16	20	13	8	-	17	23	14	74	57
-	48	165	17	1	12	-	6	12	2	10	1	15	15	5	62	58
-	6	27	-	-	4	-	2	3	1	2	-	1	2	3	11	59
-	14	54	7	1	4	-	5	2	-	1	2	-	13	3	20	60
-	15	81	7	4	16	-	6	7	4	7	-	8	16	3	33	61
1	127	368	35	17	47	1	16	40	26	13	1	39	63	8	128	62
1	76	194	22	9	17	1	11	27	15	6	1	20	35	4	89	63
-	51	174	13	8	30	-	5	13	11	7	-	19	28	4	39	64
-	128	459	41	13	63	-	18	34	13	10	1	47	52	15	135	65
-	78	341	26	6	34	-	10	24	6	5	1	25	30	13	103	66
-	50	118	15	7	29	-	8	10	7	5	-	22	22	2	32	67
-	7	15	2	-	1	-	-	-	2	2	-	3	2	1	5	68
-	266	1,059	70	8	108	2	48	58	18	35	6	65	131	15	372	69
-	171	726	38	6	75	2	33	41	16	20	2	34	82	11	219	70
-	95	333	32	2	33	-	15	17	2	15	4	31	49	4	153	71
-	2	7	-	-	-	-	1	4	1	1	-	1	6	6	8	72
-	3	15	3	-	9	-	-	-	1	-	-	1	3	-	1	73
-	56	98	20	2	20	1	25	7	6	2	-	12	19	8	46	74
-	7	26	1	-	8	1	3	2	3	-	-	2	3	-	11	75
-	68	184	19	8	48	2	9	26	17	6	1	24	22	22	98	76
-	28	58	3	4	20	1	2	8	1	2	-	6	4	8	29	77
-	40	126	16	4	26	1	7	18	16	4	1	18	18	14	69	78
-	27	114	3	-	11	2	3	7	3	1	-	10	12	5	33	79
-	14	103	14	-	10	-	-	4	-	1	-	3	12	5	29	80
-	11	25	-	-	5	-	1	3	1	1	-	2	5	5	8	81
-	98	377	35	17	48	4	34	55	19	20	5	50	62	8	117	82
-	20	73	8	4	11	2	2	15	4	5	2	14	12	2	19	83
-	6	39	9	-	2	-	2	12	-	1	-	-	4	1	14	84
-	72	265	18	13	35	2	30	26	15	14	3	36	46	5	84	85
-	28	68	6	1	5	-	-	3	2	2	-	9	13	-	27	86
-	59	141	9	2	30	-	7	13	8	8	1	12	47	6	54	87
-	22	43	5	2	12	-	3	4	4	1	-	5	11	-	16	88
-	37	98	4	-	18	-	4	9	4	7	1	7	36	6	38	89
-	21	73	7	1	9	-	3	7	4	3	-	7	8	1	23	90
-	23	85	9	1	13	-	5	5	5	4	-	4	16	3	22	91
-	19	89	11	-	10	1	4	4	7	1	-	5	12	-	23	92
-	6	40	3	-	5	1	3	3	3	-	-	4	5	-	12	93
-	13	49	8	-	5	-	1	1	4	1	-	1	7	-	11	94
-	20	75	8	-	11	-	3	10	3	1	-	8	26	5	20	95
-	9	36	5	-	5	-	-	6	3	1	-	5	16	-	7	96
-	11	39	3	-	6	-	3	4	-	-	-	3	10	5	13	97
-	13	22	4	-	1	-	1	5	-	1	-	-	7	-	4	98

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	MICHIGAN—Continued															
1	Monroe	582	-	-	-	-	-	13	-	-	1	-	1	88	-	32
2	Monroe	215	-	-	-	-	-	5	-	-	-	-	-	38	-	14
3	Balance of county	367	-	-	-	-	-	8	-	-	1	-	1	50	-	18
4	Montcalm	354	-	-	-	-	-	6	-	-	2	-	-	46	-	7
5	Montmorency	50	-	-	-	-	-	1	-	-	1	-	-	8	-	3
6	Muskegon	1,005	1	1	-	1	-	23	2	-	6	1	-	123	1	32
7	Muskegon	543	-	1	-	-	-	3	2	-	3	-	-	67	1	17
8	Muskegon Heights	119	1	-	-	-	-	3	-	-	3	1	-	13	-	3
9	Balance of county	343	-	-	-	1	-	17	-	-	-	-	-	43	-	12
10	Newaygo	240	-	-	-	-	-	2	-	-	1	-	-	29	-	9
11	Oakland	2,605	-	2	-	-	-	44	-	-	24	-	5	345	1	64
12	Pontiac	809	-	1	-	-	-	14	-	-	22	-	2	91	1	22
13	Royal Oak	254	-	-	-	-	-	2	-	-	3	-	-	41	-	2
14	Birmingham	87	-	-	-	-	-	1	-	-	-	-	-	16	-	2
15	Ferndale	182	-	-	-	-	-	2	-	-	1	-	-	28	-	5
16	Balance of county	1,273	-	1	-	-	-	25	-	-	8	-	3	169	-	33
17	Oceana	191	-	-	-	-	-	-	-	-	-	-	-	22	1	4
18	Ogemaw	128	-	-	-	-	-	2	-	-	-	-	-	22	-	3
19	Ontonagon	122	1	-	-	-	-	-	-	-	-	-	-	13	-	3
20	Osceola	168	-	1	-	-	-	-	-	-	1	-	-	19	-	2
21	Oscoda	33	-	-	-	-	-	-	-	-	-	-	-	5	-	4
22	Otsego	58	-	-	-	-	-	6	-	-	1	1	-	8	-	1
23	Ottawa	615	-	1	-	1	-	5	1	-	2	-	-	89	-	17
24	Holland	176	-	-	-	1	-	-	1	-	-	-	-	32	-	5
25	Balance of county	439	-	1	-	-	-	5	-	-	2	-	-	57	-	12
26	Presque Isle	101	-	-	-	-	-	-	-	-	2	-	-	16	-	1
27	Roscommon	53	-	-	-	-	-	-	-	-	-	-	-	9	-	3
28	Saginaw	1,333	1	1	-	1	-	23	-	-	5	-	-	203	1	42
29	Saginaw	895	-	-	-	1	-	6	-	-	5	-	-	145	1	30
30	Balance of county	438	1	1	-	-	-	17	-	-	-	-	-	58	-	12
31	St. Clair	930	-	-	-	-	1	10	-	-	6	-	6	136	2	31
32	Port Huron	411	-	-	-	-	1	4	-	-	2	-	2	53	1	15
33	Balance of county	519	-	-	-	-	-	6	-	-	4	-	4	83	1	16
34	St. Joseph	375	-	-	-	-	-	4	-	-	1	2	-	50	-	14
35	Sanilac	328	-	-	-	-	-	2	-	-	1	-	1	45	-	5
36	Schoolcraft	98	-	-	-	-	-	2	-	-	-	-	-	13	-	3
37	Shiawassee	488	-	1	-	-	-	2	-	-	1	-	1	54	-	10
38	Owosso	162	-	-	-	-	-	1	-	-	-	-	-	18	-	4
39	Balance of county	326	-	1	-	-	-	1	-	-	1	-	1	36	-	6
40	Tuscola	458	-	-	-	-	-	4	-	-	1	-	-	57	1	13
41	Van Buren	475	-	-	-	-	-	4	-	-	1	2	-	71	-	18
42	Washtenaw	1,255	-	-	-	-	-	42	-	-	35	-	1	151	-	28
43	Ann Arbor	380	-	-	-	-	-	6	-	-	4	-	-	66	-	6
44	Ypsilanti	178	-	-	-	-	-	4	-	-	-	-	-	15	-	6
45	Balance of county	698	-	-	-	-	-	32	-	-	31	-	1	70	-	16
46	Wayne	20,040	1	13	-	4	5	925	4	1	260	10	9	3,063	9	653
47	Detroit	14,970	1	9	-	3	5	719	2	1	165	10	7	2,252	8	504
48	Dearborn	488	-	-	-	1	-	8	-	-	2	-	1	75	-	9
49	Hamtramck	347	-	1	-	-	-	14	-	-	5	-	-	38	-	12
50	Highland Park	448	-	-	-	-	-	11	-	-	7	-	-	61	1	10
51	Wyandotte	324	-	1	-	-	-	5	-	-	2	-	-	44	-	16
52	Ecorse	101	-	-	-	-	-	3	-	-	4	-	-	9	-	1
53	Grosse Pointe Park	78	-	-	-	-	-	-	-	-	1	-	-	17	-	3
54	Lincoln Park	117	-	-	-	-	-	-	-	-	1	-	-	18	-	5
55	River Rouge	157	-	-	-	-	-	5	-	-	1	-	-	24	-	5
56	Balance of county	3,009	-	2	-	-	-	160	2	-	72	-	1	525	-	88
57	Wexford	192	-	-	-	-	-	-	-	-	1	-	1	18	-	8
58	MINNESOTA	27,400	4	12	3	14	16	492	2	-	135	11	106	4,253	13	775
59	Aitkin	134	-	-	-	-	-	1	-	-	-	-	-	20	-	3
60	Anoka	271	-	-	-	-	-	10	-	-	2	-	-	42	1	8
61	Becker	224	1	-	-	-	2	4	-	-	2	-	-	29	-	6
62	Beltrami	245	-	-	-	2	2	8	-	-	-	-	-	27	-	3
63	Benton	96	-	-	-	-	-	2	-	-	-	-	-	12	-	3
64	St. Cloud (part)	14	-	-	-	-	-	-	-	-	-	-	-	2	-	-
65	Balance of county	82	-	-	-	-	-	2	-	-	-	-	-	10	-	3
66	Big Stone	87	-	-	-	-	-	1	-	-	-	-	-	13	1	2
67	Blue Earth	364	-	-	1	-	-	-	-	-	1	-	6	66	-	15
68	Mankato	213	-	-	1	-	-	-	-	-	-	-	1	47	-	9
69	Balance of county	151	-	-	-	-	-	-	-	-	1	-	5	19	-	6
70	Brown	269	-	1	-	-	-	3	-	-	-	-	4	33	-	11
71	Carlton	321	1	1	-	-	-	6	-	-	2	-	-	35	-	4
72	Carver	165	-	-	-	-	-	2	1	-	-	-	-	29	-	2
73	Cass	177	-	-	-	1	-	11	-	-	-	-	1	31	-	8
74	Chippewa	143	-	-	-	-	-	1	-	-	-	-	1	23	-	5
75	Chisago	165	-	-	-	-	-	2	-	-	-	-	-	25	-	3
76	Clay	240	-	-	-	1	-	6	-	-	-	-	-	42	1	8
77	Clearwater	84	-	-	-	-	-	-	-	-	1	-	-	9	-	2
78	Cook	25	-	-	-	-	-	-	-	-	-	-	1	2	-	-
79	Cottonwood	117	-	-	-	-	-	-	-	-	-	-	-	16	-	7
80	Crow Wing	282	-	-	-	-	-	2	-	-	1	-	-	43	-	8
81	Brainerd	133	-	-	-	-	-	-	-	-	-	-	-	20	-	7
82	Balance of county	149	-	-	-	-	-	2	-	-	1	-	-	23	-	1
83	Dakota	460	-	-	-	-	1	3	-	-	4	-	-	67	1	14
84	South St. Paul	124	-	-	-	-	-	1	-	-	1	-	-	23	1	2
85	Balance of county	336	-	-	-	-	1	2	-	-	3	-	-	44	-	12
86	Dodge	110	-	-	-	-	-	-	-	-	-	-	-	15	-	-
87	Douglas	194	-	-	-	-	-	-	-	-	-	-	1	32	-	3
88	Faribault	207	-	-	-	-	-	1	-	-	-	-	7	33	-	5
89	Fillmore	219	-	1	-	-	-	4	-	-	-	-	2	24	-	6
90	Freeborn	270	-	-	-	-	-	2	-	-	-	-	3	44	-	11
91	Albert Lea	146	-	-	-	-	-	1	-	-	-	-	2	29	-	8
92	Balance of county	124	-	-	-	-	-	1	-	-	-	-	1	15	-	3
93	Goodhue	351	-	-	-	-	-	8	-	-	-	-	-	59	-	7
94	Grant	86	-	-	-	-	-	-	-	-	-	-	1	10	-	5

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	37	185	26	1	19	3	11	20	7	3	2	28	28	4	73	1
-	13	68	3	-	4	1	6	9	4	-	1	9	14	-	26	2
-	24	117	23	1	15	2	5	11	3	3	1	19	14	4	47	3
-	35	101	11	1	18	1	7	12	5	7	-	16	21	7	51	4
-	2	18	5	1	3	-	-	-	-	1	-	1	4	-	2	5
-	85	311	41	17	37	3	22	36	24	9	7	33	38	20	131	6
-	57	175	26	9	18	1	9	20	10	2	3	13	17	10	79	7
-	9	35	3	3	2	1	3	4	5	1	1	4	7	1	16	8
-	20	100	12	5	17	1	10	12	9	6	3	16	14	9	36	9
-	33	78	8	-	21	-	4	3	1	1	1	6	12	7	24	10
1	273	800	85	25	92	7	60	142	52	27	10	87	110	31	318	11
-	72	239	37	9	36	2	8	48	18	10	6	25	33	19	104	12
-	29	77	4	1	7	-	8	13	8	4	1	9	9	-	36	13
-	11	29	1	-	2	-	3	7	1	-	-	2	3	-	9	14
-	13	48	5	2	7	2	4	17	5	1	-	11	10	-	21	15
1	148	407	38	13	40	3	37	57	20	12	3	40	55	12	148	16
-	32	50	4	1	10	1	3	8	2	2	1	9	10	7	24	17
-	11	40	3	1	6	1	3	3	1	4	1	3	6	2	14	18
-	21	38	5	-	4	-	1	4	3	5	-	2	4	-	18	19
-	19	68	2	-	5	-	2	11	-	1	1	12	9	4	11	20
-	4	13	-	-	1	-	-	1	-	-	-	-	2	-	3	21
-	4	15	-	-	2	-	-	2	3	-	1	2	1	-	11	22
1	67	207	15	2	36	-	14	17	7	5	2	18	26	10	72	23
-	28	53	4	-	7	-	1	3	-	-	-	3	6	7	25	24
1	39	154	11	2	29	-	13	14	7	5	2	15	20	3	47	25
-	14	32	4	1	4	-	3	2	1	-	-	3	7	1	10	28
-	4	17	1	-	3	-	1	1	-	-	-	1	3	1	9	27
-	154	385	37	15	53	4	16	41	37	11	1	37	51	6	208	28
-	108	252	24	12	38	4	9	28	25	5	1	23	36	4	138	29
-	46	133	13	3	15	-	7	13	12	6	-	14	15	2	70	30
-	82	326	28	6	54	-	9	20	7	10	1	31	56	8	100	31
-	43	143	8	2	23	-	3	10	2	4	-	13	27	2	53	32
-	39	183	20	4	31	-	6	10	5	6	1	18	29	6	47	33
-	59	108	6	1	33	-	7	5	6	3	-	9	24	1	44	34
-	58	108	17	-	6	1	-	12	4	2	-	9	12	7	38	35
-	7	29	-	-	8	-	1	4	2	1	-	1	8	2	17	36
-	46	157	14	3	39	1	10	20	10	7	1	19	17	12	63	37
-	18	54	8	1	12	-	2	11	4	-	-	6	2	4	17	38
-	28	103	6	2	27	1	8	9	6	7	1	13	15	8	46	39
-	49	160	19	2	31	1	9	7	4	4	-	10	20	7	59	40
-	46	197	9	1	20	-	2	6	7	3	-	11	24	9	44	41
-	115	396	68	5	37	3	20	36	13	9	-	30	61	16	189	42
-	35	133	8	3	8	2	6	15	6	2	-	4	14	3	59	43
-	16	58	8	-	7	1	3	17	4	-	-	12	7	1	20	44
-	64	205	52	2	22	-	11	4	3	7	-	14	40	12	110	45
-	1,492	6,539	909	116	801	55	336	733	303	228	129	465	703	75	2,301	46
-	1,089	4,965	515	90	664	48	249	569	228	169	114	317	529	39	1,699	47
-	20	176	13	5	13	-	12	27	16	9	1	12	19	2	68	48
-	25	112	22	1	12	1	6	14	6	4	1	15	5	5	48	49
-	44	164	9	-	15	-	5	9	4	4	2	16	11	4	71	50
-	29	125	5	2	9	-	7	10	4	3	-	15	15	-	32	51
-	1	30	7	1	2	1	2	9	6	2	3	3	6	1	10	52
-	15	26	3	1	4	-	-	1	-	2	-	-	-	1	4	53
-	10	28	5	3	3	-	4	9	4	2	1	3	-	4	17	54
-	6	49	7	6	4	1	3	13	2	2	1	1	4	-	23	55
-	253	864	223	7	75	4	48	72	33	31	6	83	114	17	329	56
-	27	68	9	-	6	-	2	2	5	4	1	6	11	1	22	57
2	2,918	8,909	1,083	75	811	48	433	717	460	336	55	593	1,354	282	3,488	58
-	16	44	4	-	3	1	4	4	2	2	-	2	14	-	14	59
-	23	83	12	1	6	1	5	12	2	3	-	9	16	6	29	60
-	27	83	12	1	2	-	3	10	7	4	-	3	10	3	15	61
-	22	77	10	4	10	-	2	5	3	3	-	2	16	17	32	62
-	6	30	11	-	2	-	-	1	3	1	1	1	5	-	18	63
-	-	4	2	-	-	-	-	-	2	-	1	-	-	-	3	64
-	6	26	9	-	2	-	-	1	1	1	-	1	5	-	15	65
-	12	33	2	-	4	-	-	5	1	1	-	3	3	3	6	66
-	36	116	10	2	25	-	4	11	9	2	-	8	17	2	33	67
-	19	66	6	-	15	-	3	9	7	1	-	2	9	-	18	68
-	17	50	4	2	10	-	1	2	2	1	-	6	8	2	15	69
-	20	70	10	-	11	-	7	10	9	10	-	4	15	2	49	70
-	28	99	12	1	5	-	4	7	1	5	-	5	26	3	76	71
1	19	52	6	-	1	-	2	4	1	3	-	1	8	1	32	72
-	10	58	12	1	6	-	3	1	3	3	-	5	9	-	14	73
-	12	43	5	-	9	1	5	5	2	1	-	3	4	2	21	74
-	23	48	7	-	11	-	2	4	2	5	-	3	7	2	21	75
-	22	81	7	-	12	-	6	5	2	4	3	7	14	1	18	76
-	13	21	3	-	3	1	1	3	3	3	1	4	3	3	10	77
-	5	7	3	-	-	-	1	-	-	-	-	1	2	1	2	78
-	13	40	1	-	6	-	1	2	3	2	-	5	4	1	16	79
-	32	100	16	2	8	-	4	9	7	2	-	8	15	4	21	80
-	16	48	6	2	1	-	2	3	4	1	-	6	3	1	13	81
-	16	52	10	-	7	-	2	6	3	1	-	2	12	3	8	82
-	48	144	20	1	13	1	12	15	7	3	-	11	21	5	89	83
-	8	41	5	1	6	1	4	3	4	1	-	3	5	1	13	84
-	40	103	15	-	7	-	8	12	3	2	-	8	16	4	56	85
-	17	37	3	-	5	-	2	4	1	2	-	4	4	1	15	86
-	24	68	7	1	10	-	3	4	5	-	2	4	7	1	24	87
-	32	64	5	1	6	-	2	6	2	1	-	7	12	-	23	88
-	35	85	7	-	5	-	4	4	2	2	-	6	8	2	22	89
-	29	85	7	2	11	1	6	15	1	3	-	4	12	5	29	90
-	10	41	4	1	5	-	3	9	-	-	-	3	7	2	21	91
-	19	44	3	1	6	1	3	6	1	3	-	1	5	3	8	92
-	48	104	15	-	12	-	6	11	1	4	-	11	17	5	43	93
-	14	28	4	-	1	-	-	-	3	1	-	2	3	1	13	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	MINNESOTA—Continued															
1	Hennepin	5,859	-	3	1	1	5	146	1	-	37	4	6	888	-	172
2	Minneapolis	5,009	-	3	1	1	4	90	1	-	28	2	5	755	-	149
3	Balance of county	850	-	-	-	-	1	56	-	-	9	2	1	135	-	23
4	Houston	132	-	-	-	-	-	1	-	-	-	-	4	16	-	6
5	Hubbard	107	-	-	-	-	-	3	-	-	-	-	-	16	-	2
6	Isanti	166	-	-	-	1	-	3	-	-	-	-	1	19	-	1
7	Itasca	299	-	-	-	-	-	1	-	-	2	-	1	41	-	7
8	Jackson	136	-	-	-	-	-	-	-	-	-	-	1	16	-	-
9	Kanabec	83	-	-	-	-	-	1	-	-	2	-	-	17	-	2
10	Kandiyohi	320	-	1	-	-	-	18	-	-	2	-	-	44	1	7
11	Kittson	84	-	-	-	-	-	1	-	-	-	-	-	10	-	3
12	Koochiching	139	-	1	-	-	-	4	-	-	-	-	-	15	-	2
13	Lac qui Parle	128	-	-	-	-	-	1	-	-	-	-	4	11	-	1
14	Lake	87	-	-	-	-	-	-	-	-	1	-	-	7	-	4
15	Lake of the Woods	39	-	-	-	-	-	1	-	-	-	-	-	5	-	1
16	Le Sueur	194	-	-	-	-	1	2	-	-	-	-	1	32	-	10
17	Lincoln	104	-	-	-	-	-	2	-	-	-	-	1	20	-	5
18	Lyon	193	-	-	-	-	-	3	-	-	-	-	-	34	-	4
19	McLeod	180	-	-	-	-	-	-	-	-	1	-	-	28	-	7
20	Mahnomen	48	-	-	-	-	-	1	-	-	-	-	-	6	-	2
21	Marshall	112	-	-	-	-	-	1	-	-	-	-	-	23	-	4
22	Martin	205	-	-	-	1	-	1	-	-	-	-	1	35	-	8
23	Meeker	182	-	-	-	-	-	-	-	-	-	-	-	36	-	5
24	Mille Lacs	185	-	-	-	-	-	2	-	-	-	-	-	24	-	2
25	Morrison	196	-	-	-	-	-	3	-	-	-	1	-	32	-	3
26	Mower	317	-	-	-	-	-	1	-	-	1	-	-	45	1	5
27	Austin	191	-	-	-	-	-	1	-	-	1	-	-	31	-	2
28	Balance of county	126	-	-	-	-	-	-	-	-	-	-	-	14	1	3
29	Murray	93	-	-	-	-	-	-	-	-	-	-	1	22	-	2
30	Nicollet	386	1	-	-	-	-	15	-	-	6	-	3	43	-	6
31	Nobles	141	-	-	-	-	-	4	-	-	-	-	2	16	-	1
32	Norman	113	-	-	-	-	-	1	-	-	-	-	1	18	-	2
33	Olmsted	552	-	-	-	-	-	7	-	-	4	-	2	64	1	14
34	Rochester	422	-	-	-	-	-	4	-	-	4	-	1	50	1	8
35	Balance of county	130	-	-	-	-	-	3	-	-	-	-	1	14	-	6
36	Otter Tail	642	-	-	-	2	2	35	-	-	9	-	-	69	-	17
37	Fergus Falls	312	-	-	-	-	1	28	-	-	8	-	-	21	-	8
38	Balance of county	330	-	-	-	2	1	7	-	-	1	-	-	48	-	9
39	Pennington	118	-	-	-	-	-	3	-	-	-	-	-	21	-	1
40	Pine	205	-	-	-	-	-	5	-	-	-	1	-	33	-	8
41	Pipestone	122	-	-	-	-	-	-	-	-	-	-	4	20	-	5
42	Polk	325	-	-	-	-	-	5	-	-	2	-	-	44	-	9
43	Pope	108	-	-	-	-	-	-	-	-	-	-	4	21	1	-
44	Ramsey	3,394	-	1	-	-	-	55	-	-	25	-	4	661	1	111
45	St. Paul	3,139	-	1	-	-	-	52	-	-	23	-	4	621	1	99
46	Balance of county	255	-	-	-	-	-	3	-	-	2	-	-	40	-	12
47	Red Lake	55	-	1	-	-	-	2	-	-	-	1	1	7	-	-
48	Redwood	192	-	-	-	1	1	1	-	-	-	-	5	22	-	6
49	Renville	181	-	-	-	-	-	3	-	-	-	-	-	36	-	3
50	Rice	341	-	-	-	-	-	7	-	-	-	3	1	56	-	13
51	Faribault	175	-	-	-	-	-	6	-	-	-	3	-	22	-	9
52	Balance of county	166	-	-	-	-	-	1	-	-	-	-	1	34	-	4
53	Rock	95	-	-	-	-	-	1	-	-	-	-	13	10	-	-
54	Roseau	151	-	-	1	-	1	2	-	-	-	-	-	22	1	3
55	St. Louis	2,121	1	-	-	2	1	42	-	-	13	-	3	342	1	71
56	Duluth	1,141	1	-	-	-	1	11	-	-	6	-	3	175	1	38
57	Hibbing	185	-	-	-	-	-	4	-	-	2	-	-	28	-	9
58	Virginia	142	-	-	-	-	-	1	-	-	-	-	-	34	-	-
59	Balance of county	653	-	-	-	2	-	26	-	-	5	-	-	105	-	24
60	Scott	134	-	-	-	-	-	-	-	-	1	-	-	16	-	5
61	Sherburne	85	-	-	-	-	-	1	-	-	-	-	-	13	-	1
62	St. Cloud (part)	16	-	-	-	-	-	-	-	-	-	-	-	3	-	-
63	Balance of county	69	-	-	-	-	-	1	-	-	-	-	-	10	-	1
64	Sibley	130	-	-	-	1	-	1	-	-	-	-	-	20	1	1
65	Stearns	614	-	-	-	-	-	8	-	-	10	1	3	85	-	13
66	St. Cloud (part)	219	-	-	-	-	-	3	-	-	1	-	1	23	-	5
67	St. Cloud (total)	249	-	-	-	-	-	3	-	-	1	-	1	28	-	5
68	Balance of county	395	-	-	-	-	-	5	-	-	9	1	2	62	-	8
69	Steele	154	-	-	-	-	-	1	-	-	-	-	3	30	1	7
70	Stevens	103	-	-	-	-	-	1	-	-	1	-	3	21	-	7
71	Swift	115	-	-	-	-	-	2	-	-	-	-	-	22	-	4
72	Todd	231	-	-	-	-	-	-	-	-	1	-	-	49	-	7
73	Traverse	57	-	-	-	-	-	1	-	-	-	-	-	9	-	2
74	Wabasha	173	-	-	-	-	-	4	-	-	1	-	-	35	-	4
75	Wadena	105	-	-	-	-	-	-	-	-	-	-	-	15	-	2
76	Waseca	133	-	-	-	1	-	-	-	-	-	-	1	20	-	2
77	Washington	284	-	-	-	-	-	2	-	-	-	-	-	30	-	10
78	Watonwan	114	-	-	-	-	-	1	-	-	-	-	1	28	-	5
79	Wilkin	80	-	-	-	-	-	1	-	-	-	-	-	11	-	1
80	Winona	367	-	2	-	-	-	5	-	-	1	-	2	61	-	10
81	Winona	247	-	1	-	-	-	4	-	-	-	-	2	44	-	6
82	Balance of county	120	-	1	-	-	-	1	-	-	1	-	-	17	-	4
83	Wright	255	-	-	-	-	-	-	-	-	2	-	-	37	-	8
84	Yellow Medicine	150	-	-	-	-	-	3	-	-	-	-	2	23	-	2
85	MISSISSIPPI	20,296	2	19	1	30	15	666	30	10	209	26	6	1,912	25	315
86	Adams	345	-	-	-	-	-	11	1	-	3	-	-	37	-	2
87	Natchez	246	-	-	-	-	-	9	1	-	3	-	-	29	-	2
88	Balance of county	99	-	-	-	-	-	2	-	-	-	-	-	8	-	-
89	Alcorn	242	-	-	-	-	-	11	-	-	-	-	-	28	1	2
90	Amite	177	-	-	-	-	-	2	-	-	-	1	-	13	-	4
91	Attala	257	-	-	-	-	-	6	-	1	4	1	-	21	-	2
92	Benton	65	-	1	-	-	-	3	-	-	1	-	-	5	-	3
93	Bolivar	696	-	2	-	-	-	31	1	1	12	3	-	60	-	6
94	Calhoun	139	-	1	-	2	-	4	-	1	1	1	-	16	-	1
95	Carroll	131	-	1	-	-	-	3	-	-	-	-	-	14	-	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	616	2,039	234	10	126	14	94	140	93	69	18	112	276	15	739	1
-	530	1,775	211	9	112	12	81	113	83	54	16	93	238	12	633	2
-	86	264	23	1	14	2	13	27	10	15	2	19	38	3	106	3
-	12	41	4	-	-	-	4	7	3	1	-	5	3	3	22	4
-	10	43	2	1	5	-	2	3	1	2	-	1	6	2	8	5
-	27	54	11	1	5	-	2	5	1	4	-	2	14	2	33	6
-	32	73	13	2	10	2	5	21	14	4	-	7	22	7	35	7
-	21	46	6	-	3	-	2	5	8	2	-	7	4	1	14	8
-	14	20	2	-	-	-	1	4	3	2	-	3	4	2	6	9
-	33	93	14	-	14	-	2	5	4	3	-	9	21	4	45	10
-	7	23	8	2	5	-	2	1	1	2	-	-	4	5	10	11
-	8	51	8	1	6	1	1	6	5	1	-	3	12	1	13	12
-	13	39	5	-	7	-	4	5	1	2	-	4	5	6	20	13
-	11	40	2	1	2	-	1	-	1	3	1	1	6	-	6	14
-	7	11	-	-	3	-	-	-	-	1	-	1	3	1	5	15
-	23	64	5	1	12	-	1	1	1	1	-	3	9	2	25	16
-	15	24	5	-	4	-	-	4	3	1	-	-	3	2	15	17
-	22	54	6	-	12	-	5	9	4	1	-	2	10	1	26	18
-	24	70	3	-	5	1	1	3	2	1	-	5	9	3	17	19
-	8	15	-	-	2	-	1	1	2	1	-	2	2	-	5	20
-	20	28	4	-	5	-	1	1	2	1	2	1	3	1	15	21
-	19	56	6	-	5	-	2	5	7	3	-	2	15	4	35	22
-	24	48	4	-	11	-	4	3	7	3	-	3	12	-	22	23
-	22	63	9	1	5	-	3	5	2	-	-	2	5	5	15	24
-	25	53	11	-	5	-	2	11	3	1	-	3	15	1	27	25
1	37	89	7	-	12	-	13	9	10	6	1	9	12	12	46	26
-	20	55	3	-	4	-	7	9	7	1	1	5	4	8	32	27
1	17	34	4	-	8	-	6	-	3	5	-	4	8	4	14	28
-	6	25	5	-	8	1	1	5	-	-	-	4	3	-	12	29
-	20	163	28	-	12	2	3	3	2	1	2	1	16	9	50	30
-	18	46	4	2	4	1	2	8	3	6	1	3	3	1	16	31
-	18	33	7	-	2	1	1	-	-	1	-	3	6	2	17	32
-	51	163	53	-	9	-	4	20	8	2	-	18	27	17	68	33
-	42	118	44	-	4	-	3	16	7	-	-	12	19	11	78	34
-	9	45	9	-	5	-	1	4	1	2	-	6	8	6	10	35
-	61	184	27	2	24	1	7	16	12	14	1	10	40	12	97	36
-	24	100	19	-	16	-	3	8	2	3	-	2	19	3	47	37
-	37	84	8	2	8	1	4	8	10	11	1	8	21	9	50	38
-	17	26	2	-	1	-	2	9	1	5	1	4	6	1	20	39
-	30	68	3	-	5	1	1	3	3	3	-	1	8	3	29	40
-	6	40	1	-	5	-	4	5	5	2	-	4	9	1	11	41
-	47	100	11	4	6	1	7	5	7	3	1	10	18	1	44	42
-	12	25	3	-	2	1	3	3	4	-	-	2	5	6	16	43
-	290	1,153	122	7	84	6	49	71	62	24	11	78	172	17	389	44
-	268	1,068	107	7	76	6	43	67	59	22	11	67	162	17	358	45
-	22	85	15	-	8	-	6	4	3	2	-	12	10	-	31	46
-	14	13	-	-	-	-	2	-	1	3	-	3	3	-	4	47
-	26	45	4	-	16	-	5	6	1	1	-	8	4	1	39	48
-	22	47	6	-	7	1	4	8	3	4	-	4	9	2	22	49
-	34	85	12	1	16	1	8	10	5	3	-	5	13	3	65	50
-	13	39	10	1	14	1	8	2	1	1	-	1	4	-	40	51
-	21	46	2	-	2	-	-	8	4	2	-	4	9	3	25	52
-	8	24	4	1	2	-	1	2	3	2	-	2	8	5	9	53
-	19	38	7	1	6	-	1	11	5	1	-	5	7	1	19	54
-	172	810	68	8	49	1	33	37	28	42	6	51	98	7	235	55
-	103	456	36	3	21	-	19	25	14	14	1	27	47	3	136	56
-	12	62	5	2	7	-	4	2	7	4	-	6	6	-	25	57
-	13	53	5	-	5	-	3	4	1	-	-	1	8	-	16	58
-	45	240	22	3	16	1	7	6	8	24	5	17	37	4	58	59
-	23	44	5	-	1	-	2	4	1	1	1	3	8	-	19	60
-	13	28	6	-	2	-	1	2	1	1	-	-	5	-	11	61
-	2	3	3	-	-	-	1	-	-	-	-	-	-	-	4	62
-	11	25	3	-	2	-	-	2	1	1	-	-	5	-	7	63
-	17	35	8	-	4	1	2	4	3	-	-	2	6	3	21	64
-	68	172	37	2	16	2	19	19	11	5	1	17	31	5	89	65
-	26	66	10	-	8	-	7	9	7	1	-	8	8	2	34	66
-	28	73	15	-	8	-	8	9	9	1	1	8	8	2	41	67
-	42	106	27	2	8	2	12	10	4	4	1	9	23	3	55	68
-	24	44	5	1	8	-	3	1	2	2	-	3	3	1	15	69
-	9	18	4	1	2	-	2	5	3	2	-	3	4	6	11	70
-	9	38	4	1	6	1	1	8	1	-	-	-	1	1	16	71
-	25	76	9	-	9	-	2	11	4	2	-	4	7	1	24	72
-	9	17	2	-	1	-	1	3	1	-	-	1	3	-	7	73
-	24	52	5	-	2	-	1	1	2	2	-	5	7	4	24	74
-	15	36	5	2	1	-	2	2	-	-	-	-	4	4	17	75
-	12	41	2	1	11	-	1	4	4	2	-	2	7	2	20	76
-	51	97	10	-	7	-	4	6	2	5	1	10	13	-	36	77
-	14	39	-	-	4	-	2	1	1	-	-	1	5	-	12	78
-	5	28	3	2	3	-	3	3	1	-	-	1	5	-	13	79
-	40	113	10	1	14	-	6	6	4	5	-	10	25	8	44	80
-	25	73	5	1	14	-	5	4	4	2	-	6	18	3	30	81
-	15	40	5	-	-	-	1	2	-	3	-	4	7	5	14	82
-	34	84	16	-	10	1	1	3	-	6	-	6	13	4	30	83
-	19	44	5	1	3	1	-	1	6	3	-	1	5	3	28	84
29	1,984	4,384	974	129	1,645	169	200	706	425	125	322	460	975	2,575	1,928	85
-	30	97	21	1	26	1	3	12	7	1	6	7	18	38	23	86
-	24	67	13	1	22	-	1	8	5	-	4	4	14	22	17	87
-	6	30	8	-	4	1	2	4	2	1	2	3	4	16	6	88
-	29	63	16	8	8	-	6	9	4	3	2	2	8	3	39	89
-	10	37	18	-	18	2	3	7	5	1	3	5	8	29	11	90
-	41	57	11	1	13	1	3	14	3	4	3	6	10	36	19	91
-	6	12	2	-	6	-	-	3	2	1	-	4	4	10	2	92
1	63	124	29	1	51	10	6	17	12	3	16	21	32	135	59	93
-	9	31	8	-	15	3	1	4	3	-	4	6	6	14	8	94
-	13	28	5	1	16	-	2	3	-	1	-	2	8	21	11	95

891562 O—50——36

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	MISSISSIPPI—Continued															
1	Chickasaw	178	-	1	-	-	-	5	-	-	1	-	-	18	1	1
2	Choctaw	94	-	-	-	-	-	2	-	-	1	-	-	9	-	-
3	Claiborne	148	-	1	-	-	-	3	-	-	5	-	-	15	-	1
4	Clarke	190	-	-	-	-	-	5	-	-	2	-	-	15	-	4
5	Clay	190	-	1	-	-	-	6	1	-	-	-	-	18	-	1
6	Coahoma	509	-	-	-	-	1	18	-	1	7	1	-	35	1	4
7	Clarksdale	153	-	-	-	-	-	7	-	-	2	-	-	13	-	1
8	Balance of county	356	-	-	-	-	1	11	-	1	5	1	-	22	1	3
9	Copiah	277	-	-	-	-	-	4	1	-	4	-	-	35	-	4
10	Covington	148	-	-	-	-	1	3	1	-	-	-	-	14	-	2
11	De Soto	215	-	-	-	-	-	8	-	-	-	-	-	18	1	2
12	Forrest	348	-	-	-	1	-	16	-	-	3	2	-	28	-	6
13	Hattiesburg	237	-	-	-	1	-	8	-	-	2	2	-	18	-	4
14	Balance of county	111	-	-	-	-	-	8	-	-	1	-	-	10	-	2
15	Franklin	93	-	-	-	-	-	3	-	-	1	-	-	8	-	1
16	George	76	-	-	-	-	1	-	-	-	1	-	-	8	-	2
17	Greene	68	-	-	-	-	-	-	-	-	-	-	-	8	-	3
18	Grenada	177	-	-	-	-	-	4	-	-	3	-	-	19	2	1
19	Hancock	127	-	-	-	-	-	4	-	-	1	-	-	18	-	2
20	Harrison	650	-	-	-	-	1	16	1	-	10	-	-	77	1	15
21	Biloxi	239	-	-	-	-	-	3	1	-	2	-	-	23	-	3
22	Gulfport	212	-	-	-	-	-	9	-	-	5	-	-	25	-	8
23	Balance of county	199	-	-	-	-	1	4	-	-	3	-	-	29	1	4
24	Hinds	1,180	-	1	-	1	2	55	1	-	10	1	-	109	4	25
25	Jackson	741	-	-	-	-	1	25	-	-	7	-	-	73	4	18
26	Balance of county	439	-	1	-	1	1	30	1	-	3	1	-	36	-	7
27	Holmes	363	-	-	-	1	-	8	3	1	4	2	-	26	-	7
28	Humphreys	234	-	1	-	1	1	11	-	-	2	-	-	10	-	8
29	Issaquena	58	-	-	-	-	-	-	-	-	-	-	-	2	-	2
30	Itawamba	108	-	-	-	-	-	4	-	-	-	-	-	14	-	2
31	Jackson	251	-	1	-	1	-	6	1	-	3	-	-	29	-	5
32	Jasper	157	-	-	-	-	1	2	-	-	-	-	-	12	-	1
33	Jefferson	145	-	-	-	2	-	6	-	-	4	1	-	14	-	1
34	Jefferson Davis	130	-	-	-	-	1	3	-	-	2	-	-	12	1	8
35	Jones	452	-	1	-	1	-	13	-	-	2	-	-	35	-	5
36	Laurel	218	-	-	-	-	-	7	-	-	1	-	-	19	-	2
37	Balance of county	234	-	1	-	1	-	6	-	-	1	-	-	16	-	3
38	Kemper	151	-	-	-	-	-	6	1	-	-	-	-	14	-	1
39	Lafayette	162	-	-	-	-	1	4	1	-	1	-	-	19	-	2
40	Lamar	93	-	-	-	-	-	3	-	-	-	-	-	13	-	-
41	Lauderdale	750	-	-	-	-	-	27	-	-	5	-	-	87	-	11
42	Meridian	542	-	-	-	-	-	13	-	-	4	-	-	61	-	8
43	Balance of county	208	-	-	-	-	-	14	-	-	1	-	-	26	-	3
44	Lawrence	107	-	-	-	1	-	3	-	-	-	1	-	13	-	2
45	Leake	176	-	-	-	-	-	1	1	-	-	-	-	20	-	4
46	Lee	332	-	-	-	-	1	13	-	1	1	-	-	44	-	3
47	Leflore	530	1	1	-	3	-	23	2	1	5	2	-	34	1	11
48	Greenwood	209	-	-	-	-	-	8	1	-	2	1	-	21	1	4
49	Balance of county	321	1	1	-	3	-	15	1	1	3	1	-	13	-	7
50	Lincoln	284	-	-	-	1	-	5	-	-	-	-	-	29	-	4
51	Lowndes	389	-	1	-	1	-	13	-	-	2	-	-	41	-	2
52	Columbus	227	-	-	-	1	-	11	-	-	2	-	-	29	-	2
53	Balance of county	142	-	1	-	-	-	2	-	-	-	-	-	12	-	-
54	Madison	364	-	-	-	-	-	10	-	-	1	-	-	37	-	4
55	Marion	184	-	-	-	1	-	5	-	-	1	1	-	19	-	2
56	Marshall	221	-	1	-	-	-	6	-	-	6	-	-	17	-	3
57	Monroe	318	-	-	-	2	-	11	-	-	-	-	-	25	-	8
58	Montgomery	157	-	-	-	-	-	4	-	-	1	-	-	19	-	2
59	Neshoba	179	-	1	-	-	-	5	-	-	1	-	-	13	-	2
60	Newton	211	-	-	-	-	-	6	-	-	1	-	1	24	-	1
61	Noxubee	230	-	-	-	-	1	6	1	-	4	1	-	30	-	4
62	Oktibbeha	200	-	1	-	-	-	5	-	-	-	-	-	20	1	4
63	Panola	293	-	-	-	-	-	10	-	1	1	2	-	24	-	5
64	Pearl River	174	-	-	-	1	1	2	-	-	1	1	-	22	-	2
65	Perry	67	-	-	-	-	-	2	-	-	-	-	-	11	-	-
66	Pike	343	-	-	-	-	-	4	-	-	-	-	-	31	1	8
67	Pontotoc	153	-	-	-	-	-	8	1	-	-	-	-	17	-	1
68	Prentiss	157	-	-	-	-	1	9	-	-	-	-	-	14	-	5
69	Quitman	248	-	-	-	-	-	10	1	1	-	-	-	21	-	1
70	Rankin	541	-	-	-	-	-	48	1	-	49	-	1	21	-	9
71	Scott	188	-	-	-	-	-	1	-	-	1	-	-	19	-	5
72	Sharkey	129	-	-	-	-	-	2	1	-	3	-	-	11	-	2
73	Simpson	177	-	-	-	-	-	11	1	1	2	-	-	13	-	3
74	Smith	128	-	-	-	-	-	-	1	-	-	-	-	15	1	3
75	Stone	52	-	-	-	-	-	1	-	-	-	-	-	6	-	2
76	Sunflower	469	-	-	-	1	-	23	-	-	10	-	1	28	1	6
77	Tallahatchie	267	-	-	-	2	1	21	1	-	6	2	-	16	2	5
78	Tate	148	-	-	-	1	-	4	-	-	1	2	-	23	1	3
79	Tippah	116	-	-	1	1	-	3	-	-	-	-	-	27	-	4
80	Tishomingo	101	-	-	-	-	-	3	-	-	1	-	-	11	-	2
81	Tunica	220	-	-	-	-	-	9	1	-	1	-	-	19	-	3
82	Union	146	-	-	-	-	-	4	-	-	-	-	-	14	-	-
83	Walthall	126	1	-	-	-	-	1	-	-	1	-	-	14	1	3
84	Warren	459	-	-	-	-	-	6	1	-	3	-	-	45	-	10
85	Vicksburg	354	-	-	-	-	-	3	1	-	3	-	-	36	-	9
86	Balance of county	105	-	-	-	-	-	3	-	-	-	-	-	9	-	1
87	Washington	784	-	1	-	-	-	29	2	-	4	-	1	66	1	7
88	Greenville	345	-	-	-	-	-	11	-	-	1	-	-	38	1	5
89	Balance of county	439	-	1	-	-	-	18	2	-	3	-	1	28	-	2
90	Wayne	143	-	-	-	-	-	5	-	-	2	-	-	13	-	5
91	Webster	102	-	-	-	-	-	3	-	-	1	-	-	12	-	-
92	Wilkinson	158	-	1	-	1	-	3	-	-	1	-	-	9	1	2
93	Winston	193	-	-	-	2	-	5	-	-	1	-	1	16	-	3
94	Yalobusha	166	-	-	-	-	-	1	-	-	2	-	1	18	-	4
95	Yazoo	412	-	-	-	2	-	6	2	-	2	1	-	39	2	7

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 118,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	20	47	5	-	29	2	1	2	7	-	-	4	11	7	18	1
-	7	26	9	-	7	1	2	-	2	3	-	2	4	6	13	2
-	9	28	9	-	11	1	-	-	1	1	4	4	5	37	13	3
-	30	46	9	-	20	1	-	6	5	-	1	1	8	20	19	4
-	20	52	4	-	10	3	-	3	4	1	-	4	5	7	32	18	5
-	53	107	25	4	53	3	1	9	3	3	1	14	9	23	83	51	6
-	15	48	6	3	13	2	-	3	1	1	2	2	2	6	16	12	7
-	38	59	19	1	40	1	1	6	2	2	12	7	17	67	39	8
-	32	75	20	4	22	3	3	3	3	3	4	7	10	9	31	9
-	19	28	9	2	14	2	4	4	3	1	1	3	5	17	15	10
-	25	32	7	1	20	4	2	10	6	2	3	1	8	46	19	11
-	45	94	21	1	20	1	4	12	10	3	8	6	18	15	33	12
-	34	65	10	1	13	-	4	10	6	3	6	5	10	11	22	13
-	11	29	11	-	7	1	-	-	2	-	2	1	9	4	11	14
-	6	35	3	-	8	1	-	-	3	-	2	1	5	7	9	15
-	6	8	4	-	12	-	-	-	6	1	-	4	5	3	5	16
-	6	15	2	-	5	1	-	-	4	-	3	5	1	8	7	17
-	18	30	10	2	17	2	-	1	6	1	3	3	5	25	19	18
-	13	30	11	1	6	-	1	7	1	2	1	1	6	14	11	19
2	52	174	27	3	46	1	6	36	24	8	5	19	35	31	80	20
1	22	83	8	-	12	-	1	22	15	2	3	6	11	12	29	21
1	17	51	11	1	18	1	3	11	8	3	1	9	8	6	16	22
-	13	60	8	2	16	-	2	3	1	3	1	1	4	16	13	15	23
-	101	217	42	10	117	12	15	65	23	11	19	29	59	131	120	24
-	65	140	23	4	76	5	10	56	18	9	12	20	35	68	71	25
-	36	77	19	6	41	5	5	9	5	2	7	9	24	63	49	26
-	37	79	22	-	22	3	1	13	5	1	5	6	19	60	38	27
2	15	36	9	2	24	5	1	3	3	2	3	10	9	53	23	28
-	8	7	5	-	3	-	2	2	1	-	1	-	7	13	5	29
2	13	21	3	1	13	1	1	4	1	1	2	1	1	13	10	30
1	31	64	17	1	13	1	5	5	3	4	3	5	10	11	30	31
-	19	25	8	1	19	1	-	8	4	-	5	4	5	19	21	32
-	8	31	5	2	25	2	1	1	6	-	1	1	8	18	12	33
-	7	33	5	-	9	-	2	5	2	-	4	2	5	16	14	34
-	60	99	30	3	30	2	12	38	1	-	3	15	17	20	57	35
2	30	52	17	1	15	1	6	25	9	-	1	4	7	6	19	36
2	30	47	13	2	15	1	6	13	5	-	2	3	11	10	14	37
2	22	33	9	-	10	1	-	6	3	-	3	1	8	17	13	38
-	11	39	7	1	20	1	-	4	5	2	2	2	6	9	16	11	39
3	12	17	7	1	10	2	2	2	4	1	-	1	6	9	4	4	8	40
2	64	130	56	4	44	3	2	13	28	18	6	6	2	9	30	61	80	41
1	50	146	40	2	29	5	4	11	23	12	5	1	1	9	25	35	61	42
1	14	44	16	2	15	1	1	2	5	8	1	1	2	4	5	26	19	43
1	10	22	3	-	4	1	2	3	3	4	1	1	4	4	4	20	7	44
1	22	35	6	3	16	1	2	3	5	2	2	3	6	11	20	17	45
1	34	76	17	3	28	3	5	12	9	2	2	1	13	3	24	37	46
1	48	81	28	5	49	5	5	9	5	2	1	12	11	29	112	38	47
1	26	39	6	1	19	2	2	5	4	1	2	2	8	6	27	20	48
1	22	42	20	4	30	3	3	4	7	1	1	10	3	23	85	18	49
1	20	86	9	1	35	3	1	20	7	3	1	1	13	12	6	29	50
1	21	84	16	4	28	4	3	4	6	4	2	1	5	14	75	39	51
1	12	51	13	3	20	1	3	4	4	1	3	2	4	7	30	28	52
1	9	33	3	1	8	1	3	-	-	2	2	-	1	7	45	11	53
1	33	64	14	2	33	2	3	16	16	5	2	14	8	10	81	28	54
1	16	40	8	1	20	4	1	10	3	2	-	6	3	12	16	13	55
1	34	34	9	2	22	3	1	3	2	2	1	1	4	12	37	22	56
1	28	76	11	2	25	4	3	15	10	1	7	2	2	14	39	35	57
1	24	30	7	2	14	-	2	6	2	1	2	2	5	5	15	16	58
1	21	29	11	4	11	2	4	10	4	-	-	-	3	13	15	27	59
1	21	44	4	-	6	1	4	9	9	1	-	4	2	20	30	27	60
1	21	40	3	-	20	3	1	2	4	-	1	1	6	10	50	19	61
1	19	48	7	1	15	1	2	11	5	1	1	6	6	15	27	10	62
1	31	69	8	4	21	2	4	13	6	1	4	1	3	12	45	23	63
1	17	34	10	-	8	1	4	13	1	1	1	1	3	15	17	19	64
-	5	18	2	-	4	-	-	3	3	1	-	1	1	5	12	3	65
1	39	105	21	1	21	4	3	9	14	1	1	5	8	14	26	28	66
1	12	35	8	-	23	1	2	3	4	1	1	3	7	4	12	13	67
1	14	38	7	2	7	-	1	4	4	2	2	1	6	14	15	13	68
2	23	42	12	3	17	1	2	10	7	3	3	9	6	22	45	14	69
1	62	125	16	7	29	-	4	9	3	6	2	5	6	22	42	78	70
1	23	43	8	1	4	-	2	10	6	5	1	4	6	9	20	24	71
1	11	23	3	-	18	2	2	6	5	4	-	-	5	9	23	3	72
1	23	35	15	-	12	1	1	5	6	1	1	4	4	8	19	13	73
1	21	25	2	-	3	3	2	2	2	-	1	1	2	3	14	22	74
1	1	18	4	-	6	-	2	10	6	7	-	-	2	3	1	4	75
1	36	89	24	11	45	4	2	7	7	2	1	12	5	27	80	48	76
1	26	47	10	1	27	-	3	4	4	4	1	8	6	20	34	14	77
1	7	42	4	-	6	1	1	3	2	2	2	4	1	7	20	13	78
1	7	32	7	-	6	1	1	-	4	2	-	-	3	4	2	9	79
1	9	26	5	2	12	1	2	8	2	2	5	8	4	3	7	12	80
3	18	39	14	-	20	1	2	12	3	5	-	1	2	11	40	20	81
1	16	32	8	1	14	-	5	5	5	5	1	2	3	8	10	14	82
1	8	33	5	-	9	-	3	11	6	1	2	8	2	5	18	8	83
1	45	76	20	-	50	7	7	10	5	1	1	6	10	31	77	48	84
1	37	59	17	-	42	-	5	1	1	1	-	2	7	23	48	37	85
1	8	17	3	-	8	2	-	19	11	4	4	20	21	35	160	74	87
3	77	151	33	6	45	2	3	9	8	5	-	6	2	3	8	29	11	86
2	33	73	22	2	24	3	4	10	5	6	-	14	1	5	24	113	34	89
2	44	78	11	4	21	1	5	4	3	1	2	1	-	3	9	15	7	90
1	14	22	6	1	24	2	2	3	4	-	-	-	1	5	4	5	91
1	13	28	12	-	6	-	1	10	4	4	-	5	4	7	46	8	92
1	10	32	8	1	15	2	3	4	4	2	-	2	4	10	11	22	93
-	13	60	15	-	6	3	-	1	9	-	1	4	8	9	18	13	94
1	14	38	6	-	18	-	-	12	4	-	4	9	22	75	42	95
-	48	71	22	2	31	3	1	12	9	2	4	9	22	75	42	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
1	MISSOURI	42,752	13	18	2	35	10	1,016	24	3	365	32	31	6,129	22	989
2	Adair	247	-	-	-	-	-	4	-	-	-	-	1	31	-	14
3	Kirksville	171	-	-	-	-	-	3	-	-	-	-	1	22	-	11
4	Balance of county	76	-	-	-	-	-	1	-	-	-	-	-	9	-	3
5	Andrew	153	-	-	-	-	-	3	1	-	1	-	-	18	-	3
6	Atchison	101	-	-	-	-	-	2	-	-	-	-	-	18	-	1
7	Audrain	243	-	1	-	-	-	7	-	-	1	1	-	34	-	8
8	Barry	216	-	-	-	-	-	5	1	-	-	-	-	27	1	-
9	Barton	148	-	-	-	-	-	6	-	-	-	-	-	23	-	1
10	Bates	229	-	-	-	-	-	2	-	-	-	-	-	33	-	3
11	Benton	99	-	-	-	-	-	1	-	-	-	-	-	12	-	2
12	Bollinger	101	-	-	-	-	-	1	-	-	-	1	1	15	-	1
13	Boone	392	-	-	-	-	-	9	-	-	1	-	-	52	-	12
14	Columbia	227	-	-	-	-	-	7	-	-	1	-	-	27	-	9
15	Balance of county	165	-	-	-	-	-	2	-	-	-	-	-	25	-	3
16	Buchanan	1,257	-	1	-	1	-	21	-	-	35	-	1	143	-	41
17	St. Joseph	1,116	-	1	-	-	-	20	-	-	33	-	-	131	-	37
18	Balance of county	141	-	-	-	1	-	1	-	-	2	-	1	12	-	4
19	Butler	325	1	1	-	3	-	7	1	-	1	2	-	29	-	3
20	Poplar Bluff	156	1	1	-	-	-	5	-	-	1	-	-	14	-	2
21	Balance of county	169	-	-	-	3	-	2	1	-	-	2	-	15	-	1
22	Caldwell	132	-	-	-	-	-	-	-	-	-	-	-	20	-	-
23	Callaway	410	-	-	-	-	-	12	-	-	17	-	1	37	-	11
24	Camden	60	-	-	-	-	-	1	-	-	-	-	-	9	-	2
25	Cape Girardeau	355	-	-	-	-	-	4	-	-	4	-	-	42	-	5
26	Cape Girardeau	189	-	-	-	-	-	1	-	-	3	-	-	24	-	4
27	Balance of county	166	-	-	-	-	-	3	-	-	1	-	-	18	-	1
28	Carroll	198	-	-	-	-	-	3	-	-	2	-	-	31	-	3
29	Carter	53	-	-	-	-	-	3	-	-	-	3	-	7	-	4
30	Cass	240	-	-	-	1	-	2	-	-	-	-	-	35	-	7
31	Cedar	128	-	-	-	-	-	2	-	-	-	-	-	13	-	5
32	Chariton	183	-	-	-	-	-	2	-	-	1	-	-	28	-	7
33	Christian	143	-	-	-	-	-	1	-	-	1	-	-	17	1	4
34	Clark	101	-	-	-	-	-	1	-	-	-	-	-	22	-	-
35	Clay	396	-	-	-	-	-	17	-	-	1	-	-	52	1	8
36	Clinton	153	-	-	-	-	-	-	-	-	1	-	-	26	-	2
37	Cole	276	-	-	-	-	-	7	-	-	-	-	-	42	-	7
38	Jefferson City	183	-	-	-	-	-	6	-	-	-	-	-	32	-	5
39	Balance of county	93	-	-	-	-	-	1	-	-	-	-	-	10	-	2
40	Cooper	200	-	-	-	-	-	-	-	-	2	1	-	25	-	3
41	Crawford	131	-	-	-	-	-	1	-	-	1	-	-	17	-	5
42	Dade	104	-	-	-	-	-	2	-	-	1	-	-	15	-	-
43	Dallas	108	-	-	-	-	-	4	-	-	2	-	2	17	-	2
44	Daviess	144	-	-	-	-	-	1	-	-	-	-	-	15	-	7
45	De Kalb	100	-	-	-	-	-	1	-	-	-	-	-	11	-	5
46	Dent	93	-	-	-	-	-	2	-	-	-	-	-	12	-	3
47	Douglas	97	1	-	-	-	-	3	-	-	1	-	-	9	1	3
48	Dunklin	351	-	1	-	1	-	8	1	-	2	1	-	42	-	3
49	Franklin	337	-	-	-	-	-	3	-	-	1	-	-	49	-	9
50	Gasconade	113	1	-	-	-	-	-	-	-	-	2	1	12	-	5
51	Gentry	142	1	-	-	-	-	3	-	-	1	-	-	27	-	-
52	Greene	1,052	-	1	-	-	-	38	-	-	6	-	-	128	-	26
53	Springfield	749	-	1	-	-	-	26	-	-	3	-	-	86	-	20
54	Balance of county	303	-	-	-	-	-	10	-	-	3	-	-	42	-	6
55	Grundy	196	-	-	-	-	-	2	-	-	-	-	-	29	-	6
56	Harrison	150	-	-	-	1	-	-	-	-	1	-	-	22	-	3
57	Henry	275	-	-	-	-	-	2	1	-	4	-	-	30	-	5
58	Hickory	65	-	-	-	-	-	1	-	-	1	-	1	4	-	1
59	Holt	123	-	-	-	-	-	2	-	-	-	-	2	20	-	3
60	Howard	147	-	-	-	-	-	1	-	-	2	-	-	24	-	4
61	Howell	242	1	-	-	-	-	4	1	-	1	-	-	34	-	7
62	Iron	103	-	-	-	-	-	3	1	-	-	-	-	15	-	3
63	Jackson	5,884	-	1	1	-	1	160	-	-	54	1	4	840	-	110
64	Kansas City	5,086	-	1	1	-	1	154	-	-	49	-	1	728	-	101
65	Independence	313	-	-	-	-	-	2	-	-	2	1	1	44	-	3
66	Balance of county	485	-	-	-	-	-	4	-	-	3	-	2	68	-	6
67	Jasper	1,076	1	-	-	2	-	52	-	1	6	-	1	164	-	26
68	Joplin (part)	548	1	-	-	1	-	31	-	-	5	-	1	90	-	9
69	Joplin (total)	553	1	-	-	1	-	32	-	-	5	-	1	91	-	9
70	Carthage	189	-	-	-	-	-	4	-	-	-	-	-	18	-	7
71	Balance of county	339	-	-	-	1	-	17	-	1	1	-	-	56	-	10
72	Jefferson	365	-	-	-	1	-	8	-	-	1	-	-	48	-	10
73	Johnson	251	-	-	-	-	-	1	-	-	-	-	-	26	1	2
74	Knox	101	-	-	-	-	-	-	-	-	-	-	-	11	-	4
75	Laclede	176	-	-	-	-	-	4	-	-	-	-	-	24	-	3
76	Lafayette	280	-	-	-	1	-	-	-	-	2	-	-	32	-	7
77	Lawrence	280	-	-	-	1	-	36	1	-	-	-	-	22	-	4
78	Lewis	113	-	-	-	-	-	-	-	-	-	1	-	18	-	2
79	Lincoln	177	-	-	-	-	-	2	-	-	2	-	-	22	-	2
80	Linn	248	-	-	-	-	-	3	-	-	-	-	-	43	1	2
81	Livingston	203	-	-	-	1	-	2	-	-	1	-	-	26	-	4
82	McDonald	119	1	-	-	2	-	1	-	-	1	-	1	24	-	2
83	Macon	235	-	-	-	-	-	1	-	-	2	1	-	30	-	4
84	Madison	91	-	-	-	-	-	1	1	-	-	-	-	6	-	-
85	Maries	50	-	-	-	-	-	1	-	-	-	-	-	8	-	3
86	Marion	361	-	-	-	1	-	1	-	-	4	1	-	50	-	9
87	Hannibal	258	-	-	-	-	-	1	-	-	3	1	-	42	-	7
88	Balance of county	103	-	-	-	1	-	-	-	-	1	-	-	8	-	2
89	Mercer	87	-	-	-	-	-	1	-	-	-	-	-	15	-	3
90	Miller	138	-	-	-	-	-	2	-	-	-	-	-	26	-	3
91	Mississippi	240	-	-	-	4	1	8	-	-	1	1	1	19	1	6
92	Moniteau	145	-	-	-	-	-	3	-	-	-	-	-	20	-	3
93	Monroe	152	-	-	-	-	-	2	-	-	-	-	-	16	-	2
94	Montgomery	155	-	-	-	-	-	2	-	-	-	-	-	17	-	3
95	Morgan	111	-	-	-	-	-	1	-	-	1	-	-	9	-	1
96	New Madrid	293	-	1	-	2	2	7	1	-	1	2	-	32	1	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	4,309	14,150	1,826	202	2,793	91	479	825	589	428	242	881	1,849	582	4,813	1
-	36	54	7	1	26	-	1	6	6	2	1	8	7	4	38	2
-	22	52	1	-	20	-	1	6	4	1	1	8	5	3	30	3
-	14	22	6	1	6	-	-	-	2	1	-	-	2	1	8	4
-	22	58	4	1	13	1	-	1	1	1	-	5	8	-	13	5
-	11	35	2	-	3	-	-	1	4	-	-	2	8	1	13	6
-	15	77	10	-	25	-	3	7	3	1	2	8	12	2	26	7
-	28	73	17	2	17	-	5	2	3	3	-	5	8	1	18	8
-	25	45	11	-	8	1	1	2	1	2	-	5	3	2	12	9
-	24	79	13	2	17	-	2	4	4	4	1	4	14	3	20	10
-	15	28	2	-	7	-	-	2	-	1	-	2	1	5	21	11
-	16	39	3	1	2	-	1	-	-	-	-	2	5	4	9	12
-	49	122	18	2	26	-	2	11	2	9	-	9	25	2	40	13
-	32	67	9	1	13	-	-	7	-	5	-	6	13	1	28	14
-	17	55	10	1	13	-	2	4	2	4	-	3	12	1	11	15
-	144	490	58	2	35	2	16	19	10	15	6	24	60	3	130	16
-	127	428	55	2	31	2	12	15	10	12	4	20	51	3	121	17
-	17	62	2	-	4	-	4	4	-	3	2	4	9	-	9	18
-	35	105	36	3	15	4	7	9	11	-	1	3	15	8	25	19
-	17	48	16	3	7	2	2	6	7	-	-	1	7	3	13	20
-	18	57	20	-	8	2	5	3	4	-	1	2	8	5	12	21
-	29	38	6	-	10	1	1	2	-	2	1	3	8	1	12	22
-	34	144	23	-	32	-	4	2	-	1	-	3	29	4	53	23
-	9	20	4	-	5	-	1	-	-	4	-	1	1	2	5	24
-	27	127	9	2	21	-	9	11	4	1	3	3	17	8	48	25
-	12	63	4	1	13	-	5	8	2	3	-	4	12	4	25	26
-	15	64	5	1	8	-	4	3	5	1	-	6	5	4	23	27
-	28	68	13	-	7	-	3	3	1	2	-	5	6	3	16	28
-	10	7	2	-	5	-	3	-	2	-	-	1	2	1	4	29
-	39	77	7	1	9	-	2	4	1	4	1	5	11	1	32	30
-	19	34	13	-	10	-	-	-	2	2	-	2	8	2	17	31
-	22	71	3	-	8	1	2	2	1	-	-	5	7	5	17	32
1	18	44	6	-	11	-	-	2	2	7	-	2	3	2	22	33
-	22	22	4	-	7	-	1	-	1	-	-	3	5	-	12	34
-	54	135	18	2	17	-	3	10	2	2	1	9	17	2	43	35
-	21	54	4	-	3	1	1	3	3	2	-	3	9	4	19	36
-	28	106	3	1	11	-	6	5	2	5	4	7	13	1	27	37
-	19	71	1	1	5	-	4	3	2	3	2	3	11	1	15	38
-	9	35	2	-	6	-	2	2	3	1	2	4	2	-	12	39
-	24	64	14	-	5	-	4	2	4	1	2	7	7	1	36	40
-	13	36	12	1	6	-	1	-	1	3	1	5	6	2	17	41
-	15	30	6	-	10	-	3	1	3	4	1	6	6	6	11	42
-	8	37	7	-	6	-	1	3	1	-	-	3	5	1	9	43
-	12	48	7	-	15	-	3	3	4	-	2	1	6	4	19	44
-	19	35	4	-	6	-	2	2	1	2	-	1	1	4	7	45
-	8	27	4	-	12	-	1	1	2	1	1	2	3	1	13	46
-	12	26	8	-	10	-	2	1	1	1	1	1	4	5	9	47
-	26	105	15	6	27	3	1	8	11	3	1	3	1	6	40	48
-	36	123	12	4	14	2	2	7	6	4	-	10	23	3	32	49
-	16	36	3	-	8	1	-	1	12	2	-	5	15	1	10	50
-	17	43	9	-	16	-	-	1	1	-	-	1	10	2	13	51
-	93	345	35	4	94	-	-	18	21	2	-	4	4	-	8	52
-	65	258	26	3	54	-	-	9	17	1	3	24	51	15	125	53
-	28	87	9	1	40	-	-	9	15	2	3	17	37	12	97	54
-	19	64	8	1	20	-	-	4	6	5	-	7	14	3	28	55
-	37	45	3	2	7	-	-	2	2	3	-	2	9	1	24	56
-	35	85	11	-	22	-	-	4	1	5	2	1	3	1	16	57
-	9	25	4	-	4	-	-	-	9	-	-	1	12	6	39	58
-	19	49	2	-	4	-	-	3	1	3	1	1	1	3	7	59
-	17	44	2	-	7	1	1	2	1	2	-	1	4	1	13	60
-	29	70	11	1	25	1	-	2	4	3	-	3	13	2	15	61
-	6	25	17	-	7	-	-	1	5	2	-	6	11	1	27	62
2	496	2,071	280	17	297	14	73	113	99	63	65	4	6	-	10	63
1	417	1,798	250	16	251	13	62	102	77	56	63	128	246	71	677	64
-	36	108	11	-	15	1	8	3	10	1	1	98	211	45	590	65
1	43	165	19	1	31	3	5	8	12	6	1	7	14	7	40	66
-	104	338	45	3	67	2	9	23	7	8	1	23	21	19	47	67
-	53	172	21	2	37	2	7	12	5	2	-	27	32	10	126	68
-	53	174	21	2	37	-	7	12	5	2	-	11	18	5	63	69
-	20	67	6	-	21	1	-	3	1	4	1	11	18	5	64	70
-	31	99	18	1	28	-	2	8	1	2	-	6	10	3	19	71
-	29	137	13	-	19	-	3	6	6	5	1	10	4	2	44	72
-	26	110	4	-	17	-	2	6	2	2	-	4	15	10	42	73
-	18	29	3	-	8	-	2	2	9	2	1	2	16	1	32	74
-	18	41	14	-	18	-	2	3	6	5	1	4	3	2	15	75
-	36	101	10	1	28	-	3	4	5	1	2	5	9	1	25	76
-	28	78	13	1	14	1	3	3	2	7	-	1	19	1	25	77
-	12	37	2	1	7	-	2	2	1	-	3	1	18	6	34	78
-	27	67	8	3	5	-	1	1	-	2	2	1	6	3	18	79
-	28	83	6	1	19	-	1	2	1	7	7	-	4	-	17	80
-	29	81	9	1	7	-	1	1	2	3	3	1	8	2	30	81
-	13	35	11	-	2	-	1	1	1	1	1	-	5	20	19	82
-	19	80	10	-	23	-	1	2	2	2	-	1	3	11	13	83
-	7	27	6	2	12	-	2	1	2	1	1	1	1	5	39	84
-	4	16	2	-	3	-	1	2	2	2	-	4	4	8	11	85
-	41	144	8	1	23	-	2	4	2	1	1	1	2	-	6	86
-	28	107	6	-	19	2	-	4	1	2	-	1	7	9	27	87
-	13	37	2	1	4	-	-	1	1	3	6	1	5	2	18	88
-	10	32	3	-	8	-	-	1	2	3	3	1	2	7	9	89
-	9	43	5	-	11	-	1	1	1	-	1	1	1	2	4	90
-	24	55	20	2	20	-	1	5	6	9	2	5	4	1	21	91
-	25	56	6	-	4	-	1	2	2	-	-	7	14	2	28	92
-	20	52	3	-	12	-	1	3	3	4	4	1	1	2	17	93
-	11	50	6	1	26	-	2	2	2	3	1	7	7	2	16	94
-	20	27	3	1	4	-	2	2	3	1	5	8	6	3	18	95
-	31	70	32	10	18	1	6	10	12	3	5	8	4	2	19	96
													8	5	25	

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	MISSOURI—Continued															
1	Newton	260	-	-	-	-	-	9	1	-	-	-	-	31	1	5
2	Joplin (part)	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-
3	Balance of county	255	-	-	-	-	-	8	1	-	-	-	-	30	1	5
4	Nodaway	297	-	-	-	-	-	1	-	-	2	-	-	34	-	8
5	Oregon	100	-	-	-	-	-	4	-	-	-	-	-	19	1	1
6	Osage	115	-	-	-	-	-	2	-	-	-	-	-	12	-	1
7	Ozark	65	-	-	-	-	-	2	-	-	-	-	-	7	-	4
8	Pemiscot	390	-	-	-	3	2	22	3	-	3	-	-	48	2	5
9	Perry	127	-	-	-	-	-	1	-	-	-	-	-	18	-	4
10	Pettis	406	-	-	-	-	-	3	-	-	5	-	-	71	-	9
11	Sedalia	291	-	-	-	-	-	1	-	-	4	-	-	51	-	8
12	Balance of county	115	-	-	-	-	-	2	-	-	1	-	-	20	-	1
13	Phelps	204	-	-	-	1	-	1	-	-	-	1	-	30	-	5
14	Pike	251	-	-	-	-	-	4	-	-	1	-	-	34	-	3
15	Platte	146	1	-	-	-	-	2	-	-	-	-	1	20	-	1
16	Polk	180	-	-	-	-	-	2	-	-	-	-	1	21	-	2
17	Pulaski	98	-	-	-	-	-	3	-	-	-	-	-	14	-	1
18	Putnam	102	-	-	-	-	-	1	-	-	-	-	-	15	-	4
19	Ralls	88	1	-	-	-	-	2	-	-	-	-	-	15	-	3
20	Randolph	368	-	-	-	-	-	4	-	-	2	-	-	45	-	13
21	Moberly	228	-	-	-	-	-	2	-	-	2	-	-	26	-	11
22	Balance of county	140	-	-	-	-	-	2	-	-	-	-	-	19	-	2
23	Ray	198	-	-	-	3	-	2	-	1	-	-	-	34	-	3
24	Reynolds	67	-	-	-	-	-	1	-	-	-	1	-	5	-	2
25	Ripley	91	-	-	-	-	-	-	-	1	1	-	-	16	-	-
26	St. Charles	295	-	-	-	-	-	3	-	-	2	2	-	40	-	8
27	St. Charles	140	-	-	-	-	-	2	-	-	1	-	-	20	-	4
28	Balance of county	155	-	-	-	-	-	1	-	-	1	2	-	20	-	4
29	St. Clair	144	1	-	-	-	-	-	-	-	1	-	-	16	-	3
30	St. Francois	424	-	2	-	-	-	8	2	-	12	2	-	52	1	13
31	St. Louis	3,067	-	2	1	-	-	131	2	-	18	2	4	353	1	85
32	University City	265	-	-	-	-	-	1	-	-	1	-	-	55	-	12
33	Clayton	305	-	-	-	-	-	4	-	-	5	-	-	48	-	12
34	Kirkwood	173	-	-	-	-	-	5	-	-	1	-	-	33	-	6
35	Maplewood	109	-	-	-	-	-	1	-	-	-	-	-	20	-	2
36	Richmond Heights	135	-	-	-	-	-	4	-	-	2	-	-	32	-	7
37	Webster Groves	163	-	-	-	-	-	1	-	-	-	-	-	36	-	5
38	Balance of county	1,917	-	2	1	-	-	115	2	-	9	2	4	329	1	39
39	St. Louis (city)	10,364	2	6	-	3	4	248	4	-	130	2	6	1,694	8	275
40	Ste. Genevieve	91	-	-	-	-	-	1	-	-	-	-	-	11	-	1
41	Saline	375	-	-	-	-	-	9	-	-	-	-	-	51	-	1
42	Schuyler	71	-	-	-	-	-	-	-	-	-	-	-	7	-	1
43	Scotland	99	-	-	-	-	-	-	-	-	-	-	1	21	-	-
44	Scott	278	-	-	-	1	-	3	1	-	1	1	-	37	-	7
45	Shannon	55	-	-	-	-	-	2	-	-	-	-	-	4	-	1
46	Shelby	127	-	-	-	-	-	4	1	-	-	1	-	30	-	3
47	Stoddard	242	-	-	-	1	-	5	-	-	-	-	1	23	-	5
48	Stone	80	-	-	-	-	-	1	-	-	-	-	-	8	-	2
49	Sullivan	135	-	-	-	-	-	2	-	-	1	-	-	27	-	2
50	Taney	78	-	-	-	-	-	4	-	-	-	-	-	11	-	-
51	Texas	164	-	-	-	-	-	2	-	-	-	-	-	27	1	4
52	Vernon	463	-	-	-	1	-	11	-	-	16	-	-	41	1	9
53	Warren	98	-	-	-	-	-	1	-	-	1	-	-	13	-	4
54	Washington	145	-	-	-	-	-	1	-	-	1	2	-	7	-	5
55	Wayne	95	-	-	-	-	-	3	-	-	-	-	-	10	-	2
56	Webster	148	-	-	-	-	-	5	-	-	-	-	-	25	-	4
57	Worth	57	-	1	-	-	-	-	-	-	-	-	-	3	-	-
58	Wright	165	1	-	-	-	-	3	-	-	-	-	-	18	-	8
59	MONTANA	5,884	-	1	-	6	3	146	1	-	39	12	6	724	2	118
60	Beaverhead	97	-	-	-	-	-	3	-	-	-	-	-	10	-	1
61	Big Horn	96	-	-	-	-	-	7	-	-	1	1	-	8	-	1
62	Blaine	72	-	-	-	-	-	3	-	-	-	-	-	6	-	2
63	Broadwater	38	-	-	-	-	-	-	-	-	-	-	-	5	-	-
64	Carbon	105	-	-	-	-	-	1	-	-	2	1	-	13	-	1
65	Carter	22	-	-	-	-	-	-	-	-	-	-	-	3	-	1
66	Cascade	540	-	-	-	-	-	5	1	-	6	-	1	73	-	12
67	Great Falls	491	-	-	-	-	-	3	1	-	5	-	1	69	-	12
68	Balance of county	59	-	-	-	-	-	2	-	-	1	-	-	4	-	-
69	Chouteau	54	-	-	-	-	-	1	-	-	-	-	-	6	-	-
70	Custer	114	-	-	-	-	-	-	-	-	1	-	1	9	-	4
71	Daniels	33	-	-	-	-	-	-	-	-	-	2	-	1	-	-
72	Dawson	75	-	-	-	-	-	2	-	-	-	1	-	14	-	-
73	Deer Lodge	305	-	-	-	-	-	19	-	-	4	-	-	32	1	4
74	Anaconda	145	-	-	-	-	-	2	-	-	1	-	-	25	1	3
75	Balance of county	160	-	-	-	-	-	17	-	-	3	-	-	7	-	1
76	Fallon	26	-	-	-	-	-	-	-	-	-	-	-	6	-	1
77	Fergus	159	-	-	-	1	-	3	-	-	1	2	1	32	-	3
78	Flathead	293	-	-	-	1	-	4	-	-	1	-	-	50	-	3
79	Gallatin	172	-	-	-	-	-	2	-	-	1	-	-	22	-	7
80	Garfield	21	-	-	-	-	-	-	-	-	1	-	-	2	-	-
81	Glacier	106	-	-	-	2	-	15	-	-	-	-	-	9	-	3
82	Golden Valley	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Granite	27	-	-	-	-	-	1	-	-	-	-	1	2	-	-
84	Hill	131	-	-	-	-	-	1	-	-	-	-	-	15	1	1
85	Jefferson	34	-	-	-	-	-	3	-	-	1	-	-	4	-	1
86	Judith Basin	25	-	-	-	-	-	-	-	-	-	-	-	2	-	-
87	Lake	138	-	-	-	-	-	7	-	-	1	-	-	19	-	2
88	Lewis and Clark	276	-	-	-	-	1	6	-	-	3	-	-	34	-	4
89	Helena	202	-	-	-	-	1	5	-	-	3	-	-	23	-	4
90	Balance of county	74	-	-	-	-	-	1	-	-	-	-	-	11	-	-
91	Liberty	15	-	-	-	-	-	-	-	-	-	-	-	3	-	-
92	Lincoln	71	-	-	-	-	-	-	-	-	1	-	-	3	-	1
93	McCone	29	-	-	-	-	-	-	-	-	-	-	-	2	-	1
94	Madison	65	-	-	-	-	-	1	-	-	-	-	-	9	-	-
95	Meagher	24	-	-	-	-	-	-	-	-	-	-	-	2	-	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	29	80	12	-	18	-	3	5	4	6	-	7	18	6	25	1
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2
-	29	78	12	-	18	-	3	5	4	6	-	7	18	6	24	3
-	42	89	9	1	25	2	3	6	2	2	-	9	18	6	38	4
-	9	32	3	1	6	1	-	1	2	-	-	2	5	1	12	5
-	12	44	4	1	11	-	2	1	2	1	-	-	5	1	16	6
-	10	18	4	-	5	2	1	-	-	-	-	1	4	-	7	7
-	31	69	24	8	19	7	6	14	12	3	10	12	14	29	44	8
-	16	32	8	-	15	-	2	3	-	1	-	3	7	5	12	9
-	38	139	15	2	25	1	4	8	5	4	-	16	21	3	37	10
-	26	100	10	2	20	1	3	8	4	3	-	10	15	1	24	11
-	12	39	5	-	5	-	1	-	1	1	-	6	6	2	13	12
-	35	68	4	-	23	-	4	5	6	-	-	4	3	1	23	13
-	21	86	4	-	24	1	2	5	3	6	1	5	12	6	33	14
-	13	45	12	-	10	-	3	2	1	2	-	2	15	2	14	15
-	29	67	7	-	13	-	2	-	2	2	-	5	6	1	20	16
-	12	22	3	-	16	-	3	1	2	1	-	2	7	2	9	17
-	12	23	3	-	17	-	-	2	1	4	-	4	3	1	12	18
-	12	20	2	-	8	-	1	3	-	2	-	3	4	2	10	19
-	47	126	11	1	22	1	4	7	2	2	-	8	22	10	41	20
-	27	72	9	-	16	1	3	4	-	1	-	4	12	7	31	21
-	20	54	2	1	6	-	1	3	2	1	-	4	10	3	10	22
-	30	51	13	-	16	-	3	3	1	3	-	2	4	4	23	23
-	8	21	12	-	2	-	-	-	1	-	-	2	2	3	7	24
-	14	24	15	1	3	1	-	-	1	-	-	1	4	1	7	25
-	25	114	11	-	16	-	3	6	10	2	2	8	12	1	30	26
-	16	39	8	-	9	-	2	5	9	1	1	3	7	-	13	27
-	9	75	3	-	7	-	1	1	1	1	1	5	5	1	17	28
-	18	42	8	-	16	1	1	2	2	3	-	3	7	1	19	29
-	49	140	28	1	25	2	2	10	8	3	2	11	11	-	40	30
-	229	1,025	69	15	203	3	43	52	45	21	8	54	98	107	298	31
-	22	102	5	2	17	-	1	1	3	2	-	-	5	10	26	32
-	23	98	8	-	15	-	3	4	4	1	2	8	18	10	42	33
-	9	68	7	2	9	-	3	3	-	1	-	2	3	7	14	34
-	10	30	1	1	11	-	2	1	3	2	-	3	9	4	9	35
-	9	41	2	1	5	1	3	1	3	1	-	3	7	2	11	36
-	8	66	7	-	6	-	3	1	2	1	1	2	1	5	18	37
-	148	620	39	9	140	2	28	41	30	13	5	36	55	69	178	38
-	885	3,471	377	69	664	16	96	226	152	86	87	157	433	42	1,223	39
-	8	30	1	1	9	1	2	1	2	2	1	2	5	2	11	40
-	36	121	20	1	34	2	2	11	3	6	3	10	17	4	44	41
-	8	23	1	1	8	-	-	-	-	-	-	-	8	3	13	42
-	8	34	2	-	9	-	-	-	2	1	-	3	8	2	8	43
-	25	84	10	5	18	-	5	11	5	-	4	11	14	6	27	44
-	11	19	1	-	3	-	-	2	1	1	-	1	4	2	3	45
-	17	40	4	1	11	-	-	-	-	-	-	1	1	1	12	46
-	41	64	16	5	17	-	3	9	5	1	2	7	5	8	24	47
-	10	31	4	1	3	-	2	-	-	1	-	1	4	-	12	48
-	14	31	2	-	8	-	-	4	2	1	-	5	5	4	26	49
-	6	26	6	-	2	1	1	1	-	3	-	2	4	2	9	50
-	19	49	8	-	19	-	-	2	-	2	-	3	11	3	14	51
-	47	183	25	1	24	-	-	2	2	6	-	7	20	13	54	52
-	6	32	2	-	18	1	2	2	2	2	-	1	5	-	6	53
-	27	36	17	3	6	-	1	5	2	3	-	2	8	3	16	54
-	23	22	4	1	3	-	2	-	1	-	1	4	8	-	11	55
-	18	31	12	-	11	1	1	3	2	2	-	7	6	3	17	56
-	2	31	2	-	7	-	-	-	1	-	-	3	2	-	5	57
-	25	41	15	-	17	2	1	4	2	2	1	2	4	2	19	58
-	581	1,803	202	28	247	14	63	161	100	88	15	165	410	208	743	59
-	9	33	6	-	3	-	1	-	2	1	-	3	4	5	16	60
-	8	20	5	2	1	-	1	5	4	-	-	4	6	7	15	61
-	9	20	5	1	2	2	1	2	1	4	-	3	2	4	3	62
-	4	10	1	-	-	-	-	2	-	1	-	2	2	5	4	63
-	9	26	3	2	1	1	-	7	1	2	-	3	6	4	22	64
-	4	3	-	-	-	-	-	-	2	-	-	-	2	3	4	65
-	38	171	20	1	33	1	6	6	8	15	2	20	31	10	80	66
-	36	156	18	1	31	1	5	3	7	12	2	17	20	8	73	67
-	2	15	2	-	2	-	1	3	1	3	-	3	11	2	7	68
-	10	17	3	-	7	-	-	-	-	-	1	1	3	-	5	69
-	19	39	3	-	4	1	-	5	1	3	-	5	6	1	12	70
-	8	7	-	-	-	-	1	2	1	-	-	1	2	-	8	71
-	8	18	3	1	4	-	2	1	2	-	-	2	3	4	10	72
-	34	64	5	-	2	-	4	7	1	-	-	3	15	38	72	73
-	18	47	-	-	1	-	2	6	1	-	-	3	11	7	17	74
-	16	17	5	-	1	-	2	1	-	-	-	-	4	31	55	75
-	1	5	-	-	-	-	-	-	-	-	-	2	4	2	5	76
-	17	42	5	1	5	-	-	5	1	1	1	4	17	1	16	77
-	37	89	6	1	6	2	2	9	6	4	1	11	23	5	32	78
-	15	51	9	1	10	-	1	4	3	5	1	3	11	3	23	79
-	3	5	-	-	2	-	-	-	-	2	-	-	3	-	3	80
-	8	18	7	2	4	-	1	2	6	2	-	4	5	2	16	81
-	2	7	-	-	-	-	-	-	-	-	-	1	-	-	-	82
-	2	12	-	-	1	-	-	1	1	-	-	-	2	-	4	83
-	8	42	9	-	3	-	2	11	3	2	-	2	11	6	14	84
-	2	11	3	-	1	-	1	1	-	-	-	-	2	2	2	85
-	3	3	-	-	2	1	-	1	-	-	-	3	3	2	5	86
-	13	34	6	-	14	-	1	7	2	1	1	7	6	8	9	87
-	13	113	7	-	27	1	3	4	4	2	-	5	20	5	24	88
-	10	79	3	-	18	1	3	4	3	1	-	5	17	4	18	89
-	3	34	4	-	9	-	-	-	1	1	-	-	3	1	6	90
-	2	1	1	-	-	-	1	-	-	-	-	-	2	2	3	91
-	9	22	2	-	9	-	1	3	-	2	-	6	4	3	5	92
-	1	6	1	-	1	-	-	3	-	-	-	1	4	2	5	93
-	8	18	2	-	2	-	1	1	1	-	-	-	8	5	9	94
-	1	10	1	-	2	-	-	-	1	-	-	3	2	1	1	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY; AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
	MONTANA—Continued															
1	Mineral	19	-	-	-	-	-	-	-	-	-	-	-	1	-	2
2	Missoula	331	-	-	-	-	-	-	-	-	4	-	-	47	-	8
3	Missoula	289	-	-	-	-	-	-	-	-	3	-	-	42	-	8
4	Balance of county	42	-	-	-	-	-	-	-	-	1	-	-	5	-	-
5	Musselshell	55	-	-	-	-	-	-	-	-	-	-	-	3	-	1
6	Park	122	-	1	-	-	-	-	-	-	-	-	1	12	-	3
7	Petroleum	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Phillips	55	-	-	-	-	-	-	-	-	1	-	-	8	-	-
9	Pondera	49	-	-	-	-	-	4	-	-	-	-	-	2	-	-
10	Powder River	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-
11	Powell	80	-	-	-	-	-	-	-	-	1	-	-	8	-	4
12	Prairie	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1
13	Ravalli	126	-	-	-	-	-	2	-	-	-	-	-	15	-	4
14	Richland	75	-	-	-	-	-	2	-	-	1	-	-	10	-	1
15	Roosevelt	104	-	-	-	-	-	8	-	-	1	4	-	12	-	6
16	Rosebud	80	-	-	-	-	-	6	-	-	-	1	-	1	-	2
17	Sanders	73	-	-	-	-	-	2	-	-	-	-	-	5	-	3
18	Sheridan	80	-	-	-	1	-	1	-	-	-	-	-	5	-	1
19	Silver Bow	671	-	-	-	-	2	28	-	-	2	-	1	105	-	8
20	Butte	582	-	-	-	-	2	27	-	-	1	-	1	88	-	8
21	Balance of county	89	-	-	-	-	-	1	-	-	1	-	-	17	-	-
22	Stillwater	39	-	-	-	-	-	-	-	-	-	-	-	4	-	3
23	Sweet Grass	37	-	-	-	-	-	-	-	-	-	-	-	2	-	2
24	Teton	41	-	-	-	-	-	-	-	-	-	-	-	6	-	-
25	Toole	58	-	-	-	1	-	-	-	-	-	-	-	5	-	3
26	Treasure	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Valley	107	-	-	-	-	-	3	-	-	-	-	-	12	-	-
28	Wheatland	29	-	-	-	-	-	-	-	-	1	-	-	4	-	-
29	Wibaux	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-
30	Yellowstone	461	-	-	-	-	-	6	-	-	4	-	-	57	-	13
31	Billings	364	-	-	-	-	-	5	-	-	4	-	-	43	-	11
32	Balance of county	97	-	-	-	-	-	1	-	-	-	-	-	14	-	2
33	Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	NEBRASKA	12,615	1	4	1	7	2	167	1	-	68	12	28	1,941	3	382
35	Adams	360	-	-	1	-	-	3	-	-	5	-	-	41	-	15
36	Hastings	165	-	-	-	-	-	1	-	-	2	-	-	23	-	7
37	Balance of county	195	-	-	1	-	-	2	-	-	3	-	-	18	-	8
38	Antelope	105	-	-	-	-	-	-	-	-	-	3	-	11	-	4
39	Arthur	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	Banner	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Blaine	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Boone	102	-	-	-	-	-	1	-	-	-	1	-	14	-	2
43	Box Butte	118	-	-	-	-	-	1	-	-	-	-	-	19	-	2
44	Boyd	56	-	-	-	-	-	-	-	-	-	-	-	14	-	-
45	Brown	59	-	-	-	-	-	-	-	-	-	-	1	8	-	3
46	Buffalo	248	-	1	-	-	-	14	-	-	-	-	-	31	-	8
47	Burt	111	-	-	-	-	-	-	-	-	-	-	-	17	-	5
48	Butler	106	-	-	-	-	-	1	-	-	-	-	-	19	-	8
49	Cass	173	-	-	-	-	-	-	-	-	-	-	-	24	-	4
50	Cedar	118	-	-	-	-	-	2	-	-	-	-	-	16	-	4
51	Chase	39	1	-	-	-	-	1	-	-	-	-	-	7	-	3
52	Cherry	77	-	-	-	-	-	1	-	-	1	-	-	7	-	3
53	Cheyenne	72	-	-	-	-	-	-	-	-	-	-	-	10	-	1
54	Clay	117	-	-	-	-	-	-	-	-	1	-	1	18	-	6
55	Colfax	80	-	-	-	-	-	1	-	-	1	-	-	15	1	4
56	Cuming	112	-	-	-	-	-	-	-	-	-	-	1	18	-	1
57	Custer	178	-	-	-	1	-	2	-	-	-	-	-	20	-	7
58	Dakota	91	-	-	-	-	-	1	-	-	-	-	-	18	-	1
59	Dawes	123	-	-	-	-	-	1	-	-	1	-	-	19	-	6
60	Dawson	176	-	-	-	-	-	1	-	-	-	-	-	21	-	7
61	Deuel	22	-	-	-	-	-	-	-	-	-	-	-	4	-	-
62	Dixon	76	-	-	-	-	-	-	-	-	-	-	-	17	-	1
63	Dodge	251	-	-	-	-	-	1	-	-	1	-	-	38	-	8
64	Fremont	168	-	-	-	-	-	1	-	-	-	-	-	25	-	7
65	Balance of county	83	-	-	-	-	-	-	-	-	1	-	-	13	-	1
66	Douglas	2,730	-	1	-	-	1	48	-	-	24	5	14	468	-	72
67	Omaha	2,542	-	1	-	-	1	46	-	-	22	5	14	432	-	69
68	Balance of county	188	-	-	-	-	-	2	-	-	2	-	-	36	-	3
69	Dundy	44	-	-	-	-	-	-	-	-	-	-	-	5	-	3
70	Fillmore	94	-	-	-	-	-	-	-	-	-	-	-	15	-	4
71	Franklin	64	-	-	-	-	-	-	-	-	2	-	-	10	-	-
72	Frontier	58	-	-	-	-	-	-	-	-	-	-	-	11	-	-
73	Furnas	117	-	-	-	-	-	-	-	-	1	-	-	16	-	3
74	Gage	303	-	-	-	-	-	15	-	-	-	-	-	51	-	7
75	Beatrice	139	-	-	-	-	-	2	-	-	-	-	-	21	-	4
76	Balance of county	164	-	-	-	-	-	13	-	-	-	-	-	30	-	3
77	Garden	26	-	-	-	-	-	-	-	-	-	-	-	3	-	-
78	Garfield	32	-	-	-	-	-	-	-	-	1	-	-	3	-	2
79	Gosper	23	-	-	-	-	-	-	-	-	-	-	-	2	-	3
80	Grant	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-
81	Greeley	53	-	-	-	-	-	-	-	-	-	-	-	7	-	-
82	Hall	317	-	-	-	-	-	1	-	-	3	-	-	37	-	12
83	Grand Island	268	-	-	-	-	-	1	-	-	3	-	-	34	-	10
84	Balance of county	49	-	-	-	-	-	-	-	-	-	-	-	3	-	2
85	Hamilton	77	-	-	-	-	-	1	-	-	-	-	-	11	-	2
86	Harlan	69	-	-	-	-	-	1	-	-	-	-	-	14	-	4
87	Hayes	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1
88	Hitchcock	49	-	-	-	-	-	-	-	-	1	-	-	8	-	1
89	Holt	132	-	-	-	-	-	1	-	-	-	-	-	14	-	3
90	Hooker	7	-	-	-	-	-	-	-	-	-	-	-	3	-	-
91	Howard	69	-	-	-	-	-	-	-	-	-	1	-	8	-	3
92	Jefferson	136	-	-	-	-	-	-	-	-	-	-	-	27	-	1
93	Johnson	74	-	-	-	-	-	-	-	-	-	-	-	7	-	1
94	Kearney	78	-	-	-	-	-	2	-	-	-	-	2	13	-	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	4	4	-	-	2	-	-	-	-	-	-	-	2	1	3	1
-	35	103	8	1	22	1	8	10	3	4	-	8	19	5	45	2
-	32	90	8	-	21	1	8	8	2	2	-	8	13	4	41	3
-	3	13	2	1	1	-	-	2	1	2	-	-	6	1	4	4
-	11	19	3	-	1	-	1	-	-	2	-	2	9	-	3	5
-	9	52	2	1	8	-	-	2	-	3	-	2	8	-	20	6
-	-	4	-	-	-	-	-	-	-	-	-	1	-	-	2	7
-	7	15	2	-	2	-	1	-	1	3	1	3	7	-	4	8
-	7	15	3	-	2	-	-	-	2	1	-	3	5	1	4	9
-	4	5	-	-	-	-	-	-	1	2	-	-	2	1	3	10
-	13	25	4	1	2	-	-	-	1	1	-	1	4	7	8	11
-	-	8	1	-	-	-	-	-	-	1	-	1	1	-	2	12
-	13	46	5	-	1	-	-	4	2	-	-	4	10	6	14	13
-	6	19	5	2	3	-	-	4	1	1	-	4	4	2	10	14
-	8	31	3	1	2	-	2	1	2	-	2	-	11	1	11	15
-	2	20	4	-	1	-	-	-	1	1	-	4	7	6	4	16
-	14	17	3	-	-	1	3	3	1	2	-	1	8	1	9	17
-	2	15	3	-	3	-	2	1	-	-	-	4	6	1	15	18
-	48	240	9	1	34	1	4	16	9	9	4	7	48	14	81	19
-	41	203	8	1	30	1	4	16	8	8	4	5	40	10	76	20
-	7	37	1	-	4	-	-	-	1	1	-	2	8	4	5	21
-	9	14	1	-	-	-	-	-	-	1	-	-	1	-	6	22
-	11	9	-	-	-	-	1	-	1	1	-	2	6	-	2	23
-	4	10	1	-	2	-	1	1	-	1	-	-	2	5	8	24
-	8	10	1	1	3	-	2	-	2	1	-	2	11	2	6	25
-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	13	35	5	1	3	-	-	11	2	2	-	2	6	3	9	27
-	4	7	2	2	-	-	-	1	1	-	-	-	-	1	6	28
-	2	4	2	-	1	-	-	-	-	-	-	2	2	-	-	29
-	43	153	21	5	11	2	8	18	19	5	1	13	22	19	41	30
-	37	109	18	4	9	2	7	16	15	2	1	10	21	13	37	31
-	6	44	3	1	2	-	1	2	4	3	-	3	1	6	4	32
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
-	1,308	3,877	439	42	649	22	169	348	185	176	32	279	661	256	1,573	34
-	40	120	22	1	19	-	4	10	1	2	-	3	20	2	51	35
-	27	53	3	-	5	-	4	6	1	-	-	3	8	2	20	36
-	13	67	19	1	14	-	-	4	-	2	-	-	12	-	31	37
-	10	40	2	-	7	1	2	4	-	-	-	1	8	2	10	38
-	-	3	-	-	1	-	-	-	-	-	-	-	-	2	-	39
-	1	2	-	-	-	-	-	-	1	-	-	-	1	-	-	40
-	2	1	2	-	-	-	-	-	-	-	-	-	1	-	2	41
-	14	19	3	-	5	-	3	2	-	2	-	1	5	6	24	42
-	12	28	12	3	3	1	3	3	3	2	1	3	12	2	8	43
-	8	14	6	-	5	-	-	-	2	1	-	-	-	-	6	44
-	1	21	5	2	-	-	1	3	1	1	2	2	6	-	2	45
-	25	74	3	2	15	-	5	6	5	4	-	7	13	14	23	46
-	18	34	2	-	6	-	2	2	-	1	-	2	2	3	17	47
-	11	38	1	1	4	-	-	2	-	2	-	1	4	-	14	48
-	18	56	11	-	5	-	2	5	2	2	2	8	8	8	16	49
-	17	40	4	-	2	-	3	-	-	2	-	3	5	2	18	50
-	2	15	1	-	1	-	-	-	-	1	-	1	3	-	3	51
-	5	30	7	1	5	-	3	6	1	1	-	-	-	2	4	52
-	10	22	-	-	1	-	-	2	2	2	-	-	6	1	15	53
-	18	38	-	-	14	-	-	3	1	-	1	2	3	2	9	54
-	8	26	1	-	4	-	-	1	3	2	-	1	1	1	10	55
-	18	19	2	-	14	-	1	5	3	2	-	2	2	2	22	56
-	26	52	2	1	5	-	1	9	2	4	1	3	13	6	23	57
-	13	34	2	1	-	-	2	1	3	1	-	1	2	1	10	58
-	8	35	2	-	7	1	2	7	3	2	-	4	9	3	13	59
-	23	47	5	-	7	-	4	10	-	-	-	7	15	6	23	60
-	1	3	1	-	1	-	-	1	1	-	-	6	-	-	4	61
-	6	27	4	-	1	-	-	1	-	1	-	1	4	2	11	62
-	26	70	2	1	30	-	3	7	3	3	-	10	18	3	27	63
-	17	45	2	1	19	-	1	6	2	3	-	6	11	3	19	64
-	9	25	-	-	11	-	2	1	1	-	-	4	7	-	8	65
-	213	883	98	7	112	4	28	85	36	35	14	60	141	39	332	66
-	198	838	90	7	97	3	27	81	34	31	14	55	133	37	307	67
-	15	55	8	-	15	1	1	4	2	4	-	5	8	2	25	68
-	4	9	4	-	4	-	1	1	-	3	-	2	1	1	6	69
-	14	33	4	-	4	-	-	1	-	2	-	2	1	3	11	70
-	6	20	3	-	5	-	-	2	2	1	-	1	1	3	8	71
-	8	21	-	-	1	1	-	4	-	1	-	1	3	-	7	72
-	14	37	6	-	5	-	1	5	2	-	-	2	8	2	15	73
-	35	84	14	-	10	-	6	6	3	4	2	10	12	3	41	74
-	20	39	5	-	5	-	2	3	1	1	-	5	8	1	22	75
-	15	45	9	-	5	-	4	3	2	3	2	5	4	2	19	76
-	5	10	1	-	2	-	-	-	-	1	-	-	-	2	2	77
-	5	7	2	-	2	-	-	2	-	2	-	-	5	-	1	78
-	6	7	1	-	-	-	-	1	-	1	-	1	-	-	1	79
-	2	1	-	-	1	-	-	3	-	-	-	-	-	-	2	80
-	3	16	2	-	2	1	2	1	1	1	-	1	2	5	9	81
-	38	105	11	2	10	2	6	5	5	5	-	11	18	3	43	82
-	33	93	10	2	8	2	5	3	5	2	-	7	16	3	31	83
-	5	12	1	-	2	-	1	2	-	3	-	4	2	-	12	84
-	9	20	4	1	5	-	3	3	1	-	-	2	6	1	8	85
-	9	17	1	-	4	-	2	-	-	1	-	-	3	-	13	86
-	3	5	-	-	-	-	-	-	-	-	-	-	1	-	2	87
-	7	13	-	-	4	-	-	-	1	-	-	1	2	2	9	88
-	15	45	5	-	5	-	1	4	3	1	-	2	12	3	18	89
-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	90
-	7	18	4	1	-	-	1	1	2	2	-	-	5	5	11	91
-	14	41	4	-	9	-	1	2	3	2	-	3	7	2	20	92
-	14	25	2	-	2	-	-	5	-	1	-	1	5	-	13	93
-	8	24	2	-	9	-	1	-	1	1	-	1	2	3	8	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 56	Diabetes mellitus 61
	NEBRASKA—Continued															
1	Keith	58	-	-	-	-	-	-	-	-	-	-	-	9	-	1
2	Keya Paha	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Kimball	32	-	-	-	-	-	-	-	-	1	-	-	5	-	-
4	Knox	108	-	-	-	-	-	1	-	-	-	1	-	18	-	9
5	Lancaster	1,116	-	-	-	-	1	28	1	-	9	-	5	169	-	37
6	Lincoln	915	-	-	-	-	1	10	1	-	2	-	3	153	-	34
7	Balance of county	201	-	-	-	-	-	18	-	-	7	-	2	16	-	3
8	Lincoln	224	-	-	-	1	-	-	-	-	1	-	-	26	-	9
9	North Platte	143	-	-	-	-	-	-	-	-	-	-	-	19	-	5
10	Balance of county	81	-	-	-	1	-	-	-	-	1	-	-	7	-	4
11	Logan	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-
12	Loup	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2
13	McPherson	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1
14	Madison	324	-	-	-	1	-	6	-	-	3	-	-	37	-	7
15	Norfolk	147	-	-	-	1	-	1	-	-	1	-	-	16	-	5
16	Balance of county	177	-	-	-	-	-	5	-	-	2	-	-	21	-	2
17	Merrick	93	-	-	-	-	-	2	-	-	1	-	-	15	-	1
18	Morrill	65	-	-	-	-	-	1	-	-	-	-	-	8	-	4
19	Nance	57	-	-	-	-	-	-	-	-	-	-	-	12	-	1
20	Nemaha	111	-	-	-	-	-	1	-	-	-	-	-	25	1	2
21	Nuckolls	85	-	-	-	-	-	-	-	-	-	-	-	12	-	6
22	Otoe	180	-	-	-	-	-	1	-	-	-	-	-	37	-	4
23	Pawnee	84	-	-	-	-	-	1	-	-	-	-	-	14	-	1
24	Perkins	32	-	-	-	-	-	-	-	-	-	-	-	6	-	1
25	Phelps	95	-	-	-	-	-	-	-	-	-	-	-	19	-	3
26	Pierce	89	-	-	-	-	-	1	-	-	-	-	-	12	-	2
27	Platte	164	-	-	-	-	-	1	-	-	-	-	-	23	-	4
28	Polk	79	-	-	-	-	-	1	-	-	-	-	1	15	1	3
29	Red Willow	148	-	2	-	-	-	1	-	-	-	-	-	17	-	2
30	Richardson	171	-	-	-	-	-	3	-	-	-	-	-	26	-	4
31	Rock	23	-	-	-	-	-	-	-	-	1	-	-	2	-	-
32	Saline	142	-	-	-	1	-	-	-	-	-	-	1	25	-	7
33	Sarpy	78	-	-	-	-	-	-	-	-	-	-	-	15	-	1
34	Saunders	173	-	-	-	-	-	5	-	-	1	-	-	36	-	6
35	Scotts Bluff	244	-	-	-	1	-	1	-	-	2	1	1	43	-	9
36	Scottsbluff	127	-	-	-	-	-	1	-	-	2	1	1	25	-	7
37	Balance of county	117	-	-	-	1	-	-	-	-	-	-	-	18	-	2
38	Seward	136	-	-	-	-	-	-	-	-	-	-	-	28	-	2
39	Sheridan	72	-	-	-	-	-	-	-	-	2	-	-	10	-	3
40	Sherman	59	-	-	-	-	-	-	-	-	-	-	-	4	-	1
41	Sioux	21	-	-	-	-	-	1	-	-	1	-	-	4	-	-
42	Stanton	48	-	-	-	-	-	-	-	-	-	-	-	2	-	-
43	Thayer	103	-	-	-	-	-	-	-	-	1	-	1	12	-	2
44	Thomas	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1
45	Thurston	92	-	-	-	2	-	10	-	-	-	-	-	14	-	-
46	Valley	73	-	-	-	-	-	-	-	-	3	-	-	9	-	3
47	Washington	99	-	-	-	-	-	1	-	-	-	-	-	20	-	3
48	Wayne	83	-	-	-	-	-	1	-	-	-	-	-	8	-	5
49	Webster	93	-	-	-	-	-	-	-	-	-	-	-	18	-	6
50	Wheeler	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	York	139	-	-	-	-	-	-	-	-	-	-	-	22	-	5
52	NEVADA	1,624	-	1	-	-	-	72	1	-	15	-	2	190	1	25
53	Churchill	79	-	-	-	-	-	3	-	-	-	-	-	11	-	1
54	Clark	365	-	-	-	-	-	17	1	-	3	-	-	33	1	4
55	Douglas	29	-	-	-	-	-	2	-	-	-	-	-	2	-	-
56	Elko	113	-	-	-	-	-	10	-	-	-	-	-	12	-	1
57	Esmeralda	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-
58	Eureka	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-
59	Humboldt	62	-	-	-	-	-	1	-	-	-	-	-	4	-	2
60	Lander	21	-	-	-	-	-	1	-	-	-	-	-	1	-	-
61	Lincoln	30	-	-	-	-	-	1	-	-	-	-	1	5	-	1
62	Lyon	47	-	-	-	-	-	1	-	-	-	-	-	8	-	3
63	Mineral	47	-	-	-	-	-	2	-	-	-	-	-	4	-	-
64	Nye	65	-	-	-	-	-	8	-	-	-	-	-	5	-	-
65	Ormsby	36	-	-	-	-	-	1	-	-	-	-	-	7	-	-
66	Pershing	42	-	-	-	-	-	2	-	-	-	-	-	6	-	-
67	Storey	9	-	-	-	-	-	2	-	-	-	-	-	1	-	2
68	Washoe	547	-	1	-	-	-	14	-	-	9	-	1	70	-	9
69	Reno	437	-	1	-	-	-	13	-	-	2	-	1	60	-	7
70	Balance of county	110	-	-	-	-	-	1	-	-	7	-	-	10	-	2
71	White Pine	113	-	-	-	-	-	7	-	-	2	-	-	20	-	2
72	NEW HAMPSHIRE	6,172	-	2	-	3	-	72	-	-	47	2	1	964	1	174
73	Belknap	332	-	-	-	-	-	1	-	-	4	-	-	54	-	8
74	Laconia	189	-	-	-	-	-	-	-	-	2	-	-	31	-	6
75	Balance of county	143	-	-	-	-	-	1	-	-	2	-	-	23	-	2
76	Carroll	198	-	-	-	-	-	-	-	-	1	-	-	33	-	8
77	Cheshire	414	-	-	-	-	-	3	-	-	1	-	-	76	-	2
78	Keene	189	-	-	-	-	-	1	-	-	1	-	-	32	-	1
79	Balance of county	225	-	-	-	-	-	2	-	-	-	-	-	44	-	1
80	Coos	378	-	1	-	1	-	4	-	-	4	2	-	57	-	12
81	Berlin	170	-	-	-	-	-	2	-	-	2	-	-	32	-	9
82	Balance of county	208	-	1	-	1	-	2	-	-	2	2	-	25	-	3
83	Grafton	514	-	-	-	-	-	10	-	-	3	-	-	78	-	15
84	Hillsborough	1,746	-	-	-	2	-	21	-	-	7	-	-	280	-	46
85	Manchester	899	-	-	-	2	-	10	-	-	5	-	-	146	-	23
86	Nashua	410	-	-	-	-	-	8	-	-	1	-	-	70	-	12
87	Balance of county	437	-	-	-	-	-	3	-	-	1	-	-	64	-	11
88	Merrimack	1,011	-	1	-	-	-	16	-	-	18	-	-	118	-	28
89	Concord	657	-	-	-	-	-	9	-	-	16	-	-	59	-	19
90	Balance of county	354	-	1	-	-	-	7	-	-	2	-	-	59	-	9
91	Rockingham	794	-	-	-	-	-	9	-	-	6	-	-	136	-	30
92	Portsmouth	227	-	-	-	-	-	-	-	-	3	-	-	39	-	9
93	Balance of county	567	-	-	-	-	-	9	-	-	3	-	-	97	-	21

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-108,33	Diarrhea, enteritis, and ulceration of intestines 118,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	4	17	2	2	4	1	-	5	-	-	-	1	5	1	6	1
-	2	3	-	-	1	-	-	-	-	1	-	-	2	-	1	2
-	3	11	-	-	3	-	1	1	-	-	-	2	1	-	4	3
-	19	32	3	-	4	-	1	2	1	2	1	-	3	3	8	4
-	119	331	50	1	52	1	14	23	14	17	4	24	41	11	164	5
-	96	287	33	-	46	1	12	20	14	12	5	21	37	8	121	6
-	23	44	17	1	6	-	2	3	-	5	1	3	4	3	43	7
-	24	68	6	2	12	1	3	7	3	5	-	4	15	6	31	8
-	15	45	4	1	5	1	1	3	2	3	-	1	11	4	23	9
-	9	23	2	1	7	-	2	4	1	2	-	3	4	2	8	10
-	-	3	-	1	1	-	-	1	-	-	-	-	1	-	-	11
-	1	2	-	-	-	-	-	-	-	1	-	-	-	1	2	12
-	-	3	-	-	-	-	-	2	-	-	-	-	-	-	2	13
-	24	106	29	-	17	2	4	5	7	4	-	5	17	11	38	14
-	15	47	3	-	10	2	1	3	6	3	-	3	8	3	18	15
-	9	59	26	-	7	-	3	2	1	1	-	2	9	8	20	16
-	13	31	2	-	2	-	1	2	1	4	-	2	6	1	9	17
-	9	18	2	1	4	-	3	3	2	1	-	-	1	1	7	18
-	13	17	1	-	3	-	-	-	3	1	-	-	2	-	4	19
-	11	38	4	-	4	-	4	3	1	-	-	1	3	2	11	20
-	9	28	-	-	7	-	-	3	-	-	-	3	5	1	11	21
-	17	65	1	2	2	1	3	3	2	2	-	4	10	4	22	22
-	9	33	1	-	7	-	1	-	2	-	-	4	3	1	7	23
-	3	8	-	-	2	-	-	1	-	-	-	-	5	1	5	24
-	12	31	1	-	4	-	2	3	-	2	-	4	3	1	10	25
-	6	37	3	-	12	-	2	1	-	2	-	2	2	1	6	26
-	17	50	4	-	11	-	1	5	3	3	-	3	12	3	24	27
-	9	21	-	-	4	-	-	1	-	-	-	4	8	1	10	28
-	11	30	7	-	15	1	2	8	5	4	1	5	15	2	20	29
-	17	47	7	-	16	-	5	2	1	2	-	7	5	7	22	30
-	1	9	-	-	2	-	-	-	2	-	-	-	-	1	5	31
-	20	43	3	1	9	-	1	-	-	1	-	3	7	8	12	32
-	7	22	-	-	2	-	3	3	2	2	-	1	8	2	10	33
-	16	45	4	-	23	-	-	6	3	1	-	4	5	4	14	34
-	25	57	4	4	8	1	4	9	5	2	2	10	18	4	33	35
-	10	36	2	1	4	1	1	3	-	2	1	3	7	-	19	36
-	15	21	2	3	4	-	3	6	5	-	1	7	11	4	14	37
-	15	40	1	1	9	1	2	4	3	3	-	3	5	3	16	38
-	4	12	3	1	3	-	4	6	1	1	1	1	8	3	9	39
-	5	19	1	-	3	-	3	3	1	1	-	1	4	3	10	40
-	-	9	-	-	2	-	-	-	-	-	-	-	3	-	1	41
-	6	17	1	-	3	-	-	1	1	1	-	2	1	1	12	42
-	17	31	6	-	9	1	1	-	-	2	-	2	4	4	10	43
-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	44
-	4	24	6	1	1	-	4	2	1	1	-	4	4	4	10	45
-	11	19	1	1	4	-	2	1	1	2	-	-	3	3	10	46
-	8	32	2	-	6	-	-	1	2	3	-	-	7	3	11	47
-	8	28	2	-	9	-	1	1	-	2	-	1	1	3	13	48
-	11	25	4	-	8	-	1	5	-	1	-	-	3	4	7	49
-	-	9	1	-	-	-	-	1	-	-	-	-	2	-	2	50
-	17	44	6	-	3	1	2	3	1	-	-	1	16	2	16	51
1	105	465	78	2	64	6	25	60	30	44	19	77	114	37	190	52
-	5	14	3	-	5	-	1	5	1	1	1	9	5	7	7	53
-	15	101	10	-	11	5	4	19	12	13	6	24	23	8	53	54
-	4	10	2	-	-	-	-	-	-	-	1	2	1	1	4	55
-	8	19	3	1	6	-	1	7	1	6	4	6	12	2	14	56
-	-	5	-	-	-	-	-	-	-	-	-	-	2	1	1	57
-	1	2	-	-	1	-	-	-	-	-	1	-	2	1	2	58
-	1	14	7	-	4	-	1	3	2	1	1	3	5	3	10	59
-	1	9	2	-	1	-	-	-	-	-	-	-	4	-	3	60
-	-	6	1	-	3	-	2	2	1	-	-	1	1	1	4	61
1	9	9	3	-	1	-	2	-	-	1	-	2	2	-	5	62
-	1	13	6	-	1	-	-	1	-	1	-	6	3	3	6	63
-	5	21	3	-	1	-	-	1	-	2	-	3	6	4	6	64
-	5	12	2	-	-	1	1	-	1	-	-	1	1	-	4	65
-	3	10	3	-	1	-	1	2	1	3	-	1	2	-	7	66
-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	37	193	24	1	25	-	10	18	8	12	2	14	37	5	56	68
-	31	154	16	-	19	-	7	16	6	9	2	12	31	5	45	69
-	6	39	8	1	6	-	3	2	3	3	-	2	6	-	11	70
-	9	25	9	-	4	-	2	2	2	4	3	5	8	1	8	71
-	613	2,254	236	18	272	15	83	141	67	80	5	95	209	69	749	72
-	45	120	8	-	14	-	7	6	2	4	-	3	7	3	46	73
-	23	63	4	-	9	-	6	5	2	3	-	2	4	3	26	74
-	22	57	4	-	5	-	1	1	-	1	-	1	3	-	20	75
-	23	68	8	-	8	-	4	6	-	4	-	2	6	2	25	76
-	55	133	23	-	25	1	2	6	10	4	1	9	13	5	45	77
-	30	63	10	-	10	-	1	2	3	1	-	6	7	1	20	78
-	25	70	13	-	15	1	1	4	7	3	1	3	6	4	25	79
-	31	120	5	2	35	1	6	11	3	3	-	12	20	5	43	80
-	15	51	1	1	10	1	-	2	1	2	-	8	7	2	24	81
-	16	69	4	1	25	-	6	9	2	1	-	4	13	3	19	82
-	46	162	19	-	16	1	9	17	6	8	1	4	25	26	68	83
-	162	655	59	10	74	9	24	43	21	24	-	21	52	15	221	84
-	69	362	30	5	40	4	15	19	14	17	-	10	22	8	98	85
-	40	137	9	2	22	3	6	15	4	2	-	6	18	5	50	86
-	53	156	20	3	12	2	3	9	3	5	-	5	12	2	73	87
-	111	416	57	3	38	-	12	9	7	9	-	9	22	5	132	88
-	73	283	42	2	18	-	5	6	4	6	-	4	11	1	99	89
-	38	133	15	1	20	-	7	3	3	3	-	5	11	4	33	90
-	60	303	28	1	32	2	8	23	6	13	2	22	32	1	80	91
-	17	75	6	-	10	2	5	8	2	3	-	6	8	-	34	92
-	43	228	22	1	22	-	3	15	4	10	2	16	24	1	46	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	NEW HAMPSHIRE—Con.															
1	Strafford	518	-	-	-	-	-	3	-	-	1	-	-	91	-	19
2	Dover	211	-	-	-	-	-	3	-	-	-	-	-	35	-	6
3	Rochester	130	-	-	-	-	-	-	-	-	1	-	-	27	-	8
4	Balance of county	177	-	-	-	-	-	-	-	-	-	-	-	29	-	5
5	Sullivan	267	-	-	-	-	-	5	-	-	2	-	1	41	1	6
6	Claremont (town)	114	-	-	-	-	-	3	-	-	1	-	1	14	-	3
7	Balance of county	153	-	-	-	-	-	2	-	-	1	-	-	27	1	3
8	NEW JERSEY	48,076	7	22	2	6	4	1,393	4	1	341	18	42	7,716	31	1,566
9	Atlantic	1,751	-	1	1	-	-	39	-	-	22	1	5	239	1	57
10	Atlantic City	940	-	1	-	-	-	27	-	-	13	-	2	133	-	27
11	Pleasantville	131	-	-	-	-	-	5	-	-	-	-	1	16	-	7
12	Balance of county	680	-	-	1	-	-	7	-	-	9	1	2	90	1	23
13	Bergen	4,130	-	-	-	-	-	84	-	-	20	2	6	743	1	130
14	Garfield	180	-	-	-	-	-	4	-	-	-	-	1	27	-	8
15	Hackensack	328	-	-	-	-	-	9	-	-	3	-	-	59	-	7
16	Teaneck (twp.)[2]	256	-	-	-	-	-	3	-	-	-	-	-	58	-	4
17	Bergenfield	104	-	-	-	-	-	2	-	-	-	-	-	17	-	4
18	Cliffside Park	126	-	-	-	-	-	4	-	-	3	-	-	21	-	8
19	Englewood	233	-	-	-	-	-	4	-	-	2	-	1	38	-	6
20	Lodi	97	-	-	-	-	-	3	-	-	1	-	-	17	-	4
21	Lyndhurst (twp.)[2]	138	-	-	-	-	-	5	-	-	1	-	-	27	-	4
22	Ridgefield Park	104	-	-	-	-	-	-	-	-	1	-	-	14	-	4
23	Ridgewood	149	-	-	-	-	-	1	-	-	-	-	-	30	-	4
24	Rutherford	159	-	-	-	-	-	1	-	-	1	-	-	40	-	2
25	Balance of county	2,256	-	-	-	-	-	48	-	-	8	2	4	395	1	75
26	Burlington	1,204	-	2	-	-	-	33	-	-	10	-	2	176	-	29
27	Burlington	182	-	1	-	-	-	4	-	-	-	-	-	29	-	5
28	Balance of county	1,042	-	1	-	-	-	29	-	-	10	-	2	147	-	24
29	Camden	2,954	1	3	-	1	1	97	-	-	18	1	6	463	4	88
30	Camden	1,305	-	2	-	-	-	40	-	-	9	1	2	201	1	44
31	Collingswood	173	-	-	-	-	-	3	-	-	1	-	-	32	1	5
32	Gloucester City	134	-	-	-	-	-	1	-	-	1	-	-	26	-	2
33	Pennsauken (twp.)[2]	162	-	-	-	-	1	2	-	-	1	-	1	17	-	2
34	Balance of county	1,180	1	1	-	1	-	51	-	-	6	-	3	187	2	35
35	Cape May	562	-	-	-	-	-	13	-	1	5	1	2	76	-	15
36	Cumberland	1,015	-	1	-	1	-	23	-	-	8	-	2	157	-	31
37	Bridgeton	213	-	-	-	-	-	5	-	-	1	-	-	34	-	11
38	Millville	217	-	-	-	-	-	1	-	-	1	-	1	32	-	4
39	Balance of county	585	-	1	-	1	-	17	-	-	6	-	1	91	-	16
40	Essex	9,224	2	2	-	-	-	334	-	-	50	3	7	1,534	4	330
41	Newark	4,816	1	2	-	-	-	211	-	-	18	1	1	770	3	196
42	Belleville	245	-	-	-	-	-	6	-	-	-	-	3	34	-	7
43	Bloomfield	411	-	-	-	-	-	2	-	-	1	-	1	81	-	13
44	East Orange	799	-	-	-	-	-	20	-	-	4	-	1	166	-	23
45	Irvington	529	-	-	-	-	-	6	-	-	2	-	-	100	1	12
46	Montclair	417	-	-	-	-	-	6	-	-	-	1	-	91	-	16
47	Orange	452	1	-	-	-	-	11	-	-	4	-	-	65	-	20
48	West Orange	209	-	-	-	-	-	2	-	-	1	-	-	29	-	8
49	Maplewood (twp.)[2]	193	-	-	-	-	-	1	-	-	-	-	-	29	-	5
50	Millburn (twp.)[2]	92	-	-	-	-	-	1	-	-	1	-	1	22	-	4
51	Nutley	180	-	-	-	-	-	3	-	-	-	-	-	22	-	3
52	South Orange	140	-	-	-	-	-	3	-	-	1	-	-	26	-	3
53	Balance of county	741	-	-	-	-	-	62	-	-	18	1	-	99	-	20
54	Gloucester	893	1	-	-	1	-	7	-	-	4	-	4	133	-	31
55	Hudson	7,006	1	4	1	-	1	256	1	-	39	1	1	1,180	9	216
56	Jersey City	3,239	-	1	-	-	-	136	1	-	19	-	1	554	6	92
57	Bayonne	657	-	1	-	-	-	17	-	-	1	-	-	120	1	23
58	Hoboken	656	1	1	-	-	1	38	-	-	3	-	-	99	1	21
59	Kearny	357	-	-	1	-	-	7	-	-	1	1	-	62	-	8
60	North Bergen (twp.)[2]	352	-	-	-	-	-	6	-	-	2	-	-	61	-	8
61	Union City	561	-	1	-	-	-	11	-	-	2	-	-	106	-	19
62	West New York	345	-	-	-	-	-	6	-	-	2	-	-	56	1	16
63	Harrison	148	-	-	-	-	-	6	-	-	-	-	-	21	-	8
64	Weehawken (twp.)[2]	188	-	-	-	-	-	3	-	-	-	-	-	27	-	4
65	Balance of county	503	-	-	-	-	-	26	-	-	9	-	-	54	-	17
66	Hunterdon	488	-	1	-	-	-	14	-	-	1	-	-	73	-	16
67	Mercer	2,475	1	3	-	-	1	115	-	-	30	1	2	351	3	81
68	Trenton	1,561	-	2	-	-	1	56	-	-	23	-	2	218	1	54
69	Balance of county	914	1	1	-	-	-	59	-	-	7	1	-	133	2	27
70	Middlesex	2,173	-	1	-	-	-	36	-	-	9	-	2	365	-	71
71	New Brunswick	383	-	-	-	-	-	4	-	-	4	-	-	67	-	9
72	Perth Amboy	416	-	-	-	-	-	7	-	-	1	-	-	66	-	23
73	Woodbridge (twp.)[2]	274	-	-	-	-	-	4	-	-	1	-	1	51	-	5
74	Carteret	90	-	1	-	-	-	-	-	-	-	-	-	16	-	2
75	South River	90	-	-	-	-	-	3	-	-	-	-	-	18	-	2
76	Balance of county	920	-	-	-	-	-	18	-	-	3	-	1	147	-	30
77	Monmouth	2,697	-	2	-	2	1	68	1	-	30	-	-	385	2	68
78	Asbury Park	239	-	-	-	-	-	10	-	-	1	-	-	32	-	8
79	Long Branch	241	-	1	-	-	-	3	-	-	1	-	-	33	-	8
80	Neptune (twp.)[2]	179	-	-	-	-	-	4	-	-	2	-	-	32	-	3
81	Red Bank	192	-	-	-	-	-	4	-	-	-	-	-	27	-	4
82	Balance of county	1,846	-	1	-	2	1	47	1	-	26	-	-	281	2	45
83	Morris	1,993	-	-	-	-	-	96	-	-	48	2	1	236	-	62
84	Dover	143	-	-	-	-	-	4	-	-	2	1	-	17	-	7
85	Morristown	208	-	-	-	-	-	3	-	-	1	-	-	31	-	3
86	Balance of county	1,642	-	-	-	-	-	89	-	-	45	1	1	190	-	52
87	Ocean	613	-	-	-	-	-	12	-	-	2	1	-	91	-	17
88	Passaic	3,243	-	-	-	1	-	70	2	-	16	3	-	569	-	133
89	Patterson	1,551	-	-	-	-	-	30	2	-	8	1	-	268	-	66
90	Clifton	386	-	-	-	-	-	4	-	-	3	-	-	75	-	9
91	Passaic	594	-	-	-	-	-	11	-	-	5	-	-	111	-	28
92	Hawthorne	110	-	-	-	-	-	4	-	-	1	1	-	16	-	4
93	Balance of county	602	-	-	-	1	-	21	-	-	1	1	-	99	-	26

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	54	178	15	2	22	1	8	13	10	8	1	7	22	4	59	1
-	20	71	8	-	7	1	3	4	7	3	1	4	7	3	28	2
-	16	43	-	2	4	-	1	4	2	1	-	2	7	1	11	3
-	18	64	7	-	11	-	4	5	1	4	-	1	8	-	20	4
-	26	99	14	-	8	-	3	7	2	3	-	6	10	3	30	5
-	12	42	7	-	6	-	3	2	1	1	-	4	4	2	8	6
-	14	57	7	-	2	-	-	5	1	2	-	2	6	1	22	7
1	4,065	17,613	1,339	89	2,554	74	547	1,016	570	597	123	616	1,783	231	5,705	8
-	153	627	60	6	193	-	16	19	14	15	4	28	59	6	185	9
-	79	319	42	5	101	-	11	11	9	6	3	9	31	4	107	10
-	9	49	5	-	16	-	1	2	1	1	-	-	2	-	14	11
-	65	259	13	1	74	-	4	6	4	8	1	19	26	2	64	12
-	363	1,489	121	3	177	10	51	95	50	42	5	47	154	17	510	13
-	18	54	5	-	8	-	5	8	5	4	-	1	4	2	26	14
-	26	111	13	-	18	2	2	9	7	1	2	5	12	2	40	15
-	18	99	6	-	10	-	5	9	3	-	-	2	10	1	28	16
-	9	46	5	-	3	-	-	3	-	-	-	2	4	-	9	17
-	8	50	4	-	2	-	2	1	1	3	-	2	3	-	16	18
-	11	98	5	1	5	2	2	5	1	4	-	4	14	-	30	19
-	7	30	3	-	7	-	3	-	2	1	-	1	2	-	16	20
-	16	48	5	-	6	-	-	2	3	2	-	-	7	-	12	21
-	10	43	5	-	3	-	2	-	1	1	-	1	2	-	18	22
-	24	53	3	-	8	-	-	3	1	1	-	-	6	1	14	23
-	14	62	-	-	9	-	1	4	-	2	-	1	8	-	14	24
-	202	805	67	2	98	6	31	51	26	24	3	28	82	11	287	25
-	106	437	28	3	73	-	18	23	18	18	1	14	48	11	153	26
-	15	57	3	-	14	-	2	3	2	-	-	1	8	3	15	27
-	91	380	25	3	59	-	17	20	16	16	1	13	40	8	138	28
-	252	1,052	89	7	210	3	38	47	55	31	4	40	102	11	329	29
-	100	443	52	5	101	2	16	26	28	15	3	14	54	5	141	30
-	13	76	4	-	9	-	2	3	3	-	-	-	6	-	15	31
-	12	53	2	-	15	1	-	1	-	-	-	4	1	-	14	32
-	15	66	7	-	20	-	1	2	-	5	-	4	2	1	15	33
-	112	414	24	2	67	-	20	15	21	11	1	18	39	5	144	34
-	48	224	16	-	32	-	3	9	7	7	2	8	12	12	69	35
-	85	351	30	2	91	1	15	25	11	8	5	18	36	7	97	36
-	11	68	5	1	27	1	4	5	4	4	1	5	5	-	21	37
-	25	80	9	-	21	-	2	6	1	1	1	3	8	1	20	38
-	59	203	16	1	43	-	9	14	6	3	3	10	23	6	56	39
1	748	3,383	198	19	531	15	101	231	116	113	35	69	344	25	1,011	40
-	393	1,699	104	11	256	6	53	155	63	52	30	40	195	16	540	41
-	16	95	2	-	22	1	2	4	1	4	-	2	12	-	34	42
-	33	146	7	-	38	1	8	9	5	6	-	5	16	1	38	43
-	61	305	17	3	44	2	2	22	9	11	1	8	19	2	79	44
-	39	213	9	1	26	-	5	8	5	11	1	10	16	2	62	45
-	38	145	8	1	26	1	8	7	3	5	-	2	17	1	41	46
-	44	173	11	1	24	2	2	11	6	4	2	3	20	-	49	47
-	26	83	3	-	9	-	4	4	4	5	-	3	9	-	19	48
-	18	77	1	-	20	-	2	2	4	4	-	4	3	1	24	49
-	5	29	2	-	5	-	1	1	2	1	-	2	6	-	11	50
-	15	70	6	-	9	-	1	3	1	3	-	3	3	-	27	51
-	13	44	2	1	14	-	1	3	1	2	-	2	5	-	20	52
1	47	304	26	1	38	-	3	8	6	5	1	5	23	2	68	53
-	85	305	25	4	92	-	11	7	17	12	5	23	29	1	87	54
-	527	2,870	220	12	261	11	74	116	70	70	6	68	275	14	722	55
-	247	1,270	109	9	120	8	41	62	33	29	3	29	129	5	335	56
-	63	259	13	-	32	1	7	18	8	3	-	7	25	-	58	57
-	40	272	25	1	17	-	2	11	9	6	-	6	34	1	67	58
-	23	139	11	1	15	-	8	6	3	8	1	1	11	2	48	59
-	37	149	11	-	7	-	3	5	3	4	1	5	16	1	32	60
-	44	225	24	-	19	1	8	3	3	9	-	6	22	2	56	61
-	24	143	12	-	9	-	1	5	7	2	1	3	9	2	46	62
-	9	60	3	1	10	-	2	2	2	1	-	4	7	-	12	63
-	16	88	3	-	14	-	1	2	1	4	-	3	6	-	18	64
-	24	267	9	-	18	-	11	7	1	4	-	4	16	1	50	65
-	42	173	18	3	25	-	30	51	8	6	-	9	21	4	55	66
-	213	808	105	4	106	3	19	32	19	28	9	41	87	24	361	67
-	137	499	79	2	63	3	11	19	13	19	6	22	56	21	233	68
-	76	309	24	2	43	-	23	62	6	9	3	19	31	3	128	69
-	188	769	45	4	105	4	5	11	32	35	10	36	102	9	265	70
-	26	119	6	2	22	2	6	8	7	6	1	7	24	-	61	71
-	31	136	9	1	35	-	1	10	9	7	2	4	15	1	55	72
-	20	111	3	-	17	1	1	-	1	9	1	4	6	-	29	73
-	10	34	2	-	4	-	3	3	1	1	-	1	3	-	9	74
-	11	33	2	-	-	-	2	-	4	1	-	1	2	-	10	75
-	90	336	23	1	27	1	6	33	8	11	6	18	52	6	101	76
-	190	1,067	62	5	184	3	31	50	24	39	7	38	100	35	303	77
-	19	91	4	1	9	-	4	11	1	5	1	2	14	4	22	78
-	23	93	6	-	13	-	1	4	3	6	1	3	10	5	27	79
-	24	63	3	-	9	-	3	2	-	4	1	3	8	1	16	80
-	13	85	7	1	7	-	1	5	2	4	-	1	10	-	21	81
-	111	735	42	3	146	3	22	28	18	20	4	29	57	25	217	82
-	138	689	49	3	98	3	15	46	23	30	1	22	75	9	345	83
-	10	52	7	-	6	-	1	5	3	2	-	1	7	1	17	84
-	18	72	6	-	19	-	1	5	3	4	-	3	7	1	31	85
-	110	585	36	3	73	3	13	56	17	24	1	18	61	7	297	86
-	51	274	8	1	16	1	2	7	7	14	-	12	20	2	75	87
-	320	1,073	95	-	134	1	42	70	36	53	8	34	98	12	463	88
-	156	537	50	-	73	1	16	27	13	27	6	17	45	6	202	89
-	35	141	10	-	14	1	9	8	5	5	-	5	9	1	52	90
-	69	172	18	-	16	1	5	14	8	10	-	6	19	1	98	91
-	6	38	3	-	9	1	3	4	2	1	-	1	4	1	10	92
-	54	184	14	-	22	3	9	17	8	10	2	5	21	3	101	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	NEW JERSEY—Continued															
1	Salem	474	1	-	-	-	-	8	-	-	-	-	1	79	1	19
2	Somerset	913	-	-	-	-	-	21	-	-	12	-	-	133	2	32
3	North Plainfield	100	-	-	-	-	-	2	-	-	-	-	-	22	-	1
4	Balance of county	813	-	-	-	-	-	19	-	-	12	-	-	111	2	31
5	Sussex	361	-	-	-	-	-	6	-	-	2	1	-	60	-	9
6	Union	3,253	-	1	-	-	-	55	-	-	11	1	1	595	4	109
7	Elizabeth	1,161	-	1	-	-	-	23	-	-	4	-	-	197	1	45
8	Plainfield	462	-	-	-	-	-	3	-	-	3	-	1	101	-	17
9	Cranford (twp.)[2]	119	-	-	-	-	-	2	-	-	-	-	-	19	-	4
10	Hillside (twp.)[2]	110	-	-	-	-	-	1	-	-	-	-	-	17	1	1
11	Linden	166	-	-	-	-	-	4	-	-	-	-	-	34	-	5
12	Rahway	231	-	-	-	-	-	-	-	-	1	-	-	39	-	7
13	Roselle	101	-	-	-	-	-	4	-	-	-	-	-	21	-	4
14	Summit	191	-	-	-	-	-	-	-	-	-	-	-	31	-	7
15	Union (twp.)[2]	256	-	-	-	-	-	3	-	-	1	-	-	58	1	6
16	Westfield	147	-	-	-	-	-	-	-	-	1	-	-	27	-	6
17	Balance of county	329	-	-	-	-	-	15	-	-	1	1	-	51	1	8
18	Warren	654	-	1	-	-	-	6	-	-	2	-	-	96	-	23
19	Phillipsburg	233	-	-	-	-	-	3	-	-	-	-	-	25	-	11
20	Balance of county	421	-	1	-	-	-	3	-	-	2	-	-	71	-	12
21	NEW MEXICO	5,609	5	2	-	43	9	303	39	-	63	9	9	445	10	55
22	Bernalillo	946	1	-	-	6	1	76	3	-	12	-	3	81	1	14
23	Albuquerque	514	-	-	-	-	-	50	-	-	6	-	2	44	-	10
24	Balance of county	432	1	-	-	6	1	26	3	-	6	-	1	37	1	4
25	Catron	24	-	-	-	-	-	-	-	-	-	-	-	1	-	-
26	Chaves	248	-	-	-	1	1	4	4	-	2	-	1	27	-	5
27	Roswell	178	-	-	-	1	1	4	1	-	2	-	-	22	-	4
28	Balance of county	70	-	-	-	-	-	-	3	-	-	-	1	5	-	1
29	Colfax	180	1	-	-	1	2	4	-	-	2	3	-	20	-	1
30	Curry	184	-	-	-	-	-	6	3	-	2	-	-	26	-	-
31	Clovis	141	-	-	-	-	-	3	3	-	2	-	-	17	-	-
32	Balance of county	43	-	-	-	-	-	3	-	-	-	-	-	9	-	-
33	De Baca	25	-	1	-	-	-	-	-	-	-	-	-	1	-	-
34	Dona Ana	303	-	-	-	-	-	16	3	-	3	-	-	17	-	1
35	Eddy	296	-	-	-	-	-	8	5	-	1	2	1	26	-	4
36	Grant	200	-	-	-	5	-	19	-	-	2	-	-	19	2	2
37	Guadalupe	74	-	-	-	1	-	3	-	-	-	-	-	5	-	-
38	Harding	30	-	-	-	-	-	2	-	-	-	-	-	4	-	-
39	Hidalgo	44	-	-	-	-	-	3	-	-	1	-	-	6	-	-
40	Lea	146	-	-	-	-	-	5	-	-	3	-	-	13	-	1
41	Hobbs	83	-	-	-	-	-	5	-	-	3	-	-	3	-	-
42	Balance of county	63	-	-	-	-	-	-	-	-	-	-	-	10	-	1
43	Lincoln	70	-	-	-	-	-	6	-	-	1	-	-	7	2	-
44	Luna	82	-	-	-	1	-	3	-	-	-	-	-	11	-	1
45	McKinley	313	-	-	-	7	1	42	2	-	10	1	2	7	-	1
46	Mora	107	-	-	-	-	-	8	-	-	-	-	-	7	-	2
47	Otero	119	-	-	-	-	1	1	1	-	-	-	-	6	-	1
48	Quay	131	-	-	-	1	-	2	3	-	-	-	-	15	-	2
49	Rio Arriba	246	1	-	-	2	1	7	5	-	3	-	-	10	2	2
50	Roosevelt	104	-	-	-	-	-	5	-	-	-	-	-	12	-	-
51	Sandoval	137	-	-	-	-	-	3	-	-	1	-	-	6	1	1
52	San Juan	206	2	-	-	15	-	24	-	-	5	3	-	7	-	2
53	San Miguel	339	-	-	-	-	-	26	3	-	8	-	-	29	2	3
54	Santa Fe	330	-	-	-	-	2	13	3	-	4	-	2	27	-	6
55	Santa Fe	245	-	-	-	-	2	10	2	-	4	-	1	20	-	6
56	Balance of county	85	-	-	-	-	-	3	1	-	-	-	1	7	-	-
57	Sierra	84	-	-	-	-	-	3	-	-	1	-	-	10	-	1
58	Socorro	98	-	-	-	-	-	6	-	-	1	-	-	5	-	2
59	Taos	176	-	-	-	-	-	4	3	-	-	-	-	11	-	-
60	Torrance	74	-	-	-	-	-	2	-	-	-	-	-	4	-	1
61	Union	76	-	-	-	-	-	-	-	-	-	-	-	9	-	1
62	Valencia	217	-	1	-	3	-	2	1	-	1	-	-	16	-	1
63	NEW YORK	158,242	5	61	2	31	10	5,128	16	1	1,189	48	53	25,528	82	6,233
64	Albany	2,948	-	-	-	-	-	85	1	-	14	-	-	421	-	92
65	Albany	1,795	-	-	-	-	-	68	1	-	10	-	-	268	-	55
66	Cohoes	241	-	-	-	-	-	3	-	-	1	-	-	34	-	13
67	Watervliet	171	-	-	-	-	-	2	-	-	-	-	-	24	-	7
68	Balance of county	741	-	-	-	-	-	12	-	-	3	-	-	95	-	17
69	Allegany	480	-	-	-	-	-	3	-	-	1	-	-	49	-	16
70	Broome	1,954	-	2	1	-	-	58	3	-	14	-	1	258	2	57
71	Binghamton	1,117	-	2	-	-	-	38	3	-	11	-	1	143	-	36
72	Endicott	148	-	-	-	-	-	1	-	-	-	-	-	24	-	5
73	Johnson City	186	-	-	-	-	-	7	-	-	1	-	-	29	-	3
74	Balance of county	503	-	-	1	-	-	12	-	-	2	-	-	62	2	13
75	Cattaraugus	871	-	-	-	2	-	30	-	-	3	-	-	112	2	25
76	Olean	256	-	-	-	-	-	1	-	-	1	-	-	40	-	6
77	Balance of county	615	-	-	-	2	-	29	-	-	2	-	-	72	2	19
78	Cayuga	768	-	-	-	-	-	8	-	-	3	-	-	128	-	33
79	Auburn	445	-	-	-	-	-	4	-	-	1	-	-	74	-	21
80	Balance of county	343	-	-	-	-	-	4	-	-	2	-	-	54	-	12
81	Chautauqua	1,459	-	-	-	-	1	19	-	-	2	-	-	177	-	52
82	Jamestown	521	-	-	-	-	-	4	-	-	2	-	-	65	-	17
83	Dunkirk	186	-	-	-	-	1	4	-	-	-	-	-	23	-	9
84	Balance of county	752	-	-	-	-	-	11	-	-	-	-	-	89	-	26
85	Chemung	929	1	-	-	-	-	14	-	-	5	-	-	133	-	38
86	Elmira	649	-	-	-	-	-	11	-	-	5	-	-	98	-	32
87	Balance of county	280	1	-	-	-	-	3	-	-	-	-	-	35	-	6
88	Chenango	481	-	1	-	-	-	3	-	-	1	-	-	60	1	19
89	Clinton	563	-	-	-	-	-	14	-	-	11	-	-	92	1	19
90	Plattsburgh	185	-	-	-	-	-	2	-	-	2	-	-	42	-	11
91	Balance of county	378	-	-	-	-	-	12	-	-	9	-	-	50	1	8

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 118,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	52	153	13	3	22	-	5	14	9	9	6	12	20	3	44	1
-	84	292	42	2	50	-	7	25	15	20	1	13	28	6	130	2
-	8	37	4	-	8	-	-	2	2	1	-	1	1	-	11	3
-	76	255	38	2	42	-	7	21	13	19	1	12	27	6	119	4
-	45	114	5	-	16	1	5	11	6	6	1	11	17	4	41	5
-	307	1,195	93	4	115	7	39	79	31	33	11	35	133	17	378	6
-	116	439	46	2	29	2	9	25	14	4	3	13	55	5	128	7
-	51	143	8	2	25	-	4	11	2	3	4	6	22	1	55	8
-	9	58	1	-	5	1	1	3	-	2	-	-	5	-	9	9
-	11	50	1	-	7	-	3	1	-	1	-	2	2	2	10	10
-	12	54	5	-	9	1	2	5	3	1	2	-	4	3	23	11
-	22	87	7	-	7	1	5	6	1	3	-	3	6	3	33	12
-	9	32	3	-	2	-	1	5	2	1	-	4	4	1	8	13
-	21	77	5	-	6	1	1	3	1	5	1	2	6	-	24	14
-	15	87	5	-	3	1	4	5	4	4	-	1	13	-	25	15
-	15	53	3	-	7	-	2	4	-	4	-	2	2	1	20	16
-	26	115	9	-	15	-	7	11	4	6	1	2	14	1	43	17
-	60	258	19	4	23	-	12	14	2	8	2	18	23	2	81	18
-	21	94	8	1	12	-	5	5	1	2	1	8	8	1	27	19
-	39	164	11	3	11	-	7	9	1	6	1	10	15	1	54	20
4	273	921	400	282	204	49	110	319	171	46	43	226	317	654	598	21
-	55	173	50	52	44	5	21	49	31	11	3	30	45	71	108	22
-	37	102	26	29	22	2	8	25	16	8	3	15	24	24	61	23
-	18	71	24	23	22	3	13	24	15	3	-	15	21	47	47	24
-	1	2	2	-	-	2	1	-	-	-	-	4	4	2	5	25
-	15	58	19	7	11	5	1	21	5	4	1	12	21	3	20	26
-	11	49	10	3	7	3	1	19	5	3	1	8	9	3	11	27
-	4	9	9	4	4	2	-	2	-	1	-	4	12	-	9	28
-	14	34	13	6	8	2	2	9	9	1	-	5	11	9	23	29
-	18	36	9	6	10	1	10	7	9	-	1	7	8	5	20	30
-	16	28	7	5	6	1	10	6	9	-	1	3	6	4	14	31
-	2	8	2	1	4	-	-	1	-	-	-	4	2	1	6	32
-	2	5	1	1	1	-	1	5	-	-	-	1	1	2	3	33
1	19	41	30	28	23	3	1	16	11	2	3	12	13	26	35	34
1	10	64	23	22	1	1	3	22	11	1	4	17	16	17	36	35
-	10	32	14	11	7	1	2	12	3	5	2	9	11	9	23	36
-	1	12	6	2	1	3	3	4	1	1	1	1	5	16	8	37
-	4	8	2	-	-	-	-	1	2	1	-	1	1	2	2	38
-	2	6	1	3	2	-	2	2	-	-	-	2	2	5	7	39
-	3	30	7	4	5	-	6	7	11	2	2	14	15	4	14	40
-	3	16	4	3	2	-	4	5	6	1	1	9	7	4	7	41
-	-	14	3	1	3	-	2	2	5	1	1	5	8	-	7	42
-	3	17	3	2	-	-	1	5	5	-	-	3	4	5	6	43
-	6	9	7	2	1	-	3	2	1	2	1	4	11	8	9	44
-	7	24	29	23	3	-	7	12	8	2	1	11	19	43	38	45
-	5	4	5	2	4	-	1	2	2	-	1	1	6	53	4	46
-	3	19	12	15	3	3	2	12	3	1	2	10	10	5	9	47
1	11	40	8	3	6	1	2	2	5	2	-	3	4	7	13	48
-	9	30	20	15	7	3	5	21	10	1	4	10	10	48	20	49
-	11	19	3	1	6	-	1	8	2	1	-	6	9	3	17	50
-	3	14	14	3	1	-	4	13	3	-	3	7	2	50	8	51
-	5	15	22	21	8	-	2	13	3	-	1	9	17	18	14	52
-	14	40	21	22	18	1	3	10	7	3	2	6	21	57	43	53
-	18	58	21	8	11	1	15	26	8	2	2	12	15	30	46	54
-	14	46	16	5	10	-	11	19	6	1	2	6	13	18	33	55
-	4	12	5	3	1	1	4	7	2	1	-	6	2	12	13	56
-	1	32	1	-	1	1	1	2	1	-	2	4	4	5	13	57
1	5	25	11	2	7	-	4	4	3	-	-	2	2	16	6	58
-	5	17	19	8	-	2	3	10	10	2	-	7	7	56	12	59
-	5	9	2	1	3	1	3	3	2	-	1	7	6	15	9	60
-	4	21	4	2	2	1	-	6	2	1	-	2	8	5	8	61
-	4	27	21	10	10	5	4	13	3	1	1	7	9	58	19	62
5	10,874	61,733	5,282	388	5,764	257	1,802	3,279	1,741	1,623	431	1,974	6,336	726	17,640	63
-	288	1,186	86	9	128	2	30	79	29	26	1	44	108	13	325	64
-	156	715	54	8	81	1	20	50	18	13	1	27	60	5	184	65
-	25	87	9	-	6	1	3	9	3	1	-	5	10	1	30	66
-	14	68	5	-	9	-	-	4	-	1	-	1	7	-	29	67
-	73	316	18	1	32	-	7	16	8	11	-	11	32	7	82	68
-	56	171	9	1	37	-	7	8	7	5	1	7	31	15	56	69
-	174	715	78	5	76	2	25	64	28	22	5	41	81	6	236	70
-	94	404	54	-	42	1	12	27	9	12	4	23	42	2	157	71
-	20	57	10	1	6	-	1	4	4	1	-	3	-	-	11	72
-	23	85	3	2	5	-	3	8	2	2	-	2	10	1	20	73
-	37	189	11	2	23	1	9	25	13	7	1	13	29	3	48	74
-	80	309	26	1	33	1	11	20	11	17	-	21	43	3	121	75
-	17	96	7	-	15	-	5	5	5	4	-	3	15	-	38	76
-	63	213	19	1	18	1	6	15	6	13	-	18	28	3	85	77
1	64	298	32	-	35	-	3	16	10	10	1	7	30	-	109	78
1	40	155	15	-	22	-	1	9	6	6	1	2	13	-	74	79
-	24	143	17	-	13	-	2	7	4	4	-	5	17	-	35	80
-	144	556	41	1	59	1	17	37	22	12	3	38	67	1	209	81
-	49	215	18	1	15	-	4	11	10	6	2	16	27	-	59	82
-	25	56	6	-	3	-	3	7	6	1	-	2	7	-	33	83
-	70	285	17	-	41	1	10	19	6	5	1	20	33	1	117	84
-	99	335	21	-	53	2	6	31	16	7	4	18	36	1	109	85
-	70	218	18	-	40	1	3	18	13	5	2	9	27	1	78	86
-	29	117	3	-	13	1	3	13	3	2	2	9	9	-	31	87
-	22	173	13	2	74	-	5	10	10	4	-	5	21	-	57	88
-	41	174	13	7	34	3	8	14	8	4	-	18	30	7	65	89
-	10	50	3	1	15	-	-	3	2	-	-	7	9	1	27	90
-	31	124	10	6	19	3	8	11	6	4	-	11	21	6	38	91

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-68	Acute rheumatic fever 58	Diabetes mellitus 61
	NEW YORK—Continued															
1	Columbia	612	-	-	-	-	-	10	-	-	2	-	-	107	-	20
2	Hudson	218	-	-	-	-	-	3	-	-	-	-	-	42	-	7
3	Balance of county	394	-	-	-	-	-	7	-	-	2	-	-	65	-	13
4	Cortland	435	-	1	-	-	-	3	-	-	2	-	-	52	1	10
5	Cortland	234	-	1	-	-	-	2	-	-	-	-	-	24	-	8
6	Balance of county	201	-	-	-	-	-	1	-	-	2	-	-	28	1	2
7	Delaware	524	-	-	-	-	-	2	-	-	-	-	-	66	-	14
8	Dutchess	2,156	-	1	-	1	-	116	1	-	37	7	-	241	-	49
9	Poughkeepsie	510	-	1	-	-	-	8	-	-	2	-	-	75	-	19
10	Beacon	171	-	-	-	-	-	7	-	-	5	-	-	22	-	6
11	Balance of county	1,475	-	-	-	1	-	101	1	-	30	7	-	144	-	24
12	Erie	9,286	1	4	-	1	-	322	1	-	61	2	5	1,364	7	371
13	Buffalo	6,474	-	1	-	1	-	248	1	-	33	1	1	968	6	254
14	Kenmore	174	-	-	-	-	-	-	-	-	-	-	-	33	-	7
15	Lackawanna	310	-	-	-	-	-	13	-	-	-	-	1	48	-	12
16	Tonawanda	160	-	1	-	-	-	2	-	-	2	-	-	26	-	9
17	Balance of county	2,168	1	2	-	-	-	59	-	-	26	1	3	289	1	89
18	Essex	454	-	1	-	-	-	35	-	-	2	-	-	61	-	17
19	Franklin	500	-	-	-	-	-	33	-	-	1	1	-	63	-	11
20	Fulton	636	-	-	-	-	1	9	-	-	6	-	1	77	1	18
21	Gloversville	329	-	-	-	-	1	4	-	-	2	-	1	39	1	15
22	Johnstown	153	-	-	-	-	-	2	-	-	2	-	-	21	-	1
23	Balance of county	154	-	-	-	-	-	3	-	-	2	-	-	17	-	3
24	Genesee	519	-	-	-	-	-	9	-	-	2	-	-	63	-	11
25	Batavia	189	-	-	-	-	-	2	-	-	-	-	-	25	-	1
26	Balance of county	330	-	-	-	-	-	7	-	-	2	-	-	38	-	10
27	Greene	381	-	-	-	-	-	4	-	-	1	-	-	61	-	11
28	Hamilton	67	-	-	-	-	-	2	-	-	1	-	-	11	-	4
29	Herkimer	746	-	-	-	-	-	15	-	-	2	-	-	100	-	26
30	Little Falls	141	-	-	-	-	-	-	-	-	1	-	-	21	-	5
31	Balance of county	605	-	-	-	-	-	15	-	-	1	-	-	79	-	21
32	Jefferson	1,025	1	2	-	1	-	4	-	-	6	-	1	141	1	31
33	Watertown	438	1	2	-	1	-	3	-	-	5	-	1	66	-	16
34	Balance of county	587	-	-	-	-	-	1	-	-	1	-	-	75	1	15
35	Lewis	283	-	-	-	-	-	2	-	-	2	-	-	30	1	13
36	Livingston	533	-	-	-	1	-	30	-	-	1	-	-	49	-	21
37	Madison	519	-	-	-	-	-	7	-	-	2	-	-	70	1	16
38	Oneida	151	-	-	-	-	-	2	-	-	-	-	-	29	-	5
39	Balance of county	368	-	-	-	-	-	5	-	-	2	-	-	41	1	11
40	Monroe	5,104	-	2	-	-	-	137	-	-	26	1	-	758	4	177
41	Rochester	3,631	-	2	-	-	-	96	-	-	22	1	-	526	4	125
42	Irondequoit (town)	97	-	-	-	-	-	2	-	-	-	-	-	13	-	3
43	Balance of county	1,376	-	-	-	-	-	39	-	-	4	-	-	219	-	49
44	Montgomery	704	-	-	-	-	-	7	-	-	2	-	-	114	-	33
45	Amsterdam	397	-	-	-	-	-	4	-	-	2	-	-	70	-	13
46	Balance of county	307	-	-	-	-	-	3	-	-	-	-	-	44	-	20
47	Nassau	4,441	-	2	1	1	-	75	-	-	20	5	3	791	2	148
48	Floral Park	125	-	-	-	-	-	-	-	-	-	-	-	25	-	3
49	Freeport	222	-	-	-	-	-	1	-	-	2	-	-	39	-	6
50	Garden City	130	-	-	-	-	-	-	-	-	-	-	-	20	-	2
51	Glen Cove	157	-	-	-	-	-	3	-	-	2	-	1	26	1	7
52	Hempstead	226	-	-	-	-	-	1	-	-	1	1	-	43	-	8
53	Lynbrook	149	-	-	-	-	-	-	-	-	1	1	-	31	-	5
54	Mineola	118	-	-	-	-	-	1	-	-	-	-	-	14	-	5
55	Rockville Centre	204	-	-	-	-	-	4	-	-	-	-	-	42	-	5
56	Valley Stream	169	-	1	-	-	-	5	-	-	-	-	1	28	-	4
57	Balance of county	2,941	-	1	1	1	-	60	-	-	14	3	1	523	1	103
58	New York City[4]	82,323	2	32	-	7	6	3,100	1	1	598	24	30	14,795	48	3,758
59	Niagara	1,729	-	2	-	2	-	46	-	-	7	1	-	242	1	67
60	Niagara Falls	770	-	1	-	2	-	16	-	-	4	1	-	114	-	33
61	Lockport	328	-	-	-	-	-	2	-	-	1	-	-	40	-	15
62	North Tonawanda	214	-	1	-	-	-	8	-	-	1	-	-	34	-	4
63	Balance of county	417	-	-	-	-	-	20	-	-	1	-	-	54	1	15
64	Oneida	2,884	-	1	-	2	-	76	3	-	27	-	-	352	2	100
65	Utica	1,420	-	-	-	-	-	22	-	-	11	-	-	198	-	58
66	Rome	455	-	-	-	-	-	14	3	-	3	-	-	43	2	16
67	Balance of county	1,009	-	1	-	2	-	40	-	-	13	-	-	111	-	26
68	Onondaga	3,339	-	1	-	-	-	68	-	-	15	-	1	478	-	111
69	Syracuse	2,188	-	1	-	-	-	47	-	-	9	-	-	319	-	77
70	Balance of county	1,151	-	-	-	-	-	41	-	-	6	-	1	159	-	34
71	Ontario	740	-	-	-	1	-	15	-	-	9	-	-	103	-	19
72	Geneva	183	-	-	-	-	-	3	-	-	1	-	-	26	-	9
73	Balance of county	557	-	-	-	1	-	12	-	-	8	-	-	77	-	10
74	Orange	1,945	-	1	-	1	1	41	-	-	23	-	-	217	-	57
75	Newburgh	436	-	-	-	-	1	12	-	-	1	-	-	49	-	17
76	Middletown	493	-	1	-	-	-	12	-	-	11	-	-	56	-	15
77	Balance of county	1,016	-	-	-	1	-	17	-	-	11	-	-	112	-	25
78	Orleans	374	-	1	-	-	-	6	-	-	-	-	-	38	-	10
79	Oswego	855	-	1	-	2	-	6	-	-	4	-	-	105	1	33
80	Fulton	152	-	-	-	1	-	-	-	-	-	-	-	28	-	6
81	Oswego	238	-	1	-	-	-	5	-	-	2	-	-	28	-	10
82	Balance of county	465	-	-	-	1	-	1	-	-	2	-	-	50	1	17
83	Otsego	632	-	-	-	-	-	22	-	-	3	-	-	85	1	24
84	Oneonta	173	-	-	-	-	-	2	-	-	1	-	-	16	-	11
85	Balance of county	459	-	-	-	-	-	20	-	-	2	-	-	67	1	13
86	Putnam	195	-	-	-	-	-	3	-	-	1	-	2	30	-	4
87	Rensselaer	1,697	-	-	-	-	1	33	-	-	6	-	-	250	-	68
88	Troy	1,025	-	-	-	-	1	18	-	-	5	-	-	140	-	31
89	Rensselaer	137	-	-	-	-	-	3	-	-	1	-	-	19	-	6
90	Balance of county	535	-	-	-	-	-	14	-	-	-	-	-	91	-	31
91	Rockland	1,153	-	-	-	3	-	35	1	-	19	2	1	128	-	24
92	St. Lawrence	1,278	-	-	-	4	-	16	1	-	14	-	-	157	-	31
93	Massena	105	-	-	-	2	-	2	-	-	-	-	-	12	-	-
94	Ogdensburg	388	-	-	-	-	-	10	-	-	13	-	-	38	-	7
95	Balance of county	785	-	-	-	2	-	4	1	-	1	-	-	107	-	24

[4]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 182, 199.200	All other causes	
-	55	246	13	2	35	1	2	5	5	8	4	12	21	-	64	1
-	10	86	2	-	14	1	2	1	2	3	2	2	7	-	34	2
-	45	160	11	2	21	-	-	4	3	5	2	10	14	-	30	3
-	52	148	13	1	42	-	5	11	8	8	-	6	16	4	52	4
-	27	80	9	1	29	-	2	7	4	4	-	3	5	1	27	5
-	25	68	4	-	13	-	3	4	4	4	-	3	11	3	25	6
-	60	204	14	-	14	1	4	15	5	6	1	14	29	5	70	7
-	178	879	70	11	70	4	24	18	21	14	1	22	99	3	291	8
-	55	180	16	-	27	-	9	8	13	4	1	8	17	1	66	9
-	15	76	3	-	5	3	-	-	2	-	-	1	1	1	24	10
-	106	623	51	11	38	1	15	10	6	10	-	13	81	1	201	11
1	826	3,486	300	39	390	18	121	189	116	74	19	149	347	26	1,066	12
-	583	2,415	205	29	279	8	77	133	75	54	14	89	244	20	735	13
-	15	57	5	1	12	-	-	7	4	-	1	1	6	-	25	14
1	26	76	13	1	9	6	7	11	11	2	3	11	20	-	39	15
-	14	58	4	1	8	1	1	2	3	-	-	1	6	-	21	16
-	188	860	73	7	82	3	36	36	23	18	1	47	71	6	246	17
-	38	183	11	-	18	2	4	8	7	5	2	7	16	3	34	18
-	39	161	10	1	36	4	6	12	7	6	1	12	19	-	77	19
-	78	265	17	1	36	-	5	12	7	4	1	3	22	2	69	20
-	40	139	7	-	13	-	4	7	4	2	-	1	11	1	37	21
-	17	61	4	-	14	-	1	1	1	1	-	2	8	-	17	22
-	21	65	6	1	9	-	-	4	2	1	1	-	3	1	15	23
-	53	160	25	1	28	-	10	1	8	7	3	17	31	3	87	24
-	11	56	12	-	14	-	4	-	5	1	1	10	9	2	36	25
-	42	104	15	1	14	-	6	1	3	6	2	7	22	1	51	26
-	45	165	6	2	18	-	3	4	6	8	1	7	13	1	35	27
-	6	22	2	-	5	-	-	1	1	1	-	3	3	-	5	28
-	94	273	25	-	41	3	12	15	11	9	-	18	32	4	76	29
-	·	49	4	-	4	1	5	3	3	2	-	4	3	1	18	30
-	·	224	21	-	37	2	7	12	8	7	-	14	29	3	58	31
-	1[illegible]	381	22	3	54	1	14	21	17	17	-	14	44	8	139	32
-		148	6	-	24	-	6	11	7	7	-	4	19	4	64	33
-	5[illegible]	233	16	3	30	1	8	10	10	10	-	10	25	4	75	34
-	20	118	8	2	13	-	5	8	-	3	-	4	12	2	40	35
-	60	176	29	-	26	-	4	14	7	2	-	8	23	1	81	36
-	51	214	17	1	23	2	5	14	6	7	1	8	18	1	55	37
-	12	60	6	-	11	-	3	3	2	2	-	1	3	-	12	38
-	39	154	11	1	12	2	2	11	4	5	1	7	15	1	43	39
-	421	2,051	152	11	159	6	59	121	75	61	4	64	169	7	639	40
-	283	1,557	95	9	111	5	41	84	52	43	3	39	129	2	402	41
-	1	59	-	-	4	-	-	-	-	2	-	3	4	-	6	42
-	137	435	57	2	44	1	18	37	23	16	1	22	36	5	231	43
-	75	249	27	2	34	-	10	14	8	7	-	15	39	3	65	44
-	43	130	18	2	19	-	6	11	6	2	-	6	21	1	43	45
-	32	119	9	-	15	-	4	3	2	5	-	9	18	2	22	46
-	358	1,683	97	5	149	7	68	103	57	75	9	64	176	39	503	47
-	8	52	2	-	4	-	-	3	3	1	-	-	5	-	19	48
-	11	95	6	1	7	1	3	1	4	3	-	6	6	3	27	49
-	14	57	2	-	6	-	1	5	2	-	-	1	6	-	14	50
-	20	45	3	1	6	-	3	4	1	1	-	3	10	3	17	51
-	11	78	8	-	7	-	2	7	6	6	2	4	8	4	29	52
-	13	62	4	-	3	-	4	2	3	4	-	2	4	-	10	53
-	16	45	2	-	5	1	-	2	3	6	-	3	2	-	13	54
-	20	81	1	-	7	1	1	4	4	1	2	-	5	2	24	55
-	14	76	1	-	5	1	5	2	1	1	2	1	3	1	17	56
-	231	1,092	68	3	99	3	49	73	30	52	3	44	127	28	333	57
3	3,995	32,435	3,044	184	2,360	141	883	1,696	766	819	313	738	3,298	436	8,812	58
-	145	614	48	8	103	6	24	39	37	13	3	32	76	2	211	59
-	70	235	28	2	45	5	15	24	18	11	1	14	38	1	92	60
-	31	144	4	2	17	1	1	3	5	-	-	3	11	-	48	61
-	11	90	5	-	7	-	4	4	6	1	-	5	9	-	24	62
-	33	145	11	4	34	-	4	8	8	1	2	10	18	1	47	63
-	210	1,232	113	9	136	8	45	54	31	23	3	40	106	8	303	64
-	112	580	58	4	55	4	19	18	15	9	1	14	58	2	132	65
-	22	179	25	1	35	2	15	14	2	4	1	10	14	2	48	66
-	76	473	30	4	46	2	11	22	14	10	1	16	34	4	73	67
-	349	1,293	70	11	156	2	37	85	49	43	10	60	141	13	326	68
-	189	881	48	8	103	2	26	55	33	29	7	33	96	9	216	69
-	160	412	22	3	53	-	11	30	16	14	3	27	45	4	110	70
-	67	285	24	1	32	1	11	22	9	7	-	12	35	3	84	71
-	13	64	7	-	9	-	3	9	4	-	-	6	6	1	22	72
-	54	221	17	1	23	1	8	13	5	7	-	6	29	2	62	73
-	187	774	62	4	115	6	19	40	23	16	6	34	78	7	233	74
-	39	151	14	2	34	1	3	8	5	7	1	8	20	3	60	75
-	55	200	17	-	34	1	3	7	4	1	-	3	15	-	58	76
-	93	423	31	2	47	4	13	25	14	8	5	23	43	4	115	77
-	46	154	12	4	14	1	6	9	5	5	1	8	11	1	42	78
-	110	327	21	1	55	2	12	14	14	11	-	16	37	1	82	79
-	14	61	2	-	17	-	1	4	-	3	-	1	7	1	8	80
-	39	81	7	1	10	-	2	4	6	1	-	2	7	-	31	81
-	57	185	12	-	28	2	9	6	8	7	-	13	23	-	43	82
-	74	244	16	-	21	-	9	15	8	14	3	18	22	2	53	83
-	26	70	3	-	6	-	2	11	3	-	1	1	5	-	13	84
-	48	174	13	-	15	-	7	4	5	14	2	15	17	2	40	85
-	18	74	3	-	16	-	4	3	4	1	-	3	8	-	21	86
-	154	696	46	6	108	3	20	21	21	9	1	22	63	4	165	87
-	90	443	30	4	63	3	14	11	15	2	-	10	44	4	99	88
-	11	49	6	-	15	-	3	2	-	2	-	1	4	-	15	89
-	53	204	10	2	30	-	3	8	6	5	1	11	15	-	51	90
-	63	489	69	1	52	-	17	21	12	6	1	14	40	4	151	91
-	141	508	42	6	36	-	9	36	15	20	1	26	56	3	156	92
-	10	33	4	-	5	-	2	11	3	-	-	1	7	-	13	93
-	62	192	8	-	7	-	1	4	3	1	-	3	11	-	28	94
-	69	283[illegible]	30	6	24	-	6	21	9	19	1	22	38	3	115	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	NEW YORK—Continued															
1	Saratoga	927	-	-	-	1	-	14	1	-	3	-	-	118	-	31
2	Saratoga Springs	220	-	-	-	-	-	7	1	-	-	-	-	28	-	12
3	Balance of county	707	-	-	-	1	-	7	-	-	3	-	-	90	-	19
4	Schenectady	1,374	-	2	-	-	-	22	-	-	8	-	1	200	-	65
5	Schenectady	959	-	1	-	-	-	10	-	-	6	-	1	134	-	46
6	Balance of county	415	-	1	-	-	-	12	-	-	2	-	-	66	-	19
7	Schoharie	254	-	1	-	-	-	3	1	-	2	-	-	35	-	6
8	Schuyler	173	-	-	-	-	-	-	-	-	1	-	-	20	1	5
9	Seneca	574	-	-	-	-	-	31	-	-	13	-	-	74	1	7
10	Steuben	1,077	-	-	-	-	-	10	-	-	4	1	1	139	-	27
11	Corning	188	-	-	-	-	-	1	-	-	2	-	-	27	-	6
12	Hornell	180	-	-	-	-	-	-	-	-	-	-	-	26	-	3
13	Balance of county	711	-	-	-	-	-	9	-	-	2	1	1	86	-	18
14	Suffolk	4,416	-	-	-	1	-	286	-	-	146	1	2	473	-	96
15	Sullivan	490	-	-	-	-	-	13	-	-	-	-	-	69	1	13
16	Tioga	377	-	-	-	-	-	2	-	-	1	-	-	39	-	14
17	Tompkins	541	-	1	-	-	-	14	-	-	2	-	-	76	-	14
18	Ithaca	245	-	1	-	-	-	2	-	-	2	-	-	41	-	8
19	Balance of county	296	-	-	-	-	-	12	-	-	-	-	-	35	-	6
20	Ulster	1,166	-	1	-	-	-	35	1	-	5	-	-	168	-	34
21	Kingston	426	-	-	-	-	-	14	1	-	3	-	-	68	-	20
22	Balance of county	740	-	1	-	-	-	21	-	-	2	-	-	120	-	14
23	Warren	568	-	-	-	-	-	12	-	-	7	-	-	85	-	13
24	Glens Falls	308	-	-	-	-	-	7	-	-	3	-	-	48	-	6
25	Balance of county	260	-	-	-	-	-	5	-	-	4	-	-	37	-	7
26	Washington	582	-	-	-	-	-	11	-	-	6	-	-	76	-	17
27	Wayne	701	-	-	-	-	-	12	-	-	2	-	-	113	1	24
28	Westchester	5,924	-	1	-	-	-	116	1	-	29	3	4	1,126	1	194
29	Yonkers	1,423	-	-	-	-	-	38	1	-	9	2	-	232	-	57
30	Mount Vernon	670	-	-	-	-	-	5	-	-	5	-	1	124	-	16
31	New Rochelle	624	-	-	-	-	-	8	-	-	2	-	1	110	-	24
32	White Plains	444	-	-	-	-	-	6	-	-	2	-	-	55	-	14
33	Mamaroneck	111	-	-	-	-	-	2	-	-	-	-	1	25	-	2
34	Ossining	183	-	-	-	-	-	3	-	-	-	-	-	22	-	2
35	Peekskill	189	-	-	-	-	-	4	-	-	2	-	-	19	-	8
36	Port Chester	239	-	-	-	-	-	5	-	-	1	-	-	44	-	8
37	Scarsdale	117	-	-	-	-	-	-	-	-	1	-	-	19	-	4
38	Balance of county	1,924	-	1	-	-	-	45	-	-	7	1	1	476	1	59
39	Wyoming	335	-	-	-	-	-	4	-	-	4	-	-	40	-	10
40	Yates	221	-	-	-	-	-	-	-	-	-	-	-	28	-	4
41	NORTH CAROLINA	30,161	8	20	1	44	30	949	17	1	194	6	143	2,855	30	564
42	Alamance	409	-	-	-	1	-	8	-	-	2	-	2	52	1	10
43	Burlington	131	-	-	-	-	-	6	-	-	-	-	-	18	-	4
44	Balance of county	278	-	-	-	1	-	2	-	-	2	-	2	34	1	6
45	Alexander	99	-	-	-	-	-	-	1	-	-	-	1	9	-	1
46	Alleghany	65	-	-	-	-	1	1	-	-	-	-	1	5	-	1
47	Anson	223	-	-	-	1	-	6	-	-	2	-	-	23	-	4
48	Ashe	134	-	-	-	1	-	2	-	-	-	-	2	24	-	2
49	Avery	71	-	-	-	-	-	5	-	-	-	-	-	10	-	2
50	Beaufort	332	-	1	-	-	1	13	1	-	-	-	-	31	-	8
51	Bertie	215	-	-	-	-	-	13	-	1	2	-	-	23	-	2
52	Bladen	209	-	-	-	-	-	4	-	-	1	-	1	14	-	7
53	Brunswick	130	-	-	-	-	-	2	-	-	-	-	-	9	-	-
54	Buncombe	1,106	-	2	-	-	1	89	-	-	5	-	13	116	1	22
55	Asheville	582	-	2	-	-	1	21	-	-	2	-	6	61	1	16
56	Balance of county	524	-	-	-	-	-	68	-	-	3	-	7	55	-	6
57	Burke	397	-	1	-	1	-	13	-	-	9	-	2	26	-	9
58	Cabarrus	445	-	-	-	-	1	13	-	-	2	-	2	40	-	3
59	Concord	169	-	-	-	-	-	3	-	-	1	-	-	14	-	1
60	Balance of county	276	-	-	-	-	1	10	-	-	1	-	2	26	-	2
61	Caldwell	266	-	-	-	1	2	3	-	-	2	1	3	26	-	2
62	Camden	52	-	-	-	-	-	1	-	-	-	-	-	4	-	1
63	Carteret	172	-	-	-	-	-	2	-	-	4	-	1	23	-	3
64	Caswell	134	-	-	-	2	-	3	-	-	-	-	-	13	-	-
65	Catawba	417	-	-	-	-	-	2	-	-	2	-	9	55	-	9
66	Hickory	122	-	-	-	-	-	1	-	-	1	-	1	17	-	2
67	Balance of county	295	-	-	-	-	-	1	-	-	1	-	8	38	-	7
68	Chatham	199	-	-	-	-	-	3	-	-	1	-	1	22	-	5
69	Cherokee	135	-	-	-	-	-	4	-	-	1	1	-	13	1	2
70	Chowan	112	-	-	-	1	-	4	-	-	2	-	-	12	1	3
71	Clay	22	-	-	-	-	-	-	-	-	-	-	-	2	1	-
72	Cleveland	376	-	-	-	-	-	5	-	-	1	-	6	45	1	7
73	Shelby	120	-	-	-	-	-	1	-	-	-	-	4	18	-	1
74	Balance of county	256	-	-	-	-	-	4	-	-	1	-	2	27	1	6
75	Columbus	398	-	-	-	-	1	7	-	-	1	-	-	30	-	6
76	Craven	376	-	-	-	1	-	11	-	-	3	-	1	24	-	6
77	New Bern	162	-	-	-	-	-	4	-	-	3	-	-	12	-	3
78	Balance of county	214	-	-	-	1	-	7	-	-	-	-	1	12	-	3
79	Cumberland	622	-	-	-	1	-	18	1	-	1	-	4	44	1	14
80	Fayetteville	323	-	-	-	1	-	5	-	-	-	-	3	22	-	11
81	Balance of county	299	-	-	-	-	-	13	1	-	1	-	1	22	1	3
82	Currituck	58	-	-	-	-	-	1	-	-	1	-	-	7	-	1
83	Dare	40	-	-	-	-	-	-	-	-	-	-	-	4	-	-
84	Davidson	381	-	-	-	1	-	7	-	-	1	-	-	40	-	16
85	Lexington	97	-	-	-	-	-	1	-	-	-	-	-	13	-	5
86	Thomasville	68	-	-	-	1	-	-	-	-	1	-	-	9	-	4
87	Balance of county	215	-	-	-	-	-	6	-	-	-	-	-	18	-	7
88	Davie	112	-	-	-	1	1	-	-	-	-	-	-	12	-	-
89	Duplin	335	-	-	-	-	-	4	-	-	4	-	2	30	-	5
90	Durham	778	-	1	-	-	-	21	-	-	7	-	5	105	-	21
91	Durham	575	-	1	-	-	-	10	-	-	6	-	4	78	-	14
92	Balance of county	203	-	-	-	-	-	11	-	-	1	-	1	27	-	7
93	Edgecombe	439	-	-	-	1	-	18	-	-	2	1	-	36	-	6
94	Rocky Mount (part)	112	-	-	-	-	-	2	-	-	-	-	-	13	-	2
95	Balance of county	327	-	-	-	1	-	16	-	-	2	1	-	23	-	4

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 113,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	109	389	23	5	32	-	10	16	11	7	1	22	31	2	101	1
-	27	82	8	1	6	-	1	5	2	2	-	7	9	-	22	2
-	82	307	15	4	26	-	9	11	9	5	1	15	22	2	79	3
-	147	490	42	-	64	1	11	33	9	16	2	24	53	2	182	4
-	98	337	26	-	53	1	8	23	5	13	2	17	44	1	133	5
-	49	153	16	-	11	-	3	10	4	3	-	7	9	1	49	6
-	16	104	3	1	16	-	4	3	4	5	-	7	11	-	32	7
-	15	79	4	3	15	-	1	7	-	1	-	5	2	-	14	8
-	44	210	11	1	37	1	7	10	5	3	-	5	31	8	75	9
-	102	352	35	7	77	2	22	28	24	15	1	19	72	6	133	10
-	13	51	4	-	20	-	2	8	6	2	-	3	16	-	25	11
-	15	60	3	3	13	1	6	3	2	-	1	-	19	4	21	12
-	74	241	28	4	44	1	14	17	16	13	-	16	37	2	87	13
-	317	1,989	122	4	129	-	36	54	35	46	6	50	136	38	447	14
-	62	177	10	3	20	1	7	6	11	3	-	17	29	-	48	15
-	37	148	15	2	18	2	5	8	5	2	-	4	19	-	56	16
-	50	203	13	1	19	-	9	18	8	5	1	22	24	2	59	17
-	25	88	5	-	12	-	3	8	4	-	-	10	8	1	27	18
-	25	115	8	1	7	-	6	10	4	5	1	12	16	1	32	19
-	116	451	22	-	55	-	7	16	10	13	-	16	46	6	144	20
-	41	152	7	-	23	-	2	11	3	4	-	3	17	-	57	21
-	75	299	15	-	32	-	5	5	7	9	-	13	29	6	87	22
-	49	222	11	-	32	2	5	14	12	3	2	10	20	1	68	23
-	23	128	6	-	18	2	1	13	7	1	1	2	7	1	34	24
-	26	94	5	-	14	-	4	1	5	2	1	8	13	-	34	25
-	42	218	13	1	39	1	14	16	10	5	2	15	19	4	73	26
-	91	216	20	2	32	3	18	8	5	14	-	15	31	-	95	27
-	494	2,202	179	15	227	13	69	116	84	63	12	59	228	14	674	28
-	135	552	55	6	52	5	12	32	16	15	2	9	52	4	157	29
-	42	265	28	-	34	-	9	18	10	10	3	4	20	1	75	30
-	72	240	12	4	17	2	6	9	13	7	-	6	22	1	68	31
-	44	168	13	1	21	1	8	9	12	10	2	7	21	2	48	32
-	9	45	2	-	2	-	2	2	1	1	-	1	5	-	11	33
-	12	69	4	-	18	1	4	3	3	2	1	2	8	-	28	34
-	27	70	4	1	10	-	2	4	2	-	1	1	12	1	21	35
-	24	76	6	-	11	-	1	8	3	2	1	2	14	1	32	36
-	8	47	3	-	3	-	2	3	3	1	-	3	10	-	10	37
-	121	690	52	3	59	4	23	28	21	15	2	24	64	4	223	38
-	43	134	5	-	17	1	7	2	1	1	-	11	19	-	36	39
-	34	74	7	-	11	-	1	4	-	5	-	8	15	1	29	40
40	3,355	8,049	1,472	229	2,431	207	512	1,309	702	322	419	827	1,417	914	3,095	41
-	50	122	16	1	34	2	8	12	9	3	1	12	20	7	36	42
-	16	35	5	-	13	-	3	3	3	1	-	7	5	2	10	43
-	34	87	11	1	21	2	5	9	6	2	1	5	15	5	28	44
-	9	21	8	1	3	1	2	5	-	-	-	1	5	16	15	45
-	7	21	4	-	4	-	1	-	-	1	-	4	1	6	7	46
-	26	61	14	2	21	1	3	5	4	1	2	7	12	17	11	47
-	16	27	9	1	11	-	-	6	1	2	2	1	5	8	14	48
-	2	20	7	-	3	1	-	1	-	-	1	1	5	5	8	49
-	45	69	25	2	30	-	5	15	11	6	4	7	13	17	28	50
3	17	56	16	4	14	1	3	9	2	1	2	5	11	10	20	51
-	26	30	6	5	37	4	1	5	7	1	6	7	13	14	20	52
1	15	37	5	3	11	-	1	12	8	-	3	2	9	1	11	53
7	95	329	44	12	80	2	22	31	26	7	13	24	45	11	109	54
1	61	177	19	7	43	2	12	20	16	3	8	7	25	7	64	55
6	34	152	25	5	37	-	10	11	10	4	5	17	20	4	45	56
-	54	111	18	-	22	1	7	10	3	5	1	6	31	9	58	57
1	41	120	13	1	35	2	8	11	11	7	8	15	16	53	42	58
-	14	43	4	1	7	1	1	2	4	2	5	9	12	26	19	59
1	27	77	9	-	28	1	7	9	7	5	3	6	4	27	23	60
-	35	71	13	1	16	2	2	19	4	5	5	7	11	10	25	61
-	7	12	2	-	4	-	-	-	2	-	-	1	3	6	9	62
-	22	48	5	1	12	-	1	6	3	1	-	3	11	6	20	63
-	13	23	8	4	17	3	5	4	7	1	1	6	6	1	17	64
-	49	125	12	3	32	1	5	12	1	5	6	11	25	17	38	65
-	14	45	2	-	6	1	2	2	1	2	3	4	8	2	8	66
-	35	80	10	3	26	-	3	10	-	3	3	7	15	15	30	67
-	19	62	7	-	22	4	2	6	3	1	1	6	5	5	24	68
-	11	35	4	3	10	1	3	5	4	1	1	2	9	17	7	69
-	20	23	5	1	3	1	1	4	1	-	-	2	6	10	12	70
-	2	2	1	-	5	1	-	4	-	-	-	-	2	1	1	71
-	50	74	21	6	26	3	7	14	7	2	8	18	21	8	46	72
-	11	25	6	-	8	1	2	2	1	-	2	10	5	3	20	73
-	39	49	15	6	18	2	5	12	8	2	6	8	16	5	28	74
-	46	93	28	5	26	3	12	20	10	7	14	11	18	34	28	75
-	46	82	20	2	80	3	11	23	6	3	10	9	18	2	38	76
-	20	37	7	1	33	-	2	8	4	2	3	1	9	-	13	77
-	26	45	13	1	27	3	9	15	4	1	7	8	9	2	20	78
-	77	146	34	10	39	9	11	32	15	2	8	30	38	15	72	79
-	43	80	16	5	18	6	3	19	9	1	3	9	22	6	41	80
-	34	66	18	5	21	3	8	13	6	1	5	21	18	9	31	81
-	7	21	3	-	5	-	1	2	-	-	-	-	3	2	4	82
-	3	13	2	-	3	-	-	1	-	2	-	-	5	5	2	83
-	61	89	21	1	28	1	10	24	10	5	2	7	17	2	38	84
-	13	27	7	-	7	-	1	2	2	3	-	3	5	-	8	85
-	6	16	3	-	7	-	-	6	1	1	1	-	2	-	11	86
-	42	46	11	1	14	1	9	16	7	1	1	4	10	2	19	87
-	12	24	10	2	21	-	3	5	2	3	1	1	5	-	9	88
-	56	91	14	4	16	6	7	15	8	6	6	6	21	8	28	89
-	82	238	18	1	55	4	14	31	14	7	19	20	34	10	71	90
-	68	166	10	1	46	2	10	21	12	7	16	14	24	9	56	91
-	14	72	8	-	9	2	4	10	2	-	3	6	10	1	15	92
-	45	117	11	7	45	1	4	26	17	4	8	9	23	13	45	93
-	15	39	3	-	11	1	2	5	1	2	1	2	5	2	6	94
-	30	78	8	7	34	-	2	21	16	2	7	7	18	11	39	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	NORTH CAROLINA—Con.															
1	Forsyth	1,141	-	-	-	2	-	58	2	-	10	-	4	134	1	19
2	Winston-Salem	801	-	-	-	2	-	39	2	-	5	-	1	93	1	11
3	Balance of county	340	-	-	-	-	-	19	-	-	5	-	3	41	-	8
4	Franklin	257	-	-	-	1	-	4	-	-	2	-	-	27	-	5
5	Gaston	667	1	1	-	-	-	7	-	-	4	-	13	58	1	11
6	Gastonia	212	-	-	-	-	-	5	-	-	2	-	2	18	1	5
7	Balance of county	455	1	1	-	-	-	2	-	-	2	-	11	40	-	6
8	Gates	80	-	-	-	-	-	4	-	-	-	-	-	7	-	1
9	Graham	36	-	-	-	-	-	-	-	-	-	-	-	3	1	1
10	Granville	274	1	1	-	2	-	3	-	-	2	-	-	26	-	7
11	Greene	111	-	-	-	-	-	4	-	-	1	-	-	7	-	3
12	Guilford	1,292	-	-	-	-	-	31	-	-	12	-	11	133	1	16
13	Greensboro	604	-	-	-	-	-	17	-	-	7	-	4	62	-	10
14	High Point	288	-	-	-	-	-	7	-	-	3	-	2	35	-	3
15	Balance of county	400	-	-	-	-	-	7	-	-	2	-	5	36	1	3
16	Halifax	505	-	-	-	3	1	17	1	-	7	-	-	42	-	4
17	Harnett	341	-	-	-	-	1	6	-	-	1	-	1	29	2	5
18	Haywood	216	-	-	-	-	-	1	-	-	-	-	-	24	-	5
19	Henderson	285	-	-	-	-	-	6	-	-	1	-	-	34	-	1
20	Hertford	170	-	-	-	-	-	8	-	-	-	-	-	15	-	2
21	Hoke	143	-	-	-	-	-	30	-	-	-	-	-	6	-	4
22	Hyde	63	-	-	-	-	-	1	-	-	-	-	-	6	-	-
23	Iredell	411	-	1	-	4	-	6	-	-	3	-	3	36	-	8
24	Statesville	154	-	1	-	-	-	3	-	-	1	-	1	13	-	3
25	Balance of county	257	-	-	-	4	-	3	-	-	2	-	2	23	-	5
26	Jackson	143	-	-	-	-	-	1	-	-	-	-	-	17	-	2
27	Johnston	460	-	-	-	1	1	11	-	-	-	-	2	36	2	9
28	Jones	64	-	-	-	-	-	1	-	-	-	1	-	1	1	2
29	Lee	166	-	-	-	1	-	1	-	-	-	-	1	7	-	-
30	Lenoir	417	-	-	-	-	-	14	-	-	3	-	-	46	-	5
31	Kinston	193	-	-	-	-	-	3	-	-	1	-	-	26	-	2
32	Balance of county	224	-	-	-	-	-	11	-	-	2	-	-	20	-	3
33	Lincoln	187	-	2	-	1	-	2	-	-	-	-	3	18	-	5
34	McDowell	138	-	1	-	-	-	2	1	-	-	-	-	14	-	3
35	Macon	119	-	-	-	-	-	3	-	-	1	1	-	10	-	-
36	Madison	140	-	-	-	-	-	4	-	-	-	-	-	19	-	4
37	Martin	217	-	-	-	-	1	13	-	-	1	-	1	21	-	4
38	Mecklenburg	1,487	3	1	-	1	3	25	1	-	9	-	14	152	2	27
39	Charlotte	1,032	3	1	-	-	1	14	-	-	7	-	5	108	1	18
40	Balance of county	455	-	-	-	1	2	11	1	-	2	-	9	44	1	9
41	Mitchell	103	-	-	-	-	-	3	-	-	1	-	-	10	-	1
42	Montgomery	134	-	-	-	-	1	2	-	-	1	-	1	10	-	4
43	Moore	288	-	-	-	1	-	12	-	-	1	-	4	20	-	3
44	Nash	512	-	-	-	3	1	20	-	-	3	-	-	44	-	11
45	Rocky Mount (part)	153	-	-	-	1	1	5	-	-	1	-	-	18	-	2
46	Rocky Mount (total)	265	-	-	-	1	1	7	-	-	1	-	-	31	-	4
47	Balance of county	359	-	-	-	2	-	15	-	-	2	-	-	26	-	9
48	New Hanover	589	1	-	-	-	1	19	-	-	8	-	1	57	3	8
49	Wilmington	453	1	-	-	-	1	18	-	-	6	-	1	48	2	8
50	Balance of county	136	-	-	-	-	-	1	-	-	2	-	-	9	1	-
51	Northampton	192	-	-	-	1	-	9	-	-	1	-	-	15	1	4
52	Onslow	214	-	-	-	-	1	2	-	-	-	-	-	16	1	1
53	Orange	200	-	-	-	-	1	1	-	-	1	-	1	21	-	8
54	Pamlico	81	-	-	-	-	-	7	-	-	1	-	-	5	-	1
55	Pasquotank	196	-	1	-	-	-	3	-	-	1	-	-	18	-	5
56	Elizabeth City	126	-	1	-	-	-	3	-	-	1	-	-	13	-	4
57	Balance of county	70	-	-	-	-	-	-	-	-	-	-	-	5	-	1
58	Pender	149	-	-	-	-	-	2	1	-	1	-	-	12	-	5
59	Perquimans	88	-	-	-	-	-	2	-	-	-	-	-	9	-	1
60	Person	151	-	-	-	1	-	3	-	-	-	-	2	13	-	3
61	Pitt	504	-	-	-	1	-	24	2	-	5	-	-	42	-	14
62	Greenville	141	-	-	-	-	-	8	-	-	3	-	-	12	-	5
63	Balance of county	363	-	-	-	1	-	16	2	-	2	-	-	30	-	9
64	Polk	93	-	-	-	-	-	3	-	-	-	-	-	8	-	1
65	Randolph	342	-	1	-	-	-	8	-	-	3	-	3	33	-	3
66	Richmond	325	-	-	1	-	-	2	-	-	-	-	-	27	1	2
67	Robeson	669	1	-	-	-	2	14	-	-	1	-	1	41	-	14
68	Rockingham	482	-	1	-	-	-	14	1	-	-	-	3	40	-	9
69	Reidsville	135	-	1	-	-	-	8	-	-	-	-	-	11	-	2
70	Balance of county	347	-	-	-	-	-	6	1	-	-	-	3	29	-	7
71	Rowan	514	-	-	-	-	-	8	1	-	2	-	1	53	-	12
72	Salisbury	186	-	-	-	-	-	4	-	-	1	-	-	22	-	6
73	Balance of county	328	-	-	-	-	-	4	1	-	1	-	1	31	-	6
74	Rutherford	279	-	-	-	-	-	10	-	-	1	-	2	25	1	6
75	Sampson	359	1	-	-	-	-	8	-	-	1	-	2	31	1	4
76	Scotland	213	-	-	-	-	-	8	-	-	1	-	1	11	-	2
77	Stanly	236	-	1	-	-	-	4	-	-	-	-	1	21	-	8
78	Stokes	132	-	-	-	-	-	2	-	-	-	-	1	11	-	1
79	Surry	311	-	1	-	-	1	10	1	-	2	1	1	25	1	5
80	Swain	82	-	-	-	-	-	2	1	-	1	-	-	11	-	1
81	Transylvania	72	-	-	-	-	-	-	-	-	-	-	-	9	-	1
82	Tyrrell	33	-	-	-	-	-	2	-	-	-	-	-	3	-	2
83	Union	301	-	-	-	1	1	3	1	-	1	-	2	33	1	9
84	Vance	273	-	-	-	2	-	4	-	-	3	-	-	22	-	4
85	Wake	1,127	-	1	-	-	1	45	1	-	8	-	2	124	1	40
86	Raleigh	678	-	-	-	-	-	33	1	-	7	-	1	72	-	26
87	Balance of county	449	-	1	-	-	1	12	-	-	1	-	1	52	1	14
88	Warren	182	-	1	-	2	-	7	-	-	1	-	-	13	-	5
89	Washington	119	-	-	-	-	1	1	-	-	-	-	-	8	-	3
90	Watauga	104	-	-	-	-	5	1	-	-	-	-	1	13	-	3
91	Wayne	691	-	-	-	1	-	89	-	-	27	-	-	45	1	5
92	Goldsboro	184	-	-	-	1	-	5	-	-	1	-	-	19	-	3
93	Balance of county	507	-	-	-	-	-	84	-	-	26	-	-	26	1	2
94	Wilkes	304	-	-	-	-	-	6	-	-	2	-	1	18	-	7
95	Wilson	542	-	-	-	2	1	40	-	-	2	-	-	55	-	15
96	Wilson	260	-	-	-	1	1	24	-	-	2	-	-	25	-	7
97	Balance of county	282	-	-	-	1	-	16	-	-	-	-	-	30	-	6

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	122	332	56	5	62	8	15	41	28	11	23	31	35	13	109	1
1	91	254	37	4	50	7	7	30	24	8	17	21	23	9	84	2
1	31	98	19	1	32	1	6	11	4	3	6	10	12	4	25	3
1	28	66	11	6	27	1	5	14	9	2	4	6	13	3	22	4
3	63	191	29	3	48	4	12	45	22	4	8	20	32	23	64	5
1	19	65	9	-	12	2	4	11	10	1	4	5	8	3	25	6
2	44	126	20	3	36	2	8	34	12	3	4	15	24	20	39	7
-	15	28	5	-	1	2	-	3	-	-	1	1	2	5	5	8
-	3	5	7	-	6	-	1	-	1	1	1	2	1	2	1	9
-	30	76	18	-	33	1	3	9	3	-	3	6	19	7	24	10
1	8	27	5	1	17	1	1	10	2	2	1	2	8	1	10	11
1	138	400	43	1	115	6	25	45	31	24	12	37	56	19	139	12
-	62	189	10	-	42	2	9	27	12	13	6	15	24	14	78	13
-	31	85	13	1	32	4	4	4	10	3	5	6	17	2	21	14
1	45	126	20	-	39	-	12	12	9	8	1	16	15	3	40	15
-	63	119	18	4	47	10	17	27	17	3	6	10	21	19	48	16
2	43	78	17	1	28	4	5	14	5	5	10	17	26	12	33	17
-	25	63	13	2	14	-	4	8	3	1	2	6	12	3	28	18
-	24	77	18	1	16	3	10	7	3	4	2	7	13	3	35	19
-	21	38	9	2	17	3	2	10	4	3	1	3	17	3	18	20
-	17	26	7	1	14	1	2	6	4	1	3	3	5	7	6	21
-	8	19	4	-	2	-	-	-	2	-	-	1	1	11	8	22
1	38	127	19	2	44	-	5	24	7	3	2	9	21	3	45	23
-	14	52	9	1	9	-	-	8	3	1	1	4	9	2	19	24
1	24	75	10	1	35	-	5	16	4	2	1	5	12	1	26	25
1	16	39	5	4	10	2	2	3	3	1	3	3	6	6	21	26
1	58	130	17	2	30	3	10	21	12	7	6	22	22	15	42	27
-	8	20	2	1	8	-	2	3	2	-	-	-	-	6	6	28
-	19	64	5	-	5	2	9	8	2	3	6	12	8	1	12	29
1	38	90	21	4	53	2	5	21	23	3	8	11	21	5	43	30
1	18	48	12	2	25	1	1	9	7	2	3	5	9	1	18	31
-	20	42	9	2	28	1	4	12	16	1	5	6	12	4	25	32
1	24	41	5	-	25	-	1	10	6	1	2	7	4	11	19	33
-	17	29	7	2	15	1	2	10	2	-	1	2	13	7	8	34
-	12	38	4	-	7	1	1	5	3	2	1	2	8	4	16	35
-	17	38	3	-	8	1	1	3	2	1	1	6	6	12	15	36
-	15	51	16	1	10	2	1	8	6	1	4	1	16	14	30	37
3	163	451	88	5	79	6	23	75	42	17	30	44	63	19	141	38
2	111	334	59	4	55	4	14	48	31	10	24	26	35	16	101	39
1	52	117	29	1	24	2	9	27	11	7	6	18	28	3	40	40
-	13	33	5	-	4	2	6	2	2	1	-	1	5	8	6	41
-	19	45	9	1	6	-	1	4	2	2	4	5	2	2	14	42
-	37	71	4	2	28	3	2	8	4	2	5	10	16	9	28	43
1	56	107	23	6	49	7	7	36	20	14	5	15	15	9	60	44
-	18	37	3	1	14	3	-	13	6	5	1	1	5	1	17	45
-	33	76	6	1	25	4	2	18	7	7	2	3	10	3	23	46
1	38	70	20	5	35	4	7	23	14	9	4	14	10	8	43	47
-	60	172	28	4	43	3	7	31	21	5	8	8	21	14	66	48
-	43	126	23	4	35	3	5	24	15	3	6	6	12	9	54	49
-	17	46	5	-	8	-	2	7	6	2	2	2	9	5	12	50
-	20	54	9	-	19	5	1	10	3	4	5	3	8	5	15	51
-	25	48	10	1	12	4	4	18	2	2	2	10	16	10	28	52
-	15	45	12	-	19	-	4	11	1	3	6	9	14	9	19	53
-	13	21	5	-	5	1	1	5	1	-	-	4	4	3	4	54
-	17	42	7	-	25	-	2	13	4	1	4	8	7	5	32	55
-	6	25	3	-	19	1	2	6	2	1	4	3	3	4	26	56
-	11	17	4	-	6	-	-	7	2	-	-	5	4	1	6	57
-	24	24	7	-	12	1	2	9	6	1	2	4	13	14	9	58
-	16	29	1	1	3	1	1	5	-	-	2	2	3	2	11	59
-	13	40	18	1	10	2	3	1	1	2	-	3	7	6	22	60
1	39	120	34	3	60	1	5	34	14	4	5	10	14	15	57	61
1	16	35	6	1	10	-	-	6	5	3	-	1	3	5	22	62
1	23	85	28	2	50	1	5	28	3	1	5	9	11	10	35	63
1	9	25	4	-	10	-	5	1	1	2	1	5	6	1	10	64
1	39	113	6	4	37	1	2	13	6	2	4	17	13	5	28	65
3	39	118	26	3	14	3	7	10	6	4	4	9	13	5	31	66
-	74	165	47	15	55	7	17	31	18	2	21	19	36	29	56	67
-	59	154	35	1	25	3	10	19	11	8	4	20	22	8	37	68
-	9	54	8	-	6	1	5	5	5	1	-	7	4	1	7	69
-	50	100	25	1	19	2	5	14	6	7	4	15	18	7	30	70
-	64	163	19	2	35	2	11	29	16	7	4	11	17	4	53	71
-	26	59	4	-	11	-	1	8	3	2	4	5	7	2	21	72
-	38	104	15	2	24	2	10	21	13	5	-	6	10	2	32	73
-	34	87	15	3	34	1	3	12	8	4	4	6	19	5	19	74
-	44	109	25	4	41	2	7	9	10	2	4	11	10	3	32	75
-	24	80	18	7	12	2	3	15	3	-	1	6	15	8	16	76
-	30	66	5	1	8	2	5	8	13	3	3	5	12	11	28	77
-	13	38	16	1	10	2	3	7	1	2	-	3	6	4	11	78
-	38	92	17	1	7	1	8	16	4	7	3	8	12	19	30	79
-	10	10	7	-	4	1	1	6	1	2	1	-	3	7	13	80
-	4	20	4	-	9	-	-	1	2	1	1	3	6	2	9	81
-	-	2	-	-	12	-	1	1	-	-	1	-	2	2	5	82
-	28	68	19	4	31	3	8	13	11	4	3	14	7	8	28	83
1	25	85	10	8	17	4	4	18	8	6	2	9	5	8	29	84
2	128	318	50	3	61	6	19	35	23	17	15	31	53	9	135	85
1	67	221	27	-	27	4	8	14	12	8	7	11	33	6	93	86
-	61	97	23	3	34	2	11	21	11	9	8	20	20	3	42	87
-	24	44	10	-	24	3	1	5	4	3	2	5	5	6	17	88
-	11	27	7	-	12	-	-	3	2	-	2	2	7	15	13	89
-	6	26	6	2	6	-	-	6	2	1	2	5	6	5	9	90
-	83	133	24	9	37	1	10	20	10	2	6	6	25	19	138	91
-	26	42	7	3	12	-	6	10	7	-	4	2	11	3	22	92
-	57	91	17	6	25	1	4	10	3	2	2	4	14	16	116	93
1	36	85	23	3	18	2	4	9	2	7	3	13	10	14	40	94
-	52	77	25	6	66	6	6	25	14	5	8	11	38	15	55	95
-	22	33	11	1	53	4	1	11	7	1	4	2	20	5	25	96
-	30	44	14	5	33	2	5	14	7	4	4	9	18	10	30	97

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 38	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	NORTH CAROLINA—Con.															
1	Yadkin	127	-	-	-	-	-	3	-	-	1	-	2	16	-	2
2	Yancey	99	-	1	-	-	-	2	-	-	-	-	1	10	-	2
3	NORTH DAKOTA	5,146	-	6	2	2	6	62	1	1	17	7	9	651	3	171
4	Adams	33	-	-	-	-	-	-	-	-	-	-	-	3	-	1
5	Barnes	134	-	-	-	-	-	1	-	-	-	-	1	25	-	8
6	Benson	88	-	-	-	-	-	1	-	-	-	-	-	12	-	4
7	Billings	7	-	-	-	-	-	-	-	-	-	-	-	3	-	-
8	Bottineau	87	-	-	-	-	-	1	-	-	-	-	-	11	-	-
9	Bowman	23	-	-	-	-	-	-	-	-	-	-	1	3	-	-
10	Burke	45	-	-	-	-	-	-	-	-	-	-	-	3	-	3
11	Burleigh	195	-	-	-	-	-	1	-	-	2	-	-	23	-	6
12	Bismarck	162	-	-	-	-	-	1	-	-	1	-	-	22	-	6
13	Balance of county	33	-	-	-	-	-	-	-	-	1	-	-	1	-	-
14	Cass	527	-	-	-	-	1	5	-	1	4	-	1	84	-	22
15	Fargo	379	-	-	-	-	1	4	-	-	2	-	1	60	-	16
16	Balance of county	148	-	-	-	-	-	1	-	1	2	-	-	24	-	6
17	Cavalier	107	-	-	-	-	-	1	-	-	-	-	-	15	-	4
18	Dickey	81	-	-	-	-	-	1	-	-	1	-	-	11	-	3
19	Divide	62	-	-	-	-	-	1	-	-	-	-	-	11	-	1
20	Dunn	47	-	-	-	-	-	2	-	-	-	1	-	6	-	1
21	Eddy	42	-	-	-	-	-	-	-	-	-	-	-	5	-	1
22	Emmons	69	-	-	-	-	-	-	-	-	-	-	-	9	-	2
23	Foster	67	-	-	-	-	-	-	-	-	-	-	-	11	-	2
24	Golden Valley	23	-	-	-	-	-	-	-	-	-	-	-	4	-	-
25	Grand Forks	333	-	-	-	-	-	3	1	-	-	2	1	38	-	11
26	Grand Forks	228	-	-	-	-	-	1	-	-	-	1	1	27	-	8
27	Balance of county	105	-	-	-	-	-	2	1	-	-	1	-	11	-	3
28	Grant	43	-	-	-	-	-	-	-	-	-	-	-	1	-	4
29	Griggs	34	-	-	-	-	-	-	-	-	-	-	-	4	-	2
30	Hettinger	56	-	1	-	-	-	-	-	-	-	-	-	9	-	2
31	Kidder	39	-	-	-	-	-	-	-	-	-	-	-	5	-	1
32	La Moure	72	-	-	-	-	-	-	-	-	-	-	-	11	-	3
33	Logan	38	-	-	-	-	-	2	-	-	-	-	-	4	-	-
34	McHenry	98	-	-	-	1	-	-	-	-	1	-	-	18	-	4
35	McIntosh	54	-	-	-	-	-	-	-	-	-	-	1	9	-	4
36	McKenzie	56	-	-	-	1	-	-	-	-	-	-	-	10	-	-
37	McLean	109	-	1	-	-	-	4	-	-	1	1	-	10	-	2
38	Mercer	53	-	-	-	-	-	1	-	-	-	-	-	4	-	3
39	Morton	149	-	1	-	-	-	-	-	-	1	-	1	23	-	6
40	Mountrail	69	-	-	-	-	-	-	-	-	-	1	-	10	-	3
41	Nelson	90	-	-	-	-	-	1	-	-	-	-	-	8	-	3
42	Oliver	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-
43	Pembina	115	-	-	-	-	-	-	-	-	1	-	-	11	-	2
44	Pierce	92	-	-	-	-	2	1	-	-	1	-	-	16	-	3
45	Ramsey	150	-	-	-	-	1	-	-	-	1	-	-	14	-	9
46	Ransom	72	-	-	-	-	-	-	-	-	-	-	-	14	-	3
47	Renville	44	-	-	-	-	-	-	-	-	-	-	-	7	-	1
48	Richland	170	-	-	-	-	-	-	-	-	-	-	-	23	1	5
49	Rolette	103	-	-	-	-	-	13	-	-	-	1	1	6	1	-
50	Sargent	65	-	-	-	-	-	1	-	-	-	-	-	8	-	5
51	Sheridan	20	-	-	-	-	-	-	-	-	-	-	-	3	-	-
52	Sioux	30	-	-	-	-	-	3	-	-	-	-	-	-	-	-
53	Slope	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-
54	Stark	139	-	-	1	-	-	2	-	-	-	-	1	19	-	7
55	Steele	33	-	1	-	-	-	1	-	-	-	-	-	4	-	-
56	Stutsman	319	-	-	1	-	-	7	-	-	3	-	-	29	-	5
57	Towner	49	-	-	-	-	-	-	-	-	-	-	-	8	1	1
58	Traill	92	-	-	-	-	-	-	-	-	-	-	-	10	-	5
59	Walsh	194	-	-	-	-	1	7	-	-	-	1	-	17	-	6
60	Ward	292	-	2	-	-	1	1	-	-	1	-	1	35	-	9
61	Minot	203	-	1	-	-	1	-	-	-	1	-	-	27	-	8
62	Balance of county	89	-	1	-	-	-	1	-	-	-	-	1	8	-	1
63	Wells	55	-	-	-	-	-	1	-	-	-	-	-	6	-	1
64	Williams	159	-	-	-	-	-	-	-	-	-	-	-	15	-	3
65	OHIO	80,891	12	61	4	53	24	2,145	21	2	796	69	87	11,353	44	2,329
66	Adams	231	-	-	-	-	1	6	-	-	-	-	-	33	-	7
67	Allen	920	-	-	-	-	1	29	-	-	11	-	3	121	-	27
68	Lima	598	-	-	-	-	1	13	-	-	6	-	2	86	-	14
69	Balance of county	322	-	-	-	-	-	16	-	-	5	-	1	35	-	13
70	Ashland	326	-	-	-	-	-	3	-	-	2	-	-	45	-	8
71	Ashland	160	-	-	-	-	-	2	-	-	1	-	-	24	-	3
72	Balance of county	166	-	-	-	-	-	1	-	-	1	-	-	21	-	5
73	Ashtabula	882	-	-	-	-	-	8	-	-	1	-	-	141	-	18
74	Ashtabula	274	-	-	-	-	-	4	-	-	-	-	-	45	-	6
75	Balance of county	608	-	-	-	-	-	4	-	-	1	-	-	96	-	12
76	Athens	613	2	-	-	1	-	17	-	-	16	-	-	48	-	12
77	Auglaize	325	-	-	-	-	-	2	-	-	1	1	2	51	-	3
78	Belmont	977	-	1	-	-	-	16	-	1	7	-	-	148	1	20
79	Bellaire	172	-	-	-	-	-	2	-	-	3	-	-	20	-	1
80	Martins Ferry	191	-	-	-	-	-	5	-	-	2	-	-	31	1	8
81	Balance of county	614	-	1	-	-	-	9	-	1	2	-	-	95	-	11
82	Brown	276	-	-	-	-	-	5	-	-	-	-	-	40	-	6
83	Butler	1,254	-	-	-	6	1	39	-	-	9	3	1	148	-	37
84	Hamilton	624	-	-	-	4	-	24	-	-	6	1	-	77	-	20
85	Middletown	321	-	-	-	-	-	11	-	-	2	1	1	41	-	13
86	Balance of county	309	-	-	-	2	1	4	-	-	1	1	-	30	-	4
87	Carroll	182	-	-	-	-	-	3	-	-	1	-	-	16	-	2
88	Champaign	321	-	1	-	-	1	4	-	-	-	-	-	30	-	7
89	Clark	1,261	-	3	-	-	-	38	1	-	10	1	2	182	1	25
90	Springfield	946	-	3	-	-	-	22	1	-	8	1	2	141	1	21
91	Balance of county	315	-	-	-	-	-	16	-	-	2	-	-	41	-	4
92	Clermont	394	-	-	-	2	-	5	-	-	2	1	-	50	-	13
93	Clinton	273	-	-	-	-	-	6	-	-	1	-	-	46	1	4

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 156, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	13	39	7	-	10	-	2	5	3	1	-	4	4	3	11	1
-	12	23	4	2	8	1	1	2	2	-	-	-	6	8	14	2
-	550	1,539	161	33	236	16	75	184	111	48	5	115	325	154	656	3
-	7	8	-	-	1	-	-	-	1	1	-	1	6	-	4	4
-	15	49	1	-	6	-	1	5	-	-	-	3	7	1	11	5
-	12	27	2	1	1	-	1	3	4	1	-	1	8	1	9	6
-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	7
-	14	17	3	1	2	1	3	2	1	1	-	4	9	4	13	8
-	3	7	1	-	-	-	-	-	1	-	-	1	2	2	2	9
-	13	9	2	1	2	-	1	3	-	1	-	1	1	1	4	10
-	7	79	7	2	6	1	6	12	9	-	-	5	8	-	21	11
-	6	65	6	2	5	-	5	10	9	-	-	4	5	-	15	12
-	1	14	1	-	1	1	1	2	-	-	-	1	3	-	6	13
-	58	161	8	-	23	1	7	17	9	3	-	12	17	23	70	14
-	40	116	6	-	19	1	5	13	8	2	-	8	11	16	50	15
-	18	45	2	-	4	-	2	4	1	1	-	4	6	7	20	16
-	13	39	5	-	6	-	1	3	1	2	-	-	4	5	8	17
-	8	24	3	-	1	2	2	-	3	2	-	2	5	2	11	18
-	9	18	3	1	1	-	-	1	1	-	-	1	6	3	5	19
-	5	12	4	-	-	-	-	2	1	1	1	1	5	2	3	20
-	4	12	-	-	6	-	-	2	2	-	-	1	1	3	5	21
-	2	22	6	1	4	-	2	4	-	1	-	2	2	2	10	22
-	9	14	5	-	1	-	2	5	5	-	1	1	6	-	5	23
-	4	9	-	-	1	-	-	-	1	-	-	1	1	1	1	24
-	32	86	5	1	18	1	7	18	7	2	-	11	20	26	43	25
-	25	56	4	1	13	1	6	15	7	1	-	8	12	6	35	26
-	7	30	1	-	5	-	1	3	-	1	-	3	8	20	8	27
-	7	16	-	-	2	-	-	3	-	1	-	1	2	1	5	28
-	4	9	1	-	1	-	-	1	2	-	-	3	4	1	2	29
-	9	11	1	1	2	1	2	-	2	-	-	4	3	2	6	30
-	2	12	1	-	2	-	1	2	-	-	-	1	5	5	2	31
-	6	23	-	-	6	-	-	1	2	1	-	3	5	2	9	32
-	9	6	-	1	3	1	-	2	-	-	-	2	2	-	6	33
-	13	25	3	-	1	1	2	1	1	-	-	2	10	2	13	34
-	2	10	3	-	3	-	2	1	3	-	-	2	5	4	5	35
-	5	23	-	1	1	-	-	3	-	2	-	1	1	1	7	36
-	8	39	2	4	2	1	1	5	4	2	-	3	9	1	9	37
-	6	11	1	1	6	-	-	2	1	2	-	4	3	-	8	38
-	17	36	5	2	10	-	3	7	1	-	-	2	5	5	24	39
-	7	19	6	-	1	-	-	-	-	1	1	1	7	-	12	40
-	9	29	2	1	6	-	1	3	3	1	1	1	8	4	9	41
-	1	1	-	-	1	-	-	-	-	-	-	-	2	-	1	42
-	19	35	-	1	12	-	1	3	2	-	-	1	10	3	14	43
-	7	27	1	-	5	1	-	4	3	4	-	-	6	1	10	44
-	21	42	4	-	11	-	3	6	5	2	-	5	8	-	18	45
-	8	22	3	2	3	-	-	1	2	-	-	-	6	2	6	46
-	6	11	2	-	3	-	1	-	-	1	-	-	5	2	5	47
-	27	52	5	-	3	-	5	3	4	2	-	2	14	3	21	48
-	9	20	3	3	7	1	3	4	4	1	-	-	14	5	7	49
-	5	25	2	-	1	-	-	3	-	1	-	1	3	3	7	50
-	-	7	1	-	1	-	-	-	1	-	-	1	2	1	3	51
-	1	9	3	1	2	-	1	1	-	-	-	1	1	4	3	52
-	-	9	1	-	-	-	-	1	-	-	-	-	1	1	2	53
-	15	40	6	2	9	-	2	4	5	1	-	2	5	2	16	54
-	1	10	-	1	1	-	1	5	-	-	-	-	-	-	7	55
-	26	125	22	-	7	2	-	4	6	3	-	4	18	2	55	56
-	6	16	1	-	1	-	-	-	-	1	-	1	6	1	6	57
-	11	21	3	2	4	-	1	3	1	2	-	-	7	5	17	58
-	19	55	7	1	17	-	5	4	3	2	1	2	11	1	34	59
-	28	76	10	-	13	2	7	20	6	2	-	8	18	5	47	60
-	18	45	10	-	10	1	4	18	5	1	-	6	9	3	35	61
-	10	31	-	-	3	1	3	2	1	1	-	2	9	2	12	62
-	7	17	-	1	6	-	-	1	2	-	-	3	1	-	9	63
-	14	55	7	-	4	-	-	8	2	1	-	6	10	9	25	64
3	8,204	26,452	2,824	484	4,358	159	1,091	1,956	1,248	976	353	1,954	3,487	1,015	9,337	65
-	29	77	13	4	16	-	-	3	6	5	1	3	10	1	16	66
-	83	320	20	8	50	1	6	34	13	7	3	20	50	10	103	67
-	49	203	10	6	37	1	5	25	12	6	3	15	38	4	64	68
-	34	117	10	2	13	-	1	9	1	1	-	5	14	6	39	69
-	29	132	7	-	17	-	3	7	1	4	-	12	13	3	40	70
-	11	61	7	-	10	-	2	4	1	2	-	6	5	1	20	71
-	18	71	-	-	7	-	1	3	-	2	-	6	8	2	20	72
-	90	308	44	1	45	1	12	18	12	12	3	25	49	6	88	73
-	25	91	13	-	14	-	3	8	5	2	2	8	20	2	26	74
-	65	217	31	1	31	1	9	10	7	10	1	17	29	4	62	75
-	74	180	24	2	38	-	9	9	3	6	2	14	32	12	112	76
-	29	128	6	2	30	1	2	7	3	1	-	5	16	4	31	77
-	80	320	29	3	94	1	11	22	19	14	2	17	55	2	116	78
-	17	55	10	1	19	-	2	2	5	4	-	1	8	1	21	79
-	18	59	2	-	9	-	-	6	2	1	-	4	13	-	30	80
-	45	206	17	2	66	1	9	14	12	9	2	12	34	1	65	81
-	32	112	8	2	12	-	1	7	5	5	-	8	14	1	18	82
-	140	386	43	7	67	2	22	43	23	12	3	42	46	18	156	83
-	66	185	27	2	38	-	12	21	11	2	1	19	23	2	83	84
-	50	99	7	3	11	1	5	9	6	2	-	9	11	8	31	85
-	24	102	9	2	18	1	5	15	6	8	2	14	12	8	42	86
-	22	63	4	-	13	-	5	1	1	1	1	6	15	4	24	87
-	35	101	13	5	27	4	8	11	8	5	-	4	13	3	41	88
-	132	395	52	15	91	3	18	28	16	12	2	33	49	9	145	89
-	104	275	41	6	70	2	14	27	9	9	2	28	32	6	121	90
-	28	118	11	9	21	1	4	1	7	3	-	5	17	3	24	91
-	53	146	17	4	15	-	1	6	3	4	4	9	12	2	45	92
-	36	96	8	1	12	1	2	5	3	4	-	9	10	4	24	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	OHIO—Continued															
1	Columbiana	1,042	-	-	-	-	-	19	-	-	3	4	1	128	-	37
2	East Liverpool	313	-	-	-	-	-	10	-	-	2	2	1	48	-	11
3	Salem	180	-	-	-	-	-	2	-	-	-	1	-	17	-	9
4	Balance of county	549	-	-	-	-	-	7	-	-	1	1	-	65	-	17
5	Coshocton	394	-	1	1	1	-	5	-	-	1	1	-	56	-	13
6	Coshocton	172	-	-	-	1	-	4	-	-	-	1	-	25	-	6
7	Balance of county	222	-	1	1	-	-	1	-	-	1	-	-	31	-	7
8	Crawford	432	-	-	-	-	-	3	-	-	-	-	-	61	-	16
9	Cuyahoga	13,364	1	8	-	5	-	469	1	-	151	1	16	2,139	9	456
10	Cleveland	9,883	1	6	-	4	-	396	1	-	116	-	10	1,547	9	359
11	Cleveland Heights	496	-	-	-	-	-	4	-	-	2	-	1	65	-	15
12	East Cleveland	431	-	-	-	-	-	5	-	-	8	1	1	77	-	18
13	Lakewood	662	-	-	-	-	-	6	-	-	4	-	-	124	-	18
14	Euclid	213	-	1	-	-	-	2	-	-	1	-	-	26	-	6
15	Garfield Heights	129	-	-	-	-	-	1	-	-	-	-	-	28	-	4
16	Parma	145	-	-	-	-	-	3	-	-	2	-	-	22	-	5
17	Shaker Heights	199	-	-	-	1	-	3	-	-	1	-	1	38	-	6
18	Balance of county	1,206	-	1	-	-	-	49	-	-	17	-	3	192	-	25
19	Darke	456	-	1	-	-	-	4	-	-	3	-	-	60	-	10
20	Defiance	272	-	-	-	1	-	2	-	-	-	-	4	44	-	7
21	Delaware	314	-	-	-	-	-	2	-	-	-	1	1	40	-	9
22	Erie	603	-	-	-	1	-	7	-	-	2	3	-	78	-	20
23	Sandusky	355	-	-	-	-	-	5	-	-	1	3	-	49	-	13
24	Balance of county	248	-	-	-	1	-	2	-	-	1	-	-	29	-	7
25	Fairfield	515	-	-	-	3	1	15	-	1	4	1	-	72	-	18
26	Lancaster	248	-	-	-	1	-	11	-	-	4	1	-	41	-	9
27	Balance of county	267	-	-	-	2	1	4	-	1	-	-	-	31	-	9
28	Fayette	250	-	1	-	2	-	6	-	-	1	-	-	37	-	10
29	Franklin	4,914	-	4	1	1	2	160	-	-	70	3	1	721	2	38
30	Columbus	3,978	-	4	1	1	1	114	-	-	63	2	1	584	2	112
31	Balance of county	936	-	-	-	-	1	46	-	-	7	1	-	137	-	26
32	Fulton	295	-	1	-	-	-	1	-	-	-	-	1	41	-	12
33	Gallia	351	-	-	-	-	1	18	-	-	1	1	-	34	-	6
34	Geauga	201	-	-	-	-	-	2	-	-	-	-	1	24	-	7
35	Greene	454	-	-	-	-	1	12	-	-	3	2	-	45	-	15
36	Xenia	130	-	-	-	-	-	2	-	-	1	1	-	16	-	5
37	Balance of county	324	-	-	-	-	1	10	-	-	2	1	-	29	-	10
38	Guernsey	638	-	-	1	-	-	12	5	-	20	-	-	70	-	13
39	Cambridge	203	-	-	-	-	-	-	-	-	4	-	-	28	-	8
40	Balance of county	435	-	-	1	-	-	12	5	-	16	-	-	42	-	5
41	Hamilton	8,318	2	16	-	1	2	289	3	-	128	5	5	1,278	1	225
42	Cincinnati	6,575	2	15	-	1	2	256	2	-	116	4	5	1,005	1	175
43	Norwood	269	-	-	-	-	-	2	-	-	2	-	-	44	-	6
44	Balance of county	1,474	-	1	-	-	-	31	1	-	10	1	-	229	-	44
45	Hancock	506	-	1	-	-	1	5	-	-	2	-	4	78	-	7
46	Findlay	276	-	1	-	-	1	5	-	-	2	-	3	42	-	4
47	Fostoria (part)	32	-	-	-	-	-	-	-	-	-	-	-	5	-	-
48	Balance of county	198	-	-	-	-	-	-	-	-	-	-	1	31	-	3
49	Hardin	340	-	-	-	-	-	1	-	-	4	-	-	49	-	6
50	Harrison	202	-	1	-	1	-	2	-	-	-	-	-	22	-	4
51	Henry	248	-	-	-	-	-	1	-	-	-	-	-	35	-	3
52	Highland	342	-	-	-	-	-	3	1	-	1	1	-	34	-	8
53	Hocking	199	-	-	-	1	-	6	-	-	-	1	-	22	-	6
54	Holmes	200	-	-	-	-	-	-	-	-	-	-	-	26	1	9
55	Huron	461	-	-	-	1	-	2	-	-	2	2	-	57	-	15
56	Jackson	326	-	-	-	1	-	11	1	-	2	-	-	36	-	12
57	Jefferson	906	-	2	-	-	-	14	-	-	11	-	-	119	-	23
58	Steubenville	431	-	2	-	-	-	6	-	-	5	-	-	60	-	11
59	Balance of county	475	-	-	-	-	-	8	-	-	6	-	-	59	-	12
60	Knox	403	-	-	-	1	-	13	-	-	2	1	-	54	-	12
61	Mount Vernon	167	-	-	-	-	-	3	-	-	2	-	-	20	-	4
62	Balance of county	236	-	-	-	1	-	10	-	-	-	1	-	34	-	8
63	Lake	594	-	1	-	-	-	8	-	-	4	-	-	69	-	19
64	Painesville	175	-	-	-	-	-	2	-	-	1	-	-	15	-	6
65	Balance of county	419	-	1	-	-	-	6	-	-	3	-	-	54	-	11
66	Lawrence	458	-	1	-	-	2	8	-	-	1	-	-	54	-	9
67	Ironton	197	-	1	-	-	-	1	-	-	-	-	-	24	-	5
68	Balance of county	261	-	-	-	-	2	7	-	-	1	-	-	30	-	4
69	Licking	794	-	2	-	-	2	14	-	-	6	-	-	104	-	20
70	Newark	442	-	1	-	-	-	6	-	-	6	-	-	57	-	15
71	Balance of county	352	-	1	-	-	2	8	-	-	-	-	-	47	-	5
72	Logan	438	-	-	-	-	-	4	-	-	1	-	1	50	-	11
73	Lorain	1,352	1	1	-	1	-	36	-	-	9	-	1	181	-	59
74	Elyria	315	-	-	-	-	-	9	-	-	3	-	1	39	-	15
75	Lorain	517	1	1	-	1	-	12	-	-	2	-	-	82	-	18
76	Balance of county	520	-	-	-	-	-	15	-	-	4	-	-	60	-	26
77	Lucas	4,427	-	2	-	-	-	134	4	-	59	2	16	577	4	115
78	Toledo	3,930	-	1	-	-	-	128	4	-	57	1	14	521	4	110
79	Balance of county	497	-	1	-	-	-	6	-	-	2	1	2	56	-	5
80	Madison	232	-	-	-	-	-	10	-	-	4	-	-	27	-	5
81	Mahoning	2,507	-	-	-	2	-	88	-	-	22	2	-	378	3	89
82	Youngstown (part)	1,903	-	-	-	2	-	38	-	-	17	1	-	301	3	74
83	Youngstown (total)	1,908	-	-	-	2	-	38	-	-	17	1	-	301	3	74
84	Campbell	76	-	-	-	-	-	-	-	-	1	1	-	8	-	2
85	Struthers	77	-	-	-	-	-	2	-	-	1	-	-	7	-	1
86	Balance of county	451	-	-	-	-	-	48	-	-	3	-	-	62	-	12
87	Marion	499	-	-	-	-	-	9	-	-	6	-	2	72	-	12
88	Marion	367	-	-	-	-	-	7	-	-	6	-	2	48	-	8
89	Balance of county	132	-	-	-	-	-	2	-	-	-	-	-	24	-	4
90	Medina	389	-	1	-	-	-	6	-	-	-	-	-	62	-	15
91	Meigs	249	-	-	-	-	-	5	-	-	-	1	-	27	-	4
92	Mercer	287	-	-	-	-	-	3	-	-	2	-	2	47	-	7
93	Miami	653	-	-	-	-	-	9	-	-	2	-	1	85	-	19
94	Piqua	218	-	-	-	-	-	2	-	-	2	-	1	28	-	4
95	Balance of county	435	-	-	-	-	-	7	-	-	-	-	-	57	-	15

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 198,200	All other causes	
-	115	351	29	2	72	1	18	27	19	11	2	31	50	11	111	1
-	25	104	12	-	19	1	7	11	6	3	-	5	14	4	30	2
-	25	48	4	-	11	-	4	7	5	2	-	8	6	-	31	3
-	65	199	13	2	42	-	7	9	8	6	2	18	30	7	50	4
-	44	136	11	2	16	2	3	3	5	7	-	9	24	2	51	5
-	20	56	7	2	5	2	2	3	3	2	-	3	10	-	20	6
-	24	80	4	-	11	-	1	5	2	5	-	6	14	2	31	7
-	59	144	9	2	29	1	6	5	13	3	-	13	18	1	49	8
-	1,124	4,594	501	36	512	31	185	323	210	167	95	189	453	250	1,438	9
-	778	3,328	383	26	399	26	131	233	159	119	86	154	340	221	1,051	10
-	58	207	11	2	7	1	6	8	2	8	1	3	12	7	56	11
-	30	150	15	1	15	1	8	10	5	3	2	4	21	6	50	12
-	89	241	14	1	25	1	11	18	7	7	-	4	25	3	64	13
-	13	73	10	1	5	1	8	11	9	2	-	2	13	1	30	14
-	12	50	4	-	6	-	2	1	3	2	-	-	1	-	15	15
-	15	55	9	1	2	-	3	6	1	2	1	1	6	-	11	16
-	22	71	7	-	5	-	2	7	2	3	1	3	6	1	19	17
-	107	419	48	4	46	1	18	29	22	21	4	18	29	11	142	18
-	62	149	14	3	48	1	5	6	5	6	-	12	14	2	51	19
-	26	87	6	1	29	-	5	9	1	2	-	9	12	5	22	20
-	34	129	12	1	7	2	1	9	5	3	-	10	17	2	29	21
-	69	185	17	1	28	2	7	18	16	10	3	34	31	7	64	22
-	40	116	8	1	21	2	5	11	9	4	3	14	14	1	35	23
-	29	69	9	-	7	-	2	7	7	6	-	20	17	6	28	24
-	55	162	12	7	34	1	5	11	3	4	2	11	22	10	61	25
-	21	74	7	4	15	-	2	7	1	1	-	4	11	-	34	26
-	34	88	5	3	19	1	3	4	2	3	2	7	11	10	27	27
-	41	83	9	2	6	-	2	6	3	1	-	5	11	1	23	28
-	508	1,520	156	33	279	14	66	103	66	47	23	135	192	57	612	29
-	431	1,241	132	23	219	9	52	79	49	31	20	104	159	48	496	30
-	77	279	24	10	60	5	14	24	17	16	3	31	33	9	116	31
-	33	104	3	-	13	2	6	4	6	4	-	20	14	3	27	32
-	42	84	14	3	11	-	3	6	1	1	-	7	24	4	60	33
-	23	79	5	1	8	-	6	5	4	3	-	3	9	4	17	34
-	68	134	16	5	28	1	11	16	7	3	-	14	26	2	45	35
-	22	43	4	-	12	-	2	4	2	-	-	2	4	-	10	36
-	48	91	12	5	16	1	9	12	5	3	-	12	22	2	35	37
-	69	188	31	2	25	1	4	5	8	6	1	5	34	15	125	38
-	25	62	10	1	11	1	1	3	2	-	1	3	5	9	30	39
-	44	126	21	1	12	-	3	2	6	6	-	2	29	6	95	40
-	791	2,724	331	62	449	15	88	174	105	90	68	133	325	67	941	41
-	616	2,114	259	55	334	11	60	133	83	65	58	108	267	57	771	42
-	32	98	6	-	17	1	5	2	3	5	1	7	8	1	29	43
-	143	512	66	7	98	3	23	39	19	20	9	16	50	9	141	44
-	59	151	12	-	36	-	4	14	10	3	-	17	21	24	57	45
-	41	82	9	-	18	-	-	5	1	2	-	6	10	17	27	46
-	2	9	-	-	-	-	1	4	3	-	-	-	3	1	4	47
-	16	60	3	1	18	-	1	5	6	1	-	11	8	6	26	48
-	37	116	4	1	14	-	3	3	2	5	-	10	24	9	48	49
-	27	69	8	4	6	1	7	4	1	2	-	6	15	5	22	50
-	42	87	3	1	14	1	2	5	4	2	-	6	12	5	22	51
-	52	123	29	1	12	1	5	5	4	5	-	4	19	2	33	52
-	22	72	13	-	8	1	3	7	3	2	2	3	8	1	20	53
-	24	73	10	-	16	-	2	5	4	1	-	2	9	-	21	54
-	47	154	14	4	34	-	5	13	2	5	1	11	28	14	42	55
-	21	100	15	8	28	-	11	6	6	10	1	19	10	2	28	56
-	91	343	25	4	43	3	12	20	17	7	1	18	60	1	88	57
-	43	158	11	1	17	1	4	13	8	4	2	7	28	-	50	58
-	48	185	14	3	26	2	8	7	9	3	3	11	32	1	39	59
-	69	105	15	-	20	2	9	6	9	8	1	11	19	8	39	60
-	34	42	6	-	11	1	6	2	6	4	1	2	7	1	16	61
-	35	63	9	-	9	1	3	4	3	4	1	9	12	7	22	62
-	80	188	18	1	11	-	12	12	10	10	-	21	32	11	87	63
-	26	57	8	1	5	-	2	3	2	2	-	10	7	3	23	64
-	54	131	10	-	6	-	10	2	8	8	-	11	25	8	64	65
-	61	127	18	5	39	-	2	9	8	3	2	9	36	4	46	66
-	27	61	6	-	18	-	4	3	19	2	-	2	18	-	22	67
-	34	66	12	5	21	-	13	5	5	1	2	7	18	4	24	68
-	85	259	21	1	58	1	6	16	14	13	3	22	39	12	97	69
-	40	147	11	1	33	1	6	13	6	6	3	10	26	7	52	70
-	45	112	10	-	25	-	7	3	2	7	-	12	13	5	45	71
-	76	105	12	1	58	2	4	8	4	8	-	9	33	10	43	72
-	115	454	33	7	68	-	19	43	25	14	3	55	70	7	148	73
-	31	111	9	2	9	-	4	10	6	2	1	10	16	-	37	74
-	44	167	15	3	31	-	8	19	10	8	2	14	29	3	49	75
-	40	176	11	2	28	2	7	14	9	4	-	31	25	4	62	76
-	375	1,360	153	47	266	7	53	138	85	72	16	113	173	60	596	77
-	327	1,196	132	39	231	6	47	123	73	54	16	94	149	55	548	78
-	48	164	21	8	35	1	6	15	12	18	-	19	24	5	48	79
-	22	72	9	3	20	-	3	6	8	2	-	3	10	7	21	80
-	238	797	95	9	121	5	43	66	27	23	16	81	101	13	288	81
-	167	606	71	6	96	2	35	51	22	20	15	60	79	10	227	82
-	168	608	71	7	96	2	35	51	22	20	15	60	80	10	227	83
-	2	24	3	-	4	1	1	5	2	-	-	5	4	-	13	84
-	12	27	1	-	6	-	2	1	1	-	1	1	1	-	10	85
-	57	140	20	3	15	2	6	9	2	3	-	15	17	3	38	86
-	52	157	15	-	32	1	6	11	6	8	2	9	26	4	72	87
-	43	113	11	-	21	1	5	8	4	6	2	5	18	3	56	88
-	9	44	4	-	11	-	1	3	2	-	-	3	8	1	18	89
-	67	105	12	-	21	-	3	6	5	7	-	8	12	10	49	90
-	48	77	14	4	15	-	2	2	5	1	-	2	13	3	26	91
-	25	102	9	1	27	1	1	7	1	4	-	9	10	4	24	92
-	81	234	14	4	34	1	1	2	10	6	1	23	19	1	82	93
-	36	73	7	1	12	-	1	7	3	-	-	3	6	1	27	94
-	45	161	7	3	22	-	6	10	7	6	1	20	13	-	55	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	OHIO—Continued															
1	Monroe	213	-	-	-	-	-	3	-	-	2	-	-	31	-	6
2	Montgomery	3,801	-	4	-	2	4	147	1	-	60	3	1	493	3	95
3	Dayton	2,820	-	4	-	2	4	91	1	-	51	1	1	377	2	78
4	Balance of county	981	-	-	-	-	-	56	-	-	9	2	-	116	1	17
5	Morgan	170	-	-	-	-	-	7	-	-	1	-	-	18	-	4
6	Morrow	182	-	-	-	-	-	1	-	-	1	-	-	28	-	8
7	Muskingum	872	1	1	-	1	-	8	-	-	5	1	3	115	-	22
8	Zanesville	584	-	1	-	1	-	7	-	-	4	-	3	77	-	13
9	Balance of county	288	1	-	-	-	-	1	-	-	1	1	-	38	-	9
10	Noble	143	-	-	-	-	-	2	-	-	-	-	-	17	1	3
11	Ottawa	280	1	-	-	1	1	3	-	-	1	-	1	30	-	11
12	Paulding	157	-	-	-	1	-	-	-	-	1	-	-	20	-	5
13	Perry	352	-	-	-	-	-	4	-	-	-	3	-	41	-	9
14	Pickaway	383	-	-	-	-	-	18	2	-	5	1	-	46	-	9
15	Pike	148	1	-	-	-	-	10	-	-	-	1	-	15	-	3
16	Portage	512	-	1	-	-	-	10	-	-	4	-	-	84	1	16
17	Preble	298	-	-	-	-	-	6	-	-	1	-	-	39	1	7
18	Putnam	225	-	-	-	-	-	1	-	-	2	-	3	29	-	9
19	Richland	869	-	1	-	-	-	17	-	-	10	2	-	133	1	21
20	Mansfield	471	-	1	-	-	-	10	-	-	6	-	-	79	1	10
21	Balance of county	398	-	-	-	-	-	7	-	-	4	2	-	54	-	11
22	Ross	577	-	-	-	-	1	27	-	-	18	-	-	61	-	15
23	Chillicothe	261	-	-	-	-	-	8	-	-	1	-	-	35	-	10
24	Balance of county	316	-	-	-	-	1	19	-	-	17	-	-	26	-	5
25	Sandusky	519	-	-	-	1	-	15	1	-	3	-	-	60	-	18
26	Fremont	200	-	-	-	-	-	2	1	-	1	-	-	12	-	11
27	Balance of county	319	-	-	-	1	-	13	-	-	2	-	-	48	-	7
28	Scioto	828	1	-	-	1	1	18	1	-	6	-	-	111	-	15
29	Portsmouth	484	-	-	-	1	1	6	1	-	4	-	-	76	-	7
30	Balance of county	344	1	-	-	-	-	12	-	-	2	-	-	35	-	6
31	Seneca	591	-	-	-	-	-	7	-	-	4	-	1	80	1	15
32	Fostoria (part)	141	-	-	-	-	-	3	-	-	-	-	1	16	1	5
33	Fostoria (total)	173	-	-	-	-	-	3	-	-	-	-	1	21	1	5
34	Tiffin	238	-	-	-	-	-	3	-	-	2	-	-	31	-	6
35	Balance of county	212	-	-	-	-	-	1	-	-	2	-	-	33	-	4
36	Shelby	304	-	-	-	-	-	4	-	-	-	-	-	45	-	9
37	Stark	2,842	1	2	-	2	-	75	-	-	43	5	-	402	5	73
38	Canton	1,237	1	1	-	-	-	25	-	-	9	1	-	200	3	39
39	Massillon	350	-	1	-	2	-	5	-	-	-	1	-	45	1	10
40	Alliance	325	-	-	-	-	-	5	-	-	4	1	-	44	-	13
41	Balance of county	930	-	-	-	-	-	40	-	-	30	2	-	113	1	11
42	Summit	3,264	1	2	-	6	-	74	-	-	24	-	1	508	-	110
43	Akron	2,294	-	2	-	5	-	38	-	-	14	-	1	371	-	70
44	Barberton	233	-	-	-	-	-	4	-	-	-	-	-	26	-	16
45	Cuyahoga Falls	189	1	-	-	-	-	4	-	-	-	-	-	36	-	8
46	Balance of county	548	-	-	-	1	-	28	-	-	10	-	-	75	-	16
47	Trumbull	1,233	-	-	-	2	1	36	-	-	6	-	-	146	4	36
48	Youngstown (part)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Warren	470	-	-	-	1	-	12	-	-	2	-	-	54	1	14
50	Niles	129	-	-	-	-	1	2	-	-	-	-	-	21	1	8
51	Balance of county	629	-	-	-	1	-	22	-	-	4	-	-	71	2	14
52	Tuscarawas	774	-	-	-	-	-	13	-	-	2	-	-	98	-	26
53	New Philadelphia	119	-	-	-	-	-	-	-	-	-	-	-	17	-	1
54	Balance of county	655	-	-	-	-	-	13	-	-	2	-	-	81	-	25
55	Union	245	-	-	-	-	-	3	-	-	1	-	1	34	-	5
56	Van Wert	303	-	-	1	-	-	4	-	-	2	-	2	45	2	8
57	Vinton	116	-	-	-	-	-	4	-	-	-	1	-	6	-	5
58	Warren	409	-	-	-	3	-	3	-	-	1	1	1	48	-	18
59	Washington	526	-	-	-	1	-	6	-	-	1	1	-	55	-	17
60	Marietta	254	-	-	-	1	-	3	-	-	1	1	-	30	-	5
61	Balance of county	272	-	-	-	-	-	3	-	-	-	-	-	25	-	12
62	Wayne	564	-	-	-	-	-	8	-	-	2	-	-	82	-	11
63	Wooster	178	-	-	-	-	-	2	-	-	-	-	-	28	-	7
64	Balance of county	386	-	-	-	-	-	6	-	-	2	-	-	54	-	4
65	Williams	333	-	-	-	-	-	2	-	-	2	1	-	48	1	11
66	Wood	539	-	1	-	-	-	8	-	-	-	-	6	67	-	15
67	Wyandot	261	-	-	-	-	-	2	-	-	-	1	2	30	1	6
68	OKLAHOMA	19,079	6	10	-	44	16	606	28	6	165	10	35	2,486	9	397
69	Adair	124	-	-	-	1	1	14	-	-	1	-	-	13	-	2
70	Alfalfa	105	-	-	-	-	-	2	-	-	1	1	-	16	-	2
71	Atoka	107	-	-	-	1	-	5	-	-	-	-	1	13	-	1
72	Beaver	55	-	-	-	-	-	-	-	-	-	-	-	2	-	-
73	Beckham	184	-	-	-	-	-	4	-	-	1	-	2	21	-	3
74	Blaine	140	-	-	-	-	1	2	1	-	-	2	-	16	-	2
75	Bryan	294	1	-	-	-	-	4	1	-	-	1	-	39	-	13
76	Durant	120	-	-	-	-	-	1	-	-	-	-	-	12	-	6
77	Balance of county	174	1	-	-	-	-	3	1	-	-	1	-	27	-	7
78	Caddo	281	-	-	-	3	-	7	4	-	4	-	1	28	-	7
79	Canadian	207	-	-	-	-	-	6	-	-	1	1	-	20	-	3
80	El Reno	127	-	-	-	-	-	5	-	-	-	1	-	12	-	2
81	Balance of county	80	-	-	-	-	-	1	-	-	1	-	-	8	-	1
82	Carter	351	1	-	-	-	-	12	-	-	-	-	1	45	2	7
83	Ardmore	211	1	-	-	-	-	7	-	-	-	-	-	27	1	6
84	Balance of county	140	-	-	-	-	-	5	-	-	-	-	1	18	1	1
85	Cherokee	143	-	-	-	-	-	5	-	-	-	1	-	13	-	2
86	Choctaw	227	-	-	-	1	-	10	-	-	3	-	-	29	-	3
87	Cimarron	36	-	-	-	-	-	-	-	-	-	-	1	3	-	-
88	Cleveland	409	-	-	-	-	-	19	-	-	21	-	1	34	-	8
89	Norman	287	-	-	-	-	-	13	-	-	21	-	1	22	-	4
90	Balance of county	122	-	-	-	-	-	6	-	-	-	-	-	12	-	4
91	Coal	65	-	-	-	-	-	2	-	1	-	-	1	8	-	-
92	Comanche	329	-	3	-	-	2	4	1	-	3	-	1	31	1	6
93	Lawton	214	-	2	-	-	2	1	1	-	-	-	-	22	-	4
94	Balance of county	115	-	1	-	-	-	3	-	-	3	-	1	9	1	2
95	Cotton	82	-	-	-	1	-	2	-	-	-	-	-	14	-	5
96	Craig	305	-	-	-	-	-	17	-	1	18	-	-	24	-	4

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	29	58	10	1	15	-	1	6	2	2	-	4	11	2	30	1
2	333	1,291	122	47	187	4	61	114	73	31	34	104	150	23	412	2
1	235	919	93	35	135	4	43	96	57	22	30	85	120	17	316	3
1	98	372	29	12	52	-	18	18	16	9	4	19	30	6	96	4
-	21	47	3	-	13	1	3	1	5	1	-	2	11	14	18	5
-	11	66	4	1	12	-	2	4	1	1	-	5	7	3	27	6
-	84	318	41	4	37	3	6	27	12	6	1	19	51	14	32	7
-	57	211	30	3	22	1	4	20	8	2	1	9	33	12	65	8
-	27	107	11	1	15	2	2	7	4	4	-	10	18	2	27	9
-	17	48	2	-	7	1	1	4	1	3	-	3	11	5	17	10
-	26	87	7	3	16	1	5	6	8	4	-	15	19	2	32	11
-	13	36	10	1	16	1	2	-	3	1	-	-	8	4	35	12
-	55	132	10	1	18	-	6	8	2	3	-	6	11	6	37	13
-	32	106	15	4	29	-	3	4	6	3	-	9	24	18	49	14
-	13	36	6	2	15	-	-	7	-	2	-	2	9	3	21	15
-	56	182	18	1	14	-	8	11	7	8	2	13	19	4	53	16
-	36	102	12	-	21	-	6	4	3	5	-	12	14	1	28	17
-	34	78	6	1	9	-	2	3	2	1	-	3	7	12	23	18
-	126	216	27	7	54	3	12	21	14	16	5	27	31	9	116	19
-	63	119	17	1	22	2	5	13	6	8	5	14	19	5	65	20
-	63	97	10	6	32	1	7	8	8	8	-	13	12	4	51	21
-	61	160	23	5	31	-	9	21	9	5	-	15	30	25	61	22
-	27	80	13	1	11	-	3	12	2	1	-	6	13	10	28	23
-	34	80	10	4	20	-	6	9	7	4	-	9	17	15	33	24
-	54	178	11	4	29	1	7	11	10	11	2	21	29	5	50	25
-	22	74	3	1	7	-	3	7	8	3	1	9	14	2	19	26
-	32	102	8	3	22	1	4	4	2	8	1	12	15	3	31	27
1	66	252	42	25	58	1	11	30	13	13	3	25	47	3	86	28
-	36	156	17	8	40	-	2	14	8	8	3	13	19	3	61	29
1	30	96	25	17	18	1	9	18	5	5	-	12	28	-	25	30
-	62	204	22	2	15	2	9	18	8	9	2	21	31	6	74	31
-	17	41	5	-	2	-	2	4	3	1	1	4	7	4	24	32
-	19	50	5	-	2	-	3	8	6	1	1	4	10	5	28	33
-	14	80	10	2	4	1	5	9	2	5	-	9	14	-	31	34
-	31	73	7	-	9	1	2	3	3	3	1	8	10	2	19	35
-	44	81	11	5	14	-	2	9	6	5	-	7	15	11	38	36
-	272	934	117	9	122	5	46	72	41	36	15	68	121	23	353	37
-	110	388	49	4	41	-	27	40	16	14	9	29	62	11	158	38
-	44	98	20	-	23	-	3	9	7	3	4	13	13	2	46	39
-	18	119	10	1	12	2	7	7	5	3	1	11	14	4	44	40
-	100	328	38	4	46	3	9	16	13	16	1	15	32	6	105	41
-	296	1,043	116	12	192	13	63	95	53	42	15	97	119	20	362	42
-	192	716	80	7	150	10	46	74	35	31	12	64	86	17	273	43
-	20	74	9	1	12	1	4	8	6	3	1	14	11	-	23	44
-	18	63	6	-	12	-	5	3	2	2	-	3	6	1	19	45
-	66	190	21	4	18	2	8	10	10	6	2	16	16	2	47	46
-	121	409	46	8	58	1	20	44	26	23	-	33	49	18	146	47
-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	48
-	48	155	21	3	16	1	9	23	9	6	-	9	22	6	58	49
-	15	40	2	-	9	-	-	3	-	4	-	3	2	1	17	50
-	57	212	23	4	33	-	11	18	17	13	-	21	24	11	71	51
-	90	268	19	1	37	1	12	17	17	18	1	19	45	4	88	52
-	18	46	2	-	5	-	-	3	3	4	-	4	2	-	14	53
-	72	222	17	1	32	1	12	14	14	12	1	15	43	4	74	54
-	34	67	11	-	18	1	2	2	2	3	-	6	10	5	40	55
-	31	95	5	1	32	1	-	7	4	6	-	14	7	1	35	56
-	12	39	10	-	13	-	1	-	3	2	-	4	3	3	10	57
-	50	145	8	7	17	2	4	7	10	7	-	18	20	2	37	58
-	65	188	21	1	31	1	8	10	7	7	-	11	33	9	52	59
-	28	96	8	-	14	1	5	6	5	3	-	2	20	2	22	60
-	37	92	13	1	17	-	3	4	2	4	-	9	13	7	30	61
-	66	185	10	-	22	1	12	12	8	9	2	15	30	6	83	62
-	19	57	2	-	7	-	4	3	-	2	1	3	5	1	37	63
-	47	128	8	-	15	1	8	9	8	7	1	12	25	5	46	64
-	45	106	7	1	33	-	1	7	6	4	2	6	14	4	34	65
-	73	156	14	3	36	-	8	10	8	10	1	22	26	8	67	66
-	32	86	3	4	17	-	1	6	6	2	-	11	16	3	32	67
37	2,024	5,165	836	118	1,038	57	257	631	327	172	119	518	988	725	2,249	68
-	14	24	12	3	8	-	1	1	3	1	1	4	1	7	12	69
-	19	29	6	-	5	-	1	2	1	1	-	4	2	3	10	70
1	11	21	3	1	1	1	-	6	2	-	1	5	7	6	20	71
-	3	20	3	-	8	-	2	2	1	-	-	2	3	5	2	72
-	21	52	6	-	8	-	2	14	6	3	1	4	10	10	16	73
-	12	39	12	1	8	2	-	2	6	2	-	2	8	5	17	74
3	35	89	14	2	21	1	2	9	6	2	2	8	13	14	34	75
2	11	24	5	2	12	-	2	7	3	1	1	4	5	5	17	76
1	24	45	9	-	9	1	-	2	3	1	1	4	8	9	17	77
-	32	86	10	8	11	2	3	5	3	3	-	6	12	10	36	78
-	16	62	8	-	9	1	4	7	5	2	2	8	10	10	32	79
-	11	43	2	-	5	-	2	2	3	2	1	2	2	8	24	80
-	5	19	6	-	4	1	2	5	2	-	1	6	8	2	8	81
2	37	97	18	2	23	1	6	8	6	3	2	8	22	12	36	82
1	22	60	7	1	17	-	4	6	4	1	-	4	12	8	22	83
1	15	37	11	1	6	1	2	2	2	2	2	4	10	4	14	84
2	12	38	14	1	2	1	5	7	1	-	1	4	8	7	19	85
-	15	66	9	-	19	1	2	10	10	3	1	4	11	8	22	86
-	2	10	-	1	3	-	1	1	1	1	-	1	6	-	5	87
1	81	91	16	1	14	-	2	11	2	4	1	6	15	22	59	88
1	58	58	11	1	8	-	2	9	2	4	1	3	7	16	45	89
-	23	33	5	-	6	-	-	2	-	-	-	3	8	6	14	90
-	8	19	3	-	4	-	-	2	-	-	-	1	2	4	10	91
-	27	80	14	4	22	1	9	20	13	7	3	12	18	10	37	92
-	18	52	12	3	17	-	5	11	10	5	1	5	11	7	25	93
-	8	28	2	1	5	1	4	8	3	2	2	7	7	3	12	94
-	5	20	1	-	8	-	-	1	-	1	1	4	6	6	7	95
3	29	76	12	-	11	1	-	5	5	2	-	2	11	22	62	96

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	OKLAHOMA—Continued															
1	Creek	458	-	-	-	-	-	10	-	-	4	-	-	73	1	5
2	Sapulpa	180	-	-	-	-	-	7	-	-	2	-	-	29	-	2
3	Balance of county	278	-	-	-	-	-	3	-	-	2	-	-	44	1	3
4	Custer	214	-	1	-	1	-	14	-	-	-	-	3	18	-	7
5	Delaware	115	-	-	-	1	-	8	-	-	1	-	-	12	-	-
6	Dewey	91	-	-	-	-	-	1	-	-	1	-	-	12	-	1
7	Ellis	66	-	-	-	1	-	1	-	-	-	-	-	7	-	5
8	Garfield	464	-	-	-	-	-	8	-	-	4	-	-	52	-	16
9	Enid	346	-	-	-	-	-	1	-	-	3	-	-	44	-	13
10	Balance of county	118	-	-	-	-	-	7	-	-	1	-	-	8	-	3
11	Garvin	209	-	-	-	1	-	6	-	-	2	-	-	31	-	2
12	Grady	334	-	-	-	-	-	6	-	-	3	1	2	38	-	8
13	Chickasha	202	-	-	-	-	-	4	-	-	2	1	1	23	-	5
14	Balance of county	132	-	-	-	-	-	2	-	-	1	-	1	15	-	3
15	Grant	85	-	-	-	-	-	-	-	-	-	-	-	15	-	-
16	Greer	117	-	-	-	-	-	1	-	-	1	-	-	19	-	4
17	Harmon	61	-	-	-	-	-	-	-	-	-	-	-	11	-	2
18	Harper	41	-	-	-	-	-	-	-	-	1	-	-	6	-	1
19	Haskell	88	-	-	-	-	-	3	-	-	-	-	1	12	-	1
20	Hughes	209	-	-	-	3	-	7	1	-	2	-	-	33	-	3
21	Jackson	184	-	1	-	-	1	2	-	-	1	-	-	25	1	4
22	Jefferson	82	-	-	-	-	-	2	-	-	-	-	-	8	-	4
23	Johnston	83	-	1	-	-	1	4	-	-	-	-	-	9	-	1
24	Kay	460	-	1	-	-	-	9	1	-	7	-	-	75	-	8
25	Ponca City	203	-	1	-	-	-	6	1	-	4	-	-	37	-	2
26	Balance of county	257	-	-	-	-	-	3	-	-	3	-	-	38	-	6
27	Kingfisher	117	-	-	-	-	-	4	-	-	-	-	-	13	-	1
28	Kiowa	163	-	-	-	-	-	6	-	-	1	-	-	17	-	4
29	Latimer	90	-	-	-	-	-	16	-	-	-	-	-	12	-	-
30	Le Flore	276	-	-	-	1	-	18	1	-	2	1	1	40	-	1
31	Lincoln	237	-	-	-	-	-	7	1	-	2	-	-	28	-	4
32	Logan	259	-	-	-	1	-	6	-	-	3	-	-	41	-	8
33	Guthrie	157	-	-	-	-	-	5	-	-	1	-	-	24	-	4
34	Balance of county	102	-	-	-	1	-	1	-	-	2	-	-	17	-	4
35	Love	62	-	-	-	-	-	1	-	-	-	-	-	8	-	-
36	McClain	94	-	-	-	-	-	4	-	-	-	-	-	8	-	7
37	McCurtain	272	-	-	-	4	-	12	4	-	1	-	1	32	-	3
38	McIntosh	160	-	-	-	2	-	11	-	-	-	-	-	16	-	4
39	Major	75	-	-	-	-	-	1	-	-	-	1	-	16	-	3
40	Marshall	70	-	-	-	-	-	1	-	-	-	-	1	9	-	2
41	Mayes	170	-	-	-	-	1	11	-	1	1	-	-	21	-	2
42	Murray	116	-	-	-	-	-	6	-	-	-	-	-	14	-	3
43	Muskogee	755	-	-	-	4	1	41	-	-	12	-	1	89	-	20
44	Muskogee	457	-	-	-	1	-	15	-	-	2	-	1	68	-	12
45	Balance of county	298	-	-	-	3	1	26	-	-	10	-	-	21	-	8
46	Noble	94	-	-	-	-	2	4	-	-	-	-	-	9	-	3
47	Nowata	134	-	-	-	-	-	1	-	-	3	-	-	15	-	1
48	Okfuskee	178	-	-	-	-	-	10	1	-	1	-	-	28	-	5
49	Oklahoma	2,432	1	1	-	4	1	83	5	1	19	-	6	315	1	48
50	Oklahoma City	1,957	1	1	-	4	1	48	5	1	16	-	4	250	-	42
51	Balance of county	475	-	-	-	-	-	15	-	-	3	-	4	65	1	6
52	Okmulgee	413	-	-	-	-	-	14	-	-	4	-	-	58	-	3
53	Okmulgee	189	-	-	-	-	-	9	-	-	4	-	-	27	-	2
54	Balance of county	224	-	-	-	-	-	5	-	-	-	-	-	31	-	1
55	Osage	255	-	-	-	2	-	7	2	-	-	-	-	31	-	7
56	Ottawa	355	-	-	-	1	-	32	-	-	3	-	-	43	-	2
57	Pawnee	157	1	-	-	-	-	1	-	-	2	-	-	25	-	6
58	Payne	282	-	-	-	1	2	3	-	-	1	-	-	40	-	3
59	Stillwater	107	-	-	-	-	-	1	-	-	-	-	-	16	-	2
60	Balance of county	175	-	-	-	1	2	2	-	-	1	-	-	24	-	1
61	Pittsburg	353	-	-	-	1	-	7	1	-	1	-	2	48	-	7
62	McAlester	156	-	-	-	1	-	2	-	-	-	-	1	31	-	5
63	Balance of county	197	-	-	-	-	-	5	1	-	1	-	1	17	-	2
64	Pontotoc	251	-	-	-	1	-	8	-	-	1	-	1	34	-	4
65	Ada	136	-	-	-	-	-	5	-	-	1	-	-	20	-	3
66	Balance of county	115	-	-	-	1	-	3	-	-	-	-	1	14	-	1
67	Pottawatomie	409	-	-	-	-	-	8	-	1	1	-	-	64	-	13
68	Shawnee	253	-	-	-	-	-	5	-	-	-	-	-	37	-	8
69	Balance of county	156	-	-	-	-	-	3	-	1	1	-	-	27	-	5
70	Pushmataha	65	-	-	-	-	-	3	-	-	1	-	-	5	-	-
71	Roger Mills	52	-	-	-	-	-	-	-	-	-	-	-	9	-	2
72	Rogers	194	-	-	-	-	2	7	1	-	-	-	-	25	-	5
73	Seminole	321	-	-	-	-	-	8	2	-	2	-	-	58	-	11
74	Seminole	89	-	-	-	-	-	-	-	-	-	-	-	10	-	1
75	Wewoka	63	-	-	-	-	-	1	-	-	1	-	-	12	-	1
76	Balance of county	169	-	-	-	-	-	7	2	-	1	-	-	36	-	9
77	Sequoyah	132	1	-	-	-	1	4	1	-	1	-	-	18	-	1
78	Stephens	240	-	-	-	1	-	4	-	-	1	-	-	47	-	9
79	Texas	83	-	-	-	-	-	-	-	-	-	-	-	8	-	-
80	Tillman	178	-	-	-	-	-	3	-	-	-	-	-	27	-	4
81	Tulsa	1,875	-	2	-	6	-	54	-	-	12	1	3	283	2	41
82	Tulsa	1,562	-	2	-	2	-	42	-	-	11	1	1	239	1	33
83	Balance of county	313	-	-	-	4	-	12	-	-	1	-	2	44	1	8
84	Wagoner	106	-	-	-	-	-	2	-	-	1	-	1	9	1	2
85	Washington	278	-	-	-	-	-	3	-	-	2	-	1	34	-	9
86	Bartlesville	186	-	-	-	-	-	2	-	-	-	-	-	21	-	7
87	Balance of county	92	-	-	-	-	-	1	-	-	2	-	1	13	-	2
88	Washita	122	-	-	-	-	-	1	-	-	-	-	-	23	-	3
89	Woods	134	1	-	-	1	-	1	-	1	2	-	-	18	-	3
90	Woodward	247	-	-	-	-	-	16	-	-	5	-	-	27	-	3
91	OREGON	14,080	-	3	-	5	6	249	2	-	100	3	13	1,941	5	273
92	Baker	182	-	-	-	-	-	1	-	-	-	-	-	22	-	4
93	Benton	178	-	-	-	-	-	2	-	-	-	-	-	20	-	4
94	Clackamas	648	-	-	-	-	-	6	-	-	3	-	-	87	-	18

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	60	125	23	1	17	1	7	15	7	3	2	15	31	16	41	1
-	25	47	7	1	4	-	2	6	4	-	-	5	11	9	19	2
1	35	78	16	-	13	1	5	9	3	3	2	10	20	7	22	3
-	20	69	11	3	6	-	4	10	-	2	1	3	10	7	24	4
-	11	34	6	-	6	-	-	1	2	-	1	4	8	6	14	5
-	12	26	1	-	5	-	1	-	4	1	1	1	8	4	13	6
-	7	20	1	-	4	-	-	2	1	1	-	1	1	1	13	7
-	42	141	22	3	25	2	15	18	5	3	3	6	18	10	69	8
-	34	107	12	1	22	1	13	17	5	3	2	6	13	4	45	9
-	8	34	10	2	3	1	2	1	-	-	1	2	5	6	24	10
-	32	45	12	1	9	1	4	9	3	3	3	3	17	4	21	11
2	35	106	17	-	13	-	8	14	7	1	4	13	21	10	27	12
2	17	61	8	-	9	-	5	11	5	1	3	9	10	8	17	13
-	18	45	9	-	4	-	3	3	2	-	1	4	11	2	10	14
-	8	29	1	-	8	-	1	-	2	-	-	1	5	2	13	15
1	15	28	2	-	3	1	2	1	-	2	1	2	4	13	16	16
1	3	18	6	-	-	-	1	2	1	-	1	3	1	4	8	17
-	2	7	-	-	2	-	1	1	1	2	-	3	4	1	9	18
-	10	20	2	1	7	1	3	5	-	2	-	-	4	6	10	19
-	28	43	11	1	9	-	3	8	1	1	-	5	21	9	20	20
-	24	39	12	-	11	1	2	5	1	-	-	9	16	3	26	21
-	11	26	1	-	3	-	-	2	2	1	-	10	6	2	4	22
-	15	14	5	-	4	-	1	-	2	-	1	2	5	4	14	23
-	55	132	13	4	26	1	12	13	10	8	1	8	21	9	48	24
-	18	57	7	-	14	1	3	8	2	3	-	4	11	2	22	25
-	37	75	6	4	12	-	9	5	8	5	1	4	10	7	26	26
-	11	46	2	-	3	-	1	5	5	1	-	2	7	3	13	27
-	18	50	12	-	8	-	2	5	4	2	2	2	4	6	20	28
-	9	19	2	-	1	1	2	7	-	1	-	5	5	6	4	29
-	25	55	17	3	18	-	2	12	2	3	3	6	15	11	39	30
-	29	77	7	1	12	1	4	2	4	-	1	6	12	6	33	31
-	42	63	10	1	16	3	4	7	1	3	3	5	14	5	24	32
-	30	41	6	1	9	2	3	3	1	1	2	1	7	2	14	33
-	12	22	4	-	7	1	-	4	-	2	1	4	7	3	10	34
-	9	16	6	-	3	-	1	1	-	-	-	3	2	3	7	35
-	13	26	4	-	5	-	-	-	2	2	-	3	4	2	14	36
4	41	54	20	2	18	1	1	8	2	2	1	7	13	12	31	37
-	11	31	14	2	11	2	1	4	2	1	-	6	14	8	20	38
-	17	17	1	-	3	-	1	1	1	-	-	2	1	2	8	39
-	9	13	3	1	14	-	1	7	2	-	-	1	2	2	2	40
-	31	44	7	-	9	-	3	3	1	2	1	5	8	6	13	41
-	17	33	3	-	7	-	1	3	2	1	-	2	7	2	15	42
2	73	195	27	2	63	-	4	22	16	6	3	15	35	43	81	43
1	48	136	18	2	29	-	3	15	9	2	1	12	20	11	51	44
1	25	59	9	-	34	-	1	7	7	4	2	3	15	32	30	45
-	9	30	6	-	4	-	2	-	1	1	1	3	5	5	9	46
-	16	24	6	-	15	-	1	3	1	3	-	10	8	12	11	47
1	14	36	12	2	11	1	2	6	5	3	1	6	8	6	24	48
3	231	719	84	34	126	5	28	92	50	28	14	86	129	56	280	49
3	183	584	65	30	96	4	20	81	39	21	12	71	96	44	235	50
-	48	135	19	4	30	1	8	11	11	7	2	15	33	12	45	51
-	49	107	18	3	35	-	10	13	8	2	2	12	16	17	42	52
-	22	50	6	1	15	-	4	2	6	2	2	4	6	7	20	53
-	27	57	12	2	20	-	6	11	2	-	-	8	10	10	22	54
-	28	74	7	1	8	-	3	7	2	2	1	10	12	7	44	55
-	32	102	20	3	15	-	2	13	6	7	7	7	11	17	32	56
1	18	52	8	1	7	1	1	2	2	1	2	2	9	2	13	57
-	28	93	6	3	17	-	2	12	5	1	1	4	20	10	30	58
-	16	28	2	1	6	-	2	4	3	-	-	1	9	4	12	59
-	12	65	4	2	11	-	-	8	2	1	1	3	11	6	18	60
1	31	103	24	2	10	-	2	8	2	3	5	7	21	33	34	61
-	11	48	9	-	2	-	1	2	1	1	1	2	7	16	15	62
1	20	55	15	2	8	-	1	6	2	2	4	5	14	17	19	63
-	36	68	18	3	4	-	1	6	2	3	2	8	20	7	26	64
-	15	40	10	1	2	-	1	3	1	2	2	3	12	2	13	65
-	21	26	8	2	2	-	-	3	1	1	-	5	8	5	13	66
1	39	123	20	-	12	1	7	15	7	2	1	9	19	9	57	67
1	24	70	11	-	9	1	2	12	5	1	1	6	14	7	39	68
-	15	53	9	-	3	-	5	3	2	1	-	3	5	2	18	69
-	8	19	7	-	10	2	-	3	2	1	1	4	6	6	7	70
-	9	11	3	-	2	-	1	3	-	1	-	-	-	2	9	71
-	18	59	8	-	10	1	5	2	3	2	1	4	13	4	24	72
2	27	61	11	2	24	3	2	15	8	1	1	6	20	22	35	73
1	11	28	3	1	4	-	1	6	3	1	-	1	7	4	7	74
1	6	8	1	-	6	-	-	2	3	-	-	1	5	3	11	75
-	10	25	7	1	14	3	1	7	2	-	-	4	8	15	17	76
1	8	26	15	1	6	2	-	7	2	1	-	2	10	10	14	77
-	16	67	5	1	13	-	3	13	2	2	2	8	11	7	28	78
-	8	28	3	-	8	-	-	3	-	-	1	11	3	2	8	79
-	15	52	10	1	14	3	-	6	5	2	1	6	6	4	19	80
2	171	508	76	8	99	7	37	75	31	14	21	48	85	61	228	81
1	142	425	65	7	85	6	27	63	24	7	17	40	70	49	202	82
1	29	83	11	1	14	1	10	12	7	7	4	8	15	12	26	83
-	16	33	1	1	4	1	5	6	2	1	1	1	4	5	9	84
2	29	75	11	1	32	-	2	6	6	3	-	5	19	5	33	85
2	21	54	5	-	23	-	2	3	4	1	-	2	11	3	25	86
-	8	21	6	1	9	-	-	3	2	2	-	3	8	2	8	87
-	12	33	6	-	4	-	5	2	1	-	-	4	3	8	17	88
-	14	42	4	1	12	-	2	3	4	3	-	3	9	1	11	89
-	22	63	5	-	2	2	2	4	3	-	2	6	12	18	55	90
1	1,385	4,276	530	34	939	15	204	327	210	222	53	418	902	332	1,824	91
-	21	59	4	-	10	1	2	2	4	2	2	5	9	13	21	92
-	11	66	8	-	10	1	4	7	4	4	-	6	13	4	14	93
-	67	189	20	2	65	1	15	13	7	17	-	19	40	21	60	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	OREGON—Continued															
1	Clatsop	345	-	-	-	-	-	4	-	-	2	-	-	48	-	4
2	Astoria	197	-	-	-	-	-	4	-	-	1	-	-	32	-	3
3	Balance of county	148	-	-	-	-	-	-	-	-	1	-	-	17	-	1
4	Columbia	175	-	-	-	-	-	1	-	-	-	-	-	22	-	3
5	Coos	402	-	-	-	-	-	1	1	-	1	-	-	40	-	6
6	Crook	58	-	-	-	-	-	-	-	-	-	-	-	5	-	2
7	Curry	64	-	1	-	-	-	-	-	-	-	-	-	8	-	-
8	Deschutes	157	-	-	-	-	-	2	-	-	-	-	-	16	-	1
9	Bend	95	-	-	-	-	-	1	-	-	-	-	-	14	-	1
10	Balance of county	62	-	-	-	-	-	1	-	-	-	-	-	2	-	-
11	Douglas	405	-	-	-	-	1	9	-	-	7	-	-	40	-	8
12	Gilliam	19	-	-	-	-	-	-	-	-	-	-	-	2	-	1
13	Grant	74	-	-	-	-	-	-	-	-	-	-	1	14	-	-
14	Harney	55	-	-	-	-	-	1	-	-	-	-	-	6	-	-
15	Hood River	101	-	-	-	-	-	1	-	-	1	-	-	11	-	5
16	Jackson	565	-	-	-	1	-	4	-	-	7	-	1	77	-	8
17	Medford	237	-	-	-	1	-	2	-	-	4	-	1	36	-	2
18	Balance of county	328	-	-	-	-	-	2	-	-	3	-	-	41	-	5
19	Jefferson	29	-	-	-	-	-	1	-	-	-	-	-	-	-	-
20	Josephine	276	-	-	-	-	-	3	-	-	4	-	-	32	-	5
21	Klamath	311	-	1	-	1	-	11	1	-	3	-	-	40	2	2
22	Klamath Falls	200	-	1	-	-	-	6	-	-	2	-	-	30	1	-
23	Balance of county	111	-	-	-	1	-	5	1	-	1	-	-	10	1	2
24	Lake	51	-	-	-	-	-	-	-	-	1	-	-	2	-	-
25	Lane	880	-	-	-	-	-	8	-	-	3	2	-	119	1	17
26	Eugene	467	-	-	-	-	-	5	-	-	2	-	-	64	1	13
27	Balance of county	413	-	-	-	-	-	3	-	-	1	2	-	55	-	4
28	Lincoln	212	-	-	-	-	1	3	-	-	1	-	-	15	-	2
29	Linn	458	-	-	-	1	1	1	-	-	1	-	-	46	-	5
30	Malheur	124	-	-	-	-	-	2	-	-	2	-	-	18	-	2
31	Marion	1,202	-	-	-	1	-	54	-	-	16	-	-	141	-	28
32	Salem	796	-	-	-	-	-	32	-	-	16	-	-	94	-	15
33	Balance of county	406	-	-	-	1	-	22	-	-	-	-	-	47	-	13
34	Morrow	51	-	-	-	-	-	-	-	-	-	-	-	7	-	-
35	Multnomah	5,159	-	1	-	-	3	101	-	-	38	1	7	832	2	103
36	Portland	4,403	-	1	-	-	2	76	-	-	34	-	4	717	2	93
37	Balance of county	756	-	-	-	-	1	25	-	-	4	1	3	115	-	10
38	Polk	177	-	-	-	-	-	2	-	-	2	-	-	28	-	4
39	Sherman	10	-	-	-	-	-	-	-	-	1	-	-	2	-	1
40	Tillamook	139	-	-	-	-	-	-	-	-	-	-	-	12	-	3
41	Umatilla	411	-	-	-	-	-	10	-	-	6	-	1	56	-	11
42	Union	183	-	-	-	-	-	1	-	-	-	-	1	27	-	3
43	Wallowa	71	-	-	-	-	-	-	-	-	-	-	-	9	-	-
44	Wasco	182	-	-	-	-	-	16	-	-	1	-	1	21	-	1
45	Washington	413	-	-	-	1	-	4	-	-	-	-	1	71	-	16
46	Wheeler	16	-	-	-	-	-	-	-	-	-	-	-	3	-	1
47	Yamhill	317	-	-	-	-	-	-	-	-	-	-	-	41	-	7
48	PENNSYLVANIA	109,202	13	55	8	48	17	3,076	6	3	771	25	45	15,613	106	3,549
49	Adams	393	-	-	-	-	-	1	-	-	1	-	-	56	-	15
50	Allegheny	15,250	1	8	1	5	-	427	-	-	120	1	3	2,217	11	433
51	Pittsburgh	7,618	-	4	1	-	-	235	-	-	22	-	2	1,107	5	203
52	McKeesport	586	-	-	-	-	-	17	-	-	2	-	-	89	-	15
53	Wilkinsburg	349	-	-	-	-	-	4	-	-	2	-	-	63	-	7
54	Bellevue	124	-	-	-	-	-	-	-	-	-	-	-	18	-	9
55	Braddock	173	-	-	-	-	-	3	-	-	1	-	-	22	-	8
56	Carnegie	127	-	-	-	1	-	5	-	-	1	-	-	14	-	3
57	Clairton	120	-	-	-	-	-	4	-	-	-	-	-	16	-	2
58	Coraopolis	100	-	-	-	-	-	3	-	-	3	-	-	18	-	8
59	Dormont	128	-	-	-	-	-	-	-	-	1	-	-	22	-	2
60	Duquesne	166	-	-	-	-	-	4	-	-	-	-	-	23	-	3
61	Harrison (twp.)[2]	105	-	-	-	-	-	1	-	-	-	-	-	21	-	3
62	Homestead	136	-	-	-	-	-	7	-	-	2	-	-	18	-	5
63	McKees Rocks	228	-	-	-	-	-	5	-	-	2	-	-	38	-	10
64	Mount Lebanon (twp.)[2]	112	-	-	-	-	-	1	-	-	-	-	-	22	-	3
65	Munhall	107	-	-	-	-	-	1	-	-	-	-	-	18	1	6
66	North Braddock	126	-	-	-	-	-	-	-	-	1	-	1	12	1	4
67	Shaler (twp.)[2]	45	-	-	-	-	-	1	-	-	-	-	-	9	-	3
68	Stowe (twp.)[2]	11	-	-	-	-	-	-	-	-	-	-	-	2	-	1
69	Swissvale	131	-	-	-	-	-	3	-	-	1	-	-	18	-	4
70	Balance of county	4,758	1	4	-	4	-	133	-	-	82	1	-	667	4	134
71	Armstrong	800	-	2	-	1	-	10	-	-	1	-	1	121	-	27
72	Beaver	1,501	1	2	1	2	-	43	-	-	12	-	-	219	1	55
73	Aliquippa	221	-	-	-	-	-	10	-	-	1	-	-	30	-	7
74	Ambridge	143	-	-	-	1	-	4	-	-	1	-	-	31	-	5
75	Beaver Falls	237	-	-	1	-	-	6	-	-	4	-	-	32	1	10
76	Ellwood City (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Balance of county	899	1	2	-	1	-	23	-	-	6	-	-	126	-	33
78	Bedford	422	-	1	-	-	1	9	-	-	-	-	-	49	-	12
79	Berks	2,878	1	1	2	1	-	98	1	-	19	-	3	381	3	116
80	Reading	1,350	-	-	1	1	-	42	1	-	5	-	2	209	2	56
81	Balance of county	1,528	1	1	1	-	-	56	-	-	14	-	1	172	1	60
82	Blair	1,569	-	-	-	1	-	9	-	-	10	-	-	206	-	51
83	Altoona	920	-	-	-	-	-	5	-	-	4	-	-	130	-	32
84	Balance of county	649	-	-	-	1	-	4	-	-	6	-	-	76	-	19
85	Bradford	586	-	-	-	-	-	6	-	-	2	-	-	78	-	13
86	Bucks	1,284	-	-	-	-	1	26	-	-	3	-	-	181	-	52
87	Bristol	136	-	-	-	-	-	4	-	-	-	-	-	26	-	6
88	Balance of county	1,148	-	-	-	-	1	22	-	-	3	-	-	155	-	46
89	Butler	906	-	1	-	3	-	19	-	-	5	-	1	108	-	20
90	Butler	242	-	-	-	1	-	6	-	-	2	-	1	35	-	10
91	Balance of county	664	-	1	-	2	-	13	-	-	3	-	-	73	-	10

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	41	99	11	1	14	-	5	5	4	11	-	8	27	15	45	1
-	31	52	7	1	6	-	3	2	1	5	-	4	10	6	29	2
-	10	47	4	-	8	-	2	3	3	6	-	4	17	9	16	3
-	27	57	3	-	16	-	5	5	-	-	-	6	15	4	11	4
-	40	132	13	1	21	1	6	9	8	8	-	14	42	16	42	5
-	4	20	2	-	3	-	1	4	1	-	-	3	6	2	5	6
-	7	23	3	-	3	-	-	1	1	1	-	2	5	2	7	7
-	18	42	4	1	8	-	8	10	5	2	-	5	14	5	16	8
-	10	21	2	1	7	-	5	4	5	1	-	2	6	1	14	9
-	8	21	2	-	1	-	3	6	-	1	-	3	8	4	2	10
-	37	124	10	1	25	1	2	20	3	9	2	29	34	10	33	11
-	1	5	1	-	1	-	1	-	-	-	-	1	3	1	2	12
-	7	22	-	-	6	-	2	4	2	1	-	1	9	1	4	13
-	6	18	3	-	-	-	1	2	2	2	-	1	4	5	4	14
-	8	21	-	-	7	2	2	5	3	3	-	1	12	3	16	15
-	71	179	22	2	32	-	5	15	9	4	3	13	46	6	60	16
-	25	64	10	2	16	-	2	10	8	2	1	1	20	1	29	17
-	46	115	12	-	16	-	3	5	1	2	2	12	26	5	31	18
-	2	3	1	1	3	-	-	3	1	1	-	4	3	-	6	19
-	22	85	12	1	21	-	3	6	5	3	3	11	19	3	28	20
-	23	87	14	4	13	1	7	12	8	6	3	15	22	6	29	21
-	21	56	6	-	9	1	5	9	7	1	1	8	10	4	22	22
-	2	31	8	4	4	-	2	3	1	5	2	7	12	2	7	23
-	6	17	3	-	6	-	2	1	-	-	-	2	2	3	6	24
-	71	281	27	2	47	-	18	37	10	13	4	30	74	26	90	25
-	49	155	11	-	30	-	7	15	4	4	2	14	25	12	54	26
-	22	126	16	2	17	-	11	22	6	9	2	16	49	14	36	27
-	21	56	7	1	11	-	3	8	4	2	-	12	30	10	25	28
1	44	144	23	3	34	-	13	6	5	10	1	24	28	7	40	29
-	11	32	2	-	10	-	9	3	3	3	-	8	9	3	7	30
-	107	317	75	3	127	-	11	17	17	15	1	30	36	22	184	31
-	79	195	62	1	96	-	6	10	7	7	-	13	17	14	132	32
-	28	122	13	2	31	-	5	7	10	8	1	17	19	8	52	33
-	2	18	-	-	7	1	1	-	1	2	3	-	1	-	8	34
-	516	1,631	174	8	322	4	54	84	72	80	25	118	268	86	819	35
-	409	1,455	140	8	281	4	45	76	67	67	25	107	230	37	543	36
-	107	196	34	-	41	-	9	8	5	13	-	11	38	59	76	37
-	13	56	10	-	13	-	1	5	4	-	3	9	11	-	16	38
-	-	3	-	-	-	-	-	1	-	-	-	-	1	-	1	39
-	18	39	4	-	7	-	2	3	3	-	-	4	18	3	23	40
-	24	102	28	1	15	-	4	10	4	2	1	6	26	19	85	41
-	17	70	7	-	20	-	2	6	2	2	-	4	6	1	14	42
-	5	23	-	1	9	1	-	1	3	2	-	2	7	3	5	43
-	15	43	9	-	15	-	3	7	2	2	1	6	17	-	22	44
-	59	104	15	1	23	1	6	5	4	11	1	10	20	15	45	45
-	1	5	-	-	-	-	-	1	-	-	-	-	5	-	-	46
-	52	94	15	-	15	-	6	9	9	4	-	7	20	7	31	47
5	9,238	39,296	3,743	355	6,415	229	1,306	2,367	1,373	1,150	305	1,790	4,459	1,171	12,665	48
-	59	127	13	2	35	-	7	15	2	2	-	6	13	1	36	49
1	1,306	5,371	690	43	781	36	169	329	201	160	61	222	618	371	1,664	50
1	710	2,609	391	21	368	19	79	178	99	74	32	104	286	236	832	51
-	49	212	23	2	37	-	11	13	11	3	1	9	22	7	63	52
-	38	131	7	1	20	-	5	10	3	3	3	3	11	3	35	53
-	9	38	3	1	10	-	-	2	2	3	4	-	4	1	20	54
-	12	68	6	2	17	-	2	4	1	-	2	4	7	2	12	55
-	7	43	7	-	10	-	3	3	1	3	1	5	5	2	13	56
-	6	46	10	1	4	1	3	-	-	2	-	1	9	2	13	57
-	6	35	3	-	4	2	-	2	1	2	-	2	-	1	10	58
-	9	53	6	1	7	-	4	-	1	2	-	-	5	4	11	59
-	11	62	7	-	7	2	3	7	3	3	-	1	5	5	20	60
-	6	35	1	1	9	-	1	1	2	1	-	2	8	2	11	61
-	9	51	11	-	9	1	2	3	3	3	-	1	4	-	7	62
-	16	76	10	1	10	2	-	6	2	3	-	2	7	10	28	63
-	19	38	1	-	4	-	1	1	2	2	-	5	2	5	6	64
-	10	38	2	-	9	-	1	2	2	1	-	-	6	3	7	65
-	9	51	7	1	8	1	1	2	2	-	-	4	4	-	17	66
-	4	10	-	-	3	-	-	4	-	1	1	1	1	-	7	67
-	1	5	1	-	-	-	-	-	-	-	-	-	1	-	-	68
-	7	50	5	-	12	1	-	6	2	1	-	-	8	1	12	69
-	368	1,720	189	11	233	7	53	85	64	53	17	78	223	87	540	70
-	60	269	24	3	52	3	11	24	9	11	-	22	52	10	87	71
-	127	433	66	6	93	6	17	54	19	30	6	36	80	18	174	72
-	20	62	8	1	8	-	2	11	4	4	1	9	9	3	31	73
-	11	39	7	-	6	1	-	4	5	6	-	1	9	-	12	74
-	15	62	13	1	22	1	4	7	4	3	1	5	12	5	28	75
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	76
-	81	270	38	4	56	4	11	32	6	17	4	21	50	10	103	77
-	45	122	11	3	58	4	6	7	8	3	-	15	19	2	47	78
-	290	1,015	80	7	139	3	33	37	32	43	6	51	121	56	339	79
-	133	480	28	4	59	2	18	15	16	12	3	21	57	33	170	80
-	157	555	52	3	80	1	15	22	16	31	3	30	64	23	169	81
-	150	577	49	4	108	10	13	42	30	15	2	29	51	16	196	82
-	93	348	34	2	51	5	10	30	19	5	-	13	26	7	106	83
-	57	229	15	2	57	5	3	12	11	10	2	16	25	9	90	84
-	40	252	16	-	26	2	11	18	5	7	-	10	30	3	69	85
-	107	491	33	3	64	6	17	29	19	7	3	31	50	4	167	86
-	9	42	4	2	6	1	3	6	-	-	-	2	3	2	20	87
-	98	439	29	1	58	5	14	23	19	7	3	29	47	2	147	88
-	306	290	27	2	66	2	19	20	16	15	-	18	38	7	123	89
-	19	82	6	1	16	-	7	4	3	4	-	4	6	-	35	90
-	87	208	21	1	50	2	12	16	13	11	-	14	32	7	88	91

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	PENNSYLVANIA—Continued															
1	Cambria	2,015	-	2	-	1	-	70	-	1	10	-	1	248	6	61
2	Johnstown	784	-	1	-	-	-	19	-	1	7	-	1	107	1	33
3	Balance of county	1,231	-	1	-	1	-	51	-	-	3	-	-	142	5	28
4	Cameron	52	-	-	-	1	-	-	-	-	-	-	-	4	-	3
5	Carbon	675	-	-	-	-	-	15	-	-	3	-	-	89	2	39
6	Centre	558	-	-	-	-	-	7	1	-	2	-	-	75	2	19
7	Chester	1,578	-	-	-	-	1	50	-	-	20	-	2	213	-	46
8	Coatesville	161	-	-	-	-	-	6	-	-	1	-	-	27	-	6
9	Phoenixville	124	-	-	-	-	-	1	-	-	-	-	-	18	-	3
10	West Chester	221	-	-	-	-	1	4	-	-	2	-	-	27	-	6
11	Balance of county	1,072	-	-	-	-	-	39	-	-	17	-	2	141	-	31
12	Clarion	407	-	1	-	-	-	7	-	-	-	-	-	48	3	9
13	Clearfield	817	-	1	-	1	-	12	-	-	1	2	-	123	-	24
14	Du Bois	145	-	-	-	-	-	1	-	-	-	-	-	18	-	3
15	Balance of county	672	-	1	-	1	-	11	-	-	1	2	-	105	-	21
16	Clinton	395	-	-	-	-	-	4	-	-	-	-	-	53	-	14
17	Lock Haven	140	-	-	-	-	-	1	-	-	-	-	-	23	-	4
18	Balance of county	255	-	-	-	-	-	3	-	-	-	-	-	30	-	10
19	Columbia	566	-	-	-	-	-	13	-	-	1	-	1	69	-	30
20	Berwick	135	-	-	-	-	-	3	-	-	-	-	-	19	-	9
21	Balance of county	431	-	-	-	-	-	10	-	-	1	-	1	50	-	21
22	Crawford	845	-	1	-	-	-	14	-	-	4	1	1	114	1	20
23	Meadville	232	-	-	-	-	-	3	-	-	1	1	-	33	-	5
24	Balance of county	613	-	1	-	-	-	11	-	-	3	-	1	81	1	15
25	Cumberland	883	-	1	-	-	-	13	-	-	5	-	-	131	-	31
26	Carlisle	167	-	-	-	-	-	3	-	-	2	-	-	24	-	7
27	Balance of county	716	-	1	-	-	-	10	-	-	3	-	-	107	-	24
28	Dauphin	2,233	1	-	-	-	-	87	-	-	32	1	1	309	1	75
29	Harrisburg	1,090	1	-	-	-	-	33	-	-	7	1	-	154	-	34
30	Steelton	145	-	-	-	-	-	10	-	-	1	-	-	19	-	8
31	Balance of county	998	-	-	-	-	-	44	-	-	24	-	1	136	1	33
32	Delaware	3,551	1	-	-	1	-	88	-	-	21	-	3	552	7	130
33	Chester	704	-	-	-	1	-	35	-	-	11	-	-	108	3	28
34	Haverford (twp.)[2]	185	-	-	-	-	-	-	-	-	-	-	-	28	1	5
35	Upper Darby (twp.)[2]	529	-	-	-	-	-	9	-	-	1	-	-	99	-	21
36	Darby	130	-	-	-	-	-	4	-	-	-	-	1	22	-	4
37	Lansdowne	154	-	-	-	-	-	1	-	-	-	-	-	36	-	3
38	Balance of county	1,849	1	-	-	-	-	39	-	-	9	-	2	259	3	71
39	Elk	307	-	-	-	1	-	6	-	-	1	-	-	54	-	7
40	Erie	2,135	-	2	-	-	-	59	-	-	8	1	-	334	2	53
41	Erie	1,346	-	2	-	-	-	34	-	-	6	-	-	210	1	36
42	Balance of county	789	-	-	-	-	-	25	-	-	2	1	-	124	1	17
43	Fayette	1,864	-	3	-	5	2	33	-	-	14	-	-	254	2	57
44	Connellsville	152	-	-	-	-	-	2	-	-	-	-	-	14	-	1
45	Uniontown	296	-	-	-	1	-	4	-	-	3	-	-	50	-	10
46	Balance of county	1,416	-	3	-	4	2	27	-	-	11	-	-	190	2	46
47	Forest	56	-	-	-	1	-	-	-	-	-	-	1	8	-	2
48	Franklin	746	-	1	-	-	1	51	-	-	3	-	-	85	1	22
49	Chambersburg	187	-	1	-	-	-	2	-	-	2	-	-	27	-	5
50	Waynesboro	110	-	-	-	-	-	1	-	-	-	-	-	12	-	6
51	Balance of county	449	-	-	-	-	1	48	-	-	1	-	-	46	1	11
52	Fulton	112	-	-	-	-	-	2	-	-	-	1	-	17	-	2
53	Greene	445	-	-	-	2	-	9	-	-	-	-	-	47	1	17
54	Huntingdon	470	-	-	-	-	-	7	-	-	2	-	-	61	1	11
55	Indiana	709	2	-	-	1	-	15	-	-	1	-	-	79	-	26
56	Indiana	120	-	-	-	-	-	6	-	-	-	-	-	20	-	5
57	Balance of county	589	2	-	-	1	-	9	-	-	1	-	-	59	-	21
58	Jefferson	535	-	-	-	2	-	5	-	-	1	1	-	60	1	18
59	Juniata	155	-	-	-	-	-	3	-	-	1	-	-	19	-	5
60	Lackawanna	3,123	-	1	-	-	-	82	1	-	18	1	-	510	7	89
61	Scranton	1,516	-	1	-	-	-	38	1	-	11	1	-	264	4	45
62	Carbondale	234	-	-	-	-	-	4	-	-	2	-	-	29	1	6
63	Dickson City	73	-	-	-	-	-	8	-	-	-	-	-	15	-	2
64	Dunmore	212	-	-	-	-	-	4	-	-	-	-	-	32	-	8
65	Old Forge	83	-	-	-	-	-	1	-	-	-	-	-	15	1	1
66	Balance of county	1,005	-	-	-	-	-	27	-	-	5	-	-	155	1	27
67	Lancaster	2,261	1	2	-	1	-	52	-	-	13	1	1	308	2	84
68	Lancaster	704	-	-	-	-	-	27	-	-	7	-	-	110	1	25
69	Columbia	133	-	1	-	-	-	2	-	-	2	-	-	15	-	5
70	Balance of county	1,424	1	1	-	1	-	23	-	-	4	1	1	183	1	54
71	Lawrence	972	-	1	-	-	-	22	-	-	1	-	1	139	1	40
72	New Castle	515	-	-	-	-	-	13	-	-	1	-	1	77	1	18
73	Ellwood City (part)	100	-	-	-	-	-	4	-	-	-	-	-	18	-	10
74	Ellwood City (total)	101	-	-	-	-	-	4	-	-	-	-	-	18	-	10
75	Balance of county	357	-	1	-	-	-	5	-	-	-	-	-	44	-	12
76	Lebanon	787	-	-	-	-	-	13	-	-	4	-	-	100	2	29
77	Lebanon	328	-	-	-	-	-	5	-	-	1	-	-	48	-	14
78	Balance of county	459	-	-	-	-	-	8	-	-	3	-	-	52	2	15
79	Lehigh	2,015	-	2	-	-	-	50	1	-	25	1	-	270	3	94
80	Allentown	1,171	-	1	-	-	-	33	-	-	20	1	-	165	2	55
81	Bethlehem (part)	165	-	-	-	-	-	2	-	-	-	-	-	24	1	8
82	Balance of county	677	-	1	-	-	-	15	1	-	5	-	-	81	-	33
83	Luzerne	4,177	-	3	-	-	-	119	-	-	11	3	3	578	4	158
84	Hazelton	305	-	-	-	-	-	3	-	-	1	-	3	64	-	22
85	Wilkes-Barre	963	-	2	-	-	-	19	-	-	3	1	-	143	-	36
86	Hanover (twp.)[2]	25	-	-	-	-	-	-	-	-	-	-	-	11	-	-
87	Kingston	243	-	-	-	-	-	10	-	-	-	-	-	39	-	12
88	Nanticoke	228	-	-	-	-	-	15	-	-	1	-	-	31	-	7
89	Pittston	189	-	-	-	-	-	4	-	-	-	-	-	20	-	5
90	Plains (twp.)[2]	100	-	-	-	-	-	6	-	-	-	-	-	8	-	2
91	Plymouth	174	-	1	-	-	-	3	-	-	-	-	-	17	1	3
92	Balance of county	1,873	-	-	-	-	-	59	-	-	6	2	-	245	3	71

[2]Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 118,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	137	710	103	7	125	7	19	74	25	11	5	36	92	18	245	1
-	58	269	30	2	54	2	5	30	9	5	4	13	29	5	99	2
-	79	441	73	5	71	5	14	44	16	6	1	23	53	13	146	3
-	7	21	3	-	2	-	-	2	1	1	-	-	2	-	5	4
-	57	240	27	4	43	-	6	17	6	9	-	7	18	3	90	5
-	48	208	13	-	40	2	5	18	6	7	1	11	27	-	66	6
1	145	516	65	1	130	3	21	33	24	10	1	32	68	18	178	7
1	19	58	2	-	12	-	1	4	3	1	1	3	2	1	13	8
-	8	45	4	-	11	-	4	3	3	-	-	4	9	1	10	9
-	13	78	16	-	11	-	3	14	9	1	-	1	7	1	27	10
-	105	335	43	1	96	3	13	12	9	8	-	24	50	15	128	11
-	44	144	15	-	37	1	4	9	5	3	-	7	21	7	42	12
-	79	287	29	5	39	2	13	18	14	3	-	26	38	8	92	13
-	12	59	6	4	15	-	1	3	3	2	-	1	4	2	11	14
-	67	228	23	1	24	2	12	15	11	1	-	25	34	6	81	15
-	42	124	14	-	27	2	8	18	11	3	-	6	11	15	45	16
-	16	42	3	-	11	-	3	1	7	1	-	2	5	8	13	17
-	26	82	11	-	16	2	5	17	4	2	-	4	6	7	30	18
-	55	208	10	-	27	1	4	10	12	16	1	5	25	4	76	19
-	16	58	1	-	4	-	1	4	3	3	-	1	3	2	8	20
-	39	150	8	-	23	1	3	6	9	13	1	4	20	2	68	21
1	87	325	28	1	28	3	10	18	15	7	1	16	29	12	108	22
1	26	89	9	-	8	2	3	6	8	2	-	2	9	4	22	23
-	61	236	19	1	22	1	7	12	7	5	1	14	20	8	86	24
-	92	310	15	2	63	2	16	14	9	9	1	14	34	6	115	25
-	22	57	2	1	16	-	3	2	1	2	-	1	5	1	18	26
-	70	253	13	1	47	2	13	12	8	7	1	13	29	5	97	27
-	170	791	68	14	194	4	35	33	21	21	9	37	81	21	227	28
-	84	408	30	9	76	1	23	16	12	8	5	16	49	14	109	29
-	11	38	2	2	15	1	1	5	3	1	1	2	5	2	20	30
-	75	347	36	3	103	2	11	12	6	12	3	19	27	5	99	31
-	306	1,312	85	18	196	7	35	73	56	40	13	58	119	22	408	32
-	56	205	32	9	35	5	11	17	10	8	10	15	28	6	73	33
-	25	75	3	-	8	-	1	2	4	3	-	3	5	1	22	34
-	49	220	5	-	28	-	3	3	7	4	-	5	15	4	56	35
-	10	49	4	1	10	1	1	4	7	-	-	2	2	1	7	36
-	15	63	1	-	9	-	-	4	-	-	-	1	6	1	14	37
-	151	700	40	8	106	1	19	44	28	25	3	32	63	9	236	38
-	20	100	15	2	20	2	6	8	9	5	-	12	4	1	34	39
-	223	780	51	8	88	4	28	65	26	25	3	50	83	13	230	40
-	138	510	35	5	57	3	14	40	15	10	3	31	46	6	144	41
-	85	270	16	4	31	1	14	25	11	13	-	19	37	7	88	42
-	166	613	74	6	127	9	23	58	37	18	11	45	82	19	206	43
-	13	66	7	-	12	-	-	7	4	1	-	2	6	-	17	44
-	25	101	9	-	17	-	4	6	3	4	2	5	9	4	39	45
-	128	446	58	6	98	9	19	45	30	13	9	38	67	15	150	46
-	7	16	2	-	-	-	-	3	1	-	-	-	2	-	13	47
-	64	257	21	3	78	-	9	10	8	18	-	14	28	2	70	48
-	8	44	5	1	8	-	1	3	2	6	-	3	5	-	15	49
-	41	144	12	2	42	-	8	1	1	2	-	3	4	-	13	50
-	11	33	8	-	6	-	1	6	5	10	-	8	19	2	42	51
-	46	158	13	-	32	-	6	4	2	1	1	7	7	-	9	52
-	44	159	14	1	24	2	7	9	10	7	-	13	25	-	50	53
-	43	256	31	4	32	1	16	11	7	12	3	6	24	11	63	54
-	8	42	3	-	3	-	1	8	11	8	1	29	47	7	75	55
-	35	214	28	4	29	1	15	16	8	-	-	3	4	1	15	56
-	57	192	17	1	46	-	8	13	10	8	1	26	43	6	60	57
-	11	48	10	2	14	-	4	2	6	5	1	11	15	3	72	58
1	237	1,156	106	7	163	9	29	57	5	2	-	3	7	2	19	59
-	109	529	53	4	76	4	17	32	26	22	1	36	141	27	396	60
1	16	80	9	-	23	1	2	6	11	12	-	21	69	12	202	61
-	10	12	1	-	2	-	-	-	4	2	-	1	12	1	34	62
-	24	82	9	1	18	-	3	1	-	-	-	1	6	3	13	63
-	8	26	2	-	10	1	-	1	-	2	-	-	10	-	18	64
-	70	427	32	2	34	3	7	17	1	-	-	1	7	-	8	65
1	226	796	59	3	134	6	18	48	10	5	1	12	37	11	121	66
1	67	280	20	1	34	1	6	15	21	32	5	37	96	10	304	67
-	23	41	3	-	3	1	1	5	7	8	2	11	28	3	80	68
-	136	505	36	2	97	1	11	28	2	1	1	1	5	2	19	69
-	103	329	33	1	37	4	7	17	12	23	2	25	63	5	205	70
-	46	192	20	-	17	2	5	9	8	12	4	32	49	9	120	71
-	8	22	2	1	8	1	1	-	1	3	2	21	20	5	55	72
-	8	22	2	1	9	-	1	-	1	-	-	3	6	-	16	73
-	49	115	11	-	12	1	1	8	3	9	-	3	6	-	16	74
-	49	293	23	3	81	2	6	15	7	7	2	8	23	4	49	75
-	18	127	11	1	21	2	1	6	3	3	-	16	37	8	82	76
-	31	186	12	2	60	-	5	7	4	4	-	4	17	4	40	77
-	168	751	43	8	95	5	21	37	18	30	6	12	20	4	52	78
-	90	432	23	3	43	2	12	18	12	12	4	28	68	4	285	79
-	19	57	5	1	8	1	1	3	3	2	-	15	40	2	188	80
-	59	262	15	4	44	2	8	16	3	16	2	5	6	-	21	81
-	298	1,447	152	9	284	8	54	76	50	35	2	10	22	2	76	82
-	26	141	10	-	19	-	7	12	6	3	-	67	204	46	576	83
-	79	335	36	2	81	-	11	15	8	6	-	7	14	1	44	84
-	1	5	-	-	1	-	-	3	1	-	-	18	49	6	113	85
-	15	80	5	-	20	-	4	5	3	2	1	-	1	-	2	86
-	9	74	6	2	5	1	3	5	1	1	-	6	9	3	29	87
-	14	88	9	-	14	1	3	6	4	1	-	2	11	13	41	88
-	4	31	3	1	7	-	3	-	2	1	-	5	7	3	24	89
-	14	67	6	1	12	-	1	4	1	2	-	2	8	-	22	90
-	126	646	77	3	125	6	22	26	24	19	1	25	93	19	275	91

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	PENNSYLVANIA—Continued															
1	Lycoming	1,112	-	-	-	2	-	18	-	-	2	1	1	164	-	55
2	Williamsport	529	-	-	-	1	-	9	-	-	1	-	-	96	-	30
3	Balance of county	583	-	-	-	1	-	7	-	-	1	1	1	68	-	25
4	McKean	554	-	-	-	-	-	9	-	-	4	1	1	78	-	23
5	Bradford	214	-	-	-	-	-	3	-	-	2	-	-	31	-	10
6	Balance of county	340	-	-	-	-	-	6	-	-	2	1	1	47	-	13
7	Mercer	1,099	-	3	-	-	-	17	-	-	3	-	-	150	1	37
8	Sharon	250	-	1	-	-	-	5	-	-	2	-	-	38	-	5
9	Farrell	119	-	1	-	-	-	4	-	-	-	-	-	8	1	6
10	Balance of county	730	-	1	-	-	-	8	-	-	1	-	-	104	-	26
11	Mifflin	411	-	-	-	1	-	5	-	-	3	-	-	42	1	16
12	Lewistown	162	-	-	-	-	-	2	-	-	2	-	-	16	-	7
13	Balance of county	249	-	-	-	1	-	3	-	-	1	-	-	26	1	9
14	Monroe	362	-	-	-	-	-	2	-	-	-	-	-	63	-	17
15	Montgomery	3,468	-	2	-	-	-	79	-	-	25	3	4	498	3	120
16	Lower Merion (twp.)[2]	443	-	-	-	-	-	9	-	-	2	-	1	80	-	12
17	Norristown	662	-	-	-	-	-	23	-	-	11	-	-	69	1	17
18	Abington (twp.)[2]	187	-	-	-	-	-	1	-	-	3	-	1	25	-	3
19	Cheltenham (twp.)[2]	184	-	-	-	-	-	1	-	-	-	-	-	27	-	9
20	Conshohocken	148	-	1	-	-	-	1	-	-	-	-	-	17	1	4
21	Pottstown	233	-	-	-	-	-	4	-	-	2	-	-	26	-	10
22	Balance of county	1,611	-	1	-	-	-	40	-	-	7	3	2	254	1	65
23	Montour	298	-	-	-	-	1	31	-	-	12	-	1	36	-	8
24	Northampton	1,759	-	-	-	-	-	51	-	-	6	-	-	306	-	71
25	Bethlehem (part)	422	-	-	-	-	-	15	-	-	3	-	-	71	-	28
26	Bethlehem (total)	587	-	-	-	-	-	17	-	-	3	-	-	95	1	36
27	Easton	474	-	-	-	-	-	14	-	-	2	-	-	101	-	18
28	Balance of county	863	-	-	-	-	-	22	-	-	1	-	-	134	-	25
29	Northumberland	1,349	1	2	-	2	-	38	1	-	7	-	1	166	1	55
30	Mount Carmel	146	-	1	-	1	-	5	-	-	-	-	-	22	1	5
31	Shamokin	317	-	1	-	-	-	14	-	-	1	-	1	35	-	10
32	Sunbury	199	-	-	-	-	-	3	-	-	1	-	-	26	-	5
33	Balance of county	687	1	-	-	1	-	16	1	-	5	-	-	83	-	35
34	Perry	246	-	-	-	-	-	1	-	-	-	-	1	23	-	17
35	Philadelphia, coextensive with Philadelphia (city)	23,843	3	6	2	3	4	948	-	2	257	5	4	3,660	27	741
36	Pike	91	-	-	-	-	-	-	-	-	-	-	-	18	-	1
37	Potter	216	-	1	-	-	-	2	-	-	3	-	2	30	-	3
38	Schuylkill	2,351	1	1	-	1	2	68	-	-	9	-	3	312	2	86
39	Mahanoy City	145	-	-	-	-	-	7	-	-	-	-	-	23	1	7
40	Pottsville	318	-	-	-	-	-	9	-	-	-	-	-	42	-	11
41	Shenandoah	218	-	-	-	-	-	8	-	-	2	-	-	32	-	7
42	Tamaqua	137	-	-	-	-	-	3	-	-	1	-	-	24	-	10
43	Balance of county	1,533	1	1	-	1	2	39	-	-	6	-	3	191	1	51
44	Snyder	265	-	1	-	-	-	10	1	-	-	-	-	37	1	10
45	Somerset	795	-	-	-	1	-	12	-	-	5	-	-	97	2	18
46	Sullivan	75	-	-	-	-	-	1	-	-	-	-	-	9	-	2
47	Susquehanna	357	-	-	1	1	-	4	-	-	-	-	-	49	1	5
48	Tioga	398	-	-	-	-	-	4	-	-	2	-	-	51	-	7
49	Union	233	-	-	-	-	-	3	-	-	2	-	-	33	-	7
50	Venango	777	-	-	1	1	-	27	-	-	1	1	-	86	-	22
51	Oil City	244	-	-	-	-	-	2	-	-	-	-	-	38	-	5
52	Balance of county	533	-	-	1	1	-	25	-	-	1	1	-	48	-	17
53	Warren	666	-	-	-	-	-	21	-	-	13	-	-	71	-	18
54	Warren	164	-	-	-	-	-	3	-	-	-	-	-	23	-	8
55	Balance of county	502	-	-	-	-	-	18	-	-	13	-	-	48	-	10
56	Washington	1,953	-	-	-	4	2	44	-	-	9	-	-	309	-	43
57	Washington	350	-	-	-	-	-	12	-	-	1	-	-	51	-	2
58	Canonsburg	125	-	-	-	-	-	1	-	-	-	-	-	23	-	2
59	Charleroi	98	-	-	-	-	-	-	-	-	-	-	-	18	-	2
60	Donora	105	-	-	-	-	-	4	-	-	-	-	-	17	-	12
61	Balance of county	1,275	-	-	-	4	2	27	-	-	8	-	-	200	-	25
62	Wayne	389	-	-	-	-	-	24	-	-	3	-	-	54	-	12
63	Westmoreland	2,913	-	2	-	-	-	63	-	-	26	-	2	391	2	84
64	Arnold	55	-	-	-	-	-	4	-	-	1	-	-	14	-	1
65	Greensburg	197	-	-	-	-	-	2	-	-	1	-	-	28	-	4
66	Jeannette	134	-	-	-	-	-	3	-	-	-	-	-	20	-	3
67	Latrobe	106	-	-	-	-	-	3	-	-	1	-	-	8	-	2
68	Monessen	162	-	-	-	-	-	4	-	-	1	-	-	29	-	5
69	New Kensington	229	-	-	-	-	-	4	-	-	-	-	-	32	-	13
70	Vandergrift	83	-	-	-	-	-	2	-	-	-	-	-	13	-	3
71	Balance of county	1,947	-	2	-	-	-	41	-	-	22	-	2	247	2	53
72	Wyoming	219	-	1	-	-	-	4	-	-	-	-	1	40	-	6
73	York	1,970	-	-	-	2	2	38	-	-	4	-	1	271	1	56
74	York	765	-	-	-	2	-	17	-	-	1	-	1	99	-	21
75	Hanover	177	-	-	-	-	1	4	-	-	3	-	-	23	-	3
76	Balance of county	1,028	-	-	-	-	1	17	-	-	-	-	-	149	1	32
77	RHODE ISLAND	8,188	-	2	1	-	1	199	2	-	45	1	-	1,201	2	338
78	Bristol	283	-	-	-	-	-	2	-	-	2	-	-	44	-	15
79	Bristol (town)	112	-	-	-	-	-	-	-	-	-	-	-	22	-	5
80	Balance of county	151	-	-	-	-	-	2	-	-	2	-	-	22	-	10
81	Kent	697	-	-	-	-	-	14	-	-	1	-	-	122	-	38
82	Warwick	365	-	-	-	-	-	10	-	-	1	-	-	58	-	14
83	West Warwick (town)	180	-	-	-	-	-	2	-	-	-	-	-	35	-	11
84	Balance of county	152	-	-	-	-	-	2	-	-	-	-	-	29	-	13
85	Newport	591	-	1	-	-	-	12	-	-	2	-	-	100	1	19
86	Newport	380	-	-	-	-	-	9	-	-	1	-	-	68	1	10
87	Balance of county	201	-	1	-	-	-	3	-	-	1	-	-	32	-	9
88	Providence	6,236	-	1	1	-	1	166	2	-	39	1	-	880	1	253
89	Providence	2,832	-	-	-	-	1	68	1	-	16	-	-	428	-	119
90	Central Falls	219	-	-	-	-	-	8	-	-	1	-	-	24	-	10
91	Cranston	823	-	-	1	-	-	36	1	-	15	-	-	74	-	29

[2] Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 118,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
-	108	408	23	4	63	2	15	25	11	14	-	25	45	3	125	1
-	46	184	8	2	28	1	6	13	4	8	-	6	21	2	63	2
-	62	224	15	2	35	1	9	12	7	8	-	19	24	1	62	3
-	58	170	14	-	38	-	6	22	14	11	3	15	21	4	62	4
-	27	83	5	-	11	-	3	9	5	2	1	5	5	2	30	5
-	31	107	9	-	27	-	3	13	9	9	2	10	16	2	32	6
-	119	360	44	5	75	-	21	29	13	11	1	25	42	8	135	7
-	30	89	8	1	14	-	5	14	2	-	-	8	6	-	24	8
-	8	43	4	1	9	-	-	7	1	1	1	1	5	1	17	9
-	81	228	32	3	52	-	16	8	10	10	-	18	31	7	94	10
-	33	155	11	2	24	1	2	13	10	5	-	11	14	12	50	11
-	14	64	-	-	7	1	1	6	4	3	-	5	8	1	21	12
-	19	91	11	2	17	-	1	7	6	2	-	6	6	11	29	13
-	52	102	7	3	20	-	5	4	10	3	-	7	16	9	42	14
-	267	1,335	102	9	187	4	31	63	35	26	7	54	128	29	459	15
-	40	180	11	-	16	-	5	8	6	4	-	7	15	1	46	16
-	47	249	30	4	36	2	2	18	4	2	2	4	33	15	93	17
-	18	79	9	-	8	-	1	2	1	2	-	2	6	-	26	18
-	16	83	3	-	8	-	1	2	3	2	-	1	6	2	20	19
-	12	61	5	1	7	-	2	4	3	1	-	1	5	-	22	20
-	17	85	6	-	24	2	2	8	2	2	2	6	8	1	26	21
-	117	598	38	4	88	-	18	21	16	13	3	33	53	10	226	22
-	26	102	8	1	19	1	3	7	2	-	-	1	11	1	27	23
-	142	621	45	5	80	6	26	28	21	34	5	33	86	10	183	24
-	30	149	9	-	16	-	4	2	6	13	1	12	21	-	42	25
-	49	206	14	1	24	1	5	5	9	15	1	15	27	-	63	26
-	43	162	11	1	22	-	8	11	6	7	1	3	16	6	42	27
-	69	310	25	4	42	6	14	15	9	14	3	18	49	4	99	28
-	106	467	52	8	97	1	23	22	20	14	2	20	60	10	173	29
-	8	37	5	-	11	-	3	2	-	-	-	6	8	-	31	30
-	26	120	17	3	13	-	5	5	5	4	1	3	11	6	36	31
-	18	73	5	1	20	-	3	8	4	2	-	1	10	-	19	32
-	54	237	25	4	53	1	12	7	11	8	1	10	31	4	87	33
-	26	80	5	3	24	2	2	6	1	2	-	5	15	7	26	34
-	1,673	9,113	746	86	1,384	32	273	534	248	214	116	219	894	169	2,480	35
-	3	42	3	-	4	-	-	-	-	1	1	1	5	-	11	36
-	13	81	11	-	14	1	2	5	6	1	1	4	4	3	29	37
-	165	838	76	7	147	4	14	28	31	17	1	41	118	16	365	38
-	9	49	7	-	5	-	3	1	2	1	-	4	7	-	19	39
-	21	109	9	1	36	-	1	2	8	4	1	4	12	-	48	40
-	16	82	5	1	10	-	1	6	3	-	-	2	13	2	28	41
-	16	46	2	-	4	1	1	1	2	1	-	3	6	-	16	42
-	103	552	53	5	92	3	8	18	16	11	-	28	80	14	254	43
-	29	84	14	1	12	-	4	6	6	1	-	4	6	6	32	44
-	82	269	37	7	52	1	14	18	13	13	1	13	38	5	97	45
-	5	30	2	1	8	-	-	1	-	3	-	1	4	1	9	46
-	37	113	9	1	21	-	9	3	9	11	1	7	13	11	51	47
-	41	168	13	1	14	-	7	6	2	3	-	7	12	6	56	48
-	22	85	5	1	18	-	4	6	2	4	-	4	3	5	29	49
-	91	248	43	7	31	1	12	16	17	5	1	19	29	3	117	50
-	34	86	7	-	12	-	5	9	3	3	1	5	9	2	23	51
-	57	160	36	7	19	1	7	7	14	2	-	14	20	1	94	52
-	73	251	28	1	33	1	5	14	5	6	-	17	26	14	69	53
-	10	57	4	-	9	1	-	10	3	2	-	7	3	3	21	54
-	63	194	24	1	24	-	5	4	2	4	-	10	23	11	48	55
-	187	680	88	4	108	1	22	32	23	24	3	38	101	15	216	56
-	38	114	15	-	24	-	6	12	3	7	1	4	14	1	45	57
-	11	46	6	-	2	-	3	5	1	2	-	3	9	3	8	58
-	7	39	4	-	6	-	1	1	1	2	-	2	1	1	13	59
-	6	26	3	-	7	-	1	1	-	1	-	1	4	-	22	60
-	125	455	60	4	69	1	11	13	18	12	2	28	73	10	128	61
-	37	142	16	1	18	1	4	-	3	9	1	6	17	2	39	62
-	280	1,040	133	8	156	8	46	67	43	25	8	62	122	21	324	63
-	5	15	-	-	2	-	2	1	1	2	-	-	3	-	4	64
-	20	77	9	-	7	1	2	8	3	-	-	2	8	-	25	65
-	6	52	4	-	11	-	2	6	1	5	-	3	4	-	14	66
-	14	33	3	1	2	-	4	5	4	2	1	2	5	1	15	67
-	11	57	6	-	12	-	3	5	2	2	-	3	3	-	19	68
-	23	73	7	-	13	-	5	10	6	3	-	3	9	1	27	69
-	4	28	5	-	4	-	1	4	3	-	-	1	5	2	8	70
-	197	705	99	7	105	7	27	28	23	11	7	48	85	17	212	71
-	20	70	7	-	14	-	3	3	1	3	-	7	11	7	21	72
-	221	729	45	5	122	6	31	40	27	20	5	43	66	10	225	73
-	73	282	20	1	59	1	13	16	14	2	4	12	31	3	93	74
-	23	65	2	-	8	1	4	8	4	2	1	2	6	3	14	75
-	125	382	25	4	55	4	14	16	9	16	-	29	29	4	118	76
-	696	3,142	229	22	457	22	103	180	96	49	20	75	314	28	963	77
-	24	87	15	1	19	1	2	10	2	-	1	1	13	-	24	78
-	12	30	8	1	11	-	-	4	1	-	1	1	6	-	10	79
-	13	57	7	-	8	1	2	6	1	-	-	-	7	-	14	80
-	73	259	21	-	31	1	8	14	10	2	-	7	22	1	73	81
-	31	152	12	-	17	-	5	11	8	2	-	2	9	-	33	82
-	23	58	7	-	9	-	3	-	1	-	-	2	3	1	25	83
-	19	49	2	-	5	1	-	3	1	-	-	3	10	-	15	84
-	66	193	15	2	34	1	13	20	7	6	1	9	21	2	66	85
-	45	121	7	2	21	1	12	13	3	5	1	4	15	1	50	86
-	21	72	8	-	13	-	1	7	4	1	-	5	6	1	16	87
-	503	2,460	168	15	353	18	73	130	65	37	16	51	239	25	738	88
-	244	1,098	76	6	136	6	36	52	24	14	14	27	108	15	343	89
-	23	71	4	-	13	1	3	13	5	2	1	1	5	-	34	90
-	59	348	30	1	44	2	6	10	6	9	-	2	42	1	107	91

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 15-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	RHODE ISLAND—Con.															
	Providence—Continued															
1	East Providence (town)	294	-	1	-	-	-	3	-	-	2	-	-	41	-	19
2	Pawtucket	846	-	-	-	-	-	15	-	-	2	1	-	136	-	25
3	Woonsocket	486	-	-	-	-	-	7	-	-	2	-	-	60	-	15
4	Cumberland (town)	107	-	-	-	-	-	1	-	-	-	-	-	20	1	6
5	Johnston (town)	76	-	-	-	-	-	2	-	-	-	-	-	12	-	5
6	Lincoln (town)	101	-	-	-	-	-	1	-	-	-	-	-	15	-	6
7	North Providence (town)	113	-	-	-	-	-	1	-	-	-	-	-	19	-	3
8	Balance of county	340	-	-	-	-	-	24	-	-	1	-	-	51	-	16
9	Washington	401	-	-	-	-	-	5	-	-	1	-	-	55	-	13
10	Westerly (town)	120	-	-	-	-	-	2	-	-	1	-	-	21	-	6
11	Balance of county	281	-	-	-	-	-	3	-	-	-	-	-	34	-	7
12	SOUTH CAROLINA	17,957	15	14	2	77	41	547	11	12	230	4	15	1,496	18	316
13	Abbeville	211	-	-	-	-	2	4	-	-	-	-	-	15	-	8
14	Aiken	509	-	-	-	-	1	4	-	-	4	-	-	51	1	9
15	Allendale	118	1	-	-	-	-	3	-	-	-	-	-	13	-	-
16	Anderson	688	-	-	-	-	3	15	1	1	4	1	-	67	2	16
17	Anderson	267	-	-	-	-	-	8	-	1	1	1	-	26	1	3
18	Balance of county	421	-	-	-	-	3	8	1	-	3	-	-	41	1	13
19	Bamberg	138	-	-	-	-	-	5	-	-	2	-	-	14	-	1
20	Barnwell	184	3	-	-	1	-	9	-	-	3	1	-	18	-	5
21	Beaufort	269	1	-	-	2	-	5	-	-	3	-	-	20	1	1
22	Berkeley	270	-	-	-	2	-	5	-	-	4	-	-	15	-	3
23	Calhoun	131	-	-	-	3	-	4	-	-	-	-	-	10	1	9
24	Charleston	1,527	-	1	-	5	1	49	-	-	38	-	-	146	2	24
25	Charleston	823	-	-	-	-	1	25	-	-	22	-	-	93	2	14
26	Balance of county	704	-	1	-	5	-	24	-	-	16	-	-	53	-	10
27	Cherokee	240	-	1	-	-	-	4	-	-	-	-	1	22	-	7
28	Chester	241	-	-	-	-	1	3	-	-	1	-	-	23	-	7
29	Chesterfield	265	-	1	-	2	1	6	-	-	1	-	-	14	-	4
30	Clarendon	258	-	-	-	4	-	11	1	2	3	-	-	18	-	4
31	Colleton	254	-	-	-	-	1	5	-	-	3	-	-	26	1	5
32	Darlington	447	-	-	-	1	1	15	2	1	2	-	1	29	-	3
33	Dillon	242	-	-	-	-	-	14	-	-	1	-	-	20	-	3
34	Dorchester	192	-	-	-	1	-	7	1	-	6	-	-	15	-	1
35	Edgefield	134	-	-	-	-	-	-	-	-	-	-	-	12	-	-
36	Fairfield	177	-	-	-	-	1	4	-	-	2	-	-	19	-	5
37	Florence	666	1	-	-	3	2	21	-	-	4	-	-	41	-	12
38	Florence	229	-	-	-	1	-	5	-	-	2	-	-	17	-	3
39	Balance of county	437	1	-	-	2	2	16	-	-	2	-	-	24	-	9
40	Georgetown	260	-	-	-	2	-	5	-	-	3	-	-	20	-	3
41	Greenville	1,314	2	3	-	-	7	30	-	-	7	-	1	112	1	30
42	Greenville	611	-	1	-	-	2	18	-	-	3	-	-	43	-	12
43	Balance of county	703	2	2	-	-	5	12	-	-	4	-	1	69	1	18
44	Greenwood	348	1	1	-	-	-	3	-	-	2	-	-	29	-	7
45	Greenwood	162	-	1	-	-	-	1	-	-	2	-	-	14	-	5
46	Balance of county	186	1	-	-	-	-	2	-	-	-	-	-	15	-	2
47	Hampton	214	1	-	-	4	-	6	-	-	2	-	-	12	-	4
48	Horry	404	1	-	-	6	-	20	-	1	10	-	-	28	-	4
49	Jasper	110	-	-	-	1	-	6	-	-	3	-	-	12	-	1
50	Kershaw	294	-	-	-	-	-	2	-	-	-	-	1	34	-	5
51	Lancaster	222	-	-	-	1	-	3	-	-	2	-	1	17	-	1
52	Laurens	341	1	-	1	2	-	5	2	-	1	-	1	26	-	7
53	Lee	190	-	-	-	2	-	8	-	-	1	-	-	16	-	1
54	Lexington	375	-	-	-	1	1	9	1	-	1	-	2	34	-	11
55	McCormick	111	-	1	1	-	1	1	-	-	-	-	-	9	-	2
56	Marion	340	-	1	-	2	-	15	-	-	2	-	-	27	-	6
57	Marlboro	323	-	-	-	-	-	10	-	-	4	1	1	22	-	4
58	Newberry	244	1	1	-	-	-	6	1	-	2	-	-	21	-	3
59	Oconee	287	-	-	-	1	7	7	-	-	1	-	-	26	-	5
60	Orangeburg	648	-	1	-	5	1	22	-	2	6	-	-	40	2	13
61	Orangeburg	140	-	-	-	-	-	3	-	1	1	-	-	9	-	3
62	Balance of county	508	-	1	-	5	1	19	-	1	5	-	-	31	2	10
63	Pickens	270	-	-	-	1	2	6	-	-	-	-	-	29	2	9
64	Richland	1,736	1	2	-	9	1	110	-	1	82	1	-	151	1	33
65	Columbia	1,084	-	1	-	6	1	35	-	-	21	1	-	114	1	28
66	Balance of county	652	1	1	-	3	-	75	-	1	61	-	-	37	-	4
67	Saluda	126	-	-	-	-	-	1	-	-	-	-	-	14	1	-
68	Spartanburg	1,057	-	-	-	3	2	29	1	-	8	-	-	82	1	16
69	Spartanburg	371	-	-	-	1	-	11	-	-	2	-	-	30	-	7
70	Balance of county	686	-	-	-	2	2	18	1	-	6	-	-	52	1	9
71	Sumter	482	-	-	-	3	-	24	1	1	3	-	2	36	-	6
72	Sumter	171	-	-	-	-	-	10	-	-	1	-	1	15	-	-
73	Balance of county	311	-	-	-	3	-	14	1	1	2	-	1	21	-	6
74	Union	254	-	-	-	4	1	4	-	-	2	-	-	25	-	5
75	Williamsburg	347	1	1	-	2	3	9	-	3	3	-	1	15	-	4
76	York	499	-	-	-	4	1	12	-	-	4	-	3	53	-	9
77	Rock Hill	145	-	-	-	1	1	2	-	-	-	-	-	14	-	5
78	Balance of county	354	-	-	-	3	-	10	-	-	4	-	3	39	-	4
79	SOUTH DAKOTA	5,806	-	1	-	9	-	113	-	-	33	5	90	750	4	162
80	Armstrong	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Aurora	48	-	-	-	-	-	1	-	-	-	-	-	5	-	1
82	Beadle	191	-	-	-	-	-	2	-	-	-	-	7	27	1	5
83	Huron	135	-	-	-	-	-	2	-	-	-	-	4	18	1	2
84	Balance of county	56	-	-	-	-	-	-	-	-	-	-	3	9	-	3
85	Bennett	26	-	-	-	-	-	2	-	-	-	-	-	2	-	2
86	Bon Homme	79	-	-	-	-	-	-	-	-	-	-	-	7	-	2
87	Brookings	145	-	-	-	-	-	1	-	-	-	-	2	18	-	5
88	Brown	272	-	-	-	-	-	4	-	-	1	-	-	46	-	7
89	Aberdeen	185	-	-	-	-	-	4	-	-	1	-	-	29	-	5
90	Balance of county	87	-	-	-	-	-	-	-	-	-	-	-	17	-	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 193,200	All other causes	
-	12	126	12	1	14	-	3	8	4	-	-	3	14	1	30	1
-	55	355	21	3	51	4	15	21	8	2	1	9	29	2	91	2
-	46	195	13	3	27	3	5	15	6	2	-	5	19	-	63	3
-	12	41	1	-	9	-	-	1	1	1	-	-	5	1	7	4
-	7	24	2	-	9	-	-	1	1	2	-	-	1	1	9	5
-	10	41	4	-	13	-	1	1	1	-	-	1	1	-	6	6
-	7	48	1	-	6	-	3	3	3	2	-	-	1	-	15	7
-	28	113	4	1	31	2	1	5	6	3	-	3	14	4	33	8
-	30	143	10	4	20	1	7	6	12	4	2	7	19	-	62	9
-	7	42	-	1	6	1	4	1	3	1	-	1	5	-	18	10
-	23	101	10	3	14	-	3	5	9	3	2	6	14	-	44	11
33	1,962	4,612	994	138	1,512	137	234	693	407	108	250	535	826	889	1,831	12
-	29	57	16	1	20	-	7	4	6	-	1	4	13	8	16	13
2	79	145	38	2	35	4	3	21	7	-	2	14	14	20	53	14
-	7	35	10	1	5	3	-	1	2	1	2	2	2	12	18	15
-	67	193	45	3	70	8	6	27	12	4	4	21	28	11	78	16
-	29	71	17	1	32	2	-	9	7	2	2	6	10	5	33	17
-	38	122	28	2	38	6	6	18	5	2	2	15	18	6	45	18
-	27	37	8	-	9	2	-	4	1	-	2	6	3	5	12	19
-	24	48	13	2	17	3	1	4	2	-	3	7	5	6	11	20
1	25	64	14	2	17	1	5	9	3	4	4	14	22	25	26	21
2	30	62	10	1	15	1	1	8	2	-	6	9	13	56	25	22
1	10	24	6	1	21	1	-	5	2	-	3	-	11	13	6	23
1	124	325	73	5	72	8	22	77	40	7	31	29	83	224	140	24
1	76	201	35	1	41	3	13	40	17	4	8	13	32	93	88	25
-	48	124	38	4	31	5	9	37	23	3	23	16	51	131	52	26
1	29	72	19	-	15	1	2	13	10	3	3	7	5	2	23	27
-	40	72	12	3	9	-	2	8	4	1	7	10	9	11	18	28
1	33	64	21	3	20	4	2	12	6	2	4	10	8	11	35	29
-	39	64	17	1	16	1	2	4	10	1	1	-	14	21	24	30
1	27	63	12	3	25	4	-	9	3	1	3	6	12	32	12	31
-	57	100	31	7	45	3	3	18	18	3	2	26	23	5	51	32
-	22	63	12	2	15	6	4	12	7	1	2	11	15	10	22	33
-	19	47	14	1	13	3	3	2	7	-	1	4	15	18	14	34
-	21	45	6	1	9	1	1	8	1	-	1	1	5	10	12	35
-	13	40	9	1	25	1	2	3	7	2	3	11	8	11	10	36
-	75	184	37	7	40	8	14	38	19	2	10	27	31	28	62	37
-	29	65	10	-	14	-	5	10	8	2	6	6	13	10	24	38
-	46	119	27	7	28	8	9	28	11	-	5	21	18	18	38	39
1	34	73	17	2	20	1	5	6	8	1	3	3	14	19	20	40
3	119	420	86	14	100	2	24	54	26	8	22	46	69	6	142	41
1	55	184	30	9	48	1	10	24	12	5	12	22	31	5	68	42
2	64	256	36	5	52	1	14	30	14	3	10	24	38	1	59	43
1	25	123	18	1	35	3	5	9	7	4	3	15	8	8	40	44
-	12	61	4	-	16	1	2	5	4	3	-	3	3	3	22	45
1	13	62	14	1	19	2	3	4	3	1	3	12	5	5	18	46
2	25	55	12	-	20	-	3	11	9	3	7	7	9	4	18	47
1	43	94	27	3	31	5	9	19	11	-	13	11	19	23	25	48
1	16	19	4	2	5	3	-	3	4	-	-	4	6	13	7	49
3	34	93	15	1	21	1	4	5	5	3	7	7	15	11	29	50
-	19	49	6	3	42	1	6	7	10	1	3	10	13	7	20	51
-	45	105	26	2	30	4	3	4	4	3	2	7	17	11	32	52
2	24	44	12	1	11	4	2	6	4	1	5	4	6	17	19	53
-	40	114	15	4	30	2	7	12	9	2	4	9	15	11	41	54
-	4	18	7	1	32	-	1	2	3	3	-	-	1	13	10	55
2	58	65	20	2	28	2	4	25	12	1	4	12	13	8	31	56
-	41	77	18	4	37	5	3	16	14	2	5	6	18	4	31	57
-	32	73	8	2	32	-	4	7	4	-	1	13	7	12	14	58
4	30	73	25	5	30	1	2	12	2	2	5	5	13	6	24	59
-	65	153	31	9	68	12	13	22	19	2	9	19	32	43	59	60
-	12	36	10	4	16	3	5	9	4	-	1	8	7	1	7	61
-	53	117	21	5	52	9	8	13	15	2	8	11	25	42	52	62
1	26	64	15	1	18	1	-	6	10	3	5	13	15	4	39	63
1	157	350	62	16	146	4	18	76	22	20	26	38	76	14	318	64
1	101	244	45	7	86	2	14	61	15	18	14	34	49	10	174	65
-	56	106	17	9	60	2	4	15	7	2	12	4	27	4	144	66
-	19	36	9	2	10	1	-	2	4	-	-	7	2	8	10	67
1	114	314	67	4	95	7	17	52	24	10	9	34	55	18	94	68
-	31	106	19	-	55	2	4	20	11	2	3	7	22	5	33	69
1	83	208	48	4	40	5	13	32	13	8	6	27	33	13	61	70
-	62	117	28	3	57	8	8	20	10	2	4	20	18	16	33	71
-	19	41	5	2	23	3	4	8	4	2	2	5	8	3	15	72
-	43	76	23	1	34	5	4	12	6	-	2	15	10	13	18	73
-	25	80	13	3	18	1	5	10	5	1	4	8	7	6	27	74
-	39	75	23	2	30	4	4	13	5	3	5	4	15	54	29	75
-	69	123	27	4	53	2	7	7	9	1	9	13	24	14	51	76
-	23	30	8	1	18	-	3	2	2	-	2	5	6	3	19	77
-	46	93	19	3	35	2	4	5	7	1	7	8	18	11	32	78
-	625	1,658	226	26	223	17	93	199	87	65	12	155	340	160	773	79
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	80
-	8	13	2	-	3	-	-	2	1	-	1	1	4	1	5	81
-	23	54	8	-	4	2	7	4	3	1	1	2	10	3	27	82
-	17	42	6	-	2	-	4	2	1	-	1	2	9	2	20	83
-	6	12	2	-	2	2	3	2	2	1	-	-	1	1	7	84
-	2	3	2	1	2	-	1	1	2	-	-	-	2	1	3	85
-	17	22	1	-	3	-	1	7	-	3	-	2	6	1	7	86
-	15	37	2	-	11	1	-	13	2	-	-	3	13	1	21	87
-	32	92	9	-	7	-	5	5	1	1	-	12	14	4	32	88
-	20	62	7	-	5	-	3	4	1	-	-	10	10	1	23	89
-	12	30	2	-	2	-	2	1	-	1	-	2	4	3	9	90

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	SOUTH DAKOTA—Con.															
1	Brule	50	-	-	-	-	-	-	-	-	-	-	-	12	-	3
2	Buffalo	10	-	-	-	-	-	2	-	-	-	-	-	-	-	1
3	Butte	54	-	-	-	-	-	-	-	-	-	-	-	7	-	1
4	Campbell	28	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5	Charles Mix	126	-	-	-	-	-	2	-	-	2	1	3	13	-	5
6	Clark	75	-	-	-	-	-	1	-	-	-	-	6	13	-	-
7	Clay	84	-	-	-	-	-	-	-	-	-	-	1	12	-	4
8	Codington	181	-	-	-	-	-	3	-	-	-	-	7	17	-	3
9	Watertown	141	-	-	-	-	-	3	-	-	-	-	4	12	-	2
10	Balance of county	40	-	-	-	-	-	-	-	-	-	-	3	5	-	1
11	Corson	34	-	-	-	-	-	4	-	-	-	-	-	3	-	2
12	Custer	47	-	-	-	-	-	1	-	-	-	-	-	5	-	3
13	Davison	163	-	-	-	-	-	-	-	-	-	-	-	19	-	3
14	Mitchell	139	-	-	-	-	-	-	-	-	-	-	-	15	-	3
15	Balance of county	24	-	-	-	-	-	-	-	-	-	-	-	4	-	-
16	Day	103	-	-	-	-	-	-	-	-	1	-	-	6	-	5
17	Deuel	61	-	-	-	-	-	-	-	-	-	-	-	11	-	2
18	Dewey	31	-	-	-	-	-	3	-	-	-	-	-	3	-	1
19	Douglas	43	-	-	-	-	-	-	-	-	-	-	-	8	-	2
20	Edmunds	51	-	-	-	-	-	-	-	-	1	-	-	9	-	-
21	Fall River	101	-	-	-	-	-	2	-	-	3	-	1	13	-	2
22	Faulk	48	-	-	-	-	-	-	-	-	-	-	1	5	-	1
23	Grant	87	-	-	-	-	-	-	-	-	-	-	1	18	-	1
24	Gregory	90	-	-	-	-	-	-	-	-	-	-	-	7	1	5
25	Haakon	25	-	-	-	-	-	-	-	-	-	1	-	3	-	1
26	Hamlin	51	-	-	-	-	-	1	-	-	-	-	1	5	-	3
27	Hand	56	-	-	-	-	-	1	-	-	-	-	-	3	-	1
28	Hanson	43	-	-	-	-	-	-	-	-	-	-	1	5	-	1
29	Harding	16	-	-	-	-	-	1	-	-	-	-	-	1	-	2
30	Hughes	77	-	-	-	-	-	3	-	-	1	-	-	11	-	3
31	Hutchinson	84	-	-	-	-	-	-	-	-	-	-	1	12	-	3
32	Hyde	18	-	-	-	-	-	-	-	-	-	-	-	4	-	-
33	Jackson	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2
34	Jerauld	52	-	-	-	-	-	1	-	-	-	1	-	7	-	1
35	Jones	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-
36	Kingsbury	109	-	1	-	-	-	-	-	-	-	-	2	11	-	1
37	Lake	117	-	-	-	-	-	2	-	-	1	-	4	23	-	4
38	Lawrence	169	-	-	-	-	-	9	-	-	1	-	1	26	-	4
39	Lincoln	149	-	-	-	1	-	1	-	-	1	-	3	25	-	4
40	Lyman	54	-	-	-	-	-	1	-	-	-	-	-	6	1	-
41	McCook	78	-	-	-	-	-	1	-	-	1	-	6	13	-	3
42	McPherson	72	-	-	-	-	-	1	-	-	-	-	-	6	-	-
43	Marshall	76	-	-	-	-	-	1	-	-	-	-	-	5	-	1
44	Meade	92	-	-	-	-	-	3	-	-	4	-	-	12	-	1
45	Mellette	49	-	-	-	1	-	3	-	-	1	-	-	-	-	-
46	Miner	51	-	-	-	-	-	-	-	-	-	-	-	9	-	4
47	Minnehaha	615	-	-	-	-	-	7	-	-	4	1	30	79	-	17
48	Sioux Falls	465	-	-	-	-	-	6	-	-	3	1	24	58	-	13
49	Balance of county	150	-	-	-	-	-	1	-	-	1	-	6	21	-	4
50	Moody	62	-	-	-	-	-	1	-	-	-	-	1	7	1	1
51	Pennington	253	-	-	-	2	-	1	-	-	-	-	-	29	-	9
52	Rapid City	192	-	-	-	1	-	-	-	-	-	-	-	24	-	8
53	Balance of county	61	-	-	-	1	-	1	-	-	-	-	-	5	-	1
54	Perkins	58	-	-	-	-	-	-	-	-	-	1	-	7	-	1
55	Potter	48	-	-	-	-	-	1	-	-	-	-	1	2	-	3
56	Roberts	135	-	-	-	-	-	4	-	-	-	-	-	14	-	3
57	Sanborn	43	-	-	-	1	-	1	-	-	-	-	-	9	-	4
58	Shannon	53	-	-	-	2	-	13	-	-	-	-	-	2	-	1
59	Spink	151	-	-	-	-	-	6	-	-	-	-	2	14	-	2
60	Stanley	24	-	-	-	-	-	2	-	-	-	-	-	2	-	1
61	Sully	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-
62	Todd	50	-	-	-	1	-	6	-	-	-	-	-	2	-	1
63	Tripp	75	-	-	-	-	-	-	-	-	1	-	-	9	-	4
64	Turner	124	-	-	-	-	-	-	-	-	-	-	5	22	-	4
65	Union	81	-	-	-	-	-	2	-	-	1	-	1	10	-	3
66	Walworth	63	-	-	-	-	-	-	-	-	-	-	-	12	-	-
67	Washabaugh	7	-	-	-	1	-	-	-	-	-	-	-	1	-	-
68	Washington	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Yankton	267	-	-	-	-	-	6	-	-	7	-	3	30	-	2
70	Ziebach	23	-	-	-	-	-	4	-	-	2	-	-	-	-	1
71	TENNESSEE	28,826	10	24	8	45	23	1,423	26	8	220	22	31	3,043	49	439
72	Anderson	311	-	-	-	1	-	8	-	-	2	-	1	36	-	3
73	Bedford	220	-	-	-	-	-	5	1	-	-	-	-	21	1	2
74	Benton	95	-	-	-	-	-	5	-	-	-	-	-	9	-	3
75	Bledsoe	72	-	-	-	-	-	2	-	-	-	-	-	6	1	1
76	Blount	358	-	1	-	3	3	11	-	-	-	-	2	45	1	6
77	Bradley	263	-	-	-	1	-	15	-	-	1	-	-	31	-	5
78	Cleveland	124	-	-	-	-	-	3	-	-	1	-	-	17	-	4
79	Balance of county	139	-	-	-	1	-	12	-	-	-	-	-	14	-	1
80	Campbell	304	-	-	-	3	-	6	1	-	-	-	1	37	-	1
81	Cannon	88	-	-	-	1	-	7	-	-	-	-	-	4	-	1
82	Carroll	235	-	-	-	-	1	16	-	-	-	3	-	14	-	7
83	Carter	283	-	-	-	-	-	9	-	-	2	-	3	22	1	4
84	Cheatham	71	-	-	-	-	-	6	-	-	-	-	1	8	-	3
85	Chester	88	-	-	-	-	-	3	-	-	-	-	-	11	1	2
86	Claiborne	203	-	-	-	1	-	14	-	-	1	-	-	23	1	3
87	Clay	58	-	-	-	-	1	6	-	-	-	1	-	1	-	1
88	Cocke	261	-	-	-	-	-	15	-	-	-	-	2	22	-	2
89	Coffee	182	-	1	-	-	-	13	-	-	-	1	1	19	-	2
90	Crockett	141	-	-	-	1	-	3	1	-	-	1	-	14	-	1
91	Cumberland	127	-	1	-	-	1	9	-	-	-	-	-	13	-	3
92	Davidson	3,001	1	2	-	2	-	143	1	-	34	1	-	319	1	65
93	Nashville	2,142	1	1	-	2	-	74	1	-	15	-	-	228	-	46
94	Balance of county	859	-	1	-	-	-	69	-	-	19	1	-	91	1	19

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	6	15	2	-	1	-	-	-	-	-	1	2	1	4	3	1
-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	2	2
-	6	16	-	1	1	-	3	3	1	1	-	3	3	5	5	3
-	1	13	5	-	-	-	-	1	1	-	-	-	2	1	3	4
-	8	36	8	2	6	1	2	3	1	3	-	2	11	6	11	5
-	7	20	3	2	2	-	-	2	1	1	-	-	4	3	11	6
-	11	17	1	-	10	-	2	2	2	-	-	1	4	4	13	7
-	20	65	9	1	6	2	2	6	1	-	-	6	10	7	16	8
-	17	51	5	1	5	2	1	5	-	-	-	5	9	6	12	9
-	3	14	3	-	1	-	1	1	1	-	-	1	1	1	4	10
-	5	7	2	-	-	-	-	1	-	-	-	2	4	1	3	11
-	3	14	1	-	1	-	3	5	1	2	-	2	2	1	3	12
-	18	52	7	1	9	-	4	12	4	-	-	4	7	3	20	13
-	16	41	7	1	8	-	4	9	4	-	-	3	6	3	19	14
-	2	11	-	-	1	-	-	3	-	-	-	1	1	-	1	15
-	18	40	-	-	3	-	3	5	1	-	-	-	7	1	13	16
-	12	11	5	-	3	-	-	-	-	1	-	1	5	1	9	17
-	2	7	4	-	-	-	-	-	-	-	-	3	4	2	2	18
-	8	10	2	-	1	-	-	1	1	-	-	-	2	1	7	19
-	4	10	1	-	5	-	5	6	-	2	-	2	2	1	5	20
-	6	31	6	-	4	-	-	2	1	2	-	2	5	-	21	21
-	5	14	3	-	2	-	-	-	-	-	2	2	1	1	11	22
-	5	25	2	2	8	-	-	1	1	1	-	1	6	1	14	23
-	4	29	4	1	2	-	-	5	2	3	-	1	8	5	13	24
-	4	8	1	-	-	-	-	-	-	1	-	-	2	-	4	25
-	8	15	2	-	2	-	-	1	2	-	-	-	-	1	10	26
-	6	11	-	-	10	-	1	5	-	-	-	4	5	2	7	27
-	6	9	1	-	3	-	-	-	-	-	-	-	4	1	12	28
-	-	4	-	-	-	-	-	-	-	-	-	1	1	2	4	29
-	4	22	3	-	7	-	2	4	3	1	-	3	3	1	6	30
-	10	26	3	-	1	1	1	2	2	2	-	-	3	2	15	31
-	2	3	-	-	3	-	-	-	-	-	-	-	1	2	3	32
-	3	3	-	1	-	-	-	-	-	-	-	-	-	-	1	33
-	9	11	1	1	3	-	2	1	1	2	-	2	3	-	6	34
-	2	6	-	-	1	1	-	2	-	-	-	-	1	1	1	35
-	20	31	3	-	5	-	1	2	1	3	-	5	3	4	16	36
-	13	21	5	-	4	-	-	4	4	-	-	3	6	3	20	37
-	12	45	3	1	5	-	3	9	1	5	-	6	10	5	23	38
-	15	41	5	-	10	-	3	4	2	-	-	3	7	1	23	39
-	2	10	1	-	3	-	-	-	-	-	-	-	2	2	6	40
-	14	21	4	-	1	-	-	1	2	1	-	3	-	2	5	41
-	8	28	1	-	-	-	3	3	3	-	-	5	3	2	9	42
-	8	31	1	2	2	2	-	1	-	-	-	2	7	1	12	43
-	12	23	3	1	2	-	-	-	1	2	-	1	7	8	12	44
-	4	8	3	-	2	-	-	1	-	-	2	2	4	13	5	45
-	6	8	1	-	2	-	-	-	-	6	2	2	3	4	12	46
-	62	173	32	-	17	2	16	23	12	6	2	15	23	4	90	47
-	36	140	23	-	9	1	10	18	11	4	2	11	19	3	73	48
-	26	33	9	-	8	1	6	5	1	2	-	4	4	1	17	49
-	4	19	2	-	3	-	1	1	1	-	-	2	7	1	10	50
-	20	65	8	-	8	2	11	9	7	6	-	13	28	4	33	51
-	13	52	4	-	4	2	11	9	7	6	-	10	11	3	27	52
-	7	11	4	-	4	-	-	-	-	-	-	3	17	1	6	53
-	7	18	2	-	4	1	-	1	2	1	-	-	7	-	6	54
-	8	11	-	-	1	-	-	3	1	-	-	4	2	1	10	55
-	11	42	7	-	5	-	4	5	4	-	1	5	8	8	14	56
-	4	13	-	-	2	-	1	-	-	-	-	1	3	1	3	57
-	1	6	2	2	2	2	-	2	2	-	-	-	2	4	10	58
-	18	36	4	1	2	-	-	4	2	1	-	5	11	-	23	59
-	2	12	-	-	2	-	-	-	-	-	1	-	1	-	1	60
-	4	5	1	-	1	-	-	-	-	-	-	-	2	-	1	61
-	3	7	3	1	-	-	-	3	1	-	1	1	3	15	2	62
-	9	22	6	2	1	-	1	5	1	3	-	3	2	-	6	63
-	11	36	4	-	5	-	1	3	1	-	-	3	7	1	21	64
-	11	19	3	1	3	-	2	1	1	3	-	2	5	2	11	65
-	7	15	7	-	2	-	-	5	1	2	-	2	4	-	6	66
-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	1	67
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
-	26	117	9	2	3	-	4	4	-	5	-	2	11	4	32	69
-	2	4	3	-	1	-	-	3	-	-	-	1	1	-	1	70
45	3,016	7,459	1,577	211	1,706	144	423	1,000	595	262	367	650	1,155	1,949	2,896	71
-	20	72	15	3	11	3	16	21	9	5	5	11	8	19	42	72
-	31	74	7	4	14	-	2	10	3	4	3	3	9	5	21	73
1	12	34	2	-	4	-	5	2	1	-	-	1	3	7	6	74
-	4	21	8	1	3	-	1	3	3	-	3	1	2	5	7	75
-	34	100	23	10	18	1	11	12	8	3	4	4	15	18	25	76
-	35	59	13	1	16	1	6	11	11	2	-	2	6	18	29	77
-	18	31	9	-	7	-	2	5	5	1	-	1	2	7	11	78
-	17	28	4	1	9	1	4	6	6	1	-	1	4	11	18	79
-	33	49	26	10	15	-	10	7	13	2	4	3	16	40	27	80
-	11	23	3	2	5	-	1	2	4	-	-	-	2	12	10	81
1	31	73	12	-	20	3	2	4	5	3	1	2	7	10	20	82
1	29	65	24	2	22	-	10	14	7	6	6	8	6	20	22	83
-	5	18	4	1	3	-	1	3	1	1	1	3	3	4	5	84
1	14	22	5	1	1	2	1	1	3	-	1	2	5	5	7	85
1	22	45	17	2	9	5	6	4	3	-	2	2	9	12	21	86
-	3	13	4	-	2	2	1	-	-	1	1	2	2	7	10	87
-	18	46	20	2	25	4	2	13	8	3	4	15	13	17	30	88
1	25	41	12	1	4	2	6	6	5	1	1	2	5	11	22	89
1	32	33	6	3	11	-	1	3	3	3	1	6	2	3	12	90
-	15	23	7	1	2	-	1	5	3	1	1	2	3	23	13	91
2	321	806	155	18	172	17	33	85	56	28	52	62	118	168	339	92
-	218	559	108	14	124	14	30	74	49	24	49	50	94	128	259	93
2	103	247	47	4	48	3	3	11	7	4	3	12	24	40	100	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	TENNESSEE—Continued															
1	Decatur	73	-	-	-	-	-	4	-	-	-	-	-	6	-	-
2	De Kalb	115	-	-	-	-	1	9	-	-	-	-	-	14	-	-
3	Dickson	200	-	-	-	-	-	11	-	-	-	-	-	22	1	2
4	Dyer	288	-	-	-	2	-	12	-	2	2	-	1	35	2	3
5	Dyersburg	113	-	-	-	1	-	5	-	-	1	-	-	13	-	3
6	Balance of county	175	-	-	-	1	-	7	-	2	1	-	1	22	2	-
7	Fayette	245	-	-	-	1	-	6	-	-	2	1	-	20	1	1
8	Fentress	102	-	1	-	-	-	5	-	-	-	-	-	7	1	-
9	Franklin	249	-	-	-	1	-	14	-	-	3	-	-	21	1	6
10	Gibson	428	-	-	-	-	-	20	1	-	-	1	1	45	1	3
11	Giles	275	-	-	-	1	-	18	-	1	-	1	1	30	-	6
12	Grainger	123	-	-	-	-	-	6	-	-	-	1	-	10	1	-
13	Greene	354	-	-	1	-	-	21	3	-	-	-	-	39	-	3
14	Grundy	115	-	3	-	-	1	4	-	-	-	-	-	11	-	1
15	Hamblen	180	-	1	1	-	-	14	-	-	2	-	-	9	1	5
16	Hamilton	2,052	1	1	-	1	-	114	-	-	16	2	-	248	1	30
17	Chattanooga	1,553	1	1	-	-	-	86	-	-	9	2	-	170	1	23
18	Balance of county	499	-	-	-	1	-	28	-	-	7	-	-	78	-	7
19	Hancock	65	1	-	-	-	-	4	-	-	1	-	1	3	-	-
20	Hardeman	418	-	-	-	3	-	30	-	-	27	-	-	34	-	3
21	Hardin	146	-	-	-	-	-	12	-	-	1	-	-	13	-	1
22	Hawkins	256	1	-	-	1	-	17	-	-	-	-	-	21	1	3
23	Haywood	242	-	-	-	-	-	11	-	1	5	-	-	13	-	3
24	Henderson	148	-	-	1	-	-	7	-	1	-	-	-	9	-	1
25	Henry	237	-	1	-	-	-	4	-	-	-	-	-	30	-	3
26	Hickman	108	-	-	-	-	-	3	-	-	-	-	-	10	-	-
27	Houston	50	-	-	-	-	-	3	-	-	-	-	-	4	1	1
28	Humphreys	107	-	-	-	-	-	5	-	-	-	-	-	8	-	2
29	Jackson	87	-	-	-	-	-	9	-	-	1	1	-	5	-	4
30	Jefferson	177	-	-	-	-	1	6	-	-	-	-	-	16	-	-
31	Johnson	92	-	-	-	-	-	2	-	-	-	-	-	12	1	1
32	Knox	2,018	-	2	-	3	-	111	1	-	29	-	2	196	3	30
33	Knoxville	1,169	-	2	-	1	-	41	1	-	10	-	1	122	2	20
34	Balance of county	849	-	-	-	2	-	70	-	-	19	-	1	74	1	10
35	Lake	87	-	-	-	-	-	7	2	-	1	-	-	13	-	-
36	Lauderdale	234	-	1	-	1	-	7	-	-	1	-	1	29	1	2
37	Lawrence	232	-	-	-	-	1	11	-	-	1	-	-	27	-	2
38	Lewis	53	-	-	-	-	2	4	-	1	-	-	-	4	-	1
39	Lincoln	279	-	-	-	1	-	9	-	-	-	1	-	25	-	2
40	Loudon	209	-	-	-	-	1	12	-	-	-	-	-	14	1	2
41	McMinn	265	-	-	-	1	1	15	-	-	1	-	1	25	-	6
42	McNairy	151	-	-	-	-	-	8	-	-	1	-	-	9	1	1
43	Macon	121	-	-	-	-	-	10	-	-	-	-	-	19	-	2
44	Madison	580	-	-	-	3	-	25	3	-	4	-	-	64	-	9
45	Jackson	356	-	-	-	1	-	13	2	-	3	-	-	42	-	8
46	Balance of county	224	-	-	-	2	-	12	1	-	1	-	-	22	-	1
47	Marion	161	-	-	-	-	-	11	-	-	-	-	-	29	-	5
48	Marshall	180	-	-	-	1	-	11	-	-	-	-	-	18	-	5
49	Maury	401	-	-	-	-	-	25	-	-	2	-	-	47	1	5
50	Columbia	142	-	-	-	-	-	6	-	-	-	-	-	17	-	3
51	Balance of county	259	-	-	-	-	-	19	-	-	2	-	-	30	1	2
52	Meigs	47	-	-	-	1	-	2	-	-	-	-	-	7	-	1
53	Monroe	219	-	-	-	-	-	11	-	-	-	-	3	15	2	1
54	Montgomery	325	-	-	-	-	-	23	-	-	2	-	-	33	1	5
55	Clarksville	150	-	-	-	-	-	7	-	-	2	-	-	16	1	2
56	Balance of county	175	-	-	-	-	-	16	-	-	-	-	-	17	-	3
57	Moore	40	-	-	-	-	-	2	-	-	-	-	-	1	-	1
58	Morgan	112	-	-	-	-	-	8	-	-	-	1	-	13	-	3
59	Obion	292	1	2	-	-	-	20	-	-	1	-	-	29	-	2
60	Overton	133	-	-	-	-	1	10	2	-	-	-	-	15	1	-
61	Perry	39	-	-	-	-	-	4	-	-	-	-	-	5	-	1
62	Pickett	35	-	-	-	-	-	2	-	-	-	-	-	5	-	1
63	Polk	115	-	-	1	-	-	1	1	-	-	-	-	11	-	-
64	Putnam	201	-	-	-	-	-	11	1	-	-	-	-	33	-	4
65	Rhea	158	-	-	-	1	1	5	1	-	-	-	-	18	-	1
66	Roane	285	1	-	-	-	1	10	-	-	1	1	3	32	-	4
67	Robertson	223	-	1	-	-	-	11	-	-	-	-	1	31	-	5
68	Rutherford	383	-	1	-	1	-	17	3	-	9	-	-	42	-	4
69	Scott	142	1	1	-	2	-	5	-	-	-	-	-	10	-	3
70	Sequatchie	35	-	-	-	-	-	2	-	-	-	-	-	3	-	-
71	Sevier	207	-	-	-	1	-	8	-	-	3	-	1	23	-	2
72	Shelby	4,208	1	3	-	3	2	174	1	2	54	2	2	482	15	61
73	Memphis	3,355	-	3	-	3	1	109	-	2	39	2	-	386	14	56
74	Balance of county	853	1	-	-	-	1	65	1	-	15	-	2	96	1	25
75	Smith	127	-	-	-	-	-	11	-	-	-	-	-	13	-	1
76	Stewart	83	-	-	-	-	-	3	-	-	-	-	-	12	-	2
77	Sullivan	575	2	-	2	-	2	28	-	-	2	-	-	61	1	13
78	Bristol[5]	135	-	-	-	-	-	3	-	-	-	-	-	12	-	3
79	Kingsport	149	1	-	-	-	-	6	-	-	-	-	-	22	-	1
80	Balance of county	291	1	-	2	-	2	17	-	-	2	-	-	27	1	9
81	Sumner	313	-	-	-	1	-	21	-	-	-	-	-	38	1	8
82	Tipton	252	-	-	-	-	-	13	-	-	-	1	-	15	1	5
83	Trousdale	53	-	-	-	-	-	2	1	-	-	-	-	7	-	1
84	Unicoi	125	-	-	-	-	-	5	-	-	-	-	-	10	-	3
85	Union	71	-	-	-	-	-	5	-	-	-	-	-	7	-	-
86	Van Buren	34	-	-	-	-	-	4	-	-	-	-	-	4	-	1
87	Warren	182	-	-	-	-	-	14	-	-	1	-	-	18	-	4
88	Washington	527	-	2	-	1	1	16	1	-	4	-	-	65	1	4
89	Johnson City	283	-	1	-	1	-	7	1	-	3	-	-	37	-	3
90	Balance of county	244	-	1	-	-	1	9	-	-	1	-	-	28	1	1
91	Wayne	93	-	-	-	-	-	10	-	-	-	2	-	7	-	3
92	Weakley	290	-	-	-	1	-	12	-	-	-	-	1	36	-	2
93	White	141	-	-	-	-	1	5	-	-	-	-	1	17	-	1
94	Williamson	221	-	-	-	-	-	12	1	-	-	-	-	25	-	1
95	Wilson	276	-	1	-	-	-	3	-	-	3	-	-	31	-	2

[5] Includes data for Bristol, Tenn., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 113,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	11	15	7	-	1	1	-	3	-	-	-	-	3	16	6	1
-	3	45	6	-	4	-	1	1	1	5	1	2	4	8	10	2
1	31	42	6	2	11	-	3	9	6	-	-	4	6	15	28	3
2	22	94	14	-	21	-	1	8	7	1	1	8	10	15	25	4
-	11	34	6	-	11	-	-	4	1	1	-	4	2	7	9	5
2	11	60	8	-	10	-	1	4	6	-	1	4	8	8	16	6
1	22	61	13	1	9	1	2	3	4	-	5	5	22	41	24	7
1	14	15	6	-	8	-	5	3	-	2	2	3	9	18	2	8
-	34	71	20	1	14	1	4	6	3	3	1	4	16	6	19	9
-	49	124	21	2	43	3	4	19	10	6	6	9	12	13	35	10
1	32	72	20	-	7	3	5	6	6	1	1	5	12	16	30	11
-	8	23	8	2	9	1	3	4	6	2	-	2	5	17	13	12
1	41	96	22	4	12	4	2	17	8	-	3	8	18	19	32	13
-	10	39	6	1	3	1	1	10	3	-	1	4	4	5	7	14
1	18	39	7	2	12	1	3	9	6	2	-	6	6	12	23	15
-	205	511	123	19	102	3	27	93	37	20	50	41	69	128	210	16
-	154	382	85	14	80	2	20	78	25	15	44	28	56	108	169	17
-	51	129	38	5	22	1	7	15	12	5	6	13	13	20	41	18
-	4	12	4	1	4	-	1	1	3	-	1	-	-	15	9	19
1	54	68	21	2	11	2	2	2	6	2	1	6	13	48	82	20
-	19	28	13	-	14	1	2	3	3	-	3	2	5	9	17	21
-	28	57	24	-	23	-	4	9	2	5	3	11	9	12	25	22
-	22	46	11	1	32	2	2	6	7	2	2	5	5	45	21	23
-	24	44	5	1	6	2	2	11	6	3	1	1	3	9	11	24
2	31	71	11	-	15	-	2	7	5	3	3	7	9	14	19	25
-	19	25	7	2	1	1	6	5	-	2	-	3	3	13	8	26
2	8	15	1	-	2	-	-	-	1	2	-	-	2	5	5	27
1	16	24	3	-	13	1	1	3	-	-	-	6	11	6	7	28
-	8	28	3	1	6	1	1	2	-	-	1	1	1	9	7	29
1	16	55	16	2	4	1	-	7	4	2	2	9	9	11	15	30
-	4	23	4	-	6	1	2	2	1	2	1	6	4	15	5	31
5	173	629	111	14	108	5	26	86	30	13	30	36	94	51	230	32
1	93	358	72	5	63	3	14	61	23	10	24	21	53	25	143	33
4	80	271	39	9	45	2	12	25	7	3	6	15	41	28	87	34
-	9	18	5	1	2	-	1	3	3	-	1	2	6	6	7	35
-	26	59	6	-	17	3	2	6	5	2	2	3	8	27	25	36
-	24	68	10	-	11	1	2	9	8	1	2	7	14	13	20	37
-	4	5	7	3	5	-	-	2	1	3	1	1	2	1	6	38
-	24	100	17	-	15	1	5	12	3	5	2	7	9	19	22	39
2	12	54	12	2	8	1	8	10	4	3	2	4	11	17	29	40
-	44	54	21	1	15	1	1	9	4	4	3	4	20	11	23	41
-	30	37	9	-	6	1	2	5	2	5	1	4	6	12	11	42
-	12	24	6	-	9	-	3	4	1	1	-	-	5	14	11	43
-	75	124	33	12	48	3	4	11	16	2	8	8	29	47	52	44
-	47	79	18	7	33	2	2	6	9	-	3	4	19	24	34	45
-	28	45	15	5	15	1	2	5	7	2	5	4	10	23	18	46
-	11	32	10	2	10	-	5	7	4	-	2	4	13	8	8	47
-	22	51	8	1	9	1	3	3	3	2	3	6	7	3	23	48
-	50	117	28	2	24	3	2	13	4	3	3	9	15	13	35	49
-	13	44	10	2	11	1	-	5	1	2	2	4	7	2	12	50
-	37	73	18	-	13	2	2	8	3	1	1	5	8	11	23	51
-	3	6	5	1	3	2	2	-	1	-	-	3	4	3	3	52
-	20	48	24	3	11	1	4	11	6	2	4	5	9	13	26	53
-	25	91	15	3	15	2	5	11	4	1	2	17	11	24	35	54
-	9	46	10	3	10	1	3	5	1	1	-	7	2	9	15	55
-	16	45	5	-	5	1	2	6	3	-	2	10	9	15	20	56
-	7	13	1	-	3	-	-	1	1	1	1	-	2	2	4	57
-	12	31	9	1	9	-	2	1	1	-	2	2	2	11	4	58
-	48	87	14	1	18	-	3	4	6	4	1	8	7	12	24	59
1	10	17	7	1	13	-	-	2	3	2	1	5	7	26	9	60
1	1	3	-	-	8	-	1	-	1	-	-	-	2	7	6	61
1	-	7	2	-	2	2	2	1	-	-	-	-	1	6	3	62
2	10	23	8	3	4	3	5	4	3	1	3	5	8	6	13	63
-	23	54	5	-	18	-	5	5	3	-	-	5	9	12	13	64
-	9	34	11	2	16	1	1	7	5	1	2	9	8	6	19	65
1	29	82	24	1	38	2	3	17	8	2	5	5	10	6	19	66
-	27	69	15	1	13	2	1	4	1	1	1	8	7	7	19	67
-	39	111	14	4	25	-	5	13	8	4	5	12	19	9	38	68
-	8	26	15	-	20	1	4	5	5	1	3	-	9	12	11	69
-	3	6	4	-	1	-	2	1	1	1	2	1	2	1	5	70
1	17	38	15	1	8	4	11	9	10	2	2	6	7	19	19	71
2	414	1,138	141	17	231	12	52	160	78	34	68	92	145	346	458	72
1	315	940	116	11	178	11	41	130	65	27	56	71	114	280	388	73
1	101	198	25	6	55	1	11	30	13	7	12	21	31	68	68	74
1	18	28	9	2	6	-	-	7	3	1	1	1	6	8	11	75
-	9	14	3	-	5	-	-	3	2	1	1	1	3	15	9	76
1	45	133	42	8	38	6	17	32	17	2	6	24	29	14	52	77
-	18	45	10	-	8	1	4	4	2	-	-	4	9	3	9	78
1	8	31	9	-	11	2	2	9	1	1	4	7	13	2	18	79
-	19	57	23	8	19	3	11	19	14	1	2	13	7	9	25	80
-	41	83	14	1	29	1	1	8	5	2	2	9	11	12	25	81
-	39	54	9	1	11	1	7	10	6	1	2	5	15	31	25	82
1	4	5	4	-	12	-	2	-	2	-	1	-	2	4	5	83
-	10	31	12	-	10	-	2	5	7	-	-	2	6	15	7	84
-	7	27	1	-	2	-	-	5	2	1	-	1	4	6	3	85
-	1	9	2	1	-	-	3	2	-	-	-	1	2	2	2	86
-	21	45	11	-	5	1	-	2	4	5	2	3	5	29	12	87
-	60	142	37	5	26	4	5	18	14	4	3	16	20	38	60	88
-	34	85	18	1	10	2	2	9	8	4	2	6	10	7	32	89
-	28	57	19	4	16	2	3	9	6	-	1	10	10	11	28	90
1	6	10	13	1	6	-	-	4	6	1	-	2	3	14	4	91
1	30	96	11	-	22	3	1	4	3	3	1	5	9	19	30	92
-	10	39	4	3	12	2	4	1	3	3	2	9	4	8	12	93
1	18	69	10	3	14	2	1	5	4	7	2	5	8	14	19	94
-	28	82	18	3	15	1	6	3	3	2	3	1	16	26	29	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
1	TEXAS	64,245	20	34	1	120	62	2,634	462	28	589	87	190	6,936	44	1,078
2	Anderson	308	-	-	-	-	-	1	-	1	1	-	2	34	-	3
3	Palestine	170	-	-	-	-	-	1	-	-	1	-	-	18	-	1
4	Balance of county	138	-	-	-	-	-	-	-	1	-	-	2	16	-	2
5	Andrews	27	-	-	-	-	-	1	-	-	1	-	-	3	-	-
6	Angelina	268	-	-	-	-	-	8	-	-	3	-	1	33	-	7
7	Aransas	39	-	-	-	-	-	4	-	1	1	1	-	2	-	-
8	Archer	47	-	-	-	-	-	-	-	-	-	-	-	6	-	2
9	Armstrong	16	-	-	-	-	-	-	1	-	-	-	-	2	-	-
10	Atascosa	172	-	-	-	2	2	16	1	-	-	-	-	17	2	3
11	Austin	154	-	-	-	-	-	2	1	-	1	-	3	17	-	4
12	Bailey	45	-	-	-	-	-	2	-	-	1	-	-	6	-	1
13	Bandera	57	-	-	-	-	-	2	-	-	-	-	-	8	-	2
14	Bastrop	233	-	-	-	2	-	10	-	-	-	-	-	35	-	4
15	Baylor	46	-	-	-	-	-	1	-	-	-	-	-	6	-	-
16	Bee	212	1	-	-	3	-	12	5	-	1	2	1	23	-	1
17	Bell	460	-	1	-	1	-	21	2	-	3	-	7	51	-	7
18	Temple	208	-	-	-	1	-	12	1	-	2	-	4	27	-	8
19	Balance of county	252	-	1	-	-	-	9	1	-	1	-	3	24	-	1
20	Bexar	4,578	1	4	-	5	1	362	9	-	82	13	13	486	2	90
21	San Antonio	4,007	-	1	-	3	1	307	9	-	35	10	13	441	2	86
22	Balance of county	571	1	3	-	-	-	55	-	-	27	3	-	45	-	4
23	Blanco	26	-	-	-	-	-	-	-	-	-	1	-	1	-	1
24	Borden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Bosque	127	-	-	-	-	-	1	2	-	-	-	-	10	-	1
26	Bowie	468	1	-	-	2	-	17	-	1	4	-	-	66	-	3
27	Texarkana[6]	245	-	-	-	-	-	12	-	1	2	-	-	32	-	2
28	Balance of county	223	1	-	-	2	-	5	-	-	2	-	-	34	-	1
29	Brazoria	302	1	-	-	-	-	9	-	-	2	-	1	26	-	5
30	Brazos	285	-	-	-	1	-	9	2	-	1	-	2	19	-	2
31	Bryan	183	-	-	-	-	-	6	1	-	-	-	1	13	-	-
32	Balance of county	102	-	-	-	1	-	3	1	-	1	-	1	6	-	2
33	Brewster	70	1	-	-	-	1	2	1	-	-	-	-	7	-	1
34	Briscoe	23	-	-	-	-	-	1	-	-	-	-	-	2	-	-
35	Brooks	88	-	-	-	-	-	4	3	-	-	-	1	4	-	2
36	Brown	250	-	-	-	3	-	4	-	-	1	-	-	29	1	2
37	Brownwood	168	-	-	-	3	-	3	-	-	1	-	-	19	1	2
38	Balance of county	82	-	-	-	-	-	1	-	-	-	-	-	10	-	-
39	Burleson	147	-	-	-	3	-	3	1	1	-	1	1	15	-	3
40	Burnet	85	-	-	-	-	-	1	-	-	-	-	-	11	-	-
41	Caldwell	205	-	1	-	1	-	11	-	-	1	-	-	23	-	3
42	Calhoun	66	-	-	-	-	-	1	-	-	1	-	-	9	-	2
43	Callahan	79	-	-	-	-	-	2	-	-	-	-	-	14	-	-
44	Cameron	1,217	-	2	-	2	4	73	46	2	3	8	18	78	2	11
45	Brownsville	350	-	2	-	-	-	21	2	2	-	1	6	26	2	4
46	Harlingen	212	-	-	-	1	2	9	6	-	1	3	5	21	-	5
47	Balance of county	655	-	-	-	1	2	43	38	-	2	4	7	31	-	2
48	Camp	78	-	-	-	1	-	6	-	-	-	-	-	10	-	-
49	Carson	33	-	-	-	-	-	2	-	-	-	-	1	3	-	3
50	Cass	235	-	-	-	1	-	6	-	-	1	-	1	27	-	3
51	Castro	18	-	-	-	-	-	1	-	-	-	-	-	1	-	-
52	Chambers	57	-	-	-	-	1	-	-	-	-	-	-	5	-	-
53	Cherokee	548	1	-	-	1	-	39	1	2	36	-	-	32	-	8
54	Childress	88	-	-	-	-	-	2	-	-	-	-	-	12	-	2
55	Clay	69	-	-	-	-	-	-	-	-	1	-	-	12	-	3
56	Cochran	41	-	-	-	-	-	2	-	-	-	-	-	6	-	1
57	Coke	18	-	-	-	-	-	2	-	-	-	-	-	5	-	-
58	Coleman	141	-	-	-	-	-	5	-	-	1	-	-	14	-	3
59	Collin	374	-	-	-	-	-	8	2	-	1	-	-	48	-	7
60	Collingsworth	68	-	-	-	-	-	3	-	-	1	-	-	6	-	-
61	Colorado	185	-	-	-	-	-	10	2	-	1	2	-	20	-	6
62	Comal	151	-	-	-	1	-	11	-	-	-	-	1	13	-	3
63	Comanche	148	-	-	-	1	-	2	-	-	-	-	5	35	-	3
64	Concho	25	-	-	-	-	-	1	-	-	-	-	-	4	-	-
65	Cooke	209	-	-	-	-	-	4	-	-	-	-	-	30	-	2
66	Coryell	142	-	-	-	-	-	-	-	-	1	-	1	20	-	4
67	Cottle	67	-	1	-	1	-	-	-	-	-	1	-	11	-	-
68	Crane	21	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Crockett	16	-	-	-	-	-	1	-	-	-	-	1	2	-	2
70	Crosby	76	-	-	-	1	-	2	1	-	-	-	1	11	-	-
71	Culberson	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-
72	Dallam	45	-	-	-	-	-	2	1	-	1	-	-	5	-	-
73	Dallas	4,350	-	4	-	2	4	146	3	-	49	2	2	558	3	74
74	Dallas	3,273	-	2	-	1	3	99	2	-	38	-	1	431	2	60
75	Highland Park	97	-	-	-	-	-	2	-	-	1	-	-	20	-	1
76	University Park	131	-	-	-	-	-	-	-	-	-	-	-	24	-	5
77	Balance of county	849	-	2	-	1	1	45	1	-	10	2	1	83	1	8
78	Dawson	176	-	-	-	-	1	7	6	-	-	-	-	10	-	2
79	Deaf Smith	59	-	-	-	-	-	1	-	-	2	-	-	4	-	-
80	Delta	68	-	-	-	-	-	2	1	-	-	-	-	4	-	-
81	Denton	341	-	-	-	-	-	3	-	-	2	-	1	48	-	7
82	Denton	155	-	-	-	-	-	1	-	-	1	-	1	17	-	3
83	Balance of county	186	-	-	-	-	-	2	-	-	1	-	-	31	-	4
84	De Witt	271	-	-	-	-	1	13	4	1	-	-	-	28	-	5
85	Dickens	53	-	-	-	-	-	2	-	-	-	-	-	9	-	3
86	Dimmit	91	-	-	-	-	-	6	6	-	1	-	-	6	-	2
87	Donley	65	-	-	-	-	-	1	-	-	1	-	-	8	-	2
88	Duval	131	-	-	-	-	-	7	7	-	-	-	-	8	-	1
89	Eastland	274	-	-	-	-	1	4	-	-	1	-	-	40	-	6
90	Ector	148	-	-	-	3	1	4	-	-	-	-	-	14	-	-
91	Edwards	24	-	-	-	-	-	1	-	-	1	-	-	5	-	-
92	Ellis	466	-	-	-	1	1	15	1	-	2	-	-	55	-	9
93	El Paso	1,586	1	1	-	-	1	82	7	-	13	7	3	168	3	23
94	El Paso	1,202	1	1	-	-	-	66	1	-	10	2	3	138	1	22
95	Balance of county	384	-	-	-	-	1	16	6	-	3	5	-	30	2	1

[6] Includes data for Texarkana, Tex., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
97	5,335	16,270	3,338	1,800	3,062	301	959	2,589	1,296	625	767	2,012	3,257	2,780	7,472	1
-	28	98	16	2	25	1	7	7	1	-	2	7	15	19	38	2
-	18	54	6	1	13	1	5	4	1	-	1	3	9	11	23	3
-	10	44	11	1	12	-	2	3	-	-	1	4	6	8	15	4
-	1	6	2	-	-	-	1	3	1	-	-	3	2	-	3	5
1	15	73	11	2	24	1	5	11	6	2	5	11	11	12	26	6
-	4	13	2	-	2	-	-	1	1	-	-	1	1	2	3	7
-	5	16	-	-	5	-	-	1	2	-	1	-	8	-	1	8
-	1	5	-	-	-	-	-	1	-	-	-	2	2	-	2	9
-	9	37	17	12	3	-	3	8	8	-	-	-	8	14	10	10
1	18	42	11	-	9	2	1	3	1	2	3	2	6	1	24	11
-	4	7	3	-	3	-	2	4	2	-	-	3	4	1	2	12
-	3	12	-	-	1	-	2	3	-	-	-	2	9	4	9	13
-	21	53	11	3	11	2	-	6	5	1	4	4	18	14	29	14
-	8	13	3	-	1	-	-	1	1	-	-	2	3	2	5	15
-	15	40	23	8	1	5	6	2	3	2	1	3	9	11	34	16
-	44	135	20	6	12	1	3	18	5	5	4	12	25	28	49	17
-	15	60	7	4	6	1	1	8	2	2	3	2	10	13	21	18
-	29	75	13	2	6	-	2	10	3	3	1	10	15	15	28	19
2	299	1,020	298	252	200	13	81	204	94	50	59	110	169	141	540	20
1	251	896	272	243	160	11	75	187	85	41	57	98	133	119	470	21
1	48	124	26	9	40	2	6	17	9	9	2	12	36	22	70	22
-	2	4	-	-	8	-	2	-	-	-	-	1	1	1	4	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	20	36	1	-	13	-	2	5	1	2	1	5	4	8	15	25
1	54	124	20	4	15	4	7	10	9	4	9	9	15	19	70	26
-	33	66	6	2	8	1	2	5	4	3	7	1	12	7	39	27
1	21	58	14	2	7	3	5	5	5	1	2	8	3	12	31	28
1	22	65	13	7	7	4	3	22	6	5	10	15	18	25	35	29
-	36	71	12	6	33	3	1	13	9	3	6	7	19	4	26	30
-	24	48	8	3	23	2	-	9	5	2	5	4	11	2	16	31
-	12	23	4	3	10	1	1	4	4	1	1	3	8	2	10	32
-	3	9	6	8	1	-	1	5	3	3	2	2	2	7	5	33
-	5	4	1	-	-	-	-	1	-	1	-	2	4	1	1	34
-	4	17	10	4	-	-	-	3	5	2	1	6	10	3	9	35
-	10	85	7	6	19	2	3	8	2	4	2	5	10	10	37	36
-	6	54	6	6	13	1	3	8	1	2	2	1	9	4	23	37
-	4	31	1	-	6	1	-	-	1	2	-	4	1	6	14	38
-	15	51	2	3	9	1	1	2	1	3	2	2	3	13	13	39
-	10	33	1	1	3	-	2	1	-	2	-	4	3	2	11	40
-	17	46	12	9	25	3	3	1	3	1	1	7	7	7	23	41
-	6	19	2	5	1	-	-	2	-	-	-	5	4	1	8	42
-	3	29	3	-	5	-	-	2	-	-	-	3	2	7	9	43
1	58	159	124	130	26	12	22	31	40	9	14	22	53	149	118	44
-	25	55	37	46	4	-	7	7	12	5	3	9	9	26	39	45
1	11	32	14	9	11	6	4	9	5	1	2	1	12	18	23	46
-	22	72	73	75	11	6	11	15	23	3	9	12	32	105	56	47
-	6	22	2	-	3	-	1	2	3	1	-	1	6	7	7	48
-	-	6	1	2	-	-	-	3	1	2	-	2	1	2	4	49
-	31	74	9	-	7	2	3	5	1	-	4	9	19	11	21	50
-	3	5	1	-	-	-	-	2	-	-	-	1	-	2	2	51
-	3	21	2	-	2	-	1	-	4	-	1	6	2	3	6	52
3	91	142	24	7	21	2	3	19	2	1	1	10	29	11	60	53
-	7	30	2	-	7	-	-	2	2	1	-	1	5	7	8	54
-	4	28	3	-	1	-	1	3	-	-	-	1	2	2	8	55
-	2	6	-	2	1	-	-	8	-	-	1	3	4	4	1	56
-	1	-	1	-	1	-	-	-	-	-	-	1	-	2	5	57
1	15	45	3	1	5	-	-	4	3	2	-	7	10	7	15	58
4	43	114	12	3	12	3	7	6	3	1	2	12	24	16	46	59
1	8	22	-	1	2	-	-	5	1	1	-	3	3	2	11	60
-	15	53	8	1	7	-	4	3	3	4	2	5	10	9	20	61
-	12	39	6	8	4	2	-	5	4	2	2	6	9	3	20	62
-	13	41	2	2	3	-	1	3	1	1	1	6	1	6	19	63
-	3	3	3	-	1	-	-	3	2	1	-	-	2	1	1	64
-	21	60	8	2	19	-	1	5	3	2	2	4	10	11	25	65
-	15	49	2	2	5	-	3	2	3	3	1	2	5	6	16	66
-	1	15	4	2	2	1	1	2	5	-	-	3	3	3	11	67
-	3	3	1	-	1	-	2	1	-	-	-	1	2	1	5	68
-	-	-	2	-	1	1	-	3	1	-	-	1	-	-	1	69
-	2	18	8	-	3	-	1	6	3	1	-	1	6	5	6	70
-	-	3	-	1	-	-	-	-	-	1	-	1	2	1	1	71
-	1	12	-	-	1	-	-	2	-	-	-	3	3	8	6	72
1	408	1,281	144	28	170	13	66	182	85	55	82	137	225	75	551	73
-	322	978	101	15	131	10	41	134	57	40	63	94	160	56	432	74
-	10	32	2	-	1	-	3	2	1	4	2	-	7	-	9	75
-	15	45	3	-	-	-	4	2	2	3	1	4	2	1	20	76
1	61	226	38	13	38	3	18	44	25	8	16	39	56	18	90	77
-	11	44	6	20	3	-	3	11	6	-	4	8	9	5	20	78
-	2	12	3	4	1	-	4	2	2	3	-	2	8	2	7	79
-	10	18	-	1	1	1	1	1	3	2	1	4	5	-	13	80
-	27	110	12	3	14	-	4	11	8	6	1	6	21	17	40	81
-	6	63	3	2	7	-	-	7	5	3	1	3	3	8	21	82
-	21	47	9	1	7	-	4	4	3	3	-	3	18	9	19	83
-	30	66	17	6	14	2	2	11	11	3	-	-	9	10	36	84
-	3	16	6	-	2	-	-	2	1	-	-	1	4	-	4	85
3	4	11	8	3	6	1	1	6	2	-	1	2	6	4	10	86
-	5	16	4	-	4	-	-	-	1	-	-	3	7	4	9	87
-	6	23	9	6	2	1	1	3	1	-	1	6	11	14	24	88
2	22	81	17	3	8	-	5	3	2	3	-	9	13	20	34	89
-	5	27	7	6	2	1	-	13	9	4	5	9	14	7	17	90
-	1	6	1	1	1	1	-	2	1	-	-	1	1	-	1	91
2	51	142	32	6	28	4	4	10	6	1	6	4	15	14	57	92
-	99	299	113	92	77	8	28	98	56	17	11	42	85	49	203	93
-	88	252	73	58	88	4	19	86	31	15	8	23	60	31	160	94
-	11	47	40	34	8	4	9	32	25	2	3	19	25	18	43	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	TEXAS—Continued															
1	Erath	153	-	-	-	-	-	5	-	-	1	-	1	20	-	-
2	Falls	321	-	-	-	-	-	14	3	-	3	1	1	24	-	4
3	Fannin	357	1	-	-	-	-	14	1	1	4	-	-	40	-	8
4	Fayette	268	-	-	-	1	-	9	-	-	1	-	-	34	-	4
5	Fisher	72	-	-	-	-	-	4	-	-	1	-	-	7	-	4
6	Floyd	76	-	-	-	2	-	3	-	-	-	-	-	10	-	1
7	Foard	36	-	-	-	-	-	-	-	-	-	-	-	5	-	1
8	Fort Bend	278	-	-	-	1	1	16	4	1	1	3	-	24	-	7
9	Franklin	47	1	-	-	-	-	1	-	-	-	-	1	5	-	-
10	Freestone	153	-	-	-	-	-	4	-	-	2	-	-	12	-	1
11	Frio	105	-	-	-	-	1	19	1	-	-	-	-	7	-	-
12	Gaines	66	-	-	-	1	-	3	-	-	1	-	-	2	-	-
13	Galveston	1,055	-	-	-	2	-	39	-	-	11	2	6	120	-	23
14	Galveston	813	-	-	-	1	-	33	-	-	9	-	6	94	-	19
15	Balance of county	242	-	-	-	1	-	6	-	-	2	2	-	26	-	4
16	Garza	39	-	-	-	-	-	1	-	-	-	-	1	7	-	-
17	Gillespie	98	-	-	-	-	-	3	-	-	-	-	3	15	-	4
18	Glasscock	9	-	-	-	1	-	-	-	-	-	-	-	1	-	-
19	Goliad	69	-	-	-	1	-	4	-	-	-	-	-	10	-	-
20	Gonzales	262	1	1	-	-	-	14	-	-	2	-	-	20	-	6
21	Gray	180	-	-	-	-	-	5	-	-	1	-	1	16	-	5
22	Pampa	145	-	-	-	-	-	4	-	-	1	-	1	14	-	5
23	Balance of county	35	-	-	-	-	-	1	-	-	-	-	-	2	-	-
24	Grayson	711	-	-	-	1	-	8	1	1	2	-	-	68	-	23
25	Denison	238	-	-	-	-	-	2	-	-	1	-	-	27	-	6
26	Sherman	224	-	-	-	-	-	5	-	-	1	-	-	20	-	11
27	Balance of county	249	-	-	-	1	-	1	1	1	-	-	-	21	-	6
28	Gregg	465	-	-	-	-	-	14	-	-	-	-	-	52	1	7
29	Longview	191	-	-	-	-	-	4	-	-	-	-	-	23	-	5
30	Balance of county	274	-	-	-	-	-	10	-	-	-	-	-	29	1	2
31	Grimes	154	1	-	-	-	-	1	-	1	-	-	-	15	-	3
32	Guadalupe	256	-	-	-	-	-	8	2	-	-	-	-	39	1	1
33	Hale	204	-	-	-	-	1	9	2	-	-	-	1	21	-	6
34	Hall	95	-	-	-	-	-	4	1	-	-	-	-	15	-	1
35	Hamilton	111	-	-	-	-	-	4	-	-	1	-	2	14	-	2
36	Hansford	17	-	-	-	-	-	-	-	-	-	-	-	3	-	-
37	Hardeman	83	-	-	-	-	-	3	-	-	-	-	-	14	-	1
38	Hardin	189	-	-	-	-	-	1	-	-	3	-	1	33	-	4
39	Harris	5,963	2	2	-	7	-	231	5	1	66	6	22	695	3	115
40	Houston	5,133	1	2	-	6	-	210	3	1	58	3	19	624	2	98
41	Balance of county	830	1	-	-	1	-	21	2	-	8	3	3	71	1	17
42	Harrison	441	1	-	-	-	1	15	-	-	4	-	-	38	-	4
43	Marshall	231	-	-	-	-	1	9	-	-	4	-	-	24	-	3
44	Balance of county	210	1	-	-	-	-	6	-	-	-	-	-	14	-	1
45	Hartley	32	-	-	-	-	-	-	-	-	-	-	-	5	-	-
46	Haskell	91	-	-	-	-	-	2	-	-	1	1	-	9	-	1
47	Hays	173	-	-	-	-	1	5	2	-	-	-	-	16	-	3
48	Hemphill	20	-	-	-	-	-	-	-	-	1	-	-	1	-	-
49	Henderson	229	-	-	-	-	1	3	-	-	1	-	-	35	-	8
50	Hidalgo	1,870	1	2	-	9	10	137	135	4	15	5	17	113	2	15
51	McAllen	252	-	-	-	-	1	16	3	-	1	2	3	27	-	-
52	Balance of county	1,618	1	2	-	9	9	121	132	4	14	3	14	86	2	15
53	Hill	315	-	-	-	-	-	9	-	-	3	-	1	35	-	4
54	Hockley	124	-	-	-	-	-	2	-	-	-	-	1	12	1	2
55	Hood	46	-	-	-	-	-	-	-	-	-	-	-	4	-	-
56	Hopkins	225	-	-	-	1	-	4	-	-	-	1	-	26	-	4
57	Houston	197	-	-	-	-	-	6	-	3	1	-	-	12	-	3
58	Howard	227	-	1	-	2	-	6	2	-	6	1	-	24	1	4
59	Big Spring	166	-	1	-	2	-	5	1	-	4	1	-	21	1	4
60	Balance of county	61	-	-	-	-	-	1	1	-	2	-	-	3	-	-
61	Hudspeth	27	-	-	-	-	-	-	4	-	-	-	-	2	-	1
62	Hunt	415	-	-	-	-	-	8	-	-	4	-	-	47	-	13
63	Greenville	171	-	-	-	-	-	5	-	-	3	-	-	17	-	3
64	Balance of county	244	-	-	-	-	-	3	-	-	1	-	-	30	-	10
65	Hutchinson	135	-	-	-	-	-	1	1	-	1	-	2	11	-	3
66	Borger	112	-	-	-	-	-	1	1	-	-	-	2	5	-	2
67	Balance of county	23	-	-	-	-	-	-	-	-	1	-	-	6	-	1
68	Irion	11	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Jack	69	-	-	-	-	-	1	1	-	-	-	-	8	-	1
70	Jackson	89	-	-	-	2	1	4	-	-	-	-	-	6	-	2
71	Jasper	188	-	-	-	-	1	4	-	1	4	-	-	27	-	1
72	Jeff Davis	11	-	-	-	-	-	2	-	-	-	-	-	3	-	-
73	Jefferson	1,454	-	-	-	2	3	51	1	-	14	5	-	151	1	31
74	Beaumont	795	-	-	-	2	1	31	1	-	8	3	-	92	-	15
75	Port Arthur	440	-	-	-	-	1	12	-	-	4	-	-	39	1	11
76	Balance of county	219	-	-	-	-	1	8	-	-	2	2	-	20	-	5
77	Jim Hogg	38	-	-	-	-	-	2	-	-	-	-	-	1	-	2
78	Jim Wells	191	-	-	-	-	-	4	11	-	2	3	1	13	-	3
79	Johnson	335	-	1	-	-	-	5	-	-	-	-	-	38	-	9
80	Cleburne	158	-	1	-	-	-	1	-	-	-	-	-	25	-	5
81	Balance of county	177	-	-	-	-	-	4	-	-	-	-	-	13	-	4
82	Jones	164	-	-	-	-	-	7	1	-	-	-	1	26	-	3
83	Karnes	149	-	-	-	-	1	5	1	-	-	-	1	8	-	2
84	Kaufman	510	-	1	-	-	2	25	4	-	21	-	-	46	-	5
85	Terrell	304	-	1	-	-	-	20	2	-	21	-	-	19	-	2
86	Balance of county	206	-	-	-	-	2	5	2	-	-	-	-	27	-	3
87	Kendall	63	-	-	-	-	-	2	-	-	-	-	-	11	-	3
88	Kenedy	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	Kent	13	-	-	-	-	-	-	-	-	-	-	-	3	-	1
90	Kerr	172	-	-	-	-	-	46	-	-	-	-	-	16	-	2
91	Kimble	29	-	-	-	-	-	1	-	-	-	1	-	1	-	-
92	King	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
93	Kinney	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-
94	Kleberg	149	-	-	-	-	-	5	3	-	1	-	1	16	-	-
95	Knox	84	-	-	-	-	-	3	1	-	-	-	-	8	-	4

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	15	46	3	1	13	1	-	4	2	2	-	6	6	12	15	1
1	30	74	21	10	40	3	1	6	7	2	3	5	13	15	40	2
2	40	110	15	2	27	1	2	4	5	3	-	3	20	11	43	3
1	32	67	17	1	17	-	5	3	5	2	-	2	9	22	36	4
-	7	17	1	2	1	-	2	8	2	1	1	2	2	3	7	5
-	17	17	4	-	1	-	1	5	2	-	-	1	4	2	6	6
-	4	11	1	1	-	-	1	1	1	1	1	1	3	-	4	7
-	10	59	34	4	14	-	4	13	3	-	-	7	12	9	13	38	8
1	3	9	5	-	2	-	-	2	2	-	-	1	1	3	4	6	9
-	15	48	4	-	8	-	1	2	2	1	2	4	9	10	13	17	10
-	5	16	2	17	1	-	3	2	7	-	-	1	-	7	7	9	11
2	2	20	2	2	5	-	2	6	1	-	-	-	3	6	2	6	12
1	105	300	52	12	43	7	21	36	16	12	16	31	50	28	32	118	13
1	89	253	38	8	36	5	10	18	8	8	14	18	28	22	95	14
-	16	47	14	4	7	2	11	18	8	4	2	15	22	10	23	15
1	3	9	3	-	-	-	-	3	-	1	-	2	1	-	7	16
1	13	23	5	-	6	-	2	2	2	2	-	2	2	2	9	17
-	-	2	1	-	-	-	-	1	-	-	-	-	2	1	1	18
-	9	14	10	1	4	1	-	3	-	-	1	2	3	2	4	19
-	22	68	17	5	23	3	5	7	8	-	6	9	15	8	22	20
1	12*	50	3	6	5	-	3	17	7	-	-	5	14	3	26	21
1	10	39	3	5	4	-	1	17	5	-	-	3	10	2	20	22
-	2	11	-	1	1	-	2	-	2	-	-	2	4	1	6	23
1	100	218	25	2	43	2	10	21	12	6	4	18	19	32	94	24
-	38	69	7	1	20	1	2	9	6	1	3	6	4	4	30	25
1	23	79	7	-	12	-	5	6	2	1	-	4	6	12	29	26
-	38	70	11	1	11	1	3	6	4	4	1	8	9	16	35	27
-	39	118	21	3	17	1	9	12	17	4	14	24	25	22	65	28
-	19	45	8	1	9	-	4	4	7	1	8	12	6	7	28	29
-	20	73	13	2	8	1	5	8	10	3	6	12	19	15	37	30
-	15	55	10	1	6	2	1	2	7	1	1	1	7	5	19	31
2	18	48	16	10	22	2	6	9	4	4	2	6	15	13	28	32
-	14	43	8	9	5	-	4	9	12	1	1	15	9	12	22	33
2	11	16	6	3	-	-	-	8	2	1	-	4	4	5	11	34
1	14	30	1	-	12	1	-	2	1	1	-	3	3	2	18	35
-	1	2	4	-	2	-	-	1	2	-	-	1	1	-	1	36
-	7	23	2	1	3	-	3	2	1	1	1	4	2	4	11	37
-	15	49	17	-	7	1	2	11	-	1	1	2	10	8	23	38
4	453	1,685	244	116	267	22	90	310	105	70	142	208	266	160	686	39
3	392	1,443	213	104	236	20	74	258	86	57	129	166	207	123	585	40
1	61	242	31	12	31	2	16	52	19	13	13	42	59	37	71	41
-	58	113	28	4	28	3	2	13	4	4	4	16	26	24	51	42
-	30	56	15	3	11	2	-	7	1	3	3	7	12	11	29	43
-	28	57	13	1	17	1	2	6	3	1	1	9	14	13	22	44
-	6	5	2	-	1	1	1	3	-	-	-	2	1	1	4	45
-	8	25	7	4	2	-	2	4	2	1	-	7	4	3	8	46
-	16	40	7	9	6	-	2	8	4	-	4	4	9	16	19	47
-	2	9	1	-	-	-	-	-	2	-	-	-	2	1	1	48
1	19	53	14	2	20	-	4	5	1	-	2	13	10	13	24	49
-	74	199	148	233	51	20	30	98	77	6	12	52	92	148	165	50
-	12	22	17	35	15	4	3	14	8	1	1	8	12	24	23	51
-	62	177	131	198	36	16	27	84	69	5	11	44	80	124	142	52
2	38	107	12	4	7	2	4	10	2	7	1	11	13	15	28	53
-	6	16	5	11	4	2	5	11	3	1	1	11	11	4	15	54
-	4	17	-	-	7	-	2	1	1	1	-	2	-	-	8	55
-	24	57	10	1	14	-	-	12	5	6	-	6	18	10	26	56
1	28	50	16	5	6	1	-	6	2	1	-	6	9	12	29	57
2	9	55	12	11	6	-	-	13	4	1	2	8	17	7	33	58
2	6	40	8	10	6	-	-	10	3	-	1	7	9	2	22	59
-	3	15	4	1	-	-	-	3	1	1	1	1	8	5	11	60
-	2	3	1	2	-	-	1	-	3	-	-	2	2	4	2	61
2	46	106	20	2	24	1	5	21	5	3	10	3	18	12	63	62
1	22	42	11	1	7	1	1	11	3	2	5	-	6	6	24	63
1	24	66	9	1	17	-	4	10	2	1	5	3	12	6	39	64
-	10	26	6	2	9	-	4	9	5	2	1	12	11	4	15	65
-	9	24	5	1	8	-	3	9	4	1	1	11	7	4	14	66
-	1	2	1	1	1	-	1	-	1	1	-	1	4	-	1	67
-	1	3	1	-	3	-	-	-	-	-	-	-	2	-	3	68
1	8	22	8	3	7	-	3	4	1	-	-	2	1	4	5	69
-	4	27	3	2	9	3	4	7	5	3	2	8	6	2	4	70
-	18	49	11	1	-	-	-	-	-	2	1	9	5	3	22	71
-	1	2	1	-	85	8	30	65	29	14	15	51	76	26	173	72
-	123	392	96	12	50	6	13	34	10	3	8	23	33	14	98	73
-	68	209	66	7	24	2	8	21	14	6	5	14	28	9	51	74
-	41	124	19	5	11	-	9	10	5	5	2	14	14	3	24	75
-	14	59	11	-	1	1	1	3	-	-	-	1	1	4	7	76
-	3	9	3	-	8	-	3	13	2	2	1	6	12	12	21	77
-	9	26	20	16	14	-	3	12	7	3	2	10	9	16	38	78
1	38	111	16	2	4	-	1	5	3	-	-	3	3	6	18	79
1	14	59	8	1	10	-	2	7	4	3	2	7	6	10	20	80
-	24	52	8	1	3	-	3	10	2	6	-	5	7	4	27	81
-	14	51	7	7	8	-	-	6	4	1	2	2	8	14	15	82
-	12	32	13	14	19	1	2	13	5	1	2	10	22	39	74	83
1	50	153	12	1	14	-	1	4	3	2	2	2	12	27	54	84
1	27	86	5	1	5	1	1	9	2	1	1	8	10	12	20	85
-	23	67	7	-	4	2	-	1	1	3	1	1	2	4	7	86
-	2	15	2	2	-	-	-	-	-	-	-	-	1	-	-	87
-	-	1	-	-	-	-	1	1	-	-	-	-	2	2	1	88
-	1	1	-	-	-	-	-	7	5	6	3	3	3	5	10	89
-	14	30	9	2	7	-	-	2	-	-	1	-	4	1	7	90
-	-	7	1	1	2	-	-	-	-	-	-	-	-	-	-	91
-	1	1	-	-	-	-	1	-	1	-	1	-	1	4	4	92
-	-	4	1	1	2	-	-	1	2	1	-	13	9	6	12	93
-	11	27	5	14	8	4	1	10	2	4	-	-	5	3	11	94
-	7	21	3	6	3	-	-	3	2	-	-	-	-	-	-	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	TEXAS—Continued															
1	Lamar	427	-	-	-	-	1	8	2	-	2	2	1	50	-	8
2	Paris	260	-	-	-	-	-	5	-	-	1	2	-	37	-	5
3	Balance of county	167	-	-	-	-	1	3	2	-	1	-	1	13	-	3
4	Lamb	127	-	-	-	2	-	3	1	-	1	-	-	10	-	2
5	Lampasas	104	-	-	-	-	-	4	-	-	-	-	-	11	-	2
6	La Salle	70	-	-	-	2	-	6	3	-	-	-	-	10	-	-
7	Lavaca	237	-	-	-	-	-	5	1	1	1	1	-	25	-	6
8	Lee	91	-	-	-	-	-	3	-	-	-	-	-	7	-	3
9	Leon	142	-	-	-	-	-	3	-	-	4	-	-	19	-	-
10	Liberty	194	-	-	-	-	-	9	2	1	-	-	-	27	1	2
11	Limestone	275	-	-	-	3	-	10	3	-	3	-	1	21	-	6
12	Lipscomb	31	-	-	-	-	-	1	-	-	-	-	-	5	-	2
13	Live Oak	77	-	-	-	-	-	2	-	-	-	-	-	3	-	1
14	Llano	55	-	-	-	-	-	3	-	-	-	-	-	3	-	1
15	Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	Lubbock	592	-	-	-	5	1	16	4	-	-	-	3	61	2	8
17	Lubbock	426	-	-	-	3	-	11	4	-	-	-	3	47	2	5
18	Balance of county	166	-	-	-	2	1	5	-	-	-	-	-	14	-	3
19	Lynn	64	-	-	-	-	-	-	-	-	-	-	1	1	-	1
20	McCulloch	134	-	-	-	-	-	2	1	-	1	-	-	18	-	3
21	McLennan	1,159	-	-	-	-	-	34	-	-	35	-	3	149	-	28
22	Waco	718	-	-	-	-	-	22	-	-	9	-	-	96	-	18
23	Balance of county	441	-	-	-	-	-	12	-	-	26	-	3	53	-	10
24	McMullen	7	-	-	-	-	-	1	-	-	1	-	-	-	-	-
25	Madison	98	-	-	-	-	-	1	-	-	3	-	-	11	-	5
26	Marion	98	-	-	-	-	-	3	-	-	-	-	-	13	-	1
27	Martin	25	-	-	-	-	-	-	-	-	-	-	-	4	-	-
28	Mason	49	-	-	-	-	-	1	-	-	-	-	-	11	-	1
29	Matagorda	192	-	-	-	-	-	3	2	-	1	-	-	15	1	1
30	Maverick	133	-	-	-	1	-	11	1	-	1	-	-	10	-	4
31	Medina	148	-	-	-	-	-	9	-	-	-	-	-	16	-	1
32	Menard	33	-	-	-	-	-	2	-	-	-	-	-	3	-	1
33	Midland	138	-	-	-	1	-	9	-	-	-	-	-	11	-	1
34	Milam	255	-	-	-	1	-	9	1	-	2	-	1	30	-	2
35	Mills	51	-	-	-	-	-	-	-	-	-	-	-	5	-	2
36	Mitchell	120	-	-	-	-	-	6	3	-	-	-	-	18	-	-
37	Montague	154	-	-	-	-	-	4	-	-	-	-	-	28	-	2
38	Montgomery	213	-	1	-	2	-	3	2	-	1	-	-	27	-	8
39	Moore	53	-	-	-	-	-	1	-	-	-	-	-	-	-	-
40	Morris	93	-	1	-	-	-	6	-	-	-	-	-	9	-	3
41	Motley	37	-	-	-	-	-	-	-	-	-	-	-	4	-	-
42	Nacogdoches	223	1	-	-	1	-	3	-	-	2	2	-	30	-	5
43	Navarro	400	-	-	-	2	1	13	1	-	3	-	2	46	-	6
44	Corsicana	231	-	-	-	2	-	8	1	-	1	-	2	21	-	4
45	Balance of county	169	-	-	-	-	1	5	-	-	2	-	-	25	-	2
46	Newton	90	-	-	-	-	-	1	-	-	-	-	-	6	1	1
47	Nolan	174	-	-	-	-	-	1	1	-	2	-	-	13	-	2
48	Sweetwater	122	-	-	-	-	-	1	-	-	1	-	-	11	-	2
49	Balance of county	52	-	-	-	-	-	-	1	-	1	-	-	2	-	-
50	Nueces	1,099	-	-	-	1	4	81	15	-	3	2	3	111	2	11
51	Corpus Christi	786	-	-	-	1	4	59	6	-	2	2	3	90	-	8
52	Balance of county	313	-	-	-	-	-	22	9	-	1	-	-	21	2	3
53	Ochiltree	48	-	-	-	-	-	1	-	-	-	-	-	2	-	1
54	Oldham	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-
55	Orange	218	-	-	-	-	-	4	-	-	1	-	-	20	1	2
56	Palo Pinto	187	1	-	-	-	-	5	-	-	-	1	-	22	-	6
57	Panola	146	-	1	-	-	-	3	1	-	-	1	1	11	-	4
58	Parker	178	-	-	-	1	-	2	1	-	-	-	-	17	-	2
59	Parmer	31	-	-	-	-	-	1	-	-	-	-	-	3	-	-
60	Pecos	75	-	1	-	1	-	4	2	-	-	-	1	3	-	1
61	Polk	168	1	-	-	-	1	9	-	1	-	-	2	19	-	3
62	Potter	545	-	-	-	-	-	13	-	-	6	1	-	77	1	11
63	Amarillo (part)	527	-	-	-	-	-	13	-	-	6	1	-	73	1	10
64	Amarillo (total)	533	-	-	-	-	-	14	-	-	6	1	-	75	1	11
65	Balance of county	18	-	-	-	-	-	-	-	-	-	-	-	4	-	1
66	Presidio	42	-	-	-	1	-	2	-	-	-	-	-	1	-	1
67	Rains	19	-	-	-	-	-	-	-	-	-	-	-	5	-	-
68	Randall	53	-	-	-	-	-	1	-	-	-	-	1	5	-	2
69	Amarillo (part)	6	-	-	-	-	-	1	-	-	-	-	-	2	-	1
70	Balance of county	47	-	-	-	-	-	-	-	-	-	-	1	3	-	1
71	Reagan	13	-	-	-	-	-	1	-	-	-	-	-	1	-	-
72	Real	27	-	-	-	-	-	-	-	-	-	-	-	4	-	1
73	Red River	227	-	-	-	-	-	3	1	-	1	-	-	18	-	1
74	Reeves	101	-	-	-	-	-	2	8	-	-	1	-	3	1	-
75	Refugio	76	-	-	-	1	1	6	-	-	1	-	-	8	-	5
76	Roberts	10	-	-	-	-	-	-	-	-	-	-	-	3	-	-
77	Robertson	243	-	-	-	1	-	8	-	-	1	-	-	37	-	3
78	Rockwall	63	-	-	-	1	-	2	1	-	1	-	-	6	-	1
79	Runnels	142	-	-	-	-	-	5	-	-	2	-	1	16	1	1
80	Rusk	305	-	-	-	-	1	7	-	-	4	1	-	30	-	2
81	Sabine	79	-	-	-	-	-	-	-	-	1	-	-	5	-	-
82	San Augustine	84	-	-	-	-	-	1	1	1	1	-	-	10	-	1
83	San Jacinto	68	-	1	-	1	-	2	-	1	1	-	-	4	-	1
84	San Patricio	370	-	-	-	4	-	29	6	-	1	1	3	28	1	1
85	San Saba	67	-	-	-	-	-	2	-	-	1	-	-	4	-	1
86	Schleicher	22	-	-	-	1	-	1	1	-	-	-	-	3	-	-
87	Scurry	71	-	-	-	-	-	2	-	-	1	-	-	7	-	-
88	Shackelford	36	-	-	-	-	-	-	-	-	-	-	-	5	-	1
89	Shelby	201	-	-	-	-	-	10	-	-	-	-	-	31	1	2
90	Sherman	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-
91	Smith	577	-	-	-	-	2	11	1	-	2	-	2	49	2	12
92	Tyler	318	-	-	-	-	-	5	1	-	2	-	2	26	-	4
93	Balance of county	259	-	-	-	-	2	6	-	-	-	-	-	23	2	8
94	Somervell	26	-	-	-	-	-	-	-	-	-	-	1	1	-	1
95	Starr	124	1	-	-	-	-	4	1	-	2	-	-	8	-	-
96	Stephens	93	-	-	-	-	-	2	-	-	-	-	-	10	-	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
1	35	110	24	5	43	5	6	9	7	2	4	10	32	17	43	1
-	20	70	17	2	22	4	4	5	5	1	2	7	15	10	26	2
1	15	40	7	3	21	1	2	4	2	1	2	3	17	7	17	3
-	6	27	11	6	13	2	-	4	2	1	2	5	5	9	15	4
-	19	21	5	4	11	-	1	5	2	-	-	3	4	5	7	5
-	2	6	3	7	3	3	-	2	1	1	1	1	5	5	9	6
-	18	46	16	2	42	-	1	10	4	3	-	4	11	10	31	7
1	8	26	5	2	7	1	-	1	1	-	1	5	2	5	13	8
1	10	44	6	-	9	-	1	1	2	1	-	3	6	13	19	9
-	8	36	12	1	16	1	3	15	6	-	1	5	13	14	21	10
-	28	81	15	4	18	1	-	5	2	1	3	5	15	20	30	11
-	5	8	2	-	2	-	-	-	-	1	-	1	-	2	2	12
-	4	20	3	2	4	1	3	5	5	1	-	6	8	6	3	13
-	8	20	1	-	1	-	-	2	-	1	-	2	4	1	8	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	38	115	33	32	17	2	25	40	18	7	12	26	37	18	72	16
-	29	84	23	20	16	1	18	27	15	5	10	17	18	13	55	17
-	9	31	10	12	1	1	7	13	3	2	2	9	19	5	17	18
-	4	17	3	6	2	-	-	6	2	3	2	2	8	2	4	19
-	8	40	6	1	6	1	1	4	2	1	2	3	9	4	21	20
1	121	337	50	9	46	2	15	33	16	11	9	22	53	44	141	21
-	74	218	27	5	23	-	11	24	12	10	8	13	36	31	81	22
1	47	119	23	4	23	2	4	9	4	1	1	9	17	13	60	23
-	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	24
-	8	21	3	3	10	1	-	2	1	1	2	2	2	10	12	25
2	12	33	2	-	7	1	1	1	2	-	5	3	1	4	7	26
1	1	9	1	1	1	-	1	1	1	-	-	1	3	1	-	27
-	6	13	2	1	3	-	1	1	2	-	-	1	2	-	4	28
-	20	40	6	5	9	-	2	11	5	1	2	7	15	22	24	29
-	8	17	9	16	13	-	1	7	8	-	1	4	3	4	14	30
1	9	33	11	10	8	-	3	7	2	2	-	4	7	12	13	31
-	4	13	-	1	-	-	1	1	4	1	1	-	-	1	-	32
-	5	28	11	4	5	2	5	6	5	3	-	11	13	7	11	33
-	24	76	11	6	19	-	-	5	1	4	2	8	13	14	26	34
-	1	14	3	-	8	-	-	3	-	1	-	1	6	2	5	35
-	10	30	4	1	3	-	3	5	-	5	-	9	6	3	14	36
1	14	54	5	-	7	-	-	-	-	2	-	5	7	10	15	37
-	20	40	13	3	10	-	1	7	3	-	4	16	14	16	22	38
-	2	17	3	-	-	-	1	3	-	1	-	4	12	1	9	39
-	4	23	3	-	6	3	1	3	2	2	1	7	4	5	10	40
-	4	12	-	-	1	-	1	2	3	-	-	1	3	1	5	41
1	17	64	10	1	19	-	4	4	1	4	3	5	9	16	21	42
1	75	107	16	6	14	1	1	11	5	4	2	10	20	12	41	43
1	51	66	6	3	9	-	1	6	3	3	1	6	11	5	21	44
-	24	41	10	3	6	1	-	5	2	1	1	4	9	7	20	45
-	17	16	11	-	5	2	1	2	2	-	-	5	4	5	11	46
-	12	50	6	2	9	2	3	8	6	1	3	6	15	12	20	47
-	6	39	5	2	6	1	1	5	5	1	2	5	10	3	16	48
-	6	11	1	-	3	1	2	3	1	-	1	1	5	9	4	49
1	50	224	76	78	37	8	24	63	37	8	11	37	62	28	122	50
-	36	176	55	48	30	7	14	43	23	6	7	27	41	10	88	51
1	14	48	21	30	7	1	10	20	14	2	4	10	21	18	34	52
-	8	9	2	-	6	-	-	1	4	1	2	4	6	-	1	53
-	1	2	1	-	-	-	-	2	-	-	-	-	1	-	-	54
-	7	59	22	1	14	1	6	12	2	6	5	4	11	16	24	55
-	24	49	5	-	8	1	2	4	3	2	2	2	14	16	20	56
-	11	37	21	2	4	1	1	9	-	-	3	4	8	7	16	57
-	17	52	6	2	7	-	2	4	-	1	-	6	10	26	22	58
-	5	9	-	-	2	-	2	-	-	-	-	5	1	-	3	59
-	5	16	6	3	1	-	3	7	3	1	-	6	4	4	3	60
-	16	40	6	-	9	2	-	7	1	2	3	5	6	10	26	61
-	33	127	15	4	35	3	16	28	17	10	7	21	35	19	66	62
-	32	124	14	3	32	3	16	28	17	10	7	20	35	19	63	63
-	32	126	14	3	32	3	16	28	17	10	7	20	35	19	63	64
-	1	3	1	1	3	-	-	-	-	-	-	1	-	-	3	65
-	2	9	3	2	-	-	1	6	2	-	-	-	2	7	3	66
-	2	3	2	-	-	-	-	-	-	-	-	3	-	-	4	67
-	2	24	1	1	-	-	1	-	1	-	-	2	3	3	6	68
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	2	22	1	1	-	-	1	-	1	-	-	2	3	3	6	70
-	2	2	1	-	1	-	-	-	-	-	-	2	1	-	2	71
-	1	7	1	-	2	-	-	1	-	-	-	1	2	4	3	72
-	32	64	17	3	25	3	2	4	2	2	-	8	7	9	25	73
-	4	10	9	14	3	2	1	3	8	2	1	5	8	5	11	74
-	9	15	2	2	5	1	1	1	1	-	-	5	3	4	5	75
-	-	4	-	-	1	-	-	1	-	-	-	-	-	1	-	76
-	22	72	17	4	13	1	3	4	1	3	4	6	6	16	21	77
1	4	17	3	-	5	-	1	4	-	-	2	2	1	1	10	78
-	16	38	5	2	9	1	3	2	5	1	-	2	12	8	12	79
1	22	97	10	-	25	-	4	9	2	2	5	20	13	17	33	80
-	8	23	2	-	-	-	1	3	2	1	-	12	5	7	9	81
1	7	20	7	-	1	-	2	4	1	-	1	1	2	6	16	82
1	6	19	6	1	1	1	-	1	2	-	-	1	4	9	5	83
2	19	53	22	25	12	1	6	18	22	2	1	12	20	30	51	84
-	1	24	1	1	1	-	2	5	1	-	-	4	-	13	6	85
-	1	1	2	-	-	1	1	4	2	-	-	-	-	2	2	86
-	5	18	6	5	2	-	3	5	1	-	1	3	4	3	5	87
-	3	12	2	-	2	-	-	-	-	-	1	-	4	2	4	88
-	12	63	3	-	10	2	-	5	1	1	1	10	12	17	20	89
-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	2	90
5	61	162	30	1	44	6	5	19	15	6	8	24	29	16	65	91
4	29	88	16	1	22	3	4	13	9	3	5	12	16	6	47	92
1	32	74	14	-	22	3	1	6	6	3	3	12	13	10	18	93
-	2	9	-	-	2	-	-	4	-	-	-	1	2	2	1	94
-	4	14	24	7	6	1	3	1	1	2	5	11	5	13	11	95
1	8	30	4	-	11	-	1	3	-	-	-	7	7	1	7	96

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	TEXAS—Continued															
1	Sterling	18	-	-	-	-	-	4	-	-	-	-	-	3	-	-
2	Stonewall	23	-	-	-	-	-	-	-	-	-	-	-	3	-	-
3	Sutton	24	-	-	-	-	-	1	-	-	-	-	-	3	-	-
4	Swisher	54	-	-	-	-	-	1	-	-	-	-	-	5	-	-
5	Tarrant	2,765	1	2	-	2	-	71	2	-	21	-	2	328	1	49
6	Fort Worth	2,369	1	1	-	2	-	56	1	-	20	-	2	294	1	43
7	Balance of county	396	-	1	-	-	-	15	1	-	1	-	-	34	-	6
8	Taylor	507	-	-	-	1	1	13	-	-	4	-	1	56	-	7
9	Abilene	364	-	-	-	-	-	9	-	-	2	-	1	40	-	7
10	Balance of county	143	-	-	-	1	1	4	-	-	2	-	-	16	-	-
11	Terrell	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Terry	94	-	-	-	-	-	2	2	-	-	1	1	8	-	1
13	Throckmorton	24	-	-	-	-	-	-	-	-	-	-	1	4	-	1
14	Titus	135	-	-	-	-	-	3	1	1	1	-	-	17	1	-
15	Tom Green	419	-	-	-	-	-	29	3	-	1	-	3	52	-	8
16	San Angelo	358	-	-	-	-	-	27	3	-	-	-	3	44	-	7
17	Balance of county	61	-	-	-	-	-	2	-	-	1	-	-	8	-	1
18	Travis	1,448	-	-	1	2	-	105	4	-	55	-	6	137	2	17
19	Austin	1,304	-	-	1	2	-	89	3	-	54	-	5	120	2	15
20	Balance of county	144	-	-	-	-	-	16	1	-	1	-	1	17	-	2
21	Trinity	95	-	-	-	-	-	2	-	-	-	-	1	16	-	3
22	Tyler	82	-	-	-	-	-	-	-	-	-	-	-	18	-	-
23	Upshur	149	-	1	-	1	-	8	-	-	-	-	-	19	-	6
24	Upton	30	-	-	-	-	-	-	-	-	1	-	-	6	-	-
25	Uvalde	141	-	-	-	-	-	6	4	-	1	-	-	12	-	1
26	Val Verde	170	-	1	-	-	-	8	-	-	-	-	-	19	-	2
27	Del Rio	158	-	1	-	-	-	7	-	-	-	-	-	18	-	1
28	Balance of county	12	-	-	-	-	-	1	-	-	-	-	-	1	-	1
29	Van Zandt	213	-	-	-	-	1	7	-	-	-	-	2	24	-	1
30	Victoria	250	-	-	-	3	-	7	5	-	1	1	-	26	-	6
31	Victoria	176	-	-	-	1	-	4	4	-	1	-	-	16	-	4
32	Balance of county	74	-	-	-	2	-	3	1	-	-	1	-	10	-	2
33	Walker	171	-	2	-	-	-	14	-	-	2	-	-	15	-	-
34	Waller	86	-	-	-	-	-	3	1	-	1	-	-	10	-	2
35	Ward	94	-	-	-	-	-	3	3	-	-	-	-	10	-	-
36	Washington	233	-	-	-	2	-	2	-	-	-	2	-	29	-	6
37	Webb	494	-	-	-	-	1	35	14	-	3	-	2	43	1	7
38	Laredo	465	-	-	-	-	1	35	14	-	3	-	2	41	1	7
39	Balance of county	29	-	-	-	-	-	-	-	-	-	-	-	2	-	-
40	Wharton	333	-	1	-	-	2	12	4	-	2	-	2	36	-	8
41	Wheeler	88	-	-	-	-	-	1	-	-	-	-	1	12	-	4
42	Wichita	756	-	-	-	-	-	18	-	-	14	-	-	78	-	17
43	Wichita Falls	439	-	-	-	-	-	2	-	-	3	-	-	56	-	10
44	Balance of county	317	-	-	-	-	-	16	-	-	11	-	-	22	-	7
45	Wilbarger	125	-	-	-	-	1	2	-	-	1	-	2	20	1	3
46	Willacy	290	-	-	-	2	1	15	40	-	2	1	3	14	-	2
47	Williamson	391	-	-	-	3	-	17	3	-	-	-	2	41	-	5
48	Wilson	145	-	-	-	1	-	9	1	-	2	-	-	12	-	4
49	Winkler	52	-	-	-	-	-	2	2	-	-	-	1	1	-	-
50	Wise	168	-	-	-	-	-	2	-	-	1	-	-	24	-	4
51	Wood	187	-	-	-	-	-	3	-	-	-	1	-	25	-	3
52	Yoakum	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1
53	Young	136	-	-	-	-	-	1	-	-	-	-	-	16	-	2
54	Zapata	28	-	-	-	1	-	-	-	-	1	-	-	2	-	1
55	Zavala	108	-	-	-	-	-	15	2	-	-	-	1	8	-	-
56	UTAH	5,070	-	7	1	5	3	69	4	-	30	2	12	565	9	121
57	Beaver	37	-	-	-	-	-	2	-	-	-	-	-	6	-	1
58	Box Elder	140	-	-	-	1	-	1	-	-	-	-	-	9	-	4
59	Cache	256	-	-	-	-	-	1	-	-	-	-	-	30	-	9
60	Logan	123	-	-	-	-	-	-	-	-	-	-	-	18	-	3
61	Balance of county	133	-	-	-	-	-	1	-	-	-	-	-	12	-	6
62	Carbon	174	-	-	-	-	-	3	1	-	1	-	-	21	-	1
63	Daggett	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Davis	147	-	-	-	-	-	-	-	-	-	-	1	16	1	4
65	Duchesne	47	-	-	-	-	-	-	-	-	1	-	-	5	-	-
66	Emery	47	-	-	-	-	-	-	-	-	1	-	1	3	-	4
67	Garfield	28	-	-	-	-	-	-	-	-	-	-	-	3	-	-
68	Grand	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Iron	59	-	-	-	1	-	1	-	-	-	-	-	7	-	1
70	Juab	51	-	-	-	-	-	3	-	-	-	1	-	6	-	1
71	Kane	19	-	-	-	-	-	-	-	-	-	-	-	3	-	-
72	Millard	69	-	-	-	-	-	1	1	-	-	-	-	9	1	1
73	Morgan	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2
74	Piute	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2
75	Rich	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76	Salt Lake	2,038	-	5	-	1	-	33	1	-	11	1	7	274	4	45
77	Salt Lake City	1,543	-	5	-	-	-	24	1	-	9	-	4	218	2	39
78	Balance of county	495	-	-	-	1	-	9	-	-	2	1	3	56	2	6
79	San Juan	18	-	-	-	1	-	2	-	-	-	-	-	2	-	-
80	Sanpete	137	-	-	-	-	-	-	1	-	-	-	-	13	-	4
81	Sevier	100	-	-	-	-	-	-	-	-	-	-	-	11	1	1
82	Summit	64	-	-	-	-	1	-	-	-	-	-	-	8	-	2
83	Tooele	115	-	-	-	-	1	-	-	-	-	-	-	8	-	1
84	Uintah	102	-	-	-	-	-	4	-	-	2	-	-	8	-	1
85	Utah	591	-	1	-	-	1	3	-	-	10	-	-	47	1	14
86	Provo	229	-	1	-	-	-	1	-	-	10	-	-	14	-	3
87	Balance of county	362	-	-	-	-	1	2	-	-	-	-	-	33	1	11
88	Wasatch	40	-	-	-	-	-	1	-	-	-	-	-	5	-	1
89	Washington	72	-	-	-	-	-	3	-	-	-	-	-	7	-	4
90	Wayne	15	-	-	-	-	-	-	-	-	-	-	-	4	-	2
91	Weber	638	-	1	1	1	-	11	-	-	4	-	3	60	1	16
92	Ogden	504	-	1	1	1	-	10	-	-	3	-	2	47	1	15
93	Balance of county	132	-	-	-	-	-	1	-	-	1	-	1	13	-	3

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	3	4	1	-	1	-	-	-	-	-	-	-	1	-	1	1
-	3	8	-	-	3	-	-	-	1	3	-	-	1	1	-	2
-	3	4	1	1	2	-	-	1	1	1	-	1	2	-	3	3
-	9	15	1	1	2	-	2	2	-	-	-	5	4	1	6	4
2	265	858	93	18	109	8	50	119	52	25	3	83	150	72	343	5
1	229	731	82	17	99	6	42	104	39	22	3	66	123	56	298	6
1	36	127	11	1	10	2	8	15	13	3	5	17	27	16	45	7
1	51	131	20	13	24	1	5	19	7	5	6	15	29	26	71	8
1	31	96	15	11	20	1	4	15	7	4	6	11	26	20	37	9
-	20	35	5	2	4	-	1	4	-	1	-	4	3	6	34	10
-	-	2	-	-	-	-	-	1	-	-	-	2	2	1	1	11
-	5	17	6	3	3	1	3	5	5	1	1	3	4	1	21	12
-	4	6	-	-	1	-	-	-	-	-	-	1	-	5	1	13
-	9	48	7	-	6	2	1	-	1	1	1	5	7	6	19	14
-	18	118	21	6	11	3	5	13	7	7	4	22	18	18	52	15
-	17	95	21	6	11	3	4	11	6	5	3	18	12	16	46	16
-	1	23	-	-	-	-	1	2	1	2	1	4	6	2	6	17
4	103	305	70	22	77	2	23	55	23	8	12	36	72	58	249	18
4	97	273	65	18	72	-	21	52	19	5	11	32	59	32	233	19
-	6	32	5	4	5	2	2	3	4	3	1	4	15	6	16	20
1	4	28	2	1	5	1	1	1	-	-	1	4	6	6	10	21
1	9	17	3	1	10	-	2	3	1	-	1	3	4	2	7	22
-	15	44	7	-	18	1	2	3	-	1	-	2	5	2	14	23
-	2	6	1	2	1	-	-	1	-	-	-	1	8	-	1	24
1	9	20	10	6	5	1	2	7	3	4	-	6	11	8	24	25
-	14	41	16	7	3	-	4	8	3	-	-	3	11	10	20	26
-	11	41	16	7	3	-	4	8	3	-	-	3	6	10	19	27
-	3	-	-	-	-	-	-	-	-	-	-	-	5	-	1	28
-	23	64	9	-	22	-	3	5	3	1	-	7	10	10	21	29
-	22	56	10	7	18	-	4	13	4	3	-	4	16	18	25	30
-	15	39	8	5	13	-	3	9	3	1	-	4	16	11	17	31
-	7	18	2	2	5	-	1	4	1	2	-	-	-	7	6	32
-	14	40	7	1	1	1	-	3	-	1	-	4	4	28	29	33
-	12	22	2	1	2	-	2	4	-	1	-	2	6	6	6	34
-	9	20	6	7	2	1	1	4	-	2	-	5	4	5	10	35
-	17	85	8	-	25	1	2	4	1	3	-	1	5	12	25	36
1	22	79	63	49	10	4	9	24	10	1	-	11	23	22	57	37
1	21	75	62	47	10	4	8	23	10	-	-	9	14	20	54	38
-	1	4	1	2	-	-	1	1	-	1	-	2	9	2	3	39
1	23	76	17	9	20	3	8	14	7	4	-	7	17	19	37	40
1	5	24	4	1	4	-	1	3	1	-	-	3	7	5	10	41
2	83	246	26	8	35	5	14	31	11	7	-	24	45	12	71	42
2	42	119	12	5	20	5	12	25	10	6	-	18	25	10	50	43
-	41	127	14	3	15	-	2	6	1	1	-	6	20	2	21	44
1	16	39	5	-	3	-	1	4	2	1	-	5	7	2	9	45
-	6	32	31	41	3	4	7	6	6	2	-	12	24	18	15	46
-	42	103	15	4	37	-	5	17	4	5	-	9	21	15	40	47
-	15	30	9	6	5	-	4	8	2	1	-	6	8	6	16	48
-	-	13	2	4	-	-	2	4	3	-	-	5	4	2	7	49
1	15	50	2	-	12	-	1	2	3	-	-	9	13	5	24	50
-	17	57	9	2	9	1	3	4	4	-	-	8	9	7	23	51
-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	52
-	14	36	5	-	6	-	6	6	1	-	-	6	15	5	17	53
-	-	7	1	2	-	-	-	1	-	-	-	3	2	4	3	54
-	5	20	12	13	-	-	2	6	3	-	-	2	5	7	6	55
-	395	1,586	187	25	218	12	93	206	150	37	11	226	318	174	604	56
-	1	16	2	-	1	1	-	-	1	-	-	1	3	1	1	57
-	14	52	2	1	7	-	2	6	2	-	-	9	7	8	15	58
-	20	75	5	1	15	2	6	14	6	1	-	7	14	9	41	59
-	10	29	2	1	4	-	4	10	5	-	-	4	8	5	20	60
-	10	46	3	-	11	2	2	4	1	1	-	3	6	4	21	61
-	10	33	8	3	3	1	5	17	4	1	-	17	17	7	20	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	6	41	10	1	7	-	4	10	7	1	-	6	8	4	19	64
-	-	11	3	1	2	1	1	2	3	-	-	1	9	5	2	65
-	3	12	7	1	2	-	-	-	-	-	-	6	3	1	3	66
-	3	7	1	-	2	-	1	2	-	1	-	1	2	2	3	67
-	2	2	-	-	1	-	-	2	-	-	-	1	1	2	1	68
-	9	20	-	3	7	-	3	2	2	1	-	-	5	1	6	69
-	8	11	1	-	2	-	-	3	2	1	-	4	3	4	11	70
-	-	7	-	-	-	-	2	2	1	-	-	-	2	-	2	71
-	7	20	2	-	1	-	1	2	3	-	-	3	3	10	4	72
-	2	5	1	-	1	-	-	-	-	-	-	-	2	1	-	73
-	1	2	1	-	1	-	-	1	-	-	-	1	1	-	3	74
-	2	2	1	-	-	-	-	1	1	-	-	-	1	-	1	75
-	161	664	73	7	88	3	40	72	52	14	5	75	119	64	219	76
-	129	523	50	5	59	2	30	50	38	13	3	54	82	40	164	77
-	32	141	23	2	29	1	10	22	14	1	2	21	37	24	55	78
-	3	4	-	1	1	-	1	-	1	-	-	-	1	-	1	79
-	14	59	5	1	5	-	-	-	2	1	1	7	7	4	14	80
-	3	34	4	-	5	-	-	2	6	1	1	5	5	3	18	81
-	6	21	2	-	2	-	-	4	2	1	-	2	3	4	6	82
-	9	37	5	-	7	-	2	5	7	1	2	7	5	1	17	83
-	5	51	4	1	-	1	-	11	4	2	1	4	7	7	9	84
-	46	195	24	4	33	1	11	24	23	3	-	34	37	14	65	85
-	24	82	16	-	7	-	6	5	9	2	-	8	13	5	23	86
-	22	113	8	4	26	1	5	19	14	1	-	26	24	9	42	87
-	6	12	3	-	2	1	3	-	1	-	-	-	2	-	3	88
-	8	15	1	-	4	-	-	-	2	-	-	4	7	2	15	89
-	-	2	-	-	-	-	-	2	1	1	-	-	2	-	1	90
-	44	196	22	-	19	1	11	22	17	7	2	31	42	20	104	91
-	33	156	17	-	14	1	9	18	15	7	2	22	33	17	81	92
-	11	40	5	-	5	-	2	4	2	-	-	9	9	3	23	93

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
1	VERMONT	4,096	-	3	1	3	-	115	1	-	13	-	2	603	4	106
2	Addison	171	-	-	-	-	-	5	-	-	-	-	-	22	-	10
3	Bennington	293	-	-	-	1	-	5	-	-	1	-	-	37	-	8
4	Caledonia	290	-	-	-	-	-	7	-	-	-	-	-	40	1	10
5	Chittenden	535	-	-	-	-	-	9	-	-	3	-	-	86	-	17
6	Burlington	318	-	-	-	-	-	4	-	-	3	-	-	56	-	10
7	Balance of county	215	-	-	-	-	-	5	-	-	-	-	-	30	-	7
8	Essex	60	-	1	-	-	-	-	-	-	-	-	-	7	-	-
9	Franklin	312	-	-	-	-	-	2	-	-	3	-	-	54	1	11
10	Grand Isle	45	-	-	-	-	-	1	-	-	1	-	-	6	-	-
11	Lamoille	100	-	-	-	-	-	1	-	-	1	-	-	21	-	3
12	Orange	184	-	-	-	-	-	6	-	-	1	-	-	27	-	3
13	Orleans	228	-	1	-	1	-	7	-	-	-	-	-	33	2	4
14	Rutland	562	-	1	-	-	-	14	-	-	1	-	1	88	-	9
15	Rutland	199	-	-	-	-	-	2	-	-	-	-	-	30	-	1
16	Balance of county	363	-	1	-	-	-	12	-	-	1	-	1	58	-	8
17	Washington	500	-	-	-	-	-	48	-	-	2	-	-	66	-	12
18	Barre	107	-	-	-	-	-	19	-	-	-	-	-	15	-	1
19	Balance of county	393	-	-	-	-	-	29	-	-	2	-	-	51	-	11
20	Windham	408	-	-	-	-	-	7	1	-	-	-	-	63	-	7
21	Windsor	410	-	-	1	1	-	3	-	-	-	-	1	53	-	12
22	VIRGINIA[7]	28,976	9	26	1	41	15	1,087	13	-	282	16	29	3,038	40	657
23	Accomack	409	-	-	-	-	-	21	2	-	3	-	1	39	-	10
24	Albemarle	235	-	-	-	-	-	2	-	-	-	-	-	25	-	10
25	Alleghany	189	-	-	-	-	-	6	-	-	3	-	-	19	-	8
26	Amelia	85	-	-	-	1	-	1	-	-	-	-	-	8	-	2
27	Amherst	229	-	-	-	-	-	7	-	-	1	-	-	27	-	5
28	Appomattox	81	-	-	-	1	-	3	-	-	-	-	-	10	1	1
29	Arlington[8]	572	-	-	-	-	-	14	-	-	5	-	-	93	-	16
30	Augusta	411	-	-	-	-	1	9	-	-	2	2	-	44	1	9
31	Bath	66	-	-	-	-	-	-	-	-	-	-	-	4	-	3
32	Bedford	327	-	-	-	1	-	8	-	-	2	-	-	26	-	12
33	Bland	33	-	-	-	-	-	1	-	-	-	-	-	3	-	-
34	Botetourt	156	-	1	-	-	-	5	-	-	-	-	-	17	-	4
35	Brunswick	178	-	1	-	-	-	6	1	-	1	-	-	11	-	5
36	Buchanan	260	-	1	-	-	2	9	-	-	1	-	-	14	-	3
37	Buckingham	155	-	-	-	-	-	3	-	-	-	-	-	17	3	2
38	Campbell	203	-	-	-	-	-	5	-	-	1	-	-	18	-	4
39	Caroline	131	-	1	-	-	-	4	-	-	-	1	-	9	-	3
40	Carroll	161	-	-	1	-	-	2	-	-	-	-	-	15	-	6
41	Charles City	42	-	-	-	-	-	-	-	-	-	-	-	2	-	-
42	Charlotte	143	1	-	-	-	-	4	-	-	-	-	-	10	-	3
43	Chesterfield	301	-	-	-	1	-	27	-	-	2	-	1	39	-	7
44	Clarke	91	-	-	-	-	-	1	-	-	-	-	-	12	-	-
45	Craig	53	-	-	-	-	-	-	-	-	-	-	-	8	-	1
46	Culpeper	121	-	-	-	-	-	3	-	-	1	-	-	10	-	4
47	Cumberland	71	-	-	-	-	-	2	-	-	-	-	1	6	1	2
48	Dickenson	161	-	1	-	-	-	7	-	-	2	1	-	10	1	1
49	Dinwiddie	461	-	1	-	1	-	42	-	-	54	-	-	19	-	14
50	Elizabeth City	321	-	-	-	-	-	17	-	-	3	-	-	36	-	8
51	Essex	91	1	-	-	-	-	6	-	-	-	-	-	12	-	1
52	Fairfax	451	-	-	-	-	-	6	1	-	2	-	1	61	-	7
53	Fauquier	241	-	-	-	-	-	9	-	-	2	-	-	22	1	3
54	Floyd	81	-	-	-	1	-	2	-	-	-	-	1	10	-	3
55	Fluvanna	81	-	-	-	-	-	3	-	-	-	-	-	6	-	2
56	Franklin	221	-	-	-	1	-	3	-	-	1	-	-	23	1	7
57	Frederick	151	-	-	-	-	1	2	-	-	-	-	-	16	-	5
58	Giles	131	-	-	-	-	1	1	-	-	3	-	-	15	1	1
59	Gloucester	131	-	-	-	-	-	3	-	-	-	-	-	16	-	-
60	Goochland	131	-	-	-	-	-	7	-	-	2	-	-	15	-	1
61	Grayson	131	-	1	-	2	1	3	-	-	1	-	-	22	1	5
62	Greene		-	-	-	-	-	3	-	-	-	-	-	5	-	3
63	Greensville	131	1	-	-	1	-	7	-	-	-	-	-	12	-	4
64	Halifax	211	-	-	-	-	-	13	-	-	2	-	-	33	3	7
65	Hanover	211	-	-	-	1	-	5	-	-	1	-	1	19	-	5
66	Henrico	211	-	-	-	1	-	5	-	-	1	-	-	35	-	3
67	Henry	211	-	-	-	1	-	5	1	-	1	1	-	13	1	6
68	Highland		-	-	-	-	-	1	-	-	-	-	-	8	-	-
69	Isle of Wight		-	-	-	-	-	8	1	-	1	-	-	17	1	5
70	James City		-	-	-	-	-	2	-	-	1	-	-	8	-	1
71	King and Queen		-	-	-	-	-	3	-	-	1	-	-	6	-	3
72	King George		-	-	-	-	-	-	-	-	1	-	-	2	-	1
73	King William		-	-	-	-	-	3	-	-	-	-	-	14	-	3
74	Lancaster		-	1	-	-	-	3	-	-	1	-	-	7	1	2
75	Lee		-	-	-	1	-	13	-	-	-	1	1	21	-	3
76	Loudoun		-	-	-	1	-	3	-	-	-	1	-	25	-	6
77	Louisa		-	-	-	-	-	6	-	-	2	-	-	15	-	5
78	Lunenburg		-	-	-	3	-	1	-	-	2	-	-	8	1	2
79	Madison		-	-	-	-	-	3	-	-	-	-	-	6	1	1
80	Mathews		-	-	-	-	-	1	-	-	1	-	-	10	-	4
81	Mecklenburg		-	-	-	1	-	8	-	-	3	-	-	22	-	8
82	Middlesex		-	-	-	-	-	1	-	-	1	-	-	11	-	1
83	Montgomery		-	-	-	-	-	8	-	-	1	-	1	22	-	5
84	Nansemond		-	1	-	-	-	18	-	-	2	-	-	19	-	5
85	Nelson		-	1	-	-	-	1	-	-	-	2	-	12	-	3
86	New Kent		-	-	-	-	-	-	-	-	-	-	-	2	-	-
87	Norfolk		-	-	-	-	-	13	-	-	4	-	4	48	-	12
88	Northampton		-	-	-	-	-	13	1	-	3	-	-	23	-	4
89	Northumberland		-	-	-	-	-	4	-	-	-	-	-	13	-	4
90	Nottoway		-	-	-	-	-	29	-	-	1	-	-	8	-	4
91	Orange		-	-	-	-	-	5	-	-	1	-	1	12	-	2
92	Page		-	1	-	-	-	6	-	-	1	-	-	9	-	7
93	Patrick		-	-	-	1	-	2	-	-	-	-	1	11	-	4
94	Pittsylvania		1	-	-	1	-	14	1	-	3	-	1	47	-	11
95	Powhatan		-	-	-	-	-	1	-	-	-	-	-	5	-	2

[7] Cities of Virginia are independent, having the same status as a county. See list of independent cities following counties of this State.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
3	369	1,424	153	8	192	9	63	90	54	49	3	85	194	28	521	1
1	18	55	7	1	6	-	4	7	-	3	-	6	6	-	20	2
-	19	118	8	-	16	-	4	3	5	3	-	4	12	3	46	3
-	32	113	12	-	9	1	5	7	2	3	-	4	8	4	32	4
1	40	196	13	-	18	1	9	18	14	6	2	14	19	1	66	5
1	21	117	9	-	10	-	6	12	7	4	2	7	13	1	35	6
-	19	79	4	-	8	1	3	6	7	2	-	7	6	-	31	7
-	6	19	2	-	3	-	1	1	-	1	-	2	6	1	10	8
-	32	102	5	-	25	1	3	5	6	2	-	8	14	2	38	9
-	5	15	1	-	-	-	1	2	1	2	-	1	3	-	6	10
-	13	39	1	-	3	-	1	1	2	1	-	1	5	-	7	11
-	10	70	8	1	7	-	4	2	1	1	-	2	15	2	24	12
-	21	58	8	1	22	1	5	6	4	3	-	5	13	2	31	13
-	52	201	19	2	29	1	4	14	8	7	1	14	25	1	70	14
-	27	76	3	-	10	-	2	8	6	-	-	3	10	-	21	15
-	25	125	16	2	19	1	2	6	2	7	1	11	15	1	49	16
-	44	135	37	-	14	2	8	10	3	8	-	11	37	1	62	17
-	4	26	4	-	4	2	3	1	1	2	-	4	10	-	11	18
-	40	109	33	-	10	-	5	9	2	6	-	7	27	1	51	19
1	39	152	12	1	29	-	4	3	3	4	-	6	18	5	53	20
-	39	151	20	2	11	2	10	11	5	5	-	7	13	6	58	21
24	3,158	8,297	1,289	188	1,961	113	424	1,128	612	336	299	899	1,373	555	3,286	22
-	40	140	15	3	22	2	4	7	9	4	10	7	23	6	41	23
-	36	84	3	1	13	-	1	5	2	2	1	8	12	2	28	24
-	21	61	6	1	11	1	2	13	3	4	4	1	4	3	18	25
-	6	19	5	1	14	1	-	7	-	1	-	1	4	2	12	26
-	22	29	21	2	2	1	2	13	5	2	2	5	11	12	60	27
-	6	29	6	-	6	-	-	3	2	-	-	-	1	1	11	28
-	38	185	13	6	26	4	11	30	18	13	5	8	22	4	61	29
1	53	134	19	-	16	-	7	17	7	4	2	11	18	5	49	30
-	5	27	3	-	2	1	1	3	4	-	-	2	5	-	6	31
-	48	104	13	2	26	4	2	9	8	3	3	8	12	4	32	32
-	4	14	3	-	-	2	1	1	-	-	-	1	-	-	3	33
-	14	52	6	2	8	-	2	4	1	2	-	7	7	1	23	34
-	36	46	7	-	10	-	2	6	7	1	-	4	8	5	21	35
-	19	43	20	5	17	5	4	21	20	2	5	7	17	16	29	36
-	19	44	4	1	3	2	3	7	7	-	2	3	4	-	11	37
-	28	66	6	3	11	-	2	8	7	3	2	5	6	7	21	38
-	14	39	3	-	7	2	4	10	2	1	3	5	11	4	8	39
1	12	53	6	-	9	-	4	8	-	3	-	4	8	7	23	40
-	5	12	4	3	5	-	1	2	-	-	-	1	-	7	3	41
-	13	40	6	4	13	-	1	3	3	-	4	5	5	11	15	42
-	28	87	9	1	20	1	4	18	8	4	2	8	4	1	34	43
-	17	37	-	1	4	-	-	4	2	4	-	2	3	-	5	44
-	2	10	-	-	6	-	-	-	-	2	-	1	-	-	5	45
-	17	45	9	2	5	-	1	1	4	2	3	1	3	5	13	46
-	7	21	7	1	4	-	1	2	-	-	-	-	2	6	7	47
-	12	20	13	6	6	-	7	18	9	2	7	7	19	5	13	48
-	39	127	9	1	21	1	3	2	3	2	2	3	12	3	106	49
-	22	90	13	2	25	-	6	12	12	2	4	9	19	3	42	50
-	11	23	5	-	6	-	2	-	1	2	1	4	4	3	13	51
-	34	138	11	2	28	2	7	21	9	13	2	26	32	4	51	52
1	39	84	11	-	13	1	3	5	4	2	-	3	7	5	27	53
-	12	15	4	-	9	-	3	5	1	6	-	1	3	1	12	54
-	13	28	1	-	3	-	-	3	-	1	-	1	2	1	5	55
-	25	53	6	-	16	1	4	6	2	3	3	15	8	12	22	56
-	23	37	11	-	9	-	2	4	3	-	1	1	7	4	18	57
1	14	36	9	1	9	1	2	9	9	3	1	6	7	3	10	58
-	22	23	8	-	22	-	3	2	-	1	-	2	3	1	10	59
-	12	29	4	1	5	-	1	5	2	1	1	2	6	2	7	60
1	22	57	11	3	11	1	4	13	1	1	1	3	6	3	17	61
-	9	13	-	-	-	-	-	1	1	1	-	-	2	-	-	62
-	29	42	8	2	8	3	-	8	8	-	2	4	7	3	10	63
-	65	97	18	3	20	-	4	19	5	3	3	8	19	15	62	64
1	29	75	4	2	17	1	2	3	5	-	-	6	11	1	16	65
-	27	87	4	1	27	-	1	10	4	2	4	8	11	3	32	66
-	14	44	14	-	13	-	5	8	3	4	6	13	7	10	18	67
-	6	10	4	1	3	1	-	1	1	1	-	1	-	1	3	68
-	23	43	6	2	10	2	4	5	1	-	1	4	5	2	6	69
-	3	13	3	-	2	1	2	5	-	1	-	3	1	-	7	70
-	8	12	2	-	2	-	2	4	-	-	1	2	4	1	5	71
-	7	10	2	-	3	1	1	3	1	-	-	2	1	2	7	72
-	9	26	4	-	7	1	-	2	6	2	-	2	3	2	8	73
-	9	33	4	1	5	-	3	4	3	-	2	-	4	4	7	74
1	22	70	31	11	8	1	8	22	7	3	4	9	17	14	28	75
-	25	60	5	1	15	-	5	8	2	6	2	2	13	3	28	76
-	19	40	5	1	8	1	2	4	2	1	-	2	4	7	8	77
-	15	43	8	1	8	1	4	5	4	1	3	2	6	3	12	78
-	18	23	1	-	1	-	-	-	3	2	2	2	3	2	7	79
-	9	32	1	-	5	1	1	2	-	-	1	1	2	2	4	80
3	34	85	22	1	20	1	3	13	7	3	5	9	12	9	23	81
-	12	32	5	-	13	-	-	2	2	2	-	1	1	-	9	82
1	20	58	8	-	36	-	5	13	11	1	2	8	9	5	18	83
-	44	76	21	2	15	3	4	11	6	1	4	13	13	2	24	84
-	23	37	9	-	9	-	2	3	1	1	-	3	6	2	16	85
-	11	7	3	-	4	-	-	1	-	-	-	4	3	1	8	86
-	49	112	24	4	41	3	9	30	11	9	8	17	29	3	41	87
-	29	65	6	2	10	2	2	5	4	-	3	4	15	10	17	88
-	19	44	3	-	2	1	2	1	3	2	-	1	7	4	6	89
-	19	31	16	-	8	-	1	6	4	-	2	1	7	8	21	90
-	14	42	5	2	5	-	1	4	2	2	-	1	6	5	13	91
1	10	54	4	1	12	1	-	6	4	3	1	3	3	3	17	92
-	14	19	7	-	13	-	1	5	1	3	-	3	5	5	18	93
-	74	150	24	7	56	5	14	18	13	6	11	22	23	9	55	94
-	3	22	1	-	5	-	1	-	1	1	-	-	4	2	7	95

[e] Classified as urban under a special rule in the 1940 census.

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	VIRGINIA[7]—Continued															
1	Prince Edward	149	-	-	-	-	-	1	-	-	2	-	-	10	-	4
2	Prince George	113	-	-	-	1	-	7	-	-	-	-	-	11	-	1
3	Prince William	150	-	-	-	1	-	6	-	-	-	-	-	7	-	2
4	Princess Anne	339	-	2	-	4	-	37	-	-	3	-	2	26	1	6
5	Pulaski	211	-	-	-	-	-	8	-	-	-	-	-	20	-	5
6	Rappahannock	62	1	-	-	-	-	4	-	-	-	-	-	6	-	1
7	Richmond	58	-	-	-	-	1	-	-	-	-	-	-	4	-	2
8	Roanoke	444	-	-	-	-	-	19	-	-	19	-	-	58	-	5
9	Rockbridge	231	-	-	-	-	-	11	-	-	2	-	-	28	2	8
10	Rockingham	301	-	1	-	-	-	8	-	-	2	-	-	33	-	4
11	Russell	215	-	-	-	-	-	5	1	-	1	-	-	18	1	3
12	Scott	200	-	1	-	1	-	12	-	-	-	-	-	19	-	6
13	Shenandoah	252	-	-	-	-	-	13	-	-	-	-	-	32	-	6
14	Smyth	309	-	-	-	-	1	9	-	-	4	1	2	25	1	7
15	Southampton	241	-	-	-	2	1	7	-	-	2	-	-	24	2	2
16	Spotsylvania	83	-	-	-	-	-	2	-	-	-	-	-	8	-	1
17	Stafford	106	-	1	-	-	-	3	1	-	-	-	-	14	-	2
18	Surry	62	-	-	-	-	-	5	-	-	-	-	-	9	-	1
19	Sussex	132	-	-	-	-	1	15	1	-	2	-	-	7	-	4
20	Tazewell	411	-	1	-	3	2	10	-	-	4	-	1	40	-	10
21	Warren	112	-	-	-	-	-	6	-	-	1	-	-	10	-	1
22	Warwick	144	-	-	-	-	-	3	-	-	-	-	-	12	-	4
23	Washington	300	1	1	-	-	-	12	-	-	2	-	-	31	-	7
24	Westmoreland	104	-	-	-	-	-	3	-	-	-	-	-	6	-	-
25	Wise	453	-	-	-	1	-	19	-	-	2	-	-	52	1	2
26	Wythe	222	-	-	-	1	-	3	-	-	2	1	-	19	-	6
27	York	75	-	-	-	-	-	2	-	-	-	-	-	9	-	1
	Independent Cities[9]															
28	Alexandria	450	1	-	-	-	-	20	-	-	2	-	2	72	-	14
29	Bristol[10]	148	-	-	-	-	-	5	-	-	-	-	-	17	-	6
30	Buena Vista	29	-	-	-	1	-	-	-	-	-	-	-	1	-	1
31	Charlottesville	215	-	2	-	-	-	9	-	-	1	-	-	32	-	8
32	Clifton Forge	72	-	-	-	-	-	2	-	-	1	1	-	13	1	2
33	Danville	370	-	-	-	-	1	8	-	-	2	2	-	37	-	8
34	Fredericksburg	98	-	-	-	-	-	3	-	-	-	-	-	14	-	1
35	Hampton	113	-	-	-	-	-	1	-	-	1	-	-	13	-	3
36	Harrisonburg	89	-	-	-	-	-	5	-	-	1	-	-	21	-	-
37	Hopewell	80	-	-	-	-	-	1	-	-	-	-	-	10	-	6
38	Lynchburg	493	-	-	-	-	-	19	2	-	3	-	2	67	-	9
39	Martinsville	122	-	-	-	1	-	3	-	-	1	-	-	10	-	1
40	Newport News	506	-	2	-	-	-	24	-	-	7	1	-	61	1	16
41	Norfolk	1,898	-	2	-	2	-	81	-	-	28	-	1	198	3	40
42	Petersburg	401	-	1	-	-	-	15	-	-	3	-	-	40	-	10
43	Portsmouth	668	1	-	-	-	1	39	-	-	12	-	3	65	-	17
44	Radford	65	-	-	-	-	-	3	-	-	-	-	-	5	-	3
45	Richmond	2,604	1	1	-	-	1	88	-	-	19	-	-	345	5	61
46	Roanoke	773	-	-	-	1	-	15	-	-	4	-	1	87	1	19
47	South Norfolk	60	-	-	-	1	-	2	-	-	-	-	-	7	-	2
48	Staunton	438	-	-	-	-	-	25	-	-	13	1	-	36	1	2
49	Suffolk	152	-	-	-	-	-	12	-	-	1	-	-	21	1	7
50	Williamsburg	212	-	-	-	-	-	11	-	-	6	-	-	15	-	1
51	Winchester	166	-	-	-	-	-	4	-	-	2	-	-	16	-	5
52	WASHINGTON	22,211	1	4	-	4	9	598	5	2	132	11	42	3,042	10	488
53	Adams	55	-	-	-	-	-	-	-	-	-	-	-	2	-	4
54	Asotin	106	-	-	-	-	-	1	-	-	-	-	-	12	-	1
55	Benton	192	-	-	-	-	-	-	-	-	-	-	1	19	-	4
56	Chelan	339	-	-	-	-	-	4	1	-	2	-	1	50	-	11
57	Wenatchee	157	-	-	-	-	-	1	-	-	2	-	-	30	-	6
58	Balance of county	182	-	-	-	-	-	3	1	-	-	-	1	20	-	5
59	Clallam	254	-	-	-	-	-	3	-	-	-	-	-	25	-	4
60	Clark	699	-	-	-	-	-	37	-	-	3	-	1	95	-	19
61	Vancouver	420	-	-	-	-	-	26	-	-	3	-	1	64	-	14
62	Balance of county	279	-	-	-	-	-	11	-	-	-	-	-	31	-	5
63	Columbia	67	-	-	-	-	-	-	-	-	-	-	1	9	-	2
64	Cowlitz	394	-	1	-	-	-	5	-	-	4	-	1	39	-	15
65	Longview	175	-	-	-	-	-	3	-	-	3	-	1	24	-	7
66	Balance of county	219	-	1	-	-	-	2	-	-	1	-	-	15	-	8
67	Douglas	59	-	-	-	-	-	-	-	-	-	-	-	2	1	4
68	Ferry	50	-	-	-	-	-	5	-	-	1	-	-	4	-	-
69	Franklin	102	-	-	-	-	-	2	-	-	-	-	-	13	-	1
70	Garfield	34	-	-	-	-	-	-	-	-	-	-	-	4	1	2
71	Grant	109	-	-	-	1	-	2	-	-	-	-	-	14	1	-
72	Grays Harbor	654	-	-	-	-	2	22	-	-	6	-	1	76	-	15
73	Aberdeen	359	-	-	-	-	2	8	-	-	6	-	1	46	-	12
74	Hoquiam	93	-	-	-	-	-	2	-	-	-	-	-	10	-	1
75	Balance of county	202	-	-	-	-	-	12	-	-	-	-	-	20	-	2
76	Island	91	-	-	-	-	-	2	-	-	-	-	-	15	-	1
77	Jefferson	88	-	-	-	-	-	2	-	-	-	-	-	8	-	-
78	King	6,908	-	3	-	3	5	210	-	1	31	2	14	1,056	1	123
79	Seattle	5,334	-	2	-	1	4	113	-	1	26	1	12	863	1	98
80	Balance of county	1,574	-	1	-	2	1	97	-	-	5	1	2	193	-	25
81	Kitsap	594	-	-	-	-	-	6	-	-	3	1	-	92	-	12
82	Bremerton	297	-	-	-	-	-	3	-	-	2	1	-	45	-	7
83	Balance of county	297	-	-	-	-	-	3	-	-	1	-	-	47	-	5
84	Kittitas	190	-	-	-	-	-	-	-	-	1	-	-	29	-	5
85	Klickitat	104	-	-	-	-	-	-	-	-	1	2	-	12	-	2
86	Lewis	528	-	-	-	-	-	13	-	-	1	-	3	67	2	14
87	Lincoln	87	-	-	-	-	-	-	-	-	-	-	-	11	-	2
88	Mason	123	-	-	-	-	-	-	-	-	1	1	-	17	-	4
89	Okanogan	239	-	-	-	-	-	6	-	-	1	-	-	35	-	6
90	Pacific	196	-	-	-	-	-	2	-	-	-	-	-	27	-	3

[7] See footnote on p. 602.

[9] Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville,

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169. 171-195	Senility, ill-defined and unknown causes 162, 199.200	All other causes	
-	23	36	10	1	11	1	1	2	3	1	1	3	8	9	22	1
-	8	31	3	2	8	1	4	4	5	3	1	5	7	1	10	2
-	19	33	8	-	2	4	4	13	6	1	3	10	6	3	22	3
-	43	106	16	1	23	1	4	9	2	7	-	13	16	1	16	4
-	13	60	7	4	24	-	6	11	6	3	2	5	18	2	17	5
-	11	14	1	-	4	-	-	3	2	-	-	3	5	2	5	6
-	6	26	3	1	1	-	1	1	1	-	-	1	6	1	3	7
-	43	127	14	1	29	-	5	10	11	6	4	12	14	3	64	8
-	18	67	9	-	21	-	3	2	2	2	1	7	13	2	33	9
-	39	93	11	-	25	-	5	12	5	1	-	9	12	5	36	10
-	17	60	8	4	8	1	2	9	6	1	2	9	16	19	24	11
-	23	54	8	1	6	1	5	5	1	1	2	8	9	13	24	12
-	30	77	10	-	30	1	3	5	1	6	-	4	7	7	20	13
-	24	99	34	2	17	1	7	9	6	4	1	10	13	5	27	14
1	28	72	11	1	17	2	3	7	3	-	1	15	8	7	25	15
2	13	26	5	1	9	-	1	-	-	1	-	6	4	-	4	16
-	16	26	5	-	9	-	2	1	4	2	1	6	6	1	6	17
-	8	20	3	-	2	3	-	-	3	1	-	-	1	1	5	18
-	24	41	2	3	5	-	-	5	1	1	1	3	6	2	8	19
-	27	80	26	9	30	2	6	34	15	5	3	10	31	22	40	20
-	11	26	7	1	7	-	5	6	-	1	-	3	6	-	21	21
-	17	39	7	-	5	1	3	12	1	2	1	4	13	3	17	22
2	33	78	12	6	33	1	5	10	8	3	1	6	12	6	30	23
-	9	31	6	1	12	1	2	2	1	1	-	1	6	8	14	24
1	36	102	27	11	35	1	8	28	11	5	4	13	39	16	39	25
-	25	53	17	3	22	1	4	6	11	4	3	3	9	6	25	26
-	6	25	2	-	7	-	-	3	3	-	1	4	3	-	9	27
-	24	124	16	3	17	-	9	18	6	8	10	11	28	5	62	28
1	18	40	5	2	14	-	1	3	5	-	1	3	7	3	17	29
-	3	11	3	-	4	-	-	-	-	-	-	-	-	-	5	30
-	19	76	6	-	4	-	4	9	4	4	1	6	4	1	25	31
-	7	23	2	-	6	-	1	2	-	1	-	-	1	1	8	32
-	48	94	20	3	42	3	4	16	11	2	4	7	17	5	36	33
-	11	26	1	-	4	1	3	3	4	1	1	2	5	1	17	34
-	14	29	4	-	16	-	1	5	4	2	-	2	7	-	11	35
-	7	18	3	-	11	-	-	4	1	2	-	1	2	-	13	36
-	8	18	5	1	7	-	3	2	1	1	-	2	6	-	9	37
-	62	148	12	1	32	-	8	20	11	4	5	5	23	7	53	38
-	9	27	7	-	12	2	3	7	3	-	1	7	5	4	19	39
-	53	121	22	4	28	5	5	33	12	2	8	10	25	13	53	40
4	216	557	81	8	101	8	26	69	30	28	29	36	113	9	228	41
-	38	124	28	2	29	-	6	15	8	8	7	8	14	1	44	42
-	86	168	32	2	51	1	11	37	29	7	15	9	33	1	68	43
-	8	31	-	-	5	-	-	6	3	3	-	3	4	2	9	44
-	256	828	86	5	204	4	29	92	35	30	37	35	97	29	316	45
1	88	199	38	2	65	2	19	31	14	6	4	16	28	18	114	46
-	8	17	4	-	7	-	1	3	-	-	1	1	4	-	2	47
-	38	184	28	1	12	-	2	2	3	3	-	6	36	1	46	48
-	10	39	4	-	9	1	2	4	5	1	4	3	8	1	19	49
-	16	72	15	1	3	-	-	-	2	1	-	3	14	5	47	50
-	14	53	3	-	22	-	1	3	2	3	-	1	10	1	28	51
2	2,131	7,310	862	49	953	29	291	593	359	327	68	557	1,272	511	2,549	52
-	6	12	3	-	6	-	3	1	1	2	-	1	6	-	8	53
-	11	37	8	-	4	1	1	2	2	1	-	2	4	4	17	54
-	15	68	4	-	1	-	7	13	7	2	-	11	18	5	17	55
-	23	105	10	-	6	-	6	15	12	1	-	18	18	4	52	56
-	15	50	3	-	2	-	3	8	4	-	-	4	3	2	24	57
-	8	55	7	-	4	-	3	7	8	1	-	14	15	2	28	58
-	26	94	8	-	16	-	4	6	4	7	2	10	18	4	23	59
-	54	208	28	2	37	-	8	21	18	12	1	18	37	32	66	60
-	31	121	19	2	18	-	6	13	11	5	-	9	18	13	46	61
-	23	88	10	-	19	-	2	8	7	7	1	9	19	19	20	62
-	6	24	4	-	1	-	-	3	3	3	-	1	2	3	5	63
-	39	125	4	2	21	-	9	8	7	2	4	22	28	14	43	64
-	20	47	2	1	10	-	3	-	4	1	3	5	11	4	26	65
-	19	78	2	1	11	-	6	8	3	1	1	17	18	10	17	66
-	8	17	2	-	4	1	-	3	2	1	-	3	6	1	4	67
-	3	18	1	-	2	-	1	1	1	1	1	2	5	2	4	68
-	4	32	6	-	3	-	1	8	4	-	3	5	5	3	12	69
-	3	8	1	-	2	-	-	2	1	-	-	1	2	-	7	70
-	7	28	2	1	3	-	3	4	2	2	-	11	9	5	14	71
1	57	189	23	2	22	1	9	17	10	8	-	20	68	31	74	72
-	33	102	11	1	18	1	4	6	1	5	-	11	32	13	46	73
-	9	28	2	1	2	-	3	3	1	3	-	-	6	8	14	74
1	15	59	10	-	2	-	2	8	8	-	-	9	30	10	14	75
-	6	38	1	-	1	-	3	1	1	-	-	1	7	6	8	76
-	5	38	7	-	3	-	1	5	2	2	-	3	8	-	4	77
-	643	2,335	275	14	251	6	87	179	114	117	24	147	341	59	867	78
-	471	1,794	217	10	195	6	62	135	90	92	18	107	250	36	729	79
-	172	541	58	4	56	-	25	44	24	25	6	40	91	23	138	80
-	76	157	16	1	33	2	11	19	12	18	3	14	37	18	63	81
-	36	86	7	1	15	2	7	13	2	7	-	10	17	4	32	82
-	40	71	9	-	18	-	4	6	10	11	3	4	20	14	31	83
-	21	52	5	2	9	-	2	5	3	5	1	6	13	4	27	84
-	15	28	5	1	2	-	-	3	1	-	-	1	13	12	6	85
-	65	185	17	1	16	1	4	10	9	7	1	15	28	11	58	86
-	8	34	3	-	4	1	1	4	5	-	-	1	3	2	8	87
-	16	40	1	-	4	1	1	1	1	-	-	4	10	6	15	88
-	23	56	11	4	5	-	6	9	4	3	3	8	19	15	25	89
-	24	62	10	-	14	-	5	3	2	2	2	2	20	5	13	90

Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[10]Includes data for Bristol, Va., only.

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	WASHINGTON—Continued															
1	Pend Oreille	68	-	-	-	-	-	3	-	-	1	-	-	8	-	2
2	Pierce	2,690	-	-	-	-	1	86	1	-	39	3	2	353	1	64
3	Tacoma	1,709	-	-	-	-	1	36	-	-	12	2	-	268	1	48
4	Balance of county	981	-	-	-	-	-	50	1	-	27	1	2	85	-	16
5	San Juan	27	-	-	-	-	-	-	-	-	-	1	1	3	-	1
6	Skagit	586	-	-	-	-	-	40	-	-	6	-	-	48	-	17
7	Skamania	45	-	-	-	-	-	1	-	-	-	-	-	5	-	-
8	Snohomish	1,160	-	-	-	-	-	17	2	-	3	-	8	157	-	26
9	Everett	525	-	-	-	-	-	5	-	-	-	-	2	74	-	14
10	Balance of county	635	-	-	-	-	-	12	2	-	3	-	6	83	-	12
11	Spokane	2,338	-	-	-	-	-	64	-	-	16	-	5	343	1	53
12	Spokane	1,680	-	-	-	-	-	20	-	-	7	-	5	280	-	38
13	Balance of county	658	-	-	-	-	-	44	-	-	9	-	-	63	1	15
14	Stevens	218	1	-	-	-	-	2	-	-	1	-	-	31	-	6
15	Thurston	360	-	-	-	-	-	6	-	-	5	-	-	56	-	10
16	Olympia	209	-	-	-	-	-	3	-	-	4	-	-	37	-	7
17	Balance of county	151	-	-	-	-	-	3	-	-	1	-	-	19	-	3
18	Wahkiakum	29	-	-	-	-	-	1	-	-	-	-	-	1	-	1
19	Walla Walla	382	-	-	-	-	-	23	-	-	-	-	1	41	-	11
20	Walla Walla	297	-	-	-	-	-	22	-	-	-	-	1	33	-	8
21	Balance of county	85	-	-	-	-	-	1	-	-	-	-	-	8	-	3
22	Whatcom	729	-	-	-	-	-	10	1	-	1	-	1	102	1	20
23	Bellingham	421	-	-	-	-	-	4	-	-	1	-	1	59	-	12
24	Balance of county	308	-	-	-	-	-	6	1	-	-	-	-	43	1	8
25	Whitman	277	-	-	-	-	-	2	-	-	-	-	-	24	-	7
26	Yakima	1,040	-	-	-	-	1	21	-	1	5	1	1	137	1	16
27	Yakima	469	-	-	-	-	-	3	-	1	1	1	-	55	-	6
28	Balance of county	571	-	-	-	-	1	18	-	-	4	-	1	82	1	10
29	WEST VIRGINIA	17,600	5	27	3	36	20	622	15	1	165	31	14	1,875	23	375
30	Barbour	184	-	-	-	1	-	2	1	-	-	-	-	27	-	3
31	Berkeley	336	-	-	-	1	-	23	1	-	1	-	-	32	1	16
32	Martinsburg	190	-	-	-	-	-	7	-	-	1	-	-	20	-	7
33	Balance of county	146	-	-	-	1	-	16	1	-	-	-	-	12	1	9
34	Boone	208	-	2	-	-	-	5	-	-	3	-	2	17	-	5
35	Braxton	148	-	-	-	-	-	5	-	-	-	-	-	16	-	2
36	Brooke	207	-	-	-	-	-	1	-	-	1	-	-	25	-	8
37	Cabell	1,098	-	-	-	-	6	34	1	-	15	1	-	103	1	19
38	Huntington (part)	920	-	-	-	-	3	32	1	-	14	1	-	86	1	15
39	Huntington (total)	953	-	-	-	1	3	33	1	-	15	1	-	92	1	15
40	Balance of county	178	-	-	-	-	3	2	-	-	1	-	-	17	-	4
41	Calhoun	91	-	-	-	-	-	-	-	-	-	1	-	12	-	2
42	Clay	114	-	1	-	1	-	3	-	-	1	-	1	10	-	1
43	Doddridge	85	-	-	-	-	-	1	-	-	-	1	-	6	-	2
44	Fayette	598	-	-	-	4	-	20	-	-	8	2	-	62	3	15
45	Gilmer	81	-	-	-	-	-	4	-	-	2	-	-	13	-	3
46	Grant	75	-	-	-	1	-	3	1	-	1	-	-	10	-	1
47	Greenbrier	312	-	-	-	-	-	10	-	-	2	-	-	40	-	5
48	Hampshire	109	-	-	-	-	1	4	-	-	-	-	-	8	-	1
49	Hancock	250	-	-	-	-	-	8	-	-	2	-	-	24	-	7
50	Hardy	86	-	-	-	-	-	3	-	-	1	-	-	6	1	2
51	Harrison	772	-	1	-	1	-	17	1	1	2	2	1	101	-	10
52	Clarksburg	327	-	-	-	1	-	5	1	1	-	2	-	48	-	4
53	Balance of county	445	-	1	-	-	-	12	-	-	2	-	1	53	-	6
54	Jackson	136	-	-	-	1	-	3	-	-	-	-	-	18	-	3
55	Jefferson	176	-	-	-	-	-	4	-	-	3	-	-	22	-	3
56	Kanawha	1,698	2	1	-	5	4	62	1	-	10	2	2	201	2	34
57	Charleston	683	1	-	-	-	1	26	-	-	3	1	-	93	-	16
58	South Charleston	82	-	-	-	-	-	2	-	-	2	-	1	14	-	2
59	Balance of county	933	1	1	-	5	3	34	1	-	5	1	1	94	2	16
60	Lewis	454	-	-	-	-	-	71	-	-	23	-	1	34	1	7
61	Lincoln	184	-	-	-	1	1	9	1	-	-	1	-	10	-	7
62	Logan	608	-	2	-	2	5	30	1	-	6	1	2	47	1	6
63	McDowell	834	-	7	1	3	-	42	-	-	8	-	-	62	2	15
64	Marion	652	-	1	-	1	-	10	-	-	3	1	1	80	-	16
65	Fairmont	279	-	-	-	-	-	3	-	-	1	-	-	30	-	8
66	Balance of county	373	-	1	-	1	-	7	-	-	2	1	1	50	-	8
67	Marshall	379	-	-	-	1	-	12	-	-	5	1	-	47	1	12
68	Moundsville	172	-	-	-	1	-	5	-	-	5	1	-	22	1	7
69	Balance of county	207	-	-	-	-	-	7	-	-	-	-	-	25	-	5
70	Mason	241	-	-	-	-	-	6	-	-	12	1	-	28	-	3
71	Mercer	620	-	2	-	1	-	20	1	-	4	-	1	55	-	10
72	Bluefield[11]	224	-	-	-	1	-	11	-	-	4	-	1	23	-	3
73	Balance of county	396	-	2	-	-	-	9	1	-	-	-	-	32	-	7
74	Mineral	252	-	-	-	-	-	5	-	-	-	-	-	27	-	10
75	Mingo	369	1	1	-	-	-	19	2	-	2	-	-	28	1	4
76	Monongalia	487	-	-	-	-	-	9	1	-	3	-	1	49	-	14
77	Morgantown	198	-	-	-	-	-	2	-	-	1	-	-	31	-	5
78	Balance of county	289	-	-	-	-	-	7	1	-	2	-	1	18	-	9
79	Monroe	159	-	-	1	-	-	3	-	-	2	1	-	19	-	5
80	Morgan	99	-	1	-	-	-	2	-	-	-	1	-	6	2	5
81	Nicholas	209	-	-	-	-	-	6	1	-	-	-	-	15	-	3
82	Ohio	843	-	1	-	-	-	20	-	-	6	-	-	131	-	27
83	Wheeling	718	-	1	-	-	-	16	-	-	5	-	-	115	-	25
84	Balance of county	125	-	-	-	-	-	4	-	-	1	-	-	16	-	2
85	Pendleton	100	-	1	-	-	-	5	1	-	-	-	-	5	-	1
86	Pleasants	57	-	-	-	-	-	1	-	-	-	-	-	5	-	1
87	Pocahontas	138	1	1	-	-	-	18	-	-	-	1	-	11	-	2
88	Preston	295	-	-	-	1	-	9	-	-	-	-	-	33	-	5
89	Putnam	171	-	-	-	-	-	3	-	-	1	-	-	13	-	4
90	Raleigh	754	-	1	1	2	-	41	1	-	10	5	-	75	-	14
91	Beckley	199	-	1	1	-	-	5	1	-	4	1	-	28	-	5
92	Balance of county	555	-	-	-	2	-	36	-	-	6	4	-	47	-	9

[11] Includes data for Bluefield, W. Va., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 113,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	12	22	-	-	1	-	1	2	1	2	-	1	5	1	6	1
-	200	906	134	4	95	3	33	59	29	44	3	51	148	109	322	2
-	110	576	34	1	67	2	21	45	22	32	2	34	95	97	203	3
-	90	330	100	3	28	1	12	14	7	12	1	17	53	12	119	4
-	2	11	-	-	1	-	-	-	-	-	-	-	5	2	-	5
-	66	155	35	-	22	-	5	17	7	6	1	13	39	23	86	6
-	1	20	1	-	1	-	1	-	-	2	-	3	3	4	3	7
-	173	337	42	-	58	2	17	43	18	17	4	31	67	27	111	8
-	90	159	16	-	28	1	7	22	5	9	2	13	16	12	50	9
-	63	178	26	-	30	1	10	21	13	8	2	18	51	15	61	10
1	197	862	98	4	148	7	19	51	29	25	3	52	108	9	243	11
1	156	596	64	3	109	3	14	41	19	18	2	34	77	9	184	12
-	41	266	34	1	39	4	5	10	10	7	1	18	31	-	59	13
-	28	67	5	1	16	-	3	7	6	6	1	5	9	6	17	14
-	35	117	6	-	21	-	4	8	5	6	3	10	24	16	28	15
-	22	72	4	-	10	-	2	5	4	2	-	2	13	7	15	16
-	13	45	2	-	11	-	2	3	1	4	3	8	11	9	13	17
-	5	4	2	1	3	-	-	-	1	1	-	-	3	2	4	18
-	37	118	11	1	28	-	4	10	-	4	3	11	21	16	41	19
-	32	91	9	-	23	-	2	7	-	3	2	10	14	9	31	20
-	5	28	2	1	5	-	2	3	-	1	1	1	7	7	10	21
-	97	249	15	2	21	2	8	9	10	7	-	4	38	29	102	22
-	57	146	7	-	11	2	5	4	9	4	-	3	15	21	60	23
-	40	103	8	2	10	-	3	5	1	3	-	1	23	8	42	24
-	29	95	7	-	11	-	9	3	10	4	-	4	26	8	38	25
-	85	357	52	6	57	1	14	41	15	7	5	45	50	13	108	26
-	46	190	18	2	24	-	8	19	7	2	2	16	16	2	52	27
-	39	167	36	4	33	1	6	22	8	5	3	29	34	11	56	28
-	1,665	4,716	856	179	930	60	323	668	384	194	151	456	1,253	675	1,878	29
-	20	42	13	-	3	1	2	7	4	-	1	2	17	16	22	30
-	31	94	19	2	25	2	5	8	6	2	3	8	21	4	31	31
-	19	55	7	-	18	1	3	8	2	1	2	3	12	2	22	32
-	12	39	12	2	7	1	2	-	4	1	1	5	9	2	9	33
-	14	34	11	5	9	-	7	14	8	4	1	8	29	16	14	34
-	23	23	11	1	10	-	8	9	1	2	-	1	9	11	19	35
-	15	65	14	2	7	-	3	7	5	2	1	7	19	1	24	36
-	120	321	51	4	48	7	21	43	35	11	6	29	66	18	138	37
-	108	264	42	2	36	4	20	33	27	10	5	21	54	15	126	38
-	109	275	44	2	37	4	20	33	28	10	5	22	54	16	132	39
-	12	57	9	2	12	3	1	10	8	1	1	8	12	3	12	40
-	11	20	1	1	4	1	1	3	2	-	-	3	4	19	6	41
-	5	29	4	-	5	1	3	7	5	-	2	5	9	10	11	42
-	8	30	-	-	3	2	-	2	-	1	-	4	10	7	8	43
-	43	153	30	9	28	-	14	31	12	6	12	14	56	23	53	44
-	11	16	2	1	5	-	-	1	-	1	-	-	4	7	11	45
-	9	16	3	1	1	-	3	1	2	-	-	2	6	5	9	46
-	23	97	13	1	28	1	4	5	5	3	2	11	25	9	28	47
-	16	35	4	1	8	-	3	3	1	-	-	5	8	-	11	48
-	21	95	8	2	7	1	7	3	4	5	1	5	17	4	28	49
-	13	17	5	-	5	-	2	6	2	2	1	4	6	7	3	50
-	70	252	40	5	42	4	8	22	12	7	4	20	44	18	87	51
-	33	102	13	3	16	1	2	10	4	2	1	6	18	9	45	52
-	37	150	27	2	26	3	6	12	8	5	3	14	26	9	42	53
-	17	34	7	2	9	-	1	3	4	1	1	2	5	5	20	54
-	14	46	12	-	20	-	1	8	2	2	1	8	16	-	14	55
-	125	402	60	38	57	5	40	72	35	22	18	54	111	123	190	56
-	47	178	28	7	31	2	11	20	8	7	8	22	42	52	79	57
-	6	21	5	3	3	-	2	4	2	1	-	2	4	1	7	58
-	72	203	47	28	23	3	27	48	25	14	10	30	65	70	104	59
-	43	140	21	2	12	1	4	5	3	5	2	3	7	6	63	60
-	5	49	24	3	8	1	3	13	3	-	1	7	15	11	11	61
-	45	84	37	19	20	5	16	29	23	4	18	19	86	39	61	62
-	71	202	34	13	43	4	22	47	27	11	22	31	86	24	57	63
-	79	183	22	2	46	-	10	20	15	10	5	14	35	13	85	64
-	35	82	8	1	17	-	4	11	6	5	3	6	12	7	40	65
-	44	101	14	1	29	-	6	9	9	5	2	8	23	6	45	66
-	34	114	16	2	26	1	7	5	4	3	-	6	30	11	41	67
-	11	50	7	1	11	-	3	1	2	1	-	1	15	4	23	68
-	23	64	9	1	15	1	4	4	2	2	-	5	15	7	18	69
-	21	71	12	2	17	1	4	4	3	3	-	5	15	7	26	70
-	74	170	23	5	31	1	14	29	16	14	9	16	40	12	72	71
-	25	60	5	1	10	-	2	7	7	5	2	5	16	2	34	72
-	49	110	18	4	21	1	12	22	9	9	7	11	24	10	38	73
-	21	89	10	3	22	-	4	11	4	3	1	5	9	3	26	74
-	31	80	35	8	19	5	15	16	9	2	6	9	36	18	42	75
-	50	146	24	1	21	-	9	9	14	10	3	9	48	15	51	76
-	22	54	12	-	7	-	4	3	4	-	-	5	14	3	31	77
-	28	92	12	1	14	-	5	6	10	10	3	4	34	12	20	78
-	19	54	9	1	13	2	5	1	2	1	-	-	7	6	8	79
-	11	29	6	-	6	-	-	5	2	1	-	1	5	1	5	80
-	11	55	6	4	14	1	5	11	5	1	2	6	15	17	31	81
-	86	266	24	4	70	2	5	25	15	6	4	17	24	6	104	82
-	74	220	22	4	62	2	3	21	12	5	3	16	21	5	86	83
-	12	46	2	-	8	-	2	4	3	1	1	1	3	1	18	84
-	7	34	4	-	3	-	1	5	1	1	1	2	8	4	16	85
-	8	19	2	1	4	-	1	3	-	-	-	1	3	-	8	86
-	18	29	5	3	12	-	2	4	2	-	1	4	11	4	9	87
-	19	74	9	-	24	1	4	17	7	1	1	6	31	21	32	88
-	20	43	11	2	10	3	3	7	7	-	1	7	11	12	13	89
-	55	171	38	7	50	3	14	48	21	11	8	26	68	11	75	90
-	11	56	12	2	10	1	3	11	5	2	2	10	10	1	17	91
-	44	115	26	5	40	2	11	37	16	9	6	16	58	10	56	92

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	WEST VIRGINIA--Con.															
1	Randolph	251	-	-	-	-	-	6	-	-	1	-	-	27	4	9
2	Ritchie	142	-	1	-	-	-	3	-	-	-	-	-	12	-	2
3	Roane	223	-	-	-	-	-	8	-	-	10	-	1	18	-	9
4	Summers	162	-	-	-	1	-	2	-	-	1	3	-	18	-	5
5	Taylor	204	1	-	-	1	1	6	-	-	1	-	-	22	-	3
6	Tucker	112	-	1	-	-	-	2	-	-	-	-	-	15	-	-
7	Tyler	123	-	-	-	1	-	1	-	-	2	-	-	18	1	6
8	Upshur	181	-	1	-	1	-	2	-	-	1	-	-	25	-	1
9	Wayne	281	-	-	-	2	2	13	-	-	1	3	-	36	-	3
10	Huntington (part)	33	-	-	-	1	-	1	-	-	1	-	-	6	-	-
11	Balance of county	248	-	-	-	1	2	12	-	-	-	3	-	30	-	3
12	Webster	125	-	-	-	1	-	4	-	-	2	-	1	10	-	-
13	Wetzel	210	-	1	-	1	-	2	-	-	1	1	-	24	-	7
14	Wirt	60	-	-	-	-	-	2	-	-	-	-	-	11	-	-
15	Wood	665	-	-	-	1	-	9	-	-	6	1	-	92	1	14
16	Parkersburg	399	-	-	-	-	-	6	-	-	5	-	-	58	1	8
17	Balance of county	266	-	-	-	1	-	3	-	-	1	1	-	34	-	6
18	Wyoming	192	-	-	-	-	-	9	-	-	2	1	-	14	1	3
19	WISCONSIN	32,564	-	13	-	14	4	474	4	2	146	16	92	5,001	17	1,064
20	Adams	90	-	-	-	-	-	3	-	-	-	-	-	9	-	1
21	Ashland	242	-	-	-	-	-	1	-	-	1	-	-	35	-	6
22	Ashland	139	-	-	-	-	-	-	-	-	-	-	-	22	-	4
23	Balance of county	103	-	-	-	-	-	1	-	-	1	-	-	13	-	2
24	Barron	374	-	-	-	-	-	5	1	-	-	-	1	50	-	12
25	Bayfield	165	-	-	-	-	-	2	-	-	-	1	-	25	-	5
26	Brown	809	-	1	-	-	-	3	-	-	4	-	1	125	-	22
27	Green Bay	469	-	1	-	-	-	1	-	-	2	-	-	79	-	12
28	Balance of county	340	-	-	-	-	-	2	-	-	2	-	1	46	-	10
29	Buffalo	124	-	1	-	-	-	3	-	-	-	-	-	17	-	4
30	Burnett	100	-	-	-	-	-	1	-	-	1	-	2	10	-	3
31	Calumet	170	-	-	-	-	-	2	1	-	-	-	-	27	-	9
32	Chippewa	405	-	1	-	1	-	2	-	-	1	-	-	50	1	11
33	Chippewa Falls	123	-	-	-	-	-	2	-	-	-	-	-	14	-	6
34	Balance of county	282	-	1	-	1	-	-	-	-	1	-	-	36	1	5
35	Clark	295	-	-	-	1	-	-	-	-	-	-	-	46	-	9
36	Columbia	410	-	-	-	1	-	4	-	-	1	-	-	65	-	11
37	Crawford	190	-	-	-	-	-	1	-	-	-	-	1	25	-	7
38	Dane	1,391	-	-	-	-	-	18	-	-	9	-	2	201	-	40
39	Madison	721	-	-	-	-	-	15	-	-	3	-	1	107	-	22
40	Balance of county	670	-	-	-	-	-	3	-	-	6	-	1	94	-	18
41	Dodge	527	-	-	-	-	-	6	-	1	-	-	1	88	2	11
42	Beaver Dam	130	-	-	-	-	-	2	-	-	-	-	-	17	-	1
43	Watertown (part)	38	-	-	-	-	-	-	-	-	-	-	1	4	-	2
44	Balance of county	361	-	-	-	-	-	4	-	1	-	-	-	67	2	8
45	Door	188	-	-	-	-	-	2	-	-	-	-	1	28	-	6
46	Douglas	569	-	-	-	-	-	37	-	-	4	1	-	79	-	11
47	Superior	419	-	-	-	-	-	13	-	-	4	1	-	65	-	9
48	Balance of county	150	-	-	-	-	-	24	-	-	-	-	-	14	-	2
49	Dunn	252	-	-	-	-	-	2	-	-	-	1	-	40	-	5
50	Eau Claire	457	-	-	-	-	-	9	-	-	3	-	-	77	-	17
51	Eau Claire	310	-	-	-	-	-	4	-	-	2	-	-	55	-	9
52	Balance of county	147	-	-	-	-	-	5	-	-	1	-	-	22	-	8
53	Florence	48	-	-	-	-	-	-	-	-	-	-	-	11	-	-
54	Fond du Lac	735	-	-	-	-	-	9	-	-	1	-	-	133	-	24
55	Fond du Lac	340	-	-	-	-	-	3	-	-	1	-	-	65	-	11
56	Balance of county	395	-	-	-	-	-	6	-	-	-	-	-	68	-	13
57	Forest	106	-	-	-	-	-	1	-	-	-	2	-	7	-	3
58	Grant	493	-	1	-	-	-	3	-	-	1	1	-	58	-	19
59	Green	283	-	-	-	-	-	2	-	-	1	-	1	51	-	10
60	Green Lake	181	-	-	-	-	-	1	-	-	-	-	-	25	-	8
61	Iowa	221	-	-	-	-	-	2	-	-	2	-	-	33	1	6
62	Iron	92	-	-	-	-	1	3	-	-	-	-	-	14	-	1
63	Jackson	169	-	-	-	-	-	1	-	-	-	-	-	14	-	2
64	Jefferson	477	-	-	-	-	-	4	-	-	2	-	2	75	-	18
65	Watertown (part)	106	-	-	-	-	-	2	-	-	-	-	-	13	-	6
66	Watertown (total)	142	-	-	-	-	-	2	-	-	-	-	1	17	-	8
67	Balance of county	371	-	-	-	-	-	2	-	-	2	-	2	62	-	12
68	Juneau	183	-	-	-	-	-	-	-	-	-	-	1	14	1	5
69	Kenosha	596	-	-	-	-	-	10	-	-	1	-	1	105	-	26
70	Kenosha	437	-	-	-	-	-	8	-	-	1	-	1	77	-	19
71	Balance of county	159	-	-	-	-	-	2	-	-	-	-	-	28	-	7
72	Kewaunee	164	-	-	-	-	-	2	-	-	-	-	1	18	-	6
73	La Crosse	614	-	1	-	-	-	7	-	-	1	1	-	106	-	19
74	La Crosse	426	-	1	-	-	-	6	-	-	1	-	-	77	-	14
75	Balance of county	188	-	-	-	-	-	1	-	-	-	1	-	29	-	5
76	Lafayette	205	-	-	-	-	-	1	-	-	-	1	-	30	-	4
77	Langlade	202	-	-	-	-	-	-	-	-	1	-	-	30	-	7
78	Lincoln	219	-	-	-	-	-	-	-	-	-	-	-	33	-	6
79	Manitowoc	614	-	-	-	-	-	10	-	-	1	-	2	96	-	26
80	Manitowoc	297	-	-	-	-	-	4	-	-	-	-	1	42	-	13
81	Two Rivers	71	-	-	-	-	-	1	-	-	1	-	-	11	-	7
82	Balance of county	246	-	-	-	-	-	5	-	-	-	-	1	43	-	6
83	Marathon	652	-	-	-	-	-	7	-	-	4	-	-	85	-	22
84	Wausau	296	-	-	-	-	-	2	-	-	4	-	-	45	-	9
85	Balance of county	356	-	-	-	-	-	5	-	-	-	-	-	40	-	13
86	Marinette	387	-	-	-	-	-	-	-	-	3	1	-	49	-	11
87	Marinette	187	-	-	-	-	-	-	-	-	2	-	-	19	-	8
88	Balance of county	200	-	-	-	-	-	-	-	-	1	1	-	30	-	3
89	Marquette	112	-	-	-	-	-	1	-	-	-	-	-	14	-	5
90	Milwaukee	7,947	-	4	-	1	1	177	1	-	46	1	40	1,366	2	307
91	Milwaukee	6,164	-	3	-	1	1	144	1	-	31	1	29	1,073	-	255
92	Wauwatosa	279	-	-	-	-	-	3	-	-	-	-	1	43	1	3
93	West Allis	316	-	-	-	-	-	2	-	-	1	-	2	64	-	15
94	Cudahy	71	-	-	-	-	-	1	-	-	-	-	1	12	-	5

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 156, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	21	83	12	3	7	-	4	13	1	7	3	7	6	12	25	1
-	24	41	2	1	1	-	-	4	5	2	-	3	10	15	16	2
-	26	52	9	3	8	-	10	5	1	2	-	-	17	14	30	3
-	20	45	2	1	8	-	2	11	6	1	-	4	9	4	19	4
-	18	59	13	1	13	-	2	4	5	3	1	3	17	5	25	5
-	8	47	6	1	7	-	-	3	3	1	-	2	7	2	7	6
-	16	41	4	-	2	-	1	2	-	-	-	1	5	-	22	7
-	21	47	12	-	8	-	4	5	2	3	-	7	14	19	18	8
-	25	69	15	2	12	2	1	13	3	2	2	9	15	17	34	9
-	1	11	2	-	1	-	-	-	1	-	-	1	-	1	6	10
-	24	58	13	2	11	2	1	13	2	2	2	8	15	16	28	11
-	10	23	16	1	9	2	3	3	4	-	-	2	14	11	9	12
-	21	46	16	2	23	-	6	1	5	3	1	6	14	3	26	13
-	11	13	3	1	2	-	2	1	-	-	-	2	4	4	4	14
-	87	210	31	2	28	-	8	25	18	9	2	15	31	12	63	15
-	43	124	18	-	12	-	6	17	12	5	1	9	23	5	46	16
-	44	86	13	2	16	-	2	8	6	4	1	6	8	7	17	17
-	20	37	15	4	7	-	2	9	3	3	3	9	18	13	19	18
1	3,222	11,201	967	106	1,480	87	490	784	493	403	29	842	1,547	337	3,728	19
-	11	24	8	-	3	2	-	2	3	2	-	1	8	2	13	20
-	27	79	7	-	13	1	4	8	3	1	-	5	16	4	31	21
-	14	45	4	-	10	1	3	6	3	1	-	1	8	1	16	22
-	13	34	3	-	3	-	1	2	-	-	-	4	8	3	15	23
-	53	131	18	-	11	2	5	16	12	1	-	12	14	7	23	24
-	16	56	8	-	9	-	2	7	4	6	-	4	6	2	12	25
-	91	242	21	5	31	3	22	30	17	4	-	28	51	18	90	26
-	53	140	12	3	18	1	12	17	7	3	-	16	27	12	53	27
-	38	102	9	2	13	2	10	13	10	1	-	12	24	6	37	28
-	14	32	9	-	13	1	1	5	1	1	-	1	10	1	10	29
-	9	43	3	-	2	-	3	-	-	2	-	3	7	3	8	30
-	25	58	2	-	13	-	2	1	1	1	-	3	8	-	19	31
-	44	135	13	4	16	1	25	11	10	2	-	10	24	6	37	32
-	11	41	2	-	7	1	6	5	6	-	-	2	8	2	10	33
-	33	94	11	4	9	-	19	6	4	2	-	8	16	4	27	34
-	38	115	11	-	7	-	-	5	4	3	-	9	11	10	26	35
-	40	140	19	-	11	-	3	10	4	5	-	6	19	16	55	36
-	14	72	6	2	7	-	3	11	5	1	-	1	18	1	15	37
-	128	473	57	4	78	3	22	38	19	23	1	41	68	8	158	38
-	67	224	23	3	39	1	14	27	10	17	1	21	33	5	88	39
-	61	249	34	1	39	2	8	11	9	6	-	20	35	3	70	40
-	48	174	15	3	30	-	9	5	12	11	1	13	24	7	68	41
-	7	42	10	-	11	-	2	1	5	5	1	1	3	2	20	42
-	5	14	-	2	1	-	1	-	-	-	-	3	1	-	2	43
-	36	118	5	1	18	-	6	4	7	6	-	9	20	5	44	44
-	31	54	5	1	7	2	1	4	9	3	1	7	7	1	18	45
-	69	199	19	-	9	3	7	9	4	3	1	15	36	2	61	46
-	49	150	16	-	7	3	7	8	4	2	1	7	27	2	44	47
-	20	49	3	-	2	-	-	1	-	1	-	8	9	-	17	48
-	25	71	14	-	14	2	6	13	4	4	-	8	11	1	31	49
1	40	145	16	2	25	2	5	8	6	8	2	10	21	4	56	50
1	28	100	14	2	8	2	3	8	4	3	2	6	15	4	40	51
-	12	45	2	-	17	-	2	-	2	5	-	4	6	-	16	52
-	6	13	1	-	2	-	2	1	-	-	-	2	3	-	7	53
-	95	223	18	1	51	3	15	16	17	4	-	19	26	7	73	54
-	45	99	8	1	25	-	6	10	8	3	-	9	12	2	32	55
-	50	124	10	-	26	3	9	6	9	1	-	10	14	5	41	56
-	14	36	3	1	3	1	1	13	2	2	-	1	5	3	8	57
-	57	150	15	2	25	-	9	9	11	5	-	11	32	17	67	58
-	30	92	9	-	18	-	7	1	2	5	-	4	11	1	38	59
-	20	67	5	-	8	-	3	5	1	1	-	5	7	4	21	60
-	19	59	10	1	19	-	5	5	3	5	-	8	11	1	31	61
-	8	35	2	1	3	-	2	4	-	4	-	1	6	2	5	62
-	20	73	4	-	1	1	3	2	1	3	-	8	14	12	10	63
-	55	150	14	2	30	-	6	6	5	4	-	13	17	-	74	64
-	17	33	5	2	6	-	2	-	2	-	-	-	3	-	15	65
-	22	47	5	4	7	-	3	-	2	-	-	3	4	-	17	66
-	38	117	9	-	24	-	4	6	3	4	-	13	14	-	59	67
-	17	68	10	1	15	-	1	2	2	6	-	6	10	3	21	68
-	42	195	14	1	34	5	7	16	11	9	-	21	24	5	69	69
-	30	144	11	1	25	3	4	14	9	6	-	11	18	4	51	70
-	12	51	3	-	9	2	3	2	2	3	-	10	6	1	18	71
-	14	62	2	-	13	-	2	7	2	2	-	2	8	4	19	72
-	65	218	12	-	34	4	9	17	3	10	1	8	22	4	72	73
-	42	149	8	-	25	4	5	9	1	9	1	3	16	3	52	74
-	23	69	4	-	9	-	4	8	2	1	-	5	6	1	20	75
-	31	68	8	-	5	1	3	5	2	2	1	7	8	2	26	76
-	19	56	10	1	22	1	2	5	5	3	-	6	6	2	26	77
-	28	81	8	-	7	1	3	7	4	4	-	1	14	6	16	78
-	67	194	10	1	32	-	7	17	13	2	-	21	27	7	81	79
-	38	97	6	-	17	-	3	5	6	1	-	10	13	2	39	80
-	2	22	-	-	5	-	-	-	2	-	-	2	4	2	12	81
-	27	75	4	1	10	-	4	12	5	1	-	9	10	3	30	82
-	73	207	19	2	39	2	13	14	7	7	1	17	33	8	92	83
-	34	87	6	-	20	-	6	6	3	3	-	6	14	6	45	84
-	39	120	13	2	19	2	7	8	4	4	1	11	19	2	47	85
-	30	157	17	3	13	-	6	8	8	8	-	8	17	1	47	86
-	16	78	9	1	8	-	2	5	4	2	-	2	9	1	21	87
-	14	79	8	2	5	-	4	3	4	6	-	6	8	-	28	88
-	11	35	1	-	10	-	1	4	2	2	1	4	8	-	13	89
-	623	2,932	208	31	288	18	113	178	90	112	14	164	315	20	897	90
-	496	2,213	170	22	228	13	82	148	69	87	13	125	244	16	699	91
-	26	117	6	2	18	-	6	2	4	3	-	4	6	-	34	92
-	31	117	8	2	7	1	8	6	2	4	-	6	5	2	33	93
-	5	17	4	-	2	-	1	2	1	3	-	2	6	-	9	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61
	WISCONSIN—Continued															
	Milwaukee—Continued															
1	Shorewood	116	-	-	-	-	-	1	-	-	2	-	-	26	-	9
2	South Milwaukee	96	-	-	-	-	-	3	-	-	1	-	1	16	-	3
3	Balance of county	905	-	1	-	-	-	23	-	-	11	-	6	132	1	17
4	Monroe	278	-	-	-	-	-	3	-	-	-	-	1	38	-	13
5	Oconto	241	-	-	-	-	-	1	-	-	1	-	-	29	-	4
6	Oneida	210	-	-	-	1	1	2	-	-	1	-	1	40	-	7
7	Outagamie	699	-	-	-	1	-	11	-	-	4	-	1	96	1	27
8	Appleton	333	-	-	-	1	-	5	-	-	2	-	1	46	-	13
9	Balance of county	366	-	-	-	-	-	6	-	-	2	-	-	50	1	14
10	Ozaukee	221	-	-	-	-	-	2	-	-	1	-	1	39	-	5
11	Pepin	79	-	-	-	-	-	-	-	-	-	-	-	10	-	1
12	Pierce	211	-	-	-	-	-	1	-	-	-	-	-	29	-	7
13	Polk	257	-	-	-	-	-	2	-	-	-	-	-	49	-	5
14	Portage	325	-	-	-	-	-	2	-	-	2	1	1	44	-	8
15	Stevens Point	162	-	-	-	-	-	-	-	-	2	1	-	24	-	5
16	Balance of county	163	-	-	-	-	-	2	-	-	-	-	1	20	-	5
17	Price	158	-	-	-	-	-	2	-	-	-	-	-	21	-	2
18	Racine	1,044	-	2	-	-	-	22	-	-	4	1	8	158	2	33
19	Racine	720	-	-	-	-	-	13	-	-	4	1	6	116	2	19
20	Balance of county	324	-	2	-	-	-	9	-	-	-	-	2	43	-	14
21	Richland	184	-	-	-	-	-	1	-	-	-	-	-	32	-	7
22	Rock	898	-	-	-	1	-	12	-	-	8	-	2	128	1	30
23	Beloit	295	-	-	-	1	-	3	-	-	3	-	1	36	-	14
24	Janesville	259	-	-	-	-	-	5	-	-	3	-	-	47	1	7
25	Balance of county	344	-	-	-	-	-	4	-	-	2	-	1	45	-	9
26	Rusk	127	-	-	-	-	-	-	-	-	-	-	1	17	1	4
27	St. Croix	257	-	-	-	-	-	4	-	-	1	-	-	27	-	5
28	Sauk	413	-	-	-	-	-	6	-	-	2	-	-	58	1	12
29	Sawyer	110	-	-	-	-	-	4	-	-	1	-	-	24	-	7
30	Shawano	339	-	-	-	4	-	2	-	1	1	1	-	56	-	6
31	Sheboygan	787	-	-	-	-	-	6	-	-	1	-	1	135	1	28
32	Sheboygan	440	-	-	-	-	-	3	-	-	-	-	-	81	-	12
33	Balance of county	347	-	-	-	-	-	3	-	-	1	-	1	54	1	16
34	Taylor	172	-	-	-	-	-	2	-	-	-	-	5	26	-	2
35	Trempealeau	248	-	1	-	-	-	1	-	-	-	-	-	36	-	4
36	Vernon	269	-	1	-	1	-	3	-	-	-	1	-	32	-	9
37	Vilas	79	-	-	-	-	-	1	-	-	1	-	-	13	-	2
38	Walworth	453	-	-	-	1	-	4	-	-	1	-	-	70	-	9
39	Washburn	110	-	-	-	-	1	1	-	-	3	-	1	16	-	4
40	Washington	297	-	-	-	-	-	2	-	-	2	1	1	46	-	9
41	Waukesha	723	-	-	-	-	-	11	-	-	4	-	3	102	1	22
42	Waukesha	194	-	-	-	-	-	6	-	-	-	-	2	26	1	7
43	Balance of county	529	-	-	-	-	-	5	-	-	4	-	1	76	-	15
44	Waupaca	416	-	-	-	-	-	8	1	-	-	-	-	71	-	9
45	Waushara	144	-	-	-	-	-	-	-	-	-	-	1	18	-	5
46	Winnebago	993	-	-	-	1	-	11	-	-	17	-	4	119	1	34
47	Oshkosh	470	-	-	-	1	-	4	-	-	2	-	2	58	1	14
48	Menasha	111	-	-	-	-	-	2	-	-	1	-	-	15	-	1
49	Neenah	103	-	-	-	-	-	2	-	-	1	-	-	14	-	3
50	Balance of county	309	-	-	-	-	-	3	-	-	13	-	2	32	-	16
51	Wood	404	-	-	-	-	-	5	-	-	3	1	3	58	1	19
52	Marshfield	97	-	-	-	-	-	2	-	-	-	-	-	16	-	3
53	Wisconsin Rapids	119	-	-	-	-	-	2	-	-	2	1	1	18	-	7
54	Balance of county	188	-	-	-	-	-	1	-	-	1	-	2	24	1	9
55	WYOMING	2,385	-	2	-	3	1	30	1	-	22	11	8	254	2	47
56	Albany	112	-	-	-	-	-	-	-	-	1	-	-	15	-	3
57	Laramie	98	-	-	-	-	-	-	-	-	1	-	-	14	-	3
58	Balance of county	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-
59	Big Horn	102	-	1	-	-	-	2	-	-	1	1	-	13	-	2
60	Campbell	41	-	-	-	-	-	-	-	-	-	-	-	5	-	1
61	Carbon	162	-	-	-	2	-	1	-	-	-	1	2	18	-	2
62	Converse	59	-	-	-	-	-	3	-	-	-	-	-	5	-	1
63	Crook	33	-	-	-	-	-	-	-	-	-	-	1	-	-	1
64	Fremont	198	-	-	-	-	-	6	-	-	1	8	1	19	-	5
65	Goshen	104	-	-	-	-	-	2	-	-	-	1	-	15	-	2
66	Hot Springs	59	-	-	-	-	-	-	-	-	-	-	-	9	-	1
67	Johnson	37	-	-	-	-	-	1	-	-	-	-	-	3	-	2
68	Laramie	281	-	-	-	1	-	8	-	-	4	-	2	29	-	8
69	Cheyenne	221	-	-	-	1	-	6	-	-	3	-	2	26	-	6
70	Balance of county	60	-	-	-	-	-	2	-	-	1	-	-	3	-	2
71	Lincoln	76	-	-	-	-	-	1	-	-	-	-	1	5	1	2
72	Natrona	288	-	-	-	-	1	2	1	-	2	-	-	31	-	7
73	Casper	257	-	-	-	-	1	2	1	-	2	-	-	28	-	7
74	Balance of county	31	-	-	-	-	-	-	-	-	-	-	-	3	-	-
75	Niobrara	48	-	-	-	-	-	-	-	-	-	-	-	5	-	-
76	Park	108	-	1	-	-	-	1	-	-	-	-	-	9	-	1
77	Platte	73	-	-	-	-	-	-	-	-	-	-	1	6	-	1
78	Sheridan	223	-	-	-	-	-	1	-	-	8	-	-	22	-	3
79	Sheridan	161	-	-	-	-	-	-	-	-	2	-	-	18	-	3
80	Balance of county	62	-	-	-	-	-	1	-	-	6	-	-	4	-	-
81	Sublette	15	-	-	-	-	-	-	-	-	1	-	-	1	-	-
82	Sweetwater	173	-	-	-	-	-	1	-	-	1	-	-	21	1	3
83	Teton	16	-	-	-	-	-	-	-	-	-	-	-	2	-	-
84	Uinta	98	-	-	-	-	-	1	-	-	3	-	-	11	-	1
85	Washakie	36	-	-	-	-	-	-	-	-	-	-	-	3	-	-
86	Weston	41	-	-	-	-	-	-	-	-	-	-	-	7	-	1
87	Yellowstone National Park (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88	Yellowstone National Park (total)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1948—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83*	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations 157	Premature birth 159	Other diseases peculiar to early infancy 158, 160,161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes*	
-	8	38	3	-	5	-	1	3	2	-	1	3	2	-	12	1
-	9	25	2	1	5	-	1	1	2	2	-	3	5	-	16	2
-	48	405	15	4	21	4	14	16	10	13	-	21	47	2	94	3
-	28	93	7	-	16	-	3	11	7	-	-	9	16	5	28	4
-	19	93	10	1	15	-	-	6	6	4	-	9	8	8	27	5
-	16	83	3	-	7	-	2	3	3	4	-	6	13	1	16	6
-	71	220	31	2	30	-	13	22	10	6	-	19	45	7	82	7
-	26	113	15	1	17	-	7	10	3	3	-	7	19	3	41	8
-	45	107	16	1	13	-	6	12	7	3	-	12	26	4	41	9
-	25	83	3	-	11	1	7	5	5	2	-	7	7	-	17	10
-	9	28	3	-	1	-	2	1	2	-	-	-	10	3	9	11
-	22	78	8	-	3	1	1	2	2	2	-	8	21	3	23	12
-	28	95	9	-	8	-	2	6	2	-	-	11	7	2	33	13
-	20	114	14	1	18	3	7	4	9	3	-	7	20	9	38	14
-	10	60	10	-	8	1	2	2	5	-	-	5	8	-	19	15
-	10	54	4	1	10	2	5	2	4	3	-	2	12	9	19	16
-	16	60	-	1	5	1	-	4	-	3	-	4	6	3	10	17
-	101	346	27	1	31	-	31	35	21	12	-	34	44	1	130	18
-	65	251	16	1	20	-	12	24	18	8	-	26	31	-	88	19
-	36	95	11	-	11	-	19	11	3	4	-	8	13	1	42	20
-	25	62	5	1	8	-	2	3	2	1	-	2	6	1	26	21
-	73	320	22	4	45	1	10	17	16	12	-	32	56	4	104	22
-	24	103	7	-	24	1	1	8	5	6	-	9	19	1	29	23
-	12	94	7	2	3	-	5	5	7	3	-	10	23	1	24	24
-	37	123	8	2	18	-	4	4	4	3	-	13	14	2	51	25
-	8	41	4	-	5	-	2	4	3	1	-	8	7	4	17	26
-	37	81	5	-	9	1	2	4	7	2	-	7	11	3	31	27
-	41	147	7	-	30	1	3	12	4	5	-	10	24	14	38	28
-	9	40	1	-	2	-	-	2	3	-	-	5	5	1	6	29
-	29	102	12	4	17	1	4	7	11	2	-	3	22	1	53	30
-	109	251	24	6	15	1	11	20	14	11	-	18	35	9	91	31
-	56	140	10	3	7	1	7	7	11	8	-	8	21	8	69	32
-	53	111	14	3	8	-	4	13	3	3	-	12	14	1	32	33
-	18	48	7	-	8	-	3	4	4	4	-	9	5	4	23	34
-	30	81	16	2	13	1	3	3	5	-	-	2	19	6	25	35
-	25	102	10	2	8	-	3	11	2	4	1	4	13	3	34	36
-	4	35	-	-	4	2	-	2	3	-	-	2	2	1	7	37
-	46	183	7	3	13	3	6	9	3	8	-	18	25	1	43	38
-	15	32	5	-	5	1	-	2	3	1	-	-	5	3	10	39
-	44	85	6	-	21	4	5	10	3	7	-	10	16	4	21	40
-	79	234	15	3	30	2	12	19	10	9	-	31	32	8	96	41
-	17	54	4	1	9	-	3	8	4	4	-	11	9	1	27	42
-	62	180	11	2	21	2	9	11	6	5	-	20	23	7	69	43
-	40	159	17	1	18	1	2	5	5	4	1	10	10	9	45	44
-	23	58	6	-	4	-	1	2	-	3	-	4	5	-	16	45
-	105	311	23	5	100	2	10	17	12	11	2	28	44	12	124	46
-	49	165	13	1	38	1	4	8	3	7	-	15	25	7	52	47
-	16	27	2	1	8	-	3	4	4	1	-	2	5	-	18	48
-	15	25	-	2	12	-	2	2	1	1	-	3	2	1	17	49
-	25	94	8	1	42	1	1	3	4	2	2	8	12	4	36	50
-	44	124	11	-	11	1	3	7	7	1	1	11	25	5	63	51
-	15	31	3	-	2	-	-	1	1	1	-	2	4	-	16	52
-	9	38	2	-	4	-	2	2	3	-	-	5	8	2	13	53
-	20	55	6	-	5	1	1	4	3	-	1	4	13	3	34	54
-	171	678	120	16	138	8	42	101	57	38	12	112	178	42	291	55
-	8	31	5	-	7	1	1	3	4	3	1	8	9	4	10	56
-	7	28	5	-	6	1	1	3	3	2	1	6	5	3	9	57
-	1	3	-	-	1	-	-	-	1	1	-	-	4	1	1	58
-	7	36	2	1	-	-	4	4	4	-	-	5	5	4	10	59
-	8	5	1	1	3	-	1	3	-	-	-	2	1	5	5	60
-	10	57	8	3	7	-	1	4	4	3	2	5	15	3	16	61
-	2	19	2	-	4	1	2	4	1	2	-	2	3	-	8	62
-	6	9	3	-	1	-	-	-	1	1	-	1	2	1	6	63
-	7	47	21	2	8	2	3	5	3	3	-	6	23	2	26	64
-	15	22	5	1	9	-	1	5	2	2	-	2	5	3	12	65
-	4	19	1	-	2	-	2	4	1	-	-	8	3	-	5	66
-	2	11	1	-	3	-	-	2	1	-	1	3	4	-	3	67
-	20	60	17	1	17	-	2	20	8	4	-	16	14	2	48	68
-	16	49	16	1	13	-	1	16	6	2	-	8	9	2	38	69
-	4	11	1	-	4	-	1	4	2	2	-	8	5	-	10	70
-	4	18	2	-	8	1	3	3	2	1	-	3	8	4	9	71
-	14	100	6	2	13	-	7	14	5	5	1	16	17	1	43	72
-	13	92	5	2	11	-	7	13	4	4	1	13	10	1	40	73
-	1	8	1	-	2	-	-	1	1	1	-	3	7	-	3	74
-	2	10	-	-	13	-	1	-	-	2	-	3	3	1	8	75
-	8	34	9	2	3	-	1	7	4	2	-	8	6	2	10	76
-	4	18	2	1	18	1	2	2	1	-	-	4	3	-	9	77
-	24	73	9	-	9	-	2	7	10	3	3	6	13	2	28	78
-	17	53	8	-	6	-	1	7	9	2	2	4	11	-	18	79
-	7	20	1	-	3	-	1	-	1	1	1	2	2	2	10	80
-	1	5	-	-	1	-	-	-	-	-	-	1	4	-	1	81
-	10	45	11	1	8	-	4	9	3	5	4	10	18	3	15	82
-	-	4	-	-	1	-	1	1	-	1	-	1	3	-	2	83
-	14	30	12	-	2	-	1	1	1	-	-	1	10	1	9	84
-	1	12	1	-	-	2	-	3	1	1	-	2	3	2	5	85
-	-	13	4	1	-	-	2	-	1	-	-	1	6	2	3	86
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	87
-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	88

County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 24.—DEATHS UNDER 1 YEAR OF AGE, BY RACE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	URBAN					RURAL
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	113,169	65,418	28,436	13,393	9,836	13,753	47,751
White	92,034	53,944	22,183	11,278	8,474	12,009	38,090
Nonwhite	21,135	11,474	6,253	2,115	1,362	1,744	9,661
Alabama	3,228	1,242	312	356	184	390	1,986
White	1,771	649	144	178	91	236	1,122
Nonwhite	1,457	593	168	178	93	154	864
Arizona	1,083	506	...	330	...	176	577
White	793	465	...	303	...	162	328
Nonwhite	290	41	...	27	...	14	249
Arkansas	1,363	507	...	100	163	244	856
White	968	360	...	64	118	178	608
Nonwhite	395	147	...	36	45	66	248
California	6,885	4,618	2,251	853	668	846	2,267
White	6,244	4,111	1,890	772	630	819	2,133
Nonwhite	641	507	361	81	38	27	134
Colorado	1,267	718	293	136	83	206	549
White	1,237	697	279	134	81	203	540
Nonwhite	30	21	14	2	2	3	9
Connecticut	1,026	707	286	278	99	44	319
White	969	659	254	263	98	44	310
Nonwhite	57	48	32	15	1	-	9
Delaware	214	114	78	...	...	36	100
White	155	86	57	...	...	29	69
Nonwhite	59	28	21	...	...	7	31
District of Columbia	531	531	531	...	...	...	...
White	289	289	289	...	...	...	...
Nonwhite	242	242	242	...	...	...	...
Florida	2,103	1,183	489	179	221	294	920
White	1,356	759	323	111	132	193	597
Nonwhite	747	424	166	68	89	101	323
Georgia	3,169	1,371	306	361	284	420	1,798
White	1,680	729	146	193	164	226	951
Nonwhite	1,489	642	160	168	120	194	847
Idaho	481	222	...	31	112	79	259
White	469	221	...	30	112	79	248
Nonwhite	12	1	...	1	-	-	11
Illinois	5,123	3,952	2,233	726	397	596	1,171
White	4,381	3,250	1,653	645	374	578	1,131
Nonwhite	742	702	580	81	23	18	40
Indiana	2,760	1,710	670	554	196	292	1,050
White	2,516	1,474	496	513	192	273	1,042
Nonwhite	244	236	182	41	4	9	8
Iowa	1,610	856	126	342	146	242	754
White	1,595	842	120	335	145	242	753
Nonwhite	15	14	6	7	1	-	1
Kansas	1,151	688	233	88	161	206	463
White	1,077	625	201	81	147	196	452
Nonwhite	74	63	32	7	14	10	11
Kentucky	3,073	1,047	361	253	100	333	2,026
White	2,840	901	308	222	76	295	1,939
Nonwhite	233	146	53	31	24	38	87
Louisiana	2,779	1,307	458	248	176	425	1,472
White	1,283	675	242	104	76	253	608
Nonwhite	1,496	632	216	144	100	172	864
Maine	706	241	...	96	68	77	465
White	703	240	...	96	68	76	463
Nonwhite	3	1	...	-	-	1	2
Maryland	1,537	869	643	70	82	74	668
White	1,084	577	398	67	54	58	507
Nonwhite	453	292	245	3	28	16	161
Massachusetts	2,613	2,315	1,143	588	402	182	298
White	2,525	2,235	1,068	585	402	180	290
Nonwhite	88	80	75	3	-	2	8
Michigan	4,639	3,156	1,514	729	419	494	1,483
White	4,169	2,712	1,203	669	360	480	1,457
Nonwhite	470	444	311	60	59	14	26
Minnesota	1,959	1,162	587	27	174	374	797
White	1,899	1,144	570	27	174	373	755
Nonwhite	60	18	17	-	-	1	42
Mississippi	2,474	805	...	173	300	332	1,669
White	1,016	427	...	90	155	182	589
Nonwhite	1,458	378	...	83	145	150	1,080
Missouri	2,585	1,533	896	140	207	290	1,052
White	2,229	1,239	651	135	191	262	990
Nonwhite	356	294	245	5	16	28	62
Montana	461	238	...	59	91	88	223
White	404	233	...	57	90	86	171
Nonwhite	57	5	...	2	1	2	52
Nebraska	835	450	183	60	77	130	385
White	796	425	166	60	75	126	371
Nonwhite	39	25	17	-	4	4	14
Nevada	147	72	...	...	36	36	75
White	132	66	...	...	34	32	66
Nonwhite	15	6	...	...	2	4	9
New Hampshire	361	223	...	106	77	40	138
White	361	223	...	106	77	40	138
Nonwhite	-	-	...	-	-	-	-
New Jersey	2,585	2,003	798	529	334	342	582
White	2,192	1,673	592	466	297	318	519
Nonwhite	393	330	206	63	37	24	63
New Mexico	1,438	544	...	94	153	297	894
White	1,208	514	...	92	140	282	694
Nonwhite	230	30	...	2	13	15	200
New York	8,258	6,614	4,995	598	577	444	1,644
White	7,212	5,615	4,104	540	550	421	1,597
Nonwhite	1,046	999	891	58	27	23	47
North Carolina	3,858	1,183	133	415	310	325	2,675
White	2,199	676	77	215	187	217	1,523
Nonwhite	1,659	507	56	200	143	108	1,152
North Dakota	487	176	...	54	88	54	311
White	454	174	...	54	87	53	280
Nonwhite	33	2	...	-	1	1	31
Ohio	5,693	3,967	2,253	653	504	557	1,726
White	5,079	3,406	1,802	592	485	527	1,673
Nonwhite	614	561	451	61	19	30	53
Oklahoma	1,731	957	337	77	260	283	774
White	1,415	817	282	64	224	247	598
Nonwhite	316	140	55	13	36	36	176
Oregon	897	493	205	24	101	163	404
White	861	479	193	24	99	163	382
Nonwhite	36	14	12	-	2	-	22
Pennsylvania	6,442	4,355	1,955	800	803	797	2,087
White	5,724	3,699	1,440	718	764	777	2,025
Nonwhite	718	656	515	82	39	20	62
Rhode Island	444	390	124	212	41	13	54
White	429	377	119	204	41	13	52
Nonwhite	15	13	5	8	-	-	2
South Carolina	2,331	734	...	339	141	254	1,597
White	1,021	406	...	181	91	134	615
Nonwhite	1,310	328	...	158	50	120	982
South Dakota	525	208	...	45	86	77	317
White	457	201	...	45	83	73	256
Nonwhite	68	7	...	-	3	4	61
Tennessee	3,098	1,284	791	28	126	339	1,814
White	2,419	857	474	22	86	275	1,562
Nonwhite	679	427	317	6	40	64	252
Texas	9,131	5,682	1,870	1,301	707	1,804	3,449
White	7,739	4,819	1,495	1,088	620	1,616	2,920
Nonwhite	1,392	863	375	213	87	188	529
Utah	568	360	137	56	44	123	208
White	545	347	131	53	44	119	198
Nonwhite	23	13	6	3	-	4	10
Vermont	271	120	...	29	27	64	151
White	271	120	...	29	27	64	151
Nonwhite	-	-	...	-	-	-	-
Virginia	3,163	1,170	364	491	81	234	1,993
White	2,076	740	205	308	44	183	1,336
Nonwhite	1,087	430	159	183	37	51	657
Washington	1,537	914	517	102	124	171	623
White	1,446	865	482	98	123	162	581
Nonwhite	91	49	35	4	1	9	42
West Virginia	2,108	587	...	261	127	199	1,521
White	1,990	551	...	248	114	189	1,439
Nonwhite	118	36	...	13	13	10	82
Wisconsin	2,148	1,186	356	422	177	233	960
White	2,091	1,152	329	417	175	231	939
Nonwhite	57	36	27	5	2	2	21
Wyoming	293	146	...	...	102	44	147
White	265	143	...	...	99	44	122
Nonwhite	28	3	...	...	3	-	25

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH (DETAILED AGE FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE (DETAILED AGE FOR U. S. ONLY)	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Under 1 year	113,189	10,909	9,832	9,736	9,011	9,220	8,789	8,984	9,441	8,783	9,546	9,112	9,806
White	92,034	8,592	7,848	7,950	7,421	7,638	7,273	7,376	7,727	7,159	7,676	7,491	7,883
Nonwhite	21,135	2,317	1,984	1,786	1,590	1,582	1,516	1,608	1,714	1,624	1,870	1,621	1,923
Under 1 day	37,652	3,074	2,758	2,917	3,115	3,317	3,385	3,487	3,427	3,012	3,173	2,914	3,073
White	31,768	2,593	2,330	2,530	2,598	2,804	2,842	2,915	2,877	2,549	2,642	2,492	2,596
Nonwhite	5,884	481	428	387	517	513	543	572	550	463	531	422	477
1 day	11,916	1,014	921	958	916	1,024	1,077	1,021	1,062	995	1,039	951	948
White	10,130	845	768	808	797	890	929	857	898	824	875	804	815
Nonwhite	1,786	169	153	150	119	134	148	164	164	171	164	147	133
2 days	7,464	684	581	621	579	600	642	644	673	608	603	601	628
White	6,328	561	481	522	497	518	551	550	573	520	510	528	517
Nonwhite	1,136	123	100	99	82	82	91	94	100	88	93	73	111
3 to 6 days	9,761	881	815	817	774	751	711	837	889	857	827	791	811
White	7,931	677	665	667	623	606	578	707	719	692	665	653	677
Nonwhite	1,830	204	150	150	151	143	133	130	170	165	162	138	134
7 to 13 days	5,496	494	512	467	429	428	409	448	448	475	489	427	470
White	4,246	363	374	366	345	336	319	356	345	389	372	334	367
Nonwhite	1,250	131	138	101	84	92	90	92	103	106	117	93	103
14 to 20 days	3,288	313	291	319	238	268	206	219	247	275	297	275	340
White	2,576	227	221	242	188	199	162	179	205	222	241	224	266
Nonwhite	712	86	70	77	50	69	44	40	42	53	56	51	74
21 to 29 days	2,849	293	311	248	234	227	189	183	204	212	257	229	262
White	2,203	212	238	201	195	184	151	139	162	167	195	176	183
Nonwhite	646	81	73	47	39	43	38	44	42	45	62	53	79
Under 1 month	78,426	6,753	6,189	6,347	6,285	6,615	6,619	6,839	8,950	6,424	6,685	6,188	6,532
White	65,182	5,478	5,097	5,336	5,243	5,539	5,532	5,703	5,779	5,343	5,500	5,211	5,421
Nonwhite	13,244	1,275	1,092	1,011	1,042	1,076	1,087	1,136	1,171	1,081	1,185	977	1,111
1 month	7,062	797	699	666	546	553	455	435	504	499	652	600	656
White	5,485	573	525	518	454	441	368	354	389	382	507	478	496
Nonwhite	1,577	224	174	149	92	112	87	81	115	117	145	122	160
2 months	5,737	676	590	571	484	393	331	297	383	403	524	540	545
White	4,419	482	445	447	385	315	269	230	314	315	392	415	410
Nonwhite	1,318	194	145	124	99	78	62	67	69	88	132	125	135
3 months	4,688	585	529	441	351	348	242	229	297	312	425	418	511
White	3,557	415	398	339	284	282	188	168	235	238	311	321	378
Nonwhite	1,131	170	131	102	67	66	54	61	62	74	114	97	133
4 months	3,755	487	396	381	275	261	239	230	256	241	265	329	395
White	2,882	370	293	288	218	209	185	177	197	192	209	287	278
Nonwhite	873	117	103	93	57	53	54	53	59	49	56	62	117
5 months	3,040	401	339	288	214	212	189	196	205	226	223	251	296
White	2,342	327	246	220	166	174	153	155	158	172	163	183	225
Nonwhite	698	74	93	68	48	38	36	41	47	54	60	68	71
6 months	2,583	302	294	245	205	210	152	192	210	173	192	187	221
White	1,998	237	223	188	154	160	125	152	163	133	150	142	171
Nonwhite	585	65	71	57	51	50	27	40	47	40	42	45	50
7 months	2,046	250	197	230	175	153	149	138	156	134	143	162	159
White	1,586	194	152	183	142	126	123	105	118	94	107	124	118
Nonwhite	460	56	45	47	33	27	26	33	38	40	36	38	41
8 months	1,869	190	212	180	165	161	136	145	156	119	119	137	149
White	1,458	157	180	136	137	132	109	110	115	92	87	109	114
Nonwhite	411	33	32	44	28	29	27	35	41	27	32	28	35
9 months	1,555	188	158	167	124	111	102	103	112	102	136	117	135
White	1,204	140	131	122	92	92	76	77	90	81	107	93	103
Nonwhite	351	48	27	45	32	19	26	26	22	21	29	24	32
10 months	1,245	109	127	119	93	112	111	89	113	86	93	100	93
White	1,007	88	99	90	75	98	97	76	88	74	71	77	74
Nonwhite	238	21	28	29	18	14	14	13	25	12	22	23	19
11 months	1,163	171	102	101	94	91	64	91	99	64	89	83	114
White	914	131	79	83	71	71	48	69	81	43	72	71	95
Nonwhite	249	40	23	18	23	20	16	22	18	21	17	12	19
ALABAMA													
Under 1 year	3,228	358	336	285	234	213	260	244	261	247	251	297	282
White	1,771	193	183	144	137	128	143	123	143	144	117	157	159
Nonwhite	1,457	165	153	121	97	85	117	121	118	103	114	140	123
Under 1 month	2,228	195	200	173	174	166	207	194	198	170	160	204	189
White	1,281	110	109	100	103	105	114	100	112	108	89	117	114
Nonwhite	947	83	91	73	71	61	93	94	86	62	71	87	75
ARIZONA													
Under 1 year	1,083	87	96	95	81	92	111	83	93	98	71	98	77
White	793	65	79	75	59	69	82	64	80	63	51	75	51
Nonwhite	290	22	17	20	22	23	29	19	33	36	20	23	26
Under 1 month	518	29	51	44	41	47	53	47	41	47	39	53	26
White	436	25	43	37	37	41	43	38	32	40	35	46	19
Nonwhite	82	4	8	7	4	6	10	9	9	7	4	7	7
ARKANSAS													
Under 1 year	1,363	158	128	125	105	91	98	82	111	95	129	123	118
White	968	115	101	82	71	67	67	56	77	69	87	95	81
Nonwhite	395	43	27	43	34	24	31	26	34	26	42	28	37
Under 1 month	836	82	70	69	66	63	68	64	77	61	78	74	64
White	633	64	55	49	44	52	53	45	61	46	55	63	46
Nonwhite	203	18	15	20	22	11	15	19	16	15	23	11	18
CALIFORNIA													
Under 1 year	6,885	585	547	548	545	596	561	602	599	532	580	564	646
White	6,244	507	496	489	503	552	515	548	563	472	524	507	588
Nonwhite	641	58	51	59	42	64	46	54	36	60	56	57	58
Under 1 month	5,011	393	389	393	399	451	441	457	474	402	408	375	429
White	4,555	356	359	354	365	400	406	415	443	358	372	338	389
Nonwhite	456	37	30	39	34	51	35	42	31	44	36	37	40
COLORADO													
Under 1 year	1,267	101	103	116	95	92	82	97	95	123	144	109	110
White	1,237	100	100	114	91	91	80	94	93	120	139	107	108
Nonwhite	30	1	3	2	4	1	2	3	2	3	5	2	2
Under 1 month	801	64	55	81	69	67	61	71	62	70	71	66	64
White	781	63	54	79	66	67	59	68	60	68	68	66	63
Nonwhite	20	1	1	2	3	-	2	3	2	2	3	-	1

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH (DETAILED AGE FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT													
Under 1 year	1,026	117	65	92	86	86	87	87	101	64	86	70	85
White	969	109	64	90	75	81	83	83	97	57	82	68	80
Nonwhite	57	8	1	2	11	5	4	4	4	7	4	2	5
Under 1 month	796	86	41	72	66	67	74	68	76	57	71	54	64
White	756	80	40	70	60	63	70	66	74	52	69	52	60
Nonwhite	40	6	1	2	6	4	4	2	2	5	2	2	4
DELAWARE													
Under 1 year	214	26	15	21	14	13	17	13	14	18	25	14	24
White	155	20	11	12	6	12	8	13	13	13	16	12	19
Nonwhite	59	6	4	9	8	1	9	-	1	5	9	2	5
Under 1 month	146	16	9	16	5	9	14	12	9	14	18	10	14
White	111	13	8	10	3	8	7	12	8	9	13	9	11
Nonwhite	35	3	1	6	2	1	7	-	1	5	5	1	3
DISTRICT OF COLUMBIA													
Under 1 year	531	48	40	47	45	39	42	43	49	51	39	44	44
White	289	25	22	24	29	22	20	24	29	24	18	24	28
Nonwhite	242	23	18	23	16	17	22	19	20	27	21	20	16
Under 1 month	428	36	27	33	35	30	38	37	42	43	33	36	38
White	240	20	16	19	23	19	18	21	24	20	15	20	25
Nonwhite	188	16	11	14	12	11	20	16	18	23	18	16	13
FLORIDA													
Under 1 year	2,103	201	170	184	152	166	149	167	204	166	190	160	214
White	1,356	121	113	95	106	104	100	110	146	112	109	110	130
Nonwhite	747	80	57	89	46	62	49	57	58	54	81	50	84
Under 1 month	1,542	129	117	101	121	120	111	132	169	133	146	110	153
White	1,056	81	79	65	87	79	82	90	128	92	88	81	104
Nonwhite	486	48	38	36	34	41	29	42	41	41	58	29	49
GEORGIA													
Under 1 year	3,169	360	337	242	241	254	222	243	245	233	269	245	278
White	1,660	168	175	139	129	127	122	138	134	130	142	130	145
Nonwhite	1,489	192	162	103	112	127	100	104	111	103	127	115	133
Under 1 month	2,105	189	188	184	186	184	169	172	171	157	182	165	178
White	1,200	94	109	105	107	103	100	107	90	95	101	87	102
Nonwhite	905	95	79	59	79	81	69	65	81	62	81	78	76
IDAHO													
Under 1 year	481	47	52	35	42	40	34	47	34	33	39	36	42
White	469	46	52	34	41	39	34	46	34	33	36	33	41
Nonwhite	12	1	-	1	1	1	-	1	-	-	3	3	1
Under 1 month	353	34	35	24	30	31	24	42	28	25	23	26	31
White	350	34	35	24	30	31	24	42	28	25	21	26	30
Nonwhite	3	-	-	-	-	-	-	-	-	-	2	-	1
ILLINOIS													
Under 1 year	5,123	465	437	435	439	399	376	415	424	423	452	414	444
White	4,361	386	375	378	384	334	326	360	373	356	389	356	364
Nonwhite	742	79	62	57	55	65	50	55	51	67	63	58	80
Under 1 month	3,792	305	286	296	309	293	305	345	346	343	338	307	319
White	3,284	253	255	260	271	248	263	300	310	294	293	266	271
Nonwhite	508	52	31	36	38	45	42	45	36	49	45	41	48
INDIANA													
Under 1 year	2,760	263	250	251	228	215	200	214	214	207	249	235	234
White	2,516	242	224	231	211	198	182	194	198	192	223	208	212
Nonwhite	244	21	26	20	17	17	18	20	15	15	26	27	22
Under 1 month	1,896	153	149	148	144	152	159	167	162	148	183	172	159
White	1,726	139	133	138	132	140	143	151	152	137	166	151	144
Nonwhite	170	14	16	10	12	12	16	16	10	11	17	21	15
IOWA													
Under 1 year	1,610	175	142	124	105	154	122	133	121	129	147	121	137
White	1,595	175	142	121	104	153	122	133	119	127	146	117	136
Nonwhite	15	-	-	3	1	1	-	-	2	2	1	4	1
Under 1 month	1,208	114	96	91	67	108	99	119	111	98	115	95	95
White	1,195	114	96	89	66	107	99	119	109	97	114	91	94
Nonwhite	13	-	-	2	1	1	-	-	2	1	1	4	1
KANSAS													
Under 1 year	1,151	92	89	62	99	82	80	105	120	90	104	113	115
White	1,077	87	83	60	91	77	73	96	116	89	95	106	104
Nonwhite	74	5	6	2	8	5	7	9	4	1	9	7	11
Under 1 month	854	60	61	35	72	59	68	83	93	72	80	86	85
White	810	59	57	34	67	56	62	78	91	71	75	81	79
Nonwhite	44	1	4	1	5	3	6	5	2	1	5	5	6
KENTUCKY													
Under 1 year	3,073	351	247	263	234	187	213	232	292	270	295	247	242
White	2,840	325	230	240	221	169	196	217	275	248	265	230	224
Nonwhite	233	26	17	23	13	18	17	15	17	22	30	17	18
Under 1 month	1,665	199	143	159	153	131	158	162	173	143	155	147	142
White	1,523	183	131	142	146	121	144	149	162	128	143	140	134
Nonwhite	142	16	12	17	7	10	14	13	11	15	12	7	8
LOUISIANA													
Under 1 year	2,779	294	237	234	224	238	207	200	239	206	264	209	227
White	1,283	142	92	122	103	112	93	82	113	96	115	106	107
Nonwhite	1,496	152	145	112	121	126	114	118	126	110	149	103	120
Under 1 month	1,832	160	121	133	152	170	152	141	161	157	181	141	143
White	927	87	58	74	73	86	75	69	99	72	84	74	76
Nonwhite	905	73	63	59	79	84	77	72	82	85	97	67	67

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH (DETAILED AGE FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE													
Under 1 year	706	71	89	74	65	71	49	50	50	41	53	41	52
White	703	71	88	72	65	71	49	50	50	41	53	41	52
Nonwhite	3	-	1	2	-	-	-	-	-	-	-	-	-
Under 1 month	459	38	52	33	37	55	38	38	38	33	33	30	36
White	458	38	51	33	37	55	38	38	36	33	33	30	36
Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND													
Under 1 year	1,537	148	143	145	112	118	103	123	125	119	136	122	143
White	1,084	103	101	104	88	84	76	84	79	81	101	87	96
Nonwhite	453	45	42	41	24	34	27	39	46	38	35	35	47
Under 1 month	1,110	97	89	98	83	82	80	105	98	94	102	88	94
White	800	69	65	69	69	59	59	70	62	67	77	66	69
Nonwhite	310	28	24	29	14	24	21	35	36	27	25	22	25
MASSACHUSETTS													
Under 1 year	2,613	275	233	258	240	188	222	176	216	173	216	185	231
White	2,525	267	226	247	237	180	214	170	209	164	208	181	222
Nonwhite	88	8	7	11	3	8	8	6	7	9	8	4	9
Under 1 month	1,983	182	167	186	178	155	174	155	169	140	171	140	166
White	1,917	176	161	179	176	147	169	149	164	135	165	137	159
Nonwhite	66	6	6	7	2	8	5	6	5	5	6	3	7
MICHIGAN													
Under 1 year	4,639	423	400	425	424	416	367	328	361	358	397	360	380
White	4,169	383	346	390	386	391	341	294	314	312	357	326	329
Nonwhite	470	40	54	35	38	25	26	34	47	46	40	34	51
Under 1 month	3,365	270	283	267	299	284	293	266	289	287	310	256	281
White	3,028	245	223	244	270	267	275	239	250	256	278	232	249
Nonwhite	337	25	40	23	29	17	18	27	39	31	32	24	32
MINNESOTA													
Under 1 year	1,959	199	157	162	155	195	157	161	127	151	144	183	188
White	1,899	190	150	158	150	184	154	161	123	148	141	158	182
Nonwhite	60	9	7	4	5	11	3	-	4	3	3	5	6
Under 1 month	1,479	137	106	113	115	155	127	132	99	123	111	117	144
White	1,456	135	105	110	113	151	125	132	96	122	110	116	141
Nonwhite	23	2	1	3	2	4	2	-	3	1	1	1	3
MISSISSIPPI													
Under 1 year	2,474	256	226	234	186	156	215	188	194	177	202	223	217
White	1,016	98	85	89	65	66	104	91	85	81	81	92	79
Nonwhite	1,458	158	141	145	121	90	111	97	109	96	121	131	138
Under 1 month	1,671	152	143	130	134	120	159	146	138	121	130	160	138
White	794	68	57	64	55	61	89	78	65	66	58	69	64
Nonwhite	877	84	86	66	79	59	70	68	73	55	72	91	74
MISSOURI													
Under 1 year	2,585	249	230	225	209	229	170	203	220	223	222	188	217
White	2,229	210	191	200	178	189	146	179	194	191	195	164	192
Nonwhite	356	39	39	25	31	40	24	24	26	32	27	24	25
Under 1 month	1,823	156	135	143	139	160	142	167	176	169	155	127	154
White	1,596	131	115	133	121	132	123	151	157	145	137	113	138
Nonwhite	227	25	20	10	18	28	19	16	19	24	18	14	16
MONTANA													
Under 1 year	461	31	47	46	37	38	48	36	41	37	42	28	30
White	404	27	38	39	34	35	43	33	36	32	37	23	25
Nonwhite	57	4	9	7	3	3	5	3	3	5	5	5	5
Under 1 month	315	18	24	35	24	27	37	29	32	28	27	11	23
White	289	18	20	32	23	26	33	27	29	25	25	10	21
Nonwhite	26	-	4	3	1	1	4	2	3	3	2	1	2
NEBRASKA													
Under 1 year	835	83	61	66	70	70	62	77	66	64	85	63	68
White	796	74	58	65	68	67	62	73	62	62	79	62	64
Nonwhite	38	9	3	1	2	3	-	4	4	2	6	1	4
Under 1 month	652	57	37	51	48	55	57	63	52	56	70	49	57
White	633	53	36	50	48	54	57	62	51	56	64	48	54
Nonwhite	19	4	1	1	-	1	-	1	1	-	6	1	3
NEVADA													
Under 1 year	147	14	18	14	9	9	8	11	17	10	8	12	17
White	132	13	16	13	9	8	7	10	14	9	5	12	16
Nonwhite	15	1	2	1	-	1	1	1	3	1	3	-	1
Under 1 month	118	11	14	11	8	8	6	11	15	7	5	10	12
White	111	11	14	11	8	7	5	10	13	7	4	10	11
Nonwhite	7	-	-	-	-	1	1	1	2	-	1	-	1
NEW HAMPSHIRE													
Under 1 year	361	38	25	43	23	26	31	24	32	19	24	30	46
White	361	38	25	43	23	26	31	24	32	19	24	30	46
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 month	273	22	16	29	20	21	27	18	29	16	17	23	35
White	273	22	16	29	20	21	27	18	29	16	17	23	35
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	2,585	245	205	215	193	239	203	193	230	173	236	232	223
White	2,192	202	173	186	165	205	171	168	190	147	194	199	192
Nonwhite	393	41	32	29	28	34	32	25	40	26	42	33	31
Under 1 month	1,960	161	151	163	142	176	173	164	180	143	161	168	158
White	1,683	139	131	142	122	155	146	144	150	121	149	144	140
Nonwhite	277	22	20	21	20	21	27	20	30	22	32	24	18

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH (DETAILED AGE FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO													
Under 1 year	1,438	104	121	106	91	113	102	130	151	143	161	113	103
White	1,208	84	96	87	74	97	91	107	122	119	140	100	91
Nonwhite	230	20	25	19	17	16	11	23	29	24	21	13	12
Under 1 month	676	55	57	64	54	64	52	69	53	44	62	42	60
White	605	47	52	53	49	55	46	62	49	41	59	39	53
Nonwhite	71	8	5	11	5	9	6	7	4	3	3	3	7
NEW YORK													
Under 1 year	8,258	757	724	694	694	744	670	665	740	591	644	649	686
White	7,212	655	641	619	616	651	580	569	634	517	562	588	580
Nonwhite	1,046	102	83	75	78	93	90	96	106	74	82	61	106
Under 1 month	6,317	538	502	519	520	555	536	556	583	501	509	491	507
White	5,536	470	449	465	459	486	457	476	505	438	448	451	434
Nonwhite	781	68	53	54	61	69	79	80	80	63	61	40	73
NORTH CAROLINA													
Under 1 year	3,858	450	393	357	299	273	264	264	279	282	299	304	394
White	2,199	238	223	205	184	160	154	155	162	162	163	172	221
Nonwhite	1,659	212	170	152	115	113	110	109	117	120	136	132	173
Under 1 month	2,517	249	204	222	208	205	207	191	200	206	193	187	247
White	1,542	138	119	134	141	126	128	122	119	129	117	116	153
Nonwhite	975	111	85	88	65	79	79	69	81	77	76	71	94
NORTH DAKOTA													
Under 1 year	487	50	41	45	41	34	47	42	26	30	45	38	47
White	454	44	40	43	38	31	44	40	24	29	43	36	42
Nonwhite	33	6	1	2	3	3	3	2	2	1	2	3	5
Under 1 month	348	31	27	23	28	29	36	33	18	24	35	29	35
White	334	31	27	22	26	28	33	31	17	23	35	28	33
Nonwhite	14	-	-	1	2	1	3	2	1	1	-	1	2
OHIO													
Under 1 year	5,693	528	465	486	461	457	424	477	498	489	500	449	459
White	5,079	475	417	444	410	411	367	417	432	440	455	407	404
Nonwhite	614	53	48	42	51	46	57	60	66	49	45	42	55
Under 1 month	4,038	333	318	301	327	337	333	380	366	343	358	331	311
White	3,618	297	289	275	291	306	293	334	316	312	330	300	273
Nonwhite	420	36	29	26	36	31	40	46	48	31	28	31	38
OKLAHOMA													
Under 1 year	1,731	158	140	131	128	136	144	141	154	153	143	142	161
White	1,415	125	109	110	103	117	118	115	125	123	124	115	131
Nonwhite	316	33	31	21	25	19	26	26	29	30	19	27	30
Under 1 month	1,192	101	94	84	81	108	105	98	108	107	111	93	102
White	1,033	82	80	71	68	95	89	87	92	96	99	80	94
Nonwhite	159	19	14	13	13	13	16	11	16	11	12	13	8
OREGON													
Under 1 year	897	91	75	81	58	98	78	55	53	91	73	67	77
White	861	87	70	78	56	95	75	52	50	86	70	66	76
Nonwhite	36	4	5	3	2	3	3	3	3	5	3	1	1
Under 1 month	672	60	58	56	45	71	61	42	44	73	53	48	61
White	645	58	54	53	44	69	58	39	41	69	52	48	60
Nonwhite	27	2	4	3	1	2	3	3	3	4	1	-	1
PENNSYLVANIA													
Under 1 year	6,442	589	520	602	528	577	512	520	508	508	517	518	543
White	5,724	512	459	540	462	519	459	454	454	451	450	479	485
Nonwhite	718	77	61	62	66	58	53	66	54	57	67	39	58
Under 1 month	4,674	376	326	417	387	420	400	403	401	403	397	377	367
White	4,158	325	280	376	339	378	356	354	358	356	349	353	334
Nonwhite	516	51	46	41	48	42	44	49	43	47	48	24	33
RHODE ISLAND													
Under 1 year	444	32	44	37	34	45	26	39	41	29	29	43	45
White	429	30	43	37	34	43	25	39	40	28	27	40	43
Nonwhite	15	2	1	-	-	2	1	-	1	1	2	3	2
Under 1 month	348	22	33	29	28	36	19	35	30	23	23	37	33
White	337	20	33	29	28	35	18	35	30	22	21	34	32
Nonwhite	11	2	-	-	-	1	1	-	-	1	2	3	1
SOUTH CAROLINA													
Under 1 year	2,331	318	248	220	167	172	181	166	171	163	157	174	194
White	1,021	126	99	87	64	82	91	85	79	81	68	75	84
Nonwhite	1,310	192	149	133	103	90	90	81	92	82	89	99	110
Under 1 month	1,497	176	128	119	121	134	128	125	113	128	112	99	116
White	711	76	58	55	51	65	68	64	53	66	53	45	56
Nonwhite	786	100	70	64	70	69	57	61	60	62	59	54	60
SOUTH DAKOTA													
Under 1 year	525	53	46	45	39	38	48	45	41	47	38	41	44
White	457	45	37	35	30	37	44	39	35	44	33	35	43
Nonwhite	68	8	9	10	9	1	4	6	6	3	5	6	1
Under 1 month	371	30	26	22	26	28	40	34	32	34	28	32	39
White	354	29	25	21	24	27	37	33	30	34	26	30	38
Nonwhite	17	1	1	1	2	1	3	1	2	-	2	2	1
TENNESSEE													
Under 1 year	3,098	356	279	256	251	223	192	218	246	240	289	258	290
White	2,419	273	218	212	195	173	152	165	196	188	209	210	228
Nonwhite	679	83	61	44	56	50	40	53	50	52	80	48	62
Under 1 month	2,117	203	171	176	182	174	149	172	173	166	197	171	183
White	1,672	156	136	150	145	139	118	134	141	131	141	140	141
Nonwhite	445	47	35	26	37	35	31	38	32	35	56	31	42

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH (DETAILED AGE FOR U.S. ONLY): UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS													
Under 1 year	9,131	734	696	741	707	802	835	873	844	656	715	757	771
White	7,739	585	575	608	605	713	752	769	725	536	600	624	647
Nonwhite	1,392	149	121	133	102	89	83	104	119	120	115	133	124
Under 1 month	5,117	417	381	406	382	414	443	490	526	421	433	387	417
White	4,281	329	317	342	316	354	386	423	441	342	364	323	344
Nonwhite	836	88	64	64	66	60	57	67	85	78	69	64	73
UTAH													
Under 1 year	568	44	48	45	40	52	41	53	39	48	39	59	60
White	545	43	48	45	38	50	40	48	36	46	37	57	57
Nonwhite	23	1	-	-	2	2	1	5	3	2	2	2	3
Under 1 month	435	31	36	30	32	46	38	49	31	33	28	40	41
White	420	31	36	30	31	44	37	44	29	33	27	39	39
Nonwhite	15	-	-	-	1	2	1	5	2	-	1	1	2
VERMONT													
Under 1 year	271	17	23	24	28	27	19	19	30	17	18	25	24
White	271	17	23	24	28	27	19	19	30	17	18	25	24
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 month	204	13	17	17	19	23	14	13	25	13	15	20	15
White	204	13	17	17	19	23	14	13	25	13	15	20	15
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	3,163	314	300	289	258	235	235	212	254	266	284	235	281
White	2,076	195	193	199	184	155	161	130	157	175	171	168	187
Nonwhite	1,087	118	107	90	74	80	74	82	97	91	113	67	94
Under 1 month	2,165	188	208	195	172	179	173	163	177	195	186	163	166
White	1,490	122	139	140	128	121	124	106	116	132	117	128	118
Nonwhite	675	66	69	55	44	58	49	58	61	63	69	35	48
WASHINGTON													
Under 1 year	1,537	125	132	118	110	131	139	146	126	99	144	127	140
White	1,446	122	128	111	102	126	135	130	117	95	125	121	134
Nonwhite	91	3	4	7	8	5	4	16	9	4	19	6	6
Under 1 month	1,168	94	98	90	82	91	113	112	94	82	112	92	108
White	1,118	92	97	89	77	89	110	103	90	80	99	86	106
Nonwhite	50	2	1	1	5	2	3	9	4	2	13	6	2
WEST VIRGINIA													
Under 1 year	2,108	213	186	205	167	157	132	166	163	199	196	162	162
White	1,990	205	174	186	159	143	124	153	155	194	185	158	154
Nonwhite	118	8	12	19	8	14	8	13	8	5	11	4	8
Under 1 month	1,371	134	111	128	119	108	108	128	117	117	104	96	103
White	1,291	128	102	112	113	96	101	121	111	115	99	95	98
Nonwhite	80	6	9	16	6	12	5	7	6	2	5	1	5
WISCONSIN													
Under 1 year	2,148	215	196	207	197	164	176	154	170	170	153	183	163
White	2,091	207	190	206	191	159	171	149	169	168	146	181	154
Nonwhite	57	8	6	1	6	5	5	5	1	2	7	2	9
Under 1 month	1,584	143	136	145	146	127	132	123	125	134	120	140	113
White	1,544	139	135	144	140	123	128	119	124	132	115	138	107
Nonwhite	40	4	1	1	6	4	4	4	1	2	5	2	6
WYOMING													
Under 1 year	293	23	30	21	21	30	28	22	12	31	23	21	31
White	265	21	26	18	19	28	27	22	11	26	21	18	26
Nonwhite	28	2	4	3	2	2	1	-	1	5	2	3	5
Under 1 month	196	16	23	13	12	20	22	16	8	20	16	13	17
White	187	15	21	13	12	20	22	16	7	18	16	12	15
Nonwhite	9	1	2	-	-	-	-	-	1	2	-	1	2

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	All races	WHITE			NONWHITE		
		Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES							
Under 1 year	113,169	92,034	53,297	38,737	21,135	11,854	9,281
Under 1 month	78,426	65,182	38,303	26,879	13,244	7,467	5,777
Alabama							
Under 1 year	3,228	1,771	1,052	719	1,457	914	543
Under 1 month	2,228	1,281	774	507	947	534	413
Arizona							
Under 1 year	1,083	793	467	326	290	148	142
Under 1 month	518	436	258	178	82	42	40
Arkansas							
Under 1 year	1,363	968	551	417	395	207	189
Under 1 month	836	633	363	270	203	108	95
California							
Under 1 year	6,885	6,244	3,639	2,605	641	347	294
Under 1 month	5,011	4,555	2,687	1,868	456	251	205
Colorado							
Under 1 year	1,267	1,237	705	532	30	17	13
Under 1 month	801	791	457	324	20	12	8
Connecticut							
Under 1 year	1,026	969	526	443	57	32	25
Under 1 month	796	756	414	342	40	24	16
Delaware							
Under 1 year	214	155	85	70	59	37	22
Under 1 month	146	111	64	47	35	24	11
District of Columbia							
Under 1 year	531	289	179	110	242	126	116
Under 1 month	428	240	153	87	188	95	93
Florida							
Under 1 year	2,103	1,356	762	594	747	400	347
Under 1 month	1,542	1,056	613	443	486	278	208
Georgia							
Under 1 year	3,169	1,660	944	716	1,489	828	661
Under 1 month	2,105	1,200	684	516	905	513	392
Idaho							
Under 1 year	481	469	258	211	12	8	4
Under 1 month	353	350	191	159	3	1	2
Illinois							
Under 1 year	5,123	4,381	2,569	1,812	742	410	332
Under 1 month	3,792	3,284	1,941	1,343	508	281	227
Indiana							
Under 1 year	2,760	2,516	1,447	1,069	244	133	111
Under 1 month	1,896	1,726	1,003	723	170	93	77
Iowa							
Under 1 year	1,610	1,585	952	643	15	5	10
Under 1 month	1,208	1,195	712	483	13	5	8
Kansas							
Under 1 year	1,151	1,077	620	457	74	40	34
Under 1 month	854	810	468	342	44	27	17
Kentucky							
Under 1 year	3,073	2,840	1,609	1,231	233	131	102
Under 1 month	1,865	1,723	983	740	142	78	64
Louisiana							
Under 1 year	2,779	1,283	746	537	1,496	869	627
Under 1 month	1,832	927	550	377	905	529	376
Maine							
Under 1 year	706	703	405	298	3	-	3
Under 1 month	459	458	271	187	1	-	1
Maryland							
Under 1 year	1,537	1,084	637	447	453	270	183
Under 1 month	1,110	800	477	323	310	182	128
Massachusetts							
Under 1 year	2,613	2,525	1,440	1,085	88	51	37
Under 1 month	1,983	1,917	1,093	824	66	39	27
Michigan							
Under 1 year	4,639	4,169	2,438	1,731	470	272	198
Under 1 month	3,365	3,028	1,765	1,263	337	196	141
Minnesota							
Under 1 year	1,959	1,899	1,095	804	60	39	21
Under 1 month	1,479	1,456	866	590	23	13	10
Mississippi							
Under 1 year	2,474	1,016	597	419	1,458	818	640
Under 1 month	1,671	794	472	322	877	486	391
Missouri							
Under 1 year	2,585	2,229	1,314	915	356	182	174
Under 1 month	1,823	1,596	953	643	227	112	115
Montana							
Under 1 year	451	404	239	165	57	31	26
Under 1 month	315	289	175	114	26	13	13
Nebraska							
Under 1 year	835	796	462	334	39	22	17
Under 1 month	652	633	373	260	19	9	10
Nevada							
Under 1 year	147	132	78	54	15	8	7
Under 1 month	118	111	60	51	7	3	4
New Hampshire							
Under 1 year	361	361	209	152	-	-	-
Under 1 month	273	273	159	114	-	-	-
New Jersey							
Under 1 year	2,585	2,192	1,299	893	393	233	160
Under 1 month	1,960	1,683	1,004	679	277	163	114
New Mexico							
Under 1 year	1,439	1,208	679	529	230	121	109
Under 1 month	976	605	353	252	71	37	34
New York							
Under 1 year	8,258	7,212	4,203	3,009	1,046	601	445
Under 1 month	6,317	5,536	3,265	2,271	781	446	335
North Carolina							
Under 1 year	3,858	2,199	1,297	902	1,658	935	724
Under 1 month	2,517	1,542	919	623	975	557	418
North Dakota							
Under 1 year	487	454	256	198	33	24	9
Under 1 month	348	334	188	146	14	8	6
Ohio							
Under 1 year	5,693	5,079	2,984	2,095	614	340	274
Under 1 month	4,038	3,618	2,161	1,457	420	235	185
Oklahoma							
Under 1 year	1,731	1,415	823	592	316	181	135
Under 1 month	1,192	1,033	621	412	159	92	67
Oregon							
Under 1 year	897	861	498	363	36	25	11
Under 1 month	672	645	369	276	27	18	9
Pennsylvania							
Under 1 year	6,442	5,724	3,321	2,403	718	400	318
Under 1 month	4,674	4,158	2,476	1,682	516	284	232
Rhode Island							
Under 1 year	444	429	251	178	15	6	9
Under 1 month	348	337	194	143	11	5	6
South Carolina							
Under 1 year	2,331	1,021	600	421	1,310	732	578
Under 1 month	1,497	711	433	278	786	445	341
South Dakota							
Under 1 year	525	457	263	194	68	39	29
Under 1 month	371	354	205	149	17	10	7
Tennessee							
Under 1 year	3,098	2,419	1,381	1,038	679	379	300
Under 1 month	2,117	1,672	983	709	445	254	191
Texas							
Under 1 year	9,131	7,739	4,413	3,326	1,392	759	633
Under 1 month	5,117	4,281	2,540	1,741	836	448	388
Utah							
Under 1 year	568	545	301	244	23	13	10
Under 1 month	435	420	229	191	15	8	7
Vermont							
Under 1 year	271	271	146	125	-	-	-
Under 1 month	204	204	108	96	-	-	-
Virginia							
Under 1 year	3,163	2,076	1,209	867	1,087	647	440
Under 1 month	2,165	1,490	890	600	675	402	273
Washington							
Under 1 year	1,537	1,446	842	604	91	45	46
Under 1 month	1,168	1,110	648	470	50	25	25
West Virginia							
Under 1 year	2,108	1,990	1,151	839	118	79	39
Under 1 month	1,371	1,291	769	522	80	54	26
Wisconsin							
Under 1 year	2,148	2,091	1,213	878	57	35	22
Under 1 month	1,584	1,544	890	654	40	23	17
Wyoming							
Under 1 year	293	265	142	123	28	15	13
Under 1 month	196	187	99	88	9	5	4

TABLE 27.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES-----	113,169	37,652	11,916	7,464	9,761	5,496	3,288	2,649	78,426	7,062	5,737	4,688	3,755	3,040	2,583	2,046	1,869	1,555	1,245	1,163
White-----	92,034	31,768	10,130	6,328	7,931	4,246	2,576	2,203	65,182	5,485	4,419	3,557	2,882	2,342	1,998	1,586	1,458	1,204	1,007	914
Nonwhite--	21,135	5,864	1,786	1,136	1,830	1,250	712	446	13,244	1,577	1,318	1,131	873	698	585	460	411	351	238	249
Alabama-----	3,228	1,039	327	218	282	189	92	81	2,228	194	162	158	121	73	77	61	56	45	27	26
White-----	1,771	648	203	124	137	85	42	42	1,281	85	89	75	61	38	39	29	31	19	16	8
Nonwhite--	1,457	391	124	94	145	104	50	39	947	109	73	83	60	35	38	32	25	26	11	18
Arizona-----	1,083	215	77	52	61	44	32	37	518	105	77	83	60	58	42	34	31	34	30	11
White-----	793	194	68	45	50	32	21	26	436	79	58	51	35	38	26	16	13	19	16	6
Nonwhite--	290	21	9	7	11	12	11	11	82	26	19	32	25	20	16	18	18	15	14	5
Arkansas-----	1,363	313	166	91	120	62	45	39	836	95	93	60	62	49	43	38	30	24	20	13
White-----	968	232	138	64	93	45	39	22	633	56	65	33	46	34	24	20	21	14	14	8
Nonwhite--	395	81	28	27	27	17	6	17	203	39	28	27	16	15	19	18	9	10	6	5
California-----	6,885	2,678	730	493	535	261	160	154	5,011	365	315	270	228	146	146	107	105	76	67	49
White-----	6,244	2,429	664	454	492	241	140	135	4,595	335	284	237	201	131	129	97	99	69	61	46
Nonwhite--	641	249	66	39	43	20	20	19	456	30	31	33	27	15	17	10	6	7	6	3
Colorado-----	1,267	427	107	73	78	52	36	27	801	77	78	79	52	43	37	28	19	22	13	18
White-----	1,237	419	106	68	74	51	36	27	781	74	76	78	52	42	37	28	17	22	12	18
Nonwhite--	30	8	1	5	5	1	-	-	20	3	2	1	-	1	-	-	2	-	1	-
Connecticut-----	1,026	391	124	94	86	43	29	29	796	65	40	32	23	14	11	10	6	6	8	15
White-----	969	373	116	87	86	41	26	27	756	62	35	30	22	13	10	8	6	4	8	15
Nonwhite--	57	18	8	7	-	2	3	2	40	3	5	2	1	1	1	2	-	2	-	-
Delaware-----	214	72	21	15	22	8	2	6	146	13	13	11	6	4	5	3	2	5	2	4
White-----	155	54	17	12	17	6	1	4	111	8	8	7	6	1	4	1	1	4	1	3
Nonwhite--	59	18	4	3	5	2	1	2	35	5	5	4	-	3	1	2	1	1	1	1
District of Columbia----	531	234	59	54	48	15	12	6	428	33	13	16	10	5	4	5	6	2	4	5
White-----	289	134	36	26	27	7	7	3	240	15	8	10	3	4	2	3	1	1	-	2
Nonwhite--	242	100	23	28	21	8	5	3	188	18	5	6	7	1	2	2	5	1	4	3
Florida-----	2,103	746	216	121	205	120	68	66	1,542	114	85	68	59	55	42	36	36	22	25	19
White-----	1,356	528	157	85	123	72	42	49	1,056	73	44	37	29	28	19	21	19	7	16	7
Nonwhite--	747	218	59	36	82	48	26	17	486	41	41	31	30	27	23	15	17	15	9	12
Georgia-----	3,189	988	258	210	291	198	94	86	2,105	222	165	169	105	114	75	56	43	42	38	35
White-----	1,680	587	180	125	144	90	43	31	1,200	98	61	74	46	50	37	28	25	24	25	12
Nonwhite--	1,489	381	78	85	147	108	51	55	905	124	104	95	59	64	38	28	18	18	13	23
Idaho-----	481	179	67	34	35	17	12	9	353	26	23	19	12	7	12	6	11	6	3	3
White-----	469	177	66	34	35	17	12	9	350	25	22	18	12	7	12	5	9	5	2	2
Nonwhite--	12	2	1	-	-	-	-	-	3	1	1	1	-	-	-	1	2	1	1	1
Illinois-----	5,123	2,045	483	390	443	219	103	109	3,792	301	209	157	123	129	93	80	86	80	57	36
White-----	4,381	1,791	415	344	388	183	89	94	3,284	249	170	123	99	107	84	68	72	48	45	32
Nonwhite--	742	254	68	46	75	36	14	15	508	52	39	34	24	22	9	12	14	12	12	4
Indiana-----	2,760	936	291	177	223	125	73	71	1,896	174	134	112	102	69	63	53	47	51	32	27
White-----	2,516	865	261	169	206	103	63	59	1,726	159	119	101	92	63	57	50	46	49	29	25
Nonwhite--	244	71	30	8	17	22	10	12	170	15	15	11	10	6	6	3	1	2	3	2
Iowa-----	1,610	557	213	134	140	79	52	33	1,208	98	49	54	43	32	28	27	19	21	17	14
White-----	1,595	550	211	131	140	79	52	32	1,195	96	49	54	43	32	28	27	19	21	17	14
Nonwhite--	15	7	2	3	-	-	-	1	13	2	-	-	-	-	-	-	-	-	-	-
Kansas-----	1,151	446	119	83	89	61	32	24	854	58	52	29	46	22	24	19	17	10	12	8
White-----	1,077	424	113	79	86	55	30	23	810	49	47	26	41	18	22	18	16	10	12	8
Nonwhite--	74	22	6	4	3	6	2	1	44	9	5	3	5	4	2	1	1	-	-	-
Kentucky-----	3,073	787	283	157	246	180	125	87	1,865	228	217	166	120	123	111	58	66	48	40	31
White-----	2,840	736	254	142	228	165	116	82	1,723	208	203	155	113	114	104	49	59	46	35	31
Nonwhite--	233	51	29	15	18	15	9	5	142	20	14	11	7	9	7	9	7	2	5	-
Louisiana-----	2,778	983	224	132	193	143	79	78	1,832	185	137	140	98	82	76	57	56	44	31	40
White-----	1,283	534	125	77	101	46	20	24	927	79	52	51	41	28	20	18	18	16	18	15
Nonwhite--	1,496	449	99	55	92	97	59	54	905	107	85	89	57	54	56	39	38	28	13	25
Maine-----	706	201	82	49	46	33	26	22	459	49	52	37	16	24	18	14	16	8	7	6
White-----	703	201	82	49	46	33	26	21	458	49	52	36	16	24	17	14	16	8	7	6
Nonwhite--	3	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
Maryland-----	1,537	503	189	114	150	85	38	33	1,110	95	85	55	45	31	37	18	18	24	10	9
White-----	1,084	383	134	76	105	53	29	20	800	69	62	38	29	19	22	10	11	14	6	4
Nonwhite--	453	120	55	38	45	30	9	13	310	26	23	17	16	12	15	8	7	10	4	5
Massachusetts-----	2,613	1,007	287	205	235	106	77	56	1,983	122	111	72	67	52	61	34	41	25	25	20
White-----	2,525	971	281	201	225	100	76	53	1,917	113	104	71	66	50	60	34	41	25	25	19
Nonwhite--	88	36	6	4	10	6	1	3	66	9	7	1	1	2	1	-	-	-	-	1
Michigan-----	4,639	1,625	510	304	419	232	143	132	3,365	275	226	157	128	124	78	69	68	57	47	45
White-----	4,169	1,469	452	286	375	201	127	118	3,028	241	205	141	113	114	68	62	61	54	43	39
Nonwhite--	470	156	58	18	44	31	16	14	337	34	21	16	15	10	10	7	7	3	4	6
Minnesota-----	1,959	774	256	128	162	79	39	41	1,479	91	77	54	54	44	42	30	32	22	18	16
White-----	1,899	760	255	125	161	78	38	41	1,456	85	73	51	50	38	35	28	31	21	17	14
Nonwhite--	60	14	1	3	1	1	1	-	23	6	4	3	4	6	7	2	1	1	1	2
Mississippi-----	2,474	781	229	167	226	141	54	73	1,671	148	138	94	100	70	64	55	39	29	36	30
White-----	1,016	412	111	69	98	52	8	24	794	43	37	24	24	24	15	15	15	7	11	7
Nonwhite--	1,458	369	118	78	128	89	46	49	877	105	101	70	76	46	49	40	24	22	25	23
Missouri-----	2,585	857	249	154	250	120	110	83	1,823	159	135	100	80	66	56	51	37	32	24	22
White-----	2,229	748	225	140	216	99	99	69	1,596	129	110	79	67	55	48	43	31	27	23	21
Nonwhite--	356	109	24	14	34	21	11	14	227	30	25	21	13	11	8	8	6	5	1	1

TABLE 27.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Montana	461	167	44	24	33	19	18	10	315	36	24	15	17	13	14	8	8	4	6	1
White	404	156	42	23	27	17	15	9	289	31	21	12	13	7	9	8	4	4	5	1
Nonwhite	57	11	2	1	6	2	3	1	26	5	3	3	4	6	5	-	4	-	1	-
Nebraska	835	330	101	54	79	37	23	28	652	41	25	29	20	13	8	6	9	11	12	9
White	796	320	98	54	77	36	23	25	633	40	24	24	16	12	8	6	5	8	11	9
Nonwhite	39	10	3	-	2	1	-	3	19	1	1	5	4	1	-	-	4	3	1	-
Nevada	147	47	26	19	12	7	5	2	118	1	7	3	3	-	2	1	5	2	1	4
White	132	45	26	18	11	6	4	1	111	1	6	3	1	-	1	1	4	1	-	3
Nonwhite	15	2	-	1	1	1	1	1	7	-	1	-	2	-	1	-	1	1	1	1
New Hampshire	361	156	32	26	24	17	7	11	273	18	14	14	13	11	6	2	3	6	1	-
White	361	156	32	26	24	17	7	11	273	18	14	14	13	11	6	2	3	6	1	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,585	954	299	185	267	141	57	57	1,960	147	104	84	63	49	36	46	31	25	16	24
White	2,192	824	266	155	226	118	49	45	1,683	117	88	68	48	35	27	38	29	21	13	24
Nonwhite	393	130	33	30	41	23	8	12	277	30	16	16	15	14	9	7	2	4	3	-
New Mexico	1,438	260	110	43	86	72	56	49	676	123	118	100	86	82	64	49	47	35	31	27
White	1,208	245	100	39	71	62	47	41	605	98	97	83	69	69	54	33	32	25	23	20
Nonwhite	230	15	10	4	15	10	9	8	71	25	21	17	17	13	10	16	15	10	8	7
New York	8,258	3,226	997	596	726	374	206	192	6,317	440	297	275	202	146	131	123	88	89	76	74
White	7,212	2,804	861	547	661	330	170	163	5,536	380	254	230	173	126	112	108	80	79	69	65
Nonwhite	1,046	422	136	49	65	44	36	29	781	60	43	45	29	20	19	15	8	10	7	9
North Carolina	3,858	1,100	391	231	350	200	133	112	2,517	262	272	202	157	129	90	62	58	40	41	30
White	2,199	700	273	153	202	99	67	48	1,542	126	125	102	72	61	49	35	28	15	24	22
Nonwhite	1,659	400	118	78	148	101	66	64	975	136	147	100	85	68	41	27	30	25	17	8
North Dakota	487	163	68	30	40	22	11	14	348	23	24	10	14	13	13	8	7	11	8	8
White	454	153	67	28	39	22	11	14	334	22	20	10	11	11	11	7	7	8	8	5
Nonwhite	33	10	1	2	1	-	-	-	14	1	4	-	3	2	2	1	-	3	-	3
Ohio	5,693	1,940	602	391	523	287	157	138	4,038	355	256	230	199	142	121	81	79	77	61	54
White	5,079	1,744	546	351	467	262	130	118	3,618	308	216	210	168	131	112	73	71	68	55	49
Nonwhite	614	196	56	40	56	25	27	20	420	47	40	20	31	11	9	8	8	9	6	5
Oklahoma	1,731	601	184	105	129	82	53	38	1,192	121	69	68	54	53	30	46	32	26	23	17
White	1,415	538	162	98	102	57	45	31	1,033	80	54	51	38	36	20	32	20	18	18	15
Nonwhite	316	63	22	7	27	25	8	7	159	41	15	17	16	17	10	14	12	8	5	2
Oregon	897	344	111	61	82	34	22	18	672	49	48	29	19	21	17	9	11	4	11	7
White	861	330	105	59	80	32	21	18	645	46	47	29	18	20	16	8	10	4	11	7
Nonwhite	36	14	6	2	2	2	1	-	27	3	1	-	1	1	1	1	1	-	-	-
Pennsylvania	6,442	2,150	704	463	669	343	191	154	4,674	405	282	228	185	153	120	98	86	74	60	77
White	5,724	1,903	621	421	601	301	172	139	4,158	372	244	199	160	130	106	90	72	65	56	72
Nonwhite	718	247	83	42	68	42	19	15	516	33	38	29	25	23	14	8	14	9	4	5
Rhode Island	444	188	55	30	41	18	4	12	348	15	20	12	11	12	2	6	4	6	3	5
White	429	182	54	30	39	17	3	12	337	15	20	12	11	11	2	4	3	6	3	5
Nonwhite	15	6	1	-	2	1	1	-	11	-	-	-	-	1	-	2	1	-	-	-
South Carolina	2,331	613	234	159	220	129	71	71	1,497	202	159	120	89	61	50	39	37	33	13	31
White	1,021	326	129	77	78	47	28	26	711	71	60	46	40	19	15	17	14	11	6	11
Nonwhite	1,310	287	105	82	142	82	43	45	786	131	99	74	49	42	35	22	23	22	7	20
South Dakota	525	186	57	35	49	19	17	8	371	32	26	12	16	13	15	11	8	8	4	9
White	457	177	55	34	47	18	16	7	354	23	21	9	10	8	8	7	4	4	3	6
Nonwhite	68	9	2	1	2	1	1	1	17	9	5	3	6	5	7	4	4	4	1	3
Tennessee	3,098	1,028	302	172	273	151	112	79	2,117	213	186	125	112	65	59	65	50	42	32	32
White	2,419	822	238	138	211	108	85	70	1,672	177	144	80	77	48	44	56	38	35	25	23
Nonwhite	679	206	64	34	62	43	27	9	445	36	42	45	35	17	15	9	12	7	7	9
Texas	9,131	2,076	865	489	730	448	287	222	5,117	852	606	519	439	378	352	287	261	217	155	148
White	7,739	1,756	730	420	613	350	234	178	4,281	545	509	438	392	330	305	250	228	192	138	133
Nonwhite	1,392	320	135	69	117	98	53	44	836	107	97	81	47	48	47	37	35	25	17	15
Utah	568	202	78	48	56	25	11	15	435	20	18	20	12	17	16	10	3	6	7	4
White	545	195	75	45	54	25	11	15	420	17	18	17	12	17	16	9	3	6	6	4
Nonwhite	23	7	3	3	2	-	-	-	15	3	-	3	-	-	-	1	-	-	1	-
Vermont	271	87	35	19	31	14	9	9	204	17	7	9	8	5	4	6	5	3	2	1
White	271	87	35	19	31	14	9	9	204	17	7	9	8	5	4	6	5	3	2	1
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,163	1,026	296	212	255	169	121	86	2,165	208	178	138	109	77	74	56	62	42	22	32
White	2,076	719	222	151	164	112	75	49	1,490	128	102	77	70	38	47	34	41	18	14	17
Nonwhite	1,087	307	74	61	91	57	48	37	675	80	76	61	39	39	27	22	21	24	8	15
Washington	1,537	606	202	124	119	52	35	30	1,168	78	70	53	36	32	24	12	23	15	9	17
White	1,446	578	191	121	114	52	33	29	1,118	73	62	47	32	30	21	9	21	12	8	13
Nonwhite	91	28	11	3	5	-	2	1	50	5	8	6	4	2	3	3	2	3	1	4
West Virginia	2,108	526	260	137	177	122	87	62	1,371	180	124	109	75	62	42	26	37	29	31	22
White	1,990	486	242	133	164	114	82	60	1,291	172	121	102	72	59	39	23	36	28	26	21
Nonwhite	118	30	18	4	13	8	5	2	80	8	3	7	3	3	3	3	1	1	5	1
Wisconsin	2,148	812	264	138	189	84	55	42	1,584	110	101	80	48	47	41	35	22	31	25	24
White	2,091	798	258	133	181	78	54	42	1,544	110	100	77	43	47	40	34	21	29	23	23
Nonwhite	57	14	6	5	8	6	1	-	40	-	1	3	5	-	1	1	1	2	2	1
Wyoming	293	100	22	24	15	20	7	8	196	21	16	12	8	10	7	5	8	4	2	4
White	265	95	22	24	14	18	7	8	187	19	12	8	8	9	7	3	5	4	-	3
Nonwhite	28	5		1	1	2	-	-	9	2	4	4	-	1	-	2	3	-	2	1

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year	113,169	92,034	21,135	20,424	10,428	65,975	9,904	1,713	169	2,068	358	1,854	276
Under 1 day	37,652	31,768	5,884	3,488	2,071	28,563	3,581	959	99	135	54	623	79
1 to 6 days	29,141	24,389	4,752	2,488	1,935	20,488	2,636	539	49	447	74	427	58
7 to 13 days	5,496	4,246	1,250	881	648	3,069	550	75	4	155	35	66	13
14 to 28 days	6,137	4,779	1,358	1,441	736	3,018	585	63	4	196	42	61	11
1 to 11 months	34,743	26,852	7,881	12,126	5,038	12,837	2,572	77	13	1,135	153	677	115
ALABAMA													
Under 1 year	3,228	1,771	1,457	631	1,002	1,028	436	26	11	37	5	49	3
Under 1 day	1,039	648	391	179	237	428	145	14	7	2	1	25	1
1 to 6 days	827	464	363	117	233	310	121	10	4	12	4	15	1
7 to 13 days	189	85	104	28	72	54	32	1	-	2	-	-	-
14 to 29 days	173	84	89	45	65	34	24	-	-	4	-	1	-
1 to 11 months	1,000	490	510	262	395	202	114	1	-	17	-	8	1
ARIZONA													
Under 1 year	1,083	793	290	201	91	565	170	1	-	1	-	25	29
Under 1 day	215	194	21	15	6	169	9	-	-	-	-	10	6
1 to 6 days	190	163	27	14	6	138	18	1	-	-	-	10	3
7 to 13 days	44	32	12	6	4	26	6	-	-	-	-	-	2
14 to 29 days	69	47	22	19	7	28	13	-	-	-	-	-	2
1 to 11 months	565	357	208	147	68	204	124	-	-	1	-	5	16
ARKANSAS													
Under 1 year	1,363	968	395	352	287	567	103	5	-	16	-	28	5
Under 1 day	313	232	81	75	53	147	27	4	-	-	-	6	1
1 to 6 days	377	295	82	71	50	215	30	1	-	2	-	6	2
7 to 13 days	62	45	17	17	14	26	3	-	-	-	-	2	-
14 to 29 days	84	61	23	28	15	32	8	-	-	1	-	2	-
1 to 11 months	527	335	192	163	155	147	35	-	-	13	-	12	2
CALIFORNIA													
Under 1 year	6,895	6,244	641	617	103	5,015	513	158	5	154	11	100	9
Under 1 day	2,678	2,429	249	65	12	2,222	228	105	2	6	2	31	5
1 to 6 days	1,758	1,610	148	45	7	1,469	137	41	3	32	1	23	-
7 to 13 days	261	241	20	22	3	196	15	4	-	15	1	4	1
14 to 29 days	314	275	39	57	9	190	26	4	-	21	3	3	1
1 to 11 months	1,874	1,689	185	628	72	938	107	4	-	80	4	39	2
COLORADO													
Under 1 year	1,267	1,237	30	337	7	832	20	-	-	53	1	15	2
Under 1 day	427	419	8	46	1	366	7	-	-	2	-	5	-
1 to 6 days	259	248	11	20	1	209	8	-	-	17	1	2	1
7 to 13 days	52	51	1	17	1	29	-	-	-	4	-	1	-
14 to 29 days	63	63	-	24	-	32	-	-	-	6	-	1	-
1 to 11 months	466	456	10	230	4	196	5	-	-	24	-	6	1
CONNECTICUT													
Under 1 year	1,026	969	57	80	10	864	46	9	-	-	-	16	1
Under 1 day	391	373	18	9	1	359	17	5	-	-	-	-	-
1 to 6 days	304	289	15	2	1	283	14	4	-	-	-	-	-
7 to 13 days	43	41	2	2	1	39	1	-	-	-	-	-	-
14 to 29 days	58	53	5	7	1	46	4	-	-	-	-	-	-
1 to 11 months	230	213	17	60	6	137	10	-	-	-	-	16	1
DELAWARE													
Under 1 year	214	155	59	27	21	125	38	-	-	3	-	-	-
Under 1 day	72	54	18	6	2	48	16	-	-	-	-	-	-
1 to 6 days	58	46	12	3	2	43	10	-	-	-	-	-	-
7 to 13 days	8	6	2	-	-	6	2	-	-	-	-	-	-
14 to 29 days	8	5	3	2	1	3	2	-	-	-	-	-	-
1 to 11 months	68	44	24	16	16	25	8	-	-	3	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	531	289	242	23	26	206	190	33	8	25	18	2	-
Under 1 day	234	134	100	2	3	113	89	17	7	1	1	1	-
1 to 6 days	161	89	72	4	1	69	70	13	1	5	-	-	-
7 to 13 days	15	7	8	-	-	6	7	1	-	-	1	-	-
14 to 29 days	18	10	8	1	5	6	3	2	-	1	-	-	-
1 to 11 months	103	49	54	16	17	12	21	-	-	20	16	1	-
FLORIDA													
Under 1 year	2,103	1,356	747	209	399	1,075	325	15	10	5	-	52	13
Under 1 day	746	528	218	41	96	460	114	9	6	-	-	18	2
1 to 6 days	542	365	177	26	84	314	87	4	3	1	-	20	3
7 to 13 days	120	72	48	9	25	60	21	1	1	-	-	2	1
14 to 29 days	134	91	43	18	23	70	20	1	-	-	-	2	-
1 to 11 months	561	300	261	115	171	171	83	-	-	4	-	10	7

TABLE 28.–DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948–Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
GEORGIA													
Under 1 year	3,169	1,680	1,489	474	1,037	1,101	438	33	1	27	2	45	11
Under 1 day	968	587	381	103	220	442	157	18	-	2	-	22	4
1 to 6 days	759	449	310	82	204	339	104	10	1	8	-	10	1
7 to 13 days	198	90	108	30	79	53	29	1	-	4	-	2	-
14 to 29 days	180	74	106	28	82	43	22	1	-	1	1	1	1
1 to 11 months	1,064	480	584	231	452	224	126	3	-	12	1	10	5
IDAHO													
Under 1 year	481	469	12	84	6	346	6	6	-	1	-	32	-
Under 1 day	179	177	2	10	-	151	2	4	-	-	-	12	-
1 to 6 days	136	135	1	9	-	109	1	1	-	-	-	16	-
7 to 13 days	17	17	-	3	-	13	-	1	-	-	-	-	-
14 to 29 days	21	21	-	9	-	12	-	-	-	-	-	-	-
1 to 11 months	128	119	9	53	6	61	3	-	-	1	-	4	-
ILLINOIS													
Under 1 year	5,123	4,381	742	552	168	3,553	552	110	8	99	3	67	11
Under 1 day	2,045	1,791	254	104	35	1,626	214	56	5	2	-	3	-
1 to 6 days	1,316	1,127	189	33	13	1,040	171	36	3	18	-	-	2
7 to 13 days	219	183	36	20	7	154	28	2	-	5	1	2	-
14 to 29 days	212	183	29	36	11	135	17	3	-	8	-	1	1
1 to 11 months	1,331	1,097	234	359	102	598	122	13	-	66	2	61	8
INDIANA													
Under 1 year	2,760	2,516	244	519	82	1,859	159	24	-	99	2	15	1
Under 1 day	936	865	71	85	17	753	54	16	-	5	-	6	-
1 to 6 days	691	636	55	51	16	563	39	7	-	13	-	2	-
7 to 13 days	125	103	22	12	9	88	12	-	-	2	1	-	-
14 to 29 days	144	122	22	32	2	79	19	-	-	10	1	1	-
1 to 11 months	864	790	74	339	38	375	35	1	-	69	-	6	1
IOWA													
Under 1 year	1,610	1,595	15	220	2	1,313	13	-	-	24	-	38	-
Under 1 day	557	550	7	24	-	513	7	-	-	1	-	12	-
1 to 6 days	487	482	5	15	-	450	5	-	-	3	-	14	-
7 to 13 days	79	79	-	9	-	67	-	-	-	2	-	1	-
14 to 29 days	85	84	1	12	-	70	1	-	-	2	-	-	-
1 to 11 months	402	400	2	160	2	213	-	-	-	16	-	11	-
KANSAS													
Under 1 year	1,151	1,077	74	158	36	866	37	4	-	7	-	42	1
Under 1 day	446	424	22	27	7	373	15	3	-	-	-	21	-
1 to 6 days	291	278	13	12	5	251	8	1	-	1	-	13	-
7 to 13 days	61	55	6	6	3	49	3	-	-	-	-	-	-
14 to 29 days	56	53	3	14	1	34	2	-	-	4	-	1	-
1 to 11 months	297	267	30	99	20	159	9	-	-	2	-	7	1
KENTUCKY													
Under 1 year	3,073	2,840	233	1,303	137	1,421	94	16	1	68	-	32	1
Under 1 day	787	736	51	262	23	450	28	3	-	3	-	18	-
1 to 6 days	686	624	62	194	33	417	27	4	1	5	-	4	1
7 to 13 days	180	165	15	84	9	75	6	1	-	4	-	1	-
14 to 29 days	212	198	14	107	4	81	10	2	-	7	-	1	-
1 to 11 months	1,208	1,117	91	656	68	398	23	6	-	49	-	8	-
LOUISIANA													
Under 1 year	2,779	1,283	1,496	226	716	1,006	768	-	-	-	-	49	12
Under 1 day	983	534	449	55	141	457	303	-	-	-	-	22	5
1 to 6 days	549	303	246	25	100	264	144	-	-	-	-	14	2
7 to 13 days	143	46	97	5	41	40	55	-	-	-	-	1	1
14 to 29 days	157	44	113	12	50	32	63	-	-	-	-	-	-
1 to 11 months	947	356	591	129	384	215	203	-	-	-	-	12	4
MAINE													
Under 1 year	706	703	3	194	-	478	3	9	-	4	-	18	-
Under 1 day	201	201	-	25	-	162	-	3	-	-	-	11	-
1 to 6 days	177	177	-	19	-	149	-	5	-	1	-	3	-
7 to 13 days	33	33	-	8	-	21	-	1	-	2	-	1	-
14 to 29 days	48	47	1	17	-	29	1	-	-	-	-	1	-
1 to 11 months	247	245	2	125	-	117	2	-	-	1	-	2	-
MARYLAND													
Under 1 year	1,537	1,084	453	219	168	833	276	9	1	15	6	8	2
Under 1 day	503	383	120	54	37	320	80	8	1	1	-	-	2
1 to 6 days	453	315	138	25	25	286	113	1	-	-	-	3	-
7 to 13 days	83	53	30	8	10	45	19	-	-	-	1	-	-
14 to 29 days	71	49	22	10	11	38	10	-	-	1	1	-	-
1 to 11 months	427	284	143	122	85	144	54	-	-	13	4	5	-

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MASSACHUSETTS													
Under 1 year	2,613	2,525	88	309	14	1,865	63	113	6	207	5	31	-
Under 1 day	1,007	971	36	64	4	820	30	50	2	29	-	8	-
1 to 6 days	737	717	20	17	2	576	14	53	3	66	1	5	-
7 to 13 days	106	100	6	10	-	79	4	3	1	8	1	-	-
14 to 29 days	133	129	4	16	1	83	3	4	-	24	-	2	-
1 to 11 months	630	608	22	202	7	307	12	3	-	80	3	16	-
MICHIGAN													
Under 1 year	4,639	4,169	470	625	77	3,260	255	33	3	180	133	71	2
Under 1 day	1,625	1,469	156	95	17	1,335	115	17	2	11	21	11	1
1 to 6 days	1,233	1,113	120	38	4	993	87	11	1	54	27	17	1
7 to 13 days	232	201	31	19	5	165	10	2	-	13	16	2	-
14 to 29 days	275	245	30	46	7	172	5	3	-	21	18	3	-
1 to 11 months	1,274	1,141	133	427	44	595	38	-	-	81	51	38	-
MINNESOTA													
Under 1 year	1,959	1,899	60	240	18	1,581	39	26	1	21	1	31	1
Under 1 day	774	760	14	37	1	700	12	12	1	2	-	9	-
1 to 6 days	546	541	5	22	1	493	4	13	-	3	-	10	-
7 to 13 days	78	78	1	3	-	72	1	-	-	2	-	1	-
14 to 29 days	80	77	3	15	3	57	-	1	-	3	-	1	-
1 to 11 months	480	443	37	163	13	259	22	-	-	11	1	10	1
MISSISSIPPI													
Under 1 year	2,474	1,016	1,458	240	1,107	730	302	13	4	1	-	32	45
Under 1 day	781	412	369	75	251	310	99	8	-	-	-	19	19
1 to 6 days	622	298	324	33	239	259	73	-	1	-	-	6	11
7 to 13 days	141	52	89	17	62	33	26	2	-	-	-	-	1
14 to 29 days	127	32	95	14	74	18	20	-	-	-	-	-	1
1 to 11 months	803	222	581	101	481	110	84	3	3	1	-	7	13
MISSOURI													
Under 1 year	2,585	2,229	356	591	115	1,436	218	81	17	86	6	35	-
Under 1 day	857	748	109	120	14	568	81	41	14	3	-	16	-
1 to 6 days	653	581	72	90	21	435	48	32	3	15	-	9	-
7 to 13 days	120	99	21	28	9	62	12	3	-	6	-	-	-
14 to 29 days	193	168	25	50	8	103	16	3	-	9	1	3	-
1 to 11 months	762	633	129	303	63	268	61	2	-	53	5	7	-
MONTANA													
Under 1 year	461	404	57	62	22	321	34	3	-	1	-	17	1
Under 1 day	167	156	11	6	2	143	9	2	-	-	-	5	-
1 to 6 days	101	92	9	4	-	82	9	-	-	-	-	6	-
7 to 13 days	19	17	2	1	1	16	1	-	-	-	-	-	-
14 to 29 days	28	24	4	7	3	17	1	-	-	-	-	-	-
1 to 11 months	146	115	31	44	16	63	14	1	-	1	-	6	1
NEBRASKA													
Under 1 year	835	796	39	116	12	640	26	1	-	12	1	27	-
Under 1 day	330	320	10	25	2	282	8	1	-	2	-	12	-
1 to 6 days	234	229	5	16	1	206	4	-	-	4	-	3	-
7 to 13 days	37	36	1	6	-	29	1	-	-	-	-	1	-
14 to 29 days	51	48	3	6	-	40	3	-	-	1	-	1	-
1 to 11 months	183	163	20	65	9	83	10	-	-	5	1	10	-
NEVADA													
Under 1 year	147	132	15	7	5	125	10	-	-	-	-	-	-
Under 1 day	47	45	2	1	-	44	2	-	-	-	-	-	-
1 to 6 days	57	55	2	2	1	53	1	-	-	-	-	-	-
7 to 13 days	7	6	1	-	-	6	1	-	-	-	-	-	-
14 to 29 days	7	5	2	-	1	5	1	-	-	-	-	-	-
1 to 11 months	29	21	8	4	3	17	5	-	-	-	-	-	-
NEW HAMPSHIRE													
Under 1 year	361	361	-	54	-	274	-	12	-	7	-	14	-
Under 1 day	156	156	-	10	-	128	-	9	-	-	-	9	-
1 to 6 days	82	82	-	1	-	76	-	3	-	-	-	2	-
7 to 13 days	17	17	-	2	-	11	-	-	-	3	-	1	-
14 to 29 days	18	18	-	3	-	14	-	-	-	1	-	-	-
1 to 11 months	88	88	-	38	-	45	-	-	-	3	-	2	-
NEW JERSEY													
Under 1 year	2,585	2,192	393	217	66	1,744	294	164	22	27	2	40	9
Under 1 day	954	824	130	33	12	682	106	99	12	2	-	8	-
1 to 6 days	751	647	104	11	3	589	96	38	4	4	-	5	1
7 to 13 days	141	118	23	7	-	95	22	10	1	3	-	3	-
14 to 29 days	114	94	20	11	7	68	10	9	2	4	-	2	1
1 to 11 months	625	509	116	155	44	310	60	8	3	14	2	22	7

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NEW MEXICO													
Under 1 year	1,438	1,208	230	554	75	590	151	1	-	2	-	61	4
Under 1 day	280	245	15	74	7	151	8	-	-	-	-	20	-
1 to 6 days	239	210	28	58	9	136	20	-	-	-	-	16	-
7 to 13 days	72	62	10	18	5	36	5	-	-	1	-	7	-
14 to 29 days	105	88	17	44	8	43	9	-	-	-	-	1	-
1 to 11 months	762	603	159	360	46	224	109	1	-	1	-	17	4
NEW YORK													
Under 1 year	8,256	7,212	1,046	714	144	5,959	882	240	20	109	2	190	18
Under 1 day	3,226	2,804	422	90	17	2,535	388	129	15	17	-	33	2
1 to 6 days	2,319	2,069	250	29	4	1,887	238	74	5	33	1	46	2
7 to 13 days	374	330	44	29	5	271	39	15	-	10	-	5	-
14 to 29 days	398	333	65	57	14	247	50	14	-	5	-	10	1
1 to 11 months	1,941	1,676	265	509	104	1,019	147	8	-	44	1	96	13
NORTH CAROLINA													
Under 1 year	3,858	2,199	1,659	666	1,117	1,480	532	10	-	21	-	22	10
Under 1 day	1,100	700	400	109	212	575	184	5	-	-	-	11	4
1 to 6 days	972	628	344	97	193	520	150	4	-	5	-	2	1
7 to 13 days	200	99	101	36	69	59	31	-	-	3	-	1	1
14 to 29 days	245	115	130	51	96	56	34	-	-	4	-	4	-
1 to 11 months	1,341	657	684	373	547	270	133	1	-	9	-	4	4
NORTH DAKOTA													
Under 1 year	487	454	33	74	13	373	20	2	-	-	-	5	-
Under 1 day	163	153	10	8	1	142	9	2	-	-	-	1	-
1 to 6 days	138	134	4	7	1	127	3	-	-	-	-	-	-
7 to 13 days	22	22	-	2	-	19	-	-	-	-	-	1	-
14 to 29 days	25	25	-	4	-	21	-	-	-	-	-	-	-
1 to 11 months	139	120	19	53	11	64	8	-	-	-	-	3	-
OHIO													
Under 1 year	5,693	5,079	614	914	158	3,645	359	146	17	332	77	42	3
Under 1 day	1,940	1,744	196	170	29	1,432	136	102	13	22	16	18	2
1 to 6 days	1,516	1,364	152	76	16	1,167	106	31	4	81	25	9	1
7 to 13 days	287	262	25	34	-	192	19	8	-	27	6	1	-
14 to 29 days	295	248	47	47	9	174	29	2	-	25	9	-	-
1 to 11 months	1,655	1,461	194	587	104	680	69	3	-	177	21	14	-
OKLAHOMA													
Under 1 year	1,731	1,415	316	326	173	1,045	133	2	-	-	-	42	10
Under 1 day	601	538	63	89	23	431	37	-	-	-	-	18	3
1 to 6 days	418	362	56	56	30	289	22	2	-	-	-	15	4
7 to 13 days	82	57	25	12	15	45	9	-	-	-	-	-	1
14 to 29 days	91	76	15	23	9	50	6	-	-	-	-	3	-
1 to 11 months	539	382	157	146	96	230	59	-	-	-	-	6	2
OREGON													
Under 1 year	897	861	36	120	5	636	24	23	2	47	4	35	1
Under 1 day	344	330	14	7	-	292	12	14	1	3	-	14	1
1 to 6 days	254	244	10	5	-	213	8	8	1	10	1	8	-
7 to 13 days	34	32	2	2	1	26	-	-	-	3	1	1	-
14 to 29 days	40	39	1	9	-	24	-	1	-	4	1	1	-
1 to 11 months	225	216	9	97	4	81	4	-	-	27	1	11	-
PENNSYLVANIA													
Under 1 year	6,442	5,724	718	1,012	91	4,446	582	66	13	139	20	61	12
Under 1 day	2,150	1,903	247	195	24	1,653	214	33	6	1	1	21	2
1 to 6 days	1,836	1,643	193	119	12	1,464	168	20	5	20	2	20	6
7 to 13 days	343	301	42	44	2	234	38	6	1	15	-	2	1
14 to 29 days	345	311	34	50	6	244	27	4	1	11	-	2	-
1 to 11 months	1,768	1,566	202	604	47	851	135	3	-	92	17	16	3
RHODE ISLAND													
Under 1 year	444	429	15	44	3	268	7	105	4	4	-	10	1
Under 1 day	189	182	6	4	-	116	2	62	3	-	-	-	1
1 to 6 days	126	123	3	3	-	81	2	38	1	1	-	-	-
7 to 13 days	18	17	1	1	-	12	1	2	-	1	-	1	-
14 to 29 days	16	15	1	3	-	10	1	2	-	-	-	-	-
1 to 11 months	96	92	4	33	3	47	1	1	-	2	-	9	-
SOUTH CAROLINA													
Under 1 year	2,331	1,021	1,310	301	974	700	333	2	-	4	-	14	3
Under 1 day	613	326	287	52	186	266	101	1	-	-	-	7	-
1 to 6 days	613	284	329	48	244	232	83	-	-	1	-	3	2
7 to 13 days	129	47	82	10	60	36	22	-	-	-	-	1	-
14 to 29 days	142	54	88	22	74	31	14	-	-	1	-	-	-
1 to 11 months	834	310	524	169	410	135	113	1	-	2	-	3	1

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1948—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
SOUTH DAKOTA													
Under 1 year	525	457	68	75	26	352	39	4	-	1	-	25	3
Under 1 day	186	177	9	17	2	145	6	2	-	-	-	13	1
1 to 6 days	141	136	5	14	-	115	5	2	-	-	-	5	-
7 to 13 days	19	18	1	1	1	15	-	-	-	-	-	2	-
14 to 29 days	25	23	2	8	2	14	-	-	-	-	-	1	-
1 to 11 months	154	103	51	35	21	63	28	-	-	1	-	4	2
TENNESSEE													
Under 1 year	3,098	2,419	679	915	348	1,321	300	37	-	63	23	83	8
Under 1 day	1,028	822	206	214	79	540	120	16	-	3	3	49	4
1 to 6 days	747	587	160	133	64	413	92	14	-	10	2	17	2
7 to 13 days	151	108	43	49	19	51	18	1	-	5	6	2	-
14 to 29 days	191	155	36	97	23	53	11	1	-	4	2	-	-
1 to 11 months	981	747	234	422	163	264	59	5	-	41	10	15	2
TEXAS													
Under 1 year	9,151	7,739	1,392	3,461	751	4,019	602	95	-	43	5	121	34
Under 1 day	2,076	1,756	320	402	109	1,271	301	49	-	-	-	34	10
1 to 6 days	2,084	1,763	321	534	158	1,152	153	36	-	7	2	34	8
7 to 13 days	448	350	98	166	67	166	28	8	-	5	-	5	3
14 to 29 days	509	412	97	211	48	194	46	2	-	2	-	3	3
1 to 11 months	4,014	3,458	556	2,148	369	1,236	174	-	-	29	3	45	10
UTAH													
Under 1 year	568	545	23	81	8	423	13	5	-	27	1	9	1
Under 1 day	202	195	7	7	1	169	6	3	-	13	-	3	-
1 to 6 days	182	174	8	11	1	148	5	2	-	8	1	5	1
7 to 13 days	25	25	-	1	-	20	-	-	-	3	-	1	-
14 to 29 days	26	26	-	7	-	19	-	-	-	-	-	-	-
1 to 11 months	133	125	8	55	6	67	2	-	-	3	-	-	-
VERMONT													
Under 1 year	271	271	-	47	-	214	-	1	-	2	-	7	-
Under 1 day	87	87	-	4	-	77	-	1	-	-	-	5	-
1 to 6 days	85	85	-	4	-	81	-	-	-	-	-	-	-
7 to 13 days	14	14	-	-	-	13	-	-	-	1	-	-	-
14 to 29 days	18	18	-	2	-	16	-	-	-	-	-	-	-
1 to 11 months	67	67	-	37	-	27	-	-	-	1	-	2	-
VIRGINIA													
Under 1 year	3,163	2,076	1,087	658	689	1,338	350	36	15	16	30	28	3
Under 1 day	1,026	719	307	160	169	536	126	13	2	-	9	10	1
1 to 6 days	763	537	226	92	126	423	88	11	5	3	6	8	1
7 to 13 days	169	112	57	41	42	69	15	-	-	2	-	-	-
14 to 29 days	207	122	85	48	53	66	26	4	1	1	5	3	-
1 to 11 months	998	586	412	317	299	244	95	8	7	10	10	7	1
WASHINGTON													
Under 1 year	1,537	1,446	91	177	25	1,185	62	6	-	3	-	75	4
Under 1 day	606	578	28	18	2	541	24	2	-	-	-	17	2
1 to 6 days	445	426	19	9	1	406	17	4	-	-	-	7	1
7 to 13 days	52	52	-	4	-	41	-	-	-	1	-	6	-
14 to 29 days	65	62	3	19	1	40	2	-	-	-	-	3	-
1 to 11 months	369	328	41	127	21	157	19	-	-	2	-	42	1
WEST VIRGINIA													
Under 1 year	2,108	1,990	118	867	74	1,098	44	2	-	2	-	21	-
Under 1 day	526	496	30	175	16	315	14	1	-	-	-	5	-
1 to 6 days	574	539	35	169	21	364	14	-	-	-	-	6	-
7 to 13 days	122	114	8	43	4	70	4	-	-	-	-	1	-
14 to 29 days	149	142	7	76	2	66	5	-	-	-	-	-	-
1 to 11 months	737	699	38	404	31	283	7	1	-	2	-	9	-
WISCONSIN													
Under 1 year	2,148	2,091	57	288	5	1,661	50	26	-	66	-	50	2
Under 1 day	812	798	14	38	-	728	14	20	-	1	-	11	-
1 to 6 days	591	572	19	20	1	538	18	4	-	6	-	4	-
7 to 13 days	84	78	6	9	1	62	4	2	-	3	-	2	1
14 to 29 days	97	96	1	17	-	69	1	-	-	7	-	3	-
1 to 11 months	564	547	17	204	3	264	13	-	-	49	-	30	1
WYOMING													
Under 1 year	293	265	28	43	15	193	13	-	-	7	-	22	-
Under 1 day	100	95	5	4	-	77	5	-	-	1	-	13	-
1 to 6 days	61	59	2	3	1	52	1	-	-	-	-	4	-
7 to 13 days	20	18	2	-	2	16	-	-	-	-	-	2	-
14 to 29 days	15	15	-	2	-	10	-	-	-	3	-	-	-
1 to 11 months	97	78	19	34	12	38	7	-	-	3	-	3	-

TABLE 29.-DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1948

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	113,169	10,909	9,832	9,736	9,011	9,220	8,789	8,984	9,441	8,783	9,546	9,112	9,806
Cerebrospinal (meningococcus) meningitis-6	245	30	31	32	14	18	14	10	8	22	19	18	29
Scarlet fever-8	5	-	1	1	1	-	-	-	1	1	-	-	-
Whooping cough-9	642	123	116	105	105	81	71	47	47	43	50	24	30
Diphtheria (infection by C. diphtheriae)-10	47	11	6	2	2	1	3	2	2	3	6	4	5
Tuberculosis (all forms)-13-22	325	33	13	35	28	38	23	33	34	14	29	18	27
Tuberculosis of the respiratory system, etc.*-13	135	11	4	18	8	20	8	13	15	9	12	8	9
Tuberculosis of the meninges, etc.*-14	103	18	7	8	13	8	7	6	11	3	7	4	11
Tuberculosis (other forms)-15-22	87	4	2	9	7	10	8	14	8	2	10	6	7
Dysentery-27	621	16	22	24	31	60	72	76	102	70	61	53	34
Malaria-28	10	-	-	1	1	1	-	-	2	1	3	1	-
Syphilis-30	438	53	41	39	42	41	37	26	36	30	32	31	30
Measles-35	183	9	28	33	30	32	17	3	7	3	3	7	11
Diseases of the thymus gland-64	689	87	66	79	57	47	49	33	59	48	45	56	63
Meningitis (not due to meningococcus)-81	587	81	69	60	50	51	33	33	25	33	34	49	69
Intracranial lesions of vascular origin-83	184	21	14	18	15	17	12	12	15	9	14	21	16
Convulsions-86	194	19	10	22	16	18	20	17	15	10	11	20	16
Diseases of the ear and mastoid process-89	157	24	22	13	17	9	14	5	7	4	13	12	17
Diseases of the heart-90-95	131	11	12	12	18	9	6	9	12	4	10	14	14
Pneumonia (all forms) and influenza-107-109,33	12,922	1,898	1,801	1,591	1,097	845	597	507	652	616	931	1,040	1,347
Bronchopneumonia, etc.*-107	7,967	1,077	1,068	958	689	578	397	331	442	391	592	832	812
Lobar pneumonia-108	2,127	325	271	265	187	129	100	69	94	103	142	191	231
Pneumonia (unspecified)-109	1,889	272	279	206	151	96	86	73	97	102	149	157	221
Influenza-33	939	224	183	162	70	42	14	14	19	20	48	60	83
Other diseases of respiratory system-104-106,110-114	1,234	187	159	145	119	93	68	49	49	49	81	95	140
Ulcer of stomach or duodenum-117	42	3	5	3	3	2	1	9	2	1	5	2	6
Diarrhea, enteritis, etc.*-119	6,322	440	304	350	361	494	513	612	681	788	714	555	520
Intestinal obstruction-122b	456	36	44	39	37	33	38	45	44	40	32	36	32
Other diseases of digestive system-115,116,118,121,123-129	464	52	38	36	58	25	26	36	36	35	41	38	43
Nephritis-130,131	102	9	13	9	9	7	7	7	7	7	16	6	5
Congenital malformations-157	15,778	1,478	1,332	1,394	1,237	1,293	1,175	1,219	1,287	1,270	1,350	1,362	1,381
Diseases peculiar to first year of life-158-161	61,543	5,147	4,701	4,801	4,948	5,302	5,368	5,520	5,520	5,017	5,285	4.864	5,072
Congenital debility-158	1,613	172	141	121	125	112	89	122	136	122	173	165	135
Premature birth-159	39,085	3,164	2,861	2,923	3,231	3,436	3,595	3,524	3,477	3,192	3,310	3.083	3,259
Injury at birth-160	12,191	1,048	994	1,026	950	1,063	979	1,070	1,133	982	1,032	955	959
Other diseases peculiar to first year of life-161	8,654	763	685	731	640	691	705	804	774	721	770	651	719
Asphyxia (cause not specified), atelectasis-161a	5,315	440	411	429	404	435	420	496	491	429	515	404	450
Infection of the umbilicus, etc.*-161b,c	3,339	323	274	302	236	256	285	316	283	293	255	247	289
Homicide-165-168	151	13	8	18	12	20	10	8	19	8	11	12	12
Accidental deaths-169-195	3,505	437	339	323	267	252	210	219	260	227	285	315	371
Accidental mechanical suffocation-182	1,568	217	187	174	112	107	77	90	87	82	126	135	184
Other accidental deaths-169-181,183-195	1,937	220	152	149	155	145	133	129	173	145	159	180	187
Ill-defined and unknown causes-199,200	3,851	486	445	381	271	269	242	259	307	248	291	302	350
All other causes	2,141	205	192	170	167	172	163	188	205	182	174	157	166

*Refer to International List for complete title, table IX, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1948

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES, BOTH SEXES------All causes	113,169	37,652	11,918	7,484	9,761	5,496	3,288	2,849	78,426	7,062	5,737	4,688	3,755	3,040	2,583	2,046	1,869	1,555	1,245	1,163
Cerebrospinal (meningococcus) meningitis--6	245	-	-	-	2	4	5	5	16	20	17	30	20	23	32	17	24	24	10	12
Scarlet fever----------8	5	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	1
Whooping cough----------9	842	-	-	1	1	2	7	27	38	129	163	108	75	72	55	44	36	48	35	39
Diphtheria (infection by C. diphtheriae)-10	47	-	-	-	-	1	2	1	4	5	2	6	4	3	3	3	4	1	5	7
Tuberculosis (all forms)----------13-22	325	2	1	-	2	3	2	1	11	11	14	19	27	27	29	24	43	37	42	41
Tuberculosis of the resp. sys., etc.*--13	135	1	1	-	1	1	-	-	4	6	6	10	10	10	15	14	20	14	16	10
Tuberculosis of the meninges, etc.*----14	103	1	-	-	1	-	-	1	3	2	5	4	8	8	6	6	13	16	17	15
Tuberculosis (other forms)----------15-22	87	-	-	-	-	2	2	-	4	3	3	5	9	9	8	4	10	7	9	16
Dysentery----------27	621	-	1	-	7	15	9	14	46	63	90	73	67	68	53	42	39	26	28	26
Malaria----------28	10	-	-	-	3	-	-	-	3	1	1	1	-	-	1	-	1	1	1	-
Syphilis----------30	438	112	29	25	33	18	21	21	259	64	44	21	14	9	8	7	6	5	1	-
Measles----------35	185	1	-	-	1	3	4	5	14	7	6	20	17	13	12	19	21	26	13	15
Diseases of the thymus gland----------64	689	64	31	30	37	25	23	35	245	100	104	89	47	33	21	17	11	9	7	6
Meningitis (not due to meningococcus)----61	587	1	-	1	10	21	21	17	71	50	67	48	61	49	47	49	41	47	31	26
Intracranial lesions of vascular origin--63	184	2	2	1	1	1	1	2	10	35	18	19	17	18	16	15	12	6	9	9
Convulsions----------86	194	5	7	13	34	21	7	6	93	16	17	15	10	8	12	3	7	3	4	6
Diseases of the ear and mastoid process--69	157	-	-	-	2	2	1	-	5	11	23	22	19	33	11	7	7	5	8	6
Diseases of the heart----------90-95	151	4	3	6	5	2	4	8	32	13	14	5	13	7	7	9	14	5	5	7
Pneumonia (all forms) and influenza----------107-109,33	12,922	154	204	263	590	541	576	592	2,920	1,732	1,648	1,511	1,188	939	812	619	536	413	320	284
Bronchopneumonia, etc.*----------107	7,967	116	142	173	394	349	394	389	1,957	1,098	1,043	915	694	540	473	366	314	226	178	165
Lobar pneumonia----------108	2,127	16	23	33	89	79	65	89	394	254	271	276	214	169	151	118	94	72	67	47
Pneumonia (unspecified)----------109	1,869	18	37	54	94	90	84	81	458	276	220	212	180	136	115	83	71	70	47	41
Influenza----------33	939	4	2	3	13	23	33	33	111	104	114	110	100	94	73	72	57	45	28	31
Other diseases of respiratory system----------104-106,110-114	1,234	43	17	20	33	43	39	40	235	173	154	160	105	101	66	58	53	53	39	37
Ulcer of stomach or duodenum----------117	42	1	-	2	9	4	-	-	16	6	7	4	2	2	1	-	1	2	1	-
Diarrhea, enteritis, etc.*----------119	6,322	6	4	12	54	223	354	356	1,009	965	810	710	613	516	459	353	327	253	170	137
Intestinal obstruction----------122b	456	-	-	-	-	-	-	-	-	59	58	52	67	52	48	31	27	23	20	19
Other diseases of digestive system----------115,116,118,121,123-129	464	1	5	6	21	30	17	17	97	63	51	39	47	37	26	31	19	15	19	20
Nephritis----------130,131	102	3	1	-	2	2	4	4	16	8	6	8	7	7	10	6	7	10	10	7
Congenital malformations----------157	15,778	3,467	1,121	1,098	1,901	1,245	780	644	10,256	1,422	911	642	572	444	367	302	280	230	195	157
Diseases peculiar to first year-----158-161	61,543	32,690	10,114	5,638	6,385	2,735	1,039	699	59,300	928	466	284	160	108	83	58	57	36	29	34
Congenital debility----------158	1,613	357	120	57	117	84	77	72	884	197	187	111	63	52	31	26	24	19	9	10
Premature birth----------159	39,085	22,252	6,361	3,158	3,462	1,889	722	452	38,296	505	138	71	33	20	12	3	3	4	1	1
Injury at birth----------160	12,191	6,664	2,105	1,331	1,387	339	107	62	11,995	49	26	16	21	14	20	11	14	5	9	11
Other diseases peculiar to first year-161	8,654	3,417	1,528	1,092	1,419	423	133	113	8,125	179	115	86	43	22	20	18	16	8	10	12
Asphyxia (cause not specified), atelectasis----------161a	5,315	2,545	1,154	651	522	134	49	35	5,090	84	55	38	17	9	9	7	2	1	1	2
Infection of the umbilicus, etc.*161b,c	3,339	872	374	441	897	289	84	78	3,035	95	60	48	26	13	11	11	14	7	9	10
Homicide----------165-168	151	85	19	2	5	1	-	2	114	7	2	4	6	5	3	3	1	1	3	2
Accidental deaths----------169-195	3,505	103	47	67	100	127	110	148	702	564	578	399	284	202	164	129	122	115	116	130
Accidental mechanical suffocation-----182	1,568	21	14	21	25	50	53	86	270	349	333	230	146	67	53	38	23	19	14	6
Other accidental deaths---169-181,183-195	1,937	82	33	46	75	77	57	62	432	215	245	169	138	115	111	91	99	96	102	124
Ill-defined and unknown causes------199,200	3,851	795	264	215	370	256	178	141	2,199	431	314	263	164	123	100	66	69	55	33	35
All other causes----------	2,141	113	46	64	153	191	84	83	714	179	152	136	148	141	137	133	104	106	91	100
ALL RACES, MALE----------All causes	65,151	21,977	6,986	4,475	5,796	3,080	1,854	1,852	45,770	4,078	3,328	2,614	2,066	1,676	1,405	1,108	988	835	651	632
Cerebrospinal (meningococcus) meningitis--6	142	-	-	-	2	2	3	4	11	13	7	21	10	15	17	10	13	9	9	7
Scarlet fever----------8	5	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	1
Whooping cough----------9	413	-	-	-	-	-	3	14	17	65	94	53	31	34	23	22	17	17	19	21
Diphtheria (infection by C. diphtheriae)-10	28	-	-	-	-	1	1	1	3	4	1	2	3	1	2	1	4	1	4	2
Tuberculosis (all forms)----------13-22	172	1	1	-	1	1	-	1	5	4	9	8	14	14	15	15	24	23	18	23
Tuberculosis of the resp. sys., etc.*--13	82	-	1	-	1	-	-	-	2	2	3	5	4	6	10	9	15	12	9	5
Tuberculosis of the meninges, etc.*----14	51	1	-	-	-	-	-	1	2	1	4	1	5	4	2	4	4	9	6	9
Tuberculosis (other forms)----------15-22	39	-	-	-	-	1	-	-	1	1	2	2	5	4	3	2	5	2	3	9
Dysentery----------27	349	-	1	-	2	11	5	9	28	33	51	46	38	41	34	18	24	12	8	16
Malaria----------28	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-
Syphilis----------30	265	70	18	14	19	11	10	15	157	42	28	15	7	5	1	5	3	2	-	-
Measles----------35	100	1	-	-	1	3	-	3	8	3	2	11	12	8	6	11	9	15	7	8
Diseases of the thymus gland----------64	416	41	19	18	22	17	16	21	154	56	65	55	23	17	11	11	7	7	4	6
Meningitis (not due to meningococcus)----61	343	-	-	1	6	12	11	5	35	28	44	31	42	30	26	25	26	27	15	14
Intracranial lesions of vascular origin--63	110	2	-	1	1	1	1	2	8	25	10	13	9	10	9	5	8	3	6	4
Convulsions----------86	111	4	5	12	18	10	4	6	59	11	8	8	6	5	6	2	3	1	1	1
Diseases of the ear and mastoid process--69	104	-	-	-	1	1	1	-	3	7	17	15	12	25	6	5	3	4	4	3
Diseases of the heart----------90-95	73	1	2	1	4	1	2	5	16	7	5	2	10	2	5	5	9	2	3	7
Pneumonia (all forms) and influenza----------107-109,33	7,186	86	123	153	326	296	329	345	1,658	990	930	850	647	505	450	336	267	235	167	151
Bronchopneumonia, etc.*----------107	4,450	69	83	100	226	193	218	232	1,121	646	594	526	372	290	259	193	154	124	84	87
Lobar pneumonia----------108	1,134	6	14	18	44	48	37	44	211	125	144	139	121	90	81	71	49	42	38	23
Pneumonia (unspecified)----------109	1,074	8	24	33	51	42	57	50	265	153	123	127	101	71	75	28	40	44	24	23
Influenza----------33	528	3	2	2	5	13	17	19	61	66	69	58	53	54	35	44	24	25	21	18
Other diseases of respiratory system----------104-106,110-114	707	25	12	14	26	23	20	21	141	90	83	98	63	58	38	33	30	34	24	15
Ulcer of stomach or duodenum----------117	26	1	-	-	6	3	-	-	10	4	5	3	1	1	-	-	-	1	1	-
Diarrhea, enteritis, etc.*----------119	3,576	4	3	6	33	129	208	218	601	559	490	384	330	299	251	190	184	133	95	70
Intestinal obstruction----------122b	280	-	-	-	-	-	-	-	-	32	34	34	39	30	30	22	15	13	17	14
Other diseases of digestive system----------115,116,118,121,123-129	266	1	3	5	12	16	12	10	59	34	35	21	23	21	13	20	10	9	7	14
Nephritis----------130,131	68	2	1	-	1	2	4	3	13	6	5	4	4	4	5	3	5	6	8	7
Congenital malformations----------157	8,788	1,791	681	675	1,115	655	443	371	5,731	859	537	345	304	234	188	155	140	118	90	76
Diseases peculiar to first year-----158-161	36,229	19,323	5,903	3,368	3,827	1,528	573	395	34,917	539	277	158	102	63	49	28	31	28	21	18
Congenital debility----------158	945	205	71	30	67	48	45	46	512	124	116	67	35	30	16	11	11	12	7	4
Premature birth----------159	22,602	13,132	3,659	1,768	1,970	1,007	381	240	22,157	276	79	36	23	12	9	2	3	4	1	-
Injury at birth----------160	7,508	4,082	1,258	846	892	211	64	40	7,393	32	13	7	15	8	11	5	8	4	6	6
Other diseases peculiar to first year-161	5,174	1,904	915	724	998	262	83	69	4,855	107	69	48	29	15	13	10	9	6	7	8
Asphyxia (cause not specified), atelectasis----------161a	3,136	1,426	685	439	319	79	34	20	3,002	47	36	21	14	4	6	2	-	1	1	2
Infection of the umbilicus,etc.*-161b,c	2,038	478	230	285	579	183	49	49	1,853	60	33	27	15	9	7	8	9	5	6	6
Homicide----------165-168	72	46	9	1	-	-	-	-	56	2	1	1	5	-	2	1	1	1	1	1
Accidental deaths----------169-195	1,980	60	28	46	65	66	56	84	403	339	337	227	142	115	97	70	62	59	61	68
Accidental mechanical suffocation-----182	908	9	9	13	19	25	27	52	154	210	200	141	80	50	27	20	11	6	5	4
Other accidental deaths---169-181,183-195	1,072	51	17	33	46	41	29	32	249	129	137	86	62	65	70	50	51	53	56	64
Ill-defined and unknown causes------199,200	2,126	449	154	123	219	117	98	79	1,239	233	162	138	98	72	51	39	32	24	19	19
All other causes----------	1,245	69	25	37	89	124	54	39	437	113	92	70	90	77	69	75	59	55	42	66

*Refer to International List for complete title, table IX, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1948—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 28 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES, FEMALE—All causes	48,018	15,675	4,930	2,999	3,965	2,466	1,434	1,197	32,656	2,984	2,409	2,074	1,669	1,364	1,178	938	861	720	594	531
Cerebrospinal (meningococcus) meningitis—6	103	-	-	-	-	2	2	1	5	7	10	9	10	8	15	7	11	15	1	5
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	429	-	-	1	1	2	4	13	21	64	69	55	44	38	32	22	19	31	16	18
Diphtheria (infection by C. diphtheriae)—10	19	-	-	-	-	-	1	-	1	1	1	4	1	2	1	2	-	-	1	5
Tuberculosis (all forms)—11-22	153	1	-	-	1	2	2	-	6	7	5	11	13	13	14	9	19	14	24	18
Tuberculosis of the resp. sys., etc.*—13	53	1	-	-	-	1	-	-	2	4	3	5	6	4	5	5	5	2	7	5
Tuberculosis of the meninges, etc.*—14	52	-	-	-	1	-	-	-	1	1	1	3	3	4	4	2	9	7	11	6
Tuberculosis (other forms)—15-22	48	-	-	-	-	1	2	-	3	2	1	3	4	5	5	2	5	5	6	7
Dysentery—27	272	-	-	-	5	4	4	5	18	30	38	27	29	27	19	24	15	14	20	10
Malaria—28	6	-	-	-	3	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Syphilis—30	173	42	11	11	14	7	11	6	102	22	16	6	7	4	7	2	3	3	1	-
Measles—35	83	-	-	-	-	-	4	2	6	4	4	9	5	5	6	8	12	11	6	7
Diseases of the thymus gland—64	273	23	12	12	15	8	7	14	91	44	39	34	24	16	10	6	4	2	3	-
Meningitis (not due to meningococcus)—81	244	1	-	-	4	9	10	12	36	22	25	17	19	19	21	24	15	20	16	12
Intracranial lesions of vascular origin—83	74	-	2	-	-	-	-	-	2	10	8	6	8	8	7	10	4	3	3	5
Convulsions—86	83	1	2	1	16	11	3	-	34	5	9	7	4	3	6	1	4	2	3	5
Diseases of the ear and mastoid process—89	53	-	-	-	1	1	-	-	2	4	6	7	7	8	5	2	4	1	4	3
Diseases of the heart—90-95	58	3	1	5	1	1	2	3	16	6	9	3	3	5	2	4	5	3	2	-
Pneumonia (all forms) and influenza—107-109,33	5,736	68	81	110	264	245	247	247	1,262	742	718	661	541	434	362	283	269	178	153	133
Bronchopneumonia, etc.*—107	3,517	47	59	73	168	156	176	157	836	452	449	387	322	250	214	173	160	102	94	78
Lobar pneumonia—106	993	10	9	15	45	31	28	45	183	129	127	137	93	79	70	47	45	30	29	24
Pneumonia (unspecified)—109	915	10	13	21	43	48	27	31	193	123	97	85	79	65	40	35	31	26	23	18
Influenza—33	411	1	-	1	8	10	16	14	50	38	45	52	47	40	38	28	33	20	7	13
Other diseases of respiratory system—104-106,110-114	527	18	5	6	7	20	19	19	94	83	71	62	42	43	28	25	23	19	15	22
Ulcer of stomach or duodenum—117	16	-	-	2	3	1	-	-	6	2	2	1	1	1	1	-	1	1	-	-
Diarrhea, enteritis, etc.*—119	2,746	2	1	6	21	94	146	138	408	406	320	326	283	227	208	163	143	120	75	67
Intestinal obstruction—122b	176	-	-	-	-	-	-	-	-	27	24	18	28	22	18	9	12	10	3	5
Other diseases of digestive system—115,116,118,121,123-129	198	-	2	1	9	14	5	7	38	29	16	18	24	16	13	11	9	6	12	6
Nephritis—130,131	34	1	-	-	1	-	-	1	3	2	3	4	3	3	5	3	2	4	2	-
Congenital malformations—157	7,023	1,676	440	423	786	590	337	273	4,525	583	374	297	268	210	179	147	140	114	105	81
Diseases peculiar to first year—158-161	25,514	13,367	4,211	2,270	2,558	1,207	466	304	24,383	389	189	126	58	45	34	30	26	10	8	16
Congenital debility—158	668	152	49	27	50	36	32	26	372	73	71	44	28	22	15	15	13	7	2	6
Premature birth—159	16,483	9,120	2,702	1,390	1,492	882	341	212	16,139	227	59	35	10	8	3	1	-	-	-	1
Injury at birth—160	4,693	2,582	847	485	495	128	43	22	4,602	17	13	9	6	6	9	6	6	1	3	5
Other diseases peculiar to first year—161	3,480	1,513	613	368	521	161	50	44	3,270	72	46	38	14	9	7	8	7	2	3	4
Asphyxia (cause not specified), atelectasis—161a	2,179	1,119	469	212	203	55	15	15	2,088	37	19	17	3	5	3	5	2	-	-	-
Infection of the umbilicus, etc.*—161b,c	1,301	394	144	156	318	106	35	29	1,182	35	27	21	11	4	4	3	5	2	3	4
Homicide—165-168	79	38	10	1	5	1	-	2	58	5	1	3	1	5	1	2	-	-	2	1
Accidental deaths—169-195	1,525	43	21	21	35	61	54	64	299	225	241	172	142	87	67	59	60	56	55	62
Accidental mechanical suffocation—182	660	12	5	8	6	25	26	34	116	139	133	89	66	37	26	18	12	13	9	2
Other accidental deaths—169-181,183-195	865	31	16	13	29	36	28	30	183	86	108	83	76	50	41	41	48	43	46	60
Ill-defined and unknown causes—199,200	1,725	348	110	92	151	119	60	62	960	198	152	125	66	51	49	27	36	31	14	16
All other causes	898	44	21	27	54	67	30	24	277	66	60	66	58	64	68	58	45	51	49	54
WHITE, BOTH SEXES—All causes	92,034	31,768	10,130	6,328	7,931	4,246	2,576	2,203	65,182	5,485	4,419	3,557	2,882	2,342	1,998	1,586	1,458	1,204	1,007	914
Cerebrospinal (meningococcus) meningitis—6	200	-	-	-	2	4	3	5	14	18	12	25	20	19	26	10	17	22	9	8
Scarlet fever—8	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1
Whooping cough—9	545	-	-	-	1	1	3	17	22	92	114	60	48	40	37	28	20	34	27	23
Diphtheria (infection by C. diphtheriae)—10	37	-	-	-	-	-	2	1	3	4	2	4	3	3	2	3	4	1	4	4
Tuberculosis (all forms)—11-22	190	1	1	-	1	1	2	1	7	4	9	8	12	12	18	14	26	23	27	28
Tuberculosis of the resp. sys., etc.*—13	80	1	1	-	1	-	-	-	3	3	5	3	6	7	9	8	11	8	10	7
Tuberculosis of the meninges, etc.*—14	66	-	-	-	-	-	-	1	1	-	3	3	4	2	5	4	11	11	12	10
Tuberculosis (other forms)—15-22	44	-	-	-	-	1	2	-	3	1	1	2	2	3	4	2	6	4	5	11
Dysentery—27	529	-	1	-	4	11	8	12	36	51	76	65	58	58	47	33	32	22	28	23
Malaria—28	7	-	-	-	3	-	-	-	3	-	1	-	-	-	1	-	1	1	-	-
Syphilis—30	151	46	10	9	9	4	4	9	91	22	16	10	4	-	1	4	-	3	-	-
Measles—35	144	1	-	-	1	2	4	3	11	6	4	12	15	12	10	16	15	21	10	12
Diseases of the thymus gland—64	597	61	29	26	32	22	17	33	220	85	93	71	40	31	18	14	9	6	5	5
Meningitis (not due to meningococcus)—81	442	-	-	1	9	16	17	14	57	45	50	36	41	36	31	37	30	36	23	20
Intracranial lesions of vascular origin—83	157	1	2	-	1	1	1	2	8	31	15	16	15	18	14	14	11	2	7	8
Convulsions—86	130	4	5	12	18	14	6	6	65	10	13	8	4	6	8	2	5	2	4	3
Diseases of the ear and mastoid process—89	119	-	-	-	1	2	1	-	4	8	21	15	16	24	7	5	5	4	6	4
Diseases of the heart—90-95	98	2	1	4	4	2	4	7	24	11	12	4	9	5	6	6	9	3	4	5
Pneumonia (all forms) and influenza—107-109,33	9,455	108	162	213	441	375	434	449	2,182	1,272	1,206	1,084	865	678	590	435	398	285	234	206
Bronchopneumonia, etc.*—107	5,836	85	112	144	294	246	300	293	1,474	798	753	661	516	379	339	258	240	159	132	127
Lobar pneumonia—106	1,570	12	20	25	64	49	49	73	291	189	198	200	168	131	114	81	69	53	47	29
Pneumonia (unspecified)—109	1,421	10	28	41	76	67	61	63	346	214	173	156	135	97	91	42	54	47	35	31
Influenza—33	628	1	2	3	7	14	24	20	71	71	82	67	66	71	48	54	35	26	20	19
Other diseases of respiratory system—104-106,110-114	950	33	16	10	19	26	30	27	161	125	120	131	85	77	50	50	42	46	32	31
Ulcer of stomach or duodenum—117	36	1	-	1	7	4	-	-	13	6	6	3	2	2	1	-	1	1	1	-
Diarrhea, enteritis, etc.*—119	5,136	6	3	7	43	185	295	278	817	780	655	572	483	410	377	298	266	214	147	117
Intestinal obstruction—122b	367	-	-	-	-	-	-	-	-	49	44	43	51	43	35	24	22	22	18	16
Other diseases of digestive system—115,116,118,121,123-129	360	1	4	6	16	24	11	15	77	53	36	28	35	27	21	25	13	11	17	17
Nephritis—130,131	81	3	1	-	2	1	4	3	14	7	5	5	5	5	9	4	6	7	7	7
Congenital malformations—157	14,417	3,229	1,040	1,023	1,712	1,124	721	595	9,444	1,302	814	572	509	395	335	267	256	201	178	144
Diseases peculiar to first year—158-161	51,467	27,700	8,660	4,834	5,263	2,111	769	492	49,829	675	332	212	114	81	55	46	46	27	24	26
Congenital debility—158	1,107	249	92	37	75	49	55	44	601	136	124	81	42	40	18	18	20	13	7	7
Premature birth—159	32,467	18,729	5,407	2,664	2,829	1,467	521	303	31,920	356	94	50	21	10	7	2	1	4	1	1
Injury at birth—160	10,589	5,799	1,858	1,178	1,172	264	89	53	10,414	45	23	14	21	12	18	9	12	5	8	8
Other diseases peculiar to first year—161	7,304	2,923	1,302	955	1,187	331	104	92	6,894	138	91	67	30	19	12	17	13	5	8	10
Asphyxia (cause not specified), atelectasis—161a	4,523	2,145	995	580	450	107	37	26	4,340	67	45	31	15	8	6	6	2	1	1	1
Infection of the umbilicus, etc.,*—161b,c	2,781	778	307	375	737	224	67	66	2,554	71	46	36	15	11	6	11	11	4	7	9
Homicide—165-168	124	71	14	2	4	1	-	2	94	6	2	2	5	5	1	2	1	1	3	2
Accidental deaths—169-195	2,678	66	34	45	67	93	83	105	493	445	460	307	210	157	129	98	94	92	94	99
Accidental mechanical suffocation—182	1,195	12	8	14	10	38	39	59	180	264	276	174	114	65	44	27	17	17	12	5
Other accidental deaths—169-181,183-195	1,483	54	26	31	57	55	44	46	313	181	184	133	96	92	85	71	77	75	82	94
Ill-defined and unknown causes—199,200	1,852	334	109	79	151	99	91	76	939	229	173	150	88	79	58	36	36	25	18	21
All other causes	1,762	100	38	56	120	123	66	50	553	149	128	114	124	121	111	115	91	92	80	84

*Refer to International List for complete title, table IX, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1948—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WHITE, MALE—All causes	53,287	18,607	5,893	3,831	4,754	2,358	1,479	1,281	38,303	3,195	2,563	1,974	1,590	1,294	1,069	868	776	644	525	496
Cerebrospinal (meningococcus) meningitis—6	116	-	-	-	2	2	3	4	11	13	5	17	10	12	13	5	8	8	8	6
Scarlet fever—8	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1
Whooping cough—9	272	-	-	-	-	-	2	10	12	41	66	32	21	22	17	13	10	12	13	13
Diphtheria (infection by C. diphtheriae)—10	22	-	-	-	-	-	1	1	2	3	1	1	2	1	1	1	4	1	4	1
Tuberculosis (all forms)—12-22	94	-	1	-	1	1	-	1	4	1	4	3	5	6	10	6	13	13	13	16
Tuberculosis of the resp. sys., etc.*—13	47	-	1	-	1	-	-	-	2	1	2	2	2	3	6	4	7	7	6	5
Tuberculosis of the meninges, etc.*—14	30	-	-	-	-	-	-	1	1	-	2	1	2	1	2	2	4	6	4	5
Tuberculosis (other forms)—15-22	17	-	-	-	-	1	-	-	1	-	-	-	1	2	2	-	2	-	3	6
Dysentery—27	297	-	1	-	1	9	5	7	23	25	41	40	37	37	31	13	20	9	8	13
Malaria—28	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Syphilis—30	92	28	6	7	7	2	3	7	60	12	8	7	2	-	-	2	-	1	-	-
Measles—35	78	1	-	-	1	2	-	2	6	3	2	6	11	7	4	9	6	13	5	6
Diseases of the thymus gland—64	358	40	17	14	20	15	11	20	137	46	57	44	20	17	9	8	6	5	4	5
Meningitis (not due to meningococcus)—81	262	-	-	1	6	9	10	5	31	26	35	23	28	21	15	23	19	19	11	11
Intracranial lesions of vascular origin—83	94	1	-	-	1	1	1	2	6	22	8	11	7	9	8	5	8	1	5	4
Convulsions—86	77	3	3	11	9	8	4	6	44	8	4	5	3	4	4	2	1	1	1	-
Diseases of the ear and mastoid process—89	82	-	-	-	-	1	1	-	2	6	16	10	11	18	4	4	3	3	3	2
Diseases of the heart—90-95	54	1	1	1	3	1	2	4	13	5	5	2	6	1	4	4	5	1	3	5
Pneumonia (all forms) and influenza—107-109,33	5,291	64	95	115	242	209	247	266	1,238	740	695	614	474	367	324	245	203	165	115	111
Bronchopneumonia, etc.*—107	3,303	54	62	79	169	140	164	179	847	484	436	386	275	206	186	145	123	88	59	68
Lobar pneumonia—108	826	3	14	11	29	29	30	35	151	93	109	103	89	70	57	49	36	33	22	14
Pneumonia (unspecified)—109	800	6	17	23	40	33	41	39	199	120	98	88	74	50	57	19	28	29	19	19
Influenza—33	362	1	2	2	4	7	12	13	41	43	52	37	36	41	24	32	16	15	15	10
Other diseases of respiratory system—104-106,110-114	562	21	11	8	16	14	16	15	101	69	65	84	52	43	30	29	26	31	20	12
Ulcer of stomach or duodenum—117	23	1	-	-	4	3	-	-	8	4	4	3	1	1	-	-	-	1	1	-
Diarrhea, enteritis, etc.*—119	2,867	4	2	4	26	105	172	166	479	456	387	299	260	231	198	158	145	108	85	61
Intestinal obstruction—122b	220	-	-	-	-	-	-	-	-	26	24	28	30	24	20	17	12	13	15	11
Other diseases of digestive system—115,116,118,121,123-129	206	1	2	5	8	11	8	8	43	29	27	15	19	13	12	17	7	6	7	11
Nephritis—130,131	55	2	1	-	1	1	4	3	12	6	3	2	2	3	4	2	4	4	6	7
Congenital malformations—157	7,993	1,658	629	633	1,011	589	417	343	5,280	763	481	305	268	203	173	140	151	103	79	69
Diseases peculiar to first year—158-161	30,563	16,450	5,110	2,925	3,204	1,195	431	280	29,595	404	198	115	76	50	29	20	24	20	19	15
Congenital debility—158	636	143	52	19	41	30	31	28	344	86	71	47	23	23	8	7	9	9	6	3
Premature birth—159	18,970	11,110	3,142	1,527	1,628	798	281	160	18,644	208	59	25	16	7	4	1	1	4	1	-
Injury at birth—160	6,563	3,564	1,117	748	773	165	57	36	6,460	29	12	5	15	7	10	3	7	4	6	5
Other diseases peculiar to first year—161	4,394	1,633	799	631	762	204	62	56	4,147	81	54	38	22	13	7	9	7	3	6	7
Asphyxia (cause not specified), atelectasis—161a	2,697	1,207	606	392	284	63	25	16	2,593	35	29	17	12	4	3	1	-	1	1	1
Infection of the umbilicus, etc.*161b,c	1,697	426	193	239	478	141	37	40	1,554	46	25	21	10	9	4	8	7	2	5	6
Homicide—165-168	57	39	5	1	-	-	-	-	45	2	1	-	4	-	-	1	1	1	1	1
Accidental deaths—169-195	1,515	40	18	31	40	49	44	57	278	265	267	175	112	85	75	55	49	48	53	51
Accidental mechanical suffocation—182	689	7	5	8	6	19	22	32	99	161	160	109	65	37	22	14	8	5	5	4
Other accidental deaths—169-181,183-195	826	33	13	23	34	30	22	25	180	104	107	66	47	48	53	42	41	43	48	47
Ill-defined and unknown causes—199,200	1,030	190	69	43	87	50	54	44	537	128	86	77	53	50	29	22	18	11	9	10
All other causes	1,011	63	22	32	64	81	43	29	334	92	74	58	75	69	54	66	52	46	37	54
WHITE, FEMALE—All causes	38,737	13,161	4,137	2,497	3,177	1,868	1,097	922	26,879	2,290	1,856	1,583	1,292	1,048	929	718	682	560	482	418
Cerebrospinal (meningococcus) meningitis—6	84	-	-	-	-	2	-	1	3	5	7	8	10	7	13	5	9	14	1	2
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	273	-	-	-	1	1	1	7	10	51	48	28	27	18	20	15	10	22	14	10
Diphtheria (infection by C. diphtheriae)—10	15	-	-	-	-	-	1	-	1	1	1	3	1	2	1	2	-	-	-	3
Tuberculosis (all forms)—12-22	96	1	-	-	-	-	2	-	3	3	5	5	7	6	8	8	15	10	14	12
Tuberculosis of the resp. sys., etc.*—13	33	1	-	-	-	-	-	-	1	2	3	1	4	4	3	4	4	1	4	2
Tuberculosis of the meninges, etc.*—14	36	-	-	-	-	-	-	-	-	-	1	2	2	1	3	2	7	5	8	5
Tuberculosis (other forms)—15-22	27	-	-	-	-	-	2	-	2	1	1	2	1	1	2	2	4	4	2	5
Dysentery—27	232	-	-	-	3	2	3	5	13	26	35	25	21	21	16	20	12	13	20	10
Malaria—28	4	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Syphilis—30	59	18	4	2	2	2	1	2	31	10	8	3	2	-	1	2	-	2	-	-
Measles—35	86	-	-	-	-	-	4	1	5	3	2	6	4	5	6	7	9	8	5	6
Diseases of the thymus gland—64	239	21	12	12	12	7	6	13	83	39	36	27	20	14	9	6	3	1	1	-
Meningitis (not due to meningococcus)—81	180	-	-	-	3	7	7	9	26	19	15	13	13	15	16	14	11	17	12	9
Intracranial lesions of vascular origin—83	63	-	2	-	-	-	-	-	2	9	7	5	8	7	6	9	3	1	2	4
Convulsions—86	53	1	2	1	9	8	2	-	21	2	9	3	1	2	4	-	4	1	3	3
Diseases of the ear and mastoid process—89	37	-	-	-	1	1	-	-	2	2	5	5	5	6	3	1	2	1	3	2
Diseases of the heart—90-95	44	1	-	3	1	1	2	3	11	6	7	2	3	4	2	2	4	2	1	-
Pneumonia (all forms) and influenza—107-109,33	4,164	44	67	98	199	166	187	183	944	532	511	470	411	311	266	190	195	120	119	95
Bronchopneumonia, etc.*—107	2,533	31	50	65	125	106	136	114	627	314	317	275	241	173	153	113	117	71	73	59
Lobar pneumonia—108	744	9	6	14	35	19	19	38	140	86	89	97	79	61	57	32	33	20	25	15
Pneumonia (unspecified)—109	621	4	11	18	36	34	20	24	147	94	75	68	61	47	34	23	26	18	16	12
Influenza—33	266	-	-	1	3	7	12	7	30	28	30	30	30	30	22	22	19	11	5	9
Other diseases of respiratory system—104-106,110-114	388	12	5	2	3	12	14	12	60	56	55	47	33	34	20	21	16	15	12	13
Ulcer of stomach or duodenum—117	13	-	-	1	3	1	-	-	5	2	2	-	1	1	1	-	1	-	-	-
Diarrhea, enteritis, etc.*—119	2,269	2	1	3	17	80	123	112	338	324	268	273	223	179	179	140	121	106	62	56
Intestinal obstruction—122b	147	-	-	-	-	-	-	-	-	23	20	15	21	19	15	7	10	9	3	5
Other diseases of digestive system—115,116,118,121,123-129	154	-	2	1	8	13	3	7	34	24	9	13	16	14	9	8	6	5	10	6
Nephritis—130,131	26	1	-	-	1	-	-	-	2	1	2	3	3	2	5	2	2	3	1	-
Congenital malformations—157	6,424	1,571	411	390	701	535	304	252	4,164	539	333	269	241	192	162	127	125	98	99	75
Diseases peculiar to first year—158-161	20,904	11,250	3,550	1,909	2,059	916	338	212	20,234	271	136	97	38	31	26	26	22	7	5	11
Congenital debility—158	471	106	40	18	34	19	24	16	257	50	53	34	19	17	10	11	11	4	1	4
Premature birth—159	13,497	7,619	2,265	1,157	1,201	671	240	143	13,276	146	35	25	5	3	3	1	-	-	-	1
Injury at birth—160	4,026	2,235	742	430	399	98	32	17	3,954	16	11	9	6	5	8	6	5	1	2	3
Other diseases peculiar to first year—161	2,910	1,290	503	324	425	127	42	36	2,747	57	37	29	8	6	5	8	6	2	2	3
Asphyxia (cause not specified), atelectasis—161a	1,826	938	369	198	166	44	12	10	1,747	32	16	14	3	4	3	5	2	-	-	-
Infection of the umbilicus, etc.*-161b,c	1,084	352	114	136	259	83	30	26	1,000	25	21	15	5	2	2	3	4	2	2	3
Homicide—165-168	67	32	9	1	4	1	-	2	49	4	1	2	1	5	1	1	-	-	2	1
Accidental deaths—169-195	1,163	26	16	14	27	44	39	48	214	180	193	132	98	72	54	42	45	44	41	48
Accidental mechanical suffocation—182	506	5	3	6	4	19	17	27	81	103	116	65	49	28	22	13	9	12	7	1
Other accidental deaths—169-181,183-195	657	21	13	8	23	25	22	21	133	77	77	67	49	44	32	29	36	32	34	47
Ill-defined and unknown causes—199,200	822	144	40	36	64	49	37	32	402	101	87	73	35	29	29	14	18	14	9	11
All other causes	751	37	16	24	56	42	23	21	219	57	54	56	49	52	57	49	39	46	43	30

*Refer to International List for complete title, table IX, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1948—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, BOTH SEXES—All causes	19,836	5,682	1,712	1,089	1,754	1,208	670	611	12,726	1,460	1,227	1,033	781	625	524	397	346	301	195	221
Cerebrospinal (meningococcus) meningitis—6	43	-	-	-	-	-	2	-	2	2	5	5	-	3	8	7	7	2	1	3
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Whooping cough—9	265	-	-	1	-	-	4	8	13	31	47	47	23	28	15	15	15	11	4	16
Diphtheria (infection by C. diphtheriae)-10	9	-	-	-	-	1	-	-	1	1	-	1	1	-	1	-	-	-	1	3
Tuberculosis (all forms)—13-22	96	-	-	-	-	1	-	-	1	4	3	9	11	6	8	8	12	10	11	13
Tuberculosis of the resp. sys.,etc.*—13	36	-	-	-	-	-	-	-	-	2	-	6	2	1	3	5	6	5	3	3
Tuberculosis of the meninges, etc.*—14	24	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	2	3	5	5
Tuberculosis (other forms)—15-22	36	-	-	-	-	1	-	-	1	1	2	3	6	3	4	2	4	2	3	5
Dysentery—27	77	-	-	-	3	4	1	2	10	6	14	6	8	10	5	7	6	3	-	2
Malaria—28	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-
Syphilis—30	289	61	17	16	21	13	16	10	154	41	27	10	10	9	7	3	5	2	1	-
Measles—35	30	-	-	-	-	1	-	2	3	1	2	7	1	1	2	2	4	3	2	2
Diseases of the thymus gland—64	88	3	2	4	4	2	6	2	23	15	11	17	7	2	3	3	2	2	2	1
Meningitis (not due to meningococcus)—81	137	1	-	-	1	5	4	3	14	4	15	12	19	12	16	11	10	11	7	6
Intracranial lesions of vascular origin—83	24	1	-	1	-	-	-	-	2	3	3	3	2	2	2	1	1	4	-	1
Convulsions—86	60	1	2	1	14	6	1	-	25	6	4	7	6	2	4	1	1	1	-	3
Diseases of the ear and mastoid process—89	35	-	-	-	1	-	-	-	1	3	2	7	3	9	3	2	1	1	1	2
Diseases of the heart—90-95	32	2	2	2	1	-	-	1	8	2	2	1	3	2	1	3	5	2	1	2
Pneumonia (all forms) and influenza—107-109,33	3,171	45	41	48	144	159	138	131	706	426	405	391	270	235	200	165	119	115	71	68
Bronchopneumonia, etc.*—107	1,938	31	29	28	95	100	90	88	461	276	263	231	161	140	115	93	65	61	39	33
Lobar pneumonia—108	513	4	3	8	25	29	16	16	101	62	68	70	40	36	35	36	17	17	15	16
Pneumonia (unspecified)—109	424	7	9	12	18	21	23	17	107	56	42	48	36	37	23	19	16	22	10	8
Influenza—33	296	3	-	-	6	9	9	10	37	32	32	42	33	22	27	17	21	15	7	11
Other diseases of respiratory system—104-106,110-114	267	10	1	10	14	16	9	13	73	47	33	28	18	21	14	6	9	5	7	6
Ulcer of stomach or duodenum—117	5	-	-		2	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	1,013	-	1	5	9	36	54	75	180	165	140	115	112	92	68	39	44	28	15	15
Intestinal obstruction—122b	80	-	-	-	-	-	-	-	-	9	14	8	14	7	13	6	5	1	1	2
Other diseases of digestive system—115,116,118,121,123-129	101	-	1	-	5	6	5	2	19	10	15	10	11	10	5	6	6	4	2	3
Nephritis—130,131	19	-	-	-	-	1	-	1	2	1	1	2	2	2	1	2	1	2	3	-
Congenital malformations—157	1,270	222	71	70	178	114	55	47	757	112	90	64	60	47	32	33	23	25	18	11
Diseases peculiar to first year—158-161	9,706	4,821	1,400	770	1,082	616	257	198	9,144	240	123	66	42	25	25	11	10	8	4	8
Congenital debility—158	472	104	28	19	41	35	17	27	271	55	59	29	18	11	10	7	3	5	1	3
Premature birth—159	6,426	3,418	920	480	619	420	195	142	6,194	142	40	20	12	10	5	1	2	-	-	-
Injury at birth—160	1,534	829	236	144	205	73	18	9	1,513	4	3	2	-	2	2	2	2	-	1	3
Other diseases peculiar to first year-161	1,274	470	217	127	217	88	27	20	1,166	39	21	15	12	2	8	1	3	3	2	2
Asphyxia (cause not specified), atelectasis—161a	755	380	151	67	71	27	11	8	715	17	9	6	2	1	3	1	-	-	-	1
Infection of the umbilicus, etc.*-161b,c	519	90	66	60	146	61	16	12	451	22	12	9	10	1	5	-	3	3	2	1
Homicide—165-168	26	13	5	-	1	-	-	-	19	1	-	2	1	-	2	1	-	-	-	-
Accidental deaths—169-195	781	34	11	21	32	31	23	42	194	113	115	87	68	44	34	28	26	23	22	27
Accidental mechanical suffocation—182	355	7	6	7	14	11	14	27	86	80	54	53	30	22	9	10	6	2	2	1
Other accidental deaths—169-181,183-195	426	27	5	14	18	20	9	15	108	33	61	34	39	22	25	18	20	21	20	26
Ill-defined and unknown causes—199,200	1,879	455	150	133	213	129	78	62	1,220	189	133	105	67	37	35	22	22	24	12	13
All other causes	348	13	8	7	29	67	17	12	153	27	22	21	22	19	22	14	11	13	10	14
NEGRO, MALE—All causes	11,118	3,248	955	620	1,000	648	351	352	7,174	808	710	581	422	346	305	205	181	163	103	120
Cerebrospinal (meningococcus) meningitis—6	25	-	-	-	-	-	-	-	-	-	2	4	-	2	4	5	5	1	1	1
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Whooping cough—9	126	-	-	-	-	-	1	3	4	19	27	20	9	11	5	9	6	4	4	8
Diphtheria (infection by C. diphtheriae)-10	5	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	1
Tuberculosis (all forms)—13-22	55	-	-	-	-	-	-	-	-	1	3	4	7	3	4	7	8	7	4	7
Tuberculosis of the resp. sys., etc.*—13	23	-	-	-	-	-	-	-	-	1	-	2	1	1	3	4	5	4	2	-
Tuberculosis of the meninges, etc.*—14	13	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	1	2	4
Tuberculosis (other forms)—15-22	19	-	-	-	-	-	-	-	-	-	2	2	3	1	1	2	3	2	-	3
Dysentery—27	45	-	-	-	1	2	-	2	5	4	10	5	1	4	2	5	4	3	-	2
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	165	39	11	7	12	8	7	8	92	29	19	7	5	5	1	3	3	1	-	-
Measles—35	17	-	-	-	-	1	-	1	2	-	-	4	-	1	2	2	3	1	1	1
Diseases of the thymus gland—64	55	1	2	4	1	1	5	1	15	10	8	10	3	-	2	3	1	2	-	1
Meningitis (not due to meningococcus)—81	76	-	-	-	-	3	1	-	4	1	8	8	13	8	11	1	7	8	4	5
Intracranial lesions of vascular origin—83	14	1	-	1	-	-	-	-	2	2	2	2	2	1	1	-	-	2	-	-
Convulsions—86	31	1	2	1	7	2	-	-	13	3	4	3	3	1	2	-	1	-	-	1
Diseases of the ear and mastoid process—89	21	-	-	-	1	-	-	-	1	1	1	5	1	7	1	1	-	1	1	1
Diseases of the heart—90-95	18	-	1	-	1	-	-	1	3	2	-	-	3	1	1	1	4	1	-	2
Pneumonia (all forms) and influenza—107-109,33	1,741	22	27	37	84	83	79	73	405	232	216	213	152	126	115	85	57	61	43	36
Bronchopneumonia, etc.*—107	1,053	15	20	21	57	52	51	49	265	149	142	127	88	73	64	44	30	33	20	18
Lobar pneumonia—108	284	3	-	7	15	17	7	9	58	31	34	33	27	20	23	21	8	8	13	8
Pneumonia (unspecified)—109	246	2	7	9	11	8	16	11	64	30	23	32	20	20	17	8	11	14	4	3
Influenza—33	158	2	-	-	1	6	5	4	18	22	17	21	17	13	11	12	8	6	6	7
Other diseases of respiratory system—104-106,110-114	137	4	1	6	10	8	4	6	39	20	17	14	11	14	6	3	3	3	4	3
Ulcer of stomach or duodenum—117	3	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	598	-	1	2	5	22	33	50	113	90	93	71	59	52	45	18	28	17	5	7
Intestinal obstruction—122b	53	-	-	-	-	-	-	-	-	5	10	5	8	5	10	4	3	-	1	2
Other diseases of digestive system—115,116,118,121,123-129	58	-	1	-	4	5	4	2	16	5	8	5	3	8	1	3	3	3	-	3
Nephritis—130,131	12	-	-	-	-	1	-	-	1	-	-	1	2	1	1	1	1	2	2	-
Congenital malformations—157	710	127	46	39	99	61	24	26	422	69	52	39	34	29	15	14	9	11	10	6
Diseases peculiar to first year—158-161	5,456	2,767	768	423	599	330	135	111	5,133	129	74	40	24	13	18	8	6	6	2	3
Congenital debility—158	287	58	19	10	25	18	10	18	158	35	41	20	10	7	6	4	1	3	1	1
Premature birth—159	3,521	1,956	500	233	332	211	99	76	3,407	65	18	11	7	5	5	1	2	-	-	-
Injury at birth—160	908	495	136	94	115	45	7	4	896	3	1	2	-	1	2	1	-	-	-	1
Other diseases peculiar to first year-161	740	258	113	66	127	56	19	13	672	26	14	7	7	-	6	1	2	3	1	1
Asphyxia (cause not specified), atelectasis—161a	420	208	76	44	34	16	8	4	391	12	7	3	2	-	3	1	-	-	-	1
Infection of the umbilicus, etc.,*-161b,c	320	49	37	42	93	40	11	9	281	14	7	4	5	-	3	-	2	3	1	-
Homicide—165-168	15	7	4	-	-	-	-	-	11	-	-	1	1	-	2	-	-	-	-	-
Accidental deaths—169-195	433	19	6	15	25	15	9	27	116	68	67	50	20	29	21	11	12	11	8	14
Accidental mechanical suffocation—182	206	2	4	5	13	5	5	20	54	44	37	30	14	13	5	5	3	1	-	-
Other accidental deaths—169-181,183-195	227	17	2	10	12	10	4	7	62	24	30	20	12	16	16	6	9	10	8	14
Ill-defined and unknown causes—199,200	1,030	254	82	60	128	63	38	32	677	97	72	57	41	18	20	13	9	9	9	8
All other causes	216	6	3	5	21	42	11	9	97	20	16	12	13	7	14	7	7	9	4	10

*Refer to International List for complete title, table IX, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1948—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, FEMALE—All causes	8,718	2,434	757	469	754	560	319	259	5,552	652	517	452	359	279	219	192	165	138	92	101
Cerebrospinal (meningococcus) meningitis—6	18	-	-	-	-	-	2	-	2	2	3	1	-	1	2	2	2	1	-	2
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	139	-	-	1	-	-	3	5	9	12	20	27	14	17	10	6	9	7	-	8
Diphtheria (infection by C. diphtheriae)—10	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2
Tuberculosis (all forms)—11-22	41	-	-	-	-	1	-	-	1	3	-	5	4	3	4	1	4	3	7	6
Tuberculosis of the resp. sys., etc.*—11	13	-	-	-	-	-	-	-	-	1	-	4	1	-	-	1	1	1	1	3
Tuberculosis of the meninges, etc.*—14	11	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	2	3	1
Tuberculosis (other forms)—15-22	17	-	-	-	-	1	-	-	1	1	-	1	3	2	3	-	1	-	3	2
Dysentery—27	32	-	-	-	2	2	1	-	5	2	4	1	7	6	3	2	2	-	-	-
Malaria—28	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Syphilis—30	104	22	6	9	9	5	9	2	62	12	8	3	5	4	6	-	2	1	1	-
Measles—35	13	-	-	-	-	-	-	1	1	1	2	3	1	-	-	-	1	2	1	1
Diseases of the thymus gland—64	33	2	-	-	3	1	1	1	8	5	3	7	4	2	1	-	1	-	2	-
Meningitis (not due to meningococcus)—81	61	1	-	-	1	2	3	3	10	3	7	4	6	4	5	10	3	3	3	3
Intracranial lesions of vascular origin—83	10	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	2	-	1
Convulsions—86	29	-	-	-	7	4	1	-	12	3	-	4	3	1	2	1	-	1	-	2
Diseases of the ear and mastoid process—89	14	-	-	-	-	-	-	-	-	2	1	2	2	2	2	1	1	-	-	1
Diseases of the heart—90-95	14	2	1	2	-	-	-	-	5	-	2	1	-	1	-	2	1	1	1	-
Pneumonia (all forms) and influenza—107-109,33	1,430	23	14	11	60	76	59	58	301	194	189	178	118	109	85	80	62	54	28	32
Bronchopneumonia, etc.*—107	885	16	9	7	38	48	39	39	196	127	121	104	73	67	51	49	35	28	19	15
Lobar pneumonia—108	229	1	3	1	10	12	9	7	43	31	34	37	13	16	12	15	9	9	2	8
Pneumonia (unspecified)—109	178	5	2	3	7	13	7	6	43	26	19	16	16	17	6	11	5	8	6	5
Influenza—33	138	1	-	-	5	3	4	6	19	10	15	21	16	9	16	5	13	9	1	4
Other diseases of respiratory system—104-106,110-114	130	6	-	4	4	8	5	7	34	27	16	14	7	7	8	3	6	2	3	3
Ulcer of stomach or duodenum—117	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Diarrhea, enteritis, etc.*—119	415	-	-	3	4	14	21	25	67	75	47	44	53	40	23	21	16	11	10	8
Intestinal obstruction—122b	27	-	-	-	-	-	-	-	-	4	4	3	6	2	3	2	2	1	-	-
Other diseases of digestive system—115,116,118,121,123-129	43	-	-	-	1	1	1	-	3	5	7	5	8	2	4	3	3	1	2	-
Nephritis—130,131	7	-	-	-	-	-	1	-	1	1	1	1	-	1	-	1	-	-	1	-
Congenital malformations—157	580	95	25	31	79	53	31	21	335	43	38	25	26	18	17	19	14	14	6	5
Diseases peculiar to first year—156-161	4,250	2,054	632	347	483	286	122	87	4,011	111	49	26	18	12	7	3	4	2	2	5
Congenital debility—156	185	46	9	9	16	17	7	9	113	20	18	9	8	4	4	3	2	2	-	2
Premature birth—159	2,905	1,462	420	247	287	209	96	66	2,787	77	22	9	5	5	-	-	-	-	-	-
Injury at birth—160	626	334	99	50	90	28	11	5	617	1	2	-	-	1	1	-	1	-	1	2
Other diseases peculiar to first year—161	534	212	104	41	90	32	8	7	494	13	7	8	5	2	2	-	1	-	1	1
Asphyxia (cause not specified), atelectasis—161a	335	171	75	23	37	11	3	4	324	5	2	3	-	1	-	-	-	-	-	-
Infection of the umbilicus,etc.*—161b,c	199	41	29	18	53	21	5	3	170	8	5	5	5	1	2	-	1	-	1	1
Homicide—165-168	11	6	1	-	1	-	-	-	8	1	-	1	-	-	-	1	-	-	-	-
Accidental deaths—169-195	340	15	5	6	7	16	14	15	78	45	48	37	42	15	13	17	14	12	14	13
Accidental mechanical suffocation—182	149	5	2	2	1	6	9	7	32	36	17	23	16	9	4	5	3	1	2	1
Other accidental deaths—169-181,183-195	199	10	3	4	6	10	5	8	46	9	31	14	26	6	9	12	11	11	12	12
Ill-defined and unknown causes—199,200	849	201	68	53	85	66	40	30	543	92	61	48	26	19	15	9	13	15	3	5
All other causes	132	7	5	2	8	25	6	3	56	7	6	9	9	12	8	7	4	4	6	4
OTHER RACES, BOTH SEXES—All causes	1,259	202	74	47	76	42	42	35	518	117	91	98	92	73	61	63	65	50	43	28
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	32	-	-	-	-	1	-	2	3	6	2	1	4	4	3	1	1	3	4	-
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—11-22	39	1	-	-	1	1	-	-	3	3	2	2	4	9	3	2	3	4	4	-
Tuberculosis of the resp.sys., etc.*—11	19	-	-	-	-	1	-	-	1	1	1	1	2	2	3	1	3	1	3	-
Tuberculosis of the meninges, etc.*—14	13	1	-	-	1	-	-	-	2	1	1	1	1	4	-	1	-	2	-	-
Tuberculosis (other forms)—15-22	7	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	1	1	-
Dysentery—27	15	-	-	-	-	-	-	-	-	6	-	2	1	-	1	2	1	1	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	18	5	2	-	3	1	1	2	14	1	1	1	-	-	-	-	1	-	-	-
Measles—35	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	1	1
Diseases of the thymus gland—64	4	-	-	-	1	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)—81	8	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	1	-	1	-
Intracranial lesions of vascular origin—83	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Convulsions—86	4	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Diseases of the ear and mastoid process—89	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Diseases of the heart—90-95	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Pneumonia (all forms) and influenza—107-109,33	296	1	1	2	5	7	4	12	32	34	37	36	33	26	22	19	19	13	15	10
Bronchopneumonia, etc.*—107	193	-	1	1	5	3	4	8	22	24	27	21	17	21	19	15	9	6	7	5
Lobar pneumonia—108	44	-	-	-	-	2	-	-	2	3	5	6	6	2	2	1	8	2	5	2
Pneumonia (unspecified)—109	44	1	-	1	-	2	-	1	5	6	5	8	9	2	1	2	1	1	2	2
Influenza—33	15	-	-	-	-	-	-	3	3	1	-	1	1	1	-	1	1	4	1	1
Other diseases of respiratory system—104-106,110-114	17	-	-	-	-	1	-	-	1	1	1	1	2	3	2	2	2	2	-	-
Ulcer of stomach or duodenum—117	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	173	-	-	-	2	2	5	3	12	20	15	23	18	14	14	16	17	11	8	5
Intestinal obstruction—122b	9	-	-	-	-	-	-	-	-	1	-	1	2	2	-	1	-	-	1	1
Other diseases of digestive system—115,116,118,121,123-129	3	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
Nephritis—130,131	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Congenital malformations—157	91	16	10	5	11	7	4	2	55	8	7	6	3	2	-	2	1	4	1	2
Diseases peculiar to first year—158-161	370	169	54	34	40	8	13	9	327	13	11	6	4	2	3	1	1	1	1	-
Congenital debility—158	34	4	-	1	1	-	5	1	12	6	4	1	3	1	3	1	1	1	1	-
Premature birth—159	192	105	34	14	14	2	6	7	182	5	4	1	-	-	-	-	-	-	-	-
Injury at birth—160	68	36	11	9	10	2	-	-	68	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	76	24	9	10	15	4	2	1	65	2	3	4	1	1	-	-	-	-	-	-
Asphyxia (cause not specified), atelectasis—161a	37	20	8	4	1	-	1	1	35	-	1	1	-	-	-	-	-	-	-	-
Infection of the umbilicus,etc.*—161b,c	39	4	1	6	14	4	1	-	30	2	2	3	1	1	-	-	-	-	-	-
Homicide—165-168	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths—169-195	46	3	2	1	1	3	4	1	15	6	3	5	6	1	1	3	2	-	-	4
Accidental mechanical suffocation—182	18	2	-	-	1	1	-	-	4	5	3	3	2	-	-	1	-	-	-	-
Other accidental deaths—169-181,183-195	28	1	2	1	-	2	4	1	11	1	-	2	4	1	1	2	2	-	-	4
Ill-defined and unknown causes—199,200	120	6	5	3	6	8	9	3	40	13	8	8	9	7	7	8	10	6	3	1
All other causes	31	-	-	1	4	1	1	1	8	3	2	1	2	1	4	4	2	1	1	2

*Refer to International List for complete title, table IX, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1948—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OTHER RACES, MALE----------All causes	736	122	38	24	42	24	24	19	293	75	55	59	54	36	31	35	31	28	23	16
Cerebrospinal (meningococcus) meningitis--6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	15	-	-	-	-	-	1	1	5	1	1	1	1	1	1	-	1	1	2	-
Diphtheria (infection by C. diphtheriae)-10	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis (all forms)----------13-22	23	1	-	-	-	-	-	1	2	2	1	2	5	1	2	3	3	1	-	
Tuberculosis of the resp. sys., etc.*--13	12	-	-	-	-	-	-	-	-	1	1	1	2	1	1	3	1	1	-	
Tuberculosis of the meninges, etc.*----14	8	1	-	-	-	-	-	1	1	1	-	-	2	-	1	-	2	-	-	
Tuberculosis (other forms)----------15-22	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	
Dysentery----------27	7	-	-	-	-	-	-	-	4	-	1	-	-	1	-	-	-	-	-	1
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	8	3	1	-	-	1	-	-	5	1	1	1	-	-	-	-	-	-	-	-
Measles----------35	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1
Diseases of the thymus gland----------64	3	-	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)----81	5	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-
Intracranial lesions of vascular origin--83	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
Convulsions----------86	3	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	
Diseases of the ear and mastoid process--89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Diseases of the heart----------90-95	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Pneumonia (all forms) and influenza----------107-109,33	154	-	1	1	-	4	3	6	15	18	19	23	21	12	11	6	7	9	9	4
Bronchopneumonia, etc.*----------107	94	-	1	-	-	1	3	4	9	13	16	13	9	11	9	4	1	3	5	1
Lobar pneumonia----------108	24	-	-	-	-	2	-	-	2	1	1	3	5	-	1	1	3	1	3	1
Pneumonia (unspecified)----------109	28	-	-	1	-	1	-	-	2	3	2	7	7	1	1	1	1	1	1	1
Influenza----------33	8	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	4	-	1
Other diseases of respiratory system----------104-106,110-114	8	-	-	-	-	1	-	-	1	1	1	-	-	1	2	1	1	-	-	-
Ulcer of stomach or duodenum----------117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	111	-	-	-	2	2	3	2	9	13	10	14	11	6	8	14	11	8	5	2
Intestinal obstruction----------122b	7	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	1	1
Other diseases of digestive system----------115,116,118,121,123-129	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Nephritis----------130,131	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations----------157	52	6	6	3	5	5	2	2	29	7	4	3	2	2	-	1	-	2	1	1
Diseases peculiar to first year-----158-161	210	106	25	20	24	3	7	4	189	6	7	3	2	-	2	-	1	-	-	-
Congenital debility----------158	22	4	-	1	1	-	4	-	10	3	4	-	2	-	2	-	1	-	-	-
Premature birth----------159	111	66	17	8	10	-	1	4	106	3	2	-	-	-	-	-	-	-	-	-
Injury at birth----------160	37	23	5	4	4	1	-	-	37	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year-161	40	13	3	7	9	2	2	-	36	-	1	3	-	-	-	-	-	-	-	-
Asphyxia (cause not specified), atelectasis----------161a	19	10	3	3	1	-	1	-	18	-	-	1	-	-	-	-	-	-	-	-
Infection of the umbilicus,etc.*-161b,c	21	3	-	4	8	2	1	-	18	-	1	2	-	-	-	-	-	-	-	-
Homicide----------165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths----------169-195	32	1	2	-	-	2	3	-	8	8	3	2	4	1	1	3	1	-	-	3
Accidental mechanical suffocation-----182	13	-	-	-	-	1	-	-	1	5	3	2	1	-	-	1	-	-	-	-
Other accidental deaths---169-181,183-195	19	1	2	-	-	1	3	-	7	1	-	-	3	1	1	2	1	-	-	3
Ill-defined and unknown causes------199,200	66	5	3	-	4	4	6	3	25	8	4	4	4	4	2	4	5	4	1	1
All other causes----------	18	-	-	-	4	1	-	1	6	1	2	-	2	1	1	2	-	-	1	2
OTHER RACES, FEMALE--------All causes	563	80	36	23	34	18	18	16	225	42	36	39	38	37	30	28	34	22	20	12
Cerebrospinal (meningococcus) meningitis--6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever----------8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough----------9	17	-	-	-	-	1	-	1	2	1	1	-	3	3	2	1	-	2	2	-
Diphtheria (infection by C. diphtheriae)-10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)----------13-22	16	-	-	-	1	1	-	-	2	1	-	1	2	4	2	-	-	1	3	-
Tuberculosis of the resp. sys., etc.*--13	7	-	-	-	-	1	-	-	1	1	-	-	1	-	2	-	-	-	2	-
Tuberculosis of the meninges, etc.*----14	5	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-
Tuberculosis (other forms)----------15-22	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-
Dysentery----------27	8	-	-	-	-	-	-	-	-	2	-	1	1	-	-	2	1	1	-	-
Malaria----------28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis----------30	10	2	1	-	3	-	1	2	9	-	-	-	-	-	-	-	1	-	-	-
Measles----------35	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
Diseases of the thymus gland----------64	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (not due to meningococcus)----81	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Intracranial lesions of vascular origin--83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Convulsions----------86	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the ear and mastoid process--89	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Diseases of the heart----------90-95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) and influenza----------107-109,33	142	1	-	1	5	3	1	6	17	16	18	13	12	14	11	13	12	4	6	6
Bronchopneumonia, etc.*----------107	99	-	-	1	5	2	1	4	13	11	11	8	8	10	10	11	8	3	2	4
Lobar pneumonia----------108	20	-	-	-	-	-	-	-	-	2	4	3	1	2	1	-	3	1	2	1
Pneumonia (unspecified)----------109	16	1	-	-	-	1	-	1	3	3	3	1	2	1	-	1	-	-	1	1
Influenza----------33	7	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	1	-	1	-
Other diseases of respiratory system----------104-106,110-114	9	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	2	-	-
Ulcer of stomach or duodenum----------117	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*----------119	62	-	-	-	-	-	2	1	3	7	5	9	7	8	6	2	6	3	3	-
Intestinal obstruction----------122b	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other diseases of digestive system----------115,116,118,121,123-129	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis----------130,131	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations----------157	39	10	4	2	6	2	2	-	26	1	3	3	1	-	-	1	1	2	-	1
Diseases peculiar to first year-----158-161	160	63	29	14	16	5	6	5	138	7	4	3	2	2	1	1	-	1	1	-
Congenital debility----------158	12	-	-	-	-	-	1	1	2	3	-	1	1	1	1	1	-	1	1	-
Premature birth----------159	81	39	17	6	4	2	5	3	76	2	2	1	-	-	-	-	-	-	-	-
Injury at birth----------160	31	13	6	5	6	1	-	-	31	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year-161	36	11	6	3	6	2	-	1	29	2	2	1	1	1	-	-	-	-	-	-
Asphyxia (cause not specified), atelectasis----------161a	18	10	5	1	-	-	-	1	17	-	1	-	-	-	-	-	-	-	-	-
Infection of the umbilicus,etc.*-161b,c	18	1	1	2	6	2	-	-	12	2	1	1	1	1	-	-	-	-	-	-
Homicide----------165-168	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths----------169-195	14	2	-	1	1	1	1	1	7	-	-	3	2	-	-	-	1	-	-	1
Accidental mechanical suffocation-----182	5	2	-	-	1	-	-	-	3	-	-	1	1	-	-	-	-	-	-	-
Other accidental deaths---169-181,183-195	9	-	-	1	-	1	1	1	4	-	-	2	1	-	-	-	1	-	-	1
Ill-defined and unknown causes------199,200	54	1	2	3	2	4	3	-	15	5	4	4	5	3	5	4	5	2	2	-
All other causes----------	13	-	-	1	-	-	1	-	2	2	-	1	-	-	3	2	2	1	-	-

*Refer to International List for complete title, table IX, Part I.

TABLE 31.—DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES, BY RACE; URBAN AND RURAL: UNITED STATES, 1948

(By place of residence. Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
ALL RACES—All causes	113,169	65,418	28,436	13,393	9,836	13,753	47,751
Cerebrospinal (meningococcus) meningitis—6	245	136	64	27	18	27	109
Scarlet fever—8	5	1	1	-	-	-	4
Whooping cough—9	842	282	62	67	53	103	560
Diphtheria (infection by C. diphtheriae)—10	47	16	5	4	1	6	31
Tuberculosis (all forms)—13-22	325	192	92	37	27	36	133
Tuberculosis of the respiratory system, etc.*—13	135	86	39	21	9	17	49
Tuberculosis of the meninges, etc.*—14	103	53	25	4	10	14	50
Tuberculosis (other forms)—15-22	87	53	28	12	8	5	34
Dysentery—27	621	252	28	39	38	147	369
Malaria—28	10	2	-	-	1	1	8
Syphilis—30	438	230	128	44	28	50	208
Measles—35	183	62	16	14	13	19	121
Diseases of the thymus gland—64	689	397	147	78	65	107	292
Meningitis (not due to meningococcus)—81	587	323	122	88	48	65	264
Intracranial lesions of vascular origin—83	184	103	48	20	18	17	81
Convulsions—86	194	70	18	13	12	27	124
Diseases of the ear and mastoid process—89	157	88	42	18	10	18	69
Diseases of the heart—90-95	131	64	24	14	15	11	67
Pneumonia (all forms) and influenza—107-109,33	12,922	6,229	2,540	1,318	970	1,401	6,693
Bronchopneumonia, etc.*—107	7,967	4,118	1,874	877	559	808	3,849
Lobar pneumonia—108	2,127	1,010	385	207	180	258	1,117
Pneumonia (unspecified)—109	1,889	770	238	157	149	226	1,119
Influenza—33	939	331	63	77	82	109	606
Other diseases of respiratory system—104-106,110-114	1,234	685	310	145	98	132	549
Ulcer of stomach or duodenum—117	42	35	16	11	1	7	7
Diarrhea, enteritis, etc.*—119	6,322	3,414	1,287	730	473	924	2,908
Intestinal obstruction—122b	456	234	91	66	35	42	222
Other diseases of digestive system—115,116,118,121,123-129	464	227	99	45	35	48	237
Nephritis—130,131	102	56	16	18	8	14	46
Congenital malformations—157	15,778	9,661	4,425	1,917	1,453	1,866	6,117
Diseases peculiar to first year of life—15c-161	61,543	38,692	17,347	7,861	5,736	7,748	22,851
Congenital debility—158	1,613	659	218	126	108	207	954
Premature birth—159	39,085	24,915	11,379	5,353	3,576	4,907	14,170
Injury at birth—160	12,191	7,638	3,330	1,532	1,224	1,562	4,553
Other diseases peculiar to first year of life—161	8,854	5,480	2,420	1,150	938	1,072	3,174
Asphyxia (cause not specified), atelectasis—161a	5,315	3,473	1,566	727	491	689	1,842
Infection of the umbilicus, etc.*—161b,c	3,339	2,007	934	423	347	403	1,332
Homicide—163-168	151	101	58	24	9	10	50
Accidental deaths—169-195	3,505	1,768	740	376	290	362	1,737
Accidental mechanical suffocation—182	1,568	785	331	159	137	158	783
Other accidental deaths—169-181,183-195	1,937	983	409	217	153	204	954
Ill-defined and unknown causes—199,200	3,851	890	240	165	174	311	2,961
All other causes	2,141	1,208	490	254	210	254	933
WHITE—All causes	92,034	53,944	22,183	11,278	8,474	12,009	38,090
Cerebrospinal (meningococcus) meningitis—6	200	113	54	23	13	23	87
Scarlet fever—8	3	-	-	-	-	-	3
Whooping cough—9	545	203	43	50	36	74	342
Diphtheria (infection by C. diphtheriae)—10	37	11	2	2	1	6	26
Tuberculosis (all forms)—13-22	190	122	48	25	19	30	68
Tuberculosis of the respiratory system, etc.*—13	80	58	20	17	6	15	22
Tuberculosis of the meninges, etc.*—14	66	35	15	2	8	10	31
Tuberculosis (other forms)—15-22	44	29	13	6	5	5	15
Dysentery—27	529	221	24	33	33	131	308
Malaria—28	7	2	-	-	1	1	5
Syphilis—30	151	78	31	14	9	24	73
Measles—35	144	51	14	11	10	16	93
Diseases of the thymus gland—64	597	338	113	67	61	97	259
Meningitis (not due to meningococcus)—81	442	248	85	69	38	56	194
Intracranial lesions of vascular origin—83	157	91	41	17	17	16	66
Convulsions—86	130	54	16	11	7	20	76
Diseases of the ear and mastoid process—89	119	64	30	14	8	12	55
Diseases of the heart—90-95	98	53	18	13	13	9	45
Pneumonia (all forms) and influenza—107-109,33	9,455	4,562	1,791	975	726	1,070	4,893
Bronchopneumonia, etc.*—107	5,836	3,010	1,301	656	421	632	2,826
Lobar pneumonia—108	1,570	734	256	161	128	189	836
Pneumonia (unspecified)—109	1,421	585	185	108	116	176	836
Influenza—33	628	233	49	50	61	73	395
Other diseases of respiratory system—104-106,110-114	950	560	237	125	80	118	390
Ulcer of stomach or duodenum—117	36	30	12	10	1	7	6
Diarrhea, enteritis, etc.*—119	3,136	2,789	995	608	385	801	2,347
Intestinal obstruction—122b	367	188	72	54	28	33	179
Other diseases of digestive system—115,116,118,121,123-129	360	179	76	36	28	38	181
Nephritis—130,131	81	43	9	16	5	13	38
Congenital malformations—157	14,417	8,820	3,896	1,780	1,372	1,772	5,597
Diseases peculiar to first year of life—158-161	51,467	32,196	13,486	6,700	5,074	6,936	19,271
Congenital debility—158	1,107	461	143	84	76	158	646
Premature birth—159	32,467	20,510	8,701	4,267	3,147	4,395	11,957
Injury at birth—160	10,589	6,593	2,707	1,355	1,107	1,424	3,996
Other diseases peculiar to first year of life—161	7,304	4,632	1,935	994	744	959	2,672
Asphyxia (cause not specified), atelectasis—161a	4,523	2,908	1,237	629	459	603	1,615
Infection of the umbilicus, etc.*—161b,c	2,781	1,724	698	365	305	356	1,057
Homicide—165-168	124	84	47	20	8	9	40
Accidental deaths—169-195	2,678	1,343	514	301	239	289	1,335
Accidental mechanical suffocation—182	1,195	586	222	130	112	122	609
Other accidental deaths—169-181,183-195	1,483	757	292	171	127	167	726
Ill-defined and unknown causes—199,200	1,852	498	132	91	85	190	1,354
All other causes	1,762	1,003	397	213	175	218	759

*Refer to International List for complete title, table IX, Part I.

TABLE 3 -DEATHS UNDER 1 YEAR OF AGE FROM SELECTED CAUSES. BY RACE; URBAN AND RURAL: UNITED STATES, 1948—Continued

(By place of residence. Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
NONWHITE—All causes	21,135	11,474	6,253	2,115	1,362	1,744	9,661
Cerebrospinal (meningococcus) meningitis—6	45	23	10	4	5	4	22
Scarlet fever—8	2	1	1	-	-	-	1
Whooping cough—9	297	78	19	17	14	29	218
Diphtheria (infection by C. diphtheriae)—10	10	5	3	2	-	-	5
Tuberculosis (all forms)—13-22	135	70	44	12	8	6	65
Tuberculosis of the respiratory system, etc.*—13	55	28	19	4	3	2	27
Tuberculosis of the meninges, etc.*—14	37	18	10	2	2	4	19
Tuberculosis (other forms)—15-22	43	24	15	6	3	-	19
Dysentery—27	92	31	4	6	5	16	61
Malaria—28	3	-	-	-	-	-	3
Syphilis—30	287	152	77	30	19	26	136
Measles—35	39	11	2	3	3	3	28
Diseases of the thymus gland—64	92	59	34	11	4	10	33
Meningitis (not due to meningococcus)—81	145	75	37	19	10	9	70
Intracranial lesions of vascular origin—83	27	12	7	3	1	1	15
Convulsions—96	64	16	2	2	5	7	48
Diseases of the ear and mastoid process—89	38	24	12	4	2	6	14
Diseases of the heart—90-95	33	11	6	1	2	2	22
Pneumonia (all forms) and influenza—107-109,32	3,467	1,667	749	343	244	331	1,800
Bronchopneumonia, etc.*—107	2,131	1,108	573	221	158	176	1,023
Lobar pneumonia—108	557	276	109	46	52	69	281
Pneumonia (unspecified)—109	468	185	53	49	33	50	283
Influenza—33	311	98	14	27	21	36	213
Other diseases of respiratory system—104-106,110-114	284	125	73	20	16	14	159
Ulcer of stomach or duodenum—117	6	5	4	1	-	-	1
Diarrhea, enteritis, etc.*—119	1,186	625	292	122	86	123	561
Intestinal obstruction—122b	89	46	19	12	6	9	43
Other diseases of digestive system—115,116,118,121,123-129	104	48	23	9	6	10	56
Nephritis—130,131	21	13	7	2	3	1	8
Congenital malformations—157	1,361	841	529	137	81	94	520
Diseases peculiar to first year of life—158-161	10,076	6,496	3,861	1,161	662	812	3,580
Congenital debility—158	506	198	75	42	32	49	308
Premature birth—159	6,618	4,405	2,678	786	429	512	2,213
Injury at birth—160	1,602	1,045	623	177	107	138	557
Other diseases peculiar to first year of life—161	1,350	848	485	156	94	113	502
Asphyxia (cause not specified), atelectasis—161a	792	565	349	98	52	66	227
Infection of the umbilicus, etc.*—161b,c	558	283	136	58	42	47	275
Homicide—165-168	27	17	11	4	1	1	10
Accidental deaths—169-195	827	425	226	75	51	73	402
Accidental mechanical suffocation—182	373	199	109	29	25	36	174
Other accidental deaths—169-181,183-195	454	226	117	46	26	37	228
Ill-defined and unknown causes—199-200	1,999	392	108	74	89	121	1,607
All other causes	379	205	93	41	35	36	174

*Refer to International List for complete title, table IX, Part I.

- U S GOVERNMENT PRINTING OFFICE O—1950