VITAL STATISTICS OF THE UNITED STATES

1979

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS
Hyattsville, Maryland: 1984

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GARRIE J. LOSEE, *Associate Director for Data Processing and Services*
ALVAN O. ZARATE, Ph.D., *Assistant Director for International Statistics*
E. EARL BRYANT, *Associate Director for Interview and Examination Statistics*
ROBERT L. QUAVE, *Acting Associate Director for Management*
GAIL F. FISHER, Ph.D., *Associate Director for Program Planning, Evaluation, and Coordination*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
PETER L. HURLEY, *Associate Director for Vital and Health Care Statistics*
ALICE HAYWOOD, *Information Officer*

VITAL AND HEALTH CARE STATISTICS PROGRAM

PETER L. HURLEY, *Associate Director*
GLORIA KAPANTAIS, *Assistant to the Director for Data Policy, Planning, and Analysis*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
MARSHALL C. EVANS, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, M.S., *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, M.A., *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, M.S.P.H., *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
MARSHALL C. EVANS, *Acting Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Computer Applications Staff*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1979,* Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 84-1102. Public Health Service, Washington. U.S. Government Printing Office, 1984.

DHHS Publication No. (PHS) 84-1102

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 Stock No. 017-022-00843-2

VITAL STATISTICS OF THE UNITED STATES, 1979

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7 are in Part A of Volume II of *Vital Statistics of the United States, 1979*. Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1979. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

	TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE:	1	71	80	98	122	148	437	442	472
Geographic area:										
Counties		[1]1								9
Metropolitan and nonmetropolitan counties			2	3						9
Population-size groups			2							9
Specified urban places		1								9
Standard metropolitan statistical areas					4				8	
States		11	2	3			6	[2]7		9
United States		1	2	3		5		7		9
Type of entry:										
Fetal-deaths ratios (per 1,000 live births)			2							
Infant mortality rates (per 1,000 live births)			2							
Neonatal mortality rates (per 1,000 live births)			2							
Number of deaths		1	2	3	4	5	6	7	8	9
Number of fetal deaths		1	2							
Number of infant deaths		1	2	3	4	5	6			
Number of neonatal deaths		1	2							
Characteristics:										
Age:										
5-year age groups						5	6			
10-year age groups				3	4					
Cause of death:										
34 selected causes										9
72 selected causes						5	6	7	8	
Race		1	2	3	4	5	6			
Sex				3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

	TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
	PAGE:	1	2	3	4	8	15	19	20	21	22	23	24	26
Geographic area:														
Guam		1	2	3			6	7	8		110	11	12	13
Puerto Rico		1	2		4			7	8	9		11	12	13
Municipios										9				
Virgin Islands		1	2	3		5		7	8		110	11	12	13
Islands											110			
Specified urban place											110			
Years:														
1940–79		1												
1979 only			2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:														
Death rates		1												
Number of deaths		1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths										9				
Number of infant deaths				3	4	5	6			9	10	11	12	13
Number of neonatal deaths										9	10	11		13
Number of postneonatal deaths														13
Characteristics:														
Age:														
10-year age groups				3	4	5	6							
Detailed age groups (under 1 day-11 months)													12	
Cause of death:														
61 selected causes of infant mortality														13
72 selected causes					4	5								
Motor vehicle accidents								7						
Nontransport accidents									8					
Person injured								7	8					
Month			2											
Place of accident									8					
Race[2]			2	3		5		7	8		10	11	12	13
Sex			2	3	4	5	6	7	8				12	

[1]Deaths by place of occurrence and place of residence.
[2]Puerto Rico does not report race.

Section 8. Geographic Detail for Mortality

Table		Pag
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1979	
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1979	7
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1979	8
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States, 1979	9
8–5.	Deaths from 72 selected causes, by age, race, and sex: United States, 1979	12
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1979	14
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1979	43
8–8.	Deaths from 72 selected causes, for standard metropolitan statistical areas of the United States: 1979	44
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1979	47

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	1,916,776	1,913,841	45,665	30,980	32,969
White	1,678,786	1,676,145	32,079	22,141	23,489
All other	237,990	237,696	13,586	8,839	9,480
Black	220,892	220,618	12,586	8,270	8,683
Alabama	34,339	34,457	903	590	670
White	24,431	24,522	455	311	344
All other	9,908	9,935	448	279	326
Black	9,869	9,916	446	277	324
Autauga	129	225	8	1	3
White	86	161	2	–	–
All other	43	64	6	1	3
Black	43	64	6	1	3
Prattville	---	120	5	–	1
White	---	95	2	–	–
All other	---	25	3	–	1
Black	---	25	3	–	1
Balance of county	---	105	3	1	2
White	---	68	–	–	–
All other	---	39	3	1	2
Black	---	39	3	1	2
Baldwin	582	658	18	15	12
White	485	556	13	11	5
All other	97	102	5	4	7
Black	96	102	5	4	6
Barbour	230	270	12	6	5
White	113	141	3	2	2
All other	117	138	9	4	3
Black	117	138	9	4	3
Bibb	119	160	2	2	4
White	90	117	1	1	3
All other	29	43	1	1	1
Black	29	43	1	1	1
Blount	169	270	10	6	5
Bullock	84	145	6	3	1
White	26	50	1	–	–
All other	58	95	5	3	1
Black	58	94	5	3	1
Butler	242	262	5	3	3
White	156	168	2	1	3
All other	86	94	3	2	–
Black	86	94	3	2	–
Calhoun	925	971	27	20	21
White	756	785	20	15	9
All other	169	186	7	5	12
Black	169	186	7	5	11
Anniston	---	452	12	9	10
White	---	320	7	6	2
All other	---	132	5	3	8
Black	---	132	5	3	8
Balance of county	---	519	15	11	11
Chambers	391	459	9	7	18
White	256	304	4	2	4
All other	135	155	5	5	14
Black	135	155	5	5	14
Cherokee	122	160	5	5	4
Chilton	201	307	8	8	6
White	168	266	7	7	5
All other	33	41	1	1	1
Black	33	41	1	1	1
Choctaw	83	157	4	3	4
White	39	75	1	–	–
All other	44	82	3	3	4
Black	44	82	3	3	4
Clarke	246	264	5	4	6
White	132	152	1	–	2
All other	114	112	4	4	4
Black	114	112	4	4	4
Clay	129	146	3	1	3
White	110	126	1	–	1
All other	19	20	2	1	2
Black	19	20	2	1	2
Cleburne	57	105	1	1	2
Coffee	259	309	11	6	10
White	199	238	7	6	4
All other	60	71	4	–	6
Black	59	69	4	–	6
Enterprise	---	103	6	4	7
White	---	65	4	4	1
All other	---	38	2	–	6
Black	---	36	2	–	6
Balance of county	---	206	5	2	3
White	---	173	3	2	3
All other	---	33	2	–	–
Black	---	33	2	–	–
Colbert	405	458	12	10	6
White	313	361	6	4	5
All other	92	97	6	6	1
Black	92	97	6	6	1
Sheffield	---	142	3	3	2
White	---	113	1	1	1
All other	---	29	2	2	1
Black	---	29	2	2	1
Alabama-Con.					
Balance of county	---	316	9	7	4
White	---	248	5	3	4
All other	---	68	4	4	–
Black	---	68	4	4	–
Conecuh	92	169	2	–	2
White	56	102	1	–	1
All other	36	67	1	–	1
Black	36	67	1	–	1
Coosa	53	106	1	–	1
White	33	75	–	–	1
All other	20	31	1	–	–
Black	20	31	1	–	–
Covington	395	414	11	5	7
White	323	356	8	3	6
All other	72	58	3	2	1
Black	71	58	3	2	1
Andalusia	---	94	2	1	6
White	---	71	1	1	5
All other	---	23	1	–	1
Black	---	23	1	–	1
Balance of county	---	320	9	4	1
White	---	285	7	2	1
All other	---	35	2	2	–
Black	---	35	2	2	–
Crenshaw	163	182	6	4	1
White	109	131	4	3	–
All other	54	51	2	1	1
Black	54	51	2	1	1
Cullman	436	525	17	12	13
Cullman	---	135	2	1	3
Balance of county	---	390	15	11	10
Dale	249	287	16	13	8
White	208	235	9	7	4
All other	41	52	7	6	4
Black	38	50	7	6	4
Ozark	---	100	2	1	6
White	---	67	1	1	3
All other	---	33	1	–	3
Black	---	32	1	–	3
Balance of county	---	187	14	12	2
White	---	168	8	6	1
All other	---	19	6	6	1
Black	---	18	6	6	1
Dallas	610	535	15	7	11
White	264	215	1	–	1
All other	346	320	14	7	10
Black	346	319	13	6	10
Selma	---	342	5	2	8
White	---	144	–	–	1
All other	---	198	5	2	7
Black	---	198	5	2	7
Balance of county	---	193	10	5	3
White	---	71	1	–	–
All other	---	122	9	5	3
Black	---	121	8	4	3
De Kalb	383	538	11	5	5
Elmore	269	405	15	11	4
White	198	292	5	3	3
All other	71	113	10	8	1
Black	71	113	10	8	1
Escambia	348	384	13	8	6
White	220	254	7	5	4
All other	126	110	6	3	2
Black	125	109	6	3	2
Etowah	1,039	1,030	22	19	16
White	879	859	11	9	12
All other	160	171	11	10	4
Black	160	171	11	10	4
Gadsden	---	614	14	12	10
White	---	467	4	3	8
All other	---	147	10	9	2
Black	---	147	10	9	2
Balance of county	---	416	8	7	6
Fayette	171	191	6	5	7
White	148	167	3	2	5
All other	23	24	3	3	2
Black	23	24	3	3	2
Franklin	271	295	8	6	6
Geneva	142	235	8	5	–
White	126	209	6	4	–
All other	16	26	2	1	–
Black	16	26	2	1	–
Greene	114	132	3	1	3
White	37	31	–	–	–
All other	77	101	3	1	3
Black	77	101	3	1	3
Hale	146	199	9	6	2
White	50	74	–	–	–
All other	96	125	9	6	2
Black	96	125	9	6	2
Henry	94	178	9	4	2
White	53	105	1	–	1
All other	41	73	8	4	1
Black	41	73	8	4	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Houston	753	561	15	12	16
White	568	425	8	6	6
All other	185	136	7	6	10
Black	185	136	7	6	10
Dothan	---	355	8	5	12
White	---	250	3	1	5
All other	---	105	5	4	7
Black	---	105	5	4	7
Balance of county	---	206	7	7	4
White	---	175	5	5	1
All other	---	31	2	2	3
Black	---	31	2	2	3
Jackson	363	419	10	10	5
Jefferson	7,899	6,494	149	104	120
White	5,179	4,025	60	43	46
All other	2,720	2,469	89	61	74
Black	2,718	2,467	89	61	74
Bessemer	---	414	11	7	10
White	---	178	2	2	4
All other	---	236	9	5	6
Black	---	235	9	5	6
Birmingham	---	3,418	73	57	76
White	---	1,681	17	14	21
All other	---	1,737	56	43	55
Black	---	1,736	56	43	55
Fairfield	---	152	1	–	3
White	---	88	–	–	–
All other	---	66	1	–	3
Black	---	66	1	–	3
Homewood	---	183	4	4	2
Mountain Brook	---	180	3	3	–
Balance of county	---	2,147	57	33	29
White	---	1,736	37	23	20
All other	---	411	20	10	9
Black	---	411	20	10	9
Lamar	127	178	3	3	1
White	110	153	2	2	–
All other	17	25	1	1	1
Black	17	25	1	1	1
Lauderdale	690	646	16	11	11
White	603	556	13	9	9
All other	87	90	3	2	2
Black	87	90	3	2	2
Florence	---	359	7	5	8
White	---	295	5	3	6
All other	---	64	2	2	2
Black	---	64	2	2	2
Balance of county	---	287	9	6	3
Lawrence	157	239	12	6	3
White	122	184	4	1	1
All other	35	55	8	5	2
Black	35	55	8	5	2
Lee	454	433	10	5	16
White	277	272	5	3	7
All other	177	161	5	2	9
Black	176	160	5	2	9
Auburn	---	104	–	–	8
White	---	68	–	–	4
All other	---	36	–	–	4
Black	---	35	–	–	4
Opelika	---	169	7	5	5
White	---	101	4	3	2
All other	---	68	3	2	3
Black	---	68	3	2	3
Balance of county	---	160	3	–	3
White	---	103	1	–	1
All other	---	57	2	–	2
Black	---	57	2	–	2
Limestone	334	411	6	4	8
White	298	354	5	3	6
All other	36	57	1	1	2
Black	36	57	1	1	2
Athens	---	191	3	2	5
White	---	157	2	1	4
All other	---	34	1	1	1
Black	---	34	1	1	1
Balance of county	---	220	3	2	3
White	---	197	3	2	2
All other	---	23	–	–	1
Black	---	23	–	–	1
Lowndes	53	139	9	2	3
White	13	35	1	–	–
All other	40	104	8	2	3
Black	40	104	8	2	3
Macon	452	260	2	1	5
White	155	60	–	–	–
All other	297	200	2	1	5
Black	297	200	2	1	5
Tuskegee	---	116	–	–	3
White	---	17	–	–	–
All other	---	99	–	–	3
Black	---	99	–	–	3
Alabama-Con.					
Balance of county	---	144	2	1	2
White	---	43	–	–	–
All other	---	101	2	1	2
Black	---	101	2	1	2
Madison	1,536	1,259	39	25	21
White	1,293	1,027	27	17	13
All other	243	232	12	8	8
Black	242	231	11	7	8
Huntsville	---	952	28	20	18
White	---	784	17	12	6
All other	---	168	11	8	7
Black	---	167	10	7	7
Balance of county	---	307	11	5	8
White	---	243	10	5	7
All other	---	64	1	–	1
Black	---	64	1	–	1
Marengo	224	258	10	6	3
White	76	95	–	–	1
All other	148	163	10	5	2
Black	148	163	10	5	2
Marion	253	281	6	5	2
Marshall	557	570	11	7	12
Mobile	3,209	2,938	72	49	50
White	2,031	1,858	28	20	25
All other	1,178	1,080	44	29	25
Black	1,175	1,076	44	29	25
Mobile	---	1,835	37	26	25
White	---	1,132	14	9	11
All other	---	703	23	17	14
Black	---	701	23	17	14
Prichard	---	352	17	10	9
White	---	103	1	–	2
All other	---	249	16	10	7
Black	---	248	16	10	7
Balance of county	---	751	16	13	16
White	---	623	13	11	12
All other	---	128	5	2	4
Black	---	127	5	2	4
Monroe	200	244	10	5	4
White	133	151	4	4	1
All other	67	93	6	1	3
Black	67	93	6	1	3
Montgomery	2,266	1,700	54	37	51
White	1,393	982	16	16	17
All other	873	718	38	21	34
Black	871	717	38	21	34
Montgomery	---	1,542	50	35	45
White	---	898	17	15	14
All other	---	644	33	20	31
Black	---	643	33	20	31
Balance of county	---	158	4	2	6
White	---	84	1	1	3
All other	---	74	3	1	3
Black	---	74	3	1	3
Morgan	664	674	15	7	7
Decatur	---	328	5	2	5
White	---	267	4	2	3
All other	---	61	1	–	2
Black	---	61	1	–	2
Balance of county	---	346	10	5	2
Perry	93	158	5	2	4
White	31	53	–	–	–
All other	62	105	5	2	4
Black	62	105	5	2	4
Pickens	156	228	5	3	4
White	86	142	2	2	3
All other	70	86	3	1	1
Black	70	86	3	1	1
Pike	200	252	6	5	5
White	123	154	3	3	4
All other	77	98	3	2	1
Black	76	98	3	2	1
Troy	---	108	2	2	3
White	---	58	2	2	3
All other	---	50	–	–	–
Black	---	50	–	–	–
Balance of county	---	144	4	3	2
White	---	96	1	1	1
All other	---	48	3	2	1
Black	---	48	3	2	1
Randolph	148	194	4	3	6
White	112	156	3	3	6
All other	36	38	1	–	2
Black	36	38	1	–	2
Russell	415	463	15	9	18
White	264	292	8	5	6
All other	151	171	7	4	12
Black	149	170	7	4	12
Phenix City	---	285	5	3	5
White	---	195	2	1	–
All other	---	90	3	2	5
Black	---	89	3	2	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Balance of county	---	178	10	6	13
White	---	97	6	4	6
All other	---	81	4	2	7
Black	---	81	4	2	7
St. Clair	232	344	5	4	7
White	206	310	3	3	4
All other	26	34	2	1	3
Black	26	34	2	1	3
Shelby	316	406	9	4	7
White	275	349	7	2	7
All other	43	57	2	2	-
Black	43	57	2	2	-
Sumter	158	224	5	4	1
White	52	75	-	-	-
All other	106	149	5	4	1
Black	106	148	5	4	1
Talladega	613	694	16	7	18
White	443	495	7	3	11
All other	170	199	9	4	7
Black	170	199	9	4	7
Sylacauga	---	174	5	1	7
White	---	129	2	-	6
All other	---	45	3	1	1
Black	---	45	3	1	1
Talladega	---	183	6	5	4
White	---	132	4	3	2
All other	---	61	2	2	2
Black	---	61	2	2	2
Balance of county	---	327	5	1	7
White	---	234	1	-	3
All other	---	93	4	1	4
Black	---	93	4	1	4
Tallapoosa	358	411	6	4	10
White	261	306	3	1	6
All other	97	105	3	3	4
Black	97	105	3	3	4
Alexander City	---	145	1	-	4
White	---	99	1	-	2
All other	---	46	-	-	2
Black	---	46	-	-	2
Balance of county	---	266	5	4	6
White	---	207	2	1	4
All other	---	59	3	3	2
Black	---	59	3	3	2
Tuscaloosa	1,227	1,018	20	12	19
White	869	738	5	3	6
All other	358	280	15	9	13
Black	358	279	15	9	13
Tuscaloosa	---	571	11	6	12
White	---	379	1	1	3
All other	---	192	10	7	9
Black	---	192	10	7	9
Balance of county	---	447	9	4	7
White	---	359	4	2	3
All other	---	88	5	2	4
Black	---	87	5	2	4
Walker	510	695	19	13	13
Jasper	---	135	5	4	6
White	---	112	3	3	5
All other	---	23	2	1	1
Black	---	23	2	1	1
Balance of county	---	560	14	9	7
Washington	88	167	6	4	2
White	65	124	4	4	2
All other	23	43	2	-	-
Black	23	43	2	-	-
Wilcox	106	159	7	4	1
White	29	40	-	-	-
All other	77	119	7	4	1
Black	77	119	7	4	1
Winston	180	220	8	2	8
Alaska [1]	1,575	1,567	145	88	80
White	1,050	1,055	85	54	55
All other	525	512	60	34	25
Black	36	35	7	6	6
Dist. 1, Prince of Wales	10	10	1	-	1
White	4	3	-	-	-
All other	6	7	1	-	1
Black	-	-	-	-	-
Dist. 2, Ketchikan	77	82	5	2	2
White	53	61	1	-	2
All other	24	21	4	2	-
Black	1	1	-	-	-
Dist. 3, Wrangell-Petersburg	24	29	2	-	2
White	20	22	1	-	1
All other	4	7	1	-	1
Black	-	-	-	-	-
Dist. 4, Sitka	68	52	5	3	-
White	44	32	4	3	-
All other	24	20	1	-	-
Black	-	-	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Dist. 5, Juneau	65	69	7	3	5
White	51	58	3	2	4
All other	14	11	4	1	1
Black	-	-	-	-	-
Dist. 6, Lynn Canal-Icy Straits	14	26	1	1	-
White	10	17	1	1	-
All other	4	9	-	-	-
Black	-	-	-	-	-
Dist. 7, Cordova-McCarthy	10	8	-	-	-
White	9	7	-	-	-
All other	1	1	-	-	-
Black	-	-	-	-	-
Dist. 8, Valdez-Chitina-Whittier	26	22	2	2	-
White	19	14	1	1	-
All other	7	8	1	1	-
Black	1	-	-	-	-
Dist. 9, Palmer-Wasilla-Talkeetna	71	76	10	7	1
Dist. 10, Anchorage	593	539	56	39	34
White	437	445	37	25	26
All other	156	94	19	14	8
Black	26	26	6	5	3
Anchorage	---	502	53	36	30
White	---	410	34	22	24
All other	---	92	19	14	6
Black	---	26	6	5	1
Balance of district	---	37	3	3	4
Dist. 11, Seward	30	29	-	-	2
White	28	25	-	-	1
All other	2	4	-	-	1
Black	-	-	-	-	-
Dist. 12, Kenai-Cook Inlet	72	65	7	5	8
Dist. 13, Kodiak	50	48	3	3	4
White	33	32	1	1	1
All other	17	16	2	2	3
Black	1	1	-	-	-
Dist. 14, Aleutian Islands	26	19	-	-	2
White	10	4	-	-	1
All other	16	15	-	-	1
Black	-	-	-	-	-
Dist. 15, Bristol Bay	29	32	2	1	1
White	9	6	1	-	1
All other	20	26	1	1	-
Black	-	-	-	-	-
Dist. 16, Bethel	44	45	2	2	1
White	2	2	-	-	-
All other	42	43	2	2	1
Black	-	-	-	-	-
Dist. 17, Kuskokwim	18	22	3	1	-
White	6	5	-	-	-
All other	13	17	3	1	-
Black	-	-	-	-	-
Dist. 18, Yukon-Koyukuk	35	36	3	-	4
White	10	7	1	-	4
All other	25	29	2	-	-
Black	1	1	-	-	-
Dist. 19, Fairbanks	188	187	17	11	9
Fairbanks	---	165	11	9	7
White	---	139	10	6	5
All other	---	26	1	1	2
Black	---	6	1	1	1
Balance of district	---	22	6	2	2
Dist. 20, Upper Yukon	13	15	-	-	-
White	4	2	-	-	-
All other	9	13	-	-	-
Black	-	-	-	-	-
Dist. 21, Barrow	17	16	3	2	1
White	5	2	-	-	-
All other	12	16	3	2	1
Black	-	-	-	-	1
Dist. 22, Kobuk	38	44	5	3	2
White	1	1	1	-	-
All other	35	43	4	3	2
Black	-	-	-	-	-
Dist. 23, Nome	39	46	5	1	1
White	9	8	-	-	-
All other	30	38	5	1	1
Black	-	-	-	-	-
Dist. 24, Wade Hampton	19	28	6	2	-
White	1	1	1	-	-
All other	18	27	5	2	-
Black	-	-	-	-	-
Arizona	20,454	19,782	636	418	350
White	18,858	18,119	491	342	284
All other	1,596	1,663	145	76	66
Black	576	560	49	30	17
Apache	275	329	35	15	21
White	73	72	8	6	3
All other	202	257	27	9	18
Black	1	1	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Cochise	493	596	25	18	12
Douglas	---	127	4	4	3
Balance of county	---	469	21	14	9
Coconino	352	327	34	20	13
White	218	201	18	14	6
All other	134	126	16	6	7
Black	6	5	-	-	-
Flagstaff	---	130	14	10	4
White	---	118	13	10	4
All other	---	12	1	-	-
Black	---	5	-	-	-
Balance of county	---	197	20	10	9
White	---	83	5	4	2
All other	---	114	15	6	7
Black	---	-	-	-	-
Gila	327	382	10	6	8
White	299	339	7	6	7
All other	28	43	3	-	1
Black	1	1	-	-	-
Graham	128	172	3	2	4
White	124	156	1	1	4
All other	4	16	2	1	-
Black	2	3	-	-	-
Greenlee	52	61	3	1	4
Maricopa	11,766	10,966	344	235	160
White	11,114	10,464	301	205	140
All other	652	502	43	30	20
Black	349	339	32	22	12
Chandler	---	134	2	-	4
Glendale	---	541	25	16	14
Mesa	---	1,082	39	23	31
Phoenix	---	5,750	215	150	79
White	---	5,385	177	124	67
All other	---	365	38	26	12
Black	---	296	31	22	8
Scottsdale	---	790	11	11	5
Tempe	---	408	15	12	7
Balance of county	---	2,261	37	23	20
Mohave	391	461	8	5	4
Navajo	334	444	31	22	20
White	218	224	13	10	10
All other	116	220	18	12	10
Black	10	9	-	-	-
Pima	4,414	3,841	83	56	60
White	4,136	3,581	58	43	55
All other	278	260	25	13	5
Black	129	117	11	5	3
Tucson	---	2,816	59	43	55
White	---	2,672	49	37	51
All other	---	144	10	6	4
Black	---	106	9	5	3
Balance of county	---	1,025	24	13	5
Pinal	480	710	23	14	13
White	408	594	18	12	13
All other	72	116	5	2	-
Black	21	28	-	-	-
Casa Grande	---	95	3	2	3
Balance of county	---	615	20	12	10
White	---	506	15	10	10
All other	---	109	5	2	-
Black	---	22	-	-	-
Santa Cruz	81	139	4	2	3
Yavapai	696	723	11	6	12
Prescott	---	328	2	2	5
Balance of county	---	397	9	4	7
Yuma	665	691	22	16	16
Yuma	---	332	10	8	11
Balance of county	---	299	12	8	5
White	---	257	12	8	4
All other	---	42	-	-	1
Black	---	12	-	-	-
Arkansas	21,458	21,550	488	292	358
White	17,639	17,652	304	193	204
All other	3,819	3,898	184	99	154
Black	3,752	3,857	182	98	152
Arkansas	260	239	4	2	3
White	204	193	4	2	1
All other	56	46	-	-	2
Black	56	45	-	-	2
Stuttgart	---	97	3	2	3
White	---	75	3	2	1
All other	---	22	-	-	2
Black	---	22	-	-	2
Balance of county	---	142	1	-	-
White	---	118	1	-	-
All other	---	24	-	-	-
Black	---	23	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Ashley	144	225	11	7	8
White	99	150	4	2	5
All other	45	75	7	5	3
Black	45	75	7	5	3
Baxter	298	342	1	1	2
Benton	705	704	12	5	13
Rogers	---	168	2	2	-
Springdale, part	---	-	-	-	-
Balance of county	---	536	10	3	13
Boone	357	278	8	7	2
Bradley	156	167	3	1	5
White	110	120	3	1	2
All other	46	47	-	-	3
Black	46	47	-	-	3
Calhoun	33	72	-	-	1
White	19	51	-	-	1
All other	14	21	-	-	-
Black	14	21	-	-	-
Carroll	133	168	1	1	1
Chicot	197	202	9	6	5
White	83	76	2	1	1
All other	114	126	7	5	4
Black	113	125	7	5	4
Clark	210	237	2	2	1
White	162	179	1	1	1
All other	48	58	1	1	-
Black	47	57	1	1	-
Clay	179	267	3	2	1
Cleburne	133	178	1	-	2
Cleveland	23	83	1	1	-
White	15	66	-	-	-
All other	8	17	1	1	-
Black	8	17	1	1	-
Columbia	274	297	4	1	3
White	185	207	-	-	1
All other	89	90	4	1	2
Black	89	90	4	1	2
Magnolia	---	131	4	1	-
White	---	98	-	-	-
All other	---	33	4	1	-
Black	---	33	4	1	-
Balance of county	---	166	-	-	3
White	---	109	-	-	1
All other	---	57	-	-	2
Black	---	57	-	-	2
Conway	174	210	6	4	1
White	150	176	3	2	-
All other	24	34	3	2	1
Black	24	33	3	2	1
Craighead	682	525	14	7	1
Jonesboro	---	277	9	5	-
Balance of county	---	248	5	2	1
Crawford	192	285	6	2	3
Crittenden	346	399	18	10	10
White	168	177	8	7	3
All other	178	222	10	3	7
Black	177	221	10	3	7
West Memphis	---	201	8	5	4
White	---	106	3	3	2
All other	---	95	5	2	2
Black	---	95	5	2	2
Balance of county	---	198	10	5	6
White	---	71	5	4	1
All other	---	127	5	1	5
Black	---	126	5	1	5
Cross	180	194	4	2	4
White	125	147	3	2	2
All other	55	47	1	-	2
Black	55	47	1	-	2
Dallas	121	148	4	3	2
White	74	90	2	2	-
All other	47	58	2	1	2
Black	47	56	2	1	2
Desha	209	209	5	5	8
White	103	109	1	1	3
All other	106	100	4	4	5
Black	106	100	4	4	5
Drew	129	176	7	5	2
White	95	121	3	2	-
All other	34	55	4	3	2
Black	34	54	4	3	2
Faulkner	297	364	6	3	9
Conway	---	172	4	2	3
Balance of county	---	192	2	1	6
White	---	175	1	-	5
All other	---	17	1	1	1
Black	---	17	1	1	1
Franklin	107	160	2	2	2
Fulton	138	113	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Garland	842	872	9	5	11
Hot Springs	---	689	8	4	9
White	---	628	6	3	7
All other	---	61	2	1	2
Black	---	61	2	1	2
Balance of county	---	183	1	1	2
Grant	67	118	2	1	1
Greene	312	279	5	5	5
Paragould	---	178	2	2	5
Balance of county	---	101	3	3	-
Hempstead	195	254	7	5	-
White	134	169	5	3	-
All other	61	85	2	2	-
Black	60	84	2	2	-
Hot Spring	190	251	5	4	3
White	162	220	3	2	3
All other	28	31	2	2	-
Black	28	31	2	2	-
Howard	169	160	3	2	5
White	125	128	1	-	-
All other	44	32	2	2	5
Black	44	32	2	2	5
Independence	333	302	4	3	1
Izard	82	114	2	2	3
Jackson	167	220	5	3	3
White	132	178	3	2	3
All other	*35*	*42*	*2*	*1*	-
Black	35	42	2	1	-
Jefferson	784	756	16	4	16
White	449	419	6	2	8
All other	335	337	10	2	8
Black	334	337	10	2	7
Pine Bluff	---	587	12	4	10
White	---	323	3	2	5
All other	---	264	9	2	5
Black	---	264	9	2	4
Balance of county	---	169	4	-	6
White	---	96	3	-	3
All other	---	73	1	-	3
Black	---	73	1	-	3
Johnson	119	156	2	-	-
Lafayette	115	154	5	3	2
White	70	92	3	2	1
All other	45	62	2	1	1
Black	45	62	2	1	1
Lawrence	128	189	2	2	1
Lee	114	158	5	3	5
White	39	63	-	-	-
All other	75	95	6	3	5
Black	75	95	6	3	5
Lincoln	60	132	1	-	2
White	43	89	1	-	1
All other	17	43	-	-	1
Black	17	43	-	-	1
Little River	89	101	1	1	1
White	73	77	1	1	1
All other	*16*	*24*	-	-	-
Black	16	24	-	-	-
Logan	123	226	1	1	-
Lonoke	124	293	7	5	6
White	99	245	3	2	3
All other	25	48	4	3	3
Black	25	48	4	3	3
Madison	90	109	2	-	2
Marion	133	121	3	2	1
Miller	439	379	8	6	2
White	344	285	4	3	2
All other	95	94	4	3	-
Black	94	94	4	3	-
Texarkana s	---	261	6	5	1
White	---	189	3	2	1
All other	---	72	3	3	-
Black	---	72	3	3	-
Balance of county	---	118	2	1	1
White	---	96	1	1	1
All other	---	22	1	-	-
Black	---	22	1	-	-
Mississippi	489	568	22	10	15
White	331	402	10	6	11
All other	158	166	12	4	4
Black	157	165	12	4	4
Blytheville	---	219	6	2	5
White	---	139	1	1	5
All other	---	80	5	1	-
Black	---	80	5	1	-
Balance of county	---	349	16	8	10
White	---	263	9	5	6
All other	---	*86*	*7*	*3*	*4*
Black	---	85	7	3	4
Monroe	100	141	5	1	5
White	60	82	1	-	1
All other	40	59	4	1	4
Black	40	59	4	1	4
Montgomery	26	65	2	1	1
Nevada	151	149	4	3	3
White	101	105	2	1	2
All other	50	44	2	2	1
Black	50	44	2	2	1
Newton	35	65	2	1	1
Ouachita	313	346	7	3	5
White	194	223	6	3	1
All other	119	123	1	-	4
Black	119	123	1	-	4
Camden	---	194	3	1	-
White	---	125	2	1	-
All other	---	69	1	-	-
Black	---	69	1	-	-
Balance of county	---	152	4	2	5
White	---	98	4	2	1
All other	---	54	-	-	4
Black	---	54	-	-	4
Perry	21	60	2	1	-
Phillips	407	446	16	6	9
White	177	200	2	1	1
All other	230	246	14	5	8
Black	226	243	14	5	8
Helena	---	158	8	3	3
White	---	71	1	1	-
All other	---	87	7	2	3
Black	---	86	7	2	3
West Helena	---	119	2	2	2
White	---	66	-	-	-
All other	---	53	2	2	2
Black	---	52	2	2	2
Balance of county	---	169	6	1	4
White	---	63	1	-	1
All other	---	106	5	1	3
Black	---	105	5	1	3
Pike	116	146	3	3	2
Poinsett	110	274	13	4	4
Polk	141	173	2	2	3
Pope	297	320	8	4	4
Russellville	---	151	1	-	3
Balance of county	---	169	7	4	1
Prairie	30	92	-	-	1
White	21	81	-	-	1
All other	9	11	-	-	-
Black	9	11	-	-	-
Pulaski	4,126	2,668	84	59	73
White	3,244	2,026	43	33	34
All other	882	642	41	26	39
Black	877	642	41	26	39
Jacksonville	---	104	6	5	4
Little Rock	---	1,525	49	34	40
White	---	1,102	21	16	19
All other	---	423	28	18	21
Black	---	423	28	18	21
North Little Rock	---	*683*	*20*	*15*	*21*
White	---	536	10	9	6
All other	---	147	10	6	15
Black	---	147	10	6	15
Balance of county	---	356	9	5	8
White	---	291	8	4	6
All other	---	65	1	1	2
Black	---	65	1	1	2
Randolph	140	178	6	5	-
St. Francis	218	308	13	8	17
White	94	149	2	2	4
All other	124	159	11	6	13
Black	124	159	11	6	13
Forrest City	---	140	5	2	7
White	---	66	1	1	2
All other	---	74	4	1	5
Black	---	74	4	1	5
Balance of county	---	168	8	6	10
White	---	83	1	1	2
All other	---	85	7	5	8
Black	---	85	7	5	8
Saline	263	318	5	3	3
Benton	---	169	4	2	-
Balance of county	---	149	1	1	3
Scott	61	66	2	-	-
Searcy	42	95	1	1	-
Sebastian	1,394	639	20	13	11
Fort Smith	---	493	19	12	10
Balance of county	---	146	1	1	1
Sevier	188	139	2	2	2
Sharp	*54*	*166*	-	-	*1*
Stone	60	77	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	591	570	9	6	20
White	418	392	2	1	10
All other	173	178	7	5	10
Black	173	178	7	5	10
El Dorado	---	298	6	4	12
White	---	207	1	1	5
All other	---	91	5	3	7
Black	---	91	5	3	7
Balance of county	---	272	3	2	8
White	---	185	1	–	5
All other	---	87	2	2	3
Black	---	87	2	2	3
Van Buren	80	124	–	–	–
Washington	968	750	17	9	8
Fayetteville	---	221	4	3	2
Springdale, part	---	187	2	–	2
Springdale, total	---	187	2	–	2
Balance of county	---	342	11	6	4
White	443	445	11	9	5
Woodruff	93	160	1	–	4
White	66	100	1	–	–
All other	27	60	–	–	4
Black	27	60	–	–	4
Yell	171	176	–	–	1
California	177,869	177,399	4,258	2,789	3,154
White	161,301	160,852	3,358	2,216	2,457
All other	16,568	16,547	900	583	697
Black	12,537	12,542	744	473	554
Alameda	8,663	8,752	158	101	146
White	7,203	7,068	93	61	82
All other	1,660	1,684	65	40	64
Black	1,394	1,440	55	33	51
Alameda	---	520	6	5	9
Albany	---	133	–	–	1
White	---	125	–	–	–
All other	---	8	–	–	1
Black	---	2	–	–	–
Berkeley	---	747	5	3	5
White	---	536	2	2	2
All other	---	211	3	1	3
Black	---	185	2	1	3
Fremont	---	564	17	11	15
Hayward	---	961	22	14	25
Livermore	---	268	6	4	1
Newark	---	109	7	4	4
Oakland	---	3,635	67	39	59
White	---	2,341	19	12	19
All other	---	1,294	49	27	40
Black	---	1,166	45	24	35
Piedmont	---	89	–	–	1
Pleasanton	---	177	1	–	2
San Leandro	---	794	11	10	7
Union City	---	139	7	5	9
Balance of county	---	616	9	6	8
Alpine	2	3	1	1	–
White	2	3	1	1	–
All other	–	–	–	–	–
Black	–	–	–	–	–
Amador	169	188	2	1	2
Butte	1,438	1,410	16	10	13
Chico	---	393	4	2	5
Balance of county	---	1,017	12	8	8
Calaveras	161	201	1	–	2
Colusa	101	131	–	–	1
Contra Costa	4,199	4,349	86	55	66
White	3,740	3,920	72	45	46
All other	389	429	24	10	20
Black	349	362	21	9	18
Antioch	---	254	9	6	1
Concord	---	546	16	11	14
El Cerrito	---	210	3	2	–
White	---	186	3	2	–
All other	---	24	–	–	–
Black	---	9	–	–	–
Lafayette	---	141	3	1	–
Martinez	---	224	4	2	2
Pinole	---	76	2	1	–
Pittsburg	---	264	9	5	7
White	---	219	6	4	4
All other	---	65	3	1	3
Black	---	55	3	1	2
Pleasant Hill	---	155	4	2	2
Richmond	---	706	23	13	17
White	---	431	7	5	5
All other	---	275	16	8	12
Black	---	259	15	8	11
San Pablo	---	257	6	2	3
Walnut Creek	---	674	5	2	3
Balance of county	---	822	12	8	17

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Del Norte	185	179	8	3	3
El Dorado	485	554	7	6	10
South Lake Tahoe	---	99	3	3	8
Balance of county	---	455	4	3	2
Fresno	3,959	3,626	104	76	82
White	3,614	3,303	87	63	73
All other	345	323	17	13	9
Black	249	239	13	9	6
Clovis	---	178	3	1	5
Fresno	---	2,459	78	58	50
White	---	2,199	63	47	43
All other	---	260	15	11	7
Black	---	215	12	8	6
Sanger	---	133	5	3	7
Balance of county	---	856	18	14	20
White	---	801	16	12	18
All other	---	55	2	2	2
Black	---	18	1	1	–
Glenn	132	197	9	7	3
Humboldt	865	889	12	5	11
Eureka	---	378	4	1	8
Balance of county	---	511	8	4	3
Imperial	627	627	21	12	16
Brawley	---	137	8	5	3
Calexico	---	72	4	2	2
El Centro	---	187	5	3	5
Balance of county	---	231	4	2	6
Inyo	213	212	4	4	2
Kern	2,940	3,053	93	60	70
White	2,714	2,815	83	51	55
All other	226	238	10	9	15
Black	201	208	8	8	14
Bakersfield	---	1,791	48	28	42
White	---	1,612	40	21	31
All other	---	179	8	7	11
Black	---	170	7	7	11
Delano	---	132	9	7	4
White	---	110	9	7	4
All other	---	22	–	–	–
Black	---	10	–	–	–
Balance of county	---	1,130	36	25	24
White	---	1,093	34	23	20
All other	---	37	2	2	4
Black	---	28	1	1	3
Kings	415	471	16	13	16
Hanford	---	250	4	3	5
Balance of county	---	221	12	10	11
Lake	339	475	4	2	2
Lassen	124	172	8	4	2
Los Angeles	59,888	58,864	1,586	1,035	1,189
White	51,691	50,626	1,101	728	850
All other	8,197	8,238	485	307	339
Black	6,891	6,949	407	265	296
Alhambra	---	660	9	6	7
Arcadia	---	520	3	2	1
Artesia	---	114	3	3	2
Azusa	---	262	13	8	5
Baldwin Park	---	329	9	4	13
Bell	---	249	7	4	10
Bellflower	---	495	15	12	9
Bell Gardens	---	198	8	4	10
Beverly Hills	---	412	1	1	–
Burbank	---	799	6	3	15
Carson	---	431	27	18	11
White	---	300	13	7	6
All other	---	131	14	11	5
Black	---	87	11	9	4
Cerritos	---	135	7	3	3
Claremont	---	191	1	–	–
Commerce	---	55	2	–	–
Compton	---	644	46	29	40
White	---	188	8	6	15
All other	---	456	38	23	25
Black	---	452	38	23	25
Covina	---	419	7	5	6
Cudahy	---	105	5	3	3
Culver City	---	325	12	8	4
Downey	---	673	8	5	11
Duarte	---	182	8	5	3
El Monte	---	572	28	22	21
El Segundo	---	102	2	1	–
Gardena	---	538	14	8	16
White	---	417	8	3	7
All other	---	121	6	5	9
Black	---	46	4	3	7
Glendale	---	1,478	15	11	16
Glendora	---	311	9	6	7
Hawthorne	---	414	10	7	11
Hermosa Beach	---	78	1	1	–
Huntington Park	---	436	25	16	19

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Inglewood	---	783	39	26	21
White	---	579	15	11	8
All other	---	204	24	15	13
Black	---	197	24	15	13
Lakewood	---	526	12	8	6
La Mirada	---	205	4	3	4
La Puente	---	337	12	6	4
La Verne	---	191	6	5	2
Lawndale	---	175	5	3	6
Lomita	---	173	9	4	3
Long Beach	---	4,034	71	47	61
White	---	3,804	43	26	42
All other	---	230	28	21	19
Black	---	191	23	17	14
Los Angeles	---	26,600	713	475	559
White	---	20,575	436	298	348
All other	---	6,025	277	177	211
Black	---	5,298	254	161	199
Lynwood	---	306	23	16	8
Manhattan Beach	---	152	–	–	2
Maywood	---	115	9	6	7
Monrovia	---	334	7	3	6
White	---	302	7	3	6
All other	---	32	–	–	–
Black	---	31	–	–	–
Montebello	---	399	9	5	4
Monterey Park	---	322	4	2	2
White	---	270	4	2	1
All other	---	52	–	–	1
Black	---	–	–	–	–
Norwalk	---	531	18	10	18
Palos Verdes Estates	---	102	3	3	–
Paramount	---	275	15	11	6
Pasadena	---	1,321	24	17	21
White	---	1,149	13	9	13
All other	---	172	11	8	8
Black	---	153	9	7	6
Pico Rivera	---	324	19	13	14
Pomona	---	761	44	28	30
White	---	671	29	19	19
All other	---	90	15	9	11
Black	---	87	15	9	10
Redondo Beach	---	386	8	7	6
Rosemead	---	350	7	1	6
San Dimas	---	140	4	2	1
San Fernando	---	210	7	6	11
San Gabriel	---	415	7	6	6
San Marino	---	110	–	–	–
Santa Fe Springs	---	76	5	3	3
Santa Monica	---	1,032	17	15	9
Sierra Madre	---	119	–	–	–
South El Monte	---	78	1	1	–
South Gate	---	586	19	13	17
South Pasadena	---	217	4	2	–
Temple City	---	286	3	1	–
Torrance	---	1,076	25	14	14
West Covina	---	412	11	8	8
Whittier	---	1,088	20	13	14
Balance of county	---	3,192	81	57	67
White	---	2,994	71	48	57
All other	---	198	10	9	10
Black	---	157	5	4	10
Madera	401	508	13	9	5
Madera	---	319	10	8	3
White	---	291	10	8	3
All other	---	28	–	–	–
Black	---	23	–	–	–
Balance of county	---	189	3	1	2
Marin	1,469	1,480	21	13	8
Larkspur	---	30	1	–	–
Mill Valley	---	199	2	–	–
Novato	---	261	4	3	5
San Anselmo	---	98	2	2	2
San Rafael	---	475	9	6	–
Balance of county	---	417	3	2	1
Mariposa	86	94	3	2	1
Mendocino	582	596	13	11	14
Ukiah	---	248	7	6	4
Balance of county	---	348	6	5	10
Merced	719	690	22	18	22
Atwater	---	97	3	3	4
White	---	92	3	3	4
All other	---	5	–	–	–
Black	---	4	–	–	–
Merced	---	333	8	6	9
White	---	299	6	5	7
All other	---	34	2	1	2
Black	---	30	2	1	1
Balance of county	---	460	11	9	9
Modoc	57	78	5	2	–
Mono	58	46	4	3	1
Monterey	1,865	1,888	70	43	48
White	1,737	1,754	60	34	44
All other	128	134	10	9	4
Black	71	76	8	7	2
Monterey	---	223	1	–	3
Pacific Grove	---	196	2	2	2
Salinas	---	689	31	20	21
Seaside	---	121	3	–	2
White	---	73	3	–	2
All other	---	48	–	–	–
Black	---	36	–	–	–
Balance of county	---	659	33	21	20
Napa	1,114	935	12	8	7
Napa	---	603	10	7	7
Balance of county	---	332	2	1	–
Nevada	469	429	9	6	2
Orange	11,068	11,741	319	204	206
White	10,864	11,534	294	188	191
All other	204	207	25	16	15
Black	78	72	14	7	7
Anaheim	---	1,437	39	20	28
Brea	---	150	3	3	–
Buena Park	---	381	14	11	9
Costa Mesa	---	578	13	10	11
Cypress	---	163	12	5	8
Fountain Valley	---	220	9	7	2
Fullerton	---	627	12	9	8
Garden Grove	---	777	23	14	6
Huntington Beach	---	811	15	7	18
Laguna Beach	---	178	2	1	–
La Habra	---	331	7	4	8
Los Alamitos	---	137	5	3	1
Newport Beach	---	470	1	1	3
Orange	---	576	13	9	12
Placentia	---	143	6	5	5
San Clemente	---	232	11	6	5
Santa Ana	---	1,407	65	43	43
White	---	1,355	58	40	38
All other	---	52	7	3	5
Black	---	35	6	3	2
Seal Beach	---	507	2	2	–
Stanton	---	164	6	4	3
Tustin	---	243	5	3	4
Westminster	---	398	11	6	7
Yorba Linda	---	105	6	6	1
Balance of county	---	1,706	39	25	24
Placer	842	862	16	8	10
Roseville	---	250	8	4	1
Balance of county	---	612	8	4	9
Plumas	129	130	4	2	2
Riverside	5,462	6,167	127	83	84
White	5,229	5,906	114	73	73
All other	233	261	13	10	11
Black	199	223	11	8	10
Banning	---	205	5	4	1
White	---	193	3	2	–
All other	---	12	2	2	1
Black	---	9	1	1	–
Corona	---	286	13	9	6
Hemet	---	906	12	10	6
Indio	---	211	10	8	6
Norco	---	71	3	1	–
Palm Springs	---	518	4	2	2
Riverside	---	1,476	34	21	15
Balance of county	---	2,494	48	28	48
White	---	2,370	44	28	41
All other	---	124	2	–	7
Black	---	108	2	–	7
Sacramento	6,070	5,753	137	88	103
White	5,512	5,190	103	67	86
All other	558	563	34	19	17
Black	346	380	29	17	12
Sacramento	---	4,098	96	58	59
White	---	3,602	69	43	46
All other	---	496	27	15	13
Black	---	325	24	14	9
Balance of county	---	1,655	41	28	44
White	---	1,588	34	24	40
All other	---	67	7	4	4
Black	---	35	5	3	3
San Benito	148	192	6	4	7
San Bernardino	7,302	6,633	170	105	107
White	6,935	6,327	144	90	91
All other	367	306	26	15	16
Black	323	269	24	14	15
Barstow	---	147	4	4	3
White	---	139	4	4	3
All other	---	8	–	–	–
Black	---	8	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Chino	---	206	8	4	5
Colton	---	198	2	2	4
Fontana	---	502	17	9	9
Montclair	---	132	2	2	4
Ontario	---	572	26	15	10
Redlands	---	333	2	1	5
Rialto	---	282	7	5	9
San Bernardino	---	1,384	36	19	18
White	---	1,227	27	12	13
All other	---	157	9	7	5
Black	---	145	8	7	5
Upland	---	299	8	6	5
Victorville	---	148	7	5	5
Balance of county	---	2,430	51	33	30
White	---	2,393	45	30	27
All other	---	37	6	3	3
Black	---	24	5	2	3
San Diego	13,122	12,709	311	206	227
White	12,469	12,072	252	167	180
All other	653	637	59	39	47
Black	499	488	45	29	37
Carlsbad	---	224	1	-	2
Chula Vista	---	794	18	6	13
Coronado	---	133	3	2	3
El Cajon	---	849	12	9	5
Escondido	---	731	18	16	7
Imperial Beach	---	87	5	3	6
La Mesa	---	484	6	2	4
National City	---	292	17	12	12
White	---	276	14	10	7
All other	---	16	3	2	5
Black	---	8	2	1	3
Oceanside	---	571	21	12	14
San Diego	---	5,967	148	105	113
White	---	5,472	109	79	88
All other	---	495	39	26	25
Black	---	417	30	20	21
Vista	---	389	9	5	8
Balance of county	---	2,188	53	34	40
White	---	2,125	45	29	37
All other	---	63	8	5	3
Black	---	23	5	3	2
San Francisco, coext. with San Francisco city	8,087	7,614	99	54	79
White	6,416	6,014	48	31	33
All other	1,671	1,600	51	23	46
Black	844	789	35	15	26
San Joaquin	2,909	3,050	79	48	44
White	2,595	2,733	66	40	37
All other	314	317	13	8	7
Black	178	182	12	7	4
Lodi	---	450	8	6	3
Manteca	---	215	9	5	3
Stockton	---	1,864	45	26	25
White	---	1,589	33	19	20
All other	---	275	12	7	5
Black	---	164	11	6	4
Tracy	---	189	3	2	5
Balance of county	---	332	14	9	8
White	---	314	14	9	7
All other	---	18	-	-	1
Black	---	5	-	-	-
San Luis Obispo	1,240	1,237	21	13	9
San Luis Obispo	---	219	3	1	1
Balance of county	---	1,018	18	12	8
San Mateo	3,879	4,184	78	53	59
White	3,654	3,878	63	41	47
All other	225	306	15	12	12
Black	119	194	9	6	9
Belmont	---	139	-	-	1
Burlingame	---	329	5	3	-
Daly City	---	462	13	8	8
White	---	400	8	4	4
All other	---	62	5	4	4
Black	---	26	3	2	1
Menlo Park	---	334	3	2	4
White	---	288	3	2	2
All other	---	46	-	-	2
Black	---	41	-	-	2
Millbrae	---	184	-	-	-
Pacifica	---	177	6	3	2
Redwood City	---	573	13	9	12
San Bruno	---	240	5	4	6
San Carlos	---	232	4	3	1
San Mateo	---	692	6	4	10
South San Francisco	---	287	6	3	7
Balance of county	---	535	17	14	8
White	---	469	10	9	7
All other	---	72	7	5	1
Black	---	63	6	4	1
Santa Barbara	2,253	2,225	43	31	47
White	2,181	2,152	37	26	44
All other	72	73	6	5	3
Black	50	49	5	4	-
Lompoc	---	210	5	4	6
Santa Barbara	---	1,204	17	12	17
Santa Maria	---	384	6	6	10
Balance of county	---	417	13	9	12
Santa Clara	7,871	7,226	203	145	150
White	7,458	6,895	170	120	124
All other	413	331	33	26	26
Black	219	148	23	18	14
Campbell	---	234	5	3	6
Cupertino	---	213	3	3	3
Gilroy	---	152	9	6	3
Los Altos	---	282	1	-	1
Los Gatos	---	302	3	3	2
Milpitas	---	131	10	6	5
White	---	115	8	5	4
All other	---	15	2	1	1
Black	---	9	1	1	1
Mountain View	---	409	9	8	7
Palo Alto	---	449	2	1	3
San Jose	---	3,466	123	91	99
White	---	3,254	100	72	80
All other	---	212	23	19	19
Black	---	107	17	14	10
Santa Clara	---	555	12	8	7
Saratoga	---	203	1	-	2
Sunnyvale	---	626	20	13	6
Balance of county	---	224	5	4	6
Santa Cruz	1,485	1,570	31	19	23
Santa Cruz	---	705	8	5	3
Watsonville	---	320	11	6	11
White	---	302	10	6	11
All other	---	18	1	-	-
Black	---	3	-	-	-
Balance of county	---	545	12	8	9
Shasta	988	926	16	8	9
Redding	---	509	2	1	6
Balance of county	---	417	14	7	3
Sierra	17	28	1	1	-
Siskiyou	309	379	7	5	6
Solano	1,465	1,472	42	29	40
White	1,322	1,311	33	23	22
All other	143	161	9	6	18
Black	121	127	9	6	14
Fairfield	---	219	10	8	8
White	---	198	8	7	8
All other	---	21	2	1	-
Black	---	17	2	1	-
Vacaville	---	272	7	6	6
Vallejo	---	695	16	11	17
White	---	580	9	6	5
All other	---	115	7	5	12
Black	---	94	7	5	9
Balance of county	---	288	9	4	9
Sonoma	2,562	2,647	44	31	28
Petaluma	---	329	8	6	4
Santa Rosa	---	1,141	11	7	9
Balance of county	---	1,177	25	16	10
Stanislaus	2,237	2,088	43	34	32
Modesto	---	1,184	29	24	20
Turlock	---	274	3	3	5
Balance of county	---	628	11	7	7
Sutter	338	391	6	2	8
Yuba City	---	297	5	2	6
Balance of county	---	94	1	-	-
Tehama	281	386	3	3	1
Trinity	82	89	-	-	2
Tulare	1,706	1,906	47	37	49
White	1,658	1,852	47	37	45
All other	48	54	-	-	4
Black	32	36	-	-	2
Porterville	---	346	5	4	7
Tulare	---	294	4	3	6
White	---	272	4	3	6
All other	---	22	-	-	-
Black	---	19	-	-	-
Visalia	---	468	18	14	9
Balance of county	---	798	20	16	26
Tuolumne	256	279	8	5	3
Ventura	2,842	3,061	75	59	61
White	2,751	2,978	73	51	55
All other	91	83	2	2	6
Black	58	50	2	2	5
Camarillo	---	288	10	10	6
Oxnard	---	710	28	19	18
White	---	646	26	17	15
All other	---	64	2	2	3
Black	---	43	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Port Hueneme	---	111	3	2	-
Santa Paula	---	204	5	2	3
Simi Valley	---	293	7	7	13
Thousand Oaks	---	241	4	3	6
Ventura	---	664	9	5	3
Balance of county	---	572	9	5	12
Yolo	730	763	14	11	11
Davis	---	140	1	-	2
Woodland	---	264	6	5	6
Balance of county	---	359	7	6	3
Yuba	364	416	10	8	8
Colorado	19,022	18,450	500	360	454
White	18,324	17,790	458	277	410
All other	698	660	42	23	44
Black	573	559	36	22	30
Adams	1,016	1,227	66	36	36
Arvada, part	---	3	-	-	-
Aurora, part	---	169	15	11	5
Commerce City	---	142	9	4	4
North Glenn	---	112	7	4	4
Thornton	---	144	8	4	6
Westminster	---	152	6	1	8
Balance of county	---	505	21	12	9
Alamosa	82	66	1	1	4
Arapahoe	1,046	1,228	42	30	41
Aurora, part	---	414	21	16	25
Aurora, total	---	583	38	27	30
Englewood	---	345	12	10	6
Littleton	---	276	4	1	6
Balance of county	---	193	5	3	4
Archuleta	17	30	1	1	-
Baca	48	58	1	1	-
Bent	62	44	-	-	1
Boulder	820	887	27	11	12
Boulder	---	381	4	2	2
Longmont	---	292	14	5	5
Balance of county	---	234	9	4	5
Chaffee	111	123	8	6	4
Cheyenne	34	30	2	-	1
Clear Creek	26	36	-	-	-
Conejos	39	57	1	-	4
Costilla	7	25	-	-	-
Crowley	10	27	-	-	-
Custer	3	7	1	-	-
Delta	160	224	4	1	-
Denver, coext. with Denver city	6,092	4,543	84	57	91
White	5,649	4,121	68	46	67
All other	443	422	16	11	24
Black	398	395	16	11	20
Dolores	5	11	-	-	-
White	5	11	-	-	-
All other	-	-	-	-	-
Black	-	-	-	-	-
Douglas	73	95	2	2	4
Eagle	47	53	2	2	3
Elbert	15	36	2	1	4
El Paso	1,713	1,704	73	45	73
White	1,650	1,628	63	39	60
All other	63	76	10	6	13
Black	57	68	10	6	7
Colorado Springs	---	1,419	55	34	60
Balance of county	---	285	18	11	13
Fremont	351	341	1	-	9
Garfield	132	140	5	2	3
Gilpin	14	15	-	-	-
Grand	30	32	-	-	-
Gunnison	35	22	-	-	2
Hinsdale	4	4	-	-	-
Huerfano	63	81	-	-	1
Jackson	14	14	-	-	-
Jefferson	1,570	1,830	47	28	46
Arvada, part	---	379	14	10	13
Arvada, total	---	382	14	10	13
Lakewood	---	702	13	7	17
Wheat Ridge	---	267	2	2	5
Balance of county	---	482	18	7	11
Kiowa	22	25	-	-	2
Kit Carson	46	57	3	2	1
Lake	36	37	2	-	-
La Plata	193	180	8	6	5
Durango	---	96	2	2	3
Balance of county	---	84	6	4	2
Larimer	772	793	18	11	20
Fort Collins	---	330	5	4	11
Loveland	---	228	3	2	6
Balance of county	---	235	10	5	3
Las Animas	134	171	1	1	-
Lincoln	67	66	-	-	1
Logan	151	142	1	-	-
Sterling	---	109	1	-	-
Balance of county	---	33	-	-	-
Mesa	697	541	11	5	13
Grand Junction	---	275	5	2	5
Balance of county	---	266	6	3	8
Mineral	2	5	-	-	-
Moffat	86	65	2	1	5
Montezuma	126	137	2	-	3
Montrose	191	179	5	5	5
Morgan	206	213	4	2	2
Otero	246	265	7	4	4
Ouray	9	16	1	-	-
Park	34	20	-	-	1
Phillips	42	44	-	-	-
Pitkin	46	32	1	-	1
Prowers	103	120	5	4	2
Pueblo	1,158	1,081	17	12	15
Pueblo	---	962	13	8	13
Balance of county	---	119	4	4	2
Rio Blanco	36	36	1	-	5
Rio Grande	116	124	4	3	2
Routt	48	54	2	1	1
Saguache	32	37	-	-	-
San Juan	2	4	-	-	1
San Miguel	10	16	-	-	-
Sedgwick	27	40	-	-	-
Summit	26	9	-	-	2
Teller	22	43	4	3	2
Washington	41	69	1	1	-
Weld	632	737	27	16	19
Greeley	---	389	10	6	8
Balance of county	---	348	17	10	11
Yuma	85	102	3	1	3
Connecticut	26,141	26,053	470	361	324
White	24,849	24,775	363	277	263
All other	1,292	1,278	107	84	61
Black	1,252	1,239	104	82	60
Fairfield	6,343	6,722	118	96	94
White	5,980	6,316	81	67	73
All other	363	406	37	29	21
Black	353	399	37	29	21
Bridgeport	---	1,559	45	35	32
White	---	1,363	24	18	21
All other	---	196	21	17	11
Black	---	194	21	17	11
Danbury	---	464	5	4	9
Darien town #	---	141	1	1	1
Fairfield town #	---	470	8	6	1
Greenwich town #	---	500	5	5	-
Norwalk	---	662	11	10	9
White	---	603	7	7	8
All other	---	59	4	3	1
Black	---	59	4	3	1
Shelton	---	191	1	1	3
Stamford	---	903	23	18	12
White	---	807	14	11	6
All other	---	96	9	7	6
Black	---	95	9	7	6
Stratford town #	---	521	8	6	6
Trumbull town #	---	243	1	1	2
Westport town #	---	162	2	1	1
Balance of county	---	906	8	8	18
Hartford	6,999	6,661	134	96	84
White	6,638	6,308	99	67	63
All other	361	353	35	29	21
Black	351	345	34	28	21
Bristol	---	409	3	2	13
East Hartford town #	---	454	9	6	8
Enfield town #	---	252	9	6	3
Hartford	---	1,310	62	43	21
White	---	1,047	39	20	9
All other	---	263	29	23	12
Black	---	263	29	23	12
Manchester town #	---	442	4	2	5
New Britain	---	797	9	8	5
Newington town #	---	205	1	1	2
Plainville town #	---	127	2	1	1
Southington town #	---	220	3	1	2
West Hartford town #	---	676	7	5	4
Wethersfield town #	---	245	2	2	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windsor Locks town #	---	85	–	–	3
Balance of county	---	1,439	23	19	17
Litchfield	1,223	1,370	18	17	17
Torrington	---	305	5	5	5
Balance of county	---	1,065	13	12	12
Middlesex	1,113	1,118	19	15	8
Middletown	---	330	4	4	2
Balance of county	---	788	15	11	6
New Haven	7,484	6,964	130	103	70
White	7,032	6,546	89	81	55
All other	452	418	31	22	15
Black	440	404	30	22	14
Ansonia	---	202	6	4	2
Derby	---	141	–	–	–
East Haven town #	---	197	–	–	1
Hamden town #	---	514	5	4	2
Meriden	---	523	12	12	6
Milford	---	396	7	6	2
Naugatuck	---	205	4	2	3
New Haven	---	1,306	37	29	17
White	---	1,055	19	15	7
All other	---	251	18	14	10
Black	---	249	18	14	10
Wallingford town #	---	328	1	1	8
Waterbury	---	1,176	21	14	6
White	---	1,100	14	9	4
All other	---	76	7	5	2
Black	---	74	7	5	2
West Haven town #	---	562	14	12	6
Balance of county	---	1,414	23	19	17
New London	1,775	1,831	23	16	25
New London	---	311	3	2	1
White	---	278	3	2	1
All other	---	33	–	–	–
Black	---	32	–	–	–
Norwich	---	372	7	5	7
Balance of county	---	1,148	13	8	17
Tolland	437	610	13	8	10
Vernon town #	---	191	6	4	2
Balance of county	---	419	7	4	8
Windham	767	777	15	10	16
Willimantic	---	189	4	4	4
Balance of county	---	588	11	6	12
Delaware	5,060	4,897	152	121	82
White	4,228	4,106	88	67	46
All other	832	791	64	54	36
Black	822	782	64	54	35
Kent	576	683	24	19	16
White	465	559	14	11	12
All other	111	124	10	8	4
Black	109	122	10	8	4
Dover	---	169	6	4	7
White	---	149	4	2	6
All other	---	40	2	2	1
Black	---	40	2	2	1
Balance of county	---	494	18	15	9
White	---	410	10	9	6
All other	---	84	8	6	3
Black	---	82	8	6	3
New Castle	9,479	9,183	100	81	42
White	2,928	2,692	63	47	25
All other	551	491	37	34	17
Black	548	488	37	34	17
Newark	---	243	10	7	1
Wilmington	---	1,431	51	41	18
White	---	1,031	22	15	5
All other	---	400	29	26	13
Black	---	399	29	26	13
Balance of county	---	1,509	39	33	23
White	---	1,432	32	26	19
All other	---	77	7	7	4
Black	---	75	7	7	4
Sussex	1,005	1,031	28	21	24
White	835	855	11	9	9
All other	170	176	17	12	15
Black	185	172	17	12	14
District of Columbia	8,620	6,864	211	166	141
White	3,565	2,128	8	7	14
All other	5,055	4,736	203	159	127
Black	5,008	4,707	203	159	126
Florida	100,604	98,524	1,810	1,203	1,167
White	89,311	87,246	1,093	755	713
All other	11,293	11,278	717	448	474
Black	11,184	11,179	712	445	461
Florida-Con.					
Alachua	1,732	850	31	25	13
White	1,300	580	21	16	6
All other	432	270	10	9	5
Black	431	268	10	9	4
Gainesville	---	478	17	14	10
White	---	317	10	8	6
All other	---	161	7	6	4
Black	---	159	7	6	3
Balance of county	---	372	14	11	3
White	---	263	11	8	2
All other	---	109	3	3	1
Black	---	109	3	3	1
Baker	167	110	4	3	3
White	132	93	3	2	1
All other	35	17	1	1	2
Black	35	17	1	1	2
Bay	856	785	28	16	14
White	743	683	22	12	10
All other	113	102	6	4	4
Black	113	102	6	4	4
Panama City	---	406	15	7	7
White	---	324	10	4	4
All other	---	82	5	3	3
Black	---	82	5	3	3
Balance of county	---	379	13	9	7
Bradford	137	152	2	1	–
White	104	119	2	1	–
All other	33	33	–	–	–
Black	33	33	–	–	–
Brevard	1,984	2,102	38	27	36
White	1,841	1,958	32	23	24
All other	143	144	6	4	12
Black	140	143	6	4	12
Cocoa	---	148	–	–	6
White	---	108	–	–	3
All other	---	40	–	–	3
Black	---	40	–	–	3
Melbourne	---	412	7	6	7
White	---	384	7	6	3
All other	---	28	–	–	4
Black	---	28	–	–	4
Rockledge	---	91	2	–	1
Titusville	---	272	7	4	4
Balance of county	---	1,179	22	17	21
Broward	10,624	11,334	192	138	87
White	9,855	10,528	105	75	55
All other	769	806	87	63	32
Black	755	793	87	63	31
Deerfield Beach	---	509	12	9	4
White	---	451	1	1	1
All other	---	58	11	8	3
Black	---	58	11	8	3
Fort Lauderdale	---	2,749	54	39	24
White	---	2,466	26	18	12
All other	---	283	28	21	12
Black	---	281	28	21	12
Hallandale	---	621	6	6	1
White	---	581	2	1	1
All other	---	40	6	5	–
Black	---	40	6	5	–
Hollywood	---	1,664	19	14	13
Lauderdale Lakes	---	289	2	2	1
Miramar	---	276	3	2	1
Oakland Park	---	187	3	3	1
Pembroke Pines	---	252	3	3	3
Plantation	---	325	4	3	3
Pompano Beach	---	854	17	10	7
White	---	777	6	3	2
All other	---	77	11	7	5
Black	---	77	11	7	5
Wilton Manor	---	156	1	1	1
Balance of county	---	3,470	66	46	28
White	---	3,155	39	27	14
All other	---	315	27	19	9
Black	---	306	27	19	8
Calhoun	97	85	–	–	–
White	86	76	–	–	–
All other	11	9	–	–	–
Black	11	9	–	–	–
Charlotte	795	803	–	–	4
Citrus	565	665	5	4	3
Clay	346	433	16	9	3
Collier	878	785	20	11	9
Naples	---	307	3	1	2
Balance of county	---	478	17	10	7
Columbia	512	272	13	8	11
White	372	209	9	6	5
All other	140	63	4	2	6
Black	140	63	4	2	5
Lake City	---	105	6	2	2
White	---	70	4	1	1
All other	---	35	2	1	2
Black	---	35	2	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Balance of county	---	167	7	6	9
White	---	139	5	5	5
All other	---	28	2	1	4
Black	---	28	2	1	3
Dade	17,409	15,934	307	217	217
White	15,393	13,998	168	125	106
All other	2,016	1,936	141	92	111
Black	1,997	1,921	141	92	106
Coral Gables	---	434	5	4	1
Hialeah	---	1,002	31	28	14
Homestead	---	185	7	6	8
White	---	130	4	4	3
All other	---	55	3	2	5
Black	---	55	3	2	5
Miami	---	4,741	105	70	67
White	---	3,892	46	32	28
All other	---	849	59	38	59
Black	---	847	59	38	57
Miami Beach	---	2,721	4	2	3
Miami Springs	---	136	1	1	1
North Miami	---	647	9	7	5
North Miami Beach	---	1,048	2	1	1
Opa-Locka	---	126	3	2	5
White	---	57	1	1	2
All other	---	69	2	1	3
Black	---	69	2	1	3
South Miami	---	85	3	2	-
White	---	63	1	-	-
All other	---	22	2	2	-
Black	---	22	2	2	-
Balance of county	---	4,809	137	96	92
White	---	3,932	65	48	52
All other	---	877	72	48	40
Black	---	870	72	48	38
De Soto	319	224	5	3	2
White	281	188	3	1	2
All other	38	36	2	2	-
Black	38	36	2	2	-
Dixie	40	79	3	2	1
White	35	67	-	-	-
All other	5	12	3	2	1
Black	5	12	3	2	1
Duval, coext. with Jacksonville city	5,079	4,917	151	94	110
White	3,741	3,574	70	46	60
All other	1,338	1,343	81	48	50
Black	1,328	1,334	80	47	49
Escambia	2,081	1,709	61	37	32
White	1,649	1,293	33	19	20
All other	432	416	28	18	12
Black	426	409	26	18	12
Pensacola	---	663	21	11	13
White	---	441	9	4	8
All other	---	222	12	7	5
Black	---	219	11	7	5
Balance of county	---	1,046	40	26	19
White	---	852	24	15	12
All other	---	194	16	11	7
Black	---	190	15	11	7
Flagler	86	104	2	-	2
White	73	91	-	-	-
All other	13	13	2	-	2
Black	13	13	2	-	2
Franklin	57	97	2	1	1
White	48	83	1	1	-
All other	9	14	1	-	1
Black	9	14	1	-	1
Gadsden	299	330	23	11	10
White	162	155	2	2	2
All other	137	175	21	9	8
Black	137	175	21	9	8
Gilchrist	25	62	2	1	1
Glades	25	66	-	-	1
White	20	59	-	-	-
All other	5	7	-	-	1
Black	2	3	-	-	1
Gulf	48	98	2	1	-
White	42	86	1	1	-
All other	6	12	1	-	-
Black	6	12	1	-	-
Hamilton	82	93	3	2	-
White	57	52	-	-	-
All other	25	41	3	2	-
Black	25	41	3	2	-
Hardee	112	187	6	2	4
White	104	174	6	2	3
All other	8	13	-	-	1
Black	8	13	-	-	1
Hendry	129	147	2	-	8
White	86	100	1	-	5
All other	43	47	1	-	3
Black	38	42	1	-	3
Hernando	439	494	3	1	5
White	424	474	1	-	4
All other	15	20	2	1	1
Black	14	19	2	1	1
Highlands	629	623	7	2	10
White	559	551	3	-	7
All other	70	72	4	2	3
Black	68	72	4	2	3
Hillsborough	5,945	5,387	120	88	88
White	5,098	4,580	77	59	55
All other	847	807	43	29	33
Black	838	802	43	29	32
Plant City	---	187	6	4	5
White	---	121	4	3	5
All other	---	66	2	1	-
Black	---	65	2	1	-
Tampa	---	3,088	67	49	55
White	---	2,446	37	29	23
All other	---	642	30	20	32
Black	---	640	30	20	31
Balance of county	---	2,112	47	35	28
Holmes	78	150	3	3	3
Indian River	703	643	8	6	6
White	641	573	4	3	6
All other	62	70	4	3	-
Black	61	69	4	3	-
Vero Beach	---	259	2	2	3
Balance of county	---	384	6	4	3
White	---	321	2	1	3
All other	---	63	4	3	-
Black	---	63	4	3	-
Jackson	275	344	11	8	8
White	205	250	5	3	6
All other	70	94	6	5	2
Black	69	94	6	5	2
Jefferson	67	97	5	3	6
White	37	54	4	3	2
All other	30	43	1	-	4
Black	30	43	1	-	4
Lafayette	10	33	-	-	-
White	9	31	-	-	-
All other	1	2	-	-	-
Black	1	2	-	-	-
Lake	1,345	1,369	27	17	11
White	1,206	1,231	21	14	6
All other	139	132	6	3	5
Black	139	132	6	3	5
Leesburg	---	200	3	3	3
White	---	169	3	3	1
All other	---	31	-	-	2
Black	---	31	-	-	2
Balance of county	---	1,163	24	14	8
White	---	1,062	18	11	5
All other	---	101	6	3	3
Black	---	101	6	3	3
Lee	2,243	2,271	33	18	30
White	2,108	2,134	24	15	21
All other	135	137	9	3	9
Black	135	137	9	3	9
Fort Myers	---	473	9	4	16
White	---	365	4	3	8
All other	---	108	5	1	8
Black	---	108	5	1	8
Balance of county	---	1,798	24	14	14
Leon	1,075	746	27	20	20
White	739	500	15	11	4
All other	336	246	12	9	16
Black	336	246	12	9	16
Tallahassee	---	518	14	11	13
White	---	332	5	4	2
All other	---	186	9	7	11
Black	---	186	9	7	11
Balance of county	---	228	13	9	7
White	---	168	10	7	2
All other	---	60	3	2	5
Black	---	60	3	2	5
Levy	158	196	5	-	1
White	133	159	3	-	1
All other	25	37	2	-	-
Black	25	37	2	-	-
Liberty	9	49	-	-	-
White	9	47	-	-	-
All other	-	2	-	-	-
Black	-	2	-	-	-
Madison	115	174	6	5	3
White	61	102	4	3	2
All other	54	72	4	2	1
Black	53	71	4	2	1
Manatee	2,089	2,050	18	13	16
White	1,988	1,931	16	11	8
All other	101	119	3	2	8
Black	101	119	3	2	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Bradenton	---	620	4	2	7
White	---	562	3	2	4
All other	---	58	1	-	3
Black	---	58	1	-	2
Balance of county	---	1,430	15	11	9
Marion	1,138	1,183	19	14	16
White	941	960	14	11	11
All other	197	223	5	3	5
Black	197	223	5	3	5
Ocala	---	404	11	9	10
White	---	309	9	7	6
All other	---	95	2	2	4
Black	---	95	2	2	4
Balance of county	---	779	8	5	6
White	---	651	5	4	5
All other	---	128	3	1	1
Black	---	128	3	1	1
Martin	819	799	10	8	4
White	754	736	8	7	3
All other	65	63	2	1	1
Black	63	62	2	1	1
Monroe	470	484	14	9	5
Key West	---	209	5	3	3
White	---	173	5	3	1
All other	---	36	-	-	2
Black	---	36	-	-	2
Balance of county	---	285	9	6	2
Nassau	142	222	7	5	13
White	105	171	3	3	11
All other	37	51	4	2	2
Black	37	51	4	2	2
Okaloosa	521	583	20	12	8
Fort Walton Beach	---	129	1	-	2
Balance of county	---	434	19	12	6
Okeechobee	156	189	6	2	4
White	138	168	6	2	4
All other	18	21	-	-	-
Black	17	21	-	-	-
Orange	4,258	3,641	96	61	79
White	3,724	3,145	58	38	49
All other	534	496	38	23	30
Black	528	491	36	21	29
Orlando	---	1,321	40	26	29
White	---	1,005	18	14	15
All other	---	316	22	12	14
Black	---	314	22	12	14
Winter Park	---	367	2	2	7
White	---	339	1	1	4
All other	---	28	1	1	3
Black	---	28	1	1	3
Balance of county	---	1,953	54	33	43
White	---	1,801	39	23	30
All other	---	152	15	10	13
Black	---	149	13	8	12
Osceola	542	554	10	7	3
Palm Beach	6,509	6,453	93	69	66
White	5,862	5,773	45	35	37
All other	647	680	48	34	29
Black	643	676	48	34	29
Belle Glade	---	152	8	5	8
White	---	61	1	-	2
All other	---	91	7	5	6
Black	---	91	7	5	6
Boca Raton	---	555	5	5	4
Boynton Beach	---	532	2	2	2
White	---	496	2	2	1
All other	---	36	-	-	1
Black	---	36	-	-	1
Delray Beach	---	557	7	5	5
White	---	482	3	1	2
All other	---	75	4	4	3
Black	---	75	4	4	3
Lake Worth	---	635	3	2	4
Riviera Beach	---	242	10	7	9
White	---	113	1	1	1
All other	---	129	9	6	8
Black	---	129	9	6	8
West Palm Beach	---	1,042	17	9	12
White	---	851	3	1	8
All other	---	191	14	8	4
Black	---	191	14	8	4
Balance of county	---	2,738	41	34	22
White	---	2,598	32	27	18
All other	---	140	9	7	4
Black	---	137	9	7	4
Pasco	2,091	2,653	24	15	20
Pinellas	11,594	11,075	82	63	47
White	11,127	10,625	57	46	32
All other	467	450	25	17	15
Black	462	448	25	17	15
Clearwater	---	1,338	12	8	9
White	---	1,280	9	6	7
All other	---	58	3	2	2
Black	---	57	3	2	2
Dunedin	---	478	3	2	-
Largo	---	715	6	5	4
Pinellas Park	---	394	4	2	1
St. Petersburg	---	4,400	32	28	21
White	---	4,058	15	13	11
All other	---	342	17	13	10
Black	---	340	17	13	10
Balance of county	---	3,750	25	20	12
Polk	3,218	3,102	74	49	49
White	2,797	2,667	45	31	32
All other	419	435	29	18	17
Black	418	434	29	18	17
Bartow	---	157	7	3	3
White	---	109	2	-	1
All other	---	48	5	3	2
Black	---	48	5	3	2
Lakeland	---	645	15	12	7
White	---	537	11	9	4
All other	---	108	4	3	3
Black	---	108	4	3	3
Winter Haven	---	326	9	8	8
White	---	271	3	3	4
All other	---	55	6	5	4
Black	---	55	6	5	4
Balance of county	---	1,974	43	26	31
White	---	1,750	29	19	23
All other	---	224	14	7	8
Black	---	223	14	7	8
Putnam	456	575	13	5	4
White	348	435	5	3	2
All other	108	140	8	2	2
Black	107	139	8	2	2
St. Johns	444	496	9	4	5
White	384	420	7	4	5
All other	60	76	2	-	-
Black	60	76	2	-	-
St. Augustine	---	190	1	1	4
White	---	152	1	1	4
All other	---	38	-	-	-
Black	---	38	-	-	-
Balance of county	---	306	8	3	1
White	---	268	6	3	1
All other	---	38	2	-	-
Black	---	38	2	-	-
St. Lucie	766	906	21	9	7
White	598	720	8	5	4
All other	168	186	13	4	3
Black	168	188	13	4	3
Fort Pierce	---	442	18	8	6
White	---	270	6	4	3
All other	---	172	12	4	3
Black	---	172	12	4	3
Balance of county	---	464	3	1	1
Santa Rosa	184	320	7	6	3
Sarasota	2,844	2,705	23	16	17
Sarasota	---	829	13	7	6
White	---	755	9	6	2
All other	---	74	4	1	4
Black	---	74	4	1	4
Balance of county	---	1,876	10	9	11
Seminole	894	1,053	24	12	15
White	764	886	11	7	11
All other	130	167	13	5	4
Black	129	166	13	5	4
Sanford	---	267	11	4	2
White	---	173	2	1	-
All other	---	94	9	3	2
Black	---	94	9	3	2
Balance of county	---	786	13	8	13
White	---	713	9	6	11
All other	---	73	4	2	2
Black	---	71	4	2	2
Sumter	106	263	4	2	5
White	87	214	2	1	4
All other	19	49	2	1	1
Black	19	49	2	1	1
Suwannee	152	231	5	3	3
White	109	179	5	3	3
All other	43	52	-	-	-
Black	43	52	-	-	-
Taylor	88	127	2	2	3
White	66	94	2	2	2
All other	22	33	-	-	1
Black	22	33	-	-	1
Union	50	79	3	1	2
White	34	61	3	1	-
All other	16	18	-	-	2
Black	16	18	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Volusia	3,254	3,375	46	30	22
White	2,958	3,067	30	17	13
All other	296	308	16	13	9
Black	293	304	16	13	9
Daytona Beach	---	845	20	15	8
White	---	682	9	6	3
All other	---	163	11	9	5
Black	---	160	11	9	5
De Land	---	303	-	-	3
White	---	264	-	-	2
All other	---	39	-	-	1
Black	---	38	-	-	1
New Smyrna Beach	---	255	3	1	1
White	---	232	1	-	1
All other	---	23	2	1	-
Black	---	23	2	1	-
Ormond Beach	---	348	3	1	-
Balance of county	---	1,626	20	13	10
Wakulla	41	72	2	1	4
White	32	65	2	1	3
All other	9	7	-	-	1
Black	9	7	-	-	1
Walton	103	194	-	-	2
White	90	165	-	-	2
All other	13	29	-	-	-
Black	13	29	-	-	-
Washington	102	157	2	1	1
White	91	134	2	1	-
All other	11	23	-	-	1
Black	11	23	-	-	1
Georgia [8]	43,509	43,062	1,329	879	1,284
White	30,956	30,624	646	452	674
All other	12,553	12,438	683	427	610
Black	12,516	12,403	681	425	597
Appling	109	148	5	3	1
White	85	121	4	3	-
All other	24	27	1	-	1
Black	24	27	1	-	1
Atkinson	18	70	4	-	2
White	10	43	-	-	1
All other	8	27	4	-	1
Black	8	27	4	-	1
Bacon	71	82	1	1	-
White	62	73	-	-	-
All other	9	9	1	1	-
Black	9	8	1	1	-
Baker	-	28	-	-	1
White	-	16	-	-	1
All other	-	12	-	-	-
Black	-	12	-	-	-
Baldwin	461	317	8	6	13
White	266	193	2	2	5
All other	195	124	6	4	8
Black	194	124	6	4	8
Milledgeville	---	144	4	3	-
White	---	81	2	2	-
All other	---	63	2	1	-
Black	---	63	2	1	-
Balance of county	---	173	4	3	13
White	---	112	-	-	5
All other	---	61	4	3	8
Black	---	61	4	3	8
Banks	10	61	3	1	-
Barrow	147	212	1	1	4
White	135	190	-	-	2
All other	12	22	1	1	2
Black	12	22	1	1	2
Bartow	240	333	5	1	9
White	210	292	5	1	7
All other	30	41	-	-	2
Black	30	41	-	-	1
Ben Hill	184	194	6	4	6
White	133	138	3	2	4
All other	51	56	3	2	2
Black	51	56	3	2	2
Berrien	98	146	9	8	2
White	82	127	9	8	-
All other	16	19	-	-	2
Black	16	19	-	-	2
Bibb	1,781	1,402	36	22	34
White	1,091	875	15	11	15
All other	690	527	21	11	19
Black	690	527	21	11	19
Macon	---	1,200	30	17	-
White	---	708	9	6	-
All other	---	492	21	11	-
Black	---	492	21	11	-
Georgia-Con.					
Balance of county	---	202	6	5	34
White	---	167	6	5	15
All other	---	35	-	-	19
Black	---	35	-	-	19
Bleckley	79	92	3	-	2
White	54	65	-	-	1
All other	25	27	3	-	1
Black	25	27	3	-	1
Brantley	19	63	2	2	2
White	17	59	2	2	2
All other	2	4	-	-	-
Black	2	4	-	-	-
Brooks	103	161	1	1	4
White	99	111	1	1	1
All other	34	50	-	-	3
Black	34	50	-	-	3
Bryan	18	63	9	4	4
White	12	41	4	1	3
All other	6	22	5	3	1
Black	6	22	5	3	1
Bulloch	258	257	5	2	14
White	200	201	1	-	8
All other	58	56	4	2	6
Black	58	56	4	2	6
Statesboro	---	112	2	2	-
White	---	84	-	-	-
All other	---	28	2	2	-
Black	---	28	2	2	-
Balance of county	---	145	3	-	14
White	---	117	1	-	8
All other	---	28	2	-	6
Black	---	28	2	-	6
Burke	152	196	4	3	4
White	66	93	-	-	-
All other	86	103	4	3	4
Black	86	103	4	3	4
Butts	97	120	5	3	7
White	60	79	3	2	2
All other	37	41	2	1	5
Black	36	40	2	1	5
Calhoun	55	64	3	1	2
White	19	30	-	-	-
All other	36	34	3	1	2
Black	36	34	3	1	2
Camden	51	80	2	2	5
White	37	51	1	1	1
All other	14	29	1	1	4
Black	14	29	1	1	4
Candler	139	90	2	2	2
White	86	60	-	-	-
All other	53	30	2	2	2
Black	53	30	2	2	2
Carroll	390	422	10	7	13
White	336	363	7	5	6
All other	54	59	3	2	7
Black	54	59	3	2	7
Carrollton	---	95	3	1	-
White	---	73	3	1	-
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	327	7	6	13
White	---	290	4	4	6
All other	---	37	3	2	7
Black	---	37	3	2	7
Catoosa	522	248	8	7	11
Charlton	68	62	-	-	2
White	55	48	-	-	-
All other	13	14	-	-	2
Black	13	14	-	-	2
Chatham	2,066	1,840	57	40	69
White	1,288	1,104	20	15	31
All other	778	736	37	25	38
Black	775	734	37	25	38
Savannah	---	1,463	47	32	-
White	---	773	14	9	-
All other	---	690	33	23	-
Black	---	689	33	23	-
Balance of county	---	377	10	8	69
White	---	331	6	6	31
All other	---	46	4	2	38
Black	---	45	4	2	38
Chattahoochee	115	30	1	1	1
White	88	18	-	-	-
All other	27	12	1	1	1
Black	27	11	1	1	1
Chattooga	136	215	3	1	3
Cherokee	214	302	6	4	7
Clarke	763	464	21	16	15
White	578	317	8	8	6
All other	185	147	13	8	9
Black	185	148	13	8	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Athens	---	333	15	11	-
White	---	212	5	5	-
All other	---	121	10	6	-
Black	---	120	10	6	-
Balance of county	---	131	6	5	15
White	---	105	3	3	8
All other	---	26	3	2	9
Black	---	26	3	2	9
Clay	69	61	4	4	4
White	29	29	1	1	2
All other	40	32	3	3	2
Black	40	32	3	3	2
Clayton	550	668	25	17	31
College Park, part	---	27	1	1	-
Forest Park	---	128	3	2	-
Balance of county	---	513	21	14	31
Clinch	46	62	1	1	1
White	36	49	1	1	1
All other	10	13	-	-	-
Black	10	13	-	-	-
Cobb	1,392	1,519	43	36	50
Marietta	---	321	13	12	-
White	---	269	8	7	-
All other	---	52	5	5	-
Black	---	52	5	5	-
Smyrna	---	151	2	2	-
Balance of county	---	1,047	28	22	50
Coffee	217	231	5	3	12
White	159	175	2	2	6
All other	58	56	3	1	6
Black	58	56	3	1	6
Douglas	---	100	1	1	-
White	---	69	-	-	-
All other	---	31	1	1	-
Black	---	31	1	1	-
Balance of county	---	131	4	2	12
White	---	106	2	2	6
All other	---	25	2	-	6
Black	---	25	2	-	6
Colquitt	265	341	9	7	10
White	198	255	2	1	4
All other	67	86	7	6	6
Black	67	86	7	6	5
Moultrie	---	164	6	5	-
White	---	97	1	-	-
All other	---	67	5	5	-
Black	---	67	5	5	-
Balance of county	---	177	3	2	10
White	---	158	1	1	4
All other	---	19	2	1	6
Black	---	19	2	1	5
Columbia	31	201	10	10	11
White	23	161	5	5	7
All other	8	40	5	5	4
Black	8	40	5	5	2
Cook	88	114	-	-	6
White	65	87	-	-	5
All other	21	27	-	-	1
Black	21	27	-	-	1
Coweta	404	371	8	3	9
White	295	259	4	1	4
All other	109	112	4	2	5
Black	109	112	4	2	5
Newnan	---	140	3	1	-
White	---	80	1	-	-
All other	---	60	2	1	-
Black	---	60	2	1	-
Balance of county	---	231	5	2	9
White	---	179	3	1	4
All other	---	52	2	1	5
Black	---	52	2	1	5
Crawford	26	64	1	1	2
White	9	26	1	1	-
All other	17	38	-	-	2
Black	17	38	-	-	2
Crisp	178	182	12	6	5
White	112	111	3	3	3
All other	66	71	9	3	2
Black	65	70	9	3	2
Cordele	---	124	8	3	-
White	---	65	1	1	-
All other	---	59	7	2	-
Black	---	58	7	2	-
Balance of county	---	58	4	3	5
White	---	46	2	2	3
All other	---	12	2	1	2
Black	---	12	2	1	2
Dade	28	104	6	3	3
Dawson	13	46	-	-	-
Decatur	172	219	8	6	10
White	111	127	3	1	4
All other	61	92	5	5	6
Black	61	92	5	5	6
Bainbridge	---	120	3	2	-
White	---	63	2	1	-
All other	---	57	1	1	-
Black	---	57	1	1	-
Balance of county	---	99	5	4	10
White	---	64	1	-	4
All other	---	35	4	4	6
Black	---	35	4	4	6
De Kalb	3,103	2,857	81	53	69
White	2,655	2,204	33	21	40
All other	448	653	48	32	29
Black	445	647	47	31	27
Atlanta, part	---	441	15	11	-
White	---	189	1	1	-
All other	---	252	14	10	-
Black	---	251	14	10	-
Decatur	---	444	24	17	-
White	---	243	4	3	-
All other	---	201	20	14	-
Black	---	200	19	13	-
Balance of county	---	1,972	42	25	69
White	---	1,772	28	17	40
All other	---	200	14	8	29
Black	---	196	14	8	27
Dodge	143	173	8	7	6
White	93	125	4	4	3
All other	50	48	4	3	3
Black	50	48	4	3	3
Dooly	112	122	4	4	3
White	56	69	1	1	1
All other	56	53	3	3	2
Black	56	53	3	3	2
Dougherty	913	696	41	25	41
White	511	373	12	7	16
All other	402	323	29	18	25
Black	401	323	29	18	25
Albany	---	603	34	21	1
White	---	305	7	4	-
All other	---	298	27	17	1
Black	---	298	27	17	1
Balance of county	---	93	7	4	40
White	---	68	5	3	16
All other	---	25	2	1	24
Black	---	25	2	1	24
Douglas	275	279	14	8	2
Early	83	129	3	1	2
White	49	76	-	-	-
All other	34	53	3	1	2
Black	34	53	3	1	2
Echols	3	12	1	1	-
White	3	11	1	1	-
All other	-	1	-	-	-
Black	-	1	-	-	-
Effingham	96	149	3	-	3
White	69	112	2	-	2
All other	27	37	1	-	1
Black	27	37	1	-	1
Elbert	159	208	7	5	6
White	112	142	4	4	2
All other	46	66	3	1	4
Black	46	65	3	1	4
Emanuel	185	217	6	3	10
White	126	150	1	1	2
All other	59	67	5	2	8
Black	59	67	5	2	8
Evans	119	89	-	-	3
White	91	68	-	-	1
All other	28	21	-	-	2
Black	28	21	-	-	2
Fannin	120	174	1	1	3
Fayette	32	137	9	5	6
White	29	127	8	4	6
All other	3	10	1	1	-
Black	3	10	1	1	-
Floyd	958	754	17	11	9
White	802	633	14	11	9
All other	156	121	3	-	-
Black	156	121	3	-	-
Rome	---	406	7	3	-
White	---	308	5	3	-
All other	---	98	2	-	-
Black	---	98	2	-	-
Balance of county	---	348	10	8	9
Forsyth	121	177	6	2	1
Franklin	172	157	6	3	1
White	143	145	5	3	1
All other	29	12	1	-	-
Black	29	12	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Fulton	7,110	5,460	156	106	128
White	4,140	2,878	31	21	46
All other	2,970	2,582	125	85	82
Black	2,960	2,575	124	84	81
Atlanta, part	---	4,175	125	82	2
White	---	1,799	20	13	1
All other	---	2,386	105	69	1
Black	---	2,380	105	69	1
Atlanta, total	---	4,616	140	93	2
White	---	1,978	21	14	1
All other	---	2,638	119	79	1
Black	---	2,631	119	79	1
College Park, part	---	175	9	8	-
White	---	110	1	1	-
All other	---	65	8	7	-
Black	---	65	8	7	-
College Park, total	---	202	10	9	-
White	---	133	1	1	-
All other	---	69	9	8	-
Black	---	69	9	8	-
East Point	---	313	4	4	-
Balance of county	---	797	18	12	126
Gilmer	69	116	3	-	3
Glascock	3	24	1	1	-
White	3	22	-	-	-
All other	-	2	1	1	-
Black	-	2	1	1	-
Glynn	554	496	18	8	19
White	395	351	8	3	8
All other	159	145	10	5	11
Black	158	144	10	5	11
Brunswick	---	241	11	5	-
White	---	122	3	1	-
All other	---	119	8	4	-
Black	---	119	8	4	-
Balance of county	---	255	7	3	19
White	---	229	5	2	8
All other	---	26	2	1	11
Black	---	25	2	1	11
Gordon	161	250	10	8	4
Grady	146	207	9	5	15
White	87	136	3	2	6
All other	59	71	6	3	9
Black	59	71	6	3	9
Greene	113	145	9	6	3
White	63	84	1	-	2
All other	50	61	8	6	1
Black	50	61	8	6	1
Gwinnett	503	723	28	21	25
Habersham	149	161	3	2	6
Hall	701	572	13	8	12
White	646	514	12	8	9
All other	55	58	1	-	3
Black	55	58	1	-	3
Gainesville	---	166	4	1	-
White	---	132	3	1	-
All other	---	34	1	-	-
Black	---	34	1	-	-
Balance of county	---	406	9	7	12
Hancock	38	88	2	1	1
White	11	25	-	-	-
All other	27	63	2	1	1
Black	27	63	2	1	1
Haralson	125	162	3	2	4
Harris	61	162	3	2	1
White	27	94	1	1	-
All other	34	68	2	1	1
Black	34	68	2	1	1
Hart	163	169	4	2	3
White	126	135	2	2	1
All other	37	34	2	-	2
Black	37	34	2	-	2
Heard	61	87	2	2	2
White	53	75	2	2	1
All other	8	12	-	-	1
Black	8	12	-	-	1
Henry	136	234	8	4	6
White	104	179	5	3	4
All other	32	55	3	1	2
Black	32	55	3	1	2
Houston	323	371	6	4	16
White	253	288	5	4	10
All other	70	83	1	-	6
Black	70	82	1	-	6
Warner Robins	---	196	4	3	-
Balance of county	---	175	2	1	16
White	---	117	2	1	10
All other	---	58	-	-	6
Black	---	58	-	-	6
Irwin	71	64	1	-	1
White	50	61	-	-	-
All other	21	23	1	-	1
Black	21	23	1	-	1
Jackson	144	210	3	2	4
White	126	186	3	2	2
All other	18	24	-	-	2
Black	18	24	-	-	2
Jasper	51	77	3	1	1
White	29	45	1	-	-
All other	22	32	2	1	1
Black	22	32	2	1	1
Jeff Davis	99	105	-	-	5
White	66	80	-	-	3
All other	33	25	-	-	2
Black	33	25	-	-	2
Jefferson	127	159	6	4	10
White	54	81	-	-	-
All other	73	78	6	4	10
Black	73	78	6	4	10
Jenkins	95	133	-	-	3
White	51	72	-	-	1
All other	44	61	-	-	2
Black	44	61	-	-	2
Johnson	35	83	3	2	2
White	25	67	3	2	2
All other	10	16	-	-	-
Black	10	16	-	-	-
Jones	77	125	4	3	5
White	46	77	-	-	2
All other	31	48	4	3	3
Black	31	48	4	3	3
Lamar	68	110	7	6	3
White	42	69	4	3	-
All other	26	41	3	3	3
Black	25	40	3	3	3
Lanier	68	60	2	-	2
White	51	45	1	-	2
All other	17	15	1	-	-
Black	17	15	1	-	-
Laurens	541	373	12	9	9
White	379	253	5	4	4
All other	162	120	7	5	5
Black	162	120	7	5	5
Dublin	---	197	7	7	-
White	---	117	2	2	-
All other	---	80	5	5	-
Black	---	80	5	5	-
Balance of county	---	176	5	2	9
White	---	136	3	2	4
All other	---	40	2	-	5
Black	---	40	2	-	5
Lee	10	64	3	1	2
White	5	39	1	1	2
All other	5	25	2	-	-
Black	5	25	2	-	-
Liberty	87	126	8	4	18
White	48	71	5	4	8
All other	39	55	3	-	10
Black	39	55	3	-	10
Lincoln	23	73	6	5	3
White	13	43	2	2	1
All other	10	30	4	3	2
Black	10	30	4	3	2
Long	1	41	3	2	1
White	1	32	3	2	-
All other	-	9	-	-	1
Black	-	9	-	-	1
Lowndes	523	445	25	19	27
White	357	295	17	14	11
All other	166	150	8	5	16
Black	164	149	8	5	15
Valdosta	---	291	13	9	-
White	---	182	9	7	-
All other	---	109	4	2	-
Black	---	108	4	2	-
Balance of county	---	154	12	10	27
White	---	113	8	7	11
All other	---	41	4	3	16
Black	---	40	4	3	15
Lumpkin	78	79	1	-	1
McDuffie	170	158	7	4	6
White	105	103	1	1	4
All other	65	55	6	3	2
Black	65	55	6	3	2
McIntosh	25	67	2	2	3
White	11	35	1	1	1
All other	14	32	1	1	2
Black	14	32	1	1	2
Macon	54	89	2	2	1
White	29	37	1	1	-
All other	25	52	1	1	1
Black	25	52	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Madison	6	144	7	4	7
White	5	121	6	4	4
All other	1	23	1	–	3
Black	1	23	1	–	3
Marion	43	57	2	1	–
White	18	30	1	–	–
All other	25	27	1	1	–
Black	25	27	1	1	–
Meriwether	129	221	3	2	1
White	79	115	1	1	–
All other	50	106	2	1	1
Black	50	106	2	1	1
Miller	72	57	1	1	3
White	55	46	1	1	2
All other	17	11	–	–	1
Black	17	11	–	–	1
Mitchell	115	198	9	4	8
White	58	102	2	–	3
All other	57	96	7	4	5
Black	57	96	7	4	5
Monroe	121	127	7	5	4
White	81	70	2	2	3
All other	40	57	5	3	1
Black	40	57	5	3	1
Montgomery	13	68	–	–	1
White	7	50	–	–	–
All other	6	18	–	–	1
Black	6	18	–	–	1
Morgan	77	117	4	3	3
White	43	68	1	–	1
All other	34	49	3	3	2
Black	34	49	3	3	2
Murray	63	127	8	4	5
Muscogee	1,550	1,390	64	46	49
White	977	890	33	25	24
All other	573	500	31	21	25
Black	571	497	31	21	24
Columbus	---	1,338	53	37	1
White	---	864	29	22	1
All other	---	474	24	15	–
Black	---	471	24	15	–
Balance of county	---	52	11	9	48
White	---	26	4	3	23
All other	---	26	7	6	25
Black	---	25	7	6	24
Newton	213	267	5	4	10
White	161	199	1	1	5
All other	52	68	4	3	5
Black	52	68	4	3	5
Covington	---	123	3	3	–
White	---	76	1	1	–
All other	---	47	2	2	–
Black	---	47	2	2	–
Balance of county	---	144	2	1	10
White	---	123	–	–	5
All other	---	21	2	1	5
Black	---	21	2	1	5
Oconee	3	57	3	1	–
White	3	49	1	1	–
All other	–	8	2	–	–
Black	–	8	2	–	–
Oglethorpe	20	67	–	–	1
White	17	49	–	–	1
All other	3	18	–	–	–
Black	3	18	–	–	–
Paulding	131	162	6	3	4
Peach	130	147	9	4	7
White	63	71	1	1	1
All other	67	76	8	3	6
Black	67	76	8	3	6
Pickens	93	108	4	2	1
Pierce	71	101	4	4	3
White	57	81	2	2	2
All other	14	20	2	2	1
Black	14	20	2	2	1
Pike	16	72	–	–	2
White	10	49	–	–	2
All other	6	23	–	–	–
Black	6	23	–	–	–
Polk	260	312	7	6	3
White	232	274	5	4	3
All other	28	38	2	2	–
Black	28	38	2	2	–
Pulaski	79	75	–	–	2
White	57	55	–	–	1
All other	22	20	–	–	1
Black	22	20	–	–	1
Putnam	102	101	4	3	3
White	68	66	3	2	1
All other	34	35	1	1	2
Black	34	35	1	1	2
Quitman	5	24	–	–	–
White	3	9	–	–	–
All other	2	15	–	–	–
Black	2	15	–	–	–
Rabun	100	103	4	4	1
Randolph	102	111	2	–	2
White	48	50	–	–	–
All other	54	61	2	–	2
Black	54	61	2	–	2
Richmond	2,678	1,493	51	39	59
White	1,744	910	19	15	21
All other	934	583	32	24	38
Black	929	579	32	24	36
Augusta	---	866	27	18	–
White	---	474	9	6	–
All other	---	414	18	12	–
Black	---	414	18	12	–
Balance of county	---	605	24	21	59
White	---	436	10	9	21
All other	---	169	14	12	38
Black	---	165	14	12	36
Rockdale	118	192	8	5	6
White	100	161	7	4	3
All other	18	31	1	1	3
Black	18	31	1	1	3
Schley	12	45	1	–	2
White	7	26	–	–	1
All other	5	19	1	–	1
Black	5	19	1	–	1
Screven	138	164	4	3	5
White	78	90	–	–	–
All other	60	74	4	3	5
Black	60	74	4	3	5
Seminole	55	90	3	3	5
White	33	70	3	3	5
All other	22	20	–	–	–
Black	22	20	–	–	–
Spalding	416	428	14	9	13
White	299	308	7	5	7
All other	117	120	7	4	6
Black	117	120	7	4	6
Griffin	---	274	10	5	–
White	---	193	4	2	–
All other	---	81	6	3	–
Black	---	81	6	3	–
Balance of county	---	154	4	4	13
White	---	115	3	3	7
All other	---	39	1	1	6
Black	---	39	1	1	6
Stephens	244	227	4	3	2
White	219	201	4	3	2
All other	25	26	–	–	–
Black	25	26	–	–	–
Stewart	37	64	3	2	1
White	19	28	–	–	–
All other	18	36	3	2	1
Black	18	36	3	2	1
Sumter	362	294	9	4	8
White	207	172	3	1	1
All other	155	122	6	3	7
Black	155	122	6	3	7
Americus	---	190	2	1	–
White	---	114	1	–	–
All other	---	76	1	1	–
Black	---	76	1	1	–
Balance of county	---	104	7	3	8
White	---	58	2	1	1
All other	---	46	5	2	7
Black	---	46	5	2	7
Talbot	22	57	2	–	–
White	5	27	–	–	–
All other	17	40	2	–	–
Black	17	40	2	–	–
Taliaferro	4	31	–	–	–
White	2	10	–	–	–
All other	2	21	–	–	–
Black	2	21	–	–	–
Tattnall	95	172	4	4	4
White	70	132	1	1	–
All other	25	40	3	3	4
Black	25	40	3	3	4
Taylor	23	76	3	3	–
White	9	35	–	–	–
All other	14	41	3	3	–
Black	14	41	3	3	–
Telfair	104	124	3	2	1
White	81	94	2	1	1
All other	23	30	1	1	–
Black	23	30	1	1	–
Terrell	103	138	6	4	6
White	32	53	–	–	–
All other	71	85	6	4	6
Black	71	85	6	4	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Thomas	510	442	16	10	13
White	313	269	5	5	11
All other	197	173	11	5	2
Black	197	173	11	5	2
Thomasville	---	234	9	5	–
White	---	112	2	2	–
All other	---	122	7	3	–
Black	---	122	7	3	–
Balance of county	---	208	7	5	13
White	---	157	3	3	11
All other	---	51	4	2	2
Black	---	51	4	2	2
Tift	328	260	10	4	10
White	252	187	4	–	4
All other	76	73	6	4	6
Black	76	73	6	4	5
Tilton	---	119	5	3	–
White	---	102	2	–	–
All other	---	17	3	3	–
Black	---	17	3	3	–
Balance of county	---	141	5	1	10
White	---	85	2	–	4
All other	---	56	3	1	6
Black	---	56	3	1	5
Toombs	223	224	6	2	5
White	165	160	4	1	4
All other	58	64	2	1	1
Black	58	64	2	1	1
Towns	63	61	1	–	–
Treutlen	34	69	2	–	3
White	21	47	–	–	1
All other	13	22	2	–	2
Black	13	22	2	–	2
Troup	505	473	10	8	15
White	356	331	4	4	7
All other	149	142	6	4	8
Black	149	142	6	4	8
La Grange	---	244	5	3	–
White	---	159	–	–	–
All other	---	85	5	3	–
Black	---	85	5	3	–
Balance of county	---	229	5	5	15
White	---	172	4	4	7
All other	---	57	1	1	8
Black	---	57	1	1	8
Turner	90	99	1	1	2
White	66	74	–	–	1
All other	24	25	1	1	1
Black	24	25	1	1	1
Twiggs	38	72	1	–	2
White	23	45	1	–	1
All other	15	27	–	–	1
Black	15	27	–	–	1
Union	80	97	3	3	–
Upson	353	288	5	2	8
White	247	217	2	1	4
All other	106	71	3	1	4
Black	106	71	3	1	4
Thomaston	---	138	–	–	–
White	---	113	–	–	–
All other	---	25	–	–	–
Black	---	25	–	–	–
Balance of county	---	150	5	2	8
White	---	104	2	1	4
All other	---	46	3	1	4
Black	---	46	3	1	4
Walker	82	499	11	9	7
Walton	209	285	13	7	9
White	168	224	5	3	8
All other	41	61	8	4	1
Black	41	61	8	4	1
Ware	468	429	7	4	12
White	363	316	4	3	3
All other	105	113	3	1	9
Black	105	113	3	1	9
Waycross	---	268	5	3	–
White	---	164	2	2	–
All other	---	104	3	1	–
Black	---	104	3	1	–
Balance of county	---	161	2	1	12
Warren	25	70	2	1	2
White	15	40	–	–	–
All other	10	30	2	1	2
Black	10	30	2	1	2
Washington	183	196	3	2	5
White	94	94	1	1	1
All other	89	102	2	1	4
Black	89	102	2	1	4
Wayne	244	197	4	4	7
White	194	167	3	3	5
All other	50	30	1	1	2
Black	50	30	1	1	2
Webster	8	22	–	–	1
White	2	10	–	–	–
All other	6	12	–	–	1
Black	6	12	–	–	1
Wheeler	43	56	1	1	2
White	30	46	1	1	2
All other	13	10	–	–	–
Black	13	10	–	–	–
White	45	84	1	–	3
Whitfield	507	479	15	14	18
Dalton	---	220	4	4	–
White	---	201	3	3	–
All other	---	19	1	1	–
Black	---	19	1	1	–
Balance of county	---	259	11	10	18
Wilcox	18	73	–	–	4
White	11	59	–	–	3
All other	7	14	–	–	1
Black	7	14	–	–	1
Wilkes	145	122	2	1	3
White	78	64	2	1	2
All other	67	58	–	–	1
Black	67	58	–	–	1
Wilkinson	41	102	2	–	3
White	18	52	1	–	1
All other	23	50	1	–	2
Black	23	50	1	–	2
Worth	116	162	10	7	3
White	71	106	3	2	2
All other	45	56	7	5	1
Black	45	56	7	5	–
Hawaii	5,138	4,870	176	120	185
White	1,734	1,516	44	32	62
All other	3,404	3,354	132	88	123
Black	42	37	7	5	9
Hawaii	499	549	14	10	18
White	166	169	1	1	4
All other	333	380	13	9	12
Black	2	1	–	–	–
Hilo [4]	---	223	8	6	7
White	---	60	1	1	1
All other	---	163	7	5	6
Black	---	1	–	–	–
Balance of county	---	326	6	4	9
White	---	109	–	–	3
All other	---	217	6	4	6
Black	---	–	–	–	–
Honolulu	3,952	3,635	148	102	143
White	1,317	1,152	41	30	56
All other	2,635	2,483	107	72	87
Black	37	32	7	5	9
Aiea	---	103	3	3	4
White	---	32	–	–	2
All other	---	71	3	3	2
Black	---	1	–	–	–
Honolulu [4]	---	2,154	58	42	55
White	---	663	14	10	23
All other	---	1,491	44	32	32
Black	---	12	2	1	–
Kaitua	---	184	8	6	7
White	---	111	5	4	3
All other	---	73	3	2	4
Black	---	1	–	–	1
Kaneohe	---	191	8	5	8
White	---	77	2	1	2
All other	---	114	6	4	6
Black	---	2	–	–	–
Pearl City	---	100	4	4	4
White	---	21	1	1	–
All other	---	79	3	3	4
Black	---	1	–	–	–
Schofield Barracks	---	17	5	5	6
White	---	11	5	5	3
All other	---	6	–	–	3
Black	---	4	–	–	2
Wahiawa	---	106	6	5	14
White	---	16	1	–	6
All other	---	90	7	5	8
Black	---	2	1	1	2
Waipahu	---	106	9	5	7
White	---	15	–	–	2
All other	---	91	9	5	5
Black	---	2	1	1	–
Balance of county	---	674	45	27	38
White	---	206	13	9	15
All other	---	468	32	18	23
Black	---	7	3	2	4
Kauai	228	239	6	5	11
White	74	63	1	1	1
All other	154	176	5	4	10
Black	2	2	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Hawaii-Con.					
Maui	459	447	8	3	15
White	177	132	1	–	1
All other	282	315	7	3	14
Black	1	2	–	–	–
Idaho	6,065	6,383	200	133	139
White	5,968	6,297	195	129	136
All other	97	86	5	4	3
Black	13	14	1	1	1
Ada	1,158	1,036	30	20	18
Boise City	---	787	22	15	10
Balance of county	---	249	8	5	8
Adams	22	31	–	–	1
Bannock	431	412	18	12	14
Pocatello	---	338	17	12	13
Balance of county	---	74	1	–	1
Bear Lake	55	62	1	–	2
Benewah	46	56	–	–	1
Bingham	137	225	10	2	9
Blaine	48	50	1	1	1
Boise	19	20	–	–	–
Bonner	126	178	6	3	6
Bonneville	435	332	15	11	12
Idaho Falls	---	262	13	9	11
Balance of county	---	70	2	2	1
Boundary	49	54	2	2	–
Butte	34	20	1	1	2
Camas	3	5	–	–	–
Canyon	559	569	21	15	11
Caldwell	---	153	3	2	2
Nampa	---	229	10	8	7
Balance of county	---	187	8	5	2
Caribou	41	47	1	–	3
Cassia	137	142	7	5	1
Clark	5	7	–	–	–
Clearwater	71	69	2	2	4
Custer	15	27	2	1	–
Elmore	92	106	3	3	7
Franklin	55	74	3	2	2
Fremont	42	69	2	1	3
Gem	108	115	3	3	2
Gooding	73	85	3	2	1
Idaho	121	136	2	1	1
Jefferson	42	78	3	1	4
Jerome	95	120	2	2	2
Kootenai	367	433	13	11	1
Coeur d'Alene	---	208	3	3	1
Balance of county	---	225	10	8	–
Latah	142	173	5	3	2
Moscow	---	84	4	2	1
Balance of county	---	89	1	1	1
Lemhi	64	58	–	–	–
Lewis	22	51	1	–	1
Lincoln	23	28	1	1	1
Madison	59	82	8	7	2
Minidoka	106	117	1	1	3
Nez Perce	337	300	8	6	2
Lewiston	---	258	5	4	1
Balance of county	---	42	3	2	1
White	---	30	–	–	1
All other	---	12	3	2	–
Black	---	–	–	–	–
Oneida	27	36	–	–	–
Owyhee	28	60	3	3	–
Payette	97	153	4	–	–
Power	48	36	2	1	2
Shoshone	156	170	5	3	4
Teton	9	14	1	–	1
Twin Falls	440	432	10	7	12
Twin Falls	---	238	4	3	4
Balance of county	---	194	6	4	8
Valley	52	39	–	–	1
Washington	69	78	–	–	–
Illinois	99,867	102,227	2,791	1,921	1,737
White	86,130	88,314	1,694	1,223	1,132
All other	13,737	13,913	1,097	698	605
Black	13,413	13,585	1,081	689	586
Adams	1,042	892	13	10	5
Quincy	---	673	11	9	3
Balance of county	---	219	2	1	2
Alexander	122	182	5	3	
White	71	123	3	2	
All other	51	59	2	1	
Black	51	59	2	1	
Bond	152	178	1	1	
Boone	205	214	3	2	
Belvidere	---	134	2	1	
Balance of county	---	80	1	1	
Brown	25	80	1	1	
Bureau	438	426	5	5	
Calhoun	40	76	2	2	
Carroll	135	212	4	3	
Cass	125	166	–	–	
Champaign	1,268	886	28	19	2
White	1,173	805	20	13	1
All other	95	81	8	6	
Black	93	80	8	6	
Champaign	---	327	4	4	
White	---	284	1	1	
All other	---	43	3	3	
Black	---	42	3	3	
Rantoul	---	67	9	5	
Urbana	---	213	5	4	
White	---	189	6	4	
All other	---	24	–	–	
Black	---	24	–	–	
Balance of county	---	279	9	6	1
Christian	382	448	5	4	
Taylorville	---	147	–	–	
Balance of county	---	301	5	4	
Clark	103	231	2	2	
Clay	159	188	2	2	
Clinton	196	282	10	7	
Centralia, part	---	33	1	1	
Balance of county	---	249	9	6	
Coles	520	495	4	2	1
Charleston	---	126	1	1	
Mattoon	---	269	1	–	
Balance of county	---	100	2	1	
Cook	48,955	49,380	1,557	1,034	88
White	37,479	37,863	679	486	41
All other	11,476	11,517	878	548	47
Black	11,214	11,268	868	540	46
Alsip	---	100	3	2	
Arlington Heights, part	---	448	4	3	
Arlington Heights, total	---	448	4	3	
Bellwood	---	137	6	6	
Bensenville, part	---	4	1	1	
Berwyn	---	634	5	2	
Blue Island	---	276	8	7	
Bridge View	---	159	5	5	
Brookfield	---	187	3	3	
Buffalo Grove, part	---	58	2	1	
Buffalo Grove, total	---	72	3	2	
Calumet City	---	333	8	5	
Calumet Park	---	67	1	–	
Chicago, part	---	31,349	1,151	731	65
White	---	20,754	374	251	28
All other	---	10,595	777	480	41
Black	---	10,394	769	475	40
Chicago, total	---	31,349	1,151	731	65
White	---	20,754	374	251	28
All other	---	10,595	777	480	41
Black	---	10,394	769	475	40
Chicago Heights	---	359	18	12	1
White	---	257	4	3	
All other	---	102	14	9	1
Black	---	101	14	9	1
Cicero	---	769	10	6	
Deerfield, part	---	2	–	–	
Des Plaines	---	532	12	9	
Dolton	---	204	2	1	
Elgin, part	---	43	2	2	
Elk Grove Village, part	---	125	2	2	
Elk Grove Village, total	---	125	2	2	
Elmwood Park	---	268	2	2	
Evanston	---	769	15	9	
White	---	636	5	4	
All other	---	133	10	5	
Black	---	127	10	5	
Evergreen Park	---	306	5	4	
Forest Park	---	221	2	1	
Franklin Park	---	167	3	3	
Glencoe	---	61	–	–	
Glenview	---	273	6	3	
Hanover Park, part	---	49	1	–	
Hanover Park, total	---	60	2	1	
Harvey	---	270	16	10	
White	---	155	5	4	
All other	---	115	11	6	
Black	---	115	11	6	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Hazel Crest	---	91	2	1	4
Hickory Hills	---	92	6	5	2
Hinsdale, part	---	21	1	1	–
Hoffman Estates	---	111	8	7	5
Homewood	---	221	1	1	2
La Grange	---	162	3	3	2
La Grange Park	---	133	1	1	1
Lansing	---	201	2	2	3
Lincolnwood	---	87	1	1	–
Lyons	---	87	3	1	1
Markham	---	83	7	6	3
White	---	35	2	2	–
All other	---	48	5	4	3
Black	---	48	5	4	3
Maywood	---	229	11	8	5
White	---	118	–	–	3
All other	---	111	11	8	2
Black	---	110	11	8	2
Melrose Park	---	219	4	1	2
Midlothian	---	129	2	2	2
Morton Grove	---	197	4	3	–
Mount Prospect	---	288	9	7	3
Niles	---	387	1	1	–
Norridge	---	182	2	2	–
Northbrook	---	236	6	5	2
Northlake, part	---	136	3	2	4
Northlake, total	---	136	3	2	4
Oak Forest	---	107	4	4	3
Oak Lawn	---	630	8	8	6
Oak Park	---	607	9	6	6
Palatine	---	237	9	7	2
Park Forest, part	---	111	3	3	3
Park Forest, total	---	118	3	3	4
Park Ridge	---	376	–	–	4
Riverdale	---	159	1	1	1
River Forest	---	115	1	–	1
River Grove	---	106	2	2	3
Riverside	---	110	2	1	1
Rolling Meadows	---	82	2	1	–
Schaumburg, part	---	207	7	6	5
Schaumburg, total	---	209	7	6	5
Schiller Park	---	77	2	1	2
Skokie	---	575	6	4	3
South Holland	---	205	3	3	2
Streamwood	---	77	7	5	4
Summit	---	86	2	1	–
White	---	69	1	1	–
All other	---	17	1	–	–
Black	---	17	1	–	–
Tinley Park, part	---	175	7	5	4
Tinley Park, total	---	175	7	5	4
Westchester	---	155	3	3	–
Western Springs	---	83	1	–	–
Wheeling	---	104	2	2	3
Wilmette	---	247	3	3	–
Winnetka	---	90	2	2	–
Worth	---	106	8	5	3
Balance of county	---	3,077	93	71	61
White	---	2,827	61	51	40
All other	---	250	32	20	21
Black	---	243	31	20	21
Crawford	182	243	5	4	3
Cumberland	48	125	3	3	2
De Kalb	443	468	15	10	12
De Kalb	---	148	6	5	3
Balance of county	---	320	9	5	9
De Witt	150	212	1	1	3
Douglas	198	167	4	2	7
Du Page	3,613	3,591	99	75	61
Addison	---	127	3	2	2
Bensenville, part	---	146	4	4	–
Bensenville, total	---	150	5	5	2
Chicago, part	---	–	–	–	–
Downers Grove	---	349	7	5	4
Elk Grove Village, part	---	–	–	–	–
Elmhurst	---	380	2	2	4
Glendale Heights	---	46	2	2	5
Glen Ellyn	---	139	3	2	2
Hanover Park, part	---	11	1	1	–
Hinsdale, part	---	107	1	–	1
Hinsdale, total	---	128	2	1	1
Lombard	---	239	3	2	4
Naperville	---	222	5	5	3
Northlake, part	---	–	–	–	–
Schaumburg, part	---	2	–	–	–
Villa Park	---	162	4	3	4
West Chicago	---	95	5	3	1
Wheaton	---	237	8	7	1
Woodridge	---	52	5	2	5
Balance of county	---	1,283	46	35	25
Edgar	255	319	2	2	4
Edwards	36	116	2	2	1
Effingham	342	283	9	7	5
Fayette	215	264	8	5	6
Ford	174	177	2	1	2
Franklin	437	551	6	5	4
Fulton	395	510	10	8	3
Canton	---	182	4	4	2
Balance of county	---	328	6	4	1
Gallatin	21	105	1	1	4
Greene	154	205	2	2	1
Grundy	223	272	4	1	4
Hamilton	87	103	1	–	2
Hancock	167	278	4	2	1
Hardin	68	68	–	–	1
Henderson	27	88	2	1	1
Henry	493	581	13	10	2
Kewanee	---	226	2	1	1
Balance of county	---	355	11	9	1
Iroquois	261	336	6	2	6
Jackson	476	451	13	9	5
Carbondale	---	137	4	3	1
White	---	104	–	–	–
All other	---	33	4	3	1
Black	---	33	4	3	1
Murphysboro	---	115	1	1	2
Balance of county	---	199	8	5	2
Jasper	36	137	–	–	1
Jefferson	415	425	7	4	10
Mount Vernon	---	244	2	–	4
Balance of county	---	181	5	4	6
Jersey	195	208	4	2	1
Jo Daviess	129	234	2	1	5
Johnson	31	92	1	1	–
Kane	2,393	2,043	86	59	38
Aurora	---	756	36	24	14
Carpentersville	---	102	12	7	–
Elgin, part	---	516	25	20	9
Elgin, total	---	559	27	22	9
St. Charles	---	118	2	1	2
Balance of county	---	551	11	7	13
Kankakee	820	834	37	26	17
White	700	697	18	14	9
All other	120	137	19	12	8
Black	119	136	19	12	8
Kankakee	---	315	14	12	5
White	---	253	4	4	–
All other	---	62	10	8	5
Black	---	62	10	8	5
Balance of county	---	519	23	14	12
White	---	444	14	10	9
All other	---	75	9	4	3
Black	---	74	9	4	3
Kendall	98	174	5	3	1
Knox	683	619	10	7	4
Galesburg	---	387	7	5	4
Balance of county	---	232	3	2	–
Lake	2,845	2,646	76	58	51
White	2,700	2,498	54	42	39
All other	145	148	22	16	12
Black	141	141	20	15	10
Arlington Heights, part	---	–	–	–	–
Buffalo Grove, part	---	14	1	1	–
Deerfield, part	---	90	2	1	2
Deerfield, total	---	92	2	1	2
Highland Park	---	211	2	2	2
Lake Forest	---	89	1	1	–
Libertyville	---	126	1	1	1
Mundelein	---	85	2	2	2
North Chicago	---	111	13	10	4
White	---	65	4	3	1
All other	---	46	9	7	3
Black	---	46	9	7	3
Waukegan	---	577	21	14	12
White	---	502	12	8	5
All other	---	75	9	6	7
Black	---	73	9	6	6
Zion	---	150	4	2	1
White	---	141	4	2	1
All other	---	9	–	–	–
Black	---	9	–	–	–
Balance of county	---	1,193	29	24	27
La Salle	1,141	1,179	17	12	13
La Salle	---	145	3	–	1
Ottawa	---	211	3	3	2
Peru	---	113	1	–	1
Streator, part	---	212	3	3	2
Streator, total	---	214	3	3	2
Balance of county	---	498	7	6	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Lawrence	202	260	2	1	–
Lee	373	359	8	3	7
Dixon	---	185	3	2	7
Balance of county	---	174	5	1	–
Livingston	339	398	6	3	8
Streator, part	---	2	–	–	–
Balance of county	---	396	6	3	8
Logan	345	362	2	1	1
Lincoln	---	209	1	–	1
Balance of county	---	153	1	1	–
McDonough	285	291	3	3	2
Macomb	---	128	1	1	2
Balance of county	---	163	2	2	–
McHenry	877	1,088	37	33	16
Crystal Lake	---	149	9	7	–
Woodstock	---	123	1	1	–
Balance of county	---	816	27	25	16
McLean	803	858	26	24	22
Bloomington	---	447	15	15	10
Normal	---	121	4	3	6
Balance of county	---	290	7	6	6
Macon	1,337	1,221	37	31	17
White	1,277	1,153	31	26	14
All other	60	68	6	5	3
Black	60	68	6	5	2
Decatur	---	1,029	28	24	16
White	---	961	22	19	13
All other	---	68	6	5	3
Black	---	68	6	5	2
Balance of county	---	192	9	7	1
Macoupin	360	571	10	9	3
Madison	2,087	2,380	54	43	32
White	1,963	2,243	43	34	30
All other	124	137	11	9	2
Black	123	135	11	9	2
Alton	---	451	19	15	7
White	---	376	12	9	6
All other	---	75	7	6	1
Black	---	74	7	6	1
Collinsville, part	---	250	5	4	4
Collinsville, total	---	262	5	4	4
Edwardsville	---	140	–	–	1
Granite City	---	384	5	4	3
Wood River	---	116	4	3	2
Balance of county	---	1,039	21	17	15
Marion	501	501	9	6	8
Centralia, part	---	167	4	3	2
White	---	148	3	3	2
All other	---	19	1	–	–
Black	---	18	1	–	–
Centralia, total	---	200	5	4	2
Balance of county	---	334	5	3	6
Marshall	64	150	3	2	–
Mason	118	207	6	5	–
Massac	169	200	2	2	2
Menard	70	109	3	2	1
Mercer	131	197	2	2	4
Monroe	75	209	4	3	6
Montgomery	461	410	4	3	4
Morgan	445	380	8	6	3
Jacksonville	---	270	7	5	2
Balance of county	---	110	1	1	1
Moultrie	114	138	3	2	–
Ogle	250	389	5	2	6
Peoria	2,357	1,768	35	28	30
White	2,237	1,644	21	16	26
All other	120	124	15	12	4
Black	119	124	15	12	4
Pekin, part	---	–	–	–	2
Peoria	---	1,160	26	20	18
White	---	1,059	11	8	15
All other	---	121	15	12	3
Black	---	121	15	12	3
Balance of county	---	588	10	8	10
Perry	233	243	3	3	2
Piatt	103	169	3	1	–
Pike	187	252	4	3	1
Pope	25	59	1	–	–
Pulaski	33	139	2	–	2
White	20	97	1	–	–
All other	13	42	1	–	2
Black	13	42	1	–	2
Putnam	12	49	–	–	2
Randolph	416	340	8	5	4
Richland	294	182	3	1	1
Rock Island	1,500	1,468	34	25	30
East Moline	---	184	3	2	6
Moline	---	432	10	8	9
Rock Island	---	497	9	6	9
White	---	464	3	2	2
All other	---	33	6	4	6
Black	---	33	6	4	6
Balance of county	---	355	12	9	5
St. Clair	2,635	2,662	86	53	65
White	2,042	1,957	36	24	34
All other	593	705	50	29	31
Black	589	701	50	29	31
Belleville	---	658	8	7	9
Cahokia	---	136	8	2	3
Centreville	---	79	5	4	–
White	---	7	–	–	–
All other	---	72	5	4	–
Black	---	72	5	4	–
Collinsville, part	---	12	–	–	–
East St. Louis	---	671	42	23	25
White	---	118	2	1	2
All other	---	553	40	22	23
Black	---	552	40	22	23
Balance of county	---	1,106	25	17	28
Saline	492	457	5	4	6
Sangamon	2,219	1,741	44	26	28
Springfield	---	1,199	37	21	19
Balance of county	---	542	7	5	9
Schuyler	155	106	1	–	–
Scott	23	80	1	1	–
Shelby	134	229	4	4	3
Stark	39	66	–	–	1
Stephenson	468	464	2	1	3
Freeport	---	292	1	1	1
Balance of county	---	172	1	–	2
Tazewell	650	921	25	21	16
East Peoria	---	151	3	2	3
Morton	---	98	1	1	1
Pekin, part	---	319	8	7	2
Pekin, total	---	319	8	7	4
Balance of county	---	353	13	11	10
Union	184	211	7	4	3
Vermilion	1,153	889	24	16	19
Danville	---	536	18	13	12
White	---	484	14	11	7
All other	---	52	4	2	5
Black	---	52	4	2	5
Balance of county	---	453	6	3	7
Wabash	190	177	2	1	5
Warren	244	235	4	3	4
Monmouth	---	137	2	1	2
Balance of county	---	98	2	2	2
Washington	159	193	2	2	4
Wayne	179	225	3	2	3
White	173	237	1	–	1
Whiteside	453	524	11	11	9
Rock Falls	---	103	4	4	2
Sterling	---	139	3	3	2
Balance of county	---	282	4	4	5
Will	1,799	2,071	64	39	49
White	1,686	1,940	49	28	40
All other	113	131	15	11	9
Black	111	126	15	11	9
Joliet	---	952	29	18	16
White	---	860	17	8	11
All other	---	92	12	10	5
Black	---	90	12	10	5
Park Forest, part	---	7	–	–	1
Romeoville	---	58	4	1	–
Tinley Park, part	---	–	–	–	–
Balance of county	---	1,054	31	20	32
Williamson	891	812	8	4	10
Marion	---	153	2	1	1
Balance of county	---	459	6	3	9
Winnebago	2,127	1,927	58	44	45
White	2,009	1,814	47	35	37
All other	118	113	11	9	8
Black	115	111	10	8	8
Loves Park	---	65	–	–	1
Rockford	---	1,329	39	29	26
White	---	1,243	30	22	18
All other	---	86	9	7	8
Black	---	84	8	6	8
Balance of county	---	533	19	15	18
Woodford	164	291	11	10	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana	46,819	46,731	1,138	804	785
White	43,523	43,401	924	657	630
All other	3,296	3,330	214	147	155
Black	3,270	3,308	212	145	145
Adams	190	253	9	6	6
Allen	2,771	2,258	63	40	49
White	2,623	2,106	51	33	33
All other	148	152	12	7	16
Black	148	152	12	7	16
Fort Wayne	---	1,840	58	37	41
White	---	1,688	46	30	25
All other	---	152	12	7	16
Black	---	152	12	7	16
Balance of county	---	418	5	3	8
Bartholomew	524	500	17	13	3
Columbus	---	282	8	5	1
Balance of county	---	218	9	8	2
Benton	42	114	3	3	1
Blackford	130	157	1	1	1
Boone	237	317	5	4	2
Brown	43	111	6	3	4
Carroll	66	149	–	–	3
Cass	360	432	7	6	6
Logansport	---	266	6	6	3
Balance of county	---	166	1	–	3
Clark	605	648	17	11	12
Clarksville	---	128	3	3	4
Jeffersonville	---	226	3	1	3
White	---	211	2	1	3
All other	---	15	1	–	–
Black	---	15	1	–	–
Balance of county	---	294	*11*	*7*	*5*
Clay	237	286	5	5	4
Clinton	254	365	2	1	9
Frankfort	---	199	1	1	5
Balance of county	---	166	1	–	4
Crawford	23	99	2	1	3
Daviess	325	309	6	3	2
Washington	---	177	1	1	–
Balance of county	---	126	5	2	2
Dearborn	326	342	4	3	8
Decatur	159	207	5	3	1
De Kalb	253	308	2	2	9
Delaware	1,104	1,008	32	23	20
Muncie	---	722	29	21	11
Balance of county	---	286	3	2	9
Dubois	287	249	9	7	–
Elkhart	1,058	1,018	28	20	25
Elkhart	---	447	10	7	10
Goshen	---	175	7	6	2
Balance of county	---	396	11	7	13
Fayette	230	253	5	4	8
Connersville	---	190	4	3	5
Balance of county	---	63	1	1	3
Floyd	538	545	8	7	6
New Albany	---	435	8	7	5
Balance of county	---	110	–	–	1
Fountain	76	211	7	4	3
Franklin	56	133	2	2	4
Fulton	132	189	2	2	5
Gibson	320	381	5	2	2
Grant	742	715	17	11	4
Marion	---	428	13	8	3
White	---	397	10	5	3
All other	---	*31*	*3*	*3*	–
Black	---	31	3	3	–
Balance of county	---	287	4	3	1
Greene	271	353	7	6	3
Hamilton	336	454	11	6	10
Hancock	280	315	8	4	–
Harrison	168	205	4	4	7
Hendricks	352	434	10	8	8
Henry	413	456	7	5	9
New Castle	---	238	5	4	5
Balance of county	---	218	2	1	4
Howard	679	684	23	21	12
Kokomo	---	540	18	16	7
Balance of county	---	144	5	5	5
Huntington	300	405	8	4	7
Huntington	---	177	6	2	4
Balance of county	---	228	2	2	3
Jackson	258	297	8	5	4
Seymour	---	133	2	–	1
Indiana-Con.					
Balance of county	---	164	6	5	3
Jasper	121	168	7	4	5
Jay	160	235	4	1	2
Jefferson	377	298	9	7	4
Madison	---	168	2	1	3
Balance of county	---	130	7	6	1
Jennings	106	181	3	2	2
Johnson	461	522	10	7	8
Franklin	---	139	1	–	–
Greenwood	---	183	4	3	1
Balance of county	---	220	5	4	7
Knox	602	505	7	4	9
Vincennes	---	277	5	3	5
Balance of county	---	228	2	1	4
Kosciusko	300	451	11	7	8
Lagrange	147	173	2	2	5
Lake	4,433	4,326	148	109	127
White	3,439	3,266	84	67	67
All other	994	1,060	64	42	60
Black	991	1,057	64	42	60
Crown Point	---	163	3	3	3
East Chicago	---	402	15	13	11
White	---	283	8	7	8
All other	---	119	7	6	3
Black	---	118	7	6	3
Gary	---	1,503	54	33	58
White	---	617	6	4	11
All other	---	886	48	29	47
Black	---	886	48	29	47
Griffith	---	98	1	1	2
Hammond	---	*815*	*33*	*25*	*18*
Highland	---	181	6	5	–
Hobart	---	162	8	8	4
Munster	---	130	3	3	–
Balance of county	---	882	25	18	31
La Porte	976	937	14	11	13
La Porte	---	287	1	–	1
Michigan City	---	392	6	6	7
White	---	352	5	5	4
All other	---	40	1	1	3
Black	---	40	1	1	3
Balance of county	---	258	7	5	5
Lawrence	389	416	12	12	8
Bedford	---	207	7	7	4
Balance of county	---	209	5	5	4
Madison	1,041	1,197	33	28	16
Anderson	---	664	23	19	11
White	---	616	16	12	6
All other	---	48	7	7	5
Black	---	48	7	7	5
Elwood	---	137	2	2	–
Balance of county	---	396	8	5	5
White	---	395	8	5	5
All other	---	1	–	–	–
Black	---	1	–	–	–
Marion	8,143	6,565	198	138	101
White	6,816	5,261	125	89	64
All other	1,327	1,304	73	49	37
Black	1,316	1,295	71	47	33
Beech Grove	---	141	1	1	1
Indianapolis	---	6,193	191	134	94
White	---	4,898	118	85	60
All other	---	1,294	73	49	34
Black	---	1,286	71	47	31
Lawrence	---	43	1	1	–
Speedway	---	51	–	–	–
Balance of county	---	137	*5*	2	6
Marshall	347	351	6	4	6
Martin	27	99	–	–	2
Miami	239	336	10	6	7
Peru	---	174	4	2	4
Balance of county	---	162	6	4	3
Monroe	614	*513*	19	16	8
Bloomington	---	331	14	11	3
Balance of county	---	182	5	5	3
Montgomery	274	306	3	1	6
Crawfordsville	---	156	–	–	2
Balance of county	---	150	3	1	4
Morgan	275	324	8	4	4
Newton	88	122	2	1	2
Noble	214	309	3	2	8
Ohio	19	61	–	–	1
Orange	170	224	–	–	2
Owen	67	135	1	1	–
Parke	53	147	2	1	1
Perry	182	210	5	3	5
Pike	69	155	5	4	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Porter	690	690	17	11	15
Portage	---	148	4	3	2
Valparaiso	---	206	4	2	4
Balance of county	---	336	9	6	9
Posey	92	226	1	1	3
Pulaski	133	154	4	2	–
Putnam	175	237	3	1	7
Randolph	205	281	8	5	3
Ripley	167	206	5	3	3
Rush	190	238	2	1	1
St. Joseph	2,464	2,266	66	48	29
White	2,280	2,088	46	34	20
All other	184	178	20	14	9
Black	184	178	20	14	8
Mishawaka	---	415	13	9	5
South Bend	---	1,323	43	31	19
White	---	1,152	24	18	11
All other	---	171	19	13	8
Black	---	171	19	13	8
Balance of county	---	528	10	8	5
Scott	148	179	4	2	2
Shelby	266	299	6	5	3
Shelbyville	---	142	3	2	2
Balance of county	---	157	3	3	1
Spencer	99	186	4	3	4
Starke	177	224	6	5	2
Steuben	175	196	4	3	3
Sullivan	222	282	6	4	2
Switzerland	17	61	–	–	–
Tippecanoe	1,161	754	21	10	15
Lafayette	---	447	10	5	8
West Lafayette	---	96	4	1	3
Balance of county	---	211	7	4	4
Tipton	140	151	2	1	2
Union	26	63	1	–	1
Vanderburgh	2,333	1,699	35	25	22
White	2,212	1,585	23	17	15
All other	121	114	12	8	7
Black	121	114	12	8	5
Evansville	---	1,588	33	23	15
White	---	1,477	21	15	11
All other	---	111	12	8	4
Black	---	111	12	8	4
Balance of county	---	111	2	2	7
Vermillion	165	215	4	3	1
Vigo	1,498	1,287	22	16	16
Terre Haute	---	916	10	9	13
Balance of county	---	371	12	7	3
Wabash	375	385	6	4	7
Wabash	---	159	1	–	3
Balance of county	---	226	5	4	4
Warren	73	85	1	1	–
Warrick	132	271	9	9	2
Washington	177	239	2	2	1
Wayne	777	726	12	10	11
Richmond	---	520	7	7	6
Balance of county	---	206	5	3	5
Wells	305	208	1	–	5
White	170	276	8	5	2
Whitley	212	229	1	1	4
Iowa	26,526	26,849	485	339	325
White	26,180	26,525	465	320	310
All other	346	324	20	19	15
Black	299	293	25	17	8
Adair	84	110	1	–	1
Adams	81	70	–	–	–
Allamakee	159	156	2	1	–
Appanoose	161	208	4	3	2
Audubon	57	95	1	1	–
Benton	149	242	4	1	2
Black Hawk	1,226	1,109	32	25	12
Cedar Falls	---	220	3	3	–
Waterloo	---	768	25	19	8
Balance of county	---	121	4	3	4
Boone	250	301	1	1	2
Boone	---	165	–	–	1
Balance of county	---	136	1	1	1
Bremer	207	228	2	–	2
Buchanan	125	208	5	4	1
Buena Vista	232	241	7	6	4
Butler	84	178	4	2	2
Calhoun	144	167	1	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Carroll	226	220	–	–	
Cass	215	191	4	4	
Cedar	89	170	2	1	
Cerro Gordo	602	462	6	4	
Mason City	---	299	5	4	
Balance of county	---	163	1	–	
Cherokee	169	160	2	2	
Chickasaw	110	158	2	1	
Clarke	83	103	1	1	
Clay	193	192	6	6	
Spencer	---	117	1	1	
Balance of county	---	75	5	5	
Clayton	149	251	2	2	
Clinton	573	545	7	6	
Clinton	---	350	4	3	
Balance of county	---	195	3	3	
Crawford	151	185	3	2	
Dallas	186	304	5	1	
Davis	121	98	3	1	
Decatur	121	110	1	1	
Delaware	179	206	1	1	
Des Moines	453	412	5	2	
Burlington	---	305	3	2	
Balance of county	---	107	2	–	
Dickinson	123	143	1	1	
Dubuque	915	775	16	13	
Dubuque	---	615	10	7	
Balance of county	---	160	6	6	
Emmet	123	137	1	1	
Fayette	201	255	2	2	
Floyd	202	198	5	2	
Franklin	121	154	2	2	
Fremont	143	158	2	1	
Greene	131	141	3	1	
Grundy	98	154	2	1	
Guthrie	106	162	1	–	
Hamilton	130	192	3	3	
Hancock	107	146	4	1	
Hardin	188	245	3	2	
Harrison	115	177	4	2	
Henry	161	207	4	3	
Howard	110	137	1	1	
Humboldt	81	111	1	1	
Ida	82	96	1	–	
Iowa	125	136	1	1	
Jackson	161	208	5	4	
Jasper	232	328	5	4	
Newton	---	161	1	1	
Balance of county	---	167	4	3	
Jefferson	147	158	3	2	
Johnson	1,439	411	16	11	
Iowa City	---	247	12	9	
Balance of county	---	164	4	2	
Jones	147	195	3	3	
Keokuk	117	190	5	2	
Kossuth	138	249	1	1	
Lee	496	407	5	3	
Fort Madison	---	130	2	2	
Keokuk	---	168	2	–	
Balance of county	---	114	1	1	
Linn	1,292	1,183	28	16	
Cedar Rapids	---	834	17	12	
Marion	---	115	3	1	
Balance of county	---	234	6	2	
Louisa	71	110	2	2	
Lucas	113	142	2	2	
Lyon	87	138	1	1	
Madison	125	128	1	–	
Mahaska	231	247	4	1	
Oskaloosa	---	148	3	1	
Balance of county	---	99	1	–	
Marion	278	275	7	3	
Marshall	410	411	8	6	
Marshalltown	---	285	3	3	
Balance of county	---	126	5	3	
Mills	57	105	3	1	
Mitchell	190	172	1	1	
Monona	158	150	3	1	
Monroe	94	132	3	2	
Montgomery	159	179	3	3	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Muscatine	289	376	10	8	6
Muscatine	---	232	5	3	4
Balance of county	---	144	5	5	2
O'Brien	195	206	2	2	3
Osceola	71	89	2	2	1
Page	270	264	2	1	3
Palo Alto	135	149	1	1	2
Plymouth	179	232	4	4	5
Pocahontas	116	149	1	1	–
Polk	3,014	2,374	66	44	41
White	2,886	2,246	60	40	34
All other	128	128	6	4	7
Black	120	125	6	4	5
Des Moines	---	1,766	46	27	32
White	---	1,643	41	24	25
All other	---	123	5	3	7
Black	---	120	5	3	5
Urbandale	---	58	1	–	–
West Des Moines	---	158	4	3	2
Balance of county	---	392	15	14	7
Pottawattamie	582	672	10	6	10
Council Bluffs	---	491	8	5	7
Balance of county	---	181	2	1	3
Poweshiek	163	179	2	2	3
Ringgold	91	84	–	–	2
Sac	115	166	–	–	3
Scott	1,204	1,196	41	35	14
Bettendorf	---	138	4	4	3
Davenport	---	904	31	26	6
Balance of county	---	154	6	5	5
Shelby	148	163	3	3	3
Sioux	197	222	4	2	–
Story	453	396	12	9	6
Ames	---	163	7	5	1
Balance of county	---	233	5	4	5
Tama	128	237	–	–	2
Taylor	51	125	3	2	1
Union	143	143	1	–	1
Van Buren	68	117	1	–	–
Wapello	486	465	7	4	5
Ottumwa	---	355	3	1	2
Balance of county	---	110	4	3	3
Warren	121	214	12	7	3
Washington	199	230	1	–	3
Wayne	73	117	2	2	–
Webster	494	460	5	–	7
Fort Dodge	---	324	2	–	5
Balance of county	---	136	3	–	2
Winnebago	107	142	2	2	3
Winneshiek	145	171	1	1	1
Woodbury	1,140	920	21	14	16
Sioux City	---	759	20	13	13
Balance of county	---	161	1	1	3
Worth	38	95	–	–	1
Wright	172	163	1	1	3
Kansas	20,558	21,150	439	310	329
White	19,500	20,093	370	263	272
All other	1,058	1,057	69	47	57
Black	999	995	62	43	47
Allen	233	222	2	–	–
Anderson	105	125	2	2	1
Atchison	185	219	7	4	3
Atchison	185	160	5	2	2
Balance of county	185	59	2	2	1
Barber	61	75	1	1	–
Barton	292	253	4	3	1
Great Bend	---	130	3	2	1
Balance of county	---	123	1	1	–
Bourbon	296	228	3	3	1
Brown	154	156	3	2	5
Butler	315	393	6	4	–
El Dorado	---	141	2	1	–
Balance of county	---	252	4	3	–
Chase	28	50	–	–	–
Chautauqua	85	69	1	–	2
Cherokee	206	282	3	3	6
Cheyenne	41	50	–	–	–
Clark	46	36	–	–	–
Clay	120	141	–	–	2
Cloud	208	170	1	1	–
Coffey	71	126	1	1	1
Comanche	15	26	–	–	–
Kansas-Con.					
Cowley	401	398	11	7	6
Arkansas City	---	170	5	4	4
Winfield	---	132	3	2	–
Balance of county	---	96	3	1	2
Crawford	438	478	7	4	1
Pittsburg	---	244	1	–	–
Balance of county	---	234	6	4	1
Decatur	54	58	1	–	1
Dickinson	194	231	–	–	–
Doniphan	39	105	2	1	2
Douglas	359	337	7	7	6
Lawrence	---	249	5	5	5
Balance of county	---	88	2	2	1
Edwards	42	47	–	–	3
Elk	29	65	–	–	–
Ellis	225	156	2	2	1
Hays	---	98	2	2	1
Balance of county	---	58	–	–	–
Ellsworth	74	86	–	–	2
Finney	176	137	5	2	–
Garden City	---	113	3	–	–
Balance of county	---	24	2	2	–
Ford	225	200	3	3	3
Dodge City	---	147	2	2	1
Balance of county	---	53	1	1	2
Franklin	179	211	2	–	1
Ottawa	---	115	1	–	1
Balance of county	---	96	1	–	–
Geary	202	196	16	13	16
White	175	166	11	8	6
All other	27	30	5	5	10
Black	24	26	5	5	9
Junction City	---	155	11	9	12
White	---	129	8	6	5
All other	---	26	3	3	7
Black	---	22	3	3	6
Balance of county	---	41	5	4	4
White	---	37	3	2	1
All other	---	4	2	2	3
Black	---	4	2	2	3
Gove	34	39	–	–	1
Graham	29	36	–	–	–
Grant	34	31	–	–	1
Gray	8	38	1	1	–
Greeley	20	16	–	–	–
Greenwood	103	128	1	1	1
Hamilton	29	29	–	–	–
Harper	112	109	–	–	–
Harvey	378	272	2	2	–
Newton	---	169	2	2	–
Balance of county	---	103	–	–	–
Haskell	18	22	–	–	–
Hodgeman	23	20	1	–	–
Jackson	73	127	3	1	2
Jefferson	96	124	1	1	4
Jewell	31	65	–	–	–
Johnson	1,083	1,489	50	39	21
Lenwood	---	88	1	1	1
Merriam	---	52	2	1	1
Olathe	---	155	12	9	9
Overland Park	---	387	12	11	3
Prairie Village	---	173	7	7	3
Shawnee	---	124	4	3	–
Balance of county	---	490	12	7	4
Kearny	15	24	1	1	–
Kingman	94	105	1	1	1
Kiowa	43	50	–	–	1
Labette	306	310	3	3	4
Parsons	---	170	3	3	1
Balance of county	---	140	–	–	3
Lane	15	17	–	–	2
Leavenworth	478	396	11	10	9
White	420	354	11	10	8
All other	56	42	–	–	1
Black	56	41	–	–	1
Leavenworth	---	260	3	2	8
White	---	222	3	2	7
All other	---	38	–	–	1
Black	---	38	–	–	1
Balance of county	---	136	8	8	1
Lincoln	39	44	1	1	2
Linn	51	109	1	1	1
Logan	27	31	–	–	–
Lyon	284	285	9	4	4
Emporia	---	209	8	3	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed *10 percent of the total population of the area or numbered 10,000 or more*]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kansas-Con.					
Balance of county	---	76	1	1	2
McPherson	239	245	3	2	3
McPherson	---	101	2	1	2
Balance of county	---	144	1	1	1
Marion	131	149	1	1	2
Marshall	184	203	4	4	1
Meade	35	42	–	–	–
Miami	168	214	5	2	1
Mitchell	114	110	1	1	–
Montgomery	471	528	10	6	7
Coffeyville	---	178	5	2	3
White	---	154	5	2	2
All other	---	24	–	–	1
Black	---	21	–	–	1
Independence	---	158	–	–	2
White	---	147	–	–	2
All other	---	11	–	–	–
Black	---	11	–	–	–
Balance of county	---	192	5	4	2
Morris	80	96	1	–	–
Morton	13	26	–	–	–
Nemaha	90	114	–	–	2
Neosho	196	225	4	3	3
Chanute	---	131	3	2	1
Balance of county	---	*94*	*1*	*1*	*2*
Ness	48	45	–	–	1
Norton	68	92	2	1	–
Osage	130	174	1	1	2
Osborne	88	91	1	1	–
Ottawa	76	75	1	1	1
Pawnee	95	115	1	1	6
Phillips	91	109	1	–	1
Pottawatomie	*124*	*151*	*3*	*3*	*5*
Manhattan, part	---	2	–	–	–
Balance of county	---	149	3	3	6
Pratt	123	127	2	2	2
Rawlins	26	36	–	–	1
Reno	545	612	10	7	5
Hutchinson	---	429	9	6	3
Balance of county	---	183	1	1	2
Republic	114	121	1	1	–
Rice	110	141	1	1	–
Riley	240	256	6	3	14
Manhattan, part	---	187	4	2	12
Manhattan, total	---	189	4	2	12
Balance of county	---	69	2	1	2
White	---	68	2	1	2
All other	---	1	–	–	–
Black	---	–	–	–	–
Rooks	68	92	2	1	2
Rush	35	71	1	1	–
Russell	91	109	–	–	1
Saline	362	402	12	10	9
Salina	---	340	9	7	9
Balance of county	---	62	3	3	–
Scott	41	39	1	1	–
Sedgwick	3,242	2,765	85	58	69
White	3,007	2,595	65	44	56
All other	235	230	20	14	13
Black	218	216	16	11	11
Wichita	---	2,450	79	53	57
White	---	2,222	60	40	44
All other	---	228	19	13	13
Black	---	214	15	10	11
Balance of county	---	*315*	*6*	*5*	*12*
Seward	153	133	1	–	4
Liberal	---	122	1	–	4
Balance of county	---	11	–	–	–
Shawnee	1,606	1,257	29	22	18
White	1,488	1,146	24	17	15
All other	118	111	5	5	3
Black	108	104	4	4	2
Topeka	---	1,145	25	18	15
White	---	1,037	21	14	12
All other	---	108	4	4	3
Black	---	101	3	3	2
Balance of county	---	112	4	4	3
Sheridan	32	34	–	7	1
Sherman	63	63	3	–	1
Smith	75	86	1	1	1
Stafford	62	75	2	1	–
Stanton	15	17	–	–	–
Stevens	22	36	–	–	2
Sumner	242	313	4	2	1
Thomas	74	75	1	1	1
Trego	48	55	–	–	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Kansas-Con.					
Wabaunsee	42	69	1	1	
Wallace	6	20	–	–	
Washington	84	134	4	3	
Wichita	9	24	1	1	
Wilson	169	179	3	1	
Woodson	31	80	–	–	
Wyandotte	1,840	1,705	53	36	3
White	1,453	1,301	25	19	2
All other	387	404	28	17	1
Black	388	404	28	17	1
Kansas City	---	1,625	53	36	3
White	---	1,225	25	19	2
All other	---	400	28	17	1
Black	---	400	28	17	1
Balance of county	---	80	–	–	
Kentucky	32,211	32,482	680	451	54
White	29,486	29,745	589	379	46
All other	2,726	2,737	111	72	8
Black	2,705	2,719	110	71	8
Adair	130	152	1	1	
Allen	127	157	5	3	
Anderson	47	134	5	3	
Ballard	*41*	*121*	*2*	*1*	
Barren	397	300	5	4	
Glasgow	---	125	3	2	
Balance of county	---	175	2	2	
Bath	36	88	1	1	
Bell	400	351	16	13	
Middlesborough	---	154	7	6	
Balance of county	---	197	9	7	
Boone	*229*	*274*	*6*	*9*	
Florence	---	96	2	2	
Balance of county	---	178	4	1	
Bourbon	133	189	4	3	
White	111	156	2	1	
All other	22	33	2	2	
Black	22	33	2	2	
Boyd	616	552	8	6	
Ashland	---	361	2	2	
Balance of county	---	191	6	4	
Boyle	235	225	2	2	
White	210	195	2	2	
All other	25	30	–	–	
Black	25	30	–	–	
Danville	---	131	1	1	
White	---	104	1	1	
All other	---	27	–	–	
Black	---	27	–	–	
Balance of county	---	94	1	1	
Bracken	30	94	–	–	
Breathitt	86	138	5	3	
Breckinridge	140	169	–	–	
Bullitt	91	209	3	2	
Butler	87	129	2	–	
Caldwell	161	175	3	1	
Calloway	288	295	8	5	
Murray	---	133	2	1	
Balance of county	---	162	4	4	
Campbell	804	815	14	10	1
Fort Thomas	---	183	3	1	
Newport	---	229	6	5	
Balance of county	---	403	5	4	
Carlisle	20	75	2	1	
Carroll	99	96	1	–	
Carter	87	237	6	3	
Casey	83	132	3	–	
Christian	673	556	16	9	1
White	516	413	11	7	
All other	157	143	5	2	1
Black	154	140	5	2	
Hopkinsville	---	345	8	5	
White	---	238	5	3	
All other	---	107	3	2	
Black	---	107	3	2	
Balance of county	---	211	8	4	1
White	---	175	6	4	
All other	---	36	2	–	
Black	---	33	2	–	
Clark	209	246	3	3	
Winchester	---	153	2	2	
White	---	137	–	–	
All other	---	16	2	2	
Black	---	16	2	2	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed *10 percent of the total population of the area or numbered 10,000 or more*]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Balance of county	---	93	1	1	1
Clay	154	182	4	2	3
Clinton	65	86	1	1	-
Crittenden	88	130	-	-	-
Cumberland	72	86	-	-	1
Daviess	883	769	11	11	7
Owensboro	---	556	7	7	5
Balance of county	---	213	4	4	2
Edmonson	25	72	2	2	2
Elliott	23	50	1	1	1
Estill	91	141	4	1	1
Fayette	2,975	1,370	27	15	34
White	2,603	1,077	17	10	22
All other	372	293	10	5	12
Black	367	289	10	5	12
Lexington	---	1,308	25	14	34
White	---	1,025	15	9	22
All other	---	283	10	5	12
Black	---	279	10	5	12
Balance of county	---	62	2	1	-
Fleming	121	133	4	3	2
Floyd	407	364	12	4	7
Franklin	384	370	2	1	6
Frankfort	---	250	1	1	5
White	---	228	1	1	5
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	120	1	-	3
Fulton	139	125	3	3	3
White	124	108	1	1	3
All other	15	17	2	2	-
Black	15	17	2	2	-
Gallatin	18	58	-	-	1
Garrard	79	105	1	1	2
Grant	73	117	2	2	1
Graves	304	375	4	3	5
Mayfield	---	151	2	2	3
White	---	134	2	2	2
All other	---	17	-	-	1
Black	---	17	-	-	1
Balance of county	---	224	2	1	2
Grayson	155	209	2	2	5
Green	90	110	2	1	-
Greenup	211	331	9	7	2
Hancock	15	55	1	-	-
Hardin	462	441	34	19	24
Elizabethtown	---	124	10	6	7
Balance of county	---	317	24	13	17
Harlan	358	424	12	9	5
Harrison	181	180	4	2	3
Hart	87	169	2	2	-
Henderson	416	385	10	9	7
Henderson	---	268	7	6	3
White	---	239	5	4	2
All other	---	27	2	2	1
Black	---	27	2	2	1
Balance of county	---	119	3	3	4
Henry	58	158	1	1	3
Hickman	80	81	2	2	-
White	71	71	-	-	-
All other	9	10	2	2	-
Black	9	10	2	2	-
Hopkins	591	483	9	7	6
Madisonville	---	199	5	4	3
White	---	173	4	3	2
All other	---	26	1	1	1
Black	---	26	1	1	1
Balance of county	---	284	4	3	3
Jackson	40	122	4	-	1
Jefferson	7,501	6,379	129	88	117
White	6,286	5,231	84	58	77
All other	1,215	1,148	45	30	40
Black	1,211	1,145	45	30	40
Louisville	---	3,906	76	54	70
White	---	2,859	37	26	35
All other	---	1,047	39	28	35
Black	---	1,046	39	28	35
St. Matthews	---	170	1	1	1
Shively	---	180	-	-	2
Balance of county	---	2,123	52	33	44
White	---	2,027	46	31	39
All other	---	96	6	2	5
Black	---	94	6	2	5
Jessamine	64	170	8	5	3
Johnson	145	227	6	6	3
Kenton	1,186	1,274	32	21	21
Covington	---	632	11	6	5
Erlanger	---	97	7	5	6
Knott	89	153	2	1	6
Knox	183	305	5	2	6
Larue	57	124	3	3	2
Laurel	279	302	7	5	3
Lawrence	206	167	-	-	4
Lee	39	84	2	2	1
Leslie	73	89	3	2	2
Letcher	191	230	4	1	4
Lewis	43	111	4	2	4
Lincoln	100	180	6	4	-
Livingston	78	86	-	-	-
Logan	161	223	4	2	4
White	151	205	4	2	3
All other	10	18	-	-	1
Black	10	18	-	-	1
Lyon	24	52	-	-	1
McCracken	1,056	731	13	7	9
White	957	639	10	6	4
All other	99	92	3	1	5
Black	99	92	3	1	3
Paducah	---	500	3	1	4
White	---	415	1	-	1
All other	---	85	2	1	3
Black	---	85	2	1	2
Balance of county	---	231	10	6	5
McCreary	51	127	3	2	4
McLean	89	116	-	-	2
Madison	363	384	14	12	7
Richmond	---	156	5	5	1
White	---	131	4	4	1
All other	---	25	1	1	-
Black	---	25	1	1	-
Balance of county	---	208	9	7	6
Magoffin	31	99	3	2	2
Marion	176	153	4	-	4
Marshall	194	232	3	3	3
Martin	48	98	3	1	1
Mason	234	198	5	4	2
Meade	40	108	2	1	4
Menifee	20	45	1	1	-
Mercer	152	182	1	1	4
Metcalfe	22	101	1	1	1
Monroe	125	149	5	4	1
Montgomery	163	182	1	-	4
Morgan	113	102	1	1	2
Muhlenberg	269	326	6	4	6
Nelson	140	190	4	3	7
Nicholas	70	76	1	1	-
Ohio	175	249	4	4	-
Oldham	98	131	2	1	7
Owen	70	89	1	1	3
Owsley	18	51	1	-	-
Pendleton	74	122	3	3	-
Perry	305	274	4	1	6
Pike	590	608	14	10	14
Powell	36	79	3	1	6
Pulaski	528	437	10	8	6
Somerset	---	135	1	1	1
Balance of county	---	302	9	7	5
Robertson	10	25	-	-	-
Rockcastle	103	148	1	-	1
Rowan	259	135	1	1	-
Russell	49	124	-	-	1
Scott	182	181	3	3	1
Shelby	216	208	4	1	4
White	198	188	4	1	2
All other	18	20	-	-	2
Black	18	20	-	-	2
Simpson	104	143	4	3	3
White	100	131	3	2	3
All other	4	12	1	1	-
Black	4	12	1	1	-
Spencer	18	49	-	-	-
Taylor	194	182	3	3	3
Todd	47	130	5	4	1
White	43	113	5	4	1
All other	4	17	-	-	-
Black	4	17	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places o 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Trigg	82	111	3	3	1
White	72	92	3	3	1
All other	10	19	–	–	–
Black	10	19	–	–	–
Trimble	20	53	1	1	2
Union	99	147	6	4	4
White	89	130	3	2	4
All other	10	17	3	2	–
Black	10	17	3	2	–
Warren	683	522	14	10	6
Bowling Green	---	340	11	7	6
White	---	294	11	7	5
All other	---	46	–	–	1
Black	---	46	–	–	1
Balance of county	---	182	3	3	2
Washington	48	131	2	2	1
White	43	117	1	1	1
All other	5	14	1	1	–
Black	5	14	1	1	–
Wayne	84	142	3	2	1
Webster	44	187	2	1	–
Whitley	274	329	5	3	5
Wolfe	27	66	–	–	3
Woodford	129	143	4	1	1
White	112	116	4	1	1
All other	17	27	–	–	–
Black	16	26	–	–	–
Louisiana	35,095	34,771	1,234	817	839
White	23,684	23,370	580	402	365
All other	11,411	11,401	654	415	474
Black	11,357	11,353	648	411	469
Acadia	406	527	18	11	9
White	326	438	13	9	6
All other	80	91	5	2	3
Black	80	91	5	2	3
Crowley	---	180	5	3	2
White	---	141	4	3	2
All other	---	39	1	–	–
Black	---	39	1	–	–
Eunice, part	---	–	–	–	–
Balance of parish	---	347	13	8	7
White	---	295	9	6	4
All other	---	52	4	2	3
Black	---	52	4	2	3
Allen	197	221	5	4	7
White	164	178	3	3	2
All other	33	43	2	1	5
Black	33	43	2	1	5
Ascension	238	325	11	7	8
White	159	224	8	4	5
All other	79	101	3	3	3
Black	79	101	3	3	3
Assumption	80	181	4	4	5
White	43	107	–	–	2
All other	37	74	4	4	3
Black	37	74	4	4	3
Avoyelles	315	398	11	6	15
White	247	309	8	6	8
All other	68	90	3	–	7
Black	68	90	3	–	7
Beauregard	204	247	6	4	3
White	164	197	4	4	2
All other	40	50	2	–	1
Black	40	50	2	–	1
Bienville	113	222	4	1	1
White	65	135	1	1	–
All other	48	87	3	–	1
Black	48	87	3	–	1
Bossier	336	466	19	12	9
White	256	344	12	8	5
All other	80	122	7	4	4
Black	80	122	7	4	4
Bossier City	---	279	13	8	5
Shreveport, part	---	–	–	–	1
Balance of parish	---	187	6	4	3
White	---	103	4	2	2
All other	---	84	2	2	1
Black	---	84	2	2	1
Caddo	3,404	2,464	78	55	74
White	2,084	1,506	22	14	17
All other	1,320	958	56	41	57
Black	1,318	956	56	41	57
Shreveport, part	---	2,138	73	53	61
White	---	1,271	19	13	9
All other	---	867	54	40	52
Black	---	885	54	40	52

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Shreveport, total	---	2,138	73	53	
White	---	1,271	19	13	
All other	---	867	54	40	
Black	---	885	54	40	
Balance of parish	---	326	5	2	
White	---	235	3	1	
All other	---	91	2	1	
Black	---	91	2	1	
Calcasieu	1,385	1,319	57	47	
White	1,043	979	36	31	
All other	342	340	21	16	
Black	341	339	21	16	
Lake Charles	---	707	25	19	
White	---	454	13	11	
All other	---	253	12	8	
Black	---	252	12	8	
Sulphur	---	161	5	5	
Balance of parish	---	451	27	23	
White	---	371	18	15	
All other	---	80	9	8	
Black	---	80	9	8	
Caldwell	88	113	2	1	
White	71	91	1	1	
All other	17	22	1	–	
Black	17	22	1	–	
Cameron	61	86	2	2	
Catahoula	111	151	3	2	
White	77	109	3	2	
All other	34	42	–	–	
Black	34	42	–	–	
Claiborne	153	204	8	5	
White	102	114	–	–	
All other	51	90	8	5	
Black	51	90	8	5	
Concordia	159	204	6	4	
White	80	116	3	2	
All other	79	88	3	2	
Black	79	88	3	2	
De Soto	201	310	11	7	
White	122	168	3	2	
All other	79	142	8	5	
Black	79	142	8	5	
East Baton Rouge	2,608	2,191	78	59	
White	1,639	1,293	33	26	
All other	969	898	45	33	
Black	966	895	45	33	
Baton Rouge	---	1,771	65	48	
White	---	1,019	25	19	
All other	---	752	40	29	
Black	---	750	40	29	
Balance of parish	---	420	13	11	
White	---	274	8	7	
All other	---	146	5	4	
Black	---	145	5	4	
East Carroll	116	139	7	5	
White	31	42	1	1	
All other	85	97	6	4	
Black	85	97	6	4	
East Feliciana	250	182	5	2	
White	132	90	–	–	
All other	118	92	5	2	
Black	118	92	5	2	
Evangeline	339	395	18	12	
White	261	302	11	7	
All other	78	93	7	5	
Black	77	92	7	5	
Franklin	206	242	10	6	
White	129	169	3	3	
All other	77	73	7	3	
Black	77	73	7	3	
Grant	69	171	4	1	
White	56	142	4	1	
All other	13	29	–	–	
Black	13	29	–	–	
Iberia	449	515	22	13	
White	316	341	11	8	
All other	133	174	11	5	
Black	133	174	11	5	
New Iberia	---	294	13	7	
White	---	202	6	4	
All other	---	92	7	3	
Black	---	92	7	3	
Balance of parish	---	221	9	6	
White	---	139	5	4	
All other	---	82	4	2	
Black	---	82	4	2	
Iberville	230	313	11	8	
White	108	149	5	5	
All other	122	164	6	3	
Black	122	164	6	3	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Jackson	146	181	7	2	5
White	103	145	4	1	1
All other	43	46	3	1	4
Black	43	46	3	1	4
Jefferson	2,579	2,802	88	74	71
White	2,210	2,408	68	51	42
All other	369	394	20	23	29
Black	359	386	30	23	28
Gretna	---	287	7	4	7
White	---	240	6	3	5
All other	---	47	1	1	2
Black	---	47	1	1	2
Harahan	---	91	1	–	1
Kenner	---	260	12	9	15
White	---	203	10	8	12
All other	---	57	2	1	3
Black	---	56	2	1	3
Westwego	---	145	3	3	1
White	---	129	3	3	–
All other	---	16	–	–	1
Black	---	16	–	–	1
Balance of parish	---	2,029	75	58	47
White	---	1,755	48	37	24
All other	---	274	27	21	23
Black	---	267	27	21	22
Jefferson Davis	265	288	11	8	4
White	222	238	7	6	3
All other	43	50	4	2	1
Black	43	50	4	2	1
Jennings	---	123	4	3	2
White	---	96	2	2	2
All other	---	27	2	1	–
Black	---	27	2	1	–
Balance of parish	---	165	7	5	2
White	---	142	5	4	1
All other	---	23	2	1	1
Black	---	23	2	1	1
Lafayette	1,226	816	42	29	26
White	857	621	23	17	17
All other	369	197	19	12	9
Black	368	197	19	12	9
Lafayette	---	552	26	19	24
White	---	400	16	13	15
All other	---	152	12	6	9
Black	---	152	12	6	9
Balance of parish	---	266	14	10	2
White	---	221	7	4	2
All other	---	45	7	6	–
Black	---	45	7	6	–
Lafourche	485	495	28	18	13
White	405	418	21	13	10
All other	80	78	7	5	3
Black	80	76	7	5	3
Thibodaux	---	143	3	3	6
White	---	103	–	–	3
All other	---	40	3	3	3
Black	---	40	3	3	3
Balance of parish	---	352	25	15	7
La Salle	128	187	4	2	1
White	110	165	4	2	1
All other	18	22	–	–	–
Black	18	22	–	–	–
Lincoln	287	271	9	7	6
White	193	163	2	1	2
All other	94	108	7	6	4
Black	94	108	7	6	4
Ruston	---	120	3	1	2
White	---	69	1	–	1
All other	---	51	2	1	1
Black	---	51	2	1	1
Balance of parish	---	151	6	6	4
White	---	94	1	1	1
All other	---	57	5	5	3
Black	---	57	5	5	3
Livingston	264	367	4	2	11
White	238	340	4	2	10
All other	26	27	–	–	1
Black	26	27	–	–	1
Madison	105	169	9	4	5
White	36	56	–	–	1
All other	69	113	9	4	4
Black	69	113	9	4	4
Morehouse	294	339	17	11	10
White	177	189	3	2	5
All other	117	150	14	9	5
Black	117	150	14	9	5
Bastrop	---	182	10	5	6
White	---	86	1	1	3
All other	---	96	9	4	3
Black	---	96	9	4	3
Louisiana-Con.					
Balance of parish	---	157	7	6	4
White	---	103	2	1	2
All other	---	54	5	5	2
Black	---	54	5	5	2
Natchitoches	330	384	9	4	13
White	196	230	4	–	4
All other	134	154	5	4	9
Black	134	154	5	4	9
Natchitoches	---	167	8	4	4
White	---	86	3	–	–
All other	---	81	5	4	4
Black	---	81	5	4	4
Balance of parish	---	217	1	–	9
White	---	144	1	–	4
All other	---	73	–	–	5
Black	---	73	–	–	5
Orleans, coext. with New Orleans city	7,535	6,165	214	139	131
White	4,300	3,327	36	27	20
All other	3,235	2,838	178	112	111
Black	3,217	2,824	174	110	109
Ouachita	1,274	1,087	29	20	17
White	855	739	17	13	10
All other	419	348	12	7	7
Black	419	348	12	7	7
Monroe	---	631	16	10	13
White	---	344	6	5	7
All other	---	287	10	5	6
Black	---	287	10	5	6
West Monroe	---	200	6	4	1
White	---	177	6	4	1
All other	---	23	–	–	–
Black	---	23	–	–	–
Balance of parish	---	256	7	6	3
White	---	218	5	4	2
All other	---	38	2	2	1
Black	---	38	2	2	1
Plaquemines	108	175	9	5	3
White	68	116	8	4	1
All other	40	59	1	1	2
Black	38	59	1	1	2
Pointe Coupee	142	214	2	1	1
White	80	119	–	–	1
All other	62	95	2	1	–
Black	62	95	2	1	–
Rapides	1,670	1,193	39	24	23
White	1,105	784	24	18	11
All other	565	409	15	6	12
Black	564	408	14	5	12
Alexandria	---	637	16	7	12
White	---	325	6	5	2
All other	---	312	10	2	10
Black	---	312	10	2	10
Balance of parish	---	556	23	17	11
White	---	459	18	13	9
All other	---	97	5	4	2
Black	---	96	4	3	2
Red River	123	122	5	2	1
White	84	76	1	–	–
All other	39	46	4	2	1
Black	39	46	4	2	1
Richland	284	234	4	2	2
White	184	134	4	2	1
All other	100	100	–	–	1
Black	100	100	–	–	1
Sabine	178	213	10	8	4
White	138	170	5	5	3
All other	40	43	5	3	1
Black	40	43	5	3	1
St. Bernard	347	503	14	8	9
St. Charles	160	230	9	8	6
White	112	156	3	3	3
All other	48	74	6	5	3
Black	48	74	6	5	3
St. Helena	57	87	1	1	2
White	27	49	1	1	1
All other	30	38	–	–	1
Black	30	38	–	–	1
St. James	119	161	7	6	4
White	68	76	3	3	1
All other	51	85	4	3	3
Black	51	85	4	3	3
St. John the Baptist	168	214	7	4	6
White	60	105	5	3	5
All other	48	109	2	1	1
Black	48	109	2	1	1
St. Landry	609	805	20	11	21
White	414	491	7	4	8
All other	195	314	13	7	13
Black	195	313	13	7	12
Eunice, part	---	124	3	2	6
White	---	96	2	1	5
All other	---	28	1	1	1
Black	---	28	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Eunice, total	---	124	3	2	6
White	---	96	2	1	5
All other	---	28	1	1	1
Black	---	28	1	1	1
Opelousas	---	232	2	–	8
White	---	122	2	–	–
All other	---	110	–	–	8
Black	---	110	–	–	7
Balance of parish	---	449	15	9	7
White	---	273	3	3	3
All other	---	176	12	6	4
Black	---	175	12	6	4
St. Martin	198	295	14	9	15
White	147	202	9	5	8
All other	51	93	5	4	7
Black	51	92	5	4	7
St. Mary	391	460	21	13	13
White	255	293	8	4	7
All other	136	167	13	9	6
Black	133	164	13	8	5
Morgan City	---	128	5	4	2
White	---	95	1	1	1
All other	---	31	4	3	1
Black	---	31	4	3	1
Balance of parish	---	334	16	9	11
White	---	198	7	3	6
All other	---	136	9	6	5
Black	---	133	9	6	4
St. Tammany	681	760	27	21	19
White	572	636	20	15	12
All other	109	124	7	6	7
Black	108	123	7	6	7
Slidell	---	148	5	4	3
White	---	131	5	4	2
All other	---	17	–	–	1
Black	---	16	–	–	1
Balance of parish	---	612	22	17	16
White	---	505	15	11	10
All other	---	107	7	6	6
Black	---	107	7	6	6
Tangipahoa	673	728	34	18	27
White	449	469	17	9	7
All other	224	259	17	9	20
Black	224	259	17	9	20
Hammond	---	127	8	3	5
White	---	60	5	2	3
All other	---	67	3	1	2
Black	---	67	3	1	2
Balance of parish	---	601	26	15	22
White	---	409	12	7	4
All other	---	192	14	8	18
Black	---	192	14	8	18
Tensas	75	126	5	3	–
White	26	50	1	–	–
All other	49	76	4	3	–
Black	49	76	4	3	–
Terrebonne	562	585	33	23	16
White	442	449	20	14	10
All other	120	136	13	9	6
Black	112	126	13	9	6
Houma	---	291	17	12	6
White	---	202	5	4	4
All other	---	89	12	8	2
Black	---	88	12	8	2
Balance of parish	---	294	16	11	10
White	---	247	15	10	6
All other	---	47	1	1	4
Black	---	38	1	1	4
Union	185	249	5	2	5
White	140	178	1	1	1
All other	55	71	4	1	4
Black	55	71	4	1	4
Vermilion	390	402	14	6	10
White	347	356	10	4	6
All other	43	46	4	2	4
Black	43	46	4	2	4
Abbeville	---	120	5	2	3
White	---	93	2	1	1
All other	---	27	3	1	2
Black	---	27	3	1	2
Balance of parish	---	282	9	4	7
White	---	269	8	3	5
All other	---	19	1	1	2
Black	---	19	1	1	2
Vernon	195	284	27	17	5
White	152	238	18	12	3
All other	43	46	9	5	2
Black	43	45	8	4	2
Washington	406	485	13	7	16
White	298	344	4	2	9
All other	108	141	9	5	7
Black	108	141	9	5	7
Louisiana-Con.					
Bogalusa	---	229	5	3	
White	---	152	1	1	
All other	---	67	4	2	
Black	---	67	4	2	
Balance of parish	---	256	8	4	1
White	---	182	3	1	
All other	---	74	5	3	
Black	---	74	5	3	
Webster	398	496	17	12	1
White	288	351	10	8	
All other	110	145	7	4	
Black	110	145	7	4	
Minden	---	190	6	4	
White	---	106	3	2	
All other	---	84	5	2	
Black	---	84	5	2	
Balance of parish	---	306	9	8	
White	---	245	7	6	
All other	---	61	2	2	
Black	---	61	2	2	
West Baton Rouge	71	151	5	2	
White	30	72	2	1	
All other	41	79	3	1	
Black	41	79	3	1	
West Carroll	82	146	3	1	
White	71	119	2	–	
All other	11	27	1	1	
Black	11	27	1	1	
West Feliciana	70	74	3	2	
White	37	34	1	–	
All other	33	40	2	2	
Black	33	40	2	2	
Winn	187	229	5	3	
White	137	162	3	2	
All other	50	67	2	1	
Black	50	67	2	1	
Maine	10,202	10,296	158	94	11
White	10,160	10,255	156	93	11
All other	42	41	2	1	
Black	18	16	–	–	
Androscoggin	921	885	16	10	
Auburn	---	235	2	1	
Lewiston	---	404	6	4	
Balance of county	---	246	8	5	
Aroostook	666	701	7	5	1
Caribou	---	76	–	–	
Presque Isle	---	92	1	1	
Balance of county	---	531	6	4	1
Cumberland	2,426	2,037	37	16	2
Portland	---	818	16	8	
South Portland	---	230	2	1	
Westbrook	---	126	3	2	
Balance of county	---	863	16	5	1
Franklin	188	218	5	3	
Hancock	399	465	8	8	
Kennebec	1,323	977	14	9	1
Augusta	---	251	3	1	
Waterville	---	197	2	2	
Balance of county	---	529	9	6	
Knox	379	353	2	1	
Lincoln	187	277	4	2	
Oxford	372	490	8	3	
Penobscot	1,185	1,119	19	12	1
Bangor	---	329	5	3	
Balance of county	---	790	14	9	1
Piscataquis	180	199	1	1	
Sagadahoc	194	258	2	2	
Somerset	395	448	7	4	
Waldo	155	258	3	1	
Washington	331	401	5	3	
York	901	1,212	20	14	
Biddeford	---	221	3	2	
Saco	---	115	2	2	
Sanford	---	176	2	1	
Balance of county	---	700	13	9	
Maryland	32,022	32,747	849	601	550
White	25,449	25,897	456	330	289
All other	6,573	6,850	387	271	261
Black	6,500	6,772	380	267	256
Allegany	932	878	14	9	16
Cumberland	---	360	4	2	4
Balance of county	---	518	10	7	12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland-Con.					
Anne Arundel	1,705	2,206	64	42	30
White	1,440	1,908	48	29	23
All other	265	298	16	13	7
Black	260	296	15	12	7
Annapolis	---	340	5	4	5
White	---	230	3	2	3
All other	---	110	2	2	2
Black	---	108	2	2	2
Balance of county	---	1,866	59	38	25
White	---	1,678	45	27	20
All other	---	188	14	11	5
Black	---	187	13	10	5
Baltimore	4,348	5,336	80	58	53
White	4,110	5,079	63	45	38
All other	238	257	17	13	15
Black	232	248	17	13	15
Baltimore city	11,455	9,368	278	201	145
White	7,256	5,291	81	65	30
All other	4,199	4,077	197	136	115
Black	4,185	4,070	196	136	115
Calvert	210	237	5	4	7
White	162	185	4	3	4
All other	48	52	1	1	3
Black	48	52	1	1	3
Caroline	79	276	5	2	2
White	67	233	5	2	1
All other	12	43	-	-	1
Black	12	43	-	-	1
Carroll	527	658	10	8	13
Cecil	428	410	11	4	7
Charles	258	387	17	11	11
White	197	293	12	8	3
All other	61	94	5	3	8
Black	60	92	5	3	8
Dorchester	350	402	11	6	5
White	257	288	4	3	3
All other	93	114	7	3	2
Black	93	114	7	3	2
Cambridge	---	193	4	3	3
White	---	136	1	1	2
All other	---	57	3	2	1
Black	---	57	3	2	1
Balance of county	---	209	7	3	2
White	---	152	3	2	1
All other	---	57	4	1	1
Black	---	57	4	1	1
Frederick	627	761	16	11	15
Frederick	---	255	6	4	4
White	---	228	6	4	4
All other	---	27	-	-	-
Black	---	27	-	-	-
Balance of county	---	506	10	7	11
Garrett	236	234	7	3	-
Harford	755	829	23	20	22
White	696	752	22	19	18
All other	59	77	1	1	4
Black	58	75	1	1	4
Aberdeen	---	92	1	1	4
White	---	75	-	-	3
All other	---	17	1	1	1
Black	---	17	1	1	1
Balance of county	---	737	22	19	18
Howard	259	513	11	8	13
Kent	184	195	2	1	2
White	148	147	1	-	-
All other	36	48	1	1	2
Black	36	48	1	1	2
Montgomery	3,690	3,510	79	65	55
White	3,412	3,259	60	47	45
All other	278	251	19	18	10
Black	250	217	18	17	10
Rockville	---	453	14	12	6
Takoma Park, part	---	116	3	3	2
White	---	102	1	1	2
All other	---	14	2	2	-
Black	---	14	2	2	-
Takoma Park, total	---	152	5	4	3
White	---	130	2	2	2
All other	---	22	3	2	1
Black	---	22	3	2	1
Balance of county	---	2,941	62	50	47
White	---	2,790	48	37	37
All other	---	211	14	13	10
Black	---	183	13	12	10
Prince Georges	2,635	3,450	153	107	115
White	2,045	2,597	51	37	41
All other	590	853	102	70	74
Black	575	835	100	69	69
Bowie	---	145	1	1	3
College Park	---	108	1	1	-
Greenbelt	---	63	1	1	3
Hyattsville	---	426	13	9	10
Laurel	---	128	5	2	5
New Carrollton	---	48	1	1	1
Takoma Park, part	---	36	2	1	1
Balance of county	---	2,498	129	91	92
White	---	1,745	35	25	28
All other	---	753	94	66	64
Black	---	739	93	65	60
Queen Annes	104	234	4	4	7
White	79	184	3	3	6
All other	25	50	1	1	1
Black	25	50	1	1	1
St. Marys	259	323	11	8	6
White	195	249	8	6	4
All other	64	74	3	2	2
Black	64	74	3	2	2
Somerset	136	254	2	1	3
White	98	163	-	-	1
All other	38	91	2	1	2
Black	38	91	2	1	2
Talbot	532	330	5	4	6
White	437	273	5	4	1
All other	95	57	-	-	5
Black	95	57	-	-	5
Washington	1,159	1,024	20	13	9
Hagerstown	---	469	13	9	3
Balance of county	---	555	7	4	6
Wicomico	1,033	631	13	10	7
White	773	487	8	5	3
All other	260	144	7	5	4
Black	260	144	7	5	4
Salisbury	---	299	2	1	3
White	---	229	-	-	-
All other	---	69	2	1	3
Black	---	69	2	1	3
Balance of county	---	333	11	9	4
White	---	258	6	5	3
All other	---	75	5	4	1
Black	---	75	5	4	1
Worcester	121	301	2	1	1
White	93	224	1	1	1
All other	28	77	1	-	-
Black	28	77	1	-	-
Massachusetts	52,297	52,028	767	572	425
White	50,872	50,621	678	506	392
All other	1,415	1,407	89	66	33
Black	1,306	1,304	86	64	32
Barnstable	1,561	1,694	16	11	4
Berkshire	1,518	1,457	7	6	16
North Adams	---	212	-	-	2
Pittsfield	---	543	4	3	5
Balance of county	---	702	3	3	9
Bristol	3,999	4,438	65	45	29
Attleboro	---	268	2	2	5
Fall River	---	1,088	9	6	7
New Bedford	---	1,091	11	8	1
Somerset town #	---	179	1	1	3
Taunton	---	415	10	8	6
Balance of county	---	1,397	32	20	7
Dukes	87	94	1	-	-
Essex	5,812	6,114	100	74	59
Beverly	---	322	7	5	2
Danvers town #	---	228	2	-	-
Gloucester	---	296	4	3	6
Haverhill	---	533	8	7	8
Lawrence	---	679	17	15	10
Lynn	---	932	16	11	9
Marblehead town #	---	170	1	1	-
Methuen town #	---	364	6	5	-
Newburyport	---	189	3	2	-
Peabody	---	371	6	4	6
Salem	---	421	12	7	5
Saugus town #	---	214	1	1	3
Swampscott town #	---	138	-	-	-
Balance of county	---	1,257	17	13	10
Franklin	464	602	7	6	7
Hampden	4,552	4,276	79	60	53
White	4,386	4,108	64	47	40
All other	166	168	15	13	13
Black	161	165	15	13	13
Chicopee	---	560	7	5	6
Holyoke	---	616	11	8	9
Longmeadow town #	---	123	1	1	2
Springfield	---	1,601	39	30	28
White	---	1,452	24	17	16
All other	---	149	15	13	12
Black	---	149	15	13	12
Westfield	---	295	6	4	1
West Springfield town #	---	283	3	2	-
Balance of county	---	818	12	10	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts-Con.					
Hampshire	822	1,021	4	3	5
Amherst town #	---	85	–	–	–
Northampton	---	272	1	1	2
Balance of county	---	654	3	2	3
Middlesex	10,431	11,263	133	103	88
White	10,313	11,109	132	102	84
All other	118	154	1	1	4
Black	107	139	1	1	3
Arlington town #	---	504	3	2	4
Belmont town #	---	276	3	1	–
Billerica town #	---	194	1	–	3
Burlington town #	---	114	2	2	3
Cambridge	---	877	2	1	4
Chelmsford town #	---	184	2	2	1
Everett	---	408	3	2	2
Framingham town #	---	510	5	4	5
Lexington town #	---	213	2	1	–
Lowell	---	1,020	19	13	8
Malden	---	569	10	9	3
Marlborough	---	222	4	4	1
Medford	---	584	5	5	4
Melrose	---	282	3	2	3
Natick town #	---	238	1	–	2
Newton	---	715	4	4	2
Reading town #	---	166	4	4	3
Somerville	---	763	6	5	3
Stoneham town #	---	181	3	1	2
Wakefield town #	---	242	4	2	2
Waltham	---	488	3	3	5
Watertown town #	---	351	4	4	3
Winchester town #	---	151	–	–	2
Woburn	---	249	5	3	4
Balance of county	---	1,782	33	29	19
Nantucket	54	59	–	–	–
Norfolk	4,227	5,196	72	52	37
Braintree town #	---	320	5	2	2
Brookline town #	---	554	4	4	–
Dedham town #	---	214	5	3	3
Holbrook town #	---	77	–	–	2
Milton town #	---	285	1	1	3
Needham town #	---	232	2	1	–
Norwood town #	---	288	6	5	4
Quincy	---	1,000	7	5	5
Randolph town #	---	229	5	3	3
Wellesley town #	---	193	2	2	–
Weymouth town #	---	513	10	8	3
Balance of county	---	1,291	25	18	12
Plymouth	2,704	3,049	58	43	32
Brockton	---	824	24	19	7
Rockland town #	---	138	4	3	1
Whitman town #	---	91	5	3	–
Balance of county	---	1,996	25	18	24
Suffolk	10,166	6,749	125	86	42
White	9,277	5,921	60	41	30
All other	889	828	65	45	12
Black	816	768	63	44	12
Boston	---	5,606	115	80	38
White	---	4,966	50	35	26
All other	---	620	65	45	12
Black	---	762	63	44	12
Chelsea	---	309	3	2	1
Revere	---	412	4	1	2
Winthrop town #	---	222	3	3	1
Worcester	5,890	6,016	100	83	53
Clinton town #	---	124	4	1	–
Fitchburg	---	437	4	3	2
Gardner	---	167	5	3	4
Leominster	---	294	4	4	5
Worcester	---	1,870	25	24	12
Balance of county	---	3,124	58	48	30
Michigan	72,500	73,701	1,928	1,300	1,085
White	63,098	64,278	1,365	915	797
All other	9,402	9,423	563	385	288
Black	9,193	9,217	551	380	279
Alcona	45	117	3	3	–
Alger	70	93	2	1	1
Allegan	401	568	11	8	12
Holland, part	---	35	–	–	–
Balance of county	---	533	11	8	12
Alpena	315	269	1	1	7
Alpena	---	123	–	–	2
Balance of county	---	146	1	1	5
Antrim	95	148	1	–	–
Arenac	110	130	1	1	1
Baraga	118	97	1	1	2
Barry	273	348	6	5	6
Bay	890	961	19	11	1
Bay City	---	462	7	4	–
Midland, part	---	–	–	–	–
Balance of county	---	499	12	7	1
Benzie	94	122	3	1	–
Berrien	1,408	1,520	34	24	2
White	1,203	1,315	18	15	1
All other	205	205	16	9	1
Black	201	201	16	9	1
Benton Harbor	---	172	11	7	–
White	---	75	–	–	–
All other	---	97	11	7	–
Black	---	97	11	7	–
Niles	---	171	4	4	–
St. Joseph	---	137	1	–	–
Balance of county	---	1,040	18	13	–
Branch	324	354	12	9	–
Calhoun	1,213	1,217	25	12	2
White	1,130	1,126	20	12	1
All other	83	91	5	–	–
Black	81	89	4	–	–
Albion	---	96	1	–	–
White	---	79	1	–	–
All other	---	17	–	–	–
Black	---	17	–	–	–
Battle Creek	---	460	12	6	–
White	---	392	8	5	–
All other	---	68	4	–	–
Black	---	68	4	–	–
Balance of county	---	661	12	6	1
Cass	230	424	15	10	–
White	193	366	12	8	–
All other	37	58	3	2	–
Black	33	54	3	2	–
Charlevoix	103	166	3	2	–
Cheboygan	160	234	10	4	–
Chippewa	250	277	–	–	–
Sault Ste. Marie	---	167	–	–	–
Balance of county	---	110	–	–	–
Clare	215	267	4	3	–
Clinton	140	338	12	8	–
Lansing, part	---	1	–	–	–
Balance of county	---	337	12	8	–
Crawford	151	90	2	2	–
Delta	307	371	4	2	–
Escanaba	---	176	2	1	–
Balance of county	---	196	2	1	–
Dickinson	376	291	6	6	–
Eaton	298	489	20	12	–
Lansing, part	---	4	–	–	–
Balance of county	---	485	20	12	–
Emmet	413	182	3	3	–
Genesee	3,296	3,198	122	87	6
White	2,864	2,740	73	51	4
All other	432	458	49	36	2
Black	421	449	47	34	2
Flint	---	1,523	69	49	3
White	---	1,103	27	18	1
All other	---	420	42	31	1
Black	---	417	42	31	1
Balance of county	---	1,675	53	38	3
Gladwin	86	182	3	2	–
Gogebic	255	275	3	1	–
Grand Traverse	689	413	13	8	–
Traverse City	---	162	2	1	–
Balance of county	---	251	11	7	–
Gratiot	394	359	8	4	–
Hillsdale	235	345	9	6	–
Houghton	413	455	2	1	–
Huron	318	379	4	3	–
Ingham	2,026	1,821	46	27	3
White	1,940	1,525	31	21	3
All other	86	96	15	6	–
Black	79	86	12	5	–
East Lansing	---	118	4	2	–
Lansing, part	---	968	26	16	–
White	---	678	16	10	–
All other	---	90	12	6	–
Black	---	81	10	5	–
Lansing, total	---	973	28	18	–
White	---	682	16	10	–
All other	---	91	12	6	–
Black	---	82	10	5	–
Balance of county	---	535	14	9	2
Ionia	298	438	13	8	1
Iosco	260	277	3	3	1
Iron	150	186	6	4	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Isabella	278	307	11	7	3
Mount Pleasant	---	116	2	–	2
Balance of county	---	191	9	7	1
Jackson	1,139	1,199	28	24	15
Jackson	---	536	8	8	5
White	---	476	4	4	3
All other	---	60	4	4	2
Black	---	60	4	4	2
Balance of county	---	663	20	16	10
Kalamazoo	1,602	1,366	36	24	22
White	1,475	1,286	28	18	16
All other	127	80	8	6	6
Black	123	79	8	6	5
Kalamazoo	---	666	22	17	14
White	---	593	14	11	8
All other	---	73	8	6	6
Black	---	73	8	6	5
Portage	---	152	4	1	2
Balance of county	---	548	10	6	6
Kalkaska	45	91	2	1	3
Kent	3,981	3,436	112	79	39
White	3,750	3,235	83	61	30
All other	211	201	29	18	9
Black	200	192	28	18	9
East Grand Rapids	---	51	4	2	–
Grand Rapids	---	1,918	62	40	18
White	---	1,726	33	22	12
All other	---	192	29	18	6
Black	---	184	29	18	6
Grandville	---	69	–	–	1
Kentwood	---	124	2	2	1
Walker	---	83	2	2	–
Wyoming	---	357	12	9	2
Balance of county	---	834	30	24	17
Keweenaw	2	28	–	–	–
Lake	32	111	1	1	–
White	24	74	1	1	–
All other	8	37	–	–	–
Black	8	37	–	–	–
Lapeer	385	449	12	8	7
Leelanau	70	118	1	–	–
Lenawee	644	704	13	8	11
Adrian	---	235	6	2	6
Balance of county	---	469	7	6	5
Livingston	411	540	17	11	10
Luce	65	60	–	–	2
Mackinac	59	107	1	1	2
Macomb	3,253	4,407	103	73	65
Center Line	---	117	1	1	4
East Detroit	---	369	7	3	2
Fraser	---	96	3	3	1
Mount Clemens	---	305	16	11	6
White	---	286	16	11	6
All other	---	19	–	–	–
Black	---	18	–	–	–
Roseville	---	384	9	6	5
St. Clair Shores	---	705	9	5	3
Sterling Heights	---	413	15	13	6
Warren	---	1,081	18	14	12
Balance of county	---	937	25	17	26
Manistee	225	247	4	1	1
Marquette	555	514	20	13	8
Marquette	---	176	6	5	1
Balance of county	---	338	14	8	7
Mason	229	236	6	6	2
Mecosta	185	252	9	5	5
Big Rapids	---	64	1	1	2
Balance of county	---	188	8	4	3
Menominee	220	255	5	3	2
Menominee	---	128	4	2	–
Balance of county	---	127	1	1	2
Midland	476	406	10	7	4
Midland, part	---	213	4	2	2
Midland, total	---	213	4	2	2
Balance of county	---	193	6	5	2
Missaukee	32	96	5	–	–
Monroe	633	958	18	15	11
Monroe	---	270	2	–	–
Balance of county	---	688	16	15	11
Montcalm	432	460	9	6	7
Montmorency	24	80	1	–	1
Muskegon	1,392	1,343	32	20	24
White	1,191	1,197	22	12	19
All other	141	146	10	8	5
Black	138	143	9	8	5
Muskegon	---	477	13	10	10
White	---	415	7	5	6
All other	---	62	6	5	4
Black	---	62	6	5	4
Muskegon Heights	---	164	6	5	2
White	---	96	3	2	1
All other	---	68	3	3	1
Black	---	68	3	3	1
Norton Shores	---	138	3	2	–
Balance of county	---	564	10	3	12
Newaygo	248	301	8	4	5
Oakland	7,057	6,884	148	106	117
White	6,673	6,620	132	97	109
All other	384	274	16	9	8
Black	300	265	16	9	7
Berkley	---	168	5	4	3
Beverly Hills	---	63	–	–	–
Birmingham	---	214	1	1	3
Clawson	---	115	2	1	1
Farmington	---	149	1	1	2
Ferndale	---	255	7	4	5
Hazel Park	---	195	2	2	–
Madison Heights	---	241	5	4	9
Oak Park	---	299	3	3	5
Pontiac	---	688	32	18	11
White	---	496	21	14	8
All other	---	192	11	4	3
Black	---	191	11	4	3
Royal Oak	---	619	10	9	13
Southfield	---	711	9	7	7
Troy	---	306	7	4	6
Balance of county	---	2,871	64	48	52
Oceana	144	208	–	–	1
Ogemaw	238	206	6	3	3
Ontonagon	106	117	2	2	1
Osceola	164	214	4	2	1
Oscoda	44	84	1	1	–
Otsego	164	143	4	1	3
Ottawa	770	873	32	19	19
Grand Haven	---	125	1	–	–
Holland, part	---	178	9	5	10
Holland, total	---	213	9	5	10
Balance of county	---	570	22	14	9
Presque Isle	99	136	3	3	1
Roscommon	70	200	4	4	1
Saginaw	1,889	1,648	55	31	15
White	1,625	1,407	40	21	8
All other	244	242	15	10	7
Black	242	241	15	10	7
Saginaw	---	784	24	17	6
White	---	574	14	10	3
All other	---	210	10	7	3
Black	---	210	10	7	3
Balance of county	---	865	31	14	9
St. Clair	1,122	1,211	30	20	10
Port Huron	---	421	17	11	1
Balance of county	---	790	13	9	9
St. Joseph	405	475	15	9	6
Sanilac	264	399	4	3	5
Schoolcraft	115	106	2	1	1
Shiawassee	399	508	21	16	7
Owosso	---	168	3	1	3
Balance of county	---	340	18	15	4
Tuscola	298	404	12	7	6
Van Buren	350	538	12	6	9
Washtenaw	2,506	1,293	47	37	45
White	2,288	1,163	35	28	39
All other	218	130	12	9	12
Black	212	125	12	9	12
Ann Arbor	---	458	17	16	11
Ypsilanti	---	184	13	10	15
White	---	134	6	5	12
All other	---	50	7	5	3
Black	---	59	7	5	3
Balance of county	---	641	17	11	19
Wayne	22,783	22,517	627	428	317
White	15,971	15,511	285	170	138
All other	6,822	7,006	382	258	179
Black	6,760	6,950	382	256	179
Allen Park	---	304	5	5	1
Dearborn	---	1,001	15	9	4
Dearborn Heights	---	526	7	4	4
Detroit	---	13,785	440	289	190
White	---	7,391	108	56	38
All other	---	6,394	332	233	152
Black	---	6,352	332	233	152

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Michigan-Con.					
Ecorse	---	169	4	2	2
White	---	104	2	2	1
All other	---	65	2	-	1
Black	---	65	2	-	1
Garden City	---	217	3	2	2
Grosse Pointe Farms	---	129	-	-	2
Grosse Pointe Park	---	136	-	-	-
Grosse Pointe Woods	---	164	-	-	1
Hamtramck	---	334	5	4	-
White	---	302	3	2	-
All other	---	32	2	2	-
Black	---	32	2	2	-
Harper Woods	---	195	1	1	1
Highland Park	---	327	13	12	-
White	---	127	-	-	-
All other	---	200	13	12	-
Black	---	197	13	12	-
Inkster	---	271	5	4	8
White	---	129	2	1	2
All other	---	142	3	3	6
Black	---	140	3	3	6
Lincoln Park	---	424	15	14	1
Livonia	---	656	12	8	3
Melvindale	---	104	-	-	2
Plymouth	---	118	1	-	2
River Rouge	---	152	1	1	1
White	---	91	-	-	-
All other	---	61	1	1	1
Black	---	61	1	1	1
Riverview	---	88	5	3	1
Southgate	---	225	9	9	1
Taylor	---	442	12	5	10
Trenton	---	158	4	2	3
Wayne	---	167	6	4	2
Westland	---	494	15	10	12
Wyandotte	---	337	1	-	5
Balance of county	---	1,574	48	38	59
Wexford	348	256	5	3	-
Minnesota	32,648	32,089	702	472	456
White	32,099	31,560	645	442	431
All other	549	529	57	30	27
Black	307	300	34	21	13
Aitkin	118	159	3	3	1
Anoka	667	708	40	27	27
Anoka	---	112	3	1	5
Blaine, part	---	78	9	4	8
Blaine, total	---	78	9	4	8
Columbia Heights	---	133	4	4	-
Coon Rapids	---	89	8	6	4
Fridley	---	134	6	5	1
Balance of county	---	162	10	7	9
Becker	233	258	9	8	5
Beltrami	252	231	4	1	7
White	219	197	1	1	3
All other	33	34	3	-	4
Black	-	-	-	-	-
Bemidji	---	109	1	-	1
Balance of county	---	122	3	1	6
White	---	97	1	1	2
All other	---	25	2	-	4
Black	---	-	-	-	-
Benton	107	199	3	3	2
St. Cloud, part	---	37	-	-	-
Balance of county	---	162	3	3	2
Big Stone	86	77	2	1	-
Blue Earth	462	383	8	4	7
Mankato	---	167	5	3	2
Balance of county	---	196	3	1	5
Brown	315	286	4	3	4
New Ulm	---	131	3	2	2
Balance of county	---	155	1	1	2
Carlton	264	274	3	2	3
Carver	184	203	6	5	2
Cass	133	248	3	1	2
Chippewa	135	176	3	1	3
Chisago	231	244	9	6	7
Clay	192	275	9	6	3
Moorhead	---	161	5	3	1
Balance of county	---	114	4	3	2
Clearwater	71	92	4	3	2
Cook	33	41	-	-	-
Cottonwood	135	156	1	1	1
Crow Wing	400	390	13	7	5
Brainerd	---	129	3	3	4
Balance of county	---	261	10	4	1
Dakota	555	566	38	26	25
Burnsville	---	94	7	5	1
Hastings, part	---	95	2	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Minnesota-Con.					
Hastings, total	---	95	2	1	1
Inver Grove Heights	---	58	4	3	3
South St. Paul	---	185	1	1	2
West St. Paul	---	183	5	5	4
Balance of county	---	291	18	11	14
Dodge	45	108	3	3	2
Douglas	245	283	6	4	2
Faribault	175	212	4	3	2
Fillmore	180	228	4	3	1
Freeborn	314	312	3	2	3
Albert Lea	---	179	-	-	1
Balance of county	---	133	3	2	2
Goodhue	369	385	8	5	6
Red Wing	---	177	3	3	1
Balance of county	---	206	5	2	5
Grant	74	91	3	1	-
Hennepin	8,568	7,313	158	102	93
White	8,283	7,063	132	90	76
All other	285	250	26	12	17
Black	191	186	19	9	10
Bloomington	---	382	9	5	10
Brooklyn Center	---	151	5	4	3
Brooklyn Park	---	105	3	4	6
Crystal	---	142	5	4	2
Edina	---	375	5	4	2
Golden Valley	---	133	1	1	1
Hopkins	---	147	3	1	-
Minneapolis	---	4,251	76	46	36
White	---	4,017	51	35	24
All other	---	234	25	11	12
Black	---	177	19	9	8
Minnetonka	---	156	2	2	3
New Hope	---	121	3	1	2
Plymouth	---	102	5	3	2
Richfield	---	236	5	5	2
Robbinsdale	---	134	2	1	2
St. Louis Park	---	357	6	5	3
Balance of county	---	521	20	16	19
Houston	133	203	1	1	-
Hubbard	177	164	1	1	3
Isanti	192	188	3	2	2
Itasca	341	370	10	6	2
Jackson	88	117	1	1	1
Kanabec	102	114	4	3	-
Kandiyohi	357	282	10	7	1
Willmar	---	135	6	4	-
Balance of county	---	147	4	3	1
Kittson	78	80	3	2	-
Koochiching	112	133	2	2	4
Lac qui Parle	104	136	-	-	2
Lake	84	89	2	2	1
Lake of the Woods	37	41	-	-	2
Le Sueur	114	216	4	2	3
Lincoln	107	91	1	1	2
Lyon	215	226	4	2	2
McLeod	257	256	5	2	4
Mahnomen	38	49	1	1	-
White	33	44	1	1	-
All other	5	5	-	-	-
Black	-	-	-	-	-
Marshall	73	137	4	2	4
Martin	217	220	-	-	1
Fairmont	---	100	-	-	-
Balance of county	---	120	-	-	1
Meeker	221	222	1	1	2
Mille Lacs	175	200	6	2	5
Morrison	227	276	7	4	10
Mower	306	384	6	5	2
Austin	---	249	5	4	2
Balance of county	---	135	1	1	-
Murray	85	110	2	1	1
Nicollet	98	155	4	3	5
Nobles	183	184	2	1	4
Norman	87	119	6	4	1
Olmsted	1,404	493	14	10	14
Rochester	1,404	395	12	8	13
Balance of county	1,404	98	2	2	1
Otter Tail	452	526	11	9	4
Fergus Falls	---	139	2	1	2
Balance of county	---	387	9	8	2
Pennington	177	148	2	-	1
Pine	107	226	4	2	-
Pipestone	98	109	-	-	3
Polk	325	373	8	6	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Pope	128	135	2	1	4
Ramsey	3,912	3,638	68	44	55
White	3,796	3,518	53	33	51
All other	116	120	15	11	4
Black	94	94	11	10	2
Blaine, part	---	-	-	-	-
Maplewood	---	169	2	1	1
New Brighton	---	109	2	1	3
North St. Paul	---	57	5	3	-
Roseville	---	211	4	4	3
St. Paul	---	2,735	42	26	38
White	---	2,625	29	17	35
All other	---	110	13	9	3
Black	---	89	10	9	2
Shoreview	---	49	2	1	3
White Bear Lake, part	---	125	4	3	3
White Bear Lake, total	---	127	4	3	4
Balance of county	---	181	7	5	4
Red Lake	28	44	1	1	-
Redwood	196	229	3	1	1
Renville	141	237	4	2	2
Rice	372	364	4	2	4
Faribault	---	163	1	1	2
Northfield	---	105	-	-	1
Balance of county	---	96	3	1	1
Rock	92	106	1	1	-
Roseau	111	111	2	-	-
St. Louis	2,345	2,104	39	27	22
Duluth	---	1,017	18	12	11
Hibbing	---	174	2	2	1
Virginia	---	158	3	1	-
Balance of county	---	755	16	12	10
Scott	295	268	8	6	5
Sherburne	155	203	11	6	6
St. Cloud, part	---	63	1	1	1
Balance of county	---	140	10	5	5
Sibley	114	163	1	1	1
Stearns	693	653	10	9	13
St. Cloud, part	---	208	1	1	1
St. Cloud, total	---	306	2	2	2
Balance of county	---	447	9	8	12
Steele	218	246	5	3	5
Owatonna	---	159	3	2	5
Balance of county	---	87	2	1	-
Stevens	95	97	1	-	1
Swift	139	158	2	2	-
Todd	146	226	4	3	6
Traverse	50	62	1	1	1
Wabasha	185	181	2	2	-
Wadena	208	167	3	3	1
Waseca	133	177	2	2	-
Washington	326	519	27	23	11
Cottage Grove	---	30	4	3	1
Hastings, part	---	-	-	-	-
Stillwater	---	98	4	4	-
White Bear Lake, part	---	2	-	-	1
Balance of county	---	389	19	16	9
Watonwan	123	136	2	2	1
Wilkin	153	83	2	2	-
Winona	371	420	3	1	3
Winona	---	273	1	-	2
Balance of county	---	147	2	1	1
Wright	270	391	13	10	6
Yellow Medicine	137	118	1	1	-
Mississippi	22,513	22,985	806	512	643
White	14,053	14,409	279	190	205
All other	8,460	8,576	527	322	438
Black	8,403	8,517	521	318	430
Adams	480	417	12	6	14
White	219	188	2	1	-
All other	261	231	10	5	14
Black	261	231	10	5	14
Natchez	---	308	9	4	12
White	---	133	2	1	-
All other	---	175	7	3	12
Black	---	175	7	3	12
Balance of county	---	109	3	2	2
White	---	53	-	-	-
All other	---	56	3	2	2
Black	---	56	3	2	2
Alcorn	248	305	8	6	4
White	215	268	8	5	2
All other	31	37	2	1	2
Black	31	37	2	1	2
Mississippi-Con.					
Corinth	---	141	1	1	1
White	---	119	1	1	1
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	164	7	5	3
Amite	47	126	3	2	2
White	20	79	-	-	2
All other	27	47	3	2	-
Black	27	47	3	2	-
Attala	206	248	2	2	2
White	141	161	1	1	2
All other	65	87	1	1	-
Black	65	87	1	1	-
Benton	10	66	-	-	2
White	7	50	-	-	-
All other	3	16	-	-	2
Black	3	16	-	-	2
Bolivar	473	494	38	27	19
White	147	163	5	3	-
All other	326	331	33	24	19
Black	326	331	33	24	19
Cleveland	---	188	12	7	8
White	---	84	4	2	-
All other	---	64	8	5	8
Black	---	84	8	5	8
Balance of county	---	326	26	20	11
White	---	79	1	1	-
All other	---	247	25	19	11
Black	---	247	25	19	11
Calhoun	109	162	6	4	3
White	88	133	4	3	1
All other	21	29	2	1	2
Black	21	29	2	1	2
Carroll	21	79	4	3	1
White	8	35	-	-	1
All other	13	44	4	3	-
Black	13	44	4	3	-
Chickasaw	157	200	2	1	6
White	116	140	2	1	2
All other	41	60	-	-	4
Black	41	60	-	-	4
Choctaw	64	92	-	-	3
White	48	75	-	-	-
All other	16	17	-	-	3
Black	16	17	-	-	3
Claiborne	105	121	8	5	7
White	34	45	-	-	-
All other	71	76	8	5	7
Black	71	76	8	5	7
Clarke	128	169	6	5	7
White	80	104	3	3	3
All other	48	65	3	2	4
Black	48	65	3	2	4
Clay	159	169	9	5	3
White	78	92	2	1	1
All other	83	97	7	4	2
Black	83	97	7	4	2
Coahoma	432	404	17	10	16
White	157	130	2	1	3
All other	275	274	15	9	13
Black	271	270	15	9	13
Clarksdale	---	255	8	4	13
White	---	92	2	1	3
All other	---	163	7	3	10
Black	---	161	7	3	10
Balance of county	---	149	8	6	3
White	---	38	-	-	-
All other	---	111	8	6	3
Black	---	109	8	6	3
Copiah	183	277	7	3	4
White	89	146	-	-	1
All other	94	131	7	3	3
Black	94	131	7	3	3
Covington	120	174	9	7	1
White	76	115	2	2	1
All other	44	59	7	5	-
Black	44	59	7	5	-
De Soto	132	306	13	9	7
White	80	213	6	5	5
All other	52	93	7	4	2
Black	52	93	7	4	2
Forrest	878	620	22	16	12
White	651	432	11	9	6
All other	227	188	11	7	6
Black	227	186	11	7	6
Hattiesburg, part	---	437	14	9	8
White	---	290	6	4	3
All other	---	147	8	5	5
Black	---	147	8	5	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Hattiesburg, total	---	436	14	9	9
White	---	291	6	4	4
All other	---	147	8	5	5
Black	---	147	8	5	5
Balance of county	---	183	8	7	4
White	---	142	5	5	3
All other	---	41	3	2	1
Black	---	41	3	2	1
Franklin	110	120	5	1	5
White	69	72	3	1	2
All other	41	48	2	-	3
Black	41	48	2	-	3
George	106	132	5	3	2
White	96	116	4	3	-
All other	10	16	1	-	2
Black	10	16	1	-	2
Greene	67	100	2	-	3
White	49	77	2	-	1
All other	18	23	-	-	2
Black	18	23	-	-	2
Grenada	247	218	6	5	8
White	146	130	1	1	2
All other	101	88	5	4	6
Black	101	88	5	4	6
Hancock	177	246	2	1	2
White	149	212	2	1	1
All other	28	34	-	-	1
Black	28	34	-	-	1
Harrison	1,485	1,236	29	17	32
White	1,229	1,020	19	15	16
All other	256	216	10	2	16
Black	252	213	9	2	15
Biloxi	---	325	8	6	7
White	---	284	7	6	4
All other	---	41	1	-	3
Black	---	40	-	-	2
Gulfport	---	477	10	4	13
White	---	362	3	3	4
All other	---	115	7	1	9
Black	---	114	7	1	9
Balance of county	---	434	11	7	12
White	---	374	9	6	8
All other	---	60	2	1	4
Black	---	59	2	1	4
Hinds	3,320	1,863	54	33	79
White	1,905	1,023	6	4	12
All other	1,415	840	48	29	67
Black	1,407	837	47	28	65
Jackson, part	---	1,544	43	27	68
White	---	863	3	2	9
All other	---	681	40	25	59
Black	---	678	39	24	57
Jackson, total	---	1,545	43	27	68
White	---	863	3	2	9
All other	---	682	40	25	59
Black	---	679	39	24	57
Balance of county	---	319	11	6	11
White	---	160	3	2	3
All other	---	159	8	4	8
Black	---	159	8	4	8
Holmes	206	264	13	7	8
White	82	80	1	1	-
All other	144	184	12	6	8
Black	144	184	12	6	8
Humphreys	162	183	13	6	6
White	39	58	-	-	1
All other	123	125	13	6	5
Black	123	125	13	6	5
Issaquena	11	26	1	1	1
White	1	4	-	-	-
All other	10	22	1	1	1
Black	10	22	1	1	1
Itawamba	124	188	2	2	1
Jackson	629	706	26	17	23
White	509	586	12	8	16
All other	120	122	14	9	7
Black	119	122	14	9	5
Moss Point	---	133	9	7	5
White	---	71	2	2	2
All other	---	62	7	5	3
Black	---	62	7	5	3
Pascagoula	---	246	12	5	6
White	---	209	6	2	4
All other	---	37	6	3	2
Black	---	37	6	3	2
Balance of county	---	329	5	5	12
Jasper	99	148	4	1	6
White	55	82	2	-	-
All other	44	66	2	1	6
Black	44	66	2	1	6
Mississippi-Con.					
Jefferson	65	106	3	3	5
White	14	29	-	-	-
All other	51	77	3	3	5
Black	51	77	3	3	5
Jefferson Davis	107	141	2	2	5
White	52	63	-	-	-
All other	55	78	2	2	5
Black	55	78	2	2	5
Jones	619	643	15	10	18
White	456	487	5	2	8
All other	163	156	10	8	10
Black	162	155	10	8	10
Laurel	---	316	8	6	11
White	---	196	-	-	4
All other	---	118	8	6	7
Black	---	118	8	6	7
Balance of county	---	327	7	4	7
White	---	269	5	2	4
All other	---	58	2	2	3
Black	---	57	2	2	3
Kemper	61	97	2	1	1
White	31	50	1	-	-
All other	30	47	1	-	1
Black	30	47	1	-	1
Lafayette	255	239	8	5	6
White	169	149	5	4	2
All other	86	90	3	1	4
Black	86	90	3	1	4
Oxford	---	102	3	1	4
White	---	69	2	1	2
All other	---	33	1	-	2
Black	---	33	1	-	2
Balance of county	---	137	5	4	2
White	---	80	3	3	-
All other	---	57	2	1	2
Black	---	57	2	1	2
Lamar	60	138	2	1	9
White	48	121	2	1	6
All other	12	17	-	-	3
Black	12	17	-	-	3
Hattiesburg, part	---	1	-	-	1
Balance of county	---	137	2	1	8
White	---	120	2	1	5
All other	---	17	-	-	3
Black	---	17	-	-	3
Lauderdale	987	800	26	18	19
White	675	544	14	9	5
All other	312	256	12	9	14
Black	309	255	12	9	14
Meridian	---	566	14	9	16
White	---	365	6	3	4
All other	---	201	8	6	12
Black	---	200	8	6	12
Balance of county	---	234	12	9	3
White	---	179	8	6	1
All other	---	55	4	3	2
Black	---	55	4	3	2
Lawrence	74	119	2	1	1
White	48	84	2	1	-
All other	26	35	-	-	1
Black	26	35	-	-	1
Leake	154	191	3	2	1
White	108	123	1	1	-
All other	46	68	2	1	1
Black	40	59	2	1	1
Lee	754	497	25	12	4
White	584	386	12	6	3
All other	170	111	13	6	1
Black	170	111	13	6	1
Tupelo	---	213	11	8	3
White	---	169	4	3	3
All other	---	44	7	5	-
Black	---	44	7	5	-
Balance of county	---	284	14	4	1
White	---	217	8	3	-
All other	---	67	6	1	1
Black	---	67	6	1	1
Leflore	515	484	26	21	12
White	227	209	5	4	4
All other	288	275	21	17	8
Black	286	273	21	17	8
Greenwood	---	300	13	10	5
White	---	147	2	1	2
All other	---	153	11	9	3
Black	---	152	11	9	3
Balance of county	---	184	13	11	7
White	---	62	3	3	2
All other	---	122	10	8	5
Black	---	121	10	8	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Lincoln	308	317	3	1	7
White	219	223	2	–	7
All other	89	94	1	1	–
Black	89	94	1	1	–
Brookhaven	---	151	–	–	3
White	---	99	–	–	3
All other	---	52	–	–	–
Black	---	52	–	–	–
Balance of county	---	166	3	1	4
White	---	124	2	–	4
All other	---	42	1	1	–
Black	---	42	1	1	–
Lowndes	449	414	29	19	15
White	279	242	13	10	6
All other	170	172	16	9	9
Black	170	172	16	9	9
Columbus	---	265	15	11	10
White	---	145	8	7	3
All other	---	120	7	4	7
Black	---	120	7	4	7
Balance of county	---	149	14	8	5
White	---	97	5	3	3
All other	---	52	9	5	2
Black	---	52	9	5	2
Madison	228	348	16	13	9
White	84	140	2	2	–
All other	144	208	14	11	9
Black	144	208	14	11	9
Canton	---	151	4	4	3
White	---	67	1	1	–
All other	---	84	3	3	3
Black	---	84	3	3	3
Balance of county	---	195	12	9	6
White	---	73	1	1	–
All other	---	122	11	8	6
Black	---	122	11	8	6
Marion	180	254	5	4	9
White	107	161	2	2	4
All other	73	93	3	2	5
Black	73	93	3	2	5
Marshall	168	246	7	3	2
White	83	121	3	1	–
All other	85	125	4	2	2
Black	85	125	4	2	2
Monroe	310	345	15	8	4
White	232	255	11	6	1
All other	78	90	4	2	3
Black	78	90	4	2	3
Montgomery	144	147	6	3	1
White	81	87	2	1	1
All other	63	60	4	2	–
Black	63	60	4	2	–
Neshoba	149	226	8	6	5
White	110	173	3	3	1
All other	39	53	5	3	4
Black	20	32	3	1	3
Newton	146	200	3	2	6
White	101	140	2	1	5
All other	45	60	1	1	1
Black	45	56	1	1	1
Noxubee	94	110	10	6	6
White	18	27	1	–	–
All other	76	83	9	6	6
Black	76	83	9	6	6
Oktibbeha	219	228	12	7	13
White	122	126	2	1	1
All other	97	102	10	6	12
Black	97	102	10	6	12
Starkville	---	122	7	4	7
White	---	80	2	1	1
All other	---	42	5	3	6
Black	---	42	5	3	6
Balance of county	---	106	5	3	6
White	---	46	–	–	–
All other	---	60	5	3	6
Black	---	60	5	3	6
Panola	268	289	13	4	14
White	131	152	–	–	5
All other	137	137	13	4	9
Black	137	137	13	4	9
Pearl River	213	279	7	2	7
White	182	235	7	2	3
All other	31	44	–	–	4
Black	31	44	–	–	4
Picayune	---	113	3	–	3
White	---	84	3	–	1
All other	---	29	–	–	2
Black	---	29	–	–	2
Balance of county	---	166	4	2	4
Perry	50	78	2	2	1
White	35	60	2	2	–
All other	15	19	–	–	1
Black	15	19	–	–	1
Pike	410	426	16	12	6
White	257	270	2	2	1
All other	153	156	14	10	5
Black	153	156	14	10	5
McComb	---	197	8	6	3
White	---	132	1	1	–
All other	---	65	7	5	3
Black	---	65	7	5	3
Balance of county	---	229	8	6	3
White	---	138	1	1	1
All other	---	91	7	5	2
Black	---	91	7	5	2
Pontotoc	116	164	5	3	–
White	101	162	4	3	–
All other	15	22	1	–	–
Black	15	21	1	–	–
Prentiss	170	238	4	4	3
White	154	213	4	4	3
All other	16	25	–	–	–
Black	16	25	–	–	–
Quitman	85	136	7	4	3
White	34	58	–	–	1
All other	51	78	7	4	2
Black	50	77	7	4	2
Rankin	371	496	16	10	17
White	250	354	9	6	12
All other	121	142	7	4	5
Black	121	142	7	4	5
Jackson, part	---	1	–	–	–
Balance of county	---	495	16	10	17
White	---	354	9	6	12
All other	---	141	7	4	5
Black	---	141	7	4	5
Scott	187	248	7	6	8
White	108	147	2	2	7
All other	79	99	5	4	1
Black	77	97	3	3	1
Sharkey	54	75	6	4	6
White	17	30	1	1	–
All other	37	45	5	3	6
Black	37	45	5	3	6
Simpson	187	236	6	5	5
White	141	188	4	4	2
All other	46	88	2	1	3
Black	46	88	2	1	3
Smith	66	139	10	4	3
White	49	115	2	1	1
All other	17	24	8	3	2
Black	17	24	8	3	1
Stone	79	92	1	1	–
White	66	70	1	1	–
All other	13	22	–	–	–
Black	13	22	–	–	–
Sunflower	285	349	21	15	11
White	120	150	2	2	1
All other	165	199	19	13	10
Black	165	199	19	13	10
Tallahatchie	147	222	12	9	3
White	64	100	3	2	1
All other	83	122	9	7	2
Black	83	121	9	7	2
Tate	142	187	5	4	9
White	93	122	–	–	–
All other	49	65	5	4	9
Black	49	65	5	4	9
Tippah	169	205	10	7	4
White	140	172	8	5	3
All other	29	33	2	2	1
Black	29	33	2	2	1
Tishomingo	130	172	2	2	5
Tunica	72	113	10	6	6
White	20	35	2	1	1
All other	52	78	8	4	5
Black	52	78	8	4	5
Union	228	222	7	4	3
White	199	191	4	2	2
All other	29	31	3	2	1
Black	29	31	3	2	1
Walthall	116	140	4	3	6
White	83	98	–	–	2
All other	35	42	4	3	6
Black	35	42	4	3	6
Warren	582	497	17	9	10
White	308	267	6	4	5
All other	274	230	11	5	5
Black	274	230	11	5	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Vicksburg	---	337	7	4	6
White	---	167	2	1	1
All other	---	170	5	3	5
Black	---	170	5	3	5
Balance of county	---	180	10	5	4
White	---	100	4	3	4
All other	---	80	6	2	-
Black	---	80	6	2	-
Washington	752	735	26	18	32
White	301	290	8	7	10
All other	451	445	18	11	22
Black	449	443	18	11	22
Greenville	---	505	19	12	21
White	---	208	6	5	7
All other	---	297	13	7	14
Black	---	295	13	7	14
Balance of county	---	230	7	6	11
White	---	82	2	2	3
All other	---	148	5	4	8
Black	---	148	5	4	8
Wayne	165	187	4	2	6
White	110	137	3	1	3
All other	55	50	1	1	3
Black	55	50	1	1	3
Webster	91	106	3	3	5
White	71	83	3	3	-
All other	20	22	-	-	5
Black	20	21	-	-	5
Wilkinson	134	105	3	2	5
White	62	34	-	-	-
All other	72	71	3	2	5
Black	72	71	3	2	5
Winston	157	188	5	2	4
White	104	116	3	2	-
All other	53	72	2	-	4
Black	49	69	2	-	3
Yalobusha	87	145	7	6	2
White	62	104	2	2	-
All other	25	41	5	4	2
Black	25	41	5	4	2
Yazoo	261	329	14	8	10
White	136	161	5	3	1
All other	125	168	9	5	9
Black	125	168	9	5	9
Yazoo City	---	186	8	5	5
White	---	87	2	2	-
All other	---	99	4	3	5
Black	---	99	4	3	5
Balance of county	---	143	6	3	5
White	---	74	3	1	1
All other	---	69	5	2	4
Black	---	69	5	2	4
Missouri	48,947	48,002	1,047	727	707
White	43,893	43,110	772	535	550
All other	5,054	4,892	275	192	157
Black	5,008	4,845	271	190	153
Adair	354	209	1	1	-
Kirksville	---	145	1	1	-
Balance of county	---	64	-	-	-
Andrew	76	119	1	-	2
Atchison	110	103	1	1	-
Audrain	377	282	8	5	3
Mexico	---	155	3	3	-
Balance of county	---	127	5	2	3
Barry	210	244	5	4	5
Barton	90	140	2	1	1
Bates	173	237	5	4	2
Benton	78	194	3	2	-
Bollinger	54	125	2	1	-
Boone	1,368	649	24	15	12
Columbia	---	330	20	12	8
Balance of county	---	219	4	3	4
Buchanan	1,098	959	22	12	13
St. Joseph	---	868	22	12	11
Balance of county	---	91	-	-	2
Butler	745	449	12	4	5
Poplar Bluff	---	270	6	2	3
Balance of county	---	179	6	2	2
Caldwell	45	120	2	1	1
Callaway	244	258	6	6	5
Fulton	---	121	2	2	1
White	---	104	1	1	1
All other	---	17	1	1	-
Black	---	17	1	1	-
Jefferson City, part	---	-	-	-	-
Balance of county	---	137	4	4	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Camden	209	204	3	3	3
Cape Girardeau	752	489	12	8	8
Cape Girardeau	---	315	9	8	4
Balance of county	---	174	3	-	4
Carroll	96	182	5	3	1
Carter	26	46	-	-	-
Cass	243	410	7	4	4
Cedar	174	184	5	4	3
Charlton	96	170	-	-	1
Christian	58	160	2	-	2
Clark	42	121	3	1	2
Clay	920	872	25	20	22
Gladstone	---	94	4	4	2
Independence, part	---	3	-	-	-
Kansas City, part	---	352	11	9	13
Liberty	---	113	2	1	3
Balance of county	---	310	8	6	4
Clinton	165	162	-	-	2
Cole	585	407	10	8	9
Jefferson City, part	---	290	7	5	5
Jefferson City, total	---	290	7	5	5
Balance of county	---	117	3	3	4
Cooper	119	155	2	1	-
Crawford	183	232	5	4	2
Dade	63	100	-	-	1
Dallas	87	158	2	2	1
Daviess	97	139	1	1	1
De Kalb	44	115	4	2	1
Dent	133	172	4	1	2
Douglas	56	112	1	1	-
Dunklin	295	428	7	5	6
Franklin	457	646	14	11	11
Gasconade	147	140	4	3	4
Gentry	132	132	2	2	1
Greene	2,447	1,482	41	36	24
Springfield	---	1,203	29	26	20
Balance of county	---	279	12	10	4
Grundy	191	190	3	3	1
Harrison	75	139	2	2	1
Henry	338	277	4	3	1
Hickory	28	79	1	-	-
Holt	27	94	-	-	1
Howard	115	130	1	1	1
Howell	312	283	8	6	4
Iron	137	103	-	-	-
Jackson	7,330	6,098	176	123	118
White	6,230	5,013	106	72	81
All other	1,100	1,085	70	51	35
Black	1,082	1,067	68	50	32
Grandview	---	105	7	2	5
Independence, part	---	822	29	18	14
Independence, total	---	825	29	18	14
Kansas City, part	---	4,353	121	87	67
White	---	3,279	54	38	40
All other	---	1,074	67	49	27
Black	---	1,063	67	49	26
Kansas City, total	---	4,754	135	98	86
White	---	3,877	67	48	55
All other	---	1,077	68	50	28
Black	---	1,066	68	50	26
Lee's Summit	---	281	5	4	3
Raytown	---	242	2	1	1
Balance of county	---	295	12	11	26
Jasper	850	970	11	7	10
Carthage	---	149	1	1	2
Joplin, part	---	490	5	2	4
Joplin, total	---	525	6	3	4
Balance of county	---	331	5	4	4
Jefferson	481	886	36	26	13
Johnson	182	231	8	7	11
Warrensburg	---	85	2	2	3
Balance of county	---	146	6	5	8
Knox	33	83	1	1	2
Laclede	230	251	3	2	3
Lafayette	270	319	3	2	1
Lawrence	337	364	6	4	3
Lewis	52	116	1	1	3
Lincoln	224	231	9	2	6
Linn	264	249	1	1	5
Livingston	270	211	3	2	3
McDonald	57	176	5	2	3
Macon	159	246	2	2	1
Madison	69	143	3	3	2
Maries	17	75	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Marion	394	351	4	2	4
Hannibal, part	---	228	2	1	4
Hannibal, total	---	230	2	1	4
Balance of county	---	123	2	1	–
Mercer	48	72	1	1	1
Miller	79	207	4	3	3
Mississippi	85	167	1	1	6
White	70	155	1	1	5
All other	15	32	–	–	3
Black	15	32	–	–	3
Moniteau	81	142	–	–	–
Monroe	66	137	2	2	3
Montgomery	49	151	1	–	2
Morgan	105	181	1	–	4
New Madrid	91	238	5	5	4
White	73	203	3	3	4
All other	18	35	2	2	–
Black	18	35	2	2	–
Sikeston, part	---	1	–	–	–
Balance of county	---	237	5	5	4
White	---	202	3	3	4
All other	---	35	2	2	–
Black	---	35	2	2	–
Newton	485	356	8	6	4
Joplin, part	---	35	1	1	–
Balance of county	---	321	7	5	4
Nodaway	192	227	2	–	1
Oregon	53	135	6	3	3
Osage	51	124	–	–	4
Ozark	38	97	–	–	1
Pemiscot	228	303	9	4	4
White	158	227	4	1	3
All other	70	76	5	3	1
Black	70	76	5	3	1
Perry	127	151	5	3	4
Pettis	472	397	3	2	6
Sedalia	---	281	2	1	5
Balance of county	---	116	1	1	1
Phelps	364	281	5	1	2
Rolla	---	85	2	1	–
Balance of county	---	196	3	–	2
Pike	181	230	2	2	2
Platte	101	212	10	8	4
Kansas City, part	---	49	3	2	3
Balance of county	---	163	7	6	1
Polk	80	206	2	1	1
Pulaski	157	204	10	6	8
Putnam	67	79	2	2	–
Ralls	35	89	1	1	2
Hannibal, part	---	2	–	–	–
Balance of county	---	87	1	1	2
Randolph	267	301	2	–	4
Moberly	---	184	1	–	2
Balance of county	---	117	1	–	2
Ray	157	203	6	4	1
Reynolds	39	72	1	1	–
Ripley	89	151	5	3	3
St. Charles	654	690	20	15	29
St. Charles	---	309	9	8	8
Balance of county	---	381	11	7	20
St. Clair	118	111	2	1	–
St. Francois	603	516	10	5	7
St. Louis	7,476	7,483	149	107	112
White	7,027	6,984	110	82	75
All other	449	509	39	25	37
Black	442	505	38	25	37
Baldwin	---	101	4	2	1
Bellefontaine Neighbors	---	159	–	–	–
Berkeley	---	76	2	1	3
Brentwood	---	74	–	–	1
Bridgeton	---	116	2	2	1
Clayton	---	144	–	–	–
Crestwood	---	67	1	1	–
Ferguson	---	231	5	2	3
Florissant	---	482	11	10	10
Hazelwood	---	67	2	1	3
Jennings	---	210	2	1	2
Kirkwood	---	323	4	3	4
Ladue	---	61	1	1	1
Maplewood	---	145	1	1	–
Overland	---	233	8	6	6
Richmond Heights	---	155	3	3	–
White	---	143	2	2	–
All other	---	12	1	1	–
Black	---	12	1	1	–
St. Ann	---	129	1	1	2
University City	---	361	6	5	4
White	---	309	2	2	1
All other	---	52	4	3	3
Black	---	51	4	3	3
Webster Groves	---	262	5	2	3
Balance of county	---	4,037	91	65	66
White	---	3,666	67	50	45
All other	---	371	24	15	23
Black	---	370	23	15	23
St. Louis city	8,732	6,959	174	123	91
White	5,949	4,384	43	31	26
All other	2,783	2,575	131	92	65
Black	2,776	2,567	131	92	65
Ste. Genevieve	110	123	1	1	3
Saline	235	306	6	3	4
Marshall	---	154	4	1	1
Balance of county	---	152	2	2	3
Schuyler	33	67	–	–	2
Scotland	66	76	1	1	2
Scott	459	370	9	5	5
Sikeston, part	---	168	4	2	3
White	---	144	3	2	2
All other	---	22	1	–	1
Black	---	22	1	–	1
Sikeston, total	---	167	4	2	3
White	---	145	3	2	2
All other	---	22	1	–	1
Black	---	22	1	–	1
Balance of county	---	204	5	3	2
Shannon	35	62	2	1	–
Shelby	62	124	–	–	–
Stoddard	238	322	8	6	1
Stone	48	164	3	3	2
Sullivan	86	127	1	–	–
Taney	228	251	1	–	2
Texas	178	219	4	2	2
Vernon	247	260	7	4	2
Warren	56	131	3	3	1
Washington	97	187	4	2	3
Wayne	64	137	2	1	–
Webster	67	179	4	3	2
Worth	24	51	1	1	1
Wright	136	213	3	2	3
Montana	6,414	6,476	151	100	117
White	6,124	6,172	133	94	101
All other	290	304	18	6	16
Black	14	14	–	–	–
Beaverhead	70	65	3	2	3
Big Horn	69	66	3	1	5
White	37	39	–	–	–
All other	32	47	3	1	5
Black	–	–	–	–	–
Blaine	34	66	3	2	2
White	20	42	2	2	–
All other	14	24	1	–	2
Black	–	–	–	–	–
Broadwater	23	24	2	2	1
Carbon	66	98	3	1	1
Carter	14	20	1	–	–
Cascade	737	658	17	15	9
Great Falls	---	563	15	14	7
Balance of county	---	95	2	1	2
Chouteau	27	47	1	1	2
Custer	176	141	2	2	3
Daniels	26	32	1	1	–
Dawson	89	88	2	2	2
Deer Lodge	135	160	1	1	2
Fallon	23	28	–	–	–
Fergus	164	156	4	3	2
Flathead	429	421	12	8	10
Kalispell	---	149	2	1	2
Balance of county	---	272	10	7	8
Gallatin	232	228	7	3	2
Bozeman	---	130	5	2	1
Balance of county	---	98	2	1	1
Garfield	9	11	–	–	1
Glacier	90	108	5	1	3
White	43	52	1	–	1
All other	47	56	4	1	2
Black	1	1	–	–	–
Golden Valley	7	13	–	–	–
Granite	14	30	–	–	–

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Hill	155	139	1	1	4
White	132	121	1	1	3
All other	23	18	–	–	1
Black	–	–	–	–	–
Havre	---	87	–	–	3
Balance of county	---	52	1	1	1
White	---	36	1	1	1
All other	---	16	–	–	–
Black	---	–	–	–	–
Jefferson	32	52	3	3	1
Judith Basin	2	26	–	–	–
Lake	162	190	3	1	5
White	144	163	2	1	4
All other	18	27	1	–	1
Black	–	–	–	–	–
Lewis and Clark	390	334	5	3	5
Helena	---	235	3	2	4
Balance of county	---	99	2	1	1
Liberty	23	14	–	–	–
Lincoln	78	103	3	3	2
McCone	21	25	1	1	3
Madison	70	83	2	2	1
Meagher	17	19	–	–	1
Mineral	46	37	2	1	1
Missoula	530	450	9	4	9
Missoula	---	316	4	1	6
Balance of county	---	134	5	3	3
Musselshell	31	54	1	–	–
Park	107	126	3	2	2
Petroleum	1	3	–	–	–
Phillips	44	58	2	1	3
Pondera	52	55	1	–	1
Powder River	9	16	–	–	1
Powell	64	67	1	1	–
Prairie	15	18	–	–	–
Ravalli	173	199	2	1	2
Richland	77	91	1	1	–
Roosevelt	98	98	3	2	–
White	71	71	2	2	–
All other	27	27	1	–	–
Black	–	–	–	–	–
Rosebud	50	72	6	3	1
White	37	45	2	2	1
All other	13	27	4	1	–
Black	–	–	–	–	–
Sanders	59	74	2	1	1
Sheridan	47	48	1	1	–
Silver Bow	489	513	5	5	11
Butte	---	457	5	5	11
Balance of county	---	56	–	–	–
Stillwater	57	62	1	1	1
Sweet Grass	25	28	–	–	–
Teton	42	59	–	–	–
Toole	25	39	2	2	–
Treasure	3	6	1	1	–
Valley	75	85	–	–	1
Wheatland	27	28	2	2	1
Wibaux	10	15	1	–	–
Yellowstone	874	710	29	12	12
Billings	---	529	14	8	9
Balance of county	---	181	6	4	3
Yellowstone National Park	–	–	–	–	–
Nebraska	14,362	14,247	304	208	228
White	13,890	13,781	268	186	208
All other	472	466	36	22	20
Black	370	370	28	18	17
Adams	408	344	5	3	5
Hastings	---	289	4	3	2
Balance of county	---	55	1	–	3
Antelope	93	100	1	1	3
Arthur	–	8	1	1	–
Banner	2	5	1	1	–
Blaine	–	6	–	–	1
Boone	55	67	–	–	–
Box Butte	136	140	4	3	2
Boyd	34	48	1	1	1
Brown	53	52	2	2	–
Buffalo	324	271	5	2	6
Kearney	---	139	2	1	5
Balance of county	---	132	3	1	1
Burt	70	100	3	1	–
Butler	126	121	1	1	1
Cass	94	168	1	1	2
Cedar	73	126	1	–	2
Chase	69	71	1	1	1
Cherry	63	63	1	1	–
Cheyenne	93	114	1	–	4
Clay	32	66	1	–	1
Colfax	96	117	1	1	1
Cuming	103	121	2	2	3
Custer	148	170	1	1	4
Dakota	53	135	4	2	1
Dawes	82	82	3	3	2
Dawson	199	208	7	3	2
Deuel	13	36	–	–	–
Dixon	62	63	1	1	2
Dodge	288	319	5	3	5
Fremont	---	213	4	3	5
Balance of county	---	106	1	–	1
Douglas	4,227	3,288	93	66	72
White	3,874	2,938	66	49	55
All other	353	350	27	17	17
Black	335	336	26	17	16
Omaha	---	3,119	81	54	65
White	---	2,774	56	39	48
All other	---	345	25	15	17
Black	---	331	24	15	16
Balance of county	---	169	12	12	7
Dundy	29	31	2	1	4
Fillmore	77	106	–	–	1
Franklin	54	78	–	–	2
Frontier	20	30	1	1	2
Furnas	66	82	1	1	1
Gage	270	284	–	–	3
Beatrice	---	185	–	–	3
Balance of county	---	109	–	–	–
Garden	35	26	–	–	–
Garfield	38	37	1	1	–
Gosper	11	22	–	–	–
Grant	2	9	–	–	–
Greeley	22	55	1	1	–
Hall	580	494	11	5	7
Grand Island	---	411	9	4	2
Balance of county	---	83	2	1	5
Hamilton	117	95	1	1	1
Harlan	58	63	–	–	–
Hayes	1	10	–	–	–
Hitchcock	22	51	–	–	1
Holt	114	153	4	3	2
Hooker	10	7	–	–	–
Howard	66	78	3	2	2
Jefferson	116	139	1	1	–
Johnson	65	70	1	–	–
Kearney	57	67	1	1	–
Keith	85	85	2	2	1
Keya Paha	1	6	–	–	–
Kimball	52	51	1	1	–
Knox	107	146	4	3	–
Lancaster	1,553	1,279	33	21	24
Lincoln	---	1,184	33	21	23
Balance of county	---	95	–	–	1
Lincoln	282	295	5	4	4
North Platte	---	214	2	2	2
Balance of county	---	81	3	2	2
Logan	3	6	–	–	–
Loup	3	14	–	–	–
McPherson	3	6	–	–	–
Madison	360	333	8	5	5
Norfolk	---	203	6	5	4
Balance of county	---	130	2	–	1
Merrick	58	91	–	–	–
Morrill	40	60	1	1	–
Nance	50	54	1	1	2
Nemaha	69	98	–	–	1
Nuckolls	63	83	1	1	–
Otoe	168	190	4	2	1
Pawnee	51	69	1	1	1
Perkins	37	38	1	–	2
Phelps	143	136	1	–	3
Pierce	116	87	–	–	1
Platte	198	215	6	5	4
Columbus	---	154	5	4	1
Balance of county	---	61	1	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Polk	50	72	1	1	–
Red Willow	109	123	3	2	1
Richardson	164	171	–	–	–
Rock	23	30	–	–	–
Saline	155	160	2	2	4
Sarpy	212	294	19	10	7
Bellevue	---	111	8	4	4
Balance of county	---	183	11	6	3
Saunders	100	184	4	3	3
Scotts Bluff	351	317	9	6	5
Scottsbluff	---	138	6	5	2
Balance of county	---	179	3	1	3
Seward	138	154	2	1	2
Sheridan	109	106	2	2	1
Sherman	31	47	1	–	–
Sioux	8	16	–	–	1
Stanton	17	56	2	2	1
Thayer	75	100	–	–	–
Thomas	2	6	–	–	–
Thurston	72	91	3	1	–
White	53	56	1	1	–
All other	19	35	2	–	–
Black	–	–	–	–	–
Valley	82	75	1	1	1
Washington	120	132	5	5	1
Wayne	51	73	3	3	1
Webster	55	65	1	1	–
Wheeler	2	9	–	–	1
York	126	126	2	2	2
Nevada	5,861	5,388	155	82	98
White	5,420	4,961	118	62	71
All other	441	427	37	20	27
Black	289	279	29	15	17
Churchill	101	128	4	2	1
Clark	3,107	2,985	71	36	51
White	2,807	2,590	43	21	33
All other	300	295	28	15	18
Black	252	252	28	15	15
Henderson	---	128	3	2	6
Las Vegas	---	1,488	39	19	18
White	---	1,307	23	11	10
All other	---	181	16	8	8
Black	---	163	16	8	7
North Las Vegas	---	262	18	9	9
White	---	184	9	4	3
All other	---	78	9	5	6
Black	---	73	9	5	6
Balance of county	---	1,007	11	6	18
Douglas	41	102	3	1	1
Elko	158	144	5	4	3
White	134	118	2	2	1
All other	24	26	3	2	2
Black	4	3	–	–	–
Esmeralda	12	13	1	–	–
Eureka	14	10	1	1	–
Humboldt	60	68	3	2	1
White	57	61	3	2	1
All other	3	7	–	–	–
Black	–	3	–	–	–
Lander	20	22	1	1	2
Lincoln	27	29	–	–	1
Lyon	77	122	5	3	1
Mineral	38	53	–	–	4
White	34	44	–	–	2
All other	4	9	–	–	2
Black	–	–	–	–	1
Nye	56	70	–	–	3
Ormsby, coext. with Carson City	253	246	8	3	7
Pershing	33	36	2	2	–
Storey	7	21	–	–	–
Washoe	1,770	1,353	49	25	21
Reno	---	880	25	13	9
Sparks	---	272	14	8	8
Balance of county	---	201	10	4	4
White Pine	87	86	2	2	2
New Hampshire	7,293	7,460	136	99	85
White	7,278	7,445	135	98	84
All other	15	15	1	1	1
Black	14	13	1	1	–
Belknap	404	441	7	4	9

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Hampshire-Con.					
Laconia	---	197	4	2	2
Balance of county	---	244	3	2	7
Carroll	251	287	3	2	1
Cheshire	387	514	8	5	7
Keene	---	179	3	2	1
Balance of county	---	335	5	3	6
Coos	350	383	9	8	3
Berlin	---	164	6	6	2
Balance of county	---	219	3	2	1
Grafton	837	517	4	2	4
Hillsborough	2,284	2,170	37	27	21
Manchester	---	982	12	9	3
Nashua	---	495	10	8	8
Balance of county	---	693	15	10	10
Merrimack	924	855	15	10	11
Concord	---	360	2	2	2
Balance of county	---	495	13	8	9
Rockingham	960	1,296	24	16	11
Portsmouth	---	224	3	1	2
Balance of county	---	1,072	21	15	9
Strafford	660	679	17	16	12
Dover	---	220	5	5	4
Rochester	---	218	4	3	2
Balance of county	---	241	8	8	6
Sullivan	236	318	12	9	6
Claremont	---	150	6	5	1
Balance of county	---	168	6	4	5
New Jersey	64,005	65,745	1,242	884	860
White	57,167	58,712	786	579	558
All other	6,838	7,033	456	305	302
Black	6,671	6,851	441	295	286
Atlantic	2,671	2,473	34	21	31
White	2,294	2,088	21	11	15
All other	377	385	13	10	16
Black	373	381	12	9	15
Atlantic City	---	699	13	8	14
White	---	625	6	3	4
All other	---	274	7	5	10
Black	---	273	7	5	10
Hammonton	---	114	2	1	2
Margate City	---	123	1	–	–
Pleasantville	---	205	7	5	3
White	---	139	2	1	1
All other	---	66	5	4	2
Black	---	66	5	4	2
Ventnor City	---	187	2	1	1
Balance of county	---	945	9	6	11
Bergen	6,152	7,505	81	56	63
White	5,907	7,227	74	51	57
All other	245	278	7	5	6
Black	227	248	5	3	2
Bergenfield	---	265	3	2	1
Cliffside Park	---	234	4	4	2
Dumont	---	170	–	–	3
East Paterson	---	183	2	2	2
Englewood	---	234	2	1	1
White	---	140	2	1	1
All other	---	94	–	–	–
Black	---	93	–	–	–
Fair Lawn	---	338	4	2	1
Fairview	---	122	–	–	4
Fort Lee	---	277	2	2	3
Garfield	---	280	7	5	3
Glen Rock	---	77	1	1	–
Hackensack	---	378	11	7	2
White	---	321	5	3	2
All other	---	57	6	4	–
Black	---	53	5	3	–
Hasbrouck Heights	---	127	2	2	–
Hillsdale	---	73	–	–	1
Lodi	---	222	2	1	4
Lyndhurst twp. #	---	208	2	1	–
Maywood	---	89	1	–	2
New Milford	---	155	2	1	2
North Arlington	---	182	2	2	2
Oakland	---	60	3	3	1
Palisades Park	---	132	1	1	1
Paramus	---	180	1	1	1
Ramsey	---	67	1	–	1
Ridgefield	---	112	–	–	1
Ridgefield Park	---	128	3	2	–
Ridgewood	---	213	1	1	–
River Edge	---	87	–	–	1
Rutherford	---	209	5	3	1
Saddle Brook twp. #	---	115	2	1	–
Teaneck twp. #	---	344	1	1	1
White	---	287	1	1	–
All other	---	57	–	–	1
Black	---	54	–	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Tenafly	---	140	2	1	1
Waldwick	---	73	1	–	–
Wallington	---	100	–	–	2
Washington twp. #	---	49	–	–	–
Westwood	---	111	2	1	3
Wyckoff twp. #	---	105	–	–	1
Balance of county	---	1,667	11	8	15
Burlington	2,457	2,394	51	32	41
White	2,267	2,195	39	24	28
All other	190	199	12	8	13
Black	187	197	12	8	12
Burlington	---	167	3	1	4
White	---	137	2	1	4
All other	---	30	1	–	–
Black	---	30	1	–	–
Cinnaminson twp. #	---	89	–	–	–
Maple Shade twp. #	---	176	1	–	1
Mount Holly twp. #	---	147	4	4	1
White	---	131	2	2	–
All other	---	16	2	2	1
Black	---	16	2	2	1
New Hanover twp. #	---	5	–	–	1
White	---	3	–	–	1
All other	---	2	–	–	–
Black	---	2	–	–	–
Willingboro twp. #	---	173	6	4	6
White	---	138	4	3	1
All other	---	37	2	1	5
Black	---	37	2	1	5
Balance of county	---	1,637	37	23	28
White	---	1,537	30	18	21
All other	---	100	7	5	7
Black	---	99	7	5	6
Camden	3,933	4,068	97	70	60
White	3,391	3,552	54	41	35
All other	542	516	43	29	25
Black	534	507	43	29	24
Audubon	---	116	2	2	1
Bellmawr	---	106	1	–	3
Camden	---	953	50	33	23
White	---	585	12	8	9
All other	---	368	38	25	14
Black	---	368	38	25	14
Cherry Hill twp. #	---	432	5	3	5
Collingswood	---	210	2	2	2
Gloucester City	---	142	1	1	–
Gloucester twp. #	---	202	5	4	1
Haddonfield	---	140	1	1	–
Haddon twp. #	---	142	–	–	–
Lindenwold	---	87	3	2	2
Pennsauken twp. #	---	338	3	3	4
Runnemede	---	73	3	3	–
Balance of county	---	1,127	21	16	19
Cape May	908	1,142	8	4	13
Ocean City	---	219	–	–	3
Balance of county	---	923	8	4	10
Cumberland	1,267	1,245	24	19	15
White	1,101	1,079	18	15	7
All other	166	166	6	4	8
Black	159	157	6	4	7
Bridgeton	---	241	6	4	2
White	---	164	1	1	–
All other	---	77	5	3	2
Black	---	74	5	3	2
Millville	---	259	5	5	5
Vineland	---	484	8	6	6
Balance of county	---	261	5	4	2
White	---	214	4	3	1
All other	---	47	1	1	1
Black	---	42	1	1	1
Essex	9,141	8,202	239	164	145
White	6,717	5,856	74	63	54
All other	2,424	2,346	165	101	91
Black	2,402	2,326	164	101	91
Belleville	---	336	4	3	3
Bloomfield	---	532	7	7	4
Cedar Grove twp. #	---	80	2	2	4
East Orange	---	741	25	17	19
White	---	329	3	3	–
All other	---	412	22	14	19
Black	---	412	22	14	19
Irvington	---	710	15	11	11
Livingston twp. #	---	162	2	2	–
Maplewood twp. #	---	289	5	4	–
Millburn twp. #	---	169	–	–	3
Montclair	---	426	6	5	2
White	---	286	3	3	2
All other	---	140	3	2	–
Black	---	136	3	2	–
Newark	---	3,020	151	93	72
White	---	1,468	32	24	22
All other	---	1,552	119	69	50
Black	---	1,544	119	69	50
Nutley	---	277	4	4	2
Orange	---	349	11	9	5
White	---	227	2	2	2
All other	---	122	9	7	3
Black	---	122	9	7	3
South Orange	---	137	–	–	1
Verona	---	127	1	1	–
West Caldwell	---	97	–	–	1
West Orange	---	433	2	2	4
Balance of county	---	317	4	4	14
Gloucester	1,233	1,466	38	28	12
White	1,112	1,304	23	18	10
All other	121	162	15	10	2
Black	120	161	15	10	2
Glassboro	---	103	5	3	1
White	---	73	1	–	1
All other	---	30	4	3	–
Black	---	30	4	3	–
Pitman	---	103	1	–	–
Woodbury	---	154	3	1	1
White	---	132	–	–	–
All other	---	22	3	1	1
Black	---	22	3	1	1
Balance of county	---	1,106	29	24	10
White	---	997	21	18	9
All other	---	109	8	6	1
Black	---	108	8	6	1
Hudson	5,305	5,937	118	86	67
White	4,794	5,375	83	59	54
All other	511	562	35	27	33
Black	490	537	34	26	31
Bayonne	---	794	7	3	7
Harrison	---	132	1	1	1
Hoboken	---	398	12	10	14
Jersey City	---	2,530	64	46	44
White	---	2,016	30	20	19
All other	---	514	34	26	25
Black	---	497	33	25	24
Kearny	---	404	9	7	5
North Bergen twp. #	---	470	10	8	4
Secaucus	---	126	2	1	4
Union City	---	487	8	7	5
Weehawken twp. #	---	128	1	1	–
West New York	---	346	4	2	2
Balance of county	---	122	–	–	1
Hunterdon	524	643	5	5	5
Mercer	3,157	2,681	67	49	45
White	2,691	2,393	28	23	18
All other	466	488	39	26	27
Black	457	483	38	26	26
Ewing twp. #	---	282	6	4	–
Hamilton twp. #	---	727	12	9	3
Princeton	---	143	2	1	1
White	---	126	1	1	1
All other	---	17	1	–	–
Black	---	15	–	–	–
Trenton	---	1,220	45	34	34
White	---	839	11	9	8
All other	---	381	34	25	26
Black	---	381	34	25	25
Balance of county	---	529	2	1	7
Middlesex	3,572	4,327	88	65	44
White	3,388	4,114	71	55	36
All other	184	213	17	13	6
Black	173	196	14	11	5
Carteret	---	206	2	2	–
East Brunswick twp. #	---	210	5	5	5
Edison twp. #	---	442	4	3	3
Highland Park	---	109	1	1	–
Madison twp. #	---	246	6	5	1
Metuchen	---	129	4	4	3
Middlesex	---	140	3	2	2
New Brunswick	---	320	14	12	7
White	---	241	9	8	4
All other	---	79	5	4	3
Black	---	77	4	4	3
Perth Amboy	---	418	9	6	1
Piscataway twp. #	---	183	7	6	5
White	---	157	3	3	3
All other	---	26	4	3	2
Black	---	22	3	2	1
Sayreville	---	230	1	1	–
South Plainfield	---	145	4	4	3
South River	---	137	5	4	2
Woodbridge twp. #	---	699	7	2	5
Balance of county	---	773	16	11	7
Monmouth	4,558	4,536	64	43	48
White	4,255	4,138	48	33	33
All other	403	398	16	10	15
Black	387	382	13	9	14

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Asbury Park	---	286	3	1	6
White	---	198	-	-	5
All other	---	88	3	1	1
Black	---	88	3	1	1
Eatontown	---	84	1	-	3
Freehold	---	134	3	3	3
Hazlet twp. #	---	144	1	1	3
Long Branch	---	316	6	5	4
White	---	276	4	3	2
All other	---	40	2	2	2
Black	---	40	2	2	2
Matawan twp. #	---	94	1	1	1
White	---	84	1	1	1
All other	---	10	-	-	-
Black	---	10	-	-	-
Middletown twp. #	---	414	3	1	5
Neptune twp. #	---	340	3	3	4
White	---	256	1	1	2
All other	---	84	2	2	2
Black	---	82	2	2	2
Ocean twp. #	---	161	4	1	2
Red Bank	---	181	1	1	1
White	---	153	-	-	1
All other	---	28	1	1	-
Black	---	27	1	1	-
Balance of county	---	2,382	38	26	16
White	---	2,278	32	23	11
All other	---	104	6	3	5
Black	---	94	4	2	4
Morris	3,150	2,656	50	44	27
White	3,073	2,597	49	43	26
All other	77	59	1	1	1
Black	68	49	-	-	1
Dover	---	148	2	-	3
Madison	---	128	1	1	-
Morristown	---	217	-	-	-
White	---	191	-	-	-
All other	---	26	-	-	-
Black	---	25	-	-	-
Parsippany-Troy Hills twp. #	---	247	8	6	4
Pequannock twp. #	---	75	2	2	-
Balance of county	---	1,841	39	35	20
Ocean	3,686	4,033	48	27	37
Brick twp. #	---	529	6	5	8
Dover twp. #	---	662	11	8	6
Lakewood twp. #	---	530	7	4	4
White	---	494	5	2	2
All other	---	36	2	2	2
Black	---	34	2	2	2
Point Pleasant	---	230	2	2	2
Balance of county	---	2,082	22	8	17
Passaic	4,188	4,065	96	75	78
White	3,829	3,710	51	39	56
All other	359	375	47	36	20
Black	327	363	46	35	19
Clifton	---	825	4	3	9
Hawthorne	---	207	1	-	1
Little Falls twp. #	---	103	3	3	-
Passaic	---	528	17	14	11
White	---	456	8	7	10
All other	---	72	8	7	1
Black	---	72	8	7	1
Paterson	---	1,264	55	43	34
White	---	981	17	15	18
All other	---	283	38	28	16
Black	---	277	38	28	15
Pompton Lakes	---	102	-	-	2
Ringwood	---	64	2	1	2
Totowa	---	117	2	2	1
Wayne twp. #	---	317	1	1	4
West Paterson	---	92	-	-	3
Balance of county	---	466	13	8	9
Salem	595	589	15	13	4
White	503	478	10	9	2
All other	92	111	5	4	2
Black	89	109	5	4	2
Somerset	1,348	1,335	17	13	24
Bound Brook	---	84	2	2	1
Bridgewater twp. #	---	186	2	2	4
Franklin twp. #	---	166	1	1	5
White	---	146	1	1	2
All other	---	20	-	-	3
Black	---	19	-	-	2
Manville	---	82	1	1	1
North Plainfield	---	149	4	3	1
Somerville	---	139	1	1	3
White	---	127	1	1	3
All other	---	11	-	-	-
Black	---	11	-	-	-
Balance of county	---	530	6	3	9
Sussex	715	739	17	14	12
Union	4,855	4,731	68	45	64
White	4,149	4,189	42	29	41
All other	506	562	26	16	23
Black	497	556	26	16	22
Berkeley Heights twp. #	---	70	-	-	-
Clark twp. #	---	116	1	1	1
Cranford twp. #	---	197	1	1	2
Elizabeth	---	1,117	16	12	30
White	---	971	9	6	16
All other	---	146	9	6	14
Black	---	145	9	6	13
Hillside twp. #	---	186	6	4	3
Linden	---	376	2	-	5
White	---	331	1	-	5
All other	---	45	1	-	-
Black	---	44	1	-	-
New Providence	---	75	-	-	1
Plainfield	---	391	12	8	7
White	---	233	3	1	2
All other	---	158	9	7	5
Black	---	158	9	7	5
Rahway	---	248	1	1	2
White	---	214	1	1	2
All other	---	34	-	-	-
Black	---	33	-	-	-
Roselle	---	237	6	3	3
White	---	186	2	1	2
All other	---	51	4	2	1
Black	---	50	4	2	1
Roselle Park	---	157	-	-	-
Scotch Plains twp. #	---	143	3	3	1
Springfield twp. #	---	140	2	2	-
Summit	---	232	4	4	1
Union twp. #	---	562	6	3	6
Westfield	---	246	3	2	-
Balance of county	---	238	3	1	2
Warren	712	758	15	8	7
Phillipsburg	---	251	5	2	1
Balance of county	---	507	10	6	6
New Mexico	8,921	8,722	358	228	188
White	7,853	7,856	276	188	153
All other	968	866	82	40	35
Black	176	162	12	7	3
Bernalillo	3,126	2,482	81	52	35
White	2,923	2,398	75	49	33
All other	203	84	6	3	2
Black	66	51	4	2	1
Albuquerque	---	2,282	77	50	33
White	---	2,218	71	47	31
All other	---	74	6	3	2
Black	---	48	4	2	1
Balance of county	---	190	4	2	2
Catron	12	26	1	1	-
Chaves	485	483	11	10	7
Roswell	---	417	9	8	7
Balance of county	---	66	2	2	-
Colfax	113	128	2	2	3
Curry	307	318	14	9	6
Clovis	---	264	12	8	5
Balance of county	---	54	2	1	1
De Baca	34	25	-	-	1
Dona Ana	399	506	16	13	21
Las Cruces	---	293	8	7	11
Balance of county	---	213	8	6	10
Eddy	383	416	14	11	10
Artesia	---	91	4	3	3
Carlsbad	---	248	6	4	3
Balance of county	---	77	4	4	4
Grant	242	204	9	8	3
Guadalupe	29	39	-	-	1
Harding	5	12	1	1	-
Hidalgo	25	48	1	1	2
Lea	308	385	30	16	8
Hobbs	---	220	20	10	3
Balance of county	---	165	10	6	5
Lincoln	88	84	-	-	-
Los Alamos	69	62	3	2	1
Luna	145	179	5	3	2
McKinley	415	396	42	19	19
White	119	115	6	3	3
All other	296	281	36	16	16
Black	3	3	-	-	-
Gallup	---	129	10	6	6
White	---	88	3	2	2
All other	---	41	7	4	4
Black	---	3	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occuring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Balance of county	---	267	32	13	13
White	---	27	3	1	1
All other	---	240	29	12	12
Black	---	–	–	–	–
Mora	16	41	1	1	–
Otero	230	267	10	8	5
Alamogordo	---	169	5	3	4
Balance of county	---	98	5	5	1
White	---	72	5	5	1
All other	---	26	–	–	–
Black	---	2	–	–	–
Quay	109	124	2	1	3
Rio Arriba	165	229	9	4	8
White	145	199	9	4	7
All other	20	30	–	–	1
Black	1	–	–	–	–
Roosevelt	102	150	6	4	2
Portales	---	104	5	4	2
Balance of county	---	46	1	–	–
Sandoval	91	193	9	3	5
White	47	118	5	2	3
All other	44	75	4	1	2
Black	1	2	–	–	–
San Juan	410	419	27	15	12
White	222	252	10	8	7
All other	188	167	17	7	5
Black	4	3	–	–	–
Farmington	---	157	4	2	5
Balance of county	---	262	23	13	7
White	---	106	6	6	3
All other	---	156	17	7	4
Black	---	1	–	–	–
San Miguel	230	202	6	2	5
Santa Fe	502	450	15	9	5
Santa Fe	---	335	8	4	5
Balance of county	---	115	7	5	–
Sierra	119	129	–	–	–
Socorro	75	81	6	5	1
Taos	100	135	4	3	7
Torrance	23	42	3	2	1
Union	56	74	1	1	1
Valencia	251	393	29	22	14
White	200	321	24	19	12
All other	51	72	5	3	2
Black	4	6	–	–	–
New York	164,040	164,508	3,212	2,299	2,810
White	144,474	144,969	2,151	1,557	1,974
All other	19,566	19,539	1,061	742	836
Black	18,435	18,423	1,006	705	787
Albany	3,671	2,849	51	36	43
White	3,508	2,718	41	28	38
All other	163	131	10	8	5
Black	156	125	9	7	5
Albany	---	1,345	23	19	22
White	---	1,226	15	13	18
All other	---	119	8	6	4
Black	---	116	8	6	4
Cohoes	---	247	2	1	5
Watervliet	---	159	2	1	4
Balance of county	---	1,098	24	15	12
Allegany	277	413	10	7	13
Broome	2,166	1,958	48	36	24
Binghamton	---	747	15	10	10
Endicott	---	174	10	8	1
Johnson City	---	224	5	4	–
Balance of county	---	813	18	14	13
Cattaraugus	807	687	17	10	21
Olean	---	219	2	2	9
Balance of county	---	668	15	8	12
Cayuga	682	725	16	9	21
Auburn	---	370	6	4	9
Balance of county	---	355	10	5	12
Chautauqua	1,504	1,553	22	15	32
Dunkirk	---	212	5	3	5
Fredonia	---	60	1	–	–
Jamestown	---	528	8	6	14
Balance of county	---	753	8	6	13
Chemung	1,025	971	13	8	18
Elmira	---	452	6	5	12
Balance of county	---	519	7	3	6
Chenango	363	518	8	5	2
Clinton	603	537	11	7	8
Plattsburgh	---	180	3	2	3
Balance of county	---	357	8	5	3
Columbia	604	649	5	4	8

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Cortland	439	415	10	4	7
Cortland	---	210	5	2	3
Balance of county	---	205	5	2	4
Delaware	517	477	5	2	4
Dutchess	2,037	1,899	33	24	36
White	1,924	1,786	24	17	29
All other	113	113	9	7	7
Black	106	105	9	7	6
Beacon	---	141	3	3	5
White	---	127	2	2	3
All other	---	14	1	1	2
Black	---	14	1	1	2
Poughkeepsie	---	403	14	11	10
White	---	343	7	5	7
All other	---	60	7	6	3
Black	---	59	7	6	3
Balance of county	---	1,355	18	10	21
Erie	10,490	10,057	148	105	105
White	9,569	9,161	105	78	88
All other	921	896	43	27	17
Black	891	862	39	25	17
Buffalo	---	4,847	88	62	45
White	---	4,003	48	37	29
All other	---	844	40	25	16
Black	---	829	38	25	16
Depew	---	143	1	1	4
Hamburg	---	96	1	–	4
Kenmore	---	217	–	–	2
Lackawanna	---	229	5	2	3
White	---	212	4	2	3
All other	---	17	1	–	–
Black	---	17	1	–	–
Lancaster	---	95	–	–	–
Tonawanda	---	161	–	–	6
Balance of county	---	4,269	53	40	41
Essex	290	411	7	4	4
Franklin	431	499	7	4	13
Fulton	490	571	13	8	5
Gloversville	---	236	6	4	1
Johnstown	---	101	1	–	2
Balance of county	---	232	6	4	2
Genesee	613	514	10	8	8
Batavia	---	202	4	3	3
Balance of county	---	312	6	3	5
Greene	397	497	3	2	2
Hamilton	23	65	–	–	1
Herkimer	622	726	5	4	6
Jefferson	1,019	1,021	21	16	16
Watertown	---	432	5	3	7
Balance of county	---	589	16	13	9
Lewis	170	221	5	2	5
Livingston	366	420	11	7	5
Madison	465	531	11	9	18
Oneida	---	138	–	–	2
Balance of county	---	393	11	9	16
Monroe	6,067	5,740	122	97	109
White	5,704	5,365	90	72	85
All other	363	375	32	25	24
Black	354	365	31	25	22
Rochester	---	2,785	66	50	70
White	---	2,431	35	26	46
All other	---	354	31	24	24
Black	---	348	30	24	22
Balance of county	---	2,955	56	47	39
Montgomery	552	679	9	8	9
Amsterdam	---	342	4	3	5
Balance of county	---	337	5	5	4
Nassau	10,968	11,255	166	131	166
White	10,379	10,667	117	94	140
All other	589	588	49	37	26
Black	567	556	47	36	25
East Rockaway	---	104	2	2	1
Floral Park	---	162	5	4	–
Freeport	---	346	16	10	6
White	---	280	3	2	3
All other	---	66	13	8	3
Black	---	64	13	8	3
Garden City	---	196	2	2	3
Glen Cove	---	258	2	2	5
Great Neck	---	148	1	–	–
Hempstead	---	390	16	13	8
White	---	263	4	3	2
All other	---	127	12	10	6
Black	---	125	12	10	6
Long Beach	---	620	7	7	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Lynbrook	---	217	–	–	6
Malverne	---	76	–	–	–
Massapequa Park	---	139	1	1	2
Mineola	---	169	–	–	1
New Hyde Park	---	85	1	1	3
Rockville Centre	---	280	4	3	–
Valley Stream	---	418	5	5	7
Westbury	---	153	3	2	2
Balance of county	---	7,484	101	79	119
White	---	7,177	82	64	102
All other	---	307	19	15	17
Black	---	287	17	14	14
New York City	72,028	72,505	1,596	1,132	1,359
White	56,667	57,336	829	599	727
All other	15,161	15,169	767	533	632
Black	14,296	14,325	731	509	600
Bronx Bor., Bronx Co	---	12,355	359	262	241
White	---	9,566	172	125	121
All other	---	2,789	187	137	120
Black	---	2,738	184	134	120
Brooklyn Bor., Kings Co	---	21,939	620	415	488
White	---	17,105	299	202	240
All other	---	4,834	321	213	248
Black	---	4,681	315	209	243
Manhattan Bor., New York Co	---	16,129	236	164	248
White	---	11,343	128	93	127
All other	---	4,786	108	71	121
Black	---	4,357	98	66	119
Queens Bor., Queens Co	---	19,314	324	245	311
White	---	16,740	185	142	185
All other	---	2,574	139	103	126
Black	---	2,395	122	91	110
Richmond Bor., Richmond Co	---	2,788	57	48	71
White	---	2,592	45	37	54
All other	---	196	12	9	17
Black	---	154	12	9	14
Niagara	2,163	2,219	38	28	36
White	2,088	2,136	32	23	34
All other	75	83	6	3	2
Black	63	69	5	3	2
Lockport	---	318	7	5	4
Niagara Falls	---	885	14	9	12
White	---	801	8	6	10
All other	---	84	6	3	2
Black	---	80	5	3	2
North Tonawanda	---	312	4	3	8
Balance of county	---	724	13	9	12
Oneida	2,553	2,411	41	33	32
Rome	---	372	8	7	10
Utica	---	1,008	14	12	9
Balance of county	---	1,031	19	14	13
Onondaga	4,442	3,827	83	63	56
White	4,290	3,779	68	51	48
All other	152	148	15	12	8
Black	135	131	14	11	6
Syracuse	---	2,011	37	32	24
White	---	1,881	24	22	17
All other	---	130	13	10	7
Black	---	122	12	9	6
Balance of county	---	1,916	46	31	32
Ontario	905	775	15	12	16
Canandaigua	---	123	1	1	2
Geneva	---	167	1	–	2
Balance of county	---	485	13	11	12
Orange	2,310	2,280	55	34	33
White	2,196	2,147	40	25	29
All other	114	133	15	9	4
Black	113	132	15	9	4
Middletown	---	276	9	3	4
Newburgh	---	362	17	11	6
White	---	288	7	4	4
All other	---	74	10	7	2
Black	---	73	10	7	2
Balance of county	---	1,642	29	20	23
Orleans	325	376	7	5	11
Oswego	702	942	20	10	13
Fulton	---	142	4	2	1
Oswego	---	226	5	1	2
Balance of county	---	574	11	7	10
Otsego	611	553	5	4	8
Oneonta	---	126	2	2	2
Balance of county	---	427	3	2	6
Putnam	434	503	8	8	9
Rensselaer	1,241	1,446	38	27	22
Rensselaer	---	106	–	–	2
Troy	---	701	15	10	13
Balance of county	---	639	23	17	7
Rockland	1,837	1,712	37	25	38
White	1,715	1,605	28	20	31
All other	122	107	9	5	7
Black	116	101	9	5	7
Spring Valley	---	169	8	6	3
White	---	141	3	3	1
All other	---	28	5	3	2
Black	---	27	5	3	2
Balance of county	---	1,543	29	19	35
White	---	1,464	25	17	30
All other	---	79	4	2	5
Black	---	74	4	2	5
St. Lawrence	1,033	1,059	22	18	12
Massena	---	155	4	4	1
Ogdensburg	---	152	3	2	1
Balance of county	---	752	15	12	10
Saratoga	585	1,066	14	12	11
Saratoga Springs	---	231	2	2	1
Balance of county	---	855	12	10	10
Schenectady	1,723	1,630	22	17	16
Schenectady	---	975	16	13	14
Balance of county	---	655	6	4	2
Schoharie	247	279	2	–	4
Schuyler	106	155	3	2	6
Seneca	255	297	5	4	2
Steuben	865	950	15	10	15
Corning	---	163	2	–	1
Hornell	---	134	1	–	2
Balance of county	---	653	12	10	12
Suffolk	9,353	8,877	171	125	178
White	8,860	8,410	145	105	153
All other	493	467	26	20	25
Black	467	440	24	18	24
Babylon	---	113	2	2	4
Lindenhurst	---	232	3	2	4
Patchogue	---	110	3	2	–
Balance of county	---	8,422	163	119	170
White	---	7,997	138	100	146
All other	---	455	25	19	24
Black	---	431	23	17	23
Sullivan	610	712	15	9	9
Tioga	205	374	7	6	4
Tompkins	508	539	13	10	21
Ithaca	---	208	4	4	10
Balance of county	---	331	9	6	11
Ulster	1,212	1,515	31	20	28
Kingston	---	398	3	1	7
Balance of county	---	1,117	28	19	21
Warren	881	602	14	9	3
Glens Falls	---	236	9	5	3
Balance of county	---	366	5	4	–
Washington	337	535	16	11	4
Wayne	551	719	17	13	24
Newark	---	104	1	1	2
Balance of county	---	615	16	12	22
Westchester	7,855	7,866	107	78	123
White	7,092	7,069	63	50	75
All other	763	797	44	28	48
Black	742	777	43	27	44
Dobbs Ferry	---	83	1	1	1
Mamaroneck	---	178	2	1	2
Mount Vernon	---	892	11	7	22
White	---	457	2	1	6
All other	---	235	9	6	16
Black	---	234	9	6	15
New Rochelle	---	693	4	2	12
White	---	547	2	1	9
All other	---	148	2	1	3
Black	---	143	2	1	3
Ossining	---	191	4	2	5
White	---	170	3	2	2
All other	---	21	1	–	3
Black	---	21	1	–	3
Peekskill	---	241	6	5	1
White	---	215	4	4	1
All other	---	26	2	1	–
Black	---	26	2	1	–
Port Chester	---	260	3	2	3
White	---	238	1	1	1
All other	---	22	2	1	2
Black	---	21	2	1	1
Rye	---	160	1	1	–
Scarsdale	---	150	3	3	2
Tarrytown	---	113	2	2	–
White Plains	---	531	10	5	12
White	---	455	3	–	8
All other	---	76	7	5	4
Black	---	74	7	5	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Yonkers	---	1,883	34	24	30
White	---	1,766	21	17	19
All other	---	117	13	7	11
Black	---	113	13	7	11
Balance of county	---	2,691	26	23	33
White	---	2,559	19	17	26
All other	---	132	7	6	7
Black	---	125	7	6	5
Wyoming	333	372	6	5	4
Yates	182	234	2	1	4
North Carolina	47,010	46,675	1,269	867	928
White	35,436	35,127	632	454	507
All other	11,574	11,548	637	413	421
Black	11,247	11,222	608	397	398
Alamance	707	686	19	13	15
White	611	748	11	8	9
All other	96	138	8	5	6
Black	96	138	8	5	6
Burlington	---	386	10	9	7
White	---	330	6	6	3
All other	---	56	4	3	4
Black	---	56	4	3	4
Balance of county	---	500	9	4	8
White	---	418	5	2	6
All other	---	82	4	2	2
Black	---	82	4	2	2
Alexander	80	171	3	1	2
Alleghany	101	95	–	–	3
Anson	154	228	4	2	12
White	97	197	1	1	4
All other	57	91	3	1	8
Black	57	91	3	1	8
Ashe	145	199	5	4	4
Avery	112	119	3	1	1
Beaufort	443	447	11	8	11
White	303	303	1	1	3
All other	140	144	10	7	8
Black	140	144	10	7	8
Bertie	106	231	10	5	9
White	43	106	3	1	–
All other	63	125	7	4	3
Black	63	125	7	4	3
Bladen	219	270	8	4	7
White	147	173	1	1	1
All other	72	97	7	3	6
Black	69	97	7	3	5
Brunswick	165	251	3	1	8
White	138	195	–	–	5
All other	27	56	3	1	3
Black	25	56	3	1	3
Buncombe	2,173	1,548	26	20	10
White	1,938	1,374	18	13	9
All other	235	174	8	7	1
Black	230	174	8	7	1
Asheville	---	796	14	12	2
White	---	640	7	6	1
All other	---	156	7	6	1
Black	---	156	7	6	1
Balance of county	---	752	12	8	8
Burke	530	492	15	10	12
Hickory, part	---	–	–	–	–
Morganton	---	129	5	5	4
White	---	101	5	5	2
All other	---	28	–	–	2
Black	---	28	–	–	2
Balance of county	---	363	10	5	8
Cabarrus	786	737	16	13	13
White	670	616	10	9	8
All other	116	121	6	4	5
Black	116	121	6	4	5
Concord	---	222	3	3	2
White	---	173	1	1	–
All other	---	49	2	2	2
Black	---	49	2	2	2
Balance of county	---	515	13	10	11
White	---	443	9	8	8
All other	---	72	4	2	3
Black	---	72	4	2	3
Caldwell	325	458	13	8	13
Lenoir	---	165	1	–	2
White	---	150	1	–	1
All other	---	15	–	–	1
Black	---	15	–	–	1
Balance of county	---	293	12	8	11
Camden	15	56	1	–	4
White	8	37	–	–	1
All other	7	19	1	–	3
Black	7	19	1	–	3
Carteret	352	357	10	6	6
White	310	324	9	7	5
All other	42	33	1	1	1
Black	42	33	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Caswell	53	167	4	4	6
White	33	114	1	1	2
All other	20	53	3	3	4
Black	20	53	3	3	4
Catawba	761	769	22	10	20
Hickory, part	---	249	7	4	2
White	---	215	5	3	1
All other	---	34	2	1	1
Black	---	34	2	1	1
Hickory, total	---	249	7	4	2
White	---	215	5	3	1
All other	---	34	2	1	1
Black	---	34	2	1	1
Balance of county	---	520	15	6	15
Chatham	231	286	6	3	4
White	165	199	3	2	1
All other	66	87	3	1	3
Black	66	87	3	1	3
Cherokee	153	172	4	3	4
Chowan	192	142	5	4	3
White	113	84	1	–	1
All other	79	58	4	4	2
Black	79	58	4	4	2
Clay	16	58	1	–	–
Cleveland	776	689	21	13	12
White	622	539	7	6	8
All other	154	150	14	7	4
Black	154	150	14	7	4
Shelby	---	200	5	3	2
White	---	142	1	1	1
All other	---	58	4	2	1
Black	---	58	4	2	1
Balance of county	---	489	16	10	10
White	---	397	6	5	7
All other	---	92	10	5	3
Black	---	92	10	5	3
Columbus	337	484	11	8	6
White	235	322	2	2	1
All other	102	142	9	6	5
Black	97	132	9	6	5
Craven	578	505	24	16	24
White	393	347	13	8	16
All other	185	158	11	8	8
Black	185	158	11	8	8
New Bern	---	213	9	5	8
White	---	127	5	3	5
All other	---	86	4	2	3
Black	---	86	4	2	3
Balance of county	---	292	15	11	16
White	---	220	8	5	11
All other	---	72	7	6	5
Black	---	72	7	6	5
Cumberland	1,428	1,262	75	53	45
White	906	815	36	29	22
All other	522	447	39	24	24
Black	497	434	36	23	21
Fayetteville	---	642	29	19	17
White	---	367	12	9	6
All other	---	275	17	10	11
Black	---	270	16	10	10
Balance of county	---	620	46	34	29
White	---	448	24	20	16
All other	---	172	22	14	13
Black	---	164	20	13	11
Currituck	28	77	–	–	1
White	20	62	–	–	1
All other	8	15	–	–	–
Black	8	15	–	–	–
Dare	50	95	4	2	3
Davidson	596	839	12	8	17
White	525	746	9	7	10
All other	73	93	3	1	7
Black	73	93	3	1	7
High Point, part	---	2	–	–	–
Lexington	---	200	4	1	1
White	---	158	2	1	–
All other	---	42	2	–	1
Black	---	42	2	–	1
Thomasville	---	144	1	1	3
White	---	110	–	–	2
All other	---	34	1	1	1
Black	---	34	1	1	1
Balance of county	---	493	7	6	8
Davie	152	182	1	1	–
White	142	165	1	1	–
All other	10	17	–	–	–
Black	10	17	–	–	–
Duplin	231	388	4	3	8
White	164	276	1	1	6
All other	67	112	3	2	2
Black	67	112	3	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Durham	2,433	1,275	32	24	18
White	1,636	809	17	12	7
All other	797	466	15	12	11
Black	787	465	15	12	11
Chapel Hill, part	---	3	1	1	-
Durham	---	991	24	18	15
White	---	568	10	7	5
All other	---	423	14	11	10
Black	---	422	14	11	10
Balance of county	---	281	7	5	3
White	---	238	5	4	2
All other	---	43	1	1	1
Black	---	43	1	1	1
Edgecombe	322	488	11	9	12
White	178	253	4	2	2
All other	144	235	7	7	10
Black	144	235	7	7	10
Rocky Mount, part	---	175	2	2	5
White	---	70	-	-	1
All other	---	105	2	2	4
Black	---	105	2	2	4
Balance of county	---	313	9	7	7
White	---	183	4	2	1
All other	---	130	5	5	6
Black	---	130	5	5	6
Forsyth	2,842	1,930	41	28	29
White	2,193	1,364	17	13	18
All other	649	566	24	15	11
Black	649	564	23	15	11
Winston-Salem	---	1,271	27	18	16
White	---	748	9	7	6
All other	---	525	18	11	10
Black	---	525	18	11	10
Balance of county	---	659	14	10	13
Franklin	247	330	3	2	4
White	158	208	-	-	2
All other	89	122	3	2	2
Black	87	122	3	2	2
Gaston	1,008	1,314	35	24	34
White	851	1,116	21	15	24
All other	157	198	14	9	10
Black	157	198	14	9	10
Gastonia	---	508	14	10	10
White	---	405	5	4	4
All other	---	103	9	6	6
Black	---	103	9	6	6
Balance of county	---	806	21	14	24
White	---	711	16	11	20
All other	---	95	5	3	4
Black	---	95	5	3	4
Gates	21	84	5	2	-
White	10	48	2	2	-
All other	11	36	3	-	-
Black	11	36	3	-	-
Graham	21	62	1	-	1
Granville	217	298	6	2	-
White	123	170	2	-	-
All other	94	128	4	2	-
Black	94	128	4	2	-
Greene	50	141	5	-	-
White	25	89	1	-	-
All other	25	52	4	-	-
Black	25	52	4	-	-
Guilford	2,711	2,491	46	34	38
White	2,155	1,944	23	17	12
All other	556	547	23	17	26
Black	554	546	23	17	23
Greensboro	---	1,260	25	19	21
White	---	906	9	7	5
All other	---	354	16	12	16
Black	---	354	16	12	14
High Point, part	---	613	12	8	11
White	---	483	6	4	4
All other	---	130	6	4	7
Black	---	129	6	4	7
High Point, total	---	615	12	8	11
White	---	485	6	4	4
All other	---	130	6	4	7
Black	---	129	6	4	7
Balance of county	---	618	9	7	6
White	---	555	8	6	3
All other	---	63	1	1	3
Black	---	63	1	1	2
Halifax	574	588	21	15	10
White	336	335	5	3	2
All other	238	253	16	12	8
Black	238	252	16	12	7
Roanoke Rapids	---	164	4	2	1
White	---	149	3	1	1
All other	---	15	1	1	-
Black	---	15	1	1	-
Balance of county	---	424	17	13	9
White	---	166	2	2	1
All other	---	238	15	11	8
Black	---	237	15	11	7
Harnett	433	525	17	11	6
White	329	408	10	6	4
All other	104	117	7	5	2
Black	99	112	7	5	2
Haywood	393	426	7	5	6
Henderson	553	547	7	4	-
Hertford	243	201	11	7	3
White	117	92	2	2	-
All other	126	109	9	5	3
Black	126	109	9	5	3
Hoke	119	126	7	6	3
White	56	69	-	-	1
All other	63	57	7	6	2
Black	58	46	4	4	1
Hyde	27	63	2	1	2
White	19	42	-	-	-
All other	8	21	2	1	2
Black	8	21	2	1	2
Iredell	672	679	21	16	14
White	561	562	13	11	9
All other	111	117	8	5	5
Black	111	117	8	5	5
Statesville	---	240	8	5	4
White	---	181	4	3	2
All other	---	59	4	2	2
Black	---	59	4	2	2
Balance of county	---	439	13	11	10
White	---	381	9	8	7
All other	---	58	4	3	3
Black	---	58	4	3	3
Jackson	159	195	5	3	5
White	148	169	3	2	4
All other	11	26	2	1	1
Black	5	8	-	-	-
Johnston	456	692	13	6	16
White	356	540	5	1	9
All other	100	152	8	5	7
Black	100	152	8	5	7
Jones	12	92	3	3	3
White	6	48	2	2	1
All other	6	44	1	1	2
Black	6	44	1	1	2
Lee	342	347	11	6	10
White	262	258	4	4	4
All other	80	89	7	2	6
Black	79	88	7	2	6
Sanford	---	144	2	-	3
White	---	97	-	-	-
All other	---	47	2	-	3
Black	---	47	2	-	3
Balance of county	---	203	9	6	7
White	---	181	4	4	4
All other	---	42	5	2	3
Black	---	41	5	2	3
Lenoir	625	569	16	8	14
White	389	317	3	2	4
All other	256	252	13	6	10
Black	256	252	13	6	10
Kinston	---	315	11	6	4
White	---	142	-	-	1
All other	---	173	11	6	3
Black	---	173	11	6	3
Balance of county	---	254	5	2	10
White	---	175	3	2	3
All other	---	79	2	-	7
Black	---	79	2	-	7
Lincoln	248	305	11	8	6
White	223	279	9	5	5
All other	25	26	2	1	1
Black	25	26	2	1	1
McDowell	197	271	4	3	6
Macon	187	209	1	-	-
Madison	60	160	-	-	1
Martin	193	230	10	8	4
White	96	122	2	2	1
All other	97	108	8	6	3
Black	97	108	8	6	3
Mecklenburg	3,429	2,777	93	76	66
White	2,500	1,932	33	29	30
All other	929	845	60	47	36
Black	926	843	59	47	36
Charlotte	---	2,258	86	72	52
White	---	1,472	28	26	19
All other	---	786	58	46	33
Black	---	784	57	46	33

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Balance of county	---	519	7	4	14
White	---	460	5	3	11
All other	---	59	2	1	3
Black	---	59	2	1	3
Mitchell	129	139	3	2	4
Montgomery	194	236	5	2	6
White	157	179	2	2	4
All other	37	57	3	-	2
Black	37	57	3	-	2
Moore	635	502	13	8	6
White	465	375	4	3	2
All other	170	127	9	5	4
Black	163	124	8	4	4
Nash	657	608	23	18	14
White	390	393	6	6	5
All other	267	215	17	12	9
Black	264	213	15	10	9
Rocky Mount, part	---	238	7	6	6
White	---	171	4	4	2
All other	---	67	3	2	4
Black	---	67	3	2	4
Rocky Mount, total	---	413	9	8	11
White	---	241	4	4	3
All other	---	172	5	4	8
Black	---	172	5	4	8
Balance of county	---	370	16	12	8
White	---	222	2	2	3
All other	---	148	14	10	5
Black	---	146	12	8	5
New Hanover	1,030	815	18	13	12
White	729	582	6	6	10
All other	301	233	12	7	2
Black	298	231	12	7	2
Wilmington	---	493	14	9	3
White	---	297	3	3	2
All other	---	196	11	6	1
Black	---	195	11	6	1
Balance of county	---	322	4	4	9
Northampton	67	236	6	4	4
White	34	114	-	-	-
All other	33	122	6	4	4
Black	33	122	6	4	4
Onslow	375	409	30	22	18
White	312	336	20	14	14
All other	63	73	10	8	4
Black	58	66	9	7	4
Jacksonville	---	115	7	4	2
White	---	89	4	2	2
All other	---	26	3	2	-
Black	---	26	3	2	-
Balance of county	---	294	23	18	16
White	---	247	16	12	12
All other	---	47	7	6	4
Black	---	40	6	5	4
Orange	937	419	18	14	5
White	587	319	12	10	3
All other	350	100	6	4	2
Black	344	100	6	4	2
Chapel Hill, part	---	130	6	4	2
White	---	93	2	2	1
All other	---	37	4	2	1
Black	---	37	4	2	1
Chapel Hill, total	---	133	7	5	2
White	---	96	3	3	1
All other	---	37	4	2	1
Black	---	37	4	2	1
Balance of county	---	289	12	10	3
White	---	226	10	8	2
All other	---	63	2	2	1
Black	---	63	2	2	1
Pamlico	19	98	2	1	2
White	11	68	1	-	2
All other	8	30	1	1	-
Black	7	29	1	1	-
Pasquotank	405	253	12	9	6
White	261	154	3	3	3
All other	144	99	9	6	3
Black	143	99	9	6	3
Elizabeth City	---	167	5	4	3
White	---	97	2	2	2
All other	---	70	3	2	1
Black	---	70	3	2	1
Balance of county	---	88	7	5	3
White	---	57	1	1	1
All other	---	29	6	4	2
Black	---	29	6	4	2
Pender	149	193	3	2	3
White	83	114	1	1	1
All other	66	79	2	1	2
Black	65	79	2	1	2
Perquimans	19	101	3	2	-
White	10	54	1	-	-
All other	9	47	2	2	-
Black	9	47	2	2	-
Person	187	246	7	5	2
White	136	170	3	1	1
All other	51	76	4	4	1
Black	51	76	4	4	1
Pitt	883	689	26	22	16
White	497	395	7	6	7
All other	386	294	19	16	9
Black	385	294	19	16	9
Greenville	---	221	9	9	2
White	---	107	-	-	-
All other	---	114	9	9	2
Black	---	114	9	9	2
Balance of county	---	468	17	13	14
White	---	288	7	6	7
All other	---	180	10	7	7
Black	---	180	10	7	7
Polk	193	182	3	1	2
White	178	161	3	1	1
All other	15	21	-	-	1
Black	15	21	-	-	1
Randolph	450	636	16	7	15
Asheboro	---	163	4	2	3
White	---	145	4	2	2
All other	---	18	-	-	1
Black	---	18	-	-	1
High Point, part	---	-	-	-	-
Balance of county	---	473	12	5	12
Richmond	269	405	14	8	13
White	173	278	11	8	8
All other	96	127	3	-	5
Black	96	125	3	-	5
Robeson	749	839	35	22	16
White	370	376	10	8	3
All other	379	463	25	14	13
Black	225	267	13	8	6
Lumberton	---	181	6	4	3
White	---	111	3	2	1
All other	---	70	3	2	2
Black	---	55	3	2	1
Balance of county	---	658	29	18	15
White	---	266	7	6	2
All other	---	393	22	12	13
Black	---	212	10	6	5
Rockingham	594	763	20	11	17
White	449	586	15	9	6
All other	145	177	5	2	11
Black	144	177	5	2	11
Eden	---	144	1	1	4
White	---	126	1	1	3
All other	---	18	-	-	1
Black	---	18	-	-	1
Reidsville	---	178	2	1	4
White	---	111	1	1	-
All other	---	67	1	-	4
Black	---	67	1	-	4
Balance of county	---	441	17	9	9
White	---	349	13	7	3
All other	---	92	4	2	6
Black	---	92	4	2	6
Rowan	900	839	9	7	14
White	716	699	5	4	9
All other	184	140	4	3	5
Black	184	140	4	3	5
Salisbury	---	279	4	3	3
White	---	194	-	-	1
All other	---	85	4	3	2
Black	---	85	4	3	2
Balance of county	---	560	5	4	11
White	---	505	5	4	8
All other	---	55	-	-	3
Black	---	55	-	-	3
Rutherford	410	505	9	6	12
White	372	452	6	3	9
All other	38	53	3	3	3
Black	38	53	3	3	3
Sampson	342	446	19	17	8
White	226	307	11	11	1
All other	116	139	8	6	7
Black	109	131	8	6	7
Scotland	311	275	13	10	7
White	162	155	4	4	3
All other	149	120	9	6	4
Black	124	109	7	4	4
Stanly	363	449	12	9	6
White	313	378	7	5	5
All other	50	65	5	4	1
Black	50	65	5	4	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Albemarle	---	144	4	3	1
White	---	113	2	2	1
All other	---	31	2	1	-
Black	---	31	2	1	-
Balance of county	---	299	8	6	5
White	---	265	5	3	4
All other	---	34	3	3	1
Black	---	34	3	3	1
Stokes	147	253	6	1	4
Surry	477	529	14	8	5
Swain	127	98	1	-	4
White	102	81	-	-	1
All other	25	18	1	-	3
Black	1	1	-	-	-
Transylvania	133	160	2	2	4
Tyrrell	8	53	1	1	-
White	5	38	-	-	-
All other	3	15	1	1	-
Black	3	15	1	1	-
Union	318	436	17	13	12
White	254	351	8	6	8
All other	65	85	9	7	4
Black	65	85	9	7	4
Monroe	---	113	4	2	2
White	---	73	-	-	-
All other	---	40	4	2	2
Black	---	40	4	2	2
Balance of county	---	323	13	11	10
White	---	278	8	6	8
All other	---	45	5	5	2
Black	---	45	5	5	2
Vance	377	382	10	7	7
White	237	238	2	1	2
All other	140	144	8	6	5
Black	140	144	8	6	5
Henderson	---	207	5	4	3
White	---	120	1	1	-
All other	---	87	4	3	3
Black	---	87	4	3	3
Balance of county	---	175	5	3	4
White	---	118	1	-	2
All other	---	57	4	3	2
Black	---	57	4	3	2
Wake	1,949	1,811	51	35	44
White	1,424	1,318	27	22	25
All other	525	493	24	13	19
Black	523	492	24	13	18
Raleigh	---	1,020	25	16	21
White	---	707	12	8	13
All other	---	313	13	8	8
Black	---	313	13	8	8
Balance of county	---	791	26	19	23
White	---	611	15	14	12
All other	---	180	11	5	11
Black	---	179	11	5	10
Warren	103	181	1	1	3
White	50	81	-	-	-
All other	53	100	1	1	3
Black	52	96	1	1	3
Washington	109	135	4	3	5
White	64	81	2	2	3
All other	45	54	2	1	2
Black	45	54	2	1	2
Watauga	257	223	1	-	5
Wayne	711	704	27	19	9
White	467	445	14	9	1
All other	244	259	13	10	8
Black	241	257	13	10	8
Goldsboro	---	290	13	9	3
White	---	159	7	4	-
All other	---	131	6	5	3
Black	---	130	6	5	3
Balance of county	---	414	14	10	6
White	---	286	7	5	1
All other	---	128	7	5	5
Black	---	127	7	5	5
Wilkes	314	440	13	9	7
Wilson	724	580	13	9	10
White	471	351	5	4	2
All other	253	229	8	5	8
Black	252	229	8	5	8
Wilson	---	338	5	4	5
White	---	187	2	2	1
All other	---	151	3	2	4
Black	---	151	3	2	4
Balance of county	---	242	8	5	5
White	---	164	3	2	1
All other	---	78	5	3	4
Black	---	78	5	3	4
Yadkin	131	222	2	1	6
Yancey	68	115	1	1	2
North Dakota	5,582	5,361	140	106	112
White	5,431	5,217	121	91	103
All other	151	144	19	15	9
Black	-	1	-	-	1
Adams	81	43	1	-	1
Barnes	134	150	-	-	1
Benson	14	100	5	3	2
White	12	82	2	1	-
All other	2	18	3	2	2
Black	-	-	-	-	-
Billings	3	7	-	-	-
Bottineau	84	101	1	1	-
Bowman	35	38	-	-	1
Burke	3	48	-	-	1
Burleigh	492	283	14	10	13
Bismarck	---	231	14	10	13
Balance of county	---	52	-	-	-
Cass	1,207	609	13	10	10
Fargo	---	442	13	10	9
Balance of county	---	167	-	-	1
Cavalier	68	81	2	-	1
Dickey	130	111	2	2	1
Divide	43	54	2	-	-
Dunn	6	34	-	-	1
Eddy	31	38	-	-	-
Emmons	38	52	-	-	1
Foster	65	52	-	-	1
Golden Valley	18	34	1	-	-
Grand Forks	532	387	18	14	6
Grand Forks	---	253	11	8	4
Balance of county	---	134	7	6	2
Grant	44	37	1	1	-
Griggs	33	44	1	1	-
Hettinger	10	41	-	-	-
Kidder	17	38	-	-	-
La Moure	21	79	1	1	4
Logan	7	48	-	-	-
McHenry	24	78	-	-	-
McIntosh	67	53	-	-	1
McKenzie	31	46	1	1	-
McLean	76	110	3	2	4
Mercer	49	65	3	3	2
Morton	88	185	3	3	6
Mandan	---	92	3	3	5
Balance of county	---	79	-	-	1
Mountrail	74	98	3	1	-
Nelson	58	67	-	-	-
Oliver	5	12	1	-	-
Pembina	70	97	2	2	1
Pierce	91	52	2	2	2
Ramsey	151	126	3	3	2
Ransom	67	95	3	3	-
Renville	31	37	-	-	1
Richland	92	179	7	4	4
Rolette	78	95	7	5	4
White	42	42	-	-	2
All other	36	53	7	5	2
Black	-	-	-	-	-
Sargent	12	61	1	1	1
Sheridan	4	25	-	-	-
Sioux	16	26	1	1	2
White	2	5	-	-	-
All other	14	21	1	1	2
Black	-	-	-	-	-
Slope	2	5	-	-	1
Stark	180	158	7	6	2
Dickinson	---	107	5	4	2
Balance of county	---	51	2	2	-
Steele	2	31	1	1	2
Stutsman	207	212	3	3	3
Jamestown	---	159	3	3	2
Balance of county	---	53	-	-	1
Towner	49	50	1	1	1
Traill	93	112	2	2	3
Walsh	130	175	1	1	-
Ward	464	348	14	10	15
Minot	---	261	8	8	13
Balance of county	---	85	6	2	2
Wells	73	83	1	1	4
Williams	188	173	8	7	7
Williston	---	106	6	5	5
Balance of county	---	67	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio	94,634	94,948	2,141	1,463	1,514
White	85,269	85,551	1,849	1,130	1,169
All other	9,365	9,395	492	333	345
Black	9,244	9,282	481	325	336
Adams	148	207	1	1	3
Allen	1,912	990	19	11	23
Lima	---	554	13	7	15
White	---	481	6	3	12
All other	---	73	7	4	3
Black	---	71	7	4	3
Balance of county	---	436	6	4	8
Ashland	385	397	5	4	7
Ashland	---	203	3	3	1
Balance of county	---	194	2	1	6
Ashtabula	773	910	25	21	18
Ashtabula	---	239	6	6	8
Conneaut	---	120	4	3	4
Balance of county	---	551	15	12	6
Athens	378	434	10	4	4
Athens	---	73	-	-	-
Balance of county	---	361	10	4	4
Auglaize	277	364	7	6	8
Belmont	784	948	13	8	14
Martins Ferry	---	182	4	3	2
Balance of county	---	766	9	5	12
Brown	290	299	5	4	4
Butler	1,940	1,831	47	35	33
White	1,814	1,713	41	32	29
All other	126	118	6	3	4
Black	125	118	6	3	4
Fairfield	---	122	4	3	5
Hamilton	---	626	16	11	10
Middletown	---	470	13	10	10
White	---	413	10	9	8
All other	---	57	3	1	2
Black	---	57	3	1	2
Oxford	---	53	2	1	-
Balance of county	---	560	12	10	8
Carroll	88	242	6	4	4
Champaign	225	301	3	2	3
Urbana	---	119	2	2	-
Balance of county	---	182	1	-	3
Clark	1,434	1,493	34	23	16
White	1,302	1,341	24	17	13
All other	132	152	10	6	3
Black	128	147	9	5	3
Springfield	---	908	21	12	14
White	---	764	11	6	11
All other	---	144	10	6	3
Black	---	141	9	5	3
Balance of county	---	585	13	11	2
Clermont	470	792	36	18	23
Clinton	301	296	5	4	8
Wilmington	---	115	3	3	2
Balance of county	---	181	2	1	6
Columbiana	1,064	1,133	20	14	10
East Liverpool	---	245	7	4	2
Salem	---	161	2	2	-
Balance of county	---	727	11	8	8
Coshocton	342	419	7	5	5
Coshocton	---	199	4	2	1
Balance of county	---	220	3	3	4
Crawford	443	486	10	7	6
Bucyrus	---	144	1	1	3
Galion	---	139	1	1	-
Balance of county	---	203	8	5	5
Cuyahoga	16,359	15,599	307	214	221
White	13,159	12,442	164	118	109
All other	3,200	3,157	143	96	112
Black	3,172	3,130	142	95	110
Bay Village	---	120	2	1	6
Bedford	---	131	2	2	2
Bedford Heights	---	112	2	2	1
Berea	---	145	2	2	-
Broadview Heights	---	76	-	-	-
Brooklyn	---	123	-	-	-
Brook Park	---	125	4	2	2
Cleveland	---	7,353	184	124	132
White	---	4,647	64	45	42
All other	---	2,706	120	79	90
Black	---	2,685	119	78	89
Cleveland Heights	---	564	7	6	5
East Cleveland	---	293	10	7	7
White	---	114	2	2	-
All other	---	179	8	5	7
Black	---	178	8	5	7
Euclid	---	659	9	8	11
Fairview Park	---	203	1	1	4
Ohio-Con.					
Garfield Heights	---	374	6	1	9
Lakewood	---	680	10	6	7
Lyndhurst	---	152	1	1	-
Maple Heights	---	303	3	2	3
Mayfield Heights	---	277	1	-	3
Middleburg Heights	---	102	2	2	1
North Olmsted	---	234	5	5	6
North Royalton	---	119	4	4	-
Parma	---	826	11	8	7
Parma Heights	---	231	3	3	3
Rocky River	---	240	3	3	-
Seven Hills	---	86	2	2	1
Shaker Heights	---	315	2	2	-
White	---	268	2	2	-
All other	---	47	-	-	-
Black	---	47	-	-	-
Solon	---	82	-	-	2
South Euclid	---	232	1	1	1
Strongsville	---	127	6	5	3
University Heights	---	118	2	2	-
Warrensville Heights	---	98	6	5	2
White	---	61	1	1	-
All other	---	37	5	4	2
Black	---	36	5	4	2
Westlake	---	157	1	1	1
Balance of county	---	942	15	6	8
Darke	418	506	6	3	8
Greenville	---	184	-	-	3
Balance of county	---	324	6	3	5
Defiance	300	320	7	4	7
Defiance	---	156	3	1	2
Balance of county	---	164	4	3	5
Delaware	383	386	9	7	9
Delaware	---	156	4	2	2
Westerville, part	---	6	-	-	-
Balance of county	---	224	5	5	1
Erie	796	754	14	9	14
Sandusky	---	382	9	6	8
White	---	341	7	4	7
All other	---	41	2	2	1
Black	---	41	2	2	1
Balance of county	---	372	5	3	6
Fairfield	600	686	14	11	9
Lancaster	---	349	8	7	9
Balance of county	---	337	6	4	6
Fayette	316	279	4	3	6
Washington	---	157	1	-	2
Balance of county	---	122	3	3	4
Franklin	7,596	6,597	193	131	126
White	6,563	5,539	133	87	83
All other	1,033	1,058	60	44	43
Black	1,019	1,044	57	41	43
Bexley	---	104	-	-	-
Columbus	---	4,642	145	96	106
White	---	3,623	86	53	65
All other	---	1,019	59	43	41
Black	---	1,011	57	41	41
Gahanna	---	75	3	2	-
Grove City	---	91	3	1	7
Reynoldsburg, part	---	102	3	3	3
Reynoldsburg, total	---	106	3	3	3
Upper Arlington	---	329	1	1	-
Westerville, part	---	100	-	-	-
Westerville, total	---	106	-	-	-
Whitehall	---	131	5	4	1
Worthington	---	106	3	2	1
Balance of county	---	915	30	22	8
Fulton	223	271	8	3	11
Gallia	481	309	5	4	2
Geauga	372	449	11	10	11
Greene	712	770	21	16	13
Fairborn	---	166	6	5	5
Xenia	---	229	8	6	1
White	---	198	5	3	1
All other	---	31	3	3	-
Black	---	31	3	3	-
Balance of county	---	375	7	7	7
Guernsey	454	444	9	8	11
Cambridge	---	180	3	3	6
Balance of county	---	264	6	5	5
Hamilton	9,496	8,526	159	110	109
White	7,996	7,017	90	60	65
All other	1,502	1,509	69	50	44
Black	1,491	1,497	67	49	44
Cheviot	---	111	-	-	-
Cincinnati	---	4,840	98	67	73
White	---	3,547	48	33	31
All other	---	1,293	50	34	42
Black	---	1,286	48	33	42
Forest Park	---	70	4	3	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
North College Hill	---	126	1	–	2
Norwood	---	309	3	2	2
Reading	---	132	2	1	1
Sharonville	---	56	3	2	1
Balance of county	---	2,882	48	35	30
White	---	2,700	34	23	28
All other	---	182	14	12	2
Black	---	180	14	12	2
Hancock	651	540	8	5	6
Findlay	---	326	7	4	4
Fostoria, part	---	34	–	–	–
Balance of county	---	180	1	1	2
Hardin	251	270	10	5	6
Harrison	137	169	5	5	1
Henry	201	255	5	4	3
Highland	247	373	4	2	7
Hocking	196	249	4	3	2
Holmes	263	196	11	7	3
Huron	400	467	17	13	8
Norwalk	---	133	5	4	4
Balance of county	---	334	12	9	4
Jackson	241	354	9	7	6
Jefferson	884	974	10	9	8
Steubenville	---	383	3	3	3
White	---	333	1	1	3
All other	---	50	2	2	–
Black	---	50	2	2	–
Balance of county	---	591	7	6	5
Knox	469	437	11	6	7
Mount Vernon	---	179	3	3	3
Balance of county	---	258	8	3	4
Lake	1,289	1,458	34	26	18
Eastlake	---	147	4	4	2
Mentor	---	233	9	7	5
Painesville	---	160	5	3	2
White	---	150	5	3	1
All other	---	10	–	–	1
Black	---	10	–	–	1
Wickliffe	---	126	3	3	2
Willoughby	---	149	4	3	1
Willowick	---	138	1	–	–
Balance of county	---	505	8	6	6
Lawrence	400	502	13	6	11
Ironton	---	195	3	2	1
Balance of county	---	407	10	4	10
Licking	887	1,050	16	12	19
Newark	---	528	6	3	4
Reynoldsburg, part	---	4	–	–	–
Balance of county	---	518	10	9	15
Logan	313	401	10	9	9
Bellefontaine	---	128	3	3	5
Balance of county	---	273	7	6	4
Lorain	1,869	1,919	68	52	35
White	1,775	1,799	51	39	33
All other	94	120	17	13	2
Black	93	119	17	13	2
Avon Lake	---	82	3	3	1
Elyria	---	459	17	13	13
White	---	416	12	10	11
All other	---	43	5	3	2
Black	---	42	5	3	2
Lorain	---	507	24	17	10
White	---	548	15	9	10
All other	---	59	9	8	–
Black	---	59	9	8	–
North Ridgeville	---	94	1	1	4
Balance of county	---	377	23	18	7
Lucas	5,392	4,622	96	56	60
White	4,920	4,153	70	42	39
All other	472	469	26	16	21
Black	453	456	24	14	21
Maumee	---	126	–	–	3
Oregon	---	149	1	1	–
Sylvania	---	107	3	3	1
Toledo	---	3,754	84	49	50
White	---	3,307	59	34	31
All other	---	447	25	15	19
Black	---	435	23	13	19
Balance of county	---	488	8	5	6
Madison	180	243	6	4	7
Mahoning	2,646	2,962	63	46	39
White	2,309	2,550	33	24	20
All other	337	412	30	22	19
Black	336	411	30	22	19
Alliance, part	---	4	–	–	–
Campbell	---	124	1	1	3
White	---	111	1	1	2
All other	---	13	–	–	1
Black	---	13	–	–	1
Struthers	---	130	1	1	2
Youngstown, part	---	1,519	44	32	24
White	---	1,136	14	10	7
All other	---	383	30	22	17
Black	---	383	30	22	17
Youngstown, total	---	1,521	44	32	24
White	---	1,137	14	10	7
All other	---	384	30	22	17
Black	---	384	30	22	17
Balance of county	---	1,185	17	12	10
Marion	586	552	9	8	7
Marion	---	361	6	5	6
Balance of county	---	191	3	3	1
Medina	594	619	20	11	14
Brunswick	---	91	5	4	4
Medina	---	117	4	2	3
Wadsworth	---	131	4	1	2
Balance of county	---	280	7	4	5
Meigs	152	258	3	1	5
Mercer	282	350	21	13	8
Miami	678	741	14	9	12
Piqua	---	197	3	1	5
Troy	---	197	4	2	3
Balance of county	---	347	7	6	4
Monroe	48	162	–	–	1
Montgomery	5,280	4,534	131	84	81
White	4,453	3,743	79	55	50
All other	827	791	52	29	31
Black	820	788	51	29	31
Centerville	---	79	4	3	1
Dayton	---	2,161	61	34	41
White	---	1,446	21	15	14
All other	---	715	40	19	27
Black	---	714	40	19	27
Kettering	---	449	9	6	3
Miamisburg	---	99	3	3	1
Oakwood	---	96	1	–	1
Vandalia	---	57	1	–	–
West Carrollton	---	69	1	1	1
Balance of county	---	1,533	52	37	33
Morgan	90	161	5	3	2
Morrow	154	215	4	4	7
Muskingum	1,103	842	21	9	9
Zanesville	---	444	14	7	7
Balance of county	---	398	7	2	2
Noble	58	108	2	–	3
Ottawa	246	369	3	2	3
Paulding	90	159	6	2	7
Perry	86	295	4	3	6
Pickaway	248	328	3	2	5
Circleville	---	110	1	1	1
Balance of county	---	213	2	1	4
Pike	166	216	6	3	5
Portage	626	784	23	14	14
Kent	---	132	1	1	–
Ravenna	---	119	2	–	3
Balance of county	---	543	20	13	11
Preble	142	335	8	7	3
Putnam	110	256	9	6	6
Richland	1,070	1,099	34	25	24
Mansfield	---	641	20	14	10
White	---	578	16	13	9
All other	---	63	4	1	1
Black	---	62	4	1	1
Balance of county	---	458	14	11	14
Ross	668	562	13	7	8
Chillicothe	---	281	8	4	2
Balance of county	---	281	5	3	6
Sandusky	485	548	10	7	13
Fremont	---	198	4	4	4
Balance of county	---	350	6	3	9
Scioto	920	920	25	14	17
Portsmouth	---	419	9	4	7
Balance of county	---	501	16	10	10
Seneca	392	527	12	6	15
Fostoria, part	---	121	5	4	3
Fostoria, total	---	166	5	4	3
Tiffin	---	183	4	1	1
Balance of county	---	223	3	1	11
Shelby	273	320	7	5	6
Sidney	---	158	2	1	2
Balance of county	---	162	5	4	4
Stark	3,666	3,397	80	54	52
White	3,473	3,209	74	51	40
All other	193	188	6	3	12
Black	190	188	6	3	11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Alliance, part	---	269	5	3	3
White	---	250	5	3	1
All other	---	19	–	–	2
Black	---	19	–	–	2
Alliance, total	---	273	5	3	3
White	---	253	5	3	1
All other	---	20	–	–	2
Black	---	20	–	–	2
Canton	---	1,169	34	16	19
White	---	1,042	29	13	10
All other	---	127	5	3	9
Black	---	127	5	3	9
Massillon	---	386	7	4	5
North Canton	---	114	1	1	1
Balance of county	---	1,479	33	30	24
Summit	4,764	4,717	109	78	76
White	4,323	4,249	80	58	55
All other	441	468	29	20	21
Black	439	467	29	20	20
Akron	---	2,665	66	51	46
White	---	2,248	37	31	27
All other	---	437	29	20	19
Black	---	437	29	20	19
Barberton	---	293	6	4	8
Cuyahoga Falls	---	390	5	4	6
Norton	---	76	4	2	–
Stow	---	98	2	–	5
Tallmadge	---	100	1	1	–
Balance of county	---	1,075	25	16	11
Trumbull	2,226	2,040	52	40	28
White	2,020	1,895	43	32	20
All other	206	145	9	8	6
Black	205	145	9	8	5
Girard	---	138	6	6	1
Niles	---	202	3	2	2
Warren	---	674	20	14	8
White	---	567	12	7	4
All other	---	107	8	7	4
Black	---	107	8	7	3
Youngstown, part	---	2	–	–	–
White	---	1	–	–	–
All other	---	1	–	–	–
Black	---	1	–	–	–
Balance of county	---	1,024	23	18	15
Tuscarawas	712	778	11	9	17
Dover	---	123	3	3	4
New Philadelphia	---	144	2	1	4
Balance of county	---	511	6	5	9
Union	201	244	4	2	3
Van Wert	213	261	5	5	4
Van Wert	---	110	3	3	1
Balance of county	---	151	2	2	3
Vinton	47	127	2	1	3
Warren	260	630	12	10	14
Franklin	---	99	4	4	4
Balance of county	---	531	8	6	10
Washington	580	577	12	9	10
Marietta	---	191	5	4	1
Balance of county	---	386	7	5	9
Wayne	521	644	15	7	13
Wooster	---	185	5	3	3
Balance of county	---	459	10	4	10
Williams	266	319	6	3	5
Wood	437	699	15	10	10
Bowling Green	---	95	2	2	1
Fostoria, part	---	11	–	–	–
Balance of county	---	593	13	8	9
Wyandot	176	245	5	5	3
Oklahoma	27,068	27,841	612	390	454
White	24,255	24,966	462	313	345
All other	2,813	2,875	150	77	109
Black	1,900	1,922	94	53	75
Adair	123	194	6	4	7
White	93	144	5	3	3
All other	30	50	1	1	4
Black	–	–	–	–	–
Alfalfa	79	115	1	1	–
Atoka	119	143	6	4	3
White	108	130	6	4	3
All other	11	13	–	–	–
Black	6	8	–	–	–
Beaver	48	54	2	1	1
Beckham	247	263	5	2	5
Blaine	145	177	2	2	3
White	134	153	2	2	3
All other	11	24	–	–	–
Black	4	5	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Bryan	282	375	10	7	
Durant	---	199	6	6	
Balance of county	---	176	2	1	
Caddo	236	363	7	3	
White	199	300	3	2	
All other	37	63	4	1	
Black	8	9	–	–	
Canadian	217	372	12	8	
El Reno	---	176	4	4	
White	---	157	4	4	
All other	---	19	–	–	
Black	---	14	–	–	
Oklahoma City, part	---	2	–	–	
Balance of county	---	194	8	4	
Carter	547	536	12	8	
White	480	462	10	6	
All other	67	74	2	–	
Black	49	55	1	–	
Ardmore	---	365	8	2	
White	---	308	6	2	
All other	---	57	2	–	
Black	---	42	1	–	
Balance of county	---	171	4	4	
White	---	154	4	4	
All other	---	17	–	–	
Black	---	13	–	–	
Cherokee	250	275	5	2	
White	175	216	4	1	
All other	75	59	1	1	
Black	3	4	–	–	
Choctaw	169	224	1	1	
White	139	181	1	1	
All other	30	43	–	–	
Black	24	32	–	–	
Cimarron	35	34	–	–	
Cleveland	648	681	31	23	1
Moore	---	150	5	4	
Norman	---	405	19	15	
Oklahoma City, part	---	14	–	–	
Balance of county	---	112	4	4	
Coal	67	89	–	–	
Comanche	691	643	36	21	2
White	576	534	26	13	1
All other	115	109	10	8	
Black	89	78	8	7	
Lawton	---	531	29	16	2
White	---	436	21	9	1
All other	---	95	8	7	
Black	---	76	7	6	
Balance of county	---	112	7	5	
White	---	98	5	4	
All other	---	14	2	1	
Black	---	2	1	1	
Cotton	37	82	–	–	
Craig	170	204	1	–	
White	158	192	1	–	
All other	12	12	–	–	
Black	9	8	–	–	
Creek	438	533	15	7	
Sapulpa	---	206	6	3	
White	---	190	6	3	
All other	---	16	–	–	
Black	---	14	–	–	
Balance of county	---	327	9	4	
Custer	264	256	4	3	
Delaware	193	237	3	2	
White	180	214	3	2	
All other	13	23	–	–	
Black	–	–	–	–	
Dewey	47	92	4	3	
Ellis	62	60	–	–	
Garfield	606	568	15	10	1
Enid	---	478	14	9	
Balance of county	---	110	1	1	
Garvin	313	365	6	5	
Grady	315	362	9	5	
Chickasha	---	206	6	4	
White	---	192	4	3	
All other	---	16	2	1	
Black	---	14	1	1	
Balance of county	---	154	3	1	
Grant	49	89	1	1	
Greer	67	109	1	1	
Harmon	70	91	1	1	
Harper	43	52	1	1	
Haskell	89	126	3	2	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Hughes	218	221	4	2	3
White	190	184	3	2	2
All other	28	37	1	–	1
Black	9	10	–	–	–
Jackson	232	234	3	1	4
Altus	---	180	3	1	4
White	---	165	3	1	2
All other	---	15	–	–	2
Black	---	15	–	–	2
Balance of county	---	54	–	–	–
Jefferson	60	122	4	2	2
Johnston	84	111	2	1	4
White	71	97	2	1	3
All other	13	14	–	–	1
Black	6	4	–	–	1
Kay	523	552	8	5	3
Ponca City	---	280	3	1	–
Balance of county	---	272	5	4	3
Kingfisher	110	138	2	–	5
Kiowa	161	194	4	4	3
Latimer	136	101	–	–	2
Le Flore	234	421	7	5	3
Lincoln	189	291	6	6	6
Logan	239	288	5	3	8
White	210	251	5	3	7
All other	29	37	–	–	1
Black	29	37	–	–	1
Love	62	80	–	–	–
McClain	149	188	5	2	1
Oklahoma City, part	---	2	–	–	–
Balance of county	---	186	5	2	1
McCurtain	259	372	8	5	4
White	195	284	3	2	2
All other	64	88	5	3	2
Black	43	53	2	1	–
McIntosh	126	195	4	2	2
White	106	167	3	2	1
All other	20	28	1	–	1
Black	14	19	1	–	–
Major	79	88	2	2	1
Marshall	100	128	2	2	1
Mayes	267	321	8	5	1
White	255	300	7	4	1
All other	12	21	1	1	–
Black	1	–	–	–	–
Murray	159	152	2	–	2
Muskogee	987	782	15	10	12
White	813	627	9	8	9
All other	174	155	6	2	3
Black	154	141	5	1	3
Muskogee	---	571	9	5	8
White	---	464	5	4	7
All other	---	107	4	1	1
Black	---	101	4	1	1
Balance of county	---	211	6	5	4
White	---	163	4	4	2
All other	---	48	2	1	2
Black	---	40	1	–	2
Noble	96	136	3	3	1
Nowata	111	145	1	–	4
White	102	137	1	–	4
All other	9	8	–	–	–
Black	9	6	–	–	–
Okfuskee	91	173	–	–	2
White	61	131	–	–	2
All other	30	42	–	–	–
Black	15	27	–	–	–
Oklahoma	6,012	4,826	133	92	83
White	5,253	4,195	83	64	52
All other	759	631	50	28	31
Black	633	561	41	23	28
Bethany	---	142	4	3	3
Del City	---	135	4	3	4
Edmond	---	183	8	5	2
Midwest City	---	316	10	8	5
Oklahoma City, part	---	3,790	105	71	63
White	---	3,239	61	47	37
All other	---	551	44	24	26
Black	---	495	38	20	23
Oklahoma City, total	---	3,808	105	71	63
White	---	3,256	61	47	37
All other	---	552	44	24	26
Black	---	496	38	20	23

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
The Village	---	2	–	–	–
Balance of county	---	258	2	2	6
Okmulgee	458	504	11	7	5
White	363	403	7	4	5
All other	95	101	4	3	–
Black	70	77	4	3	–
Okmulgee	---	245	5	4	2
White	---	180	3	2	2
All other	---	65	2	2	–
Black	---	54	2	2	–
Balance of county	---	259	6	3	3
White	---	223	4	2	3
All other	---	36	2	1	–
Black	---	23	2	1	–
Osage	208	321	3	1	3
White	180	277	2	1	2
All other	28	44	1	–	1
Black	6	9	–	–	–
Bartlesville, part	---	1	–	–	–
White	---	1	–	–	–
All other	---	–	–	–	–
Black	---	–	–	–	–
Tulsa, part	---	6	–	–	–
White	---	4	–	–	–
All other	---	4	–	–	–
Black	---	4	–	–	–
Balance of county	---	312	3	1	3
White	---	272	2	1	2
All other	---	40	1	–	1
Black	---	5	–	–	–
Ottawa	278	337	6	6	9
Miami	---	167	2	2	4
Balance of county	---	170	4	4	5
Pawnee	190	164	5	2	2
Payne	418	420	4	3	6
Stillwater	---	166	3	2	3
Balance of county	---	254	1	1	3
Pittsburg	446	486	5	4	3
White	409	441	2	2	2
All other	37	47	3	2	1
Black	27	28	1	1	–
McAlester	---	239	2	2	–
White	---	220	–	–	–
All other	---	19	2	2	–
Black	---	17	1	1	–
Balance of county	---	249	3	2	3
Pontotoc	412	404	8	4	5
Ada	---	264	3	2	2
Balance of county	---	140	5	2	3
Pottawatomie	593	576	10	5	5
Oklahoma City, part	---	–	–	–	–
Shawnee	---	364	8	4	3
Balance of county	---	212	2	1	2
Pushmataha	90	113	1	–	3
Roger Mills	29	41	–	–	–
Rogers	226	268	4	1	3
Seminole	248	359	4	2	5
White	199	293	3	2	3
All other	49	66	1	–	2
Black	35	43	–	–	1
Sequoyah	146	262	4	2	4
White	134	232	3	2	3
All other	12	30	1	–	1
Black	5	14	1	–	1
Stephens	428	471	9	7	8
Duncan	---	263	6	5	4
Balance of county	---	208	3	2	4
Texas	114	145	3	2	1
Tillman	99	150	1	1	1
White	92	140	1	1	1
All other	7	10	–	–	–
Black	7	10	–	–	–
Tulsa	4,307	3,682	86	55	91
White	3,830	3,248	63	46	55
All other	477	434	23	9	26
Black	388	363	18	9	23
Broken Arrow	---	163	1	1	5
Sand Springs	---	133	1	1	4
Tulsa, part	---	3,047	76	50	64
White	---	2,644	54	42	39
All other	---	403	22	8	25
Black	---	352	17	8	22
Tulsa, total	---	3,055	76	50	64
White	---	2,646	54	42	39
All other	---	407	22	8	25
Black	---	356	17	8	22
Balance of county	---	339	8	3	8
Wagoner	123	220	5	–	5
White	100	183	4	–	5
All other	23	37	1	–	–
Black	14	28	–	–	–
Washington	415	408	6	3	8
Bartlesville, part	---	292	4	3	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Bartlesville, total	---	283	4	3	6
Balance of county	---	116	2	–	2
Washita	103	166	1	1	1
Woods	112	138	2	2	1
Woodward	163	163	6	4	4
Oregon	21,126	21,056	453	277	304
White	20,623	20,548	423	260	279
All other	503	508	30	17	25
Black	254	264	12	8	12
Baker	161	179	5	3	4
Benton	389	345	11	6	2
Albany, part	---	3	–	–	–
Corvallis	---	211	7	4	2
Balance of county	---	131	4	2	–
Clackamas	1,409	1,477	36	21	25
Lake Oswego, part	---	131	1	1	2
Lake Oswego, total	---	135	1	1	2
Milwaukee, part	---	239	6	3	6
Milwaukee, total	---	239	6	3	6
Portland, part	---	8	–	–	2
Balance of county	---	1,099	29	17	15
Clatsop	271	314	8	6	–
Astoria	---	112	4	2	–
Balance of county	---	202	4	4	–
Columbia	179	287	7	4	2
Coos	525	545	12	4	8
Coos Bay	---	147	6	2	3
Balance of county	---	398	6	2	5
Crook	112	121	1	1	–
Curry	134	163	1	–	2
Deschutes	474	406	12	9	9
Bend	---	123	5	3	1
Balance of county	---	283	7	6	8
Douglas	699	725	16	9	14
Roseburg	---	242	7	3	5
Balance of county	---	483	9	6	9
Gilliam	8	15	–	–	–
Grant	52	72	3	3	1
Harney	69	64	1	1	–
Hood River	141	166	5	1	1
Jackson	1,062	1,043	15	11	15
Ashland	---	120	2	1	2
Medford	---	429	6	5	1
Balance of county	---	494	7	5	12
Jefferson	64	102	4	3	2
White	47	68	1	–	1
All other	17	34	3	3	1
Black	–	–	–	–	–
Josephine	477	490	4	2	3
Grants Pass	---	208	2	–	2
Balance of county	---	282	2	2	1
Klamath	482	468	12	7	5
Klamath Falls	---	201	3	2	2
Balance of county	---	267	9	5	3
Lake	58	66	2	1	–
Lane	1,872	1,815	40	24	29
Eugene	---	734	15	9	10
Springfield	---	303	13	9	7
Balance of county	---	778	12	6	12
Lincoln	316	375	7	4	3
Linn	523	641	19	13	3
Albany, part	---	187	5	4	1
Albany, total	---	190	5	4	1
Balance of county	---	454	14	9	2
Malheur	254	231	7	5	6
Marion	1,522	1,580	42	28	30
Salem, part	---	778	24	17	8
Salem, total	---	856	26	18	10
Balance of county	---	804	18	11	22
Morrow	38	54	5	2	–
Multnomah	6,717	5,882	103	71	78
White	6,374	5,650	90	63	59
All other	343	332	13	8	19
Black	230	240	10	8	11
Lake Oswego, part	---	3	–	–	–
Milwaukee, part	---	–	–	–	–
Portland, part	---	4,843	76	49	55
White	---	4,531	65	43	39
All other	---	312	11	6	16
Black	---	230	8	6	10
Portland, total	---	4,897	77	50	61
White	---	4,582	66	44	45
All other	---	315	11	6	16
Black	---	231	8	6	10
Balance of county	---	1,136	27	22	23
Polk	216	316	7	3	11
Salem, part	---	80	2	1	2
Balance of county	---	236	5	2	9
Sherman	10	19	–	–	–

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oregon-Con.					
Tillamook	170	216	3	1	
Umatilla	439	506	14	8	
Pendleton	---	162	4	3	
Balance of county	---	344	10	5	
Union	177	188	4	2	
Wallowa	79	83	2	–	
Wasco	231	212	7	4	
City of the Dalles	---	121	6	4	
Balance of county	---	91	1	–	
Washington	1,389	1,306	28	16	2
Beaverton	---	194	6	2	
Hillsboro	---	159	3	2	
Lake Oswego, part	---	1	–	–	
Portland, part	---	46	1	1	
Balance of county	---	906	18	11	1
Wheeler	4	17	–	–	
Yamhill	401	467	10	4	1
McMinnville	---	129	1	–	
Balance of county	---	338	9	4	
Pennsylvania	117,098	117,402	2,097	1,532	1,77
White	106,759	107,108	1,828	1,210	1,36
All other	10,339	10,294	269	322	39
Black	10,212	10,173	260	315	38
Adams	442	536	9	7	
Allegheny	16,990	15,609	233	173	19
White	15,349	14,017	155	120	12
All other	1,641	1,592	78	53	7
Black	1,626	1,578	77	53	6
Baldwin	---	171	3	2	
Bellevue	---	139	1	1	
Bethel Park	---	236	5	4	
Brentwood	---	118	4	3	
Carnegie	---	151	1	1	
Castle Shannon	---	94	–	–	
Clairton	---	152	2	1	
White	---	121	–	–	
All other	---	31	2	1	
Black	---	31	2	1	
Dormont	---	131	4	1	
Duquesne	---	135	1	–	
White	---	115	1	–	
All other	---	20	–	–	
Black	---	20	–	–	
Harrison twp. #	---	180	3	2	
McKees Rocks	---	140	1	1	
McKeesport	---	467	8	6	
White	---	423	5	4	
All other	---	44	3	2	
Black	---	44	3	2	
Monroeville	---	190	4	4	
Mount Lebanon twp. #	---	333	1	1	
Munhall	---	189	1	1	
North Braddock	---	119	–	–	
White	---	109	–	–	
All other	---	10	–	–	
Black	---	10	–	–	
North Versaille twp. #	---	109	2	1	
Penn Hills twp. #	---	397	9	5	
Pittsburgh	---	5,852	107	81	8
White	---	4,659	49	41	4
All other	---	1,193	58	40	4
Black	---	1,186	57	40	4
Pleasant Hills	---	73	–	–	
Plum	---	114	2	2	
Ross twp. #	---	279	4	4	
Scott twp. #	---	242	1	–	
Shaler twp. #	---	277	2	1	
Stowe twp. #	---	93	5	4	
Swissvale	---	173	–	–	
Upper St. Clair twp. #	---	80	5	5	
West Mifflin	---	221	1	–	
Whitehall	---	152	3	2	
Wilkinsburg	---	305	4	3	
White	---	254	–	–	
All other	---	51	4	3	
Black	---	51	4	3	
Balance of county	---	4,319	49	37	7
White	---	4,180	44	34	5
All other	---	139	5	3	1
Black	---	135	5	3	1
Armstrong	536	610	12	8	1
Beaver	1,482	1,696	42	28	2
White	1,395	1,767	32	22	2
All other	87	111	10	6	
Black	86	110	10	6	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Aliquippa	---	267	10	6	5
White	---	216	3	1	3
All other	---	51	7	5	2
Black	---	51	7	5	2
Ambridge	---	142	1	1	–
Beaver Falls	---	208	4	3	5
White	---	180	2	2	5
All other	---	28	2	1	–
Black	---	28	2	1	–
Ellwood City, part	---	2	–	–	–
Balance of county	---	1,279	27	18	17
Bedford	299	415	7	4	7
Berks	2,824	2,944	52	38	45
Reading	---	1,039	21	14	9
Balance of county	---	1,905	31	24	36
Blair	1,729	1,538	17	13	25
Altoona	---	766	9	6	7
Balance of county	---	772	8	7	18
Bradford	698	540	12	8	5
Bucks	3,131	3,146	68	47	64
Bensalem twp. #	---	257	8	5	6
Bristol	---	141	4	2	2
Bristol twp. #	---	358	18	12	5
Falls twp. #	---	219	6	5	2
Lower Southampton twp. #	---	130	2	1	1
Middletown twp. #	---	148	2	1	1
Morrisville	---	121	4	3	3
Upper Southampton twp. #	---	97	1	–	–
Warminster twp. #	---	167	9	6	3
Balance of county	---	1,508	14	10	41
Butler	1,099	1,216	36	31	24
Butler	---	243	6	6	3
Balance of county	---	973	30	25	21
Cambria	1,772	1,806	32	24	23
Johnstown	---	581	12	9	7
Balance of county	---	1,225	20	15	16
Cameron	31	72	1	–	–
Carbon	443	619	5	5	4
Centre	756	651	18	12	20
State College	---	117	4	3	3
Balance of county	---	534	14	9	17
Chester	1,958	2,155	53	45	51
White	1,796	1,981	44	37	43
All other	162	174	9	8	8
Black	162	173	9	8	8
Coatesville	---	151	8	6	2
White	---	111	3	2	1
All other	---	40	5	4	1
Black	---	40	5	4	1
Phoenixville	---	155	7	6	4
West Chester	---	230	10	8	3
White	---	197	9	7	3
All other	---	33	1	1	–
Black	---	33	1	1	–
Balance of county	---	1,619	28	25	42
White	---	1,524	27	24	35
All other	---	95	1	1	7
Black	---	94	1	1	7
Clarion	239	372	7	7	7
Clearfield	760	844	12	10	10
Du Bois	---	111	2	1	3
Balance of county	---	733	10	9	7
Clinton	345	392	6	4	7
Lock Haven	---	132	1	1	2
Balance of county	---	260	5	3	5
Columbia	629	621	7	3	12
Berwick	---	150	–	–	4
Bloomsburg	---	126	1	1	–
Balance of county	---	345	6	2	8
Crawford	749	819	18	13	16
Meadville	---	192	5	4	2
Balance of county	---	627	13	9	14
Cumberland	1,294	1,332	20	16	22
Carlisle	---	222	5	2	2
Balance of county	---	1,110	15	14	20
Dauphin	2,896	2,284	62	52	33
White	2,656	2,035	44	37	19
All other	240	249	18	15	14
Black	235	245	18	15	14
Harrisburg	---	780	31	27	19
White	---	571	14	12	6
All other	---	209	17	15	13
Black	---	207	17	15	13
Lower Paxton twp. #	---	243	6	5	2
Balance of county	---	1,261	25	20	12
Delaware	5,261	5,389	68	50	74
White	4,794	4,935	53	39	56
All other	467	454	15	11	18
Black	462	447	14	10	16
Aston twp. #	---	132	2	1	3
Chester	---	570	12	10	11
White	---	316	3	2	3
All other	---	254	9	8	8
Black	---	252	9	8	8
Collingdale	---	73	1	–	1
Darby	---	150	1	1	3
White	---	125	1	1	2
All other	---	25	–	–	1
Black	---	25	–	–	1
Darby twp. #	---	58	2	2	1
White	---	30	2	2	1
All other	---	28	–	–	–
Black	---	28	–	–	–
Haverford twp. #	---	682	4	3	5
Lansdowne	---	171	1	1	1
Marple twp	---	–	–	–	–
Nether Providence twp. #	---	119	2	1	–
Radnor twp. #	---	209	2	1	–
Ridley twp. #	---	218	–	–	2
Springfield twp. #	---	212	1	1	–
Upper Chichester twp. #	---	72	–	–	–
Upper Darby twp. #	---	916	18	13	5
Yeadon	---	129	1	–	–
White	---	120	–	–	–
All other	---	9	1	–	–
Black	---	9	1	–	–
Balance of county	---	1,678	21	16	42
Elk	328	332	7	6	6
Erie	2,545	2,362	73	59	62
Erie	---	1,244	40	31	38
Millcreek twp. #	---	278	11	9	5
Balance of county	---	840	22	19	19
Fayette	1,600	1,922	40	32	23
Connellsville	---	196	4	3	1
Uniontown	---	271	12	10	1
Balance of county	---	1,455	24	19	21
Forest	17	53	–	–	1
Franklin	884	959	14	10	17
Chambersburg	---	249	1	1	4
Waynesboro	---	108	2	2	–
Balance of county	---	603	11	7	13
Fulton	88	96	1	–	4
Greene	324	450	6	3	1
Huntingdon	298	397	6	4	3
Indiana	692	820	13	9	9
Indiana	---	123	–	–	1
Balance of county	---	697	13	9	8
Jefferson	385	472	11	8	14
Juniata	97	176	2	–	2
Lackawanna	2,659	2,604	39	34	25
Carbondale	---	158	6	4	–
Dunmore	---	203	4	4	–
Scranton	---	1,314	17	14	9
Balance of county	---	1,129	12	12	16
Lancaster	3,073	3,059	73	44	48
Columbia	---	178	3	3	2
Lancaster	---	657	19	16	8
Lancaster twp. #	---	146	1	1	2
Balance of county	---	2,078	50	24	36
Lawrence	1,053	1,088	19	12	10
Ellwood City, part	---	122	3	1	1
Ellwood City, total	---	124	3	1	1
New Castle	---	493	9	6	4
Balance of county	---	473	7	5	5
Lebanon	1,084	992	13	8	15
Lebanon	---	316	3	1	4
Balance of county	---	676	10	8	11
Lehigh	3,326	2,463	51	43	39
Allentown	---	1,170	25	22	15
Bethlehem, part	---	224	6	6	4
Emmaus	---	104	–	–	3
Balance of county	---	965	20	15	17
Luzerne	4,093	4,148	53	40	56
Hazleton	---	368	4	4	6
Kingston	---	220	1	–	–
Nanticoke	---	204	1	1	1
Pittston	---	124	2	1	1
Wilkes-Barre	---	838	9	7	9
Balance of county	---	2,396	36	27	39
Lycoming	1,172	1,103	23	14	23
Williamsport	---	334	12	7	6
Balance of county	---	769	11	7	17
McKean	488	553	9	8	11
Bradford	---	183	3	2	3
Balance of county	---	370	6	6	8
Mercer	1,342	1,281	22	14	30
Farrell	---	135	6	3	3
White	---	105	3	2	2
All other	---	30	3	1	1
Black	---	30	3	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the *stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated* unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Sharon	---	249	1	1	5
Balance of county	---	898	15	10	21
Mifflin	464	417	6	5	10
Lewistown	---	124	2	1	4
Balance of county	---	293	4	4	6
Monroe	657	608	13	9	7
Montgomery	6,512	5,738	69	52	65
White	6,152	5,538	59	44	59
All other	360	200	10	8	6
Black	348	193	10	8	5
Abington twp. #	---	572	2	1	1
Cheltenham twp. #	---	417	7	6	-
Conshohocken	---	125	3	3	1
East Norriton twp. #	---	90	2	1	2
Lansdale	---	184	3	3	6
Lower Merion twp. #	---	646	4	4	1
Lower Moreland twp. #	---	79	-	-	-
Norristown	---	399	9	8	3
White	---	353	8	7	3
All other	---	*46*	*1*	*1*	-
Black	---	46	1	1	-
Plymouth twp. #	---	124	-	-	-
Pottstown	---	260	5	4	3
Springfield twp. #	---	285	-	-	-
Upper Moreland twp. #	---	203	5	4	2
West Norriton twp. #	---	93	3	2	1
Balance of county	---	2,261	28	18	45
Montour	640	214	5	3	-
Northampton	1,207	2,150	30	26	30
Bethlehem, part	---	538	6	5	5
Bethlehem, total	---	762	11	11	9
Easton	---	412	9	7	6
Balance of county	---	1,200	16	14	19
Northumberland	600	1,201	14	12	13
Shamokin	---	154	3	3	1
Sunbury	---	177	1	1	2
Balance of county	---	870	10	8	10
Perry	156	308	3	3	5
Philadelphia, coext. with Philadelphia city	20,687	20,522	482	316	370
White	14,159	13,855	187	134	143
All other	6,528	6,667	275	182	227
Black	6,458	6,611	272	180	223
Pike	84	200	1	1	2
Potter	166	162	1	1	2
Schuylkill	1,894	2,114	22	18	14
Pottsville	---	240	3	1	1
Balance of county	---	1,874	19	17	13
Snyder	139	245	3	3	4
Somerset	713	784	10	6	11
Sullivan	39	79	2	1	-
Susquehanna	253	373	3	1	2
Tioga	320	367	8	5	4
Union	415	301	6	4	3
Venango	578	583	13	8	6
Oil City	---	139	2	1	1
Balance of county	---	454	11	7	5
Warren	464	473	8	4	12
Warren	---	180	4	2	3
Balance of county	---	293	4	2	9
Washington	2,063	2,217	37	30	21
Canonsburg	---	139	1	1	-
Washington	---	244	5	5	-
White	---	215	4	4	-
All other	---	29	1	1	-
Black	---	29	1	1	-
Balance of county	---	1,834	31	24	21
Wayne	310	401	9	7	8
Westmoreland	3,378	3,583	51	36	51
Greensburg	---	220	7	4	3
Hempfield twp. #	---	287	4	3	7
Jeannette	---	174	-	-	1
Latrobe	---	*184*	4	2	2
Lower Burrell	---	93	1	1	1
Monessen	---	174	-	-	1
New Kensington	---	221	2	1	1
North Huntingdon twp. #	---	173	4	2	3
Balance of county	---	2,097	29	23	32
Wyoming	207	213	6	3	3
York	2,523	*2,541*	43	*31*	42
Hanover	---	209	3	3	1
Spring Garden twp. #	---	119	1	1	-
York	---	617	9	7	10
White	---	564	7	6	7
All other	---	53	2	1	3
Black	---	53	2	1	3
Balance of county	---	1,596	30	20	31
Rhode Island	9,309	9,090	167	121	137
White	9,071	8,856	136	101	124
All other	238	234	31	20	13
Black	215	213	27	17	11
Bristol	260	423	4	4	1
Barrington town #	---	127	1	1	2
Bristol town #	---	188	3	3	4
Warren town #	---	107	-	-	2
Balance of county	---	1	-	-	2
Kent	1,087	1,322	26	16	14
Warwick	---	776	8	5	6
West Warwick town #	---	245	7	6	2
Balance of county	---	301	11	5	4
Newport	507	592	*15*	*11*	12
Middletown town #	---	120	4	3	5
Newport	---	290	7	5	3
Balance of county	---	272	4	3	5
Providence	6,789	6,045	112	83	96
White	6,592	5,856	83	64	80
All other	197	189	29	19	16
Black	188	180	27	17	15
Central Falls	---	223	*3*	*1*	3
Cranston	---	696	4	3	5
Cumberland town #	---	218	7	7	3
East Providence	---	494	7	4	1
North Providence town #	---	274	2	2	1
Pawtucket	---	671	12	11	11
Providence	---	1,936	52	33	38
White	---	1,787	28	18	25
All other	---	149	24	15	
Black	---	142	23	14	
Woonsocket	---	552	16	14	
Balance of county	---	779	9	8	1
Washington	666	618	10	7	
North Kingstown town #	---	129	1	1	
Balance of county	---	489	9	6	
South Carolina	23,564	24,363	865	572	69
White	15,606	16,217	370	263	27
All other	7,958	8,146	495	309	36
Black	7,936	8,125	492	308	35
Abbeville	147	201	7	6	
White	95	138	2	2	
All other	52	63	5	4	
Black	52	62	5	4	
Aiken	524	838	30	24	2
White	371	615	14	13	1
All other	153	223	16	11	1
Black	153	223	16	11	1
Aiken	---	171	7	6	
White	---	117	2	2	
All other	---	54	5	4	
Black	---	54	5	4	
North Augusta	---	107	5	4	
Balance of county	---	560	18	14	2
White	---	412	9	8	1
All other	---	148	9	6	1
Black	---	148	9	6	1
Allendale	102	123	5	4	
White	42	51	1	1	
All other	60	72	4	3	
Black	60	72	4	3	
Anderson	985	1,026	24	18	2
White	803	839	12	8	1
All other	182	189	12	10	1
Black	181	189	12	10	1
Anderson	---	339	7	5	
White	---	246	4	3	
All other	---	87	3	2	
Black	---	87	3	2	
Balance of county	---	695	17	13	2
White	---	593	8	5	1
All other	---	102	9	8	1
Black	---	102	9	8	1
Bamberg	136	166	*10*	6	
White	64	86	5	3	
All other	72	80	5	3	
Black	72	80	5	3	
Barnwell	148	190	9	6	
White	81	109	4	3	
All other	67	81	5	3	
Black	67	81	5	3	
Beaufort	357	368	13	8	1
White	195	213	7	4	
All other	162	155	6	4	
Black	162	154	5	4	
Berkeley	183	439	26	15	1
White	86	264	13	8	1
All other	97	175	13	7	
Black	97	174	12	7	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Calhoun	52	117	1	–	2
White	16	38	–	–	–
All other	36	79	1	–	2
Black	36	79	1	–	2
Charleston	2,659	1,933	88	62	43
White	1,712	1,118	40	26	13
All other	1,147	815	48	36	30
Black	1,142	812	47	35	29
Charleston	---	844	31	27	16
White	---	411	11	9	6
All other	---	433	20	18	10
Black	---	432	19	17	10
Balance of county	---	1,089	57	35	27
White	---	707	29	17	7
All other	---	382	28	18	20
Black	---	380	28	18	19
Cherokee	281	389	9	4	9
White	217	314	2	2	5
All other	64	75	7	2	4
Black	64	75	7	2	4
Gaffney	---	176	5	2	5
White	---	133	–	–	3
All other	---	43	5	2	2
Black	---	43	5	2	2
Balance of county	---	213	4	2	4
White	---	181	2	2	2
All other	---	32	2	–	2
Black	---	32	2	–	2
Chester	207	295	15	11	7
White	123	183	8	6	2
All other	84	112	7	5	5
Black	84	112	7	5	5
Chesterfield	188	344	11	8	13
White	124	247	9	7	5
All other	64	97	2	1	8
Black	64	97	2	1	8
Clarendon	209	246	9	7	9
White	79	89	–	–	3
All other	130	157	9	7	6
Black	130	157	9	7	6
Colleton	288	315	7	5	11
White	161	181	3	3	4
All other	127	134	4	2	7
Black	127	134	4	2	7
Darlington	530	570	18	15	15
White	335	345	8	7	8
All other	195	225	10	8	7
Black	195	225	10	8	7
Dillon	182	272	11	4	8
White	118	165	4	2	2
All other	64	107	7	2	6
Black	64	107	7	2	6
Dorchester	116	313	8	7	14
White	72	201	4	3	8
All other	44	112	4	4	6
Black	44	111	4	4	6
Edgefield	99	152	4	2	6
White	55	85	–	–	1
All other	44	67	4	2	5
Black	44	67	4	2	5
Fairfield	123	210	7	2	4
White	67	110	–	–	1
All other	56	100	7	2	3
Black	56	100	7	2	3
Florence	1,066	903	44	30	23
White	619	546	14	12	12
All other	447	357	30	18	11
Black	447	357	30	18	11
Florence	---	361	17	10	5
White	---	190	2	2	3
All other	---	171	15	8	2
Black	---	171	15	8	2
Balance of county	---	542	27	20	18
White	---	356	12	10	9
All other	---	186	15	10	9
Black	---	186	15	10	9
Georgetown	340	365	24	18	21
White	181	182	3	2	7
All other	159	183	21	16	14
Black	158	183	21	16	14
Georgetown	---	146	7	5	6
White	---	83	1	1	2
All other	---	63	6	4	4
Black	---	63	6	4	4
Balance of county	---	219	17	13	15
White	---	99	2	1	5
All other	---	120	15	12	10
Black	---	120	15	12	10
Greenville	2,415	2,150	71	48	48
White	1,959	1,742	50	29	32
All other	456	408	21	19	16
Black	456	407	21	19	16
Greenville	---	672	18	16	22
White	---	439	3	1	11
All other	---	233	15	15	11
Black	---	233	15	15	11
Greer, part	---	94	1	1	–
White	---	81	1	1	–
All other	---	13	–	–	–
Black	---	12	–	–	–
Greer, total	---	132	3	2	1
White	---	106	2	2	1
All other	---	26	1	–	–
Black	---	25	1	–	–
Balance of county	---	1,384	52	31	26
White	---	1,222	46	27	21
All other	---	162	6	4	5
Black	---	162	6	4	5
Greenwood	611	495	11	8	12
White	426	334	4	4	6
All other	185	161	7	4	6
Black	185	161	7	4	6
Greenwood	---	235	5	4	6
White	---	140	1	1	1
All other	---	95	4	3	5
Black	---	95	4	3	5
Balance of county	---	260	6	4	6
White	---	194	3	3	5
All other	---	66	3	1	1
Black	---	66	3	1	1
Hampton	120	164	3	3	12
White	53	86	1	1	2
All other	67	78	2	2	10
Black	67	78	2	2	10
Horry	706	703	34	18	15
White	559	551	13	9	9
All other	147	152	21	9	6
Black	147	152	21	9	6
Jasper	87	143	8	5	8
White	34	56	3	2	1
All other	53	87	5	3	7
Black	53	87	5	3	7
Kershaw	244	313	11	6	8
White	146	196	5	2	2
All other	98	117	6	4	6
Black	98	117	6	4	6
Lancaster	354	420	12	7	6
White	247	303	3	2	2
All other	107	117	9	5	4
Black	107	117	9	5	4
Laurens	357	479	17	12	12
White	248	346	6	4	10
All other	109	133	11	8	2
Black	109	133	11	8	2
Laurens	---	94	7	5	2
White	---	63	3	2	2
All other	---	31	4	3	–
Black	---	31	4	3	–
Balance of county	---	385	10	7	10
White	---	283	3	2	8
All other	---	102	7	5	2
Black	---	102	7	5	2
Lee	88	159	9	6	4
White	38	74	–	–	1
All other	50	85	9	6	3
Black	50	85	9	6	3
Lexington	593	749	25	19	21
White	498	641	19	14	14
All other	95	108	6	5	7
Black	95	108	6	5	7
McCormick	42	95	4	4	4
White	19	48	–	–	1
All other	23	47	4	4	3
Black	23	47	4	4	3
Marion	339	339	18	12	13
White	186	177	5	4	–
All other	153	162	13	8	13
Black	153	162	13	8	13
Marlboro	244	294	13	6	5
White	121	157	5	3	3
All other	123	137	8	3	2
Black	123	137	8	3	2
Newberry	240	341	6	4	5
White	149	229	4	3	2
All other	91	112	2	1	3
Black	91	112	2	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Oconee	387	423	11	6	5
White	316	365	9	5	3
All other	51	58	2	1	2
Black	51	58	2	1	2
Orangeburg	797	809	26	10	18
White	394	396	9	7	4
All other	403	413	17	3	14
Black	*403*	*413*	*17*	*3*	*14*
Orangeburg	---	155	4	–	4
White	---	92	–	–	2
All other	---	63	4	–	2
Black	---	63	4	–	2
Balance of county	---	654	22	10	14
White	---	304	9	7	2
All other	---	350	13	3	12
Black	---	350	13	3	12
Pickens	360	519	11	8	12
Easley	---	134	4	4	4
White	---	117	4	4	3
All other	---	17	–	–	1
Black	---	16	–	–	1
Balance of county	---	385	7	4	8
Richland	3,017	2,087	60	35	48
White	1,913	1,311	17	13	15
All other	1,104	776	43	22	33
Black	1,099	771	43	22	33
Columbia	---	1,015	30	19	25
White	---	649	7	6	7
All other	---	366	23	13	18
Black	---	364	23	13	18
Balance of county	---	1,072	30	16	23
White	---	662	10	7	8
All other	---	410	20	9	15
Black	---	*407*	*20*	*9*	*15*
Saluda	103	140	2	2	9
White	79	100	–	–	3
All other	24	40	2	2	6
Black	24	40	2	2	6
Spartanburg	1,642	1,751	57	38	28
White	1,278	1,368	31	25	14
All other	364	385	26	14	12
Black	361	384	26	14	12
Greer, part	---	38	2	1	1
White	---	25	1	1	1
All other	---	13	1	–	–
Black	---	13	1	–	–
Spartanburg	---	520	16	11	9
White	---	332	4	3	4
All other	---	188	12	8	5
Black	---	*187*	*12*	*8*	*5*
Balance of county	---	1,193	39	27	16
White	---	1,009	26	21	9
All other	---	184	13	6	7
Black	---	184	13	6	7
Sumter	534	604	25	14	15
White	251	280	9	6	5
All other	283	324	16	8	10
Black	282	323	16	8	10
Sumter	---	257	6	5	7
White	---	131	1	1	2
All other	---	126	5	4	5
Black	---	126	5	4	5
Balance of county	---	347	19	9	8
White	---	149	8	5	3
All other	---	198	11	4	5
Black	---	197	11	4	5
Union	240	278	9	6	8
White	172	195	4	3	3
All other	68	83	5	3	5
Black	68	83	5	3	5
Union	---	113	3	3	–
White	---	64	1	1	–
All other	---	49	2	2	–
Black	---	49	2	2	–
Balance of county	---	165	6	3	8
White	---	131	3	2	3
All other	---	34	3	1	5
Black	---	34	3	1	5
Williamsburg	244	343	15	12	21
White	97	134	1	1	4
All other	147	209	14	11	17
Black	147	209	14	11	17
York	678	788	27	20	21
White	472	555	8	6	13
All other	206	233	19	14	8
Black	201	228	19	14	8
Rock Hill	---	326	11	9	9
White	---	201	1	1	4
All other	---	125	10	8	5
Black	---	124	10	8	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Balance of county	---	462	16	11	12
White	---	354	7	5	9
All other	---	108	9	6	3
Black	---	104	9	6	3
South Dakota [5]	6,249	6,345	146	75	112
White	*5,860*	*5,909*	*109*	*62*	*69*
All other	389	436	38	13	29
Black	8	10	2	1	–
Aurora	16	39	1	1	–
Beadle	211	199	–	–	2
Huron	---	148	–	–	–
Balance of county	---	51	–	–	2
Bennett	11	24	1	1	3
White	6	13	–	–	1
All other	5	11	1	1	2
Black	–	–	–	–	–
Bon Homme	90	100	1	–	1
Brookings	115	145	3	2	2
Brookings	---	73	2	1	1
Balance of county	---	72	1	1	1
Brown	363	302	7	6	7
Aberdeen	---	211	5	4	7
Balance of county	---	91	2	2	–
Brule	72	53	–	–	2
Buffalo	5	12	1	1	1
White	3	4	–	–	–
All other	2	8	1	1	1
Black	–	–	–	–	–
Butte	73	75	1	–	1
Campbell	*9*	*22*	–	–	–
Charles Mix	95	112	3	–	3
Clark	18	57	–	–	–
Clay	57	82	–	–	1
Codington	241	156	1	–	2
Watertown	---	150	1	–	1
Balance of county	---	36	–	–	1
Corson	19	45	4	–	2
White	7	24	1	–	1
All other	12	21	3	–	2
Black	–	–	–	–	–
Custer	51	56	2	–	–
Davison	212	158	3	2	–
Mitchell	---	137	3	2	–
Balance of county	---	21	–	–	–
Day	76	114	–	–	–
Deuel	*43*	*61*	*1*	*1*	–
Dewey	47	60	3	1	–
White	13	27	1	1	–
All other	34	33	2	–	–
Black	–	–	–	–	–
Douglas	37	52	–	–	–
Edmunds	57	72	–	–	–
Fall River	159	111	3	1	–
Faulk	30	36	1	–	–
Grant	107	127	3	1	1
Gregory	51	67	2	1	–
Haakon	19	25	1	–	–
Hamlin	34	71	–	–	–
Hand	72	59	4	1	–
Hanson	5	29	–	–	–
Harding	5	17	–	–	2
Hughes	123	112	4	1	3
Hutchinson	185	132	3	3	3
Hyde	9	26	1	–	–
Jackson	22	32	1	–	–
Jerauld	27	30	–	–	–
Jones	5	11	–	–	–
Kingsbury	96	101	1	–	–
Lake	97	109	–	–	–
Lawrence	156	175	3	1	1
Lincoln	96	132	2	2	3
Sioux Falls, part	---	–	–	–	–
Balance of county	---	132	2	2	3
Lyman	16	48	1	–	–
White	10	33	–	–	–
All other	6	15	1	–	–
Black	–	–	–	–	–
McCook	45	66	2	2	–
McPherson	48	59	1	–	–
Marshall	37	51	–	–	–
Meade	153	133	4	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Mellette	11	23	–	–	1
White	3	9	–	–	–
All other	8	14	–	–	1
Black	–	–	–	–	–
Miner	22	48	1	1	–
Minnehaha	1,237	814	24	17	18
Sioux Falls, part	---	648	16	12	14
Sioux Falls, total	---	648	16	12	14
Balance of county	---	166	8	5	4
Moody	51	66	3	2	2
Pennington	485	389	12	6	7
Rapid City	---	276	6	4	3
Balance of county	---	123	6	2	4
Perkins	31	50	2	2	2
Potter	35	37	–	–	–
Roberts	100	126	3	2	2
White	76	99	1	1	2
All other	24	27	2	1	–
Black	–	–	–	–	–
Sanborn	12	44	–	–	–
Shannon	70	109	10	4	7
White	4	6	–	–	–
All other	66	103	10	4	7
Black	–	–	–	–	–
Spink	58	98	1	1	4
Stanley	11	23	–	–	1
Sully	2	12	–	–	–
Todd	53	72	6	2	3
White	4	11	1	1	1
All other	49	61	5	1	2
Black	–	–	–	–	–
Tripp	72	95	7	4	1
Turner	92	131	4	2	–
Union	42	100	1	1	4
Walworth	85	78	–	–	1
Washabaugh	–	4	–	–	–
White	–	–	–	–	–
All other	–	4	–	–	–
Black	–	–	–	–	–
Yankton	251	157	3	1	4
Yankton	---	120	3	1	3
Balance of county	---	37	–	–	1
Ziebach	5	24	–	–	–
White	1	10	–	–	–
All other	4	14	–	–	–
Black	–	–	–	–	–
Tennessee [6]	41,082	38,789	930	623	679
White	33,859	31,905	603	399	467
All other	7,223	6,884	327	224	212
Black	7,193	6,859	326	224	211
Anderson	534	514	6	5	9
Oak Ridge, part	---	184	–	–	–
Oak Ridge, total	---	185	–	–	–
Balance of county	---	330	6	5	9
Bedford	224	274	6	4	5
White	200	243	6	4	5
All other	24	31	–	–	–
Black	24	31	–	–	–
Shelbyville	---	147	1	1	2
White	---	125	1	1	2
All other	---	22	–	–	–
Black	---	22	–	–	–
Balance of county	---	127	5	3	3
Benton	165	156	2	1	–
Bledsoe	65	72	–	–	–
Blount	612	654	7	5	16
Maryville	---	240	1	–	6
Balance of county	---	414	6	5	10
Bradley	431	439	11	4	13
Cleveland	---	240	6	1	7
Balance of county	---	199	5	3	6
Campbell	340	317	5	4	3
Cannon	91	111	1	–	–
Carroll	*259*	*310*	*8*	*4*	*9*
White	229	271	5	4	2
All other	30	39	1	–	1
Black	30	39	1	–	1
Carter	282	431	5	2	5
Elizabethton	---	144	1	–	2
Balance of county	---	287	4	2	3
Cheatham	66	158	4	3	6
Chester	44	113	2	–	4
White	39	98	1	–	4
All other	5	15	1	–	–
Black	5	15	1	–	–
Claiborne	205	241	6	1	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Clay	47	74	1	1	–
Cocke	180	263	6	5	5
Coffee	302	285	3	2	5
Tullahoma, part	---	119	2	2	2
Tullahoma, total	---	122	2	2	2
Balance of county	---	166	1	–	3
Crockett	67	184	5	3	1
White	58	163	3	2	–
All other	9	31	2	1	1
Black	9	31	2	1	1
Cumberland	321	250	6	3	4
Davidson, coext. with Nashville city	5,708	4,158	118	80	76
White	4,513	3,103	70	45	46
All other	1,195	1,055	48	35	30
Black	1,190	1,053	48	35	30
Decatur	92	110	1	–	1
De Kalb	161	159	2	2	3
Dickson	274	275	3	3	2
Dyer	347	335	11	10	8
White	296	286	6	5	2
All other	51	49	5	5	6
Black	51	49	5	5	6
Dyersburg	---	176	4	3	3
White	---	138	3	2	–
All other	---	38	1	1	3
Black	---	38	1	1	3
Balance of county	---	159	7	7	5
Fayette	119	158	9	5	6
White	57	75	2	1	1
All other	62	83	7	4	5
Black	62	83	7	4	5
Fentress	96	147	5	4	3
Franklin	233	292	8	6	3
Tullahoma, part	---	3	–	–	–
Balance of county	---	289	8	6	3
Gibson	456	557	7	6	14
White	369	461	3	2	7
All other	87	96	4	4	7
Black	87	96	4	4	7
Humboldt	---	118	2	2	5
White	---	81	1	1	3
All other	---	37	1	1	2
Black	---	37	1	1	2
Balance of county	---	439	5	4	9
White	---	380	2	1	4
All other	---	59	3	3	5
Black	---	59	3	3	5
Giles	188	255	5	3	3
White	162	217	5	3	2
All other	26	38	–	–	1
Black	26	38	–	–	1
Grainger	51	138	–	–	–
Greene	493	450	10	7	5
Greenville	---	130	3	2	1
Balance of county	---	320	7	5	4
Grundy	39	129	4	4	1
Hamblen	401	367	12	8	7
Morristown	---	206	8	5	3
Balance of county	---	161	4	3	4
Hamilton	2,916	2,492	51	34	32
White	2,343	1,916	31	22	21
All other	573	576	20	12	11
Black	573	576	20	12	11
Chattanooga	---	1,744	38	23	20
White	---	1,185	18	11	11
All other	---	559	20	12	9
Black	---	559	20	12	9
East Ridge	---	165	2	2	–
Red Bank	---	88	1	1	2
Balance of county	---	495	10	8	10
Hancock	51	74	2	1	1
Hardeman	223	233	4	1	2
White	147	153	2	–	1
All other	76	80	2	1	1
Black	76	80	2	1	1
Hardin	173	213	4	2	4
Hawkins	153	335	9	6	8
Kingsport, part	---	1	–	–	–
Balance of county	---	334	9	6	8
Haywood	186	203	7	7	2
White	94	112	2	2	1
All other	72	91	5	5	1
Black	72	91	5	5	1
Henderson	165	211	1	–	2
White	155	199	–	–	1
All other	10	12	1	–	1
Black	10	12	1	–	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Henry	320	350	5	4	9
White	289	307	5	4	7
All other	31	43	–	–	2
Black	31	43	–	–	2
Hickman	89	154	4	3	2
Houston	64	59	–	–	2
Humphreys	106	158	5	3	3
Jackson	68	103	2	–	–
Jefferson	202	236	4	3	4
Johnson	88	131	1	1	1
Knox	3,499	2,608	44	29	41
White	3,182	2,317	34	22	36
All other	317	291	10	7	5
Black	314	289	10	7	5
Knoxville	---	1,785	29	17	24
White	---	1,508	19	10	20
All other	---	277	10	7	4
Black	---	275	10	7	4
Balance of county	---	823	15	12	17
Lake	40	92	2	2	1
White	34	77	1	1	1
All other	6	15	1	1	–
Black	6	15	1	1	–
Lauderdale	145	240	4	2	3
White	99	168	1	–	–
All other	46	72	3	2	3
Black	46	72	3	2	3
Lawrence	238	297	1	1	13
Lewis	63	75	–	–	–
Lincoln	207	254	1	–	7
White	185	224	1	–	6
All other	22	30	–	–	1
Black	22	30	–	–	1
Loudon	187	260	5	4	3
McMinn	344	351	11	8	5
Athens	---	104	2	2	2
Balance of county	---	247	9	6	3
McNairy	148	214	4	2	2
Macon	105	145	2	1	2
Madison	987	656	19	16	6
White	716	431	8	8	2
All other	271	225	11	8	4
Black	271	225	11	8	4
Jackson	---	471	14	11	2
White	---	310	4	4	–
All other	---	161	10	7	2
Black	---	161	10	7	2
Balance of county	---	185	5	5	4
White	---	121	4	4	2
All other	---	64	1	1	2
Black	---	64	1	1	2
Marion	166	201	5	3	4
Marshall	191	191	5	4	2
White	165	174	3	2	–
All other	26	17	2	2	2
Black	26	17	2	2	2
Maury	461	469	6	4	8
White	375	365	4	3	2
All other	86	104	2	1	6
Black	86	104	2	1	6
Columbia	---	254	3	2	8
White	---	186	1	1	2
All other	---	68	2	1	6
Black	---	68	2	1	6
Balance of county	---	215	3	2	–
White	---	179	3	2	–
All other	---	36	–	–	–
Black	---	36	–	–	–
Meigs	20	60	2	2	2
Monroe	179	258	8	5	9
Montgomery	466	510	18	13	11
White	379	409	12	10	7
All other	87	101	6	3	4
Black	86	98	6	3	4
Clarksville	---	319	17	12	8
White	---	247	11	9	4
All other	---	72	6	3	4
Black	---	70	6	3	4
Balance of county	---	191	1	1	3
White	---	162	1	1	3
All other	---	29	–	–	–
Black	---	28	–	–	–
Moore	2	34	2	1	–
Morgan	32	126	2	2	2
Obion	309	319	10	9	2
Tennessee-Con.					
Union City	---	125	3	3	
White	---	98	1	1	
All other	---	27	2	2	
Black	---	27	2	2	
Balance of county	---	194	7	6	
Overton	168	183	5	5	
Perry	56	83	3	3	
Pickett	8	32	–	–	
Polk	91	101	2	1	
Putnam	366	390	5	5	
Cookeville	---	141	2	2	
Balance of county	---	249	3	3	
Rhea	180	217	7	2	
Roane	292	375	6	4	
Oak Ridge, part	---	1	–	–	
Balance of county	---	374	6	4	
Robertson	258	355	5	5	
White	214	300	4	4	
All other	44	55	1	1	
Black	44	55	1	1	
Rutherford	494	494	21	11	2
White	416	419	16	10	1
All other	78	75	5	1	
Black	78	75	5	1	
Murfreesboro	---	224	9	2	
White	---	183	6	2	
All other	---	41	3	–	
Black	---	41	3	–	
Balance of county	---	270	12	9	1
White	---	236	10	8	1
All other	---	34	2	1	
Black	---	34	2	1	
Scott	146	153	3	–	
Sequatchie	81	72	4	2	
Sevier	215	318	11	5	
Shelby	8,302	6,447	216	148	14
White	4,995	3,573	56	38	5
All other	3,307	2,874	160	110	9
Black	3,292	2,862	159	110	9
Memphis	---	6,078	199	137	13
White	---	3,316	44	31	4
All other	---	2,762	155	106	8
Black	---	2,751	154	106	8
Millington	---	54	4	3	
Balance of county	---	315	13	8	1
White	---	214	8	4	
All other	---	101	5	4	
Black	---	100	5	4	
Smith	129	134	3	3	
Stewart	18	84	2	2	
Sullivan	1,468	1,111	28	18	2
Bristol [6]	---	232	1	1	
Kingsport, part	---	360	13	9	
Kingsport, total	---	361	13	9	
Balance of county	---	519	14	8	1
Sumner	406	507	20	12	
Gallatin	---	144	6	2	
White	---	118	6	2	
All other	---	26	–	–	
Black	---	26	–	–	
Balance of county	---	363	14	10	
Tipton	199	290	8	6	
White	119	180	5	4	
All other	80	110	3	2	
Black	80	110	3	2	
Trousdale	31	53	3	2	
White	21	39	2	2	
All other	10	14	1	–	
Black	10	14	1	–	
Unicoi	90	149	1	–	
Union	41	94	2	1	
Van Buren	11	40	–	–	
Warren	268	310	2	2	
McMinnville	---	131	1	1	
Balance of county	---	179	1	1	
Washington	1,206	744	18	11	1
Johnson City	---	424	6	3	
Balance of county	---	320	12	8	
Wayne	88	106	1	1	
Weakley	258	342	3	3	
White	166	184	6	2	
Williamson	279	350	9	6	
White	238	295	8	6	
All other	41	55	1	–	
Black	41	55	1	–	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Wilson	303	371	9	5	4
White	267	322	5	3	3
All other	36	49	4	2	1
Black	36	49	4	2	-
Lebanon	---	128	4	2	1
White	---	105	3	2	1
All other	---	23	1	-	-
Black	---	23	1	-	-
Balance of county	---	243	5	3	3
Texas	106,838	104,921	3,287	2,182	2,188
White	92,330	90,514	2,474	1,669	1,743
All other	14,508	14,407	813	513	445
Black	14,268	14,210	790	502	431
Anderson	321	413	8	4	6
White	244	318	7	4	4
All other	77	95	1	-	2
Black	77	95	1	-	2
Palestine	---	221	5	2	2
White	---	177	4	2	1
All other	---	44	1	-	1
Black	---	44	1	-	1
Balance of county	---	192	3	2	4
White	---	141	3	2	3
All other	---	51	-	-	1
Black	---	51	-	-	1
Andrews	105	72	1	1	3
Angelina	510	492	15	7	11
White	442	437	11	7	10
All other	68	55	4	-	1
Black	68	55	4	-	1
Lufkin	---	240	10	4	4
White	---	194	6	4	3
All other	---	46	4	-	1
Black	---	46	4	-	1
Balance of county	---	252	5	3	7
Aransas	27	120	3	3	3
Archer	39	71	1	1	2
Armstrong	22	20	-	-	1
Atascosa	192	220	4	2	5
Austin	193	220	-	-	-
White	170	193	-	-	-
All other	23	27	-	-	-
Black	23	27	-	-	-
Bailey	72	72	1	1	1
Bandera	38	78	1	1	1
Bastrop	165	247	4	2	3
White	131	201	4	2	3
All other	34	46	-	-	-
Black	34	46	-	-	-
Baylor	59	61	2	2	-
Bee	157	193	8	5	7
Beeville	---	109	5	3	1
Balance of county	---	84	3	2	6
Bell	1,551	971	41	25	40
White	1,329	831	25	14	23
All other	222	140	16	11	17
Black	213	132	15	10	15
Killeen	---	198	24	15	22
White	---	166	11	7	9
All other	---	32	13	8	13
Black	---	30	13	8	12
Temple	---	416	5	2	7
White	---	345	5	2	6
All other	---	71	-	-	1
Black	---	68	-	-	1
Balance of county	---	357	12	8	11
White	---	320	9	5	8
All other	---	37	3	3	3
Black	---	34	2	2	2
Bexar	8,018	6,899	264	167	167
White	7,291	6,252	240	151	149
All other	727	647	24	16	18
Black	697	621	23	16	16
San Antonio	---	5,972	228	142	146
White	---	5,364	210	131	130
All other	---	608	18	11	16
Black	---	589	18	11	14
Balance of county	---	927	36	25	21
Blanco	42	48	1	-	-
Borden	-	4	-	-	-
Bosque	216	227	1	-	1
Bowie	635	657	11	7	11
White	486	523	7	4	8
All other	149	134	4	3	3
Black	149	134	4	3	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Texarkana †	---	401	4	2	6
White	---	308	2	1	4
All other	---	93	2	1	2
Black	---	93	2	1	2
Balance of county	---	256	7	5	5
White	---	215	5	3	4
All other	---	41	2	2	1
Black	---	41	2	2	1
Brazoria	642	941	42	29	30
White	575	848	39	28	26
All other	67	93	3	1	4
Black	67	91	3	1	4
Alvin	---	109	9	6	3
Freeport	---	86	3	3	4
White	---	70	2	2	3
All other	---	16	1	1	1
Black	---	16	1	1	1
Lake Jackson	---	76	2	1	2
Balance of county	---	670	28	19	21
White	---	596	26	19	18
All other	---	74	2	-	3
Black	---	72	2	-	3
Brazos	432	435	14	9	4
White	340	335	9	6	4
All other	92	100	5	1	-
Black	91	98	5	1	-
Bryan	---	312	12	8	2
White	---	230	7	7	2
All other	---	82	5	1	-
Black	---	81	5	1	-
College Station	---	75	2	1	2
Balance of county	---	48	-	-	-
White	---	41	-	-	-
All other	---	7	-	-	-
Black	---	7	-	-	-
Brewster	103	77	1	-	-
Briscoe	3	32	-	-	1
Brooks	84	60	9	2	1
Brown	388	399	9	8	7
Brownwood	---	259	6	5	5
Balance of county	---	140	3	3	2
Burleson	74	151	2	-	-
White	60	108	1	-	-
All other	14	43	1	-	-
Black	14	43	1	-	-
Burnet	171	207	4	2	3
Caldwell	169	223	5	1	2
White	142	188	3	1	1
All other	27	35	2	-	1
Black	27	35	2	-	1
Calhoun	108	128	2	1	4
Port Lavaca	---	73	1	-	3
Balance of county	---	55	1	1	1
Callahan	73	121	1	-	2
Cameron	1,921	1,211	42	27	45
Brownsville	---	453	22	13	24
Harlingen	---	325	7	5	5
San Benito	---	128	2	2	3
Balance of county	---	305	11	7	13
Camp	104	116	3	1	-
White	62	77	-	-	-
All other	42	39	3	1	-
Black	42	39	3	1	-
Carson	34	58	1	-	-
Cass	314	359	10	6	2
White	252	291	7	5	1
All other	62	78	3	1	1
Black	62	78	3	1	1
Castro	44	55	6	3	1
Chambers	120	122	4	1	2
White	96	102	3	1	2
All other	24	20	1	-	-
Black	24	20	1	-	-
Cherokee	465	485	11	5	14
White	375	392	6	4	10
All other	90	93	5	1	4
Black	90	93	5	1	4
Childress	97	103	3	2	2
Clay	93	112	2	1	1
Cochran	24	42	-	-	3
Coke	38	43	-	-	-
Coleman	138	179	1	1	2
Collin	609	678	19	12	25
McKinney	---	198	6	1	5
White	---	181	4	1	4
All other	---	17	2	-	1
Black	---	17	2	-	1
Plano	---	181	11	10	6
Richardson, part	---	6	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Balance of county	---	313	1	-	13
Collingsworth	58	72	1	1	1
Colorado	263	231	8	4	8
White	216	172	3	2	4
All other	47	59	3	2	4
Black	47	59	3	2	4
Comal	280	316	3	1	3
New Braunfels	---	221	3	1	2
Balance of county	---	95	-	-	1
Comanche	142	181	-	-	1
Concho	14	37	1	-	-
Cooke	264	307	4	2	5
Gainesville	---	202	3	1	2
Balance of county	---	105	1	1	3
Coryell	144	208	8	4	11
White	139	199	6	4	7
All other	5	9	2	-	4
Black	5	9	2	-	4
Copperas Cove	---	42	4	1	2
Balance of county	---	166	4	3	9
White	---	163	4	3	6
All other	---	3	-	-	3
Black	---	3	-	-	3
Cottle	31	40	-	-	2
White	29	37	-	-	2
All other	2	3	-	-	-
Black	2	3	-	-	-
Crane	38	37	3	3	-
Crockett	41	45	5	4	2
Crosby	57	75	1	1	1
Culberson	29	21	5	3	1
Dallam	13	60	1	1	1
Dallas	11,520	10,508	363	243	208
White	9,273	8,405	213	147	135
All other	2,247	2,103	150	96	73
Black	2,213	2,074	145	95	72
Balch Springs	---	72	-	-	3
Carrollton, part	---	135	5	1	4
Carrollton, total	---	149	6	1	6
Dallas	---	7,340	268	175	118
White	---	5,355	128	87	51
All other	---	1,985	140	88	67
Black	---	1,964	136	87	67
Duncanville	---	121	5	4	6
Farmers Branch	---	116	1	-	2
Garland	---	555	21	19	19
Grand Prairie, part	---	369	12	9	11
Grand Prairie, total	---	400	14	10	12
Highland Park	---	86	-	-	-
Irving	---	576	17	14	16
Lancaster	---	112	4	-	2
Mesquite	---	298	14	9	12
Richardson, part	---	260	5	5	8
Richardson, total	---	266	6	6	9
University Park	---	148	2	2	-
Balance of county	---	320	9	5	7
Dawson	134	159	10	7	5
Lamesa	---	130	10	7	4
Balance of county	---	29	-	-	1
Deaf Smith	101	137	8	3	4
Hereford	---	119	8	3	3
Balance of county	---	18	-	-	1
Delta	34	80	1	-	-
White	30	72	1	-	-
All other	4	8	-	-	-
Black	4	7	-	-	-
Denton	514	691	25	17	18
Carrollton, part	---	14	1	-	2
Denton	---	272	8	7	9
Balance of county	---	405	16	10	7
De Witt	273	336	3	3	6
White	237	294	3	3	5
All other	36	42	-	-	1
Black	36	42	-	-	1
Dickens	12	50	3	1	-
Dimmit	101	80	3	2	3
Donley	25	64	-	-	-
Duval	23	118	4	3	2
Eastland	314	345	7	6	4
Ector	703	657	36	27	21
Odessa	---	585	29	22	18
Balance of county	---	72	7	5	3
Edwards	12	29	3	3	1
Ellis	397	557	12	7	5
White	342	478	12	7	3
All other	55	79	-	-	2
Black	55	79	-	-	2
Texas-Con.					
Ennis	---	120	3	1	
White	---	98	3	1	
All other	---	24	-	-	
Black	---	24	-	-	
Waxahachie	---	178	2	1	
White	---	150	2	1	
All other	---	28	-	-	
Black	---	28	-	-	
Balance of county	---	259	7	5	
White	---	232	7	5	
All other	---	27	-	-	
Black	---	27	-	-	
El Paso	2,672	2,377	99	62	6
White	2,573	2,285	93	60	6
All other	99	92	6	2	
Black	88	83	5	2	
El Paso	---	2,235	93	59	5
White	---	2,154	88	57	5
All other	---	81	5	2	
Black	---	73	4	2	
Balance of county	---	142	6	3	
Erath	211	225	2	1	
Falls	344	259	1	1	
White	251	191	-	-	
All other	93	68	1	1	
Black	92	66	-	-	
Fannin	287	294	6	6	
Fayette	166	281	6	3	
White	143	239	4	2	
All other	23	42	2	1	
Black	23	42	2	1	
Fisher	58	77	1	1	
Floyd	68	82	2	1	
Foard	34	44	-	-	
Fort Bend	369	539	28	20	3
White	306	445	23	16	2
All other	63	94	5	4	
Black	63	92	5	4	
Houston, part	---	5	1	1	
Rosenburg	---	116	5	4	
Balance of county	---	418	22	15	2
White	---	334	17	11	1
All other	---	84	5	4	
Black	---	82	5	4	
Franklin	74	84	2	2	
Freestone	167	177	1	-	
White	138	141	1	-	
All other	29	36	-	-	
Black	29	36	-	-	
Frio	79	94	2	2	
Gaines	37	65	3	1	
Galveston	1,865	1,578	56	42	2
White	1,378	1,235	28	22	1
All other	487	343	28	20	1
Black	468	343	28	20	1
Galveston	---	684	27	21	1
White	---	480	9	8	
All other	---	204	18	13	
Black	---	204	18	13	
La Marque	---	121	4	4	
White	---	96	1	1	
All other	---	25	3	3	
Black	---	25	3	3	
League City	---	64	3	2	
Texas City	---	302	11	7	
White	---	236	7	5	
All other	---	66	4	2	
Black	---	66	4	2	
Balance of county	---	407	11	8	
White	---	360	8	6	
All other	---	47	3	2	
Black	---	47	3	2	
Garza	34	55	-	-	
Gillespie	185	179	3	2	
Glasscock	7	12	3	1	
Goliad	38	56	-	-	
White	36	52	-	-	
All other	2	4	-	-	
Black	2	4	-	-	
Gonzales	150	206	3	-	
White	127	170	2	-	
All other	23	36	1	-	
Black	23	36	1	-	
Gray	230	252	2	2	
Pampa	---	214	2	2	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Balance of county	---	38	–	–	–
Grayson	1,099	1,019	20	14	10
Denison	---	279	7	5	3
White	---	250	6	4	3
All other	---	29	1	1	–
Black	---	29	1	1	–
Sherman	---	319	8	5	4
White	---	286	7	5	2
All other	---	33	1	–	2
Black	---	33	1	–	2
Balance of county	---	421	5	4	3
Gregg	913	883	24	13	16
White	723	702	15	10	12
All other	190	181	9	3	4
Black	189	181	9	3	4
Longview	913	510	13	7	10
White	723	408	11	6	7
All other	190	102	2	1	3
Black	189	102	2	1	3
Balance of county	913	373	11	6	6
White	723	294	4	4	5
All other	190	79	7	2	1
Black	189	79	7	2	1
Grimes	161	193	3	–	3
White	102	118	1	–	2
All other	59	75	2	–	1
Black	59	75	2	–	1
Guadalupe	235	369	4	3	7
Seguin	235	178	3	2	5
White	214	153	2	1	3
All other	21	25	1	1	2
Black	19	24	1	1	2
Balance of county	235	191	1	1	2
Hale	282	280	9	5	7
Plainview	282	179	4	1	5
Balance of county	282	101	5	4	2
Hall	66	67	3	3	2
White	64	66	3	3	2
All other	2	1	–	–	–
Black	2	1	–	–	–
Hamilton	121	145	–	–	–
Hansford	22	49	1	–	2
Hardeman	89	101	–	–	1
White	76	87	–	–	1
All other	13	14	–	–	–
Black	13	14	–	–	–
Hardin	221	352	13	5	8
White	189	301	9	3	6
All other	32	51	4	2	2
Black	32	51	4	2	2
Harris	16,735	14,182	586	403	349
White	13,098	10,831	384	268	248
All other	3,636	3,351	202	135	101
Black	3,568	3,294	192	129	99
Baytown	---	359	22	17	13
Bellaire	---	118	2	1	4
Deer Park	---	58	5	2	5
Galena Park	---	54	1	1	1
White	---	51	1	1	1
All other	---	3	–	–	–
Black	---	3	–	–	–
Houston, part	---	11,300	451	304	272
White	---	8,075	259	177	179
All other	---	3,225	192	127	93
Black	---	3,173	182	121	91
Houston, total	---	11,305	452	305	272
White	---	8,080	260	178	179
All other	---	3,225	192	127	93
Black	---	3,173	182	121	91
Pasadena	---	608	37	29	19
South Houston	---	76	3	2	1
West University Place	---	36	–	–	–
Balance of county	---	1,573	65	47	34
White	---	1,492	62	45	32
All other	---	81	3	2	2
Black	---	78	3	2	2
Harrison	489	563	12	8	10
White	273	326	6	5	5
All other	216	237	6	3	5
Black	216	237	6	3	5
Marshall	---	348	9	6	6
White	---	202	4	3	3
All other	---	146	5	3	3
Black	---	146	5	3	3
Balance of county	---	215	3	2	4
White	---	124	2	2	2
All other	---	91	1	–	2
Black	---	91	1	–	2
Hartley	56	18	–	–	2
Haskell	88	107	1	1	1
Haya	161	237	4	2	2
San Marcos	---	140	4	2	2
Balance of county	---	97	–	–	–
Hemphill	33	32	3	1	1
Henderson	323	418	10	6	3
White	299	379	10	6	2
All other	30	39	–	–	1
Black	30	39	–	–	1
Hidalgo	1,528	1,538	72	51	61
Edinburg	---	134	4	2	7
McAllen	---	372	12	12	11
Mission	---	130	6	2	7
Pharr	---	90	8	7	6
Weslaco	---	172	9	6	3
Balance of county	---	640	33	22	27
Hill	320	366	2	1	2
White	288	334	1	–	–
All other	32	32	1	1	2
Black	32	32	1	1	2
Hockley	98	169	3	2	8
Levelland	---	108	2	1	6
Balance of county	---	61	1	1	2
Hood	132	172	5	5	–
Hopkins	257	308	9	8	5
White	233	278	5	4	5
All other	24	30	4	4	–
Black	24	30	4	4	–
Sulphur Springs	---	189	5	5	2
White	---	169	1	1	2
All other	---	20	4	4	–
Black	---	20	4	4	–
Balance of county	---	119	4	3	3
Houston	183	228	2	–	1
White	148	166	1	–	1
All other	35	62	1	–	–
Black	35	62	1	–	–
Howard	500	329	14	9	6
Big Spring	---	262	12	8	5
Balance of county	---	67	2	1	1
Hudspeth	7	19	2	2	–
Hunt	475	589	10	8	2
White	423	527	8	6	2
All other	52	62	2	–	–
Black	51	60	2	–	–
Greenville	---	252	4	1	1
White	---	207	3	1	1
All other	---	45	1	–	–
Black	---	44	1	–	–
Balance of county	---	337	6	5	1
White	---	320	5	5	1
All other	---	17	1	–	–
Black	---	16	1	–	–
Hutchinson	189	233	9	6	6
Borger	---	151	6	3	4
Balance of county	---	82	3	3	2
Irion	2	6	–	–	–
Jack	78	105	3	3	1
Jackson	82	132	1	1	2
White	69	109	1	1	2
All other	13	23	–	–	–
Black	13	23	–	–	–
Jasper	257	290	7	2	9
White	204	233	5	2	2
All other	53	57	2	–	7
Black	53	57	2	–	7
Jeff Davis	7	16	–	–	1
Jefferson	2,536	2,248	72	60	43
White	1,966	1,640	35	30	16
All other	570	608	37	30	27
Black	565	604	35	29	26
Beaumont	---	1,064	33	28	27
White	---	709	13	11	8
All other	---	355	20	17	19
Black	---	353	19	16	19
Groves	---	158	1	1	3
Nederland	---	122	7	7	1
Port Arthur	---	719	21	16	9
White	---	482	6	5	2
All other	---	237	15	11	7
Black	---	235	14	11	6
Port Neches	---	79	3	2	–
Balance of county	---	108	7	6	3
White	---	91	5	4	2
All other	---	15	2	2	1
Black	---	15	2	2	1
Jim Hogg	15	45	1	1	4
Jim Wells	274	252	10	8	6
Alice	---	150	6	5	3
Balance of county	---	102	4	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Johnson	487	608	11	6	9
Cleburne	---	276	5	4	3
Fort Worth, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	331	6	2	6
Jones	199	217	10	9	4
Abilene, part	---	2	-	-	-
Balance of county	---	215	10	9	4
Karnes	124	144	6	5	1
Kaufman	420	407	9	4	7
White	364	335	7	2	4
All other	56	72	2	2	3
Black	56	72	2	2	3
Terrell	---	128	2	1	4
White	---	87	1	-	2
All other	---	41	1	1	2
Black	---	41	1	1	2
Balance of county	---	279	7	3	3
White	---	248	6	2	2
All other	---	31	1	1	1
Black	---	31	1	1	1
Kendall	91	120	2	1	2
Kenedy	6	5	-	-	-
Kent	7	14	-	-	1
Kerr	523	353	3	2	5
Kerrville	---	265	3	2	1
Balance of county	---	88	-	-	4
Kimble	46	57	-	-	-
King	1	3	-	-	-
Kinney	14	28	2	2	-
Kleberg	189	185	5	4	12
Kingsville	---	161	4	3	11
Balance of county	---	24	1	1	1
Knox	75	87	1	1	3
Lamar	587	528	6	3	5
White	468	416	1	-	3
All other	119	112	5	3	2
Black	117	112	5	3	2
Paris	---	371	5	3	3
White	---	278	1	-	1
All other	---	93	4	3	2
Black	---	93	4	3	2
Balance of county	---	157	1	-	2
White	---	138	-	-	2
All other	---	19	1	-	-
Black	---	19	1	-	-
Lamb	111	141	5	1	2
Lampasas	88	122	5	2	1
La Salle	10	36	1	-	2
Lavaca	255	249	2	-	1
Lee	103	124	-	-	-
White	84	99	-	-	-
All other	19	25	-	-	-
Black	19	25	-	-	-
Leon	100	168	5	3	3
White	75	117	5	3	2
All other	25	51	-	-	1
Black	24	51	-	-	1
Liberty	363	460	19	14	11
White	300	367	15	11	8
All other	63	93	4	3	3
Black	63	93	4	3	3
Limestone	168	262	5	2	3
White	139	209	1	-	1
All other	29	53	4	2	2
Black	29	53	4	2	2
Lipscomb	3	26	-	-	1
Live Oak	51	79	1	-	2
Llano	109	156	-	-	-
Loving	1	1	-	-	-
Lubbock	1,673	1,303	61	35	26
White	1,543	1,178	51	30	21
All other	130	125	10	5	5
Black	128	123	10	5	5
Lubbock	---	1,072	52	29	19
White	---	960	44	25	14
All other	---	112	8	4	5
Black	---	110	8	4	5
Balance of county	---	231	9	6	7
Lynn	41	74	2	2	-
McCulloch	105	123	1	1	1
McLennan	1,597	1,599	41	29	28
White	1,341	1,326	23	17	18
All other	256	273	18	12	10
Black	255	272	18	12	10
Waco	---	1,163	34	25	2
White	---	934	19	15	1
All other	---	229	15	10	
Black	---	229	15	10	
Balance of county	---	436	7	4	
McMullen	2	9	-	-	
Madison	163	121	3	2	
White	124	92	-	-	
All other	39	29	3	2	
Black	38	29	3	2	
Marion	98	118	5	4	
White	47	59	1	1	
All other	51	59	4	3	
Black	51	59	4	3	
Martin	38	50	3	1	
Mason	37	54	1	-	
Matagorda	241	273	18	11	1
White	194	217	15	10	1
All other	47	56	1	1	
Black	47	55	1	1	
Bay City	---	139	9	5	
White	---	106	8	5	
All other	---	33	1	1	
Black	---	33	1	1	
Balance of county	---	134	7	5	
White	---	111	7	5	
All other	---	23	-	-	
Black	---	22	-	-	
Maverick	121	146	14	12	
Eagle Pass	---	115	12	10	
Balance of county	---	31	2	2	
Medina	134	206	6	4	
Menard	28	39	1	1	
Midland	465	513	15	13	1
White	412	455	10	8	1
All other	53	58	5	5	
Black	53	58	5	5	
Midland	---	462	10	9	1
White	---	405	6	5	
All other	---	57	4	4	
Black	---	57	4	4	
Balance of county	---	51	5	4	
Milam	221	275	7	4	
White	188	235	4	2	
All other	33	40	3	2	
Black	33	40	3	2	
Mills	74	82	1	1	
Mitchell	105	114	4	4	
Montague	233	271	1	-	
Montgomery	515	748	22	13	1
White	459	689	21	13	1
All other	56	77	1	-	
Black	56	76	1	-	
Conroe	---	211	4	3	
White	---	172	4	3	
All other	---	39	-	-	
Black	---	39	-	-	
Houston, part	---	-	-	-	
Balance of county	---	535	18	10	1
White	---	497	17	10	1
All other	---	36	1	-	
Black	---	37	1	-	
Moore	95	108	5	3	
Morris	151	162	-	-	
White	112	122	-	-	
All other	39	40	-	-	
Black	39	40	-	-	
Motley	7	35	-	-	
Nacogdoches	421	374	11	4	
White	341	297	8	3	
All other	80	77	3	1	
Black	80	77	3	1	
Nacogdoches	---	192	7	1	
White	---	144	4	-	
All other	---	48	3	1	
Black	---	48	3	1	
Balance of county	---	182	4	3	
White	---	153	4	3	
All other	---	29	-	-	
Black	---	29	-	-	
Navarro	420	434	7	6	
White	331	346	3	2	
All other	89	88	4	4	
Black	88	88	4	4	

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Corsicana	---	286	4	4	3
White	---	219	–	–	1
All other	---	67	4	4	2
Black	---	67	4	4	2
Balance of county	---	148	3	2	3
White	---	127	3	2	2
All other	---	21	–	–	1
Black	---	21	–	–	1
Newton	14	79	3	2	3
White	10	57	2	1	2
All other	4	18	1	1	1
Black	4	18	1	1	1
Nolan	155	191	3	2	4
Sweetwater	---	138	3	2	4
Balance of county	---	53	–	–	–
Nueces	2,082	1,765	69	55	58
White	1,970	1,650	66	53	49
All other	112	115	3	2	7
Black	107	111	3	2	7
Corpus Christi	---	1,533	59	46	45
White	---	1,421	56	44	38
All other	---	112	3	2	7
Black	---	108	3	2	7
Robstown	---	101	5	4	5
Balance of county	---	131	5	5	6
Ochiltree	69	75	4	2	3
Oldham	6	20	1	–	1
Orange	345	594	25	15	9
Orange	---	224	12	8	3
White	---	163	5	4	3
All other	---	61	7	4	–
Black	---	61	7	4	–
Balance of county	---	370	13	7	6
Palo Pinto	234	272	4	4	2
Mineral Wells, part	---	188	4	4	2
Mineral Wells, total	---	188	4	4	2
Balance of county	---	86	–	–	–
Panola	207	222	6	2	1
White	158	167	1	–	1
All other	49	55	5	2	–
Black	49	55	5	2	–
Parker	260	360	4	2	4
Mineral Wells, part	---	–	–	–	–
Weatherford	---	184	2	2	1
Balance of county	---	176	2	–	3
Parmer	43	72	5	2	5
Pecos	79	91	2	1	5
Polk	175	258	3	3	6
White	142	215	3	3	5
All other	33	43	–	–	1
Black	33	36	–	–	1
Potter	1,519	918	29	18	19
Amarillo, part	---	699	27	17	19
Amarillo, total	---	1,195	34	23	27
Balance of county	---	19	2	1	–
Presidio	11	42	–	–	1
Rains	14	59	–	–	1
Randall	135	366	11	10	8
Amarillo, part	---	296	7	6	8
Balance of county	---	70	4	4	–
Reagan	17	33	–	–	2
Real	7	26	1	–	1
Red River	162	234	4	3	1
White	123	182	1	1	1
All other	39	52	3	2	–
Black	38	51	3	2	–
Reeves	77	107	6	2	1
Pecos	---	89	6	2	1
Balance of county	---	18	–	–	–
Refugio	68	97	–	–	–
White	59	84	–	–	–
All other	9	13	–	–	–
Black	9	13	–	–	–
Roberts	4	9	–	–	–
Robertson	121	194	4	4	–
White	76	125	1	1	–
All other	45	69	3	3	–
Black	45	69	3	3	–
Rockwall	37	91	–	–	–
White	35	82	–	–	–
All other	2	9	–	–	–
Black	2	9	–	–	–
Runnels	146	183	1	–	4
Rusk	389	492	12	5	2
White	308	386	4	2	1
All other	81	106	8	3	1
Black	81	106	8	3	1
Texas-Con.					
Henderson	---	158	2	1	1
White	---	123	1	1	1
All other	---	35	1	–	–
Black	---	35	1	–	–
Balance of county	---	334	10	4	1
White	---	263	3	1	–
All other	---	71	7	3	1
Black	---	71	7	3	1
Sabine	43	118	4	2	3
White	35	105	3	2	2
All other	8	13	1	–	1
Black	8	13	1	–	1
San Augustine	90	124	6	4	1
White	67	82	3	3	1
All other	23	32	3	1	–
Black	23	32	3	1	–
San Jacinto	27	108	2	1	4
White	22	75	1	–	2
All other	5	33	1	1	2
Black	5	33	1	1	2
San Patricio	263	375	7	6	14
San Saba	67	96	2	2	2
Schleicher	22	26	–	–	1
Scurry	134	168	7	3	5
Snyder	---	132	5	2	2
Balance of county	---	36	2	1	3
Shackelford	37	51	–	–	1
Shelby	214	296	9	8	6
White	171	244	7	7	2
All other	43	52	2	1	4
Black	43	52	2	1	4
Sherman	10	20	–	–	1
Smith	1,479	1,098	28	18	17
White	1,176	838	15	10	11
All other	303	260	11	8	6
Black	301	258	11	8	6
Tyler	---	652	14	10	11
White	---	494	7	5	6
All other	---	158	7	5	5
Black	---	157	7	5	5
Balance of county	---	446	12	8	6
White	---	344	8	5	5
All other	---	102	4	3	1
Black	---	101	4	3	1
Somervell	48	53	–	–	–
Starr	97	146	3	2	7
Stephens	147	163	1	–	4
Sterling	17	19	1	1	–
Stonewall	22	29	–	–	–
Sutton	52	42	1	–	1
Swisher	76	102	4	3	2
Tarrant	6,643	6,109	199	139	108
White	5,799	5,267	145	103	66
All other	844	842	54	36	22
Black	834	833	54	36	20
Arlington	---	650	25	20	11
Bedford	---	56	1	1	2
Euless	---	109	7	4	3
Fort Worth, part	---	3,761	114	75	66
White	---	2,966	70	47	45
All other	---	795	44	28	21
Black	---	789	44	28	19
Fort Worth, total	---	3,762	114	75	66
White	---	2,967	70	47	45
All other	---	795	44	28	21
Black	---	789	44	28	19
Grand Prairie, part	---	31	2	1	1
White	---	22	1	1	1
All other	---	9	1	–	–
Black	---	9	1	–	–
Haltom City	---	220	5	4	3
Hurst	---	158	9	8	5
North Richland Hills	---	132	5	4	2
White Settlement	---	89	2	2	1
Balance of county	---	905	29	20	14
Taylor	1,041	899	28	19	19
Abilene, part	---	780	26	19	16
Abilene, total	---	782	26	19	16
Balance of county	---	119	–	–	3
Terrell	8	19	–	–	–
Terry	106	116	5	4	4
Throckmorton	24	36	–	–	1
Titus	233	258	4	2	6
White	200	215	2	2	3
All other	33	41	2	–	3
Black	32	40	2	–	3
Tom Green	864	768	23	14	15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
San Angelo	---	675	22	13	14
Balance of county	---	91	1	1	1
Travis	2,620	2,309	69	44	60
White	2,269	1,988	48	30	50
All other	351	323	21	14	10
Black	346	318	21	14	10
Austin	---	1,864	63	41	52
White	---	1,577	42	27	42
All other	---	307	21	14	10
Black	---	302	21	14	10
Balance of county	---	325	6	3	8
Trinity	90	132	–	–	1
White	74	105	–	–	–
All other	16	27	–	–	1
Black	16	27	–	–	1
Tyler	124	181	1	1	4
White	106	165	1	1	3
All other	18	16	–	–	1
Black	13	16	–	–	1
Upshur	146	289	8	7	4
White	121	220	5	5	3
All other	25	49	3	2	1
Black	25	49	3	2	1
Upton	31	46	1	–	2
Uvalde	153	172	2	1	2
Uvalde	---	123	1	1	1
Balance of county	---	49	1	–	1
Val Verde	229	241	12	11	6
Del Rio	---	212	10	9	4
Balance of county	---	29	2	2	2
Van Zandt	188	357	3	3	6
Victoria	629	488	18	13	11
Victoria	---	382	14	10	9
Balance of county	---	106	4	3	2
Walker	247	218	7	5	2
White	166	150	4	2	2
All other	81	68	3	3	–
Black	81	68	3	3	–
Huntsville	---	106	3	2	2
White	---	79	2	1	2
All other	---	27	1	1	–
Black	---	27	1	1	–
Balance of county	---	112	4	3	–
White	---	71	2	1	–
All other	---	41	2	2	–
Black	---	41	2	2	–
Waller	122	176	6	3	4
White	81	118	3	2	3
All other	41	58	3	1	1
Black	41	58	3	1	1
Ward	58	110	4	3	3
Washington	317	302	4	1	2
White	239	229	3	–	2
All other	78	73	1	1	–
Black	78	73	1	1	–
Webb	635	609	17	11	19
Laredo	---	584	17	11	19
Balance of county	---	25	–	–	–
Wharton	370	356	10	6	6
White	302	290	7	5	5
All other	68	66	3	1	1
Black	68	66	3	1	1
Wheeler	68	74	–	–	1
Wichita	1,110	1,034	21	17	2
White	1,028	958	16	14	1
All other	82	76	5	3	1
Black	82	76	5	3	1
Wichita Falls	---	806	13	10	1
White	---	731	8	7	1
All other	---	75	5	3	–
Black	---	75	5	3	–
Balance of county	---	228	8	7	1
Wilbarger	202	212	4	4	1
White	188	195	3	3	1
All other	14	17	1	1	–
Black	14	17	1	1	–
Vernon	---	187	4	4	1
White	---	172	3	3	1
All other	---	15	1	1	–
Black	---	15	1	1	–
Balance of county	---	25	–	–	–
Willacy	75	124	6	3	2
Williamson	454	547	9	6	5
White	413	492	7	4	5
All other	41	55	2	2	–
Black	41	54	2	2	–
Wilson	114	156	4	1	1
Winkler	79	83	2	1	5
Wise	197	237	5	2	6
Wood	252	297	2	–	2
White	230	271	2	–	1
All other	22	26	–	–	1
Black	22	26	–	–	1
Yoakum	15	31	4	3	–
Young	258	257	5	2	3
Zapata	22	54	–	–	–
Zavala	10	78	7	4	–
Utah	8,276	7,890	438	279	317
White	8,102	7,724	426	276	308
All other	174	166	12	3	9
Black	44	37	4	1	3
Beaver	39	52	1	1	1
Box Elder	178	191	8	7	7
Brigham City	---	96	3	3	3
Balance of county	---	95	5	4	4
Cache	255	287	17	11	12
Logan	---	147	8	5	6
Balance of county	---	140	9	6	6
Carbon	155	154	2	–	6
Daggett	1	2	–	–	–
Davis	446	506	40	27	24
Bountiful	---	134	3	1	5
Clearfield	---	83	4	4	3
White	---	59	3	3	2
All other	---	4	1	1	1
Black	---	2	1	1	1
Layton	---	72	9	6	1
Balance of county	---	237	24	16	15
Duchesne	79	74	4	3	5
Emery	26	60	5	3	3
Garfield	24	28	1	1	2
Grand	54	49	3	–	3
Iron	96	105	9	6	6
Juab	38	43	–	–	1
Kane	27	24	–	–	–
Millard	65	71	2	1	–
Morgan	15	33	1	1	–
Piute	4	12	–	–	–
Rich	3	16	1	1	1
Salt Lake	4,102	3,471	161	94	130
Murray	---	152	6	2	7
Salt Lake City	---	1,654	33	16	46
Balance of county	---	1,665	122	76	77
San Juan	51	48	4	1	1
White	38	27	2	1	–
All other	13	21	2	–	1
Black	–	–	–	–	–
Sanpete	85	124	3	2	3
Sevier	119	115	7	3	3
Summit	42	53	1	1	–
Tooele	127	154	11	3	5
Tooele	---	106	6	3	–
Balance of county	---	48	5	–	5
Uintah	62	105	6	5	3
White	58	89	6	5	1
All other	4	16	–	–	2
Black	–	–	–	–	–
Utah	907	895	95	70	61
Orem	---	160	27	18	15
Provo	---	256	28	23	18
Balance of county	---	479	40	29	28
Wasatch	63	61	4	3	1
Washington	189	189	7	5	2
Wayne	10	13	–	–	1
Weber	1,014	956	43	29	36
Ogden	---	604	23	14	27
Roy	---	94	5	5	6
Balance of county	---	258	14	10	3
Vermont	4,294	4,179	64	47	47
White	4,289	4,175	64	47	47
All other	5	4	–	–	–
Black	5	4	–	–	–
Addison	141	189	5	4	2
Bennington	412	368	5	4	1
Caledonia	205	244	2	2	5
Chittenden	979	697	8	7	11
Burlington	---	314	3	2	3
Balance of county	---	383	5	5	8
Essex	20	58	1	1	–
Franklin	250	278	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Vermont-Con.					
Grand Isle	9	40	1	–	–
Lamoille	137	134	2	1	1
Orange	121	191	6	5	3
Orleans	207	223	4	3	1
Rutland	541	535	6	4	5
Rutland	---	238	1	–	3
Balance of county	---	297	5	4	2
Washington	484	479	6	5	6
Barre	---	126	–	–	2
Balance of county	---	353	6	5	4
Windham	333	316	8	5	3
Windsor	455	427	9	8	8
Virginia	40,132	40,809	1,121	824	1,073
White	31,036	31,786	704	523	675
All other	9,096	9,043	417	301	398
Black	9,007	8,954	407	292	389
Accomack	181	430	10	8	6
White	133	307	3	3	1
All other	48	123	7	5	5
Black	48	123	7	5	5
Albemarle	289	348	12	8	7
White	755	299	10	7	6
All other	234	47	2	1	1
Black	233	47	2	1	1
Alleghany	166	128	3	3	–
Amelia	37	92	2	2	2
White	19	50	1	1	–
All other	18	42	1	1	2
Black	18	42	1	1	2
Amherst	128	220	4	4	6
White	99	160	3	3	4
All other	29	60	1	1	2
Black	29	59	1	1	2
Appomattox	52	115	2	2	4
White	42	92	2	2	2
All other	10	23	–	–	2
Black	10	23	–	–	2
Arlington #	1,142	1,121	16	12	13
White	1,034	1,017	8	7	12
All other	108	104	8	5	1
Black	97	96	7	5	–
Augusta	188	416	7	4	15
Bath	43	75	2	2	–
White	40	64	2	2	–
All other	3	11	–	–	–
Black	3	11	–	–	–
Bedford	92	285	8	7	7
White	82	242	6	5	4
All other	10	43	2	2	3
Black	10	43	2	2	3
Bland	15	51	2	2	–
Botetourt	83	207	3	2	3
Brunswick	57	162	6	4	7
White	21	74	1	1	1
All other	36	88	5	3	6
Black	36	88	5	3	6
Buchanan	164	247	6	2	11
Buckingham	47	148	7	7	4
White	30	92	3	3	1
All other	17	56	4	4	3
Black	17	56	4	4	3
Campbell	91	277	11	8	5
White	74	219	7	5	4
All other	17	58	4	3	1
Black	17	58	4	3	1
Caroline	59	142	2	2	3
White	35	83	1	1	1
All other	24	59	1	1	2
Black	24	59	1	1	2
Carroll	62	227	6	1	2
Charles City	20	48	3	2	2
White	7	21	1	1	–
All other	13	27	2	1	2
Black	13	27	2	1	2
Charlotte	72	182	4	4	3
White	44	118	2	2	1
All other	28	64	2	2	2
Black	28	64	2	2	2
Chesterfield	169	618	23	16	17
White	153	532	20	14	9
All other	36	86	3	2	8
Black	35	85	3	2	8
Clarke	39	99	–	–	1
White	37	85	–	–	1
All other	2	14	–	–	–
Black	2	14	–	–	–
Craig	10	41	–	–	–
Culpeper	161	190	3	1	3
White	135	147	1	–	3
All other	26	43	2	1	–
Black	26	43	2	1	–
Cumberland	20	68	2	–	1
White	11	40	–	–	1
All other	9	29	2	–	–
Black	9	29	2	–	–
Dickenson	59	166	3	3	4
Dinwiddie	203	200	4	2	4
White	111	112	2	1	2
All other	92	88	2	1	2
Black	92	88	2	1	2
Essex	145	74	2	2	1
White	93	49	2	2	–
All other	52	25	–	–	1
Black	52	25	–	–	1
Fairfax	1,805	2,276	72	52	83
White	1,655	2,120	52	41	71
All other	150	156	20	11	12
Black	127	125	15	6	10
Vienna	---	101	1	–	3
Balance of county	---	2,175	71	52	80
White	---	2,023	51	41	68
All other	---	152	20	11	12
Black	---	122	15	6	10
Fauquier	256	293	4	4	7
White	195	223	4	4	4
All other	61	70	–	–	3
Black	61	70	–	–	3
Floyd	46	116	1	1	2
Fluvanna	36	104	4	3	3
White	27	76	1	1	2
All other	9	28	3	2	1
Black	9	28	3	2	1
Franklin	146	282	8	6	7
White	122	240	7	5	5
All other	24	42	1	1	2
Black	24	42	1	1	2
Frederick	20	197	5	2	7
Giles	139	195	7	5	1
Gloucester	180	171	3	1	5
White	134	137	2	1	3
All other	46	34	1	–	2
Black	46	34	1	–	2
Goochland	35	88	4	4	2
White	21	46	3	3	–
All other	14	42	1	1	2
Black	14	42	1	1	2
Grayson	50	162	4	2	5
Greene	17	52	–	–	1
White	16	45	–	–	–
All other	1	7	–	–	1
Black	1	7	–	–	1
Greensville	35	110	7	6	1
White	19	50	2	2	1
All other	16	60	5	4	–
Black	16	60	5	4	–
Halifax	94	331	8	7	10
White	56	199	3	3	4
All other	38	132	5	4	6
Black	38	131	5	4	6
Hanover	168	382	9	9	9
White	143	330	5	5	6
All other	26	62	4	4	3
Black	26	62	4	4	3
Henrico	1,499	1,364	35	27	37
White	1,301	1,243	29	22	27
All other	198	121	6	5	10
Black	197	118	6	5	10
Henry	84	398	10	6	9
White	63	314	6	4	5
All other	21	84	4	2	4
Black	21	84	4	2	4
Highland	12	39	1	1	1
Isle of Wight	43	171	6	4	4
White	22	92	2	2	2
All other	21	79	4	2	2
Black	20	78	4	2	2
James City	147	138	2	2	5
White	102	83	–	–	1
All other	45	53	2	2	4
Black	45	53	2	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
King and Queen	20	69	3	3	4
White	14	40	1	1	1
All other	6	28	2	2	3
Black	6	28	2	2	3
King George	20	72	–	–	1
White	15	57	–	–	–
All other	5	15	–	–	1
Black	5	15	–	–	1
King William	35	98	–	–	3
White	22	54	–	–	2
All other	13	44	–	–	1
Black	13	42	–	–	1
Lancaster	179	195	3	3	–
White	148	99	–	–	–
All other	31	36	3	3	–
Black	31	36	3	3	–
Lee	174	262	8	5	9
Loudoun	256	306	7	6	8
White	226	262	6	5	8
All other	30	44	1	1	–
Black	30	44	1	1	–
Louisa	57	167	3	2	2
White	26	105	2	1	–
All other	31	62	1	1	2
Black	31	62	1	1	2
Lunenburg	39	129	5	4	4
White	26	78	2	2	2
All other	13	51	3	2	2
Black	13	51	3	2	2
Madison	52	108	1	1	2
White	40	81	1	1	2
All other	12	27	–	–	–
Black	12	27	–	–	–
Mathews	58	103	–	–	1
White	42	77	–	–	–
All other	14	26	–	–	1
Black	14	26	–	–	1
Mecklenburg	294	344	10	8	9
White	172	199	2	2	3
All other	122	145	8	6	6
Black	121	145	8	6	6
Middlesex	57	108	–	–	1
White	46	81	–	–	1
All other	11	27	–	–	–
Black	11	27	–	–	–
Montgomery	295	333	8	6	8
Nansemond [8]	–	–	–	–	–
White	–	–	–	–	–
All other	–	–	–	–	–
Black	–	–	–	–	–
Nelson	52	137	2	–	3
White	35	105	1	–	2
All other	17	32	1	–	1
Black	17	32	1	–	1
New Kent	19	70	1	1	1
White	10	50	1	1	1
All other	9	20	–	–	–
Black	9	20	–	–	–
Northampton	318	179	2	2	7
White	192	98	–	–	–
All other	126	81	2	2	7
Black	126	81	2	2	7
Northumberland	40	129	1	1	1
White	30	101	–	–	–
All other	10	28	1	1	1
Black	10	28	1	1	1
Nottoway	82	164	–	–	3
White	51	94	–	–	1
All other	31	70	–	–	2
Black	31	70	–	–	2
Orange	121	201	2	2	9
White	93	160	–	–	8
All other	28	41	2	2	1
Black	28	40	2	2	1
Page	138	210	2	–	6
Patrick	123	154	1	1	1
Pittsylvania	164	506	30	20	16
White	103	354	14	9	7
All other	61	152	16	11	9
Black	61	152	16	11	9
Powhatan	39	95	4	3	5
White	26	59	4	3	5
All other	13	36	–	–	–
Black	13	36	–	–	–
Prince Edward	277	180	1	1	6
White	175	106	1	1	2
All other	102	74	–	–	4
Black	102	74	–	–	4
Prince George	51	90	3	3	2
White	39	62	–	–	–
All other	12	28	3	3	2
Black	9	28	3	3	2
Prince William	518	597	28	14	41
Pulaski	232	299	7	7	3
Pulaski	---	110	1	1	1
Balance of county	---	189	6	6	2
Rappahannock	22	70	1	–	1
White	20	61	1	–	1
All other	2	9	–	–	–
Black	2	9	–	–	–
Richmond	24	82	1	–	2
White	16	61	–	–	2
All other	8	21	1	–	–
Black	8	21	1	–	–
Roanoke	255	501	11	8	12
Rockbridge	81	165	3	3	2
Rockingham	153	442	9	5	18
Russell	152	258	12	11	3
Scott	73	265	5	5	4
Shenandoah	218	286	4	2	4
Smyth	336	307	6	5	10
Southampton	43	160	3	1	3
White	20	79	1	–	–
All other	23	81	2	1	3
Black	23	81	2	1	3
Spotsylvania	87	183	6	5	5
White	81	158	6	5	5
All other	6	25	–	–	–
Black	6	25	–	–	–
Stafford	96	191	5	4	2
Surry	25	69	2	2	–
White	13	35	1	1	–
All other	12	34	1	1	–
Black	12	34	1	1	–
Sussex	40	121	3	3	1
White	17	45	–	–	–
All other	23	76	3	3	1
Black	21	76	3	3	1
Tazewell	360	421	13	9	5
Warren	197	211	6	4	4
Washington	378	418	12	11	3
Westmoreland	56	165	2	2	4
White	40	116	–	–	2
All other	16	49	2	2	2
Black	16	49	2	2	2
Wise	278	409	15	12	7
Wythe	231	254	5	5	4
York	35	185	7	4	1
White	25	144	5	2	1
All other	10	41	2	2	–
Black	10	41	2	2	–
Independent Cities [9]					
Alexandria	894	822	16	13	15
White	750	670	8	8	8
All other	144	152	8	5	7
Black	139	146	7	4	7
Bedford	191	98	3	1	1
White	163	86	1	–	–
All other	28	12	2	1	1
Black	27	12	2	1	1
Bristol [10]	178	227	5	4	–
Buena Vista	22	72	1	–	2
Charlottesville	449	382	11	7	10
White	393	302	7	5	5
All other	56	80	4	2	5
Black	55	80	4	2	5
Chesapeake	430	731	33	24	34
White	301	502	12	8	19
All other	129	229	21	16	15
Black	129	228	21	16	15
Clifton Forge	148	75	–	–	1
White	133	60	–	–	1
All other	13	15	–	–	–
Black	13	15	–	–	–
Colonial Heights	71	148	1	–	1
Covington	28	95	1	1	–
White	23	85	1	1	–
All other	3	10	–	–	–
Black	3	10	–	–	–
Danville	862	529	12	11	28
White	628	387	8	8	19
All other	234	142	4	3	10
Black	233	141	4	3	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Emporia	176	60	3	3	3
White	81	34	–	–	1
All other	95	26	3	3	2
Black	95	26	3	3	2
Fairfax	235	127	4	2	3
Falls Church	16	130	4	3	5
Franklin	154	76	2	2	–
White	89	36	–	–	–
All other	65	40	2	2	–
Black	65	40	2	2	–
Fredericksburg	433	177	6	6	3
White	359	150	6	6	3
All other	74	27	–	–	–
Black	74	27	–	–	–
Galax	249	90	–	–	3
Hampton	967	798	30	19	20
White	609	521	17	12	8
All other	358	277	13	7	12
Black	357	276	13	7	12
Harrisonburg	508	149	2	2	6
Hopewell	204	211	10	7	8
White	174	175	9	6	6
All other	30	36	1	1	2
Black	30	35	1	1	2
Lexington	143	76	–	–	–
White	132	63	–	–	–
All other	11	13	–	–	–
Black	11	13	–	–	–
Lynchburg	1,183	690	23	18	11
White	895	513	16	11	6
All other	288	177	7	7	5
Black	288	177	7	7	5
Martinsville	466	199	1	–	4
White	364	142	–	–	1
All other	102	57	1	–	3
Black	102	57	1	–	3
Newport News	1,221	1,001	43	29	31
White	816	615	29	19	16
All other	405	386	14	10	15
Black	401	382	14	10	14
Norfolk	2,817	2,224	72	49	63
White	1,663	1,279	27	20	27
All other	1,154	945	45	29	36
Black	1,144	937	44	28	35
Norton	190	46	4	4	–
Petersburg	646	480	19	13	11
White	361	233	7	4	1
All other	285	247	12	9	10
Black	285	245	12	9	10
Portsmouth	1,367	1,077	34	26	30
White	868	614	13	10	7
All other	499	463	21	16	23
Black	496	462	21	16	23
Radford	170	86	–	–	1
Richmond	4,162	2,659	77	58	85
White	2,624	1,433	16	11	26
All other	1,538	1,126	61	47	59
Black	1,530	1,123	60	46	59
Roanoke	1,539	1,182	25	21	19
White	1,317	952	16	13	11
All other	222	230	9	8	8
Black	221	230	9	8	8
Salem	776	198	1	1	6
South Boston	344	74	1	1	5
White	211	49	1	1	3
All other	133	25	–	–	2
Black	132	25	–	–	2
Staunton	373	220	6	5	4
White	338	186	4	4	3
All other	35	34	2	1	1
Black	35	34	2	1	1
Suffolk [4]	440	476	7	3	18
White	214	233	2	1	5
All other	226	243	5	2	13
Black	226	243	5	2	13
Virginia Beach	909	1,144	50	41	50
White	761	977	38	32	41
All other	148	167	11	9	9
Black	145	162	11	9	9
Waynesboro	255	143	2	1	8
Williamsburg	197	92	1	1	4
White	139	73	–	–	2
All other	58	19	1	1	2
Black	58	19	1	1	2
Winchester	616	250	5	2	4
Washington	30,706	30,481	738	456	458
White	28,459	29,261	669	415	400
All other	1,247	1,220	69	41	58
Black	579	573	32	21	28
Adams	81	88	1	1	3
Asotin	159	179	7	3	3
Benton	542	554	14	10	15
Kennewick	---	238	8	5	7
Richland	---	177	3	2	4
Balance of county	---	139	3	3	4
Chelan	600	504	14	8	3
Wenatchee	---	274	6	3	1
Balance of county	---	230	8	5	2
Clallam	429	465	5	3	4
Port Angeles	---	196	1	–	2
Balance of county	---	269	4	3	2
Clark	1,244	1,294	31	17	26
Vancouver	---	622	12	5	7
Balance of county	---	672	19	12	19
Columbia	43	40	1	–	2
Cowlitz	604	589	12	8	8
Kelso	---	128	4	4	3
Longview	---	258	3	3	2
Balance of county	---	203	5	1	3
Douglas	71	144	1	1	2
Ferry	20	35	2	1	–
White	17	27	2	1	–
All other	3	8	–	–	–
Black	–	–	–	–	–
Franklin	185	223	7	5	6
Pasco	---	165	5	4	3
White	---	153	4	4	3
All other	---	12	1	–	–
Black	---	11	1	–	–
Balance of county	---	58	2	1	3
Garfield	25	26	–	–	–
Grant	255	337	16	9	12
Moses Lake	---	75	4	3	6
Balance of county	---	262	12	6	6
Grays Harbor	521	597	15	7	12
Aberdeen	---	192	6	4	4
Hoquiam	---	114	1	–	1
Balance of county	---	291	6	3	7
Island	176	262	8	7	4
Jefferson	130	133	6	5	–
King	10,005	9,386	180	112	117
White	9,307	8,720	145	94	99
All other	698	666	35	18	18
Black	362	356	19	13	12
Auburn	---	212	8	5	3
Bellevue	---	387	5	4	6
Kent	---	157	4	3	–
Kirkland	---	167	4	1	3
Mercer Island City	---	123	2	2	2
Redmond	---	108	4	3	–
Renton	---	250	6	2	1
Seattle	---	5,284	80	49	59
White	---	4,708	54	37	45
All other	---	575	26	12	14
Black	---	337	15	10	10
Balance of county	---	2,700	67	43	43
Kitsap	957	1,004	25	17	18
Bremerton	---	362	8	5	5
Balance of county	---	642	17	12	13
Kittitas	188	204	4	2	2
Ellensburg	---	96	3	2	2
Balance of county	---	108	1	–	–
Klickitat	101	127	2	1	6
Lewis	446	495	9	7	13
Centralia	---	162	3	3	4
Balance of county	---	333	6	4	9
Lincoln	75	88	–	–	–
Mason	188	220	4	2	2
Okanogan	255	296	14	8	2
Pacific	162	199	4	3	4
Pend Oreille	64	85	5	3	1
Pierce	3,527	3,392	105	61	45
White	3,353	3,219	91	52	32
All other	174	173	14	9	13
Black	109	110	8	4	8
Puyallup	---	165	5	2	1
Tacoma	---	1,647	40	25	21
White	---	1,542	29	18	14
All other	---	105	11	9	7
Black	---	77	5	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Washington-Con.					
Balance of county	---	1,580	60	34	23
White	---	1,516	57	34	17
All other	---	64	3	-	6
Black	---	33	3	-	3
San Juan	38	71	1	1	-
Skagit	672	614	8	4	4
Skamania	27	60	2	2	2
Snohomish	1,893	2,111	52	36	47
Edmonds	---	227	1	1	5
Everett	---	613	18	14	9
Lynnwood	---	142	3	2	4
Mountlake Terrace	---	77	1	1	1
Balance of county	---	1,052	29	16	28
Spokane	3,097	2,682	70	46	31
Spokane	---	1,828	38	22	13
Balance of county	---	854	32	24	18
Stevens	140	182	12	7	1
Thurston	860	874	23	16	12
Olympia	---	358	9	6	4
Balance of county	---	516	14	10	8
Wahkiakum	23	29	-	-	-
Walla Walla	539	453	4	3	8
Walla Walla	---	303	3	2	5
Balance of county	---	150	1	1	3
Whatcom	774	764	18	10	8
Bellingham	---	415	7	5	3
Balance of county	---	349	11	5	5
Whitman	189	228	5	2	7
Pullman	---	66	4	1	-
Balance of county	---	162	1	1	7
Yakima	1,415	1,437	51	28	28
Yakima	---	620	15	8	9
Balance of county	---	817	36	20	19
West Virginia	19,139	18,965	412	271	313
White	18,199	18,037	383	250	297
All other	940	928	29	21	16
Black	934	922	27	19	15
Barbour	144	174	2	2	4
Berkeley	628	415	6	4	9
Martinsburg	---	208	4	3	5
Balance of county	---	207	2	1	4
Boone	175	275	7	5	4
Braxton	47	130	3	3	2
Brooke	357	282	6	4	2
Weirton, part	---	43	2	2	-
Balance of county	---	239	4	2	2
Cabell	1,714	1,216	21	13	12
Huntington, part	---	869	16	9	10
Huntington, total	---	923	16	9	11
Balance of county	---	347	5	4	2
Calhoun	80	75	3	2	1
Clay	55	108	6	4	1
Doddridge	33	70	-	-	-
Fayette	481	650	12	5	15
White	424	577	12	5	13
All other	57	73	-	-	2
Black	57	73	-	-	2
Gilmer	19	75	2	2	2
Grant	98	87	2	-	-
Greenbrier	309	384	5	4	4
Hampshire	84	138	1	1	-
Hancock	98	341	7	3	8
Weirton, part	---	183	2	1	5
Weirton, total	---	226	4	3	5
Balance of county	---	158	5	2	1
Hardy	36	86	1	-	-
Harrison	1,018	833	13	11	6
Clarksburg	---	335	3	3	2
Balance of county	---	498	10	8	4
Jackson	209	216	1	-	5
Jefferson	200	259	5	3	5
White	179	232	5	3	5
All other	21	27	-	-	-
Black	21	27	-	-	-
Kanawha	2,635	2,204	44	32	31
White	2,438	2,011	34	24	26
All other	197	193	10	8	5
Black	194	190	9	7	5
Charleston	---	860	16	13	14
White	---	737	10	7	13
All other	---	123	6	6	1
Black	---	121	5	5	1
St. Albans	---	156	2	1	2
South Charleston	---	167	4	3	-
Balance of county	---	1,021	22	15	15
West Virginia-Con.					
Lewis	174	227	5	1	1
Lincoln	74	202	3	1	5
Logan	340	468	9	7	6
McDowell	368	476	22	16	9
White	285	373	18	12	8
All other	83	103	4	4	1
Black	83	103	4	4	1
Marion	612	748	13	7	10
Fairmont	---	322	10	6	2
Balance of county	---	426	3	1	8
Marshall	308	358	6	6	4
Moundsville	---	152	3	3	-
Balance of county	---	206	3	3	4
Mason	242	251	5	2	5
Mercer	879	738	22	12	10
Bluefield [11]	---	227	5	5	2
White	---	177	3	3	1
All other	---	50	2	2	1
Black	---	50	2	2	1
Balance of county	---	511	17	7	8
Mineral	157	243	5	4	10
Mingo	228	368	13	8	12
Monongalia	1,120	558	11	7	7
Morgantown	---	259	3	1	2
Balance of county	---	299	8	6	5
Monroe	43	132	2	2	3
Morgan	86	107	-	-	3
Nicholas	169	222	5	3	5
Ohio	1,155	799	14	12	10
Wheeling	---	676	13	11	6
Balance of county	---	123	1	1	4
Pendleton	38	102	6	4	7
Pleasants	26	71	3	1	4
Pocahontas	117	112	4	3	2
Preston	240	298	7	5	3
Putnam	103	267	4	2	5
Raleigh	1,283	872	15	9	16
White	1,126	745	14	9	13
All other	157	127	1	-	3
Black	157	127	1	-	3
Beckley	---	313	3	2	5
White	---	230	3	2	2
All other	---	83	-	-	3
Black	---	83	-	-	3
Balance of county	---	559	12	7	11
Randolph	401	274	5	3	5
Ritchie	53	132	5	3	3
Roane	161	178	6	5	3
Summers	149	187	6	4	5
Taylor	117	175	1	1	2
Tucker	76	104	3	2	2
Tyler	70	122	4	2	2
Upshur	187	209	10	7	5
Wayne	253	331	4	3	8
Huntington, part	---	54	-	-	1
Balance of county	---	277	4	3	7
Webster	105	156	4	2	5
Wetzel	153	215	4	3	5
Wirt	23	64	-	-	1
Wood	1,095	903	30	21	15
Parkersburg	---	571	19	12	8
Vienna	---	94	1	1	-
Balance of county	---	238	10	8	7
Wyoming	113	300	9	5	3
Wisconsin	39,074	39,183	792	523	510
White	37,991	38,118	696	467	459
All other	1,083	1,067	96	56	51
Black	874	853	87	52	42
Adams	136	159	2	2	1
Ashland	224	212	2	2	3
Barron	347	406	11	9	5
Bayfield	95	151	1	1	1
Brown	1,414	1,126	33	23	16
De Pere	---	72	2	2	2
Green Bay	---	716	22	14	10
Balance of county	---	338	9	7	4
Buffalo	96	149	-	-	5
Burnett	83	121	1	-	1
Calumet	164	219	8	5	-
Appleton, part	---	12	1	1	-
Balance of county	---	207	7	4	-
Chippewa	424	436	9	7	5
Chippewa Falls	---	129	3	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Eau Claire, part	---	4	-	-	-
Balance of county	---	303	6	6	3
Clark	161	287	4	3	9
Columbia	398	446	6	5	5
Crawford	137	159	-	-	1
Dane	2,522	1,786	46	28	30
Madison	---	1,034	28	17	17
Monona	---	48	2	1	2
Balance of county	---	704	16	10	11
Dodge	658	639	8	4	13
Beaver Dam	---	146	2	1	6
Watertown, part	---	71	1	-	-
Balance of county	---	422	5	3	7
Door	206	255	3	2	4
Douglas	372	508	5	4	2
Superior	---	386	4	4	2
Balance of county	---	142	1	-	-
Dunn	203	248	3	-	2
Menomonie	---	103	-	-	-
Balance of county	---	145	3	-	2
Eau Claire	696	571	14	10	7
Eau Claire, part	---	377	10	8	5
Eau Claire, total	---	381	10	8	5
Balance of county	---	194	4	2	2
Florence	28	43	2	2	-
Fond du Lac	750	797	13	10	5
Fond du Lac	---	379	4	3	3
Balance of county	---	418	9	7	2
Forest	65	107	3	2	1
Grant	401	440	8	6	5
Green	342	284	5	3	1
Green Lake	159	218	6	4	3
Iowa	134	173	5	2	4
Iron	31	90	-	-	1
Jackson	139	163	4	2	1
Jefferson	388	537	4	4	4
Watertown, part	---	109	-	-	1
Watertown, total	---	180	1	-	1
Whitewater, part	---	3	-	-	-
Balance of county	---	425	4	4	3
Juneau	138	236	4	3	4
Kenosha	926	1,008	27	22	11
Kenosha	---	747	21	17	10
Balance of county	---	261	6	5	1
Kewaunee	128	165	2	2	5
La Crosse	1,198	782	7	6	5
La Crosse	---	523	6	5	3
Balance of county	---	259	1	1	2
Lafayette	88	163	5	5	1
Langlade	180	206	6	5	3
Lincoln	238	251	7	5	5
Manitowoc	659	719	23	13	9
Manitowoc	---	394	9	6	3
Two Rivers	---	121	3	1	1
Balance of county	---	204	11	6	5
Marathon	737	814	15	11	16
Marshfield, part	---	2	-	-	-
Wausau	---	371	3	1	4
Balance of county	---	441	12	10	12
Marinette	405	450	4	2	7
Marinette	---	186	2	1	2
Balance of county	---	264	2	1	5
Marquette	52	125	2	2	1
Menominee	4	31	-	-	5
White	-	-	-	-	5
All other	4	31	-	-	-
Black	-	-	-	-	-
Milwaukee	9,397	8,866	183	114	112
White	8,657	8,135	113	74	78
All other	740	731	70	40	34
Black	706	699	67	38	31
Brown Deer	---	62	-	-	-
Cudahy	---	139	1	-	2
Franklin	---	64	2	1	-
Glendale	---	205	2	2	-
Greendale	---	63	1	1	-
Greenfield	---	229	3	3	1
Milwaukee, part	---	6,100	146	86	92
White	---	5,385	76	46	60
All other	---	715	70	40	32
Black	---	690	67	38	30
Milwaukee, total	---	6,100	146	86	92
White	---	5,385	76	46	60
All other	---	715	70	40	32
Black	---	690	67	38	30
Oak Creek	---	79	1	-	1
St. Francis	---	88	5	3	1
Shorewood	---	148	3	2	-
South Milwaukee	---	137	7	6	1
Wauwatosa	---	557	5	4	3
West Allis	---	680	6	5	8
Whitefish Bay	---	101	1	1	-
Balance of county	---	214	-	-	3
Monroe	351	332	7	4	5
Oconto	244	320	3	3	1
Oneida	355	272	4	3	1
Outagamie	631	654	15	5	12
Appleton, part	---	406	6	1	8
Appleton, total	---	418	7	2	8
Kaukauna	---	99	-	-	-
Balance of county	---	359	9	4	4
Ozaukee	276	405	14	8	4
Mequon	---	76	1	1	-
Balance of county	---	329	13	7	4
Pepin	74	69	-	-	1
Pierce	85	188	1	1	1
Polk	331	326	8	6	5
Portage	331	347	4	2	4
Stevens Point	---	184	3	1	1
Balance of county	---	163	1	1	3
Price	165	197	4	2	3
Racine	1,359	1,380	34	22	20
White	1,299	1,309	26	16	16
All other	60	71	8	6	4
Black	59	68	8	6	4
Racine	---	794	19	14	13
White	---	733	11	8	9
All other	---	61	8	6	4
Black	---	61	8	6	4
Balance of county	---	586	15	8	7
Richland	143	172	1	-	-
Rock	1,060	1,118	30	20	11
Beloit	---	344	11	7	4
Janesville	---	366	9	7	2
Balance of county	---	408	10	6	5
Rusk	131	163	2	2	1
St. Croix	304	342	8	6	8
Sauk	386	387	9	5	3
Sawyer	136	144	-	-	3
Shawano	304	379	8	4	6
Sheboygan	907	932	16	10	10
Sheboygan	---	529	9	5	5
Balance of county	---	403	7	5	5
Taylor	171	186	5	3	6
Trempealeau	248	290	1	1	8
Vernon	280	312	5	5	2
Vilas	138	178	2	1	1
Walworth	484	633	9	6	8
Whitewater, part	---	69	-	-	1
Whitewater, total	---	72	-	-	1
Balance of county	---	564	9	6	7
Washburn	162	149	2	1	3
Washington	472	542	14	9	5
Milwaukee, part	---	-	-	-	-
West Bend	---	167	6	3	1
Balance of county	---	375	8	6	4
Waukesha	1,628	1,667	42	31	28
Brookfield	---	217	5	4	3
Menomonee Falls	---	-	-	-	1
Muskego	---	-	-	-	1
New Berlin	---	109	3	3	3
Waukesha	---	353	12	8	5
Balance of county	---	988	22	16	15
Waupaca	536	549	11	7	4
Waushara	163	201	4	2	2
Winnebago	1,091	1,062	24	16	14
Menasha	---	104	4	4	-
Neenah	---	173	5	3	2
Oshkosh	---	481	9	7	8
Balance of county	---	304	6	2	4
Wood	876	541	14	8	11
Marshfield, part	---	151	3	1	3
Marshfield, total	---	153	3	1	3
Wisconsin Rapids	---	181	6	4	3
Balance of county	---	209	5	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1979—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures for "Black" are shown separately for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence		Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wyoming	2,950	3,073	129	82	68
White	2,865	2,992	123	80	66
All other	85	81	6	2	2
Black	25	18	3	1	–
Albany	158	144	6	3	4
Laramie	---	124	5	2	4
Balance of county	---	20	1	1	–
Big Horn	101	122	4	4	2
Campbell	74	95	7	4	1
Carbon	161	177	9	4	1
Converse	87	91	2	1	4
Crook	17	34	2	2	–
Fremont	269	278	13	5	6
White	224	222	10	4	5
All other	45	54	3	1	1
Black	1	1	–	–	–
Goshen	81	97	2	2	1
Hot Springs	73	73	4	3	1
Johnson	57	57	1	–	2
Laramie	506	457	12	11	11
Wyoming-Con.					
Cheyenne	---	387	10	10	1
Balance of county	---	70	2	1	
Lincoln	59	82	5	3	
Natrona	367	373	20	13	
Casper	---	291	13	10	
Balance of county	---	82	7	3	
Niobrara	26	34	2	1	
Park	166	176	6	5	
Platte	58	72	–	–	
Sheridan	222	215	2	2	
Sheridan	---	167	1	1	
Balance of county	---	48	1	1	
Sublette	20	33	3	3	
Sweetwater	192	210	16	9	1
Rock Springs	---	128	10	6	
Balance of county	---	82	6	3	
Teton	48	29	3	3	
Uinta	82	83	5	1	
Washakie	69	72	4	3	
Weston	57	71	1	–	

1 "Districts" shown are election districts, the nearest equivalent to counties.
2 Includes data for Texarkana, Ark., only.
3 Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore, all fetal deaths occurring in Georgia are assigned to "Balance of county" and not to specified urban places. Fetal deaths that a assigned to specified urban places are those occurring outside of Georgia; see Technical Appendix.
4 The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
5 Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
6 Includes data for Bristol, Tenn., only.
7 Includes data for Texarkana, Tex., only.
8 On January 1, 1974, Nansemond merged with the independent city of Suffolk.
9 Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
10 Includes data for Bristol, Va., only.
11 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States [1]	1,913,841	45,665	13.1	30,980	8.9	32,969	9.4
White	1,676,145	32,079	11.4	22,141	7.9	23,489	8.4
All other	237,696	13,586	19.8	8,839	12.9	9,480	13.8
Urban places	1,069,303	26,299	14.0	18,021	9.6	17,731	9.5
White	898,702	16,560	12.0	11,535	8.4	11,460	8.3
All other	170,601	9,739	19.7	6,488	13.1	6,271	12.7
Balance of area	844,538	19,366	11.9	12,959	8.0	15,238	9.4
White	777,443	15,519	10.9	10,608	7.4	12,029	8.4
All other	67,095	3,847	20.1	2,353	12.3	3,209	16.7
Metropolitan counties	1,242,985	30,503	13.1	21,128	9.1	21,526	9.3
White	1,071,994	20,507	11.3	14,408	8.0	14,758	8.1
All other	170,991	9,996	19.4	6,720	13.1	6,768	13.2
Urban places	912,496	22,721	14.1	15,655	9.7	15,139	9.4
White	759,588	13,924	12.0	9,742	8.4	9,539	8.2
All other	152,908	8,797	18.7	5,913	13.2	5,600	12.5
Balance of area	330,489	7,782	10.9	5,473	7.7	6,387	8.9
White	312,406	6,583	10.2	4,666	7.2	5,219	8.1
All other	18,083	1,199	17.8	807	12.0	1,168	17.3
Nonmetropolitan counties	670,856	15,162	13.0	9,852	8.4	11,443	9.8
White	604,151	11,572	11.6	7,733	7.6	8,731	8.8
All other	66,705	3,590	20.9	2,119	12.4	2,712	15.8
Urban places	156,807	3,578	13.7	2,366	9.0	2,592	9.9
White	139,114	2,636	12.3	1,783	8.4	1,921	9.0
All other	17,693	942	20.0	573	12.1	671	14.2
Balance of area	514,049	11,584	12.6	7,486	8.3	8,851	9.8
White	465,037	8,936	11.4	5,940	7.6	6,810	8.7
All other	49,012	2,648	21.3	1,546	12.4	2,041	16.4
Alabama	34,457	903	14.4	580	9.4	670	10.7
White	24,522	455	11.4	311	7.8	344	8.6
All other	9,935	448	19.7	279	12.3	326	14.4
Urban places	14,363	340	13.6	237	9.5	323	12.9
White	8,942	127	10.2	93	7.5	128	10.3
All other	5,421	213	17.0	144	11.5	195	15.5
Balance of area	20,094	563	15.0	353	9.4	347	9.2
White	15,580	328	12.0	218	7.9	216	7.9
All other	4,514	235	23.2	135	13.3	131	12.9
Metropolitan counties	17,477	438	13.3	302	9.1	339	10.3
White	11,961	202	10.0	142	7.0	157	7.7
All other	5,516	236	18.5	160	12.5	182	14.3
Urban places	10,824	262	14.0	191	10.2	221	11.8
White	6,516	84	9.8	65	7.4	79	9.0
All other	4,308	178	17.8	126	12.6	142	14.2
Balance of area	6,653	176	12.3	111	7.8	118	8.3
White	5,445	118	10.2	77	6.7	78	6.8
All other	1,208	58	21.1	34	12.4	40	14.6
Nonmetropolitan counties	16,980	465	15.7	288	9.7	331	11.2
White	12,561	253	12.9	168	8.6	187	9.5
All other	4,419	212	21.3	119	12.0	144	14.5
Urban places	3,539	78	12.5	48	7.4	102	16.3
White	2,426	43	11.6	28	7.6	49	13.2
All other	1,113	35	13.8	18	7.1	53	20.9
Balance of area	13,441	387	16.6	242	10.4	229	9.8
White	10,135	210	13.2	141	8.9	138	8.7
All other	3,306	177	23.9	101	13.6	91	12.3
Alaska	1,567	145	15.9	88	9.7	80	8.8
White	1,055	85	13.4	54	8.5	55	8.6
All other	512	60	22.0	34	12.5	25	9.2
Urban places	667	64	16.0	45	11.3	37	9.3
White	549	44	14.3	30	9.7	29	9.4
All other	118	20	21.8	15	16.4	8	8.7
Balance of area	900	81	15.9	43	8.4	43	8.4
White	506	41	12.5	24	7.3	26	7.9
All other	394	40	22.1	19	10.5	17	9.4
Metropolitan election districts [2]	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan election districts [2]	1,567	145	15.9	88	9.7	80	8.8
White	1,055	85	13.4	54	8.5	55	8.6
All other	512	60	22.0	34	12.5	25	9.2
Urban places	667	64	16.0	45	11.3	37	9.3
White	549	44	14.3	30	9.7	29	9.4
All other	118	20	21.8	15	16.4	8	8.7
Balance of area	900	81	15.9	43	8.4	43	8.4
White	506	41	12.5	24	7.3	26	7.9
All other	394	40	22.1	19	10.5	17	9.4

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Arizona	19,782	636	13.6	418	8.9	350	7.5
White	18,119	491	12.5	342	8.7	284	7.2
All other	1,663	145	19.7	76	10.3	66	9.0
Urban places	12,531	399	13.2	281	9.3	221	7.3
White	11,937	347	12.7	246	9.0	197	7.2
All other	594	52	18.5	35	12.5	24	8.5
Balance of area	7,251	237	14.3	137	8.3	129	7.8
White	6,182	144	12.0	96	8.0	87	7.2
All other	1,069	93	20.5	41	9.0	42	9.3
Metropolitan counties	14,807	427	12.9	291	8.8	220	6.6
White	14,045	359	12.0	248	8.3	195	6.5
All other	762	68	21.0	43	13.3	25	7.7
Urban places	11,521	366	13.2	255	9.2	195	7.1
White	10,975	315	12.6	220	8.8	173	6.9
All other	546	51	19.8	35	13.6	22	8.5
Balance of area	3,286	61	11.2	36	6.6	25	4.6
White	3,070	44	9.2	28	5.8	22	4.6
All other	216	17	25.7	8	12.1	3	4.5
Nonmetropolitan counties	4,975	209	15.3	127	9.3	130	9.5
White	4,074	132	13.9	94	9.9	89	9.4
All other	901	77	18.7	33	8.0	41	10.0
Urban places	1,010	33	13.1	26	10.3	26	10.3
White	962	32	14.0	26	11.4	24	10.5
All other	48	1	4.2	–	–	2	8.5
Balance of area	3,965	176	15.9	101	9.1	104	9.4
White	3,112	100	13.8	68	9.4	65	9.0
All other	853	76	19.6	33	8.5	39	10.1
Arkansas	21,550	488	13.4	292	8.0	358	9.9
White	17,652	304	11.4	193	7.2	204	7.6
All other	3,898	184	19.1	99	10.3	154	16.0
Urban places	7,622	193	14.0	117	8.5	148	10.6
White	5,938	101	11.4	73	8.2	78	8.8
All other	1,684	92	18.6	44	8.9	68	13.8
Balance of area	13,928	295	13.1	175	7.8	212	9.4
White	11,714	203	11.4	120	6.7	126	7.1
All other	2,214	92	19.7	55	11.8	86	18.4
Metropolitan counties	5,644	157	12.7	97	7.8	118	9.5
White	4,279	88	10.8	62	7.6	63	7.7
All other	1,365	69	16.3	35	8.3	55	13.0
Urban places	4,223	124	14.2	82	9.4	90	10.3
White	3,157	64	12.2	49	9.3	45	8.6
All other	1,066	60	17.4	33	9.6	45	13.1
Balance of area	1,421	33	9.0	15	4.1	28	7.6
White	1,122	24	8.3	13	4.5	18	6.3
All other	299	9	11.3	2	2.5	10	12.6
Nonmetropolitan counties	15,906	331	13.8	195	8.2	240	10.0
White	13,373	216	11.6	131	7.1	141	7.6
All other	2,533	115	21.4	64	11.9	99	18.4
Urban places	3,398	69	13.5	35	6.9	56	11.0
White	2,781	37	10.3	24	6.7	33	9.2
All other	618	32	21.4	11	7.4	23	15.4
Balance of area	12,507	262	13.9	160	8.5	184	9.8
White	10,592	179	12.0	107	7.2	108	7.2
All other	1,915	83	21.4	53	13.7	76	19.6
California	177,399	4,258	11.2	2,799	7.4	3,154	8.3
White	160,852	3,358	10.8	2,216	7.1	2,457	7.9
All other	16,547	900	13.3	583	8.6	697	10.3
Urban places	143,172	3,494	11.4	2,291	7.5	2,580	8.4
White	127,777	2,669	10.9	1,762	7.2	1,941	7.9
All other	15,395	825	13.5	529	8.7	639	10.5
Balance of area	34,227	764	10.4	508	6.9	574	7.8
White	33,075	689	10.3	454	6.8	516	7.7
All other	1,152	75	11.5	54	8.3	58	8.9
Metropolitan counties	161,140	3,920	11.3	2,573	7.4	2,899	8.4
White	145,099	3,037	10.8	1,999	7.1	2,221	7.9
All other	16,041	883	13.5	574	8.8	678	10.3
Urban places	137,501	3,378	11.5	2,213	7.6	2,472	8.4
White	122,336	2,558	11.0	1,686	7.2	1,842	7.9
All other	15,165	820	13.6	527	8.7	630	10.5
Balance of area	23,639	542	10.1	360	6.7	427	8.0
White	22,763	479	9.9	313	6.5	379	7.9
All other	876	63	11.9	47	8.9	48	9.1
Nonmetropolitan counties	16,259	338	10.3	226	6.9	255	7.8
White	15,753	321	10.5	217	7.1	236	7.7
All other	506	17	8.3	9	4.4	19	9.3
Urban places	5,671	116	9.2	78	6.2	108	8.5
White	5,441	111	9.4	76	6.4	99	8.4
All other	230	5	6.0	2	2.4	9	10.8
Balance of area	10,588	222	11.0	148	7.4	147	7.3
White	10,312	210	11.1	141	7.5	137	7.3
All other	276	12	9.9	7	5.8	10	8.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Colorado	18,450	500	10.6	300	6.4	454	9.8
White	17,790	458	10.5	277	6.4	410	9.4
All other	660	42	11.6	23	6.3	44	12.1
Urban places	12,109	307	11.1	192	7.0	303	11.0
White	11,520	271	11.0	172	7.0	261	10.6
All other	589	36	12.1	20	6.7	42	14.1
Balance of area	6,341	193	9.8	108	5.5	151	7.7
White	6,270	187	9.9	105	5.5	149	7.9
All other	71	6	9.2	3	4.6	2	3.1
Metropolitan counties	12,500	356	10.9	217	6.6	314	9.6
White	11,880	316	10.7	194	6.6	270	9.2
All other	620	40	11.9	23	6.9	44	13.1
Urban places	10,682	281	11.5	176	7.2	270	11.1
White	10,101	246	11.4	156	7.3	226	10.6
All other	581	35	12.1	20	6.9	42	14.5
Balance of area	1,818	75	8.9	41	4.9	44	5.2
White	1,779	70	8.8	38	4.8	42	5.3
All other	39	5	11.0	3	6.6	2	4.4
Nonmetropolitan counties	5,950	144	10.0	83	5.8	140	9.7
White	5,910	142	10.1	83	5.9	140	9.9
All other	40	2	7.1	–	–	–	–
Urban places	1,427	26	8.1	18	5.0	33	10.3
White	1,419	25	8.0	18	5.1	33	10.6
All other	8	1	12.0	–	–	–	–
Balance of area	4,523	118	10.5	67	6.0	107	9.5
White	4,491	117	10.6	67	6.1	107	9.7
All other	32	1	5.1	–	–	–	–
Connecticut	28,053	470	12.1	381	9.3	324	8.4
White	24,775	383	10.9	277	8.3	263	7.9
All other	1,278	107	20.0	84	15.7	61	11.4
Urban places	18,286	357	13.8	274	10.6	217	8.4
White	17,105	256	12.2	195	9.3	162	7.7
All other	1,181	101	20.6	79	16.1	55	11.2
Balance of area	7,767	113	8.8	87	6.8	107	8.3
White	7,670	107	8.6	82	6.6	101	8.1
All other	97	6	13.7	5	11.4	6	13.7
Metropolitan counties	20,347	382	13.1	295	10.1	248	8.5
White	19,170	279	11.5	215	8.8	191	7.9
All other	1,177	103	21.2	80	16.4	57	11.7
Urban places	16,588	328	14.1	249	10.7	196	8.4
White	15,473	230	12.4	173	9.3	144	7.7
All other	1,115	98	21.2	76	16.5	52	11.3
Balance of area	3,759	54	9.1	46	7.7	52	8.7
White	3,697	49	8.6	42	7.4	47	8.2
All other	62	5	19.8	4	15.9	5	19.8
Nonmetropolitan counties	5,706	88	9.2	66	6.9	76	8.0
White	5,605	84	9.3	62	6.8	72	7.9
All other	101	4	8.3	4	8.3	4	8.3
Urban places	1,698	29	11.0	25	9.4	21	7.9
White	1,632	26	11.1	22	9.4	18	7.7
All other	66	3	10.1	3	10.1	3	10.1
Balance of area	4,008	59	8.5	41	5.9	55	8.0
White	3,973	58	8.6	40	5.9	54	8.0
All other	35	1	5.4	1	5.4	1	5.4
Delaware	4,897	152	17.0	121	13.6	82	9.2
White	4,106	88	13.1	67	9.9	46	6.8
All other	791	64	29.2	54	24.7	36	16.4
Urban places	1,863	67	28.5	52	22.1	26	11.1
White	1,409	35	26.9	23	17.7	12	9.2
All other	454	32	30.5	29	27.6	14	13.3
Balance of area	3,034	85	12.9	69	10.5	56	8.5
White	2,697	53	9.7	44	8.1	34	6.3
All other	337	32	28.1	25	21.9	22	19.3
Metropolitan counties	3,183	100	17.3	81	14.0	42	7.3
White	2,692	68	14.1	47	10.5	25	5.6
All other	491	37	28.3	34	26.0	17	13.0
Urban places	1,674	61	30.4	48	23.9	19	9.5
White	1,260	31	28.8	21	19.5	6	5.6
All other	414	30	32.2	27	29.0	13	14.0
Balance of area	1,509	39	10.3	33	8.7	23	6.1
White	1,432	32	9.4	26	7.6	19	5.6
All other	77	7	18.7	7	18.7	4	10.7
Nonmetropolitan counties	1,714	52	16.5	40	12.7	40	12.7
White	1,414	25	11.1	20	8.8	21	9.3
All other	300	27	30.6	20	22.7	19	21.5
Urban places	189	6	17.5	4	11.7	7	20.5
White	149	4	17.9	2	8.9	6	26.8
All other	40	2	16.9	2	16.9	1	8.5
Balance of area	1,525	46	16.4	36	12.8	33	11.8
White	1,265	21	10.3	18	8.8	15	7.4
All other	260	25	32.7	18	23.5	18	23.5

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
District of Columbia	6,864	211	22.2	166	17.5	141	14.8
White	2,128	8	5.5	7	4.8	14	9.7
All other	4,736	203	25.2	159	19.7	127	15.7
Urban places	6,864	211	22.2	166	17.5	141	14.8
White	2,128	8	5.5	7	4.8	14	9.7
All other	4,736	203	25.2	159	19.7	127	15.7
Balance of area	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Metropolitan counties	6,864	211	22.2	166	17.5	141	14.8
White	2,128	8	5.5	7	4.8	14	9.7
All other	4,736	203	25.2	159	19.7	127	15.7
Urban places	6,864	211	22.2	166	17.5	141	14.8
White	2,128	8	5.5	7	4.8	14	9.7
All other	4,736	203	25.2	159	19.7	127	15.7
Balance of area	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Nonmetropolitan counties	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Urban places	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Balance of area	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Florida	98,524	1,810	14.9	1,203	9.9	1,187	9.8
White	87,246	1,093	12.4	755	8.6	713	8.1
All other	11,278	717	21.6	448	13.5	474	14.3
Urban places	50,208	888	14.1	605	9.5	630	9.9
White	43,331	472	11.6	334	8.2	320	7.9
All other	6,877	426	18.7	271	11.9	310	13.6
Balance of area	48,316	912	16.8	598	10.4	557	9.7
White	43,915	621	13.1	421	8.9	393	8.3
All other	4,401	291	28.2	177	17.1	164	15.9
Metropolitan counties	63,419	1,191	14.9	830	10.4	777	9.7
White	55,788	664	11.8	483	8.6	440	7.8
All other	7,631	527	22.3	347	14.7	337	14.2
Urban places	41,835	734	13.8	506	9.5	512	9.6
White	36,278	373	10.9	271	7.9	259	7.6
All other	5,557	361	18.8	235	12.2	253	13.2
Balance of area	21,584	457	17.3	324	12.3	265	10.0
White	19,510	291	13.3	212	9.7	181	8.3
All other	2,074	166	37.2	112	25.1	84	18.8
Nonmetropolitan counties	35,105	619	14.9	373	9.0	410	9.9
White	31,458	429	13.4	272	8.5	273	8.5
All other	3,647	190	20.1	101	10.7	137	14.5
Urban places	8,373	164	18.0	99	9.7	118	11.5
White	7,053	99	14.9	63	9.5	61	9.2
All other	1,320	65	18.0	36	10.0	57	15.8
Balance of area	26,732	455	14.6	274	8.8	292	9.4
White	24,405	330	13.0	209	8.2	212	8.4
All other	2,327	125	21.3	65	11.1	80	13.7
Georgia [1]	43,062	1,329	15.1	879	10.0	1,284	14.6
White	30,624	648	11.7	452	8.2	674	12.2
All other	12,438	683	20.9	427	13.1	610	18.7
Urban places	16,908	521	17.6	348	11.7	4	.1
White	9,964	161	13.2	113	9.2	2	.2
All other	6,942	360	20.7	235	13.5	2	.1
Balance of area	26,756	808	13.8	531	9.1	1,280	21.9
White	21,260	485	11.2	339	7.9	672	15.6
All other	5,496	323	21.3	192	12.6	608	40.0
Metropolitan counties	18,948	600	14.2	419	9.9	579	13.7
White	12,725	257	10.4	189	7.7	308	12.5
All other	6,223	343	19.6	230	13.1	271	15.5
Urban places	11,863	391	17.3	267	11.8	4	.2
White	6,445	109	12.6	79	9.1	2	.2
All other	5,418	282	20.2	188	13.5	2	.1
Balance of area	7,085	209	10.7	152	7.8	575	29.4
White	6,280	148	9.3	110	6.9	308	19.1
All other	805	61	17.1	42	11.8	269	75.5
Nonmetropolitan counties	24,114	729	15.9	460	10.0	705	15.4
White	17,899	380	12.7	263	8.8	366	11.9
All other	6,215	340	22.5	197	13.0	339	22.4
Urban places	4,443	130	18.4	81	11.4	–	–
White	2,919	52	14.5	34	9.5	–	–
All other	1,524	78	22.3	47	13.4	–	–
Balance of area	19,671	599	15.4	379	9.8	705	18.2
White	14,980	337	12.4	229	8.4	366	13.5
All other	4,691	262	22.5	150	12.9	339	29.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio		Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Hawaii	4,670	176	10.0	120	6.8	185	10.5	Indiana	46,731	1,138	13.0	804	9.2	785	9.0
White	1,516	44	10.1	32	7.3	62	14.2	White	43,401	924	12.0	657	8.5	630	8.2
All other	3,354	132	10.0	88	6.7	123	9.3	All other	3,330	214	21.1	147	14.5	155	15.3
Urban places	3,184	111	10.8	81	7.9	112	10.9	Urban places	25,520	699	15.6	501	11.2	422	9.4
White	1,006	29	12.6	22	9.6	42	18.3	White	22,310	491	14.0	358	10.2	283	8.1
All other	2,178	82	10.3	59	7.4	70	8.8	All other	3,210	208	21.5	143	14.8	139	14.4
Balance of area	1,486	65	9.0	39	5.4	73	10.1	Balance of area	21,211	439	10.3	303	7.1	363	8.5
White	510	15	7.3	10	4.8	20	9.7	White	21,091	433	10.3	299	7.1	347	8.2
All other	1,176	50	9.6	29	5.6	53	10.2	All other	120	6	12.2	4	8.1	16	32.5
Metropolitan counties	3,635	148	10.8	102	7.4	143	10.4	Metropolitan counties	27,855	752	14.0	530	9.8	488	9.0
White	1,152	41	11.4	30	8.3	56	15.6	White	24,804	552	12.3	394	8.8	342	7.6
All other	2,483	107	10.6	72	7.1	87	8.6	All other	3,051	200	21.8	136	14.9	144	15.7
Urban places	2,961	103	10.7	75	7.8	105	10.9	Urban places	19,597	571	15.9	405	11.3	338	9.4
White	946	28	12.6	21	9.4	41	18.4	White	16,596	374	13.8	271	10.0	209	7.7
All other	2,015	75	10.1	54	7.3	64	8.6	All other	3,001	197	22.2	134	15.1	129	14.5
Balance of area	674	45	11.1	27	6.7	38	9.4	Balance of area	8,058	181	10.1	125	7.0	148	8.2
White	206	13	9.4	9	6.5	15	10.9	White	8,008	178	10.1	123	7.0	133	7.5
All other	468	32	12.0	18	6.7	23	8.6	All other	50	3	10.6	2	7.1	15	53.2
Nonmetropolitan counties	1,235	28	7.9	18	4.7	42	11.0	Nonmetropolitan counties	19,076	388	11.5	274	8.2	299	8.9
White	364	3	3.9	2	2.6	6	7.9	White	16,797	372	11.4	263	8.1	288	8.9
All other	871	25	8.2	16	5.2	36	11.7	All other	279	14	14.1	11	11.1	11	11.1
Urban places	223	6	12.8	6	9.6	7	11.2	Urban places	5,923	128	14.5	96	10.9	84	9.5
White	80	1	13.7	1	13.7	1	13.7	White	5,714	117	14.6	87	10.8	74	9.2
All other	163	7	12.7	5	9.1	6	10.9	All other	209	11	14.1	9	11.5	10	12.8
Balance of area	1,012	20	6.2	12	3.7	35	10.9	Balance of area	13,153	258	10.4	178	7.2	215	8.7
White	304	2	2.9	1	1.4	5	7.2	White	13,083	255	10.4	176	7.2	214	8.7
All other	708	18	7.2	11	4.4	30	11.9	All other	70	3	14.3	2	9.5	1	4.8
Idaho	6,393	200	10.0	133	6.6	139	6.9	Iowa	26,849	495	10.6	339	7.2	325	6.9
White	6,297	195	10.0	129	6.6	136	7.0	White	26,525	465	10.3	320	7.1	310	6.9
All other	96	5	8.5	4	6.8	3	5.1	All other	324	30	18.3	19	11.6	15	9.2
Urban places	2,557	81	11.8	58	8.5	50	7.3	Urban places	10,270	225	11.6	158	8.1	121	6.3
White	2,536	79	11.9	56	8.4	49	7.4	White	9,972	199	11.1	139	7.7	107	6.0
All other	21	2	9.3	2	9.3	1	4.7	All other	298	26	18.8	17	12.3	14	10.1
Balance of area	3,836	119	9.0	75	5.7	89	6.8	Balance of area	16,579	270	9.8	183	6.7	204	7.4
White	3,761	116	9.1	73	5.7	87	6.8	White	16,553	266	9.8	181	6.7	203	7.5
All other	75	3	8.0	2	5.4	2	5.4	All other	26	4	15.6	2	7.8	1	3.9
Metropolitan counties	1,036	30	9.3	20	6.2	18	5.6	Metropolitan counties	8,229	212	12.0	153	8.7	113	6.4
White	1,027	30	9.6	20	6.4	18	5.8	White	7,977	188	11.4	136	8.3	100	6.1
All other	9	–	–	–	–	–	–	All other	252	24	20.1	17	14.2	13	10.9
Urban places	787	22	10.8	15	7.4	10	4.9	Urban places	6,826	172	12.6	121	8.9	88	6.3
White	781	22	11.2	15	7.7	10	5.1	White	6,578	149	11.9	105	8.4	73	5.8
All other	6	–	–	–	–	–	–	All other	248	23	20.0	16	13.9	13	11.3
Balance of area	249	8	6.8	5	4.2	8	6.8	Balance of area	1,403	40	10.0	32	8.0	27	6.7
White	246	8	6.9	5	4.3	8	6.9	White	1,399	39	9.9	31	7.8	27	6.8
All other	3	–	–	–	–	–	–	All other	4	1	20.4	1	20.4	–	–
Nonmetropolitan counties	5,357	170	10.1	113	6.7	121	7.2	Nonmetropolitan counties	18,620	283	9.7	186	6.4	212	7.3
White	5,270	165	10.1	109	6.7	118	7.2	White	18,548	277	9.7	184	6.4	210	7.3
All other	87	5	10.0	4	8.0	3	6.0	All other	72	6	13.8	2	4.5	2	4.5
Urban places	1,770	59	12.2	43	8.9	40	8.3	Urban places	3,444	53	9.4	35	6.2	35	6.2
White	1,755	57	12.2	41	8.8	39	8.3	White	3,394	50	9.2	34	6.3	34	6.3
All other	15	2	14.2	2	14.2	1	7.1	All other	50	3	12.9	1	4.3	1	4.3
Balance of area	3,587	111	9.3	70	5.8	81	6.8	Balance of area	15,176	230	9.8	151	6.4	177	7.5
White	3,515	108	9.3	68	5.8	79	6.8	White	15,154	227	9.8	150	6.4	176	7.6
All other	72	3	8.4	2	5.6	2	5.6	All other	22	3	14.5	1	4.8	1	4.8
Illinois	102,227	2,781	15.2	1,921	10.4	1,737	9.4	Kansas	21,150	439	11.3	310	7.9	329	8.4
White	88,314	1,694	12.1	1,223	8.7	1,132	8.1	White	20,093	370	10.6	263	7.5	272	7.8
All other	13,913	1,087	25.0	698	15.9	605	13.8	All other	1,057	69	17.0	47	11.6	57	14.0
Urban places	69,538	2,090	17.1	1,412	11.5	1,193	9.7	Urban places	10,508	287	13.1	198	9.1	198	9.1
White	56,391	1,060	13.0	755	9.2	638	7.8	White	9,542	225	12.2	157	8.5	149	8.1
All other	13,147	1,030	25.2	657	16.1	555	13.6	All other	967	62	18.0	41	11.9	49	14.2
Balance of area	32,689	701	11.4	509	8.3	544	8.8	Balance of area	10,641	152	8.8	112	6.5	131	7.6
White	31,923	634	10.8	468	8.0	494	8.4	White	10,551	145	8.8	106	6.4	123	7.4
All other	766	67	22.9	41	14.0	50	17.1	All other	90	7	11.5	6	9.8	8	13.1
Metropolitan counties	77,737	2,374	15.9	1,634	10.9	1,425	9.5	Metropolitan counties	7,589	223	13.1	159	9.3	146	8.6
White	64,406	1,318	12.3	980	9.0	848	7.9	White	6,833	169	11.7	123	8.5	113	7.9
All other	13,331	1,056	25.0	674	16.0	577	13.7	All other	756	54	20.2	36	13.5	33	12.3
Urban places	63,760	1,982	17.2	1,331	11.6	1,125	9.8	Urban places	6,340	197	14.4	140	10.2	124	9.0
White	50,911	979	13.1	691	9.2	587	7.8	White	5,598	145	13.0	106	9.5	91	8.2
All other	12,849	1,003	25.1	640	16.0	538	13.5	All other	742	52	20.3	34	13.3	33	12.9
Balance of area	13,977	392	11.4	303	8.8	300	8.7	Balance of area	1,249	26	7.7	19	5.7	22	6.5
White	13,495	339	10.6	289	8.4	261	8.1	White	1,235	24	7.4	17	5.2	22	6.8
All other	482	53	23.0	34	14.8	39	16.9	All other	14	2	17.2	2	17.2	–	–
Nonmetropolitan counties	24,490	417	11.9	287	8.2	312	8.9	Nonmetropolitan counties	13,561	216	9.8	151	6.9	183	8.3
White	23,908	376	11.3	263	7.9	284	8.5	White	13,260	201	9.8	140	6.8	159	7.7
All other	582	41	25.0	24	14.6	28	17.1	All other	301	15	10.8	11	7.9	24	17.3
Urban places	5,778	108	14.1	81	10.6	68	8.9	Urban places	4,169	90	11.1	58	7.1	74	9.1
White	5,480	81	12.3	64	9.7	51	7.7	White	3,944	80	11.1	51	7.1	58	8.0
All other	298	27	26.4	17	16.6	17	16.6	All other	225	10	11.2	7	7.8	16	17.9
Balance of area	18,712	309	11.3	206	7.5	244	8.9	Balance of area	9,392	126	9.1	93	6.7	109	7.9
White	18,428	295	11.1	199	7.5	233	8.7	White	9,316	121	9.1	89	6.7	101	7.6
All other	284	14	22.7	7	11.3	11	17.8	All other	76	5	10.1	4	8.1	8	16.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	32,462	680	11.5	451	7.7	547	9.3
White	29,745	569	10.7	379	7.2	458	8.6
All other	2,737	111	18.7	72	12.1	89	15.0
Urban places	10,880	208	12.8	147	9.0	180	11.0
White	8,980	139	10.9	99	7.8	118	9.3
All other	1,900	69	19.3	48	13.4	62	17.4
Balance of area	21,602	472	11.1	304	7.1	367	8.6
White	20,765	430	10.7	280	7.0	340	8.4
All other	837	42	17.7	24	10.1	27	11.4
Metropolitan counties	11,818	237	10.9	163	7.5	204	9.3
White	10,229	175	9.6	124	6.8	149	8.2
All other	1,589	62	17.5	39	11.0	55	15.5
Urban places	7,984	147	11.8	103	8.3	134	10.8
White	6,514	92	9.6	66	6.9	85	8.9
All other	1,470	55	19.0	37	12.7	49	16.9
Balance of area	3,834	90	9.8	60	6.4	70	7.5
White	3,715	83	9.5	58	6.6	64	7.3
All other	119	7	10.9	2	3.1	6	9.3
Nonmetropolitan counties	20,664	443	11.9	288	7.8	343	9.2
White	19,516	394	11.4	255	7.4	309	8.9
All other	1,148	49	20.5	33	13.8	34	14.2
Urban places	2,896	61	15.9	44	11.4	46	12.0
White	2,466	47	14.8	33	10.4	33	10.4
All other	430	14	21.0	11	16.5	13	19.5
Balance of area	17,768	382	11.5	244	7.3	297	8.9
White	17,050	347	11.0	222	7.0	276	8.8
All other	718	35	20.3	22	12.7	21	12.2
Louisiana	34,771	1,234	15.6	817	10.3	839	10.6
White	23,370	580	12.1	402	8.4	385	7.8
All other	11,401	654	20.8	415	13.2	474	15.1
Urban places	16,810	588	16.8	388	11.1	424	12.1
White	10,215	203	12.4	148	9.0	142	8.7
All other	6,595	385	20.6	240	12.9	282	15.1
Balance of area	17,961	646	14.6	429	9.7	415	9.4
White	13,155	377	12.0	254	8.1	223	7.1
All other	4,806	269	21.0	175	13.7	192	15.0
Metropolitan parishes [2]	18,575	656	15.2	464	10.7	458	10.6
White	12,332	281	11.3	210	8.4	184	7.4
All other	6,243	375	20.5	254	13.9	274	15.0
Urban places	13,525	473	18.7	325	11.5	338	12.0
White	8,171	159	12.4	121	9.4	105	8.2
All other	5,354	314	20.3	204	13.2	233	15.1
Balance of area	5,050	183	12.3	139	9.3	120	8.0
White	4,161	122	10.1	89	7.4	79	6.6
All other	889	61	21.3	50	17.5	41	14.3
Nonmetropolitan parishes [2]	16,196	578	16.0	353	9.8	381	10.6
White	11,038	299	13.0	192	8.4	181	7.9
All other	5,158	279	21.2	161	12.3	200	15.2
Urban places	3,265	115	17.0	63	9.3	86	12.7
White	2,044	44	12.4	27	7.6	37	10.5
All other	1,241	71	22.1	36	11.2	49	15.2
Balance of area	12,911	463	15.8	290	9.9	295	10.1
White	8,994	255	13.1	165	8.5	144	7.4
All other	3,917	208	21.0	125	12.6	151	15.2
Maine	10,296	158	9.7	94	5.7	119	7.3
White	10,255	156	9.7	93	5.8	116	7.2
All other	41	2	6.5	1	3.2	3	9.7
Urban places	3,272	47	10.7	28	6.4	37	8.4
White	3,263	47	10.9	28	6.5	37	8.6
All other	9	–	–	–	–	–	–
Balance of area	7,024	111	9.3	66	5.5	82	6.8
White	6,992	109	9.3	65	5.5	79	6.7
All other	32	2	8.6	1	4.3	3	12.9
Metropolitan counties	2,037	37	12.3	16	5.3	21	7.0
White	2,027	37	12.5	16	5.4	21	7.1
All other	10	–	–	–	–	–	–
Urban places	1,174	21	15.4	11	8.1	10	7.3
White	1,171	21	15.7	11	8.2	10	7.5
All other	3	–	–	–	–	–	–
Balance of area	863	16	9.7	5	3.0	11	6.7
White	856	16	9.9	5	3.1	11	6.8
All other	7	–	–	–	–	–	–
Nonmetropolitan counties	8,259	121	9.1	78	5.8	98	7.3
White	8,228	119	9.1	77	5.9	95	7.3
All other	31	2	7.8	1	3.9	3	11.7
Urban places	2,098	26	8.6	17	5.6	27	8.9
White	2,092	26	8.8	17	5.7	27	9.1
All other	6	–	–	–	–	–	–
Balance of area	6,161	95	9.2	61	5.9	71	6.9
White	6,136	93	9.2	60	5.9	68	6.7
All other	25	2	9.9	1	4.9	3	14.8

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Maryland	32,747	843	14.5	601	10.3	550	9.4
White	25,897	456	11.6	330	8.4	280	7.4
All other	6,850	387	20.3	271	14.2	261	13.7
Urban places	12,696	354	19.9	256	14.4	202	11.4
White	8,372	134	16.8	104	13.0	69	8.6
All other	4,524	220	22.6	152	15.6	133	13.6
Balance of area	19,851	489	12.1	345	8.5	348	8.6
White	17,525	322	10.3	226	7.3	220	7.1
All other	2,326	167	17.9	119	12.8	128	13.7
Metropolitan counties	26,280	709	14.8	513	10.7	459	9.5
White	20,361	355	11.6	261	8.5	223	7.3
All other	5,919	354	20.8	252	14.6	230	13.4
Urban places	11,321	325	20.5	237	15.0	185	11.7
White	6,977	112	17.3	89	13.7	57	8.8
All other	4,344	213	22.8	148	15.8	128	13.7
Balance of area	14,959	384	12.0	276	8.6	268	8.4
White	13,384	243	10.1	172	7.1	166	6.9
All other	1,575	141	18.0	104	13.2	102	13.0
Nonmetropolitan counties	6,467	134	12.9	88	8.4	97	9.3
White	5,536	101	11.8	69	8.1	66	7.7
All other	931	33	17.6	19	10.1	31	16.5
Urban places	1,575	29	15.1	19	9.9	17	8.9
White	1,395	22	14.5	15	9.9	12	7.9
All other	180	7	17.3	4	9.9	5	12.4
Balance of area	4,892	105	12.4	69	8.1	80	9.4
White	4,141	79	11.2	54	7.7	54	7.7
All other	751	26	17.7	15	10.2	26	17.7
Massachusetts	52,028	767	10.9	572	8.1	425	6.0
White	50,621	678	10.5	506	7.9	392	6.1
All other	1,407	89	14.1	66	10.4	33	5.2
Urban places	38,558	535	11.6	394	8.5	293	6.4
White	35,272	452	11.2	333	8.2	262	6.5
All other	1,286	83	14.5	61	10.6	31	5.4
Balance of area	15,470	232	9.5	178	7.3	132	5.4
White	15,349	226	9.4	173	7.2	130	5.4
All other	121	6	10.3	5	8.6	2	3.4
Metropolitan counties	49,579	743	10.9	555	8.2	414	6.1
White	48,203	654	10.6	489	7.9	381	6.2
All other	1,378	89	14.3	66	10.6	33	5.3
Urban places	36,558	535	11.8	394	8.5	293	6.4
White	35,272	452	11.2	333	8.2	262	6.5
All other	1,286	83	14.5	61	10.6	31	5.4
Balance of area	13,021	208	9.5	161	7.4	121	5.6
White	12,931	202	9.5	156	7.3	119	5.6
All other	90	6	12.7	5	10.6	2	4.2
Nonmetropolitan counties	2,449	24	8.7	17	6.1	11	4.0
White	2,418	24	9.0	17	6.4	11	4.1
All other	31	–	–	–	–	–	–
Urban places	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–
Balance of area	2,449	24	8.7	17	6.1	11	4.0
White	2,418	24	9.0	17	6.4	11	4.1
All other	31	–	–	–	–	–	–
Michigan	73,701	1,928	13.3	1,300	9.0	1,065	7.5
White	64,278	1,365	11.5	915	7.7	797	6.7
All other	9,423	563	21.6	385	14.8	268	11.0
Urban places	41,475	1,129	15.2	762	10.3	560	7.5
White	32,695	607	12.0	399	7.9	327	6.5
All other	8,780	522	22.1	363	15.4	233	9.9
Balance of area	32,226	799	11.4	538	7.7	525	7.5
White	31,583	758	11.2	516	7.6	470	6.9
All other	643	41	16.5	22	8.9	55	22.2
Metropolitan counties	52,989	1,469	13.8	1,007	9.5	824	7.7
White	44,186	840	11.4	639	7.5	569	6.8
All other	8,803	629	21.9	368	15.2	261	10.8
Urban places	38,256	1,053	15.3	719	10.5	511	7.4
White	29,713	547	11.9	364	7.9	291	6.3
All other	8,543	506	22.3	355	15.7	220	9.7
Balance of area	14,733	416	11.0	288	7.6	313	8.3
White	14,473	393	10.9	275	7.6	272	7.5
All other	260	23	15.5	13	8.8	41	27.6
Nonmetropolitan counties	20,712	459	12.0	293	7.7	261	6.8
White	20,092	425	11.7	276	7.6	234	6.5
All other	620	34	17.6	17	8.8	27	14.0
Urban places	3,219	76	13.8	43	7.8	49	8.9
White	2,982	60	13.1	35	7.7	36	7.9
All other	237	16	17.1	8	8.6	13	13.9
Balance of area	17,493	383	11.7	250	7.7	212	6.5
White	17,110	365	11.5	241	7.6	198	6.2
All other	383	18	18.1	9	9.0	14	14.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	32,089	702	10.8	472	7.2	458	7.0
White	31,560	645	10.4	442	7.1	431	6.9
All other	529	57	17.5	30	9.2	27	8.3
Urban places	15,944	332	11.1	218	7.3	209	7.0
White	15,547	285	10.4	193	7.0	190	6.9
All other	397	47	19.2	25	10.2	19	7.7
Balance of area	16,145	370	10.5	254	7.2	249	7.1
White	16,013	360	10.4	249	7.2	241	7.0
All other	132	10	12.5	5	6.3	8	10.0
Metropolitan counties	15,914	393	11.3	265	7.6	250	7.2
White	15,508	344	10.7	238	7.4	228	7.1
All other	406	49	19.0	27	10.4	22	8.5
Urban places	13,403	297	11.5	193	7.5	182	7.1
White	13,016	251	10.7	168	7.2	163	7.0
All other	387	46	18.3	25	10.5	19	8.0
Balance of area	2,511	96	10.5	72	7.9	68	7.5
White	2,492	93	10.4	70	7.8	65	7.3
All other	19	3	15.1	2	10.1	3	15.1
Nonmetropolitan counties	16,175	309	10.2	207	6.8	208	6.8
White	16,052	301	10.1	204	6.9	203	6.8
All other	123	8	12.0	3	4.5	5	7.5
Urban places	2,541	35	8.3	25	5.9	27	6.4
White	2,531	34	8.2	25	6.0	27	6.5
All other	10	1	14.9	–	–	–	–
Balance of area	13,634	274	10.5	182	7.0	181	6.9
White	13,521	267	10.4	179	7.0	176	6.9
All other	113	7	11.7	3	5.0	5	8.3
Mississippi	22,985	606	17.6	512	11.1	643	14.0
White	14,409	279	11.9	190	8.1	205	8.7
All other	8,576	327	23.5	322	14.4	438	19.5
Urban places	7,560	245	16.9	154	10.6	242	16.7
White	4,525	75	11.8	50	7.8	62	9.7
All other	3,035	170	20.9	104	12.8	180	22.1
Balance of area	15,425	361	17.9	358	11.4	401	12.8
White	9,884	204	11.9	140	8.2	143	8.4
All other	5,541	357	25.0	218	15.3	258	18.1
Metropolitan counties	3,595	99	11.5	60	7.0	128	14.9
White	2,397	34	7.2	25	5.3	40	8.5
All other	1,198	65	16.7	35	9.0	88	22.6
Urban places	2,347	61	10.9	37	6.6	88	15.7
White	1,509	13	5.1	11	4.3	17	6.6
All other	838	48	15.8	26	8.6	71	23.4
Balance of area	1,248	38	12.6	23	7.7	40	13.3
White	888	21	9.8	14	6.6	23	10.8
All other	360	17	19.5	9	10.3	17	19.5
Nonmetropolitan counties	19,390	707	18.9	452	12.1	515	13.8
White	12,012	245	13.0	185	8.8	185	8.8
All other	7,378	462	24.9	267	15.5	350	18.9
Urban places	5,213	184	20.6	117	13.1	154	17.3
White	3,016	62	16.3	39	10.2	45	11.8
All other	2,197	122	23.9	78	15.3	109	21.3
Balance of area	14,177	523	18.4	335	11.8	361	12.7
White	8,996	183	12.2	126	8.4	120	8.0
All other	5,181	340	25.3	209	15.6	241	18.0
Missouri	48,002	1,047	13.7	727	9.5	707	9.2
White	43,110	772	12.1	535	8.4	550	8.6
All other	4,892	275	22.1	192	15.4	157	12.6
Urban places	22,705	548	16.4	384	11.5	330	9.9
White	18,614	314	13.3	220	9.3	211	8.9
All other	4,091	234	24.2	164	16.9	119	12.3
Balance of area	25,297	499	11.6	343	8.0	377	8.7
White	24,496	458	11.3	315	7.8	339	8.4
All other	801	41	1[illegible].9	28	10.2	38	13.8
Metropolitan counties	27,256	698	14.6	500	10.4	450	9.4
White	22,943	449	12.2	325	8.6	306	8.3
All other	4,313	249	22.6	175	15.9	144	13.1
Urban places	19,539	333	17.0	351	12.0	293	10.1
White	15,637	272	13.7	192	9.7	180	9.1
All other	3,902	2[illegible]	24.2	159	17.1	113	12.2
Balance of area	7,717	202	10.7	149	7.9	157	8.3
White	7,306	177	10.4	133	7.8	126	7.4
All other	411	25	14.2	16	9.1	31	17.6
Nonmetropolitan counties	20,746	349	12.2	227	8.0	257	9.0
White	20,167	323	11.9	210	7.7	244	9.0
All other	579	26	18.5	17	12.1	13	9.2
Urban places	3,166	52	12.4	33	7.9	37	8.8
White	2,977	42	11.1	28	7.4	31	8.2
All other	189	10	24.2	5	12.1	6	14.5
Balance of area	17,580	297	12.2	1[illegible]4	8.0	220	9.0
White	17,190	281	12.0	182	7.8	213	9.1
All other	390	16	16.1	12	12.1	7	7.0
Montana	6,476	151	10.7	100	7.1	117	8.3
White	6,172	133	10.6	94	7.5	101	8.0
All other	304	18	12.3	6	4.1	16	11.0
Urban places	2,466	48	11.1	33	7.7	43	10.0
White	2,421	48	11.4	31	7.7	40	9.9
All other	45	2	7.4	2	7.4	3	11.1
Balance of area	4,010	103	10.6	67	6.9	74	7.6
White	3,751	87	10.2	63	7.4	61	7.1
All other	259	16	13.5	4	3.4	13	10.9
Metropolitan counties	1,368	37	10.8	27	7.9	21	6.1
White	1,340	36	11.2	26	8.1	20	6.2
All other	28	1	4.5	1	4.5	1	4.5
Urban places	1,092	29	13.5	22	10.3	16	7.5
White	1,065	28	14.1	21	10.6	15	7.5
All other	27	1	6.5	1	6.5	1	6.5
Balance of area	276	8	6.2	5	3.9	5	3.9
White	275	8	6.6	5	4.1	5	4.1
All other	1	–	–	–	–	–	–
Nonmetropolitan counties	5,108	114	10.7	73	6.9	96	9.0
White	4,832	97	10.3	68	7.2	81	8.6
All other	276	17	13.7	5	4.0	15	12.1
Urban places	1,374	19	8.8	11	5.1	27	12.5
White	1,356	18	8.8	10	4.9	25	12.2
All other	18	1	8.6	1	8.6	2	17.2
Balance of area	3,734	95	11.2	62	7.3	69	8.1
White	3,476	79	10.7	58	7.9	56	7.8
All other	258	16	14.3	4	3.6	13	11.6
Nebraska	14,247	304	11.6	209	7.9	228	8.7
White	13,781	268	11.0	186	7.6	208	8.5
All other	466	36	20.0	22	12.2	20	11.1
Urban places	6,360	160	13.7	106	9.1	118	10.1
White	5,974	132	12.8	89	8.6	99	9.6
All other	386	28	20.6	17	12.5	19	14.0
Balance of area	7,887	144	9.9	102	7.0	110	7.6
White	7,807	136	9.7	97	6.9	109	7.7
All other	80	8	18.1	5	11.3	1	2.3
Metropolitan counties	4,996	149	12.5	99	8.3	104	8.7
White	4,614	120	11.5	81	7.8	85	8.1
All other	382	29	19.7	18	12.2	19	12.9
Urban places	4,414	122	14.4	79	9.3	82	10.9
White	4,044	95	13.2	63	8.8	73	10.1
All other	370	27	21.2	16	12.5	19	14.9
Balance of area	582	27	7.8	20	5.8	12	3.5
White	570	25	7.7	18	5.5	12	3.7
All other	12	2	10.3	2	10.3	–	–
Nonmetropolitan counties	9,251	155	10.6	109	7.6	124	8.7
White	9,167	148	10.6	105	7.5	123	8.8
All other	84	7	21.3	4	12.2	1	3.0
Urban places	1,946	38	11.8	27	8.4	26	8.1
White	1,930	37	11.8	26	8.3	26	8.3
All other	16	1	12.3	1	12.3	–	–
Balance of area	7,305	117	10.6	82	7.4	98	8.8
White	7,237	111	10.2	79	7.3	97	9.0
All other	68	6	24.2	3	12.1	1	4.0
Nevada	5,388	155	12.5	82	6.8	98	7.9
White	4,961	118	11.2	62	5.9	71	6.8
All other	427	37	19.8	20	10.7	27	14.4
Urban places	3,276	107	13.5	54	6.8	57	7.2
White	2,958	77	11.9	39	6.0	41	6.3
All other	318	30	20.4	15	10.2	16	10.9
Balance of area	2,112	48	10.8	28	6.3	41	9.3
White	2,003	41	10.2	23	5.7	30	7.4
All other	109	7	17.6	5	12.6	11	27.6
Metropolitan counties	4,238	120	11.9	61	6.0	72	7.1
White	3,890	89	10.5	45	5.3	51	6.0
All other	348	31	19.0	16	9.8	21	12.8
Urban places	3,030	99	13.3	51	6.8	50	6.7
White	2,725	70	11.6	36	6.0	34	5.6
All other	305	29	20.3	15	10.5	16	11.2
Balance of area	1,208	21	8.0	10	3.8	22	8.4
White	1,165	19	7.8	9	3.7	17	7.0
All other	43	2	9.9	1	5.0	5	24.8
Nonmetropolitan counties	1,150	35	15.4	21	9.2	26	11.4
White	1,071	29	14.2	17	8.3	20	9.8
All other	79	6	25.2	4	16.8	6	25.2
Urban places	246	8	16.8	3	6.3	7	14.7
White	233	7	16.2	3	8.9	7	16.2
All other	13	1	23.8	–	–	–	–
Balance of area	904	27	15.0	18	10.0	19	10.5
White	838	22	13.7	14	8.7	13	8.1
All other	66	5	25.5	4	20.4	6	30.6

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	7,460	136	10.6	89	7.7	85	6.6
White	7,445	135	10.7	88	7.7	84	6.6
All other	15	1	5.1	1	5.1	1	5.1
Urban places	3,189	55	11.6	43	9.1	27	5.7
White	3,181	55	11.9	43	9.3	27	5.9
All other	8	–	–	–	–	–	–
Balance of area	4,271	81	10.0	56	6.9	58	7.1
White	4,264	80	10.0	55	6.8	57	7.1
All other	7	1	12.3	1	12.3	1	12.3
Metropolitan counties	2,170	37	9.5	27	6.9	21	5.4
White	2,167	36	9.3	26	6.7	21	5.5
All other	3	1	18.5	1	18.5	–	–
Urban places	1,477	22	9.5	17	7.4	11	4.8
White	1,475	22	9.7	17	7.5	11	4.8
All other	2	–	–	–	–	–	–
Balance of area	693	15	9.4	10	6.3	10	6.3
White	692	14	8.8	9	5.7	10	6.3
All other	1	1	83.3	1	83.3	–	–
Nonmetropolitan counties	5,290	99	11.1	72	8.1	64	7.2
White	5,278	99	11.3	72	8.2	63	7.2
All other	12	–	–	–	–	1	6.9
Urban places	1,712	33	13.6	26	10.7	16	6.6
White	1,706	33	14.1	26	11.1	16	6.8
All other	6	–	–	–	–	–	–
Balance of area	3,578	66	10.1	46	7.1	48	7.4
White	3,572	66	10.2	46	7.1	47	7.3
All other	6	–	–	–	–	1	14.5
New Jersey	65,745	1,242	12.9	884	9.2	860	8.9
White	58,712	786	10.5	579	7.7	558	7.4
All other	7,033	456	21.2	305	14.2	302	14.0
Urban places	46,321	932	14.2	664	10.2	636	9.7
White	40,151	517	11.1	386	8.3	383	8.2
All other	6,170	415	21.9	278	14.7	253	13.3
Balance of area	19,424	310	10.0	220	7.1	224	7.2
White	18,561	269	9.4	193	6.8	175	6.1
All other	863	41	15.9	27	10.5	49	19.0
Metropolitan counties	48,990	995	13.8	710	9.8	677	9.4
White	42,767	580	10.9	433	8.1	410	7.7
All other	6,223	415	21.9	277	14.6	267	14.1
Urban places	37,638	797	15.2	561	10.7	529	10.1
White	32,033	412	11.6	307	8.7	300	8.5
All other	5,605	385	22.7	254	15.0	229	13.5
Balance of area	11,352	198	10.0	149	7.5	148	7.4
White	10,734	168	9.4	126	7.0	110	6.1
All other	618	30	15.2	23	11.6	38	19.2
Nonmetropolitan counties	16,755	247	10.2	174	7.2	183	7.5
White	15,945	206	9.5	146	6.7	148	6.8
All other	810	41	15.7	28	10.7	35	13.4
Urban places	8,683	135	10.3	103	7.9	107	8.2
White	8,118	105	9.5	79	7.1	83	7.5
All other	565	30	14.9	24	11.9	24	11.9
Balance of area	8,072	112	10.0	71	6.3	76	6.8
White	7,827	101	9.5	67	6.3	65	6.1
All other	245	11	18.2	4	6.6	11	18.2
New Mexico	8,722	358	14.0	228	8.9	188	7.4
White	7,856	276	12.9	188	8.8	153	7.2
All other	866	82	19.5	40	9.5	35	8.3
Urban places	4,719	168	11.7	109	7.6	87	6.1
White	4,508	145	11.1	96	7.4	77	5.9
All other	211	23	17.5	13	9.9	10	7.6
Balance of area	4,003	190	16.9	119	10.6	101	9.0
White	3,348	131	15.7	82	11.0	76	9.1
All other	655	59	20.5	27	9.4	25	8.7
Metropolitan counties	2,482	81	11.0	52	7.0	35	4.7
White	2,388	75	11.2	49	7.3	33	4.9
All other	94	6	8.5	3	4.2	2	2.8
Urban places	2,292	77	10.8	50	7.0	33	4.6
White	2,218	71	11.0	47	7.3	31	4.8
All other	74	6	9.4	3	4.7	2	3.1
Balance of area	190	4	14.6	2	7.3	2	7.3
White	170	4	19.1	2	9.6	2	9.6
All other	20	–	–	–	–	–	–
Nonmetropolitan counties	6,240	277	15.2	176	9.7	153	8.4
White	5,468	201	13.7	139	9.5	120	8.2
All other	772	76	21.8	37	10.6	33	9.5
Urban places	2,427	91	12.6	59	8.2	54	7.5
White	2,290	74	11.3	49	7.5	46	7.0
All other	137	17	25.3	10	14.9	8	11.9
Balance of area	3,813	186	17.0	117	10.7	99	9.0
White	3,178	127	15.6	90	11.1	74	9.1
All other	635	59	20.9	27	9.6	25	8.9

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New York	184,508	3,212	13.6	2,299	9.7	2,810	11.9
White	144,969	2,151	11.9	1,557	8.6	1,974	10.9
All other	19,539	1,061	19.2	742	13.5	836	15.2
Urban places	107,643	2,232	15.3	1,590	10.9	1,918	13.2
White	89,528	1,249	13.1	907	9.5	1,152	12.1
All other	18,115	983	19.4	683	13.5	766	15.2
Balance of area	56,865	980	10.9	709	7.9	892	9.9
White	55,441	902	10.5	650	7.6	822	9.6
All other	1,424	78	17.0	59	12.8	70	15.2
Metropolitan counties	139,826	2,760	13.8	1,997	10.0	2,401	12.0
White	120,630	1,741	11.9	1,285	8.8	1,589	10.9
All other	18,996	1,019	19.1	712	13.3	812	15.2
Urban places	101,053	2,103	15.3	1,506	11.0	1,789	13.0
White	83,200	1,151	13.1	846	9.6	1,038	11.8
All other	17,853	952	19.2	660	13.3	751	15.2
Balance of area	38,573	657	10.6	491	7.9	612	9.9
White	37,430	590	10.1	439	7.5	551	9.5
All other	1,143	67	17.5	52	13.6	61	16.0
Nonmetropolitan counties	24,682	452	12.4	302	8.3	409	11.2
White	24,339	410	11.8	272	7.8	385	11.1
All other	543	42	23.6	30	16.8	24	13.5
Urban places	6,590	129	15.5	84	10.1	129	15.5
White	6,328	98	13.4	61	8.3	114	15.6
All other	262	31	30.9	23	22.9	15	15.0
Balance of area	18,292	323	11.4	218	7.7	280	9.9
White	18,011	312	11.4	211	7.7	271	9.9
All other	281	11	14.1	7	9.0	9	11.5
North Carolina	46,675	1,269	15.1	867	10.3	928	11.1
White	35,127	632	11.2	454	8.0	507	9.0
All other	11,548	637	23.3	413	15.1	421	15.4
Urban places	15,711	425	17.7	308	12.8	267	11.1
White	10,637	168	12.8	131	10.0	101	7.7
All other	5,074	257	23.5	177	16.2	166	15.2
Balance of area	30,964	844	14.1	559	9.4	661	11.1
White	24,490	464	10.7	323	7.4	406	9.4
All other	6,474	380	23.2	236	14.4	255	15.8
Metropolitan counties	15,079	438	14.0	319	10.2	309	9.9
White	11,787	211	10.1	165	7.9	165	7.9
All other	4,086	227	22.0	154	15.0	144	14.0
Urban places	9,753	271	16.9	200	12.5	165	10.3
White	6,500	103	12.0	82	9.5	64	7.4
All other	3,253	168	22.7	118	15.9	101	13.6
Balance of area	5,120	167	11.0	119	7.8	144	9.5
White	5,287	108	8.8	83	6.8	101	8.2
All other	833	59	20.4	36	12.5	43	14.9
Nonmetropolitan counties	30,802	831	15.8	548	10.4	619	11.6
White	23,340	421	11.8	289	8.1	342	9.6
All other	7,462	410	24.1	259	15.2	277	16.3
Urban places	5,858	184	19.1	106	13.4	102	12.7
White	4,137	65	14.3	49	10.8	37	8.2
All other	1,921	89	25.2	59	16.7	65	18.4
Balance of area	24,944	677	15.2	440	9.9	517	11.6
White	19,203	356	11.4	240	7.7	305	9.8
All other	5,841	321	23.8	200	14.8	212	15.7
North Dakota	5,361	140	11.9	106	9.0	112	9.5
White	5,217	121	11.1	91	8.4	103	9.5
All other	144	19	20.8	15	16.4	9	9.8
Urban places	1,851	63	14.2	51	11.5	53	11.9
White	1,633	59	13.9	47	11.1	52	12.3
All other	18	4	20.4	4	20.4	1	5.1
Balance of area	3,710	77	10.5	55	7.5	59	8.0
White	3,584	62	9.3	44	6.6	51	7.7
All other	126	15	20.9	11	15.3	8	11.1
Metropolitan counties	609	13	8.2	10	6.3	10	6.3
White	606	12	7.8	9	5.8	10	6.5
All other	3	1	24.4	1	24.4	–	–
Urban places	442	13	11.9	10	9.1	9	8.2
White	439	12	11.3	9	8.5	9	8.5
All other	3	1	30.3	1	30.3	–	–
Balance of area	167	–	–	–	–	1	2.0
White	167	–	–	–	–	1	2.1
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	4,752	127	12.4	96	9.4	102	10.0
White	4,611	109	11.7	82	8.8	93	10.0
All other	141	18	20.8	14	16.0	9	10.3
Urban places	1,209	50	15.0	41	12.3	44	13.2
White	1,194	47	14.8	38	12.0	43	13.5
All other	15	3	18.4	3	18.4	1	6.1
Balance of area	3,543	77	11.2	55	8.0	58	8.4
White	3,417	62	10.1	44	7.1	50	8.1
All other	126	15	21.1	11	15.5	8	11.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	94,948	2,141	12.8	1,463	8.8	1,514	9.1
White	85,551	1,849	11.6	1,130	7.9	1,169	8.2
All other	9,395	492	19.8	333	13.4	345	13.9
Urban places	57,055	1,308	14.3	890	9.7	899	9.8
White	48,393	853	12.3	585	8.4	577	8.3
All other	8,662	455	20.3	305	13.6	322	14.3
Balance of area	37,891	833	11.1	573	7.6	615	8.2
White	37,158	796	10.9	545	7.5	592	8.1
All other	733	37	15.3	28	11.6	23	9.5
Metropolitan counties	71,385	1,648	13.2	1,137	9.1	1,104	8.9
White	62,380	1,170	11.8	815	8.1	774	7.7
All other	8,985	478	20.2	322	13.6	330	14.0
Urban places	49,750	1,160	14.4	788	9.8	790	9.8
White	41,315	715	12.1	491	8.3	477	8.1
All other	8,435	445	20.5	297	13.7	313	14.4
Balance of area	21,615	488	11.1	349	8.0	314	7.2
White	21,065	455	10.8	324	7.7	297	7.1
All other	550	33	17.3	25	13.1	17	8.9
Nonmetropolitan counties	23,561	493	11.6	326	7.7	410	9.7
White	23,171	479	11.6	315	7.6	395	9.6
All other	410	14	11.6	11	8.1	15	12.4
Urban places	7,305	148	13.4	102	9.2	109	9.9
White	7,078	138	13.4	94	9.1	100	9.7
All other	227	10	14.1	8	11.3	9	12.7
Balance of area	16,276	345	11.0	224	7.1	301	9.6
White	16,093	341	11.0	221	7.2	295	9.6
All other	183	4	8.0	3	6.0	6	11.9
Oklahoma	27,841	612	12.5	390	8.0	454	9.3
White	24,966	462	11.8	313	8.0	345	8.8
All other	2,875	150	15.2	77	7.8	109	11.0
Urban places	13,687	359	13.2	236	8.7	243	8.9
White	12,146	257	12.1	181	8.5	172	8.1
All other	1,541	102	17.0	55	9.2	71	11.8
Balance of area	14,154	253	11.6	154	7.0	211	9.6
White	12,820	205	11.4	132	7.3	173	9.6
All other	1,334	48	12.4	22	5.7	38	9.8
Metropolitan counties	11,741	327	12.6	214	8.3	221	8.5
White	10,402	237	11.6	167	8.2	152	7.5
All other	1,339	90	18.1	47	8.4	69	12.4
Urban places	9,404	275	13.1	184	8.8	190	9.1
White	8,273	193	11.9	139	8.6	126	7.8
All other	1,131	82	17.1	45	9.4	64	13.3
Balance of area	2,337	52	10.5	30	6.0	31	6.3
White	2,129	44	10.5	28	6.7	26	6.2
All other	208	8	10.2	2	2.6	5	6.4
Nonmetropolitan counties	16,100	265	12.3	176	7.6	233	10.1
White	14,564	225	12.0	146	7.8	193	10.3
All other	1,536	60	14.0	30	7.0	40	9.3
Urban places	4,283	84	13.6	52	8.4	53	8.6
White	3,673	64	12.8	42	8.4	46	9.2
All other	410	20	16.6	10	8.3	7	5.8
Balance of area	11,817	201	11.9	124	7.3	180	10.6
White	10,691	161	11.6	104	7.5	147	10.6
All other	1,126	40	12.9	20	6.5	33	10.7
Oregon	21,056	453	10.9	277	6.6	304	7.3
White	20,548	423	10.8	260	6.6	279	7.1
All other	508	30	11.7	17	6.6	25	9.7
Urban places	9,912	205	12.0	127	7.4	134	7.8
White	9,546	186	12.1	118	7.7	115	7.5
All other	366	19	11.3	9	5.4	19	11.3
Balance of area	11,144	248	10.1	150	6.1	170	6.9
White	11,002	237	10.0	142	6.0	164	6.9
All other	142	11	12.3	8	8.9	6	6.7
Metropolitan counties	12,476	256	10.4	163	6.6	202	8.2
White	12,101	239	10.6	154	6.8	179	7.9
All other	375	17	8.9	9	4.7	23	12.1
Urban places	7,517	147	11.5	94	7.4	105	8.2
White	7,183	134	11.9	88	7.8	86	7.6
All other	334	13	8.7	6	4.0	19	12.8
Balance of area	4,959	109	9.2	69	5.8	97	8.2
White	4,918	105	9.2	66	5.8	93	8.2
All other	41	4	9.6	3	7.2	4	9.6
Nonmetropolitan counties	8,580	197	11.5	114	6.6	102	5.9
White	8,447	184	11.2	106	6.4	100	6.1
All other	133	13	19.5	8	12.0	2	3.0
Urban places	2,395	58	13.4	33	7.6	29	6.7
White	2,363	52	12.5	30	7.2	29	7.0
All other	32	6	31.6	3	15.8	–	–
Balance of area	6,185	139	10.8	81	6.3	73	5.7
White	6,084	132	10.7	76	6.2	71	5.8
All other	101	7	14.6	5	10.5	2	4.2
Pennsylvania	117,402	2,097	13.3	1,532	9.7	1,773	11.2
White	107,108	1,628	12.0	1,210	8.9	1,380	10.2
All other	10,294	469	21.3	322	14.6	393	17.8
Urban places	61,478	1,208	16.1	879	11.7	841	11.2
White	51,911	763	13.9	574	10.5	497	9.1
All other	9,567	445	22.2	305	15.2	344	17.2
Balance of area	55,924	889	10.7	653	7.9	932	11.2
White	55,197	865	10.7	636	7.9	883	10.9
All other	727	24	12.0	17	8.5	49	24.4
Metropolitan counties	91,749	1,653	13.6	1,214	10.0	1,391	11.4
White	81,735	1,196	11.9	901	9.0	1,012	10.1
All other	10,014	457	21.5	313	14.7	379	17.8
Urban places	56,616	1,118	16.1	817	11.8	778	11.2
White	47,184	681	13.7	517	10.4	440	8.9
All other	9,432	437	22.2	300	15.3	338	17.2
Balance of area	35,133	535	10.2	397	7.6	613	11.7
White	34,551	515	10.1	384	7.6	572	11.2
All other	582	20	12.3	13	8.0	41	25.2
Nonmetropolitan counties	25,653	444	12.3	318	8.8	382	10.6
White	25,373	432	12.3	309	8.8	368	10.4
All other	280	12	15.4	9	11.6	14	18.0
Urban places	4,862	90	16.2	62	11.1	63	11.3
White	4,727	82	15.8	57	11.0	57	11.0
All other	135	8	20.2	5	12.6	6	15.2
Balance of area	20,791	354	11.6	256	8.4	319	10.5
White	20,646	350	11.6	252	8.4	311	10.3
All other	145	4	10.5	4	10.5	8	21.0
Rhode Island	9,090	167	14.1	121	10.2	137	11.5
White	8,856	136	12.5	101	9.3	124	11.4
All other	234	31	30.9	20	20.0	13	13.0
Urban places	7,248	134	15.1	99	11.2	110	12.4
White	7,030	104	13.1	80	10.1	98	12.4
All other	218	30	32.0	19	20.3	12	12.8
Balance of area	1,842	33	10.9	22	7.3	27	8.9
White	1,826	32	10.8	21	7.1	26	8.8
All other	16	1	15.6	1	15.6	1	15.6
Metropolitan counties	7,790	142	15.0	103	10.9	117	12.4
White	7,582	113	13.1	84	9.7	106	12.3
All other	188	29	33.8	19	22.2	11	12.9
Urban places	6,709	122	15.5	90	11.5	100	12.7
White	6,518	93	13.3	71	10.1	89	12.7
All other	191	29	34.6	19	22.6	11	13.1
Balance of area	1,081	20	12.3	13	8.0	17	10.5
White	1,074	20	12.4	13	8.1	17	10.6
All other	7	–	–	–	–	–	–
Nonmetropolitan counties	1,300	25	10.4	18	7.5	20	8.3
White	1,264	23	10.2	17	7.5	18	8.0
All other	36	2	13.6	1	6.8	2	13.6
Urban places	539	12	12.0	9	9.0	10	10.0
White	512	11	12.2	9	10.0	9	10.0
All other	27	1	10.1	–	–	1	10.1
Balance of area	761	13	9.2	9	6.4	10	7.1
White	752	12	8.9	8	5.9	9	6.6
All other	9	1	20.8	1	20.8	1	20.8
South Carolina	24,363	665	17.1	572	11.3	639	12.6
White	16,217	370	12.4	263	8.8	279	9.3
All other	8,146	495	23.8	309	14.9	360	17.3
Urban places	5,791	186	19.8	137	14.6	129	13.7
White	3,600	50	11.4	42	9.6	56	12.6
All other	2,191	136	27.1	95	18.9	73	14.5
Balance of area	18,572	679	16.5	435	10.6	510	12.4
White	12,617	320	12.6	221	8.7	223	8.7
All other	5,955	359	22.8	214	13.6	287	18.2
Metropolitan counties	8,715	311	15.9	211	10.8	215	11.0
White	6,147	164	12.9	111	8.7	106	8.3
All other	2,568	147	21.7	100	14.8	109	16.1
Urban places	3,097	96	18.9	77	15.2	68	13.4
White	1,900	31	13.2	26	11.1	28	11.9
All other	1,197	65	23.8	51	18.7	40	14.6
Balance of area	5,618	215	14.9	134	9.3	147	10.2
White	4,247	133	12.8	85	8.2	78	7.5
All other	1,431	82	20.3	49	12.2	69	17.1
Nonmetropolitan counties	15,648	554	17.8	361	11.6	424	13.6
White	10,070	206	12.0	152	8.9	173	10.1
All other	5,578	348	24.9	209	14.9	251	17.9
Urban places	2,754	90	20.8	60	13.8	61	14.1
White	1,700	19	9.3	16	7.8	28	13.7
All other	1,054	71	31.0	44	19.2	33	14.4
Balance of area	12,894	464	17.3	301	11.2	363	13.5
White	8,370	187	12.4	138	9.0	145	9.6
All other	4,524	277	23.7	165	14.1	218	18.6

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota [3]	6,345	146	11.2	75	5.8	112	8.6
White	5,909	106	9.6	62	5.5	83	7.4
All other	436	38	21.3	13	7.3	29	16.3
Urban places	1,793	36	8.7	24	5.8	30	7.3
White	1,771	33	8.7	22	5.8	26	6.9
All other	22	3	9.3	2	6.2	4	12.4
Balance of area	4,552	110	12.3	51	5.7	82	9.2
White	4,138	75	10.1	40	5.4	57	7.6
All other	414	35	24.0	11	7.5	25	17.1
Metropolitan counties	814	24	12.9	17	9.2	18	9.7
White	808	22	12.3	15	8.4	15	8.4
All other	6	2	29.9	2	29.9	3	44.8
Urban places	648	16	11.6	12	8.7	14	10.2
White	642	14	10.6	10	7.6	11	8.4
All other	6	2	34.5	2	34.5	3	51.7
Balance of area	166	8	16.6	5	10.4	4	8.3
White	166	8	16.9	5	10.6	4	8.5
All other	–	–	–	–	–	–	–
Nonmetropolitan counties	5,531	122	10.9	58	5.2	94	8.4
White	5,101	86	9.1	47	5.0	68	7.2
All other	430	36	21.0	11	6.4	26	15.2
Urban places	1,145	20	7.3	12	4.4	16	5.8
White	1,129	19	7.7	12	4.8	15	6.1
All other	16	1	3.8	–	–	1	3.8
Balance of area	4,386	102	12.1	46	5.5	78	9.2
White	3,972	67	9.6	35	5.0	53	7.6
All other	414	35	24.1	11	7.6	25	17.2
Tennessee [3]	38,789	930	13.6	623	9.1	679	9.9
White	31,905	603	11.5	399	7.6	467	8.9
All other	6,884	327	20.4	224	14.0	212	13.2
Urban places	16,838	500	15.4	331	10.2	334	10.3
White	13,503	237	12.1	153	7.8	177	9.1
All other	5,335	263	20.5	178	13.8	157	12.2
Balance of area	19,951	430	11.9	292	8.1	345	9.6
White	18,402	366	11.1	246	7.5	290	8.8
All other	1,549	64	20.1	46	14.5	55	17.3
Metropolitan counties	17,751	471	13.9	318	9.4	331	9.8
White	12,920	229	10.5	151	6.9	189	8.7
All other	4,931	243	20.2	167	13.9	142	11.8
Urban places	14,768	402	15.5	267	10.3	264	10.1
White	10,039	168	11.6	107	7.4	131	9.0
All other	4,729	234	20.4	160	13.9	133	11.6
Balance of area	2,983	69	8.8	51	6.5	67	8.6
White	2,781	60	8.2	44	6.0	58	8.0
All other	202	9	17.1	7	13.3	9	17.1
Nonmetropolitan counties	21,038	459	13.3	305	8.8	348	10.1
White	19,085	375	12.3	248	8.1	278	9.1
All other	1,953	84	20.9	57	14.2	70	17.4
Urban places	4,070	98	15.3	64	10.0	70	11.0
White	3,464	69	13.7	46	9.1	46	9.1
All other	606	29	21.3	18	13.2	24	17.7
Balance of area	16,968	361	12.8	241	8.5	278	9.8
White	15,621	306	12.0	202	7.9	232	9.1
All other	1,347	55	20.7	39	14.7	46	17.3
Texas	104,921	2,267	12.9	2,182	8.6	2,188	8.6
White	90,514	2,474	11.5	1,669	7.8	1,743	8.1
All other	14,407	813	20.2	513	12.7	445	11.0
Urban places	64,823	2,284	13.3	1,541	9.0	1,451	8.5
White	54,214	1,645	11.8	1,124	8.1	1,100	7.9
All other	10,609	639	19.7	417	12.9	351	10.8
Balance of area	40,098	1,003	12.1	641	7.7	737	8.9
White	36,300	829	11.0	545	7.3	643	8.6
All other	3,798	174	22.2	96	12.2	94	12.0
Metropolitan counties	68,941	2,476	12.7	1,690	8.7	1,588	8.2
White	59,442	1,841	11.4	1,269	7.8	1,252	7.7
All other	10,499	635	19.4	421	12.9	336	10.3
Urban places	56,664	2,095	13.2	1,388	9.0	1,285	8.4
White	47,068	1,451	11.7	1,003	8.1	974	7.8
All other	9,596	584	19.8	385	13.1	311	10.5
Balance of area	13,277	441	10.7	302	7.3	303	7.4
White	12,374	390	10.3	266	7.0	278	7.3
All other	903	51	16.1	36	11.4	25	7.9
Nonmetropolitan counties	34,980	811	13.6	492	8.2	600	10.0
White	31,072	633	12.1	400	7.7	491	9.4
All other	3,908	178	23.4	92	12.1	109	14.3
Urban places	8,159	249	13.9	153	8.5	168	9.3
White	7,146	194	13.0	121	8.1	126	8.4
All other	1,013	55	18.7	32	10.9	40	13.6
Balance of area	26,821	562	13.4	339	8.1	434	10.4
White	23,926	439	11.8	279	7.5	365	9.8
All other	2,895	123	26.3	60	12.8	69	14.7
Utah	7,890	438	10.7	279	6.8	317	7.7
White	7,724	426	10.7	276	7.0	308	7.8
All other	166	12	8.3	3	2.1	9	6.2
Urban places	3,540	156	10.4	100	6.7	137	9.1
White	3,464	151	10.5	96	6.8	133	9.3
All other	76	5	7.5	2	3.0	4	6.0
Balance of area	4,350	282	10.8	179	6.9	180	6.9
White	4,260	275	10.9	178	7.0	175	6.9
All other	90	7	8.9	1	1.3	5	6.4
Metropolitan counties	5,828	339	10.6	220	6.9	251	7.9
White	5,724	332	10.8	218	7.1	246	8.0
All other	104	7	8.8	2	1.9	5	4.8
Urban places	3,189	139	10.4	89	6.6	126	9.5
White	3,120	134	10.5	87	6.8	124	9.7
All other	69	5	8.1	2	3.2	4	6.5
Balance of area	2,639	200	10.8	131	7.1	123	6.7
White	2,604	188	11.0	131	7.3	122	6.8
All other	35	2	4.8	–	–	1	2.4
Nonmetropolitan counties	2,062	99	10.8	59	6.4	66	7.2
White	2,000	94	10.7	58	6.6	62	7.1
All other	62	5	11.9	1	2.4	4	9.5
Urban places	351	17	10.5	11	6.8	9	5.6
White	344	17	10.9	11	7.1	9	5.8
All other	7	–	–	–	–	–	–
Balance of area	1,711	82	10.8	48	6.3	57	7.5
White	1,656	77	10.7	47	6.5	53	7.3
All other	55	5	13.6	1	2.7	4	10.9
Vermont	4,179	64	8.5	47	6.3	47	6.3
White	4,175	64	8.6	47	6.3	47	6.3
All other	4	–	–	–	–	–	–
Urban places	678	4	4.6	2	2.3	8	9.3
White	676	4	4.7	2	2.4	8	9.4
All other	2	–	–	–	–	–	–
Balance of area	3,501	60	9.0	45	6.8	39	5.9
White	3,499	60	9.1	45	6.8	39	5.9
All other	2	–	–	–	–	–	–
Metropolitan counties	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Urban places	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Balance of area	***	***	***	***	***	***	***
White	***	***	***	***	***	***	***
All other	***	***	***	***	***	***	***
Nonmetropolitan counties	4,179	64	8.5	47	6.3	47	6.3
White	4,175	64	8.6	47	6.3	47	6.3
All other	4	–	–	–	–	–	–
Urban places	678	4	4.6	2	2.3	8	9.3
White	676	4	4.7	2	2.4	8	9.4
All other	2	–	–	–	–	–	–
Balance of area	3,501	60	9.0	45	6.8	39	5.9
White	3,499	60	9.1	45	6.8	39	5.9
All other	2	–	–	–	–	–	–
Virginia	40,609	1,121	14.6	824	10.7	1,073	13.9
White	31,766	704	12.5	523	9.3	675	12.0
All other	9,043	417	20.1	301	14.5	398	19.2
Urban places	17,305	511	15.6	376	11.5	472	14.4
White	12,317	287	13.0	199	9.7	246	12.0
All other	4,988	244	19.9	177	14.4	226	18.4
Balance of area	23,304	610	13.8	448	10.1	601	13.6
White	19,449	437	12.2	324	9.1	429	12.0
All other	4,055	173	20.4	124	14.6	172	20.3
Metropolitan counties	21,609	672	13.8	489	10.1	680	13.0
White	16,234	390	11.4	285	8.3	380	11.1
All other	5,375	282	19.5	204	14.1	250	17.3
Urban places	14,744	459	15.4	336	11.3	466	13.7
White	10,178	228	12.5	167	9.2	208	11.1
All other	4,566	231	20.1	169	14.7	205	17.8
Balance of area	6,865	213	11.3	153	8.1	222	11.8
White	6,056	162	10.2	118	7.4	177	11.1
All other	809	51	17.2	35	11.8	45	15.2
Nonmetropolitan counties	19,200	449	15.8	335	11.8	443	15.6
White	15,532	314	14.2	238	10.8	295	13.4
All other	3,668	135	21.6	97	15.5	148	23.6
Urban places	2,561	52	17.4	40	13.4	64	21.4
White	2,139	39	17.4	32	14.3	43	19.2
All other	422	13	17.4	8	10.7	21	28.2
Balance of area	16,639	397	15.7	295	11.8	379	14.9
White	13,393	275	13.9	206	10.4	252	12.7
All other	3,246	122	22.1	89	16.1	127	23.0

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Washington	30,481	738	11.5	456	7.1	458	7.1
White	29,261	669	11.6	415	7.2	400	6.9
All other	1,220	69	10.4	41	6.2	58	8.8
Urban places	16,206	326	12.4	201	7.6	200	7.6
White	15,318	280	12.4	173	7.6	171	7.6
All other	888	46	12.6	28	7.7	29	8.0
Balance of area	14,275	412	10.8	255	6.7	258	6.8
White	13,943	389	11.1	242	6.9	229	6.5
All other	332	23	7.7	13	4.4	29	9.7
Metropolitan counties	18,865	438	11.2	272	7.0	268	6.8
White	17,941	397	11.4	249	7.1	225	6.6
All other	924	51	10.4	29	5.9	41	8.4
Urban places	12,007	231	12.5	141	7.6	135	7.3
White	11,221	188	12.2	115	7.5	110	7.2
All other	786	43	13.8	26	8.4	25	8.0
Balance of area	6,858	207	10.1	131	6.4	131	6.4
White	6,720	199	10.7	128	6.9	115	6.2
All other	138	8	4.5	3	1.7	16	8.9
Nonmetropolitan counties	11,616	300	11.8	184	7.3	192	7.6
White	11,320	282	11.9	172	7.3	175	7.4
All other	296	18	10.5	12	7.0	17	9.9
Urban places	4,199	95	12.2	60	7.7	65	8.3
White	4,097	82	12.7	58	8.0	61	8.4
All other	102	3	5.6	2	3.8	4	7.5
Balance of area	7,417	205	11.7	124	7.1	127	7.2
White	7,223	190	11.6	114	7.0	114	7.0
All other	194	15	12.7	10	8.5	13	11.0
West Virginia	18,985	412	13.8	271	9.1	313	10.5
White	18,037	383	13.4	250	8.8	297	10.4
All other	928	29	22.7	21	16.4	16	12.5
Urban places	5,489	106	17.2	76	12.4	64	10.4
White	5,046	91	16.3	63	11.3	55	9.9
All other	443	15	26.5	13	23.0	9	15.9
Balance of area	13,476	306	12.9	195	8.2	249	10.5
White	12,991	292	12.7	187	8.1	242	10.5
All other	485	14	19.7	8	11.3	7	9.8
Metropolitan counties	5,531	102	12.6	73	9.0	73	9.0
White	5,224	86	11.2	60	7.8	67	8.8
All other	307	16	36.9	13	30.0	6	13.8
Urban places	3,160	58	17.1	43	12.7	38	11.2
White	2,914	46	15.0	32	10.4	36	11.7
All other	246	12	37.5	11	34.4	2	6.3
Balance of area	2,371	44	9.4	30	6.4	35	7.5
White	2,310	40	8.7	28	6.1	31	6.8
All other	61	4	35.1	2	17.5	4	35.1
Nonmetropolitan counties	13,434	310	14.3	198	9.1	240	11.0
White	12,813	297	14.2	190	9.1	230	11.0
All other	621	13	15.4	8	9.5	10	11.9
Urban places	2,929	48	17.4	33	12.0	26	9.4
White	2,132	45	17.9	31	12.4	19	7.6
All other	197	3	12.2	2	9.1	7	28.5
Balance of area	11,105	262	13.8	165	8.7	214	11.3
White	10,681	252	13.7	159	8.6	211	11.5
All other	424	10	16.8	6	10.1	3	5.0
Wisconsin	39,183	792	10.8	523	7.1	510	7.0
White	38,116	696	10.3	467	6.9	459	6.8
All other	1,067	96	16.2	56	9.4	51	8.6
Urban places	19,358	417	12.0	270	7.8	246	7.1
White	18,458	323	10.9	215	7.3	201	6.8
All other	900	94	18.0	55	10.5	45	8.6
Balance of area	19,825	375	9.7	253	6.6	264	6.8
White	19,658	373	9.9	252	6.7	258	6.8
All other	167	2	2.8	1	1.4	6	8.3
Metropolitan counties	20,205	452	11.2	293	7.2	259	6.4
White	19,303	362	10.3	240	6.8	215	6.1
All other	902	90	17.2	53	10.2	44	8.4
Urban places	15,139	339	12.0	223	7.9	200	7.1
White	14,275	250	10.8	170	7.3	156	6.7
All other	864	89	17.8	53	10.6	44	8.8
Balance of area	5,066	113	9.2	70	5.7	59	4.8
White	5,028	112	9.3	70	5.8	59	4.9
All other	38	1	4.7	–	–	–	–
Nonmetropolitan counties	18,978	340	10.4	230	7.0	251	7.6
White	18,813	334	10.4	227	7.1	244	7.6
All other	165	6	8.3	3	4.2	7	9.7
Urban places	4,219	78	11.9	47	7.2	46	7.0
White	4,183	73	11.5	45	7.1	45	7.1
All other	36	5	23.8	2	9.5	1	4.6
Balance of area	14,759	262	10.0	183	7.0	205	7.8
White	14,630	261	10.1	182	7.1	199	7.7
All other	129	1	2.0	1	2.0	6	11.8
Wyoming	3,073	129	13.2	82	8.4	68	7.0
White	2,992	123	13.2	80	8.6	66	7.1
All other	81	6	12.7	2	4.2	2	4.2
Urban places	1,097	39	12.4	29	9.2	26	8.3
White	1,078	38	12.7	28	9.4	26	8.7
All other	19	1	6.7	1	6.7	–	–
Balance of area	1,976	90	13.6	53	8.0	42	6.3
White	1,914	85	13.5	52	8.2	40	6.3
All other	62	5	15.5	1	3.1	2	6.2
Metropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	3,073	129	13.2	82	8.4	68	7.0
White	2,992	123	13.2	80	8.6	66	7.1
All other	81	6	12.7	2	4.2	2	4.2
Urban places	1,097	39	12.4	29	9.2	26	8.3
White	1,078	38	12.7	28	9.4	26	8.7
All other	19	1	6.7	1	6.7	–	–
Balance of area	1,976	90	13.6	53	8.0	42	6.3
White	1,914	85	13.5	52	8.2	40	6.3
All other	62	5	15.5	1	3.1	2	6.2

[1] Fetal deaths occurring in Georgia are reported only to the State and county level. Therefore, all fetal deaths occurring in Georgia are assigned to "Balance of area" and not to "Urban places"; see Technical Appendix.
[2] County equivalents.
[3] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	1,913,841	45,665	8,106	11,146	48,719	47,941	57,723	135,265	286,966	449,255	493,676	328,725	652
Male	1,044,959	25,980	4,591	6,942	36,601	34,346	37,057	88,203	182,288	269,171	242,316	119,006	459
Female	868,882	19,685	3,517	4,204	12,118	13,595	20,666	49,062	104,678	180,084	251,360	209,719	194
White	1,676,145	32,079	5,995	8,824	40,100	38,020	43,456	108,994	245,305	396,026	450,905	307,964	477
Male	910,137	18,502	3,435	5,503	30,341	25,966	27,898	70,066	157,162	239,373	220,947	110,591	389
Female	766,008	13,577	2,560	3,321	9,759	10,054	15,558	38,908	88,143	156,653	229,958	197,373	144
All other	237,696	13,586	2,113	2,322	8,619	11,921	14,267	26,271	41,661	53,229	42,771	20,761	175
Male	134,822	7,478	1,156	1,439	6,260	8,380	9,159	18,117	25,126	29,798	21,369	8,415	125
Female	102,874	6,108	957	883	2,359	3,541	5,108	10,154	16,535	23,431	21,402	12,346	50
Metropolitan counties	1,242,985	30,503	5,072	6,965	31,367	32,900	39,041	93,096	192,259	287,894	316,240	207,215	433
Male	668,314	17,212	2,876	4,256	23,424	23,403	24,899	58,683	120,740	169,140	151,064	72,526	291
Female	574,671	13,291	2,196	2,709	7,943	9,497	14,142	34,413	71,519	118,754	165,176	134,689	142
White	1,071,994	20,507	3,615	5,326	25,103	23,788	28,200	72,794	161,245	250,552	285,791	193,759	313
Male	571,402	11,760	2,078	3,264	18,912	17,024	17,791	46,193	102,053	148,300	136,822	67,192	213
Female	500,592	8,747	1,537	2,062	6,191	6,765	10,409	26,601	59,192	102,252	150,169	126,567	100
All other	170,991	9,996	1,457	1,639	6,264	9,111	10,841	20,302	31,014	37,342	29,449	13,456	120
Male	96,912	5,452	798	992	4,512	6,378	6,908	12,490	18,687	20,840	14,442	5,334	79
Female	74,079	4,544	659	647	1,752	2,732	3,933	7,812	12,327	16,502	15,007	8,122	42
Nonmetropolitan counties	670,856	15,162	3,036	4,181	17,352	15,041	18,682	42,169	94,707	161,361	177,436	121,510	219
Male	376,645	8,768	1,715	2,686	13,177	10,943	12,358	27,520	61,548	100,031	91,252	46,480	167
Female	294,211	6,394	1,321	1,495	4,175	4,098	6,324	14,649	33,159	61,330	86,184	75,030	52
White	604,151	11,572	2,380	3,498	14,997	12,231	15,256	38,200	84,060	145,474	164,114	114,205	164
Male	338,735	6,742	1,357	2,239	11,429	8,942	10,107	23,893	55,109	91,073	84,325	43,399	120
Female	265,416	4,830	1,023	1,259	3,568	3,289	5,149	12,307	28,951	54,401	79,789	70,806	44
All other	66,705	3,590	656	683	2,355	2,810	3,426	5,969	10,647	15,887	13,322	7,305	55
Male	37,910	2,026	358	447	1,748	2,001	2,251	3,627	6,439	8,958	6,927	3,081	47
Female	28,795	1,564	298	236	607	809	1,175	2,342	4,208	6,929	6,395	4,224	8
Alabama	34,457	903	189	242	930	987	1,235	2,805	5,374	8,410	8,332	5,067	3
Male	19,300	515	97	152	693	708	810	1,817	3,549	5,042	4,104	1,812	1
Female	15,157	388	92	90	237	279	425	988	1,825	3,368	4,228	3,255	2
White	24,522	455	104	153	652	560	770	1,889	3,754	6,030	6,235	3,920	-
Male	13,900	261	59	94	488	419	533	1,268	2,591	3,755	3,073	1,359	-
Female	10,622	194	45	59	164	141	237	621	1,163	2,275	3,162	2,561	-
All other	9,935	448	85	89	278	427	465	916	1,620	2,380	2,097	1,147	3
Male	5,400	254	38	58	205	289	277	549	958	1,287	1,031	453	1
Female	4,535	194	47	31	73	118	188	367	662	1,093	1,066	694	2
Metropolitan counties	17,477	438	90	119	488	515	664	1,460	2,874	4,278	4,181	2,390	-
Male	9,663	236	45	67	356	373	428	925	1,873	2,543	2,015	802	-
Female	7,814	202	45	52	112	142	236	535	1,001	1,735	2,166	1,588	-
White	11,981	202	49	74	311	301	394	921	1,887	2,932	3,036	1,852	-
Male	6,654	106	26	43	242	221	267	590	1,288	1,823	1,458	590	-
Female	5,307	96	23	31	69	80	127	331	599	1,109	1,580	1,262	-
All other	5,516	236	41	45	157	214	270	539	987	1,346	1,143	538	-
Male	3,009	130	19	24	114	152	161	335	585	720	557	212	-
Female	2,507	106	22	21	43	62	109	204	402	626	586	326	-
Nonmetropolitan counties	16,980	465	89	123	462	452	571	1,345	2,500	4,132	4,151	2,677	9
Male	9,637	279	52	85	337	335	382	892	1,676	2,499	2,089	1,010	1
Female	7,343	186	47	38	125	117	189	453	824	1,633	2,062	1,667	2
White	12,561	253	55	79	341	259	376	968	1,867	3,098	3,197	2,068	-
Male	7,248	155	33	51	246	198	266	678	1,303	1,932	1,615	769	-
Female	5,315	98	22	28	95	61	110	290	564	1,166	1,582	1,299	-
All other	4,419	212	44	44	121	193	195	377	633	1,034	954	609	9
Male	2,391	124	19	34	91	137	116	214	373	567	474	241	1
Female	2,028	88	25	10	30	56	79	163	260	467	480	368	2
Alaska	1,567	145	28	22	146	140	128	202	238	242	194	84	-
Male	1,058	82	14	17	120	106	85	142	171	168	111	42	-
Female	509	63	14	5	26	34	43	60	65	74	83	42	-
White	1,055	85	10	13	78	88	81	151	178	163	146	62	-
Male	728	49	4	10	63	65	57	113	132	115	89	31	-
Female	327	36	6	3	15	23	24	38	46	48	57	31	-
All other	512	60	18	9	68	52	47	51	58	79	48	22	-
Male	330	33	10	7	57	41	28	29	39	53	22	11	-
Female	182	27	8	2	11	11	19	22	19	26	26	11	-
Metropolitan election districts [1]	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan election districts [1]	1,567	145	28	22	146	140	128	202	238	242	194	84	-
Male	1,058	82	14	17	120	106	85	142	171	168	111	42	-
Female	509	63	14	5	26	34	43	60	65	74	83	42	-
White	1,055	85	10	13	78	88	81	151	178	163	146	62	-
Male	728	49	4	10	63	65	57	113	132	115	89	31	-
Female	327	36	6	3	15	23	24	38	46	48	57	31	-
All other	512	60	18	9	68	52	47	51	58	79	48	22	-
Male	330	33	10	7	57	41	28	29	39	53	22	11	-
Female	182	27	8	2	11	11	19	22	19	26	26	11	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arizona	19,782	636	144	146	745	712	689	1,402	2,975	4,985	4,706	2,614	28
Male	11,630	369	83	103	576	530	450	868	1,872	3,108	2,597	1,048	24
Female	8,152	267	61	43	167	182	239	534	1,103	1,877	2,109	1,566	4
White	18,119	491	104	123	580	543	542	1,231	2,788	4,738	4,487	2,467	25
Male	10,568	288	59	85	449	400	347	765	1,758	2,960	2,487	971	21
Female	7,551	205	45	38	131	143	195	466	1,030	1,778	2,020	1,496	4
All other	1,663	145	40	23	165	169	147	171	187	247	219	147	3
Male	1,062	83	24	18	129	130	103	103	114	148	130	77	3
Female	601	62	16	5	36	39	44	68	73	99	89	70	-
Metropolitan counties	14,807	427	92	99	486	472	472	1,035	2,227	3,750	3,681	2,061	5
Male	8,550	258	51	64	376	344	302	631	1,380	2,327	2,003	811	3
Female	6,257	169	41	35	110	128	170	404	847	1,423	1,678	1,250	2
White	14,045	359	77	92	421	415	411	950	2,128	3,625	3,566	1,998	5
Male	8,085	218	41	59	327	303	262	583	1,324	2,251	1,939	775	3
Female	5,960	141	36	33	94	112	149	367	804	1,374	1,627	1,221	2
All other	762	68	15	7	65	57	61	85	99	125	115	65	-
Male	465	40	10	5	49	41	40	48	56	76	64	38	-
Female	297	28	5	2	16	16	21	37	43	49	51	29	-
Nonmetropolitan counties	4,975	209	52	47	259	240	217	367	748	1,235	1,025	553	23
Male	3,080	111	32	39	202	186	148	237	492	781	594	237	21
Female	1,895	98	20	8	57	54	69	130	256	454	431	316	2
White	4,074	132	27	31	159	128	131	281	660	1,113	921	471	20
Male	2,483	68	18	26	122	97	85	182	434	709	528	196	18
Female	1,591	64	9	5	37	31	46	99	226	404	393	275	2
All other	901	77	25	16	100	112	86	86	88	122	104	82	3
Male	597	43	14	13	80	89	63	55	58	72	66	41	3
Female	304	34	11	3	20	23	23	31	30	50	38	41	-
Arkansas	21,550	488	101	139	470	436	571	1,349	2,924	5,407	5,883	3,770	12
Male	12,205	280	58	95	348	308	368	885	1,925	3,353	3,087	1,513	7
Female	9,345	208	43	44	122	128	205	464	999	2,054	2,816	2,257	5
White	17,652	304	60	102	358	328	436	1,084	2,393	4,467	4,908	3,203	9
Male	10,057	177	35	67	270	226	286	729	1,636	2,815	2,558	1,254	4
Female	7,595	127	25	35	88	102	150	355	757	1,652	2,350	1,949	5
All other	3,898	184	41	37	112	108	135	265	531	940	975	567	3
Male	2,148	103	23	28	78	82	80	156	289	538	509	259	3
Female	1,750	81	18	9	34	26	55	109	242	402	466	308	-
Metropolitan counties	5,644	157	37	55	141	160	168	422	815	1,351	1,436	900	2
Male	3,075	83	23	39	100	119	100	266	529	783	691	331	1
Female	2,569	64	14	16	41	41	68	156	286	568	745	569	1
White	4,279	88	21	38	96	117	121	309	627	1,023	1,116	721	2
Male	2,335	55	13	28	68	85	78	201	432	694	529	251	1
Female	1,944	33	8	10	28	32	43	108	195	329	587	470	1
All other	1,365	69	16	17	45	43	47	113	188	328	320	179	-
Male	740	38	10	11	32	34	22	65	97	188	162	80	-
Female	625	31	6	6	13	9	25	48	91	139	158	99	-
Nonmetropolitan counties	15,906	331	64	84	329	276	403	927	2,109	4,056	4,447	2,870	10
Male	9,130	187	35	56	248	189	268	619	1,396	2,570	2,376	1,182	6
Female	6,776	144	29	28	81	87	137	308	713	1,486	2,071	1,688	4
White	13,373	216	39	64	262	211	315	775	1,766	3,444	3,782	2,482	7
Male	7,722	122	22	39	202	141	208	528	1,204	2,221	2,029	1,003	3
Female	5,651	94	17	25	60	70	107	247	562	1,223	1,753	1,479	4
All other	2,533	115	25	20	67	65	88	152	343	612	655	388	3
Male	1,408	65	13	17	46	48	58	91	192	349	347	179	3
Female	1,125	50	12	3	21	17	30	61	151	263	308	209	-
California	177,399	4,258	850	1,004	5,575	5,673	5,835	12,838	26,469	38,951	44,247	31,474	125
Male	96,117	2,427	503	622	4,205	4,058	3,772	8,013	16,323	23,142	21,791	11,187	96
Female	81,282	1,831	347	382	1,370	1,617	2,163	4,825	10,146	15,809	22,456	20,287	29
White	160,852	3,358	711	841	4,778	4,604	4,826	10,978	23,619	35,573	41,394	30,060	110
Male	88,368	1,953	426	518	3,638	3,323	3,052	6,855	14,548	21,129	20,255	10,586	88
Female	74,483	1,405	285	325	1,140	1,281	1,774	4,123	9,071	14,444	21,139	19,474	22
All other	16,547	900	139	163	797	1,069	1,109	1,860	2,850	3,378	2,853	1,414	15
Male	8,748	474	77	106	567	733	720	1,158	1,775	2,013	1,536	581	8
Female	6,799	426	62	57	230	336	389	702	1,075	1,365	1,317	833	7
Metropolitan counties	161,140	3,920	745	904	5,044	5,159	5,429	11,846	24,119	35,081	40,169	28,625	99
Male	86,671	2,222	441	549	3,803	3,662	3,437	7,369	14,831	20,633	19,594	10,038	72
Female	74,469	1,698	304	355	1,241	1,497	1,992	4,457	9,288	14,448	20,575	18,587	27
White	145,099	3,037	612	745	4,281	4,113	4,344	10,034	21,343	31,815	37,423	27,287	85
Male	77,250	1,760	366	446	3,261	2,947	2,733	6,265	13,107	18,699	18,118	9,482	65
Female	67,849	1,277	246	299	1,020	1,166	1,611	3,769	8,236	13,116	19,304	17,785	20
All other	16,041	883	133	159	763	1,046	1,085	1,812	2,776	3,266	2,746	1,338	14
Male	9,421	462	75	103	542	715	704	1,124	1,724	1,934	1,475	556	7
Female	6,620	421	58	56	221	331	381	688	1,052	1,332	1,271	802	7
Nonmetropolitan counties	18,259	338	105	100	531	514	506	992	2,350	3,870	4,078	2,849	26
Male	9,446	205	62	73	402	394	335	624	1,492	2,509	2,197	1,129	24
Female	6,813	133	43	27	129	120	171	368	858	1,361	1,881	1,720	2
White	15,753	321	99	96	497	491	482	944	2,276	3,758	3,971	2,793	25
Male	9,119	193	60	70	377	376	319	590	1,441	2,430	2,136	1,104	23
Female	6,634	128	39	26	120	115	163	354	835	1,328	1,835	1,689	2
All other	506	17	6	4	34	23	24	48	74	112	107	56	1
Male	327	12	2	3	25	18	16	34	51	79	61	25	1
Female	179	5	4	1	9	5	8	14	23	33	46	31	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	18,450	500	120	128	657	663	687	1,252	2,521	3,760	4,585	3,574	3
Male	10,233	270	64	81	488	496	471	784	1,622	2,312	2,291	1,351	3
Female	8,217	230	56	47	169	167	216	468	899	1,448	2,294	2,223	-
White	17,790	458	111	118	615	609	629	1,179	2,427	3,647	4,480	3,515	2
Male	9,861	249	59	75	456	458	433	748	1,562	2,251	2,240	1,328	2
Female	7,929	209	52	43	159	151	196	431	865	1,396	2,240	2,187	-
All other	660	42	9	10	42	54	58	73	94	113	105	59	1
Male	372	21	5	6	32	38	38	36	60	61	51	23	1
Female	288	21	4	4	10	16	20	37	34	52	54	36	-
Metropolitan counties	12,500	356	78	76	446	457	515	918	1,777	2,565	3,004	2,305	2
Male	6,783	189	41	52	326	341	342	574	1,131	1,527	1,448	810	2
Female	5,717	167	37	24	120	116	173	345	646	1,038	1,556	1,495	-
White	11,880	316	69	68	411	408	462	850	1,687	2,458	2,902	2,248	1
Male	6,497	169	36	47	301	307	307	540	1,074	1,469	1,399	787	1
Female	5,443	147	33	21	110	101	155	310	613	989	1,503	1,461	-
All other	620	40	9	8	35	49	53	68	90	107	102	57	1
Male	346	20	5	5	25	34	35	34	57	58	49	23	1
Female	274	20	4	3	10	15	18	35	33	49	53	34	-
Nonmetropolitan counties	5,950	144	42	52	211	206	172	333	744	1,195	1,581	1,269	1
Male	3,450	81	23	29	162	155	129	210	491	785	843	541	1
Female	2,500	63	19	23	49	51	43	123	253	410	738	728	-
White	5,910	142	42	50	204	201	167	329	740	1,189	1,578	1,267	1
Male	3,424	80	23	28	155	151	126	208	488	782	841	541	1
Female	2,486	62	19	22	49	50	41	121	252	407	737	726	-
All other	40	2	-	2	7	5	5	4	4	6	3	2	-
Male	26	1	-	1	7	4	3	2	3	3	2	-	-
Female	14	1	-	1	-	1	2	2	1	3	1	2	-
Connecticut	26,053	470	59	113	553	477	662	1,687	3,911	6,044	6,975	5,098	4
Male	13,766	263	36	61	432	329	403	1,079	2,447	3,612	3,293	1,809	2
Female	12,287	207	23	52	121	148	259	608	1,464	2,432	3,682	3,289	2
White	24,775	363	44	99	522	396	562	1,505	3,678	5,805	6,805	4,997	1
Male	13,046	207	27	52	407	277	345	956	2,302	3,481	3,218	1,773	1
Female	11,729	156	17	47	115	119	217	549	1,374	2,324	3,587	3,224	-
All other	1,278	107	15	14	31	81	100	182	235	239	170	101	3
Male	720	56	9	9	25	52	58	123	145	131	75	36	1
Female	558	51	6	5	6	29	42	59	90	108	95	65	2
Metropolitan counties	20,347	382	48	80	415	371	499	1,353	3,070	4,695	5,413	4,017	4
Male	10,654	217	29	39	329	252	293	855	1,922	2,777	2,518	1,423	2
Female	9,693	165	19	41	86	119	206	498	1,148	1,918	2,897	2,594	2
White	19,170	279	35	67	385	297	412	1,178	2,853	4,476	5,263	3,924	1
Male	9,987	162	21	30	305	206	243	734	1,790	2,656	2,447	1,392	1
Female	9,183	117	14	37	80	91	169	444	1,063	1,820	2,816	2,532	-
All other	1,177	103	13	13	30	74	87	175	217	219	150	93	3
Male	667	55	8	9	24	46	50	121	132	121	69	31	1
Female	510	48	5	4	6	28	37	54	85	98	81	62	2
Nonmetropolitan counties	5,706	88	11	33	138	106	169	384	841	1,349	1,562	1,061	-
Male	3,112	46	7	22	103	77	110	224	525	835	777	386	-
Female	2,594	42	4	11	35	29	53	110	316	514	785	695	-
White	5,605	84	9	32	137	99	150	327	823	1,329	1,542	1,073	-
Male	3,059	45	6	22	102	71	102	222	512	825	771	381	-
Female	2,546	39	3	10	35	28	48	105	311	504	771	692	-
All other	101	4	2	1	1	7	13	7	18	20	20	8	-
Male	53	1	1	-	1	6	8	2	13	10	6	5	-
Female	48	3	1	1	-	1	5	5	5	10	14	3	-
Delaware	4,897	152	17	33	104	110	172	388	809	1,174	1,139	794	5
Male	2,676	86	10	24	76	84	109	229	505	728	536	286	3
Female	2,221	66	7	9	28	26	63	159	304	446	603	508	2
White	4,106	88	10	20	86	76	121	306	672	985	1,021	721	-
Male	2,241	50	5	14	66	69	82	185	424	618	477	257	-
Female	1,865	38	5	6	20	13	39	121	248	367	544	464	-
All other	791	64	7	13	18	34	51	82	137	189	118	73	5
Male	435	36	5	10	10	21	27	44	81	110	59	29	3
Female	356	28	2	3	8	13	24	38	56	79	59	44	2
Metropolitan counties	3,183	100	11	21	74	72	108	269	529	784	711	520	4
Male	1,692	54	5	16	58	56	66	153	325	453	323	181	2
Female	1,491	46	6	5	16	16	42	116	204	311	388	339	2
White	2,692	63	8	12	63	48	71	212	451	634	653	477	-
Male	1,424	35	4	9	52	39	46	125	279	377	295	163	-
Female	1,268	28	4	3	11	9	25	87	172	257	358	314	-
All other	491	37	3	9	11	24	37	57	78	130	58	43	4
Male	268	19	1	7	6	17	20	28	46	76	28	18	2
Female	223	18	2	2	5	7	17	29	32	54	30	25	2
Nonmetropolitan counties	1,714	52	6	12	30	38	64	119	280	410	428	274	1
Male	984	32	5	6	18	28	43	76	180	275	213	105	1
Female	730	20	1	4	12	10	21	43	100	135	215	169	-
White	1,414	25	2	8	23	28	50	94	221	351	368	244	-
Male	817	15	1	5	14	24	36	60	145	241	182	94	-
Female	597	10	1	3	9	4	14	34	76	110	186	150	-
All other	300	27	4	4	7	10	14	25	59	59	60	30	1
Male	167	17	4	3	4	4	7	16	35	34	31	11	1
Female	133	10	-	1	3	6	7	9	24	25	29	19	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
District of Columbia	6,864	211	20	30	114	255	315	730	1,230	1,604	1,426	909	20
Male	3,668	119	8	18	70	160	219	441	773	912	626	289	13
Female	3,196	92	12	12	44	75	96	289	457	692	800	620	7
White	2,128	8	3	3	12	28	28	101	255	487	660	534	9
Male	964	3	1	–	6	16	16	49	163	261	282	155	6
Female	1,164	5	2	3	4	10	10	52	92	226	378	379	3
All other	4,736	203	17	27	102	227	287	629	975	1,117	766	375	11
Male	2,704	116	7	18	62	162	201	392	610	651	344	134	7
Female	2,032	87	10	9	40	65	86	237	365	466	422	241	4
Metropolitan counties	6,864	211	20	30	114	255	315	730	1,230	1,604	1,426	909	20
Male	3,668	119	8	18	70	160	219	441	773	912	626	289	13
Female	3,196	92	12	12	44	75	96	289	457	692	800	620	7
White	2,128	8	3	3	12	28	28	101	255	487	660	534	9
Male	964	3	1	–	6	16	16	49	163	261	282	155	6
Female	1,164	5	2	3	4	10	10	52	92	226	378	379	3
All other	4,736	203	17	27	102	227	287	629	975	1,117	766	375	11
Male	2,704	116	7	18	62	162	201	392	610	651	344	134	7
Female	2,032	87	10	9	40	65	86	237	365	466	422	241	4
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Florida	98,524	1,810	356	457	1,999	2,007	2,587	6,033	13,896	26,163	27,905	15,299	12
Male	56,090	1,002	201	300	1,431	1,399	1,662	3,856	8,711	16,002	15,167	6,350	9
Female	42,434	808	155	157	568	608	925	2,177	5,185	10,161	12,738	8,949	3
White	87,246	1,093	219	330	1,604	1,467	1,873	4,701	11,853	23,379	26,098	14,620	9
Male	49,645	633	132	213	1,161	1,036	1,216	3,043	7,478	14,396	14,276	6,054	7
Female	37,601	460	87	117	443	431	657	1,658	4,375	8,983	11,822	8,566	2
All other	11,278	717	137	127	395	540	714	1,332	2,043	2,784	1,807	679	3
Male	6,445	369	69	87	270	363	446	813	1,233	1,606	891	296	2
Female	4,833	348	68	40	125	177	268	519	810	1,178	916	383	1
Metropolitan counties	63,419	1,191	248	310	1,299	1,344	1,714	3,945	8,645	16,201	18,293	10,225	4
Male	35,561	668	139	207	929	946	1,108	2,514	5,392	9,657	9,776	4,221	4
Female	27,858	523	109	103	370	398	606	1,431	3,253	6,544	8,517	6,004	–
White	55,788	684	142	214	1,008	956	1,198	3,012	7,224	14,405	17,154	9,809	2
Male	31,189	391	84	139	731	680	777	1,931	4,539	8,632	9,230	4,053	2
Female	24,599	273	58	75	277	276	421	1,081	2,685	5,773	7,924	5,756	–
All other	7,631	527	106	96	291	388	516	933	1,421	1,796	1,139	416	2
Male	4,372	277	55	68	198	266	331	583	853	1,025	646	188	2
Female	3,259	250	51	28	93	122	185	350	568	771	593	248	–
Nonmetropolitan counties	35,105	619	108	147	700	663	873	2,088	5,251	9,962	9,612	5,074	8
Male	20,529	334	62	93	502	453	554	1,342	3,319	6,345	5,381	2,129	5
Female	14,576	285	46	54	198	210	319	746	1,932	3,617	4,221	2,945	3
White	31,458	429	77	116	596	511	675	1,689	4,629	8,974	8,944	4,811	7
Male	18,456	242	48	74	430	358	439	1,112	2,939	5,764	5,046	2,001	5
Female	13,002	187	29	42	166	155	236	577	1,690	3,210	3,898	2,810	2
All other	3,647	190	31	31	104	152	198	399	622	988	668	263	1
Male	2,073	92	14	19	72	97	115	230	380	581	345	128	–
Female	1,574	98	17	12	32	55	83	169	242	407	323	135	1
Georgia	43,062	1,329	222	374	1,328	1,398	1,862	3,747	7,330	10,348	9,609	5,502	13
Male	23,806	786	136	235	974	997	1,221	2,431	4,759	6,107	4,429	1,741	10
Female	19,256	563	86	139	354	401	641	1,316	2,571	4,241	5,180	3,761	3
White	30,624	646	101	241	966	795	1,060	2,471	5,084	7,226	7,449	4,578	7
Male	17,069	380	57	156	717	567	713	1,651	3,473	4,463	3,465	1,421	6
Female	13,555	266	44	85	249	228	347	820	1,611	2,763	3,984	3,157	1
All other	12,438	683	121	133	362	603	802	1,276	2,246	3,122	2,160	924	6
Male	6,737	386	79	79	257	430	508	780	1,286	1,644	984	320	4
Female	5,701	297	42	54	105	173	294	496	960	1,478	1,196	604	2
Metropolitan counties	18,948	600	89	140	588	719	912	1,844	3,362	4,414	4,036	2,235	7
Male	10,183	339	55	88	430	505	574	1,166	2,131	2,468	1,739	683	5
Female	8,765	261	34	52	158	214	338	678	1,231	1,946	2,299	1,552	2
White	12,725	257	37	79	410	384	466	1,110	2,225	2,874	3,046	1,834	3
Male	6,875	151	22	54	309	274	304	710	1,477	1,687	1,334	551	2
Female	5,850	106	15	25	101	110	162	400	748	1,187	1,712	1,283	1
All other	6,223	343	52	61	178	335	446	734	1,137	1,540	992	401	4
Male	3,308	188	33	34	121	231	270	456	654	781	405	132	3
Female	2,915	155	19	27	57	104	176	278	483	759	587	269	1
Nonmetropolitan counties	24,114	729	133	234	740	679	950	1,903	3,968	5,934	5,571	3,267	6
Male	13,623	427	81	147	544	492	647	1,265	2,628	3,639	2,690	1,058	5
Female	10,491	302	52	87	196	187	303	638	1,340	2,295	2,881	2,209	1
White	17,899	389	64	162	556	411	594	1,361	2,659	4,352	4,403	2,744	4
Male	10,194	229	35	102	408	293	409	941	1,996	2,776	2,131	870	4
Female	7,705	160	29	60	148	118	185	420	663	1,576	2,272	1,874	–
All other	6,215	340	69	72	184	268	356	542	1,109	1,582	1,168	523	2
Male	3,429	198	46	45	136	199	238	324	632	863	559	188	1
Female	2,786	142	23	27	48	69	118	218	477	719	609	335	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	4,870	176	34	31	208	201	175	442	783	1,045	1,030	734	11
Male	2,915	117	20	22	160	142	109	286	494	697	555	307	6
Female	1,955	59	14	9	48	59	66	156	289	348	475	427	5
White	1,516	44	7	7	60	88	68	145	274	308	291	201	3
Male	914	31	4	4	68	68	47	112	179	188	144	68	1
Female	602	13	3	3	12	20	21	33	95	120	147	133	2
All other	3,354	132	27	24	128	113	107	297	509	737	739	533	8
Male	2,001	86	16	18	92	74	62	174	315	509	411	239	5
Female	1,353	46	11	6	36	39	45	123	194	228	328	294	3
Metropolitan counties	3,635	148	22	25	164	144	135	347	583	768	739	551	9
Male	2,144	96	15	17	126	99	80	222	367	508	384	226	4
Female	1,491	52	7	8	38	45	55	125	216	260	355	325	5
White	1,152	41	3	6	69	55	55	110	195	227	225	163	3
Male	678	30	2	3	58	41	36	83	127	136	107	54	1
Female	474	11	1	3	11	14	19	27	68	91	118	109	2
All other	2,483	107	19	19	95	89	80	237	388	541	514	388	6
Male	1,466	66	13	14	66	58	44	139	240	372	277	172	3
Female	1,017	41	6	5	27	31	36	98	148	169	237	216	3
Nonmetropolitan counties	1,235	28	12	6	44	57	40	95	200	277	291	183	2
Male	771	21	5	5	34	43	29	64	127	189	171	81	2
Female	464	7	7	1	10	14	11	31	73	88	120	102	-
White	364	3	4	1	11	33	13	35	79	81	66	38	-
Male	236	1	2	1	10	27	11	29	52	52	37	14	-
Female	128	2	2	-	1	6	2	6	27	29	29	24	-
All other	871	25	8	5	33	24	27	60	121	196	225	145	2
Male	535	20	3	4	24	16	18	35	75	137	134	67	2
Female	336	5	5	1	9	8	9	25	46	59	91	78	-
Idaho	8,383	200	53	58	247	213	183	381	867	1,466	1,582	1,140	3
Male	3,718	129	32	36	191	163	117	249	550	965	833	452	1
Female	2,675	71	21	22	56	50	66	132	317	501	749	688	2
White	6,297	195	52	58	235	188	176	376	855	1,453	1,566	1,130	3
Male	3,668	127	32	36	184	150	114	245	545	957	828	449	1
Female	2,629	68	20	22	51	48	62	131	310	496	738	681	2
All other	86	5	1	-	12	15	7	5	12	13	16	10	-
Male	50	2	-	-	7	13	3	4	5	8	5	3	-
Female	46	3	1	-	5	2	4	1	7	5	11	7	-
Metropolitan counties	1,036	30	6	13	40	44	32	80	146	220	220	204	1
Male	559	20	3	9	31	34	16	55	91	131	92	77	-
Female	477	10	3	4	9	10	16	25	55	89	128	127	1
White	1,027	30	6	13	39	44	31	80	144	217	218	204	1
Male	553	20	3	9	30	34	15	55	90	129	91	77	-
Female	474	10	3	4	9	10	16	25	54	88	127	127	1
All other	9	-	-	-	1	-	1	-	2	3	2	-	-
Male	6	-	-	-	1	-	1	-	1	2	1	-	-
Female	3	-	-	-	-	-	-	-	1	1	1	-	-
Nonmetropolitan counties	5,357	170	47	45	207	169	151	301	721	1,246	1,362	936	2
Male	3,159	109	29	27	160	129	101	194	459	834	741	375	1
Female	2,198	61	18	18	47	40	50	107	262	412	621	561	1
White	5,270	165	46	45	196	154	145	296	711	1,236	1,348	926	2
Male	3,115	107	29	27	154	116	99	190	455	828	737	372	1
Female	2,155	58	17	18	42	38	46	106	256	408	611	554	1
All other	87	5	1	-	11	15	6	5	10	10	14	10	-
Male	44	2	-	-	6	13	2	4	4	6	4	3	-
Female	43	3	1	-	5	2	4	1	6	4	10	7	-
Illinois	102,227	2,791	425	531	2,546	2,498	3,031	7,281	15,534	23,515	28,196	17,852	27
Male	55,133	1,619	231	333	1,910	1,788	1,935	4,723	8,958	13,886	12,424	6,313	13
Female	47,094	1,172	194	198	636	710	1,096	2,558	5,576	9,629	13,772	11,539	14
White	88,314	1,694	287	388	1,989	1,703	2,142	5,563	13,029	20,687	23,950	16,857	25
Male	47,123	989	159	238	1,518	1,238	1,354	3,820	8,387	12,355	11,297	5,935	13
Female	41,191	695	128	150	471	465	788	1,943	4,632	8,332	12,653	10,922	12
All other	13,913	1,097	138	143	557	795	889	1,718	2,505	2,828	2,246	995	2
Male	8,010	620	72	95	392	550	581	1,103	1,561	1,531	1,127	378	-
Female	5,903	477	66	48	165	245	308	615	944	1,297	1,119	617	2
Metropolitan counties	77,737	2,374	347	418	2,034	2,099	2,526	6,045	12,498	17,818	19,158	12,394	26
Male	41,994	1,371	187	261	1,531	1,496	1,617	3,906	7,954	10,960	8,984	4,314	13
Female	35,743	1,003	160	157	503	603	909	2,139	4,544	7,458	10,174	8,080	13
White	64,406	1,318	215	282	1,495	1,322	1,667	4,387	10,072	15,109	17,043	11,472	24
Male	34,326	776	118	172	1,149	961	1,054	2,846	6,441	8,895	7,932	3,969	13
Female	30,080	542	97	110	346	361	613	1,541	3,631	6,214	9,111	7,503	11
All other	13,331	1,056	132	136	539	777	859	1,658	2,426	2,709	2,115	922	2
Male	7,668	595	69	89	382	535	563	1,060	1,513	1,465	1,052	345	-
Female	5,663	461	63	47	157	242	296	598	913	1,244	1,063	577	2
Nonmetropolitan counties	24,490	417	78	113	512	399	505	1,236	3,036	5,697	7,038	5,458	1
Male	13,139	248	44	72	379	282	318	817	2,004	3,526	3,440	1,999	-
Female	11,351	169	34	41	133	107	187	419	1,032	2,171	3,598	3,459	1
White	23,908	376	72	106	494	381	475	1,176	2,957	5,578	6,907	5,385	1
Male	12,797	223	41	66	369	277	300	774	1,956	3,460	3,365	1,966	-
Female	11,111	153	31	40	125	104	175	402	1,001	2,118	3,542	3,419	1
All other	582	41	6	7	18	18	30	60	79	119	131	73	-
Male	342	25	3	6	10	15	18	43	48	66	75	33	-
Female	240	16	3	1	8	3	12	17	31	53	56	40	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Indiana	48,731	1,138	206	304	1,205	1,058	1,279	3,175	6,852	10,905	12,227	8,377	5
Male	25,128	686	120	170	917	756	810	1,985	4,408	6,430	5,876	2,967	3
Female	21,603	452	86	134	288	302	469	1,190	2,444	4,475	6,351	5,410	2
White	43,401	924	172	262	1,075	893	1,108	2,790	6,278	10,140	11,678	8,078	3
Male	23,254	560	101	149	821	630	701	1,759	4,048	6,026	5,613	2,844	2
Female	20,147	364	71	113	254	263	407	1,031	2,230	4,114	6,065	5,234	1
All other	3,330	214	34	42	130	165	171	385	574	765	549	299	2
Male	1,874	126	19	21	96	126	109	226	360	404	263	123	1
Female	1,456	88	15	21	34	39	62	159	214	361	286	176	1
Metropolitan counties	27,655	752	125	197	703	687	794	2,042	4,280	6,530	6,925	4,617	3
Male	14,858	447	73	104	528	491	495	1,260	2,758	3,852	3,276	1,572	2
Female	12,797	305	52	93	175	196	299	782	1,522	2,678	3,649	3,045	1
White	24,804	552	93	163	595	534	693	1,693	3,745	5,628	6,423	4,354	1
Male	13,136	331	55	86	440	374	392	1,058	2,416	3,478	3,037	1,468	1
Female	11,468	221	38	77	145	160	241	635	1,329	2,350	3,386	2,886	-
All other	3,051	200	32	34	118	153	161	349	535	702	502	263	2
Male	1,722	116	18	18	88	117	103	202	342	374	239	104	1
Female	1,329	84	14	16	30	36	58	147	193	328	263	159	1
Nonmetropolitan counties	19,076	386	81	107	502	371	485	1,133	2,572	4,375	5,302	3,760	2
Male	10,270	239	47	66	389	265	315	725	1,650	2,578	2,600	1,395	1
Female	8,806	147	34	41	113	106	170	408	922	1,797	2,702	2,365	1
White	18,797	372	79	99	490	359	475	1,097	2,533	4,312	5,255	3,724	2
Male	10,118	229	46	63	381	256	309	701	1,632	2,548	2,576	1,376	1
Female	8,679	143	33	36	109	103	166	396	901	1,764	2,679	2,348	1
All other	279	14	2	8	12	12	10	36	39	63	47	36	-
Male	152	10	1	3	8	9	6	24	18	30	24	19	-
Female	127	4	1	5	4	3	4	12	21	33	23	17	-
Iowa	26,849	495	105	137	600	394	533	1,247	3,140	5,736	7,892	6,569	1
Male	14,341	297	59	85	465	284	338	791	2,052	3,592	3,963	2,415	-
Female	12,508	198	46	52	135	110	195	456	1,088	2,144	3,929	4,154	1
White	26,525	465	103	130	586	380	516	1,216	3,093	5,675	7,835	6,525	1
Male	14,196	278	59	80	453	273	327	773	2,018	3,550	3,930	2,385	-
Female	12,329	187	44	50	133	107	189	443	1,075	2,125	3,905	4,130	1
All other	324	30	2	7	14	14	17	31	47	61	57	44	-
Male	205	19	-	5	12	11	11	18	34	42	33	20	-
Female	119	11	2	2	2	3	6	13	13	19	24	24	-
Metropolitan counties	8,229	212	40	50	197	146	204	499	1,124	1,776	2,283	1,698	-
Male	4,358	131	21	29	143	108	126	310	743	1,056	1,108	583	-
Female	3,871	81	19	21	54	38	78	189	381	720	1,175	1,115	-
White	7,977	188	38	45	185	137	189	474	1,087	1,730	2,237	1,687	-
Male	4,202	116	21	25	133	100	117	296	715	1,027	1,083	569	-
Female	3,775	72	17	20	52	37	72	178	372	703	1,154	1,098	-
All other	252	24	2	5	12	9	15	25	37	46	46	31	-
Male	156	15	-	4	10	8	9	14	28	29	25	14	-
Female	96	9	2	1	2	1	6	11	9	17	21	17	-
Nonmetropolitan counties	18,620	283	65	87	403	248	329	748	2,016	3,969	5,609	4,671	1
Male	9,983	166	38	58	322	176	212	481	1,309	2,538	2,855	1,832	-
Female	8,637	117	27	31	81	72	117	267	707	1,424	2,754	3,039	1
White	18,548	277	65	85	401	243	327	742	2,006	3,945	5,598	4,858	1
Male	9,934	162	38	55	320	173	210	477	1,303	2,523	2,847	1,828	-
Female	8,614	115	27	30	81	70	117	265	703	1,422	2,751	3,032	1
All other	72	6	-	2	2	5	2	6	10	15	11	13	-
Male	49	4	-	1	2	3	2	4	6	13	8	6	-
Female	23	2	-	1	-	2	-	2	4	2	3	7	-
Kansas	21,150	439	103	101	508	425	479	1,125	2,646	4,422	5,950	4,950	2
Male	11,254	243	50	64	382	316	307	702	1,717	2,707	2,990	1,775	1
Female	9,896	196	53	37	126	109	172	423	929	1,715	2,960	3,175	1
White	20,093	370	94	92	458	384	424	1,036	2,485	4,204	5,731	4,813	2
Male	10,662	208	47	59	347	288	271	645	1,620	2,582	2,881	1,713	1
Female	9,431	162	47	33	111	96	153	391	865	1,622	2,850	3,100	1
All other	1,057	69	9	9	50	41	55	89	161	218	219	137	-
Male	592	35	3	5	35	28	36	57	97	125	109	62	-
Female	465	34	6	4	15	13	19	32	64	93	110	75	-
Metropolitan counties	7,589	223	40	47	238	209	214	539	1,119	1,602	1,931	1,426	1
Male	4,023	120	23	29	178	148	118	326	707	961	922	491	-
Female	3,566	103	17	18	60	61	96	213	412	641	1,009	935	1
White	6,833	169	34	40	188	179	175	470	1,004	1,454	1,770	1,339	1
Male	3,596	94	21	25	149	129	94	282	635	877	841	449	-
Female	3,237	75	13	15	49	50	81	188	369	577	929	890	1
All other	756	54	6	7	40	30	39	69	115	148	161	87	-
Male	427	26	2	4	29	19	24	44	72	84	81	42	-
Female	329	28	4	3	11	11	15	25	43	64	80	45	-
Nonmetropolitan counties	13,561	216	63	54	270	216	265	566	1,527	2,820	4,019	3,524	1
Male	7,231	123	27	35	204	168	189	376	1,010	1,746	2,068	1,284	1
Female	6,330	93	36	19	66	48	76	210	517	1,074	1,951	2,240	-
White	13,260	201	60	52	260	205	249	566	1,481	2,750	3,961	3,474	1
Male	7,066	114	26	34	198	159	177	363	985	1,705	2,040	1,264	1
Female	6,194	87	34	18	62	46	72	203	496	1,045	1,921	2,210	-
All other	301	15	3	2	10	11	16	20	46	70	58	50	-
Male	165	9	1	1	6	9	12	13	25	41	28	20	-
Female	136	6	2	1	4	2	4	7	21	29	30	30	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	32,482	680	138	225	781	781	1,008	2,400	4,932	7,790	8,382	5,356	1
Male	18,028	384	64	148	585	564	639	1,581	3,205	4,736	4,074	2,093	1
Female	14,454	296	54	77	196	217	373	819	1,727	3,054	4,318	3,323	-
White	29,745	569	117	201	724	679	888	2,131	4,485	7,145	7,802	5,014	-
Male	16,547	329	71	133	543	492	570	1,423	2,933	4,369	3,801	1,883	-
Female	13,198	240	46	68	181	187	328	708	1,532	2,776	4,001	3,131	-
All other	2,737	111	21	24	57	102	106	269	467	645	590	342	1
Male	1,481	55	13	15	42	72	83	158	272	367	273	150	1
Female	1,256	56	8	9	15	30	45	111	195	278	317	192	-
Metropolitan counties	11,818	237	38	68	226	268	345	993	1,944	2,783	2,971	1,945	-
Male	6,181	131	21	45	168	185	204	621	1,227	1,629	1,333	827	-
Female	5,637	106	17	23	58	83	141	372	717	1,154	1,638	1,318	-
White	10,229	175	26	52	195	200	279	821	1,840	2,425	2,652	1,764	-
Male	5,321	103	13	34	143	136	166	520	1,044	1,422	1,187	558	-
Female	4,908	72	13	18	52	64	113	301	596	1,003	1,465	1,211	-
All other	1,589	62	12	16	31	68	66	172	304	358	319	181	-
Male	870	28	8	11	25	49	38	101	183	207	146	74	-
Female	719	34	4	5	6	19	28	71	121	151	173	107	-
Nonmetropolitan counties	20,664	443	100	157	555	513	661	1,407	2,988	5,007	5,421	3,411	1
Male	11,837	253	63	103	417	379	429	960	1,978	3,107	2,741	1,406	1
Female	8,827	190	37	54	138	134	232	447	1,010	1,900	2,680	2,005	-
White	19,516	394	91	149	529	479	619	1,310	2,825	4,720	5,150	3,250	-
Male	11,226	226	58	99	400	356	404	903	1,889	2,947	2,614	1,330	-
Female	8,290	168	33	50	129	123	215	407	936	1,773	2,536	1,920	-
All other	1,148	49	9	8	26	34	42	97	163	287	271	161	1
Male	611	27	5	4	17	23	25	57	89	160	127	76	1
Female	537	22	4	4	9	11	17	40	74	127	144	85	-
Louisiana	34,771	1,234	231	287	1,170	1,184	1,370	2,901	5,553	8,353	7,987	4,466	25
Male	19,421	709	137	184	906	853	902	1,873	3,475	4,947	3,859	1,554	22
Female	15,350	525	94	103	264	341	468	1,028	2,078	3,406	4,128	2,912	3
White	23,370	580	121	160	751	656	758	1,815	3,748	5,712	5,775	3,276	18
Male	13,061	331	71	106	583	479	502	1,251	2,434	3,466	2,749	1,075	14
Female	10,309	249	50	54	168	177	256	564	1,314	2,246	3,026	2,203	2
All other	11,401	654	110	127	419	528	612	1,086	1,805	2,641	2,212	1,188	9
Male	6,360	378	66	78	323	374	460	622	1,041	1,481	1,110	479	8
Female	5,041	276	44	49	96	164	212	464	764	1,160	1,102	709	1
Metropolitan parishes [1]	18,575	656	122	125	591	678	751	1,670	3,065	4,445	4,209	2,249	14
Male	10,270	372	70	78	458	491	489	1,078	1,887	2,617	1,984	734	11
Female	8,305	284	52	47	133	187	262	591	1,178	1,828	2,225	1,515	3
White	12,332	281	61	61	341	359	399	1,019	2,004	3,004	3,059	1,734	10
Male	6,765	165	34	38	268	261	262	705	1,287	1,791	1,420	528	6
Female	5,567	116	27	23	75	98	137	314	717	1,213	1,639	1,206	2
All other	6,243	375	61	64	250	319	352	651	1,061	1,441	1,150	515	4
Male	3,505	207	36	40	192	230	227	374	600	826	564	206	3
Female	2,738	168	25	24	58	89	125	277	461	615	586	309	1
Nonmetropolitan parishes [1]	16,196	578	109	162	579	516	619	1,231	2,488	3,908	3,778	2,217	11
Male	9,151	337	67	106	448	362	413	794	1,588	2,330	1,875	820	11
Female	7,045	241	42	56	131	154	206	437	900	1,578	1,903	1,397	-
White	11,038	299	60	99	410	297	359	796	1,744	2,706	2,716	1,544	6
Male	6,296	166	37	68	317	218	240	546	1,147	1,675	1,329	547	6
Female	4,742	133	23	31	93	79	119	250	597	1,033	1,387	997	-
All other	5,158	279	49	63	169	219	260	435	744	1,200	1,062	673	5
Male	2,855	171	30	38	131	144	173	248	441	655	546	273	5
Female	2,303	108	19	25	38	75	87	187	303	545	516	400	-
Maine	10,296	158	24	56	227	184	245	618	1,467	2,353	2,881	2,060	9
Male	5,499	90	16	37	173	139	155	400	919	1,397	1,419	753	1
Female	4,797	68	8	19	54	45	90	218	548	956	1,462	1,307	2
White	10,255	156	24	55	223	183	238	611	1,462	2,346	2,877	2,077	3
Male	5,475	89	16	37	169	138	150	395	916	1,395	1,418	751	1
Female	4,780	67	8	18	54	45	88	216	546	951	1,459	1,326	2
All other	41	2	-	1	4	1	7	7	5	7	4	3	-
Male	24	1	-	-	4	1	5	5	3	2	1	2	-
Female	17	1	-	1	-	-	2	2	2	5	3	1	-
Metropolitan counties	2,037	37	3	8	37	34	45	124	295	482	569	422	1
Male	1,069	22	2	6	27	29	32	77	177	280	266	149	-
Female	968	15	1	2	10	5	13	47	118	182	301	273	1
White	2,027	37	3	8	36	34	43	123	294	459	568	421	1
Male	1,063	22	2	6	26	29	30	76	177	279	268	148	-
Female	964	15	1	2	10	5	13	47	117	180	300	273	1
All other	10	-	-	-	1	-	2	1	1	3	1	1	-
Male	6	-	-	-	1	-	2	1	-	1	-	1	-
Female	4	-	-	-	-	-	-	-	1	2	1	-	-
Nonmetropolitan counties	8,259	121	21	48	190	150	200	494	1,172	1,891	2,312	1,658	2
Male	4,430	69	14	31	146	110	123	323	742	1,117	1,151	604	1
Female	3,829	53	7	17	44	40	77	171	430	774	1,161	1,054	1
White	8,228	119	21	47	187	149	195	488	1,168	1,887	2,309	1,656	2
Male	4,412	67	14	31	143	109	120	319	739	1,116	1,150	603	1
Female	3,816	52	7	16	44	40	75	169	429	771	1,159	1,053	1
All other	31	2	-	1	3	1	5	6	4	4	3	2	-
Male	18	1	-	-	3	1	3	4	3	1	1	1	-
Female	13	1	-	1	-	-	2	2	1	3	2	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maryland	32,747	843	129	171	775	882	1,190	2,763	5,761	7,867	7,671	4,651	44
Male	17,715	462	77	97	558	619	715	1,734	3,569	4,620	3,686	1,545	33
Female	15,032	381	52	74	217	263	475	1,029	2,192	3,247	3,985	3,106	11
White	25,897	456	77	115	557	617	733	1,933	4,441	6,367	6,542	4,114	25
Male	13,788	249	48	69	408	359	434	1,224	2,768	3,790	3,100	1,323	18
Female	12,109	207	31	46	149	158	299	709	1,673	2,597	3,442	2,791	7
All other	6,850	387	52	56	218	265	457	830	1,320	1,490	1,129	537	19
Male	3,927	213	31	28	150	260	281	510	801	830	586	222	15
Female	2,923	174	21	28	68	105	176	320	519	650	543	315	4
Metropolitan counties	28,280	709	101	139	645	743	1,012	2,311	4,713	6,262	6,023	3,582	40
Male	14,135	396	61	78	466	514	605	1,448	2,890	3,658	2,850	1,140	29
Female	12,145	313	40	61	179	229	407	863	1,823	2,604	3,173	2,442	11
White	20,361	355	59	89	446	412	590	1,573	3,572	4,996	5,093	3,153	23
Male	10,735	198	35	54	329	281	342	988	2,196	2,954	2,374	968	16
Female	9,626	157	24	35	117	131	248	585	1,376	2,042	2,719	2,185	7
All other	5,919	354	42	50	199	331	422	738	1,141	1,266	930	429	17
Male	3,400	198	26	24	137	233	263	460	694	704	476	172	13
Female	2,519	156	16	26	62	98	159	278	447	562	454	257	4
Nonmetropolitan counties	6,467	134	28	32	130	139	178	452	1,048	1,605	1,648	1,069	4
Male	3,580	66	16	19	92	105	110	286	679	962	836	405	4
Female	2,887	68	12	13	38	34	68	166	369	643	812	664	-
White	5,536	101	18	26	111	105	143	360	869	1,391	1,449	961	2
Male	3,053	51	11	15	79	78	92	236	572	836	726	355	2
Female	2,483	50	7	11	32	27	51	124	297	555	723	606	-
All other	931	33	10	6	19	34	35	92	179	214	199	108	2
Male	527	15	5	4	13	27	18	50	107	126	110	50	2
Female	404	18	5	2	6	7	17	42	72	88	89	58	-
Massachusetts	52,028	767	111	207	981	900	1,131	3,219	7,304	12,015	14,601	10,787	5
Male	26,453	449	60	138	732	650	734	2,022	4,503	6,934	6,718	3,510	3
Female	25,575	318	51	69	249	250	397	1,197	2,801	5,081	7,883	7,277	2
White	50,621	678	95	193	932	814	1,034	3,049	7,064	11,777	14,341	10,639	5
Male	25,685	401	50	129	707	590	666	1,919	4,357	6,817	6,578	3,448	3
Female	24,956	277	45	64	225	224	368	1,130	2,707	4,960	7,763	7,191	2
All other	1,407	89	16	14	49	86	97	170	240	238	260	148	-
Male	788	48	10	9	25	60	68	103	146	117	140	62	-
Female	619	41	6	5	24	26	29	67	94	121	120	86	-
Metropolitan counties	49,579	743	107	195	941	860	1,079	3,117	6,997	11,337	13,934	10,264	5
Male	25,207	437	58	128	704	624	697	1,965	4,328	6,543	6,382	3,338	3
Female	24,372	306	49	67	237	236	382	1,152	2,669	4,794	7,552	6,926	2
White	48,203	654	91	182	892	775	983	2,947	6,758	11,108	13,683	10,125	5
Male	24,438	389	48	120	679	565	630	1,862	4,162	6,430	6,248	3,282	3
Female	23,765	265	43	62	213	210	353	1,085	2,576	4,678	7,435	6,843	2
All other	1,376	89	16	13	49	85	96	170	239	229	251	139	-
Male	769	48	10	8	25	59	67	103	148	113	134	58	-
Female	607	41	6	5	24	26	29	67	93	116	117	83	-
Nonmetropolitan counties	2,449	24	4	12	40	40	52	102	307	678	667	523	-
Male	1,246	12	2	10	28	26	37	57	175	391	336	172	-
Female	1,203	12	2	2	12	14	15	45	132	287	331	351	-
White	2,416	24	4	11	40	39	51	102	306	669	658	514	-
Male	1,227	12	2	9	28	25	36	57	175	387	330	166	-
Female	1,191	12	2	2	12	14	15	45	131	282	328	348	-
All other	31	-	-	1	-	1	1	-	1	9	9	9	-
Male	19	-	-	1	-	1	1	-	-	4	6	6	-
Female	12	-	-	-	-	-	-	-	1	5	3	3	-
Michigan	73,701	1,928	337	472	1,904	1,897	2,289	5,581	11,696	16,732	18,498	12,361	6
Male	40,780	1,105	188	280	1,389	1,300	1,450	3,578	7,400	10,123	9,379	4,585	3
Female	32,921	823	149	192	515	597	839	2,003	4,296	6,609	9,119	7,776	3
White	64,278	1,365	250	384	1,559	1,312	1,673	4,381	9,950	14,801	16,682	11,716	5
Male	35,339	792	145	232	1,137	917	1,045	2,816	6,332	9,024	8,547	4,350	2
Female	28,939	573	105	152	422	395	628	1,565	3,618	5,777	8,135	7,366	3
All other	9,423	563	87	88	345	585	616	1,200	1,746	1,931	1,816	645	1
Male	5,441	313	43	48	252	383	405	762	1,068	1,099	832	235	1
Female	3,982	250	44	40	93	202	211	438	678	832	784	410	-
Metropolitan counties	52,989	1,469	261	341	1,416	1,511	1,742	4,357	8,638	11,678	13,134	8,440	4
Male	29,027	826	146	197	1,024	1,027	1,095	2,801	5,426	6,918	6,509	3,058	2
Female	23,962	643	115	144	392	484	647	1,556	3,212	4,760	6,625	5,382	2
White	44,186	940	177	259	1,086	944	1,157	3,211	7,008	9,894	11,647	7,859	4
Male	23,947	534	105	153	784	660	708	2,066	4,437	5,902	5,750	2,844	2
Female	20,239	406	72	106	302	284	449	1,143	2,571	3,992	5,897	5,015	2
All other	8,803	529	84	82	330	567	585	1,146	1,630	1,782	1,487	581	-
Male	5,080	292	41	44	240	367	387	733	989	1,014	769	214	-
Female	3,723	237	43	38	90	200	198	413	641	768	728	367	-
Nonmetropolitan counties	20,712	459	76	131	488	386	547	1,224	3,058	5,058	5,364	3,921	2
Male	11,753	279	42	83	365	273	355	777	1,974	3,207	2,870	1,527	1
Female	8,959	180	34	48	123	113	192	447	1,084	1,849	2,494	2,394	1
White	20,092	425	73	125	473	368	516	1,170	2,942	4,907	5,235	3,857	1
Male	11,392	259	40	79	353	257	337	748	1,885	3,122	2,787	1,506	-
Female	8,700	167	33	46	120	111	179	422	1,047	1,785	2,448	2,351	1
All other	620	34	3	6	15	18	31	54	116	149	129	64	1
Male	361	21	2	4	12	16	18	29	79	85	73	21	1
Female	259	13	1	2	3	2	13	25	37	64	56	43	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	32,089	702	133	212	799	621	680	1,699	3,971	6,782	9,186	7,321	1
Male	17,549	401	77	123	596	433	411	1,066	2,571	4,226	4,738	2,886	1
Female	14,540	301	56	89	203	188	269	613	1,400	2,536	4,450	4,435	-
White	31,560	645	126	203	766	581	643	1,655	3,886	6,673	9,107	7,274	1
Male	17,251	372	74	120	575	400	391	1,059	2,521	4,175	4,696	2,885	1
Female	14,309	273	52	83	191	181	252	596	1,365	2,498	4,409	4,409	-
All other	529	57	7	9	33	40	37	44	85	89	81	47	-
Male	288	29	3	3	21	33	20	27	50	51	40	21	-
Female	231	28	4	6	12	7	17	17	35	38	41	26	-
Metropolitan counties	15,914	393	60	107	402	380	405	1,001	2,138	3,275	4,298	3,474	1
Male	8,355	228	28	58	301	241	244	621	1,365	1,946	2,081	1,241	1
Female	7,559	165	32	49	101	119	161	380	773	1,329	2,217	2,233	-
White	15,508	344	53	100	383	332	374	963	2,072	3,211	4,237	3,438	1
Male	8,135	203	25	56	290	217	227	600	1,326	1,908	2,055	1,225	1
Female	7,373	141	28	44	93	115	147	363	744	1,303	2,182	2,213	-
All other	406	49	7	7	19	28	31	38	66	64	61	36	-
Male	220	25	3	2	11	24	17	21	37	38	26	16	-
Female	186	24	4	5	8	4	14	17	29	26	35	20	-
Nonmetropolitan counties	16,175	309	73	105	397	281	275	698	1,833	3,487	4,890	3,847	-
Male	9,194	173	49	65	295	192	167	465	1,206	2,280	2,657	1,845	-
Female	6,981	136	24	40	102	89	108	233	627	1,207	2,233	2,202	-
White	16,052	301	73	103	383	249	269	692	1,814	3,462	4,870	3,836	-
Male	9,116	169	49	64	285	183	164	459	1,193	2,267	2,643	1,840	-
Female	6,936	132	24	39	98	66	105	233	621	1,195	2,227	2,196	-
All other	123	8	-	2	14	12	6	6	19	25	20	11	-
Male	78	4	-	1	10	9	3	6	13	13	14	5	-
Female	45	4	-	1	4	3	3	-	6	12	6	6	-
Mississippi	22,985	806	156	189	669	640	810	1,639	3,308	5,764	5,520	3,472	12
Male	12,870	467	91	118	505	464	554	1,030	2,152	3,462	2,784	1,234	9
Female	10,115	339	65	71	164	176	256	609	1,156	2,302	2,736	2,238	3
White	14,409	279	75	90	389	318	455	1,022	2,210	3,705	3,657	2,227	2
Male	8,140	164	47	58	281	233	318	671	1,508	2,317	1,807	735	1
Female	6,269	115	28	32	88	85	137	351	702	1,388	1,850	1,492	1
All other	8,576	527	81	99	300	322	355	617	1,098	2,059	1,863	1,245	10
Male	4,730	303	44	60	224	231	236	359	644	1,145	977	499	5
Female	3,846	224	37	39	76	91	119	258	454	914	886	746	2
Metropolitan counties	3,585	99	26	29	108	114	127	315	601	886	784	503	3
Male	1,992	58	12	21	76	78	90	199	395	501	383	177	2
Female	1,603	41	14	8	32	36	37	116	206	385	401	326	1
White	2,397	34	14	14	59	57	74	201	413	619	558	353	1
Male	1,336	19	5	11	44	39	53	130	283	368	263	120	1
Female	1,061	15	9	3	15	18	21	71	130	251	295	233	-
All other	1,198	65	12	15	49	57	53	114	188	267	226	150	2
Male	656	39	7	10	32	39	37	69	112	133	120	57	1
Female	542	26	5	5	17	18	16	45	76	134	106	93	1
Nonmetropolitan counties	19,390	707	130	160	561	526	683	1,324	2,707	4,878	4,736	2,969	9
Male	10,878	409	79	97	429	388	484	831	1,757	2,961	2,401	1,057	7
Female	8,512	298	51	63	132	140	219	493	950	1,917	2,335	1,912	2
White	12,012	245	61	76	310	261	381	821	1,797	3,086	3,099	1,874	1
Male	6,804	145	42	47	237	194	265	541	1,225	1,949	1,544	615	-
Female	5,208	100	19	29	73	67	116	280	572	1,137	1,555	1,259	1
All other	7,378	462	69	84	251	265	302	503	910	1,792	1,637	1,095	8
Male	4,074	264	37	50	192	192	199	290	532	1,012	857	442	7
Female	3,304	198	32	34	59	73	103	213	378	780	780	653	1
Missouri	48,002	1,047	155	236	1,161	983	1,171	2,695	6,352	11,445	13,221	9,338	18
Male	25,900	589	83	134	860	685	742	1,651	4,088	6,991	6,569	3,319	9
Female	22,102	458	72	102	301	278	429	1,044	2,264	4,454	6,652	6,019	9
White	43,110	772	118	199	924	745	915	2,404	5,573	10,320	12,257	8,871	12
Male	23,113	449	66	111	688	518	576	1,537	3,606	6,344	6,063	3,130	7
Female	19,997	323	52	88	236	227	339	867	1,967	3,976	6,174	5,741	5
All other	4,892	275	37	37	237	218	256	491	779	1,125	964	467	6
Male	2,787	140	17	23	174	167	166	314	482	647	466	189	2
Female	2,105	135	20	14	63	51	90	177	317	478	478	278	4
Metropolitan counties	27,256	698	97	145	760	638	745	1,843	3,876	6,335	7,268	4,842	9
Male	14,231	388	57	82	544	436	464	1,157	2,414	3,723	3,375	1,589	2
Female	13,025	310	40	63	216	202	281	686	1,462	2,612	3,893	3,253	7
White	22,843	449	66	112	537	433	514	1,392	3,169	5,357	6,459	4,457	4
Male	11,800	264	43	61	378	280	315	872	1,997	3,170	2,982	1,437	1
Female	11,143	185	23	51	159	153	199	520	1,166	2,187	3,477	3,020	3
All other	4,313	249	31	33	223	205	231	451	713	978	809	385	5
Male	2,431	124	14	21	166	156	149	285	417	553	393	152	1
Female	1,882	125	17	12	57	49	82	166	296	425	416	233	4
Nonmetropolitan counties	20,746	349	58	91	401	325	426	1,052	2,476	5,110	5,953	4,496	9
Male	11,669	201	26	52	316	249	278	694	1,654	3,268	3,194	1,790	7
Female	9,077	148	32	39	85	76	148	358	822	1,842	2,759	2,706	2
White	20,167	323	52	87	387	312	401	1,012	2,410	4,963	5,796	4,414	6
Male	11,313	185	23	50	308	238	261	665	1,609	3,174	3,101	1,693	6
Female	8,854	138	29	37	79	74	140	347	801	1,789	2,697	2,721	2
All other	579	26	6	4	14	13	25	40	66	147	155	82	1
Male	356	16	3	2	8	11	17	29	45	94	93	37	1
Female	223	10	3	2	6	2	8	11	21	53	62	45	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,476	151	40	53	245	193	185	387	682	1,396	1,576	1,387	1
Male	3,663	78	20	37	170	142	115	242	568	991	923	577	–
Female	2,813	73	20	16	75	51	70	125	314	505	753	810	1
White	6,172	133	32	41	208	163	151	338	635	1,352	1,548	1,370	1
Male	3,482	73	16	29	141	121	96	224	541	881	810	570	–
Female	2,690	60	16	12	67	42	55	114	294	491	738	800	1
All other	304	18	8	12	37	30	34	29	47	44	28	17	–
Male	181	5	4	8	29	21	19	18	27	30	13	7	–
Female	123	13	4	4	8	9	15	11	20	14	15	10	–
Metropolitan counties	1,368	37	5	8	49	40	28	69	196	269	347	279	1
Male	739	18	3	6	28	32	15	57	122	179	171	108	–
Female	629	19	2	2	21	8	13	32	74	110	176	171	1
White	1,340	36	5	8	48	34	23	65	194	265	344	279	1
Male	720	18	3	6	25	28	12	55	120	176	169	108	–
Female	620	18	2	2	21	6	11	30	74	109	175	171	1
All other	28	1	–	–	3	6	5	4	2	4	3	–	–
Male	19	–	–	–	3	4	3	2	2	3	2	–	–
Female	9	1	–	–	–	2	2	2	–	1	1	–	–
Nonmetropolitan counties	5,108	114	35	45	196	153	157	278	686	1,107	1,229	1,108	–
Male	2,924	60	17	31	142	110	100	185	446	712	652	469	–
Female	2,184	54	18	14	54	43	57	93	240	395	577	639	–
White	4,832	97	27	33	162	129	128	253	641	1,067	1,204	1,091	–
Male	2,762	55	13	23	116	93	84	168	421	685	641	462	–
Female	2,070	42	14	10	46	36	44	84	220	382	563	629	–
All other	276	17	8	12	34	24	29	25	45	40	25	17	–
Male	162	5	4	8	26	17	16	16	25	27	11	7	–
Female	114	12	4	4	8	7	13	9	20	13	14	10	–
Nebraska	14,247	304	56	80	309	263	266	728	1,593	3,000	4,178	3,470	–
Male	7,722	175	29	61	232	180	166	470	1,063	1,862	2,152	1,332	–
Female	6,525	129	27	19	77	83	100	258	530	1,138	2,026	2,138	–
White	13,781	268	48	70	284	234	241	680	1,524	2,917	4,099	3,416	–
Male	7,478	161	24	51	215	161	152	442	1,024	1,819	2,117	1,312	–
Female	6,303	107	24	19	69	73	89	238	500	1,098	1,982	2,104	–
All other	466	36	8	10	25	29	25	48	69	83	79	54	–
Male	244	14	5	10	17	19	14	26	39	43	35	20	–
Female	222	22	3	–	8	10	11	20	30	40	44	34	–
Metropolitan counties	4,996	149	22	35	125	135	124	320	694	1,076	1,346	970	–
Male	2,618	81	11	29	97	96	79	204	450	638	626	307	–
Female	2,378	68	11	6	28	39	45	116	244	438	720	663	–
White	4,614	120	17	29	102	111	104	286	636	1,008	1,278	923	–
Male	2,423	70	6	23	81	80	68	187	417	601	598	290	–
Female	2,191	50	9	6	21	31	36	99	219	407	680	633	–
All other	382	29	5	6	23	24	20	34	58	68	68	47	–
Male	195	11	3	6	16	16	11	17	33	37	28	17	–
Female	187	18	2	–	7	8	9	17	25	31	40	30	–
Nonmetropolitan counties	9,251	155	34	45	184	128	142	406	899	1,924	2,832	2,500	–
Male	5,104	94	18	32	135	84	87	266	613	1,224	1,526	1,025	–
Female	4,147	61	16	13	49	44	55	142	286	700	1,306	1,475	–
White	9,167	148	31	41	182	123	137	394	888	1,909	2,821	2,493	–
Male	5,055	91	16	28	134	81	84	255	607	1,218	1,519	1,022	–
Female	4,112	57	15	13	48	42	53	139	281	691	1,302	1,471	–
All other	84	7	3	4	2	5	5	14	11	15	11	7	–
Male	49	3	2	4	1	3	3	11	6	6	7	3	–
Female	35	4	1	–	1	2	2	3	5	9	4	4	–
Nevada	5,388	155	38	49	252	245	259	513	1,013	1,268	1,000	590	6
Male	3,251	87	19	31	177	167	171	336	674	817	552	215	5
Female	2,137	68	19	18	75	78	88	177	339	451	448	375	1
White	4,961	118	31	43	221	205	215	455	938	1,204	956	571	4
Male	2,997	71	15	30	154	143	145	300	628	776	528	204	3
Female	1,964	47	16	13	67	62	70	155	312	428	428	367	1
All other	427	37	7	6	31	40	44	58	75	64	44	19	2
Male	254	16	4	1	23	24	26	36	48	39	24	11	2
Female	173	21	3	5	8	16	18	22	27	25	20	8	–
Metropolitan counties	4,238	120	30	36	196	203	204	418	826	970	785	446	4
Male	2,536	66	14	23	138	136	138	268	554	620	424	154	3
Female	1,702	54	16	13	58	67	66	150	272	350	361	292	1
White	3,890	89	25	31	169	169	170	372	761	915	752	434	3
Male	2,328	54	11	22	118	114	116	239	512	586	406	146	2
Female	1,562	35	14	9	51	55	54	133	249	329	344	288	1
All other	348	31	5	5	27	34	34	46	65	55	33	12	1
Male	208	12	3	1	20	22	20	29	42	34	16	8	1
Female	140	19	2	4	7	12	14	17	23	21	17	4	–
Nonmetropolitan counties	1,150	35	8	13	56	42	55	95	187	298	216	144	2
Male	715	21	5	8	39	31	35	68	120	197	128	61	2
Female	435	14	3	5	17	11	20	27	67	101	87	83	–
White	1,071	29	6	12	52	36	45	83	177	289	204	137	1
Male	669	17	4	8	36	29	29	61	114	192	120	58	1
Female	402	12	2	4	16	7	16	22	63	97	84	79	–
All other	79	6	2	1	4	6	10	12	10	9	11	7	1
Male	46	4	1	–	3	2	6	7	6	5	8	3	1
Female	33	2	1	1	1	4	4	5	4	4	3	4	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	7,480	136	35	40	158	160	178	477	1,067	1,756	1,982	1,451	-
Male	3,948	77	24	24	125	112	110	303	700	1,038	946	489	-
Female	3,512	59	11	16	33	48	68	174	367	718	1,036	962	-
White	7,445	135	35	39	157	159	176	476	1,064	1,753	1,980	1,451	-
Male	3,938	77	24	23	124	111	110	302	699	1,035	944	489	-
Female	3,507	58	11	16	33	48	66	174	365	718	1,036	962	-
All other	15	1	-	1	1	1	2	1	3	3	2	-	-
Male	10	-	-	1	1	1	-	1	1	3	2	-	-
Female	5	1	-	-	-	-	2	-	2	-	-	-	-
Metropolitan counties	2,170	37	10	9	47	41	60	149	333	494	578	412	-
Male	1,119	18	8	6	38	29	38	92	201	292	267	130	-
Female	1,051	19	2	3	9	12	22	57	132	202	311	282	-
White	2,167	36	10	9	47	41	60	149	333	493	577	412	-
Male	1,117	18	8	6	38	29	38	92	201	291	266	130	-
Female	1,050	18	2	3	9	12	22	57	132	202	311	282	-
All other	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,290	99	25	31	111	119	118	328	754	1,262	1,404	1,099	-
Male	2,829	59	16	18	87	83	72	211	499	746	679	359	-
Female	2,461	40	9	13	24	36	46	117	255	516	725	680	-
White	5,278	99	25	30	110	118	116	327	751	1,260	1,403	1,099	-
Male	2,821	59	16	17	86	82	72	210	498	744	678	359	-
Female	2,457	40	9	13	24	36	44	117	253	516	725	680	-
All other	12	-	-	1	1	1	2	1	3	2	1	-	-
Male	8	-	-	1	1	1	-	1	1	2	1	-	-
Female	4	-	-	-	-	-	2	-	2	-	-	-	-
New Jersey	65,745	1,242	194	360	1,240	1,347	1,781	4,746	10,525	15,591	17,504	11,164	51
Male	34,774	698	115	215	930	948	1,125	2,944	6,627	9,142	8,105	3,885	40
Female	30,971	544	79	145	310	399	656	1,802	3,898	6,449	9,399	7,279	11
White	58,712	786	136	276	983	973	1,313	3,855	9,234	14,149	16,352	10,627	26
Male	30,855	452	85	167	747	693	824	2,407	5,847	8,374	7,552	3,688	19
Female	27,857	334	51	109	236	280	489	1,448	3,387	5,775	8,800	6,939	9
All other	7,033	456	58	84	257	374	468	891	1,291	1,442	1,152	537	23
Male	3,919	246	30	48	183	255	301	537	780	768	553	197	21
Female	3,114	210	28	36	74	119	167	354	511	674	599	340	2
Metropolitan counties	48,990	995	142	278	926	1,048	1,381	3,611	7,934	11,368	12,894	8,366	47
Male	25,861	572	80	171	694	745	875	2,241	5,032	6,647	5,899	2,867	36
Female	23,129	423	62	107	232	303	506	1,370	2,902	4,721	6,995	5,499	9
White	42,767	580	90	204	683	710	958	2,811	6,799	10,115	11,889	7,914	24
Male	22,379	346	53	127	529	507	604	1,756	4,348	5,978	5,408	2,708	17
Female	20,388	234	37	77	154	203	354	1,055	2,451	4,139	6,481	5,206	7
All other	6,223	415	52	74	233	338	423	800	1,135	1,253	1,025	452	23
Male	3,482	226	27	44	165	238	271	485	684	671	491	159	21
Female	2,741	189	25	30	68	100	152	315	451	582	534	293	2
Nonmetropolitan counties	16,755	247	52	82	314	299	400	1,135	2,591	4,223	4,610	2,798	4
Male	8,913	126	35	44	236	203	250	703	1,595	2,495	2,206	1,018	2
Female	7,842	121	17	38	78	96	150	432	996	1,728	2,404	1,780	2
White	15,845	206	46	72	260	263	355	1,044	2,435	4,034	4,483	2,713	4
Male	8,476	106	32	40	218	186	220	651	1,499	2,398	2,144	980	2
Female	7,469	100	14	32	72	77	135	393	936	1,636	2,339	1,733	2
All other	810	41	6	10	24	36	45	91	156	189	127	85	-
Male	437	20	3	4	16	17	30	52	96	97	62	38	-
Female	373	21	3	6	6	19	15	39	60	92	65	47	-
New Mexico	8,722	358	79	89	469	427	389	679	1,312	1,852	1,789	1,258	7
Male	5,221	206	53	55	386	320	261	420	876	1,147	953	538	6
Female	3,501	152	26	34	83	107	128	259	436	705	848	720	1
White	7,856	276	60	67	359	345	317	586	1,196	1,753	1,702	1,190	5
Male	4,657	154	39	42	295	259	201	367	799	1,096	904	496	5
Female	3,199	122	21	25	64	86	116	219	397	657	798	694	-
All other	866	82	19	22	110	82	82	87	116	99	87	68	2
Male	564	52	14	13	91	61	60	53	77	51	49	42	1
Female	302	30	5	9	19	21	22	34	39	48	46	26	1
Metropolitan counties	2,482	81	20	17	108	117	127	215	376	548	516	356	1
Male	1,465	44	14	14	88	87	81	132	264	339	264	137	1
Female	1,017	37	6	3	20	30	46	83	112	209	252	219	-
White	2,388	75	19	17	102	110	116	202	357	530	509	350	1
Male	1,409	41	13	14	83	82	73	125	253	330	260	134	1
Female	979	34	6	3	19	28	43	77	104	200	249	216	-
All other	94	6	1	-	6	7	11	13	19	18	7	6	-
Male	56	3	1	-	5	5	8	7	11	9	4	3	-
Female	38	3	-	-	1	2	3	6	8	9	3	3	-
Nonmetropolitan counties	6,240	277	59	72	361	310	272	458	936	1,304	1,283	902	6
Male	3,756	162	39	41	298	233	180	288	612	808	689	401	5
Female	2,484	115	20	31	63	77	92	170	324	496	594	501	1
White	5,468	201	41	50	257	235	201	384	639	1,223	1,193	840	4
Male	3,248	113	26	28	212	177	128	242	546	766	644	382	4
Female	2,220	88	15	22	45	58	73	142	293	457	549	478	-
All other	772	76	18	22	104	75	71	74	97	81	90	62	2
Male	508	49	13	13	86	56	52	46	66	42	45	39	1
Female	264	27	5	9	18	19	19	28	31	39	45	23	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New York	164,508	3,212	493	691	3,147	3,685	4,801	11,622	24,264	38,376	44,782	29,400	35
Male	86,067	1,765	271	421	2,375	2,685	3,018	7,232	14,932	22,141	20,773	10,430	24
Female	78,441	1,447	222	270	772	1,000	1,783	4,390	9,332	16,235	24,009	18,970	11
White	144,969	2,151	361	502	2,442	2,571	3,276	8,959	20,571	34,385	41,685	28,034	32
Male	75,125	1,177	201	317	1,834	1,889	2,044	5,635	12,775	19,888	19,282	9,951	22
Female	69,844	974	160	185	608	682	1,232	3,324	7,796	14,397	22,393	18,083	10
All other	19,539	1,061	132	189	705	1,114	1,525	2,663	3,693	3,991	3,097	1,366	3
Male	10,942	588	70	104	541	796	974	1,597	2,157	2,153	1,481	478	2
Female	8,597	473	62	85	164	318	551	1,066	1,536	1,838	1,616	887	1
Metropolitan counties	139,626	2,760	409	575	2,635	3,301	4,229	10,125	20,855	32,435	37,829	24,441	32
Male	72,811	1,507	224	345	1,991	2,404	2,669	6,281	12,759	18,538	17,370	8,701	22
Female	66,815	1,253	185	230	644	897	1,560	3,844	8,096	13,897	20,459	15,740	10
White	120,630	1,741	284	394	1,951	2,209	2,746	7,522	17,264	28,552	34,822	23,116	29
Male	62,194	940	159	247	1,465	1,623	1,718	4,723	10,670	16,452	15,938	8,239	20
Female	58,436	801	125	147	486	586	1,028	2,799	6,594	12,100	18,884	14,877	9
All other	18,996	1,019	125	181	684	1,092	1,483	2,603	3,591	3,883	3,007	1,325	3
Male	10,617	567	65	98	526	781	951	1,558	2,089	2,086	1,432	462	2
Female	8,379	452	60	83	158	311	532	1,045	1,502	1,797	1,575	863	1
Nonmetropolitan counties	24,882	452	84	116	512	384	572	1,497	3,409	5,941	6,953	4,959	3
Male	13,256	258	47	76	384	281	349	951	2,173	3,603	3,403	1,729	2
Female	11,626	194	37	40	128	103	223	546	1,236	2,338	3,550	3,230	1
White	24,339	410	77	108	491	362	530	1,437	3,307	5,833	6,863	4,918	3
Male	12,931	237	42	70	369	286	326	912	2,105	3,536	3,354	1,712	2
Female	11,408	173	35	38	122	96	204	525	1,202	2,297	3,509	3,206	1
All other	543	42	7	8	21	22	42	60	102	108	90	41	-
Male	325	21	5	6	15	15	23	39	68	67	49	17	-
Female	218	21	2	2	6	7	19	21	34	41	41	24	-
North Carolina	46,675	1,269	226	325	1,262	1,312	1,904	4,082	8,097	11,397	10,804	6,008	9
Male	26,584	705	124	188	937	966	1,303	2,723	5,364	6,956	5,153	2,147	8
Female	20,091	564	102	137	325	346	601	1,359	2,733	4,441	5,651	3,861	1
White	35,127	632	123	225	915	788	1,170	2,828	5,667	8,611	8,772	5,164	2
Male	19,932	346	69	133	697	598	809	1,936	3,964	5,354	4,201	1,823	2
Female	15,195	286	54	92	218	200	361	892	1,923	3,257	4,571	3,341	-
All other	11,548	637	103	100	347	514	734	1,234	2,210	2,786	2,032	844	7
Male	6,652	359	55	65	240	368	494	787	1,400	1,602	952	324	6
Female	4,896	278	48	35	107	146	240	447	810	1,184	1,080	520	1
Metropolitan counties	15,873	438	67	106	441	481	649	1,453	2,779	3,757	3,665	2,035	2
Male	8,805	228	40	60	322	348	441	951	1,800	2,273	1,688	655	1
Female	7,068	210	27	46	119	133	208	502	979	1,484	1,979	1,380	1
White	11,787	211	35	69	331	290	377	995	1,995	2,758	2,959	1,766	1
Male	6,507	109	21	38	242	212	256	671	1,325	1,708	1,365	559	1
Female	5,280	102	14	31	89	78	121	324	670	1,050	1,594	1,207	-
All other	4,086	227	32	37	110	191	272	458	784	999	706	269	1
Male	2,298	119	19	22	80	136	185	280	475	565	321	96	-
Female	1,788	108	13	15	30	55	87	178	309	434	385	173	1
Nonmetropolitan counties	30,802	831	159	219	821	831	1,255	2,609	5,318	7,640	7,139	3,973	7
Male	17,779	477	84	138	615	618	862	1,772	3,564	4,683	3,467	1,492	7
Female	13,023	354	75	81	206	213	393	837	1,754	2,957	3,672	2,481	-
White	23,340	421	88	156	584	508	793	1,833	3,892	5,853	5,813	3,398	1
Male	13,425	237	48	95	455	386	553	1,285	2,838	3,646	2,838	1,264	1
Female	9,915	184	40	61	129	122	240	568	1,253	2,207	2,977	2,134	-
All other	7,462	410	71	63	237	323	462	776	1,426	1,787	1,326	575	6
Male	4,354	240	36	43	160	232	309	507	925	1,037	631	228	6
Female	3,108	170	35	20	77	91	153	269	501	750	695	347	-
North Dakota	5,361	140	24	20	132	105	113	307	606	1,227	1,432	1,255	-
Male	3,078	85	13	16	68	76	78	207	420	775	799	521	-
Female	2,283	55	11	4	44	29	35	100	186	452	633	734	-
White	5,217	121	22	19	116	86	102	285	589	1,204	1,423	1,240	-
Male	2,993	75	11	15	78	66	70	189	410	760	795	514	-
Female	2,224	46	11	4	38	20	32	96	179	444	628	726	-
All other	144	19	2	1	16	19	11	12	17	23	9	15	-
Male	85	10	2	1	10	10	8	8	10	15	4	7	-
Female	59	9	-	-	6	9	3	4	7	8	5	8	-
Metropolitan counties	609	13	1	1	6	18	14	54	80	121	165	136	-
Male	330	7	1	1	5	15	10	38	55	69	77	52	-
Female	279	6	-	-	1	3	4	16	25	52	88	84	-
White	606	12	1	1	6	17	14	53	80	121	165	136	-
Male	329	7	1	1	5	14	10	38	55	69	77	52	-
Female	277	5	-	-	1	3	4	15	25	52	88	84	-
All other	3	1	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Nonmetropolitan counties	4,752	127	23	19	126	87	99	253	526	1,106	1,267	1,119	-
Male	2,748	78	12	15	83	61	68	169	365	706	722	469	-
Female	2,004	49	11	4	43	26	31	84	161	400	545	650	-
White	4,611	109	21	18	110	69	88	242	509	1,083	1,258	1,104	-
Male	2,564	68	10	14	73	52	60	161	355	691	718	462	-
Female	1,947	41	11	4	37	17	28	81	154	392	540	642	-
All other	141	18	2	1	16	18	11	11	17	23	9	15	-
Male	84	10	2	1	10	9	8	8	10	15	4	7	-
Female	57	8	-	-	6	9	3	3	7	8	5	8	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	94,946	2,141	365	535	2,300	2,091	2,640	6,828	14,901	22,179	24,591	16,369	6
Male	51,043	1,213	218	336	1,716	1,466	1,833	4,278	9,328	13,081	11,851	5,918	5
Female	43,903	928	147	199	584	625	1,007	2,550	5,573	9,098	12,740	10,451	1
White	85,551	1,849	276	460	1,971	1,857	2,118	5,750	13,106	20,178	22,795	15,587	4
Male	45,708	944	165	295	1,486	1,163	1,333	3,608	8,255	11,943	10,923	5,589	4
Female	39,843	705	111	165	485	494	785	2,142	4,853	8,233	11,872	9,998	-
All other	9,395	492	89	75	329	434	522	1,078	1,793	2,003	1,796	782	2
Male	5,335	269	53	41	230	303	300	670	1,073	1,138	928	329	1
Female	4,060	223	36	34	99	131	222	408	720	865	868	453	1
Metropolitan counties	71,365	1,648	288	386	1,719	1,638	2,050	5,393	11,584	16,695	18,189	11,790	5
Male	38,105	912	165	236	1,273	1,150	1,254	3,382	7,212	9,729	8,842	4,148	4
Female	33,260	736	103	150	446	488	796	2,011	4,372	6,966	9,547	7,644	1
White	62,380	1,170	185	315	1,408	1,215	1,543	4,351	9,866	14,778	16,486	11,060	3
Male	33,009	649	114	197	1,054	855	961	2,731	6,193	8,651	7,767	3,834	3
Female	29,371	521	71	118	354	360	582	1,620	3,673	6,127	8,719	7,226	-
All other	8,985	478	83	71	311	423	507	1,042	1,718	1,917	1,703	730	2
Male	5,096	263	51	39	219	295	293	651	1,019	1,078	875	312	1
Female	3,889	215	32	32	92	128	214	391	699	839	828	418	1
Nonmetropolitan counties	23,581	493	97	149	581	453	590	1,435	3,317	5,484	6,402	4,579	1
Male	12,938	301	53	100	443	316	379	896	2,116	3,352	3,209	1,772	1
Female	10,643	192	44	49	138	137	211	539	1,201	2,132	3,193	2,807	-
White	23,171	479	91	145	563	442	575	1,399	3,242	5,398	6,309	4,527	1
Male	12,699	295	51	98	432	308	372	877	2,062	3,292	3,156	1,755	1
Female	10,472	184	40	47	131	134	203	522	1,180	2,106	3,153	2,772	-
All other	410	14	6	4	18	11	15	36	75	86	93	52	-
Male	239	6	2	2	11	8	7	19	54	60	53	17	-
Female	171	8	4	2	7	3	8	17	21	26	40	35	-
Oklahoma	27,841	612	123	181	718	707	723	1,609	3,738	6,589	7,427	5,191	23
Male	15,389	359	63	120	545	510	472	1,187	2,464	3,977	3,764	1,911	17
Female	12,452	253	60	61	173	197	251	822	1,274	2,612	3,663	3,280	6
White	24,966	462	97	159	610	567	593	1,559	3,291	5,983	6,815	4,833	17
Male	13,765	280	53	104	485	403	385	1,028	2,188	3,638	3,443	1,767	11
Female	11,201	182	44	55	145	164	208	531	1,103	2,325	3,372	3,066	6
All other	2,875	150	26	22	108	140	130	250	447	626	612	358	6
Male	1,624	79	10	16	60	107	87	159	276	339	321	144	6
Female	1,251	71	16	6	28	33	43	91	171	287	291	214	-
Metropolitan counties	11,741	327	61	84	343	355	384	909	1,735	2,691	2,906	1,933	13
Male	6,413	196	26	59	258	255	244	592	1,127	1,579	1,400	668	9
Female	5,328	131	35	25	85	100	140	317	608	1,112	1,506	1,265	4
White	10,402	237	42	71	298	276	312	788	1,521	2,417	2,618	1,814	10
Male	5,639	145	18	49	223	195	198	517	990	1,426	1,254	618	6
Female	4,763	92	24	22	73	81	114	271	531	991	1,364	1,196	4
All other	1,339	90	19	13	47	79	72	121	214	274	288	119	3
Male	774	51	8	10	35	60	46	75	137	153	146	50	3
Female	565	39	11	3	12	19	26	46	77	121	142	69	-
Nonmetropolitan counties	16,100	285	62	97	375	352	339	900	2,003	3,898	4,521	3,258	10
Male	8,976	163	37	61	287	255	228	595	1,337	2,398	2,364	1,243	8
Female	7,124	122	25	36	88	97	111	305	666	1,500	2,157	2,015	2
White	14,564	225	55	88	314	291	281	771	1,770	3,546	4,197	3,019	7
Male	8,126	135	35	55	242	208	187	511	1,198	2,212	2,189	1,149	5
Female	6,438	90	20	33	72	83	94	260	572	1,334	2,008	1,870	2
All other	1,536	60	7	9	61	61	58	129	233	352	324	239	3
Male	850	28	2	6	45	47	41	84	139	186	175	94	3
Female	686	32	5	3	16	14	17	45	94	166	149	145	-
Oregon	21,056	459	96	128	531	566	547	1,250	2,993	4,939	5,461	4,089	9
Male	11,899	273	51	83	409	429	365	798	1,912	3,089	2,931	1,557	2
Female	9,157	186	45	45	122	137	182	452	1,081	1,850	2,530	2,532	1
White	20,548	423	89	120	502	532	514	1,193	2,896	4,845	5,388	4,042	2
Male	11,578	255	49	77	384	410	338	758	1,849	3,028	2,892	1,537	1
Female	8,970	168	40	43	118	122	176	435	1,049	1,817	2,496	2,505	1
All other	508	36	7	8	29	34	33	57	95	94	73	47	1
Male	321	18	2	6	25	19	27	40	63	61	39	20	1
Female	187	12	5	2	4	15	6	17	32	33	34	27	-
Metropolitan counties	12,476	256	54	58	263	334	310	778	1,732	2,843	3,304	2,541	3
Male	6,874	158	29	40	196	248	207	489	1,099	1,759	1,722	923	2
Female	5,602	98	25	18	65	86	103	289	633	1,084	1,582	1,618	1
White	12,101	239	50	51	251	314	284	730	1,661	2,786	3,248	2,505	2
Male	6,626	148	27	34	188	236	185	455	1,049	1,703	1,692	908	1
Female	5,475	91	23	17	63	78	99	275	612	1,083	1,556	1,597	1
All other	375	17	4	7	12	20	26	48	71	77	56	36	1
Male	248	10	2	6	10	12	22	34	50	58	30	15	1
Female	127	7	2	1	2	8	4	14	21	21	26	21	-
Nonmetropolitan counties	8,580	197	42	70	268	232	237	472	1,261	2,096	2,157	1,548	-
Male	5,025	115	22	43	211	181	158	309	813	1,330	1,209	634	-
Female	3,555	82	20	27	57	51	79	163	448	766	948	914	-
White	8,447	184	39	69	251	218	230	463	1,237	2,079	2,140	1,597	-
Male	4,952	107	22	43	196	174	153	303	800	1,325	1,200	629	-
Female	3,495	77	17	26	55	44	77	160	437	754	940	968	-
All other	133	13	3	1	17	14	7	9	24	17	17	11	-
Male	73	8	-	-	15	7	5	6	13	5	9	5	-
Female	60	5	3	1	2	7	2	3	11	12	8	6	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pennsylvania	117,402	2,097	306	457	2,083	2,079	2,783	7,834	18,520	29,504	31,785	19,911	23
Male	62,702	1,168	179	302	1,599	1,492	1,768	4,983	11,761	17,218	15,231	6,990	11
Female	54,700	929	127	165	484	587	1,025	2,851	6,759	12,286	16,534	12,921	12
White	107,106	1,828	248	412	1,843	1,614	2,212	6,581	16,547	27,096	29,809	18,080	18
Male	56,904	920	144	263	1,422	1,156	1,410	4,236	10,576	15,883	14,249	6,637	8
Female	50,204	708	104	149	421	458	802	2,355	5,971	11,213	15,560	12,453	10
All other	10,294	469	58	75	240	465	581	1,243	1,973	2,408	1,956	821	5
Male	5,798	248	35	39	177	336	358	747	1,185	1,335	982	353	3
Female	4,496	221	23	36	63	129	223	496	788	1,073	974	468	2
Metropolitan counties	91,749	1,653	231	374	1,537	1,668	2,215	6,257	14,704	23,019	24,655	15,417	21
Male	48,752	825	142	228	1,179	1,206	1,380	3,944	9,326	13,388	11,691	5,361	10
Female	42,997	728	89	148	364	460	835	2,313	5,378	9,651	12,964	10,056	11
White	81,735	1,196	175	300	1,305	1,216	1,650	5,046	12,774	20,664	22,771	14,622	16
Male	43,127	688	108	188	1,002	883	1,034	3,222	8,162	12,083	10,752	5,020	7
Female	38,608	510	67	112	303	333	616	1,824	4,612	8,601	12,019	9,602	9
All other	10,014	457	56	74	232	450	565	1,211	1,930	2,355	1,884	795	5
Male	5,625	239	34	38	171	323	346	722	1,164	1,305	939	341	3
Female	4,389	218	22	36	61	127	219	489	766	1,050	945	454	2
Nonmetropolitan counties	25,653	444	75	113	546	413	578	1,577	3,816	6,485	7,110	4,494	2
Male	13,950	243	37	76	426	286	388	1,039	2,435	3,850	3,540	1,629	1
Female	11,703	201	38	37	120	127	190	538	1,381	2,635	3,570	2,865	1
White	25,373	432	73	112	538	398	562	1,545	3,773	6,432	7,038	4,468	2
Male	13,777	234	36	75	420	273	376	1,014	2,414	3,820	3,497	1,617	1
Female	11,596	198	37	37	118	125	186	531	1,359	2,612	3,541	2,851	1
All other	280	12	2	1	8	15	16	32	43	53	72	26	-
Male	173	9	1	1	6	13	12	25	21	30	43	12	-
Female	107	3	1	-	2	2	4	7	22	23	29	14	-
Rhode Island	9,090	167	16	33	156	136	198	544	1,317	2,226	2,564	1,732	1
Male	4,720	82	6	20	107	94	136	362	805	1,317	1,175	606	-
Female	4,370	75	10	13	49	42	62	182	512	909	1,389	1,126	1
White	8,656	136	11	31	149	127	188	520	1,261	2,184	2,519	1,709	1
Male	4,589	76	3	19	105	89	129	345	769	1,289	1,151	594	-
Female	4,267	60	8	12	44	38	59	175	492	895	1,368	1,115	1
All other	234	31	5	2	7	9	10	24	36	42	45	23	-
Male	131	16	3	1	2	5	7	17	16	28	24	12	-
Female	103	15	2	1	5	4	3	7	20	14	21	11	-
Metropolitan counties	7,790	142	15	28	121	114	167	451	1,130	1,922	2,217	1,482	1
Male	4,006	81	6	16	80	75	109	295	683	1,139	999	523	-
Female	3,784	61	9	12	41	39	58	156	447	783	1,218	959	1
White	7,592	113	10	26	115	105	157	432	1,103	1,885	2,102	1,469	1
Male	3,896	67	3	15	78	70	102	289	671	1,113	981	513	-
Female	3,696	46	7	11	37	35	55	149	432	772	1,201	950	1
All other	198	29	5	2	6	9	10	19	27	37	35	19	-
Male	110	14	3	1	2	5	7	12	12	26	18	10	-
Female	88	15	2	1	4	4	3	7	15	11	17	9	-
Nonmetropolitan counties	1,300	25	1	5	35	22	31	93	187	304	347	250	-
Male	714	11	-	4	27	19	27	67	122	176	176	83	-
Female	586	14	1	1	8	3	4	26	65	128	171	167	-
White	1,264	23	1	5	34	22	31	88	178	299	337	246	-
Male	693	9	-	4	27	19	27	62	118	176	170	81	-
Female	571	14	1	1	7	3	4	26	60	123	167	165	-
All other	36	2	-	-	1	-	-	5	9	5	10	4	-
Male	21	2	-	-	-	-	-	5	4	2	6	2	-
Female	15	-	-	-	1	-	-	-	5	3	4	2	-
South Carolina	24,363	685	125	205	691	756	1,102	2,361	4,588	6,099	4,908	2,683	2
Male	13,714	486	73	134	544	509	755	1,588	2,918	3,560	2,265	878	2
Female	10,649	377	52	71	147	247	347	773	1,668	2,539	2,643	1,785	-
White	16,217	370	63	117	441	397	590	1,413	2,920	4,049	3,712	2,145	-
Male	9,129	207	35	73	353	272	400	1,008	1,929	2,488	1,699	664	-
Female	7,088	163	28	44	88	125	190	404	991	1,561	2,013	1,481	-
All other	8,146	495	62	88	250	359	512	948	1,666	2,050	1,196	518	2
Male	4,585	281	38	61	191	237	355	579	989	1,072	566	214	2
Female	3,561	214	24	27	59	122	157	369	677	978	630	304	-
Metropolitan counties	8,715	311	44	70	254	268	385	865	1,681	2,158	1,727	944	-
Male	4,913	163	28	45	196	188	260	592	1,088	1,266	794	295	-
Female	3,802	148	16	25	58	80	125	273	593	892	933	649	-
White	6,147	164	21	44	176	155	228	545	1,141	1,521	1,364	788	-
Male	3,447	86	13	26	141	107	150	384	744	922	638	236	-
Female	2,700	78	8	18	35	48	78	161	397	599	726	552	-
All other	2,568	147	23	26	78	111	157	320	540	637	363	156	-
Male	1,466	77	15	19	55	79	110	208	344	344	156	59	-
Female	1,102	70	8	7	23	32	47	112	196	293	207	97	-
Nonmetropolitan counties	15,648	554	61	135	437	490	707	1,496	2,905	3,841	3,161	1,719	2
Male	8,801	325	45	89	348	323	495	996	1,830	2,294	1,471	583	2
Female	6,847	229	36	46	89	167	212	500	1,075	1,547	1,710	1,136	-
White	10,070	206	42	73	265	242	362	868	1,779	2,529	2,348	1,357	-
Male	5,682	121	22	47	212	165	250	625	1,185	1,566	1,061	428	-
Female	4,388	85	20	26	53	77	112	243	594	962	1,287	929	-
All other	5,578	348	39	62	172	248	345	628	1,126	1,413	833	362	2
Male	3,119	204	23	42	136	158	245	371	645	728	410	155	2
Female	2,459	144	16	20	36	90	100	257	481	685	423	207	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,345	146	36	36	194	133	172	324	698	1,328	1,785	1,492	1
Male	3,602	77	20	26	149	103	115	209	479	834	972	617	1
Female	2,743	69	16	10	45	30	57	115	219	494	813	875	-
White	5,909	108	25	30	151	84	123	288	635	1,260	1,723	1,461	1
Male	3,327	56	14	21	120	69	82	186	436	804	936	602	1
Female	2,582	52	11	9	31	15	41	102	199	476	787	859	-
All other	436	38	11	6	43	49	49	36	63	48	62	31	-
Male	275	21	6	5	29	34	33	23	43	30	36	15	-
Female	161	17	5	1	14	15	16	13	20	18	26	16	-
Metropolitan counties	814	24	6	5	10	14	21	53	97	174	230	180	-
Male	439	11	3	3	10	9	15	32	68	109	114	65	-
Female	375	13	3	2	-	5	6	21	29	65	116	115	-
White	808	22	6	5	10	13	20	53	97	173	230	179	-
Male	437	10	3	3	10	9	15	32	68	108	114	65	-
Female	371	12	3	2	-	4	5	21	29	65	116	114	-
All other	6	2	-	-	-	1	1	-	-	1	-	1	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	4	1	-	-	-	1	1	-	-	-	-	1	-
Nonmetropolitan counties	5,531	122	30	31	184	119	151	271	601	1,154	1,555	1,312	1
Male	3,163	66	17	23	139	94	100	177	411	725	858	552	1
Female	2,368	56	13	8	45	25	51	94	190	429	697	760	-
White	5,101	86	19	25	141	71	103	235	538	1,107	1,493	1,282	1
Male	2,890	46	11	18	110	60	67	154	368	696	822	537	1
Female	2,211	40	8	7	31	11	36	81	170	411	671	745	-
All other	430	36	11	6	43	48	48	36	63	47	62	30	-
Male	273	20	6	5	29	34	33	23	43	29	36	15	-
Female	157	16	5	1	14	14	15	13	20	18	26	15	-
Tennessee	38,789	930	144	234	1,030	1,022	1,274	3,044	6,060	9,549	9,715	5,782	5
Male	21,732	538	80	151	764	707	835	2,001	3,957	5,880	4,717	2,099	3
Female	17,057	392	64	83	266	315	439	1,043	2,103	3,669	4,998	3,683	2
White	31,905	603	105	176	846	773	986	2,371	4,896	7,749	8,266	5,130	4
Male	17,864	355	60	112	631	536	648	1,562	3,273	4,855	4,014	1,815	3
Female	14,041	248	45	64	215	237	338	809	1,623	2,894	4,252	3,315	1
All other	6,884	327	39	58	184	249	288	673	1,164	1,800	1,449	652	1
Male	3,868	183	20	39	133	171	187	439	684	1,025	703	284	-
Female	3,016	144	19	19	51	78	101	234	480	775	746	368	1
Metropolitan counties	17,751	471	70	113	460	535	591	1,497	2,866	4,392	4,243	2,511	2
Male	9,554	266	37	73	330	360	382	960	1,797	2,598	1,914	837	2
Female	8,197	205	33	40	130	175	209	537	1,069	1,796	2,329	1,674	-
White	12,820	228	44	68	313	345	371	1,001	1,996	3,104	3,284	2,064	2
Male	6,848	129	25	42	227	232	237	649	1,304	1,880	1,471	650	2
Female	5,972	99	19	26	86	113	134	352	692	1,224	1,793	1,434	-
All other	4,931	243	26	45	147	190	220	496	870	1,288	979	427	-
Male	2,706	137	12	31	103	128	145	311	493	716	443	187	-
Female	2,225	106	14	14	44	62	75	185	377	572	536	240	-
Nonmetropolitan counties	21,038	459	74	121	570	487	683	1,547	3,194	5,157	5,472	3,271	3
Male	12,178	272	43	78	434	347	453	1,041	2,160	3,284	2,803	1,262	1
Female	8,860	187	31	43	136	140	230	506	1,034	1,873	2,669	2,009	2
White	19,085	375	61	108	533	428	615	1,370	2,900	4,645	5,002	3,046	2
Male	11,016	226	35	70	404	304	411	913	1,969	2,975	2,549	1,165	1
Female	8,069	149	26	38	129	124	204	457	931	1,670	2,459	1,881	1
All other	1,953	84	13	13	37	59	68	177	294	512	470	225	1
Male	1,162	46	8	8	30	43	42	128	191	309	260	97	-
Female	791	38	5	5	7	16	26	49	103	203	210	128	1
Texas	104,921	3,287	640	808	3,667	3,531	3,626	8,034	15,319	24,093	25,544	16,141	29
Male	58,582	1,849	356	488	2,793	2,599	2,495	5,145	9,884	14,707	12,616	5,617	23
Female	46,339	1,438	284	320	874	932	1,333	2,889	5,425	9,386	12,928	10,524	6
White	90,514	2,474	503	665	3,060	2,791	2,970	6,568	13,130	20,779	22,672	14,855	26
Male	50,364	1,385	281	398	2,398	2,069	1,932	4,275	8,585	12,883	11,138	5,060	22
Female	40,150	1,089	222	267	724	722	1,038	2,314	4,545	7,896	11,534	9,795	4
All other	14,407	813	137	143	607	740	656	1,445	2,189	3,314	2,872	1,286	3
Male	8,218	464	75	90	457	530	563	870	1,309	1,824	1,478	557	1
Female	6,189	349	62	53	150	210	295	575	880	1,490	1,394	729	2
Metropolitan counties	69,941	2,476	458	592	2,713	2,703	2,959	6,008	10,764	15,617	15,953	9,682	16
Male	38,949	1,387	261	347	2,046	1,991	1,922	3,797	6,961	9,361	7,604	3,239	13
Female	30,992	1,089	197	245	667	712	1,037	2,211	3,803	6,256	8,349	6,443	3
White	59,442	1,841	355	481	2,228	2,073	2,244	4,812	9,110	13,337	14,063	8,883	15
Male	32,968	1,016	203	280	1,682	1,538	1,460	3,078	5,970	8,136	6,679	2,913	13
Female	26,474	825	152	201	546	535	784	1,734	3,140	5,201	7,384	5,970	2
All other	10,499	635	103	111	485	630	715	1,196	1,654	2,280	1,890	799	1
Male	5,981	371	58	67	364	453	462	719	991	1,245	925	326	-
Female	4,518	264	45	44	121	177	253	477	663	1,035	965	473	1
Nonmetropolitan counties	34,980	811	182	216	954	828	869	2,026	4,555	8,476	9,591	6,459	13
Male	19,633	462	95	141	747	608	573	1,348	2,933	5,328	5,012	2,378	10
Female	15,347	349	87	75	207	220	296	678	1,622	3,150	4,579	4,081	3
White	31,072	633	148	184	832	718	726	1,777	4,020	7,442	8,809	5,972	11
Male	17,396	369	78	118	654	531	472	1,197	2,615	4,747	4,459	2,147	9
Female	13,676	264	70	66	178	187	254	580	1,405	2,695	4,150	3,825	2
All other	3,908	178	34	32	122	110	143	249	535	1,034	982	487	2
Male	2,237	93	17	23	93	77	101	151	318	579	553	231	1
Female	1,671	85	17	9	29	33	42	98	217	455	429	256	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Utah	7,890	438	87	80	277	270	233	464	1,058	1,721	1,898	1,384	–
Male	4,436	264	43	48	217	169	157	300	679	1,069	968	508	–
Female	3,454	174	44	32	60	61	76	164	385	652	930	856	–
White	7,724	426	81	78	255	255	221	443	1,039	1,698	1,883	1,345	–
Male	4,332	257	42	48	200	178	149	288	665	1,052	956	497	–
Female	3,392	169	39	30	55	77	72	155	374	646	927	848	–
All other	166	12	6	2	22	15	12	21	19	23	15	19	–
Male	104	7	1	–	17	11	8	12	8	17	12	11	–
Female	62	5	5	2	5	4	4	9	11	6	3	8	–
Metropolitan counties	5,828	339	68	59	197	203	180	360	804	1,258	1,356	1,004	–
Male	3,227	201	38	34	155	135	120	238	513	768	689	356	–
Female	2,601	138	30	25	42	68	60	122	291	490	667	648	–
White	5,724	332	66	58	188	194	173	347	791	1,243	1,344	888	–
Male	3,159	196	37	34	148	129	115	230	507	756	660	347	–
Female	2,565	136	29	24	40	65	58	117	284	487	684	541	–
All other	104	7	2	1	9	9	7	13	13	15	12	16	–
Male	68	5	1	–	7	6	5	8	6	12	9	9	–
Female	36	2	1	1	2	3	2	5	7	3	3	7	–
Nonmetropolitan counties	2,062	99	19	21	80	67	53	104	254	463	542	380	–
Male	1,209	63	5	14	62	54	37	62	160	301	299	152	–
Female	853	36	14	7	18	13	16	42	94	162	243	208	–
White	2,000	94	15	20	67	61	48	96	248	455	539	357	–
Male	1,173	61	5	14	52	49	34	58	158	296	296	150	–
Female	827	33	10	6	15	12	14	38	90	159	243	207	–
All other	62	5	4	1	13	6	5	8	6	8	3	3	–
Male	36	2	–	–	10	5	3	4	2	5	3	2	–
Female	26	3	4	1	3	1	2	4	4	3	–	1	–
Vermont	4,179	64	10	35	107	84	94	264	532	957	1,169	863	–
Male	2,263	39	4	21	80	58	59	169	346	586	601	300	–
Female	1,916	25	6	14	27	26	35	95	186	371	568	563	–
White	4,175	64	10	35	107	84	94	263	531	957	1,168	862	–
Male	2,263	39	4	21	80	58	59	169	346	586	601	300	–
Female	1,912	25	6	14	27	26	35	94	185	371	567	562	–
All other	4	–	–	–	–	–	–	1	1	–	1	1	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4	–	–	–	–	–	–	1	1	–	1	1	–
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	4,179	64	10	35	107	84	94	264	532	957	1,169	863	–
Male	2,263	39	4	21	80	58	59	169	346	586	601	300	–
Female	1,916	25	6	14	27	26	35	95	186	371	568	563	–
White	4,175	64	10	35	107	84	94	263	531	957	1,168	862	–
Male	2,263	39	4	21	80	58	59	169	346	586	601	300	–
Female	1,912	25	6	14	27	26	35	94	185	371	567	562	–
All other	4	–	–	–	–	–	–	1	1	–	1	1	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4	–	–	–	–	–	–	1	1	–	1	1	–
Virginia	40,809	1,121	152	242	952	1,002	1,420	3,511	7,134	9,893	9,543	5,827	12
Male	22,597	634	84	153	724	707	936	2,253	4,693	5,889	4,530	1,987	7
Female	18,212	487	68	89	228	295	484	1,258	2,441	4,004	5,013	3,840	5
White	31,786	704	103	182	756	720	990	2,485	5,296	7,663	7,849	5,010	8
Male	17,462	425	57	120	582	499	667	1,606	3,522	4,825	3,704	1,650	5
Female	14,324	279	46	62	174	221	323	879	1,774	3,038	4,145	3,360	3
All other	9,043	417	49	60	196	282	430	1,026	1,838	2,230	1,694	817	4
Male	5,135	209	27	33	142	208	269	647	1,171	1,264	828	337	2
Female	3,908	208	22	27	54	74	161	379	667	966	868	480	2
Metropolitan counties	21,609	672	87	150	502	577	789	2,024	4,029	5,094	4,786	2,885	4
Male	11,779	391	47	89	378	389	500	1,267	2,628	2,984	2,178	926	2
Female	9,830	281	40	61	124	188	289	757	1,401	2,110	2,608	1,959	2
White	16,234	390	50	109	384	391	526	1,372	2,883	3,815	3,849	2,463	2
Male	8,750	243	30	66	293	256	333	858	1,903	2,272	1,751	743	2
Female	7,484	147	20	43	91	135	193	514	980	1,543	2,098	1,720	–
All other	5,375	282	37	41	118	186	273	652	1,146	1,279	937	422	2
Male	3,029	148	17	23	85	133	167	409	725	712	427	183	–
Female	2,346	134	20	18	33	53	106	243	421	567	510	239	2
Nonmetropolitan counties	19,200	449	65	92	450	425	631	1,497	3,105	4,799	4,757	2,942	8
Male	10,818	243	37	64	346	318	438	986	2,065	2,905	2,352	1,061	5
Female	8,382	206	28	28	104	107	185	501	1,040	1,894	2,405	1,881	3
White	15,532	314	53	73	372	329	464	1,113	2,413	3,848	4,000	2,547	6
Male	8,712	182	27	54	289	243	334	748	1,619	2,353	1,853	907	3
Female	6,820	132	26	19	83	86	130	365	794	1,495	2,047	1,640	3
All other	3,668	135	12	19	78	96	167	374	692	951	757	395	2
Male	2,106	61	10	10	57	75	102	238	446	552	399	154	2
Female	1,562	74	2	9	21	21	55	136	246	399	358	241	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	30,481	738	133	183	888	880	879	1,890	4,388	6,909	7,563	6,026	4
Male	16,743	433	76	116	661	612	544	1,184	2,760	4,246	3,848	2,260	3
Female	13,738	305	57	67	227	268	335	706	1,628	2,663	3,715	3,766	1
White	29,261	669	113	168	821	787	774	1,753	4,184	6,710	7,365	5,913	4
Male	15,982	396	65	105	613	550	477	1,085	2,629	4,117	3,725	2,207	3
Female	13,279	273	48	63	208	237	297	668	1,555	2,593	3,640	3,706	1
All other	1,220	69	20	15	67	93	105	137	204	199	198	113	-
Male	761	37	11	11	48	62	67	89	131	129	123	53	-
Female	459	32	9	4	19	31	38	48	73	70	75	60	-
Metropolitan counties	18,865	498	71	112	539	544	564	1,231	2,724	4,181	4,621	3,838	2
Male	10,206	249	39	76	400	363	339	774	1,699	2,554	2,311	1,401	1
Female	8,659	189	32	36	139	181	225	457	1,025	1,627	2,310	2,437	1
White	17,941	387	62	100	489	474	466	1,134	2,562	4,023	4,476	3,745	2
Male	9,623	221	35	68	361	319	292	708	1,593	2,448	2,221	1,356	1
Female	8,318	166	27	32	128	155	194	426	969	1,575	2,255	2,390	1
All other	924	51	9	12	50	70	78	97	162	158	145	92	-
Male	583	28	4	8	39	44	47	66	106	106	90	45	-
Female	341	23	5	4	11	26	31	31	56	52	55	47	-
Nonmetropolitan counties	11,616	300	62	71	349	336	315	659	1,664	2,728	2,942	2,188	2
Male	6,537	184	37	40	261	249	205	410	1,061	1,692	1,537	859	2
Female	5,079	116	25	31	88	87	110	249	603	1,036	1,405	1,329	-
White	11,320	282	51	68	332	313	288	619	1,622	2,687	2,889	2,167	2
Male	6,359	175	30	37	252	231	185	387	1,036	1,669	1,504	851	2
Female	4,961	107	21	31	80	82	103	232	586	1,018	1,385	1,316	-
All other	296	18	11	3	17	23	27	40	42	41	53	21	-
Male	178	9	7	3	9	18	20	23	25	23	33	8	-
Female	118	9	4	-	8	5	7	17	17	18	20	13	-
West Virginia	18,965	412	82	110	433	419	528	1,354	3,044	4,663	4,813	3,104	3
Male	10,642	235	41	57	321	301	348	871	1,874	2,853	2,470	1,270	1
Female	8,323	177	41	53	112	118	180	483	1,170	1,810	2,343	1,834	2
White	18,037	383	78	106	408	397	502	1,272	2,918	4,444	4,568	2,959	2
Male	10,152	226	40	54	307	283	328	829	1,805	2,741	2,337	1,202	-
Female	7,885	157	38	52	101	114	174	443	1,113	1,703	2,231	1,757	2
All other	928	29	4	4	25	22	26	82	126	219	245	145	1
Male	490	9	1	3	14	18	20	42	69	112	133	68	1
Female	438	20	3	1	11	4	6	40	57	107	112	77	-
Metropolitan counties	5,531	102	21	30	117	113	152	402	887	1,368	1,406	931	-
Male	3,046	53	10	16	89	75	96	265	525	830	720	367	-
Female	2,485	49	11	14	28	38	56	137	362	538	686	564	-
White	5,224	88	19	30	107	105	141	374	846	1,309	1,321	859	-
Male	2,887	48	9	16	84	69	87	246	506	796	678	346	-
Female	2,337	38	10	14	23	36	54	128	338	513	643	540	-
All other	307	16	2	-	10	8	11	28	41	59	87	45	-
Male	159	5	1	-	5	6	9	19	17	34	42	21	-
Female	148	11	1	-	5	2	2	9	24	25	45	24	-
Nonmetropolitan counties	13,434	310	61	80	316	306	376	952	2,157	3,295	3,405	2,179	3
Male	7,596	182	31	41	232	226	252	606	1,349	2,023	1,750	903	1
Female	5,838	128	30	39	84	80	124	346	808	1,272	1,655	1,276	2
White	12,813	297	59	76	301	292	361	898	2,072	3,135	3,247	2,073	2
Male	7,265	178	31	38	223	214	241	583	1,297	1,945	1,659	856	-
Female	5,548	119	28	38	78	78	120	315	775	1,190	1,588	1,217	2
All other	621	13	2	4	15	14	15	54	85	160	158	100	1
Male	331	4	-	3	9	12	11	23	52	78	91	47	1
Female	290	9	2	1	6	2	4	31	33	82	67	53	-
Wisconsin	59,163	792	133	206	938	704	664	2,236	5,052	8,855	11,329	8,033	41
Male	21,492	433	76	129	696	523	526	1,412	3,249	5,473	5,667	3,079	25
Female	17,691	359	55	77	240	181	338	824	1,803	3,382	5,462	4,954	16
White	38,118	696	125	192	857	633	795	2,069	4,857	8,649	11,187	7,956	40
Male	20,887	387	73	120	667	474	484	1,320	3,133	5,357	5,798	3,052	24
Female	17,229	309	52	72	220	159	311	749	1,734	3,292	5,391	4,904	16
All other	1,067	96	8	14	51	71	69	147	185	206	142	77	1
Male	605	46	5	9	31	49	42	92	116	116	71	27	1
Female	462	50	3	5	20	22	27	55	69	90	71	50	-
Metropolitan counties	20,205	452	59	96	482	395	486	1,328	2,784	4,548	5,722	3,836	15
Male	10,854	240	36	60	355	290	286	831	1,761	2,722	2,860	1,403	10
Female	9,351	212	23	36	127	105	200	497	1,023	1,824	2,862	2,435	5
White	19,303	362	52	88	442	336	427	1,193	2,624	4,373	5,607	3,789	14
Male	10,349	199	32	54	333	250	251	745	1,662	2,622	2,805	1,367	9
Female	8,954	163	20	34	109	86	176	448	962	1,751	2,802	2,396	5
All other	902	90	7	10	40	57	59	135	160	173	115	55	1
Male	505	41	4	6	22	40	35	86	99	100	55	16	1
Female	397	49	3	4	18	17	24	49	61	73	60	39	-
Nonmetropolitan counties	18,978	340	74	106	456	309	378	906	2,266	4,309	5,607	4,195	26
Male	10,638	193	42	69	343	233	240	581	1,488	2,751	3,007	1,676	15
Female	8,340	147	32	39	113	76	138	327	780	1,558	2,600	2,519	11
White	18,813	334	73	104	445	295	368	896	2,243	4,276	5,580	4,173	26
Male	10,538	188	41	66	334	224	233	575	1,471	2,735	2,991	1,665	15
Female	8,275	146	32	38	111	71	135	321	772	1,541	2,589	2,508	11
All other	165	6	1	4	11	14	10	12	25	33	27	22	-
Male	100	5	1	3	9	9	7	6	17	16	16	11	-
Female	65	1	-	1	2	5	3	6	8	17	11	11	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1979—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wyoming	3,073	129	29	31	138	135	127	224	406	630	707	516	1
Male	1,842	83	16	23	110	102	86	150	253	424	375	219	1
Female	1,231	46	13	8	28	33	41	74	153	206	332	297	-
White	2,992	123	25	31	129	123	116	220	394	623	695	513	-
Male	1,790	81	14	23	102	91	78	149	248	420	366	218	-
Female	1,202	42	11	8	27	32	38	71	146	203	329	295	-
All other	81	6	4	-	9	12	11	4	12	7	12	3	1
Male	52	2	2	-	8	11	8	1	5	4	9	1	1
Female	29	4	2	-	1	1	3	3	7	3	3	2	-
Metropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan counties	3,073	129	29	31	138	135	127	224	406	630	707	516	1
Male	1,842	83	16	23	110	102	86	150	253	424	375	219	1
Female	1,231	46	13	8	28	33	41	74	153	206	332	297	-
White	2,992	123	25	31	129	123	116	220	394	623	695	513	-
Male	1,790	81	14	23	102	91	78	149	248	420	366	218	-
Female	1,202	42	11	8	27	32	38	71	146	203	329	295	-
All other	81	6	4	-	9	12	11	4	12	7	12	3	1
Male	52	2	2	-	8	11	8	1	5	4	9	1	1
Female	29	4	2	-	1	1	3	3	7	3	3	2	-

1 County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 229 areas	1,242,885	30,503	5,072	6,965	31,367	32,900	39,041	93,096	192,259	287,894	316,240	207,215	488
Male	668,314	17,212	2,876	4,256	23,424	23,403	24,699	58,683	120,740	168,140	151,064	72,526	291
Female	574,571	13,291	2,196	2,709	7,943	9,497	14,342	34,413	71,519	118,754	165,176	134,689	142
White	1,071,994	20,507	3,615	5,326	25,103	23,789	28,200	72,794	161,245	250,552	286,791	193,759	313
Male	571,402	11,760	2,078	3,264	18,912	17,024	17,791	46,193	102,053	148,300	136,822	67,192	213
Female	500,592	8,747	1,537	2,062	6,191	6,765	10,409	26,601	59,192	102,252	150,169	126,567	100
All other	170,991	9,996	1,457	1,639	6,264	9,111	10,841	20,302	31,014	37,342	29,449	13,456	120
Male	96,912	5,452	798	992	4,512	6,379	6,908	12,490	18,687	20,840	14,442	5,334	78
Female	74,079	4,544	659	847	1,752	2,732	3,933	7,812	12,327	16,502	15,007	8,122	42
Abilene, Tex	1,116	36	5	5	39	22	24	68	128	278	287	229	-
Male	601	18	2	3	31	18	15	48	88	167	133	78	-
Female	515	18	3	2	8	4	9	20	40	106	154	151	-
White	1,059	31	5	5	37	21	20	60	116	257	276	225	-
Male	564	15	2	3	30	17	14	41	81	158	128	77	-
Female	489	16	3	2	7	4	6	19	35	101	148	148	-
All other	63	5	-	-	2	1	4	8	12	16	11	4	-
Male	37	3	-	-	1	1	1	7	7	11	5	1	-
Female	26	2	-	-	1	-	3	1	5	5	6	3	-
Akron, Ohio	5,511	132	16	37	119	100	145	431	892	1,268	1,451	920	-
Male	2,949	83	7	25	96	78	91	276	546	739	696	312	-
Female	2,562	49	9	12	23	22	54	155	346	529	755	608	-
White	5,024	102	11	29	103	87	118	374	798	1,154	1,365	883	-
Male	2,681	66	5	19	84	70	76	243	493	678	648	299	-
Female	2,343	36	6	10	19	17	42	131	305	476	717	584	-
All other	487	30	5	8	16	13	27	57	94	114	86	37	-
Male	268	17	2	6	12	8	15	33	53	61	48	13	-
Female	219	13	3	2	4	5	12	24	41	53	38	24	-
Albany, Ga	696	41	8	5	24	27	28	63	128	162	148	62	-
Male	372	24	6	3	19	16	20	40	73	99	51	19	-
Female	324	17	2	2	5	9	8	23	55	63	97	43	-
White	373	12	2	2	12	12	13	38	71	82	90	39	-
Male	199	9	1	1	8	10	9	24	39	51	34	13	-
Female	174	3	1	1	4	2	4	14	32	31	56	26	-
All other	323	29	6	3	12	15	15	25	57	80	58	23	-
Male	173	15	5	2	11	8	11	16	34	48	17	6	-
Female	150	14	1	1	1	7	4	9	23	32	41	17	-
Albany-Schenectady-Troy, N.Y	7,011	125	20	17	112	93	147	397	1,014	1,769	1,898	1,419	-
Male	3,590	55	11	11	85	69	89	242	628	1,010	924	466	-
Female	3,421	70	9	6	27	24	58	155	386	759	974	953	-
White	6,787	112	18	13	104	82	128	371	974	1,715	1,867	1,403	-
Male	3,464	51	9	9	79	63	78	225	602	979	908	461	-
Female	3,323	61	9	4	25	19	50	146	372	736	959	942	-
All other	224	13	2	4	8	11	19	26	40	54	31	16	-
Male	126	4	2	2	6	6	11	17	26	31	16	5	-
Female	98	9	-	2	2	5	8	9	14	23	15	11	-
Albuquerque, N. Mex	2,482	81	20	17	108	117	127	215	376	548	516	356	1
Male	1,465	44	14	14	88	67	81	132	264	339	284	137	1
Female	1,017	37	6	3	20	30	46	83	112	209	252	219	-
White	2,388	75	19	17	102	110	116	202	357	530	509	350	1
Male	1,409	41	13	14	83	82	73	125	253	330	260	134	1
Female	979	34	6	3	19	28	43	77	104	200	249	216	-
All other	94	6	1	-	6	7	11	13	19	18	7	6	-
Male	56	3	1	-	5	5	8	7	11	9	4	3	-
Female	38	3	-	-	1	2	3	6	8	9	3	3	-
Allentown-Bethlehem-Easton, Pa.-N.J	5,371	96	18	26	80	79	96	369	861	1,344	1,457	944	1
Male	2,934	56	13	11	63	64	52	233	582	796	719	345	-
Female	2,437	40	5	15	17	15	44	136	279	548	738	599	1
White	5,298	88	17	24	77	76	93	357	847	1,332	1,447	940	-
Male	2,898	53	12	11	60	62	50	226	570	788	713	343	-
Female	2,410	35	5	13	17	14	43	131	277	544	734	597	-
All other	73	8	1	2	3	3	3	12	14	12	10	4	1
Male	45	3	1	-	3	2	2	7	12	8	6	2	-
Female	27	5	-	2	-	1	1	5	2	4	4	2	1
Altoona, Pa	1,538	17	3	7	22	22	32	91	233	388	434	287	2
Male	792	9	3	5	16	19	21	54	154	207	211	93	-
Female	746	8	-	2	6	3	11	37	79	181	223	194	2
White	1,521	17	3	7	22	19	32	91	229	385	428	286	2
Male	778	9	3	5	16	16	21	54	150	204	206	92	-
Female	743	8	-	2	6	3	11	37	79	181	220	194	2
All other	17	-	-	-	-	3	-	-	4	3	6	1	-
Male	14	-	-	-	-	3	-	-	4	3	3	1	-
Female	3	-	-	-	-	-	-	-	-	-	3	-	-
Amarillo, Tex	1,284	40	5	10	35	43	38	101	223	309	299	181	-
Male	703	26	2	5	23	28	29	61	147	184	135	64	-
Female	581	14	3	5	12	15	10	40	76	125	164	117	-
White	1,182	33	4	10	29	37	34	87	198	293	283	174	-
Male	652	22	2	5	18	24	28	53	130	175	134	61	-
Female	530	11	2	5	11	13	6	34	68	118	149	113	-
All other	102	7	1	-	6	6	4	14	25	16	16	7	-
Male	51	4	-	-	5	4	-	8	17	9	1	3	-
Female	51	3	1	-	1	2	4	6	8	7	15	4	-
Anaheim-Santa Ana-Garden Grove, Calif	11,741	319	83	85	383	328	386	894	1,821	2,390	2,988	2,064	-
Male	6,139	196	55	42	280	232	237	539	1,095	1,332	1,396	735	-
Female	5,602	123	28	43	103	96	149	355	726	1,058	1,592	1,329	-
White	11,534	294	79	82	378	307	369	863	1,787	2,373	2,958	2,044	-
Male	6,017	181	52	41	277	217	225	520	1,075	1,323	1,380	726	-
Female	5,517	113	27	41	101	90	144	343	712	1,050	1,578	1,318	-
All other	207	25	4	3	5	21	17	31	34	17	30	20	-
Male	122	15	3	1	3	15	12	19	20	9	16	9	-
Female	85	10	1	2	2	6	5	12	14	8	14	11	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Anderson, Ind	1,197	33	4	6	29	22	33	91	174	299	304	202	-
Male	621	21	3	2	26	18	12	52	124	171	134	58	-
Female	576	12	1	4	3	4	21	39	50	128	170	144	-
White	1,147	26	4	6	28	20	28	82	170	285	298	199	-
Male	593	16	3	2	26	17	9	47	121	163	132	57	-
Female	554	10	1	4	3	3	19	35	49	122	166	142	-
All other	50	7	-	-	-	2	5	9	4	14	6	3	-
Male	28	5	-	-	-	1	3	5	3	8	2	1	-
Female	22	2	-	-	-	1	2	4	1	6	4	2	-
Ann Arbor, Mich	1,293	47	7	8	44	37	48	97	193	268	298	248	-
Male	654	23	3	2	29	25	27	58	112	160	136	79	-
Female	639	24	4	4	15	12	21	39	81	108	162	169	-
White	1,163	35	4	5	37	32	36	82	163	246	283	240	-
Male	584	19	1	1	24	21	18	50	98	146	130	76	-
Female	579	16	3	4	13	11	18	32	65	100	153	164	-
All other	130	12	3	1	7	5	12	15	30	22	15	8	-
Male	70	4	2	1	5	4	9	8	14	14	6	3	-
Female	60	8	1	-	2	1	3	7	16	8	9	5	-
Appleton-Oshkosh, Wis	2,135	47	7	11	55	35	42	118	306	491	608	413	2
Male	1,161	28	4	7	41	24	21	69	183	314	302	166	2
Female	974	19	3	4	14	11	21	49	123	177	306	247	-
White	2,122	47	7	10	54	34	41	118	302	490	606	411	2
Male	1,152	28	4	6	40	23	20	69	180	313	301	166	2
Female	970	19	3	4	14	11	21	49	122	177	305	245	-
All other	13	-	-	1	1	1	1	-	4	1	2	2	-
Male	9	-	-	1	1	1	1	-	3	1	1	-	-
Female	4	-	-	-	-	-	-	-	1	-	1	2	-
Asheville, N.C	1,548	26	5	5	24	34	44	107	275	370	388	270	-
Male	862	15	4	2	16	21	32	73	179	234	197	89	-
Female	686	11	1	3	8	13	12	34	96	136	191	181	-
White	1,374	18	4	4	22	32	34	89	234	323	359	255	-
Male	755	12	3	1	14	20	24	62	154	207	180	78	-
Female	619	6	1	3	8	12	10	27	80	116	179	177	-
All other	174	8	1	1	2	2	10	18	41	47	29	15	-
Male	107	3	1	1	2	1	8	11	25	27	17	11	-
Female	67	5	-	-	-	1	2	7	16	20	12	4	-
Atlanta, Ga	11,227	333	54	91	367	473	574	1,125	1,938	2,514	2,358	1,395	5
Male	6,090	188	33	58	262	334	377	718	1,239	1,416	1,038	423	4
Female	5,137	145	21	33	105	139	197	407	699	1,098	1,320	972	1
White	7,797	142	28	50	259	257	297	696	1,332	1,709	1,833	1,182	2
Male	4,233	83	18	34	194	184	198	450	885	1,009	821	356	1
Female	3,564	59	10	16	65	73	101	246	447	700	1,012	834	1
All other	3,430	191	26	41	108	216	277	429	606	805	525	203	3
Male	1,857	105	15	24	68	150	181	268	354	407	217	65	3
Female	1,573	86	11	17	40	66	96	161	252	398	308	138	-
Atlantic City, N.J	2,473	34	3	9	49	57	51	147	357	588	764	415	5
Male	1,255	20	2	7	30	43	30	80	205	321	361	154	2
Female	1,218	14	1	2	19	14	21	67	152	267	403	261	3
White	2,088	21	1	7	30	46	36	115	291	501	661	374	5
Male	1,057	12	1	5	21	36	18	70	165	275	310	142	2
Female	1,031	9	-	2	9	10	18	45	126	226	351	232	3
All other	385	13	2	2	19	11	15	32	66	87	103	41	-
Male	198	8	1	2	9	7	12	10	40	46	51	12	-
Female	187	5	1	-	4	4	3	22	26	41	52	29	-
Augusta, Ga.-S.C	2,331	81	12	17	66	86	101	229	420	562	520	237	-
Male	1,248	42	7	12	49	58	54	146	264	317	216	83	-
Female	1,083	39	5	5	17	28	47	83	156	245	304	154	-
White	1,525	33	4	7	46	51	51	132	268	370	376	187	-
Male	825	16	2	4	35	33	25	80	170	226	157	67	-
Female	700	17	2	3	11	18	26	42	88	144	219	120	-
All other	806	48	8	10	20	35	50	97	152	192	144	50	-
Male	423	26	5	8	14	25	29	56	94	91	59	16	-
Female	383	22	3	2	6	10	21	41	58	101	85	34	-
Austin, Tex	2,309	69	10	18	104	113	88	159	306	482	558	402	-
Male	1,291	44	4	12	82	86	54	105	201	287	265	131	-
Female	1,018	25	6	6	22	27	34	54	105	195	273	271	-
White	1,986	48	7	16	97	90	70	135	261	421	492	349	-
Male	1,117	26	2	10	77	71	44	91	172	256	256	112	-
Female	869	22	5	6	20	19	26	44	89	165	236	237	-
All other	323	21	3	2	7	23	18	24	45	61	66	53	-
Male	174	18	2	2	5	15	10	14	29	31	29	19	-
Female	149	3	1	-	2	8	8	10	16	30	37	34	-
Bakersfield, Calif	3,053	93	17	22	132	99	105	257	470	740	717	400	1
Male	1,794	51	10	15	102	76	70	161	298	473	395	142	1
Female	1,259	42	7	7	30	23	35	96	172	267	322	258	-
White	2,815	83	15	20	121	88	90	232	426	686	665	378	1
Male	1,647	46	8	13	96	69	61	147	268	443	362	131	1
Female	1,168	35	7	7	25	19	29	85	158	253	303	247	-
All other	238	10	2	2	11	11	15	25	44	44	52	22	-
Male	147	3	2	2	6	7	9	14	30	30	33	11	-
Female	91	7	-	-	5	4	6	11	14	14	19	11	-
Baltimore, Md	18,910	466	66	92	430	523	712	1,629	3,432	4,650	4,376	2,506	28
Male	10,304	255	42	49	318	381	435	1,027	2,090	2,753	2,125	811	18
Female	8,606	211	24	43	112	142	277	602	1,342	1,897	2,251	1,695	10
White	14,116	234	41	57	288	268	397	1,037	2,447	3,562	3,597	2,154	16
Male	7,541	128	24	34	218	192	237	659	1,497	2,154	1,725	664	9
Female	6,577	106	17	23	70	76	160	378	950	1,408	1,872	1,490	7
All other	4,792	232	25	35	142	255	315	592	985	1,088	779	352	12
Male	2,763	127	18	15	100	189	198	368	593	599	400	147	9
Female	2,029	105	7	20	42	66	117	224	392	489	379	205	3

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Baton Rouge, La	2,191	78	17	21	73	91	90	215	383	510	468	245	-
Male	1,218	41	9	11	53	66	58	126	245	307	223	79	-
Female	973	37	8	10	20	25	32	89	138	203	245	166	-
White	1,293	33	11	10	41	53	41	126	216	288	304	172	-
Male	719	19	5	7	28	42	26	81	144	169	152	46	-
Female	574	14	6	3	13	11	15	45	72	117	152	126	-
All other	898	45	6	11	32	38	49	89	167	224	164	73	-
Male	499	22	4	4	25	24	32	45	101	138	71	33	-
Female	399	23	2	7	7	14	17	44	66	86	93	40	-
Bay City, Mich	961	19	5	6	29	20	29	58	152	230	231	181	1
Male	529	9	3	6	24	16	17	37	94	138	114	71	-
Female	432	10	2	-	5	4	12	21	58	92	117	110	1
White	950	19	5	6	29	20	27	57	151	227	229	179	1
Male	522	9	3	6	24	16	16	37	93	136	113	69	-
Female	428	10	2	-	5	4	11	20	58	91	116	110	1
All other	11	-	-	-	-	-	2	1	1	3	2	2	-
Male	7	-	-	-	-	-	1	-	1	2	1	2	-
Female	4	-	-	-	-	-	1	1	-	1	1	-	-
Beaumont-Port Arthur-Orange, Tex	2,842	97	16	22	84	88	104	234	479	689	670	359	-
Male	1,582	59	9	11	66	64	63	138	309	412	330	121	-
Female	1,260	38	7	11	18	24	41	96	170	277	340	238	-
White	2,171	53	8	17	64	62	64	155	352	530	554	312	-
Male	1,206	36	5	9	50	45	39	93	237	316	275	101	-
Female	965	17	3	8	14	17	25	62	115	214	279	211	-
All other	671	44	8	5	20	26	40	79	127	159	116	47	-
Male	376	23	4	2	16	19	24	45	72	96	55	20	-
Female	295	21	4	3	4	7	16	34	55	63	61	27	-
Billings, Mont	710	20	3	2	24	20	14	45	105	150	179	147	1
Male	377	12	2	2	11	17	6	31	72	84	88	52	-
Female	333	8	1	-	13	3	8	14	33	66	91	95	1
White	704	20	3	2	24	17	13	44	104	150	179	147	1
Male	373	12	2	2	11	15	6	30	71	84	88	52	-
Female	331	8	1	-	13	2	7	14	33	66	91	95	1
All other	6	-	-	-	-	3	1	1	1	-	-	-	-
Male	4	-	-	-	-	2	-	1	1	-	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-
Biloxi-Gulfport, Miss	1,236	29	10	9	43	28	47	112	232	298	274	153	1
Male	701	17	5	7	34	21	33	69	153	170	133	58	1
Female	535	12	5	2	9	7	14	43	79	128	141	95	-
White	1,020	19	7	6	32	24	34	88	195	251	234	129	1
Male	598	11	3	6	27	19	24	56	134	146	119	52	1
Female	422	8	4	-	5	5	10	32	61	105	115	77	-
All other	216	10	3	3	11	4	13	24	37	47	40	24	-
Male	103	6	2	1	7	2	9	13	19	24	14	6	-
Female	113	4	1	2	4	2	4	11	18	23	26	18	-
Binghamton, N.Y.-Pa	2,705	58	-	14	59	48	69	175	401	652	712	516	1
Male	1,444	32	-	9	49	35	38	116	258	379	354	174	-
Female	1,261	26	-	5	10	13	31	59	143	273	358	342	1
White	2,682	54	-	14	57	48	67	171	397	647	710	516	1
Male	1,427	30	-	9	47	35	37	114	254	375	352	174	-
Female	1,255	24	-	5	10	13	30	57	143	272	358	342	1
All other	23	4	-	-	2	-	2	4	4	5	2	-	-
Male	17	2	-	-	2	-	1	2	4	4	2	-	-
Female	6	2	-	-	-	-	1	2	-	1	-	-	-
Birmingham, Ala	7,595	177	40	38	183	230	251	623	1,222	1,663	1,884	1,064	-
Male	4,190	91	20	21	145	160	152	397	803	1,117	906	378	-
Female	3,405	86	20	17	38	70	99	226	419	746	978	706	-
White	5,003	82	24	18	123	127	149	384	758	1,227	1,309	802	-
Male	2,748	44	14	11	97	90	92	245	519	751	621	264	-
Female	2,255	38	10	7	26	37	57	139	239	476	688	538	-
All other	2,592	95	16	20	60	103	102	239	464	436	575	262	-
Male	1,442	47	6	10	48	70	50	152	284	366	285	114	-
Female	1,150	48	10	10	12	33	42	87	180	270	290	168	-
Bloomington-Normal, Ill	858	26	5	6	18	17	22	46	103	195	250	170	-
Male	463	17	1	4	14	11	11	34	68	118	123	62	-
Female	395	9	4	2	4	6	11	12	35	77	127	108	-
White	844	21	4	6	18	16	22	46	103	193	249	166	-
Male	454	13	1	4	14	11	11	34	68	116	122	60	-
Female	390	8	3	2	4	5	11	12	35	77	127	106	-
All other	14	5	1	-	-	1	-	-	-	2	1	4	-
Male	9	4	-	-	-	-	-	-	-	2	1	2	-
Female	5	1	1	-	-	1	-	-	-	-	-	2	-
Boise City, Idaho	1,036	30	6	13	40	44	32	80	146	220	220	204	1
Male	559	20	3	9	31	34	16	55	91	131	92	77	-
Female	477	10	3	4	9	10	16	25	55	89	128	127	1
White	1,027	30	6	13	39	44	31	80	144	217	218	204	1
Male	553	20	3	9	30	34	15	55	90	129	91	77	-
Female	474	10	3	4	9	10	16	25	54	88	127	127	1
All other	9	-	-	-	1	-	1	-	2	3	2	-	-
Male	6	-	-	-	1	-	1	-	1	2	1	-	-
Female	3	-	-	-	-	-	-	-	1	1	1	-	-
Boston-Lowell-Lawrence, Mass	29,322	430	61	104	530	547	650	1,906	4,060	6,506	6,322	6,101	5
Male	14,660	243	34	64	391	401	415	1,190	2,457	3,710	3,800	1,952	3
Female	14,662	187	27	40	139	146	235	716	1,603	2,896	4,522	4,149	2
White	28,283	361	48	93	496	475	581	1,778	3,880	6,439	6,126	6,001	5
Male	14,079	208	26	58	371	350	365	1,112	2,344	3,631	3,684	1,917	3
Female	14,204	153	22	35	125	125	216	666	1,536	2,808	4,432	4,084	2
All other	1,039	69	13	11	34	72	69	128	180	167	196	100	-
Male	581	35	8	6	20	51	50	78	113	79	106	35	-
Female	458	34	5	5	14	21	19	50	67	88	90	65	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bridgeport-Stamford-Norwalk, Conn	6,722	118	15	29	135	124	158	479	1,075	1,530	1,754	1,305	-
Male	3,424	65	9	12	112	85	85	304	668	879	783	422	-
Female	3,298	53	6	17	23	39	73	175	407	651	971	883	-
White	6,316	81	12	24	129	90	129	420	1,004	1,443	1,705	1,279	-
Male	3,195	45	7	9	107	64	68	264	621	833	761	416	-
Female	3,121	36	5	15	22	26	61	156	383	610	944	863	-
All other	406	37	3	5	6	34	29	59	71	87	49	26	-
Male	229	20	2	3	5	21	17	40	47	46	22	6	-
Female	177	17	1	2	1	13	12	19	24	41	27	20	-
Brockton, Mass	3,049	58	14	22	89	50	88	199	419	721	792	617	-
Male	1,605	41	9	14	55	37	55	133	277	424	359	201	-
Female	1,444	17	5	8	14	13	33	66	142	297	433	416	-
White	2,995	55	14	22	66	49	79	196	407	710	787	610	-
Male	1,577	40	9	14	54	37	49	133	270	419	356	196	-
Female	1,418	15	5	8	12	12	30	63	137	291	431	414	-
All other	54	3	-	-	3	1	9	3	12	11	5	7	-
Male	28	1	-	-	1	-	6	-	7	5	3	5	-
Female	26	2	-	-	2	1	3	3	5	6	2	2	-
Brownsville-Harlingen-San Benito, Tex	1,211	42	14	13	41	34	29	93	184	296	311	171	3
Male	664	23	11	7	32	26	17	56	95	176	169	50	2
Female	547	19	3	6	9	8	12	37	89	120	142	121	1
White	1,204	41	14	13	41	34	29	93	183	294	310	169	3
Male	660	22	11	7	32	26	17	56	95	175	168	49	2
Female	544	19	3	6	9	8	12	37	88	119	142	120	1
All other	7	1	-	-	-	-	-	-	1	2	1	2	-
Male	4	1	-	-	-	-	-	-	-	1	1	1	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Bryan-College Station, Tex	435	14	5	3	16	9	24	28	61	89	124	61	-
Male	234	8	3	1	12	6	12	23	35	64	48	22	-
Female	201	6	2	2	4	3	12	6	26	25	76	39	-
White	335	9	4	3	12	5	13	16	53	65	88	57	-
Male	160	5	3	1	10	4	5	14	30	50	39	19	-
Female	155	4	1	2	2	1	8	2	23	15	59	38	-
All other	100	5	1	-	4	4	11	13	8	24	26	4	-
Male	54	3	-	-	2	2	7	9	5	14	9	3	-
Female	46	2	1	-	2	2	4	4	3	10	17	1	-
Buffalo, N.Y	12,276	186	30	46	221	219	285	877	2,048	2,970	3,391	2,062	1
Male	6,538	111	14	29	161	154	173	537	1,296	1,761	1,558	744	-
Female	5,738	75	16	17	60	65	112	340	752	1,209	1,773	1,318	1
White	11,297	137	24	38	182	178	227	740	1,851	2,762	3,163	1,984	1
Male	5,886	84	11	23	143	128	142	456	1,187	1,635	1,459	718	-
Female	5,311	53	13	15	49	50	85	284	664	1,127	1,704	1,266	1
All other	979	49	6	8	29	41	58	137	197	208	168	78	-
Male	552	27	3	6	18	26	31	81	109	126	99	26	-
Female	427	22	3	2	11	15	27	56	88	82	69	52	-
Canton, Ohio	3,397	80	16	15	70	61	81	243	531	757	937	606	-
Male	1,852	47	11	9	57	44	44	155	350	443	454	238	-
Female	1,545	33	5	6	13	17	37	88	181	314	483	368	-
White	3,209	74	12	13	66	54	77	220	487	709	909	588	-
Male	1,749	46	7	8	54	38	41	139	320	427	439	280	-
Female	1,460	28	5	5	12	16	36	81	167	282	470	358	-
All other	188	6	4	2	4	7	4	23	44	48	28	18	-
Male	103	1	4	1	3	6	3	16	30	16	15	8	-
Female	85	5	-	1	1	1	1	7	14	32	13	10	-
Cedar Rapids, Iowa	1,183	26	7	8	29	18	34	59	149	258	348	247	-
Male	614	15	3	6	19	16	25	37	100	151	159	83	-
Female	569	11	4	2	10	2	9	22	49	107	189	164	-
White	1,166	24	7	8	27	18	30	58	147	257	346	246	-
Male	602	14	3	6	17	16	21	35	99	151	157	83	-
Female	564	10	4	2	10	2	9	21	48	106	189	163	-
All other	17	2	-	-	2	-	4	3	2	1	2	1	-
Male	12	1	-	-	2	-	4	2	1	-	2	-	-
Female	5	1	-	-	-	-	-	1	1	1	-	1	-
Champaign-Urbana, Ill	886	28	8	9	23	28	23	57	117	189	226	178	-
Male	485	18	3	7	19	22	15	36	75	113	117	60	-
Female	401	10	5	2	4	6	8	21	42	76	109	118	-
White	805	20	6	8	20	24	20	49	102	170	213	173	-
Male	440	13	3	6	17	18	13	33	68	100	111	58	-
Female	365	7	3	2	3	6	7	16	34	70	102	115	-
All other	81	8	2	1	3	4	3	8	15	19	13	5	-
Male	45	5	-	1	2	4	2	3	7	13	6	2	-
Female	36	3	2	-	1	-	1	5	8	6	7	3	-
Charleston, S.C	2,372	114	14	26	77	91	120	264	461	608	420	177	-
Male	1,355	54	9	22	60	66	83	173	293	337	198	60	-
Female	1,017	60	5	4	17	25	37	91	168	271	222	117	-
White	1,382	53	8	19	47	47	57	131	245	355	290	130	-
Male	797	24	6	15	38	32	41	91	161	204	147	38	-
Female	585	29	2	4	9	15	16	40	84	151	143	92	-
All other	990	61	6	7	30	44	63	133	216	253	130	47	-
Male	558	30	3	7	22	34	42	82	132	133	51	22	-
Female	432	31	3	-	8	10	21	51	84	120	79	25	-
Charleston, W. Va	2,204	44	9	7	52	53	63	183	368	552	597	336	-
Male	1,216	23	3	3	38	36	41	116	208	340	270	138	-
Female	988	21	6	4	14	17	22	67	160	212	267	198	-
White	2,011	34	7	7	44	48	58	168	344	516	484	301	-
Male	1,110	20	2	3	34	32	37	106	197	318	242	119	-
Female	901	14	5	4	10	16	21	62	147	198	242	182	-
All other	193	10	2	-	8	5	5	15	24	36	53	35	-
Male	106	3	1	-	4	4	4	10	11	22	28	19	-
Female	87	7	1	-	4	1	1	5	13	14	25	16	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charlotte, N.C	3,213	110	15	23	88	117	142	297	576	717	722	406	-
Male	1,751	59	7	14	61	85	86	199	363	427	325	125	-
Female	1,462	51	8	9	27	32	56	98	213	290	397	281	-
White	2,283	41	8	15	60	64	75	181	388	515	585	353	-
Male	1,222	20	3	9	40	48	41	125	249	322	263	104	-
Female	1,061	21	5	6	20	18	34	56	137	193	322	249	-
All other	930	69	7	8	28	53	67	116	190	202	137	53	-
Male	529	39	4	5	21	39	45	74	114	105	62	21	-
Female	401	30	3	3	7	14	22	42	76	97	75	32	-
Chattanooga, Tenn.-Ga	2,991	62	3	13	76	90	97	253	484	771	727	415	-
Male	1,624	31	2	3	57	66	64	166	304	469	318	144	-
Female	1,367	31	1	10	19	24	33	87	180	302	409	271	-
White	2,386	42	2	9	62	69	66	182	377	597	600	380	-
Male	1,308	19	1	2	49	53	43	122	259	372	261	127	-
Female	1,078	23	1	7	13	16	23	60	118	225	339	253	-
All other	605	20	1	4	14	21	31	71	107	174	127	35	-
Male	316	12	1	1	8	13	21	44	45	97	57	17	-
Female	289	8	-	3	6	8	10	27	62	77	70	18	-
Chicago, Ill	60,619	1,919	263	323	1,597	1,735	2,067	4,983	10,123	13,867	14,882	9,234	26
Male	32,968	1,108	141	202	1,207	1,241	1,336	3,214	6,476	7,956	6,803	3,271	13
Female	27,651	811	122	121	390	494	731	1,769	3,647	5,911	7,879	5,963	13
White	48,902	983	150	203	1,111	1,033	1,278	3,453	7,937	11,466	12,818	8,446	24
Male	26,080	578	81	121	859	763	811	2,234	5,103	6,663	5,880	2,984	13
Female	22,812	405	69	82	252	270	467	1,219	2,834	4,803	6,938	5,462	11
All other	11,917	936	113	120	486	702	789	1,530	2,186	2,401	1,864	788	2
Male	6,878	530	60	81	348	478	525	980	1,373	1,293	923	287	-
Female	5,039	406	53	39	138	224	264	550	813	1,108	941	501	2
Cincinnati, Ohio-Ky.-Ind	12,653	263	36	50	260	243	361	915	1,939	3,012	3,303	2,270	1
Male	6,619	144	24	31	187	162	212	581	1,186	1,756	1,581	754	1
Female	6,034	119	12	19	73	81	149	334	753	1,256	1,722	1,516	-
White	11,068	190	27	42	233	189	282	741	1,824	2,825	2,983	2,131	1
Male	5,760	104	20	27	170	132	172	471	1,009	1,545	1,419	690	1
Female	5,308	86	7	15	63	57	110	270	815	1,080	1,564	1,441	-
All other	1,585	73	9	8	27	54	79	174	315	387	320	139	-
Male	859	40	4	4	17	30	40	110	177	211	162	64	-
Female	726	33	5	4	10	24	39	64	138	176	158	75	-
Cleveland, Ohio	18,125	372	58	88	460	444	555	1,324	3,185	4,219	4,541	2,867	2
Male	9,730	201	39	52	357	324	350	828	2,026	2,434	2,121	997	1
Female	8,395	171	19	36	103	120	205	496	1,159	1,785	2,420	1,870	1
White	14,937	229	28	65	326	265	357	945	2,537	3,597	3,939	2,648	1
Male	7,891	119	16	42	256	191	229	587	1,626	2,092	1,825	903	1
Female	7,046	110	10	23	69	74	128	358	911	1,505	2,114	1,745	-
All other	3,188	143	30	23	134	179	198	379	658	622	602	219	1
Male	1,839	82	21	10	99	133	121	241	400	342	296	94	-
Female	1,349	61	9	13	35	46	77	138	258	280	306	125	1
Colorado Springs, Colo	1,704	73	13	16	74	43	77	127	259	325	399	296	-
Male	914	40	6	10	59	33	53	73	162	165	193	100	-
Female	790	33	7	6	15	10	24	54	97	140	206	196	-
White	1,628	63	10	14	69	42	65	117	249	320	389	290	-
Male	875	37	5	9	54	33	45	70	157	183	188	94	-
Female	753	26	5	5	15	9	20	47	92	137	201	196	-
All other	76	10	3	2	5	1	12	10	10	5	10	6	-
Male	39	3	1	1	5	-	8	3	5	2	5	6	-
Female	37	7	2	1	-	1	4	7	5	3	5	2	-
Columbia, Mo	549	24	4	2	20	13	12	19	75	116	133	131	-
Male	278	11	3	1	13	6	7	13	47	73	63	41	-
Female	271	13	1	1	7	7	5	6	28	43	70	90	-
White	514	21	4	2	18	12	11	17	67	110	127	125	-
Male	260	11	3	1	13	5	6	13	40	68	59	41	-
Female	254	10	1	1	5	7	5	4	27	42	68	84	-
All other	35	3	-	-	2	1	1	2	8	6	6	6	-
Male	18	-	-	-	-	1	1	-	7	5	4	-	-
Female	17	3	-	-	2	-	-	2	1	1	2	6	-
Columbia, S.C	2,636	85	12	22	85	88	128	294	551	676	583	332	-
Male	1,571	46	6	9	65	63	80	201	359	388	249	105	-
Female	1,265	39	6	13	20	25	48	93	192	288	314	227	-
White	1,952	36	4	12	57	47	70	176	373	475	440	262	-
Male	1,068	20	2	3	45	34	43	121	247	278	196	79	-
Female	884	16	2	9	12	13	27	55	126	197	244	188	-
All other	884	49	8	10	28	41	58	118	178	201	123	70	-
Male	503	26	4	6	20	29	37	80	112	110	53	26	-
Female	381	23	4	4	8	12	21	38	66	91	70	44	-
Columbus, Ga.-Ala	1,883	80	6	16	47	62	93	170	360	465	407	177	-
Male	1,019	53	4	11	37	44	55	114	226	244	178	53	-
Female	864	27	2	5	10	18	38	56	134	221	229	124	-
White	1,200	41	3	10	31	28	45	88	234	294	285	141	-
Male	649	28	2	8	25	19	30	57	157	160	121	42	-
Female	551	13	1	2	6	9	15	31	77	134	164	99	-
All other	683	39	3	6	16	34	48	82	126	171	122	36	-
Male	370	25	2	3	12	25	25	57	69	84	57	11	-
Female	313	14	1	3	4	9	23	25	57	87	65	25	-
Columbus, Ohio	7,306	205	23	54	195	193	257	605	1,199	1,589	1,622	1,166	-
Male	3,889	119	13	33	139	125	162	386	749	938	844	391	-
Female	3,409	86	10	21	56	68	95	219	450	651	978	775	-
White	6,240	145	18	46	156	149	187	475	1,024	1,368	1,601	1,071	-
Male	3,269	87	11	29	111	97	123	296	648	809	725	351	-
Female	2,951	58	7	17	45	52	64	177	376	559	876	720	-
All other	1,066	60	5	8	39	44	70	130	175	221	221	95	-
Male	610	32	2	4	28	28	39	88	101	129	119	40	-
Female	456	28	3	4	11	16	31	42	74	92	102	55	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Corpus Christi, Tex	2,140	76	10	25	85	73	84	187	342	526	465	266	1
Male	1,204	46	5	12	62	66	50	121	212	331	214	85	-
Female	936	30	5	13	23	7	34	66	130	195	251	181	1
White	2,016	72	9	23	81	64	75	175	310	496	448	263	-
Male	1,125	44	5	10	60	57	45	111	184	311	204	84	-
Female	891	28	4	13	21	7	30	64	126	185	244	179	-
All other	124	4	1	2	4	9	9	12	32	30	17	3	1
Male	79	2	-	2	2	9	5	10	16	20	10	1	-
Female	45	2	1	-	2	-	4	2	14	10	7	2	1
Dallas, Tex	12,932	428	80	103	443	496	568	1,102	2,012	2,833	2,977	1,888	2
Male	7,042	243	47	64	319	346	367	700	1,317	1,652	1,367	618	2
Female	5,890	185	33	39	124	150	201	402	695	1,181	1,610	1,270	-
White	10,593	267	60	83	328	347	381	808	1,662	2,348	2,572	1,735	2
Male	5,683	146	34	50	238	247	242	520	1,109	1,388	1,161	552	2
Female	4,910	121	26	33	90	100	139	288	559	960	1,411	1,183	-
All other	2,339	161	20	20	115	149	187	294	350	485	405	153	-
Male	1,359	97	13	14	81	99	125	180	214	264	206	66	-
Female	980	64	7	6	34	50	62	114	136	221	199	87	-
Davenport-Rock Island-Moline, Iowa-Ill	3,245	88	11	23	74	65	71	198	493	747	874	601	-
Male	1,735	51	8	12	56	41	48	118	303	455	434	209	-
Female	1,510	37	3	11	18	24	23	80	190	292	440	392	-
White	3,154	75	10	21	70	58	64	192	478	726	861	598	-
Male	1,686	45	8	12	54	38	44	114	294	444	428	207	-
Female	1,468	30	2	9	16	20	20	78	185	282	435	391	-
All other	91	13	1	2	4	7	7	6	14	21	13	3	-
Male	49	6	-	-	2	3	4	4	9	11	8	2	-
Female	42	7	1	2	2	4	3	2	5	10	5	1	-
Dayton, Ohio	6,380	174	43	48	183	159	176	548	1,060	1,464	1,502	1,029	-
Male	3,364	91	20	31	131	104	107	355	672	829	671	353	-
Female	3,016	83	23	17	52	49	69	193	388	635	831	676	-
White	5,512	116	33	41	151	119	135	450	886	1,276	1,362	941	-
Male	2,878	60	15	27	109	83	84	303	563	710	609	315	-
Female	2,634	56	18	14	42	36	51	147	323	566	753	626	-
All other	868	56	10	7	32	34	41	98	174	188	140	88	-
Male	486	31	5	4	22	21	23	52	109	119	62	38	-
Female	382	25	5	3	10	13	18	46	65	69	78	50	-
Decatur, Ill	1,221	37	8	7	29	21	26	62	184	278	313	256	-
Male	628	23	6	3	20	17	18	35	119	164	150	73	-
Female	593	14	2	4	9	4	8	27	65	114	163	183	-
White	1,153	31	8	5	28	19	23	57	177	257	298	250	-
Male	593	19	6	3	19	15	16	31	115	156	141	72	-
Female	560	12	2	2	9	4	7	26	62	101	157	178	-
All other	68	6	-	2	1	2	3	5	7	21	15	6	-
Male	35	4	-	-	1	2	2	4	4	8	9	1	-
Female	33	2	-	2	-	-	1	1	3	13	6	5	-
Denver, Colo	9,715	266	56	48	347	384	403	704	1,371	2,020	2,304	1,810	2
Male	5,267	141	31	36	246	287	268	445	874	1,210	1,099	630	2
Female	4,448	125	25	12	101	97	137	259	497	810	1,205	1,180	-
White	9,194	236	50	42	318	337	364	651	1,294	1,923	2,213	1,765	1
Male	4,970	124	27	32	226	254	240	415	825	1,156	1,056	614	1
Female	4,224	112	23	10	92	83	124	236	469	767	1,157	1,151	-
All other	521	30	6	6	29	47	39	53	77	97	91	45	1
Male	297	17	4	4	20	33	26	30	49	54	43	16	1
Female	224	13	2	2	9	14	13	23	28	43	48	29	-
Des Moines, Iowa	2,374	66	9	14	60	49	64	148	349	529	636	450	-
Male	1,260	42	5	7	46	36	37	94	230	317	302	144	-
Female	1,114	24	4	7	14	13	27	54	119	212	334	306	-
White	2,246	60	9	12	53	44	61	134	331	503	609	430	-
Male	1,183	38	5	5	40	32	35	88	217	300	289	134	-
Female	1,063	22	4	7	13	12	26	46	114	203	320	296	-
All other	128	6	-	2	7	5	3	14	18	26	27	20	-
Male	77	4	-	2	6	4	2	6	13	17	13	10	-
Female	51	2	-	-	1	1	1	8	5	9	14	10	-
Detroit, Mich	33,818	878	161	219	951	1,014	1,178	3,009	5,817	7,439	8,269	4,983	-
Male	18,773	485	89	127	614	691	741	1,931	3,630	4,412	4,158	1,895	-
Female	15,045	393	72	92	337	323	437	1,078	2,187	3,027	4,111	3,088	-
White	28,471	497	98	151	588	549	680	2,047	4,436	5,935	7,000	4,490	-
Male	14,553	285	58	93	425	379	413	1,320	2,791	3,566	3,507	1,716	-
Female	11,918	212	40	58	163	170	267	727	1,645	2,369	3,493	2,774	-
All other	7,347	381	63	68	263	465	498	962	1,381	1,504	1,269	493	-
Male	4,220	210	31	34	189	302	328	611	839	846	651	179	-
Female	3,127	171	32	34	74	163	170	351	542	658	618	314	-
Dubuque, Iowa	775	16	4	4	23	7	17	34	95	154	234	187	-
Male	372	9	1	1	20	5	10	19	71	84	99	53	-
Female	403	7	3	3	3	2	7	15	24	70	135	134	-
White	773	16	4	4	23	7	17	34	93	154	234	187	-
Male	371	9	1	1	20	5	10	19	70	84	99	53	-
Female	402	7	3	3	3	2	7	15	23	70	135	134	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Duluth-Superior, Minn.-Wis	2,612	44	7	20	57	40	49	141	367	646	702	538	1
Male	1,481	29	6	11	42	28	34	95	224	408	378	225	1
Female	1,131	15	1	9	15	12	15	46	143	238	324	313	-
White	2,590	41	7	20	56	40	47	138	364	639	700	537	1
Male	1,471	28	6	11	41	28	33	93	223	404	378	225	1
Female	1,119	13	1	9	15	12	14	45	141	235	322	312	-
All other	22	3	-	-	1	-	2	3	3	7	2	1	-
Male	10	1	-	-	1	-	1	2	1	4	-	-	-
Female	12	2	-	-	-	-	1	1	2	3	2	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Durham, N.C	1,694	50	5	11	43	50	62	136	285	430	416	206	-
Male	943	37	2	7	30	34	39	87	177	259	194	77	-
Female	751	13	3	4	13	16	23	49	108	171	222	129	-
White	1,128	29	-	7	24	23	33	91	185	278	293	165	-
Male	640	25	-	6	19	16	24	55	120	171	142	62	-
Female	488	4	-	1	5	7	9	36	65	107	151	103	-
All other	566	21	5	4	19	27	29	45	100	152	123	41	-
Male	303	12	2	1	11	18	15	32	57	68	52	15	-
Female	263	9	3	3	8	9	14	13	43	84	71	26	-
El Paso, Tex	2,377	89	17	32	116	79	93	206	382	516	511	325	1
Male	1,344	60	15	19	93	60	58	117	257	308	253	105	1
Female	1,033	39	2	13	23	19	37	89	125	208	258	220	-
White	2,285	93	16	31	109	73	85	191	372	498	496	320	1
Male	1,294	56	14	19	87	54	52	109	253	300	245	103	1
Female	991	37	2	12	22	19	33	82	119	198	250	217	-
All other	92	8	1	1	7	6	8	15	10	18	15	5	-
Male	50	4	1	-	6	6	4	8	4	8	7	2	-
Female	42	2	-	1	1	-	4	7	6	10	8	3	-
Erie, Pa	2,382	73	6	16	48	46	68	160	373	550	613	411	-
Male	1,285	38	5	14	39	34	40	95	223	328	292	157	-
Female	1,097	35	1	2	9	12	28	65	150	222	321	254	-
White	2,301	61	6	16	47	45	61	154	361	536	604	410	-
Male	1,228	31	5	14	39	34	37	94	215	314	288	157	-
Female	1,073	30	1	2	8	11	24	60	146	222	316	253	-
All other	81	12	-	-	1	1	5	6	12	14	9	1	-
Male	57	7	-	-	-	-	3	1	8	14	4	-	-
Female	24	5	-	-	1	1	2	5	4	-	5	1	-
Eugene, Oreg	1,815	40	6	8	43	64	65	128	264	447	442	306	-
Male	1,018	24	3	5	31	48	42	76	159	271	247	112	-
Female	797	16	3	3	12	16	23	52	105	176	195	196	-
White	1,808	40	6	7	42	63	65	127	263	446	442	307	-
Male	1,013	24	3	4	30	47	42	76	158	270	247	112	-
Female	795	16	3	3	12	16	23	51	105	176	195	195	-
All other	7	-	-	1	1	1	-	1	1	1	-	1	-
Male	5	-	-	1	1	1	-	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	1	-
Evansville, Ind.-Ky	2,355	54	9	8	69	33	53	168	350	567	617	427	-
Male	1,260	31	3	4	53	22	33	113	234	349	282	136	-
Female	1,095	23	6	4	16	11	20	55	116	218	335	291	-
White	2,207	40	6	8	63	30	45	161	326	524	568	416	-
Male	1,176	22	1	4	51	19	29	109	217	322	268	134	-
Female	1,031	18	5	4	12	11	16	52	109	202	320	282	-
All other	148	14	3	-	6	3	8	7	24	43	29	11	-
Male	84	9	2	-	2	3	4	4	17	27	14	2	-
Female	64	5	1	-	4	-	4	3	7	16	15	9	-
Fall River-New Bedford, Mass	4,438	65	10	16	87	69	77	278	642	1,061	1,251	882	-
Male	2,339	42	2	14	64	49	53	176	413	658	586	280	-
Female	2,099	23	8	2	23	20	24	102	229	403	663	602	-
White	4,393	65	10	15	85	68	75	273	633	1,051	1,240	878	-
Male	2,311	42	2	13	63	49	51	172	406	651	582	278	-
Female	2,082	23	8	2	22	19	24	101	225	400	658	600	-
All other	45	-	-	1	2	1	2	5	9	10	11	4	-
Male	28	-	-	1	1	-	2	4	5	7	6	2	-
Female	17	-	-	-	1	1	-	1	4	3	5	2	-
Fargo-Moorhead, N. Dak.-Minn	884	22	1	3	9	24	21	71	108	182	243	200	-
Male	482	12	1	2	7	18	14	48	74	106	121	79	-
Female	402	10	-	1	2	6	7	23	34	76	122	121	-
White	880	20	1	3	9	23	21	70	108	182	243	200	-
Male	480	11	1	2	7	17	14	48	74	106	121	79	-
Female	400	9	-	1	2	6	7	22	34	76	122	121	-
All other	4	2	-	-	-	1	-	1	-	-	-	-	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	1	-	-	-	-	-
Fayetteville, N.C	1,262	75	11	17	78	54	72	148	208	274	224	99	2
Male	723	32	7	9	63	39	44	101	136	165	93	33	1
Female	539	43	4	8	15	15	28	47	72	109	131	66	1
White	815	38	6	8	56	23	39	96	140	185	168	77	1
Male	477	14	4	4	46	16	24	72	95	107	66	28	1
Female	338	22	2	4	10	7	15	24	45	58	102	49	-
All other	447	39	5	9	22	31	33	52	68	109	56	22	1
Male	246	18	3	5	17	23	20	29	41	58	27	5	-
Female	201	21	2	4	5	8	13	23	27	51	29	17	1
Flint, Mich	3,647	134	17	30	96	108	140	336	569	815	646	555	1
Male	2,032	73	12	21	77	74	92	218	378	470	416	200	1
Female	1,615	61	5	9	19	34	48	118	191	345	430	355	-
White	3,187	84	14	25	81	73	106	275	490	727	781	530	1
Male	1,739	42	10	17	64	52	67	172	330	416	378	190	1
Female	1,448	42	4	8	17	21	39	103	160	311	403	340	-
All other	460	50	3	5	15	35	34	61	79	88	65	25	-
Male	293	31	2	4	13	22	25	46	48	54	38	10	-
Female	167	19	1	1	2	13	9	15	31	34	27	15	-
Fort Lauderdale-Hollywood, Fla	11,334	192	41	42	204	216	258	587	1,411	3,309	3,506	1,568	-
Male	6,572	107	26	37	143	161	163	374	853	2,005	2,022	681	-
Female	4,762	85	15	5	61	55	95	213	558	1,304	1,484	887	-
White	10,528	165	22	25	163	165	192	485	1,280	3,140	3,413	1,568	-
Male	6,083	88	14	22	113	120	120	306	787	1,913	1,972	670	-
Female	4,445	39	8	3	50	45	72	179	513	1,227	1,441	898	-
All other	806	87	19	17	41	51	66	102	131	169	93	30	-
Male	489	41	12	15	30	41	43	68	86	92	50	11	-
Female	317	46	7	2	11	10	23	34	45	77	43	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark.-Okla.	1,607	37	9	14	35	40	52	114	238	416	507	344	1
Male	1,018	28	6	11	29	32	30	71	159	254	262	135	1
Female	789	9	3	3	6	8	22	43	79	162	245	209	-
White	1,594	33	6	13	31	39	47	104	223	382	482	333	1
Male	949	26	3	10	26	31	26	65	148	234	247	132	1
Female	745	7	3	3	5	8	21	39	75	148	235	201	-
All other	113	4	3	1	4	1	5	10	15	34	25	11	-
Male	69	2	3	1	3	1	4	6	11	20	15	3	-
Female	44	2	-	-	1	-	1	4	4	14	10	8	-
Fort Wayne, Ind	2,258	63	5	24	60	53	53	168	312	522	595	413	-
Male	1,128	44	4	14	43	36	32	96	187	287	262	123	-
Female	1,130	19	1	10	17	17	21	72	125	235	333	290	-
White	2,106	51	5	18	51	50	44	149	285	495	564	400	-
Male	1,050	35	4	10	38	33	27	89	172	279	253	118	-
Female	1,056	16	1	8	15	17	17	60	113	216	311	282	-
All other	152	12	-	6	9	3	9	25	27	27	21	13	-
Male	78	9	-	4	7	3	5	13	15	8	9	5	-
Female	74	3	-	2	2	-	4	12	12	19	12	8	-
Fort Worth, Tex	6,717	210	36	40	238	232	304	553	1,034	1,527	1,560	983	-
Male	3,650	104	17	25	188	169	195	328	671	931	700	322	-
Female	3,067	106	19	15	50	63	109	225	363	596	860	661	-
White	5,849	154	30	34	207	186	250	462	874	1,334	1,402	916	-
Male	3,196	76	13	22	162	132	162	276	582	835	637	299	-
Female	2,653	78	17	12	45	54	88	186	292	499	765	617	-
All other	868	56	6	6	31	46	54	91	160	193	158	67	-
Male	454	28	4	3	26	37	33	52	89	96	63	23	-
Female	414	28	2	3	5	9	21	39	71	97	95	44	-
Fresno, Calif	3,626	104	25	27	158	130	134	262	485	782	838	668	3
Male	2,095	68	19	14	119	106	84	157	311	519	445	251	2
Female	1,531	36	6	13	39	24	50	105	174	273	393	417	1
White	3,303	87	20	25	139	115	116	231	437	712	781	627	3
Male	1,891	56	16	13	108	94	70	144	278	467	413	231	2
Female	1,412	31	5	12	31	21	46	87	159	245	378	396	1
All other	323	17	5	2	19	15	18	31	48	80	47	41	-
Male	204	12	4	1	11	12	14	13	33	52	32	20	-
Female	119	5	1	1	8	3	4	18	15	28	15	21	-
Gadsden, Ala	1,030	22	1	7	20	18	26	79	177	282	267	131	-
Male	578	9	-	5	16	13	18	50	118	173	139	37	-
Female	452	13	1	2	4	5	8	29	59	109	128	94	-
White	859	11	1	6	17	12	20	63	142	231	234	122	-
Male	484	4	-	4	15	8	14	40	96	149	119	35	-
Female	375	7	1	2	2	4	6	23	46	82	115	87	-
All other	171	11	-	1	3	6	6	16	35	51	33	9	-
Male	94	5	-	1	1	5	4	10	22	24	20	2	-
Female	77	6	-	-	2	1	2	6	13	27	13	7	-
Gainesville, Fla	850	31	7	8	27	29	24	64	147	235	178	100	-
Male	464	15	5	3	19	20	16	41	95	145	91	32	-
Female	386	16	2	5	8	9	8	23	52	90	87	68	-
White	580	21	6	6	21	21	11	37	88	158	130	83	-
Male	324	8	4	2	15	13	10	24	59	98	67	24	-
Female	256	13	2	4	6	8	1	13	27	60	63	59	-
All other	270	10	1	2	6	8	13	27	61	77	48	17	-
Male	160	7	1	1	4	7	8	17	36	47	24	8	-
Female	110	3	-	1	2	1	5	10	25	30	24	9	-
Galveston-Texas City, Tex	1,578	58	12	11	54	61	62	137	265	388	363	189	-
Male	913	31	6	5	36	50	40	90	170	222	189	72	-
Female	665	25	6	6	18	11	22	47	95	146	174	117	-
White	1,235	28	10	7	44	44	45	107	226	285	285	154	-
Male	718	17	5	4	28	36	28	70	150	174	147	59	-
Female	517	11	5	3	16	8	17	37	76	111	138	95	-
All other	343	28	2	4	10	17	17	30	39	83	78	35	-
Male	195	14	1	1	10	14	12	20	20	48	42	13	-
Female	148	14	1	3	-	3	5	10	19	35	36	22	-
Gary-Hammond-East Chicago, Ind	5,016	165	28	51	178	176	192	448	908	1,161	1,100	606	3
Male	2,838	89	15	26	138	132	136	254	591	677	547	233	2
Female	2,178	76	13	25	42	44	56	194	317	484	553	373	1
White	3,954	101	17	37	123	97	131	328	700	923	953	543	1
Male	2,227	58	10	19	91	75	90	188	460	554	472	209	1
Female	1,727	43	7	18	32	22	41	140	240	369	481	334	-
All other	1,062	64	11	14	55	79	61	120	208	238	147	63	2
Male	611	31	5	7	45	57	46	66	131	123	75	24	1
Female	451	33	6	7	10	22	15	54	77	115	72	39	1
Grand Rapids, Mich	4,309	144	22	25	101	101	99	241	579	927	1,183	686	1
Male	2,261	87	13	14	64	74	61	158	375	551	558	305	1
Female	2,048	57	9	11	37	27	38	83	204	376	625	581	-
White	4,105	113	20	24	92	88	88	214	543	892	1,155	877	1
Male	2,138	69	12	14	58	61	55	139	351	528	545	303	1
Female	1,969	44	8	10	34	25	33	75	192	364	610	574	-
All other	204	31	2	1	9	15	11	27	36	35	28	9	-
Male	125	18	1	-	6	13	8	19	24	23	13	2	-
Female	79	13	1	1	3	2	5	8	12	12	15	7	-
Great Falls, Mont	658	17	2	6	25	20	14	44	91	139	168	132	-
Male	382	6	1	4	17	15	9	26	50	95	83	56	-
Female	296	11	1	2	8	5	5	18	41	44	85	76	-
White	636	16	2	6	22	17	10	41	90	135	165	132	-
Male	347	6	1	4	14	13	6	25	49	92	81	56	-
Female	289	10	1	2	8	4	4	16	41	43	84	76	-
All other	22	1	-	-	3	3	4	3	1	4	3	-	-
Male	15	-	-	-	3	2	3	1	1	3	2	-	-
Female	7	1	-	-	-	1	1	2	-	1	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Green Bay, Wis	1,126	33	4	10	47	26	28	76	149	232	295	225	1
Male	611	16	2	7	34	22	18	42	98	139	145	87	1
Female	515	17	2	3	13	4	10	34	51	93	150	138	-
White	1,110	31	4	10	44	25	28	74	149	228	292	224	1
Male	604	15	2	7	32	22	18	42	98	136	145	86	1
Female	506	16	2	3	12	3	10	32	51	92	147	138	-
All other	16	2	-	-	3	1	-	2	-	4	3	1	-
Male	7	1	-	-	2	-	-	-	-	3	-	1	-
Female	9	1	-	-	1	1	-	2	-	1	3	-	-
Greensboro--Winston-Salem--High Point, N.C	5,279	105	15	28	132	149	217	505	899	1,253	1,292	684	-
Male	2,922	50	8	16	98	113	154	332	581	762	583	225	-
Female	2,357	55	7	12	34	36	63	173	318	491	709	459	-
White	4,092	54	11	17	109	104	135	357	674	958	1,065	606	-
Male	2,270	23	6	8	79	85	96	245	450	592	484	202	-
Female	1,822	31	5	9	30	19	39	112	224	366	581	406	-
All other	1,187	51	4	11	23	45	82	148	225	295	227	76	-
Male	652	27	2	8	19	28	58	87	131	170	99	23	-
Female	535	24	2	3	4	17	24	61	94	125	128	53	-
Greenville, S.C	2,869	82	12	17	68	59	114	233	495	673	560	356	-
Male	1,496	45	9	11	51	37	77	169	325	413	260	99	-
Female	1,173	37	3	6	17	22	37	64	170	260	300	257	-
White	2,198	61	6	11	52	43	84	187	400	536	488	330	-
Male	1,231	33	4	8	42	28	59	138	259	335	232	93	-
Female	967	28	2	3	10	15	25	49	141	201	256	237	-
All other	471	21	6	6	16	16	30	46	95	137	72	26	-
Male	265	12	5	3	9	9	18	31	66	78	28	6	-
Female	206	9	1	3	7	7	12	15	29	59	44	20	-
Hamilton-Middletown, Ohio	1,831	47	8	15	41	56	85	161	253	428	473	284	-
Male	961	29	6	8	30	37	32	82	157	236	239	101	-
Female	870	18	2	7	11	19	33	69	96	192	240	183	-
White	1,713	41	6	13	36	51	58	151	238	398	449	272	-
Male	896	26	4	7	26	32	26	86	151	219	220	97	-
Female	817	15	2	6	10	19	30	65	87	179	229	175	-
All other	118	6	2	2	5	5	7	10	15	30	24	12	-
Male	65	3	2	1	4	5	4	6	6	17	13	4	-
Female	53	3	-	1	1	-	3	4	9	13	11	8	-
Harrisburg, Pa	3,924	85	16	22	66	53	97	282	573	858	1,038	733	1
Male	2,055	52	11	13	53	44	62	192	366	537	482	243	-
Female	1,869	33	5	9	13	9	35	90	207	421	556	490	1
White	3,658	65	14	20	58	48	82	248	518	807	984	713	1
Male	1,913	43	9	11	45	40	54	175	339	519	449	235	-
Female	1,745	22	5	9	13	8	28	73	179	394	535	478	1
All other	266	20	2	2	8	5	15	34	55	51	54	20	-
Male	142	9	2	2	8	4	8	17	27	24	33	8	-
Female	124	11	-	-	-	1	7	17	28	27	21	12	-
Hartford-New Britain-Bristol, Conn	6,661	134	18	26	150	136	180	430	952	1,506	1,781	1,347	1
Male	3,510	74	14	15	113	85	107	273	598	901	846	483	1
Female	3,151	60	4	11	37	51	73	157	354	605	935	864	-
White	6,308	99	12	25	136	118	148	377	885	1,453	1,739	1,316	-
Male	3,299	53	8	14	102	73	87	234	558	869	828	473	-
Female	3,009	46	4	11	34	45	61	143	327	584	911	843	-
All other	353	35	6	1	14	18	32	53	67	53	42	31	1
Male	211	21	6	1	11	12	20	39	40	32	18	10	1
Female	142	14	-	-	3	6	12	14	27	21	24	21	-
Honolulu, Hawaii	3,635	148	22	25	184	144	135	347	583	768	739	551	9
Male	2,144	96	15	17	126	99	80	222	367	508	384	226	4
Female	1,491	52	7	8	38	45	55	125	216	260	355	325	5
White	1,152	41	3	6	69	55	55	110	195	227	225	169	3
Male	678	30	2	3	58	41	36	83	127	136	107	54	1
Female	474	11	1	3	11	14	19	27	68	91	118	109	2
All other	2,483	107	19	19	95	89	80	237	388	541	514	388	6
Male	1,466	66	13	14	68	58	44	139	240	372	277	172	3
Female	1,017	41	6	5	27	31	36	98	148	169	237	216	3
Houston, Tex	16,868	697	132	174	897	922	909	1,782	2,686	3,500	3,339	1,828	2
Male	9,730	412	73	102	685	685	611	1,171	1,721	2,071	1,589	609	1
Female	7,138	285	59	72	212	237	298	611	965	1,429	1,750	1,219	1
White	13,160	482	86	121	680	668	629	1,328	2,107	2,726	2,752	1,581	2
Male	7,547	278	47	69	519	492	419	889	1,372	1,661	1,298	502	1
Female	5,613	204	39	52	161	174	210	439	735	1,065	1,454	1,079	1
All other	3,708	215	46	53	217	256	280	454	579	774	587	247	-
Male	2,183	134	26	33	166	193	192	282	349	410	291	107	-
Female	1,525	81	20	20	51	63	88	172	230	364	296	140	-
Huntington-Ashland, W.Va.-Ky.-Ohio	2,701	46	9	24	49	51	87	184	401	663	721	466	-
Male	1,463	26	6	13	40	34	56	125	234	397	350	182	-
Female	1,238	20	3	11	9	17	31	59	167	266	371	284	-
White	2,605	43	9	23	48	49	83	176	390	641	689	454	-
Male	1,417	25	6	12	40	33	53	120	231	384	335	178	-
Female	1,188	18	3	11	8	16	30	56	159	257	354	276	-
All other	96	3	-	1	1	2	4	8	11	22	32	12	-
Male	46	1	-	1	-	1	3	5	3	13	15	4	-
Female	50	2	-	-	1	1	1	3	8	9	17	8	-
Huntsville, Ala	1,670	45	8	16	66	40	88	182	276	401	366	202	-
Male	939	24	5	7	48	32	63	104	183	243	167	63	-
Female	731	21	3	9	18	8	25	58	93	158	199	139	-
White	1,381	32	4	15	55	32	68	125	227	326	319	178	-
Male	776	17	2	7	42	25	47	82	153	204	140	57	-
Female	605	15	2	8	13	7	21	43	74	122	179	121	-
All other	289	13	4	1	11	8	20	37	49	75	47	24	-
Male	163	7	3	-	6	7	16	22	30	39	27	6	-
Female	126	6	1	1	5	1	4	15	19	36	20	18	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Indianapolis, Ind	9,230	256	60	71	219	240	275	686	1,457	2,094	2,332	1,538	-
Male	4,943	160	40	35	156	164	172	437	940	1,249	1,095	495	-
Female	4,287	96	20	36	63	76	103	251	517	845	1,237	1,043	-
White	7,914	181	45	60	181	188	210	539	1,227	1,803	2,082	1,404	-
Male	4,198	113	29	30	128	123	135	339	783	1,087	980	440	-
Female	3,716	68	16	30	52	65	75	194	434	716	1,102	964	-
All other	1,316	75	15	11	38	52	66	155	230	291	250	134	-
Male	745	47	11	5	27	41	37	98	147	162	115	55	-
Female	571	28	4	6	11	11	28	57	83	129	135	79	-
Jackson, Mich	1,199	28	8	9	37	23	24	63	186	270	312	239	-
Male	604	14	5	1	29	15	14	35	119	157	153	82	-
Female	595	14	3	8	8	8	10	28	67	113	159	177	-
White	1,135	24	5	9	35	19	23	54	175	256	304	231	-
Male	572	12	3	1	27	13	13	29	114	149	149	82	-
Female	563	12	2	8	8	6	10	25	61	107	155	169	-
All other	64	4	3	-	2	4	1	9	11	14	8	8	-
Male	32	2	2	-	2	2	1	6	5	8	4	-	-
Female	32	2	1	-	-	2	-	3	6	6	4	8	-
Jackson, Miss	2,359	70	16	20	65	66	80	203	389	588	510	350	2
Male	1,291	41	7	14	42	57	57	130	242	331	250	119	1
Female	1,068	29	9	6	23	29	23	73	127	257	260	231	1
White	1,377	15	7	8	27	33	40	113	218	368	324	224	-
Male	738	8	2	5	17	20	29	74	149	222	144	68	-
Female	639	7	5	3	10	13	11	39	69	146	180	156	-
All other	982	55	9	12	38	53	40	90	151	220	186	126	2
Male	553	33	5	9	25	37	28	56	93	109	106	51	1
Female	429	22	4	3	13	16	12	34	58	111	80	75	1
Jacksonville, Fla	4,917	151	33	34	170	154	185	456	886	1,187	1,075	585	1
Male	2,620	84	19	24	116	97	111	280	544	686	474	184	1
Female	2,297	67	14	10	54	57	74	176	342	501	601	401	-
White	3,574	70	19	22	135	107	110	296	626	841	847	499	1
Male	1,892	45	10	16	85	72	63	181	388	464	372	156	-
Female	1,682	25	9	6	40	35	47	115	230	357	475	343	-
All other	1,343	81	14	12	35	47	75	160	258	346	228	86	1
Male	728	39	8	8	21	25	48	99	146	202	102	28	1
Female	615	42	6	4	14	22	27	61	112	144	126	58	-
Jersey City, N.J	5,937	118	25	38	96	138	181	444	1,040	1,441	1,522	884	10
Male	3,126	66	14	19	72	100	123	275	637	819	670	321	10
Female	2,811	52	11	19	24	38	58	169	403	622	852	563	-
White	5,375	83	18	32	75	88	140	362	925	1,332	1,451	861	8
Male	2,823	45	10	16	58	61	94	228	580	762	645	318	8
Female	2,552	38	8	16	17	27	46	134	345	570	806	545	-
All other	562	35	7	6	21	50	41	82	115	109	71	23	2
Male	303	21	4	3	14	39	29	47	57	57	25	5	2
Female	259	14	3	3	7	11	12	35	58	52	46	18	-
Johnstown, Pa	2,600	42	2	14	50	41	51	154	421	688	659	477	1
Male	1,436	25	1	11	39	27	35	107	267	415	323	185	1
Female	1,164	17	1	3	11	14	16	47	154	273	336	292	-
White	2,562	40	2	14	50	39	50	152	416	675	649	474	1
Male	1,414	24	1	11	39	25	35	106	264	407	317	184	1
Female	1,148	16	1	3	11	14	15	46	152	268	332	290	-
All other	38	2	-	-	-	2	1	2	5	13	10	3	-
Male	22	1	-	-	-	2	-	1	3	8	6	1	-
Female	16	1	-	-	-	-	1	1	2	5	4	2	-
Kalamazoo, Mich	1,386	36	6	5	52	31	38	92	191	312	354	251	-
Male	716	22	3	5	37	27	24	58	127	170	171	72	-
Female	650	14	3	-	15	4	12	34	64	142	183	179	-
White	1,266	28	2	3	47	28	32	81	181	291	346	247	-
Male	670	17	1	3	33	24	21	53	121	160	167	70	-
Female	616	11	1	-	14	4	11	28	60	131	179	177	-
All other	80	8	4	2	5	3	4	11	10	21	6	4	-
Male	46	5	2	2	4	3	3	5	6	10	4	2	-
Female	34	3	2	-	1	-	1	6	4	11	4	2	-
Kansas City, Mo.-Kans	10,766	321	45	67	314	279	345	795	1,570	2,317	2,800	1,908	5
Male	5,641	158	33	43	223	174	222	486	991	1,368	1,300	642	1
Female	5,125	163	12	24	91	105	123	309	579	949	1,500	1,266	4
White	9,247	222	35	51	244	220	283	647	1,341	2,007	2,466	1,747	4
Male	4,814	116	26	31	176	140	165	396	848	1,198	1,143	574	1
Female	4,433	106	9	20	68	80	98	251	493	809	1,323	1,173	3
All other	1,519	99	10	16	70	59	82	148	229	310	334	161	1
Male	827	42	7	12	47	34	57	90	143	170	157	68	-
Female	692	57	3	4	23	25	25	58	86	140	177	93	1
Kenosha, Wis	1,008	27	-	4	19	22	39	61	129	226	281	208	2
Male	571	16	-	2	12	15	27	36	83	138	162	78	2
Female	437	11	-	2	7	7	12	15	46	88	119	130	-
White	990	23	-	4	18	22	37	50	125	223	278	208	2
Male	559	15	-	2	12	15	25	35	79	135	161	78	2
Female	431	8	-	2	6	7	12	15	46	88	117	130	-
All other	18	4	-	-	1	-	2	1	4	3	3	-	-
Male	12	1	-	-	-	-	2	1	4	3	1	-	-
Female	6	3	-	-	1	-	-	-	-	-	2	-	-
Knoxville, Tenn	3,776	57	15	20	103	102	113	274	577	926	989	600	-
Male	2,006	34	7	14	73	66	71	178	351	565	454	191	-
Female	1,770	23	8	6	30	34	42	96	226	361	535	409	-
White	3,439	46	12	18	95	89	105	253	513	825	920	563	-
Male	1,830	29	6	12	68	57	67	164	320	507	421	179	-
Female	1,609	17	6	6	27	32	38	89	193	318	499	384	-
All other	337	11	3	2	8	13	8	21	64	101	69	37	-
Male	176	5	1	2	5	11	4	14	31	58	33	12	-
Female	161	6	2	-	3	2	4	7	33	43	36	25	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
La Crosse, Wis	782	7	2	4	18	7	17	33	90	209	220	174	1
Male	434	3	1	4	15	7	11	23	58	129	117	65	1
Female	348	4	1	–	3	–	6	10	32	80	103	109	–
White	760	7	2	4	18	7	17	33	89	209	219	174	1
Male	432	3	1	4	15	7	11	23	57	129	116	65	1
Female	348	4	1	–	3	–	6	10	32	80	103	109	–
All other	2	–	–	–	–	–	–	–	1	–	1	–	–
Male	2	–	–	–	–	–	–	–	1	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Lafayette, La	818	42	1	5	36	34	31	78	118	168	188	96	1
Male	470	21	–	2	31	25	21	57	75	119	85	34	–
Female	348	21	1	3	5	9	10	19	43	69	103	64	1
White	621	23	1	5	27	25	24	51	94	144	149	78	–
Male	358	13	–	2	23	19	16	38	62	92	67	26	–
Female	263	10	1	3	4	6	8	13	32	52	82	52	–
All other	197	19	–	–	9	9	7	25	24	44	39	20	1
Male	112	8	–	–	6	6	5	19	13	27	18	8	–
Female	85	11	–	–	1	3	2	6	11	17	21	12	1
Lafayette-West Lafayette, Ind	754	21	2	4	9	19	23	53	104	162	196	159	–
Male	422	15	1	3	7	15	12	35	70	102	96	64	–
Female	332	6	1	1	2	4	11	18	34	60	100	95	–
White	746	21	1	4	8	19	23	53	103	160	197	156	–
Male	418	15	1	3	7	15	12	35	69	101	97	63	–
Female	328	6	–	1	2	4	11	18	34	59	100	93	–
All other	8	–	1	–	–	–	–	–	1	2	1	3	–
Male	4	–	–	–	–	–	–	–	1	1	1	1	–
Female	4	–	1	–	–	–	–	–	–	1	–	2	–
Lake Charles, La	1,319	57	10	16	50	42	36	123	231	327	277	149	1
Male	760	28	8	12	35	26	18	87	152	193	150	50	1
Female	559	29	2	4	15	16	18	36	79	134	127	99	–
White	979	36	6	12	37	26	25	87	169	241	223	116	1
Male	573	16	5	9	26	16	13	63	116	146	124	38	1
Female	406	20	1	3	11	10	12	24	53	95	99	78	–
All other	340	21	4	4	13	16	11	36	62	86	54	33	–
Male	187	12	3	3	9	10	5	24	36	47	26	12	–
Female	153	9	1	1	4	6	6	12	26	39	28	21	–
Lancaster, Pa	3,059	73	10	20	66	51	73	152	406	691	858	657	–
Male	1,629	33	3	14	56	31	43	102	267	430	425	225	–
Female	1,430	40	7	6	10	20	30	50	141	261	433	432	–
White	3,013	67	10	19	64	47	71	149	402	682	848	654	–
Male	1,603	30	3	14	54	29	42	100	262	424	421	224	–
Female	1,410	37	7	5	10	18	29	49	140	258	427	430	–
All other	46	6	–	1	2	4	2	3	6	9	10	3	–
Male	26	3	–	–	2	2	1	2	5	6	4	1	–
Female	20	3	–	1	–	2	1	1	1	3	6	2	–
Lansing, Mich	2,448	78	19	10	79	58	67	152	363	534	612	475	1
Male	1,308	41	9	5	59	38	39	104	221	324	307	161	–
Female	1,140	37	10	5	20	20	28	48	142	210	305	314	1
White	2,345	62	17	9	72	47	62	141	348	521	592	473	1
Male	1,251	33	9	4	53	31	37	96	212	317	297	160	–
Female	1,094	29	8	5	19	16	25	43	136	204	295	313	1
All other	103	16	2	1	7	11	5	11	15	13	20	2	–
Male	57	8	–	1	6	7	2	6	9	7	10	1	–
Female	46	8	2	–	1	4	3	5	6	6	10	1	–
Laredo, Tex	809	17	7	6	14	17	16	40	73	155	161	99	4
Male	317	7	5	2	11	15	7	20	42	85	86	33	4
Female	292	10	2	4	3	2	9	20	31	70	75	66	–
White	607	17	7	6	14	16	16	40	73	155	160	99	4
Male	316	7	5	2	11	14	7	20	42	85	86	33	4
Female	291	10	2	4	3	2	9	20	31	70	74	66	–
All other	2	–	–	–	–	1	–	–	–	–	1	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Las Vegas, Nev	2,885	71	22	25	150	138	149	287	579	695	506	282	3
Male	1,763	37	10	17	110	89	101	182	388	463	274	90	2
Female	1,122	34	12	8	40	47	48	105	191	232	232	172	1
White	2,590	43	19	22	129	105	118	249	526	651	475	251	2
Male	1,585	26	8	16	84	70	81	160	353	435	259	82	1
Female	1,005	17	11	6	35	35	37	89	173	216	216	169	1
All other	295	28	3	3	21	31	31	38	53	44	31	11	1
Male	178	11	2	1	16	19	20	22	35	28	15	8	1
Female	117	17	1	2	5	12	11	16	18	16	16	3	–
Lawton, Okla	643	36	8	3	26	27	19	62	107	138	135	82	–
Male	366	22	3	1	21	21	12	48	71	78	62	27	–
Female	277	14	5	2	5	6	7	14	36	60	73	55	–
White	534	26	3	1	19	19	14	52	82	124	119	75	–
Male	299	14	1	–	15	14	8	42	53	72	56	23	–
Female	235	12	2	1	4	5	6	10	29	52	63	52	–
All other	109	10	5	2	7	6	5	10	25	14	16	7	–
Male	67	8	2	1	6	7	3	6	18	6	6	4	–
Female	42	2	3	1	1	1	2	4	7	8	10	3	–
Lexington, Ky	1,370	27	9	10	29	44	47	115	242	318	311	218	–
Male	753	12	4	7	22	25	27	68	160	202	137	80	–
Female	617	15	5	3	7	19	20	47	73	116	174	138	–
White	1,077	17	6	6	24	28	32	80	188	257	256	161	–
Male	580	8	2	4	17	12	20	48	127	165	115	62	–
Female	497	9	4	2	7	16	12	32	61	92	149	119	–
All other	293	10	3	4	5	16	15	35	54	61	55	37	–
Male	173	4	2	3	5	13	7	20	42	37	22	18	–
Female	120	6	1	1	–	3	8	15	12	24	31	19	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lima, Ohio	1,507	33	8	10	50	30	37	106	221	333	393	286	-
Male	798	18	7	7	30	24	23	69	133	210	174	103	-
Female	709	15	1	3	20	6	14	37	88	123	219	183	-
White	1,428	28	6	10	45	27	34	93	209	320	380	276	-
Male	760	15	5	7	27	21	23	62	127	204	168	101	-
Female	668	11	1	3	18	6	11	31	82	116	212	177	-
All other	79	7	2	-	5	3	3	13	12	13	13	8	-
Male	38	3	2	-	3	3	-	7	6	6	6	2	-
Female	41	4	-	-	2	-	3	6	6	7	7	6	-
Lincoln, Nebr	1,279	33	4	7	29	30	25	70	158	256	376	291	-
Male	627	15	2	7	22	18	15	46	97	158	164	83	-
Female	652	18	2	-	7	12	10	24	61	98	212	208	-
White	1,257	31	3	5	27	30	25	66	156	254	372	288	-
Male	617	15	1	5	20	18	15	44	96	158	163	82	-
Female	640	16	2	-	7	12	10	22	60	96	209	206	-
All other	22	2	1	2	2	-	-	4	2	2	4	3	-
Male	10	-	1	2	2	-	-	2	1	-	1	1	-
Female	12	2	-	-	-	-	-	2	1	2	3	2	-
Little Rock-North Little Rock, Ark	2,888	69	16	33	86	90	96	233	459	720	710	453	1
Male	1,510	52	12	22	58	66	60	147	297	423	312	161	-
Female	1,378	37	4	11	28	24	36	86	162	297	398	292	1
White	2,332	47	11	25	60	83	72	179	361	573	571	389	1
Male	1,272	31	8	18	41	45	50	117	251	340	250	121	-
Female	1,060	16	3	7	19	18	22	62	110	233	321	248	1
All other	554	42	5	8	26	27	24	54	98	147	139	84	-
Male	338	21	4	4	17	21	10	30	46	83	62	40	-
Female	316	21	1	4	9	6	14	24	52	64	77	44	-
Lorain-Elyria, Ohio	1,919	68	11	15	85	49	57	155	315	453	432	299	-
Male	1,044	35	6	10	43	31	34	95	205	261	217	105	-
Female	875	33	3	5	22	18	23	60	110	192	215	194	-
White	1,799	51	8	15	62	44	50	142	297	429	413	288	-
Male	968	26	5	10	42	29	30	84	193	246	206	97	-
Female	831	25	3	5	20	15	20	58	104	183	207	191	-
All other	120	17	3	-	3	5	7	13	18	24	19	11	-
Male	76	9	3	-	1	2	4	11	12	15	11	8	-
Female	44	8	-	-	2	3	3	2	6	9	8	3	-
Los Angeles-Long Beach, Calif	58,864	1,566	265	310	1,846	2,010	2,144	4,459	8,887	12,418	14,390	10,558	11
Male	30,972	895	150	190	1,414	1,423	1,378	2,931	5,428	7,132	6,606	3,519	6
Female	27,892	671	115	120	432	587	766	1,528	3,459	5,286	7,784	7,039	5
White	50,626	1,101	207	227	1,416	1,459	1,524	3,482	7,471	10,803	13,050	9,876	8
Male	26,229	652	121	137	1,100	1,031	974	2,213	4,552	6,250	5,947	3,247	5
Female	24,397	449	86	90	316	428	550	1,269	2,919	4,553	7,103	6,631	3
All other	8,238	465	58	83	430	551	620	977	1,416	1,615	1,340	680	3
Male	4,743	243	29	53	314	392	404	618	876	882	659	272	1
Female	3,495	222	29	30	116	159	216	359	540	733	681	408	2
Louisville, Ky.-Ind	7,572	154	26	36	150	184	218	674	1,258	1,794	1,858	1,219	-
Male	3,985	81	13	22	110	133	134	431	788	1,054	833	386	-
Female	3,587	73	13	14	40	51	85	243	470	740	1,025	833	-
White	6,381	107	17	24	122	139	172	546	1,034	1,515	1,619	1,088	-
Male	3,343	60	7	15	68	101	104	356	659	895	723	335	-
Female	3,038	47	10	9	34	38	68	190	375	620	896	751	-
All other	1,191	47	9	12	28	45	47	128	224	279	239	133	-
Male	642	21	6	7	22	32	30	75	129	159	110	51	-
Female	549	26	3	5	6	13	17	53	95	120	129	82	-
Lubbock, Tex	1,303	61	7	13	53	58	54	100	167	279	316	195	-
Male	727	28	2	11	44	44	35	64	113	174	151	61	-
Female	576	33	5	2	9	14	19	36	54	105	165	134	-
White	1,178	51	6	8	45	49	43	89	151	249	300	187	-
Male	649	25	2	6	37	38	30	57	101	157	140	56	-
Female	529	26	4	2	8	11	13	32	50	92	160	131	-
All other	125	10	1	5	8	9	11	11	16	30	16	8	-
Male	78	3	-	5	7	6	5	7	12	17	11	5	-
Female	47	7	1	-	1	3	6	4	4	13	5	3	-
Lynchburg, Va	1,187	38	4	6	29	21	35	83	185	288	307	181	-
Male	634	27	1	2	23	16	21	59	121	163	144	57	-
Female	553	11	3	4	6	5	14	24	64	135	163	124	-
White	892	28	2	2	22	14	27	54	134	227	238	146	-
Male	473	19	1	1	18	11	18	40	89	126	112	38	-
Female	419	7	1	1	4	3	9	14	45	101	126	108	-
All other	295	12	2	4	7	7	8	29	51	71	69	35	-
Male	161	8	-	1	5	5	3	19	32	37	32	19	-
Female	134	4	2	3	2	2	5	10	19	34	37	16	-
Macon, Ga	1,773	42	7	6	59	59	75	176	338	430	373	206	2
Male	945	24	4	2	45	45	42	123	217	223	154	65	1
Female	828	18	3	4	14	14	33	53	121	207	219	141	1
White	1,163	20	2	4	48	31	41	111	218	257	286	146	1
Male	619	12	-	2	35	24	26	77	149	141	113	39	1
Female	544	8	2	2	11	7	15	34	69	116	173	107	-
All other	610	22	5	2	13	28	34	65	120	173	87	60	1
Male	326	12	4	-	10	21	18	48	88	82	41	25	-
Female	284	10	1	2	3	7	16	19	52	91	46	34	1
Madison, Wis	1,786	46	14	16	68	39	43	121	229	352	496	361	1
Male	945	25	11	10	52	29	24	69	135	222	241	126	1
Female	841	21	3	6	16	10	19	52	94	130	255	235	-
White	1,746	41	12	15	64	33	42	114	228	346	493	357	1
Male	919	23	9	9	50	23	23	65	135	217	239	125	1
Female	827	18	3	6	14	10	19	49	93	129	254	232	-
All other	40	5	2	1	4	6	1	7	1	6	3	4	-
Male	26	2	2	1	2	6	1	4	-	5	2	1	-
Female	14	3	-	-	2	-	-	3	1	1	1	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Manchester, N.H	2,170	37	10	9	47	41	60	149	333	494	578	412	-
Male	1,119	18	8	6	38	29	38	92	201	292	267	190	-
Female	1,051	19	2	3	9	12	22	57	132	202	311	282	-
White	2,167	36	10	9	47	41	60	149	333	493	577	412	-
Male	1,117	18	8	6	38	29	38	92	201	291	266	190	-
Female	1,050	18	2	3	9	12	22	57	132	202	311	282	-
All other	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Mansfield, Ohio	1,099	34	5	9	22	18	36	63	165	257	304	186	-
Male	596	17	3	6	19	12	19	50	101	150	151	68	-
Female	503	17	2	3	3	6	17	33	64	107	158	98	-
White	1,032	29	5	8	21	14	30	75	147	247	294	162	-
Male	556	15	3	5	18	9	17	46	89	143	145	68	-
Female	476	14	2	3	3	5	13	29	58	104	149	96	-
All other	67	5	-	1	1	4	6	8	18	10	10	4	-
Male	40	2	-	1	1	3	2	4	12	7	6	2	-
Female	27	3	-	-	-	1	4	4	6	3	4	2	-
McAllen-Pharr-Edinburg, Tex	1,538	72	15	12	50	45	61	90	219	380	374	217	3
Male	896	32	8	8	35	31	41	61	145	242	209	61	3
Female	642	40	7	4	15	14	20	29	74	138	165	156	-
White	1,535	72	15	12	50	45	61	90	218	378	374	217	3
Male	894	32	8	8	35	31	41	61	145	240	209	61	3
Female	641	40	7	4	15	14	20	29	73	138	165	156	-
All other	3	-	-	-	-	-	-	-	1	2	-	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Memphis, Tenn.-Ark	6,846	234	39	57	160	203	248	603	1,101	1,754	1,569	876	2
Male	3,710	133	17	38	114	131	158	377	679	1,006	740	315	2
Female	3,136	101	22	19	46	72	90	226	422	748	829	561	-
White	3,750	64	15	26	69	87	108	300	596	940	949	594	2
Male	1,992	32	7	16	53	55	67	186	392	551	441	190	2
Female	1,758	32	8	10	16	32	41	114	204	389	508	404	-
All other	3,096	170	24	31	91	116	140	303	505	814	620	282	-
Male	1,718	101	10	22	61	76	91	191	287	455	299	125	-
Female	1,378	69	14	9	30	40	49	112	218	359	321	157	-
Miami, Fla	15,994	307	44	77	338	390	485	1,027	2,020	3,749	4,783	2,713	1
Male	8,779	169	22	53	241	279	306	656	1,247	2,157	2,485	1,169	1
Female	7,155	138	22	24	97	111	179	371	773	1,592	2,298	1,550	-
White	13,998	166	16	48	237	247	327	751	1,874	3,383	4,530	2,698	1
Male	7,664	98	11	33	166	178	204	479	1,041	1,945	2,376	1,132	1
Female	6,334	68	5	15	71	69	123	272	833	1,418	2,154	1,566	-
All other	1,996	141	28	29	101	143	158	276	346	366	253	75	-
Male	1,115	71	11	20	75	101	102	177	206	212	109	31	-
Female	821	70	17	9	26	42	56	99	140	174	144	44	-
Midland, Tex	513	15	3	4	22	21	21	49	99	108	112	59	-
Male	297	6	2	2	18	15	16	31	68	71	52	16	-
Female	216	9	1	2	4	6	5	18	31	37	60	43	-
White	455	10	3	3	20	19	16	44	88	96	102	54	-
Male	272	4	2	2	18	14	12	30	62	65	48	15	-
Female	183	6	1	1	2	5	4	14	26	31	54	39	-
All other	58	5	-	1	2	2	5	5	11	12	10	5	-
Male	25	2	-	-	-	1	4	1	6	6	4	1	-
Female	33	3	-	1	2	1	1	4	5	6	6	4	-
Milwaukee, Wis	11,480	253	24	48	215	232	264	612	1,623	2,625	3,283	2,097	5
Male	6,094	133	14	26	155	167	154	517	1,036	1,533	1,614	743	2
Female	5,386	120	10	20	60	65	110	295	587	1,092	1,669	1,354	4
White	10,746	183	20	38	188	188	214	696	1,487	2,463	3,186	2,056	5
Male	5,693	100	12	22	140	138	128	442	955	1,459	1,566	732	1
Female	5,053	83	8	16	48	50	88	254	532	1,024	1,622	1,324	4
All other	734	70	4	8	27	44	50	116	136	142	95	41	1
Male	401	33	2	4	15	29	28	75	81	74	48	11	1
Female	333	37	2	4	12	15	22	41	55	68	47	30	-
Minneapolis-St. Paul, Minn	13,042	331	52	82	346	311	349	841	1,755	2,606	3,518	2,850	1
Male	6,778	189	23	43	256	208	209	518	1,127	1,536	1,675	993	1
Female	6,264	142	29	39	90	103	140	323	628	1,070	1,843	1,857	-
White	12,662	285	45	75	328	283	320	805	1,691	2,546	3,458	2,815	1
Male	6,566	165	20	41	246	184	194	499	1,091	1,499	1,649	977	1
Female	6,096	120	25	34	82	99	126	306	600	1,047	1,809	1,838	-
All other	390	46	7	7	18	28	29	36	64	60	60	35	-
Male	212	24	3	2	10	24	15	19	36	37	26	18	-
Female	178	22	4	5	8	4	14	17	28	23	34	19	-
Mobile, Ala	3,596	90	23	33	108	125	149	297	616	861	822	472	-
Male	2,006	51	11	20	82	93	105	181	391	506	419	151	-
Female	1,590	39	12	13	26	32	44	116	225	353	409	321	-
White	2,414	41	10	23	62	67	80	175	393	582	610	371	-
Male	1,361	18	4	15	49	50	62	112	259	386	313	113	-
Female	1,053	23	6	8	13	17	18	63	134	216	297	258	-
All other	1,182	49	13	10	46	58	69	122	223	279	212	101	-
Male	645	33	7	5	33	43	43	69	132	142	100	36	-
Female	537	16	6	5	13	15	26	53	91	137	112	65	-
Modesto, Calif	2,086	43	12	11	73	63	85	136	299	451	590	382	1
Male	1,190	26	6	7	51	52	57	90	181	288	284	147	1
Female	896	17	6	4	22	11	28	46	118	163	246	235	-
White	2,051	41	12	11	72	63	84	128	294	444	525	376	1
Male	1,171	25	6	7	50	52	57	88	179	282	282	144	1
Female	880	16	6	4	22	11	27	42	115	162	243	232	-
All other	35	2	-	-	1	-	1	8	5	7	5	6	-
Male	19	1	-	-	1	-	-	4	2	6	2	3	-
Female	16	1	-	-	-	-	1	4	3	1	3	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Monroe, La	1,087	29	10	7	29	37	47	75	153	281	251	168	-
Male	558	22	5	3	17	23	29	38	97	152	129	43	-
Female	529	7	5	4	12	14	18	37	56	129	122	125	-
White	739	17	3	4	18	24	31	46	104	194	177	121	-
Male	387	13	1	1	12	17	21	25	71	108	89	29	-
Female	352	4	2	3	6	7	10	21	33	86	88	92	-
All other	348	12	7	3	11	13	16	29	49	87	74	47	-
Male	171	9	4	2	5	6	8	13	26	44	40	14	-
Female	177	3	3	1	6	7	8	16	23	43	34	33	-
Montgomery, Ala	2,105	69	11	15	61	66	63	162	342	500	488	308	-
Male	1,145	39	5	8	40	48	46	104	217	303	222	113	-
Female	960	30	6	7	21	18	37	58	125	197	266	195	-
White	1,274	23	7	5	31	36	36	97	204	304	309	222	-
Male	697	13	4	2	18	28	22	59	136	199	145	71	-
Female	577	10	3	3	13	8	14	38	68	105	164	151	-
All other	831	46	4	10	30	30	47	65	138	196	179	86	-
Male	448	26	1	6	22	20	24	45	81	104	77	42	-
Female	383	20	3	4	8	10	23	20	57	92	102	44	-
Muncie, Ind	1,008	32	2	5	17	25	39	67	140	274	257	150	-
Male	549	19	1	5	11	17	26	45	92	165	116	52	-
Female	459	13	1	-	6	8	13	22	48	109	141	98	-
White	938	29	1	5	17	20	37	64	128	255	238	144	-
Male	509	19	1	5	11	13	24	43	84	154	107	48	-
Female	429	10	-	-	6	7	13	21	44	101	131	96	-
All other	70	3	1	-	-	5	2	3	12	19	19	6	-
Male	40	-	-	-	-	4	2	2	8	11	9	4	-
Female	30	3	1	-	-	1	-	1	4	8	10	2	-
Muskegon-Muskegon Heights, Mich	1,343	32	8	7	37	35	34	88	197	301	360	244	-
Male	740	16	4	4	27	22	20	50	124	190	184	97	-
Female	603	14	4	3	10	13	14	38	73	111	176	147	-
White	1,197	22	6	6	30	27	29	74	177	265	334	227	-
Male	657	12	3	3	22	19	18	45	111	165	173	88	-
Female	540	10	3	3	8	8	13	29	66	100	161	139	-
All other	146	10	2	1	7	8	5	14	20	36	26	17	-
Male	83	6	1	1	5	3	4	5	13	25	11	9	-
Female	63	4	1	-	2	5	1	9	7	11	15	8	-
Nashville-Davidson, Tenn	5,038	147	20	32	146	165	166	440	847	1,170	1,166	737	-
Male	2,728	80	15	22	107	114	110	280	553	707	508	232	-
Female	2,308	67	5	10	39	51	56	160	294	463	658	505	-
White	3,882	95	16	21	104	118	116	317	619	904	944	638	-
Male	2,090	57	12	15	72	81	77	206	407	557	417	169	-
Female	1,802	38	4	6	32	37	39	111	212	347	527	449	-
All other	1,144	52	4	11	42	47	50	123	228	266	222	99	-
Male	638	23	3	7	35	33	33	74	146	150	91	43	-
Female	506	29	1	4	7	14	17	49	82	116	131	56	-
New Haven-Waterbury, Conn	6,964	130	15	25	130	111	161	444	1,043	1,659	1,878	1,365	3
Male	3,720	78	6	12	104	82	101	278	656	997	887	518	1
Female	3,244	52	9	13	26	29	60	166	387	662	991	847	2
White	6,546	99	11	18	120	89	135	381	994	1,580	1,819	1,329	1
Male	3,493	64	6	7	98	69	88	236	611	954	858	503	1
Female	3,053	35	5	11	24	20	47	145	353	626	961	826	-
All other	418	31	4	7	10	22	26	63	79	79	59	36	2
Male	227	14	-	5	8	13	13	42	45	43	29	15	-
Female	191	17	4	2	2	9	13	21	34	36	30	21	2
New Orleans, La	10,230	353	68	59	325	393	443	958	1,713	2,461	2,265	1,160	12
Male	5,668	201	40	37	254	293	288	621	1,059	1,434	1,031	390	10
Female	4,562	152	28	22	71	100	145	337	654	1,027	1,234	790	2
White	6,850	138	31	25	175	192	228	576	1,123	1,704	1,693	958	9
Male	3,731	85	19	14	142	140	153	402	717	1,005	743	304	7
Female	3,119	53	12	11	33	52	75	174	406	699	950	652	2
All other	3,380	215	37	34	150	201	215	382	590	757	572	224	3
Male	1,937	116	21	23	112	153	145	219	342	429	288	88	3
Female	1,443	99	16	11	38	49	70	163	248	328	284	138	-
New York, N.Y	102,215	2,077	301	413	1,943	2,678	3,335	7,703	15,168	23,554	27,710	17,306	27
Male	53,279	1,145	163	241	1,477	1,964	2,146	4,754	9,202	13,337	12,620	6,205	19
Female	48,942	932	138	172	466	714	1,189	2,949	5,966	10,217	15,090	11,101	8
White	85,087	1,162	192	255	1,322	1,675	1,998	5,360	11,941	20,053	24,891	16,093	25
Male	43,737	643	106	157	992	1,240	1,262	3,358	7,329	11,484	11,350	5,778	18
Female	41,350	539	86	98	330	435	716	2,002	4,612	8,569	13,541	10,315	7
All other	17,128	895	109	158	621	1,003	1,337	2,343	3,227	3,501	2,719	1,213	2
Male	9,536	502	57	84	485	724	864	1,396	1,873	1,853	1,270	427	1
Female	7,592	393	52	74	136	279	473	947	1,354	1,648	1,449	786	1
Newark, N.J	15,589	357	45	80	306	356	468	1,203	2,517	3,540	3,996	2,698	23
Male	8,163	196	25	55	228	248	288	737	1,591	2,031	1,824	920	20
Female	7,426	161	20	25	78	108	180	466	926	1,509	2,172	1,778	3
White	12,622	165	26	54	166	178	250	818	1,973	2,953	3,522	2,492	5
Male	6,529	94	17	36	145	125	158	498	1,261	1,742	1,597	852	4
Female	6,093	71	9	18	41	53	92	320	712	1,211	1,925	1,640	1
All other	2,967	192	19	26	120	178	218	385	544	587	474	206	18
Male	1,634	102	8	19	83	123	130	239	330	289	227	68	16
Female	1,333	90	11	7	37	55	88	146	214	298	247	138	2
Newport News-Hampton, Va	1,984	80	13	14	41	45	88	194	410	480	367	252	-
Male	1,112	52	7	6	31	29	57	106	278	293	168	85	-
Female	872	28	6	8	10	16	31	88	132	187	199	167	-
White	1,280	51	6	10	24	21	47	113	237	323	257	191	-
Male	712	39	3	3	18	13	31	59	172	200	116	58	-
Female	568	12	3	7	6	8	16	54	65	123	141	133	-
All other	704	29	7	4	17	24	41	81	173	157	110	61	-
Male	400	13	4	3	13	16	26	47	106	93	52	27	-
Female	304	16	3	1	4	8	15	34	67	64	58	34	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Norfolk-Portsmouth, Va	5,176	189	25	43	128	136	201	501	995	1,277	1,060	596	2
Male	2,693	104	15	25	100	91	112	323	677	744	500	200	1
Female	2,283	85	10	17	28	45	89	178	321	533	560	396	1
White	3,372	91	15	28	68	81	112	290	600	813	784	489	1
Male	1,659	57	10	16	70	52	63	196	404	480	358	154	1
Female	1,513	34	5	12	18	29	49	94	196	333	426	315	-
All other	1,804	98	10	15	40	55	89	211	395	464	296	127	1
Male	1,034	47	5	10	30	39	49	127	273	264	144	48	-
Female	770	51	5	5	10	16	40	84	125	200	152	81	1
Odessa, Tex	657	36	8	6	39	37	29	67	130	139	104	48	-
Male	401	24	4	2	29	26	16	56	88	84	52	20	-
Female	256	12	4	4	10	11	13	31	42	49	52	28	-
White	614	35	7	6	37	33	26	79	119	127	96	47	-
Male	367	23	4	2	27	24	13	50	79	79	47	19	-
Female	247	12	3	4	10	9	13	29	40	48	51	28	-
All other	43	1	1	-	2	4	3	8	11	6	6	1	-
Male	34	1	-	-	2	2	3	6	9	5	5	1	-
Female	9	-	1	-	-	2	-	2	2	1	1	-	-
Ogden, Utah	956	43	7	11	25	38	24	57	144	216	234	157	-
Male	548	24	6	7	23	27	16	32	95	139	121	58	-
Female	408	19	1	4	2	11	8	25	49	77	113	99	-
White	924	42	7	11	22	36	23	51	140	209	231	152	-
Male	527	23	6	7	20	26	16	28	92	135	116	56	-
Female	397	19	1	4	2	10	7	23	48	74	113	96	-
All other	32	1	-	-	3	2	1	6	4	7	3	5	-
Male	21	1	-	-	3	1	-	4	3	4	3	2	-
Female	11	-	-	-	-	1	1	2	1	3	-	3	-
Oklahoma City, Okla	5,879	176	29	49	172	185	199	500	923	1,339	1,387	907	13
Male	3,214	96	14	37	128	132	123	317	595	796	662	305	9
Female	2,665	80	15	12	44	53	76	183	328	543	725	602	4
White	5,215	123	21	41	149	145	162	441	819	1,192	1,251	861	10
Male	2,825	71	10	30	110	102	100	278	531	704	599	283	6
Female	2,390	52	11	11	39	43	62	162	288	488	652	578	4
All other	664	53	8	8	23	40	37	59	104	147	136	46	3
Male	389	25	4	7	18	30	23	38	64	92	63	22	3
Female	275	28	4	1	5	10	14	21	40	55	73	24	-
Omaha, Nebr.-Iowa	4,254	122	23	27	107	121	111	279	614	919	1,152	779	-
Male	2,284	69	12	22	81	87	70	178	407	535	556	267	-
Female	1,970	53	11	5	26	34	41	101	207	384	596	512	-
White	3,891	95	19	23	86	98	91	249	558	851	1,065	736	-
Male	2,098	58	10	18	67	72	59	163	375	496	528	252	-
Female	1,793	37	9	5	19	26	32	86	183	355	537	484	-
All other	363	27	4	4	21	23	20	30	56	68	87	43	-
Male	186	11	2	4	14	15	11	15	32	39	28	15	-
Female	177	16	2	-	7	8	9	15	24	29	39	28	-
Orlando, Fla	4,694	120	27	37	143	127	173	358	770	1,075	1,103	759	2
Male	2,607	75	18	22	97	96	117	224	492	629	543	292	2
Female	2,087	45	9	15	45	31	56	134	278	446	560	467	-
White	4,031	69	17	25	118	101	127	298	654	905	993	725	1
Male	2,210	44	13	13	81	74	87	185	423	532	483	274	1
Female	1,821	25	4	12	37	27	40	111	231	373	510	451	-
All other	663	51	10	12	25	26	46	62	116	170	110	34	1
Male	397	31	5	9	16	22	30	39	69	97	60	18	1
Female	266	20	5	3	9	4	16	23	47	73	50	16	-
Owensboro, Ky	769	11	2	7	14	20	27	60	109	175	188	157	-
Male	414	7	1	4	11	15	18	39	69	100	91	69	-
Female	355	4	1	3	3	5	9	21	40	75	97	97	-
White	724	10	2	5	14	17	26	56	96	166	178	152	-
Male	388	6	1	2	11	14	17	38	62	94	85	58	-
Female	336	4	1	3	3	3	9	18	36	72	93	94	-
All other	45	1	-	2	-	3	1	4	10	9	10	5	-
Male	26	1	-	2	-	1	1	1	6	6	6	2	-
Female	19	-	-	-	-	2	-	3	4	3	4	3	-
Oxnard-Ventura, Calif	3,061	75	14	17	108	97	115	250	413	625	826	517	4
Male	1,648	42	7	11	87	63	68	145	263	373	412	173	4
Female	1,413	33	7	6	21	34	47	105	150	252	414	344	-
White	2,978	73	13	16	105	90	103	240	404	610	807	513	4
Male	1,608	41	7	10	85	58	62	140	261	363	404	173	4
Female	1,370	32	6	6	20	32	41	100	143	247	403	340	-
All other	83	2	1	1	3	7	12	10	9	15	19	4	-
Male	40	1	-	1	2	5	6	5	2	10	8	-	-
Female	43	1	1	-	1	2	6	5	7	5	11	4	-
Paterson-Clifton-Passaic, N.J	11,590	179	21	57	192	205	300	764	1,818	2,656	3,173	2,221	4
Male	6,057	119	9	36	141	153	191	488	1,160	1,569	1,456	733	2
Female	5,533	60	12	21	51	52	109	276	658	1,087	1,717	1,488	2
White	10,937	125	15	46	171	177	243	675	1,702	2,528	3,061	2,170	4
Male	5,674	83	6	30	125	130	154	434	1,086	1,496	1,414	712	2
Female	5,263	42	9	16	46	47	89	241	616	1,030	1,647	1,458	2
All other	653	54	6	11	21	28	57	89	116	128	92	51	-
Male	383	36	3	6	16	23	37	54	74	71	42	21	-
Female	270	18	3	5	5	5	20	35	42	57	50	30	-
Pensacola, Fla	2,029	68	14	15	63	59	78	185	335	495	455	252	-
Male	1,123	38	8	8	47	37	54	112	212	313	212	82	-
Female	906	30	6	7	16	22	24	73	123	182	253	170	-
White	1,599	39	9	13	49	46	57	141	257	386	394	208	-
Male	895	23	5	6	38	30	42	82	165	246	189	71	-
Female	704	16	4	5	11	16	15	59	92	138	211	137	-
All other	430	29	5	2	14	13	21	44	78	109	71	44	-
Male	228	15	3	-	9	7	12	30	47	65	29	11	-
Female	202	14	2	2	5	6	9	14	31	44	42	33	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	2,980	72	7	11	81	55	76	204	386	709	786	593	–
Male	1,567	39	3	6	58	36	49	130	244	442	387	191	–
Female	1,993	33	4	3	23	19	27	74	142	267	399	402	–
White	2,852	57	7	11	76	45	73	192	360	678	770	583	–
Male	1,510	31	3	6	55	27	48	123	229	421	380	185	–
Female	1,342	26	4	3	21	18	25	69	131	257	390	398	–
All other	128	15	–	–	5	10	3	12	26	31	16	10	–
Male	77	8	–	–	3	9	1	7	15	21	7	6	–
Female	51	7	–	–	2	1	2	5	11	10	9	4	–
Petersburg-Colonial Heights, Va	1,129	37	1	7	25	21	48	103	233	275	250	129	–
Male	634	21	–	5	17	13	32	71	152	167	109	47	–
Female	495	16	1	2	8	8	16	32	81	108	141	82	–
White	727	19	–	5	13	12	25	54	141	190	168	100	–
Male	411	10	–	4	10	7	18	38	90	127	76	31	–
Female	316	9	–	1	3	5	7	16	51	63	92	69	–
All other	402	18	1	2	12	9	23	49	92	85	82	29	–
Male	223	11	–	1	7	6	14	33	62	40	33	16	–
Female	179	7	1	1	5	3	9	16	30	45	49	13	–
Philadelphia, Pa.-N.J	44,878	906	144	193	803	984	1,269	3,406	7,335	10,840	11,804	7,184	10
Male	23,563	495	86	108	615	708	802	2,128	4,554	6,261	5,406	2,391	9
Female	21,315	411	58	85	188	276	467	1,278	2,781	4,579	6,398	4,793	1
White	36,449	524	88	129	599	594	763	2,354	5,692	8,875	10,312	6,514	5
Male	18,853	296	51	77	464	428	484	1,493	3,570	5,177	4,693	2,116	4
Female	17,596	228	37	52	135	166	279	861	2,122	3,698	5,619	4,398	1
All other	8,429	382	56	64	204	390	506	1,052	1,643	1,965	1,492	670	5
Male	4,710	199	35	31	151	280	318	635	984	1,084	713	275	5
Female	3,719	183	21	33	53	110	188	417	659	881	779	395	–
Phoenix, Ariz	10,966	344	69	76	374	335	359	789	1,667	2,739	2,671	1,539	4
Male	6,330	206	40	46	288	237	239	482	1,036	1,723	1,424	606	3
Female	4,636	138	29	30	86	98	120	307	631	1,016	1,247	933	1
White	10,484	301	57	73	327	301	319	733	1,590	2,660	2,602	1,497	4
Male	6,023	180	32	45	255	218	214	449	991	1,669	1,387	582	3
Female	4,441	121	25	28	72	85	105	284	599	991	1,215	915	1
All other	502	43	12	3	47	34	40	56	77	79	69	42	–
Male	307	26	8	1	33	21	25	33	45	54	37	24	–
Female	195	17	4	2	14	13	15	23	32	25	32	18	–
Pine Bluff, Ark	756	16	5	6	15	21	15	53	101	193	210	121	–
Male	426	11	2	5	10	17	8	37	74	109	107	46	–
Female	330	5	3	1	5	4	7	16	27	84	103	75	–
White	419	6	4	1	10	14	4	29	61	110	114	66	–
Male	228	3	1	1	6	10	2	21	45	62	55	22	–
Female	191	3	3	–	4	4	2	8	16	48	59	44	–
All other	337	10	1	5	5	7	11	24	40	83	96	55	–
Male	198	5	1	4	4	7	6	16	29	47	52	24	–
Female	139	2	–	1	1	–	5	8	11	36	44	31	–
Pittsburgh, Pa	23,307	383	41	60	401	382	500	1,587	3,891	6,004	6,199	3,875	4
Male	12,658	213	26	46	266	265	303	995	2,500	3,537	3,060	1,423	2
Female	10,651	150	15	34	115	117	197	572	1,391	2,467	3,139	2,452	2
White	21,462	271	31	56	367	309	428	1,375	3,571	5,560	5,764	3,719	3
Male	11,599	165	23	38	263	217	259	878	2,305	3,260	2,822	1,347	2
Female	9,863	106	8	28	104	92	167	497	1,266	2,280	2,942	2,372	1
All other	1,845	92	10	14	34	73	74	192	320	444	435	156	1
Male	1,057	48	3	6	23	48	44	117	195	257	238	76	–
Female	788	44	7	6	11	25	30	75	125	187	197	80	1
Pittsfield, Mass	1,457	7	2	5	29	16	32	83	210	343	429	321	–
Male	723	4	1	1	22	7	22	38	126	203	204	95	–
Female	734	3	1	4	7	9	10	25	84	140	225	226	–
White	1,440	7	2	5	29	16	32	81	208	337	425	318	–
Male	717	4	1	1	22	7	22	38	126	201	202	93	–
Female	723	3	1	4	7	9	10	23	82	136	223	225	–
All other	17	–	–	–	–	–	–	2	2	6	4	3	–
Male	6	–	–	–	–	–	–	–	–	2	2	2	–
Female	11	–	–	–	–	–	–	2	2	4	2	1	–
Portland, Maine	2,037	37	3	8	37	34	45	124	295	462	569	422	1
Male	1,069	22	2	6	27	29	32	77	177	280	268	149	–
Female	968	15	1	2	10	5	13	47	118	182	301	273	1
White	2,027	37	3	8	36	34	43	123	294	459	568	421	1
Male	1,063	22	2	6	26	29	30	76	177	279	268	148	–
Female	964	15	1	2	10	5	13	47	117	180	300	273	1
All other	10	–	–	–	1	–	2	1	1	3	1	1	–
Male	6	–	–	–	1	–	2	1	–	1	–	1	–
Female	4	–	–	–	–	–	–	–	1	2	1	–	–
Portland, Oreg.-Wash	10,059	198	47	47	211	269	256	634	1,444	2,257	2,606	2,087	3
Male	5,525	127	28	34	166	191	177	413	927	1,401	1,313	746	2
Female	4,534	71	19	13	45	78	79	221	517	856	1,293	1,341	1
White	9,599	183	43	41	201	251	232	588	1,374	2,180	2,553	2,051	2
Male	5,290	119	26	29	157	181	157	380	879	1,346	1,284	731	1
Female	4,409	64	17	12	44	70	75	208	495	834	1,269	1,320	1
All other	360	15	4	6	10	18	24	46	70	77	53	36	1
Male	235	8	2	5	9	10	20	33	48	55	29	15	1
Female	125	7	2	1	1	8	4	13	22	22	24	21	–
Providence, R.I	7,790	142	15	28	121	114	167	451	1,130	1,922	2,217	1,482	1
Male	4,006	81	6	16	80	75	109	295	683	1,139	999	523	–
Female	3,784	61	9	12	41	39	58	156	447	783	1,218	959	1
White	7,592	113	10	26	115	105	157	432	1,103	1,885	2,162	1,463	1
Male	3,896	67	3	15	78	70	102	283	671	1,113	961	513	–
Female	3,696	46	7	11	37	35	55	149	432	772	1,201	950	1
All other	198	29	5	2	6	9	10	19	27	37	35	19	–
Male	110	14	3	1	2	5	7	12	12	26	18	10	–
Female	88	15	2	1	4	4	3	7	15	11	17	9	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Provo-Orem, Utah	895	95	16	10	31	27	22	52	100	188	218	136	-
Male	501	61	9	7	22	17	11	34	61	107	120	52	-
Female	394	34	7	3	9	10	11	18	39	81	98	84	-
White	892	94	15	10	31	26	22	52	100	188	218	136	-
Male	499	61	8	7	22	16	11	34	61	107	120	52	-
Female	393	33	7	3	9	10	11	18	39	81	98	84	-
All other	3	1	1	-	-	1	-	-	-	-	-	-	-
Male	2	-	1	-	-	1	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,081	17	9	12	25	30	35	88	147	220	301	197	-
Male	602	8	4	6	21	21	23	56	95	132	156	80	-
Female	479	9	5	6	4	9	12	32	52	88	145	117	-
White	1,058	17	9	12	24	29	33	82	144	215	300	193	-
Male	592	8	4	6	21	20	22	55	92	130	155	79	-
Female	466	9	5	6	3	9	11	27	52	85	145	114	-
All other	23	-	-	-	1	1	2	6	3	5	1	4	-
Male	10	-	-	-	-	1	1	1	3	2	1	1	-
Female	13	-	-	-	1	-	1	5	-	3	-	3	-
Racine, Wis	1,380	34	7	5	47	28	41	87	188	283	393	266	1
Male	730	14	3	4	40	21	21	54	122	163	193	95	-
Female	650	20	4	1	7	7	20	33	66	120	200	171	1
White	1,309	26	6	5	43	23	37	79	175	269	366	259	1
Male	686	11	3	4	38	17	18	48	112	152	191	92	-
Female	623	15	3	1	5	6	19	31	63	117	195	167	1
All other	71	8	1	-	4	5	4	8	13	14	7	7	-
Male	44	3	-	-	2	4	3	6	10	11	2	3	-
Female	27	5	1	-	2	1	1	2	3	3	5	4	-
Raleigh, N.C	1,811	51	12	17	53	50	67	171	333	439	386	252	-
Male	1,026	24	8	10	39	37	52	107	234	266	168	81	-
Female	785	27	4	7	14	13	15	64	99	173	198	171	-
White	1,318	27	4	13	40	29	35	124	238	318	284	206	-
Male	726	13	3	8	31	18	27	78	163	185	133	66	-
Female	592	14	1	5	9	11	8	45	75	133	151	140	-
All other	493	24	8	4	13	21	32	47	95	121	82	46	-
Male	300	11	5	2	8	19	25	28	71	81	35	15	-
Female	193	13	3	2	5	2	7	19	24	40	47	31	-
Reading, Pa	2,844	52	5	9	37	42	63	150	422	753	866	545	-
Male	1,528	30	3	5	31	27	34	92	276	424	427	179	-
Female	1,416	22	2	4	6	15	29	58	146	329	439	366	-
White	2,695	48	5	7	37	40	59	143	416	743	854	543	-
Male	1,505	28	3	4	31	25	32	89	272	419	423	179	-
Female	1,390	20	2	3	6	15	27	54	144	324	431	364	-
All other	49	4	-	2	-	2	4	7	6	10	12	2	-
Male	23	2	-	1	-	2	2	3	4	5	4	-	-
Female	26	2	-	1	-	-	2	4	2	5	8	2	-
Reno, Nev	1,353	49	8	11	46	67	55	131	247	275	279	184	1
Male	773	29	4	6	28	47	35	86	166	157	150	64	1
Female	580	20	4	5	18	20	20	45	81	118	129	120	-
White	1,300	46	6	9	40	64	52	123	235	264	277	183	1
Male	743	28	3	6	24	44	35	79	159	151	149	64	1
Female	557	18	3	3	16	20	17	44	76	113	128	119	-
All other	53	3	2	2	6	3	3	8	12	11	2	1	-
Male	30	1	1	-	4	3	-	7	7	6	1	-	-
Female	23	2	1	2	2	-	3	1	5	5	1	1	-
Richmond, Va	4,933	144	14	30	82	122	157	447	870	1,212	1,165	689	1
Male	2,657	73	8	19	62	82	111	282	557	719	621	223	-
Female	2,276	71	6	11	20	40	46	165	313	493	644	466	1
White	3,538	70	5	18	60	72	94	266	587	875	910	581	-
Male	1,891	35	4	14	47	46	67	161	394	538	412	173	-
Female	1,647	35	1	4	13	26	27	105	193	337	498	408	-
All other	1,395	74	9	12	22	50	63	181	283	337	255	108	1
Male	766	38	4	5	15	36	44	121	163	181	109	50	-
Female	629	36	5	7	7	14	19	60	120	156	146	58	1
Roanoke, Va	1,881	37	7	7	25	46	47	138	318	438	499	319	-
Male	1,034	23	3	5	19	34	31	88	203	264	251	115	-
Female	847	14	4	2	6	12	16	52	115	174	248	204	-
White	1,624	27	3	6	20	37	32	113	289	378	444	295	-
Male	880	16	1	4	15	27	21	72	175	223	224	102	-
Female	744	11	2	2	5	10	11	41	94	155	220	193	-
All other	257	10	4	1	5	9	15	25	49	60	55	24	-
Male	154	7	2	1	4	7	10	14	28	41	27	13	-
Female	103	3	2	-	1	2	5	11	21	19	28	11	-
Rochester, Minn	493	14	2	5	9	9	12	32	58	90	146	116	-
Male	252	10	-	3	7	7	7	19	41	49	70	39	-
Female	241	4	2	2	2	2	5	13	17	41	76	77	-
White	492	14	2	5	9	9	11	32	58	90	146	116	-
Male	251	10	-	3	7	7	6	19	41	49	70	39	-
Female	241	4	2	2	2	2	5	13	17	41	76	77	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rochester, N.Y	7,255	157	26	48	147	125	196	444	1,012	1,634	1,934	1,530	2
Male	3,793	82	13	34	102	88	106	291	622	970	911	563	1
Female	3,462	65	13	14	45	37	90	153	390	664	1,023	967	1
White	6,830	121	22	41	128	105	153	380	930	1,556	1,875	1,518	1
Male	3,538	72	12	31	90	73	79	249	569	919	885	559	-
Female	3,292	49	10	10	38	32	74	131	361	637	990	959	1
All other	425	36	4	7	19	20	43	64	82	78	59	12	1
Male	255	20	1	3	12	15	27	42	53	51	26	4	1
Female	170	16	3	4	7	5	16	22	29	27	33	8	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rockford, Ill	2,141	61	12	18	65	48	66	127	291	463	588	422	-
Male	1,150	36	5	11	49	36	43	79	170	280	289	152	-
Female	991	25	7	7	16	12	23	48	121	183	279	270	-
White	2,028	50	9	17	57	36	55	114	274	447	555	414	-
Male	1,084	30	4	11	44	27	38	71	159	271	280	149	-
Female	944	20	5	6	13	9	17	43	115	176	275	265	-
All other	113	11	3	1	8	12	11	13	17	16	13	8	-
Male	66	6	1	-	5	9	5	8	11	8	9	3	-
Female	47	5	2	1	3	3	6	5	6	7	4	5	-
Sacramento, Calif	7,378	167	41	43	219	253	232	568	1,168	1,697	1,761	1,223	6
Male	4,203	99	30	28	173	178	136	339	740	1,064	929	483	4
Female	3,175	68	11	15	46	75	96	229	428	633	832	740	2
White	6,775	132	35	39	190	217	195	507	1,066	1,573	1,651	1,164	6
Male	3,828	75	25	28	152	153	114	301	668	982	868	458	4
Female	2,947	57	10	11	38	64	81	206	398	591	783	706	2
All other	603	35	6	4	29	36	37	61	102	124	110	59	-
Male	375	24	5	-	21	25	22	38	72	82	61	25	-
Female	228	11	1	4	8	11	15	23	30	42	49	34	-
Saginaw, Mich	1,649	55	5	18	63	62	52	137	244	363	426	224	-
Male	901	31	2	8	45	38	42	92	162	208	202	70	-
Female	748	24	3	10	18	24	10	45	82	154	224	154	-
White	1,407	40	3	15	48	41	40	102	199	323	383	213	-
Male	762	24	2	7	35	27	34	65	134	187	182	65	-
Female	645	16	1	8	13	14	6	37	65	136	201	148	-
All other	242	15	2	3	15	21	12	35	45	40	43	11	-
Male	139	7	-	1	10	11	8	27	28	22	20	5	-
Female	103	8	2	2	5	10	4	8	17	18	23	6	-
St. Joseph, Mo	959	22	3	1	11	8	14	64	130	215	289	202	-
Male	499	13	3	-	7	5	7	36	91	129	134	74	-
Female	460	9	-	1	4	3	7	28	39	86	155	128	-
White	931	21	3	1	11	8	13	60	125	205	285	199	-
Male	482	12	3	-	7	5	6	34	87	124	133	71	-
Female	449	9	-	1	4	3	7	26	38	81	152	128	-
All other	28	1	-	-	-	-	1	4	5	10	4	3	-
Male	17	1	-	-	-	-	1	2	4	5	1	3	-
Female	11	-	-	-	-	-	-	2	1	5	3	-	-
St. Louis, Mo.-Ill	21,716	533	81	111	604	525	591	1,518	3,143	5,234	5,693	3,679	4
Male	11,461	309	42	62	441	360	358	987	1,962	3,079	2,650	1,190	1
Female	10,255	224	39	49	163	145	233	531	1,181	2,155	3,043	2,489	3
White	17,758	301	51	82	411	328	383	1,105	2,476	4,328	4,969	3,324	-
Male	9,202	186	28	45	287	221	235	717	1,576	2,565	2,288	1,044	-
Female	8,556	115	23	37	114	107	148	388	900	1,763	2,681	2,280	-
All other	3,958	232	30	29	193	197	208	413	667	906	724	355	4
Male	2,259	123	14	17	144	159	123	270	386	514	362	148	1
Female	1,699	109	16	12	49	38	85	143	281	392	362	209	3
Salem, Oreg	1,896	49	11	12	41	39	34	95	243	420	567	385	-
Male	1,058	27	6	8	28	34	19	59	160	256	308	153	-
Female	838	22	5	4	13	5	15	36	83	164	259	232	-
White	1,862	47	11	12	39	38	32	93	242	419	564	385	-
Male	1,047	25	6	8	27	33	17	57	159	255	307	153	-
Female	835	22	5	4	12	5	15	36	83	164	257	232	-
All other	14	2	-	-	2	1	2	2	1	1	3	-	-
Male	11	2	-	-	1	1	2	2	1	1	1	-	-
Female	3	-	-	-	1	-	-	-	-	-	2	-	-
Salinas-Monterey, Calif	1,888	70	11	14	82	66	60	144	267	408	446	318	2
Male	1,027	45	6	9	59	43	40	83	172	250	213	105	2
Female	861	25	5	5	23	23	20	61	95	158	233	213	-
White	1,754	60	9	12	75	53	51	124	250	384	425	309	2
Male	947	38	5	7	53	37	33	72	162	236	201	101	2
Female	807	22	4	5	22	16	18	52	88	148	224	208	-
All other	134	10	2	2	7	13	9	20	17	24	21	9	-
Male	80	7	1	2	6	6	7	11	10	14	12	4	-
Female	54	3	1	-	1	7	2	9	7	10	9	5	-
Salt Lake City, Utah	3,977	201	45	38	141	138	134	251	560	854	904	711	-
Male	2,178	116	23	20	110	91	93	172	357	522	428	246	-
Female	1,799	85	22	18	31	47	41	79	203	332	476	465	-
White	3,908	196	44	37	135	132	128	244	551	846	895	700	-
Male	2,133	112	23	20	106	87	88	168	354	514	422	239	-
Female	1,775	84	21	17	29	45	40	76	197	332	473	461	-
All other	69	5	1	1	6	6	6	7	9	8	9	11	-
Male	45	4	-	-	4	4	5	4	3	8	6	7	-
Female	24	1	1	1	2	2	1	3	6	-	3	4	-
San Angelo, Tex	766	23	4	5	20	10	16	57	101	172	229	129	-
Male	419	15	2	5	18	7	11	36	66	105	106	48	-
Female	347	8	2	-	2	3	5	21	35	67	123	81	-
White	737	22	4	5	18	10	15	55	94	166	221	127	-
Male	404	15	2	5	16	7	11	34	61	102	103	48	-
Female	333	7	2	-	2	3	4	21	33	64	118	79	-
All other	29	1	-	-	2	-	1	2	7	6	8	2	-
Male	15	-	-	-	2	-	-	2	5	3	3	-	-
Female	14	1	-	-	-	-	1	-	2	3	5	2	-
San Antonio, Tex	7,268	268	57	59	243	213	281	580	1,121	1,643	1,684	1,119	-
Male	3,972	140	37	36	180	153	189	352	699	997	802	387	-
Female	3,296	128	20	23	63	60	92	228	422	646	882	732	-
White	6,588	243	48	54	216	177	246	511	1,015	1,505	1,529	1,044	-
Male	3,611	126	32	34	162	134	167	313	632	917	731	353	-
Female	2,977	117	16	20	54	43	79	198	383	588	798	691	-
All other	680	25	9	5	27	36	35	69	106	138	155	75	-
Male	361	14	5	2	18	19	22	39	67	80	71	24	-
Female	319	11	4	3	9	17	13	30	39	58	84	51	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Bernardino-Riverside-Ontario, Calif	12,800	297	65	89	420	333	367	618	1,893	2,968	3,399	2,137	14
Male	7,105	170	38	57	318	247	242	514	1,141	1,757	1,805	805	11
Female	5,695	127	27	32	102	86	125	304	752	1,211	1,594	1,332	3
White	12,233	258	61	78	387	294	342	782	1,812	2,851	3,295	2,081	12
Male	6,754	146	34	49	294	222	224	479	1,067	1,685	1,741	784	9
Female	5,479	112	27	29	93	72	118	283	725	1,166	1,554	1,297	3
All other	567	39	4	11	33	39	25	56	81	117	104	56	2
Male	351	24	4	8	24	25	18	35	54	72	64	21	2
Female	216	15	–	3	9	14	7	21	27	45	40	35	–
San Diego, Calif	12,709	311	41	61	427	396	389	893	1,780	2,841	3,313	2,238	19
Male	6,904	158	26	39	311	273	248	579	1,095	1,671	1,719	768	17
Female	5,805	153	15	22	116	123	141	314	685	1,170	1,594	1,470	2
White	12,072	252	37	53	383	335	330	826	1,679	2,732	3,230	2,197	18
Male	6,534	133	22	33	278	232	210	540	1,037	1,607	1,678	748	16
Female	5,538	119	15	20	105	103	120	286	642	1,125	1,552	1,449	2
All other	637	59	4	8	44	61	59	67	101	109	83	41	1
Male	370	25	4	6	33	41	38	39	58	64	41	20	1
Female	267	34	–	2	11	20	21	28	43	45	42	21	–
San Francisco-Oakland, Calif	26,379	452	87	115	617	817	836	1,987	4,027	5,952	6,562	4,916	21
Male	13,987	241	48	75	439	567	534	1,207	2,461	3,488	3,192	1,713	22
Female	12,392	211	39	40	178	250	302	780	1,566	2,464	3,370	3,203	9
White	22,333	286	52	83	477	581	622	1,523	3,262	5,050	5,788	4,576	28
Male	11,612	167	31	51	345	416	396	924	2,004	2,924	2,753	1,582	19
Female	10,721	129	21	32	132	165	226	599	1,258	2,126	3,035	2,994	4
All other	4,046	166	35	32	140	236	214	444	765	902	774	340	8
Male	2,375	74	17	24	94	151	138	283	457	564	439	191	9
Female	1,671	82	18	8	46	85	76	161	308	338	335	209	6
San Jose, Calif	7,226	203	46	52	238	251	273	547	1,136	1,479	1,688	1,311	2
Male	3,862	114	28	30	189	174	165	347	702	868	791	454	–
Female	3,364	89	18	22	49	77	108	200	434	611	897	857	2
White	6,895	170	39	47	221	226	248	513	1,096	1,417	1,638	1,285	2
Male	3,657	96	25	27	175	158	151	323	672	830	755	445	–
Female	3,238	74	14	20	46	68	95	190	424	587	878	840	2
All other	331	33	7	5	17	25	27	34	40	62	55	26	–
Male	205	18	3	3	14	16	14	24	30	38	36	9	–
Female	126	15	4	2	3	9	13	10	10	24	19	17	–
Santa Barbara, Calif	2,225	43	5	13	67	64	52	120	291	477	519	473	1
Male	1,174	20	2	9	57	45	25	74	183	289	307	163	–
Female	1,051	23	3	4	10	19	27	46	108	188	312	310	1
White	2,152	37	4	13	66	56	48	116	279	464	506	462	1
Male	1,133	18	1	9	57	42	23	73	175	281	299	155	–
Female	1,019	19	3	4	9	14	25	43	104	183	307	307	1
All other	73	6	1	–	1	8	4	4	12	13	13	11	–
Male	41	2	1	–	–	3	2	1	8	8	8	8	–
Female	32	4	–	–	1	5	2	3	4	5	5	3	–
Santa Rosa, Calif	2,647	44	9	12	76	72	81	143	333	535	736	505	1
Male	1,445	22	1	7	60	53	47	78	206	386	382	208	–
Female	1,202	22	8	5	16	19	34	65	127	249	354	302	1
White	2,605	42	9	11	72	71	80	141	325	522	731	500	1
Male	1,423	21	1	7	58	53	47	77	200	377	380	202	–
Female	1,182	21	8	4	14	18	33	64	125	245	351	298	1
All other	42	2	–	1	4	1	1	2	8	13	5	5	–
Male	22	1	–	–	2	–	–	1	6	9	2	1	–
Female	20	1	–	1	2	1	1	1	2	4	3	4	–
Savannah, Ga	1,840	57	9	12	41	39	84	160	343	474	416	205	–
Male	954	32	5	8	31	25	49	80	211	265	193	55	–
Female	886	25	4	4	10	14	35	80	132	209	223	150	–
White	1,104	20	1	8	28	16	34	62	185	274	293	183	–
Male	590	11	–	6	21	11	24	41	130	165	139	42	–
Female	514	9	1	2	7	5	10	41	55	109	154	121	–
All other	736	37	8	4	13	23	50	78	158	200	123	42	–
Male	364	21	5	2	10	14	25	39	81	100	54	13	–
Female	372	16	3	2	3	9	25	39	77	100	69	29	–
Scranton, Pa	2,804	39	7	10	25	31	51	152	483	788	801	417	–
Male	1,478	18	6	6	21	21	32	101	316	485	358	136	–
Female	1,326	21	1	4	4	10	19	51	167	323	445	281	–
White	2,786	39	7	10	24	29	51	151	483	787	800	415	–
Male	1,478	18	6	6	20	20	32	101	316	485	358	136	–
Female	1,320	21	1	4	4	9	19	50	167	322	444	279	–
All other	8	–	–	–	1	2	–	1	–	1	1	2	–
Male	2	–	–	–	1	1	–	–	–	–	–	–	–
Female	6	–	–	–	–	1	–	1	–	1	1	2	–
Seattle-Everett, Wash	11,497	232	40	77	326	329	331	747	1,670	2,546	2,790	2,407	2
Male	6,155	128	22	52	239	217	197	480	1,023	1,561	1,399	856	1
Female	5,342	104	18	25	87	112	134	267	647	985	1,391	1,551	1
White	10,805	198	33	67	296	280	268	678	1,557	2,424	2,668	2,396	2
Male	5,720	107	18	45	218	188	160	413	950	1,479	1,319	822	1
Female	5,085	89	15	22	78	92	108	265	607	945	1,349	1,514	1
All other	692	36	7	10	30	49	63	69	113	122	122	71	–
Male	435	21	4	7	21	29	37	47	73	82	80	34	–
Female	257	15	3	3	9	20	26	22	40	40	42	37	–
Sherman-Denison, Tex	1,019	20	–	4	26	14	23	54	126	249	291	212	–
Male	530	10	–	1	20	8	15	32	66	154	136	68	–
Female	489	10	–	3	6	6	8	22	40	95	155	144	–
White	943	18	–	4	25	12	14	50	117	231	269	209	–
Male	493	8	–	1	19	8	11	31	60	145	126	64	–
Female	450	10	–	3	6	4	3	19	37	86	143	139	–
All other	76	2	–	–	1	2	9	4	9	18	22	9	–
Male	37	2	–	–	1	–	4	1	6	9	10	4	–
Female	39	–	–	–	–	2	5	3	3	9	12	5	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Shreveport, La	2,930	97	16	17	78	81	104	223	467	678	760	409	-
Male	1,596	59	8	13	68	58	65	150	258	412	368	138	-
Female	1,334	38	8	4	10	23	39	73	208	266	394	271	-
White	1,850	34	9	5	43	39	50	133	298	435	513	291	-
Male	997	19	4	5	35	27	33	96	177	271	245	85	-
Female	853	15	5	-	8	12	17	37	121	164	268	206	-
All other	1,080	63	7	12	35	42	54	90	168	243	247	118	-
Male	599	40	4	8	33	31	32	54	82	141	121	53	-
Female	481	23	3	4	2	11	22	36	87	102	126	65	-
Sioux City, Iowa-Nebr	1,055	25	6	8	16	14	23	55	141	238	286	243	-
Male	568	17	3	7	11	11	13	37	90	160	148	91	-
Female	487	8	3	1	5	3	10	18	51	78	138	152	-
White	1,033	21	5	7	16	12	20	54	140	237	284	237	-
Male	576	14	3	6	11	9	13	37	89	159	146	89	-
Female	457	7	2	1	5	3	7	17	51	78	138	148	-
All other	22	4	1	1	-	2	3	1	1	1	2	6	-
Male	12	3	-	1	-	2	-	-	1	1	2	2	-
Female	10	1	1	-	-	-	3	1	-	-	-	4	-
Sioux Falls, S. Dak	814	24	6	5	10	14	21	53	97	174	230	180	-
Male	439	11	3	3	10	9	15	32	68	109	114	65	-
Female	375	13	3	2	-	5	6	21	29	65	116	115	-
White	808	22	6	5	10	13	20	53	97	173	230	179	-
Male	437	10	3	3	10	9	15	32	68	108	114	65	-
Female	371	12	3	2	-	4	5	21	29	65	116	114	-
All other	6	2	-	-	-	1	1	-	-	1	-	1	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	4	1	-	-	-	1	1	-	-	-	-	1	-
South Bend, Ind	2,617	72	4	13	55	47	51	178	362	617	689	529	-
Male	1,334	38	-	9	40	34	25	116	212	359	324	177	-
Female	1,283	34	4	4	15	13	26	62	150	258	365	352	-
White	2,439	52	4	12	47	39	43	156	333	567	668	518	-
Male	1,236	26	-	8	35	27	22	106	195	331	314	172	-
Female	1,203	26	4	4	12	12	21	50	138	236	354	346	-
All other	178	20	-	1	8	8	8	22	29	50	21	11	-
Male	98	12	-	1	5	7	3	10	17	28	10	5	-
Female	80	8	-	-	3	1	5	12	12	22	11	6	-
Spokane, Wash	2,682	70	9	14	68	61	77	160	347	587	700	591	-
Male	1,470	42	2	8	45	43	46	95	232	362	357	238	-
Female	1,212	28	7	6	21	18	31	65	115	225	343	353	-
White	2,629	69	9	13	64	56	72	157	338	578	694	581	-
Male	1,437	41	2	8	43	40	44	93	225	357	353	231	-
Female	1,192	28	7	5	21	16	28	64	111	221	341	350	-
All other	53	1	-	1	2	5	5	3	11	9	6	10	-
Male	33	1	-	-	2	3	2	2	7	5	4	7	-
Female	20	-	-	1	-	2	3	1	4	4	2	3	-
Springfield, Ill	1,741	44	6	5	49	27	47	88	245	391	497	352	-
Male	917	25	4	4	40	21	27	56	149	235	249	107	-
Female	824	19	2	1	9	6	20	32	96	156	238	245	-
White	1,635	38	3	4	44	25	43	82	224	389	468	337	-
Male	858	20	2	3	35	19	23	53	139	223	238	103	-
Female	777	16	1	1	9	6	20	29	85	146	230	234	-
All other	106	6	3	1	5	2	4	6	21	22	19	15	-
Male	59	5	2	1	5	2	4	3	10	12	11	4	-
Female	47	3	1	-	-	-	-	3	11	10	8	11	-
Springfield, Mo	1,482	41	5	6	34	27	39	83	183	328	446	290	-
Male	766	23	2	4	21	17	19	55	111	198	210	106	-
Female	716	18	3	2	13	10	20	28	72	130	236	184	-
White	1,454	38	4	6	33	25	37	83	179	321	440	288	-
Male	747	21	2	4	21	15	17	55	107	195	206	104	-
Female	707	17	2	2	12	10	20	28	72	126	234	184	-
All other	28	3	1	-	1	2	2	-	4	7	6	2	-
Male	19	2	-	-	-	2	2	-	4	3	4	2	-
Female	9	1	1	-	1	-	-	-	-	4	2	-	-
Springfield, Ohio	1,493	34	9	6	21	36	34	99	214	370	424	246	-
Male	792	16	6	6	17	28	20	64	125	220	200	90	-
Female	701	18	3	-	4	8	14	35	89	150	224	156	-
White	1,341	24	8	6	13	30	24	83	191	333	397	231	-
Male	706	10	6	6	10	23	11	58	111	198	190	85	-
Female	635	14	3	-	3	7	13	27	80	135	207	146	-
All other	152	10	-	-	8	6	10	16	23	37	27	15	-
Male	86	6	-	-	7	5	9	8	14	22	10	5	-
Female	66	4	-	-	1	1	1	8	9	15	17	10	-
Springfield-Holyoke, Mass	5,297	83	8	27	94	78	123	321	823	1,239	1,461	1,040	-
Male	2,769	49	6	20	69	60	60	211	516	750	697	371	-
Female	2,528	34	2	7	25	18	43	110	307	489	824	669	-
White	5,127	68	5	26	89	68	109	298	791	1,218	1,434	1,023	-
Male	2,670	38	4	19	69	52	72	193	497	739	625	362	-
Female	2,457	30	1	7	20	16	37	103	294	479	809	661	-
All other	170	15	3	1	5	10	14	25	32	21	27	17	-
Male	99	11	2	1	-	8	8	18	19	11	12	9	-
Female	71	4	1	-	5	2	6	7	13	10	15	8	-
Steubenville-Weirton, Ohio-W. Va	1,597	23	3	6	27	23	31	127	285	432	411	229	-
Male	918	10	-	3	22	18	19	79	182	265	229	91	-
Female	679	13	3	3	5	5	12	48	103	167	182	138	-
White	1,526	21	3	6	27	21	27	120	275	419	391	216	-
Male	881	10	-	3	22	16	15	76	175	260	217	87	-
Female	645	11	3	3	5	5	12	44	100	159	174	129	-
All other	71	2	-	-	-	2	4	7	10	13	20	13	-
Male	37	-	-	-	-	2	4	3	7	5	12	4	-
Female	34	2	-	-	-	-	-	4	3	8	8	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Stockton, Calif	3,050	79	12	15	118	117	96	200	480	679	720	533	1
Male	1,796	48	7	8	93	80	66	121	314	436	405	219	1
Female	1,254	33	5	7	25	37	30	79	166	243	315	314	-
White	2,733	66	10	15	105	100	81	189	420	591	654	501	1
Male	1,561	38	6	8	84	67	54	115	272	383	354	199	1
Female	1,172	28	4	7	21	33	27	74	148	228	300	302	-
All other	317	13	2	-	13	17	15	11	60	88	66	32	-
Male	235	8	1	-	9	13	12	8	42	73	51	20	-
Female	82	5	1	-	4	4	3	5	18	15	15	12	-
Syracuse, N.Y	5,400	114	21	23	98	111	129	347	810	1,233	1,475	1,097	2
Male	2,786	53	14	13	75	75	78	223	516	716	676	347	2
Female	2,614	61	7	10	23	36	53	124	294	517	799	690	-
White	5,243	99	18	21	94	97	112	324	782	1,207	1,458	1,034	2
Male	2,688	45	13	12	72	66	64	207	500	699	661	347	2
Female	2,555	54	5	9	22	31	48	117	282	508	792	687	-
All other	157	15	3	2	4	14	17	23	28	26	22	3	-
Male	98	8	1	1	3	9	12	16	16	17	15	-	-
Female	59	7	2	1	1	5	5	7	12	9	7	3	-
Tacoma, Wash	3,392	105	12	12	115	116	111	245	488	787	820	601	-
Male	1,854	59	7	9	88	78	65	160	297	482	409	219	-
Female	1,538	46	5	3	26	38	46	85	191	305	411	382	-
White	3,219	91	10	11	98	100	101	221	451	742	803	591	-
Male	1,742	53	7	8	74	66	57	144	271	444	403	215	-
Female	1,477	38	3	3	24	34	44	77	180	298	400	376	-
All other	173	14	2	1	17	16	10	24	37	25	17	10	-
Male	112	6	-	1	15	12	8	16	26	18	8	4	-
Female	61	8	2	-	2	4	2	8	11	7	11	6	-
Tallahassee, Fla	746	27	5	5	17	32	20	60	147	184	157	92	-
Male	407	17	2	2	11	22	16	35	87	105	75	35	-
Female	339	10	3	3	6	10	4	25	60	79	82	57	-
White	500	15	3	1	10	17	14	41	91	120	112	76	-
Male	281	13	1	1	7	14	11	25	55	69	57	28	-
Female	219	2	2	-	3	3	3	16	36	51	55	48	-
All other	246	12	2	4	7	15	6	19	56	64	45	16	-
Male	126	4	1	1	4	8	5	10	32	36	18	7	-
Female	120	8	1	3	3	7	1	9	24	28	27	9	-
Tampa-St. Petersburg, Fla	16,462	202	52	60	234	202	332	861	2,090	4,122	5,167	3,140	-
Male	9,222	111	26	37	175	138	216	569	1,342	2,457	2,814	1,337	-
Female	7,240	91	26	23	59	64	116	292	748	1,665	2,353	1,803	-
White	15,205	134	35	52	197	158	251	714	1,854	3,798	4,956	3,056	-
Male	8,502	70	18	32	150	111	188	482	1,197	2,271	2,706	1,297	-
Female	6,703	64	17	20	47	47	63	232	657	1,527	2,250	1,759	-
All other	1,257	68	17	8	37	44	81	147	236	324	211	84	-
Male	720	41	8	5	25	27	48	87	145	188	108	40	-
Female	537	27	9	3	12	17	33	60	91	138	103	44	-
Terre Haute, Ind	2,070	37	4	11	44	40	36	102	274	567	568	387	-
Male	1,092	26	3	7	36	29	24	55	173	329	277	133	-
Female	978	11	1	4	8	11	12	47	101	238	291	254	-
White	2,015	32	3	11	44	37	33	98	271	553	560	373	-
Male	1,061	22	3	7	36	26	22	52	170	322	273	128	-
Female	954	10	-	4	8	11	11	46	101	231	287	245	-
All other	55	5	1	-	-	3	3	4	3	14	8	14	-
Male	31	4	-	-	-	3	2	3	3	7	4	5	-
Female	24	1	1	-	-	-	1	1	-	7	4	9	-
Texarkana, Texas-Ark	1,038	19	6	4	24	28	32	72	153	262	276	160	-
Male	570	10	1	4	18	18	23	41	95	155	144	61	-
Female	468	9	5	-	6	10	9	31	58	107	132	99	-
White	808	11	3	3	17	18	26	51	120	201	226	132	-
Male	440	4	1	3	12	10	18	31	81	119	113	48	-
Female	368	7	2	-	5	8	8	20	39	82	113	84	-
All other	228	8	3	1	7	10	6	21	33	61	50	28	-
Male	130	6	-	1	6	8	5	10	14	36	31	19	-
Female	98	2	3	-	1	2	1	11	19	25	19	15	-
Toledo, Ohio-Mich	6,277	129	27	23	156	153	171	452	939	1,535	1,640	1,052	-
Male	3,344	75	19	11	113	108	111	284	591	900	778	354	-
Female	2,933	54	8	12	43	45	60	168	348	635	862	698	-
White	5,789	101	18	20	133	116	143	402	863	1,431	1,545	1,017	-
Male	3,058	57	14	10	100	80	94	248	548	842	727	338	-
Female	2,731	44	4	10	33	36	49	154	315	589	818	679	-
All other	488	28	9	3	23	37	28	50	76	104	95	35	-
Male	286	18	5	1	13	28	17	36	43	58	51	16	-
Female	202	10	4	2	10	9	11	14	33	46	44	19	-
Topeka, Kans	1,257	29	4	6	32	34	31	61	158	264	354	284	-
Male	645	15	3	4	28	26	15	35	95	158	169	109	-
Female	612	14	1	2	4	8	16	26	63	106	191	181	-
White	1,146	24	2	4	29	29	26	53	142	236	330	271	-
Male	584	14	2	2	25	22	11	30	87	145	149	97	-
Female	562	10	-	2	4	7	15	23	55	91	181	174	-
All other	111	5	2	2	3	5	5	8	16	28	24	13	-
Male	61	1	1	2	3	4	4	5	8	13	14	8	-
Female	50	4	1	-	-	1	1	3	8	15	10	7	-
Trenton, N.J	2,881	67	8	24	72	81	95	235	459	680	746	494	-
Male	1,578	34	5	14	54	41	66	148	316	420	330	150	-
Female	1,303	33	3	10	18	20	29	87	143	260	416	284	-
White	2,393	28	4	13	47	38	64	150	377	581	683	408	-
Male	1,285	14	2	9	36	24	45	95	260	361	296	149	-
Female	1,108	14	2	4	11	14	19	55	117	220	387	255	-
All other	488	39	4	11	25	23	31	85	82	99	63	26	-
Male	293	20	3	5	18	17	21	59	56	59	34	7	-
Female	195	19	1	6	7	6	10	32	26	40	29	19	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tucson, Ariz	3,841	83	23	23	112	137	113	246	560	1,011	1,010	522	1
Male	2,220	52	11	16	88	107	69	149	344	604	579	205	–
Female	1,621	31	12	5	24	30	50	97	216	407	431	317	1
White	3,581	58	20	19	94	114	92	217	538	965	964	499	1
Male	2,062	38	9	14	72	87	48	134	333	582	552	193	–
Female	1,519	20	11	5	22	27	44	83	205	383	412	306	1
All other	260	25	3	4	18	23	21	29	22	46	46	23	–
Male	158	14	2	4	16	20	15	15	11	22	27	12	–
Female	102	11	1	–	2	3	6	14	11	24	19	11	–
Tulsa, Okla	4,536	104	21	28	129	130	143	305	620	1,044	1,192	822	–
Male	2,441	70	8	16	96	92	96	204	405	593	578	283	–
Female	2,095	34	13	10	33	38	47	101	215	451	614	539	–
White	4,025	78	16	23	112	100	118	257	544	947	1,068	762	–
Male	2,158	52	7	14	85	70	80	175	356	548	510	261	–
Female	1,867	26	9	9	27	30	38	82	188	399	558	501	–
All other	511	26	5	3	17	30	25	48	76	97	124	60	–
Male	283	18	1	2	11	22	16	29	49	45	68	22	–
Female	228	8	4	1	6	8	9	19	27	52	56	38	–
Tuscaloosa, Ala	1,018	20	6	5	22	24	39	95	159	254	241	153	–
Male	557	10	4	3	18	17	28	59	111	145	113	49	–
Female	461	10	2	2	4	7	11	36	48	109	128	104	–
White	738	5	3	5	17	21	26	57	117	187	179	121	–
Male	423	5	2	3	15	15	19	36	90	114	84	40	–
Female	315	–	1	2	2	6	7	21	27	73	95	81	–
All other	280	15	3	–	5	3	13	38	42	67	62	32	–
Male	134	5	2	–	3	2	9	23	21	31	29	9	–
Female	146	10	1	–	2	1	4	15	21	36	33	23	–
Tyler, Tex	1,099	26	1	6	22	36	41	77	166	257	314	152	–
Male	633	10	–	4	14	31	28	51	115	162	159	59	–
Female	465	16	1	2	8	5	13	26	51	95	155	93	–
White	838	15	1	5	14	22	33	55	124	194	249	126	–
Male	476	8	–	3	9	19	22	38	90	123	120	44	–
Female	362	7	1	2	5	3	11	17	34	71	129	82	–
All other	260	11	–	1	8	14	8	22	42	63	65	26	–
Male	157	2	–	1	5	12	6	13	25	39	39	15	–
Female	103	9	–	–	3	2	2	9	17	24	26	11	–
Utica-Rome, N.Y	3,137	46	11	16	60	34	81	202	464	723	881	639	–
Male	1,597	21	9	9	46	24	49	132	280	421	382	224	–
Female	1,540	25	2	7	14	10	32	70	184	302	479	415	–
White	3,075	39	10	14	59	31	74	195	450	712	855	636	–
Male	1,563	17	6	7	46	23	44	128	271	417	378	224	–
Female	1,512	22	2	7	13	8	30	67	179	295	477	412	–
All other	62	7	1	2	1	3	7	7	14	11	6	3	–
Male	34	4	1	2	–	1	5	4	9	4	4	–	–
Female	28	3	–	–	1	2	2	3	5	7	2	3	–
Vallejo-Napa, Calif	2,407	54	12	18	80	63	74	188	369	529	636	382	2
Male	1,330	29	8	8	51	50	40	124	241	307	313	158	1
Female	1,077	25	4	10	29	13	34	64	128	222	323	224	1
White	2,240	45	10	13	74	58	63	157	335	493	614	376	2
Male	1,238	25	7	6	49	46	32	111	217	288	302	156	1
Female	1,002	20	3	7	25	12	31	46	118	207	312	220	1
All other	167	9	2	5	6	5	11	31	34	36	22	6	–
Male	92	4	1	2	2	4	8	13	24	21	11	2	–
Female	75	5	1	3	4	1	3	18	10	15	11	4	–
Vineland-Millville-Bridgeton, N.J	1,245	24	5	13	31	36	30	84	179	292	340	210	1
Male	686	15	5	10	25	27	14	48	122	165	171	82	1
Female	559	9	–	3	6	9	16	35	57	127	169	128	–
White	1,079	18	4	9	27	28	23	73	142	256	304	195	–
Male	578	13	4	7	23	22	10	39	85	144	150	71	–
Female	501	5	–	2	4	6	13	34	47	112	154	124	–
All other	166	6	1	4	4	8	7	11	37	36	36	15	1
Male	108	2	1	3	2	5	4	10	27	21	21	11	1
Female	58	4	–	1	2	3	3	1	10	15	15	4	–
Waco, Tex	1,599	41	6	4	29	37	34	94	219	405	437	293	–
Male	863	21	5	1	21	28	18	57	153	249	216	95	–
Female	736	20	1	3	8	9	16	37	66	157	221	198	–
White	1,326	23	4	1	22	29	27	72	181	327	372	268	–
Male	731	12	3	1	17	24	15	49	129	209	184	88	–
Female	595	11	1	–	5	5	12	23	52	118	188	180	–
All other	273	18	2	3	7	8	7	22	38	78	65	25	–
Male	132	9	2	–	4	4	3	8	24	39	32	7	–
Female	141	9	–	3	3	4	4	14	14	39	33	18	–
Washington, D.C.-Md.-Va	19,143	590	77	116	496	653	827	1,939	3,455	4,221	4,086	2,651	32
Male	10,087	346	40	71	341	430	519	1,166	2,169	2,387	1,778	796	24
Female	9,056	244	37	45	155	223	308	753	1,286	1,834	2,308	1,855	8
White	12,785	225	39	71	322	318	399	1,090	2,227	2,806	3,110	2,162	16
Male	6,471	136	23	42	231	200	232	654	1,398	1,579	1,337	628	13
Female	6,314	89	16	29	91	118	167	436	829	1,227	1,773	1,536	3
All other	6,358	365	38	45	174	335	428	849	1,228	1,415	976	488	16
Male	3,616	210	17	29	110	230	287	532	771	808	441	170	11
Female	2,742	155	21	16	64	105	141	317	457	607	535	319	5
Waterloo, Iowa	1,109	32	6	6	30	17	25	74	123	252	289	255	–
Male	589	21	4	3	19	12	15	47	79	150	146	93	–
Female	520	11	2	3	11	5	10	27	44	102	143	162	–
White	1,058	27	5	5	27	17	22	71	111	243	280	250	–
Male	556	18	4	2	17	12	13	44	69	145	142	90	–
Female	502	9	1	3	10	5	9	27	42	98	138	160	–
All other	51	5	1	1	3	–	3	3	12	9	9	5	–
Male	33	3	–	1	2	–	2	3	10	5	4	3	–
Female	18	2	1	–	1	–	1	–	2	4	5	2	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
West Palm Beach, Fla	6,453	93	25	32	103	135	159	347	839	1,845	1,859	1,016	-
Male	3,747	52	13	21	80	96	107	223	520	1,160	1,060	415	-
Female	2,706	41	12	11	23	39	52	124	319	685	799	601	-
White	5,773	45	15	22	76	94	109	251	700	1,684	1,779	996	-
Male	3,338	24	8	12	66	68	72	167	434	1,072	1,014	401	-
Female	2,435	21	7	10	12	26	37	84	266	622	765	595	-
All other	680	48	10	10	25	41	50	96	139	151	80	30	-
Male	409	28	5	9	14	28	35	56	86	88	46	14	-
Female	271	20	5	1	11	13	15	40	53	63	34	16	-
Wheeling, W. Va.-Ohio	2,105	33	6	7	37	35	46	125	331	526	591	367	1
Male	1,133	15	3	3	24	24	28	75	198	316	310	136	1
Female	972	18	3	4	13	11	18	50	133	210	281	231	-
White	2,050	28	6	7	36	34	41	116	318	521	576	364	1
Male	1,105	13	3	3	23	23	25	70	192	315	302	135	1
Female	945	15	3	4	13	11	16	46	126	206	274	229	-
All other	55	5	-	-	1	1	5	7	13	5	15	3	-
Male	28	2	-	-	1	1	3	5	6	1	8	1	-
Female	27	3	-	-	-	-	2	2	7	4	7	2	-
Wichita, Kansas	3,158	91	25	26	109	89	84	222	481	686	764	578	1
Male	1,657	57	12	12	79	66	44	131	293	415	369	189	-
Female	1,401	34	13	14	30	23	40	91	188	273	395	389	1
White	2,926	70	22	23	88	76	72	195	440	646	728	563	1
Male	1,540	45	12	12	62	60	38	115	270	388	356	182	-
Female	1,386	25	10	11	26	16	34	80	170	258	372	381	1
All other	232	21	3	3	21	11	12	27	41	42	36	15	-
Male	127	12	-	-	17	6	6	16	23	27	13	7	-
Female	105	9	3	3	4	5	6	11	18	15	23	8	-
Wichita Falls, Tex	1,105	22	5	15	31	25	37	85	158	254	297	176	-
Male	559	14	1	7	16	17	22	55	95	143	132	57	-
Female	546	8	4	8	15	8	15	30	63	111	165	119	-
White	1,029	17	5	12	29	22	35	77	151	229	282	170	-
Male	520	10	1	5	14	15	22	52	92	131	124	54	-
Female	509	7	4	7	15	7	13	25	59	98	158	116	-
All other	76	5	-	3	2	3	2	8	7	25	15	6	-
Male	39	4	-	2	2	2	-	3	3	12	8	3	-
Female	37	1	-	1	-	1	2	5	4	13	7	3	-
Wilkes-Barre–Hazleton, Pa	4,148	53	4	8	36	35	87	270	681	1,220	1,145	605	4
Male	2,233	32	-	6	25	28	61	173	450	711	527	219	1
Female	1,915	21	4	2	11	7	26	97	231	509	618	386	3
White	4,138	53	4	8	36	34	87	270	678	1,216	1,144	604	4
Male	2,229	32	-	6	25	28	61	173	448	710	526	219	1
Female	1,909	21	4	2	11	6	26	97	230	506	618	385	3
All other	10	-	-	-	-	1	-	-	3	4	1	1	-
Male	4	-	-	-	-	-	-	-	2	1	1	-	-
Female	6	-	-	-	-	1	-	-	1	3	-	1	-
Wilmington, Del.-N.J.-Md	4,182	126	12	30	92	99	137	335	692	1,022	952	680	5
Male	2,252	67	5	20	74	77	84	189	423	622	449	239	3
Female	1,930	59	7	10	18	22	53	146	269	400	503	441	2
White	3,557	83	9	18	76	73	94	287	589	883	864	620	1
Male	1,901	44	4	11	63	58	60	157	368	525	401	211	1
Female	1,656	39	5	7	13	15	34	110	223	358	463	409	-
All other	625	43	3	12	16	26	43	68	103	159	88	60	4
Male	351	23	1	9	11	19	24	32	57	97	48	28	2
Female	274	20	2	3	5	7	19	36	46	62	40	32	2
Wilmington, N.C	1,066	21	4	5	23	27	45	89	203	274	257	116	-
Male	578	11	4	2	15	19	34	52	130	160	126	25	-
Female	488	10	-	3	8	8	11	37	73	114	131	93	-
White	777	8	2	5	20	15	28	57	138	201	205	102	-
Male	417	2	2	2	13	11	20	33	94	124	97	19	-
Female	360	4	-	3	7	4	8	24	44	77	108	83	-
All other	289	15	2	-	3	12	19	32	65	73	52	16	-
Male	161	9	2	-	2	8	14	19	36	36	29	6	-
Female	128	6	-	-	1	4	5	13	29	37	23	10	-
Worcester, Mass	6,016	100	12	21	132	100	109	350	843	1,367	1,679	1,303	-
Male	3,111	58	6	15	103	70	72	217	539	798	794	439	-
Female	2,905	42	6	6	29	30	37	133	304	569	885	864	-
White	5,865	98	12	21	127	98	107	343	839	1,353	1,671	1,295	-
Male	3,084	57	6	15	100	70	71	214	537	789	789	436	-
Female	2,881	41	6	6	27	29	36	129	302	564	882	859	-
All other	51	2	-	-	5	1	2	7	4	14	8	8	-
Male	27	1	-	-	3	-	1	3	2	9	5	3	-
Female	24	1	-	-	2	1	1	4	2	5	3	5	-
York, Pa	3,127	52	10	19	71	69	55	193	433	717	905	611	1
Male	1,636	38	5	14	58	52	38	102	275	418	427	213	-
Female	1,491	18	5	5	15	17	17	91	158	299	479	398	1
White	3,066	50	10	19	68	67	52	175	419	705	895	605	1
Male	1,599	35	5	14	55	51	36	95	266	412	420	210	-
Female	1,467	15	5	5	13	16	16	80	153	293	475	395	1
All other	61	2	-	-	3	2	3	8	14	12	11	6	-
Male	37	1	-	-	1	1	2	7	9	6	7	3	-
Female	24	1	-	-	2	1	1	1	5	6	4	3	-
Youngstown-Warren, Ohio	5,002	115	13	27	112	127	126	361	845	1,185	1,247	849	1
Male	2,692	64	9	16	83	89	67	217	495	697	606	348	1
Female	2,310	51	4	11	29	38	59	144	350	488	641	495	-
White	4,445	76	9	19	98	95	102	290	751	1,064	1,142	799	-
Male	2,370	44	8	10	74	67	55	176	441	622	542	381	-
Female	2,075	32	1	9	24	28	47	114	310	442	600	468	-
All other	557	39	4	8	14	32	24	71	94	121	105	44	1
Male	322	20	1	6	9	22	12	41	54	75	64	17	1
Female	235	19	3	2	5	10	12	30	40	46	41	27	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Areas are those defined by the Office of Management and Budget for 1970, except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Standard Consolidated Areas													
New York, N.Y.--Northeastern New Jersey [1]	140,993	2,838	413	623	2,689	3,502	4,452	10,621	21,569	32,516	37,721	24,006	66
Male	73,665	1,580	226	370	2,021	2,554	2,853	6,567	13,242	18,543	17,151	8,506	52
Female	67,328	1,258	187	253	668	948	1,599	4,054	8,327	13,973	20,570	15,499	14
White	119,427	1,643	270	418	1,879	2,234	2,783	7,688	17,510	28,131	34,326	22,501	44
Male	61,666	910	152	257	1,418	1,640	1,783	4,813	10,872	16,242	15,585	7,961	33
Female	57,761	733	118	161	461	594	1,000	2,875	6,638	11,889	18,761	14,520	11
All other	21,566	1,193	143	205	790	1,268	1,669	2,933	4,059	4,385	3,395	1,504	22
Male	11,999	670	74	113	603	914	1,070	1,754	2,370	2,301	1,566	525	19
Female	9,567	523	69	92	187	354	599	1,179	1,689	2,084	1,809	979	3
Chicago, Ill.--Northwestern Indiana [2]	65,835	2,084	291	374	1,775	1,911	2,259	5,431	11,031	15,028	15,782	9,840	29
Male	35,806	1,197	156	228	1,343	1,373	1,472	3,468	7,067	8,633	7,350	3,504	15
Female	30,029	887	135	146	432	538	787	1,963	3,964	6,395	8,432	6,336	14
White	52,856	1,084	167	240	1,234	1,130	1,409	3,781	8,837	12,389	13,771	8,989	25
Male	28,317	636	91	140	950	838	901	2,422	5,563	7,217	6,352	3,193	14
Female	24,539	448	76	100	284	292	508	1,359	3,074	5,172	7,419	5,796	11
All other	12,979	1,000	124	134	541	781	850	1,650	2,394	2,639	2,011	851	4
Male	7,489	561	65	88	393	535	571	1,046	1,504	1,416	998	311	1
Female	5,490	439	59	46	148	246	279	604	890	1,223	1,013	540	3

[1] Comprised of four standard metropolitan statistical areas--New York, N.Y.; Newark, N.J.; Jersey City, N.J.; Paterson-Clifton-Passaic, N.J.--and two nonmetropolitan counties--Middlesex and Somerset Counties, N.J.
[2] Comprised of two standard metropolitan statistical areas--Chicago, Ill.; and Gary-Hammond-East Chicago, Ind.

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	1,913,841	45,665	3,074	2,047	1,639	1,348	53,773	5,278	5,868	21,085	27,834	24,814	23,127	25,109
Male	1,044,959	25,980	1,658	1,180	979	773	30,571	3,179	3,763	15,547	21,054	16,332	16,014	16,305
Female	868,882	19,685	1,415	867	660	575	23,202	2,099	2,105	5,538	6,580	6,482	7,113	8,798
White	1,676,145	32,079	2,237	1,525	1,219	1,014	38,074	4,065	4,759	17,913	22,187	18,784	17,236	18,714
Male	910,137	18,502	1,219	891	738	587	21,937	2,450	3,053	13,285	17,076	13,989	11,977	12,172
Female	766,008	13,577	1,018	634	481	427	16,137	1,615	1,706	4,648	5,111	4,795	5,259	6,542
All other	237,696	13,586	837	522	420	334	15,699	1,213	1,109	3,172	5,447	6,030	5,891	6,389
Male	134,822	7,478	440	289	241	186	8,634	729	710	2,262	3,978	4,343	4,037	4,133
Female	102,874	6,108	397	233	179	148	7,065	484	399	890	1,469	1,687	1,854	2,256
Black	220,818	12,586	747	477	370	294	14,474	1,098	1,003	2,761	4,630	5,433	5,373	5,877
Male	124,433	6,933	391	264	213	160	7,961	661	637	1,984	3,519	3,921	3,706	3,812
Female	96,385	5,653	356	213	157	134	6,513	437	366	777	1,311	1,512	1,667	2,065
Shigellosis and amebiasis (004,006)	38	4	3	–	4	1	12	1	1	–	–	–	–	2
Male	26	3	3	–	3	1	10	–	1	–	–	–	–	2
Female	12	1	–	–	1	–	2	1	–	–	–	–	–	–
White	29	2	1	–	3	1	7	1	1	–	–	–	–	2
Male	22	2	1	–	3	1	7	–	1	–	–	–	–	2
Female	7	–	–	–	–	–	–	1	–	–	–	–	–	–
All other	9	2	2	–	1	–	5	–	–	–	–	–	–	–
Male	4	1	2	–	–	–	3	–	–	–	–	–	–	–
Female	5	1	–	–	1	–	2	–	–	–	–	–	–	–
Black	6	2	1	–	1	–	4	–	–	–	–	–	–	–
Male	3	1	1	–	–	–	2	–	–	–	–	–	–	–
Female	3	1	–	–	1	–	2	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	298	106	6	4	–	1	117	3	2	2	5	4	1	4
Male	143	58	4	1	–	1	64	1	1	2	2	3	1	2
Female	155	48	2	3	–	–	53	2	1	–	3	1	–	2
White	228	59	5	4	–	–	68	1	2	2	3	4	–	3
Male	107	34	4	1	–	–	39	–	1	2	2	3	–	1
Female	121	25	1	3	–	–	29	1	1	–	1	1	–	2
All other	70	47	1	–	–	1	49	2	–	–	2	–	1	1
Male	36	24	–	–	–	1	25	1	–	–	–	–	1	1
Female	34	23	1	–	–	–	24	1	–	–	2	–	–	–
Black	65	44	1	–	–	1	46	2	–	–	2	–	1	1
Male	35	23	–	–	–	1	24	1	–	–	–	–	1	1
Female	30	21	1	–	–	–	22	1	–	–	2	–	–	–
Tuberculosis (010-018)	2,007	1	2	1	3	1	8	1	2	4	10	26	36	54
Male	1,371	1	–	1	2	1	5	–	2	1	5	12	24	34
Female	636	–	2	–	1	–	3	1	–	3	5	14	12	20
White	1,294	1	2	1	2	–	6	1	1	2	3	6	13	18
Male	909	1	–	1	1	–	3	–	1	–	1	3	11	10
Female	385	–	2	–	1	–	3	1	–	2	2	5	2	8
All other	713	–	–	–	1	1	2	–	1	2	7	18	23	36
Male	462	–	–	–	1	1	2	–	1	1	4	9	13	24
Female	251	–	–	–	–	–	–	–	–	1	3	9	10	14
Black	643	–	–	–	–	1	1	–	1	2	6	16	23	37
Male	423	–	–	–	–	1	1	–	1	1	4	9	13	23
Female	220	–	–	–	–	–	–	–	–	1	2	7	10	14
Tuberculosis of respiratory system (010-012)	1,657	–	–	–	–	–	–	–	1	2	7	16	27	41
Male	1,205	–	–	–	–	–	–	–	1	–	4	8	19	29
Female	452	–	–	–	–	–	–	–	–	2	3	8	8	12
White	1,106	–	–	–	–	–	–	–	1	1	1	5	12	11
Male	812	–	–	–	–	–	–	–	1	–	–	2	10	8
Female	294	–	–	–	–	–	–	–	–	1	1	3	2	3
All other	551	–	–	–	–	–	–	–	–	1	6	11	15	30
Male	393	–	–	–	–	–	–	–	–	–	4	6	9	21
Female	158	–	–	–	–	–	–	–	–	1	2	5	6	9
Black	504	–	–	–	–	–	–	–	–	1	5	9	15	29
Male	363	–	–	–	–	–	–	–	–	–	4	6	9	20
Female	141	–	–	–	–	–	–	–	–	1	1	3	6	9
Other tuberculosis (013-018)	350	1	2	1	3	1	8	1	1	2	3	10	9	13
Male	166	1	–	1	2	1	5	–	1	1	1	4	5	5
Female	184	–	2	–	1	–	3	1	–	1	2	6	4	8
White	188	1	2	1	2	–	6	1	–	1	2	3	1	5
Male	97	1	–	1	1	–	3	–	–	–	1	1	1	2
Female	91	–	2	–	1	–	3	1	–	1	1	2	–	3
All other	162	–	–	–	1	1	2	–	1	1	1	7	8	8
Male	69	–	–	–	1	1	2	–	1	1	–	3	4	3
Female	93	–	–	–	–	–	–	–	–	–	1	4	4	5
Black	139	–	–	–	–	1	1	–	1	1	1	7	8	8
Male	60	–	–	–	–	1	1	–	1	1	–	3	4	3
Female	79	–	–	–	–	–	–	–	–	–	1	4	4	5
Whooping cough (033)	6	6	–	–	–	–	6	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	6	6	–	–	–	–	6	–	–	–	–	–	–	–
White	4	4	–	–	–	–	4	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	4	4	–	–	–	–	4	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	2	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	2	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	2	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	2	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	32,620	50,779	84,486	123,622	163,344	209,007	240,248	251,822	241,854	192,731	100,368	30,379	5,247	652
Male	20,752	32,366	53,837	78,814	103,474	129,066	140,105	132,212	110,104	75,215	33,766	8,721	1,304	458
Female	11,868	18,413	30,649	44,808	59,870	79,941	100,143	119,610	131,750	117,516	66,602	21,658	3,943	194
White	24,742	40,024	66,970	104,026	141,277	182,308	213,718	226,584	224,321	181,229	94,470	27,915	4,350	477
Male	15,726	25,752	44,334	66,724	90,438	113,753	125,620	119,296	101,651	70,242	31,487	7,850	1,012	333
Female	9,016	14,272	24,636	37,304	50,839	68,555	88,098	107,288	122,670	110,987	62,983	20,065	3,338	144
All other	7,878	10,755	15,516	19,594	22,067	26,699	26,530	25,238	17,533	11,502	5,898	2,464	897	175
Male	5,026	6,614	9,503	12,080	13,036	15,313	14,485	12,916	8,453	4,973	2,279	871	292	125
Female	2,852	4,141	6,013	7,504	9,031	11,388	12,045	12,322	9,080	6,529	3,619	1,593	605	50
Black	7,286	10,062	14,564	18,483	20,819	25,168	24,889	23,457	16,117	10,545	5,328	2,229	842	160
Male	4,668	6,220	8,928	11,361	12,253	14,327	13,404	11,776	7,658	4,518	1,931	740	273	115
Female	2,618	3,862	5,636	7,122	8,566	10,841	11,485	11,681	8,459	6,027	3,397	1,489	569	45
Shigellosis and amebiasis (004,006)	–	3	3	1	3	3	3	2	–	3	–	1	–	–
Male	–	3	3	–	2	1	2	–	–	2	–	–	–	–
Female	–	–	–	1	1	2	1	2	–	1	–	1	–	–
White	–	3	2	–	2	2	3	2	–	3	–	1	–	–
Male	–	3	2	–	2	1	2	–	–	2	–	–	–	–
Female	–	–	–	–	–	1	1	2	–	1	–	1	–	–
All other	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Black	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	6	5	9	9	10	17	24	32	25	12	7	2	–
Male	2	1	3	4	6	7	7	8	15	7	4	2	1	–
Female	–	5	2	5	3	3	10	16	17	18	8	5	1	–
White	2	5	5	7	8	9	15	19	31	24	11	7	2	–
Male	2	1	3	2	5	6	6	7	14	7	3	2	1	–
Female	–	4	2	5	3	3	9	12	17	17	8	5	1	–
All other	–	1	–	2	1	1	2	5	1	1	1	–	–	–
Male	–	–	–	2	1	1	1	1	1	–	1	–	–	–
Female	–	1	–	–	–	–	1	4	–	1	–	–	–	–
Black	–	1	–	2	1	1	2	3	1	1	1	–	–	–
Male	–	–	–	2	1	1	1	1	1	–	1	–	–	–
Female	–	1	–	–	–	–	1	2	–	1	–	–	–	–
Tuberculosis (010-018)	77	115	148	200	177	251	243	249	189	150	57	10	–	–
Male	59	81	105	133	129	186	180	179	114	84	35	3	–	–
Female	18	34	43	67	48	65	63	70	75	66	22	7	–	–
White	30	57	84	114	110	181	178	188	150	122	47	5	–	–
Male	24	44	51	79	78	138	134	138	95	68	29	2	–	–
Female	6	13	13	35	32	43	44	48	55	54	18	3	–	–
All other	47	58	64	86	67	70	65	63	39	28	10	5	–	–
Male	35	37	54	54	51	48	46	41	19	16	6	1	–	–
Female	12	21	30	32	16	22	19	22	20	12	4	4	–	–
Black	45	55	76	81	62	61	54	54	32	25	8	4	–	–
Male	35	37	51	52	49	44	37	35	14	13	4	–	–	–
Female	10	18	25	29	13	17	17	19	18	12	4	4	–	–
Tuberculosis of respiratory system (010-012)	68	92	123	172	149	208	207	215	152	118	50	9	–	–
Male	54	70	91	122	118	161	161	161	100	72	32	2	–	–
Female	14	22	32	50	31	47	46	54	52	46	18	7	–	–
White	28	48	57	102	95	159	157	164	121	97	43	4	–	–
Male	23	40	46	79	71	121	124	125	82	58	27	1	–	–
Female	5	8	11	23	24	38	33	39	39	39	16	3	–	–
All other	40	44	66	70	54	49	50	51	31	21	7	5	–	–
Male	31	30	45	49	47	40	37	38	18	14	5	1	–	–
Female	9	14	21	21	7	9	13	15	13	7	2	4	–	–
Black	40	41	63	67	50	44	43	44	25	18	6	4	–	–
Male	31	30	44	48	45	36	31	31	13	11	4	–	–	–
Female	9	11	19	19	5	8	12	13	12	7	2	4	–	–
Other tuberculosis (013-018)	9	23	25	28	28	43	36	34	37	32	7	1	–	–
Male	5	11	14	11	11	25	18	18	14	12	3	1	–	–
Female	4	12	11	17	17	18	17	16	23	20	4	–	–	–
White	2	9	7	12	15	22	21	22	29	25	4	1	–	–
Male	1	4	5	6	7	17	10	13	13	10	2	1	–	–
Female	1	5	2	6	8	5	11	9	16	15	2	–	–	–
All other	7	14	18	16	13	21	15	12	8	7	3	–	–	–
Male	4	7	9	5	4	8	9	5	1	2	1	–	–	–
Female	3	7	9	11	9	13	6	7	7	5	2	–	–	–
Black	5	14	13	14	12	17	11	10	7	7	2	–	–	–
Male	4	7	7	4	4	8	6	4	1	2	–	–	–	–
Female	1	7	6	10	8	9	5	6	6	5	2	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	25	2	2	–	–	–	4	1	3	1	–	–	1	–
Male	14	2	2	–	–	–	4	–	1	–	–	–	1	–
Female	11	–	–	–	–	–	–	1	2	1	–	–	–	–
White	23	2	2	–	–	–	4	1	2	1	–	–	1	–
Male	12	2	2	–	–	–	4	–	–	–	–	–	1	–
Female	11	–	–	–	–	–	–	1	2	1	–	–	–	–
All other	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Male	2	–	–	–	–	–	–	–	1	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	404	89	49	26	20	12	196	13	13	30	15	10	9	12
Male	234	56	34	12	14	8	124	8	5	16	14	4	7	6
Female	170	33	15	14	6	4	72	5	8	14	1	6	2	6
White	310	78	36	22	17	5	159	8	9	23	7	8	6	8
Male	179	52	24	9	13	1	99	6	3	13	6	3	4	3
Female	131	27	12	13	4	4	60	2	6	10	1	5	1	5
All other	94	10	13	4	3	7	37	5	4	7	8	2	4	4
Male	55	4	10	3	1	7	25	2	2	3	8	1	3	3
Female	39	6	3	1	2	–	12	3	2	4	–	1	1	1
Black	83	10	11	4	3	7	35	5	4	7	8	2	2	3
Male	49	4	8	3	1	7	23	2	2	3	8	1	2	2
Female	34	6	3	1	2	–	12	3	2	4	–	1	–	1
Septicemia (038)	8,024	262	23	17	15	8	325	21	18	37	47	53	76	78
Male	3,972	139	15	9	7	3	173	12	8	20	25	29	41	38
Female	4,052	123	8	8	8	5	152	9	10	17	22	24	35	40
White	6,376	159	12	12	9	8	200	14	12	30	40	41	48	48
Male	3,121	84	7	5	3	3	102	9	5	17	22	22	25	22
Female	3,255	75	5	7	6	5	98	5	7	13	18	19	23	26
All other	1,648	103	11	5	6	–	125	7	6	7	7	12	28	30
Male	851	55	8	4	4	–	71	3	3	3	3	7	16	16
Female	797	48	3	1	2	–	54	4	3	4	4	5	12	14
Black	1,561	86	10	3	6	–	115	7	6	7	7	9	26	28
Male	797	51	7	2	4	–	64	3	3	3	3	5	15	16
Female	764	45	3	1	2	–	51	4	3	4	4	4	11	12
Acute poliomyelitis (045)	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Male	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	6	–	–	–	–	–	–	–	–	2	1	1	–	–
Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	4	–	–	–	–	–	–	–	–	1	1	1	–	–
White	5	–	–	–	–	–	–	–	–	2	1	1	–	–
Male	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Female	3	–	–	–	–	–	–	–	–	1	1	1	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	753	13	–	3	1	3	20	5	4	23	54	54	37	36
Male	399	9	–	2	1	2	14	2	2	8	28	30	22	15
Female	354	4	–	1	–	1	6	3	2	15	26	24	15	21
White	594	11	–	3	1	2	17	3	1	15	30	39	28	24
Male	310	7	–	2	1	1	11	–	–	2	16	21	17	12
Female	284	4	–	1	–	1	6	3	1	13	14	18	9	12
All other	159	2	–	–	–	1	3	2	3	8	24	15	11	12
Male	89	2	–	–	–	1	3	2	2	6	12	9	5	3
Female	70	–	–	–	–	–	–	–	1	2	12	6	6	9
Black	127	1	–	–	–	1	2	2	2	8	23	15	9	9
Male	60	1	–	–	–	1	2	2	1	6	11	9	3	2
Female	67	–	–	–	–	–	–	–	1	2	12	6	6	7
Syphilis (090-097)	180	6	–	–	1	–	7	–	–	1	2	1	–	2
Male	107	4	–	–	1	–	5	–	–	1	2	–	–	–
Female	73	2	–	–	–	–	2	–	–	–	–	1	–	2
White	101	4	–	–	–	–	4	–	–	1	2	1	–	2
Male	60	3	–	–	–	–	3	–	–	1	2	–	–	–
Female	41	1	–	–	–	–	1	–	–	–	–	1	–	2
All other	79	2	–	–	1	–	3	–	–	–	–	–	–	–
Male	47	1	–	–	1	–	2	–	–	–	–	–	–	–
Female	32	1	–	–	–	–	1	–	–	–	–	–	–	–
Black	76	1	–	–	1	–	2	–	–	–	–	–	–	–
Male	45	–	–	–	1	–	1	–	–	–	–	–	–	–
Female	31	1	–	–	–	–	1	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	4	1	–	–	–	1	2	1	3	2	1	–	–	–
Male	3	1	–	–	–	–	1	1	1	–	1	–	–	–
Female	1	–	–	–	–	1	1	–	2	2	–	–	–	–
White	3	1	–	–	–	1	2	1	3	2	1	–	–	–
Male	2	1	–	–	–	–	1	1	1	–	1	–	–	–
Female	1	–	–	–	–	1	1	–	2	2	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	8	11	9	22	16	10	14	5	5	4	2	–	–	–
Male	4	7	5	8	7	4	4	4	2	4	1	–	–	–
Female	4	4	4	14	9	6	10	1	3	–	1	–	–	–
White	4	8	7	18	13	8	11	4	5	3	2	–	–	–
Male	3	7	5	6	6	3	3	3	2	3	1	–	–	–
Female	1	1	2	12	7	5	8	1	3	–	1	–	–	–
All other	4	3	2	4	3	2	3	1	–	1	–	–	–	–
Male	1	–	–	2	1	1	1	1	–	1	–	–	–	–
Female	3	3	2	2	2	1	2	–	–	–	–	–	–	–
Black	3	2	–	4	3	1	3	–	–	1	–	–	–	–
Male	–	–	–	2	1	1	1	–	–	1	–	–	–	–
Female	3	2	–	2	2	–	2	–	–	–	–	–	–	–
Septicemia (038)	121	179	323	449	600	881	1,036	1,137	1,118	942	438	140	25	–
Male	58	109	183	237	343	472	536	585	517	385	162	49	10	–
Female	63	70	140	212	257	389	500	572	601	557	276	91	15	–
White	77	129	211	327	456	668	828	922	973	837	380	118	17	–
Male	39	79	125	169	254	372	420	462	446	338	148	38	9	–
Female	38	50	86	158	202	296	408	460	527	499	232	82	8	–
All other	44	50	112	122	144	193	208	215	145	105	58	22	8	–
Male	19	30	58	68	89	100	116	109	71	47	14	13	1	–
Female	25	20	54	54	55	93	92	112	74	58	44	9	7	–
Black	42	42	107	116	137	186	198	204	141	99	54	22	8	–
Male	17	24	55	67	69	96	109	94	68	45	13	13	1	–
Female	25	18	52	49	54	90	89	110	73	54	41	9	7	–
Acute poliomyelitis (045)	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	1	–	–	–	–	–	–	–	–	–	–
White	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	27	45	41	70	79	74	64	49	39	26	4	1	–	1
Male	18	27	23	37	45	48	25	21	24	9	2	–	–	1
Female	9	18	18	33	34	26	39	28	15	17	2	1	–	–
White	16	33	26	59	72	64	58	43	35	24	4	1	–	1
Male	9	18	10	31	42	41	22	18	20	8	2	–	–	1
Female	7	15	9	28	30	23	37	25	15	16	2	1	–	–
All other	11	12	13	11	7	10	5	6	4	2	–	–	–	–
Male	9	9	4	6	3	5	3	3	4	1	–	–	–	–
Female	2	3	9	5	4	5	2	3	–	1	–	–	–	–
Black	6	9	9	6	4	6	4	6	3	2	–	–	–	–
Male	4	6	1	1	–	3	2	3	3	1	–	–	–	–
Female	2	3	8	5	4	5	2	3	–	1	–	–	–	–
Syphilis (090-097)	2	2	6	7	22	24	33	29	16	14	8	3	–	–
Male	1	2	1	4	16	14	25	14	13	6	2	1	–	–
Female	1	–	4	3	6	10	8	15	5	8	6	2	–	–
White	–	1	2	3	8	16	18	19	9	8	4	3	–	–
Male	–	1	1	2	7	8	14	10	7	3	–	1	–	–
Female	–	–	1	1	1	8	4	9	2	5	4	2	–	–
All other	2	1	3	4	14	8	15	10	9	6	4	–	–	–
Male	1	1	–	2	9	6	11	4	6	3	2	–	–	–
Female	1	–	3	2	5	2	4	6	3	3	2	–	–	–
Black	2	1	2	4	14	8	15	10	9	5	4	–	–	–
Male	1	1	–	2	9	6	11	4	5	2	2	–	–	–
Female	1	–	2	2	5	2	4	6	3	3	2	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,096-139)	3,615	222	47	19	13	19	320	66	62	78	84	99	116	115
Male	1,893	114	29	13	6	8	170	32	34	46	41	59	54	59
Female	1,722	108	18	6	7	11	150	34	28	32	43	40	62	56
White	2,932	162	32	15	7	18	234	58	52	62	59	62	71	68
Male	1,553	80	21	10	3	8	122	26	28	42	25	38	36	40
Female	1,379	82	11	5	4	10	112	32	24	20	34	24	35	28
All other	683	60	15	4	6	1	86	8	10	16	25	37	45	47
Male	340	34	8	3	3	–	48	6	6	4	16	21	18	19
Female	343	26	7	1	3	1	38	2	4	12	9	16	27	28
Black	607	52	12	2	4	1	71	7	9	12	24	34	43	45
Male	299	30	8	2	2	–	42	5	5	2	16	19	17	18
Female	308	22	4	–	2	1	29	2	4	10	8	15	26	27
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	403,395	116	132	133	151	162	694	791	761	1,141	1,440	1,911	2,875	4,485
Male	220,015	67	68	71	92	86	384	462	447	711	873	1,053	1,296	1,919
Female	183,380	49	64	62	59	76	310	329	314	430	567	858	1,579	2,566
White	357,336	95	104	116	131	135	581	684	638	970	1,225	1,616	2,434	3,713
Male	193,444	55	53	64	82	72	326	406	372	603	761	913	1,138	1,601
Female	163,892	40	51	52	49	63	255	278	266	367	464	705	1,296	2,112
All other	46,059	21	28	17	20	27	113	107	123	171	215	295	441	772
Male	26,571	12	15	7	10	14	58	56	75	106	112	140	158	318
Female	19,488	9	13	10	10	13	55	51	48	63	103	155	283	454
Black	42,981	19	25	15	17	24	100	90	115	154	198	255	379	600
Male	24,831	11	12	6	8	13	50	47	69	94	104	119	152	281
Female	18,150	8	13	9	9	11	50	43	46	60	94	136	247	406
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,589	–	–	1	1	–	2	6	4	10	17	24	36	89
Male	5,877	–	–	1	1	–	2	2	2	7	12	20	22	66
Female	2,712	–	–	–	–	–	–	4	2	3	5	4	14	21
White	7,307	–	–	1	1	–	2	6	2	5	11	20	30	52
Male	4,914	–	–	1	1	–	2	2	1	4	9	16	18	36
Female	2,393	–	–	–	–	–	–	4	1	1	2	4	12	16
All other	1,282	–	–	–	–	–	–	–	2	5	6	4	6	37
Male	963	–	–	–	–	–	–	–	1	3	3	4	4	32
Female	319	–	–	–	–	–	–	–	1	2	3	–	2	5
Black	1,204	–	–	–	–	–	–	–	2	5	6	3	5	35
Male	900	–	–	–	–	–	–	–	1	3	3	3	3	31
Female	304	–	–	–	–	–	–	–	1	2	3	–	2	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	109,125	11	4	6	3	3	27	15	16	40	106	226	407	738
Male	57,320	7	2	3	2	2	18	8	13	23	60	127	232	414
Female	51,805	4	2	3	1	1	11	7	3	17	46	99	175	324
White	95,783	8	4	4	3	2	21	10	12	31	80	177	313	562
Male	49,858	5	2	2	2	2	13	5	10	17	47	96	166	319
Female	45,925	3	2	2	1	–	8	5	2	14	33	81	127	243
All other	13,342	3	–	2	–	1	6	5	4	9	26	49	94	176
Male	7,462	2	–	1	–	–	3	3	3	6	13	31	46	95
Female	5,880	1	–	1	–	1	3	2	1	3	13	18	48	81
Black	12,214	3	–	1	–	1	5	4	4	6	21	41	81	157
Male	6,790	2	–	1	–	–	3	2	3	4	11	27	40	87
Female	5,424	1	–	–	–	1	2	2	1	2	10	14	41	70
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	103,178	1	1	–	1	1	4	5	6	19	41	88	215	647
Male	76,542	1	–	–	–	1	2	3	6	11	23	58	136	399
Female	26,636	–	1	–	1	–	2	2	–	8	18	32	79	248
White	91,638	–	1	–	1	1	3	3	3	17	34	74	176	526
Male	67,575	–	–	–	–	1	1	2	3	10	20	50	109	321
Female	24,063	–	1	–	1	–	2	1	–	7	14	24	67	205
All other	11,540	1	–	–	–	–	1	2	3	2	7	14	39	121
Male	8,967	1	–	–	–	–	1	1	3	1	3	6	27	78
Female	2,573	–	–	–	–	–	–	1	–	1	4	8	12	43
Black	10,844	1	–	–	–	–	1	1	3	2	7	11	31	112
Male	8,476	1	–	–	–	–	1	–	3	1	3	5	23	73
Female	2,368	–	–	–	–	–	–	1	–	1	4	6	8	39
Malignant neoplasm of breast (174-175)	34,622	–	–	–	–	–	–	–	–	–	18	131	463	855
Male	222	–	–	–	–	–	–	–	–	–	–	1	1	2
Female	34,400	–	–	–	–	–	–	–	–	–	18	130	462	853
White	31,364	–	–	–	–	–	–	–	–	–	15	101	369	706
Male	187	–	–	–	–	–	–	–	–	–	–	1	–	1
Female	31,177	–	–	–	–	–	–	–	–	–	15	100	369	707
All other	3,258	–	–	–	–	–	–	–	–	–	3	30	94	147
Male	35	–	–	–	–	–	–	–	–	–	–	–	1	1
Female	3,223	–	–	–	–	–	–	–	–	–	3	30	93	146
Black	3,086	–	–	–	–	–	–	–	–	–	3	28	83	136
Male	34	–	–	–	–	–	–	–	–	–	–	–	1	1
Female	3,052	–	–	–	–	–	–	–	–	–	3	28	82	135
Malignant neoplasms of genital organs (179-187)	45,402	1	2	1	2	–	6	6	12	56	142	225	341	479
Male	23,017	1	1	–	2	–	4	3	2	27	82	100	80	59
Female	22,385	–	1	1	–	–	2	3	10	29	60	125	261	420
White	38,778	1	2	1	1	–	5	4	11	47	122	186	288	381
Male	19,332	1	1	–	1	–	3	3	2	27	77	95	69	53
Female	19,446	–	1	1	–	–	2	1	9	20	45	91	199	328
All other	6,624	–	–	–	1	–	1	2	1	9	20	39	73	98
Male	3,685	–	–	–	1	–	1	–	–	–	5	5	11	6
Female	2,939	–	–	–	–	–	–	2	1	9	15	34	62	92
Black	6,317	–	–	–	–	–	–	1	1	9	18	37	62	90
Male	3,563	–	–	–	–	–	–	–	–	–	4	5	7	4
Female	2,754	–	–	–	–	–	–	1	1	9	14	32	55	86

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	116	165	196	307	336	358	341	312	266	161	89	25	2	1
Male	62	87	108	163	187	201	192	162	132	61	37	5	–	1
Female	54	78	88	144	149	157	149	150	134	100	52	20	2	–
White	68	126	148	254	281	313	295	281	242	150	85	23	1	1
Male	38	68	85	141	160	181	168	142	118	57	35	4	–	1
Female	30	58	63	113	121	132	127	139	124	93	50	19	1	–
All other	50	39	48	53	55	45	46	31	24	11	4	2	1	–
Male	26	19	23	22	27	20	24	20	14	4	2	1	–	–
Female	24	20	25	31	28	25	22	11	10	7	2	1	1	–
Black	48	36	44	46	51	39	40	23	21	9	3	1	1	–
Male	26	18	20	18	26	16	19	18	11	4	1	–	–	–
Female	22	18	24	28	25	23	21	7	10	5	2	1	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,647	14,474	27,127	40,394	51,694	61,555	61,147	52,447	39,315	23,131	8,454	1,712	161	39
Male	3,440	7,056	14,060	22,000	29,632	35,953	35,858	29,265	20,253	11,046	3,587	660	61	19
Female	4,207	7,418	13,067	18,394	22,062	25,602	25,289	23,182	19,062	12,085	4,867	1,052	100	20
White	6,255	11,917	22,944	34,820	45,391	54,438	54,920	47,411	36,261	21,615	7,827	1,523	124	29
Male	2,762	5,747	11,736	18,705	25,858	31,598	32,042	28,306	18,460	10,222	3,262	573	42	13
Female	3,493	6,170	11,208	16,115	19,533	22,840	22,878	21,105	17,801	11,393	4,565	950	82	16
All other	1,392	2,557	4,183	5,574	6,303	7,119	6,227	5,036	3,054	1,516	627	189	37	10
Male	678	1,309	2,324	3,295	3,774	4,357	3,816	2,959	1,793	824	305	87	19	6
Female	714	1,248	1,859	2,279	2,529	2,762	2,411	2,077	1,261	692	322	102	18	4
Black	1,276	2,390	3,907	5,252	5,938	6,726	5,840	4,683	2,807	1,406	577	164	36	9
Male	635	1,242	2,188	3,116	3,586	4,113	3,559	2,728	1,635	768	278	72	19	6
Female	641	1,148	1,719	2,136	2,372	2,613	2,281	1,935	1,172	638	299	92	17	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	196	404	869	1,155	1,386	1,363	1,132	823	550	337	146	33	4	3
Male	134	304	634	826	969	960	809	521	320	169	75	16	2	3
Female	62	100	235	329	417	403	323	302	230	168	71	17	2	–
White	106	268	635	917	1,220	1,225	1,039	760	513	317	141	33	3	2
Male	66	198	457	649	845	860	734	476	297	154	70	16	1	2
Female	40	69	178	268	375	365	305	284	216	163	71	17	2	–
All other	90	136	234	238	166	138	93	63	37	20	5	–	1	1
Male	68	105	177	177	124	100	75	45	23	15	5	–	1	1
Female	22	31	57	61	42	38	18	18	14	5	–	–	–	–
Black	83	125	221	228	158	135	85	57	30	20	4	–	1	1
Male	63	96	166	169	118	99	68	39	17	15	4	–	1	1
Female	20	29	55	59	40	36	17	18	13	5	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,331	2,677	5,641	9,408	12,876	16,406	17,631	16,449	13,085	8,200	3,172	617	47	10
Male	772	1,542	3,420	5,521	7,608	9,363	9,666	8,117	5,835	3,249	1,109	207	13	5
Female	559	1,135	2,221	3,887	5,268	7,043	7,965	8,332	7,250	4,951	2,063	410	34	5
White	1,044	2,129	4,529	7,863	11,062	14,266	15,630	14,731	12,091	7,706	2,951	542	36	6
Male	604	1,217	2,742	4,582	6,530	8,129	8,544	7,252	5,330	3,020	1,021	180	11	3
Female	440	912	1,778	3,281	4,532	6,137	7,086	7,479	6,761	4,686	1,930	362	25	3
All other	287	548	1,121	1,545	1,814	2,140	2,001	1,718	994	494	221	75	11	4
Male	168	325	678	939	1,078	1,234	1,122	865	505	229	88	27	2	2
Female	119	223	443	606	736	906	879	853	489	265	133	48	9	2
Black	253	502	1,017	1,435	1,687	1,975	1,848	1,549	904	449	196	65	11	4
Male	149	303	624	871	1,002	1,126	1,016	764	448	208	76	22	2	2
Female	104	199	393	564	685	849	832	785	456	241	120	43	9	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,803	4,251	8,596	13,174	17,053	18,969	16,461	11,493	6,602	2,847	756	127	11	10
Male	1,180	2,848	6,044	9,524	12,721	14,459	12,779	8,908	4,905	2,003	456	64	8	7
Female	623	1,403	2,552	3,650	4,332	4,510	3,682	2,585	1,697	844	300	63	3	3
White	1,444	3,456	7,288	11,336	15,087	16,986	15,050	10,571	6,091	2,669	693	116	9	7
Male	921	2,285	5,074	8,092	11,156	12,827	11,641	8,178	4,528	1,873	416	57	6	5
Female	523	1,171	2,214	3,244	3,931	4,159	3,409	2,393	1,563	796	277	59	2	2
All other	359	795	1,308	1,838	1,966	1,983	1,411	922	511	178	63	11	3	3
Male	259	563	970	1,432	1,565	1,632	1,138	730	377	130	40	7	2	2
Female	100	232	338	406	401	351	273	192	134	48	23	4	1	1
Black	342	784	1,245	1,754	1,859	1,879	1,313	845	444	163	54	9	3	2
Male	253	543	922	1,369	1,488	1,565	1,063	669	335	117	34	5	2	2
Female	89	221	323	385	371	314	250	176	109	46	20	4	1	–
Malignant neoplasm of breast (174-175)	1,420	2,214	3,580	4,392	4,469	4,623	4,062	3,266	2,615	1,613	701	181	14	5
Male	2	4	9	22	32	33	38	24	37	10	6	1	–	–
Female	1,418	2,210	3,571	4,370	4,437	4,590	4,024	3,242	2,578	1,603	695	180	14	5
White	1,204	1,870	3,160	3,989	4,062	4,245	3,775	3,028	2,472	1,530	652	166	13	5
Male	2	2	7	20	30	27	32	17	34	8	5	1	–	–
Female	1,202	1,868	3,153	3,969	4,032	4,218	3,743	3,011	2,438	1,522	647	165	13	5
All other	216	344	420	403	407	378	287	238	143	83	49	15	1	–
Male	–	2	2	2	2	6	6	7	3	2	1	–	–	–
Female	216	342	418	401	405	372	281	231	140	81	48	15	1	–
Black	195	323	391	384	383	365	278	229	142	82	48	15	1	–
Male	–	2	2	2	2	5	6	7	3	2	1	–	–	–
Female	195	321	389	382	381	360	272	222	139	80	47	15	1	–
Malignant neoplasms of genital organs (179-187)	704	1,183	2,145	3,207	4,432	6,277	7,267	7,249	6,129	3,876	1,362	275	24	5
Male	45	98	269	748	1,554	2,921	4,206	4,719	4,157	2,748	987	193	15	2
Female	659	1,087	1,876	2,459	2,878	3,356	3,061	2,530	1,972	1,128	375	82	9	3
White	564	939	1,828	2,686	3,694	5,211	6,154	6,248	5,428	3,535	1,211	230	12	4
Male	37	71	213	587	1,226	2,313	3,464	3,972	3,607	2,477	873	157	5	1
Female	527	868	1,615	2,109	2,468	2,898	2,690	2,276	1,821	1,058	338	73	7	3
All other	140	244	317	511	738	1,066	1,113	1,001	701	341	151	45	12	1
Male	8	25	56	161	328	608	742	747	550	271	114	36	10	1
Female	132	219	261	350	410	458	371	254	151	70	37	9	2	–
Black	125	219	287	476	715	1,032	1,081	967	670	329	144	39	12	1
Male	7	25	56	159	324	587	725	723	523	285	108	30	10	1
Female	118	194	231	319	391	445	356	244	147	64	36	9	2	–

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	17,443	8	9	3	7	10	37	42	14	12	28	19	41	97
Male	11,509	5	5	2	6	8	26	13	5	6	17	9	20	58
Female	5,934	3	4	1	1	2	11	29	9	6	11	10	21	39
White	15,966	8	6	2	6	8	30	31	10	8	14	14	34	82
Male	10,620	5	3	2	6	6	22	9	3	4	8	7	19	51
Female	5,346	3	3	-	-	2	8	22	7	4	6	7	15	31
All other	1,477	-	3	1	1	2	7	11	4	4	14	5	7	15
Male	889	-	2	-	-	2	4	4	2	2	9	2	1	7
Female	588	-	1	1	1	-	3	7	2	2	5	3	6	8
Black	1,367	-	2	1	1	2	6	8	2	3	14	5	6	15
Male	829	-	1	-	-	2	3	3	1	1	9	2	1	7
Female	538	-	1	1	1	-	3	5	1	2	5	3	5	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48,591	57	58	67	77	78	337	281	332	488	500	563	734	892
Male	25,702	32	28	38	41	36	175	152	185	269	302	363	425	511
Female	22,889	25	30	29	36	42	162	129	147	179	198	220	309	381
White	43,431	47	47	60	68	65	287	237	273	402	437	525	678	811
Male	22,966	28	22	36	37	29	152	131	148	246	265	328	398	467
Female	20,465	19	25	24	31	36	135	106	125	156	172	197	280	344
All other	5,160	10	11	7	9	13	50	44	59	86	63	58	56	81
Male	2,736	4	6	2	4	7	23	21	37	43	37	35	27	44
Female	2,424	6	5	5	5	6	27	23	22	23	26	23	29	37
Black	4,838	9	10	7	9	13	48	38	59	80	58	52	49	73
Male	2,566	4	5	2	4	7	22	18	37	38	35	30	22	42
Female	2,272	5	5	5	5	6	26	20	22	22	23	22	27	31
Leukemia (204-208)	15,988	33	50	52	49	59	243	360	302	377	357	278	322	336
Male	8,893	16	28	27	34	29	134	221	174	237	222	170	185	176
Female	7,095	17	22	25	15	30	109	139	128	140	135	108	137	160
White	14,607	28	36	45	42	50	203	327	260	321	310	233	286	276
Male	8,136	13	22	23	30	26	114	203	150	201	199	141	166	145
Female	6,469	15	16	22	12	24	89	124	110	120	111	92	122	133
All other	1,381	5	12	7	7	9	40	33	42	56	47	45	34	58
Male	755	3	6	4	4	3	20	18	24	36	23	29	19	31
Female	626	2	6	3	3	6	20	15	18	20	24	16	15	27
Black	1,282	4	11	6	5	6	32	28	36	49	45	37	26	46
Male	677	2	5	3	3	2	15	15	19	30	22	23	14	25
Female	585	2	6	3	2	4	17	13	17	19	23	14	12	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20,457	5	8	3	11	11	38	76	75	159	231	337	316	352
Male	10,933	5	4	-	6	10	25	60	60	111	155	207	195	232
Female	9,524	-	4	3	5	1	13	16	15	48	76	130	121	120
White	18,462	3	6	3	9	9	30	66	67	139	202	288	276	313
Male	9,854	3	3	-	5	8	19	51	55	94	136	179	173	208
Female	8,608	-	3	3	4	1	11	15	12	45	66	109	105	105
All other	1,995	2	2	-	2	2	8	10	8	20	29	49	38	39
Male	1,079	2	1	-	1	2	6	8	5	17	19	28	22	24
Female	916	-	1	-	1	-	2	1	3	3	10	21	16	15
Black	1,849	2	2	-	2	2	8	10	8	20	26	41	36	35
Male	996	2	1	-	1	2	6	9	5	17	17	24	21	21
Female	853	-	1	-	1	-	2	1	3	3	9	17	15	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5,904	48	14	10	14	9	95	50	41	56	75	87	109	96
Male	2,704	17	11	6	4	4	42	24	19	31	37	48	55	48
Female	3,200	31	3	4	10	5	53	26	22	25	38	41	54	48
White	5,201	41	12	8	10	6	77	35	34	43	61	75	88	76
Male	2,406	14	10	5	4	2	35	19	16	27	31	39	42	37
Female	2,795	27	2	3	6	4	42	16	18	16	30	37	46	39
All other	703	7	2	2	4	3	18	15	7	13	14	11	21	20
Male	298	3	1	1	-	2	7	5	3	4	6	7	13	11
Female	405	4	1	1	4	1	11	10	4	9	8	4	8	9
Black	654	7	2	2	4	2	17	14	7	12	14	9	19	20
Male	276	3	1	1	-	1	6	4	3	3	6	5	12	11
Female	378	4	1	1	4	1	11	10	4	9	8	3	7	9
Diabetes mellitus (250)	33,192	3	3	3	3	1	13	15	29	50	120	217	296	393
Male	13,795	3	1	-	1	-	5	3	10	23	66	122	157	214
Female	19,397	-	2	3	2	1	8	12	19	27	54	95	139	179
White	27,624	3	3	2	2	1	11	12	21	40	91	175	232	289
Male	11,668	3	1	-	-	-	4	2	8	17	50	98	123	170
Female	15,936	-	2	2	2	1	7	10	13	23	41	77	109	119
All other	5,568	-	-	1	1	-	2	3	8	10	29	42	64	104
Male	2,107	-	-	-	1	-	1	1	2	6	16	24	34	44
Female	3,461	-	-	1	-	-	1	2	6	4	13	18	30	60
Black	5,174	-	-	-	1	-	1	3	6	10	25	41	62	100
Male	1,915	-	-	-	1	-	1	1	2	6	14	23	34	40
Female	3,259	-	-	-	-	-	-	2	6	4	11	18	28	60
Nutritional deficiencies (260-269)	2,210	45	-	1	1	-	47	1	-	1	7	8	11	12
Male	927	34	-	1	-	-	35	1	-	1	2	5	6	8
Female	1,283	11	-	-	1	-	12	-	-	-	5	3	5	4
White	1,862	21	-	1	1	-	23	-	-	-	7	6	9	9
Male	750	15	-	1	-	-	16	-	-	-	2	4	5	6
Female	1,112	6	-	-	1	-	7	-	-	-	5	2	4	3
All other	348	24	-	-	-	-	24	1	-	1	-	2	2	3
Male	177	19	-	-	-	-	19	1	-	1	-	1	1	2
Female	171	5	-	-	-	-	5	-	-	-	-	1	1	1
Black	325	23	-	-	-	-	23	1	-	-	-	1	2	3
Male	165	18	-	-	-	-	18	1	-	-	-	-	1	2
Female	160	5	-	-	-	-	5	-	-	-	-	1	1	1

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	183	449	650	1,363	1,876	2,508	2,804	2,731	2,257	1,469	518	125	20	–
Male	121	321	602	950	1,288	1,771	1,945	1,798	1,373	851	262	57	6	–
Female	62	128	248	413	578	737	859	933	884	618	256	68	14	–
White	148	381	752	1,217	1,699	2,283	2,598	2,506	2,137	1,402	490	112	18	–
Male	103	273	542	860	1,190	1,621	1,806	1,679	1,312	810	250	52	5	–
Female	45	108	210	357	509	662	792	833	825	592	240	60	13	–
All other	35	68	98	146	177	225	206	225	120	67	28	13	2	–
Male	18	48	60	90	108	150	139	125	61	41	12	5	1	–
Female	17	20	38	56	69	75	67	100	59	26	16	8	1	–
Black	34	66	95	133	181	213	191	210	109	59	24	11	2	–
Male	18	46	60	82	97	141	129	119	56	37	12	4	1	–
Female	16	20	35	51	84	72	62	91	53	22	12	7	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,259	2,076	3,438	4,853	5,820	6,669	6,585	5,625	4,272	2,577	1,027	229	29	5
Male	738	1,206	1,948	2,769	3,280	3,736	3,698	2,737	1,892	966	352	75	12	1
Female	521	870	1,490	2,084	2,540	2,933	2,887	2,888	2,410	1,591	675	154	17	4
White	1,096	1,804	3,000	4,282	5,168	5,950	5,874	5,090	3,940	2,381	957	210	25	4
Male	636	1,052	1,691	2,452	2,937	3,359	3,218	2,471	1,689	906	330	68	11	1
Female	460	752	1,309	1,830	2,231	2,591	2,656	2,619	2,241	1,475	627	142	14	3
All other	163	272	438	571	652	719	711	535	332	196	70	19	4	1
Male	102	154	257	317	343	377	380	266	163	80	22	7	1	–
Female	61	118	181	254	309	342	331	269	169	116	48	12	3	1
Black	152	257	416	535	613	686	669	496	306	181	69	16	4	1
Male	96	149	243	298	320	358	358	251	148	73	22	7	1	–
Female	56	108	173	237	293	328	313	245	158	108	47	9	3	1
Leukemia (204-208)	338	498	758	1,050	1,383	1,789	2,103	2,030	1,784	1,170	415	74	12	1
Male	179	265	405	623	812	1,057	1,234	1,098	886	560	191	29	5	1
Female	159	233	351	427	571	702	869	932	908	610	224	46	7	–
White	293	435	673	943	1,269	1,632	1,956	1,910	1,699	1,110	398	68	9	1
Male	154	232	368	560	742	1,001	1,147	1,034	833	537	181	26	3	1
Female	139	203	305	383	518	631	809	876	866	573	217	42	6	–
All other	45	63	83	107	123	157	147	120	85	60	17	6	3	–
Male	25	33	37	69	70	88	87	64	53	23	10	2	2	–
Female	20	30	46	44	53	71	60	56	42	37	7	4	1	–
Black	39	58	78	98	119	149	137	114	89	57	17	6	2	–
Male	22	28	33	56	68	80	83	58	50	22	10	2	2	–
Female	17	30	45	42	51	69	54	56	39	35	7	4	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	413	722	1,252	1,792	2,399	2,951	3,102	2,781	2,011	1,042	357	51	–	–
Male	269	470	729	1,017	1,358	1,623	1,583	1,343	878	470	129	19	–	–
Female	144	252	523	775	1,041	1,328	1,519	1,438	1,133	572	228	32	–	–
White	356	635	1,098	1,577	2,139	2,638	2,844	2,567	1,890	965	334	48	–	–
Male	239	416	642	903	1,202	1,459	1,456	1,233	820	437	116	18	–	–
Female	117	219	446	674	937	1,179	1,388	1,334	1,070	528	218	30	–	–
All other	57	87	154	215	260	313	258	214	121	77	23	3	–	–
Male	30	54	87	114	156	164	127	110	58	33	13	3	–	–
Female	27	33	77	101	104	149	131	104	63	44	10	2	–	–
Black	53	78	157	207	243	282	238	196	113	68	21	3	–	–
Male	27	50	82	110	147	152	113	88	55	29	11	2	–	–
Female	26	28	75	97	96	140	125	98	58	37	10	1	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	152	219	289	492	560	743	807	778	609	424	169	49	2	1
Male	69	108	135	249	278	365	381	343	254	160	46	13	1	–
Female	83	111	154	243	282	378	426	436	355	264	123	36	1	1
White	118	173	234	424	494	652	730	717	570	401	160	48	1	1
Male	48	92	117	217	237	328	351	321	240	151	45	13	1	–
Female	70	81	117	207	247	323	379	396	330	250	115	35	–	1
All other	36	46	55	68	76	91	77	62	39	23	9	1	1	–
Male	23	16	18	32	41	38	30	22	14	9	1	–	–	–
Female	13	30	37	36	35	55	47	40	25	14	8	1	1	–
Black	34	42	51	65	70	84	72	57	34	23	8	1	1	–
Male	21	14	18	30	37	33	29	21	12	9	1	–	–	–
Female	13	28	33	35	33	51	43	36	22	14	7	1	1	–
Diabetes mellitus (250)	511	754	1,303	2,297	3,240	4,349	5,049	5,236	4,666	3,067	1,245	298	40	6
Male	308	400	687	1,147	1,552	1,997	2,136	2,013	1,614	923	358	68	12	2
Female	203	354	636	1,150	1,688	2,352	2,913	3,223	3,052	2,144	889	228	28	4
White	359	527	917	1,738	2,571	3,484	4,202	4,505	4,246	2,788	1,123	260	28	5
Male	222	289	507	909	1,303	1,678	1,845	1,750	1,483	836	323	60	10	1
Female	137	238	410	829	1,268	1,808	2,357	2,755	2,763	1,950	800	200	18	4
All other	152	227	386	559	669	865	847	731	420	279	122	38	12	1
Male	86	111	160	238	249	321	291	263	131	65	33	8	2	1
Female	66	116	226	321	420	544	556	468	289	194	89	28	10	–
Black	140	212	358	523	633	808	794	671	379	249	112	32	12	1
Male	77	104	143	220	232	295	268	231	116	72	27	6	2	1
Female	63	108	215	303	401	513	526	440	263	177	85	26	10	–
Nutritional deficiencies (260-269)	20	26	45	63	105	124	214	314	384	416	289	91	30	2
Male	9	11	26	23	54	73	87	145	163	151	91	25	8	1
Female	11	15	17	40	51	51	127	169	221	265	198	66	22	1
White	11	17	33	46	90	87	172	269	339	383	256	84	23	2
Male	5	7	16	17	46	50	69	123	135	140	81	21	4	1
Female	6	10	15	29	44	37	103	146	198	243	177	63	19	1
All other	9	9	12	17	15	37	42	45	51	33	31	7	7	–
Male	4	4	10	6	8	23	18	22	28	11	10	4	4	–
Female	5	5	2	11	7	14	24	23	23	22	21	3	3	–
Black	8	9	12	15	14	34	41	42	46	32	30	5	7	–
Male	3	4	10	6	8	21	17	21	25	11	10	3	4	–
Female	5	5	2	9	6	13	24	21	21	21	20	2	3	–

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,171	35	27	22	10	14	108	32	51	58	87	70	62	55
Male	1,475	24	16	9	4	9	64	18	29	34	47	38	26	31
Female	1,696	11	9	13	6	5	44	14	22	24	40	32	36	24
White	2,504	19	8	9	5	8	47	23	25	29	30	27	23	21
Male	1,163	14	5	3	1	4	27	13	13	16	14	15	8	12
Female	1,341	5	3	6	4	2	20	10	12	11	16	12	15	9
All other	667	16	19	13	5	6	61	9	26	29	57	43	39	34
Male	312	10	13	6	3	5	37	5	16	16	33	23	16	19
Female	355	6	6	7	2	3	24	4	10	13	24	20	21	15
Black	637	10	19	13	5	8	55	9	22	28	57	41	38	34
Male	298	9	13	6	3	5	35	5	13	15	33	22	17	19
Female	339	2	6	7	2	3	20	4	9	13	24	19	21	15
Meningitis (320-322)	1,393	441	90	50	31	12	624	36	20	12	15	17	33	33
Male	765	252	48	36	18	5	359	18	8	8	12	9	19	17
Female	628	189	42	14	13	7	265	18	12	4	3	8	14	16
White	951	273	66	38	20	7	404	25	14	4	12	15	25	20
Male	521	157	36	27	13	3	236	16	7	2	9	8	14	10
Female	430	116	30	11	7	4	168	9	7	2	3	7	11	10
All other	442	168	24	12	11	5	220	11	6	8	3	2	8	13
Male	244	95	12	9	5	2	123	2	1	6	3	1	5	7
Female	198	73	12	3	6	3	97	9	5	2	–	1	3	6
Black	404	151	22	12	9	5	199	11	5	8	3	2	7	13
Male	222	82	10	9	5	2	108	2	1	6	3	1	4	7
Female	182	69	12	3	4	3	91	9	4	2	–	1	3	6
Major cardiovascular diseases (390-448)	958,282	872	154	74	49	44	1,193	174	243	558	1,046	1,556	2,653	4,918
Male	494,234	508	75	43	31	21	678	89	130	336	614	969	1,726	3,405
Female	464,048	364	79	31	18	23	515	85	113	222	432	587	925	1,513
White	858,837	574	97	50	40	32	793	142	184	414	744	1,031	1,873	3,587
Male	442,842	342	44	29	24	18	457	77	103	253	452	679	1,271	2,577
Female	415,995	232	53	21	16	14	336	65	81	161	292	352	602	1,010
All other	99,445	298	57	24	9	12	400	32	59	144	302	525	780	1,331
Male	51,392	166	31	14	7	3	221	12	27	83	162	290	457	828
Female	48,053	132	26	10	2	9	179	20	32	61	140	235	323	503
Black	93,369	268	52	24	5	10	359	31	54	136	274	492	722	1,245
Male	47,665	147	28	14	4	3	196	12	26	80	144	275	419	789
Female	45,704	121	24	10	1	7	183	19	28	56	130	217	303	476
Diseases of heart (390-398,402,404-429)	733,235	693	130	64	37	34	958	119	170	395	722	1,089	1,951	3,847
Male	396,372	406	65	37	22	14	544	57	93	250	445	712	1,356	2,844
Female	336,863	287	65	27	15	20	414	62	77	145	277	377	595	1,003
White	660,154	459	78	44	31	25	637	98	125	291	506	727	1,401	2,889
Male	357,378	278	38	26	18	11	371	51	71	186	322	499	1,020	2,227
Female	302,776	181	40	18	13	14	266	47	54	105	184	228	381	662
All other	73,081	234	52	20	6	9	321	21	45	104	216	362	550	958
Male	38,994	128	27	11	4	3	173	6	22	64	123	213	336	617
Female	34,087	106	25	9	2	6	148	15	23	40	93	149	214	341
Black	68,579	208	47	20	4	7	286	20	41	100	197	336	506	894
Male	36,122	111	24	11	3	3	152	6	21	62	109	200	305	569
Female	32,457	97	23	9	1	4	134	14	20	38	88	136	201	325
Rheumatic fever and rheumatic heart disease (390-398)	7,795	5	2	–	–	–	7	4	7	29	54	70	83	130
Male	2,651	3	1	–	–	–	4	1	6	19	29	31	38	58
Female	5,144	2	1	–	–	–	3	3	1	10	25	39	45	72
White	7,195	5	2	–	–	–	7	2	5	14	35	37	80	96
Male	2,414	3	1	–	–	–	4	1	4	10	19	18	26	36
Female	4,781	2	1	–	–	–	3	1	1	4	16	19	34	60
All other	600	–	–	–	–	–	–	2	2	15	19	33	23	32
Male	237	–	–	–	–	–	–	–	2	9	10	13	12	20
Female	363	–	–	–	–	–	–	2	–	6	9	20	11	12
Black	531	–	–	–	–	–	–	1	2	14	17	28	19	27
Male	211	–	–	–	–	–	–	–	2	9	8	11	9	17
Female	320	–	–	–	–	–	–	1	–	5	9	17	10	10
Hypertensive heart disease (402)	20,992	1	–	–	–	–	1	–	1	4	10	53	91	159
Male	8,902	–	–	–	–	–	–	–	–	3	6	31	49	107
Female	12,090	1	–	–	–	–	1	–	1	1	4	22	42	52
White	15,518	1	–	–	–	–	1	–	1	1	3	18	32	58
Male	6,325	–	–	–	–	–	–	–	–	1	2	12	21	47
Female	9,193	1	–	–	–	–	1	–	1	–	1	6	11	11
All other	5,474	–	–	–	–	–	–	–	–	3	7	35	59	101
Male	2,577	–	–	–	–	–	–	–	–	2	4	19	28	60
Female	2,897	–	–	–	–	–	–	–	–	1	3	16	31	41
Black	5,311	–	–	–	–	–	–	–	–	3	5	34	58	96
Male	2,482	–	–	–	–	–	–	–	–	2	3	16	28	57
Female	2,829	–	–	–	–	–	–	–	–	1	2	16	30	41
Hypertensive heart and renal disease (404)	3,649	–	–	–	–	–	–	–	2	1	3	4	13	13
Male	1,507	–	–	–	–	–	–	–	1	–	3	3	7	5
Female	2,142	–	–	–	–	–	–	–	1	1	–	1	6	8
White	2,880	–	–	–	–	–	–	–	1	–	2	1	6	5
Male	1,179	–	–	–	–	–	–	–	1	–	2	1	3	1
Female	1,701	–	–	–	–	–	–	–	–	–	–	–	3	4
All other	769	–	–	–	–	–	–	–	1	1	1	3	7	8
Male	328	–	–	–	–	–	–	–	–	–	1	2	4	4
Female	441	–	–	–	–	–	–	–	1	1	–	1	3	4
Black	748	–	–	–	–	–	–	–	1	1	–	3	7	8
Male	318	–	–	–	–	–	–	–	–	–	–	2	4	4
Female	430	–	–	–	–	–	–	–	1	1	–	1	3	4

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	64	57	85	117	155	218	351	388	484	411	236	79	8	1
Male	32	27	42	59	79	125	176	177	213	149	81	25	3	-
Female	32	30	43	58	76	93	175	211	271	262	155	48	5	1
White	32	36	59	87	125	182	304	342	440	380	219	68	5	-
Male	18	18	29	48	66	109	155	162	198	140	73	24	2	-
Female	14	18	30	39	59	73	149	180	241	240	146	44	3	-
All other	32	21	26	30	30	36	47	46	44	31	17	5	3	1
Male	14	9	13	11	13	16	21	15	14	9	8	1	1	-
Female	18	12	13	19	17	20	26	31	30	22	9	4	2	1
Black	31	17	26	30	29	35	45	45	43	30	16	4	1	1
Male	14	8	13	11	12	16	20	15	13	9	7	-	1	-
Female	17	9	13	19	17	19	25	30	30	21	9	4	-	1
Meningitis (320-322)	32	38	48	68	61	88	81	64	57	30	12	3	1	-
Male	23	20	28	46	47	47	36	29	24	14	1	-	-	-
Female	9	18	20	22	34	41	45	35	33	16	11	3	1	-
White	17	19	33	44	58	61	67	51	49	20	10	3	-	-
Male	11	13	18	30	31	35	31	22	20	7	1	-	-	-
Female	6	6	15	14	27	26	36	29	29	13	9	3	-	-
All other	15	19	15	24	23	27	14	13	8	10	2	-	1	-
Male	12	7	10	16	16	12	5	7	4	7	-	-	-	-
Female	3	12	5	8	7	15	9	6	4	3	2	-	1	-
Black	14	16	13	21	23	22	14	12	8	10	2	-	1	-
Male	12	6	9	15	16	10	5	6	4	7	-	-	-	-
Female	2	10	4	6	7	12	9	6	4	3	2	-	1	-
Major cardiovascular diseases (390-448)	9,190	17,572	32,258	52,041	74,389	101,816	128,492	147,143	153,977	130,737	72,220	22,544	4,009	173
Male	6,591	12,866	23,496	37,042	50,475	64,844	74,361	74,216	65,344	47,362	22,620	6,038	922	110
Female	2,599	4,706	8,762	14,999	23,894	36,972	54,131	72,927	88,633	83,375	49,600	16,506	3,087	63
White	6,954	13,899	26,376	43,784	64,269	88,653	114,267	132,735	142,875	123,539	68,352	20,857	3,976	113
Male	5,185	10,595	19,852	31,913	44,653	57,601	67,060	67,373	60,692	44,529	21,235	5,480	729	73
Female	1,769	3,304	6,524	11,871	19,638	31,052	47,207	65,362	82,183	79,016	47,117	15,368	2,647	40
All other	2,236	3,673	5,882	8,257	10,080	13,163	14,225	14,408	10,502	7,198	3,868	1,687	633	60
Male	1,406	2,271	3,844	5,129	5,822	7,243	7,301	6,843	4,652	2,839	1,385	547	193	37
Female	830	1,402	2,238	3,128	4,258	5,920	6,924	7,565	5,850	4,359	2,483	1,140	440	23
Black	2,123	3,498	5,602	7,846	9,573	12,455	13,410	13,475	9,725	6,630	3,512	1,555	597	55
Male	1,331	2,155	3,440	4,832	5,475	6,759	6,758	6,244	4,248	2,595	1,214	477	182	34
Female	792	1,343	2,162	3,014	4,098	5,696	6,652	7,231	5,477	4,035	2,298	1,078	415	21
Diseases of heart (390-398,402,404-429)	7,533	14,782	27,556	44,413	62,823	83,097	100,922	111,107	111,177	91,973	50,313	15,527	2,808	143
Male	5,722	11,419	20,876	32,708	43,821	54,258	59,741	57,398	48,531	34,426	16,300	4,303	677	91
Female	1,811	3,373	6,680	11,705	19,002	28,839	41,181	53,709	62,646	57,547	34,013	11,224	2,131	52
White	5,845	11,990	22,979	37,983	54,787	73,213	90,582	100,787	103,806	87,022	47,681	14,369	2,363	93
Male	4,622	9,591	17,951	28,593	39,013	48,710	54,317	52,395	45,188	32,385	15,343	3,926	535	62
Female	1,223	2,399	5,028	9,370	15,774	24,503	36,265	48,392	58,618	54,637	32,338	10,443	1,828	31
All other	1,688	2,802	4,577	6,450	7,838	9,884	10,340	10,320	7,371	4,951	2,632	1,158	445	50
Male	1,100	1,828	2,925	4,115	4,608	5,548	5,424	5,003	3,343	2,041	957	377	142	29
Female	588	974	1,652	2,335	3,229	4,336	4,916	5,317	4,028	2,910	1,675	781	303	21
Black	1,603	2,682	4,360	6,124	7,428	9,337	9,724	9,637	6,825	4,551	2,396	1,065	420	47
Male	1,037	1,739	2,750	3,870	4,321	5,169	5,015	4,545	3,056	1,865	940	333	131	27
Female	566	943	1,610	2,254	3,107	4,168	4,709	5,092	3,769	2,686	1,456	732	289	20
Rheumatic fever and rheumatic heart disease (390-398)	224	344	541	766	956	1,207	1,251	975	593	390	135	28	3	-
Male	102	133	222	323	346	393	389	288	165	76	28	2	-	-
Female	122	211	319	443	610	814	862	689	428	314	107	24	3	-
White	161	289	481	703	896	1,151	1,200	927	574	379	132	21	3	-
Male	82	110	199	308	321	370	372	272	160	71	28	1	-	-
Female	99	179	282	395	575	781	828	655	414	308	104	20	3	-
All other	43	55	60	63	60	56	51	48	19	11	3	5	-	-
Male	20	23	23	15	25	23	17	14	5	5	-	1	-	-
Female	23	32	37	48	35	33	34	34	14	6	3	4	-	-
Black	39	50	58	56	51	51	39	42	19	10	3	5	-	-
Male	18	22	21	14	21	22	13	13	5	5	-	1	-	-
Female	21	28	37	42	30	29	26	29	14	5	3	4	-	-
Hypertensive heart disease (402)	326	593	1,013	1,525	1,942	2,596	2,872	3,068	2,982	2,335	1,040	318	49	14
Male	215	373	609	919	1,086	1,344	1,266	1,163	874	550	206	65	9	7
Female	111	220	404	606	856	1,252	1,586	1,905	2,108	1,785	834	253	40	7
White	138	297	550	915	1,299	1,831	2,116	2,425	2,526	2,078	930	260	32	7
Male	99	204	356	575	775	979	945	903	697	479	173	50	3	4
Female	39	93	194	340	524	852	1,171	1,522	1,829	1,599	757	210	29	3
All other	188	296	463	610	643	765	756	643	456	257	110	58	17	7
Male	116	169	253	344	311	365	341	260	177	71	33	15	6	3
Female	72	127	210	266	332	400	415	383	279	186	77	43	11	4
Black	186	288	457	597	624	744	729	627	439	239	107	52	17	7
Male	114	163	248	332	300	352	321	251	173	67	33	11	6	3
Female	72	125	209	265	324	392	408	376	266	172	74	41	11	4
Hypertensive heart and renal disease (404)	32	38	65	124	172	330	457	619	657	603	360	126	29	1
Male	22	19	33	60	86	164	212	288	244	202	114	38	6	-
Female	10	19	32	64	86	166	245	331	413	401	246	88	23	1
White	10	8	26	63	103	213	346	504	578	550	327	115	24	-
Male	9	1	16	35	51	112	169	239	216	162	101	35	5	-
Female	1	7	10	28	52	101	177	265	360	388	226	80	19	-
All other	22	30	39	61	69	117	111	115	81	53	33	11	5	1
Male	13	18	17	25	35	52	43	49	28	20	13	3	1	-
Female	9	12	22	36	34	65	68	66	53	33	20	8	4	1
Black	22	29	39	61	67	111	109	111	79	52	32	10	5	1
Male	13	17	17	25	34	50	42	47	26	20	13	3	1	-
Female	9	12	22	36	33	61	67	64	53	32	19	7	4	1

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	551,365	23	3	–	2	4	32	5	8	38	108	310	979	2,410
Male	307,286	14	3	–	1	–	18	3	7	26	71	258	792	1,960
Female	244,079	9	–	–	1	4	14	2	1	12	37	54	187	450
White	506,933	16	1	–	2	2	21	4	6	30	78	225	755	1,980
Male	283,166	10	1	–	1	–	12	2	5	22	54	194	634	1,649
Female	223,765	6	–	–	1	2	9	2	1	8	24	31	121	331
All other	44,432	7	2	–	–	2	11	1	2	8	30	85	224	430
Male	24,118	4	2	–	–	–	6	1	2	4	17	62	158	311
Female	20,314	3	–	–	–	2	5	–	–	4	13	23	66	119
Black	41,229	6	1	–	–	1	8	1	2	8	28	81	199	401
Male	21,978	3	1	–	–	–	4	1	2	4	15	59	138	290
Female	19,251	3	–	–	–	1	4	–	–	4	13	22	61	111
Acute myocardial infarction (410)	300,462	13	1	–	2	2	18	3	7	23	74	220	657	1,705
Male	181,054	6	1	–	1	–	8	2	7	14	53	179	536	1,397
Female	119,408	7	–	–	1	2	10	1	–	9	21	41	122	308
White	277,070	8	–	–	2	1	11	2	5	16	50	161	509	1,432
Male	167,890	4	–	–	1	–	5	1	5	11	36	137	425	1,206
Female	109,180	4	–	–	1	1	6	1	–	7	14	24	84	226
All other	23,392	5	1	–	–	1	7	1	2	5	24	59	148	273
Male	13,164	2	1	–	–	–	3	1	2	3	17	42	110	191
Female	10,228	3	–	–	–	1	4	–	–	2	7	17	38	82
Black	21,714	4	1	–	–	1	6	1	2	5	22	57	134	255
Male	12,016	1	1	–	–	–	2	1	2	3	15	41	100	180
Female	9,698	3	–	–	–	1	4	–	–	2	7	16	34	75
Other acute and subacute forms of ischemic heart disease (411)	4,782	3	–	–	–	–	3	–	–	2	5	8	25	45
Male	2,992	3	–	–	–	–	3	–	–	1	2	7	21	35
Female	1,770	–	–	–	–	–	–	–	–	1	3	1	4	10
White	4,020	3	–	–	–	–	3	–	–	2	4	4	17	33
Male	2,532	3	–	–	–	–	3	–	–	1	2	4	15	25
Female	1,488	–	–	–	–	–	–	–	–	1	2	–	2	8
All other	742	–	–	–	–	–	–	–	–	–	1	4	8	12
Male	460	–	–	–	–	–	–	–	–	–	–	3	6	10
Female	282	–	–	–	–	–	–	–	–	–	1	1	2	2
Black	709	–	–	–	–	–	–	–	–	–	1	4	7	11
Male	435	–	–	–	–	–	–	–	–	–	–	3	5	9
Female	274	–	–	–	–	–	–	–	–	–	1	1	2	2
Angina pectoris (413)	500	1	–	–	–	–	1	–	–	–	1	1	2	2
Male	262	1	–	–	–	–	1	–	–	–	1	1	1	1
Female	238	–	–	–	–	–	–	–	–	–	–	–	1	1
White	446	1	–	–	–	–	1	–	–	–	1	1	1	1
Male	241	1	–	–	–	–	1	–	–	–	1	1	1	–
Female	205	–	–	–	–	–	–	–	–	–	–	–	–	1
All other	54	–	–	–	–	–	–	–	–	–	–	–	1	1
Male	21	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	33	–	–	–	–	–	–	–	–	–	–	–	1	–
Black	50	–	–	–	–	–	–	–	–	–	–	–	–	1
Male	19	–	–	–	–	–	–	–	–	–	–	–	–	1
Female	31	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	245,641	6	2	–	–	2	10	2	1	13	28	81	295	658
Male	122,978	4	2	–	–	–	6	1	–	11	15	69	235	527
Female	122,663	2	–	–	–	2	4	1	1	2	13	12	60	131
White	225,397	4	1	–	–	1	6	2	1	10	23	59	228	514
Male	112,505	2	1	–	–	–	3	1	–	10	15	52	193	416
Female	112,892	2	–	–	–	1	3	1	1	–	8	7	35	98
All other	20,244	2	1	–	–	1	4	–	–	3	5	22	67	144
Male	10,473	2	1	–	–	–	3	–	–	1	–	17	42	109
Female	9,771	–	–	–	–	1	1	–	–	2	5	5	25	35
Black	18,756	2	–	–	–	–	2	–	–	3	5	20	58	134
Male	9,508	2	–	–	–	–	2	–	–	1	–	15	33	100
Female	9,248	–	–	–	–	–	–	–	–	2	5	5	25	34
Other diseases of endocardium (424)	6,492	12	1	1	1	3	18	7	6	19	34	41	47	80
Male	3,395	10	–	–	1	1	12	6	4	15	26	31	28	37
Female	3,097	2	1	1	–	2	6	1	2	4	8	10	19	23
White	5,846	10	–	1	1	1	13	6	4	16	24	31	38	45
Male	3,057	8	–	–	1	–	9	6	3	13	16	24	23	27
Female	2,789	2	–	1	–	1	4	–	1	3	8	7	15	18
All other	646	2	1	–	–	2	5	1	2	3	10	10	9	15
Male	338	2	–	–	–	1	3	–	1	2	10	7	5	10
Female	308	–	1	–	–	1	2	1	1	1	–	3	4	5
Black	568	2	1	–	–	2	5	1	2	2	7	10	8	13
Male	300	2	–	–	–	1	3	–	1	1	7	7	5	8
Female	268	–	1	–	–	1	2	1	1	1	–	3	3	5
All other forms of heart disease (415-423,425-429)	142,942	652	124	63	34	27	900	103	146	304	513	611	738	1,075
Male	72,631	379	61	37	20	13	510	47	75	187	310	360	442	677
Female	70,311	273	63	26	14	14	390	56	71	117	203	251	296	398
White	121,782	427	75	43	28	22	595	86	106	230	364	415	510	703
Male	61,235	257	36	26	16	11	346	42	58	140	229	250	313	465
Female	60,547	170	39	17	12	11	249	44	50	90	135	165	197	238
All other	21,160	225	49	20	6	5	305	17	38	74	149	196	228	372
Male	11,396	122	25	11	4	2	164	5	17	47	81	110	129	212
Female	9,764	103	24	9	2	3	141	12	21	27	68	86	99	160
Black	20,172	200	45	20	4	4	273	17	34	72	140	180	215	347
Male	10,833	108	23	11	3	2	145	5	16	45	76	103	121	193
Female	9,339	94	22	9	1	2	128	12	18	26	64	77	94	154

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	5,158	10,749	20,462	33,674	48,048	64,021	78,098	85,172	83,890	68,142	36,803	11,165	2,002	91
Male	4,198	8,749	16,192	25,616	34,559	42,934	47,509	45,047	37,452	26,076	12,138	3,131	490	68
Female	960	2,006	4,270	8,058	13,489	21,087	30,589	40,125	46,438	42,066	24,665	8,034	1,512	23
White	4,295	9,210	17,735	29,772	43,224	57,840	71,613	78,552	79,248	64,997	35,141	10,421	1,724	62
Male	3,601	7,690	14,385	23,062	31,662	39,419	44,013	41,809	35,329	24,765	11,531	2,884	388	48
Female	694	1,520	3,350	6,710	11,562	18,421	27,600	36,743	43,919	40,232	23,610	7,537	1,336	14
All other	863	1,539	2,727	3,902	4,824	6,181	6,485	6,620	4,642	3,145	1,662	744	278	29
Male	597	1,053	1,807	2,554	2,897	3,515	3,496	3,238	2,123	1,311	607	247	82	20
Female	266	486	920	1,348	1,927	2,666	2,989	3,382	2,519	1,834	1,055	497	196	9
Black	811	1,452	2,563	3,668	4,536	5,780	6,019	6,112	4,256	2,852	1,492	677	257	26
Male	554	981	1,666	2,366	2,685	3,219	3,178	2,982	1,913	1,175	519	217	82	18
Female	257	471	897	1,302	1,851	2,561	2,841	3,220	2,343	1,677	973	460	175	8
Acute myocardial infarction (410)	3,605	7,505	14,189	23,219	32,305	41,302	47,224	46,925	39,437	28,820	11,757	3,050	475	42
Male	2,958	6,159	11,251	17,694	23,396	28,018	28,225	25,429	18,353	10,967	4,275	991	120	30
Female	647	1,346	2,938	5,525	8,907	13,283	17,999	21,396	21,084	15,853	7,482	2,059	355	12
White	3,059	6,554	12,565	20,869	29,443	37,792	43,807	43,528	37,389	25,498	11,145	2,817	386	30
Male	2,580	5,497	10,192	16,157	21,691	25,990	27,334	23,773	17,402	10,401	4,041	996	88	22
Female	479	1,057	2,373	4,712	7,752	11,802	16,473	19,755	19,987	15,097	7,104	1,821	298	8
All other	546	951	1,624	2,350	2,862	3,510	3,417	3,397	2,048	1,322	612	233	89	12
Male	378	662	1,059	1,537	1,707	2,029	1,891	1,656	951	566	234	85	32	8
Female	168	289	565	813	1,155	1,481	1,526	1,841	1,097	756	378	148	57	4
Black	515	898	1,590	2,222	2,877	3,282	3,152	3,024	1,882	1,206	552	217	83	10
Male	350	619	976	1,435	1,579	1,854	1,717	1,468	851	510	203	74	29	7
Female	165	279	554	787	1,098	1,428	1,435	1,556	1,011	698	349	143	54	3
Other acute and subacute forms of ischemic heart disease (411)	79	162	305	456	579	627	637	637	526	375	213	62	14	2
Male	69	135	239	362	434	435	399	356	244	149	78	20	2	1
Female	10	27	66	94	145	192	238	281	282	226	135	42	12	1
White	67	133	241	369	484	528	543	545	466	338	199	54	12	2
Male	60	114	194	299	354	389	342	310	212	133	75	17	2	1
Female	7	19	47	64	110	159	201	235	256	205	124	37	10	1
All other	12	29	64	93	115	99	94	92	58	37	14	8	2	-
Male	9	21	45	63	80	66	57	46	32	16	3	3	-	-
Female	3	8	19	30	35	33	37	46	26	21	11	5	2	-
Black	11	27	61	91	109	96	91	89	54	34	14	7	2	-
Male	8	19	42	61	77	63	55	44	29	14	3	3	-	-
Female	3	8	19	30	32	33	36	45	25	20	11	4	2	-
Angina pectoris (413)	11	6	20	34	30	65	68	81	80	57	37	5	1	-
Male	7	4	15	24	19	44	41	40	29	21	12	1	-	-
Female	4	2	5	10	11	21	25	41	51	36	25	4	1	-
White	9	4	16	29	27	54	59	70	75	55	37	5	1	-
Male	6	3	13	22	19	39	38	38	28	20	12	1	-	-
Female	3	1	3	7	8	15	23	32	47	35	25	4	1	-
All other	2	2	4	5	3	11	7	11	5	2	-	-	-	-
Male	1	1	2	2	-	5	5	2	1	1	-	-	-	-
Female	1	1	2	3	3	6	2	9	4	1	-	-	-	-
Black	2	2	4	5	3	11	5	10	5	2	-	-	-	-
Male	1	1	2	2	-	5	3	2	1	1	-	-	-	-
Female	1	1	2	3	3	6	2	8	4	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,483	3,076	5,948	9,965	15,134	22,027	30,171	37,629	43,847	40,890	24,796	8,048	1,512	47
Male	1,164	2,445	4,687	7,538	10,708	14,436	17,844	19,222	18,826	14,939	7,773	2,129	368	37
Female	289	631	1,261	2,428	4,426	7,591	12,327	18,407	25,021	25,951	17,023	5,919	1,144	10
White	1,160	2,519	4,913	8,511	13,290	19,466	27,204	34,409	41,316	39,106	23,760	7,545	1,325	30
Male	955	2,076	3,986	6,564	9,598	13,021	16,301	17,668	17,667	14,211	7,403	1,970	308	25
Female	205	443	927	1,927	3,692	6,445	10,903	16,721	23,629	24,895	16,357	5,575	1,017	5
All other	303	557	1,035	1,454	1,844	2,561	2,967	3,220	2,531	1,784	1,036	503	187	17
Male	209	389	701	952	1,110	1,415	1,543	1,534	1,139	728	370	159	60	12
Female	94	168	334	502	734	1,146	1,424	1,686	1,392	1,056	666	344	127	5
Black	283	525	988	1,350	1,747	2,391	2,771	2,989	2,335	1,608	926	453	172	16
Male	195	342	648	868	1,029	1,297	1,403	1,378	1,032	650	313	140	53	11
Female	88	183	322	482	718	1,094	1,368	1,611	1,303	958	613	313	119	5
Other diseases of endocardium (424)	94	117	228	379	546	755	1,017	1,109	979	649	288	77	10	2
Male	63	85	150	273	362	454	545	541	418	224	85	23	3	2
Female	31	32	78	106	184	301	472	568	563	425	203	54	7	-
White	76	88	193	331	481	653	922	1,019	922	619	280	75	8	2
Male	55	68	130	238	327	401	501	496	393	212	88	22	3	2
Female	21	20	63	93	154	252	421	523	529	407	192	53	5	-
All other	18	29	35	48	65	102	95	90	57	30	18	2	2	-
Male	8	17	20	35	35	53	44	45	23	12	7	1	-	-
Female	10	12	15	13	30	49	51	45	34	18	11	1	2	-
Black	16	29	34	44	58	93	87	85	50	27	14	1	2	-
Male	7	17	19	32	31	46	40	41	21	10	4	-	-	-
Female	9	12	15	12	27	47	47	44	29	17	10	1	2	-
All other forms of heart disease (415-423,425-429)	1,699	2,951	5,247	7,945	10,959	14,188	17,227	20,164	22,076	19,854	11,677	3,815	715	35
Male	1,122	2,066	3,670	5,517	7,182	8,969	9,800	10,073	9,380	7,298	3,719	1,044	169	14
Female	577	885	1,577	2,428	3,777	5,219	7,427	10,091	12,696	12,556	7,958	2,771	546	21
White	1,145	2,098	3,994	6,179	8,784	11,525	14,385	17,360	19,960	18,399	10,871	3,477	572	22
Male	776	1,518	2,865	4,375	5,877	7,429	8,317	8,676	8,393	6,676	3,422	934	126	8
Female	369	580	1,129	1,804	2,907	4,096	6,068	8,684	11,567	11,723	7,449	2,543	446	14
All other	554	853	1,253	1,766	2,175	2,663	2,842	2,804	2,116	1,455	806	338	143	13
Male	346	548	805	1,142	1,305	1,540	1,483	1,397	987	622	297	110	43	6
Female	208	305	448	624	870	1,123	1,359	1,407	1,129	833	509	228	100	7
Black	528	834	1,209	1,698	2,092	2,558	2,741	2,660	1,982	1,371	748	320	139	13
Male	331	539	779	1,101	1,250	1,480	1,421	1,301	918	588	271	101	42	6
Female	198	295	430	597	842	1,078	1,320	1,359	1,064	783	477	219	97	7

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,275	4	1	-	3	1	9	2	3	1	10	23	28	59
Male	3,377	3	-	-	2	-	5	1	-	-	8	18	17	34
Female	3,898	1	1	-	1	1	4	1	3	1	2	5	9	25
White	5,713	2	1	-	1	-	4	2	3	1	8	6	7	26
Male	2,645	2	-	-	-	-	2	1	-	-	6	6	5	16
Female	3,068	-	1	-	1	-	2	1	3	1	2	-	2	10
All other	1,562	2	-	-	2	1	5	-	-	-	2	17	19	33
Male	732	1	-	-	2	-	3	-	-	-	2	12	12	18
Female	830	1	-	-	-	1	2	-	-	-	-	5	7	15
Black	1,509	2	-	-	1	1	4	-	-	-	2	17	19	31
Male	705	1	-	-	1	-	2	-	-	-	2	12	12	17
Female	804	1	-	-	-	1	2	-	-	-	-	5	7	14
Cerebrovascular diseases (430-438)	169,488	156	19	9	5	7	196	44	60	120	259	372	575	890
Male	70,439	88	8	6	4	5	109	25	33	62	136	202	287	460
Female	99,049	70	11	3	1	2	87	19	27	58	123	170	288	430
White	148,416	97	16	5	5	5	128	35	50	95	191	256	391	574
Male	60,613	52	6	3	4	5	70	20	29	49	106	149	195	279
Female	87,803	45	10	2	1	-	58	15	21	46	85	107	196	295
All other	21,072	59	3	4	-	2	68	9	10	25	68	116	184	316
Male	9,826	34	2	3	-	-	39	5	4	13	30	53	92	161
Female	11,246	25	1	1	-	2	29	4	6	12	38	63	92	155
Black	19,837	56	3	4	-	2	65	9	10	22	62	110	171	299
Male	9,186	33	2	3	-	-	38	5	4	12	27	52	85	173
Female	10,651	23	1	1	-	2	27	4	6	10	35	58	86	126
Intracerebral and other intracranial hemorrhage (431-432)	21,755	109	4	1	3	5	122	21	21	49	90	105	184	297
Male	9,933	59	2	1	2	4	68	10	12	25	51	53	95	167
Female	11,822	50	2	-	1	1	54	11	9	24	39	52	89	110
White	18,091	68	4	1	3	4	80	19	15	35	66	80	110	168
Male	8,029	37	2	1	2	4	46	8	9	15	37	34	55	93
Female	10,062	31	2	-	1	-	34	11	6	20	29	26	55	75
All other	3,664	41	-	-	-	1	42	2	6	14	24	45	74	129
Male	1,904	22	-	-	-	-	22	2	3	10	14	19	40	94
Female	1,760	19	-	-	-	1	20	-	3	4	10	26	34	35
Black	3,400	41	-	-	-	1	42	2	6	12	23	44	71	123
Male	1,763	22	-	-	-	-	22	2	3	9	14	19	38	89
Female	1,637	19	-	-	-	1	20	-	3	3	9	25	33	34
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35,717	11	8	4	-	-	23	3	6	7	14	30	24	52
Male	14,541	4	2	3	-	-	9	2	4	3	8	14	7	26
Female	21,176	7	6	1	-	-	14	1	2	4	6	16	17	26
White	32,046	8	8	1	-	-	17	2	6	7	9	19	20	33
Male	12,811	3	2	1	-	-	6	2	4	3	6	10	6	14
Female	19,235	5	6	-	-	-	11	-	2	4	3	9	14	19
All other	3,671	3	-	3	-	-	6	1	-	-	5	11	4	19
Male	1,730	1	-	2	-	-	3	-	-	-	2	4	1	12
Female	1,941	2	-	1	-	-	3	1	-	-	3	7	3	7
Black	3,447	2	-	3	-	-	5	1	-	-	5	10	4	17
Male	1,614	1	-	2	-	-	3	-	-	-	2	4	1	11
Female	1,833	1	-	1	-	-	2	1	-	-	3	6	3	6
Cerebral embolism (434.1)	850	-	-	-	-	-	-	-	-	1	2	1	7	6
Male	316	-	-	-	-	-	-	-	-	1	-	1	4	3
Female	534	-	-	-	-	-	-	-	-	-	2	-	3	3
White	779	-	-	-	-	-	-	-	-	1	1	1	7	6
Male	284	-	-	-	-	-	-	-	-	1	-	1	4	3
Female	495	-	-	-	-	-	-	-	-	-	1	-	3	3
All other	71	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	32	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	39	-	-	-	-	-	-	-	-	-	1	-	-	-
Black	67	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	30	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	37	-	-	-	-	-	-	-	-	-	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	111,166	36	7	4	2	2	51	20	33	63	153	236	360	585
Male	45,649	23	4	2	2	1	32	13	17	33	77	134	181	244
Female	65,517	13	3	2	-	1	19	7	16	30	76	102	179	291
White	97,500	21	4	3	2	1	31	14	29	52	115	176	254	367
Male	39,489	12	2	1	2	1	18	10	16	30	63	104	130	169
Female	58,011	9	2	2	-	-	13	4	13	22	52	72	124	198
All other	13,666	15	3	1	-	1	20	6	4	11	38	60	106	168
Male	6,160	11	2	1	-	-	14	3	1	3	14	30	51	75
Female	7,506	4	1	-	-	1	6	3	3	8	24	30	55	93
Black	12,923	13	3	1	-	1	18	6	4	10	33	56	96	159
Male	5,779	10	2	1	-	-	13	3	1	3	11	29	46	73
Female	7,144	3	1	-	-	1	5	3	3	7	22	27	50	86
Atherosclerosis (440)	28,801	3	-	-	-	-	3	-	-	1	-	2	3	10
Male	11,426	2	-	-	-	-	2	-	-	-	-	-	3	7
Female	17,375	1	-	-	-	-	1	-	-	1	-	2	-	3
White	26,602	3	-	-	-	-	3	-	-	-	-	2	2	9
Male	10,460	2	-	-	-	-	2	-	-	-	-	-	2	6
Female	16,142	1	-	-	-	-	1	-	-	-	-	2	-	3
All other	2,199	-	-	-	-	-	-	-	-	1	-	-	1	1
Male	966	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	1,233	-	-	-	-	-	-	-	-	1	-	-	-	-
Black	2,057	-	-	-	-	-	-	-	-	-	-	-	1	1
Male	888	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	1,169	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	90	149	244	376	504	722	872	1,094	1,147	1,157	576	184	26	1
Male	53	77	135	218	264	410	427	495	488	448	213	61	4	1
Female	37	72	109	158	240	312	445	599	659	709	363	123	22	-
White	41	73	121	230	342	503	677	881	1,027	1,061	514	167	18	1
Male	23	44	74	147	191	300	337	406	435	406	189	54	2	1
Female	18	29	47	83	151	203	340	475	592	655	325	113	16	-
All other	49	76	123	146	162	219	195	213	120	96	62	17	8	-
Male	30	33	61	71	73	110	90	88	53	42	24	7	2	-
Female	19	43	62	75	89	109	105	124	67	54	38	10	6	-
Black	47	73	122	140	160	213	190	201	117	93	57	16	7	-
Male	29	31	61	65	73	107	87	83	53	40	23	6	2	-
Female	18	42	61	75	87	106	103	118	64	53	34	10	5	-
Cerebrovascular disease (430-438)	1,387	2,292	3,769	5,867	8,743	13,832	20,975	27,825	32,499	28,978	15,489	4,598	605	23
Male	706	1,150	1,996	3,161	4,815	7,329	10,462	12,339	12,359	9,302	4,295	1,059	137	15
Female	681	1,142	1,773	2,706	3,928	6,503	10,513	15,486	20,140	19,676	11,194	3,539	558	8
White	931	1,562	2,711	4,399	6,938	11,216	17,792	24,519	30,023	27,228	14,581	4,210	570	16
Male	454	776	1,414	2,334	3,831	5,998	8,962	10,862	11,351	8,689	3,993	942	101	9
Female	477	786	1,297	2,065	3,107	5,218	8,830	13,657	18,672	18,539	10,588	3,268	469	7
All other	456	730	1,058	1,468	1,805	2,616	3,183	3,306	2,476	1,750	908	388	125	7
Male	252	374	582	827	984	1,331	1,500	1,477	1,008	613	302	117	36	6
Female	204	356	476	641	821	1,285	1,683	1,829	1,468	1,137	606	271	89	1
Black	433	689	1,003	1,389	1,723	2,482	3,037	3,108	2,301	1,619	816	361	118	6
Male	244	352	557	789	935	1,247	1,409	1,370	924	557	264	100	36	6
Female	189	331	446	610	788	1,235	1,628	1,738	1,377	1,062	552	261	82	-
Intracerebral and other intracranial hemorrhage (431-432)	482	788	1,259	1,607	1,926	2,555	3,096	3,034	2,661	2,061	936	235	20	6
Male	272	424	703	851	1,013	1,327	1,465	1,303	1,089	655	267	54	3	6
Female	210	364	556	756	913	1,228	1,631	1,731	1,772	1,406	669	181	17	-
White	285	480	864	1,206	1,541	2,101	2,663	2,697	2,639	1,967	865	214	13	3
Male	151	250	466	625	811	1,098	1,269	1,156	992	617	245	48	1	3
Female	134	230	398	581	730	1,003	1,394	1,541	1,647	1,350	620	166	12	-
All other	197	308	395	401	385	454	433	337	222	94	71	21	7	3
Male	121	174	237	226	202	229	196	147	97	38	22	6	2	3
Female	76	134	158	175	183	225	237	190	125	56	49	15	5	-
Black	188	290	371	373	369	416	388	302	185	81	64	20	7	3
Male	119	164	226	210	196	205	171	132	82	34	18	5	2	3
Female	69	126	145	163	173	211	227	170	113	47	46	15	5	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	97	203	439	853	1,535	2,621	4,226	6,113	7,521	6,833	3,759	1,154	202	2
Male	52	124	259	532	920	1,472	2,148	2,723	2,825	2,095	1,032	247	39	-
Female	45	79	180	321	615	1,149	2,078	3,390	4,696	4,738	2,727	907	163	2
White	63	137	327	640	1,233	2,167	3,646	5,467	6,995	6,463	3,572	1,053	168	2
Male	33	76	189	402	739	1,222	1,878	2,415	2,616	1,976	966	219	29	-
Female	30	61	138	238	494	945	1,768	3,052	4,379	4,487	2,606	834	139	2
All other	34	66	112	213	302	454	580	646	526	370	187	101	34	-
Male	19	48	70	130	181	250	270	308	209	119	66	28	10	-
Female	15	18	42	83	121	204	310	338	317	251	121	73	24	-
Black	32	64	110	207	283	437	552	604	488	335	167	93	33	-
Male	17	46	68	126	167	236	254	284	196	105	59	25	10	-
Female	15	18	42	81	116	201	298	320	292	230	108	68	23	-
Cerebral embolism (434.1)	5	16	21	27	67	104	120	139	164	107	49	11	1	-
Male	2	6	7	10	33	46	55	52	52	30	10	4	-	-
Female	3	12	14	17	34	58	65	87	112	77	39	7	1	-
White	4	17	18	24	55	96	108	128	154	101	48	9	1	-
Male	2	6	6	8	25	41	51	47	47	28	10	4	-	-
Female	2	11	12	16	30	55	57	81	107	73	38	5	1	-
All other	1	1	3	3	12	8	12	11	10	6	1	2	-	-
Male	-	-	1	2	8	5	4	5	5	2	-	-	-	-
Female	1	1	2	1	4	3	8	6	5	4	1	2	-	-
Black	1	1	3	3	12	7	12	9	9	6	1	2	-	-
Male	-	-	1	2	8	5	4	3	5	2	-	-	-	-
Female	1	1	2	1	4	2	8	6	4	4	1	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	803	1,283	2,050	3,380	5,215	8,652	13,533	18,539	21,953	19,977	10,745	3,188	472	15
Male	380	596	1,027	1,768	2,849	4,484	6,784	8,261	8,393	6,522	2,986	754	95	9
Female	423	687	1,023	1,612	2,366	4,068	6,739	10,278	13,560	13,455	7,759	2,444	377	6
White	579	928	1,502	2,529	4,109	6,852	11,375	16,227	20,235	18,697	10,096	2,934	388	11
Male	268	444	753	1,299	2,258	3,637	5,764	7,244	7,696	6,068	2,772	671	71	6
Female	311	484	749	1,230	1,853	3,215	5,611	8,983	12,539	12,629	7,324	2,263	317	5
All other	224	355	548	851	1,106	1,700	2,158	2,312	1,718	1,280	649	254	84	4
Male	112	152	274	469	593	847	1,030	1,017	697	454	214	83	24	3
Female	112	203	274	382	513	853	1,128	1,295	1,021	826	435	181	60	1
Black	212	328	519	816	1,059	1,622	2,076	2,193	1,609	1,197	584	246	78	3
Male	106	142	262	451	564	801	980	951	641	416	187	70	24	3
Female	104	186	257	365	495	821	1,095	1,242	968	781	397	176	54	-
Atherosclerosis (440)	27	68	142	346	677	1,368	2,388	3,756	5,789	6,757	5,028	2,034	441	3
Male	19	51	101	221	415	776	1,305	1,773	2,314	2,303	1,499	542	95	-
Female	8	15	41	125	262	592	1,083	1,983	3,455	4,454	3,529	1,492	346	3
White	24	55	115	277	561	1,164	2,074	3,397	5,372	6,424	4,805	1,923	393	2
Male	17	41	84	179	358	679	1,153	1,603	2,145	2,191	1,415	501	84	-
Female	7	14	31	98	203	485	921	1,794	3,227	4,233	3,390	1,422	309	2
All other	3	11	27	69	116	204	294	359	397	333	223	111	48	1
Male	2	10	17	42	57	97	152	170	169	112	84	41	11	-
Female	1	1	10	27	59	107	142	189	228	221	139	70	37	1
Black	3	10	27	67	113	197	270	345	384	306	204	101	47	1
Male	2	9	17	40	56	92	134	162	151	106	72	34	11	-
Female	1	1	10	27	57	105	136	183	213	200	132	67	36	1

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	19,483	16	4	1	4	2	27	9	10	41	55	70	98	112
Male	12,620	11	2	–	3	2	18	6	4	24	25	37	65	60
Female	6,863	5	2	1	1	–	9	3	6	17	30	33	33	52
White	17,952	13	2	1	3	2	21	7	6	27	39	40	72	89
Male	11,746	8	–	–	2	2	12	5	3	18	18	25	49	49
Female	6,206	5	2	1	1	–	9	2	3	9	21	15	23	40
All other	1,531	3	2	–	1	–	6	2	4	14	16	30	26	23
Male	874	3	2	–	1	–	6	1	1	6	7	12	16	11
Female	657	–	–	–	–	–	–	1	3	8	9	18	10	12
Black	1,387	2	2	–	–	–	4	2	3	14	13	29	25	20
Male	764	2	2	–	–	–	4	1	1	6	6	11	16	9
Female	623	–	–	–	–	–	–	1	2	8	7	18	9	11
Acute bronchitis and bronchiolitis (466)	554	94	19	10	4	1	128	7	3	4	3	11	5	1
Male	283	57	8	5	2	–	72	4	2	3	2	6	2	–
Female	271	37	11	5	2	1	56	3	1	1	1	5	3	1
White	482	63	14	6	4	–	87	6	3	3	3	10	2	1
Male	243	40	5	3	2	–	50	3	2	2	2	5	1	–
Female	239	23	9	3	2	–	37	3	1	1	1	5	1	1
All other	72	31	5	4	–	1	41	1	–	1	–	1	3	–
Male	40	17	3	2	–	–	22	1	–	1	–	1	1	–
Female	32	14	2	2	–	1	19	–	–	–	–	–	2	–
Black	69	30	5	3	–	1	39	1	–	1	–	1	3	–
Male	39	17	3	2	–	–	22	1	–	1	–	1	1	–
Female	30	13	2	1	–	1	17	–	–	–	–	–	2	–
Pneumonia and influenza (480-487)	45,030	1,129	125	62	40	31	1,387	115	97	155	186	235	289	364
Male	23,725	628	65	32	21	20	766	61	49	67	103	136	185	241
Female	21,305	501	60	30	19	11	621	54	48	88	83	99	104	123
White	39,803	703	81	40	28	23	875	92	78	127	133	157	173	212
Male	20,544	394	42	22	14	15	487	50	39	73	77	101	111	128
Female	19,259	309	39	18	14	8	388	42	39	54	56	56	62	84
All other	5,227	426	44	22	12	8	512	23	19	28	53	78	116	152
Male	3,181	234	23	10	7	5	279	11	10	14	26	35	74	113
Female	2,046	192	21	12	5	3	233	12	9	14	27	43	42	39
Black	4,740	395	42	22	12	7	478	22	17	25	46	69	109	142
Male	2,884	218	23	10	7	4	262	11	8	12	23	30	70	106
Female	1,856	177	19	12	5	3	216	11	9	13	23	39	39	34
Pneumonia (480-486)	44,426	1,120	123	59	39	29	1,370	112	92	149	189	230	286	361
Male	23,493	624	64	30	21	18	757	58	48	83	102	131	188	239
Female	20,933	496	59	29	18	11	613	54	46	66	81	99	103	122
White	39,253	699	78	37	27	21	863	90	73	121	130	153	170	212
Male	20,340	392	41	20	14	13	480	48	38	69	76	97	109	128
Female	18,913	307	38	17	13	8	383	42	37	52	54	56	61	84
All other	5,173	421	44	22	12	8	507	22	19	28	53	77	116	149
Male	3,153	232	23	10	7	5	277	10	10	14	26	34	74	111
Female	2,020	189	21	12	5	3	230	12	9	14	27	43	42	38
Black	4,697	391	42	22	12	7	474	21	17	25	46	68	109	139
Male	2,862	216	23	10	7	4	260	10	8	12	23	29	70	106
Female	1,835	175	19	12	5	3	214	11	9	13	23	39	39	33
Influenza (487)	604	9	2	3	1	2	17	3	5	6	3	5	3	3
Male	232	4	1	2	–	2	9	3	3	4	1	5	2	2
Female	372	5	1	1	1	–	8	–	2	2	2	–	1	1
White	550	4	2	3	1	2	12	2	5	6	3	4	3	–
Male	204	2	1	2	–	2	7	2	3	4	1	4	2	–
Female	346	2	1	1	1	–	5	–	2	2	2	–	1	–
All other	54	5	–	–	–	–	5	1	–	–	–	1	–	3
Male	28	2	–	–	–	–	2	1	–	–	–	1	–	2
Female	26	3	–	–	–	–	3	–	–	–	–	–	–	1
Black	43	4	–	–	–	–	4	1	–	–	–	1	–	3
Male	22	2	–	–	–	–	2	1	–	–	–	1	–	2
Female	21	2	–	–	–	–	2	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49,933	66	32	11	7	11	127	24	33	52	70	87	89	151
Male	35,295	40	18	4	6	5	73	12	23	30	37	43	49	72
Female	14,638	26	14	7	1	6	54	12	10	22	33	44	40	79
White	46,692	50	24	8	5	11	98	17	25	39	46	51	53	95
Male	32,942	29	14	3	5	5	56	8	18	21	25	26	32	44
Female	13,750	21	10	5	–	6	42	9	7	18	21	25	21	52
All other	3,241	16	8	3	2	–	29	7	8	23	24	36	36	55
Male	2,353	11	4	1	1	–	17	4	5	9	12	17	17	28
Female	888	5	4	2	1	–	12	3	3	14	12	19	19	27
Black	2,957	14	7	3	1	–	25	7	8	22	22	34	34	53
Male	2,166	10	4	1	1	–	16	4	5	8	11	16	17	27
Female	791	4	3	2	–	–	9	3	3	14	11	18	17	26
Bronchitis, chronic and unspecified (490-491)	3,850	57	20	7	4	6	94	10	4	5	9	12	5	9
Male	2,405	34	13	3	4	2	56	6	3	4	5	6	4	3
Female	1,245	23	7	4	–	4	38	4	1	1	4	4	1	6
White	3,452	41	15	5	4	6	71	9	4	5	8	11	4	7
Male	2,275	23	10	3	4	2	42	5	3	4	5	8	4	3
Female	1,177	18	5	2	–	4	29	4	1	1	3	3	–	4
All other	198	16	5	2	–	–	23	1	–	–	1	1	1	2
Male	130	11	3	–	–	–	14	1	–	–	–	–	–	–
Female	68	5	2	2	–	–	9	–	–	–	1	1	1	2
Black	170	14	4	2	–	–	20	1	–	–	1	–	1	2
Male	117	10	3	–	–	–	13	1	–	–	–	–	–	–
Female	53	4	1	2	–	–	7	–	–	–	1	–	1	2

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	153	273	547	1,039	1,822	2,797	3,355	3,381	2,785	1,872	814	201	39	3
Male	91	169	388	734	1,360	2,071	2,426	2,211	1,652	883	313	71	9	3
Female	62	104	159	305	462	726	929	1,150	1,133	989	501	130	30	-
White	113	219	450	915	1,661	2,557	3,142	3,151	2,647	1,804	771	188	32	1
Male	69	143	329	660	1,280	1,914	2,291	2,107	1,573	852	285	68	7	1
Female	44	76	121	255	401	643	851	1,044	1,074	952	476	122	25	-
All other	40	54	97	124	161	240	213	210	138	68	43	13	7	2
Male	22	26	59	74	100	157	135	104	79	31	16	5	2	2
Female	18	28	38	50	61	83	78	106	59	37	25	8	5	-
Black	37	50	90	116	149	228	189	184	116	61	39	12	5	1
Male	19	24	55	68	90	144	113	84	64	27	15	4	2	1
Female	18	26	35	48	59	82	76	100	54	34	24	8	3	-
Acute bronchitis and bronchiolitis (466)	9	7	19	20	25	46	44	46	65	50	41	16	4	1
Male	5	3	12	14	15	19	27	25	31	24	12	5	-	-
Female	4	4	7	6	10	27	17	21	34	26	29	10	4	1
White	7	6	14	16	22	43	42	45	64	49	41	15	3	-
Male	5	3	9	11	12	17	25	24	31	24	12	5	-	-
Female	2	3	5	5	10	26	17	21	33	25	29	10	3	-
All other	2	1	5	4	3	3	2	1	1	1	-	-	1	1
Male	-	-	3	3	3	2	2	1	-	-	-	-	-	-
Female	2	1	2	1	-	1	-	-	1	1	-	-	1	1
Black	2	1	5	4	3	2	2	1	1	1	-	-	1	1
Male	-	-	3	3	3	1	2	1	-	-	-	-	-	-
Female	2	1	2	1	-	1	-	-	1	1	-	-	1	1
Pneumonia and influenza (480-487)	449	622	1,012	1,459	2,052	2,994	4,943	5,990	8,005	8,040	5,064	1,792	370	10
Male	279	396	683	976	1,320	1,976	2,748	3,353	4,049	3,925	1,988	591	105	10
Female	170	226	329	483	732	1,018	1,595	2,637	3,956	4,415	3,078	1,201	265	-
White	269	424	722	1,132	1,673	2,525	3,821	5,403	7,508	7,628	4,848	1,667	331	7
Male	160	256	479	751	1,062	1,661	2,428	2,992	3,765	3,402	1,892	535	88	7
Female	109	168	243	381	611	864	1,393	2,411	3,743	4,226	2,954	1,132	243	-
All other	180	198	290	327	379	469	522	587	497	412	216	125	39	3
Male	119	140	204	225	258	315	320	361	284	223	94	56	17	3
Female	61	58	86	102	121	154	202	226	213	189	124	69	22	-
Black	169	194	272	309	355	426	484	518	425	385	179	99	35	2
Male	114	138	190	219	240	286	290	312	244	198	73	45	15	2
Female	55	56	82	90	115	140	194	206	181	187	106	54	20	-
Pneumonia (480-486)	446	616	1,008	1,447	2,038	2,956	4,297	5,923	7,903	7,909	4,979	1,753	360	10
Male	277	394	681	972	1,314	1,954	2,722	3,322	4,010	3,590	1,964	592	102	10
Female	169	222	327	475	722	1,002	1,575	2,601	3,893	4,319	3,015	1,171	258	-
White	267	418	719	1,121	1,659	2,497	3,780	5,340	7,414	7,504	4,766	1,628	321	7
Male	158	254	478	747	1,057	1,646	2,404	2,963	3,731	3,370	1,871	526	85	7
Female	109	164	241	374	602	851	1,376	2,377	3,683	4,134	2,895	1,102	236	-
All other	179	198	289	326	377	459	517	583	489	405	213	125	39	3
Male	119	140	203	225	257	308	316	359	279	220	93	56	17	3
Female	60	58	86	101	120	151	199	224	210	185	120	69	22	-
Black	168	194	271	308	354	418	479	515	419	382	174	99	35	2
Male	114	138	189	219	239	280	288	311	240	198	72	45	15	2
Female	54	56	82	95	115	138	191	204	179	184	102	54	20	-
Influenza (487)	3	6	4	12	16	38	46	67	102	131	85	39	10	-
Male	2	2	2	4	6	22	26	31	39	35	22	9	3	-
Female	1	4	2	8	10	16	20	36	63	96	63	30	7	-
White	2	6	3	11	14	28	41	63	94	124	80	39	10	-
Male	2	2	1	4	5	15	24	29	34	32	21	9	3	-
Female	-	4	2	7	9	13	17	34	60	92	59	30	7	-
All other	1	-	1	1	2	10	5	4	8	7	5	-	-	-
Male	-	-	1	-	1	7	2	2	5	3	1	-	-	-
Female	1	-	-	1	1	3	3	2	3	4	4	-	-	-
Black	1	-	1	1	1	6	5	3	6	3	5	-	-	-
Male	-	-	1	-	1	6	2	1	4	-	1	-	-	-
Female	1	-	-	1	-	2	3	2	2	3	4	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	274	597	1,539	3,047	5,579	8,180	9,766	8,802	6,443	3,545	1,185	288	30	5
Male	148	364	926	1,989	3,778	5,889	7,208	6,520	4,772	2,423	776	167	14	4
Female	126	233	613	1,058	1,803	2,311	2,558	2,282	1,671	1,122	409	131	16	1
White	205	475	1,344	2,737	5,180	7,657	9,266	8,356	6,209	3,402	1,134	277	22	3
Male	106	282	802	1,771	3,497	5,467	6,815	6,163	4,597	2,312	739	151	8	2
Female	99	193	542	966	1,683	2,190	2,451	2,193	1,612	1,090	395	126	14	1
All other	69	122	195	310	399	523	500	446	234	143	51	21	8	2
Male	42	82	124	218	279	402	393	357	175	111	37	16	6	2
Female	27	40	71	92	120	121	107	89	59	32	14	5	2	-
Black	63	116	186	296	372	488	454	406	199	112	36	12	6	2
Male	37	79	119	209	267	374	363	333	151	89	25	10	4	2
Female	26	39	67	87	105	114	91	75	48	23	11	2	2	-
Bronchitis, chronic and unspecified (490-491)	18	34	103	220	377	552	807	587	498	315	143	42	5	1
Male	8	22	62	134	232	369	415	421	349	205	77	20	2	-
Female	10	12	41	86	145	183	192	166	149	110	66	22	3	1
White	13	29	93	208	356	526	683	556	479	302	139	41	5	1
Male	5	18	56	127	220	349	396	401	336	197	74	20	2	-
Female	8	11	37	81	136	177	187	157	143	105	65	21	3	1
All other	5	5	10	12	21	26	24	29	19	13	4	1	-	-
Male	3	4	6	7	12	20	19	20	13	8	3	-	-	-
Female	2	1	4	5	9	6	5	9	6	5	1	1	-	-
Black	4	5	6	11	20	24	21	23	16	12	3	-	-	-
Male	2	4	4	6	12	19	17	19	10	8	2	-	-	-
Female	2	1	2	5	8	6	4	4	6	4	1	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	13,568	2	1	1	–	–	4	–	1	1	3	8	11	25
Male	10,171	–	1	–	–	–	1	–	1	–	2	7	8	19
Female	3,398	2	–	1	–	–	3	–	–	1	1	1	3	6
White	12,887	2	1	1	–	–	4	–	–	–	3	7	8	16
Male	9,625	–	1	–	–	–	1	–	–	–	2	7	6	11
Female	3,262	2	–	1	–	–	3	–	–	–	1	–	2	5
All other	682	–	–	–	–	–	–	–	1	1	–	1	3	9
Male	546	–	–	–	–	–	–	–	1	–	–	–	2	8
Female	136	–	–	–	–	–	–	–	–	1	–	1	1	1
Black	631	–	–	–	–	–	–	–	1	1	–	1	3	9
Male	506	–	–	–	–	–	–	–	1	–	–	–	2	8
Female	125	–	–	–	–	–	–	–	–	1	–	1	1	1
Asthma (493)	2,598	5	10	3	1	5	24	13	28	51	48	57	54	72
Male	1,133	4	4	1	1	3	13	6	17	23	26	25	26	24
Female	1,465	1	6	2	–	2	11	7	9	28	22	32	28	48
White	2,095	5	7	2	1	5	20	7	19	30	27	26	30	44
Male	898	4	3	–	1	3	11	3	13	15	15	9	16	14
Female	1,197	1	4	2	–	2	9	4	6	15	12	17	14	30
All other	503	–	3	1	–	–	4	6	7	21	21	31	24	28
Male	235	–	1	1	–	–	2	3	4	8	11	18	10	10
Female	268	–	2	–	–	–	2	3	3	13	10	15	14	18
Black	470	–	3	1	–	–	4	6	7	21	19	31	24	27
Male	214	–	1	1	–	–	2	3	4	8	10	16	10	9
Female	256	–	2	–	–	–	2	3	3	13	9	15	14	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	30,116	2	1	–	2	–	5	1	2	5	10	10	19	45
Male	21,586	2	–	–	1	–	3	–	2	3	4	3	11	26
Female	8,530	–	1	–	1	–	2	1	–	2	6	7	8	19
White	28,258	2	1	–	–	–	3	1	2	4	8	7	11	29
Male	20,144	2	–	–	–	–	2	–	2	2	3	2	6	16
Female	8,114	–	1	–	–	–	1	1	–	2	5	5	5	13
All other	1,858	–	–	–	2	–	2	–	–	1	2	3	8	16
Male	1,442	–	–	–	1	–	1	–	–	1	1	1	5	10
Female	416	–	–	–	1	–	1	–	–	–	1	2	3	6
Black	1,686	–	–	–	1	–	1	–	–	–	2	2	6	15
Male	1,329	–	–	–	1	–	1	–	–	–	1	–	5	10
Female	357	–	–	–	–	–	–	–	–	–	1	2	1	5
Ulcer of stomach and duodenum (531-533)	5,902	16	2	1	–	–	19	1	2	7	22	25	36	61
Male	3,246	10	2	–	–	–	12	–	1	2	13	13	26	42
Female	2,656	6	–	1	–	–	7	1	1	5	9	12	10	19
White	5,331	7	2	1	–	–	10	1	1	5	16	18	21	43
Male	2,882	6	2	–	–	–	8	–	1	1	10	8	13	26
Female	2,449	1	–	1	–	–	2	1	–	4	6	10	8	17
All other	571	9	–	–	–	–	9	–	1	2	6	7	15	18
Male	364	4	–	–	–	–	4	–	–	1	3	5	13	16
Female	207	5	–	–	–	–	5	–	1	1	3	2	2	2
Black	504	8	–	–	–	–	8	–	1	2	5	7	13	16
Male	316	3	–	–	–	–	3	–	–	1	2	5	12	14
Female	188	5	–	–	–	–	5	–	1	1	3	2	1	2
Appendicitis (540-543)	682	6	1	3	2	1	13	11	18	10	16	10	7	11
Male	373	4	1	–	1	–	6	8	10	6	10	6	5	7
Female	309	2	–	3	1	1	7	3	8	4	6	4	2	4
White	539	5	1	3	1	–	10	9	14	9	9	8	3	9
Male	292	3	1	–	–	–	4	7	10	6	5	4	2	6
Female	247	2	–	3	1	–	6	2	4	3	4	2	1	3
All other	143	1	–	–	1	1	3	2	4	1	7	4	4	2
Male	81	1	–	–	1	–	2	1	–	–	5	2	3	1
Female	62	–	–	–	–	1	1	1	4	1	2	2	1	1
Black	136	1	–	–	–	1	2	2	4	1	7	3	4	2
Male	75	1	–	–	–	–	1	1	–	–	5	1	3	1
Female	61	–	–	–	–	1	1	1	4	1	2	2	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,349	171	9	13	3	–	196	14	6	14	32	28	34	36
Male	2,146	104	4	8	2	–	118	7	5	5	20	17	23	17
Female	3,203	67	5	5	1	–	78	7	1	9	12	9	11	19
White	4,675	123	7	11	2	–	143	9	4	10	22	22	20	19
Male	1,801	77	3	7	1	–	88	3	4	5	15	16	14	11
Female	2,874	46	4	4	1	–	55	6	–	5	7	6	6	8
All other	674	48	2	2	1	–	53	5	2	4	10	4	14	17
Male	345	27	1	1	1	–	30	4	1	–	5	1	9	6
Female	329	21	1	1	–	–	23	1	1	4	5	3	5	11
Black	641	40	2	2	1	–	45	5	1	4	10	3	14	17
Male	332	22	1	1	1	–	25	4	1	–	5	1	9	6
Female	309	18	1	1	–	–	20	1	–	4	5	2	5	11
Chronic liver disease and cirrhosis (571)	29,720	94	3	3	4	–	44	5	10	22	72	409	815	1,412
Male	19,369	19	2	2	3	–	26	2	4	9	47	279	568	961
Female	10,351	15	1	1	1	–	18	3	6	13	25	130	247	451
White	24,639	25	2	2	3	–	32	5	5	18	47	228	467	895
Male	16,104	13	1	1	2	–	17	2	2	8	29	173	343	636
Female	8,535	12	1	1	1	–	15	3	3	10	18	56	124	259
All other	5,081	9	1	1	1	–	12	–	5	4	25	180	348	517
Male	3,265	6	1	1	1	–	9	–	2	1	18	106	225	325
Female	1,816	3	–	–	–	–	3	–	3	3	7	74	123	192
Black	4,567	6	1	1	–	–	8	–	5	3	23	154	300	474
Male	2,954	4	1	1	–	–	6	–	2	1	16	90	200	304
Female	1,613	2	–	–	–	–	2	–	3	2	7	64	100	170

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	68	178	440	839	1,624	2,364	2,765	2,451	1,609	817	264	71	5	1
Male	37	120	293	591	1,158	1,768	2,173	1,911	1,234	618	184	44	1	1
Female	31	58	147	248	466	596	612	540	375	199	80	27	4	-
White	55	147	398	781	1,523	2,237	2,673	2,354	1,563	788	257	70	5	-
Male	28	97	262	547	1,077	1,667	2,080	1,831	1,197	589	179	43	1	-
Female	27	50	136	234	446	570	593	523	366	197	78	27	4	-
All other	13	31	42	58	101	127	112	97	46	31	7	1	-	1
Male	9	23	31	44	61	101	93	80	37	28	5	1	-	1
Female	4	8	11	14	20	26	19	17	9	2	2	-	-	-
Black	13	31	40	53	96	118	100	82	40	26	6	-	-	1
Male	9	23	29	40	79	92	87	75	32	24	4	-	-	1
Female	4	8	11	13	17	26	13	17	8	2	2	-	-	-
Asthma (493)	85	110	172	209	293	352	343	293	206	126	47	16	1	-
Male	40	46	69	90	134	171	155	122	87	40	17	7	1	-
Female	45	64	109	119	159	181	188	171	119	86	30	9	-	-
White	54	74	126	156	241	305	303	267	193	117	41	15	-	-
Male	25	31	47	63	114	149	132	107	80	35	13	6	-	-
Female	29	43	79	93	127	156	171	160	113	82	28	9	-	-
All other	31	36	46	53	52	47	40	26	13	9	6	1	1	-
Male	15	15	16	27	20	22	23	15	7	5	4	1	1	-
Female	16	21	30	26	32	25	17	11	6	4	2	-	-	-
Black	26	35	45	53	47	44	35	23	10	7	6	-	-	-
Male	11	14	16	27	18	20	18	14	5	5	4	-	-	-
Female	15	21	29	26	29	24	17	9	5	2	2	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	103	275	824	1,779	3,295	4,912	6,031	5,471	4,130	2,287	731	169	19	3
Male	63	176	508	1,174	2,252	3,561	4,465	4,066	3,102	1,560	498	96	10	3
Female	40	99	316	605	1,033	1,351	1,566	1,405	1,028	727	233	73	9	-
White	83	225	727	1,592	3,060	4,589	5,707	5,177	3,974	2,197	697	151	12	2
Male	48	136	437	1,034	2,086	3,302	4,207	3,824	2,984	1,491	473	82	5	2
Female	35	89	290	558	974	1,287	1,500	1,353	990	706	224	69	7	-
All other	20	50	97	187	235	323	324	294	156	90	34	18	7	1
Male	15	40	71	140	166	259	258	242	118	69	25	14	5	1
Female	5	10	26	47	69	64	66	52	38	21	9	4	2	-
Black	20	47	95	179	209	302	298	270	133	67	21	12	6	1
Male	15	38	70	138	158	243	241	225	104	52	15	10	4	1
Female	5	9	25	43	51	59	57	45	29	15	6	2	2	-
Ulcer of stomach and duodenum (531-533)	102	147	261	361	474	657	771	910	863	734	338	96	14	1
Male	67	89	180	231	311	419	439	508	420	302	129	27	5	-
Female	35	48	81	130	163	238	332	402	443	432	209	69	9	1
White	83	118	199	310	424	587	701	848	818	698	328	91	11	-
Male	52	75	133	198	278	378	400	467	397	287	123	24	3	-
Female	31	43	66	112	146	209	301	381	421	411	205	67	8	-
All other	19	29	62	51	50	70	70	62	45	36	10	5	3	1
Male	15	24	47	33	33	41	39	41	23	15	6	3	2	-
Female	4	5	15	18	17	29	31	21	22	21	4	2	1	1
Black	16	28	53	47	45	62	66	53	39	30	5	4	3	1
Male	12	23	41	31	30	35	36	33	20	11	3	2	2	-
Female	4	5	12	16	15	27	30	20	19	19	2	2	1	1
Appendicitis (540-543)	12	24	26	51	56	67	96	87	77	58	19	12	1	-
Male	8	15	15	27	34	41	55	50	34	23	8	5	-	-
Female	4	9	11	24	22	26	41	37	43	35	11	7	1	-
White	7	14	15	39	43	47	78	72	69	55	18	12	1	-
Male	6	8	9	21	28	28	46	38	29	23	7	5	-	-
Female	1	6	6	18	15	19	32	34	40	32	11	7	1	-
All other	5	10	11	12	13	20	18	15	8	3	1	-	-	-
Male	2	7	6	6	6	13	9	12	5	-	1	-	-	-
Female	3	3	5	6	7	7	9	3	3	3	-	-	-	-
Black	5	10	11	11	12	18	18	14	8	3	1	-	-	-
Male	2	7	6	5	6	11	9	11	5	-	1	-	-	-
Female	3	3	5	6	6	7	9	3	3	3	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	68	149	216	282	481	612	772	951	792	469	135	15	1
Male	27	30	91	98	136	233	253	336	325	232	133	34	2	-
Female	22	38	57	118	144	248	359	434	626	560	336	101	13	1
White	32	57	117	175	229	403	532	684	871	745	444	121	15	1
Male	16	24	67	74	104	191	219	298	290	208	123	29	2	-
Female	16	33	50	101	125	212	313	386	581	537	321	92	13	1
All other	17	11	31	41	53	78	80	88	80	47	25	14	-	-
Male	11	6	24	24	34	42	34	40	35	24	10	5	-	-
Female	6	5	7	17	19	36	46	48	45	23	15	9	-	-
Black	17	11	29	38	53	75	78	83	76	46	23	13	-	-
Male	11	6	22	24	34	41	34	36	35	23	10	5	-	-
Female	6	5	7	14	19	34	44	47	41	23	13	8	-	-
Chronic liver disease and cirrhosis (571)	2,078	2,959	4,157	4,494	4,277	3,647	2,563	1,435	714	312	67	17	1	10
Male	1,404	1,996	2,727	2,928	2,875	2,537	1,808	822	374	162	23	6	1	9
Female	674	963	1,430	1,565	1,402	1,110	755	613	340	150	44	11	-	1
White	1,483	2,257	3,349	3,803	3,825	3,476	2,360	1,334	672	296	62	16	-	8
Male	1,018	1,535	2,196	2,471	2,586	2,316	1,470	766	353	151	20	5	-	7
Female	465	722	1,153	1,332	1,239	1,160	890	568	319	145	42	11	-	1
All other	595	702	808	691	452	371	203	101	42	16	5	1	1	2
Male	386	461	531	458	289	221	138	56	21	11	3	1	1	2
Female	209	241	277	233	163	150	65	45	21	5	2	-	-	-
Black	527	629	742	626	414	336	189	88	26	13	4	1	1	2
Male	344	410	495	415	269	200	127	47	12	10	2	1	1	2
Female	183	219	247	211	145	136	62	41	14	3	2	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	3,139	5	1	–	–	–	6	–	–	–	5	16	11	19
Male	1,383	5	–	–	–	–	5	–	–	–	–	7	2	8
Female	1,756	–	1	–	–	–	1	–	–	–	5	9	9	11
White	2,867	4	1	–	–	–	5	–	–	–	4	8	9	15
Male	1,266	4	–	–	–	–	4	–	–	–	–	4	2	6
Female	1,601	–	1	–	–	–	1	–	–	–	4	4	7	9
All other	272	1	–	–	–	–	1	–	–	–	1	8	2	4
Male	117	1	–	–	–	–	1	–	–	–	–	3	–	2
Female	155	–	–	–	–	–	–	–	–	–	1	5	2	2
Black	226	1	–	–	–	–	1	–	–	–	1	8	2	4
Male	91	1	–	–	–	–	1	–	–	–	–	3	–	2
Female	135	–	–	–	–	–	–	–	–	–	1	5	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15,729	219	14	4	4	7	248	21	33	55	78	122	145	153
Male	8,260	123	10	4	1	3	141	16	18	31	41	76	81	84
Female	7,469	96	4	–	3	4	107	5	15	24	37	46	64	69
White	12,534	158	12	3	4	6	183	15	25	39	47	79	99	95
Male	6,630	83	9	3	1	2	98	11	13	19	25	52	56	48
Female	5,904	75	3	–	3	4	85	4	12	20	22	27	43	47
All other	3,195	61	2	1	–	1	65	6	8	16	31	43	46	58
Male	1,630	40	1	1	–	1	43	5	5	12	16	24	25	36
Female	1,565	21	1	–	–	–	22	1	3	4	15	19	21	22
Black	3,018	58	2	1	–	1	62	6	7	15	28	40	46	57
Male	1,525	38	1	1	–	1	41	5	5	12	14	22	25	36
Female	1,493	20	1	–	–	–	21	1	2	3	14	18	21	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	338	7	5	–	2	2	16	1	2	9	1	2	1	6
Male	182	6	4	–	–	1	11	1	1	8	1	1	1	5
Female	156	1	1	–	2	1	5	–	1	1	–	1	–	1
White	291	4	4	–	2	1	11	–	–	5	–	1	1	5
Male	157	3	3	–	–	–	6	–	–	4	–	–	1	4
Female	134	1	1	–	2	1	5	–	–	1	–	1	–	1
All other	47	3	1	–	–	1	5	1	2	4	1	1	–	1
Male	25	3	1	–	–	1	5	1	1	4	1	1	–	1
Female	22	–	–	–	–	–	–	–	1	–	–	–	–	–
Black	44	3	1	–	–	1	5	1	2	4	1	1	–	1
Male	24	3	1	–	–	1	5	1	1	4	1	1	–	1
Female	20	–	–	–	–	–	–	–	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2,363	6	1	–	–	1	8	4	9	11	21	35	32	31
Male	1,244	4	1	–	–	1	6	3	6	6	13	27	12	15
Female	1,119	2	–	–	–	–	2	1	3	5	8	8	20	16
White	1,847	5	1	–	–	1	7	4	7	6	12	19	22	18
Male	972	3	1	–	–	1	5	3	5	3	9	15	10	6
Female	875	2	–	–	–	–	2	1	2	3	3	4	12	10
All other	516	1	–	–	–	–	1	–	2	5	9	16	10	15
Male	272	1	–	–	–	–	1	–	1	3	4	12	2	9
Female	244	–	–	–	–	–	–	–	1	2	5	4	8	6
Black	484	–	–	–	–	–	–	–	2	4	7	14	10	15
Male	252	–	–	–	–	–	–	–	1	3	3	10	2	9
Female	232	–	–	–	–	–	–	–	1	1	4	4	8	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13,028	208	8	4	2	4	224	16	22	35	56	85	112	116
Male	6,834	113	5	4	1	1	124	12	11	17	27	48	56	64
Female	6,194	93	3	–	1	3	100	4	11	18	29	37	44	52
White	10,398	149	7	3	2	4	165	11	18	28	35	59	76	74
Male	5,501	77	5	3	1	1	87	8	8	12	16	37	45	38
Female	4,895	72	2	–	1	3	78	3	10	16	19	22	31	36
All other	2,632	57	1	1	–	–	59	5	4	7	21	28	36	42
Male	1,333	36	–	1	–	–	37	4	3	5	11	11	23	28
Female	1,299	21	1	–	–	–	22	1	1	2	10	16	13	16
Black	2,490	55	1	1	–	–	57	5	3	7	20	25	36	41
Male	1,249	35	–	1	–	–	36	4	3	5	10	11	23	20
Female	1,241	20	1	–	–	–	21	1	–	2	10	14	13	15
Infections of kidney (590)	2,868	9	1	–	–	–	10	1	1	9	9	12	11	18
Male	1,095	5	1	–	–	–	6	–	1	2	4	6	3	5
Female	1,773	4	–	–	–	–	4	1	–	7	5	6	8	13
White	2,493	6	1	–	–	–	7	1	1	8	6	10	8	13
Male	935	3	1	–	–	–	4	–	1	2	4	5	2	5
Female	1,558	3	–	–	–	–	3	1	–	6	2	5	6	8
All other	375	3	–	–	–	–	3	–	–	1	3	2	3	5
Male	160	2	–	–	–	–	2	–	–	–	–	1	1	–
Female	215	1	–	–	–	–	1	–	–	1	3	1	2	5
Black	350	3	–	–	–	–	3	–	–	1	1	2	3	4
Male	153	2	–	–	–	–	2	–	–	–	–	1	1	–
Female	197	1	–	–	–	–	1	–	–	1	1	1	2	4
Hyperplasia of prostate (600)	810	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	810	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
White	703	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	703	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
All other	107	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	107	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***
Black	103	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	103	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***	***

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	21	41	77	136	163	290	457	484	563	531	239	55	11	–
Male	8	19	42	66	66	162	243	200	244	198	71	18	4	–
Female	13	22	35	70	97	128	214	284	319	333	162	37	7	–
White	14	31	61	121	161	252	413	452	528	510	226	48	9	–
Male	6	17	38	59	76	144	216	189	228	192	68	15	2	–
Female	8	14	23	62	85	106	197	263	300	318	158	33	7	–
All other	7	10	16	15	22	38	44	32	35	21	7	7	2	–
Male	2	2	4	7	10	18	27	11	16	8	3	3	2	–
Female	5	8	12	8	12	20	17	21	19	15	4	4	–	–
Black	6	7	14	13	19	35	35	27	27	16	5	5	1	–
Male	1	1	3	6	9	17	20	9	10	5	1	2	1	–
Female	5	6	11	7	10	18	15	18	17	11	4	3	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	226	323	524	745	1,066	1,631	2,008	2,450	2,467	2,067	1,023	278	42	2
Male	138	170	292	421	610	889	1,097	1,331	1,241	979	484	119	20	1
Female	88	153	232	324	476	742	911	1,119	1,226	1,088	559	159	22	1
White	140	198	339	495	780	1,225	1,583	1,993	2,147	1,858	921	239	33	1
Male	87	105	195	297	489	698	890	1,081	1,083	866	418	103	16	–
Female	53	93	144	198	311	527	693	912	1,064	992	503	136	17	1
All other	86	125	185	250	308	406	425	457	320	209	102	39	9	1
Male	51	65	97	124	141	191	207	250	158	113	46	16	4	1
Female	35	60	88	126	167	215	218	207	162	96	56	23	5	–
Black	84	118	176	241	298	385	403	430	297	184	97	36	9	1
Male	50	61	92	116	136	179	182	233	146	98	43	14	4	1
Female	34	55	84	125	162	206	211	197	151	86	54	22	5	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	8	10	15	19	38	42	49	58	41	8	6	1	–
Male	4	6	8	8	8	21	23	27	25	17	2	3	1	–
Female	1	2	2	7	11	17	19	22	33	24	6	3	–	–
White	3	6	9	14	14	33	40	42	52	40	8	6	1	–
Male	3	4	6	8	6	19	23	24	24	17	2	3	1	–
Female	–	2	1	6	8	14	17	18	28	23	6	3	–	–
All other	2	2	1	1	5	5	2	7	6	1	–	–	–	–
Male	1	2	–	–	2	2	–	3	1	–	–	–	–	–
Female	1	–	1	1	3	3	2	4	5	1	–	–	–	–
Black	2	1	1	1	5	5	2	7	4	1	–	–	–	–
Male	1	1	–	–	2	2	–	3	1	–	–	–	–	–
Female	1	–	1	1	3	3	2	4	3	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	45	50	87	104	153	277	296	351	384	299	139	47	8	–
Male	30	28	53	58	95	159	163	188	168	137	55	20	4	–
Female	15	22	34	46	58	118	133	165	196	162	78	27	2	–
White	32	31	56	75	110	199	232	284	312	260	117	41	5	–
Male	20	14	32	45	74	116	128	152	149	118	49	17	3	–
Female	12	17	24	30	36	83	104	132	163	142	69	24	2	–
All other	13	19	31	29	43	78	64	67	52	39	16	6	1	–
Male	10	14	21	13	21	43	35	34	19	19	7	3	1	–
Female	3	5	10	16	22	35	29	33	33	20	9	3	–	–
Black	12	19	29	28	42	73	61	64	50	33	15	5	1	–
Male	9	14	20	12	20	39	33	31	19	17	7	2	1	–
Female	3	5	9	16	22	34	28	33	31	16	8	3	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	176	265	427	626	916	1,316	1,870	2,050	2,045	1,727	892	225	35	2
Male	104	136	231	355	507	709	911	1,118	1,048	825	407	96	15	1
Female	72	129	196	271	409	607	759	932	997	902	475	129	20	1
White	105	161	274	406	656	993	1,311	1,667	1,783	1,558	796	192	27	1
Male	64	87	155	244	389	583	739	905	910	731	388	83	12	–
Female	41	74	119	162	267	430	572	762	873	827	428	109	15	1
All other	71	104	153	220	260	323	359	383	262	169	96	33	8	1
Male	40	49	76	111	118	148	172	213	138	94	39	13	3	1
Female	31	55	77	109	142	177	187	170	124	75	47	20	5	–
Black	70	96	146	212	251	307	340	359	243	150	82	31	8	1
Male	40	46	72	104	114	138	159	189	126	81	36	12	3	1
Female	30	50	74	108	137	169	181	160	117	69	46	19	5	–
Infections of kidney (590)	23	42	58	94	119	218	352	479	529	509	279	85	10	–
Male	9	15	21	39	50	92	143	184	213	172	102	26	2	–
Female	14	27	37	55	69	126	209	295	316	337	177	59	8	–
White	12	29	39	66	88	176	306	430	473	475	259	77	9	–
Male	6	10	14	25	35	71	124	169	185	160	92	25	2	–
Female	6	19	25	41	53	105	182	267	288	315	167	52	7	–
All other	11	13	18	28	31	42	46	49	56	34	20	6	1	–
Male	3	5	7	14	15	21	19	21	28	12	10	1	–	–
Female	8	8	12	14	16	21	27	28	28	22	10	7	1	–
Black	11	12	18	26	28	40	44	49	53	32	15	7	1	–
Male	3	5	7	13	15	20	18	21	26	12	9	–	–	–
Female	8	7	11	13	13	20	26	28	27	20	6	7	1	–
Hyperplasia of prostate (600)	–	–	2	6	20	60	101	139	196	166	93	24	3	–
Male	–	–	2	6	20	60	101	139	196	166	93	24	3	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	–	–	2	4	15	45	77	117	178	155	85	24	1	–
Male	–	–	2	4	15	45	77	117	178	155	85	24	1	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	2	5	15	24	22	18	11	8	–	2	–
Male	–	–	–	2	5	15	24	22	18	11	8	–	2	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	2	5	15	23	22	18	8	8	–	2	–
Male	–	–	–	2	5	15	23	22	18	8	8	–	2	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	336	...	...	...	...	...	...	...	2	33	89	81	66	45
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	336	...	...	...	...	...	...	...	2	33	89	81	66	45
White	180	...	...	...	...	...	...	...	1	12	43	52	36	26
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	180	...	...	...	...	...	...	...	1	12	43	52	36	26
All other	156	...	...	...	...	...	...	...	1	21	46	29	28	19
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	156	...	...	...	...	...	...	...	1	21	46	29	28	19
Black	145	...	...	...	...	...	...	...	1	21	46	26	26	17
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	145	...	...	...	...	...	...	...	1	21	46	26	26	17
Pregnancy with abortive outcome (630-638)	61	...	...	...	...	...	...	...	-	5	21	16	12	7
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	61	...	...	...	...	...	...	...	-	5	21	16	12	7
White	27	...	...	...	...	...	...	...	-	-	11	9	5	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	27	...	...	...	...	...	...	...	-	-	11	9	5	2
All other	34	...	...	...	...	...	...	...	-	5	10	7	7	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	34	...	...	...	...	...	...	...	-	5	10	7	7	5
Black	30	...	...	...	...	...	...	...	-	5	10	5	6	4
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	30	...	...	...	...	...	...	...	-	5	10	5	6	4
Other complications of pregnancy, childbirth, and the puerperium (640-676)	275	...	...	...	...	...	...	...	2	28	68	65	54	36
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	275	...	...	...	...	...	...	...	2	28	68	65	54	36
White	153	...	...	...	...	...	...	...	1	12	32	43	33	24
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	153	...	...	...	...	...	...	...	1	12	32	43	33	24
All other	122	...	...	...	...	...	...	...	1	16	36	22	21	14
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	122	...	...	...	...	...	...	...	1	16	36	22	21	14
Black	115	...	...	...	...	...	...	...	1	16	36	21	20	13
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	115	...	...	...	...	...	...	...	1	16	36	21	20	13
Congenital anomalies (740-759)	13,526	8,923	498	269	149	113	9,944	289	289	300	276	239	176	196
Male	7,309	4,903	253	148	87	63	5,454	152	155	195	183	136	99	100
Female	6,217	4,020	243	116	62	50	4,490	137	134	105	93	103	77	96
White	11,222	7,288	393	211	122	98	8,112	228	244	253	230	201	149	168
Male	6,106	4,025	199	126	76	58	4,484	124	134	163	153	121	85	86
Female	5,116	3,263	194	85	46	40	3,628	104	110	90	77	80	64	80
All other	2,304	1,635	103	52	27	15	1,832	61	45	47	46	36	27	28
Male	1,203	878	54	22	11	5	970	28	21	32	30	15	14	12
Female	1,101	757	49	30	16	10	862	33	24	15	16	23	13	16
Black	2,040	1,434	93	50	25	12	1,614	57	41	42	39	31	26	26
Male	1,068	770	48	21	10	4	853	27	20	30	26	11	14	12
Female	972	664	45	29	15	8	761	30	21	12	13	20	12	14
Certain conditions originating in the perinatal period (760-779)	23,448	23,322	55	13	4	3	23,397	5	3	3	4	2	1	4
Male	13,350	13,278	34	8	3	1	13,324	3	1	2	3	1	-	2
Female	10,098	10,044	21	5	1	2	10,073	2	2	1	1	1	1	2
White	16,034	15,933	42	11	3	3	15,992	4	3	1	4	2	1	3
Male	9,262	9,203	27	7	3	1	9,241	2	1	1	3	1	-	2
Female	6,772	6,730	15	4	-	2	6,751	2	2	-	1	1	1	1
All other	7,414	7,389	13	2	1	-	7,405	1	-	2	-	-	-	1
Male	4,088	4,075	7	1	-	-	4,083	1	-	1	-	-	-	-
Female	3,326	3,314	6	1	1	-	3,322	-	-	1	-	-	-	1
Black	7,024	7,002	12	2	-	-	7,016	1	-	1	-	-	-	1
Male	3,871	3,859	6	1	-	-	3,866	1	-	1	-	-	-	-
Female	3,153	3,143	6	1	-	-	3,150	-	-	-	-	-	-	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8,017	7,980	14	3	2	1	8,000	3	2	2	3	2	-	1
Male	4,757	4,744	9	2	2	-	4,757	2	-	2	2	1	-	-
Female	3,250	3,236	5	1	-	1	3,243	1	2	-	1	1	-	1
White	5,804	5,771	12	3	2	1	5,789	3	2	1	3	2	-	-
Male	3,488	3,468	7	2	2	-	3,479	2	-	1	2	1	-	-
Female	2,316	2,303	5	1	-	1	2,310	1	2	-	1	1	-	-
All other	2,213	2,209	2	-	-	-	2,211	-	-	1	-	-	-	1
Male	1,279	1,276	2	-	-	-	1,278	-	-	1	-	-	-	-
Female	934	933	-	-	-	-	933	-	-	-	-	-	-	1
Black	2,067	2,063	2	-	-	-	2,065	-	-	1	-	-	-	1
Male	1,193	1,190	2	-	-	-	1,192	-	-	1	-	-	-	-
Female	874	873	-	-	-	-	873	-	-	-	-	-	-	1
Other conditions originating in the perinatal period (760-766,770-779)	15,431	15,342	41	10	2	2	15,397	2	1	1	1	-	1	3
Male	8,583	8,534	25	6	1	1	8,567	1	1	-	1	-	-	2
Female	6,848	6,808	16	4	1	1	6,830	1	-	1	-	-	1	1
White	10,230	10,162	30	8	1	2	10,203	1	1	-	1	-	1	3
Male	5,774	5,735	20	5	1	1	5,762	-	1	-	1	-	-	2
Female	4,456	4,427	10	3	-	1	4,441	1	-	-	-	-	1	1
All other	5,201	5,180	11	2	1	-	5,194	1	-	1	-	-	-	-
Male	2,809	2,799	5	1	-	-	2,805	1	-	-	-	-	-	-
Female	2,392	2,381	6	1	1	-	2,389	-	-	1	-	-	-	-
Black	4,957	4,939	10	2	-	-	4,951	1	-	-	-	-	-	-
Male	2,678	2,669	4	1	-	-	2,674	1	-	-	-	-	-	-
Female	2,279	2,270	6	1	-	-	2,277	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	15	5	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	5	–	...	...	...	...	...	...	...	...	...	...	–
White	6	2	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	2	–	...	...	...	...	...	...	...	...	...	...	–
All other	9	3	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	3	–	...	...	...	...	...	...	...	...	...	...	–
Black	5	3	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	3	–	...	...	...	...	...	...	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	–	–	–	...	...	...	...	...	...	...	...	...	...	–
White	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	–	–	–	...	...	...	...	...	...	...	...	...	...	–
All other	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Black	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	–	–	–	...	...	...	...	...	...	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	15	5	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	5	–	...	...	...	...	...	...	...	...	...	...	–
White	6	2	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	2	–	...	...	...	...	...	...	...	...	...	...	–
All other	9	3	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	3	–	...	...	...	...	...	...	...	...	...	...	–
Black	5	3	–	...	...	...	...	...	...	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	3	–	...	...	...	...	...	...	...	...	...	...	–
Congenital anomalies (740-759)	163	193	217	228	223	220	192	145	113	72	34	5	4	8
Male	80	96	102	90	102	112	102	82	44	21	15	2	2	5
Female	83	97	115	138	121	108	90	63	69	51	19	3	2	3
White	141	163	196	203	199	203	178	133	109	65	34	5	4	4
Male	71	79	94	78	94	103	94	57	43	18	15	2	2	4
Female	70	84	102	125	105	100	84	76	66	47	19	3	2	–
All other	22	30	21	25	24	17	14	12	4	7	–	–	–	4
Male	9	17	8	12	8	9	6	5	1	3	–	–	–	1
Female	13	13	13	13	16	8	8	7	3	4	–	–	–	3
Black	19	30	20	24	21	15	13	11	2	5	–	–	–	4
Male	8	17	9	11	6	6	8	4	1	3	–	–	–	1
Female	11	13	12	13	15	7	5	7	1	2	–	–	–	3
Certain conditions originating in the perinatal period (760-779)	1	2	–	2	1	1	–	–	1	1	–	–	–	20
Male	1	1	–	1	1	–	–	–	–	–	–	–	–	10
Female	–	1	–	1	–	1	–	–	1	1	–	–	–	10
White	1	2	–	2	1	1	–	–	1	1	–	–	–	15
Male	1	1	–	1	1	–	–	–	–	–	–	–	–	7
Female	–	1	–	1	–	1	–	–	1	1	–	–	–	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	–	–	1	–	–	–	–	–	–	–	–	–	2
Male	1	–	–	1	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	1	–	–	–	–	–	–	–	–	–	2
Male	1	–	–	1	–	–	–	–	–	–	–	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	–	2	–	1	1	1	–	–	1	1	–	–	–	18
Male	–	1	–	–	1	–	–	–	–	–	–	–	–	9
Female	–	1	–	1	–	1	–	–	1	1	–	–	–	9
White	–	2	–	1	1	1	–	–	1	1	–	–	–	13
Male	–	1	–	–	1	–	–	–	–	–	–	–	–	6
Female	–	1	–	1	–	1	–	–	1	1	–	–	–	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	5
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	2

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	27,578	5,699	171	44	25	19	6,158	56	67	322	583	607	608	532
Male	16,012	3,517	68	21	10	12	3,648	30	40	201	387	440	384	332
Female	11,566	2,382	83	23	15	7	2,510	26	27	121	176	167	224	200
White	19,898	3,835	121	26	18	9	4,009	42	49	248	400	409	404	343
Male	11,589	2,364	64	18	7	7	2,458	25	30	154	280	296	251	208
Female	8,299	1,471	57	10	11	2	1,551	17	19	94	120	113	153	137
All other	7,680	2,064	50	18	7	10	2,149	14	18	74	183	198	204	189
Male	4,413	1,153	24	5	3	5	1,190	5	10	47	107	144	133	126
Female	3,267	911	26	13	4	5	959	9	8	27	56	54	71	63
Black	7,242	1,879	45	18	7	7	1,956	12	18	63	154	178	194	176
Male	4,163	1,059	21	5	3	3	1,091	5	10	40	102	129	125	115
Female	3,079	820	24	13	4	4	865	7	8	23	52	49	69	61
All other diseases (Residual)	107,385	2,166	443	264	188	153	3,214	618	820	1,084	1,398	1,701	1,911	2,120
Male	55,248	1,242	237	155	112	73	1,819	306	326	573	823	988	1,128	1,218
Female	52,137	924	206	109	76	80	1,395	312	294	411	576	713	783	902
White	91,332	1,489	322	199	144	121	2,275	515	512	902	1,078	1,157	1,286	1,369
Male	46,363	873	177	117	83	61	1,311	254	277	562	653	683	719	779
Female	44,969	616	145	82	61	60	964	261	235	340	425	474	567	590
All other	16,053	677	121	65	44	32	939	103	108	182	320	544	645	751
Male	8,885	369	60	38	29	12	508	52	49	111	170	305	409	439
Female	7,168	308	61	27	15	20	431	51	59	71	150	239	236	312
Black	14,848	609	105	58	41	29	842	87	101	163	293	503	594	702
Male	8,145	333	54	35	27	11	480	43	44	95	154	282	365	406
Female	6,703	276	51	23	14	18	382	44	57	68	139	221	209	294
Accidents and adverse effects (E800-E949)	105,312	1,080	979	892	821	657	4,429	2,707	2,982	12,689	13,885	9,639	6,813	5,274
Male	74,403	614	531	544	511	414	2,614	1,796	2,136	9,721	11,291	7,814	5,483	4,119
Female	30,909	466	448	348	310	243	1,815	911	846	2,968	2,594	1,825	1,330	1,155
White	90,310	744	735	665	598	469	3,231	1,993	2,459	11,514	12,295	8,232	5,664	4,355
Male	63,460	442	404	402	377	308	1,933	1,317	1,745	8,830	10,012	6,662	4,570	3,388
Female	26,850	302	331	263	221	161	1,298	676	714	2,684	2,283	1,550	1,094	967
All other	15,002	336	244	227	223	188	1,198	714	523	1,175	1,590	1,407	1,149	919
Male	10,943	172	127	142	134	106	681	479	391	891	1,279	1,132	913	731
Female	4,059	164	117	85	89	82	517	235	132	284	311	275	236	188
Black	13,000	309	208	200	195	147	1,059	646	482	936	1,269	1,169	995	782
Male	9,489	160	106	125	118	89	598	436	346	722	1,021	940	794	635
Female	3,511	149	102	75	77	58	461	210	116	215	248	229	201	147
Motor vehicle accidents (E810-E825)	53,524	222	313	332	315	279	1,461	1,445	1,507	9,519	9,850	6,237	4,135	2,967
Male	39,309	120	161	183	170	161	795	924	1,003	7,070	7,879	4,963	3,268	2,251
Female	14,215	102	152	149	145	118	666	521	504	2,449	1,971	1,274	867	716
White	47,248	192	245	256	248	225	1,164	1,127	1,327	8,845	8,893	5,478	3,567	2,528
Male	34,579	107	122	139	128	129	625	716	872	6,585	7,113	4,354	2,811	1,905
Female	12,669	85	123	117	118	96	539	411	455	2,260	1,780	1,124	756	623
All other	6,276	30	68	76	68	54	297	318	180	674	957	759	568	439
Male	4,730	13	39	44	42	32	170	208	131	485	766	609	457	346
Female	1,546	17	29	32	27	22	127	110	49	189	191	150	111	93
Black	5,132	25	51	63	58	44	239	284	146	497	735	606	460	344
Male	3,929	10	27	37	37	24	135	186	106	367	593	488	394	283
Female	1,203	15	24	26	19	20	104	98	38	130	142	118	86	61
All other accidents and adverse effects (E800-E807,E826-E949)	51,788	858	666	560	506	378	2,968	1,262	1,475	3,170	4,035	3,402	2,678	2,307
Male	35,094	494	370	361	341	253	1,819	872	1,133	2,851	3,412	2,851	2,215	1,868
Female	16,694	364	296	199	165	125	1,149	390	342	519	623	551	463	439
White	43,082	552	490	409	352	264	2,067	886	1,132	2,669	3,402	2,754	2,097	1,827
Male	28,881	335	282	263	249	179	1,308	601	873	2,245	2,899	2,328	1,759	1,483
Female	14,181	217	208	146	103	85	759	285	259	424	503	426	338	344
All other	8,726	306	176	151	154	114	901	396	343	501	633	648	581	480
Male	6,213	159	98	98	92	74	511	271	260	406	513	523	456	388
Female	2,513	147	88	53	62	40	390	125	83	95	120	125	125	95
Black	7,868	284	157	137	139	103	820	362	316	441	534	583	515	438
Male	5,560	150	79	88	81	65	463	250	238	355	428	452	400	352
Female	2,308	134	78	49	58	38	357	112	78	86	106	111	115	86
Suicide (E950-E959)	27,206	...	...	...	...	...	...	1	151	1,788	3,458	3,271	2,586	2,095
Male	20,256	...	...	...	...	...	...	1	103	1,452	2,793	2,587	1,918	1,457
Female	6,950	...	...	...	...	...	...	–	48	336	665	684	668	638
White	24,945	...	...	...	...	...	...	–	139	1,602	3,000	2,865	2,292	1,804
Male	18,504	...	...	...	...	...	...	–	94	1,305	2,422	2,260	1,691	1,309
Female	6,441	...	...	...	...	...	...	–	45	297	578	605	601	595
All other	2,261	...	...	...	...	...	...	1	12	186	458	406	294	191
Male	1,752	...	...	...	...	...	...	1	9	147	371	327	227	148
Female	509	...	...	...	...	...	...	–	3	39	87	79	67	43
Black	1,812	...	...	...	...	...	...	1	7	132	354	336	251	150
Male	1,428	...	...	...	...	...	...	1	4	100	289	271	198	116
Female	384	...	...	...	...	...	...	–	3	32	65	65	53	34
Homicide and legal intervention (E960-E978)	22,550	170	129	75	59	51	484	165	229	2,191	3,965	3,715	2,830	2,026
Male	17,628	104	72	33	27	22	258	91	145	1,681	3,143	3,028	2,343	1,646
Female	4,922	66	57	42	32	29	226	74	84	510	822	687	487	380
White	12,334	98	74	42	33	28	273	105	145	1,274	2,116	1,811	1,437	1,052
Male	9,392	58	45	20	15	13	151	58	89	957	1,665	1,439	1,163	851
Female	2,942	38	29	22	18	15	122	47	56	317	451	372	254	201
All other	10,216	74	55	33	26	23	211	60	84	917	1,849	1,904	1,393	974
Male	8,236	46	27	13	12	9	107	33	56	724	1,478	1,589	1,180	795
Female	1,980	28	28	20	14	14	104	27	28	193	371	315	233	179
Black	9,812	70	54	32	25	21	202	56	82	881	1,779	1,833	1,395	943
Male	7,938	43	27	13	12	8	103	29	55	699	1,430	1,537	1,116	772
Female	1,874	27	27	19	13	13	99	27	27	182	349	296	219	171

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	609	820	1,188	1,574	1,785	2,254	2,403	2,341	2,149	1,730	1,107	471	148	90
Male	384	525	806	1,071	1,184	1,507	1,466	1,245	1,031	712	387	141	30	61
Female	225	295	380	503	601	747	937	1,096	1,118	1,018	720	330	118	29
White	392	552	809	1,115	1,316	1,645	1,803	1,785	1,708	1,404	919	383	94	69
Male	250	350	552	765	890	1,128	1,139	961	815	564	307	113	19	46
Female	142	202	257	350	426	517	664	824	893	840	612	270	75	23
All other	217	268	377	459	469	609	600	556	441	326	188	88	52	21
Male	134	175	254	306	294	379	327	284	216	148	80	28	11	15
Female	83	93	123	153	175	230	273	272	225	178	108	60	41	6
Black	207	258	364	443	455	595	581	534	420	309	178	83	47	17
Male	128	169	245	297	285	389	313	269	206	140	77	26	10	12
Female	79	89	119	146	170	226	268	265	214	169	101	57	37	5
All other diseases (Residual)	2,645	3,510	5,291	6,898	8,672	10,876	12,524	13,674	13,013	10,598	5,216	1,550	228	23
Male	1,548	2,141	3,151	4,120	5,123	6,199	6,730	6,805	5,802	4,026	1,791	452	64	15
Female	1,097	1,369	2,140	2,778	3,549	4,677	5,794	6,869	7,211	6,573	3,425	1,098	164	8
White	1,785	2,533	4,097	5,569	7,339	9,422	11,078	12,161	11,985	9,658	4,856	1,409	173	13
Male	1,003	1,540	2,448	3,318	4,326	5,393	5,949	6,037	5,300	3,704	1,646	405	45	7
Female	782	993	1,649	2,251	3,011	4,029	5,129	6,124	6,685	6,154	3,208	1,004	128	6
All other	860	977	1,194	1,329	1,333	1,454	1,446	1,513	1,028	741	360	141	55	10
Male	545	601	703	802	795	806	781	768	502	322	143	47	19	8
Female	335	376	491	527	538	648	665	745	526	419	217	94	36	2
Black	821	922	1,114	1,254	1,253	1,362	1,326	1,401	929	675	316	126	54	10
Male	511	565	658	748	747	756	706	690	430	284	116	36	19	8
Female	310	357	456	506	506	606	620	711	499	391	200	90	35	2
Accidents and adverse effects (E800-E949)	4,371	4,304	4,722	4,783	4,537	4,543	4,470	4,620	4,335	3,579	1,836	583	86	145
Male	3,320	3,225	3,486	3,426	3,168	3,031	2,656	2,528	2,057	1,497	681	196	32	126
Female	1,051	1,079	1,236	1,357	1,369	1,512	1,814	2,092	2,278	2,082	1,155	387	54	19
White	3,551	3,554	3,879	4,046	3,867	3,892	3,920	4,103	4,014	3,355	1,692	508	66	120
Male	2,675	2,641	2,844	2,865	2,685	2,578	2,288	2,218	1,869	1,398	615	168	25	103
Female	876	913	1,035	1,181	1,182	1,314	1,621	1,885	2,145	1,957	1,077	340	41	17
All other	820	750	843	737	670	651	550	517	321	224	144	55	20	25
Male	645	584	642	561	483	453	357	310	188	99	66	28	7	23
Female	175	166	201	176	187	198	193	207	133	125	78	27	13	2
Black	713	681	753	671	590	595	502	463	293	200	129	50	17	23
Male	566	538	585	507	422	415	327	273	169	84	61	24	5	21
Female	147	143	168	164	168	180	175	190	124	116	68	26	12	2
Motor vehicle accidents (E810-E825)	2,319	2,083	2,164	2,063	1,842	1,699	1,472	1,306	873	406	112	17	2	35
Male	1,693	1,526	1,560	1,456	1,259	1,119	882	774	523	241	79	10	1	33
Female	626	557	604	607	583	580	590	532	350	165	33	7	1	2
White	1,965	1,797	1,835	1,763	1,606	1,489	1,323	1,194	821	380	101	13	2	30
Male	1,422	1,289	1,321	1,224	1,089	959	778	703	486	221	70	7	1	28
Female	543	508	514	539	517	530	545	491	335	159	31	6	1	2
All other	354	286	329	300	236	210	149	112	52	26	11	4	–	5
Male	271	237	239	232	170	160	104	71	37	20	9	3	–	5
Female	83	59	90	68	66	50	45	41	15	6	2	1	–	–
Black	287	261	286	271	201	185	131	96	49	23	11	3	–	3
Male	227	218	218	211	144	140	94	59	32	17	9	3	–	3
Female	60	43	68	60	57	45	37	37	11	6	2	–	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	2,052	2,211	2,558	2,720	2,695	2,844	2,998	3,314	3,462	3,173	1,724	566	84	110
Male	1,627	1,699	1,926	1,970	1,909	1,912	1,774	1,754	1,534	1,256	602	186	31	93
Female	425	512	632	750	786	932	1,224	1,560	1,928	1,917	1,122	380	53	17
White	1,586	1,757	2,044	2,283	2,261	2,403	2,597	2,909	3,193	2,975	1,591	495	64	90
Male	1,253	1,352	1,523	1,641	1,596	1,619	1,521	1,515	1,383	1,177	545	161	24	75
Female	333	405	521	642	665	784	1,076	1,394	1,810	1,798	1,046	334	40	15
All other	466	454	514	437	434	441	401	405	269	198	133	51	20	20
Male	374	347	403	329	313	293	253	239	151	79	57	25	7	18
Female	92	107	111	108	121	148	148	166	118	119	76	26	13	2
Black	426	420	467	400	389	410	371	367	250	177	118	47	17	20
Male	339	320	367	296	278	275	233	214	137	97	52	21	5	18
Female	87	100	100	104	111	135	138	153	113	110	66	26	12	2
Suicide (E950-E959)	1,781	1,793	1,996	1,888	1,680	1,532	1,198	986	591	290	88	15	1	17
Male	1,223	1,195	1,332	1,312	1,193	1,149	939	784	481	236	71	14	1	15
Female	558	598	664	576	487	383	259	202	110	54	17	1	–	2
White	1,648	1,673	1,896	1,795	1,601	1,465	1,148	953	570	284	83	13	1	15
Male	1,121	1,106	1,256	1,248	1,140	1,102	898	763	468	230	67	12	1	13
Female	525	567	640	549	461	363	250	190	102	54	16	1	–	2
All other	135	120	100	93	79	67	50	33	21	6	5	2	–	2
Male	102	89	76	68	53	47	41	21	13	6	4	2	–	2
Female	33	31	24	27	26	20	9	12	8	–	1	–	–	–
Black	115	90	87	81	67	58	38	20	14	4	4	1	–	2
Male	89	71	70	60	48	44	32	15	10	4	3	1	–	2
Female	26	19	17	21	19	14	6	5	4	–	1	–	–	–
Homicide and legal intervention (E960-E978)	1,559	1,396	1,092	881	831	499	336	205	159	74	25	10	1	77
Male	1,253	1,100	906	714	668	349	203	126	74	30	11	4	1	54
Female	306	296	186	167	163	150	133	79	85	44	14	6	–	23
White	853	790	612	509	377	325	230	141	124	63	25	7	–	56
Male	653	611	492	396	273	219	141	80	59	24	11	2	–	38
Female	200	179	120	113	104	106	88	61	65	39	14	5	–	18
All other	706	606	480	372	254	174	97	64	35	11	–	3	1	21
Male	600	489	414	318	195	130	62	46	15	6	–	2	1	16
Female	106	117	66	54	59	44	35	18	20	5	–	1	–	5
Black	674	583	461	354	242	168	90	61	34	11	–	3	1	19
Male	574	469	399	303	185	125	59	44	15	6	–	2	1	15
Female	100	114	62	51	57	43	31	17	19	5	–	1	–	4

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,877	85	42	26	13	14	180	28	72	289	495	492	378	290
Male	2,688	38	25	12	9	11	93	20	47	208	386	370	277	196
Female	1,189	49	17	14	4	3	87	8	25	75	109	122	101	94
White	2,917	41	25	16	6	5	93	15	55	211	373	353	281	210
Male	2,016	20	17	7	4	4	52	12	35	158	303	267	206	136
Female	901	21	8	9	2	1	41	3	20	53	70	86	75	74
All other	960	44	17	10	7	9	87	13	17	72	122	139	97	80
Male	672	16	8	5	5	7	41	8	12	50	83	103	71	60
Female	288	28	9	5	2	2	46	5	5	22	39	36	26	20
Black	867	41	16	10	7	8	82	13	14	62	112	119	91	74
Male	608	14	8	5	5	6	38	8	10	43	75	92	66	55
Female	259	27	8	5	2	2	44	5	4	19	37	27	25	19

Table 8-5. Deaths From 72 Selected Causes, by Age, Race, and Sex: United States, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E960-E999)	260	259	272	201	212	126	118	78	58	39	15	3	–	18
Male	171	170	174	132	146	87	80	50	33	24	7	3	–	14
Female	89	89	98	69	66	39	38	28	25	15	8	–	–	4
White	193	195	215	168	177	102	102	67	51	29	14	2	–	13
Male	126	126	134	104	115	68	67	44	29	17	6	2	–	9
Female	67	69	81	62	62	34	35	23	22	12	8	–	–	4
All other	67	64	57	35	35	24	16	11	7	10	1	1	–	5
Male	45	44	40	28	31	19	13	6	4	7	1	1	–	5
Female	22	20	17	7	4	5	3	5	3	3	–	–	–	–
Black	59	59	51	31	35	22	11	9	7	9	1	1	–	5
Male	41	42	36	24	31	17	9	4	4	6	1	1	–	5
Female	18	17	15	7	4	5	2	5	3	3	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	18,300	515	97	152	693	708	810	1,817	3,549	5,042	4,104	1,812	15,157	388	92	90	237	259	425	968	1,825	3,368	4,228	3,255
White	13,900	281	59	94	488	419	533	1,268	2,591	3,755	3,073	1,359	10,622	194	45	59	164	141	237	621	1,169	2,275	3,162	2,561
All other	5,400	254	38	58	205	289	277	549	958	1,287	1,031	453	4,535	194	47	31	73	118	188	347	682	1,093	1,066	694
Black	5,394	253	38	58	204	289	277	549	957	1,286	1,030	452	4,522	193	47	31	72	118	186	345	660	1,091	1,066	693
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	1	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	32	–	–	–	–	2	2	9	3	9	6	1	22	–	–	–	–	–	–	4	4	5	6	3
White	18	–	–	–	–	2	1	–	1	6	5	1	11	–	–	–	–	–	–	1	2	4	3	1
All other	14	–	–	–	–	–	1	9	2	1	1	–	11	–	–	–	–	–	–	3	2	1	3	2
Black	14	–	–	–	–	–	1	9	2	1	1	–	11	–	–	–	–	–	–	3	2	1	3	2
Tuberculosis of respiratory system (010-012)	27	–	–	–	–	2	2	7	2	7	6	1	17	–	–	–	–	–	–	4	2	5	4	2
White	17	–	–	–	–	2	1	–	1	7	5	1	11	–	–	–	–	–	–	1	2	4	3	1
All other	10	–	–	–	–	–	1	7	1	–	1	–	6	–	–	–	–	–	–	3	–	1	1	1
Black	10	–	–	–	–	–	1	7	1	–	1	–	6	–	–	–	–	–	–	3	–	1	1	1
Other tuberculosis (013-018)	5	–	–	–	–	–	–	2	1	2	–	–	5	–	–	–	–	–	–	–	2	–	2	1
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	4	–	–	–	–	–	–	2	1	1	–	–	5	–	–	–	–	–	–	–	2	–	2	1
Black	4	–	–	–	–	–	–	2	1	1	–	–	5	–	–	–	–	–	–	–	2	–	2	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	6	2	3	1	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	1	–	–	–
White	4	2	2	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
All other	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Septicemia (038)	61	4	–	1	–	1	3	1	16	16	14	5	71	4	–	–	1	1	1	6	5	12	20	21
White	41	2	–	1	–	1	2	–	11	13	9	2	51	3	–	–	1	1	1	3	5	9	13	15
All other	20	2	–	–	–	–	1	1	5	3	5	3	20	1	–	–	–	–	–	3	–	3	7	6
Black	20	2	–	–	–	–	1	1	5	3	5	3	20	1	–	–	–	–	–	3	–	3	7	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	8	–	–	–	1	–	1	1	2	3	–	–	9	–	–	–	3	–	1	2	1	–	1	1
White	5	–	–	–	–	–	1	–	2	2	–	–	5	–	–	–	2	–	–	–	1	–	1	1
All other	3	–	–	–	1	–	–	1	–	1	–	–	4	–	–	–	1	–	1	2	–	–	–	–
Black	3	–	–	–	1	–	–	1	–	1	–	–	4	–	–	–	1	–	1	2	–	–	–	–
Syphilis (090-097)	4	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–	1	1
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	49	7	1	1	5	7	2	3	7	10	5	1	29	3	–	4	–	1	2	3	5	5	4	2
White	34	2	–	–	4	3	1	2	6	10	5	1	18	3	–	3	–	1	–	1	3	4	1	2
All other	15	5	1	1	1	4	1	1	1	–	–	–	11	–	–	1	–	–	2	2	2	1	3	–
Black	15	5	1	1	1	4	1	1	1	–	–	–	11	–	–	1	–	–	2	2	2	1	3	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,840	1	5	14	28	47	116	425	950	1,269	759	226	2,809	–	–	6	11	50	113	348	602	811	617	251
White	2,813	–	1	9	17	34	85	308	706	952	539	162	2,020	–	–	2	8	29	77	260	426	585	442	191
All other	1,027	1	4	5	11	13	31	117	244	317	220	64	789	–	–	4	3	21	36	88	176	226	175	60
Black	1,027	1	4	5	11	13	31	117	244	317	220	64	786	–	–	4	3	20	36	87	175	226	175	60

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	90	-	-	-	-	1	6	13	25	31	10	4	66	-	-	-	-	1	1	4	13	21	17	9
White	67	-	-	-	-	1	4	9	19	21	10	3	54	-	-	-	-	1	1	2	8	17	16	9
All other	23	-	-	-	-	-	2	4	6	10	-	1	12	-	-	-	-	-	-	2	5	4	1	-
Black	23	-	-	-	-	-	2	4	6	10	-	1	12	-	-	-	-	-	-	2	5	4	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	783	-	-	-	-	5	19	83	176	279	176	51	714	-	-	-	1	7	9	54	123	236	197	87
White	553	-	-	-	-	4	10	53	132	191	123	40	495	-	-	-	-	3	4	40	80	165	135	68
All other	230	-	-	-	-	1	9	30	44	82	53	11	219	-	-	-	1	4	5	14	43	71	62	19
Black	230	-	-	-	-	1	9	30	44	82	53	11	219	-	-	-	1	4	5	14	43	71	62	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,523	-	-	-	1	4	38	200	468	549	223	40	345	-	-	-	-	1	13	61	106	86	59	19
White	1,167	-	-	-	1	3	29	147	347	438	169	33	274	-	-	-	-	1	12	47	84	69	46	15
All other	356	-	-	-	-	1	9	53	121	111	54	7	71	-	-	-	-	-	1	14	22	17	13	4
Black	356	-	-	-	-	1	9	53	121	111	54	7	70	-	-	-	-	-	1	14	21	17	13	4
Malignant neoplasm of breast (174-175)	4	-	-	-	-	1	-	1	-	2	-	-	476	-	-	-	-	9	46	96	103	116	80	26
White	-	-	-	-	-	-	-	-	-	-	-	-	362	-	-	-	-	5	33	78	72	89	61	24
All other	4	-	-	-	-	1	-	1	-	2	-	-	114	-	-	-	-	4	13	18	31	27	19	2
Black	4	-	-	-	-	1	-	1	-	2	-	-	114	-	-	-	-	4	13	18	31	27	19	2
Malignant neoplasms of genital organs (179-187)	417	-	-	-	3	3	3	7	54	128	154	65	395	-	-	-	3	7	20	58	90	109	77	33
White	243	-	-	-	2	2	3	6	30	81	83	36	251	-	-	-	3	3	8	41	59	69	48	20
All other	174	-	-	-	1	1	-	1	24	47	71	29	144	-	-	-	-	4	12	15	31	40	29	13
Black	174	-	-	-	1	1	-	1	24	47	71	29	144	-	-	-	-	4	12	15	31	40	29	13
Malignant neoplasms of urinary organs (188-189)	130	-	-	-	-	-	1	9	33	39	38	10	77	-	-	-	-	-	1	5	15	20	26	10
White	106	-	-	-	-	-	1	8	23	33	32	9	55	-	-	-	-	-	1	2	10	16	18	8
All other	24	-	-	-	-	-	-	1	10	6	6	1	22	-	-	-	-	-	-	3	5	4	8	2
Black	24	-	-	-	-	-	-	1	10	6	6	1	22	-	-	-	-	-	-	3	5	4	8	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	533	1	4	6	8	21	29	76	124	141	86	37	469	-	-	3	6	15	16	50	101	137	97	44
White	400	-	1	4	5	17	23	57	95	108	66	24	327	-	-	-	4	10	13	34	72	92	70	32
All other	133	1	3	2	3	4	6	19	29	33	20	13	142	-	-	3	2	5	3	16	29	45	27	12
Black	133	1	3	2	3	4	6	19	29	33	20	13	140	-	-	3	2	4	3	15	29	45	27	12
Leukemia (204-208)	170	-	1	7	11	8	8	16	31	45	35	8	104	-	-	3	1	8	4	6	21	26	27	8
White	129	-	-	5	7	5	5	14	30	30	26	7	86	-	-	2	1	6	3	5	20	24	21	4
All other	41	-	1	2	4	3	3	2	1	15	9	1	18	-	-	1	-	2	1	1	1	2	6	4
Black	41	-	1	2	4	3	3	2	1	15	9	1	18	-	-	1	-	2	1	1	1	2	6	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	190	-	-	1	5	4	12	20	39	61	37	11	163	-	-	-	-	2	3	16	30	60	37	15
White	148	-	-	-	2	2	10	14	30	50	30	10	116	-	-	-	-	-	2	11	21	44	27	11
All other	42	-	-	1	3	2	2	6	9	11	7	1	47	-	-	-	-	2	1	5	9	16	10	4
Black	42	-	-	1	3	2	2	6	9	11	7	1	47	-	-	-	-	2	1	5	9	16	10	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	52	-	1	-	-	2	4	4	15	17	7	2	44	-	1	1	1	-	3	4	9	12	9	4
White	38	-	-	-	-	1	4	3	12	13	4	1	28	-	-	1	1	-	3	1	6	5	6	3
All other	14	-	1	-	-	1	-	1	3	4	3	1	16	-	1	-	-	-	-	3	3	7	3	1
Black	14	-	1	-	-	1	-	1	3	4	3	1	16	-	1	-	-	-	-	3	3	7	3	1
Diabetes mellitus (250)	249	-	-	-	4	2	8	22	48	82	58	25	400	-	-	-	1	3	12	18	75	132	120	39
White	154	-	-	-	1	1	5	10	30	50	39	18	230	-	-	-	-	1	6	5	38	73	80	27
All other	95	-	-	-	3	1	3	12	18	32	19	7	170	-	-	-	1	2	6	13	37	59	40	12
Black	95	-	-	-	3	1	3	12	18	32	19	7	170	-	-	-	1	2	6	13	37	59	40	12
Nutritional deficiencies (260-269)	19	1	-	-	-	1	-	-	2	5	6	4	25	-	-	-	-	-	-	1	2	4	10	8
White	7	-	-	-	-	-	-	-	-	2	2	3	12	-	-	-	-	-	-	-	1	2	6	3
All other	12	1	-	-	-	1	-	-	2	3	4	1	13	-	-	-	-	-	-	1	1	2	4	5
Black	12	1	-	-	-	1	-	-	2	3	4	1	13	-	-	-	-	-	-	1	1	2	4	5
Anemias (280-285)	29	-	1	1	3	1	-	-	5	6	7	3	38	-	1	1	1	1	-	5	4	4	6	15
White	17	-	-	1	-	-	-	-	3	6	6	1	22	-	-	1	-	1	-	1	1	2	4	12
All other	12	-	1	-	3	1	-	-	2	2	1	2	16	-	1	-	1	-	-	4	3	2	2	3
Black	12	-	1	-	3	1	-	-	2	2	1	2	16	-	1	-	1	-	-	4	3	2	2	3
Meningitis (320-322)	21	6	2	2	1	1	1	2	2	2	1	1	10	4	1	1	-	1	-	-	1	1	1	-
White	9	3	1	1	-	1	-	1	-	1	1	-	3	2	-	-	-	1	-	-	-	-	-	-
All other	12	3	1	1	1	-	1	1	2	1	-	1	7	2	1	1	-	-	-	-	1	1	1	-
Black	12	3	1	1	1	-	1	1	2	1	-	1	7	2	1	1	-	-	-	-	1	1	1	-
Major cardiovascular diseases (390-448)	8,398	8	3	1	9	62	211	679	1,557	2,443	2,326	1,099	7,741	10	3	7	16	38	82	303	703	1,660	2,631	2,287
White	6,355	2	1	1	4	35	136	497	1,182	1,866	1,782	849	5,627	6	2	4	4	11	36	158	408	1,111	2,027	1,880
All other	2,043	6	2	-	5	27	75	182	375	577	544	250	2,114	4	1	3	12	27	46	145	295	549	604	427
Black	2,042	6	2	-	5	27	75	182	375	577	544	249	2,112	4	1	3	12	27	46	144	294	549	604	427

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: 'Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,495	5	3	–	7	52	175	588	1,335	1,871	1,690	769	5,309	10	3	4	13	28	52	218	528	1,197	1,781	1,476
White	5,041	2	1	–	2	31	120	446	1,050	1,487	1,304	598	3,925	6	2	3	2	8	23	123	322	823	1,405	1,208
All other	1,454	3	2	–	5	21	55	142	285	384	386	171	1,384	4	1	1	11	18	29	95	206	374	376	268
Black	1,453	3	2	–	5	21	55	142	285	384	386	170	1,383	4	1	1	11	18	29	94	206	374	376	268
Rheumatic fever and rheumatic heart disease (390-398)	18	–	–	–	–	1	1	3	4	2	4	3	28	–	–	–	–	1	–	3	4	8	12	–
White	12	–	–	–	–	1	1	2	3	1	2	2	25	–	–	–	–	–	–	3	4	7	11	–
All other	6	–	–	–	–	–	–	1	1	1	2	1	3	–	–	–	–	1	–	–	–	1	1	–
Black	6	–	–	–	–	–	–	1	1	1	2	1	3	–	–	–	–	1	–	–	–	1	1	–
Hypertensive heart disease (402)	178	–	–	–	–	–	5	14	34	52	50	23	238	–	–	–	1	1	2	13	23	53	76	69
White	80	–	–	–	–	–	3	6	11	27	23	10	132	–	–	–	–	–	–	5	6	22	48	51
All other	98	–	–	–	–	–	2	8	23	25	27	13	106	–	–	–	1	1	2	8	17	31	28	18
Black	98	–	–	–	–	–	2	8	23	25	27	13	106	–	–	–	1	1	2	8	17	31	28	18
Hypertensive heart and renal disease (404)	29	–	–	–	–	–	–	3	2	9	9	6	38	–	–	–	–	–	1	–	8	5	17	7
White	18	–	–	–	–	–	–	2	1	5	5	5	23	–	–	–	–	–	–	–	2	3	13	5
All other	11	–	–	–	–	–	–	1	1	4	4	1	15	–	–	–	–	–	1	–	6	2	4	2
Black	11	–	–	–	–	–	–	1	1	4	4	1	15	–	–	–	–	–	1	–	6	2	4	2
Ischemic heart disease (410-414)	4,628	–	–	–	–	29	128	448	1,044	1,417	1,235	527	3,591	–	–	–	2	7	30	147	360	872	1,221	951
White	3,959	–	–	–	–	20	95	356	873	1,175	1,009	431	2,793	–	–	–	1	3	18	85	240	642	1,000	804
All other	669	–	–	–	–	9	33	92	171	242	226	96	798	–	–	–	1	4	12	62	120	230	221	147
Black	669	–	–	–	–	9	33	92	171	242	226	96	798	–	–	–	1	4	12	62	120	230	221	147
Acute myocardial infarction (410)	3,467	–	–	–	–	29	109	378	823	1,054	786	288	2,262	–	–	–	2	6	28	120	282	618	751	454
White	2,844	–	–	–	–	20	80	303	679	881	648	233	1,753	–	–	–	1	2	17	72	189	470	621	381
All other	623	–	–	–	–	9	29	75	144	173	138	55	509	–	–	–	1	4	11	48	93	148	130	73
Black	623	–	–	–	–	9	29	75	144	173	138	55	509	–	–	–	1	4	11	48	93	148	130	73
Other acute and subacute forms of ischemic heart disease (411)	23	–	–	–	–	–	1	1	7	8	5	1	23	–	–	–	–	–	1	–	3	3	6	6
White	15	–	–	–	–	–	–	1	5	6	2	1	14	–	–	–	–	–	1	–	2	3	5	3
All other	8	–	–	–	–	–	1	–	2	2	3	–	9	–	–	–	–	–	–	–	1	–	3	5
Black	8	–	–	–	–	–	1	–	2	2	3	–	9	–	–	–	–	–	–	–	1	–	3	5
Angina pectoris (413)	3	–	–	–	–	–	–	1	–	–	1	1	5	–	–	–	–	–	–	1	1	1	2	–
White	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	1	1	1	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,335	–	–	–	–	–	18	68	214	355	443	237	1,301	–	–	–	–	1	1	26	74	250	460	489
White	1,098	–	–	–	–	–	15	52	189	288	358	196	1,023	–	–	–	–	1	–	12	48	168	374	420
All other	237	–	–	–	–	–	3	16	25	67	85	41	278	–	–	–	–	–	1	14	26	82	86	69
Black	237	–	–	–	–	–	3	16	25	67	85	41	278	–	–	–	–	–	1	14	26	82	86	69
Other diseases of endocardium (424)	46	–	–	–	2	1	3	2	9	13	12	4	47	–	–	–	–	–	1	2	7	9	21	7
White	30	–	–	–	1	–	1	2	7	8	7	4	34	–	–	–	–	–	–	1	5	6	15	7
All other	16	–	–	–	1	1	2	–	2	5	5	–	13	–	–	–	–	–	1	1	2	3	6	–
Black	16	–	–	–	1	1	2	–	2	5	5	–	13	–	–	–	–	–	1	1	2	3	6	–
All other forms of heart disease (415-423,425-429)	1,396	5	3	–	5	21	38	118	242	378	380	206	1,367	10	3	4	10	17	18	53	128	250	434	442
White	942	2	1	–	1	10	20	78	155	271	258	146	918	6	2	3	1	5	5	29	85	143	318	341
All other	454	3	2	–	4	11	18	40	87	107	122	60	449	4	1	1	9	12	13	24	61	107	116	101
Black	453	3	2	–	4	11	18	40	87	107	122	59	448	4	1	1	9	12	13	23	61	107	116	101
Hypertension with or without renal disease (401,403)	70	–	–	–	–	2	1	5	12	23	17	10	79	–	–	–	–	1	1	7	10	21	23	16
White	33	–	–	–	–	–	–	2	7	9	11	4	37	–	–	–	–	–	–	1	3	10	12	11
All other	37	–	–	–	–	2	1	3	5	14	6	6	42	–	–	–	–	1	1	6	7	11	11	5
Black	37	–	–	–	–	2	1	3	5	14	6	6	42	–	–	–	–	1	1	6	7	11	11	5
Cerebrovascular diseases (430-438)	1,493	3	–	1	2	7	29	67	182	440	494	268	2,029	–	–	1	3	10	27	71	147	404	707	659
White	1,011	–	–	1	2	4	11	35	101	283	370	204	1,428	–	–	–	2	3	12	29	77	255	520	530
All other	482	3	–	–	–	3	18	32	81	157	124	64	601	–	–	1	1	7	15	42	70	149	187	129
Black	482	3	–	–	–	3	18	32	81	157	124	64	600	–	–	1	1	7	15	42	69	149	187	129
Intracerebral and other intracranial hemorrhage (431-432)	221	3	–	1	–	3	15	26	45	63	45	20	248	–	–	1	1	2	9	22	35	76	64	36
White	127	–	–	1	–	1	4	16	21	36	34	14	148	–	–	–	1	1	6	6	15	44	42	31
All other	94	3	–	–	–	2	11	10	24	27	11	6	102	–	–	1	–	1	3	16	20	34	22	5
Black	94	3	–	–	–	2	11	10	24	27	11	6	101	–	–	1	–	1	3	16	19	34	22	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	341	–	–	–	–	1	2	7	37	98	120	76	423	–	–	–	–	1	–	7	35	75	148	157
White	250	–	–	–	–	1	–	2	21	71	92	63	323	–	–	–	–	1	–	4	22	45	117	134
All other	91	–	–	–	–	–	2	5	16	27	28	13	100	–	–	–	–	–	–	3	13	30	31	23
Black	91	–	–	–	–	–	2	5	16	27	28	13	100	–	–	–	–	–	–	3	13	30	31	23

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	4	–	–	–	–	–	–	1	–	2	1	–	7	–	–	–	–	–	1	–	–	3	2	1
White	2	–	–	–	–	–	–	1	–	–	1	–	4	–	–	–	–	–	–	–	–	2	2	–
All other	2	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	1	–	–	1	–	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	1	–	–	1	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	927	–	–	–	2	3	12	33	100	277	328	172	1,351	–	–	–	2	7	17	42	77	248	493	465
White	632	–	–	–	2	2	7	16	59	176	243	127	955	–	–	–	1	1	6	19	40	164	359	365
All other	295	–	–	–	–	1	5	17	41	101	85	45	396	–	–	–	1	6	11	23	37	84	134	100
Black	295	–	–	–	–	1	5	17	41	101	85	45	396	–	–	–	1	6	11	23	37	84	134	100
Atherosclerosis (440)	145	–	–	–	–	–	1	4	4	35	65	36	224	–	–	–	–	–	–	2	8	16	89	109
White	103	–	–	–	–	–	1	3	3	24	43	29	167	–	–	–	–	–	–	2	3	8	66	80
All other	42	–	–	–	–	–	–	1	1	11	22	7	57	–	–	–	–	–	–	–	5	10	23	19
Black	42	–	–	–	–	–	–	1	1	11	22	7	57	–	–	–	–	–	–	–	5	10	23	19
Other diseases of arteries, arterioles, and capillaries (441-448)	195	–	–	–	–	1	5	15	24	74	60	16	100	–	–	2	–	1	2	5	10	22	31	27
White	167	–	–	–	–	–	4	11	21	63	54	14	70	–	–	1	–	–	1	3	3	17	24	21
All other	28	–	–	–	–	1	1	4	3	11	6	2	30	–	–	1	–	1	1	2	7	5	7	6
Black	28	–	–	–	–	1	1	4	3	11	6	2	30	–	–	1	–	1	1	2	7	5	7	6
Acute bronchitis and bronchiolitis (466)	5	1	–	–	–	–	–	1	–	1	1	1	4	–	–	–	–	–	–	–	–	2	–	2
White	5	1	–	–	–	–	–	1	–	1	1	1	4	–	–	–	–	–	–	–	–	2	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	370	16	2	–	3	2	7	16	35	89	122	78	283	14	5	1	2	2	3	11	9	38	87	111
White	261	6	1	–	–	2	2	10	19	59	93	69	212	6	2	–	1	–	1	5	6	22	75	94
All other	109	10	1	–	3	–	5	6	16	30	29	9	71	8	3	1	1	2	2	6	3	16	12	17
Black	109	10	1	–	3	–	5	6	16	30	29	9	70	8	3	1	1	2	2	6	3	15	12	17
Pneumonia (480-486)	366	15	2	–	3	2	7	16	35	88	121	77	276	13	4	1	2	2	3	11	9	37	85	109
White	259	6	1	–	–	2	2	10	19	58	93	68	208	6	1	–	1	–	1	5	6	21	74	93
All other	107	9	1	–	3	–	5	6	16	30	28	9	68	7	3	1	1	2	2	6	3	16	11	16
Black	107	9	1	–	3	–	5	6	16	30	28	9	67	7	3	1	1	2	2	6	3	15	11	16
Influenza (487)	4	1	–	–	–	–	–	–	–	1	1	1	7	1	1	–	–	–	–	–	–	1	2	2
White	2	–	–	–	–	–	–	–	–	1	–	1	4	–	1	–	–	–	–	–	–	1	1	1
All other	2	1	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	1	1
Black	2	1	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	615	–	–	2	2	2	4	38	112	235	177	45	221	1	–	2	1	3	8	15	32	81	51	27
White	525	–	–	2	1	2	1	30	94	203	154	38	194	1	–	1	–	1	4	12	30	73	46	26
All other	90	–	–	–	1	–	3	6	18	32	23	7	27	–	–	1	1	2	4	3	2	8	5	1
Black	90	–	–	–	1	–	3	6	18	32	23	7	27	–	–	1	1	2	4	3	2	8	5	1
Bronchitis, chronic and unspecified (490-491)	36	–	–	–	–	–	1	–	7	16	8	4	14	–	–	1	–	–	1	1	–	4	3	4
White	35	–	–	–	–	–	–	–	7	16	8	4	13	–	–	1	–	–	–	1	–	4	3	4
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Emphysema (492)	181	–	–	–	–	1	2	12	34	68	43	21	56	1	–	–	–	–	1	8	11	16	13	6
White	161	–	–	–	–	1	1	10	32	61	40	16	50	1	–	–	–	–	1	6	10	14	12	6
All other	20	–	–	–	–	–	1	2	2	7	3	5	6	–	–	–	–	–	–	2	1	2	1	–
Black	20	–	–	–	–	–	1	2	2	7	3	5	6	–	–	–	–	–	–	2	1	2	1	–
Asthma (493)	18	–	–	2	2	1	–	–	8	5	–	–	23	–	–	1	–	2	1	3	3	7	6	–
White	12	–	–	2	1	1	–	–	6	2	–	–	14	–	–	1	–	–	–	2	3	4	5	–
All other	6	–	–	–	1	–	–	–	2	3	–	–	9	–	–	1	–	2	1	1	–	3	1	–
Black	6	–	–	–	1	–	–	–	2	3	–	–	9	–	–	1	–	2	1	1	–	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	380	–	–	–	–	–	1	24	63	146	126	20	128	–	–	–	1	1	5	3	18	54	29	17
White	317	–	–	–	–	–	–	20	49	124	106	18	117	–	–	–	–	1	3	3	17	51	26	16
All other	63	–	–	–	–	–	1	4	14	22	20	2	11	–	–	–	1	–	2	–	1	3	3	1
Black	63	–	–	–	–	–	1	4	14	22	20	2	11	–	–	–	1	–	2	–	1	3	3	1
Ulcer of stomach and duodenum (531-533)	57	–	–	–	–	1	2	10	15	15	20	4	44	2	–	–	1	–	2	3	3	10	10	13
White	51	–	–	–	–	1	2	8	10	12	15	4	39	1	–	–	1	–	2	3	3	7	10	13
All other	16	–	–	–	–	1	–	2	5	3	5	–	5	2	–	–	–	–	–	–	–	3	–	–
Black	16	–	–	–	–	1	–	2	5	3	5	–	5	2	–	–	–	–	–	–	–	3	–	–
Appendicitis (540-543)	6	–	–	–	–	1	1	–	1	2	–	1	8	–	–	1	–	–	1	1	1	2	2	–
White	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	1	–	–	–	–	–	1	2	–
All other	4	–	–	–	–	1	1	–	1	1	–	–	5	–	–	1	–	–	1	1	1	1	–	–
Black	4	–	–	–	–	1	1	–	1	1	–	–	5	–	–	1	–	–	1	1	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	2	–	–	–	1	1	6	12	6	9	6	49	1	1	–	–	1	–	4	5	15	12	10
White	27	1	–	–	–	–	1	3	7	5	5	5	34	–	1	–	–	–	–	2	4	11	7	9
All other	18	1	–	–	–	1	–	3	5	3	4	1	15	1	–	–	–	1	–	2	1	4	5	1
Black	18	1	–	–	–	1	–	3	5	3	4	1	15	1	–	–	–	1	–	2	1	4	5	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	227	-	-	-	1	14	29	53	74	44	10	2	139	-	-	-	1	2	17	36	31	35	15	2
White	180	-	-	-	1	9	20	43	62	35	9	1	104	-	-	-	-	1	10	29	20	30	13	1
All other	47	-	-	-	-	5	9	10	12	9	1	1	35	-	-	-	1	1	7	7	11	5	2	1
Black	46	-	-	-	-	5	9	10	12	8	1	1	35	-	-	-	1	1	7	7	11	5	2	1
Cholelithiasis and other disorders of gallbladder (574-575) [1]	28	-	-	-	-	-	1	-	8	6	8	3	39	-	-	-	-	-	-	4	4	9	13	9
White	24	-	-	-	-	-	1	-	8	4	8	3	31	-	-	-	-	-	-	1	3	7	11	9
All other	2	-	-	-	-	-	-	-	-	2	-	-	8	-	-	-	-	-	-	3	1	2	2	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	8	-	-	-	-	-	-	3	1	2	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	173	1	-	1	2	3	4	12	26	44	49	31	147	1	-	-	2	3	6	8	20	34	41	32
White	95	1	-	1	1	1	3	7	10	23	30	18	76	-	-	-	1	-	3	3	10	13	21	25
All other	78	-	-	-	1	2	1	5	16	21	19	13	71	1	-	-	1	3	3	5	10	21	20	7
Black	78	-	-	-	1	2	1	5	16	21	19	13	71	1	-	-	1	3	3	5	10	21	20	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	-	-	-	-	1	1	2	2	5	12	8	25	-	-	-	-	1	1	2	1	5	8	7
White	18	-	-	-	-	-	1	-	1	3	7	6	14	-	-	-	-	-	1	1	1	3	2	5
All other	13	-	-	-	-	1	-	2	1	2	5	2	11	-	-	-	-	1	-	1	-	2	6	1
Black	13	-	-	-	-	1	-	2	1	2	5	2	11	-	-	-	-	1	-	1	-	2	6	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	139	1	-	1	1	2	3	10	24	39	36	22	122	1	-	-	2	2	5	6	19	29	33	25
White	74	1	-	1	-	1	2	7	9	20	22	11	62	-	-	-	1	-	2	2	9	10	19	19
All other	65	-	-	-	1	1	1	3	15	19	14	11	60	1	-	-	1	2	3	4	10	19	14	6
Black	65	-	-	-	1	1	1	3	15	19	14	11	60	1	-	-	1	2	3	4	10	19	14	6
Infections of kidney (590)	28	-	-	-	-	-	-	1	3	6	10	8	52	-	-	-	-	-	-	1	2	15	20	13
White	21	-	-	-	-	-	-	1	3	4	8	5	42	-	-	-	-	-	-	-	1	12	18	11
All other	7	-	-	-	-	-	-	-	-	2	2	3	10	-	-	-	-	-	-	1	1	4	2	2
Black	7	-	-	-	-	-	-	-	-	2	2	3	10	-	-	-	-	-	-	1	1	4	2	2
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	2	3	6	6	***	***	***	***	***	***	***	***	***	***	***	***
White	12	-	-	-	-	-	-	-	1	1	5	5	***	***	***	***	***	***	***	***	***	***	***	***
All other	5	-	-	-	-	-	-	-	1	2	1	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	5	-	-	-	-	-	-	-	1	2	1	1	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	-	2	3	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	1	3	2	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	1	3	2	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	-	2	3	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	1	3	2	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	1	3	2	-	***	***	***	***
Congenital anomalies (740-759)	123	88	4	9	5	3	4	4	3	3	-	-	100	60	8	5	5	5	2	2	7	4	1	1
White	88	63	3	6	4	2	4	2	2	2	-	-	68	42	3	4	3	2	2	1	7	4	-	-
All other	35	25	1	3	1	1	-	2	1	1	-	-	32	18	5	1	2	3	-	1	-	-	1	1
Black	35	25	1	3	1	1	-	2	1	1	-	-	31	17	5	1	2	3	-	1	-	-	1	1
Certain conditions originating in the perinatal period (760-779)	256	255	1	-	-	-	-	-	-	-	-	-	200	200	-	-	-	-	-	-	-	-	-	-
White	125	124	1	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
All other	131	131	-	-	-	-	-	-	-	-	-	-	101	101	-	-	-	-	-	-	-	-	-	-
Black	130	130	-	-	-	-	-	-	-	-	-	-	101	101	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	110	110	-	-	-	-	-	-	-	-	-	-	86	86	-	-	-	-	-	-	-	-	-	-
White	58	58	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	52	52	-	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
Black	51	51	-	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	146	145	1	–	–	–	–	–	–	–	–	–	114	114	–	–	–	–	–	–	–	–	–	–
White	67	66	1	–	–	–	–	–	–	–	–	–	58	58	–	–	–	–	–	–	–	–	–	–
All other	79	79	–	–	–	–	–	–	–	–	–	–	56	56	–	–	–	–	–	–	–	–	–	–
Black	79	79	–	–	–	–	–	–	–	–	–	–	56	56	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,116	74	7	4	21	34	57	145	205	293	170	105	882	55	9	4	9	22	41	76	111	199	201	155
White	634	35	4	3	9	14	32	83	119	170	101	64	432	20	4	1	6	12	15	49	61	93	101	68
All other	482	39	3	1	12	20	25	62	86	123	69	41	450	35	5	3	1	10	26	27	50	106	100	87
Black	481	39	3	1	12	20	25	62	86	123	68	41	449	35	5	3	1	10	26	27	50	106	100	86
All other diseases (Residual)	999	30	12	12	19	36	60	95	179	225	213	118	968	22	23	12	17	21	47	61	119	196	268	181
White	690	11	9	7	17	20	31	61	125	165	166	78	671	7	10	10	8	12	23	32	76	147	208	138
All other	309	19	3	5	2	16	29	34	54	60	47	40	297	15	13	2	9	9	24	29	43	49	60	43
Black	308	19	3	5	2	16	29	34	53	60	47	40	296	15	13	2	9	9	24	29	43	48	60	43
Accidents and adverse effects (E800-E949)	1,634	18	50	94	438	267	177	161	179	137	82	31	609	7	36	43	122	65	40	44	44	67	75	66
White	1,172	8	34	56	356	182	128	112	122	94	56	23	468	3	21	31	105	49	27	36	34	50	63	49
All other	462	10	16	38	82	85	48	49	57	43	26	8	141	4	15	12	17	16	13	8	10	17	12	17
Black	461	10	16	38	81	85	48	49	57	43	26	8	139	4	15	12	17	15	12	8	10	17	12	17
Motor vehicle accidents (E810-E825)	847	3	9	39	296	163	91	74	75	68	26	3	291	1	16	26	88	50	24	20	24	22	16	4
White	648	1	8	24	252	116	72	50	51	49	24	1	240	1	11	21	80	40	14	18	19	19	14	3
All other	199	2	1	15	44	47	19	24	24	19	2	2	51	–	5	5	8	10	10	2	5	3	2	1
Black	188	2	1	15	43	47	19	24	24	19	2	2	50	–	5	5	8	10	9	2	5	3	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	787	15	41	55	142	104	86	87	104	69	56	28	318	6	20	17	34	15	16	24	20	45	59	62
White	524	7	26	32	104	68	57	62	71	45	32	22	228	2	10	10	25	9	13	16	15	31	49	46
All other	263	8	15	23	38	38	29	25	33	24	24	6	90	4	10	7	9	6	3	6	5	14	10	16
Black	263	8	15	23	38	38	29	25	33	24	24	6	89	4	10	7	9	5	3	6	5	14	10	16
Suicide (E950-E959)	343	...	...	4	58	72	40	60	45	37	22	5	75	...	...	1	12	12	20	12	13	5	–	–
White	303	...	...	4	45	60	37	52	42	36	22	5	68	...	...	1	9	11	19	12	13	3	–	–
All other	40	...	...	–	13	12	3	8	3	1	–	–	7	...	...	–	3	1	1	–	–	2	–	–
Black	40	...	...	–	13	12	3	8	3	1	–	–	6	...	...	–	3	1	–	–	–	2	–	–
Homicide and legal intervention (E960-E978)	428	–	2	5	88	132	69	59	40	24	9	–	105	2	3	1	26	20	19	10	11	8	5	–
White	152	–	2	2	24	40	31	25	12	13	3	–	36	1	1	–	8	6	8	2	3	4	3	–
All other	276	–	–	3	64	92	38	34	28	11	6	–	69	1	2	1	18	14	11	8	8	4	2	–
Black	276	–	–	3	64	92	38	34	28	11	6	–	68	1	2	1	17	14	11	8	8	4	2	–
All other external causes (E980-E999)	51	–	3	–	5	14	5	12	3	5	4	–	21	–	–	–	3	5	3	6	1	1	1	1
White	36	–	–	–	4	9	4	9	2	4	4	–	12	–	–	–	3	2	–	4	1	1	1	–
All other	15	–	3	–	1	5	1	3	1	1	–	–	9	–	–	–	–	3	3	2	–	–	–	1
Black	15	–	3	–	1	5	1	3	1	1	–	–	9	–	–	–	–	3	3	2	–	–	–	1
ALASKA																								
All causes	1,058	82	14	17	120	106	85	142	171	168	111	42	509	63	14	5	26	34	43	60	65	74	83	42
White	728	49	4	10	63	65	57	113	132	115	69	31	327	38	6	3	15	23	24	38	46	48	57	31
All other	330	33	10	7	57	41	28	29	39	53	22	11	182	27	8	2	11	11	19	22	19	26	26	11
Black	23	4	2	–	1	2	1	2	3	7	1	–	12	3	–	–	–	–	–	3	2	4	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	3	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	-	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	-	1	-	-	2	1
White	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-066,071-088, 098-139)	2	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	171	-	-	-	1	4	10	26	48	44	28	10	103	-	-	-	-	7	13	17	19	26	15	6
White	133	-	-	-	-	4	8	23	36	31	22	9	78	-	-	-	-	7	10	12	16	20	10	3
All other	38	-	-	-	1	-	2	3	12	13	6	1	25	-	-	-	-	-	3	5	3	6	5	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	1	1	1	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	42	-	-	-	-	1	3	7	10	13	7	1	17	-	-	-	-	-	2	-	4	5	5	1
White	29	-	-	-	-	1	2	6	7	8	4	1	10	-	-	-	-	-	2	-	3	2	3	1
All other	13	-	-	-	-	-	1	1	3	5	3	-	7	-	-	-	-	-	-	-	1	3	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	76	-	-	-	-	1	2	12	26	19	12	4	12	-	-	-	-	-	2	1	2	6	1	-
White	63	-	-	-	-	1	2	10	21	14	12	3	10	-	-	-	-	-	2	1	2	5	-	-
All other	13	-	-	-	-	-	-	2	5	5	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	30	-	-	-	-	2	2	9	5	7	4	1
White	-	-	-	-	-	-	-	-	-	-	-	-	27	-	-	-	-	2	2	8	4	6	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	12	-	-	-	-	-	1	-	1	5	2	3	9	-	-	-	-	-	1	4	2	2	-	-
White	12	-	-	-	-	-	1	-	1	5	2	3	6	-	-	-	-	-	-	2	2	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	5	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	23	-	-	-	1	1	2	6	6	5	1	1	19	-	-	-	-	1	3	2	4	4	3	2
White	15	-	-	-	-	1	2	6	2	2	1	1	12	-	-	-	-	1	2	1	3	3	1	1
All other	8	-	-	-	1	-	-	-	4	3	-	-	7	-	-	-	-	-	1	1	1	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	4	-	-	-	-	1	1	-	1	1	-	-	7	-	-	-	-	1	2	-	1	-	1	2
White	3	-	-	-	-	1	-	-	1	1	-	-	6	-	-	-	-	1	2	-	1	-	1	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	-	-	-	-	-	1	-	1	-	4	1	6	-	-	-	-	2	-	-	1	2	1	-
White	5	-	-	-	-	-	1	-	1	-	2	1	6	-	-	-	-	2	-	-	1	2	1	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	11	-	-	-	-	-	1	2	4	3	-	1	7	-	-	-	-	-	-	3	2	1	1	-
White	10	-	-	-	-	-	1	2	4	3	-	-	6	-	-	-	-	-	-	2	2	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	294	1	1	-	2	1	21	50	59	78	62	19	149	1	-	1	3	3	3	16	21	29	45	27
White	240	1	-	-	1	1	14	43	53	59	53	15	105	-	-	1	2	3	2	10	17	17	31	22
All other	54	-	1	-	1	-	7	7	6	19	9	4	44	1	-	-	1	-	1	6	4	12	14	5
Black	7	-	1	-	-	-	-	-	1	5	-	-	7	-	-	-	-	-	-	3	1	3	-	-
Diseases of heart (390-398,402,404-429)	242	1	-	-	2	1	18	43	54	66	44	13	98	1	-	-	2	-	2	9	19	19	31	15
White	199	1	-	-	1	1	12	38	48	52	37	9	68	-	-	-	2	-	1	5	15	12	19	14
All other	43	-	-	-	1	-	6	5	6	14	7	4	30	1	-	-	-	-	1	4	4	7	12	1
Black	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	2	1	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	2	1	2	-	-	7	-	-	-	-	-	-	2	1	4	-	-
White	3	-	-	-	-	-	-	2	-	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	1	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	184	-	-	-	-	1	10	34	44	51	37	7	57	-	-	-	1	-	2	3	12	10	18	11
White	158	-	-	-	-	1	9	29	41	41	32	5	44	-	-	-	1	-	1	1	10	7	14	10
All other	26	-	-	-	-	-	1	5	3	10	5	2	13	-	-	-	-	-	1	2	2	3	4	1
Black	4	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Acute myocardial infarction (410)	109	-	-	-	-	1	7	22	25	33	17	4	27	-	-	-	1	-	1	2	8	4	8	3
White	87	-	-	-	-	1	6	18	23	24	13	2	21	-	-	-	1	-	-	1	6	3	7	3
All other	22	-	-	-	-	-	1	4	2	9	4	2	6	-	-	-	-	-	1	1	2	1	1	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	74	-	-	-	-	-	3	12	19	18	19	3	30	-	-	-	-	-	1	1	4	6	10	8
White	70	-	-	-	-	-	3	11	18	17	18	3	23	-	-	-	-	-	1	-	4	4	7	7
All other	4	-	-	-	-	-	-	1	1	1	1	-	7	-	-	-	-	-	-	1	-	2	3	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	7	-	-	-	-	-	2	-	1	2	1	1	3	-	-	-	-	-	-	-	2	-	1	-
White	5	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	-	-	-	-	2	-	-	-
All other	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	42	1	-	-	2	-	6	7	7	8	6	5	30	1	-	-	1	-	-	3	4	5	12	4
White	31	1	-	-	1	-	2	7	6	6	4	4	19	-	-	-	1	-	-	3	3	3	5	4
All other	11	-	-	-	1	-	4	-	1	2	2	1	11	1	-	-	-	-	-	-	1	2	7	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	40	-	-	-	-	-	3	6	3	9	14	5	33	-	-	1	-	2	-	4	2	6	11	7
White	32	-	-	-	-	-	2	4	3	6	12	5	25	-	-	1	-	2	-	3	2	2	10	5
All other	8	-	-	-	-	-	1	2	-	3	2	-	8	-	-	-	-	-	-	1	-	4	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	6	-	-	-	-	-	-	1	1	2	1	1	7	-	-	1	-	-	-	-	-	3	2	1
White	6	-	-	-	-	-	-	1	1	2	1	1	4	-	-	1	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	-	-	-	-	-	-	1	-	2	4	1	2	-	-	-	-	-	-	1	-	-	-	1
White	5	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	1	-	-	-	-
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	26	-	-	-	-	-	3	4	2	5	9	3	24	-	-	-	-	2	-	3	2	3	9	5
White	21	-	-	-	-	-	2	3	2	3	8	3	20	-	-	-	-	2	-	2	2	1	8	5
All other	5	-	-	-	-	-	1	1	-	2	1	-	4	-	-	-	-	-	-	1	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Atherosclerosis (440)	5	-	-	-	-	-	-	-	1	1	2	1	7	-	-	-	1	-	-	-	-	1	2	3
White	4	-	-	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	5	-	1	-	-	-	-	1	1	2	1	-	10	-	-	-	-	1	1	3	-	2	1	2
White	4	-	1	-	-	-	-	1	1	1	1	-	8	-	-	-	-	1	1	2	-	2	1	1
All other	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	23	4	-	-	-	2	-	4	3	4	4	2	13	1	1	-	-	-	2	4	1	-	4	-
White	7	-	-	-	-	-	-	2	1	-	3	1	4	-	-	-	-	-	-	3	-	-	1	-
All other	16	4	-	-	-	2	-	2	2	4	1	1	9	1	1	-	-	-	2	1	1	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	23	4	-	-	-	2	-	4	3	4	4	2	13	1	1	-	-	-	2	4	1	-	4	
White	7	-	-	-	-	-	-	2	1	-	3	1	4	-	-	-	-	-	-	3	-	-	1	
All other	16	4	-	-	-	2	-	2	2	4	1	1	9	1	1	-	-	-	2	1	1	-	3	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	16	-	-	-	-	-	-	2	5	3	3	3	11	-	1	-	-	-	-	-	4	3	3	
White	14	-	-	-	-	-	-	2	5	2	2	3	8	-	-	-	-	-	-	-	3	3	2	
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	1	-	-	-	-	-	1	-	1	
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis, chronic and unspecified (490-491)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema (492)	6	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
White	5	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	10	-	-	-	-	-	-	2	1	3	2	2	8	-	1	-	-	-	-	-	3	2	2	
White	9	-	-	-	-	-	-	2	1	2	2	2	5	-	-	-	-	-	-	-	2	2	1	
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	1	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer of stomach and duodenum (531-533)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	24	-	-	-	-	4	3	3	8	5	1	-	18	-	-	-	-	5	5	2	4	1	1	-
White	19	-	-	-	-	2	3	2	6	5	1	-	6	-	-	-	-	1	1	1	3	-	-	-
All other	5	-	-	-	-	2	-	1	2	-	-	-	12	-	-	-	-	4	4	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	1	-	-	-	-	-	2	-	1	1	-	5	-	-	-	-	-	1	-	1	2	1	-
White	3	-	-	-	-	-	-	2	-	-	1	-	4	-	-	-	-	-	1	-	1	1	1	-
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	1	–	–	–	–	–	2	–	1	1	–	3	–	–	–	–	–	1	–	1	–	1	–
White	3	–	–	–	–	–	–	2	–	–	1	–	3	–	–	–	–	–	1	–	1	–	1	–
All other	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
White	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
All other	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Black	–	–	–	–	–	–	–	–	–	–	–	–	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	–	–	1	–	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	–	---	---	–	–	–	–	–	---	---	---	---
Congenital anomalies (740-759)	21	18	–	–	2	–	–	1	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
White	15	12	–	–	2	–	–	1	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	41	41	–	–	–	–	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
White	26	26	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
All other	15	15	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	18	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
White	12	12	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	23	23	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
White	14	14	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	24	12	1	–	–	2	1	3	–	2	1	2	27	13	–	–	–	–	–	3	5	1	1	4
White	14	8	–	–	–	1	–	3	–	1	–	1	11	6	–	–	–	–	–	1	–	1	–	3
All other	10	4	1	–	–	1	1	–	–	1	1	1	16	7	–	–	–	–	–	2	5	–	1	1
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	61	1	4	1	4	7	3	12	12	8	7	2	32	4	3	–	2	1	4	3	2	5	6	2
White	25	–	1	1	1	3	2	4	5	3	5	–	20	–	2	–	1	1	2	2	2	3	5	1
All other	36	1	3	–	3	4	1	8	7	5	2	2	12	4	1	–	1	–	2	1	–	2	–	1
Black	4	–	1	–	–	1	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	259	–	6	15	81	63	36	22	23	11	2	–	59	3	8	2	13	9	9	4	4	3	3	1
White	152	–	2	9	41	41	22	15	15	7	–	–	33	3	4	–	9	5	4	2	1	1	3	1
All other	107	–	4	6	40	22	14	7	8	4	2	–	26	–	4	2	4	4	5	2	3	2	–	–
Black	4	–	–	–	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	66	-	-	5	25	16	7	4	5	3	1	-	17	1	2	-	6	2	1	2	2	-	1	-
White	50	-	-	4	18	13	3	4	5	3	-	-	11	1	1	-	5	1	-	1	1	-	1	-
All other	16	-	-	1	7	3	4	-	-	-	1	-	6	-	1	-	1	1	1	1	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	193	-	6	10	56	47	29	16	16	8	1	-	42	2	6	2	7	7	6	2	2	3	2	1
White	102	-	2	5	23	28	19	11	10	4	-	-	22	2	3	-	4	4	4	1	-	1	2	1
All other	91	-	4	5	33	19	10	7	6	4	1	-	20	-	3	2	3	3	4	1	2	2	-	-
Black	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Suicide (E950-E959)	37	...	...	-	10	11	3	8	3	1	1	-	10	...	...	1	2	3	1	3	-	-	-	-
White	28	...	...	-	5	7	3	8	3	1	1	-	6	...	...	1	1	2	-	2	-	-	-	-
All other	9	...	...	-	5	4	-	-	-	-	-	-	4	...	...	-	1	1	1	1	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	32	-	-	-	11	9	4	6	2	-	-	-	18	-	1	-	5	4	5	3	-	-	-	-
White	21	-	-	-	8	4	2	5	2	-	-	-	10	-	-	-	1	2	4	3	-	-	-	-
All other	11	-	-	-	3	5	2	1	-	-	-	-	8	-	1	-	4	2	1	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	15	-	-	1	8	2	2	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
White	9	-	-	-	4	2	1	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
All other	6	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA																								
All causes	11,630	369	83	103	578	530	450	868	1,872	3,108	2,597	1,048	8,152	287	81	43	167	182	239	534	1,103	1,877	2,109	1,566
White	10,588	286	59	85	449	400	347	765	1,758	2,960	2,467	971	7,551	205	45	38	131	143	195	466	1,030	1,778	2,020	1,496
All other	1,062	83	24	18	129	130	103	103	114	148	130	77	601	82	16	5	36	39	44	68	73	99	89	70
Black	341	28	9	2	24	20	23	33	57	69	48	25	219	21	4	1	14	7	9	23	33	39	42	26
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	20	-	-	-	-	-	2	3	2	7	5	1	9	-	-	-	-	1	-	2	2	-	4	-
White	12	-	-	-	-	-	1	2	1	6	2	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	8	-	-	-	-	-	1	1	1	1	3	1	7	-	-	-	-	1	-	2	2	-	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	-	2	3	2	5	5	1	5	-	-	-	-	1	-	1	1	-	2	-
White	10	-	-	-	-	-	1	2	1	4	2	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	8	-	-	-	-	-	1	1	1	1	3	1	3	-	-	-	-	1	-	1	1	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	1	-	2	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	55	1	3	-	1	3	1	7	6	13	12	8	51	3	1	-	-	2	4	3	4	17	9	8
White	40	1	1	-	1	2	-	2	6	13	8	6	40	2	1	-	-	1	3	1	3	14	9	6
All other	15	-	2	-	-	1	1	5	-	-	4	2	11	1	-	-	-	1	1	2	1	3	-	2
Black	4	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	5	-	1	-	-	-	1	1	-	1	1	-	4	-	-	-	-	-	-	-	-	3	-	1
White	5	-	1	-	-	-	1	1	-	1	1	-	4	-	-	-	-	-	-	-	-	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	44	1	-	3	2	3	3	5	10	11	5	1	28	2	-	-	3	2	-	7	5	6	3	-
White	35	1	-	2	2	2	-	4	10	10	4	-	21	1	-	-	2	2	-	4	5	4	3	-
All other	9	-	-	1	-	1	3	1	-	1	1	1	7	1	-	-	1	-	-	3	-	2	-	-
Black	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,285	1	2	14	18	34	51	184	503	814	521	143	1,788	1	4	5	10	37	61	204	415	528	378	155
White	2,205	1	1	14	15	31	50	181	480	787	506	139	1,709	-	4	5	7	31	52	193	403	510	359	146
All other	80	-	1	-	3	3	1	3	23	27	15	4	89	1	-	-	3	6	9	11	12	18	19	10
Black	51	-	1	-	1	1	1	3	17	18	6	3	41	1	-	-	2	-	2	5	8	8	11	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	-	-	-	-	1	1	3	10	14	13	1	24	-	-	-	-	-	1	1	3	6	9	4
White	42	-	-	-	-	1	1	3	9	14	13	1	24	-	-	-	-	-	1	1	3	6	9	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	536	-	-	-	-	4	8	48	118	184	138	38	471	-	-	-	-	9	9	33	85	145	123	67
White	515	-	-	-	-	3	8	48	114	174	131	37	439	-	-	-	-	7	8	30	80	135	116	66
All other	21	-	-	-	-	1	-	-	4	10	5	1	32	-	-	-	-	2	1	3	5	10	7	4
Black	10	-	-	-	-	-	-	-	1	6	1	-	12	-	-	-	-	-	-	-	2	2	6	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	783	-	-	-	-	1	13	73	212	316	145	23	302	-	-	-	-	-	9	35	88	116	44	10
White	765	-	-	-	-	1	13	72	201	314	141	23	296	-	-	-	-	-	9	32	87	114	44	10
All other	18	-	-	-	-	-	-	1	11	2	4	-	6	-	-	-	-	-	-	3	1	2	-	-
Black	12	-	-	-	-	-	-	1	9	1	1	-	6	-	-	-	-	-	-	3	1	2	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	320	-	-	-	-	9	22	57	95	79	44	14
White	-	-	-	-	-	-	-	-	-	-	-	-	305	-	-	-	-	7	15	56	93	77	43	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	2	7	1	2	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	2	1	2	2	-	-
Malignant neoplasms of genital organs (179-187)	257	-	-	-	2	2	1	3	26	88	84	41	229	-	-	1	1	6	7	37	53	69	45	10
White	248	-	-	-	-	1	1	3	26	85	84	39	222	-	-	1	1	5	7	34	52	66	44	10
All other	8	-	-	-	2	1	-	-	-	3	-	2	7	-	-	-	-	1	-	3	1	1	1	-
Black	5	-	-	-	1	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of urinary organs (188-189)	124	-	-	-	-	-	2	7	22	41	38	14	39	-	-	-	-	1	-	3	11	6	13	5
White	120	-	-	-	-	-	2	7	21	38	38	14	35	-	-	-	-	1	-	3	10	6	10	5
All other	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	-	1	-	3	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	314	-	-	3	8	12	18	31	70	108	49	15	249	1	2	1	4	8	8	22	53	74	59	28
White	301	-	-	3	8	11	17	30	67	105	48	14	232	-	2	1	3	7	7	22	52	71	47	20
All other	13	-	-	-	-	1	1	1	3	3	3	1	17	1	-	-	1	1	1	-	1	3	6	3
Black	11	-	-	-	-	1	1	1	3	2	2	1	8	1	-	-	1	-	-	-	1	2	2	1
Leukemia (204-208)	98	1	1	7	5	9	1	8	15	30	14	7	71	-	2	2	5	1	3	8	8	10	18	14
White	92	1	-	7	4	9	1	8	14	27	14	7	65	-	2	2	3	1	3	7	8	10	17	12
All other	6	-	1	-	1	-	-	-	1	3	-	-	6	-	-	-	2	-	-	1	-	-	1	2
Black	3	-	1	-	-	-	-	-	1	1	-	-	4	-	-	-	1	-	-	1	-	-	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	130	-	1	4	3	5	7	11	30	33	32	4	93	-	-	1	-	3	2	8	19	23	29	8
White	121	-	1	4	3	5	7	10	28	30	29	4	91	-	-	1	-	3	2	8	18	23	29	7
All other	9	-	-	-	-	-	-	1	2	3	3	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	6	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	-	-	-	1	-	-	-	3	11	16	-	37	-	1	-	1	-	-	4	4	12	9	6
White	30	-	-	-	1	-	-	-	3	11	15	-	34	-	1	-	1	-	-	3	4	11	8	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	141	-	-	-	1	3	6	10	27	39	40	16	162	-	1	-	1	-	3	7	29	59	48	34
White	120	-	-	-	1	3	5	5	25	33	35	13	149	-	1	-	-	-	2	5	22	47	42	30
All other	21	-	-	-	-	-	1	5	2	5	5	3	33	-	-	-	1	-	1	2	7	12	6	4
Black	5	-	-	-	-	-	-	-	1	2	-	2	8	-	-	-	1	-	-	-	-	6	-	1
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	1	1	1	14	-	-	-	-	-	-	-	1	2	3	7
White	3	-	-	-	-	-	-	-	-	1	1	1	12	-	-	-	-	-	-	-	-	2	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	23	1	1	1	1	-	-	2	4	1	7	5	21	-	1	-	-	-	-	2	1	7	6	4
White	18	1	-	-	-	-	-	1	4	1	6	5	20	-	1	-	-	-	-	2	1	6	6	4
All other	5	-	1	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	17	11	-	-	-	1	-	2	1	1	1	-	6	-	-	-	-	-	-	2	1	1	1	1
White	12	7	-	-	-	1	-	1	1	1	1	-	4	-	-	-	-	-	-	-	1	1	1	1
All other	5	4	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,684	6	2	7	9	19	94	309	799	1,447	1,389	612	3,580	2	3	1	3	12	50	108	341	892	1,209	1,018
White	4,488	4	2	7	7	16	83	284	760	1,388	1,333	584	3,434	1	2	-	2	7	45	89	316	798	1,177	988
All other	226	2	-	-	2	3	11	25	39	59	56	28	146	1	1	1	1	5	5	9	25	38	32	30
Black	112	-	-	-	2	1	4	11	22	30	29	12	80	1	-	1	-	3	-	6	18	16	20	15
Diseases of heart (390-398,402,404-429)	3,737	4	2	4	6	14	65	279	695	1,184	1,041	443	2,591	2	3	1	2	10	34	81	270	652	841	695
White	3,555	2	2	4	4	12	76	257	680	1,116	998	424	2,480	1	2	-	2	6	32	75	249	623	818	672
All other	182	2	-	-	2	2	9	22	35	48	43	19	111	1	1	1	-	4	2	6	21	29	23	23
Black	92	-	-	-	2	1	3	10	21	26	21	8	65	1	-	1	-	3	-	5	15	14	15	11
Rheumatic fever and rheumatic heart disease (390-398)	37	-	-	-	-	-	2	7	5	18	4	1	81	-	-	-	-	-	4	8	11	22	11	5
White	37	-	-	-	-	-	2	7	5	18	4	1	58	-	-	-	-	-	3	6	10	22	10	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	55	-	-	-	-	-	1	5	14	19	10	6	61	-	-	-	-	-	-	3	12	13	21	12
White	49	-	-	-	-	-	1	4	11	19	9	5	58	-	-	-	-	-	-	2	10	13	21	12
All other	6	-	-	-	-	-	-	1	3	-	1	1	3	-	-	-	-	-	-	1	2	-	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	1	1	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	1	2	1	6	-	-	-	-	-	-	1	-	1	4	-
White	5	-	-	-	-	-	-	-	1	1	2	1	5	-	-	-	-	-	-	-	-	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Ischemic heart disease (410-414)	3,029	-	-	-	1	9	66	238	583	967	834	331	1,914	-	1	-	-	2	16	49	191	503	645	507
White	2,912	-	-	-	1	8	60	220	566	931	809	317	1,855	-	1	-	-	2	16	47	179	486	631	493
All other	117	-	-	-	-	1	6	18	17	36	25	14	59	-	-	-	-	-	-	2	12	17	14	14
Black	66	-	-	-	-	1	2	9	13	21	15	5	41	-	-	-	-	-	-	2	10	10	11	8
Acute myocardial infarction (410)	1,484	-	-	-	-	6	36	136	310	500	381	105	823	-	-	-	-	1	8	23	112	260	269	150
White	1,428	-	-	-	-	6	33	124	302	484	379	100	797	-	-	-	-	1	8	22	107	253	259	147
All other	56	-	-	-	-	-	3	12	8	16	12	5	26	-	-	-	-	-	-	1	5	7	10	3
Black	29	-	-	-	-	-	-	6	6	9	7	-	21	-	-	-	-	-	-	1	3	7	6	2
Other acute and subacute forms of ischemic heart disease (411)	264	-	-	-	1	1	15	35	89	64	52	7	82	-	-	-	-	1	3	11	21	22	20	4
White	256	-	-	-	1	1	14	34	87	63	50	6	77	-	-	-	-	1	3	10	17	22	20	4
All other	8	-	-	-	-	-	1	1	2	1	2	1	5	-	-	-	-	-	-	1	4	-	-	-
Black	4	-	-	-	-	-	-	-	2	-	1	1	5	-	-	-	-	-	-	1	4	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,279	-	-	-	-	2	15	67	184	403	389	219	1,008	-	1	-	-	-	5	15	58	221	356	352
White	1,226	-	-	-	-	1	13	62	177	384	378	211	980	-	1	-	-	-	5	15	55	211	352	341
All other	53	-	-	-	-	1	2	5	7	19	11	8	28	-	-	-	-	-	-	-	3	10	4	11
Black	34	-	-	-	-	1	2	3	5	12	7	4	15	-	-	-	-	-	-	-	3	3	3	6
Other diseases of endocardium (424)	35	-	-	-	-	1	3	1	8	13	8	1	33	-	-	-	-	-	2	-	7	10	8	6
White	31	-	-	-	-	1	2	1	6	12	8	1	31	-	-	-	-	-	2	-	6	9	8	6
All other	4	-	-	-	-	-	1	-	2	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	576	4	2	4	5	4	13	28	84	146	183	103	516	2	2	1	2	8	12	20	49	103	152	165
White	521	2	2	4	3	3	11	25	71	135	166	99	473	1	1	-	2	4	11	18	44	92	144	156
All other	55	2	-	-	2	1	2	3	13	11	17	4	43	1	1	1	-	4	1	2	5	11	8	9
Black	23	-	-	-	2	-	1	1	7	5	5	2	19	1	-	1	-	3	-	1	3	3	4	3
Hypertension with or without renal disease (401,403)	20	-	-	-	-	-	1	1	2	5	7	4	33	-	-	-	-	-	1	-	2	7	11	12
White	18	-	-	-	-	-	-	-	2	5	7	4	30	-	-	-	-	-	1	-	1	7	10	11
All other	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Cerebrovascular diseases (430-438)	660	-	-	1	2	3	7	24	75	176	258	116	750	-	-	-	1	1	11	24	57	150	285	220
White	626	-	-	1	2	2	6	22	71	168	245	109	725	-	-	-	-	-	9	21	55	143	281	215
All other	34	-	-	-	-	1	1	2	4	8	11	7	25	-	-	-	1	1	2	3	2	7	4	5
Black	16	-	-	-	-	-	1	1	1	4	7	2	10	-	-	-	-	-	-	1	1	2	3	3
Intracerebral and other intracranial hemorrhage (431-432)	91	-	-	-	-	1	3	10	17	26	27	7	108	-	-	-	1	-	7	13	14	28	28	17
White	86	-	-	-	-	1	2	9	17	26	25	6	99	-	-	-	-	-	5	10	12	28	27	17
All other	5	-	-	-	-	-	1	1	-	-	2	1	9	-	-	-	1	-	2	3	2	-	1	-
Black	3	-	-	-	-	-	1	1	-	-	1	-	3	-	-	-	-	-	-	1	1	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	117	-	-	-	-	-	2	4	15	31	44	21	137	-	-	-	-	-	-	2	7	31	46	50
White	109	-	-	-	-	-	2	4	13	28	43	19	134	-	-	-	-	-	-	2	7	30	46	48
All other	8	-	-	-	-	-	-	-	2	3	1	2	3	-	-	-	-	-	-	-	-	1	-	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	1	1	-	2	1
White	5	-	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	1	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	447	-	-	1	2	2	2	10	43	117	182	88	500	-	-	-	-	1	4	8	35	91	209	152
White	426	-	-	1	2	1	2	9	41	112	174	84	487	-	-	-	-	-	4	8	35	85	206	149
All other	21	-	-	-	-	1	-	1	2	5	8	4	13	-	-	-	-	1	-	-	-	6	3	3
Black	11	-	-	-	-	-	-	-	1	3	5	2	7	-	-	-	-	-	-	-	-	2	2	3
Atherosclerosis (440)	98	1	-	-	-	-	-	-	5	21	35	36	150	-	-	-	-	-	-	1	2	17	50	80
White	94	1	-	-	-	-	-	-	5	20	34	34	148	-	-	-	-	-	-	1	2	17	49	79
All other	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	179	1	-	2	1	2	1	5	22	81	50	13	56	-	-	-	-	1	4	2	10	6	22	11
White	175	1	-	2	1	2	1	5	22	79	49	13	51	-	-	-	-	1	3	2	9	6	19	11
All other	4	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	1	-	1	-	3	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	-	5	2	1	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	5	2	1	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	276	11	2	1	7	4	3	15	32	47	96	58	210	8	-	-	2	1	5	7	13	29	66	79
White	235	8	2	1	5	2	3	12	28	41	86	47	186	6	-	-	-	1	3	7	12	24	58	75
All other	41	3	-	-	2	2	-	3	4	6	10	11	24	2	-	-	2	-	2	-	1	5	8	4
Black	8	1	-	-	-	-	-	1	-	1	3	2	4	-	-	-	1	-	1	-	-	1	1	-
Pneumonia (480-486)	274	11	2	1	7	4	3	15	32	47	94	58	208	8	-	-	2	1	5	7	13	28	66	79
White	233	8	2	1	5	2	3	12	28	41	84	47	185	6	-	-	-	1	3	7	12	23	58	75
All other	41	3	-	-	2	2	-	3	4	6	10	11	24	2	-	-	2	-	2	-	1	5	8	4
Black	8	1	-	-	-	-	-	1	-	1	3	2	4	-	-	-	1	-	1	-	-	1	1	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	627	-	1	-	1	4	1	27	112	275	169	37	275	1	2	1	1	2	9	14	65	94	66	20
White	618	-	1	-	1	3	1	24	111	275	166	36	268	1	2	1	1	1	9	14	63	91	65	20
All other	9	-	-	-	-	1	-	3	1	-	3	1	7	-	-	-	-	1	-	-	2	3	1	-
Black	5	-	-	-	-	-	-	2	1	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-
Bronchitis, chronic and unspecified (490-491)	41	-	1	-	-	2	1	1	7	10	13	6	32	1	2	-	-	1	2	1	5	9	9	2
White	41	-	1	-	-	2	1	1	7	10	13	6	30	1	2	-	-	-	2	1	5	9	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	200	-	-	-	-	-	-	3	48	90	53	6	58	-	-	-	-	-	3	4	13	18	19	1
White	198	-	-	-	-	-	-	2	47	90	53	6	58	-	-	-	-	-	3	4	13	18	19	1
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	15	–	–	–	1	1	–	2	1	6	3	1	26	–	–	–	1	–	1	5	8	5	4	2
White	15	–	–	–	1	1	–	2	1	6	3	1	24	–	–	–	1	–	1	5	6	5	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	371	–	–	–	–	1	–	21	56	169	100	24	159	–	–	1	–	1	3	4	39	62	34	15
White	364	–	–	–	–	–	–	19	56	169	97	23	156	–	–	1	–	1	3	4	39	59	34	15
All other	7	–	–	–	–	1	–	2	–	–	3	1	3	–	–	–	–	–	–	–	–	3	–	–
Black	3	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	30	–	–	–	–	–	1	3	5	11	7	3	32	–	–	–	–	–	–	1	4	7	11	9
White	28	–	–	–	–	–	–	2	5	11	7	3	30	–	–	–	–	–	–	1	3	6	11	9
All other	2	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Appendicitis (540-543)	4	–	1	–	–	–	1	–	–	1	–	1	5	–	–	–	1	–	–	–	1	2	–	1
White	3	–	–	–	–	–	1	–	–	1	–	1	4	–	–	–	–	–	–	–	1	2	–	1
All other	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	2	–	1	1	1	–	2	3	2	9	5	33	4	–	–	1	2	–	3	1	6	10	6
White	22	2	–	–	1	1	–	2	2	2	8	4	30	4	–	–	1	2	–	3	1	5	9	5
All other	4	–	–	1	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	–	1	1	1
Black	3	–	–	1	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Chronic liver disease and cirrhosis (571)	235	–	–	–	2	16	30	58	65	53	9	2	138	–	–	–	–	9	17	32	41	33	6	–
White	190	–	–	–	–	8	18	49	59	47	7	2	113	–	–	–	–	4	11	24	36	32	6	–
All other	45	–	–	–	2	8	12	9	6	6	2	–	25	–	–	–	–	5	6	8	5	1	–	–
Black	3	–	–	–	–	–	–	1	1	1	–	–	6	–	–	–	–	–	3	2	–	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	14	–	–	–	–	–	–	–	1	5	6	2	12	–	–	–	–	1	–	–	–	4	3	4
White	10	–	–	–	–	–	–	–	1	5	3	1	10	–	–	–	–	1	–	–	–	3	3	3
All other	4	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	69	1	–	–	2	1	–	7	12	25	28	13	72	1	–	–	1	–	–	7	6	22	18	17
White	76	1	–	–	–	1	–	5	9	21	27	12	61	–	–	–	–	–	–	4	5	20	17	15
All other	13	–	–	–	2	–	–	2	3	4	1	1	11	1	–	–	1	–	–	3	1	2	1	2
Black	5	–	–	–	–	–	–	1	1	3	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	–	–	–	1	–	–	1	1	5	2	2	9	–	–	–	1	–	–	–	–	5	2	1
White	9	–	–	–	–	–	–	–	1	4	2	2	8	–	–	–	–	–	–	–	–	5	2	1
All other	3	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	77	1	–	–	1	1	–	6	11	20	26	11	60	1	–	–	–	–	–	6	5	16	16	16
White	67	1	–	–	–	1	–	5	8	17	25	10	50	–	–	–	–	–	–	3	4	14	15	14
All other	10	–	–	–	1	–	–	1	3	3	1	1	10	1	–	–	–	–	–	3	1	2	1	2
Black	3	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Infections of kidney (590)	10	–	–	–	–	–	–	–	–	1	3	6	12	–	–	–	1	–	–	1	–	3	3	4
White	10	–	–	–	–	–	–	–	–	1	3	6	11	–	–	–	1	–	–	1	–	2	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	–	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	–	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	–	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	–	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	108	80	9	1	3	2	4	3	4	2	–	–	93	63	8	4	1	1	4	3	4	4	1	–
White	84	59	8	1	2	2	4	3	3	2	–	–	73	48	5	3	1	1	3	3	4	4	1	–
All other	24	21	1	–	1	–	–	–	1	–	–	–	20	15	3	1	–	–	1	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	7	3	3	–	–	–	1	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	176	174	1	–	–	–	–	–	–	–	–	–	101	101	–	–	–	–	–	–	–	–	–	–
White	147	146	–	–	–	–	–	–	–	–	–	–	86	86	–	–	–	–	–	–	–	–	–	–
All other	29	28	1	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Black	16	15	1	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	71	71	–	–	–	–	–	–	–	–	–	–	41	41	–	–	–	–	–	–	–	–	–	–
White	60	60	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-778)	105	103	1	–	–	–	–	–	–	–	–	–	60	60	–	–	–	–	–	–	–	–	–	–
White	87	86	–	–	–	–	–	–	–	–	–	–	52	52	–	–	–	–	–	–	–	–	–	–
All other	18	17	1	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	11	10	1	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	182	52	1	–	9	16	13	7	20	35	15	9	125	47	1	1	5	2	1	5	9	13	19	22
White	123	39	–	–	4	10	7	2	14	28	10	4	96	38	–	–	4	2	–	4	6	10	16	16
All other	59	13	1	–	5	6	6	5	6	7	5	5	29	9	1	1	1	–	1	1	3	3	3	6
Black	7	3	–	–	–	–	1	–	2	1	–	–	6	3	–	–	1	–	–	1	1	–	–	–
All other diseases (Residual)	719	18	6	6	17	29	50	63	118	175	160	76	629	21	9	7	12	15	14	50	99	124	167	111
White	620	10	5	5	12	19	30	51	113	161	150	64	563	12	5	7	12	7	10	38	91	119	157	105
All other	99	8	1	1	5	10	20	12	5	14	10	12	66	9	4	–	–	8	4	12	8	5	10	6
Black	25	1	–	–	1	2	4	2	1	6	4	3	18	2	1	–	–	1	–	3	2	2	5	2
Accidents and adverse effects (E800-E949)	1,255	4	47	64	362	264	123	98	85	80	78	40	481	8	29	23	92	48	38	40	40	50	61	52
White	1,005	3	34	50	291	202	90	84	73	68	69	34	415	3	22	21	75	42	28	33	37	48	57	49
All other	250	1	13	14	71	62	33	14	12	14	9	6	66	5	7	2	17	6	10	7	3	2	4	3
Black	37	–	4	1	8	8	4	2	3	3	2	1	17	2	–	–	3	2	1	2	1	1	3	2
Motor vehicle accidents (E810-E825)	752	1	19	26	277	183	70	64	43	24	25	7	252	4	15	14	77	40	26	21	23	14	17	1
White	594	–	14	20	224	145	45	57	38	18	23	7	206	2	9	12	63	34	16	18	22	14	15	1
All other	158	1	5	6	53	48	25	7	5	6	2	–	46	2	6	2	14	6	10	3	1	–	2	–
Black	16	–	1	–	5	5	3	1	1	1	1	–	7	–	–	–	1	2	1	1	1	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	503	3	28	38	85	71	53	34	42	56	53	33	229	4	14	9	15	8	12	19	17	36	44	51
White	411	3	20	30	67	57	45	27	35	48	48	27	209	1	13	9	12	8	12	15	15	34	42	48
All other	92	–	8	8	18	14	8	7	7	8	7	6	20	3	1	–	3	–	–	4	2	2	2	3
Black	19	–	3	1	3	3	1	1	2	2	1	1	10	2	–	–	2	–	–	1	–	1	2	2
Suicide (E950-E959)	339	...	...	3	79	78	32	35	44	44	17	7	118	...	...	–	15	30	20	18	14	13	4	4
White	303	...	...	3	66	62	30	32	43	43	17	7	112	...	...	–	11	29	19	18	14	13	4	4
All other	36	...	...	–	13	16	2	3	1	1	–	–	6	...	...	–	4	1	1	–	–	–	–	–
Black	7	...	...	–	–	4	1	1	–	1	–	–	3	...	...	–	1	1	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	178	3	3	1	55	41	31	20	14	6	–	–	58	1	–	1	13	11	9	10	2	5	4	2
White	116	2	1	1	35	29	21	13	6	4	–	–	46	1	–	1	9	9	8	7	1	4	3	2
All other	62	1	2	–	20	12	10	7	8	2	–	–	12	–	–	–	4	2	–	3	1	1	1	–
Black	97	1	2	–	11	4	6	5	6	2	–	–	5	–	–	–	4	–	–	1	–	–	–	–
All other external causes (E980-E999)	34	1	3	1	7	11	2	5	1	–	1	–	17	1	–	–	3	6	2	3	–	–	–	1
White	23	–	3	1	5	8	2	3	–	–	1	–	11	–	–	–	3	3	1	2	–	–	–	1
All other	11	1	–	–	2	3	–	2	1	–	–	–	6	1	–	–	–	3	1	1	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	12,205	290	58	95	348	308	366	695	1,925	3,353	3,067	1,513	9,345	208	43	44	122	128	205	484	999	2,054	2,616	2,257
White	10,057	177	35	67	270	226	286	729	1,636	2,815	2,558	1,254	7,595	127	25	35	88	102	150	355	757	1,652	2,350	1,949
All other	2,148	103	23	28	78	82	80	158	289	538	509	259	1,750	81	18	9	34	26	55	109	242	402	466	308
Black	2,123	102	22	28	75	82	79	154	285	533	504	256	1,734	80	17	9	34	25	54	107	240	400	464	304
Shigellosis and amebiasis (004,006)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	24	–	–	–	–	–	–	4	2	3	13	2	10	–	–	–	–	–	–	1	1	3	3	2
White	17	–	–	–	–	–	–	2	2	2	10	1	7	–	–	–	–	–	–	–	1	2	3	1
All other	7	–	–	–	–	–	–	2	–	1	3	1	3	–	–	–	–	–	–	1	–	1	–	1
Black	7	–	–	–	–	–	–	2	–	1	3	1	3	–	–	–	–	–	–	1	–	1	–	1
Tuberculosis of respiratory system (010-012)	21	–	–	–	–	–	–	4	–	3	12	2	9	–	–	–	–	–	–	–	1	3	3	2
White	14	–	–	–	–	–	–	2	–	2	9	1	7	–	–	–	–	–	–	–	1	2	3	1
All other	7	–	–	–	–	–	–	2	–	1	3	1	2	–	–	–	–	–	–	–	–	1	–	1
Black	7	–	–	–	–	–	–	2	–	1	3	1	2	–	–	–	–	–	–	–	–	1	–	1
Other tuberculosis (013-018)	3	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
White	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	61	3	2	–	1	1	1	4	9	18	9	13	48	1	–	–	1	1	1	1	8	9	13	13
White	45	2	1	–	1	1	1	4	6	13	9	7	38	–	–	–	1	–	–	1	4	8	11	13
All other	16	1	1	–	–	–	–	–	3	5	–	6	10	1	–	–	–	1	1	–	4	1	2	–
Black	16	1	1	–	–	–	–	–	3	5	–	6	10	1	–	–	–	1	1	–	4	1	2	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	2	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 090-139)	28	–	1	–	–	2	2	4	7	7	3	2	14	2	–	–	2	–	–	1	1	3	2	3
White	19	–	–	–	–	2	1	2	3	6	3	2	11	1	–	–	1	–	–	1	1	2	2	3
All other	9	–	1	–	–	–	1	2	4	1	–	–	3	1	–	–	1	–	–	–	–	1	–	–
Black	9	–	1	–	–	–	1	2	4	1	–	–	3	1	–	–	1	–	–	–	–	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,515	9	5	11	11	18	55	204	599	854	598	157	1,798	1	5	4	13	21	62	184	366	527	427	187
White	2,152	2	5	9	10	15	45	179	525	732	509	120	1,513	–	3	4	9	17	48	154	306	448	365	160
All other	363	1	–	2	1	3	10	25	74	122	87	37	285	1	2	–	4	4	14	30	60	81	62	27
Black	359	1	–	2	1	3	10	25	72	120	87	37	282	1	2	–	4	4	14	28	59	80	62	27

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	55	–	–	–	–	–	2	2	20	13	16	2	31	–	–	–	–	–	–	2	5	12	7	5
White	50	–	–	–	–	–	1	1	18	12	16	2	26	–	–	–	–	–	–	2	5	10	4	5
All other	5	–	–	–	–	–	1	1	2	1	–	–	5	–	–	–	–	–	–	–	–	2	3	–
Black	5	–	–	–	–	–	1	1	2	1	–	–	5	–	–	–	–	–	–	–	–	2	3	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	571	–	–	1	2	4	9	38	123	195	150	48	495	–	–	–	1	3	8	33	81	147	157	65
White	476	–	–	1	2	3	8	33	107	161	125	36	408	–	–	–	1	2	6	26	60	119	140	54
All other	95	–	–	–	–	1	1	5	16	34	25	12	87	–	–	–	–	1	2	7	21	28	17	11
Black	94	–	–	–	–	1	1	5	15	34	25	12	86	–	–	–	–	1	2	7	21	27	17	11
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	970	–	–	–	–	2	13	108	286	367	173	21	258	–	1	–	1	2	6	34	83	85	36	9
White	881	–	–	–	–	2	12	99	260	331	158	19	231	–	1	–	–	2	6	31	77	78	29	6
All other	89	–	–	–	–	–	1	9	26	36	15	2	27	–	–	–	1	–	–	3	6	7	7	3
Black	87	–	–	–	–	–	1	9	25	35	15	2	27	–	–	–	1	–	–	3	6	7	7	3
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	–	1	2	–	289	–	–	–	1	3	17	48	64	88	42	26
White	1	–	–	–	–	–	–	–	–	–	1	–	247	–	–	–	1	2	14	42	57	75	38	18
All other	2	–	–	–	–	–	–	–	–	1	1	–	42	–	–	–	–	1	3	6	7	13	4	8
Black	2	–	–	–	–	–	–	–	–	1	1	–	41	–	–	–	–	1	3	6	6	13	4	8
Malignant neoplasms of genital organs (179-187)	203	–	–	–	–	–	–	2	23	61	110	47	211	–	–	–	–	4	15	27	44	70	41	10
White	193	–	–	–	–	–	–	2	17	57	84	33	163	–	–	–	–	3	10	21	34	56	30	9
All other	70	–	–	–	–	–	–	–	6	24	26	14	48	–	–	–	–	1	5	6	10	14	11	1
Black	70	–	–	–	–	–	–	–	6	24	26	14	47	–	–	–	–	1	5	5	10	14	11	1
Malignant neoplasms of urinary organs (188-189)	65	–	–	–	–	–	3	6	23	31	14	6	64	–	–	–	–	1	1	3	8	18	19	14
White	78	–	–	–	–	–	1	6	20	30	14	5	57	–	–	–	–	1	1	3	5	17	17	13
All other	7	–	–	–	–	–	2	–	3	1	–	1	7	–	–	–	–	–	–	–	3	1	2	1
Black	7	–	–	–	–	–	2	–	3	1	–	1	7	–	–	–	–	–	–	–	3	1	2	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	354	3	2	4	3	7	20	29	88	107	74	17	297	–	2	1	5	8	8	23	57	76	77	42
White	289	2	2	3	2	6	17	22	72	91	61	11	251	–	1	1	4	6	6	16	48	64	65	40
All other	65	1	–	1	1	1	3	7	16	16	13	6	46	–	1	–	1	–	2	7	9	12	12	2
Black	65	1	–	1	1	1	3	7	16	16	13	6	46	–	1	–	1	–	2	7	9	12	12	2
Leukemia (204-208)	108	–	3	4	3	1	4	5	14	26	34	14	78	1	2	2	5	1	5	7	9	14	25	7
White	95	–	3	3	3	1	3	4	13	20	33	12	67	–	1	2	3	1	3	7	9	11	23	7
All other	13	–	–	1	–	–	1	1	1	6	1	2	11	1	1	–	2	–	2	–	–	3	2	–
Black	13	–	–	1	–	–	1	1	1	6	1	2	11	1	1	–	2	–	2	–	–	3	2	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	106	–	–	2	3	5	4	12	22	33	23	2	75	–	–	1	–	1	2	7	15	17	23	9
White	89	–	–	2	3	4	3	10	18	30	17	2	63	–	–	1	–	–	2	6	11	15	19	6
All other	17	–	–	–	–	1	1	2	4	3	6	–	12	–	–	–	–	1	–	1	4	1	4	1
Black	16	–	–	–	–	1	1	2	4	2	6	–	12	–	–	–	–	1	–	1	4	1	4	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	–	–	–	–	–	–	1	8	11	3	1	30	1	–	–	1	1	2	5	2	12	3	3
White	21	–	–	–	–	–	–	–	7	11	2	1	26	1	–	–	1	1	2	5	2	9	2	3
All other	3	–	–	–	–	–	–	1	1	–	1	–	4	–	–	–	–	–	–	–	–	3	1	–
Black	3	–	–	–	–	–	–	1	1	–	1	–	4	–	–	–	–	–	–	–	–	3	1	–
Diabetes mellitus (250)	121	–	–	–	–	3	2	10	18	43	31	14	190	–	–	–	–	2	5	7	4	22	57	59	34
White	89	–	–	–	–	3	–	7	14	29	24	12	138	–	–	–	–	2	5	5	3	12	36	44	29
All other	32	–	–	–	–	–	2	3	4	14	7	2	52	–	–	–	–	–	–	2	1	10	19	15	5
Black	32	–	–	–	–	–	2	3	4	14	7	2	52	–	–	–	–	–	–	2	1	10	19	15	5
Nutritional deficiencies (260-269)	5	–	–	–	–	–	–	–	–	1	3	1	10	–	–	–	–	–	–	–	–	1	1	1	7
White	4	–	–	–	–	–	–	–	–	1	2	1	9	–	–	–	–	–	–	–	–	1	1	1	6
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Anemias (280-285)	10	–	1	–	1	–	1	–	–	3	2	2	16	–	–	1	2	–	–	–	2	2	5	4
White	7	–	–	–	–	–	1	–	–	3	1	2	14	–	–	–	1	–	–	–	2	2	5	4
All other	3	–	1	–	1	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–
Black	3	–	1	–	1	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–
Meningitis (320-322)	10	3	3	1	2	–	–	1	–	–	–	–	10	4	2	–	–	1	–	1	–	1	–	1
White	5	–	2	1	1	–	–	1	–	–	–	–	5	1	2	–	–	1	–	–	–	1	–	–
All other	5	3	1	–	1	–	–	–	–	–	–	–	5	3	–	–	–	–	–	1	–	–	–	1
Black	5	3	1	–	1	–	–	–	–	–	–	–	5	3	–	–	–	–	–	1	–	–	–	1
Major cardiovascular diseases (390-448)	5,873	9	2	8	14	28	112	366	866	1,726	1,774	948	5,065	7	5	2	8	15	50	156	419	1,069	1,806	1,545
White	4,909	7	–	3	8	19	87	293	751	1,457	1,487	797	4,151	5	2	1	4	11	27	110	294	848	1,507	1,344
All other	964	2	2	3	6	9	25	73	135	269	287	151	934	2	3	1	4	4	7	23	46	125	223	299	201
Black	953	2	2	3	6	9	25	71	133	268	284	148	928	2	3	1	4	4	7	23	46	124	222	298	198

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,490	8	1	5	7	15	100	315	763	1,377	1,280	617	3,434	5	3	1	6	11	38	115	320	765	1,207	865
White	3,629	6	–	3	4	10	78	264	659	1,184	1,090	531	2,845	4	1	–	2	7	22	80	240	629	1,021	845
All other	661	2	1	2	3	5	22	51	104	193	190	86	589	1	2	1	4	4	14	35	80	142	186	120
Black	654	2	1	2	3	5	22	50	103	193	187	84	584	1	2	1	4	4	14	35	79	141	185	118
Rheumatic fever and rheumatic heart disease (390-398)	18	–	–	2	1	–	2	–	7	4	1	1	32	–	–	–	–	–	1	2	5	8	10	6
White	13	–	–	1	–	–	2	–	6	2	1	1	32	–	–	–	–	–	1	2	5	8	10	6
All other	5	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	5	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	64	–	–	–	–	–	2	8	14	21	14	5	103	–	–	–	–	–	1	5	11	29	33	24
White	39	–	–	–	–	–	1	5	8	10	12	3	59	–	–	–	–	–	–	4	3	19	17	16
All other	25	–	–	–	–	–	1	3	6	11	2	2	44	–	–	–	–	–	1	1	8	10	16	8
Black	25	–	–	–	–	–	1	3	6	11	2	2	43	–	–	–	–	–	1	1	8	9	16	8
Hypertensive heart and renal disease (404)	11	–	–	–	–	–	–	–	–	2	4	5	20	–	–	–	–	1	–	–	1	4	6	8
White	8	–	–	–	–	–	–	–	–	1	2	5	15	–	–	–	–	1	–	–	–	2	5	7
All other	3	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	1	2	1	1
Black	3	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	1	2	1	1
Ischemic heart disease (410-414)	3,370	2	–	1	–	8	68	239	578	1,075	950	448	2,431	–	–	–	–	4	19	66	233	550	890	669
White	2,938	2	–	–	–	5	54	205	513	952	820	385	2,053	–	–	–	–	4	10	48	177	460	767	587
All other	434	–	–	1	–	3	14	34	66	123	130	63	378	–	–	–	–	–	9	18	56	90	123	82
Black	428	–	–	1	–	3	14	33	66	123	127	61	375	–	–	–	–	–	9	18	55	90	123	80
Acute myocardial infarction (410)	2,352	1	–	1	–	6	60	208	455	803	607	211	1,381	–	–	–	–	3	17	53	178	350	500	280
White	2,056	1	–	–	–	4	48	177	405	711	529	181	1,140	–	–	–	–	3	9	39	134	295	435	225
All other	296	–	–	1	–	2	12	31	50	92	78	30	221	–	–	–	–	–	8	14	44	55	65	35
Black	292	–	–	1	–	2	12	30	50	92	76	29	221	–	–	–	–	–	8	14	44	55	65	35
Other acute and subacute forms of ischemic heart disease (411)	4	1	–	–	–	1	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	–	1	2
White	2	1	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2
All other	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
White	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,012	–	–	–	–	1	8	30	123	272	341	237	1,066	–	–	–	–	1	1	13	55	200	389	407
White	876	–	–	–	–	1	6	27	107	241	290	204	909	–	–	–	–	1	–	9	43	165	331	360
All other	136	–	–	–	–	–	2	3	16	31	51	33	157	–	–	–	–	–	1	4	12	35	58	47
Black	134	–	–	–	–	–	2	3	16	31	50	32	154	–	–	–	–	–	1	4	11	35	58	45
Other diseases of endocardium (424)	29	–	–	1	2	–	2	1	2	10	10	1	18	–	–	–	–	1	2	1	2	4	5	3
White	20	–	–	1	1	–	1	–	2	5	9	1	14	–	–	–	–	–	1	–	2	3	5	3
All other	9	–	–	–	1	–	1	1	–	5	1	–	4	–	–	–	–	1	1	1	–	1	–	–
Black	9	–	–	–	1	–	1	1	–	5	1	–	4	–	–	–	–	1	1	1	–	1	–	–
All other forms of heart disease (415-423,425-429)	998	6	1	1	4	7	26	87	181	265	301	157	830	5	3	1	6	5	13	41	68	170	263	255
White	813	4	–	1	3	5	20	54	130	214	246	136	672	4	1	–	2	2	10	26	53	131	217	226
All other	185	2	1	–	1	2	6	13	31	51	55	21	158	1	2	1	4	3	3	15	15	39	46	29
Black	184	2	1	–	1	2	6	13	30	51	55	21	157	1	2	1	4	3	3	15	15	39	45	29
Hypertension with or without renal disease (401,403)	45	–	–	–	–	–	–	3	4	10	14	14	46	–	1	–	–	–	1	3	10	5	18	10
White	30	–	–	–	–	–	–	3	1	6	11	9	25	–	–	–	–	–	–	1	2	4	8	10
All other	15	–	–	–	–	–	–	–	3	4	3	5	21	–	1	–	–	–	1	2	8	1	8	–
Black	15	–	–	–	–	–	–	–	3	4	3	5	21	–	1	–	–	–	1	2	8	1	8	–
Cerebrovascular diseases (430-436)	1,046	1	1	1	6	12	8	41	95	262	372	247	1,348	2	1	1	–	6	13	31	79	252	506	455
White	795	1	–	–	4	8	5	20	69	201	290	197	1,064	1	1	1	–	3	5	23	47	179	411	393
All other	251	–	1	1	2	4	3	21	26	61	82	50	284	1	–	–	–	3	8	8	32	73	97	62
Black	247	–	1	1	2	4	3	20	25	60	82	49	284	1	–	–	–	3	8	8	32	73	97	62
Intracerebral and other intracranial hemorrhage (431-432)	98	1	–	–	4	3	1	9	22	21	28	9	129	2	–	–	–	4	1	4	19	25	47	27
White	73	1	–	–	2	2	1	3	16	16	24	8	94	1	–	–	–	2	–	3	13	14	37	24
All other	25	–	–	–	2	1	–	6	6	5	4	1	35	1	–	–	–	2	1	1	6	11	10	3
Black	25	–	–	–	2	1	–	6	6	5	4	1	35	1	–	–	–	2	1	1	6	11	10	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	134	–	–	–	–	2	1	6	9	38	45	33	161	–	–	–	–	–	1	4	9	20	55	72
White	100	–	–	–	–	1	–	4	7	30	33	25	126	–	–	–	–	–	–	3	3	13	46	63
All other	34	–	–	–	–	1	1	2	2	8	12	8	33	–	–	–	–	–	1	1	6	7	9	9
Black	32	–	–	–	–	1	1	2	1	7	12	8	33	–	–	–	–	–	1	1	6	7	9	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	1	-	1	1	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	1	1	-	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	812	-	1	1	2	7	6	28	63	203	298	205	1,054	-	1	1	-	1	11	22	50	207	405	356
White	621	-	-	-	2	5	4	13	48	155	232	164	838	-	1	1	-	-	5	16	30	152	327	306
All other	191	-	1	1	-	2	2	13	17	48	66	41	216	-	-	-	-	1	6	6	20	55	78	50
Black	189	-	1	1	-	2	2	12	17	48	66	40	216	-	-	-	-	1	6	6	20	55	78	50
Atherosclerosis (440)	159	-	-	-	-	-	2	-	6	29	68	54	189	-	-	-	-	-	-	1	4	27	55	102
White	133	-	-	-	-	-	2	-	5	24	57	45	160	-	-	-	-	-	-	-	2	22	49	87
All other	26	-	-	-	-	-	-	-	1	5	11	9	29	-	-	-	-	-	-	1	2	5	6	15
Black	26	-	-	-	-	-	-	-	1	5	11	9	28	-	-	-	-	-	-	1	2	5	6	14
Other diseases of arteries, arterioles, and capillaries (441-448)	133	-	-	-	1	1	2	7	18	48	40	16	66	-	-	-	2	1	-	6	6	20	20	13
White	122	-	-	-	-	1	2	6	17	42	39	15	57	-	-	-	2	1	-	6	3	18	18	9
All other	11	-	-	-	1	-	-	1	1	6	1	1	11	-	-	-	-	-	-	-	3	2	2	4
Black	11	-	-	-	1	-	-	1	1	6	1	1	11	-	-	-	-	-	-	-	3	2	2	4
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	255	10	-	3	-	3	5	7	15	50	72	90	221	6	1	1	2	4	5	4	8	28	70	92
White	206	6	-	2	-	3	4	5	13	34	58	81	188	3	-	1	2	4	5	1	7	21	60	82
All other	49	4	-	1	-	-	1	2	2	16	14	9	33	3	1	-	-	-	-	3	1	7	10	10
Black	48	4	-	1	-	-	1	2	2	16	13	9	33	3	1	-	-	-	-	3	1	7	9	9
Pneumonia (480-486)	254	10	-	3	-	3	5	7	15	50	72	89	218	5	1	1	2	4	5	4	8	27	69	82
White	205	6	-	2	-	3	4	5	13	34	58	80	184	2	-	1	2	4	5	1	7	21	59	82
All other	49	4	-	1	-	-	1	2	2	16	14	9	34	3	1	-	-	-	-	3	1	6	10	10
Black	48	4	-	1	-	-	1	2	2	16	13	9	32	3	1	-	-	-	-	3	1	6	9	9
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	429	2	1	1	-	-	-	19	51	177	145	33	144	-	-	-	3	-	-	8	15	53	37	28
White	408	2	1	1	-	-	-	15	45	168	143	33	134	-	-	-	2	-	-	8	13	49	34	28
All other	21	-	-	-	-	-	-	4	6	9	2	-	10	-	-	-	1	-	-	-	2	4	3	-
Black	20	-	-	-	-	-	-	4	6	8	2	-	10	-	-	-	1	-	-	-	2	4	3	-
Bronchitis, chronic and unspecified (490-491)	28	1	1	1	-	-	-	2	1	10	11	1	11	-	-	-	-	-	-	-	1	5	1	4
White	28	1	1	1	-	-	-	2	1	10	11	1	10	-	-	-	-	-	-	-	1	4	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	129	-	-	-	-	-	-	7	17	59	39	7	31	-	-	-	-	-	-	1	5	12	8	5
White	126	-	-	-	-	-	-	6	17	58	38	7	30	-	-	-	-	-	-	1	4	12	8	5
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	8	1	-	-	-	-	-	1	1	2	2	1	12	-	-	-	3	-	-	2	1	3	3	-
White	6	1	-	-	-	-	-	-	-	2	2	1	10	-	-	-	2	-	-	2	-	3	3	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	264	-	-	-	-	-	-	9	32	106	93	24	90	-	-	-	-	-	-	5	8	33	25	19
White	248	-	-	-	-	-	-	7	27	96	92	24	84	-	-	-	-	-	-	5	8	30	22	19
All other	16	-	-	-	-	-	-	2	5	8	1	-	6	-	-	-	-	-	-	-	-	3	3	-
Black	15	-	-	-	-	-	-	2	5	7	1	-	6	-	-	-	-	-	-	-	-	3	3	-
Ulcer of stomach and duodenum (531-533)	30	-	-	-	-	1	2	4	4	8	9	2	21	-	-	-	-	1	-	1	3	6	4	6
White	24	-	-	-	-	-	2	3	4	5	9	1	20	-	-	-	-	1	-	1	2	6	4	6
All other	6	-	-	-	-	1	-	1	-	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	6	-	-	-	-	1	-	1	-	3	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	-	-	-	1	-	2	-	1	10	12	3	34	-	-	-	1	-	-	-	1	6	15	11
White	19	-	-	-	1	-	1	-	1	5	10	1	27	-	-	-	1	-	-	-	-	3	13	11
All other	10	-	-	-	-	-	1	-	-	5	2	2	7	-	-	-	1	-	-	-	1	3	2	-
Black	10	-	-	-	-	-	1	-	-	5	2	2	7	-	-	-	1	-	-	-	1	3	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	122	-	-	-	1	4	15	36	35	23	7	1	66	-	-	-	-	-	5	11	19	18	10	2
White	103	-	-	-	-	2	11	30	32	20	7	1	57	-	-	-	-	-	5	6	15	19	10	2
All other	19	-	-	-	1	2	4	6	3	3	-	-	9	-	-	-	-	-	-	5	4	-	-	-
Black	19	-	-	-	1	2	4	6	3	3	-	-	8	-	-	-	-	-	-	4	4	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	20	-	-	-	-	-	1	1	1	4	8	5	27	-	-	-	-	-	-	-	1	7	8	11
White	19	-	-	-	-	-	1	1	1	4	8	4	25	-	-	-	-	-	-	-	1	6	7	11
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	157	3	-	2	1	1	3	5	18	42	45	37	117	1	-	-	-	-	3	3	6	28	44	32
White	109	3	-	-	1	1	2	4	10	24	34	30	82	1	-	-	-	-	1	2	3	17	30	26
All other	48	-	-	2	-	-	1	1	8	18	11	7	35	-	-	-	-	-	2	1	3	11	14	4
Black	48	-	-	2	-	-	1	1	8	18	11	7	35	-	-	-	-	-	2	1	3	11	14	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	27	-	-	-	-	-	1	-	2	14	5	5	15	-	-	-	-	-	1	1	-	3	4	6
White	19	-	-	-	-	-	1	-	2	9	4	3	10	-	-	-	-	-	-	-	-	2	2	6
All other	8	-	-	-	-	-	-	-	-	5	1	2	5	-	-	-	-	-	1	1	-	1	2	-
Black	8	-	-	-	-	-	-	-	-	5	1	2	5	-	-	-	-	-	1	1	-	1	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	126	3	-	2	1	1	2	5	16	26	40	30	100	1	-	-	-	-	2	2	6	24	39	26
White	87	3	-	-	1	1	1	4	8	14	30	25	71	1	-	-	-	-	1	2	3	14	28	22
All other	39	-	-	2	-	-	1	1	8	12	10	5	29	-	-	-	-	-	1	-	3	10	11	4
Black	39	-	-	2	-	-	1	1	8	12	10	5	29	-	-	-	-	-	1	-	3	10	11	4
Infections of kidney (590)	18	-	-	-	-	-	-	1	1	2	7	7	19	-	-	-	-	-	-	1	2	4	7	5
White	13	-	-	-	-	-	-	1	1	-	4	7	18	-	-	-	-	-	-	1	1	4	7	5
All other	5	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	5	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	3	2	5	...	...	...	...	...	...	...	...	...	...	...	...
White	7	-	-	-	-	-	-	-	-	2	2	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	-	3	2	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	1	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	1	1	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	-	3	2	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	1	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	1	1	...	...	...	...
Congenital anomalies (740-759)	77	56	6	3	-	3	2	1	2	2	1	1	53	32	2	3	2	3	3	1	5	-	1	1
White	60	42	5	3	-	2	2	1	2	2	-	1	40	22	2	3	1	3	3	1	3	-	1	1
All other	17	14	1	-	-	1	-	-	-	-	1	-	13	10	-	-	1	-	-	-	2	-	-	-
Black	16	13	1	-	-	1	-	-	-	-	1	-	12	9	-	-	1	-	-	-	2	-	-	-
Certain conditions originating in the perinatal period (760-779)	113	112	1	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
White	77	76	1	-	-	-	-	-	-	-	-	-	61	61	-	-	-	-	-	-	-	-	-	-
All other	36	36	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Black	36	36	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	40	1	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	33	32	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	72	72	–	–	–	–	–	–	–	–	–	–	78	78	–	–	–	–	–	–	–	–	–	–
White	44	44	–	–	–	–	–	–	–	–	–	–	46	46	–	–	–	–	–	–	–	–	–	–
All other	28	28	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
Black	28	28	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	438	48	–	–	5	2	10	25	57	109	107	72	369	30	–	–	2	4	–	15	27	68	108	114
White	303	21	–	–	2	1	10	22	40	83	70	51	260	16	–	–	2	3	–	14	16	45	80	81
All other	135	27	–	–	3	1	–	3	17	26	37	21	109	14	–	–	–	1	–	1	11	23	28	33
Black	134	27	–	–	3	1	–	3	17	25	37	21	109	14	–	–	–	1	–	1	11	23	28	33
All other diseases (Residual)	577	25	6	3	14	16	25	54	84	134	140	76	485	17	6	3	10	11	17	30	49	101	131	110
White	462	14	2	1	11	11	17	45	72	116	108	85	395	13	4	3	6	10	12	19	39	85	110	94
All other	115	11	4	2	3	5	8	9	12	18	32	11	90	4	2	–	4	1	5	11	10	16	21	16
Black	112	11	3	2	3	5	7	9	12	18	31	11	90	4	2	–	4	1	5	11	10	16	21	16
Accidents and adverse effects (E800-E949)	834	5	27	55	205	143	68	87	79	77	58	32	345	7	18	25	55	28	25	18	30	37	59	43
White	673	2	15	40	173	115	56	78	70	60	41	25	274	3	9	19	43	22	23	18	24	32	49	34
All other	161	3	12	15	32	28	12	11	9	17	15	7	71	4	9	6	12	6	2	2	6	5	10	9
Black	160	3	12	15	31	28	12	11	9	17	15	7	69	4	8	6	12	6	1	2	6	5	10	9
Motor vehicle accidents (E810-E825)	410	–	9	17	138	97	30	41	28	26	19	5	155	1	8	12	39	19	18	11	16	17	13	1
White	346	–	6	15	119	78	25	38	26	22	12	5	132	1	5	10	33	15	17	10	13	17	10	1
All other	64	–	3	2	19	19	5	3	2	4	7	–	23	–	3	2	6	4	1	1	3	–	3	–
Black	63	–	3	2	18	19	5	3	2	4	7	–	23	–	3	2	6	4	1	1	3	–	3	–
All other accidents and adverse effects (E800-E807, E826-E848)	424	5	18	38	67	46	38	46	51	51	37	27	190	6	10	13	16	9	7	7	14	20	46	42
White	327	2	9	25	54	37	31	38	44	38	29	20	142	2	4	9	10	7	6	6	11	15	39	33
All other	97	3	9	13	13	9	7	8	7	13	8	7	48	4	6	4	6	2	1	1	3	5	7	9
Black	97	3	9	13	13	9	7	8	7	13	8	7	46	4	5	4	6	2	–	1	3	5	7	9
Suicide (E950-E959)	198	...	...	1	38	31	28	24	26	32	14	6	51	...	...	3	4	14	10	7	5	6	2	–
White	178	...	...	1	33	23	23	24	24	30	14	6	50	...	...	3	4	14	9	7	5	6	2	–
All other	20	...	...	–	5	8	3	–	2	2	–	–	1	...	...	–	–	–	1	–	–	–	–	–
Black	19	...	...	–	4	8	3	–	2	2	–	–	1	...	...	–	–	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	173	–	2	5	43	43	29	26	14	6	3	2	56	–	2	2	13	10	9	10	4	4	1	–
White	84	–	2	3	20	18	17	13	7	2	–	1	35	–	1	1	9	6	7	4	3	2	1	–
All other	89	–	–	2	23	24	12	13	7	4	3	1	21	–	1	1	4	4	2	6	1	2	–	–
Black	89	–	–	2	23	24	12	13	7	4	3	1	20	–	1	1	4	3	2	6	1	2	–	–
All other external causes (E980-E999)	41	–	1	3	11	8	3	1	7	4	2	–	13	–	1	–	1	3	2	1	2	2	–	1
White	34	–	1	2	9	8	3	1	5	3	1	–	9	–	1	–	–	2	1	1	2	1	–	1
All other	7	–	–	1	2	–	–	–	2	1	1	–	4	–	–	–	1	1	1	–	–	1	–	–
Black	6	–	–	1	1	–	–	–	2	1	1	–	4	–	–	–	1	1	1	–	–	1	–	–
CALIFORNIA																								
All causes	98,117	2,427	503	622	4,205	4,056	3,772	6,013	16,323	23,142	21,791	11,167	81,282	1,831	347	382	1,370	1,617	2,163	4,825	10,148	15,809	22,456	20,307
White	86,369	1,953	426	516	3,638	3,323	3,052	5,855	14,548	21,129	20,255	10,586	74,483	1,405	285	325	1,140	1,281	1,774	4,123	9,071	14,444	21,139	19,474
All other	9,748	474	77	106	567	733	720	1,158	1,775	2,013	1,536	581	6,799	426	62	57	230	336	389	702	1,075	1,365	1,317	833
Black	7,262	390	59	80	475	611	596	947	1,404	1,445	910	339	5,290	354	51	48	176	265	315	552	887	1,081	953	594
Shigellosis and amebiasis (004,006)	7	–	3	–	–	–	–	1	1	1	–	1	2	–	–	–	–	–	–	–	–	–	1	1
White	7	–	3	–	–	–	–	1	1	1	–	1	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	14	4	1	–	–	1	1	1	–	1	4	1	20	5	1	–	–	–	1	2	1	1	6	3
White	11	2	1	–	–	1	1	1	–	1	3	1	18	3	1	–	–	–	1	2	1	1	6	3
All other	3	2	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	124	–	1	–	–	4	5	15	28	26	30	15	53	–	–	1	2	1	2	5	10	12	15	5
White	93	–	1	–	–	3	3	11	20	17	24	14	39	–	–	1	1	1	1	2	6	8	14	5
All other	31	–	–	–	–	1	2	4	8	9	6	1	14	–	–	–	1	–	1	3	4	4	1	–
Black	23	–	–	–	–	1	2	3	6	5	5	1	8	–	–	–	–	–	–	2	3	2	1	–
Tuberculosis of respiratory system (010-012)	107	–	–	–	–	3	4	11	26	24	26	13	31	–	–	–	2	1	–	3	5	6	8	4
White	84	–	–	–	–	2	3	8	20	16	23	12	27	–	–	–	1	1	–	1	5	7	8	4
All other	23	–	–	–	–	1	1	3	6	8	3	1	4	–	–	–	1	–	–	2	–	1	–	–
Black	18	–	–	–	–	1	1	3	5	4	3	1	2	–	–	–	–	–	–	1	–	1	–	–
Other tuberculosis (013-018)	17	–	1	–	–	1	1	4	2	2	4	2	22	–	–	1	–	–	2	2	5	4	7	1
White	9	–	1	–	–	1	–	3	–	1	1	2	12	–	–	1	–	–	1	1	1	1	6	1
All other	8	–	–	–	–	–	1	1	2	1	3	–	10	–	–	–	–	–	1	1	4	3	1	–
Black	5	–	–	–	–	–	1	–	1	1	2	–	6	–	–	–	–	–	–	1	3	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	17	4	5	1	-	2	1	1	1	-	1	1	15	2	6	1	3	1	1	-	-	1	-	-
White	14	4	3	1	-	2	-	1	1	-	1	1	11	2	4	-	2	1	1	-	-	1	-	-
All other	3	-	2	-	-	-	1	-	-	-	-	-	4	-	2	1	1	-	-	-	-	-	-	-
Black	2	-	2	-	-	-	-	-	-	-	-	-	4	-	2	1	1	-	-	-	-	-	-	-
Septicemia (038)	241	11	5	6	-	5	9	9	29	63	63	41	228	8	4	2	3	6	5	17	23	48	58	54
White	210	8	3	6	-	4	8	8	23	56	54	40	204	3	3	2	3	5	4	14	21	45	55	49
All other	31	3	2	-	-	1	1	1	6	7	9	1	24	5	1	-	-	1	1	3	2	3	3	5
Black	23	3	2	-	-	1	-	1	6	3	6	1	23	5	1	-	-	1	1	3	2	3	3	4
Acute poliomyelitis (045)	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	60	1	2	-	7	10	3	10	10	10	7	-	40	-	1	1	3	1	-	7	8	7	8	4
White	48	1	1	-	6	8	2	6	8	8	6	-	36	-	1	1	3	1	-	6	7	7	6	4
All other	14	-	1	-	1	2	1	4	2	2	1	-	4	-	-	-	-	-	-	1	1	-	2	-
Black	4	-	1	-	1	1	-	-	-	-	1	-	4	-	-	-	-	-	-	1	1	-	2	-
Syphilis (090-097)	11	1	1	-	-	-	-	-	-	4	2	3	6	1	-	-	-	1	-	-	-	-	3	1
White	7	1	-	-	-	-	-	-	-	3	1	2	5	1	-	-	-	1	-	-	-	-	3	-
All other	4	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	184	14	8	9	2	14	14	15	34	34	25	15	170	13	5	6	8	11	9	11	32	32	28	15
White	152	9	7	8	2	9	10	13	28	29	22	15	144	11	1	6	6	10	6	9	27	29	26	13
All other	32	5	1	1	-	5	4	2	6	5	3	-	26	2	4	-	2	1	3	2	5	3	2	2
Black	21	5	1	-	-	4	4	2	3	2	-	-	16	1	2	-	1	1	3	2	3	1	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	20,332	7	38	89	176	251	528	1,881	4,611	6,480	4,605	1,487	16,302	5	21	79	111	268	688	2,126	4,253	4,956	4,014	1,769
White	18,328	6	32	79	150	219	440	1,607	4,260	5,887	4,237	1,411	16,912	3	19	71	97	224	607	1,881	3,883	4,586	3,777	1,684
All other	2,004	1	6	10	25	32	88	274	531	593	368	76	1,490	2	2	8	14	44	81	245	380	372	237	85
Black	1,468	1	4	6	16	20	64	218	416	441	229	53	1,089	2	-	7	10	28	61	174	297	288	163	59
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	579	-	1	1	2	6	18	84	168	176	98	17	323	-	-	1	-	1	8	33	90	110	64	16
White	496	-	1	1	2	5	10	72	138	163	91	15	298	-	-	-	-	1	7	29	80	103	62	16
All other	83	-	-	-	-	1	8	22	30	13	7	2	25	-	-	1	-	-	1	4	10	7	2	-
Black	58	-	-	-	-	-	4	14	25	10	3	2	20	-	-	1	-	-	1	3	8	5	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,418	-	-	1	12	28	120	455	1,261	1,824	1,288	431	4,921	-	1	1	7	22	82	342	906	1,354	1,447	759
White	4,782	-	-	1	8	25	102	368	1,092	1,613	1,164	409	4,468	-	-	-	5	16	66	280	804	1,234	1,345	718
All other	636	-	-	-	4	3	18	87	169	211	122	22	453	-	1	1	2	6	16	62	102	120	102	41
Black	414	-	-	-	1	2	8	62	121	142	68	10	306	-	-	1	-	3	12	38	70	89	72	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,744	1	-	1	4	16	152	743	1,953	2,265	1,349	260	3,099	-	-	1	3	17	100	420	969	961	469	139
White	6,101	-	-	-	4	14	116	638	1,749	2,060	1,254	244	2,847	-	-	1	2	14	89	375	894	912	427	133
All other	643	1	-	1	-	2	34	105	204	185	95	16	252	-	-	-	1	3	11	45	75	69	42	6
Black	497	1	-	-	-	2	28	93	164	143	56	10	187	-	-	-	1	1	9	37	59	50	26	4
Malignant neoplasm of breast (174-175)	21	-	-	-	-	1	-	2	5	4	7	2	3,514	-	-	-	1	59	258	610	977	852	535	222
White	17	-	-	-	-	1	-	1	5	2	6	2	3,272	-	-	-	1	50	225	547	919	793	523	214
All other	4	-	-	-	-	-	-	1	-	2	1	-	242	-	-	-	-	9	33	63	58	59	12	8
Black	3	-	-	-	-	-	-	1	-	1	1	-	194	-	-	-	-	6	25	50	43	52	10	6
Malignant neoplasms of genital organs (179-187)	2,104	-	-	1	9	33	15	22	210	659	792	378	2,182	-	-	-	10	42	94	317	522	583	453	151
White	1,868	-	-	1	9	16	12	21	180	570	707	352	1,980	-	-	-	5	32	79	266	455	554	427	142
All other	236	-	-	-	-	2	3	1	30	89	85	26	202	-	-	-	5	10	15	51	67	39	26	9
Black	209	-	-	-	-	2	3	1	30	81	68	24	151	-	-	-	5	8	7	20	52	31	21	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,075	–	2	2	1	6	10	37	217	348	296	106	553	–	2	6	1	7	9	33	74	150	176	93
White	1,012	–	2	1	1	5	7	78	204	324	287	103	512	–	2	6	–	7	8	27	65	142	166	89
All other	63	–	–	1	–	1	3	9	13	24	9	3	41	–	–	–	1	–	1	6	9	8	12	4
Black	48	–	–	–	–	1	3	9	7	19	6	3	33	–	–	–	1	–	1	4	8	8	7	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,452	3	15	29	66	95	127	289	603	682	405	138	2,124	4	10	36	47	52	93	232	428	583	458	231
White	2,248	3	12	23	56	86	112	255	547	639	378	135	1,961	3	10	35	43	48	88	218	390	494	432	220
All other	206	–	3	6	10	9	15	34	56	43	27	3	143	1	–	1	4	4	5	14	38	39	26	11
Black	145	–	2	5	8	4	11	26	44	29	14	2	101	1	–	1	3	3	2	9	31	29	15	7
Leukemia (204-208)	877	2	14	43	50	40	43	69	148	206	175	89	697	1	8	32	30	36	29	62	100	138	169	78
White	827	2	12	41	44	33	40	66	138	199	166	86	645	–	7	28	30	31	22	58	88	126	160	75
All other	50	–	2	2	6	7	3	3	8	7	9	3	52	1	1	4	–	5	7	4	12	12	3	3
Black	32	–	1	1	3	3	3	2	7	5	5	2	38	1	–	3	–	3	3	4	11	9	1	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,062	1	6	11	31	41	43	120	250	296	197	66	889	–	–	2	12	32	25	77	187	247	227	80
White	979	1	5	11	26	34	39	108	229	277	184	65	809	–	–	1	11	25	23	61	168	228	215	77
All other	83	–	1	–	5	7	4	12	21	19	13	1	80	–	–	1	1	7	2	16	19	19	12	3
Black	62	–	1	–	4	6	4	10	18	11	8	–	59	–	–	1	–	4	1	11	15	15	9	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	297	2	6	3	5	13	24	26	51	66	77	24	321	2	2	–	7	13	11	17	60	78	80	50
White	269	2	5	2	5	11	17	23	46	61	74	23	290	2	1	–	4	11	11	14	51	69	77	49
All other	28	–	1	1	–	2	7	3	5	5	3	1	31	–	1	–	3	2	–	3	9	9	3	1
Black	21	–	–	1	–	2	6	3	4	2	2	1	23	–	1	–	3	1	–	2	7	6	2	1
Diabetes mellitus (250)	992	–	1	2	6	24	51	76	195	301	246	90	1,328	–	1	1	11	21	33	60	199	328	444	229
White	854	–	–	2	5	18	42	62	161	260	221	83	1,128	–	1	–	10	17	25	42	157	271	397	207
All other	138	–	1	–	1	6	9	14	34	41	25	7	200	–	–	1	1	4	8	18	42	57	47	22
Black	100	–	1	–	1	6	8	11	30	28	12	3	161	–	–	1	–	4	8	15	36	44	37	16
Nutritional deficiencies (260-269)	73	3	–	–	–	2	2	3	4	9	27	23	101	1	–	–	–	1	1	2	3	12	27	54
White	68	3	–	–	–	2	1	3	4	7	25	23	97	1	–	–	–	1	–	2	3	12	25	53
All other	5	–	–	–	–	–	1	–	–	2	2	–	4	–	–	–	–	–	1	–	–	–	2	1
Black	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	1	–	–	–	1	–
Anemias (280-285)	102	1	–	7	6	8	2	7	10	18	28	15	139	3	2	4	5	10	6	3	13	17	31	43
White	81	–	–	4	2	2	2	5	9	17	27	13	112	–	1	2	4	4	3	2	11	16	29	40
All other	21	1	–	3	4	6	–	2	1	1	1	2	27	3	1	2	1	6	5	1	2	1	2	3
Black	18	–	–	3	4	6	–	2	1	1	1	–	18	–	1	2	1	5	4	–	2	–	1	2
Meningitis (320-322)	84	32	6	1	2	4	3	10	8	10	8	–	61	21	4	1	–	2	4	4	6	7	3	4
White	72	27	6	1	2	3	3	9	7	8	6	–	54	17	4	–	–	2	4	4	6	5	3	4
All other	12	5	–	–	–	1	–	1	1	2	2	–	7	4	–	1	–	–	–	–	–	2	–	–
Black	8	5	–	–	–	–	–	–	1	1	1	–	5	3	–	1	–	–	–	–	–	1	–	–
Major cardiovascular diseases (390-448)	43,248	35	26	11	95	272	853	3,140	7,431	11,633	12,444	7,295	41,734	34	18	25	64	145	355	1,115	3,305	7,287	14,174	15,209
White	39,553	26	19	8	79	214	671	2,713	6,662	10,616	11,600	6,934	38,755	22	11	19	50	106	256	896	2,877	6,572	13,345	14,596
All other	3,695	9	7	3	16	58	182	427	769	1,017	844	361	2,979	12	5	6	14	37	99	219	428	715	829	613
Black	2,603	7	4	2	13	45	153	345	611	726	487	209	2,365	10	5	3	12	30	86	184	381	597	615	439
Diseases of heart (390-398,402,404-429)	34,083	28	17	7	61	208	736	2,807	6,433	9,411	9,270	5,095	29,198	22	11	18	46	89	232	802	2,549	5,432	9,906	10,085
White	31,222	24	13	4	50	155	587	2,452	5,804	8,635	8,653	4,837	27,105	15	7	12	37	64	161	543	2,228	4,915	9,389	9,682
All other	2,861	4	4	3	11	53	149	355	629	776	617	258	2,093	7	4	6	9	25	71	259	321	517	517	403
Black	2,046	3	2	2	9	41	126	288	505	558	358	153	1,690	7	4	3	9	21	63	144	280	426	429	291
Rheumatic fever and rheumatic heart disease (390-398)	303	–	–	–	3	9	20	26	61	96	53	15	585	–	–	1	3	14	21	48	97	170	136	75
White	277	–	–	–	2	6	16	24	75	89	50	15	526	–	–	–	3	9	16	40	92	161	134	71
All other	26	–	–	–	1	3	4	2	6	7	3	–	39	–	–	1	–	5	5	8	5	9	2	4
Black	16	–	–	–	1	–	2	2	4	5	2	–	27	–	–	–	–	4	4	8	3	5	–	3
Hypertensive heart disease (402)	1,066	–	–	–	1	10	44	147	259	313	227	83	1,211	–	–	–	–	7	17	62	138	253	404	330
White	844	–	–	–	1	7	25	105	197	247	187	75	1,001	–	–	–	–	5	8	38	93	207	359	299
All other	242	–	–	–	1	3	19	42	62	66	40	8	210	–	–	–	–	2	11	24	45	46	51	31
Black	205	–	–	–	1	3	17	37	54	56	32	4	185	–	–	–	–	2	11	23	43	43	42	21
Hypertensive heart and renal disease (404)	100	–	–	–	1	1	2	8	8	28	41	11	135	–	–	–	–	1	–	2	4	30	48	50
White	90	–	–	–	1	1	–	5	6	22	35	10	119	–	–	–	–	–	–	2	3	25	43	46
All other	20	–	–	–	–	–	2	3	2	6	6	1	16	–	–	–	–	1	–	–	1	5	5	4
Black	16	–	–	–	–	–	2	2	2	5	4	1	14	–	–	–	–	1	–	–	1	3	5	4
Ischemic heart disease (410-414)	25,073	2	–	1	8	96	471	1,965	4,562	7,006	7,106	3,850	20,677	2	–	1	10	18	102	430	1,660	3,617	7,252	7,364
White	23,357	2	–	1	7	75	401	1,773	4,216	6,511	6,702	3,664	19,416	2	–	1	7	14	77	370	1,482	3,467	6,860	7,116
All other	1,716	–	–	–	1	21	70	192	346	495	404	186	1,261	–	–	–	3	4	25	60	178	330	392	268
Black	1,142	–	–	–	1	17	58	145	261	331	222	107	969	–	–	–	3	4	22	52	157	269	289	192
Acute myocardial infarction (410)	12,742	1	–	1	4	50	270	1,174	2,791	3,901	3,257	1,352	8,803	1	–	1	9	6	60	252	1,016	2,046	3,209	2,201
White	11,927	1	–	1	3	40	241	1,069	2,553	3,644	3,067	1,287	8,245	1	–	1	6	5	45	225	917	1,885	3,031	2,129
All other	815	–	–	–	1	10	29	105	178	257	170	65	558	–	–	–	3	1	15	27	99	169	178	72
Black	534	–	–	–	1	9	24	79	131	169	84	37	434	–	–	–	3	1	14	22	84	131	128	51

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	173	-	-	-	1	2	8	23	43	47	29	20	148	-	-	-	-	-	1	5	11	22	49	60
White	158	-	-	-	1	1	8	21	40	41	27	19	140	-	-	-	-	-	1	4	10	20	48	59
All other	15	-	-	-	-	1	-	2	3	6	2	1	8	-	-	-	-	-	-	1	1	2	3	1
Black	11	-	-	-	-	-	-	2	3	5	1	-	5	-	-	-	-	-	-	1	-	2	2	-
Angina pectoris (413)	19	-	-	-	-	-	-	3	1	6	6	3	21	-	-	-	-	-	1	-	5	5	6	4
White	18	-	-	-	-	-	-	3	-	6	6	3	19	-	-	-	-	-	1	-	4	5	5	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	12,139	1	-	-	3	44	193	765	1,787	3,052	3,814	2,475	11,705	1	-	-	1	12	40	173	828	1,742	3,988	5,119
White	11,254	1	-	-	3	34	152	680	1,623	2,820	3,582	2,355	11,012	1	-	-	1	9	30	141	551	1,577	3,778	4,924
All other	885	-	-	-	-	10	41	85	164	232	232	120	693	-	-	-	-	3	10	32	77	165	210	195
Black	596	-	-	-	-	8	34	84	126	157	137	70	549	-	-	-	-	3	8	29	72	138	159	141
Other diseases of endocardium (424)	439	-	2	-	4	3	11	30	77	119	136	56	380	1	-	-	3	5	6	11	30	61	143	96
White	405	-	1	-	2	3	10	25	71	110	128	54	357	1	-	-	3	5	5	8	28	72	139	96
All other	34	-	1	-	2	-	1	5	6	9	8	2	23	-	-	-	-	-	3	3	2	9	4	2
Black	23	-	1	-	1	-	1	4	5	6	5	-	20	-	-	-	-	-	3	3	2	6	4	2
All other forms of heart disease (415-423,425-429)	7,082	26	15	6	44	89	188	631	1,446	1,849	1,707	1,080	6,230	19	11	16	30	44	84	249	620	1,081	1,925	2,149
White	6,259	22	12	3	38	63	135	520	1,239	1,656	1,551	1,019	5,686	12	7	11	24	31	57	185	530	963	1,810	2,054
All other	823	4	3	3	6	26	53	111	207	193	156	61	544	7	4	5	6	13	27	64	90	118	115	94
Black	644	3	1	2	5	21	46	98	179	155	93	41	455	7	4	3	6	10	23	58	83	102	89	69
Hypertension with or without renal disease (401,403)	297	1	1	-	1	-	3	13	40	75	82	81	352	1	-	2	-	1	5	8	26	57	129	123
White	252	-	-	-	1	-	2	8	33	62	72	74	308	-	-	2	-	-	3	4	17	52	115	115
All other	45	1	1	-	-	-	1	5	7	13	10	7	44	1	-	-	-	1	2	4	9	5	14	8
Black	38	1	-	-	-	-	1	5	5	12	8	6	34	1	-	-	-	1	1	3	9	4	10	5
Cerebrovascular diseases (430-438)	6,468	5	7	3	24	51	100	265	681	1,512	2,291	1,527	9,741	10	5	3	12	49	103	279	600	1,490	3,380	3,810
White	5,830	2	5	3	19	47	72	203	565	1,335	2,120	1,457	9,016	6	4	3	10	41	79	228	520	1,319	3,170	3,638
All other	638	3	2	-	5	4	28	62	116	177	171	70	725	4	1	-	2	8	24	51	80	171	210	174
Black	490	3	2	-	4	4	23	49	90	122	97	36	544	2	1	-	2	5	20	33	68	145	149	121
Intracerebral and other intracranial hemorrhage (431-432)	850	5	2	1	8	14	36	102	171	209	219	83	1,109	6	-	2	6	14	25	104	153	263	333	203
White	715	2	2	1	8	12	23	74	140	181	194	80	1,005	5	-	2	5	12	16	87	138	235	312	195
All other	135	3	-	-	2	2	13	28	31	28	25	3	104	1	-	-	1	2	9	17	17	28	21	8
Black	67	3	-	-	1	2	10	22	22	15	9	3	63	1	-	-	1	2	6	12	11	17	7	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,417	-	1	-	4	2	11	28	115	328	543	385	2,321	2	5	-	-	2	5	17	96	316	808	1,072
White	1,292	-	1	-	3	2	8	22	90	292	507	367	2,139	1	4	-	-	2	5	13	79	274	747	1,014
All other	125	-	-	-	1	-	3	6	25	36	36	18	182	1	1	-	-	-	-	4	17	42	59	58
Black	88	-	-	-	1	-	2	5	23	27	21	9	140	-	1	-	-	-	-	4	15	36	41	43
Cerebral embolism (434.1)	26	-	-	-	-	1	-	1	3	12	11	1	41	-	-	-	-	-	2	1	4	8	18	8
White	26	-	-	-	-	1	-	1	3	12	10	1	40	-	-	-	-	-	2	1	4	8	17	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	4,172	-	4	2	12	34	53	134	392	963	1,518	1,058	6,270	2	-	1	6	33	71	157	347	903	2,223	2,527
White	3,795	-	2	2	10	32	41	106	332	850	1,409	1,009	5,832	-	-	1	5	27	56	127	301	802	2,094	2,419
All other	377	-	2	-	2	2	12	28	60	113	109	49	438	2	-	-	1	6	15	30	46	101	129	108
Black	255	-	2	-	2	2	11	22	45	80	67	24	340	1	-	-	1	3	12	17	40	92	100	74
Atherosclerosis (440)	1,030	-	-	-	-	-	1	8	43	176	358	444	1,681	1	-	-	-	-	1	4	35	124	499	1,016
White	976	-	-	-	-	-	1	8	41	161	339	426	1,616	1	-	-	-	-	1	3	27	113	481	989
All other	54	-	-	-	-	-	-	-	2	15	19	18	65	-	-	-	-	-	-	1	8	11	18	27
Black	37	-	-	-	-	-	-	-	2	10	15	10	54	-	-	-	-	-	-	1	8	10	13	22
Other diseases of arteries, arterioles, and capillaries (441-448)	1,370	1	1	1	9	13	13	47	234	459	443	148	762	-	-	2	6	6	14	22	95	184	258	175
White	1,273	-	1	1	9	12	9	42	219	423	416	140	710	-	-	2	3	3	12	18	85	173	240	174
All other	97	1	-	-	-	1	4	5	15	36	27	8	52	-	-	-	3	3	2	4	10	11	18	1
Black	52	-	-	-	-	-	3	3	9	24	9	4	43	-	-	-	1	3	2	3	9	10	15	-
Acute bronchitis and bronchiolitis (466)	44	9	3	-	-	3	2	2	4	9	8	4	35	5	-	1	-	1	-	2	2	6	8	9
White	38	7	3	-	-	2	2	1	3	8	8	4	33	4	-	1	-	1	-	2	2	6	8	9
All other	6	2	-	-	-	1	-	1	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Black	5	2	-	-	-	1	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2,233	43	19	12	15	26	39	88	215	396	712	667	2,162	42	10	7	14	22	32	43	138	288	696	870
White	2,030	37	16	9	10	20	26	67	181	365	661	637	2,031	34	9	7	13	12	23	37	118	266	665	847
All other	203	6	3	3	5	6	13	21	34	31	51	30	131	8	1	-	1	10	9	6	20	22	31	23
Black	144	5	3	1	3	6	13	18	29	20	29	17	105	7	1	-	1	8	9	6	18	18	20	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	2,204	43	18	12	14	25	39	88	215	393	704	652	2,122	41	10	7	14	22	32	43	133	286	660	852
White	2,005	37	15	9	9	19	26	67	181	362	654	625	1,932	33	9	7	13	12	23	37	114	266	649	829
All other	199	6	3	3	5	6	13	21	34	31	50	27	190	8	1	–	1	10	9	5	19	22	31	23
Black	143	5	3	1	3	6	13	18	29	20	29	16	104	7	1	–	1	8	9	5	17	18	20	17
Influenza (487)	29	–	1	–	1	1	–	–	–	3	8	15	40	1	–	–	–	–	–	–	5	–	16	16
White	25	–	1	–	1	1	–	–	–	3	7	12	39	1	–	–	–	–	–	–	4	–	16	16
All other	4	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,417	5	5	1	7	9	26	98	531	1,221	1,149	364	1,827	2	3	–	6	9	19	82	334	624	595	212
White	3,223	1	5	1	4	8	17	81	481	1,189	1,115	340	1,757	2	3	–	5	5	10	76	322	603	520	210
All other	194	4	–	–	3	1	9	17	50	52	34	24	70	–	–	–	1	4	9	6	12	21	15	2
Black	140	4	–	–	2	1	5	15	42	38	22	11	49	–	–	–	1	3	9	4	11	11	6	2
Bronchitis, chronic and unspecified (490-491)	281	5	3	–	–	1	2	7	54	83	83	33	159	2	2	–	1	1	2	6	27	45	46	24
White	268	1	3	–	–	1	1	6	52	80	82	32	155	2	2	–	1	1	2	6	26	43	47	24
All other	13	4	–	–	–	–	1	1	2	3	1	1	4	–	–	–	–	–	–	–	1	2	1	–
Black	10	4	–	–	–	–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	1,040	–	1	–	1	3	5	27	156	410	351	86	484	–	–	–	–	1	2	25	103	167	148	38
White	984	–	1	–	1	3	3	20	140	391	345	80	470	–	–	–	–	1	1	23	101	162	145	37
All other	56	–	–	–	–	–	2	7	16	19	6	6	14	–	–	–	–	–	1	2	2	5	3	1
Black	45	–	–	–	–	–	2	7	14	14	5	3	11	–	–	–	–	–	1	2	2	2	3	1
Asthma (493)	114	–	1	1	6	5	9	14	20	25	23	10	161	–	1	–	4	5	8	16	38	42	31	16
White	90	–	1	1	3	4	3	13	15	22	21	7	145	–	1	–	3	2	4	15	35	40	29	16
All other	24	–	–	–	3	1	6	1	5	3	2	3	16	–	–	–	1	3	4	1	3	2	2	–
Black	15	–	–	–	2	1	3	–	4	1	2	2	12	–	–	–	1	3	4	–	3	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,982	–	–	–	–	–	10	50	301	683	692	235	1,023	–	–	–	1	2	7	35	166	370	308	134
White	1,881	–	–	–	–	–	10	42	274	666	667	221	987	–	–	–	1	1	3	32	160	358	299	138
All other	101	–	–	–	–	–	–	8	27	27	25	14	36	–	–	–	–	1	4	3	6	12	9	1
Black	70	–	–	–	–	–	–	7	23	21	14	5	25	–	–	–	–	–	4	2	5	8	5	1
Ulcer of stomach and duodenum (531-533)	379	1	–	–	3	2	17	34	49	100	115	58	327	–	–	–	–	4	7	15	39	79	101	82
White	347	1	–	–	2	1	11	27	48	95	108	56	306	–	–	–	–	4	7	11	36	72	98	78
All other	32	–	–	–	1	1	6	7	3	5	7	2	21	–	–	–	–	–	–	4	3	7	3	4
Black	17	–	–	–	1	–	5	5	2	3	1	–	17	–	–	–	–	–	–	4	2	6	3	2
Appendicitis (540-543)	40	1	–	1	2	3	1	2	9	8	10	3	31	–	–	1	1	1	–	–	6	7	10	5
White	33	1	–	1	2	2	1	1	8	7	7	3	26	–	–	–	1	1	–	–	4	6	9	5
All other	7	–	–	–	–	1	–	1	1	1	3	–	5	–	–	1	–	–	–	–	2	1	1	–
Black	6	–	–	–	–	–	–	1	1	1	3	–	5	–	–	1	–	–	–	–	2	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	196	14	2	–	5	4	5	12	30	48	51	25	282	7	1	2	2	1	6	7	22	43	91	100
White	182	12	2	–	5	4	5	9	26	47	48	24	261	4	1	1	2	1	4	7	19	40	86	96
All other	14	2	–	–	–	–	–	3	4	1	3	1	21	3	–	1	–	–	2	–	3	3	5	4
Black	9	–	–	–	–	–	–	2	4	1	1	1	16	2	–	1	–	–	2	–	2	1	4	4
Chronic liver disease and cirrhosis (571)	2,739	6	2	1	6	107	344	751	862	500	142	14	1,443	2	–	–	6	50	164	335	449	304	101	32
White	2,427	4	2	1	4	92	283	638	782	466	138	13	1,292	2	–	–	5	41	128	286	409	287	94	30
All other	312	2	–	–	2	15	61	113	80	34	4	1	151	–	–	–	1	9	36	49	40	17	7	2
Black	253	–	–	–	2	11	54	97	60	26	2	1	123	–	–	–	1	7	31	34	31	15	2	2
Cholelithiasis and other disorders of gallbladder (574-575)	119	1	–	–	–	–	3	6	15	34	30	30	161	–	–	–	–	5	3	3	13	28	60	54
White	107	1	–	–	–	–	2	6	12	32	29	25	147	–	–	–	–	3	2	3	10	23	54	52
All other	12	–	–	–	–	–	1	–	3	2	1	5	14	–	–	–	–	2	1	–	3	–	6	2
Black	7	–	–	–	–	–	–	–	3	–	1	3	9	–	–	–	–	2	1	–	3	–	3	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	535	12	4	2	5	10	20	43	61	115	169	94	489	9	–	–	4	13	10	29	49	98	168	109
White	459	8	4	2	4	7	15	34	48	102	145	90	419	9	–	–	2	8	7	22	40	88	146	102
All other	76	4	–	–	1	3	5	9	13	13	24	4	70	–	–	–	2	5	3	7	9	15	22	7
Black	52	3	–	–	1	3	4	8	9	8	15	1	54	–	–	–	2	5	3	5	8	13	13	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	18	1	–	–	1	–	–	3	2	3	2	6	12	1	–	–	–	–	–	–	4	2	3	2
White	18	1	–	–	1	–	–	3	2	3	2	6	11	1	–	–	–	–	–	–	4	2	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	100	1	2	–	1	3	7	5	16	24	26	15	91	–	–	–	–	4	3	3	12	23	36	10
White	79	–	2	–	1	1	4	4	12	19	22	14	78	–	–	–	–	1	3	3	10	20	32	9
All other	21	1	–	–	–	2	3	1	4	5	4	1	13	–	–	–	–	3	–	–	2	3	4	1
Black	14	–	–	–	–	2	2	1	3	5	1	–	11	–	–	–	–	3	–	–	2	3	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	417	10	2	2	3	7	13	35	49	68	141	73	386	8	–	–	4	9	7	26	33	73	129	97
White	362	7	2	2	2	6	11	27	34	60	121	70	330	8	–	–	2	7	4	19	26	61	112	91
All other	55	3	–	–	1	1	2	8	9	8	20	3	56	–	–	–	2	2	3	7	7	12	17	6
Black	38	3	–	–	1	1	2	7	8	3	14	1	43	–	–	–	2	2	3	5	6	10	11	4
Infections of kidney (590)	98	1	–	–	1	2	2	1	8	20	38	25	204	–	–	1	3	3	–	4	16	28	72	77
White	86	1	–	–	1	2	1	–	6	18	33	22	191	–	–	1	2	2	–	4	15	25	68	74
All other	12	–	–	–	–	–	1	1	–	2	5	3	13	–	–	–	1	1	–	–	1	3	4	3
Black	10	–	–	–	–	–	1	1	–	2	3	3	9	–	–	–	–	1	–	–	1	3	4	–
Hyperplasia of prostate (600)	78	–	–	–	–	–	–	1	1	16	32	28	...	...	...	...	...	...	...	...	...	...	...	...
White	70	–	–	–	–	–	–	1	1	13	29	26	...	...	...	...	...	...	...	...	...	...	...	...
All other	8	–	–	–	–	–	–	–	–	3	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	–	–	–	–	–	–	–	–	2	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	35	...	...	–	12	17	6	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	27	...	...	–	8	14	5	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	3	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	4	2	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	2	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	31	...	...	–	11	15	5	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	–	7	12	4	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	3	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	4	2	1	–	...	...	...	...
Congenital anomalies (740-759)	755	504	53	30	45	23	19	22	21	25	10	2	665	439	55	20	24	18	14	27	20	19	22	7
White	671	449	44	22	42	21	18	20	19	24	9	2	573	380	46	18	17	14	10	23	20	18	21	6
All other	84	55	9	8	3	2	1	2	2	1	1	–	92	59	9	2	7	4	4	4	–	1	1	1
Black	58	37	5	6	1	2	–	2	1	1	1	–	66	44	6	2	3	4	3	3	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	1,123	1,117	3	–	1	–	–	–	–	–	–	–	854	850	4	–	–	–	–	–	–	–	–	–
White	883	878	2	–	1	–	–	–	–	–	–	–	626	622	4	–	–	–	–	–	–	–	–	–
All other	240	239	1	–	–	–	–	–	–	–	–	–	228	228	–	–	–	–	–	–	–	–	–	–
Black	204	203	1	–	–	–	–	–	–	–	–	–	193	193	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	456	454	1	–	–	–	–	–	–	–	–	–	296	294	2	–	–	–	–	–	–	–	–	–
White	376	375	1	–	–	–	–	–	–	–	–	–	233	231	2	–	–	–	–	–	–	–	–	–
All other	80	79	1	–	–	–	–	–	–	–	–	–	63	63	–	–	–	–	–	–	–	–	–	–
Black	63	62	1	–	–	–	–	–	–	–	–	–	55	55	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	667	663	2	–	1	–	–	–	–	–	–	–	558	556	2	–	–	–	–	–	–	–	–	–
White	507	503	2	–	1	–	–	–	–	–	–	–	393	391	2	–	–	–	–	–	–	–	–	–
All other	160	160	–	–	–	–	–	–	–	–	–	–	165	165	–	–	–	–	–	–	–	–	–	–
Black	141	141	–	–	–	–	–	–	–	–	–	–	138	138	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	712	390	14	–	46	61	40	27	34	37	28	19	496	246	9	4	28	36	24	28	29	21	27	36
White	546	290	11	–	34	41	31	22	27	33	25	17	391	176	7	3	23	25	20	23	26	20	27	33
All other	166	100	3	–	12	20	9	5	7	4	3	2	105	70	2	1	5	11	4	5	3	1	–	3
Black	138	85	3	–	12	16	5	5	6	3	2	2	89	59	2	1	4	9	4	2	3	1	–	2
All other diseases (Residual)	4,935	190	63	51	135	192	229	485	777	1,161	1,159	583	4,778	87	42	49	106	134	193	351	591	1,005	1,221	998
White	4,401	110	51	45	113	148	182	395	678	1,055	1,078	546	4,370	70	33	41	85	108	162	278	543	938	1,153	958
All other	534	20	12	6	22	44	47	70	99	96	81	37	408	17	9	8	21	26	31	73	48	67	68	40
Black	398	16	9	4	15	41	43	58	80	66	44	20	340	16	9	6	20	19	26	65	42	50	55	32
Accidents and adverse effects (E800-E949)	7,824	58	214	343	2,302	1,624	822	677	648	526	398	194	3,233	38	137	155	627	458	281	284	311	351	363	247
White	6,969	52	191	282	2,110	1,425	705	596	581	479	349	179	2,863	30	121	138	555	375	234	228	280	320	343	238
All other	855	6	23	61	192	199	117	81	67	53	39	15	370	8	16	19	72	81	47	56	31	31	20	9
Black	669	6	18	49	145	154	96	71	48	41	30	9	270	7	13	14	51	67	36	27	22	17	11	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	4,407	17	88	219	1,685	964	435	323	282	199	119	32	1,610	7	65	104	501	279	152	110	125	127	112	27
White	4,004	17	76	179	1,579	895	388	268	261	176	111	30	1,449	6	57	96	464	243	134	99	111	116	106	27
All other	403	–	10	40	116	69	49	35	31	23	8	2	161	1	8	8	47	36	18	11	14	11	7	–
Black	299	–	9	28	85	67	37	29	24	16	3	1	100	1	6	3	29	28	9	5	8	6	5	–
All other accidents and adverse effects (E800-E807, E826-E949)	3,417	41	128	124	607	640	387	354	356	327	269	182	1,823	31	72	51	126	177	129	154	186	224	251	220
White	2,965	35	115	103	531	530	319	308	320	297	238	149	1,414	24	64	40	101	132	100	129	169	204	226	211
All other	452	6	13	21	76	110	68	46	36	30	31	33	209	7	8	11	25	45	29	25	17	20	13	9
Black	370	6	9	21	60	87	59	42	24	25	27	8	170	6	7	11	22	39	27	22	14	11	6	5
Suicide (E950-E959)	2,477	...	...	8	476	626	342	310	293	219	154	39	1,054	...	...	4	146	203	180	190	157	92	69	19
White	2,262	...	...	5	425	554	307	283	285	212	147	35	962	...	...	4	118	173	170	180	152	87	59	19
All other	215	...	...	3	51	72	35	27	8	7	7	4	92	...	...	–	28	30	10	10	5	5	4	–
Black	149	...	...	–	38	52	25	19	6	5	2	1	48	...	...	–	20	20	6	2	–	–	–	–
Homicide and legal intervention (E960-E978)	2,412	18	17	38	611	705	338	250	123	65	28	6	582	4	22	16	161	147	79	56	40	28	15	8
White	1,688	10	14	32	590	457	227	185	85	46	23	5	409	3	14	10	113	95	58	39	29	23	13	8
All other	724	8	3	6	221	249	111	65	38	19	5	1	173	1	8	6	48	52	21	17	11	5	2	–
Black	670	7	3	5	214	233	100	56	32	15	3	1	147	1	7	6	39	46	18	16	9	2	2	–
All other external causes (E880-E899)	212	2	1	6	47	48	27	29	28	16	2	1	104	5	1	1	13	16	17	22	17	5	6	1
White	179	2	–	5	40	42	19	26	26	13	1	1	92	4	–	1	11	13	15	20	16	5	6	1
All other	33	–	1	1	7	6	8	3	2	3	1	–	12	1	1	–	2	3	2	2	1	–	–	–
Black	30	–	1	1	6	6	8	3	2	1	1	–	10	1	1	–	2	2	2	1	1	–	–	–
COLORADO																								
All causes	10,233	270	64	81	488	496	471	784	1,622	2,312	2,291	1,351	8,217	230	56	47	169	167	218	468	899	1,448	2,294	2,223
White	9,861	249	59	75	458	458	433	748	1,562	2,251	2,240	1,329	7,929	209	52	43	159	151	196	431	865	1,396	2,240	2,187
All other	372	21	5	6	32	38	38	36	60	61	51	23	288	21	4	4	10	16	20	37	34	52	54	36
Black	309	19	3	5	22	31	29	32	56	52	40	19	250	17	4	4	9	14	15	29	33	48	46	31
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	14	–	–	–	–	–	–	–	1	5	6	2	–	–	–	–	–	–	–	–	–	–	–	–
White	14	–	–	–	–	–	–	–	1	5	6	2	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	11	–	–	–	–	–	–	–	–	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–
White	11	–	–	–	–	–	–	–	–	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	51	1	–	–	2	2	3	2	10	11	12	8	45	2	1	–	1	1	1	4	3	14	11	7
White	50	1	–	–	2	2	3	2	9	11	12	8	43	2	–	–	1	1	1	4	3	13	11	7
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	4	–	–	–	–	–	–	2	1	1	–	–	4	–	–	–	1	1	–	1	–	1	–	–
White	3	–	–	–	–	–	–	1	1	1	–	–	4	–	–	–	1	1	–	1	–	1	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	17	2	–	–	–	1	2	3	2	5	1	1	20	3	–	–	–	2	–	4	2	2	3	4
White	14	1	–	–	–	1	2	3	2	5	1	–	18	2	–	–	–	1	–	4	2	2	3	4
All other	3	2	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,903	1	1	10	19	32	57	167	419	569	455	173	1,659	–	5	6	10	28	65	202	399	412	413	181
White	1,841	1	1	10	17	32	55	162	396	549	449	169	1,610	–	5	6	9	25	62	190	330	399	407	177
All other	62	–	–	–	2	–	2	5	23	20	6	4	49	–	–	–	1	1	3	12	9	13	6	4
Black	53	–	–	–	2	–	2	5	21	16	3	4	44	–	–	–	1	1	3	9	8	12	6	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	33	–	–	–	1	–	1	4	8	10	5	4	15	–	–	–	–	–	1	1	5	4	2	2
White	29	–	–	–	1	–	–	3	7	10	5	3	15	–	–	–	–	–	1	1	5	4	2	2
All other	4	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	479	–	–	1	1	4	10	46	103	141	130	43	473	–	1	–	1	3	7	41	80	128	145	67
White	463	–	–	1	1	4	10	44	95	137	128	43	461	–	1	–	1	3	7	39	77	125	144	64
All other	16	–	–	–	–	–	–	2	8	4	2	–	12	–	–	–	–	–	–	2	3	3	1	3
Black	12	–	–	–	–	–	–	2	7	3	–	–	11	–	–	–	–	–	–	1	3	3	1	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	559	–	–	–	–	1	12	56	164	187	113	26	193	–	–	–	–	–	–	4	34	51	53	40	11
White	543	–	–	–	–	1	12	54	156	183	111	26	186	–	–	–	–	–	–	3	32	50	51	39	11
All other	16	–	–	–	–	–	–	2	8	4	2	–	7	–	–	–	–	–	–	1	2	1	2	1	–
Black	15	–	–	–	–	–	–	2	8	4	1	–	5	–	–	–	–	–	–	1	1	1	1	1	–
Malignant neoplasm of breast (174-175)	6	–	–	–	–	–	–	–	2	–	3	1	341	–	–	–	1	4	26	61	77	79	57	36
White	6	–	–	–	–	–	–	–	2	–	3	1	330	–	–	–	1	4	25	57	74	76	57	36
All other	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	1	4	3	3	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	1	4	2	3	–	–
Malignant neoplasms of genital organs (179-187)	234	–	–	–	3	–	2	3	22	67	84	53	192	–	–	–	1	4	10	25	43	53	41	15
White	224	–	–	–	3	–	2	3	20	62	84	50	188	–	–	–	1	4	10	23	43	51	39	15
All other	10	–	–	–	–	–	–	–	2	5	–	3	6	–	–	–	–	–	–	2	–	2	2	–
Black	9	–	–	–	–	–	–	–	2	4	–	3	5	–	–	–	–	–	–	1	–	2	2	–
Malignant neoplasms of urinary organs (188-189)	104	–	–	–	–	1	1	6	22	38	26	10	45	–	–	–	–	–	–	1	2	5	15	16	6
White	101	–	–	–	–	1	1	6	21	37	25	10	45	–	–	–	–	–	–	1	2	5	15	16	6
All other	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	282	1	1	3	6	19	19	29	60	79	45	18	210	–	2	2	3	6	9	21	46	41	56	24
White	271	1	1	3	7	19	19	29	57	73	44	18	200	–	2	2	2	5	9	20	44	38	55	23
All other	11	–	–	–	1	–	–	–	3	6	1	–	10	–	–	–	1	1	–	1	2	3	1	1
Black	9	–	–	–	1	–	–	–	3	4	1	–	10	–	–	–	1	1	–	1	2	3	1	1
Leukemia (204-208)	95	–	–	5	3	1	4	8	14	24	23	13	81	–	2	4	4	2	3	8	10	17	24	7
White	94	–	–	5	2	1	4	8	14	24	23	13	80	–	2	4	4	2	3	8	10	17	23	7
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	111	–	–	1	3	6	8	15	24	23	26	5	109	–	–	–	–	–	7	4	9	22	22	32	13
White	110	–	–	1	3	6	7	15	24	23	26	5	107	–	–	–	–	–	7	3	8	22	22	32	13
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	–	–	–	–	–	3	2	4	7	9	–	36	–	–	–	2	1	–	2	4	10	10	7
White	23	–	–	–	–	–	3	2	3	7	8	–	35	–	–	–	2	1	–	2	4	9	10	7
All other	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	115	-	-	-	1	4	6	12	23	29	27	13	158	-	-	3	-	4	8	12	24	42	41	26
White	104	-	-	-	-	3	4	10	21	27	26	13	153	-	-	3	-	4	6	11	22	41	41	25
All other	11	-	-	-	1	1	2	2	2	2	1	-	5	-	-	-	-	-	-	1	2	1	-	1
Black	8	-	-	-	-	1	1	1	2	2	1	-	4	-	-	-	-	-	-	1	2	-	-	1
Nutritional deficiencies (260-269)	14	-	-	-	-	-	-	-	-	1	3	10	21	-	-	-	-	-	-	-	1	3	6	11
White	14	-	-	-	-	-	-	-	-	1	3	10	21	-	-	-	-	-	-	-	1	3	6	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	15	1	-	-	1	-	-	1	2	3	6	1	15	-	-	-	1	-	-	-	4	2	4	4
White	15	1	-	-	1	-	-	1	2	3	6	1	15	-	-	-	1	-	-	-	4	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	13	2	2	-	-	-	-	1	4	4	-	-	7	2	3	-	-	-	-	1	-	-	-	1
White	12	2	2	-	-	-	-	1	3	4	-	-	5	2	3	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	4,405	7	2	8	6	30	102	322	721	1,150	1,243	813	3,999	5	3	5	8	13	35	85	307	639	1,343	1,556
White	4,285	5	2	7	5	27	99	305	697	1,123	1,214	800	3,882	5	3	5	8	11	31	76	293	615	1,305	1,530
All other	120	2	-	1	1	3	3	17	24	27	29	13	117	-	-	-	-	2	4	9	14	24	38	26
Black	102	1	-	1	1	2	3	15	23	23	23	10	107	-	-	-	-	2	2	9	14	23	33	24
Diseases of heart (390-398,402,404-429)	3,500	6	2	7	4	24	88	291	623	939	927	588	2,866	5	3	5	6	8	26	66	236	513	959	1,099
White	3,404	5	2	6	3	21	85	277	607	916	904	577	2,786	5	3	5	6	7	23	57	225	498	936	1,021
All other	96	1	-	1	1	3	3	14	16	23	23	11	80	-	-	-	-	1	3	9	11	15	23	18
Black	82	-	-	1	1	2	3	12	15	19	20	9	71	-	-	-	-	1	2	9	11	14	18	16
Rheumatic fever and rheumatic heart disease (390-398)	32	-	-	-	-	-	4	3	6	10	9	-	83	-	-	-	-	-	1	6	21	22	18	15
White	32	-	-	-	-	-	4	3	6	10	9	-	81	-	-	-	-	-	1	5	21	21	18	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Hypertensive heart disease (402)	50	-	-	-	-	-	3	6	8	13	15	5	68	-	-	-	-	-	1	-	2	4	15	30	17
White	47	-	-	-	-	-	3	6	6	13	14	5	64	-	-	-	-	-	1	-	-	4	12	30	17
All other	3	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	-	2	-	3	-	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	-	2	-	3	-	-
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	-	-	1	5	9	32	-	-	-	-	-	-	-	2	-	11	19
White	14	-	-	-	-	-	-	-	-	1	5	8	31	-	-	-	-	-	-	-	2	-	11	18
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	2,650	-	-	1	1	13	67	231	507	760	677	392	1,972	-	-	-	-	1	14	41	156	377	867	716
White	2,597	-	-	1	1	12	67	220	500	747	663	385	1,918	-	-	-	-	1	13	37	149	366	849	708
All other	53	-	-	-	-	1	-	11	7	13	14	7	54	-	-	-	-	-	1	4	7	11	18	13
Black	43	-	-	-	-	-	-	9	6	11	11	6	46	-	-	-	-	-	1	4	7	10	13	11
Acute myocardial infarction (410)	1,578	-	-	1	1	10	51	153	337	487	379	159	978	-	-	-	-	1	11	32	105	225	324	280
White	1,559	-	-	1	1	9	51	148	334	480	377	158	955	-	-	-	-	1	10	29	100	221	318	276
All other	19	-	-	-	-	1	-	5	3	7	2	1	23	-	-	-	-	-	1	3	5	4	6	4
Black	12	-	-	-	-	-	-	3	2	5	1	1	21	-	-	-	-	-	1	3	5	4	4	4
Other acute and subacute forms of ischemic heart disease (411)	15	-	-	-	-	1	2	2	4	5	1	-	11	-	-	-	-	-	-	-	4	1	4	2
White	14	-	-	-	-	1	2	2	4	4	1	-	11	-	-	-	-	-	-	-	4	1	4	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,054	-	-	-	-	2	14	76	165	268	296	232	963	-	-	-	-	-	3	9	47	151	339	434
White	1,022	-	-	-	-	2	14	70	161	263	284	227	952	-	-	-	-	-	3	8	45	144	327	425
All other	32	-	-	-	-	-	-	6	4	5	12	5	31	-	-	-	-	-	-	1	2	7	12	9
Black	29	-	-	-	-	-	-	6	4	5	10	4	25	-	-	-	-	-	-	1	2	6	9	7
Other diseases of endocardium (424)	35	1	-	-	1	-	-	2	6	8	11	6	38	-	-	1	-	1	-	-	3	5	15	18
White	34	1	-	-	1	-	-	2	5	8	11	6	36	-	-	1	-	1	-	-	2	5	14	18
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	716	5	2	6	2	11	14	49	96	147	210	176	672	5	3	4	6	5	11	17	50	94	218	259
White	680	4	2	5	1	9	11	46	90	137	202	173	656	5	3	4	6	4	9	15	47	94	214	255
All other	36	1	–	1	1	2	3	3	6	10	8	3	16	–	–	–	–	1	2	2	3	–	4	4
Black	34	–	–	1	1	2	3	3	6	8	8	2	15	–	–	–	–	1	1	2	3	–	4	4
Hypertension with or without renal disease (401,403)	28	–	–	–	–	–	–	1	7	4	7	9	35	–	–	–	–	–	–	2	3	7	9	14
White	26	–	–	–	–	–	–	–	6	4	7	9	34	–	–	–	–	–	–	2	3	7	8	14
All other	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebrovascular diseases (430-438)	598	1	–	1	–	6	11	25	56	131	217	150	822	–	–	–	2	4	9	16	58	94	290	349
White	583	–	–	1	–	6	11	23	51	128	214	149	785	–	–	–	2	4	8	16	55	87	279	344
All other	15	1	–	–	–	–	–	2	5	3	3	1	27	–	–	–	–	–	1	–	3	7	11	5
Black	13	1	–	–	–	–	–	2	5	3	2	–	26	–	–	–	–	–	–	–	3	7	11	5
Intracerebral and other intracranial hemorrhage (431-432)	85	1	–	1	–	2	2	6	14	27	19	13	94	–	–	–	–	2	3	2	18	17	30	22
White	80	–	–	1	–	2	2	6	11	27	19	12	88	–	–	–	–	2	3	2	16	16	27	22
All other	5	1	–	–	–	–	–	–	3	–	–	1	6	–	–	–	–	–	–	–	2	1	3	–
Black	4	1	–	–	–	–	–	–	3	–	–	–	8	–	–	–	–	–	–	–	2	1	3	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	88	–	–	–	–	–	2	1	8	18	35	24	137	–	–	–	–	–	2	1	8	13	47	66
White	87	–	–	–	–	–	2	1	8	17	35	24	137	–	–	–	–	–	2	1	8	13	47	66
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	–	–	1	1	7	–	–	–	–	–	–	–	1	2	3	1
White	2	–	–	–	–	–	–	–	–	–	1	1	7	–	–	–	–	–	–	–	1	2	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	423	–	–	–	–	4	7	18	34	86	162	112	584	–	–	–	2	2	4	13	31	62	210	260
White	414	–	–	–	–	4	7	16	32	84	159	112	563	–	–	–	2	2	3	13	30	58	202	255
All other	9	–	–	–	–	–	–	2	2	2	3	–	21	–	–	–	–	–	1	–	1	6	8	5
Black	8	–	–	–	–	–	–	2	2	2	2	–	20	–	–	–	–	–	–	–	1	6	8	5
Atherosclerosis (440)	151	–	–	–	–	–	–	–	10	28	56	57	221	–	–	–	–	–	–	1	7	12	69	132
White	147	–	–	–	–	–	–	–	9	27	55	56	214	–	–	–	–	–	–	1	7	10	67	129
All other	4	–	–	–	–	–	–	–	1	1	1	1	7	–	–	–	–	–	–	–	–	2	2	3
Black	4	–	–	–	–	–	–	–	1	1	1	1	7	–	–	–	–	–	–	–	–	2	2	3
Other diseases of arteries, arterioles, and capillaries (441-448)	128	–	–	–	2	–	3	5	25	48	38	9	55	–	–	–	–	1	–	–	3	13	16	22
White	125	–	–	–	2	–	3	5	24	48	34	9	53	–	–	–	–	–	–	–	3	13	15	22
All other	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Acute bronchitis and bronchiolitis (466)	5	1	–	1	–	–	–	1	–	2	–	–	4	–	–	–	1	–	–	2	–	–	–	1
White	5	1	–	1	–	–	–	1	–	2	–	–	4	–	–	–	1	–	–	2	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	306	6	1	–	3	2	11	19	28	55	90	91	305	2	–	1	2	3	2	9	15	30	103	138
White	292	5	1	–	3	2	7	18	26	53	86	91	298	2	–	1	1	2	1	8	15	30	102	136
All other	14	1	–	–	–	–	4	1	2	2	4	–	7	–	–	–	1	1	1	1	–	–	1	2
Black	10	–	–	–	–	–	2	1	2	2	3	–	4	–	–	–	1	1	1	–	–	–	1	–
Pneumonia (480-486)	301	6	1	–	2	2	11	19	28	54	89	89	300	2	–	1	2	3	2	9	15	30	102	134
White	287	5	1	–	2	2	7	18	26	52	85	89	293	2	–	1	1	2	1	8	15	30	101	132
All other	14	1	–	–	–	–	4	1	2	2	4	–	7	–	–	–	1	1	1	1	–	–	1	2
Black	10	–	–	–	–	–	2	1	2	2	3	–	4	–	–	–	1	1	1	–	–	–	1	–
Influenza (487)	5	–	–	–	1	–	–	–	–	1	1	2	5	–	–	–	–	–	–	–	–	–	1	4
White	5	–	–	–	1	–	–	–	–	1	1	2	5	–	–	–	–	–	–	–	–	–	1	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	510	–	–	–	1	1	–	17	99	175	150	67	205	1	–	–	–	1	2	9	31	73	58	31
White	505	–	–	–	1	1	–	17	99	174	148	65	199	1	–	–	–	–	2	6	30	71	58	31
All other	5	–	–	–	–	–	–	–	–	1	2	2	6	–	–	–	–	1	–	2	1	2	–	–
Black	5	–	–	–	–	–	–	–	–	1	2	2	5	–	–	–	–	–	–	2	1	2	–	–
Bronchitis, chronic and unspecified (490-491)	27	–	–	–	–	–	–	2	6	9	4	6	13	–	–	–	–	–	–	–	4	3	5	1
White	26	–	–	–	–	–	–	2	6	9	4	5	13	–	–	–	–	–	–	–	4	3	5	1
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	149	–	–	–	–	–	–	9	26	52	49	13	32	–	–	–	–	–	1	3	6	13	5	4
White	147	–	–	–	–	–	–	9	26	51	48	13	32	–	–	–	–	–	1	3	6	13	5	4
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	12	-	-	-	1	1	-	1	3	3	2	1	18	1	-	-	-	-	1	-	1	6	6	3
White	12	-	-	-	1	1	-	1	3	3	2	1	18	1	-	-	-	-	1	-	1	6	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	322	-	1	-	-	-	-	5	64	111	95	47	142	-	-	-	-	1	-	5	20	51	42	23
White	320	-	1	-	-	-	-	5	64	111	94	45	136	-	-	-	-	-	-	3	19	49	42	23
All other	2	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	1	-	2	1	2	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	2	1	2	-	-
Ulcer of stomach and duodenum (531-533)	22	-	-	-	-	1	1	3	1	6	6	4	36	-	-	-	-	-	-	2	2	7	13	12
White	20	-	-	-	-	-	-	3	1	6	6	4	35	-	-	-	-	-	-	2	2	6	13	12
All other	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	3	-	-	-	1	-	-	-	-	1	1	-	4	-	1	-	-	-	-	-	1	-	2	-
White	3	-	-	-	1	-	-	-	-	1	1	-	4	-	1	-	-	-	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	-	-	-	-	-	-	1	2	3	6	6	44	3	-	-	-	-	1	1	6	6	13	14
White	20	-	-	-	-	-	-	1	2	3	6	6	43	3	-	-	-	-	1	1	6	6	12	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	175	-	-	-	-	6	26	39	48	41	13	2	109	-	-	-	-	4	12	32	26	20	14	1
White	162	-	-	-	-	5	20	35	47	40	13	2	100	-	-	-	-	4	10	28	24	20	13	1
All other	13	-	-	-	-	1	6	4	1	1	-	-	9	-	-	-	-	-	2	4	2	-	1	-
Black	10	-	-	-	-	1	4	4	1	-	-	-	7	-	-	-	-	-	1	3	2	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	22	-	-	-	-	-	-	-	3	4	8	7	17	-	-	-	-	-	-	1	1	3	6	6
White	22	-	-	-	-	-	-	-	3	4	8	7	17	-	-	-	-	-	-	1	1	3	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	63	1	-	-	-	2	3	-	10	12	22	13	80	-	-	-	-	1	2	4	11	13	26	23
White	59	1	-	-	-	2	2	-	9	11	21	13	78	-	-	-	-	1	2	3	11	12	26	23
All other	4	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	-	5	-	1	13	-	-	-	-	-	-	1	2	2	7	1
White	6	-	-	-	-	-	-	-	-	5	-	1	13	-	-	-	-	-	-	1	2	2	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	58	1	-	-	-	2	3	-	10	8	22	12	64	-	-	-	-	1	2	3	8	11	18	21
White	52	1	-	-	-	2	2	-	9	5	21	12	62	-	-	-	-	1	2	2	8	10	18	21
All other	4	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Infections of kidney (590)	9	-	-	-	-	-	1	-	-	-	5	3	8	-	-	-	-	-	-	-	-	2	2	4
White	8	-	-	-	-	-	1	-	-	-	4	3	8	-	-	-	-	-	-	-	-	2	2	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	3	3	***	***	***	***	***	***	***	***	***	***	***	***
White	6	-	-	-	-	-	-	-	-	-	3	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	-	2	1	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	-	1	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	92	64	16	4	2	2	-	-	4	-	-	-	71	42	8	-	3	3	1	5	1	5	-	3
White	91	63	16	4	2	2	-	-	4	-	-	-	65	39	8	-	1	3	1	5	1	4	-	3
All other	1	1	-	-	-	-	-	-	-	-	-	-	6	3	-	-	2	-	-	-	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	5	2	-	-	2	-	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	114	113	-	1	-	-	-	-	-	-	-	-	111	109	2	-	-	-	-	-	-	-	-	-
White	104	104	-	-	-	-	-	-	-	-	-	-	100	98	2	-	-	-	-	-	-	-	-	-
All other	10	9	-	1	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	10	9	-	1	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	35	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	33	33	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	79	78	-	1	-	-	-	-	-	-	-	-	78	76	2	-	-	-	-	-	-	-	-	-
White	71	71	-	-	-	-	-	-	-	-	-	-	73	71	2	-	-	-	-	-	-	-	-	-
All other	8	7	-	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	8	7	-	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	127	49	3	1	11	11	7	4	7	13	10	11	121	43	7	1	3	5	3	6	7	11	13	22
White	115	46	2	-	11	7	5	4	7	12	10	11	105	38	4	-	2	4	3	4	7	9	13	21
All other	12	3	1	1	-	4	2	-	-	1	-	-	16	5	3	1	1	1	-	2	-	2	-	1
Black	12	3	1	1	-	4	2	-	-	1	-	-	13	3	3	1	1	1	-	2	-	2	-	-
All other diseases (Residual)	633	15	7	8	11	25	34	49	100	142	147	95	577	12	7	8	22	11	12	36	65	109	168	129
White	605	13	6	8	9	24	30	47	97	137	141	93	554	12	7	6	22	9	10	33	61	106	160	128
All other	28	2	1	-	2	1	4	2	3	5	6	2	23	-	-	2	-	2	2	3	4	3	6	1
Black	25	2	1	-	1	1	3	2	3	5	5	2	17	-	-	2	-	2	1	1	4	2	4	1
Accidents and adverse effects (E800-E949)	1,007	5	28	44	294	234	122	81	77	52	45	24	384	5	18	19	90	50	38	29	28	31	39	39
White	966	4	26	42	281	220	117	79	77	51	45	23	371	5	18	18	88	49	32	28	27	29	38	39
All other	41	1	2	2	13	14	5	2	-	1	-	1	13	-	-	1	2	1	4	1	1	2	1	-
Black	25	1	-	1	9	8	3	1	-	1	-	1	10	-	-	1	1	1	3	1	1	2	-	-
Motor vehicle accidents (E810-E825)	521	2	5	20	192	144	59	43	29	16	7	3	181	2	5	12	69	34	24	11	7	8	6	4
White	499	2	4	19	183	136	55	43	29	15	7	3	175	2	5	11	66	34	21	11	7	8	6	4
All other	22	-	1	1	9	6	4	-	-	1	-	-	6	-	-	1	2	-	3	-	-	-	-	-
Black	11	-	-	-	6	2	2	-	-	1	-	-	4	-	-	1	1	-	2	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	486	3	23	24	102	90	63	38	48	38	38	21	203	3	13	7	22	16	12	18	21	23	33	35
White	467	2	22	23	98	82	62	36	48	38	38	20	198	3	13	7	22	15	11	17	20	21	32	35
All other	19	1	1	1	4	8	1	2	-	-	-	1	7	-	-	-	-	1	1	1	1	2	1	-
Black	14	1	-	1	3	6	1	1	-	-	-	1	6	-	-	-	-	1	1	1	1	2	-	-
Suicide (E950-E959)	391	...	...	2	67	106	64	42	48	21	18	3	109	...	...	1	10	23	23	19	17	10	5	1
White	377	...	...	2	61	101	62	42	47	21	18	3	107	...	...	1	10	23	22	19	16	10	5	1
All other	14	...	...	-	6	5	2	-	1	-	-	-	2	...	...	-	-	-	1	-	1	-	-	-
Black	11	...	...	-	3	5	2	-	1	-	-	-	2	...	...	-	-	-	1	-	1	-	-	-
Homicide and legal intervention (E960-E978)	107	2	2	1	38	33	16	10	3	1	-	-	47	-	-	3	14	12	11	-	2	3	1	1
White	84	2	2	-	31	25	12	8	3	1	-	-	38	-	-	3	11	9	8	-	2	3	1	1
All other	23	-	-	1	7	8	4	2	-	-	-	-	9	-	-	-	3	3	3	-	-	-	-	-
Black	22	-	-	1	6	8	4	2	-	-	-	-	9	-	-	-	3	3	3	-	-	-	-	-
All other external causes (E980-E999)	41	-	1	1	11	4	13	6	4	-	1	-	15	1	-	-	1	4	3	2	2	-	2	-
White	38	-	1	1	11	4	11	6	4	-	1	-	12	-	-	-	1	2	3	2	2	-	2	-
All other	3	-	1	-	-	-	2	-	-	-	-	-	3	1	-	-	-	2	-	-	-	-	-	-
Black	3	-	1	-	-	-	2	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	13,766	263	36	61	432	329	403	1,079	2,447	3,612	3,293	1,809	12,287	207	23	52	121	148	259	606	1,464	2,492	3,682	3,289
White	13,046	207	27	52	407	277	345	956	2,302	3,481	3,218	1,773	11,729	158	17	47	115	119	217	549	1,374	2,324	3,587	3,224
All other	720	56	9	9	25	52	58	123	145	131	75	36	558	51	6	5	6	29	42	58	90	168	95	65
Black	699	54	9	9	25	52	58	120	140	125	74	33	540	50	6	5	6	28	41	57	89	168	91	65
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	3	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	9	-	-	-	-	-	-	-	1	3	3	2	3	-	-	-	-	-	-	-	-	2	-	1
White	6	-	-	-	-	-	-	-	1	3	3	1	3	-	-	-	-	-	-	-	-	2	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
White	5	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	64	1	-	1	-	-	1	5	8	16	19	13	58	-	-	-	1	2	1	1	4	17	16	16
White	56	1	-	1	-	-	-	5	8	13	18	12	49	-	-	-	1	2	-	1	2	15	14	14
All other	8	-	-	-	-	-	1	-	-	3	1	1	9	-	-	-	-	-	1	-	2	2	2	2
Black	8	-	-	-	-	-	1	-	-	3	1	1	9	-	-	-	-	-	1	-	2	2	2	2
Acute poliomyelitis (045)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	2	-	-	-	-	8	-	1	-	-	-	2	1	1	2	1	-
White	2	-	-	-	-	-	-	2	-	-	-	-	7	-	1	-	-	-	1	1	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	24	1	1	-	-	2	1	4	3	5	6	1	30	2	1	3	-	1	-	2	3	6	6	6
White	23	1	1	-	-	1	1	4	3	5	6	1	29	2	1	3	-	1	-	2	3	5	6	6
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,308	1	4	10	26	34	73	309	754	1,068	756	273	2,885	-	2	10	9	32	94	307	659	794	700	288
White	3,117	1	3	8	25	32	64	271	699	1,019	729	266	2,764	-	2	8	8	25	83	286	623	764	683	281
All other	191	-	1	2	1	2	9	38	55	49	27	7	121	-	-	2	1	6	11	21	30	30	17	2
Black	183	-	1	2	1	2	9	37	52	46	27	6	114	-	-	2	1	5	11	20	29	27	16	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	125	-	-	-	1	-	3	28	27	36	23	7	48	-	-	-	-	-	2	5	16	13	8	4
White	118	-	-	-	1	-	3	24	25	36	22	7	43	-	-	-	-	-	-	3	15	13	8	4
All other	7	-	-	-	-	-	-	4	2	-	1	-	5	-	-	-	-	-	2	2	1	-	-	-
Black	7	-	-	-	-	-	-	4	2	-	1	-	5	-	-	-	-	-	2	2	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	963	-	-	-	1	2	19	85	204	330	233	89	859	-	-	1	-	2	14	53	155	242	267	124
White	906	-	-	-	1	1	15	71	192	312	226	88	821	-	-	1	-	2	11	49	148	230	259	123
All other	57	-	-	-	-	1	4	14	12	18	7	1	38	-	-	-	-	-	3	4	9	12	8	1
Black	52	-	-	-	-	1	4	13	10	16	7	1	35	-	-	-	-	-	3	4	9	10	7	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,007	-	-	1	-	3	23	106	222	363	185	34	419	-	-	-	1	2	11	56	112	154	67	16
White	944	-	-	1	-	3	18	96	206	344	182	34	405	-	-	-	1	2	10	52	109	149	66	16
All other	63	-	-	-	-	-	5	10	26	19	3	-	14	-	-	-	-	-	1	4	3	5	1	-
Black	61	-	-	-	-	-	5	10	25	18	3	-	14	-	-	-	-	-	1	4	3	5	1	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	4	-	-	-	535	-	-	-	-	7	31	85	152	126	98	36
White	4	-	-	-	-	-	-	-	4	-	-	-	512	-	-	-	-	6	27	79	145	123	96	36
All other	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	1	4	6	7	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	1	4	6	7	3	2	-
Malignant neoplasms of genital organs (179-187)	370	-	-	-	1	3	2	5	37	105	154	63	320	-	-	-	1	2	9	39	82	85	78	24
White	349	-	-	-	1	3	2	4	33	99	148	61	307	-	-	-	-	-	9	39	77	83	76	23
All other	21	-	-	-	-	-	-	1	4	6	6	2	13	-	-	-	1	2	-	-	5	2	2	1
Black	20	-	-	-	-	-	-	1	4	6	6	1	13	-	-	-	1	2	-	-	5	2	2	1
Malignant neoplasms of urinary organs (188-189)	181	-	1	1	-	2	4	11	39	64	41	18	101	-	-	-	-	-	2	9	21	20	33	16
White	167	-	-	1	-	2	4	10	35	60	38	17	97	-	-	-	-	-	2	8	20	20	31	16
All other	14	-	1	-	-	-	-	1	4	4	3	1	4	-	-	-	-	-	-	1	1	-	2	-
Black	14	-	1	-	-	-	-	1	4	4	3	1	4	-	-	-	-	-	-	1	1	-	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	364	1	2	-	9	12	16	52	62	97	68	25	355	-	2	4	4	10	15	38	66	99	76	39
White	346	1	2	-	9	11	16	44	78	96	65	24	345	-	2	3	4	9	14	35	63	89	77	39
All other	18	-	-	-	-	1	-	8	4	1	3	1	10	-	-	1	-	1	1	3	3	-	1	-
Black	18	-	-	-	-	1	-	8	4	1	3	1	9	-	-	1	-	1	1	2	3	-	1	-
Leukemia (204-208)	135	-	1	7	10	6	1	6	33	27	27	17	94	-	-	5	1	7	4	10	14	16	26	11
White	130	-	1	5	9	6	1	6	32	27	26	17	87	-	-	4	1	6	4	9	14	14	25	11
All other	5	-	-	2	1	-	-	-	1	-	1	-	7	-	-	1	-	1	-	1	-	2	1	-
Black	5	-	-	2	1	-	-	-	1	-	1	-	6	-	-	1	-	1	-	1	-	2	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	159	-	-	1	4	6	5	16	36	46	25	20	154	-	-	-	2	2	6	12	35	39	45	13
White	153	-	-	1	4	6	5	16	34	45	24	18	147	-	-	-	2	2	6	12	34	33	45	13
All other	6	-	-	-	-	-	-	-	2	1	1	2	7	-	-	-	-	-	-	-	1	6	-	-
Black	6	-	-	-	-	-	-	-	2	1	1	2	5	-	-	-	-	-	-	-	-	5	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	45	1	-	1	3	1	-	4	11	9	8	7	65	1	-	-	2	-	1	4	6	23	21	7
White	43	1	-	1	3	1	-	3	10	9	8	7	64	1	-	-	2	-	1	4	6	23	20	7
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	178	-	-	1	2	1	1	10	30	48	62	23	251	-	-	1	-	3	3	6	29	68	93	48
White	168	-	-	1	2	1	-	8	28	47	58	23	234	-	-	1	-	1	1	4	27	62	91	47
All other	10	-	-	-	-	-	1	2	2	1	4	-	17	-	-	-	-	2	2	2	2	6	2	1
Black	9	-	-	-	-	-	1	2	2	1	3	-	15	-	-	-	-	2	2	2	2	6	1	-
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	1	1	3	1	3	12	-	-	-	-	2	-	-	2	1	3	4
White	8	-	-	-	-	-	-	1	1	2	1	3	11	-	-	-	-	2	-	-	2	1	3	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	11	-	-	-	-	1	-	2	-	3	3	2	23	-	-	1	-	-	1	1	1	6	5	8
White	9	-	-	-	-	1	-	1	-	3	2	2	21	-	-	1	-	-	1	1	1	6	5	8
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-
Meningitis (320-322)	7	3	1	1	-	-	-	-	-	2	-	-	6	3	-	-	-	-	-	-	1	-	2	-
White	6	2	1	1	-	-	-	-	-	2	-	-	5	2	-	-	-	-	-	-	1	-	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	6,654	13	3	5	16	29	120	492	1,159	1,827	1,865	1,124	6,535	3	2	1	3	15	58	131	500	1,133	2,285	2,403
White	6,425	10	3	3	13	22	103	455	1,110	1,769	1,835	1,102	6,295	1	2	1	3	11	49	110	460	1,081	2,223	2,354
All other	229	3	-	2	3	7	17	37	49	58	30	22	240	2	-	-	-	4	9	21	40	52	62	49
Black	218	2	-	2	3	7	17	35	47	55	30	20	235	2	-	-	-	4	9	21	40	50	60	49

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,330	11	3	2	9	14	105	438	999	1,527	1,395	828	4,776	1	2	–	3	8	37	95	397	891	1,645	1,696
White	5,161	9	3	–	7	12	90	407	965	1,486	1,373	809	4,602	–	2	–	3	5	30	82	366	856	1,600	1,656
All other	169	2	–	2	2	2	15	31	34	41	22	17	174	1	–	–	–	3	7	13	31	35	45	38
Black	161	2	–	2	2	2	15	29	33	39	22	15	171	1	–	–	–	3	7	13	31	34	44	36
Rheumatic fever and rheumatic heart disease (390-398)	51	–	–	–	–	–	1	6	18	13	10	1	86	–	–	–	1	–	2	3	12	35	25	8
White	49	–	–	–	–	–	1	7	17	13	10	1	83	–	–	–	1	–	2	2	11	35	24	8
All other	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	1	1	–	1	–
Hypertensive heart disease (402)	101	–	–	–	–	–	5	14	15	32	26	9	168	–	–	–	–	1	2	3	17	44	57	44
White	92	–	–	–	–	–	2	10	15	31	25	9	155	–	–	–	–	–	1	–	15	42	55	43
All other	9	–	–	–	–	–	3	4	–	1	1	–	13	–	–	–	–	1	2	3	2	2	2	1
Black	9	–	–	–	–	–	3	4	–	1	1	–	13	–	–	–	–	1	2	3	2	2	2	1
Hypertensive heart and renal disease (404)	13	–	–	–	–	–	1	–	1	1	6	4	29	–	–	–	–	–	1	–	1	7	7	13
White	12	–	–	–	–	–	–	–	1	1	6	4	27	–	–	–	–	–	1	–	–	6	7	13
All other	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Ischemic heart disease (410-414)	4,256	–	–	1	1	9	82	343	806	1,228	1,120	665	3,638	–	–	–	–	–	19	62	290	656	1,261	1,349
White	4,150	–	–	–	1	8	74	323	788	1,198	1,104	654	3,524	–	–	–	–	–	17	55	271	634	1,228	1,319
All other	106	–	–	1	–	1	8	20	18	30	16	11	114	–	–	–	–	–	2	7	19	22	33	30
Black	98	–	–	1	–	1	8	18	17	28	16	9	112	–	–	–	–	–	2	7	19	22	32	30
Acute myocardial infarction (410)	2,348	–	–	1	1	6	54	247	542	734	548	214	1,619	–	–	–	–	–	13	46	210	399	572	378
White	2,289	–	–	–	1	6	49	233	531	721	537	211	1,564	–	–	–	–	–	12	40	199	389	556	368
All other	59	–	–	1	–	–	5	14	11	13	11	3	55	–	–	–	–	–	1	6	11	10	16	10
Black	55	–	–	1	–	–	5	14	10	11	11	3	53	–	–	–	–	–	1	6	11	10	15	10
Other acute and subacute forms of ischemic heart disease (411)	7	–	–	–	–	–	–	2	1	2	1	1	5	–	–	–	–	–	–	–	2	1	2	–
White	6	–	–	–	–	–	–	1	1	2	1	1	5	–	–	–	–	–	–	–	2	1	2	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	3	–	–	5	–	–	–	–	–	–	–	1	–	3	1
White	3	–	–	–	–	–	–	–	–	3	–	–	5	–	–	–	–	–	–	–	1	–	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,898	–	–	–	–	3	28	94	263	492	568	450	2,009	–	–	–	–	–	6	16	77	256	684	970
White	1,852	–	–	–	–	2	25	89	256	475	563	442	1,950	–	–	–	–	–	5	15	69	244	667	950
All other	46	–	–	–	–	1	3	5	7	17	5	8	59	–	–	–	–	–	1	1	8	12	17	20
Black	42	–	–	–	–	1	3	3	7	17	5	6	59	–	–	–	–	–	1	1	8	12	17	20
Other diseases of endocardium (424)	38	1	–	–	–	–	–	2	7	13	10	5	48	–	–	–	–	–	–	–	6	10	17	15
White	38	1	–	–	–	–	–	2	7	13	10	5	48	–	–	–	–	–	–	–	5	10	17	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
All other forms of heart disease (415-423,425-429)	871	10	3	1	8	5	16	71	152	240	223	142	807	1	2	–	2	7	13	27	71	139	278	267
White	820	8	3	–	6	4	13	65	137	230	218	136	767	–	2	–	2	5	10	25	64	129	269	261
All other	51	2	–	1	2	1	3	6	15	10	5	6	40	1	–	–	–	2	3	2	7	10	9	6
Black	51	2	–	1	2	1	3	6	15	10	5	6	39	1	–	–	–	2	3	2	7	9	9	6
Hypertension with or without renal disease (401,409)	53	–	–	–	–	1	2	4	9	13	13	11	61	–	–	–	–	–	1	5	8	16	15	15
White	47	–	–	–	–	–	1	3	7	12	13	11	54	–	–	–	–	–	1	3	6	15	14	14
All other	6	–	–	–	–	1	1	1	2	1	–	–	7	–	–	–	–	–	–	2	2	–	1	2
Black	6	–	–	–	–	1	1	1	2	1	–	–	7	–	–	–	–	–	–	2	2	–	1	2
Cerebrovascular diseases (430-438)	860	2	–	3	7	10	9	36	95	182	322	194	1,319	2	–	1	–	4	18	25	70	175	505	519
White	825	1	–	3	6	9	8	32	88	169	318	191	1,271	1	–	1	–	4	16	20	68	162	491	519
All other	35	1	–	–	1	1	1	4	7	13	4	3	48	1	–	–	–	–	2	5	7	13	14	6
Black	32	–	–	–	1	1	1	4	6	12	4	3	46	1	–	–	–	–	2	5	7	12	13	6
Intracerebral and other intracranial hemorrhage (431-432)	148	1	–	1	3	1	3	10	34	37	47	11	164	2	–	1	–	1	5	11	23	24	50	47
White	139	1	–	1	2	1	2	10	32	34	47	9	155	1	–	1	–	1	4	8	21	23	49	47
All other	9	–	–	–	1	–	1	–	2	3	–	2	9	1	–	–	–	–	1	3	2	1	1	–
Black	7	–	–	–	1	–	1	–	1	2	–	2	9	1	–	–	–	–	1	3	2	1	1	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	219	–	–	–	–	–	–	6	11	47	64	71	353	–	–	–	–	1	1	2	9	43	146	151
White	216	–	–	–	–	–	–	6	10	46	63	71	343	–	–	–	–	1	1	2	8	40	144	148
All other	3	–	–	–	–	–	–	–	1	1	1	–	10	–	–	–	–	–	–	–	3	3	2	2
Black	3	–	–	–	–	–	–	–	1	1	1	–	10	–	–	–	–	–	–	–	3	3	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	1	-	-	2	-	7	-	-	-	-	-	-	-	1	1	3	2
White	3	-	-	-	-	-	-	1	-	-	2	-	6	-	-	-	-	-	-	-	-	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	490	1	-	2	4	9	6	19	50	98	189	112	795	-	-	-	-	2	12	12	37	107	306	319
White	467	-	-	2	4	8	6	15	46	89	186	111	767	-	-	-	-	2	11	10	36	98	295	315
All other	23	1	-	-	-	1	-	4	4	9	3	1	28	-	-	-	-	-	1	2	1	9	11	4
Black	22	-	-	-	-	1	-	4	4	9	3	1	26	-	-	-	-	-	1	2	1	8	10	4
Atherosclerosis (440)	206	-	-	-	-	-	3	3	23	41	73	63	259	-	-	-	-	-	-	2	12	26	78	141
White	196	-	-	-	-	-	3	3	18	41	69	62	254	-	-	-	-	-	-	1	12	24	77	140
All other	10	-	-	-	-	-	-	-	5	-	4	1	5	-	-	-	-	-	-	1	-	2	1	1
Black	10	-	-	-	-	-	-	-	5	-	4	1	5	-	-	-	-	-	-	1	-	2	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	205	-	-	-	-	4	1	11	33	64	62	30	120	-	-	-	-	3	2	4	13	25	42	31
White	196	-	-	-	-	1	1	10	32	61	62	29	114	-	-	-	-	2	2	4	13	23	41	29
All other	9	-	-	-	-	3	-	1	1	3	-	1	6	-	-	-	-	1	-	-	-	2	1	2
Black	9	-	-	-	-	3	-	1	1	3	-	1	6	-	-	-	-	1	-	-	-	2	1	2
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	2	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	322	1	1	1	1	5	3	11	28	75	88	108	310	1	-	1	2	3	5	5	14	32	85	162
White	308	1	1	1	1	3	1	9	25	74	87	107	288	1	-	1	2	2	3	3	13	31	85	157
All other	14	1	1	-	-	2	2	2	3	1	1	1	12	-	-	-	-	1	2	2	1	1	-	5
Black	14	1	1	-	-	2	2	2	3	1	1	1	11	-	-	-	-	1	2	2	1	1	-	4
Pneumonia (480-488)	320	1	1	1	1	5	3	11	28	74	88	107	309	1	-	1	2	3	5	5	13	32	85	162
White	306	1	1	1	1	3	1	9	25	73	87	106	297	1	-	1	2	2	3	3	12	31	85	157
All other	14	1	1	-	-	2	2	2	3	1	1	1	12	-	-	-	-	1	2	2	1	1	-	5
Black	14	1	1	-	-	2	2	2	3	1	1	1	11	-	-	-	-	1	2	2	1	1	-	4
Influenza (487)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	467	-	-	2	-	-	-	14	68	163	151	68	198	-	-	-	1	2	-	2	8	29	61	66	29
White	460	-	-	2	-	-	-	14	65	160	150	68	195	-	-	-	1	1	-	2	8	29	60	66	28
All other	7	-	-	-	-	-	-	-	3	3	1	-	3	-	-	-	-	1	-	-	-	-	1	-	1
Black	7	-	-	-	-	-	-	-	3	3	1	-	3	-	-	-	-	1	-	-	-	-	1	-	1
Bronchitis, chronic and unspecified (490-491)	35	-	-	1	-	-	-	-	7	9	16	2	10	-	-	-	1	-	-	-	-	1	3	3	2
White	35	-	-	1	-	-	-	-	7	9	16	2	10	-	-	-	1	-	-	-	-	1	3	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	99	-	-	-	-	-	-	5	19	42	25	6	42	-	-	-	-	-	-	1	4	18	15	4
White	97	-	-	-	-	-	-	5	17	42	25	6	42	-	-	-	-	-	-	1	4	18	15	4
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	9	-	-	1	-	-	-	1	-	1	6	-	23	-	-	-	-	1	-	1	2	4	7	5	3
White	9	-	-	1	-	-	-	1	-	1	6	-	21	-	-	-	-	1	-	1	2	4	6	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	324	-	-	-	-	-	-	8	42	111	104	58	123	-	-	-	-	1	-	1	5	20	33	43	20
White	319	-	-	-	-	-	-	8	41	108	103	58	122	-	-	-	-	1	-	1	5	20	33	43	19
All other	5	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum (531-533)	24	-	-	-	-	-	1	1	3	6	10	3	27	-	-	-	-	-	-	1	2	3	15	6
White	24	-	-	-	-	-	1	1	3	6	10	3	26	-	-	-	-	-	-	1	1	3	15	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Appendicitis (540-543)	4	-	-	1	1	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	3	-	-	1	1	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	-	-	-	-	1	1	1	1	6	10	-	38	-	-	-	-	-	-	-	-	3	6	16	13
White	20	-	-	-	-	1	1	1	1	6	10	-	37	-	-	-	-	-	-	-	-	3	6	15	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	289	–	–	–	1	3	35	52	93	83	17	5	153	–	–	1	–	2	14	31	59	27	16	3
White	270	–	–	–	1	3	26	48	87	83	17	5	142	–	–	1	–	–	13	28	55	27	15	3
All other	19	–	–	–	–	–	9	4	6	–	–	–	11	–	–	–	–	2	1	3	4	–	1	–
Black	19	–	–	–	–	–	9	4	6	–	–	–	11	–	–	–	–	2	1	3	4	–	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	18	–	–	–	–	–	–	–	1	4	4	7	29	–	–	–	–	–	–	3	2	6	8	10
White	18	–	–	–	–	–	–	–	1	4	4	7	26	–	–	–	–	–	–	2	2	5	8	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	97	1	2	1	1	1	1	5	21	20	23	21	100	–	–	1	–	2	2	4	8	20	28	35
White	88	1	2	1	1	1	–	4	16	20	21	21	91	–	–	1	–	2	2	4	7	15	27	33
All other	9	–	–	–	–	–	1	1	5	–	2	–	9	–	–	–	–	–	–	–	1	5	1	2
Black	9	–	–	–	–	–	1	1	5	–	2	–	9	–	–	–	–	–	–	–	1	5	1	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	–	2	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	5	–	2	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	–	–	–	–	–	–	–	5	4	2	2	15	–	–	–	–	–	–	–	2	1	9	3
White	10	–	–	–	–	–	–	–	2	4	2	2	15	–	–	–	–	–	–	–	2	1	9	3
All other	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	78	1	–	1	1	1	1	4	14	16	20	19	85	–	–	1	–	2	2	4	8	19	19	32
White	73	1	–	1	1	1	–	4	12	16	18	19	76	–	–	1	–	2	2	4	5	14	18	30
All other	5	–	–	–	–	–	1	–	2	–	2	–	9	–	–	–	–	–	–	–	1	5	1	2
Black	5	–	–	–	–	–	1	–	2	–	2	–	9	–	–	–	–	–	–	–	1	5	1	2
Infections of kidney (590)	10	–	–	–	–	–	–	–	2	2	–	6	14	–	–	–	–	–	1	–	1	1	3	8
White	10	–	–	–	–	–	–	–	2	2	–	6	13	–	–	–	–	–	1	–	–	1	3	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hyperplasia of prostate (600)	15	–	–	–	–	–	–	–	–	2	5	8	***	***	***	***	***	***	***	***	***	***	***	***
White	13	–	–	–	–	–	–	–	–	2	4	7	***	***	***	***	***	***	***	***	***	***	***	***
All other	2	–	–	–	–	–	–	–	–	–	1	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	2	–	–	–	–	–	–	–	–	–	1	1	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	3	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	3	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	3	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	3	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Congenital anomalies (740-759)	68	48	4	2	5	2	–	1	4	1	1	–	93	57	4	4	2	3	3	3	4	7	4	2
White	63	44	3	2	5	2	–	1	4	1	1	–	83	49	3	4	2	2	3	3	4	7	4	2
All other	5	4	1	–	–	–	–	–	–	–	–	–	10	8	1	–	–	1	–	–	–	–	–	–
Black	4	3	1	–	–	–	–	–	–	–	–	–	9	7	1	–	–	1	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	156	155	1	–	–	–	–	–	–	–	–	–	118	118	–	–	–	–	–	–	–	–	–	–
White	119	118	1	–	–	–	–	–	–	–	–	–	84	84	–	–	–	–	–	–	–	–	–	–
All other	37	37	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
Black	37	37	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	40	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
White	30	30	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
All other	10	10	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	10	10	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	116	115	1	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-
White	89	88	1	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	153	28	1	2	22	30	15	6	15	10	16	6	94	15	-	1	5	15	8	7	12	13	10	8
White	127	22	1	1	19	23	13	4	13	9	16	6	88	12	-	1	5	13	6	7	12	12	10	8
All other	26	6	-	1	3	7	2	4	2	1	-	-	6	3	-	-	-	2	2	-	-	1	-	-
Black	26	6	-	1	3	7	2	4	2	1	-	-	6	3	-	-	-	2	2	-	-	1	-	-
All other diseases (Residual)	726	5	5	7	19	16	35	72	138	169	173	87	754	4	4	7	10	16	27	52	79	150	230	175
White	670	4	3	7	18	15	31	53	125	161	168	85	717	3	3	7	10	12	21	45	72	147	223	174
All other	56	1	2	-	1	1	4	19	13	8	5	2	37	1	1	-	-	4	6	7	7	3	7	1
Black	56	1	2	-	1	1	4	19	13	8	5	2	37	1	1	-	-	4	6	7	7	3	7	1
Accidents and adverse effects (E800-E949)	755	3	11	22	258	125	68	46	71	63	55	35	350	2	6	17	63	28	16	28	33	40	59	58
White	707	2	8	19	251	113	62	40	65	59	54	34	333	1	3	15	63	26	14	26	32	37	58	58
All other	48	1	3	3	5	12	6	6	6	4	1	1	17	1	3	2	-	2	2	2	1	3	1	-
Black	48	1	3	3	5	12	6	6	6	4	1	1	16	1	3	2	-	2	2	1	1	3	1	-
Motor vehicle accidents (E810-E825)	443	1	6	10	208	94	44	21	27	22	10	2	144	-	2	10	55	21	10	16	10	10	6	4
White	430	1	5	10	206	88	42	19	26	21	10	2	139	-	1	9	55	19	10	15	10	10	6	4
All other	13	-	1	-	-	6	2	2	1	1	-	-	5	-	1	1	-	2	-	1	-	-	-	-
Black	13	-	1	-	-	6	2	2	1	1	-	-	4	-	1	1	-	2	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	312	2	5	12	50	31	24	25	44	41	45	33	206	2	4	7	8	7	6	12	23	30	53	54
White	277	1	3	9	45	25	20	21	39	38	44	32	194	1	2	6	8	7	4	11	22	27	52	54
All other	35	1	2	3	5	6	4	4	5	3	1	1	12	1	2	1	-	-	2	1	1	3	1	-
Black	35	1	2	3	5	6	4	4	5	3	1	1	12	1	2	1	-	-	2	1	1	3	1	-
Suicide (E950-E959)	201	...	...	2	44	36	31	21	29	18	14	4	67	...	...	-	7	10	15	9	13	9	3	1
White	194	...	...	2	42	37	30	19	29	17	14	4	64	...	...	-	7	10	14	9	13	7	3	1
All other	7	...	...	-	2	1	1	2	-	1	-	-	3	...	...	-	-	-	1	-	-	2	-	-
Black	7	...	...	-	2	1	1	2	-	1	-	-	2	...	...	-	-	-	-	-	-	2	-	-
Homicide and legal intervention (E960-E978)	100	1	-	1	29	35	15	13	3	4	-	-	38	1	1	3	10	10	4	3	2	2	2	-
White	61	-	-	-	18	16	11	9	3	4	-	-	28	-	-	3	8	6	2	3	2	2	2	-
All other	39	1	-	1	10	19	4	4	-	-	-	-	10	1	1	-	2	4	2	-	-	-	-	-
Black	39	1	-	1	10	19	4	4	-	-	-	-	10	1	1	-	2	4	2	-	-	-	-	-
All other external causes (E980-E999)	26	1	1	1	7	5	2	4	2	2	-	1	12	-	1	-	3	1	2	1	2	-	1	1
White	20	-	-	1	7	5	1	2	2	1	-	1	9	-	1	-	2	-	1	1	2	-	1	1
All other	6	1	1	-	-	-	1	2	-	1	-	-	3	-	-	-	1	1	1	-	-	-	-	-
Black	6	1	1	-	-	-	1	2	-	1	-	-	3	-	-	-	1	1	1	-	-	-	-	-
DELAWARE																								
All causes	2,676	66	10	24	76	64	109	229	505	728	536	286	2,221	66	7	9	28	26	63	159	304	446	603	506
White	2,241	50	5	14	66	63	82	185	424	618	477	257	1,865	38	5	6	20	13	39	121	248	367	544	464
All other	435	36	5	10	10	21	27	44	81	110	59	29	356	29	2	3	8	13	24	38	56	79	59	44
Black	429	36	5	10	10	21	26	42	80	109	58	29	353	29	2	3	8	13	24	38	56	77	59	43
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	1	-	-	3	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	5	-	-	-	-	-	1	-	-	3	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	5	-	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	13	-	-	-	-	-	2	-	1	4	6	-	20	-	-	-	-	-	1	1	3	9	4	2
White	10	-	-	-	-	-	1	-	1	3	5	-	15	-	-	-	-	-	-	1	3	6	3	2
All other	3	-	-	-	-	-	2	-	-	1	1	-	5	-	-	-	-	-	1	-	-	3	1	-
Black	3	-	-	-	-	-	2	-	-	1	-	-	5	-	-	-	-	-	1	-	-	3	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,038-041, 046-054,056-068,071-088, 098-139)	4	-	-	-	-	-	-	2	-	-	2	-	4	1	-	-	-	-	-	-	-	-	1	2
White	4	-	-	-	-	-	-	2	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	576	-	-	2	5	7	25	68	148	174	112	35	512	-	-	-	4	5	18	73	132	129	116	37
White	491	-	-	1	5	7	21	60	120	145	101	31	435	-	-	-	4	4	13	58	106	113	106	31
All other	85	-	-	1	-	-	4	8	28	29	11	4	77	-	-	-	-	1	5	15	26	16	10	6
Black	85	-	-	1	-	-	4	8	28	29	11	4	76	-	-	-	-	1	3	15	26	15	10	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	-	-	-	-	-	2	2	7	7	5	1	12	-	-	-	-	1	-	1	4	2	2	2
White	17	-	-	-	-	-	-	1	4	6	5	1	11	-	-	-	-	1	-	1	3	2	2	2
All other	7	-	-	-	-	-	2	1	3	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	-	-	-	-	-	2	1	3	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	141	-	-	-	-	-	4	21	38	48	22	8	132	-	-	-	-	-	4	5	32	41	39	11
White	117	-	-	-	-	-	3	15	31	39	22	7	113	-	-	-	-	-	2	5	27	34	36	9
All other	24	-	-	-	-	-	1	6	7	9	-	1	19	-	-	-	-	-	2	-	5	7	3	2
Black	24	-	-	-	-	-	1	6	7	9	-	1	18	-	-	-	-	-	2	-	5	6	3	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	208	-	-	-	-	2	9	24	73	80	29	11	82	-	-	-	-	1	-	16	23	30	10	2
White	175	-	-	-	-	2	8	23	67	48	27	10	70	-	-	-	-	1	-	11	20	27	10	1
All other	33	-	-	-	-	-	1	1	16	12	2	1	12	-	-	-	-	-	-	5	3	3	-	1
Black	33	-	-	-	-	-	1	1	16	12	2	1	12	-	-	-	-	-	-	5	3	3	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	110	-	-	-	-	1	6	21	31	24	14	13
White	-	-	-	-	-	-	-	-	-	-	-	-	93	-	-	-	-	1	6	17	26	23	9	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	4	5	1	5	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	4	5	1	5	2
Malignant neoplasms of genital organs (179-187)	61	-	-	-	-	-	-	1	6	18	28	8	48	-	-	-	-	-	2	12	13	9	8	4
White	47	-	-	-	-	-	-	1	5	14	20	7	33	-	-	-	-	-	2	7	6	7	8	3
All other	14	-	-	-	-	-	-	-	1	4	8	1	15	-	-	-	-	-	-	5	7	2	-	1
Black	14	-	-	-	-	-	-	-	1	4	8	1	15	-	-	-	-	-	-	5	7	2	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	36	-	-	-	-	-	-	6	5	9	13	3	19	-	-	-	-	-	-	4	4	5	6	-
White	34	-	-	-	-	-	-	6	4	9	13	2	17	-	-	-	-	-	-	4	3	4	6	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	49	-	-	-	-	2	3	6	9	16	9	2	61	-	-	-	1	1	3	9	12	13	20	2
White	47	-	-	-	-	2	3	6	9	15	8	2	55	-	-	-	1	1	2	9	9	11	20	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	1	-	3	2	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	1	-	3	2	-	-
Leukemia (204-208)	23	-	-	2	2	-	3	1	4	9	1	1	25	-	-	-	2	-	1	-	5	2	12	3
White	21	-	-	1	2	-	3	1	4	8	1	1	24	-	-	-	2	-	1	-	5	2	11	3
All other	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	-	-	-	3	3	4	5	6	7	5	1	23	-	-	-	1	1	-	5	8	3	5	-
White	33	-	-	-	3	3	4	5	6	6	5	1	19	-	-	-	1	-	-	4	7	3	4	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	-	1	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	-	1	1	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	-	-	-	-	1	-	-	2	2	-	10	-	-	-	-	1	-	2	-	3	3	1
White	4	-	-	-	-	-	-	-	-	2	2	-	8	-	-	-	-	1	-	2	-	1	3	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Diabetes mellitus (250)	50	-	-	-	-	1	2	2	14	17	11	3	70	-	-	1	1	-	-	3	6	19	21	19
White	40	-	-	-	-	1	2	2	11	14	7	3	58	-	-	-	-	-	-	-	6	17	17	18
All other	10	-	-	-	-	-	-	-	3	3	4	-	12	-	-	1	1	-	-	3	-	2	4	1
Black	9	-	-	-	-	-	-	-	3	3	3	-	12	-	-	1	1	-	-	3	-	2	4	1
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	1	-	1	-	3	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	2	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,285	2	1	4	4	11	30	100	247	378	309	198	1,167	2	-	-	3	3	18	41	108	212	383	394
White	1,107	2	1	3	3	8	23	79	210	326	272	182	1,012	2	-	-	1	2	9	29	92	189	346	362
All other	178	-	-	1	1	5	7	21	37	52	37	16	155	-	-	-	2	1	9	12	17	43	37	32
Black	175	-	-	1	1	5	7	20	36	51	37	16	153	-	-	-	2	1	9	12	17	42	37	31
Diseases of heart (390-398,402,404-429)	1,065	1	1	1	3	10	28	90	218	320	250	142	944	1	-	-	2	2	12	36	93	178	313	305
White	922	1	1	1	3	6	21	71	188	280	219	131	827	1	-	-	1	1	7	25	77	149	288	280
All other	143	-	-	-	-	4	7	19	30	40	31	11	117	-	-	-	1	1	5	11	16	29	27	25
Black	141	-	-	-	-	4	7	18	30	39	31	11	116	-	-	-	1	1	5	11	16	28	27	25
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	1	2	2	-	-	-	20	-	-	-	-	-	1	3	5	7	3	1
White	5	-	-	-	-	-	1	2	2	-	-	-	18	-	-	-	-	-	1	1	5	7	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Hypertensive heart disease (402)	47	-	-	-	-	-	1	6	14	15	6	3	80	-	-	-	-	-	-	6	9	14	32	19
White	36	-	-	-	-	-	1	3	12	11	6	3	68	-	-	-	-	-	-	5	7	10	28	18
All other	11	-	-	-	-	-	-	3	2	4	2	-	12	-	-	-	-	-	-	1	2	4	4	1
Black	11	-	-	-	-	-	-	3	2	4	2	-	12	-	-	-	-	-	-	1	2	4	4	1
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	-	2	1	1
White	3	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	667	-	-	-	-	7	15	64	145	213	145	77	449	-	-	-	1	1	6	16	60	97	151	117
White	602	-	-	-	-	4	13	52	130	199	131	73	407	-	-	-	-	-	5	13	51	85	145	108
All other	65	-	-	-	-	3	2	12	15	14	14	4	42	-	-	-	1	1	1	3	9	12	6	9
Black	63	-	-	-	-	3	2	11	15	13	14	4	41	-	-	-	1	1	1	3	9	11	6	9
Acute myocardial infarction (410)	471	-	-	-	-	6	13	52	115	155	92	37	283	-	-	-	1	1	3	11	48	72	98	49
White	429	-	-	-	-	3	11	42	101	146	85	35	257	-	-	-	-	-	2	9	41	63	95	47
All other	48	-	-	-	-	3	2	10	14	9	7	2	26	-	-	-	1	1	1	2	7	9	3	2
Black	47	-	-	-	-	3	2	10	14	8	7	2	25	-	-	-	1	1	1	2	7	8	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	194	-	-	-	-	1	2	12	30	57	53	39	165	-	-	-	-	-	3	5	12	25	52	66
White	177	-	-	-	-	1	2	10	29	52	46	37	149	-	-	-	-	-	3	4	10	22	49	61
All other	17	-	-	-	-	-	-	2	1	5	7	2	16	-	-	-	-	-	-	1	2	3	3	7
Black	16	-	-	-	-	-	-	1	1	5	7	2	16	-	-	-	-	-	-	1	2	3	3	7
Other diseases of endocardium (424)	7	-	-	-	-	-	-	1	2	2	1	1	12	-	-	-	-	-	-	2	-	3	5	2
White	7	-	-	-	-	-	-	1	2	2	1	1	9	-	-	-	-	-	-	1	-	1	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-
All other forms of heart disease (415-423,425-429)	336	1	1	1	3	3	11	17	55	90	95	59	378	1	-	-	1	1	5	9	19	55	121	165
White	269	1	1	1	3	2	8	13	42	68	80	52	321	1	-	-	1	1	1	5	14	44	104	150
All other	67	-	-	-	-	1	3	4	13	22	15	7	57	-	-	-	-	-	4	4	5	11	17	15
Black	67	-	-	-	-	1	5	4	13	22	15	7	57	-	-	-	-	-	4	4	5	11	17	15
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	-	-	4	3	2	15	-	-	-	-	-	-	-	2	4	3	6
White	6	-	-	-	-	-	-	-	-	2	3	1	13	-	-	-	-	-	-	-	2	2	3	6
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Cerebrovascular diseases (430-438)	159	1	-	3	1	1	2	10	28	38	40	37	166	1	-	-	1	1	6	5	11	28	57	56
White	132	1	-	2	-	-	2	8	20	28	36	35	137	1	-	-	1	1	2	4	10	16	50	59
All other	27	-	-	1	1	1	-	2	6	10	4	2	29	-	-	-	-	-	4	1	1	10	7	5
Black	26	-	-	1	1	1	-	2	5	10	4	2	28	-	-	-	1	-	4	1	1	10	7	4
Intracerebral and other intracranial hemorrhage (431-432)	34	1	-	1	1	-	2	3	6	11	4	5	27	-	-	-	-	-	1	2	-	4	6	10	4
White	27	1	-	-	-	-	2	3	3	9	4	5	23	-	-	-	-	-	1	-	-	4	4	10	4
All other	7	-	-	1	1	-	-	-	3	2	-	-	4	-	-	-	-	-	-	2	-	-	2	-	-
Black	6	-	-	1	1	-	-	-	2	2	-	-	4	-	-	-	-	-	-	2	-	-	2	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	-	-	1	-	-	-	2	6	7	6	5	35	1	-	-	-	-	-	-	2	3	16	12
White	24	-	-	1	-	-	-	2	6	5	5	5	29	1	-	-	-	-	-	-	1	1	15	11
All other	3	-	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	-	-	1	2	1	2
Black	3	-	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	-	-	1	2	1	2
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	95	-	-	1	-	1	-	5	14	18	30	26	104	-	-	-	1	-	4	5	5	17	31	41
White	78	-	-	1	-	-	-	3	11	12	27	24	85	-	-	-	-	-	2	4	5	11	25	36
All other	17	-	-	-	-	1	-	2	3	6	3	2	19	-	-	-	1	-	2	1	-	6	6	5
Black	17	-	-	-	-	1	-	2	3	6	3	2	18	-	-	-	1	-	2	1	-	6	6	2
Atherosclerosis (440)	24	-	-	-	-	-	-	-	-	4	8	12	28	-	-	-	-	-	-	-	1	-	7	20
White	20	-	-	-	-	-	-	-	-	4	6	10	25	-	-	-	-	-	-	-	1	-	5	19
All other	4	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	2	1
Black	4	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	2	1
Other diseases of arteries, arterioles, and capillaries (441-448)	28	-	-	-	-	-	-	-	3	12	8	5	14	-	-	-	-	-	-	-	2	4	3	5
White	27	-	-	-	-	-	-	-	2	12	8	5	10	-	-	-	-	-	-	-	2	2	2	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	44	1	1	-	1	1	-	2	4	14	12	8	25	-	-	1	-	-	1	2	1	3	12	5
White	30	-	-	-	-	-	-	-	1	12	11	6	20	-	-	1	-	-	-	1	-	2	11	5
All other	14	1	1	-	1	1	-	2	3	2	1	2	5	-	-	-	-	-	1	1	1	1	1	-
Black	14	1	1	-	1	1	-	2	3	2	1	2	5	-	-	-	-	-	1	1	1	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	44	1	1	–	1	1	–	2	4	14	12	8	25	–	–	1	–	–	1	2	1	3	12	5
White	30	–	–	–	–	–	–	1	12	11	6	20	–	–	1	–	–	–	1	–	2	11	5	
All other	14	1	1	–	1	1	–	2	3	2	1	2	5	–	–	–	–	–	1	1	1	1	1	–
Black	14	1	1	–	1	1	–	2	3	2	1	2	5	–	–	–	–	–	1	1	1	1	1	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	93	–	–	–	–	–	–	1	16	40	29	7	37	–	–	–	–	–	2	2	6	14	10	3
White	87	–	–	–	–	–	–	1	15	37	27	7	33	–	–	–	–	–	–	2	5	13	10	3
All other	6	–	–	–	–	–	–	–	1	3	2	–	4	–	–	–	–	–	2	–	1	1	–	–
Black	6	–	–	–	–	–	–	–	1	3	2	–	4	–	–	–	–	–	2	–	1	1	–	–
Bronchitis, chronic and unspecified (490-491)	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1	–
White	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	27	–	–	–	–	–	–	1	2	15	7	2	8	–	–	–	–	–	–	–	3	1	2	2
White	26	–	–	–	–	–	–	1	2	14	7	2	8	–	–	–	–	–	–	–	3	1	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	64	–	–	–	–	–	–	–	14	25	20	5	26	–	–	–	–	–	1	2	3	12	7	1
White	59	–	–	–	–	–	–	–	13	23	18	5	23	–	–	–	–	–	–	2	2	11	7	1
All other	5	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	1	–	1	1	–	–
Black	5	–	–	–	–	–	–	–	1	2	2	–	3	–	–	–	–	–	1	–	1	1	–	–
Ulcer of stomach and duodenum (531-533)	9	–	–	–	–	–	1	1	2	2	1	2	4	–	–	–	–	–	–	–	–	–	2	2
White	7	–	–	–	–	–	1	–	2	2	1	1	4	–	–	–	–	–	–	–	–	–	2	2
All other	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	–	–	–	1	–	–	–	1	1	–	3	10	–	–	–	–	–	–	–	1	2	4	3
White	4	–	–	–	1	–	–	–	1	–	–	2	9	–	–	–	–	–	–	–	1	1	4	3
All other	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Chronic liver disease and cirrhosis (571)	53	–	–	–	–	4	5	7	15	19	3	–	35	1	–	–	–	1	5	8	8	10	2	–
White	40	–	–	–	–	2	3	4	13	15	3	–	25	1	–	–	–	–	1	6	6	9	2	–
All other	13	–	–	–	–	2	2	3	2	4	–	–	10	–	–	–	–	1	4	2	2	1	–	–
Black	13	–	–	–	–	2	2	3	2	4	–	–	10	–	–	–	–	1	4	2	2	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	1	2	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	1	2	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	–	–	–	–	–	–	1	6	7	10	8	27	–	–	1	–	–	–	5	2	7	8	4
White	27	–	–	–	–	–	–	1	5	5	9	7	21	–	–	1	–	–	–	3	2	5	7	3
All other	5	–	–	–	–	–	–	–	1	2	1	1	6	–	–	–	–	–	–	2	–	2	1	1
Black	5	–	–	–	–	–	–	–	1	2	1	1	6	–	–	–	–	–	–	2	–	2	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	1	1	-	1	1	5	-	-	-	-	-	-	-	-	1	2	2
White	3	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	27	-	-	-	-	-	-	-	5	6	9	7	21	-	-	1	-	-	-	5	1	6	6	2
White	24	-	-	-	-	-	-	-	5	5	8	6	17	-	-	1	-	-	-	3	1	5	5	2
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	2	-	1	1	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	2	-	1	1	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	1	-	-	-	1	-	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-758)	18	13	-	1	1	2	-	1	1	-	-	-	19	12	1	-	-	-	2	1	3	-	-	-
White	12	9	-	1	-	-	-	1	1	-	-	-	15	9	1	-	-	-	2	1	3	-	-	-
All other	7	4	-	-	1	2	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Black	7	4	-	-	1	2	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	59	59	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	32	32	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	47	47	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	24	24	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	24	24	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	20	6	-	-	2	2	1	-	2	1	2	3	11	4	1	-	-	-	-	3	1	-	-	2
White	15	3	-	-	2	2	-	-	2	1	2	3	7	1	1	-	-	-	-	3	1	-	-	1
All other	5	3	-	-	-	-	1	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1
Black	5	3	-	-	-	-	1	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	141	3	1	2	2	6	9	15	26	43	21	12	116	1	2	1	4	3	3	8	24	22	24	24
White	114	2	1	2	2	5	7	11	22	34	19	9	97	-	1	1	4	-	2	6	18	19	21	22
All other	27	1	-	-	-	1	2	4	4	9	2	3	19	1	1	-	-	3	1	-	6	3	3	1
Black	27	1	-	-	-	1	2	4	4	9	2	3	19	1	1	-	-	3	1	-	6	3	3	1
Accidents and adverse effects (E800-E949)	171	1	6	14	41	33	17	20	13	14	7	5	65	3	2	5	6	6	9	3	3	6	12	6
White	137	1	2	6	37	30	13	15	11	11	7	4	49	1	2	3	3	2	7	2	2	6	12	7
All other	34	-	4	8	4	3	4	5	2	3	-	1	16	2	-	2	3	4	2	1	1	-	-	1
Black	33	-	4	8	4	3	4	4	2	3	-	1	16	2	-	2	3	4	2	1	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	89	1	–	4	29	27	9	6	5	5	3	–	27	–	1	1	8	4	8	–	2	4	3	–
White	79	1	–	3	26	26	7	5	3	5	3	–	18	–	1	–	3	–	6	–	2	4	3	–
All other	10	–	–	1	3	1	2	1	2	–	–	–	9	–	–	1	3	4	1	–	–	–	–	–
Black	10	–	–	1	3	1	2	1	2	–	–	–	9	–	–	1	3	4	1	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	82	–	6	10	12	6	8	14	8	9	4	5	38	3	1	4	–	2	3	3	1	4	9	8
White	58	–	2	3	11	4	6	10	8	6	4	4	31	1	1	3	–	2	2	2	–	4	9	7
All other	24	–	4	7	1	2	2	4	–	3	–	1	7	2	–	1	–	–	1	1	1	–	–	1
Black	23	–	4	7	1	2	2	3	–	3	–	1	7	2	–	1	–	–	1	1	1	–	–	1
Suicide (E950-E959)	54	...	...	–	13	9	9	8	7	7	2	–	11	...	...	–	5	–	4	2	–	–	–	–
White	51	...	...	–	12	8	7	8	7	7	2	–	10	...	...	–	4	–	4	2	–	–	–	–
All other	3	...	...	–	1	–	2	–	–	–	–	–	1	...	...	–	1	–	–	–	–	–	–	–
Black	3	...	...	–	1	–	2	–	–	–	–	–	1	...	...	–	1	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	21	–	–	–	4	8	5	1	1	1	1	–	17	1	1	–	1	5	2	3	2	2	–	–
White	12	–	–	–	3	2	4	1	1	–	1	–	8	–	1	–	1	3	1	1	–	1	–	–
All other	9	–	–	–	1	6	1	–	–	1	–	–	9	1	–	–	–	2	1	2	2	1	–	–
Black	9	–	–	–	1	6	1	–	–	1	–	–	9	1	–	–	–	2	1	2	2	1	–	–
All other external causes (E980-E999)	5	–	–	–	2	1	1	–	–	–	–	1	3	–	–	–	2	1	–	–	–	–	–	–
White	2	–	–	–	1	–	–	–	–	–	–	1	3	–	–	–	2	1	–	–	–	–	–	–
All other	3	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DISTRICT OF COLUMBIA																								
All causes	3,668	116	8	18	70	180	219	441	773	912	626	289	3,196	92	12	12	44	75	96	289	457	692	800	620
White	964	3	1	–	8	18	18	49	163	261	282	155	1,164	5	2	3	4	10	10	52	92	226	378	379
All other	2,704	113	7	18	62	162	201	392	610	651	344	134	2,032	87	10	9	40	65	86	237	365	466	422	241
Black	2,682	116	6	18	62	161	201	391	609	644	335	133	2,025	87	10	8	40	65	85	236	364	465	420	240
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	12	–	–	–	–	–	–	4	2	4	1	1	6	–	–	–	–	–	1	–	1	2	–	1	1
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	11	–	–	–	–	–	–	4	2	4	–	1	6	–	–	–	–	–	1	–	1	2	–	1	1
Black	11	–	–	–	–	–	–	4	2	4	–	1	6	–	–	–	–	–	1	–	1	2	–	1	1
Tuberculosis of respiratory system (010-012)	12	–	–	–	–	–	–	4	2	4	1	1	4	–	–	–	–	–	–	1	2	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	11	–	–	–	–	–	–	4	2	4	–	1	4	–	–	–	–	–	–	1	2	–	–	1
Black	11	–	–	–	–	–	–	4	2	4	–	1	4	–	–	–	–	–	–	1	2	–	–	1
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	29	–	–	–	–	–	–	2	8	9	6	4	37	1	–	–	–	–	–	2	4	11	8	11
White	4	–	–	–	–	–	–	–	2	1	1	–	12	–	–	–	–	–	–	1	–	4	2	5
All other	25	–	–	–	–	–	–	2	6	8	5	4	25	1	–	–	–	–	–	1	4	7	6	6
Black	25	–	–	–	–	–	–	2	6	8	5	4	25	1	–	–	–	–	–	1	4	7	6	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	3	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	9	1	-	-	-	1	1	2	-	2	2	-	4	-	-	-	-	-	1	1	1	-	-	1
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	7	1	-	-	-	1	1	2	-	1	1	-	4	-	-	-	-	-	1	1	1	-	-	1
Black	7	1	-	-	-	1	1	2	-	1	1	-	4	-	-	-	-	-	1	1	1	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	883	-	1	2	2	4	31	109	231	294	156	51	729	-	-	2	7	12	28	98	156	200	158	66
White	237	-	-	-	-	2	2	15	42	87	64	24	276	-	-	1	2	3	6	23	31	81	86	41
All other	646	-	1	2	2	2	29	94	189	207	92	27	453	-	-	1	5	9	22	75	125	119	72	24
Black	637	-	-	2	2	2	29	94	188	202	91	26	451	-	-	1	5	9	21	75	125	118	72	24
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	50	-	-	-	-	-	8	8	16	13	5	-	19	-	-	-	-	-	-	2	7	2	4	3	1
White	10	-	-	-	-	-	-	-	2	5	3	-	7	-	-	-	-	-	-	-	1	1	2	3	-
All other	40	-	-	-	-	-	8	8	14	8	2	-	12	-	-	-	-	-	-	2	6	1	2	-	1
Black	40	-	-	-	-	-	8	8	14	8	2	-	12	-	-	-	-	-	-	2	6	1	2	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	267	-	-	-	-	1	7	32	70	85	58	13	222	-	-	-	1	3	4	22	37	53	70	32
White	64	-	-	-	-	-	-	3	10	22	23	6	74	-	-	-	1	-	-	4	3	11	37	18
All other	203	-	-	-	-	1	7	29	60	63	35	7	148	-	-	-	-	3	4	18	34	42	33	14
Black	202	-	-	-	-	1	7	29	60	62	35	7	148	-	-	-	-	3	4	18	34	42	33	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	284	-	-	-	-	1	12	45	79	88	33	5	89	-	-	-	-	-	4	17	25	27	14	2
White	71	-	-	-	-	-	1	8	13	27	18	3	36	-	-	-	-	-	1	4	3	17	9	2
All other	193	-	-	-	-	1	11	37	66	61	15	2	53	-	-	-	-	-	3	13	22	10	5	-
Black	189	-	-	-	-	1	11	37	65	58	15	2	53	-	-	-	-	-	3	13	22	10	5	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	122	-	-	-	-	-	9	22	32	41	13	5
White	-	-	-	-	-	-	-	-	-	-	-	-	48	-	-	-	-	-	2	5	10	21	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	74	-	-	-	-	-	7	17	22	20	7	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	73	-	-	-	-	-	6	17	22	20	7	1
Malignant neoplasms of genital organs (179-187)	109	-	-	-	-	-	-	2	17	44	31	15	107	-	-	-	1	2	5	14	25	37	17	5
White	24	-	-	-	-	-	-	-	3	9	8	4	38	-	-	-	-	1	2	3	6	14	9	2
All other	85	-	-	-	-	-	-	2	14	35	23	11	69	-	-	-	1	1	3	11	19	23	8	3
Black	83	-	-	-	-	-	-	2	14	34	23	10	68	-	-	-	1	1	3	11	19	22	8	3
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	-	-	-	2	13	12	8	6	20	-	-	-	-	1	1	1	5	1	6	5
White	18	-	-	-	-	-	-	1	7	3	1	6	7	-	-	-	-	-	-	-	2	-	2	3
All other	23	-	-	-	-	-	-	1	6	9	7	-	13	-	-	-	-	1	1	1	3	1	4	2
Black	23	-	-	-	-	-	-	1	6	9	7	-	13	-	-	-	-	1	1	1	3	1	4	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	97	-	-	1	1	-	2	15	22	34	14	8	68	-	-	-	-	2	2	5	15	20	14	5
White	29	-	-	-	-	-	-	3	3	13	5	5	27	-	-	-	-	1	1	1	2	5	5	5
All other	68	-	-	1	1	-	2	12	19	21	9	3	41	-	-	-	-	1	1	4	13	12	6	3
Black	67	-	-	1	1	-	2	12	19	21	8	3	41	-	-	-	-	1	1	4	13	12	6	3
Leukemia (204-208)	25	-	1	1	1	2	-	2	5	9	3	1	38	-	-	1	2	2	1	6	5	9	5	4
White	12	-	-	-	-	2	-	-	2	5	3	-	20	-	-	-	-	-	-	3	3	6	4	4
All other	13	-	1	1	1	-	-	2	3	4	-	1	18	-	-	1	2	2	1	3	2	3	4	-
Black	12	-	-	1	1	-	-	2	3	4	-	1	18	-	-	1	2	2	1	3	2	3	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	30	-	-	-	-	-	2	3	9	9	4	3	44	-	-	1	3	2	-	4	10	6	13	3
White	9	-	-	-	-	-	1	-	2	3	3	-	19	-	-	1	1	1	-	2	1	2	8	3
All other	21	-	-	-	-	-	1	3	7	6	1	3	25	-	-	-	2	1	-	2	9	6	5	-
Black	21	-	-	-	-	-	1	3	7	6	1	3	25	-	-	-	2	1	-	2	9	6	5	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	-	-	-	-	1	1	1	4	3	1	21	-	-	1	1	-	-	3	4	3	7	2
White	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	1	-	-	-	-	2	-	3	1
All other	8	-	-	-	-	-	1	1	1	3	2	-	14	-	-	-	1	-	-	3	2	3	4	1
Black	7	-	-	-	-	-	1	1	1	3	1	-	14	-	-	-	1	-	-	3	2	3	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	49	–	–	–	–	–	2	7	14	10	12	4	84	–	–	1	–	3	2	6	17	21	22	12
White	10	–	–	–	–	–	–	–	1	2	5	2	19	–	–	–	–	2	–	–	3	1	5	8
All other	39	–	–	–	–	–	2	7	13	8	7	2	65	–	–	1	–	1	2	6	14	20	17	4
Black	38	–	–	–	–	–	2	7	13	8	6	2	65	–	–	1	–	1	2	6	14	20	17	4
Nutritional deficiencies (260-269)	4	–	–	–	–	–	1	–	–	3	–	–	4	–	–	–	–	–	–	1	1	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	4	–	–	–	–	–	1	–	–	3	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Black	4	–	–	–	–	–	1	–	–	3	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Anemias (280-285)	7	–	–	–	2	1	1	–	1	2	–	–	12	–	–	–	1	1	1	1	–	2	3	3
White	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	6	–	–	–	2	–	1	–	1	2	–	–	11	–	–	–	1	1	1	1	–	2	3	2
Black	6	–	–	–	2	–	1	–	1	2	–	–	11	–	–	–	1	1	1	1	–	2	3	2
Meningitis (320-322)	6	1	–	–	–	–	2	–	2	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	6	1	–	–	–	–	2	–	2	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	6	1	–	–	–	–	2	–	2	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Major cardiovascular diseases (390-448)	1,379	–	1	1	4	14	42	144	301	397	318	152	1,509	1	2	–	3	11	19	91	163	337	469	411
White	457	–	–	–	–	–	1	16	73	127	151	88	635	–	–	–	–	–	2	15	26	100	226	265
All other	922	–	1	1	4	14	41	128	228	270	167	66	874	1	2	–	3	11	17	76	137	237	243	146
Black	915	–	1	1	4	14	41	127	227	270	162	66	869	1	2	–	3	11	17	75	136	237	241	145
Diseases of heart (390-398,402,404-429)	1,085	–	1	1	1	8	28	123	245	331	233	109	1,094	1	2	–	2	8	16	69	123	258	337	277
White	382	–	–	–	–	–	1	14	60	109	116	59	456	–	–	–	–	–	1	14	23	76	168	174
All other	723	–	1	1	1	8	27	109	185	222	117	50	638	1	2	–	2	8	15	55	100	182	169	103
Black	718	–	1	1	1	8	27	108	184	222	114	50	635	1	2	–	2	8	15	55	99	182	168	102
Rheumatic fever and rheumatic heart disease (390-398)	4	–	–	–	–	–	–	–	–	2	1	1	11	–	–	–	–	1	–	1	1	5	2	1
White	1	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	1	–	3	1	1
All other	3	–	–	–	–	–	–	–	–	2	1	–	5	–	–	–	–	1	–	–	1	2	1	–
Black	3	–	–	–	–	–	–	–	–	2	1	–	5	–	–	–	–	1	–	–	1	2	1	–
Hypertensive heart disease (402)	71	–	–	–	–	–	2	17	17	27	4	3	77	–	–	–	–	–	2	12	18	17	21	9
White	9	–	–	–	–	–	–	1	3	5	–	–	15	–	–	–	–	–	–	2	2	2	7	2
All other	62	–	–	–	–	–	2	16	14	22	4	3	62	–	–	–	–	–	2	10	14	15	14	7
Black	62	–	–	–	–	–	2	16	14	22	4	3	62	–	–	–	–	–	2	10	14	15	14	7
Hypertensive heart and renal disease (404)	7	–	–	–	–	–	–	–	1	2	3	1	10	–	–	–	–	–	–	–	–	–	5	5
White	3	–	–	–	–	–	–	–	–	–	3	–	6	–	–	–	–	–	–	–	–	–	2	4
All other	4	–	–	–	–	–	–	–	1	2	–	1	4	–	–	–	–	–	–	–	–	–	3	1
Black	4	–	–	–	–	–	–	–	1	2	–	1	4	–	–	–	–	–	–	–	–	–	3	1
Ischemic heart disease (410-414)	752	–	–	–	–	1	18	80	167	231	180	71	700	–	–	–	–	4	5	40	75	175	228	172
White	275	–	–	–	–	–	1	13	40	82	93	43	320	–	–	–	–	–	1	9	18	52	125	115
All other	477	–	–	–	–	1	17	67	127	149	87	28	380	–	–	–	–	4	4	31	57	123	103	57
Black	474	–	–	–	–	1	17	66	126	149	86	28	378	–	–	–	–	4	4	31	57	123	102	56
Acute myocardial infarction (410)	215	–	–	–	–	1	5	19	48	71	54	16	236	–	–	–	–	3	1	10	13	49	95	65
White	97	–	–	–	–	–	–	2	12	40	30	12	134	–	–	–	–	–	–	4	3	21	57	49
All other	118	–	–	–	–	1	5	17	36	31	24	4	102	–	–	–	–	3	1	6	10	28	38	16
Black	117	–	–	–	–	1	5	16	36	31	24	4	101	–	–	–	–	3	1	6	10	28	37	16
Other acute and subacute forms of ischemic heart disease (411)	6	–	–	–	–	–	–	–	1	4	1	–	5	–	–	–	–	–	–	1	–	1	–	3
White	4	–	–	–	–	–	–	–	–	4	–	–	2	–	–	–	–	–	–	1	–	–	–	1
All other	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2
Black	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	531	–	–	–	–	–	13	61	116	156	125	55	458	–	–	–	–	1	4	29	62	125	133	103
White	174	–	–	–	–	–	1	11	28	38	63	31	183	–	–	–	–	–	1	4	15	31	68	64
All other	357	–	–	–	–	–	12	50	90	118	62	24	275	–	–	–	–	1	3	25	47	94	65	39
Black	355	–	–	–	–	–	12	50	89	118	61	24	274	–	–	–	–	1	3	25	47	94	65	38
Other diseases of endocardium (424)	14	–	–	–	–	1	–	1	4	4	3	1	17	–	–	–	–	–	–	–	2	5	4	6
White	8	–	–	–	–	–	–	–	2	3	2	1	8	–	–	–	–	–	–	–	1	2	2	3
All other	6	–	–	–	–	1	–	1	2	1	1	–	9	–	–	–	–	–	–	–	1	3	2	3
Black	6	–	–	–	–	1	–	1	2	1	1	–	9	–	–	–	–	–	–	–	1	3	2	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	237	-	1	1	1	6	8	25	56	65	42	32	279	1	2	-	2	3	9	16	29	56	77	84
White	66	-	-	-	-	-	-	-	15	19	18	14	101	-	-	-	-	-	-	2	2	17	31	49
All other	171	-	1	1	1	6	8	25	41	46	24	18	178	1	2	-	2	3	9	14	27	39	46	35
Black	169	-	1	1	1	6	8	25	41	46	22	18	177	1	2	-	2	3	9	14	26	39	46	35
Hypertension with or without renal disease (401,403)	12	-	-	-	-	-	1	2	1	1	3	4	18	-	-	-	-	-	-	1	7	4	4	2
White	4	-	-	-	-	-	-	-	-	1	3	3	3	-	-	-	-	-	-	-	-	1	1	1
All other	8	-	-	-	-	-	1	2	1	1	2	1	15	-	-	-	-	-	-	1	7	3	3	1
Black	8	-	-	-	-	-	1	2	1	1	2	1	15	-	-	-	-	-	-	1	7	3	3	1
Cerebrovascular diseases (430-438)	191	-	-	-	2	4	12	18	38	50	41	26	271	-	-	-	1	2	3	19	24	57	86	79
White	59	-	-	-	-	-	-	2	5	13	19	20	119	-	-	-	-	-	1	1	2	17	39	59
All other	132	-	-	-	2	4	12	16	33	37	22	6	152	-	-	-	1	2	2	18	22	40	47	20
Black	131	-	-	-	2	4	12	16	33	37	21	6	150	-	-	-	1	2	2	17	22	40	46	20
Intracerebral and other intracranial hemorrhage (431-432)	44	-	-	-	1	2	7	9	11	5	5	4	41	-	-	-	-	2	1	6	2	16	11	3
White	7	-	-	-	-	-	-	-	1	2	1	3	15	-	-	-	-	-	-	1	1	3	7	3
All other	37	-	-	-	1	2	7	9	10	3	4	1	26	-	-	-	-	2	1	5	1	13	4	-
Black	37	-	-	-	1	2	7	9	10	3	4	1	25	-	-	-	-	2	1	4	1	13	4	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	-	-	-	-	-	-	2	8	15	12	3	67	-	-	-	-	-	-	-	8	16	19	24
White	13	-	-	-	-	-	-	-	1	4	5	3	40	-	-	-	-	-	-	-	-	8	13	19
All other	27	-	-	-	-	-	-	2	7	11	7	-	27	-	-	-	-	-	-	-	8	8	6	5
Black	27	-	-	-	-	-	-	2	7	11	7	-	27	-	-	-	-	-	-	-	8	8	6	5
Cerebral embolism (434.1)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	106	-	-	-	1	2	5	6	19	30	24	19	163	-	-	-	1	-	2	13	14	25	56	52
White	39	-	-	-	-	-	-	2	3	7	13	14	64	-	-	-	-	-	1	-	1	6	19	37
All other	67	-	-	-	1	2	5	4	16	23	11	5	99	-	-	-	1	-	1	13	13	19	37	15
Black	66	-	-	-	1	2	5	4	16	23	10	5	98	-	-	-	1	-	1	13	13	19	36	15
Atherosclerosis (440)	49	-	-	-	-	-	-	1	1	5	30	12	108	-	-	-	-	-	-	-	4	14	39	48
White	12	-	-	-	-	-	-	-	1	2	5	4	50	-	-	-	-	-	-	-	-	5	16	28
All other	37	-	-	-	-	-	-	1	-	3	25	8	58	-	-	-	-	-	-	-	4	9	23	20
Black	36	-	-	-	-	-	-	1	-	3	24	8	56	-	-	-	-	-	-	-	4	9	23	20
Other diseases of arteries, arterioles, and capillaries (441-446)	42	-	-	-	1	2	1	-	16	10	11	1	20	-	-	-	-	1	-	2	5	4	3	5
White	20	-	-	-	-	-	-	-	7	3	10	-	7	-	-	-	-	-	-	-	1	1	2	3
All other	22	-	-	-	1	2	1	-	9	7	1	1	13	-	-	-	-	1	-	2	4	3	1	2
Black	22	-	-	-	1	2	1	-	9	7	1	1	13	-	-	-	-	1	-	2	4	3	1	2
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Pneumonia and influenza (480-487)	103	-	-	-	-	2	9	20	16	19	16	20	68	2	-	-	1	1	3	2	6	9	19	25
White	33	-	-	-	-	-	-	2	2	7	11	10	31	-	-	-	-	-	-	-	2	4	11	14
All other	70	-	-	-	-	2	9	18	14	12	5	10	37	2	-	-	1	1	3	2	4	5	8	11
Black	70	-	-	-	-	2	9	18	14	12	5	10	37	2	-	-	1	1	3	2	4	5	8	11
Pneumonia (480-486)	103	-	-	-	-	2	9	20	16	19	16	20	68	2	-	-	1	1	3	2	6	9	19	25
White	33	-	-	-	-	-	-	2	2	7	11	10	31	-	-	-	-	-	-	-	2	4	11	14
All other	70	-	-	-	-	2	9	18	14	12	5	10	37	2	-	-	1	1	3	2	4	5	8	11
Black	70	-	-	-	-	2	9	18	14	12	5	10	37	2	-	-	1	1	3	2	4	5	8	11
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	78	-	-	1	1	-	1	8	10	23	27	7	39	-	-	-	-	1	-	4	6	10	12	6
White	30	-	-	-	-	-	-	1	5	9	13	2	23	-	-	-	-	-	-	-	2	7	9	5
All other	48	-	-	1	1	-	1	7	5	14	14	5	16	-	-	-	-	1	-	4	4	3	3	1
Black	48	-	-	1	1	-	1	7	5	14	14	5	16	-	-	-	-	1	-	4	4	3	3	1
Bronchitis, chronic and unspecified (490-491)	5	-	-	-	-	-	-	2	-	-	3	-	4	-	-	-	-	-	-	-	1	1	2	-
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Emphysema (492)	22	-	-	1	-	-	-	3	2	9	6	1	11	-	-	-	-	-	-	1	1	1	6	2
White	11	-	-	-	-	-	-	-	1	4	5	1	8	-	-	-	-	-	-	-	-	1	5	2
All other	11	-	-	1	-	-	-	3	1	5	1	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	11	-	-	1	-	-	-	3	1	5	1	-	3	-	-	-	-	-	-	1	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	7	-	-	-	1	-	-	1	1	2	2	-	8	-	-	-	-	1	-	2	2	2	-	1
White	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	1	-	1
All other	5	-	-	-	1	-	-	1	-	2	1	-	5	-	-	-	-	1	-	2	1	1	-	-
Black	5	-	-	-	1	-	-	1	-	2	1	-	5	-	-	-	-	1	-	2	1	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	44	-	-	-	-	-	1	2	7	12	16	6	16	-	-	-	-	-	-	1	2	6	4	3
White	15	-	-	-	-	-	-	1	3	5	5	1	10	-	-	-	-	-	-	-	1	4	3	2
All other	29	-	-	-	-	-	1	1	4	7	11	5	6	-	-	-	-	-	-	1	1	2	1	1
Black	29	-	-	-	-	-	1	1	4	7	11	5	6	-	-	-	-	-	-	1	1	2	1	1
Ulcer of stomach and duodenum (531-533)	9	-	-	-	-	-	-	2	2	2	2	1	3	-	-	-	1	1	-	-	1	-	-	-
White	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	-	-	2	2	1	1	-	3	-	-	-	1	1	-	-	1	-	-	-
Black	6	-	-	-	-	-	-	2	2	1	1	-	3	-	-	-	1	1	-	-	1	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	1	-	1	2	-	2	2	8	2	-	-	-	-	-	1	2	3	-	-
White	2	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	1	-	1	-	-
All other	6	-	-	-	-	1	-	1	2	-	2	-	5	1	-	-	-	-	-	-	2	2	-	-
Black	6	-	-	-	-	1	-	1	2	-	2	-	5	1	-	-	-	-	-	-	2	2	-	-
Chronic liver disease and cirrhosis (571)	178	-	-	-	1	10	30	43	61	25	7	1	77	-	-	-	-	5	12	24	20	12	4	-
White	26	-	-	-	-	-	2	6	10	4	3	1	15	-	-	-	-	-	-	2	8	4	1	-
All other	152	-	-	-	1	10	28	37	51	21	4	-	62	-	-	-	-	5	12	22	12	8	3	-
Black	152	-	-	-	1	10	28	37	51	21	4	-	62	-	-	-	-	5	12	22	12	8	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	1	-	2	-	1	-	7	-	-	-	-	-	-	-	-	5	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
All other [2]	4	-	-	-	-	-	1	-	2	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	4	-	-	-	-	-	1	-	2	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	50	-	-	-	-	2	4	2	9	17	11	5	42	-	-	-	1	-	5	3	10	7	6	8
White	7	-	-	-	-	-	-	-	1	1	2	3	3	-	-	-	-	-	-	-	-	-	1	2
All other	43	-	-	-	-	2	4	2	8	16	9	2	39	-	-	-	1	-	5	3	10	7	7	6
Black	42	-	-	-	-	2	4	2	8	15	9	2	39	-	-	-	1	-	5	3	10	7	7	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	2	-	-	1	-	-	7	-	-	-	1	-	-	-	2	2	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	2	-	-	1	-	-	7	-	-	-	1	-	-	-	2	2	2	-
Black	3	-	-	-	-	-	2	-	-	1	-	-	7	-	-	-	1	-	-	-	2	2	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	47	-	-	-	-	2	2	2	9	16	11	5	35	-	-	-	-	-	5	3	6	5	6	6
White	7	-	-	-	-	-	-	1	1	2	3	3	3	-	-	-	-	-	-	-	-	-	1	2
All other	40	-	-	-	-	2	2	2	8	15	9	2	32	-	-	-	-	-	5	3	6	5	5	6
Black	39	-	-	-	-	2	2	2	8	14	9	2	32	-	-	-	-	-	5	3	6	5	5	6
Infections of kidney (590)	8	-	-	-	1	-	1	2	1	1	2	-	7	-	-	-	-	1	-	1	1	3	1	-
White	2	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	6	-	-	-	-	-	1	2	1	1	1	-	5	-	-	-	-	1	-	1	1	1	1	-
Black	6	-	-	-	-	-	1	2	1	1	1	-	5	-	-	-	-	1	-	1	1	1	1	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Congenital anomalies (740-759)	18	10	2	2	1	-	1	-	1	-	1	-	22	11	4	1	-	2	-	1	-	-	1	1
White	3	1	-	-	-	-	1	-	-	-	1	-	6	2	1	-	-	1	-	1	-	-	-	1
All other	15	9	2	2	1	-	-	-	1	-	-	-	16	9	3	1	-	1	-	-	-	-	1	-
Black	15	9	2	2	1	-	-	-	1	-	-	-	16	9	3	1	-	1	-	-	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	84	84	-	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	83	83	-	-	-	-	-	-	-	-	-	-	61	61	-	-	-	-	-	-	-	-	-	-
Black	83	83	-	-	-	-	-	-	-	-	-	-	61	61	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	14	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	70	70	-	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	69	69	-	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Black	69	69	-	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	69	17	1	-	4	14	13	7	5	4	2	1	40	10	-	2	5	6	1	4	6	3	2	1
White	15	-	1	-	2	2	4	1	1	1	1	1	5	-	-	1	-	-	-	-	3	-	1	-
All other	54	17	-	-	2	12	9	6	4	3	1	-	35	10	-	1	5	6	1	4	3	3	1	1
Black	54	17	-	-	2	12	9	6	4	3	1	-	35	10	-	1	5	6	1	4	3	3	1	1
All other diseases (Residual)	251	2	-	1	3	12	22	36	50	59	41	24	249	1	1	1	2	14	12	22	34	45	61	55
White	63	1	-	-	-	-	-	4	11	11	21	15	65	-	-	-	-	1	1	3	8	9	23	25
All other	188	1	-	1	3	12	22	32	39	48	20	9	184	1	1	1	2	13	11	19	31	36	38	30
Black	186	1	-	1	3	12	22	32	39	47	19	9	184	1	1	1	2	13	11	19	31	36	38	30
Accidents and adverse effects (E800-E949)	176	1	2	7	10	33	21	26	24	27	13	11	89	1	4	3	4	5	3	7	11	16	19	16
White	30	-	-	-	3	2	3	2	7	5	3	5	33	-	1	-	-	-	-	3	5	7	7	10
All other	146	1	2	7	7	31	18	24	17	22	10	6	56	1	3	3	4	5	3	4	6	9	12	6
Black	146	1	2	7	7	31	18	24	17	22	10	6	56	1	3	3	4	5	3	4	6	9	12	6
Motor vehicle accidents (E810-E825)	45	-	1	3	6	12	11	1	5	4	2	-	13	-	1	-	2	2	-	2	-	-	2	4
White	11	-	-	-	2	1	3	-	3	1	1	-	5	-	1	-	-	-	-	-	-	-	1	3
All other	34	-	1	3	4	11	8	1	2	3	1	-	8	-	-	-	2	2	-	2	-	-	1	1
Black	34	-	1	3	4	11	8	1	2	3	1	-	8	-	-	-	2	2	-	2	-	-	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	131	1	1	4	4	21	10	25	19	23	11	11	76	1	3	3	2	3	3	5	11	16	17	12
White	19	-	-	-	1	1	-	2	4	4	2	5	29	-	-	-	-	-	-	3	5	7	6	7
All other	112	1	1	4	3	20	10	23	15	19	9	6	48	1	3	3	2	3	3	2	6	9	11	5
Black	112	1	1	4	3	20	10	23	15	19	9	6	48	1	3	3	2	3	3	2	6	9	11	5
Suicide (E950-E959)	40	---	---	-	5	16	3	4	7	3	1	1	14	---	---	-	3	1	-	1	6	2	1	-
White	16	---	---	-	1	4	2	2	3	2	1	1	9	---	---	-	1	1	-	1	4	2	-	-
All other	24	---	---	-	4	12	1	2	4	1	-	-	5	---	---	-	2	-	-	-	2	-	1	-
Black	24	---	---	-	4	12	1	2	4	1	-	-	5	---	---	-	2	-	-	-	2	-	1	-
Homicide and legal intervention (E960-E978)	149	1	1	2	28	54	23	18	17	5	-	-	35	-	-	1	9	4	8	8	2	2	1	-
White	10	-	-	-	1	4	1	-	3	1	-	-	7	-	-	-	1	1	1	1	-	2	1	-
All other	139	1	1	2	27	50	22	18	14	4	-	-	28	-	-	1	8	3	7	7	2	-	-	-
Black	139	1	1	2	27	49	22	18	14	4	-	-	28	-	-	1	8	3	7	7	2	-	-	-
All other external causes (E980-E999)	46	1	-	1	8	14	9	3	6	1	-	1	17	-	1	-	5	4	-	6	-	-	1	-
White	6	-	-	-	-	2	2	-	2	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	40	1	-	1	8	12	7	3	4	1	-	1	15	-	1	-	5	4	-	5	-	-	-	-
Black	40	1	-	1	8	12	7	3	4	1	-	1	15	-	1	-	5	4	-	5	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	56,090	1,002	201	300	1,431	1,389	1,682	3,856	8,711	16,002	15,167	6,350	42,434	808	155	157	568	608	925	2,177	5,185	10,161	12,738	8,949
White	49,645	633	132	213	1,161	1,036	1,216	3,043	7,478	14,398	14,276	6,054	37,601	460	87	117	443	431	657	1,658	4,375	8,983	11,822	8,566
All other	6,445	369	69	87	270	363	466	813	1,233	1,606	891	296	4,833	348	68	40	125	177	268	519	810	1,178	916	383
Black	6,386	368	67	85	268	357	441	808	1,227	1,595	876	291	4,793	344	68	39	122	173	263	513	806	1,171	913	380
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	9	7	1	-	-	1	-	-	-	-	-	-	9	5	-	-	-	-	-	-	1	2	1	-
White	5	4	1	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-	-	-	1	2	1	-
All other	4	3	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	4	3	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	77	-	-	-	-	2	10	10	19	23	12	1	49	-	-	-	-	-	2	6	7	12	7	10	5
White	39	-	-	-	-	-	1	4	7	18	9	-	27	-	-	-	-	-	-	1	7	6	3	4
All other	38	-	-	-	-	2	9	6	12	5	3	1	22	-	-	-	-	-	2	6	6	5	1	1	1
Black	38	-	-	-	-	2	9	6	12	5	3	1	22	-	-	-	-	-	2	6	6	5	1	1	1
Tuberculosis of respiratory system (010-012)	72	-	-	-	-	2	10	10	17	21	11	1	38	-	-	-	-	-	-	4	6	9	7	9	3
White	36	-	-	-	-	-	1	4	7	16	8	-	24	-	-	-	-	-	-	-	1	6	6	8	3
All other	36	-	-	-	-	2	9	6	10	5	3	1	14	-	-	-	-	-	-	4	5	3	1	1	-
Black	36	-	-	-	-	2	9	6	10	5	3	1	14	-	-	-	-	-	-	4	5	3	1	1	-
Other tuberculosis (013-018)	5	-	-	-	-	-	-	-	2	2	1	-	11	-	-	-	-	-	2	2	1	3	-	1	2
White	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	1	-	1	1
All other	2	-	-	-	-	-	-	-	2	-	-	-	8	-	-	-	-	-	2	2	1	2	-	-	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	8	-	-	-	-	-	2	2	1	2	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	12	3	2	-	3	1	2	1	-	-	-	-	17	2	2	1	1	1	1	2	2	4	3	-	-
White	7	3	1	-	1	-	1	1	-	-	-	-	11	1	1	-	1	1	1	1	1	3	3	-	-
All other	5	-	1	-	2	1	1	-	-	-	-	-	6	1	1	1	-	-	-	1	1	1	-	-	-
Black	4	-	1	-	2	-	1	-	-	-	-	-	6	1	1	1	-	-	-	1	1	1	-	-	-
Septicemia (038)	172	4	1	-	1	4	4	16	20	52	48	24	179	4	2	-	1	2	3	12	14	37	59	45
White	134	2	1	-	1	2	1	13	9	40	41	24	137	-	2	-	1	-	1	5	10	31	46	41
All other	38	2	-	-	-	2	3	3	11	12	5	-	42	4	-	-	-	2	2	7	4	6	13	4
Black	38	2	-	-	-	2	3	3	11	12	5	-	42	4	-	-	-	2	2	7	4	6	13	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	26	-	-	-	2	5	2	1	5	5	5	1	29	-	-	-	-	2	3	1	4	11	4	4
White	21	-	-	-	2	2	1	1	4	5	5	1	27	-	-	-	-	2	2	1	4	10	4	4
All other	5	-	-	-	-	3	1	-	1	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	3	1	1	-	3	-	-	-	-	-	-	1	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	1
All other	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	93	5	1	3	5	5	2	8	16	24	17	7	77	5	2	3	3	1	4	5	14	17	18	5
White	80	5	-	2	4	3	1	6	15	23	14	7	65	3	1	3	1	1	2	5	10	16	18	5
All other	13	-	1	1	1	2	1	2	1	1	3	-	12	2	1	-	2	-	2	-	4	1	-	-
Black	12	-	-	1	1	2	1	2	1	1	3	-	12	2	1	-	2	-	2	-	4	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,750	1	6	49	49	84	229	968	2,496	4,560	3,392	996	9,700	1	14	26	52	84	254	866	2,026	3,146	2,375	826
White	11,453	-	6	38	39	75	160	791	2,156	4,123	3,190	855	8,868	1	7	23	38	74	211	752	1,823	2,901	2,244	794
All other	1,297	1	-	11	10	9	49	197	340	437	202	41	832	-	7	3	14	20	43	134	203	245	131	32
Black	1,290	1	-	11	10	9	49	195	340	436	199	40	819	-	7	3	14	19	41	130	201	241	131	32

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	358	–	–	–	1	1	10	59	102	115	52	18	193	–	–	–	–	–	4	23	59	57	36	14
White	300	–	–	–	1	1	7	38	82	105	49	17	178	–	–	–	–	–	4	17	55	56	32	14
All other	58	–	–	–	–	–	3	21	20	10	3	1	15	–	–	–	–	–	–	6	4	1	4	–
Black	57	–	–	–	–	–	3	20	20	10	3	1	15	–	–	–	–	–	–	6	4	1	4	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,315	–	–	–	4	14	50	211	606	1,190	978	260	2,720	–	–	–	4	12	32	148	441	691	848	344
White	2,998	–	–	–	2	11	38	182	523	1,090	927	245	2,480	–	–	–	3	9	28	112	381	611	806	330
All other	317	–	–	–	2	3	12	49	85	100	51	15	240	–	–	–	1	3	4	36	60	80	42	14
Black	316	–	–	–	2	3	12	49	85	100	50	15	235	–	–	–	1	3	4	34	59	78	42	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,586	–	–	1	1	5	75	433	1,109	1,771	1,011	180	1,703	–	–	–	–	5	44	194	480	592	315	73
White	4,104	–	–	–	1	4	57	344	955	1,607	959	177	1,605	–	–	–	–	5	37	175	447	568	302	71
All other	482	–	–	1	–	1	18	89	154	164	52	3	98	–	–	–	–	–	7	19	33	24	13	2
Black	481	–	–	1	–	1	18	89	154	164	51	3	97	–	–	–	–	–	7	19	33	23	13	2
Malignant neoplasm of breast (174-175)	16	–	–	–	–	–	1	2	2	5	4	2	1,695	–	–	–	5	23	75	240	390	528	319	115
White	15	–	–	–	–	–	1	2	2	4	4	2	1,576	–	–	–	4	15	63	217	364	500	302	111
All other	1	–	–	–	–	–	–	–	–	1	–	–	119	–	–	–	1	8	12	23	26	28	17	4
Black	1	–	–	–	–	–	–	–	–	1	–	–	116	–	–	–	1	8	11	22	25	28	17	4
Malignant neoplasms of genital organs (179-187)	1,343	–	–	1	7	7	4	24	111	439	545	205	1,191	–	–	–	6	12	38	128	267	402	265	73
White	1,144	–	–	1	7	7	2	18	88	350	485	186	1,022	–	–	–	2	9	27	99	223	348	244	70
All other	199	–	–	–	–	–	2	6	23	89	60	19	169	–	–	–	4	3	11	29	44	54	21	3
Black	198	–	–	–	–	–	2	6	23	89	60	18	169	–	–	–	4	3	11	29	44	54	21	3
Malignant neoplasms of urinary organs (188-189)	706	–	–	1	2	2	12	30	108	247	227	77	287	–	–	1	–	–	4	16	61	75	103	27
White	659	–	–	–	1	1	10	29	98	228	215	77	261	–	–	–	–	–	3	15	54	70	93	26
All other	47	–	–	1	1	1	2	1	10	19	12	–	26	–	–	1	–	–	1	1	7	5	10	1
Black	47	–	–	1	1	1	2	1	10	19	12	–	26	–	–	1	–	–	1	1	7	5	10	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,378	–	2	18	16	29	54	152	283	466	279	79	1,118	1	8	10	17	31	29	80	200	349	284	110
White	1,267	–	2	13	13	28	47	131	258	429	266	79	1,018	1	4	9	11	28	25	71	178	319	268	105
All other	111	–	–	5	3	1	7	21	24	37	13	–	100	–	4	1	6	3	4	9	22	30	16	5
Black	109	–	–	5	3	1	7	20	24	36	13	–	99	–	4	1	6	3	3	9	22	30	16	5
Leukemia (204-208)	475	–	4	21	11	9	13	27	67	141	141	41	331	–	4	12	14	4	16	20	50	65	66	36
White	441	–	4	16	9	8	10	24	58	134	136	40	305	–	2	12	12	2	16	14	48	78	64	37
All other	34	–	–	3	2	1	3	3	9	7	5	1	26	–	2	–	2	2	2	6	2	7	2	1
Black	33	–	–	3	2	1	3	3	9	7	4	1	24	–	2	–	2	1	2	6	2	6	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	573	1	–	7	7	17	10	50	106	168	155	34	461	–	2	3	6	7	10	37	78	167	119	32
White	525	–	–	6	5	15	8	43	91	178	149	32	422	–	1	2	6	6	8	32	73	151	113	30
All other	48	1	–	1	2	2	2	7	15	10	6	2	39	–	1	1	–	1	2	5	5	16	6	2
Black	48	1	–	1	2	2	2	7	15	10	6	2	38	–	1	1	–	1	2	4	5	16	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	112	2	1	1	7	5	6	10	14	35	20	11	152	2	1	2	1	4	5	8	29	44	44	12
White	96	1	–	1	4	4	5	8	12	31	19	11	135	1	–	1	1	4	3	5	27	40	41	12
All other	16	1	1	–	3	1	1	2	2	4	1	–	17	1	1	1	–	–	2	3	2	4	3	–
Black	16	1	1	–	3	1	1	2	2	4	1	–	17	1	1	1	–	–	2	3	2	4	3	–
Diabetes mellitus (250)	679	–	–	1	1	10	27	33	114	204	234	55	781	–	–	–	5	10	20	50	99	195	266	136
White	584	–	–	–	1	4	21	26	90	175	216	51	699	–	–	–	3	7	7	26	58	140	235	129
All other	95	–	–	1	–	6	6	7	24	29	18	4	182	–	–	–	2	3	13	24	41	55	31	13
Black	94	–	–	1	–	6	5	7	24	29	18	4	181	–	–	–	2	3	13	24	41	54	31	13
Nutritional deficiencies (260-269)	60	–	–	–	–	–	3	5	4	10	19	19	58	–	–	–	–	–	–	3	3	10	23	19
White	44	–	–	–	–	–	1	2	4	6	13	18	47	–	–	–	–	–	–	1	3	7	19	17
All other	16	–	–	–	–	–	2	3	–	4	6	1	11	–	–	–	–	–	–	2	–	3	4	2
Black	16	–	–	–	–	–	2	3	–	4	6	1	11	–	–	–	–	–	–	2	–	3	4	2
Anemias (280-285)	102	1	3	4	2	3	4	3	8	23	30	21	97	1	1	5	3	5	1	7	6	24	22	22
White	75	1	–	1	1	–	2	–	7	17	26	20	72	1	–	3	–	1	1	4	4	19	18	21
All other	27	–	3	3	1	3	2	3	1	6	4	1	25	–	1	2	3	4	–	3	2	5	4	1
Black	27	–	3	3	1	3	2	3	1	6	4	1	25	–	1	2	3	4	–	3	2	5	4	1
Meningitis (320-322)	38	13	6	3	1	–	3	–	7	4	1	–	37	12	6	–	1	–	2	2	5	3	4	2
White	22	6	5	3	–	–	1	–	3	3	1	–	25	8	3	–	1	–	2	2	5	2	1	1
All other	16	7	1	–	1	–	2	–	4	1	–	–	12	4	3	–	–	–	–	–	–	1	3	1
Black	16	7	1	–	1	–	2	–	4	1	–	–	12	4	3	–	–	–	–	–	–	1	3	1
Major cardiovascular diseases (390-448)	26,996	19	3	9	31	89	409	1,463	4,122	8,162	8,604	4,085	21,978	6	9	10	28	62	174	564	1,859	4,918	7,893	6,457
White	24,649	11	3	8	23	63	312	1,204	3,624	7,399	8,105	3,897	19,780	4	5	4	18	35	96	369	1,502	4,243	7,307	6,197
All other	2,347	8	–	1	8	26	97	259	498	763	499	188	2,198	2	4	6	8	27	78	195	357	675	586	260
Black	2,320	8	–	1	7	26	96	258	493	755	492	184	2,168	2	4	6	7	26	77	194	356	674	585	257

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	21,586	15	2	5	25	69	342	1,309	3,548	6,694	6,597	2,980	15,685	5	5	6	9	33	119	400	1,426	3,722	5,659	4,301
White	19,993	8	2	4	19	50	273	1,107	3,174	6,136	6,249	2,841	14,195	3	2	2	7	17	63	271	1,175	3,261	5,261	4,133
All other	1,723	7	-	1	6	19	69	202	374	558	348	139	1,490	2	3	4	2	16	56	129	251	461	398	168
Black	1,704	7	-	1	5	19	68	201	369	553	345	138	1,482	2	3	4	2	15	55	129	250	460	397	165
Rheumatic fever and rheumatic heart disease (390-398)	159	-	-	1	3	2	5	15	33	60	28	12	280	-	-	-	-	3	13	23	43	116	67	15
White	148	-	-	-	1	-	4	12	33	58	28	12	262	-	-	-	-	3	7	21	41	109	66	15
All other	11	-	-	1	2	2	1	3	-	2	-	-	18	-	-	-	-	-	6	2	2	7	1	-
Black	10	-	-	1	1	2	1	3	-	2	-	-	17	-	-	-	-	-	6	2	2	6	1	-
Hypertensive heart disease (402)	499	-	-	-	-	5	15	51	129	159	109	31	812	-	-	-	-	2	9	43	99	169	187	103
White	342	-	-	-	-	2	6	27	83	114	83	27	449	-	-	-	-	-	1	18	63	117	164	86
All other	157	-	-	-	-	3	9	24	46	45	26	4	163	-	-	-	-	2	8	25	36	52	23	17
Black	155	-	-	-	-	3	9	23	45	45	26	4	163	-	-	-	-	2	8	25	36	52	23	17
Hypertensive heart and renal disease (404)	79	-	-	1	-	-	-	2	11	23	22	20	63	-	-	-	-	1	1	1	6	15	22	17
White	58	-	-	1	-	-	-	-	4	18	20	17	44	-	-	-	-	-	-	-	3	7	19	15
All other	21	-	-	-	-	-	-	2	7	7	2	3	19	-	-	-	-	1	1	1	3	8	3	2
Black	21	-	-	-	-	-	-	2	7	7	2	3	19	-	-	-	-	1	1	1	3	8	3	2
Ischemic heart disease (410-414)	17,384	-	-	-	4	38	239	1,032	2,872	5,496	5,384	2,321	11,558	-	-	-	-	7	46	252	1,007	2,758	4,328	3,160
White	16,328	-	-	-	4	28	205	921	2,633	5,135	5,161	2,241	10,704	-	-	-	-	5	30	189	862	2,489	4,058	3,071
All other	1,056	-	-	-	-	8	34	111	239	361	223	80	854	-	-	-	-	2	16	63	145	269	270	89
Black	1,048	-	-	-	-	8	34	111	236	358	220	79	850	-	-	-	-	2	16	63	145	269	269	86
Acute myocardial infarction (410)	9,922	-	-	-	1	20	153	601	1,626	3,083	2,630	808	5,181	-	-	-	-	3	23	144	566	1,550	1,925	970
White	9,460	-	-	-	1	13	132	551	1,519	2,918	2,546	780	4,846	-	-	-	-	2	16	113	501	1,428	1,838	948
All other	462	-	-	-	-	7	21	50	107	165	84	28	335	-	-	-	-	1	7	31	65	122	87	22
Black	457	-	-	-	-	7	21	50	107	162	82	28	334	-	-	-	-	1	7	31	65	122	87	21
Other acute and subacute forms of ischemic heart disease (411)	240	-	-	-	-	-	7	24	49	69	70	21	124	-	-	-	-	-	2	5	9	37	46	25
White	212	-	-	-	-	-	7	18	42	59	65	21	109	-	-	-	-	-	1	2	4	35	43	24
All other	28	-	-	-	-	-	-	6	7	10	5	-	15	-	-	-	-	-	1	3	5	2	3	1
Black	28	-	-	-	-	-	-	6	7	10	5	-	15	-	-	-	-	-	1	3	5	2	3	1
Angina pectoris (413)	14	-	-	-	-	-	-	1	2	8	2	-	12	-	-	-	-	-	-	-	2	3	6	1
White	14	-	-	-	-	-	-	1	2	8	2	-	8	-	-	-	-	-	-	-	-	2	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	8,208	-	-	-	3	16	79	406	1,195	2,335	2,682	1,492	6,241	-	-	-	-	4	21	103	430	1,168	2,351	2,164
White	7,642	-	-	-	3	15	66	351	1,070	2,149	2,548	1,440	5,741	-	-	-	-	3	13	74	357	1,024	2,172	2,098
All other	566	-	-	-	-	1	13	55	125	186	134	52	500	-	-	-	-	1	8	29	73	144	179	66
Black	561	-	-	-	-	1	13	55	122	186	133	51	497	-	-	-	-	1	8	29	73	144	178	64
Other diseases of endocardium (424)	197	-	-	-	3	-	6	14	34	64	53	23	161	-	-	-	3	-	7	3	24	48	52	24
White	178	-	-	-	3	-	5	10	31	59	49	21	136	-	-	-	2	-	4	2	21	40	48	21
All other	19	-	-	-	-	-	1	4	3	5	4	2	25	-	-	-	1	-	3	1	3	8	6	3
Black	18	-	-	-	-	-	1	4	3	5	4	1	25	-	-	-	1	-	3	1	3	8	6	3
All other forms of heart disease (415-423,425-429)	3,268	15	2	3	15	28	77	195	489	892	1,001	573	3,011	5	5	6	6	20	43	78	247	616	1,003	982
White	2,809	8	2	3	11	20	53	137	390	754	908	523	2,600	3	2	2	5	9	21	41	185	499	908	925
All other	459	7	-	-	4	8	24	58	79	138	93	50	411	2	3	4	1	11	22	37	62	117	95	57
Black	454	7	-	-	4	6	23	58	78	136	93	49	408	2	3	4	1	10	21	37	61	117	95	57
Hypertension with or without renal disease (401,403)	207	-	-	-	-	1	5	8	25	61	68	39	179	-	-	-	1	1	10	8	14	38	54	55
White	152	-	-	-	-	-	2	2	16	44	58	30	131	-	-	-	1	-	4	2	7	19	48	50
All other	55	-	-	-	-	1	3	6	9	17	10	9	48	-	-	-	-	1	6	6	7	17	6	5
Black	55	-	-	-	-	1	3	6	9	17	10	9	48	-	-	-	-	1	6	6	7	17	6	5
Cerebrovascular diseases (430-438)	3,885	4	1	2	5	15	52	131	416	1,006	1,472	781	4,992	1	3	3	14	24	38	143	359	964	1,797	1,646
White	3,394	3	1	2	3	12	30	82	311	845	1,358	747	4,430	1	2	2	9	16	25	89	273	790	1,648	1,575
All other	491	1	-	-	2	3	22	49	105	161	114	34	562	-	1	1	5	8	13	54	86	174	149	71
Black	484	1	-	-	2	3	22	49	105	159	110	33	561	-	1	1	4	8	13	54	86	174	149	71
Intracerebral and other intracranial hemorrhage (431-432)	521	3	1	1	3	5	22	50	94	160	139	43	544	1	2	1	3	5	12	41	98	159	147	77
White	420	2	1	1	1	3	9	29	70	138	126	40	455	1	2	-	2	2	6	23	74	133	138	74
All other	101	1	-	-	2	2	13	21	24	22	13	3	89	-	-	1	1	3	6	18	22	26	9	3
Black	99	1	-	-	2	2	13	21	24	21	12	3	89	-	-	1	1	3	6	18	22	26	9	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	998	-	-	-	-	-	5	15	92	247	403	236	1,322	-	-	-	1	2	-	18	58	206	547	490
White	910	-	-	-	-	-	3	8	75	213	381	230	1,208	-	-	-	1	2	-	13	43	172	502	475
All other	88	-	-	-	-	-	2	7	17	34	22	6	114	-	-	-	-	-	-	5	13	36	45	15
Black	87	-	-	-	-	-	2	7	17	33	22	6	114	-	-	-	-	-	-	5	13	36	45	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	14	-	-	-	-	-	-	1	2	3	6	2	27	-	-	-	-	-	-	2	2	9	11	3
White	12	-	-	-	-	-	-	1	-	3	6	2	24	-	-	-	-	-	-	-	1	9	11	3
All other	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,352	1	-	1	2	10	25	65	228	596	924	500	3,099	-	1	2	10	17	26	82	205	588	1,092	1,076
White	2,052	1	-	1	2	9	18	44	166	491	845	475	2,743	-	-	2	6	12	19	53	155	476	997	1,023
All other	300	-	-	-	-	1	7	21	62	105	79	25	356	-	1	-	4	5	7	29	50	112	95	53
Black	296	-	-	-	-	1	7	21	62	105	76	24	355	-	1	-	3	5	7	29	50	112	95	53
Atherosclerosis (440)	563	-	-	-	-	-	1	2	30	112	209	209	776	-	-	-	-	-	-	2	26	93	256	399
White	524	-	-	-	-	-	1	2	25	99	193	204	709	-	-	-	-	-	-	1	17	78	230	383
All other	39	-	-	-	-	-	-	-	5	13	16	5	67	-	-	-	-	-	-	1	9	15	26	16
Black	38	-	-	-	-	-	-	-	5	13	16	5	67	-	-	-	-	-	-	1	9	15	26	16
Other diseases of arteries, arterioles, and capillaries (441-448)	755	-	-	2	1	4	9	13	103	289	258	76	346	-	1	1	2	4	7	11	34	103	127	56
White	716	-	-	2	1	1	6	11	98	275	247	75	315	-	1	-	1	2	4	6	30	95	120	56
All other	39	-	-	-	-	3	3	2	5	14	11	1	31	-	-	1	1	2	3	5	4	8	7	-
Black	38	-	-	-	-	3	3	2	5	13	11	1	30	-	-	1	1	2	3	4	4	8	7	-
Acute bronchitis and bronchiolitis (466)	21	2	-	-	1	-	-	1	3	2	5	7	20	3	1	-	-	1	-	-	-	5	6	4
White	16	1	-	-	1	-	-	-	1	1	5	7	18	3	-	-	-	1	-	-	-	5	5	4
All other	5	1	-	-	-	-	-	1	2	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Black	5	1	-	-	-	-	-	1	2	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	1,090	32	5	3	4	15	29	57	115	228	340	261	777	31	3	7	3	3	11	24	47	109	249	290
White	923	22	3	3	4	12	12	31	76	189	322	248	702	17	1	6	2	2	8	16	39	101	290	280
All other	167	10	2	-	-	3	17	26	39	39	18	13	75	14	2	1	1	1	3	8	8	8	19	10
Black	167	10	2	-	-	3	17	26	39	39	18	13	71	13	2	1	1	1	2	8	8	7	18	10
Pneumonia (480-486)	1,081	32	5	3	4	15	29	56	115	226	337	258	769	31	3	7	3	3	11	24	47	106	247	285
White	915	22	3	3	4	12	12	31	76	187	319	245	694	17	1	6	2	2	8	16	39	100	228	275
All other	166	10	2	-	-	3	17	25	39	39	18	13	75	14	2	1	1	1	3	8	8	6	19	10
Black	166	10	2	-	-	3	17	25	39	39	18	13	71	13	2	1	1	1	2	8	8	7	18	10
Influenza (487)	9	-	-	-	-	-	-	1	-	2	3	3	8	-	-	-	-	-	-	-	-	1	2	5
White	8	-	-	-	-	-	-	-	-	2	3	3	8	-	-	-	-	-	-	-	-	1	2	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,077	1	2	2	1	3	17	83	303	792	696	177	918	1	-	-	2	6	8	35	155	332	276	103
White	1,941	1	1	1	-	2	10	61	272	741	678	174	880	1	-	-	1	1	8	28	142	325	271	103
All other	136	-	1	1	1	1	7	22	31	51	18	3	38	-	-	-	1	5	-	7	13	7	5	-
Black	136	-	1	1	1	1	7	22	31	51	18	3	38	-	-	-	1	5	-	7	13	7	5	-
Bronchitis, chronic and unspecified (490-491)	156	1	1	1	-	-	1	6	23	50	53	20	75	1	-	-	1	-	1	3	11	30	18	10
White	147	1	1	1	-	-	-	6	22	45	52	19	73	1	-	-	1	-	1	3	11	28	18	10
All other	9	-	-	-	-	-	1	-	1	5	1	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	9	-	-	-	-	-	1	-	1	5	1	1	2	-	-	-	-	-	-	-	-	2	-	-
Emphysema (492)	670	-	-	-	-	-	6	34	106	255	216	53	237	-	-	-	-	2	3	12	52	95	56	17
White	630	-	-	-	-	-	3	26	98	242	210	51	228	-	-	-	-	-	3	10	51	92	55	17
All other	40	-	-	-	-	-	3	8	8	13	6	2	9	-	-	-	-	2	-	2	1	3	1	-
Black	40	-	-	-	-	-	3	8	8	13	6	2	9	-	-	-	-	2	-	2	1	3	1	-
Asthma (493)	49	-	1	1	1	2	3	8	8	14	9	2	70	-	-	-	1	4	3	7	16	20	15	4
White	37	-	-	-	-	1	3	5	7	11	8	2	56	-	-	-	-	1	3	3	12	19	14	4
All other	12	-	1	1	1	1	-	3	1	3	1	-	14	-	-	-	1	3	-	4	4	1	1	-
Black	12	-	1	1	1	1	-	3	1	3	1	-	14	-	-	-	1	3	-	4	4	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,202	-	-	-	-	1	7	35	166	473	418	102	536	-	-	-	-	-	1	13	76	167	167	72
White	1,127	-	-	-	-	1	4	24	145	443	408	102	523	-	-	-	-	-	1	12	68	166	164	72
All other	75	-	-	-	-	-	3	11	21	30	10	-	13	-	-	-	-	-	-	1	8	1	3	-
Black	75	-	-	-	-	-	3	11	21	30	10	-	13	-	-	-	-	-	-	1	8	1	3	-
Ulcer of stomach and duodenum (531-533)	161	1	-	-	-	1	4	13	24	41	51	26	131	-	-	-	1	-	-	8	14	35	35	38
White	146	1	-	-	-	-	2	7	21	39	51	25	126	-	-	-	1	-	-	8	14	32	33	38
All other	15	-	-	-	-	1	2	6	3	2	-	1	5	-	-	-	-	-	-	-	-	3	2	-
Black	15	-	-	-	-	1	2	6	3	2	-	1	5	-	-	-	-	-	-	-	-	3	2	-
Appendicitis (540-543)	15	-	-	-	-	-	1	-	1	7	5	1	11	-	-	2	-	-	-	-	1	3	4	1
White	12	-	-	-	-	-	1	-	1	5	4	1	8	-	-	-	-	-	-	-	1	2	4	1
All other	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	2	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	2	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	109	2	-	1	-	1	-	5	15	21	42	22	143	3	-	-	-	2	3	4	4	41	44	42
White	92	2	-	-	-	1	-	1	11	15	41	21	128	1	-	-	-	2	-	4	4	35	43	39
All other	17	-	-	1	-	-	-	4	4	6	1	1	15	2	-	-	-	-	3	-	-	6	1	3
Black	16	-	-	1	-	-	-	4	4	6	-	1	15	2	-	-	-	-	3	-	-	6	1	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	1,036	–	–	–	3	17	82	274	286	252	100	21	677	1	–	1	2	17	73	128	201	178	61	15
White	894	–	–	–	2	16	57	219	250	231	99	20	572	1	–	1	1	9	40	100	174	167	56	15
All other	142	–	–	–	1	1	25	55	36	21	1	1	105	–	–	–	1	8	25	28	27	11	5	–
Black	142	–	–	–	1	1	25	55	36	21	1	1	105	–	–	–	1	8	25	28	27	11	5	–
Cholelithiasis and other disorders of gallbladder (574-575)	98	–	–	–	–	–	–	1	3	42	38	14	74	–	–	–	–	1	1	1	7	13	29	22
White	90	–	–	–	–	–	–	1	3	37	37	12	70	–	–	–	–	–	1	–	6	12	29	22
All other	8	–	–	–	–	–	–	–	–	5	1	2	4	–	–	–	–	1	–	1	1	1	–	–
Black	8	–	–	–	–	–	–	–	–	5	1	2	4	–	–	–	–	1	–	1	1	1	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	468	5	1	1	3	4	10	16	48	122	166	92	354	3	–	1	3	6	2	21	35	97	93	91
White	385	3	1	1	1	2	6	8	34	97	149	83	274	2	–	1	1	4	1	11	21	73	83	77
All other	83	2	–	–	2	2	4	8	14	25	17	9	80	1	–	–	2	4	1	10	14	24	10	14
Black	82	2	–	–	2	2	4	8	14	25	16	9	80	1	–	–	2	4	1	10	14	24	10	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	–	–	–	–	–	–	–	–	3	5	–	4	–	–	–	–	–	–	–	–	2	–	2
White	7	–	–	–	–	–	–	–	–	3	4	–	4	–	–	–	–	–	–	–	–	2	–	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	62	–	–	1	–	–	–	4	9	15	21	12	58	–	–	–	2	3	1	3	4	21	12	12
White	47	–	–	1	–	–	–	2	5	9	20	10	46	–	–	–	1	2	–	1	2	17	12	11
All other	15	–	–	–	–	–	–	2	4	6	1	2	12	–	–	–	1	1	1	2	2	4	–	1
Black	15	–	–	–	–	–	–	2	4	6	1	2	12	–	–	–	1	1	1	2	2	4	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	398	5	1	–	3	4	10	12	39	104	140	80	292	3	–	1	1	5	1	18	31	74	81	77
White	331	3	1	–	1	2	6	6	29	85	125	73	224	2	–	1	–	2	1	10	19	54	71	64
All other	67	2	–	–	2	2	4	6	10	19	15	7	68	1	–	–	1	3	–	8	12	20	10	13
Black	66	2	–	–	2	2	4	6	10	19	14	7	68	1	–	–	1	3	–	8	12	20	10	13
Infections of kidney (590)	63	–	–	–	1	–	1	1	4	16	23	17	91	–	–	–	–	1	4	3	4	16	37	26
White	53	–	–	–	1	–	1	1	1	13	20	16	80	–	–	–	–	1	2	2	2	13	34	26
All other	10	–	–	–	–	–	–	–	3	3	3	1	11	–	–	–	–	–	2	1	2	3	3	–
Black	10	–	–	–	–	–	–	–	3	3	3	1	11	–	–	–	–	–	2	1	2	3	3	–
Hyperplasia of prostate (600)	39	–	–	–	–	–	–	–	2	7	17	13	...	...	...	...	...	...	...	...	...	...	...	...
White	34	–	–	–	–	–	–	–	2	6	15	11	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	–	–	–	–	–	–	–	–	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	–	–	–	–	–	–	–	–	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	8	2	–	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	–	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	6	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	6	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-636)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	5	2	–	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	–	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Congenital anomalies (740-759)	286	185	21	9	10	6	9	8	7	15	12	4	235	143	19	7	4	7	5	17	16	9	7	1
White	209	121	17	8	7	6	6	6	7	15	12	4	174	100	12	3	3	6	5	16	12	9	7	1
All other	77	64	4	1	3	–	3	2	–	–	–	–	61	43	7	4	1	1	–	1	4	–	–	–
Black	77	64	4	1	3	–	3	2	–	–	–	–	59	42	7	3	1	1	–	1	4	–	–	–
Certain conditions originating in the perinatal period (760-779)	513	506	4	1	–	–	–	–	–	–	–	–	417	414	2	–	–	–	1	–	–	–	–	–
White	324	320	3	1	–	–	–	–	–	–	–	–	236	234	1	–	–	–	1	–	–	–	–	–
All other	189	186	1	–	–	–	–	–	–	–	–	–	181	180	1	–	–	–	–	–	–	–	–	–
Black	188	187	1	–	–	–	–	–	–	–	–	–	180	179	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	185	183	1	1	–	–	–	–	–	–	–	–	144	144	–	–	–	–	–	–	–	–	–	–
White	124	122	1	1	–	–	–	–	–	–	–	–	85	85	–	–	–	–	–	–	–	–	–	–
All other	61	61	–	–	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
Black	61	61	–	–	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	328	325	3	–	–	–	–	–	–	–	–	–	273	270	2	–	–	–	1	–	–	–	–	–
White	200	198	2	–	–	–	–	–	–	–	–	–	151	149	1	–	–	–	1	–	–	–	–	–
All other	128	127	1	–	–	–	–	–	–	–	–	–	122	121	1	–	–	–	–	–	–	–	–	–
Black	127	126	1	–	–	–	–	–	–	–	–	–	121	120	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	527	119	3	1	17	16	14	39	66	106	84	58	437	101	3	1	10	7	14	13	36	58	102	92
White	392	89	3	1	9	14	7	26	50	80	77	54	306	45	2	1	6	4	10	5	25	37	85	86
All other	135	50	–	–	8	2	7	13	16	26	7	4	131	56	1	–	4	3	4	8	11	21	17	6
Black	135	50	–	–	8	2	7	13	16	26	7	4	130	55	1	–	4	3	4	8	11	21	17	6
All other diseases (Residual)	3,092	52	30	17	55	80	114	263	503	785	833	380	2,718	40	18	21	50	52	95	167	328	596	802	549
White	2,609	34	18	12	42	52	66	181	397	670	774	363	2,322	21	10	18	33	29	58	113	249	527	746	518
All other	483	18	12	5	13	28	48	82	106	95	59	17	396	19	8	3	17	23	37	54	79	69	56	31
Black	477	18	12	5	13	27	47	82	106	94	56	17	395	19	8	3	17	23	37	54	78	69	56	31
Accidents and adverse effects (E800-E949)	3,295	33	102	174	835	546	362	301	301	293	244	100	1,431	22	65	63	245	148	97	110	158	167	227	129
White	2,741	20	67	118	733	480	295	243	240	241	227	94	1,221	10	40	47	223	120	76	94	131	147	209	125
All other	554	13	35	56	102	66	67	58	61	52	17	6	210	12	25	16	22	28	22	16	27	20	18	4
Black	547	13	34	54	102	64	66	58	61	51	17	6	206	12	25	16	21	28	21	15	27	20	17	4
Motor vehicle accidents (E810-E825)	1,793	7	24	95	608	343	200	140	136	135	81	21	723	4	22	39	203	104	72	56	81	66	80	16
White	1,547	5	18	76	557	288	168	119	104	114	75	21	636	3	14	30	192	85	55	48	70	61	59	16
All other	246	2	6	19	51	55	32	21	32	21	6	–	87	1	8	9	11	19	14	8	11	5	1	–
Black	240	2	5	18	51	53	31	21	32	20	6	–	84	1	8	9	10	19	13	7	11	5	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,502	26	78	79	227	203	162	161	165	158	163	79	708	18	43	24	42	44	25	54	77	101	167	113
White	1,194	15	49	42	176	172	127	124	138	127	152	73	585	7	26	17	31	35	17	45	61	86	150	109
All other	308	11	29	37	51	31	35	37	28	31	11	6	123	11	17	7	11	9	8	8	16	15	17	4
Black	307	11	29	36	51	31	35	37	29	31	11	6	122	11	17	7	11	9	8	8	16	15	16	4
Suicide (E950-E959)	1,062	...	...	6	171	207	140	121	129	147	114	27	454	...	...	2	55	78	68	69	82	58	35	9
White	896	...	...	5	157	182	132	113	125	143	112	27	441	...	...	2	52	73	65	68	81	56	35	9
All other	66	...	...	1	14	25	8	8	4	4	2	–	13	...	...	–	3	5	3	1	1	–	–	–
Black	64	...	...	1	14	24	8	7	4	4	2	–	12	...	...	–	3	4	3	1	1	–	–	–
Homicide and legal intervention (E960-E978)	878	6	6	14	205	267	164	109	58	30	11	7	296	5	6	4	85	82	50	17	13	22	7	2
White	473	5	1	9	111	116	84	67	42	22	8	7	176	2	1	3	51	43	33	9	9	16	5	2
All other	405	1	5	5	94	151	80	42	16	8	3	–	120	3	5	1	34	39	17	8	4	6	2	–
Black	403	1	5	5	94	151	79	41	16	8	3	–	119	3	5	1	34	38	17	8	4	6	2	–
All other external causes (E980-E999)	129	1	3	1	23	27	14	26	15	11	5	3	70	3	1	1	8	10	17	12	8	6	3	1
White	104	1	1	1	17	20	10	22	13	11	5	3	58	1	1	1	4	9	14	11	8	6	3	–
All other	25	–	2	–	6	7	4	4	2	–	–	–	12	2	–	–	4	1	3	1	–	–	–	1
Black	25	–	2	–	6	7	4	4	2	–	–	–	11	2	–	–	3	1	3	1	–	–	–	1
GEORGIA																								
All causes	23,606	766	196	235	974	997	1,221	2,431	4,759	6,107	4,429	1,741	19,256	563	86	139	354	401	641	1,316	2,571	4,241	5,180	3,761
White	17,069	380	57	156	717	567	713	1,651	3,473	4,463	3,465	1,421	13,555	266	44	85	249	228	347	820	1,611	2,763	3,964	3,157
All other	6,737	386	79	79	257	430	508	780	1,286	1,644	964	320	5,701	297	42	54	105	173	294	496	960	1,478	1,196	604
Black	6,722	386	79	79	255	427	505	777	1,284	1,643	963	320	5,681	295	42	53	104	168	293	492	959	1,475	1,195	609
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	2	–	–	–	–	–	1	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1
All other	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis (010-016)	39	–	–	–	–	2	3	4	11	10	7	2	19	–	–	–	–	1	3	1	4	5	2	3
White	18	–	–	–	–	1	2	1	5	4	3	2	7	–	–	–	–	–	–	–	2	2	1	2
All other	21	–	–	–	–	1	1	3	6	6	4	–	12	–	–	–	–	1	3	1	2	3	1	1
Black	21	–	–	–	–	1	1	3	6	6	4	–	12	–	–	–	–	1	3	1	2	3	1	1
Tuberculosis of respiratory system (010-012)	35	–	–	–	–	1	3	4	11	9	6	1	13	–	–	–	–	1	2	1	2	3	2	2
White	16	–	–	–	–	1	2	1	5	4	2	1	6	–	–	–	–	–	–	–	1	2	1	2
All other	19	–	–	–	–	–	1	3	6	5	4	–	7	–	–	–	–	1	2	1	1	1	1	–
Black	19	–	–	–	–	–	1	3	6	5	4	–	7	–	–	–	–	1	2	1	1	1	1	–
Other tuberculosis (013-016)	4	–	–	–	–	1	–	–	–	1	1	1	6	–	–	–	–	–	1	–	2	2	–	1
White	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–
All other	2	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	1	–	1	2	–	1
Black	2	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	1	–	1	2	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	-	2	1	1	-	-	-	-	1	-	-	6	2	-	1	-	-	1	-	1	-	1	-
White	3	-	1	1	-	-	-	-	-	1	-	-	5	2	-	1	-	-	1	-	-	-	1	-
All other	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Septicemia (038)	93	4	1	-	2	2	5	6	10	22	29	12	125	4	-	1	2	2	4	11	11	34	34	22
White	57	-	-	-	2	1	3	2	6	13	20	10	72	2	-	-	-	1	1	2	7	17	24	19
All other	36	4	1	-	-	1	2	4	4	9	9	2	53	2	-	1	2	2	3	9	4	17	10	3
Black	36	4	1	-	-	1	2	4	4	9	9	2	53	2	-	1	2	2	3	9	4	17	10	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	1	1	3	1	-	2	2	-	7	-	-	-	-	-	1	-	-	2	4	-
White	7	-	-	-	-	1	1	1	-	2	2	-	4	-	-	-	-	-	1	-	-	1	2	-
All other	3	-	-	-	1	-	2	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	3	-	-	-	1	-	2	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Syphilis (090-097)	7	1	-	-	-	-	1	-	1	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	5	-	-	-	-	-	1	-	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	52	2	1	3	5	6	2	3	10	10	7	3	33	-	-	4	1	3	6	2	3	7	4	3
White	38	-	-	2	4	3	-	1	10	8	7	3	21	-	-	4	-	1	4	2	1	3	3	3
All other	14	2	1	1	1	3	2	2	-	2	-	-	12	-	-	-	1	2	2	-	2	4	1	-
Black	14	2	1	1	1	3	2	2	-	2	-	-	12	-	-	-	1	2	2	-	2	4	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,423	2	9	28	40	66	166	509	1,184	1,468	757	193	3,448	1	4	14	23	57	168	433	821	951	696	280
White	3,317	2	4	21	31	47	118	360	885	1,089	603	156	2,572	-	3	10	16	36	107	320	586	689	584	241
All other	1,106	-	5	7	9	19	48	149	299	379	154	37	876	1	1	4	7	21	61	113	235	262	132	39
Black	1,104	-	5	7	9	19	48	148	298	379	154	37	870	-	1	4	7	20	61	110	235	261	132	39
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	134	-	-	-	-	1	3	35	42	43	6	4	69	-	-	-	-	-	3	10	14	18	18	6
White	90	-	-	-	-	-	1	20	29	30	6	4	58	-	-	-	-	-	2	6	10	17	17	6
All other	44	-	-	-	-	1	2	15	13	13	-	-	11	-	-	-	-	-	1	4	4	1	1	-
Black	44	-	-	-	-	1	2	15	13	13	-	-	11	-	-	-	-	-	1	4	4	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	938	-	-	-	3	8	33	105	261	309	168	51	908	-	1	-	2	10	20	62	190	279	247	95
White	631	-	-	-	3	3	20	60	166	213	125	41	660	-	1	-	2	5	16	42	120	194	199	81
All other	307	-	-	-	-	5	13	45	95	96	43	10	248	-	-	-	-	5	4	20	70	85	48	14
Black	307	-	-	-	-	5	13	45	95	96	43	10	248	-	-	-	-	5	4	20	70	85	48	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,711	-	-	-	1	4	48	219	555	611	245	28	442	-	-	-	1	4	15	75	148	117	63	19
White	1,368	-	-	-	1	3	33	172	448	487	201	23	363	-	-	-	1	2	11	58	121	93	58	19
All other	343	-	-	-	-	1	15	47	107	124	44	5	79	-	-	-	-	2	4	17	27	24	5	-
Black	343	-	-	-	-	1	15	47	107	124	44	5	77	-	-	-	-	2	4	15	27	24	5	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	2	2	-	560	-	-	-	-	14	63	114	147	140	69	33
White	4	-	-	-	-	-	-	-	1	1	2	-	429	-	-	-	-	9	36	88	109	111	50	26
All other	1	-	-	-	-	-	-	-	-	1	-	-	131	-	-	-	-	5	27	26	38	29	19	7
Black	1	-	-	-	-	-	-	-	-	1	-	-	131	-	-	-	-	5	27	26	38	29	19	7
Malignant neoplasms of genital organs (179-187)	487	-	-	-	3	7	5	10	77	165	159	61	467	-	-	-	2	11	28	71	119	134	75	27
White	313	-	-	-	3	7	4	4	38	96	114	47	307	-	-	-	1	6	13	40	76	88	61	22
All other	174	-	-	-	-	-	1	6	39	69	45	14	160	-	-	-	1	5	15	31	43	46	14	5
Black	174	-	-	-	-	-	1	6	39	69	45	14	158	-	-	-	1	4	15	30	43	46	14	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	177	1	1	–	–	–	1	22	35	60	44	13	117	–	–	1	–	1	4	8	18	41	28	16
White	141	1	1	–	–	–	–	18	28	44	37	12	94	–	–	–	–	–	3	6	14	33	24	14
All other	36	–	–	–	–	–	1	4	7	16	7	1	23	–	–	1	–	1	1	2	4	8	4	2
Black	36	–	–	–	–	–	1	4	7	16	7	1	23	–	–	1	–	1	1	2	4	8	4	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	572	–	5	9	22	16	56	73	132	169	73	17	549	1	2	7	10	7	22	70	133	139	106	52
White	454	–	3	6	14	13	42	54	113	134	62	13	416	–	2	6	7	6	16	60	100	93	81	45
All other	118	–	2	3	8	3	14	19	19	35	11	4	133	1	–	1	3	1	6	10	33	46	25	7
Black	117	–	2	3	8	3	14	18	19	35	11	4	131	–	–	1	3	1	6	10	33	45	25	7
Leukemia (204-208)	166	1	3	13	10	13	11	19	25	52	27	11	136	–	–	5	7	5	9	11	18	31	33	17
White	149	1	–	10	9	10	11	12	20	40	26	9	108	–	–	3	5	5	8	9	12	24	27	15
All other	37	–	3	3	1	3	–	7	5	12	1	2	28	–	–	2	2	–	1	2	6	7	6	2
Black	36	–	3	3	1	3	–	7	4	12	1	2	28	–	–	2	2	–	1	2	6	7	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	213	–	–	6	1	17	9	26	56	57	33	8	182	–	1	1	1	5	4	12	34	52	57	15
White	167	–	–	5	1	11	7	20	42	44	30	7	137	–	–	1	–	3	2	11	24	36	47	13
All other	46	–	–	1	–	6	2	6	14	13	3	1	45	–	1	–	1	2	2	1	10	16	10	2
Black	46	–	–	1	–	6	2	6	14	13	3	1	45	–	1	–	1	2	2	1	10	16	10	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	56	–	1	–	2	2	3	6	15	18	7	4	101	1	1	5	1	7	3	12	16	22	18	15
White	39	–	1	–	2	–	3	6	4	13	7	3	64	–	–	3	1	5	1	6	6	15	15	12
All other	17	–	–	–	–	2	–	–	11	3	–	1	37	1	1	2	–	2	2	6	10	7	3	3
Black	17	–	–	–	–	2	–	–	11	3	–	1	37	1	1	2	–	2	2	6	10	7	3	3
Diabetes mellitus (250)	265	–	–	–	1	6	21	36	55	78	52	16	440	–	–	–	3	9	6	28	79	158	123	34
White	172	–	–	–	1	2	13	17	33	53	36	17	250	–	–	–	2	6	3	12	35	83	82	27
All other	93	–	–	–	–	4	8	19	22	23	16	1	190	–	–	–	1	3	3	16	44	75	41	7
Black	93	–	–	–	–	4	8	19	22	23	16	1	190	–	–	–	1	3	3	16	44	75	41	7
Nutritional deficiencies (260-269)	26	3	–	–	–	2	1	1	3	4	9	3	37	–	–	–	–	–	2	1	3	10	10	11
White	12	–	–	–	–	2	1	–	1	3	5	–	19	–	–	–	–	–	2	1	1	4	3	5
All other	14	3	–	–	–	–	–	1	2	1	4	3	18	–	–	–	–	–	–	–	2	6	7	3
Black	14	3	–	–	–	–	–	1	2	1	4	3	17	–	–	–	–	–	–	–	1	6	7	3
Anemias (280-285)	42	2	5	–	2	3	4	4	6	7	8	1	54	–	2	1	6	–	3	4	8	9	14	7
White	23	1	1	–	2	–	2	1	4	5	6	1	27	–	–	–	1	–	3	3	5	11	4	
All other	19	1	4	–	–	3	2	3	2	2	2	–	27	–	2	1	5	–	3	1	5	4	3	3
Black	19	1	4	–	–	3	2	3	2	2	2	–	27	–	2	1	5	–	3	1	5	4	3	3
Meningitis (320-322)	29	15	5	1	–	–	1	–	2	4	1	–	18	6	1	3	2	–	–	3	–	2	1	–
White	12	6	3	1	–	–	–	–	1	1	–	–	7	3	–	1	1	–	–	–	–	1	1	–
All other	17	9	2	–	–	–	1	–	1	3	1	–	11	3	1	2	1	–	–	3	–	1	–	–
Black	17	9	2	–	–	–	1	–	1	3	1	–	11	3	1	2	1	–	–	3	–	1	–	–
Major cardiovascular diseases (390-448)	10,911	10	8	9	26	97	338	1,042	2,351	3,260	2,618	1,150	10,300	24	7	3	21	52	151	413	1,081	2,375	3,446	2,726
White	8,039	4	1	7	16	44	200	733	1,727	2,351	2,027	828	7,327	11	5	1	11	19	67	226	595	1,500	2,613	2,279
All other	2,872	6	7	2	10	53	138	309	624	909	591	222	2,973	13	2	2	10	33	84	187	486	875	833	447
Black	2,868	6	7	2	9	53	137	308	624	908	591	222	2,968	13	2	2	10	33	83	187	486	873	832	446
Diseases of heart (390-398,402,404-429)	8,490	6	8	8	21	75	278	686	1,974	2,512	1,928	792	7,070	16	7	1	16	36	105	298	779	1,725	2,336	1,748
White	6,438	2	1	6	13	38	179	651	1,515	1,971	1,518	643	5,072	7	5	–	8	15	48	176	451	1,125	1,783	1,454
All other	2,052	4	7	2	8	37	99	235	459	641	410	149	1,998	9	2	1	8	21	57	122	328	600	555	294
Black	2,048	4	7	2	7	37	98	234	459	640	410	149	1,993	9	2	1	8	21	56	122	328	598	554	293
Rheumatic fever and rheumatic heart disease (390-398)	30	–	–	–	3	3	2	5	3	6	8	–	65	–	–	–	5	2	4	12	14	16	11	1
White	21	–	–	–	2	1	2	3	3	4	6	–	46	–	–	–	2	–	3	9	10	12	9	1
All other	9	–	–	–	1	2	–	2	–	2	2	–	19	–	–	–	3	2	1	3	4	4	2	–
Black	9	–	–	–	1	2	–	2	–	2	2	–	19	–	–	–	3	2	1	3	4	4	2	–
Hypertensive heart disease (402)	276	–	–	–	–	–	3	12	32	65	80	67	17	400	–	–	–	–	6	8	26	63	112	114	71
White	121	–	–	–	–	–	–	5	9	24	36	34	13	192	–	–	–	–	2	2	3	14	48	70	59
All other	155	–	–	–	–	–	3	7	23	41	44	33	4	208	–	–	–	–	4	6	23	49	64	44	15
Black	155	–	–	–	–	–	3	7	23	41	44	33	4	208	–	–	–	–	4	6	23	49	64	44	15
Hypertensive heart and renal disease (404)	47	–	–	–	–	1	1	1	13	13	12	6	61	–	–	–	–	–	–	1	8	18	26	8
White	28	–	–	–	–	1	–	–	6	5	10	6	35	–	–	–	–	–	–	–	4	7	15	5
All other	19	–	–	–	–	–	1	1	7	8	2	–	26	–	–	–	–	–	–	1	4	11	10	–
Black	19	–	–	–	–	–	1	1	7	8	2	–	26	–	–	–	–	–	–	1	4	11	10	–
Ischemic heart disease (410-414)	6,210	–	–	–	2	31	200	676	1,520	1,898	1,340	542	4,468	3	1	–	–	8	45	175	513	1,136	1,497	1,090
White	4,981	–	–	–	1	22	133	541	1,214	1,501	1,118	450	3,426	2	–	–	–	3	24	118	328	828	1,203	930
All other	1,229	–	–	–	1	9	67	135	306	397	222	92	1,042	1	1	–	–	5	21	57	190	319	294	160
Black	1,226	–	–	–	1	9	66	134	306	396	222	92	1,041	1	1	–	–	5	21	57	190	312	294	160
Acute myocardial infarction (410)	4,349	–	–	–	1	26	159	535	1,165	1,370	818	274	2,803	2	1	–	–	8	35	141	403	789	868	556
White	3,507	–	–	–	–	17	104	433	940	1,102	684	226	2,129	1	–	–	–	3	17	93	283	579	725	448
All other	842	–	–	–	1	9	55	102	225	268	134	48	674	1	1	–	–	5	18	48	140	210	143	86
Black	840	–	–	–	1	9	54	102	225	267	134	48	673	1	1	–	–	5	18	48	140	209	143	86

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	96	–	–	–	–	–	5	13	31	22	21	4	52	–	–	–	–	–	–	3	9	14	15	11
White	54	–	–	–	–	–	1	7	14	12	16	4	43	–	–	–	–	–	–	2	8	11	14	8
All other	42	–	–	–	–	–	4	6	17	10	5	–	9	–	–	–	–	–	–	1	1	3	1	3
Black	42	–	–	–	–	–	4	6	17	10	5	–	9	–	–	–	–	–	–	1	1	3	1	3
Angina pectoris (413)	6	–	–	–	–	–	–	–	3	1	2	–	4	–	–	–	–	–	–	–	–	1	2	1
White	5	–	–	–	–	–	–	–	3	–	2	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,759	–	–	–	1	5	36	128	321	505	499	264	1,609	1	–	–	–	–	10	31	101	332	592	542
White	1,415	–	–	–	1	5	28	101	257	387	416	220	1,251	1	–	–	–	–	7	23	52	232	463	473
All other	344	–	–	–	–	–	8	27	64	118	83	44	358	–	–	–	–	–	3	8	49	100	129	69
Black	343	–	–	–	–	–	8	26	64	118	83	44	358	–	–	–	–	–	3	8	49	100	129	69
Other diseases of endocardium (424)	81	–	–	1	3	3	1	6	18	22	24	3	59	–	–	–	–	1	3	7	5	16	19	8
White	58	–	–	1	1	1	1	5	11	17	18	3	42	–	–	–	–	–	2	2	4	14	13	7
All other	23	–	–	–	2	2	–	1	7	5	6	–	17	–	–	–	–	1	1	5	1	2	6	1
Black	23	–	–	–	2	2	–	1	7	5	6	–	17	–	–	–	–	1	1	5	1	2	6	1
All other forms of heart disease (415-423,425-429)	1,846	6	8	7	13	34	62	166	355	483	477	224	2,017	13	6	1	11	19	45	77	176	427	671	570
White	1,229	2	1	5	9	13	38	93	257	308	332	171	1,331	5	5	–	6	10	17	44	96	221	472	455
All other	617	4	7	2	4	21	24	73	98	185	145	53	686	8	1	1	5	9	28	33	80	206	199	115
Black	616	4	7	2	3	21	24	73	98	185	145	53	682	8	1	1	5	9	27	33	80	205	198	114
Hypertension with or without renal disease (401,403)	86	–	–	–	–	2	4	7	17	28	19	9	116	–	–	1	–	–	3	7	20	22	41	22
White	35	–	–	–	–	–	–	3	3	15	7	7	48	–	–	1	–	–	1	3	3	10	17	13
All other	51	–	–	–	–	2	4	4	14	13	12	2	68	–	–	–	–	–	2	4	17	12	24	9
Black	51	–	–	–	–	2	4	4	14	13	12	2	68	–	–	–	–	–	2	4	17	12	24	9
Cerebrovascular diseases (430-438)	1,691	3	–	1	2	17	51	122	283	576	555	281	2,719	8	–	–	5	15	40	103	255	565	834	794
White	1,201	1	–	1	–	4	16	58	152	346	406	217	1,907	4	–	–	3	4	17	43	124	325	713	674
All other	490	2	–	–	2	13	35	64	131	230	149	64	812	4	–	–	2	11	23	60	131	240	221	120
Black	490	2	–	–	2	13	35	64	131	230	149	64	812	4	–	–	2	11	23	60	131	240	221	120
Intracerebral and other intracranial hemorrhage (431-432)	313	1	–	–	2	9	18	46	76	72	63	26	392	6	–	–	1	7	11	37	73	99	101	57
White	184	–	–	–	–	2	5	16	47	50	45	19	216	3	–	–	–	1	3	12	29	50	73	45
All other	129	1	–	–	2	7	13	30	29	22	18	7	176	3	–	–	1	6	8	25	44	49	28	12
Black	129	1	–	–	2	7	13	30	29	22	18	7	176	3	–	–	1	6	8	25	44	49	28	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	396	–	–	–	–	–	3	18	44	133	141	57	542	2	–	–	1	1	3	5	34	104	186	206
White	276	–	–	–	–	–	1	9	27	90	108	41	401	1	–	–	1	1	–	3	12	81	147	175
All other	120	–	–	–	–	–	2	9	17	43	33	16	141	1	–	–	–	–	3	2	22	43	39	31
Black	120	–	–	–	–	–	2	9	17	43	33	16	141	1	–	–	–	–	3	2	22	43	39	31
Cerebral embolism (434.1)	7	–	–	–	–	–	–	–	2	3	1	1	18	–	–	–	–	–	–	–	2	5	8	3
White	4	–	–	–	–	–	–	–	–	3	1	–	11	–	–	–	–	–	–	–	1	5	3	2
All other	3	–	–	–	–	–	–	–	2	–	–	1	7	–	–	–	–	–	–	–	1	–	5	1
Black	3	–	–	–	–	–	–	–	2	–	–	1	7	–	–	–	–	–	–	–	1	–	5	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,175	2	–	1	–	8	30	58	161	368	350	197	1,767	–	–	–	3	7	26	61	146	357	638	528
White	737	1	–	1	–	2	10	33	78	203	252	157	1,279	–	–	–	2	2	14	28	82	209	490	452
All other	438	1	–	–	–	6	20	25	83	165	98	40	488	–	–	–	1	5	12	33	64	148	149	76
Black	438	1	–	–	–	6	20	25	83	165	98	40	488	–	–	–	1	5	12	33	64	148	149	76
Atherosclerosis (440)	170	–	–	–	–	–	–	6	19	34	62	49	269	–	–	–	–	–	–	–	15	28	97	129
White	128	–	–	–	–	–	–	5	12	23	46	42	204	–	–	–	–	–	–	–	10	16	71	107
All other	42	–	–	–	–	–	–	1	7	11	16	7	65	–	–	–	–	–	–	–	5	12	26	22
Black	42	–	–	–	–	–	–	1	7	11	16	7	65	–	–	–	–	–	–	–	5	12	26	22
Other diseases of arteries, arterioles, and capillaries (441-448)	274	1	–	–	3	3	5	21	58	110	54	19	126	–	–	1	–	1	3	5	12	35	36	33
White	237	1	–	–	3	2	5	16	45	96	50	19	96	–	–	–	–	–	1	4	7	24	29	31
All other	37	–	–	–	–	1	–	5	13	14	4	–	30	–	–	1	–	1	2	1	5	11	7	2
Black	37	–	–	–	–	1	–	5	13	14	4	–	30	–	–	1	–	1	2	1	5	11	7	2
Acute bronchitis and bronchiolitis (466)	6	1	–	–	–	–	–	1	1	1	1	1	8	3	–	–	–	–	–	2	1	1	1	–
White	6	1	–	–	–	–	–	1	1	1	1	1	3	1	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	–	2	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	–	2	1	–	–	–
Pneumonia and influenza (480-487)	563	42	8	5	4	11	22	33	69	128	121	100	496	31	3	5	6	6	14	22	26	58	145	173
White	375	14	1	3	3	4	9	17	57	63	98	86	360	11	–	7	7	4	7	18	14	34	118	160
All other	188	28	7	2	1	7	13	16	32	45	23	14	116	20	3	1	1	4	7	4	12	24	27	13
Black	188	28	7	2	1	7	13	16	32	45	23	14	116	20	3	1	1	4	7	4	12	24	27	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	556	42	8	5	4	11	21	33	88	126	119	99	482	31	3	7	7	8	14	21	26	57	143	165
White	371	14	1	3	3	4	9	17	57	82	96	85	367	11	-	6	6	4	7	17	14	34	116	152
All other	185	28	7	2	1	7	12	16	31	44	23	14	115	20	3	1	1	4	7	4	12	23	27	13
Black	185	28	7	2	1	7	12	16	31	44	23	14	115	20	3	1	1	4	7	4	12	23	27	13
Influenza (487)	7	-	-	-	-	-	1	-	1	2	2	1	14	-	-	1	1	-	-	1	-	1	2	6
White	4	-	-	-	-	-	-	-	-	1	2	1	13	-	-	1	1	-	-	1	-	-	2	6
All other	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	810	1	2	-	3	4	7	43	165	301	219	45	300	-	2	1	1	5	12	24	72	84	65	34
White	703	-	1	-	2	2	5	34	159	283	194	43	283	-	-	1	1	2	8	21	64	78	61	32
All other	107	1	1	-	1	2	2	9	26	38	25	2	37	-	2	-	-	3	4	3	8	11	4	2
Black	107	1	1	-	1	2	2	9	26	38	25	2	37	-	2	-	-	3	4	3	8	11	4	2
Bronchitis, chronic and unspecified (490-491)	60	1	-	-	-	-	-	5	11	25	14	4	35	-	2	1	-	-	1	3	7	10	7	4
White	56	-	-	-	-	-	-	4	11	23	14	4	30	-	-	1	-	-	1	3	6	9	6	4
All other	4	1	-	-	-	-	-	1	-	2	-	-	5	-	2	-	-	-	-	-	1	1	1	-
Black	4	1	-	-	-	-	-	1	-	2	-	-	5	-	2	-	-	-	-	-	1	1	1	-
Emphysema (492)	226	-	-	-	-	-	1	9	60	100	49	7	55	-	-	-	-	-	-	3	15	19	12	6
White	209	-	-	-	-	-	1	9	53	92	47	7	54	-	-	-	-	-	-	3	15	18	12	6
All other	17	-	-	-	-	-	-	-	7	8	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	17	-	-	-	-	-	-	-	7	8	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	21	-	1	-	2	3	2	3	3	5	2	-	49	-	-	-	1	3	6	7	12	10	7	3
White	11	-	1	-	1	2	-	3	1	2	1	-	33	-	-	-	1	1	2	5	8	7	6	3
All other	10	-	-	-	1	1	2	-	2	3	1	-	16	-	-	-	-	2	4	2	4	3	1	-
Black	10	-	-	-	1	1	2	-	2	3	1	-	16	-	-	-	-	2	4	2	4	3	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	503	-	1	-	1	1	4	26	111	171	154	34	161	-	-	-	-	2	5	11	38	45	39	21
White	427	-	-	-	1	-	4	18	94	146	132	32	146	-	-	-	-	1	5	10	35	39	37	19
All other	76	-	1	-	-	1	-	8	17	25	22	2	15	-	-	-	-	1	-	1	3	6	2	2
Black	76	-	1	-	-	1	-	8	17	25	22	2	15	-	-	-	-	1	-	1	3	6	2	2
Ulcer of stomach and duodenum (531-533)	68	1	-	-	-	1	6	9	7	23	15	6	49	-	-	1	-	-	1	4	11	11	17	3
White	44	-	-	-	-	-	-	6	7	16	11	4	38	-	-	1	-	-	1	3	8	7	15	3
All other	24	1	-	-	-	1	6	3	-	7	4	2	11	-	-	-	-	-	-	1	3	4	2	-
Black	24	1	-	-	-	1	6	3	-	7	4	2	11	-	-	-	-	-	-	1	3	4	2	-
Appendicitis (540-543)	12	-	-	1	1	1	1	1	4	2	1	-	12	-	-	-	-	1	1	1	3	2	2	2
White	6	-	-	1	-	-	1	1	2	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	6	-	-	-	1	1	-	-	2	2	-	-	8	-	-	-	-	1	1	1	3	1	-	1
Black	6	-	-	-	1	1	-	-	2	2	-	-	8	-	-	-	-	1	1	1	3	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	57	1	-	1	-	-	-	7	10	17	16	5	73	3	-	-	1	1	2	2	5	17	23	19
White	38	1	-	1	-	-	-	6	5	11	9	5	46	-	-	-	1	-	2	1	4	6	18	14
All other	19	-	-	-	-	-	-	1	5	6	7	-	27	3	-	-	-	1	-	1	1	11	5	5
Black	19	-	-	-	-	-	-	1	5	6	7	-	27	3	-	-	-	1	-	1	1	11	5	5
Chronic liver disease and cirrhosis (571)	358	-	-	-	2	20	57	102	92	72	11	3	218	-	-	-	-	13	38	71	50	28	14	4
White	264	-	-	-	1	9	28	71	79	62	11	3	141	-	-	-	-	1	13	46	43	21	13	4
All other	95	-	-	-	1	11	29	31	13	10	-	-	77	-	-	-	-	12	25	25	7	7	1	-
Black	95	-	-	-	1	11	29	31	13	10	-	-	77	-	-	-	-	12	25	25	7	7	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	48	-	-	-	-	1	3	1	7	14	13	9	46	-	-	-	-	-	-	3	2	9	19	13
White	44	-	-	-	-	-	3	1	5	13	13	9	42	-	-	-	-	-	-	1	2	8	19	12
All other	4	-	-	-	-	1	-	-	2	1	-	-	4	-	-	-	-	-	-	2	-	1	-	1
Black	4	-	-	-	-	1	-	-	2	1	-	-	4	-	-	-	-	-	-	2	-	1	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	198	3	1	-	-	4	4	20	28	52	60	26	191	2	-	1	-	1	3	18	27	57	45	37
White	120	1	-	-	-	3	2	9	14	25	43	23	94	1	-	-	-	1	2	4	11	19	26	30
All other	78	2	1	-	-	1	2	11	14	27	17	3	97	1	-	1	-	-	1	14	16	38	19	7
Black	78	2	1	-	-	1	2	11	14	27	17	3	97	1	-	1	-	-	1	14	16	38	19	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	1	-	-	1	-	1	1	1	1	-	3	-	-	1	-	-	-	-	-	-	2	-
White	4	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	1	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
Black	2	-	1	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	–	–	–	–	–	1	4	3	12	7	4	38	–	–	–	–	–	–	4	7	15	8	4
White	17	–	–	–	–	–	–	3	2	3	5	4	14	–	–	–	–	–	–	2	2	5	3	2
All other	14	–	–	–	–	–	1	1	1	9	2	–	24	–	–	–	–	–	–	2	5	10	5	2
Black	14	–	–	–	–	–	1	1	1	9	2	–	24	–	–	–	–	–	–	2	5	10	5	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	161	3	–	–	–	3	3	15	24	39	52	22	150	2	–	–	–	1	3	14	20	42	35	33
White	99	1	–	–	–	3	2	5	11	21	37	19	79	1	–	–	–	1	2	2	9	14	22	28
All other	62	2	–	–	–	–	1	10	13	18	15	3	71	1	–	–	–	–	1	12	11	28	13	5
Black	62	2	–	–	–	–	1	10	13	18	15	3	71	1	–	–	–	–	1	12	11	28	13	5
Infections of kidney (590)	40	–	–	–	–	3	–	1	10	11	10	5	43	1	–	–	1	1	2	5	4	6	14	9
White	25	–	–	–	–	2	–	–	3	6	9	5	24	1	–	–	–	1	–	2	1	4	9	6
All other	15	–	–	–	–	1	–	1	7	5	1	–	19	–	–	–	1	–	2	3	3	2	5	3
Black	15	–	–	–	–	1	–	1	7	5	1	–	19	–	–	–	1	–	2	3	3	2	5	3
Hyperplasia of prostate (600)	23	–	–	–	–	–	–	–	1	5	12	5	...	...	...	...	...	...	...	...	...	...	...	...
White	16	–	–	–	–	–	–	–	1	2	8	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	7	–	–	–	–	–	–	–	–	3	4	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	7	–	–	–	–	–	–	–	–	3	4	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	4	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	2	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	2	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
Congenital anomalies (740-759)	192	130	14	13	7	8	5	2	5	4	2	1	170	108	9	11	8	7	8	4	7	1	4	3
White	127	85	7	9	5	6	3	2	4	3	1	1	112	69	6	8	4	6	4	3	5	1	3	3
All other	65	45	7	4	2	2	2	–	1	1	1	–	58	39	3	3	4	1	4	1	2	–	1	–
Black	65	45	7	4	2	2	2	–	1	1	1	–	57	38	3	3	4	1	4	1	2	–	1	–
Certain conditions originating in the perinatal period (760-779)	406	405	1	–	–	–	–	–	–	–	–	–	285	280	4	–	–	–	–	–	1	–	–	–
White	206	205	1	–	–	–	–	–	–	–	–	–	129	126	2	–	–	–	–	–	1	–	–	–
All other	200	200	–	–	–	–	–	–	–	–	–	–	156	154	2	–	–	–	–	–	–	–	–	–
Black	200	200	–	–	–	–	–	–	–	–	–	–	156	154	2	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	172	171	1	–	–	–	–	–	–	–	–	–	79	79	1	–	–	–	–	–	–	–	–	–
White	102	101	1	–	–	–	–	–	–	–	–	–	53	52	1	–	–	–	–	–	–	–	–	–
All other	70	70	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Black	70	70	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	234	234	–	–	–	–	–	–	–	–	–	–	206	202	3	–	–	–	–	–	1	–	–	–
White	104	104	–	–	–	–	–	–	–	–	–	–	76	74	1	–	–	–	–	–	1	–	–	–
All other	130	130	–	–	–	–	–	–	–	–	–	–	130	128	2	–	–	–	–	–	–	–	–	–
Black	130	130	–	–	–	–	–	–	–	–	–	–	130	128	2	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	228	70	1	1	4	7	9	20	39	39	27	11	180	50	5	1	7	4	4	7	12	24	30	35
White	117	28	–	–	2	4	3	11	19	22	21	7	104	18	2	1	4	3	1	5	9	14	19	27
All other	111	42	1	1	2	3	6	9	20	17	6	4	76	32	4	–	3	1	3	1	3	10	11	8
Black	111	42	1	1	2	3	6	9	20	17	6	4	76	32	4	–	3	1	3	1	3	10	11	8
All other diseases (Residual)	1,439	45	16	17	44	73	101	166	281	324	274	96	1,350	24	11	26	22	40	62	131	200	238	336	240
White	955	19	8	14	32	35	39	92	192	241	210	72	908	8	4	16	17	18	34	65	120	159	269	198
All other	484	26	8	3	12	38	62	74	89	83	64	24	442	15	7	10	5	22	48	66	80	79	67	42
Black	484	26	8	3	12	38	62	74	89	83	64	24	440	15	7	10	5	21	48	65	80	79	67	42
Accidents and adverse effects (E800-E949)	2,194	23	58	145	606	349	239	249	215	158	115	35	848	19	30	52	155	96	64	63	79	84	107	85
White	1,561	11	27	92	490	234	152	170	148	114	91	30	638	11	19	28	135	71	45	47	58	66	89	69
All other	633	12	31	53	116	115	87	79	67	44	24	5	208	8	11	24	20	27	19	16	21	28	18	16
Black	627	12	31	53	115	113	85	79	67	44	23	5	205	8	11	23	20	25	19	16	21	28	18	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	1,205	5	24	78	441	219	117	135	83	62	33	7	405	4	11	32	127	64	35	31	40	33	22	6
White	919	4	10	56	373	156	78	100	60	49	26	6	336	3	8	22	116	50	28	25	35	24	19	6
All other	286	1	14	22	68	63	39	35	23	13	7	1	69	1	3	10	11	14	7	6	5	9	3	-
Black	283	1	14	22	67	62	39	35	23	13	6	1	66	1	3	9	11	12	7	6	5	9	3	-
All other accidents and adverse effects (E800-E807, E826-E949)	989	18	34	67	165	130	122	114	132	96	82	28	441	15	19	20	28	34	29	32	39	61	85	79
White	642	7	17	36	117	78	74	70	88	65	65	24	302	8	11	6	19	21	17	22	23	42	70	68
All other	347	11	17	31	48	52	48	44	44	31	17	4	139	7	8	14	9	13	12	10	16	19	15	16
Black	344	11	17	31	48	51	46	44	44	31	17	4	139	7	8	14	9	13	12	10	16	19	15	16
Suicide (E950-E959)	490	...	...	1	85	105	77	76	68	48	24	6	176	...	...	-	33	32	29	30	25	24	4	-
White	422	...	...	1	67	85	68	68	60	43	24	6	158	...	...	-	29	28	27	25	25	21	3	-
All other	68	...	...	-	18	20	9	8	8	5	-	-	18	...	...	-	4	4	1	5	-	3	1	-
Black	68	...	...	-	18	20	9	8	8	5	-	-	17	...	...	-	3	4	1	5	-	3	1	-
Homicide and legal intervention (E960-E978)	664	3	3	6	128	212	134	83	63	21	9	-	191	1	4	6	52	52	32	19	12	8	4	-
White	267	1	1	2	49	73	54	38	36	13	2	-	75	1	2	3	17	22	14	4	5	5	1	-
All other	397	2	2	4	79	139	80	47	27	8	7	-	116	-	2	3	35	30	18	15	7	3	3	-
Black	394	2	2	4	79	138	80	46	26	8	7	-	115	-	2	3	35	29	18	15	7	3	3	-
All other external causes (E980-E999)	47	-	-	2	10	11	8	4	6	3	2	1	19	2	-	-	3	2	3	2	4	1	1	1
White	33	-	-	1	8	9	3	3	5	1	2	1	14	1	-	-	1	1	3	2	4	1	-	1
All other	14	-	-	1	2	2	5	1	1	2	-	-	5	1	-	-	2	1	-	-	-	-	1	-
Black	14	-	-	1	2	2	5	1	1	2	-	-	5	1	-	-	2	1	-	-	-	-	1	-
HAWAII																								
All causes	2,015	117	20	22	160	142	109	266	494	697	555	307	1,955	59	14	9	48	59	66	156	269	346	475	427
White	914	31	4	4	68	68	47	112	179	188	144	68	602	13	3	3	12	20	21	33	95	120	147	139
All other	2,001	86	16	18	92	74	62	174	315	509	411	239	1,353	46	11	6	36	39	45	123	194	226	328	294
Black	29	6	-	2	6	3	2	1	3	2	1	-	8	1	-	-	-	-	-	1	1	2	1	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	-	-	1	2	2	3	-	1	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	-	-	1	2	2	3	-	1	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	21	-	1	-	-	-	-	2	4	5	6	3	6	-	-	-	-	-	-	-	2	2	-	2
White	7	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	14	-	1	-	-	-	-	2	3	3	3	2	5	-	-	-	-	-	-	-	2	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	-	2	-	1	1	-	1	1	3	3	-	7	1	-	-	1	1	1	-	2	1	-	-
White	5	-	1	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	7	-	1	-	1	-	-	-	-	3	2	-	5	1	-	-	1	1	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	638	-	1	5	1	12	15	90	154	191	127	42	468	-	1	3	3	12	30	65	119	109	86	39
White	192	-	-	1	-	6	5	33	60	49	33	6	158	-	-	1	-	6	9	12	43	40	28	10
All other	446	-	1	4	1	6	10	57	94	143	94	36	310	-	1	2	3	6	21	53	76	60	58	29
Black	3	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	1	-	4	10	1	4	1	7	-	-	-	-	-	1	2	1	2	1	-
White	11	-	-	-	-	1	-	2	7	-	1	-	4	-	-	-	-	-	1	1	1	2	-	-
All other	10	-	-	-	-	-	-	2	3	1	3	1	3	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	229	-	-	-	-	1	4	28	54	77	51	14	130	-	-	-	-	3	6	14	26	25	37	19
White	47	-	-	-	-	-	-	8	16	16	5	-	35	-	-	-	-	1	1	-	6	7	12	8
All other	182	-	-	-	-	1	4	20	38	59	46	14	95	-	-	-	-	2	5	14	20	18	25	11
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	178	-	-	-	-	-	3	37	50	55	28	5	91	-	-	-	-	1	5	11	29	26	15	3
White	54	-	-	-	-	-	2	14	18	11	9	-	35	-	-	-	-	-	3	3	14	12	4	2
All other	124	-	-	-	-	-	1	23	32	44	19	5	56	-	-	-	-	1	5	8	15	14	11	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	65	-	-	-	-	1	9	15	21	13	5	1
White	-	-	-	-	-	-	-	-	-	-	-	-	30	-	-	-	-	-	4	4	11	8	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	35	-	-	-	-	1	5	11	10	5	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	52	-	-	-	-	-	-	1	19	20	12		59	-	-	-	1	3	1	12	17	14	8	3
White	17	-	-	-	-	-	-	-	5	7	5		18	-	-	-	-	2	-	-	3	9	4	-
All other	35	-	-	-	-	-	-	1	14	13	7		41	-	-	-	1	1	1	12	14	5	4	3
Black	1	-	-	-	-	-	-	-	1	-	-		-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	22	-	-	-	-	-	1	2	6	7	3	1	21	-	-	-	-	-	-	1	4	5	5	6
White	9	-	-	-	-	-	1	1	3	3	1	-	6	-	-	-	-	-	-	1	2	2	1	-
All other	13	-	-	-	-	-	-	1	5	4	2	1	15	-	-	-	-	-	-	-	2	3	4	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	70	-	-	1	-	3	-	8	20	18	14	6	50	-	-	1	1	2	5	7	13	10	9	2
White	33	-	-	-	-	2	-	5	12	6	7	1	18	-	-	-	-	2	3	2	4	5	2	-
All other	37	-	-	1	-	1	-	3	8	12	7	5	32	-	-	1	1	-	2	5	9	5	7	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	30	-	1	4	1	4	3	6	3	5	3	-	15	-	1	2	1	-	2	1	1	5	2	-
White	11	-	-	1	-	1	1	2	1	2	3	-	6	-	-	1	-	-	1	1	-	2	1	-
All other	19	-	1	3	1	3	2	4	2	3	-	-	9	-	1	1	1	-	1	-	1	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	-	-	-	-	3	4	5	6	9	4	3	30	-	-	-	-	2	1	2	7	9	4	5
White	10	-	-	-	-	2	1	1	3	3	-	-	6	-	-	-	-	1	-	-	2	2	1	-
All other	26	-	-	-	-	1	3	4	5	6	4	3	24	-	-	-	-	1	1	2	5	7	3	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	-	1	-	1	1	-	10	-	-	-	-	1	-	-	1	3	4	1
White	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	1	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	2	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	68	-	-	-	-	-	-	8	16	17	14	11	82	-	-	1	-	-	1	6	7	13	22	12
White	15	-	-	-	-	-	-	2	4	2	5	2	13	-	-	1	-	-	-	-	2	3	6	1
All other	51	-	-	-	-	-	-	6	12	15	9	9	49	-	-	-	-	-	1	6	5	10	16	11
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nutritional deficiencies (260-269)	4	-	-	-	1	-	-	-	-	-	3	-	5	-	-	-	-	-	-	-	-	2	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	3	-	-	-	1	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	1	-	-	-	1	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	1	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,134	4	1	-	4	14	28	109	218	329	260	166	865	-	2	1	3	11	10	35	104	151	274	278
White	317	-	1	-	2	3	7	40	70	85	68	41	282	-	1	-	-	-	4	5	29	44	82	97
All other	817	4	-	-	2	11	21	69	148	244	192	125	603	-	1	1	3	11	6	30	75	107	192	176
Black	4	-	-	-	-	-	2	-	1	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Diseases of heart (390-398,402,404-429)	909	4	1	-	1	10	24	95	187	285	196	126	624	-	1	1	3	9	5	21	77	119	196	192
White	272	-	1	-	-	2	6	36	61	72	57	37	206	-	-	-	-	-	2	4	23	37	66	74
All other	637	4	-	-	1	8	18	59	126	193	139	89	418	-	1	1	3	9	3	17	54	82	130	118
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	1	2	2	1	-	-	5	-	-	-	-	-	1	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	6	-	-	-	-	-	1	2	2	1	-	-	3	-	-	-	-	-	1	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	38	-	-	-	-	-	2	3	7	14	5	5	29	-	-	-	-	1	-	1	4	4	12	7
White	9	-	-	-	-	-	-	1	3	-	3	2	11	-	-	-	-	-	-	-	2	2	5	2
All other	27	-	-	-	-	-	2	2	4	14	2	3	18	-	-	-	-	1	-	1	2	2	7	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
White	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	718	-	-	-	-	8	17	79	155	209	155	95	448	-	-	-	-	4	4	16	49	87	148	140
White	207	-	-	-	-	1	4	28	49	55	45	25	139	-	-	-	-	-	1	3	12	24	51	48
All other	511	-	-	-	-	7	13	51	106	154	110	70	309	-	-	-	-	4	3	13	37	63	97	92
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	329	-	-	-	-	4	11	39	74	102	65	34	210	-	-	-	-	3	2	8	34	45	68	50
White	90	-	-	-	-	1	4	13	21	30	14	7	62	-	-	-	-	-	1	1	9	12	26	13
All other	239	-	-	-	-	3	7	26	53	72	51	27	148	-	-	-	-	3	1	7	25	33	42	37
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	385	-	-	-	-	4	6	39	81	105	89	61	236	-	-	-	-	-	2	8	15	41	80	90
White	116	-	-	-	-	-	-	14	28	25	31	18	76	-	-	-	-	-	-	2	3	11	25	35
All other	268	-	-	-	-	4	6	25	53	80	58	43	160	-	-	-	-	-	2	6	12	30	55	55
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	13	-	-	-	-	-	1	-	3	5	2	2	8	-	-	-	-	-	-	-	2	1	1	4
White	3	-	-	-	-	-	1	-	-	2	-	-	4	-	-	-	-	-	-	-	1	-	-	3
All other	10	-	-	-	-	-	-	-	3	3	2	2	4	-	-	-	-	-	-	-	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	133	4	1	-	1	1	3	11	20	35	33	24	131	-	1	1	3	3	1	4	21	24	33	40
White	51	-	1	-	-	-	1	7	9	14	9	10	49	-	-	-	-	-	1	1	8	9	10	20
All other	82	4	-	-	1	1	2	4	11	21	24	14	82	-	1	1	3	3	-	3	13	15	23	20
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	1	1	1	1	2	2	5	-	1	-	-	-	-	-	1	-	1	2
White	2	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	-	1	-	1	1	2	1	4	-	-	-	-	-	-	-	1	-	1	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	171	-	-	-	3	4	2	11	23	49	50	29	198	-	-	-	-	1	5	12	23	27	66	63
White	27	-	-	-	2	1	-	1	5	9	7	2	44	-	-	-	-	-	2	1	8	5	11	19
All other	144	-	-	-	1	3	2	10	18	40	43	27	154	-	-	-	-	1	3	11	17	22	55	44
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	51	-	-	-	1	2	-	7	4	21	10	6	35	-	-	-	-	-	3	7	6	4	12	3
White	13	-	-	-	1	1	-	1	2	6	2	-	4	-	-	-	-	-	1	1	-	-	2	-
All other	38	-	-	-	-	1	-	6	2	15	8	6	31	-	-	-	-	-	2	6	6	4	10	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	-	-	-	-	-	-	1	4	8	12	7	38	-	-	-	-	-	-	-	1	3	16	16
White	2	-	-	-	-	-	-	-	1	-	-	1	6	-	-	-	-	-	-	-	-	1	-	5
All other	30	-	-	-	-	-	-	1	4	7	12	6	30	-	-	-	-	-	-	-	1	2	16	11
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	87	-	-	-	2	2	2	3	15	20	27	16	126	-	-	-	-	1	2	5	16	20	37	44
White	12	-	-	-	1	-	-	-	3	2	5	1	34	-	-	-	-	-	1	-	6	4	9	14
All other	75	-	-	-	1	2	2	3	12	18	22	15	92	-	-	-	-	1	1	5	10	16	28	30
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Atherosclerosis (440)	17	-	-	-	-	-	-	1	1	3	5	7	16	-	-	-	-	-	-	-	-	2	4	10
White	3	-	-	-	-	-	-	1	-	-	1	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	14	-	-	-	-	-	-	-	1	3	4	6	12	-	-	-	-	-	-	-	-	2	2	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	29	-	-	-	-	-	1	1	6	11	7	2	22	-	-	-	-	-	1	-	2	3	3	7	6
White	13	-	-	-	-	-	1	1	4	4	3	-	7	-	-	-	-	-	-	-	-	2	3	2
All other	16	-	-	-	-	-	-	-	2	7	4	2	15	-	-	-	-	-	1	-	2	3	1	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	73	-	1	-	-	1	2	6	2	17	25	18	62	1	1	-	1	2	1	1	3	5	14	33
White	18	-	-	-	-	-	1	2	1	4	5	5	12	-	-	-	-	-	-	-	-	-	4	8
All other	55	-	1	-	-	1	1	4	1	13	20	13	50	1	1	-	1	2	1	1	3	5	10	25
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	71	-	1	-	-	1	2	6	2	16	24	18	58	-	1	-	1	2	1	1	2	4	13	33
White	18	-	-	-	-	-	1	2	1	4	5	5	12	-	-	-	-	-	-	-	-	-	4	8
All other	53	-	1	-	-	1	1	4	1	12	19	13	46	-	1	-	1	2	1	1	2	4	9	25
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	1	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	88	-	-	-	1	-	2	1	16	33	17	18	53	-	-	-	1	-	2	5	9	8	15	13
White	33	-	-	-	1	-	1	-	11	12	4	5	17	-	-	-	-	-	1	2	1	3	8	2
All other	55	-	-	-	1	-	1	1	5	21	13	13	36	-	-	-	1	-	1	3	8	5	7	11
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	-	-	2	-	-	2	2
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	2	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	15	-	-	-	-	-	-	-	4	7	2	2	7	-	-	-	-	-	-	1	2	1	2	1
White	9	-	-	-	-	-	-	-	3	4	1	1	5	-	-	-	-	-	-	1	2	1	-	1
All other	6	-	-	-	-	-	-	-	1	3	1	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	12	-	-	-	-	-	2	-	3	3	3	1	6	-	-	-	1	-	1	-	1	-	1	2
White	3	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	*
All other	9	-	-	-	-	-	1	-	1	3	3	1	5	-	-	-	1	-	1	-	1	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	57	-	-	-	1	-	-	1	9	21	11	14	34	-	-	-	-	-	-	1	7	6	11	9
White	20	-	-	-	-	-	-	-	6	7	3	4	11	-	-	-	-	-	-	-	-	3	6	2
All other	37	-	-	-	1	-	-	1	3	14	8	10	23	-	-	-	-	-	-	1	7	3	5	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	-	-	1	3	3	12	-	-	-	-	-	1	-	2	1	-	4	4
White	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	1	2
All other	6	-	-	-	-	-	-	-	-	3	3	8	-	-	-	-	-	1	-	2	-	-	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	1	-	-	1	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	3	
White	3	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	
All other	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic liver disease and cirrhosis (571)	51	-	-	-	-	3	15	10	9	12	2		25	-	-	-	-	1	-	9	8	3	4	
White	26	-	-	-	-	2	9	6	5	4			16	-	-	-	-	1	-	7	5	1	2	
All other	25	-	-	-	-	1	6	4	4	8	2		9	-	-	-	-	-	-	2	3	2	2	
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	2	1	-		2	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	-	-	-	-	1	-	-		-	-	-	-	-	-	-	-	-	-	-	
All other	2	-	-	-	-	-	-	-	1	1	-		2	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	1	-	-	-	1	-	-	1	5	7	7	15	-	-	-	-	-	-	-	2	-	7	6
White	5	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	17	1	-	-	-	1	-	-	-	4	6	5	13	-	-	-	-	-	-	-	2	-	6	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	1	-	-	-	2	1	3	3	-	-	-	-	-	-	-	-	-	-	3
White	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
All other	4	-	-	-	-	1	-	-	-	2	-	1	3	-	-	-	-	-	-	-	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	1	-	-	-	-	-	-	1	3	6	4	11	-	-	-	-	-	-	-	2	-	6	3
White	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	1
All other	13	1	-	-	-	-	-	-	-	2	6	4	9	-	-	-	-	-	-	-	2	-	5	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	2	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	1	-	1	***	***	***	***	***	***	***	***	***	***	***	***
White	1	-	-	-	-	-	-	-	-	1	-	-	***	***	***	***	***	***	***	***	***	***	***	***
All other	1	-	-	-	-	-	-	-	-	-	-	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	35	27	2	-	3	-	-	-	-	2	1	-	28	20	2	-	1	1	1	-	1	1	-	-
White	12	10	1	-	-	-	-	-	-	1	-	-	8	6	-	-	1	-	1	-	-	-	-	-
All other	23	17	1	-	3	-	-	-	-	1	1	-	20	14	2	-	-	1	-	-	1	1	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	59	56	1	-	-	-	1	-	1	-	-	-	21	19	-	-	-	-	-	-	-	-	-	-
White	17	15	-	-	-	-	1	-	1	-	-	-	7	5	-	-	-	-	-	-	-	-	-	-
All other	42	41	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	18	-	-	-	-	1	-	-	-	-	-	5	4	-	-	-	-	-	-	-	-	-	-
White	5	4	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-778)	40	38	1	-	-	-	-	-	1	-	-	-	16	15	-	-	-	-	-	-	-	-	-	-
White	12	11	-	-	-	-	-	-	1	-	-	-	5	4	-	-	-	-	-	-	-	-	-	-
All other	28	27	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	45	17	-	-	5	5	1	1	6	4	1	2	13	8	-	-	1	-	-	-	-	1	2	1
White	10	2	-	-	2	1	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	35	15	-	-	3	4	1	1	4	2	-	2	11	8	-	-	1	-	-	-	-	-	1	1
Black	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	187	6	2	-	4	7	12	15	24	49	45	23	134	6	2	2	2	4	5	13	15	31	27	27
White	53	4	-	-	1	5	8	6	4	13	9	3	38	1	-	-	-	1	-	3	5	9	11	8
All other	134	2	2	-	3	2	4	9	20	36	36	20	96	5	2	2	2	3	5	10	10	22	16	19
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	277	2	9	12	68	57	25	21	26	15	15	7	96	3	5	1	19	15	6	14	9	11	6	7
White	126	-	1	3	49	28	11	13	8	7	5	1	32	1	2	1	5	7	2	3	5	4	1	1
All other	151	2	8	9	38	29	14	8	18	8	10	6	64	2	3	-	14	8	4	11	4	7	5	6
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	156	1	5	7	67	27	15	9	13	6	6	-	57	-	2	1	18	14	3	8	4	6	1	-
White	76	-	1	1	40	14	6	6	3	2	3	-	18	-	1	1	4	6	1	1	2	2	-	-
All other	80	1	4	6	27	13	9	3	10	4	3	-	39	-	1	-	14	8	2	7	2	4	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	121	1	4	5	21	30	10	12	13	9	9	7	39	3	3	-	1	1	3	6	5	5	5	7
White	50	-	-	2	9	14	5	7	5	5	2	1	14	1	1	-	1	1	1	2	3	2	1	1
All other	71	1	4	3	12	16	5	5	8	4	7	6	25	2	2	-	-	-	2	4	2	3	4	6
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	99	...	...	1	34	25	11	8	9	3	5	2	32	...	...	-	9	6	2	1	5	4	4	1
White	44	...	...	-	9	13	7	3	8	-	2	1	13	...	...	-	4	4	1	-	2	1	-	1
All other	55	...	...	1	25	12	4	5	1	3	3	1	19	...	...	-	5	2	1	1	3	3	4	-
Black	2	...	...	-	1	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	45	-	-	-	17	12	6	3	3	1	1	-	16	-	-	-	5	4	4	3	-	-	-	-
White	16	-	-	-	4	8	4	-	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-	-
All other	29	-	-	-	13	4	4	3	3	1	1	-	13	-	-	-	4	3	4	2	-	-	-	-
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	21	1	-	3	-	7	1	2	1	5	1	-	8	-	-	1	1	1	3	1	-	1	-	-
White	6	-	-	-	-	3	-	1	-	2	-	-	4	-	-	-	-	-	3	-	-	1	-	-
All other	15	1	-	3	-	4	1	1	1	3	1	-	4	-	-	1	1	1	-	1	-	-	-	-
Black	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	3,718	129	32	36	191	163	117	249	550	965	833	452	2,675	71	21	22	58	50	66	132	317	501	749	888
White	3,668	127	32	36	184	150	114	245	545	957	828	449	2,629	68	20	22	51	48	62	131	310	496	738	881
All other	50	2	–	–	7	13	3	4	5	8	5	3	46	3	1	–	5	2	4	1	7	5	11	7
Black	7	–	–	–	–	2	2	1	–	1	1	–	7	1	–	–	1	–	–	–	2	2	1	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	7	–	–	–	–	–	–	1	1	1	2	2	5	–	–	1	–	–	–	–	1	2	1	–
White	7	–	–	–	–	–	–	1	1	1	2	2	5	–	–	1	–	–	–	–	1	2	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 096-139)	9	–	1	–	–	1	–	1	1	2	2	1	4	–	–	1	–	–	–	1	–	–	–	1	1
White	9	–	1	–	–	1	–	1	1	2	2	1	4	–	–	1	–	–	–	1	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	603	–	–	4	8	14	17	53	144	230	166	57	525	–	2	3	4	6	21	45	129	146	119	55
White	598	–	–	4	8	14	17	52	142	227	165	57	521	–	2	3	4	6	20	45	121	146	118	55
All other	7	–	–	–	–	–	–	1	2	3	1	–	4	–	–	–	–	–	1	–	2	–	1	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	-	-	-	-	-	-	-	5	7	2	-	5	-	-	-	-	-	-	1	2	-	1	1
White	14	-	-	-	-	-	-	-	5	7	2	-	5	-	-	-	-	-	-	1	2	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	168	-	-	-	1	2	7	11	36	60	36	15	141	-	-	-	-	-	4	7	26	44	40	20
White	164	-	-	-	1	2	7	10	35	58	36	15	139	-	-	-	-	-	3	7	25	44	40	20
All other	4	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	203	-	-	-	1	1	3	17	53	70	47	11	60	-	-	-	-	1	3	3	24	20	6	1
White	200	-	-	-	1	1	3	17	52	69	46	11	60	-	-	-	-	1	3	3	24	20	6	1
All other	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	95	-	-	-	-	3	9	14	24	24	14	6
White	-	-	-	-	-	-	-	-	-	-	-	-	95	-	-	-	-	3	8	14	24	24	14	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	83	-	-	-	-	4	-	2	8	19	37	13	65	-	-	1	1	1	3	8	22	16	8	5
White	83	-	-	-	-	4	-	2	8	19	37	13	64	-	-	1	1	1	3	8	22	16	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of urinary organs (188-189)	44	-	-	-	-	-	1	2	9	15	12	5	17	-	-	-	-	1	-	-	2	6	4	4
White	44	-	-	-	-	-	1	2	9	15	12	5	17	-	-	-	-	1	-	-	2	6	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	98	-	-	-	3	1	4	15	22	34	15	4	89	-	1	1	-	-	2	10	15	20	29	10
White	98	-	-	-	3	1	4	15	22	34	15	4	88	-	1	1	-	-	2	10	14	20	29	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	36	-	-	3	1	1	2	2	3	11	9	4	23	-	1	1	2	-	-	-	-	7	9	3
White	36	-	-	3	1	1	2	2	3	11	9	4	23	-	1	1	2	-	-	-	-	7	9	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	-	-	1	2	5	-	4	8	14	8	5	30	-	-	-	1	-	1	2	8	9	6	3
White	47	-	-	1	2	5	-	4	8	14	8	5	30	-	-	-	1	-	1	2	8	9	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	-	-	-	1	4	2	2	1	14	1	-	-	1	-	2	1	1	3	4	1
White	10	-	-	-	-	-	-	1	4	2	2	1	14	1	-	-	1	-	2	1	1	3	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	38	-	-	-	1	-	2	1	3	12	10	7	40	-	-	-	1	3	-	1	4	7	14	10
White	35	-	-	-	1	-	2	1	3	12	9	7	40	-	-	-	1	3	-	1	4	7	14	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	2	-
White	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	-	3	2	6	-	-	-	-	-	1	-	-	-	1	3	1
White	5	-	-	-	-	-	-	-	-	-	3	2	6	-	-	-	-	-	1	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,621	3	2	-	4	8	27	102	265	481	461	268	1,359	-	1	1	1	6	14	35	106	224	469	461
White	1,609	3	2	-	4	8	26	101	262	478	458	267	1,332	-	-	1	1	5	12	34	103	221	461	474
All other	12	-	-	-	-	-	1	1	3	3	3	1	26	-	1	-	-	1	2	1	3	3	8	7
Black	2	-	-	-	-	-	1	-	-	-	1	-	4	-	1	-	-	-	-	-	2	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,287	3	1	–	3	7	26	97	233	390	346	181	914	–	1	1	1	4	9	24	82	161	329	302
White	1,277	3	1	–	3	7	25	96	231	387	343	181	896	–	–	1	1	3	7	24	81	159	323	299
All other	10	–	–	–	–	–	1	1	2	3	3	–	18	–	1	–	–	1	2	–	1	2	6	3
Black	2	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Rheumatic fever and rheumatic heart disease (390-398)	17	–	–	–	1	1	–	1	3	5	5	1	29	–	–	–	–	–	–	–	5	11	9	4
White	17	–	–	–	1	1	–	1	3	5	5	1	28	–	–	–	–	–	–	–	5	10	9	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	18	–	–	–	–	–	–	–	2	7	6	3	19	–	–	–	–	–	–	–	1	4	7	7
White	18	–	–	–	–	–	–	–	2	7	6	3	19	–	–	–	–	–	–	–	1	4	7	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	2	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	1	–	4	1
White	2	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	1	–	4	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,012	–	–	–	–	3	21	74	199	308	268	141	644	–	–	–	–	–	4	17	64	113	246	200
White	1,005	–	–	–	–	3	21	73	198	306	263	141	636	–	–	–	–	–	3	17	63	112	242	199
All other	7	–	–	–	–	–	–	1	1	2	3	–	8	–	–	–	–	–	1	–	1	1	4	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Acute myocardial infarction (410)	574	–	–	–	–	2	15	57	160	215	168	57	342	–	–	–	–	–	3	15	45	69	140	69
White	570	–	–	–	–	2	15	57	159	213	167	57	338	–	–	–	–	–	3	15	45	69	138	68
All other	4	–	–	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	–	–	1	–	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	–	–	–	2	2	–	–	6	–	–	–	–	–	–	–	1	1	2	2
White	4	–	–	–	–	–	–	–	2	2	–	–	6	–	–	–	–	–	–	–	1	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	334	–	–	–	–	1	6	17	37	91	96	84	294	–	–	–	–	–	1	2	17	43	109	126
White	331	–	–	–	–	1	6	16	37	91	96	84	290	–	–	–	–	–	–	2	17	42	101	126
All other	3	–	–	–	–	–	–	1	–	–	2	–	4	–	–	–	–	–	1	–	–	1	2	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Other diseases of endocardium (424)	17	–	–	–	–	–	1	1	1	6	5	3	15	–	–	–	–	–	2	–	2	1	6	4
White	17	–	–	–	–	–	1	1	1	6	5	3	14	–	–	–	–	–	2	–	2	1	5	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	221	3	1	–	2	3	4	21	28	63	63	33	201	–	1	1	1	4	3	7	9	32	57	86
White	216	3	1	–	2	3	3	21	27	62	63	33	195	–	–	1	1	3	2	7	9	32	56	84
All other	3	–	–	–	–	–	1	–	1	1	–	–	6	–	1	–	–	1	1	–	–	–	1	2
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	6	–	–	–	–	–	–	–	1	2	1	2	8	–	–	–	–	–	–	1	–	–	3	2
White	6	–	–	–	–	–	–	–	1	2	1	2	8	–	–	–	–	–	–	1	–	–	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	231	–	1	–	1	1	1	3	19	63	84	58	346	–	–	–	–	2	4	9	22	55	126	128
White	231	–	1	–	1	1	1	3	19	63	84	58	338	–	–	–	–	2	4	8	20	54	126	124
All other	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	1	2	1	–	4
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Intracerebral and other intracranial hemorrhage (431-432)	26	–	1	–	1	–	1	–	3	11	4	5	44	–	–	–	–	1	2	5	6	8	15	7
White	26	–	1	–	1	–	1	–	3	11	4	5	41	–	–	–	–	1	2	4	5	8	15	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	41	–	–	–	–	–	–	–	–	7	18	16	48	–	–	–	–	–	1	–	1	8	15	21
White	41	–	–	–	–	–	–	–	–	7	18	16	44	–	–	–	–	–	1	–	1	7	15	20
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	161	-	-	-	-	1	-	3	14	45	61	37	255	-	-	-	-	1	1	4	15	39	95	100
White	161	-	-	-	-	1	-	3	14	45	61	37	252	-	-	-	-	1	1	4	14	39	95	98
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Atherosclerosis (440)	53	-	-	-	-	-	-	-	2	9	19	23	72	-	-	-	-	-	-	1	1	4	24	42
White	52	-	-	-	-	-	-	-	2	9	19	22	70	-	-	-	-	-	-	1	1	4	22	42
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	44	-	-	-	-	-	-	2	10	17	11	4	20	-	-	-	-	-	-	1	-	1	4	7	7
White	43	-	-	-	-	-	-	2	9	17	11	4	20	-	-	-	-	-	-	1	-	1	4	7	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	79	1	2	-	1	1	-	2	4	15	26	27	73	2	-	-	-	-	-	2	3	12	16	38
White	77	1	2	-	1	1	-	2	4	15	26	26	72	2	-	-	-	-	-	2	3	12	15	38
All other	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	73	1	1	-	1	1	-	2	4	13	26	24	68	2	-	-	-	-	-	1	3	11	15	36
White	71	1	1	-	1	1	-	2	4	13	26	23	67	2	-	-	-	-	-	1	3	11	14	36
All other	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	6	-	1	-	-	-	-	-	2	-	3	-	5	-	-	-	-	-	-	1	-	1	1	2
White	6	-	1	-	-	-	-	-	2	-	3	-	5	-	-	-	-	-	-	1	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	148	-	-	-	-	1	-	1	15	73	39	20	58	-	-	-	-	-	-	2	19	24	9	4
White	148	-	-	-	-	1	-	1	15	73	39	20	58	-	-	-	-	-	-	2	19	24	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	11	-	-	-	-	-	-	-	1	3	3	4	4	-	-	-	-	-	-	-	1	3	-	-
White	11	-	-	-	-	-	-	-	1	3	3	4	4	-	-	-	-	-	-	-	1	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	36	-	-	-	-	1	-	-	3	17	13	2	14	-	-	-	-	-	-	1	3	7	2	1
White	36	-	-	-	-	1	-	-	3	17	13	2	14	-	-	-	-	-	-	1	3	7	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	5	-	-	-	-	-	-	-	1	2	1	1	4	-	-	-	-	-	-	-	2	-	2	-
White	5	-	-	-	-	-	-	-	1	2	1	1	4	-	-	-	-	-	-	-	2	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	97	-	-	-	-	-	-	1	10	51	22	13	36	-	-	-	-	-	-	1	13	14	5	3
White	97	-	-	-	-	-	-	1	10	51	22	13	36	-	-	-	-	-	-	1	13	14	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	-	1	4	3	1	2	11	-	-	-	-	-	-	1	-	5	1	4
White	11	-	-	-	-	-	-	1	4	3	1	2	11	-	-	-	-	-	-	1	-	5	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	1	-	-	-	-	-	2	1	1	3	1	8	1	-	-	-	-	-	-	1	2	1	3
White	9	1	-	-	-	-	-	2	1	1	3	1	8	1	-	-	-	-	-	-	1	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	38	1	-	-	-	1	2	7	14	11	2	-	28	-	-	-	-	-	3	8	10	5	-	-
White	37	1	-	-	-	-	2	7	14	11	2	-	24	-	-	-	-	-	2	8	10	4	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	2	-	3	1	7	-	-	-	-	-	-	-	-	1	4	2
White	6	-	-	-	-	-	-	-	2	-	3	1	7	-	-	-	-	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	28	1	1	1	-	-	-	1	3	5	12	4	12	-	-	-	-	-	1	-	-	5	2	4
White	28	1	1	1	-	-	-	1	3	5	12	4	12	-	-	-	-	-	1	-	-	5	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	1	1	1	-	-	-	1	2	5	6	3	12	-	-	-	-	-	1	-	-	5	2	4
White	22	1	1	1	-	-	-	1	2	5	6	3	12	-	-	-	-	-	1	-	-	5	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	2	1	-
White	4	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	30	23	1	-	1	-	-	-	-	1	3	1	25	15	4	1	1	1	-	1	-	2	-	-
White	30	23	1	-	1	-	-	-	-	1	3	1	24	15	4	1	1	1	-	1	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	58	58	-	-	-	-	-	-	-	-	-	-	36	35	-	-	-	-	-	-	-	-	-	-
White	57	57	-	-	-	-	-	-	-	-	-	-	33	32	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	25	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	25	25	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	33	33	-	-	-	-	-	-	-	-	-	-	21	20	-	-	-	-	-	-	-	-	-	-
White	32	32	-	-	-	-	-	-	-	-	-	-	18	17	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	114	30	2	-	-	-	3	4	15	33	10	17	62	13	1	-	-	1	-	2	2	11	8	24
White	110	29	2	-	-	-	2	4	15	31	10	17	62	13	1	-	-	1	-	2	2	11	8	24
All other	4	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	197	8	2	2	4	9	8	12	27	50	55	20	189	4	3	2	5	5	4	13	25	32	54	42
White	194	8	2	2	4	8	8	11	27	50	55	19	186	4	3	2	5	4	4	13	24	32	53	42
All other	3	-	-	-	-	1	-	1	-	-	-	1	3	-	-	-	-	1	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	458	1	20	27	140	95	36	42	32	28	22	14	162	-	8	13	38	15	14	11	15	14	18	16
White	441	1	20	27	134	85	36	41	32	28	22	14	157	-	8	13	35	15	14	11	14	13	18	16
All other	17	-	-	-	6	10	-	1	-	-	-	-	5	-	-	-	3	-	-	-	1	1	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	265	-	10	13	100	57	21	19	14	15	14	2	91	-	5	5	29	12	10	4	11	9	6	-
White	253	-	10	13	96	49	21	19	14	15	14	2	87	-	5	5	26	12	10	4	11	8	6	-
All other	12	-	-	-	4	8	-	-	-	-	-	-	4	-	-	-	3	-	-	-	-	1	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	193	1	10	14	40	38	15	23	18	13	8	12	71	-	3	8	9	3	4	7	4	5	12	16
White	188	1	10	14	38	36	15	22	18	13	8	12	70	-	3	8	9	3	4	7	3	5	12	16
All other	5	-	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	96	...	...	1	22	21	11	11	12	11	5	2	28	...	...	-	2	7	3	6	6	1	2	1
White	96	...	...	1	22	21	11	11	12	11	5	2	28	...	...	-	2	7	3	6	6	1	2	1
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	40	1	-	1	9	10	9	6	1	3	-	-	16	-	1	1	3	3	3	3	1	1	-	-
White	39	1	-	1	8	10	9	6	1	3	-	-	15	-	1	1	2	3	3	3	1	1	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	-	1	2	2	1	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-
White	6	-	-	-	1	2	1	1	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	55,133	1,619	231	333	1,910	1,788	1,935	4,723	9,958	13,886	12,424	6,313	47,094	1,172	194	198	638	710	1,096	2,558	5,576	9,629	13,772	11,539
White	47,123	988	159	238	1,518	1,238	1,354	3,820	8,397	12,355	11,297	5,935	41,191	695	126	160	471	485	788	1,943	4,632	8,992	12,859	10,922
All other	8,010	620	72	95	392	550	581	1,103	1,561	1,531	1,127	378	5,903	477	66	48	165	245	308	615	944	1,297	1,119	617
Black	7,804	610	72	91	385	543	567	1,078	1,522	1,485	1,091	360	5,791	471	62	47	161	236	285	606	927	1,276	1,103	603
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	12	4	-	1	1	-	-	1	1	1	2	1	12	5	-	-	3	-	-	-	-	1	3	-
White	10	2	-	1	1	-	-	1	1	1	2	1	7	2	-	-	1	-	-	-	-	1	3	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	3	-	-	2	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	3	-	-	2	-	-	-	-	-	-	-
Tuberculosis (010-018)	78	-	-	-	-	6	11	21	15	13	6	4	32	-	-	-	1	-	4	2	3	9	7	6
White	43	-	-	-	-	1	2	13	9	10	5	3	18	-	-	-	-	-	2	1	-	6	6	3
All other	35	-	-	-	-	5	9	8	6	3	3	1	14	-	-	-	1	-	2	1	3	3	1	3
Black	35	-	-	-	-	5	9	8	6	3	3	1	13	-	-	-	1	-	2	1	3	2	1	3
Tuberculosis of respiratory system (010-012)	72	-	-	-	-	3	9	20	15	13	6	4	24	-	-	-	1	-	3	2	2	6	7	3
White	42	-	-	-	-	1	1	13	9	10	5	3	13	-	-	-	-	-	1	1	-	4	6	1
All other	30	-	-	-	-	2	8	7	6	3	3	1	11	-	-	-	1	-	2	1	2	2	1	2
Black	30	-	-	-	-	2	8	7	6	3	3	1	11	-	-	-	1	-	2	1	2	2	1	2
Other tuberculosis (013-018)	6	-	-	-	-	3	2	1	-	-	-	-	8	-	-	-	-	-	1	-	1	3	-	3
White	1	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-	-	1	-	-	2	-	2
All other	5	-	-	-	-	3	1	1	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	5	-	-	-	-	3	1	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	12	5	3	-	1	-	-	2	-	1	-	-	7	1	1	-	-	-	1	1	2	1	-	-
White	10	5	2	-	1	-	-	2	-	1	-	-	6	1	1	-	-	-	-	1	2	1	-	-
All other	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Septicemia (038)	170	5	1	-	-	4	3	15	22	42	47	31	189	9	-	1	3	6	4	7	18	42	55	64
White	125	2	-	-	-	2	3	10	16	25	37	28	162	5	-	1	2	6	3	4	16	34	46	45
All other	45	3	1	-	-	2	-	5	4	17	10	3	37	4	-	-	1	-	1	3	2	8	9	9
Black	44	3	1	-	-	2	-	5	4	17	10	2	37	4	-	-	1	-	1	3	2	8	9	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	18	-	-	-	-	1	4	2	9	-	1	1	20	-	-	-	1	3	1	3	6	2	3	1
White	13	-	-	-	-	1	3	1	7	-	-	1	15	-	-	-	1	1	1	2	4	2	3	1
All other	5	-	-	-	-	-	1	1	2	-	1	-	5	-	-	-	-	2	-	1	2	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	2	-	1	2	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	89	6	4	2	1	7	5	12	17	19	11	5	105	5	3	-	6	6	11	11	22	22	12	7
White	65	5	3	2	1	4	2	7	12	15	10	4	77	1	2	-	6	3	4	8	17	17	12	7
All other	24	1	1	-	-	3	3	5	5	4	1	1	28	4	1	-	-	3	7	3	5	5	-	-
Black	24	1	1	-	-	3	3	5	5	4	1	1	28	4	1	-	-	3	7	3	5	5	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,693	8	16	47	102	123	307	1,240	2,810	3,774	2,506	762	9,825	2	23	36	45	127	338	1,076	2,124	2,751	2,297	1,008
White	10,052	5	14	37	87	104	235	947	2,382	3,320	2,242	689	8,643	1	17	28	32	99	270	845	1,848	2,454	2,110	939
All other	1,641	1	2	10	15	19	72	293	448	454	264	63	1,182	1	6	8	13	28	68	231	276	297	187	67
Black	1,593	1	2	8	15	19	68	284	437	443	254	62	1,149	1	6	7	13	28	61	226	266	293	182	65
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	345	-	-	-	3	4	15	65	114	97	33	14	125	-	-	1	-	-	7	16	40	38	12	11
White	277	-	-	-	2	3	5	41	95	89	29	13	109	-	-	1	-	-	3	10	37	36	11	11
All other	68	-	-	-	1	1	10	24	19	8	4	1	16	-	-	-	-	-	4	6	3	2	1	-
Black	66	-	-	-	1	1	10	23	19	7	4	1	16	-	-	-	-	-	4	6	3	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,139	2	2	3	6	11	71	314	748	1,003	739	240	2,835	1	-	1	1	15	39	172	514	842	828	422
White	2,677	1	2	-	6	9	53	237	604	873	672	220	2,475	-	-	1	1	10	25	123	424	742	751	398
All other	462	1	-	3	-	2	18	77	144	130	67	20	360	1	-	-	-	5	14	49	90	100	77	24
Black	447	1	-	2	-	2	15	76	139	127	65	20	348	1	-	-	-	5	12	48	86	99	74	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,115	-	-	1	3	10	104	527	1,197	1,460	699	114	1,350	-	-	-	1	4	46	206	359	403	229	70
White	3,514	-	-	-	3	8	72	396	998	1,301	630	106	1,185	-	-	-	1	2	37	165	343	362	213	62
All other	601	-	-	1	-	2	32	131	199	159	69	8	165	-	-	-	-	2	9	43	46	41	16	8
Black	583	-	-	1	-	2	32	126	195	156	64	7	161	-	-	-	-	2	8	43	45	41	15	7
Malignant neoplasm of breast (174-175)	13	-	-	-	-	-	-	-	4	6	3	-	1,841	-	-	-	1	33	110	298	485	486	368	160
White	10	-	-	-	-	-	-	-	3	6	1	-	1,736	-	-	-	-	29	89	244	436	449	339	150
All other	3	-	-	-	-	-	-	-	1	-	2	-	205	-	-	-	1	4	21	54	49	37	29	10
Black	3	-	-	-	-	-	-	-	1	-	2	-	199	-	-	-	1	4	19	50	49	37	29	10
Malignant neoplasms of genital organs (179-187)	1,143	-	-	-	6	8	2	21	121	363	438	184	1,250	-	-	2	4	18	60	173	287	371	251	84
White	938	-	-	-	6	6	2	10	96	292	363	163	1,074	-	-	1	4	13	51	137	251	314	228	75
All other	205	-	-	-	-	2	-	11	25	71	75	21	176	-	-	1	-	5	9	36	36	57	23	9
Black	209	-	-	-	-	2	-	11	25	71	73	21	172	-	-	1	-	5	7	36	35	56	23	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	650	1	1	1	4	2	11	53	129	181	181	76	337	–	2	1	3	1	4	27	60	89	93	47
White	596	1	1	1	2	2	7	47	120	173	171	71	300	–	–	1	1	1	4	21	54	91	83	44
All other	54	–	–	–	2	–	4	6	9	18	10	5	37	–	2	–	2	–	–	6	6	8	10	3
Black	50	–	–	–	2	–	4	6	8	16	9	5	35	–	2	–	2	–	–	6	5	7	10	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,273	3	5	19	34	50	53	138	319	354	223	75	1,100	1	10	18	13	32	37	117	199	271	279	123
White	1,136	3	5	16	29	45	50	112	291	317	200	68	972	1	8	12	11	24	33	97	169	243	260	114
All other	137	–	–	3	5	5	3	26	28	37	23	7	128	–	2	6	2	8	4	20	30	28	19	9
Black	136	–	–	3	5	5	3	25	28	37	23	7	123	–	2	5	2	8	4	20	28	27	18	9
Leukemia (204-208)	436	–	6	20	24	18	25	45	68	105	87	38	387	–	9	12	16	16	18	30	49	91	97	49
White	391	–	5	17	21	14	22	38	60	96	81	37	352	–	7	11	10	15	15	26	43	85	93	47
All other	45	–	1	3	3	4	3	7	8	9	6	1	35	–	2	1	6	1	3	4	6	6	4	2
Black	43	–	1	2	3	4	2	7	8	9	6	1	34	–	2	1	6	1	3	4	5	6	4	2
Other malignant neoplasms of *lymphatic and hematopoietic* tissues (200-203)	578	–	2	3	22	20	26	77	110	195	103	21	500	–	2	1	6	8	17	35	101	150	140	40
White	513	–	1	3	18	17	24	66	95	173	95	21	440	–	2	1	4	5	13	22	91	132	132	38
All other	66	–	1	–	4	3	2	11	15	22	8	–	60	–	–	–	2	3	4	13	10	18	8	2
Black	62	–	1	–	4	3	2	10	14	20	8	–	60	–	–	–	2	3	4	13	10	18	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	136	1	–	3	5	6	6	13	27	41	23	11	186	1	–	6	8	6	10	14	24	45	45	27
White	122	1	–	2	5	5	5	11	23	38	21	11	171	1	–	6	7	5	10	9	22	41	44	26
All other	14	–	–	1	–	1	1	2	4	3	2	–	15	–	–	–	1	1	–	5	2	4	1	1
Black	14	–	–	1	–	1	1	2	4	3	2	–	14	–	–	–	1	1	–	4	2	4	1	1
Diabetes mellitus (250)	749	–	–	1	3	16	27	60	148	240	181	73	1,068	–	1	1	6	11	22	58	155	297	352	186
White	646	–	–	1	1	13	20	43	127	211	163	67	916	–	1	–	6	8	17	39	127	230	313	175
All other	103	–	–	–	2	3	7	17	21	29	18	6	173	–	–	1	–	3	5	19	28	67	39	11
Black	101	–	–	–	2	3	7	17	20	28	18	6	170	–	–	1	–	3	5	19	27	65	38	11
Nutritional deficiencies (260-269)	35	2	–	–	–	1	–	3	3	7	12	7	45	1	–	–	–	1	–	1	1	8	16	17
White	*28*	–	–	–	–	*1*	–	*2*	*2*	*7*	*9*	*7*	*38*	–	–	–	–	–	–	*1*	*1*	*8*	*14*	*16*
All other	7	2	–	–	–	–	–	1	1	–	3	–	7	1	–	–	–	1	–	–	–	2	2	1
Black	7	2	–	–	–	–	–	1	1	–	3	–	7	1	–	–	–	1	–	–	–	2	2	1
Anemias (280-285)	76	3	3	3	5	2	4	1	6	12	18	19	75	–	5	2	5	3	1	3	5	11	29	11
White	55	1	–	3	2	–	4	1	2	10	15	17	61	–	4	2	5	1	–	2	4	6	27	10
All other	21	2	3	–	3	2	–	–	4	2	3	2	14	–	1	–	–	2	1	1	1	5	2	1
Black	21	2	3	–	3	2	–	–	4	2	3	2	14	–	1	–	–	2	1	1	1	5	2	1
Meningitis (320-322)	42	14	5	3	1	3	3	2	4	5	2	–	35	13	6	1	–	1	1	4	1	4	4	–
White	23	6	2	2	1	2	1	1	3	3	2	–	24	7	3	1	–	1	–	4	1	3	4	–
All other	19	8	3	1	–	1	2	1	1	2	–	–	11	6	3	–	–	–	1	–	–	1	–	–
Black	19	8	3	1	–	1	2	1	1	2	–	–	11	6	3	–	–	–	1	–	–	1	–	–
Major cardiovascular diseases (390-448)	27,342	22	12	14	57	168	590	2,089	5,113	7,393	7,570	4,384	26,413	22	4	7	41	97	253	790	2,241	5,009	9,166	8,781
White	24,277	13	9	8	37	107	375	1,842	4,382	6,638	6,950	4,136	23,695	11	2	6	27	53	170	541	1,768	4,316	8,452	8,348
All other	3,065	9	3	6	20	61	155	457	751	755	620	228	2,718	11	2	1	14	44	83	249	473	693	714	433
Black	2,974	8	3	6	20	61	151	446	732	732	598	217	2,684	11	2	1	14	44	81	249	469	684	704	424
Diseases of *heart (390-398,402,404-429)*	*22,324*	*16*	*8*	*11*	*40*	*129*	*495*	*1,891*	*4,491*	*6,152*	*5,863*	*3,289*	*19,859*	*19*	*3*	*5*	*29*	*71*	*171*	*589*	*1,806*	*3,957*	*5,878*	*5,419*
White	19,827	10	6	7	27	86	324	1,495	3,841	5,542	5,370	3,119	17,647	10	1	4	19	40	109	398	1,436	3,416	5,317	5,096
All other	2,497	6	2	4	13	43	111	396	650	610	493	169	2,112	9	2	1	10	31	62	201	370	541	561	323
Black	2,425	5	2	4	13	43	107	387	633	594	474	163	2,095	9	2	1	10	31	61	201	368	537	554	320
Rheumatic fever and rheumatic heart disease (390-398)	124	–	1	–	2	3	4	16	30	42	21	5	240	–	–	–	2	5	13	23	59	68	48	22
White	112	–	1	–	1	2	2	14	27	40	20	5	225	–	–	–	2	3	11	19	56	66	46	22
All other	12	–	–	–	1	1	2	2	3	2	1	–	15	–	–	–	–	2	2	4	3	2	2	–
Black	11	–	–	–	1	1	1	2	3	2	1	–	14	–	–	–	–	2	2	4	3	1	2	–
Hypertensive heart disease (402)	486	–	–	–	1	4	21	61	114	126	107	52	667	–	–	–	–	5	13	43	83	146	205	172
White	326	–	–	–	–	4	7	30	68	87	86	48	501	–	–	–	–	–	8	17	51	90	174	163
All other	160	–	–	–	1	–	14	31	48	39	21	6	166	–	–	–	–	5	7	26	32	56	31	9
Black	159	–	–	–	1	–	14	30	48	39	21	6	166	–	–	–	–	5	7	26	32	56	31	9
Hypertensive heart and renal disease (404)	101	–	–	–	–	2	1	5	10	27	30	26	130	–	–	–	–	–	1	3	13	23	41	49
White	85	–	–	–	–	–	1	1	8	23	28	24	113	–	–	–	–	–	–	–	10	20	36	47
All other	16	–	–	–	–	2	–	4	2	4	2	2	17	–	–	–	–	–	1	3	3	3	5	2
Black	16	–	–	–	–	2	–	4	2	4	2	2	17	–	–	–	–	–	1	3	3	3	5	2
Ischemic heart disease (410-414)	16,417	–	–	1	5	66	281	1,219	3,099	4,622	4,556	2,568	14,782	–	–	–	6	19	84	335	1,128	2,893	5,296	5,021
White	15,209	–	–	1	4	47	231	1,059	2,821	4,321	4,267	2,458	13,651	–	–	–	3	8	58	246	968	2,610	4,952	4,806
All other	1,208	–	–	–	1	19	50	160	278	301	289	110	1,131	–	–	–	3	11	26	89	162	283	344	213
Black	1,156	–	–	–	1	19	47	152	264	291	276	106	1,120	–	–	–	3	11	26	89	161	280	339	211
Acute myocardial infarction (410)	9,390	–	–	–	5	39	206	904	2,193	2,843	2,284	916	6,698	–	–	–	1	12	55	235	768	1,899	2,395	1,532
White	8,732	–	–	–	4	29	174	796	2,022	2,687	2,151	869	6,183	–	–	–	1	7	39	180	670	1,566	2,244	1,476
All other	658	–	–	–	1	10	32	108	171	156	133	47	513	–	–	–	–	5	16	55	98	132	151	56
Black	627	–	–	–	1	10	29	102	160	151	129	45	508	–	–	–	–	5	16	55	98	130	149	55

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	213	-	-	-	-	3	8	32	60	69	27	14	111	-	-	-	-	2	4	10	21	25	25	24
White	180	-	-	-	-	2	6	23	45	66	24	14	94	-	-	-	-	-	3	6	15	23	23	24
All other	33	-	-	-	-	1	2	9	15	3	3	-	17	-	-	-	-	2	1	4	6	2	2	-
Black	33	-	-	-	-	1	2	9	15	3	3	-	16	-	-	-	-	2	1	4	5	2	2	-
Angina pectoris (413)	14	-	-	-	-	-	-	1	3	4	5	1	9	-	-	-	-	-	-	2	1	1	4	1
White	11	-	-	-	-	-	-	-	3	3	4	1	8	-	-	-	-	-	-	1	1	1	4	1
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,600	-	-	1	-	24	67	282	843	1,706	2,240	1,637	7,966	-	-	-	5	5	25	88	338	1,169	2,672	3,464
White	6,286	-	-	1	-	16	51	240	751	1,565	2,068	1,574	7,368	-	-	-	2	1	16	59	280	1,020	2,681	3,307
All other	514	-	-	-	-	8	16	42	92	141	152	63	600	-	-	-	3	4	9	29	58	149	191	157
Black	493	-	-	-	-	8	16	40	89	136	143	61	595	-	-	-	3	4	9	29	58	148	185	156
Other diseases of endocardium (424)	163	-	-	2	4	5	3	15	33	48	48	9	128	-	-	-	-	2	2	3	8	42	47	24
White	148	-	-	1	3	5	2	11	31	41	45	9	120	-	-	-	-	2	2	2	8	36	47	23
All other	15	-	-	1	1	-	1	4	2	5	1	-	8	-	-	-	-	-	-	1	-	6	-	1
Black	15	-	-	1	1	-	1	4	2	5	1	-	8	-	-	-	-	-	-	1	-	6	-	1
All other forms of heart disease (415-423,425-429)	5,033	18	7	8	28	49	125	575	1,205	1,289	1,103	628	4,012	19	3	5	21	40	58	192	515	785	1,241	1,131
White	3,947	10	5	5	19	28	81	380	888	1,030	924	577	3,237	10	1	4	14	27	32	114	345	594	1,062	1,088
All other	1,086	8	2	3	9	21	44	195	317	259	179	51	775	9	2	1	7	13	26	78	170	191	179	96
Black	1,068	5	2	3	9	21	44	195	314	253	173	49	770	9	2	1	7	13	25	78	169	191	177	97
Hypertension with or without renal disease (401,403)	232	-	-	-	-	3	7	12	32	60	63	55	287	-	-	-	1	1	1	10	35	50	92	97
White	189	-	-	-	-	1	2	5	24	46	58	53	240	-	-	-	1	-	1	3	22	39	84	90
All other	43	-	-	-	-	2	5	7	8	14	5	2	47	-	-	-	-	1	-	7	13	11	8	7
Black	43	-	-	-	-	2	5	7	8	14	5	2	46	-	-	-	-	1	-	7	13	10	8	7
Cerebrovascular diseases (430-438)	3,603	5	3	3	16	29	73	164	443	879	1,239	749	5,052	3	1	2	9	23	70	158	345	844	1,857	1,740
White	3,145	2	2	1	9	15	39	113	381	768	1,136	701	4,563	1	1	2	5	12	52	120	265	720	1,726	1,659
All other	458	3	1	2	7	14	34	51	62	113	103	48	489	2	-	-	4	11	18	38	80	124	131	81
Black	440	3	1	2	7	14	34	49	60	106	101	43	478	2	-	-	4	11	17	38	78	122	128	78
Intracerebral and other intracranial hemorrhage (431-432)	557	2	1	2	8	14	31	68	104	136	139	52	716	2	-	-	2	12	20	45	99	177	212	147
White	439	1	1	1	4	6	9	41	85	113	129	49	639	1	-	-	1	6	19	34	74	157	202	145
All other	118	1	-	1	4	8	22	27	19	23	10	3	77	1	-	-	1	6	1	11	25	20	10	2
Black	113	1	-	1	4	8	22	26	18	20	10	3	75	1	-	-	1	6	1	11	24	20	9	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	923	-	1	-	1	-	5	19	93	219	360	225	1,848	-	-	-	2	1	6	14	56	192	534	843
White	827	-	-	-	1	-	2	14	80	191	332	207	1,231	-	-	-	1	1	4	10	45	159	495	513
All other	96	-	1	-	-	-	3	5	13	28	28	18	117	-	-	-	1	-	2	4	8	33	39	30
Black	95	-	1	-	-	-	3	5	13	28	28	17	115	-	-	-	1	-	2	4	8	33	39	28
Cerebral embolism (434.1)	13	-	-	-	-	-	-	2	3	3	3	2	25	-	-	-	-	-	-	1	2	6	6	6
White	12	-	-	-	-	-	-	2	3	3	2	2	24	-	-	-	-	-	-	1	1	6	5	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,110	3	1	1	7	15	37	75	243	521	737	470	2,963	1	1	2	5	10	44	98	186	459	1,103	1,042
White	1,887	1	1	-	4	9	28	56	193	459	673	443	2,669	-	1	2	3	5	29	75	142	396	1,021	993
All other	243	2	-	1	3	6	9	19	50	62	64	27	294	1	-	-	2	5	15	23	46	71	82	49
Black	231	2	-	1	3	6	9	18	49	58	62	23	287	1	-	-	2	5	14	23	45	69	80	48
Atherosclerosis (440)	592	-	-	-	-	-	2	12	39	110	216	213	815	-	-	-	-	-	1	4	17	80	251	462
White	555	-	-	-	-	-	2	11	34	103	200	205	773	-	-	-	-	-	1	3	14	71	241	443
All other	37	-	-	-	-	-	-	1	5	7	16	8	42	-	-	-	-	-	-	1	3	9	10	19
Black	37	-	-	-	-	-	-	1	5	7	16	8	38	-	-	-	-	-	-	1	3	8	10	16
Other diseases of arteries, arterioles, and capillaries (441-448)	591	1	1	-	1	7	13	20	106	192	189	59	300	-	-	-	2	2	10	19	38	78	86	69
White	561	1	1	-	1	5	8	18	102	181	186	58	272	-	-	-	2	1	7	17	31	70	84	60
All other	30	-	-	-	-	2	5	2	6	11	3	1	28	-	-	-	-	1	3	2	7	8	4	3
Black	29	-	-	-	-	2	5	2	6	11	2	1	27	-	-	-	-	1	3	2	7	7	4	3
Acute bronchitis and bronchiolitis (466)	12	2	2	-	-	-	-	-	2	2	3	1	15	1	2	-	-	-	1	-	1	3	2	5
White	11	2	1	-	-	-	-	-	2	2	3	1	13	-	1	-	-	-	1	-	1	3	2	5
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,221	37	4	4	8	28	34	63	130	269	352	292	1,132	27	4	8	10	14	8	22	70	190	351	430
White	1,031	16	2	4	7	16	22	43	95	233	319	274	961	10	3	4	5	7	5	19	59	155	321	399
All other	190	21	2	-	1	12	12	20	35	36	33	18	151	17	1	2	5	7	3	3	17	35	30	31
Black	186	21	2	-	1	12	12	20	34	35	33	16	147	16	1	2	5	7	3	3	17	34	29	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,219	37	4	4	8	28	34	63	130	268	352	291	1,120	27	4	6	10	14	8	21	70	190	349	421
White	1,029	16	2	4	7	18	22	43	95	232	318	273	971	10	3	4	5	7	5	16	53	155	319	382
All other	190	21	2	-	1	12	12	20	35	36	33	18	149	17	1	2	5	7	3	3	17	35	30	29
Black	166	21	2	-	1	12	12	20	34	35	33	16	146	16	1	2	5	7	3	3	17	34	29	29
Influenza (487)	2	-	-	-	-	-	-	-	-	1	-	1	12	-	-	-	-	-	-	1	-	-	2	9
White	2	-	-	-	-	-	-	-	-	1	-	1	10	-	-	-	-	-	-	1	-	-	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,569	-	2	1	-	6	13	55	257	583	496	156	630	1	1	-	6	12	10	33	126	184	183	74
White	1,446	-	2	1	-	3	7	47	232	548	462	146	571	1	1	-	2	4	8	28	110	172	175	70
All other	123	-	-	-	-	3	6	8	25	37	34	10	59	-	-	-	4	8	2	5	16	12	8	4
Black	121	-	-	-	-	3	6	8	25	36	33	10	57	-	-	-	4	8	2	5	15	12	8	3
Bronchitis, chronic and unspecified (490-491)	108	-	2	-	-	2	1	8	13	31	35	16	58	1	1	-	-	-	1	4	7	13	24	8
White	104	-	2	-	-	2	1	7	13	28	35	16	57	1	1	-	-	-	1	3	7	13	23	8
All other	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Emphysema (492)	563	-	-	-	-	1	6	22	96	208	180	50	166	-	-	-	1	-	2	4	28	47	57	27
White	535	-	-	-	-	1	4	20	89	202	170	49	159	-	-	-	-	-	1	4	24	47	56	27
All other	28	-	-	-	-	-	2	2	7	6	10	1	7	-	-	-	1	-	1	-	4	-	1	-
Black	27	-	-	-	-	-	2	2	7	6	9	1	6	-	-	-	1	-	1	-	3	-	1	-
Asthma (493)	54	-	-	1	-	3	1	4	11	20	10	4	73	-	-	-	5	9	5	4	13	20	13	4
White	45	-	-	1	-	-	-	4	9	20	8	3	53	-	-	-	2	3	4	3	10	16	11	4
All other	9	-	-	-	-	3	1	-	2	-	2	1	20	-	-	-	3	6	1	1	3	4	2	-
Black	9	-	-	-	-	3	1	-	2	-	2	1	20	-	-	-	3	6	1	1	3	4	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	844	-	-	-	-	-	5	21	137	324	271	86	332	-	-	-	-	3	2	21	78	104	69	35
White	762	-	-	-	-	-	2	16	121	296	249	78	302	-	-	-	-	1	2	18	69	96	65	31
All other	82	-	-	-	-	-	3	5	16	28	22	8	30	-	-	-	-	2	-	3	9	8	4	4
Black	81	-	-	-	-	-	3	5	16	27	22	8	29	-	-	-	-	2	-	3	9	8	4	3
Ulcer of stomach and duodenum (531-533)	179	-	-	-	2	3	6	17	30	56	42	23	136	-	-	-	-	-	2	3	8	16	29	43	35
White	154	-	-	-	1	1	4	12	25	49	39	23	125	-	-	-	-	-	2	3	7	12	25	42	34
All other	25	-	-	-	1	2	2	5	5	7	3	-	11	-	-	-	-	-	-	-	1	4	4	1	1
Black	25	-	-	-	1	2	2	5	5	7	3	-	11	-	-	-	-	-	-	1	4	4	1	1
Appendicitis (540-543)	19	-	-	-	1	-	-	1	5	4	7	1	19	-	-	2	1	-	-	3	1	5	4	3
White	16	-	-	-	1	-	-	1	5	3	5	1	16	-	-	2	1	-	-	2	1	5	4	2
All other	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	1	-	-	1	-	-	-	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	1	-	-	1	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	99	9	-	2	1	2	-	4	9	24	24	24	174	2	1	-	1	-	3	3	16	38	64	46
White	80	6	-	1	-	1	-	2	5	21	21	23	157	2	1	-	-	-	1	3	15	32	58	45
All other	19	3	-	1	1	1	-	2	4	3	3	1	17	-	-	-	1	-	2	-	1	6	6	1
Black	19	3	-	1	1	1	-	2	4	3	3	1	17	-	-	-	1	-	2	-	1	6	6	1
Chronic liver disease and cirrhosis (571)	1,057	2	-	1	2	74	169	234	302	202	60	11	554	2	-	-	3	18	73	136	147	116	47	12
White	836	1	-	-	-	39	114	177	260	164	53	8	444	2	-	-	1	9	42	117	119	104	38	12
All other	221	1	-	1	2	35	55	57	42	18	7	3	110	-	-	-	2	9	31	19	28	12	9	-
Black	216	1	-	1	2	35	54	55	40	16	7	3	109	-	-	-	2	9	31	19	27	12	9	-
Cholelithiasis and other disorders of gallbladder (574-575)	77	2	-	-	-	2	-	4	5	23	31	10	93	-	-	-	-	1	2	3	10	23	30	24
White	68	1	-	-	-	-	-	4	4	21	28	10	85	-	-	-	-	1	1	1	10	20	28	24
All other	9	1	-	-	-	2	-	-	1	2	3	-	8	-	-	-	-	-	1	2	-	3	2	-
Black	9	1	-	-	-	2	-	-	1	2	3	-	7	-	-	-	-	-	1	2	-	2	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	425	15	1	1	4	10	15	30	57	104	117	71	351	11	1	3	2	3	9	21	33	76	120	72
White	317	6	-	1	3	7	7	15	38	83	98	59	277	8	1	3	2	1	5	10	24	51	103	69
All other	108	9	1	-	1	3	8	15	19	21	19	12	74	3	-	-	-	2	4	11	9	25	17	3
Black	107	9	1	-	1	3	8	15	18	21	19	12	74	3	-	-	-	2	4	11	9	25	17	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	-	-	-	-	1	-	-	-	2	1	11	-	1	-	-	-	-	1	1	2	4	2
White	3	-	-	-	-	-	-	-	-	-	2	1	11	-	1	-	-	-	-	1	1	2	4	2
All other	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	55	–	–	–	1	1	2	2	7	16	15	11	58	–	–	–	–	–	1	3	4	18	16	16
White	48	–	–	–	–	1	–	2	7	15	13	10	50	–	–	–	–	–	1	2	4	14	14	15
All other	7	–	–	–	1	–	2	–	–	1	2	1	8	–	–	–	–	–	–	1	–	4	2	1
Black	7	–	–	–	1	–	2	–	–	1	2	1	8	–	–	–	–	–	–	1	–	4	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	365	14	1	1	3	9	12	28	50	88	100	59	282	11	–	3	2	3	8	17	28	56	100	54
White	268	6	–	1	3	6	7	13	31	68	83	48	216	8	–	3	2	1	4	7	19	35	85	52
All other	99	8	1	–	–	3	5	15	19	20	17	11	66	3	–	–	–	2	4	10	9	21	15	2
Black	98	8	1	–	–	3	5	15	18	20	17	11	66	3	–	–	–	2	4	10	9	21	15	2
Infections of kidney (590)	63	–	–	–	–	1	1	3	1	11	25	21	83	–	–	–	1	–	1	2	5	20	28	25
White	58	–	–	–	–	1	1	1	1	11	21	20	77	–	–	–	1	–	1	1	5	17	28	28
All other	7	–	–	–	–	–	–	2	–	–	4	1	6	–	–	–	–	–	–	1	–	3	–	2
Black	7	–	–	–	–	–	–	2	–	–	4	1	6	–	–	–	–	–	–	1	–	3	–	2
Hyperplasia of prostate (600)	49	–	–	–	–	–	–	–	2	14	20	13	---	---	---	---	---	---	---	---	---	---	---	---
White	44	–	–	–	–	–	–	–	2	12	17	13	---	---	---	---	---	---	---	---	---	---	---	---
All other	5	–	–	–	–	–	–	–	–	2	3	–	---	---	---	---	---	---	---	---	---	---	---	---
Black	5	–	–	–	–	–	–	–	–	2	3	–	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	28	---	---	–	5	16	7	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	10	---	---	–	3	4	3	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	18	---	---	–	2	12	4	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	16	---	---	–	2	10	4	–	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	10	---	---	–	2	5	3	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	–	2	2	1	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	–	–	3	2	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	–	–	2	2	–	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	18	---	---	–	3	11	4	–	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	–	1	2	2	–	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	13	---	---	–	2	9	2	–	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	12	---	---	–	2	8	2	–	---	---	---	---
Congenital anomalies (740-759)	377	266	27	15	16	15	5	11	9	8	2	3	291	190	27	9	7	12	6	6	12	7	9	6
White	289	197	22	14	13	13	5	7	7	7	2	2	231	148	20	8	6	9	4	5	11	6	8	6
All other	88	68	5	1	3	2	–	4	2	1	–	1	60	42	7	1	1	3	2	1	1	1	1	–
Black	85	67	5	1	3	1	–	4	2	1	–	1	58	42	6	1	1	2	2	1	1	1	1	–
Certain conditions originating in the perinatal period (760-779)	698	690	7	–	–	–	1	–	–	–	–	–	651	649	1	–	–	–	–	–	–	–	1	–
White	567	559	7	–	–	–	1	–	–	–	–	–	384	382	1	–	–	–	–	–	–	–	1	–
All other	331	331	–	–	–	–	–	–	–	–	–	–	267	267	–	–	–	–	–	–	–	–	–	–
Black	325	325	–	–	–	–	–	–	–	–	–	–	265	265	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	291	289	2	–	–	–	–	–	–	–	–	–	204	204	–	–	–	–	–	–	–	–	–	–
White	196	194	2	–	–	–	–	–	–	–	–	–	135	135	–	–	–	–	–	–	–	–	–	–
All other	95	95	–	–	–	–	–	–	–	–	–	–	69	69	–	–	–	–	–	–	–	–	–	–
Black	94	94	–	–	–	–	–	–	–	–	–	–	69	69	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	607	601	5	–	–	–	1	–	–	–	–	–	447	445	1	–	–	–	–	–	–	–	1	–
White	371	365	5	–	–	–	1	–	–	–	–	–	249	247	1	–	–	–	–	–	–	–	1	–
All other	236	236	–	–	–	–	–	–	–	–	–	–	198	198	–	–	–	–	–	–	–	–	–	–
Black	231	231	–	–	–	–	–	–	–	–	–	–	196	196	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	414	237	12	2	28	21	15	21	22	25	13	17	289	154	8	2	14	15	12	7	15	10	18	38
White	257	111	7	2	24	14	11	16	20	21	13	17	178	69	5	2	11	6	8	6	14	7	17	32
All other	157	126	5	–	4	7	4	5	2	4	–	–	111	85	3	–	3	9	4	1	1	3	1	1
Black	156	126	5	–	4	7	4	5	2	3	–	–	108	82	3	–	3	9	4	1	1	3	1	1
All other diseases (Residual)	2,696	58	30	32	90	102	147	261	450	606	576	282	2,563	45	21	26	61	84	104	170	321	533	700	518
White	2,191	39	21	19	73	63	85	205	370	531	514	261	2,191	28	15	20	43	53	68	134	274	451	627	480
All other	455	19	9	13	17	39	62	56	80	77	62	21	392	19	6	6	18	31	36	36	47	82	73	38
Black	445	18	9	12	17	39	60	55	80	75	60	20	384	19	4	6	18	30	34	35	47	81	73	37
Accidents and adverse effects (E800-E949)	3,306	21	85	175	964	607	326	286	286	266	189	91	1,348	18	69	84	245	139	114	97	111	149	160	158
White	2,834	15	62	126	871	514	267	231	244	232	174	86	1,149	14	44	62	214	105	98	90	93	131	146	144
All other	474	6	23	49	93	93	59	55	42	34	15	5	199	4	25	22	31	34	16	7	18	18	14	9
Black	451	6	23	48	86	88	58	54	41	29	14	4	191	4	24	22	28	31	15	7	18	18	14	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																							
Motor vehicle accidents (E810-E825)	1,845	4	27	78	648	357	151	116	115	82	52	13	584	4	29	43	181	86	62	42	49	51	28	6
White	1,471	4	23	61	609	316	130	95	103	66	52	12	516	4	22	35	160	75	55	39	44	46	28	7
All other	174	–	4	17	39	41	21	23	12	16	–	1	68	–	7	8	21	11	7	3	5	5	–	1
Black	160	–	4	16	34	38	21	22	11	14	–	–	65	–	6	8	20	11	6	3	5	5	–	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,663	17	58	97	316	250	175	168	171	184	137	78	764	14	40	41	64	53	52	55	62	98	132	145
White	1,383	11	39	65	262	198	137	136	141	166	122	74	633	10	22	27	54	30	43	51	49	85	116	137
All other	300	6	19	32	54	52	38	32	30	18	15	4	131	4	18	14	10	23	9	4	13	13	14	8
Black	291	6	19	32	52	50	37	32	30	15	14	4	126	4	18	14	8	20	9	4	13	13	14	8
Suicide (E950-E959)	779	...	...	5	165	159	88	97	99	95	57	14	261	...	...	–	48	52	39	39	48	25	9	1
White	694	...	...	4	142	135	74	89	91	91	54	14	240	...	...	–	42	46	36	38	45	23	9	1
All other	85	...	...	1	23	24	14	8	8	4	3	–	21	...	...	–	6	6	3	1	3	2	–	–
Black	84	...	...	1	23	23	14	8	8	4	3	–	19	...	...	–	6	5	3	1	3	1	–	–
Homicide and legal intervention (E960-E978)	1,171	5	9	15	367	357	170	124	77	23	22	2	269	5	11	5	90	53	39	21	19	13	9	2
White	537	1	3	8	179	165	70	59	35	13	13	1	123	1	6	1	39	20	12	11	13	9	7	2
All other	634	4	6	7	188	202	100	65	42	10	9	1	146	4	5	4	51	33	27	10	6	4	2	–
Black	631	4	6	7	188	202	99	64	41	10	9	1	143	4	5	4	51	32	26	10	6	3	2	–
All other external causes (E980-E999)	323	7	8	6	66	64	44	41	40	19	6	2	142	8	5	7	22	28	19	17	22	6	5	3
White	232	5	2	2	69	36	35	30	33	14	5	1	104	3	–	4	14	21	15	14	21	4	5	3
All other	91	2	6	4	17	28	9	11	7	5	1	1	38	5	5	3	8	7	4	3	1	2	–	–
Black	89	2	6	4	17	28	9	11	7	4	1	–	37	5	5	3	7	7	4	3	1	2	–	–
INDIANA																								
All causes	25,128	686	120	170	917	756	810	1,885	4,408	6,430	5,876	2,967	21,603	452	86	134	288	302	469	1,190	2,444	4,475	6,351	5,410
White	23,254	560	101	148	821	630	701	1,758	4,048	6,028	5,613	2,844	20,147	364	71	113	254	263	407	1,031	2,230	4,114	6,065	5,234
All other	1,874	126	19	21	96	126	109	228	360	404	263	123	1,456	88	15	21	34	39	62	159	214	361	286	176
Black	1,660	124	19	21	96	124	107	225	357	402	262	122	1,448	88	15	20	34	39	62	157	212	360	285	175
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	4	2	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–	1	–	–
White	3	2	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Tuberculosis (010-018)	28	–	–	–	1	1	2	5	4	6	6	3	19	–	–	–	–	1	1	1	5	4	5	2
White	20	–	–	–	–	1	–	3	2	5	6	3	16	–	–	–	–	1	–	–	4	4	5	2
All other	8	–	–	–	1	–	2	2	2	1	–	–	3	–	–	–	–	–	1	1	1	–	–	–
Black	8	–	–	–	1	–	2	2	2	1	–	–	3	–	–	–	–	–	1	1	1	–	–	–
Tuberculosis of respiratory system (010-012)	24	–	–	–	1	1	–	5	4	5	5	3	17	–	–	–	–	1	–	1	5	4	4	2
White	18	–	–	–	–	1	–	3	2	4	5	3	15	–	–	–	–	1	–	–	4	4	4	2
All other	6	–	–	–	1	–	–	2	2	1	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	6	–	–	–	1	–	–	2	2	1	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Other tuberculosis (013-018)	4	–	–	–	–	–	2	–	–	1	1	–	2	–	–	–	–	–	1	–	–	–	1	–
White	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	1	2	–	–	–	–	–	–	1	–	–	7	–	2	1	3	1	–	–	–	–	–	–
White	4	1	2	–	–	–	–	–	–	1	–	–	7	–	2	1	3	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	81	1	2	–	1	–	–	2	11	29	21	14	93	2	–	–	–	2	–	2	12	19	30	26
White	73	1	2	–	1	–	–	2	10	25	20	12	84	2	–	–	–	2	–	2	11	16	27	26
All other	8	–	–	–	–	–	–	–	1	4	1	2	9	2	–	–	–	–	–	–	1	3	3	–
Black	8	–	–	–	–	–	–	–	1	4	1	2	9	2	–	–	–	–	–	–	1	3	3	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	5	-	-	-	-	1	-	1	2	-	1	-	6	-	-	1	1	2	-	-	-	1	1	-
White	4	-	-	-	-	1	-	-	2	-	1	-	6	-	-	1	1	2	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	3	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	2	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	56	2	2	4	1	1	5	4	10	14	11	2	33	2	1	-	-	3	1	2	6	5	9	1
White	52	1	2	4	1	1	4	4	10	13	10	2	28	2	1	-	-	2	1	2	5	6	6	1
All other	4	1	-	-	-	-	1	-	-	1	1	-	5	-	-	-	-	1	-	-	1	2	1	-
Black	4	1	-	-	-	-	1	-	-	1	1	-	5	-	-	-	-	1	-	-	1	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,250	-	8	17	49	61	120	472	1,324	1,729	1,134	335	4,253	-	4	21	23	55	152	508	950	1,176	949	417
White	4,853	-	7	17	46	59	105	424	1,194	1,603	1,072	325	3,950	-	4	18	21	51	139	461	879	1,092	889	396
All other	397	-	1	-	3	2	15	48	130	126	62	10	303	-	-	3	2	4	13	45	71	84	60	21
Black	395	-	1	-	3	2	15	48	130	124	62	10	299	-	-	2	2	4	13	43	70	84	60	21
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	121	-	-	-	1	2	-	11	41	40	20	6	50	-	-	-	1	1	1	6	14	12	9	6
White	110	-	-	-	1	2	-	10	37	36	18	6	47	-	-	-	1	1	1	6	12	11	9	6
All other	11	-	-	-	-	-	-	1	4	4	2	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	11	-	-	-	-	-	-	1	4	4	2	-	3	-	-	-	-	-	-	-	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,245	-	1	-	1	5	25	100	294	417	301	101	1,200	-	-	-	2	4	19	86	228	363	345	153
White	1,149	-	-	-	1	5	22	91	255	389	286	100	1,108	-	-	-	1	4	17	77	212	332	317	148
All other	96	-	1	-	-	-	3	9	39	28	15	1	92	-	-	-	1	-	2	9	16	31	28	5
Black	96	-	1	-	-	-	3	9	39	28	15	1	91	-	-	-	1	-	2	9	15	31	28	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,002	-	-	1	1	3	40	222	617	726	340	52	610	-	-	-	2	-	14	93	179	189	105	28
White	1,840	-	-	1	1	3	36	192	565	670	324	48	571	-	-	-	2	-	14	87	163	178	100	27
All other	162	-	-	-	-	-	4	30	52	56	16	4	39	-	-	-	-	-	-	6	16	11	5	1
Black	161	-	-	-	-	-	4	30	52	55	16	4	39	-	-	-	-	-	-	6	16	11	5	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	789	-	-	-	-	6	58	144	205	178	137	61
White	-	-	-	-	-	-	-	-	-	-	-	-	734	-	-	-	-	6	54	130	193	167	129	55
All other	1	-	-	-	-	-	-	-	-	-	-	1	55	-	-	-	-	-	4	14	12	11	8	6
Black	1	-	-	-	-	-	-	-	-	-	-	1	54	-	-	-	-	-	4	13	12	11	8	6
Malignant neoplasms of genital organs (179-187)	506	-	-	-	1	3	2	14	57	148	196	85	554	-	-	1	5	17	31	83	119	151	108	39
White	462	-	-	-	1	3	2	14	49	133	177	83	501	-	-	1	4	14	25	74	107	137	102	37
All other	44	-	-	-	-	-	-	-	8	15	19	2	53	-	-	-	1	3	6	9	12	14	6	2
Black	43	-	-	-	-	-	-	-	8	14	19	2	52	-	-	-	1	3	6	8	12	14	6	2
Malignant neoplasms of urinary organs (188-189)	249	-	-	-	1	2	5	21	51	84	65	20	183	-	-	2	-	-	2	11	30	55	51	23
White	237	-	-	-	1	2	5	19	48	81	62	19	173	-	-	2	-	-	2	9	27	52	48	23
All other	12	-	-	-	-	-	-	2	3	3	3	1	10	-	-	-	-	-	-	2	2	3	3	-
Black	12	-	-	-	-	-	-	2	3	3	3	1	10	-	-	-	-	-	-	2	2	3	3	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	607	-	1	7	15	23	31	72	143	164	119	31	466	-	3	9	6	13	15	58	94	123	92	58
White	557	-	1	7	13	23	28	67	126	147	115	31	435	-	3	8	6	13	15	55	85	115	87	48
All other	50	-	-	-	2	-	5	5	17	17	4	-	31	-	-	1	-	-	-	3	9	8	5	5
Black	50	-	-	-	2	-	5	5	17	17	4	-	31	-	-	1	-	-	-	3	9	8	5	5
Leukemia (204-208)	233	-	6	7	16	9	12	8	46	65	44	20	183	-	1	9	4	7	4	13	26	39	47	31
White	223	-	6	7	16	7	9	8	45	63	42	20	172	-	1	7	4	7	4	12	27	37	43	30
All other	10	-	-	-	-	2	3	-	1	2	2	-	11	-	-	2	-	-	-	1	1	2	4	1
Black	10	-	-	-	-	2	3	-	1	2	2	-	10	-	-	1	-	-	-	1	1	2	4	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	286	-	-	2	13	14	5	24	75	85	49	19	218	-	-	-	3	7	8	12	44	66	55	23
White	275	-	-	2	12	14	5	23	69	84	48	18	209	-	-	-	3	6	7	11	43	63	54	22
All other	11	-	-	-	1	-	-	1	6	1	1	1	9	-	-	-	-	1	1	1	1	3	1	1
Black	11	-	-	-	1	-	-	1	6	1	1	1	9	-	-	-	-	1	1	1	1	3	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	53	-	-	1	-	2	3	5	11	19	8	4	69	2	-	1	-	-	4	2	13	14	19	14
White	50	-	-	1	-	1	2	5	11	18	8	4	60	2	-	1	-	-	4	1	11	11	18	12
All other	3	-	-	-	-	1	1	-	-	1	-	-	9	-	-	-	-	-	-	1	2	3	1	2
Black	3	-	-	-	-	1	1	-	-	1	-	-	9	-	-	-	-	-	-	1	2	3	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	398	–	–	–	3	5	14	28	92	103	105	48	590	–	–	–	–	5	7	36	75	156	201	110
White	382	–	–	–	3	4	8	22	82	97	103	43	527	–	–	–	–	4	5	28	61	141	188	100
All other	36	–	–	–	–	1	6	6	10	6	2	5	63	–	–	–	–	1	2	8	14	15	13	10
Black	35	–	–	–	–	1	6	6	10	6	1	5	61	–	–	–	–	1	2	8	13	14	13	10
Nutritional deficiencies (260-269)	34	2	–	–	1	–	–	–	2	7	13	9	29	–	–	–	–	–	1	1	4	5	8	10
White	29	–	–	–	1	–	–	–	2	6	13	7	27	–	–	–	–	–	1	1	4	3	8	10
All other	5	2	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	2	–	–
Black	5	2	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	2	–	–
Anemias (280-285)	33	–	1	1	3	–	1	1	3	9	11	3	55	–	2	–	–	2	1	–	2	9	19	20
White	29	–	–	–	2	–	–	1	3	9	11	3	47	–	–	–	–	1	–	–	2	9	18	17
All other	4	–	1	1	1	–	1	–	–	–	–	–	8	–	2	–	–	1	1	–	–	–	1	3
Black	4	–	1	1	1	–	1	–	–	–	–	–	8	–	2	–	–	1	1	–	–	–	1	3
Meningitis (320-322)	14	8	3	1	1	–	1	–	1	1	–	–	15	5	2	2	–	–	2	–	2	1	1	–
White	10	4	2	1	1	–	–	–	1	1	–	–	12	3	2	1	–	–	2	–	2	1	1	–
All other	4	2	1	–	–	–	1	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
Black	4	2	1	–	–	–	1	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	12,325	13	3	5	20	63	246	914	2,144	3,442	3,501	1,974	12,087	8	9	3	11	33	108	383	920	2,389	4,201	4,042
White	11,621	10	3	4	18	54	222	827	1,991	3,243	3,353	1,896	11,420	7	8	3	11	27	85	298	834	2,190	4,032	3,925
All other	704	3	–	1	2	9	24	87	153	199	148	78	667	1	1	–	–	6	23	85	86	199	169	117
Black	698	3	–	1	2	9	22	87	151	199	148	77	656	1	1	–	–	6	23	85	86	199	168	117
Diseases of heart (390-398,402,404-429)	9,593	12	3	3	16	50	217	807	1,883	2,746	2,534	1,342	8,267	7	6	3	6	24	77	262	730	1,759	2,840	2,553
White	9,064	9	3	2	14	42	196	738	1,745	2,595	2,433	1,287	7,828	6	5	3	6	20	69	220	669	1,623	2,729	2,497
All other	529	3	–	1	2	8	21	69	118	151	101	55	439	1	1	–	–	4	17	42	61	136	111	66
Black	525	3	–	1	2	8	20	69	116	151	101	54	436	1	1	–	–	4	17	42	61	136	110	66
Rheumatic fever and rheumatic heart disease (390-398)	59	–	–	–	1	3	2	9	18	17	8	1	137	–	–	1	2	1	5	20	22	41	32	13
White	55	–	–	–	–	2	2	8	16	16	8	1	131	–	–	1	2	1	4	19	22	39	30	13
All other	4	–	–	–	1	1	–	1	–	1	–	–	6	–	–	–	–	–	1	1	–	2	2	–
Black	4	–	–	–	1	1	–	1	–	1	–	–	6	–	–	–	–	–	1	1	–	2	2	–
Hypertensive heart disease (402)	173	–	–	–	–	3	7	15	32	50	41	25	255	–	–	–	–	1	1	19	28	56	75	75
White	132	–	–	–	–	1	4	8	22	45	35	17	206	–	–	–	–	1	1	9	20	49	69	69
All other	41	–	–	–	–	2	3	7	10	5	6	8	49	–	–	–	–	–	–	10	8	13	12	6
Black	41	–	–	–	–	2	3	7	10	5	6	8	49	–	–	–	–	–	–	10	8	13	12	6
Hypertensive heart and renal disease (404)	75	–	–	–	–	–	1	–	5	15	28	26	116	–	–	–	–	–	1	3	4	14	43	51
White	68	–	–	–	–	–	1	–	4	12	26	25	113	–	–	–	–	–	1	3	4	13	42	50
All other	7	–	–	–	–	–	–	–	1	3	2	1	3	–	–	–	–	–	–	–	–	1	1	1
Black	7	–	–	–	–	–	–	–	1	3	2	1	3	–	–	–	–	–	–	–	–	1	1	1
Ischemic heart disease (410-414)	7,768	–	–	–	3	25	182	672	1,554	2,277	2,056	999	6,157	1	1	–	1	4	39	173	540	1,334	2,167	1,877
White	7,409	–	–	–	3	22	166	631	1,484	2,173	1,987	963	5,884	–	1	–	1	3	32	149	498	1,251	2,112	1,837
All other	359	–	–	–	–	3	16	41	90	104	69	36	273	1	–	–	–	1	7	24	42	83	75	40
Black	355	–	–	–	–	3	15	41	88	104	69	35	272	1	–	–	–	1	7	24	42	83	74	40
Acute myocardial infarction (410)	4,904	–	–	–	2	20	135	508	1,137	1,559	1,157	386	3,087	1	1	–	1	3	30	119	396	839	1,073	624
White	4,730	–	–	–	2	18	124	489	1,083	1,512	1,129	373	2,964	–	1	–	1	2	25	104	367	800	1,049	615
All other	174	–	–	–	–	2	11	19	54	47	28	13	123	1	–	–	–	1	5	15	29	39	24	9
Black	172	–	–	–	–	2	10	19	53	47	28	13	122	1	–	–	–	1	5	15	29	39	23	9
Other acute and subacute forms of ischemic heart disease (411)	26	–	–	–	–	–	–	2	8	5	6	5	24	–	–	–	–	–	–	–	1	8	10	5
White	25	–	–	–	–	–	–	2	8	4	6	5	23	–	–	–	–	–	–	–	1	7	10	5
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Angina pectoris (413)	4	–	–	–	–	–	–	–	–	1	2	1	5	–	–	–	–	–	–	–	–	2	1	2
White	4	–	–	–	–	–	–	–	–	1	2	1	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,834	–	–	–	1	5	47	162	409	712	891	607	3,041	–	–	–	–	1	9	54	143	485	1,103	1,248
White	2,650	–	–	–	1	4	42	140	373	656	850	584	2,693	–	–	–	–	1	7	45	130	443	1,052	1,215
All other	184	–	–	–	–	1	5	22	36	56	41	23	148	–	–	–	–	–	2	9	13	42	51	31
Black	182	–	–	–	–	1	5	22	35	56	41	22	146	–	–	–	–	–	2	9	13	42	51	31
Other diseases of endocardium (424)	68	–	–	–	1	4	–	1	13	24	13	12	96	–	–	–	–	1	1	2	8	28	36	20
White	66	–	–	–	1	4	–	1	13	23	13	11	87	–	–	–	–	–	–	2	6	25	35	19
All other	2	–	–	–	–	–	–	–	–	1	–	1	9	–	–	–	–	1	1	–	2	3	1	1
Black	2	–	–	–	–	–	–	–	–	1	–	1	9	–	–	–	–	1	1	–	2	3	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,450	12	3	3	11	15	25	110	241	363	388	279	1,506	6	5	2	3	17	30	45	128	286	467	517
White	1,334	9	3	2	10	13	23	90	224	326	364	270	1,407	5	4	2	3	15	22	38	119	252	447	499
All other	116	3	-	1	1	2	2	20	17	37	24	9	99	-	1	-	-	2	8	7	9	34	20	18
Black	116	3	-	1	1	2	2	20	17	37	24	9	99	-	1	-	-	2	8	7	9	34	20	18
Hypertension with or without renal disease (401,403)	70	-	-	1	1	-	-	6	13	13	20	16	114	-	-	-	-	-	4	6	8	22	36	36
White	59	-	-	1	1	-	-	4	9	13	18	13	97	-	-	-	-	-	3	3	5	16	34	36
All other	11	-	-	-	-	-	-	2	4	-	2	3	17	-	-	-	-	-	1	3	3	6	2	2
Black	11	-	-	-	-	-	-	2	4	-	2	3	17	-	-	-	-	-	1	3	3	6	2	2
Cerebrovascular diseases (430-438)	2,009	1	-	1	3	8	24	85	210	531	704	442	2,680	1	3	-	5	9	22	82	153	514	1,064	1,027
White	1,867	1	-	1	3	7	21	71	184	488	663	428	2,703	1	3	-	5	7	18	65	132	483	1,017	992
All other	142	-	-	-	-	1	3	14	26	43	41	14	177	-	-	-	-	2	4	17	21	51	47	35
Black	141	-	-	-	-	1	2	14	26	43	41	14	177	-	-	-	-	2	4	17	21	51	47	35
Intracerebral and other intracranial hemorrhage (431-432)	277	1	-	-	-	1	10	28	42	84	73	38	358	1	-	-	1	3	7	21	27	85	114	99
White	249	1	-	-	-	-	9	19	36	79	63	36	322	1	-	-	1	2	4	13	21	80	106	94
All other	34	-	-	-	-	1	1	9	6	5	10	2	36	-	-	-	-	1	3	8	6	5	8	5
Black	34	-	-	-	-	1	1	9	6	5	10	2	36	-	-	-	-	1	3	8	6	5	8	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	403	-	-	-	1	-	2	16	47	101	145	91	561	-	2	-	-	2	2	8	21	89	219	218
White	372	-	-	-	1	-	1	14	41	90	136	89	524	-	2	-	-	1	2	5	17	84	205	208
All other	31	-	-	-	-	-	1	2	6	11	9	2	37	-	-	-	-	1	-	3	4	5	14	10
Black	30	-	-	-	-	-	-	2	6	11	9	2	37	-	-	-	-	1	-	3	4	5	14	10
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	3	-	1	11	-	-	-	-	-	-	-	2	3	3	3
White	4	-	-	-	-	-	-	-	-	3	-	1	11	-	-	-	-	-	-	-	2	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,325	-	-	1	2	7	12	41	121	343	466	312	1,950	-	1	-	4	4	13	53	103	337	728	707
White	1,248	-	-	1	2	7	11	38	107	316	464	302	1,846	-	1	-	4	4	12	47	92	296	703	687
All other	77	-	-	-	-	-	1	3	14	27	22	10	104	-	-	-	-	-	1	6	11	41	25	20
Black	77	-	-	-	-	-	1	3	14	27	22	10	104	-	-	-	-	-	1	6	11	41	25	20
Atherosclerosis (440)	380	-	-	-	-	-	-	6	16	62	153	143	668	-	-	-	-	-	1	2	8	56	216	385
White	369	-	-	-	-	-	-	6	13	60	151	139	641	-	-	-	-	-	1	1	7	51	209	372
All other	11	-	-	-	-	-	-	-	3	2	2	4	27	-	-	-	-	-	-	1	1	5	7	13
Black	11	-	-	-	-	-	-	-	3	2	2	4	27	-	-	-	-	-	-	1	1	5	7	13
Other diseases of arteries, arterioles, and capillaries (441-448)	273	-	-	-	-	5	5	10	42	90	90	31	158	-	-	-	-	-	4	11	21	38	45	39
White	262	-	-	-	-	5	5	8	40	87	88	29	151	-	-	-	-	-	3	9	21	37	43	38
All other	11	-	-	-	-	-	-	2	2	3	2	2	7	-	-	-	-	-	1	2	-	1	2	1
Black	11	-	-	-	-	-	-	2	2	3	2	2	7	-	-	-	-	-	1	2	-	1	2	1
Acute bronchitis and bronchiolitis (466)	5	2	-	-	-	-	-	-	2	-	1	-	7	1	1	1	-	-	1	-	-	-	-	3
White	5	2	-	-	-	-	-	-	2	-	1	-	6	1	1	1	-	-	1	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	489	19	5	5	3	8	13	15	37	99	149	136	440	14	2	1	1	4	3	15	28	49	155	168
White	445	12	3	5	3	6	9	11	34	90	139	133	410	12	1	-	1	4	2	10	23	45	148	164
All other	44	7	2	-	-	2	4	4	3	9	10	3	30	2	1	1	-	-	1	5	5	4	7	4
Black	44	7	2	-	-	2	4	4	3	9	10	3	30	2	1	1	-	-	1	5	5	4	7	4
Pneumonia (480-486)	484	19	4	4	2	6	13	15	37	98	148	136	431	14	2	1	1	4	3	15	28	47	152	164
White	440	12	2	4	2	6	9	11	34	89	138	133	401	12	1	-	1	4	2	10	23	43	145	160
All other	44	7	2	-	-	2	4	4	3	9	10	3	30	2	1	1	-	-	1	5	5	4	7	4
Black	44	7	2	-	-	2	4	4	3	9	10	3	30	2	1	1	-	-	1	5	5	4	7	4
Influenza (487)	5	-	1	1	1	-	-	-	-	1	1	-	9	-	-	-	-	-	-	-	-	2	3	4
White	5	-	1	1	1	-	-	-	-	1	1	-	9	-	-	-	-	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	911	5	2	3	-	-	4	37	141	331	309	85	355	1	-	-	-	-	9	28	74	126	89	24
White	885	5	2	3	-	-	4	33	137	321	297	83	336	1	-	-	-	-	6	25	70	121	81	32
All other	26	-	-	-	-	-	-	4	4	10	6	2	19	-	-	-	-	-	3	3	4	5	2	2
Black	26	-	-	-	-	-	-	4	4	10	6	2	19	-	-	-	-	-	3	3	4	5	2	2
Bronchitis, chronic and unspecified (490-491)	53	4	1	1	-	-	-	5	5	15	16	6	21	1	-	-	-	-	-	1	4	8	3	4
White	52	4	1	1	-	-	-	5	5	14	16	6	19	1	-	-	-	-	-	1	4	7	2	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Emphysema (492)	266	-	-	-	-	-	2	13	32	113	79	27	79	-	-	-	-	-	-	4	5	16	30	13	9
White	256	-	-	-	-	-	2	13	31	108	77	25	77	-	-	-	-	-	-	2	5	16	30	13	9
All other	10	-	-	-	-	-	-	-	1	5	2	2	2	-	-	-	-	-	-	2	-	-	-	-	-
Black	10	-	-	-	-	-	-	-	1	5	2	2	2	-	-	-	-	-	-	2	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	29	-	1	1	-	-	-	1	7	9	7	3	26	-	-	-	-	-	4	4	6	6	2	2
White	28	-	1	1	-	-	-	1	6	9	7	3	22	-	-	-	-	-	3	3	6	7	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	-	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	563	1	-	1	-	-	2	18	97	194	201	49	229	-	-	-	-	-	1	16	46	80	65	19
White	548	1	-	1	-	-	2	14	95	190	197	49	218	-	-	-	-	-	1	16	42	77	64	18
All other	14	-	-	-	-	-	-	4	2	4	4	-	11	-	-	-	-	-	-	2	4	3	1	1
Black	14	-	-	-	-	-	-	4	2	4	4	-	11	-	-	-	-	-	-	2	4	3	1	1
Ulcer of stomach and duodenum (531-533)	84	-	-	-	1	1	1	8	16	19	22	16	59	-	-	1	-	1	2	2	10	10	17	16
White	77	-	-	-	1	-	1	7	14	18	20	16	55	-	-	-	-	1	2	2	9	10	16	15
All other	7	-	-	-	-	1	-	1	2	1	2	-	4	-	-	1	-	-	-	-	1	-	1	1
Black	7	-	-	-	-	1	-	1	2	1	2	-	4	-	-	1	-	-	-	-	1	-	1	1
Appendicitis (540-543)	10	-	-	-	-	-	1	2	2	2	1	2	7	-	-	1	-	-	-	-	-	2	2	2
White	8	-	-	-	-	-	1	2	1	1	1	2	6	-	-	1	-	-	-	-	-	1	2	2
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	39	1	-	-	-	1	1	4	3	7	11	11	82	1	1	1	2	-	1	3	9	17	31	26
White	37	1	-	-	-	1	-	4	3	7	11	10	85	1	1	1	1	-	-	2	8	16	31	24
All other	2	-	-	-	-	-	1	-	-	-	-	1	7	-	-	-	1	-	1	1	1	1	-	2
Black	2	-	-	-	-	-	1	-	-	-	-	1	7	-	-	-	1	-	1	1	1	1	-	2
Chronic liver disease and cirrhosis (571)	372	-	-	-	-	16	44	99	100	79	28	6	164	-	-	-	2	6	12	30	48	43	20	3
White	329	-	-	-	-	13	36	88	90	73	27	4	150	-	-	-	1	4	9	25	48	41	19	3
All other	43	-	-	-	-	3	8	13	10	6	1	2	14	-	-	-	1	2	3	5	-	2	1	-
Black	43	-	-	-	-	3	8	13	10	6	1	2	14	-	-	-	1	2	3	5	-	2	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	41	1	-	-	-	1	1	2	3	9	13	11	58	-	-	-	1	-	3	2	4	7	23	18
White	38	1	-	-	-	1	-	1	3	9	12	11	56	-	-	-	1	-	3	2	4	7	21	18
All other	3	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	3	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	191	1	-	1	1	2	4	6	17	44	71	44	184	1	-	-	-	4	1	8	20	40	59	51
White	174	1	-	1	1	2	2	6	16	39	66	40	165	1	-	-	-	4	1	5	15	37	53	49
All other	17	-	-	-	-	-	2	-	1	5	6	4	19	-	-	-	-	-	-	3	5	3	6	2
Black	17	-	-	-	-	-	2	-	1	5	5	4	16	-	-	-	-	-	-	3	5	3	6	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	-	1	2	1	3	-	4	-	-	-	-	-	1	-	-	-	3	-
White	6	-	-	-	-	-	-	1	2	1	2	-	4	-	-	-	-	-	1	-	-	-	3	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	-	-	-	3	5	6	4	31	-	-	-	-	-	-	2	2	6	10	11
White	19	-	-	-	-	-	-	-	3	5	7	4	27	-	-	-	-	-	-	1	1	6	9	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	164	1	-	1	1	2	4	5	12	38	60	40	149	1	-	-	-	3	1	6	18	34	46	40
White	149	1	-	1	1	2	2	5	11	33	57	36	134	1	-	-	-	3	1	4	14	31	41	39
All other	15	-	-	-	-	-	2	-	1	5	3	4	15	-	-	-	-	-	-	2	4	3	5	1
Black	15	-	-	-	-	-	2	-	1	5	3	4	15	-	-	-	-	-	-	2	4	3	5	1
Infections of kidney (590)	28	-	-	-	1	-	-	-	-	5	12	10	58	-	-	-	-	-	1	3	2	13	17	22
White	27	-	-	-	1	-	-	-	-	5	12	9	54	-	-	-	-	-	1	2	2	12	16	21
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	1	1	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	1	1	1
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	1	3	7	4	...	...	...	...	...	...	...	...	...	...	...	...
White	13	-	-	-	-	-	-	-	-	3	7	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	1	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	1	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	202	151	11	3	6	6	7	3	6	4	-	1	136	83	10	4	8	4	9	3	9	-	4	2
White	180	134	9	3	7	5	6	3	6	4	-	1	120	72	9	3	8	4	8	2	8	-	4	2
All other	22	17	2	-	1	1	1	-	-	-	-	-	16	11	1	1	-	-	1	1	1	-	-	-
Black	22	17	2	-	1	1	1	-	-	-	-	-	16	11	1	1	-	-	1	1	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	349	342	1	-	-	-	-	-	-	-	-	-	248	247	-	-	-	-	-	-	-	-	-	-
White	269	269	-	-	-	-	-	-	-	-	-	-	201	200	-	-	-	-	-	-	-	-	-	-
All other	74	73	1	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Black	72	71	1	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	82	82	-	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
White	72	72	-	-	-	-	-	-	-	-	-	-	68	68	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	261	260	1	-	-	-	-	-	-	-	-	-	164	163	-	-	-	-	-	-	-	-	-	-
White	197	197	-	-	-	-	-	-	-	-	-	-	133	132	-	-	-	-	-	-	-	-	-	-
All other	64	63	1	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
Black	63	62	1	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	241	61	3	1	17	8	14	15	23	29	25	24	211	49	3	-	8	13	7	8	16	12	40	55
White	211	72	3	1	15	6	11	10	20	27	23	22	186	34	1	-	7	10	7	8	14	11	40	54
All other	30	9	-	-	2	2	3	5	3	2	2	2	25	15	2	-	1	3	-	-	2	1	-	1
Black	30	9	-	-	2	2	3	5	3	2	2	2	25	15	2	-	1	3	-	-	2	1	-	1
All other diseases (Residual)	1,207	34	13	17	42	43	42	106	230	251	275	154	1,270	20	11	31	23	38	50	79	148	279	332	259
White	1,088	25	10	15	36	31	33	94	207	231	260	146	1,181	15	10	29	23	30	44	68	135	253	321	258
All other	119	9	3	2	6	12	9	12	23	20	15	8	89	5	1	2	-	8	6	11	13	26	11	6
Black	119	9	3	2	6	12	9	12	23	20	15	8	89	5	1	2	-	8	6	11	13	26	11	6
Accidents and adverse effects (E800-E949)	1,862	19	57	102	586	322	169	173	144	135	106	66	795	12	33	60	151	82	60	52	58	67	114	106
White	1,721	17	50	87	531	294	157	154	137	128	102	64	731	11	28	48	137	77	56	46	53	63	110	102
All other	141	2	7	15	35	28	12	19	7	7	6	2	64	1	5	12	14	5	4	6	5	4	4	4
Black	140	2	7	15	35	27	12	19	7	7	6	2	64	1	5	12	14	5	4	6	5	4	4	4
Motor vehicle accidents (E810-E825)	983	3	11	43	397	217	100	88	51	44	24	6	368	1	12	33	121	54	40	25	28	24	25	3
White	932	3	11	40	381	203	93	79	49	43	24	6	338	1	11	26	113	51	38	22	25	24	24	3
All other	51	-	-	3	16	14	7	7	2	1	-	-	28	-	1	7	8	3	2	3	3	-	1	-
Black	51	-	-	3	16	14	7	7	2	1	-	-	28	-	1	7	8	3	2	3	3	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	879	16	46	59	189	105	69	87	93	91	84	80	429	11	21	27	30	28	20	27	30	43	89	103
White	789	14	39	47	150	91	64	75	88	85	78	58	393	10	17	22	24	26	16	24	28	39	86	99
All other	90	2	7	12	19	14	5	12	5	6	6	2	36	1	4	5	6	2	2	3	2	4	3	4
Black	89	2	7	12	19	13	5	12	5	6	6	2	36	1	4	5	6	2	2	3	2	4	3	4
Suicide (E950-E959)	485	...	...	4	103	108	66	45	60	43	31	5	132	...	...	1	20	24	17	29	21	12	7	1
White	441	...	...	4	96	98	63	42	59	43	31	5	123	...	...	1	18	23	15	28	21	10	6	1
All other	24	...	...	-	7	10	3	3	1	-	-	-	9	...	...	-	2	1	2	1	-	2	1	-
Black	21	...	...	-	7	9	3	2	-	-	-	-	9	...	...	-	2	1	2	1	-	2	1	-
Homicide and legal intervention (E960-E978)	296	-	5	4	83	97	48	31	15	8	5	-	106	2	4	3	30	17	12	14	8	12	2	1
White	165	-	4	2	48	45	34	14	9	5	4	-	80	2	2	3	18	12	11	12	7	11	1	1
All other	131	-	1	2	35	52	14	17	6	3	1	-	26	-	2	-	12	5	1	2	1	1	1	-
Black	131	-	1	2	35	52	14	17	6	3	1	-	26	-	2	-	12	5	1	2	1	1	1	-
All other external causes (E980-E999)	40	3	2	1	12	9	3	7	1	1	1	-	12	-	1	1	1	5	3	1	-	-	-	-
White	30	2	2	1	9	7	3	4	-	1	1	-	10	-	1	1	1	3	3	1	-	-	-	-
All other	10	1	-	-	3	2	-	3	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	10	1	-	-	3	2	-	3	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	14,341	297	59	85	465	284	338	791	2,052	3,592	3,963	2,415	12,508	198	46	62	135	110	195	456	1,068	2,144	3,928	4,154
White	14,136	278	59	80	453	273	327	773	2,018	3,550	3,930	2,395	12,389	187	44	60	133	107	189	443	1,075	2,125	3,905	4,130
All other	205	19	-	5	12	11	11	18	34	42	33	20	119	11	2	2	2	3	6	13	13	19	24	24
Black	184	15	-	4	10	8	9	15	34	38	32	19	109	10	1	2	2	3	4	12	11	17	23	24
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-	1	2	-
White	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-
White	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	45	-	-	-	2	-	2	2	6	4	16	13	43	2	-	-	1	-	1	4	5	3	20	7
White	45	-	-	-	2	-	2	2	6	4	16	13	42	2	-	-	1	-	1	4	5	3	19	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	-	1	-	4	-	1	-	5	-	-	-	-	1	1	-	1	1	1	-
White	6	-	-	-	-	-	1	-	4	-	1	-	5	-	-	-	-	1	1	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	23	1	1	-	2	2	1	1	6	-	5	4	15	2	-	1	-	-	-	-	-	4	4	4
White	22	1	1	-	2	2	1	1	5	-	5	4	14	1	-	1	-	-	-	-	-	4	4	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,054	-	6	16	32	31	58	215	601	982	908	307	2,562	1	5	7	17	25	71	216	485	637	723	395
White	3,004	-	6	16	31	29	55	207	590	965	893	302	2,560	1	5	7	17	25	69	210	479	634	720	393
All other	50	-	-	-	1	2	1	8	11	17	5	5	22	-	-	-	-	-	2	6	6	3	3	2
Black	48	-	-	-	1	1	-	8	11	17	5	5	19	-	-	-	-	-	1	6	4	3	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	75	-	-	-	-	1	1	10	20	18	17	8	34	-	-	1	-	-	1	1	5	8	10	6
White	74	-	-	-	-	1	1	9	20	18	17	8	34	-	-	1	-	-	1	1	5	8	10	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	822	-	1	2	-	3	17	53	135	268	246	97	849	-	-	1	2	2	8	41	116	215	287	177
White	810	-	1	2	-	3	16	50	132	266	245	95	843	-	-	1	2	2	7	39	115	214	286	177
All other	12	-	-	-	-	-	1	3	3	2	1	2	6	-	-	-	-	-	1	2	1	1	1	-
Black	11	-	-	-	-	-	-	3	3	2	1	2	4	-	-	-	-	-	-	2	-	1	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,031	-	-	-	2	4	10	89	266	386	215	49	278	-	-	-	1	-	7	42	72	80	52	22
White	1,011	-	-	-	1	3	10	95	261	379	213	49	273	-	-	-	1	-	7	40	72	80	51	22
All other	20	-	-	-	1	1	-	4	5	7	2	-	3	-	-	-	-	-	-	2	-	-	1	-
Black	19	-	-	-	1	-	-	4	5	7	2	-	3	-	-	-	-	-	-	2	-	-	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	495	-	-	-	-	7	24	55	127	125	106	51
White	-	-	-	-	-	-	-	-	-	-	-	-	492	-	-	-	-	7	24	54	126	124	106	51
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Malignant neoplasms of genital organs (179-187)	354	-	1	-	1	1	1	2	26	92	150	80	328	-	-	-	1	4	10	44	67	83	83	34
White	348	-	1	-	1	1	1	2	26	89	149	78	323	-	-	-	1	4	9	44	66	82	83	34
All other	6	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	1	-	1	1	-	-
Black	6	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	1	-	1	1	-	-
Malignant neoplasms of urinary organs (188-189)	183	-	-	-	-	-	1	12	35	52	57	26	80	-	1	-	-	-	2	4	14	14	26	19
White	178	-	-	-	-	-	1	12	32	51	56	26	78	-	1	-	-	-	2	3	13	14	26	19
All other	5	-	-	-	-	-	-	-	3	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	5	-	-	-	-	-	-	-	3	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	285	-	2	5	9	13	14	21	62	87	55	17	242	1	2	2	6	5	14	21	37	48	66	38
White	281	-	2	5	9	12	14	21	62	84	55	17	239	1	2	2	6	5	14	21	35	48	67	38
All other	4	-	-	-	-	1	-	-	-	3	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	4	-	-	-	-	1	-	-	-	3	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Leukemia (204-208)	130	-	2	6	11	5	1	6	17	40	25	17	122	-	2	2	6	5	3	4	15	21	39	30
White	128	-	2	6	11	5	1	6	17	39	25	16	121	-	2	2	6	5	3	4	15	21	39	29
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	174	-	-	3	9	4	11	12	40	39	43	13	158	-	-	1	1	2	2	4	31	43	58	16
White	174	-	-	3	9	4	11	12	40	39	43	13	157	-	-	1	1	2	2	4	31	43	58	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	39	-	1	-	1	-	2	3	2	10	12	2	34	-	-	-	-	-	2	5	1	7	10	9
White	32	-	1	-	1	-	2	3	2	10	11	2	34	-	-	-	-	-	2	5	1	7	10	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	187	-	-	-	1	2	8	11	22	54	60	29	254	-	-	1	-	4	4	11	25	62	81	65
White	183	-	-	-	1	2	7	11	22	53	58	29	250	-	-	1	-	4	4	11	25	59	81	65
All other	4	-	-	-	-	-	1	-	-	1	2	-	4	-	-	-	-	-	-	-	-	3	-	1
Black	3	-	-	-	-	-	1	-	-	-	2	-	3	-	-	-	-	-	-	-	-	2	-	1
Nutritional deficiencies (260-269)	9	-	-	-	-	-	1	-	3	1	2	2	22	-	-	-	1	-	-	-	-	-	7	14
White	9	-	-	-	-	-	1	-	3	1	2	2	22	-	-	-	1	-	-	-	-	-	7	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	17	-	-	-	-	1	-	2	1	4	6	3	29	-	-	-	1	1	-	-	3	1	12	11
White	16	-	-	-	-	1	-	1	1	4	6	3	28	-	-	-	1	1	-	-	3	1	11	11
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	13	4	4	-	-	1	-	1	2	1	-	-	9	-	-	-	-	-	-	-	1	1	1	-
White	11	2	4	-	-	1	-	1	2	1	-	-	9	-	-	-	-	-	-	-	1	1	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,363	4	1	1	15	21	91	353	1,028	1,909	2,346	1,594	7,178	-	2	1	6	12	44	130	382	1,067	2,508	3,006
White	7,267	4	1	1	12	18	87	349	1,012	1,893	2,328	1,582	7,120	-	2	1	6	11	41	127	376	1,076	2,492	2,997
All other	76	-	-	-	3	3	4	4	16	16	18	12	58	-	-	-	-	1	3	3	6	11	16	18
Black	71	-	-	-	3	3	4	3	16	14	17	11	55	-	-	-	-	1	2	3	6	10	15	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,710	4	1	1	12	15	79	318	907	1,535	1,735	1,103	5,028	–	2	1	3	8	28	96	302	817	1,775	1,997
White	5,653	4	1	1	10	13	76	314	895	1,521	1,721	1,097	4,992	–	2	1	3	8	27	95	296	809	1,765	1,988
All other	57	–	–	–	2	2	3	4	12	14	14	6	37	–	–	–	–	–	1	1	6	8	10	11
Black	54	–	–	–	2	2	3	3	12	13	13	6	36	–	–	–	–	–	1	1	6	7	10	11
Rheumatic fever and rheumatic heart disease (390-398)	25	–	–	–	–	–	–	3	7	8	5	2	58	–	–	–	–	–	3	7	9	18	15	6
White	25	–	–	–	–	–	–	3	7	8	5	2	58	–	–	–	–	–	3	7	9	18	15	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	69	–	–	–	–	–	2	5	11	20	18	13	120	–	–	–	–	–	–	1	9	25	38	47
White	65	–	–	–	–	–	1	5	9	20	18	12	118	–	–	–	–	–	–	1	9	25	37	47
All other	4	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	4	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Hypertensive heart and renal disease (404)	29	–	–	–	–	–	–	–	1	8	10	10	47	–	–	–	–	–	–	–	2	10	12	23
White	29	–	–	–	–	–	–	–	1	8	10	10	46	–	–	–	–	–	–	–	2	10	12	22
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Ischemic heart disease (410-414)	4,681	–	–	–	1	11	64	271	784	1,302	1,414	804	3,729	–	–	–	1	5	14	62	229	649	1,360	1,409
White	4,622	–	–	–	1	10	64	267	765	1,289	1,405	801	3,708	–	–	–	1	5	14	62	224	643	1,355	1,404
All other	39	–	–	–	–	1	–	4	9	13	9	3	21	–	–	–	–	–	–	–	5	6	5	5
Black	37	–	–	–	–	1	–	3	9	12	9	3	20	–	–	–	–	–	–	–	5	5	5	5
Acute myocardial infarction (410)	3,090	–	–	–	–	5	54	219	630	969	877	338	2,047	–	–	–	–	2	12	46	181	451	799	562
White	3,060	–	–	–	–	5	54	215	621	959	872	334	2,037	–	–	–	–	2	12	46	177	449	792	559
All other	30	–	–	–	–	–	–	4	9	10	5	2	10	–	–	–	–	–	–	–	4	2	1	3
Black	29	–	–	–	–	–	–	3	9	10	5	2	10	–	–	–	–	–	–	–	4	2	1	3
Other acute and subacute forms of ischemic heart disease (411)	30	–	–	–	–	1	–	2	7	7	9	4	27	–	–	–	1	–	–	1	3	3	8	11
White	29	–	–	–	–	–	–	2	7	7	9	4	27	–	–	–	1	–	–	1	3	3	8	11
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	6	–	–	–	1	–	–	–	–	2	1	2	2	–	–	–	–	–	–	–	–	–	1	1
White	6	–	–	–	1	–	–	–	–	2	1	2	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,535	–	–	–	–	5	10	50	157	324	527	462	1,653	–	–	–	–	3	2	15	45	195	558	835
White	1,527	–	–	–	–	5	10	50	157	321	523	461	1,642	–	–	–	–	3	2	15	44	191	554	833
All other	8	–	–	–	–	–	–	–	–	3	4	1	11	–	–	–	–	–	–	–	1	4	4	2
Black	7	–	–	–	–	–	–	–	–	2	4	1	10	–	–	–	–	–	–	–	1	3	4	2
Other diseases of endocardium (424)	45	–	–	–	–	1	3	5	8	8	14	6	45	–	–	–	–	1	–	1	4	9	14	16
White	45	–	–	–	–	1	3	5	8	8	14	6	45	–	–	–	–	1	–	1	4	9	14	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	881	4	1	1	11	3	10	34	86	169	274	268	1,030	–	2	1	2	2	11	25	49	106	336	496
White	867	4	1	1	9	2	8	34	85	168	269	266	1,016	–	2	1	2	2	10	24	48	104	332	491
All other	14	–	–	–	2	1	2	–	1	1	5	2	14	–	–	–	–	–	1	1	1	2	4	5
Black	13	–	–	–	2	1	2	–	1	1	4	2	14	–	–	–	–	–	1	1	1	2	4	5
Hypertension with or without renal disease (401,403)	49	–	–	–	–	–	1	1	5	9	17	16	60	–	–	–	–	–	1	1	3	12	18	25
White	48	–	–	–	–	–	1	1	5	9	16	16	60	–	–	–	–	–	1	1	3	12	18	25
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	1,176	–	–	–	2	4	9	23	90	258	450	342	1,637	–	–	–	2	3	13	23	65	214	603	713
White	1,163	–	–	–	1	4	9	23	86	254	448	338	1,623	–	–	–	2	2	11	21	65	212	601	708
All other	13	–	–	–	1	–	–	–	4	2	2	4	14	–	–	–	–	1	2	2	–	2	2	5
Black	12	–	–	–	1	–	–	–	4	1	2	4	13	–	–	–	–	1	1	2	–	2	2	5
Intracerebral and other intracranial hemorrhage (431-432)	121	–	–	–	1	2	2	7	18	33	37	21	149	–	–	–	1	–	7	7	17	34	54	29
White	121	–	–	–	1	2	2	7	18	33	37	21	145	–	–	–	1	–	6	5	17	34	54	28
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	2	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	2	–	–	–	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	220	–	–	–	–	1	–	2	14	45	85	73	295	–	–	–	–	–	–	2	10	33	111	139
White	217	–	–	–	–	1	–	2	13	45	84	72	294	–	–	–	–	–	–	2	10	32	111	139
All other	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	1	3	-	8	-	-	-	-	-	-	-	2	1	3	2
White	4	-	-	-	-	-	-	-	-	1	3	-	8	-	-	-	-	-	-	-	2	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	831	-	-	-	1	1	7	14	58	177	325	248	1,165	-	-	-	1	3	6	14	36	146	435	548
White	821	-	-	-	-	1	7	14	55	175	324	245	1,176	-	-	-	1	2	5	14	36	145	433	539
All other	10	-	-	-	1	-	-	-	3	2	1	3	9	-	-	-	-	1	1	-	-	1	2	4
Black	9	-	-	-	1	-	-	-	3	1	1	3	9	-	-	-	-	1	1	-	-	1	2	4
Atherosclerosis (440)	235	-	-	-	-	-	1	2	6	46	68	111	340	-	-	-	-	-	-	3	6	19	78	234
White	232	-	-	-	-	-	-	2	6	46	68	109	335	-	-	-	-	-	-	3	6	19	75	232
All other	3	-	-	-	-	-	1	-	-	-	-	2	5	-	-	-	-	-	-	-	-	-	3	2
Black	2	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
Other diseases of arteries, arterioles, and capillaries (441-448)	193	-	-	-	1	2	1	9	20	63	75	22	112	-	-	-	1	1	2	7	6	25	34	36
White	191	-	-	-	1	1	1	9	20	63	74	22	110	-	-	-	1	1	2	7	6	24	33	36
All other	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	-	-	1	-	3
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	357	8	2	1	4	2	6	9	20	62	125	128	386	3	2	-	1	1	3	4	11	34	118	209
White	355	7	2	1	4	2	6	9	19	62	125	128	385	3	2	-	1	1	3	4	11	34	118	208
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (480-486)	354	8	2	1	4	2	6	9	20	61	123	128	368	3	2	-	1	1	3	4	11	33	115	195
White	352	7	2	1	4	2	6	9	19	61	123	128	367	3	2	-	1	1	3	4	11	33	115	194
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Influenza (487)	3	-	-	-	-	-	-	-	-	1	2	-	18	-	-	-	-	-	-	-	-	1	3	14
White	3	-	-	-	-	-	-	-	-	1	2	-	18	-	-	-	-	-	-	-	-	1	3	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	549	1	-	-	-	1	3	18	79	196	179	72	157	-	-	1	-	-	1	5	30	55	45	20
White	547	1	-	-	-	1	3	18	79	196	177	72	157	-	-	1	-	-	1	5	30	55	45	20
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	31	-	-	-	-	-	-	-	6	10	12	3	14	-	-	-	-	-	-	-	4	5	3	2
White	31	-	-	-	-	-	-	-	6	10	12	3	14	-	-	-	-	-	-	-	4	5	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	188	-	-	-	-	-	2	9	26	63	66	22	29	-	-	-	-	-	1	2	7	10	7	2
White	188	-	-	-	-	-	2	9	26	63	66	22	29	-	-	-	-	-	1	2	7	10	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	18	1	-	-	-	1	-	-	2	8	5	1	20	-	-	1	-	-	-	-	-	6	9	4
White	18	1	-	-	-	1	-	-	2	8	5	1	20	-	-	1	-	-	-	-	-	6	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	312	-	-	-	-	-	1	9	45	115	98	46	94	-	-	-	-	-	-	3	19	34	26	12
White	310	-	-	-	-	-	1	9	45	115	94	46	94	-	-	-	-	-	-	3	19	34	26	12
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	37	-	-	-	-	-	3	2	1	6	16	9	51	-	-	-	-	-	1	2	2	9	15	22
White	36	-	-	-	-	-	3	1	1	6	16	9	51	-	-	-	-	-	1	2	2	9	15	22
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	10	-	-	-	-	-	1	-	1	3	3	2	6	-	-	-	1	-	-	-	1	-	3	1
White	10	-	-	-	-	-	1	-	1	3	3	2	6	-	-	-	1	-	-	-	1	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	-	-	-	2	-	2	1	2	13	11	10	57	1	-	-	-	-	-	-	1	9	25	21
White	41	-	-	-	2	-	2	1	2	13	11	10	57	1	-	-	-	-	-	-	1	9	25	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	160	1	-	-	-	4	12	22	59	48	10	3	76	-	-	-	1	1	4	11	17	20	21	1
White	157	1	-	-	-	4	11	22	58	48	10	3	73	-	-	-	1	1	4	9	17	20	20	1
All other	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	-	2	-	-	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	27	-	-	-	-	-	-	1	1	11	8	6	30	-	-	-	1	-	-	-	3	4	7	15
White	27	-	-	-	-	-	-	1	1	11	8	6	30	-	-	-	1	-	-	-	3	4	7	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	100	3	-	1	-	2	1	1	8	24	38	22	86	-	-	-	1	2	3	1	5	11	32	31
White	100	3	-	1	-	2	1	1	8	24	38	22	85	-	-	-	1	2	3	1	5	11	31	31
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	1	-	-	-	-	-	5	8	2	15	-	-	-	-	1	1	1	1	2	5	4
White	16	-	-	1	-	-	-	-	-	5	8	2	14	-	-	-	-	1	1	1	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	82	3	-	-	-	2	1	1	8	18	29	20	69	-	-	-	1	1	2	-	4	8	26	27
White	82	3	-	-	-	2	1	1	8	18	29	20	69	-	-	-	1	1	2	-	4	8	26	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	19	-	-	-	-	-	-	-	1	4	6	8	31	-	-	-	-	-	-	-	1	9	9	12
White	19	-	-	-	-	-	-	-	1	4	6	8	31	-	-	-	-	-	-	-	1	9	9	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	25	-	-	-	-	-	-	1	-	-	9	15	...	...	...	...	...	...	...	...	...	...	...	...
White	25	-	-	-	-	-	-	1	-	-	9	15	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	91	59	12	5	3	2	2	1	1	1	4	1	75	53	6	2	-	2	2	2	-	4	2	2
White	90	58	12	5	3	2	2	1	1	1	4	1	73	51	6	2	-	2	2	2	-	4	2	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	158	158	2	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
White	145	143	2	-	-	-	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	59	59	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	52	52	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	99	97	2	-	-	-	-	-	-	-	-	-	66	66	-	-	-	-	-	-	-	-	-	-
White	93	91	2	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	72	44	1	-	-	1	1	2	9	9	4	1	47	22	3	-	1	4	1	-	2	1	2	11
White	72	44	1	-	-	1	1	2	9	9	4	1	44	19	3	-	1	4	1	-	2	1	2	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	854	10	8	6	15	14	23	36	91	144	189	118	709	10	4	10	9	18	22	26	56	137	212	207
White	839	8	8	6	15	14	23	35	88	140	187	115	701	10	4	10	8	15	21	26	56	135	211	205
All other	15	2	-	-	-	-	-	1	3	4	2	3	8	-	-	-	1	1	1	-	-	2	1	2
Black	12	-	-	-	-	-	-	-	3	4	2	3	8	-	-	-	1	1	1	-	-	2	1	2
Accidents and adverse effects (E800-E949)	953	4	17	53	327	136	78	69	72	72	68	57	423	5	24	26	73	25	18	26	40	37	65	84
White	931	4	17	48	320	133	76	67	71	71	67	57	415	4	22	24	73	24	18	25	39	37	65	84
All other	22	-	-	5	7	3	2	2	1	1	1	-	8	1	2	2	-	1	-	1	1	-	-	-
Black	17	-	-	4	5	1	2	2	1	1	1	-	6	-	1	2	-	1	-	1	1	-	-	-
Motor vehicle accidents (E810-E825)	511	-	6	32	230	90	45	24	37	22	19	6	175	4	8	18	58	19	12	16	22	12	6	-
White	500	-	6	28	227	87	44	24	37	22	19	6	170	4	7	14	58	18	12	16	21	12	6	-
All other	11	-	-	4	3	3	1	-	-	-	-	-	5	-	1	2	-	1	-	-	1	-	-	-
Black	6	-	-	3	1	1	1	-	-	-	-	-	4	-	-	2	-	1	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	442	4	11	21	97	46	33	45	35	50	49	51	248	1	16	10	15	6	6	10	18	25	57	84
White	431	4	11	20	93	45	32	43	34	49	48	51	245	-	15	10	15	6	6	9	18	25	57	84
All other	11	-	-	1	4	-	1	2	1	1	1	-	3	1	1	-	-	-	-	1	-	-	-	-
Black	11	-	-	1	4	-	1	2	1	1	1	-	2	-	1	-	-	-	-	1	-	-	-	-
Suicide (E950-E959)	251	...	...	-	42	53	27	36	31	26	31	5	67	...	...	2	10	10	14	6	12	7	2	2
White	246	...	...	-	42	51	26	36	31	26	29	5	67	...	...	2	10	10	14	6	12	7	2	2
All other	5	...	...	-	-	2	1	-	-	-	2	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	4	...	...	-	-	2	-	-	-	-	2	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	45	-	1	2	13	9	13	3	-	2	1	1	23	-	-	1	9	2	2	4	3	-	2	-
White	40	-	1	2	12	8	12	2	-	1	1	1	21	-	-	1	8	2	2	3	3	-	2	-
All other	5	-	-	-	1	1	1	1	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Black	5	-	-	-	1	1	1	1	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-
All other external causes (E980-E989)	20	2	2	-	5	2	4	1	-	2	1	1	8	-	-	-	1	2	1	1	1	-	-	-
White	20	2	2	-	5	2	4	1	-	2	1	1	8	-	-	-	1	2	1	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,254	243	50	64	382	316	307	702	1,717	2,707	2,990	1,775	9,896	196	53	37	126	109	172	423	929	1,715	2,980	3,175
White	10,662	208	47	59	347	268	271	645	1,620	2,582	2,881	1,713	9,431	162	47	33	111	96	153	391	865	1,622	2,850	3,100
All other	592	35	3	5	35	26	36	57	97	125	109	62	465	34	6	4	15	13	19	32	64	93	110	75
Black	557	31	3	4	33	24	33	53	89	120	107	60	438	31	6	2	14	8	17	32	64	86	108	70
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	11	-	-	-	-	-	-	3	1	2	4	1	3	-	-	-	-	-	-	-	-	1	1	1
White	10	-	-	-	-	-	-	3	1	1	4	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	-	-	3	1	1	3	-	3	-	-	-	-	-	-	-	-	1	1	1
White	8	-	-	-	-	-	-	3	1	1	3	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	30	-	-	-	1	1	-	1	1	8	9	9	38	2	-	-	-	1	3	2	6	4	9	11
White	28	-	-	-	1	1	-	1	1	8	7	9	37	2	-	-	-	1	2	2	6	4	9	11
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	1	-	-	-	1	-	-	1	-	-	1	5	-	-	-	1	1	-	-	2	-	1	-
White	4	1	-	-	-	1	-	-	1	-	-	1	3	-	-	-	-	-	-	-	2	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	15	3	-	-	1	-	1	2	2	2	4	-	24	2	1	-	1	1	2	3	5	2	4	3
White	13	2	-	-	-	-	1	2	2	2	4	-	21	1	1	-	1	1	1	3	4	2	4	3
All other	2	1	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	1	-	-	-
Black	2	1	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,329	1	3	9	13	27	51	164	493	748	604	196	1,892	-	2	5	9	18	63	187	360	535	487	227
White	2,200	1	2	9	12	25	47	160	465	700	581	189	1,811	-	2	5	7	16	59	176	347	509	467	221
All other	129	-	1	-	1	2	4	15	28	48	23	7	81	-	-	-	1	2	4	9	13	26	20	6
Black	122	-	1	-	1	2	3	14	27	44	23	7	78	-	-	-	1	2	4	9	13	25	20	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	52	-	-	-	-	-	3	8	15	13	8	5	20	-	-	-	-	-	-	4	6	1	4	5
White	50	-	-	-	-	-	3	7	14	13	8	5	20	-	-	-	-	-	-	4	6	1	4	5
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	564	1	-	-	-	2	16	40	109	184	158	54	546	-	-	-	-	2	14	35	79	146	186	84
White	531	1	-	-	-	2	15	36	103	170	153	51	517	-	-	-	-	1	14	33	77	136	176	80
All other	33	-	-	-	-	-	1	4	6	14	5	3	29	-	-	-	-	1	-	2	2	10	10	4
Black	32	-	-	-	-	-	-	4	6	14	5	3	29	-	-	-	-	1	-	2	2	10	10	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	908	-	-	-	-	1	12	81	228	286	171	29	243	-	-	-	1	-	8	44	61	75	37	17
White	764	-	-	-	-	-	11	74	217	267	168	27	229	-	-	-	1	-	7	41	57	71	35	17
All other	44	-	-	-	-	1	1	7	11	19	3	2	14	-	-	-	-	-	1	3	4	4	2	-
Black	41	-	-	-	-	1	1	6	11	17	3	2	14	-	-	-	-	-	1	3	4	4	2	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	364	-	-	-	-	5	16	52	84	103	75	29
White	1	-	-	-	-	-	-	-	-	1	-	-	358	-	-	-	-	5	15	52	82	101	72	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	2	2	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	2	2	3	-
Malignant neoplasms of genital organs (179-187)	261	-	-	-	2	5	-	6	19	77	110	63	238	-	-	-	-	3	14	21	50	79	44	27
White	263	-	-	-	2	5	-	6	17	69	103	61	232	-	-	-	-	3	13	21	49	77	43	26
All other	18	-	-	-	-	-	-	-	1	8	7	2	6	-	-	-	-	-	1	-	1	2	1	1
Black	18	-	-	-	-	-	-	-	1	8	7	2	5	-	-	-	-	-	1	-	1	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	138	-	-	-	1	-	2	5	30	47	42	11	89	-	-	1	1	-	1	3	17	24	27	15
White	127	-	-	-	-	-	1	5	28	45	37	11	84	-	-	1	-	-	1	3	15	23	27	14
All other	11	-	-	-	1	-	1	-	2	2	5	-	5	-	-	-	1	-	-	-	2	1	-	1
Black	10	-	-	-	1	-	1	-	2	1	5	-	4	-	-	-	1	-	-	-	2	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	254	-	2	3	5	11	10	29	59	63	59	14	208	-	2	1	3	5	6	17	40	51	55	28
White	243	-	2	3	5	11	10	27	54	59	58	14	198	-	2	1	3	4	6	14	38	49	53	28
All other	11	-	-	-	-	-	-	2	5	4	-	-	10	-	-	-	-	1	-	3	2	2	2	-
Black	9	-	-	-	-	-	-	2	4	3	-	-	10	-	-	-	-	1	-	3	2	2	2	-
Leukemia (204-208)	112	-	1	3	4	2	4	7	11	38	30	12	80	-	-	2	1	2	2	5	7	21	27	13
White	107	-	-	3	4	1	3	7	10	38	29	12	76	-	-	2	1	2	2	5	7	18	26	13
All other	5	-	1	-	-	1	1	-	1	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	5	-	1	-	-	1	1	-	1	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	119	-	-	3	1	6	4	8	23	39	27	8	104	-	-	1	2	1	2	6	18	35	32	9
White	114	-	-	3	1	6	4	7	22	38	25	8	99	-	-	1	2	1	1	5	16	33	31	9
All other	5	-	-	-	-	-	-	1	1	1	2	-	5	-	-	-	-	-	1	1	-	2	1	-
Black	5	-	-	-	-	-	-	1	1	1	2	-	5	-	-	-	-	-	1	1	-	2	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	-	-	1	-	-	-	1	4	6	6	3	32	1	-	1	-	-	1	3	7	4	11	4
White	23	-	-	1	-	-	-	1	4	6	6	3	30	1	-	1	-	-	1	2	6	4	11	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Diabetes mellitus (250)	155	-	-	-	2	1	5	9	22	48	51	19	193	-	-	-	-	5	1	11	27	45	57	47
White	146	-	-	-	2	1	4	9	20	45	48	17	177	-	-	-	-	5	1	8	25	42	53	43
All other	9	-	-	-	-	-	1	-	2	1	3	2	16	-	-	-	-	-	-	3	2	3	4	4
Black	8	-	-	-	-	-	-	-	2	1	3	2	16	-	-	-	-	-	-	3	2	3	4	4
Nutritional deficiencies (260-269)	14	-	-	-	-	-	-	-	2	3	7	2	20	-	-	-	-	-	-	-	1	2	6	11
White	13	-	-	-	-	-	-	-	2	2	7	2	20	-	-	-	-	-	-	-	1	2	6	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	22	-	-	1	-	1	-	-	2	7	5	6	18	-	-	1	-	-	-	1	1	2	10	3
White	22	-	-	1	-	1	-	-	2	7	5	6	18	-	-	1	-	-	-	1	1	2	10	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	9	3	-	-	1	1	-	-	1	1	1	1	3	-	2	1	-	-	-	-	-	-	-	-
White	9	3	-	-	1	1	-	-	1	1	1	1	3	-	2	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,491	11	2	3	7	22	73	305	802	1,354	1,714	1,197	5,404	4	3	-	7	10	30	94	311	838	1,858	2,249
White	5,248	7	2	3	6	19	64	282	754	1,303	1,651	1,154	5,185	3	3	-	7	8	25	83	278	786	1,793	2,199
All other	245	4	-	-	1	3	9	23	48	51	63	43	219	1	-	-	-	2	5	11	33	52	65	50
Black	234	4	-	-	1	3	8	22	42	51	62	41	207	1	-	-	-	1	4	11	33	47	64	46
Diseases of heart (390-398,402,404-429)	4,331	7	2	3	3	19	64	274	709	1,123	1,288	840	3,771	3	1	-	4	9	22	69	252	612	1,312	1,487
White	4,149	3	2	3	2	17	58	256	672	1,082	1,236	817	3,603	2	1	-	4	8	19	61	222	559	1,266	1,461
All other	182	4	-	-	1	2	6	18	37	41	50	23	168	1	-	-	-	1	3	8	30	43	46	26
Black	174	4	-	-	1	2	6	17	31	41	49	23	159	1	-	-	-	1	2	8	30	38	45	34
Rheumatic fever and rheumatic heart disease (390-398)	23	-	-	-	-	-	-	-	7	9	5	2	45	-	-	-	-	1	1	2	7	14	11	9
White	23	-	-	-	-	-	-	-	7	9	5	2	42	-	-	-	-	1	1	1	7	13	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Hypertensive heart disease (402)	59	-	-	-	-	-	1	4	7	14	22	11	115	-	-	-	-	-	1	2	4	17	38	52
White	50	-	-	-	-	-	1	2	6	12	19	10	103	-	-	-	-	-	-	2	2	14	33	52
All other	9	-	-	-	-	-	-	2	1	2	3	1	12	-	-	-	-	-	1	-	2	3	5	1
Black	9	-	-	-	-	-	-	2	1	2	3	1	12	-	-	-	-	-	1	-	2	3	5	1
Hypertensive heart and renal disease (404)	16	-	-	-	-	-	1	-	1	1	5	6	36	-	-	-	-	-	-	1	2	6	12	15
White	14	-	-	-	-	-	1	-	1	1	4	7	32	-	-	-	-	-	-	1	2	6	11	12
All other	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	1	3
Black	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	1	3
Ischemic heart disease (410-414)	3,506	-	-	-	1	11	54	234	607	963	1,024	611	2,794	-	-	-	-	2	11	48	193	478	1,001	1,061
White	3,396	-	-	-	1	10	50	224	579	939	992	600	2,682	-	-	-	-	2	10	42	173	446	970	1,037
All other	110	-	-	-	-	1	4	10	28	24	32	11	112	-	-	-	-	-	1	6	20	30	31	24
Black	102	-	-	-	-	1	4	9	22	24	31	11	105	-	-	-	-	-	-	6	20	28	30	23
Acute myocardial infarction (410)	2,295	-	-	-	1	9	43	186	465	688	631	272	1,387	-	-	-	-	2	10	32	138	292	547	371
White	2,226	-	-	-	1	8	39	178	447	671	613	269	1,339	-	-	-	-	2	9	32	128	274	533	368
All other	69	-	-	-	-	1	4	8	18	17	18	3	48	-	-	-	-	-	1	-	7	18	14	6
Black	62	-	-	-	-	1	4	7	13	17	17	3	42	-	-	-	-	-	-	-	7	14	13	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	1	1	1	1	2	1	9	-	-	-	-	-	-	-	1	7	1
White	7	-	-	-	-	-	1	1	1	1	2	1	9	-	-	-	-	-	-	-	1	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,202	-	-	-	-	2	10	47	141	274	390	337	1,398	-	-	-	-	-	1	16	60	185	447	689
White	1,161	-	-	-	-	2	10	45	131	267	376	329	1,334	-	-	-	-	-	1	10	47	173	430	673
All other	41	-	-	-	-	-	-	2	10	7	14	8	64	-	-	-	-	-	-	6	13	12	17	16
Black	40	-	-	-	-	-	-	2	9	7	14	8	63	-	-	-	-	-	-	6	13	12	17	15
Other diseases of endocardium (424)	28	1	-	-	-	-	-	-	4	6	12	5	27	-	-	-	-	-	-	1	4	6	11	5
White	26	1	-	-	-	-	-	-	4	5	11	5	27	-	-	-	-	-	-	1	4	6	11	5
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	699	6	2	3	2	8	8	38	83	130	218	203	754	3	1	-	4	6	9	15	42	91	239	344
White	640	2	2	3	1	7	6	30	75	116	205	193	717	2	1	-	4	5	8	14	34	82	231	326
All other	59	4	-	-	1	1	2	8	8	14	13	10	37	1	-	-	-	1	1	1	8	9	8	8
Black	59	4	-	-	1	1	2	8	8	14	13	10	35	1	-	-	-	1	1	1	8	8	8	7
Hypertension with or without renal disease (401,403)	40	1	-	-	-	-	3	1	3	7	12	13	40	-	1	-	-	-	-	1	2	7	11	18
White	36	1	-	-	-	-	2	1	3	6	11	12	37	-	1	-	-	-	-	1	2	7	10	16
All other	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	1	2
Cerebrovascular diseases (430-438)	826	3	-	-	4	3	4	26	68	163	313	244	1,248	1	-	-	3	1	6	21	50	167	446	553
White	779	3	-	-	4	2	3	21	56	156	303	231	1,208	1	-	-	3	-	5	18	47	160	430	524
All other	47	-	-	-	-	1	1	5	10	7	10	13	40	-	-	-	-	1	1	3	3	7	16	9
Black	46	-	-	-	-	1	1	5	10	7	10	12	38	-	-	-	-	-	1	3	3	7	16	8
Intracerebral and other intracranial hemorrhage (431-432)	101	3	-	-	2	-	4	7	12	19	33	21	152	-	-	-	1	1	3	7	14	47	48	31
White	90	3	-	-	2	-	3	6	9	18	31	18	144	-	-	-	1	-	3	6	12	46	45	31
All other	11	-	-	-	-	-	1	1	3	1	2	3	8	-	-	-	-	1	-	1	2	1	3	-
Black	11	-	-	-	-	-	1	1	3	1	2	3	7	-	-	-	-	-	-	1	2	1	3	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	136	-	-	-	-	-	-	5	9	27	51	44	280	-	-	-	-	-	-	2	11	26	110	111
White	126	-	-	-	-	-	-	3	8	25	50	42	248	-	-	-	-	-	-	1	11	24	103	107
All other	10	-	-	-	-	-	-	2	3	2	1	2	14	-	-	-	-	-	-	1	-	2	7	4
Black	10	-	-	-	-	-	-	2	3	2	1	2	13	-	-	-	-	-	-	1	-	2	7	3
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	2	2
White	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	586	-	-	-	2	3	-	14	45	116	227	179	832	1	-	-	2	-	3	12	25	114	286	389
White	560	-	-	-	2	2	-	12	41	112	220	171	814	1	-	-	2	-	2	11	24	110	280	384
All other	26	-	-	-	-	1	-	2	4	4	7	8	18	-	-	-	-	-	1	1	1	4	6	5
Black	25	-	-	-	-	1	-	2	4	4	7	7	18	-	-	-	-	-	1	1	1	4	6	5
Atherosclerosis (440)	167	-	-	-	-	-	-	-	4	16	57	90	272	-	-	-	-	-	-	-	1	18	65	188
White	158	-	-	-	-	-	-	-	4	15	55	84	266	-	-	-	-	-	-	-	1	17	63	185
All other	9	-	-	-	-	-	-	-	-	1	2	6	6	-	-	-	-	-	-	-	-	1	2	3
Black	8	-	-	-	-	-	-	-	-	1	2	5	5	-	-	-	-	-	-	-	-	1	2	2
Other diseases of arteries, arterioles, and capillaries (441-448)	127	-	-	-	-	-	2	4	20	45	46	10	73	-	1	-	-	-	2	3	6	14	24	23
White	124	-	-	-	-	-	1	4	19	44	46	10	71	-	1	-	-	-	1	3	6	13	24	23
All other	3	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	4	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	272	4	-	2	1	3	6	8	17	44	99	88	317	5	4	-	1	2	1	5	12	22	67	178
White	262	4	-	2	1	3	4	7	16	42	95	88	308	5	4	-	1	-	1	4	12	20	66	175
All other	10	-	-	-	-	-	2	1	1	2	4	-	9	-	-	-	-	2	-	1	-	2	1	3
Black	9	-	-	-	-	-	2	1	1	2	3	-	8	-	-	-	-	1	-	1	-	2	1	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	261	4	-	2	1	3	6	8	17	43	94	83	305	5	4	-	-	2	1	5	12	21	82	173
White	251	4	-	2	1	3	4	7	16	41	90	83	298	5	4	-	-	-	1	4	12	19	81	170
All other	10	-	-	-	-	-	2	1	1	2	4	-	8	-	-	-	-	2	-	1	-	2	1	3
Black	9	-	-	-	-	-	2	1	1	2	3	-	8	-	-	-	-	1	-	1	-	2	1	3
Influenza (487)	11	-	-	-	-	-	-	-	-	1	5	5	12	-	-	-	1	-	-	-	-	1	5	5
White	11	-	-	-	-	-	-	-	-	1	5	5	12	-	-	-	1	-	-	-	-	1	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	466	-	-	-	-	3	3	12	75	170	157	46	162	-	1	1	-	-	2	5	40	59	35	25
White	454	-	-	-	-	2	3	12	73	165	154	45	157	-	1	1	-	-	1	5	38	52	34	25
All other	12	-	-	-	-	1	-	-	2	5	3	1	5	-	-	-	-	-	1	-	2	1	1	-
Black	12	-	-	-	-	1	-	-	2	5	3	1	5	-	-	-	-	-	1	-	2	1	1	-
Bronchitis, chronic and unspecified (490-491)	33	-	-	-	-	-	-	2	3	14	11	3	10	-	1	-	-	-	-	1	-	6	2	-
White	33	-	-	-	-	-	-	2	3	14	11	3	10	-	1	-	-	-	-	1	-	6	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	108	-	-	-	-	-	1	3	18	40	33	13	32	-	-	-	-	-	-	-	7	13	7	5
White	104	-	-	-	-	-	1	3	17	39	32	12	31	-	-	-	-	-	-	-	7	13	6	5
All other	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	18	-	-	-	-	3	2	2	3	2	4	2	15	-	-	1	-	-	2	1	2	-	5	4
White	16	-	-	-	-	2	2	2	3	2	3	2	14	-	-	1	-	-	1	1	2	-	5	4
All other	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	307	-	-	-	-	-	-	5	51	114	109	28	105	-	-	-	-	-	-	3	31	34	21	16
White	301	-	-	-	-	-	-	5	50	110	106	28	102	-	-	-	-	-	-	3	29	33	21	16
All other	6	-	-	-	-	-	-	-	1	4	1	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	6	-	-	-	-	-	-	-	1	4	1	-	3	-	-	-	-	-	-	-	2	1	-	-
Ulcer of stomach and duodenum (531-533)	31	-	-	-	-	-	-	3	6	7	11	4	48	-	-	-	-	-	-	3	3	6	16	20
White	31	-	-	-	-	-	-	3	6	7	11	4	48	-	-	-	-	-	-	3	3	6	16	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	1	1	-	7	-	-	-	-	-	-	-	-	1	4	2
White	3	-	-	-	-	-	-	-	1	1	1	-	7	-	-	-	-	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	2	-	1	-	-	-	-	3	6	9	7	51	1	-	-	-	-	-	1	3	5	19	21
White	27	2	-	1	-	-	-	-	3	6	8	7	49	1	-	-	-	-	-	1	2	5	18	21
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Chronic liver disease and cirrhosis (571)	135	-	-	-	1	1	17	24	43	34	14	1	63	1	-	1	1	-	3	16	20	12	5	4
White	129	-	-	-	1	1	16	23	41	33	13	1	61	1	-	1	1	-	3	15	19	12	5	4
All other	6	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	6	-	-	-	-	-	1	1	2	1	1	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	2	4	2	8	20	-	-	-	-	1	-	-	-	5	7	7
White	16	-	-	-	-	-	-	-	2	4	2	8	20	-	-	-	-	1	-	-	-	5	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	99	1	-	-	1	1	1	2	12	21	37	23	108	2	-	-	2	2	1	1	7	16	42	35
White	93	1	-	-	1	1	1	2	12	18	35	22	102	2	-	-	2	2	1	1	7	15	38	34
All other	6	-	-	-	-	-	-	-	-	3	2	1	6	-	-	-	-	-	-	-	-	1	4	1
Black	6	-	-	-	-	-	-	-	-	3	2	1	6	-	-	-	-	-	-	-	-	1	4	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	-	-	-	-	-	3	2
White	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	–	–	–	–	–	1	1	1	3	5	5	17	–	–	–	–	–	–	–	1	2	6	6
White	14	–	–	–	–	–	1	1	1	1	5	5	15	–	–	–	–	–	–	–	1	2	5	7
All other	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	80	1	–	–	1	1	–	1	11	18	29	18	86	2	–	–	2	2	1	1	6	14	33	25
White	76	1	–	–	1	1	–	1	11	17	27	17	82	2	–	–	2	2	1	1	6	13	30	25
All other	4	–	–	–	–	–	–	–	–	1	2	1	4	–	–	–	–	–	–	–	–	1	3	–
Black	4	–	–	–	–	–	–	–	–	1	2	1	4	–	–	–	–	–	–	–	–	1	3	–
Infections of kidney (590)	16	–	–	–	–	–	–	–	2	3	9	2	35	–	–	–	–	–	–	1	1	3	13	17
White	15	–	–	–	–	–	–	–	1	3	9	2	33	–	–	–	–	–	–	1	–	3	13	16
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Hyperplasia of prostate (600)	10	–	–	–	–	–	–	–	–	3	2	5	...	...	...	...	...	...	...	...	...	...	...	...
White	10	–	–	–	–	–	–	–	–	3	2	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	1	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Congenital anomalies (740-759)	78	54	8	3	4	–	1	3	3	–	2	–	68	52	1	2	–	2	2	2	3	4	–	–
White	72	49	8	2	4	–	1	3	3	–	2	–	61	45	1	2	–	2	2	2	3	4	–	–
All other	6	5	–	1	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Black	5	4	–	1	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	118	117	–	–	1	–	–	–	–	–	–	–	94	93	1	–	–	–	–	–	–	–	–	–
White	96	96	–	–	–	–	–	–	–	–	–	–	78	77	1	–	–	–	–	–	–	–	–	–
All other	22	21	–	–	1	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Black	21	20	–	–	1	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	40	–	–	1	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–
White	32	32	–	–	–	–	–	–	–	–	–	–	26	26	–	–	–	–	–	–	–	–	–	–
All other	9	8	–	–	1	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	8	7	–	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	77	77	–	–	–	–	–	–	–	–	–	–	65	64	1	–	–	–	–	–	–	–	–	–
White	64	64	–	–	–	–	–	–	–	–	–	–	52	51	1	–	–	–	–	–	–	–	–	–
All other	13	13	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Black	13	13	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	120	27	2	1	3	2	7	7	23	15	17	16	131	18	2	–	5	2	2	4	9	8	43	38
White	106	25	2	1	3	1	4	6	21	15	16	14	113	14	1	–	2	2	2	3	8	5	40	36
All other	12	2	–	–	–	1	3	1	2	–	1	2	18	4	1	–	3	–	–	1	1	3	3	2
Black	11	1	–	–	–	1	3	1	2	–	1	2	18	4	1	–	3	–	–	1	1	3	3	2
All other diseases (Residual)	593	14	5	6	22	15	22	44	89	133	143	100	686	10	11	6	10	14	26	34	66	108	188	213
White	559	12	5	6	21	14	21	41	83	124	138	94	645	6	8	6	8	13	22	33	60	104	178	207
All other	34	2	–	–	1	1	1	3	6	9	5	6	41	4	3	–	2	1	4	1	6	4	10	6
Black	32	1	–	–	1	1	1	3	6	8	5	6	40	4	3	–	2	1	4	1	6	3	10	6
Accidents and adverse effects (E800-E949)	809	5	24	34	231	148	77	61	77	54	66	32	354	3	25	16	69	20	17	30	30	35	51	58
White	764	5	23	30	221	134	71	56	75	52	65	32	335	2	23	13	65	19	17	28	28	34	50	56
All other	45	–	1	4	10	14	6	5	2	2	1	–	19	1	2	3	4	1	–	2	2	1	1	2
Black	39	–	1	3	9	11	6	4	2	2	1	–	13	–	2	1	3	–	–	2	2	1	–	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	419	–	5	18	167	88	40	31	30	21	18	1	180	–	8	10	53	12	11	21	19	14	11	1
White	401	–	5	18	162	80	37	30	30	20	18	1	158	–	8	10	52	11	11	21	17	14	11	1
All other	18	–	–	–	5	8	3	1	–	1	–	–	4	–	–	–	1	1	–	–	2	–	–	–
Black	17	–	–	–	5	7	3	1	–	1	–	–	3	–	–	–	1	–	–	–	2	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	390	5	19	16	64	60	37	30	47	33	48	31	194	3	17	6	16	8	6	9	11	21	40	57
White	363	5	18	12	59	54	34	28	45	32	47	31	179	2	15	3	13	6	6	7	11	20	39	55
All other	27	–	1	4	5	6	3	4	2	1	1	–	15	1	2	3	3	–	–	2	–	1	1	2
Black	22	–	1	3	4	4	3	3	2	1	1	–	10	–	2	1	2	–	–	2	–	1	–	2
Suicide (E950-E959)	225	...	...	–	50	59	24	20	23	29	13	7	68	...	...	–	3	19	9	15	12	3	5	1
White	218	...	...	–	46	58	24	19	22	29	13	7	66	...	...	–	3	17	9	15	12	3	5	1
All other	7	...	...	–	4	1	–	1	1	–	–	–	2	...	...	–	–	2	–	–	–	–	–	–
Black	5	...	...	–	4	–	–	1	–	–	–	–	1	...	...	–	–	1	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	99	–	4	2	37	21	15	11	6	2	1	–	30	–	–	1	13	5	5	4	2	–	–	–
White	61	–	4	2	21	16	7	4	5	1	1	–	20	–	–	–	10	3	3	2	2	–	–	–
All other	38	–	–	–	16	5	8	7	1	1	–	–	10	–	–	1	3	2	2	2	–	–	–	–
Black	36	–	–	–	15	5	8	6	1	1	–	–	9	–	–	1	3	1	2	2	–	–	–	–
All other external causes (E980-E999)	29	–	–	1	6	9	3	2	4	2	2	–	16	–	–	2	4	5	3	1	1	–	–	–
White	27	–	–	1	6	9	2	2	3	2	2	–	15	–	–	2	3	5	3	1	1	–	–	–
All other	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
KENTUCKY																								
All causes	18,028	384	84	148	585	564	633	1,581	3,205	4,736	4,074	2,033	14,454	296	54	77	196	217	373	819	1,727	3,054	4,316	3,323
White	16,547	328	71	133	543	492	570	1,423	2,933	4,369	3,801	1,883	13,198	240	46	68	181	187	328	706	1,532	2,776	4,001	3,131
All other	1,481	55	13	15	42	72	63	158	272	367	273	150	1,256	56	8	9	15	30	45	111	195	278	317	192
Black	1,472	55	13	15	42	69	62	157	271	366	272	149	1,247	55	8	9	14	28	44	110	194	277	317	191
Shigellosis and amebiasis (004,006)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	3	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	6	3	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	43	–	–	–	–	–	2	1	6	13	13	6	20	–	–	–	1	–	1	1	4	1	5	7
White	39	–	–	–	–	–	2	1	6	11	11	6	18	–	–	–	1	–	1	1	3	1	5	6
All other	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	1	–	–	1
Tuberculosis of respiratory system (010-012)	42	–	–	–	–	–	2	1	6	13	12	6	17	–	–	–	–	–	1	1	4	1	3	7
White	38	–	–	–	–	–	2	1	6	11	10	6	15	–	–	–	–	–	1	1	3	1	3	6
All other	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	1	–	–	1
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	–	–	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	5	2	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	4	2	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	62	1	–	–	–	1	–	3	14	19	14	10	62	2	1	–	1	1	3	4	6	9	18	17
White	55	–	–	–	–	1	–	3	13	16	13	9	53	2	1	–	1	–	3	3	5	7	17	14
All other	7	1	–	–	–	–	–	–	1	3	1	1	9	–	–	–	–	1	–	1	1	2	1	3
Black	7	1	–	–	–	–	–	–	1	3	1	1	9	–	–	–	–	1	–	1	1	2	1	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	3	-	-	-	-	-	1	-	2	-	-	-	4	-	-	-	1	1	-	1	-	-	-	1
White	3	-	-	-	-	-	1	-	2	-	-	-	3	-	-	-	1	1	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 096-139)	42	2	3	-	3	3	4	6	7	9	4	1	36	1	-	1	-	3	3	3	6	4	12	3
White	41	2	3	-	3	2	4	6	7	9	4	1	30	1	-	1	-	3	1	2	6	2	11	3
All other	1	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	2	1	-	2	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	-	-	2	1	-	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,684	1	8	24	17	43	101	414	891	1,252	738	205	2,899	2	2	8	20	42	128	342	621	800	668	288
White	3,351	1	6	22	16	38	94	373	799	1,145	677	180	2,668	1	2	7	20	38	117	301	557	744	624	257
All other	343	-	2	2	1	5	7	41	92	107	61	25	231	1	-	1	-	4	9	41	64	56	44	11
Black	340	-	2	2	1	5	6	40	92	106	61	25	230	1	-	1	-	3	9	41	64	56	44	11
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	80	-	-	-	-	1	1	17	27	19	12	3	51	-	-	-	-	2	-	7	13	9	15	5
White	62	-	-	-	-	1	1	9	21	17	10	3	46	-	-	-	-	2	-	6	11	9	13	5
All other	18	-	-	-	-	-	-	8	6	2	2	-	5	-	-	-	-	-	-	1	2	-	2	-
Black	18	-	-	-	-	-	-	8	6	2	2	-	5	-	-	-	-	-	-	1	2	-	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	904	-	-	-	-	7	20	81	204	333	199	60	807	-	-	-	1	4	17	48	131	246	259	101
White	802	-	-	-	-	5	20	68	179	301	177	52	736	-	-	-	1	3	15	43	113	229	235	97
All other	102	-	-	-	-	2	-	13	25	32	22	8	71	-	-	-	-	1	2	5	18	17	24	4
Black	101	-	-	-	-	2	-	12	25	32	22	8	71	-	-	-	-	1	2	5	18	17	24	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,455	-	-	-	-	3	40	215	445	520	206	26	445	-	-	-	-	1	21	88	134	118	58	25
White	1,338	-	-	-	-	2	36	199	401	480	196	24	414	-	-	-	-	1	20	75	121	115	57	25
All other	117	-	-	-	-	1	4	16	44	40	10	2	31	-	-	-	-	-	1	13	13	3	1	-
Black	115	-	-	-	-	1	3	16	44	39	10	2	31	-	-	-	-	-	1	13	13	3	1	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	1	-	1	1	1	-	489	-	-	-	2	12	39	95	116	103	66	36
White	3	-	-	-	-	-	-	-	1	1	1	-	450	-	-	-	2	9	33	84	110	94	64	34
All other	1	-	-	-	-	-	1	-	-	-	-	-	39	-	-	-	-	3	6	11	6	9	2	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	38	-	-	-	-	2	6	11	6	9	2	2
Malignant neoplasms of genital organs (179-187)	343	-	-	1	3	4	1	3	34	114	121	62	399	-	-	-	-	8	27	51	93	114	78	28
White	305	-	-	1	3	4	1	3	31	102	108	52	364	-	-	-	-	8	27	46	83	101	72	27
All other	38	-	-	-	-	-	-	-	3	12	13	10	35	-	-	-	-	-	-	5	10	13	6	1
Black	38	-	-	-	-	-	-	-	3	12	13	10	35	-	-	-	-	-	-	5	10	13	6	1
Malignant neoplasms of urinary organs (188-189)	180	-	1	1	1	-	2	13	36	63	53	10	103	-	-	1	-	-	-	10	14	30	33	15
White	164	-	1	1	1	-	2	13	33	58	48	7	93	-	-	-	-	-	-	9	12	27	30	15
All other	16	-	-	-	-	-	-	-	3	5	5	3	10	-	-	1	-	-	-	1	2	3	3	-
Black	16	-	-	-	-	-	-	-	3	5	5	3	10	-	-	1	-	-	-	1	2	3	3	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	419	1	2	10	5	15	26	57	92	109	75	27	334	2	2	3	8	5	17	23	74	89	76	35
White	386	1	2	9	4	13	24	53	84	102	68	26	308	1	2	3	8	5	17	21	66	81	72	32
All other	33	-	-	1	1	2	2	4	8	7	7	1	26	1	-	-	-	-	-	2	8	8	4	3
Black	33	-	-	1	1	2	2	4	8	7	7	1	26	1	-	-	-	-	-	2	8	8	4	3
Leukemia (204-208)	148	-	5	9	4	5	5	13	22	37	41	7	114	-	-	4	7	6	3	6	20	31	23	14
White	138	-	3	9	4	5	5	13	20	32	40	7	109	-	-	4	7	6	3	6	17	30	23	13
All other	10	-	2	-	-	-	-	-	2	5	1	-	5	-	-	-	-	-	-	-	3	1	-	1
Black	10	-	2	-	-	-	-	-	2	5	1	-	5	-	-	-	-	-	-	-	3	1	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	161	-	-	3	4	8	5	15	30	56	30	10	157	-	-	-	2	4	2	14	26	60	40	9
White	153	-	-	2	4	8	5	15	29	52	29	8	148	-	-	-	2	4	2	11	24	58	38	9
All other	8	-	-	1	-	-	-	-	1	4	1	1	9	-	-	-	-	-	-	3	2	2	2	-
Black	8	-	-	1	-	-	-	-	1	4	1	1	9	-	-	-	-	-	-	3	2	2	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	30	-	-	-	-	-	-	2	5	12	9	2	35	-	-	1	-	-	3	4	5	3	11	6
White	28	-	-	-	-	-	-	2	5	12	7	2	31	-	-	1	-	-	3	2	5	3	9	6
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	2	-	-	2	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	2	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	218	–	–	1	–	7	5	16	36	60	65	28	367	–	–	1	2	3	5	20	59	110	125	42
White	186	–	–	–	–	6	3	13	28	52	60	24	317	–	–	–	2	2	4	17	53	96	105	36
All other	32	–	–	1	–	1	2	3	8	8	5	4	50	–	–	1	–	1	1	3	6	14	20	4
Black	31	–	–	1	–	1	2	3	7	8	5	4	50	–	–	1	–	1	1	3	6	14	20	4
Nutritional deficiencies (260-269)	24	–	–	–	–	–	1	1	1	3	7	11	28	–	–	–	–	1	–	1	2	4	9	11
White	19	–	–	–	–	–	1	–	1	2	6	9	27	–	–	–	–	1	–	–	2	4	9	11
All other	5	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–	1	–	–	–	–
Black	5	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–	1	–	–	–	–
Anemias (280-285)	29	–	–	2	2	1	–	2	3	7	7	5	33	–	1	–	–	1	1	1	2	7	11	9
White	25	–	–	1	1	1	–	1	3	7	6	5	31	–	1	–	–	1	1	1	2	7	9	9
All other	4	–	–	1	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	4	–	–	1	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–
Meningitis (320-322)	12	4	2	1	–	–	1	–	1	3	–	–	9	4	1	1	–	–	–	–	1	1	–	1
White	10	4	1	1	–	–	–	–	1	3	–	–	5	1	1	1	–	–	–	–	1	1	–	–
All other	2	–	1	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	1
Black	2	–	1	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	1
Major cardiovascular diseases (390-448)	6,735	6	4	5	15	45	177	661	1,543	2,488	2,419	1,371	7,845	2	2	1	13	36	91	239	672	1,623	2,758	2,413
White	6,107	5	2	5	14	39	158	598	1,426	2,303	2,274	1,283	7,179	1	2	1	11	27	77	197	557	1,455	2,552	2,269
All other	628	1	2	–	1	6	19	63	117	185	145	88	666	1	–	–	2	9	14	42	85	168	201	144
Black	626	1	2	–	1	5	19	63	117	185	145	87	663	1	–	–	2	8	14	42	85	167	201	149
Diseases of heart (390-398,402,404-429)	7,034	5	3	5	10	35	160	584	1,353	2,056	1,848	975	5,653	2	2	1	9	25	60	190	535	1,254	1,979	1,602
White	6,525	4	1	5	10	29	145	533	1,263	1,896	1,738	901	5,170	1	2	1	8	20	49	160	468	1,133	1,832	1,496
All other	509	1	2	–	–	6	15	51	90	160	110	74	483	1	–	–	1	5	11	30	67	121	141	106
Black	508	1	2	–	–	5	15	51	90	160	110	74	482	1	–	–	1	5	11	30	67	121	141	105
Rheumatic fever and rheumatic heart disease (390-398)	30	–	–	–	2	–	4	3	7	6	7	1	58	–	1	–	–	1	2	7	11	18	15	3
White	27	–	–	–	2	–	4	2	7	6	6	–	57	–	1	–	–	1	2	7	11	18	14	3
All other	3	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	3	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Hypertensive heart disease (402)	120	–	–	–	–	–	1	8	20	33	40	18	209	–	–	–	1	–	2	3	19	51	77	56
White	99	–	–	–	–	–	1	5	15	25	36	17	171	–	–	–	1	–	2	1	13	38	66	50
All other	21	–	–	–	–	–	–	3	5	8	4	1	38	–	–	–	–	–	–	2	6	13	11	6
Black	21	–	–	–	–	–	–	3	5	8	4	1	38	–	–	–	–	–	–	2	6	13	11	6
Hypertensive heart and renal disease (404)	26	–	–	–	–	–	–	1	1	3	9	12	39	–	–	–	–	–	1	2	4	11	15	6
White	21	–	–	–	–	–	–	–	1	3	7	10	28	–	–	–	–	–	1	–	3	7	11	6
All other	5	–	–	–	–	–	–	1	–	–	2	2	11	–	–	–	–	–	–	2	1	4	4	–
Black	5	–	–	–	–	–	–	1	–	–	2	2	11	–	–	–	–	–	–	2	1	4	4	–
Ischemic heart disease (410-414)	5,439	–	1	1	3	24	126	497	1,115	1,604	1,390	678	3,894	–	–	–	1	9	33	137	401	903	1,367	1,043
White	5,122	–	–	1	3	19	116	461	1,053	1,511	1,319	639	3,602	–	–	–	1	6	29	119	355	835	1,279	978
All other	317	–	1	–	–	5	10	36	62	93	71	39	292	–	–	–	–	1	4	18	46	68	88	67
Black	316	–	1	–	–	4	10	36	62	93	71	39	291	–	–	–	–	1	4	18	46	68	88	66
Acute myocardial infarction (410)	4,082	–	1	1	3	23	110	445	926	1,275	932	366	2,392	–	–	–	–	6	27	115	317	660	798	467
White	3,857	–	–	1	3	18	102	416	884	1,202	887	344	2,205	–	–	–	–	7	24	101	280	618	744	496
All other	225	–	1	–	–	5	8	29	42	73	45	22	187	–	–	–	–	1	3	14	37	47	54	31
Black	224	–	1	–	–	4	8	29	42	73	45	22	186	–	–	–	–	1	3	14	37	47	54	30
Other acute and subacute forms of ischemic heart disease (411)	11	–	–	–	–	–	–	–	2	7	1	1	11	–	–	–	1	–	–	1	–	1	3	5
White	11	–	–	–	–	–	–	–	2	7	1	1	11	–	–	–	1	–	–	1	–	1	3	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	2	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	–	–	3	2	–
White	2	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	–	–	3	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,344	–	–	–	–	1	16	52	187	320	457	311	1,486	–	–	–	–	1	6	21	84	239	564	571
White	1,252	–	–	–	–	1	14	45	167	300	431	294	1,381	–	–	–	–	1	5	17	75	218	530	535
All other	92	–	–	–	–	–	2	7	20	20	26	17	105	–	–	–	–	–	1	4	9	21	34	36
Black	92	–	–	–	–	–	2	7	20	20	26	17	105	–	–	–	–	–	1	4	9	21	34	36
Other diseases of endocardium (424)	28	–	–	–	2	–	–	1	7	8	7	3	30	–	–	–	–	2	1	1	3	11	5	4
White	26	–	–	–	2	–	–	1	6	7	7	3	29	–	–	–	–	2	1	1	3	11	7	4
All other	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,391	5	2	4	3	11	29	74	203	402	385	263	1,423	2	1	1	7	13	21	40	97	260	491	490
White	1,230	4	1	4	3	10	24	64	181	344	363	232	1,283	1	1	1	6	9	14	32	83	224	455	457
All other	161	1	1	–	–	1	5	10	22	58	32	31	140	1	–	–	1	4	7	8	14	36	36	33
Black	161	1	1	–	–	1	5	10	22	58	32	31	140	1	–	–	1	4	7	8	14	36	36	33
Hypertension with or without renal disease (401,403)	51	–	–	–	–	2	–	4	4	13	14	14	54	–	–	–	–	1	2	2	4	8	14	23
White	46	–	–	–	–	2	–	3	4	12	12	13	45	–	–	–	–	1	2	1	3	6	12	20
All other	5	–	–	–	–	–	–	1	–	1	2	1	9	–	–	–	–	–	–	1	1	2	2	3
Black	5	–	–	–	–	–	–	1	–	1	2	1	9	–	–	–	–	–	–	1	1	2	2	3
Cerebrovascular diseases (430-438)	1,312	1	1	–	3	6	15	61	141	332	461	290	1,784	–	–	–	3	8	25	39	120	305	661	623
White	1,209	1	1	–	2	6	11	50	116	309	433	278	1,631	–	–	–	3	5	22	30	104	261	610	596
All other	103	–	–	–	1	–	4	11	23	23	28	12	153	–	–	–	–	3	3	9	16	44	51	27
Black	102	–	–	–	1	–	4	11	23	23	28	11	151	–	–	–	–	2	3	9	16	43	51	27
Intracerebral and other intracranial hemorrhage (431-432)	173	1	–	–	–	5	5	18	33	55	38	18	176	–	–	–	2	3	9	11	33	36	51	31
White	153	1	–	–	–	5	4	15	27	48	36	17	160	–	–	–	2	2	9	9	31	31	47	29
All other	20	–	–	–	–	–	1	3	6	7	2	1	16	–	–	–	–	1	–	2	2	5	4	2
Black	20	–	–	–	–	–	1	3	6	7	2	1	16	–	–	–	–	1	–	2	2	5	4	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	248	–	1	–	–	–	1	9	14	72	108	43	379	–	–	–	–	–	2	4	8	62	162	141
White	234	–	1	–	–	–	1	7	13	69	101	42	344	–	–	–	–	–	1	2	6	52	149	134
All other	14	–	–	–	–	–	–	2	1	3	7	1	35	–	–	–	–	–	1	2	2	10	13	7
Black	14	–	–	–	–	–	–	2	1	3	7	1	35	–	–	–	–	–	1	2	2	10	13	7
Cerebral embolism (434.1)	8	–	–	–	–	–	–	–	–	3	3	2	18	–	–	–	–	–	–	–	–	3	9	6
White	8	–	–	–	–	–	–	–	–	3	3	2	18	–	–	–	–	–	–	–	–	3	9	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	883	–	–	–	3	1	9	34	94	202	312	227	1,211	–	–	–	1	5	14	24	79	204	439	445
White	814	–	–	–	2	1	6	28	78	189	293	217	1,109	–	–	–	1	3	12	19	67	175	405	427
All other	69	–	–	–	1	–	3	6	16	13	19	10	102	–	–	–	–	2	2	5	12	29	34	18
Black	68	–	–	–	1	–	3	6	16	13	19	9	100	–	–	–	–	1	2	5	12	28	34	18
Atherosclerosis (440)	169	–	–	–	–	–	1	2	6	26	53	81	271	–	–	–	–	–	–	2	39	86	144	
White	160	–	–	–	–	–	1	2	4	25	48	80	260	–	–	–	–	–	–	2	39	80	139	
All other	9	–	–	–	–	–	–	–	2	1	5	1	11	–	–	–	–	–	–	–	–	6	5	
Black	9	–	–	–	–	–	–	–	2	1	5	1	11	–	–	–	–	–	–	–	–	6	5	
Other diseases of arteries, arterioles, and capillaries (441-448)	169	–	–	–	2	2	1	10	39	61	43	11	83	–	–	–	1	2	4	8	11	17	19	21
White	167	–	–	–	2	2	1	10	37	61	43	11	73	–	–	–	–	1	4	6	10	16	18	18
All other	2	–	–	–	–	–	–	–	2	–	–	–	10	–	–	–	1	1	–	2	1	1	1	3
Black	2	–	–	–	–	–	–	–	2	–	–	–	10	–	–	–	1	1	–	2	1	1	1	3
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	1	–	–	–	–	2
White	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Pneumonia and influenza (480-487)	415	11	3	3	4	2	12	15	41	78	142	104	374	11	5	–	1	5	4	10	21	43	133	141
White	368	11	2	2	4	2	7	13	33	70	133	91	348	10	3	–	1	4	3	10	18	34	130	135
All other	47	–	1	1	–	–	5	2	8	8	9	13	26	1	2	–	–	1	1	–	3	9	3	6
Black	47	–	1	1	–	–	5	2	8	8	9	13	26	1	2	–	–	1	1	–	3	9	3	6
Pneumonia (480-486)	412	11	3	3	4	2	12	15	41	75	142	104	370	11	5	–	1	5	4	10	20	43	131	140
White	366	11	2	2	4	2	7	13	33	68	133	91	344	10	3	–	1	4	3	10	17	34	128	134
All other	46	–	1	1	–	–	5	2	8	7	9	13	26	1	2	–	–	1	1	–	3	9	3	6
Black	46	–	1	1	–	–	5	2	8	7	9	13	26	1	2	–	–	1	1	–	3	9	3	6
Influenza (487)	3	–	–	–	–	–	–	–	–	3	–	–	4	–	–	–	–	–	–	–	1	–	2	1
White	2	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	–	1	–	2	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	666	–	2	1	1	1	7	30	153	238	183	52	241	–	–	–	2	–	6	22	50	76	60	23
White	634	–	2	1	–	1	7	25	143	227	178	50	222	–	–	–	1	–	3	21	48	70	56	23
All other	32	–	–	–	1	–	–	5	10	9	5	2	19	–	–	–	1	–	3	1	2	6	4	–
Black	32	–	–	–	1	–	–	5	10	9	5	2	19	–	–	–	1	–	3	1	2	6	4	–
Bronchitis, chronic and unspecified (490-491)	44	–	1	–	–	–	–	1	5	17	15	5	24	–	–	–	1	–	1	2	4	8	5	3
White	42	–	1	–	–	–	–	1	4	16	15	5	21	–	–	–	1	–	–	2	3	6	4	3
All other	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	1	–	1	–	1	–
Emphysema (492)	151	–	–	–	–	–	2	6	40	45	43	13	43	–	–	–	–	–	–	5	7	19	9	3
White	148	–	–	–	–	–	2	7	39	45	42	13	40	–	–	–	–	–	–	5	7	16	9	3
All other	3	–	–	–	–	–	–	1	1	–	1	–	3	–	–	–	–	–	–	–	–	3	–	–
Black	3	–	–	–	–	–	–	1	1	–	1	–	3	–	–	–	–	–	–	–	–	3	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1978—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	23	-	1	1	1	-	2	2	3	8	3	2	26	-	-	-	1	-	3	4	4	8	5	1
White	19	-	1	1	-	-	2	1	2	7	3	2	22	-	-	-	-	-	1	3	4	8	5	1
All other	4	-	-	-	1	-	-	1	1	1	-	-	4	-	-	-	1	-	2	1	-	-	-	-
Black	4	-	-	-	1	-	-	1	1	1	-	-	4	-	-	-	1	-	2	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	448	-	-	-	-	1	3	19	105	166	122	32	148	-	-	-	-	-	2	11	35	43	41	16
White	425	-	-	-	-	1	3	16	98	159	118	30	138	-	-	-	-	-	2	11	34	38	36	16
All other	23	-	-	-	-	-	-	3	7	7	4	2	9	-	-	-	-	-	-	-	1	5	3	-
Black	23	-	-	-	-	-	-	3	7	7	4	2	9	-	-	-	-	-	-	-	1	5	3	-
Ulcer of stomach and duodenum (531-533)	56	-	-	-	1	3	1	3	16	13	13	6	51	-	-	-	-	1	-	3	9	9	17	12
White	53	-	-	-	1	2	1	3	16	12	12	6	49	-	-	-	-	1	-	2	9	9	17	11
All other	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Appendicitis (540-543)	5	-	-	-	-	-	-	1	1	1	2	-	8	-	-	-	-	-	-	-	1	1	2	2
White	3	-	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	-	-	-	1	-	2	2
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	4	2	-	-	-	-	5	6	9	8	9	75	1	1	-	-	-	2	4	9	16	24	16
White	39	4	2	-	-	-	-	5	6	8	7	7	64	-	1	-	-	-	1	3	5	16	22	14
All other	4	-	-	-	-	-	-	-	-	1	1	2	11	1	-	-	-	-	1	1	4	-	2	2
Black	4	-	-	-	-	-	-	-	-	1	1	2	10	1	-	-	-	-	1	1	3	-	2	2
Chronic liver disease and cirrhosis (571)	228	-	-	-	-	8	28	55	74	49	12	2	138	-	-	-	-	5	13	22	49	39	19	9
White	213	-	-	-	-	6	28	51	72	44	10	2	126	-	-	-	-	5	11	18	46	31	12	9
All other	15	-	-	-	-	2	-	4	2	5	2	-	12	-	-	-	-	-	2	4	3	2	1	-
Black	15	-	-	-	-	2	-	4	2	5	2	-	12	-	-	-	-	-	2	4	3	2	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	23	-	-	-	-	-	-	2	2	7	7	5	36	-	1	-	1	-	-	1	7	8	16	2
White	21	-	-	-	-	-	-	2	2	6	6	5	35	-	1	-	1	-	-	1	7	8	15	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	129	3	-	-	3	4	5	2	19	29	46	18	134	1	-	1	2	-	2	4	15	28	45	36
White	119	3	-	-	3	4	3	2	19	25	42	18	120	-	-	1	2	-	-	4	13	26	39	35
All other	10	-	-	-	-	-	2	-	-	4	4	-	14	1	-	-	-	-	2	-	2	2	6	1
Black	10	-	-	-	-	-	2	-	-	4	4	-	14	1	-	-	-	-	2	-	2	2	6	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	1	2	2	-	-	4	7	1	17	-	-	-	-	-	-	1	1	3	5	7
White	16	-	-	-	1	2	1	-	-	4	7	1	15	-	-	-	-	-	-	1	1	3	3	7
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	109	3	-	-	2	2	2	2	19	24	38	17	118	1	-	1	1	-	2	3	14	25	40	29
White	101	3	-	-	2	2	1	2	19	20	35	17	104	-	-	1	1	-	-	3	12	23	36	28
All other	8	-	-	-	-	-	1	-	-	4	3	-	12	1	-	-	-	-	2	-	2	2	4	1
Black	8	-	-	-	-	-	1	-	-	4	3	-	12	1	-	-	-	-	2	-	2	2	4	1
Infections of kidney (590)	27	-	-	-	-	-	-	1	4	7	6	9	47	-	-	-	1	1	1	-	3	10	19	12
White	22	-	-	-	-	-	-	1	3	6	5	7	42	-	-	-	1	1	1	-	2	10	18	9
All other	5	-	-	-	-	-	-	-	1	1	1	2	5	-	-	-	-	-	-	-	1	-	1	3
Black	5	-	-	-	-	-	-	-	1	1	1	2	5	-	-	-	-	-	-	-	1	-	1	3
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	-	5	10	3	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	4	9	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																							
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	119	73	9	6	9	3	3	7	1	5	2	1	85	60	2	4	2	1	2	3	4	3	3	1
White	109	66	8	6	9	3	3	7	1	5	2	1	78	54	2	3	2	1	2	3	4	3	3	1
All other	10	7	3	–	–	–	–	–	–	–	–	–	7	6	–	1	–	–	–	–	–	–	–	–
Black	10	7	3	–	–	–	–	–	–	–	–	–	7	6	–	1	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	193	192	1	–	–	–	–	–	–	–	–	–	141	141	–	–	–	–	–	–	–	–	–	–
White	157	156	1	–	–	–	–	–	–	–	–	–	119	119	–	–	–	–	–	–	–	–	–	–
All other	36	36	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Black	36	36	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	74	74	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
White	63	63	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Black	11	11	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	119	118	1	–	–	–	–	–	–	–	–	–	104	104	–	–	–	–	–	–	–	–	–	–
White	94	93	1	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
All other	25	25	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Black	25	25	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	101	42	2	–	2	4	2	8	7	10	13	11	81	34	2	–	3	4	1	2	3	9	6	23
White	90	37	2	–	1	3	1	7	6	10	12	11	64	22	2	–	3	4	1	–	2	9	5	22
All other	11	5	–	–	1	1	1	1	1	–	1	–	17	12	–	–	–	–	–	2	1	–	1	1
Black	11	5	–	–	1	1	1	1	1	–	1	–	16	12	–	–	–	–	–	1	1	–	1	1
All other diseases (Residual)	1,042	25	13	14	25	33	41	121	179	243	225	123	931	24	9	16	15	19	31	54	106	182	270	205
White	944	22	13	11	21	31	35	100	159	228	207	117	848	19	8	12	13	16	26	47	91	172	250	184
All other	98	3	–	3	4	2	6	21	20	15	18	6	83	5	1	4	2	3	5	7	15	10	20	11
Black	98	3	–	3	4	2	6	21	20	15	18	6	83	5	1	4	2	3	5	7	15	10	20	11
Accidents and adverse effects (E800-E949)	1,393	13	30	84	376	246	148	127	117	111	98	45	566	12	24	39	94	44	40	48	50	63	89	63
White	1,309	11	28	78	384	228	139	120	112	103	87	41	527	10	19	38	89	42	37	45	45	60	82	60
All other	84	2	4	6	12	18	7	7	5	8	11	4	39	2	5	1	5	2	3	3	5	3	7	3
Black	82	2	4	6	12	17	7	7	5	8	10	4	37	2	5	1	4	2	2	3	5	3	7	3
Motor vehicle accidents (E810-E825)	684	2	7	40	250	153	60	58	44	37	29	4	253	2	14	28	79	27	23	20	23	22	15	–
White	646	1	7	38	243	142	57	53	43	35	27	2	243	1	12	27	76	27	22	19	23	22	14	–
All other	38	1	–	4	7	11	3	5	1	2	2	2	10	1	2	1	3	–	1	1	–	–	1	–
Black	38	1	–	4	7	11	3	5	1	2	2	2	8	1	2	1	2	–	–	1	–	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	709	11	23	44	126	93	88	69	73	74	69	41	313	10	10	11	15	17	17	28	27	41	74	63
White	663	10	19	42	121	86	82	67	69	68	60	39	284	9	7	11	13	15	15	26	22	38	68	60
All other	46	1	4	2	5	7	4	2	4	6	9	2	29	1	3	–	2	2	2	2	5	3	6	3
Black	44	1	4	2	5	6	4	2	4	6	8	2	29	1	3	–	2	2	2	2	5	3	6	3
Suicide (E950-E959)	362	...	...	–	67	75	43	58	45	53	20	3	110	...	...	1	13	25	21	23	16	6	4	1
White	342	...	...	–	59	69	42	55	44	50	20	3	104	...	...	1	12	22	21	23	15	5	4	1
All other	20	...	...	–	8	6	1	1	1	3	–	–	6	...	...	–	1	3	–	–	1	1	–	–
Black	19	...	...	–	8	5	1	1	1	3	–	–	6	...	...	–	1	3	–	–	1	1	–	–
Homicide and legal intervention (E960-E978)	272	1	2	6	52	79	49	39	27	11	6	–	76	1	3	2	20	19	12	6	3	5	5	–
White	202	1	2	5	39	51	37	32	21	8	6	–	63	–	3	2	16	13	11	6	2	5	5	–
All other	70	–	–	1	13	28	12	7	6	3	–	–	13	1	–	–	4	6	1	–	1	–	–	–
Black	70	–	–	1	13	28	12	7	6	3	–	–	13	1	–	–	4	6	1	–	1	–	–	–
All other external causes (E980-E999)	28	–	–	1	8	5	4	3	3	2	2	–	14	–	–	–	3	4	3	1	1	2	–	–
White	28	–	–	1	8	5	4	3	3	2	2	–	14	–	–	–	3	4	3	1	1	2	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,421	709	137	184	906	853	902	1,873	3,475	4,947	3,859	1,554	15,350	525	94	109	264	341	488	1,028	2,078	3,408	4,128	2,912
White	13,061	331	71	106	583	479	502	1,251	2,434	3,466	2,749	1,075	10,309	249	50	54	168	177	256	564	1,314	2,246	3,026	2,203
All other	6,360	378	66	78	323	374	400	622	1,041	1,481	1,110	479	5,041	276	44	49	96	164	232	464	764	1,160	1,102	709
Black	6,332	375	66	75	319	373	399	620	1,038	1,475	1,105	479	5,021	273	44	48	95	163	210	460	762	1,158	1,100	707
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	2	–	–	–	1	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	1
White	2	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	3	1	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Black	3	1	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	45	–	–	–	–	–	2	13	9	13	8	–	14	–	–	–	–	–	2	1	2	6	–	3
White	20	–	–	–	–	–	–	7	4	5	4	–	7	–	–	–	–	–	1	–	1	4	–	1
All other	25	–	–	–	–	–	2	6	5	8	4	–	7	–	–	–	–	–	1	1	1	2	–	2
Black	24	–	–	–	–	–	2	6	5	7	4	–	7	–	–	–	–	–	1	1	1	2	–	2
Tuberculosis of respiratory system (010-012)	37	–	–	–	–	–	1	12	8	12	8	–	6	–	–	–	–	–	1	1	–	3	–	1
White	17	–	–	–	–	–	–	7	2	5	3	–	3	–	–	–	–	–	–	1	–	3	–	–
All other	20	–	–	–	–	–	1	5	4	7	3	–	3	–	–	–	–	–	1	1	–	–	–	1
Black	19	–	–	–	–	–	1	5	4	6	3	–	3	–	–	–	–	–	1	1	–	–	–	1
Other tuberculosis (013-018)	8	–	–	–	–	–	1	1	3	1	2	–	8	–	–	–	–	–	1	–	2	3	–	2
White	3	–	–	–	–	–	–	–	2	–	1	–	4	–	–	–	–	–	1	–	1	1	–	1
All other	5	–	–	–	–	–	1	1	1	1	1	–	4	–	–	–	–	–	–	–	1	2	–	1
Black	5	–	–	–	–	–	1	1	1	1	1	–	4	–	–	–	–	–	–	–	1	2	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	13	3	6	1	–	–	–	1	2	–	–	–	7	5	2	–	–	–	–	–	–	–	–	–
White	9	3	3	1	–	–	–	1	1	–	–	–	6	4	2	–	–	–	–	–	–	–	–	–
All other	4	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	4	–	3	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	115	6	2	3	–	3	6	5	22	38	22	10	133	8	1	1	4	1	3	14	18	26	34	23
White	57	–	1	–	–	1	4	2	14	18	12	5	77	5	1	1	3	1	–	6	9	16	24	11
All other	58	6	1	3	–	2	2	3	8	18	10	5	56	3	–	–	1	–	3	8	9	10	10	12
Black	58	6	1	3	–	2	2	3	8	18	10	5	56	3	–	–	1	–	3	8	9	10	10	12
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	5	–	–	–	1	–	1	–	–	1	2	–	8	–	–	–	1	3	–	–	2	2	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	1	–	–	2	2	–	–
All other	4	–	–	–	1	–	1	–	–	–	2	–	3	–	–	–	1	2	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	1	2	–	–	–	–	–	–
Syphilis (090-097)	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-136)	51	3	1	2	5	2	7	4	10	6	9	2	44	1	2	5	–	6	2	2	10	6	8	2
White	32	2	–	–	2	2	4	2	8	4	8	2	21	1	–	4	–	1	1	–	4	2	6	2
All other	19	1	1	2	3	–	3	2	2	2	3	–	23	–	2	1	–	5	1	2	6	4	2	–
Black	19	1	1	2	3	–	3	2	2	2	3	–	23	–	2	1	–	5	1	2	6	4	2	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,904	4	8	10	33	40	114	463	950	1,254	824	204	2,939	1	3	15	19	52	136	361	689	884	580	250
White	2,736	2	5	4	19	30	67	320	674	872	599	144	2,051	1	1	7	10	30	85	230	468	595	437	187
All other	1,169	2	3	6	14	10	47	143	276	382	225	60	888	–	2	8	9	22	51	131	220	289	143	63
Black	1,161	2	3	5	14	10	47	143	274	381	222	60	884	–	2	8	9	22	50	130	219	289	143	62

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	111	–	–	–	2	1	5	21	36	29	10	7	39	–	–	–	1	–	2	5	9	14	4	4
White	73	–	–	–	–	1	1	12	28	20	6	5	26	–	–	–	–	–	1	3	5	11	3	3
All other	38	–	–	–	2	–	4	9	8	9	4	2	13	–	–	–	1	–	1	2	4	3	1	1
Black	37	–	–	–	2	–	4	9	8	9	3	2	13	–	–	–	1	–	1	2	4	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	965	1	–	–	–	10	36	96	213	318	226	65	764	–	–	–	1	3	16	53	146	249	204	92
White	647	–	–	–	–	5	20	61	143	212	161	45	531	–	–	–	1	1	8	33	94	172	150	72
All other	318	1	–	–	–	5	16	35	70	106	65	20	233	–	–	–	–	2	8	20	52	77	54	20
Black	315	1	–	–	–	5	16	35	70	105	63	20	232	–	–	–	–	2	7	20	52	77	54	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,432	–	–	–	2	2	38	210	430	477	234	39	457	–	–	–	–	2	17	76	148	127	64	23
White	1,043	–	–	–	1	1	23	150	311	353	177	27	338	–	–	–	–	1	12	52	112	96	49	17
All other	389	–	–	–	1	1	15	60	119	124	57	12	119	–	–	–	–	1	5	24	36	31	15	6
Black	388	–	–	–	1	1	15	60	118	124	57	12	116	–	–	–	–	1	5	23	35	31	15	5
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	–	1	1	–	495	–	–	–	–	12	49	90	129	120	62	33
White	2	–	–	–	–	–	–	–	–	1	1	–	352	–	–	–	–	7	31	55	93	94	51	21
All other	–	–	–	–	–	–	–	–	–	–	–	–	143	–	–	–	–	5	18	35	36	26	11	12
Black	–	–	–	–	–	–	–	–	–	–	–	–	143	–	–	–	–	5	18	35	36	26	11	12
Malignant neoplasms of genital organs (179-187)	384	–	–	–	5	5	1	7	37	122	145	42	337	–	–	–	2	9	19	40	82	101	57	27
White	219	–	–	–	5	3	1	4	16	70	91	29	215	–	–	–	1	4	9	25	50	61	42	23
All other	145	–	–	–	–	2	–	3	21	52	54	13	122	–	–	–	1	5	10	15	32	40	15	4
Black	145	–	–	–	–	2	–	3	21	52	54	13	122	–	–	–	1	5	10	15	32	40	15	4
Malignant neoplasms of urinary organs (188-189)	182	–	1	2	–	–	1	19	39	57	50	13	106	–	1	2	1	2	2	12	20	27	31	8
White	141	–	–	1	–	–	1	13	31	41	43	11	75	–	1	1	–	–	1	8	14	24	23	3
All other	41	–	1	1	–	–	–	6	8	16	7	2	31	–	–	1	1	2	1	4	6	3	8	5
Black	40	–	1	–	–	–	–	6	8	16	7	2	31	–	–	1	1	2	1	4	6	3	8	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	539	3	4	3	8	13	26	74	134	159	93	22	476	1	2	5	9	13	24	59	100	119	103	41
White	374	2	3	1	4	12	17	54	96	104	68	13	318	1	–	1	4	10	17	35	69	79	73	29
All other	165	1	1	2	4	1	9	20	38	55	25	9	158	–	2	4	5	3	7	24	31	40	30	12
Black	164	1	1	2	4	1	9	20	37	55	25	9	158	–	2	4	5	3	7	24	31	40	30	12
Leukemia (204-208)	142	–	2	3	12	4	1	13	25	43	31	8	135	–	–	8	3	5	5	16	22	34	29	13
White	106	–	1	2	7	3	–	10	20	34	22	7	104	–	–	6	3	3	4	13	13	27	24	12
All other	36	–	1	1	5	1	1	3	5	9	9	1	31	–	–	3	–	2	1	3	9	7	5	1
Black	36	–	1	1	5	1	1	3	5	9	9	1	31	–	–	3	–	2	1	3	9	7	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	167	–	1	2	4	5	6	23	36	48	34	8	130	–	–	–	2	6	2	10	32	43	28	9
White	131	–	1	–	2	5	4	16	29	37	30	7	92	–	–	–	1	4	2	6	18	31	23	7
All other	36	–	–	2	2	–	2	7	7	11	4	1	38	–	–	–	1	2	–	4	14	12	3	2
Black	36	–	–	2	2	–	2	7	7	11	4	1	38	–	–	–	1	2	–	4	14	12	3	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	55	–	–	1	2	2	3	7	11	14	11	4	54	–	1	–	–	2	3	7	12	13	13	9
White	39	–	–	–	–	1	1	6	10	9	9	3	33	–	1	–	–	1	1	4	5	11	7	3
All other	16	–	–	1	2	1	2	1	1	5	2	1	21	–	–	–	–	1	2	3	7	2	6	–
Black	16	–	–	1	2	1	2	1	1	5	2	1	21	–	–	–	–	1	2	3	7	2	6	–
Diabetes mellitus (250)	307	–	–	2	4	9	7	31	63	97	65	29	463	–	–	1	2	7	6	32	89	137	132	57
White	200	–	–	2	4	2	3	18	40	66	47	18	260	–	–	1	–	4	2	12	44	78	84	35
All other	107	–	–	–	–	7	4	13	23	31	18	11	203	–	–	–	2	3	4	20	45	59	48	22
Black	107	–	–	–	–	7	4	13	23	31	18	11	203	–	–	–	2	3	4	20	45	59	48	22
Nutritional deficiencies (260-269)	20	2	–	–	–	1	1	1	2	2	4	6	31	–	–	–	1	–	2	1	–	5	12	10
White	12	1	–	–	–	1	–	1	2	1	2	3	19	–	–	–	1	–	1	1	–	2	8	6
All other	8	1	–	–	–	–	1	–	–	1	2	3	12	–	–	–	–	–	1	–	–	3	4	4
Black	8	1	–	–	–	–	1	–	–	1	2	3	12	–	–	–	–	–	1	–	–	3	4	4
Anemias (280-285)	39	2	2	–	2	2	1	2	4	9	10	5	33	–	1	–	3	2	1	1	2	6	9	8
White	23	1	–	–	1	1	–	2	1	6	7	4	17	–	–	–	–	1	1	–	1	2	5	7
All other	16	1	2	–	1	1	1	–	3	3	3	1	16	–	1	–	3	1	–	1	1	4	4	1
Black	16	1	2	–	1	1	1	–	3	3	3	1	16	–	1	–	3	1	–	1	1	4	4	1
Meningitis (320-322)	20	6	3	1	1	1	2	3	1	1	–	1	25	13	4	1	–	–	2	1	2	1	1	–
White	9	3	1	1	–	1	–	2	–	1	–	–	11	5	–	–	–	–	2	1	1	1	1	–
All other	11	3	2	–	1	–	2	1	1	–	–	1	14	8	4	1	–	–	–	–	1	–	–	–
Black	11	3	2	–	1	–	2	1	1	–	–	1	14	8	4	1	–	–	–	–	1	–	–	–
Major cardiovascular diseases (390-448)	8,770	19	5	3	23	66	237	793	1,727	2,666	2,207	1,020	8,142	14	5	9	21	55	132	351	870	1,855	2,708	2,121
White	6,125	7	1	2	10	35	146	551	1,202	1,891	1,569	707	5,556	8	4	5	8	22	58	155	523	1,175	1,996	1,602
All other	2,645	12	4	1	13	31	91	242	525	775	638	313	2,586	6	1	4	13	33	74	196	347	680	712	519
Black	2,637	11	4	1	13	31	91	241	524	772	636	313	2,580	6	1	4	13	32	74	196	346	678	711	518

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,890	15	3	3	20	48	199	690	1,474	2,120	1,601	714	5,820	12	5	7	12	33	104	270	673	1,377	1,927	1,399
White	4,896	6	–	2	8	27	131	497	1,060	1,541	1,133	488	3,968	7	4	4	4	11	47	121	406	892	1,412	1,068
All other	1,994	9	3	1	12	21	68	193	414	579	468	226	1,852	5	1	3	8	22	57	149	265	485	515	341
Black	1,988	8	3	1	12	21	68	193	413	577	466	226	1,848	5	1	3	8	21	57	149	264	489	515	341
Rheumatic fever and rheumatic heart disease (390-398)	17	–	–	–	1	–	5	3	7	1	–	–	35	–	–	–	–	2	6	5	5	10	6	1
White	8	–	–	–	–	–	2	–	5	1	–	–	23	–	–	–	–	1	3	2	3	9	4	1
All other	9	–	–	–	1	–	3	3	2	–	–	–	12	–	–	–	–	1	3	3	2	1	2	–
Black	9	–	–	–	1	–	3	3	2	–	–	–	12	–	–	–	–	1	3	3	2	1	2	–
Hypertensive heart disease (402)	283	–	–	–	–	–	7	23	82	91	69	17	322	–	–	–	–	2	13	24	43	102	88	50
White	113	–	–	–	–	–	2	10	28	39	27	7	151	–	–	–	–	–	4	10	10	52	47	28
All other	150	–	–	–	–	–	5	13	34	52	36	10	171	–	–	–	–	2	9	14	33	50	41	22
Black	150	–	–	–	–	–	5	13	34	52	36	10	171	–	–	–	–	2	9	14	33	50	41	22
Hypertensive heart and renal disease (404)	32	–	–	–	–	–	3	2	4	7	8	8	51	–	–	–	–	–	1	3	3	10	20	14
White	13	–	–	–	–	–	2	–	–	3	5	3	26	–	–	–	–	–	–	2	1	5	11	7
All other	19	–	–	–	–	–	1	2	4	4	3	5	25	–	–	–	–	–	1	1	2	5	9	7
Black	19	–	–	–	–	–	1	2	4	4	3	5	25	–	–	–	–	–	1	1	2	5	9	7
Ischemic heart disease (410-414)	5,200	1	–	–	4	29	136	546	1,135	1,648	1,193	505	3,836	–	–	–	4	8	46	170	456	907	1,303	939
White	3,910	1	–	–	2	22	103	414	868	1,255	890	352	2,761	–	–	–	3	3	28	81	307	615	995	729
All other	1,290	–	–	–	2	7	33	132	267	393	303	153	1,075	–	–	–	1	5	20	89	149	292	308	210
Black	1,287	–	–	–	2	7	33	132	267	391	302	153	1,073	–	–	–	1	4	20	89	149	291	308	210
Acute myocardial infarction (410)	3,130	–	–	–	3	24	104	398	803	1,017	594	185	1,864	–	–	–	2	8	36	116	291	539	582	279
White	2,490	–	–	–	1	18	81	313	640	813	477	145	1,370	–	–	–	2	3	24	58	214	392	468	209
All other	640	–	–	–	2	6	23	85	163	204	117	40	494	–	–	–	–	5	12	58	77	147	114	70
Black	639	–	–	–	2	6	23	85	163	203	117	40	492	–	–	–	–	4	12	58	77	146	114	70
Other acute and subacute forms of ischemic heart disease (411)	32	–	–	–	–	–	–	5	6	12	6	3	21	–	–	–	–	–	–	1	1	7	9	3
White	20	–	–	–	–	–	–	3	4	9	3	1	14	–	–	–	–	–	–	1	1	5	5	2
All other	12	–	–	–	–	–	–	2	2	3	3	2	7	–	–	–	–	–	–	–	–	2	4	1
Black	12	–	–	–	–	–	–	2	2	3	3	2	7	–	–	–	–	–	–	–	–	2	4	1
Angina pectoris (413)	7	–	–	–	–	–	1	–	2	3	1	–	10	–	–	–	–	–	–	1	2	4	2	1
White	3	–	–	–	–	–	–	–	1	2	–	–	6	–	–	–	–	–	–	1	1	1	1	1
All other	4	–	–	–	–	–	1	–	1	1	1	–	5	–	–	–	–	–	–	–	1	3	1	–
Black	4	–	–	–	–	–	1	–	1	1	1	–	5	–	–	–	–	–	–	–	1	3	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,031	1	–	–	1	5	31	143	324	616	592	317	1,951	–	–	–	2	–	12	52	162	357	710	656
White	1,397	1	–	–	1	4	22	98	223	431	410	206	1,372	–	–	–	1	–	4	21	91	217	521	517
All other	634	–	–	–	–	1	9	45	101	185	182	111	579	–	–	–	1	–	8	31	71	140	189	139
Black	632	–	–	–	–	1	9	45	101	184	181	111	579	–	–	–	1	–	6	31	71	140	189	139
Other diseases of endocardium (424)	38	–	–	1	–	2	3	3	7	15	6	1	43	–	–	–	–	2	1	6	4	10	17	3
White	30	–	–	1	–	–	3	2	7	11	5	1	28	–	–	–	–	2	–	3	2	4	15	2
All other	8	–	–	–	–	2	–	1	–	4	1	–	15	–	–	–	–	–	1	3	2	6	2	1
Black	8	–	–	–	–	2	–	1	–	4	1	–	15	–	–	–	–	–	1	3	2	6	2	1
All other forms of heart disease (415-423,425-429)	1,340	14	3	2	15	17	45	113	259	358	331	183	1,533	12	5	7	8	19	35	62	162	338	493	392
White	822	5	–	1	6	5	19	71	152	232	206	125	979	7	4	4	1	5	12	23	85	207	340	291
All other	518	9	3	1	9	12	26	42	107	126	125	58	554	5	1	3	7	14	23	39	77	131	153	101
Black	515	8	3	1	9	12	26	42	106	126	124	58	552	5	1	3	7	14	23	39	76	130	153	101
Hypertension with or without renal disease (401,403)	47	–	–	–	–	–	2	5	7	14	12	7	80	–	–	–	–	–	3	6	13	20	18	20
White	25	–	–	–	–	–	–	1	2	8	6	6	38	–	–	–	–	–	–	–	3	6	14	19
All other	22	–	–	–	–	–	2	4	5	6	4	1	42	–	–	–	–	–	3	6	10	12	4	7
Black	21	–	–	–	–	–	2	3	5	6	4	1	42	–	–	–	–	–	3	6	10	12	4	7
Cerebrovascular diseases (430-438)	1,419	4	2	–	2	15	31	78	189	416	480	221	1,719	2	–	2	6	19	19	64	150	373	589	495
White	895	1	1	–	1	5	12	41	100	262	316	155	1,159	1	–	1	3	10	8	28	89	216	435	368
All other	524	3	1	–	1	10	19	37	89	154	144	66	560	1	–	1	3	9	11	36	61	157	154	127
Black	523	3	1	–	1	10	19	37	89	153	144	66	559	1	–	1	3	9	11	36	61	157	153	127
Intracerebral and other intracranial hemorrhage (431-432)	175	2	–	–	2	4	12	19	38	51	33	13	175	1	–	–	–	4	6	23	22	49	41	29
White	98	1	–	–	1	–	3	7	21	34	20	10	105	–	–	–	–	1	3	10	13	27	31	20
All other	77	1	–	–	1	4	9	12	17	17	13	3	70	1	–	–	–	3	3	13	9	22	10	9
Black	77	1	–	–	1	4	9	12	17	17	13	3	70	1	–	–	–	3	3	13	9	22	10	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	237	–	1	–	–	2	2	14	24	67	68	39	320	–	–	–	2	2	–	2	17	62	116	119
White	156	–	–	–	–	–	–	9	14	45	60	28	235	–	–	–	1	1	–	1	11	41	91	89
All other	81	–	1	–	–	2	2	5	10	22	28	11	85	–	–	–	1	1	–	1	6	21	25	30
Black	81	–	1	–	–	2	2	5	10	22	28	11	85	–	–	–	1	1	–	1	6	21	25	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	-	3	4	-	4	-	-	-	-	-	-	1	1	-	1	1
White	6	-	-	-	-	-	-	-	-	3	3	-	3	-	-	-	-	-	-	1	1	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,000	2	1	-	-	9	17	45	127	295	335	169	1,220	1	-	2	4	13	13	38	110	262	431	346
White	635	-	1	-	-	5	9	25	85	180	233	117	816	1	-	1	2	8	5	16	64	148	312	259
All other	365	2	-	-	-	4	8	20	62	115	102	52	404	-	-	1	2	5	8	22	46	114	119	87
Black	364	2	-	-	-	4	8	20	62	114	102	52	403	-	-	1	2	5	8	22	46	114	118	87
Atherosclerosis (440)	238	-	-	-	-	1	1	9	26	51	82	68	397	-	-	-	-	-	1	2	18	53	134	189
White	168	-	-	-	-	1	1	5	16	27	68	50	306	-	-	-	-	-	1	2	12	37	107	147
All other	70	-	-	-	-	-	-	4	10	24	16	18	91	-	-	-	-	-	-	-	6	16	27	42
Black	70	-	-	-	-	-	-	4	10	24	16	16	90	-	-	-	-	-	-	-	6	16	27	41
Other diseases of arteries, arterioles, and capillaries (441-448)	178	-	-	-	1	2	4	11	31	65	52	12	129	-	-	-	3	3	5	9	16	32	40	18
White	143	-	-	-	1	2	2	7	24	53	46	8	85	-	-	-	1	1	2	4	11	22	28	16
All other	35	-	-	-	-	-	2	4	7	12	6	4	41	-	-	-	2	2	3	5	5	10	12	2
Black	35	-	-	-	-	-	2	4	7	12	6	4	41	-	-	-	2	2	3	5	5	10	12	2
Acute bronchitis and bronchiolitis (466)	8	1	-	-	1	1	-	2	1	2	-	-	5	-	1	-	-	1	-	1	1	-	1	-
White	5	-	-	-	1	-	-	2	1	1	-	-	2	-	1	-	-	1	-	-	1	-	1	-
All other	3	1	-	-	-	1	-	-	-	1	-	-	3	-	1	-	-	-	-	1	-	-	-	-
Black	3	1	-	-	-	1	-	-	-	1	-	-	3	-	1	-	-	-	-	1	-	-	-	-
Pneumonia and influenza (480-487)	387	34	6	4	6	5	14	33	40	73	104	68	310	17	6	2	1	6	8	18	17	49	84	102
White	244	12	4	3	5	1	4	17	26	51	71	50	209	5	1	-	1	-	3	6	8	34	64	87
All other	143	22	2	1	1	4	10	16	14	22	33	18	101	12	5	2	-	6	5	12	9	15	20	15
Black	142	22	2	1	1	4	10	16	14	21	33	18	99	12	5	2	-	6	4	11	9	15	20	15
Pneumonia (480-486)	380	34	6	4	5	4	14	33	40	71	102	67	305	17	6	2	1	6	8	18	17	48	81	101
White	240	12	4	3	4	-	4	17	26	51	70	49	204	5	1	-	1	-	3	6	8	33	61	88
All other	140	22	2	1	1	4	10	16	14	20	32	18	101	12	5	2	-	6	5	12	9	15	20	15
Black	139	22	2	1	1	4	10	16	14	19	32	18	99	12	5	2	-	6	4	11	9	15	20	15
Influenza (487)	7	-	-	-	1	1	-	-	-	2	2	1	5	-	-	-	-	-	-	-	-	1	3	1
White	4	-	-	-	1	1	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	494	3	-	2	-	3	3	20	93	193	140	37	235	2	-	2	1	1	1	14	35	83	69	27
White	403	1	-	-	-	2	1	15	73	158	123	30	202	1	-	1	1	-	1	10	28	73	62	25
All other	91	2	-	2	-	1	2	5	20	35	17	7	33	1	-	1	-	1	-	4	7	10	7	2
Black	91	2	-	2	-	1	2	5	20	35	17	7	33	1	-	1	-	1	-	4	7	10	7	2
Bronchitis, chronic and unspecified (490-491)	34	3	-	-	-	1	-	-	8	11	8	3	14	2	-	-	-	-	-	-	3	4	3	2
White	27	1	-	-	-	1	-	-	6	9	7	3	13	1	-	-	-	-	-	-	3	4	3	2
All other	7	2	-	-	-	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	7	2	-	-	-	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	139	-	-	-	-	-	-	7	26	59	35	12	55	-	-	-	-	-	-	1	8	20	19	7
White	116	-	-	-	-	-	-	6	23	47	32	10	49	-	-	-	-	-	-	1	5	18	18	7
All other	21	-	-	-	-	-	-	1	3	12	3	2	6	-	-	-	-	-	-	-	3	2	1	-
Black	21	-	-	-	-	-	-	1	3	12	3	2	6	-	-	-	-	-	-	-	3	2	1	-
Asthma (493)	22	-	-	2	-	1	-	2	8	4	5	-	27	-	-	2	1	1	1	4	1	9	7	1
White	9	-	-	-	-	-	-	1	5	1	2	-	17	-	-	1	1	1	1	2	-	6	6	-
All other	13	-	-	2	-	1	-	1	3	3	3	-	10	-	-	1	-	1	-	2	1	3	1	1
Black	13	-	-	2	-	1	-	1	3	3	3	-	10	-	-	1	-	1	-	2	1	3	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	299	-	-	-	-	1	3	11	51	119	92	22	139	-	-	-	-	-	-	9	23	50	40	17
White	249	-	-	-	-	1	1	9	39	101	82	17	123	-	-	-	-	-	-	7	20	45	35	16
All other	50	-	-	-	-	-	2	3	12	18	10	5	16	-	-	-	-	-	-	2	3	5	5	1
Black	50	-	-	-	-	-	2	3	12	18	10	5	16	-	-	-	-	-	-	2	3	5	5	1
Ulcer of stomach and duodenum (531-533)	53	1	-	-	1	1	5	7	13	10	11	4	33	-	-	-	-	-	-	1	3	2	9	11	7
White	40	-	-	-	-	-	4	3	11	7	11	4	22	-	-	-	-	-	-	1	2	-	5	8	6
All other	13	1	-	-	1	1	1	4	2	3	-	-	11	-	-	-	-	-	-	-	1	2	4	3	1
Black	13	1	-	-	1	1	1	4	2	3	-	-	11	-	-	-	-	-	-	1	2	4	3	1
Appendicitis (540-543)	10	-	-	-	1	1	1	1	3	1	2	-	4	-	-	-	1	-	-	-	1	1	-	1
White	7	-	-	-	1	1	1	-	3	-	1	-	3	-	-	-	-	-	-	-	1	1	-	1
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	35	3	-	-	1	4	2	2	2	8	9	4	49	1	-	-	2	-	-	3	6	8	15	14
White	24	2	-	-	1	3	2	1	-	6	7	2	37	1	-	-	1	-	-	3	4	7	9	12
All other	11	1	-	-	-	1	-	1	2	2	2	2	12	-	-	-	1	-	-	-	2	1	6	2
Black	11	1	-	-	-	1	-	1	2	2	2	2	12	-	-	-	1	-	-	-	2	1	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	248	1	–	–	1	7	48	64	67	43	16	2	140	–	1	–	–	5	16	36	41	22	15	4
White	176	1	–	–	1	3	20	44	54	37	13	2	100	–	1	–	–	1	11	20	34	17	13	3
All other	72	–	–	–	–	4	28	20	13	6	3	–	40	–	–	–	–	4	5	16	7	5	2	1
Black	72	–	–	–	–	4	28	20	13	6	3	–	38	–	–	–	–	4	5	14	7	5	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	20	–	–	–	–	–	–	–	1	8	6	5	25	–	–	–	1	–	1	1	–	6	9	7
White	15	–	–	–	–	–	–	–	1	5	4	5	17	–	–	–	–	–	1	1	–	3	5	7
All other	5	–	–	–	–	–	–	–	–	3	2	–	8	–	–	–	1	–	–	–	–	3	4	–
Black	5	–	–	–	–	–	–	–	–	3	2	–	8	–	–	–	1	–	–	–	–	3	4	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	214	7	–	–	2	10	8	12	23	53	71	28	177	3	–	–	2	4	2	10	32	35	45	49
White	107	2	–	–	–	5	3	3	15	32	33	14	102	3	–	–	2	2	2	3	14	18	27	31
All other	107	5	–	–	2	5	5	9	8	21	38	14	75	–	–	–	–	2	–	7	18	17	19	12
Black	106	5	–	–	2	5	5	8	8	21	38	14	75	–	–	–	–	2	–	7	18	17	19	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	1	–	–	1	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	36	–	–	–	1	–	1	2	1	13	10	8	26	–	–	–	–	2	–	1	2	4	8	9
White	21	–	–	–	–	–	–	2	1	7	7	4	16	–	–	–	–	1	–	1	2	3	4	5
All other	15	–	–	–	1	–	1	–	–	6	3	4	10	–	–	–	–	1	–	–	–	1	4	4
Black	15	–	–	–	1	–	1	–	–	6	3	4	10	–	–	–	–	1	–	–	–	1	4	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	6	–	–	–	10	7	10	22	39	60	20	148	3	–	–	2	2	2	9	30	30	37	33
White	84	2	–	–	–	5	3	1	14	24	25	10	84	3	–	–	2	1	2	2	12	15	22	25
All other	90	4	–	–	–	5	4	9	8	15	35	10	64	–	–	–	–	1	–	7	18	15	15	8
Black	89	4	–	–	–	5	4	8	8	15	35	10	64	–	–	–	–	1	–	7	18	15	15	8
Infections of kidney (590)	14	–	–	–	–	–	–	1	–	3	8	2	42	–	–	–	–	–	2	1	1	10	18	10
White	9	–	–	–	–	–	–	–	–	3	4	2	28	–	–	–	–	–	2	–	1	7	10	6
All other	5	–	–	–	–	–	–	1	–	–	4	–	14	–	–	–	–	–	–	1	–	3	8	2
Black	5	–	–	–	–	–	–	1	–	–	4	–	14	–	–	–	–	–	–	1	–	3	8	2
Hyperplasia of prostate (600)	15	–	–	–	–	–	–	–	1	6	3	5	***	***	***	***	***	***	***	***	***	***	***	***
White	6	–	–	–	–	–	–	–	1	2	–	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	9	–	–	–	–	–	–	–	–	4	3	2	***	***	***	***	***	***	***	***	***	***	***	***
Black	9	–	–	–	–	–	–	–	–	4	3	2	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	13	***	***	–	3	5	4	1	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	1	2	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	10	***	***	–	3	4	2	1	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	10	***	***	–	3	4	2	1	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	12	***	***	–	3	4	4	1	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	1	2	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	9	***	***	–	3	3	2	1	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	9	***	***	–	3	3	2	1	***	***	***	***
Congenital anomalies (740-759)	168	112	15	5	12	5	4	5	3	4	3	–	120	84	14	5	5	6	–	2	1	3	–	–
White	118	78	10	4	6	5	2	4	3	3	3	–	76	54	10	–	3	3	–	2	1	3	–	–
All other	50	34	5	1	6	–	2	1	–	1	–	–	44	30	4	5	2	3	–	–	–	–	–	–
Black	49	33	5	1	6	–	2	1	–	1	–	–	42	28	4	5	2	3	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	368	368	–	–	–	–	–	–	–	–	–	–	289	289	–	–	–	–	–	–	–	–	–	–
White	163	163	–	–	–	–	–	–	–	–	–	–	125	125	–	–	–	–	–	–	–	–	–	–
All other	205	205	–	–	–	–	–	–	–	–	–	–	164	164	–	–	–	–	–	–	–	–	–	–
Black	204	204	–	–	–	–	–	–	–	–	–	–	163	163	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	145	145	–	–	–	–	–	–	–	–	–	–	109	109	–	–	–	–	–	–	–	–	–	–
White	62	62	–	–	–	–	–	–	–	–	–	–	50	50	–	–	–	–	–	–	–	–	–	–
All other	83	83	–	–	–	–	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–
Black	83	83	–	–	–	–	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	223	223	–	–	–	–	–	–	–	–	–	–	186	186	–	–	–	–	–	–	–	–	–	–
White	101	101	–	–	–	–	–	–	–	–	–	–	75	75	–	–	–	–	–	–	–	–	–	–
All other	122	122	–	–	–	–	–	–	–	–	–	–	111	111	–	–	–	–	–	–	–	–	–	–
Black	121	121	–	–	–	–	–	–	–	–	–	–	110	110	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	174	55	1	–	3	3	2	12	21	34	29	10	149	25	1	–	3	2	7	7	18	25	35	25
White	99	25	1	–	1	1	1	7	14	19	20	7	81	12	1	–	2	–	5	4	10	13	19	15
All other	75	30	–	–	2	2	1	5	7	15	9	3	67	13	–	–	1	2	2	3	8	12	16	10
Black	75	30	–	–	2	2	1	5	7	15	9	3	67	13	–	–	1	2	2	3	8	12	16	10
All other diseases (Residual)	1,062	43	27	16	28	58	70	117	182	249	198	72	987	42	11	13	20	45	50	80	151	184	247	144
White	655	15	15	11	14	29	34	65	120	167	137	47	638	18	4	3	13	23	17	45	97	122	180	116
All other	407	28	12	5	14	29	36	52	62	82	61	25	349	24	7	10	7	22	33	35	54	62	67	28
Black	407	28	12	5	14	29	36	52	62	82	61	25	348	24	7	9	7	22	33	35	54	62	67	28
Accidents and adverse effects (E800-E949)	1,842	29	55	126	514	355	222	169	138	106	69	30	588	18	38	45	103	70	48	37	54	59	71	45
White	1,254	11	26	74	393	249	142	131	99	62	42	21	412	6	23	29	79	48	38	26	38	41	54	34
All other	588	18	29	52	121	106	80	58	39	44	27	9	176	12	15	16	24	24	12	11	16	18	17	11
Black	585	18	29	51	120	105	80	58	39	44	27	9	175	12	15	16	24	24	12	11	16	18	16	11
Motor vehicle accidents (E810-E825)	936	5	26	54	318	188	119	98	52	43	25	6	286	2	20	30	80	45	26	21	23	25	14	2
White	693	4	12	36	257	142	87	74	36	23	17	3	225	2	14	21	67	35	21	18	18	19	8	2
All other	243	1	14	18	61	46	32	24	16	20	8	3	63	–	6	9	13	10	5	3	5	6	6	–
Black	242	1	14	18	61	45	32	24	16	20	8	3	62	–	6	9	13	10	5	3	5	6	5	–
All other accidents and adverse effects (E800-E807, E826-E949)	906	24	29	72	196	167	103	91	86	63	44	24	300	16	18	15	23	25	22	16	31	34	57	43
White	561	7	14	38	136	107	55	57	63	39	25	18	187	4	9	8	12	11	15	8	20	22	46	32
All other	345	17	15	34	60	60	48	34	23	24	19	6	113	12	9	7	11	14	7	8	11	12	11	11
Black	343	17	15	33	59	60	48	34	23	24	19	6	113	12	9	7	11	14	7	8	11	12	11	11
Suicide (E950-E959)	370	...	...	3	95	83	45	34	54	30	23	2	131	...	...	–	26	35	20	22	12	11	5	–
White	300	...	...	3	72	64	37	29	47	26	21	1	121	...	...	–	26	30	19	22	11	9	4	–
All other	70	...	...	–	23	19	8	5	7	4	2	1	10	...	...	–	–	5	1	–	1	2	1	–
Black	69	...	...	–	22	19	8	5	7	4	2	1	10	...	...	–	–	5	1	–	1	2	1	–
Homicide and legal intervention (E960-E978)	576	5	6	5	163	187	88	50	31	23	5	3	141	1	3	2	41	30	17	20	10	9	9	4
White	163	1	4	1	49	39	25	17	10	12	4	1	56	–	1	1	16	8	3	10	8	4	1	3
All other	413	4	2	4	114	148	73	33	21	11	1	2	85	1	2	1	25	22	14	10	2	5	2	1
Black	411	4	2	3	113	146	73	33	21	11	1	2	84	1	2	1	24	22	14	10	2	5	2	1
All other external causes (E980-E999)	13	–	–	–	7	3	1	1	–	1	–	–	14	–	–	2	4	2	2	1	–	1	1	–
White	8	–	–	–	3	2	1	1	–	1	–	–	10	–	–	2	2	1	1	1	–	1	1	–
All other	5	–	–	–	4	1	–	–	–	–	–	–	4	–	–	–	2	1	1	–	–	–	–	–
Black	5	–	–	–	4	1	–	–	–	–	–	–	4	–	–	–	2	1	1	–	–	–	–	–
MAINE																								
All causes	5,499	90	16	37	173	139	155	400	919	1,397	1,419	753	4,797	68	8	19	54	45	90	218	548	956	1,462	1,327
White	5,475	89	16	37	169	138	150	395	918	1,395	1,418	751	4,780	67	8	18	54	45	88	216	546	951	1,459	1,328
All other	24	1	–	–	4	1	5	5	3	2	1	2	17	1	–	1	–	–	2	2	2	5	3	1
Black	9	–	–	–	1	–	1	2	2	2	–	1	7	–	–	1	–	–	–	–	1	3	2	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	1	–	–	2
White	1	1	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	1	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	1	–	1	–	1
White	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	1	–	1	–	1
White	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-016)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	11	-	-	-	-	-	-	-	1	3	5	2	21	1	-	-	-	-	-	1	2	3	9	5
White	11	-	-	-	-	-	-	-	1	3	5	2	21	1	-	-	-	-	-	1	2	3	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	3	-	-	1	-	1	2	1	1	3	-	9	1	-	-	-	-	1	-	3	2	1	1
White	12	3	-	-	1	-	1	2	1	1	3	-	9	1	-	-	-	-	-	-	3	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,251	1	-	5	6	16	29	97	285	397	320	95	1,091	-	1	2	3	13	39	96	231	303	272	130
White	1,247	1	-	5	6	16	28	95	285	396	320	95	1,090	-	1	2	3	13	39	96	231	302	272	130
All other	4	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	-	-	-	-	1	1	4	12	12	11	2	17	-	-	-	-	-	-	1	5	4	5	2
White	43	-	-	-	-	1	1	4	12	12	11	2	17	-	-	-	-	-	-	1	5	4	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	306	-	-	-	-	3	6	26	71	102	78	20	313	-	-	-	1	-	4	18	47	81	106	55
White	303	-	-	-	-	3	6	24	71	101	78	20	313	-	-	-	1	-	4	18	47	81	106	55
All other	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	443	-	-	-	-	-	8	39	121	158	100	17	148	-	-	-	-	2	5	20	36	50	25	8
White	442	-	-	-	-	-	7	39	121	158	100	17	148	-	-	-	-	2	5	20	36	49	25	8
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	195	-	-	-	-	1	8	28	51	48	39	20
White	-	-	-	-	-	-	-	-	-	-	-	-	195	-	-	-	-	1	8	28	51	48	39	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	118	-	-	-	2	1	-	-	10	37	44	24	135	-	-	-	-	1	13	11	37	31	32	10
White	118	-	-	-	2	1	-	-	10	37	44	24	135	-	-	-	-	1	13	11	37	31	32	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	85	-	-	-	-	-	1	5	17	28	26	10	46	-	-	-	-	1	1	1	13	14	11	5
White	85	-	-	-	-	-	1	5	17	28	26	10	46	-	-	-	-	1	1	1	13	14	11	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	152	-	-	3	2	4	7	16	35	37	35	13	131	-	1	-	-	3	5	12	18	46	27	19
White	152	-	-	3	2	4	7	16	35	37	35	13	131	-	1	-	-	3	5	12	18	46	27	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	45	1	-	2	-	1	2	3	10	6	12	6	44	-	-	1	1	5	2	2	7	9	11	6
White	45	1	-	2	-	1	2	3	10	6	12	6	44	-	-	1	1	5	2	2	7	9	11	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	59	-	-	-	2	6	4	4	9	17	14	3	61	-	-	1	1	-	-	3	15	20	18	5
White	59	-	-	-	2	6	4	4	9	17	14	3	61	-	-	1	1	-	-	3	15	20	18	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of *unspecified nature (210-239)*	20	-	-	-	-	-	-	1	6	4	6	3	23	-	-	-	1	-	-	-	2	8	5	7
White	20	-	-	-	-	-	-	1	6	4	6	3	23	-	-	-	1	-	-	-	2	8	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	71	-	-	-	-	1	2	6	7	24	19	12	88	-	-	-	-	1	1	3	11	21	29	20
White	71	-	-	-	-	1	2	6	7	24	19	12	88	-	-	-	-	1	1	3	11	21	29	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	2	2	3	10	-	-	-	-	-	-	-	1	1	3	5
White	7	-	-	-	-	-	-	-	-	2	2	3	10	-	-	-	-	-	-	-	1	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	-	-	-	-	-	-	-	4	1	2	4	-	-	-	-	1	-	-	-	-	2	1
White	7	-	-	-	-	-	-	-	-	4	1	2	4	-	-	-	-	1	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis *(320-322)*	2	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,613	3	1	1	3	13	43	176	418	688	785	481	2,620	2	-	2	6	3	21	62	198	456	930	941
White	2,606	3	1	1	3	13	43	174	416	687	784	480	2,612	2	-	2	6	3	20	61	196	454	927	940
All other	7	-	-	-	-	-	-	2	2	1	1	1	8	-	-	-	-	-	1	1	-	2	3	1
Black	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Diseases of heart (390-398,402,404-429)	2,111	3	1	1	2	11	38	160	383	578	599	336	1,896	1	-	1	5	3	15	53	157	348	671	641
White	2,106	3	1	1	2	11	38	158	381	575	599	336	1,889	1	-	1	5	3	15	52	157	348	668	640
All other	5	-	-	-	-	-	-	2	2	1	-	-	7	-	-	-	-	-	-	1	-	2	3	1
Black	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	-	-	1	2	3	3	1	24	-	-	-	-	-	1	3	4	7	8	1
White	10	-	-	-	-	-	-	1	2	3	3	1	24	-	-	-	-	-	1	3	4	7	8	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	25	-	-	-	-	-	1	1	2	3	10	8	44	-	-	-	-	-	-	2	3	11	15	13
White	25	-	-	-	-	-	1	1	2	3	10	8	44	-	-	-	-	-	-	2	3	11	15	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	1	3	1	7	-	-	-	-	-	-	-	-	2	1	4
White	5	-	-	-	-	-	-	-	-	1	3	1	7	-	-	-	-	-	-	-	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,769	-	1	-	1	4	32	141	339	503	490	256	1,493	-	-	-	-	2	8	41	131	275	529	507
White	1,765	-	1	-	1	4	32	139	339	502	490	256	1,487	-	-	-	-	2	8	40	131	274	526	506
All other	3	-	-	-	-	-	-	2	-	1	-	-	6	-	-	-	-	-	-	1	-	1	3	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Acute myocardial infarction (410)	1,095	-	1	-	1	3	23	101	235	346	278	106	774	-	-	-	-	2	5	31	92	189	290	165
White	1,093	-	1	-	1	3	23	99	235	346	278	106	771	-	-	-	-	2	5	31	92	188	288	165
All other	2	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	1	2	2	-	6	-	-	-	-	-	-	-	1	-	3	2
White	5	-	-	-	-	-	-	-	1	2	2	-	6	-	-	-	-	-	-	-	1	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	685	-	-	-	-	1	9	39	102	155	209	150	711	-	-	-	-	-	3	10	38	86	235	339
White	684	-	-	-	-	1	9	39	102	154	209	150	708	-	-	-	-	-	3	9	38	86	234	338
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	25	-	-	-	-	1	-	2	2	7	10	3	27	-	-	-	1	-	1	2	1	6	9	7
White	25	-	-	-	-	1	-	2	2	7	10	3	27	-	-	-	1	-	1	2	1	6	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	278	3	-	1	1	6	5	15	38	59	83	67	301	1	-	1	4	1	5	5	18	47	109	109
White	276	3	-	1	1	6	5	15	36	59	83	67	300	1	-	1	4	1	5	5	18	46	109	109
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertension with or without renal disease (401,403)	12	-	-	-	-	-	-	-	1	3	4	4	30	-	-	-	-	-	-	-	2	6	10	12
White	12	-	-	-	-	-	-	-	1	3	4	4	30	-	-	-	-	-	-	-	2	6	10	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	333	-	-	-	1	1	4	13	25	77	130	82	531	-	-	-	1	-	5	7	30	85	196	205
White	331	-	-	-	1	1	4	13	25	77	129	81	530	-	-	-	1	-	4	7	30	85	196	205
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	44	-	-	-	-	1	2	6	3	12	13	7	78	-	-	-	-	-	1	-	7	13	35	22
White	43	-	-	-	-	1	2	6	3	12	13	6	77	-	-	-	-	-	1	-	7	13	35	22
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	71	-	-	-	-	-	-	1	8	22	28	12	81	-	-	-	-	-	2	-	3	9	32	35
White	71	-	-	-	-	-	-	1	8	22	28	12	81	-	-	-	-	-	2	-	3	9	32	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	-	1	-	3
White	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	216	-	-	-	1	-	2	6	13	43	88	63	368	-	-	-	1	-	2	7	20	62	131	145
White	215	-	-	-	1	-	2	6	13	43	87	63	368	-	-	-	1	-	2	7	20	62	131	145
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	82	-	-	-	-	-	1	1	4	8	26	42	108	-	-	-	-	-	-	-	2	10	29	67
White	82	-	-	-	-	-	1	1	4	8	26	42	108	-	-	-	-	-	-	-	2	10	29	67
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	75	-	-	-	-	1	-	2	5	24	26	17	55	1	-	1	-	-	1	2	5	7	22	16
White	75	-	-	-	-	1	-	2	5	24	26	17	55	1	-	1	-	-	1	2	5	7	22	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	113	-	-	2	1	1	2	3	14	26	33	31	106	1	-	-	1	-	-	3	4	13	31	55
White	113	-	-	2	1	1	2	3	14	26	33	31	107	1	-	-	1	-	-	3	3	13	31	55
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	112	-	-	2	1	1	2	3	14	26	32	31	102	1	-	-	1	-	-	3	4	11	30	52
White	112	-	-	2	1	1	2	3	14	26	32	31	101	1	-	-	1	-	-	3	3	11	30	52
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	2	1	3
White	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	241	-	-	-	-	2	2	8	38	90	77	24	85	-	-	-	-	-	1	5	16	29	24	10
White	241	-	-	-	-	2	2	8	38	90	77	24	84	-	-	-	-	-	1	5	15	29	24	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	28	-	-	-	-	-	-	-	5	12	8	3	10	-	-	-	-	-	-	-	4	2	2	2
White	28	-	-	-	-	-	-	-	5	12	8	3	10	-	-	-	-	-	-	-	4	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	64	-	-	-	-	2	-	4	12	23	20	3	18	-	-	-	-	-	-	2	1	9	2	2
White	64	-	-	-	-	2	-	4	12	23	20	3	18	-	-	-	-	-	-	2	1	9	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	-	-	-	-	2	1	1	-	9	-	-	-	-	-	-	1	1	2	2	3	-
White	4	-	-	-	-	-	-	-	2	1	1	-	8	-	-	-	-	-	-	1	1	1	2	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	145	-	-	-	-	-	2	4	19	54	48	18	50	-	-	-	-	-	-	-	2	9	16	17	6
White	145	-	-	-	-	-	2	4	19	54	48	18	50	-	-	-	-	-	-	-	2	9	16	17	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	20	-	-	-	-	-	-	1	3	7	7	2	10	-	-	-	-	-	-	-	-	1	2	2	5
White	20	-	-	-	-	-	-	1	3	7	7	2	10	-	-	-	-	-	-	-	-	1	2	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	-	-	-	3	3	4	20	-	-	-	-	-	-	-	-	3	9	8
White	10	-	-	-	-	-	-	-	-	3	3	4	20	-	-	-	-	-	-	-	-	3	9	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	101	-	-	-	-	1	6	23	34	25	8	2	59	-	-	-	-	-	-	2	10	15	23	6	3
White	100	-	-	-	-	1	7	23	34	25	8	2	58	-	-	-	-	-	-	2	10	15	22	6	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	-	2	5	4	13	-	-	-	-	-	-	-	-	3	3	4	6
White	11	-	-	-	-	-	-	-	-	2	5	4	13	-	-	-	-	-	-	-	-	3	3	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	51	-	-	-	-	-	2	2	5	4	21	17	47	-	-	-	-	-	-	-	1	3	10	17	16
White	51	-	-	-	-	-	2	2	5	4	21	17	47	-	-	-	-	-	-	-	1	3	10	17	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	–	–	–	–	–	1	1	3	–	8	3	8	–	–	–	–	–	–	–	1	1	3	3
White	16	–	–	–	–	–	1	1	3	–	8	3	8	–	–	–	–	–	–	–	1	1	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	–	–	–	–	–	1	1	2	4	13	14	37	–	–	–	–	–	–	1	2	9	13	12
White	35	–	–	–	–	–	1	1	2	4	13	14	37	–	–	–	–	–	–	1	2	9	13	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	12	–	–	–	–	–	1	–	–	5	2	4	9	–	–	–	–	–	–	–	2	1	5	1
White	12	–	–	–	–	–	1	–	–	5	2	4	9	–	–	–	–	–	–	–	2	1	5	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
White	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	–	1	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	–	1	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	–	1	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	–	–	1	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	46	26	5	3	2	3	–	2	2	1	1	1	33	20	–	1	2	2	2	1	2	1	1	1
White	46	26	5	3	2	3	–	2	2	1	1	1	33	20	–	1	2	2	2	1	2	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	35	35	–	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
White	35	35	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	7	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
White	7	7	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	28	28	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
White	28	28	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	21	14	1	–	–	–	–	1	2	2	1	18	9	–	–	–	–	–	–	–	1	2	5	
White	20	13	1	–	–	–	–	1	2	2	1	18	9	–	–	–	–	–	–	–	1	2	5	
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	307	5	2	2	4	8	6	27	58	63	88	44	296	5	–	3	6	7	4	15	37	57	84	80
White	307	5	2	2	4	8	6	27	58	63	88	44	297	5	–	3	6	7	4	15	37	56	84	80
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Accidents and adverse effects (E800-E949)	388	1	7	21	127	65	39	28	28	30	24	18	135	1	6	11	26	11	8	6	10	12	25	19
White	382	1	7	21	125	65	37	27	28	30	24	17	134	1	6	10	26	11	8	6	10	12	25	19
All other	6	–	–	–	2	–	2	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	200	–	2	11	95	38	19	9	8	11	4	3	67	1	1	8	24	10	7	3	3	3	6	1
White	197	–	2	11	94	38	17	9	8	11	4	3	67	1	1	8	24	10	7	3	3	3	6	1
All other	3	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E849)	188	1	5	10	32	27	20	19	20	19	20	15	68	–	5	3	2	1	1	3	7	9	19	18
White	185	1	5	10	31	27	20	18	20	19	20	14	67	–	5	2	2	1	1	3	7	9	19	18
All other	3	–	–	–	1	–	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Suicide (E950-E959)	115	...	...	2	22	23	16	17	17	9	7	2	42	...	...	–	4	5	9	12	6	3	1	–
White	113	...	...	2	21	23	15	17	17	9	7	2	42	...	...	–	4	5	9	12	6	3	1	–
All other	2	...	...	–	1	–	1	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Black	1	...	...	–	–	–	1	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	20	–	–	–	5	4	1	6	–	4	–	–	11	–	1	–	4	1	1	1	–	2	1	–
White	18	–	–	–	4	3	1	6	–	4	–	–	11	–	1	–	4	1	1	1	–	2	1	–
All other	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	7	1	–	–	1	2	2	1	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
White	7	1	–	–	1	2	2	1	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MARYLAND																								
All causes	17,715	462	77	97	558	619	715	1,734	3,569	4,620	3,886	1,545	15,032	381	52	74	217	263	475	1,028	2,192	3,247	3,865	3,106
White	13,788	249	46	69	408	359	434	1,224	2,768	3,790	3,100	1,323	12,109	207	31	46	149	158	299	709	1,673	2,597	3,442	2,791
All other	3,927	213	31	28	150	260	281	510	801	830	586	222	2,923	174	21	28	68	105	176	320	519	650	543	315
Black	3,878	210	30	27	150	257	277	504	792	821	577	218	2,884	170	21	28	66	104	172	316	517	644	541	311
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	3	2	–	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
White	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	18	–	–	–	–	–	1	4	–	7	4	2	13	–	–	–	–	1	1	2	1	5	2	1
White	10	–	–	–	–	–	–	1	–	3	4	2	8	–	–	–	–	1	1	1	1	2	1	1
All other	8	–	–	–	–	–	1	3	–	4	–	–	5	–	–	–	–	–	–	1	–	3	1	–
Black	8	–	–	–	–	–	1	3	–	4	–	–	5	–	–	–	–	–	–	1	–	3	1	–
Tuberculosis of respiratory system (010-012)	14	–	–	–	–	–	1	3	–	4	4	2	11	–	–	–	–	1	1	2	1	3	2	1
White	8	–	–	–	–	–	–	1	–	1	4	2	7	–	–	–	–	1	1	1	1	1	1	1
All other	6	–	–	–	–	–	1	2	–	3	–	–	4	–	–	–	–	–	–	1	–	2	1	–
Black	6	–	–	–	–	–	1	2	–	3	–	–	4	–	–	–	–	–	–	1	–	2	1	–
Other tuberculosis (013-016)	4	–	–	–	–	–	–	1	–	3	–	–	2	–	–	–	–	–	–	–	–	2	–	–
White	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	–	1	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	96	2	1	–	1	–	4	2	21	20	28	17	114	–	2	–	–	1	3	3	18	29	35	23
White	65	1	–	–	1	–	2	2	14	15	17	13	89	–	2	–	–	–	2	2	11	21	31	20
All other	31	1	1	–	–	–	2	–	7	5	11	4	25	–	–	–	–	1	1	1	7	8	4	3
Black	31	1	1	–	–	–	2	–	7	5	11	4	24	–	–	–	–	1	1	1	7	8	4	2
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	8	-	-	-	1	-	-	-	2	5	-	-	7	-	-	-	-	3	-	1	2	1	-	-
White	5	-	-	-	-	-	-	-	2	3	-	-	4	-	-	-	-	1	-	1	1	1	-	-
All other	3	-	-	-	1	-	-	-	-	2	-	-	3	-	-	-	-	2	-	-	1	-	-	-
Black	3	-	-	-	1	-	-	-	-	2	-	-	3	-	-	-	-	2	-	-	1	-	-	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	1	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 096-139)	31	-	2	-	1	2	-	4	6	8	5	3	34	3	-	1	2	4	3	6	2	7	5	1
White	20	-	1	-	1	1	-	1	6	6	2	2	23	2	-	1	-	2	2	3	2	5	5	1
All other	11	-	1	-	-	1	-	3	-	2	3	1	11	1	-	-	2	2	1	3	-	2	-	-
Black	11	-	1	-	-	1	-	3	-	2	3	1	11	1	-	-	2	2	1	3	-	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,183	-	9	16	35	29	116	473	1,105	1,334	836	228	3,491	-	4	14	12	51	180	469	862	911	673	312
White	3,295	-	7	15	28	22	77	351	851	1,059	695	189	2,854	-	2	9	10	35	139	355	697	755	573	277
All other	888	-	2	1	7	7	39	122	254	275	141	39	637	-	2	5	2	16	41	114	165	156	100	35
Black	881	-	2	1	7	7	39	122	251	274	140	37	628	-	2	5	2	16	39	113	164	158	99	35
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	137	-	-	-	-	-	6	22	38	44	23	3	43	-	-	-	-	-	3	9	14	7	9	1
White	99	-	-	-	-	-	1	12	24	39	20	3	32	-	-	-	-	-	3	3	10	7	8	1
All other	38	-	-	-	-	-	5	10	14	5	3	-	11	-	-	-	-	-	-	6	4	-	1	-
Black	38	-	-	-	-	-	5	10	14	5	3	-	11	-	-	-	-	-	-	6	4	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,087	-	-	-	3	5	26	129	286	348	227	63	956	-	-	-	1	8	23	79	193	292	292	127
White	837	-	-	-	2	4	18	97	207	265	194	50	757	-	-	-	1	5	15	56	150	231	188	111
All other	250	-	-	-	1	1	8	32	79	83	33	13	199	-	-	-	-	3	8	23	43	61	44	16
Black	247	-	-	-	1	1	8	32	78	82	33	12	195	-	-	-	-	3	7	22	43	60	48	16
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,300	-	-	-	1	3	41	197	483	514	236	45	614	-	-	-	-	3	17	92	195	172	106	28
White	1,186	-	-	-	1	3	21	147	361	420	193	40	511	-	-	-	-	3	13	69	156	147	99	28
All other	314	-	-	-	-	-	20	50	102	94	43	5	103	-	-	-	-	-	4	23	39	25	7	5
Black	312	-	-	-	-	-	20	50	102	94	42	4	102	-	-	-	-	-	4	23	39	24	7	5
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	684	-	-	-	-	12	60	141	192	190	98	60
White	-	-	-	-	-	-	-	-	-	-	-	-	580	-	-	-	-	7	46	107	165	114	85	55
All other	-	-	-	-	-	-	-	-	-	-	-	-	114	-	-	-	-	5	14	34	27	16	13	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	114	-	-	-	-	5	14	34	27	16	13	5
Malignant neoplasms of genital organs (179-187)	421	-	-	-	2	1	1	4	58	131	163	60	386	-	-	-	3	8	27	51	101	107	65	24
White	292	-	-	-	2	1	-	3	36	82	124	43	305	-	-	-	2	5	21	39	80	84	53	21
All other	129	-	-	-	-	-	1	1	22	49	39	17	81	-	-	-	1	3	6	12	21	23	12	3
Black	129	-	-	-	-	-	1	1	22	49	39	17	78	-	-	-	1	3	5	12	21	22	12	3
Malignant neoplasms of urinary organs (188-189)	193	-	-	-	1	-	4	21	45	58	50	14	95	-	-	-	-	2	5	12	15	26	19	16
White	170	-	-	-	1	-	3	16	39	51	48	12	75	-	-	-	-	1	3	8	10	23	16	14
All other	23	-	-	-	-	-	1	5	6	7	2	2	20	-	-	-	-	1	2	4	5	3	3	2
Black	22	-	-	-	-	-	1	5	5	7	2	2	19	-	-	-	-	-	2	4	5	3	3	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	486	-	6	4	10	11	22	55	141	146	72	19	436	-	3	8	4	7	34	54	106	105	80	35
White	413	-	5	4	7	6	21	42	123	124	62	19	361	-	1	4	3	6	29	45	86	87	67	32
All other	73	-	1	-	3	5	1	13	18	22	10	-	75	-	2	4	1	1	5	9	20	18	13	3
Black	73	-	1	-	3	5	1	13	18	22	10	-	74	-	2	4	1	1	5	9	19	18	13	3
Leukemia (204-208)	165	-	3	6	16	4	7	14	25	47	31	12	109	-	1	5	2	5	7	12	10	25	29	13
White	142	-	2	6	13	3	5	12	21	41	27	12	98	-	1	4	2	2	6	11	10	22	27	13
All other	23	-	1	-	3	1	2	2	4	6	4	-	11	-	-	1	-	3	1	1	-	3	2	-
Black	23	-	1	-	3	1	2	2	4	6	4	-	11	-	-	1	-	3	1	1	-	3	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	194	-	-	6	2	5	9	31	49	46	34	12	158	-	-	1	2	5	4	19	36	47	35	8
White	156	-	-	5	2	5	8	22	40	37	27	10	135	-	-	1	2	5	3	16	30	40	30	7
All other	38	-	-	1	-	-	1	9	9	9	7	2	23	-	-	-	-	-	1	3	6	7	5	1
Black	37	-	-	1	-	-	1	9	8	9	7	2	23	-	-	-	-	-	1	3	6	7	5	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	67	-	2	1	1	4	3	7	9	25	10	5	67	-	1	1	-	3	3	4	15	15	16	9
White	51	-	2	1	-	2	1	4	6	21	10	4	52	-	1	1	-	3	1	2	10	12	14	8
All other	16	-	-	-	1	2	2	3	3	4	-	1	15	-	-	-	-	-	2	2	5	3	2	1
Black	16	-	-	-	1	2	2	3	3	4	-	1	15	-	-	-	-	-	2	2	5	3	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	289	-	-	-	1	9	9	26	61	89	58	15	409	-	-	-	3	4	6	24	69	126	121	55
White	194	-	-	-	1	6	6	21	39	63	48	10	284	-	-	-	1	4	2	12	42	91	103	39
All other	75	-	-	-	-	3	3	5	22	26	10	5	124	-	-	-	2	-	4	12	27	45	18	16
Black	74	-	-	-	-	3	3	5	22	25	10	5	123	-	-	-	2	-	4	12	27	44	18	16
Nutritional deficiencies (260-269)	14	-	-	-	-	1	-	3	-	4	4	2	20	-	-	-	-	-	-	-	4	4	4	8
White	8	-	-	-	-	-	-	2	-	2	2	2	19	-	-	-	-	-	-	-	4	4	3	8
All other	6	-	-	-	-	1	-	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	34	-	2	1	1	2	1	2	2	9	10	4	40	1	3	3	2	2	4	-	2	12	5	6
White	25	-	1	-	-	-	-	2	1	8	10	3	25	1	1	2	1	-	1	-	-	10	3	6
All other	9	-	1	1	1	2	1	-	1	1	-	1	15	-	2	1	1	2	3	-	2	2	2	-
Black	9	-	1	1	1	2	1	-	1	1	-	1	15	-	2	1	1	2	3	-	2	2	2	-
Meningitis (320-322)	13	2	1	-	-	1	1	2	2	3	1	-	6	2	1	-	-	-	1	-	-	1	1	-
White	8	2	1	-	-	1	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	5	-	-	-	-	-	-	2	2	-	1	-	5	2	1	-	-	-	1	-	-	-	1	-
Black	5	-	-	-	-	-	-	2	2	-	1	-	5	2	1	-	-	-	1	-	-	-	1	-
Major cardiovascular diseases (390-448)	8,123	11	5	9	12	61	220	758	1,710	2,324	2,041	967	7,662	7	-	5	12	34	88	296	825	1,609	2,554	2,230
White	6,749	6	4	9	8	37	152	581	1,361	1,961	1,757	853	6,385	6	-	2	6	20	45	186	616	1,263	2,217	2,022
All other	1,374	5	1	-	4	24	68	177	349	343	284	114	1,277	1	-	3	6	14	41	110	209	346	337	206
Black	1,354	5	1	-	4	23	65	174	345	340	279	113	1,270	1	-	3	6	14	41	109	209	344	336	205
Diseases of heart (390-398,402,404-429)	6,768	9	4	3	10	44	199	693	1,495	1,931	1,625	747	5,845	5	-	2	10	21	58	204	660	1,279	1,915	1,687
White	5,689	5	3	3	7	28	143	546	1,210	1,665	1,412	662	4,889	5	-	1	5	13	34	194	518	1,017	1,653	1,507
All other	1,079	4	1	-	3	16	56	147	285	266	213	85	956	-	-	1	5	8	24	70	162	262	262	180
Black	1,064	4	1	-	3	15	53	144	282	265	210	84	952	-	-	1	5	8	24	70	162	260	262	158
Rheumatic fever and rheumatic heart disease (390-398)	39	-	-	-	1	-	3	5	10	15	5	-	66	-	-	-	2	2	6	11	15	30	14	6
White	38	-	-	-	1	-	3	5	10	14	5	-	73	-	-	-	-	-	5	9	14	27	12	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	13	-	-	-	2	2	1	2	1	3	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	13	-	-	-	2	2	1	2	1	3	2	-
Hypertensive heart disease (402)	304	-	-	-	1	4	17	44	92	89	47	13	348	-	-	-	-	1	5	25	56	86	102	72
White	180	-	-	-	-	1	9	19	53	51	33	11	245	-	-	-	-	-	-	13	29	61	80	62
All other	124	-	-	-	1	3	8	25	39	32	14	2	103	-	-	-	-	1	5	12	27	25	22	10
Black	123	-	-	-	1	3	8	25	38	32	14	2	103	-	-	-	-	1	5	12	27	25	22	10
Hypertensive heart and renal disease (404)	30	-	-	-	-	-	1	3	3	9	8	6	45	-	-	-	-	-	-	-	5	11	16	13
White	23	-	-	-	-	-	-	2	2	8	6	5	28	-	-	-	-	-	-	-	2	7	7	10
All other	7	-	-	-	-	-	1	1	1	1	2	1	18	-	-	-	-	-	-	-	3	4	9	3
Black	7	-	-	-	-	-	1	1	1	1	2	1	19	-	-	-	-	-	-	-	3	4	9	3
Ischemic heart disease (410-414)	3,683	-	-	-	-	17	97	393	901	1,163	921	369	2,994	2	-	-	-	2	15	101	374	710	1,027	763
White	3,462	-	-	-	-	11	79	342	788	1,075	831	337	2,634	2	-	-	-	2	12	75	301	604	924	714
All other	421	-	-	-	-	6	18	51	115	108	90	32	360	-	-	-	-	-	3	26	73	106	103	49
Black	412	-	-	-	-	5	17	48	114	107	88	32	357	-	-	-	-	-	3	26	73	104	103	48
Acute myocardial infarction (410)	2,607	-	-	-	-	9	73	277	685	801	588	193	1,907	2	-	-	-	2	8	80	285	511	656	363
White	2,334	-	-	-	-	7	61	242	585	725	539	175	1,661	2	-	-	-	2	6	60	232	438	586	335
All other	273	-	-	-	-	2	12	35	80	76	49	18	246	-	-	-	-	-	2	20	53	73	70	28
Black	269	-	-	-	-	2	12	33	80	75	48	18	245	-	-	-	-	-	2	20	53	72	70	28
Other acute and subacute forms of ischemic heart disease (411)	68	-	-	-	-	2	-	11	21	16	11	6	38	-	-	-	-	-	-	-	9	8	11	10
White	59	-	-	-	-	1	-	10	18	15	10	4	37	-	-	-	-	-	-	-	8	8	11	10
All other	9	-	-	-	-	1	-	1	3	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-
Black	8	-	-	-	-	1	-	1	2	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-
Angina pectoris (413)	15	-	-	-	-	-	-	2	3	5	4	1	7	-	-	-	-	-	-	-	-	3	2	2
White	14	-	-	-	-	-	-	2	3	4	4	1	7	-	-	-	-	-	-	-	-	3	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,193	-	-	-	-	6	24	103	212	361	316	169	1,042	-	-	-	-	-	-	7	21	80	188	358	388
White	1,055	-	-	-	-	3	18	88	180	331	276	157	929	-	-	-	-	-	-	6	15	61	155	325	367
All other	138	-	-	-	-	3	6	15	32	30	40	12	113	-	-	-	-	-	-	1	6	19	33	33	21
Black	134	-	-	-	-	2	5	14	32	30	39	12	111	-	-	-	-	-	-	1	6	19	32	33	20
Other diseases of endocardium (424)	70	1	-	-	1	3	3	5	16	18	19	4	55	-	-	-	-	1	-	1	6	14	24	9
White	67	-	-	-	1	2	3	5	16	17	19	4	48	-	-	-	-	-	-	1	4	12	23	8
All other	3	1	-	-	-	1	-	-	-	1	-	-	7	-	-	-	-	1	-	-	2	2	1	1
Black	3	1	-	-	-	1	-	-	-	1	-	-	7	-	-	-	-	1	-	-	2	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,442	8	4	3	7	20	78	243	473	623	625	355	2,317	3	–	2	8	15	32	66	224	428	732	804
White	1,919	5	3	3	5	14	49	173	343	500	518	305	1,863	3	–	1	5	11	17	36	168	308	607	707
All other	523	3	1	–	2	6	29	70	130	123	107	50	454	–	–	1	3	4	15	30	56	122	125	97
Black	518	3	1	–	2	6	27	70	129	123	106	49	453	–	–	1	3	4	15	30	56	122	125	96
Hypertension with or without renal disease (401,403)	57	–	–	–	1	2	–	4	11	19	12	8	61	–	–	–	–	–	1	4	6	14	17	19
White	38	–	–	–	–	1	–	2	5	17	8	5	41	–	–	–	–	–	–	2	1	7	14	17
All other	19	–	–	–	1	1	–	2	6	2	4	3	20	–	–	–	–	–	1	2	5	7	3	2
Black	19	–	–	–	1	1	–	2	6	2	4	3	20	–	–	–	–	–	1	2	5	7	3	2
Cerebrovascular diseases (430-438)	923	2	–	–	1	15	18	50	138	248	310	138	1,358	2	–	3	1	11	22	81	114	248	486	390
White	706	1	–	–	1	8	8	26	94	192	254	121	1,102	1	–	1	–	5	9	44	76	179	428	359
All other	217	1	–	–	–	7	10	24	44	56	56	17	256	1	–	2	1	6	13	37	38	69	58	31
Black	212	1	–	–	–	7	10	24	43	54	54	17	253	1	–	2	1	6	13	36	38	69	57	30
Intracerebral and other intracranial hemorrhage (431-432)	153	1	–	–	–	4	10	15	39	38	38	6	180	2	–	–	–	4	8	34	34	42	37	19
White	109	–	–	–	–	1	4	6	27	30	34	6	132	1	–	–	–	2	2	17	26	36	30	18
All other	44	1	–	–	–	3	6	9	12	8	4	–	48	1	–	–	–	2	6	17	8	6	7	1
Black	43	1	–	–	–	3	6	9	11	8	4	–	46	1	–	–	–	2	6	16	8	6	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	148	–	–	–	–	–	1	8	16	40	57	24	242	–	–	–	–	–	1	6	11	29	106	87
White	124	–	–	–	–	–	–	7	13	29	54	21	208	–	–	–	–	–	–	7	6	19	95	81
All other	22	–	–	–	–	–	1	1	3	11	3	3	34	–	–	–	–	–	1	1	5	10	11	6
Black	22	–	–	–	–	–	1	1	3	11	3	3	34	–	–	–	–	–	1	1	5	10	11	6
Cerebral embolism (434.1)	1	–	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	2	3	–
White	1	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	623	1	–	–	1	10	7	27	83	170	215	108	931	–	–	3	1	7	13	39	69	175	340	284
White	472	1	–	–	1	6	4	13	54	133	168	94	758	–	–	1	–	3	7	20	44	123	360	260
All other	151	–	–	–	–	4	3	14	29	37	49	14	173	–	–	2	1	4	6	19	25	52	40	24
Black	147	–	–	–	–	4	3	14	29	35	47	14	172	–	–	2	1	4	6	19	25	52	40	23
Atherosclerosis (440)	138	–	–	–	–	–	–	3	12	30	43	50	252	–	–	–	–	–	–	2	6	29	91	124
White	114	–	–	–	–	–	–	2	9	22	37	44	231	–	–	–	–	–	–	1	6	26	83	116
All other	24	–	–	–	–	–	–	1	3	8	6	6	21	–	–	–	–	–	–	1	–	4	8	8
Black	24	–	–	–	–	–	–	1	3	8	6	6	21	–	–	–	–	–	–	1	–	4	8	8
Other diseases of arteries, arterioles, and capillaries (441-448)	237	–	1	–	–	–	3	8	54	90	51	24	146	–	–	–	1	2	5	5	19	39	45	30
White	202	–	1	–	–	–	1	5	43	85	46	21	122	–	–	–	1	2	2	5	15	35	39	23
All other	35	–	–	–	–	–	2	3	11	11	5	3	24	–	–	–	–	–	3	–	4	4	6	7
Black	35	–	–	–	–	–	2	3	11	11	5	3	24	–	–	–	–	–	3	–	4	4	6	7
Acute bronchitis and bronchiolitis (466)	2	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–	–	–	1	–
White	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	309	12	1	1	3	4	11	20	33	62	91	68	282	5	1	–	2	3	10	12	13	37	74	125
White	218	5	1	–	1	3	7	4	27	48	68	52	247	3	1	–	1	–	7	8	9	32	66	117
All other	91	7	–	1	2	1	4	16	6	14	23	16	35	2	–	–	1	3	3	4	4	5	5	8
Black	89	7	–	1	2	1	4	16	6	13	22	16	35	2	–	–	1	3	3	4	4	5	5	8
Pneumonia (480-486)	309	12	1	1	3	4	11	20	33	62	91	68	280	5	1	–	2	3	10	12	13	37	73	124
White	218	5	1	–	1	3	7	4	27	48	68	52	245	3	1	–	1	–	7	8	9	32	66	116
All other	91	7	–	1	2	1	4	16	6	14	23	16	35	2	–	–	1	3	3	4	4	5	5	8
Black	89	7	–	1	2	1	4	16	6	13	22	16	35	2	–	–	1	3	3	4	4	5	5	8
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	518	–	–	–	2	–	3	17	103	191	155	47	224	–	–	–	1	4	5	13	53	71	58	24
White	447	–	–	–	1	–	1	11	87	167	137	43	196	–	–	–	–	2	2	10	44	67	49	22
All other	71	–	–	–	1	–	2	6	16	24	18	4	28	–	–	–	1	2	3	3	9	4	4	2
Black	71	–	–	–	1	–	2	6	16	24	18	4	27	–	–	–	1	2	3	3	8	4	4	2
Bronchitis, chronic and unspecified (490-491)	37	–	–	–	–	–	–	1	9	14	9	4	15	–	–	–	–	–	–	–	6	7	1	1
White	35	–	–	–	–	–	–	1	9	12	9	4	14	–	–	–	–	–	–	–	6	7	1	–
All other	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Emphysema (492)	107	–	–	–	–	–	1	4	23	37	36	6	47	–	–	–	–	–	1	3	13	18	9	3
White	99	–	–	–	–	–	–	4	22	31	36	6	43	–	–	–	–	–	1	2	11	17	9	3
All other	8	–	–	–	–	–	1	–	1	6	–	–	4	–	–	–	–	–	–	1	2	1	–	–
Black	8	–	–	–	–	–	1	–	1	6	–	–	4	–	–	–	–	–	–	1	2	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	19	-	-	-	1	-	2	-	6	4	2	4	21	-	-	-	1	4	3	1	4	2	2	4
White	12	-	-	-	-	-	1	-	4	4	1	2	10	-	-	-	-	2	1	-	1	1	2	3
All other	7	-	-	-	1	-	1	-	2	-	1	2	11	-	-	-	1	2	2	1	3	1	-	1
Black	7	-	-	-	1	-	1	-	2	-	1	2	11	-	-	-	1	2	2	1	3	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	355	-	-	-	1	-	-	12	65	138	108	33	141	-	-	-	-	-	1	9	30	44	41	16
White	301	-	-	-	1	-	-	6	52	120	91	31	129	-	-	-	-	-	-	8	26	42	37	16
All other	54	-	-	-	-	-	-	6	13	18	17	2	12	-	-	-	-	-	1	1	4	2	4	-
Black	54	-	-	-	-	-	-	6	13	18	17	2	11	-	-	-	-	-	1	1	3	2	4	-
Ulcer of stomach and duodenum (531-533)	49	-	-	-	-	-	3	3	8	14	15	6	35	-	-	-	-	-	1	1	4	4	11	10
White	41	-	-	-	-	-	2	2	7	12	13	5	30	-	-	-	-	-	1	-	3	4	2	11	9
All other	8	-	-	-	-	-	1	1	1	2	2	1	5	-	-	-	-	-	-	1	1	-	2	-	1
Black	6	-	-	-	-	-	1	1	1	2	2	1	5	-	-	-	-	-	-	1	1	-	2	-	1
Appendicitis (540-543)	5	-	-	-	-	-	-	-	1	2	1	1	8	-	-	-	1	-	-	-	-	1	1	2	1
White	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	-	1	1	2	1
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	4	-	-	-	-	1	1	2	14	11	5	63	-	-	-	-	1	-	1	1	11	15	17	17
White	29	4	-	-	-	-	-	1	2	9	9	5	46	-	-	-	-	-	-	1	8	11	11	15
All other	9	-	-	-	-	-	1	-	-	5	2	-	17	-	-	-	-	1	-	1	-	3	4	6	2
Black	9	-	-	-	-	-	1	-	-	5	2	-	17	-	-	-	-	1	-	1	-	3	4	6	2
Chronic liver disease and cirrhosis (571)	330	-	-	-	2	12	42	87	96	66	20	3	180	-	-	-	1	2	9	19	34	62	34	16	3
White	242	-	-	-	2	5	24	58	77	58	16	2	134	-	-	-	1	1	4	7	22	50	31	15	3
All other	88	-	-	-	-	7	18	31	19	10	2	1	46	-	-	-	-	1	5	12	12	12	3	1	-
Black	87	-	-	-	-	7	18	31	19	9	2	1	46	-	-	-	-	1	5	12	12	12	3	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	-	1	4	9	6	4	26	-	-	-	-	-	2	-	2	2	7	7	6
White	20	-	-	-	-	-	-	1	3	7	5	4	23	-	-	-	-	-	-	-	2	1	7	7	6
All other	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	2	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	2	-	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	157	3	-	-	-	4	5	11	24	42	49	19	155	1	1	1	2	2	6	7	15	34	53	32
White	106	1	-	-	-	4	2	4	14	28	35	18	101	1	1	-	1	2	1	4	5	23	38	24
All other	51	2	-	-	-	-	3	7	10	14	14	1	54	-	-	1	1	-	5	3	10	11	15	8
Black	51	2	-	-	-	-	3	7	10	14	14	1	54	-	-	1	1	-	5	3	10	11	15	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	-	-	4	1	-	2	4	4	1	11	-	-	-	-	-	-	1	1	-	3	6
White	12	-	-	-	-	4	-	-	2	3	2	1	10	-	-	-	-	-	-	1	-	-	3	6
All other	4	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	140	3	-	-	-	-	3	11	22	38	45	18	141	1	1	1	2	2	6	6	14	33	48	26
White	93	1	-	-	-	-	1	4	12	25	33	17	89	1	1	-	1	2	1	3	5	23	33	18
All other	47	2	-	-	-	-	2	7	10	13	12	1	52	-	-	1	1	-	5	3	9	10	15	8
Black	47	2	-	-	-	-	2	7	10	13	12	1	52	-	-	1	1	-	5	3	9	10	15	8
Infections of kidney (590)	14	1	-	-	-	-	-	2	2	4	1	4	23	-	-	-	-	-	-	2	6	9	4	2
White	13	1	-	-	-	-	-	1	2	4	1	4	19	-	-	-	-	-	-	2	4	8	4	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	2	1	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	2	1	-	1
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	-	3	5	9	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	2	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	7	-	-	-	-	-	-	-	-	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	7	-	-	-	-	-	-	-	-	2	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
Congenital anomalies (740-759)	118	81	10	4	5	4	2	4	1	3	1	1	128	81	8	6	1	4	4	5	7	4	3	3
White	85	58	6	4	4	3	1	3	-	3	1	1	91	56	5	6	1	3	2	3	5	4	3	3
All other	33	23	4	-	1	1	1	1	1	-	-	-	37	25	3	2	-	1	2	2	2	-	-	-
Black	31	21	4	-	1	1	1	1	1	-	-	-	36	25	3	2	-	1	1	2	2	-	-	-
Certain conditions originating in the perinatal period (760-779)	265	259	2	-	-	-	-	-	-	-	-	-	222	221	-	-	-	-	-	-	-	1	-	-
White	131	129	-	-	-	-	-	-	-	-	-	-	116	115	-	-	-	-	-	-	-	1	-	-
All other	134	130	2	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Black	133	129	2	-	-	-	-	-	-	-	-	-	104	104	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	82	81	1	-	-	-	-	-	-	-	-	-	61	61	-	-	-	-	-	-	-	-	-	-
White	41	41	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
All other	41	40	1	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	40	39	1	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	183	178	1	-	-	-	-	-	-	-	-	-	161	160	-	-	-	-	-	-	-	1	-	-
White	90	88	-	-	-	-	-	-	-	-	-	-	80	79	-	-	-	-	-	-	-	1	-	-
All other	93	90	1	-	-	-	-	-	-	-	-	-	81	81	-	-	-	-	-	-	-	-	-	-
Black	93	90	1	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	203	54	2	1	19	31	19	19	19	18	11	8	167	45	4	2	14	17	25	7	14	10	13	15
White	111	26	-	1	12	12	10	6	12	16	9	6	105	14	2	-	11	10	19	6	11	8	11	12
All other	92	28	2	-	7	19	9	13	7	3	2	2	62	31	2	2	3	7	6	1	3	2	2	3
Black	82	28	2	-	7	19	9	13	7	3	2	2	60	29	2	2	3	7	6	1	3	2	2	3
All other diseases (Residual)	1,023	19	9	10	33	54	66	112	190	229	214	86	935	9	10	12	11	26	42	74	139	219	223	166
White	690	7	6	8	24	19	23	57	135	178	169	65	719	6	5	10	7	14	19	44	100	175	192	147
All other	333	12	3	2	9	35	43	55	55	51	46	21	216	3	5	2	4	14	23	30	39	44	31	21
Black	327	12	3	2	9	35	43	54	53	50	45	20	215	3	5	2	4	14	23	29	39	44	31	21
Accidents and adverse effects (E800-E949)	1,081	10	27	51	269	197	105	100	102	94	84	37	475	4	12	24	96	40	32	30	41	62	82	52
White	819	7	16	31	232	148	74	63	79	71	64	30	376	3	7	13	61	32	21	17	32	53	71	46
All other	262	3	11	20	37	49	31	37	23	23	20	7	99	1	5	11	15	8	11	13	9	9	11	6
Black	257	3	10	18	37	49	30	36	23	23	19	7	96	1	5	11	14	8	10	12	9	9	11	6
Motor vehicle accidents (E810-E825)	538	3	6	24	192	126	57	42	37	24	16	9	188	1	5	11	77	28	15	11	14	15	10	3
White	438	3	2	15	174	101	42	27	28	21	14	9	164	1	5	8	68	23	11	11	11	13	10	3
All other	100	-	4	9	18	25	15	15	9	3	2	-	24	-	-	3	9	5	4	-	3	2	-	-
Black	97	-	3	9	18	25	14	14	9	3	2	-	22	-	-	3	6	3	3	-	3	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	543	7	21	27	77	71	48	58	65	70	66	28	297	3	7	13	19	14	17	19	27	47	72	49
White	381	4	14	16	58	47	32	36	51	50	50	21	212	2	2	5	13	9	10	6	21	40	61	43
All other	162	3	7	11	19	24	16	22	14	20	16	7	75	1	5	8	6	5	7	13	6	7	11	6
Black	160	3	7	10	19	24	16	22	14	20	17	7	74	1	5	8	6	5	7	12	6	7	11	6
Suicide (E950-E959)	328	...	...	4	62	81	41	39	38	20	19	4	121	...	...	-	18	21	24	23	16	15	3	1
White	266	...	...	3	65	62	30	35	33	17	19	2	100	...	...	-	14	13	21	21	12	15	3	1
All other	62	...	...	1	17	19	11	4	5	3	-	2	21	...	...	-	4	8	3	2	4	-	-	-
Black	62	...	...	1	17	19	11	4	5	3	-	2	21	...	...	-	4	8	3	2	4	-	-	-
Homicide and legal intervention (E960-E978)	332	2	2	3	82	107	61	34	24	13	1	-	96	-	3	1	27	23	16	6	7	3	5	2
White	99	1	1	1	22	28	20	12	7	5	1	-	42	-	2	1	10	10	5	3	3	3	3	2
All other	233	1	1	2	60	79	41	22	17	8	-	-	54	-	1	-	17	13	11	5	4	-	2	-
Black	231	1	1	2	60	78	41	21	17	8	-	-	53	-	1	-	16	13	11	5	4	-	2	-
All other external causes (E980-E999)	34	-	1	2	7	16	1	3	1	1	2	-	15	-	2	-	5	2	2	2	-	1	-	-
White	21	-	-	2	5	6	1	3	1	1	2	-	10	-	2	-	3	-	2	1	-	1	-	-
All other	13	-	1	-	2	10	-	-	-	-	-	-	5	-	-	-	2	2	-	1	-	-	-	-
Black	13	-	1	-	2	10	-	-	-	-	-	-	5	-	-	-	2	2	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	26,453	449	60	138	732	650	734	2,022	4,503	6,934	6,718	3,510	25,575	318	51	69	249	250	397	1,197	2,601	5,081	7,883	7,277
White	25,665	401	50	129	707	590	666	1,919	4,357	6,817	6,578	3,448	24,956	277	45	64	225	224	368	1,130	2,707	4,960	7,763	7,191
All other	788	48	10	9	25	60	68	103	146	117	140	62	619	41	6	5	24	26	29	67	94	121	120	86
Black	719	46	10	9	24	53	63	97	135	106	119	57	585	40	6	4	24	22	27	64	89	114	112	83
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-016)	14	-	-	-	-	-	-	-	3	7	2	2	14	-	-	-	-	1	-	1	2	3	3	4
White	14	-	-	-	-	-	-	-	3	7	2	2	12	-	-	-	-	1	-	1	2	3	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	-	-	3	5	-	2	9	-	-	-	-	-	-	-	2	2	2	3
White	10	-	-	-	-	-	-	-	3	5	-	2	8	-	-	-	-	-	-	-	2	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-016)	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	1	-	1	-	1	1	1
White	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	1	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	3	-	-	-	-	-	-	-	-	-	4	-	1	-	1	1	-	-	-	1	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	1	-	-
All other	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Septicemia (038)	158	2	1	1	5	3	5	12	20	32	46	31	147	-	1	-	-	1	-	5	14	29	49	48
White	150	1	1	1	5	2	4	12	19	31	44	30	141	-	1	-	-	1	-	4	12	29	47	47
All other	8	1	-	-	-	1	1	-	1	1	2	1	6	-	-	-	-	-	-	1	2	-	2	1
Black	8	1	-	-	-	1	1	-	1	1	2	1	6	-	-	-	-	-	-	1	2	-	2	1
Acute poliomyelitis (045)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	-	-	1	-	3	2	2	-	6	-	-	-	-	-	-	1	4	-	1	-
White	8	-	-	-	-	-	1	-	3	2	2	-	6	-	-	-	-	-	-	1	4	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 096-139)	40	1	-	1	2	-	1	5	6	14	7	3	39	2	-	1	1	-	2	2	5	6	12	8
White	38	1	-	1	2	-	1	4	6	14	7	2	37	2	-	1	1	-	1	2	5	6	11	8
All other	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,156	1	3	27	36	48	118	558	1,355	1,970	1,530	506	5,785	2	9	15	27	58	186	560	1,215	1,603	1,411	721
White	5,976	1	3	25	35	46	103	537	1,307	1,934	1,486	496	5,654	2	8	14	26	56	161	541	1,185	1,561	1,395	705
All other	180	-	-	2	1	3	15	21	48	36	44	10	131	-	1	1	1	-	5	19	30	42	16	16
Black	159	-	-	2	1	2	13	19	41	33	38	10	123	-	1	1	1	-	4	19	27	40	15	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	212	–	–	–	–	–	2	29	68	67	33	13	79	–	–	–	–	–	–	6	23	22	19	9
White	203	–	–	–	–	–	2	26	64	67	31	13	79	–	–	–	–	–	–	6	23	22	19	9
All other	9	–	–	–	–	–	–	3	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	7	–	–	–	–	–	–	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,693	–	–	–	2	8	26	137	392	547	428	152	1,662	–	–	–	2	8	23	86	249	489	542	299
White	1,633	–	–	–	2	6	17	130	377	537	417	148	1,650	–	–	–	2	8	22	82	234	475	585	292
All other	60	–	–	–	–	2	9	7	15	10	11	6	42	–	–	–	–	–	1	4	9	14	7	7
Black	52	–	–	–	–	1	8	7	11	9	10	6	39	–	–	–	–	–	1	4	8	13	6	7
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,025	–	–	–	1	2	39	227	520	703	434	99	764	–	–	–	1	–	18	103	228	248	116	46
White	1,976	–	–	–	1	2	37	220	502	690	426	98	751	–	–	–	1	–	17	100	225	244	116	46
All other	49	–	–	–	–	–	2	7	18	13	8	1	13	–	–	–	–	–	1	3	3	4	2	–
Black	43	–	–	–	–	–	2	6	15	12	7	1	10	–	–	–	–	–	1	3	1	3	2	–
Malignant neoplasm of breast (174-175)	4	–	–	–	–	–	–	–	–	1	2	1	1,109	–	–	–	1	13	59	164	281	288	191	112
White	4	–	–	–	–	–	–	–	–	1	2	1	1,086	–	–	–	1	13	59	159	274	282	186	110
All other	–	–	–	–	–	–	–	–	–	–	–	–	23	–	–	–	–	–	–	5	7	6	5	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	23	–	–	–	–	–	–	5	7	6	3	2
Malignant neoplasms of genital organs (179-187)	611	–	–	–	3	2	–	8	47	176	282	113	631	–	–	–	1	6	19	66	150	197	130	62
White	585	–	–	–	3	1	–	8	44	168	249	112	618	–	–	–	1	6	18	64	147	193	130	59
All other	26	–	–	–	–	1	–	–	3	8	13	1	13	–	–	–	–	–	1	2	3	4	–	3
Black	24	–	–	–	–	1	–	–	3	8	11	1	13	–	–	–	–	–	1	2	3	4	–	3
Malignant neoplasms of urinary organs (188-189)	348	1	1	–	–	2	4	22	61	106	110	41	226	1	1	1	1	1	2	13	44	56	64	42
White	345	1	1	–	–	2	4	22	60	105	109	41	222	1	–	1	1	1	2	13	41	56	64	42
All other	3	–	–	–	–	–	–	–	1	1	1	–	4	–	1	–	–	–	–	–	3	–	–	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	4	–	1	–	–	–	–	–	3	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	758	–	1	11	14	19	23	88	186	233	148	55	783	–	8	9	10	12	26	85	170	185	193	87
White	738	–	1	11	13	19	23	85	181	231	140	54	766	–	8	9	10	12	26	82	166	177	192	86
All other	20	–	–	–	1	–	–	3	5	2	8	1	17	–	–	–	–	–	–	3	4	8	1	1
Black	19	–	–	–	1	–	–	3	5	2	7	1	17	–	–	–	–	–	–	3	4	8	1	1
Leukemia (204-208)	226	–	1	11	9	8	14	16	36	65	51	15	202	1	1	5	10	2	10	14	22	42	57	28
White	221	–	1	10	9	8	11	16	36	64	51	15	197	1	1	4	9	2	9	14	22	42	56	27
All other	5	–	–	1	–	–	3	–	–	1	–	–	5	–	–	1	1	–	1	–	–	–	1	1
Black	3	–	–	1	–	–	2	–	–	–	–	–	4	–	–	1	1	–	–	–	–	–	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	279	–	–	5	7	8	10	31	65	72	62	19	299	–	1	–	1	14	9	23	54	76	87	34
White	271	–	–	4	7	8	9	30	63	71	61	18	285	–	1	–	1	14	8	21	53	70	85	32
All other	8	–	–	1	–	–	1	1	2	1	1	1	14	–	–	–	–	–	1	2	1	6	2	2
Black	6	–	–	1	–	–	1	1	2	1	1	1	13	–	–	–	–	–	1	2	1	5	2	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	107	–	–	2	3	2	1	12	26	25	25	11	118	1	1	2	1	1	4	7	24	23	40	14
White	105	–	–	2	3	2	1	11	25	25	25	11	115	1	1	2	1	–	4	6	24	22	40	14
All other	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	1	–	1	–	1	–	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	1	–	1	–	1	–	–
Diabetes mellitus (250)	404	–	–	–	3	3	14	35	77	109	112	51	535	–	–	–	4	9	8	13	54	124	197	126
White	382	–	–	–	3	3	11	31	70	106	109	49	518	–	–	–	4	8	6	13	51	121	191	124
All other	22	–	–	–	–	–	3	4	7	3	3	2	17	–	–	–	–	1	2	–	3	3	6	2
Black	22	–	–	–	–	–	3	4	7	3	3	2	17	–	–	–	–	1	2	–	3	3	6	2
Nutritional deficiencies (260-269)	20	–	–	–	–	–	1	2	2	4	5	6	27	1	–	–	–	–	–	2	2	3	7	12
White	18	–	–	–	–	–	1	2	2	4	4	5	27	1	–	–	–	–	–	2	2	3	7	12
All other	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	25	–	–	–	1	1	1	1	1	7	7	6	38	–	–	–	2	–	–	4	1	3	12	16
White	25	–	–	–	1	1	1	1	1	7	7	6	35	–	–	–	2	–	–	3	1	3	12	16
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	–	1	–	–	–	–
Meningitis (320-322)	15	1	2	–	–	–	1	1	3	3	2	2	16	1	–	–	–	1	–	–	4	4	2	4
White	13	–	2	–	–	–	1	1	3	3	2	1	15	–	–	–	–	1	–	–	4	4	2	4
All other	2	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	12,707	3	1	4	13	67	222	905	2,218	3,508	3,642	2,124	13,779	5	2	4	14	21	70	284	963	2,464	4,835	5,097
White	12,443	3	1	4	13	61	208	866	2,164	3,454	3,576	2,091	13,532	5	2	4	14	15	64	268	943	2,412	4,768	5,047
All other	264	–	–	–	–	6	14	39	54	54	64	33	247	–	–	–	–	6	6	21	40	52	72	50
Black	242	–	–	–	–	5	13	39	54	49	53	29	233	–	–	–	–	5	6	19	39	49	66	49

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	10,515	3	1	3	9	49	189	824	2,001	2,952	2,865	1,620	10,313	4	1	4	6	8	48	232	814	1,984	3,604	3,608
White	10,306	3	1	3	9	45	177	790	1,955	2,908	2,816	1,599	10,120	4	1	4	6	6	42	215	785	1,945	3,548	3,564
All other	210	-	-	-	-	4	12	34	46	44	49	21	193	-	-	-	-	2	6	17	29	39	56	44
Black	192	-	-	-	-	3	12	34	46	39	40	18	183	-	-	-	-	1	6	16	28	36	52	44
Rheumatic fever and rheumatic heart disease (390-398)	65	-	-	-	1	3	3	7	15	21	12	3	185	-	-	1	-	-	3	15	35	64	54	13
White	64	-	-	-	1	3	3	7	15	21	11	3	180	-	-	1	-	-	2	15	32	64	54	12
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	-	3	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	-	3	-	-	1
Hypertensive heart disease (402)	135	-	-	-	-	1	5	11	31	44	27	16	181	-	-	-	-	-	-	3	10	29	79	60
White	125	-	-	-	-	1	3	7	30	42	27	15	175	-	-	-	-	-	-	2	10	27	78	60
All other	10	-	-	-	-	-	2	4	1	2	-	1	6	-	-	-	-	-	-	1	-	2	3	-
Black	10	-	-	-	-	-	2	4	1	2	-	1	6	-	-	-	-	-	-	1	-	2	3	-
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	-	-	-	3	6	5	23	-	-	-	-	-	-	-	-	5	8	10
White	14	-	-	-	-	-	-	-	-	3	6	5	23	-	-	-	-	-	-	-	-	5	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	8,879	-	-	-	1	23	149	706	1,728	2,525	2,414	1,333	8,360	-	-	1	1	3	28	156	637	1,606	2,936	2,992
White	8,723	-	-	-	1	20	144	679	1,691	2,493	2,378	1,317	8,224	-	-	1	1	2	25	148	615	1,580	2,897	2,957
All other	156	-	-	-	-	3	5	27	37	32	36	16	136	-	-	-	-	1	3	10	22	26	39	35
Black	144	-	-	-	-	2	5	27	37	28	31	14	131	-	-	-	-	1	3	10	21	25	38	35
Acute myocardial infarction (410)	4,936	-	-	-	1	17	98	485	1,145	1,495	1,245	449	3,740	-	-	-	1	2	22	110	411	941	1,347	906
White	4,856	-	-	-	1	15	95	471	1,122	1,478	1,229	445	3,659	-	-	-	1	2	21	100	393	927	1,327	888
All other	80	-	-	-	-	2	4	14	23	17	16	4	81	-	-	-	-	-	1	10	18	14	20	18
Black	73	-	-	-	-	1	4	14	23	15	13	3	77	-	-	-	-	-	1	10	17	13	18	18
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	-	2	6	10	8	2	22	-	-	-	-	-	-	1	4	6	5	6
White	28	-	-	-	-	-	-	2	6	10	8	2	22	-	-	-	-	-	-	1	4	6	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	3	2	-	2	3	-	-	-	-	-	-	-	-	-	2	1
White	7	-	-	-	-	-	-	-	3	2	-	2	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,908	-	-	-	-	6	50	219	574	1,018	1,161	880	4,595	-	-	1	-	1	6	45	222	659	1,582	2,079
White	3,832	-	-	-	-	5	49	206	560	1,003	1,141	868	4,540	-	-	1	-	-	4	45	218	647	1,563	2,062
All other	76	-	-	-	-	1	1	13	14	15	20	12	55	-	-	-	-	1	2	-	4	12	19	17
Black	71	-	-	-	-	1	1	13	14	13	18	11	54	-	-	-	-	1	2	-	4	12	18	17
Other diseases of endocardium (424)	97	-	-	-	-	1	3	5	18	32	32	6	99	1	-	-	-	-	1	2	5	21	40	29
White	94	-	-	-	-	1	3	5	17	32	30	6	97	1	-	-	-	-	1	2	5	21	38	29
All other	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
All other forms of heart disease (415-423,425-429)	1,326	3	1	3	7	21	28	95	209	327	374	257	1,465	3	1	2	5	5	16	56	127	259	497	504
White	1,286	3	1	3	7	20	24	92	202	317	364	253	1,421	3	1	2	5	4	14	50	123	248	475	496
All other	40	-	-	-	-	1	5	3	7	10	10	4	44	-	-	-	-	1	2	6	4	11	12	8
Black	34	-	-	-	-	1	5	3	7	9	6	3	39	-	-	-	-	-	2	5	4	9	11	8
Hypertension with or without renal disease (401,403)	61	-	-	-	-	-	-	5	5	16	18	17	96	-	-	-	-	-	-	1	6	20	30	39
White	58	-	-	-	-	-	-	3	5	16	18	16	90	-	-	-	-	-	-	1	6	18	28	39
All other	3	-	-	-	-	-	-	2	-	-	-	1	6	-	-	-	-	-	-	-	-	2	4	-
Black	3	-	-	-	-	-	-	2	-	-	-	1	5	-	-	-	-	-	-	-	-	2	3	-
Cerebrovascular diseases (430-438)	1,549	-	-	1	3	15	27	71	152	379	551	350	2,599	1	1	-	5	12	19	50	138	374	939	1,060
White	1,509	-	-	1	3	13	25	68	146	372	539	342	2,560	1	1	-	5	9	19	48	129	365	929	1,056
All other	40	-	-	-	-	2	2	3	6	7	12	8	39	-	-	-	-	3	-	4	9	9	10	4
Black	36	-	-	-	-	2	1	3	6	7	10	7	36	-	-	-	-	3	-	3	9	9	9	3
Intracerebral and other intracranial hemorrhage (431-432)	292	-	-	1	1	2	10	29	49	69	79	32	433	1	1	-	2	3	9	19	52	91	140	125
White	284	-	-	1	1	1	8	28	48	67	77	32	424	1	1	-	2	3	9	18	50	78	138	124
All other	8	-	-	-	-	1	2	1	-	2	2	-	9	-	-	-	-	-	-	1	2	3	2	1
Black	7	-	-	-	-	1	1	1	-	2	2	-	7	-	-	-	-	-	-	1	2	3	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	391	-	-	-	-	-	1	9	31	87	161	102	699	-	-	-	-	4	-	4	16	81	281	313
White	385	-	-	-	-	-	1	9	30	87	158	100	692	-	-	-	-	1	-	4	16	79	280	312
All other	6	-	-	-	-	-	-	-	1	-	3	2	7	-	-	-	-	3	-	-	-	2	1	1
Black	6	-	-	-	-	-	-	-	1	-	3	2	7	-	-	-	-	3	-	-	-	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	14	-	-	-	-	-	1	-	2	4	6	1	29	-	-	-	-	-	1	3	3	11	6	5
White	14	-	-	-	-	-	1	-	2	4	6	1	29	-	-	-	-	-	1	3	3	11	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	852	-	-	-	2	13	15	33	70	199	305	215	1,438	-	-	-	3	5	9	24	67	201	512	617
White	826	-	-	-	2	12	15	31	65	194	298	209	1,415	-	-	-	3	5	9	21	60	197	505	615
All other	26	-	-	-	-	1	-	2	5	5	7	6	23	-	-	-	-	-	-	3	7	4	7	2
Black	23	-	-	-	-	1	-	2	5	5	5	5	22	-	-	-	-	-	-	2	7	4	7	2
Atherosclerosis (440)	233	-	-	-	-	-	1	1	5	35	97	94	530	-	-	-	-	-	-	-	7	29	165	329
White	228	-	-	-	-	-	1	1	5	35	95	91	526	-	-	-	-	-	-	-	6	29	164	327
All other	5	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-	-	-	-	1	-	1	2
Black	5	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-	-	-	-	1	-	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	348	-	-	-	1	3	5	4	55	126	111	43	241	-	-	-	3	1	3	1	18	57	97	61
White	342	-	-	-	1	3	5	4	53	123	110	43	236	-	-	-	3	-	3	1	17	55	96	61
All other	6	-	-	-	-	-	-	-	2	3	1	-	5	-	-	-	-	1	-	-	1	2	1	-
Black	6	-	-	-	-	-	-	-	2	3	1	-	5	-	-	-	-	1	-	-	1	2	1	-
Acute bronchitis and bronchiolitis (466)	9	-	-	-	-	-	-	-	-	1	4	4	8	-	-	-	-	-	-	1	-	-	2	5
White	9	-	-	-	-	-	-	-	-	1	4	4	8	-	-	-	-	-	-	1	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	868	11	1	4	4	10	17	35	82	193	278	252	905	6	3	4	5	5	6	20	41	113	289	413
White	855	9	1	4	4	9	13	32	78	185	269	250	881	5	2	4	3	5	4	17	38	111	286	406
All other	33	2	-	-	-	1	4	3	4	8	9	2	24	1	1	-	2	-	2	3	3	2	3	7
Black	30	2	-	-	-	1	4	3	3	7	8	2	23	1	1	-	2	-	2	3	3	2	3	6
Pneumonia (480-486)	867	11	1	4	4	10	17	35	82	193	278	251	900	6	3	4	5	5	6	20	40	112	287	412
White	854	9	1	4	4	9	13	32	78	185	269	249	876	5	2	4	3	5	4	17	37	110	284	405
All other	33	2	-	-	-	1	4	3	4	8	9	2	24	1	1	-	2	-	2	3	3	2	3	7
Black	30	2	-	-	-	1	4	3	3	7	8	2	23	1	1	-	2	-	2	3	3	2	3	6
Influenza (487)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	1	1	2	1
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	776	-	-	1	3	1	5	23	91	285	275	92	388	-	-	-	2	1	3	21	63	102	118	56
White	766	-	-	1	3	1	5	20	90	282	272	92	358	-	-	-	2	1	3	20	60	100	117	55
All other	10	-	-	-	-	-	-	3	1	3	3	-	6	-	-	-	-	-	-	1	3	2	1	1
Black	9	-	-	-	-	-	-	3	1	3	2	-	6	-	-	-	-	-	-	1	2	2	-	1
Bronchitis, chronic and unspecified (490-491)	50	-	-	1	-	-	-	-	3	17	18	11	24	-	-	-	-	-	-	1	2	3	8	10
White	50	-	-	1	-	-	-	-	3	17	18	11	24	-	-	-	-	-	-	1	2	3	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	195	-	-	-	1	-	2	9	27	78	59	19	66	-	-	-	-	-	-	2	14	19	26	5
White	190	-	-	-	1	-	2	8	27	75	58	19	62	-	-	-	-	-	-	1	13	18	26	4
All other	5	-	-	-	-	-	-	1	-	3	1	-	4	-	-	-	-	-	-	1	1	1	-	1
Black	5	-	-	-	-	-	-	1	-	3	1	-	3	-	-	-	-	-	-	1	-	1	-	1
Asthma (493)	22	-	-	-	2	1	2	3	4	7	3	-	41	-	-	-	1	1	2	8	7	6	10	6
White	21	-	-	-	2	1	2	2	4	7	3	-	41	-	-	-	1	1	2	8	7	6	10	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	509	-	-	-	-	-	1	11	57	183	195	62	235	-	-	-	1	-	1	10	40	74	74	35
White	505	-	-	-	-	-	1	10	56	183	193	62	231	-	-	-	1	-	1	10	38	73	73	35
All other	4	-	-	-	-	-	-	1	1	-	2	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	2	1	-	-
Ulcer of stomach and duodenum (531-533)	89	-	-	-	-	2	2	4	14	16	24	7	65	-	-	-	-	-	-	4	2	11	26	22
White	68	-	-	-	-	2	2	4	14	16	23	7	64	-	-	-	-	-	-	4	2	11	25	22
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	8	-	-	1	-	-	-	1	1	4	1	-	9	-	-	1	-	-	1	-	2	3	-	2
White	7	-	-	1	-	-	-	1	1	3	1	-	9	-	-	1	-	-	1	-	2	3	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	-	1	-	1	-	-	2	3	12	18	7	84	-	-	-	2	1	-	1	5	11	31	33
White	43	-	1	-	1	-	-	2	3	12	18	6	83	-	-	-	2	1	-	1	5	10	31	33
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	508	1	-	1	-	12	45	111	150	139	43	6	299	-	-	-	1	13	22	70	73	80	32	8
White	483	1	-	1	-	11	43	104	146	136	43	6	292	-	-	-	1	11	19	68	73	80	32	8
All other	15	-	-	-	-	1	2	7	4	1	-	-	7	-	-	-	-	2	3	2	-	-	-	-
Black	13	-	-	-	-	1	2	6	3	1	-	-	6	-	-	-	-	2	2	2	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	-	2	2	8	13	7	59	-	-	-	-	-	-	1	9	9	18	16
White	31	-	-	-	-	-	-	2	1	8	13	7	52	-	-	-	-	-	-	1	9	9	18	15
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	226	1	-	-	-	6	5	11	27	52	70	54	225	1	1	-	1	2	3	13	17	53	71	63
White	216	1	-	-	-	5	4	11	25	50	70	50	216	1	1	-	1	2	2	12	15	50	71	61
All other	10	-	-	-	-	1	1	-	2	2	-	4	9	-	-	-	-	-	1	1	2	3	-	2
Black	9	-	-	-	-	1	1	-	2	1	-	4	9	-	-	-	-	-	1	1	2	3	-	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	1	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	1	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	27	-	-	-	-	1	1	1	4	7	7	6	26	-	-	-	-	1	-	1	3	2	11	8
White	24	-	-	-	-	-	1	1	4	6	7	5	25	-	-	-	-	1	-	1	2	2	11	8
All other	3	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	197	1	-	-	-	5	4	10	23	45	61	48	195	1	-	-	1	1	3	12	14	50	59	54
White	190	1	-	-	-	5	3	10	21	44	61	45	187	1	-	-	1	1	2	11	13	47	59	52
All other	7	-	-	-	-	-	1	-	2	1	-	3	8	-	-	-	-	-	1	1	1	3	-	2
Black	7	-	-	-	-	-	1	-	2	1	-	3	8	-	-	-	-	-	1	1	1	3	-	2
Infections of kidney (590)	18	-	-	-	-	-	1	1	-	5	8	3	31	-	-	-	-	-	-	-	1	3	8	19
White	18	-	-	-	-	-	1	1	-	5	8	3	31	-	-	-	-	-	-	-	1	3	8	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	1	-	7	3	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	1	-	7	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	145	90	6	5	11	10	4	2	4	9	3	1	117	72	7	4	3	7	3	6	2	5	6	2
White	138	85	5	5	11	10	4	1	4	9	3	1	110	69	6	3	2	6	3	6	2	5	6	2
All other	7	5	1	-	-	-	-	1	-	-	-	-	7	3	1	1	1	1	-	-	-	-	-	-
Black	7	5	1	-	-	-	-	1	-	-	-	-	7	3	1	1	1	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	280	258	1	-	-	-	1	-	-	-	-	-	185	184	-	-	-	-	-	-	-	-	-	-
White	230	228	1	-	-	-	1	-	-	-	-	-	157	156	-	-	-	-	-	-	-	-	-	-
All other	30	30	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Black	28	28	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	76	76	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
White	65	65	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	184	182	1	-	-	-	1	-	-	-	-	-	147	146	-	-	-	-	-	-	-	-	-	-
White	165	163	1	-	-	-	1	-	-	-	-	-	124	123	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	248	49	2	-	17	42	23	15	19	30	33	18	162	18	1	-	10	10	12	14	15	27	29	25
White	230	45	2	-	16	38	20	14	19	29	31	16	154	17	-	-	10	8	11	13	14	27	28	26
All other	18	4	-	-	1	4	3	1	-	1	2	-	8	1	1	-	-	2	1	1	1	-	1	-
Black	16	4	-	-	1	4	3	1	-	1	2	-	6	1	1	-	-	-	1	1	1	-	1	-
All other diseases (Residual)	1,495	23	12	19	29	38	57	121	235	395	410	206	1,529	21	7	11	20	20	37	80	159	286	508	391
White	1,430	20	11	19	28	30	50	109	220	381	401	201	1,464	14	7	10	16	17	33	70	148	273	490	386
All other	65	3	1	-	1	8	7	12	15	4	9	5	65	7	-	1	4	3	4	10	5	13	13	5
Black	60	3	1	-	1	8	7	10	14	4	8	4	61	6	-	1	4	3	4	9	5	11	13	5
Accidents and adverse effects (E800-E949)	1,511	7	24	66	464	242	127	103	111	130	136	100	805	4	17	23	108	48	36	54	77	100	170	166
White	1,443	5	18	59	457	223	117	96	105	129	134	99	780	4	15	21	105	46	33	49	74	98	167	166
All other	68	2	6	7	7	19	10	7	6	1	2	1	25	-	2	2	3	2	3	5	3	2	3	-
Black	61	2	6	7	7	15	9	7	5	1	2	1	23	-	2	1	3	1	3	5	3	2	3	-
Motor vehicle accidents (E810-E825)	754	3	5	25	361	158	61	50	33	28	23	7	250	-	6	14	86	28	20	24	21	29	16	6
White	726	3	4	23	357	148	56	47	31	27	23	7	242	-	6	13	84	27	19	22	21	28	16	6
All other	28	-	1	2	4	10	5	3	2	1	-	-	8	-	-	1	2	1	1	2	-	1	-	-
Black	23	-	1	2	4	6	4	3	2	1	-	-	7	-	-	-	2	1	1	2	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	757	4	19	41	103	84	66	53	78	102	113	93	555	4	11	9	22	20	16	30	56	71	154	162
White	717	2	14	36	100	75	61	49	74	102	111	92	538	4	9	8	21	19	14	27	53	70	151	162
All other	40	2	5	5	3	9	5	4	4	-	2	1	17	-	2	1	1	1	2	3	3	1	3	-
Black	38	2	5	5	3	9	4	4	3	-	2	1	16	-	2	1	1	-	2	3	3	1	3	-
Suicide (E950-E959)	370	...	...	3	83	106	45	44	40	31	13	5	145	...	...	-	17	32	21	29	27	10	7	2
White	357	...	...	3	80	98	45	44	39	30	13	5	144	...	...	-	16	32	21	29	27	10	7	2
All other	13	...	...	-	3	8	-	-	1	1	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	10	...	...	-	2	7	-	-	1	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	151	1	3	3	53	45	24	13	6	2	-	1	62	-	1	4	28	13	1	3	4	3	4	1
White	118	1	3	3	41	37	16	10	5	1	-	1	43	-	1	4	19	6	1	2	2	3	4	1
All other	33	-	-	-	12	8	8	3	1	1	-	-	19	-	-	-	9	7	-	1	2	-	-	-
Black	33	-	-	-	12	8	8	3	1	1	-	-	19	-	-	-	9	7	-	1	2	-	-	-
All other external causes (E980-E999)	28	-	-	-	4	11	3	3	2	1	2	2	14	-	-	-	1	5	2	1	2	2	-	-
White	28	-	-	-	4	11	3	3	2	1	2	2	12	-	-	-	-	5	1	1	2	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN																								
All causes	40,780	1,105	188	280	1,389	1,300	1,450	3,578	7,400	10,123	9,379	4,595	32,821	823	149	192	515	597	839	2,003	4,296	6,809	9,119	7,776
White	35,339	782	145	232	1,137	917	1,045	2,816	6,332	9,024	8,547	4,350	28,939	573	105	152	422	395	628	1,585	3,618	5,777	8,335	7,366
All other	5,441	313	43	48	252	383	405	762	1,068	1,099	832	235	3,882	250	44	40	93	202	211	438	678	832	784	410
Black	5,324	307	41	48	244	378	397	748	1,048	1,080	807	225	3,893	244	43	39	92	198	205	427	663	812	771	399
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	4	-	-	-	-	-	-	-	-	-	2	9	1	-	-	-	-	-	2	1	-	1	4
White	5	3	-	-	-	-	-	-	-	-	-	2	8	-	-	-	-	-	-	2	1	-	1	4
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	44	-	1	-	1	1	4	7	7	11	9	3	17	-	-	-	-	1	1	2	3	5	2	3
White	27	-	-	-	-	-	1	2	6	8	7	3	9	-	-	-	-	-	-	-	1	3	2	3
All other	17	-	1	-	1	1	3	5	1	3	2	-	8	-	-	-	-	1	1	2	2	2	-	-
Black	16	-	1	-	1	1	3	5	1	2	2	-	7	-	-	-	-	1	1	2	2	1	-	-
Tuberculosis of respiratory system (010-012)	34	-	-	-	1	1	4	6	5	8	7	2	12	-	-	-	-	1	1	-	2	4	2	2
White	23	-	-	-	-	-	1	2	5	7	6	2	7	-	-	-	-	-	-	-	1	2	2	-
All other	11	-	-	-	1	1	3	4	-	1	1	-	5	-	-	-	-	1	1	-	1	2	-	2
Black	11	-	-	-	1	1	3	4	-	1	1	-	4	-	-	-	-	1	1	-	1	1	-	2
Other tuberculosis (013-018)	10	-	1	-	-	-	-	1	2	3	2	1	5	-	-	-	-	-	-	2	1	1	-	1
White	4	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	1	1	-	1
All other	6	-	1	-	-	-	-	1	1	2	1	-	3	-	-	-	-	-	-	2	1	-	-	-
Black	5	-	1	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	2	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	8	5	1	-	1	-	1	-	-	-	-	-	4	1	2	-	1	-	-	-	-	-	-	-
White	7	4	1	-	1	-	1	-	-	-	-	-	4	1	2	-	1	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	153	5	-	1	4	3	5	16	14	45	42	18	152	4	1	2	-	2	2	5	19	33	54	30
White	121	4	-	-	4	2	2	11	9	33	40	16	119	2	1	1	-	1	1	4	17	23	44	25
All other	32	1	-	1	-	1	3	5	5	12	2	2	33	2	-	1	-	1	1	1	2	10	10	5
Black	32	1	-	1	-	1	3	5	5	12	2	2	33	2	-	1	-	1	1	1	2	10	10	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	-	-	-	1	4	-	2	3	2	-	1	13	-	-	-	2	3	1	-	2	3	2	-
White	9	-	-	-	-	3	-	1	3	1	-	1	9	-	-	-	2	1	-	-	2	2	2	-
All other	4	-	-	-	1	1	-	1	-	1	-	-	4	-	-	-	2	1	-	-	-	1	-	-
Black	4	-	-	-	1	1	-	1	-	1	-	-	4	-	-	-	2	1	-	-	-	1	-	-
Syphilis (090-097)	7	-	-	-	-	-	-	-	3	3	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	5	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 096-139)	66	4	3	2	4	1	2	11	13	10	12	4	61	3	3	-	3	3	6	8	10	12	4	9
White	52	2	2	2	4	-	-	8	10	10	10	4	49	2	2	-	3	2	2	5	10	12	3	8
All other	14	2	1	-	-	1	2	3	3	-	2	-	12	1	1	-	-	1	4	3	-	-	1	1
Black	14	2	1	-	-	1	2	3	3	-	2	-	12	1	1	-	-	1	4	3	-	-	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,566	2	14	42	79	86	191	900	2,091	2,648	1,688	827	6,898	2	17	31	39	88	257	842	1,607	1,825	1,520	672
White	7,478	2	14	36	70	74	151	738	1,778	2,337	1,691	589	6,118	2	11	30	34	70	209	705	1,407	1,639	1,381	630
All other	1,088	-	-	6	9	12	40	162	315	309	197	38	780	-	6	1	5	18	48	137	200	186	139	42
Black	1,069	-	-	6	8	11	39	159	310	307	194	35	768	-	6	1	5	18	45	134	198	183	136	42
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	219	-	-	-	1	1	10	40	78	54	28	9	98	-	-	-	-	-	2	19	30	21	18	8
White	187	-	-	-	1	1	5	30	67	49	26	8	85	-	-	-	-	-	2	15	24	20	16	8
All other	32	-	-	-	-	-	5	10	9	5	2	1	13	-	-	-	-	-	-	4	6	1	2	-
Black	32	-	-	-	-	-	5	10	9	5	2	1	13	-	-	-	-	-	-	4	6	1	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,285	-	-	2	2	20	38	217	533	745	552	176	1,660	-	2	-	-	1	30	131	348	528	535	285
White	2,006	-	-	1	2	17	28	179	453	657	504	167	1,625	-	1	-	-	1	20	105	292	480	480	266
All other	279	-	-	1	-	3	12	38	80	88	48	9	235	-	1	-	-	-	10	26	56	68	55	19
Black	271	-	-	1	-	3	11	37	78	87	47	7	230	-	1	-	-	-	10	25	55	67	53	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,934	-	-	2	1	7	59	365	909	952	511	128	1,005	-	-	-	1	2	40	176	330	283	147	26
White	2,525	-	-	2	1	6	45	285	758	844	461	123	882	-	-	-	-	2	28	142	299	255	132	24
All other	409	-	-	-	-	1	14	80	151	108	50	5	123	-	-	-	1	-	12	34	31	28	15	2
Black	405	-	-	-	-	1	14	80	149	107	49	5	121	-	-	-	1	-	11	33	31	28	15	2
Malignant neoplasm of breast (174-175)	15	-	-	-	-	-	-	2	5	6	2	-	1,310	-	-	-	-	22	78	242	346	284	235	103
White	11	-	-	-	-	-	-	1	4	4	2	-	1,174	-	-	-	-	15	68	206	309	263	215	96
All other	4	-	-	-	-	-	-	1	1	2	-	-	136	-	-	-	-	7	10	34	37	21	20	7
Black	4	-	-	-	-	-	-	1	1	2	-	-	134	-	-	-	-	7	10	34	36	21	19	7
Malignant neoplasms of genital organs (179-187)	876	-	-	-	7	4	6	16	105	281	303	144	823	-	-	-	1	10	35	102	226	238	153	58
White	737	-	-	-	6	4	5	12	84	240	252	134	720	-	-	-	-	9	28	88	195	211	135	54
All other	139	-	-	-	1	-	1	4	21	51	51	10	103	-	-	-	1	1	7	14	31	27	18	4
Black	138	-	-	-	1	-	1	4	20	51	51	10	100	-	-	-	1	1	6	14	31	25	18	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	461	–	3	2	4	–	7	46	87	137	119	56	238	–	–	2	–	1	7	19	32	76	61	40
White	417	–	3	–	1	–	6	41	78	122	112	54	212	–	–	2	–	1	5	16	27	67	56	36
All other	44	–	–	2	3	–	1	5	9	15	7	2	26	–	–	–	–	–	2	3	5	9	5	2
Black	44	–	–	2	3	–	1	5	9	15	7	2	26	–	–	–	–	–	2	3	5	9	5	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	958	2	6	16	28	24	42	117	208	264	200	51	909	1	8	15	14	25	40	95	184	236	205	86
White	864	2	6	14	26	22	37	105	186	243	177	46	821	1	5	14	13	21	37	83	158	217	189	80
All other	94	–	–	2	2	2	5	12	22	21	23	5	88	–	3	1	1	4	3	12	26	19	16	6
Black	91	–	–	2	1	2	5	11	22	21	23	4	88	–	3	1	1	4	2	11	26	19	16	6
Leukemia (204-208)	356	–	2	16	20	12	12	32	67	73	87	35	266	1	5	12	15	10	10	21	47	47	66	31
White	330	–	2	15	17	10	12	30	60	69	82	33	237	1	4	12	13	8	9	15	43	41	61	30
All other	26	–	–	1	3	2	–	2	7	4	5	2	29	–	2	–	2	2	1	6	4	6	5	1
Black	24	–	–	1	3	2	–	1	7	4	4	2	29	–	2	–	2	2	1	6	4	6	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	462	–	3	4	16	18	17	65	101	124	88	28	389	–	1	2	8	15	15	37	64	112	100	35
White	401	–	3	4	16	14	15	55	86	109	75	24	362	–	1	2	8	13	12	33	60	105	97	31
All other	61	–	–	–	–	4	2	10	15	15	11	4	27	–	–	–	–	2	3	4	4	7	3	4
Black	60	–	–	–	–	3	2	10	15	15	11	4	27	–	–	–	–	2	3	4	4	7	3	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	98	1	3	–	2	4	4	6	28	23	22	5	110	1	1	1	3	7	6	13	20	25	23	10
White	92	1	3	–	2	4	4	6	25	20	22	5	96	1	1	1	2	7	5	9	18	21	22	9
All other	6	–	–	–	–	–	–	–	3	3	–	–	14	–	–	–	1	–	1	4	2	4	1	1
Black	6	–	–	–	–	–	–	–	3	3	–	–	14	–	–	–	1	–	1	4	2	4	1	1
Diabetes mellitus (250)	592	–	–	–	3	12	19	45	112	178	159	63	858	–	–	1	5	13	16	47	115	228	264	166
White	537	–	–	–	3	11	14	39	100	163	147	59	736	–	–	–	3	11	13	29	95	187	243	155
All other	55	–	–	–	–	1	5	6	12	15	12	4	122	–	–	1	2	2	3	18	21	41	21	11
Black	53	–	–	–	–	1	5	5	12	15	11	4	121	–	–	1	2	1	3	18	21	41	21	11
Nutritional deficiencies (260-269)	34	–	–	–	–	1	–	1	5	1	14	12	49	1	–	–	1	1	–	2	3	4	15	22
White	29	–	–	–	–	1	–	1	4	1	11	11	42	1	–	–	1	–	–	2	3	2	11	22
All other	5	–	–	–	–	–	–	–	1	–	3	1	7	–	–	–	–	1	–	–	–	2	4	–
Black	5	–	–	–	–	–	–	–	1	–	3	1	7	–	–	–	–	1	–	–	–	2	4	–
Anemias (280-285)	62	1	1	3	1	3	1	5	4	14	17	12	68	–	–	–	2	8	2	3	8	13	15	17
White	55	1	1	3	–	1	–	5	3	13	17	11	58	–	–	–	1	4	1	2	6	12	14	15
All other	7	–	–	–	1	2	1	–	1	1	–	1	12	–	–	–	1	4	1	1	2	1	1	1
Black	7	–	–	–	1	2	1	–	1	1	–	1	12	–	–	–	1	4	1	1	2	1	1	1
Meningitis (320-322)	24	9	1	1	–	–	2	5	3	2	1	–	24	6	2	3	1	2	–	2	3	4	1	–
White	12	3	1	1	–	–	1	3	1	2	–	–	15	5	1	2	1	1	–	1	1	2	1	–
All other	12	6	–	–	–	–	1	2	2	–	1	–	9	1	1	1	–	1	–	1	2	2	–	–
Black	12	6	–	–	–	–	1	2	2	–	1	–	9	1	1	1	–	1	–	1	2	2	–	–
Major cardiovascular diseases (390-448)	19,956	25	7	13	43	114	463	1,546	3,710	5,387	5,606	3,042	17,769	15	4	11	26	68	186	547	1,699	3,517	5,992	5,713
White	17,874	18	4	12	34	81	370	1,257	3,225	4,848	5,127	2,898	15,957	9	1	6	21	41	131	391	1,396	3,040	5,479	5,441
All other	2,082	7	3	1	9	33	93	289	485	539	479	144	1,812	6	3	5	5	27	55	156	303	477	508	272
Black	2,029	7	2	1	9	31	91	284	475	527	465	137	1,772	6	2	5	5	27	54	153	296	468	494	262
Diseases of heart (390-398,402,404-429)	16,154	19	7	7	33	88	395	1,378	3,241	4,461	4,279	2,226	13,227	14	4	7	15	50	125	418	1,363	2,743	4,424	4,048
White	14,526	14	4	6	25	64	317	1,139	2,858	4,065	3,915	2,119	11,890	8	1	2	13	30	91	302	1,144	2,400	4,055	3,849
All other	1,628	5	3	1	8	24	78	239	383	416	364	107	1,337	6	3	5	2	20	34	116	239	343	369	200
Black	1,587	5	2	1	8	23	76	234	373	406	355	102	1,307	6	2	5	2	20	34	119	233	336	364	192
Rheumatic fever and rheumatic heart disease (390-398)	106	–	–	–	–	3	5	25	28	28	17	2	204	–	–	–	1	5	8	19	55	61	36	17
White	96	–	–	–	–	2	1	23	27	27	16	2	189	–	–	–	1	4	8	18	52	58	35	15
All other	10	–	–	–	–	1	4	2	1	1	1	–	15	–	–	–	–	1	–	3	3	3	3	2
Black	10	–	–	–	–	1	4	2	1	1	1	–	15	–	–	–	–	1	–	3	3	3	3	2
Hypertensive heart disease (402)	338	–	–	–	–	5	17	43	97	87	60	29	407	–	–	–	–	7	9	28	46	104	117	96
White	244	–	–	–	–	1	6	26	67	70	48	26	305	–	–	–	–	–	3	9	24	82	98	89
All other	94	–	–	–	–	4	11	17	30	17	12	3	102	–	–	–	–	7	6	19	22	22	19	7
Black	92	–	–	–	–	4	11	17	29	16	12	3	102	–	–	–	–	7	6	19	22	22	19	7
Hypertensive heart and renal disease (404)	40	–	–	–	–	1	2	–	7	11	13	6	71	–	–	–	–	1	2	5	9	9	27	18
White	28	–	–	–	–	1	–	–	4	7	11	5	54	–	–	–	–	1	–	1	5	7	22	18
All other	12	–	–	–	–	–	2	–	3	4	2	1	17	–	–	–	–	–	2	4	4	2	5	–
Black	12	–	–	–	–	–	2	–	3	4	2	1	17	–	–	–	–	–	2	4	4	2	5	–
Ischemic heart disease (410-414)	12,320	–	1	1	6	32	259	976	2,488	3,516	3,349	1,692	9,702	–	1	–	1	11	62	241	973	2,059	3,388	2,961
White	11,443	–	–	1	5	27	231	868	2,284	3,284	3,121	1,622	8,950	–	–	–	1	9	50	194	856	1,855	3,132	2,858
All other	877	–	1	–	1	5	28	108	204	232	228	70	752	–	1	–	–	2	12	47	117	214	231	128
Black	845	–	–	–	1	4	27	105	197	225	220	66	727	–	–	–	–	2	12	45	113	206	227	120
Acute myocardial infarction (410)	7,749	–	–	1	4	24	212	754	1,854	2,351	1,857	692	4,978	–	–	–	1	6	45	177	715	1,288	1,849	1,095
White	7,218	–	–	1	4	19	190	682	1,715	2,217	1,728	662	4,607	–	–	–	1	5	39	148	639	1,186	1,542	1,047
All other	531	–	–	–	–	5	22	72	139	134	129	30	369	–	–	–	–	1	6	29	76	102	107	48
Black	512	–	–	–	–	4	21	71	135	131	123	27	359	–	–	–	–	1	6	29	72	99	105	47

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	41	–	–	–	–	–	2	5	11	12	7	4	21	–	–	–	–	–	–	3	1	3	10	4
White	38	–	–	–	–	–	2	5	10	12	5	4	16	–	–	–	–	–	–	1	1	3	7	4
All other	3	–	–	–	–	–	–	–	1	–	2	–	5	–	–	–	–	–	–	2	–	–	3	–
Black	3	–	–	–	–	–	–	–	1	–	2	–	5	–	–	–	–	–	–	2	–	–	3	–
Angina pectoris (413)	7	–	–	–	–	–	–	1	1	4	–	1	9	–	–	–	–	–	–	–	1	–	4	4
White	6	–	–	–	–	–	–	1	1	3	–	1	9	–	–	–	–	–	–	–	1	–	4	4
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,523	–	1	–	2	8	45	216	622	1,149	1,485	995	4,696	–	1	–	–	5	17	61	256	778	1,700	1,878
White	4,181	–	–	–	1	8	39	160	558	1,052	1,388	955	4,318	–	–	–	–	4	11	45	215	666	1,579	1,796
All other	342	–	1	–	1	–	6	36	64	97	97	40	378	–	1	–	–	1	6	16	41	112	121	80
Black	329	–	–	–	1	–	6	34	61	93	95	39	363	–	–	–	–	1	6	14	41	109	119	79
Other diseases of endocardium (424)	118	–	–	–	1	3	3	8	18	38	38	10	113	–	–	–	–	4	–	3	13	40	29	24
White	113	–	–	–	–	3	3	8	16	38	35	10	103	–	–	–	–	3	–	3	12	36	28	21
All other	5	–	–	–	1	–	–	–	2	1	1	–	10	–	–	–	–	1	–	–	1	4	1	3
Black	4	–	–	–	1	–	–	–	1	1	1	–	10	–	–	–	–	1	–	–	1	4	1	3
All other forms of heart disease (415-423,425-428)	3,230	19	6	6	26	44	109	326	603	800	804	487	2,730	14	3	7	13	22	44	122	287	480	850	907
White	2,600	14	4	5	20	30	76	214	460	639	684	454	2,289	8	1	2	11	13	30	79	195	362	740	847
All other	630	5	2	1	6	14	33	112	143	161	120	33	441	6	2	5	2	9	14	43	92	98	110	60
Black	624	5	2	1	6	14	32	110	142	161	119	32	438	6	2	5	2	9	14	42	90	97	109	60
Hypertension with or without renal disease (401,403)	130	–	–	–	–	2	4	13	26	20	38	27	138	–	–	–	–	1	4	8	12	26	51	37
White	98	–	–	–	–	1	–	7	14	17	33	26	107	–	–	–	–	–	1	4	8	14	46	34
All other	32	–	–	–	–	1	4	6	12	3	5	1	32	–	–	–	–	1	3	4	4	12	5	3
Black	32	–	–	–	–	1	4	6	12	3	5	1	31	–	–	–	–	1	3	4	4	11	5	3
Cerebrovascular diseases (430-438)	2,656	6	–	6	8	21	55	118	338	648	907	551	3,423	1	–	4	6	14	58	107	252	612	1,193	1,178
White	2,315	4	–	6	8	14	44	81	269	548	827	524	3,043	1	–	4	4	9	38	73	201	507	1,082	1,124
All other	341	2	–	–	–	7	11	37	79	98	80	27	380	–	–	–	2	5	18	34	51	105	111	54
Black	332	2	–	–	–	6	11	37	79	95	77	25	372	–	–	–	2	5	17	34	50	104	108	52
Intracerebral and other intracranial hemorrhage (431-432)	366	5	–	–	2	5	22	44	73	102	81	32	405	1	–	1	2	2	14	38	62	102	112	71
White	311	3	–	–	2	2	17	30	57	94	75	31	342	1	–	1	2	1	12	23	47	86	102	67
All other	55	2	–	–	–	3	5	14	16	8	6	1	63	–	–	–	–	1	2	15	15	16	10	4
Black	55	2	–	–	–	3	5	14	16	8	6	1	63	–	–	–	–	1	2	15	15	16	10	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	671	–	–	1	–	4	5	25	82	167	238	151	819	–	–	–	–	2	5	14	49	124	307	318
White	571	–	–	1	–	3	3	14	59	138	210	143	739	–	–	–	–	1	3	8	44	102	279	302
All other	100	–	–	–	–	1	2	11	23	29	28	8	80	–	–	–	–	1	2	6	5	22	28	16
Black	98	–	–	–	–	1	2	11	23	28	26	7	78	–	–	–	–	1	2	6	5	22	27	15
Cerebral embolism (434.1)	19	–	–	–	1	–	–	–	3	11	3	1	28	–	–	–	–	–	–	2	5	4	11	6
White	16	–	–	–	1	–	–	–	2	9	3	1	27	–	–	–	–	–	–	2	4	4	11	6
All other	3	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	3	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,600	1	–	5	5	12	28	49	180	386	587	367	2,171	–	–	3	4	10	37	53	138	382	763	783
White	1,417	1	–	5	5	9	24	37	141	307	539	349	1,935	–	–	3	2	7	23	40	106	315	690	749
All other	183	–	–	–	–	3	4	12	39	79	48	18	236	–	–	–	2	3	14	13	30	67	73	34
Black	176	–	–	–	–	2	4	12	39	57	45	17	230	–	–	–	2	3	13	13	29	66	71	33
Atherosclerosis (440)	469	–	–	–	–	–	1	4	24	88	188	186	706	–	–	–	–	–	–	1	24	84	221	396
White	434	–	–	–	–	–	1	3	17	82	170	161	666	–	–	–	–	–	–	1	17	58	209	383
All other	35	–	–	–	–	–	–	1	7	6	16	5	38	–	–	–	–	–	–	–	7	6	12	13
Black	33	–	–	–	–	–	–	1	7	6	14	5	37	–	–	–	–	–	–	–	7	6	11	13
Other diseases of arteries, arterioles, and capillaries (441-448)	547	–	–	–	2	3	8	33	81	172	196	52	274	–	–	–	5	3	1	13	28	72	93	59
White	501	–	–	–	1	2	8	27	77	156	182	48	249	–	–	–	4	2	1	11	26	61	87	57
All other	46	–	–	–	1	1	–	6	4	16	14	4	25	–	–	–	1	1	–	2	2	11	6	2
Black	45	–	–	–	1	1	–	6	4	15	14	4	25	–	–	–	1	1	–	2	2	11	6	2
Acute bronchitis and bronchiolitis (466)	8	3	1	–	–	–	–	–	2	1	–	1	7	–	1	–	–	1	–	–	–	2	2	1
White	6	2	–	–	–	–	–	–	2	1	–	1	7	–	1	–	–	1	–	–	–	2	2	1
All other	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	789	17	7	4	6	13	20	32	77	145	238	230	693	13	4	2	6	5	11	19	49	87	199	296
White	681	11	5	2	5	7	6	20	65	121	218	221	619	6	4	2	4	1	8	15	39	75	181	284
All other	108	6	2	2	1	6	14	12	12	24	20	9	74	7	–	–	2	4	3	4	10	12	18	14
Black	106	6	2	2	1	6	14	11	12	24	19	9	73	7	–	–	2	4	3	4	9	12	18	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	780	17	7	4	6	13	20	32	76	143	237	225	681	13	4	2	6	5	11	19	49	86	197	289
White	672	11	5	2	5	7	6	20	64	119	217	216	607	6	4	2	4	1	8	15	39	74	179	275
All other	108	6	2	2	1	6	14	12	12	24	20	9	74	7	–	–	2	4	3	4	10	12	18	14
Black	106	6	2	2	1	6	14	11	12	24	19	9	73	7	–	–	2	4	3	4	9	12	18	14
Influenza (487)	9	–	–	–	–	–	–	–	1	2	1	5	12	–	–	–	–	–	–	–	–	1	2	9
White	9	–	–	–	–	–	–	–	1	2	1	5	12	–	–	–	–	–	–	–	–	1	2	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,430	3	2	1	5	6	8	55	230	523	484	133	511	1	–	1	1	4	9	41	109	161	123	61
White	1,316	3	2	1	4	3	5	42	210	488	431	127	474	1	–	1	1	2	9	34	97	152	117	60
All other	114	–	–	–	1	3	3	13	20	35	33	6	37	–	–	–	–	2	–	7	12	9	6	1
Black	110	–	–	–	1	3	3	13	19	33	32	6	35	–	–	–	–	2	–	7	11	8	6	1
Bronchitis, chronic and unspecified (490-491)	103	2	2	–	1	1	–	4	20	37	25	11	43	1	–	–	–	–	–	–	14	13	9	6
White	100	2	2	–	1	1	–	4	19	37	23	11	41	1	–	–	–	–	–	–	13	13	9	5
All other	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	1	–	–	1
Black	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	1	–	–	1
Emphysema (492)	421	–	–	–	–	1	1	15	67	159	133	45	118	–	–	–	–	–	2	9	30	35	33	9
White	394	–	–	–	–	1	1	13	65	149	121	44	110	–	–	–	–	–	2	9	28	33	29	9
All other	27	–	–	–	–	–	–	2	2	10	12	1	8	–	–	–	–	–	–	–	2	2	4	–
Black	25	–	–	–	–	–	–	2	1	9	12	1	8	–	–	–	–	–	–	–	2	2	4	–
Asthma (493)	48	1	–	1	4	4	1	5	7	15	7	3	65	–	–	1	1	3	5	11	11	15	10	6
White	39	1	–	1	3	1	1	4	7	13	6	2	52	–	–	1	1	1	5	8	6	12	10	6
All other	9	–	–	–	1	3	–	1	–	2	1	1	13	–	–	–	–	2	–	3	5	3	–	–
Black	9	–	–	–	1	3	–	1	–	2	1	1	13	–	–	–	–	2	–	3	5	3	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	858	–	–	–	–	–	6	31	136	312	299	74	285	–	–	–	–	1	2	21	54	96	71	36
White	783	–	–	–	–	–	3	21	119	289	281	70	271	–	–	–	–	1	2	17	50	94	69	36
All other	75	–	–	–	–	–	3	10	17	23	18	4	14	–	–	–	–	–	–	4	4	4	2	–
Black	73	–	–	–	–	–	3	10	17	22	17	4	12	–	–	–	–	–	–	4	3	3	2	–
Ulcer of stomach and duodenum (531-533)	132	–	1	–	1	3	3	12	21	35	36	20	77	–	–	–	1	–	5	6	6	12	30	17
White	118	–	1	–	1	3	1	9	18	33	32	20	68	–	–	–	1	–	3	5	4	11	29	15
All other	14	–	–	–	–	–	2	3	3	2	4	–	9	–	–	–	–	–	2	1	2	1	1	2
Black	14	–	–	–	–	–	2	3	3	2	4	–	8	–	–	–	–	–	2	–	2	1	1	2
Appendicitis (540-543)	18	–	–	–	1	1	–	3	5	1	4	4	11	–	1	–	–	–	–	3	1	–	3	3
White	14	–	–	–	–	1	–	2	4	1	3	3	10	–	1	–	–	–	–	2	1	–	3	3
All other	5	–	–	–	1	–	–	1	1	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–
Black	5	–	–	–	1	–	–	1	1	–	1	1	1	–	–	–	–	–	–	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	87	5	–	–	1	1	1	10	12	22	24	11	132	3	1	1	–	1	–	4	9	25	39	49
White	74	4	–	–	1	1	1	9	10	17	21	10	118	3	1	1	–	1	–	3	8	21	33	47
All other	13	1	–	–	–	–	–	1	2	5	3	1	14	–	–	–	–	–	–	1	1	4	6	2
Black	13	1	–	–	–	–	–	1	2	5	3	1	14	–	–	–	–	–	–	1	1	4	6	2
Chronic liver disease and cirrhosis (571)	949	–	–	–	2	51	113	249	274	203	50	7	420	–	–	–	2	19	52	104	120	78	39	6
White	705	–	–	–	1	19	61	159	230	180	49	6	305	–	–	–	2	3	28	70	98	65	35	6
All other	244	–	–	–	1	32	52	90	44	23	1	1	115	–	–	–	–	16	26	34	22	13	4	–
Black	240	–	–	–	1	32	49	89	44	23	1	1	110	–	–	–	–	16	25	33	21	11	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	38	–	–	–	–	–	1	2	2	15	12	4	53	–	–	–	–	–	2	1	6	8	19	17
White	31	–	–	–	–	–	1	2	1	11	12	4	46	–	–	–	–	–	1	–	4	7	19	15
All other	5	–	–	–	–	–	–	–	1	4	–	–	7	–	–	–	–	–	1	1	2	1	–	2
Black	5	–	–	–	–	–	–	–	1	4	–	–	6	–	–	–	–	–	1	1	1	1	–	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	317	5	–	–	3	8	8	19	43	78	104	48	286	3	–	–	5	7	6	15	37	69	73	71
White	263	5	–	–	2	5	5	11	33	66	90	46	229	3	–	–	4	4	4	12	22	51	64	65
All other	54	–	–	–	1	3	3	8	10	13	14	2	57	–	–	–	1	3	2	3	15	18	9	6
Black	54	–	–	–	1	3	3	8	10	13	14	2	55	–	–	–	1	3	2	3	15	16	9	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	–	–	–	–	–	–	–	1	3	1	1	9	–	–	–	–	–	–	–	2	2	3	2
White	6	–	–	–	–	–	–	–	1	3	1	1	7	–	–	–	–	–	–	–	2	2	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	39	–	–	–	1	1	3	3	4	10	12	5	36	–	–	–	1	2	–	2	3	10	12	6
White	34	–	–	–	1	1	2	1	4	9	12	4	28	–	–	–	–	2	–	2	2	6	10	6
All other	5	–	–	–	–	–	1	2	–	1	–	1	8	–	–	–	1	–	–	–	1	4	2	–
Black	5	–	–	–	–	–	1	2	–	1	–	1	7	–	–	–	1	–	–	–	1	3	2	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	272	5	–	–	2	7	5	16	38	68	91	42	241	3	–	–	4	5	6	13	32	57	58	63
White	223	5	–	–	1	4	3	10	28	54	77	41	194	3	–	–	4	2	4	10	18	43	53	57
All other	49	–	–	–	1	3	2	6	10	12	14	1	47	–	–	–	–	3	2	3	14	14	5	6
Black	48	–	–	–	1	3	2	6	10	12	14	1	46	–	–	–	–	3	2	3	14	13	5	6
Infections of kidney (590)	28	–	–	–	1	–	2	–	1	3	16	5	47	1	–	–	1	–	2	3	2	7	19	12
White	26	–	–	–	1	–	2	–	1	2	15	5	40	1	–	–	1	–	1	2	1	6	18	10
All other	2	–	–	–	–	–	–	–	–	1	1	–	7	–	–	–	–	–	1	1	1	1	1	2
Black	2	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	1	1	1	1	2
Hyperplasia of prostate (600)	19	–	–	–	–	–	–	–	1	3	10	5	...	...	...	...	...	...	...	...	...	...	...	...
White	16	–	–	–	–	–	–	–	–	1	10	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	1	2	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	1	2	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	5	6	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	3	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	4	3	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	4	3	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	2	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	4	4	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	3	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	3	–	–	...	...	...	...
Congenital anomalies (740-759)	297	183	30	10	16	8	7	12	7	8	6	–	253	162	21	8	9	12	4	9	10	6	11	1
White	244	153	25	10	12	8	6	11	6	7	6	–	211	136	16	7	9	8	2	7	9	3	11	1
All other	43	30	5	–	4	–	1	1	1	1	–	–	42	24	5	1	–	4	2	2	1	3	–	–
Black	41	28	5	–	4	–	1	1	1	1	–	–	40	23	5	1	–	4	2	2	1	2	–	–
Certain conditions originating in the perinatal period (760-779)	587	585	1	–	1	–	–	–	–	–	–	–	441	435	4	–	–	–	–	–	–	–	–	1
White	397	395	1	–	1	–	–	–	–	–	–	–	285	280	3	–	–	–	–	–	–	–	–	1
All other	190	190	–	–	–	–	–	–	–	–	–	–	156	155	1	–	–	–	–	–	–	–	–	–
Black	187	187	–	–	–	–	–	–	–	–	–	–	154	153	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	227	225	1	–	1	–	–	–	–	–	–	–	150	149	1	–	–	–	–	–	–	–	–	–
White	155	153	1	–	1	–	–	–	–	–	–	–	96	95	1	–	–	–	–	–	–	–	–	–
All other	72	72	–	–	–	–	–	–	–	–	–	–	54	54	–	–	–	–	–	–	–	–	–	–
Black	71	71	–	–	–	–	–	–	–	–	–	–	54	54	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	360	360	–	–	–	–	–	–	–	–	–	–	291	288	3	–	–	–	–	–	–	–	–	1
White	242	242	–	–	–	–	–	–	–	–	–	–	189	185	2	–	–	–	–	–	–	–	–	1
All other	118	118	–	–	–	–	–	–	–	–	–	–	102	101	1	–	–	–	–	–	–	–	–	–
Black	116	116	–	–	–	–	–	–	–	–	–	–	100	99	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	244	161	3	1	12	11	6	1	9	10	10	20	202	98	3	1	5	7	2	4	9	10	25	38
White	182	113	2	1	8	8	3	1	8	9	10	19	155	65	1	1	2	5	2	4	6	10	25	34
All other	62	48	1	–	4	3	3	–	1	1	–	1	47	33	2	–	3	2	–	–	3	–	–	4
Black	60	47	1	–	4	3	3	–	1	–	–	1	45	32	2	–	2	2	–	–	3	–	–	4
All other diseases (Residual)	1,974	55	28	35	61	90	90	195	351	440	407	204	1,862	41	20	23	48	84	92	164	270	345	488	407
White	1,623	43	19	29	66	56	49	148	280	376	370	187	1,561	33	17	17	30	46	61	131	221	309	418	378
All other	351	12	7	6	15	34	41	47	71	64	37	17	301	8	3	6	18	38	31	33	49	36	50	29
Black	343	12	7	6	14	34	41	47	68	63	34	17	293	6	3	5	18	38	31	32	47	35	50	28
Accidents and adverse effects (E800-E949)	2,637	28	75	154	712	453	265	260	213	212	178	87	1,228	25	50	91	237	125	97	94	97	98	172	140
White	2,291	22	59	125	661	388	222	209	175	184	163	83	1,085	17	39	75	221	102	87	74	84	94	163	129
All other	346	6	16	29	51	65	43	51	38	28	15	4	141	8	11	16	16	23	10	20	13	4	9	11
Black	335	6	15	29	48	64	41	50	37	28	13	4	135	8	11	16	16	20	10	18	13	4	8	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	1,412	2	28	80	519	291	137	123	91	70	54	17	577	5	18	46	187	63	62	56	45	34	38	3
White	1,290	2	25	65	495	264	121	109	78	65	50	16	529	4	16	42	177	70	60	47	40	34	36	3
All other	122	–	3	15	24	27	16	14	13	5	4	1	48	1	2	4	10	13	2	9	5	–	2	–
Black	118	–	3	15	22	26	15	14	13	5	4	1	43	1	2	4	10	10	2	8	5	–	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,225	26	47	74	193	162	128	137	122	142	124	70	649	20	32	45	50	42	35	38	52	64	134	137
White	1,001	20	34	60	166	124	101	100	97	119	113	67	556	13	23	33	44	32	27	27	44	60	127	126
All other	224	6	13	14	27	38	27	37	25	23	11	3	93	7	9	12	6	10	8	11	8	4	7	11
Black	217	6	12	14	26	38	26	36	24	23	9	3	92	7	9	12	6	10	8	10	8	4	7	11
Suicide (E950-E959)	851	...	...	5	205	185	114	99	107	87	37	12	295	...	...	3	51	51	58	49	57	18	8	2
White	750	...	...	4	171	160	101	88	98	81	36	11	260	...	...	2	42	45	47	47	51	17	8	1
All other	101	...	...	1	34	25	13	11	9	6	1	1	35	...	...	1	9	6	9	2	6	1	–	1
Black	97	...	...	1	31	25	13	10	9	6	1	1	35	...	...	1	9	6	9	2	6	1	–	1
Homicide and legal intervention (E960-E978)	675	4	9	7	185	216	111	76	44	11	10	1	220	5	12	11	57	72	19	9	13	13	6	2
White	243	3	3	6	70	68	30	29	21	6	6	1	115	2	2	5	34	29	10	7	7	10	6	2
All other	432	1	6	1	115	148	81	47	23	5	4	–	105	3	10	6	23	43	9	2	6	3	–	–
Black	431	1	6	1	115	148	81	46	23	5	4	–	105	3	10	6	23	43	9	2	6	3	–	–
All other external causes (E980-E998)	81	–	2	1	18	25	9	9	8	3	2	3	40	2	2	2	4	9	5	5	10	1	–	–
White	55	–	2	–	15	13	8	5	6	2	2	1	28	1	1	1	3	6	4	2	9	1	–	–
All other	26	–	–	1	3	12	1	4	2	1	–	2	12	1	1	1	1	3	1	3	1	–	–	–
Black	25	–	–	1	3	11	1	4	2	1	–	2	12	1	1	1	1	3	1	3	1	–	–	–
MINNESOTA																								
All causes	17,549	401	77	123	596	433	411	1,066	2,571	4,226	4,738	2,886	14,540	301	56	89	203	188	269	613	1,400	2,536	4,450	4,435
White	17,251	372	74	120	575	400	391	1,059	2,521	4,175	4,686	2,865	14,309	273	52	83	191	181	252	596	1,365	2,498	4,409	4,409
All other	298	29	3	3	21	33	20	27	50	51	40	21	231	28	4	6	12	7	17	17	35	38	41	26
Black	161	19	2	–	5	17	14	14	29	27	19	15	139	15	2	3	7	2	8	11	22	20	31	18
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	6	1	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1
White	6	1	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	3	–	–	–	–	–	–	–	2	–	–	1	10	–	–	–	–	1	–	1	4	1	2	1
White	3	–	–	–	–	–	–	–	2	–	–	1	10	–	–	–	–	1	–	1	4	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	2	–	–	1	8	–	–	–	–	1	–	1	4	1	–	1
White	3	–	–	–	–	–	–	–	2	–	–	1	8	–	–	–	–	1	–	1	4	1	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	49	–	–	–	–	–	–	3	5	15	14	12	40	1	–	–	–	1	1	1	6	10	9	11
White	45	–	–	–	–	–	–	3	4	14	13	11	39	1	–	–	–	–	1	1	6	10	9	11
All other	4	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	2	1	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	2	–	1	–	–	–
White	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	2	–	1	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 096-139)	33	1	–	2	2	–	2	4	4	10	5	3	34	2	2	1	3	2	1	–	9	5	6	3
White	33	1	–	2	2	–	2	4	4	10	5	3	32	2	2	1	3	1	1	–	8	5	6	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,616	2	8	15	22	32	72	273	721	1,132	967	372	3,127	2	9	12	22	48	101	302	611	785	814	421
White	3,574	2	8	14	22	32	71	266	710	1,121	960	368	3,084	2	8	12	21	47	99	298	598	777	804	418
All other	42	–	–	1	–	–	1	7	11	11	7	4	43	–	1	–	1	1	2	4	13	8	10	3
Black	31	–	–	–	–	–	1	5	8	9	5	3	32	–	–	–	1	1	2	3	8	6	9	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	62	–	–	–	–	1	2	5	22	22	9	1	35	–	–	–	–	–	–	4	7	9	8	7
White	62	–	–	–	–	1	2	5	22	22	9	1	35	–	–	–	–	–	–	4	7	9	8	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,062	–	–	–	–	5	13	77	207	329	289	142	920	–	–	1	1	7	13	45	158	226	305	164
White	1,045	–	–	–	–	5	13	74	204	323	286	140	906	–	–	1	1	7	12	44	153	223	304	161
All other	17	–	–	–	–	–	–	3	3	6	3	2	14	–	–	–	–	–	1	1	5	3	1	3
Black	13	–	–	–	–	–	–	2	3	4	2	2	11	–	–	–	–	–	1	1	4	2	1	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,042	–	–	–	1	2	16	109	279	386	223	26	347	–	–	–	1	2	8	45	104	93	69	25
White	1,028	–	–	–	1	2	15	105	274	384	221	26	341	–	–	–	1	2	8	45	102	92	66	25
All other	14	–	–	–	–	–	1	4	5	2	2	–	6	–	–	–	–	–	–	–	2	1	3	–
Black	11	–	–	–	–	–	1	3	4	2	1	–	3	–	–	–	–	–	–	–	1	–	2	–
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	–	–	3	–	605	–	–	–	1	11	44	107	120	155	112	55
White	3	–	–	–	–	–	–	–	–	–	3	–	598	–	–	–	1	11	43	105	119	154	110	55
All other	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	2	1	1	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	2	1	1	2	–
Malignant neoplasms of genital organs (179-187)	449	–	–	–	1	2	2	6	33	117	178	104	376	–	–	–	–	9	14	33	85	99	92	44
White	440	–	–	–	1	2	2	6	32	117	177	103	371	–	–	–	–	8	14	33	84	98	90	44
All other	3	–	–	–	–	–	–	–	1	–	1	1	5	–	–	–	–	1	–	–	1	1	2	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–	1	–	–	–	1	2	–
Malignant neoplasms of urinary organs (188-189)	223	–	–	–	–	1	4	10	38	68	65	37	99	1	–	2	–	–	1	1	12	26	29	27
White	220	–	–	–	–	1	4	10	38	67	64	36	96	1	–	2	–	–	1	1	11	25	28	27
All other	3	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	1	1	1	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	1	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	366	1	4	8	8	6	18	35	82	89	84	21	390	–	5	5	8	7	14	33	79	90	98	51
White	364	1	4	8	8	6	18	35	80	89	84	21	386	–	5	5	8	7	14	32	78	89	97	51
All other	2	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	1	1	1	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	1	–
Leukemia (204-208)	191	1	4	5	10	9	14	10	23	50	44	21	142	1	4	4	8	6	4	12	18	30	39	16
White	190	1	4	4	10	9	14	10	23	50	44	21	140	1	3	4	7	6	4	12	18	30	39	16
All other	1	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	224	–	–	2	2	6	3	21	37	61	72	20	213	–	–	–	3	6	3	22	28	57	62	32
White	222	–	–	2	2	6	3	21	37	59	72	20	211	–	–	–	3	6	3	22	26	57	62	32
All other	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	36	–	1	–	3	2	1	2	4	10	12	1	37	1	1	–	–	2	1	6	3	7	10	6
White	36	–	1	–	3	2	1	2	4	10	12	1	37	1	1	–	–	2	1	6	3	7	10	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	209	–	–	–	–	1	5	22	38	48	68	27	278	–	–	2	1	3	7	7	40	57	100	61
White	205	–	–	–	–	1	5	22	37	47	66	27	275	–	–	2	1	3	7	7	39	56	99	61
All other	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	1	–	†	–
Nutritional deficiencies (260-269)	30	1	1	–	–	–	–	–	1	3	11	13	29	–	–	–	–	–	–	–	2	2	9	15
White	29	1	1	–	–	–	–	–	1	3	10	13	29	–	–	–	–	–	–	–	2	2	9	15
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	22	–	–	–	–	–	1	–	–	2	8	11	29	1	1	2	–	–	–	–	–	2	14	9
White	21	–	–	–	–	–	–	–	–	2	8	11	28	1	1	1	–	–	–	–	–	2	14	9
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	8	2	2	2	–	–	–	–	1	–	1	–	8	1	1	1	–	–	–	1	1	–	2	1
White	8	2	2	2	–	–	–	–	1	–	1	–	8	1	1	1	–	–	–	1	1	–	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	8,723	5	3	5	16	39	135	495	1,293	2,248	2,711	1,773	7,642	2	4	5	14	14	49	155	449	1,214	2,692	3,044
White	8,628	4	2	5	15	35	131	487	1,270	2,224	2,693	1,762	7,564	2	4	5	13	14	46	150	440	1,193	2,669	3,028
All other	95	1	1	–	1	4	4	8	23	24	18	11	78	–	–	–	1	–	3	5	9	21	23	16
Black	48	–	1	–	1	1	3	3	13	10	9	7	52	–	–	–	1	–	2	4	6	11	17	11
Diseases of heart (390-398,402,404-429)	6,798	3	2	4	12	30	117	456	1,144	1,829	2,001	1,200	5,170	2	4	5	10	11	33	121	345	925	1,804	1,910
White	6,722	2	1	4	11	26	115	448	1,124	1,810	1,988	1,192	5,114	2	4	5	9	11	32	116	338	909	1,789	1,899
All other	76	1	1	–	1	4	2	8	20	19	12	8	56	–	–	–	1	–	1	5	7	16	15	11
Black	39	–	1	–	1	1	2	3	12	9	5	5	37	–	–	–	1	–	1	4	4	7	12	8
Rheumatic fever and rheumatic heart disease (390-398)	51	–	–	–	–	3	2	7	9	13	12	5	96	–	–	–	2	–	4	4	10	35	25	15
White	50	–	–	–	–	2	2	7	9	13	12	5	94	–	–	–	1	–	4	4	10	34	25	15
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hypertensive heart disease (402)	87	–	–	–	–	1	2	3	20	27	24	10	120	–	–	–	–	–	–	2	4	22	45	47
White	86	–	–	–	–	1	2	3	19	27	24	10	116	–	–	–	–	–	–	2	4	18	45	47
All other	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	4	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Hypertensive heart and renal disease (404)	14	–	–	–	–	–	–	1	1	4	5	3	16	–	–	–	–	–	–	–	1	2	5	8
White	14	–	–	–	–	–	–	1	1	4	5	3	16	–	–	–	–	–	–	–	1	2	5	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	5,574	1	–	–	5	12	98	406	978	1,559	1,598	919	3,877	–	–	–	–	4	14	66	271	733	1,364	1,365
White	5,523	–	–	–	5	10	94	399	964	1,548	1,588	915	3,836	–	–	–	–	4	14	62	266	725	1,371	1,374
All other	51	1	–	–	–	2	2	7	14	11	10	4	41	–	–	–	–	–	–	4	5	8	13	11
Black	23	–	–	–	–	1	2	2	7	4	4	3	28	–	–	–	–	–	–	4	2	3	11	8
Acute myocardial infarction (410)	3,039	1	–	–	3	5	55	262	599	922	834	358	1,823	–	–	–	–	3	12	51	169	419	718	451
White	3,022	–	–	–	3	5	55	260	594	919	829	357	1,808	–	–	–	–	3	12	51	165	416	714	447
All other	17	1	–	–	–	–	–	2	5	3	5	1	15	–	–	–	–	–	–	–	4	3	4	4
Black	6	–	–	–	–	–	–	–	2	1	2	1	8	–	–	–	–	–	–	–	2	–	3	3
Other acute and subacute forms of ischemic heart disease (411)	29	–	–	–	–	–	–	2	7	7	7	6	19	–	–	–	–	–	–	1	1	6	7	4
White	28	–	–	–	–	–	–	1	7	7	7	6	19	–	–	–	–	–	–	1	1	6	7	4
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	5	–	–	–	–	1	–	–	–	2	2	–	4	–	–	–	–	–	–	–	–	1	2	1
White	5	–	–	–	–	1	–	–	–	2	2	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,501	–	–	–	2	6	41	142	372	628	755	555	2,031	–	–	–	–	1	2	34	101	307	657	929
White	2,468	–	–	–	2	4	39	138	363	620	750	552	2,005	–	–	–	–	1	2	30	100	302	648	922
All other	33	–	–	–	–	2	2	4	9	8	5	3	26	–	–	–	–	–	–	4	1	5	9	7
Black	17	–	–	–	–	1	2	2	5	3	2	2	20	–	–	–	–	–	–	4	–	3	8	6
Other diseases of endocardium (424)	87	–	–	–	–	3	1	4	17	20	29	13	68	–	–	–	1	–	1	2	6	19	28	17
White	85	–	–	–	–	3	1	4	17	19	29	12	67	–	–	–	1	–	1	2	6	12	28	17
All other	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	985	2	2	4	7	11	16	35	119	208	333	250	993	2	4	5	7	7	14	27	53	120	317	437
White	964	2	1	4	6	10	16	34	114	199	331	247	985	2	4	5	7	7	13	26	51	118	315	437
All other	21	-	1	-	1	1	-	1	5	7	2	3	8	-	-	-	-	-	1	1	2	2	2	-
Black	15	-	1	-	1	-	-	1	5	5	1	1	5	-	-	-	-	-	1	-	2	1	1	-
Hypertension with or without renal disease (401,403)	40	-	-	-	-	-	-	-	4	12	13	11	62	-	-	-	-	-	-	-	4	10	22	26
White	40	-	-	-	-	-	-	-	4	12	13	11	61	-	-	-	-	-	-	-	4	10	22	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebrovascular diseases (430-438)	1,414	2	1	1	4	6	16	29	104	292	542	417	1,890	-	-	-	4	3	13	32	78	229	706	825
White	1,403	2	1	1	4	6	15	29	102	288	540	415	1,871	-	-	-	4	3	11	32	76	225	688	822
All other	11	-	-	-	-	-	1	-	2	4	2	2	19	-	-	-	-	-	2	-	2	4	6	3
Black	6	-	-	-	-	-	1	-	-	1	2	2	12	-	-	-	-	-	1	-	2	3	5	1
Intracerebral and other intracranial hemorrhage (431-432)	172	2	-	-	1	-	7	10	22	58	42	30	201	-	-	-	2	2	2	10	19	54	66	46
White	170	2	-	-	1	-	7	10	21	58	42	29	200	-	-	-	2	2	2	10	19	53	66	46
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	264	-	1	-	-	-	-	2	15	51	121	74	300	-	-	-	-	-	-	1	12	33	123	131
White	262	-	1	-	-	-	-	2	14	50	121	74	298	-	-	-	-	-	-	1	12	33	122	130
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	1	1	-	2	-
White	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	1	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	975	-	-	1	3	6	9	17	67	183	377	312	1,385	-	-	-	2	1	11	20	46	142	515	648
White	968	-	-	1	3	6	8	17	67	180	375	311	1,369	-	-	-	2	1	9	20	44	139	508	646
All other	7	-	-	-	-	-	1	-	-	3	2	1	16	-	-	-	-	-	2	-	2	3	7	2
Black	5	-	-	-	-	-	1	-	-	1	2	1	10	-	-	-	-	-	1	-	2	2	4	1
Atherosclerosis (440)	230	-	-	-	-	-	-	2	8	31	75	114	377	-	-	-	-	-	-	-	4	24	100	249
White	225	-	-	-	-	-	-	2	7	31	72	113	377	-	-	-	-	-	-	-	4	24	100	249
All other	5	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	241	-	-	-	-	3	2	8	33	84	80	31	143	-	-	-	-	-	-	3	2	18	26	60	34
White	238	-	-	-	-	3	1	8	33	83	79	31	141	-	-	-	-	-	-	3	2	18	25	60	33
All other	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	1	-	2	-	2	6	-	4	-	-	-	-	-	-	1	1	-	-
White	5	-	-	-	-	-	-	1	-	2	-	2	6	-	4	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	479	7	-	3	7	5	4	9	22	56	158	208	491	5	2	2	1	4	5	5	13	44	152	258
White	467	6	-	3	6	4	3	8	20	55	156	206	482	4	2	2	1	4	4	5	12	44	149	255
All other	12	1	-	-	1	1	1	1	2	1	2	2	9	1	-	-	-	-	1	-	1	-	3	3
Black	5	-	-	-	1	-	1	-	-	1	1	1	5	1	-	-	-	-	1	-	-	-	2	1
Pneumonia (480-486)	466	6	-	3	7	5	4	9	22	55	154	203	474	5	2	2	1	4	5	5	13	41	150	246
White	456	5	-	3	6	4	3	8	20	54	152	201	465	4	2	2	1	4	4	5	12	41	147	243
All other	12	1	-	-	1	1	1	1	2	1	2	2	9	1	-	-	-	-	1	-	1	-	3	3
Black	5	-	-	-	1	-	1	-	-	1	1	1	5	1	-	-	-	-	1	-	-	-	2	1
Influenza (487)	11	1	-	-	-	-	-	-	-	1	4	5	17	-	-	-	-	-	-	-	-	3	2	12
White	11	1	-	-	-	-	-	-	-	1	4	5	17	-	-	-	-	-	-	-	-	3	2	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	529	2	-	-	-	1	1	8	83	182	179	73	203	1	1	-	1	1	1	7	41	84	61	25
White	527	2	-	-	-	1	1	8	83	181	178	73	201	1	1	-	1	1	1	7	40	83	61	25
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	36	1	-	-	-	-	-	-	3	11	12	9	28	1	1	-	1	-	-	2	5	4	9	5
White	35	1	-	-	-	-	-	-	3	11	11	9	27	1	1	-	1	-	-	2	4	4	9	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	167	-	-	-	-	-	1	3	24	59	59	21	31	-	-	-	-	-	-	1	11	10	7	2
White	166	-	-	-	-	-	1	3	24	58	59	21	31	-	-	-	-	-	-	1	11	10	7	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	27	-	-	-	-	-	-	1	6	12	3	5	24	-	-	-	-	1	1	1	1	9	6	5
White	27	-	-	-	-	-	-	1	6	12	3	5	24	-	-	-	-	1	1	1	1	9	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	299	1	-	-	-	1	-	4	50	100	105	38	120	-	-	-	-	-	-	3	24	41	39	13
White	299	1	-	-	-	1	-	4	50	100	105	38	118	-	-	-	-	-	-	3	24	40	39	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	64	-	-	-	-	-	1	1	12	12	26	12	57	1	-	-	1	2	2	-	10	15	8	18
White	64	-	-	-	-	-	1	1	12	12	26	12	57	1	-	-	1	2	2	-	10	15	8	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	6	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-	-	-	-	1	2	-
White	6	-	-	-	-	-	-	-	-	3	2	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	48	3	-	-	-	2	-	1	3	6	20	11	57	2	-	-	-	-	1	-	5	8	16	25
White	45	3	-	-	-	2	-	1	3	6	20	10	54	1	-	-	-	-	1	-	5	8	16	23
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Chronic liver disease and cirrhosis (571)	210	-	-	-	-	6	18	43	62	59	17	5	109	-	1	2	-	5	10	23	22	31	14	1
White	198	-	-	-	-	5	16	38	60	57	17	5	102	-	1	2	-	4	7	21	21	31	14	1
All other	12	-	-	-	-	1	2	5	2	2	-	-	7	-	-	-	-	1	3	2	1	-	-	-
Black	6	-	-	-	-	1	1	2	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	1	1	1	4	5	12	10	35	-	-	-	-	-	-	-	1	6	9	17
White	33	-	-	-	-	1	1	1	4	5	11	10	35	-	-	-	-	-	-	-	1	6	9	17
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	109	2	-	1	1	1	-	2	2	25	39	36	92	1	-	-	1	1	1	1	6	23	25	33
White	108	2	-	1	1	1	-	2	2	25	38	36	90	1	-	-	1	1	1	1	6	22	25	32
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
White	7	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	1	-	1	-	2	-	3	2	3	15	-	-	-	-	-	-	-	-	4	5	6
White	12	-	-	1	-	1	-	2	-	3	2	3	15	-	-	-	-	-	-	-	-	4	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	90	2	-	-	1	-	-	-	1	21	34	31	77	1	-	-	1	1	1	1	6	19	20	27
White	89	2	-	-	1	-	-	-	1	21	33	31	75	1	-	-	1	1	1	1	6	18	20	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Infections of kidney (590)	16	-	-	-	-	-	1	-	1	3	8	3	14	-	-	-	-	-	-	1	1	3	4	5
White	15	-	-	-	-	-	1	-	1	2	8	3	14	-	-	-	-	-	-	1	1	3	4	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	16	-	-	-	-	-	-	-	-	2	3	11	---	---	---	---	---	---	---	---	---	---	---	---
White	16	-	-	-	-	-	-	-	-	2	3	11	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	1	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	141	92	12	7	5	8	2	1	3	6	3	2	106	65	6	8	2	-	2	3	5	8	4	3
White	137	88	12	7	5	8	2	1	3	6	3	2	103	63	5	8	2	-	2	3	5	8	4	3
All other	4	4	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	187	185	2	-	-	-	-	-	-	-	-	-	150	150	-	-	-	-	-	-	-	-	-	-
White	176	174	2	-	-	-	-	-	-	-	-	-	140	140	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	67	66	1	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
White	66	65	1	-	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	120	119	1	-	-	-	-	-	-	-	-	-	100	100	-	-	-	-	-	-	-	-	-	-
White	110	109	1	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	273	73	-	3	3	5	-	12	34	43	61	39	248	45	2	1	5	3	3	12	18	27	65	67
White	257	64	-	3	3	5	-	11	31	42	60	38	227	33	2	1	4	2	3	10	15	26	64	67
All other	16	9	-	-	-	-	-	1	3	1	1	1	21	12	-	-	1	1	-	2	3	1	1	-
Black	12	6	-	-	-	-	-	1	3	-	1	1	7	3	-	-	-	-	-	2	2	-	-	-
All other diseases (Residual)	980	16	15	16	22	27	27	70	120	214	277	176	998	16	2	6	10	21	20	39	96	151	328	311
White	963	15	15	16	22	25	24	69	117	210	275	175	979	14	2	6	9	20	16	38	92	148	324	310
All other	17	1	-	-	-	2	3	1	3	4	2	1	19	2	-	-	1	1	4	1	4	3	2	1
Black	11	1	-	-	-	2	1	1	2	3	-	1	9	2	-	-	-	1	1	-	3	-	1	1
Accidents and adverse effects (E800-E949)	1,298	8	31	67	404	199	66	90	115	110	116	72	576	3	18	38	109	53	38	28	38	55	101	94
White	1,257	7	31	65	392	187	65	88	111	106	113	72	562	3	18	38	104	53	35	27	38	54	100	94
All other	41	1	-	2	12	12	1	2	4	4	3	-	14	-	-	3	5	-	3	1	-	1	1	-
Black	8	1	-	-	1	3	1	1	1	-	-	-	8	-	-	2	2	-	1	1	-	1	1	-
Motor vehicle accidents (E810-E825)	680	1	6	31	306	121	54	38	44	39	32	11	255	2	3	23	90	40	28	12	17	20	18	2
White	663	1	6	31	300	113	54	36	44	36	31	11	246	2	3	22	85	40	26	11	17	20	18	2
All other	17	-	-	-	6	8	-	-	-	2	1	-	9	-	-	1	5	-	2	1	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	4	-	-	1	2	-	-	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	618	7	25	36	98	78	32	54	71	72	84	61	321	1	15	16	19	13	10	16	21	35	83	92
White	594	6	25	34	92	74	31	52	67	70	82	61	316	1	15	14	19	13	9	16	21	34	82	92
All other	24	1	-	2	6	4	1	2	4	2	2	-	5	-	-	2	-	-	1	-	-	1	1	-
Black	6	1	-	-	1	1	1	1	1	-	-	-	4	-	-	1	-	-	1	-	-	1	1	-
Suicide (E950-E959)	316	...	...	-	87	64	39	38	34	28	15	11	100	...	...	3	15	20	19	19	14	8	-	2
White	310	...	...	-	85	62	37	38	34	28	15	11	94	...	...	2	15	19	18	17	13	8	-	2
All other	6	...	...	-	2	2	2	-	-	-	-	-	6	...	...	1	-	1	1	2	1	-	-	-
Black	3	...	...	-	-	2	1	-	-	-	-	-	3	...	...	1	-	-	1	-	1	-	-	-
Homicide and legal intervention (E960-E978)	70	-	1	2	18	27	9	6	4	-	2	-	33	-	-	4	13	3	3	-	-	5	4	1
White	49	-	-	2	14	17	4	5	4	-	2	-	30	-	-	3	11	3	3	-	-	5	4	1
All other	21	-	1	-	4	10	5	1	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-
Black	15	-	-	-	2	8	4	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	32	-	1	-	6	12	6	3	1	-	2	1	19	1	2	1	3	3	2	2	4	1	-	-
White	28	-	-	-	5	11	6	2	1	-	2	1	17	1	-	1	3	3	2	2	4	1	-	-
All other	4	-	1	-	1	1	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																							
All causes	12,870	467	91	118	505	464	554	1,030	2,152	3,482	2,784	1,234	10,115	339	65	71	164	176	256	609	1,156	2,302	2,736	2,239
White	8,140	164	47	58	281	233	318	671	1,508	2,317	1,807	735	6,269	115	28	32	88	85	137	351	702	1,388	1,850	1,492
All other	4,730	303	44	60	224	231	236	359	644	1,145	977	499	3,846	224	37	39	76	91	119	258	454	914	886	746
Black	4,682	298	44	60	216	230	232	355	639	1,138	973	499	3,825	223	35	38	76	90	117	255	450	911	884	744
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	5	3	–	–	–	–	–	–	–	–	1	1
White	1	1	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	28	–	–	–	–	2	2	6	6	7	3	–	15	–	–	–	1	1	1	1	2	2	6	1
White	12	–	–	–	–	–	1	4	1	4	2	–	7	–	–	–	–	–	–	1	1	2	3	–
All other	14	–	–	–	–	2	1	2	5	3	1	–	8	–	–	–	1	1	1	–	1	–	3	1
Black	14	–	–	–	–	2	1	2	5	3	1	–	8	–	–	–	1	1	1	–	1	–	3	1
Tuberculosis of respiratory system (010-012)	24	–	–	–	–	1	2	6	6	7	2	–	12	–	–	–	1	1	–	1	2	2	4	1
White	11	–	–	–	–	–	1	4	1	4	1	–	6	–	–	–	–	–	–	1	1	2	2	–
All other	13	–	–	–	–	1	1	2	5	3	1	–	6	–	–	–	1	1	–	–	1	–	2	1
Black	13	–	–	–	–	1	1	2	5	3	1	–	6	–	–	–	1	1	–	–	1	–	2	1
Other tuberculosis (013-018)	2	–	–	–	–	1	–	–	–	–	1	–	3	–	–	–	–	–	1	–	–	–	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	11	1	5	–	2	–	–	–	1	1	–	1	6	1	3	1	–	–	–	–	–	1	–	–
White	8	1	4	–	1	–	–	–	1	–	–	1	3	1	2	–	–	–	–	–	–	–	–	–
All other	3	–	1	–	1	–	–	–	–	1	–	–	3	–	1	1	–	–	–	–	–	1	–	–
Black	3	–	1	–	1	–	–	–	–	1	–	–	3	–	1	1	–	–	–	–	–	1	–	–
Septicemia (038)	47	5	–	–	–	1	1	4	6	13	12	5	46	7	1	1	2	1	2	5	4	7	8	8
White	29	4	–	–	–	–	1	–	4	11	6	3	23	1	1	–	–	1	1	3	1	4	7	4
All other	18	1	–	–	–	1	–	4	2	2	6	2	23	6	–	1	2	–	1	2	3	3	1	4
Black	18	1	–	–	–	1	–	4	2	2	6	2	23	6	–	1	2	–	1	2	3	3	1	4
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	10	1	–	–	1	1	1	3	1	2	–	–	5	–	–	–	–	–	–	1	2	1	–	1
White	9	1	–	–	1	–	1	3	1	2	–	–	3	–	–	–	–	–	–	–	1	1	–	1
All other	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	22	–	–	1	4	2	3	–	3	4	5	–	22	2	–	1	1	1	1	3	3	5	2	3
White	12	–	–	–	3	–	–	–	2	2	5	–	10	1	–	–	–	–	–	1	1	3	2	2
All other	10	–	–	1	1	2	3	–	1	2	–	–	12	1	–	1	1	1	1	2	2	2	–	1
Black	10	–	–	1	1	2	3	–	1	2	–	–	12	1	–	1	1	1	1	2	2	2	–	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,377	–	5	6	18	22	62	219	543	869	491	141	1,791	–	5	8	14	33	70	203	358	555	368	179
White	1,593	–	5	5	12	15	45	143	381	596	322	79	1,230	–	2	5	7	22	47	137	254	374	259	129
All other	784	–	–	1	6	7	17	76	162	283	169	62	561	–	3	3	7	11	23	66	104	184	104	56
Black	782	–	–	1	6	7	16	76	161	283	169	62	557	–	3	3	7	11	23	64	104	183	103	56

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	-	-	-	-	1	3	11	17	19	7	-	33	-	-	-	-	-	1	5	2	13	6	6
White	44	-	-	-	-	-	2	7	14	15	6	-	26	-	-	-	-	-	1	3	2	10	4	6
All other	14	-	-	-	-	1	1	4	3	4	1	-	7	-	-	-	-	-	-	2	-	3	2	-
Black	14	-	-	-	-	1	1	4	3	4	1	-	7	-	-	-	-	-	-	2	-	3	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	552	-	-	-	-	6	13	51	131	199	114	38	527	-	-	-	2	4	16	38	89	167	137	74
White	340	-	-	-	-	3	8	25	83	129	69	23	357	-	-	-	1	1	11	27	59	107	97	54
All other	212	-	-	-	-	3	5	26	48	70	45	15	170	-	-	-	1	3	5	11	30	60	40	20
Black	212	-	-	-	-	3	5	26	48	70	45	15	168	-	-	-	1	3	5	10	30	60	39	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	886	-	-	-	-	1	22	99	249	366	130	20	245	-	-	-	-	-	4	44	64	87	35	11
White	663	-	-	-	-	-	17	69	191	267	104	15	161	-	-	-	-	-	2	31	49	56	24	9
All other	223	-	-	-	-	1	5	30	57	99	26	5	84	-	-	-	-	-	2	13	15	21	11	2
Black	223	-	-	-	-	1	5	30	57	99	26	5	84	-	-	-	-	-	2	13	15	21	11	2
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	288	-	-	-	-	9	20	54	76	80	36	14
White	-	-	-	-	-	-	-	-	-	-	-	-	222	-	-	-	-	7	14	42	61	63	27	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	67	-	-	-	-	2	6	12	15	17	9	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	68	-	-	-	-	2	6	11	15	17	9	6
Malignant neoplasms of genital organs (179-187)	287	-	-	-	2	1	2	2	30	100	113	36	214	-	-	-	3	9	13	17	37	83	39	13
White	133	-	-	-	2	1	1	-	14	43	59	13	113	-	-	-	1	5	8	9	18	38	25	9
All other	154	-	-	-	-	-	1	2	16	57	54	23	101	-	-	-	2	4	5	8	19	45	14	4
Black	154	-	-	-	-	-	1	2	16	57	54	23	101	-	-	-	2	4	5	8	19	45	14	4
Malignant neoplasms of urinary organs (188-189)	87	-	-	-	-	1	1	6	14	39	17	9	54	-	-	-	-	1	1	6	9	13	14	10
White	62	-	-	-	-	1	1	4	10	31	10	5	34	-	-	-	-	-	-	3	5	8	11	7
All other	25	-	-	-	-	-	-	2	4	8	7	4	20	-	-	-	-	1	1	3	4	5	3	3
Black	24	-	-	-	-	-	-	2	3	8	7	4	20	-	-	-	-	1	1	3	4	5	3	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	305	-	3	2	9	7	10	35	67	88	68	16	250	-	2	2	3	5	9	21	57	74	48	29
White	202	-	3	1	5	7	8	26	45	58	42	9	173	-	-	1	2	5	6	14	43	51	33	18
All other	103	-	-	1	4	-	2	9	22	32	26	7	77	-	2	1	1	-	3	7	14	23	15	11
Black	103	-	-	1	4	-	2	9	22	32	26	7	76	-	2	1	1	-	3	7	14	22	15	11
Leukemia (204-208)	101	-	2	3	3	3	5	5	13	26	24	17	87	-	3	6	6	2	2	8	8	21	19	12
White	77	-	2	3	3	2	5	5	7	21	18	11	55	-	2	4	3	2	2	1	4	15	16	6
All other	24	-	-	-	-	1	-	-	6	5	6	6	32	-	1	2	3	-	-	7	4	6	3	6
Black	24	-	-	-	-	1	-	-	6	5	6	6	32	-	1	2	3	-	-	7	4	6	3	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	101	-	-	1	4	2	6	10	23	32	18	5	92	-	-	-	-	3	4	10	16	20	29	10
White	72	-	-	1	2	1	3	7	17	24	14	3	69	-	-	-	-	2	3	7	13	16	22	6
All other	29	-	-	-	2	1	3	3	6	8	4	2	23	-	-	-	-	1	1	3	3	4	7	4
Black	28	-	-	-	2	1	2	3	6	8	4	2	23	-	-	-	-	1	1	3	3	4	7	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	30	-	-	-	-	1	4	4	6	8	6	1	37	-	-	1	-	-	2	2	3	9	16	4
White	25	-	-	-	-	1	1	4	4	8	6	1	24	-	-	-	-	-	-	-	2	9	11	2
All other	5	-	-	-	-	-	3	-	2	-	-	-	13	-	-	1	-	-	2	2	1	-	5	2
Black	5	-	-	-	-	-	3	-	2	-	-	-	13	-	-	1	-	-	2	2	1	-	5	2
Diabetes mellitus (250)	144	-	-	-	2	3	6	13	24	44	39	13	256	-	-	1	-	3	10	12	40	81	69	40
White	71	-	-	-	1	3	3	3	12	19	20	10	103	-	-	-	-	2	1	4	14	31	30	21
All other	73	-	-	-	1	-	3	10	12	25	19	3	153	-	-	1	-	1	9	8	26	50	39	19
Black	71	-	-	-	1	-	2	10	11	25	19	3	153	-	-	1	-	1	9	8	26	50	39	19
Nutritional deficiencies (260-269)	17	2	-	1	-	-	-	-	2	5	5	2	13	2	-	-	-	-	1	-	-	-	3	7
White	8	-	-	-	-	-	-	-	1	2	4	1	10	-	-	-	-	-	1	-	-	-	3	6
All other	9	2	-	1	-	-	-	-	1	3	1	1	3	2	-	-	-	-	-	-	-	-	-	1
Black	9	2	-	1	-	-	-	-	1	3	1	1	3	2	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	21	1	2	-	4	-	4	-	1	-	6	3	21	-	-	-	-	1	-	-	1	1	8	7	3
White	9	1	-	-	-	-	1	-	-	-	6	1	12	-	-	-	-	-	-	-	-	-	8	3	3
All other	12	-	2	-	4	-	3	-	1	-	-	2	9	-	-	-	-	1	-	-	1	1	2	4	-
Black	12	-	2	-	4	-	3	-	1	-	-	2	9	-	-	-	-	1	-	-	1	1	2	4	-
Meningitis (320-322)	7	3	1	-	1	-	-	-	1	1	-	-	9	4	3	-	-	-	-	-	1	1	-	-	-
White	5	2	1	-	-	-	-	-	1	1	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	1	-	-	-	-	-	-	-	5	2	1	-	-	-	-	-	1	1	-	-	-
Black	2	1	-	-	1	-	-	-	-	-	-	-	5	2	1	-	-	-	-	-	1	1	-	-	-
Major cardiovascular diseases (390-448)	5,586	14	2	6	21	46	136	389	934	1,696	1,565	773	5,233	7	3	6	11	34	65	205	477	1,172	1,732	1,519
White	3,752	3	1	1	7	27	71	275	682	1,153	1,046	486	3,365	2	1	3	6	9	26	103	270	700	1,197	1,046
All other	1,834	11	1	4	14	19	65	114	252	545	519	287	1,868	5	2	3	3	25	39	102	207	472	535	473
Black	1,826	11	1	4	14	19	65	113	252	540	517	287	1,863	5	2	3	3	25	39	102	206	471	534	471

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,250	12	1	2	17	34	103	326	768	1,333	1,134	518	3,619	5	3	4	8	26	50	158	356	846	1,177	996
White	2,988	3	–	1	6	20	81	254	579	958	774	332	2,383	2	1	3	3	9	19	83	197	518	828	705
All other	1,262	9	1	1	11	14	42	72	189	375	360	186	1,256	3	2	1	3	17	31	75	159	328	354	291
Black	1,255	9	1	1	11	14	42	71	189	370	359	186	1,252	3	2	1	3	17	31	75	158	327	354	279
Rheumatic fever and rheumatic heart disease (390-398)	23	–	–	–	3	1	3	5	5	2	4	–	17	–	–	–	–	2	1	2	4	5	1	2
White	10	–	–	–	–	–	–	2	4	–	4	–	11	–	–	–	–	1	–	2	2	4	1	1
All other	13	–	–	–	3	1	3	3	1	2	–	–	6	–	–	–	–	1	1	–	2	1	–	1
Black	13	–	–	–	3	1	3	3	1	2	–	–	6	–	–	–	–	1	1	–	2	1	–	1
Hypertensive heart disease (402)	135	–	–	–	–	–	3	6	21	43	44	18	194	–	–	–	–	1	1	7	19	43	81	80
White	59	–	–	–	–	–	–	4	9	17	20	9	82	–	–	–	–	–	–	1	6	20	28	27
All other	76	–	–	–	–	–	3	2	12	26	24	9	112	–	–	–	–	1	1	6	13	23	33	33
Black	75	–	–	–	–	–	3	2	12	25	24	9	111	–	–	–	–	1	1	5	13	23	33	32
Hypertensive heart and renal disease (404)	28	–	–	–	–	1	–	2	3	9	9	4	31	–	–	–	–	–	–	–	–	12	7	12
White	10	–	–	–	–	–	–	–	2	2	5	1	15	–	–	–	–	–	–	–	–	3	4	8
All other	18	–	–	–	–	1	–	2	1	7	4	3	16	–	–	–	–	–	–	–	–	9	3	4
Black	17	–	–	–	–	1	–	2	1	7	3	3	16	–	–	–	–	–	–	–	–	9	3	4
Ischemic heart disease (410-414)	3,080	–	–	1	2	22	71	249	588	1,002	813	332	2,386	–	–	–	2	9	28	99	239	589	810	620
White	2,296	–	–	–	–	14	48	209	465	758	581	221	1,645	–	–	–	1	1	12	58	137	394	587	457
All other	784	–	–	1	2	8	23	40	121	244	232	111	751	–	–	–	1	8	16	43	102	195	223	163
Black	779	–	–	1	2	8	23	39	121	240	232	111	749	–	–	–	1	8	16	43	101	195	223	162
Acute myocardial infarction (410)	2,211	–	–	1	2	13	61	206	481	757	519	170	1,444	–	–	–	1	6	24	79	195	412	451	276
White	1,665	–	–	–	–	8	42	172	387	571	376	109	973	–	–	–	–	–	12	43	110	291	330	187
All other	546	–	–	1	2	5	19	34	94	186	143	61	471	–	–	–	1	6	12	36	85	121	121	89
Black	541	–	–	1	2	5	19	33	94	182	143	61	470	–	–	–	1	6	12	36	85	121	121	88
Other acute and subacute forms of ischemic heart disease (411)	31	–	–	–	–	1	1	6	9	6	7	1	15	–	–	–	1	1	–	2	2	4	3	2
White	24	–	–	–	–	1	1	5	8	4	4	1	10	–	–	–	1	–	–	–	1	3	3	2
All other	7	–	–	–	–	–	–	1	1	2	3	–	5	–	–	–	–	1	–	2	1	1	–	–
Black	7	–	–	–	–	–	–	1	1	2	3	–	5	–	–	–	–	1	–	2	1	1	–	–
Angina pectoris (413)	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	1	–	2	–
White	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	836	–	–	–	–	8	9	37	96	238	287	160	934	–	–	–	–	2	4	18	41	173	354	342
White	605	–	–	–	–	5	5	32	70	182	201	110	660	–	–	–	–	1	–	13	25	100	253	265
All other	231	–	–	–	–	3	4	5	26	56	86	50	274	–	–	–	–	1	4	5	16	73	101	74
Black	231	–	–	–	–	3	4	5	26	56	86	50	273	–	–	–	–	1	4	5	15	73	101	74
Other diseases of endocardium (424)	19	–	–	–	–	–	–	1	6	7	4	1	20	–	–	1	–	–	1	1	2	4	6	5
White	13	–	–	–	–	–	–	1	6	4	1	1	9	–	–	–	–	–	–	1	1	1	2	4
All other	6	–	–	–	–	–	–	–	–	3	3	–	11	–	–	1	–	–	1	–	1	3	4	1
Black	6	–	–	–	–	–	–	–	–	3	3	–	11	–	–	1	–	–	1	–	1	3	4	1
All other forms of heart disease (415-423,425-429)	965	12	1	1	12	10	26	63	147	270	260	163	961	5	3	3	4	14	19	49	92	193	292	287
White	600	3	–	1	6	6	13	38	93	177	183	100	601	2	1	3	2	7	7	23	51	96	201	209
All other	365	9	1	–	6	4	13	25	54	93	97	63	360	3	2	–	2	7	12	26	41	97	91	79
Black	365	9	1	–	6	4	13	25	54	93	97	63	359	3	2	–	2	7	12	26	41	96	91	79
Hypertension with or without renal disease (401,403)	55	–	–	–	–	1	1	6	6	14	15	12	64	–	–	–	–	1	–	3	3	18	23	16
White	20	–	–	–	–	–	–	–	2	5	5	8	29	–	–	–	–	–	–	1	1	5	14	8
All other	35	–	–	–	–	1	1	6	4	9	10	4	35	–	–	–	–	1	–	2	2	13	9	8
Black	35	–	–	–	–	1	1	6	4	9	10	4	35	–	–	–	–	1	–	2	2	13	9	8
Cerebrovascular diseases (430-438)	1,047	2	1	2	4	11	30	44	125	289	348	192	1,314	2	–	2	4	6	14	38	102	267	456	423
White	579	–	1	–	1	7	9	12	72	147	216	114	806	–	–	–	4	–	7	17	59	149	306	264
All other	468	2	–	2	3	4	21	32	53	142	130	78	508	2	–	2	–	6	7	21	43	118	150	159
Black	468	2	–	2	3	4	21	32	53	142	130	78	507	2	–	2	–	6	7	21	43	118	149	159
Intracerebral and other intracranial hemorrhage (431-432)	137	2	–	1	2	3	17	18	26	29	29	10	136	1	–	1	3	4	1	10	19	33	38	26
White	64	–	–	–	–	3	6	4	13	9	20	9	76	–	–	–	3	–	–	2	11	19	27	14
All other	73	2	–	1	2	–	11	14	13	20	9	1	60	1	–	1	–	4	1	8	8	14	11	12
Black	73	2	–	1	2	–	11	14	13	20	9	1	60	1	–	1	–	4	1	6	8	14	11	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	180	–	–	–	–	–	2	7	15	54	65	37	239	–	–	–	–	–	–	2	12	52	88	85
White	104	–	–	–	–	–	–	3	9	31	38	23	164	–	–	–	–	–	–	–	10	32	64	58
All other	76	–	–	–	–	–	2	4	6	23	27	14	75	–	–	–	–	–	–	2	2	20	24	27
Black	76	–	–	–	–	–	2	4	6	23	27	14	75	–	–	–	–	–	–	2	2	20	24	27

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	8	-	-	-	-	1	-	-	1	4	2	-	6	-	-	-	-	-	-	-	2	1	1	2
White	6	-	-	-	-	1	-	-	1	2	2	-	5	-	-	-	-	-	-	-	2	-	1	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	722	-	1	1	2	7	11	19	83	202	250	145	933	1	-	1	1	2	13	26	69	181	329	310
White	405	-	1	-	1	3	3	5	49	105	156	82	561	-	-	-	1	-	7	15	36	98	214	190
All other	317	-	-	1	1	4	8	14	34	97	94	63	372	1	-	1	-	2	6	11	33	83	115	120
Black	317	-	-	1	1	4	8	14	34	97	94	63	371	1	-	1	-	2	6	11	33	83	114	120
Atherosclerosis (440)	109	-	-	-	-	-	-	2	4	21	39	43	160	-	-	-	-	-	-	2	6	19	55	78
White	68	-	-	-	-	-	-	2	3	13	25	25	113	-	-	-	-	-	-	1	3	15	38	58
All other	41	-	-	-	-	-	-	-	1	8	14	18	47	-	-	-	-	-	-	1	3	4	17	22
Black	41	-	-	-	-	-	-	-	1	8	14	18	47	-	-	-	-	-	-	1	3	4	17	22
Other diseases of arteries, arterioles, and capillaries (441-448)	125	-	-	1	-	-	2	11	31	41	31	8	76	-	-	-	1	1	1	4	10	22	21	16
White	97	-	-	-	-	-	1	7	26	30	26	7	54	-	-	-	1	-	-	1	10	13	16	13
All other	28	-	-	1	-	-	1	4	5	11	5	1	22	-	-	-	-	1	1	3	-	9	5	3
Black	27	-	-	1	-	-	1	4	5	11	4	1	22	-	-	-	-	1	1	3	-	9	5	3
Acute bronchitis and bronchiolitis (466)	3	2	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	236	13	6	1	1	2	7	11	38	53	67	38	174	12	2	1	4	-	-	3	7	27	43	75
White	153	3	-	1	1	2	4	3	24	39	49	27	127	3	-	1	1	-	-	2	5	17	37	61
All other	83	10	6	-	-	-	3	8	12	14	18	11	47	9	2	-	3	-	-	1	2	10	6	14
Black	83	10	6	-	-	-	3	8	12	14	18	11	47	9	2	-	3	-	-	1	2	10	6	14
Pneumonia (480-486)	232	12	6	1	1	2	7	11	36	50	67	38	165	11	2	-	4	-	-	3	7	25	40	73
White	152	3	-	1	1	2	4	3	24	38	49	27	123	3	-	-	1	-	-	2	5	16	38	60
All other	80	9	6	-	-	-	3	8	12	12	18	11	42	8	2	-	3	-	-	1	2	9	4	13
Black	80	9	6	-	-	-	3	8	12	12	18	11	42	8	2	-	3	-	-	1	2	9	4	13
Influenza (487)	4	1	-	-	-	-	-	-	-	3	-	-	9	1	-	1	-	-	-	-	-	2	3	2
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	1	-	-	-	-	-	1	1	1
All other	3	1	-	-	-	-	-	-	-	2	-	-	5	1	-	-	-	-	-	-	-	1	2	1
Black	3	1	-	-	-	-	-	-	-	2	-	-	5	1	-	-	-	-	-	-	-	1	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	358	-	-	-	2	-	2	11	67	137	110	29	103	-	-	-	1	1	2	4	21	33	26	15
White	295	-	-	-	2	-	2	9	52	114	96	22	82	-	-	-	-	-	2	3	20	30	24	13
All other	63	-	-	-	2	-	-	2	15	23	14	7	11	-	-	-	1	1	-	1	1	3	2	2
Black	63	-	-	-	2	-	-	2	15	23	14	7	11	-	-	-	1	1	-	1	1	3	2	2
Bronchitis, chronic and unspecified (490-491)	21	-	-	-	-	-	-	2	4	5	6	2	12	-	-	-	1	-	-	-	2	4	4	1
White	18	-	-	-	-	-	-	2	3	5	7	1	10	-	-	-	-	-	-	-	2	3	4	1
All other	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-	1	-	-
Emphysema (492)	102	-	-	-	-	-	-	2	21	45	27	7	19	-	-	-	-	-	1	-	6	5	4	3
White	91	-	-	-	-	-	-	2	19	37	27	6	18	-	-	-	-	-	1	-	6	5	4	2
All other	11	-	-	-	-	-	-	-	2	8	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	11	-	-	-	-	-	-	-	2	8	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Asthma (493)	15	-	-	-	2	-	1	2	3	3	1	3	9	-	-	-	-	1	1	-	1	2	1	3
White	7	-	-	-	-	-	1	1	2	1	-	2	5	-	-	-	-	-	1	-	-	2	-	2
All other	8	-	-	-	2	-	-	1	1	2	1	1	4	-	-	-	-	1	-	-	1	-	1	1
Black	8	-	-	-	2	-	-	1	1	2	1	1	4	-	-	-	-	1	-	-	1	-	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	220	-	-	-	-	-	1	5	39	84	74	17	63	-	-	-	-	-	-	4	12	22	17	8
White	179	-	-	-	-	-	1	4	28	71	62	13	59	-	-	-	-	-	-	3	12	20	16	6
All other	41	-	-	-	-	-	-	1	11	13	12	4	4	-	-	-	-	-	-	1	-	2	1	-
Black	41	-	-	-	-	-	-	1	11	13	12	4	4	-	-	-	-	-	-	1	-	2	1	-
Ulcer of stomach and duodenum (531-533)	22	1	-	-	-	2	-	2	4	5	6	2	15	-	-	-	1	-	-	1	2	3	5	3
White	17	-	-	-	-	1	-	-	4	4	6	2	10	-	-	-	-	-	-	-	-	3	5	2
All other	5	1	-	-	-	1	-	2	-	1	-	-	5	-	-	-	1	-	-	1	2	-	-	1
Black	4	-	-	-	-	1	-	2	-	1	-	-	5	-	-	-	1	-	-	1	2	-	-	1
Appendicitis (540-543)	9	-	-	-	-	1	-	1	2	2	-	3	5	-	1	-	-	-	-	-	1	1	1	1
White	4	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-	1
All other	5	-	-	-	-	1	-	1	2	1	-	-	3	-	1	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	1	-	1	1	1	-	-	3	-	1	-	-	-	-	-	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	2	-	-	1	-	1	1	5	5	8	3	32	1	-	-	-	1	-	1	4	6	11	8
White	13	1	-	-	-	-	-	1	2	3	4	2	20	1	-	-	-	1	-	-	2	3	7	6
All other	13	1	-	-	1	-	1	-	3	2	4	1	12	-	-	-	-	-	-	1	2	3	4	2
Black	13	1	-	-	1	-	1	-	3	2	4	1	12	-	-	-	-	-	-	1	2	3	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	125	–	–	–	–	5	17	35	44	18	6	–	70	1	–	–	–	1	5	20	11	20	9	3
White	104	–	–	–	–	3	11	29	39	16	6	–	56	1	–	–	–	–	3	18	9	14	8	3
All other	21	–	–	–	–	2	6	6	5	2	–	–	14	–	–	–	–	1	2	2	2	6	1	–
Black	21	–	–	–	–	2	6	6	5	2	–	–	14	–	–	–	–	1	2	2	2	6	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	11	–	–	–	–	–	–	1	2	5	2	1	22	–	–	–	–	–	–	1	5	3	7	5
White	10	–	–	–	–	–	–	1	2	5	1	1	13	–	–	–	–	–	–	1	1	2	5	4
All other	1	–	–	–	–	–	–	–	–	–	1	–	9	–	–	–	–	–	–	–	4	1	2	2
Black	1	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	–	3	1	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	119	–	–	1	5	5	2	5	12	28	38	22	97	1	–	–	–	2	2	9	7	19	33	24
White	59	–	–	1	3	4	1	2	6	14	20	8	56	1	–	–	–	–	1	5	4	10	18	17
All other	60	–	–	–	2	1	1	3	6	14	18	14	41	–	–	–	–	2	1	4	3	9	15	7
Black	59	–	–	–	2	1	1	3	5	14	18	14	41	–	–	–	–	2	1	4	3	9	15	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	27	–	–	–	3	2	1	2	4	5	5	5	15	–	–	–	–	2	–	1	3	2	5	1
White	10	–	–	–	3	2	–	–	2	1	1	1	5	–	–	–	–	–	–	1	1	1	2	–
All other	17	–	–	–	–	–	1	2	2	4	4	4	10	–	–	–	–	2	–	–	2	1	4	1
Black	17	–	–	–	–	–	1	2	2	4	4	4	10	–	–	–	–	2	–	–	2	1	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	90	–	–	1	1	3	1	3	8	22	33	17	82	1	–	–	–	–	2	8	4	17	27	23
White	48	–	–	1	–	2	1	2	4	12	19	7	51	1	–	–	–	–	1	4	3	9	16	17
All other	42	–	–	–	1	1	–	1	4	10	14	10	31	–	–	–	–	–	1	4	1	8	11	6
Black	41	–	–	–	1	1	–	1	3	10	14	10	31	–	–	–	–	–	1	4	1	8	11	6
Infections of kidney (590)	18	–	–	–	1	–	–	–	2	4	5	6	38	–	–	–	–	–	–	2	2	13	13	8
White	15	–	–	–	1	–	–	–	2	3	3	6	32	–	–	–	–	–	–	1	2	10	13	6
All other	3	–	–	–	–	–	–	–	–	1	2	–	6	–	–	–	–	–	–	1	–	3	–	2
Black	3	–	–	–	–	–	–	–	–	1	2	–	6	–	–	–	–	–	–	1	–	3	–	2
Hyperplasia of prostate (600)	12	–	–	–	–	–	–	–	1	3	4	4	***	***	***	***	***	***	***	***	***	***	***	***
White	9	–	–	–	–	–	–	–	1	1	3	4	***	***	***	***	***	***	***	***	***	***	***	***
All other	3	–	–	–	–	–	–	–	–	2	1	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	3	–	–	–	–	–	–	–	–	2	1	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	10	***	***	–	5	5	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	3	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	5	2	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	5	2	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	10	***	***	–	5	5	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	–	–	3	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	5	2	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	5	2	–	–	***	***	***	***
Congenital anomalies (740-759)	109	81	7	4	4	2	1	6	1	2	–	1	77	55	4	5	1	1	–	4	6	–	–	1
White	60	42	4	2	2	1	1	5	–	2	–	1	45	28	3	3	1	1	–	3	5	–	–	1
All other	49	39	3	2	2	1	–	1	1	–	–	–	32	27	1	2	–	–	–	1	1	–	–	–
Black	48	38	3	2	2	1	–	1	1	–	–	–	32	27	1	2	–	–	–	1	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	227	226	–	–	–	–	–	–	–	–	–	–	156	154	–	1	–	–	1	–	–	–	–	–
White	77	77	–	–	–	–	–	–	–	–	–	–	54	53	–	1	–	–	–	–	–	–	–	–
All other	150	149	–	–	–	–	–	–	–	–	–	–	102	101	–	–	–	–	1	–	–	–	–	–
Black	148	147	–	–	–	–	–	–	–	–	–	–	102	101	–	–	–	–	1	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	76	76	–	–	–	–	–	–	–	–	–	–	37	35	–	1	–	–	1	–	–	–	–	–
White	28	28	–	–	–	–	–	–	–	–	–	–	12	11	–	1	–	–	–	–	–	–	–	–
All other	48	48	–	–	–	–	–	–	–	–	–	–	25	24	–	–	–	–	1	–	–	–	–	–
Black	47	47	–	–	–	–	–	–	–	–	–	–	25	24	–	–	–	–	1	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	151	150	-	-	-	-	-	-	-	-	-	-	119	119	-	-	-	-	-	-	-	-	-	-
White	49	49	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
All other	102	101	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
Black	101	100	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	972	77	3	1	8	23	39	87	165	266	207	96	712	56	5	1	5	7	14	45	81	151	188	158
White	436	18	1	1	1	5	18	44	99	136	87	26	272	16	3	-	-	3	7	19	30	52	83	58
All other	536	58	2	-	7	18	21	43	66	130	120	70	440	40	2	1	5	4	7	26	51	99	105	100
Black	532	58	2	-	7	18	21	42	66	130	118	70	439	40	2	1	5	4	7	26	50	99	105	100
All other diseases (Residual)	808	22	7	6	17	31	40	53	116	129	135	52	576	19	8	6	9	20	26	39	66	120	147	116
White	349	4	5	2	11	13	22	27	62	83	73	27	358	3	5	1	4	9	14	23	40	76	99	62
All other	259	18	2	4	6	18	18	26	34	46	62	25	220	16	3	5	5	11	12	16	26	44	48	34
Black	257	18	2	4	5	18	18	25	34	46	62	25	216	16	3	4	5	10	12	16	25	43	48	34
Accidents and adverse effects (E800-E949)	1,243	14	52	91	309	192	151	121	109	116	50	37	429	14	30	37	76	43	24	30	39	44	40	52
White	782	5	25	44	196	112	96	87	65	79	29	23	257	1	9	18	53	26	16	15	29	28	32	28
All other	461	9	27	47	113	80	55	34	44	37	21	14	172	13	21	19	23	17	8	15	10	16	8	24
Black	469	9	27	47	106	80	54	33	43	35	21	14	168	12	19	19	23	17	6	14	10	16	8	24
Motor vehicle accidents (E810-E825)	596	-	13	35	193	102	83	55	48	50	12	5	189	1	6	20	58	26	15	15	23	21	5	1
White	394	-	6	21	136	59	51	41	34	37	8	1	131	-	2	15	40	17	11	8	19	15	4	-
All other	202	-	7	14	57	43	32	14	14	13	4	4	58	1	4	5	18	9	4	7	4	6	1	1
Black	197	-	7	14	54	43	32	14	13	12	4	4	56	1	3	5	16	9	4	6	4	6	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	647	14	39	56	116	90	68	66	61	66	38	32	240	13	24	17	20	17	9	15	16	23	35	51
White	368	5	19	23	60	53	45	48	31	42	21	22	126	1	7	3	13	9	7	7	10	13	28	28
All other	279	9	20	33	56	37	23	20	30	24	17	10	114	12	17	14	7	8	2	8	6	10	7	23
Black	272	9	20	33	52	37	22	19	30	23	17	10	112	11	16	14	7	8	2	8	6	10	7	23
Suicide (E950-E959)	172	...	...	1	26	31	26	19	30	26	11	-	64	...	...	-	13	5	17	10	8	10	1	-
White	145	...	...	1	22	21	21	18	29	23	10	-	53	...	...	-	10	2	13	10	6	10	-	-
All other	27	...	...	-	6	10	5	1	1	3	1	-	11	...	...	-	3	3	4	-	-	-	1	-
Black	25	...	...	-	6	9	4	1	1	3	1	-	10	...	...	-	3	3	3	-	-	-	1	-
Homicide and legal intervention (E960-E978)	278	-	1	-	68	90	46	39	22	9	1	1	69	-	-	1	19	17	11	6	4	7	4	-
White	84	-	1	-	16	23	16	13	8	5	1	1	19	-	-	-	4	6	2	1	1	3	2	-
All other	194	-	-	-	52	67	30	26	14	4	-	-	50	-	-	1	15	11	9	5	3	4	2	-
Black	194	-	-	-	52	67	30	26	14	4	-	-	50	-	-	1	15	11	9	5	3	4	2	-
All other external causes (E980-E999)	23	1	-	-	8	1	3	-	6	2	2	-	4	-	-	-	-	-	2	1	1	-	-	-
White	12	-	-	-	3	1	2	-	3	1	2	-	3	-	-	-	-	-	1	1	1	-	-	-
All other	11	1	-	-	5	-	1	-	3	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	11	1	-	-	5	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI																								
All causes	25,900	569	83	134	860	685	742	1,851	4,068	6,991	6,569	3,319	22,102	458	72	102	301	278	429	1,044	2,284	4,454	6,652	6,019
White	23,113	449	66	111	686	518	576	1,537	3,606	6,344	6,083	3,130	19,997	323	52	88	238	227	339	867	1,967	3,976	6,174	5,741
All other	2,787	140	17	23	174	167	166	314	462	647	486	189	2,105	135	20	14	63	51	90	177	317	478	478	278
Black	2,762	139	17	22	171	163	164	312	459	645	482	186	2,083	132	20	14	60	51	88	172	315	473	476	278
Shigellosis and amebiasis (004,006)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	-	-	1	-	1	6	1	-	-	-	-	-	-	1	-	2	2
White	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	1	-	2	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	32	-	-	-	-	1	4	3	3	6	10	5	8	-	-	-	-	1	-	1	-	3	1	2
White	25	-	-	-	-	1	3	1	3	4	10	3	6	-	-	-	-	-	-	1	-	2	1	2
All other	7	-	-	-	-	-	1	2	-	2	-	2	2	-	-	-	-	1	-	-	-	1	-	-
Black	7	-	-	-	-	-	1	2	-	2	-	2	2	-	-	-	-	1	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	30	-	-	-	-	-	4	3	3	6	10	4	6	-	-	-	-	-	-	1	-	2	1	2
White	24	-	-	-	-	-	3	1	3	4	10	3	6	-	-	-	-	-	-	1	-	2	1	2
All other	6	-	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	114	3	-	-	2	2	2	6	12	32	37	18	111	3	-	-	-	1	1	3	9	33	32	29
White	91	2	-	-	1	1	2	5	8	23	34	15	93	2	-	-	-	1	1	2	8	27	28	24
All other	23	1	-	-	1	1	-	1	4	9	3	3	18	1	-	-	-	-	-	1	1	6	4	5
Black	23	1	-	-	1	1	-	1	4	9	3	3	18	1	-	-	-	-	-	1	1	6	4	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	1	-	-	2	-	-	2	1	6	-	-	-	1	1	-	1	-	1	1	1
White	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	1	-	-	-	-	1	1	1
All other	4	-	-	-	1	-	-	1	-	-	1	1	2	-	-	-	-	1	-	1	-	-	-	-
Black	4	-	-	-	1	-	-	1	-	-	1	1	2	-	-	-	-	1	-	1	-	-	-	-
Syphilis (090-097)	4	-	-	-	1	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	46	2	1	2	-	3	1	5	5	13	9	5	38	2	-	3	4	1	6	3	11	4	2	2
White	43	1	-	2	-	3	-	5	5	13	9	5	33	1	-	3	3	1	5	3	9	4	2	2
All other	3	1	1	-	-	-	1	-	-	-	-	-	5	1	-	-	1	-	1	-	2	-	-	-
Black	3	1	1	-	-	-	1	-	-	-	-	-	5	1	-	-	1	-	1	-	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,515	1	1	23	38	46	120	485	1,228	1,852	1,303	418	4,385	4	6	12	21	47	154	475	865	1,226	1,069	485
White	4,935	1	1	20	33	43	99	401	1,103	1,665	1,182	387	3,947	4	6	11	18	40	123	412	778	1,101	1,001	452
All other	580	-	-	3	5	3	21	84	125	187	121	31	438	-	-	1	3	7	31	63	87	125	68	33
Black	577	-	-	3	5	2	20	84	125	186	121	31	432	-	-	1	3	7	30	61	87	122	66	33
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	112	-	-	-	-	-	3	18	31	33	22	5	57	-	-	-	-	-	-	12	12	17	13	3
White	97	-	-	-	-	-	1	13	28	30	21	4	51	-	-	-	-	-	-	9	10	16	13	3
All other	15	-	-	-	-	-	2	5	3	3	1	1	6	-	-	-	-	-	-	3	2	1	-	-
Black	15	-	-	-	-	-	2	5	3	3	1	1	6	-	-	-	-	-	-	3	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,298	1	-	1	2	8	25	102	264	448	317	128	1,148	-	-	-	1	4	26	66	163	313	369	206
White	1,148	1	-	1	2	7	20	82	235	392	290	118	1,013	-	-	-	-	4	21	51	136	274	336	181
All other	149	-	-	-	-	1	5	20	29	56	27	10	135	-	-	-	1	-	5	15	27	39	33	15
Black	145	-	-	-	-	-	4	20	29	55	27	10	133	-	-	-	1	-	5	13	27	39	33	15
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,057	-	-	-	3	5	33	211	607	758	383	59	644	-	-	-	1	-	25	89	201	185	117	26
White	1,843	-	-	-	3	5	25	166	547	690	350	55	565	-	-	-	1	-	21	80	181	167	109	25
All other	214	-	-	-	-	-	8	43	60	68	33	4	59	-	-	-	-	-	4	9	20	18	8	-
Black	214	-	-	-	-	-	8	43	60	66	33	4	57	-	-	-	-	-	4	9	20	18	8	-
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	-	2	2	2	1	755	-	-	-	-	10	48	132	176	201	134	55
White	6	-	-	-	-	-	-	-	2	2	1	1	691	-	-	-	-	8	35	117	167	184	127	52
All other	1	-	-	-	-	-	-	-	-	-	1	-	64	-	-	-	-	2	11	15	9	17	7	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	63	-	-	-	-	2	11	15	9	16	7	3
Malignant neoplasms of genital organs (179-187)	566	-	-	-	2	5	2	10	36	170	233	108	579	-	-	-	2	11	17	87	112	180	125	45
White	485	-	-	-	2	4	2	10	32	142	196	97	510	-	-	-	2	8	14	77	100	157	113	39
All other	81	-	-	-	-	1	-	-	4	28	37	11	69	-	-	-	-	3	3	10	12	23	12	6
Black	81	-	-	-	-	1	-	-	4	28	37	11	69	-	-	-	-	3	3	10	12	23	12	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	298	–	–	–	2	–	7	24	47	88	94	34	123	–	–	1	–	2	3	8	20	33	34	22
White	267	–	–	–	1	–	5	20	42	79	88	32	110	–	–	1	–	2	1	7	16	31	31	21
All other	29	–	–	–	1	–	2	4	5	9	6	2	13	–	–	–	–	–	2	1	4	2	3	1
Black	29	–	–	–	1	–	2	4	5	9	6	2	13	–	–	–	–	–	2	1	4	2	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	725	–	1	9	14	17	29	89	156	213	151	44	645	3	3	3	7	9	21	53	117	177	170	82
White	680	–	1	7	13	17	27	78	138	194	142	43	591	3	3	3	6	8	19	46	110	161	154	78
All other	65	–	–	2	1	–	2	11	20	19	9	1	54	–	–	–	1	1	2	7	7	16	16	4
Black	65	–	–	2	1	–	2	11	20	19	9	1	54	–	–	–	1	1	2	7	7	16	16	4
Leukemia (204-208)	216	–	–	9	10	7	7	8	30	67	51	27	198	1	3	8	8	4	8	12	25	49	55	23
White	201	–	–	9	8	6	6	8	29	62	48	25	179	1	3	7	8	3	6	12	24	47	48	20
All other	15	–	–	–	2	1	1	–	1	5	3	2	17	–	–	1	–	1	2	–	1	2	7	3
Black	15	–	–	–	2	1	1	–	1	5	3	2	16	–	–	1	–	1	1	–	1	2	7	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	240	–	–	4	5	4	14	23	53	75	50	12	238	–	–	–	2	7	8	16	39	71	72	23
White	228	–	–	3	4	4	13	22	50	74	46	12	217	–	–	–	1	7	6	13	34	64	70	22
All other	12	–	–	1	1	–	1	1	3	1	4	–	21	–	–	–	1	–	2	3	5	7	2	1
Black	12	–	–	1	1	–	1	1	3	1	4	–	21	–	–	–	1	–	2	3	5	7	2	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	52	–	–	–	2	–	–	4	10	15	15	6	69	–	1	2	4	2	4	6	10	17	16	7
White	45	–	–	–	2	–	–	4	9	9	15	6	61	–	–	2	2	1	4	6	10	15	15	6
All other	7	–	–	–	–	–	–	–	1	6	–	–	8	–	1	–	2	1	–	–	–	2	1	1
Black	7	–	–	–	–	–	–	–	1	6	–	–	8	–	1	–	2	1	–	–	–	2	1	1
Diabetes mellitus (250)	295	–	–	–	–	7	7	23	47	97	85	29	451	–	–	–	3	11	10	16	58	110	154	89
White	254	–	–	–	–	6	3	15	43	79	81	27	381	–	–	–	3	10	5	11	48	88	140	80
All other	41	–	–	–	–	1	4	8	4	18	4	2	70	–	–	–	–	1	5	5	12	24	14	9
Black	39	–	–	–	–	1	3	7	4	18	4	2	70	–	–	–	–	1	5	5	12	24	14	9
Nutritional deficiencies (260-269)	35	1	–	–	–	–	–	3	2	6	12	11	59	–	–	–	–	–	–	1	1	7	18	32
White	32	1	–	–	–	–	–	3	2	5	10	11	54	–	–	–	–	–	–	1	–	7	18	28
All other	3	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	1	–	–	4
Black	3	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	1	–	–	4
Anemias (280-285)	39	1	1	–	4	3	–	1	9	3	8	9	43	–	1	–	1	1	–	2	7	7	13	11
White	32	1	–	–	4	–	–	1	8	3	8	7	38	–	–	–	–	–	–	2	7	7	11	11
All other	7	–	1	–	–	3	–	–	1	–	–	2	5	–	1	–	1	1	–	–	–	–	2	–
Black	7	–	1	–	–	3	–	–	1	–	–	2	5	–	1	–	1	1	–	–	–	–	2	–
Meningitis (320-322)	20	5	4	–	2	1	1	1	1	2	3	–	21	4	5	–	1	1	–	1	–	3	1	5
White	17	5	4	–	–	1	1	–	1	2	3	–	16	2	5	–	–	1	–	1	–	2	1	4
All other	3	–	–	–	2	–	–	1	–	–	–	–	5	2	–	–	1	–	–	–	–	1	–	1
Black	3	–	–	–	2	–	–	1	–	–	–	–	5	2	–	–	1	–	–	–	–	1	–	1
Major cardiovascular diseases (390-448)	11,955	5	4	1	31	54	201	707	1,763	3,428	3,655	2,083	11,884	7	3	4	15	29	77	275	811	2,180	4,179	4,311
White	10,930	3	3	1	21	43	156	593	1,579	3,153	3,395	1,979	10,884	6	3	4	11	20	58	210	679	1,948	3,909	4,137
All other	1,025	2	1	–	10	11	45	114	204	275	260	104	910	1	–	–	4	9	21	65	132	232	270	174
Black	1,015	2	1	–	9	11	43	113	202	275	256	102	905	1	–	–	4	9	21	64	131	231	268	174
Diseases of heart (390-398,402,404-429)	9,447	5	4	–	27	41	171	632	1,546	2,792	2,749	1,477	8,534	4	3	4	11	22	53	200	625	1,671	2,979	2,959
White	8,645	3	3	–	20	32	133	537	1,382	2,573	2,558	1,402	7,865	3	3	4	7	15	39	150	521	1,486	2,784	2,842
All other	802	2	1	–	7	9	38	95	164	219	191	75	669	1	–	–	4	7	14	50	104	175	195	117
Black	794	2	1	–	7	9	38	94	163	219	187	73	667	1	–	–	4	7	14	50	103	175	194	117
Rheumatic fever and rheumatic heart disease (390-398)	63	–	–	–	1	2	1	10	21	20	7	1	130	–	–	–	1	1	5	13	27	42	29	12
White	58	–	–	–	1	1	1	10	20	19	6	–	124	–	–	–	1	1	5	12	23	42	28	12
All other	5	–	–	–	–	1	–	–	1	1	1	1	6	–	–	–	–	–	–	1	4	–	1	–
Black	5	–	–	–	–	1	–	–	1	1	1	1	5	–	–	–	–	–	–	1	3	–	1	–
Hypertensive heart disease (402)	226	–	–	–	1	–	6	26	97	91	57	16	306	–	–	–	–	–	4	–	18	40	71	104	73
White	155	–	–	–	–	–	3	15	17	62	48	10	230	–	–	–	–	–	1	–	5	20	54	83	67
All other	71	–	–	–	1	–	5	11	20	19	9	6	79	–	–	–	–	–	3	–	11	20	17	21	6
Black	71	–	–	–	1	–	5	11	20	19	9	6	79	–	–	–	–	–	3	–	11	20	17	21	6
Hypertensive heart and renal disease (404)	52	–	–	–	–	1	2	–	2	15	17	15	122	–	–	–	–	–	–	5	5	15	35	62
White	45	–	–	–	–	–	1	–	1	15	13	15	103	–	–	–	–	–	–	1	1	9	31	61
All other	7	–	–	–	–	1	1	–	1	–	4	–	19	–	–	–	–	–	–	4	4	6	4	1
Black	7	–	–	–	–	1	1	–	1	–	4	–	19	–	–	–	–	–	–	4	4	6	4	1
Ischemic heart disease (410-414)	7,590	–	–	–	4	20	124	499	1,271	2,295	2,193	1,181	6,434	–	–	–	1	4	33	120	445	1,284	2,325	2,241
White	7,093	–	–	–	3	17	106	434	1,174	2,158	2,065	1,134	6,005	–	–	–	–	3	23	95	390	1,155	2,188	2,152
All other	497	–	–	–	1	3	18	65	97	137	128	47	429	–	–	–	1	1	10	25	55	109	139	89
Black	491	–	–	–	1	3	18	64	96	137	125	46	429	–	–	–	1	1	10	25	55	109	139	89
Acute myocardial infarction (410)	4,360	–	–	–	4	15	67	339	884	1,454	1,132	442	2,952	–	–	–	–	3	19	74	289	725	1,099	742
White	4,153	–	–	–	3	13	77	302	834	1,401	1,089	432	2,784	–	–	–	–	3	13	63	262	677	1,053	712
All other	207	–	–	–	1	2	10	37	50	53	43	10	168	–	–	–	–	–	6	11	27	48	46	30
Black	204	–	–	–	1	2	10	36	50	53	41	10	168	–	–	–	–	–	6	11	27	48	46	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	29	-	-	-	-	-	2	6	3	6	11	1	18	-	-	-	-	-	-	-	2	4	2	10
White	23	-	-	-	-	-	1	5	2	4	10	1	17	-	-	-	-	-	-	-	2	3	2	10
All other	6	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	6	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	19	-	-	-	-	1	1	2	2	4	6	3	17	-	-	-	-	-	-	-	2	5	10	
White	19	-	-	-	-	1	1	2	2	4	6	3	17	-	-	-	-	-	-	-	2	5	10	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,182	-	-	-	-	4	34	152	382	831	1,044	735	3,447	-	-	-	1	1	14	46	154	533	1,219	1,479
White	2,898	-	-	-	-	3	27	125	336	749	960	698	3,187	-	-	-	-	-	10	32	126	473	1,126	1,420
All other	284	-	-	-	-	1	7	27	46	82	84	37	260	-	-	-	1	1	4	14	28	60	93	59
Black	281	-	-	-	-	1	7	27	45	82	83	36	260	-	-	-	1	1	4	14	28	60	93	59
Other diseases of endocardium (424)	72	-	-	-	1	5	2	-	11	21	23	9	77	-	-	-	-	-	1	7	8	17	28	15
White	63	-	-	-	1	3	1	-	9	18	22	9	68	-	-	-	-	-	1	6	8	14	24	15
All other	9	-	-	-	-	2	1	-	2	3	1	-	9	-	-	-	-	-	-	1	-	3	4	1
Black	9	-	-	-	-	2	1	-	2	3	1	-	9	-	-	-	-	-	-	1	-	3	4	1
All other forms of heart disease (415-423,425-429)	1,444	5	4	-	20	13	34	97	204	360	452	255	1,482	4	3	4	9	13	14	39	100	282	458	555
White	1,231	3	3	-	15	11	21	78	161	301	404	234	1,335	3	3	4	6	10	10	31	79	222	432	585
All other	213	2	1	-	5	2	13	19	43	59	48	21	127	1	-	-	3	3	4	8	21	40	26	20
Black	211	2	1	-	5	2	13	19	43	59	47	20	126	1	-	-	3	3	4	8	21	40	25	20
Hypertension with or without renal disease (401,403)	92	-	-	-	-	-	5	5	13	19	30	20	108	-	-	-	-	-	3	5	9	17	39	35
White	72	-	-	-	-	-	3	1	8	15	27	18	95	-	-	-	-	-	3	4	6	11	37	34
All other	20	-	-	-	-	-	2	4	5	4	3	2	13	-	-	-	-	-	-	1	3	6	2	1
Black	20	-	-	-	-	-	2	4	5	4	3	2	13	-	-	-	-	-	-	1	3	6	2	1
Cerebrovascular diseases (430-438)	1,863	-	-	1	4	13	24	62	180	482	695	422	2,623	1	-	-	3	5	20	62	155	434	973	969
White	1,685	-	-	1	1	11	21	48	145	419	638	401	2,430	1	-	-	3	5	13	50	134	396	910	928
All other	178	-	-	-	3	2	3	14	35	43	57	21	193	-	-	-	-	-	1	7	12	21	48	69	41
Black	176	-	-	-	2	2	3	14	34	43	57	21	191	-	-	-	-	-	1	7	12	21	47	62	41
Intracerebral and other intracranial hemorrhage (431-432)	286	-	-	-	3	5	8	22	46	78	85	39	324	1	-	-	1	-	7	21	33	74	111	76
White	254	-	-	-	1	3	7	17	41	72	79	34	297	1	-	-	1	-	4	17	32	65	103	74
All other	32	-	-	-	2	2	1	5	5	6	6	5	27	-	-	-	-	-	3	4	1	9	8	2
Black	32	-	-	-	2	2	1	5	5	6	6	5	26	-	-	-	-	-	3	4	1	8	8	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	415	-	-	-	-	-	3	7	40	106	156	103	569	-	-	-	-	-	2	3	8	22	90	194	250
White	375	-	-	-	-	-	3	5	28	100	142	97	526	-	-	-	-	-	2	2	7	17	80	178	240
All other	40	-	-	-	-	-	-	2	12	6	14	6	43	-	-	-	-	-	-	1	1	5	10	16	10
Black	40	-	-	-	-	-	-	2	12	6	14	6	43	-	-	-	-	-	-	1	1	5	10	16	10
Cerebral embolism (434.1)	11	-	-	-	-	1	-	-	-	4	3	3	14	-	-	-	-	-	-	-	2	2	6	4
White	11	-	-	-	-	1	-	-	-	4	3	3	14	-	-	-	-	-	-	-	2	2	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,151	-	-	1	1	7	13	33	94	274	451	277	1,716	-	-	-	2	4	10	33	98	288	662	699
White	1,045	-	-	1	-	7	11	26	76	243	414	267	1,593	-	-	-	2	3	7	26	83	239	623	610
All other	106	-	-	-	1	-	2	7	18	31	37	10	123	-	-	-	-	1	3	7	15	29	39	29
Black	104	-	-	-	-	-	2	7	17	31	37	10	122	-	-	-	-	1	3	7	15	29	38	29
Atherosclerosis (440)	293	-	-	-	-	-	-	-	13	49	95	136	483	-	-	-	-	-	1	-	9	33	134	306
White	281	-	-	-	-	-	-	-	13	46	91	131	459	-	-	-	-	-	1	-	8	31	127	292
All other	12	-	-	-	-	-	-	-	-	3	4	5	24	-	-	-	-	-	-	-	1	2	7	14
Black	12	-	-	-	-	-	-	-	-	3	4	5	24	-	-	-	-	-	-	-	1	2	7	14
Other diseases of arteries, arterioles, and capillaries (441-448)	260	-	-	-	-	-	1	8	31	106	86	28	146	2	-	-	1	1	-	8	13	25	54	42
White	247	-	-	-	-	-	1	7	31	100	81	27	135	2	-	-	1	-	-	6	10	24	51	41
All other	13	-	-	-	-	-	-	1	-	6	5	1	11	-	-	-	-	1	-	2	3	1	3	1
Black	13	-	-	-	-	-	-	1	-	6	5	1	10	-	-	-	-	1	-	1	3	1	3	1
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	1	-	-	3	1	-	2
White	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	1	-	-	3	1	-	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	616	14	1	4	6	5	7	20	49	124	201	185	580	6	3	3	4	4	5	15	35	72	178	255
White	564	8	1	4	5	5	4	12	43	116	188	178	535	5	3	3	3	3	2	12	31	63	166	244
All other	52	6	-	-	1	-	3	8	6	8	13	7	45	1	-	-	1	1	3	3	4	9	12	11
Black	50	6	-	-	1	-	3	8	5	7	13	7	45	1	-	-	1	1	3	3	4	9	12	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	606	14	1	3	6	5	7	19	48	122	199	184	567	6	3	3	3	4	5	14	34	70	176	249
White	556	8	1	3	5	5	4	11	42	114	166	177	522	5	3	3	2	3	2	11	30	61	164	238
All other	52	6	–	–	1	–	3	8	6	8	13	7	45	1	–	–	1	1	3	3	4	9	12	11
Black	50	6	–	–	1	–	3	8	5	7	13	7	45	1	–	–	1	1	3	3	4	9	12	11
Influenza (487)	8	–	–	1	–	–	–	1	1	2	2	1	13	–	–	–	1	–	–	1	1	2	2	6
White	8	–	–	1	–	–	–	1	1	2	2	1	13	–	–	–	1	–	–	1	1	2	2	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	955	–	–	1	2	1	6	29	133	357	328	98	358	–	1	1	–	1	5	10	74	118	96	52
White	906	–	–	1	2	–	5	27	122	338	319	92	337	–	1	1	–	1	4	9	67	110	92	52
All other	49	–	–	–	–	1	1	2	11	19	9	6	21	–	–	–	–	–	1	1	7	8	4	–
Black	48	–	–	–	–	1	1	2	11	19	9	5	21	–	–	–	–	–	1	1	7	8	4	–
Bronchitis, chronic and unspecified (490-491)	48	–	–	1	–	–	–	2	5	15	19	6	27	–	–	–	–	–	–	–	7	4	5	11
White	47	–	–	1	–	–	–	2	5	14	19	6	26	–	–	–	–	–	–	–	6	4	5	11
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	252	–	–	–	–	–	1	10	31	111	77	22	83	–	–	–	–	–	2	3	13	33	21	11
White	239	–	–	–	–	–	1	9	29	103	76	21	78	–	–	–	–	–	1	3	11	32	20	11
All other	13	–	–	–	–	–	–	1	2	8	1	1	5	–	–	–	–	–	1	–	2	1	1	–
Black	13	–	–	–	–	–	–	1	2	8	1	1	5	–	–	–	–	–	1	–	2	1	1	–
Asthma (493)	18	–	–	–	2	1	1	1	2	5	6	–	34	–	–	1	–	1	1	2	3	12	9	5
White	16	–	–	–	2	–	1	1	1	5	6	–	29	–	–	1	–	1	1	1	3	9	8	5
All other	2	–	–	–	–	1	–	–	1	–	–	–	5	–	–	–	–	–	–	1	–	3	1	–
Black	2	–	–	–	–	1	–	–	1	–	–	–	5	–	–	–	–	–	–	1	–	3	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	637	–	–	–	–	–	4	18	95	226	226	70	214	–	1	–	–	–	2	5	51	89	61	25
White	604	–	–	–	–	–	3	15	87	216	218	65	204	–	1	–	–	–	2	5	47	85	59	25
All other	33	–	–	–	–	–	1	1	8	10	8	5	10	–	–	–	–	–	–	–	4	4	2	–
Black	32	–	–	–	–	–	1	1	8	10	8	4	10	–	–	–	–	–	–	–	4	4	2	–
Ulcer of stomach and duodenum (531-533)	78	–	–	–	–	–	1	4	12	27	30	4	61	–	–	–	1	–	1	–	4	22	15	18
White	67	–	–	–	–	–	1	4	10	23	25	4	59	–	–	–	1	–	1	–	4	20	15	18
All other	11	–	–	–	–	–	–	–	2	4	5	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	11	–	–	–	–	–	–	–	2	4	5	–	2	–	–	–	–	–	–	–	–	2	–	–
Appendicitis (540-543)	12	–	–	1	2	1	–	1	1	2	2	2	4	–	–	–	–	–	–	–	–	2	1	1
White	10	–	–	1	1	–	–	1	1	2	2	2	3	–	–	–	–	–	–	–	–	1	1	1
All other	2	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	2	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	60	3	–	–	–	–	2	2	4	12	23	14	92	1	–	–	–	2	1	6	9	24	25	24
White	53	2	–	–	–	–	1	1	3	11	22	13	87	1	–	–	–	1	1	5	8	23	25	23
All other	7	1	–	–	–	–	1	1	1	1	1	1	5	–	–	–	–	1	–	1	1	1	–	1
Black	7	1	–	–	–	–	1	1	1	1	1	1	5	–	–	–	–	1	–	1	1	1	–	1
Chronic liver disease and cirrhosis (571)	302	1	–	–	–	5	31	66	93	78	24	4	195	–	–	–	–	7	16	28	61	48	35	4
White	254	1	–	–	–	3	20	53	78	73	22	4	157	–	–	–	–	5	9	19	52	37	31	4
All other	48	–	–	–	–	2	11	13	15	5	2	–	38	–	–	–	–	2	7	7	9	9	4	–
Black	48	–	–	–	–	2	11	13	15	5	2	–	38	–	–	–	–	2	7	7	9	9	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	33	–	–	–	–	–	–	1	3	9	15	5	42	–	–	–	–	1	1	–	3	10	15	12
White	33	–	–	–	–	–	–	1	3	9	15	5	35	–	–	–	–	1	–	–	1	8	13	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	–	2	2	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	–	2	2	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	196	4	1	–	1	3	6	12	24	35	61	49	223	2	2	–	2	3	3	8	20	36	75	72
White	164	4	1	–	–	3	5	8	14	30	53	46	192	1	2	–	–	3	3	6	10	31	67	67
All other	32	–	–	–	1	–	1	4	10	5	8	3	31	1	–	–	2	–	–	–	10	5	8	5
Black	32	–	–	–	1	–	1	4	10	5	8	3	30	1	–	–	1	–	–	–	10	5	8	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	–	–	–	1	–	–	1	1	1	3	–	5	–	1	–	–	–	–	–	–	1	2	1
White	6	–	–	–	–	–	–	1	1	1	3	–	5	–	1	–	–	–	–	–	–	1	2	1
All other	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	34	–	–	–	–	2	2	3	2	7	11	7	41	–	–	–	1	–	–	2	2	8	14	14
White	31	–	–	–	–	2	2	2	2	6	10	7	36	–	–	–	–	–	–	2	1	6	13	14
All other	3	–	–	–	–	–	–	1	–	1	1	–	5	–	–	–	1	–	–	–	1	2	1	–
Black	3	–	–	–	–	–	–	1	–	1	1	–	4	–	–	–	–	–	–	–	1	2	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	155	4	1	–	–	1	4	8	21	27	47	42	177	2	1	–	1	3	3	6	18	27	59	57
White	127	4	1	–	–	1	3	5	11	23	40	39	151	1	1	–	–	3	3	6	9	24	52	52
All other	28	–	–	–	–	–	1	3	10	4	7	3	26	1	–	–	1	–	–	–	9	3	7	5
Black	28	–	–	–	–	–	1	3	10	4	7	3	26	1	–	–	1	–	–	–	9	3	7	5
Infections of kidney (590)	32	–	–	–	–	–	1	2	1	7	9	12	48	–	–	–	–	1	–	2	2	13	16	14
White	27	–	–	–	–	–	–	1	1	5	9	11	44	–	–	–	–	1	–	2	2	11	14	14
All other	5	–	–	–	–	–	1	1	–	2	–	1	4	–	–	–	–	–	–	–	–	2	2	–
Black	5	–	–	–	–	–	1	1	–	2	–	1	4	–	–	–	–	–	–	–	–	2	2	–
Hyperplasia of prostate (600)	26	–	–	–	–	–	–	–	2	6	11	7	***	***	***	***	***	***	***	***	***	***	***	***
White	22	–	–	–	–	–	–	–	1	4	11	6	***	***	***	***	***	***	***	***	***	***	***	***
All other	4	–	–	–	–	–	–	–	1	2	–	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	4	–	–	–	–	–	–	–	1	2	–	1	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	2	2	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	2	2	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	2	2	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	2	2	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	166	116	14	3	7	3	2	4	8	6	3	–	138	99	9	8	6	1	–	4	3	4	2	2
White	147	103	13	2	7	3	2	4	6	6	3	–	119	86	7	5	6	1	–	4	3	4	2	2
All other	19	13	1	1	–	2	–	–	2	–	–	–	19	13	2	3	–	–	–	–	–	–	–	–
Black	19	13	1	1	–	2	–	–	2	–	–	–	18	12	2	3	–	1	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	304	304	–	–	–	–	–	–	–	–	–	–	243	243	–	–	–	–	–	–	–	–	–	–
White	223	223	–	–	–	–	–	–	–	–	–	–	155	155	–	–	–	–	–	–	–	–	–	–
All other	81	81	–	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
Black	80	80	–	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	137	137	–	–	–	–	–	–	–	–	–	–	94	94	–	–	–	–	–	–	–	–	–	–
White	102	102	–	–	–	–	–	–	–	–	–	–	63	63	–	–	–	–	–	–	–	–	–	–
All other	35	35	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
Black	34	34	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	167	167	–	–	–	–	–	–	–	–	–	–	149	149	–	–	–	–	–	–	–	–	–	–
White	121	121	–	–	–	–	–	–	–	–	–	–	92	92	–	–	–	–	–	–	–	–	–	–
All other	46	46	–	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
Black	46	46	–	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,110	73	3	3	7	4	23	90	215	328	238	125	679	54	2	–	6	3	15	24	85	150	193	173
White	894	51	2	3	6	2	20	80	196	300	220	113	606	36	1	–	4	3	11	22	59	141	185	161
All other	116	22	1	–	1	2	3	10	19	28	18	12	73	18	1	–	2	–	4	2	6	9	18	12
Black	116	22	1	–	1	2	3	10	19	28	18	12	69	18	1	–	2	–	4	1	6	8	18	12
All other diseases (Residual)	1,249	22	12	12	33	34	53	125	196	312	292	158	1,295	19	9	15	22	44	30	84	141	266	373	292
White	1,083	17	10	10	27	27	41	100	169	269	264	149	1,135	17	7	12	16	36	25	62	109	240	332	277
All other	166	5	2	2	6	7	12	25	27	43	28	9	160	2	2	3	4	8	5	22	32	26	41	15
Black	163	5	2	1	5	6	12	25	27	43	28	9	159	2	2	3	4	8	5	21	32	26	41	15
Accidents and adverse effects (E800-E949)	1,672	24	36	74	470	261	150	145	131	163	151	65	765	11	24	47	139	68	55	47	61	77	119	116
White	1,508	20	29	64	437	233	131	135	119	138	140	61	696	6	17	42	132	63	50	44	52	67	112	111
All other	164	4	7	10	33	28	19	10	12	25	11	4	69	5	7	5	7	5	5	3	9	10	7	7
Black	162	4	7	10	32	27	19	10	12	25	11	4	67	5	7	5	6	5	4	3	9	10	7	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	839	4	9	39	323	164	79	68	54	48	43	8	351	3	12	29	116	46	38	28	29	24	20	6
White	787	4	7	36	308	150	75	65	50	42	42	8	330	2	9	27	109	45	36	28	26	23	20	5
All other	52	–	2	3	15	14	4	3	4	6	1	–	21	1	3	2	7	1	2	–	3	1	–	1
Black	51	–	2	3	15	13	4	3	4	6	1	–	19	1	3	2	6	1	1	–	3	1	–	1
All other accidents and adverse effects (E800-E807, E826-E949)	933	20	27	35	147	97	71	77	77	115	108	57	414	8	12	18	23	20	17	19	32	53	99	112
White	721	16	22	28	129	83	56	70	69	96	98	53	366	4	8	15	23	18	14	16	26	44	92	106
All other	112	4	5	7	18	14	15	7	8	19	10	4	48	4	4	3	–	2	3	3	6	9	7	6
Black	111	4	5	7	17	14	15	7	8	19	10	4	48	4	4	3	–	2	3	3	6	9	7	6
Suicide (E950-E959)	429	...	...	2	85	98	48	49	61	48	33	5	133	...	...	1	21	23	22	24	22	13	5	2
White	400	...	...	2	79	85	44	47	58	47	33	5	128	...	...	1	19	22	21	24	21	13	5	2
All other	29	...	...	–	6	13	4	2	3	1	–	–	5	...	...	–	2	1	1	–	1	–	–	–
Black	28	...	...	–	6	12	4	2	3	1	–	–	4	...	...	–	2	1	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	473	4	2	8	148	143	66	51	25	17	7	–	112	1	4	5	44	21	16	6	4	7	3	1
White	188	2	–	1	45	53	28	25	14	11	7	–	50	–	–	3	14	8	12	3	3	4	2	1
All other	285	2	2	7	103	90	38	26	11	6	–	–	62	1	4	2	30	13	4	3	1	3	1	–
Black	285	2	2	7	103	90	38	26	11	6	–	–	61	1	4	2	29	13	4	3	1	3	1	–
All other external causes (E980-E999)	65	3	3	–	18	9	10	9	8	2	2	–	27	–	2	1	4	3	6	4	4	2	1	–
White	55	3	2	–	15	7	9	8	7	2	2	–	21	–	–	1	1	3	5	4	4	2	1	–
All other	10	–	1	–	3	2	2	1	1	–	–	–	6	–	2	–	3	–	1	–	–	–	–	–
Black	10	–	1	–	3	2	2	1	1	–	–	–	6	–	2	–	3	–	1	–	–	–	–	–
MONTANA																								
All causes	3,663	78	20	37	170	142	115	242	568	891	823	577	2,813	73	20	16	75	51	70	125	314	505	753	810
White	3,482	73	16	29	141	121	96	224	541	861	810	570	2,690	60	16	12	67	42	55	114	294	491	738	800
All other	181	5	4	8	29	21	19	18	27	30	13	7	123	13	4	4	8	9	15	11	20	14	15	10
Black	10	–	–	–	1	2	2	2	1	1	1	–	4	–	–	–	–	–	–	–	1	1	–	2
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	1	–
White	4	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	4	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	1	–
White	4	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
White	2	1	–	–	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	11	1	–	1	–	–	1	1	2	3	–	2	5	–	–	–	–	–	–	–	1	1	2	1
White	9	1	–	1	–	–	1	–	1	3	–	2	5	–	–	–	–	–	–	–	1	1	2	1
All other	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 099-139)	3	-	-	-	-	-	-	-	3	-	-	-	5	-	-	-	-	1	-	-	1	-	-	3
White	3	-	-	-	-	-	-	-	3	-	-	-	5	-	-	-	-	1	-	-	1	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	674	-	-	1	8	8	16	43	125	233	161	79	564	-	-	2	2	9	19	57	129	144	139	69
White	659	-	-	1	8	7	16	43	122	226	158	78	551	-	-	2	2	9	16	54	124	143	132	69
All other	15	-	-	-	-	1	-	-	3	7	3	1	13	-	-	-	-	-	3	3	5	1	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	-	-	-	-	-	-	2	4	2	1	-	8	-	-	-	-	-	-	1	1	2	1	3
White	9	-	-	-	-	-	-	2	4	2	1	-	7	-	-	-	-	-	-	1	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	172	-	-	-	1	-	5	10	33	63	40	20	159	-	-	-	-	2	2	12	28	39	47	29
White	171	-	-	-	1	-	5	10	33	62	40	20	155	-	-	-	-	2	1	10	27	39	47	29
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	1	2	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	204	-	-	-	-	-	2	23	52	82	39	6	69	-	-	-	-	-	-	8	22	21	15	3
White	197	-	-	-	-	-	2	23	49	79	38	6	68	-	-	-	-	-	-	8	21	21	15	3
All other	7	-	-	-	-	-	-	-	3	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	106	-	-	-	-	3	6	18	28	24	17	10
White	1	-	-	-	-	-	-	-	1	-	-	-	103	-	-	-	-	3	6	17	27	24	16	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	110	-	-	-	1	4	1	1	10	25	35	33	84	-	-	-	-	1	6	7	20	27	18	3
White	107	-	-	-	1	3	1	1	10	24	34	33	80	-	-	-	-	1	6	7	19	26	18	3
All other	3	-	-	-	-	1	-	-	-	1	1	-	4	-	-	-	-	-	-	2	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	49	-	-	-	-	-	2	3	8	17	15	4	19	-	-	-	-	-	1	-	3	4	7	4
White	48	-	-	-	-	-	2	3	8	16	15	4	19	-	-	-	-	-	1	-	3	4	7	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	70	-	-	-	4	3	2	2	19	26	15	5	71	-	-	2	1	3	2	7	17	14	16	9
White	70	-	-	-	4	3	2	2	19	26	15	5	71	-	-	2	1	3	2	7	17	14	16	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	28	-	-	1	2	-	1	1	2	8	9	4	21	-	-	-	1	-	-	3	4	6	2	5
White	27	-	-	1	2	-	1	1	2	8	8	4	21	-	-	-	1	-	-	3	4	6	2	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	31	-	-	-	-	1	3	1	2	10	7	7	27	-	-	-	-	-	-	1	6	7	10	3
White	29	-	-	-	-	1	3	1	2	9	7	6	27	-	-	-	-	-	-	1	6	7	10	3
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	1	-	-	-	1	-	4	1	3	4	-	-	-	-	-	-	-	1	1	2	-
White	10	-	-	1	-	-	-	1	-	4	1	3	4	-	-	-	-	-	-	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	43	-	-	-	-	1	-	2	10	10	6	14	48	-	-	-	-	-	-	1	8	12	21	6
White	42	-	-	-	-	1	-	2	10	9	6	14	41	-	-	-	-	-	-	1	5	11	18	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	3	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	1	1	-	1	9	-	-	-	-	-	-	-	2	1	2	4
White	3	-	-	-	-	-	-	-	1	1	-	1	9	-	-	-	-	-	-	-	2	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	1	-	-	-	-	1	3	2	2	3	-	-	-	-	-	-	1	-	-	-	2
White	8	-	-	-	-	-	-	-	1	3	2	2	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	1	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,701	2	-	-	5	4	18	105	280	451	485	351	1,439	2	1	-	3	2	12	29	103	247	471	569
White	1,649	1	-	-	2	3	16	100	264	433	463	347	1,402	1	-	-	1	2	9	28	97	238	464	562
All other	52	1	-	-	3	1	2	5	16	18	2	4	37	1	1	-	2	-	3	1	6	9	7	7
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Diseases of heart (390-398,402,404-429)	1,305	2	-	-	4	4	17	94	244	381	346	233	998	2	1	-	2	1	6	24	88	191	315	364
White	1,268	1	-	-	2	3	15	90	234	347	345	231	964	1	-	-	1	1	5	23	82	184	309	358
All other	37	1	-	-	2	1	2	4	10	14	1	2	32	1	1	-	1	-	3	1	6	7	6	6
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	1	-	1	-	2	4	3	1	20	-	-	-	1	-	1	1	6	3	5	3
White	10	-	-	-	-	-	1	-	2	4	3	1	18	-	-	-	1	-	1	1	6	3	5	3
All other	2	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	14	-	-	-	-	-	1	1	-	5	5	2	22	-	-	-	-	-	-	-	1	1	10	10
White	13	-	-	-	-	-	1	1	-	4	5	2	21	-	-	-	-	-	-	-	1	1	9	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	2	3	2	8	-	-	-	-	-	-	-	-	-	3	5
White	7	-	-	-	-	-	-	-	-	2	3	2	8	-	-	-	-	-	-	-	-	-	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	973	-	-	-	-	2	14	73	190	272	255	167	660	-	-	-	-	-	1	3	16	60	136	200	244
White	950	-	-	-	-	1	13	71	183	261	254	167	643	-	-	-	-	-	1	3	15	54	131	198	241
All other	23	-	-	-	-	1	1	2	7	11	1	-	17	-	-	-	-	-	-	-	1	6	5	2	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	637	-	-	-	-	2	13	57	152	179	170	64	348	-	-	-	-	-	3	15	48	97	102	83
White	621	-	-	-	-	1	12	55	148	171	170	64	337	-	-	-	-	-	3	14	44	93	100	83
All other	16	-	-	-	-	1	1	2	4	8	-	-	11	-	-	-	-	-	-	1	4	4	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	11	-	-	-	-	-	-	1	3	3	3	1	7	-	-	-	-	-	-	-	2	2	2	1
White	11	-	-	-	-	-	-	1	3	3	3	1	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	322	-	-	-	-	-	1	14	35	90	81	101	303	-	-	-	-	-	1	-	1	10	37	95	150
White	315	-	-	-	-	-	1	14	32	87	80	101	299	-	-	-	-	-	1	-	1	9	37	95	150
All other	7	-	-	-	-	-	-	-	3	3	1	-	4	-	-	-	-	-	-	-	-	1	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	16	-	-	-	1	2	-	-	1	3	8	1	10	-	-	-	-	-	-	1	-	-	-	6	3
White	15	-	-	-	-	2	-	-	1	3	8	1	9	-	-	-	-	-	-	1	-	-	-	6	3
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	283	2	–	–	2	–	1	20	51	75	72	60	276	2	1	–	1	–	3	7	21	51	91	99
White	273	1	–	–	2	–	1	18	48	73	72	58	265	1	–	–	1	–	2	7	21	49	88	96
All other	10	1	–	–	–	–	–	2	3	2	–	2	11	1	1	–	–	–	1	–	–	2	3	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	14	–	–	–	–	–	–	–	3	–	8	3	9	–	–	–	–	–	–	–	2	1	2	4
White	13	–	–	–	–	–	–	–	2	–	8	3	9	–	–	–	–	–	–	–	2	1	2	4
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	283	–	–	–	1	–	1	4	22	61	99	75	325	–	–	–	1	1	4	4	12	47	116	140
White	253	–	–	–	–	–	1	3	19	58	96	74	321	–	–	–	–	1	4	4	12	45	116	139
All other	10	–	–	–	1	–	–	1	3	3	1	1	4	–	–	–	1	–	–	–	–	2	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Intracerebral and other intracranial hemorrhage (431-432)	20	–	–	–	–	–	–	1	4	5	5	5	18	–	–	–	1	1	–	1	2	4	7	2
White	19	–	–	–	–	–	–	1	4	4	5	5	17	–	–	–	–	1	–	1	2	4	7	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	47	–	–	–	–	–	–	1	3	10	19	14	50	–	–	–	–	–	1	1	2	8	15	23
White	46	–	–	–	–	–	–	1	3	10	18	14	50	–	–	–	–	–	1	1	2	8	15	23
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	3	–
White	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	184	–	–	–	1	–	1	2	14	45	75	56	254	–	–	–	–	–	3	2	8	35	91	115
White	186	–	–	–	–	–	1	1	11	43	75	55	251	–	–	–	–	–	3	2	8	33	91	114
All other	8	–	–	–	1	–	–	1	3	2	–	1	3	–	–	–	–	–	–	–	–	2	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Atherosclerosis (440)	66	–	–	–	–	–	–	2	3	10	16	35	85	–	–	–	–	–	–	–	–	4	23	58
White	65	–	–	–	–	–	–	2	3	10	16	34	84	–	–	–	–	–	–	–	–	4	22	58
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	53	–	–	–	–	–	–	5	8	19	16	5	24	–	–	–	–	–	–	1	1	4	15	3
White	50	–	–	–	–	–	–	5	6	18	16	5	24	–	–	–	–	–	–	1	1	4	15	3
All other	3	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	89	2	2	–	–	1	2	1	5	25	25	26	59	3	–	–	1	–	–	–	2	2	15	36
White	83	2	2	–	–	1	1	–	4	24	23	26	56	1	–	–	1	–	–	–	2	2	14	36
All other	6	–	–	–	–	–	1	1	1	1	2	–	3	2	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	87	2	2	–	–	1	2	1	5	24	24	26	56	3	–	–	1	–	–	–	2	2	15	33
White	81	2	2	–	–	1	1	–	4	23	22	26	53	1	–	–	1	–	–	–	2	2	14	33
All other	6	–	–	–	–	–	1	1	1	1	2	–	3	2	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–	3
White	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	141	–	–	–	–	–	–	5	21	52	49	14	58	–	–	–	1	–	–	1	13	21	14	6
White	140	–	–	–	–	–	–	5	21	51	49	14	52	–	–	–	1	–	–	1	12	19	14	5
All other	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	2	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	12	–	–	–	–	–	–	–	2	4	3	3	2	–	–	–	–	–	–	–	–	–	2	–
White	12	–	–	–	–	–	–	–	2	4	3	3	2	–	–	–	–	–	–	–	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	40	–	–	–	–	–	–	3	6	12	17	2	15	–	–	–	–	–	–	–	6	5	4	–
White	39	–	–	–	–	–	–	3	6	11	17	2	14	–	–	–	–	–	–	–	5	5	4	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	7	–	–	–	–	–	–	1	2	2	1	1	6	–	–	–	1	–	–	–	1	3	1	–
White	7	–	–	–	–	–	–	1	2	2	1	1	6	–	–	–	1	–	–	–	1	3	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	82	–	–	–	–	–	–	1	11	34	28	8	33	–	–	–	–	–	–	1	6	13	7	6
White	82	–	–	–	–	–	–	1	11	34	28	8	30	–	–	–	–	–	–	1	6	11	7	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	12	–	–	–	1	–	–	–	4	1	2	4	14	–	–	–	1	–	–	1	4	1	2	5
White	11	–	–	–	–	–	–	–	4	1	2	4	12	–	–	–	1	–	–	1	2	1	2	5
All other	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	1	–	–	1	–	–	1	2	–	2	2	12	–	–	–	–	–	–	–	1	2	4	5
White	9	1	–	–	1	–	–	1	2	–	2	2	12	–	–	–	–	–	–	–	1	2	4	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	39	–	–	–	–	3	8	9	10	3	4	2	25	–	–	–	1	2	7	5	5	3	2	–
White	30	–	–	–	–	2	4	5	10	3	4	2	18	–	–	–	1	–	5	3	4	3	2	–
All other	9	–	–	–	–	1	4	4	–	–	–	–	7	–	–	–	–	2	2	2	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	5	–	–	–	–	–	–	1	–	2	–	2	8	–	–	–	–	–	–	–	3	2	1	2
White	5	–	–	–	–	–	–	1	–	2	–	2	8	–	–	–	–	–	–	–	3	2	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21	–	–	–	–	–	1	3	–	6	4	7	25	–	–	1	–	–	–	–	1	8	9	6
White	20	–	–	–	–	–	1	3	–	6	4	6	24	–	–	1	–	–	–	–	1	7	9	6
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	1	1	1
White	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19	–	–	–	–	–	1	3	–	5	4	6	22	–	–	1	–	–	–	–	1	7	8	5
White	18	–	–	–	–	–	1	3	–	5	4	5	21	–	–	1	–	–	–	–	1	6	8	5
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	2	–	–	–	–	–	–	–	–	–	2	–	7	–	–	–	–	–	–	–	–	1	3	3
White	2	–	–	–	–	–	–	–	–	–	2	–	7	–	–	–	–	–	–	–	–	1	3	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	6	–	–	–	–	–	–	–	–	–	2	4	...	...	...	...	...	...	...	...	...	...	...	...
White	6	–	–	–	–	–	–	–	–	–	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	–	2	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	–	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	1	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	1	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	22	12	2	3	2	-	1	1	-	1	-	-	16	11	2	-	1	-	-	-	-	1	1	
White	21	11	2	3	2	-	1	1	-	1	-	-	14	10	1	-	1	-	-	-	-	1	1	
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	34	34	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	
White	34	34	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	
White	12	12	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-768,770-779)	22	22	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	
White	22	22	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	51	16	-	-	-	1	-	-	6	13	9	6	39	7	1	1	1	-	1	2	2	6	4	14
White	49	15	-	-	-	1	-	-	6	12	9	6	36	7	1	-	1	-	-	2	2	6	4	13
All other	2	1	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	206	5	1	2	3	4	12	18	38	51	36	36	207	4	3	3	3	8	16	11	24	35	47	52
White	190	4	1	1	3	3	9	16	36	51	31	35	193	2	3	3	3	6	11	8	24	35	46	51
All other	16	1	-	1	-	1	3	2	2	-	5	1	14	2	-	-	-	2	5	3	-	-	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents and adverse effects (E800-E949)	421	3	11	27	118	84	42	36	39	19	28	16	182	2	9	8	50	21	11	12	12	13	18	26
White	364	2	7	22	99	74	34	32	35	18	25	16	163	-	7	5	46	18	10	11	10	13	17	26
All other	57	1	4	5	19	10	8	4	4	1	1	-	19	2	2	3	4	3	1	1	2	-	1	
Black	5	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Motor vehicle accidents (E810-E825)	215	1	4	8	86	44	23	19	14	11	4	1	96	-	4	6	44	14	7	7	6	4	4	
White	183	1	2	7	71	38	17	19	13	10	4	1	84	-	4	4	40	12	6	6	5	4	3	
All other	32	-	2	1	15	6	6	-	1	1	-	-	12	-	-	2	4	2	1	1	1	-	1	
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other accidents and adverse effects (E800-E807, E825-E949)	206	2	7	19	32	40	19	17	25	8	22	15	86	2	5	2	6	7	4	5	6	9	14	26
White	181	1	5	15	28	36	17	13	22	8	21	15	79	-	3	1	6	5	4	5	5	9	14	26
All other	25	1	2	4	4	4	2	4	3	-	1	-	7	2	2	1	-	1	-	-	1	-	-	
Black	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide (E950-E959)	101	---	---	-	21	24	8	11	16	11	6	4	17	---	---	1	3	4	2	4	2	1	-	
White	97	---	---	-	18	23	8	11	16	11	6	4	17	---	---	1	3	4	2	4	2	1	-	
All other	4	---	---	-	3	1	-	-	-	-	-	-	-	---	---	-	-	-	-	-	-	-	-	
Black	-	---	---	-	-	-	-	-	-	-	-	-	-	---	---	-	-	-	-	-	-	-	-	
Homicide and legal intervention (E960-E978)	33	1	1	1	10	9	4	4	2	1	-	-	8	-	-	-	6	1	1	-	-	-	-	
White	22	1	1	-	7	3	4	3	2	1	-	-	6	-	-	-	4	1	1	-	-	-	-	
All other	11	-	-	1	3	6	-	1	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other external causes (E980-E999)	8	-	-	-	-	3	2	-	2	-	1	-	7	-	1	-	2	1	-	1	-	2	-	
White	7	-	-	-	-	3	1	-	2	-	1	-	6	-	1	-	2	1	-	1	-	2	-	
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,722	175	29	61	232	160	166	470	1,063	1,662	2,152	1,332	6,525	129	27	19	77	93	100	258	530	1,138	2,026	2,138
White	7,478	161	24	51	215	161	152	442	1,024	1,619	2,117	1,312	6,303	107	24	19	69	73	89	238	500	1,098	1,982	2,104
All other	244	14	5	10	17	19	14	28	39	43	35	20	222	22	3	–	8	10	11	20	30	40	44	34
Black	186	11	3	3	15	13	11	16	32	35	29	18	164	17	2	–	6	7	9	15	24	35	39	30
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	–	1	1
White	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	1	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	23	–	–	1	–	–	–	1	5	4	6	6	14	1	–	–	–	–	–	1	3	2	3	4
White	23	–	–	1	–	–	–	1	5	4	6	6	14	1	–	–	–	–	–	1	3	2	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	2	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	2	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,058-066,071-088, 098-139)	13	–	1	2	–	–	1	1	2	–	3	3	9	–	1	–	–	1	1	1	2	1	–	2
White	12	–	1	2	–	–	1	1	2	–	3	2	9	–	1	–	–	1	1	1	2	1	–	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,590	–	2	13	15	14	19	111	310	477	448	183	1,306	–	1	2	11	22	48	129	206	367	348	172
White	1,547	–	2	13	13	14	16	107	297	468	436	181	1,278	–	1	2	10	21	45	124	200	364	341	170
All other	43	–	–	–	2	–	3	4	13	9	10	2	30	–	–	–	1	1	3	5	6	3	7	2
Black	36	–	–	–	2	–	3	–	13	7	9	2	29	–	–	–	1	1	3	5	6	3	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	38	-	-	-	-	-	-	5	13	11	6	3	17	-	-	-	-	1	-	1	4	7	1	3
White	36	-	-	-	-	-	-	5	12	11	5	3	15	-	-	-	-	1	-	1	3	6	1	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	438	-	-	-	-	-	5	28	84	135	135	53	407	-	-	-	-	1	6	25	61	105	134	73
White	422	-	-	-	-	-	4	25	80	130	130	53	394	-	-	-	-	1	7	23	57	103	130	73
All other	16	-	-	-	-	-	1	1	4	5	5	-	13	-	-	-	-	-	1	2	4	2	4	-
Black	12	-	-	-	-	-	1	-	4	3	4	-	12	-	-	-	-	-	1	2	4	2	3	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	482	-	-	-	-	1	5	52	118	177	112	27	157	-	-	-	1	1	6	20	33	50	36	8
White	481	-	-	-	-	1	4	50	113	175	112	26	155	-	-	-	1	1	6	20	33	50	35	7
All other	11	-	-	-	-	-	1	2	5	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	9	-	-	-	-	-	1	-	5	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	235	-	-	-	-	4	15	39	42	72	42	21
White	-	-	-	-	-	-	-	-	-	-	-	-	228	-	-	-	-	3	13	38	41	72	41	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	2	1	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	2	1	1	-	1	1
Malignant neoplasms of genital organs (179-187)	203	-	-	-	1	2	1	1	16	46	78	58	164	-	-	-	1	1	11	18	33	45	35	20
White	197	-	-	-	1	2	1	1	14	45	76	57	162	-	-	-	1	1	11	17	32	45	35	20
All other	6	-	-	-	-	-	-	-	2	1	2	1	2	-	-	-	-	-	-	1	1	-	-	-
Black	6	-	-	-	-	-	-	-	2	1	2	1	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	63	-	1	1	-	-	1	6	9	31	27	7	50	-	-	-	-	1	-	5	4	11	19	10
White	61	-	1	1	-	-	1	6	9	31	25	7	50	-	-	-	-	1	-	5	4	11	19	10
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	158	-	-	5	7	4	5	12	31	38	44	14	132	-	-	1	4	7	4	12	15	38	36	20
White	156	-	-	5	6	4	4	12	31	38	44	14	131	-	-	1	3	7	4	12	15	38	36	20
All other	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Leukemia (204-208)	99	-	1	7	3	1	-	3	21	20	29	14	64	-	1	1	2	3	1	4	4	16	21	11
White	96	-	1	7	2	1	-	2	21	19	29	14	62	-	1	1	2	3	1	3	4	16	20	11
All other	3	-	-	-	1	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	79	-	-	-	4	6	2	6	18	21	15	7	82	-	-	-	3	3	1	5	12	28	24	6
White	78	-	-	-	4	6	2	6	17	21	15	7	81	-	-	-	3	3	1	5	11	28	24	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	1	-	-	-	-	2	1	-	6	6	6	25	-	-	-	2	-	-	3	4	3	7	6
White	22	1	-	-	-	-	2	1	-	6	6	6	23	-	-	-	2	-	-	2	4	3	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes mellitus (250)	78	-	-	-	-	2	4	3	12	18	24	15	123	-	-	1	-	1	1	4	16	26	47	27
White	73	-	-	-	-	2	3	2	11	17	23	15	118	-	-	1	-	1	1	4	12	26	47	26
All other	5	-	-	-	-	-	1	1	1	1	1	-	5	-	-	-	-	-	-	-	4	-	-	1
Black	4	-	-	-	-	-	1	1	1	1	1	-	4	-	-	-	-	-	-	-	3	-	-	1
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	2	2	5	14	-	-	-	-	-	-	-	-	4	4	6
White	8	-	-	-	-	-	-	-	-	1	2	5	14	-	-	-	-	-	-	-	-	4	4	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	1	-	1	1	-	-	2	2	2	12	-	-	-	-	-	-	-	-	1	8	3
White	9	-	-	1	-	1	1	-	-	2	2	2	12	-	-	-	-	-	-	-	-	1	8	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,875	5	3	1	2	16	49	217	509	997	1,249	837	3,661	1	1	1	3	10	14	54	187	539	1,295	1,556
White	3,793	5	2	1	2	14	46	209	493	963	1,233	825	3,550	-	1	1	2	7	13	48	177	510	1,262	1,529
All other	82	-	1	-	-	2	3	8	16	24	16	12	111	1	-	-	1	3	1	6	10	29	33	27
Black	69	-	1	-	-	1	3	8	14	20	14	10	95	-	-	-	-	3	1	5	9	25	29	23

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	2,993	5	2	1	2	16	43	189	450	803	904	578	2,494	1	1	1	2	7	8	38	140	382	896	1,018
White	2,927	5	2	1	2	14	40	183	438	782	892	568	2,401	–	1	1	1	5	7	32	131	358	871	994
All other	66	–	–	–	–	2	3	6	12	21	12	10	93	1	–	–	1	2	1	6	9	24	25	24
Black	55	–	–	–	–	1	3	4	10	18	10	9	80	–	–	–	–	2	1	5	8	20	22	22
Rheumatic fever and rheumatic heart disease (390-398)	21	–	–	–	–	–	–	3	2	8	6	2	31	–	–	–	–	1	–	2	6	11	6	5
White	21	–	–	–	–	–	–	3	2	8	6	2	29	–	–	–	–	–	–	2	5	11	6	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Hypertensive heart disease (402)	33	–	–	–	–	–	–	1	4	15	9	4	46	–	–	–	1	1	–	1	4	7	21	11
White	31	–	–	–	–	–	–	1	3	14	9	4	45	–	–	–	–	1	–	1	4	7	21	11
All other	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	28	–	–	–	–	–	–	–	1	3	9	15	38	–	–	–	–	1	–	1	–	3	11	22
White	28	–	–	–	–	–	–	–	1	3	9	15	36	–	–	–	–	1	–	–	–	2	11	22
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Ischemic heart disease (410-414)	2,394	–	–	–	–	4	33	158	385	653	712	451	1,868	–	–	–	–	1	4	26	106	294	694	743
White	2,339	–	–	–	–	3	30	150	377	638	701	442	1,799	–	–	–	–	–	4	22	99	275	675	724
All other	55	–	–	–	–	1	3	6	8	17	11	9	69	–	–	–	–	1	–	4	7	19	19	19
Black	47	–	–	–	–	–	3	4	8	14	10	8	64	–	–	–	–	1	–	4	7	16	17	19
Acute myocardial infarction (410)	1,447	–	–	–	–	2	21	111	266	439	401	207	906	–	–	–	–	1	2	16	69	169	354	273
White	1,427	–	–	–	–	2	19	109	262	432	398	205	885	–	–	–	–	–	2	16	66	162	348	271
All other	20	–	–	–	–	–	2	2	4	7	3	2	21	–	–	–	–	1	–	2	3	7	6	2
Black	15	–	–	–	–	–	2	1	4	5	2	1	19	–	–	–	–	1	–	2	3	7	4	2
Other acute and subacute forms of ischemic heart disease (411)	13	–	–	–	–	–	1	2	1	4	3	2	8	–	–	–	–	–	–	–	–	2	1	5
White	13	–	–	–	–	–	1	2	1	4	3	2	8	–	–	–	–	–	–	–	–	2	1	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	931	–	–	–	–	2	11	43	118	206	307	242	954	–	–	–	–	–	2	8	37	103	339	465
White	896	–	–	–	–	1	10	39	114	198	299	235	906	–	–	–	–	–	2	6	33	91	326	448
All other	35	–	–	–	–	1	1	4	4	10	8	7	48	–	–	–	–	–	–	2	4	12	13	17
Black	32	–	–	–	–	–	1	3	4	9	8	7	45	–	–	–	–	–	–	2	4	9	13	17
Other diseases of endocardium (424)	32	–	–	–	–	1	–	3	2	8	14	4	28	–	–	–	–	–	–	2	–	7	10	9
White	32	–	–	–	–	1	–	3	2	8	14	4	27	–	–	–	–	–	–	2	–	6	10	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other forms of heart disease (415-423,425-429)	485	5	2	1	2	11	10	26	56	116	154	102	483	1	1	1	1	3	4	6	24	60	154	228
White	476	5	2	1	2	10	10	26	53	113	153	101	465	–	1	1	1	3	3	5	23	57	148	223
All other	9	–	–	–	–	1	–	–	3	3	1	1	18	1	–	–	–	–	1	1	1	3	6	5
Black	6	–	–	–	–	1	–	–	1	3	–	1	12	–	–	–	–	–	1	–	–	3	5	3
Hypertension with or without renal disease (401,403)	41	–	–	–	–	–	–	3	2	8	15	12	34	–	–	–	–	–	–	–	1	8	8	15
White	40	–	–	–	–	–	–	3	2	8	14	12	31	–	–	–	–	–	–	–	1	7	8	15
All other	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Cerebrovascular diseases (430-438)	599	–	–	–	–	–	5	18	39	122	249	166	883	–	–	–	–	1	3	6	14	37	116	309	377
White	587	–	–	–	–	–	5	17	35	119	246	165	848	–	–	–	–	1	2	6	14	36	113	302	374
All other	12	–	–	–	–	–	–	1	4	3	3	1	15	–	–	–	–	–	1	–	–	1	3	7	3
Black	10	–	–	–	–	–	–	1	4	2	3	–	12	–	–	–	–	–	1	–	–	1	3	6	1
Intracerebral and other intracranial hemorrhage (431-432)	74	–	–	–	–	–	–	8	16	13	23	14	79	–	–	–	–	1	1	1	3	11	18	24	20
White	73	–	–	–	–	–	–	8	15	13	23	14	76	–	–	–	–	1	–	1	3	11	17	23	20
All other	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	–	–	–	–	–	–	1	7	16	40	32	151	–	–	–	–	–	–	1	4	15	60	71
White	93	–	–	–	–	–	–	1	6	15	39	32	150	–	–	–	–	–	–	1	4	14	60	71
All other	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	1	-	1	1	12	-	-	-	-	-	-	2	-	5	3	2
White	3	-	-	-	-	-	-	-	1	-	1	1	12	-	-	-	-	-	-	2	-	5	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	426	-	-	-	-	-	5	9	15	93	185	119	621	-	-	-	-	2	5	6	22	78	222	264
White	418	-	-	-	-	-	5	8	13	91	183	118	610	-	-	-	-	2	5	5	21	77	216	261
All other	8	-	-	-	-	-	-	1	2	2	2	1	11	-	-	-	-	-	-	-	1	1	6	3
Black	6	-	-	-	-	-	-	1	2	1	2	-	9	-	-	-	-	-	-	-	1	1	6	1
Atherosclerosis (440)	130	-	-	-	-	-	-	4	4	17	51	54	201	-	-	-	-	-	-	-	2	20	55	124
White	128	-	-	-	-	-	-	3	4	17	51	53	201	-	-	-	-	-	-	-	2	20	55	124
All other	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	112	-	1	-	-	-	1	3	14	36	30	27	69	-	-	-	-	-	-	2	7	12	26	22
White	111	-	-	-	-	-	1	3	14	36	30	27	69	-	-	-	-	-	-	2	7	12	26	22
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	1
White	2	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	210	1	-	-	-	2	1	3	15	27	67	94	193	3	1	1	1	2	-	4	6	15	61	99
White	200	1	-	-	-	2	-	3	13	25	65	91	188	3	1	1	1	1	-	3	6	15	60	97
All other	10	-	-	-	-	-	1	-	2	2	2	3	5	-	-	-	-	1	-	1	-	-	1	2
Black	6	-	-	-	-	-	1	-	1	-	1	3	5	-	-	-	-	1	-	1	-	-	1	2
Pneumonia (480-486)	202	1	-	-	-	1	1	3	14	26	65	91	183	3	1	1	1	2	-	4	5	15	58	93
White	192	1	-	-	-	1	-	3	12	24	63	88	178	3	1	1	1	1	-	3	5	15	57	91
All other	10	-	-	-	-	-	1	-	2	2	2	3	5	-	-	-	-	1	-	1	-	-	1	2
Black	6	-	-	-	-	-	1	-	1	-	1	3	5	-	-	-	-	1	-	1	-	-	1	2
Influenza (487)	8	-	-	-	-	1	-	-	1	1	2	3	10	-	-	-	-	-	-	-	1	-	3	6
White	8	-	-	-	-	1	-	-	1	1	2	3	10	-	-	-	-	-	-	-	1	-	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	300	-	-	-	-	-	1	6	43	104	111	35	102	1	-	-	2	-	-	2	18	32	25	22
White	298	-	-	-	-	-	1	6	42	103	111	35	100	-	-	-	2	-	-	2	17	32	25	22
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	-	-	-	-	3	4	3	4	3	1	-	-	-	-	-	-	-	1	-	1
White	13	-	-	-	-	-	-	-	3	3	3	4	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	73	-	-	-	-	-	-	2	13	28	27	3	26	-	-	-	-	-	-	2	4	9	7	4
White	73	-	-	-	-	-	-	2	13	28	27	3	25	-	-	-	-	-	-	2	3	9	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	10	-	-	-	-	-	-	-	1	2	7	-	11	-	-	-	2	-	-	-	2	3	2	2
White	10	-	-	-	-	-	-	-	1	2	7	-	11	-	-	-	2	-	-	-	2	3	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	203	-	-	-	-	-	1	4	26	70	74	28	62	-	-	-	-	-	-	-	12	19	16	15
White	202	-	-	-	-	-	1	4	25	70	74	28	62	-	-	-	-	-	-	-	12	19	16	15
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	30	-	-	-	-	-	1	3	3	7	8	8	24	-	-	-	-	-	-	2	-	1	2	5	14
White	28	-	-	-	-	-	-	2	3	7	8	8	24	-	-	-	-	-	-	2	-	1	2	5	14
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	2	-	-
White	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	-	-	-	-	-	-	-	1	5	7	3	26	-	-	1	-	-	-	-	1	3	6	13
White	16	-	-	-	-	-	-	-	1	5	7	3	25	-	-	1	-	-	-	-	-	3	6	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	85	–	–	–	–	6	7	17	26	18	11	–	41	–	–	–	–	3	2	13	10	12	1	–
White	75	–	–	–	–	2	6	13	26	17	11	–	34	–	–	–	–	1	1	10	9	12	1	–
All other	10	–	–	–	–	4	1	4	–	1	–	–	7	–	–	–	–	2	1	3	1	–	–	–
Black	8	–	–	–	–	2	1	2	–	1	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	11	–	–	–	–	–	–	–	–	4	4	3	12	–	–	–	–	–	–	–	–	1	7	4
White	11	–	–	–	–	–	–	–	–	4	4	3	12	–	–	–	–	–	–	–	–	1	7	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	67	2	–	1	–	–	1	–	9	17	18	19	42	1	–	–	1	–	–	2	3	9	12	14
White	67	2	–	1	–	–	1	–	9	17	18	19	35	1	–	–	–	–	–	2	3	4	11	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	1	–	–	–	–	5	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	–	–	4	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	–	–	–	–	–	–	–	–	3	3	5	11	–	–	–	1	–	–	1	–	1	6	2
White	11	–	–	–	–	–	–	–	–	3	3	5	9	–	–	–	1	–	–	1	–	1	5	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	55	2	–	1	–	–	1	–	9	14	14	14	31	1	–	–	–	–	–	1	3	8	6	12
White	55	2	–	1	–	–	1	–	9	14	14	14	26	1	–	–	–	–	–	1	3	3	6	12
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	5	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	4	–	–
Infections of kidney (590)	11	–	–	–	–	–	–	–	–	4	5	2	10	1	–	–	–	–	–	–	–	2	5	2
White	11	–	–	–	–	–	–	–	–	4	5	2	9	–	–	–	–	–	–	–	–	2	5	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	8	–	–	–	–	–	–	–	–	1	4	3	...	...	...	...	...	...	...	...	...	...	...	...
White	8	–	–	–	–	–	–	–	–	1	4	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Congenital anomalies (740-759)	54	34	3	4	5	1	–	2	1	2	2	–	61	43	4	–	4	1	–	3	1	1	4	–
White	52	34	3	3	4	1	–	2	1	2	2	–	53	36	4	–	4	1	–	2	1	1	4	–
All other	2	–	–	1	1	–	–	–	–	–	–	–	8	7	–	–	–	–	–	1	–	–	–	–
Black	2	–	–	1	1	–	–	–	–	–	–	–	8	7	–	–	–	–	–	1	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	92	91	1	–	–	–	–	–	–	–	–	–	61	59	1	–	–	1	–	–	–	–	–	–
White	84	83	1	–	–	–	–	–	–	–	–	–	52	50	1	–	–	1	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	42	42	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
White	39	39	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	50	49	1	–	–	–	–	–	–	–	–	–	42	40	1	–	–	1	–	–	–	–	–	–
White	45	44	1	–	–	–	–	–	–	–	–	–	35	33	1	–	–	1	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	81	19	–	–	–	1	1	7	8	16	21	8	91	10	–	–	1	1	–	2	4	11	25	37
White	78	17	–	–	–	1	1	7	8	16	20	8	88	8	–	–	–	1	–	2	4	11	25	37
All other	3	2	–	–	–	–	–	–	–	–	1	–	3	2	–	–	1	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	393	11	1	4	11	9	11	36	45	97	97	71	397	5	4	4	9	6	7	14	39	73	112	114
White	377	10	1	4	9	8	11	33	44	95	92	70	373	5	3	4	9	5	6	12	36	70	110	113
All other	16	1	–	–	2	1	–	3	1	2	5	1	14	–	1	–	–	1	1	2	3	3	2	1
Black	11	1	–	–	1	1	–	1	–	2	4	1	12	–	1	–	–	1	1	2	1	3	2	1
Accidents and adverse effects (E800-E949)	531	10	17	30	147	78	45	37	52	49	44	22	236	1	12	9	35	25	15	16	14	26	44	39
White	504	7	13	22	145	77	44	35	47	48	44	22	227	1	10	9	33	24	12	15	14	26	44	39
All other	27	3	4	8	2	1	1	2	5	1	–	–	9	–	2	–	2	1	3	1	–	–	–	–
Black	11	2	2	1	2	–	–	1	2	1	–	–	5	–	1	–	2	–	2	–	–	–	–	–
Motor vehicle accidents (E810-E825)	256	–	3	9	105	46	26	14	20	17	12	4	96	–	6	5	25	13	11	10	8	11	7	–
White	252	–	3	8	104	46	26	14	18	17	12	4	89	–	4	5	24	12	9	9	8	11	7	–
All other	4	–	–	1	1	–	–	–	2	–	–	–	7	–	2	–	1	1	2	1	–	–	–	–
Black	2	–	–	1	1	–	–	–	–	–	–	–	3	–	1	–	1	–	1	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	275	10	14	21	42	32	19	23	32	32	32	18	140	1	6	4	10	12	4	6	6	15	37	39
White	252	7	10	14	41	31	18	21	29	31	32	18	136	1	6	4	9	12	3	6	6	15	37	39
All other	23	3	4	7	1	1	1	2	3	1	–	–	2	–	–	–	1	–	1	–	–	–	–	–
Black	9	2	2	–	1	–	–	1	2	1	–	–	2	–	–	–	1	–	1	–	–	–	–	–
Suicide (E950-E959)	135	...	...	2	34	29	11	15	16	12	11	5	24	...	...	–	3	3	3	6	7	2	–	–
White	127	...	...	2	29	28	11	14	16	12	11	4	22	...	...	–	2	3	3	6	6	2	–	–
All other	8	...	...	–	5	1	–	1	–	–	–	1	2	...	...	–	1	–	–	–	1	–	–	–
Black	6	...	...	–	4	–	–	1	–	–	–	1	1	...	...	–	1	–	–	–	–	–	–	–
Homicide and legal intervention (E980-E978)	48	–	–	1	15	16	6	7	2	1	–	–	18	1	1	–	–	5	5	1	2	2	–	1
White	25	–	–	–	10	6	3	4	2	–	–	–	16	1	1	–	–	4	4	1	2	2	–	1
All other	23	–	–	1	5	10	3	3	–	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Black	22	–	–	1	5	9	3	3	–	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–
All other external causes (E980-E999)	20	–	–	–	2	5	5	3	3	1	–	1	13	1	–	–	3	2	1	2	2	2	–	–
White	19	–	–	–	2	5	5	2	3	1	–	1	12	1	–	–	3	2	–	2	2	2	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
NEVADA																								
All causes	3,251	87	19	31	177	167	171	336	674	617	552	215	2,137	68	19	18	75	78	88	177	339	451	448	375
White	2,997	71	15	30	154	143	145	300	626	778	528	204	1,964	47	16	13	67	62	70	155	312	426	428	357
All other	254	16	4	1	23	24	26	36	48	39	24	11	173	21	3	5	8	16	18	22	27	25	20	8
Black	171	11	3	1	14	17	16	23	31	31	14	8	108	18	1	2	5	12	10	12	18	14	13	3
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	1	–	–	2	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	1	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	-	-	-	-	1	-	1	1	1	3	-	14	-	-	-	-	-	-	1	3	2	4	4
White	7	-	-	-	-	1	-	1	1	1	3	-	12	-	-	-	-	-	-	1	2	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	1	2	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
White	2	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	1	-	-	-	1	1	2	-	1	-	-	3	-	1	-	-	-	-	-	1	-	-	1
White	4	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	2	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	671	-	2	3	5	5	16	71	206	229	110	24	458	-	1	2	1	10	22	61	138	115	77	31
White	627	-	2	3	4	5	16	65	190	218	100	24	428	-	-	2	1	6	17	56	130	110	75	31
All other	44	-	-	-	1	-	-	6	16	11	10	-	30	-	1	-	-	4	5	5	8	5	2	-
Black	31	-	-	-	1	-	-	5	11	9	5	-	20	-	1	-	-	4	2	4	5	3	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	-	-	1	3	3	3	-	3	-	-	-	-	-	-	1	1	1	-	-
White	9	-	-	-	-	-	-	1	2	3	3	-	3	-	-	-	-	-	-	1	1	1	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	165	-	-	-	-	-	5	18	54	52	32	4	111	-	-	-	-	1	5	13	21	33	28	10
White	148	-	-	-	-	-	5	16	46	49	28	4	100	-	-	-	-	1	2	13	17	31	26	10
All other	17	-	-	-	-	-	-	2	8	3	4	-	11	-	-	-	-	-	3	-	4	2	2	-
Black	13	-	-	-	-	-	-	2	6	3	-	-	6	-	-	-	-	-	1	-	3	1	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	247	-	-	-	-	-	3	26	69	94	33	2	96	-	-	-	-	-	4	20	42	21	7	2
White	237	-	-	-	-	-	3	25	64	91	32	2	91	-	-	-	-	-	3	18	41	20	7	2
All other	10	-	-	-	-	-	-	1	5	3	1	-	5	-	-	-	-	-	1	2	1	1	-	-
Black	6	-	-	-	-	-	-	1	2	2	1	-	3	-	-	-	-	-	-	2	-	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	72	-	-	-	-	2	4	10	25	16	7	8
White	-	-	-	-	-	-	-	-	-	-	-	-	68	-	-	-	-	-	4	9	24	16	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	1	1	-	-	-
Malignant neoplasms of genital organs (179-187)	66	-	-	-	1	-	-	4	10	29	14	8	62	-	-	-	-	3	2	9	20	14	10	4
White	60	-	-	-	1	-	-	3	9	26	13	8	56	-	-	-	-	2	2	7	18	13	10	4
All other	6	-	-	-	-	-	-	1	1	3	1	-	6	-	-	-	-	1	-	2	2	1	-	-
Black	4	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	1	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA---Con.																								
Malignant neoplasms of urinary organs (188-189)	37	-	-	-	-	-	1	5	9	9	12	1	13	-	-	-	-	-	2	-	4	4	1	2
White	33	-	-	-	-	-	1	4	9	9	9	1	13	-	-	-	-	-	2	-	4	4	1	2
All other	4	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	97	-	2	2	3	3	6	14	27	25	10	5	67	-	-	-	-	2	4	6	16	21	13	5
White	91	-	2	2	2	3	6	13	26	23	9	5	65	-	-	-	-	2	3	6	16	20	13	5
All other	6	-	-	-	1	-	-	1	1	2	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	6	-	-	-	1	-	-	1	1	2	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Leukemia (204-208)	21	-	-	1	-	1	1	-	7	7	3	1	14	-	1	2	1	1	-	-	3	1	5	-
White	21	-	-	1	-	1	1	-	7	7	3	1	13	-	-	2	1	1	-	-	3	1	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	-	-	-	1	1	-	3	7	10	3	3	20	-	-	-	-	1	1	2	6	4	6	-
White	28	-	-	-	1	1	-	3	7	10	3	3	19	-	-	-	-	-	1	2	6	4	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	-	2	2	2	3	-	7	-	-	-	-	-	-	2	3	1	1	-
White	9	-	-	-	-	-	-	2	2	2	3	-	6	-	-	-	-	-	-	1	3	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	36	-	-	-	1	-	2	2	9	12	6	4	41	-	-	-	-	-	2	3	7	11	9	9
White	32	-	-	-	-	-	1	1	9	12	5	4	33	-	-	-	-	-	1	3	4	9	8	8
All other	4	-	-	-	1	-	1	1	-	-	1	-	8	-	-	-	-	-	1	-	3	2	1	1
Black	3	-	-	-	1	-	-	1	-	-	1	-	5	-	-	-	-	-	1	-	2	2	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	1	-	2	1	1	3	1	-	-	-	-	-	-	1	-	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	1	1	1	2	4	-	-	-	1	-	-	-	2	-	1	-
White	5	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	2	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis (320-322)	4	-	2	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	1	-	-	-
White	3	-	2	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,299	1	-	-	1	7	41	124	282	378	323	141	915	1	1	1	1	1	20	42	97	215	273	263
White	1,227	1	-	-	1	4	38	113	260	361	316	133	858	-	1	1	1	-	14	32	84	203	264	256
All other	72	-	-	-	-	3	3	11	22	17	7	8	57	1	-	-	-	1	6	10	13	12	9	5
Black	53	-	-	-	-	2	3	8	14	14	5	6	41	1	-	-	-	1	4	7	9	7	9	3
Diseases of heart (390-398,402,404-429)	1,037	1	-	-	1	5	39	109	250	299	234	98	638	1	1	-	-	1	14	30	77	158	180	176
White	991	1	-	-	1	2	36	99	233	286	228	95	595	-	1	-	-	-	10	23	67	147	174	173
All other	56	-	-	-	-	3	3	10	17	13	6	3	43	1	-	-	-	1	4	7	10	11	6	3
Black	40	-	-	-	-	2	3	8	9	11	4	2	30	1	-	-	-	1	3	4	7	8	6	2
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	-	-	3	2	1	-	9	-	-	-	-	-	1	-	3	5	-	-
White	5	-	-	-	-	-	-	-	2	2	1	-	7	-	-	-	-	-	1	-	2	4	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hypertensive heart disease (402)	45	-	-	-	-	-	-	8	11	18	7	1	41	-	-	-	-	-	2	2	10	9	12	6
White	39	-	-	-	-	-	-	5	9	17	7	1	35	-	-	-	-	-	1	1	7	8	12	6
All other	6	-	-	-	-	-	-	3	2	1	-	-	6	-	-	-	-	-	1	1	3	1	-	-
Black	6	-	-	-	-	-	-	3	2	1	-	-	6	-	-	-	-	-	1	1	3	1	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	1	-	-	1	2	4	-	-	-	-	-	-	-	-	1	1	2
White	3	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	707	-	-	-	-	4	31	74	174	202	151	70	394	-	-	-	-	1	10	18	43	97	105	120
White	677	-	-	-	-	2	29	70	165	196	147	68	368	-	-	-	-	-	7	14	38	91	100	118
All other	30	-	-	-	-	2	2	4	9	6	4	2	26	-	-	-	-	1	3	4	5	6	5	2
Black	21	-	-	-	-	1	2	3	4	5	3	2	17	-	-	-	-	1	2	3	2	2	5	2
Acute myocardial infarction (410)	417	-	-	-	-	3	24	46	112	133	76	22	189	-	-	-	-	-	4	10	26	61	50	36
White	401	-	-	-	-	2	22	42	107	130	76	22	174	-	-	-	-	-	3	8	25	56	46	36
All other	16	-	-	-	-	1	2	4	5	3	-	-	15	-	-	-	-	-	1	2	3	5	4	-
Black	9	-	-	-	-	-	2	3	1	2	-	-	10	-	-	-	-	-	1	2	1	2	4	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	16	-	-	-	-	1	2	3	2	4	2	2	7	-	-	-	-	-	-	2	2	1	1	1
White	15	-	-	-	-	-	2	3	2	4	2	2	7	-	-	-	-	-	-	2	2	1	1	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	273	-	-	-	-	-	5	25	60	65	72	46	198	-	-	-	-	1	6	5	13	35	54	82
White	260	-	-	-	-	-	5	25	58	62	68	44	188	-	-	-	-	-	4	4	11	34	53	80
All other	13	-	-	-	-	-	-	-	4	3	4	2	10	-	-	-	-	1	2	1	2	1	1	2
Black	11	-	-	-	-	-	-	-	3	3	3	2	6	-	-	-	-	1	1	-	1	-	1	2
Other diseases of endocardium (424)	7	-	-	-	-	-	-	1	1	3	2	-	6	-	-	-	-	-	-	-	-	1	4	1
White	7	-	-	-	-	-	-	1	1	3	2	-	6	-	-	-	-	-	-	-	-	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	268	1	-	-	1	1	8	25	61	74	72	25	184	1	1	-	-	-	1	10	21	45	58	47
White	250	1	-	-	1	-	7	23	58	68	70	24	176	-	1	-	-	-	1	8	20	42	57	47
All other	18	-	-	-	-	1	1	2	5	6	2	1	8	1	-	-	-	-	-	2	1	3	1	-
Black	11	-	-	-	-	1	1	1	2	5	1	-	5	1	-	-	-	-	-	-	1	2	1	-
Hypertension with or without renal disease (401,403)	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
White	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	182	-	-	-	-	1	1	9	23	50	65	33	205	-	-	1	1	-	5	12	16	41	71	56
White	166	-	-	-	-	1	1	8	18	48	64	28	192	-	-	1	1	-	3	9	15	40	68	55
All other	16	-	-	-	-	-	-	1	5	4	1	5	13	-	-	-	-	-	2	3	3	1	3	1
Black	13	-	-	-	-	-	-	-	5	3	1	4	11	-	-	-	-	-	1	3	2	1	3	1
Intracerebral and other intracranial hemorrhage (431-432)	24	-	-	-	-	-	-	4	4	6	10	-	28	-	-	-	1	-	2	5	4	5	4	7
White	22	-	-	-	-	-	-	3	4	5	10	-	23	-	-	-	1	-	1	3	2	5	4	7
All other	2	-	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	1	2	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	2	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	-	-	-	-	-	-	1	3	6	6	-	21	-	-	1	-	-	1	4	2	2	7	4
White	15	-	-	-	-	-	-	1	3	5	6	-	20	-	-	1	-	-	1	3	2	2	7	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	140	-	-	-	-	1	1	4	16	37	49	32	155	-	-	-	-	-	2	3	12	34	60	44
White	127	-	-	-	-	1	1	4	11	35	48	27	148	-	-	-	-	-	1	3	11	33	57	43
All other	13	-	-	-	-	-	-	-	5	2	1	5	7	-	-	-	-	-	1	-	1	1	3	1
Black	12	-	-	-	-	-	-	-	5	2	1	4	6	-	-	-	-	-	-	-	1	1	3	1
Atherosclerosis (440)	38	-	-	-	-	-	-	1	4	7	19	7	43	-	-	-	-	-	-	-	1	9	11	22
White	38	-	-	-	-	-	-	1	4	7	19	7	42	-	-	-	-	-	-	-	1	9	11	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	37	-	-	-	-	1	1	4	4	21	4	2	25	-	-	-	-	-	1	-	1	6	10	7
White	37	-	-	-	-	1	1	4	4	21	4	2	25	-	-	-	-	-	1	-	1	6	10	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	54	1	-	-	1	1	2	4	13	14	6	12	53	3	1	-	-	1	-	4	3	7	12	22
White	52	1	-	-	1	-	2	4	13	14	6	11	51	2	1	-	-	1	-	4	3	7	11	22
All other	2	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-488)	54	1	-	-	1	1	2	4	13	14	6	12	53	3	1	-	-	1	-	4	3	7	12	22
White	52	1	-	-	1	-	2	4	13	14	6	11	51	2	1	-	-	1	-	4	3	7	11	22
All other	2	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	152	-	-	-	-	1	1	10	25	70	38	7	75	-	-	-	-	1	-	5	15	30	17	6
White	143	-	-	-	-	-	1	10	24	65	36	7	72	-	-	-	-	1	-	5	15	30	15	6
All other	9	-	-	-	-	1	-	-	1	5	2	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	8	-	-	-	-	1	-	-	1	4	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	1	2	1	-	5	-	-	-	-	-	-	1	1	1	-	2
White	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	1	1	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	55	-	-	-	-	1	-	4	9	30	10	1	24	-	-	-	-	-	-	2	6	8	7	1
White	53	-	-	-	-	-	-	4	9	29	10	1	24	-	-	-	-	-	-	2	6	8	7	1
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	1	-	-	2	-	-
White	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	1	-	-	2	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	89	-	-	-	-	-	1	6	14	35	27	6	43	-	-	-	-	-	-	2	9	19	10	3
White	84	-	-	-	-	-	1	6	13	33	25	6	40	-	-	-	-	-	-	2	8	19	8	3
All other	5	-	-	-	-	-	-	-	1	2	2	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	1	-	1	-	5	2	3	8	-	-	-	-	-	-	-	1	2	3	2
White	12	-	-	-	-	1	-	1	-	5	2	3	8	-	-	-	-	-	-	-	1	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	1	-	-	-	-	-	-	1	2	-	1	9	-	-	-	-	-	-	-	-	4	3	2
White	5	1	-	-	-	-	-	-	1	2	-	1	7	-	-	-	-	-	-	-	-	4	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	120	-	-	-	1	5	16	29	39	24	6	-	63	-	-	-	-	3	9	15	23	11	-	2
White	110	-	-	-	1	4	13	27	37	23	5	-	56	-	-	-	-	2	7	12	23	10	-	2
All other	10	-	-	-	-	1	3	2	2	1	1	-	7	-	-	-	-	1	2	3	-	1	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	24	-	-	-	-	-	1	-	4	9	4	6	9	-	-	-	-	-	-	1	2	2	2	2
White	23	-	-	-	-	-	-	-	4	9	4	6	6	-	-	-	-	-	-	-	2	1	1	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	–	–	–	–	–	–	–	4	8	4	6	8	–	–	–	–	–	–	1	2	1	2	2
White	22	–	–	–	–	–	–	–	4	8	4	6	5	–	–	–	–	–	–	–	2	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	1	–	2	–	1
White	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	1	–	2	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
White	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Congenital anomalies (740-759)	16	12	2	1	–	–	–	–	–	1	–	–	16	9	4	1	1	–	1	2	–	–	–	–
White	13	10	2	1	–	–	–	–	–	–	–	–	15	7	4	–	1	–	1	2	–	–	–	–
All other	3	2	–	–	–	–	–	–	–	1	–	–	3	2	–	1	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	36	36	–	–	–	–	–	–	–	–	–	–	30	30	–	–	–	–	–	–	–	–	–	–
White	31	31	–	–	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Black	5	5	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
White	12	12	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	23	23	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
White	19	19	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
All other	4	4	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
Black	4	4	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	46	24	–	1	4	–	–	4	4	5	2	2	37	17	–	–	1	1	3	–	1	3	3	8
White	40	19	–	1	4	–	–	3	4	5	2	2	32	14	–	–	1	1	2	–	1	2	3	8
All other	6	5	–	–	–	–	–	1	–	–	–	–	5	3	–	–	–	–	1	–	–	1	–	–
Black	6	5	–	–	–	–	–	1	–	–	–	–	4	3	–	–	–	–	1	–	–	–	–	–
All other diseases (Residual)	142	4	–	6	4	4	6	20	30	33	29	6	136	3	1	3	4	6	8	12	25	31	25	18
White	131	2	–	6	4	3	4	18	29	31	29	5	129	1	1	3	3	5	6	12	25	29	25	18
All other	11	2	–	–	–	1	2	2	1	2	–	1	6	2	–	–	1	1	2	–	–	2	–	–
Black	5	–	–	–	–	1	1	1	–	1	–	1	4	2	–	–	1	–	1	–	–	1	–	–
Accidents and adverse effects (E800-E949)	374	5	9	20	119	80	44	32	29	18	15	3	148	2	10	6	41	26	15	11	9	11	11	4
White	324	4	6	19	107	70	36	26	25	15	12	3	134	2	9	5	40	22	15	9	8	11	10	3
All other	50	1	3	1	12	10	8	6	4	1	3	–	14	–	1	3	1	4	–	2	1	–	1	1
Black	30	1	2	1	6	7	5	2	3	1	1	–	5	–	–	1	1	2	–	–	–	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	231	2	4	10	97	51	27	19	12	7	2	-	66	2	2	2	35	20	11	5	1	4	4	-
White	210	2	4	10	88	48	24	14	11	7	2	-	62	2	2	2	35	18	11	3	1	4	4	-
All other	21	-	-	-	9	3	3	5	1	-	-	-	4	-	-	-	-	2	-	2	-	-	-	-
Black	7	-	-	-	3	1	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	143	3	5	10	22	28	17	13	17	9	13	3	62	-	6	6	6	6	4	6	6	7	7	4
White	114	2	2	9	19	22	12	12	14	8	10	3	52	-	7	3	5	4	4	6	7	7	6	3
All other	29	1	3	1	3	7	5	1	3	1	3	-	10	-	1	3	1	2	-	-	1	-	1	1
Black	23	1	2	1	3	6	4	-	3	1	1	-	4	-	-	1	1	1	-	-	-	-	1	-
Suicide (E950-E959)	132	...	...	-	26	34	19	21	18	9	3	1	43	...	...	-	9	13	6	7	5	1	2	-
White	122	...	...	-	20	33	18	20	17	9	3	1	42	...	...	-	8	13	6	7	5	1	2	-
All other	10	...	...	-	6	1	1	1	1	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	4	...	...	-	3	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	80	1	4	-	12	24	22	9	6	1	-	-	44	1	-	2	16	13	-	6	1	-	2	-
White	60	1	3	-	9	20	15	5	5	1	-	-	33	1	-	1	12	8	-	6	1	-	1	-
All other	20	-	1	-	3	4	7	4	1	-	-	-	11	-	-	1	4	5	-	-	-	-	1	-
Black	15	-	1	-	3	2	5	3	1	-	-	-	10	-	-	1	3	5	-	-	-	-	1	-
All other external causes (E980-E999)	5	-	-	-	1	1	-	2	1	-	-	-	4	-	-	1	-	2	-	1	-	-	-	-
White	5	-	-	-	1	1	-	2	1	-	-	-	4	-	-	1	-	2	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE																								
All causes	3,948	77	24	24	125	112	110	303	700	1,038	946	489	3,512	59	11	16	33	48	68	174	387	718	1,036	962
White	3,938	77	24	23	124	111	110	302	699	1,035	944	489	3,507	58	11	16	33	48	66	174	385	718	1,036	962
All other	10	-	-	1	1	1	-	1	1	3	2	-	5	1	-	-	-	-	2	-	2	-	-	-
Black	9	-	-	1	1	1	-	1	1	3	1	-	4	1	-	-	-	-	1	-	2	-	-	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	5	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	13	-	-	-	-	-	-	-	2	7	4	-	12	-	-	-	-	-	-	1	1	1	7	2
White	13	-	-	-	-	-	-	-	2	7	4	-	12	-	-	-	-	-	-	1	1	1	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	9	1	-	-	-	1	-	-	2	3	2	-	12	2	2	1	-	-	-	-	-	2	3	2
White	9	1	-	-	-	1	-	-	2	3	2	-	12	2	2	1	-	-	-	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	920	-	4	5	6	7	17	83	200	303	225	70	823	-	-	1	5	12	26	75	151	236	218	97
White	917	-	4	5	6	7	17	82	200	301	225	70	820	-	-	1	5	12	26	75	150	236	218	97
All other	3	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	32	-	-	-	-	-	2	6	6	13	5	-	8	-	-	-	-	-	-	1	2	1	3	1
White	32	-	-	-	-	-	2	6	6	13	5	-	8	-	-	-	-	-	-	1	2	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	262	-	-	-	-	1	4	25	68	96	68	22	257	-	-	-	-	3	3	8	30	78	95	40
White	262	-	-	-	-	1	4	25	68	96	68	22	257	-	-	-	-	3	3	8	30	78	95	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	285	-	-	-	-	1	3	30	75	102	61	13	114	-	-	-	1	-	4	18	33	32	19	6
White	285	-	-	-	-	1	3	30	75	102	61	13	114	-	-	-	1	-	4	18	33	32	19	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	151	-	-	-	-	2	9	20	32	40	25	23
White	-	-	-	-	-	-	-	-	-	-	-	-	150	-	-	-	-	2	8	20	32	40	25	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	99	-	-	-	-	-	-	1	11	35	39	13	97	-	-	-	1	2	4	16	23	27	20	4
White	99	-	-	-	-	-	-	1	11	35	39	13	95	-	-	-	1	2	3	16	22	27	20	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	56	-	-	-	-	-	1	4	11	18	13	9	30	-	-	-	-	-	-	1	5	5	10	9
White	56	-	-	-	-	-	1	4	11	18	13	9	30	-	-	-	-	-	-	1	5	5	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	69	-	3	2	2	2	4	10	21	18	21	6	109	-	-	1	2	5	4	9	17	34	28	9
White	69	-	3	2	2	2	4	10	21	18	21	6	109	-	-	1	2	5	4	9	17	34	28	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	27	-	1	3	3	1	-	-	3	7	5	4	24	-	-	-	1	-	2	-	2	7	9	3
White	26	-	1	3	3	1	-	-	3	6	5	4	24	-	-	-	1	-	2	-	2	7	9	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	-	-	-	1	2	3	7	7	14	13	3	33	-	-	-	-	-	2	1	7	12	9	2
White	48	-	-	-	1	2	3	6	7	13	13	3	33	-	-	-	-	-	2	1	7	12	9	2
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	-	1	2	4	1	1	18	-	-	-	-	-	1	1	1	4	6	1
White	9	-	-	-	-	-	-	1	2	4	1	1	18	-	-	-	-	-	1	1	1	4	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	64	–	–	–	–	–	3	2	14	22	13	10	67	–	–	–	1	1	–	1	9	18	25	12
White	63	–	–	–	–	–	3	2	14	21	13	10	67	–	–	–	1	1	–	1	9	18	25	12
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nutritional deficiencies (260-269)	3	–	–	–	–	–	1	–	–	1	–	1	5	–	–	–	–	–	–	–	–	–	1	4
White	3	–	–	–	–	–	1	–	–	1	–	1	5	–	–	–	–	–	–	–	–	–	1	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	10	–	–	–	–	2	–	–	2	1	3	2	5	–	–	–	–	–	–	1	–	1	2	1
White	10	–	–	–	–	2	–	–	2	1	3	2	5	–	–	–	–	–	–	1	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	3	1	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–
White	3	1	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	1	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,907	2	1	–	1	13	39	142	355	526	520	306	1,857	1	–	1	–	2	14	51	145	349	606	686
White	1,904	2	1	–	1	13	39	142	354	526	518	306	1,856	1	–	1	–	2	14	51	144	349	606	686
All other	3	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Diseases of heart (390-398,402,404-429)	1,514	2	–	–	1	10	32	123	317	436	378	215	1,319	1	–	–	–	1	9	40	111	285	426	446
White	1,513	2	–	–	1	10	32	123	316	436	378	215	1,319	1	–	–	–	1	9	40	111	285	426	446
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever and rheumatic heart disease (390-398)	14	1	–	–	–	2	1	1	2	2	5	–	25	–	–	–	–	–	–	4	5	9	7	–
White	14	1	–	–	–	2	1	1	2	2	5	–	25	–	–	–	–	–	–	4	5	9	7	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	19	–	–	–	–	–	–	–	5	6	6	2	45	–	–	–	–	–	–	1	1	10	16	17
White	19	–	–	–	–	–	–	–	5	6	6	2	45	–	–	–	–	–	–	1	1	10	16	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	1	–	–	–	7	–	–	–	–	–	–	–	1	–	4	2
White	1	–	–	–	–	–	–	–	1	–	–	–	7	–	–	–	–	–	–	–	1	–	4	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,258	–	–	–	1	6	24	108	279	359	311	170	999	–	–	–	–	–	3	28	84	224	327	333
White	1,257	–	–	–	1	6	24	108	278	359	311	170	999	–	–	–	–	–	3	28	84	224	327	333
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute myocardial infarction (410)	824	–	–	–	1	5	20	88	211	248	176	75	544	–	–	–	–	–	2	19	66	161	173	123
White	823	–	–	–	1	5	20	88	210	248	176	75	544	–	–	–	–	–	2	19	66	161	173	123
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other acute and subacute forms of ischemic heart disease (411)	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	432	–	–	–	–	1	4	20	66	111	135	95	454	–	–	–	–	–	1	9	18	63	154	209
White	432	–	–	–	–	1	4	20	66	111	135	95	454	–	–	–	–	–	1	9	18	63	154	209
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of endocardium (424)	12	–	–	–	–	–	1	1	1	5	3	1	15	–	–	–	–	–	1	–	3	6	2	3
White	12	–	–	–	–	–	1	1	1	5	3	1	15	–	–	–	–	–	1	–	3	6	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	210	1	–	–	–	2	6	13	29	64	53	42	228	1	–	–	–	1	5	7	17	36	70	91
White	210	1	–	–	–	2	6	13	29	64	53	42	228	1	–	–	–	1	5	7	17	36	70	91
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	15	–	–	–	–	–	–	–	4	6	2	3	21	–	–	–	–	–	–	1	1	5	5	9
White	15	–	–	–	–	–	–	–	4	6	2	3	21	–	–	–	–	–	–	1	1	5	5	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	267	–	1	–	–	3	6	13	28	62	100	56	384	–	–	1	–	1	5	10	29	48	132	156
White	267	–	1	–	–	3	6	13	28	62	100	56	383	–	–	1	–	1	5	10	28	48	132	156
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Intracerebral and other intracranial hemorrhage (431-432)	40	–	–	–	–	1	2	2	6	13	12	4	50	–	–	1	–	1	1	3	10	17	11	6
White	40	–	–	–	–	1	2	2	6	13	12	4	50	–	–	1	–	1	1	3	10	17	11	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	54	–	–	–	–	–	–	1	3	12	20	18	89	–	–	–	–	–	–	1	5	9	38	36
White	54	–	–	–	–	–	–	1	3	12	20	18	88	–	–	–	–	–	–	1	4	9	38	36
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	171	–	1	–	–	2	4	10	17	36	67	34	243	–	–	–	–	–	4	5	14	22	83	115
White	171	–	1	–	–	2	4	10	17	36	67	34	243	–	–	–	–	–	4	5	14	22	83	115
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	59	–	–	–	–	–	–	1	1	5	27	25	100	–	–	–	–	–	–	–	1	6	31	62
White	58	–	–	–	–	–	–	1	1	5	26	25	100	–	–	–	–	–	–	–	1	6	31	62
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	52	–	–	–	–	–	1	5	7	19	13	7	33	–	–	–	–	–	–	–	3	5	14	11
White	51	–	–	–	–	–	1	5	7	19	12	7	33	–	–	–	–	–	–	–	3	5	14	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	79	2	–	–	–	–	–	3	6	9	34	25	120	1	–	–	–	–	–	1	6	12	46	54
White	79	2	–	–	–	–	–	3	6	9	34	25	120	1	–	–	–	–	–	1	6	12	46	54
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	79	2	–	–	–	–	–	3	6	9	34	25	118	1	–	–	–	–	–	1	6	12	46	52
White	79	2	–	–	–	–	–	3	6	9	34	25	118	1	–	–	–	–	–	1	6	12	46	52
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	145	–	–	–	–	–	–	6	22	51	49	17	70	–	–	–	–	–	1	2	5	9	23	20	10
White	145	–	–	–	–	–	–	6	22	51	49	17	70	–	–	–	–	–	1	2	5	9	23	20	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	10	–	–	–	–	–	–	–	–	2	6	–	19	–	–	–	–	–	–	1	1	1	4	3	8
White	10	–	–	–	–	–	–	–	–	2	6	–	13	–	–	–	–	–	–	1	1	1	4	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	45	–	–	–	–	–	–	–	9	17	13	6	18	–	–	–	–	–	–	1	3	6	4	4
White	45	–	–	–	–	–	–	–	9	17	13	6	18	–	–	–	–	–	–	1	3	6	4	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	1	1	1	1	3	2	1
White	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	1	1	1	1	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	88	-	-	-	-	-	-	6	13	30	28	11	29	-	-	-	-	-	-	2	4	10	11	2
White	88	-	-	-	-	-	-	6	13	30	28	11	29	-	-	-	-	-	-	2	4	10	11	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	-	-	1	-	3	5	3	12	-	-	-	-	-	-	-	1	4	5	2
White	12	-	-	-	-	-	-	1	-	3	5	3	12	-	-	-	-	-	-	-	1	4	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	-	-	-	2	2	3	1	13	-	-	-	-	-	-	-	-	6	4	3
White	8	-	-	-	-	-	-	-	2	2	3	1	13	-	-	-	-	-	-	-	-	6	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	63	-	-	-	1	2	5	14	18	19	3	1	53	-	-	-	-	1	4	14	24	5	5	
White	63	-	-	-	1	2	5	14	18	19	3	1	53	-	-	-	-	1	4	14	24	5	5	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	1	2	2	6	-	-	-	-	-	-	-	1	1	3	1
White	5	-	-	-	-	-	-	-	-	1	2	2	6	-	-	-	-	-	-	-	1	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	-	-	-	-	-	1	3	4	6	3	5	17	-	-	-	1	-	-	-	-	4	5	7
White	22	-	-	-	-	-	1	3	4	6	3	5	17	-	-	-	1	-	-	-	-	4	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	-	-	-	-	-	1	2	4	6	2	5	14	-	-	-	1	-	-	-	-	4	3	6
White	20	-	-	-	-	-	1	2	4	6	2	5	14	-	-	-	1	-	-	-	-	4	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-	4	3
White	4	-	-	-	-	-	-	-	-	-	-	4	7	-	-	-	-	-	-	-	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	1	-	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	25	14	6	-	2	-	-	2	1	-	-	-	24	17	2	-	-	1	-	1	-	2	1	-
White	25	14	6	-	2	-	-	2	1	-	-	-	24	17	2	-	-	1	-	1	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	46	46	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
White	46	46	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	36	36	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	36	36	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	7	-	1	1	2	1	4	1	6	11	4	26	10	-	-	-	1	1	2	2	7	1	2
White	38	7	-	1	1	2	1	4	1	6	11	4	26	10	-	-	-	1	1	2	2	7	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	197	2	4	4	6	4	8	21	39	37	50	22	201	2	2	6	6	7	7	10	25	30	48	58
White	197	2	4	4	6	4	8	21	39	37	50	22	201	2	2	6	6	7	7	10	25	30	48	58
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	251	1	9	13	82	56	21	10	14	20	13	12	107	1	4	7	18	10	2	9	6	12	22	16
White	248	1	9	12	81	55	21	10	14	20	13	12	107	1	4	7	18	10	2	9	6	12	22	16
All other	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	139	-	2	6	63	40	10	4	6	6	2	-	46	-	3	5	15	8	1	6	1	4	4	1
White	139	-	2	6	63	40	10	4	6	6	2	-	46	-	3	5	15	8	1	6	1	4	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	112	1	7	7	19	16	11	6	8	14	11	12	59	1	1	2	3	2	1	3	5	8	16	15
White	109	1	7	6	18	15	11	6	8	14	11	12	59	1	1	2	3	2	1	3	5	8	16	15
All other	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	83	...	...	1	19	19	12	7	12	11	1	1	17	...	...	-	1	6	7	1	2	-	-	-
White	83	...	...	1	19	19	12	7	12	11	1	1	17	...	...	-	1	6	7	1	2	-	-	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	12	-	-	-	1	4	2	2	2	-	1	-	6	-	1	-	1	2	-	-	-	1	-	1
White	12	-	-	-	1	4	2	2	2	-	1	-	6	-	1	-	1	2	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	-	5	2	-	1	1	1	-	-	6	1	-	-	-	2	1	1	1	-	-	-
White	10	-	-	-	5	2	-	1	1	1	-	-	6	1	-	-	-	2	1	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	34,774	698	115	215	930	949	1,125	2,944	6,627	9,142	8,105	3,885	30,971	544	79	145	310	399	656	1,802	3,898	6,449	9,399	7,279
White	30,855	452	85	167	747	693	824	2,407	5,847	8,374	7,552	3,888	27,857	334	51	109	236	280	489	1,448	3,387	5,775	8,800	6,999
All other	3,919	246	30	48	183	255	301	537	780	768	553	197	3,114	210	28	36	74	119	167	354	511	674	599	340
Black	3,803	239	29	48	178	250	294	526	758	748	523	189	3,048	202	27	33	74	113	163	349	502	664	586	389
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	1	-	-	-	-	1	-	2	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-
White	5	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	43	-	-	-	1	1	6	8	8	12	5	2	18	-	-	-	1	3	1	3	3	4	2	1
White	29	-	-	-	-	-	2	5	7	10	4	1	10	-	-	-	1	-	1	1	2	3	2	-
All other	14	-	-	-	1	1	4	3	1	2	1	1	8	-	-	-	-	3	-	2	1	1	-	1
Black	14	-	-	-	1	1	4	3	1	2	1	1	7	-	-	-	-	3	-	2	1	-	-	1
Tuberculosis of respiratory system (010-012)	38	-	-	-	1	-	6	7	7	11	4	2	9	-	-	-	1	1	1	2	3	-	1	
White	26	-	-	-	-	-	2	4	6	9	4	1	6	-	-	-	1	-	1	1	2	-	1	
All other	12	-	-	-	1	-	4	3	1	2	-	1	3	-	-	-	-	1	-	1	1	-	-	
Black	12	-	-	-	1	-	4	3	1	2	-	1	3	-	-	-	-	1	-	1	1	-	-	
Other tuberculosis (013-018)	5	-	-	-	-	1	-	1	1	1	1	-	9	-	-	-	-	2	-	1	-	4	1	1
White	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	-	-	-	3	1	-
All other	2	-	-	-	-	1	-	-	-	-	1	-	5	-	-	-	-	2	-	1	-	1	-	1
Black	2	-	-	-	-	1	-	-	-	-	1	-	4	-	-	-	-	2	-	1	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	1	2	-	2	1	1	1	-	-	-	-	7	1	-	1	1	-	1	-	2	1	-	
White	7	1	2	-	1	1	1	1	-	-	-	-	4	-	-	1	-	-	-	-	2	1	-	
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	
Black	1	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	
Septicemia (038)	187	5	1	1	1	1	2	11	23	48	56	38	179	2	2	-	1	3	3	5	23	34	62	44
White	155	3	-	-	1	1	1	7	13	42	50	37	153	2	1	-	1	1	1	3	17	28	59	40
All other	32	2	1	1	-	-	1	4	10	6	6	1	26	-	1	-	-	2	2	2	6	6	3	4
Black	32	2	1	1	-	-	1	4	10	6	6	1	26	-	1	-	-	2	2	2	6	6	3	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	18	-	-	-	3	3	1	2	5	1	3	-	11	-	-	-	2	2	1	1	-	3	1	1
White	16	-	-	-	1	3	1	2	5	1	3	-	11	-	-	-	2	2	1	1	-	3	1	1
All other	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	45	-	1	3	5	4	3	5	6	8	7	2	55	1	1	4	-	5	4	4	10	9	12	5
White	40	-	1	3	4	3	2	5	4	8	7	2	46	1	1	3	-	2	1	3	9	9	12	5
All other	5	-	-	-	1	1	1	-	2	-	-	-	9	-	-	1	-	3	3	1	1	-	-	-
Black	5	-	-	-	1	1	1	-	2	-	-	-	9	-	-	1	-	3	3	1	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,147	1	6	39	57	79	191	808	1,942	2,639	1,806	573	7,117	1	7	20	36	83	235	841	1,626	1,929	1,685	673
White	7,322	1	6	34	48	70	153	668	1,703	2,422	1,676	541	6,445	1	6	14	29	64	197	704	1,458	1,764	1,581	648
All other	825	-	-	5	9	9	38	142	239	217	132	32	672	-	1	6	7	19	38	137	170	165	104	25
Black	805	-	-	5	8	8	37	137	233	213	130	32	653	-	1	5	7	17	37	136	162	162	101	25

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	229	–	–	1	–	2	7	38	74	73	23	11	114	–	–	–	–	1	6	20	33	19	24	11
White	192	–	–	–	–	2	2	25	63	69	21	10	97	–	–	–	–	–	6	13	27	17	23	11
All other	37	–	–	1	–	–	5	13	11	4	2	1	17	–	–	–	–	1	–	7	6	2	1	–
Black	35	–	–	1	–	–	4	12	11	4	2	1	17	–	–	–	–	1	–	7	6	2	1	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,353	1	–	1	2	9	45	193	564	790	568	179	2,123	–	–	–	3	6	28	135	390	601	671	289
White	2,112	1	–	1	1	7	38	156	489	728	524	168	1,923	–	–	–	3	3	22	108	345	538	626	278
All other	241	–	–	–	1	2	9	37	75	62	44	11	200	–	–	–	–	3	6	27	45	69	45	11
Black	232	–	–	–	–	1	9	36	71	60	44	11	193	–	–	–	–	2	6	27	42	61	44	11
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,730	–	–	1	1	11	68	319	766	941	505	115	1,067	–	1	1	2	5	33	164	318	334	164	45
White	2,442	–	–	1	1	9	52	260	675	859	473	111	955	–	1	–	1	5	28	128	284	310	154	44
All other	288	–	–	–	–	2	16	59	91	82	32	4	112	–	–	1	1	–	5	36	34	24	10	1
Black	284	–	–	–	–	2	16	57	90	82	31	4	109	–	–	1	1	–	5	36	32	24	9	1
Malignant neoplasm of breast (174-175)	14	–	–	–	–	–	–	1	4	3	6	–	1,464	–	–	–	–	12	79	253	393	363	258	106
White	14	–	–	–	–	–	–	1	4	3	6	–	1,343	–	–	–	–	6	66	222	359	343	242	103
All other	–	–	–	–	–	–	–	–	–	–	–	–	121	–	–	–	–	4	13	31	34	20	16	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	118	–	–	–	–	4	13	30	32	20	16	3
Malignant neoplasms of genital organs (179-187)	764	–	–	–	6	9	2	12	79	260	278	118	835	–	–	1	4	19	34	114	217	219	168	58
White	662	–	–	–	5	9	2	8	60	223	248	107	720	–	–	1	3	11	27	92	189	190	152	54
All other	102	–	–	–	1	–	–	4	19	37	30	11	115	–	–	–	1	8	7	22	28	29	16	4
Black	101	–	–	–	1	–	–	4	19	36	30	11	113	–	–	–	1	7	7	22	27	29	16	4
Malignant neoplasms of urinary organs (188-189)	489	–	1	3	1	–	7	43	103	148	123	60	216	–	–	1	3	1	2	13	40	59	69	28
White	455	–	1	3	–	–	6	34	93	139	120	59	200	–	–	–	2	1	1	13	33	57	66	27
All other	34	–	–	–	1	–	1	9	10	9	3	1	16	–	–	1	1	–	1	–	7	2	3	1
Black	33	–	–	–	1	–	1	9	10	9	2	1	15	–	–	–	1	–	1	–	7	2	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	842	–	–	18	23	19	38	109	212	224	149	50	721	1	3	5	9	18	33	87	137	164	182	82
White	776	–	–	16	22	17	32	99	193	212	137	48	681	1	3	3	8	17	30	78	129	154	179	79
All other	66	–	–	2	1	2	6	10	19	12	12	2	40	–	–	2	1	1	3	9	8	10	3	3
Black	64	–	–	2	1	2	6	9	19	11	12	2	39	–	–	2	1	1	3	9	8	9	3	3
Leukemia (204-208)	319	–	3	11	17	13	8	28	60	75	79	25	251	–	3	12	9	9	13	25	43	59	51	27
White	293	–	3	9	15	12	7	24	53	73	73	24	228	–	2	10	6	9	11	23	39	54	48	26
All other	26	–	–	2	2	1	1	4	7	2	6	1	23	–	1	2	3	–	2	2	4	5	3	1
Black	25	–	–	2	2	1	1	4	6	2	6	1	22	–	1	2	3	–	1	2	4	5	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	407	–	2	4	7	16	16	65	80	125	77	15	326	–	–	–	6	12	7	30	55	111	78	27
White	376	–	2	4	4	14	16	59	73	116	74	14	298	–	–	–	6	10	6	27	51	101	71	26
All other	31	–	–	–	3	2	–	6	7	9	3	1	28	–	–	–	–	2	1	3	4	10	7	1
Black	31	–	–	–	3	2	–	6	7	9	3	1	27	–	–	–	–	2	1	3	4	10	6	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	100	–	1	–	2	1	4	12	24	28	21	7	95	–	–	2	–	2	3	7	17	25	27	12
White	91	–	1	–	1	1	3	11	21	26	20	7	87	–	–	2	–	2	2	5	16	22	26	12
All other	9	–	–	–	1	–	1	1	3	2	1	–	8	–	–	–	–	–	1	2	1	3	1	–
Black	9	–	–	–	1	–	1	1	3	2	1	–	8	–	–	–	–	–	1	2	1	3	1	–
Diabetes mellitus (250)	532	2	–	1	1	6	14	40	127	162	131	48	735	–	–	2	–	5	13	49	108	176	255	127
White	466	2	–	–	–	4	8	33	111	139	123	46	623	–	–	2	–	4	10	33	81	146	233	114
All other	66	–	–	1	1	2	6	7	16	23	8	2	112	–	–	–	–	1	3	16	27	30	22	13
Black	64	–	–	1	1	2	6	7	15	23	8	1	112	–	–	–	–	1	3	16	27	30	22	13
Nutritional deficiencies (260-269)	25	–	–	–	–	–	1	2	3	5	9	5	34	–	–	–	–	–	–	–	4	3	11	16
White	21	–	–	–	–	–	–	1	3	4	8	5	28	–	–	–	–	–	–	–	2	2	11	13
All other	4	–	–	–	–	–	1	1	–	1	1	–	6	–	–	–	–	–	–	–	2	1	–	3
Black	4	–	–	–	–	–	1	1	–	1	1	–	6	–	–	–	–	–	–	–	2	1	–	3
Anemias (280-285)	42	–	2	2	–	3	3	3	5	12	9	3	59	–	2	1	1	3	1	1	4	14	17	15
White	33	–	1	1	–	1	1	3	4	10	9	3	54	–	1	1	1	2	1	1	3	12	17	15
All other	9	–	1	1	–	2	2	–	1	2	–	–	5	–	1	–	–	1	–	–	1	2	–	–
Black	9	–	1	1	–	2	2	–	1	2	–	–	5	–	1	–	–	1	–	–	1	2	–	–
Meningitis (320-322)	20	3	3	–	–	2	2	4	1	1	3	1	19	5	2	4	–	–	–	1	1	2	2	2
White	10	2	1	–	–	–	1	1	1	1	2	1	13	2	1	2	–	–	–	1	1	2	2	2
All other	10	1	2	–	–	2	1	3	–	–	1	–	6	3	1	2	–	–	–	–	–	–	–	–
Black	10	1	2	–	–	2	1	3	–	–	1	–	6	3	1	2	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	17,150	12	5	8	34	86	349	1,323	3,364	4,750	4,688	2,533	16,998	11	1	5	17	47	130	472	1,438	3,315	6,118	5,438
White	15,652	9	4	7	25	63	277	1,108	3,023	4,381	4,362	2,406	15,579	5	–	4	8	32	88	352	1,224	2,936	5,729	5,197
All other	1,498	3	1	1	9	23	72	215	341	369	306	127	1,419	6	1	1	9	15	42	120	214	379	389	241
Black	1,444	3	1	1	9	21	69	213	329	360	286	121	1,396	5	1	1	9	13	41	119	214	374	383	234

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	14,400	8	5	2	23	56	296	1,178	2,989	4,040	3,775	2,012	13,236	10	–	4	12	25	81	360	1,156	2,674	4,767	4,111
White	13,196	7	4	2	16	44	242	997	2,699	3,725	3,535	1,918	12,166	5	–	3	8	15	55	270	1,014	2,381	4,481	3,935
All other	1,204	1	1	–	7	12	54	181	290	315	240	94	1,067	5	–	1	6	10	26	90	172	293	286	176
Black	1,166	1	1	–	7	11	51	179	281	309	228	89	1,050	4	–	1	6	9	26	89	172	288	281	172
Rheumatic fever and rheumatic heart disease (390-398)	109	1	–	–	2	3	5	15	33	36	11	3	239	–	–	–	2	2	3	21	67	91	45	8
White	99	1	–	–	2	3	3	11	31	35	10	3	227	–	–	–	–	–	2	20	64	90	43	8
All other	10	–	–	–	–	–	2	4	2	1	1	–	12	–	–	–	2	2	1	1	3	1	2	–
Black	10	–	–	–	–	–	2	4	2	1	1	–	11	–	–	–	2	1	1	1	3	1	2	–
Hypertensive heart disease (402)	353	–	–	–	–	6	8	35	77	96	69	39	523	–	–	–	–	–	6	27	53	117	196	122
White	301	–	–	–	–	1	5	26	66	83	63	37	446	–	–	–	–	–	1	14	39	96	180	116
All other	52	–	–	–	–	5	3	9	11	15	6	2	77	–	–	–	–	–	5	13	14	21	16	6
Black	52	–	–	–	–	5	3	9	11	15	6	2	74	–	–	–	–	–	5	13	14	20	17	5
Hypertensive heart and renal disease (404)	54	–	–	–	–	1	2	2	5	14	24	6	76	–	–	–	–	–	1	3	5	14	26	27
White	38	–	–	–	–	–	1	1	3	6	22	5	52	–	–	–	–	–	–	–	1	5	22	24
All other	16	–	–	–	–	1	1	1	2	8	2	1	24	–	–	–	–	–	1	3	4	9	4	3
Black	15	–	–	–	–	1	1	1	2	7	2	1	24	–	–	–	–	–	1	3	4	9	4	3
Ischemic heart disease (410-414)	11,760	1	1	–	1	26	230	961	2,535	3,376	3,011	1,584	10,125	–	–	1	2	5	50	253	896	2,054	3,726	3,191
White	10,894	1	1	–	1	23	194	850	2,320	3,147	2,833	1,517	9,379	–	–	1	–	3	37	196	778	1,846	3,509	3,006
All other	866	–	–	–	–	3	36	111	215	229	178	67	746	–	–	–	2	2	13	57	120	208	217	185
Black	840	–	–	–	–	3	34	129	209	226	169	63	736	–	–	–	2	2	13	56	120	204	215	122
Acute myocardial infarction (410)	6,667	1	–	–	–	21	148	645	1,672	2,078	1,518	585	4,713	–	–	–	–	4	35	168	577	1,190	1,752	985
White	6,255	1	–	–	–	19	125	587	1,584	1,955	1,438	565	4,377	–	–	–	–	2	27	139	518	1,091	1,657	941
All other	412	–	–	–	–	2	21	58	108	123	80	20	336	–	–	–	–	2	8	29	59	99	95	44
Black	396	–	–	–	–	2	19	58	105	120	73	19	333	–	–	–	–	2	8	28	59	96	95	46
Other acute and subacute forms of ischemic heart disease (411)	40	–	–	–	–	–	1	6	12	7	12	2	49	–	–	–	1	–	–	1	6	11	18	12
White	37	–	–	–	–	–	1	6	11	7	10	2	42	–	–	–	–	–	–	1	3	10	16	12
All other	3	–	–	–	–	–	–	–	1	–	2	–	7	–	–	–	1	–	–	–	3	1	2	–
Black	3	–	–	–	–	–	–	–	1	–	2	–	7	–	–	–	1	–	–	–	3	1	2	–
Angina pectoris (413)	3	–	–	–	–	–	–	–	–	2	1	–	4	–	–	–	–	–	–	–	–	1	2	1
White	3	–	–	–	–	–	–	–	–	2	1	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,050	–	1	–	1	5	83	330	851	1,288	1,480	997	5,359	–	–	1	1	1	15	84	315	852	1,954	2,133
White	4,589	–	1	–	1	4	68	257	745	1,183	1,384	950	4,956	–	–	1	–	1	10	56	257	744	1,834	2,052
All other	461	–	–	–	–	1	15	73	106	106	96	47	403	–	–	–	1	–	5	28	58	108	120	81
Black	441	–	–	–	–	1	15	71	103	106	94	44	396	–	–	–	1	–	5	28	58	105	118	79
Other diseases of endocardium (424)	117	–	–	–	1	2	4	14	21	39	27	9	91	–	–	–	1	2	1	4	8	24	35	15
White	106	–	–	–	1	2	3	13	19	35	26	7	86	–	–	–	1	2	1	3	7	22	34	15
All other	11	–	–	–	–	–	1	1	2	4	1	2	5	–	–	–	–	–	–	1	1	2	1	–
Black	11	–	–	–	–	–	1	1	2	4	1	2	5	–	–	–	–	–	–	1	1	2	1	–
All other forms of heart disease (415-423,425-429)	2,007	6	4	2	19	18	47	131	318	477	613	371	2,182	10	–	3	7	16	20	52	155	374	737	807
White	1,758	5	3	2	12	15	36	96	260	419	561	349	1,979	5	–	2	5	10	14	37	125	322	669	765
All other	249	1	1	–	7	3	11	35	58	58	52	22	203	5	–	1	2	6	6	15	30	52	44	42
Black	238	1	1	–	7	2	10	35	55	56	49	21	200	4	–	1	2	6	6	15	30	52	42	42
Hypertension with or without renal disease (401,403)	112	–	–	–	–	1	1	5	19	32	35	19	89	–	–	–	–	–	1	5	8	17	25	33
White	95	–	–	–	–	–	1	3	17	26	30	16	74	–	–	–	–	–	–	3	4	15	20	32
All other	17	–	–	–	–	1	–	2	2	4	5	3	15	–	–	–	–	–	1	2	4	2	5	1
Black	16	–	–	–	–	1	–	2	2	4	4	3	15	–	–	–	–	–	1	2	4	2	5	1
Cerebrovascular diseases (430-438)	1,954	3	–	5	9	24	46	110	259	477	648	371	3,006	1	1	1	4	21	45	95	206	529	1,093	1,010
White	1,706	2	–	4	8	16	28	83	214	415	583	343	2,713	–	1	1	2	16	31	69	174	455	1,014	951
All other	248	1	–	1	1	8	18	27	45	62	55	28	295	1	1	–	2	5	14	26	34	74	79	59
Black	236	1	–	1	1	7	18	27	43	60	49	27	289	1	1	–	2	4	13	26	34	74	78	56
Intracerebral and other intracranial hemorrhage (431-432)	332	2	–	2	3	9	15	43	62	80	79	35	393	1	1	1	–	4	12	33	59	93	122	67
White	279	2	–	2	2	6	8	29	49	75	72	34	340	–	–	1	–	2	9	20	52	76	115	63
All other	53	–	–	–	1	3	7	14	13	5	7	1	53	1	1	–	–	2	3	13	7	15	7	4
Black	53	–	–	–	1	3	7	14	13	5	7	1	52	1	1	–	–	1	3	13	7	15	7	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	458	–	–	–	2	–	5	7	57	106	168	113	773	–	–	–	–	–	6	11	39	125	301	291
White	407	–	–	–	2	–	4	6	49	91	156	99	702	–	–	–	–	–	2	9	30	112	277	272
All other	51	–	–	–	–	–	1	1	8	15	12	14	71	–	–	–	–	–	4	2	9	13	24	19
Black	48	–	–	–	–	–	1	1	8	15	10	13	69	–	–	–	–	–	3	2	9	13	24	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	12	–	–	–	–	–	1	1	1	3	5	1	24	–	–	–	1	–	–	1	1	5	11	5
White	12	–	–	–	–	–	1	1	1	3	5	1	21	–	–	–	–	–	–	1	1	4	10	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,152	1	–	3	4	15	25	59	139	288	396	222	1,818	–	–	–	3	17	27	50	109	308	658	647
White	1,008	–	–	2	4	10	15	47	115	248	360	209	1,650	–	–	–	2	14	20	38	91	261	612	611
All other	144	1	–	1	–	5	10	12	24	42	36	13	168	–	–	–	1	3	7	11	18	45	47	38
Black	135	1	–	1	–	4	10	12	22	40	32	13	165	–	–	–	1	3	7	11	18	45	46	34
Atherosclerosis (440)	277	–	–	–	–	–	3	9	27	46	100	92	448	–	–	–	–	–	–	1	10	44	155	238
White	271	–	–	–	–	–	3	9	26	45	97	91	425	–	–	–	–	–	–	1	10	37	145	232
All other	6	–	–	–	–	–	–	–	1	1	3	1	21	–	–	–	–	–	–	–	–	7	10	4
Black	5	–	–	–	–	–	–	–	1	1	2	1	21	–	–	–	–	–	–	–	–	7	10	4
Other diseases of arteries, arterioles, and capillaries (441-448)	407	1	–	1	2	5	3	21	70	155	110	39	219	–	–	–	1	1	3	11	26	51	78	48
White	384	–	–	1	1	3	3	18	67	148	107	36	198	–	–	–	–	1	2	9	22	48	69	47
All other	23	1	–	–	1	2	–	5	3	7	3	1	21	–	–	–	1	–	1	2	4	3	9	1
Black	21	1	–	–	1	2	–	5	2	6	3	1	21	–	–	–	1	–	1	2	4	3	9	1
Acute bronchitis and bronchiolitis (466)	9	–	–	1	–	1	–	1	–	1	2	3	5	–	–	–	–	–	–	2	1	1	1	–
White	9	–	–	1	–	1	–	1	–	1	2	3	5	–	–	–	–	–	–	2	1	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	734	13	4	2	7	9	17	44	74	150	239	175	641	11	2	3	7	7	9	19	55	73	219	237
White	640	6	4	2	5	6	7	27	58	133	226	166	564	7	–	2	5	2	4	12	43	66	213	230
All other	94	7	–	–	2	3	10	17	16	17	13	9	57	4	2	1	2	5	4	7	12	7	6	7
Black	88	7	–	–	2	3	10	17	14	15	11	9	53	4	2	1	2	4	4	5	12	7	5	7
Pneumonia (480-486)	733	13	4	2	7	9	17	44	74	150	238	175	632	11	2	3	7	7	9	19	54	73	218	232
White	639	6	4	2	5	6	7	27	58	133	225	166	576	7	–	2	5	2	4	12	42	66	210	225
All other	94	7	–	–	2	3	10	17	16	17	13	9	57	4	2	1	2	5	4	7	12	7	6	7
Black	88	7	–	–	2	3	10	17	14	15	11	9	53	4	2	1	2	4	4	5	12	7	5	7
Influenza (487)	1	–	–	–	–	–	–	–	–	–	1	–	9	–	–	–	–	–	–	–	1	–	3	5
White	1	–	–	–	–	–	–	–	–	–	1	–	9	–	–	–	–	–	–	–	1	–	3	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,069	–	–	1	3	3	4	37	161	374	369	126	433	1	1	–	3	4	6	23	88	142	114	51
White	996	–	–	1	1	1	2	31	146	347	342	125	400	1	–	–	1	2	3	19	81	134	109	50
All other	73	–	–	–	2	2	2	6	15	27	17	1	33	–	1	–	2	2	3	4	7	8	5	1
Black	70	–	–	–	2	2	2	6	15	26	15	1	33	–	1	–	2	2	3	4	7	8	5	1
Bronchitis, chronic and unspecified (490-491)	84	–	–	1	–	–	–	3	8	20	19	13	38	1	–	–	–	–	–	–	8	7	9	13
White	58	–	–	1	–	–	–	2	6	18	18	13	38	1	–	–	–	–	–	–	8	7	9	13
All other	6	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	6	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	288	–	–	–	–	2	2	12	58	92	89	32	87	–	–	–	–	–	–	1	6	21	25	25	9
White	268	–	–	–	–	1	1	10	53	86	85	32	83	–	–	–	–	–	–	1	5	19	25	24	9
All other	20	–	–	–	–	1	1	2	5	6	4	–	4	–	–	–	–	–	–	–	1	2	–	1	–
Black	20	–	–	–	–	1	1	2	5	6	4	–	4	–	–	–	–	–	–	–	1	2	–	1	–
Asthma (493)	26	–	–	–	2	–	1	3	4	8	7	1	41	–	1	–	2	4	4	8	11	5	6	–
White	22	–	–	–	1	–	–	2	3	8	7	1	27	–	–	–	–	2	2	6	8	4	5	–
All other	4	–	–	–	1	–	1	1	1	–	–	–	14	–	1	–	2	2	2	2	3	1	1	–
Black	4	–	–	–	1	–	1	1	1	–	–	–	14	–	1	–	2	2	2	2	3	1	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	691	–	–	–	1	1	1	19	91	254	244	80	267	–	–	–	1	–	1	9	48	105	74	29
White	648	–	–	–	–	–	1	17	84	235	232	79	252	–	–	–	1	–	–	8	46	98	71	28
All other	43	–	–	–	1	1	–	2	7	19	12	1	15	–	–	–	–	–	1	1	2	7	3	1
Black	40	–	–	–	1	1	–	2	7	18	10	1	15	–	–	–	–	–	1	1	2	7	3	1
Ulcer of stomach and duodenum (531-533)	119	–	–	–	–	3	10	7	25	33	31	10	103	–	–	–	–	4	3	5	9	31	36	15
White	106	–	–	–	–	2	7	7	23	30	27	10	95	–	–	–	–	2	3	4	8	28	35	15
All other	13	–	–	–	–	1	3	–	2	3	4	–	8	–	–	–	–	2	–	1	1	3	1	–
Black	11	–	–	–	–	1	3	–	2	2	3	–	8	–	–	–	–	2	–	1	1	3	1	–
Appendicitis (540-543)	11	–	–	–	1	–	–	1	3	2	4	–	11	–	–	–	–	–	–	2	3	2	1	3
White	9	–	–	–	–	–	–	1	2	2	4	–	8	–	–	–	–	–	–	1	2	1	1	3
All other	2	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	81	1	1	–	1	–	1	10	8	16	30	13	104	–	–	–	–	–	1	2	10	20	39	32
White	66	–	1	–	–	–	1	6	7	14	27	10	96	–	–	–	–	–	1	2	9	20	35	31
All other	15	1	–	–	1	–	–	4	1	2	3	3	8	–	–	–	–	–	–	–	1	–	4	1
Black	15	1	–	–	1	–	–	4	1	2	3	3	6	–	–	–	–	–	–	–	1	–	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	36-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Chronic liver disease and cirrhosis (571)	702	–	1	–	1	36	79	144	218	164	51	8	372	1	1	–	–	12	35	80	107	81	50	5
White	598	–	–	–	–	23	52	115	197	156	48	7	316	–	1	–	–	2	24	62	97	75	50	5
All other	104	–	1	–	1	13	27	29	21	8	3	1	56	1	–	–	–	10	11	18	10	6	–	–
Black	103	–	–	–	1	13	27	29	21	8	3	1	54	1	–	–	–	10	11	17	9	6	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	42	–	–	–	–	1	–	4	7	8	11	11	63	–	–	–	–	1	2	1	10	11	23	15
White	39	–	–	–	–	1	–	4	7	7	11	9	59	–	–	–	–	1	1	1	10	11	22	13
All other	3	–	–	–	–	–	–	–	–	1	–	2	4	–	–	–	–	–	1	–	–	–	1	2
Black	3	–	–	–	–	–	–	–	–	1	–	2	4	–	–	–	–	–	1	–	–	–	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	299	–	1	1	2	2	5	24	51	77	83	53	241	4	–	–	–	6	9	15	23	50	71	69
White	247	–	1	–	2	1	3	13	39	69	73	46	198	4	–	–	–	3	4	12	15	40	63	57
All other	52	–	–	1	–	1	2	11	12	8	10	7	43	–	–	–	–	3	5	3	8	10	8	6
Black	50	–	–	1	–	1	2	11	12	8	9	6	42	–	–	–	–	3	5	3	8	10	7	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	–	1	–	2	–
White	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	1	–	2	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	46	–	–	–	1	–	1	9	7	11	10	7	30	–	–	–	–	1	2	4	4	4	9	5
White	36	–	–	–	1	–	1	4	6	8	10	6	25	–	–	–	–	–	1	4	2	4	9	5
All other	10	–	–	–	–	–	–	5	1	3	–	1	5	–	–	–	–	1	1	–	2	–	–	1
Black	10	–	–	–	–	–	–	5	1	3	–	1	5	–	–	–	–	1	1	–	2	–	–	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	251	–	1	1	1	2	4	14	43	66	73	46	209	4	–	–	–	5	7	11	18	48	60	57
White	210	–	1	–	1	1	2	8	33	61	63	40	170	4	–	–	–	3	3	8	12	36	52	52
All other	41	–	–	1	–	1	2	6	10	5	10	6	38	–	–	–	–	2	4	3	6	10	8	5
Black	39	–	–	1	–	1	2	6	10	5	9	5	37	–	–	–	–	2	4	3	6	10	7	5
Infections of kidney (590)	29	–	1	–	–	–	1	2	3	3	9	10	44	–	–	–	–	–	1	1	3	8	15	16
White	26	–	1	–	–	–	1	2	1	3	8	10	36	–	–	–	–	–	–	1	2	7	13	13
All other	3	–	–	–	–	–	–	–	2	–	1	–	8	–	–	–	–	–	1	–	1	1	2	3
Black	3	–	–	–	–	–	–	–	2	–	1	–	6	–	–	–	–	–	1	–	1	1	2	3
Hyperplasia of prostate (600)	28	–	–	–	–	–	–	–	1	7	9	11	...	...	...	...	...	...	...	...	...	...	...	...
White	25	–	–	–	–	–	–	–	–	5	9	11	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	–	–	–	–	–	–	–	1	2	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	–	–	–	–	–	–	–	1	2	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	3	2	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	1	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	1	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	1	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Congenital anomalies (740-759)	205	123	7	11	21	7	8	7	8	9	4	–	182	110	10	15	5	1	5	10	14	3	6	3
White	178	102	7	10	17	7	7	7	8	9	4	–	144	81	7	13	5	–	4	10	12	3	6	3
All other	27	21	–	1	4	–	1	–	–	–	–	–	38	29	3	2	–	1	1	–	2	–	–	–
Black	25	19	–	1	4	–	1	–	–	–	–	–	38	29	3	2	–	1	1	–	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	407	406	1	–	–	–	–	–	–	–	–	–	304	300	3	–	–	–	–	–	–	–	–	–
White	256	255	1	–	–	–	–	–	–	–	–	–	187	185	1	–	–	–	–	–	–	–	–	–
All other	151	151	–	–	–	–	–	–	–	–	–	–	117	115	2	–	–	–	–	–	–	–	–	–
Black	147	147	–	–	–	–	–	–	–	–	–	–	111	110	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	136	136	–	–	–	–	–	–	–	–	–	–	104	103	1	–	–	–	–	–	–	–	–	–
White	92	92	–	–	–	–	–	–	–	–	–	–	62	61	1	–	–	–	–	–	–	–	–	–
All other	44	44	–	–	–	–	–	–	–	–	–	–	42	42	–	–	–	–	–	–	–	–	–	–
Black	42	42	–	–	–	–	–	–	–	–	–	–	41	41	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	271	270	1	–	–	–	–	–	–	–	–	–	200	197	2	–	–	–	–	–	–	–	–	–
White	184	183	1	–	–	–	–	–	–	–	–	–	125	124	–	–	–	–	–	–	–	–	–	–
All other	107	107	–	–	–	–	–	–	–	–	–	–	75	73	2	–	–	–	–	–	–	–	–	–
Black	105	105	–	–	–	–	–	–	–	–	–	–	70	69	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	452	75	6	3	69	116	42	35	40	34	16	9	284	67	10	2	21	26	33	27	24	27	27	16
White	314	37	5	2	49	82	23	27	33	29	16	9	200	28	5	1	12	21	24	22	20	24	25	16
All other	138	38	1	1	20	36	19	8	7	5	–	–	84	39	5	1	9	7	9	5	4	3	2	–
Black	136	38	1	1	19	36	19	7	7	5	–	–	84	39	5	1	9	7	9	5	4	3	2	–
All other diseases (Residual)	1,623	37	17	23	39	81	89	146	272	386	365	168	1,681	16	10	23	34	46	68	115	190	359	466	354
White	1,370	25	11	20	30	46	57	114	218	353	333	163	1,479	12	8	16	26	32	41	96	161	328	428	331
All other	253	12	6	3	9	35	32	32	54	33	32	5	202	4	2	7	8	14	27	19	29	31	38	23
Black	246	11	6	3	9	35	32	31	53	30	31	5	198	2	2	7	8	14	27	19	29	31	36	23
Accidents and adverse effects (E800-E949)	1,802	13	50	107	484	284	169	172	161	152	128	68	897	9	22	58	139	76	47	74	94	110	143	127
White	1,523	6	36	77	433	254	124	141	135	135	116	63	786	4	16	43	121	65	43	62	87	94	133	118
All other	279	7	14	30	51	40	45	31	26	17	12	5	111	5	6	13	18	11	4	12	7	16	10	9
Black	270	7	14	30	49	38	42	30	26	17	11	5	107	5	6	11	18	10	4	12	7	15	10	9
Motor vehicle accidents (E810-E825)	885	2	15	39	325	176	82	73	66	60	48	8	334	1	6	21	103	44	25	33	36	33	25	7
White	789	2	11	32	293	157	65	66	57	54	44	7	303	1	6	17	93	39	24	29	34	29	24	7
All other	106	–	4	7	32	19	17	7	9	6	4	1	31	–	–	4	10	5	1	4	2	4	1	–
Black	100	–	4	7	31	18	14	7	9	6	3	1	29	–	–	4	10	4	1	4	2	3	1	–
All other accidents and adverse effects (E800-E807, E826-E949)	907	11	35	68	159	118	87	99	95	92	80	60	563	8	16	35	38	32	22	41	58	77	118	120
White	734	4	25	45	140	97	59	75	78	81	72	56	483	3	10	26	28	26	19	33	53	65	109	111
All other	173	7	10	23	19	21	28	24	17	11	8	4	80	5	6	9	8	6	3	8	5	12	9	9
Black	170	7	10	23	18	20	28	23	17	11	8	4	78	5	6	7	8	6	3	8	5	12	9	9
Suicide (E950-E959)	417	...	...	2	90	72	56	52	62	43	34	6	133	...	...	1	9	27	25	24	24	11	7	5
White	393	...	...	2	86	69	55	49	61	42	33	6	126	...	...	1	7	26	22	24	23	11	7	5
All other	24	...	...	–	4	13	1	3	1	1	1	–	7	...	...	–	2	1	3	–	1	–	–	–
Black	24	...	...	–	4	13	1	3	1	1	1	–	6	...	...	–	2	1	2	–	1	–	–	–
Homicide and legal intervention (E960-E978)	369	4	5	9	94	122	62	33	17	12	4	1	119	1	5	6	28	30	16	13	7	3	7	2
White	174	2	2	6	35	54	31	15	10	11	3	1	69	1	3	4	14	13	10	11	3	2	6	1
All other	195	2	3	3	59	68	31	18	7	1	1	–	50	–	2	2	14	17	6	2	4	1	1	1
Black	193	2	3	3	58	68	31	17	7	1	1	–	50	–	2	2	14	17	6	2	4	1	1	1
All other external causes (E960-E999)	51	1	–	1	12	12	4	6	5	3	5	1	15	1	–	–	1	2	2	5	–	2	1	1
White	36	–	–	1	8	9	3	4	5	3	5	–	9	–	–	–	1	1	1	3	–	2	–	1
All other	13	1	–	–	4	3	1	2	–	–	–	1	6	1	–	–	–	1	1	2	–	–	1	–
Black	13	1	–	–	4	3	1	2	–	–	–	1	6	1	–	–	–	1	1	2	–	–	1	–
NEW MEXICO																								
All causes	5,221	206	53	55	386	320	261	420	676	1,147	953	538	3,501	152	28	34	83	107	139	253	436	705	848	720
White	4,657	154	39	42	295	259	201	367	599	1,096	904	496	3,199	122	21	25	64	86	116	219	397	657	798	694
All other	564	52	14	13	91	61	60	53	77	51	49	42	302	30	5	9	19	21	22	34	39	48	48	26
Black	90	6	–	4	3	6	6	11	24	15	10	5	72	6	1	–	2	2	4	9	12	22	10	4
Shigellosis and amebiasis (004,006)	2	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	11	–	1	–	–	–	–	–	1	1	6	2	7	–	1	–	–	–	–	–	2	–	1	3
White	9	–	1	–	–	–	–	–	1	1	6	1	5	–	1	–	–	–	–	–	1	–	–	3
All other	2	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	9	–	–	–	–	–	–	–	1	1	5	2	4	–	–	–	–	–	–	–	1	–	1	2
White	8	–	–	–	–	–	–	–	1	1	5	1	2	–	–	–	–	–	–	–	1	–	–	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	1	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	1	–	–	1
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	1	–	–	1
All other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	21	3	-	-	1	1	-	1	3	2	6	4	19	1	-	-	-	-	-	2	-	3	6	5
White	16	1	-	-	1	-	-	1	2	2	5	4	17	-	-	-	-	-	-	2	-	3	7	5
All other	5	2	-	-	-	1	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	2	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
White	3	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	11	4	-	-	1	-	-	1	4	1	-	-	14	1	1	2	1	3	-	1	1	2	2	-
White	8	2	-	-	1	-	-	1	4	-	-	-	11	-	1	2	1	3	-	1	1	2	1	-
All other	3	2	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	867	1	1	4	13	10	17	82	200	308	167	64	768	1	-	1	4	9	37	87	158	227	167	77
White	835	-	1	4	12	10	15	78	193	301	160	61	731	1	-	1	3	8	34	81	153	217	159	74
All other	32	1	-	-	1	-	2	4	7	7	7	3	37	-	-	-	1	1	3	6	5	10	8	3
Black	15	-	-	-	1	-	-	2	5	3	3	1	16	-	-	-	-	-	2	3	1	7	1	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	-	-	3	8	7	2	1	8	-	-	-	-	-	-	1	3	4	-	-
White	19	-	-	-	-	-	-	3	7	7	1	1	7	-	-	-	-	-	-	1	3	3	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	220	-	-	-	-	-	3	29	44	81	46	17	204	-	-	-	-	-	8	15	27	65	59	31
White	210	-	-	-	-	-	3	27	43	77	43	17	195	-	-	-	-	-	6	14	26	61	55	31
All other	10	-	-	-	-	-	-	2	1	4	3	-	9	-	-	-	-	-	-	1	1	4	3	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	274	-	-	-	-	-	4	21	79	109	53	8	97	-	-	-	-	-	-	16	23	36	19	3
White	271	-	-	-	-	-	4	20	77	109	53	8	93	-	-	-	-	-	-	14	22	36	18	3
All other	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	2	1	-	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	2	-	-	1	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	141	-	-	-	-	9	11	28	32	39	16	12
White	1	-	-	-	-	-	-	-	1	-	-	-	134	-	-	-	-	2	9	25	32	38	16	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	1	2	3	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	2	1	-	1	-	-
Malignant neoplasms of genital organs (179-187)	96	-	-	-	1	-	2	3	10	31	26	23	92	-	-	-	-	1	7	13	25	23	15	8
White	87	-	-	-	1	-	1	2	9	29	25	20	88	-	-	-	-	1	6	13	24	23	14	7
All other	9	-	-	-	-	-	1	1	1	2	1	3	4	-	-	-	-	-	1	-	1	-	1	1
Black	5	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	44	-	1	-	-	-	1	7	6	20	4	5	20	-	-	-	-	-	2	1	4	2	8	3
White	44	-	1	-	-	-	1	7	6	20	4	5	18	-	-	-	-	-	2	1	3	2	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	120	-	-	1	8	8	6	11	27	35	19	5	134	-	-	1	3	3	6	9	27	41	30	14
White	115	-	-	1	6	8	5	11	25	35	17	5	128	-	-	1	2	3	6	9	27	38	29	13
All other	5	-	-	-	2	-	1	-	2	-	2	-	6	-	-	-	1	-	-	-	-	3	1	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Leukemia (204-208)	41	1	-	2	3	1	-	2	8	12	9	3	33	1	-	-	1	1	3	1	8	7	7	4
White	39	1	-	2	3	1	-	2	8	11	9	3	32	1	-	-	1	1	3	1	8	7	7	3
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	-	-	1	1	1	1	6	17	13	8	2	39	-	-	-	-	1	-	3	9	10	14	2
White	49	-	-	1	-	1	1	6	17	13	8	2	36	-	-	-	-	1	-	3	8	9	13	2
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	-	-	1	2	-	-	-	4	5	1	1	17	-	-	-	-	-	-	1	3	8	4	1
White	11	-	-	-	1	-	-	-	3	5	1	1	17	-	-	-	-	-	-	1	3	8	4	1
All other	3	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	78	-	-	-	-	8	4	9	18	22	20	3	88	-	1	1	1	2	3	7	9	19	33	10
White	72	-	-	-	-	8	3	3	17	21	19	3	79	-	-	1	1	2	3	5	8	18	31	10
All other	4	-	-	-	-	-	1	-	1	1	1	-	7	-	1	-	-	-	-	2	1	1	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	9	2	-	-	-	-	-	-	1	2	3	1	7	-	-	-	-	-	-	-	-	1	3	3
White	7	1	-	-	-	-	-	-	1	1	3	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	-	-	3	3	4	-	-	-	-	-	1	-	-	-	2	1
White	6	-	-	-	-	-	-	-	-	-	3	3	4	-	-	-	-	-	1	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	2	1	-	-	-	-	-	1	-	-	-	7	2	1	1	-	-	-	-	1	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	5	-	1	1	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	1,701	2	4	2	5	14	36	105	313	477	462	281	1,302	1	-	1	3	9	16	37	123	270	419	423
White	1,618	1	2	2	4	14	31	95	294	460	450	265	1,238	1	-	1	3	6	14	29	109	248	409	418
All other	83	1	2	-	1	-	5	10	19	17	12	16	64	-	-	-	-	3	2	8	14	22	10	5
Black	26	-	-	-	-	-	1	4	8	8	3	2	31	-	-	-	-	1	-	6	6	12	5	1
Diseases of heart (390-398,402,404-429)	1,274	2	3	2	4	7	28	89	258	365	335	183	850	1	-	-	2	5	8	29	87	189	271	259
White	1,212	1	2	2	3	7	25	81	241	350	327	173	808	1	-	-	2	3	8	22	78	173	266	255
All other	62	1	1	-	1	-	3	8	15	15	8	10	42	-	-	-	-	2	-	7	9	16	5	3
Black	18	-	-	-	-	-	-	3	7	6	1	1	24	-	-	-	-	-	-	5	6	9	4	-
Rheumatic fever and rheumatic heart disease (390-398)	23	-	-	1	-	-	2	3	5	5	5	2	18	-	-	-	-	2	2	2	1	7	3	1
White	23	-	-	1	-	-	2	3	5	5	5	2	16	-	-	-	-	2	2	1	1	6	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	18	-	-	-	-	-	-	1	7	5	3	2	22	-	-	-	-	-	1	-	2	6	9	4
White	17	-	-	-	-	-	-	1	6	5	3	2	22	-	-	-	-	-	1	-	2	6	9	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	1	-	3	-	-
White	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Ischemic heart disease (410-414)	977	-	-	-	1	3	19	74	202	269	257	132	606	-	-	-	1	-	4	16	61	141	195	190
White	940	-	-	-	1	3	18	69	190	278	253	128	585	-	-	-	1	-	4	14	55	130	192	189
All other	37	-	-	-	-	-	1	5	12	11	4	4	23	-	-	-	-	-	-	2	6	11	3	1
Black	15	-	-	-	-	-	-	2	6	5	1	1	18	-	-	-	-	-	-	2	5	8	3	-
Acute myocardial infarction (410)	504	-	-	-	-	1	14	39	111	163	128	48	268	-	-	-	1	-	4	10	38	78	77	60
White	484	-	-	-	-	1	13	38	107	156	124	45	259	-	-	-	1	-	4	9	36	73	77	59
All other	20	-	-	-	-	-	1	1	4	7	4	3	9	-	-	-	-	-	-	1	2	5	-	1
Black	7	-	-	-	-	-	-	1	1	3	1	1	6	-	-	-	-	-	-	1	2	3	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	471	–	–	–	1	2	5	35	90	126	128	84	340	–	–	–	–	–	–	6	23	68	118	130
White	454	–	–	–	1	2	5	31	82	122	128	83	326	–	–	–	–	–	–	5	19	57	115	130
All other	17	–	–	–	–	–	–	4	8	4	–	1	14	–	–	–	–	–	–	1	4	8	3	–
Black	8	–	–	–	–	–	–	1	5	2	–	–	12	–	–	–	–	–	–	1	3	5	3	–
Other diseases of endocardium (424)	11	–	–	–	1	1	1	2	3	1	1	1	7	–	–	–	–	1	–	–	–	2	3	1
White	10	–	–	–	–	1	1	2	3	1	1	1	5	–	–	–	–	–	–	–	–	2	2	1
All other	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other forms of heart disease (415-423,425-429)	243	2	3	1	2	3	6	9	39	65	69	44	191	1	–	–	1	2	1	10	23	30	61	62
White	220	1	2	1	2	3	4	6	37	61	65	38	177	1	–	–	1	1	1	7	20	28	60	60
All other	23	1	1	–	–	–	2	3	2	4	4	6	14	–	–	–	–	1	–	3	3	4	1	2
Black	2	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	2	1	1	–	–
Hypertension with or without renal disease (401,403)	40	–	–	–	–	1	2	4	9	10	10	4	35	–	–	–	–	1	1	–	8	11	9	5
White	36	–	–	–	–	1	1	4	8	9	9	4	34	–	–	–	–	–	1	–	8	11	9	5
All other	4	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	284	–	–	–	1	4	6	11	36	76	84	66	336	–	–	1	1	3	6	6	21	63	115	120
White	270	–	–	–	1	4	5	9	33	76	81	61	317	–	–	1	1	3	4	5	16	58	110	119
All other	14	–	–	–	–	–	1	2	3	–	3	5	19	–	–	–	–	–	2	1	5	5	5	1
Black	4	–	–	–	–	–	1	1	–	–	1	1	4	–	–	–	–	–	–	1	–	2	1	–
Intracerebral and other intracranial hemorrhage (431-432)	39	–	–	–	1	1	2	4	7	13	5	6	36	–	–	–	1	1	1	2	3	10	11	7
White	37	–	–	–	1	1	1	4	6	13	5	6	35	–	–	–	1	1	1	2	2	10	11	7
All other	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	–	–	–	–	–	–	–	6	15	5	7	40	–	–	–	–	–	–	1	1	7	15	16
White	31	–	–	–	–	–	–	–	5	15	5	6	39	–	–	–	–	–	–	1	1	6	15	16
All other	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	211	–	–	–	–	3	4	7	22	48	74	53	258	–	–	1	–	2	5	3	17	46	88	96
White	201	–	–	–	–	3	4	5	21	48	71	49	241	–	–	1	–	2	3	2	13	42	89	95
All other	10	–	–	–	–	–	–	2	1	–	3	4	17	–	–	–	–	–	2	1	4	4	5	1
Black	3	–	–	–	–	–	–	1	–	–	1	1	3	–	–	–	–	–	–	1	–	1	1	–
Atherosclerosis (440)	48	–	–	–	–	–	–	–	1	5	17	25	59	–	–	–	–	–	–	–	4	3	20	32
White	46	–	–	–	–	–	–	–	1	4	17	24	58	–	–	–	–	–	–	–	4	3	20	31
All other	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Other diseases of arteries, arterioles, and capillaries (441-448)	55	–	1	–	–	2	–	1	11	21	16	3	22	–	–	–	–	–	–	1	2	3	4	8
White	54	–	–	–	–	2	–	1	11	21	16	3	21	–	–	–	–	–	–	1	2	3	4	8
All other	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Acute bronchitis and bronchiolitis (466)	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
White	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	108	5	–	1	1	1	4	8	8	19	20	43	94	6	–	–	1	2	–	2	6	11	29	37
White	98	4	–	1	–	–	4	7	5	18	20	39	84	3	–	–	1	2	–	2	6	10	27	33
All other	10	1	–	–	1	1	–	1	1	1	–	4	10	3	–	–	–	–	–	–	–	1	2	4
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	103	5	–	–	1	1	4	8	5	18	18	43	93	6	–	–	1	2	–	2	6	11	29	36
White	93	4	–	–	–	–	4	7	4	17	18	39	83	3	–	–	1	2	–	2	6	10	27	32
All other	10	1	–	–	1	1	–	1	1	1	–	4	10	3	–	–	–	–	–	–	–	1	2	4
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Influenza (487)	5	–	–	1	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
White	5	–	–	1	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	212	–	–	–	–	2	1	5	38	81	62	23	94	–	1	–	–	1	–	6	20	30	25	11
White	207	–	–	–	–	2	1	5	38	79	61	21	94	–	1	–	–	1	–	6	20	30	25	11
All other	5	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	15	–	–	–	–	1	–	–	1	7	2	4	5	–	–	–	–	–	–	–	4	–	–	1
White	14	–	–	–	–	1	–	–	1	6	2	4	5	–	–	–	–	–	–	–	4	–	–	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	60	–	–	–	–	–	–	3	11	25	18	3	23	–	–	–	–	–	–	3	5	11	3	1
White	59	–	–	–	–	–	–	3	11	25	17	3	23	–	–	–	–	–	–	3	5	11	3	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	9	–	–	–	–	1	–	–	1	5	2	–	11	–	1	–	–	1	–	–	2	5	–	2
White	9	–	–	–	–	1	–	–	1	5	2	–	11	–	1	–	–	1	–	–	2	5	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	128	–	–	–	–	–	1	2	25	44	40	16	55	–	–	–	–	–	–	3	9	14	22	7
White	125	–	–	–	–	–	1	2	25	43	40	14	55	–	–	–	–	–	–	3	9	14	22	7
All other	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	19	–	–	–	–	–	–	–	5	7	4	3	12	–	–	–	–	–	–	–	3	3	2	4
White	17	–	–	–	–	–	–	–	4	6	4	3	9	–	–	–	–	–	–	–	2	2	1	4
All other	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	1	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–
Appendicitis (540-543)	1	–	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	1	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	1	1	–	–	–	1	–	1	4	10	–	16	–	–	–	–	1	–	–	3	–	4	8
White	18	1	1	–	–	–	1	–	1	4	10	–	14	–	–	–	–	–	–	–	2	–	4	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	123	–	–	–	–	9	22	33	38	15	5	1	57	1	–	–	–	3	5	17	9	14	7	1
White	101	–	–	–	–	6	17	26	32	14	5	1	47	–	–	–	–	3	3	15	7	12	6	1
All other	22	–	–	–	–	3	5	7	6	1	–	–	10	1	–	–	–	–	2	2	2	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	13	–	–	–	–	–	–	1	2	2	3	5	17	–	–	–	–	1	–	1	3	2	4	6
White	9	–	–	–	–	–	–	–	1	1	3	4	14	–	–	–	–	1	–	–	3	2	2	6
All other	4	–	–	–	–	–	–	1	1	1	–	1	3	–	–	–	–	–	–	1	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	–	–	–	–	–	2	2	6	8	13	8	33	–	–	–	–	–	2	6	–	6	10	9
White	32	–	–	–	–	–	2	1	5	6	12	6	28	–	–	–	–	–	2	4	–	5	10	7
All other	7	–	–	–	–	–	–	1	1	2	1	2	5	–	–	–	–	–	–	2	–	1	–	2
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	-	-	1	3	-	3	-	4	-	-	-	-	-	2	-	-	-	1	1
White	7	-	-	-	-	-	-	1	3	-	3	-	4	-	-	-	-	-	2	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	-	-	-	-	-	2	1	3	7	10	6	28	-	-	-	-	-	-	6	-	5	9	8
White	24	-	-	-	-	-	2	-	2	5	9	6	23	-	-	-	-	-	-	4	-	4	9	6
All other	7	-	-	-	-	-	-	1	1	2	1	2	5	-	-	-	-	-	-	2	-	1	-	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Infections of kidney (590)	3	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	-	2	5	4	***	***	***	***	***	***	***	***	***	***	***	***
White	10	-	-	-	-	-	-	-	-	2	5	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	1	-	-	-	-	-	-	-	-	-	-	1	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	10	***	***	-	2	6	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	-	1	5	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	1	1	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	1	1	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	-	1	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	8	***	***	-	1	5	2	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	-	-	5	1	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	2	***	***	-	1	-	1	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	-	1	-	-	-	***	***	***	***
Congenital anomalies (740-759)	37	25	4	2	4	-	-	-	2	-	-	-	37	29	1	3	-	1	1	-	-	2	-	-
White	31	20	4	2	3	-	-	-	2	-	-	-	31	26	1	1	-	1	-	-	-	2	-	-
All other	6	5	-	-	1	-	-	-	-	-	-	-	6	3	-	2	-	-	1	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	103	101	1	-	1	-	-	-	-	-	-	-	77	75	1	-	1	-	-	-	-	-	-	-
White	85	83	1	-	1	-	-	-	-	-	-	-	62	61	1	-	-	-	-	-	-	-	-	-
All other	18	18	-	-	-	-	-	-	-	-	-	-	15	14	-	-	1	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	44	43	-	-	1	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
White	35	34	-	-	1	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	59	58	1	-	-	-	-	-	-	-	-	-	48	46	1	-	1	-	-	-	-	-	-	-
White	50	49	1	-	-	-	-	-	-	-	-	-	39	38	1	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	9	8	-	-	1	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	278	37	2	-	6	9	6	19	51	58	53	35	158	17	2	-	-	-	5	3	16	28	40	46
White	229	29	1	-	3	7	3	17	43	54	43	28	125	13	1	-	-	-	2	2	13	27	30	37
All other	49	8	1	-	3	2	3	2	8	5	10	7	33	4	1	-	-	-	3	1	3	1	10	9
Black	11	3	-	-	-	-	-	1	1	2	2	2	3	-	-	-	-	-	-	-	1	-	2	-
All other diseases (Residual)	419	14	4	5	10	28	38	62	83	63	74	39	295	13	2	4	9	14	19	34	42	48	61	49
White	341	8	3	3	7	18	24	52	69	60	62	36	267	10	2	4	6	10	18	31	36	46	56	48
All other	78	6	1	2	3	10	14	10	14	3	12	3	28	3	-	-	3	4	1	3	6	2	5	1
Black	10	-	-	-	-	1	1	2	5	-	1	-	5	1	-	-	1	-	1	-	2	-	-	-
Accidents and adverse effects (E900-E949)	772	7	27	36	241	147	77	69	71	49	27	17	258	3	14	20	44	37	26	25	22	24	21	22
White	604	3	19	27	185	116	57	55	59	42	23	15	205	3	12	14	33	28	20	19	19	18	19	20
All other	168	4	8	9	56	31	20	14	12	7	4	2	53	-	2	6	11	9	6	6	3	6	2	2
Black	11	1	-	3	-	1	2	1	2	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	459	2	12	24	172	101	50	32	35	19	8	2	141	1	6	12	39	25	20	13	11	7	6	1
White	354	2	6	19	129	78	38	26	29	16	6	2	104	1	4	8	28	19	15	9	9	6	5	–
All other	105	–	6	5	43	23	12	6	6	3	–	–	37	–	2	4	11	6	5	4	2	1	1	1
Black	3	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	313	5	15	12	69	46	27	37	36	30	19	15	117	2	8	8	5	12	6	12	11	17	15	21
White	250	1	13	8	56	38	19	29	30	26	15	13	101	2	8	6	5	9	5	10	10	12	14	20
All other	63	4	2	4	13	8	8	8	6	4	4	2	16	–	–	2	–	3	1	2	1	5	1	1
Black	8	1	–	2	–	–	2	–	2	1	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Suicide (E950-E959)	186	...	...	2	59	49	27	11	20	9	8	1	54	...	...	1	9	8	11	12	8	5	–	–
White	161	...	...	1	45	46	21	11	19	9	8	1	52	...	...	1	8	8	10	12	8	5	–	–
All other	25	...	...	1	14	3	6	–	1	–	–	–	2	...	...	–	1	–	1	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	138	1	2	2	37	43	28	15	5	7	–	–	37	–	1	–	7	9	7	6	4	–	1	–
White	112	–	2	2	29	33	22	13	4	7	–	–	32	–	1	–	6	7	6	7	4	–	1	–
All other	26	1	–	–	8	10	4	2	1	–	–	–	5	–	–	–	1	2	1	1	–	–	–	–
Black	7	–	–	–	1	4	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
All other external causes (E980-E999)	14	–	1	–	5	3	–	2	1	2	–	–	9	–	–	–	1	1	2	2	2	–	1	–
White	10	–	1	–	3	3	–	1	–	2	–	–	8	–	–	–	1	1	2	1	2	–	1	–
All other	4	–	–	–	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
NEW YORK																								
All causes	86,067	1,765	271	421	2,375	2,685	3,018	7,232	14,932	22,141	20,773	10,430	78,441	1,447	222	270	772	1,000	1,783	4,390	9,332	16,235	24,009	18,970
White	75,125	1,177	201	317	1,834	1,889	2,044	5,635	12,775	19,988	19,292	9,951	69,844	974	160	185	608	682	1,232	3,324	7,796	14,397	22,393	18,083
All other	10,842	588	70	104	541	796	974	1,597	2,157	2,153	1,481	479	8,597	473	62	85	164	318	551	1,066	1,536	1,838	1,616	887
Black	10,199	559	69	101	513	758	935	1,526	2,040	1,977	1,307	408	8,234	447	59	81	157	309	522	1,040	1,489	1,759	1,528	843
Shigellosis and amebiasis (004,006)	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	7	2	–	–	1	1	–	–	–	1	1	1	8	–	–	–	–	–	–	2	1	3	–	2
White	6	1	–	–	1	1	–	–	–	1	1	1	7	–	–	–	–	–	–	1	1	3	–	2
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis (010-018)	119	–	–	–	–	5	10	15	28	37	10	14	56	–	–	–	–	4	7	10	12	10	9	4
White	66	–	–	–	–	1	3	3	14	26	6	13	22	–	–	–	–	–	1	2	7	6	2	4
All other	53	–	–	–	–	4	7	12	14	11	4	1	34	–	–	–	–	4	6	8	5	4	7	–
Black	49	–	–	–	–	4	7	11	14	11	2	–	33	–	–	–	–	4	6	8	5	3	7	–
Tuberculosis of respiratory system (010-012)	106	–	–	–	–	5	8	14	26	31	10	12	43	–	–	–	–	4	6	9	7	7	8	2
White	57	–	–	–	–	1	2	3	12	22	6	11	14	–	–	–	–	–	1	1	4	5	1	2
All other	49	–	–	–	–	4	6	11	14	9	4	1	29	–	–	–	–	4	5	8	3	2	7	–
Black	45	–	–	–	–	4	6	10	14	9	2	–	29	–	–	–	–	4	5	8	3	1	7	–
Other tuberculosis (013-018)	13	–	–	–	–	–	2	1	2	6	–	2	13	–	–	–	–	–	1	1	5	3	1	2
White	9	–	–	–	–	–	1	–	2	4	–	2	8	–	–	–	–	–	–	1	3	1	1	2
All other	4	–	–	–	–	–	1	1	–	2	–	–	5	–	–	–	–	–	1	–	2	2	–	–
Black	4	–	–	–	–	–	1	1	–	2	–	–	5	–	–	–	–	–	1	–	2	2	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	3	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
White	3	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	24	4	4	4	6	2	–	–	2	1	1	–	20	5	2	3	2	1	2	–	1	3	1	–
White	19	4	3	3	4	1	–	–	2	1	1	–	14	3	1	3	–	1	1	–	1	3	1	–
All other	5	–	1	1	2	1	–	–	–	–	–	–	6	2	1	–	2	–	1	–	–	–	–	–
Black	4	–	–	1	2	1	–	–	–	–	–	–	6	2	1	–	2	–	1	–	–	–	–	–
Septicemia (038)	251	11	1	–	3	1	11	19	33	61	74	37	295	3	4	1	4	2	6	13	29	63	90	80
White	206	5	1	–	2	1	5	15	25	53	65	34	254	3	3	1	2	1	3	10	26	54	79	72
All other	45	6	–	–	1	–	6	4	8	8	9	3	41	–	1	–	2	1	3	3	3	9	11	8
Black	43	6	–	–	1	–	6	4	7	8	8	3	40	–	1	–	2	1	3	3	3	8	11	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	39	1	–	1	3	6	2	8	7	8	3	–	32	1	–	–	6	4	5	3	8	3	2	–
White	27	1	–	–	1	5	–	6	5	7	2	–	22	1	–	–	5	2	2	–	7	3	2	–
All other	12	–	–	1	2	1	2	2	2	1	1	–	10	–	–	–	1	2	3	3	1	–	–	–
Black	8	–	–	1	2	1	2	1	–	1	–	–	9	–	–	–	1	2	2	3	1	–	–	–
Syphilis (090-097)	4	–	–	–	–	–	–	1	–	–	3	–	6	–	–	–	–	–	–	–	2	2	–	2
White	3	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	1	–	1
All other	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	2	1	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	2	1	–	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	140	11	3	5	3	11	12	13	27	27	20	8	117	5	2	2	4	6	8	12	23	24	19	12
White	112	11	3	5	2	6	8	9	18	24	19	7	97	4	2	2	4	2	3	11	16	23	18	12
All other	28	–	–	–	1	5	4	4	9	3	1	1	20	1	–	–	–	4	5	1	7	1	1	–
Black	26	–	–	–	–	5	4	4	8	3	1	1	19	1	–	–	–	4	4	1	7	1	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	18,809	6	20	63	119	196	468	1,758	4,206	6,047	4,487	1,435	17,681	5	20	41	66	171	639	1,918	3,793	4,851	4,372	1,803
White	16,538	4	15	54	101	161	356	1,411	3,571	5,405	4,101	1,355	15,830	5	18	36	58	137	497	1,581	3,331	4,402	4,074	1,689
All other	2,271	2	5	9	18	35	112	347	635	642	386	80	1,851	–	2	5	8	34	142	337	462	449	298	114
Black	2,099	2	4	8	16	28	105	321	597	601	344	75	1,785	–	2	5	8	31	134	325	449	420	281	110
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	564	–	1	1	2	2	28	93	173	170	69	26	276	–	–	–	1	1	14	38	82	84	55	21
White	444	–	1	1	1	1	11	61	133	149	61	24	235	–	–	–	–	1	8	28	66	57	55	20
All other	120	–	–	–	1	1	15	32	40	21	8	2	41	–	–	–	1	–	6	10	16	7	–	1
Black	109	–	–	–	1	–	14	31	35	20	6	2	40	–	–	–	1	–	5	10	16	7	–	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,850	–	–	1	6	40	114	449	1,280	1,810	1,451	498	5,491	1	–	–	4	26	79	323	948	1,601	1,748	760
White	4,892	–	–	1	5	25	89	353	1,068	1,615	1,330	475	4,681	1	–	–	4	22	53	242	804	1,429	1,616	709
All other	668	–	–	–	1	15	25	96	192	195	121	23	610	–	–	–	–	4	26	81	144	172	132	51
Black	610	–	–	–	1	14	23	85	183	177	105	22	584	–	–	–	–	2	25	78	143	161	127	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,089	–	1	1	3	19	140	665	1,616	2,144	1,253	245	2,479	–	–	–	3	10	67	323	715	760	457	124
White	5,330	–	1	–	1	15	100	527	1,366	1,933	1,154	231	2,228	–	–	–	3	8	70	269	635	709	419	115
All other	759	–	–	1	2	4	40	138	250	211	99	14	251	–	–	–	–	2	17	54	80	51	38	9
Black	703	–	–	1	2	2	39	128	236	197	85	13	230	–	–	–	–	2	16	52	77	43	31	9
Malignant neoplasm of breast (174-175)	31	–	–	–	–	–	1	–	4	16	8	2	3,496	–	–	–	2	39	224	594	879	853	628	278
White	30	–	–	–	–	–	1	–	3	16	8	2	3,196	–	–	–	1	32	190	509	799	806	594	264
All other	1	–	–	–	–	–	–	–	1	–	–	–	300	–	–	–	1	7	34	85	80	47	34	12
Black	1	–	–	–	–	–	–	–	1	–	–	–	288	–	–	–	1	7	31	82	77	45	33	12
Malignant neoplasms of genital organs (179-187)	1,863	–	2	1	10	14	4	36	175	560	723	338	2,038	–	–	2	5	28	94	299	487	559	431	153
White	1,594	–	1	1	10	14	4	29	137	452	635	311	1,782	–	–	2	4	18	61	242	405	502	404	144
All other	269	–	1	–	–	–	–	7	38	108	88	27	256	–	–	–	1	10	33	57	82	57	27	9
Black	259	–	–	–	–	–	–	7	37	106	83	26	246	–	–	–	1	9	33	54	58	57	25	9
Malignant neoplasms of urinary organs (188-189)	1,128	–	–	1	1	3	18	110	199	372	307	117	605	–	–	1	1	1	13	32	73	154	215	115
White	1,045	–	–	–	1	3	17	95	178	356	284	111	553	–	–	1	1	–	10	32	64	137	199	109
All other	83	–	–	1	–	–	1	15	21	16	23	6	52	–	–	–	–	1	3	–	9	17	16	6
Black	77	–	–	1	–	–	1	15	20	14	22	4	49	–	–	–	–	1	2	–	9	15	16	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,847	4	8	19	47	46	88	237	441	517	339	103	1,805	1	10	17	22	29	77	172	379	467	423	188
White	1,633	3	7	14	42	40	70	199	386	464	309	100	1,591	1	8	15	21	23	65	142	332	428	391	170
All other	214	1	1	5	5	6	18	38	55	53	31	3	214	–	2	2	1	6	12	30	47	64	32	18
Black	196	1	1	5	4	3	14	36	49	51	29	3	205	–	2	2	1	5	11	30	45	50	31	17
Leukemia (204-208)	711	2	6	34	28	31	24	62	125	188	150	61	619	3	10	20	15	12	31	62	92	139	182	79
White	647	1	5	33	24	26	17	57	110	173	142	59	579	3	10	17	12	11	26	55	86	121	160	78
All other	64	1	1	1	4	5	7	5	15	15	8	2	40	–	–	3	3	1	5	7	6	12	2	1
Black	55	1	1	–	3	3	7	4	13	14	7	2	38	–	–	3	3	1	5	6	6	11	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	926	–	2	5	22	41	55	106	193	270	187	45	872	–	–	1	13	25	20	75	158	240	258	87
White	833	–	–	4	17	37	47	90	170	247	179	42	785	–	–	1	12	22	14	62	140	218	236	80
All other	93	–	2	1	5	4	8	16	23	23	8	3	87	–	–	–	1	3	6	13	18	22	17	7
Black	89	–	2	1	5	4	7	15	23	22	7	3	85	–	–	–	1	3	6	13	18	21	16	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	239	–	3	8	4	10	10	22	54	58	60	10	315	3	3	6	6	7	10	24	60	80	78	36
White	216	–	2	7	4	8	5	19	49	55	57	10	264	2	2	1	4	7	7	17	51	67	70	36
All other	23	–	1	1	–	2	5	3	5	3	3	–	51	1	1	5	2	–	3	7	9	13	8	2
Black	21	–	1	1	–	2	5	3	3	3	3	–	48	1	1	5	2	–	3	7	8	12	7	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,302	–	1	1	11	22	47	108	258	369	351	136	1,785	–	–	1	7	11	27	97	219	474	612	346
White	1,125	–	1	1	7	18	34	75	216	327	317	129	1,520	–	–	–	4	9	19	60	157	406	544	318
All other	177	–	–	–	4	4	13	31	42	42	34	7	275	–	–	1	3	2	8	37	62	66	68	28
Black	164	–	–	–	4	4	12	31	38	38	32	5	265	–	–	1	2	2	8	37	60	63	66	26
Nutritional deficiencies (260-269)	42	1	–	–	–	1	–	8	6	6	11	11	48	–	1	–	–	–	–	3	3	4	16	19
White	36	1	–	–	–	1	–	4	5	4	11	10	44	–	1	–	–	–	–	3	3	4	16	17
All other	6	–	–	–	–	–	–	2	1	2	–	1	4	–	–	–	–	–	–	–	–	–	2	2
Black	6	–	–	–	–	–	–	2	1	2	–	1	4	–	–	–	–	–	–	–	–	–	2	2
Anemias (280-285)	93	2	3	3	10	3	5	4	8	18	23	14	138	1	1	1	8	4	8	7	15	12	43	38
White	80	2	3	2	6	1	3	4	7	17	22	13	111	1	1	1	5	–	4	6	9	11	39	34
All other	13	–	–	1	4	2	2	–	1	1	1	1	27	–	–	–	3	4	4	1	6	1	4	4
Black	10	–	–	1	3	1	2	–	–	1	1	1	26	–	–	–	3	4	4	1	6	1	4	3
Meningitis (320-322)	57	11	6	2	2	1	4	2	12	5	11	1	55	7	2	2	–	3	3	3	6	11	15	3
White	37	6	5	2	–	1	2	1	7	4	9	–	32	4	2	1	–	1	2	1	2	4	12	3
All other	20	5	1	–	2	–	2	1	5	1	2	1	23	3	–	1	–	2	1	2	4	7	3	–
Black	20	5	1	–	2	–	2	1	5	1	2	1	23	3	–	1	–	2	1	2	4	7	3	–
Major cardiovascular diseases (390-448)	42,694	27	6	11	52	222	740	3,141	7,507	11,954	12,152	6,672	43,508	16	6	14	39	101	349	1,234	3,599	8,404	15,709	14,034
White	38,632	22	3	9	39	149	548	2,594	6,562	10,908	11,390	6,598	39,700	13	5	9	28	63	224	862	2,904	7,392	14,741	13,456
All other	3,862	5	3	2	13	73	192	547	945	1,046	762	274	3,808	3	1	5	11	38	125	372	695	1,012	968	578
Black	3,554	4	3	2	11	70	184	527	901	948	673	231	3,661	2	1	5	11	38	121	363	674	979	916	551
Diseases of heart (390-398,402,404-429)	35,863	26	4	9	34	171	634	2,790	6,622	10,141	9,934	5,469	34,388	14	6	8	20	67	240	935	2,960	6,868	12,461	10,806
White	32,772	21	2	7	25	122	488	2,353	5,845	9,301	9,329	5,270	31,470	11	5	4	15	45	157	664	2,409	6,091	11,699	10,367
All other	3,091	5	2	2	9	49	146	437	777	840	605	219	2,918	3	1	4	5	22	83	271	551	777	762	439
Black	2,842	4	2	2	8	46	140	420	744	765	528	183	2,800	2	1	4	5	22	80	265	536	750	721	414
Rheumatic fever and rheumatic heart disease (390-398)	254	–	–	–	4	10	22	31	69	73	40	5	578	1	–	1	1	7	25	61	113	193	141	35
White	229	–	–	–	4	4	15	30	65	69	38	4	541	1	–	–	1	6	22	61	106	187	132	35
All other	25	–	–	–	–	6	7	1	4	4	2	1	37	–	–	1	–	1	3	10	7	6	9	–
Black	25	–	–	–	–	6	7	1	4	4	2	1	34	–	–	1	–	1	3	9	5	6	9	–
Hypertensive heart disease (402)	683	–	–	–	–	8	25	78	166	184	167	54	995	–	–	–	–	1	20	43	117	248	346	220
White	527	–	–	–	–	2	10	44	126	153	140	52	812	–	–	–	–	1	6	26	75	190	312	202
All other	156	–	–	–	–	6	15	35	40	31	27	2	183	–	–	–	–	–	14	17	42	58	34	18
Black	150	–	–	–	–	6	14	34	39	28	27	2	177	–	–	–	–	–	14	16	41	55	34	17
Hypertensive heart and renal disease (404)	75	–	–	–	–	–	3	1	9	25	25	12	107	–	–	–	1	–	2	2	7	25	35	35
White	61	–	–	–	–	–	1	–	5	19	24	12	89	–	–	–	–	–	–	–	5	20	33	31
All other	14	–	–	–	–	–	2	1	4	6	1	–	18	–	–	–	1	–	2	2	2	5	2	4
Black	14	–	–	–	–	–	2	1	4	6	1	–	18	–	–	–	1	–	2	2	2	5	2	4
Ischemic heart disease (410-414)	31,114	1	–	–	4	89	488	2,391	5,778	8,922	8,653	4,781	28,653	–	–	–	–	16	140	686	2,382	5,712	10,498	9,218
White	28,678	–	–	–	3	72	396	2,058	5,164	8,224	8,158	4,596	26,426	–	–	–	–	9	89	492	1,964	5,113	9,888	8,860
All other	2,436	1	–	–	1	17	92	333	614	698	495	185	2,227	–	–	–	–	7	51	194	418	599	610	358
Black	2,224	1	–	–	–	15	90	319	590	629	428	152	2,143	–	–	–	–	7	39	193	408	580	579	337
Acute myocardial infarction (410)	15,295	–	–	–	4	53	287	1,321	3,344	4,765	3,866	1,651	12,224	–	–	–	–	10	73	372	1,348	3,071	4,555	2,793
White	14,352	–	–	–	3	44	242	1,201	3,092	4,490	3,681	1,595	11,330	–	–	–	–	8	56	296	1,170	2,803	4,316	2,679
All other	943	–	–	–	1	9	45	120	252	275	185	56	894	–	–	–	–	2	17	76	178	268	239	114
Black	846	–	–	–	–	9	44	112	240	241	151	49	853	–	–	–	–	2	16	76	179	259	219	109
Other acute and subacute forms of ischemic heart disease (411)	223	–	–	–	–	–	9	23	46	62	56	27	129	–	–	–	–	–	–	6	14	37	47	25
White	211	–	–	–	–	–	9	22	40	60	54	26	119	–	–	–	–	–	–	3	12	36	45	23
All other	12	–	–	–	–	–	–	1	6	2	2	1	10	–	–	–	–	–	–	3	2	1	2	2
Black	10	–	–	–	–	–	–	1	5	2	2	–	10	–	–	–	–	–	–	3	2	1	2	2
Angina pectoris (413)	15	–	–	–	–	–	–	–	3	9	2	1	10	–	–	–	–	–	–	1	–	2	4	3
White	14	–	–	–	–	–	–	–	3	8	2	1	7	–	–	–	–	–	–	–	–	1	3	3
All other	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	15,581	1	–	–	–	36	192	1,047	2,385	4,088	4,729	3,102	16,290	–	–	–	–	6	67	307	1,020	2,602	5,890	6,397
White	14,101	–	–	–	–	28	145	835	2,029	3,666	4,421	2,974	14,970	–	–	–	–	1	43	193	762	2,273	5,522	6,155
All other	1,480	1	–	–	–	8	47	212	356	420	308	128	1,320	–	–	–	–	5	24	114	258	329	368	242
Black	1,368	1	–	–	–	6	46	206	345	386	275	103	1,277	–	–	–	–	5	23	113	233	320	357	226
Other diseases of endocardium (424)	248	1	–	–	3	3	8	13	52	73	66	26	214	–	–	1	–	–	3	8	27	48	82	45
White	220	–	–	–	2	1	7	11	44	68	63	23	191	–	–	–	–	–	2	4	21	43	78	43
All other	28	1	–	–	1	2	1	2	8	5	3	3	23	–	–	1	–	–	1	4	6	5	4	2
Black	25	1	–	–	1	2	1	2	8	5	2	3	22	–	–	1	–	–	1	4	6	4	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	3,491	24	4	9	23	61	88	275	548	884	983	611	3,841	13	6	6	18	43	50	135	314	642	1,361	1,253
White	3,057	21	2	7	16	43	59	210	441	768	906	583	3,411	10	5	4	14	29	28	91	238	588	1,258	1,195
All other	434	3	2	2	7	18	29	65	107	96	77	28	430	3	1	2	4	14	22	44	76	104	103	57
Black	404	2	2	2	7	17	26	63	99	93	68	25	406	2	1	2	4	14	21	41	74	100	93	54
Hypertension with or without renal disease (401,403)	282	–	1	–	1	5	6	22	38	52	80	57	340	–	–	1	–	1	4	28	36	55	105	110
White	197	–	–	–	1	–	4	10	23	33	73	53	264	–	–	1	–	–	2	9	20	39	92	101
All other	85	–	1	–	–	5	2	12	15	19	7	4	76	–	–	–	–	1	2	19	16	16	13	9
Black	60	–	1	–	–	5	2	12	13	18	6	3	74	–	–	–	–	1	2	19	16	15	12	9
Cerebrovascular diseases (430-438)	4,716	1	1	2	13	35	90	267	612	1,189	1,553	952	7,111	2	–	4	17	28	96	246	519	1,193	2,601	2,405
White	4,166	1	1	2	11	23	49	181	485	1,047	1,440	825	6,413	2	–	3	12	15	58	171	405	1,013	2,440	2,294
All other	550	–	–	–	2	12	41	86	127	142	113	27	698	–	–	1	5	13	38	75	114	180	161	111
Black	516	–	–	–	2	12	39	84	121	127	107	24	672	–	–	1	5	13	37	72	106	175	152	109
Intracerebral and other intracranial hemorrhage (431-432)	788	1	1	–	3	10	45	110	163	198	181	74	988	2	–	1	5	7	23	75	150	231	297	197
White	634	1	1	–	3	5	18	67	126	172	171	70	842	2	–	1	3	2	14	45	128	192	270	189
All other	152	–	–	–	–	5	27	43	37	26	10	4	146	–	–	–	2	5	9	29	27	39	27	8
Black	141	–	–	–	–	5	26	42	35	22	7	4	135	–	–	–	2	5	9	26	25	37	24	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,073	–	–	1	1	–	5	23	116	259	405	263	1,703	–	–	1	1	1	5	22	66	247	679	681
White	990	–	–	1	1	–	5	17	93	237	378	258	1,630	–	–	1	–	1	5	19	53	226	658	667
All other	83	–	–	–	–	–	–	6	23	22	27	5	73	–	–	–	1	–	–	3	13	21	21	14
Black	76	–	–	–	–	–	–	5	21	20	25	5	70	–	–	–	1	–	–	3	11	21	20	14
Cerebral embolism (434.1)	22	–	–	–	–	–	1	–	3	11	6	1	45	–	–	–	–	–	–	1	4	11	19	10
White	19	–	–	–	–	–	1	–	2	9	6	1	42	–	–	–	–	–	–	1	4	9	18	10
All other	3	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	2	1	–
Black	3	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,835	–	–	1	9	25	39	134	330	721	961	614	4,375	–	–	2	11	20	68	148	299	704	1,606	1,517
White	2,523	–	–	1	7	18	25	97	264	629	865	596	3,899	–	–	1	9	12	39	105	225	586	1,494	1,428
All other	312	–	–	–	2	7	14	37	66	92	76	18	476	–	–	1	2	8	29	43	74	118	112	89
Black	296	–	–	–	2	7	13	37	64	83	75	15	465	–	–	1	2	8	28	43	72	116	107	88
Atherosclerosis (440)	862	–	–	–	–	1	1	12	64	215	293	276	1,094	–	–	–	–	–	–	6	20	145	347	576
White	784	–	–	–	–	1	–	8	58	188	271	258	1,020	–	–	–	–	–	–	5	15	117	324	559
All other	78	–	–	–	–	–	1	4	6	27	22	18	74	–	–	–	–	–	–	1	5	28	23	17
Black	65	–	–	–	–	–	1	4	4	22	17	17	73	–	–	–	–	–	–	1	5	28	22	17
Other diseases of arteries, arterioles, and capillaries (441-448)	991	–	–	–	4	10	9	50	171	357	292	98	575	–	–	1	2	5	9	19	64	143	195	137
White	913	–	–	–	2	9	7	42	151	339	277	92	533	–	–	1	1	3	7	13	55	132	186	135
All other	78	–	–	–	2	7	2	8	20	18	15	6	42	–	–	–	1	2	2	6	9	11	9	2
Black	71	–	–	–	1	7	2	7	19	16	15	4	42	–	–	–	1	2	2	6	9	11	9	2
Acute bronchitis and bronchiolitis (466)	36	10	2	2	–	2	1	1	2	4	5	7	20	3	3	1	–	–	–	1	1	3	4	4
White	32	9	1	1	–	2	1	–	2	4	5	7	17	1	2	1	–	–	–	1	1	3	4	4
All other	4	1	1	1	–	–	–	1	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Black	4	1	1	1	–	–	–	1	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	2,487	50	12	10	21	38	67	112	254	465	821	637	2,252	42	17	12	14	24	31	61	161	280	723	887
White	2,182	29	11	6	17	25	32	82	206	404	750	600	1,990	26	11	7	10	10	22	45	119	237	666	837
All other	325	21	1	4	4	13	35	30	48	61	71	37	262	16	6	5	4	14	9	16	42	43	57	50
Black	302	20	1	4	4	13	35	30	47	54	61	33	245	15	6	4	4	14	8	16	41	41	49	47
Pneumonia (480-486)	2,483	50	11	10	21	37	67	112	254	464	821	636	2,237	42	17	12	14	24	31	61	160	279	719	876
White	2,158	29	10	6	17	24	32	82	206	403	750	599	1,975	26	11	7	10	10	22	45	118	236	662	825
All other	325	21	1	4	4	13	35	30	48	61	71	37	262	16	6	5	4	14	9	16	42	43	57	50
Black	302	20	1	4	4	13	35	30	47	54	61	33	245	15	6	4	4	14	8	16	41	41	49	47
Influenza (487)	4	–	1	–	–	1	–	–	–	1	–	1	15	–	–	–	–	–	–	–	1	1	4	9
White	4	–	1	–	–	1	–	–	–	1	–	1	15	–	–	–	–	–	–	–	1	1	4	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,476	2	1	4	8	14	28	97	334	841	868	279	1,126	2	2	3	7	5	21	65	190	362	321	148
White	2,277	2	1	2	5	9	17	68	298	790	820	265	1,036	1	1	1	2	2	17	52	172	336	307	145
All other	199	–	–	2	3	5	11	29	36	51	48	14	90	1	1	2	5	3	4	13	18	26	14	3
Black	180	–	–	2	3	5	11	27	34	48	43	7	89	1	1	2	5	3	4	13	18	26	14	2
Bronchitis, chronic and unspecified (490-491)	189	1	–	–	–	2	–	5	26	43	81	31	103	2	1	–	–	1	2	5	20	27	31	14
White	178	1	–	–	–	2	–	4	25	41	75	28	93	1	–	–	–	–	2	4	16	27	29	14
All other	13	–	–	–	–	–	–	1	1	2	6	3	10	1	1	–	–	1	–	1	4	–	2	–
Black	13	–	–	–	–	–	–	1	1	2	6	3	10	1	1	–	–	1	–	1	4	–	2	–
Emphysema (492)	768	–	–	–	–	2	6	31	115	264	265	83	298	–	–	–	–	–	3	17	49	107	86	36
White	714	–	–	–	–	2	4	21	105	252	249	81	283	–	–	–	–	–	3	15	47	100	82	36
All other	54	–	–	–	–	–	4	10	10	12	16	2	15	–	–	–	–	–	–	2	2	7	4	–
Black	46	–	–	–	–	–	4	6	9	12	12	1	15	–	–	–	–	–	–	2	2	7	4	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	110	1	1	4	8	10	10	16	18	23	16	3	136	–	1	3	6	4	13	17	26	32	22	12
White	73	1	1	2	5	5	7	8	10	18	14	2	100	–	1	1	1	2	9	8	19	26	21	12
All other	37	–	–	2	3	5	3	8	8	5	2	1	36	–	–	2	5	2	4	9	7	6	1	–
Black	37	–	–	2	3	5	3	8	8	5	2	1	36	–	–	2	5	2	4	9	7	6	1	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,409	–	–	–	–	–	10	45	175	511	506	162	589	–	–	–	1	–	3	26	95	196	182	86
White	1,314	–	–	–	–	–	6	35	158	479	482	154	560	–	–	–	1	–	3	25	90	183	175	83
All other	95	–	–	–	–	–	4	10	17	32	24	8	29	–	–	–	–	–	–	1	5	13	7	3
Black	84	–	–	–	–	–	4	10	16	29	23	2	28	–	–	–	–	–	–	1	5	13	7	2
Ulcer of stomach and duodenum (531-533)	344	2	–	–	1	4	8	24	69	85	101	53	297	2	–	–	2	–	9	9	26	63	103	83
White	298	2	–	–	1	1	5	19	52	75	96	47	269	–	–	–	1	–	7	7	23	59	94	78
All other	46	–	–	–	–	3	3	5	14	10	5	6	28	2	–	–	1	–	2	2	3	4	9	5
Black	40	–	–	–	–	3	2	4	13	9	4	5	27	2	–	–	1	–	2	2	3	3	9	5
Appendicitis (540-543)	28	1	–	2	1	1	–	2	4	5	6	4	30	–	–	1	–	1	1	3	5	6	6	5
White	24	–	–	2	1	1	–	2	4	4	6	4	28	–	–	1	–	1	1	3	3	6	6	5
All other	2	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Black	2	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	174	8	–	–	2	4	9	9	17	35	49	41	221	6	–	–	1	1	5	7	17	42	76	66
White	140	3	–	–	–	2	4	6	14	30	44	37	201	4	–	–	1	–	4	7	16	35	71	64
All other	34	5	–	–	2	2	5	3	3	5	5	4	20	2	–	–	1	1	1	–	1	7	5	2
Black	33	4	–	–	2	2	5	3	3	5	5	4	20	2	–	–	1	1	1	–	1	7	5	2
Chronic liver disease and cirrhosis (571)	2,388	2	1	–	12	176	354	563	643	484	134	19	1,151	–	–	1	5	66	123	288	309	232	103	24
White	1,752	–	1	–	7	97	210	375	506	418	120	19	868	–	–	–	5	25	68	196	247	203	89	23
All other	636	2	–	–	5	79	144	188	137	66	14	–	285	–	–	1	–	41	55	92	62	29	4	1
Black	610	2	–	–	5	78	140	180	131	62	11	–	277	–	–	1	–	40	55	91	60	27	3	–
Cholelithiasis and other disorders of gallbladder (574-575)	105	–	–	–	–	–	–	8	7	26	43	21	149	–	–	–	–	1	1	6	7	28	51	55
White	97	–	–	–	–	–	–	7	7	22	40	21	137	–	–	–	–	–	1	5	6	23	48	54
All other	8	–	–	–	–	–	–	1	–	4	3	–	12	–	–	–	–	1	–	1	1	5	3	1
Black	7	–	–	–	–	–	–	1	–	4	2	–	11	–	–	–	–	1	–	1	1	4	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	569	9	1	3	6	17	21	35	71	131	180	119	504	8	2	2	6	10	13	29	56	118	150	110
White	504	9	1	2	6	7	12	26	61	109	166	105	408	7	2	2	5	7	9	15	34	92	132	103
All other	65	–	–	1	2	10	9	9	10	22	14	6	96	1	–	–	1	3	4	14	22	26	18	7
Black	61	–	–	1	2	10	9	9	10	19	14	7	94	1	–	–	1	3	4	14	22	26	16	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	–	–	1	1	–	1	2	–	3	3	–	13	–	1	–	–	–	1	–	–	3	4	4
White	9	–	–	–	–	–	1	2	–	3	3	–	12	–	1	–	–	–	1	–	–	3	3	4
All other	2	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	96	1	–	1	3	6	5	7	16	20	23	14	73	–	–	1	1	4	3	3	8	12	25	16
White	73	1	–	1	2	2	2	3	13	16	20	13	57	–	–	1	1	3	1	3	1	11	22	14
All other	23	–	–	–	1	4	3	4	3	4	3	1	16	–	–	–	–	1	2	–	7	1	3	2
Black	21	–	–	–	1	4	3	4	3	2	3	1	16	–	–	–	–	1	2	–	7	1	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	482	8	1	1	4	11	15	26	55	106	154	99	418	8	1	1	5	6	9	26	48	103	121	90
White	422	8	1	1	4	5	9	21	48	90	143	92	339	7	1	1	4	4	7	12	33	78	107	85
All other	60	–	–	–	–	6	6	5	7	16	11	7	79	1	–	–	1	2	2	14	15	25	14	5
Black	58	–	–	–	–	6	6	5	7	17	11	6	77	1	–	–	1	2	2	14	15	25	12	5
Infections of kidney (590)	82	–	–	–	–	–	–	6	5	21	32	18	127	–	–	–	–	1	6	5	18	17	50	30
White	74	–	–	–	–	–	–	4	4	20	29	17	109	–	–	–	–	1	1	4	14	15	45	29
All other	8	–	–	–	–	–	–	2	1	1	3	1	18	–	–	–	–	–	5	1	4	2	5	1
Black	7	–	–	–	–	–	–	2	1	–	3	1	15	–	–	–	–	–	5	1	1	2	5	1
Hyperplasia of prostate (600)	65	–	–	–	–	–	–	–	2	24	39	20	...	...	...	...	...	...	...	...	...	...	...	...
White	75	–	–	–	–	–	–	–	2	20	33	20	...	...	...	...	...	...	...	...	...	...	...	...
All other	10	–	–	–	–	–	–	–	–	4	6	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	10	–	–	–	–	–	–	–	–	4	6	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	32	...	...	–	8	17	7	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	–	3	11	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	–	5	6	6	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	–	5	6	4	–	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	–	5	4	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	2	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	2	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	–	3	13	6	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	1	9	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	2	4	5	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	2	4	3	–	...	...	...	...
Congenital anomalies (740-759)	540	325	44	26	27	22	29	17	19	19	7	5	469	301	42	22	14	11	18	18	22	15	17	9
White	446	256	38	20	26	20	25	12	19	18	7	5	389	240	33	12	11	9	13	12	20	14	16	9
All other	94	69	6	6	1	2	4	5	–	1	–	–	100	61	9	10	3	2	5	6	2	1	1	–
Black	86	62	5	6	1	2	4	5	–	1	–	–	90	53	8	10	3	1	5	6	2	1	1	–
Certain conditions originating in the perinatal period (760-779)	1,001	997	3	1	–	–	–	–	–	–	–	–	790	786	3	–	–	–	–	–	–	–	–	–
White	838	835	2	1	–	–	–	–	–	–	–	–	515	513	2	–	–	–	–	–	–	–	–	–
All other	363	362	1	–	–	–	–	–	–	–	–	–	275	273	1	–	–	–	–	–	–	–	–	–
Black	350	349	1	–	–	–	–	–	–	–	–	–	264	262	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	293	292	1	–	–	–	–	–	–	–	–	–	239	239	–	–	–	–	–	–	–	–	–	–
White	198	197	1	–	–	–	–	–	–	–	–	–	161	161	–	–	–	–	–	–	–	–	–	–
All other	95	95	–	–	–	–	–	–	–	–	–	–	78	78	–	–	–	–	–	–	–	–	–	–
Black	93	93	–	–	–	–	–	–	–	–	–	–	73	73	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	708	705	2	1	–	–	–	–	–	–	–	–	551	547	3	–	–	–	–	–	–	–	–	–
White	440	438	1	1	–	–	–	–	–	–	–	–	354	352	2	–	–	–	–	–	–	–	–	–
All other	268	267	1	–	–	–	–	–	–	–	–	–	197	195	1	–	–	–	–	–	–	–	–	–
Black	257	256	1	–	–	–	–	–	–	–	–	–	191	189	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	521	177	8	3	67	98	61	33	26	24	16	7	390	147	7	5	37	51	30	20	26	28	17	22
White	368	97	4	1	51	81	44	22	24	21	15	7	264	76	6	5	24	34	21	16	21	25	15	21
All other	153	80	4	2	16	17	17	11	2	3	1	–	126	71	1	–	13	17	9	4	5	3	2	1
Black	145	75	4	2	16	15	17	11	2	2	1	–	119	67	1	–	11	17	9	4	4	3	2	1
All other diseases (Residual)	4,072	68	33	37	158	298	261	393	653	850	854	467	3,906	64	33	44	76	154	183	249	443	745	1,042	871
White	3,313	50	24	33	123	176	135	262	541	747	782	440	3,305	43	26	32	56	105	101	170	363	653	948	806
All other	759	18	9	4	35	122	126	131	112	103	72	27	601	21	7	12	20	49	82	79	80	92	94	65
Black	722	17	8	3	35	121	124	129	109	94	60	22	581	20	5	10	20	48	78	79	79	88	92	62
Accidents and adverse effects (E800-E949)	3,864	24	97	204	1,007	619	352	379	375	332	302	170	1,819	22	52	83	271	154	125	139	160	250	313	249
White	3,320	20	69	151	916	529	276	303	317	296	280	160	1,593	19	33	57	255	125	97	115	139	225	291	236
All other	544	4	28	53	91	90	76	76	58	36	22	10	226	3	19	26	16	29	28	24	21	25	22	13
Black	497	4	26	53	83	80	69	69	51	34	20	8	214	3	19	25	14	26	24	22	21	25	22	11
Motor vehicle accidents (E810-E825)	1,890	3	23	93	717	341	191	170	149	99	61	22	731	5	11	41	215	99	71	69	54	91	60	15
White	1,696	3	14	74	668	312	161	146	128	91	78	20	668	4	8	30	209	90	57	60	48	87	58	15
All other	194	–	9	19	49	29	30	24	21	8	3	2	65	1	3	11	6	9	14	9	6	4	2	–
Black	174	–	9	19	43	25	27	22	17	8	2	2	57	1	3	11	5	8	10	7	6	4	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,974	21	74	111	290	278	161	209	226	233	221	149	1,088	17	41	42	56	55	54	70	106	159	253	234
White	1,624	17	55	77	248	217	115	157	189	205	202	140	927	15	25	27	46	35	40	55	91	136	233	221
All other	350	4	19	34	42	61	46	52	37	28	19	8	161	2	16	15	10	20	14	15	15	21	20	13
Black	323	4	17	34	40	55	42	47	34	26	18	6	157	2	16	14	9	20	14	15	15	21	20	11
Suicide (E950-E959)	1,211	...	...	1	236	274	174	156	136	126	81	23	452	...	...	5	58	75	77	80	70	62	22	5
White	1,078	...	...	1	199	241	140	145	132	121	77	22	415	...	...	5	51	65	73	70	66	61	19	5
All other	133	...	...	–	37	33	34	13	6	5	4	1	37	...	...	–	5	10	4	10	4	1	3	–
Black	119	...	...	–	33	31	31	12	5	3	3	1	29	...	...	–	5	8	3	8	3	1	1	–
Homicide and legal intervention (E960-E978)	1,710	12	6	17	516	505	265	216	114	42	11	3	401	9	14	16	104	62	40	51	30	24	18	12
White	874	7	4	6	259	254	131	106	66	29	7	3	228	5	4	6	58	43	18	29	23	16	14	11
All other	836	5	2	11	257	251	134	110	48	13	4	–	173	4	10	10	46	39	22	22	7	8	4	1
Black	808	5	2	10	249	243	128	106	46	13	3	–	169	4	10	10	45	38	22	22	6	8	3	1
All other external causes (E980-E999)	530	2	16	13	97	132	76	82	54	34	17	7	210	9	6	4	29	33	29	33	20	16	23	6
White	345	1	9	8	56	90	45	53	39	27	12	5	139	3	5	2	17	21	15	23	14	13	16	6
All other	185	1	7	5	41	42	31	29	15	7	5	2	71	6	1	2	12	12	14	10	6	3	5	–
Black	179	1	6	5	39	41	31	29	14	7	4	2	66	6	1	2	11	12	11	10	6	2	5	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	28,584	705	124	198	937	966	1,303	2,723	5,364	6,956	5,153	2,147	20,091	564	102	127	325	348	601	1,339	2,733	4,441	5,851	3,861
White	19,932	346	69	133	697	596	809	1,938	3,964	5,354	4,201	1,823	15,195	286	54	92	218	200	381	892	1,923	3,257	4,571	3,341
All other	6,652	359	55	65	240	368	494	787	1,400	1,602	952	324	4,896	278	48	35	107	146	240	447	810	1,184	1,280	520
Black	6,444	341	53	60	228	344	477	768	1,371	1,566	915	315	4,778	267	44	30	95	141	237	436	801	1,162	1,054	510
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–	–	–	–	–	1	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	42	–	–	–	1	–	3	4	15	11	5	3	27	–	–	–	–	–	1	6	4	8	6	2
White	20	–	–	–	–	–	–	2	5	7	3	3	9	–	–	–	–	–	1	2	1	1	2	2
All other	22	–	–	–	1	–	3	2	10	4	2	–	18	–	–	–	–	–	–	4	3	7	4	–
Black	22	–	–	–	1	–	3	2	10	4	2	–	18	–	–	–	–	–	–	4	3	7	4	–
Tuberculosis of respiratory system (010-012)	39	–	–	–	1	–	3	4	15	9	5	2	20	–	–	–	–	–	1	5	3	5	4	2
White	18	–	–	–	–	–	–	2	5	6	3	2	8	–	–	–	–	–	1	2	1	1	1	2
All other	21	–	–	–	1	–	3	2	10	3	2	–	12	–	–	–	–	–	–	3	2	4	3	–
Black	21	–	–	–	1	–	3	2	10	3	2	–	12	–	–	–	–	–	–	3	2	4	3	–
Other tuberculosis (013-018)	3	–	–	–	–	–	–	–	–	2	–	1	7	–	–	–	–	–	–	1	1	3	2	–
White	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	1	1	3	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	1	1	3	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	7	1	2	–	1	1	1	–	–	–	–	1	4	2	–	–	1	–	–	–	1	–	–	–
White	4	1	1	–	–	1	–	–	–	–	–	1	4	2	–	–	1	–	–	–	1	–	–	–
All other	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	131	10	1	–	1	2	2	15	23	39	24	14	119	6	2	–	–	2	2	3	21	32	32	19
White	79	2	1	–	–	1	1	5	16	24	18	11	81	3	1	–	–	2	1	1	14	25	20	14
All other	52	8	–	–	1	1	1	10	7	15	6	3	38	3	1	–	–	–	1	2	7	7	12	5
Black	50	7	–	–	1	1	1	9	7	15	6	3	36	2	1	–	–	–	1	2	7	7	11	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	18	–	–	–	5	2	–	1	4	2	2	–	11	–	–	–	3	–	2	–	3	1	1	1
White	13	–	–	–	4	1	–	1	4	2	1	–	10	–	–	–	3	–	1	–	3	1	1	1
All other	3	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	3	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Syphilis (090-097)	2	–	–	–	–	–	–	1	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
All other	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	54	1	4	2	2	5	5	3	9	12	10	1	50	3	1	1	3	3	6	4	5	11	9	4
White	38	–	4	–	2	2	1	1	6	10	9	1	33	3	1	–	1	2	2	3	2	7	6	4
All other	16	1	–	2	–	3	4	2	1	2	1	–	17	–	–	1	2	1	4	1	3	4	1	–
Black	16	1	–	2	–	3	4	2	1	2	1	–	17	–	–	1	2	1	4	1	3	4	1	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,172	–	10	24	42	51	173	563	1,387	1,723	949	250	3,929	1	3	20	24	61	171	505	929	1,056	855	304
White	3,908	–	8	21	30	43	123	428	1,090	1,282	734	208	3,069	1	3	16	16	43	128	397	711	813	686	255
All other	1,264	–	1	3	12	8	50	135	357	441	215	42	860	–	–	4	8	18	43	108	218	243	169	49
Black	1,237	–	1	3	12	7	50	135	348	433	209	42	844	–	–	4	7	17	43	104	218	240	163	48

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	118	-	-	-	1	-	6	31	31	33	13	3	65	-	-	-	1	-	3	9	14	17	18	3
White	92	-	-	-	1	-	1	21	24	31	12	2	49	-	-	-	1	-	1	5	9	13	17	3
All other	26	-	-	-	-	-	5	10	7	2	1	1	16	-	-	-	-	-	2	4	5	4	1	-
Black	28	-	-	-	-	-	5	10	7	2	1	1	16	-	-	-	-	-	2	4	5	4	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,186	-	1	1	2	7	45	114	311	412	228	65	1,053	-	-	1	2	6	16	73	210	295	321	129
White	861	-	1	1	1	5	29	70	219	303	176	56	786	-	-	1	2	6	12	57	151	203	249	105
All other	325	-	-	-	1	2	16	44	92	109	52	9	267	-	-	-	-	-	4	16	59	92	72	24
Black	320	-	-	-	1	2	16	44	90	107	51	9	261	-	-	-	-	-	4	15	59	91	69	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,881	-	-	-	1	3	40	243	660	656	243	35	450	-	-	-	-	-	2	20	76	149	128	57	18
White	1,481	-	-	-	1	2	30	202	496	514	208	28	386	-	-	-	-	-	-	15	67	126	114	49	15
All other	400	-	-	-	-	1	10	41	164	142	35	7	64	-	-	-	-	-	2	5	9	23	14	8	3
Black	394	-	-	-	-	1	10	41	161	140	34	7	64	-	-	-	-	-	2	5	9	23	14	8	3
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	2	1	2	1	742	-	-	-	1	23	59	166	188	179	97	29
White	4	-	-	-	-	-	-	-	2	1	-	1	585	-	-	-	1	12	45	125	148	155	76	23
All other	2	-	-	-	-	-	-	-	-	-	2	-	157	-	-	-	-	11	14	41	40	24	21	6
Black	2	-	-	-	-	-	-	-	-	-	2	-	155	-	-	-	-	10	14	40	40	24	21	6
Malignant neoplasms of genital organs (179-187)	586	-	-	-	3	1	2	12	74	195	234	75	490	-	-	1	2	9	28	71	130	138	69	28
White	375	-	-	-	3	1	1	7	39	112	154	58	368	-	-	1	2	6	19	58	86	102	69	25
All other	221	-	-	-	-	-	1	5	35	83	80	17	122	-	-	-	-	3	9	13	44	36	14	3
Black	214	-	-	-	-	-	1	5	34	82	75	17	120	-	-	-	-	3	9	12	44	35	14	3
Malignant neoplasms of urinary organs (188-189)	221	-	1	-	-	1	8	18	48	88	38	19	120	-	-	-	-	1	1	9	27	30	39	13
White	186	-	1	-	-	1	7	15	41	70	34	17	97	-	-	-	-	1	1	5	24	21	32	13
All other	35	-	-	-	-	-	1	3	7	18	4	2	23	-	-	-	-	-	-	4	3	9	7	-
Black	34	-	-	-	-	-	1	3	7	17	4	2	23	-	-	-	-	-	-	4	3	9	7	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	676	-	4	11	17	19	47	101	156	199	95	27	624	-	-	14	10	13	26	67	142	153	147	52
White	526	-	3	8	11	17	40	81	124	142	77	23	491	-	-	11	6	11	19	54	113	115	118	44
All other	150	-	1	3	6	2	7	20	32	57	18	4	133	-	-	3	4	2	7	13	29	38	29	8
Black	146	-	1	3	6	1	7	20	30	57	17	4	129	-	-	3	3	2	7	13	29	37	27	8
Leukemia (204-208)	212	-	4	6	10	13	8	12	41	57	48	11	162	1	2	4	6	4	12	18	21	37	40	17
White	179	-	4	6	7	11	4	10	35	47	42	11	138	1	2	3	3	4	11	14	17	33	37	14
All other	33	-	-	-	3	2	4	2	6	10	6	-	23	-	-	1	3	-	1	4	4	4	3	3
Black	31	-	-	-	3	2	4	2	6	9	5	-	23	-	-	1	3	-	1	4	4	4	3	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	276	-	-	4	6	7	17	32	64	82	48	14	223	-	1	-	2	3	6	16	48	79	53	15
White	204	-	-	4	6	6	11	22	50	62	31	12	168	-	1	-	1	3	5	12	37	57	39	13
All other	72	-	-	-	2	1	6	10	14	20	17	2	55	-	-	-	1	-	1	4	11	22	14	2
Black	70	-	-	-	2	1	6	10	13	19	17	2	53	-	-	-	1	-	1	3	11	22	13	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	77	1	-	4	3	5	5	10	16	16	12	5	85	-	2	1	3	9	3	7	16	21	13	10
White	57	1	-	2	3	3	2	7	10	12	12	5	67	-	1	-	1	7	3	5	14	16	11	9
All other	20	-	-	2	-	2	3	3	6	4	-	-	18	-	1	1	2	2	-	2	2	5	2	1
Black	19	-	-	1	-	2	3	3	6	4	-	-	17	-	1	1	2	2	-	2	2	5	1	1
Diabetes mellitus (250)	368	-	-	-	4	7	23	37	104	104	71	18	432	-	-	-	1	3	19	31	67	136	110	45
White	250	-	-	-	2	5	14	25	71	69	50	14	260	-	-	-	1	2	7	13	45	74	84	34
All other	118	-	-	-	2	2	9	12	33	35	21	4	172	-	-	-	-	1	12	18	42	62	26	11
Black	113	-	-	-	2	2	9	10	33	33	21	3	164	-	-	-	-	1	11	16	40	59	26	11
Nutritional deficiencies (260-269)	25	1	-	-	-	-	-	1	5	8	4	6	32	-	-	-	-	-	2	-	1	10	10	9
White	18	-	-	-	-	-	-	-	4	6	3	5	23	-	-	-	-	-	-	-	1	7	9	6
All other	7	1	-	-	-	-	-	1	1	2	1	1	9	-	-	-	-	-	2	-	-	3	1	3
Black	7	1	-	-	-	-	-	1	1	2	1	1	9	-	-	-	-	-	2	-	-	3	1	3
Anemias (280-285)	44	1	2	1	7	2	3	1	7	5	8	7	41	-	1	2	1	2	4	2	2	9	10	5
White	22	-	-	1	-	-	2	1	4	3	5	6	24	-	1	-	-	-	1	1	2	7	8	6
All other	22	1	2	-	7	2	1	-	3	2	3	1	17	-	-	2	1	2	3	1	-	2	4	2
Black	22	1	2	-	7	2	1	-	3	2	3	1	17	-	-	2	1	2	3	1	-	2	4	2
Meningitis (320-322)	27	9	5	-	-	1	3	1	4	2	2	-	11	3	3	-	-	-	-	1	-	4	-	-
White	12	5	1	-	-	-	2	-	1	1	2	-	5	1	1	-	-	-	-	-	-	3	-	-
All other	15	4	4	-	-	1	1	1	3	1	-	-	6	2	2	-	-	-	-	1	-	1	-	-
Black	15	4	4	-	-	1	1	1	3	1	-	-	5	2	1	-	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	12,522	16	3	7	28	87	344	1,155	2,582	3,794	3,068	1,437	10,743	9	1	7	16	45	127	374	1,096	2,434	3,771	2,861
White	9,880	7	2	3	20	45	230	857	1,957	2,990	2,542	1,227	8,318	5	-	6	5	16	66	216	714	1,775	3,088	2,477
All other	2,642	9	1	4	8	42	114	298	625	804	526	210	2,425	4	1	1	11	29	61	158	384	659	738	384
Black	2,571	9	1	4	7	41	110	295	611	782	508	204	2,361	4	1	1	11	29	59	155	379	648	719	375

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	9,876	16	3	5	21	68	292	993	2,200	3,074	2,221	982	7,467	7	1	7	13	26	81	263	864	1,801	2,561	1,843
White	7,970	7	2	3	16	38	210	773	1,726	2,490	1,870	837	5,778	3	–	6	3	8	42	160	576	1,329	2,061	1,590
All other	1,906	9	1	2	5	32	82	220	474	584	351	145	1,689	4	1	1	10	18	39	103	288	472	500	253
Black	1,852	9	1	2	4	31	79	217	462	568	339	141	1,658	4	1	1	10	18	37	102	283	464	491	245
Rheumatic fever and rheumatic heart disease (390-398)	64	–	–	–	1	3	9	9	14	18	9	1	95	–	–	–	2	5	3	13	22	28	17	7
White	50	–	–	–	–	–	4	7	14	15	9	1	72	–	–	–	–	–	3	9	15	23	16	6
All other	14	–	–	–	1	3	5	2	–	3	–	–	23	–	–	–	2	5	–	4	7	3	1	1
Black	13	–	–	–	1	2	5	2	–	3	–	–	22	–	–	–	2	5	–	4	6	3	1	1
Hypertensive heart disease (402)	277	–	–	–	–	2	7	29	60	89	69	21	398	–	–	–	–	2	5	25	58	108	116	84
White	142	–	–	–	–	–	2	13	19	50	43	15	217	–	–	–	–	1	2	10	21	51	70	62
All other	135	–	–	–	–	2	5	16	41	39	26	6	181	–	–	–	–	1	3	15	37	57	46	22
Black	134	–	–	–	–	2	5	16	41	38	26	6	178	–	–	–	–	1	3	15	37	55	46	21
Hypertensive heart and renal disease (404)	57	–	–	–	–	–	2	5	8	13	18	11	85	–	–	–	–	–	3	2	9	23	29	19
White	27	–	–	–	–	–	–	–	1	7	11	8	48	–	–	–	–	–	1	1	2	8	20	16
All other	30	–	–	–	–	–	2	5	7	6	7	3	37	–	–	–	–	–	2	1	7	15	9	3
Black	30	–	–	–	–	–	2	5	7	6	7	3	37	–	–	–	–	–	2	1	7	15	9	3
Ischemic heart disease (410-414)	7,693	1	–	–	1	37	221	811	1,801	2,458	1,661	691	5,092	–	–	–	1	9	45	162	600	1,301	1,769	1,185
White	6,448	1	–	–	1	28	177	658	1,485	2,066	1,437	594	4,091	–	–	–	–	3	24	103	432	1,009	1,486	1,025
All other	1,237	–	–	–	–	11	44	152	316	392	224	97	1,011	–	–	–	1	6	21	59	168	292	304	160
Black	1,192	–	–	–	–	11	42	149	304	378	214	93	985	–	–	–	1	6	19	59	165	286	295	154
Acute myocardial infarction (410)	5,115	–	–	–	–	27	172	593	1,299	1,705	1,004	314	2,966	–	–	–	1	6	30	115	418	869	1,023	505
White	4,367	–	–	–	–	20	147	491	1,095	1,459	881	274	2,432	–	–	–	–	3	14	78	316	698	876	447
All other	748	–	–	–	–	7	25	102	204	246	123	40	534	–	–	–	1	3	16	37	102	170	147	58
Black	719	–	–	–	–	7	25	99	197	235	117	38	519	–	–	–	1	3	14	37	101	166	141	56
Other acute and subacute forms of ischemic heart disease (411)	120	1	–	–	–	2	3	16	37	42	11	8	70	–	–	–	–	–	–	3	14	29	16	8
White	86	1	–	–	–	–	1	11	26	32	6	7	45	–	–	–	–	–	–	2	8	18	14	3
All other	34	–	–	–	–	2	2	5	11	10	3	1	25	–	–	–	–	–	–	1	6	11	2	5
Black	34	–	–	–	–	2	2	5	11	10	3	1	25	–	–	–	–	–	–	1	6	11	2	5
Angina pectoris (413)	10	–	–	–	–	–	–	1	4	3	1	1	14	–	–	–	–	–	–	–	2	1	6	3
White	9	–	–	–	–	–	–	1	4	2	1	1	10	–	–	–	–	–	–	–	–	1	6	3
All other	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	2	–	2	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	2	–	2	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,438	–	–	–	1	8	46	201	461	708	645	368	2,042	–	–	–	–	3	15	44	166	403	742	669
White	1,984	–	–	–	1	6	29	158	360	573	547	312	1,594	–	–	–	–	–	10	23	108	292	589	572
All other	454	–	–	–	–	2	17	45	101	135	98	56	448	–	–	–	–	3	5	21	58	111	153	97
Black	438	–	–	–	–	2	15	45	96	132	94	54	437	–	–	–	–	3	5	21	56	109	150	93
Other diseases of endocardium (424)	81	–	–	1	3	1	1	10	23	27	13	2	77	–	–	–	–	–	1	6	7	25	25	13
White	66	–	–	1	3	1	–	8	16	23	12	2	61	–	–	–	–	–	1	4	6	21	18	11
All other	15	–	–	–	–	–	1	2	7	4	1	–	16	–	–	–	–	–	–	2	1	4	7	2
Black	14	–	–	–	–	–	1	2	7	3	1	–	16	–	–	–	–	–	–	2	1	4	7	2
All other forms of heart disease (415-423,425-429)	1,714	15	3	4	16	25	52	129	294	489	451	256	1,720	7	1	7	10	10	24	55	168	318	585	535
White	1,239	6	2	2	12	9	27	86	191	329	358	217	1,299	3	–	6	3	4	11	33	100	217	452	470
All other	475	9	1	2	4	16	25	43	103	160	93	39	421	4	1	1	7	6	13	22	68	101	133	65
Black	469	9	1	2	3	16	24	43	103	138	91	39	418	4	1	1	7	6	13	21	67	101	133	64
Hypertension with or without renal disease (401,403)	117	–	–	–	2	1	6	11	21	36	25	15	114	–	–	–	–	–	2	11	19	30	33	19
White	59	–	–	–	1	1	3	3	8	18	14	11	52	–	–	–	–	–	–	2	5	12	16	17
All other	58	–	–	–	1	–	3	8	13	18	11	4	62	–	–	–	–	–	2	9	14	18	17	2
Black	57	–	–	–	1	–	3	8	13	17	11	4	61	–	–	–	–	–	2	8	14	18	16	2
Cerebrovascular diseases (430-438)	2,007	–	–	1	3	15	44	133	259	539	666	347	2,682	1	–	–	2	16	42	91	187	523	1,002	818
White	1,440	–	–	–	3	6	15	71	149	370	530	296	2,112	1	–	–	2	7	24	51	117	375	824	711
All other	567	–	–	1	–	9	29	62	110	169	136	51	570	–	–	–	–	9	18	40	70	148	178	107
Black	554	–	–	1	–	9	28	62	108	167	130	49	562	–	–	–	–	9	18	38	70	145	176	106
Intracerebral and other intracranial hemorrhage (431-432)	240	–	–	1	1	6	11	46	44	72	47	12	273	–	–	–	–	5	17	28	44	63	76	40
White	159	–	–	–	1	1	3	27	23	50	42	12	201	–	–	–	–	3	6	16	32	47	67	30
All other	81	–	–	1	–	5	8	19	21	22	5	–	72	–	–	–	–	2	11	12	12	16	9	10
Black	80	–	–	1	–	5	7	19	21	22	5	–	72	–	–	–	–	2	11	12	12	16	9	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	410	–	–	–	1	1	–	17	48	108	151	84	620	1	–	–	1	1	2	8	28	108	250	221
White	286	–	–	–	1	–	–	4	29	72	113	69	515	1	–	–	1	–	1	4	18	84	212	194
All other	122	–	–	–	–	1	–	13	19	36	38	15	105	–	–	–	–	1	1	4	10	24	38	27
Black	119	–	–	–	–	1	–	13	18	36	37	14	104	–	–	–	–	1	1	4	10	24	38	26

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	7	–	–	–	–	–	1	–	2	3	–	1	11	–	–	–	–	–	–	–	–	3	3	5
White	5	–	–	–	–	–	1	–	–	3	–	1	9	–	–	–	–	–	–	–	–	2	2	5
All other	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,350	–	–	–	1	8	32	70	165	356	468	250	1,778	–	–	–	1	10	23	55	115	349	673	552
White	988	–	–	–	1	5	11	40	97	245	375	214	1,387	–	–	–	1	4	17	31	67	242	543	462
All other	362	–	–	–	–	3	21	30	68	111	93	36	391	–	–	–	–	6	6	24	48	107	130	70
Black	353	–	–	–	–	3	21	30	67	109	88	35	384	–	–	–	–	6	6	22	48	104	128	70
Atherosclerosis (440)	239	–	–	–	–	–	–	3	34	54	83	64	341	–	–	–	–	–	1	–	14	46	125	155
White	167	–	–	–	–	–	–	–	19	32	59	57	273	–	–	–	–	–	–	–	8	30	97	138
All other	71	–	–	–	–	–	–	3	15	22	24	7	68	–	–	–	–	–	1	–	6	16	28	17
Black	68	–	–	–	–	–	–	3	15	21	22	7	66	–	–	–	–	–	1	–	6	16	26	17
Other diseases of arteries, arterioles, and capillaries (441-448)	284	–	–	1	2	3	2	15	68	91	73	29	138	1	–	–	1	3	1	9	14	34	50	26
White	244	–	–	–	–	2	2	10	55	80	69	26	103	1	–	–	–	1	–	3	8	29	40	21
All other	40	–	–	1	2	1	–	5	13	11	4	3	36	–	–	–	1	2	1	6	6	5	10	5
Black	40	–	–	1	2	1	–	5	13	11	4	3	36	–	–	–	1	2	1	6	6	5	10	5
Acute bronchitis and bronchiolitis (466)	11	3	1	–	1	–	–	2	–	3	–	1	4	–	1	–	–	–	–	–	–	2	1	–
White	8	1	–	–	1	–	–	2	–	3	–	1	4	–	1	–	–	–	–	–	–	2	1	–
All other	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (460-487)	573	18	2	3	1	6	23	33	71	119	180	117	482	8	4	7	–	5	16	23	29	58	166	166
White	429	12	1	3	1	2	9	17	45	87	149	103	411	3	1	6	–	2	9	14	21	42	158	155
All other	144	6	1	–	–	4	14	16	26	32	31	14	71	5	3	1	–	3	7	9	8	16	8	11
Black	138	6	1	–	–	4	12	16	26	31	29	13	70	5	3	1	–	3	7	9	8	16	7	11
Pneumonia (480-486)	568	18	2	2	1	6	22	33	70	118	179	117	477	8	4	7	–	5	15	23	29	58	165	166
White	426	12	1	2	1	2	9	17	44	86	149	103	407	3	1	6	–	2	9	14	21	42	157	152
All other	142	6	1	–	–	4	13	16	26	32	30	14	70	5	3	1	–	3	6	9	8	16	8	11
Black	136	6	1	–	–	4	11	16	26	31	28	13	69	5	3	1	–	3	6	9	8	16	7	11
Influenza (487)	5	–	–	1	–	–	1	–	1	1	1	–	5	–	–	–	–	–	1	–	–	–	1	3
White	3	–	–	1	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	–	1	3
All other	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Black	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	600	1	–	2	–	1	8	39	178	295	221	55	290	–	1	1	3	1	3	20	80	94	66	21
White	494	–	–	–	–	–	3	31	156	253	204	47	256	–	–	1	2	1	1	16	70	83	66	16
All other	106	1	–	2	–	1	5	8	22	42	17	8	32	–	1	–	1	–	2	4	10	11	–	3
Black	103	–	–	2	–	1	4	8	21	42	17	8	32	–	1	–	1	–	2	4	10	11	–	3
Bronchitis, chronic and unspecified (490-491)	41	1	–	–	–	–	–	2	9	12	12	5	22	–	–	–	–	–	–	1	4	10	3	4
White	35	–	–	–	–	–	–	1	8	11	11	4	20	–	–	–	–	–	–	–	4	10	3	3
All other	6	1	–	–	–	–	–	1	1	1	1	1	2	–	–	–	–	–	–	1	–	–	–	1
Black	5	–	–	–	–	–	–	1	1	1	1	1	2	–	–	–	–	–	–	1	–	–	–	1
Emphysema (492)	205	–	–	–	–	–	2	8	60	70	52	13	60	–	–	–	–	–	–	7	15	22	13	3
White	184	–	–	–	–	–	1	6	51	64	48	11	56	–	–	–	–	–	–	6	14	20	13	3
All other	21	–	–	–	–	–	1	–	9	6	3	2	4	–	–	–	–	–	–	1	1	2	–	–
Black	20	–	–	–	–	–	1	–	8	6	3	2	4	–	–	–	–	–	–	1	1	2	–	–
Asthma (493)	45	–	–	2	–	1	3	6	10	16	6	1	36	–	1	1	3	–	2	4	10	11	2	2
White	30	–	–	–	–	–	1	4	8	11	5	1	24	–	–	1	2	–	–	3	6	8	2	2
All other	15	–	–	2	–	1	2	2	2	5	1	–	12	–	1	–	1	–	2	1	4	3	–	–
Black	14	–	–	2	–	1	1	2	2	5	1	–	12	–	1	–	1	–	2	1	4	3	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	509	–	–	–	–	–	3	23	89	197	151	36	172	–	–	–	–	1	1	8	51	51	48	12
White	445	–	–	–	–	–	1	18	88	167	139	31	158	–	–	–	–	1	1	7	48	45	48	10
All other	64	–	–	–	–	–	2	5	10	30	12	5	14	–	–	–	–	–	–	1	5	6	–	2
Black	64	–	–	–	–	–	2	5	10	30	12	5	14	–	–	–	–	–	–	1	5	6	–	2
Ulcer of stomach and duodenum (531-533)	77	–	–	–	–	–	3	11	19	20	17	7	56	–	–	–	1	–	1	4	10	10	21	9
White	64	–	–	–	–	–	3	7	17	16	14	7	47	–	–	–	1	–	1	2	8	8	18	9
All other	13	–	–	–	–	–	–	4	2	4	3	–	9	–	–	–	–	–	–	2	2	2	3	–
Black	12	–	–	–	–	–	–	3	2	4	3	–	9	–	–	–	–	–	–	2	2	2	3	–
Appendicitis (540-543)	8	–	–	–	–	–	1	3	–	1	3	–	7	–	1	–	–	–	1	1	–	2	2	–
White	4	–	–	–	–	–	–	–	–	1	3	–	3	–	1	–	–	–	–	–	–	1	1	–
All other	4	–	–	–	–	–	1	3	–	–	–	–	4	–	–	–	–	–	1	1	–	1	1	–
Black	4	–	–	–	–	–	1	3	–	–	–	–	4	–	–	–	–	–	1	1	–	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	3	2	–	–	–	–	1	9	11	16	5	67	4	1	1	2	2	–	3	2	12	18	22
White	34	1	–	–	–	–	–	1	5	6	16	5	54	2	–	–	2	–	–	2	2	10	15	21
All other	13	2	2	–	–	–	–	–	4	5	–	–	13	2	1	1	–	2	–	1	–	2	3	1
Black	13	2	2	–	–	–	–	–	4	5	–	–	12	2	1	–	–	2	–	1	–	2	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	485	–	–	–	–	15	88	149	149	71	14	1	227	–	–	–	2	9	29	70	61	44	10	2
White	344	–	–	–	–	7	54	104	110	57	12	–	142	–	–	–	1	2	14	40	42	34	7	2
All other	141	–	–	–	–	8	32	45	39	14	2	1	85	–	–	–	1	7	15	30	19	10	3	–
Black	139	–	–	–	–	8	32	44	38	14	2	1	84	–	–	–	1	7	15	30	18	10	3	–
Cholelithiasis and other disorders of gallbladder (574-575)	34	–	–	–	–	1	–	2	8	9	11	3	42	–	–	–	–	–	2	4	2	9	16	9
White	30	–	–	–	–	1	–	2	8	7	9	3	33	–	–	–	–	–	1	1	2	7	15	7
All other	4	–	–	–	–	–	–	–	–	2	2	–	9	–	–	–	–	–	1	3	–	2	1	2
Black	3	–	–	–	–	–	–	–	–	2	1	–	9	–	–	–	–	–	1	3	–	2	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	236	1	1	4	3	7	11	16	38	85	70	20	208	3	–	1	3	3	8	15	48	39	60	28
White	152	1	1	2	2	5	5	9	19	44	49	15	114	1	–	1	2	–	5	6	23	17	37	22
All other	84	–	–	2	1	2	6	7	19	21	21	5	94	2	–	–	1	3	3	9	25	22	23	6
Black	80	–	–	2	1	1	6	6	19	21	19	5	92	2	–	–	1	3	3	9	25	21	22	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	1	1	–	–	–	1	–	2	–	2	1	3	–	–	–	–	–	–	–	1	1	1	–
White	5	1	1	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–	–	1	1	1	–
All other	3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	54	–	–	–	1	2	3	5	5	16	13	7	34	–	–	1	–	1	3	3	3	9	9	5
White	34	–	–	–	–	1	2	3	3	14	10	4	21	–	–	1	–	–	2	1	3	5	5	4
All other	20	–	–	–	1	2	2	3	2	4	3	3	13	–	–	–	–	1	1	2	–	4	4	1
Black	18	–	–	–	1	1	2	2	2	4	3	3	13	–	–	–	–	1	1	2	–	4	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	–	–	4	2	5	7	11	31	47	55	12	171	3	–	–	3	2	5	12	44	29	50	23
White	113	–	–	2	2	5	4	7	15	30	38	10	90	1	–	–	2	–	3	5	19	11	31	18
All other	61	–	–	2	–	–	3	4	16	17	17	2	81	2	–	–	1	2	2	7	25	18	19	5
Black	58	–	–	2	–	–	3	4	16	17	15	2	79	2	–	–	1	2	2	7	25	17	18	5
Infections of kidney (590)	31	2	–	–	–	–	–	–	3	11	13	2	42	–	–	–	–	1	1	1	6	13	12	8
White	15	–	–	–	–	–	–	–	–	6	8	1	34	–	–	–	–	1	–	–	5	12	10	6
All other	16	2	–	–	–	–	–	–	3	5	5	1	8	–	–	–	–	–	1	1	1	1	2	2
Black	15	2	–	–	–	–	–	–	3	5	5	–	8	–	–	–	–	–	1	1	1	1	2	2
Hyperplasia of prostate (600)	20	–	–	–	–	–	–	–	–	3	11	6	...	...	...	...	...	...	...	...	...	...	...	...
White	12	–	–	–	–	–	–	–	–	1	8	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	8	–	–	–	–	–	–	–	–	2	3	3	...	...	...	...	...	...	...	...	...	...	...	...
Black	8	–	–	–	–	–	–	–	–	2	3	3	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	–	5	1	3	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	1	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	3	1	2	–	...	...	...	...
Pregnancy with abortive outcome (630-636)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	–	1	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	5	1	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	–	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
Congenital anomalies (740-759)	168	107	12	11	13	16	3	10	9	4	2	1	183	109	16	12	8	7	6	7	5	9	3	1
White	131	66	7	10	13	9	2	9	8	4	2	1	131	73	11	8	6	6	5	6	4	8	3	1
All other	57	41	5	1	–	7	1	1	1	–	–	–	52	36	5	4	2	1	1	1	1	1	–	–
Black	50	36	5	1	–	5	1	1	1	–	–	–	49	33	5	4	2	1	1	1	1	1	–	–
Certain conditions originating in the perinatal period (760-779)	371	371	–	–	–	–	–	–	–	–	–	–	305	305	–	–	–	–	–	–	–	–	–	–
White	179	179	–	–	–	–	–	–	–	–	–	–	150	150	–	–	–	–	–	–	–	–	–	–
All other	192	192	–	–	–	–	–	–	–	–	–	–	155	155	–	–	–	–	–	–	–	–	–	–
Black	165	165	–	–	–	–	–	–	–	–	–	–	150	150	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	127	127	–	–	–	–	–	–	–	–	–	–	80	80	–	–	–	–	–	–	–	–	–	–
White	74	74	–	–	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
All other	53	53	–	–	–	–	–	–	–	–	–	–	35	35	–	–	–	–	–	–	–	–	–	–
Black	52	52	–	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	244	244	–	–	–	–	–	–	–	–	–	–	225	225	–	–	–	–	–	–	–	–	–	–
White	105	105	–	–	–	–	–	–	–	–	–	–	105	105	–	–	–	–	–	–	–	–	–	–
All other	139	139	–	–	–	–	–	–	–	–	–	–	120	120	–	–	–	–	–	–	–	–	–	–
Black	133	133	–	–	–	–	–	–	–	–	–	–	116	116	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	220	105	4	4	6	14	10	15	24	17	13	7	161	58	3	1	3	6	7	4	9	17	23	19
White	105	49	3	3	4	7	6	4	11	9	9	5	88	26	–	1	1	2	3	2	5	10	20	18
All other	115	62	1	1	2	7	4	11	13	8	4	2	73	42	3	–	2	4	4	2	4	7	3	1
Black	111	58	1	1	2	7	4	11	13	8	4	2	72	41	3	–	2	4	4	2	4	7	3	1
All other diseases (Residual)	1,661	36	13	21	40	63	137	230	316	364	315	126	1,355	23	12	17	22	46	71	122	186	295	324	237
White	1,139	20	4	15	30	36	59	142	205	275	248	105	975	7	8	13	14	21	32	66	131	210	264	209
All other	522	16	9	6	10	27	78	88	111	89	67	21	380	16	4	4	8	25	39	56	55	85	60	28
Black	511	16	9	6	10	26	77	85	110	87	64	21	370	16	4	4	8	23	39	55	54	81	58	28
Accidents and adverse effects (E800-E949)	2,216	12	57	111	580	403	252	255	248	159	84	51	836	15	44	47	162	72	62	75	90	96	100	73
White	1,549	6	33	71	459	275	155	164	170	107	65	43	596	6	21	32	116	50	41	47	70	69	62	62
All other	667	6	24	40	121	128	97	91	78	52	19	8	240	9	23	15	46	22	21	28	20	27	18	11
Black	632	6	22	38	112	120	91	86	77	52	18	8	220	8	20	11	36	21	21	27	20	27	18	11
Motor vehicle accidents (E810-E825)	1,155	2	18	64	411	252	127	107	90	54	22	7	390	3	18	30	122	51	34	36	39	35	17	5
White	832	1	8	43	326	174	86	73	58	39	17	6	299	2	11	21	94	39	27	29	32	25	15	4
All other	323	1	10	21	85	78	41	34	32	15	5	1	91	1	7	9	28	12	7	7	7	10	2	1
Black	299	1	8	19	77	71	39	32	31	15	5	1	79	1	6	6	22	11	7	6	7	10	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,061	10	39	47	169	151	125	148	158	105	62	44	446	12	26	17	40	21	28	39	51	61	83	68
White	717	5	25	28	133	101	69	91	112	68	48	37	297	4	10	11	22	11	14	18	38	44	67	58
All other	344	5	14	19	36	50	56	57	46	37	14	7	149	8	16	6	18	10	14	21	13	17	16	10
Black	333	5	14	17	35	49	52	54	46	37	14	7	141	7	14	5	14	10	14	21	13	17	16	10
Suicide (E950-E959)	537	...	...	2	90	100	93	89	79	62	20	2	170	...	...	2	28	30	24	39	29	12	6	–
White	469	...	...	1	75	82	81	81	71	57	18	2	153	...	...	2	24	25	21	37	27	11	6	–
All other	68	...	...	1	15	18	12	8	8	5	1	–	17	...	...	–	4	5	3	2	2	1	–	–
Black	62	...	...	1	15	16	9	8	7	5	1	–	17	...	...	–	4	5	3	2	2	1	–	–
Homicide and legal intervention (E960-E978)	527	3	5	1	101	164	107	67	49	22	6	1	135	2	3	5	30	36	28	17	7	5	2	–
White	238	–	2	–	47	66	52	30	24	11	5	1	77	1	2	4	18	16	15	14	4	2	1	–
All other	289	3	3	1	54	98	55	37	25	11	1	–	58	1	1	1	12	20	13	3	3	3	1	–
Black	276	3	3	1	52	91	55	35	24	10	1	–	56	1	1	1	11	19	13	3	3	3	1	–
All other external causes (E980-E999)	53	2	–	1	8	13	6	9	7	4	2	–	17	1	3	–	4	2	2	1	2	1	1	–
White	35	1	–	1	4	7	5	6	5	4	2	–	10	1	1	–	1	2	2	1	1	1	–	–
All other	18	1	–	–	4	6	1	3	2	–	–	–	7	–	2	–	3	–	–	–	1	–	1	–
Black	17	1	–	–	4	5	1	3	2	–	–	–	7	–	2	–	3	–	–	–	1	–	1	–
NORTH DAKOTA																								
All causes	3,078	85	13	16	88	76	78	207	420	775	799	521	2,283	55	11	4	44	29	35	100	186	452	633	734
White	2,993	75	11	15	78	66	70	199	410	760	795	514	2,224	46	11	4	38	20	32	96	179	444	625	726
All other	85	10	2	1	10	10	8	8	10	15	4	7	59	9	–	–	6	9	3	4	7	8	5	8
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
White	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	-	-	-	-	-	-	1	-	1	4	1	5	-	-	-	1	-	-	1	-	1	-	2
White	7	-	-	-	-	-	-	1	-	1	4	1	5	-	-	-	1	-	-	1	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-066,071-088, 098-139)	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	1	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	632	-	2	1	2	5	13	43	120	209	161	76	532	-	-	-	10	6	16	55	85	150	138	72
White	627	-	2	1	2	4	13	43	120	208	161	73	519	-	-	-	9	6	16	55	82	147	134	70
All other	5	-	-	-	-	1	-	-	-	1	-	3	13	-	-	-	1	-	-	-	3	3	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	-	-	-	-	-	1	2	6	4	-	1	9	-	-	-	-	-	-	-	3	4	-	2
White	14	-	-	-	-	-	1	2	6	4	-	1	8	-	-	-	-	-	-	-	2	4	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	171	-	-	-	-	1	5	9	36	55	43	22	161	-	-	-	-	2	1	9	21	44	51	33
White	170	-	-	-	-	1	5	9	36	55	43	21	158	-	-	-	-	2	1	9	20	44	49	33
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	178	-	-	-	-	-	4	15	44	67	34	14	35	-	-	-	-	-	1	6	5	14	7	2
White	176	-	-	-	-	-	4	15	44	67	34	12	33	-	-	-	-	-	1	6	5	12	7	2
All other	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	108	-	-	-	-	2	2	19	21	33	20	11
White	-	-	-	-	-	-	-	-	-	-	-	-	106	-	-	-	-	2	2	19	21	32	19	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	79	-	-	-	-	1	-	1	2	25	33	17	68	-	-	-	1	1	4	7	12	22	16	5
White	78	-	-	-	-	1	-	1	2	24	33	17	66	-	-	-	1	1	4	7	12	22	15	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	47	-	-	-	-	-	-	2	6	18	13	8	18	-	-	-	-	-	-	1	2	4	7	4
White	47	-	-	-	-	-	-	2	6	18	13	8	17	-	-	-	-	-	-	1	2	4	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	82	-	1	1	1	2	1	10	15	20	22	9	64	-	-	-	5	1	5	7	13	16	13	4
White	82	-	1	1	1	2	1	10	15	20	22	9	64	-	-	-	5	1	5	7	13	16	13	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	29	-	1	-	1	-	1	1	6	9	7	3	22	-	-	-	2	-	1	-	2	6	7	4
White	29	-	1	-	1	-	1	1	6	9	7	3	21	-	-	-	2	-	1	-	1	6	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	-	-	-	-	1	1	3	5	11	9	2	47	-	-	-	2	-	2	6	6	7	17	7
White	31	-	-	-	-	-	1	3	5	11	9	2	46	-	-	-	1	-	2	6	6	7	17	7
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	-	-	-	-	-	-	1	3	-	1	3	-	-	-	-	1	-	-	-	-	2	-
White	5	-	-	-	-	-	-	-	1	3	-	1	3	-	-	-	-	1	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	37	-	-	-	1	-	1	4	4	7	12	8	45	-	-	-	-	1	-	2	3	17	12	10
White	35	-	-	-	1	-	1	4	3	6	12	8	44	-	-	-	-	1	-	2	3	16	12	10
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	1	-	-	-	3
White	4	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	1	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	1	-	2	1	2	6	-	-	-	-	-	-	-	-	2	3	1
White	6	-	-	-	-	-	-	1	-	2	1	2	6	-	-	-	-	-	-	-	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,531	2	1	-	-	7	21	99	215	409	454	323	1,221	-	1	-	3	2	6	23	61	212	399	514
White	1,504	2	1	-	-	7	20	94	210	399	451	320	1,205	-	1	-	2	2	6	21	58	209	396	508
All other	27	-	-	-	-	-	1	5	5	10	3	3	16	-	-	-	1	-	-	2	3	3	1	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,221	-	1	-	-	4	19	94	184	336	353	230	855	-	-	-	1	1	2	18	50	161	284	338
White	1,197	-	1	-	-	4	19	89	179	328	350	227	847	-	-	-	1	1	2	17	47	161	283	335
All other	24	-	-	-	-	-	-	5	5	8	3	3	8	-	-	-	-	-	-	1	3	-	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	2	1	2	-	3	-	15	-	-	-	-	-	-	-	1	5	6	3
White	8	-	-	-	-	-	2	1	2	-	3	-	15	-	-	-	-	-	-	-	1	5	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	13	-	-	-	-	-	-	1	1	4	3	4	21	-	-	-	-	-	-	-	1	6	8	6
White	13	-	-	-	-	-	-	1	1	4	3	4	21	-	-	-	-	-	-	-	1	6	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	-	2	1	5	7	-	-	-	-	-	-	-	-	1	2	4
White	8	-	-	-	-	-	-	-	-	2	1	5	7	-	-	-	-	-	-	-	-	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	994	-	-	-	-	3	15	77	155	280	280	184	642	-	-	-	-	-	1	10	37	123	220	251
White	974	-	-	-	-	3	15	72	150	274	278	182	637	-	-	-	-	-	1	9	36	123	219	249
All other	20	-	-	-	-	-	-	5	5	6	2	2	5	-	-	-	-	-	-	1	1	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	714	-	-	-	-	3	12	63	135	219	189	93	351	-	-	-	-	-	1	9	31	87	124	99
White	697	-	-	-	-	3	12	59	130	214	187	92	349	-	-	-	-	-	1	8	30	87	124	99
All other	17	-	-	-	-	-	-	4	5	5	2	1	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	4	–	–	–	–	–	–	1	1	–	–	2	5	–	–	–	–	–	–	–	–	1	3	1
White	4	–	–	–	–	–	–	1	1	–	–	2	5	–	–	–	–	–	–	–	–	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	275	–	–	–	–	–	3	13	19	61	91	88	285	–	–	–	–	–	–	1	6	34	93	151
White	272	–	–	–	–	–	3	12	19	60	91	87	282	–	–	–	–	–	–	1	6	34	92	149
All other	3	–	–	–	–	–	–	1	–	1	–	1	3	–	–	–	–	–	–	–	–	–	1	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of endocardium (424)	7	–	–	–	–	–	–	1	–	3	2	1	14	–	–	–	–	–	–	2	1	2	6	3
White	7	–	–	–	–	–	–	1	–	3	2	1	14	–	–	–	–	–	–	2	1	2	6	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	191	–	1	–	–	1	2	14	26	47	64	36	156	–	–	–	1	1	1	6	10	24	42	71
White	187	–	1	–	–	1	2	14	26	45	63	35	153	–	–	–	1	1	1	6	8	24	42	70
All other	4	–	–	–	–	–	–	–	–	2	1	1	3	–	–	–	–	–	–	–	2	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	3	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	–	–	2	1	3
White	3	–	–	–	–	–	–	–	–	–	1	2	6	–	–	–	–	–	–	–	–	2	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	206	1	–	–	–	1	2	4	20	46	75	57	284	–	–	–	1	1	4	4	8	39	96	130
White	204	1	–	–	–	1	1	4	20	45	75	57	276	–	–	–	–	1	4	3	8	36	96	127
All other	2	–	–	–	–	–	1	–	–	1	–	–	8	–	–	–	1	–	–	1	–	3	–	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intracerebral and other intracranial hemorrhage (431-432)	27	1	–	–	–	–	1	–	6	4	5	10	25	–	–	–	–	–	2	1	1	7	7	7
White	27	1	–	–	–	–	1	–	6	4	5	10	24	–	–	–	–	–	2	1	1	6	7	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	–	–	–	–	–	1	1	3	7	14	11	58	–	–	–	–	–	–	–	2	9	26	19
White	35	–	–	–	–	–	1	1	3	6	14	11	55	–	–	–	–	–	–	–	2	8	26	19
All other	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	142	–	–	–	–	1	–	3	11	35	56	36	203	–	–	–	1	1	2	3	6	23	63	104
White	142	–	–	–	–	1	–	3	11	35	56	36	197	–	–	–	–	1	2	2	6	22	63	101
All other	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	1	–	1	–	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	48	–	–	–	–	–	–	1	8	11	28	54	–	–	–	–	–	–	–	1	5	12	36	
White	48	–	–	–	–	–	–	1	8	11	28	54	–	–	–	–	–	–	–	1	5	12	36	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other diseases of arteries, arterioles, and capillaries (441-448)	53	1	–	–	–	2	–	1	10	19	14	6	22	–	1	–	1	–	–	1	1	5	6	7
White	52	1	–	–	–	2	–	1	10	18	14	6	22	–	1	–	1	–	–	1	1	5	6	7
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	76	–	1	–	1	–	1	–	2	15	32	24	59	–	–	1	1	–	1	–	3	9	13	31
White	76	–	1	–	1	–	1	–	2	15	32	24	57	–	–	1	–	–	–	–	3	9	13	31
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	74	-	1	-	1	-	1	-	2	15	30	24	58	-	-	1	1	-	1	-	3	9	12	31
White	74	-	1	-	1	-	1	-	2	15	30	24	56	-	-	1	-	-	1	-	3	9	12	31
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	84	-	-	-	-	-	-	2	6	40	35	9	30	-	1	-	-	-	-	4	4	11	7	3
White	82	-	-	-	-	-	-	2	7	40	35	8	30	-	1	-	-	-	-	4	4	11	7	3
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	-	-	4	2	1	4	-	1	-	-	-	-	-	1	2	-	-
White	7	-	-	-	-	-	-	-	-	4	2	1	4	-	1	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	30	-	-	-	-	-	-	-	3	12	11	4	4	-	-	-	-	-	-	1	1	1	1	-
White	30	-	-	-	-	-	-	-	3	12	11	4	4	-	-	-	-	-	-	1	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	2	1	2	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	2	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	56	-	-	-	-	-	-	2	5	24	21	4	15	-	-	-	-	-	-	1	1	6	5	2
White	54	-	-	-	-	-	-	2	4	24	21	3	15	-	-	-	-	-	-	1	1	6	5	2
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	1	-	1	2	3	3	8	-	-	-	1	1	-	-	2	3	1	-
White	10	-	-	-	-	-	1	-	1	2	3	3	7	-	-	-	1	1	-	-	1	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	-	-	2	6
White	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	-	-	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	37	-	-	-	-	2	5	9	8	9	4	-	24	-	-	-	-	4	2	6	7	2	3	-
White	34	-	-	-	-	2	4	8	7	9	4	-	21	-	-	-	-	2	2	5	7	2	3	-
All other	3	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	-	2	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	-	1	4	3	-	8	-	-	-	-	-	-	-	-	1	3	4
White	7	-	-	-	-	-	-	-	1	3	3	-	8	-	-	-	-	-	-	-	-	1	3	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	-	-	-	-	-	-	1	1	4	10	13	16	-	-	-	-	-	-	-	1	2	4	9
White	29	-	-	-	-	-	-	1	1	4	10	13	16	-	-	-	-	-	-	-	1	2	4	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	-	-	-	-	-	-	1	1	4	9	13	13	-	-	-	-	-	-	-	-	1	4	8
White	28	-	-	-	-	-	-	1	1	4	9	13	13	-	-	-	-	-	-	-	-	1	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	-	3
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	20	17	-	1	-	-	-	-	1	-	-	1	26	17	3	-	2	-	-	-	1	3	-	-
White	18	15	-	1	-	-	-	-	1	-	-	1	25	16	3	-	2	-	-	-	1	3	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	46	46	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
White	41	41	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	21	21	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	25	25	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	22	22	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	12	-	-	1	1	-	-	3	1	6	14	32	2	-	-	1	2	-	1	1	1	8	16
White	35	10	-	-	1	1	-	-	3	1	6	14	31	2	-	-	1	2	-	1	1	1	8	16
All other	3	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	169	5	-	3	9	5	6	18	17	33	47	26	116	1	2	1	1	4	6	3	9	19	27	43
White	162	5	-	3	8	5	6	16	16	31	46	26	111	1	2	1	1	2	4	3	9	18	27	43
All other	7	-	-	-	1	-	-	2	1	2	1	-	5	-	-	-	-	2	2	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	238	2	7	10	55	40	19	20	25	29	17	14	73	-	3	2	16	3	2	1	7	13	9	15
White	219	2	5	9	49	33	16	20	25	29	17	14	70	-	3	2	17	1	2	1	7	13	9	15
All other	19	-	2	1	6	7	3	-	-	-	-	-	3	-	-	-	1	2	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	111	–	5	5	39	21	8	6	9	12	5	1	29	–	2	2	15	1	1	–	4	4	–	–
White	95	–	3	4	33	16	6	6	9	12	5	1	27	–	2	2	14	–	1	–	4	4	–	–
All other	16	–	2	1	6	5	2	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	127	2	2	5	16	19	11	14	16	17	12	13	44	–	1	–	3	2	1	1	3	9	9	15
White	124	2	2	5	16	17	10	14	16	17	12	13	43	–	1	–	3	1	1	1	3	9	9	15
All other	3	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide (E950-E959)	64	...	...	–	19	12	10	8	9	3	2	1	12	...	...	–	5	–	1	3	1	2	–	–
White	58	...	...	–	17	11	8	8	8	3	2	1	11	...	...	–	4	–	1	3	1	2	–	–
All other	6	...	...	–	2	1	2	–	1	–	–	–	1	...	...	–	1	–	–	–	–	–	–	–
Black	–	...	...	–	–	–	–	–	–	–	–	–	–	...	...	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	7	–	–	–	–	4	1	1	1	–	–	–	6	–	1	–	1	3	–	–	–	–	–	1
White	5	–	–	–	–	3	–	1	1	–	–	–	3	–	1	–	–	1	–	–	–	–	–	1
All other	2	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–	1	2	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other external causes (E980-E999)	4	1	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	1	–	–	–	1	–	–
White	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
OHIO																								
All causes	51,043	1,213	218	336	1,716	1,466	1,633	4,278	9,328	13,081	11,851	5,918	43,903	928	147	199	584	625	1,007	2,550	5,573	9,088	12,740	10,451
White	45,708	944	165	285	1,486	1,163	1,333	3,608	8,255	11,843	10,923	5,589	39,843	705	111	165	485	494	785	2,142	4,853	8,233	11,872	9,998
All other	5,335	269	53	41	230	303	300	670	1,073	1,138	928	329	4,060	223	36	34	99	131	222	406	720	665	866	453
Black	5,271	264	50	41	227	299	288	662	1,062	1,122	920	325	4,011	217	35	33	95	128	219	400	713	858	864	448
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	8	–	–	–	–	–	–	–	1	1	4	2	8	2	–	1	–	–	–	–	–	1	2	2
White	6	–	–	–	–	–	–	–	–	–	4	2	6	2	–	1	–	–	–	–	–	1	1	2
All other	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	1	–	–	–	–	–	–	1	–
Tuberculosis (010-018)	68	–	–	1	–	1	2	2	11	27	16	6	18	–	–	–	–	–	1	1	4	1	6	5
White	52	–	–	1	–	–	–	1	8	23	15	4	13	–	–	–	–	–	1	1	1	1	5	4
All other	16	–	–	–	–	1	2	1	3	4	3	2	5	–	–	–	–	–	–	–	3	–	1	1
Black	16	–	–	–	–	1	2	1	3	4	3	2	5	–	–	–	–	–	–	–	3	–	1	1
Tuberculosis of respiratory system (010-012)	63	–	–	1	–	1	2	1	11	26	16	5	14	–	–	–	–	–	1	–	3	1	5	4
White	48	–	–	1	–	–	–	1	8	22	13	3	10	–	–	–	–	–	1	–	1	1	4	3
All other	15	–	–	–	–	1	2	–	3	4	3	2	4	–	–	–	–	–	–	–	2	–	1	1
Black	15	–	–	–	–	1	2	–	3	4	3	2	4	–	–	–	–	–	–	–	2	–	1	1
Other tuberculosis (013-018)	5	–	–	–	–	–	–	1	–	1	2	1	4	–	–	–	–	–	–	1	1	–	1	1
White	4	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	1	–	–	1	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	9	2	2	1	–	1	–	1	2	–	–	–	8	2	1	1	–	–	1	–	2	1	–	–
White	6	2	1	1	–	–	–	1	1	–	–	–	7	2	1	1	–	–	1	–	1	1	–	–
All other	3	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	3	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Septicemia (038)	186	7	3	–	2	2	2	17	28	34	59	32	207	6	1	1	1	1	5	12	30	43	59	48
White	152	6	2	–	2	2	2	16	15	31	48	28	172	4	1	–	1	1	2	10	26	33	49	45
All other	34	1	1	–	–	–	–	1	13	3	11	4	35	2	–	1	–	–	3	2	4	10	10	3
Black	34	1	1	–	–	–	–	1	13	3	11	4	35	2	–	1	–	–	3	2	4	10	10	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	14	1	-	-	3	1	1	2	1	4	1	-	18	1	-	1	3	3	1	-	2	4	2	1
White	9	-	-	-	-	1	-	2	1	4	1	-	14	1	-	1	-	3	1	-	2	3	2	1
All other	5	1	-	-	3	-	1	-	-	-	-	-	4	-	-	-	3	-	-	-	-	1	-	-
Black	5	1	-	-	3	-	1	-	-	-	-	-	4	-	-	-	3	-	-	-	-	1	-	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	1	2	2	-	4	-	-	-	-	-	-	-	1	2	1	-
White	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	95	6	1	1	5	3	4	10	21	26	11	7	55	4	1	3	3	6	6	4	11	5	10	2
White	83	5	1	1	3	3	3	7	20	24	9	7	44	3	1	3	2	3	4	2	11	3	10	2
All other	12	1	-	-	2	-	1	3	1	2	2	-	11	1	-	-	1	3	2	2	-	2	-	-
Black	11	1	-	-	2	-	1	2	1	2	2	-	11	1	-	-	1	3	2	2	-	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,917	2	20	33	77	131	245	1,126	2,731	3,381	2,409	762	9,311	2	11	25	48	139	351	1,101	2,158	2,491	2,106	879
White	9,707	2	17	31	71	117	207	957	2,395	3,030	2,166	694	8,470	2	9	21	39	115	289	971	1,928	2,286	1,966	844
All other	1,210	-	3	2	6	14	38	169	336	351	223	68	841	-	2	4	9	24	62	130	230	205	140	35
Black	1,196	-	3	2	6	14	38	168	332	346	220	67	827	-	2	4	9	24	60	125	227	202	139	35
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	304	-	-	-	3	9	13	45	104	72	48	16	118	-	-	1	-	-	-	17	36	35	19	10
White	259	-	-	-	1	3	7	34	92	65	44	13	103	-	-	1	-	-	-	12	32	31	18	9
All other	45	-	-	-	2	-	6	11	12	7	4	3	15	-	-	-	-	-	-	5	4	4	1	1
Black	45	-	-	-	2	-	6	11	12	7	4	3	14	-	-	-	-	-	-	4	4	4	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,948	-	1	1	3	19	55	258	747	930	700	234	2,643	-	-	1	2	14	47	185	488	746	784	366
White	2,603	-	1	1	3	16	47	217	646	828	627	217	2,385	-	-	1	1	13	41	153	426	662	739	349
All other	343	-	-	-	-	3	8	39	101	102	73	17	258	-	-	-	1	1	6	32	60	84	55	19
Black	337	-	-	-	-	3	8	39	100	99	71	17	255	-	-	-	1	1	6	32	60	82	54	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,878	-	-	-	-	13	66	500	1,187	1,357	643	112	1,351	-	-	-	1	10	42	227	411	403	198	59
White	3,442	-	-	-	-	9	53	421	1,035	1,226	596	102	1,213	-	-	-	-	10	29	198	359	373	187	57
All other	436	-	-	-	-	4	13	79	152	131	47	10	138	-	-	-	1	-	13	29	52	30	11	2
Black	434	-	-	-	-	4	13	79	151	130	47	10	138	-	-	-	1	-	13	29	52	30	11	2
Malignant neoplasm of breast (174-175)	10	-	-	-	-	-	-	-	1	5	1	3	1,891	-	-	-	-	44	114	314	525	444	332	118
White	7	-	-	-	-	-	-	-	1	3	1	2	1,745	-	-	-	-	34	93	272	493	422	317	114
All other	3	-	-	-	-	-	-	-	-	2	-	1	146	-	-	-	-	10	21	42	32	22	15	4
Black	3	-	-	-	-	-	-	-	-	2	-	1	142	-	-	-	-	10	20	40	31	22	15	4
Malignant neoplasms of genital organs (179-187)	1,156	-	-	-	3	13	7	19	121	309	465	219	1,164	-	-	-	5	20	73	150	297	326	223	70
White	988	-	-	-	3	13	7	14	99	258	404	190	1,050	-	-	-	3	15	58	143	262	301	199	69
All other	168	-	-	-	-	-	-	5	22	51	61	29	114	-	-	-	2	5	15	7	35	25	24	1
Black	168	-	-	-	-	-	-	5	22	51	60	28	111	-	-	-	2	5	14	7	33	25	24	1
Malignant neoplasms of urinary organs (188-189)	605	-	2	1	-	3	11	58	119	192	166	53	328	-	-	1	1	-	8	21	44	85	111	57
White	568	-	1	1	-	2	10	48	114	179	161	52	298	-	-	1	1	-	6	17	37	77	102	57
All other	37	-	1	-	-	1	1	10	5	13	5	1	30	-	-	-	-	-	2	4	7	8	9	-
Black	36	-	1	-	-	1	1	10	5	12	5	1	29	-	-	-	-	-	2	3	7	8	9	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,055	2	11	16	29	52	54	141	246	266	183	55	1,000	1	6	15	22	21	40	109	206	246	221	113
White	963	2	9	15	26	49	47	124	223	243	169	54	922	1	5	12	20	17	37	101	187	225	210	107
All other	92	-	2	1	1	3	7	17	23	23	14	1	78	-	1	3	2	4	3	8	19	21	11	6
Black	90	-	2	1	1	3	7	17	21	23	14	1	76	-	1	3	2	4	3	7	19	20	11	6
Leukemia (204-208)	424	-	6	11	31	16	13	43	65	107	94	36	342	1	4	5	13	14	14	28	54	71	69	48
White	389	-	6	11	28	15	11	38	59	98	88	35	311	1	3	4	10	12	13	25	47	66	63	47
All other	35	-	-	-	3	1	2	5	6	9	6	3	31	-	1	1	3	2	1	3	7	5	6	2
Black	34	-	-	-	3	1	2	4	6	9	6	3	31	-	1	1	3	2	1	3	7	5	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	539	-	-	4	6	12	26	64	141	143	100	32	474	-	1	2	4	16	13	50	99	135	119	35
White	488	-	-	3	6	10	25	61	126	130	86	29	443	-	1	2	4	14	12	50	85	129	111	35
All other	51	-	-	1	-	2	1	3	15	13	13	3	31	-	-	-	-	2	1	-	14	6	8	-
Black	51	-	-	1	-	2	1	3	15	13	13	3	31	-	-	-	-	2	1	-	14	6	8	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	121	1	2	3	6	1	4	10	20	31	29	14	159	2	1	2	3	4	3	12	30	49	29	24
White	112	1	2	3	6	1	4	10	17	29	26	13	145	2	1	2	3	2	3	10	28	44	28	22
All other	9	-	-	-	-	-	-	-	3	2	3	1	14	-	-	-	-	2	-	2	2	5	1	2
Black	9	-	-	-	-	-	-	-	3	2	3	1	13	-	-	-	-	1	-	2	2	5	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	769	–	–	1	1	10	24	51	163	256	192	71	1,105	–	–	5	3	5	17	51	170	290	393	171
White	661	–	–	1	–	8	18	41	133	224	170	66	974	–	–	5	3	4	10	38	141	247	366	160
All other	108	–	–	–	1	2	6	10	30	32	22	5	131	–	–	–	–	1	7	13	29	43	27	11
Black	106	–	–	–	1	1	6	10	29	32	22	5	131	–	–	–	–	1	7	13	29	43	27	11
Nutritional deficiencies (260-269)	40	1	–	–	–	–	1	–	4	9	18	7	67	1	–	–	–	–	–	2	7	11	20	26
White	37	1	–	–	–	–	1	–	3	9	16	7	61	–	–	–	–	–	–	2	6	10	18	25
All other	3	–	–	–	–	–	–	–	1	–	2	–	6	1	–	–	–	–	–	–	1	1	2	1
Black	3	–	–	–	–	–	–	–	1	–	2	–	6	1	–	–	–	–	–	–	1	1	2	1
Anemias (280-285)	74	–	–	3	2	4	5	4	5	15	23	13	87	–	1	3	2	7	4	2	5	10	23	30
White	59	–	–	2	2	2	1	1	5	11	22	13	70	–	–	2	–	5	1	2	5	9	20	25
All other	15	–	–	1	–	2	4	3	–	4	1	–	17	–	1	1	2	2	3	–	–	1	3	4
Black	15	–	–	1	–	2	4	3	–	4	1	–	17	–	1	1	2	2	3	–	–	1	3	4
Meningitis (320-322)	25	7	1	–	1	1	2	1	6	4	1	1	18	4	3	3	1	–	1	–	2	2	1	1
White	20	4	1	–	1	1	1	1	6	4	–	1	14	3	3	2	1	–	–	–	2	2	1	–
All other	5	3	–	–	–	–	1	–	–	–	1	–	4	1	–	1	–	–	1	–	–	–	–	1
Black	5	3	–	–	–	–	1	–	–	–	1	–	4	1	–	1	–	–	1	–	–	–	–	1
Major cardiovascular diseases (390-446)	25,088	28	8	18	53	108	492	1,856	4,822	6,978	6,965	3,957	23,981	20	4	4	29	71	195	723	2,163	4,771	8,252	7,749
White	23,034	16	5	16	42	84	425	1,602	4,168	6,425	6,478	3,768	22,039	14	2	4	22	49	136	563	1,833	4,309	7,686	7,421
All other	2,054	12	3	–	11	24	67	254	654	553	487	189	1,942	6	2	–	7	22	59	160	330	462	566	328
Black	2,026	12	3	–	11	23	66	250	649	543	483	186	1,924	6	2	–	7	21	59	157	327	456	563	324
Diseases of heart (390-398,402,404-429)	20,175	24	8	12	39	83	426	1,662	4,058	5,711	5,913	2,817	17,635	16	4	2	16	49	143	558	1,711	3,717	6,052	5,367
White	18,522	14	5	12	29	65	370	1,483	3,680	5,272	4,838	2,672	16,247	13	2	2	13	34	103	447	1,448	3,371	5,654	5,160
All other	1,653	10	3	–	10	18	56	219	378	439	375	145	1,388	3	2	–	3	15	40	111	263	346	398	207
Black	1,628	10	3	–	10	17	55	215	373	431	372	142	1,377	3	2	–	3	14	40	110	262	342	396	205
Rheumatic fever and rheumatic heart disease (390-398)	162	–	–	–	6	4	12	31	30	39	33	7	288	1	–	–	2	5	13	28	64	92	56	27
White	149	–	–	–	5	3	11	26	27	39	31	7	268	1	–	–	2	5	11	27	57	88	51	26
All other	13	–	–	–	1	1	1	5	3	–	2	–	20	–	–	–	–	–	2	1	7	4	5	1
Black	12	–	–	–	1	1	1	4	3	–	2	–	20	–	–	–	–	–	2	1	7	4	5	1
Hypertensive heart disease (402)	504	–	–	–	–	5	14	68	119	145	104	49	742	–	–	–	1	6	12	49	97	176	231	166
White	392	–	–	–	–	1	6	39	87	125	88	46	595	–	–	–	–	2	1	24	65	145	202	156
All other	112	–	–	–	–	4	8	29	32	20	16	3	147	–	–	–	1	6	11	25	32	31	29	12
Black	112	–	–	–	–	4	8	29	32	20	16	3	147	–	–	–	1	6	11	25	32	31	29	12
Hypertensive heart and renal disease (404)	109	–	–	–	1	–	3	4	8	18	42	33	155	–	–	–	–	1	–	3	9	25	54	63
White	93	–	–	–	1	–	1	1	7	14	37	32	126	–	–	–	–	–	–	–	5	20	43	58
All other	16	–	–	–	–	–	2	3	1	4	5	1	29	–	–	–	–	1	–	3	4	5	11	5
Black	15	–	–	–	–	–	2	3	1	3	5	1	29	–	–	–	–	1	–	3	4	5	11	5
Ischemic heart disease (410-414)	16,191	2	–	1	3	51	328	1,386	3,365	4,720	4,217	2,116	13,049	–	–	–	3	11	73	353	1,285	2,815	4,569	3,960
White	15,056	–	–	1	2	43	297	1,251	3,096	4,404	3,842	2,018	12,152	–	–	–	3	10	60	293	1,090	2,577	4,299	3,820
All other	1,135	2	–	–	1	8	29	135	269	316	275	100	897	–	–	–	–	1	13	60	175	238	270	140
Black	1,114	2	–	–	1	8	28	132	264	309	272	98	891	–	–	–	–	1	13	60	174	236	268	139
Acute myocardial infarction (410)	8,977	1	–	1	2	38	227	919	2,161	2,811	2,026	791	5,860	–	–	–	1	4	44	227	786	1,808	2,024	1,186
White	8,506	–	–	1	1	34	206	850	2,039	2,677	1,932	764	5,488	–	–	–	1	4	34	195	679	1,514	1,919	1,142
All other	471	1	–	–	1	4	19	69	122	134	94	27	372	–	–	–	–	–	10	32	87	94	105	44
Black	458	1	–	–	1	4	18	67	118	130	92	27	371	–	–	–	–	–	10	32	87	93	105	44
Other acute and subacute forms of ischemic heart disease (411)	69	–	–	–	–	1	4	5	13	15	18	7	59	–	–	–	–	–	1	2	5	10	27	14
White	58	–	–	–	–	–	4	5	13	14	16	6	58	–	–	–	–	–	–	2	5	10	27	14
All other	6	–	–	–	–	1	–	–	–	1	2	1	1	–	–	–	–	–	1	–	–	–	–	–
Black	5	–	–	–	–	1	–	–	–	1	2	1	1	–	–	–	–	–	1	–	–	–	–	–
Angina pectoris (413)	5	–	–	–	–	–	1	–	–	3	1	–	7	–	–	–	–	–	1	–	–	1	3	2
White	5	–	–	–	–	–	1	–	–	3	1	–	6	–	–	–	–	–	1	–	–	1	2	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	7,148	1	–	–	1	12	94	462	1,191	1,691	2,172	1,320	7,123	–	–	–	2	7	27	124	494	1,196	2,515	2,758
White	6,487	–	–	–	1	9	84	396	1,044	1,710	1,993	1,248	6,800	–	–	–	2	6	25	96	406	1,052	2,351	2,862
All other	659	1	–	–	–	3	10	66	147	181	179	72	523	–	–	–	–	1	2	28	88	144	164	96
Black	651	1	–	–	–	3	10	65	146	178	178	70	518	–	–	–	–	1	2	28	87	143	162	95
Other diseases of endocardium (424)	166	2	–	1	1	–	6	19	32	45	45	21	147	–	–	–	1	1	2	5	16	39	50	33
White	151	2	–	1	1	–	6	11	29	40	42	19	137	–	–	–	1	–	2	5	14	37	47	31
All other	15	–	–	–	–	–	–	2	3	5	3	2	10	–	–	–	–	1	–	–	2	2	3	2
Black	15	–	–	–	–	–	–	2	3	5	3	2	9	–	–	–	–	1	–	–	2	2	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	3,043	20	8	10	28	23	65	180	504	744	872	589	3,254	15	4	2	9	23	43	120	260	570	1,092	1,116
White	2,681	12	5	10	20	18	49	135	434	650	796	550	2,969	12	2	2	7	17	29	98	217	504	1,012	1,069
All other	362	8	3	–	8	5	16	45	70	94	74	39	285	3	2	–	2	6	14	22	43	66	80	47
Black	360	8	3	–	8	4	16	45	70	94	74	39	281	3	2	–	2	5	14	21	43	64	80	47
Hypertension with or without renal disease (401,403)	172	–	–	–	–	–	5	7	19	44	59	37	209	–	–	–	–	–	–	9	25	33	76	66
White	152	–	–	–	–	–	3	5	17	38	51	37	175	–	–	–	–	–	–	1	18	25	69	62
All other	20	–	–	–	–	–	2	2	2	6	8	–	34	–	–	–	–	–	–	8	7	8	7	4
Black	20	–	–	–	–	–	2	2	2	6	8	–	34	–	–	–	–	–	–	8	7	8	7	4
Cerebrovascular diseases (430-438)	3,442	4	–	5	10	21	51	128	399	891	1,194	738	4,839	4	–	2	10	20	47	139	387	846	1,717	1,687
White	3,147	2	–	5	10	17	45	100	337	804	1,119	714	4,420	1	–	2	7	13	29	104	320	754	1,584	1,606
All other	295	2	–	–	–	4	6	28	62	87	81	25	419	3	–	–	3	7	18	35	47	92	133	81
Black	294	2	–	–	–	4	6	28	62	86	81	25	414	3	–	–	3	7	18	33	45	92	133	80
Intracerebral and other intracranial hemorrhage (431-432)	468	3	–	3	2	7	19	36	80	151	114	53	619	3	–	2	5	5	20	39	92	133	194	126
White	411	2	–	3	2	6	14	24	67	138	107	50	542	–	–	2	3	2	8	29	78	116	181	123
All other	57	1	–	–	–	1	5	12	13	15	7	3	77	3	–	–	2	3	12	10	14	17	13	3
Black	57	1	–	–	–	1	5	12	13	15	7	3	75	3	–	–	2	3	12	9	13	17	13	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	817	1	–	–	–	1	2	22	93	219	302	176	1,054	–	–	–	–	2	1	11	54	157	403	426
White	760	–	–	–	–	1	2	20	77	201	289	170	986	–	–	–	–	1	1	11	45	140	377	411
All other	57	1	–	–	–	–	–	2	16	17	13	6	68	–	–	–	–	1	–	–	9	17	26	15
Black	57	1	–	–	–	–	–	2	16	17	13	6	67	–	–	–	–	1	–	–	9	17	26	14
Cerebral embolism (434.1)	17	–	–	–	–	–	–	1	4	1	7	4	30	–	–	–	–	–	1	–	3	8	13	5
White	16	–	–	–	–	–	–	1	4	1	6	4	29	–	–	–	–	–	1	–	3	8	12	5
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,140	–	–	2	8	13	30	69	222	521	771	504	3,138	1	–	–	5	13	25	89	218	548	1,107	1,130
White	1,960	–	–	2	8	10	29	55	189	466	711	490	2,883	1	–	–	4	10	19	64	194	490	1,014	1,087
All other	180	–	–	–	–	3	1	14	33	55	60	14	273	–	–	–	1	3	6	25	24	58	93	63
Black	179	–	–	–	–	3	1	14	33	54	60	14	271	–	–	–	1	3	6	24	23	58	93	63
Atherosclerosis (440)	634	–	–	–	–	–	–	7	34	86	225	282	953	–	–	–	–	–	1	3	19	87	315	528
White	600	–	–	–	–	–	–	7	32	80	211	270	883	–	–	–	–	–	1	3	15	76	294	494
All other	34	–	–	–	–	–	–	–	2	6	14	12	70	–	–	–	–	–	–	–	4	11	21	34
Black	33	–	–	–	–	–	–	–	2	6	13	12	68	–	–	–	–	–	–	–	4	11	20	33
Other diseases of arteries, arterioles, and capillaries (441-448)	685	–	–	1	4	4	10	32	112	246	174	82	345	–	–	–	3	2	4	14	41	88	92	101
White	613	–	–	1	3	2	7	27	102	231	165	75	314	–	–	–	2	2	3	8	32	83	85	99
All other	52	–	–	–	1	2	3	5	10	15	9	7	31	–	–	–	1	–	1	6	9	5	7	2
Black	51	–	–	–	1	2	3	5	10	14	9	7	31	–	–	–	1	–	1	6	9	5	7	2
Acute bronchitis and bronchiolitis (466)	15	7	1	–	–	–	–	1	3	1	2	–	10	1	1	–	–	1	–	–	2	–	1	4
White	8	4	1	–	–	–	–	1	–	1	1	–	7	–	1	–	–	–	–	–	2	–	1	3
All other	7	3	–	–	–	–	–	–	3	–	1	–	3	1	–	–	–	1	–	–	–	–	–	1
Black	7	3	–	–	–	–	–	–	3	–	1	–	3	1	–	–	–	1	–	–	–	–	–	1
Pneumonia and influenza (480-487)	892	33	7	6	12	9	14	42	95	216	303	255	855	23	2	6	7	10	12	27	40	102	268	358
White	807	31	4	6	11	8	9	34	87	197	280	240	779	17	2	6	7	6	7	21	35	85	246	347
All other	85	2	3	–	1	1	5	8	8	19	23	15	76	6	–	–	–	4	5	6	5	17	22	11
Black	84	2	3	–	1	1	5	8	8	19	22	15	76	6	–	–	–	4	5	6	5	17	22	11
Pneumonia (480-486)	880	33	7	5	12	8	14	41	94	215	299	252	834	23	1	6	7	10	12	27	39	101	262	346
White	895	31	4	5	11	7	9	33	86	196	276	237	759	17	1	6	7	6	7	21	34	84	240	336
All other	85	2	3	–	1	1	5	8	8	19	23	15	75	6	–	–	–	4	5	6	5	17	22	10
Black	84	2	3	–	1	1	5	8	8	19	22	15	75	6	–	–	–	4	5	6	5	17	22	10
Influenza (487)	12	–	–	1	–	1	–	1	1	1	4	3	21	–	1	–	–	–	–	–	1	1	6	12
White	12	–	–	1	–	1	–	1	1	1	4	3	20	–	1	–	–	–	–	–	1	1	6	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,787	1	4	–	4	4	8	71	287	683	583	142	729	3	1	2	3	2	8	40	145	263	195	67
White	1,672	1	3	–	4	3	6	63	266	641	548	137	695	3	1	1	1	2	5	33	139	256	187	67
All other	115	–	1	–	–	1	2	8	21	42	35	5	34	–	–	1	2	–	3	7	6	7	8	–
Black	114	–	1	–	–	1	2	7	21	42	35	5	34	–	–	1	2	–	3	7	6	7	8	–
Bronchitis, chronic and unspecified (490-491)	158	1	4	–	1	–	–	7	23	59	52	11	81	3	1	1	–	–	–	1	10	24	21	11
White	148	1	3	–	1	–	–	6	23	57	48	11	80	3	1	1	–	–	–	1	10	24	21	11
All other	10	–	1	–	–	–	–	1	–	2	6	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	9	–	1	–	–	–	–	–	–	2	6	–	1	–	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	520	–	–	–	–	1	–	17	91	209	163	39	172	–	–	–	–	1	1	11	38	67	44	10
White	495	–	–	–	–	1	–	16	83	200	157	38	166	–	–	–	–	1	1	10	36	64	44	10
All other	25	–	–	–	–	–	–	1	8	9	6	1	6	–	–	–	–	–	–	1	2	3	–	–
Black	25	–	–	–	–	–	–	1	8	9	6	1	6	–	–	–	–	–	–	1	2	3	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	57	-	-	-	2	2	6	5	15	16	8	3	72	-	-	1	2	1	5	10	15	20	17	1
White	48	-	-	-	2	1	5	3	14	13	8	2	56	-	-	-	-	1	2	6	13	18	15	1
All other	9	-	-	-	-	1	1	2	1	3	-	1	16	-	-	1	2	-	3	4	2	2	2	-
Black	9	-	-	-	-	1	1	2	1	3	-	1	16	-	-	1	2	-	3	4	2	2	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,052	-	-	-	1	1	2	42	158	399	360	89	404	-	-	-	1	-	2	18	73	152	113	45
White	981	-	-	-	1	1	1	38	146	371	337	86	393	-	-	-	1	-	2	16	72	150	107	45
All other	71	-	-	-	-	-	1	4	12	28	23	3	11	-	-	-	-	-	-	2	1	2	6	-
Black	71	-	-	-	-	-	1	4	12	28	23	3	11	-	-	-	-	-	-	2	1	2	6	-
Ulcer of stomach and duodenum (531-533)	149	-	-	-	2	2	4	20	27	31	43	20	135	-	1	-	1	-	-	6	16	28	42	41
White	134	-	-	-	2	2	4	16	22	30	39	19	128	-	1	-	1	-	-	6	15	24	42	39
All other	15	-	-	-	-	-	-	4	5	1	4	1	7	-	-	-	-	-	-	-	1	4	-	2
Black	15	-	-	-	-	-	-	4	5	1	4	1	7	-	-	-	-	-	-	-	1	4	-	2
Appendicitis (540-543)	18	-	-	1	-	-	1	2	1	5	5	1	12	-	-	-	-	-	-	2	1	4	5	-
White	15	-	-	1	-	-	1	1	1	5	5	1	11	-	-	-	-	-	-	1	1	4	5	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	93	5	1	-	1	1	3	4	6	20	31	21	185	2	2	1	3	-	-	3	16	34	51	73
White	78	3	1	-	1	1	2	4	4	17	26	19	170	1	1	1	1	-	-	3	14	31	47	71
All other	15	2	-	-	-	-	1	-	2	3	5	2	15	1	1	-	2	-	-	-	2	3	4	2
Black	15	2	-	-	-	-	1	-	2	3	5	2	15	1	1	-	2	-	-	-	2	3	4	2
Chronic liver disease and cirrhosis (571)	833	2	1	-	3	25	81	220	258	181	48	14	428	-	-	-	1	8	51	89	136	100	35	8
White	714	1	1	-	3	18	60	180	227	167	44	13	370	-	-	-	1	4	42	78	117	88	33	7
All other	119	1	-	-	-	7	21	40	31	14	4	1	58	-	-	-	-	4	9	11	19	12	2	1
Black	119	1	-	-	-	7	21	40	31	14	4	1	57	-	-	-	-	4	9	11	19	12	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	84	-	-	-	-	-	-	3	3	29	20	9	87	-	-	-	-	1	1	2	11	16	31	25
White	81	-	-	-	-	-	-	3	3	27	20	8	84	-	-	-	-	1	1	2	11	15	30	24
All other	3	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	3	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	-	-	-	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	389	5	1	-	4	11	17	20	49	106	113	74	403	8	1	1	7	6	6	19	41	93	129	92
White	343	4	1	-	2	6	12	15	40	94	99	70	340	8	1	-	6	4	4	16	27	71	117	86
All other	56	1	-	-	2	5	5	5	8	12	14	4	63	-	-	1	1	2	2	3	14	22	12	6
Black	56	1	-	-	2	5	5	5	8	12	14	4	62	-	-	-	1	2	2	3	14	22	12	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	-	-	-	1	-	1	1	-	3	3	1	5	-	-	-	-	-	-	-	1	1	1	2
White	10	-	-	-	1	-	1	1	-	3	3	1	5	-	-	-	-	-	-	-	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	74	1	-	-	1	5	3	-	6	23	23	12	69	1	-	-	4	2	2	2	3	14	22	19
White	64	1	-	-	1	3	3	-	5	20	20	12	60	1	-	-	3	1	1	2	2	11	20	19
All other	10	-	-	-	1	2	-	-	1	3	3	-	9	-	-	-	1	1	1	-	1	3	2	-
Black	10	-	-	-	1	2	-	-	1	3	3	-	9	-	-	-	1	1	1	-	1	3	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	315	4	1	-	2	6	13	18	42	80	87	61	329	7	1	1	3	4	4	17	37	78	106	71
White	269	3	1	-	1	3	8	14	35	71	76	57	275	7	1	-	3	3	3	14	24	59	96	65
All other	46	1	-	-	1	3	5	5	7	9	11	4	54	-	-	1	-	1	1	3	13	19	10	6
Black	46	1	-	-	1	3	5	5	7	9	11	4	53	-	-	1	-	1	1	3	13	19	10	6
Infections of kidney (590)	86	-	-	-	-	-	1	2	4	18	24	17	92	-	-	-	-	1	1	6	7	12	36	29
White	59	-	-	-	-	-	1	2	4	16	20	16	81	-	-	-	-	1	1	6	5	10	30	28
All other	7	-	-	-	-	-	-	-	-	2	4	1	11	-	-	-	-	-	-	-	2	2	6	1
Black	7	-	-	-	-	-	-	-	-	2	4	1	11	-	-	-	-	-	-	-	2	2	6	1
Hyperplasia of prostate (600)	26	-	-	-	-	-	-	-	1	4	11	10	---	---	---	---	---	---	---	---	---	---	---	---
White	25	-	-	-	-	-	-	-	1	3	11	10	---	---	---	---	---	---	---	---	---	---	---	---
All other	1	-	-	-	-	-	-	-	-	1	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	1	-	-	-	-	-	-	-	-	1	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	14	---	---	-	7	6	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	8	---	---	-	2	5	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	6	---	---	-	5	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	6	---	---	-	5	1	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	–	6	5	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	2	4	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	4	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	4	1	–	–	...	...	...	...
Congenital anomalies (740-759)	381	251	23	15	24	17	17	5	13	9	5	2	304	201	23	14	6	10	15	8	9	12	4	1
White	329	213	19	13	21	15	15	5	12	9	5	2	261	168	20	11	6	10	13	8	9	11	4	1
All other	52	38	4	2	3	2	2	–	1	–	–	–	43	33	3	3	–	–	2	–	–	1	–	–
Black	51	37	4	2	3	2	2	–	1	–	–	–	41	31	3	3	–	–	2	–	–	1	–	–
Certain conditions originating in the perinatal period (760-779)	612	612	–	–	–	–	–	–	–	–	–	–	475	473	–	1	–	1	–	–	–	–	–	–
White	462	462	–	–	–	–	–	–	–	–	–	–	349	347	–	1	–	1	–	–	–	–	–	–
All other	150	150	–	–	–	–	–	–	–	–	–	–	126	126	–	–	–	–	–	–	–	–	–	–
Black	147	147	–	–	–	–	–	–	–	–	–	–	123	123	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	234	234	–	–	–	–	–	–	–	–	–	–	156	155	–	–	–	1	–	–	–	–	–	–
White	175	175	–	–	–	–	–	–	–	–	–	–	117	116	–	–	–	1	–	–	–	–	–	–
All other	59	59	–	–	–	–	–	–	–	–	–	–	39	39	–	–	–	–	–	–	–	–	–	–
Black	58	58	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	378	378	–	–	–	–	–	–	–	–	–	–	319	318	–	1	–	–	–	–	–	–	–	–
White	287	287	–	–	–	–	–	–	–	–	–	–	232	231	–	1	–	–	–	–	–	–	–	–
All other	91	91	–	–	–	–	–	–	–	–	–	–	87	87	–	–	–	–	–	–	–	–	–	–
Black	89	89	–	–	–	–	–	–	–	–	–	–	86	86	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	890	151	11	21	112	93	76	105	114	95	73	39	569	99	11	9	34	32	46	57	59	66	70	86
White	737	123	10	17	90	67	56	83	99	86	69	37	481	75	8	7	28	24	30	41	53	64	69	82
All other	153	28	1	4	22	26	20	22	15	9	4	2	88	24	3	2	6	8	16	16	6	2	1	4
Black	151	27	1	4	22	26	20	21	15	9	4	2	86	23	3	2	5	8	16	16	6	2	1	4
All other diseases (Residual)	2,487	64	26	28	71	70	107	258	394	582	559	308	2,493	44	18	28	50	58	84	174	307	488	709	525
White	2,155	44	24	24	63	54	75	202	337	530	511	281	2,235	33	15	25	43	42	63	146	269	440	660	499
All other	312	20	2	4	8	16	32	56	57	52	48	17	248	11	3	3	7	14	21	28	38	48	49	26
Black	311	20	2	4	8	16	32	56	57	51	48	17	245	11	2	3	7	14	20	28	37	48	49	26
Accidents and adverse effects (E800-E949)	3,108	22	92	162	924	564	276	242	257	212	221	114	1,458	23	51	79	277	122	91	104	128	148	238	199
White	2,780	19	63	157	869	510	244	201	220	195	198	104	1,312	15	34	66	252	114	82	88	110	135	229	187
All other	328	3	29	25	55	54	34	41	37	17	23	10	146	8	17	13	25	8	9	16	18	11	9	12
Black	321	3	28	25	53	53	33	41	37	17	23	10	145	8	17	13	24	8	9	16	18	11	9	12
Motor vehicle accidents (E810-E825)	1,686	5	34	81	679	382	158	112	114	61	60	10	600	5	22	48	207	85	49	51	49	48	27	9
White	1,566	5	28	70	645	357	142	95	103	56	55	10	550	2	18	39	195	83	46	45	43	47	26	8
All other	130	–	6	11	34	25	16	17	11	5	5	–	50	3	6	9	12	2	3	6	6	1	1	1
Black	125	–	3	11	32	25	16	17	11	5	5	–	49	3	6	9	11	2	3	6	6	1	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,412	17	58	101	245	182	120	130	143	151	161	104	858	18	29	31	70	37	42	53	79	98	211	190
White	1,214	14	35	87	224	153	102	106	117	139	143	94	762	13	18	27	57	31	36	43	67	85	203	179
All other	198	3	23	14	21	29	18	24	26	12	18	10	96	5	11	4	13	6	6	10	12	10	8	11
Black	196	3	23	14	21	28	17	24	26	12	18	10	96	5	11	4	13	6	6	10	12	10	8	11
Suicide (E950-E959)	989	...	...	7	205	203	130	131	136	93	66	17	383	...	...	1	40	61	71	82	49	40	17	2
White	902	...	...	7	179	175	123	121	127	88	65	16	349	...	...	1	34	54	68	80	46	39	15	2
All other	87	...	...	–	26	28	7	10	9	5	1	1	34	...	...	–	6	17	3	2	3	1	2	–
Black	86	...	...	–	25	28	7	10	9	5	1	1	31	...	...	–	4	16	3	2	3	1	2	–
Homicide and legal intervention (E960-E978)	655	5	9	11	188	183	103	62	58	22	12	1	195	5	12	6	47	45	29	17	18	9	5	2
White	314	2	4	9	98	67	54	29	27	17	6	1	120	4	9	4	28	29	14	9	13	6	4	2
All other	341	3	5	2	90	116	49	33	31	5	6	–	75	1	3	2	21	16	15	8	5	3	1	–
Black	339	3	5	2	90	115	49	33	30	5	6	–	75	1	3	2	21	16	15	8	5	3	1	–
All other external causes (E980-E999)	81	–	4	4	16	21	11	10	7	6	–	2	38	2	1	1	6	7	6	6	3	3	–	1
White	71	–	4	3	16	18	9	9	5	5	–	2	29	1	–	–	6	5	6	5	3	2	–	1
All other	10	–	–	1	–	3	2	1	2	1	–	–	9	1	1	1	2	2	–	1	–	1	–	–
Black	10	–	–	1	–	3	2	1	2	1	–	–	9	1	1	1	2	2	–	1	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,389	359	63	120	545	510	472	1,187	2,484	3,977	3,764	1,911	12,452	253	60	61	173	197	251	622	1,274	2,612	3,669	3,280
White	13,765	280	53	104	465	403	385	1,028	2,188	3,638	3,443	1,767	11,201	182	44	55	145	164	206	531	1,103	2,325	3,372	3,066
All other	1,624	79	10	16	80	107	87	159	276	339	321	144	1,251	71	16	6	28	33	43	91	171	287	291	214
Black	1,064	52	6	11	47	72	53	95	164	211	241	108	858	42	12	2	17	16	25	55	112	196	220	159
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	-	3	-
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	18	-	-	-	-	-	1	-	2	6	3	6	11	-	-	-	-	-	-	1	2	1	5	2
White	13	-	-	-	-	-	1	-	1	5	3	3	8	-	-	-	-	-	-	1	-	1	5	1
All other	5	-	-	-	-	-	-	-	1	1	-	3	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1
Tuberculosis of respiratory system (010-012)	16	-	-	-	-	-	1	-	2	6	2	5	11	-	-	-	-	-	-	1	2	1	5	2
White	12	-	-	-	-	-	1	-	1	5	2	3	8	-	-	-	-	-	-	1	-	1	5	1
All other	4	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	1	2	-	1	-	1	-	-	-	1	-	3	-	-	-	-	-	-	2	-	-	-	1
White	5	1	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	51	2	-	-	-	3	-	5	9	11	15	6	46	-	-	-	-	2	2	1	11	6	13	9
White	41	2	-	-	-	2	-	4	8	8	11	6	42	-	-	-	-	2	2	1	10	6	12	9
All other	10	-	-	-	-	1	-	1	1	3	4	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	6	-	-	-	-	-	-	1	1	1	3	-	3	-	-	-	-	-	-	-	-	2	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	1	-	-	2	1	-	1	3	-	-	-	-	-	-	-	1	1	1	-
White	5	-	-	-	-	1	-	-	2	1	-	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	4	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-068,071-088, 098-139)	19	-	-	3	2	-	1	3	4	2	4	-	28	1	-	1	1	1	1	6	6	3	4	4
White	16	-	-	3	2	-	1	2	3	2	3	-	21	1	-	1	1	1	-	5	5	2	2	3
All other	3	-	-	-	-	-	-	1	1	-	1	-	7	-	-	-	-	-	1	1	1	1	2	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	-	-	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,082	-	6	19	18	38	67	274	699	1,050	695	216	2,296	-	1	8	11	36	89	229	457	697	528	240
White	2,614	-	5	16	16	34	59	247	632	980	631	192	2,095	-	1	7	10	35	81	204	406	641	485	225
All other	268	-	1	3	-	4	8	27	67	70	64	24	201	-	-	1	1	1	8	25	51	56	43	15
Black	202	-	1	2	-	4	6	19	45	50	54	21	147	-	-	-	1	1	5	13	34	43	36	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	57	-	-	-	-	-	2	6	15	23	9	2	27	-	-	-	-	2	-	3	10	7	5	-
White	49	-	-	-	-	-	1	5	13	19	9	2	24	-	-	-	-	2	-	3	9	6	4	-
All other	8	-	-	-	-	-	1	1	2	4	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	7	-	-	-	-	-	1	1	2	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	708	-	-	1	1	10	19	51	138	248	191	51	673	-	-	-	1	3	14	27	119	211	184	104
White	626	-	-	1	1	9	16	41	116	227	170	46	600	-	-	-	1	3	11	21	101	190	176	97
All other	82	-	-	1	-	1	3	10	22	19	21	5	73	-	-	-	-	-	3	6	18	21	18	7
Black	64	-	-	1	-	1	3	7	16	15	17	4	54	-	-	-	-	-	2	2	11	18	14	7
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,199	-	-	-	1	4	19	128	351	440	205	51	361	-	-	-	1	3	15	60	94	109	58	21
White	1,119	-	-	-	1	4	19	116	320	418	196	43	340	-	-	-	1	3	15	55	87	104	54	21
All other	80	-	-	-	-	-	-	10	31	22	9	8	21	-	-	-	-	-	-	5	7	5	4	-
Black	54	-	-	-	-	-	-	7	20	14	7	6	19	-	-	-	-	-	-	3	7	5	4	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	1	-	-	1	1	363	-	-	-	-	-	9	29	49	78	111	62	25
White	2	-	-	-	-	-	-	1	-	-	1	-	339	-	-	-	-	-	8	27	46	71	104	59	24
All other	1	-	-	-	-	-	-	-	-	-	-	1	24	-	-	-	-	-	1	2	3	7	7	3	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	20	-	-	-	-	-	1	1	3	6	5	3	1
Malignant neoplasms of genital organs (179-187)	318	-	-	-	1	1	1	7	23	88	130	57	291	-	-	-	1	7	10	39	68	91	53	22
White	278	-	-	-	1	1	1	6	21	89	110	49	261	-	-	-	1	7	9	33	59	84	48	20
All other	40	-	-	-	-	-	-	1	2	9	20	8	30	-	-	-	-	-	1	6	9	7	5	2
Black	38	-	-	-	-	-	-	1	1	8	20	8	21	-	-	-	-	-	1	2	6	6	4	2
Malignant neoplasms of urinary organs (188-189)	156	-	-	-	-	-	2	11	37	47	37	22	66	-	-	1	-	-	2	4	10	17	25	7
White	149	-	-	-	-	-	2	11	36	44	35	21	56	-	-	-	-	-	2	4	8	13	22	7
All other	7	-	-	-	-	-	-	-	1	3	2	1	10	-	-	1	-	-	-	-	2	4	3	-
Black	4	-	-	-	-	-	-	-	-	2	1	1	4	-	-	-	-	-	-	-	-	2	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	361	-	3	8	3	16	13	45	81	101	73	18	295	-	-	6	2	8	7	31	52	63	75	33
White	333	-	2	7	3	16	12	42	76	94	64	17	270	-	-	6	1	6	7	27	47	77	68	31
All other	28	-	1	1	-	-	1	3	5	7	9	1	25	-	-	-	1	-	-	4	5	6	7	2
Black	18	-	1	-	-	-	1	2	3	4	6	1	18	-	-	-	1	-	-	2	3	4	6	2
Leukemia (204-208)	198	-	3	9	6	2	6	10	21	49	24	6	93	-	1	1	3	1	7	6	8	26	26	14
White	129	-	3	8	6	1	4	10	20	47	22	6	82	-	1	1	3	1	5	5	7	23	25	11
All other	9	-	-	1	-	1	2	-	1	2	2	-	11	-	-	-	-	-	2	1	1	3	1	3
Black	7	-	-	1	-	1	-	-	1	2	2	-	9	-	-	-	-	-	1	1	1	3	1	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	142	-	-	1	4	5	5	15	33	46	25	6	127	-	-	-	3	5	5	10	16	42	30	14
White	129	-	-	1	4	3	4	13	30	42	24	6	123	-	-	-	3	5	5	10	17	40	29	14
All other	13	-	-	-	-	2	1	2	3	4	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	9	-	-	-	-	2	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	28	1	-	1	1	1	1	4	4	3	4	3	27	1	-	-	-	-	-	7	1	6	7	3
White	20	1	-	1	1	1	1	4	2	3	3	3	25	-	-	-	-	-	-	6	1	6	7	3
All other	3	-	-	-	-	-	-	-	2	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-
Diabetes mellitus (250)	167	-	-	-	1	5	7	11	30	55	44	14	242	-	1	-	1	1	4	13	33	74	88	29
White	134	-	-	-	1	3	7	4	23	46	37	13	201	-	1	-	1	-	2	11	25	59	74	28
All other	33	-	-	-	-	2	-	7	7	9	7	1	41	-	-	-	-	1	2	2	8	15	12	1
Black	20	-	-	-	-	2	-	3	4	6	4	1	21	-	-	-	-	-	2	-	4	7	7	1
Nutritional deficiencies (260-269)	13	-	-	-	1	-	-	-	-	2	6	4	19	-	-	-	-	-	-	1	4	1	6	7
White	10	-	-	-	1	-	-	-	-	-	6	3	17	-	-	-	-	-	-	1	3	1	5	7
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	20	-	-	1	1	1	-	1	2	4	6	4	20	-	-	-	1	-	-	4	1	3	4	7
White	16	-	-	1	1	1	-	1	2	4	5	4	17	-	-	-	1	-	-	2	1	3	4	6
All other	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	2	-	-	-	1
Black	4	-	-	1	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Meningitis (320-322)	11	5	3	-	-	-	-	1	1	1	-	-	16	9	2	1	1	-	1	-	-	2	-	-
White	7	3	3	-	-	-	-	1	-	-	-	-	10	5	1	1	1	-	-	-	-	2	-	-
All other	4	2	-	-	-	-	-	-	1	1	-	-	6	4	1	-	-	-	1	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,417	7	1	3	11	38	131	499	1,165	2,110	2,246	1,204	6,882	2	6	2	4	20	41	178	470	1,370	2,407	2,378
White	6,738	3	1	3	11	29	107	444	1,093	1,922	2,059	1,124	6,264	2	4	2	2	16	32	148	399	1,212	2,220	2,223
All other	679	4	-	-	-	9	24	55	132	188	187	80	618	-	2	-	2	4	9	30	71	158	187	155
Black	457	3	-	-	-	7	15	35	78	119	139	61	451	-	2	-	2	1	6	23	51	112	139	115

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,905	6	1	1	7	33	113	444	1,027	1,720	1,691	860	4,798	2	6	1	3	12	25	132	353	1,008	1,691	1,561
White	5,370	2	1	1	7	26	92	400	919	1,571	1,548	801	4,377	2	4	1	2	9	18	109	302	898	1,561	1,467
All other	535	4	-	-	-	7	21	44	108	149	143	59	421	-	2	-	1	3	7	23	51	110	130	94
Black	349	3	-	-	-	5	13	31	62	66	103	48	299	-	2	-	1	1	4	17	35	76	94	69
Rheumatic fever and rheumatic heart disease (390-398)	23	-	-	-	2	-	1	4	6	6	1	1	48	-	-	-	1	1	1	4	10	11	8	10
White	23	-	-	-	2	-	1	4	6	6	1	1	40	-	-	-	-	1	1	4	8	10	6	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	-	-	2	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	1	1	1	-
Hypertensive heart disease (402)	95	-	-	-	-	-	4	15	11	24	21	20	133	-	-	-	-	1	1	5	18	26	42	38
White	75	-	-	-	-	-	2	10	10	18	16	19	111	-	-	-	-	1	1	4	13	20	37	33
All other	20	-	-	-	-	-	2	5	1	6	5	1	22	-	-	-	-	-	-	1	5	6	5	5
Black	19	-	-	-	-	-	2	5	1	5	5	1	18	-	-	-	-	-	-	1	3	5	4	5
Hypertensive heart and renal disease (404)	12	-	-	-	-	-	-	-	2	3	2	5	28	-	-	-	-	-	-	-	1	4	9	12
White	10	-	-	-	-	-	-	-	1	3	2	4	21	-	-	-	-	-	-	-	1	3	6	11
All other	2	-	-	-	-	-	-	-	1	-	-	1	5	-	-	-	-	-	-	-	-	1	3	1
Black	2	-	-	-	-	-	-	-	1	-	-	1	5	-	-	-	-	-	-	-	-	1	3	1
Ischemic heart disease (410-414)	4,760	-	-	-	1	18	82	359	882	1,415	1,369	654	3,487	-	-	-	-	1	12	99	237	790	1,282	1,065
White	4,368	-	-	-	1	15	72	323	774	1,311	1,261	611	3,217	-	-	-	-	1	9	82	206	712	1,178	1,025
All other	392	-	-	-	-	3	10	36	88	104	108	43	270	-	-	-	-	-	3	16	29	78	84	60
Black	244	-	-	-	-	2	4	23	50	56	75	34	196	-	-	-	-	-	2	12	20	54	62	46
Acute myocardial infarction (410)	3,051	-	-	-	1	9	56	243	587	969	856	330	1,889	-	-	-	-	-	6	60	166	494	694	467
White	2,804	-	-	-	1	6	49	218	530	905	794	301	1,739	-	-	-	-	-	5	51	148	444	647	444
All other	247	-	-	-	-	3	7	25	57	64	62	29	150	-	-	-	-	-	3	9	18	50	47	23
Black	151	-	-	-	-	2	4	17	32	30	42	24	102	-	-	-	-	-	2	7	11	31	33	18
Other acute and subacute forms of ischemic heart disease (411)	205	-	-	-	-	3	5	21	55	56	38	23	109	-	-	-	-	-	1	5	5	28	33	30
White	173	-	-	-	-	3	7	17	48	47	31	20	95	-	-	-	-	-	1	7	6	26	27	27
All other	32	-	-	-	-	-	1	4	8	9	7	3	14	-	-	-	-	-	-	1	2	2	6	3
Black	23	-	-	-	-	-	-	1	6	7	6	3	14	-	-	-	-	-	-	1	2	2	5	3
Angina pectoris (413)	5	-	-	-	-	-	-	-	-	1	2	2	7	-	-	-	-	-	-	-	1	5	1	-
White	5	-	-	-	-	-	-	-	-	1	2	2	5	-	-	-	-	-	-	-	1	4	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,499	-	-	-	-	6	18	95	219	389	473	299	1,482	-	-	-	-	1	3	30	62	283	594	508
White	1,386	-	-	-	-	6	16	88	196	358	434	288	1,378	-	-	-	-	1	3	24	53	238	504	554
All other	113	-	-	-	-	-	2	7	23	31	39	11	104	-	-	-	-	-	-	6	9	25	30	34
Black	70	-	-	-	-	-	-	5	12	19	27	7	78	-	-	-	-	-	-	4	7	20	22	25
Other diseases of endocardium (424)	44	-	-	-	-	1	2	7	9	12	12	1	30	-	-	-	-	1	-	1	3	12	6	7
White	39	-	-	-	-	1	2	7	9	8	11	1	27	-	-	-	-	1	-	-	3	10	6	7
All other	5	-	-	-	-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	5	-	-	-	-	-	-	-	-	4	1	-	2	-	-	-	-	-	-	1	-	1	-	-
All other forms of heart disease (415-423,425-429)	971	6	1	1	4	14	24	59	135	260	286	179	1,076	2	6	1	2	8	11	24	84	165	364	409
White	855	2	1	1	4	10	15	56	117	225	257	165	961	2	4	1	2	5	7	19	69	143	328	361
All other	116	4	-	-	-	4	9	3	18	35	29	14	115	-	2	-	-	3	4	5	15	22	36	28
Black	79	3	-	-	-	3	7	3	10	21	22	10	74	-	2	-	-	1	2	3	11	14	24	17
Hypertension with or without renal disease (401,403)	48	-	-	-	1	1	1	2	5	12	21	5	61	-	-	-	-	-	-	4	5	17	24	11
White	43	-	-	-	1	-	1	2	3	11	20	5	54	-	-	-	-	-	-	4	3	17	21	9
All other	5	-	-	-	-	1	-	-	2	1	1	-	7	-	-	-	-	-	-	-	2	-	3	2
Black	5	-	-	-	-	1	-	-	2	1	1	-	5	-	-	-	-	-	-	-	1	-	2	2
Cerebrovascular diseases (430-438)	1,124	-	-	2	3	3	12	43	96	280	417	268	1,709	-	-	1	1	7	14	39	101	296	598	654
White	1,010	-	-	2	3	2	10	38	77	250	379	251	1,544	-	-	1	-	6	12	32	84	252	548	609
All other	114	-	-	-	-	1	2	7	19	30	38	17	165	-	-	-	1	1	2	7	17	44	48	45
Black	85	-	-	-	-	1	2	3	12	25	30	12	131	-	-	-	1	-	2	6	15	33	38	36
Intracerebral and other intracranial hemorrhage (431-432)	124	-	-	-	1	1	5	18	16	37	29	17	135	-	-	1	1	-	4	7	17	31	45	29
White	108	-	-	-	1	1	4	15	11	31	28	17	121	-	-	1	-	-	2	7	14	28	41	28
All other	16	-	-	-	-	-	1	3	5	6	1	-	14	-	-	-	1	-	2	-	3	3	4	1
Black	9	-	-	-	-	-	1	1	3	3	1	-	13	-	-	-	1	-	2	-	3	3	3	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	155	-	-	-	-	-	-	3	20	33	58	41	249	-	-	-	-	1	1	3	7	40	85	112
White	141	-	-	-	-	-	-	3	16	31	53	39	228	-	-	-	-	1	1	3	4	33	79	107
All other	14	-	-	-	-	-	-	-	4	2	5	3	21	-	-	-	-	-	-	-	3	7	6	5
Black	13	-	-	-	-	-	-	-	3	2	5	3	16	-	-	-	-	-	-	-	3	5	4	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	5	–	–	–	–	–	–	–	–	2	1	2	5	–	–	–	–	–	–	–	–	1	3	1
White	5	–	–	–	–	–	–	–	–	2	1	2	5	–	–	–	–	–	–	–	–	1	3	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	840	–	–	2	2	2	7	22	60	208	329	208	1,320	–	–	–	–	6	9	29	77	224	463	512
White	756	–	–	2	2	1	6	18	50	186	297	194	1,190	–	–	–	–	5	9	22	66	190	425	473
All other	84	–	–	–	–	1	1	4	10	22	32	14	130	–	–	–	–	1	–	7	11	34	38	39
Black	63	–	–	–	–	1	1	2	6	20	24	9	102	–	–	–	–	–	–	6	9	25	31	31
Atherosclerosis (440)	155	–	–	–	–	–	–	3	7	28	60	57	239	–	–	–	–	–	–	2	2	29	75	131
White	143	–	–	–	–	–	–	2	7	23	57	54	219	–	–	–	–	–	–	2	1	25	71	120
All other	12	–	–	–	–	–	–	1	–	5	3	3	20	–	–	–	–	–	–	–	1	4	4	11
Black	9	–	–	–	–	–	–	–	–	4	3	2	12	–	–	–	–	–	–	–	–	3	4	5
Other diseases of arteries, arterioles, and capillaries (441-448)	185	1	–	–	–	1	5	7	30	70	57	14	75	–	–	–	–	1	2	1	9	20	21	21
White	172	1	–	–	–	1	4	4	27	67	55	13	70	–	–	–	–	1	2	1	9	20	19	18
All other	13	–	–	–	–	–	1	3	3	3	2	1	5	–	–	–	–	–	–	–	–	–	2	3
Black	9	–	–	–	–	–	–	1	2	3	2	1	4	–	–	–	–	–	–	–	–	–	1	3
Acute bronchitis and bronchiolitis (466)	5	1	–	–	–	–	–	–	–	–	4	–	7	4	–	–	–	–	–	–	–	1	–	2
White	5	1	–	–	–	–	–	–	–	–	4	–	4	1	–	–	–	–	–	–	–	1	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	379	4	1	–	1	5	7	14	28	73	131	117	341	4	1	2	1	6	3	5	14	44	111	150
White	344	3	1	–	1	3	5	14	22	67	118	110	326	4	1	2	1	6	2	4	13	40	108	145
All other	35	1	–	–	–	2	2	–	4	6	13	7	15	–	–	–	–	–	1	1	1	4	3	5
Black	25	1	–	–	–	2	2	–	1	6	7	6	8	–	–	–	–	–	–	1	–	3	2	2
Pneumonia (480-486)	377	4	1	–	1	5	7	14	28	72	130	117	339	4	1	2	1	6	3	5	14	44	111	148
White	343	3	1	–	1	3	5	14	22	67	117	110	324	4	1	2	1	6	2	4	13	40	108	143
All other	34	1	–	–	–	2	2	–	4	5	13	7	15	–	–	–	–	–	1	1	1	4	3	5
Black	24	1	–	–	–	2	2	–	1	5	7	6	8	–	–	–	–	–	–	1	–	3	2	2
Influenza (487)	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	2
White	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	542	–	1	1	3	–	1	18	92	201	176	49	208	–	–	–	–	2	2	10	42	77	51	24
White	518	–	1	1	3	–	1	18	88	191	168	47	201	–	–	–	–	2	2	9	41	76	48	23
All other	24	–	–	–	–	–	–	–	4	10	8	2	7	–	–	–	–	–	–	1	1	1	3	1
Black	14	–	–	–	–	–	–	–	4	4	4	2	5	–	–	–	–	–	–	1	1	1	2	–
Bronchitis, chronic and unspecified (490-491)	20	–	–	–	–	–	–	1	3	8	6	2	10	–	–	–	–	–	–	–	1	2	5	2
White	19	–	–	–	–	–	–	1	3	8	5	2	10	–	–	–	–	–	–	–	1	2	5	2
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	146	–	–	–	–	–	1	7	25	61	41	11	41	–	–	–	–	–	–	1	6	19	10	5
White	142	–	–	–	–	–	1	7	25	57	41	11	41	–	–	–	–	–	–	1	6	19	10	5
All other	4	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	16	–	1	1	3	–	–	1	3	–	5	2	19	–	–	–	–	2	–	2	4	5	6	–
White	15	–	1	1	3	–	–	1	2	–	5	2	19	–	–	–	–	2	–	2	4	5	6	–
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	360	–	–	–	–	–	–	9	61	132	124	34	138	–	–	–	–	–	2	7	31	51	30	17
White	342	–	–	–	–	–	–	9	58	126	117	32	131	–	–	–	–	–	2	6	30	50	27	16
All other	18	–	–	–	–	–	–	–	3	6	7	2	7	–	–	–	–	–	–	1	1	1	3	1
Black	13	–	–	–	–	–	–	–	3	4	4	2	5	–	–	–	–	–	–	1	1	1	2	–
Ulcer of stomach and duodenum (531-533)	55	–	–	–	–	–	–	6	10	11	16	12	40	–	–	–	–	–	1	1	4	8	14	12
White	54	–	–	–	–	–	–	5	10	11	16	12	36	–	–	–	–	–	1	1	4	5	13	12
All other	1	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	3	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Appendicitis (540-543)	2	–	–	1	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–	1	–	–
White	2	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	42	–	–	–	–	5	–	4	2	9	12	10	47	1	–	–	–	–	1	–	2	8	17	18
White	39	–	–	–	–	5	–	3	2	9	12	8	43	1	–	–	–	–	–	–	2	7	17	16
All other	3	–	–	–	–	–	–	1	–	–	–	2	4	–	–	–	–	–	1	–	–	1	–	2
Black	2	–	–	–	–	–	–	1	–	–	–	2	3	–	–	–	–	–	1	–	–	1	–	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	216	–	–	1	–	19	23	46	66	39	18	4	143	–	–	–	–	11	13	40	37	31	9	2
White	183	–	–	–	–	7	16	31	53	36	17	3	108	–	–	–	–	4	5	30	32	27	8	2
All other	53	–	–	1	–	12	7	15	13	3	1	1	35	–	–	–	–	7	8	10	5	4	1	–
Black	13	–	–	1	–	–	–	3	7	–	1	1	14	–	–	–	–	4	2	4	1	2	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	23	–	–	–	–	–	–	–	4	6	4	9	28	–	–	–	–	–	–	3	2	4	7	12
White	21	–	–	–	–	–	–	–	3	5	4	9	26	–	–	–	–	–	–	2	2	3	7	12
All other	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	159	–	–	–	–	2	3	12	13	25	56	48	170	2	–	1	2	1	1	5	10	27	59	62
White	131	–	–	–	–	1	2	6	10	19	52	41	133	1	–	1	1	–	–	4	7	14	50	55
All other	28	–	–	–	–	1	1	6	3	6	4	7	37	1	–	–	1	1	1	1	3	13	9	7
Black	10	–	–	–	–	1	1	2	1	1	1	3	29	1	–	–	1	–	–	1	3	9	9	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	–	–	–	–	–	–	1	–	2	2	–	4	–	–	–	–	–	–	–	–	1	2	1
White	4	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	–	2	1
All other	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	–	–	–	–	–	–	3	1	6	6	2	28	–	–	1	–	–	–	–	–	6	11	10
White	16	–	–	–	–	–	–	2	1	5	6	2	20	–	–	1	–	–	–	–	–	3	9	7
All other	2	–	–	–	–	–	–	1	–	1	–	–	8	–	–	–	–	–	–	–	–	3	2	3
Black	2	–	–	–	–	–	–	1	–	1	–	–	7	–	–	–	–	–	–	–	–	3	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	136	–	–	–	–	2	3	8	12	17	48	46	138	2	–	–	2	1	1	5	10	20	46	51
White	111	–	–	–	–	1	2	4	9	12	44	39	110	1	–	–	1	–	–	4	7	11	39	47
All other	25	–	–	–	–	1	1	4	3	5	4	7	28	1	–	–	1	1	1	1	3	9	7	4
Black	8	–	–	–	–	1	1	1	1	–	1	3	21	1	–	–	1	–	–	1	3	5	7	3
Infections of kidney (590)	19	–	–	–	–	1	–	–	3	1	8	6	45	–	–	–	–	–	–	2	3	6	15	19
White	17	–	–	–	–	–	–	–	2	1	8	6	41	–	–	–	–	–	–	1	2	6	14	18
All other	2	–	–	–	–	1	–	–	1	–	–	–	4	–	–	–	–	–	–	1	1	–	1	1
Black	2	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hyperplasia of prostate (600)	13	–	–	–	–	–	–	–	–	4	3	6	***	***	***	***	***	***	***	***	***	***	***	***
White	13	–	–	–	–	–	–	–	–	4	3	6	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	5	***	***	–	2	2	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	2	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	1	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	2	1	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	1	2	1	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	112	78	7	5	4	3	3	6	1	2	1	–	83	50	3	6	3	2	6	2	4	4	2	1
White	92	64	6	4	2	3	3	7	1	2	–	–	70	41	2	5	3	2	6	1	3	4	2	1
All other	20	14	1	1	2	–	–	1	–	–	1	–	13	9	1	1	–	–	–	1	1	–	–	–
Black	14	10	–	–	2	–	–	1	–	–	1	–	5	2	1	–	–	–	–	1	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	161	160	1	–	–	–	–	–	–	–	–	–	119	119	–	–	–	–	–	–	–	–	–	–
White	131	130	1	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
All other	30	30	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
Black	20	20	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	69	69	–	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
White	58	58	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
All other	11	11	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	7	7	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	92	91	1	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
White	73	72	1	–	–	–	–	–	–	–	–	–	66	66	–	–	–	–	–	–	–	–	–	–
All other	19	19	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Black	13	13	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	184	71	5	1	9	9	7	11	15	19	19	18	152	47	4	2	5	1	5	4	7	14	24	38
White	148	50	3	1	5	5	6	9	14	18	19	17	123	29	2	2	5	1	5	3	7	12	22	34
All other	36	21	2	–	3	3	1	2	1	1	–	1	29	18	2	–	–	–	–	1	–	2	2	4
Black	23	13	–	–	3	2	–	2	1	1	–	1	16	10	1	–	–	–	–	1	–	1	–	3
All other diseases (Residual)	826	13	9	14	22	25	30	77	162	184	173	114	793	9	8	8	17	18	35	43	103	153	199	200
White	723	12	8	12	19	16	22	63	144	166	156	103	707	6	8	7	13	13	29	39	85	135	187	185
All other	103	1	1	2	3	9	8	14	18	18	17	11	86	3	–	1	4	5	6	4	18	18	12	15
Black	59	–	1	1	1	5	3	8	7	12	14	6	57	2	–	1	2	2	5	3	11	7	11	13
Accidents and adverse effects (E800-E949)	1,237	12	27	63	342	208	109	125	105	95	90	56	494	2	30	26	86	52	21	41	42	50	85	59
White	1,092	9	22	56	305	184	93	109	94	83	80	53	435	2	23	23	70	47	19	36	39	47	74	55
All other	145	3	5	7	37	24	16	16	11	12	10	3	59	–	7	3	16	5	2	5	3	3	11	4
Black	93	1	4	5	18	19	10	11	8	8	8	2	36	–	6	1	7	3	1	4	1	1	10	2
Motor vehicle accidents (E810-E825)	699	2	12	32	257	129	58	63	47	46	34	5	243	2	14	14	67	41	12	22	23	22	22	4
White	617	2	11	29	233	115	49	54	44	41	32	4	221	2	12	14	56	37	10	20	22	22	22	4
All other	72	–	1	3	24	14	9	9	3	5	2	1	22	–	2	–	11	4	2	2	1	–	–	–
Black	48	–	1	1	11	11	7	7	3	4	1	1	9	–	2	–	3	2	1	1	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	548	10	15	31	85	79	51	62	58	49	56	51	251	–	16	12	19	11	9	19	19	28	63	55
White	475	7	11	27	72	69	44	55	50	42	48	49	214	–	11	9	14	10	9	15	17	25	52	51
All other	73	3	4	4	13	10	7	7	8	7	8	2	37	–	5	3	5	1	–	3	2	3	11	4
Black	45	1	3	4	7	8	3	4	5	2	7	1	27	–	4	1	4	1	–	3	1	1	10	2
Suicide (E950-E959)	309	...	...	2	75	74	33	32	28	42	21	3	90	...	...	1	17	23	11	17	9	7	4	–
White	282	...	...	2	69	66	32	31	25	41	21	3	84	...	...	1	17	20	11	15	9	7	3	–
All other	27	...	...	–	15	8	1	1	1	1	–	–	6	...	...	–	–	3	–	2	–	–	1	–
Black	10	...	...	–	6	2	1	–	1	–	–	–	3	...	...	–	–	2	–	1	–	–	–	–
Homicide and legal intervention (E960-E978)	246	2	–	2	51	71	44	31	19	16	5	1	77	1	3	2	19	19	12	6	6	7	2	–
White	152	1	–	1	35	42	26	20	13	9	4	–	57	1	1	2	16	13	9	6	4	4	1	–
All other	94	1	–	1	16	29	18	11	6	7	1	1	20	–	2	–	3	6	3	–	2	3	1	–
Black	74	–	–	1	13	25	14	10	2	5	1	1	15	–	1	–	3	3	2	–	2	3	1	–
All other external causes (E980-E999)	20	2	–	3	3	2	3	5	1	–	1	–	8	1	1	1	1	–	1	1	1	–	–	1
White	12	–	–	3	1	1	2	5	–	–	–	–	5	–	–	1	1	–	1	1	1	–	–	–
All other	8	2	–	–	2	1	1	–	1	–	1	–	3	1	1	–	–	–	–	–	–	–	–	1
Black	8	2	–	–	2	1	1	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–	1
OREGON																								
All causes	11,899	273	51	83	409	429	385	788	1,812	3,089	2,931	1,557	9,157	180	45	45	122	137	162	452	1,061	1,850	2,530	2,532
White	11,578	255	49	77	384	410	336	758	1,849	3,028	2,892	1,537	8,970	168	40	43	118	122	178	435	1,049	1,817	2,496	2,505
All other	321	18	2	6	25	19	27	40	63	61	39	20	187	12	5	2	4	15	6	17	32	33	34	27
Black	177	7	2	4	6	9	16	28	41	36	18	11	87	5	2	1	2	5	4	9	17	15	14	13
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	11	–	–	–	–	–	1	1	1	2	6	–	2	–	–	–	–	–	–	1	1	–	–	–
White	11	–	–	–	–	–	1	1	1	2	6	–	2	–	–	–	–	–	–	1	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	11	–	–	–	–	–	1	1	1	2	6	–	2	–	–	–	–	–	–	1	1	–	–	–
White	11	–	–	–	–	–	1	1	1	2	6	–	2	–	–	–	–	–	–	1	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	35	2	-	-	-	-	-	1	7	7	11	7	30	-	-	1	-	1	-	1	3	8	7	9
White	35	2	-	-	-	-	-	1	7	7	11	7	29	-	-	1	-	1	-	1	2	8	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	-	1	-	3	1	-	1	5	-	-	-	1	-	1	-	-	2	1	
White	5	-	-	-	-	-	1	-	2	1	-	1	5	-	-	-	1	-	1	-	-	2	1	
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1		-	-	-	-	-	-	-	-	-	-	-	
White	2	-	-	-	-	-	-	-	-	1	1		-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	23	1	-	-	1	-	1	2	6	7	2	3	31	1	1	1	1	1	-	1	4	4	10	7
White	23	1	-	-	1	-	1	2	6	7	2	3	28	1	-	1	1	1	-	1	2	4	10	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,606	2	4	8	23	24	58	226	560	896	623	182	1,942	-	-	9	7	28	68	183	468	541	441	197
White	2,531	2	4	8	22	23	58	212	532	877	615	178	1,906	-	-	9	7	26	67	174	460	534	435	194
All other	75	-	-	-	1	1	-	14	28	19	8	4	36	-	-	-	-	2	1	9	8	7	6	3
Black	56	-	-	-	-	1	-	13	20	15	5	2	17	-	-	-	-	-	1	7	3	2	2	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	52	-	-	-	-	-	-	7	16	20	8	1	27	-	-	-	-	-	-	4	5	7	6	3
White	49	-	-	-	-	-	-	6	15	19	8	1	26	-	-	-	-	-	-	3	5	7	6	3
All other	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	641	-	-	-	1	2	11	50	150	226	146	55	472	-	-	-	1	2	9	25	79	143	141	72
White	618	-	-	-	1	2	11	48	140	218	145	53	462	-	-	-	1	2	9	23	77	142	137	71
All other	23	-	-	-	-	-	-	2	10	8	1	2	10	-	-	-	-	-	-	2	2	1	4	1
Black	14	-	-	-	-	-	-	2	6	5	1	-	3	-	-	-	-	-	-	1	-	-	1	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	931	-	-	-	1	3	13	105	244	338	199	28	361	-	-	-	-	1	14	54	122	103	58	9
White	901	-	-	-	1	3	13	97	232	333	194	28	354	-	-	-	-	1	14	50	121	101	58	9
All other	30	-	-	-	-	-	-	8	12	5	5	-	7	-	-	-	-	-	-	4	1	2	-	-
Black	24	-	-	-	-	-	-	7	10	4	3	-	3	-	-	-	-	-	-	3	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	361	-	-	-	-	9	14	42	98	105	60	33
White	-	-	-	-	-	-	-	-	-	-	-	-	355	-	-	-	-	8	13	41	96	104	60	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	1	1	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	-	1	-	-
Malignant neoplasms of genital organs (179-187)	291	-	-	-	1	2	2	4	24	90	117	51	272	-	-	-	2	5	14	32	68	74	57	20
White	284	-	-	-	1	2	2	4	23	87	116	49	268	-	-	-	2	5	14	31	68	71	57	20
All other	7	-	-	-	-	-	-	-	1	3	1	2	4	-	-	-	-	-	-	1	-	3	-	-
Black	7	-	-	-	-	-	-	-	1	3	1	2	2	-	-	-	-	-	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	117	–	–	–	1	–	3	8	17	43	33	12	54	–	–	1	–	–	1	4	12	15	14	7
White	117	–	–	–	1	–	3	8	17	43	33	12	53	–	–	1	–	–	1	4	12	15	13	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	313	1	2	1	10	10	17	35	59	101	61	16	215	–	–	4	2	5	8	14	53	43	57	29
White	307	1	2	1	9	9	17	32	58	101	61	16	211	–	–	4	2	5	8	14	50	43	57	28
All other	6	–	–	–	1	1	–	3	1	–	–	–	4	–	–	–	–	–	–	–	3	–	–	1
Black	4	–	–	–	–	1	–	3	–	–	–	–	4	–	–	–	–	–	–	–	3	–	–	1
Leukemia (204-208)	132	1	1	5	5	2	5	8	20	37	38	10	82	–	–	3	2	2	4	4	15	19	19	14
White	132	1	1	5	5	2	5	8	20	37	38	10	81	–	–	3	2	2	4	4	15	19	18	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	129	–	1	2	4	5	7	9	30	41	21	9	98	–	–	1	–	4	4	4	16	32	27	10
White	123	–	1	2	4	5	7	9	27	39	20	9	96	–	–	1	–	3	4	4	16	32	27	9
All other	6	–	–	–	–	–	–	–	3	2	1	–	2	–	–	–	–	1	–	–	–	–	–	1
Black	4	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	–	–	–	–	1	–	–	5	7	6	2	43	–	1	–	–	3	3	2	5	13	9	7
White	19	–	–	–	–	–	–	–	4	7	6	2	43	–	1	–	–	3	3	2	5	13	9	7
All other	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	138	–	–	–	–	8	8	7	23	38	35	19	148	–	–	1	2	1	3	5	17	41	55	23
White	136	–	–	–	–	8	8	7	21	38	35	19	145	–	–	1	2	1	3	5	17	40	53	23
All other	2	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nutritional deficiencies (260-269)	18	1	–	–	–	–	–	–	2	–	3	12	18	–	–	–	–	–	–	1	1	2	8	6
White	18	1	–	–	–	–	–	–	2	–	3	12	18	–	–	–	–	–	–	1	1	2	8	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	11	–	1	–	1	–	1	–	2	3	2	1	13	–	–	–	–	–	–	1	2	1	2	7
White	9	–	1	–	–	–	–	–	2	3	2	1	13	–	–	–	–	–	–	1	2	1	2	7
All other	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	9	5	1	–	–	–	1	1	1	–	–	–	8	2	1	–	–	–	–	1	2	–	1	1
White	8	4	1	–	–	–	1	1	1	–	–	–	8	2	1	–	–	–	–	1	2	–	1	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	5,409	8	2	1	8	20	95	313	845	1,510	1,610	997	4,713	5	3	4	4	6	30	116	335	873	1,555	1,782
White	5,315	8	2	1	8	18	88	301	831	1,490	1,590	988	4,643	5	3	4	4	6	30	114	324	853	1,537	1,763
All other	94	–	–	–	–	2	7	12	14	30	20	9	70	–	–	–	–	–	–	2	11	20	18	19
Black	48	–	–	–	–	1	4	6	10	14	8	5	40	–	–	–	–	–	–	1	9	12	9	9
Diseases of heart (390-398,402,404-429)	4,169	5	1	–	6	15	87	277	762	1,189	1,157	670	3,166	3	3	3	3	3	26	90	251	656	1,040	1,088
White	4,100	5	1	–	6	14	80	270	749	1,169	1,144	662	3,113	3	3	3	3	3	26	88	243	640	1,029	1,072
All other	69	–	–	–	–	1	7	7	13	20	13	8	53	–	–	–	–	–	–	2	8	16	11	16
Black	39	–	–	–	–	1	4	3	9	11	7	4	29	–	–	–	–	–	–	1	6	10	5	7
Rheumatic fever and rheumatic heart disease (390-396)	37	–	–	–	–	1	2	2	13	12	7	–	76	–	–	–	–	–	1	8	11	26	19	11
White	37	–	–	–	–	1	2	2	13	12	7	–	74	–	–	–	–	–	1	7	11	25	19	11
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	79	–	–	–	–	–	–	3	17	22	28	9	107	–	–	–	–	–	–	2	8	33	35	29
White	76	–	–	–	–	–	–	3	17	20	28	8	106	–	–	–	–	–	–	2	7	33	35	29
All other	3	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart and renal disease (404)	24	–	–	–	–	–	–	–	3	4	13	4	26	–	–	–	–	–	–	–	–	6	12	8
White	23	–	–	–	–	–	–	–	3	4	12	4	25	–	–	–	–	–	–	–	–	5	12	8
All other	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	3,487	1	–	–	–	9	75	238	653	1,015	952	544	2,387	–	–	–	–	3	13	63	195	504	779	810
White	3,427	1	–	–	–	8	69	231	642	998	941	537	2,335	–	–	–	–	3	13	62	192	495	772	796
All other	60	–	–	–	–	1	6	7	11	17	11	7	32	–	–	–	–	–	–	1	3	9	7	12
Black	32	–	–	–	–	1	4	3	7	8	5	4	20	–	–	–	–	–	–	1	3	7	4	5
Acute myocardial infarction (410)	1,412	–	–	–	–	1	38	101	282	449	369	162	873	–	–	–	–	2	9	31	85	216	333	197
White	1,388	–	–	–	–	1	36	96	266	441	367	161	866	–	–	–	–	2	9	31	85	215	330	194
All other	24	–	–	–	–	–	2	5	6	8	2	1	7	–	–	–	–	–	–	–	–	1	3	3
Black	13	–	–	–	–	–	1	3	4	4	1	–	4	–	–	–	–	–	–	–	–	1	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	12	1	-	-	-	-	-	1	1	5	3	1	8	-	-	-	-	-	-	-	2	2	1	3
White	12	1	-	-	-	-	-	1	1	5	3	1	7	-	-	-	-	-	-	-	1	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,061	-	-	-	-	8	37	136	359	580	580	381	1,483	-	-	-	-	1	4	32	108	285	443	610
White	2,025	-	-	-	-	7	33	134	354	551	571	375	1,459	-	-	-	-	1	4	31	106	277	439	601
All other	36	-	-	-	-	1	4	2	5	9	9	6	24	-	-	-	-	-	-	1	2	8	4	9
Black	19	-	-	-	-	1	3	-	3	4	4	4	15	-	-	-	-	-	-	1	2	6	2	4
Other diseases of endocardium (424)	45	-	-	-	-	-	-	1	-	5	18	15	8	62	-	-	-	-	-	-	2	3	15	24	18
White	45	-	-	-	-	-	-	1	-	5	18	15	6	58	-	-	-	-	-	-	2	2	15	21	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	497	4	1	-	6	5	9	34	71	118	142	107	528	3	3	3	3	-	12	15	34	72	171	212
White	492	4	1	-	6	5	8	34	69	117	141	107	515	3	3	3	3	-	12	15	31	67	170	206
All other	5	-	-	-	-	-	1	-	2	1	1	-	13	-	-	-	-	-	-	-	3	5	1	4
Black	4	-	-	-	-	-	-	-	2	1	1	-	6	-	-	-	-	-	-	-	2	2	-	2
Hypertension with or without renal disease (401,403)	33	-	-	-	-	-	1	-	3	11	10	8	36	-	-	-	-	-	-	1	4	7	9	15
White	32	-	-	-	-	-	1	-	3	10	10	8	35	-	-	-	-	-	-	1	3	7	9	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	854	3	1	1	1	4	4	29	52	221	318	220	1,164	2	-	1	1	3	4	24	60	174	408	487
White	839	3	1	1	1	3	4	25	51	217	314	219	1,148	2	-	1	1	3	4	24	58	170	401	484
All other	15	-	-	-	-	1	-	4	1	4	4	1	16	-	-	-	-	-	-	-	2	4	7	3
Black	6	-	-	-	-	-	-	3	1	2	1	1	10	-	-	-	-	-	-	-	2	2	4	2
Intracerebral and other intracranial hemorrhage (431-432)	82	1	1	-	-	1	-	10	12	29	20	8	120	2	-	-	-	1	3	9	14	35	36	20
White	78	1	1	-	-	-	-	9	11	28	20	8	117	2	-	-	-	1	3	9	13	34	35	20
All other	4	-	-	-	-	1	-	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	186	1	-	-	-	1	2	4	9	42	67	60	250	-	-	-	-	-	-	-	9	49	80	112
White	184	1	-	-	-	1	2	3	9	41	67	60	244	-	-	-	-	-	-	-	9	46	79	110
All other	2	-	-	-	-	-	-	1	-	1	-	-	6	-	-	-	-	-	-	-	-	3	1	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	1	2	-	7	-	-	-	-	-	-	1	-	2	2	2
White	4	-	-	-	-	-	-	-	1	1	2	-	7	-	-	-	-	-	-	1	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	582	1	-	1	1	2	2	15	30	149	229	152	787	-	-	1	1	2	1	14	37	88	290	359
White	573	1	-	1	1	2	2	13	30	147	225	151	780	-	-	1	1	2	1	14	36	88	285	352
All other	9	-	-	-	-	-	-	2	-	2	4	1	7	-	-	-	-	-	-	-	1	-	5	1
Black	4	-	-	-	-	-	-	1	-	1	1	1	5	-	-	-	-	-	-	-	1	-	3	1
Atherosclerosis (440)	181	-	-	-	-	-	-	2	10	22	68	79	260	-	-	-	-	-	-	1	4	14	70	171
White	178	-	-	-	-	-	-	2	10	19	68	79	260	-	-	-	-	-	-	1	4	14	70	171
All other	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	172	-	-	-	1	1	3	5	18	67	57	20	87	-	-	-	-	-	-	-	16	22	28	21
White	166	-	-	-	1	1	3	4	18	65	54	20	87	-	-	-	-	-	-	-	16	22	28	21
All other	6	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	1	1
White	3	1	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	309	4	1	-	1	2	-	10	19	64	110	92	302	3	-	-	1	1	1	3	12	36	77	166
White	288	2	1	-	1	2	-	7	17	62	107	89	299	3	-	-	1	1	1	3	11	37	77	166
All other	15	2	-	-	-	-	-	3	2	2	3	3	3	-	-	-	-	-	-	-	1	1	-	1
Black	8	1	-	-	-	-	-	1	2	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	293	4	1	–	1	2	–	9	18	63	106	88	298	3	–	–	1	–	1	3	12	38	76	164
White	278	2	1	–	1	2	–	6	17	61	103	85	295	3	–	–	1	–	1	3	11	37	76	163
All other	15	2	–	–	–	–	–	3	2	2	3	3	3	–	–	–	–	–	–	–	1	1	–	1
Black	8	1	–	–	–	–	–	1	2	1	2	1	1	–	–	–	–	–	–	–	1	–	–	–
Influenza (487)	10	–	–	–	–	–	–	1	–	1	4	4	4	–	–	–	–	1	–	–	–	–	1	2
White	10	–	–	–	–	–	–	1	–	1	4	4	4	–	–	–	–	1	–	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	487	–	–	–	3	–	1	13	61	172	164	53	233	1	1	–	1	–	1	10	44	66	60	29
White	484	–	–	–	3	–	1	13	60	171	163	53	231	1	1	–	1	–	1	10	43	66	59	29
All other	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Bronchitis, chronic and unspecified (490-491)	34	–	–	–	1	–	–	3	5	7	13	5	21	1	1	–	–	–	–	1	4	7	6	1
White	34	–	–	–	1	–	–	3	5	7	13	5	20	1	1	–	–	–	–	1	4	7	5	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	149	–	–	–	–	–	–	8	25	58	44	16	69	–	–	–	–	–	–	2	13	27	18	9
White	149	–	–	–	–	–	–	8	25	58	44	16	69	–	–	–	–	–	–	2	13	27	18	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	16	–	–	–	1	–	–	2	3	6	4	–	20	–	–	–	1	–	1	2	4	9	2	1
White	16	–	–	–	1	–	–	2	3	6	4	–	19	–	–	–	1	–	1	2	3	9	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	288	–	–	–	1	–	1	–	48	103	103	32	123	–	–	–	–	–	–	5	23	43	34	18
White	285	–	–	–	1	–	1	–	47	102	102	32	123	–	–	–	–	–	–	5	23	43	34	18
All other	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	33	–	–	1	–	–	1	1	5	10	11	4	35	–	–	–	–	–	1	–	2	10	12	10
White	32	–	–	1	–	–	1	1	5	9	11	4	35	–	–	–	–	–	1	–	2	10	12	10
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	2	–	–
White	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	2	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	–	–	–	–	1	–	1	2	6	9	5	37	–	–	–	–	–	–	3	5	5	9	15
White	23	–	–	–	–	1	–	1	2	6	9	4	37	–	–	–	–	–	–	3	5	5	9	15
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	215	–	–	–	–	8	16	43	91	48	7	2	128	–	–	–	1	5	9	33	37	30	12	1
White	200	–	–	–	–	6	13	41	85	47	8	2	118	–	–	–	1	1	8	30	36	30	11	1
All other	15	–	–	–	–	2	3	2	6	1	1	–	10	–	–	–	–	4	1	3	1	–	1	–
Black	12	–	–	–	–	1	3	2	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	20	–	–	–	–	–	–	–	1	5	6	8	15	–	–	–	–	–	–	1	3	4	5	2
White	20	–	–	–	–	–	–	–	1	5	6	8	14	–	–	–	–	–	–	1	2	4	5	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	80	–	1	1	2	2	2	3	11	16	26	16	52	2	–	–	2	2	2	6	5	11	14	8
White	78	–	1	1	2	2	2	3	11	15	25	15	50	2	–	–	2	1	2	6	5	11	13	8
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	3	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	–	–	–	–	1	–	1	4	2	1	4	9	–	–	–	1	–	2	1	1	3	–	1
White	19	–	–	–	–	1	–	1	4	2	1	4	9	–	–	–	1	–	2	1	1	3	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	64	–	1	1	1	1	2	2	6	14	24	12	43	2	–	–	1	2	–	5	4	8	14	7
White	62	–	1	1	1	1	2	2	6	13	23	12	41	2	–	–	1	1	–	5	4	8	13	7
All other	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	1	–	–	–	–	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Infections of kidney (590)	6	–	–	–	–	–	–	–	–	4	1	1	17	–	–	–	–	–	–	2	2	3	3	7
White	6	–	–	–	–	–	–	–	–	4	1	1	17	–	–	–	–	–	–	2	2	3	3	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	8	–	–	–	–	–	–	–	1	–	4	3	***	***	***	***	***	***	***	***	***	***	***	***
White	8	–	–	–	–	–	–	–	1	–	4	3	***	***	***	***	***	***	***	***	***	***	***	***
All other	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	–	–	–	–	–	–	–	–	–	–	–	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	–	***	***	–	–	–	–	–	***	***	***	***
Congenital anomalies (740-759)	79	62	6	1	2	–	3	–	2	1	–	2	71	45	7	1	3	1	4	2	3	3	2	–
White	75	59	6	1	2	–	3	–	1	1	–	2	69	44	7	1	3	1	4	2	3	3	1	–
All other	4	3	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period [2] (760-779)	109	108	1	–	–	–	–	–	–	–	–	–	75	75	–	–	–	–	–	–	–	–	–	–
White	104	103	1	–	–	–	–	–	–	–	–	–	66	66	–	–	–	–	–	–	–	–	–	–
All other	5	5	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	36	36	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
White	34	34	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
All other	2	2	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	73	72	1	–	–	–	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–
White	70	69	1	–	–	–	–	–	–	–	–	–	48	48	–	–	–	–	–	–	–	–	–	–
All other	3	3	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	182	58	1	1	1	8	6	6	22	42	33	14	140	34	1	–	3	2	3	6	8	16	27	36
White	185	53	1	1	1	8	5	6	22	42	32	14	134	32	1	–	3	1	3	6	7	16	27	36
All other	7	5	–	–	–	–	1	–	–	–	1	–	6	2	–	–	–	1	–	–	1	–	–	2
Black	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
All other diseases (Residual)	609	11	5	3	15	16	20	44	99	138	175	83	589	3	8	3	5	14	21	24	75	104	172	160
White	592	10	5	3	14	14	18	41	98	136	172	81	576	3	8	3	5	13	21	22	73	101	169	158
All other	17	1	–	–	1	2	2	3	1	2	3	2	13	–	–	–	–	1	–	2	2	3	3	2
Black	6	–	–	–	–	–	1	1	1	1	1	1	6	–	–	–	–	1	–	1	–	1	2	1
Accidents and adverse effects (E800-E949)	1,053	9	27	64	268	230	102	79	88	77	67	42	369	5	15	21	73	45	18	33	22	38	42	56
White	1,004	8	25	59	254	223	96	75	81	75	66	41	352	5	13	20	70	39	16	33	21	37	41	56
All other	49	1	2	5	14	7	6	4	5	2	1	1	17	–	2	1	3	6	2	–	1	1	1	–
Black	22	1	2	3	3	4	2	3	2	1	–	1	9	–	1	–	2	3	1	–	1	–	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	536	4	10	38	175	134	54	40	33	25	19	5	190	3	8	13	58	33	14	23	10	15	6	7
White	512	4	10	33	168	130	51	37	32	24	18	5	183	3	8	13	56	30	13	23	9	15	6	7
All other	24	–	–	3	7	4	3	3	1	1	1	–	7	–	–	–	2	3	1	–	1	–	–	–
Black	9	–	–	3	–	2	–	3	–	1	–	–	2	–	–	–	1	–	–	–	1	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	517	5	17	28	93	98	48	39	53	52	48	37	179	2	7	8	15	12	4	10	12	23	36	49
White	492	4	15	26	86	93	45	38	49	51	48	36	169	2	5	7	14	9	3	10	12	22	35	49
All other	25	1	2	2	7	3	3	1	4	1	–	1	10	–	2	1	1	3	1	–	–	1	1	–
Black	13	1	2	–	3	2	2	–	2	–	–	1	7	–	1	–	1	3	1	–	–	–	1	–
Suicide (E950-E959)	267	...	...	–	56	70	29	31	29	27	18	7	84	...	...	1	12	16	14	14	19	4	4	–
White	261	...	...	–	52	70	28	31	29	26	18	7	82	...	...	–	12	16	14	14	18	4	4	–
All other	6	...	...	–	4	–	1	–	–	1	–	–	2	...	...	1	–	–	–	–	1	–	–	–
Black	1	...	...	–	–	–	1	–	–	–	–	–	1	...	...	1	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	82	–	–	2	18	30	14	9	4	4	–	–	32	–	6	3	5	7	1	1	3	5	1	–
White	66	–	–	1	15	27	10	7	3	3	–	–	28	–	4	3	4	7	1	1	2	5	1	–
All other	16	–	–	1	4	3	4	2	1	1	–	–	4	–	2	–	1	–	–	–	1	–	–	–
Black	11	–	–	1	2	1	3	2	1	1	–	–	2	–	1	–	–	–	–	–	1	–	–	–
All other external causes (E980-E999)	36	–	–	1	9	9	5	7	4	1	–	–	17	1	1	–	1	3	2	2	3	4	–	–
White	33	–	–	1	9	8	3	7	4	1	–	–	14	1	1	–	1	3	–	1	3	4	–	–
All other	3	–	–	–	–	1	2	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
PENNSYLVANIA																								
All causes	62,702	1,168	179	302	1,599	1,492	1,768	4,983	11,761	17,218	15,231	6,990	54,700	929	127	185	484	587	1,025	2,851	6,759	12,286	16,534	12,921
White	56,904	920	144	263	1,422	1,158	1,410	4,236	10,576	15,883	14,249	6,697	50,204	708	104	149	421	458	802	2,355	5,971	11,213	15,560	12,453
All other	5,798	248	35	39	177	338	358	747	1,185	1,335	982	353	4,496	221	23	36	63	129	223	496	788	1,073	974	468
Black	5,718	243	35	38	174	333	351	735	1,178	1,318	965	345	4,455	217	23	35	61	127	217	489	765	1,069	970	466
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	1	–	–	–	–	–	–	1	–	1	2	4	2	–	–	–	–	–	–	–	1	1	–
White	4	–	–	–	–	–	–	–	1	–	1	2	4	2	–	–	–	–	–	–	–	1	1	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	82	–	–	–	–	4	3	10	14	19	24	8	30	–	–	–	1	–	–	5	7	7	7	3
White	67	–	–	–	–	2	1	8	12	18	20	6	20	–	–	–	–	–	–	2	5	6	4	3
All other	15	–	–	–	–	2	2	2	2	1	4	2	10	–	–	–	1	–	–	3	2	1	3	–
Black	15	–	–	–	–	2	2	2	2	1	4	2	9	–	–	–	1	–	–	2	2	1	3	–
Tuberculosis of respiratory system (010-012)	73	–	–	–	–	4	3	8	13	18	23	6	21	–	–	–	–	–	–	3	6	4	5	3
White	59	–	–	–	–	2	1	5	11	17	19	4	15	–	–	–	–	–	–	–	5	4	3	3
All other	14	–	–	–	–	2	2	1	2	1	4	2	6	–	–	–	–	–	–	3	1	–	2	–
Black	14	–	–	–	–	2	2	1	2	1	4	2	5	–	–	–	–	–	–	2	1	–	2	–
Other tuberculosis (013-018)	9	–	–	–	–	–	–	4	1	1	1	2	9	–	–	–	1	–	–	2	1	3	2	–
White	8	–	–	–	–	–	–	3	1	1	1	2	5	–	–	–	–	–	–	2	–	2	1	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	1	–	–	–	1	1	1	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	1	–	–	–	1	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	6	2	–	–	2	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–
White	4	1	–	–	2	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
All other	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	271	8	2	1	7	3	3	15	39	75	79	41	311	5	1	1	3	3	11	20	32	74	83	78
White	217	4	–	–	6	2	1	11	31	63	61	38	248	4	–	1	3	1	7	12	26	59	66	69
All other	54	2	2	1	1	1	2	4	8	12	18	3	63	1	1	–	–	2	4	8	6	15	17	9
Black	54	2	2	1	1	1	2	4	8	12	18	3	63	1	1	–	–	2	4	8	6	15	17	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	17	-	-	-	3	-	1	4	2	3	3	1	10	-	-	1	1	-	-	3	2	1	2	-
White	15	-	-	-	1	-	1	4	2	3	3	1	8	-	-	1	-	-	-	3	1	1	2	-
All other	2	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	2	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Syphilis (090-097)	8	-	-	-	-	-	-	-	1	4	3	-	1	-	-	-	-	-	-	-	-	1	-	-
White	6	-	-	-	-	-	-	-	-	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	74	1	2	3	5	2	3	8	16	18	14	4	83	7	-	1	5	2	4	9	13	20	10	12
White	63	1	1	2	5	1	3	6	13	15	13	4	69	5	-	1	3	-	4	6	10	20	10	10
All other	11	-	1	1	-	1	-	2	3	3	1	-	14	2	-	-	2	2	-	3	3	-	-	2
Black	11	-	1	1	-	1	-	1	3	3	1	-	14	2	-	-	2	2	-	3	3	-	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,569	3	16	43	62	115	276	1,207	3,238	4,537	3,107	965	11,723	2	11	32	47	112	363	1,250	2,656	3,417	2,697	1,134
White	12,274	3	16	35	58	104	237	1,047	2,895	4,125	2,863	893	10,739	2	11	25	45	99	307	1,090	2,392	3,154	2,525	1,087
All other	1,295	-	-	8	6	11	39	160	343	412	244	72	984	-	-	7	2	13	56	160	264	263	172	47
Black	1,273	-	-	8	6	11	39	158	340	407	238	69	973	-	-	6	1	13	55	157	264	258	172	47
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	328	-	-	-	-	9	14	38	112	109	34	19	137	-	-	1	1	1	8	16	32	42	22	14
White	281	-	-	-	-	1	8	24	97	101	32	18	117	-	-	1	1	1	5	10	26	38	21	14
All other	47	-	-	-	-	2	6	14	15	7	2	1	20	-	-	-	-	-	3	6	6	4	1	-
Black	46	-	-	-	-	2	6	13	15	7	2	1	20	-	-	-	-	-	3	6	6	4	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,677	-	2	1	3	19	57	303	875	1,249	884	274	3,436	-	1	-	2	11	49	235	656	1,017	1,000	464
White	3,310	-	2	1	3	17	50	263	788	1,119	812	255	3,134	-	1	-	1	8	39	196	581	937	923	447
All other	367	-	-	-	-	2	7	40	87	130	82	19	302	-	-	-	1	5	10	37	75	80	77	17
Black	356	-	-	-	-	2	7	37	87	125	80	18	298	-	-	-	-	5	10	36	75	78	77	17
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,529	-	-	-	1	15	70	465	1,340	1,655	821	162	1,615	-	-	-	-	3	48	230	486	543	243	64
White	4,067	-	-	-	1	14	56	394	1,163	1,510	760	149	1,453	-	-	-	-	3	34	192	431	511	223	59
All other	462	-	-	-	-	1	14	71	157	145	61	13	162	-	-	-	-	-	12	38	55	32	20	5
Black	458	-	-	-	-	1	14	71	156	145	59	12	160	-	-	-	-	-	11	38	55	31	20	5
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	1	1	4	3	3	-	2,166	-	-	-	1	27	122	344	544	595	382	151
White	12	-	-	-	-	-	1	1	4	3	3	-	2,022	-	-	-	1	24	111	315	504	555	367	145
All other	-	-	-	-	-	-	-	-	-	-	-	-	144	-	-	-	-	3	11	29	40	40	15	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	141	-	-	-	-	3	11	27	40	39	15	6
Malignant neoplasms of genital organs (179-187)	1,483	-	-	-	6	13	7	22	135	429	600	271	1,303	-	-	2	3	17	51	160	311	385	284	89
White	1,309	-	-	-	6	13	7	16	114	358	543	252	1,184	-	-	1	3	15	43	142	284	340	268	87
All other	174	-	-	-	-	-	-	6	21	71	57	19	119	-	-	1	-	2	8	18	27	45	16	2
Black	172	-	-	-	-	-	-	6	21	71	55	19	116	-	-	1	-	2	8	18	27	44	16	2
Malignant neoplasms of urinary organs (188-189)	682	-	1	-	-	-	8	45	142	232	189	65	366	-	1	2	1	-	3	23	78	92	99	67
White	645	-	1	-	-	-	7	39	135	221	182	60	342	-	1	1	-	-	2	21	74	84	93	66
All other	37	-	-	-	-	-	1	6	7	11	7	5	24	-	-	1	1	-	1	2	4	8	6	1
Black	35	-	-	-	-	-	1	6	6	11	7	4	24	-	-	1	1	-	1	2	4	8	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,713	1	5	18	27	21	76	214	401	525	330	95	1,639	1	7	14	17	32	49	153	348	446	389	191
White	1,581	1	5	15	24	18	67	197	365	492	307	90	1,511	1	7	11	17	31	48	137	310	412	360	179
All other	132	-	-	3	3	3	9	17	36	33	23	5	128	-	-	3	-	1	3	16	36	34	28	12
Black	131	-	-	3	3	3	8	17	36	33	23	5	127	-	-	2	-	1	3	16	36	34	28	12
Leukemia (204-208)	500	1	8	17	19	16	12	43	79	145	113	47	439	1	1	10	12	14	19	42	74	99	113	54
White	468	1	8	14	16	15	11	40	73	140	107	43	402	1	1	9	12	13	13	34	63	96	106	52
All other	32	-	-	3	3	1	1	3	6	5	6	4	37	-	-	1	-	1	6	8	11	3	5	2
Black	31	-	-	3	3	1	1	3	5	5	6	4	37	-	-	1	-	1	6	8	11	3	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	645	1	-	7	6	26	31	76	150	191	123	32	622	-	1	3	10	7	16	47	129	196	171	40
White	601	1	-	5	6	26	30	73	136	181	117	26	574	-	1	2	10	6	14	41	119	181	162	38
All other	44	-	-	2	-	2	1	3	14	10	6	6	48	-	-	1	-	1	2	6	10	17	9	2
Black	44	-	-	2	-	2	1	3	14	10	6	6	48	-	-	1	-	1	2	6	10	17	9	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	226	2	1	3	3	14	5	21	48	65	42	22	237	2	1	5	1	2	14	18	39	64	60	31
White	206	2	1	3	3	11	4	17	44	62	39	20	223	2	1	4	1	2	10	17	39	59	58	30
All other	20	-	-	-	-	3	1	4	4	3	3	2	14	-	-	1	-	-	4	1	-	5	2	1
Black	19	-	-	-	-	3	1	3	4	3	3	2	14	-	-	1	-	-	4	1	-	5	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male													Female										
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	967	–	–	–	6	13	38	78	178	301	268	87	1,467	–	–	–	2	11	18	59	212	431	487	248
White	887	–	–	–	5	13	35	65	160	277	247	85	1,342	–	–	–	2	9	15	51	183	393	456	232
All other	80	–	–	–	1	–	3	11	18	24	21	2	125	–	–	–	–	2	3	8	29	38	31	14
Black	78	–	–	–	1	–	3	11	18	23	20	2	124	–	–	–	–	2	3	8	29	37	31	14
Nutritional deficiencies (260-269)	51	2	–	–	–	–	1	–	6	9	19	14	77	–	–	–	1	–	4	–	9	9	22	32
White	41	2	–	–	–	–	1	–	4	8	14	12	61	–	–	–	1	–	3	–	3	7	19	28
All other	10	–	–	–	–	–	–	–	2	1	5	2	16	–	–	–	–	–	1	–	6	2	3	4
Black	10	–	–	–	–	–	–	–	2	1	5	2	16	–	–	–	–	–	1	–	6	2	3	4
Anemias (280-285)	95	–	1	2	1	–	3	–	8	22	32	26	109	–	–	2	4	3	2	6	10	14	31	37
White	86	–	1	–	1	–	2	–	6	20	30	24	98	–	–	2	2	2	2	5	8	14	28	35
All other	9	–	–	2	–	–	1	–	–	2	2	2	11	–	–	–	2	1	–	1	2	–	3	2
Black	9	–	–	2	–	–	1	–	–	2	2	2	11	–	–	–	2	1	–	1	2	–	3	2
Meningitis (320-322)	26	6	5	2	–	1	1	–	6	2	2	1	39	12	5	1	–	2	–	3	2	6	7	1
White	17	3	5	1	–	1	–	–	3	1	2	1	31	10	3	1	–	1	–	1	2	5	7	1
All other	9	3	–	1	–	–	1	–	3	1	–	–	8	2	2	–	–	1	–	2	–	1	–	–
Black	9	3	–	1	–	–	1	–	3	1	–	–	8	2	2	–	–	1	–	2	–	1	–	–
Major cardiovascular diseases (390-448)	30,580	26	8	12	53	136	568	2,231	5,690	8,738	8,615	4,500	30,384	13	3	9	35	75	190	777	2,523	6,333	10,770	9,629
White	28,768	23	7	12	41	110	493	2,014	5,323	8,245	8,188	4,320	28,546	8	3	7	26	57	139	644	2,239	5,813	10,266	9,339
All other	1,811	3	1	–	12	26	85	217	367	493	427	180	1,818	5	–	2	9	18	51	133	284	520	504	290
Black	1,787	3	1	–	12	26	83	215	364	485	421	177	1,804	5	–	2	8	18	49	132	283	517	500	288
Diseases of heart (390-398,402,404-429)	25,118	20	6	9	42	105	505	2,008	5,011	7,276	6,689	3,445	23,261	11	3	8	21	42	124	602	2,054	5,046	8,245	7,098
White	23,724	18	5	9	34	86	439	1,835	4,725	6,889	6,377	3,305	21,983	7	3	6	19	33	94	504	1,851	4,672	7,887	6,882
All other	1,394	2	1	–	8	19	66	173	286	387	312	140	1,298	4	–	2	2	9	30	98	203	374	358	216
Black	1,379	2	1	–	8	19	64	173	284	382	307	139	1,289	4	–	2	2	9	30	98	203	371	354	214
Rheumatic fever and rheumatic heart disease (390-398)	194	–	–	–	2	4	7	33	58	60	25	5	400	–	–	–	1	9	12	46	106	137	73	16
White	183	–	–	–	1	3	6	31	54	59	25	4	379	–	–	–	1	7	11	40	101	134	70	15
All other	11	–	–	–	1	1	1	2	4	1	–	1	21	–	–	–	–	2	1	6	5	3	3	1
Black	11	–	–	–	1	1	1	2	4	1	–	1	21	–	–	–	–	2	1	6	5	3	3	1
Hypertensive heart disease (402)	406	–	–	–	1	4	19	28	82	133	95	44	683	1	–	–	–	1	3	12	67	161	260	158
White	351	–	–	–	–	3	10	19	74	115	89	41	601	1	–	–	–	–	2	6	58	137	247	150
All other	55	–	–	–	1	1	9	9	8	18	6	3	82	–	–	–	–	1	1	6	9	24	13	8
Black	55	–	–	–	1	1	9	9	8	18	6	3	82	–	–	–	–	1	1	6	9	24	13	8
Hypertensive heart and renal disease (404)	96	–	–	–	–	–	1	2	5	24	43	21	137	–	–	–	–	–	–	4	9	20	54	50
White	94	–	–	–	–	–	1	2	4	24	42	21	131	–	–	–	–	–	–	3	8	20	53	47
All other	2	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	1	1	–	1	3
Black	2	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	1	1	–	1	3
Ischemic heart disease (410-414)	16,772	1	–	–	9	45	354	1,526	3,918	5,583	4,969	2,367	16,002	–	–	–	2	10	65	385	1,405	3,614	5,726	4,790
White	17,951	1	–	–	7	40	325	1,423	3,743	5,337	4,782	2,293	15,253	–	–	–	2	6	50	336	1,283	3,392	5,517	4,664
All other	821	–	–	–	2	5	29	103	175	246	187	74	749	–	–	–	–	4	15	49	122	222	209	126
Black	808	–	–	–	2	5	28	103	173	241	183	73	745	–	–	–	–	4	15	49	122	220	207	126
Acute myocardial infarction (410)	12,147	–	–	–	4	35	272	1,215	2,966	3,840	2,873	922	8,376	–	–	–	1	5	51	323	1,067	2,370	2,996	1,560
White	11,619	–	–	–	2	31	256	1,140	2,855	3,675	2,768	891	7,951	–	–	–	1	5	37	287	980	2,230	2,897	1,512
All other	528	–	–	–	2	4	16	75	131	165	104	31	425	–	–	–	–	–	14	36	87	140	99	48
Black	510	–	–	–	2	4	15	75	129	161	101	31	422	–	–	–	–	–	14	36	87	138	96	48
Other acute and subacute forms of ischemic heart disease (411)	97	–	–	–	–	1	1	5	20	27	29	14	79	–	–	–	–	–	–	1	6	15	30	27
White	92	–	–	–	–	1	1	5	18	25	28	13	71	–	–	–	–	–	–	1	5	14	27	24
All other	5	–	–	–	–	–	–	–	1	2	1	1	8	–	–	–	–	–	–	–	1	1	3	3
Black	5	–	–	–	–	–	–	–	1	2	1	1	8	–	–	–	–	–	–	–	1	1	3	3
Angina pectoris (413)	14	1	–	–	–	–	1	2	3	5	1	1	11	–	–	–	–	–	–	–	1	3	3	4
White	13	1	–	–	–	–	1	2	3	5	–	1	11	–	–	–	–	–	–	–	1	3	3	4
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,514	–	–	–	5	9	80	304	909	1,711	2,066	1,430	7,536	–	–	–	1	5	14	61	331	1,226	2,697	3,199
White	6,227	–	–	–	5	8	67	276	866	1,632	1,985	1,388	7,220	–	–	–	1	1	13	46	297	1,145	2,590	3,124
All other	287	–	–	–	–	1	13	28	43	79	81	42	316	–	–	–	–	4	1	13	34	81	107	75
Black	284	–	–	–	–	1	13	28	43	78	80	41	315	–	–	–	–	4	1	13	34	81	106	75
Other diseases of endocardium (424)	224	3	–	1	1	4	10	13	45	59	65	23	201	–	1	–	1	–	2	8	18	46	80	45
White	207	3	–	1	1	3	9	10	41	56	61	22	188	–	1	–	1	–	2	7	15	44	75	43
All other	17	–	–	–	–	1	1	3	4	3	4	1	13	–	–	–	–	–	–	1	3	2	5	2
Black	16	–	–	–	–	1	–	3	4	3	4	1	13	–	–	–	–	–	–	1	3	2	5	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	5,428	18	6	8	29	48	114	406	903	1,417	1,492	985	5,858	10	2	8	17	22	42	147	449	1,066	2,052	2,099
White	4,938	14	5	8	25	37	88	350	809	1,298	1,378	924	5,411	6	2	6	15	20	29	112	386	945	1,925	1,969
All other	488	2	1	-	4	11	26	56	94	119	114	61	447	4	-	2	2	2	13	35	63	123	127	78
Black	487	2	1	-	4	11	26	56	94	119	113	61	442	4	-	2	2	2	13	35	63	122	125	74
Hypertension with or without renal disease (401,403)	171	1	-	-	-	3	5	11	27	33	54	37	201	-	-	-	1	1	3	6	15	40	70	65
White	153	1	-	-	-	2	3	9	24	29	49	36	175	-	-	-	1	-	1	3	14	34	61	61
All other	18	-	-	-	-	1	2	2	3	4	5	1	26	-	-	-	-	1	2	3	1	6	9	4
Black	18	-	-	-	-	1	2	2	3	4	5	1	26	-	-	-	-	1	2	3	1	6	9	4
Cerebrovascular diseases (430-438)	3,912	4	2	3	9	20	50	173	470	1,028	1,358	695	5,406	2	-	1	10	29	55	151	405	1,027	1,992	1,734
White	3,488	3	2	3	6	14	34	137	402	947	1,275	664	4,962	1	-	1	4	22	38	122	329	905	1,864	1,676
All other	325	1	-	-	3	6	16	36	68	81	83	31	444	1	-	-	6	7	17	29	76	122	128	58
Black	320	1	-	-	3	6	16	34	68	79	83	30	439	1	-	-	5	7	15	28	75	122	128	58
Intracerebral and other intracranial hemorrhage (431-432)	571	3	2	-	3	3	24	49	132	182	123	49	644	2	-	-	5	9	11	47	96	170	186	109
White	495	2	2	-	2	3	13	33	108	167	115	49	562	1	-	-	3	5	7	39	69	153	179	105
All other	76	1	-	-	1	-	11	16	24	15	8	-	82	1	-	-	2	4	4	8	27	17	17	2
Black	75	1	-	-	1	-	11	15	24	15	8	-	82	1	-	-	2	4	4	8	27	17	17	2
Cerebral thrombosis and *unspecified occlusion of* cerebral arteries (434.0,434.9)	817	-	-	2	1	-	2	20	101	205	313	173	1,188	-	-	-	-	1	6	20	80	207	452	442
White	768	-	-	2	-	-	1	16	87	195	301	166	1,124	-	-	-	-	1	4	18	52	188	427	434
All other	49	-	-	-	1	-	1	4	14	10	12	7	64	-	-	-	-	-	2	2	8	19	25	8
Black	47	-	-	-	1	-	1	4	14	9	12	6	64	-	-	-	-	-	2	2	8	19	25	8
Cerebral embolism (434.1)	18	-	-	-	-	-	-	2	1	7	4	4	31	-	-	-	-	-	-	2	3	6	11	9
White	17	-	-	-	-	-	-	2	1	7	3	4	30	-	-	-	-	-	-	2	3	6	11	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of *cerebrovascular* diseases (430,433,435-438)	2,407	1	-	1	5	17	24	102	236	634	918	469	3,543	-	-	1	5	19	38	82	246	644	1,333	1,175
White	2,208	1	-	1	4	11	20	86	206	578	856	445	3,246	-	-	1	1	16	27	63	205	558	1,247	1,128
All other	199	-	-	-	1	6	4	16	30	56	62	24	297	-	-	-	4	3	11	19	41	86	86	47
Black	197	-	-	-	1	6	4	15	30	55	62	24	292	-	-	-	3	3	9	18	40	86	86	47
Atherosclerosis (440)	626	-	-	-	-	-	2	10	32	98	242	242	1,041	-	-	-	-	1	1	1	14	98	309	617
White	600	-	-	-	-	-	2	9	28	94	231	236	1,018	-	-	-	-	1	1	1	14	90	304	607
All other	26	-	-	-	-	-	-	1	4	4	11	6	23	-	-	-	-	-	-	-	-	8	5	10
Black	24	-	-	-	-	-	-	1	4	4	10	5	23	-	-	-	-	-	-	-	-	8	5	10
Other diseases of arteries, arterioles, and capillaries (441-448)	852	1	-	-	2	8	6	29	150	303	272	81	455	-	-	-	3	2	7	17	35	122	154	115
White	804	1	-	-	1	8	5	24	144	286	256	79	428	-	-	-	2	1	5	14	31	112	150	113
All other	48	-	-	-	1	-	1	5	6	17	16	2	27	-	-	-	1	1	2	3	4	10	4	2
Black	46	-	-	-	1	-	1	5	5	16	16	2	27	-	-	-	1	1	2	3	4	10	4	2
Acute bronchitis and bronchiolitis (466)	13	1	-	-	-	-	-	1	-	5	4	2	20	4	-	-	-	-	1	-	1	1	7	6
White	11	-	-	-	-	-	-	1	-	4	4	2	18	2	-	-	-	-	1	-	1	1	7	6
All other	2	1	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,155	21	4	3	7	12	17	62	121	221	418	268	1,019	24	7	6	7	11	19	33	69	113	333	397
White	1,029	19	3	3	5	8	12	47	94	193	392	252	934	15	7	2	6	8	16	24	60	98	309	389
All other	126	2	1	-	2	4	5	15	27	28	26	16	85	9	-	4	1	3	3	9	9	15	24	8
Black	125	2	1	-	2	4	5	15	27	28	26	15	85	9	-	4	1	3	3	9	9	15	24	8
Pneumonia (480-486)	1,152	21	4	3	7	12	17	62	121	220	417	267	1,012	24	7	6	7	11	19	33	68	113	329	395
White	1,026	19	3	3	5	8	12	47	94	192	391	251	927	15	7	2	6	8	16	24	59	98	305	387
All other	126	2	1	-	2	4	5	15	27	28	26	16	85	9	-	4	1	3	3	9	9	15	24	8
Black	125	2	1	-	2	4	5	15	27	28	26	15	85	9	-	4	1	3	3	9	9	15	24	8
Influenza (487)	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	1	-	4	2
White	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	1	-	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,857	1	2	2	4	2	8	60	327	729	698	184	811	2	1	-	3	1	7	54	158	266	225	74
White	1,857	1	2	2	4	-	8	56	302	688	614	180	778	2	1	-	3	1	7	50	149	278	215	72
All other	100	-	-	-	-	2	-	4	25	41	24	4	33	-	-	-	-	-	-	4	9	8	10	2
Black	99	-	-	-	-	2	-	4	25	41	23	4	33	-	-	-	-	-	-	4	9	8	10	2
Bronchitis, chronic and unspecified (490-491)	113	1	1	-	2	-	-	1	18	37	40	13	55	1	-	-	-	-	1	3	11	19	11	9
White	108	1	1	-	2	-	-	1	15	37	38	13	52	1	-	-	-	-	1	3	10	19	11	7
All other	5	-	-	-	-	-	-	-	3	-	2	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	5	-	-	-	-	-	-	-	3	-	2	-	3	-	-	-	-	-	-	-	1	-	-	2
Emphysema (492)	481	-	-	-	-	-	2	17	89	196	143	32	153	1	-	-	1	-	3	8	37	65	39	9
White	457	-	-	-	-	-	2	16	84	188	135	32	158	1	-	-	1	-	3	8	36	62	38	9
All other	24	-	-	-	-	-	-	1	5	10	8	-	5	-	-	-	-	-	-	-	1	3	1	-
Black	24	-	-	-	-	-	-	1	5	10	8	-	5	-	-	-	-	-	-	-	1	3	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female									
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	55	-	1	1	2	1	2	4	14	21	8	1	62	-	1	-	2	1	1	12	12	13	16	4
White	52	-	1	1	2	-	2	4	12	21	8	1	54	-	1	-	2	1	1	8	10	13	14	4
All other	3	-	-	-	-	1	-	-	2	-	-	-	8	-	-	-	-	-	-	4	2	-	2	-
Black	3	-	-	-	-	1	-	-	2	-	-	-	6	-	-	-	-	-	-	4	2	-	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,309	-	-	1	-	1	4	38	206	473	447	138	531	-	-	-	-	-	2	31	98	189	159	52
White	1,240	-	-	1	-	-	4	35	191	442	433	134	514	-	-	-	-	-	2	31	93	184	152	52
All other	68	-	-	-	-	1	-	3	15	31	14	4	17	-	-	-	-	-	-	-	5	5	7	-
Black	67	-	-	-	-	1	-	3	15	31	13	4	17	-	-	-	-	-	-	-	5	5	7	-
Ulcer of stomach and duodenum (531-533)	169	-	-	-	-	1	5	13	34	43	49	24	130	-	-	-	-	1	2	5	14	28	50	30
White	153	-	-	-	-	1	5	8	30	39	47	23	122	-	-	-	-	1	2	4	13	26	47	29
All other	16	-	-	-	-	-	-	5	4	4	2	1	8	-	-	-	-	-	-	1	1	2	3	1
Black	15	-	-	-	-	-	-	5	4	3	2	1	8	-	-	-	-	-	-	1	1	2	3	1
Appendicitis (540-543)	33	-	1	1	2	1	1	4	6	8	6	3	21	-	-	1	-	1	-	1	4	5	3	3
White	26	-	1	1	1	1	1	2	5	7	4	3	18	-	-	1	-	-	-	1	3	5	3	5
All other	7	-	-	-	1	-	-	2	1	1	2	-	3	-	-	-	-	1	-	-	1	-	-	1
Black	7	-	-	-	1	-	-	2	1	1	2	-	3	-	-	-	-	1	-	-	1	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	118	8	-	1	1	1	2	3	15	27	32	28	178	1	-	-	-	1	4	4	12	28	65	63
White	100	8	-	1	1	-	2	2	11	24	26	27	166	1	-	-	-	1	3	4	11	27	58	61
All other	18	2	-	-	-	1	-	1	4	3	6	1	12	-	-	-	-	-	1	-	1	1	7	2
Black	17	1	-	-	-	1	-	1	4	3	6	1	12	-	-	-	-	-	1	-	1	1	7	2
Chronic liver disease and cirrhosis (571)	1,084	1	-	-	3	43	106	232	339	275	74	9	492	-	-	-	2	15	38	93	136	132	64	11
White	947	1	-	-	3	20	76	202	304	260	72	9	422	-	-	-	2	7	26	70	120	121	64	11
All other	137	-	-	-	-	23	32	30	35	15	2	-	70	-	-	-	-	8	12	23	16	11	-	-
Black	136	-	-	-	-	23	32	29	35	15	2	-	69	-	-	-	-	8	12	23	15	11	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	71	1	-	-	-	1	1	5	14	22	18	9	82	-	-	-	-	-	2	3	8	17	31	21
White	68	1	-	-	-	1	1	5	14	19	18	9	76	-	-	-	-	-	2	2	8	15	28	21
All other	3	-	-	-	-	-	-	-	-	3	-	-	6	-	-	-	-	-	-	1	-	2	3	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	5	-	-	-	-	-	-	-	-	2	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	526	6	-	1	5	6	10	29	71	136	167	95	543	2	-	1	4	4	10	19	58	149	178	118
White	456	3	-	1	3	4	6	20	60	123	147	89	464	2	-	-	2	3	8	16	45	127	156	107
All other	70	3	-	-	2	2	4	9	11	13	20	6	79	-	-	1	2	1	4	3	13	22	22	11
Black	70	3	-	-	2	2	4	9	11	13	20	6	79	-	-	1	2	1	4	3	13	22	22	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	-	-	-	-	-	1	1	1	3	6	1	12	-	-	-	-	-	-	-	-	4	5	3
White	13	-	-	-	-	-	1	1	1	3	6	1	12	-	-	-	-	-	-	-	-	4	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	61	-	-	1	2	-	1	3	11	22	12	9	69	1	-	1	-	-	1	1	8	17	24	16
White	52	-	-	1	1	-	1	1	10	18	11	9	60	1	-	-	-	-	-	1	8	15	20	15
All other	9	-	-	-	1	-	-	2	1	4	1	-	9	-	-	1	-	-	1	-	-	2	4	1
Black	9	-	-	-	1	-	-	2	1	4	1	-	9	-	-	1	-	-	1	-	-	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	452	6	-	-	3	6	8	25	59	111	149	85	462	1	-	-	4	4	9	18	50	128	149	99
White	391	3	-	-	2	4	4	18	49	102	130	79	382	1	-	-	2	3	6	15	37	108	131	89
All other	61	3	-	-	1	2	4	7	10	9	19	6	70	-	-	-	2	1	3	3	13	20	18	10
Black	61	3	-	-	1	2	4	7	10	9	19	6	70	-	-	-	2	1	3	3	13	20	18	10
Infections of kidney (590)	40	1	-	-	-	-	-	4	3	7	16	9	77	-	-	-	-	1	-	3	9	19	29	16
White	35	1	-	-	-	-	-	4	2	6	14	8	73	-	-	-	-	1	-	2	9	18	28	15
All other	5	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-	-	-	1	-	1	1	1
Black	5	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-	-	-	1	-	1	1	1
Hyperplasia of prostate (600)	38	-	-	-	-	-	-	-	2	8	13	15	...	...	...	...	...	...	...	...	...	...	...	...
White	38	-	-	-	-	-	-	-	2	8	13	15	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	3	6	4	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	3	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	3	2	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	4	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	3	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	1	3	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	2	2	4	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	1	2	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	–	2	–	...	...	...	...
Congenital anomalies (740-759)	315	203	27	12	21	12	5	11	8	9	7	–	297	184	31	11	12	8	7	13	15	9	4	5
White	278	179	23	10	18	12	5	10	7	8	6	–	254	153	24	11	12	8	7	11	13	9	4	4
All other	37	24	4	2	3	–	–	1	1	1	1	–	43	31	7	–	–	–	–	2	2	–	–	1
Black	37	24	4	2	3	–	–	1	1	1	1	–	42	30	7	–	–	–	–	2	2	–	–	1
Certain conditions originating in the perinatal period (760-779)	681	678	3	–	–	–	–	–	–	–	–	–	520	519	1	–	–	–	–	–	–	–	–	–
White	528	525	3	–	–	–	–	–	–	–	–	–	394	393	1	–	–	–	–	–	–	–	–	–
All other	153	153	–	–	–	–	–	–	–	–	–	–	126	126	–	–	–	–	–	–	–	–	–	–
Black	149	149	–	–	–	–	–	–	–	–	–	–	125	125	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	243	243	–	–	–	–	–	–	–	–	–	–	177	176	1	–	–	–	–	–	–	–	–	–
White	192	192	–	–	–	–	–	–	–	–	–	–	139	138	1	–	–	–	–	–	–	–	–	–
All other	51	51	–	–	–	–	–	–	–	–	–	–	38	38	–	–	–	–	–	–	–	–	–	–
Black	50	50	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	438	435	3	–	–	–	–	–	–	–	–	–	343	343	–	–	–	–	–	–	–	–	–	–
White	336	333	3	–	–	–	–	–	–	–	–	–	255	255	–	–	–	–	–	–	–	–	–	–
All other	102	102	–	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
Black	99	99	–	–	–	–	–	–	–	–	–	–	88	88	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,663	130	4	3	13	35	74	244	390	413	252	100	999	95	2	2	5	17	38	98	160	204	245	132
White	979	90	3	2	12	14	25	116	217	267	162	69	622	66	2	1	4	8	13	37	93	117	171	107
All other	684	40	1	1	1	21	49	128	173	146	90	31	377	27	–	1	1	9	25	61	67	87	74	25
Black	677	40	1	1	1	20	49	127	172	144	88	31	376	26	–	1	1	9	25	61	67	87	74	25
All other diseases (Residual)	3,802	45	24	34	67	109	120	266	642	1,096	989	409	3,004	33	19	29	48	77	105	196	388	664	846	599
White	3,413	35	21	33	60	75	86	206	562	1,016	924	393	2,650	25	17	22	40	57	75	146	340	596	767	569
All other	389	10	3	1	8	34	32	60	80	80	65	16	354	8	2	7	8	20	30	50	48	66	79	36
Black	384	10	3	–	7	33	32	60	80	80	64	15	353	8	2	7	8	20	30	50	48	65	79	36
Accidents and adverse effects (E800-E949)	3,316	20	67	166	950	496	285	278	346	306	261	141	1,463	19	39	69	209	115	90	92	153	198	255	224
White	3,031	17	51	149	914	457	251	229	310	272	250	131	1,342	12	31	61	200	104	80	77	135	187	241	214
All other	285	3	16	17	36	39	34	49	36	34	11	10	121	7	8	8	9	11	10	15	18	11	14	10
Black	282	3	16	17	35	39	33	48	36	34	11	10	116	6	8	8	9	10	9	14	17	11	14	10
Motor vehicle accidents (E810-E825)	1,729	5	29	90	713	336	149	110	135	90	57	15	579	1	17	39	171	84	57	45	57	49	40	9
White	1,635	5	27	86	693	317	137	95	124	83	56	12	550	1	16	38	168	79	56	39	59	48	37	9
All other	94	–	2	4	20	19	12	15	11	7	1	3	29	–	1	1	3	5	1	6	6	1	3	–
Black	93	–	2	4	20	19	11	15	11	7	1	3	26	–	1	1	3	4	1	5	7	1	3	–
All other accidents and adverse effects (E800-E807, E826-E949)	1,587	15	38	76	237	160	136	168	211	216	204	126	884	18	22	30	38	31	33	47	86	149	215	215
White	1,396	12	24	63	221	140	114	134	188	189	194	119	792	11	15	23	32	25	24	38	76	139	204	205
All other	191	3	14	13	16	20	22	34	25	27	10	7	92	7	7	7	6	6	9	9	10	10	11	10
Black	189	3	14	13	15	20	22	33	25	27	10	7	90	6	7	7	6	6	8	9	10	10	11	10
Suicide (E950-E959)	993	...	...	4	206	226	120	133	134	88	65	17	339	...	...	2	42	61	64	60	53	37	14	6
White	906	...	...	4	184	197	109	123	128	83	62	17	317	...	...	2	39	53	56	59	51	37	14	6
All other	87	...	...	–	22	29	12	10	6	5	3	–	22	...	...	–	3	8	8	1	2	–	–	–
Black	84	...	...	–	22	29	10	9	6	5	3	–	19	...	...	–	3	7	6	1	2	–	–	–
Homicide and legal intervention (E960-E978)	592	3	11	7	144	207	88	58	45	17	7	4	175	2	4	11	40	47	19	15	9	14	6	8
White	261	3	5	2	67	77	38	26	21	13	5	3	110	1	2	7	23	25	12	11	6	12	4	7
All other	331	–	6	5	77	130	50	32	24	4	2	1	65	1	2	4	17	22	7	4	3	2	2	1
Black	327	–	6	5	76	129	49	31	24	4	2	1	65	1	2	4	17	22	7	4	3	2	2	1
All other external causes (E980-E999)	157	–	1	2	34	51	22	8	17	15	6	1	59	–	2	1	9	13	9	12	6	3	2	2
White	130	–	1	2	31	44	16	6	11	12	6	1	45	–	1	–	6	9	7	10	5	3	2	2
All other	27	–	–	–	3	7	6	2	6	3	–	–	14	–	1	1	3	4	2	2	1	–	–	–
Black	27	–	–	–	3	7	6	2	6	3	–	–	14	–	1	1	3	4	2	2	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,720	92	6	20	107	84	136	382	805	1,317	1,175	606	4,370	75	10	13	49	42	62	182	512	909	1,389	1,126
White	4,589	76	3	19	105	89	129	345	789	1,289	1,151	594	4,267	60	8	12	44	38	59	175	492	895	1,368	1,115
All other	131	16	3	1	2	5	7	17	16	28	24	12	103	15	2	1	5	4	3	7	20	14	21	11
Black	116	12	3	1	2	5	7	15	16	24	20	11	97	15	2	1	5	4	3	5	18	13	21	10
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	21	-	-	-	-	1	-	2	2	3	9	4	20	-	-	-	-	-	-	-	2	6	9	3
White	19	-	-	-	-	1	-	2	1	3	8	4	20	-	-	-	-	-	-	-	2	6	9	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	8	1	-	-	-	1	1	2	1	2	-	-	9	1	-	-	1	-	-	-	1	3	1	2
White	7	-	-	-	-	1	1	2	1	2	-	-	9	1	-	-	1	-	-	-	1	3	1	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,119	-	-	4	3	5	33	112	261	344	263	94	1,001	-	1	2	7	14	29	89	218	285	251	105
White	1,091	-	-	4	3	4	32	104	257	337	258	92	983	-	1	2	7	13	28	87	210	283	249	103
All other	28	-	-	-	-	1	1	8	4	7	5	2	18	-	-	-	-	1	1	2	8	2	2	2
Black	25	-	-	-	-	1	1	7	4	5	5	2	17	-	-	-	-	1	1	1	8	2	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	50	-	-	-	-	1	1	11	15	11	7	4	17	-	-	-	-	-	-	-	8	6	2	1
White	47	-	-	-	-	1	1	8	15	11	7	4	17	-	-	-	-	-	-	-	8	6	2	1
All other	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	333	-	-	-	-	1	8	27	67	107	89	34	320	-	-	-	1	1	4	19	54	89	109	48
White	317	-	-	-	-	-	7	23	65	104	85	33	313	-	-	-	1	-	4	17	53	89	108	41
All other	16	-	-	-	-	1	1	4	2	3	4	1	7	-	-	-	-	1	-	2	1	-	1	2
Black	16	-	-	-	-	1	1	4	2	3	4	1	6	-	-	-	-	1	-	1	1	-	1	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	385	-	-	-	-	-	8	48	102	144	71	14	135	-	-	-	-	-	8	15	40	41	20	11
White	379	-	-	-	-	-	8	45	101	141	70	14	133	-	-	-	-	-	8	15	38	41	20	11
All other	6	-	-	-	-	-	-	1	1	3	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	2	1	-	203	-	-	-	-	6	9	26	51	45	46	20
White	4	-	-	-	-	-	-	-	1	2	1	-	200	-	-	-	-	6	9	26	49	44	46	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Malignant neoplasms of genital organs (179-187)	89	-	-	-	-	-	1	2	10	24	37	15	120	-	-	-	-	1	4	15	33	30	25	12
White	87	-	-	-	-	-	1	2	10	23	37	14	117	-	-	-	-	1	3	15	32	29	25	12
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	1	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	1	-	1	1	-	-
Malignant neoplasms of urinary organs (188-189)	55	-	-	-	-	-	1	3	18	13	11	9	33	-	-	-	-	-	-	2	4	16	6	5
White	54	-	-	-	-	-	1	3	17	13	11	9	33	-	-	-	-	-	-	2	4	16	6	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	116	-	-	1	3	2	3	16	28	31	24	8	96	-	1	1	4	2	1	7	20	29	25	6
White	116	-	-	1	3	2	3	16	28	31	24	8	94	-	1	1	4	2	1	7	18	29	25	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Leukemia (204-208)	30	-	-	2	-	1	1	2	3	6	10	5	33	-	-	1	2	1	1	2	3	7	11	5
White	30	-	-	2	-	1	1	2	3	6	10	5	32	-	-	1	2	1	1	2	3	7	10	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	57	-	-	1	-	-	10	5	17	6	13	5	44	-	-	-	-	3	2	3	5	22	7	2
White	57	-	-	1	-	-	10	5	17	6	13	5	44	-	-	-	-	3	2	3	5	22	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-238)	12	-	-	-	1	-	-	-	1	2	5	3	9	-	-	-	-	1	-	-	3	1	4	-
White	12	-	-	-	1	-	-	-	1	2	5	3	8	-	-	-	-	1	-	-	3	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	67	-	-	-	-	-	3	11	18	22	20	13	116	-	-	-	-	2	-	2	17	25	51	19
White	79	-	-	-	-	-	3	10	17	20	20	9	114	-	-	-	-	1	-	2	17	25	51	18
All other	8	-	-	-	-	-	-	1	1	2	-	4	2	-	-	-	-	1	-	-	-	-	-	1
Black	7	-	-	-	-	-	-	-	1	2	-	4	2	-	-	-	-	1	-	-	-	-	-	1
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	1	1	-	3
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	1	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	1	-	-	-	-	-	-	-	1	1	2	9	1	-	-	1	-	-	-	-	1	5	1
White	4	-	-	-	-	-	-	-	-	1	1	2	7	-	-	-	-	-	-	-	-	1	5	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,394	1	-	-	3	5	42	156	396	725	668	398	2,407	1	-	1	1	2	6	41	194	463	866	831
White	2,346	1	-	-	3	5	38	153	394	709	653	390	2,359	1	-	1	1	1	6	40	193	453	848	824
All other	48	-	-	-	-	-	4	3	4	16	15	6	48	-	-	-	-	1	-	1	11	10	18	7
Black	44	-	-	-	-	-	4	3	4	15	13	5	44	-	-	-	-	1	-	1	9	9	18	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,960	1	–	–	1	5	37	141	358	611	520	306	1,814	–	–	–	1	2	4	30	154	356	676	590
White	1,944	1	–	–	1	5	35	139	355	598	509	301	1,780	–	–	–	1	1	4	29	146	349	664	585
All other	36	–	–	–	–	–	2	2	3	13	11	5	34	–	–	–	–	1	–	1	8	7	12	5
Black	33	–	–	–	–	–	2	2	3	13	9	4	30	–	–	–	–	1	–	1	6	6	12	4
Rheumatic fever and rheumatic heart disease (390-398)	17	–	–	–	–	–	–	1	5	7	4	–	24	–	–	–	–	–	–	–	9	6	6	3
White	17	–	–	–	–	–	–	1	5	7	4	–	23	–	–	–	–	–	–	–	8	6	6	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	34	–	–	–	–	–	4	2	11	7	6	4	48	–	–	–	–	–	–	1	4	10	18	13
White	33	–	–	–	–	–	3	2	11	7	6	4	43	–	–	–	–	–	–	1	2	10	17	13
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	2	–
White	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,673	–	–	–	–	4	25	116	293	523	452	260	1,495	–	–	–	–	1	2	20	113	293	565	500
White	1,644	–	–	–	–	4	24	114	290	511	445	256	1,472	–	–	–	–	1	2	20	110	287	558	495
All other	29	–	–	–	–	–	1	2	3	12	7	4	23	–	–	–	–	–	–	–	3	6	9	5
Black	26	–	–	–	–	–	1	2	3	12	5	3	21	–	–	–	–	–	–	–	3	5	9	4
Acute myocardial infarction (410)	1,011	–	–	–	–	2	15	84	202	349	243	116	726	–	–	–	–	1	2	14	75	190	282	162
White	990	–	–	–	–	2	15	82	200	339	239	113	715	–	–	–	–	1	2	14	74	185	277	162
All other	21	–	–	–	–	–	–	2	2	10	4	3	11	–	–	–	–	–	–	–	1	5	5	–
Black	19	–	–	–	–	–	–	2	2	10	3	2	10	–	–	–	–	–	–	–	1	4	5	–
Other acute and subacute forms of ischemic heart disease (411)	5	–	–	–	–	–	–	1	1	3	–	–	8	–	–	–	–	–	–	–	–	3	2	3
White	5	–	–	–	–	–	–	1	1	3	–	–	8	–	–	–	–	–	–	–	–	3	2	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–	1	2
White	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	655	–	–	–	–	2	10	31	90	170	209	143	759	–	–	–	–	–	–	6	36	100	280	333
White	647	–	–	–	–	2	9	31	89	168	206	142	747	–	–	–	–	–	–	6	36	99	276	329
All other	8	–	–	–	–	–	1	–	1	2	3	1	11	–	–	–	–	–	–	–	2	1	4	4
Black	7	–	–	–	–	–	1	–	1	2	2	1	10	–	–	–	–	–	–	–	2	1	4	3
Other diseases of endocardium (424)	14	–	–	–	–	–	–	2	2	4	3	3	22	–	–	–	–	–	–	–	4	4	10	4
White	14	–	–	–	–	–	–	2	2	4	3	3	21	–	–	–	–	–	–	–	3	4	10	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	241	1	–	–	1	1	8	20	47	70	54	39	224	–	–	–	1	1	2	9	24	42	75	70
White	235	1	–	–	1	1	8	20	47	69	50	38	218	–	–	–	1	–	2	8	23	41	73	70
All other	6	–	–	–	–	–	–	–	–	1	4	1	6	–	–	–	–	1	–	1	1	1	2	–
Black	6	–	–	–	–	–	–	–	–	1	4	1	8	–	–	–	–	1	–	1	1	1	2	–
Hypertension with or without renal disease (401,403)	13	–	–	–	–	–	–	–	2	4	5	2	23	–	–	–	–	–	–	–	4	7	7	5
White	13	–	–	–	–	–	–	–	2	4	5	2	21	–	–	–	–	–	–	–	3	6	7	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Cerebrovascular diseases (430-438)	272	–	–	–	2	–	4	9	28	73	100	56	444	1	–	1	–	–	2	11	29	77	156	167
White	263	–	–	–	2	–	2	9	28	71	96	55	434	1	–	1	–	–	2	11	27	77	150	165
All other	9	–	–	–	–	–	2	–	–	2	4	1	10	–	–	–	–	–	–	–	2	–	6	2
Black	8	–	–	–	–	–	2	–	–	1	4	1	10	–	–	–	–	–	–	–	2	–	6	2
Intracerebral and other intracranial hemorrhage (431-432)	49	–	–	–	1	–	1	3	13	21	7	3	55	–	–	1	–	–	1	4	5	14	20	10
White	47	–	–	–	1	–	1	3	13	20	6	3	55	–	–	1	–	–	1	4	5	14	20	10
All other	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	72	–	–	–	–	–	1	2	6	17	27	19	127	1	–	–	–	–	–	1	5	14	49	57
White	70	–	–	–	–	–	–	2	6	16	27	19	123	1	–	–	–	–	–	1	5	14	46	56
All other	2	–	–	–	–	–	1	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	3	1
Black	2	–	–	–	–	–	1	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	2	2
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	150	-	-	-	1	-	2	4	9	34	68	34	258	-	-	-	-	-	1	6	19	49	85	98
White	145	-	-	-	1	-	1	4	9	34	63	33	253	-	-	-	-	-	1	6	17	49	82	98
All other	5	-	-	-	-	-	1	-	-	-	3	1	5	-	-	-	-	-	-	-	2	-	3	-
Black	5	-	-	-	-	-	1	-	-	-	3	1	5	-	-	-	-	-	-	-	2	-	3	-
Atherosclerosis (440)	69	-	-	-	-	-	-	4	4	17	19	25	90	-	-	-	-	-	-	-	5	12	19	54
White	69	-	-	-	-	-	-	4	4	17	19	25	89	-	-	-	-	-	-	-	5	11	19	54
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	60	-	-	-	-	-	1	2	6	20	24	7	36	-	-	-	-	-	-	-	2	11	8	15
White	57	-	-	-	-	-	1	1	5	18	24	7	35	-	-	-	-	-	-	-	2	10	8	15
All other	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	82	1	-	-	1	-	-	2	9	20	24	25	67	-	-	-	-	-	2	-	1	3	5	27	29
White	78	1	-	-	-	-	-	2	8	19	23	25	66	-	-	-	-	-	1	-	1	3	5	27	29
All other	4	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia (480-486)	82	1	-	-	1	-	-	2	9	20	24	25	67	-	-	-	-	-	2	-	1	3	5	27	29
White	78	1	-	-	-	-	-	2	8	19	23	25	66	-	-	-	-	-	1	-	1	3	5	27	29
All other	4	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	163	-	-	-	-	1	-	5	16	52	75	14	72	-	-	-	-	-	-	1	3	13	21	27	7
White	162	-	-	-	-	1	-	5	16	52	74	14	70	-	-	-	-	-	-	1	3	12	20	27	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	11	-	-	-	-	-	-	-	3	5	3	-	6	-	-	-	-	-	-	-	-	1	4	1
White	11	-	-	-	-	-	-	-	3	5	3	-	6	-	-	-	-	-	-	-	-	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	37	-	-	-	-	-	-	1	4	14	14	4	12	-	-	-	-	-	-	-	4	4	3	1
White	37	-	-	-	-	-	-	1	4	14	14	4	12	-	-	-	-	-	-	-	4	4	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	2	-	-	-	-	-	-	-	-	1	1	-	9	-	-	-	-	-	-	1	1	1	4	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	-	1	1	1	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	113	-	-	-	-	1	-	4	9	32	57	10	45	-	-	-	-	-	-	2	6	12	19	4
White	112	-	-	-	-	1	-	4	9	32	56	10	44	-	-	-	-	-	-	2	7	12	19	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	1	2	2	7	1	1	15	-	-	-	-	-	-	-	1	5	5	4
White	14	-	-	-	-	-	1	2	2	7	1	1	15	-	-	-	-	-	-	-	1	5	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	-	1	4	1	14	-	-	-	-	-	-	3	-	3	1	7
White	6	-	-	-	-	-	-	-	-	1	4	1	13	-	-	-	-	-	-	3	-	3	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	93	1	–	–	–	4	6	15	33	29	5	–	46	1	–	–	–	–	3	4	16	13	8	1
White	90	1	–	–	–	3	6	15	32	28	5	–	46	1	–	–	–	–	3	4	16	13	8	1
All other	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	8	–	–	–	–	–	–	–	–	2	6	–	9	–	–	–	–	–	–	–	–	2	3	4
White	8	–	–	–	–	–	–	–	–	2	6	–	9	–	–	–	–	–	–	–	–	2	3	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	–	–	–	–	2	–	2	2	8	14	11	41	1	–	–	–	–	1	–	3	3	18	15
White	39	–	–	–	–	2	–	2	2	8	14	11	41	1	–	–	–	–	1	–	3	3	18	15
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	–	–	–	–	–	–	–	–	1	4	1	3	–	–	–	–	–	–	–	–	1	–	2
White	6	–	–	–	–	–	–	–	–	1	4	1	3	–	–	–	–	–	–	–	–	1	–	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	–	–	–	–	2	–	2	2	5	10	10	37	1	–	–	–	–	1	–	2	2	18	13
White	31	–	–	–	–	2	–	2	2	5	10	10	37	1	–	–	–	–	1	–	2	2	18	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	3	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–	–	–	–	–	2	1	2
White	3	–	–	–	–	–	–	–	–	–	2	1	5	–	–	–	–	–	–	–	–	2	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	3	–	–	–	–	–	–	–	–	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	–	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	28	17	2	1	2	1	1	–	2	1	1	–	34	22	1	1	–	3	2	2	3	–	–	–
White	26	16	1	1	2	1	1	–	2	1	1	–	31	20	–	1	–	3	2	2	3	–	–	–
All other	2	1	1	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Black	2	1	1	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	55	55	–	–	–	–	–	–	–	–	–	–	36	36	–	–	–	–	–	–	–	–	–	–
White	47	47	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
All other	8	8	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
Black	6	6	–	–	–	–	–	–	–	–	–	–	8	6	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	10	10	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
White	9	9	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Black	1	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	45	45	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	12	6	-	-	-	1	-	1	2	1	-	1	9	6	-	-	1	-	-	-	-	1	1	-
White	9	3	-	-	-	1	-	1	2	1	-	1	6	4	-	-	-	-	-	-	-	1	1	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-
All other diseases (Residual)	239	5	1	2	4	10	12	21	35	63	57	29	270	5	2	-	4	3	6	19	23	53	80	75
White	230	4	1	2	4	10	11	19	31	63	56	29	262	3	2	-	4	3	4	16	23	52	80	75
All other	9	1	-	-	-	-	1	2	4	-	1	-	8	2	-	-	-	-	2	3	-	1	-	-
Black	9	1	-	-	-	-	1	2	4	-	-	-	7	2	-	-	-	-	2	2	-	1	-	-
Accidents and adverse effects (E800-E949)	206	2	3	9	64	32	23	20	17	16	14	7	124	-	5	9	23	7	8	11	7	11	27	16
White	197	1	1	7	64	31	23	17	17	15	14	7	121	-	4	8	23	7	8	10	7	11	27	16
All other	9	1	2	1	-	1	-	3	-	1	-	-	3	-	1	1	-	-	-	1	-	-	-	-
Black	9	1	2	1	-	1	-	3	-	1	-	-	3	-	1	1	-	-	-	1	-	-	-	-
Motor vehicle accidents (E810-E825)	104	1	1	2	42	20	11	10	3	5	6	3	43	-	1	2	19	4	1	5	1	-	8	2
White	100	1	-	2	42	20	11	8	3	4	6	3	42	-	1	2	19	4	1	4	1	-	8	2
All other	4	-	1	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	-	1	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	102	1	2	6	22	12	12	10	14	11	8	4	81	-	4	7	4	3	7	6	6	11	19	14
White	97	-	1	5	22	11	12	9	14	11	8	4	79	-	3	6	4	3	7	6	6	11	19	14
All other	5	1	1	1	-	1	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	5	1	1	1	-	1	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Suicide (E950-E959)	61	...	...	1	20	21	9	9	5	14	1	1	33	...	...	-	6	7	4	7	4	3	2	-
White	60	...	...	1	20	20	9	9	5	14	1	1	31	...	...	-	4	7	4	7	4	3	2	-
All other	1	...	...	-	-	1	-	-	-	-	-	-	2	...	...	-	2	-	-	-	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	2	...	...	-	2	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	24	-	-	2	8	10	1	2	-	-	1	-	13	1	1	-	4	1	2	-	2	1	1	-
White	22	-	-	2	7	9	1	2	-	-	1	-	12	1	1	-	3	1	2	-	2	1	1	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	5	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA																								
All causes	13,714	488	73	134	544	509	755	1,588	2,918	3,560	2,265	878	10,649	377	52	71	147	247	347	773	1,668	2,539	2,643	1,785
White	9,129	207	35	73	353	272	400	1,009	1,929	2,488	1,699	664	7,088	183	28	44	88	125	190	404	991	1,581	2,013	1,481
All other	4,585	281	38	61	191	237	355	579	989	1,072	566	214	3,561	214	24	27	59	122	157	369	677	978	630	304
Black	4,577	281	38	61	190	237	354	579	989	1,068	565	213	3,548	211	24	27	59	120	154	368	675	975	630	304
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-018)	31	-	-	-	-	1	4	7	7	4	7	1	14	-	-	-	-	1	1	3	2	1	5	1
White	8	-	-	-	-	-	-	3	-	2	3	-	4	-	-	-	-	-	-	-	2	-	2	-
All other	23	-	-	-	-	1	4	4	7	2	4	1	10	-	-	-	-	1	1	3	-	1	3	1
Black	23	-	-	-	-	1	4	4	7	2	4	1	10	-	-	-	-	1	1	3	-	1	3	1
Tuberculosis of respiratory system (010-012)	29	-	-	-	-	1	4	5	7	4	7	1	8	-	-	-	-	-	1	-	2	1	3	1
White	8	-	-	-	-	-	-	3	-	2	3	-	4	-	-	-	-	-	-	-	2	-	2	-
All other	21	-	-	-	-	1	4	2	7	2	4	1	4	-	-	-	-	-	1	-	-	1	1	1
Black	21	-	-	-	-	1	4	2	7	2	4	1	4	-	-	-	-	-	1	-	-	1	1	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	1	-	3	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	1	-	3	-	-	2	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	1	-	3	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: [1] Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	6	3	4	–	1	–	–	–	–	–	–	–	6	1	2	2	1	–	–	–	–	–	–	–
White	4	2	2	–	1	–	–	–	–	–	–	–	5	1	2	1	1	–	–	–	–	–	–	–
All other	4	1	2	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Black	4	1	2	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Septicemia (038)	66	1	–	1	–	–	1	16	17	13	13	4	79	4	–	1	–	2	3	5	15	21	21	7
White	38	1	–	1	–	–	–	6	11	6	10	3	44	2	–	–	–	1	1	3	8	12	14	3
All other	28	–	–	–	–	–	1	10	6	7	3	1	35	2	–	1	–	1	2	2	7	9	7	4
Black	28	–	–	–	–	–	1	10	6	7	3	1	35	2	–	1	–	1	2	2	7	9	7	4
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	–	–	1	–	–	–	2	–	–	–	4	–	–	–	1	–	–	–	2	1	–	–
White	2	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	1	–	–	–	1	1	–	–
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Syphilis (090-097)	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 096-139)	27	1	–	3	3	2	2	5	4	3	2	2	34	2	–	1	2	4	2	8	5	4	5	1
White	19	1	–	2	1	2	1	3	2	3	2	2	18	1	–	1	1	–	–	4	2	3	5	1
All other	8	–	–	1	2	–	1	2	2	–	–	–	16	1	–	–	1	4	2	4	3	1	–	–
Black	8	–	–	1	2	–	1	2	2	–	–	–	16	1	–	–	1	4	2	4	3	1	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,634	3	6	15	24	38	85	315	748	663	437	100	1,899	1	1	8	17	36	85	229	484	559	348	131
White	1,839	2	5	8	19	26	57	223	501	599	326	73	1,353	–	–	5	9	25	55	143	343	376	282	115
All other	795	1	1	7	5	12	28	92	247	264	111	27	546	1	1	3	8	11	30	86	141	183	66	16
Black	793	1	1	7	5	12	28	92	247	262	111	27	541	1	1	3	6	10	28	86	140	182	66	16
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	67	–	–	–	–	1	2	14	13	26	11	–	35	–	–	–	1	1	3	2	12	4	7	5
White	48	–	–	–	–	–	–	6	10	23	9	–	26	–	–	–	–	1	2	2	9	3	4	5
All other	19	–	–	–	–	1	2	8	3	3	2	–	9	–	–	–	1	–	1	–	3	1	3	–
Black	19	–	–	–	–	1	2	8	3	3	2	–	9	–	–	–	1	–	1	–	3	1	3	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	609	–	–	1	1	7	16	78	187	191	97	29	511	–	–	–	1	3	13	44	101	158	135	56
White	368	–	–	–	–	3	7	38	107	123	66	24	364	–	–	–	–	2	7	24	72	96	108	53
All other	241	–	–	1	1	4	11	40	80	68	31	5	147	–	–	–	1	1	6	20	29	60	27	3
Black	239	–	–	1	1	4	11	40	80	66	31	5	146	–	–	–	1	1	6	20	29	60	27	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	985	–	–	–	–	3	28	190	351	342	117	13	241	–	–	–	–	2	10	39	62	72	27	9
White	755	–	–	–	–	1	23	106	254	261	100	10	186	–	–	–	–	1	6	31	61	57	23	7
All other	230	–	–	–	–	2	6	24	97	81	17	3	55	–	–	–	–	1	4	8	21	15	4	2
Black	230	–	–	–	–	2	6	24	97	81	17	3	53	–	–	–	–	–	4	8	21	14	4	2
Malignant neoplasm of breast (174-175)	4	–	–	–	–	–	–	–	3	–	1	–	363	–	–	–	1	8	27	61	116	92	41	17
White	2	–	–	–	–	–	–	–	2	–	–	–	268	–	–	–	1	5	16	40	85	72	34	15
All other	2	–	–	–	–	–	–	–	1	–	1	–	95	–	–	–	–	3	11	21	31	20	7	2
Black	2	–	–	–	–	–	–	–	1	–	1	–	94	–	–	–	–	3	10	21	31	20	7	2
Malignant neoplasms of genital organs (179-187)	303	–	–	–	3	1	1	8	35	119	107	29	242	–	–	–	–	8	14	31	69	73	34	13
White	166	–	–	–	3	1	1	5	17	58	65	18	150	–	–	–	–	5	10	14	45	39	26	11
All other	137	–	–	–	–	–	–	3	18	63	42	11	92	–	–	–	–	3	4	17	24	34	8	2
Black	137	–	–	–	–	–	–	3	18	63	42	11	91	–	–	–	–	3	3	17	24	34	8	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	108	-	-	-	-	-	2	8	28	40	25	5	62	-	-	-	-	-	-	4	11	20	19	8
White	81	-	-	-	-	-	1	5	21	28	23	3	45	-	-	-	-	-	-	3	8	13	14	7
All other	27	-	-	-	-	-	1	3	7	12	2	2	17	-	-	-	-	-	-	1	3	7	5	1
Black	27	-	-	-	-	-	1	3	7	12	2	2	17	-	-	-	-	-	-	1	3	7	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	343	2	3	5	9	13	18	53	80	98	47	15	275	1	-	6	5	12	12	32	50	86	44	15
White	248	2	2	3	7	12	12	42	52	69	36	11	183	-	-	4	3	10	9	21	42	56	35	11
All other	95	-	1	2	2	1	6	11	28	29	11	4	82	1	-	2	2	2	3	11	18	30	9	4
Black	95	-	1	2	2	1	6	11	28	29	11	4	82	1	-	2	2	2	3	11	18	30	9	4
Leukemia (204-208)	88	1	2	6	7	6	5	6	18	16	15	6	74	-	1	2	8	2	5	6	9	16	18	5
White	71	-	2	3	5	5	5	5	14	13	13	6	51	-	-	1	5	1	4	2	6	14	15	3
All other	17	1	-	3	2	1	-	1	4	3	2	-	23	-	1	1	3	1	1	4	3	4	3	2
Black	17	1	-	3	2	1	-	1	4	3	2	-	23	-	1	1	3	1	1	4	3	4	3	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	127	-	1	3	4	7	10	16	33	31	17	3	96	-	-	-	1	-	1	10	24	34	23	3
White	100	-	1	2	4	4	8	16	24	26	14	1	70	-	-	-	-	-	1	6	15	22	23	3
All other	27	-	-	1	-	3	2	2	9	5	3	2	26	-	-	-	1	-	-	4	9	12	-	-
Black	27	-	-	1	-	3	2	2	9	5	3	2	26	-	-	-	1	-	-	4	9	12	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	-	-	1	-	-	2	4	6	7	4	-	27	-	-	-	1	1	3	5	2	6	4	3
White	14	-	-	-	-	-	-	2	2	7	3	-	20	-	-	-	1	1	2	2	2	5	4	3
All other	10	-	-	1	-	-	2	2	4	-	1	-	7	-	-	-	-	-	1	3	-	3	-	-
Black	10	-	-	1	-	-	2	2	4	-	1	-	7	-	-	-	-	-	1	3	-	3	-	-
Diabetes mellitus (250)	188	-	-	-	2	6	7	19	46	57	41	6	289	-	-	-	-	3	9	18	63	97	78	21
White	124	-	-	-	1	4	4	11	31	39	29	5	154	-	-	-	-	1	3	4	29	51	53	13
All other	62	-	-	-	1	4	3	8	15	18	12	1	135	-	-	-	-	2	6	14	34	46	25	8
Black	62	-	-	-	1	4	3	8	15	18	12	1	135	-	-	-	-	2	6	14	34	46	25	8
Nutritional deficiencies (260-269)	11	2	-	-	-	-	-	2	-	1	4	2	20	-	-	-	-	1	1	2	-	3	7	6
White	3	-	-	-	-	-	-	-	-	-	2	1	11	-	-	-	-	1	-	1	-	2	5	2
All other	8	2	-	-	-	-	-	2	-	1	2	1	9	-	-	-	-	-	1	1	-	1	2	4
Black	8	2	-	-	-	-	-	2	-	1	2	1	9	-	-	-	-	-	1	1	-	1	2	4
Anemias (280-285)	26	-	3	-	2	1	3	3	2	6	3	3	34	1	1	2	1	2	6	2	4	6	6	3
White	11	-	-	-	-	1	-	1	-	2	3	3	12	-	-	1	-	-	1	-	-	3	4	3
All other	15	-	3	-	2	1	2	3	-	4	-	-	22	1	1	1	1	2	5	2	4	3	2	-
Black	15	-	3	-	2	1	2	3	-	4	-	-	22	1	1	1	1	2	5	2	4	3	2	-
Meningitis (320-322)	14	6	1	1	-	1	-	1	-	3	1	-	6	3	-	-	-	-	-	1	1	2	1	-
White	8	4	-	1	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	6	2	1	-	-	1	-	-	-	2	-	-	5	3	-	-	-	-	-	1	-	1	-	-
Black	6	2	1	-	-	1	-	-	-	2	-	-	5	3	-	-	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	5,160	14	-	3	16	40	232	662	1,495	1,883	1,311	503	5,564	10	4	2	11	36	79	259	736	1,393	1,748	1,294
White	4,263	6	-	1	7	19	122	416	957	1,320	964	431	3,763	3	1	1	3	15	34	113	369	828	1,332	1,070
All other	1,697	8	-	2	9	21	110	246	478	563	327	132	1,801	7	3	1	8	23	45	156	353	565	416	224
Black	1,694	6	-	2	9	21	110	246	478	561	327	131	1,797	7	3	1	8	23	44	155	352	564	416	224
Diseases of heart (390-398,402,404-429)	4,734	8	-	1	11	27	176	559	1,171	1,459	941	380	3,912	10	3	1	5	27	58	194	567	1,025	1,100	823
White	3,406	2	-	-	3	14	105	371	826	1,068	719	298	2,674	3	-	-	1	9	23	85	309	647	923	674
All other	1,328	6	-	1	8	13	71	188	345	391	222	82	1,238	7	3	1	4	18	35	109	258	378	276	149
Black	1,326	6	-	1	8	13	71	188	345	390	222	81	1,236	7	3	1	4	18	35	109	257	377	276	149
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	2	-	2	4	6	6	2	-	29	-	-	-	-	-	3	2	6	8	6	4
White	13	-	-	-	-	-	-	2	4	6	1	-	25	-	-	-	-	-	2	2	5	6	6	4
All other	9	-	-	-	2	-	2	2	2	-	1	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	9	-	-	-	2	-	2	2	2	-	1	-	4	-	-	-	-	-	1	-	1	2	-	-
Hypertensive heart disease (402)	142	-	-	-	-	1	7	22	34	41	24	13	214	-	-	-	1	3	1	12	44	52	57	34
White	59	-	-	-	-	-	1	5	11	19	14	9	100	-	-	-	-	-	-	3	16	21	34	26
All other	83	-	-	-	-	1	6	17	23	22	10	4	114	-	-	-	1	3	1	9	28	41	23	8
Black	83	-	-	-	-	1	6	17	23	22	10	4	114	-	-	-	1	3	1	9	28	41	23	8
Hypertensive heart and renal disease (404)	35	-	-	-	-	-	-	5	6	7	13	4	42	-	-	-	-	-	-	1	3	6	12	15	5
White	19	-	-	-	-	-	-	1	1	3	3	2	16	-	-	-	-	-	-	-	1	1	4	6	2
All other	25	-	-	-	-	-	-	4	5	4	10	2	26	-	-	-	-	-	-	1	2	5	8	7	3
Black	25	-	-	-	-	-	-	4	5	4	10	2	26	-	-	-	-	-	-	1	2	5	8	7	3
Ischemic heart disease (410-414)	3,376	-	-	-	3	16	113	409	858	1,066	647	265	2,583	-	-	-	1	5	28	122	363	720	890	524
White	2,593	-	-	-	1	6	77	290	656	824	524	213	1,872	-	-	-	-	2	11	57	222	486	660	484
All other	783	-	-	-	2	9	36	119	200	242	123	52	721	-	-	-	1	3	17	65	141	234	170	90
Black	781	-	-	-	2	8	36	119	200	241	123	51	719	-	-	-	1	3	17	65	140	233	170	90
Acute myocardial infarction (410)	2,394	-	-	-	3	14	94	333	662	768	396	123	1,510	-	-	-	1	4	21	92	279	447	461	205
White	1,851	-	-	-	1	9	64	240	512	606	323	96	1,078	-	-	-	-	2	7	41	171	312	374	171
All other	543	-	-	-	2	5	30	93	150	162	73	24	432	-	-	-	1	2	14	51	108	135	87	34
Black	543	-	-	-	2	5	30	93	150	162	73	24	431	-	-	-	1	2	14	51	108	134	87	34

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	60	-	-	-	-	-	-	9	15	15	15	6	51	-	-	-	-	-	-	-	8	23	16	4
White	31	-	-	-	-	-	-	3	6	8	9	3	18	-	-	-	-	-	-	-	3	9	5	1
All other	28	-	-	-	-	-	-	6	7	7	6	3	33	-	-	-	-	-	-	-	6	14	11	3
Black	28	-	-	-	-	-	-	6	7	7	6	3	33	-	-	-	-	-	-	-	5	14	11	3
Angina pectoris (413)	9	-	-	-	-	-	1	1	1	1	4	1	5	-	-	-	-	-	-	-	-	1	2	2
White	6	-	-	-	-	-	-	-	1	-	4	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	3	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	913	-	-	-	-	2	18	66	178	282	232	135	1,027	-	-	-	-	1	7	30	76	249	351	313
White	705	-	-	-	-	2	13	47	135	210	188	110	772	-	-	-	-	-	4	16	48	164	280	260
All other	208	-	-	-	-	-	5	19	43	72	44	25	255	-	-	-	-	1	3	14	28	85	71	53
Black	206	-	-	-	-	-	5	19	43	71	44	24	254	-	-	-	-	1	3	14	27	85	71	53
Other diseases of endocardium (424)	38	-	-	-	1	1	1	5	5	14	10	1	37	-	-	-	-	-	1	1	4	9	15	7
White	26	-	-	-	1	1	1	3	2	12	5	1	28	-	-	-	-	-	1	1	1	4	14	7
All other	12	-	-	-	-	-	-	2	3	2	5	-	9	-	-	-	-	-	-	-	3	5	1	-
Black	12	-	-	-	-	-	-	2	3	2	5	-	9	-	-	-	-	-	-	-	3	5	1	-
All other forms of heart disease (415-423,425-429)	1,121	8	-	1	5	9	53	114	264	325	245	97	997	10	3	1	3	19	24	54	144	214	276	249
White	705	2	-	1	5	5	26	70	152	204	172	73	633	3	-	-	1	7	9	21	64	126	201	201
All other	416	6	-	1	4	4	27	44	112	121	73	24	364	7	3	1	2	12	15	33	80	88	75	48
Black	416	6	-	1	4	4	27	44	112	121	73	24	364	7	3	1	2	12	15	33	80	88	75	48
Hypertension with or without renal disease (401,403)	58	-	-	-	-	3	7	5	6	15	14	8	45	-	-	-	-	-	2	3	6	15	15	4
White	29	-	-	-	-	-	3	4	2	9	8	3	27	-	-	-	-	-	1	1	4	6	12	3
All other	29	-	-	-	-	3	4	1	4	6	6	5	18	-	-	-	-	-	1	2	2	9	3	1
Black	29	-	-	-	-	3	4	1	4	6	6	5	18	-	-	-	-	-	1	2	2	9	3	1
Cerebrovascular diseases (430-438)	1,113	4	-	2	4	9	46	89	213	317	289	140	1,396	-	-	1	4	8	18	67	146	315	481	376
White	623	2	-	1	4	4	11	34	96	175	196	100	916	-	-	1	2	4	9	25	63	153	344	315
All other	490	2	-	1	-	5	35	55	117	142	93	40	480	-	-	-	2	4	9	42	83	162	117	61
Black	490	2	-	1	-	5	35	55	117	142	93	40	478	-	-	-	2	4	8	41	83	162	117	61
Intracerebral and other intracranial hemorrhage (431-432)	194	4	-	2	3	1	20	31	41	58	31	5	184	-	-	1	3	1	7	20	28	48	44	32
White	90	2	-	1	3	1	3	10	20	28	18	4	115	-	-	1	2	-	2	6	11	29	36	28
All other	104	2	-	1	-	-	17	21	21	28	13	1	69	-	-	-	1	1	5	14	17	19	8	4
Black	104	2	-	1	-	-	17	21	21	28	13	1	68	-	-	-	1	1	4	14	17	19	8	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	202	-	-	-	-	1	4	10	33	60	67	27	264	-	-	-	-	1	1	6	15	54	93	94
White	127	-	-	-	-	1	-	-	18	39	48	21	197	-	-	-	-	-	1	3	9	29	77	78
All other	75	-	-	-	-	-	4	10	15	21	19	6	67	-	-	-	-	1	-	3	6	25	16	16
Black	75	-	-	-	-	-	4	10	15	21	19	6	67	-	-	-	-	1	-	3	6	25	16	16
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	1	2	-	12	-	-	-	-	-	-	1	1	5	4	1
White	3	-	-	-	-	-	-	1	-	1	1	-	9	-	-	-	-	-	-	-	1	3	4	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	713	-	-	-	1	7	22	47	139	200	189	108	938	-	-	-	1	6	10	40	102	206	320	249
White	403	-	-	-	1	2	9	23	58	107	129	75	595	-	-	-	-	4	6	16	42	92	227	208
All other	310	-	-	-	-	5	14	24	81	93	60	33	341	-	-	-	1	2	4	24	60	116	93	41
Black	310	-	-	-	-	5	14	24	81	93	60	33	340	-	-	-	1	2	4	23	60	116	93	41
Atherosclerosis (440)	110	-	-	-	-	-	1	1	10	32	37	29	145	-	-	-	-	-	-	2	6	21	45	71
White	83	-	-	-	-	-	1	1	5	19	33	24	106	-	-	-	-	-	-	1	2	11	32	60
All other	27	-	-	-	-	-	-	-	5	13	4	5	39	-	-	-	-	-	-	1	4	10	13	11
Black	27	-	-	-	-	-	-	-	5	13	4	5	39	-	-	-	-	-	-	1	4	10	13	11
Other diseases of arteries, arterioles, and capillaries (441-448)	145	2	-	-	1	1	2	8	35	60	30	6	88	-	1	-	2	3	1	3	11	17	28	20
White	122	2	-	-	1	1	2	6	28	49	28	6	60	-	1	-	-	2	1	1	5	11	21	18
All other	23	-	-	-	-	-	-	2	7	11	2	-	28	-	-	-	2	1	-	2	6	6	7	2
Black	22	-	-	-	1	-	-	2	7	10	2	-	26	-	-	-	2	1	-	2	6	6	7	2
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	2	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonia and influenza (480-487)	286	10	6	4	3	9	11	27	49	71	54	42	262	15	3	1	5	3	7	9	15	47	66	91
White	189	4	3	1	2	3	4	13	32	56	39	32	188	4	2	1	2	1	4	2	7	31	54	80
All other	97	6	3	3	1	6	7	14	17	15	15	10	74	11	1	-	3	2	3	7	8	16	12	11
Black	97	6	3	3	1	6	7	14	17	15	15	10	74	11	1	-	3	2	3	7	8	16	12	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	281	10	6	3	2	9	11	27	48	71	52	42	256	15	3	1	5	3	7	9	15	45	64	89
White	185	4	3	1	1	3	4	13	31	56	37	32	184	4	2	1	2	1	4	2	7	30	52	79
All other	96	6	3	2	1	6	7	14	17	15	15	10	72	11	1	–	3	2	3	7	8	15	12	10
Black	96	6	3	2	1	6	7	14	17	15	15	10	72	11	1	–	3	2	3	7	8	15	12	10
Influenza (487)	5	–	–	1	1	–	–	–	1	–	2	–	6	–	–	–	–	–	–	–	–	2	2	2
White	4	–	–	–	1	–	–	–	1	–	2	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	403	1	1	1	1	–	4	31	92	157	98	19	141	–	–	–	1	2	4	24	33	46	23	8
White	332	–	1	–	–	–	3	21	79	128	90	16	119	–	–	–	–	2	3	16	28	40	22	8
All other	71	1	–	1	1	–	1	10	13	29	8	3	22	–	–	–	1	–	1	8	5	6	1	–
Black	71	1	–	1	1	–	1	10	13	29	8	3	22	–	–	–	1	–	1	8	5	6	1	–
Bronchitis, chronic and unspecified (490-491)	28	1	1	1	–	–	1	2	5	10	5	2	12	–	–	–	–	–	1	1	3	3	4	–
White	21	–	1	–	–	–	1	2	3	8	5	1	11	–	–	–	–	–	1	1	3	2	4	–
All other	7	1	–	1	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	7	1	–	1	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Emphysema (492)	123	–	–	–	–	–	–	9	28	45	35	6	34	–	–	–	–	–	–	6	8	18	5	2
White	109	–	–	–	–	–	–	7	23	41	33	5	31	–	–	–	–	–	–	3	8	18	5	2
All other	14	–	–	–	–	–	–	2	5	4	2	1	3	–	–	–	–	–	–	3	–	–	–	–
Black	14	–	–	–	–	–	–	2	5	4	2	1	3	–	–	–	–	–	–	3	–	–	–	–
Asthma (493)	18	–	–	–	1	–	1	4	6	5	1	–	19	–	–	–	1	2	–	6	4	6	–	–
White	8	–	–	–	–	–	–	1	2	4	1	–	10	–	–	–	–	2	–	2	1	5	–	–
All other	10	–	–	–	1	–	1	3	4	1	–	–	9	–	–	–	1	–	–	4	3	1	–	–
Black	10	–	–	–	1	–	1	3	4	1	–	–	9	–	–	–	1	–	–	4	3	1	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	234	–	–	–	–	–	2	16	53	97	55	11	76	–	–	–	–	–	3	11	16	24	14	6
White	194	–	–	–	–	–	2	11	45	75	51	10	67	–	–	–	–	–	2	10	16	20	13	6
All other	40	–	–	–	–	–	–	5	8	22	4	1	9	–	–	–	–	–	1	1	2	4	1	–
Black	40	–	–	–	–	–	–	5	8	22	4	1	9	–	–	–	–	–	1	1	2	4	1	–
Ulcer of stomach and duodenum (531-533)	27	–	–	–	–	–	3	5	5	9	2	3	20	1	–	–	–	–	–	1	2	6	5	5
White	20	–	–	–	–	–	3	2	5	6	2	2	17	–	–	–	–	–	–	1	2	5	4	5
All other	7	–	–	–	–	–	–	3	–	3	–	1	3	1	–	–	–	–	–	–	–	1	1	–
Black	7	–	–	–	–	–	–	3	–	3	–	1	3	1	–	–	–	–	–	–	–	1	1	–
Appendicitis (540-543)	6	–	–	1	–	–	–	1	1	1	1	1	4	–	–	–	–	–	–	–	1	1	2	–
White	4	–	–	1	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	1	–	1	–
All other	2	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Black	2	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	–	–	1	–	3	1	3	3	6	8	5	34	–	–	–	–	–	3	2	4	8	10	7
White	17	–	–	–	–	–	–	2	1	4	6	4	27	–	–	–	–	–	2	1	3	5	10	6
All other	13	–	–	1	–	3	1	1	2	2	2	1	7	–	–	–	–	–	1	1	1	3	–	1
Black	13	–	–	1	–	3	1	1	2	2	2	1	7	–	–	–	–	–	1	1	1	3	–	1
Chronic liver disease and cirrhosis (571)	184	–	1	–	2	12	32	61	50	21	4	1	117	–	–	1	1	5	19	34	27	21	7	2
White	134	–	–	–	1	4	21	43	41	19	4	1	82	–	–	–	1	–	9	22	21	20	7	2
All other	50	–	1	–	1	8	11	18	9	2	–	–	35	–	–	1	–	5	10	12	6	1	–	–
Black	50	–	1	–	1	8	11	18	9	2	–	–	35	–	–	1	–	5	10	12	6	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	10	–	–	–	–	–	–	–	–	5	1	4	29	–	–	–	–	1	1	1	1	8	10	7
White	10	–	–	–	–	–	–	–	–	5	1	4	23	–	–	–	–	–	–	–	1	6	9	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	1	1	1	–	2	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	1	1	1	–	2	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	129	5	–	1	1	1	5	17	23	35	25	16	135	3	2	–	–	3	4	12	28	36	25	22
White	59	2	–	–	–	2	8	10	18	8	11	56	–	2	–	–	–	1	2	4	8	9	12	18
All other	70	3	–	1	1	1	3	9	13	17	17	5	79	3	–	–	–	2	2	8	20	27	13	4
Black	70	3	–	1	1	1	3	9	13	17	17	5	79	3	–	–	–	2	2	8	20	27	13	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	2	1	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	35	–	–	1	–	–	1	9	4	11	5	4	21	–	–	–	–	1	–	1	6	7	3	3
White	16	–	–	–	–	–	1	5	–	7	–	3	9	–	–	–	–	1	–	1	3	1	1	2
All other	19	–	–	1	–	–	–	4	4	4	5	1	12	–	–	–	–	–	–	–	3	6	2	1
Black	19	–	–	1	–	–	–	4	4	4	5	1	12	–	–	–	–	–	–	–	3	6	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	94	5	–	–	1	1	4	8	18	24	20	12	109	3	2	–	–	2	4	10	20	28	21	19
White	43	2	–	–	–	–	1	3	10	11	8	8	46	–	2	–	–	–	2	2	5	8	11	16
All other	51	3	–	–	1	1	3	5	8	13	12	4	63	3	–	–	–	2	2	8	15	20	10	3
Black	51	3	–	–	1	1	3	5	8	13	12	4	63	3	–	–	–	2	2	8	15	20	10	3
Infections of kidney (590)	19	–	–	–	–	–	–	–	5	8	6	–	25	–	–	–	–	–	–	3	2	5	7	8
White	12	–	–	–	–	–	–	–	2	5	5	–	16	–	–	–	–	–	–	–	–	4	5	7
All other	7	–	–	–	–	–	–	–	3	3	1	–	9	–	–	–	–	–	–	3	2	1	2	1
Black	7	–	–	–	–	–	–	–	3	3	1	–	9	–	–	–	–	–	–	3	2	1	2	1
Hyperplasia of prostate (600)	5	–	–	–	–	–	–	–	2	1	2	–	...	...	...	...	...	...	...	...	...	...	...	...
White	3	–	–	–	–	–	–	–	1	1	1	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	–	–	–	–	–	–	–	1	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	–	–	–	–	–	–	–	1	–	1	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	3	1	1	–	...	...	...	...
Congenital anomalies (740-759)	122	86	11	5	7	1	3	–	2	7	–	–	102	79	4	2	3	4	1	1	4	2	2	–
White	78	55	8	4	3	1	2	–	1	4	–	–	60	46	2	1	2	2	1	1	4	–	1	–
All other	44	31	3	1	4	–	1	–	1	3	–	–	42	33	2	1	1	2	–	–	–	2	1	–
Black	44	31	3	1	4	–	1	–	1	3	–	–	41	32	2	1	1	2	–	–	–	2	1	–
Certain conditions originating in the perinatal period (760-779)	245	244	–	–	–	1	–	–	–	–	–	–	175	175	–	–	–	–	–	–	–	–	–	–
White	90	89	–	–	–	1	–	–	–	–	–	–	78	78	–	–	–	–	–	–	–	–	–	–
All other	155	155	–	–	–	–	–	–	–	–	–	–	97	97	–	–	–	–	–	–	–	–	–	–
Black	155	155	–	–	–	–	–	–	–	–	–	–	95	95	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	69	68	–	–	–	1	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
White	29	28	–	–	–	1	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	–
All other	40	40	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Black	40	40	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	176	176	–	–	–	–	–	–	–	–	–	–	118	118	–	–	–	–	–	–	–	–	–	–
White	61	61	–	–	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
All other	115	115	–	–	–	–	–	–	–	–	–	–	73	73	–	–	–	–	–	–	–	–	–	–
Black	115	115	–	–	–	–	–	–	–	–	–	–	72	72	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	393	69	1	2	2	14	19	42	84	87	54	19	312	53	–	–	2	12	16	20	55	60	64	30
White	200	24	–	–	2	2	5	32	47	44	33	11	149	20	–	–	1	5	9	12	21	26	33	22
All other	193	45	1	2	–	12	14	10	37	43	21	8	163	33	–	–	1	7	7	8	34	34	31	8
Black	193	45	1	2	–	12	14	10	37	43	21	8	163	33	–	–	1	7	7	8	34	34	31	8
All other diseases (Residual)	795	19	7	9	25	42	83	116	147	184	117	66	670	11	11	14	13	32	28	65	108	145	144	101
White	485	7	5	6	13	12	35	64	87	114	92	48	446	2	5	13	6	14	11	37	66	93	114	85
All other	310	12	2	1	12	30	48	52	60	50	25	18	224	9	6	1	7	18	15	28	42	52	30	16
Black	309	12	2	1	12	30	48	52	60	50	24	18	224	9	6	1	7	18	15	28	42	52	30	16
Accidents and adverse effects (E800-E949)	1,317	17	29	62	338	217	160	158	134	102	62	17	455	12	23	36	57	61	44	39	49	50	50	34
White	808	9	11	43	235	135	87	92	76	63	44	13	307	5	13	20	42	38	28	25	38	32	36	30
All other	509	8	18	39	103	82	73	66	58	39	18	4	148	7	10	16	15	23	16	14	11	18	14	4
Black	508	8	18	39	102	82	73	66	58	39	18	4	148	7	10	16	15	23	16	14	11	18	14	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	672	1	18	33	223	139	81	63	60	33	18	3	239	1	17	26	47	42	25	23	22	22	10	4
White	430	1	6	19	165	88	47	37	32	20	14	1	167	1	12	16	38	31	15	13	14	15	8	4
All other	242	–	12	14	58	51	34	26	28	13	4	2	72	–	5	10	9	11	10	10	8	7	2	–
Black	241	–	12	14	57	51	34	26	28	13	4	2	72	–	5	10	9	11	10	10	8	7	2	–
All other accidents and adverse effects (E800-E807, E826-E949)	645	16	11	49	115	78	79	95	74	69	44	14	216	11	8	10	10	19	19	16	27	28	40	30
White	378	8	5	24	70	47	40	55	44	43	30	12	140	4	1	4	4	7	13	12	24	17	28	26
All other	267	8	6	25	45	31	39	40	30	26	14	2	76	7	5	6	6	12	6	4	3	11	12	4
Black	267	8	6	25	45	31	39	40	30	26	14	2	76	7	5	6	6	12	6	4	3	11	12	4
Suicide (E950-E959)	241	...	...	1	50	41	30	50	26	33	8	2	61	...	...	–	7	16	14	6	12	5	1	–
White	221	...	...	1	43	36	25	49	26	31	8	2	55	...	...	–	6	13	13	6	11	5	1	–
All other	20	...	...	–	7	5	5	1	–	2	–	–	6	...	...	–	1	3	1	–	1	–	–	–
Black	19	...	...	–	7	5	4	1	–	2	–	–	6	...	...	–	1	3	1	–	1	–	–	–
Homicide and legal intervention (E960-E978)	287	2	3	2	60	76	64	42	24	10	2	2	87	3	1	1	18	18	17	11	13	3	1	1
White	119	–	–	2	21	26	26	17	17	7	2	1	46	1	1	–	11	5	11	4	9	3	1	–
All other	168	2	3	–	39	50	38	25	7	3	–	1	41	2	–	1	7	13	6	7	4	–	–	1
Black	168	2	3	–	39	50	38	25	7	3	–	1	40	2	–	1	7	12	6	7	4	–	–	1
All other external causes (E980-E999)	16	–	–	1	6	1	4	1	1	2	–	–	11	2	–	–	3	1	1	3	–	–	1	–
White	12	–	–	–	5	1	2	1	1	2	–	–	6	–	–	–	1	–	1	3	–	–	1	–
All other	4	–	–	1	1	–	2	–	–	–	–	–	5	2	–	–	2	1	–	–	–	–	–	–
Black	4	–	–	1	1	–	2	–	–	–	–	–	5	2	–	–	2	1	–	–	–	–	–	–
SOUTH DAKOTA																								
All causes	3,602	77	20	26	149	103	115	209	479	834	972	617	2,743	69	16	10	45	30	57	115	219	494	813	875
White	3,327	56	14	21	120	69	82	186	436	804	936	602	2,582	52	11	9	31	15	41	102	199	476	787	859
All other	275	21	6	5	29	34	33	23	43	30	36	15	161	17	5	1	14	15	16	13	20	18	26	16
Black	9	2	–	1	–	1	1	–	1	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Shigellosis and amebiasis (004,006)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	4	–	–	–	–	–	1	2	–	–	1	–	5	–	–	–	–	1	1	1	–	–	2	–
White	3	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	1	1	1	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	1	–	–	–	–	1	–
White	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	2	–	–	–	–	–	1	1	–	–	–	–	3	–	–	–	–	–	1	1	–	–	1	–
White	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	1	1	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	7	–	–	–	–	–	–	–	–	–	4	3	4	–	–	–	–	–	–	–	–	2	1	1
White	7	–	–	–	–	–	–	–	–	–	4	3	3	–	–	–	–	–	–	–	–	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	8	1	-	-	-	1	2	-	1	2	1	-	9	2	1	-	-	-	1	3	-	-	1	1
White	7	-	-	-	-	1	2	-	1	2	1	-	7	1	1	-	-	-	1	2	-	-	1	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	635	-	2	2	4	5	11	41	116	211	169	75	531	1	1	2	4	8	23	53	99	118	160	62
White	623	-	2	2	4	4	10	39	115	209	164	74	509	1	1	1	4	6	22	51	91	116	156	60
All other	12	-	-	-	-	1	1	2	1	2	4	1	22	-	-	1	-	2	1	2	8	2	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	-	-	-	-	-	-	2	2	2	1	-	4	-	-	-	-	-	-	1	-	2	-	1
White	7	-	-	-	-	-	-	2	2	2	1	-	4	-	-	-	-	-	-	1	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	165	-	-	-	-	1	1	10	27	62	40	24	149	-	-	-	-	-	1	12	20	37	57	22
White	163	-	-	-	-	1	1	10	27	61	39	24	147	-	-	-	-	-	1	12	20	37	56	21
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	192	-	-	-	-	-	2	17	47	71	50	5	48	-	-	-	-	1	1	7	13	12	11	3
White	186	-	-	-	-	-	2	15	46	70	49	4	42	-	-	-	-	-	1	7	10	10	11	3
All other	6	-	-	-	-	-	-	2	1	1	1	1	6	-	-	-	-	1	-	-	3	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	118	-	-	-	-	3	16	15	26	20	30	8
White	1	-	-	-	-	-	-	-	-	-	-	1	118	-	-	-	-	3	16	15	26	20	30	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	89	-	-	-	-	1	1	-	8	23	37	19	61	-	-	-	2	3	-	4	20	14	15	3
White	86	-	-	-	-	1	-	-	8	23	35	19	57	-	-	-	2	2	-	2	19	14	15	3
All other	3	-	-	-	-	-	1	-	-	-	2	-	4	-	-	-	-	1	-	2	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	53	-	-	-	-	-	-	3	9	19	13	9	18	-	-	1	-	1	1	-	1	3	7	4
White	53	-	-	-	-	-	-	3	9	19	13	9	16	-	-	1	-	1	1	-	1	3	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	62	-	1	2	2	1	1	4	12	15	15	9	72	-	-	-	1	-	2	12	9	15	21	12
White	62	-	1	2	2	1	1	4	12	15	15	9	66	-	-	-	1	-	1	12	5	15	20	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	4	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	34	-	1	-	2	2	2	3	3	11	7	3	23	1	1	-	-	-	-	1	4	3	8	5
White	33	-	1	-	2	1	2	3	3	11	7	3	23	1	1	-	-	-	-	1	4	3	8	5
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	-	-	-	-	-	4	2	8	8	5	5	38	-	-	1	1	-	2	1	6	12	11	4
White	32	-	-	-	-	-	4	2	8	8	5	5	36	-	-	-	1	-	2	1	6	12	10	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	1	1	2	-	2	2	7	-	-	-	-	-	1	2	-	2	-	2
White	8	-	-	-	-	-	1	1	2	-	2	2	7	-	-	-	-	-	1	2	-	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	53	–	–	–	–	2	6	4	4	9	22	6	53	–	–	–	1	–	1	1	5	16	20	9
White	43	–	–	–	–	2	4	4	2	7	20	4	47	–	–	–	1	–	1	1	4	14	17	9
All other	10	–	–	–	–	–	2	–	2	2	2	2	6	–	–	–	–	–	–	–	1	2	3	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nutritional deficiencies (260-269)	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	2	–
White	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	4	1	–	–	1	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	1	1
White	3	–	–	–	1	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	1	1
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	1	1	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–	–	–	–	1	–	–
All other	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,635	1	–	1	6	8	37	95	242	455	581	407	1,558	2	1	–	3	1	7	32	80	259	515	658
White	1,754	1	–	–	7	6	28	88	224	441	561	398	1,510	1	1	–	3	–	6	29	71	249	501	649
All other	81	–	–	1	1	2	9	7	18	14	20	9	48	1	–	–	–	1	1	3	9	10	14	9
Black	3	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of heart (390-398,402,404-429)	1,453	1	–	1	6	5	35	86	218	380	420	301	1,111	2	1	–	2	1	5	25	67	210	360	438
White	1,390	1	–	–	5	3	27	81	203	370	404	296	1,070	1	1	–	2	–	4	22	59	202	349	430
All other	63	–	–	1	1	2	8	5	15	10	16	5	41	1	–	–	–	1	1	3	8	8	11	8
Black	3	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic fever and rheumatic heart disease (390-398)	8	–	–	–	–	–	–	–	2	3	2	1	15	–	–	–	1	–	–	–	1	3	9	1
White	8	–	–	–	–	–	–	–	2	3	2	1	15	–	–	–	1	–	–	–	1	3	9	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	11	–	–	–	–	–	–	–	–	3	4	4	24	–	–	–	–	–	–	–	–	5	6	13
White	10	–	–	–	–	–	–	–	–	3	3	4	24	–	–	–	–	–	–	–	–	5	6	13
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	9	–	–	–	1	–	–	–	1	2	4	1	16	–	–	–	–	–	–	–	1	–	9	6
White	7	–	–	–	–	–	–	–	–	2	4	1	13	–	–	–	–	–	–	–	–	–	6	5
All other	2	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischemic heart disease (410-414)	1,160	–	–	–	–	1	26	75	187	312	334	225	830	–	–	–	–	1	2	18	46	172	275	316
White	1,118	–	–	–	–	1	22	71	175	303	325	221	813	–	–	–	–	–	2	17	45	168	269	312
All other	42	–	–	–	–	–	4	4	12	9	9	4	17	–	–	–	–	1	–	1	1	4	6	4
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute myocardial infarction (410)	787	–	–	–	–	–	17	55	147	231	225	112	496	–	–	–	–	1	2	14	38	118	177	146
White	760	–	–	–	–	–	15	52	140	224	218	111	484	–	–	–	–	–	2	13	37	116	173	143
All other	27	–	–	–	–	–	2	3	7	7	7	1	12	–	–	–	–	1	–	1	1	2	4	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other acute and subacute forms of ischemic heart disease (411)	10	–	–	–	–	–	–	1	5	1	2	1	4	–	–	–	–	–	–	–	–	2	1	1
White	9	–	–	–	–	–	–	1	4	1	2	1	4	–	–	–	–	–	–	–	–	2	1	1
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	363	–	–	–	–	1	9	19	35	80	107	112	330	–	–	–	–	–	–	4	8	52	97	169
White	349	–	–	–	–	1	7	18	31	78	105	109	325	–	–	–	–	–	–	4	8	50	95	168
All other	14	–	–	–	–	–	2	1	4	2	2	3	5	–	–	–	–	–	–	–	–	2	2	1
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of endocardium (424)	14	–	–	–	–	–	–	1	2	7	3	1	12	–	–	–	–	–	–	1	1	2	3	5
White	13	–	–	–	–	–	–	1	2	6	3	1	11	–	–	–	–	–	–	1	–	2	3	5
All other	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	251	1	–	1	5	4	9	10	26	53	73	69	214	2	1	–	1	–	3	6	18	28	58	97
White	234	1	–	–	5	2	5	9	24	53	67	68	194	1	1	–	1	–	2	4	13	24	54	94
All other	17	–	–	1	–	2	4	1	2	–	6	1	20	1	–	–	–	–	1	2	5	4	4	3
Black	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertension with or without renal disease (401,403)	17	–	–	–	–	1	–	–	–	2	4	10	17	–	–	–	–	–	–	–	1	3	6	7
White	17	–	–	–	–	1	–	–	–	2	4	10	17	–	–	–	–	–	–	–	1	3	6	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	287	–	–	–	2	2	2	6	20	54	116	85	344	–	–	–	1	–	2	7	12	40	126	156
White	253	–	–	–	2	2	1	4	17	52	114	81	337	–	–	–	1	–	2	7	11	38	123	155
All other	14	–	–	–	–	–	1	2	3	2	2	4	7	–	–	–	–	–	–	–	1	2	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intracerebral and other intracranial hemorrhage (431-432)	32	–	–	–	–	–	1	3	6	9	7	4	45	–	–	–	–	–	2	–	3	13	13	14
White	30	–	–	–	–	–	1	2	6	8	7	4	45	–	–	–	–	–	2	–	3	13	13	14
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	–	–	–	–	–	–	–	2	9	17	9	51	–	–	–	–	–	–	–	6	26	19	
White	35	–	–	–	–	–	–	–	1	9	17	8	51	–	–	–	–	–	–	–	6	26	19	
All other	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral embolism (434.1)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	197	–	–	–	2	2	1	3	10	38	91	52	248	–	–	–	1	–	–	7	9	21	87	123
White	187	–	–	–	2	2	–	2	8	35	89	49	241	–	–	–	1	–	–	7	8	19	84	122
All other	10	–	–	–	–	–	1	1	2	1	2	3	7	–	–	–	–	–	–	–	1	2	3	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	58	–	–	–	–	–	–	–	1	7	24	26	65	–	–	–	–	–	–	–	–	1	16	46
White	55	–	–	–	–	–	–	–	1	5	23	26	65	–	–	–	–	–	–	–	–	1	16	46
All other	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	40	–	–	–	–	–	–	3	3	12	17	5	21	–	–	–	–	–	–	–	–	5	5	11
White	39	–	–	–	–	–	–	3	3	12	16	5	21	–	–	–	–	–	–	–	–	5	5	11
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
White	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	99	3	1	1	–	2	2	3	5	15	30	37	70	–	–	–	2	–	–	–	1	6	21	38
White	80	1	1	1	–	1	–	3	3	13	29	37	68	–	–	–	1	–	–	–	1	6	20	38
All other	10	2	–	–	–	1	2	–	2	2	1	–	2	–	–	–	1	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	96	3	1	1	–	2	2	3	5	15	29	35	69	–	–	–	2	–	–	–	1	6	21	37
White	86	1	1	1	–	1	–	3	3	13	28	35	67	–	–	–	1	–	–	–	1	6	20	37
All other	10	2	–	–	–	1	2	–	2	2	1	–	2	–	–	–	1	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	3	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	1
White	3	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	136	–	–	–	–	–	–	–	17	52	52	15	43	–	–	–	–	–	–	–	7	20	11	5
White	133	–	–	–	–	–	–	–	17	51	52	13	42	–	–	–	–	–	–	–	7	19	11	5
All other	3	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	8	–	–	–	–	–	–	–	–	4	2	2	3	–	–	–	–	–	–	–	–	1	2	–
White	8	–	–	–	–	–	–	–	–	4	2	2	3	–	–	–	–	–	–	–	–	1	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	49	–	–	–	–	–	–	–	6	18	22	3	14	–	–	–	–	–	–	–	4	7	1	2
White	48	–	–	–	–	–	–	–	6	18	22	2	13	–	–	–	–	–	–	–	4	6	1	2
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
White	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	75	-	-	-	-	-	-	-	10	28	27	10	23	-	-	-	-	-	-	-	2	10	8	3
White	73	-	-	-	-	-	-	-	10	27	27	9	23	-	-	-	-	-	-	-	2	10	8	3
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	14	-	-	-	-	-	-	1	1	2	6	4	6	-	-	-	-	-	1	-	1	-	3	3
White	14	-	-	-	-	-	-	1	1	2	6	4	6	-	-	-	-	-	1	-	1	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	-	-	-	-	-	-	-	2	4	-	14	-	-	-	-	-	-	-	-	2	4	6
White	7	1	-	-	-	-	-	-	-	2	4	-	13	-	-	-	-	-	-	-	-	2	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	43	-	-	-	-	4	5	10	10	9	4	1	32	-	-	-	1	1	10	6	5	7	1	1
White	31	-	-	-	-	1	2	6	9	8	4	1	19	-	-	-	-	-	3	3	4	7	1	1
All other	12	-	-	-	-	3	3	4	1	1	-	-	13	-	-	-	1	1	7	3	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	-	2	2	2	2	5	-	-	-	-	-	-	-	-	2	2	1
White	6	-	-	-	-	-	-	-	1	2	1	2	5	-	-	-	-	-	-	-	-	2	2	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21	-	-	-	-	-	-	-	2	10	6	3	17	1	-	-	-	-	-	-	1	2	9	4
White	20	-	-	-	-	-	-	-	2	10	5	3	15	1	-	-	-	-	-	-	-	2	9	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	20	-	-	-	-	-	-	-	2	9	6	3	15	1	-	-	-	-	-	-	1	2	7	4
White	19	-	-	-	-	-	-	-	2	9	5	3	13	1	-	-	-	-	-	-	-	2	7	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	2	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	2	2	***	***	***	***	***	***	***	***	***	***	***	***
White	3	-	-	-	-	-	-	-	-	-	1	2	***	***	***	***	***	***	***	***	***	***	***	***
All other	1	-	-	-	-	-	-	-	-	-	1	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	1	-	-	-	-	-	-	-	-	-	1	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	30	17	4	-	2	1	2	1	-	1	2	-	22	12	2	2	2	-	1	-	1	1	-	1
White	26	15	3	-	2	-	2	1	-	1	2	-	20	11	2	2	2	-	-	-	1	1	-	1
All other	4	2	1	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	29	28	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
White	23	22	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	18	17	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	15	14	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	41	16	1	-	-	1	1	5	2	5	7	3	21	10	-	-	-	-	-	1	1	2	4	3
White	28	12	1	-	-	-	1	1	1	4	5	3	10	3	-	-	-	-	-	-	1	1	2	3
All other	13	4	-	-	-	1	-	4	1	1	2	-	11	7	-	-	-	-	-	1	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	199	5	1	2	7	8	11	13	29	38	48	39	172	5	2	2	5	4	3	8	14	39	37	59
White	171	2	1	2	6	5	8	12	22	32	45	38	162	4	1	2	4	2	2	7	14	32	37	57
All other	28	3	-	-	1	3	5	1	7	4	3	1	10	1	1	-	1	2	1	1	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	317	3	9	19	98	52	22	26	35	21	21	10	109	4	8	3	23	9	7	5	4	14	16	15
White	258	2	5	15	83	39	17	22	27	18	20	10	88	3	4	3	14	5	4	5	4	14	16	14
All other	59	1	4	4	15	13	5	4	8	3	1	-	22	1	4	-	9	4	3	-	-	-	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	166	-	1	11	70	31	10	15	14	5	8	1	61	1	5	2	22	8	5	5	1	8	5	1
White	140	-	-	11	59	24	8	13	12	5	7	1	46	1	3	2	13	4	3	5	1	8	5	1
All other	26	-	1	-	11	7	2	2	2	-	1	-	15	-	2	-	9	2	2	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	151	3	8	8	28	21	12	11	22	16	13	9	47	3	3	1	1	3	2	-	3	6	11	14
White	118	2	5	4	24	15	9	9	15	13	13	9	40	2	1	1	1	1	1	-	3	6	11	13
All other	33	1	3	4	4	6	3	2	7	3	-	-	7	1	2	-	-	2	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	59	...	...	-	18	10	10	5	6	1	7	2	11	...	...	1	1	2	1	1	1	3	1	-
White	50	...	...	-	13	9	7	5	6	1	7	2	10	...	...	1	1	1	1	1	1	3	1	-
All other	9	...	...	-	5	1	3	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	22	-	-	1	7	6	3	2	2	-	1	-	8	1	-	-	2	2	1	1	-	1	-	-
White	8	-	-	1	2	-	1	2	1	-	1	-	3	1	-	-	1	-	-	-	-	1	-	-
All other	14	-	-	-	5	6	2	-	1	-	-	-	5	-	-	-	1	2	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	-	4	3	1	-	2	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
White	5	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	2	2	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	21,732	538	80	151	764	707	835	2,001	3,957	5,880	4,717	2,099	17,057	392	64	83	268	315	439	1,043	2,103	3,869	4,998	3,869
White	17,864	355	60	112	631	536	648	1,562	3,273	4,855	4,014	1,815	14,041	248	45	64	215	237	338	809	1,823	2,894	4,252	3,315
All other	3,868	183	20	39	133	171	187	439	684	1,025	703	284	3,016	144	19	19	51	78	101	234	480	775	746	368
Black	3,855	183	19	38	132	169	187	439	683	1,021	700	284	3,004	143	18	19	50	76	101	233	477	774	744	368
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	6	2	1	-	-	-	-	1	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-	1	1	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	37	-	-	-	-	-	2	3	5	12	11	4	24	-	-	-	-	2	1	3	2	3	6	7
White	28	-	-	-	-	-	2	1	4	8	9	4	18	-	-	-	-	1	1	1	1	1	6	7
All other	9	-	-	-	-	-	-	2	1	4	2	-	6	-	-	-	-	1	-	2	1	2	-	-
Black	9	-	-	-	-	-	-	2	1	4	2	-	6	-	-	-	-	1	-	2	1	2	-	-
Tuberculosis of respiratory system (010-012)	32	-	-	-	-	-	2	1	5	10	10	4	17	-	-	-	-	2	-	2	1	3	4	5
White	26	-	-	-	-	-	2	1	4	7	8	4	12	-	-	-	-	1	-	1	-	1	4	5
All other	6	-	-	-	-	-	-	-	1	3	2	-	5	-	-	-	-	1	-	1	1	2	-	-
Black	6	-	-	-	-	-	-	-	1	3	2	-	5	-	-	-	-	1	-	1	1	2	-	-
Other tuberculosis (013-018)	5	-	-	-	-	-	-	2	-	2	1	-	7	-	-	-	-	-	1	1	1	-	2	2
White	2	-	-	-	-	-	-	1	-	1	1	-	6	-	-	-	-	-	1	-	1	-	2	2
All other	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	10	5	3	-	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	10	5	3	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Septicemia (038)	50	2	-	-	1	-	4	6	3	14	14	6	52	2	-	1	-	1	1	2	9	15	14	7
White	34	1	-	-	1	-	1	4	2	10	9	6	35	1	-	1	-	1	1	1	4	11	10	5
All other	16	1	-	-	-	-	3	2	1	4	5	-	17	1	-	-	-	-	-	1	5	4	4	2
Black	16	1	-	-	-	-	3	2	1	4	5	-	17	1	-	-	-	-	-	1	5	4	4	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	1	-	2	1	1	1	2	2	-	9	-	-	-	2	2	-	1	3	1	-	-
White	9	-	-	-	-	2	1	1	1	2	2	-	8	-	-	-	1	2	-	1	3	1	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	45	3	3	2	3	1	4	3	4	11	9	3	34	3	3	-	5	1	2	2	6	5	6	1
White	37	1	2	2	2	1	3	2	4	9	8	3	25	3	3	-	3	-	1	2	5	3	4	1
All other	8	2	1	-	1	-	1	1	-	2	1	-	9	-	-	-	2	1	1	-	1	2	2	-
Black	8	2	1	-	1	-	1	1	-	2	1	-	9	-	-	-	2	1	1	-	1	2	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,435	1	5	17	28	58	129	525	1,135	1,476	827	234	3,344	2	5	12	22	54	156	387	755	909	739	302
White	3,638	1	3	12	22	51	105	406	942	1,218	682	196	2,807	2	4	10	19	45	124	323	623	757	627	272
All other	797	-	2	5	6	7	24	119	193	258	145	38	537	-	1	2	3	9	32	64	132	152	112	30
Black	794	-	2	5	6	6	24	119	193	257	144	38	534	-	1	2	3	9	32	64	132	151	110	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	113	–	–	–	–	2	4	17	33	41	12	4	43	–	–	–	–	–	–	4	12	10	8	9
White	93	–	–	–	–	2	3	13	24	36	11	4	40	–	–	–	–	–	–	4	11	8	8	9
All other	20	–	–	–	–	–	1	4	9	5	1	–	3	–	–	–	–	–	–	–	1	2	–	–
Black	20	–	–	–	–	–	1	4	9	5	1	–	3	–	–	–	–	–	–	–	1	2	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	995	–	–	–	3	11	24	84	251	328	217	67	923	1	–	1	3	8	19	65	160	277	261	128
White	781	–	–	–	1	10	16	64	207	252	176	55	767	1	–	–	–	7	14	55	120	231	223	116
All other	214	–	–	–	2	1	8	20	44	76	41	12	156	–	–	1	3	1	5	10	40	46	38	12
Black	212	–	–	–	2	1	8	20	44	75	40	12	155	–	–	1	3	1	5	10	40	46	37	12
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,751	–	–	–	–	3	48	274	560	619	216	33	464	–	–	–	–	2	25	76	143	122	80	16
White	1,468	–	–	–	–	3	39	213	484	530	189	30	401	–	–	–	–	2	21	65	126	106	67	14
All other	283	–	–	–	–	–	7	61	96	89	27	3	63	–	–	–	–	–	4	11	17	16	13	2
Black	283	–	–	–	–	–	7	61	96	89	27	3	62	–	–	–	–	–	4	11	17	15	13	2
Malignant neoplasm of breast (174-175)	3	–	–	–	–	–	–	–	1	2	–	–	570	–	–	–	–	12	36	100	158	139	89	35
White	3	–	–	–	–	–	–	–	1	2	–	–	469	–	–	–	–	8	28	82	130	117	73	30
All other	–	–	–	–	–	–	–	–	–	–	–	–	101	–	–	–	–	4	8	18	28	22	16	5
Black	–	–	–	–	–	–	–	–	–	–	–	–	101	–	–	–	–	4	8	18	28	22	16	5
Malignant neoplasms of genital organs (170-187)	432	–	–	1	1	2	5	9	42	150	152	71	471	–	–	–	3	10	39	58	112	139	93	17
White	318	–	–	1	1	1	4	6	34	107	107	58	382	–	–	–	3	9	32	50	90	109	77	12
All other	114	–	–	–	–	1	1	3	8	43	45	13	89	–	–	–	–	1	7	8	22	30	16	5
Black	114	–	–	–	–	1	1	3	8	43	45	13	89	–	–	–	–	1	7	8	22	30	16	5
Malignant neoplasms of urinary organs (188-189)	195	–	–	–	1	1	7	26	33	62	55	10	111	–	–	1	–	1	1	7	16	34	35	16
White	171	–	–	–	1	1	6	24	30	55	46	8	93	–	–	1	–	–	–	4	15	30	28	15
All other	24	–	–	–	–	–	1	2	3	7	9	2	18	–	–	–	–	1	1	3	1	4	7	1
Black	24	–	–	–	–	–	1	2	3	7	9	2	18	–	–	–	–	1	1	3	1	4	7	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	569	1	4	9	9	22	26	69	147	170	83	28	465	–	5	2	6	13	27	55	92	116	102	47
White	490	1	2	6	7	20	24	58	129	149	72	22	392	–	4	2	6	12	24	44	79	92	84	45
All other	78	–	2	3	2	2	2	11	18	21	11	6	73	–	1	–	–	1	3	11	13	24	18	2
Black	78	–	2	3	2	2	2	11	18	21	11	6	72	–	1	–	–	1	3	11	13	24	17	2
Leukemia (204-208)	165	–	1	7	8	9	6	16	29	37	39	13	118	1	–	7	6	5	3	14	21	25	23	13
White	138	–	1	5	6	8	4	11	25	31	35	12	103	1	–	6	6	4	2	12	18	21	22	11
All other	27	–	–	2	2	1	2	5	4	6	4	1	15	–	–	1	–	1	1	2	3	4	1	2
Black	26	–	–	2	2	–	2	5	4	6	4	1	15	–	–	1	–	1	1	2	3	4	1	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	213	–	–	1	6	8	11	20	39	67	53	8	179	–	–	1	4	3	6	8	41	47	48	21
White	176	–	–	1	6	6	9	17	28	56	46	7	160	–	–	1	4	3	3	7	34	43	45	20
All other	37	–	–	–	–	2	2	3	11	11	7	1	19	–	–	–	–	–	3	1	7	4	3	1
Black	37	–	–	–	–	2	2	3	11	11	7	1	19	–	–	–	–	–	3	1	7	4	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	46	–	–	1	–	2	4	2	12	13	10	2	51	1	–	1	4	–	5	7	5	14	7	7
White	35	–	–	1	–	2	1	2	10	9	8	2	37	1	–	–	1	–	4	5	–	12	7	7
All other	11	–	–	–	–	–	3	–	2	4	2	–	14	–	–	1	3	–	1	2	5	2	–	–
Black	11	–	–	–	–	–	3	–	2	4	2	–	14	–	–	1	3	–	1	2	5	2	–	–
Diabetes mellitus (250)	220	–	–	–	3	8	8	17	40	60	62	22	347	–	–	–	–	5	10	23	65	91	113	40
White	173	–	–	–	2	6	7	11	30	46	54	17	247	–	–	–	–	1	8	11	42	60	89	36
All other	47	–	–	–	1	2	1	6	10	14	8	5	100	–	–	–	–	4	2	12	23	31	24	4
Black	47	–	–	–	1	2	1	6	10	14	8	5	100	–	–	–	–	4	2	12	23	31	24	4
Nutritional deficiencies (260-269)	21	2	–	–	–	–	–	–	2	5	6	4	33	–	–	–	1	–	–	–	3	6	10	13
White	16	–	–	–	–	–	–	–	1	3	6	4	28	–	–	–	1	–	–	–	2	4	9	12
All other	5	2	–	–	–	–	–	–	1	2	–	–	5	–	–	–	–	–	–	–	1	2	1	1
Black	5	2	–	–	–	–	–	–	1	2	–	–	5	–	–	–	–	–	–	–	1	2	1	1
Anemias (280-285)	29	–	–	–	3	1	3	1	2	9	6	2	25	–	2	1	1	1	2	1	1	6	4	5
White	24	–	–	–	2	–	2	–	2	9	7	2	16	–	–	1	–	–	–	1	–	1	3	4
All other	5	–	–	–	1	1	1	1	–	–	1	–	9	–	2	–	1	1	1	1	–	–	1	1
Black	5	–	–	–	1	1	1	1	–	–	1	–	9	–	2	–	1	1	1	1	–	–	1	1
Meningitis (320-322)	9	1	1	–	–	1	1	2	1	2	–	–	9	5	–	–	–	–	1	1	1	–	1	–
White	7	1	–	–	–	1	1	1	1	2	–	–	4	2	–	–	–	–	–	1	–	–	1	–
All other	2	–	1	–	–	–	–	1	–	–	–	–	5	3	–	–	–	–	1	–	1	–	–	–
Black	2	–	1	–	–	–	–	1	–	–	–	–	5	3	–	–	–	–	1	–	1	–	–	–
Major cardiovascular diseases (390-448)	10,330	14	5	4	27	57	248	830	1,884	3,112	2,791	1,358	9,090	10	2	3	11	40	75	331	805	1,961	3,236	2,616
White	8,619	9	3	3	19	38	183	675	1,553	2,564	2,394	1,178	7,526	5	–	3	6	24	48	238	591	1,495	2,755	2,361
All other	1,711	5	2	1	8	19	65	155	331	548	397	180	1,564	5	2	–	5	16	27	93	214	466	481	255
Black	1,709	5	2	1	8	19	65	155	331	546	397	180	1,561	5	2	–	5	16	27	92	212	466	481	255

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	7,975	10	5	3	21	47	219	722	1,824	2,460	1,975	889	6,185	7	2	3	9	22	59	240	625	1,431	2,153	1,615
White	6,758	7	3	2	15	32	169	603	1,375	2,067	1,706	759	5,085	3	–	3	4	13	37	168	458	1,104	1,848	1,467
All other	1,217	3	2	1	6	15	50	119	249	373	269	130	1,070	4	2	–	4	9	22	72	167	327	305	158
Black	1,215	3	2	1	6	15	50	119	249	371	269	130	1,069	4	2	–	4	9	22	72	166	327	305	158
Rheumatic fever and rheumatic heart disease (390-398)	45	–	–	1	–	1	1	10	14	9	8	1	75	–	–	–	2	–	4	17	17	20	10	5
White	43	–	–	1	–	1	1	10	13	9	8	–	72	–	–	–	1	–	4	16	16	20	10	5
All other	2	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	1	–	–	1	1	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	1	–	–	1	1	–	–	–
Hypertensive heart disease (402)	181	–	–	–	–	5	9	23	34	75	36	9	283	–	–	–	–	3	1	23	46	85	102	43
White	102	–	–	–	–	2	1	9	14	45	23	8	173	–	–	–	–	–	–	8	23	32	73	37
All other	89	–	–	–	–	3	8	14	20	30	13	1	110	–	–	–	–	3	1	15	23	33	29	6
Black	89	–	–	–	–	3	8	14	20	30	13	1	110	–	–	–	–	3	1	15	23	33	29	6
Hypertensive heart and renal disease (404)	38	–	–	–	–	–	–	–	6	10	12	8	24	–	–	–	–	–	1	1	4	4	9	5
White	26	–	–	–	–	–	–	–	3	5	11	7	12	–	–	–	–	–	–	–	1	–	6	5
All other	10	–	–	–	–	–	–	–	3	5	1	1	12	–	–	–	–	–	1	1	3	4	3	–
Black	10	–	–	–	–	–	–	–	3	5	1	1	12	–	–	–	–	–	1	1	3	4	3	–
Ischemic heart disease (410-414)	6,308	–	–	–	3	30	179	587	1,346	1,951	1,550	662	4,422	–	–	–	–	10	39	149	429	1,040	1,583	1,172
White	5,614	–	–	–	2	22	148	520	1,200	1,748	1,392	584	3,829	–	–	–	–	4	24	110	337	863	1,409	1,082
All other	694	–	–	–	1	8	31	67	146	205	158	78	593	–	–	–	–	6	15	39	92	177	174	90
Black	693	–	–	–	1	8	31	67	146	204	158	78	592	–	–	–	–	6	15	39	91	177	174	90
Acute myocardial infarction (410)	4,562	–	–	–	3	28	144	501	1,092	1,443	1,005	346	2,629	–	–	–	–	8	31	119	345	725	908	494
White	4,102	–	–	–	2	20	129	448	976	1,315	909	303	2,280	–	–	–	–	4	20	89	274	606	816	451
All other	460	–	–	–	1	8	15	53	116	128	96	43	369	–	–	–	–	4	11	29	71	119	92	43
Black	459	–	–	–	1	8	15	53	116	127	96	43	368	–	–	–	–	4	11	29	70	119	92	43
Other acute and subacute forms of ischemic heart disease (411)	40	–	–	–	–	1	3	2	9	17	6	2	27	–	–	–	–	–	2	–	–	6	10	9
White	34	–	–	–	–	1	3	2	8	12	6	2	20	–	–	–	–	–	2	–	–	3	8	7
All other	6	–	–	–	–	–	–	–	1	5	–	–	7	–	–	–	–	–	–	–	–	3	2	2
Black	6	–	–	–	–	–	–	–	1	5	–	–	7	–	–	–	–	–	–	–	–	3	2	2
Angina pectoris (413)	3	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
White	3	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,703	–	–	–	–	1	32	84	243	491	538	314	1,764	–	–	–	–	2	6	31	84	309	684	668
White	1,475	–	–	–	–	1	16	70	214	419	476	279	1,547	–	–	–	–	–	2	21	63	254	584	623
All other	228	–	–	–	–	–	16	14	29	72	62	35	217	–	–	–	–	2	4	10	21	55	80	45
Black	228	–	–	–	–	–	16	14	29	72	62	35	217	–	–	–	–	2	4	10	21	55	80	45
Other diseases of endocardium (424)	52	–	–	1	–	–	1	4	11	14	16	5	55	–	1	–	–	–	–	2	5	18	24	6
White	46	–	–	1	–	–	1	4	8	11	16	5	50	–	–	–	–	–	–	2	4	15	24	6
All other	6	–	–	–	–	–	–	–	3	3	–	–	5	–	1	–	–	–	–	–	1	3	–	–
Black	6	–	–	–	–	–	–	–	3	3	–	–	5	–	1	–	–	–	–	–	1	3	–	–
All other forms of heart disease (415-423,425-429)	1,343	10	5	1	18	11	29	98	213	401	353	204	1,306	7	1	3	8	9	14	48	124	284	425	385
White	927	7	3	–	13	7	18	60	137	271	256	155	959	3	–	3	3	9	9	32	77	174	326	328
All other	416	3	2	1	5	4	11	38	76	130	97	49	347	4	1	–	5	–	5	16	47	110	99	62
Black	415	3	2	1	5	4	11	38	76	129	97	49	347	4	1	–	3	–	5	16	47	110	99	62
Hypertension with or without renal disease (401,403)	76	–	–	–	–	–	2	6	8	28	20	12	58	–	–	–	–	1	–	5	6	12	19	15
White	46	–	–	–	–	–	–	4	6	12	14	10	41	–	–	–	–	–	–	4	2	5	15	14
All other	30	–	–	–	–	–	2	2	2	16	6	2	17	–	–	–	–	1	–	1	4	7	3	1
Black	30	–	–	–	–	–	2	2	2	15	6	2	17	–	–	–	–	1	–	1	4	7	3	1
Cerebrovascular diseases (430-438)	1,825	3	–	1	6	8	25	83	209	507	642	341	2,380	3	–	–	3	16	15	82	160	455	678	768
White	1,417	2	–	1	4	5	13	50	134	363	540	305	1,970	2	–	–	2	10	10	63	118	338	731	696
All other	408	1	–	–	2	3	12	33	75	144	102	36	410	1	–	–	1	6	5	19	42	117	147	72
Black	408	1	–	–	2	3	12	33	75	144	102	36	408	1	–	–	1	6	5	18	41	117	147	72
Intracerebral and other intracranial hemorrhage (431-432)	239	2	–	1	2	3	11	31	44	67	55	23	256	3	–	–	–	6	3	22	33	79	78	34
White	159	1	–	1	1	2	3	15	26	48	42	20	194	2	–	–	–	3	2	18	21	56	59	38
All other	80	1	–	–	1	1	8	16	18	19	13	3	62	1	–	–	–	3	1	4	12	23	17	1
Black	80	1	–	–	1	1	8	16	18	19	13	3	62	1	–	–	–	3	1	4	12	23	17	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	325	–	–	–	–	–	1	7	33	85	128	73	476	–	–	–	–	–	4	7	22	85	173	185
White	264	–	–	–	–	–	–	4	21	65	106	68	412	–	–	–	–	–	3	4	18	67	149	171
All other	61	–	–	–	–	–	1	3	12	20	20	5	64	–	–	–	–	–	1	3	4	18	24	14
Black	61	–	–	–	–	–	1	3	12	20	20	5	63	–	–	–	–	–	1	3	3	18	24	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	1	1	1	8	-	-	-	-	-	-	2	1	3	2	-
White	4	-	-	-	-	-	-	1	-	1	1	1	7	-	-	-	-	-	-	2	1	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,257	1	-	-	4	5	13	44	132	354	480	244	1,640	-	-	-	3	10	8	51	104	288	627	549
White	990	1	-	-	3	3	10	30	87	249	391	216	1,357	-	-	-	2	7	5	39	78	213	521	492
All other	267	-	-	-	1	2	3	14	45	105	89	28	283	-	-	-	1	3	3	12	26	75	106	57
Black	267	-	-	-	1	2	3	14	45	105	89	28	282	-	-	-	1	3	3	11	26	75	106	57
Atherosclerosis (440)	242	-	-	-	-	1	-	4	11	48	87	91	394	-	-	-	-	-	-	1	5	44	151	193
White	202	-	-	-	-	-	-	3	9	38	72	80	344	-	-	-	-	-	-	1	5	32	132	174
All other	40	-	-	-	-	1	-	1	2	10	15	11	50	-	-	-	-	-	-	-	-	12	19	19
Black	40	-	-	-	-	1	-	1	2	10	15	11	50	-	-	-	-	-	-	-	-	12	19	19
Other diseases of arteries, arterioles, and capillaries (441-448)	212	1	-	-	-	1	2	15	32	69	67	25	93	-	-	-	-	1	1	3	9	19	35	25
White	196	-	-	-	-	1	1	15	29	64	62	24	76	-	-	-	-	1	1	2	8	16	28	20
All other	16	1	-	-	-	-	1	-	3	5	5	1	17	-	-	-	-	-	-	1	1	3	7	5
Black	16	1	-	-	-	-	1	-	3	5	5	1	17	-	-	-	-	-	-	1	1	3	7	5
Acute bronchitis and bronchiolitis (466)	6	-	-	-	2	-	-	-	1	2	1	-	8	-	-	-	-	-	-	-	-	2	4	2
White	5	-	-	-	1	-	-	-	1	2	1	-	8	-	-	-	-	-	-	-	-	2	4	2
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	465	18	2	1	6	4	10	14	42	94	151	123	437	15	-	3	3	5	7	8	25	54	140	177
White	395	13	1	1	3	3	9	9	40	70	134	112	395	11	-	2	3	5	7	5	23	48	123	168
All other	70	5	1	-	3	1	1	5	2	24	17	11	42	4	-	1	-	-	-	3	2	6	17	9
Black	68	5	1	-	3	1	1	5	2	23	16	11	42	4	-	1	-	-	-	3	2	6	17	9
Pneumonia (480-486)	460	18	2	1	6	3	10	14	41	93	150	122	431	15	-	3	3	5	7	8	25	52	139	174
White	391	13	1	1	3	3	9	9	39	69	133	111	391	11	-	2	3	5	7	5	23	47	122	166
All other	69	5	1	-	3	-	1	5	2	24	17	11	40	4	-	1	-	-	-	3	2	5	17	8
Black	67	5	1	-	3	-	1	5	2	23	16	11	40	4	-	1	-	-	-	3	2	5	17	8
Influenza (487)	5	-	-	-	-	1	-	-	1	1	1	1	6	-	-	-	-	-	-	-	-	2	1	3
White	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	774	-	1	-	1	1	6	38	145	296	220	66	270	-	1	1	1	5	2	24	61	79	72	24
White	697	-	-	-	1	-	4	31	135	265	199	62	238	-	1	-	1	4	1	21	51	71	66	22
All other	77	-	1	-	-	1	2	7	10	31	21	4	32	-	-	1	-	1	1	3	10	8	6	2
Black	76	-	1	-	-	1	2	7	10	31	20	4	31	-	-	1	-	1	1	3	9	8	6	2
Bronchitis, chronic and unspecified (490-491)	51	-	1	-	1	-	-	1	9	17	14	8	35	-	1	-	-	1	-	1	6	15	9	2
White	47	-	-	-	1	-	-	1	8	16	13	8	31	-	1	-	-	1	-	1	6	13	7	2
All other	4	-	1	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	4	-	1	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	-	2	2	-
Emphysema (492)	191	-	-	-	-	-	1	6	31	83	55	15	50	-	-	-	-	-	-	4	15	11	17	3
White	175	-	-	-	-	-	1	5	29	76	49	15	47	-	-	-	-	-	-	4	13	10	17	3
All other	16	-	-	-	-	-	-	1	2	7	6	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	16	-	-	-	-	-	-	1	2	7	6	-	2	-	-	-	-	-	-	-	1	1	-	-
Asthma (493)	19	-	-	-	-	-	1	3	4	4	4	3	28	-	-	1	1	3	1	2	4	4	9	1
White	17	-	-	-	-	-	1	2	4	3	4	3	19	-	-	-	1	2	-	1	1	4	9	1
All other	2	-	-	-	-	-	-	1	-	1	-	-	7	-	-	1	-	1	1	1	3	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	7	-	-	1	-	1	1	1	3	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	513	-	-	-	-	1	4	28	101	192	147	40	159	-	-	-	-	1	1	17	36	49	37	18
White	458	-	-	-	-	-	2	23	94	170	133	36	141	-	-	-	-	1	1	15	31	44	33	16
All other	55	-	-	-	-	1	2	5	7	22	14	4	18	-	-	-	-	-	-	2	5	5	4	2
Black	54	-	-	-	-	1	2	5	7	22	13	4	18	-	-	-	-	-	-	2	5	5	4	2
Ulcer of stomach and duodenum (531-533)	60	-	-	-	1	2	-	5	10	18	13	13	48	-	-	-	-	-	3	4	9	7	20	5
White	51	-	-	-	1	1	-	4	8	13	12	12	41	-	-	-	-	-	3	3	8	4	18	5
All other	9	-	-	-	-	1	-	1	2	5	1	1	7	-	-	-	-	-	-	1	1	3	2	-
Black	9	-	-	-	-	1	-	1	2	3	1	1	7	-	-	-	-	-	-	1	1	3	2	-
Appendicitis (540-543)	5	-	-	-	-	-	-	1	-	2	2	-	7	-	-	-	-	1	1	1	3	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	2	1	-	-
All other	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	1	-	1	1	-	-	-
Black	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	1	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	2	1	1	-	1	1	1	4	13	8	6	45	2	-	-	1	-	-	1	4	13	15	9
White	28	2	-	-	-	1	-	-	3	10	8	4	33	1	-	-	-	-	-	1	4	9	9	9
All other	10	-	1	1	-	-	1	1	1	3	-	2	12	1	-	-	1	-	-	-	-	4	6	-
Black	10	-	1	1	-	-	1	1	1	3	-	2	12	1	-	-	1	-	-	-	-	4	6	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	254	–	1	–	–	10	26	68	80	52	14	3	171	–	–	1	–	5	17	35	54	37	17	5
White	207	–	–	–	–	8	22	52	66	45	11	3	130	–	–	–	–	3	11	26	40	29	16	5
All other	47	–	1	–	–	2	4	16	14	7	3	–	41	–	–	1	–	2	6	9	14	8	1	–
Black	47	–	1	–	–	2	4	16	14	7	3	–	41	–	–	1	–	2	6	9	14	8	1	–
Cholelithiasis and other disorders of gallbladder (574-575)	28	–	–	–	–	–	–	5	7	8	7	1	47	–	–	–	1	1	–	–	4	11	14	16
White	21	–	–	–	–	–	–	3	5	6	6	1	45	–	–	–	1	1	–	–	4	10	14	15
All other	7	–	–	–	–	–	–	2	2	2	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Black	7	–	–	–	–	–	–	2	2	2	1	–	2	–	–	–	–	–	–	–	–	1	–	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	176	4	–	2	5	4	3	14	26	38	52	28	177	2	–	–	–	2	4	12	24	37	60	36
White	121	2	–	1	2	3	1	6	16	29	40	21	126	–	–	–	–	1	1	4	15	30	45	30
All other	55	2	–	1	3	1	2	8	10	9	12	7	51	2	–	–	–	1	3	8	9	7	15	6
Black	55	2	–	1	3	1	2	8	10	9	12	7	51	2	–	–	–	1	3	8	9	7	15	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	1	–	1	–	–	–	–	–	–	8	–	–	–	–	–	–	1	1	1	2	3
White	1	–	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	2	2
All other	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Black	1	–	–	1	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	41	–	–	–	1	2	–	4	8	7	12	7	47	–	–	–	–	–	2	4	3	12	19	7
White	29	–	–	–	1	2	–	1	5	5	10	5	26	–	–	–	–	–	1	3	–	7	10	5
All other	12	–	–	–	–	–	–	3	3	2	2	2	21	–	–	–	–	–	1	1	3	5	9	2
Black	12	–	–	–	–	–	–	3	3	2	2	2	21	–	–	–	–	–	1	1	3	5	9	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	133	4	–	1	4	1	3	10	18	31	40	21	122	2	–	–	–	2	2	7	20	24	39	26
White	91	2	–	1	1	–	1	5	11	24	30	16	95	–	–	–	–	1	–	1	15	22	33	23
All other	42	2	–	–	3	1	2	5	7	7	10	5	27	2	–	–	–	1	2	6	5	2	6	3
Black	42	2	–	–	3	1	2	5	7	7	10	5	27	2	–	–	–	1	2	6	5	2	6	3
Infections of kidney (590)	30	–	–	–	–	–	–	2	3	8	11	6	47	–	–	–	1	–	–	2	3	8	13	20
White	25	–	–	–	–	–	–	2	3	5	8	6	40	–	–	–	1	–	–	2	1	6	12	18
All other	5	–	–	–	–	–	–	–	–	3	2	–	7	–	–	–	–	–	–	–	2	2	1	2
Black	5	–	–	–	–	–	–	–	–	3	2	–	7	–	–	–	–	–	–	–	2	2	1	2
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	–	3	10	1	...	...	...	...	...	...	...	...	...	...	...	...
White	9	–	–	–	–	–	–	–	–	2	7	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	–	–	–	–	–	–	–	–	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	–	–	–	–	–	–	–	–	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	3	3	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	–	3	3	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	1	1	1	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	2	2	1	–	...	...	...	...
Congenital anomalies (740-759)	155	106	10	10	7	5	1	5	2	4	1	2	121	87	8	10	5	6	5	4	7	1	6	2
White	125	87	8	9	6	5	1	4	1	3	1	–	103	57	7	8	5	4	4	3	6	1	6	2
All other	30	21	2	1	1	–	–	1	1	1	–	2	18	10	1	2	–	2	1	1	1	–	–	–
Black	30	21	2	1	1	–	–	1	1	1	–	2	17	9	1	2	–	2	1	1	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	266	264	1	–	–	–	–	1	–	–	–	–	204	202	–	1	–	–	–	1	–	–	–	–
White	160	158	1	–	–	–	–	1	–	–	–	–	118	116	–	1	–	–	–	1	–	–	–	–
All other	106	106	–	–	–	–	–	–	–	–	–	–	86	86	–	–	–	–	–	–	–	–	–	–
Black	106	106	–	–	–	–	–	–	–	–	–	–	86	86	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	84	84	–	–	–	–	–	–	–	–	–	–	55	54	–	1	–	–	–	–	–	–	–	–
White	61	61	–	–	–	–	–	–	–	–	–	–	45	44	–	1	–	–	–	–	–	–	–	–
All other	23	23	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
Black	23	23	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	162	160	1	–	–	–	–	1	–	–	–	–	149	148	–	–	–	–	–	1	–	–	–	–
White	99	97	1	–	–	–	–	1	–	–	–	–	79	72	–	–	–	–	–	1	–	–	–	–
All other	63	63	–	–	–	–	–	–	–	–	–	–	70	76	–	–	–	–	–	–	–	–	–	–
Black	63	63	–	–	–	–	–	–	–	–	–	–	76	76	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	528	77	1	–	1	8	11	42	91	133	117	47	391	47	1	3	5	3	7	30	44	72	93	86
White	441	45	1	–	1	7	11	35	82	117	102	40	302	27	–	2	5	3	7	23	34	57	74	70
All other	87	32	–	–	–	1	–	7	9	16	15	7	89	20	1	1	–	–	–	7	10	15	19	16
Black	87	32	–	–	–	1	–	7	9	16	15	7	89	20	1	1	–	–	–	7	10	15	19	16
All other diseases (Residual)	1,111	17	9	13	41	38	51	126	196	267	247	104	1,064	17	9	13	16	36	38	65	125	236	292	217
White	863	11	7	8	32	22	39	83	151	216	204	90	872	12	5	11	13	27	24	49	94	197	254	186
All other	248	6	2	5	9	16	12	43	47	51	43	14	192	5	4	2	3	9	14	16	31	39	38	31
Black	246	6	1	5	9	15	12	43	47	51	43	14	191	5	3	2	3	9	14	16	31	39	38	31
Accidents and adverse effects (E800-E949)	1,897	19	37	92	445	298	177	167	176	143	86	55	689	12	30	29	125	79	47	51	53	74	107	82
White	1,440	19	31	69	407	251	145	143	143	118	68	44	588	8	23	23	110	68	40	47	46	57	92	74
All other	257	–	6	23	38	47	32	24	33	25	18	11	101	4	7	6	15	11	7	4	7	17	15	8
Black	255	–	6	22	37	47	32	24	33	25	18	11	99	4	7	6	15	9	7	4	7	17	15	8
Motor vehicle accidents (E810-E825)	941	6	15	56	327	194	94	81	79	54	27	8	334	4	16	19	98	56	32	31	30	25	17	6
White	816	6	13	40	302	170	76	75	61	46	21	6	292	3	13	15	88	51	28	27	28	22	14	5
All other	125	–	2	16	25	24	18	6	18	8	6	2	42	1	3	4	10	5	4	4	3	3	3	1
Black	123	–	2	15	24	24	18	6	18	8	6	2	41	1	3	4	10	4	4	4	3	3	3	1
All other accidents and adverse effects (E800-E807, E826-E949)	756	13	22	36	118	104	83	86	97	89	59	47	355	8	14	10	27	23	15	20	23	49	90	76
White	624	13	18	29	105	81	69	68	82	72	47	38	296	5	10	8	22	17	12	20	20	35	78	69
All other	132	–	4	7	13	23	14	18	15	17	12	9	59	3	4	2	5	6	3	–	3	14	12	7
Black	132	–	4	7	13	23	14	18	15	17	12	9	58	3	4	2	5	5	3	–	3	14	12	7
Suicide (E950-E959)	436	...	...	3	80	77	66	63	51	51	27	8	162	...	...	–	27	34	24	33	21	15	7	1
White	405	...	...	3	75	65	62	59	48	59	26	8	149	...	...	–	23	32	24	32	16	15	6	1
All other	31	...	...	–	5	12	4	4	3	2	1	–	13	...	...	–	4	2	–	1	5	–	1	–
Black	31	...	...	–	5	12	4	4	3	2	1	–	12	...	...	–	3	2	–	1	5	–	1	–
Homicide and legal intervention (E960-E978)	375	–	–	3	92	114	66	52	27	16	4	–	100	–	–	3	21	26	22	11	9	6	–	2
White	186	–	–	2	37	59	36	23	17	9	2	–	59	–	–	2	10	11	19	8	5	4	–	2
All other	189	–	–	1	55	55	30	29	10	7	2	–	41	–	–	1	11	15	3	5	4	2	–	–
Black	188	–	–	1	55	55	30	29	9	7	2	–	41	–	–	1	11	15	3	5	4	2	–	–
All other external causes (E980-E999)	65	–	–	1	17	15	13	6	5	4	3	1	31	1	1	1	11	3	7	2	1	3	1	–
White	52	–	–	1	16	10	12	3	4	3	3	–	28	–	1	–	11	3	7	2	1	2	1	–
All other	13	–	–	–	1	5	1	3	1	1	–	1	3	1	–	1	–	–	–	–	–	1	–	–
Black	13	–	–	–	1	5	1	3	1	1	–	1	3	1	–	1	–	–	–	–	–	1	–	–
TEXAS																								
All causes	58,582	1,849	356	488	2,793	2,599	2,495	5,145	9,894	14,707	12,616	5,617	46,339	1,438	284	320	874	932	1,333	2,889	5,425	9,386	12,928	10,524
White	50,364	1,385	281	398	2,336	2,069	1,932	4,275	8,585	12,883	11,138	5,080	40,150	1,089	222	267	724	722	1,038	2,314	4,545	7,896	11,534	9,795
All other	8,218	464	75	90	457	530	563	870	1,309	1,824	1,478	557	6,189	349	62	53	150	210	295	575	880	1,490	1,394	729
Black	8,115	454	73	88	447	513	554	862	1,297	1,809	1,485	552	6,095	336	62	52	143	200	281	564	870	1,483	1,380	722
Shigellosis and amebiasis (004,006)	5	2	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
White	3	1	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
All other	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	14	9	2	1	–	–	1	–	–	–	1	–	8	4	1	–	–	–	1	–	–	1	1	–
White	10	7	1	–	–	–	1	–	–	–	1	–	7	3	1	–	–	–	1	–	–	1	1	–
All other	4	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	74	1	1	–	1	1	4	9	22	17	15	3	33	–	2	–	1	–	1	3	7	7	6	6
White	57	1	1	–	1	1	3	6	14	15	13	2	28	–	2	–	1	–	1	3	5	6	5	5
All other	17	–	–	–	–	–	1	3	8	2	2	1	5	–	–	–	–	–	–	–	2	1	1	1
Black	15	–	–	–	–	–	1	3	8	1	1	1	5	–	–	–	–	–	–	–	2	1	1	1
Tuberculosis of respiratory system (010-012)	58	–	–	–	–	1	4	7	17	12	14	3	22	–	–	–	–	–	1	2	3	6	5	5
White	46	–	–	–	–	1	3	5	11	12	12	2	18	–	–	–	–	–	1	2	2	5	4	4
All other	12	–	–	–	–	–	1	2	6	–	2	1	4	–	–	–	–	–	–	–	1	1	1	1
Black	11	–	–	–	–	–	1	2	6	–	1	1	4	–	–	–	–	–	–	–	1	1	1	1
Other tuberculosis (013-018)	16	1	1	–	1	–	–	2	5	5	1	–	11	–	2	–	1	–	–	1	4	1	1	1
White	11	1	1	–	1	–	–	1	3	3	1	–	10	–	2	–	1	–	–	1	3	1	1	1
All other	5	–	–	–	–	–	–	1	2	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	4	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	17	2	7	1	4	-	-	1	1	-	1	-	11	1	5	1	-	1	-	1	2	-	-	-
White	14	1	6	-	4	-	-	1	1	-	1	-	8	1	4	-	-	1	-	-	2	-	-	-
All other	3	1	1	1	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	1	-	-	-	-
Black	3	1	1	1	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	1	-	-	-	-
Septicemia (038)	312	11	3	1	3	14	9	32	51	80	74	35	283	15	2	2	1	5	13	14	41	55	78	57
White	249	10	1	1	2	9	6	23	39	63	68	27	220	12	2	1	1	5	9	8	31	42	56	53
All other	63	1	2	-	1	5	2	9	12	17	6	8	63	3	-	1	-	-	4	6	10	13	22	4
Black	61	1	2	-	1	5	2	9	12	16	5	8	63	3	-	1	-	-	4	6	10	13	22	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Viral hepatitis (070)	30	-	-	-	-	7	2	2	7	7	4	-	21	-	-	1	5	2	3	2	1	3	4	-
White	25	-	-	-	-	4	2	2	6	6	4	-	14	-	-	-	3	2	2	1	1	2	3	-
All other	5	-	-	-	-	3	-	-	1	1	-	-	7	-	-	1	2	-	1	1	-	1	1	-
Black	4	-	-	-	-	3	-	-	1	-	-	-	7	-	-	1	2	-	1	1	-	1	1	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	1	3	1	-	10	1	-	-	-	-	-	1	1	4	3	-
White	4	-	-	-	-	-	-	-	1	2	1	-	5	-	-	-	-	-	-	-	1	2	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	1	-	-	-	-	-	1	-	2	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	1	-	-	-	-	-	1	-	2	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	115	8	6	4	4	5	8	14	25	17	22	2	113	9	2	5	4	4	4	18	18	20	19	10
White	94	5	5	4	1	4	4	14	23	14	18	2	96	9	2	4	3	3	3	12	15	18	19	10
All other	21	3	1	-	3	1	4	-	2	3	4	-	17	-	-	1	1	1	1	6	3	4	-	-
Black	20	3	1	-	3	-	4	-	2	3	4	-	17	-	-	1	1	1	1	6	3	4	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,314	3	18	57	88	166	311	1,195	2,736	3,725	2,383	632	8,983	4	23	63	65	139	423	1,132	1,935	2,464	1,960	775
White	9,788	2	16	50	76	149	281	994	2,359	3,262	2,059	560	7,926	3	22	54	55	113	355	951	1,707	2,187	1,773	726
All other	1,526	1	2	7	12	17	30	201	377	463	324	72	1,057	1	1	9	10	26	68	181	228	297	187	49
Black	1,508	1	-	7	12	15	48	198	372	460	323	72	1,038	1	1	9	9	25	63	178	224	295	184	49
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	297	-	-	1	1	-	9	42	91	96	44	13	120	-	-	-	2	1	4	11	42	24	27	9
White	249	-	-	1	1	-	7	27	77	84	41	11	107	-	-	-	-	-	4	9	38	23	25	8
All other	48	-	-	-	-	-	2	15	14	12	3	2	13	-	-	-	2	1	-	2	4	1	2	1
Black	47	-	-	-	-	-	2	14	14	12	3	2	13	-	-	-	2	1	-	2	4	1	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,677	-	1	2	8	35	58	274	600	900	612	187	2,437	1	-	1	7	23	59	188	439	703	707	309
White	2,272	-	1	2	4	31	46	230	497	774	524	163	2,142	1	-	-	5	16	51	156	380	602	631	300
All other	405	-	-	-	4	4	12	44	103	126	88	24	295	-	-	1	2	7	8	32	59	101	76	9
Black	398	-	-	-	4	4	11	43	102	123	87	24	288	-	-	1	1	6	7	30	58	100	76	9
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,185	-	-	-	-	16	100	519	1,249	1,505	685	101	1,357	-	-	-	1	10	43	222	403	407	208	63
White	3,648	-	-	-	-	12	80	419	1,080	1,348	616	93	1,229	-	-	-	1	8	38	190	373	372	189	58
All other	537	-	-	-	-	4	20	100	169	157	79	8	128	-	-	-	-	2	5	32	30	35	19	5
Black	531	-	-	-	-	2	20	99	166	157	79	8	126	-	-	-	-	2	3	32	30	35	19	5
Malignant neoplasm of breast (174-175)	10	-	-	-	-	-	-	1	2	4	3	-	1,577	-	-	-	-	40	144	282	364	404	266	77
White	7	-	-	-	-	-	-	-	2	3	2	-	1,381	-	-	-	-	32	128	235	317	361	244	69
All other	3	-	-	-	-	-	-	1	-	1	1	-	196	-	-	-	-	8	21	47	47	43	22	8
Black	3	-	-	-	-	-	-	1	-	1	1	-	192	-	-	-	-	8	19	46	47	43	21	8
Malignant neoplasms of genital organs (179-187)	1,146	-	-	1	4	13	3	22	130	361	444	168	1,109	-	1	-	3	17	70	165	262	322	198	71
White	928	-	-	1	4	11	3	17	103	288	354	147	940	-	1	-	3	12	54	130	221	278	176	65
All other	218	-	-	-	-	2	-	5	27	73	90	21	169	-	-	-	-	5	16	35	41	44	22	6
Black	218	-	-	-	-	2	-	5	27	73	90	21	166	-	-	-	-	5	16	35	39	43	22	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	489	-	2	-	-	1	5	54	105	155	127	40	243	-	-	3	2	1	6	16	59	66	64	26
White	438	-	1	-	-	1	5	47	91	142	115	36	216	-	-	2	2	-	3	14	53	59	59	24
All other	51	-	1	-	-	-	-	7	14	13	12	4	27	-	-	1	-	1	3	2	6	7	5	2
Black	50	-	-	-	-	-	-	7	14	13	12	4	27	-	-	1	-	1	3	2	6	7	5	2
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	1,429	2	7	25	27	49	77	185	357	405	227	68	1,251	2	11	24	27	30	61	171	235	294	267	129
White	1,273	2	7	20	25	48	71	168	331	350	196	57	1,101	1	11	19	24	30	53	148	207	251	241	116
All other	156	-	-	5	2	1	6	19	26	55	31	11	150	1	-	5	3	-	8	23	28	43	26	13
Black	155	-	-	5	2	1	6	19	25	55	31	11	147	1	-	5	3	-	8	23	27	43	24	13
Leukemia (204-208)	504	-	8	24	36	31	28	37	84	112	115	28	390	1	8	33	19	6	16	32	45	92	96	42
White	455	-	7	22	32	28	22	33	73	105	105	28	357	1	7	31	16	5	12	28	41	84	92	40
All other	49	-	1	2	4	3	6	4	11	7	10	1	33	-	1	2	3	1	4	4	4	8	4	2
Black	48	-	-	2	4	3	6	4	11	7	10	1	33	-	1	2	3	1	4	4	4	8	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	577	1	-	4	12	21	31	61	118	187	118	28	499	-	3	2	4	11	20	45	86	152	127	49
White	518	-	-	4	10	19	27	55	105	168	106	25	453	-	3	2	4	10	17	41	77	137	116	46
All other	59	1	-	-	2	3	4	6	13	19	10	1	46	-	-	-	-	1	3	4	9	15	11	3
Black	58	1	-	-	2	3	3	6	13	19	10	1	46	-	-	-	-	1	3	4	9	15	11	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	111	1	-	1	3	6	5	13	18	34	25	7	144	5	1	3	2	5	7	11	19	39	32	20
White	102	-	-	1	1	5	5	11	18	32	25	6	127	5	1	2	1	5	7	8	17	35	26	20
All other	9	1	-	-	2	1	-	2	-	2	-	1	17	-	-	1	1	-	-	3	2	4	6	-
Black	8	1	-	-	2	-	-	2	-	2	-	1	16	-	-	1	1	-	-	2	2	4	6	-
Diabetes mellitus (250)	667	1	-	2	10	14	22	55	139	232	167	45	1,018	-	1	2	6	20	27	60	158	295	291	158
White	594	1	-	2	9	13	18	43	120	195	154	39	821	-	1	2	5	16	23	42	120	226	248	136
All other	93	-	-	-	1	1	4	12	19	37	13	6	197	-	-	-	1	2	4	18	38	69	43	22
Black	93	-	-	-	1	1	4	12	19	37	13	6	196	-	-	-	1	2	4	18	37	69	43	22
Nutritional deficiencies (260-269)	56	2	-	-	-	1	-	1	2	8	22	20	82	3	-	-	-	-	1	2	7	15	20	34
White	43	1	-	-	-	1	-	1	1	5	19	15	73	3	-	-	-	-	1	2	6	13	18	30
All other	13	1	-	-	-	-	-	-	1	3	3	5	9	-	-	-	-	-	-	-	1	2	2	4
Black	13	1	-	-	-	-	-	-	1	3	3	5	9	-	-	-	-	-	-	-	1	2	2	4
Anemias (280-285)	88	1	2	7	7	5	3	5	10	15	24	9	101	1	2	1	6	5	2	4	8	12	28	32
White	70	1	1	4	2	2	-	5	9	15	22	9	74	1	1	-	3	-	1	3	6	8	21	30
All other	18	-	1	3	5	3	3	-	1	-	2	-	27	-	1	1	3	5	1	1	2	4	7	2
Black	18	-	1	3	5	3	3	-	1	-	2	-	27	-	1	1	3	5	1	1	2	4	7	2
Meningitis (320-322)	63	21	13	2	2	4	2	3	7	5	4	-	47	14	7	-	-	4	4	2	5	9	1	1
White	48	14	8	2	2	4	2	2	6	5	3	-	37	11	5	-	-	4	2	1	4	8	1	1
All other	15	7	5	-	-	-	-	1	1	-	1	-	10	3	2	-	-	-	2	1	1	1	-	-
Black	15	7	5	-	-	-	-	1	1	-	1	-	10	3	2	-	-	-	2	1	1	1	-	-
Major cardiovascular diseases (390-448)	25,577	52	9	8	69	190	642	2,073	4,549	7,359	7,081	3,550	23,630	33	13	11	64	117	282	822	2,030	4,667	8,153	7,437
White	22,383	40	6	8	50	153	490	1,732	3,988	6,417	6,279	3,219	20,571	25	9	8	47	86	190	598	1,600	3,930	7,253	6,924
All other	3,194	12	3	-	19	37	152	341	555	942	802	331	3,059	8	4	3	17	31	92	224	430	737	900	513
Black	3,169	11	3	-	19	36	151	340	550	936	794	329	3,029	7	4	3	17	29	90	220	428	693	891	507
Diseases of heart (390-398,402,404-429)	20,199	37	8	6	52	156	559	1,814	3,989	5,926	5,194	2,447	16,164	23	11	8	42	74	192	602	1,578	3,482	5,491	4,700
White	17,811	30	5	6	36	125	435	1,540	3,527	5,230	4,646	2,230	14,086	17	8	6	29	57	128	437	1,257	2,854	4,912	4,382
All other	2,388	7	3	-	16	31	124	274	472	696	548	217	2,098	6	3	2	13	17	64	165	321	628	579	318
Black	2,370	6	3	-	16	31	124	273	467	682	541	217	2,080	5	3	2	13	17	64	163	320	607	573	313
Rheumatic fever and rheumatic heart disease (390-398)	84	1	-	1	4	4	10	13	14	23	13	1	150	-	-	-	3	6	11	25	42	41	14	6
White	75	1	-	1	3	3	9	11	13	20	13	1	128	-	-	-	1	4	8	18	36	40	13	6
All other	9	-	-	-	1	1	1	2	1	3	-	-	22	-	-	-	2	2	3	7	6	1	1	-
Black	9	-	-	-	1	1	1	2	1	3	-	-	22	-	-	-	2	2	3	7	6	1	1	-
Hypertensive heart disease (402)	512	-	-	-	2	8	20	70	121	141	108	42	622	-	-	-	-	3	13	42	88	136	209	131
White	335	-	-	-	2	5	6	40	88	91	72	33	435	-	-	-	-	1	4	18	52	82	160	118
All other	177	-	-	-	-	3	14	30	35	50	36	9	187	-	-	-	-	2	9	24	36	54	49	13
Black	177	-	-	-	-	3	14	30	35	50	36	9	187	-	-	-	-	2	9	24	36	54	49	13
Hypertensive heart and renal disease (404)	75	-	-	-	-	1	-	1	9	24	24	16	97	-	-	1	-	1	-	1	7	20	31	36
White	58	-	-	-	-	-	-	-	7	17	22	12	72	-	-	-	-	-	-	-	2	12	28	30
All other	17	-	-	-	-	1	-	1	2	7	2	4	25	-	-	1	-	1	-	1	5	8	3	6
Black	17	-	-	-	-	1	-	1	2	7	2	4	25	-	-	1	-	1	-	1	5	8	3	6
Ischemic heart disease (410-414)	13,720	1	-	1	6	70	363	1,183	2,711	4,154	3,616	1,612	10,336	-	1	-	3	14	60	304	944	2,311	3,673	3,006
White	12,526	1	-	1	4	58	303	1,055	2,478	3,812	3,322	1,495	9,277	-	1	-	2	12	57	240	792	1,969	3,358	2,826
All other	1,192	-	-	-	4	14	60	128	233	342	294	117	1,059	-	-	-	1	2	23	64	152	322	315	180
Black	1,181	-	-	-	4	14	60	127	230	341	288	117	1,049	-	-	-	1	2	23	63	151	321	311	177
Acute myocardial infarction (410)	9,317	1	-	1	6	49	273	922	2,072	2,995	2,221	774	6,016	-	1	-	3	11	54	241	700	1,588	2,111	1,327
White	8,503	1	-	1	4	36	229	828	1,899	2,743	2,054	707	5,352	-	1	-	2	9	39	187	582	1,365	1,921	1,296
All other	814	-	-	-	4	13	44	94	173	252	167	67	664	-	-	-	1	2	15	54	118	223	190	91
Black	807	-	-	-	4	13	44	93	171	252	163	67	657	-	-	-	1	2	15	53	117	202	187	90

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	57	-	-	-	-	-	1	5	9	18	20	6	29	-	-	-	-	1	-	-	1	4	12	11
White	52	-	-	-	-	-	1	5	8	15	18	5	23	-	-	-	-	1	-	-	1	3	9	9
All other	5	-	-	-	-	-	-	-	1	1	2	1	6	-	-	-	-	-	-	-	-	1	3	2
Black	5	-	-	-	-	-	-	-	1	1	2	1	6	-	-	-	-	-	-	-	-	1	3	2
Angina pectoris (413)	8	-	-	-	-	-	-	-	1	3	1	3	9	-	-	-	-	-	-	1	-	1	3	4
White	7	-	-	-	-	-	-	-	1	2	1	3	8	-	-	-	-	-	-	1	-	-	3	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,338	-	-	-	-	21	89	256	629	1,140	1,374	829	4,282	-	-	-	-	2	25	83	243	738	1,547	1,664
White	3,966	-	-	-	-	20	73	222	570	1,052	1,249	780	3,894	-	-	-	-	2	17	53	199	621	1,425	1,577
All other	372	-	-	-	-	1	16	34	59	88	125	49	388	-	-	-	-	-	8	10	44	117	122	87
Black	368	-	-	-	-	1	16	34	58	87	123	49	386	-	-	-	-	-	8	10	44	117	121	85
Other diseases of endocardium (424)	174	-	-	1	2	3	7	16	37	51	40	17	135	-	-	-	-	2	5	5	9	36	51	27
White	145	-	-	1	2	3	4	12	34	43	30	16	111	-	-	-	-	2	4	4	9	24	43	25
All other	29	-	-	-	-	-	3	4	3	8	10	1	24	-	-	-	-	-	1	1	-	12	8	2
Black	28	-	-	-	-	-	3	4	3	7	10	1	23	-	-	-	-	-	1	1	-	12	7	2
All other forms of heart disease (415-423,425-429)	5,634	35	8	3	36	70	159	531	1,107	1,533	1,393	759	4,844	23	10	7	36	48	83	225	488	918	1,513	1,492
White	4,670	28	5	3	25	58	113	422	909	1,247	1,167	673	4,065	17	7	6	28	38	55	157	366	707	1,310	1,375
All other	964	7	3	-	11	12	46	109	198	286	226	86	779	6	3	1	10	10	28	68	122	211	203	117
Black	958	6	3	-	11	12	46	109	198	284	225	86	774	5	3	1	10	10	28	67	122	211	202	115
Hypertension with or without renal disease (401,403)	145	-	-	-	-	2	5	17	22	37	36	26	175	-	-	-	-	2	5	10	13	32	57	56
White	116	-	-	-	-	1	2	11	16	28	31	25	132	-	-	-	-	1	-	4	6	24	49	48
All other	29	-	-	-	-	1	3	6	4	9	5	1	43	-	-	-	-	1	5	6	7	8	8	8
Black	29	-	-	-	-	1	3	6	4	9	5	1	41	-	-	-	-	1	4	5	7	8	8	8
Cerebrovascular diseases (430-438)	4,075	14	-	2	12	27	72	194	405	1,060	1,481	808	5,940	9	2	3	17	33	80	190	373	999	2,157	2,077
White	3,409	9	-	2	10	23	51	139	334	857	1,264	720	5,152	7	1	2	15	23	58	142	282	806	1,891	1,925
All other	666	5	-	-	2	4	21	55	71	203	217	88	788	2	1	1	2	10	22	48	91	193	266	152
Black	660	5	-	-	2	3	21	55	71	201	216	86	777	2	1	1	2	8	21	47	90	191	263	151
Intracerebral and other intracranial hemorrhage (431-432)	540	7	-	1	5	7	21	78	79	154	133	47	609	7	-	2	7	11	17	54	85	140	174	112
White	432	6	-	1	4	5	14	44	60	137	117	44	534	5	-	2	7	8	13	44	68	122	162	103
All other	108	1	-	-	1	2	7	32	19	27	16	3	75	2	-	-	-	3	4	10	17	18	12	9
Black	106	1	-	-	1	2	7	32	19	25	16	3	73	2	-	-	-	3	4	10	17	17	12	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	548	-	-	1	-	4	3	12	57	141	227	103	887	-	-	-	1	3	3	18	37	133	360	392
White	454	-	-	1	-	4	3	10	46	109	191	90	776	-	-	-	1	2	-	14	29	102	322	306
All other	94	-	-	-	-	-	-	2	11	32	36	13	111	-	-	-	-	1	3	4	8	31	38	26
Black	94	-	-	-	-	-	-	2	11	32	36	13	110	-	-	-	-	-	3	4	8	31	38	26
Cerebral embolism (434.1)	17	-	-	-	-	1	-	-	6	2	3	5	29	-	-	-	1	2	1	1	3	5	8	8
White	15	-	-	-	-	1	-	-	5	2	2	5	27	-	-	-	1	2	1	1	3	4	8	7
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,970	7	-	-	7	15	48	106	263	753	1,118	653	4,415	2	2	1	8	17	59	117	248	721	1,615	1,625
White	2,506	3	-	-	6	13	34	85	223	609	954	581	3,815	2	1	-	6	11	44	83	182	578	1,399	1,509
All other	462	4	-	-	1	2	14	21	40	144	164	72	600	-	1	1	2	6	15	34	66	143	216	116
Black	458	4	-	-	1	1	14	21	40	144	163	70	592	-	1	1	2	5	14	33	65	142	213	116
Atherosclerosis (440)	617	1	-	-	-	-	1	11	28	137	211	228	1,027	-	-	-	-	1	2	5	22	103	345	549
White	546	1	-	-	-	-	-	9	24	117	192	203	933	-	-	-	-	1	2	4	18	85	306	517
All other	71	-	-	-	-	-	1	2	4	20	19	25	94	-	-	-	-	-	-	1	4	18	39	32
Black	71	-	-	-	-	-	1	2	4	20	19	25	93	-	-	-	-	-	-	1	4	17	39	32
Other diseases of arteries, arterioles, and capillaries (441-448)	541	-	1	-	5	5	5	37	89	199	159	41	304	1	-	-	5	7	3	15	44	71	109	55
White	501	-	1	-	4	4	2	33	85	185	146	41	266	1	-	-	3	4	2	11	37	61	95	52
All other	40	-	-	-	1	1	3	4	4	14	13	-	38	-	-	-	2	3	1	4	7	10	8	3
Black	39	-	-	-	1	1	2	4	4	14	13	-	38	-	-	-	2	3	1	4	7	10	8	3
Acute bronchitis and bronchiolitis (466)	9	1	-	-	-	-	-	-	1	1	5	1	18	5	-	-	-	-	-	-	1	4	5	3
White	9	1	-	-	-	-	-	-	1	1	5	1	18	5	-	-	-	-	-	-	1	4	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,349	56	7	6	16	32	32	72	135	291	398	302	1,184	49	16	6	12	11	18	25	72	134	349	498
White	1,154	35	4	4	13	21	17	52	107	262	357	282	1,061	36	11	6	9	7	13	18	65	121	317	478
All other	195	21	3	2	5	11	15	20	28	29	41	20	103	13	5	-	3	4	5	7	7	13	26	20
Black	194	21	3	2	5	11	15	20	28	29	41	19	101	12	5	-	3	3	5	7	7	13	26	20

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,342	56	7	6	18	32	31	72	134	288	396	302	1,162	49	16	6	12	11	17	24	72	128	337	490
White	1,148	35	4	4	13	21	16	52	108	260	355	282	1,061	36	11	6	9	7	13	17	65	115	311	471
All other	194	21	3	2	5	11	15	20	28	28	41	20	101	13	5	-	3	4	4	7	7	13	26	19
Black	183	21	3	2	5	11	15	20	28	28	41	19	99	12	5	-	3	3	4	7	7	13	26	19
Influenza (487)	7	-	-	-	-	-	1	-	1	3	2	-	22	-	-	-	-	-	1	1	-	6	6	8
White	6	-	-	-	-	-	1	-	1	2	2	-	20	-	-	-	-	-	-	1	-	6	6	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,985	9	1	2	6	9	13	84	348	738	622	155	810	2	-	3	4	3	14	56	152	282	205	89
White	1,844	7	-	2	5	4	5	74	308	689	584	146	765	1	-	3	3	2	10	49	144	268	203	82
All other	141	2	1	-	1	5	8	10	38	39	28	9	45	1	-	-	1	1	4	7	8	14	2	7
Black	139	2	1	-	1	5	8	10	37	39	27	9	44	1	-	-	1	1	4	7	7	14	2	7
Bronchitis, chronic and unspecified (490-491)	138	9	-	1	2	2	-	5	13	48	46	12	65	2	-	1	-	-	2	4	11	27	11	7
White	130	7	-	1	2	2	-	5	13	47	42	11	62	1	-	1	-	-	-	4	11	27	11	7
All other	8	2	-	-	-	-	-	-	-	1	4	1	3	1	-	-	-	-	2	-	-	-	-	-
Black	8	2	-	-	-	-	-	-	-	1	4	1	3	1	-	-	-	-	2	-	-	-	-	-
Emphysema (492)	612	-	-	-	-	-	3	38	109	228	193	41	232	-	-	-	-	-	4	14	44	79	70	21
White	573	-	-	-	-	-	1	34	96	216	185	39	223	-	-	-	-	-	4	12	42	75	70	20
All other	39	-	-	-	-	-	2	4	13	10	8	2	9	-	-	-	-	-	-	2	2	4	-	1
Black	39	-	-	-	-	-	2	4	13	10	8	2	9	-	-	-	-	-	-	2	2	4	-	1
Asthma (493)	61	-	1	1	3	6	6	5	11	16	9	1	69	-	-	2	3	1	5	10	10	13	15	4
White	44	-	-	1	2	1	1	3	9	16	6	1	52	-	-	2	2	-	3	7	8	11	15	4
All other	17	-	1	-	1	5	5	2	2	-	1	-	11	-	-	-	1	1	2	3	2	2	-	-
Black	17	-	1	-	1	5	5	2	2	-	1	-	10	-	-	-	1	1	2	3	1	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,174	-	-	-	1	1	4	36	213	444	374	101	450	-	-	-	1	2	3	28	87	163	109	57
White	1,097	-	-	-	1	1	3	32	190	416	359	95	428	-	-	-	1	2	3	26	83	155	107	51
All other	77	-	-	-	-	-	1	4	23	28	15	6	22	-	-	-	-	-	-	2	4	8	2	6
Black	75	-	-	-	-	-	1	4	22	28	14	6	22	-	-	-	-	-	-	2	4	8	2	6
Ulcer of stomach and duodenum (531-533)	132	1	-	-	-	3	4	7	22	44	40	11	114	-	-	-	-	-	2	9	11	19	38	35
White	113	-	-	-	-	2	3	6	17	41	35	9	102	-	-	-	-	-	2	9	10	15	35	31
All other	19	1	-	-	-	1	1	1	5	3	5	2	12	-	-	-	-	-	-	-	1	4	3	4
Black	18	1	-	-	-	1	1	1	5	2	5	2	12	-	-	-	-	-	-	-	1	4	3	4
Appendicitis (540-543)	18	-	-	1	-	-	2	2	2	6	5	-	16	-	-	-	2	1	1	-	3	4	3	2
White	13	-	-	1	-	-	1	2	2	4	3	-	10	-	-	-	2	1	-	-	3	1	1	2
All other	5	-	-	-	-	-	1	-	-	2	2	-	6	-	-	-	-	-	1	-	-	3	2	-
Black	5	-	-	-	-	-	1	-	-	2	2	-	6	-	-	-	-	-	1	-	-	3	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	132	9	-	1	1	3	3	5	13	32	44	21	203	6	1	1	-	3	3	8	18	42	79	42
White	98	5	-	1	1	3	1	5	8	26	30	18	162	4	1	1	-	2	1	7	15	37	73	41
All other	34	4	-	-	-	-	2	-	5	6	14	3	21	2	-	-	-	1	2	1	3	5	6	1
Black	34	4	-	-	-	-	2	-	5	6	14	3	21	2	-	-	-	1	2	1	3	5	6	1
Chronic liver disease and cirrhosis (571)	919	-	-	2	4	23	101	220	274	216	66	13	505	3	-	-	-	11	57	113	160	114	35	12
White	818	-	-	2	4	17	82	190	252	196	62	13	437	2	-	-	-	7	41	95	145	103	33	11
All other	101	-	-	-	-	6	19	30	22	20	4	-	68	1	-	-	-	4	16	18	15	11	2	1
Black	100	-	-	-	-	6	19	29	22	20	4	-	68	1	-	-	-	4	16	18	15	11	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	77	-	-	-	-	-	2	3	12	22	25	13	94	-	-	-	-	-	1	2	13	15	38	25
White	71	-	-	-	-	-	1	3	11	19	25	12	83	-	-	-	-	-	1	2	9	13	35	23
All other	6	-	-	-	-	-	1	-	1	3	-	1	11	-	-	-	-	-	-	-	4	2	3	2
Black	5	-	-	-	-	-	1	-	1	3	-	-	11	-	-	-	-	-	-	-	4	2	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	572	7	2	4	3	10	12	27	60	142	182	123	523	11	-	1	3	7	12	19	57	107	185	121
White	443	4	1	2	2	8	7	20	47	110	136	106	410	8	-	1	2	5	10	12	34	75	152	111
All other	129	3	1	2	1	2	5	7	13	32	46	17	113	3	-	-	1	2	2	7	23	32	33	10
Black	128	3	1	2	1	2	5	7	13	32	45	17	113	3	-	-	1	2	2	7	23	32	33	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	1	1	-	-	-	1	-	1	1	2	4	13	-	-	-	-	-	1	-	-	9	6	9
White	9	-	-	-	-	-	1	-	1	1	2	4	10	-	-	-	-	-	-	-	-	2	5	3
All other	2	1	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	59	–	–	1	1	3	–	2	6	13	19	14	46	–	–	–	–	2	3	2	5	10	11	13
White	48	–	–	1	1	2	–	2	5	10	12	13	38	–	–	–	–	2	3	1	2	9	10	11
All other	13	–	–	–	–	1	–	–	1	3	7	1	8	–	–	–	–	–	–	1	3	1	1	2
Black	13	–	–	–	–	1	–	–	1	3	7	1	8	–	–	–	–	–	–	1	3	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	502	6	1	3	2	7	11	25	53	128	161	105	484	11	–	1	3	5	6	17	52	84	168	105
White	388	4	1	1	1	6	6	18	41	99	122	89	362	8	–	1	2	3	7	11	32	64	137	97
All other	114	2	–	2	1	1	5	7	12	29	39	16	102	3	–	–	1	2	1	6	20	30	31	8
Black	113	2	–	2	1	1	5	7	12	29	38	16	102	3	–	–	1	2	1	6	20	30	31	8
Infections of kidney (590)	60	–	–	–	–	1	–	1	10	19	24	25	121	–	–	–	–	2	1	3	3	16	43	53
White	70	–	–	–	–	1	–	1	7	15	24	22	107	–	–	–	–	1	1	1	3	13	37	51
All other	10	–	–	–	–	–	–	–	3	4	–	3	14	–	–	–	–	1	–	2	–	3	6	2
Black	10	–	–	–	–	–	–	–	3	4	–	3	13	–	–	–	–	1	–	1	–	3	6	2
Hyperplasia of prostate (600)	40	–	–	–	–	–	–	–	–	9	18	13	***	***	***	***	***	***	***	***	***	***	***	***
White	35	–	–	–	–	–	–	–	–	7	15	13	***	***	***	***	***	***	***	***	***	***	***	***
All other	5	–	–	–	–	–	–	–	–	2	3	–	***	***	***	***	***	***	***	***	***	***	***	***
Black	5	–	–	–	–	–	–	–	–	2	3	–	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	25	***	***	–	9	12	3	1	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	17	***	***	–	7	7	3	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	8	***	***	–	2	5	–	1	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	8	***	***	–	2	5	–	1	***	***	***	***
Pregnancy with abortive outcome (630-638)	***	***	***	***	***	***	***	***	***	***	***	***	6	***	***	–	3	2	–	–	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	4	***	***	–	3	1	–	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	1	***	***	–	–	1	–	–	***	***	***	***
Other complications of pregnancy, childbirth, and the puerperium (640-676)	***	***	***	***	***	***	***	***	***	***	***	***	20	***	***	–	6	10	3	1	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	13	***	***	–	4	6	3	–	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	2	4	–	1	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	7	***	***	–	2	4	–	1	***	***	***	***
Congenital anomalies (740-759)	464	396	38	22	22	11	6	4	6	11	4	2	386	275	29	24	10	10	5	9	8	6	5	5
White	399	289	34	18	17	9	7	4	6	9	4	2	333	238	22	24	9	8	5	9	6	4	3	5
All other	65	47	4	4	5	2	1	–	–	2	–	–	53	37	7	–	1	2	–	–	2	2	2	–
Black	63	45	4	4	5	2	1	–	–	2	–	–	49	34	7	–	1	1	–	–	2	2	2	–
Certain conditions originating in the perinatal period (760-779)	925	923	2	–	–	–	–	–	–	–	–	–	692	687	2	1	–	–	–	–	–	–	–	–
White	685	683	2	–	–	–	–	–	–	–	–	–	505	502	1	1	–	–	–	–	–	–	–	–
All other	240	240	–	–	–	–	–	–	–	–	–	–	187	185	1	–	–	–	–	–	–	–	–	–
Black	236	236	–	–	–	–	–	–	–	–	–	–	185	183	1	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	344	342	2	–	–	–	–	–	–	–	–	–	238	236	1	1	–	–	–	–	–	–	–	–
White	266	264	2	–	–	–	–	–	–	–	–	–	178	176	1	1	–	–	–	–	–	–	–	–
All other	78	78	–	–	–	–	–	–	–	–	–	–	60	60	–	–	–	–	–	–	–	–	–	–
Black	77	77	–	–	–	–	–	–	–	–	–	–	60	60	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	581	581	–	–	–	–	–	–	–	–	–	–	454	451	1	–	–	–	–	–	–	–	–	–
White	419	419	–	–	–	–	–	–	–	–	–	–	327	326	1	–	–	–	–	–	–	–	–	–
All other	162	162	–	–	–	–	–	–	–	–	–	–	127	125	1	–	–	–	–	–	–	–	–	–
Black	159	159	–	–	–	–	–	–	–	–	–	–	125	123	1	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	1,786	224	10	5	20	44	53	154	269	430	367	167	1,266	177	7	5	16	35	28	79	130	220	289	276
White	1,445	155	7	5	14	33	43	129	237	371	306	140	1,051	128	5	5	13	29	24	64	109	180	247	246
All other	321	69	3	–	6	11	10	25	52	59	59	27	215	49	2	–	5	6	4	15	21	40	42	30
Black	320	68	3	–	6	11	10	25	52	59	59	27	212	48	2	–	5	6	4	15	21	40	42	30
All other diseases (Residual)	3,014	112	47	45	91	118	168	300	465	711	641	315	2,951	77	32	36	70	89	107	200	322	607	788	623
White	2,567	84	37	38	72	92	116	247	400	622	566	281	2,556	55	26	32	59	62	78	159	269	516	723	577
All other	457	28	10	7	19	26	50	53	65	89	75	34	395	22	6	4	11	27	29	41	53	91	65	46
Black	449	26	10	6	19	25	50	52	64	88	75	33	382	20	6	4	9	27	27	39	51	90	64	45
Accidents and adverse effects (E800-E949)	5,430	50	171	282	1,596	1,034	602	482	439	352	268	136	2,077	49	128	141	400	241	172	161	161	176	241	206
White	4,712	33	139	230	1,427	891	518	411	384	313	228	122	1,823	32	100	112	362	213	148	145	146	158	216	195
All other	718	17	32	52	169	143	84	71	55	39	40	16	254	17	28	29	38	28	24	16	15	23	25	11
Black	700	17	32	52	161	138	81	70	55	38	40	16	248	17	28	28	36	28	22	16	15	23	24	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	3,062	5	68	142	1,106	669	352	247	217	140	85	30	1,085	11	57	89	318	172	114	92	75	79	60	18
White	2,713	5	59	129	1,000	580	316	210	187	126	73	27	978	10	48	77	293	155	101	83	67	73	55	18
All other	349	–	9	13	106	89	36	37	30	14	12	3	107	1	11	12	25	17	13	9	8	6	5	–
Black	337	–	9	13	99	87	34	37	30	13	12	3	105	1	11	12	25	17	11	9	8	6	5	–
All other accidents and adverse effects (E800-E807, E826-E949)	2,368	45	103	140	490	365	250	235	222	212	183	108	992	38	71	52	82	69	58	69	86	97	161	188
White	1,999	28	80	101	427	311	202	201	197	187	155	95	845	22	54	35	69	58	47	62	79	80	161	177
All other	369	17	23	39	63	54	48	34	25	25	28	13	147	16	17	17	13	11	11	7	7	17	20	11
Black	363	17	23	39	62	51	47	33	25	25	28	13	143	16	17	16	11	11	11	7	7	17	19	11
Suicide (E950-E959)	1,212	...	...	6	290	289	146	150	137	121	65	8	416	...	...	2	70	90	74	76	57	28	18	–
White	1,143	...	...	6	273	257	141	144	133	117	64	8	387	...	...	2	62	80	70	73	55	27	18	–
All other	69	...	...	–	17	32	5	6	4	4	1	–	29	...	...	–	8	10	4	3	2	1	–	–
Black	66	...	...	–	16	31	4	6	4	4	1	–	22	...	...	–	6	7	3	3	2	1	–	–
Homicide and legal intervention (E960-E978)	1,929	7	15	26	539	595	330	223	116	59	15	3	418	5	10	10	115	106	60	50	21	20	17	4
White	1,221	5	11	15	348	375	190	146	76	39	12	3	247	4	6	8	72	55	30	36	13	9	10	4
All other	708	2	4	11	191	220	140	77	40	20	3	–	171	1	4	2	43	51	30	14	8	11	7	–
Black	696	2	4	10	190	215	138	76	40	20	3	–	168	1	4	2	43	50	28	14	8	11	7	–
All other external causes (E980-E999)	61	–	1	2	12	14	11	7	7	1	3	3	33	2	–	–	6	9	7	6	3	–	–	–
White	50	–	1	2	12	11	6	6	6	1	3	2	26	1	–	–	4	6	6	6	3	–	–	–
All other	11	–	–	–	–	3	5	1	1	–	–	1	7	1	–	–	2	3	1	–	–	–	–	–
Black	11	–	–	–	–	3	5	1	1	–	–	1	6	1	–	–	2	2	1	–	–	–	–	–
UTAH																								
All causes	4,436	264	43	48	217	189	157	300	673	1,069	968	508	3,454	174	44	32	60	81	76	164	385	652	930	856
White	4,332	257	42	48	200	178	149	288	665	1,052	956	497	3,392	169	39	30	55	77	72	155	374	646	927	846
All other	104	7	1	–	17	11	8	12	8	17	12	11	62	5	5	2	5	4	4	9	11	6	3	8
Black	25	3	–	–	2	1	3	3	2	7	1	3	12	1	–	–	1	–	–	2	3	2	–	3
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	14	1	1	–	–	–	–	1	3	2	4	2	17	–	–	–	1	1	–	1	1	3	6	4
White	14	1	1	–	–	–	–	1	3	2	4	2	17	–	–	–	1	1	–	1	1	3	6	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	1	-	-	-	1	-
White	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	1	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	1	-	-	-	-	-	-	2	-	3	1	10	2	1	-	1	1	1	1	-	1	2	-
White	7	1	-	-	-	-	-	-	2	-	3	1	9	2	-	-	1	1	1	1	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	692	1	2	1	11	22	16	43	155	236	154	51	616	-	4	7	4	12	17	67	142	167	141	55
White	679	1	2	1	10	19	15	43	154	231	153	50	609	-	4	7	4	12	16	64	141	167	140	54
All other	13	-	-	-	1	3	1	-	1	5	1	1	7	-	-	-	-	-	1	3	1	-	1	1
Black	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	-	-	-	-	-	-	1	2	1	2	2	5	-	-	-	-	-	-	-	2	-	1	2
White	8	-	-	-	-	-	-	1	2	1	2	2	5	-	-	-	-	-	-	-	2	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	179	-	-	-	-	6	1	11	34	69	40	18	172	-	1	-	-	1	2	11	34	49	50	24
White	171	-	-	-	-	4	1	11	33	68	39	17	168	-	1	-	-	1	2	8	34	49	49	24
All other	8	-	-	-	-	2	-	-	1	3	1	1	4	-	-	-	-	-	-	3	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	183	-	-	-	-	2	1	15	56	74	28	7	72	-	-	-	-	1	-	10	24	20	10	7
White	181	-	-	-	-	2	1	15	56	72	28	7	72	-	-	-	-	1	-	10	24	20	10	7
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	118	-	-	-	-	1	7	21	33	35	17	4
White	-	-	-	-	-	-	-	-	-	-	-	-	115	-	-	-	-	1	6	21	32	35	17	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	96	-	-	-	-	2	-	-	11	34	39	10	68	-	-	-	-	-	4	10	19	20	13	2
White	95	-	-	-	-	1	-	-	11	34	39	10	68	-	-	-	-	-	4	10	19	20	13	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	32	1	-	-	-	-	2	-	5	15	7	2	15	-	-	2	-	-	-	-	1	4	6	2
White	32	1	-	-	-	-	2	-	5	15	7	2	15	-	-	2	-	-	-	-	1	4	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	109	-	-	-	5	5	8	15	29	21	16	4	101	-	2	5	4	6	4	9	17	20	24	10
White	102	-	-	-	4	5	8	15	29	21	16	4	101	-	2	5	4	6	4	9	17	20	24	10
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	38	-	2	1	4	4	1	-	5	9	8	4	22	-	1	-	-	3	-	1	6	5	3	3
White	37	-	2	1	4	4	-	-	5	9	8	4	22	-	1	-	-	3	-	1	6	5	3	3
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	-	2	3	3	1	13	13	14	4	43	-	-	-	-	-	-	5	6	14	17	1
White	53	-	-	-	2	3	3	1	13	13	14	4	43	-	-	-	-	-	-	5	6	14	17	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	-	-	1	1	-	-	-	2	6	5	1	8	-	1	-	-	1	1	-	1	3	1	-
White	16	-	-	1	1	-	-	-	2	6	5	1	8	-	1	-	-	1	1	-	1	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	70	–	–	–	4	6	7	2	9	15	20	7	102	–	1	–	–	1	3	7	14	21	37	18
White	69	–	–	–	3	6	7	2	9	15	20	7	101	–	1	–	–	1	3	7	13	21	37	18
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Nutritional deficiencies (260-269)	6	–	–	–	–	–	–	–	2	2	4	–	6	–	–	–	–	–	–	–	–	2	1	5
White	6	–	–	–	–	–	–	–	2	2	4	–	6	–	–	–	–	–	–	–	–	2	1	5
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	6	1	1	–	–	–	–	–	–	3	1	–	9	–	–	–	–	–	–	1	–	3	3	2
White	6	1	1	–	–	–	–	–	–	3	1	–	9	–	–	–	–	–	–	1	–	3	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	6	6	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	1	–	–	2	–
White	6	6	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	1	–	–	2	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	1,927	3	1	–	4	6	33	132	338	551	546	311	1,661	1	1	3	4	8	8	44	125	306	566	595
White	1,898	3	1	–	3	7	31	127	334	545	540	307	1,643	1	1	3	3	8	8	44	120	303	564	588
All other	29	–	–	–	1	1	2	5	4	6	6	4	18	–	–	–	1	–	–	–	5	3	2	7
Black	8	–	–	–	–	–	1	1	2	2	–	2	8	–	–	–	1	–	–	–	2	2	–	3
Diseases of heart (390-398,402,404-429)	1,585	3	1	–	4	6	27	120	314	448	429	233	1,205	–	1	2	2	4	7	34	93	248	407	407
White	1,560	3	1	–	3	5	25	115	310	444	425	229	1,193	–	1	2	1	4	7	34	90	245	406	403
All other	25	–	–	–	1	1	2	5	4	4	4	4	12	–	–	–	1	–	–	–	3	3	1	4
Black	8	–	–	–	–	–	1	1	2	2	–	2	6	–	–	–	1	–	–	–	1	2	–	2
Rheumatic fever and rheumatic heart disease (390-398)	28	–	–	–	–	–	1	4	5	10	4	4	60	–	–	–	–	1	1	3	10	24	13	8
White	28	–	–	–	–	–	1	4	5	10	4	4	60	–	–	–	–	1	1	3	10	24	13	8
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	34	–	–	–	–	1	1	3	6	8	10	5	37	–	–	1	–	–	–	1	1	3	18	13
White	32	–	–	–	–	–	–	3	6	8	10	5	37	–	–	1	–	–	–	1	1	3	18	13
All other	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	1	1	2	1
White	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Ischemic heart disease (410-414)	1,155	–	–	–	–	9	23	68	242	343	306	150	730	–	–	–	–	–	1	19	60	164	251	235
White	1,138	–	–	–	–	9	23	64	238	341	302	147	724	–	–	–	–	–	1	19	59	163	250	232
All other	17	–	–	–	–	–	–	4	4	2	4	3	6	–	–	–	–	–	–	–	1	1	1	3
Black	6	–	–	–	–	–	–	1	2	2	–	1	3	–	–	–	–	–	–	–	–	1	–	2
Acute myocardial infarction (410)	704	–	–	–	–	2	16	56	161	229	161	57	344	–	–	–	–	–	–	9	43	104	116	72
White	693	–	–	–	–	2	16	54	157	229	177	58	341	–	–	–	–	–	–	9	42	104	115	71
All other	11	–	–	–	–	–	–	2	4	–	4	1	3	–	–	–	–	–	–	–	1	–	1	1
Black	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Other acute and subacute forms of ischemic heart disease (411)	30	–	–	–	–	1	3	6	12	6	–	–	11	–	–	–	–	–	–	1	3	1	3	3
White	28	–	–	–	–	1	3	7	12	5	–	–	11	–	–	–	–	–	–	1	3	1	3	3
All other	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	420	–	–	–	–	–	2	24	69	106	124	93	375	–	–	–	–	–	1	9	14	59	132	160
White	416	–	–	–	–	–	2	23	69	107	124	91	372	–	–	–	–	–	1	9	14	58	132	158
All other	4	–	–	–	–	–	–	1	–	1	–	2	3	–	–	–	–	–	–	–	–	1	–	2
Black	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	1	–	1
Other diseases of endocardium (424)	21	–	–	–	1	–	–	1	5	4	6	4	18	–	–	–	–	–	–	–	–	5	7	6
White	20	–	–	–	–	–	–	1	5	4	6	4	17	–	–	–	–	–	–	–	–	4	7	6
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	346	3	1	-	3	2	2	24	55	83	103	70	355	-	1	1	2	3	5	11	21	51	116	144
White	341	3	1	-	3	2	1	23	55	81	103	69	351	-	1	1	1	3	5	11	20	50	116	149
All other	5	-	-	-	-	-	1	1	-	2	-	1	4	-	-	-	1	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	1	1	3	2	2	14	-	-	-	-	-	-	2	-	1	6	5
White	9	-	-	-	-	-	-	1	1	3	2	2	14	-	-	-	-	-	-	2	-	1	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	249	-	-	-	-	2	5	6	14	74	92	56	377	1	-	1	2	4	1	8	28	47	132	153
White	246	-	-	-	-	2	5	6	14	72	91	56	372	1	-	1	2	4	1	8	26	47	131	151
All other	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	-	2	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Intracerebral and other intracranial hemorrhage (431-432)	24	-	-	-	-	1	2	1	3	12	3	2	30	-	-	-	1	1	1	1	4	6	10	6
White	23	-	-	-	-	1	2	1	3	11	3	2	29	-	-	-	1	1	1	1	3	6	10	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35	-	-	-	-	-	1	1	2	9	12	10	58	-	-	-	-	-	-	2	2	7	25	22
White	35	-	-	-	-	-	1	1	2	9	12	10	57	-	-	-	-	-	-	2	2	7	24	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	1	1	1
White	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	187	-	-	-	-	1	2	4	9	52	75	44	286	1	-	1	1	3	-	5	22	33	96	124
White	185	-	-	-	-	1	2	4	9	51	74	44	283	1	-	1	1	3	-	5	21	33	96	122
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Atherosclerosis (440)	39	-	-	-	-	-	-	1	-	7	12	19	43	-	-	-	-	-	-	-	1	3	17	22
White	39	-	-	-	-	-	-	1	-	7	12	19	42	-	-	-	-	-	-	-	1	3	17	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	45	-	-	-	-	-	1	4	9	19	11	1	22	-	-	-	-	-	-	-	3	7	4	8
White	44	-	-	-	-	-	1	4	9	19	10	1	22	-	-	-	-	-	-	-	3	7	4	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	119	5	1	1	1	-	2	2	6	25	29	45	110	-	-	1	1	-	-	1	6	19	29	51
White	111	3	1	1	1	-	2	1	6	23	29	42	109	-	-	1	1	-	-	1	6	18	29	51
All other	8	2	-	-	-	-	-	1	-	2	-	3	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	115	5	1	1	1	-	2	2	6	24	29	42	106	-	-	1	1	-	-	1	6	18	29	48
White	108	3	1	1	1	-	2	1	6	22	29	40	105	-	-	1	1	-	-	1	6	17	29	48
All other	7	2	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	4	-	-	-	-	-	-	-	-	1	-	3	4	-	-	-	-	-	-	-	-	1	-	3
White	3	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	-	-	-	-	1	-	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	187	-	-	1	1	1	1	4	20	73	67	19	54	-	1	-	1	-	-	1	13	23	10	5
White	183	-	-	1	1	1	1	4	20	71	66	18	54	-	1	-	1	-	-	1	13	23	10	5
All other	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	17	-	-	-	1	-	-	-	3	7	5	1	4	-	-	-	-	-	-	1	1	-	1	1
White	17	-	-	-	1	-	-	-	3	7	5	1	4	-	-	-	-	-	-	1	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	56	-	-	-	-	-	-	1	7	21	23	4	10	-	-	-	-	-	-	-	4	4	1	1
White	54	-	-	-	-	-	-	1	7	21	22	3	10	-	-	-	-	-	-	-	4	4	1	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	5	-	-	1	-	-	1	1	-	1	1	-	10	-	1	-	1	-	-	-	2	3	3	-
White	5	-	-	1	-	-	1	1	-	1	1	-	10	-	1	-	1	-	-	-	2	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	109	-	-	-	-	1	-	2	10	44	38	14	30	-	-	-	-	-	-	-	6	16	5	3
White	107	-	-	-	-	1	-	2	10	42	38	14	30	-	-	-	-	-	-	-	6	16	5	3
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	17	-	-	-	1	-	-	-	4	4	5	3	10	-	-	-	-	-	-	-	2	3	1	4
White	17	-	-	-	1	-	-	-	4	4	5	3	10	-	-	-	-	-	-	-	2	3	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	2	-	-	-	-	-	-	1	3	2	15	-	-	-	-	-	-	1	-	3	6	5
White	8	-	2	-	-	-	-	-	-	1	3	2	15	-	-	-	-	-	-	1	-	3	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	86	-	-	-	-	2	7	25	29	17	6	-	43	1	-	-	-	3	7	10	12	6	4	-
White	83	-	-	-	-	2	6	24	28	17	6	-	37	1	-	-	-	2	5	7	12	6	4	-
All other	3	-	-	-	-	-	1	1	1	-	-	-	6	-	-	-	-	1	2	3	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	1	-	1	-	-	1	4	13	-	-	-	-	-	-	-	4	2	2	5
White	6	-	-	-	-	1	-	-	-	-	1	4	13	-	-	-	-	-	-	-	4	2	2	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	1	-	-	-	-	2	1	2	9	8	6	28	-	-	-	-	-	2	2	2	8	6	8
White	29	1	-	-	-	-	2	1	2	9	8	6	26	-	-	-	-	-	2	1	1	8	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	-	-	-	-	-	3	2	-	4	-	-	-	-	-	1	1	-	1	-	1
White	5	-	-	-	-	-	-	-	-	3	2	-	3	-	-	-	-	-	1	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	1	-	-	-	-	2	1	2	6	6	6	24	-	-	-	-	-	1	1	2	7	6	7
White	24	1	-	-	-	-	2	1	2	6	6	6	23	-	-	-	-	-	1	1	1	7	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	-	2	2	8	1	-	-	-	-	-	-	1	-	3	3
White	4	-	-	-	-	-	-	-	-	-	2	2	8	1	-	-	-	-	-	-	1	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	77	60	5	2	2	-	-	3	-	1	2	2	60	47	5	2	-	2	1	-	2	-	-	1
White	76	59	5	2	2	-	-	3	-	1	2	2	59	46	5	2	-	2	1	-	2	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	106	106	-	-	-	-	-	-	-	-	-	-	82	81	-	-	1	-	-	-	-	-	-	-
White	104	104	-	-	-	-	-	-	-	-	-	-	82	81	-	-	1	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	40	40	-	-	-	-	-	-	-	-	-	-	38	37	-	-	1	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	38	37	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	66	66	-	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
White	64	64	-	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	88	59	-	-	-	2	3	-	4	3	8	9	63	26	1	-	1	-	-	1	-	1	14	19
White	84	58	-	-	-	2	2	-	4	3	7	8	61	24	1	-	1	-	-	1	-	1	14	19
All other	4	1	-	-	-	-	1	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	278	12	6	7	9	10	7	21	47	69	67	23	254	7	9	3	4	13	6	12	32	45	58	55
White	274	11	6	7	9	9	7	21	47	66	66	23	247	6	6	3	4	12	6	12	31	44	58	55
All other	4	1	-	-	-	1	-	-	-	1	1	-	7	1	3	-	-	1	-	-	1	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	455	6	23	30	125	64	43	41	33	33	23	14	199	6	17	12	28	22	13	8	18	30	26	19
White	433	6	22	30	120	79	40	38	31	32	22	13	188	6	16	10	25	20	13	6	17	30	26	19
All other	22	-	1	-	5	5	3	3	2	1	1	1	11	-	1	2	3	2	-	2	1	-	-	-
Black	3	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Motor vehicle accidents (E810-E825)	229	1	11	15	89	40	22	17	16	12	6	-	108	1	11	7	26	18	7	4	9	16	8	1
White	213	1	10	15	85	37	19	14	15	11	6	-	100	1	10	5	24	16	7	4	8	16	8	1
All other	16	-	1	-	4	3	3	3	1	1	-	-	8	-	1	2	2	2	-	-	1	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	226	5	12	15	36	44	21	24	17	21	17	14	91	5	6	5	2	4	6	4	9	14	18	18
White	220	5	12	15	35	42	21	24	16	21	16	13	88	5	6	5	1	4	6	2	9	14	18	18
All other	6	-	-	-	1	2	-	-	1	-	1	1	3	-	-	-	1	-	-	2	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Suicide (E950-E959)	148	...	...	-	37	38	25	13	12	16	5	2	30	...	...	1	6	7	6	2	4	-	2	-
White	141	...	...	-	30	38	25	13	12	16	5	2	30	...	...	1	6	7	6	2	4	-	2	-
All other	7	...	...	-	7	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	44	-	1	-	16	8	7	8	2	-	-	2	18	1	1	-	6	4	2	2	1	1	-	-
White	40	-	1	-	14	7	7	7	2	-	-	2	16	1	1	-	5	4	1	2	1	1	-	-
All other	4	-	-	-	2	1	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	24	1	-	5	5	7	4	2	-	-	-	-	19	-	-	2	1	4	4	4	2	2	-	-
White	24	1	-	5	5	7	4	2	-	-	-	-	19	-	-	2	1	4	4	4	2	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,263	39	4	21	80	58	59	169	346	588	601	300	1,918	25	6	14	27	26	35	95	186	371	568	563
White	2,263	39	4	21	80	58	59	169	346	588	601	300	1,912	25	6	14	27	26	35	94	185	371	567	562
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	1	-	-	-	-	-	-	1	2	1	2	8	-	-	-	-	-	-	-	-	2	1	5
White	7	1	-	-	-	-	-	-	1	2	1	2	8	-	-	-	-	-	-	-	-	2	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,059-066,071-088, 096-139)	4	-	-	-	-	-	-	-	1	1	2	-	7	-	-	-	-	-	-	-	1	1	4	1
White	4	-	-	-	-	-	-	-	1	1	2	-	7	-	-	-	-	-	-	-	1	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	493	1	-	-	8	1	14	43	99	149	137	41	401	-	1	1	2	4	13	44	73	112	91	60
White	493	1	-	-	8	1	14	43	99	149	137	41	399	-	1	1	2	4	13	43	72	112	91	60
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	-	-	1	2	2	4	1	5	-	-	-	-	-	-	1	-	1	1	2
White	10	-	-	-	-	-	-	1	2	2	4	1	5	-	-	-	-	-	-	1	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	121	-	-	-	1	-	3	8	27	38	33	11	108	-	-	-	-	2	1	8	21	25	30	21
White	121	-	-	-	1	-	3	8	27	38	33	11	107	-	-	-	-	2	1	7	21	25	30	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	168	-	-	-	-	-	1	21	43	56	41	6	56	-	-	-	1	-	2	6	11	26	8	2
White	168	-	-	-	-	-	1	21	43	56	41	6	56	-	-	-	1	-	2	6	11	26	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	88	-	-	-	-	1	6	9	18	23	18	11
White	-	-	-	-	-	-	-	-	-	-	-	-	88	-	-	-	-	1	6	9	18	23	18	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	45	-	-	-	-	-	-	-	3	17	17	8	47	-	-	-	-	-	1	9	6	15	9	7
White	45	-	-	-	-	-	-	-	3	17	17	8	46	-	-	-	-	-	1	9	5	15	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	39	-	-	-	-	-	1	3	6	10	15	4	11	-	-	-	-	-	-	2	1	4	1	3
White	39	-	-	-	-	-	1	3	6	10	15	4	11	-	-	-	-	-	-	2	1	4	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	69	-	-	-	4	-	5	8	13	17	15	7	53	-	-	-	-	1	2	5	9	12	14	10
White	69	-	-	-	4	-	5	8	13	17	15	7	53	-	-	-	-	1	2	5	9	12	14	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	21	-	-	-	2	1	2	1	1	4	8	2	21	-	1	1	-	-	-	4	4	2	6	3
White	21	-	-	-	2	1	2	1	1	4	8	2	21	-	1	1	-	-	-	4	4	2	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	1	-	-	1	-	2	1	4	5	4	2	14	-	-	-	1	-	1	-	3	4	4	1
White	20	1	-	-	1	-	2	1	4	5	4	2	14	-	-	-	1	-	1	-	3	4	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	-	-	-	-	1	5	2	2	6	-	-	1	-	-	1	1	3	-	-	-
White	10	-	-	-	-	-	-	-	1	5	2	2	6	-	-	1	-	-	1	1	3	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	27	-	-	-	-	3	1	3	3	5	7	5	37	-	-	-	1	1	-	-	2	9	14	10
White	27	-	-	-	-	3	1	3	3	5	7	5	37	-	-	-	1	1	-	-	2	9	14	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,076	2	-	1	1	4	17	71	170	286	325	199	1,037	-	-	-	1	1	7	21	68	191	359	395
White	1,076	2	-	1	1	4	17	71	170	286	325	199	1,035	-	-	-	1	1	7	21	68	191	352	394
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	7	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	849	2	-	1	1	4	12	63	148	238	245	135	769	-	-	-	1	1	5	13	55	156	268	270
White	849	2	-	1	1	4	12	63	148	238	245	135	769	-	-	-	1	1	5	13	55	156	268	269
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	1	-	3	-	1	1	21	-	-	-	-	-	-	1	6	8	5	1
White	6	-	-	-	-	-	1	-	3	-	1	1	21	-	-	-	-	-	-	1	6	8	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	9	-	-	-	-	-	-	-	3	3	3	-	11	-	-	-	-	-	-	-	1	4	6	-
White	9	-	-	-	-	-	-	-	3	3	3	-	11	-	-	-	-	-	-	-	1	4	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	621	-	-	-	-	1	8	50	116	183	172	89	506	-	-	-	-	1	4	8	32	114	186	163
White	621	-	-	-	-	1	8	50	116	183	172	89	506	-	-	-	-	1	4	8	32	114	186	163
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	387	-	-	-	-	1	3	40	82	123	103	35	269	-	-	-	-	1	4	6	24	81	98	55
White	387	-	-	-	-	1	3	40	82	123	103	35	269	-	-	-	-	1	4	6	24	81	98	55
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	1	2	1	4	1	-	6	-	-	-	-	-	-	-	1	2	2	1
White	9	-	-	-	-	-	1	2	1	4	1	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	1	-	1	-	-	-	5	-	-	-	-	-	-	-	1	1	1	2
White	2	-	-	-	-	-	1	-	1	-	-	-	5	-	-	-	-	-	-	-	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	223	-	-	-	-	-	3	8	34	56	68	54	228	-	-	-	-	-	-	2	6	30	85	105
White	223	-	-	-	-	-	3	8	34	56	68	54	228	-	-	-	-	-	-	2	6	30	85	105
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	13	-	-	-	-	-	-	1	2	4	5	1	11	-	-	-	-	-	-	-	1	1	5	4
White	13	-	-	-	-	-	-	1	2	4	5	1	11	-	-	-	-	-	-	-	1	1	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	199	2	-	1	1	3	3	12	22	48	63	44	217	-	-	-	1	-	1	4	15	28	66	102
White	199	2	-	1	1	3	3	12	22	48	63	44	216	-	-	-	1	-	1	4	15	28	66	101
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	-	1	1	4	1	10	-	-	-	-	-	-	-	1	-	3	6
White	7	-	-	-	-	-	-	-	1	1	4	1	10	-	-	-	-	-	-	-	1	-	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	143	-	-	-	-	-	4	6	15	30	46	42	187	-	-	-	-	-	2	7	8	27	62	81
White	143	-	-	-	-	-	4	6	15	30	46	42	186	-	-	-	-	-	2	7	8	27	61	81
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Intracerebral and other intracranial hemorrhage (431-432)	19	-	-	-	-	-	1	-	4	3	8	3	23	-	-	-	-	-	-	2	2	3	7	9
White	19	-	-	-	-	-	1	-	4	3	8	3	23	-	-	-	-	-	-	2	2	3	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	-	-	-	-	-	-	1	3	6	12	9	35	-	-	-	-	-	-	1	-	7	14	13
White	31	-	-	-	-	-	-	1	3	6	12	9	34	-	-	-	-	-	-	1	-	7	13	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	93	–	–	–	–	–	3	5	8	21	26	30	129	–	–	–	–	–	2	4	6	17	41	59
White	93	–	–	–	–	–	3	5	8	21	26	30	129	–	–	–	–	–	2	4	6	17	41	59
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atherosclerosis (440)	38	–	–	–	–	–	1	1	5	11	15	48	–	–	–	–	–	–	–	1	2	16	29	
White	38	–	–	–	–	–	1	1	5	11	15	48	–	–	–	–	–	–	–	1	2	16	29	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of arteries, arterioles, and capillaries (441-448)	41	–	–	–	–	–	1	1	5	9	19	6	23	–	–	–	–	–	–	1	3	6	4	9
White	41	–	–	–	–	–	1	1	5	9	19	6	23	–	–	–	–	–	–	1	3	6	4	9
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	53	1	1	–	–	–	1	–	1	14	21	14	42	–	–	–	–	–	–	1	1	2	15	28
White	53	1	1	–	–	–	1	–	1	14	21	14	42	–	–	–	–	–	–	1	1	2	15	28
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	53	1	1	–	–	–	1	–	1	14	21	14	42	–	–	–	–	–	–	1	1	2	15	28
White	53	1	1	–	–	–	1	–	1	14	21	14	42	–	–	–	–	–	–	1	1	2	15	28
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	102	–	–	–	–	–	–	3	15	34	38	12	35	–	–	–	–	–	–	1	6	10	10	6
White	102	–	–	–	–	–	–	3	15	34	38	12	35	–	–	–	–	–	–	1	6	10	10	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis, chronic and unspecified (490-491)	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
White	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	22	–	–	–	–	–	–	–	5	7	8	2	6	–	–	–	–	–	–	1	3	2	2	
White	22	–	–	–	–	–	–	–	5	7	8	2	6	–	–	–	–	–	–	1	3	2	2	
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	5	–	–	–	–	–	–	–	–	2	3	–	3	–	–	–	–	–	–	–	–	–	1	2
White	5	–	–	–	–	–	–	–	–	2	3	–	3	–	–	–	–	–	–	–	–	–	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	73	–	–	–	–	–	–	3	9	25	27	9	23	–	–	–	–	–	–	–	4	6	7	4
White	73	–	–	–	–	–	–	3	9	25	27	9	23	–	–	–	–	–	–	–	4	6	7	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer of stomach and duodenum (531-533)	11	–	–	–	–	–	2	1	1	5	1	1	3	–	–	–	–	–	–	–	–	–	3	–
White	11	–	–	–	–	–	2	1	1	5	1	1	3	–	–	–	–	–	–	–	–	–	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
White	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	–	–	–	–	–	–	–	–	–	–	1	12	2	–	–	–	–	–	–	–	2	4	4
White	1	–	–	–	–	–	–	–	–	–	–	1	12	2	–	–	–	–	–	–	–	2	4	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	27	–	–	–	–	1	1	6	6	13	–	–	26	–	–	–	–	–	–	8	3	5	8	2
White	27	–	–	–	–	1	1	6	6	13	–	–	26	–	–	–	–	–	–	8	3	5	8	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	–	–	–	–	–	–	–	2	5	7	3	10	–	–	–	–	–	–	–	–	3	7	–
White	17	–	–	–	–	–	–	–	2	5	7	3	10	–	–	–	–	–	–	–	–	3	7	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
White	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
White	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	–	–	–	–	–	–	–	2	4	7	2	6	–	–	–	–	–	–	–	–	2	6	–
White	15	–	–	–	–	–	–	–	2	4	7	2	6	–	–	–	–	–	–	–	–	2	6	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infections of kidney (590)	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	1	2
White	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	1	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	2	–	–	–	–	–	–	–	–	1	1	–	...	...	...	...	...	...	...	...	...	...	...	...
White	2	–	–	–	–	–	–	–	–	1	1	–	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	7	4	–	–	–	2	–	1	–	–	–	–	8	2	1	1	1	–	1	–	1	–	1	–
White	7	4	–	–	–	2	–	1	–	–	–	–	8	2	1	1	1	–	1	–	1	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	20	19	–	1	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
White	20	19	–	1	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	6	–	1	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
White	7	6	–	1	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	18	7	-	-	-	-	-	1	2	2	4	2	10	1	-	-	-	1	-	-	2	-	4	2
White	18	7	-	-	-	-	-	1	2	2	4	2	10	1	-	-	-	1	-	-	2	-	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	129	1	1	4	4	5	3	10	19	35	34	13	120	-	-	-	2	1	3	6	11	19	40	38
White	129	1	1	4	4	5	3	10	19	35	34	13	120	-	-	-	2	1	3	6	11	19	40	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	174	1	2	13	54	28	14	15	16	15	11	5	93	1	4	9	16	14	6	7	8	9	9	10
White	174	1	2	13	54	28	14	15	16	15	11	5	93	1	4	9	16	14	6	7	8	9	9	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	100	-	1	7	43	22	8	8	5	4	2	-	50	1	2	5	14	8	3	5	4	6	2	-
White	100	-	1	7	43	22	8	8	5	4	2	-	50	1	2	5	14	8	3	5	4	6	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	74	1	1	6	11	6	6	7	11	11	9	5	43	-	2	4	2	6	3	2	4	3	7	10
White	74	1	1	6	11	6	6	7	11	11	9	5	43	-	2	4	2	6	3	2	4	3	7	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	65	...	...	-	13	13	4	14	7	9	5	-	23	...	...	1	4	3	4	5	2	3	-	1
White	65	...	...	-	13	13	4	14	7	9	5	-	23	...	...	1	4	3	4	5	2	3	-	1
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	5	-	-	2	-	-	1	1	1	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
White	5	-	-	2	-	-	1	1	1	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-
White	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	1	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	22,597	634	84	153	724	707	936	2,253	4,683	5,889	4,530	1,987	18,212	487	68	89	226	295	484	1,258	2,441	4,004	5,013	3,840
White	17,462	425	57	120	582	499	667	1,606	3,522	4,625	3,704	1,650	14,304	279	45	62	174	221	323	879	1,774	3,038	4,145	3,360
All other	5,135	209	27	33	142	208	269	647	1,171	1,264	826	337	3,908	208	22	27	54	74	161	379	667	966	868	480
Black	5,089	203	26	31	140	206	264	641	1,166	1,257	820	333	3,865	204	22	27	52	72	156	371	661	959	859	480
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-	-	-	-	-	-	-	-	4
White	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	27	-	-	-	-	1	1	3	6	6	4	4	17	-	-	-	-	1	2	2	3	1	4	4
White	12	-	-	-	-	-	1	1	1	4	2	3	6	-	-	-	-	-	-	-	2	-	1	3
All other	15	-	-	-	-	1	-	2	5	4	2	1	11	-	-	-	-	1	2	2	1	1	3	1
Black	15	-	-	-	-	1	-	2	5	4	2	1	10	-	-	-	-	1	2	2	1	1	2	1
Tuberculosis of respiratory system (010-012)	24	-	-	-	-	-	1	3	6	6	4	4	10	-	-	-	-	-	2	-	1	-	4	3
White	12	-	-	-	-	-	1	1	1	4	2	3	5	-	-	-	-	-	-	-	1	-	1	3
All other	12	-	-	-	-	-	-	2	5	2	2	1	5	-	-	-	-	-	2	-	-	-	3	-
Black	12	-	-	-	-	-	-	2	5	2	2	1	4	-	-	-	-	-	2	-	-	-	2	-
Other tuberculosis (013-018)	3	-	-	-	-	1	-	-	-	2	-	-	7	-	-	-	-	1	-	2	2	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	3	-	-	-	-	1	-	-	-	2	-	-	6	-	-	-	-	1	-	2	1	1	-	1
Black	3	-	-	-	-	1	-	-	-	2	-	-	6	-	-	-	-	1	-	2	1	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	-	3	2	-	-	-	-	1	1	-	-	7	1	3	-	-	1	1	-	1	-	-	-
White	5	-	2	1	-	-	-	-	1	1	-	-	7	1	3	-	-	1	1	-	1	-	-	-
All other	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	153	10	1	1	1	5	-	13	30	36	38	20	114	2	2	1	1	1	4	6	13	25	34	23
White	98	6	1	1	-	4	-	8	19	22	24	13	82	2	2	1	1	1	2	6	6	14	27	16
All other	55	4	-	-	1	1	-	5	11	14	12	7	32	-	-	-	-	-	2	2	5	11	7	5
Black	55	4	-	-	1	1	-	5	11	14	12	7	32	-	-	-	-	-	2	2	5	11	7	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	2	-	-	-	-	2	-	1	-	-	-	6	-	-	-	1	1	-	1	-	2	-	1
White	5	2	-	-	-	-	2	-	1	-	-	-	3	-	-	-	-	-	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	-	-	1	-	1
Syphilis (090-097)	3	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 096-139)	36	3	-	-	2	4	6	2	9	8	2	-	41	1	1	1	1	5	2	6	7	4	6	7
White	28	3	-	-	2	2	5	2	7	6	1	-	30	-	1	1	1	2	1	4	5	3	6	6
All other	8	-	-	-	-	2	1	-	2	2	1	-	11	1	-	-	-	3	1	2	2	1	-	1
Black	6	-	-	-	-	2	1	-	2	2	1	-	11	1	-	-	-	3	1	2	2	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,790	-	13	22	35	49	144	560	1,298	1,530	898	241	3,648	1	6	8	21	66	182	465	883	1,032	836	328
White	3,723	-	12	21	29	42	118	405	972	1,216	716	192	3,081	1	3	8	14	53	136	363	683	829	701	290
All other	1,067	-	1	1	6	7	26	155	326	314	182	49	767	-	3	-	7	13	46	122	200	203	135	38
Black	1,060	-	1	1	6	7	24	154	325	313	181	48	754	-	3	-	7	11	44	119	199	200	133	38
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	137	-	-	-	-	-	5	24	41	44	16	7	54	-	-	-	-	-	4	6	21	11	7	5
White	98	-	-	-	-	-	3	15	25	35	13	7	47	-	-	-	-	-	2	5	18	11	6	5
All other	39	-	-	-	-	-	2	9	16	9	3	-	7	-	-	-	-	-	2	1	3	-	1	-
Black	39	-	-	-	-	-	2	9	16	9	3	-	7	-	-	-	-	-	2	1	3	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,142	-	-	1	5	7	29	136	324	350	233	57	1,027	-	-	-	2	7	31	82	195	297	293	190
White	845	-	-	1	3	4	20	94	230	261	184	48	786	-	-	-	1	6	16	49	137	215	249	113
All other	297	-	-	-	2	3	9	42	94	89	49	9	241	-	-	-	1	1	15	33	58	72	44	17
Black	293	-	-	-	2	3	8	41	94	88	49	8	235	-	-	-	1	1	13	33	58	69	43	17
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,809	-	-	-	-	8	36	240	581	655	258	51	575	-	-	-	-	-	4	20	100	173	184	77	17
White	1,440	-	-	-	-	7	32	174	432	540	214	41	471	-	-	-	-	-	2	16	73	138	160	68	14
All other	369	-	-	-	-	1	4	66	129	115	44	10	104	-	-	-	-	-	2	4	27	35	24	9	3
Black	367	-	-	-	-	1	3	66	129	115	43	10	103	-	-	-	-	-	2	4	27	35	24	8	3
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	2	-	1	1	-	680	-	-	-	-	20	52	135	181	160	109	33
White	4	-	-	-	-	-	-	2	-	1	1	-	549	-	-	-	-	14	41	108	145	128	87	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	141	-	-	-	-	6	11	27	36	34	22	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	137	-	-	-	-	4	11	26	35	34	22	5
Malignant neoplasms of genital organs (179-187)	474	-	-	-	-	3	3	5	63	152	176	72	476	-	-	-	1	9	35	65	120	125	68	33
White	336	-	-	-	-	3	3	4	42	105	126	53	370	-	-	-	-	6	28	48	90	99	68	31
All other	138	-	-	-	-	-	-	1	21	47	50	19	106	-	-	-	1	3	7	17	30	26	20	2
Black	138	-	-	-	-	-	-	1	21	47	50	19	104	-	-	-	1	3	7	15	30	26	20	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	198	-	1	-	-	-	5	12	46	58	62	14	110	-	-	-	1	-	3	6	16	35	30	19
White	169	-	1	-	-	-	4	10	40	50	53	11	89	-	-	-	1	-	1	3	13	28	24	19
All other	29	-	-	-	-	-	1	2	6	8	9	3	21	-	-	-	-	-	2	3	3	7	6	-
Black	28	-	-	-	-	-	1	2	6	8	9	3	21	-	-	-	-	-	2	3	3	7	6	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	636	-	8	5	16	22	46	99	188	158	77	21	560	-	3	2	11	11	15	60	126	134	142	56
White	509	-	7	5	14	20	39	72	146	131	59	16	463	-	2	2	8	11	12	49	98	111	122	48
All other	127	-	1	-	2	2	7	27	40	25	18	5	97	-	1	-	3	-	3	11	28	23	20	8
Black	127	-	1	-	2	2	7	27	40	25	18	5	97	-	1	-	3	-	3	11	28	23	20	8
Leukemia (204-208)	173	-	4	13	7	5	10	19	27	48	28	12	148	1	3	6	2	11	15	14	10	33	37	16
White	152	-	4	12	7	4	8	15	20	44	27	11	131	1	1	6	1	10	15	14	10	25	32	16
All other	21	-	-	1	-	1	2	4	7	4	1	1	17	-	2	-	1	1	-	-	-	8	5	-
Black	20	-	-	1	-	1	2	4	6	4	1	1	17	-	2	-	1	1	-	-	-	8	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	217	-	-	3	7	4	10	23	50	66	47	7	208	-	-	-	4	4	7	17	41	63	53	19
White	170	-	-	3	5	4	9	19	37	49	39	5	175	-	-	-	3	4	5	14	34	54	45	16
All other	47	-	-	-	2	-	1	4	13	17	8	2	33	-	-	-	1	-	2	3	7	9	8	3
Black	47	-	-	-	2	-	1	4	13	17	8	2	33	-	-	-	1	-	2	3	7	9	8	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	60	1	-	2	3	6	3	5	14	19	6	1	62	-	-	1	1	2	5	4	10	15	15	9
White	49	-	-	2	3	6	3	3	13	15	4	-	47	-	-	-	-	2	4	2	6	12	13	6
All other	11	1	-	-	-	-	-	2	1	4	2	1	15	-	-	1	1	-	1	2	4	3	2	1
Black	11	1	-	-	-	-	-	2	1	4	2	1	15	-	-	1	1	-	1	2	4	3	2	1
Diabetes mellitus (250)	258	-	-	-	-	6	11	24	55	78	63	21	337	-	-	1	1	6	4	22	68	91	89	55
White	166	-	-	-	-	2	4	12	34	56	43	15	223	-	-	1	1	4	-	11	35	54	72	45
All other	92	-	-	-	-	4	7	12	21	22	20	6	114	-	-	-	-	2	4	11	33	37	17	10
Black	92	-	-	-	-	4	7	12	21	22	20	6	113	-	-	-	-	2	4	11	33	36	17	10
Nutritional deficiencies (260-269)	18	1	-	-	-	-	1	-	2	3	6	5	35	-	-	-	-	-	-	2	1	7	12	13
White	14	-	-	-	-	-	1	-	2	3	6	2	26	-	-	-	-	-	-	2	-	2	10	12
All other	4	1	-	-	-	-	-	-	-	-	-	3	9	-	-	-	-	-	-	-	1	5	2	1
Black	4	1	-	-	-	-	-	-	-	-	-	3	9	-	-	-	-	-	-	-	1	5	2	1
Anemias (280-285)	34	-	-	-	1	3	3	6	3	8	8	2	29	-	-	1	1	1	-	1	3	6	8	8
White	25	-	-	-	-	-	1	4	3	7	8	2	19	-	-	1	-	1	-	1	1	4	4	7
All other	9	-	-	-	1	3	2	2	-	1	-	-	10	-	-	-	1	-	-	-	2	2	4	1
Black	9	-	-	-	1	3	2	2	-	1	-	-	10	-	-	-	1	-	-	-	2	2	4	1
Meningitis (320-322)	17	7	1	-	-	-	-	-	3	4	-	2	15	2	-	2	-	1	1	1	1	4	3	-
White	11	6	1	-	-	-	-	-	1	2	-	1	7	1	-	2	-	1	-	-	-	3	2	-
All other	6	1	-	-	-	-	-	-	2	2	-	1	8	1	-	2	-	-	1	1	1	1	1	-
Black	6	1	-	-	-	-	-	-	2	2	-	1	8	1	-	2	-	-	1	1	1	1	1	-
Major cardiovascular diseases (390-448)	10,580	4	3	8	20	68	251	993	2,286	3,085	2,602	1,257	9,620	14	3	5	15	28	93	386	969	2,157	3,222	2,725
White	8,355	2	1	7	16	41	181	722	1,751	2,426	2,157	1,051	7,627	8	2	3	11	20	51	244	665	1,594	2,636	2,392
All other	2,225	2	2	1	4	27	70	271	537	659	445	206	1,993	6	1	2	4	8	42	142	304	563	586	338
Black	2,206	2	2	1	4	27	70	268	533	654	440	204	1,981	6	1	2	4	8	41	140	300	561	583	333
Diseases of heart (390-398,402,404-429)	6,545	4	3	6	16	53	217	869	1,986	2,531	1,954	905	6,818	12	3	3	10	19	68	293	744	1,621	2,242	1,801
White	6,866	2	1	5	12	34	160	662	1,561	2,026	1,639	784	5,432	7	2	2	7	14	36	187	513	1,231	1,843	1,589
All other	1,679	2	2	1	4	19	57	207	425	505	315	141	1,386	5	1	1	3	5	32	106	231	390	399	212
Black	1,665	2	2	1	4	19	57	205	422	502	311	139	1,380	5	1	1	3	5	31	106	229	389	397	212
Rheumatic fever and rheumatic heart disease (390-398)	44	-	-	-	1	-	3	10	11	9	8	2	92	-	-	-	-	-	1	2	17	16	35	15	6
White	35	-	-	-	-	-	2	6	9	8	8	2	84	-	-	-	-	-	1	2	15	14	33	14	5
All other	9	-	-	-	1	-	1	4	2	1	-	-	8	-	-	-	-	-	-	-	2	2	2	1	1
Black	9	-	-	-	1	-	1	4	2	1	-	-	8	-	-	-	-	-	-	-	2	2	2	1	1
Hypertensive heart disease (402)	200	-	-	-	-	1	9	18	46	57	47	23	252	-	-	-	-	1	2	12	36	63	81	57
White	104	-	-	-	-	-	2	9	20	29	28	16	164	-	-	-	-	-	-	6	17	39	57	45
All other	96	-	-	-	-	1	6	9	26	28	19	7	88	-	-	-	-	1	2	6	19	24	24	12
Black	94	-	-	-	-	1	6	9	24	28	19	7	88	-	-	-	-	1	2	6	19	24	24	12
Hypertensive heart and renal disease (404)	32	-	-	-	-	-	-	3	2	8	15	4	49	-	-	-	-	-	-	1	-	6	16	12	12
White	16	-	-	-	-	-	-	1	1	4	7	3	27	-	-	-	-	-	-	1	-	3	7	5	11
All other	16	-	-	-	-	-	-	2	1	4	8	1	22	-	-	-	-	-	-	-	-	3	11	7	1
Black	16	-	-	-	-	-	-	2	1	4	8	1	22	-	-	-	-	-	-	-	-	3	11	7	1
Ischemic heart disease (410-414)	6,482	-	-	-	1	34	165	711	1,829	1,950	1,406	583	4,577	1	-	-	-	5	34	183	542	1,134	1,540	1,128
White	5,409	-	-	-	1	25	133	567	1,334	1,631	1,209	509	3,749	-	-	-	-	4	20	124	391	892	1,311	1,007
All other	1,063	-	-	-	-	9	32	144	295	319	199	84	828	1	-	-	-	1	14	59	151	242	229	121
Black	1,072	-	-	-	-	9	32	142	294	317	195	82	824	1	-	-	-	1	14	59	150	241	227	121
Acute myocardial infarction (410)	3,726	-	-	-	-	20	96	457	1,018	1,192	720	223	2,345	1	-	-	-	5	21	120	329	678	781	410
White	3,172	-	-	-	-	14	82	375	858	1,023	627	192	1,922	-	-	-	-	4	13	77	245	551	670	362
All other	554	-	-	-	-	6	14	82	159	169	93	31	423	1	-	-	-	1	8	43	84	127	111	48
Black	548	-	-	-	-	6	14	80	158	167	93	30	420	1	-	-	-	1	8	43	83	127	109	48

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	468	-	-	-	-	5	12	73	159	122	69	28	238	-	-	-	-	-	2	20	53	57	71	35
White	334	-	-	-	-	5	7	57	109	84	49	23	160	-	-	-	-	-	1	12	30	37	50	30
All other	134	-	-	-	-	-	5	16	50	38	20	5	78	-	-	-	-	-	1	8	23	20	21	5
Black	133	-	-	-	-	-	5	16	50	38	19	5	78	-	-	-	-	-	1	8	23	20	21	5
Angina pectoris (413)	10	-	-	-	-	-	1	-	1	2	5	1	6	-	-	-	-	-	1	-	2	1	-	2
White	10	-	-	-	-	-	1	-	1	2	5	1	5	-	-	-	-	-	-	-	2	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,288	-	-	-	1	9	56	181	451	634	614	341	1,988	-	-	-	-	-	10	53	158	388	668	681
White	1,883	-	-	-	1	6	43	135	365	522	526	293	1,662	-	-	-	-	-	6	35	114	303	591	613
All other	395	-	-	-	-	3	13	46	86	112	86	48	326	-	-	-	-	-	4	18	44	85	97	68
Black	391	-	-	-	-	3	13	46	86	112	83	47	325	-	-	-	-	-	4	18	44	84	97	68
Other diseases of endocardium (424)	58	-	-	-	-	-	3	7	12	21	12	3	53	-	1	-	-	-	1	1	7	15	16	12
White	45	-	-	-	-	-	1	3	11	18	9	3	43	-	-	-	-	-	1	1	5	12	14	10
All other	13	-	-	-	-	-	2	4	1	3	3	-	10	-	1	-	-	-	-	-	2	3	2	2
Black	13	-	-	-	-	-	2	4	1	3	3	-	10	-	1	-	-	-	-	-	2	3	2	2
All other forms of heart disease (416-423,425-429)	1,719	4	3	6	14	18	38	120	286	486	484	280	1,795	11	2	3	10	12	28	70	137	358	578	586
White	1,257	2	1	5	11	9	22	76	186	336	378	231	1,385	7	2	2	7	9	12	41	83	248	442	511
All other	462	2	2	1	3	9	16	44	100	150	86	49	430	4	-	1	3	3	16	29	54	108	136	75
Black	461	2	2	1	3	9	16	44	100	149	86	49	428	4	-	1	3	3	15	29	53	108	136	75
Hypertension with or without renal disease (401,403)	61	-	-	-	-	1	3	1	12	16	20	8	79	-	-	-	-	-	1	3	8	18	29	20
White	38	-	-	-	-	-	2	-	5	9	17	5	48	-	-	-	-	-	-	-	3	8	20	17
All other	23	-	-	-	-	1	1	1	7	7	3	3	31	-	-	-	-	-	1	3	5	10	9	3
Black	22	-	-	-	-	1	1	1	7	6	3	3	31	-	-	-	-	-	1	3	5	10	9	3
Cerebrovascular diseases (430-438)	1,494	-	-	2	4	14	27	100	224	395	479	249	2,227	2	-	2	4	8	22	87	175	441	784	702
White	1,041	-	-	2	4	7	16	47	131	265	367	202	1,740	1	-	1	3	5	14	55	118	302	627	614
All other	453	-	-	-	-	7	11	53	93	130	112	47	487	1	-	1	1	3	8	32	57	139	157	88
Black	449	-	-	-	-	7	11	52	92	129	111	47	483	1	-	1	1	3	8	30	56	138	157	88
Intracerebral and other intracranial hemorrhage (431-432)	216	-	-	1	2	3	9	40	49	66	39	7	285	1	-	1	2	3	8	29	57	63	74	49
White	136	-	-	1	2	1	6	17	29	42	32	6	215	-	-	1	2	2	3	18	42	47	59	41
All other	80	-	-	-	-	2	3	23	20	24	7	1	70	1	-	-	-	1	3	11	15	16	15	8
Black	78	-	-	-	-	2	3	22	19	24	7	1	68	1	-	-	-	1	3	11	14	15	15	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	285	-	-	-	-	-	1	15	29	82	105	53	429	-	-	1	1	2	2	6	30	87	158	141
White	208	-	-	-	-	-	-	6	16	59	79	48	348	-	-	-	1	2	2	4	21	69	125	124
All other	77	-	-	-	-	-	1	9	13	23	26	5	80	-	-	1	-	-	-	2	9	18	33	17
Black	76	-	-	-	-	-	1	9	13	23	25	5	80	-	-	1	-	-	-	2	9	18	33	17
Cerebral embolism (434.1)	8	-	-	-	-	-	1	-	1	1	3	2	9	-	-	-	-	-	-	-	1	2	2	3
White	4	-	-	-	-	-	1	-	1	-	1	1	7	-	-	-	-	-	-	-	1	2	2	2
All other	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	985	-	-	1	2	11	18	45	145	248	332	187	1,506	1	-	-	1	3	14	52	87	288	550	509
White	693	-	-	1	2	6	9	24	85	164	255	147	1,170	1	-	-	-	1	9	33	54	184	441	447
All other	292	-	-	-	-	5	7	21	60	82	77	40	336	-	-	-	1	2	5	19	33	105	109	62
Black	291	-	-	-	-	5	7	21	60	81	77	40	334	-	-	-	1	2	5	17	33	105	109	62
Atherosclerosis (440)	231	-	-	-	-	-	1	4	16	52	80	78	340	-	-	-	-	-	1	1	14	41	111	171
White	192	-	-	-	-	-	1	-	12	43	70	66	276	-	-	-	-	-	1	1	7	26	96	145
All other	39	-	-	-	-	-	-	4	4	9	10	12	64	-	-	-	-	-	-	-	7	15	15	26
Black	39	-	-	-	-	-	-	4	4	9	10	12	62	-	-	-	-	-	-	-	6	15	14	26
Other diseases of arteries, arterioles, and capillaries (441-448)	249	-	-	-	-	-	3	19	50	91	69	17	156	-	-	-	1	1	1	2	28	36	56	31
White	218	-	-	-	-	-	2	13	42	83	64	14	131	-	-	-	1	1	-	1	24	27	50	27
All other	31	-	-	-	-	-	1	6	8	8	5	3	25	-	-	-	-	-	1	1	4	9	6	4
Black	31	-	-	-	-	-	1	6	8	8	5	3	25	-	-	-	-	-	1	1	4	9	6	4
Acute bronchitis and bronchiolitis (466)	4	3	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	1	-	1
White	3	2	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	1	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	560	7	3	3	4	9	10	32	71	134	186	121	463	7	1	3	4	7	8	17	26	64	143	183
White	416	3	2	2	3	3	7	19	40	97	138	102	377	2	1	2	2	5	4	13	16	48	125	159
All other	144	4	1	1	1	6	3	13	31	37	28	19	86	5	-	1	2	2	4	4	10	16	18	24
Black	143	4	1	1	1	6	3	13	31	37	28	18	86	5	-	1	2	2	4	4	10	16	18	24

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	556	7	3	3	4	9	10	32	71	134	164	121	459	7	1	3	4	7	8	17	28	64	142	180
White	416	3	2	2	3	3	7	19	40	97	138	102	374	2	1	2	2	5	4	13	16	48	125	156
All other	142	4	1	1	1	6	3	13	31	37	26	19	85	5	–	1	2	2	4	4	10	16	17	24
Black	141	4	1	1	1	6	3	13	31	37	26	18	85	5	–	1	2	2	4	4	10	16	17	24
Influenza (487)	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	1	3
White	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3
All other	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	684	–	1	–	1	4	2	22	146	255	200	52	326	1	1	–	2	–	4	24	80	106	79	29
White	592	–	–	–	–	2	2	18	124	227	174	45	298	–	1	–	1	–	3	20	70	103	71	29
All other	92	–	1	–	1	2	–	4	22	28	26	7	28	1	–	–	1	–	1	4	10	3	8	–
Black	92	–	1	–	1	2	–	4	22	28	26	7	26	1	–	–	1	–	1	4	10	3	6	–
Bronchitis, chronic and unspecified (490-491)	34	–	1	–	–	–	–	1	8	8	11	5	34	1	–	–	–	–	–	1	7	12	4	9
White	30	–	–	–	–	–	–	1	8	5	11	5	32	–	–	–	–	–	–	1	6	12	4	9
All other	4	–	1	–	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	–	1	–	–	–
Black	4	–	1	–	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	–	1	–	–	–
Emphysema (492)	163	–	–	–	–	–	1	12	34	65	42	9	62	–	–	–	–	–	–	5	15	29	10	3
White	142	–	–	–	–	–	1	10	28	60	35	8	58	–	–	–	–	–	–	5	15	28	7	3
All other	21	–	–	–	–	–	–	2	6	5	7	1	4	–	–	–	–	–	–	–	–	1	3	–
Black	21	–	–	–	–	–	–	2	6	5	7	1	4	–	–	–	–	–	–	–	–	1	3	–
Asthma (493)	20	–	–	–	1	3	1	1	3	8	3	–	33	–	1	–	2	–	2	5	8	8	3	4
White	13	–	–	–	–	2	1	–	2	6	2	–	28	–	1	–	1	–	1	3	7	8	3	4
All other	7	–	–	–	1	1	–	1	1	2	1	–	5	–	–	–	1	–	1	2	1	–	–	–
Black	7	–	–	–	1	1	–	1	1	2	1	–	5	–	–	–	1	–	1	2	1	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	467	–	–	–	–	1	–	8	101	174	144	38	197	–	–	–	–	–	2	13	50	57	62	13
White	407	–	–	–	–	–	–	7	86	156	126	32	180	–	–	–	–	–	2	11	42	55	57	13
All other	60	–	–	–	–	1	–	1	15	18	18	6	17	–	–	–	–	–	–	2	8	2	5	–
Black	60	–	–	–	–	1	–	1	15	18	18	6	15	–	–	–	–	–	–	2	8	2	3	–
Ulcer of stomach and duodenum (531-533)	63	–	1	–	–	1	2	10	8	21	15	5	39	–	–	–	–	1	2	1	9	9	8	9
White	49	–	1	–	–	1	1	5	7	17	13	4	34	–	–	–	–	1	1	1	9	8	7	7
All other	14	–	–	–	–	–	1	5	1	4	2	1	5	–	–	–	–	–	1	–	–	1	1	2
Black	14	–	–	–	–	–	1	5	1	4	2	1	5	–	–	–	–	–	1	–	–	1	1	2
Appendicitis (540-543)	6	–	–	1	1	–	–	–	1	2	–	1	5	–	–	–	–	–	1	1	–	1	2	–
White	5	–	–	–	1	–	–	–	1	2	–	1	5	–	–	–	–	–	1	1	–	1	2	–
All other	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	1	–	1	1	1	2	4	8	10	13	8	54	–	–	–	–	–	2	3	6	4	23	16
White	33	1	–	1	1	1	–	2	3	7	11	6	48	–	–	–	–	–	1	3	5	4	20	15
All other	14	–	–	–	–	–	2	2	3	3	2	2	6	–	–	–	–	–	1	–	1	–	3	1
Black	14	–	–	–	–	–	2	2	3	3	2	2	6	–	–	–	–	–	1	–	1	–	3	1
Chronic liver disease and cirrhosis (571)	355	–	–	–	2	10	54	94	115	59	19	2	207	–	–	–	1	5	30	55	54	43	15	4
White	294	–	–	–	2	5	44	78	91	53	19	2	154	–	–	–	1	3	17	42	41	35	11	4
All other	61	–	–	–	–	5	10	16	24	6	–	–	53	–	–	–	–	2	13	13	13	8	4	–
Black	61	–	–	–	–	5	10	16	24	6	–	–	53	–	–	–	–	2	13	13	13	8	4	–
Cholelithiasis and other disorders of gallbladder (574-575)	22	–	–	–	–	–	–	1	2	6	6	7	32	–	–	–	–	–	1	–	1	7	17	6
White	19	–	–	–	–	–	–	1	2	6	3	7	28	–	–	–	–	–	1	–	1	7	15	4
All other	3	–	–	–	–	–	–	–	–	–	3	–	4	–	–	–	–	–	–	–	–	–	2	2
Black	3	–	–	–	–	–	–	–	–	–	3	–	4	–	–	–	–	–	–	–	–	–	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	178	4	–	–	2	3	8	9	28	53	42	31	155	1	1	1	–	2	2	10	19	38	42	39
White	121	2	–	–	–	3	4	5	17	36	29	25	92	1	–	1	–	2	2	4	5	17	31	29
All other	57	2	–	–	2	–	4	4	9	17	13	6	63	–	1	–	–	–	–	6	14	21	11	10
Black	57	2	–	–	2	–	4	4	9	17	13	6	63	–	1	–	–	–	–	6	14	21	11	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	–	–	–	1	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1
White	3	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
All other	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	1	–	–	–	–	2	2	–	2	7	5	22	–	–	–	–	–	–	3	1	3	9	6
White	14	1	–	–	–	–	2	1	–	1	5	4	13	–	–	–	–	–	–	1	–	–	8	4
All other	5	–	–	–	–	–	–	1	–	1	2	1	9	–	–	–	–	–	–	2	1	3	1	2
Black	5	–	–	–	–	–	–	1	–	1	2	1	9	–	–	–	–	–	–	2	1	3	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	165	3	–	–	1	3	6	8	26	49	35	26	131	1	1	1	–	2	2	7	17	35	33	32
White	104	1	–	–	–	3	2	3	17	33	24	21	78	1	–	1	–	2	2	3	5	17	23	24
All other	51	2	–	–	1	–	4	3	9	16	11	5	53	–	1	–	–	–	–	4	12	18	10	8
Black	51	2	–	–	1	–	4	3	9	16	11	5	53	–	1	–	–	–	–	4	12	18	10	8
Infections of kidney (590)	21	–	–	–	–	1	–	1	1	2	8	8	35	–	–	–	–	–	–	2	–	3	6	10	14
White	15	–	–	–	–	1	–	1	–	2	5	6	26	–	–	–	–	–	–	1	–	2	2	8	13
All other	6	–	–	–	–	–	–	–	1	–	3	2	9	–	–	–	–	–	–	1	–	1	4	2	1
Black	6	–	–	–	–	–	–	–	1	–	3	2	9	–	–	–	–	–	–	1	–	1	4	2	1
Hyperplasia of prostate (600)	14	–	–	–	–	–	–	–	1	2	5	6	...	...	...	...	...	...	...	...	...	...	...	...	...
White	10	–	–	–	–	–	–	–	–	–	4	6	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	–	–	–	–	–	–	–	1	2	1	–	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	–	–	–	–	–	–	–	1	2	1	–	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	5	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	–	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	–	5	–	2	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	–	2	–	2	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	3	–	–	–	...	...	...	...
Congenital anomalies (740-759)	191	129	13	10	8	5	2	9	5	7	2	–	142	90	9	8	6	5	5	6	8	2	3	–
White	153	103	9	7	5	5	2	8	5	6	2	–	109	63	6	7	6	5	4	6	6	2	3	–
All other	38	26	4	3	3	–	–	1	–	1	–	–	34	27	3	1	–	–	1	–	2	–	–	–
Black	37	25	4	3	3	–	–	1	–	1	–	–	33	26	3	1	–	–	1	–	2	–	–	–
Certain conditions originating in the perinatal period (760-779)	383	381	–	–	1	–	–	–	–	–	–	–	282	282	–	–	–	–	–	–	–	–	–	–
White	259	231	–	–	1	–	–	–	–	–	–	–	158	158	–	–	–	–	–	–	–	–	–	–
All other	130	130	–	–	–	–	–	–	–	–	–	–	126	126	–	–	–	–	–	–	–	–	–	–
Black	126	126	–	–	–	–	–	–	–	–	–	–	124	124	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	128	127	–	–	1	–	–	–	–	–	–	–	76	75	–	–	–	–	–	–	–	–	–	–
White	97	96	–	–	1	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
All other	31	31	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Black	30	30	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	235	234	–	–	–	–	–	–	–	–	–	–	207	207	–	–	–	–	–	–	–	–	–	–
White	136	135	–	–	–	–	–	–	–	–	–	–	105	105	–	–	–	–	–	–	–	–	–	–
All other	99	99	–	–	–	–	–	–	–	–	–	–	102	102	–	–	–	–	–	–	–	–	–	–
Black	96	96	–	–	–	–	–	–	–	–	–	–	100	100	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	175	76	3	2	2	4	5	10	18	20	16	19	143	52	2	–	2	4	2	9	9	15	20	28
White	119	49	2	2	1	3	5	8	10	12	13	16	95	25	2	–	1	4	–	4	6	9	19	25
All other	56	27	1	–	1	1	–	4	8	8	3	3	48	27	–	–	1	–	2	5	3	6	1	3
Black	55	28	1	–	1	1	–	4	8	8	3	3	48	26	–	–	1	–	1	5	3	6	1	3
All other diseases (Residual)	1,372	15	11	19	30	43	85	166	272	335	270	126	1,205	18	10	13	22	32	41	92	153	273	301	249
White	981	11	6	17	19	28	44	105	185	248	210	106	941	11	8	11	13	18	23	55	125	214	252	210
All other	391	4	5	2	11	15	41	61	87	87	60	18	264	7	2	2	9	14	18	37	28	59	49	39
Black	368	4	5	1	11	15	41	60	87	86	60	18	262	7	2	2	9	14	18	37	28	58	48	39
Accidents and adverse effects (E800-E949)	1,562	8	28	75	396	261	185	169	190	124	108	36	650	10	24	38	93	59	36	70	71	69	97	83
White	1,197	4	19	54	339	202	112	110	143	88	90	34	519	6	16	22	83	47	27	55	46	54	85	78
All other	365	4	9	21	57	59	53	59	47	36	18	2	131	4	8	16	10	12	9	15	25	15	12	5
Black	359	4	8	20	56	59	51	58	47	36	18	2	127	4	8	16	9	12	8	13	25	15	12	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	722	1	10	27	270	133	81	74	57	36	28	4	283	2	12	21	86	43	21	36	21	19	19	3
White	579	–	6	16	235	106	63	48	44	29	25	4	243	2	11	16	77	38	16	31	17	16	16	3
All other	143	1	4	9	35	27	18	26	13	7	3	–	40	–	1	5	9	5	5	5	4	3	3	–
Black	139	1	4	8	34	27	16	26	13	7	3	–	37	–	1	5	8	5	4	4	4	3	3	–
All other accidents and adverse effects (E800-E807, E826-E949)	840	7	18	48	126	128	84	95	133	88	80	32	367	8	12	17	7	16	15	34	50	50	78	80
White	618	4	13	36	104	96	49	62	89	59	65	30	276	4	5	6	6	9	11	24	29	38	69	75
All other	222	3	5	12	22	32	35	33	34	29	15	2	91	4	7	11	1	7	4	10	21	12	9	5
Black	220	3	4	12	22	32	35	32	34	29	15	2	90	4	7	11	1	7	4	9	21	12	9	5
Suicide (E950-E959)	582	...	...	3	121	116	104	75	81	58	26	8	187	...	...	1	23	33	34	38	29	14	15	–
White	525	...	...	3	106	97	90	70	73	53	25	8	172	...	...	1	19	32	31	34	28	12	15	–
All other	57	...	...	–	15	19	14	5	8	5	1	–	15	...	...	–	4	1	3	4	1	2	–	–
Black	54	...	...	–	15	17	13	5	8	5	1	–	12	...	...	–	3	1	3	3	–	2	–	–
Homicide and legal intervention (E960-E978)	378	1	3	4	88	101	73	42	38	18	8	1	127	–	5	5	26	33	18	10	13	8	7	1
White	192	–	1	2	50	48	38	20	15	11	6	–	74	–	1	3	16	19	10	4	7	5	7	1
All other	186	1	2	2	38	53	35	22	23	7	2	1	53	–	4	2	10	14	8	6	6	3	–	–
Black	185	1	2	2	37	53	35	22	23	7	2	1	53	–	4	2	10	14	8	6	6	3	–	–
All other external causes (E980-E989)	22	1	–	–	4	6	2	3	2	3	–	1	10	2	–	–	2	1	–	4	–	1	–	–
White	13	–	–	–	3	3	2	1	1	2	–	1	5	–	–	–	1	–	–	3	–	1	–	–
All other	9	1	–	–	1	3	–	2	1	1	–	–	5	2	–	–	1	1	–	1	–	–	–	–
Black	9	1	–	–	1	3	–	2	1	1	–	–	5	2	–	–	1	1	–	1	–	–	–	–
WASHINGTON																								
All causes	16,743	433	76	116	681	612	544	1,184	2,760	4,246	3,848	2,260	13,738	305	57	67	227	268	335	706	1,628	2,663	3,715	3,766
White	15,982	396	65	105	613	550	477	1,095	2,629	4,117	3,725	2,207	13,279	273	48	63	206	237	297	658	1,555	2,593	3,640	3,706
All other	761	37	11	11	48	62	67	89	131	129	123	53	459	32	9	4	19	31	38	48	73	70	75	60
Black	374	21	4	6	27	32	33	52	75	58	43	23	199	11	5	–	6	9	15	16	34	39	37	27
Shigellosis and amebiasis (004,006)	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-008)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	14	–	–	–	–	1	1	–	2	2	4	4	4	–	–	–	–	–	–	–	1	2	–	1
White	11	–	–	–	–	1	–	–	2	1	3	4	3	–	–	–	–	–	–	–	–	2	–	1
All other	3	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	13	–	–	–	–	1	1	–	2	2	3	4	3	–	–	–	–	–	–	–	1	1	–	1
White	10	–	–	–	–	1	–	–	2	1	2	4	2	–	–	–	–	–	–	–	–	1	–	1
All other	3	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-016)	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
White	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	3	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
White	3	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	48	4	–	–	1	–	2	2	10	12	9	8	37	–	–	–	3	–	3	1	3	6	13	8
White	42	3	–	–	1	–	2	1	9	10	8	8	36	–	–	–	3	–	3	1	3	6	13	8
All other	6	1	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	5	–	–	1	–	–	3	–	1	–	–	–	3	–	–	–	–	–	–	1	2	–	–	–
White	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
All other	4	–	–	1	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	3	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	3	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	26	1	1	2	–	1	3	2	4	9	3	–	33	1	–	–	2	4	3	1	8	6	5	3
White	24	1	1	2	–	1	2	1	4	9	3	–	30	1	–	–	2	2	3	1	8	6	5	2
All other	2	–	–	–	–	–	1	1	–	–	–	–	3	–	–	–	–	2	–	–	–	–	–	1
Black	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	2	–	–	–	–	–	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,584	2	8	18	26	45	80	288	820	1,159	845	295	3,050	2	7	12	27	54	105	310	696	819	674	344
White	3,467	2	8	15	25	44	74	269	796	1,126	821	287	2,962	2	7	11	27	50	99	291	674	803	659	339
All other	117	–	–	3	1	1	6	17	24	33	24	8	88	–	–	1	–	4	6	19	22	16	15	5
Black	69	–	–	3	1	–	6	13	16	14	12	4	40	–	–	–	–	–	2	8	9	11	9	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	90	–	–	–	–	3	2	10	26	27	17	5	48	–	–	1	–	3	–	4	13	12	11	4
White	86	–	–	–	–	3	1	9	25	26	17	5	47	–	–	1	–	3	–	4	12	12	11	4
All other	4	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	912	–	–	–	1	6	18	57	204	305	223	98	850	–	–	1	–	8	14	45	140	249	242	151
White	876	–	–	–	1	6	15	54	194	293	217	98	821	–	–	1	–	8	12	41	133	243	235	148
All other	36	–	–	–	–	–	3	3	10	12	6	2	29	–	–	–	–	–	2	4	7	6	7	3
Black	18	–	–	–	–	–	3	2	5	4	2	2	11	–	–	–	–	–	–	3	2	3	3	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,263	–	–	–	1	4	18	122	370	442	261	45	499	–	–	–	–	2	17	71	149	151	87	22
White	1,222	–	–	–	1	4	16	111	359	435	252	44	492	–	–	–	–	1	16	70	147	151	85	22
All other	41	–	–	–	–	–	2	11	11	7	9	1	7	–	–	–	–	1	1	1	2	–	2	–
Black	30	–	–	–	–	–	2	9	9	5	4	1	2	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasm of breast (174-175)	6	–	–	–	–	–	–	–	2	1	2	1	585	–	–	–	–	15	41	87	174	139	82	47
White	5	–	–	–	–	–	–	–	2	1	1	1	563	–	–	–	–	14	38	80	169	134	82	46
All other	1	–	–	–	–	–	–	–	–	–	1	–	22	–	–	–	–	1	3	7	5	5	–	1
Black	1	–	–	–	–	–	–	–	–	–	1	–	12	–	–	–	–	–	2	3	2	4	–	1
Malignant neoplasms of genital organs (179-187)	370	–	–	–	–	5	4	10	35	105	137	74	355	–	–	1	3	8	12	48	83	92	76	32
White	360	–	–	–	–	4	4	10	35	102	134	71	342	–	–	1	3	7	12	41	80	91	76	31
All other	10	–	–	–	–	1	–	–	–	3	3	3	13	–	–	–	–	1	–	7	3	1	–	1
Black	3	–	–	–	–	–	–	–	–	–	2	1	3	–	–	–	–	–	–	1	1	1	–	–
Malignant neoplasms of urinary organs (188-189)	217	1	–	1	1	–	4	15	43	57	66	29	87	1	–	1	–	1	1	3	13	27	22	18
White	212	1	–	1	–	–	4	15	42	55	65	29	84	1	–	–	–	1	1	3	12	27	21	18
All other	5	–	–	–	1	–	–	–	1	2	1	–	3	–	–	1	–	–	–	–	1	–	1	–
Black	4	–	–	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	367	–	4	8	12	12	16	50	84	111	51	19	351	1	5	4	17	8	11	32	76	72	89	36
White	358	–	4	6	12	12	16	48	83	108	50	19	344	1	5	4	17	8	11	32	75	70	85	36
All other	9	–	–	2	–	–	–	2	1	3	1	–	7	–	–	–	–	–	–	–	1	2	4	–
Black	6	–	–	2	–	–	–	2	–	1	1	–	6	–	–	–	–	–	–	–	1	1	4	–
Leukemia (204-208)	136	1	3	5	7	6	8	6	21	35	33	11	127	–	2	3	5	7	4	4	25	34	25	18
White	134	1	3	4	7	6	8	6	21	35	32	11	125	–	2	3	5	6	4	4	24	34	25	18
All other	2	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	1	–	–	–
Black	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	223	–	1	4	4	9	10	16	35	76	55	13	148	–	–	1	2	2	5	16	23	43	40	16
White	214	–	1	4	4	9	10	16	35	71	53	11	144	–	–	1	2	2	5	16	22	41	39	16
All other	9	–	–	–	–	–	–	–	–	5	2	2	4	–	–	–	–	–	–	–	1	2	1	–
Black	4	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	41	1	–	2	1	2	1	4	6	10	8	6	49	–	–	–	3	2	1	5	8	11	12	7
White	40	1	–	2	1	2	1	3	6	10	8	6	49	–	–	–	3	2	1	5	8	11	12	7
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	229	-	-	-	1	5	11	13	38	75	59	26	257	-	1	-	1	7	6	10	41	65	70	56
White	215	-	-	-	1	5	11	13	33	73	55	24	248	-	1	-	1	6	6	10	38	64	69	53
All other	13	-	-	-	-	-	-	-	5	2	4	2	9	-	-	-	-	1	-	-	3	1	1	3
Black	7	-	-	-	-	-	-	-	4	1	-	2	8	-	-	-	-	1	-	-	3	-	1	3
Nutritional deficiencies (260-269)	15	-	-	-	-	-	-	-	1	3	1	10	28	-	-	-	-	1	-	-	5	2	9	11
White	15	-	-	-	-	-	-	-	1	3	1	10	28	-	-	-	-	1	-	-	5	2	9	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	26	-	1	-	3	3	2	2	-	3	6	6	31	-	2	-	-	-	1	-	1	4	10	13
White	24	-	1	-	1	3	2	2	-	3	6	6	31	-	2	-	-	-	1	-	1	4	10	13
All other	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	10	2	1	-	-	1	2	-	1	-	2	1	9	2	-	1	-	2	-	-	-	2	1	1
White	7	1	-	-	-	1	2	-	1	-	2	-	8	2	-	1	-	2	-	-	-	1	1	1
All other	3	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,722	6	4	1	19	31	135	511	1,294	2,114	2,166	1,441	6,983	9	2	2	8	19	60	154	527	1,253	2,302	2,647
White	7,452	5	4	1	15	29	123	482	1,234	2,050	2,084	1,415	6,812	6	2	2	6	18	56	145	499	1,211	2,256	2,609
All other	270	1	-	-	4	2	12	29	60	64	72	26	171	3	-	-	2	1	4	9	28	42	44	38
Black	126	1	-	-	3	1	7	17	38	27	24	12	92	2	-	-	1	1	3	4	15	23	22	21
Diseases of heart (390-398,402,404-428)	6,048	6	4	1	14	23	114	455	1,108	1,758	1,582	983	4,751	8	2	1	5	7	42	109	405	928	1,561	1,885
White	5,836	5	4	1	11	21	103	428	1,057	1,708	1,526	969	4,639	5	2	1	3	7	38	104	386	899	1,537	1,657
All other	212	1	-	-	3	2	11	26	51	50	54	14	112	3	-	-	2	-	4	5	19	27	24	26
Black	107	1	-	-	2	1	7	16	32	23	19	6	61	2	-	-	1	-	3	4	10	15	12	13
Rheumatic fever and rheumatic heart disease (390-398)	64	-	-	-	-	-	2	5	17	20	14	6	92	-	-	-	-	-	-	7	21	32	16	16
White	62	-	-	-	-	-	2	4	17	19	14	6	89	-	-	-	-	-	-	7	19	32	16	15
All other	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Hypertensive heart disease (402)	119	-	-	-	-	1	5	6	25	35	34	13	154	-	-	-	-	-	2	2	11	32	52	55
White	110	-	-	-	-	-	5	4	23	33	32	13	148	-	-	-	-	-	1	1	10	31	51	54
All other	9	-	-	-	-	1	-	2	2	2	2	-	6	-	-	-	-	-	1	1	1	1	1	1
Black	6	-	-	-	-	1	-	2	1	2	-	-	4	-	-	-	-	-	1	1	-	1	-	1
Hypertensive heart and renal disease (404)	17	-	-	-	-	-	-	-	-	6	5	6	27	-	-	-	-	-	-	1	-	5	10	11
White	17	-	-	-	-	-	-	-	-	6	5	6	25	-	-	-	-	-	-	1	-	4	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,463	-	-	-	4	13	87	350	806	1,339	1,185	679	3,232	-	-	-	1	2	26	67	269	649	1,125	1,105
White	4,326	-	-	-	3	13	79	338	776	1,303	1,146	668	3,165	-	-	-	1	2	24	64	255	626	1,107	1,086
All other	137	-	-	-	1	-	8	12	30	36	39	11	67	-	-	-	-	-	2	3	8	17	18	19
Black	82	-	-	-	-	-	6	6	18	15	12	5	36	-	-	-	-	-	1	2	5	11	9	8
Acute myocardial infarction (410)	2,535	-	-	-	3	10	59	235	531	839	615	243	1,551	-	-	-	1	1	18	44	174	391	554	368
White	2,445	-	-	-	2	10	53	227	510	818	587	238	1,511	-	-	-	1	1	17	42	167	381	547	355
All other	90	-	-	-	1	-	6	8	21	21	28	5	40	-	-	-	-	-	1	2	7	10	7	13
Black	39	-	-	-	-	-	4	3	15	8	8	1	21	-	-	-	-	-	-	1	5	5	4	6
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	-	-	1	2	7	3	4	16	-	-	-	-	-	-	-	2	3	4	7
White	16	-	-	-	-	-	-	1	2	6	3	4	15	-	-	-	-	-	-	-	2	3	3	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	-	-	1	3	2	2	7	-	-	-	-	-	-	-	-	1	5	1
White	8	-	-	-	-	-	-	-	1	3	2	2	7	-	-	-	-	-	-	-	-	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,903	-	-	-	1	3	28	114	272	490	565	430	1,658	-	-	-	-	1	8	23	87	248	562	729
White	1,857	-	-	-	1	3	26	110	263	476	554	424	1,632	-	-	-	-	1	7	22	86	241	552	729
All other	46	-	-	-	-	-	2	4	9	14	11	6	26	-	-	-	-	-	1	1	1	7	10	6
Black	22	-	-	-	-	-	2	3	3	6	4	4	15	-	-	-	-	-	1	1	-	6	5	2
Other diseases of endocardium (424)	87	-	-	-	-	-	2	3	11	24	32	15	72	-	1	-	-	-	1	1	5	13	28	28
White	86	-	-	-	-	-	2	3	11	24	32	14	72	-	1	-	-	-	1	1	5	13	28	28
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,298	6	4	1	10	9	18	91	249	334	312	264	1,174	6	1	1	4	5	13	31	105	201	330	475
White	1,235	5	4	1	8	8	15	80	230	323	299	262	1,140	5	1	1	2	5	12	30	97	193	325	469
All other	63	1	–	–	2	1	3	11	19	11	13	2	34	3	–	–	2	–	1	1	8	8	5	6
Black	37	1	–	–	2	–	1	7	13	6	7	–	18	2	–	–	1	–	1	1	3	4	3	3
Hypertension with or without renal disease (401,403)	57	–	–	–	–	–	–	2	12	15	16	12	67	–	–	–	–	–	1	–	3	7	12	24	20
White	56	–	–	–	–	–	–	2	12	15	16	11	60	–	–	–	–	–	–	–	3	7	10	23	17
All other	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	1	–	–	–	2	1	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	–	–	1	1	1	2
Cerebrovascular diseases (430-438)	1,156	–	–	–	3	8	18	46	126	227	416	312	1,675	1	–	1	3	10	18	38	100	247	568	689
White	1,109	–	–	–	3	8	17	43	118	216	403	301	1,629	1	–	1	3	10	18	34	91	236	552	683
All other	47	–	–	–	–	–	1	3	8	11	13	11	46	–	–	–	–	–	–	4	9	11	16	6
Black	17	–	–	–	–	–	–	1	4	3	3	6	24	–	–	–	–	–	–	–	5	6	8	5
Intracerebral and other intracranial hemorrhage (431-432)	142	–	–	–	1	1	8	13	28	44	33	14	168	1	–	1	–	5	4	11	26	43	36	41
White	134	–	–	–	1	1	7	12	27	41	31	14	164	1	–	1	–	5	4	10	25	41	36	41
All other	8	–	–	–	–	–	1	1	1	3	2	–	4	–	–	–	–	–	–	1	1	2	–	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	1	1	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	212	–	–	–	–	1	1	8	23	32	82	65	325	–	–	–	–	–	–	4	9	40	100	172
White	207	–	–	–	–	1	1	8	21	30	81	65	320	–	–	–	–	–	–	4	9	39	98	172
All other	5	–	–	–	–	–	–	–	2	2	1	–	5	–	–	–	–	–	–	–	–	1	4	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Cerebral embolism (434.1)	2	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	–	–	1	3	2
White	2	–	–	–	–	–	–	–	1	–	1	–	6	–	–	–	–	–	–	–	–	1	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	800	–	–	–	2	6	9	25	74	151	300	233	1,176	–	–	–	3	5	14	23	65	163	429	474
White	766	–	–	–	2	6	9	23	69	145	290	222	1,139	–	–	–	3	5	14	20	57	155	417	468
All other	34	–	–	–	–	–	–	2	5	6	10	11	37	–	–	–	–	–	–	3	8	8	12	6
Black	13	–	–	–	–	–	–	1	3	1	2	6	20	–	–	–	–	–	–	–	4	5	6	5
Atherosclerosis (440)	245	–	–	–	–	–	–	–	12	44	80	109	364	–	–	–	–	–	–	1	2	35	109	217
White	240	–	–	–	–	–	–	–	12	42	77	109	358	–	–	–	–	–	–	1	2	33	108	216
All other	5	–	–	–	–	–	–	–	–	2	3	–	6	–	–	–	–	–	–	–	–	2	3	1
Black	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	216	–	–	–	2	–	3	8	36	70	72	25	126	–	–	–	–	–	1	–	3	13	33	36
White	211	–	–	–	1	–	3	8	35	69	70	25	126	–	–	–	–	–	1	–	3	13	33	40	36
All other	5	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	6	1	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	1	1	–
White	5	1	–	–	–	–	–	–	1	1	1	1	2	–	–	–	–	–	–	–	–	1	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	388	5	1	1	5	6	6	11	22	71	123	135	416	8	2	–	3	3	4	3	22	34	109	229
White	370	5	1	1	5	6	4	11	19	68	119	133	407	7	2	–	3	3	2	3	20	34	108	225
All other	18	–	–	–	–	–	2	–	3	5	4	2	9	1	–	–	–	–	2	–	2	–	–	4
Black	10	–	–	–	–	–	1	–	3	5	–	1	2	–	–	–	–	–	–	–	1	–	–	1
Pneumonia (480-486)	373	4	1	1	5	6	6	11	22	68	117	132	395	8	1	–	2	3	4	3	21	34	103	216
White	357	4	1	1	5	6	4	11	19	63	113	130	388	7	1	–	2	3	2	3	19	34	103	212
All other	16	–	–	–	–	–	2	–	3	5	4	2	9	1	–	–	–	–	2	–	2	–	–	4
Black	10	–	–	–	–	–	1	–	3	5	–	1	2	–	–	–	–	–	–	–	1	–	–	1
Influenza (487)	13	1	–	–	–	–	–	–	–	3	6	3	21	–	1	–	1	–	–	–	1	–	5	13
White	13	1	–	–	–	–	–	–	–	3	6	3	21	–	1	–	1	–	–	–	1	–	5	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	663	1	–	2	–	–	10	20	107	272	182	69	326	1	–	1	1	2	4	25	62	98	97	35
White	648	1	–	2	–	–	9	18	103	268	179	68	318	1	–	1	1	2	2	24	60	97	95	35
All other	15	–	–	–	–	–	1	2	4	4	3	1	8	–	–	–	–	–	2	1	2	1	2	–
Black	9	–	–	–	–	–	1	1	3	2	2	–	4	–	–	–	–	–	1	1	1	1	–	–
Bronchitis, chronic and unspecified (490-491)	57	1	–	–	–	–	4	1	11	19	15	6	23	1	–	–	–	–	–	–	4	6	5	7
White	55	1	–	–	–	–	4	–	10	19	15	6	23	1	–	–	–	–	–	–	4	6	5	7
All other	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	199	–	–	–	–	–	1	6	33	84	61	14	69	–	–	–	–	–	–	1	9	10	24	22	3
White	196	–	–	–	–	–	1	5	33	84	59	14	68	–	–	–	–	–	–	1	9	10	24	21	3
All other	3	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	23	-	-	2	-	-	4	2	2	6	5	2	32	-	-	1	1	2	2	4	5	7	6	4
White	20	-	-	2	-	-	3	2	1	5	5	2	29	-	-	1	1	2	1	3	5	7	5	4
All other	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	1	1	-	-	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	384	-	-	-	-	-	1	11	61	163	101	47	202	-	-	-	-	-	1	12	43	61	64	21
White	377	-	-	-	-	-	1	11	59	160	100	46	198	-	-	-	-	-	-	12	41	60	64	21
All other	7	-	-	-	-	-	-	-	2	3	1	1	4	-	-	-	-	-	1	-	2	1	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Ulcer of stomach and duodenum (531-533)	60	1	-	-	-	-	-	5	5	19	17	13	53	-	-	-	-	-	-	2	4	12	13	22
White	55	1	-	-	-	-	-	4	4	18	17	11	53	-	-	-	-	-	-	2	4	12	13	22
All other	5	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	8	2	-	2	-	-	-	-	2	2	-	-	4	-	1	-	1	-	-	1	-	-	1	-
White	8	2	-	2	-	-	-	-	2	2	-	-	4	-	1	-	1	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	1	1	1	1	-	1	-	4	9	10	8	60	3	-	-	1	-	-	1	4	12	15	24
White	36	1	1	1	1	-	1	-	4	9	10	8	58	2	-	-	1	-	-	1	4	11	15	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	297	-	-	-	1	12	28	58	102	66	31	1	175	-	-	-	1	4	21	40	54	39	13	3
White	269	-	-	-	-	9	20	49	97	64	29	1	157	-	-	-	1	1	13	38	49	39	13	3
All other	28	-	-	-	1	3	8	9	5	2	2	-	18	-	-	-	-	3	8	2	5	-	-	-
Black	13	-	-	-	1	1	2	4	4	1	-	-	4	-	-	-	-	-	4	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	2	5	3	6	25	-	-	-	-	-	-	3	3	5	3	11
White	15	-	-	-	-	-	-	-	2	4	3	6	24	-	-	-	-	-	-	2	3	5	3	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	118	1	-	1	-	1	1	4	14	34	47	15	102	-	-	1	-	2	2	5	4	26	36	24
White	110	1	-	1	-	1	1	4	12	31	46	13	99	-	-	1	-	2	2	3	4	26	37	24
All other	8	-	-	-	-	-	-	-	2	3	1	2	3	-	-	-	-	-	-	2	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	-	-	1	-	-	-	-	6	8	13	3	17	-	-	-	-	-	-	-	3	3	6	5
White	28	-	-	1	-	-	-	-	5	7	13	2	17	-	-	-	-	-	-	-	3	3	6	5
All other	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	65	-	-	-	-	1	1	4	8	25	34	12	64	-	-	1	-	2	2	5	1	22	32	19
White	60	-	-	-	-	1	1	4	7	23	33	11	61	-	-	1	-	2	2	3	1	22	31	19
All other	5	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-	-	-	-	2	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Infections of kidney (590)	12	-	-	-	-	-	-	-	2	-	4	6	16	-	-	-	1	-	-	-	1	3	3	8
White	12	-	-	-	-	-	-	-	2	-	4	6	16	-	-	-	1	-	-	-	1	3	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	1	9	2	***	***	***	***	***	***	***	***	***	***	***	***
White	12	-	-	-	-	-	-	-	-	1	9	2	***	***	***	***	***	***	***	***	***	***	***	***
All other	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Black	-	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	2	1	-	-	***	***	***	***
White	***	***	***	***	***	***	***	***	***	***	***	***	3	***	***	-	2	1	-	-	***	***	***	***
All other	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***
Black	***	***	***	***	***	***	***	***	***	***	***	***	-	***	***	-	-	-	-	-	***	***	***	***

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	147	108	9	4	6	4	4	3	1	4	3	1	132	83	9	4	4	2	6	2	7	11	3	1
White	138	100	9	4	5	4	4	3	1	4	3	1	121	79	6	4	3	1	6	2	6	11	3	–
All other	9	8	–	–	1	–	–	–	–	–	–	–	11	4	3	–	1	1	–	–	1	–	–	1
Black	5	4	–	–	1	–	–	–	–	–	–	–	7	2	3	–	–	1	–	–	1	–	–	–
Certain conditions originating in the perinatal period (760-779)	171	171	–	–	–	–	–	–	–	–	–	–	123	123	–	–	–	–	–	–	–	–	–	–
White	156	156	–	–	–	–	–	–	–	–	–	–	110	110	–	–	–	–	–	–	–	–	–	–
All other	15	15	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Black	9	9	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	70	70	–	–	–	–	–	–	–	–	–	–	46	46	–	–	–	–	–	–	–	–	–	–
White	61	61	–	–	–	–	–	–	–	–	–	–	44	44	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Black	6	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-768,770-779)	101	101	–	–	–	–	–	–	–	–	–	–	75	75	–	–	–	–	–	–	–	–	–	–
White	95	95	–	–	–	–	–	–	–	–	–	–	66	66	–	–	–	–	–	–	–	–	–	–
All other	6	6	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Black	3	3	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	128	91	1	–	3	3	1	1	4	9	7	7	100	57	2	–	–	4	1	–	5	5	10	16
White	117	82	1	–	3	3	1	1	3	9	7	6	91	50	2	–	–	3	1	–	5	5	10	15
All other	11	9	–	–	–	–	–	–	1	–	–	1	9	7	–	–	–	1	–	–	–	–	–	1
Black	7	5	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
All other diseases (Residual)	904	17	7	11	22	31	39	61	135	226	201	134	920	9	4	14	14	23	35	66	97	179	241	238
White	851	17	6	9	21	25	36	72	125	219	193	128	872	8	3	14	13	17	28	61	91	174	230	233
All other	53	–	1	2	1	6	3	8	10	7	8	6	48	1	1	–	1	6	7	5	6	5	11	5
Black	22	–	1	1	–	3	1	5	2	5	2	2	17	1	–	–	–	–	4	1	3	3	5	–
Accidents and adverse effects (E800-E949)	1,448	11	40	64	432	315	130	108	116	96	82	54	573	5	24	24	121	77	55	47	46	48	83	62
White	1,347	10	31	59	413	283	118	92	105	94	80	52	530	4	20	21	112	71	47	43	44	45	62	60
All other	101	1	9	5	19	22	12	16	11	2	2	2	43	1	4	3	9	6	8	4	2	3	1	2
Black	38	1	3	2	5	12	3	9	1	1	1	–	5	–	1	–	1	1	1	–	–	1	–	–
Motor vehicle accidents (E810-E825)	768	4	13	31	304	197	78	52	52	34	22	13	308	3	10	15	95	60	37	24	21	19	20	5
White	741	3	11	26	294	185	67	42	48	32	21	12	281	3	9	12	89	56	30	20	19	18	20	5
All other	57	1	2	5	10	12	9	10	4	2	1	1	28	–	1	3	6	4	7	4	2	1	–	–
Black	22	1	–	2	2	6	3	6	–	1	1	–	3	–	–	–	1	1	1	–	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	650	7	27	33	128	118	54	56	64	62	60	41	264	2	14	9	26	17	18	23	25	29	43	57
White	606	7	20	33	119	108	51	50	57	62	59	40	249	1	11	9	23	15	17	23	25	27	42	55
All other	44	–	7	–	9	10	3	6	7	–	1	1	15	1	3	–	3	2	1	–	–	2	1	2
Black	16	–	3	–	3	6	–	3	1	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–
Suicide (E950-E959)	411	...	...	3	92	84	56	52	51	40	23	10	146	...	...	3	18	35	23	25	21	14	6	1
White	379	...	...	3	81	74	48	52	50	38	23	10	139	...	...	3	17	34	22	22	20	14	6	1
All other	32	...	...	–	11	10	8	–	1	2	–	–	7	...	...	–	1	1	1	3	1	–	–	–
Black	17	...	...	–	7	5	4	–	1	–	–	–	2	...	...	–	–	1	–	–	1	–	–	–
Homicide and legal intervention (E960-E978)	149	2	2	3	38	56	23	12	10	1	1	1	60	2	3	3	15	22	3	3	3	3	2	1
White	108	2	2	3	28	38	15	9	7	1	–	1	49	1	2	3	10	16	3	3	3	3	2	1
All other	41	–	–	–	8	16	8	3	3	–	1	–	11	1	1	–	5	4	–	–	–	–	–	–
Black	26	–	–	–	7	10	4	2	2	–	1	–	7	–	1	–	4	2	–	–	–	–	–	–
All other external causes (E980-E999)	44	2	–	–	11	10	7	8	3	3	–	–	14	–	–	1	1	3	2	1	3	2	1	–
White	39	1	–	–	11	10	3	8	3	3	–	–	14	–	–	1	1	3	2	1	3	2	1	–
All other	5	1	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,642	235	41	57	321	301	348	671	1,974	2,853	2,470	1,270	8,323	177	41	59	112	118	180	483	1,170	1,810	2,343	1,884
White	10,152	226	40	54	307	283	328	629	1,905	2,741	2,337	1,202	7,885	157	38	52	101	114	174	443	1,113	1,703	2,231	1,767
All other	490	9	1	3	14	18	20	42	69	112	133	68	438	20	3	1	11	4	6	40	57	107	112	77
Black	489	9	1	3	14	18	20	42	69	112	132	68	433	18	3	1	11	4	6	39	57	107	112	75
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	24	-	-	-	1	-	2	3	4	5	7	2	5	-	-	-	-	-	-	1	2	2	-	-
White	21	-	-	-	-	-	1	3	3	5	7	2	5	-	-	-	-	-	-	1	2	2	-	-
All other	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	22	-	-	-	-	-	2	3	4	5	6	2	5	-	-	-	-	-	-	1	2	2	-	-
White	20	-	-	-	-	-	1	3	3	5	6	2	5	-	-	-	-	-	-	1	2	2	-	-
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	38	2	-	-	-	-	2	4	4	9	13	4	47	7	-	1	-	-	5	1	6	9	9	9
White	34	2	-	-	-	-	2	4	3	7	12	4	42	6	-	-	-	-	5	-	5	9	8	9
All other	4	-	-	-	-	-	-	-	1	2	1	-	5	1	-	1	-	-	-	1	1	-	1	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	5	1	-	1	-	-	-	1	1	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	4	1	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	4	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	17	1	-	-	1	1	1	2	5	1	3	2	14	-	2	1	-	2	-	1	3	4	1	-
White	16	1	-	-	1	1	1	2	5	1	2	2	12	-	2	1	-	2	-	-	3	3	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,022	2	4	3	9	21	45	188	482	659	457	152	1,578	1	2	5	7	30	60	174	388	433	339	139
White	1,941	2	4	3	9	21	44	184	471	636	425	142	1,503	1	2	5	7	29	59	162	378	407	325	128
All other	81	-	-	-	-	-	1	4	11	23	32	10	75	-	-	-	-	1	1	12	10	26	14	11
Black	81	-	-	-	-	-	1	4	11	23	32	10	74	-	-	-	-	1	1	11	10	26	14	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	38	–	–	–	–	–	1	4	9	11	12	1	16	–	–	–	–	–	–	3	2	4	3	4
White	33	–	–	–	–	–	1	3	8	10	10	1	16	–	–	–	–	–	–	3	2	4	3	4
All other	5	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	5	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	477	1	–	–	1	5	7	46	105	149	120	43	411	–	–	–	–	3	8	28	83	111	112	66
White	463	1	–	–	1	5	7	45	102	144	115	43	386	–	–	–	–	3	8	24	81	100	109	61
All other	14	–	–	–	–	–	–	1	3	5	5	–	25	–	–	–	–	–	–	4	2	11	3	5
Black	14	–	–	–	–	–	–	1	3	5	5	–	24	–	–	–	–	–	–	3	2	11	3	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	779	–	–	–	–	1	12	84	240	272	139	31	247	–	–	–	–	3	7	42	84	62	28	11
White	753	–	–	–	–	1	11	83	233	267	131	27	237	–	–	–	–	3	7	38	81	61	28	9
All other	26	–	–	–	–	–	1	1	7	5	8	4	10	–	–	–	–	–	–	4	3	1	–	2
Black	26	–	–	–	–	–	1	1	7	5	8	4	10	–	–	–	–	–	–	4	3	1	–	2
Malignant neoplasm of breast (174-175)	–	–	–	–	–	–	–	–	–	–	–	–	269	–	–	–	–	7	16	42	66	74	43	19
White	–	–	–	–	–	–	–	–	–	–	–	–	274	–	–	–	–	7	15	39	67	68	41	17
All other	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	1	3	1	6	2	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	1	3	1	6	2	2
Malignant neoplasms of genital organs (179-187)	203	–	–	–	–	2	2	3	15	63	80	38	222	–	1	–	2	4	12	21	52	63	53	14
White	183	–	–	–	–	2	2	3	15	59	68	34	208	–	1	–	2	4	12	21	50	59	47	12
All other	20	–	–	–	–	–	–	–	–	4	12	4	14	–	–	–	–	–	–	–	2	4	6	2
Black	20	–	–	–	–	–	–	–	–	4	12	4	14	–	–	–	–	–	–	–	2	4	6	2
Malignant neoplasms of urinary organs (188-189)	103	–	–	–	–	–	1	6	23	35	27	11	44	–	–	–	–	–	–	5	6	12	18	3
White	99	–	–	–	–	–	1	6	23	33	26	10	44	–	–	–	–	–	–	5	6	12	18	3
All other	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	261	–	4	–	4	7	13	32	58	76	48	19	228	1	1	2	4	6	8	26	44	74	48	14
White	252	–	4	–	4	7	13	31	58	73	44	18	221	1	1	2	4	6	8	25	42	71	47	14
All other	9	–	–	–	–	–	–	1	–	3	4	1	7	–	–	–	–	–	–	1	2	3	1	–
Black	9	–	–	–	–	–	–	1	–	3	4	1	7	–	–	–	–	–	–	1	2	3	1	–
Leukemia (204-208)	64	1	–	2	2	5	3	2	13	20	12	4	54	–	–	3	–	5	5	4	4	9	20	4
White	62	1	–	2	2	5	3	2	13	18	12	4	53	–	–	3	–	5	5	4	4	9	19	4
All other	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	97	–	–	1	2	1	6	11	19	33	19	5	67	–	–	–	1	2	4	3	15	24	14	4
White	96	–	–	1	2	1	6	11	19	32	19	5	64	–	–	–	1	1	4	3	15	23	13	4
All other	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	1	–	–	–	1	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	1	–	–	–	1	1	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	–	–	–	–	2	1	4	4	6	7	2	31	–	–	–	1	3	–	6	8	7	4	2
White	24	–	–	–	–	2	1	4	3	6	6	2	31	–	–	–	1	3	–	6	8	7	4	2
All other	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes mellitus (250)	125	–	–	–	2	2	5	3	30	42	29	12	222	–	–	1	–	–	5	7	35	67	68	39
White	111	–	–	–	2	2	5	2	28	36	25	11	200	–	–	1	–	–	4	7	29	57	64	38
All other	14	–	–	–	–	–	–	1	2	6	4	1	22	–	–	–	–	–	1	–	6	10	4	1
Black	14	–	–	–	–	–	–	1	2	6	4	1	22	–	–	–	–	–	1	–	6	10	4	1
Nutritional deficiencies (260-269)	15	–	–	–	–	–	–	2	–	1	4	8	15	–	–	–	–	–	–	–	1	1	6	7
White	15	–	–	–	–	–	–	2	–	1	4	8	15	–	–	–	–	–	–	–	1	1	6	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	13	–	–	–	1	–	1	–	3	1	1	6	12	–	–	1	–	–	–	–	1	3	6	1
White	10	–	–	–	–	–	–	–	3	1	1	5	12	–	–	1	–	–	–	–	1	3	6	1
All other	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	6	2	–	–	–	1	–	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–	1	–
White	6	2	–	–	–	1	–	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	5,376	5	–	2	8	24	104	425	945	1,521	1,497	844	4,693	6	–	2	7	12	40	155	493	1,021	1,585	1,372
White	5,150	5	–	2	7	21	99	406	908	1,464	1,430	809	4,449	5	–	2	6	11	38	143	462	963	1,507	1,312
All other	226	–	–	–	1	3	5	19	37	57	67	36	244	1	–	–	1	1	2	12	31	58	78	60
Black	225	–	–	–	1	3	5	19	37	57	66	36	242	1	–	–	1	1	2	12	31	58	78	58

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	4,466	4	–	1	6	21	94	387	833	1,287	1,172	660	3,583	4	–	2	4	9	25	127	393	813	1,170	1,016
White	4,286	4	–	1	5	18	89	370	804	1,242	1,121	632	3,382	3	–	2	4	8	23	118	368	768	1,119	973
All other	180	–	–	–	1	3	5	17	29	45	51	28	181	1	–	–	–	1	2	11	27	45	51	43
Black	179	–	–	–	1	3	5	17	29	45	50	28	179	1	–	–	–	1	2	11	27	45	51	41
Rheumatic fever and rheumatic heart disease (390-398)	20	–	–	–	–	2	1	1	11	3	1	1	49	–	–	–	–	–	3	13	13	10	8	2
White	20	–	–	–	–	2	1	1	11	3	1	1	47	–	–	–	–	–	3	12	12	10	8	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Hypertensive heart disease (402)	70	–	–	–	–	–	4	–	17	14	22	13	121	–	–	–	–	–	3	9	13	24	48	24
White	64	–	–	–	–	–	3	–	15	12	21	13	111	–	–	–	–	–	3	8	11	20	47	24
All other	6	–	–	–	–	–	1	–	2	2	1	–	10	–	–	–	–	–	–	1	2	4	1	–
Black	6	–	–	–	–	–	1	–	2	2	1	–	10	–	–	–	–	–	–	3	2	4	1	–
Hypertensive heart and renal disease (404)	14	–	–	–	–	–	–	–	2	3	7	2	21	–	–	–	–	–	–	1	4	4	6	6
White	13	–	–	–	–	–	–	–	1	3	7	2	19	–	–	–	–	–	–	–	3	4	6	6
All other	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Ischemic heart disease (410-414)	3,389	–	–	–	–	8	73	303	639	1,039	886	450	2,483	–	–	–	1	3	12	72	290	807	810	688
White	3,273	–	–	–	–	8	71	288	620	1,003	849	434	2,359	–	–	–	1	3	11	69	270	576	772	657
All other	126	–	–	–	–	–	2	15	19	36	37	16	124	–	–	–	–	–	1	3	20	31	38	31
Black	125	–	–	–	–	–	2	15	19	36	36	16	122	–	–	–	–	–	1	3	20	31	36	29
Acute myocardial infarction (410)	2,025	–	–	–	–	5	59	236	471	647	458	149	1,252	–	–	–	–	3	10	54	169	373	409	214
White	1,953	–	–	–	–	5	58	224	459	628	434	145	1,195	–	–	–	–	3	9	53	175	358	393	204
All other	72	–	–	–	–	–	1	12	12	19	24	4	57	–	–	–	–	–	1	1	14	15	16	10
Black	72	–	–	–	–	–	1	12	12	19	24	4	56	–	–	–	–	–	1	1	14	15	16	9
Other acute and subacute forms of ischemic heart disease (411)	19	–	–	–	–	–	–	2	4	7	5	1	9	–	–	–	–	–	–	1	1	2	3	2
White	19	–	–	–	–	–	–	2	4	7	5	1	9	–	–	–	–	–	–	1	1	2	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	1	1	1	–	1	–	5	–	–	–	–	–	–	–	–	2	3	–
White	4	–	–	–	–	–	1	1	1	–	1	–	5	–	–	–	–	–	–	–	–	2	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,351	–	–	–	–	3	13	64	163	385	422	300	1,217	–	–	–	1	–	2	17	100	232	396	469
White	1,297	–	–	–	–	3	12	61	156	368	409	288	1,150	–	–	–	1	–	2	15	94	218	374	448
All other	54	–	–	–	–	–	1	3	7	17	13	12	67	–	–	–	–	–	–	2	6	16	22	21
Black	53	–	–	–	–	–	1	3	7	17	12	12	66	–	–	–	–	–	–	2	6	16	22	20
Other diseases of endocardium (424)	23	–	–	–	1	3	–	1	5	5	5	3	28	–	–	–	1	1	–	2	1	5	11	7
White	22	–	–	–	1	3	–	1	5	5	5	2	28	–	–	–	1	1	–	2	1	5	11	7
All other	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	940	4	–	1	5	8	16	82	159	223	251	191	861	4	–	2	2	5	7	30	72	168	287	289
White	894	4	–	1	4	5	14	80	152	218	238	180	818	3	–	2	2	4	6	27	69	159	275	277
All other	46	–	–	–	1	3	2	2	7	7	13	11	43	1	–	–	–	1	1	3	3	10	12	12
Black	46	–	–	–	1	3	2	2	7	7	13	11	43	1	–	–	–	1	1	3	3	10	12	12
Hypertension with or without renal disease (401,403)	31	–	–	–	–	–	1	1	8	7	7	7	36	–	–	–	–	–	1	1	7	7	9	11
White	31	–	–	–	–	–	1	1	8	7	7	7	31	–	–	–	–	–	1	–	7	5	8	10
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	2	1	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	2	1	1
Cerebrovascular diseases (430-438)	679	1	–	–	2	3	8	27	81	167	253	137	880	2	–	–	3	2	13	23	74	169	387	209
White	636	1	–	–	2	3	8	25	74	155	238	130	833	2	–	–	2	2	13	23	71	155	376	249
All other	43	–	–	–	–	–	–	2	7	12	15	7	47	–	–	–	1	–	–	–	3	8	21	14
Black	43	–	–	–	–	–	–	2	7	12	15	7	47	–	–	–	1	–	–	–	3	8	21	14
Intracerebral and other intracranial hemorrhage (431-432)	90	–	–	–	1	2	3	5	15	31	26	7	96	1	–	–	1	–	4	11	13	21	27	18
White	81	–	–	–	1	2	3	4	15	27	22	7	93	1	–	–	1	–	4	11	13	20	25	18
All other	9	–	–	–	–	–	–	1	–	4	4	–	3	–	–	–	–	–	–	–	–	1	2	–
Black	9	–	–	–	–	–	–	1	–	4	4	–	3	–	–	–	–	–	–	–	–	1	2	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	118	1	–	–	–	–	–	4	15	29	46	23	190	–	–	–	–	–	1	–	6	35	82	69
White	110	1	–	–	–	–	–	4	15	26	43	21	188	–	–	–	–	–	1	–	6	35	77	67
All other	8	–	–	–	–	–	–	–	–	3	3	2	8	–	–	–	–	–	–	–	–	1	5	2
Black	8	–	–	–	–	–	–	–	–	3	3	2	8	–	–	–	–	–	–	–	–	1	5	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	470	-	-	-	1	1	5	18	51	107	181	106	585	1	-	-	2	2	8	12	53	105	228	174
White	444	-	-	-	1	1	5	17	44	102	173	101	549	1	-	-	1	2	8	12	50	99	214	162
All other	26	-	-	-	-	-	-	1	7	5	8	5	36	-	-	-	1	-	-	-	3	6	14	12
Black	26	-	-	-	-	-	-	1	7	5	8	5	36	-	-	-	1	-	-	-	3	6	14	12
Atherosclerosis (440)	106	-	-	-	-	-	-	1	9	28	32	36	138	-	-	-	-	-	-	1	5	18	47	67
White	103	-	-	-	-	-	-	1	8	28	31	35	131	-	-	-	-	-	-	1	5	16	44	65
All other	3	-	-	-	-	-	-	-	1	-	1	1	7	-	-	-	-	-	-	-	-	2	3	2
Black	3	-	-	-	-	-	-	-	1	-	1	1	7	-	-	-	-	-	-	-	-	2	3	2
Other diseases of arteries, arterioles, and capillaries (441-448)	94	-	-	1	-	-	1	9	14	32	33	4	78	-	-	-	-	1	1	3	14	20	22	15
White	94	-	-	1	-	-	1	9	14	32	33	4	72	-	-	-	-	1	1	3	13	19	20	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Acute bronchitis and bronchiolitis (466)	2	-	1	-	-	-	-	-	-	1	-	-	3	1	1	-	-	-	-	-	-	-	1	-
White	2	-	1	-	-	-	-	-	-	1	-	-	3	1	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	218	6	1	1	2	5	3	9	17	51	70	53	158	1	-	1	2	1	2	8	13	18	44	68
White	209	6	1	1	2	5	3	6	16	50	69	50	154	1	-	1	2	1	1	7	13	17	43	68
All other	9	-	-	-	-	-	-	3	1	1	1	3	4	-	-	-	-	-	1	1	-	1	1	-
Black	9	-	-	-	-	-	-	3	1	1	1	3	4	-	-	-	-	-	1	1	-	1	1	-
Pneumonia (480-486)	218	6	1	1	2	5	2	9	17	51	70	52	154	1	-	1	2	1	2	8	12	18	43	66
White	207	6	1	1	2	5	2	6	16	50	69	49	150	1	-	1	2	1	1	7	12	17	42	66
All other	9	-	-	-	-	-	-	3	1	1	1	3	4	-	-	-	-	-	1	1	-	1	1	-
Black	9	-	-	-	-	-	-	3	1	1	1	3	4	-	-	-	-	-	1	1	-	1	1	-
Influenza (487)	2	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	1	2
White	2	-	-	-	-	-	1	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	447	1	-	-	-	-	3	25	82	190	110	36	183	-	1	-	-	1	4	16	57	54	35	15
White	425	1	-	-	-	-	2	24	78	184	104	32	179	-	1	-	-	1	4	16	56	54	33	14
All other	22	-	-	-	-	-	1	1	4	6	6	4	4	-	-	-	-	-	-	-	1	-	2	1
Black	22	-	-	-	-	-	1	1	4	6	6	4	4	-	-	-	-	-	-	-	1	-	2	1
Bronchitis, chronic and unspecified (490-491)	23	1	-	-	-	-	-	2	5	7	4	4	22	-	-	-	-	1	-	4	3	6	6	2
White	22	1	-	-	-	-	-	2	5	6	4	4	21	-	-	-	-	1	-	4	3	6	5	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	116	-	-	-	-	-	1	3	26	50	26	12	41	-	-	-	-	-	-	4	13	16	5	3
White	114	-	-	-	-	-	1	3	24	49	26	11	40	-	-	-	-	-	-	4	13	16	4	3
All other	4	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	11	-	-	-	-	-	-	-	4	4	3	-	19	-	1	-	-	-	-	2	1	8	4	2	1
White	9	-	-	-	-	-	-	-	3	3	3	-	19	-	1	-	-	-	-	2	1	8	4	2	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	285	-	-	-	-	-	2	20	47	129	77	20	101	-	-	-	-	-	-	2	7	33	28	22	9
White	280	-	-	-	-	-	1	19	46	126	71	17	99	-	-	-	-	-	-	2	7	32	28	22	8
All other	15	-	-	-	-	-	1	1	1	3	6	3	2	-	-	-	-	-	-	-	-	1	-	-	1
Black	15	-	-	-	-	-	1	1	1	3	6	3	2	-	-	-	-	-	-	-	-	1	-	-	1
Ulcer of stomach and duodenum (531-533)	33	1	-	-	-	-	3	3	5	8	8	5	21	-	-	-	-	-	-	2	1	5	6	7	
White	33	1	-	-	-	-	3	3	5	8	8	5	20	-	-	-	-	-	-	2	1	5	5	7	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Appendicitis (540-543)	3	-	-	1	-	-	1	-	-	1	-	-	3	-	-	-	1	-	-	-	-	1	1	-	
White	3	-	-	1	-	-	1	-	-	1	-	-	3	-	-	-	1	-	-	-	-	1	1	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	1	-	-	-	1	1	3	2	5	10	3	34	-	-	-	-	-	-	4	9	8	10	3	
White	25	1	-	-	-	1	1	3	2	4	10	3	31	-	-	-	-	-	-	3	9	7	10	2	
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	-	1	
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	-	1	

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	151	-	-	-	-	7	20	39	36	44	3	2	68	-	-	-	1	1	3	13	26	14	8	2
White	142	-	-	-	-	5	18	36	35	43	3	2	59	-	-	-	-	-	3	10	24	12	8	2
All other	9	-	-	-	-	2	2	3	1	1	-	-	9	-	-	-	1	1	-	3	2	2	-	-
Black	9	-	-	-	-	2	2	3	1	1	-	-	9	-	-	-	1	1	-	3	2	2	-	-
Cholelithiasis and other disorders of gallbladder (574-576)	11	-	-	-	-	-	-	-	1	3	2	5	18	-	-	-	-	-	-	1	4	5	5	3
White	11	-	-	-	-	-	-	-	1	3	2	5	18	-	-	-	-	-	-	1	4	5	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	88	3	-	1	1	1	-	7	10	12	25	28	65	1	-	1	-	-	-	2	9	12	18	22
White	81	3	-	1	1	1	-	6	8	12	23	26	63	1	-	1	-	-	-	2	9	11	18	21
All other	7	-	-	-	-	-	-	1	2	-	2	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	7	-	-	-	-	-	-	1	2	-	2	2	2	-	-	-	-	-	-	-	-	1	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	-	1	-	-	2	-	4	2	7	-	-	-	-	-	-	1	2	2	1	1
White	8	-	-	-	-	1	-	-	2	-	3	2	7	-	-	-	-	-	-	1	2	2	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	78	3	-	1	1	-	-	7	8	12	21	25	57	1	-	1	-	-	-	1	7	9	17	21
White	72	3	-	1	1	-	-	6	6	12	20	23	55	1	-	1	-	-	-	1	7	8	17	20
All other	6	-	-	-	-	-	-	1	2	-	1	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	6	-	-	-	-	-	-	1	2	-	1	2	2	-	-	-	-	-	-	-	-	1	-	1
Infections of kidney (590)	9	-	-	1	-	-	-	-	-	2	3	3	18	-	-	-	-	-	-	-	-	3	7	6
White	9	-	-	1	-	-	-	-	-	2	3	3	15	-	-	-	-	-	-	-	-	2	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	1	1	4	5	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	1	1	4	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	1	2	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	1	2	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	1	2	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	1	2	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	48	27	3	6	3	1	-	3	-	3	-	-	43	23	6	1	2	2	4	1	3	-	1	-
White	42	25	3	5	2	1	-	3	-	3	-	-	42	23	6	1	1	2	4	1	3	-	1	-
All other	4	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	4	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	127	126	1	-	-	-	-	-	-	-	-	-	98	98	-	-	-	-	-	-	-	-	-	-
White	122	121	1	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	54	54	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
White	53	53	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	73	72	1	-	-	-	-	-	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
White	69	68	1	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	103	37	2	-	2	2	3	4	11	17	13	12	85	22	-	-	-	-	2	6	11	9	13	22
White	94	35	2	-	2	2	3	4	11	16	10	9	80	19	-	-	-	-	2	5	11	8	13	22
All other	9	2	-	-	-	-	-	-	-	1	3	3	5	3	-	-	-	-	-	1	-	1	-	-
Black	9	2	-	-	-	-	-	-	-	1	3	3	5	3	-	-	-	-	-	1	-	1	-	-
All other diseases (Residual)	623	16	10	7	11	17	27	39	110	180	143	63	473	10	7	11	8	11	20	38	68	86	127	89
White	582	16	10	6	11	14	24	37	106	169	132	57	451	10	7	11	7	11	20	34	63	82	117	89
All other	41	-	-	1	-	3	3	2	4	11	11	6	22	-	-	-	1	-	-	2	5	4	10	-
Black	41	-	-	1	-	3	3	2	4	11	11	6	22	-	-	-	1	-	-	2	5	4	10	-
Accidents and adverse effects (E800-E949)	773	4	18	30	228	142	83	75	85	51	38	18	311	3	18	20	61	26	20	25	19	42	48	28
White	741	4	17	29	224	138	80	68	81	48	35	17	298	3	16	20	58	25	20	20	19	41	47	26
All other	32	-	1	1	4	4	3	7	4	3	4	1	15	-	2	-	3	1	-	5	-	1	1	2
Black	32	-	1	1	4	4	3	7	4	3	4	1	15	-	2	-	3	1	-	5	-	1	1	2
Motor vehicle accidents (E810-E825)	397	2	5	18	162	82	41	21	33	20	10	3	151	1	11	12	45	23	16	15	6	9	11	2
White	385	2	5	18	159	80	39	20	31	19	9	3	144	1	10	12	43	22	16	13	6	8	10	2
All other	12	-	-	-	3	2	2	1	2	1	1	-	7	-	1	-	2	1	-	2	-	-	1	-
Black	12	-	-	-	3	2	2	1	2	1	1	-	7	-	1	-	2	1	-	2	-	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	376	2	13	12	66	60	42	54	52	31	29	15	160	2	7	8	16	3	4	10	13	33	37	26
White	356	2	12	11	65	58	41	48	50	29	26	14	152	2	6	8	15	3	4	7	13	32	37	24
All other	20	-	1	1	1	2	1	6	2	2	3	1	8	-	1	-	1	-	-	3	-	1	-	2
Black	20	-	1	1	1	2	1	6	2	2	3	1	8	-	1	-	1	-	-	3	-	1	-	2
Suicide (E950-E959)	188	...	...	2	24	36	27	20	27	28	21	3	55	...	...	1	9	12	9	16	5	3	-	-
White	187	...	...	2	24	35	27	20	27	28	21	3	54	...	...	1	9	12	9	15	5	3	-	-
All other	1	...	...	-	-	1	-	-	-	-	-	-	1	...	...	-	-	-	-	1	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	1	...	...	-	-	-	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	103	1	1	3	24	35	15	9	8	6	-	1	42	-	4	4	9	9	5	5	3	2	-	-
White	89	1	1	3	19	30	12	6	6	6	-	1	36	-	3	4	6	9	4	5	2	2	-	-
All other	14	-	-	-	5	5	3	1	-	-	-	-	6	-	1	-	3	-	1	-	1	-	-	-
Black	14	-	-	-	5	5	3	1	-	-	-	-	6	-	1	-	3	-	1	-	1	-	-	-
All other external causes (E980-E999)	15	-	-	-	4	3	1	2	2	2	1	-	13	1	-	1	2	5	1	2	1	-	-	-
White	14	-	-	-	3	3	1	2	2	2	1	-	12	1	-	1	1	5	1	2	1	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN																								
All causes	21,492	433	78	129	698	523	526	1,412	3,249	5,473	5,867	3,079	17,691	359	55	77	240	161	338	824	1,803	3,382	5,482	4,954
White	20,887	397	73	120	667	474	484	1,320	3,133	5,357	5,796	3,052	17,229	309	52	72	220	159	311	769	1,734	3,292	5,391	4,904
All other	605	46	5	9	31	49	42	92	116	116	71	27	462	50	3	5	20	22	27	55	69	90	71	50
Black	484	41	4	5	18	42	33	85	93	93	54	15	368	46	3	3	15	17	22	43	55	72	53	40
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	17	-	-	1	-	-	-	3	4	6	3	-	11	-	-	-	-	-	-	-	1	2	5	3
White	15	-	-	-	-	-	-	2	4	6	3	-	10	-	-	-	-	-	-	-	1	2	4	3
All other	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	-	2	4	5	3	-	7	-	-	-	-	-	-	-	1	2	3	1
White	13	-	-	-	-	-	-	1	4	5	3	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	3	-	-	1	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	-	2	2
White	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	55	1	1	-	1	-	-	1	7	11	26	7	52	1	-	-	1	-	1	2	2	12	17	16
White	53	1	1	-	1	-	-	1	5	11	26	7	49	-	-	-	1	-	1	2	2	11	17	15
All other	2	-	-	-	-	-	-	-	2	-	-	-	3	1	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	1	-	-	-	-	-	-	-	1	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	1	1	-	-	-	-	-	2	5	1	-	-	-	-	1	2	-	-	-	1
White	4	-	-	-	1	1	-	-	-	-	-	2	4	1	-	-	-	-	-	2	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	50	7	1	-	3	4	1	8	10	9	6	1	33	1	-	3	1	-	1	5	6	9	3	4
White	45	7	1	-	2	4	-	7	9	8	5	1	32	1	-	3	1	-	-	5	6	9	3	4
All other	5	-	-	-	1	-	1	1	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	4	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,459	3	5	19	36	39	82	383	954	1,397	1,159	380	3,737	-	7	15	21	33	108	368	761	1,037	952	435
White	4,323	3	5	17	33	35	78	350	928	1,357	1,139	376	3,643	-	7	14	20	31	107	345	736	1,010	944	427
All other	136	-	-	2	3	4	4	33	26	40	20	4	94	-	-	1	1	2	1	21	25	27	8	8
Black	119	-	-	1	1	2	3	31	23	35	19	4	78	-	-	-	1	2	1	15	21	24	6	8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	123	-	-	-	-	1	1	21	37	33	22	7	50	-	-	-	-	-	-	5	14	17	6	6
White	117	-	-	-	-	1	1	17	37	32	21	7	47	-	-	-	-	-	-	3	13	17	6	6
All other	6	-	-	-	-	-	-	4	-	1	1	-	3	-	-	-	-	-	-	2	1	-	-	-
Black	5	-	-	-	-	-	-	3	-	1	1	-	3	-	-	-	-	-	-	2	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,259	-	-	-	4	5	21	87	256	391	384	111	1,033	-	-	-	2	5	11	54	160	287	324	170
White	1,221	-	-	-	4	4	19	79	251	375	380	109	1,006	-	-	-	2	4	11	50	172	279	319	169
All other	38	-	-	-	-	1	2	8	5	16	4	2	27	-	-	-	-	1	-	4	8	8	5	1
Black	30	-	-	-	-	-	2	7	4	12	3	2	22	-	-	-	-	1	-	2	7	7	4	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,289	-	-	-	2	1	24	148	367	442	248	56	412	-	-	-	-	-	15	64	101	128	83	23
White	1,243	-	-	-	2	1	23	132	353	433	242	56	400	-	-	-	-	-	15	62	95	122	83	23
All other	46	-	-	-	-	-	1	16	14	9	6	-	12	-	-	-	-	-	-	2	6	4	-	-
Black	44	-	-	-	-	-	1	16	12	9	6	-	10	-	-	-	-	-	-	2	5	3	-	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	2	1	-	-	750	-	-	-	-	-	9	44	102	190	182	154	68
White	3	-	-	-	-	-	-	-	2	1	-	-	738	-	-	-	-	-	8	43	101	187	178	154	68
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	1	1	1	3	4	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	1	1	1	3	4	-	2
Malignant neoplasms of genital organs (179-187)	503	1	-	-	2	5	1	3	50	164	193	84	501	-	-	1	1	5	15	65	118	141	110	45
White	483	1	-	-	2	5	1	2	47	157	185	83	478	-	-	-	1	5	15	56	114	134	109	44
All other	20	-	-	-	-	-	-	1	3	7	8	1	23	-	-	1	-	-	-	9	4	7	1	1
Black	20	-	-	-	-	-	-	1	3	7	8	1	17	-	-	-	-	-	-	5	3	7	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	287	-	-	1	-	-	2	22	52	84	92	34	146	-	-	-	2	1	-	-	5	17	35	52	34
White	283	-	-	1	-	-	2	20	51	83	92	34	143	-	-	-	2	1	-	-	5	16	35	52	32
All other	4	-	-	-	-	-	-	2	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	-	2
Black	4	-	-	-	-	-	-	2	1	1	-	-	3	-	-	-	-	-	-	-	-	1	-	-	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	577	-	5	6	13	16	19	69	130	162	115	42	492	-	5	4	10	8	14	43	87	148	116	56
White	564	-	5	5	12	14	19	67	127	158	115	42	483	-	5	4	10	8	14	41	85	146	115	54
All other	13	-	-	1	1	2	-	2	3	4	-	-	9	-	-	-	-	-	-	2	2	2	1	2
Black	12	-	-	1	1	2	-	2	3	3	-	-	6	-	-	-	-	-	-	2	1	1	-	2
Leukemia (204-208)	189	2	-	9	7	6	7	16	18	48	50	26	140	-	2	5	3	2	4	14	15	35	41	19
White	184	2	-	8	6	6	6	16	18	48	49	25	138	-	2	5	2	2	4	14	15	35	40	19
All other	5	-	-	1	1	-	1	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	229	-	-	3	8	5	7	17	42	72	55	20	213	-	-	3	4	4	5	14	39	66	64	14
White	225	-	-	3	7	4	7	17	42	70	55	20	210	-	-	3	4	4	5	13	39	64	64	14
All other	4	-	-	-	1	1	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	56	1	2	-	-	3	-	2	8	15	16	8	54	2	-	1	-	1	-	4	8	11	17	10
White	56	1	2	-	-	3	-	2	8	15	16	9	53	2	-	1	-	1	-	4	8	11	17	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes mellitus (250)	306	-	-	-	2	14	8	18	54	89	91	30	437	-	-	-	1	7	13	22	60	99	133	101
White	299	-	-	-	2	14	8	16	51	87	91	30	423	-	-	-	1	7	13	20	55	96	129	101
All other	7	-	-	-	-	-	-	2	3	2	-	-	14	-	-	-	-	-	-	2	5	3	4	-
Black	6	-	-	-	-	-	-	2	2	2	-	-	8	-	-	-	-	-	-	1	4	2	1	-
Nutritional deficiencies (260-269)	14	2	-	-	-	-	1	-	1	4	4	2	40	-	-	-	-	-	-	1	3	2	12	22
White	14	2	-	-	-	-	1	-	1	4	4	2	39	-	-	-	-	-	-	-	3	2	12	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Anemias (280-285)	32	3	1	-	-	-	-	1	3	8	11	5	25	-	-	-	-	-	-	-	2	2	8	13
White	30	1	1	-	-	-	-	1	3	8	11	5	24	-	-	-	-	-	-	-	2	2	8	12
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Meningitis (320-322)	12	4	2	-	2	-	-	-	-	2	2	-	7	2	2	-	-	-	-	1	1	-	1	-
White	10	2	2	-	2	-	-	-	-	2	2	-	5	1	2	-	-	-	-	-	1	-	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	11,008	8	1	4	20	48	147	615	1,591	3,000	3,527	2,033	9,948	5	1	5	12	19	74	210	691	1,723	3,602	3,657
White	10,795	6	1	4	17	42	132	588	1,537	2,945	3,491	2,015	9,758	2	1	4	8	18	65	195	604	1,677	3,551	3,622
All other	214	2	-	-	3	4	15	27	54	55	36	18	192	3	-	1	4	1	9	15	27	46	51	35
Black	159	2	-	-	2	4	12	26	39	40	26	8	145	2	-	-	3	-	8	13	20	35	39	25
Diseases of heart (390-398,402,404-429)	8,829	6	1	3	16	40	122	549	1,411	2,486	2,700	1,481	7,356	4	1	3	9	11	47	155	505	1,351	2,660	2,606
White	8,658	4	1	3	13	36	111	526	1,363	2,438	2,679	1,488	7,203	1	1	3	6	10	38	142	481	1,315	2,619	2,583
All other	173	2	-	-	3	4	11	23	48	48	21	13	153	3	-	-	3	1	9	13	24	36	41	23
Black	130	2	-	-	2	4	9	22	33	36	16	6	120	2	-	-	2	-	8	11	17	30	33	17
Rheumatic fever and rheumatic heart disease (390-398)	60	-	-	1	-	1	4	5	9	21	15	4	93	-	-	-	-	2	2	12	11	31	22	13
White	59	-	-	1	-	1	3	5	9	21	15	4	89	-	-	-	-	1	2	11	9	31	22	13
All other	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	1	-	1	2	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Hypertensive heart disease (402)	132	-	-	-	2	2	1	15	23	42	34	13	198	-	-	-	-	-	-	5	3	20	35	70	64
White	120	-	-	-	1	1	1	12	20	39	33	13	188	-	-	-	-	-	-	2	3	16	32	70	64
All other	12	-	-	-	1	1	-	3	3	3	1	-	10	-	-	-	-	-	-	3	-	4	3	-	-
Black	11	-	-	-	1	1	-	3	3	3	1	-	10	-	-	-	-	-	-	3	-	4	3	-	-
Hypertensive heart and renal disease (404)	29	-	-	-	-	-	1	-	1	11	10	6	33	-	-	-	-	-	-	1	1	6	13	12
White	28	-	-	-	-	-	-	-	1	11	10	6	33	-	-	-	-	-	-	1	1	6	13	12
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	7,141	-	-	-	3	22	92	440	1,177	2,046	2,201	1,147	5,653	-	-	-	2	3	28	102	377	1,053	2,096	1,991
White	7,023	-	-	-	3	20	84	426	1,143	2,011	2,168	1,135	5,546	-	-	-	1	3	22	93	363	1,026	2,068	1,969
All other	118	-	-	-	-	2	8	14	34	35	13	12	107	-	-	-	1	-	6	9	14	27	28	22
Black	81	-	-	-	-	2	6	14	20	25	9	5	87	-	-	-	1	-	5	8	9	22	25	17
Acute myocardial infarction (410)	4,128	-	-	-	1	9	57	297	830	1,337	1,152	437	2,603	-	-	-	1	2	14	68	250	634	1,024	609
White	4,076	-	-	-	1	8	55	292	813	1,321	1,147	431	2,571	-	-	-	1	2	12	64	244	624	1,018	607
All other	52	-	-	-	-	1	2	5	17	16	5	6	32	-	-	-	-	-	2	4	6	10	6	2
Black	25	-	-	-	-	1	-	5	6	7	4	2	20	-	-	-	-	-	1	3	2	6	7	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	84	–	–	–	1	1	3	11	18	26	16	10	36	–	–	–	–	–	3	3	5	10	8	7
White	76	–	–	–	1	1	1	9	15	23	16	10	33	–	–	–	–	–	2	3	4	10	8	6
All other	8	–	–	–	–	–	2	2	1	3	–	–	3	–	–	–	–	–	1	–	1	–	–	1
Black	8	–	–	–	–	–	2	2	1	3	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Angina pectoris (413)	4	–	–	–	–	–	–	–	–	2	2	–	6	–	–	–	–	–	–	1	–	–	5	–
White	4	–	–	–	–	–	–	–	–	2	2	–	6	–	–	–	–	–	–	1	–	–	5	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,825	–	–	–	1	12	32	132	331	681	1,031	700	3,006	–	–	–	1	1	11	30	122	409	1,059	1,375
White	2,667	–	–	–	1	11	28	125	315	665	1,023	694	2,936	–	–	–	–	1	8	25	115	392	1,039	1,356
All other	58	–	–	–	–	1	4	7	16	16	8	6	72	–	–	–	1	–	3	5	7	17	20	19
Black	48	–	–	–	–	1	4	7	13	15	5	3	65	–	–	–	1	–	3	5	6	16	18	16
Other diseases of endocardium (424)	70	–	–	–	–	–	–	4	15	21	23	7	80	–	–	–	–	–	–	1	3	23	32	21
White	68	–	–	–	–	–	–	4	13	21	23	7	80	–	–	–	–	–	–	1	3	23	32	21
All other	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	1,397	6	1	2	11	15	24	65	186	345	417	304	1,299	4	1	3	7	6	12	36	93	203	427	505
White	1,358	4	1	2	9	14	23	79	177	335	410	303	1,267	1	1	3	5	6	12	33	89	197	414	504
All other	39	2	–	–	2	1	1	6	9	10	7	1	32	3	–	–	2	–	–	3	4	6	13	1
Black	34	2	–	–	2	1	1	5	9	8	6	1	20	2	–	–	1	–	–	2	2	5	8	–
Hypertension with or without renal disease (401,403)	88	–	–	–	1	–	1	6	9	16	28	28	68	–	–	–	–	–	–	–	10	10	22	26
White	83	–	–	–	1	–	1	5	8	14	28	26	67	–	–	–	–	–	–	–	10	10	21	26
All other	5	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	4	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebrovascular diseases (430-438)	1,521	2	–	1	3	6	20	51	123	356	599	357	1,959	1	–	1	3	7	24	52	91	298	742	735
White	1,491	2	–	1	3	6	16	48	119	352	587	354	1,927	1	–	1	2	7	24	50	88	289	734	726
All other	30	–	–	–	–	–	4	3	4	4	12	3	32	–	–	–	1	–	–	2	3	9	8	9
Black	22	–	–	–	–	–	3	3	4	2	8	2	22	–	–	–	1	–	–	2	3	4	5	7
Intracerebral and other intracranial hemorrhage (431-432)	206	–	–	1	1	3	8	21	23	64	64	21	224	–	–	–	–	1	3	14	21	54	80	51
White	201	–	–	1	1	3	7	20	22	63	63	21	223	–	–	–	–	1	3	13	21	54	80	51
All other	5	–	–	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	5	–	–	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	300	1	–	–	–	–	1	7	21	74	124	72	380	–	–	–	–	1	3	5	14	53	157	146
White	295	1	–	–	–	–	1	7	21	72	122	71	373	–	–	–	–	1	3	5	12	51	155	145
All other	5	–	–	–	–	–	–	–	–	2	2	1	7	–	–	–	–	–	–	–	2	2	2	1
Black	2	–	–	–	–	–	–	–	–	–	1	1	6	–	–	–	–	–	–	–	2	2	1	1
Cerebral embolism (434.1)	8	–	–	–	–	–	–	–	–	2	3	3	10	–	–	–	–	–	–	1	2	2	3	2
White	8	–	–	–	–	–	–	–	–	2	3	3	10	–	–	–	–	–	–	1	2	2	3	2
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,007	1	–	–	2	3	11	23	79	216	408	261	1,345	1	–	1	3	5	18	32	54	189	502	596
White	987	1	–	–	2	3	8	21	76	215	399	259	1,321	1	–	1	2	5	18	31	53	182	496	528
All other	20	–	–	–	–	–	3	2	3	1	9	2	24	–	–	–	1	–	–	1	1	7	6	8
Black	15	–	–	–	–	–	2	2	3	1	6	1	15	–	–	–	1	–	–	1	1	2	4	6
Atherosclerosis (440)	287	–	–	–	–	–	1	2	10	44	96	134	396	–	–	–	–	–	–	1	9	28	112	246
White	284	–	–	–	–	–	1	2	10	44	95	132	393	–	–	–	–	–	–	1	9	28	112	249
All other	3	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	3
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Other diseases of arteries, arterioles, and capillaries (441-448)	284	–	–	–	–	–	3	7	38	98	103	35	168	–	–	1	–	1	3	2	16	36	66	44
White	281	–	–	–	–	–	3	7	37	97	102	35	166	–	–	1	–	1	3	2	16	35	65	44
All other	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	1	–	–	–	–	–	1	1	–
Black	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Acute bronchitis and bronchiolitis (466)	5	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
White	5	–	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	509	6	2	4	4	5	4	17	41	90	161	155	403	9	1	1	3	–	6	13	17	39	114	198
White	491	5	2	4	4	4	3	14	34	87	179	155	396	9	1	1	2	–	6	11	15	37	114	198
All other	18	1	–	–	–	1	1	3	7	3	2	–	7	–	–	–	1	–	–	2	2	2	–	–
Black	16	1	–	–	–	1	1	3	5	3	2	–	5	–	–	–	–	–	–	2	2	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	504	6	1	4	4	4	4	17	41	69	180	154	391	9	1	1	3	–	8	12	16	39	111	191
White	486	5	1	4	4	3	3	14	34	66	176	154	384	9	1	1	2	–	8	10	14	37	111	191
All other	18	1	–	–	–	1	1	3	7	3	2	–	7	–	–	–	1	–	–	2	2	2	–	–
Black	16	1	–	–	–	1	1	3	5	3	2	–	5	–	–	–	–	–	–	2	2	1	–	–
Influenza (487)	5	–	1	–	–	1	–	–	–	1	1	1	12	–	–	–	–	–	–	1	1	–	3	7
White	5	–	1	–	–	1	–	–	–	1	1	1	12	–	–	–	–	–	–	1	1	–	3	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	663	–	–	–	–	–	2	16	84	240	237	84	180	–	2	–	–	1	2	9	32	50	61	23
White	652	–	–	–	–	–	2	16	81	235	234	84	175	–	2	–	–	1	2	8	31	48	60	23
All other	11	–	–	–	–	–	–	–	3	5	3	–	5	–	–	–	–	–	–	1	1	2	1	–
Black	11	–	–	–	–	–	–	–	3	5	3	–	4	–	–	–	–	–	–	1	1	1	1	–
Bronchitis, chronic and unspecified (490-491)	38	–	–	–	–	–	–	–	3	12	14	7	10	–	–	–	–	–	–	1	–	5	1	3
White	35	–	–	–	–	–	–	–	3	12	13	7	10	–	–	–	–	–	–	1	–	5	1	3
All other	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	186	–	–	–	–	–	1	6	24	83	63	21	45	–	1	–	–	–	–	2	9	10	17	6
White	186	–	–	–	–	–	1	6	22	83	63	21	44	–	1	–	–	–	–	2	9	10	16	6
All other	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Asthma (493)	17	–	–	–	–	–	–	1	6	4	3	3	19	–	1	–	–	1	1	1	2	3	9	1
White	17	–	–	–	–	–	–	1	6	4	3	3	19	–	1	–	–	1	1	1	2	3	9	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	412	–	–	–	–	–	1	9	51	141	157	53	108	–	–	–	–	–	1	5	21	32	34	13
White	404	–	–	–	–	–	1	9	50	136	155	53	102	–	–	–	–	–	1	4	20	30	34	13
All other	8	–	–	–	–	–	–	–	1	5	2	–	4	–	–	–	–	–	–	1	1	2	–	–
Black	8	–	–	–	–	–	–	–	1	5	2	–	3	–	–	–	–	–	–	1	1	1	–	–
Ulcer of stomach and duodenum (531-533)	66	–	–	–	–	–	–	3	4	14	25	20	48	–	–	–	1	–	2	4	6	7	16	13
White	66	–	–	–	–	–	–	3	4	14	25	20	48	–	–	–	–	–	2	4	6	7	16	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Appendicitis (540-543)	10	–	–	–	1	–	1	–	1	3	2	2	3	–	–	–	–	–	–	–	–	1	2	
White	9	–	–	–	1	–	1	–	1	2	2	2	3	–	–	–	–	–	–	–	–	1	2	
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	1	–	–	–	–	–	2	6	10	10	14	83	2	1	–	–	–	1	1	10	10	34	23
White	43	1	–	–	–	–	–	2	6	10	10	14	81	2	1	–	–	–	1	1	10	8	34	23
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chronic liver disease and cirrhosis (571)	293	–	–	–	1	4	23	55	98	84	22	6	151	–	–	–	–	1	16	42	40	34	15	3
White	281	–	–	–	1	3	19	53	95	83	21	6	138	–	–	–	–	1	12	37	39	31	15	3
All other	12	–	–	–	–	1	4	2	3	1	1	–	13	–	–	–	–	–	4	5	1	3	–	–
Black	8	–	–	–	–	1	1	2	2	1	1	–	9	–	–	–	–	–	2	3	1	3	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	30	–	–	–	–	–	1	1	4	3	13	8	28	–	–	–	–	–	–	1	2	5	6	14
White	30	–	–	–	–	–	1	1	4	3	13	8	27	–	–	–	–	–	–	–	2	5	6	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	145	–	–	–	1	3	5	4	20	23	51	38	126	2	–	–	1	2	5	4	12	19	50	31
White	141	–	–	–	–	3	5	4	18	22	51	38	124	2	–	–	1	2	4	3	12	19	50	31
All other	4	–	–	–	1	–	–	–	2	1	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	–	–	–	–	–	1	–	–	3	2	1	2	–	–	–	–	–	–	–	–	2	–	–
White	7	–	–	–	–	–	1	–	–	3	2	1	2	–	–	–	–	–	–	–	–	2	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	–	–	–	–	–	1	–	3	1	9	4	17	–	–	–	–	1	2	–	2	1	6	5
White	17	–	–	–	–	–	1	–	2	1	9	4	17	–	–	–	–	1	2	–	2	1	6	5
All other	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	120	–	–	–	1	3	3	4	17	19	40	33	107	2	–	–	1	1	3	4	10	16	44	26
White	117	–	–	–	–	3	3	4	16	18	40	33	105	2	–	–	1	1	2	3	10	16	44	26
All other	3	–	–	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Black	2	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Infections of kidney (590)	23	–	–	–	–	–	–	1	–	1	10	11	48	–	–	–	1	–	1	2	1	8	16	17
White	21	–	–	–	–	–	–	–	–	1	10	10	44	–	–	–	–	–	1	2	1	8	16	16
All other	2	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	1
Black	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Hyperplasia of prostate (600)	20	–	–	–	–	–	–	–	–	2	7	11	...	...	...	...	...	...	...	...	...	...	...	...
White	20	–	–	–	–	–	–	–	–	2	7	11	...	...	...	...	...	...	...	...	...	...	...	...
All other	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Black	–	–	–	–	–	–	–	–	–	–	–	–	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	–	2	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	1	–	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	–	1	1	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
Congenital anomalies (740-759)	159	103	13	8	7	6	6	2	5	5	2	1	150	97	8	8	8	–	4	5	9	10	1	2
White	149	96	12	7	7	6	6	2	4	5	2	1	140	88	8	5	8	–	4	5	9	10	1	2
All other	10	7	1	1	–	–	–	–	1	–	–	–	10	9	–	1	–	–	–	–	–	–	–	–
Black	8	8	1	–	–	–	–	–	1	–	–	–	10	9	–	1	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	208	206	1	–	–	–	–	–	1	–	–	–	163	163	–	–	–	–	–	–	–	–	–	–
White	184	182	1	–	–	–	–	–	1	–	–	–	141	141	–	–	–	–	–	–	–	–	–	–
All other	24	24	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Black	22	22	–	–	–	–	–	–	–	–	–	–	20	20	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	98	96	1	–	–	–	–	–	1	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
White	89	87	1	–	–	–	–	–	1	–	–	–	52	52	–	–	–	–	–	–	–	–	–	–
All other	9	9	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Black	8	8	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	110	110	–	–	–	–	–	–	–	–	–	–	106	106	–	–	–	–	–	–	–	–	–	–
White	95	95	–	–	–	–	–	–	–	–	–	–	89	89	–	–	–	–	–	–	–	–	–	–
All other	15	15	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Black	14	14	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	133	57	–	1	4	2	1	8	5	14	19	21	127	46	1	1	2	1	–	2	6	11	18	40
White	125	51	–	1	4	2	1	7	5	14	19	20	116	37	1	–	2	1	–	2	5	11	18	40
All other	8	6	–	–	–	–	–	1	–	–	–	1	11	9	–	1	–	–	–	–	1	–	–	–
Black	7	5	–	–	–	–	–	1	–	–	–	1	11	9	–	1	–	–	–	–	1	–	–	–
All other diseases (Residual)	1,121	19	7	11	23	24	31	94	180	264	298	169	1,053	16	8	10	15	27	30	53	121	213	299	260
White	1,075	17	6	11	23	18	28	83	169	259	293	167	1,028	13	7	10	13	23	26	52	118	211	294	258
All other	46	2	1	–	–	6	3	11	11	5	5	2	27	3	1	–	2	4	4	1	3	2	5	2
Black	40	2	1	–	–	6	3	11	11	4	2	–	24	2	1	–	2	4	4	1	2	2	4	2
Accidents and adverse effects (E800-E949)	1,440	9	37	71	447	223	138	118	113	124	104	55	671	9	21	34	120	53	42	38	50	66	73	65
White	1,388	9	35	67	434	212	130	110	112	122	101	54	551	6	19	33	117	46	39	35	49	64	73	65
All other	52	–	2	4	13	11	8	6	1	2	3	1	20	1	2	1	3	5	3	3	1	1	–	–
Black	35	–	1	2	7	8	7	4	1	2	1	1	15	1	2	1	2	3	2	2	1	1	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	760	3	10	33	338	142	75	41	41	42	28	6	273	3	2	19	95	33	23	21	24	29	21	3
White	730	3	8	32	330	136	72	39	41	41	28	6	265	2	2	18	94	30	22	20	24	28	21	3
All other	24	–	2	1	9	6	3	2	–	1	–	–	8	1	–	1	1	3	1	1	–	–	–	–
Black	13	–	1	–	3	5	2	1	–	1	–	–	5	1	–	1	1	1	–	1	–	–	–	–
All other accidents and adverse effects (E800-E807, E826-E949)	680	6	27	38	108	81	63	75	72	82	78	49	298	6	19	15	25	20	19	17	26	36	52	62
White	652	6	27	35	104	76	59	71	71	81	75	48	288	6	17	15	23	18	17	15	25	35	52	62
All other	28	–	–	3	4	5	5	4	1	1	3	1	12	–	2	–	2	2	2	2	1	1	–	–
Black	22	–	–	2	4	3	5	3	1	1	1	1	10	–	2	–	1	2	2	1	1	1	–	–
Suicide (E950-E959)	472	...	...	4	113	106	60	48	43	48	37	13	122	...	...	–	30	19	20	31	12	6	4	–
White	456	...	...	4	108	99	59	45	43	48	37	13	115	...	...	–	27	15	20	31	12	6	4	–
All other	16	...	...	–	5	7	1	3	–	–	–	–	7	...	...	–	3	4	–	–	–	–	–	–
Black	9	...	...	–	1	6	1	1	–	–	–	–	4	...	...	–	2	2	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	101	1	4	6	22	33	11	11	6	4	1	1	60	1	1	1	20	13	6	3	7	4	3	1
White	72	1	4	5	17	16	7	10	4	3	1	1	43	1	1	1	17	7	4	2	4	3	3	–
All other	29	–	–	1	5	15	4	1	2	1	–	–	17	–	–	–	3	6	2	1	3	1	–	1
Black	28	–	–	1	5	14	4	1	2	1	–	–	16	–	–	–	3	6	2	1	2	1	–	1
All other external causes (E980-E999)	31	–	1	–	10	10	4	2	4	–	–	–	18	1	2	–	1	3	3	3	2	3	–	–
White	29	–	–	–	10	10	3	2	4	–	–	–	16	–	2	–	1	3	2	3	2	3	–	–
All other	2	–	1	–	–	–	1	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Black	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
WYOMING																								
All causes	1,842	83	16	23	110	102	88	150	253	424	375	219	1,231	46	13	8	28	33	41	74	153	206	332	297
White	1,790	81	14	23	102	91	78	149	248	420	368	218	1,202	42	11	8	27	32	38	71	146	203	329	295
All other	52	2	2	–	8	11	8	1	5	4	9	1	29	4	2	–	1	1	3	3	7	3	3	2
Black	8	–	–	–	3	–	–	1	2	1	1	–	10	3	1	–	1	–	–	2	2	1	1	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	6	–	–	–	–	–	–	1	–	4	1	–	7	–	–	–	1	–	–	–	1	2	3	–
White	6	–	–	–	–	–	–	1	–	4	1	–	6	–	–	–	1	–	–	–	1	2	3	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	3	-	-	1	-	-	-	-	1	1	-	-	3	-	-	-	1	-	-	-	1	1	-	-
White	3	-	-	1	-	-	-	-	1	1	-	-	3	-	-	-	1	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	277	-	-	-	2	4	3	24	66	96	63	19	246	-	-	1	1	9	10	35	65	54	48	23
White	274	-	-	-	1	4	2	24	65	96	63	19	240	-	-	1	1	9	10	34	62	54	47	22
All other	3	-	-	-	1	-	1	-	1	-	-	-	6	-	-	-	-	-	-	1	3	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	1	3	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	6	-	-	-	-	-	-	1	3	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	72	-	-	-	-	-	-	8	16	24	17	7	56	-	-	-	-	-	2	3	11	11	23	6
White	72	-	-	-	-	-	-	8	16	24	17	7	54	-	-	-	-	-	2	3	10	11	22	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	94	-	-	-	-	-	-	10	28	43	13	-	34	-	-	-	-	1	2	3	13	12	2	1
White	94	-	-	-	-	-	-	10	28	43	13	-	34	-	-	-	-	1	2	3	13	12	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	53	-	-	-	-	3	2	11	17	9	6	5
White	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	-	-	3	2	10	15	9	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Malignant neoplasms of genital organs (179-187)	38	-	-	-	-	-	1	-	5	8	19	5	30	-	-	-	-	-	1	8	7	6	2	6
White	36	-	-	-	-	-	-	-	4	8	19	5	30	-	-	-	-	-	1	8	7	6	2	6
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	14	-	-	-	1	1	-	1	1	6	3	1	10	-	-	-	-	-	-	-	3	3	3	1
White	13	-	-	-	-	1	-	1	1	6	3	1	10	-	-	-	-	-	-	-	3	3	3	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	35	-	-	-	-	3	1	4	8	7	7	5	40	-	-	-	-	5	3	8	11	8	4	1
White	35	-	-	-	-	3	1	4	8	7	7	5	39	-	-	-	-	5	3	8	11	8	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	7	-	-	-	-	-	-	-	1	4	1	1	12	-	-	1	1	-	-	1	1	1	5	2
White	7	-	-	-	-	-	-	-	1	4	1	1	12	-	-	1	1	-	-	1	1	1	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	-	-	-	1	-	1	-	4	2	3	-	9	-	-	-	-	-	-	1	2	3	2	1
White	11	-	-	-	1	-	1	-	4	2	3	-	9	-	-	-	-	-	-	1	2	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	-	-	-	1	-	1	-	2	1	-	3	-	-	-	-	-	-	1	-	-	2	-
White	5	-	-	-	-	1	-	1	-	2	1	-	3	-	-	-	-	-	-	1	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	21	-	-	-	-	1	1	-	3	4	9	3	27	-	-	-	1	-	1	1	2	10	10	2
White	20	-	-	-	-	1	1	-	3	4	8	3	27	-	-	-	1	-	1	1	2	10	10	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	1	-	1	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	3
White	5	-	-	1	-	1	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	1	-	-	-	-	-
White	2	-	1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	793	2	-	-	2	5	24	70	121	208	213	150	585	1	2	-	1	1	6	9	39	98	220	208
White	778	1	-	-	1	5	23	69	119	204	207	149	575	1	2	-	1	1	5	8	37	95	218	207
All other	15	1	-	-	1	-	1	1	2	2	6	1	10	-	-	-	-	-	1	1	2	3	2	1
Black	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	1	-	1	1	1	-
Diseases of heart (390-398,402,404-429)	634	2	-	-	2	4	24	68	107	171	151	107	406	1	2	-	1	-	4	6	32	91	156	123
White	623	1	-	-	1	4	23	68	106	170	146	106	398	1	2	-	1	-	3	5	31	78	155	122
All other	11	1	-	-	1	-	1	-	1	1	5	1	8	-	-	-	-	-	1	1	1	3	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	1	-	2	1	-	17	-	-	-	-	-	1	1	3	4	6	2
White	4	-	-	-	-	-	-	1	-	2	1	-	16	-	-	-	-	-	-	1	3	4	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	6	-	-	-	-	-	1	1	-	1	2	1	11	-	-	-	-	-	-	-	-	1	4	6
White	6	-	-	-	-	-	1	1	-	1	2	1	11	-	-	-	-	-	-	-	-	1	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	490	-	-	-	1	2	19	57	96	135	104	76	279	-	-	-	-	-	2	5	28	59	101	84
White	484	-	-	-	1	2	18	57	95	134	102	75	273	-	-	-	-	-	2	4	27	57	100	83
All other	6	-	-	-	-	-	1	-	1	1	2	1	6	-	-	-	-	-	-	1	1	2	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-
Acute myocardial infarction (410)	343	-	-	-	-	1	13	48	68	108	71	34	153	-	-	-	-	-	2	5	16	41	57	32
White	341	-	-	-	-	1	13	48	68	107	71	33	149	-	-	-	-	-	2	4	15	40	56	32
All other	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	1	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	147	-	-	-	1	1	6	9	28	27	33	42	125	-	-	-	-	-	-	-	12	18	43	52
White	143	-	-	-	1	1	5	9	27	27	31	42	123	-	-	-	-	-	-	-	12	17	43	51
All other	4	-	-	-	-	-	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	7	-	-	-	-	-	1	1	1	2	2	-	5	-	-	-	-	-	-	-	-	1	2	2
White	7	-	-	-	-	-	1	1	1	2	2	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	125	2	-	-	1	2	3	6	9	31	41	30	82	1	2	-	1	-	1	-	1	16	42	26
White	120	1	-	-	-	2	3	6	9	31	38	30	91	1	2	-	1	-	1	-	1	15	42	28
All other	5	1	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	-	-	1	1	-	2	6	-	-	-	-	-	-	1	-	1	2	2
White	4	-	-	-	-	-	-	-	1	1	-	2	6	-	-	-	-	-	-	1	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	111	-	-	-	-	1	-	4	12	25	43	26	132	-	-	-	-	1	-	3	6	14	52	56
White	107	-	-	-	-	1	-	3	11	24	42	26	130	-	-	-	-	1	-	3	5	14	51	56
All other	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Intracerebral and other intracranial hemorrhage (431-432)	13	-	-	-	-	-	-	2	2	3	2	4	14	-	-	-	-	-	1	-	1	2	1	6
White	13	-	-	-	-	-	-	2	2	3	2	4	14	-	-	-	-	-	1	-	1	2	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	-	-	-	-	-	-	-	2	2	7	3	11	-	-	-	-	-	-	-	1	-	8	2
White	14	-	-	-	-	-	-	-	2	2	7	3	10	-	-	-	-	-	-	-	1	-	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	83	-	-	-	-	1	-	2	8	20	33	19	107	-	-	-	-	-	-	2	3	13	41	46
White	79	-	-	-	-	1	-	1	7	19	32	19	106	-	-	-	-	-	-	2	3	13	40	46
All other	4	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Atherosclerosis (440)	21	-	-	-	-	-	-	-	-	5	5	11	32	-	-	-	-	-	-	-	-	-	6	26
White	21	-	-	-	-	-	-	-	-	5	5	11	32	-	-	-	-	-	-	-	-	-	6	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	23	-	-	-	-	-	-	-	1	4	14	4	9	-	-	-	-	-	-	1	-	-	1	4	3
White	23	-	-	-	-	-	-	-	1	4	14	4	9	-	-	-	-	-	-	1	-	-	1	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	42	2	1	-	-	-	1	1	5	10	8	14	26	-	-	-	-	-	-	-	1	4	10	11
White	41	2	1	-	-	-	-	1	5	10	8	14	26	-	-	-	-	-	-	-	1	4	10	11
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	42	2	1	-	-	-	1	1	5	10	8	14	26	-	-	-	-	-	-	-	1	4	10	11
White	41	2	1	-	-	-	-	1	5	10	8	14	26	-	-	-	-	-	-	-	1	4	10	11
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	88	-	2	-	-	-	-	-	12	40	23	11	25	-	1	-	-	-	1	3	7	5	4	4
White	86	-	2	-	-	-	-	-	12	39	22	11	24	-	1	-	-	-	1	3	7	5	4	4
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	2	-	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-
White	6	-	2	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	20	-	-	-	-	-	-	-	4	5	9	2	2	-	-	-	-	-	-	1	1	-	-	-
White	20	-	-	-	-	-	-	-	4	5	9	2	2	-	-	-	-	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	58	-	-	-	-	-	-	-	6	32	12	6	20	-	-	-	-	-	1	2	5	5	3	4
White	57	-	-	-	-	-	-	-	6	31	12	6	20	-	-	-	-	-	1	2	5	5	3	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	15	-	-	-	-	-	-	2	3	5	4	1	6	-	-	-	-	-	-	-	3	-	2	1
White	15	-	-	-	-	-	-	2	3	5	4	1	6	-	-	-	-	-	-	-	3	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	-	1	3	2	7	-	-	-	-	-	-	-	-	-	1	6
White	6	-	-	-	-	-	-	-	-	1	3	2	7	-	-	-	-	-	-	-	-	-	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	26	-	-	-	-	1	3	12	7	2	1	-	15	-	-	-	-	1	3	5	3	2	1	-
White	23	-	-	-	-	1	1	12	7	1	1	-	14	-	-	-	-	-	3	5	3	2	1	-
All other	3	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	-	-	1	-	-	-	-	1	4	1	1	11	-	-	-	-	-	-	1	1	4	4	1
White	7	-	-	1	-	-	-	-	-	4	1	1	10	-	-	-	-	-	-	-	1	4	4	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	-	-	-	-	-	-	1	4	1	1	10	-	-	-	-	-	-	-	1	1	4	3	1
White	6	-	-	-	-	-	-	-	4	1	1	9	-	-	-	-	-	-	-	1	1	4	3	1
All other	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	18	15	2	-	-	-	-	-	1	-	-	-	13	7	1	1	1	-	2	1	-	-	-	-
White	18	15	2	-	-	-	-	-	1	-	-	-	12	6	1	1	1	-	2	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	35	35	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	25	25	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	25	25	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	27	17	2	-	1	-	-	1	1	-	4	-	9	3	-	-	-	-	-	-	-	-	2	4
White	26	17	2	-	1	-	-	1	1	-	4	-	8	2	-	-	-	-	-	-	-	-	2	4
All other	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	90	3	-	-	2	1	8	11	10	21	24	10	94	5	1	-	1	2	5	5	17	17	19	22
White	90	3	-	-	2	1	8	11	10	21	24	10	93	5	1	-	1	2	4	5	17	17	19	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	265	7	6	19	81	56	30	17	15	15	13	6	84	3	6	4	17	12	6	7	10	4	5	10
White	248	6	4	18	77	51	27	17	14	15	12	6	80	3	5	4	16	12	5	7	9	4	5	10
All other	17	1	2	-	4	5	3	-	1	-	1	-	4	-	1	-	1	-	1	-	1	-	-	-
Black	3	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	161	3	2	9	56	40	16	10	9	6	8	2	47	1	4	3	12	11	5	4	6	1	-	-
White	152	2	2	9	52	39	14	10	8	6	8	2	46	1	4	3	11	11	5	4	6	1	-	-
All other	9	1	-	-	4	1	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	104	4	4	10	25	16	14	7	6	9	5	4	37	2	2	1	5	1	1	3	4	3	5	10
White	96	4	2	10	25	12	13	7	6	9	4	4	34	2	1	1	5	1	-	3	3	3	5	10
All other	8	-	2	-	-	4	1	-	-	-	1	-	3	-	1	-	-	-	1	-	1	-	-	-
Black	3	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	67	---	---	-	15	19	10	8	5	7	3	-	19	---	---	-	4	6	3	4	1	1	-	-
White	61	---	---	-	13	15	10	8	5	7	3	-	19	---	---	-	4	6	3	4	1	1	-	-
All other	6	---	---	-	2	4	-	-	-	-	-	-	-	---	---	-	-	-	-	-	-	-	-	-
Black	-	---	---	-	-	-	-	-	-	-	-	-	-	---	---	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	27	1	1	-	5	12	5	1	1	1	-	-	10	-	-	2	-	-	4	1	2	-	1	-
White	25	1	1	-	5	10	5	1	1	1	-	-	10	-	-	2	-	-	4	1	2	-	1	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	6	-	1	-	2	1	1	1	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
White	6	-	1	-	2	1	1	1	-	-	-	-	3	-	1	-	-	1	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1979

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	1,916,776	34,339	1,575	20,454	21,458	177,869	19,022	26,141	5,080	8,620
Shigellosis and amebiasis (004,006)	41	–	–	–	1	9	1	–	–	–
Certain other intestinal infections (007-009)	298	4	–	1	3	34	3	6	–	1
Tuberculosis (010-018)	2,012	53	4	31	35	178	16	12	6	19
Tuberculosis of respiratory system (010-012)	1,662	43	2	25	32	140	13	6	7	16
Other tuberculosis (013-018)	350	10	2	6	3	38	3	6	1	3
Whooping cough (033)	6	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	25	–	–	–	–	1	1	–	–	–
Meningococcal infection (036)	406	9	1	5	2	32	2	3	–	2
Septicemia (038)	8,034	130	6	105	97	471	99	128	34	76
Acute poliomyelitis (045)	4	–	–	–	–	2	–	1	–	–
Measles (055)	6	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	758	13	–	11	5	107	7	9	–	9
Syphilis (090-097)	180	6	–	2	–	17	–	3	–	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	3,631	81	4	69	44	356	45	52	8	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	403,749	6,579	251	4,096	4,270	38,880	3,672	6,224	1,187	2,359
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,599	153	3	67	80	909	48	169	38	91
Malignant neoplasms of digestive organs and peritoneum (150-159)	109,206	1,489	58	1,011	1,077	10,406	972	1,832	295	649
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	103,241	1,892	77	1,071	1,215	9,894	782	1,427	340	554
Malignant neoplasm of breast (174-175)	34,648	479	27	316	290	3,545	355	550	112	199
Malignant neoplasms of genital organs (179-187)	45,437	810	20	491	477	4,327	436	698	120	280
Malignant neoplasms of urinary organs (188-189)	17,454	207	5	166	144	1,634	150	285	59	89
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48,644	999	40	581	651	4,598	512	726	193	278
Leukemia (204-208)	16,036	264	8	171	167	1,591	184	226	46	97
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20,484	346	13	232	169	1,976	239	311	52	122
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5,818	94	4	68	51	626	64	110	18	40
Diabetes mellitus (250)	33,222	647	18	338	310	2,330	279	431	123	157
Nutritional deficiencies (260-269)	2,212	46	1	17	17	172	35	21	3	13
Anemias (280-285)	3,177	67	3	44	27	245	29	31	6	25
Meningitis (320-322)	1,395	32	5	22	17	141	21	14	2	9
Major cardiovascular diseases (390-448)	959,584	16,090	456	8,688	10,968	85,291	8,620	13,243	2,457	3,257
Diseases of heart (390-398,402,404-429)	734,333	11,766	356	6,689	7,943	63,495	6,543	10,113	1,995	2,476
Rheumatic fever and rheumatic heart disease (390-398)	7,024	53	9	102	46	887	123	137	21	26
Hypertensive heart disease (402)	21,020	422	5	120	169	2,325	119	276	127	148
Hypertensive heart and renal disease (404)	3,652	68	2	11	31	235	49	43	8	18
Ischemic heart disease (410-414)	552,202	8,361	258	5,269	5,827	45,875	4,758	7,885	1,084	1,682
Acute myocardial infarction (410)	300,901	5,680	150	2,418	3,750	21,589	2,648	3,918	729	547
Other acute and subacute forms of ischemic heart disease (411)	4,789	48	1	450	7	308	27	7	2	6
Angina pectoris (413)	500	7	–	4	5	40	4	9	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	246,012	2,626	107	2,397	2,065	23,938	2,079	3,951	352	1,129
Other diseases of endocardium (424)	6,514	92	10	75	44	829	81	87	20	39
All other forms of heart disease (415-423,425-429)	143,121	2,770	72	1,112	1,826	13,344	1,413	1,685	735	563
Hypertension with or without renal disease (401,403)	7,280	145	3	55	94	648	65	118	24	36
Cerebrovascular diseases (430-438)	169,630	3,503	72	1,453	2,379	16,278	1,436	2,212	341	503
Intracerebral and other intracranial hemorrhage (431-432)	21,802	463	11	208	219	1,959	184	301	64	99
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35,738	761	9	263	290	3,764	224	590	70	118
Cerebral embolism (434.1)	850	8	–	12	5	68	10	10	2	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	111,240	2,271	52	970	1,865	10,487	1,018	1,311	205	285
Atherosclerosis (440)	28,815	377	12	252	356	2,719	379	481	52	157
Other diseases of arteries, arterioles, and capillaries (441-448)	19,596	299	13	237	196	2,163	197	319	45	85
Acute bronchitis and bronchiolitis (466)	554	9	–	6	3	79	9	3	3	4
Pneumonia and influenza (480-487)	45,070	659	35	492	484	4,416	625	847	82	190
Pneumonia (480-486)	44,466	648	35	489	480	4,348	615	643	82	190
Influenza (487)	604	11	–	3	4	68	10	4	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49,965	838	27	939	581	5,262	703	673	132	144
Bronchitis, chronic and unspecified (490-491)	3,651	48	1	77	38	444	38	45	4	10
Emphysema (492)	13,577	235	6	273	160	1,532	176	145	33	43
Asthma (493)	2,603	37	2	40	21	275	29	31	1	15
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	30,134	518	18	549	362	3,011	460	452	94	76
Ulcer of stomach and duodenum (531-533)	5,908	107	2	66	52	708	80	53	11	17
Appendicitis (540-543)	686	14	–	11	6	70	6	8	1	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,353	97	5	58	66	481	67	60	17	24
Chronic liver disease and cirrhosis (571)	29,759	368	41	384	192	4,177	301	441	88	301
Cholelithiasis and other disorders of gallbladder (574-575)	3,143	66	2	27	46	283	40	46	5	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15,756	323	9	160	272	1,030	148	195	58	108
Acute glomerulonephritis and nephrotic syndrome (580-581)	339	4	–	3	5	30	4	6	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2,368	57	2	20	41	191	19	27	10	12
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13,049	262	7	137	226	809	125	162	46	96
Infections of kidney (590)	2,869	78	1	22	41	305	17	21	6	18
Hyperplasia of prostate (600)	810	17	–	3	10	78	7	15	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	337	7	1	4	6	35	3	4	1	6
Pregnancy with abortive outcome (630-638)	61	–	–	1	–	4	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	276	7	1	3	6	31	3	4	1	5
Congenital anomalies (740-759)	13,619	244	22	202	124	1,436	183	164	33	123
Certain conditions originating in the perinatal period (760-779)	23,489	438	60	283	169	1,965	254	270	103	276
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8,039	182	26	116	50	738	79	63	20	90
Other conditions originating in the perinatal period (760-766,770-779)	15,450	246	34	167	119	1,227	175	207	83	186
Symptoms, signs, and ill-defined conditions (780-799)	27,627	2,021	53	320	818	1,197	253	242	28	127
All other diseases (Residual)	107,528	1,949	89	1,374	1,046	9,746	1,253	1,504	261	628
Accidents and adverse effects (E800-E949)	105,881	2,225	361	1,837	1,164	10,631	1,485	1,090	247	312
Motor vehicle accidents (E810-E825)	53,786	1,131	87	1,076	550	5,917	751	565	127	71
All other accidents and adverse effects (E800-E807,E826-E949)	52,095	1,094	274	761	614	4,914	734	525	120	241
Suicide (E950-E959)	27,236	412	45	473	251	3,544	500	263	67	89
Homicide and legal intervention (E960-E978)	22,625	540	52	248	232	3,027	159	129	31	189
All other external causes (E980-E999)	3,893	78	17	50	58	307	55	37	9	76

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1979—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	100,604	43,509	5,138	6,065	99,667	46,819	26,526	20,558	32,211	35,095
Shigellosis and amebiasis (004,006)	2	1	–	–	1	–	–	–	2	–
Certain other intestinal infections (007-009)	17	5	2	1	22	7	4	2	7	8
Tuberculosis (010-018)	126	59	9	2	108	47	8	13	61	59
Tuberculosis of respiratory system (010-012)	110	48	9	1	96	40	6	9	58	44
Other tuberculosis (013-018)	16	11	–	1	12	7	2	4	3	15
Whooping cough (033)	–	1	–	–	–	1	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	2	–	–	–	1	–	–	–	–
Meningococcal infection (036)	31	12	1	1	19	8	2	1	9	20
Septicemia (038)	348	224	30	9	352	174	82	67	119	260
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	1	–	–	–	–	1
Viral hepatitis (070)	58	17	1	2	37	11	9	10	7	19
Syphilis (090-097)	8	9	–	–	5	7	3	–	3	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	175	78	21	10	182	90	42	38	70	91
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	22,270	7,971	1,140	1,133	20,948	9,547	5,549	4,061	6,434	6,867
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	550	212	29	18	467	189	107	71	128	155
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,969	1,870	366	289	5,881	2,442	1,661	1,084	1,704	1,742
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,256	2,171	272	235	5,312	2,634	1,293	1,022	1,827	1,905
Malignant neoplasm of breast (174-175)	1,703	582	72	87	1,925	804	490	350	488	499
Malignant neoplasms of genital organs (179-187)	2,525	974	113	142	2,341	1,073	671	517	725	806
Malignant neoplasms of urinary organs (188-189)	981	300	43	58	973	431	269	217	279	290
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,449	1,135	130	184	2,273	1,096	508	427	729	1,090
Leukemia (204-208)	799	324	49	53	750	366	240	160	244	259
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,038	383	66	67	1,026	500	310	213	310	291
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	264	158	14	23	314	124	58	50	61	106
Diabetes mellitus (250)	1,509	717	127	75	1,807	997	439	343	591	771
Nutritional deficiencies (260-269)	120	61	11	6	63	61	32	34	53	51
Anemias (280-285)	202	84	6	11	147	88	41	39	58	79
Meningitis (320-322)	79	45	2	5	62	33	15	10	20	48
Major cardiovascular diseases (390-448)	50,572	21,477	2,142	2,882	52,662	24,562	14,440	10,659	16,583	16,966
Diseases of heart (390-398,402,404-429)	38,711	15,776	1,668	2,112	41,470	17,981	10,642	7,922	12,601	12,777
Rheumatic fever and rheumatic heart disease (390-398)	445	93	12	36	348	186	78	64	91	48
Hypertensive heart disease (402)	1,144	675	68	31	1,131	435	191	174	323	584
Hypertensive heart and renal disease (404)	140	102	6	8	228	185	78	52	57	88
Ischemic heart disease (410-414)	30,193	10,839	1,286	1,601	30,521	14,053	8,306	6,182	9,326	9,097
Acute myocardial infarction (410)	14,847	7,310	590	991	15,729	8,046	5,101	3,625	6,490	5,014
Other acute and subacute forms of ischemic heart disease (411)	429	152	3	8	309	46	49	11	19	51
Angina pectoris (413)	28	11	2	3	22	8	8	2	7	17
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	15,088	3,386	691	599	14,481	5,953	3,150	2,544	2,810	4,015
Other diseases of endocardium (424)	365	141	23	28	283	171	76	50	54	74
All other forms of heart disease (415-423,425-429)	6,424	3,926	273	408	8,959	2,931	1,910	1,400	2,830	2,891
Hypertension with or without renal disease (401,403)	388	203	12	12	503	183	116	79	109	128
Cerebrovascular diseases (430-438)	8,898	4,666	376	552	8,479	4,909	2,821	2,031	3,092	3,142
Intracerebral and other intracranial hemorrhage (431-432)	1,096	715	91	82	1,232	636	272	249	346	346
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2,345	945	69	84	2,241	966	515	385	627	558
Cerebral embolism (434.1)	40	29	2	3	35	16	11	7	26	11
All other and late effects of cerebrovascular diseases (430,433,435-438)	5,517	2,977	214	403	4,971	3,291	2,023	1,390	2,093	2,230
Atherosclerosis (440)	1,341	438	33	128	1,380	1,081	565	438	436	685
Other diseases of arteries, arterioles, and capillaries (441-448)	1,134	394	53	58	830	426	296	189	255	306
Acute bronchitis and bronchiolitis (466)	42	14	1	–	27	11	6	6	5	13
Pneumonia and influenza (480-487)	1,879	1,070	139	149	2,312	941	743	581	779	708
Pneumonia (480-486)	1,862	1,049	133	138	2,298	927	722	558	772	696
Influenza (487)	17	21	6	11	14	14	21	23	7	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,050	1,116	144	196	2,168	1,253	696	616	905	731
Bronchitis, chronic and unspecified (490-491)	232	88	10	15	168	75	43	42	58	47
Emphysema (492)	933	280	22	45	724	343	219	131	195	194
Asthma (493)	127	75	18	8	126	53	35	32	51	50
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,758	663	94	128	1,150	782	399	411	601	440
Ulcer of stomach and duodenum (531-533)	292	121	21	20	309	141	88	79	106	94
Appendicitis (540-543)	28	23	2	–	37	17	14	9	12	13
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	247	134	8	16	270	131	94	73	118	85
Chronic liver disease and cirrhosis (571)	1,731	593	79	52	1,567	514	233	185	364	411
Cholelithiasis and other disorders of gallbladder (574-575)	172	92	4	12	162	100	56	36	57	45
Nephritis, nephrotic syndrome, and nephrosis (580-589)	832	389	39	36	757	370	174	203	263	394
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	8	1	–	15	12	5	8	1	7
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	118	70	10	6	111	51	32	33	32	64
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	700	311	28	30	631	307	137	162	230	328
Infections of kidney (590)	157	86	6	7	144	87	51	47	76	57
Hyperplasia of prostate (600)	41	23	2	2	47	14	24	10	19	15
Complications of pregnancy, childbirth, and the puerperium (630-676)	11	8	–	1	29	3	2	4	4	19
Pregnancy with abortive outcome (630-638)	3	2	–	–	10	1	1	–	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	8	6	–	1	19	2	1	4	3	12
Congenital anomalies (740-759)	522	360	63	43	627	312	153	133	187	298
Certain conditions originating in the perinatal period (760-779)	940	702	86	62	1,483	575	246	189	323	662
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	333	263	27	25	461	156	89	56	107	258
Other conditions originating in the perinatal period (760-766,770-779)	607	439	59	37	1,022	419	157	133	216	424
Symptoms, signs, and ill-defined conditions (780-799)	1,011	391	62	176	668	454	110	233	171	318
All other diseases (Residual)	5,890	2,835	338	352	5,056	2,442	1,354	1,232	1,948	2,075
Accidents and adverse effects (E800-E949)	5,024	3,023	400	616	4,568	2,640	1,346	1,119	1,940	2,516
Motor vehicle accidents (E810-E825)	2,695	1,608	223	353	2,053	1,351	683	549	942	1,258
All other accidents and adverse effects (E800-E807,E826-E949)	2,329	1,415	177	263	2,515	1,289	663	570	998	1,258
Suicide (E950-E959)	1,549	669	139	122	1,003	590	316	296	471	506
Homicide and legal intervention (E960-E978)	1,200	867	65	57	1,415	413	89	131	345	742
All other external causes (E980-E999)	206	62	34	5	468	53	27	47	40	27

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1979—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	10,202	32,022	52,267	72,500	32,648	22,513	48,947	6,414	14,362	5,861
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	2	–	–	–
Certain other intestinal infections (007-009)	4	4	1	15	7	5	9	2	2	3
Tuberculosis (010-018)	6	29	30	61	12	42	41	5	6	5
Tuberculosis of respiratory system (010-012)	6	24	20	46	10	36	36	5	4	3
Other tuberculosis (013-018)	–	5	10	15	2	6	5	–	2	2
Whooping cough (033)	–	–	–	–	1	–	1	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	1	–	–	1	–	–	–
Meningococcal infection (036)	2	5	9	12	2	17	2	3	2	1
Septicemia (038)	32	213	312	299	86	81	236	15	40	19
Acute poliomyelitis (045)	–	–	1	–	–	–	–	–	–	–
Measles (055)	1	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	12	15	26	7	15	10	–	6	4
Syphilis (090-097)	–	6	–	9	1	1	6	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	22	68	83	125	76	39	86	8	20	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,279	7,438	12,160	15,176	6,927	4,044	10,219	1,200	2,962	1,101
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	56	173	300	312	106	92	172	16	56	13
Malignant neoplasms of digestive organs and peritoneum (150-159)	602	1,968	3,463	4,066	2,009	1,049	2,493	329	848	262
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	587	1,985	2,820	3,870	1,436	1,122	2,770	265	673	337
Malignant neoplasm of breast (174-175)	185	661	1,137	1,300	625	283	789	108	239	78
Malignant neoplasms of genital organs (179-187)	245	785	1,255	1,657	822	492	1,164	186	370	119
Malignant neoplasms of urinary organs (188-189)	128	283	584	688	328	130	422	68	139	53
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	282	924	1,576	1,833	770	533	1,444	127	296	160
Leukemia (204-208)	80	304	440	602	362	168	470	48	167	35
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	114	357	585	828	469	177	495	57	174	44
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	41	132	224	199	77	64	126	13	52	14
Diabetes mellitus (250)	158	662	932	1,442	500	397	750	90	207	83
Nutritional deficiencies (260-269)	17	30	48	82	57	31	82	12	24	8
Anemias (280-285)	12	69	66	126	56	38	86	10	23	7
Meningitis (320-322)	4	16	32	48	12	14	53	5	5	7
Major cardiovascular diseases (390-448)	5,237	15,663	26,498	37,129	16,527	10,589	24,044	3,124	7,565	2,539
Diseases of heart (390-398,402,404-429)	3,999	12,496	20,823	28,913	12,070	7,744	18,079	2,301	5,499	1,966
Rheumatic fever and rheumatic heart disease (390-398)	33	125	255	297	154	34	200	30	56	13
Hypertensive heart disease (402)	68	658	302	735	211	326	534	38	75	114
Hypertensive heart and renal disease (404)	12	74	37	110	31	58	175	14	66	7
Ischemic heart disease (410-414)	3,258	6,694	17,230	21,639	9,552	5,411	14,076	1,632	4,264	1,294
Acute myocardial infarction (410)	1,880	4,453	8,677	12,510	4,884	3,838	7,341	995	2,348	748
Other acute and subacute forms of ischemic heart disease (411)	11	106	42	50	43	44	44	15	23	26
Angina pectoris (413)	5	22	8	17	9	5	36	5	2	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,352	2,113	8,503	9,062	4,616	1,728	6,655	617	1,891	517
Other diseases of endocardium (424)	47	124	197	221	162	37	155	23	65	15
All other forms of heart disease (415-423,425-429)	581	4,821	2,802	5,911	1,960	1,878	2,939	564	973	523
Hypertension with or without renal disease (401,403)	41	114	156	268	100	119	204	22	76	10
Cerebrovascular diseases (430-438)	870	2,271	4,161	5,993	3,325	2,281	4,558	577	1,462	411
Intracerebral and other intracranial hemorrhage (431-432)	124	319	740	765	380	254	621	38	152	66
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	152	385	1,102	1,460	574	396	1,000	95	251	34
Cerebral embolism (434.1)	6	7	42	48	7	15	28	4	15	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	588	1,560	2,277	3,722	2,364	1,616	2,909	440	1,044	308
Atherosclerosis (440)	193	408	758	1,159	617	262	768	152	338	76
Other diseases of arteries, arterioles, and capillaries (441-448)	134	374	600	798	415	183	435	72	190	76
Acute bronchitis and bronchiolitis (466)	4	3	17	15	11	4	7	1	4	–
Pneumonia and influenza (480-487)	219	572	1,789	1,464	981	404	1,200	143	417	114
Pneumonia (480-486)	212	570	1,784	1,443	952	391	1,180	138	399	114
Influenza (487)	7	2	5	21	29	13	20	5	18	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	319	721	1,148	1,914	730	454	1,324	193	412	234
Bronchitis, chronic and unspecified (490-491)	38	48	77	145	64	30	78	13	20	11
Emphysema (492)	76	146	262	532	192	124	334	54	102	80
Asthma (493)	13	40	61	113	51	29	52	11	23	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	192	487	748	1,124	423	277	860	115	267	134
Ulcer of stomach and duodenum (531-533)	30	89	133	213	123	37	140	24	55	21
Appendicitis (540-543)	2	10	17	29	9	14	16	1	6	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	97	128	212	104	54	154	23	44	14
Chronic liver disease and cirrhosis (571)	158	479	603	1,364	338	198	528	61	118	185
Cholelithiasis and other disorders of gallbladder (574-575)	23	52	85	87	70	33	81	12	24	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	89	309	455	601	205	206	433	45	109	33
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	5	8	15	8	1	12	–	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	25	26	51	74	28	39	75	5	22	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	72	278	398	512	169	166	348	40	88	30
Infections of kidney (590)	21	33	50	71	33	54	79	9	22	5
Hyperplasia of prostate (600)	1	17	11	19	15	12	26	5	7	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	6	3	11	3	10	4	3	2	1
Pregnancy with abortive outcome (630-638)	–	1	1	3	1	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	5	2	8	2	10	4	2	2	1
Congenital anomalies (740-759)	68	197	276	533	336	162	361	28	115	26
Certain conditions originating in the perinatal period (760-779)	54	390	452	1,029	340	358	619	64	164	79
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	100	114	374	123	105	277	18	66	36
Other conditions originating in the perinatal period (760-766,770-779)	39	290	338	655	217	253	342	46	98	43
Symptoms, signs, and ill-defined conditions (780-799)	39	345	410	430	522	1,704	1,824	92	170	84
All other diseases (Residual)	593	1,903	3,064	3,888	2,045	1,160	2,629	403	778	299
Accidents and adverse effects (E800-E949)	535	1,546	2,280	3,747	1,855	1,674	2,505	644	748	630
Motor vehicle accidents (E810-E825)	256	722	992	1,899	914	801	1,238	346	341	405
All other accidents and adverse effects (E800-E807,E826-E949)	279	824	1,298	1,848	941	873	1,269	298	407	225
Suicide (E950-E959)	155	442	504	1,130	424	240	592	116	151	182
Homicide and legal intervention (E960-E978)	27	426	199	879	104	328	574	44	65	132
All other external causes (E980-E999)	8	38	42	114	52	30	87	16	37	13

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1979—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	7,293	64,005	8,621	164,040	47,010	5,582	94,834	27,068	21,126	117,098	9,309
Shigellosis and amebiasis (004,006)	–	–	3	3	2	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	5	2	16	5	1	16	6	2	11	2
Tuberculosis (010-018)	4	58	20	173	55	4	84	26	13	115	7
Tuberculosis of respiratory system (010-012)	3	45	15	147	56	3	74	24	13	96	6
Other tuberculosis (013-018)	1	13	5	26	9	1	10	2	–	19	1
Whooping cough (033)	–	–	–	–	–	–	–	–	–	1	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	3	2	–	3	1	–	1	–
Meningococcal infection (036)	1	16	2	43	9	1	17	9	2	9	3
Septicemia (038)	21	360	40	525	258	12	396	96	66	566	42
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	1	–	–	–	–	–	–	–	1	–
Viral hepatitis (070)	–	27	4	72	28	1	30	8	10	29	3
Syphilis (090-097)	–	3	1	9	6	–	9	7	2	9	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	21	85	25	262	104	6	149	44	53	159	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,668	14,447	1,535	36,993	9,205	1,261	20,301	5,135	4,557	25,241	2,158
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	35	319	27	885	185	22	419	81	75	485	66
Malignant neoplasms of digestive organs and peritoneum (150-159)	523	4,325	408	11,232	2,257	358	5,594	1,318	1,125	7,117	658
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	383	3,636	345	8,680	2,360	239	5,237	1,495	1,295	6,144	564
Malignant neoplasm of breast (174-175)	151	1,408	129	3,555	747	112	1,900	347	365	2,186	201
Malignant neoplasms of genital organs (179-187)	186	1,534	177	3,947	1,087	183	2,348	580	562	2,789	212
Malignant neoplasms of urinary organs (188-189)	80	677	56	1,748	339	68	939	214	170	1,050	87
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	186	1,497	245	3,707	1,338	161	2,060	622	523	3,366	221
Leukemia (204-208)	49	457	67	1,408	383	53	781	219	214	999	69
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	75	654	81	1,851	509	85	1,022	259	228	1,275	106
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	173	29	569	164	8	286	50	66	470	28
Diabetes mellitus (250)	131	1,251	153	3,094	797	87	1,870	395	282	2,405	212
Nutritional deficiencies (260-269)	8	62	15	87	55	8	109	31	38	126	6
Anemias (280-285)	11	96	11	235	85	13	164	38	23	208	15
Meningitis (320-322)	4	36	12	112	38	4	45	26	17	67	–
Major cardiovascular diseases (390-448)	3,710	33,904	2,966	85,385	23,416	2,804	48,778	13,940	10,141	60,586	4,912
Diseases of heart (390-398,402,404-429)	2,789	27,432	2,111	69,627	17,473	2,101	37,516	10,442	7,341	48,046	3,865
Rheumatic fever and rheumatic heart disease (390-398)	37	330	39	840	159	24	452	65	115	800	41
Hypertensive heart disease (402)	64	673	39	1,648	683	29	1,247	221	184	1,068	85
Hypertensive heart and renal disease (404)	9	129	5	181	143	14	264	38	51	232	4
Ischemic heart disease (410-414)	2,241	21,815	1,581	59,353	12,839	1,848	29,002	8,067	5,865	34,456	3,209
Acute myocardial infarction (410)	1,385	11,337	768	27,344	5,127	1,070	14,639	4,832	2,255	20,341	1,758
Other acute and subacute forms of ischemic heart disease (411)	1	78	2	327	182	7	111	315	15	161	11
Angina pectoris (413)	2	5	1	26	24	2	12	9	4	25	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	853	10,395	809	31,656	4,506	567	14,240	2,911	3,591	13,929	1,435
Other diseases of endocardium (424)	29	200	19	452	183	24	311	69	109	437	39
All other forms of heart disease (415-423,425-429)	409	4,085	428	7,153	3,486	364	6,240	1,982	1,017	11,258	487
Hypertension with or without renal disease (401,403)	36	198	82	597	231	11	375	109	71	370	35
Cerebrovascular diseases (430-438)	637	4,944	598	11,680	4,698	511	9,299	2,755	2,029	9,146	742
Intracerebral and other intracranial hemorrhage (431-432)	89	718	70	1,769	517	54	1,090	252	210	1,197	106
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	140	1,244	68	2,719	1,033	95	1,902	399	435	1,960	202
Cerebral embolism (434.1)	4	35	3	83	19	–	48	10	12	82	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	404	2,947	457	7,129	3,129	362	5,259	2,094	1,372	5,917	429
Atherosclerosis (440)	158	740	104	1,918	581	102	1,596	390	443	1,662	157
Other diseases of arteries, arterioles, and capillaries (441-448)	90	590	71	1,563	493	79	992	244	257	1,314	103
Acute bronchitis and bronchiolitis (466)	1	16	3	54	15	–	25	12	6	38	1
Pneumonia and influenza (480-487)	202	1,341	202	4,726	1,065	135	1,829	707	610	2,173	147
Pneumonia (480-486)	200	1,331	196	4,707	1,055	133	1,796	703	595	2,169	147
Influenza (487)	2	10	6	19	10	2	33	4	15	10	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	212	1,485	297	3,579	1,100	131	2,510	724	713	2,751	224
Bronchitis, chronic and unspecified (490-491)	20	101	17	288	62	11	239	30	51	168	15
Emphysema (492)	67	371	60	1,065	270	36	691	180	216	639	45
Asthma (493)	13	65	19	247	63	10	127	33	37	114	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	112	948	181	1,979	685	74	1,453	481	409	1,836	151
Ulcer of stomach and duodenum (531-533)	25	215	29	640	132	17	279	90	67	300	31
Appendicitis (540-543)	1	23	3	55	16	3	29	5	4	54	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	179	32	391	117	10	279	91	61	301	21
Chronic liver disease and cirrhosis (571)	118	1,049	173	3,548	709	65	1,252	344	345	1,589	148
Cholelithiasis and other disorders of gallbladder (574-575)	12	101	29	256	75	16	149	45	35	154	16
Nephritis, nephrotic syndrome, and nephrosis (580-589)	34	522	75	1,096	448	45	811	319	130	1,085	84
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	4	2	24	11	1	16	10	2	25	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	75	13	172	89	3	141	44	20	129	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	30	443	60	900	348	41	654	265	106	911	70
Infections of kidney (590)	11	71	5	211	71	5	156	65	23	115	8
Hyperplasia of prostate (600)	4	28	11	85	18	3	26	12	9	36	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	8	7	32	9	–	14	5	1	13	–
Pregnancy with abortive outcome (630-638)	–	3	2	9	1	–	2	1	–	5	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	5	5	23	8	–	12	4	1	8	–
Congenital anomalies (740-759)	44	309	64	1,078	371	48	698	181	155	650	57
Certain conditions originating in the perinatal period (760-779)	66	633	164	1,818	686	94	1,101	279	201	1,256	109
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	206	63	543	207	43	406	97	67	442	26
Other conditions originating in the perinatal period (760-766,770-779)	53	427	101	1,275	479	51	693	182	134	814	81
Symptoms, signs, and ill-defined conditions (780-799)	57	723	481	899	373	69	1,450	318	338	2,605	18
All other diseases (Residual)	382	3,159	711	7,931	3,047	297	4,960	1,559	1,222	6,622	527
Accidents and adverse effects (E800-E949)	358	2,600	1,099	5,493	3,083	336	4,464	1,743	1,406	4,735	331
Motor vehicle accidents (E810-E825)	182	1,173	668	2,500	1,580	157	2,244	942	720	2,282	146
All other accidents and adverse effects (E800-E807,E826-E949)	176	1,427	431	2,993	1,503	179	2,220	801	686	2,453	185
Suicide (E950-E959)	103	522	239	1,674	710	79	1,357	400	356	1,320	117
Homicide and legal intervention (E960-E978)	20	449	171	2,141	658	13	829	331	115	761	42
All other external causes (E980-E999)	14	54	28	752	68	6	119	24	55	219	6

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1979—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	23,584	6,249	41,082	106,838	8,276	4,294	40,132	30,706	19,139	39,074	2,950
Shigellosis and amebiasis (004,006)	–	1	1	9	1	–	–	2	–	–	–
Certain other intestinal infections (007-009)	6	1	7	22	2	–	6	1	2	4	–
Tuberculosis (010-018)	45	10	66	108	2	4	48	18	29	28	–
Tuberculosis of respiratory system (010-012)	37	6	53	81	2	4	38	16	27	21	–
Other tuberculosis (013-018)	8	4	13	27	–	–	10	2	2	7	–
Whooping cough (033)	–	–	1	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	1	3	1	–	–	2	–	–	–
Meningococcal infection (036)	12	1	13	27	1	1	13	6	1	4	–
Septicemia (038)	138	11	122	602	38	16	269	85	84	112	13
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	1	–	–	–	–	–	–	–
Viral hepatitis (070)	7	2	20	55	5	1	9	8	5	8	5
Syphilis (090-097)	3	–	6	15	1	–	5	4	2	3	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	57	14	96	242	20	12	76	62	31	60	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,286	1,159	8,418	20,741	1,401	911	8,312	6,731	3,640	8,123	472
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	94	13	167	421	13	16	184	143	52	168	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,071	308	2,025	5,202	371	237	2,096	1,771	903	2,282	121
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,147	239	2,432	5,619	280	222	2,297	1,794	1,071	1,695	113
Malignant neoplasm of breast (174-175)	362	114	596	1,625	126	87	674	589	294	746	46
Malignant neoplasms of genital organs (179-187)	526	152	946	2,306	176	100	935	728	419	999	63
Malignant neoplasms of urinary organs (188-189)	164	72	331	753	50	50	293	316	153	424	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	574	136	1,113	2,734	219	122	1,133	729	476	1,053	65
Leukemia (204-208)	146	56	356	963	63	42	269	286	112	328	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	202	69	452	1,118	103	35	411	375	160	428	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	16	111	267	26	16	116	89	59	110	6
Diabetes mellitus (250)	459	98	583	1,733	178	62	593	482	348	738	43
Nutritional deficiencies (260-269)	30	6	55	139	16	4	51	42	30	59	3
Anemias (280-285)	60	6	58	168	16	6	61	64	26	58	6
Meningitis (320-322)	20	7	24	109	11	1	31	18	9	19	5
Major cardiovascular diseases (390-448)	11,412	3,338	20,280	50,027	3,681	2,178	20,066	14,749	10,136	20,969	1,334
Diseases of heart (390-398,402,404-429)	8,435	2,512	14,712	37,035	2,855	1,674	15,242	10,822	8,090	16,176	1,021
Rheumatic fever and rheumatic heart disease (390-398)	46	23	134	266	93	23	131	161	64	156	13
Hypertensive heart disease (402)	345	34	485	1,140	71	23	444	275	193	323	16
Hypertensive heart and renal disease (404)	72	25	65	175	8	3	85	42	32	63	3
Ischemic heart disease (410-414)	5,852	1,940	11,210	24,443	1,920	1,168	10,975	7,685	5,940	12,774	766
Acute myocardial infarction (410)	3,854	1,253	7,508	16,584	1,060	675	6,005	4,089	3,315	6,746	501
Other acute and subacute forms of ischemic heart disease (411)	110	11	69	84	44	17	746	28	20	112	1
Angina pectoris (413)	14	–	6	19	1	7	15	14	9	10	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,874	676	3,627	8,756	815	469	4,209	3,554	2,596	5,906	264
Other diseases of endocardium (424)	68	21	119	331	41	22	108	158	48	150	10
All other forms of heart disease (415-423,425-429)	2,052	469	2,699	10,680	722	435	3,501	2,501	1,813	2,710	211
Hypertension with or without renal disease (401,403)	100	33	144	321	23	17	136	123	71	158	10
Cerebrovascular diseases (430-438)	2,414	609	4,427	10,134	645	343	3,734	2,853	1,553	3,497	230
Intracerebral and other intracranial hemorrhage (431-432)	366	76	543	1,172	55	42	502	312	194	433	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	446	88	838	1,453	100	74	713	539	296	660	24
Cerebral embolism (434.1)	15	1	12	46	7	–	16	9	4	19	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,587	444	3,034	7,463	483	227	2,503	1,993	1,059	2,385	182
Atherosclerosis (440)	250	123	847	1,842	88	80	555	610	249	692	49
Other diseases of arteries, arterioles, and capillaries (441-448)	213	61	350	895	72	64	399	341	173	446	24
Acute bronchitis and bronchiolitis (466)	6	2	15	28	3	1	7	7	5	6	1
Pneumonia and influenza (480-487)	521	161	958	2,547	232	100	1,007	803	379	917	64
Pneumonia (480-486)	510	157	947	2,517	224	100	1,001	789	373	900	64
Influenza (487)	11	4	11	30	8	–	6	34	6	17	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	530	184	1,122	2,829	249	137	981	1,000	631	832	111
Bronchitis, chronic and unspecified (490-491)	38	12	94	205	22	3	71	82	43	46	6
Emphysema (492)	151	62	257	859	67	27	216	276	155	241	22
Asthma (493)	36	7	45	126	16	8	55	54	32	34	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	305	103	726	1,640	144	99	639	588	401	511	76
Ulcer of stomach and duodenum (531-533)	45	23	117	249	29	14	99	116	50	110	19
Appendicitis (540-543)	9	1	16	37	4	3	10	12	6	13	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	63	23	88	336	25	12	98	95	58	129	11
Chronic liver disease and cirrhosis (571)	283	74	463	1,440	136	64	535	488	247	434	38
Cholelithiasis and other disorders of gallbladder (574-575)	38	15	82	175	21	2	52	43	30	59	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	245	40	377	1,127	61	24	333	225	150	274	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	2	11	24	–	2	6	4	2	8	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	51	1	98	109	9	2	41	50	16	36	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	189	37	268	994	52	20	286	171	132	230	14
Infections of kidney (590)	42	6	80	198	12	6	57	28	27	68	–
Hyperplasia of prostate (600)	4	5	14	41	4	1	13	12	13	22	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	5	–	8	29	2	–	6	3	6	3	–
Pregnancy with abortive outcome (630-638)	–	–	–	5	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	5	–	8	24	2	–	6	3	6	2	–
Congenital anomalies (740-759)	209	42	322	895	166	18	295	278	92	301	18
Certain conditions originating in the perinatal period (760-779)	367	53	558	1,634	227	28	597	368	235	373	27
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	110	17	174	589	95	11	174	127	92	154	2
Other conditions originating in the perinatal period (760-766,770-779)	277	36	384	1,045	132	17	423	161	143	219	25
Symptoms, signs, and ill-defined conditions (780-799)	713	57	918	3,087	146	30	314	218	187	261	37
All other diseases (Residual)	1,400	367	2,327	6,071	574	252	2,508	1,841	1,083	2,153	161
Accidents and adverse effects (E800-E949)	1,780	413	2,544	7,705	699	285	2,269	2,044	1,110	2,038	416
Motor vehicle accidents (E810-E825)	927	230	1,366	4,213	352	154	1,070	1,113	579	1,096	260
All other accidents and adverse effects (E800-E807,E826-E949)	853	183	1,178	3,492	347	131	1,199	931	531	1,002	156
Suicide (E950-E959)	301	72	617	1,627	178	93	768	557	257	584	90
Homicide and legal intervention (E960-E978)	379	29	491	2,398	61	10	502	206	138	156	36
All other external causes (E980-E999)	21	12	103	97	49	4	25	59	33	44	9

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Total, 229 areas	Standard metropolitan statistical area						
		Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N. Mex.	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.
All causes	1,242,985	1,116	5,511	696	7,011	2,482	5,371	1,598
Shigellosis and amebiasis (004,006)	21	–	–	–	–	1	–	–
Certain other intestinal infections (007-009)	174	–	–	–	–	–	1	–
Tuberculosis (010-018)	1,358	2	5	4	6	4	3	–
Tuberculosis of respiratory system (010-012)	1,108	2	4	3	4	4	3	–
Other tuberculosis (013-018)	250	–	1	1	2	–	–	–
Whooping cough (033)	4	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	14	–	–	–	–	–	–	–
Meningococcal infection (036)	255	1	1	1	2	1	–	–
Septicemia (038)	5,616	3	23	2	37	9	23	2
Acute poliomyelitis (045)	3	–	–	–	–	–	–	–
Measles (055)	4	–	–	–	–	–	–	–
Viral hepatitis (070)	549	1	1	–	1	–	2	–
Syphilis (080-097)	106	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2,360	1	13	–	9	8	7	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	270,165	185	1,122	135	1,539	545	1,199	306
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,142	2	17	2	48	12	28	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	73,921	39	289	34	498	129	321	71
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69,179	55	296	35	356	128	283	80
Malignant neoplasm of breast (174-175)	24,073	16	106	2	135	54	100	24
Malignant neoplasms of genital organs (179-187)	29,516	21	139	15	157	62	158	34
Malignant neoplasms of urinary organs (188-189)	11,547	6	51	6	77	28	50	13
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31,808	29	116	23	146	68	150	47
Leukemia (204-208)	10,396	6	39	10	47	29	52	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13,583	11	69	8	75	35	57	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,043	1	21	3	24	10	19	7
Diabetes mellitus (250)	21,588	15	106	13	128	45	111	44
Nutritional deficiencies (260-269)	1,318	4	7	2	6	5	9	2
Anemias (280-285)	2,030	1	8	5	19	4	10	3
Meningitis (320-322)	969	1	2	1	5	3	3	1
Major cardiovascular diseases (390-448)	614,799	570	2,827	298	3,809	839	2,962	868
Diseases of heart (390-398,402,404-429)	475,775	381	2,160	195	3,078	577	2,419	677
Rheumatic fever and rheumatic heart disease (390-398)	5,568	4	28	1	42	16	35	7
Hypertensive heart disease (402)	15,049	5	47	11	63	9	61	11
Hypertensive heart and renal disease (404)	2,043	2	6	3	12	1	11	4
Ischemic heart disease (410-414)	354,864	282	1,664	141	2,533	435	1,696	539
Acute myocardial infarction (410)	181,103	204	909	70	1,185	181	971	332
Other acute and subacute forms of ischemic heart disease (411)	3,164	–	4	–	8	–	2	2
Angina pectoris (413)	297	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	170,300	78	751	71	1,340	274	723	205
Other diseases of endocardium (424)	4,353	8	25	1	26	5	25	11
All other forms of heart disease (415-423,425-429)	93,898	80	390	38	402	111	591	105
Hypertension with or without renal disease (401,403)	4,615	2	14	1	29	25	15	2
Cerebrovascular diseases (430-438)	104,468	148	483	91	513	173	392	135
Intracerebral and other intracranial hemorrhage (431-432)	14,213	11	92	27	88	30	50	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23,355	5	94	18	106	11	119	28
Cerebral embolism (434.1)	521	–	2	–	3	–	2	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	66,378	132	295	46	316	132	221	96
Atherosclerosis (440)	17,354	30	116	8	103	35	85	33
Other diseases of arteries, arterioles, and capillaries (441-448)	12,587	9	54	3	86	29	71	21
Acute bronchitis and bronchiolitis (466)	383	–	–	–	6	–	2	–
Pneumonia and influenza (480-487)	28,981	35	106	14	163	50	104	23
Pneumonia (480-486)	26,700	33	104	14	163	46	104	23
Influenza (487)	281	2	2	–	–	4	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31,718	36	143	16	179	114	121	49
Bronchitis, chronic and unspecified (490-491)	2,399	–	12	–	22	8	5	6
Emphysema (492)	8,573	12	35	6	53	22	24	18
Asthma (493)	1,691	3	5	–	5	6	7	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	19,055	21	91	10	99	78	85	23
Ulcer of stomach and duodenum (531-533)	3,866	6	25	–	18	6	12	1
Appendicitis (540-543)	432	–	3	1	4	1	5	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,376	4	14	2	21	10	11	5
Chronic liver disease and cirrhosis (571)	22,051	11	72	10	99	55	71	18
Cholelithiasis and other disorders of gallbladder (574-575)	1,864	2	7	–	5	4	8	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9,987	16	42	6	61	25	50	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	217	–	–	–	2	1	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,449	1	8	1	5	6	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8,321	15	34	5	54	18	43	7
Infections of kidney (590)	1,867	5	6	1	11	2	3	2
Hyperplasia of prostate (600)	447	1	2	–	1	1	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	228	–	–	–	3	–	–	–
Pregnancy with abortive outcome (630-638)	43	–	–	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	185	–	–	–	2	–	–	–
Congenital anomalies (740-759)	9,042	11	42	14	40	23	27	4
Certain conditions originating in the perinatal period (760-779)	16,113	19	68	15	72	37	60	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,361	10	27	5	27	14	20	6
Other conditions originating in the perinatal period (760-766,770-779)	10,752	9	41	10	45	23	40	3
Symptoms, signs, and ill-defined conditions (780-799)	15,889	24	326	31	39	99	15	6
All other diseases (Residual)	70,841	66	270	45	373	202	242	81
Accidents and adverse effects (E800-E949)	62,140	58	155	49	233	237	214	59
Motor vehicle accidents (E810-E825)	30,593	37	88	26	110	128	128	35
All other accidents and adverse effects (E800-E807,E826-E949)	31,547	31	67	23	123	109	86	24
Suicide (E950-E959)	18,436	11	66	8	79	78	57	20
Homicide and legal intervention (E960-E978)	17,571	15	21	18	13	62	16	9
All other external causes (E980-E999)	2,977	1	7	2	6	2	4	1

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anderson, Ind.	Ann Arbor, Mich.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Atlanta, Ga.	Atlantic City, N.J.
All causes	1,284	11,741	1,197	1,293	2,135	1,548	11,227	2,473
Shigellosis and amebiasis (004,006)	–	2	–	–	–	1	–	–
Certain other intestinal infections (007-009)	–	2	–	1	–	–	2	–
Tuberculosis (010-018)	1	8	–	1	–	2	10	2
Tuberculosis of respiratory system (010-012)	–	5	–	1	–	2	9	–
Other tuberculosis (013-018)	1	3	–	–	–	–	1	2
Whooping cough (033)	–	–	–	–	–	–	1	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	4	–	1	1	1	4	1
Septicemia (038)	6	22	3	12	5	7	95	8
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	7	–	–	–	2	5	3
Syphilis (090-097)	–	–	–	1	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-066,071-088,088-139)	2	25	3	2	4	3	19	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	259	2,759	265	291	462	315	2,160	510
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	57	5	11	7	5	71	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	725	81	73	112	60	497	159
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	60	679	73	57	101	67	574	127
Malignant neoplasm of breast (174-175)	23	264	20	25	43	31	212	43
Malignant neoplasms of genital organs (179-187)	24	311	29	35	66	35	253	65
Malignant neoplasms of urinary organs (188-189)	5	128	11	18	28	20	61	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48	317	27	41	58	46	300	49
Leukemia (204-208)	6	133	10	21	18	14	76	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	145	9	10	29	17	116	28
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	37	3	5	5	6	45	7
Diabetes mellitus (250)	10	111	21	22	34	24	181	39
Nutritional deficiencies (260-269)	–	10	–	1	2	3	10	1
Anemias (280-285)	1	15	2	–	4	2	23	4
Meningitis (320-322)	1	8	1	2	3	–	11	–
Major cardiovascular diseases (390-448)	653	5,624	632	584	1,154	784	5,198	1,435
Diseases of heart (390-398,402,404-429)	494	4,239	447	424	870	587	3,948	1,183
Rheumatic fever and rheumatic heart disease (390-398)	2	61	5	3	10	11	37	11
Hypertensive heart disease (402)	6	79	9	4	5	16	244	23
Hypertensive heart and renal disease (404)	1	11	4	–	5	3	23	7
Ischemic heart disease (410-414)	369	3,316	351	324	670	409	2,493	972
Acute myocardial infarction (410)	247	1,856	168	188	364	245	1,539	611
Other acute and subacute forms of ischemic heart disease (411)	1	60	1	–	2	3	25	2
Angina pectoris (413)	–	5	–	2	–	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	118	1,395	184	136	312	158	918	359
Other diseases of endocardium (424)	2	48	–	5	8	12	39	11
All other forms of heart disease (415-423,425-429)	117	704	78	88	164	139	1,122	169
Hypertension with or without renal disease (401,403)	2	29	8	7	13	10	45	7
Cerebrovascular diseases (430-438)	117	1,056	135	115	191	147	1,020	168
Intracerebral and other intracranial hemorrhage (431-432)	15	149	10	17	25	17	147	31
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	210	36	14	37	34	152	35
Cerebral embolism (434.1)	1	10	3	–	–	1	10	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	85	687	86	84	129	95	711	102
Atherosclerosis (440)	32	144	34	22	52	16	89	33
Other diseases of arteries, arterioles, and capillaries (441-448)	8	156	8	16	28	24	96	34
Acute bronchitis and bronchiolitis (466)	–	4	–	1	–	–	4	1
Pneumonia and influenza (480-487)	22	262	14	34	41	49	265	28
Pneumonia (480-486)	22	257	14	34	41	49	262	28
Influenza (487)	–	5	–	–	–	–	3	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	57	361	29	34	44	47	283	61
Bronchitis, chronic and unspecified (490-491)	2	20	4	3	4	3	23	1
Emphysema (492)	25	97	5	8	19	12	73	10
Asthma (493)	–	18	1	1	–	3	16	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	30	226	19	22	21	29	171	49
Ulcer of stomach and duodenum (531-533)	2	47	6	2	9	4	32	3
Appendicitis (540-543)	1	13	–	–	–	–	6	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	38	2	3	3	4	32	10
Chronic liver disease and cirrhosis (571)	24	234	15	17	21	25	201	33
Cholelithiasis and other disorders of gallbladder (574-575)	2	17	2	3	4	1	16	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	62	11	6	12	10	67	26
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	3	–	–	–	1	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	13	–	1	1	3	12	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	3	46	11	5	11	6	74	23
Infections of kidney (590)	1	16	1	2	3	2	14	1
Hyperplasia of prostate (600)	–	5	1	–	–	1	5	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	–	–	–	–	3	–
Pregnancy with abortive outcome (630-638)	1	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	–	3	–
Congenital anomalies (740-759)	7	122	5	14	12	12	109	13
Certain conditions originating in the perinatal period (760-779)	24	156	22	28	21	13	170	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	63	9	7	18	6	48	4
Other conditions originating in the perinatal period (760-766,770-779)	13	93	13	21	3	7	122	11
Symptoms, signs, and ill-defined conditions (780-799)	9	46	7	9	14	15	92	22
All other diseases (Residual)	63	633	50	84	121	102	790	100
Accidents and adverse effects (E800-E949)	82	725	77	91	115	80	791	107
Motor vehicle accidents (E810-E825)	46	370	46	46	57	38	381	46
All other accidents and adverse effects (E800-E807,E826-E949)	36	355	29	45	58	42	410	58
Suicide (E950-E959)	25	255	20	34	37	18	211	14
Homicide and legal intervention (E960-E978)	18	101	2	6	3	15	340	15
All other external causes (E980-E999)	–	8	3	2	1	–	12	5

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Augusta, Ga.-S.C.	Austin, Tex.	Bakersfield, Calif.	Baltimore, Md.	Baton Rouge, La.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Billings, Mont.
All causes	2,331	2,309	3,053	18,910	2,191	961	2,842	710
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	3	–	–	–	–
Tuberculosis (010-018)	7	–	4	23	1	2	2	–
Tuberculosis of respiratory system (010-012)	4	–	4	19	1	2	2	–
Other tuberculosis (013-018)	3	–	–	4	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–
Meningococcal infection (036)	3	1	–	3	2	–	1	–
Septicemia (038)	7	18	10	150	12	1	7	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	–	10	1	–	1	–
Syphilis (090-097)	–	–	–	3	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	11	4	5	37	3	3	4	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	426	456	616	4,439	409	217	576	146
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	4	8	110	14	2	15	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	95	116	142	1,220	88	50	139	38
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	131	116	185	1,224	123	41	167	34
Malignant neoplasm of breast (174-175)	28	45	56	370	36	17	31	16
Malignant neoplasms of genital organs (179-187)	55	54	71	462	42	13	63	17
Malignant neoplasms of urinary organs (188-189)	13	21	33	160	13	11	17	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	59	58	82	551	59	57	95	16
Leukemia (204-208)	15	17	22	150	14	8	23	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	22	25	37	192	20	18	26	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	3	12	86	9	3	7	1
Diabetes mellitus (250)	45	34	47	385	41	17	50	8
Nutritional deficiencies (260-269)	5	2	3	18	4	–	5	2
Anemias (280-285)	2	2	4	48	4	5	2	1
Meningitis (320-322)	5	1	4	9	2	–	8	1
Major cardiovascular diseases (390-448)	1,069	1,068	1,413	9,038	1,138	513	1,339	349
Diseases of heart (390-398,402,404-429)	787	695	1,117	7,392	897	411	1,027	242
Rheumatic fever and rheumatic heart disease (390-398)	3	5	10	77	1	7	7	1
Hypertensive heart disease (402)	43	37	56	431	61	1	22	7
Hypertensive heart and renal disease (404)	3	5	2	37	7	1	2	–
Ischemic heart disease (410-414)	548	419	864	3,617	687	361	627	177
Acute myocardial infarction (410)	346	252	348	2,572	165	185	345	95
Other acute and subacute forms of ischemic heart disease (411)	–	2	3	33	–	–	1	1
Angina pectoris (413)	–	2	1	14	–	–	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	202	163	512	998	522	176	280	78
Other diseases of endocardium (424)	14	14	20	74	3	1	13	1
All other forms of heart disease (415-423,425-429)	176	215	185	3,156	138	40	356	56
Hypertension with or without renal disease (401,403)	10	6	6	67	8	–	7	1
Cerebrovascular diseases (430-438)	251	189	209	1,179	167	72	253	60
Intracerebral and other intracranial hemorrhage (431-432)	51	26	21	190	11	8	38	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	22	46	152	30	20	42	20
Cerebral embolism (434.1)	1	–	–	2	–	–	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	103	141	142	835	126	44	172	58
Atherosclerosis (440)	9	158	34	174	38	20	37	14
Other diseases of arteries, arterioles, and capillaries (441-448)	32	20	47	226	28	10	15	12
Acute bronchitis and bronchiolitis (466)	2	–	–	2	–	–	–	–
Pneumonia and influenza (480-487)	49	74	73	331	34	19	66	15
Pneumonia (480-486)	48	73	73	330	33	19	65	15
Influenza (487)	1	1	–	1	1	–	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58	54	88	388	40	23	61	22
Bronchitis, chronic and unspecified (490-491)	3	2	10	21	4	–	3	1
Emphysema (492)	19	15	37	66	8	5	22	4
Asthma (493)	2	2	3	21	2	1	5	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	34	35	38	280	26	17	30	14
Ulcer of stomach and duodenum (531-533)	7	3	11	52	3	3	7	3
Appendicitis (540-543)	–	–	–	7	–	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	5	13	56	5	1	17	1
Chronic liver disease and cirrhosis (571)	36	31	68	283	33	15	36	9
Cholelithiasis and other disorders of gallbladder (574-575)	1	2	5	31	3	–	4	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	27	23	223	24	6	41	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	–	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	4	4	16	4	–	3	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	23	18	206	20	6	37	4
Infections of kidney (590)	4	3	7	15	3	2	6	1
Hyperplasia of prostate (600)	4	–	1	12	1	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	–	–	4	1	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	–	–	4	1	–	–	–
Congenital anomalies (740-759)	20	31	23	130	19	4	17	3
Certain conditions originating in the perinatal period (760-779)	55	26	49	265	48	8	53	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	9	24	74	26	1	23	1
Other conditions originating in the perinatal period (760-766,770-779)	33	17	25	191	22	7	30	9
Symptoms, signs, and ill-defined conditions (780-799)	35	19	11	220	8	4	90	11
All other diseases (Residual)	187	150	174	1,219	118	38	140	48
Accidents and adverse effects (E800-E949)	151	171	257	857	129	55	207	47
Motor vehicle accidents (E810-E825)	78	109	148	364	70	37	106	29
All other accidents and adverse effects (E800-E807,E826-E949)	73	62	109	493	59	18	99	18
Suicide (E950-E959)	34	63	64	221	35	12	49	18
Homicide and legal intervention (E960-E978)	61	58	65	314	51	9	43	4
All other external causes (E980-E999)	7	–	3	30	10	1	2	5

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bloomington-Normal, Ill.	Boise City, Idaho	Boston-Lowell-Lawrence, Mass.	Bridgeport-Stamford-Norwalk, Conn.	Brockton, Mass.
All causes	1,238	2,705	7,595	858	1,036	29,322	6,722	3,049
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	2	–
Tuberculosis (010-018)	2	–	9	1	–	9	3	2
Tuberculosis of respiratory system (010-012)	2	–	6	–	–	6	1	–
Other tuberculosis (013-018)	–	–	3	1	–	3	2	2
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	1	2	–	1	5	1	1
Septicemia (038)	6	3	27	1	2	201	28	15
Acute poliomyelitis (045)	–	–	–	–	–	1	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	1	4	–	1	7	2	–
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,088-139)	2	3	18	2	3	50	11	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	258	584	1,598	183	192	6,820	1,630	686
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	6	14	39	3	2	170	51	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	66	170	360	44	45	1,910	485	202
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	78	145	466	43	51	1,605	373	156
Malignant neoplasm of breast (174-175)	15	56	125	17	10	645	146	55
Malignant neoplasms of genital organs (179-187)	21	69	202	21	19	681	171	80
Malignant neoplasms of urinary organs (188-189)	9	36	48	9	7	327	79	36
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	43	44	222	31	37	917	204	101
Leukemia (204-208)	8	28	58	5	10	224	67	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	22	78	10	11	341	74	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	9	25	3	5	127	35	16
Diabetes mellitus (250)	12	54	155	9	12	531	130	48
Nutritional deficiencies (260-269)	1	2	12	2	2	29	3	3
Anemias (280-285)	2	4	24	2	2	40	12	5
Meningitis (320-322)	3	3	5	–	1	24	4	–
Major cardiovascular diseases (390-448)	590	1,439	3,403	469	481	14,641	3,355	1,589
Diseases of heart (390-398,402,404-429)	468	1,156	2,429	354	344	11,672	2,653	1,290
Rheumatic fever and rheumatic heart disease (390-398)	3	13	18	1	2	161	40	18
Hypertensive heart disease (402)	7	30	120	8	8	201	84	18
Hypertensive heart and renal disease (404)	4	1	8	7	2	17	11	2
Ischemic heart disease (410-414)	290	958	1,625	286	257	9,409	2,084	1,082
Acute myocardial infarction (410)	205	492	936	153	169	5,105	953	406
Other acute and subacute forms of ischemic heart disease (411)	3	–	3	–	2	38	4	–
Angina pectoris (413)	–	–	3	–	–	8	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	82	466	683	133	86	4,258	1,126	676
Other diseases of endocardium (424)	2	12	32	1	6	107	34	14
All other forms of heart disease (415-423,425-429)	162	142	626	51	69	1,777	300	156
Hypertension with or without renal disease (401,403)	7	10	58	2	2	83	37	6
Cerebrovascular diseases (430-438)	91	201	767	84	95	2,156	575	231
Intracerebral and other intracranial hemorrhage (431-432)	20	22	89	16	13	377	60	30
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	52	168	29	12	555	138	63
Cerebral embolism (434.1)	1	1	–	1	–	24	5	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	50	126	510	38	70	1,200	372	136
Atherosclerosis (440)	8	32	77	19	29	384	97	29
Other diseases of arteries, arterioles, and capillaries (441-448)	16	40	72	10	11	336	93	33
Acute bronchitis and bronchiolitis (466)	–	2	3	–	–	8	–	–
Pneumonia and influenza (480-487)	24	63	121	19	26	1,094	158	90
Pneumonia (480-486)	24	63	120	19	26	1,083	157	90
Influenza (487)	–	–	1	–	–	1	1	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	37	76	204	20	33	620	170	43
Bronchitis, chronic and unspecified (490-491)	1	7	15	–	3	44	10	5
Emphysema (492)	20	26	49	4	5	146	48	11
Asthma (493)	1	3	6	–	5	42	7	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	15	42	134	16	20	397	105	25
Ulcer of stomach and duodenum (531-533)	7	12	31	2	5	77	9	9
Appendicitis (540-543)	1	2	2	1	–	8	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	5	22	2	4	68	16	8
Chronic liver disease and cirrhosis (571)	22	39	74	8	14	476	123	48
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	10	5	1	41	15	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	16	65	5	8	276	47	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	–	4	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	9	–	1	40	6	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	12	56	5	7	232	41	23
Infections of kidney (590)	2	7	16	1	–	28	6	3
Hyperplasia of prostate (600)	–	1	1	–	–	5	9	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	3	1	–	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	3	1	–	–	–	–
Congenital anomalies (740-759)	8	15	47	5	6	141	35	20
Certain conditions originating in the perinatal period (760-779)	12	36	95	21	13	243	74	35
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	13	47	12	4	62	20	10
Other conditions originating in the perinatal period (760-766,770-779)	11	23	48	9	9	181	54	25
Symptoms, signs, and ill-defined conditions (780-799)	6	16	461	7	29	232	42	31
All other diseases (Residual)	81	144	508	36	68	1,834	383	179
Accidents and adverse effects (E800-E949)	92	122	414	39	97	1,225	263	145
Motor vehicle accidents (E810-E825)	29	66	218	25	63	493	135	66
All other accidents and adverse effects (E800-E807,E826-E949)	63	56	196	14	34	732	128	79
Suicide (E950-E959)	20	34	73	10	19	270	98	29
Homicide and legal intervention (E960-E978)	19	6	147	3	9	146	41	7
All other external causes (E980-E999)	2	3	15	1	2	35	15	1

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.	Canton, Ohio	Cedar Rapids, Iowa	Champaign-Urbana, Ill.	Charleston, S.C.	Charleston, W.Va.
All causes	1,211	495	12,276	3,397	1,183	886	2,372	2,204
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	1	–	–	1
Tuberculosis (010-018)	1	1	8	5	–	–	4	6
Tuberculosis of respiratory system (010-012)	–	–	6	5	–	–	4	6
Other tuberculosis (013-018)	1	1	2	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	1	–	–	–	–	–
Meningococcal infection (036)	–	–	5	–	–	–	1	–
Septicemia (038)	6	1	44	9	3	2	17	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	6	2	1	–	1	2
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	3	13	2	4	1	6	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	216	84	2,754	752	272	201	494	472
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	3	1	52	13	4	4	8	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	61	26	821	215	81	56	131	115
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	55	18	684	195	64	43	125	149
Malignant neoplasm of breast (174-175)	16	13	292	69	21	28	30	32
Malignant neoplasms of genital organs (179-187)	29	6	295	82	31	25	65	59
Malignant neoplasms of urinary organs (188-189)	2	4	123	34	14	6	21	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	7	241	72	27	17	67	69
Leukemia (204-208)	11	6	104	30	16	9	21	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	3	142	42	15	13	26	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	2	39	6	1	1	7	10
Diabetes mellitus (250)	23	10	250	85	18	21	47	42
Nutritional deficiencies (260-269)	1	–	12	2	–	1	6	4
Anemias (280-285)	2	1	16	6	2	1	11	2
Meningitis (320-322)	1	–	4	1	1	1	2	–
Major cardiovascular diseases (390-448)	537	203	6,529	1,799	605	452	1,074	1,122
Diseases of heart (390-398,402,404-429)	403	140	5,019	1,423	453	305	842	868
Rheumatic fever and rheumatic heart disease (390-398)	3	–	54	24	2	1	6	5
Hypertensive heart disease (402)	7	2	106	59	6	10	48	20
Hypertensive heart and renal disease (404)	2	–	17	7	4	2	5	4
Ischemic heart disease (410-414)	303	105	4,330	1,109	340	236	492	561
Acute myocardial infarction (410)	194	63	2,430	473	166	115	246	323
Other acute and subacute forms of ischemic heart disease (411)	1	–	9	4	2	–	72	1
Angina pectoris (413)	–	–	1	1	–	1	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	108	42	1,690	631	172	120	173	256
Other diseases of endocardium (424)	2	–	28	17	4	4	5	4
All other forms of heart disease (415-423,425-429)	88	33	484	207	97	52	284	274
Hypertension with or without renal disease (401,403)	–	–	59	14	6	5	7	7
Cerebrovascular diseases (430-438)	104	50	1,140	277	110	86	195	186
Intracerebral and other intracranial hemorrhage (431-432)	16	3	156	39	5	5	51	21
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	12	375	66	12	15	37	24
Cerebral embolism (434.1)	1	1	5	2	1	1	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	76	34	604	168	92	67	106	149
Atherosclerosis (440)	24	11	180	43	25	39	15	19
Other diseases of arteries, arterioles, and capillaries (441-448)	6	2	131	42	11	15	15	20
Acute bronchitis and bronchiolitis (466)	–	–	6	1	–	–	2	1
Pneumonia and influenza (480-487)	22	10	266	64	30	20	40	54
Pneumonia (480-486)	21	10	263	62	28	20	40	54
Influenza (487)	1	–	3	2	2	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	8	309	110	31	22	56	57
Bronchitis, chronic and unspecified (490-491)	3	–	31	16	3	1	5	–
Emphysema (492)	1	2	120	32	6	13	11	10
Asthma (493)	–	–	9	8	–	–	9	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	6	149	54	22	8	31	43
Ulcer of stomach and duodenum (531-533)	2	–	45	11	6	2	1	7
Appendicitis (540-543)	–	–	5	–	1	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	1	33	14	3	2	6	4
Chronic liver disease and cirrhosis (571)	15	7	229	34	18	8	28	32
Cholelithiasis and other disorders of gallbladder (574-575)	4	–	20	6	1	2	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	1	78	28	8	9	21	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	–	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	–	9	9	1	2	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	1	66	18	7	7	19	13
Infections of kidney (590)	–	–	23	4	–	1	2	2
Hyperplasia of prostate (600)	–	1	9	2	2	–	1	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	1	–	–	–	–
Congenital anomalies (740-759)	8	3	63	23	12	8	33	12
Certain conditions originating in the perinatal period (760-779)	19	6	102	43	13	13	54	21
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	4	28	18	4	4	17	7
Other conditions originating in the perinatal period (760-766,770-779)	9	2	76	25	9	9	37	14
Symptoms, signs, and ill-defined conditions (780-799)	111	31	40	24	7	4	32	28
All other diseases (Residual)	71	21	644	144	65	48	151	134
Accidents and adverse effects (E800-E949)	85	25	467	158	63	41	195	119
Motor vehicle accidents (E810-E825)	40	17	239	83	29	23	95	66
All other accidents and adverse effects (E800-E807,E826-E949)	45	8	228	75	34	18	100	53
Suicide (E950-E959)	16	10	113	42	11	15	36	26
Homicide and legal intervention (E960-E978)	23	5	77	19	4	10	37	18
All other external causes (E980-E999)	–	1	67	–	–	–	1	9

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte, N.C.	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Cincinnati, Ohio-Ky.-Ind.	Cleveland, Ohio	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.
All causes	3,213	2,991	60,819	12,653	18,125	1,704	549	2,836
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	14	–	3	–	–	–
Tuberculosis (010-018)	8	6	83	16	14	1	–	7
Tuberculosis of respiratory system (010-012)	8	5	71	16	14	1	–	6
Other tuberculosis (013-018)	–	1	12	–	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	1	–	12	5	2	1	–	2
Septicemia (038)	19	5	280	62	75	7	4	15
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	3	–	32	3	8	2	–	–
Syphilis (090-097)	–	1	3	1	3	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	8	8	130	21	31	5	–	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	647	605	13,192	2,906	4,026	334	104	513
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	10	332	65	122	6	2	13
Malignant neoplasms of digestive organs and peritoneum (150-159)	158	147	3,776	779	1,169	93	25	131
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	163	170	3,298	828	1,000	70	33	143
Malignant neoplasm of breast (174-175)	61	45	1,228	282	368	38	3	45
Malignant neoplasms of genital organs (179-187)	79	76	1,453	344	426	38	12	60
Malignant neoplasms of urinary organs (188-189)	26	25	595	120	173	20	8	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	81	77	1,403	266	405	41	13	60
Leukemia (204-208)	32	20	472	89	130	12	2	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	33	35	635	123	213	16	8	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	10	183	22	56	8	3	2
Diabetes mellitus (250)	53	48	1,101	206	370	21	12	44
Nutritional deficiencies (260-269)	6	1	38	12	21	4	1	3
Anemias (280-285)	3	10	88	24	40	3	3	7
Meningitis (320-322)	2	3	53	11	8	4	3	4
Major cardiovascular diseases (390-448)	1,517	1,571	31,019	6,517	9,033	738	267	1,384
Diseases of heart (390-398,402,404-429)	1,136	1,175	25,175	5,192	7,031	541	207	1,062
Rheumatic fever and rheumatic heart disease (390-398)	18	9	250	48	104	6	4	3
Hypertensive heart disease (402)	70	27	802	202	360	16	4	46
Hypertensive heart and renal disease (404)	6	6	86	36	29	1	2	18
Ischemic heart disease (410-414)	800	940	17,426	3,917	5,546	439	159	719
Acute myocardial infarction (410)	430	731	6,574	1,699	2,097	152	61	427
Other acute and subacute forms of ischemic heart disease (411)	2	3	279	8	19	13	1	4
Angina pectoris (413)	2	1	13	2	2	1	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	366	205	6,560	2,208	3,428	273	77	286
Other diseases of endocardium (424)	11	3	176	29	59	8	2	8
All other forms of heart disease (415-423,425-429)	231	190	6,433	670	933	71	36	268
Hypertension with or without renal disease (401,403)	15	12	271	39	82	7	–	16
Cerebrovascular diseases (430-438)	296	323	4,580	993	1,442	139	54	259
Intracerebral and other intracranial hemorrhage (431-432)	34	60	715	126	201	10	6	45
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	60	56	1,351	237	332	18	22	50
Cerebral embolism (434.1)	4	1	25	21	7	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	198	206	2,489	609	902	105	26	164
Atherosclerosis (440)	41	41	538	166	300	38	2	21
Other diseases of arteries, arterioles, and capillaries (441-448)	29	20	445	127	178	21	4	26
Acute bronchitis and bronchiolitis (466)	1	2	15	3	7	1	–	1
Pneumonia and influenza (480-487)	64	79	1,384	304	348	68	30	86
Pneumonia (480-486)	63	78	1,379	299	341	68	28	86
Influenza (487)	1	1	5	5	7	–	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	78	72	1,142	310	428	84	14	67
Bronchitis, chronic and unspecified (490-491)	4	11	87	30	38	7	2	8
Emphysema (492)	17	12	325	88	117	29	5	16
Asthma (493)	5	4	82	17	30	5	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	45	648	177	243	43	6	42
Ulcer of stomach and duodenum (531-533)	11	8	206	37	45	4	–	9
Appendicitis (540-543)	2	1	25	4	6	–	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	11	138	47	46	9	2	13
Chronic liver disease and cirrhosis (571)	64	40	1,190	153	353	31	4	45
Cholelithiasis and other disorders of gallbladder (574-575)	3	10	76	28	22	3	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	37	26	490	113	162	6	3	39
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	11	1	–	1	–	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	6	53	18	24	–	–	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	20	428	94	138	5	3	29
Infections of kidney (590)	4	4	73	27	24	–	–	7
Hyperplasia of prostate (600)	–	–	19	7	5	–	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	24	2	5	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	8	–	1	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	16	2	4	–	–	–
Congenital anomalies (740-759)	34	13	432	88	125	23	6	24
Certain conditions originating in the perinatal period (760-779)	70	34	1,055	116	197	33	11	38
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	8	317	46	72	12	6	9
Other conditions originating in the perinatal period (760-766,770-779)	53	26	738	70	125	21	5	29
Symptoms, signs, and ill-defined conditions (780-799)	18	19	428	36	76	13	8	25
All other diseases (Residual)	223	142	3,164	706	1,058	115	34	189
Accidents and adverse effects (E800-E949)	178	172	2,548	576	852	119	25	192
Motor vehicle accidents (E810-E825)	87	88	1,118	259	371	68	13	88
All other accidents and adverse effects (E800-E807,E826-E949)	91	84	1,430	317	481	51	12	104
Suicide (E950-E959)	68	38	600	165	319	48	9	54
Homicide and legal intervention (E960-E978)	71	43	1,187	98	338	10	4	48
All other external causes (E980-E999)	7	7	397	27	26	11	2	4

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Dallas, Tex.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Decatur, Ill.	Denver, Colo.
All causes	1,683	7,308	2,140	12,932	3,245	6,380	1,221	9,715
Shigellosis and amebiasis (004,006)	–	–	–	1	–	–	–	1
Certain other intestinal infections (007-009)	–	1	1	5	–	–	–	2
Tuberculosis (010-018)	7	10	–	15	1	7	2	10
Tuberculosis of respiratory system (010-012)	7	9	–	10	1	6	2	9
Other tuberculosis (013-018)	–	1	–	5	–	1	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	1
Meningococcal infection (036)	1	–	–	3	–	3	1	–
Septicemia (038)	7	51	8	72	5	23	3	87
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	1	6	2	5	–	5
Syphilis (090-097)	–	2	–	1	–	1	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	4	6	23	4	11	3	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	358	1,655	414	2,599	686	1,349	243	1,959
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	30	12	63	11	32	5	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	85	426	121	644	207	358	60	517
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	103	478	114	675	184	370	80	399
Malignant neoplasm of breast (174-175)	22	148	15	229	56	136	19	196
Malignant neoplasms of genital organs (179-187)	50	184	43	297	64	129	15	239
Malignant neoplasms of urinary organs (188-189)	23	76	15	100	24	45	13	84
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	35	184	55	335	74	142	32	269
Leukemia (204-208)	13	53	16	116	29	67	8	103
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	78	23	140	37	80	11	126
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	20	4	35	14	26	4	30
Diabetes mellitus (250)	30	132	59	205	55	116	21	132
Nutritional deficiencies (260-269)	4	11	4	12	4	3	3	11
Anemias (280-285)	3	12	6	26	2	13	2	19
Meningitis (320-322)	3	3	3	15	2	6	1	12
Major cardiovascular diseases (390-448)	911	3,414	916	5,939	1,698	3,199	654	4,323
Diseases of heart (390-398,402,404-429)	627	2,501	692	4,398	1,267	2,438	444	3,291
Rheumatic fever and rheumatic heart disease (390-398)	2	30	8	29	7	25	3	75
Hypertensive heart disease (402)	24	74	29	229	27	63	13	62
Hypertensive heart and renal disease (404)	7	52	–	19	6	11	4	35
Ischemic heart disease (410-414)	458	1,830	445	2,626	993	1,714	312	2,281
Acute myocardial infarction (410)	243	1,056	248	1,492	609	893	147	1,249
Other acute and subacute forms of ischemic heart disease (411)	62	3	3	8	4	4	1	7
Angina pectoris (413)	–	3	1	2	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	153	768	193	1,134	380	817	164	1,024
Other diseases of endocardium (424)	5	23	12	44	9	24	4	50
All other forms of heart disease (415-423,425-429)	131	592	196	1,451	225	601	106	766
Hypertension with or without renal disease (401,403)	7	29	3	44	16	26	12	35
Cerebrovascular diseases (430-438)	236	606	174	1,183	327	565	147	708
Intracerebral and other intracranial hemorrhage (431-432)	44	52	31	138	26	96	19	99
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	73	122	28	151	76	109	40	107
Cerebral embolism (434.1)	1	1	1	1	2	3	–	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	118	431	114	893	223	357	88	498
Atherosclerosis (440)	22	114	25	186	51	106	41	194
Other diseases of arteries, arterioles, and capillaries (441-448)	18	64	22	128	37	64	10	97
Acute bronchitis and bronchiolitis (466)	1	4	–	2	1	1	1	7
Pneumonia and influenza (480-487)	45	157	51	303	68	130	20	328
Pneumonia (480-486)	45	154	51	302	68	127	20	324
Influenza (487)	–	3	–	1	–	3	–	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	54	221	66	334	97	171	41	367
Bronchitis, chronic and unspecified (490-491)	2	22	3	37	7	13	2	21
Emphysema (492)	11	68	32	81	43	37	15	72
Asthma (493)	3	8	–	20	3	9	2	15
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38	123	31	196	44	112	22	259
Ulcer of stomach and duodenum (531-533)	2	21	3	35	9	13	4	31
Appendicitis (540-543)	2	1	–	4	–	4	–	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	17	11	45	17	18	1	30
Chronic liver disease and cirrhosis (571)	25	98	35	168	41	88	10	161
Cholelithiasis and other disorders of gallbladder (574-575)	4	5	4	20	5	10	3	18
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	51	23	133	21	57	6	71
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	4	1	1	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	11	2	12	4	9	–	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	38	21	117	16	47	5	58
Infections of kidney (590)	5	9	1	35	10	7	4	6
Hyperplasia of prostate (600)	1	2	2	3	2	1	1	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	3	1	–	–	–	3
Pregnancy with abortive outcome (630-638)	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	2	1	–	–	–	3
Congenital anomalies (740-759)	11	55	20	103	28	58	6	86
Certain conditions originating in the perinatal period (760-779)	53	108	45	218	47	80	26	118
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	37	26	77	11	25	5	35
Other conditions originating in the perinatal period (760-766,770-779)	31	71	19	141	36	55	21	83
Symptoms, signs, and ill-defined conditions (780-799)	8	414	40	305	20	93	14	150
All other diseases (Residual)	120	420	158	748	179	339	62	696
Accidents and adverse effects (E800-E949)	109	269	171	861	155	336	59	662
Motor vehicle accidents (E810-E825)	46	131	103	454	84	181	32	316
All other accidents and adverse effects (E800-E807,E826-E949)	63	138	68	407	71	155	27	346
Suicide (E950-E959)	21	112	40	253	50	109	16	302
Homicide and legal intervention (E960-E978)	59	21	42	389	20	100	7	106
All other external causes (E980-E999)	8	6	3	15	2	3	2	32

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Des Moines, Iowa	Detroit, Mich.	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Durham, N.C.	El Paso, Tex.	Erie, Pa.	Eugene, Oreg.
All causes	2,374	33,818	775	2,612	1,694	2,377	2,362	1,815
Shigellosis and amebiasis (004,006)	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	-	6	-	-	-	-	-	-
Tuberculosis (010-018)	2	33	-	1	2	8	2	-
Tuberculosis of respiratory system (010-012)	2	22	-	1	1	6	2	-
Other tuberculosis (013-018)	-	11	-	-	1	2	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	5	-	-	-	-	-	-
Septicemia (038)	12	166	1	6	13	14	4	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	15	-	-	1	-	1	-
Syphilis (090-097)	-	5	-	-	-	1	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	55	1	3	3	5	4	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	485	7,167	184	519	340	473	524	397
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	11	171	4	13	6	10	9	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	124	1,923	48	180	80	129	134	98
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	153	1,901	43	104	83	108	127	109
Malignant neoplasm of breast (174-175)	48	628	18	35	26	37	47	42
Malignant neoplasms of genital organs (179-187)	47	796	12	60	39	59	70	50
Malignant neoplasms of urinary organs (188-189)	16	305	6	23	7	23	24	22
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	44	810	18	67	56	61	54	40
Leukemia (204-208)	17	286	6	12	11	27	24	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	350	9	25	22	19	35	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	89	1	2	12	7	11	5
Diabetes mellitus (250)	39	623	10	48	26	56	43	33
Nutritional deficiencies (260-269)	1	40	-	1	-	10	2	1
Anemias (280-285)	3	63	1	3	5	7	3	3
Meningitis (320-322)	1	28	2	1	3	2	3	-
Major cardiovascular diseases (390-448)	1,232	17,190	437	1,416	808	973	1,247	861
Diseases of heart (390-398,402,404-429)	986	13,891	334	1,059	621	742	975	633
Rheumatic fever and rheumatic heart disease (390-398)	13	149	3	8	8	16	11	11
Hypertensive heart disease (402)	7	439	12	27	13	10	18	19
Hypertensive heart and renal disease (404)	5	51	3	1	3	3	-	3
Ischemic heart disease (410-414)	742	9,812	251	794	428	538	801	530
Acute myocardial infarction (410)	530	5,597	111	387	260	258	469	218
Other acute and subacute forms of ischemic heart disease (411)	8	24	5	4	22	2	3	1
Angina pectoris (413)	-	4	1	-	2	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	204	4,167	134	403	144	278	328	313
Other diseases of endocardium (424)	6	93	5	11	5	5	11	6
All other forms of heart disease (415-423,425-429)	213	3,347	60	217	164	170	134	64
Hypertension with or without renal disease (401,403)	8	124	1	8	8	6	10	4
Cerebrovascular diseases (430-438)	165	2,468	83	259	144	179	205	171
Intracerebral and other intracranial hemorrhage (431-432)	24	365	5	28	19	23	25	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	680	28	42	24	30	48	47
Cerebral embolism (434.1)	-	18	-	-	-	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	117	1,405	50	189	101	124	134	109
Atherosclerosis (440)	39	361	12	56	16	29	39	31
Other diseases of arteries, arterioles, and capillaries (441-448)	34	346	7	37	19	17	24	22
Acute bronchitis and bronchiolitis (466)	-	5	-	1	1	-	-	-
Pneumonia and influenza (480-487)	64	648	14	85	36	51	49	57
Pneumonia (480-486)	64	643	14	80	36	51	48	55
Influenza (487)	-	5	-	5	-	-	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	68	814	22	68	50	81	53	68
Bronchitis, chronic and unspecified (490-491)	3	57	2	8	3	2	6	6
Emphysema (492)	24	248	3	30	20	21	13	31
Asthma (493)	4	52	-	3	3	6	4	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	37	457	17	27	24	52	30	27
Ulcer of stomach and duodenum (531-533)	11	99	2	10	6	15	7	5
Appendicitis (540-543)	1	17	-	1	-	2	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	89	3	4	6	11	8	8
Chronic liver disease and cirrhosis (571)	22	838	14	42	23	55	38	20
Cholelithiasis and other disorders of gallbladder (574-575)	5	37	1	5	1	9	2	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	293	4	13	22	30	13	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	6	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	30	-	4	5	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	257	4	9	17	27	12	8
Infections of kidney (590)	3	29	-	2	2	5	3	4
Hyperplasia of prostate (600)	-	4	1	-	3	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	8	-	-	-	2	-	-
Pregnancy with abortive outcome (630-638)	-	2	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	6	-	-	-	1	-	-
Congenital anomalies (740-759)	16	227	5	12	24	22	9	12
Certain conditions originating in the perinatal period (760-779)	31	493	12	21	22	49	53	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	190	7	5	7	14	12	4
Other conditions originating in the perinatal period (760-766,770-779)	21	303	5	16	15	35	41	11
Symptoms, signs, and ill-defined conditions (780-799)	18	163	-	29	10	32	14	25
All other diseases (Residual)	138	1,760	37	133	127	165	122	117
Accidents and adverse effects (E800-E949)	123	1,502	36	142	91	206	121	108
Motor vehicle accidents (E810-E825)	52	705	15	54	37	116	60	56
All other accidents and adverse effects (E800-E807,E826-E949)	71	797	21	88	54	90	61	52
Suicide (E950-E959)	37	540	1	32	20	39	21	35
Homicide and legal intervention (E960-E978)	16	643	3	9	33	43	4	12
All other external causes (E980-E999)	5	84	3	3	4	3	-	3

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Evansville, Ind.-Ky.	Fall River-New Bedford, Mass.	Fargo-Moorhead, N. Dak.-Minn.	Fayetteville, N.C.	Flint, Mich.	Fort Lauderdale-Hollywood, Fla.	Fort Smith, Ark.-Okla.	Fort Wayne, Ind.
All causes	2,355	4,438	884	1,262	3,647	11,334	1,807	2,258
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	1	-	-	-	-	1	-	1
Tuberculosis (010-018)	3	9	-	2	2	11	4	3
Tuberculosis of respiratory system (010-012)	2	5	-	2	2	9	3	2
Other tuberculosis (013-018)	1	4	-	-	-	2	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	5	12	4	7	17	38	6	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	2	6	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	5	-	5	6	20	4	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	462	1,007	206	222	752	2,654	382	459
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	22	1	5	9	70	13	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	129	309	52	63	189	767	89	117
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	136	234	41	61	206	725	114	131
Malignant neoplasm of breast (174-175)	25	89	27	17	59	205	24	43
Malignant neoplasms of genital organs (176-187)	46	123	28	23	88	283	47	51
Malignant neoplasms of urinary organs (188-189)	23	46	6	8	47	127	10	20
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54	99	28	32	82	253	53	52
Leukemia (204-208)	17	33	9	4	24	99	16	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	24	52	16	9	48	125	16	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	16	3	4	14	41	3	2
Diabetes mellitus (250)	52	111	20	12	89	182	30	47
Nutritional deficiencies (260-269)	4	3	1	1	2	11	4	5
Anemias (280-285)	3	4	-	2	4	22	1	6
Meningitis (320-322)	2	3	2	2	1	6	1	4
Major cardiovascular diseases (390-448)	1,269	2,404	453	580	1,783	5,712	847	1,205
Diseases of heart (390-398,402,404-429)	960	1,852	326	430	1,354	4,464	626	849
Rheumatic fever and rheumatic heart disease (390-398)	14	10	3	6	16	63	3	10
Hypertensive heart disease (402)	24	32	6	33	22	81	6	18
Hypertensive heart and renal disease (404)	17	6	-	1	7	15	3	15
Ischemic heart disease (410-414)	731	1,650	253	322	1,124	3,732	438	669
Acute myocardial infarction (410)	472	855	178	196	745	1,748	257	399
Other acute and subacute forms of ischemic heart disease (411)	-	5	-	2	3	194	2	3
Angina pectoris (413)	2	-	1	-	1	1	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257	790	74	124	375	1,789	177	281
Other diseases of endocardium (424)	11	12	2	1	18	36	5	13
All other forms of heart disease (415-423,425-429)	163	142	62	67	167	537	169	110
Hypertension with or without renal disease (401,403)	4	21	2	5	11	44	10	8
Cerebrovascular diseases (430-438)	241	420	91	122	339	951	159	285
Intracerebral and other intracranial hemorrhage (431-432)	50	125	9	12	26	135	14	31
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	51	111	21	40	98	215	22	45
Cerebral embolism (434.1)	1	4	-	-	1	4	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	139	180	61	70	214	597	133	209
Atherosclerosis (440)	46	63	23	15	51	118	19	40
Other diseases of arteries, arterioles, and capillaries (441-448)	18	48	11	8	28	135	23	28
Acute bronchitis and bronchiolitis (466)	2	2	-	-	1	7	-	1
Pneumonia and influenza (480-487)	55	110	15	30	62	174	50	37
Pneumonia (480-486)	54	109	15	30	60	172	50	37
Influenza (487)	1	1	-	-	2	2	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74	85	17	22	91	321	45	42
Bronchitis, chronic and unspecified (490-491)	8	5	-	-	7	28	4	3
Emphysema (492)	20	26	6	11	19	79	11	10
Asthma (493)	8	5	1	1	7	11	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38	49	10	10	58	203	29	27
Ulcer of stomach and duodenum (531-533)	5	12	7	6	10	25	6	5
Appendicitis (540-543)	-	1	-	-	3	1	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	10	2	4	11	36	7	14
Chronic liver disease and cirrhosis (571)	18	61	15	24	64	223	15	11
Cholelithiasis and other disorders of gallbladder (574-575)	7	14	2	2	1	28	4	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	28	4	9	34	99	21	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	1	2	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	-	1	6	10	3	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	25	4	8	27	87	17	10
Infections of kidney (590)	2	3	2	2	5	16	-	2
Hyperplasia of prostate (600)	-	3	-	-	2	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	1	1	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	1	-	1	-
Congenital anomalies (740-759)	16	28	9	14	35	55	15	13
Certain conditions originating in the perinatal period (760-779)	30	34	12	43	70	107	13	33
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	7	2	9	28	33	6	12
Other conditions originating in the perinatal period (760-766,770-779)	21	27	10	34	42	74	7	21
Symptoms, signs, and ill-defined conditions (780-799)	6	28	6	18	26	53	126	29
All other diseases (Residual)	139	201	37	69	215	670	84	128
Accidents and adverse effects (E800-E949)	140	178	51	126	215	487	97	140
Motor vehicle accidents (E810-E825)	71	65	22	71	123	249	46	66
All other accidents and adverse effects (E800-E807,E826-E949)	69	93	29	55	92	238	49	72
Suicide (E950-E959)	26	49	11	19	67	171	20	28
Homicide and legal intervention (E960-E978)	9	16	5	35	54	138	11	9
All other external causes (E980-E999)	3	1	-	1	7	15	4	2

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Worth, Tex.	Fresno, Calif.	Gadsden, Ala.	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Grand Rapids, Mich.	Great Falls, Mont.
All causes	6,717	3,626	1,030	850	1,578	5,016	4,309	658
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	1	4	-
Tuberculosis (010-016)	9	8	2	-	4	9	5	-
Tuberculosis of respiratory system (010-012)	7	4	2	-	4	8	4	-
Other tuberculosis (013-016)	2	4	-	-	-	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	-	1	2	-
Septicemia (038)	41	7	5	6	13	10	18	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	2	-	1	-
Syphilis (090-097)	2	2	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	17	7	-	4	3	11	10	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,410	702	185	187	356	1,014	888	132
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	17	3	9	8	22	14	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	338	188	52	41	83	294	240	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	413	191	55	50	94	251	187	29
Malignant neoplasm of breast (174-175)	125	57	6	19	29	98	75	17
Malignant neoplasms of genital organs (179-187)	148	75	24	26	41	112	99	18
Malignant neoplasms of urinary organs (188-189)	55	22	5	9	15	44	43	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	165	80	29	17	45	115	115	15
Leukemia (204-208)	67	27	8	10	22	38	53	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	45	13	6	19	40	62	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	8	2	1	2	19	16	1
Diabetes mellitus (250)	104	45	17	23	31	140	79	6
Nutritional deficiencies (260-269)	12	5	1	3	2	9	2	1
Anemias (280-285)	14	4	3	5	3	5	3	1
Meningitis (320-322)	11	4	1	2	1	2	5	1
Major cardiovascular diseases (390-448)	3,144	1,719	567	353	703	2,454	2,219	335
Diseases of heart (390-398,402,404-429)	2,245	1,222	451	236	572	1,897	1,610	257
Rheumatic fever and rheumatic heart disease (390-398)	14	22	1	3	2	22	15	5
Hypertensive heart disease (402)	146	40	9	8	15	50	20	6
Hypertensive heart and renal disease (404)	11	9	6	2	3	4	8	-
Ischemic heart disease (410-414)	1,422	989	388	175	325	1,573	1,261	199
Acute myocardial infarction (410)	760	382	206	84	200	765	748	139
Other acute and subacute forms of ischemic heart disease (411)	7	30	1	1	1	6	6	11
Angina pectoris (413)	3	-	1	-	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	652	577	160	90	123	802	527	48
Other diseases of endocardium (424)	24	24	2	4	5	17	9	1
All other forms of heart disease (415-423,425-429)	628	138	65	44	222	231	277	46
Hypertension with or without renal disease (401,403)	13	14	3	6	6	19	14	3
Cerebrovascular diseases (430-438)	707	333	88	80	97	427	454	49
Intracerebral and other intracranial hemorrhage (431-432)	71	27	13	7	13	75	44	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	93	82	34	22	11	90	124	2
Cerebral embolism (434.1)	4	1	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	539	223	41	51	73	262	285	43
Atherosclerosis (440)	127	90	9	24	13	69	100	22
Other diseases of arteries, arterioles, and capillaries (441-448)	52	60	16	7	15	42	41	4
Acute bronchitis and bronchiolitis (466)	6	1	-	-	-	-	1	-
Pneumonia and influenza (480-487)	110	78	22	9	29	85	83	12
Pneumonia (480-486)	110	78	22	9	29	84	78	12
Influenza (487)	-	-	-	-	-	1	5	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	199	127	31	26	28	112	106	18
Bronchitis, chronic and unspecified (490-491)	22	11	-	4	3	6	13	1
Emphysema (492)	52	33	7	6	6	49	23	5
Asthma (493)	9	5	1	3	1	8	5	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	116	78	23	13	18	49	65	12
Ulcer of stomach and duodenum (531-533)	15	28	2	2	3	12	17	4
Appendicitis (540-543)	1	5	-	-	-	5	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	6	-	1	3	10	19	1
Chronic liver disease and cirrhosis (571)	111	60	10	10	33	100	51	8
Cholelithiasis and other disorders of gallbladder (574-575)	10	9	5	2	1	6	4	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	64	29	4	6	18	39	32	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	7	1	1	2	5	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	56	22	2	5	16	32	29	3
Infections of kidney (590)	6	3	3	1	-	7	4	1
Hyperplasia of prostate (600)	1	3	1	-	-	2	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	2	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	2	1	-
Congenital anomalies (740-759)	64	42	6	6	11	36	43	7
Certain conditions originating in the perinatal period (760-779)	117	60	14	21	37	92	78	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	43	35	5	-	17	32	27	2
Other conditions originating in the perinatal period (760-766,770-779)	74	25	9	21	20	60	51	8
Symptoms, signs, and ill-defined conditions (780-799)	50	18	10	18	14	71	49	5
All other diseases (Residual)	416	191	47	65	100	247	239	32
Accidents and adverse effects (E800-E949)	459	289	58	67	111	310	249	59
Motor vehicle accidents (E810-E825)	271	181	24	45	57	144	134	30
All other accidents and adverse effects (E800-E807,E826-E949)	188	108	34	22	54	166	115	29
Suicide (E950-E959)	107	72	13	17	28	67	52	15
Homicide and legal intervention (E960-E978)	140	79	11	11	34	131	20	2
All other external causes (E980-E999)	22	5	-	3	7	8	5	2

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro-Winston Salem-High Point, N.C.	Greenville, S.C.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Honolulu, Hawaii	Houston, Tex.
All causes	1,126	5,279	2,669	1,631	3,924	6,661	3,635	16,866
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	1	–	–	1	–	1
Tuberculosis (010-018)	1	3	4	2	6	6	7	18
Tuberculosis of respiratory system (010-012)	–	2	3	1	4	2	7	14
Other tuberculosis (013-018)	1	1	1	1	2	4	–	4
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	2	–	–	1	–	7
Septicemia (038)	4	30	21	14	29	35	22	126
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	3	1	–	2	3	1	14
Syphilis (090-097)	–	–	–	–	1	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	9	7	5	2	15	16	40
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	253	1,059	566	369	811	1,582	832	3,326
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	19	9	6	17	46	24	90
Malignant neoplasms of digestive organs and peritoneum (150-159)	80	268	139	122	213	479	266	784
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	56	256	146	93	175	344	209	1,057
Malignant neoplasm of breast (174-175)	20	62	57	28	61	138	52	272
Malignant neoplasms of genital organs (178-187)	31	125	56	35	97	176	84	326
Malignant neoplasms of urinary organs (188-189)	10	34	30	21	37	68	31	109
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	149	82	36	104	172	85	405
Leukemia (204-208)	9	55	16	10	38	62	37	123
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	71	31	18	49	97	50	166
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	24	4	4	8	23	10	34
Diabetes mellitus (250)	25	92	49	30	63	109	90	215
Nutritional deficiencies (280-269)	4	2	3	1	6	10	4	12
Anemias (280-285)	1	10	6	2	3	9	6	31
Meningitis (320-322)	1	6	1	1	2	7	1	25
Major cardiovascular diseases (390-448)	582	2,640	1,295	961	2,149	3,287	1,496	7,197
Diseases of heart (390-398,402,404-429)	465	1,831	953	745	1,684	2,499	1,148	5,470
Rheumatic fever and rheumatic heart disease (390-398)	6	25	11	6	18	35	6	47
Hypertensive heart disease (402)	1	75	23	24	29	84	39	264
Hypertensive heart and renal disease (404)	–	7	3	8	16	11	3	15
Ischemic heart disease (410-414)	384	1,414	719	578	1,019	2,011	902	3,027
Acute myocardial infarction (410)	234	907	521	319	614	983	399	1,805
Other acute and subacute forms of ischemic heart disease (411)	3	11	–	–	8	5	4	12
Angina pectoris (413)	–	1	4	–	2	4	2	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	147	495	194	259	395	1,019	497	1,207
Other diseases of endocardium (424)	4	18	8	11	17	15	16	59
All other forms of heart disease (415-423,425-429)	70	394	189	118	585	343	180	2,058
Hypertension with or without renal disease (401,403)	1	26	9	10	12	25	6	35
Cerebrovascular diseases (430-438)	85	568	270	143	328	582	267	1,365
Intracerebral and other intracranial hemorrhage (431-432)	11	55	34	12	33	92	62	176
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	143	42	13	46	159	48	234
Cerebral embolism (434.1)	1	6	1	1	2	3	2	8
All other and late effects of cerebrovascular diseases (430,433,435-438)	49	364	193	117	245	308	175	965
Atherosclerosis (440)	19	57	32	40	74	117	22	179
Other diseases of arteries, arterioles, and capillaries (441-448)	12	58	31	23	43	84	33	128
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	1	6
Pneumonia and influenza (480-487)	18	104	72	44	70	173	103	396
Pneumonia (480-486)	17	103	70	43	70	172	100	391
Influenza (487)	1	1	2	1	–	1	3	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	18	125	72	42	93	162	109	406
Bronchitis, chronic and unspecified (490-491)	1	5	7	2	5	12	9	31
Emphysema (492)	11	25	19	10	21	27	16	116
Asthma (493)	–	11	4	4	–	10	14	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	6	84	42	26	67	113	70	240
Ulcer of stomach and duodenum (531-533)	–	16	6	6	8	17	13	31
Appendicitis (540-543)	–	1	2	1	1	2	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	11	8	4	9	14	6	48
Chronic liver disease and cirrhosis (571)	11	87	31	23	44	109	59	302
Cholelithiasis and other disorders of gallbladder (574-575)	1	12	6	6	8	10	3	23
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	45	15	12	42	54	26	152
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	–	2	2	2	1	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	–	8	1	–	6	7	8	17
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	36	14	10	34	45	17	131
Infections of kidney (590)	2	6	–	3	4	4	4	27
Hyperplasia of prostate (600)	–	1	–	–	1	2	2	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	1	–	–	2	–	4
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	3	1	–	–	2	–	3
Congenital anomalies (740-759)	13	48	23	23	32	48	51	179
Certain conditions originating in the perinatal period (760-779)	17	49	41	21	56	76	69	345
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	15	15	8	18	19	22	92
Other conditions originating in the perinatal period (760-766,770-779)	7	34	26	13	38	57	47	259
Symptoms, signs, and ill-defined conditions (780-799)	9	29	51	15	28	88	41	247
All other diseases (Residual)	53	377	161	95	216	418	244	980
Accidents and adverse effects (E800-E949)	73	325	154	93	162	295	230	1,479
Motor vehicle accidents (E810-E825)	38	169	78	48	89	135	100	658
All other accidents and adverse effects (E800-E807,E826-E949)	35	156	76	45	73	160	109	821
Suicide (E950-E959)	24	89	35	29	54	55	103	367
Homicide and legal intervention (E960-E978)	3	63	31	19	14	35	49	516
All other external causes (E980-E999)	–	8	–	6	–	10	26	6

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Jackson, Mich.	Jackson, Miss.	Jacksonville, Fla.	Jersey City, N.J.	Johnstown, Pa.
All causes	2,701	1,670	9,230	1,199	2,359	4,917	5,937	2,600
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	2	-	-	2	-	-
Tuberculosis (010-018)	5	2	10	1	9	11	8	3
Tuberculosis of respiratory system (010-012)	5	2	10	1	9	8	6	3
Other tuberculosis (013-018)	-	-	-	-	-	3	2	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	4	-	-	1	-	-
Septicemia (038)	9	8	57	2	14	38	41	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	5	-	2	2	-	-
Syphilis (090-097)	-	1	2	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	4	25	1	4	4	12	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	538	349	2,007	271	434	1,049	1,284	498
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	11	40	5	6	30	25	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	115	78	462	59	124	262	383	134
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	174	100	621	71	111	314	333	113
Malignant neoplasm of breast (174-175)	51	16	155	33	31	92	111	47
Malignant neoplasms of genital organs (179-187)	57	43	222	27	52	111	145	56
Malignant neoplasms of urinary organs (188-189)	25	16	90	14	16	35	51	15
Malignant neoplasms of all other and unspecified sites (170-179,190-199)	55	49	230	27	58	131	131	74
Leukemia (204-208)	20	11	85	16	17	26	50	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	23	102	19	19	46	55	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	2	29	2	9	9	27	10
Diabetes mellitus (250)	55	22	175	22	45	73	144	66
Nutritional deficiencies (260-269)	3	-	11	-	2	11	4	3
Anemias (280-285)	3	1	18	2	7	15	10	4
Meningitis (320-322)	1	1	5	1	1	5	2	3
Major cardiovascular diseases (390-448)	1,446	742	4,506	605	1,047	2,206	3,185	1,462
Diseases of heart (390-398,402,404-429)	1,161	550	3,395	451	769	1,702	2,680	1,130
Rheumatic fever and rheumatic heart disease (390-398)	8	-	33	1	5	18	37	20
Hypertensive heart disease (402)	44	19	122	10	32	125	70	29
Hypertensive heart and renal disease (404)	6	3	18	1	2	6	5	7
Ischemic heart disease (410-414)	818	428	2,438	297	553	990	2,296	880
Acute myocardial infarction (410)	455	304	1,286	168	400	531	1,045	453
Other acute and subacute forms of ischemic heart disease (411)	1	1	8	2	1	4	16	2
Angina pectoris (413)	1	-	2	1	-	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	361	121	1,160	126	152	453	1,235	425
Other diseases of endocardium (424)	7	2	28	1	9	14	15	7
All other forms of heart disease (415-423,425-429)	278	100	758	141	168	549	257	197
Hypertension with or without renal disease (401,403)	6	3	47	5	6	17	20	12
Cerebrovascular diseases (430-438)	230	155	784	105	222	407	416	215
Intracerebral and other intracranial hemorrhage (431-432)	17	21	106	14	23	57	75	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	70	31	168	17	50	101	81	48
Cerebral embolism (434.1)	1	-	3	-	1	2	4	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	142	103	507	74	148	247	256	145
Atherosclerosis (440)	25	23	193	33	30	47	29	68
Other diseases of arteries, arterioles, and capillaries (441-448)	26	11	87	11	20	33	40	37
Acute bronchitis and bronchiolitis (466)	-	-	4	-	-	3	-	1
Pneumonia and influenza (480-487)	51	29	185	31	59	105	112	31
Pneumonia (480-486)	51	28	184	31	58	104	112	30
Influenza (487)	-	1	1	-	3	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	88	49	294	49	52	169	105	73
Bronchitis, chronic and unspecified (490-491)	9	3	12	3	2	17	8	4
Emphysema (492)	14	18	62	4	15	44	32	20
Asthma (493)	2	-	14	1	5	9	5	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	28	206	41	30	99	60	44
Ulcer of stomach and duodenum (531-533)	15	5	26	3	2	14	19	2
Appendicitis (540-543)	1	-	1	1	-	2	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	8	28	6	4	11	21	6
Chronic liver disease and cirrhosis (571)	37	20	111	17	16	159	122	34
Cholelithiasis and other disorders of gallbladder (574-575)	4	3	14	-	5	9	10	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	20	88	5	29	45	39	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	4	6	1	4	5	7	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	16	60	4	25	40	32	14
Infections of kidney (590)	8	2	13	1	5	10	6	2
Hyperplasia of prostate (600)	2	-	6	-	3	1	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	1	2	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	1	1	-	1
Congenital anomalies (740-759)	13	13	88	10	20	33	27	15
Certain conditions originating in the perinatal period (760-779)	26	21	130	19	34	83	75	24
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	12	26	3	10	41	22	13
Other conditions originating in the perinatal period (760-766,770-779)	15	9	104	16	24	42	53	11
Symptoms, signs, and ill-defined conditions (780-799)	38	67	78	2	119	35	98	9
All other diseases (Residual)	140	99	558	53	177	324	278	165
Accidents and adverse effects (E800-E949)	124	119	470	63	155	299	219	120
Motor vehicle accidents (E810-E825)	57	59	215	35	75	141	50	54
All other accidents and adverse effects (E800-E807,E826-E949)	67	60	255	28	80	148	169	66
Suicide (E950-E959)	30	33	143	24	35	96	24	33
Homicide and legal intervention (E960-E978)	14	26	115	7	65	68	57	3
All other external causes (E980-E999)	4	3	23	1	4	13	7	-

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kalamazoo, Mich.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Knoxville, Tenn.	La Crosse, Wis.	Lafayette, La.	Lafayette-West Lafayette, Ind.	Lake Charles, La.
All causes	1,366	10,766	1,008	3,776	782	818	754	1,319
Shigellosis and amebiasis (004,006)	–	1	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	1	–	–	–	–
Tuberculosis (010-018)	2	10	–	8	2	1	–	2
Tuberculosis of respiratory system (010-012)	1	8	–	5	1	1	–	1
Other tuberculosis (013-018)	1	2	–	3	1	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	1	–	–	–	–
Septicemia (038)	7	63	2	9	5	4	1	5
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	3	1	3	1	1	–	–
Syphilis (090-097)	–	3	–	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	28	2	5	2	7	2	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	289	2,322	233	751	144	152	141	258
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	36	4	20	2	4	4	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	78	557	59	188	39	32	29	64
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	74	640	55	207	33	47	42	65
Malignant neoplasm of breast (174-175)	30	196	23	65	12	7	14	18
Malignant neoplasms of genital organs (179-187)	28	241	24	81	15	18	16	24
Malignant neoplasms of urinary organs (188-189)	12	120	14	30	7	11	8	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	25	319	33	86	20	22	19	35
Leukemia (204-208)	15	102	7	30	8	3	3	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23	111	14	44	6	6	6	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	31	4	8	1	6	4	2
Diabetes mellitus (250)	21	150	12	45	19	21	15	31
Nutritional deficiencies (260-269)	2	23	–	10	1	1	1	2
Anemias (280-285)	–	20	–	5	–	1	2	–
Meningitis (320-322)	1	9	1	8	1	–	–	4
Major cardiovascular diseases (390-448)	686	4,862	564	1,609	412	373	388	634
Diseases of heart (390-398,402,404-428)	525	3,635	434	1,111	321	254	276	423
Rheumatic fever and rheumatic heart disease (390-398)	8	55	4	8	4	2	6	4
Hypertensive heart disease (402)	14	107	2	27	2	3	4	22
Hypertensive heart and renal disease (404)	2	17	3	5	–	–	1	1
Ischemic heart disease (410-414)	410	2,703	365	876	268	181	238	305
Acute myocardial infarction (410)	179	1,309	191	514	129	94	132	176
Other acute and subacute forms of ischemic heart disease (411)	2	10	3	4	2	2	1	–
Angina pectoris (413)	–	2	–	1	–	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	235	1,382	171	357	137	85	105	126
Other diseases of endocardium (424)	5	36	2	17	6	2	1	3
All other forms of heart disease (415-423,425-429)	88	717	58	178	41	66	26	88
Hypertension with or without renal disease (401,403)	5	51	7	21	3	4	3	2
Cerebrovascular diseases (430-438)	113	957	92	391	71	59	91	140
Intracerebral and other intracranial hemorrhage (431-432)	17	111	15	45	9	5	8	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	190	27	73	13	15	18	14
Cerebral embolism (434.1)	–	–	–	1	1	2	–	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	78	656	50	272	48	37	65	116
Atherosclerosis (440)	23	129	22	55	8	48	15	59
Other diseases of arteries, arterioles, and capillaries (441-448)	20	90	9	31	9	8	3	10
Acute bronchitis and bronchiolitis (466)	–	1	–	2	–	–	–	–
Pneumonia and influenza (480-487)	32	203	23	66	32	18	20	22
Pneumonia (480-486)	31	199	23	66	32	18	20	22
Influenza (487)	1	4	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	56	355	14	109	21	23	24	31
Bronchitis, chronic and unspecified (490-491)	6	27	1	15	1	1	–	3
Emphysema (492)	12	82	3	25	–	6	5	11
Asthma (493)	5	11	–	3	2	3	1	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	33	235	10	66	18	13	18	13
Ulcer of stomach and duodenum (531-533)	5	32	3	10	1	1	2	3
Appendicitis (540-543)	–	3	–	3	2	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	33	6	6	1	–	2	3
Chronic liver disease and cirrhosis (571)	14	141	9	35	11	6	13	16
Cholelithiasis and other disorders of gallbladder (574-575)	3	18	–	6	–	–	1	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	144	5	29	8	9	4	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	2	1	1	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	23	1	5	1	1	1	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	119	3	23	7	8	3	13
Infections of kidney (590)	2	21	2	6	1	2	–	–
Hyperplasia of prostate (600)	–	3	1	–	–	1	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	1	–	–	–	–	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	1	–	–	–	–	1
Congenital anomalies (740-759)	13	90	8	28	7	6	8	12
Certain conditions originating in the perinatal period (760-779)	21	166	15	25	2	26	7	39
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	4	72	2	13	1	11	–	12
Other conditions originating in the perinatal period (760-766,770-779)	17	94	13	12	1	15	7	27
Symptoms, signs, and ill-defined conditions (780-799)	13	408	4	470	2	2	21	9
All other diseases (Residual)	75	684	34	187	56	47	37	79
Accidents and adverse effects (E800-E949)	80	568	47	214	34	74	42	67
Motor vehicle accidents (E810-E825)	50	294	27	128	13	42	24	39
All other accidents and adverse effects (E800-E807,E826-E949)	30	274	20	86	21	32	18	48
Suicide (E950-E959)	21	179	9	61	15	23	14	25
Homicide and legal intervention (E960-E978)	7	171	4	40	1	11	4	30
All other external causes (E980-E999)	–	18	4	14	–	–	–	1

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lancaster, Pa.	Lansing, Mich.	Laredo, Tex.	Las Vegas, Nev.	Lawton, Okla.	Lexington, Ky.	Lima, Ohio	Lincoln, Nebr.
All causes	3,059	2,448	609	2,885	643	1,370	1,507	1,279
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	-	-	-	-	-	1
Tuberculosis (010-018)	1	2	-	3	-	3	1	-
Tuberculosis of respiratory system (010-012)	-	1	-	2	-	3	1	-
Other tuberculosis (013-018)	1	1	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	1	-
Meningococcal infection (036)	-	1	-	1	-	2	1	1
Septicemia (038)	13	11	2	11	2	7	1	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	3	-	2	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	4	3	5	-	4	4	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	660	542	103	830	125	307	325	248
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	11	2	9	3	10	5	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	194	170	38	148	27	87	85	82
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	172	105	21	212	44	85	99	54
Malignant neoplasm of breast (174-175)	50	44	8	39	7	26	29	22
Malignant neoplasms of genital organs (179-187)	88	85	13	73	14	30	39	26
Malignant neoplasms of urinary organs (188-189)	22	21	1	27	1	11	14	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	96	75	11	84	17	29	35	21
Leukemia (204-208)	17	26	6	16	4	15	8	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	25	2	24	8	14	11	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	20	10	4	8	1	5	6	3
Diabetes mellitus (250)	79	46	29	43	9	22	35	26
Nutritional deficiencies (260-269)	2	6	-	5	-	2	-	2
Anemias (280-285)	7	11	1	4	-	3	3	1
Meningitis (320-322)	2	1	1	3	3	4	1	1
Major cardiovascular diseases (390-448)	1,606	1,219	280	1,193	303	657	772	688
Diseases of heart (390-398,402,404-429)	1,238	943	215	927	229	541	588	482
Rheumatic fever and rheumatic heart disease (390-398)	12	15	-	11	1	3	5	8
Hypertensive heart disease (402)	35	32	3	52	3	16	11	6
Hypertensive heart and renal disease (404)	7	4	1	1	1	2	1	2
Ischemic heart disease (410-414)	838	676	151	529	185	316	441	382
Acute myocardial infarction (410)	465	412	80	308	118	231	238	146
Other acute and subacute forms of ischemic heart disease (411)	4	2	-	8	1	-	1	4
Angina pectoris (413)	-	2	-	2	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	369	260	71	211	66	85	202	212
Other diseases of endocardium (424)	13	13	1	9	1	5	6	4
All other forms of heart disease (415-423,425-429)	331	203	59	325	38	189	124	100
Hypertension with or without renal disease (401,403)	16	9	5	6	4	4	6	6
Cerebrovascular diseases (430-438)	243	185	48	200	48	93	133	140
Intracerebral and other intracranial hemorrhage (431-432)	36	34	3	30	9	16	21	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	34	11	16	6	25	28	9
Cerebral embolism (434.1)	1	4	-	1	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	167	113	34	153	33	52	84	121
Atherosclerosis (440)	65	52	11	34	9	6	28	48
Other diseases of arteries, arterioles, and capillaries (441-448)	46	30	1	26	13	13	17	12
Acute bronchitis and bronchiolitis (466)	1	-	-	-	2	2	1	2
Pneumonia and influenza (480-487)	64	52	10	47	20	24	22	23
Pneumonia (480-486)	64	51	10	47	19	24	20	20
Influenza (487)	-	1	-	-	1	-	2	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	96	68	14	114	21	38	50	38
Bronchitis, chronic and unspecified (490-491)	1	10	-	4	-	1	3	3
Emphysema (492)	24	17	3	43	8	9	11	15
Asthma (493)	2	5	2	3	-	5	3	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	36	9	64	13	23	33	15
Ulcer of stomach and duodenum (531-533)	9	8	2	8	2	2	8	2
Appendicitis (540-543)	1	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	11	1	8	1	5	4	1
Chronic liver disease and cirrhosis (571)	19	18	20	85	5	16	15	8
Cholelithiasis and other disorders of gallbladder (574-575)	3	2	1	1	-	3	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	19	10	22	5	13	9	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	3	2	2	1	1	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	18	16	8	20	4	12	8	10
Infections of kidney (590)	4	1	-	3	5	2	4	2
Hyperplasia of prostate (600)	1	2	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	1	1	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	1	-	1	1	-
Congenital anomalies (740-759)	19	16	10	15	4	11	12	21
Certain conditions originating in the perinatal period (760-779)	36	37	7	30	16	8	16	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	15	-	11	4	3	5	4
Other conditions originating in the perinatal period (760-766,770-779)	22	22	7	19	12	5	11	11
Symptoms, signs, and ill-defined conditions (780-799)	20	27	25	39	11	7	11	13
All other diseases (Residual)	146	130	37	157	34	99	70	76
Accidents and adverse effects (E800-E949)	147	144	30	257	42	73	101	64
Motor vehicle accidents (E810-E825)	91	68	9	150	22	29	57	28
All other accidents and adverse effects (E800-E807,E826-E949)	56	76	21	107	20	44	44	36
Suicide (E950-E959)	33	38	8	97	15	33	20	14
Homicide and legal intervention (E960-E978)	7	16	8	85	14	15	10	4
All other external causes (E980-E999)	2	2	2	7	3	-	-	5

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Little Rock-North Little Rock, Ark.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	2,966	1,919	58,864	7,572	1,303	1,187	1,773	1,786
Shigellosis and amebiasis (004,006)	–	–	2	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	14	3	–	–	–	1
Tuberculosis (010-018)	6	–	61	7	1	–	2	3
Tuberculosis of respiratory system (010-012)	6	–	50	6	–	–	1	2
Other tuberculosis (013-018)	–	–	11	1	1	–	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	–	–
Meningococcal infection (036)	–	1	10	1	1	–	–	–
Septicemia (038)	20	3	103	31	4	3	9	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	2	49	–	2	–	1	1
Syphilis (090-097)	–	–	5	1	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	1	108	22	4	3	4	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	627	440	12,339	1,664	228	242	334	357
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	11	314	36	6	5	8	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	152	117	3,345	417	51	65	89	88
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	189	127	3,033	501	52	78	92	67
Malignant neoplasm of breast (174-175)	48	45	1,193	125	18	19	20	32
Malignant neoplasms of genital organs (179-187)	75	55	1,403	173	17	20	40	49
Malignant neoplasms of urinary organs (188-189)	24	14	542	61	7	7	14	23
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	85	42	1,384	203	46	29	46	40
Leukemia (204-208)	21	14	502	80	14	9	9	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	15	623	98	17	10	16	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	9	155	14	1	2	7	11
Diabetes mellitus (250)	50	42	853	164	14	11	37	25
Nutritional deficiencies (260-269)	3	6	36	13	5	–	5	–
Anemias (280-285)	5	3	78	12	3	1	5	2
Meningitis (320-322)	1	1	48	5	–	3	2	–
Major cardiovascular diseases (390-448)	1,435	884	29,670	3,673	624	634	861	888
Diseases of heart (390-398,402,404-429)	1,038	686	22,594	2,685	461	465	636	654
Rheumatic fever and rheumatic heart disease (390-398)	6	11	279	31	3	4	2	15
Hypertensive heart disease (402)	27	27	1,118	84	4	17	9	9
Hypertensive heart and renal disease (404)	4	1	85	17	–	6	1	8
Ischemic heart disease (410-414)	734	564	14,232	1,984	284	302	379	499
Acute myocardial infarction (410)	410	251	6,755	1,296	171	196	291	260
Other acute and subacute forms of ischemic heart disease (411)	1	20	50	5	2	8	2	2
Angina pectoris (413)	–	–	12	3	–	1	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	323	293	7,415	680	111	97	85	237
Other diseases of endocardium (424)	4	8	206	9	1	5	8	13
All other forms of heart disease (415-423,425-429)	263	75	6,674	560	169	131	237	110
Hypertension with or without renal disease (401,403)	9	10	254	29	3	3	17	12
Cerebrovascular diseases (430-438)	312	135	5,480	781	136	142	176	158
Intracerebral and other intracranial hemorrhage (431-432)	30	24	690	85	16	30	44	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	75	24	1,455	184	10	36	33	31
Cerebral embolism (434.1)	–	3	24	1	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	207	84	3,311	531	110	76	99	102
Atherosclerosis (440)	48	14	827	106	14	12	37	38
Other diseases of arteries, arterioles, and capillaries (441-448)	28	19	515	72	10	12	25	26
Acute bronchitis and bronchiolitis (466)	2	1	13	1	1	–	–	–
Pneumonia and influenza (480-487)	59	38	1,280	175	42	23	32	41
Pneumonia (480-486)	59	38	1,259	175	41	23	32	41
Influenza (487)	–	–	21	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	71	41	1,402	226	44	29	42	56
Bronchitis, chronic and unspecified (490-491)	6	1	120	17	4	3	3	6
Emphysema (492)	16	10	409	44	14	7	15	21
Asthma (493)	–	2	88	11	4	3	6	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	49	28	785	154	22	16	18	27
Ulcer of stomach and duodenum (531-533)	7	10	237	29	2	4	7	5
Appendicitis (540-543)	1	–	19	2	1	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	7	123	22	3	3	7	2
Chronic liver disease and cirrhosis (571)	44	25	1,465	134	11	14	23	21
Cholelithiasis and other disorders of gallbladder (574-575)	8	1	89	13	3	3	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	25	330	44	13	9	14	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	9	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	4	72	5	2	3	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	26	21	249	39	11	6	10	11
Infections of kidney (590)	11	6	103	15	4	2	7	2
Hyperplasia of prostate (600)	–	1	21	3	–	–	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	1	14	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	1	13	1	–	–	–	–
Congenital anomalies (740-759)	27	18	475	44	20	11	10	31
Certain conditions originating in the perinatal period (760-779)	47	42	779	84	22	21	26	18
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	17	292	25	3	3	15	6
Other conditions originating in the perinatal period (760-766,770-779)	37	25	487	59	19	18	11	12
Symptoms, signs, and ill-defined conditions (780-799)	59	63	411	44	20	11	11	14
All other diseases (Residual)	165	85	2,782	532	68	72	107	117
Accidents and adverse effects (E800-E949)	157	128	3,127	348	96	49	106	119
Motor vehicle accidents (E810-E825)	78	61	1,601	156	46	17	57	59
All other accidents and adverse effects (E800-E807,E826-E949)	78	67	1,526	190	52	32	51	60
Suicide (E950-E959)	42	32	1,068	110	18	26	44	30
Homicide and legal intervention (E960-E978)	56	18	1,491	102	46	10	38	5
All other external causes (E980-E999)	15	6	74	5	–	1	1	8

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Memphis, Tenn.-Ark.	Miami, Fla.	Midland, Tex.	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.
All causes	2,170	1,099	1,538	6,846	15,934	513	11,480	13,042
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	2	5	–	1	5
Tuberculosis (010-018)	3	2	5	10	20	1	14	4
Tuberculosis of respiratory system (010-012)	2	1	4	8	18	1	13	3
Other tuberculosis (013-018)	1	1	1	2	2	–	1	1
Whooping cough (033)	–	–	–	–	–	–	–	1
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	–	1	4	–	1	–
Septicemia (038)	9	6	7	39	63	1	46	45
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	1	1	3	14	1	2	2
Syphilis (090-097)	–	–	–	2	1	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	1	6	20	21	1	33	31
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	519	213	259	1,454	3,539	103	2,550	2,699
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	5	7	23	85	4	77	50
Malignant neoplasms of digestive organs and peritoneum (150-159)	168	62	81	367	1,028	25	694	770
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	113	47	89	389	861	26	574	672
Malignant neoplasm of breast (174-175)	56	20	24	115	303	9	247	297
Malignant neoplasms of genital organs (179-187)	61	28	20	186	409	12	289	299
Malignant neoplasms of urinary organs (188-189)	23	15	10	42	152	4	128	132
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	23	25	215	388	17	312	357
Leukemia (204-208)	17	10	12	57	125	2	97	138
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	3	11	60	190	4	132	186
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	2	5	24	41	1	30	40
Diabetes mellitus (250)	41	30	39	92	280	5	207	179
Nutritional deficiencies (260-269)	3	2	4	1	8	–	16	25
Anemias (280-285)	5	–	4	11	34	–	19	24
Meningitis (320-322)	1	–	3	4	11	–	5	6
Major cardiovascular diseases (390-446)	1,090	582	669	3,289	7,789	220	6,001	6,308
Diseases of heart (390-398,402,404-429)	806	432	499	2,366	6,217	169	4,718	4,617
Rheumatic fever and rheumatic heart disease (390-398)	13	6	3	22	67	2	55	56
Hypertensive heart disease (402)	13	5	8	135	190	5	175	87
Hypertensive heart and renal disease (404)	–	4	1	11	19	1	18	10
Ischemic heart disease (410-414)	651	359	373	1,384	4,935	117	3,672	3,749
Acute myocardial infarction (410)	413	202	239	710	2,225	78	1,623	1,505
Other acute and subacute forms of ischemic heart disease (411)	–	–	2	2	26	–	57	12
Angina pectoris (413)	–	–	1	–	1	–	3	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	238	157	131	682	2,683	39	1,989	2,228
Other diseases of endocardium (424)	7	1	1	17	62	–	31	69
All other forms of heart disease (415-423,425-429)	122	57	113	787	944	44	767	648
Hypertension with or without renal disease (401,403)	7	4	6	18	68	5	41	48
Cerebrovascular diseases (430-438)	176	103	135	756	1,239	38	988	1,229
Intracerebral and other intracranial hemorrhage (431-432)	23	10	20	116	185	9	142	157
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	28	38	176	427	8	218	175
Cerebral embolism (434.1)	1	–	1	1	6	–	5	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	113	65	76	463	641	21	620	895
Atherosclerosis (440)	76	29	17	112	101	3	143	248
Other diseases of arteries, arterioles, and capillaries (441-448)	25	14	12	47	164	5	113	166
Acute bronchitis and bronchiolitis (466)	–	–	–	6	6	–	3	1
Pneumonia and influenza (480-487)	59	20	45	135	300	21	240	333
Pneumonia (480-486)	58	20	45	135	298	21	239	329
Influenza (487)	1	–	–	–	2	–	1	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	64	40	37	164	395	19	250	295
Bronchitis, chronic and unspecified (490-491)	7	6	6	11	23	1	18	25
Emphysema (492)	28	9	7	33	145	4	85	85
Asthma (493)	2	–	2	6	16	–	5	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	27	25	22	114	211	14	162	163
Ulcer of stomach and duodenum (531-533)	2	2	1	13	52	2	43	56
Appendicitis (540-543)	1	–	–	3	5	–	3	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	–	1	23	37	2	44	49
Chronic liver disease and cirrhosis (571)	27	11	36	89	299	11	167	146
Cholelithiasis and other disorders of gallbladder (574-575)	4	1	1	9	29	1	19	18
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	3	16	85	166	4	85	81
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	5	5	–	2	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	–	–	25	21	1	14	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	3	16	55	140	3	69	70
Infections of kidney (590)	4	1	2	9	25	1	24	9
Hyperplasia of prostate (600)	–	–	–	3	8	–	2	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	2	2	–	–	2
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	2	2	–	–	2
Congenital anomalies (740-759)	10	11	20	50	90	3	96	115
Certain conditions originating in the perinatal period (760-779)	21	17	32	128	168	11	108	162
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	10	14	21	64	5	34	41
Other conditions originating in the perinatal period (760-766,770-779)	15	7	18	107	104	6	74	121
Symptoms, signs, and ill-defined conditions (780-799)	23	11	113	97	67	2	80	298
All other diseases (Residual)	120	59	92	453	1,111	38	670	854
Accidents and adverse effects (E800-E949)	97	63	106	372	711	43	436	797
Motor vehicle accidents (E810-E825)	45	24	58	183	346	23	205	351
All other accidents and adverse effects (E800-E807,E826-E949)	52	39	48	189	365	20	231	386
Suicide (E950-E959)	29	15	19	102	283	13	182	225
Homicide and legal intervention (E960-E978)	7	2	15	133	349	8	61	64
All other external causes (E980-E999)	5	3	–	8	1	1	19	29

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Muskegon Heights, Mich.	Nashville-Davidson, Tenn.	New Haven-Waterbury, Conn.
All causes	3,596	2,066	1,087	2,105	1,008	1,943	5,036	5,964
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	1	–	1	–	–	1	–
Tuberculosis (010-018)	10	3	1	3	3	1	2	1
Tuberculosis of respiratory system (010-012)	9	3	–	3	3	1	1	1
Other tuberculosis (013-018)	1	–	1	–	–	–	1	–
Whooping cough (033)	–	–	–	–	–	–	1	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	1	–	–
Meningococcal infection (036)	1	–	1	1	–	–	1	–
Septicemia (038)	12	4	5	8	5	1	10	50
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	1	–	–	–	–	–
Viral hepatitis (070)	5	–	1	2	–	–	2	2
Syphilis (090-097)	1	–	–	1	1	–	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,096-139)	7	3	3	4	2	2	12	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	744	435	212	414	197	288	1,067	1,693
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	8	5	12	4	3	26	45
Malignant neoplasms of digestive organs and peritoneum (150-159)	178	113	39	100	46	93	256	522
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	218	117	60	109	64	70	337	392
Malignant neoplasm of breast (174-175)	57	34	24	34	17	23	80	147
Malignant neoplasms of genital organs (179-187)	90	54	23	42	22	32	115	184
Malignant neoplasms of urinary organs (188-189)	22	20	7	16	10	9	37	78
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	91	47	30	61	20	33	124	197
Leukemia (204-208)	23	18	13	22	5	11	33	48
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	24	11	18	9	14	59	80
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	9	2	7	2	3	17	29
Diabetes mellitus (250)	60	28	28	35	9	29	68	106
Nutritional deficiencies (260-269)	6	–	–	2	2	1	9	5
Anemias (280-285)	5	2	3	2	2	–	9	7
Meningitis (320-322)	3	2	–	8	2	–	2	1
Major cardiovascular diseases (390-448)	1,678	985	517	878	508	700	2,415	3,578
Diseases of heart (390-398,402,404-429)	1,273	699	411	619	372	537	1,797	2,788
Rheumatic fever and rheumatic heart disease (390-398)	3	6	1	4	9	5	13	42
Hypertensive heart disease (402)	60	11	18	22	11	9	91	52
Hypertensive heart and renal disease (404)	10	3	5	4	2	–	5	9
Ischemic heart disease (410-414)	909	510	196	441	299	452	1,324	1,899
Acute myocardial infarction (410)	570	274	111	243	166	203	892	948
Other acute and subacute forms of ischemic heart disease (411)	8	2	3	2	–	–	45	2
Angina pectoris (413)	1	–	–	–	–	–	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	330	234	84	196	133	249	386	946
Other diseases of endocardium (424)	10	19	3	8	6	4	14	25
All other forms of heart disease (415-423,425-429)	291	148	186	140	45	67	350	781
Hypertension with or without renal disease (401,403)	15	11	2	6	4	4	16	27
Cerebrovascular diseases (430-438)	324	215	80	198	102	116	475	518
Intracerebral and other intracranial hemorrhage (431-432)	59	15	12	29	9	10	64	85
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	90	82	11	36	24	32	80	129
Cerebral embolism (434.1)	2	–	–	1	1	–	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	173	118	57	132	68	74	330	302
Atherosclerosis (440)	44	35	15	30	15	24	81	160
Other diseases of arteries, arterioles, and capillaries (441-448)	22	25	9	25	15	19	46	85
Acute bronchitis and bronchiolitis (466)	1	3	–	1	–	1	1	1
Pneumonia and influenza (480-487)	57	55	18	45	19	29	112	151
Pneumonia (480-486)	56	55	18	45	19	28	110	151
Influenza (487)	1	–	–	–	–	1	2	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	69	63	26	45	27	36	143	164
Bronchitis, chronic and unspecified (490-491)	3	8	1	5	2	1	12	12
Emphysema (492)	29	13	9	8	3	7	50	30
Asthma (493)	4	3	3	3	2	4	3	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	53	39	15	29	20	24	78	114
Ulcer of stomach and duodenum (531-533)	12	12	1	5	4	2	18	11
Appendicitis (540-543)	1	1	1	1	1	1	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	8	3	4	4	2	7	12
Chronic liver disease and cirrhosis (571)	58	43	8	30	15	17	56	116
Cholelithiasis and other disorders of gallbladder (574-575)	7	3	3	3	4	–	14	9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	11	9	25	11	15	41	66
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	1	2	1	–	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	2	1	5	–	2	4	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	23	8	7	19	9	12	37	52
Infections of kidney (590)	3	4	1	2	–	1	10	7
Hyperplasia of prostate (600)	–	2	–	1	–	1	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	1	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	1	–	–	1	–
Congenital anomalies (740-759)	32	18	7	13	8	10	42	48
Certain conditions originating in the perinatal period (760-779)	47	21	17	40	17	12	76	74
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	11	9	20	7	7	21	12
Other conditions originating in the perinatal period (760-766,770-779)	29	10	8	20	10	5	55	62
Symptoms, signs, and ill-defined conditions (780-799)	105	3	77	243	21	5	22	81
All other diseases (Residual)	217	126	50	107	51	53	351	367
Accidents and adverse effects (E800-E949)	218	173	70	111	52	71	289	248
Motor vehicle accidents (E810-E825)	108	94	38	57	29	34	155	126
All other accidents and adverse effects (E800-E807,E826-E949)	110	79	32	54	33	37	134	122
Suicide (E950-E959)	46	34	11	24	22	19	59	55
Homicide and legal intervention (E960-E978)	92	30	9	36	9	11	94	49
All other external causes (E980-E999)	11	3	–	2	–	1	20	11

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	New Orleans, La.	New York, N.Y.	Newark, N.J.	Newport News-Hampton, Va.	Norfolk-Portsmouth, Va.	Odessa, Tex.	Ogden, Utah	Oklahoma City, Okla.
All causes	10,230	102,215	15,589	1,984	5,176	657	956	5,879
Shigellosis and amebiasis (004,006)	–	3	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	10	2	–	2	–	–	–
Tuberculosis (010-018)	33	131	16	2	9	1	–	–
Tuberculosis of respiratory system (010-012)	28	114	13	–	7	1	–	–
Other tuberculosis (013-018)	5	17	3	2	2	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	1	–	–	–	–	1	–
Meningococcal infection (036)	6	26	5	2	3	–	–	2
Septicemia (038)	88	320	97	19	30	2	1	23
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	4	57	10	–	2	1	1	3
Syphilis (090-097)	1	4	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	23	155	28	5	9	–	3	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,178	22,764	3,636	464	1,142	129	169	1,210
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	53	529	92	9	29	3	2	25
Malignant neoplasms of digestive organs and peritoneum (150-159)	579	7,101	1,091	118	266	18	40	306
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	595	5,235	838	139	348	40	34	353
Malignant neoplasm of breast (174-175)	156	2,207	388	31	92	12	18	95
Malignant neoplasms of genital organs (179-187)	187	2,354	406	53	110	15	18	130
Malignant neoplasms of urinary organs (188-189)	89	1,030	174	14	43	3	8	50
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	344	2,374	347	65	161	22	27	140
Leukemia (204-208)	81	803	140	12	38	5	6	49
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	94	1,131	162	23	52	11	16	60
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	36	349	28	8	13	2	2	10
Diabetes mellitus (250)	262	1,843	316	22	80	10	19	84
Nutritional deficiencies (260-269)	13	31	14	4	6	1	1	7
Anemias (280-285)	26	139	22	3	2	3	4	8
Meningitis (320-322)	13	80	16	1	3	3	1	4
Major cardiovascular diseases (390-448)	4,691	53,351	7,905	924	2,490	206	442	2,801
Diseases of heart (390-398,402,404-429)	3,628	44,687	6,344	750	1,944	153	362	2,079
Rheumatic fever and rheumatic heart disease (390-398)	21	542	72	3	12	1	15	18
Hypertensive heart disease (402)	238	1,106	192	11	78	1	8	46
Hypertensive heart and renal disease (404)	22	91	38	4	15	–	1	11
Ischemic heart disease (410-414)	2,556	38,784	5,134	536	1,359	91	264	1,498
Acute myocardial infarction (410)	1,274	16,745	2,521	327	691	54	151	759
Other acute and subacute forms of ischemic heart disease (411)	6	98	16	23	163	–	4	157
Angina pectoris (413)	11	11	2	1	2	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,265	21,930	2,595	185	503	37	109	581
Other diseases of endocardium (424)	28	229	53	5	9	1	8	22
All other forms of heart disease (415-423,425-429)	763	3,935	855	191	471	59	68	484
Hypertension with or without renal disease (401,403)	44	333	48	4	11	1	6	30
Cerebrovascular diseases (430-438)	798	6,446	1,262	136	421	42	58	656
Intracerebral and other intracranial hemorrhage (431-432)	123	1,016	187	22	78	13	4	56
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	160	1,389	338	23	84	9	9	115
Cerebral embolism (434.1)	1	35	9	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	514	4,006	728	91	249	20	45	385
Atherosclerosis (440)	133	1,080	120	15	57	6	8	81
Other diseases of arteries, arterioles, and capillaries (441-448)	88	805	131	19	57	4	8	55
Acute bronchitis and bronchiolitis (466)	9	28	3	1	2	–	–	3
Pneumonia and influenza (480-487)	170	3,251	345	54	106	6	29	133
Pneumonia (480-486)	166	3,246	341	54	105	6	29	133
Influenza (487)	4	5	4	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	179	1,842	337	45	133	18	29	136
Bronchitis, chronic and unspecified (490-491)	13	148	31	2	6	2	2	5
Emphysema (492)	53	524	99	9	30	3	7	33
Asthma (493)	17	185	19	3	9	–	4	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	96	985	188	31	88	13	16	90
Ulcer of stomach and duodenum (531-533)	32	411	57	1	9	2	3	18
Appendicitis (540-543)	4	30	5	–	2	1	–	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	229	41	6	10	3	5	18
Chronic liver disease and cirrhosis (571)	150	2,610	281	25	65	11	23	68
Cholelithiasis and other disorders of gallbladder (574-575)	9	149	24	6	2	–	4	9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	126	628	145	22	55	3	2	55
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	12	2	–	2	–	–	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	114	20	3	7	–	–	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	104	502	123	19	46	3	2	48
Infections of kidney (590)	10	111	17	4	15	–	1	11
Hyperplasia of prostate (600)	3	57	10	–	3	–	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	27	2	2	–	–	–	1
Pregnancy with abortive outcome (630-638)	–	7	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	6	20	2	2	–	–	–	1
Congenital anomalies (740-759)	68	640	97	21	56	8	12	51
Certain conditions originating in the perinatal period (760-779)	216	1,180	206	38	109	18	21	84
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	79	360	77	12	25	10	10	31
Other conditions originating in the perinatal period (760-766,770-779)	137	820	129	26	84	8	11	63
Symptoms, signs, and ill-defined conditions (780-799)	89	640	202	18	45	77	22	60
All other diseases (Residual)	700	4,659	791	131	341	44	61	382
Accidents and adverse effects (E800-E949)	602	2,926	619	84	240	68	68	405
Motor vehicle accidents (E810-E825)	265	1,213	247	27	94	40	30	206
All other accidents and adverse effects (E800-E807,E826-E949)	337	1,713	372	57	146	28	38	197
Suicide (E950-E959)	156	1,011	120	33	90	13	17	131
Homicide and legal intervention (E960-E978)	327	1,881	185	36	98	27	7	109
All other external causes (E980-E999)	4	631	17	3	6	2	6	5

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Ventura, Calif.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights, Va.
All causes	4,254	4,684	769	3,061	11,590	2,029	2,980	1,129
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	2	–	–
Tuberculosis (010-018)	1	7	1	–	15	2	1	2
Tuberculosis of respiratory system (010-012)	1	7	1	–	12	2	1	1
Other tuberculosis (013-018)	–	–	–	–	3	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	2	–	–	2	3	1	–
Septicemia (038)	18	21	4	9	56	9	9	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	4	1	1	8	–	–	–
Syphilis (090-097)	–	–	–	1	–	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	7	13	4	7	20	2	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	922	1,032	151	698	2,839	445	660	221
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	29	4	11	61	13	9	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	249	285	31	197	871	108	167	67
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	244	258	47	188	649	150	156	56
Malignant neoplasm of breast (174-175)	79	85	11	74	288	25	63	19
Malignant neoplasms of genital organs (179-187)	97	114	14	61	260	49	73	26
Malignant neoplasms of urinary organs (188-189)	44	44	6	25	130	18	39	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	85	131	14	78	304	52	69	27
Leukemia (204-208)	54	37	16	32	121	17	27	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	49	8	32	157	13	43	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	8	–	12	44	3	8	1
Diabetes mellitus (250)	68	52	18	46	216	31	47	18
Nutritional deficiencies (260-269)	3	12	–	4	15	1	3	1
Anemias (280-285)	3	8	2	6	17	3	3	1
Meningitis (320-322)	4	6	–	5	5	6	–	1
Major cardiovascular diseases (390-448)	2,156	2,244	412	1,383	5,946	964	1,553	577
Diseases of heart (390-398,402,404-429)	1,646	1,696	309	1,071	4,757	713	1,145	420
Rheumatic fever and rheumatic heart disease (390-398)	23	31	2	16	74	7	7	2
Hypertensive heart disease (402)	18	52	4	26	107	23	31	13
Hypertensive heart and renal disease (404)	8	7	1	2	22	4	1	7
Ischemic heart disease (410-414)	1,396	1,112	234	618	4,049	525	936	332
Acute myocardial infarction (410)	616	635	123	318	2,005	276	583	156
Other acute and subacute forms of ischemic heart disease (411)	2	6	1	–	11	–	6	36
Angina pectoris (413)	2	3	–	–	3	2	–	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	776	468	110	300	2,030	247	349	136
Other diseases of endocardium (424)	13	18	2	8	43	14	10	2
All other forms of heart disease (415-423,425-429)	188	476	66	401	462	140	158	64
Hypertension with or without renal disease (401,403)	21	18	1	12	34	13	9	8
Cerebrovascular diseases (430-438)	370	421	89	230	931	186	286	127
Intracerebral and other intracranial hemorrhage (431-432)	51	54	4	21	123	20	43	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	93	84	16	37	242	23	35	32
Cerebral embolism (434.1)	5	4	–	1	7	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	221	279	69	171	559	153	207	85
Atherosclerosis (440)	68	57	8	41	115	27	63	13
Other diseases of arteries, arterioles, and capillaries (441-448)	51	52	5	29	109	15	50	9
Acute bronchitis and bronchiolitis (466)	–	1	–	4	1	2	–	–
Pneumonia and influenza (480-487)	107	110	17	77	285	23	96	23
Pneumonia (480-486)	105	108	16	77	281	23	96	23
Influenza (487)	2	2	1	–	4	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	100	165	13	98	234	73	67	27
Bronchitis, chronic and unspecified (490-491)	9	9	4	5	24	2	8	1
Emphysema (492)	25	65	4	42	56	17	25	9
Asthma (493)	2	6	–	1	9	6	2	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	65	85	5	50	145	48	32	14
Ulcer of stomach and duodenum (531-533)	14	16	2	12	38	2	9	2
Appendicitis (540-543)	2	4	–	1	4	1	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	14	1	11	26	9	11	5
Chronic liver disease and cirrhosis (571)	58	77	12	75	198	27	25	14
Cholelithiasis and other disorders of gallbladder (574-575)	5	3	2	4	21	2	9	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	38	37	8	22	81	14	19	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	1	1	1	–	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	7	–	4	8	3	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	30	30	7	17	72	11	15	9
Infections of kidney (590)	9	7	2	8	19	2	4	2
Hyperplasia of prostate (600)	1	2	–	–	3	1	4	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	–	1	3	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	–	1	3	–	–	–
Congenital anomalies (740-759)	41	36	4	36	75	19	20	5
Certain conditions originating in the perinatal period (760-779)	59	55	7	28	102	36	44	23
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	11	–	7	24	13	20	4
Other conditions originating in the perinatal period (760-766,770-779)	33	44	7	21	78	23	24	19
Symptoms, signs, and ill-defined conditions (780-799)	28	37	5	13	175	14	16	13
All other diseases (Residual)	253	274	53	189	595	121	157	73
Accidents and adverse effects (E800-E949)	209	302	33	179	387	146	159	69
Motor vehicle accidents (E810-E825)	97	176	15	122	165	76	88	28
All other accidents and adverse effects (E800-E807,E826-E949)	112	126	18	57	222	70	71	41
Suicide (E950-E959)	52	85	12	72	103	35	29	16
Homicide and legal intervention (E960-E978)	52	53	4	53	59	27	15	13
All other external causes (E980-E989)	16	5	1	8	18	4	5	1

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.-Wash.	Providence, R.I.
All causes	44,878	10,966	756	23,307	1,457	2,037	10,059	7,790
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	2	1	–	1	–	2	2	2
Tuberculosis (010-018)	44	16	2	19	–	1	7	6
Tuberculosis of respiratory system (010-012)	34	14	2	14	–	1	7	5
Other tuberculosis (013-018)	10	2	–	5	–	–	–	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	7	2	–	–	–	1	–	3
Septicemia (038)	312	56	1	114	8	4	36	35
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	13	6	–	6	1	1	5	3
Syphilis (090-097)	3	1	–	2	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	77	35	4	34	1	–	25	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,068	2,400	141	5,110	348	463	2,154	1,822
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	215	43	7	78	15	13	48	61
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,832	578	34	1,414	105	138	530	555
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,596	624	43	1,322	73	115	585	460
Malignant neoplasm of breast (174-175)	894	188	4	419	25	44	172	182
Malignant neoplasms of genital organs (179-187)	1,054	295	14	540	36	42	263	171
Malignant neoplasms of urinary organs (188-189)	401	95	3	214	18	22	86	77
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,267	322	26	670	46	54	270	182
Leukemia (204-208)	350	110	7	194	13	19	86	54
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	459	145	3	259	17	16	114	80
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	173	38	2	102	10	12	36	17
Diabetes mellitus (250)	762	172	13	459	23	20	135	177
Nutritional deficiencies (260-269)	50	11	–	24	2	10	21	5
Anemias (280-285)	75	21	1	50	–	2	12	11
Meningitis (320-322)	31	9	2	8	2	1	7	–
Major cardiovascular diseases (390-448)	21,189	4,732	418	12,645	766	1,021	4,985	4,126
Diseases of heart (390-398,402,404-429)	16,808	3,575	305	10,148	585	787	3,584	3,266
Rheumatic fever and rheumatic heart disease (390-398)	230	47	1	110	9	12	63	38
Hypertensive heart disease (402)	530	63	9	175	7	11	110	69
Hypertensive heart and renal disease (404)	72	6	1	38	1	3	30	3
Ischemic heart disease (410-414)	11,356	2,838	209	7,558	466	649	2,873	2,708
Acute myocardial infarction (410)	7,138	1,304	66	4,060	296	373	1,004	1,484
Other acute and subacute forms of ischemic heart disease (411)	86	306	1	16	2	3	10	12
Angina pectoris (413)	14	3	–	3	–	–	1	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,118	1,225	122	3,479	168	273	1,858	1,208
Other diseases of endocardium (424)	150	38	3	76	5	13	52	31
All other forms of heart disease (415-423,425-429)	4,470	583	62	2,191	77	99	456	417
Hypertension with or without renal disease (401,403)	152	24	3	75	3	9	35	30
Cerebrovascular diseases (430-438)	3,296	872	69	1,881	155	171	989	611
Intracerebral and other intracranial hemorrhage (431-432)	480	134	13	278	24	20	114	87
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	641	163	11	511	19	44	222	161
Cerebral embolism (434.1)	14	9	–	7	3	2	3	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,161	566	65	1,085	109	105	650	358
Atherosclerosis (440)	444	137	14	312	35	25	234	136
Other diseases of arteries, arterioles, and capillaries (441-448)	469	124	7	229	6	29	123	83
Acute bronchitis and bronchiolitis (466)	16	5	–	5	1	–	5	1
Pneumonia and influenza (480-487)	951	256	10	417	50	57	287	118
Pneumonia (480-486)	950	253	9	417	50	54	282	118
Influenza (487)	1	3	1	–	–	3	5	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,053	488	13	563	42	70	309	192
Bronchitis, chronic and unspecified (490-491)	57	45	1	35	1	7	18	11
Emphysema (492)	208	151	4	118	8	17	102	38
Asthma (493)	38	18	2	24	–	3	19	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	750	274	6	386	33	43	170	132
Ulcer of stomach and duodenum (531-533)	107	23	1	67	4	8	35	28
Appendicitis (540-543)	19	4	–	10	1	1	3	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	126	34	2	47	6	7	30	18
Chronic liver disease and cirrhosis (571)	683	185	11	374	20	31	198	119
Cholelithiasis and other disorders of gallbladder (574-575)	48	12	1	38	2	4	14	16
Nephritis, nephrotic syndrome, and nephrosis (580-589)	440	84	9	220	5	22	66	71
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	2	–	6	–	1	2	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	40	6	–	29	–	3	15	9
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	391	76	9	185	5	18	49	59
Infections of kidney (590)	39	11	–	24	–	6	7	4
Hyperplasia of prostate (600)	11	1	–	5	–	–	4	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	8	1	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	6	1	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	–	–	1	–	–	–	–
Congenital anomalies (740-759)	253	98	4	104	4	23	61	54
Certain conditions originating in the perinatal period (760-779)	511	163	4	215	4	7	85	80
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	172	58	1	75	–	2	24	20
Other conditions originating in the perinatal period (760-766,770-779)	339	105	3	140	4	5	61	60
Symptoms, signs, and ill-defined conditions (780-799)	2,336	119	22	135	4	13	157	17
All other diseases (Residual)	2,605	748	33	1,156	88	129	557	450
Accidents and adverse effects (E800-E949)	1,698	844	34	875	48	92	584	265
Motor vehicle accidents (E810-E825)	730	485	7	358	28	43	304	110
All other accidents and adverse effects (E800-E807,E826-E949)	968	359	27	517	20	49	280	155
Suicide (E950-E959)	541	240	6	271	17	23	155	94
Homicide and legal intervention (E960-E978)	597	138	21	138	2	5	58	34
All other external causes (E980-E999)	130	14	1	68	–	1	38	4

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Provo-Orem, Utah	Pueblo, Colo.	Racine, Wis.	Raleigh, N.C.	Reading, Pa.	Reno, Nev.	Richmond, Va.	Roanoke, Va.
All causes	695	1,061	1,380	1,811	2,944	1,353	4,933	1,861
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	–	–	–	–	–	1
Tuberculosis (010-018)	–	1	1	4	3	1	8	4
Tuberculosis of respiratory system (010-012)	–	–	–	3	2	–	7	4
Other tuberculosis (013-018)	–	1	1	1	1	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	1	–	–	–	–	1	–
Septicemia (038)	2	3	1	14	7	5	63	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	1	1	–	1	4	–
Syphilis (090-097)	–	–	–	–	–	–	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	2	4	4	–	1	12	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	140	188	278	412	665	288	1,077	360
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	3	9	4	10	–	29	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	37	57	75	107	207	77	266	106
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	21	49	64	100	154	79	324	91
Malignant neoplasm of breast (174-175)	10	13	25	38	60	20	85	27
Malignant neoplasms of genital organs (179-187)	16	21	28	50	72	25	113	46
Malignant neoplasms of urinary organs (188-189)	2	8	15	18	24	14	41	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	28	14	35	69	83	48	152	35
Leukemia (204-208)	5	7	11	14	21	12	19	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	13	16	14	34	11	48	29
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	5	6	6	7	5	14	3
Diabetes mellitus (250)	24	30	33	31	69	18	64	24
Nutritional deficiencies (260-269)	2	1	2	2	1	1	7	5
Anemias (280-285)	–	2	1	4	4	3	7	2
Meningitis (320-322)	3	1	1	2	1	3	5	–
Major cardiovascular diseases (390-448)	388	526	756	832	1,649	556	2,395	983
Diseases of heart (390-398,402,404-429)	316	397	587	608	1,310	412	1,816	730
Rheumatic fever and rheumatic heart disease (390-398)	9	6	3	3	14	3	18	8
Hypertensive heart disease (402)	4	15	10	40	29	25	47	28
Hypertensive heart and renal disease (404)	–	2	–	4	8	2	15	1
Ischemic heart disease (410-414)	220	293	509	490	970	336	1,295	597
Acute myocardial infarction (410)	131	165	220	223	640	143	553	268
Other acute and subacute forms of ischemic heart disease (411)	3	1	3	1	3	7	92	61
Angina pectoris (413)	–	1	3	2	–	–	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	88	126	277	204	327	186	648	207
Other diseases of endocardium (424)	5	2	2	11	18	2	11	9
All other forms of heart disease (415-423,425-429)	78	79	69	120	271	44	430	147
Hypertension with or without renal disease (401,403)	4	4	8	9	8	–	14	5
Cerebrovascular diseases (430-438)	54	99	125	174	250	103	447	187
Intracerebral and other intracranial hemorrhage (431-432)	5	8	15	17	28	13	54	36
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	25	18	18	71	11	51	32
Cerebral embolism (434.1)	–	–	2	–	1	–	3	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	46	66	90	139	150	79	339	118
Atherosclerosis (440)	19	22	21	21	45	20	76	37
Other diseases of arteries, arterioles, and capillaries (441-448)	5	4	15	20	36	21	42	24
Acute bronchitis and bronchiolitis (466)	–	–	–	–	2	–	1	–
Pneumonia and influenza (480-487)	22	33	22	38	54	31	143	51
Pneumonia (480-486)	21	33	21	38	53	31	143	51
Influenza (487)	1	–	1	–	1	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	23	36	31	32	67	59	120	41
Bronchitis, chronic and unspecified (490-491)	2	3	–	3	6	2	6	7
Emphysema (492)	7	12	12	8	18	19	20	6
Asthma (493)	–	2	2	1	4	2	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	14	19	17	20	39	36	91	27
Ulcer of stomach and duodenum (531-533)	2	2	4	1	10	5	18	11
Appendicitis (540-543)	–	1	1	1	2	–	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	5	4	4	7	3	14	2
Chronic liver disease and cirrhosis (571)	3	22	14	34	25	63	55	26
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	–	2	2	1	6	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	9	5	14	35	5	38	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	1	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	1	3	3	–	6	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	6	4	11	32	4	32	14
Infections of kidney (590)	–	3	2	4	1	1	4	–
Hyperplasia of prostate (600)	–	1	–	–	2	–	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	1	–	–	–	–	–
Pregnancy with abortive outcome (630-639)	–	–	1	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	27	7	14	18	15	9	26	15
Certain conditions originating in the perinatal period (760-779)	50	10	16	26	27	23	93	24
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	27	1	6	11	12	11	28	11
Other conditions originating in the perinatal period (760-766,770-779)	23	9	10	15	15	12	65	13
Symptoms, signs, and ill-defined conditions (780-799)	27	13	10	8	11	20	39	14
All other diseases (Residual)	62	76	73	135	115	54	311	121
Accidents and adverse effects (E800-E949)	62	63	66	117	110	118	237	81
Motor vehicle accidents (E810-E825)	37	39	43	58	55	76	93	30
All other accidents and adverse effects (E900-E907,E826-E949)	25	24	23	59	55	42	144	51
Suicide (E950-E959)	21	31	19	32	47	56	68	41
Homicide and legal intervention (E960-E978)	5	6	14	32	6	23	79	16
All other external causes (E980-E999)	4	2	–	1	–	2	3	2

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Sacramento, Calif.	Saginaw, Mich.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.
All causes	493	7,255	2,141	7,378	1,649	959	21,716	1,898
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	1	–
Certain other intestinal infections (007-009)	–	–	1	–	–	–	8	–
Tuberculosis (010-018)	–	6	2	6	3	1	20	2
Tuberculosis of respiratory system (010-012)	–	5	2	6	2	1	15	2
Other tuberculosis (013-018)	–	1	–	–	1	–	5	–
Whooping cough (033)	–	–	–	–	–	–	1	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	3	–	–	2	–
Septicemia (038)	1	37	4	33	3	3	98	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	1	–
Viral hepatitis (070)	1	–	–	–	3	–	6	2
Syphilis (090-097)	–	–	–	–	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,048-054,056-066,071-088,098-139)	–	20	3	19	2	1	28	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	93	1,622	484	1,601	325	208	4,661	396
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	40	9	44	13	3	93	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	28	435	134	426	84	55	1,179	88
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	16	365	118	438	89	53	1,313	103
Malignant neoplasm of breast (174-175)	12	161	41	135	34	19	413	33
Malignant neoplasms of genital organs (179-187)	5	203	54	160	41	20	493	56
Malignant neoplasms of urinary organs (188-189)	5	90	24	71	7	9	179	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	14	170	47	206	32	28	594	57
Leukemia (204-208)	6	73	21	60	9	10	181	27
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	6	85	36	61	16	11	216	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	25	9	36	5	2	58	4
Diabetes mellitus (250)	11	163	28	99	32	11	418	29
Nutritional deficiencies (260-269)	1	8	2	5	1	–	23	4
Anemias (280-285)	1	10	3	10	4	–	36	1
Meningitis (320-322)	–	5	–	5	3	1	22	2
Major cardiovascular diseases (390-448)	216	3,568	1,075	3,387	832	496	11,112	977
Diseases of heart (390-398,402,404-428)	154	2,763	815	2,518	618	348	8,702	695
Rheumatic fever and rheumatic heart disease (390-398)	5	38	9	27	4	3	89	9
Hypertensive heart disease (402)	3	76	13	50	16	10	346	20
Hypertensive heart and renal disease (404)	–	7	7	10	5	3	71	5
Ischemic heart disease (410-414)	127	2,108	680	2,016	460	264	6,966	541
Acute myocardial infarction (410)	50	1,200	313	965	264	105	3,345	228
Other acute and subacute forms of ischemic heart disease (411)	–	84	–	4	–	–	22	–
Angina pectoris (413)	–	3	–	–	1	–	8	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	77	821	367	1,049	195	159	3,593	308
Other diseases of endocardium (424)	4	37	10	39	4	3	70	12
All other forms of heart disease (415-423,425-429)	15	497	96	374	129	63	1,158	108
Hypertension with or without renal disease (401,403)	1	31	5	25	9	4	111	4
Cerebrovascular diseases (430-438)	44	808	208	660	152	104	1,791	209
Intracerebral and other intracranial hemorrhage (431-432)	9	71	12	68	18	11	321	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	130	36	124	35	17	482	40
Cerebral embolism (434.1)	–	3	–	1	2	1	7	6
All other and late effects of cerebrovascular diseases (430,433,435-438)	22	402	160	467	97	75	981	139
Atherosclerosis (440)	10	87	27	99	35	32	336	44
Other diseases of arteries, arterioles, and capillaries (441-448)	7	81	20	85	18	10	172	25
Acute bronchitis and bronchiolitis (466)	1	3	1	1	–	1	3	1
Pneumonia and influenza (480-487)	13	219	41	210	27	31	459	37
Pneumonia (480-486)	12	219	41	205	27	31	458	36
Influenza (487)	1	–	–	5	–	–	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	20	189	39	242	47	34	500	64
Bronchitis, chronic and unspecified (490-491)	1	10	2	23	3	–	27	7
Emphysema (492)	2	39	10	64	8	8	133	15
Asthma (493)	3	13	2	12	2	3	19	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	14	127	25	143	34	23	321	42
Ulcer of stomach and duodenum (531-533)	2	30	3	28	4	1	56	4
Appendicitis (540-543)	–	3	–	2	–	–	8	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	18	6	12	3	3	57	3
Chronic liver disease and cirrhosis (571)	2	90	31	185	29	5	276	21
Cholelithiasis and other disorders of gallbladder (574-575)	1	9	3	13	2	1	31	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	102	12	59	12	15	140	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	3	–	–	1	–	4	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	6	2	7	1	3	22	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	93	10	52	10	12	114	10
Infections of kidney (590)	1	7	3	12	5	1	23	2
Hyperplasia of prostate (600)	–	2	–	7	–	–	12	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	2	–	–	3	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	2	–	–	2	–
Congenital anomalies (740-759)	6	55	14	40	7	9	152	16
Certain conditions originating in the perinatal period (760-779)	7	88	37	73	31	7	298	26
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	17	13	31	7	5	114	6
Other conditions originating in the perinatal period (760-766,770-779)	2	71	24	42	24	2	184	20
Symptoms, signs, and ill-defined conditions (780-799)	18	37	11	64	12	39	313	38
All other diseases (Residual)	49	483	141	439	73	49	1,182	108
Accidents and adverse effects (E800-E949)	31	297	132	497	117	22	967	93
Motor vehicle accidents (E810-E825)	17	147	63	292	52	9	464	51
All other accidents and adverse effects (E800-E807,E826-E949)	14	150	69	205	65	13	503	42
Suicide (E950-E959)	8	112	35	154	26	12	267	27
Homicide and legal intervention (E960-E978)	2	40	18	97	37	2	436	11
All other external causes (E980-E999)	–	7	3	33	4	4	37	1

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Salinas-Monterey, Calif.	Salt Lake City, Utah	San Angelo, Tex.	San Antonio, Tex.	San Bernardino-Riverside-Ontario, Calif.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.
All causes	1,888	3,977	766	7,268	12,800	12,709	26,379	7,226
Shigellosis and amebiasis (004,006)	–	–	–	–	2	1	–	–
Certain other intestinal infections (007-009)	2	–	2	3	1	1	4	1
Tuberculosis (010-018)	–	2	–	10	15	10	28	9
Tuberculosis of respiratory system (010-012)	–	2	–	8	12	9	19	6
Other tuberculosis (013-018)	–	–	–	2	3	1	9	3
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	–	1	1	1	–	2	3	2
Septicemia (038)	6	21	6	87	35	38	107	20
Acute poliomyelitis (045)	–	–	–	–	1	–	1	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	1	–	2	3	10	16	4
Syphilis (090-097)	–	–	–	2	1	1	2	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	6	1	23	17	25	58	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	405	669	128	1,501	2,551	2,843	6,222	1,606
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	6	1	22	55	58	159	36
Malignant neoplasms of digestive organs and peritoneum (150-159)	115	191	31	406	632	715	1,798	442
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	109	144	28	383	688	786	1,552	443
Malignant neoplasm of breast (174-175)	34	64	13	124	240	281	545	156
Malignant neoplasms of genital organs (179-187)	46	75	20	172	301	276	685	167
Malignant neoplasms of urinary organs (188-189)	21	23	4	48	108	115	220	60
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	50	85	21	184	307	350	711	207
Leukemia (204-208)	12	33	2	60	105	121	239	73
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	48	8	102	117	141	313	114
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	13	4	19	45	50	108	26
Diabetes mellitus (250)	20	82	17	166	158	142	303	107
Nutritional deficiencies (260-269)	4	7	2	6	17	13	26	8
Anemias (280-285)	1	9	1	9	14	18	45	10
Meningitis (320-322)	1	3	–	5	12	9	19	4
Major cardiovascular diseases (390-448)	811	1,804	392	3,268	6,114	5,942	12,310	3,273
Diseases of heart (390-398,402,404-429)	543	1,396	219	2,479	4,517	4,305	9,000	2,399
Rheumatic fever and rheumatic heart disease (390-398)	5	45	–	17	93	70	122	29
Hypertensive heart disease (402)	10	44	6	53	114	121	361	87
Hypertensive heart and renal disease (404)	3	2	–	9	21	14	28	7
Ischemic heart disease (410-414)	441	877	176	1,760	3,723	3,476	6,960	1,592
Acute myocardial infarction (410)	243	439	111	1,077	1,747	1,519	2,992	779
Other acute and subacute forms of ischemic heart disease (411)	4	29	1	7	24	10	18	5
Angina pectoris (413)	–	1	–	–	2	6	7	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	194	408	64	696	1,950	1,943	3,963	806
Other diseases of endocardium (424)	9	19	2	21	46	69	131	32
All other forms of heart disease (415-423,425-429)	75	409	35	598	520	553	1,378	652
Hypertension with or without renal disease (401,403)	8	5	4	32	48	45	83	28
Cerebrovascular diseases (430-438)	190	335	152	580	1,178	1,184	2,451	686
Intracerebral and other intracranial hemorrhage (431-432)	22	35	9	66	138	160	314	89
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	48	48	13	96	288	289	527	110
Cerebral embolism (434.1)	–	4	–	3	7	5	10	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	120	246	130	415	745	730	1,600	505
Atherosclerosis (440)	34	29	10	123	194	233	429	72
Other diseases of arteries, arterioles, and capillaries (441-448)	36	39	7	55	177	175	347	85
Acute bronchitis and bronchiolitis (466)	3	3	1	–	21	5	17	–
Pneumonia and influenza (480-487)	67	117	15	194	396	296	723	185
Pneumonia (480-486)	65	114	15	191	393	290	713	182
Influenza (487)	2	3	–	3	3	6	10	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	55	119	35	184	515	425	747	206
Bronchitis, chronic and unspecified (490-491)	4	13	2	7	30	53	80	20
Emphysema (492)	17	31	12	53	122	140	214	47
Asthma (493)	3	4	–	11	25	20	46	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	71	21	113	338	212	407	132
Ulcer of stomach and duodenum (531-533)	8	16	2	11	54	39	103	22
Appendicitis (540-543)	–	2	1	6	6	5	8	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	11	2	19	30	33	93	20
Chronic liver disease and cirrhosis (571)	49	75	12	123	305	309	678	178
Cholelithiasis and other disorders of gallbladder (574-575)	2	6	1	13	21	22	43	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	23	2	87	89	47	150	30
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	3	3	1	5	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	1	9	19	10	14	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	20	1	75	67	36	131	25
Infections of kidney (590)	3	6	–	14	39	17	31	8
Hyperplasia of prostate (600)	2	2	–	3	4	5	10	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	2	–	3	3	3	3	1
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	1	1	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	2	–	3	3	2	2	1
Congenital anomalies (740-759)	13	72	4	79	90	116	169	69
Certain conditions originating in the perinatal period (760-779)	36	76	11	126	134	131	176	104
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	27	3	51	53	42	61	21
Other conditions originating in the perinatal period (760-766,770-779)	26	49	8	75	81	89	115	89
Symptoms, signs, and ill-defined conditions (780-799)	18	58	16	129	94	104	196	45
All other diseases (Residual)	121	294	47	495	668	764	1,580	495
Accidents and adverse effects (E800-E949)	152	312	52	384	893	825	1,408	473
Motor vehicle accidents (E810-E825)	84	165	21	230	537	452	604	280
All other accidents and adverse effects (E800-E807,E826-E949)	68	147	31	154	356	373	804	193
Suicide (E950-E959)	42	93	9	105	206	270	585	172
Homicide and legal intervention (E960-E978)	34	36	2	185	190	153	341	78
All other external causes (E980-E999)	1	26	–	6	35	35	66	14

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Santa Barbara, Calif.	Santa Rosa, Calif.	Savannah, Ga.	Scranton, Pa.	Seattle-Everett, Wash.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.
All causes	2,225	2,647	1,840	2,604	11,497	1,019	2,930	1,055
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	-	1	-	-	1	-	-	-
Tuberculosis (010-018)	1	1	3	5	10	-	2	1
Tuberculosis of respiratory system (010-012)	-	-	2	5	9	-	1	1
Other tuberculosis (013-018)	1	1	1	-	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	2	-	-	-
Septicemia (038)	3	4	9	11	41	2	22	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	1	-	4	1	1	1
Syphilis (090-097)	-	-	2	1	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	3	4	3	28	3	9	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	484	621	373	604	2,553	167	569	255
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	11	23	11	13	52	-	12	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	125	168	87	212	689	35	154	75
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	114	158	115	137	684	46	147	59
Malignant neoplasm of breast (174-175)	42	50	26	52	234	10	45	22
Malignant neoplasms of genital organs (179-187)	55	66	39	65	263	18	75	29
Malignant neoplasms of urinary organs (188-189)	27	18	16	14	106	9	18	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	84	54	83	282	31	71	22
Leukemia (204-208)	31	23	10	19	85	9	23	16
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	31	15	29	148	9	24	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	9	4	11	32	2	12	2
Diabetes mellitus (250)	35	34	36	60	149	10	86	24
Nutritional deficiencies (260-269)	4	2	5	6	11	-	5	5
Anemias (280-285)	3	5	2	6	21	1	1	1
Meningitis (320-322)	1	2	1	-	4	1	3	1
Major cardiovascular diseases (390-448)	1,085	1,221	839	1,568	5,484	583	1,422	538
Diseases of heart (390-398,402,404-429)	784	888	622	1,276	3,985	416	1,118	407
Rheumatic fever and rheumatic heart disease (390-398)	14	12	3	21	58	3	4	8
Hypertensive heart disease (402)	19	21	42	56	105	16	54	22
Hypertensive heart and renal disease (404)	-	2	7	15	20	1	2	3
Ischemic heart disease (410-414)	585	689	454	813	2,604	283	742	305
Acute myocardial infarction (410)	263	360	276	452	1,351	148	303	187
Other acute and subacute forms of ischemic heart disease (411)	13	3	3	13	9	1	3	2
Angina pectoris (413)	1	-	1	-	5	-	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	288	326	174	348	1,239	134	433	116
Other diseases of endocardium (424)	25	27	7	12	70	6	6	4
All other forms of heart disease (415-423,425-429)	161	137	109	359	1,128	107	310	65
Hypertension with or without renal disease (401,403)	11	15	6	11	46	2	9	7
Cerebrovascular diseases (430-438)	239	216	155	223	1,050	124	253	90
Intracerebral and other intracranial hemorrhage (431-432)	28	23	29	30	119	17	27	19
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	46	37	51	58	184	31	40	20
Cerebral embolism (434.1)	-	-	1	2	4	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	165	156	74	133	743	74	186	51
Atherosclerosis (440)	29	60	23	37	248	12	15	15
Other diseases of arteries, arterioles, and capillaries (441-448)	22	42	33	21	135	9	27	19
Acute bronchitis and bronchiolitis (466)	1	-	-	1	4	-	-	-
Pneumonia and influenza (480-487)	66	90	46	33	384	28	68	31
Pneumonia (480-486)	64	88	45	32	357	28	67	30
Influenza (487)	2	2	1	1	7	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	57	90	61	58	386	25	85	31
Bronchitis, chronic and unspecified (490-491)	5	4	7	6	30	3	2	4
Emphysema (492)	24	37	14	16	91	6	18	18
Asthma (493)	3	2	3	4	19	1	7	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	25	47	37	32	226	15	58	9
Ulcer of stomach and duodenum (531-533)	6	8	2	8	40	-	2	3
Appendicitis (540-543)	3	-	-	2	5	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	11	5	7	36	4	5	1
Chronic liver disease and cirrhosis (571)	42	59	58	33	198	6	30	8
Cholelithiasis and other disorders of gallbladder (574-575)	-	5	1	3	10	3	6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	19	16	19	99	6	35	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	2	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	2	4	8	22	-	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	16	12	13	75	6	30	4
Infections of kidney (590)	2	4	1	1	8	1	8	-
Hyperplasia of prostate (600)	1	-	-	-	6	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	2	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	2	-	-	-
Congenital anomalies (740-759)	17	16	17	18	111	7	22	6
Certain conditions originating in the perinatal period (760-779)	19	15	30	24	96	10	50	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	5	6	8	42	2	18	2
Other conditions originating in the perinatal period (760-766,770-779)	16	10	24	16	54	8	32	9
Symptoms, signs, and ill-defined conditions (780-799)	3	16	18	19	71	40	13	9
All other diseases (Residual)	142	182	141	208	738	48	201	48
Accidents and adverse effects (E800-E949)	144	159	109	80	681	66	162	51
Motor vehicle accidents (E810-E825)	82	106	44	37	384	44	78	26
All other accidents and adverse effects (E800-E807,E826-E949)	62	53	65	43	307	22	86	25
Suicide (E950-E959)	46	46	18	14	230	14	40	8
Homicide and legal intervention (E960-E978)	23	18	36	3	82	8	69	5
All other external causes (E980-E999)	-	5	2	-	19	-	-	1

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Sioux Falls, S. Dak.	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Holyoke, Mass.	Steubenville-Weirton, Ohio-W. Va.
All causes	614	2,617	2,682	1,741	1,482	1,493	5,297	1,597
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	-	1
Tuberculosis (010-018)	2	3	3	3	1	1	5	3
Tuberculosis of respiratory system (010-012)	1	2	3	3	1	1	5	3
Other tuberculosis (013-018)	1	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	1	-	-	-	-
Septicemia (038)	3	6	6	4	4	5	24	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	1	-	1	4	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	4	2	6	5	2	12	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	187	560	560	337	308	291	1,178	322
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	2	15	11	5	5	7	40	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	50	149	160	104	55	89	338	80
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	38	131	133	84	99	62	283	95
Malignant neoplasm of breast (174-175)	16	59	45	22	26	30	131	24
Malignant neoplasms of genital organs (179-187)	28	66	77	40	44	30	120	39
Malignant neoplasms of urinary organs (188-189)	15	26	23	17	12	19	64	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	21	54	55	43	29	33	132	42
Leukemia (204-208)	6	19	25	12	18	11	42	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	41	31	10	20	10	48	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	9	10	6	3	5	22	5
Diabetes mellitus (250)	12	60	40	32	16	31	131	24
Nutritional deficiencies (260-269)	2	7	5	4	-	-	6	3
Anemias (280-285)	-	1	2	3	2	4	9	1
Meningitis (320-322)	1	1	3	3	1	1	-	-
Major cardiovascular diseases (390-448)	411	1,401	1,323	920	675	822	2,684	862
Diseases of heart (390-398,402,404-429)	303	980	950	680	461	573	2,055	710
Rheumatic fever and rheumatic heart disease (390-398)	1	5	16	5	10	7	21	14
Hypertensive heart disease (402)	1	30	13	20	10	19	24	13
Hypertensive heart and renal disease (404)	-	1	6	4	-	3	5	6
Ischemic heart disease (410-414)	260	757	664	529	356	442	1,759	535
Acute myocardial infarction (410)	147	385	416	234	200	282	736	311
Other acute and subacute forms of ischemic heart disease (411)	-	4	2	2	-	4	1	-
Angina pectoris (413)	-	-	1	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	113	368	245	293	156	156	1,021	223
Other diseases of endocardium (424)	3	12	10	13	5	5	20	4
All other forms of heart disease (415-423,425-429)	38	175	241	109	80	97	228	138
Hypertension with or without renal disease (401,403)	4	13	11	13	6	8	14	5
Cerebrovascular diseases (430-438)	79	351	255	169	170	213	491	149
Intracerebral and other intracranial hemorrhage (431-432)	14	30	29	23	8	18	69	20
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	68	37	48	34	105	166	27
Cerebral embolism (434.1)	1	1	2	-	1	2	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	53	252	187	118	127	88	250	102
Atherosclerosis (440)	18	38	72	22	27	14	74	14
Other diseases of arteries, arterioles, and capillaries (441-448)	7	19	35	16	11	14	50	14
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	2	-
Pneumonia and influenza (480-487)	20	51	67	28	38	27	160	30
Pneumonia (480-486)	20	49	63	28	37	26	159	30
Influenza (487)	-	2	4	-	1	1	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	26	50	107	51	67	58	139	57
Bronchitis, chronic and unspecified (490-491)	-	5	4	4	2	4	6	11
Emphysema (492)	13	10	34	25	20	16	28	20
Asthma (493)	-	1	5	3	4	2	7	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	13	34	64	19	41	34	100	24
Ulcer of stomach and duodenum (531-533)	-	11	10	6	2	6	17	6
Appendicitis (540-543)	-	1	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	6	12	1	6	4	11	5
Chronic liver disease and cirrhosis (571)	10	34	47	26	15	21	73	13
Cholelithiasis and other disorders of gallbladder (574-575)	-	4	7	2	4	4	7	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	12	18	12	8	10	53	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	4	4	4	2	4	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	7	14	8	5	6	50	10
Infections of kidney (590)	-	-	3	4	4	3	3	3
Hyperplasia of prostate (600)	-	-	1	1	2	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	-	-
Congenital anomalies (740-759)	10	20	33	10	10	10	29	5
Certain conditions originating in the perinatal period (760-779)	11	38	23	21	28	20	51	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	4	6	12	9	11	4	11	4
Other conditions originating in the perinatal period (760-766,770-779)	7	32	11	12	17	16	40	10
Symptoms, signs, and ill-defined conditions (780-799)	4	40	23	31	92	8	64	12
All other diseases (Residual)	49	134	165	87	86	77	266	82
Accidents and adverse effects (E800-E949)	35	118	145	90	68	56	269	66
Motor vehicle accidents (E810-E825)	20	59	79	49	33	27	113	31
All other accidents and adverse effects (E800-E807,E826-E949)	15	59	66	41	35	29	156	37
Suicide (E950-E959)	13	20	49	29	20	18	60	19
Homicide and legal intervention (E960-E978)	2	26	13	12	16	8	14	9
All other external causes (E980-E999)	2	-	4	10	1	-	1	4

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Ark.	Toledo, Ohio-Mich.
All causes	3,050	5,400	3,392	746	16,462	2,070	1,036	6,277
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	1	–	–	2
Tuberculosis (010-018)	6	4	–	–	19	2	1	3
Tuberculosis of respiratory system (010-012)	4	4	–	–	15	1	1	3
Other tuberculosis (013-018)	2	–	–	–	4	1	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	1	–	–	–
Meningococcal infection (036)	–	3	–	–	3	–	–	–
Septicemia (038)	9	16	5	6	61	6	7	19
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	1	10	–	–	2
Syphilis (090-097)	–	–	–	–	–	1	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	11	8	3	–	30	4	5	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	624	1,243	778	175	3,740	442	221	1,342
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	30	19	1	90	8	2	23
Malignant neoplasms of digestive organs and peritoneum (150-159)	161	330	208	41	1,005	101	49	342
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	175	326	209	50	1,081	131	56	389
Malignant neoplasm of breast (174-175)	48	135	64	13	281	35	16	108
Malignant neoplasms of genital organs (179-187)	65	115	84	30	417	58	23	139
Malignant neoplasms of urinary organs (188-189)	22	71	42	8	181	24	8	74
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	78	130	82	16	399	40	54	139
Leukemia (204-208)	22	51	29	2	131	23	7	59
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	35	55	41	14	155	22	6	75
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	15	15	2	40	4	4	16
Diabetes mellitus (250)	46	98	62	10	227	49	18	121
Nutritional deficiencies (260-269)	7	8	6	1	24	2	1	6
Anemias (280-285)	7	6	8	3	37	7	1	10
Meningitis (320-322)	2	4	1	–	17	2	1	1
Major cardiovascular diseases (390-448)	1,404	2,749	1,641	322	8,663	1,115	519	3,283
Diseases of heart (390-398,402,404-429)	1,041	2,066	1,183	231	6,470	767	389	2,486
Rheumatic fever and rheumatic heart disease (390-398)	9	17	13	6	85	6	3	24
Hypertensive heart disease (402)	24	45	38	17	220	17	21	71
Hypertensive heart and renal disease (404)	6	3	2	6	24	13	–	20
Ischemic heart disease (410-414)	842	1,645	843	158	5,013	587	298	1,964
Acute myocardial infarction (410)	307	774	501	101	2,191	338	227	1,106
Other acute and subacute forms of ischemic heart disease (411)	12	5	5	1	15	1	–	5
Angina pectoris (413)	1	–	3	–	5	–	–	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	522	886	434	56	2,802	248	71	852
Other diseases of endocardium (424)	17	24	12	5	50	5	1	15
All other forms of heart disease (415-423,425-429)	143	332	177	39	1,088	139	76	392
Hypertension with or without renal disease (401,403)	9	16	9	4	62	11	3	31
Cerebrovascular diseases (430-438)	245	516	347	75	1,673	259	95	602
Intracerebral and other intracranial hemorrhage (431-432)	37	64	28	16	174	35	7	61
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	45	115	73	7	485	68	12	171
Cerebral embolism (434.1)	–	5	–	1	6	–	–	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	163	332	246	51	1,008	158	76	367
Atherosclerosis (440)	70	81	75	3	240	60	15	100
Other diseases of arteries, arterioles, and capillaries (441-448)	39	70	27	9	218	18	7	64
Acute bronchitis and bronchiolitis (466)	2	3	–	–	11	1	1	–
Pneumonia and influenza (480-487)	66	122	65	24	342	40	29	97
Pneumonia (480-486)	66	120	63	24	340	40	29	96
Influenza (487)	2	2	2	–	2	–	–	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	96	164	122	24	536	65	32	202
Bronchitis, chronic and unspecified (490-491)	10	8	7	3	61	3	1	21
Emphysema (492)	23	40	31	6	152	18	16	63
Asthma (493)	9	4	8	–	11	1	2	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	54	112	76	15	312	43	13	119
Ulcer of stomach and duodenum (531-533)	10	18	3	1	60	9	6	20
Appendicitis (540-543)	1	1	1	1	1	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	12	5	–	38	8	4	22
Chronic liver disease and cirrhosis (571)	60	100	54	15	262	18	7	95
Cholelithiasis and other disorders of gallbladder (574-575)	2	14	2	1	25	2	1	12
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	42	18	9	124	16	8	49
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	2	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	7	4	2	18	1	3	9
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	34	14	7	104	15	3	39
Infections of kidney (590)	8	9	3	1	25	2	5	8
Hyperplasia of prostate (600)	2	3	2	1	8	–	–	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	1	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	1	–	–	–
Congenital anomalies (740-759)	34	37	34	7	73	10	4	47
Certain conditions originating in the perinatal period (760-779)	25	64	41	16	102	24	12	62
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	15	15	10	36	5	2	23
Other conditions originating in the perinatal period (760-766,770-778)	16	49	26	6	66	19	10	39
Symptoms, signs, and ill-defined conditions (780-799)	33	26	31	21	97	16	15	37
All other diseases (Residual)	178	306	155	49	944	90	53	313
Accidents and adverse effects (E800-E949)	248	260	233	41	606	93	52	331
Motor vehicle accidents (E810-E825)	151	132	114	17	315	41	21	188
All other accidents and adverse effects (E800-E807,E826-E949)	97	128	119	24	291	52	31	143
Suicide (E950-E959)	66	39	74	8	208	29	17	94
Homicide and legal intervention (E960-E978)	49	17	26	3	104	11	14	60
All other external causes (E980-E999)	5	9	6	4	22	2	–	8

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Napa, Calif.
All causes	1,257	2,881	3,841	4,536	1,018	1,096	3,137	2,407
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	2	–	–	–	–	–	1
Tuberculosis (010-018)	1	2	5	3	4	–	2	5
Tuberculosis of respiratory system (010-012)	1	2	3	3	4	–	2	5
Other tuberculosis (013-018)	–	–	2	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	1	–
Meningococcal infection (036)	–	2	–	1	–	1	1	–
Septicemia (038)	4	22	20	20	5	2	11	7
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	1	–	–	–	–	–	–
Viral hepatitis (070)	1	2	1	–	–	–	1	1
Syphilis (090-097)	–	1	–	1	–	–	1	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-066,071-088,098-139)	1	3	20	13	4	2	4	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	252	643	799	912	204	227	702	546
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	20	14	20	3	1	13	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	78	185	194	243	43	54	217	137
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	64	164	216	272	55	61	149	143
Malignant neoplasm of breast (174-175)	21	56	57	65	16	15	79	45
Malignant neoplasms of genital organs (179-187)	22	66	98	85	26	30	89	61
Malignant neoplasms of urinary organs (188-189)	18	33	35	42	6	9	34	31
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	28	56	119	106	30	29	67	66
Leukemia (204-208)	9	33	29	25	16	10	23	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	30	37	44	9	18	31	31
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	11	16	11	2	3	11	11
Diabetes mellitus (250)	27	57	60	68	27	17	63	32
Nutritional deficiencies (260-269)	–	2	–	5	1	2	2	3
Anemias (280-285)	3	2	7	6	1	4	4	2
Meningitis (320-322)	–	3	3	6	–	1	1	–
Major cardiovascular diseases (390-448)	604	1,471	1,661	2,262	489	543	1,710	1,061
Diseases of heart (390-398,402,404-429)	480	1,211	1,301	1,701	346	396	1,329	799
Rheumatic fever and rheumatic heart disease (390-398)	2	11	23	12	2	5	21	9
Hypertensive heart disease (402)	16	87	28	49	21	17	29	27
Hypertensive heart and renal disease (404)	1	10	3	2	3	2	12	–
Ischemic heart disease (410-414)	380	942	1,019	1,343	240	283	1,066	615
Acute myocardial infarction (410)	206	534	393	713	164	175	585	325
Other acute and subacute forms of ischemic heart disease (411)	2	5	2	10	–	–	7	2
Angina pectoris (413)	1	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	171	403	624	620	76	88	474	288
Other diseases of endocardium (424)	3	3	10	17	–	2	15	11
All other forms of heart disease (415-423,425-429)	78	158	218	278	82	107	188	137
Hypertension with or without renal disease (401,403)	1	9	11	14	6	5	15	7
Cerebrovascular diseases (430-438)	100	191	251	454	110	118	277	208
Intracerebral and other intracranial hemorrhage (431-432)	15	26	37	40	11	14	41	22
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	26	35	47	86	15	17	57	34
Cerebral embolism (434.1)	–	2	–	2	–	–	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	59	128	167	346	84	87	178	151
Atherosclerosis (440)	10	37	53	37	13	16	47	26
Other diseases of arteries, arterioles, and capillaries (441-448)	13	23	45	56	12	8	42	41
Acute bronchitis and bronchiolitis (466)	–	–	1	2	–	1	1	1
Pneumonia and influenza (480-487)	48	65	110	119	20	23	60	47
Pneumonia (480-486)	48	65	110	119	20	23	60	47
Influenza (487)	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	43	70	227	144	31	31	79	87
Bronchitis, chronic and unspecified (490-491)	1	1	12	6	–	1	4	5
Emphysema (492)	8	14	65	27	8	13	31	15
Asthma (493)	3	5	17	5	4	–	3	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	50	133	106	21	17	41	61
Ulcer of stomach and duodenum (531-533)	4	19	19	14	3	3	14	14
Appendicitis (540-543)	–	3	1	1	–	–	4	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	13	12	13	3	2	9	10
Chronic liver disease and cirrhosis (571)	12	45	66	75	7	15	48	51
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	5	7	–	–	8	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	16	34	48	11	10	22	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	–	–	2	1	–	–	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	2	5	7	1	–	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	14	29	39	9	10	19	13
Infections of kidney (590)	5	5	4	10	1	3	1	3
Hyperplasia of prostate (600)	–	2	2	1	–	1	–	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	1	–	–	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	1	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	6	16	35	33	4	6	15	22
Certain conditions originating in the perinatal period (760-779)	20	45	32	45	6	11	29	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	9	14	15	16	3	5	5	10
Other conditions originating in the perinatal period (760-766,770-779)	11	31	17	29	3	6	24	18
Symptoms, signs, and ill-defined conditions (780-799)	14	22	30	63	38	9	10	14
All other diseases (Residual)	79	140	270	256	59	70	147	169
Accidents and adverse effects (E800-E949)	60	142	269	232	63	72	125	160
Motor vehicle accidents (E810-E825)	29	69	148	117	31	33	62	85
All other accidents and adverse effects (E800-E807,E826-E949)	31	73	121	115	32	39	63	75
Suicide (E950-E959)	30	20	87	86	21	17	40	52
Homicide and legal intervention (E960-E978)	8	31	28	71	10	22	8	27
All other external causes (E980-E999)	2	–	17	7	4	–	5	9

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Vineland-Millville-Bridgeton, N.J.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo, Iowa	West Palm Beach, Fla.	Wheeling, W.Va.-Ohio	Wichita, Kans.	Wichita Falls, Tex.
All causes	1,245	1,599	19,143	1,109	6,453	2,105	3,158	1,105
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	–	2	–	2	–	–	–
Tuberculosis (010-018)	2	–	23	–	11	3	2	–
Tuberculosis of respiratory system (010-012)	2	–	21	–	9	3	1	–
Other tuberculosis (013-018)	–	–	2	–	2	–	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	3	–	3	1	–	–
Septicemia (038)	6	3	136	6	18	16	12	3
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	11	–	1	–	1	–
Syphilis (090-097)	–	2	7	–	1	–	–	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,045-054,056-066,071-088,088-139)	3	4	44	1	6	4	8	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	268	325	4,736	228	1,540	411	646	234
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	5	144	5	49	4	15	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	77	89	1,253	69	418	108	150	66
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	62	93	1,162	55	406	108	178	57
Malignant neoplasm of breast (174-175)	24	16	474	26	100	46	61	21
Malignant neoplasms of genital organs (179-187)	33	36	513	24	178	58	80	29
Malignant neoplasms of urinary organs (188-189)	13	12	178	12	66	16	33	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	45	584	20	189	47	60	28
Leukemia (204-208)	11	12	204	11	50	9	24	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	17	224	6	84	17	35	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	6	82	4	20	8	11	2
Diabetes mellitus (250)	18	23	383	19	70	46	43	18
Nutritional deficiencies (260-269)	1	2	24	3	10	3	4	1
Anemias (280-285)	–	2	48	3	9	2	3	3
Meningitis (320-322)	–	2	14	2	1	2	3	1
Major cardiovascular diseases (390-448)	660	840	8,361	594	3,301	1,173	1,524	524
Diseases of heart (390-398,402,404-429)	544	625	6,351	415	2,425	934	1,152	373
Rheumatic fever and rheumatic heart disease (390-398)	2	4	61	4	39	16	16	–
Hypertensive heart disease (402)	13	12	318	7	41	13	23	13
Hypertensive heart and renal disease (404)	7	2	40	2	12	4	12	1
Ischemic heart disease (410-414)	392	504	4,102	321	1,884	753	878	292
Acute myocardial infarction (410)	272	345	1,714	214	839	379	528	195
Other acute and subacute forms of ischemic heart disease (411)	5	1	146	2	76	2	2	–
Angina pectoris (413)	–	–	4	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	115	158	2,238	105	969	372	348	97
Other diseases of endocardium (424)	2	6	73	3	26	11	7	2
All other forms of heart disease (415-423,425-429)	128	97	1,757	78	323	137	216	65
Hypertension with or without renal disease (401,403)	2	5	75	4	22	4	7	3
Cerebrovascular diseases (430-438)	86	160	1,397	128	660	187	283	125
Intracerebral and other intracranial hemorrhage (431-432)	14	21	232	12	68	17	42	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	29	311	21	213	47	66	32
Cerebral embolism (434.1)	1	1	4	–	3	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	60	129	850	95	376	123	175	86
Atherosclerosis (440)	14	21	341	31	126	23	57	14
Other diseases of arteries, arterioles, and capillaries (441-448)	14	9	197	16	68	25	25	9
Acute bronchitis and bronchiolitis (466)	–	1	5	–	1	–	–	–
Pneumonia and influenza (480-487)	16	46	399	16	109	43	68	23
Pneumonia (480-486)	16	46	399	14	109	41	61	22
Influenza (487)	–	–	–	2	–	2	5	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	39	403	28	180	61	104	25
Bronchitis, chronic and unspecified (490-491)	1	1	32	3	13	8	6	3
Emphysema (492)	15	21	110	7	60	15	29	9
Asthma (493)	2	–	27	5	5	2	9	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	17	234	13	102	36	60	13
Ulcer of stomach and duodenum (531-533)	6	6	36	3	10	3	9	2
Appendicitis (540-543)	–	1	5	–	1	–	1	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	53	1	18	9	17	4
Chronic liver disease and cirrhosis (571)	14	22	498	12	108	18	35	17
Cholelithiasis and other disorders of gallbladder (574-575)	1	5	22	5	15	4	4	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	17	189	6	47	21	17	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	1	–	2	–	2	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	18	1	6	4	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	14	161	5	39	17	14	9
Infections of kidney (590)	1	2	31	–	8	7	6	4
Hyperplasia of prostate (600)	–	–	4	1	1	–	–	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	9	–	–	–	1	–
Pregnancy with abortive outcome (630-638)	–	–	2	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	7	–	–	–	1	–
Congenital anomalies (740-759)	5	11	160	6	26	11	36	4
Certain conditions originating in the perinatal period (760-779)	17	20	378	20	56	20	38	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	4	6	107	8	22	2	11	5
Other conditions originating in the perinatal period (760-766,770-779)	13	14	272	12	34	18	27	10
Symptoms, signs, and ill-defined conditions (780-799)	8	31	229	9	38	16	28	6
All other diseases (Residual)	56	78	1,229	59	357	106	214	69
Accidents and adverse effects (E800-E949)	92	78	922	60	281	87	212	111
Motor vehicle accidents (E810-E825)	49	31	365	30	146	37	104	39
All other accidents and adverse effects (E800-E807,E826-E949)	43	47	557	30	135	50	108	72
Suicide (E950-E959)	12	18	327	17	108	16	54	15
Homicide and legal intervention (E960-E978)	9	9	296	4	70	8	41	6
All other external causes (E980-E999)	–	3	80	2	28	6	18	–

Table 8-8. Deaths From 72 Selected Causes, for Standard Metropolitan Statistical Areas of the United States: 1979-Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Areas are those defined by the Office of Management and Budget for 1970 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1970. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						Standard consolidated area	
	Wilkes-Barre-Hazleton, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester, Mass.	York, Pa.	Youngstown-Warren, Ohio	New York, N.Y.-Northeastern New Jersey [1]	Chicago, Ill.-Northwestern Indiana [2]
All causes	4,148	4,182	1,066	6,016	3,127	5,002	140,993	85,835
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	3	–
Certain other intestinal infections (007-009)	2	1	–	–	–	–	13	15
Tuberculosis (010-018)	7	4	2	3	2	8	175	92
Tuberculosis of respiratory system (010-012)	7	2	1	3	2	7	149	79
Other tuberculosis (013-018)	–	2	1	–	–	1	26	13
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	1	–
Meningococcal infection (036)	1	2	–	1	–	1	35	13
Septicemia (038)	6	24	6	37	12	20	547	290
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–
Viral hepatitis (070)	1	–	–	2	–	1	76	32
Syphilis (090-097)	–	–	1	–	–	–	5	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-136)	2	5	2	9	3	4	221	141
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	805	840	214	1,304	700	1,063	31,917	14,206
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	25	8	17	10	20	741	354
Malignant neoplasms of digestive organs and peritoneum (150-159)	250	255	45	357	187	327	9,821	4,070
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	168	251	62	320	141	246	7,417	3,549
Malignant neoplasm of breast (174-175)	76	83	17	112	84	98	3,135	1,326
Malignant neoplasms of genital organs (179-187)	87	87	15	135	73	114	3,302	1,585
Malignant neoplasms of urinary organs (188-189)	30	50	13	57	37	52	1,456	699
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	120	96	39	178	110	108	3,315	1,518
Leukemia (204-208)	25	39	7	60	27	52	1,158	510
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	54	8	70	31	48	1,572	675
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	15	5	30	12	14	486	202
Diabetes mellitus (250)	83	99	17	58	70	100	2,627	1,241
Nutritional deficiencies (260-269)	1	4	–	4	–	9	72	47
Anemias (280-285)	7	3	2	2	5	6	196	93
Meningitis (320-322)	–	1	–	1	3	3	106	56
Major cardiovascular diseases (390-448)	2,254	2,119	551	3,172	1,660	2,729	73,180	33,473
Diseases of heart (390-398,402,404-429)	1,821	1,736	400	2,511	1,328	2,074	60,734	27,072
Rheumatic fever and rheumatic heart disease (390-398)	25	23	2	25	13	35	764	272
Hypertensive heart disease (402)	50	105	4	28	33	41	1,539	552
Hypertensive heart and renal disease (404)	11	14	4	5	2	13	165	90
Ischemic heart disease (410-414)	1,216	993	283	2,128	870	1,600	52,112	18,999
Acute myocardial infarction (410)	758	632	210	831	639	1,042	23,210	9,399
Other acute and subacute forms of ischemic heart disease (411)	6	1	–	2	1	18	150	285
Angina pectoris (413)	1	1	–	–	–	–	16	13
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	451	359	79	1,295	230	540	26,736	9,362
Other diseases of endocardium (424)	16	18	4	24	12	12	361	195
All other forms of heart disease (415-423,425-429)	503	583	109	301	398	373	5,783	5,664
Hypertension with or without renal disease (401,403)	9	23	7	21	5	21	445	290
Cerebrovascular diseases (430-438)	318	274	121	451	230	489	9,416	5,017
Intracerebral and other intracranial hemorrhage (431-432)	38	56	16	60	26	67	1,459	790
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	72	56	25	110	48	107	2,134	1,441
Cerebral embolism (434.1)	3	2	–	3	3	5	58	25
All other and late effects of cerebrovascular diseases (430,433,435-438)	205	160	80	278	155	310	5,785	2,761
Atherosclerosis (440)	67	46	14	111	50	98	1,444	807
Other diseases of arteries, arterioles, and capillaries (441-448)	39	40	9	78	47	47	1,138	487
Acute bronchitis and bronchiolitis (466)	1	2	–	2	–	–	34	15
Pneumonia and influenza (480-487)	52	54	20	201	60	80	4,107	1,469
Pneumonia (480-486)	51	54	19	199	59	80	4,093	1,468
Influenza (487)	1	–	1	2	1	–	14	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	70	106	24	137	79	95	2,890	1,254
Bronchitis, chronic and unspecified (490-491)	3	5	1	9	5	7	219	93
Emphysema (492)	19	27	5	29	20	30	738	374
Asthma (493)	3	4	1	4	2	7	221	90
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	45	69	17	95	52	51	1,452	697
Ulcer of stomach and duodenum (531-533)	11	10	–	6	11	12	548	218
Appendicitis (540-543)	1	–	1	5	2	–	42	30
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	12	3	18	8	14	338	148
Chronic liver disease and cirrhosis (571)	52	76	18	82	28	75	3,300	1,290
Cholelithiasis and other disorders of gallbladder (574-575)	6	6	2	9	3	10	216	82
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	45	6	49	26	30	930	529
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	1	–	–	–	2	15	13
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	6	1	4	2	4	158	58
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	27	38	5	45	24	24	757	458
Infections of kidney (590)	6	6	1	10	5	10	159	80
Hyperplasia of prostate (600)	–	1	–	1	2	1	74	21
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	1	–	–	32	26
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	7	8
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	1	–	–	25	18
Congenital anomalies (740-759)	14	36	7	28	18	30	867	468
Certain conditions originating in the perinatal period (760-779)	34	80	12	68	24	71	1,529	1,147
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	16	1	23	9	26	502	349
Other conditions originating in the perinatal period (760-766,770-779)	20	64	11	45	15	45	1,127	798
Symptoms, signs, and ill-defined conditions (780-799)	11	38	7	34	11	25	1,161	497
All other diseases (Residual)	494	209	79	336	167	239	6,629	3,411
Accidents and adverse effects (E800-E949)	106	187	67	317	169	222	4,448	2,858
Motor vehicle accidents (E810-E825)	41	95	27	152	112	112	1,825	1,262
All other accidents and adverse effects (E800-E807,E826-E949)	65	92	40	165	57	110	2,621	1,596
Suicide (E950-E959)	29	58	13	61	41	65	1,315	667
Homicide and legal intervention (E960-E978)	11	34	10	25	5	58	2,224	1,318
All other external causes (E980-E999)	2	6	2	4	1	7	674	408

[1] Comprised of four standard metropolitan statistical areas–New York, N.Y., Newark, N.J., Jersey City, N.J., Paterson-Clifton-Passaic, N.J.–and two nonmetropolitan counties–Middlesex and Somerset Counties, N.J.

[2] Comprised of two standard metropolitan statistical areas–Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	1,919,841	2,007	180	13,173	403,395	109,125	103,178	34,622	45,402	17,443	15,988	77,637	33,192	958,282	733,235	7,795	24,641	551,365	149,434
Urban places	1,069,303	1,248	103	7,774	228,288	63,153	57,997	20,101	25,387	9,816	8,734	43,120	18,705	532,460	409,022	4,582	15,158	305,099	84,183
Balance of area	844,538	759	77	5,399	175,107	45,972	45,181	14,521	20,035	7,627	7,254	34,517	14,487	425,822	324,213	3,213	9,483	246,266	65,251
Metropolitan counties	1,242,985	1,358	106	9,000	270,165	73,921	69,179	24,073	29,516	11,547	10,396	51,533	21,588	614,799	475,775	5,568	17,092	354,884	98,251
Urban places	912,498	1,099	87	6,791	196,505	54,650	49,833	17,385	21,602	8,406	7,443	37,106	15,910	451,853	349,833	4,031	13,251	259,730	72,821
Balance of area	330,489	259	19	2,209	73,660	19,271	19,246	6,708	7,914	3,141	2,953	14,427	5,678	162,946	125,942	1,537	3,841	95,134	25,430
Nonmetropolitan counties	676,856	649	74	4,173	133,230	35,204	33,999	10,549	15,886	5,896	5,592	26,104	11,604	343,483	257,460	2,227	7,549	196,501	51,183
Urban places	156,807	149	16	983	31,783	8,503	8,064	2,736	3,765	1,410	1,291	6,014	2,795	80,607	59,189	551	1,907	45,369	11,362
Balance of area	514,049	500	58	3,190	101,447	26,701	25,935	7,813	12,121	4,486	4,301	20,090	8,809	262,876	198,271	1,676	5,642	151,132	39,821
Alabama	34,457	54	6	240	6,649	1,497	1,868	480	812	207	274	1,511	649	16,139	11,804	46	483	8,419	2,856
Urban places	14,363	25	5	97	2,869	697	797	213	382	91	100	639	293	6,636	4,705	20	250	3,280	1,155
Balance of area	20,094	29	1	143	3,780	810	1,071	267	450	116	174	872	356	9,503	7,099	26	233	5,139	1,701
Metropolitan counties	17,477	32	4	121	3,570	825	1,030	260	431	117	142	765	343	8,007	5,841	28	289	4,141	1,383
Urban places	10,824	21	4	71	2,236	551	813	160	287	72	77	476	222	4,989	3,542	19	205	2,470	848
Balance of area	6,653	11	–	50	1,334	274	417	100	144	45	65	289	121	3,018	2,299	9	84	1,671	535
Nonmetropolitan counties	16,980	22	2	119	3,079	672	838	220	381	90	132	746	306	8,132	5,963	18	194	4,278	1,473
Urban places	3,539	4	1	26	653	136	184	53	75	19	23	163	71	1,647	1,163	1	45	810	307
Balance of area	13,441	18	1	93	2,426	536	654	167	306	71	109	583	235	6,485	4,800	17	149	3,468	1,166
Autauga	225	2	–	–	36	8	10	3	3	2	2	10	7	197	77	–	1	54	22
Prattville	120	1	–	–	19	3	4	2	2	2	–	6	5	55	40	–	–	27	13
Balance of county	105	1	–	–	17	3	6	1	1	–	2	4	2	52	37	–	1	27	9
Baldwin	658	1	–	2	143	33	42	11	18	7	4	30	18	318	259	–	12	189	58
Barbour	279	–	–	3	40	6	14	3	2	2	2	11	3	117	80	–	8	57	15
Bibb	160	–	–	1	30	6	10	3	4	1	–	6	4	78	60	–	1	46	13
Blount	270	1	–	1	51	10	13	2	8	1	3	14	7	139	106	–	2	86	18
Bullock	145	1	–	1	24	5	5	1	3	4	1	5	2	69	43	–	1	34	8
Butler	282	–	–	2	48	13	10	1	6	–	1	15	2	126	93	1	–	45	47
Calhoun	971	1	–	9	178	43	45	17	13	6	7	47	19	506	383	1	15	228	139
Anniston	452	1	–	2	83	21	19	5	8	2	3	25	11	242	185	–	7	101	77
Balance of county	519	–	–	7	95	22	26	12	5	4	4	22	8	264	198	1	8	127	62
Chambers	459	1	–	4	87	19	24	4	13	3	8	16	8	232	159	1	4	121	38
Cherokee	160	–	–	–	29	3	7	2	9	–	1	7	1	81	63	–	4	49	10
Chilton	307	1	–	1	64	15	16	6	6	3	3	15	3	146	107	1	1	78	27
Choctaw	157	–	–	2	21	7	3	1	3	–	2	5	1	91	75	–	5	60	10
Clarke	264	1	1	1	55	13	13	5	6	2	3	13	8	132	114	–	6	78	30
Clay	148	–	–	1	25	5	7	2	3	1	1	6	1	62	47	1	1	41	4
Cleburne	105	–	–	1	21	5	7	3	3	–	1	2	2	57	40	–	1	22	17
Coffee	309	–	–	1	67	18	15	6	3	1	5	19	5	161	129	–	2	79	48
Enterprise	103	–	–	–	23	7	7	3	1	–	1	4	1	52	43	–	1	22	20
Balance of county	206	–	–	1	44	11	8	3	2	1	4	15	4	109	86	–	1	57	28
Colbert	458	1	–	7	83	21	19	6	12	4	7	14	5	221	162	1	1	142	18
Sheffield	142	–	–	2	17	4	4	1	6	–	1	1	4	74	52	–	1	43	8
Balance of county	316	1	–	5	66	17	15	5	6	4	6	13	1	147	110	1	–	99	10
Conecuh	169	1	–	1	28	8	7	2	5	–	1	3	2	96	64	1	2	46	15
Coosa	106	–	–	1	15	4	2	–	2	1	1	5	2	57	45	–	2	36	7
Covington	414	–	–	–	78	16	15	10	10	3	4	20	5	196	135	–	5	91	39
Andalusia	94	–	–	–	20	3	4	3	4	1	1	4	–	42	30	–	1	20	8
Balance of county	320	–	–	–	58	13	11	7	6	2	3	16	5	154	105	–	4	71	30
Crenshaw	182	–	–	1	35	9	8	–	4	1	2	11	1	89	66	–	–	50	16
Cullman	525	–	–	3	104	11	28	8	20	5	5	26	9	281	211	2	2	152	55
Cullman	135	–	–	–	32	3	8	1	9	1	1	9	4	69	44	1	1	28	14
Balance of county	390	–	–	3	72	8	21	7	11	4	4	17	5	212	167	1	1	124	41
Dale	287	1	–	2	48	14	15	4	4	1	2	9	5	121	95	–	4	59	32
Ozark	100	–	–	1	14	–	4	1	2	–	1	6	2	49	38	–	2	24	12
Balance of county	187	1	–	1	35	14	11	3	2	1	1	3	3	72	57	–	2	35	20
Dallas	535	2	–	10	113	24	21	10	10	3	3	42	14	234	150	–	6	95	49
Selma	342	1	–	8	69	18	12	6	6	–	3	26	10	150	94	–	4	60	30
Balance of county	193	1	–	2	44	6	9	4	4	3	–	16	4	84	56	–	2	35	19
De Kalb	538	1	–	2	87	22	21	5	13	2	4	20	9	259	198	2	5	129	62
Elmore	405	1	–	4	73	13	19	7	5	2	5	22	7	191	162	–	2	115	45
Escambia	364	–	–	5	66	14	20	6	7	3	1	15	8	166	126	–	2	92	32
Etowah	1,030	2	–	5	195	52	55	8	24	5	8	45	17	567	451	1	15	368	67
Gadsden	614	1	–	4	118	35	30	4	12	3	4	30	11	338	273	1	7	223	42
Balance of county	416	1	–	1	77	17	25	2	12	2	4	15	6	229	178	–	8	145	26
Fayette	191	–	–	1	47	12	15	2	4	1	2	11	1	83	61	–	6	41	12
Franklin	295	1	–	1	60	12	21	5	5	1	1	15	4	148	118	–	2	105	11
Geneva	235	–	–	2	40	8	10	2	3	–	2	15	3	123	90	–	7	58	25
Greene	132	–	–	1	13	2	4	–	3	–	1	3	4	60	47	–	3	21	23
Hale	199	–	–	2	28	10	5	3	1	1	–	8	3	102	50	–	1	32	17
Henry	178	1	–	1	22	1	8	–	3	2	–	8	2	100	65	–	4	45	16
Houston	561	1	–	3	94	20	30	6	11	3	3	19	5	190	122	–	4	92	26
Dothan	355	–	–	1	62	11	20	7	6	3	3	12	2	122	78	–	3	61	14
Balance of county	206	1	–	2	32	9	10	1	5	–	–	7	3	68	44	–	1	31	12
Jackson	419	–	–	3	65	17	24	5	7	3	1	8	7	245	191	1	2	123	65
Jefferson	6,494	7	1	40	1,405	314	406	106	182	43	50	304	150	2,957	2,107	18	120	1,392	577
Bessemer	414	–	–	1	71	17	21	5	11	3	2	12	13	214	167	1	16	95	55
Birmingham	3,418	5	1	21	753	175	209	61	102	23	18	165	85	1,513	1,048	10	74	657	307
Fairfield	152	–	–	2	40	8	14	1	7	2	1	7	–	65	40	–	4	26	6
Homewood	183	–	–	1	41	13	11	2	5	1	1	8	3	98	68	–	2	51	13
Mountain Brook	180	1	–	1	37	14	9	2	4	2	2	4	2	89	52	1	–	45	6
Balance of county	2,147	1	–	14	463	87	142	35	53	12	28	108	47	978	734	6	24	516	188

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E948)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	7,275	169,488	28,801	19,483	45,030	49,933	5,902	29,720	15,729	336	13,526	23,448	27,578	133,465	53,524	51,788	27,206	22,550	3,977
Urban places	4,208	93,023	15,543	10,664	25,851	27,175	3,497	19,640	8,801	201	7,433	13,887	14,676	76,096	22,670	26,852	14,942	16,170	2,634
Balance of area	3,067	76,465	13,258	8,819	19,179	22,758	2,405	10,080	6,928	135	6,093	9,561	12,902	57,369	30,654	24,936	12,264	6,380	1,243
Metropolitan counties	4,615	104,468	17,354	12,587	28,981	31,718	3,866	22,051	9,987	228	9,042	16,113	15,689	87,170	30,593	31,547	18,436	17,571	2,977
Urban places	3,465	76,945	12,623	8,987	22,009	22,888	2,955	17,436	7,507	176	6,438	12,091	11,888	64,838	18,954	22,884	13,037	14,910	2,436
Balance of area	1,150	27,523	4,731	3,600	6,972	8,830	911	4,615	2,480	52	2,604	4,022	3,801	22,332	11,639	8,663	5,399	2,661	541
Nonmetropolitan counties	2,660	65,020	11,447	6,896	16,049	18,215	2,036	7,669	5,742	108	4,484	7,335	11,889	46,295	22,931	20,241	8,770	4,979	900
Urban places	743	16,078	2,920	1,677	3,848	4,287	542	2,204	1,294	25	995	1,796	2,788	11,258	3,916	4,158	1,905	1,260	198
Balance of area	1,917	48,942	8,527	5,219	12,201	13,928	1,494	5,465	4,448	83	3,489	5,539	9,101	35,037	19,015	16,083	6,865	3,719	702
Alabama	149	3,522	369	295	653	838	111	368	320	7	223	456	1,998	2,484	1,138	1,105	418	533	72
Urban places	86	1,545	170	130	251	368	58	178	147	3	90	177	680	1,100	310	398	146	286	28
Balance of area	63	1,977	199	165	402	468	55	188	173	4	133	279	1,118	1,384	828	707	272	247	44
Metropolitan counties	92	1,711	201	162	300	460	60	208	158	4	117	231	945	1,920	513	501	213	334	35
Urban places	75	1,141	132	99	185	275	42	141	122	3	72	144	573	832	221	289	112	246	24
Balance of area	17	570	69	63	115	185	18	68	36	1	45	87	372	488	292	212	101	88	11
Nonmetropolitan counties	57	1,811	168	133	353	376	51	157	162	3	106	225	1,053	1,164	625	604	205	199	37
Urban places	11	404	38	31	66	93	14	37	25	-	18	33	307	268	89	109	34	40	4
Balance of area	46	1,407	130	102	287	283	37	120	137	3	88	192	746	896	536	495	171	159	33
Autauga	-	25	1	4	5	3	-	1	4	-	-	1	8	22	12	11	4	2	-
Prattville	-	12	-	3	3	2	-	1	1	-	-	-	6	14	6	5	1	1	-
Balance of county	-	13	1	1	2	1	-	-	3	-	-	1	2	8	6	6	3	1	-
Baldwin	1	35	15	8	5	16	3	6	3	-	6	10	21	45	21	20	10	9	2
Barbour	3	31	1	2	6	6	1	5	2	-	2	6	34	21	9	10	7	7	-
Bibb	1	15	1	1	1	3	-	1	-	-	1	2	2	9	8	11	4	5	-
Blount	2	25	5	1	6	7	1	3	1	-	4	5	2	23	8	3	8	-	-
Bullock	-	22	3	1	6	2	-	3	1	-	-	3	8	11	3	7	-	3	1
Butler	1	27	2	3	13	5	1	5	5	-	1	3	13	18	4	12	3	1	2
Calhoun	3	107	9	4	14	45	2	11	6	-	7	14	7	72	18	33	11	16	2
Anniston	2	50	3	2	8	19	2	6	3	-	4	6	1	31	6	10	5	10	2
Balance of county	1	57	6	2	6	26	-	5	3	-	3	8	6	41	12	23	6	6	-
Chambers	5	52	4	12	26	8	1	6	9	-	-	6	4	25	11	20	4	6	1
Cherokee	-	16	-	2	2	3	-	3	-	-	2	3	4	9	16	5	1	1	-
Chilton	1	35	-	3	8	7	2	1	1	-	2	5	14	16	7	19	4	4	2
Choctaw	1	13	2	-	3	1	1	3	2	-	-	2	4	10	9	2	4	-	1
Clarke	-	16	1	1	6	8	-	3	1	1	1	3	5	18	9	5	4	2	-
Clay	-	13	1	1	2	3	2	-	1	1	-	1	12	18	7	5	2	2	1
Cleburne	-	14	2	1	3	4	-	2	1	-	-	1	1	3	3	5	-	1	-
Coffee	-	27	4	1	2	6	-	1	2	-	4	3	7	20	8	11	4	6	-
Enterprise	-	6	3	-	-	1	-	-	-	-	2	2	3	7	4	4	2	2	-
Balance of county	-	21	1	1	2	5	-	1	2	-	2	1	4	13	5	7	2	4	-
Colbert	3	48	6	2	2	13	2	1	2	-	2	7	35	26	21	22	4	4	-
Sheffield	1	16	4	1	1	5	-	1	-	-	-	2	11	7	7	8	1	2	-
Balance of county	2	32	2	1	1	8	2	-	2	-	2	5	24	19	14	14	3	2	-
Conecuh	-	28	1	3	3	4	-	1	2	-	1	-	4	9	10	6	1	2	-
Coosa	-	12	-	-	-	3	1	1	1	-	-	-	1	8	7	3	2	4	-
Covington	1	49	5	6	5	7	1	2	7	-	5	5	38	24	12	13	9	7	-
Andalusia	-	11	-	1	2	2	-	1	2	-	-	1	11	5	-	4	2	2	-
Balance of county	1	38	5	5	3	5	1	1	5	-	5	4	27	19	12	9	7	5	-
Crenshaw	1	19	2	1	4	5	-	1	1	-	1	4	10	14	4	8	-	1	3
Cullman	1	60	6	3	11	17	3	-	3	-	2	8	10	34	15	18	3	3	-
Cullman	1	22	2	-	1	7	1	-	1	-	-	1	2	5	6	6	-	-	-
Balance of county	-	38	4	3	10	10	2	-	2	-	2	7	8	29	9	13	3	3	-
Dale	1	17	4	4	4	8	2	5	1	-	1	13	16	21	13	20	3	1	1
Ozark	-	7	2	2	1	4	-	3	1	-	-	1	6	8	2	6	1	1	-
Balance of county	1	10	2	2	3	4	2	2	-	-	1	12	10	13	11	14	2	-	1
Dallas	3	61	15	5	7	7	1	5	6	1	2	7	50	43	9	17	3	4	-
Selma	2	42	9	3	5	7	1	4	4	-	1	3	33	30	4	9	1	2	-
Balance of county	1	19	6	2	2	-	-	1	2	1	1	4	17	13	5	8	2	2	-
De Kalb	-	51	6	4	9	5	1	8	4	-	3	5	45	38	27	21	7	5	1
Elmore	1	21	2	5	8	15	1	2	1	-	4	8	13	30	22	19	3	3	-
Escambia	4	31	2	3	4	7	1	6	7	-	3	6	9	33	15	13	6	9	-
Etowah	3	88	9	16	22	31	2	10	4	-	6	14	10	63	24	34	13	11	-
Gadsden	2	48	4	13	6	25	2	8	3	-	4	8	5	36	12	23	4	6	-
Balance of county	1	42	5	3	16	6	-	2	1	-	2	6	5	27	12	11	9	5	-
Fayette	-	19	1	2	2	3	1	-	-	-	2	4	18	14	6	5	2	2	-
Franklin	-	27	-	3	5	7	-	3	1	-	2	5	6	15	19	11	2	-	5
Geneva	1	25	4	3	9	6	-	2	3	-	1	5	3	17	8	7	5	1	-
Greene	2	10	1	-	5	1	-	1	2	-	1	-	23	5	6	5	1	3	1
Hale	3	41	7	1	2	5	-	-	1	-	1	5	22	13	5	5	3	2	-
Henry	1	33	-	1	2	1	1	4	2	-	-	3	2	16	9	7	2	3	-
Houston	2	58	4	4	12	13	1	8	3	-	2	8	126	39	26	16	9	5	-
Dothan	2	37	3	2	7	10	-	6	3	-	1	3	81	24	11	13	5	4	-
Balance of county	-	21	1	2	5	3	1	2	-	-	1	5	45	15	15	3	4	1	-
Jackson	-	48	4	2	12	9	1	1	4	-	5	8	8	14	17	14	5	1	-
Jefferson	55	666	71	58	100	183	28	66	58	2	41	82	313	540	150	165	56	138	12
Bessemer	5	33	5	4	7	8	-	5	4	1	3	6	21	41	2	6	1	8	2
Birmingham	34	361	40	30	47	83	19	29	34	1	21	43	176	300	75	84	22	100	6
Fairfield	4	16	3	2	7	3	2	1	5	-	-	-	6	12	2	3	3	-	1
Homewood	-	29	2	1	4	5	-	-	1	-	1	3	4	10	2	6	2	2	-
Mountain Brook	5	25	5	2	3	6	-	2	2	-	1	3	8	12	1	7	2	2	1
Balance of county	7	202	18	19	32	78	7	29	12	-	15	27	98	165	68	59	26	26	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Lamar	178	–	–	–	34	6	6	2	5	–	1	10	2	85	69	–	1	64	4
Lauderdale	646	–	–	4	124	24	42	9	14	4	3	28	6	254	191	–	10	153	28
Florence	359	–	–	–	73	10	28	6	8	3	1	17	2	156	116	–	8	90	18
Balance of county	287	–	–	4	51	14	14	3	6	1	2	11	4	98	75	–	2	63	10
Lawrence	239	–	–	–	46	7	21	2	7	1	–	8	3	100	68	–	1	49	18
Lee	433	–	–	5	77	22	17	7	11	2	2	16	9	189	145	–	11	111	23
Auburn	104	–	–	2	22	9	3	1	3	–	1	5	1	42	28	–	2	22	4
Opelika	169	–	–	3	35	9	10	5	3	–	1	7	5	76	61	–	5	44	12
Balance of county	160	–	–	–	20	4	4	1	5	2	–	4	3	71	56	–	4	45	7
Limestone	411	–	1	3	80	20	22	5	6	4	–	23	7	203	149	–	6	109	34
Athens	191	–	1	1	37	13	9	2	3	4	–	6	3	89	64	–	3	49	12
Balance of county	220	–	–	2	43	7	13	3	3	–	–	17	4	114	85	–	3	60	22
Lowndes	139	–	–	1	12	2	2	1	3	–	–	4	4	43	25	–	–	17	8
Macon	260	–	1	1	51	13	12	2	9	1	2	12	4	135	95	–	9	55	31
Tuskegee	116	–	1	–	22	6	4	2	4	1	–	5	1	66	39	–	5	24	10
Balance of county	144	–	–	1	29	7	8	–	5	–	2	7	3	69	56	–	4	31	21
Madison	1,259	2	–	10	269	58	78	13	37	12	11	60	15	539	401	–	16	317	66
Huntsville	952	2	–	8	212	50	60	11	30	7	9	45	11	409	310	–	14	246	50
Balance of county	307	–	–	2	57	8	18	2	7	5	2	15	4	130	91	–	2	71	16
Marengo	258	1	–	2	48	11	14	4	5	–	5	9	8	129	96	–	4	74	16
Marion	281	–	–	4	45	10	14	–	10	2	4	5	4	133	107	–	2	90	15
Marshall	570	–	–	5	119	23	33	9	11	1	5	37	12	281	196	2	4	149	41
Mobile	2,938	9	1	23	601	145	176	48	74	15	19	126	62	1,360	1,014	3	58	720	233
Mobile	1,835	5	–	12	372	92	102	26	53	8	11	80	34	901	647	2	36	465	144
Prichard	352	3	1	3	63	17	16	5	8	2	–	15	9	151	111	–	10	67	34
Balance of county	751	1	–	8	166	36	58	15	13	5	8	31	19	308	256	1	12	188	55
Monroe	244	–	–	3	43	10	11	2	7	1	3	9	9	105	77	–	5	56	16
Montgomery	1,700	2	1	12	341	87	90	27	37	14	17	69	28	687	457	4	24	326	109
Montgomery	1,542	2	1	12	307	79	76	26	34	12	13	67	27	625	413	3	23	293	94
Balance of county	158	–	–	–	34	8	14	1	3	2	4	2	1	62	44	1	1	33	9
Morgan	674	1	–	4	123	26	40	13	12	4	4	24	18	289	217	–	4	168	45
Decatur	328	1	–	4	57	12	22	4	4	3	2	10	5	139	99	–	2	76	21
Balance of county	346	–	–	–	66	14	18	9	8	1	2	14	13	150	118	–	2	92	24
Perry	158	–	–	–	27	5	4	1	4	1	2	10	9	82	53	–	2	44	7
Pickens	228	1	–	–	35	12	6	1	7	–	2	7	2	120	77	1	5	59	12
Pike	252	1	–	1	55	9	17	2	10	3	1	13	6	127	85	1	2	66	16
Troy	108	–	–	1	24	3	8	–	2	2	–	9	4	52	31	–	2	25	4
Balance of county	144	1	–	–	31	6	9	2	8	1	1	4	2	75	54	1	–	41	12
Randolph	194	–	–	3	33	7	9	4	4	1	–	8	5	111	79	–	4	69	6
Russell	463	2	–	2	66	14	27	4	4	4	4	9	7	250	171	–	4	132	35
Phenix City	285	–	–	–	43	9	17	4	3	4	2	4	6	161	110	–	2	83	25
Balance of county	178	2	–	2	23	5	10	–	1	–	2	5	1	89	61	–	2	49	10
St. Clair	344	–	–	4	83	18	29	6	6	1	7	19	2	159	128	1	3	106	18
Shelby	406	1	–	4	78	20	27	9	7	2	1	12	2	163	115	–	2	73	40
Sumter	224	–	–	1	45	6	11	1	7	3	2	15	3	88	61	–	2	29	30
Talladega	694	–	–	5	106	18	35	9	9	2	5	28	17	318	223	–	2	167	54
Sylacauga	174	–	–	1	23	4	6	2	3	–	1	7	7	95	71	–	–	63	8
Talladega	193	–	–	1	27	6	12	2	–	–	2	5	5	86	56	–	1	35	20
Balance of county	327	–	–	3	56	8	17	5	6	2	2	16	5	137	96	–	1	89	26
Tallapoosa	411	–	–	–	78	21	19	5	14	1	2	14	7	231	181	–	7	117	57
Alexander City	145	–	–	–	31	9	9	2	4	1	1	5	2	80	58	–	–	45	13
Balance of county	266	–	–	–	45	12	10	3	10	–	1	9	5	151	123	–	7	72	44
Tuscaloosa	1,018	4	–	9	204	49	55	16	26	6	16	42	27	489	348	2	24	240	82
Tuscaloosa	571	2	–	5	118	23	32	9	12	1	13	28	16	275	192	1	12	126	53
Balance of county	447	2	–	4	86	20	23	7	14	5	3	14	11	214	156	1	12	114	29
Walker	695	1	–	7	115	26	33	10	13	3	7	23	3	283	207	–	6	160	41
Jasper	135	–	–	–	24	6	7	2	3	–	1	5	2	61	49	–	2	42	5
Balance of county	560	1	–	7	91	20	26	8	10	3	6	18	1	222	158	–	4	118	36
Washington	167	–	–	–	33	7	8	3	8	–	1	6	3	77	57	–	1	45	11
Wilcox	159	1	–	–	27	8	4	1	2	1	–	11	4	65	51	–	–	33	18
Winston	220	–	–	2	38	11	9	1	5	1	1	10	7	126	110	1	3	68	38
Alaska [1]	1,567	4	–	11	274	59	88	30	21	5	11	60	18	443	340	12	5	241	82
Urban places	667	–	–	3	118	28	40	13	6	2	7	23	10	203	158	6	2	112	38
Balance of area	900	4	–	8	156	31	48	17	16	3	4	37	8	240	182	6	3	129	44
Nonmetropolitan counties	1,567	4	–	11	274	59	88	30	21	5	11	60	18	443	340	12	5	241	82
Urban places	667	–	–	3	118	28	40	13	5	2	7	23	10	203	158	6	2	112	38
Balance of area	900	4	–	8	156	31	48	17	16	3	4	37	8	240	182	6	3	129	44
Dist. 1, Prince of Wales	10	–	–	–	2	1	–	–	–	–	–	1	–	2	1	–	–	1	–
Dist. 2, Ketchikan	82	–	–	1	15	3	5	2	3	1	–	1	–	30	20	1	–	15	4
Dist. 3, Wrangell-Petersburg	29	–	–	–	6	–	3	–	2	–	–	1	–	11	7	–	–	6	1
Dist. 4, Sitka	52	–	–	–	9	2	2	3	–	1	–	1	1	21	14	–	1	10	3
Dist. 5, Juneau	69	–	–	–	15	3	2	3	3	–	–	4	1	26	19	1	–	17	1
Dist. 6, Lynn Canal-Icy Straits	26	–	–	–	3	1	–	–	2	–	–	–	–	9	7	1	–	5	1
Dist. 7, Cordova-McCarthy	8	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–
Dist. 8, Valdez-Chittina-Whittier	22	1	–	–	4	–	2	1	–	–	–	1	1	5	5	–	–	3	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Alabama—Con.																			
Lamar	–	25	1	–	1	3	2	1	1	–	2	2	2	12	11	4	5	1	–
Lauderdale	1	56	3	3	14	21	4	4	1	–	6	7	95	47	21	20	10	7	1
Florence	1	35	1	3	8	8	3	1	1	–	1	5	47	30	8	9	4	3	–
Balance of county	–	21	2	–	6	13	1	3	–	–	5	2	48	17	13	11	6	4	1
Lawrence	1	29	1	1	6	9	–	2	2	–	–	6	9	21	20	8	1	6	–
Lee	–	41	1	2	5	9	–	8	2	–	2	5	42	34	17	17	5	6	1
Auburn	–	12	–	2	1	2	–	1	–	–	1	–	8	10	6	5	1	1	1
Opelika	–	15	–	–	3	3	–	5	–	–	–	5	12	12	4	3	1	2	–
Balance of county	–	14	1	–	1	4	–	2	2	–	1	–	22	12	7	9	3	3	–
Limestone	1	42	9	2	7	15	2	2	2	–	3	3	11	38	12	13	4	6	1
Athens	1	18	5	1	3	9	2	2	–	–	1	2	7	21	3	6	1	3	–
Balance of county	–	24	4	1	4	6	–	–	2	–	2	1	4	15	9	7	3	3	1
Lowndes	–	15	1	2	1	2	–	1	4	–	3	2	37	14	5	6	1	2	1
Macon	3	32	4	1	7	7	–	2	2	–	–	1	8	18	8	11	–	4	–
Tuskegee	–	24	3	–	4	5	–	1	–	–	–	–	4	9	2	1	–	–	–
Balance of county	3	8	1	1	3	2	–	1	2	–	–	1	4	9	6	10	–	4	–
Madison	2	113	14	9	22	34	3	18	18	–	10	18	76	60	47	47	29	20	2
Huntsville	–	83	11	5	18	28	2	14	16	–	9	12	53	59	28	35	19	17	–
Balance of county	2	30	3	4	4	6	1	4	2	–	1	6	23	21	19	12	10	3	2
Marengo	–	27	3	3	5	3	–	–	8	–	1	6	14	16	6	9	–	2	–
Marion	–	25	1	–	11	6	2	2	4	–	3	3	20	16	10	12	5	1	–
Marshall	–	68	12	5	16	16	3	7	5	–	4	8	7	45	14	13	10	3	4
Mobile	14	289	29	14	52	74	9	52	27	–	26	37	84	216	87	90	38	83	9
Mobile	12	212	20	10	35	45	5	41	19	–	11	22	53	130	38	43	21	44	6
Prichard	2	33	4	1	3	9	2	3	3	–	6	6	7	31	10	15	4	21	2
Balance of county	–	44	5	3	14	20	2	8	5	–	9	9	24	55	41	32	11	18	1
Monroe	2	19	5	2	8	2	–	2	3	–	–	5	6	23	19	9	4	2	1
Montgomery	5	177	28	20	37	30	4	28	24	1	9	32	230	109	35	35	21	33	2
Montgomery	5	161	26	20	35	28	4	27	24	1	9	31	199	98	30	31	21	30	2
Balance of county	–	16	2	–	2	4	–	1	–	–	–	1	31	10	5	4	–	3	–
Morgan	2	61	5	4	18	15	3	4	7	–	9	2	67	46	25	22	12	8	1
Decatur	1	31	4	4	9	8	2	1	3	–	4	–	34	28	11	11	8	3	–
Balance of county	1	30	1	–	9	7	1	3	4	–	5	2	33	18	14	11	4	5	1
Perry	–	28	1	–	5	–	–	1	2	–	–	1	7	10	7	4	1	2	–
Pickens	2	40	1	–	3	4	1	1	7	–	2	2	27	12	4	5	1	1	–
Pike	1	34	5	2	3	–	–	3	5	–	2	3	5	16	10	9	2	3	1
Troy	–	18	1	2	1	–	–	2	1	–	–	2	3	8	3	4	–	2	1
Balance of county	1	16	4	–	2	–	–	1	4	–	2	1	2	8	7	5	2	1	–
Randolph	–	28	2	1	–	3	2	1	1	–	4	1	2	12	4	2	1	8	1
Russell	1	69	5	4	6	11	2	10	3	–	2	8	1	47	16	15	3	12	–
Phenix City	–	47	2	2	5	8	2	5	2	–	2	2	–	28	7	7	–	7	–
Balance of county	1	22	3	2	1	3	–	5	1	–	–	6	1	19	9	8	3	5	–
St. Clair	1	22	4	4	5	10	1	5	2	–	3	2	6	24	16	13	5	4	–
Shelby	1	41	2	4	10	7	1	4	3	1	2	3	42	28	30	13	9	5	–
Sumter	–	23	1	3	4	5	–	1	6	–	2	4	21	23	6	12	1	2	–
Talladega	1	83	1	10	15	11	3	7	1	–	5	3	82	52	25	28	6	8	1
Sylacauga	–	21	–	3	3	4	1	2	–	–	–	1	19	11	4	2	–	1	–
Talladega	–	27	–	3	5	2	2	1	1	–	4	1	23	21	3	8	1	2	–
Balance of county	1	35	1	4	7	5	–	4	–	–	1	1	40	20	18	19	5	5	1
Tallapoosa	2	40	6	2	13	8	2	2	7	–	–	4	11	19	16	6	3	5	1
Alexander City	1	18	3	–	4	4	2	1	4	–	–	–	3	8	2	1	1	2	–
Balance of county	1	22	3	2	9	4	–	1	3	–	–	4	8	11	14	5	2	3	1
Tuscaloosa	8	110	13	12	20	31	3	7	11	–	4	6	38	67	31	32	21	10	4
Tuscaloosa	5	69	4	5	9	18	2	4	8	–	4	2	19	42	11	16	11	6	3
Balance of county	1	41	9	7	11	13	1	3	3	–	–	4	19	25	20	16	10	4	1
Walker	2	60	4	10	11	14	2	4	4	–	4	10	106	60	38	18	8	4	3
Jasper	–	8	1	3	3	2	–	–	1	–	–	4	15	12	2	7	1	–	1
Balance of county	2	52	3	7	8	12	2	4	3	–	4	6	91	48	36	11	7	4	2
Washington	1	16	2	1	3	–	–	3	–	–	–	4	19	7	6	7	2	3	–
Wilcox	–	10	2	2	4	2	1	1	3	–	–	4	9	13	6	10	1	7	1
Winston	–	13	2	1	5	8	–	1	3	–	–	1	6	6	7	5	2	1	2
Alaska [1]	2	73	12	16	36	27	3	42	10	1	33	68	51	114	83	235	47	50	17
Urban places	2	31	2	10	12	16	1	23	6	–	14	35	16	39	36	78	21	29	7
Balance of area	–	42	10	6	24	11	2	19	4	1	19	33	35	75	47	157	26	21	10
Nonmetropolitan counties	2	73	12	16	36	27	3	42	10	1	33	68	51	114	83	235	47	50	17
Urban places	2	31	2	10	12	16	1	23	6	–	14	35	16	39	36	78	21	29	7
Balance of area	–	42	10	6	24	11	2	19	4	1	19	33	35	75	47	157	26	21	10
Dist. 1, Prince of Wales	–	–	1	–	1	–	–	1	–	–	–	–	1	1	–	1	–	1	–
Dist. 2, Ketchikan	–	8	2	–	–	1	1	3	1	–	1	2	3	10	2	7	5	–	–
Dist. 3, Wrangell-Petersburg	–	3	1	–	2	–	–	1	–	–	1	–	–	5	–	2	1	–	–
Dist. 4, Sitka	–	7	–	–	2	–	–	2	–	–	1	3	1	3	2	5	1	1	–
Dist. 5, Juneau	–	2	3	2	–	1	–	2	–	–	1	2	3	3	1	8	1	5	–
Dist. 6, Lynn Canal-Icy Straits	–	2	–	–	–	1	–	–	–	–	–	1	1	1	2	6	–	–	–
Dist. 7, Cordova-McCarthy	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–	–
Dist. 8, Valdez-Chitina-Whittier	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	4	–	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious, and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alaska 1—Con.																			
Dist. 9, Palmer-Wasilla-Talkeetna	76	–	–	1	17	2	7	3	–	–	–	5	–	27	18	–	–	17	1
Dist. 10, Anchorage	539	–	–	2	101	23	34	9	2	2	8	23	8	154	122	5	2	91	24
Anchorage	502	–	–	2	93	22	32	9	2	2	6	20	8	146	114	5	2	85	22
Balance of district	37	–	–	–	8	1	2	–	–	–	2	3	–	8	8	–	–	6	2
Dist. 11, Seward	29	–	–	–	5	1	1	1	2	–	–	–	2	9	8	–	–	7	1
Dist. 12, Kenai-Cook Inlet	85	–	–	1	21	4	9	3	1	–	–	4	1	23	22	–	–	14	5
Dist. 13, Kodiak	48	–	–	–	10	3	3	–	1	1	–	2	1	10	5	–	–	4	1
Dist. 14, Aleutian Islands	19	–	–	–	4	2	1	–	–	–	–	1	1	5	5	–	1	3	2
Dist. 15, Bristol Bay	32	1	–	–	3	1	–	–	–	–	–	2	–	4	4	–	–	2	2
Dist. 16, Bethel	45	–	–	2	3	1	1	–	–	–	1	–	–	7	5	2	–	2	1
Dist. 17, Kuskokwim	22	–	–	1	1	–	–	–	–	–	–	1	–	3	3	–	–	3	–
Dist. 18, Yukon-Koyukuk	36	–	–	2	3	–	2	–	–	–	–	1	–	5	5	–	–	4	1
Dist. 19, Fairbanks	167	–	–	1	27	6	9	4	4	–	1	3	2	61	48	1	–	29	18
Fairbanks	165	–	–	1	25	6	8	4	3	–	1	3	2	57	44	1	–	27	16
Balance of district	22	–	–	–	2	–	1	–	1	–	–	–	–	4	4	–	–	2	2
Dist. 20, Upper Yukon	15	–	–	–	3	–	2	–	1	–	–	–	–	4	3	1	–	1	1
Dist. 21, Barrow	18	–	–	–	2	1	–	–	–	–	–	1	–	4	2	–	–	1	1
Dist. 22, Kobuk	44	1	–	–	6	–	2	–	–	–	–	4	–	6	4	–	1	1	2
Dist. 23, Nome	46	–	–	–	10	2	2	1	–	–	1	4	–	8	7	–	–	3	4
Dist. 24, Wade Hampton	28	1	–	–	4	3	1	–	–	–	–	–	–	5	4	–	–	1	3
Arizona	19,782	29	2	193	4,083	1,007	1,085	320	486	163	169	853	323	8,274	6,328	98	127	4,949	1,160
Urban places	12,531	14	1	118	2,620	635	705	207	308	102	116	547	203	5,373	4,078	57	81	3,218	722
Balance of area	7,251	15	1	75	1,463	372	380	113	178	61	53	306	120	2,901	2,250	41	46	1,725	498
Metropolitan counties	14,807	21	1	141	3,199	772	840	245	383	130	139	680	232	6,393	4,876	70	100	3,857	849
Urban places	11,521	13	1	112	2,447	591	654	192	289	96	109	516	185	4,925	3,745	53	76	2,956	660
Balance of area	3,286	8	–	29	752	181	186	53	104	34	30	164	47	1,468	1,131	17	24	901	189
Nonmetropolitan counties	4,975	8	1	52	884	235	245	75	93	33	30	173	91	1,881	1,452	28	27	1,086	311
Urban places	1,010	1	–	6	173	44	51	15	19	6	7	31	18	448	333	4	5	262	82
Balance of area	3,965	7	1	46	711	191	194	60	74	27	23	142	73	1,433	1,119	24	22	824	249
Apache	329	3	–	13	29	10	3	2	3	1	3	7	6	48	42	–	1	17	24
Cochise	596	1	–	3	131	44	29	8	14	6	1	29	12	244	180	2	1	143	34
Douglas	127	1	–	–	24	7	8	2	3	1	–	3	7	56	42	1	–	35	6
Balance of county	469	–	–	3	107	37	21	6	11	5	1	26	5	188	138	1	1	108	28
Coconino	327	–	–	5	36	11	7	8	3	–	3	4	3	108	83	3	–	54	26
Flagstaff	130	–	–	1	14	3	3	2	1	–	2	3	–	53	40	1	–	29	11
Balance of county	197	–	–	4	22	8	4	6	2	–	1	1	3	55	43	2	–	26	15
Gila	382	1	–	4	72	16	18	3	10	3	3	19	10	163	134	5	1	96	30
Graham	172	–	–	2	32	7	6	3	5	–	2	9	1	68	50	1	2	38	9
Greenlee	61	–	–	–	10	2	5	1	–	–	–	2	–	20	14	–	–	10	4
Maricopa	10,966	16	1	100	2,400	578	624	188	295	95	110	510	172	4,732	3,575	47	69	2,838	621
Chandler	134	–	–	1	32	6	10	1	6	1	3	5	1	48	33	–	–	28	5
Glendale	541	–	–	3	128	39	33	11	8	5	8	24	7	215	158	2	1	122	33
Mesa	1,082	3	–	12	247	58	60	23	25	9	16	56	14	475	353	6	7	262	58
Phoenix	5,750	6	1	53	1,177	275	319	88	149	39	57	250	96	2,410	1,833	22	39	1,433	339
Scottsdale	790	1	–	6	197	45	44	22	26	17	6	37	11	365	271	5	3	225	38
Tempe	408	–	–	5	111	32	31	8	8	3	2	27	9	150	120	3	2	98	17
Balance of county	2,261	6	–	20	508	123	127	35	73	21	18	111	34	1,071	807	9	17	650	131
Mohave	461	–	–	3	96	18	33	11	8	–	5	21	7	202	165	3	8	121	33
Navajo	444	2	1	4	54	14	12	4	7	3	4	10	12	125	87	2	–	68	17
Pima	3,841	5	–	41	799	194	216	57	98	35	29	170	60	1,681	1,301	23	31	1,019	228
Tucson	2,816	3	–	32	555	136	157	39	67	22	17	117	47	1,264	977	15	24	768	170
Balance of county	1,025	2	–	9	244	58	59	18	31	13	12	53	13	397	324	8	7	251	58
Pinal	710	–	–	6	132	39	41	9	10	5	3	25	19	273	229	3	6	167	59
Casa Grande	95	–	–	–	19	7	6	1	2	–	–	3	2	43	36	1	1	23	11
Balance of county	615	–	–	6	113	32	35	8	8	5	3	22	17	230	193	2	5	144	42
Santa Cruz	139	1	–	2	35	11	6	4	4	2	–	8	1	48	37	1	1	30	5
Yavapai	723	–	–	4	139	29	42	15	23	7	2	21	9	341	263	5	5	220	39
Prescott	326	–	–	2	58	8	14	6	10	4	2	13	2	158	117	1	2	101	13
Balance of county	397	–	–	2	81	20	28	9	13	3	–	8	7	185	146	4	3	119	20
Yuma	631	–	–	6	118	34	43	7	6	6	4	18	11	241	168	3	2	120	43
Yuma	332	–	–	3	58	18	20	4	3	1	3	9	7	140	98	–	2	75	21
Balance of county	299	–	–	3	60	16	23	3	3	5	1	9	4	101	70	3	–	45	22
Arkansas	21,550	34	–	162	4,313	1,066	1,226	292	474	149	186	918	311	10,958	7,924	50	198	5,801	1,875
Urban places	7,622	11	–	65	1,553	392	448	111	169	57	58	318	121	3,851	2,756	20	80	1,970	686
Balance of area	13,928	23	–	97	2,760	674	780	181	305	92	128	600	190	7,107	5,168	30	118	3,831	1,189
Metropolitan counties	5,644	10	–	53	1,151	274	343	77	134	36	44	243	98	2,709	1,948	10	69	1,367	488
Urban places	4,223	9	–	41	850	215	237	57	108	29	30	174	71	2,057	1,467	9	45	1,049	364
Balance of area	1,421	1	–	12	301	59	106	20	26	7	14	69	27	652	481	1	18	338	124
Nonmetropolitan counties	15,906	24	–	109	3,162	792	885	215	340	113	142	675	213	8,249	5,976	40	135	4,414	1,387
Urban places	3,399	2	–	24	703	177	211	54	61	28	28	144	50	1,794	1,289	11	35	921	322
Balance of area	12,507	22	–	85	2,459	615	674	161	279	85	114	531	163	6,455	4,687	29	100	3,493	1,065

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alaska 1—Con.																			
Dist. 9, Palmer-Wasilla-Talkeetna	–	6	–	3	1	1	–	2	–	–	1	6	3	5	6	3	1	1	1
Dist. 10, Anchorage	2	23	1	6	9	16	1	16	6	1	12	30	11	33	28	65	24	21	1
Anchorage	2	23	1	6	8	14	1	16	6	–	10	29	11	32	26	58	21	20	1
Balance of district	–	–	–	–	1	2	–	–	–	1	2	1	–	1	2	7	3	1	–
Dist. 11, Seward	–	1	–	–	1	1	–	1	–	–	–	–	–	3	1	5	1	–	–
Dist. 12, Kenai-Cook Inlet	–	1	–	–	2	–	–	–	2	–	2	3	3	3	12	9	1	1	1
Dist. 13, Kodiak	–	4	–	1	2	–	–	–	–	–	–	2	–	4	1	11	3	3	1
Dist. 14, Aleutian Islands	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	4	–	1	–
Dist. 15, Bristol Bay	–	–	–	–	1	–	–	3	–	–	–	1	2	2	2	10	2	1	–
Dist. 16, Bethel	–	1	1	–	1	2	–	1	–	–	–	2	3	4	3	17	–	–	–
Dist. 17, Kuskokwim	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	10	1	2	–
Dist. 18, Yukon-Koyukuk	–	–	–	–	2	–	–	–	–	–	1	1	2	2	2	13	–	–	3
Dist. 19, Fairbanks	–	8	1	4	4	3	–	7	–	–	6	8	6	10	12	22	–	9	9
Fairbanks	–	8	1	4	4	2	–	7	–	–	4	6	5	7	10	20	–	9	6
Balance of district	–	–	–	–	–	1	–	–	–	–	2	2	1	3	2	2	–	–	3
Dist. 20, Upper Yukon	–	1	–	–	–	–	–	1	–	–	–	–	1	2	–	2	–	2	–
Dist. 21, Barrow	–	1	1	–	–	–	1	–	–	–	–	2	2	2	2	2	1	–	–
Dist. 22, Kobuk	–	2	–	–	2	–	–	–	1	–	2	2	3	9	1	9	2	–	–
Dist. 23, Nome	–	1	–	–	–	–	–	1	–	–	1	1	4	8	4	7	1	1	–
Dist. 24, Wade Hampton	–	1	–	–	2	1	–	–	–	–	2	1	2	–	–	10	–	–	–
Arizona	53	1,410	248	235	486	902	62	373	161	4	201	277	307	1,625	1,004	732	457	236	61
Urban places	32	949	184	130	300	588	42	227	101	2	115	191	133	1,042	560	431	293	147	30
Balance of area	21	461	64	105	186	314	20	146	60	2	86	86	174	583	444	301	164	89	21
Metropolitan counties	35	1,123	190	169	366	715	42	251	118	1	133	195	149	1,213	639	480	327	166	31
Urban places	29	873	163	115	284	539	35	202	91	1	107	173	116	960	513	363	268	136	28
Balance of area	6	250	27	54	82	176	7	49	27	–	26	22	31	253	120	97	59	30	3
Nonmetropolitan counties	18	287	58	66	120	187	20	122	43	3	68	82	158	412	371	252	130	70	20
Urban places	3	76	21	15	16	49	7	25	10	1	8	18	15	82	47	48	25	11	2
Balance of area	15	211	37	51	104	138	13	97	33	2	60	64	143	330	324	204	105	59	18
Apache	–	5	1	–	15	7	–	5	6	1	10	10	32	38	57	33	11	2	3
Cochise	4	43	6	11	14	19	2	11	9	–	10	10	17	51	21	15	18	7	1
Douglas	2	9	–	3	3	3	1	3	2	–	1	3	2	12	3	3	2	1	–
Balance of county	2	34	6	8	11	16	1	8	7	–	9	7	15	39	18	12	16	6	1
Coconino	1	20	3	1	8	7	–	10	1	1	7	13	16	32	35	22	13	7	3
Flagstaff	–	12	1	–	–	4	–	2	–	1	3	5	4	10	14	8	8	2	1
Balance of county	1	8	2	1	8	3	–	8	1	–	4	8	12	22	21	14	5	5	2
Gila	–	24	2	3	8	20	3	14	2	–	6	3	5	33	17	15	4	2	–
Graham	3	14	1	–	6	8	1	2	4	–	2	1	4	17	14	8	1	1	–
Greenlee	–	3	2	1	3	2	–	3	–	–	1	–	3	5	5	5	3	1	–
Maricopa	24	672	137	124	256	466	23	165	64	1	98	168	119	892	465	359	240	136	14
Chandler	1	11	1	–	3	6	–	2	2	–	–	–	3	11	15	8	2	2	–
Glendale	2	40	7	8	11	20	–	3	6	–	9	11	9	38	41	17	15	7	1
Mesa	5	87	16	14	42	47	–	11	11	–	10	11	12	92	35	33	22	3	2
Phoenix	10	439	73	55	127	259	19	113	40	1	51	119	73	492	268	208	131	98	8
Scottsdale	2	71	17	4	13	35	1	20	3	–	5	6	–	60	28	19	16	3	1
Tempe	–	22	4	4	7	17	1	7	5	–	8	2	4	31	21	10	16	2	2
Balance of county	4	202	19	39	53	104	2	29	17	–	15	14	18	168	77	64	38	23	–
Mohave	2	21	4	10	6	17	3	15	2	–	7	2	9	24	31	22	11	3	1
Navajo	1	23	10	4	14	6	–	16	6	–	9	14	16	45	54	33	15	11	7
Pima	11	251	53	45	110	227	19	66	34	–	35	32	30	321	148	121	87	28	17
Tucson	9	203	45	30	81	155	14	46	24	–	24	24	17	236	105	88	66	21	14
Balance of county	2	48	8	15	29	72	5	20	10	–	11	8	13	85	43	33	21	7	3
Pinal	3	31	3	7	21	26	3	16	3	–	9	10	15	58	56	27	19	17	–
Casa Grande	–	5	1	1	2	4	1	3	–	–	2	1	1	8	3	2	3	1	–
Balance of county	3	26	2	6	19	22	2	13	3	–	7	9	14	50	53	25	16	16	–
Santa Cruz	1	9	1	–	2	5	1	3	–	1	–	2	7	12	7	4	5	2	1
Yavapai	1	51	13	13	11	47	6	10	4	–	2	5	8	62	23	33	19	2	–
Prescott	1	22	10	6	3	22	4	6	4	–	1	2	4	34	5	16	7	–	–
Balance of county	–	29	3	7	8	25	2	4	–	–	1	3	2	28	18	17	12	2	–
Yuma	2	43	12	16	12	23	1	17	6	–	5	12	28	35	51	35	11	15	4
Yuma	–	28	9	5	8	16	1	11	4	–	1	7	4	18	22	19	5	7	1
Balance of county	2	15	3	11	4	7	–	6	2	–	4	5	24	17	29	16	6	8	3
Arkansas	91	2,384	348	201	476	573	51	188	274	6	130	212	807	1,344	565	614	249	229	54
Urban places	35	852	124	84	161	199	25	90	97	4	55	90	271	470	143	201	85	109	21
Balance of area	56	1,542	224	117	315	374	26	98	177	2	75	122	536	874	422	413	164	120	33
Metropolitan counties	18	599	88	56	120	134	18	69	64	4	46	72	238	373	133	166	70	95	21
Urban places	13	461	67	49	89	108	14	53	45	3	38	63	175	269	79	120	46	78	15
Balance of area	5	138	21	7	31	26	4	16	19	1	8	9	63	104	54	46	24	17	6
Nonmetropolitan counties	73	1,785	260	145	356	439	33	119	210	2	84	140	569	971	432	448	179	134	33
Urban places	22	391	57	35	72	91	11	37	52	1	17	27	96	201	64	81	39	31	6
Balance of area	51	1,404	203	110	284	348	22	82	158	1	67	113	473	770	368	367	140	103	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Arkansas	239	–	–	–	55	12	12	3	9	6	2	11	–	127	70	1	2	40	27
Stuttgart	97	–	–	–	28	6	7	3	3	2	–	5	–	45	26	–	1	15	10
Balance of county	142	–	–	–	29	6	5	–	6	4	2	6	–	82	44	1	1	25	17
Ashley	225	–	–	1	49	13	12	3	8	2	3	8	2	96	84	–	–	45	19
Baxter	342	–	–	2	93	24	29	8	5	3	6	18	7	164	117	–	1	93	23
Benton	704	1	–	4	113	22	31	10	15	7	3	25	7	364	284	1	8	203	54
Rogers	168	1	–	2	27	10	6	2	1	–	1	7	1	89	65	–	1	50	14
Springdale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	536	–	–	2	86	12	25	8	14	7	2	18	6	275	199	1	5	153	40
Boone	278	1	–	1	61	22	18	3	7	–	3	8	3	140	102	1	–	76	25
Bradley	167	1	–	1	29	9	9	3	6	–	–	2	1	89	57	1	–	50	6
Calhoun	72	–	–	2	14	5	2	3	1	1	–	2	–	37	32	–	–	17	15
Carroll	168	–	–	1	28	9	9	1	2	2	2	3	6	87	61	2	–	51	8
Chicot	202	1	–	1	37	11	8	4	7	–	–	7	2	88	74	–	6	52	16
Clark	237	1	–	1	53	12	12	7	3	6	–	13	2	123	80	1	2	56	21
Clay	267	2	–	1	51	15	14	4	3	–	3	12	3	147	108	–	2	89	15
Cleburne	178	–	–	–	39	9	12	4	6	1	–	7	–	89	78	–	1	41	36
Cleveland	83	–	–	1	13	3	6	1	–	–	1	2	1	40	29	–	–	26	3
Columbia	297	–	–	3	58	17	12	4	5	1	4	15	7	162	107	1	4	78	24
Magnolia	131	–	–	1	20	4	7	2	1	–	1	5	3	75	51	–	1	39	11
Balance of county	166	–	–	2	38	13	5	2	4	1	3	10	4	87	56	1	3	39	13
Conway	210	–	–	1	39	10	8	1	3	2	5	10	1	117	92	–	2	64	26
Craighead	525	1	–	4	130	25	48	9	10	1	7	32	9	282	184	–	2	141	41
Jonesboro	277	–	–	4	72	19	22	6	3	1	4	17	5	138	92	–	2	67	23
Balance of county	248	1	–	–	58	6	24	3	7	–	3	15	4	124	92	–	–	74	18
Crawford	285	–	–	5	64	14	28	4	5	2	2	11	11	132	97	–	–	61	36
Crittenden	389	–	–	4	68	13	17	5	9	2	6	16	2	185	121	1	2	94	24
West Memphis	201	–	–	3	36	5	9	2	8	2	2	8	2	97	63	1	1	49	12
Balance of county	188	–	–	1	32	8	8	3	1	–	4	8	–	88	58	–	1	45	12
Cross	194	–	–	–	41	10	10	2	3	–	1	15	2	100	62	–	2	49	11
Dallas	146	–	–	–	22	2	6	3	4	–	1	6	1	76	61	–	3	47	11
Desha	209	–	–	–	35	12	6	3	5	1	1	7	6	103	69	–	5	50	14
Drew	176	–	–	–	27	4	9	1	3	2	1	7	2	102	75	–	2	60	13
Faulkner	364	–	–	4	83	14	28	8	11	2	6	14	8	165	126	3	2	96	25
Conway	172	–	–	1	40	7	13	5	3	1	4	7	4	82	62	1	1	48	12
Balance of county	192	–	–	3	43	7	15	3	8	1	2	7	4	83	64	2	1	48	13
Franklin	160	–	–	2	25	4	8	2	4	1	2	4	1	92	69	1	–	52	16
Fulton	113	–	–	1	32	7	12	–	2	4	1	8	1	62	47	–	1	35	11
Garland	872	1	–	7	200	55	52	11	22	9	9	42	15	454	350	1	16	198	135
Hot Springs	689	1	–	5	150	37	39	10	18	8	7	31	11	375	291	1	14	165	111
Balance of county	183	–	–	2	50	18	13	1	4	1	2	11	4	79	59	–	2	33	24
Grant	118	–	–	–	29	10	8	–	4	–	2	7	–	81	45	–	2	38	5
Greene	279	–	–	1	52	18	10	4	2	6	2	10	5	158	125	1	4	101	19
Paragould	178	–	–	–	29	10	7	2	1	3	1	5	3	104	78	1	2	66	9
Balance of county	101	–	–	1	23	8	3	2	1	3	1	5	2	54	47	–	2	35	10
Hempstead	254	–	–	2	51	17	17	4	6	2	1	4	4	132	101	–	3	79	19
Hot Spring	251	3	–	2	62	16	17	5	13	–	2	9	2	117	79	1	2	60	16
Howard	160	–	–	–	30	9	9	–	4	–	1	7	3	85	58	1	6	43	8
Independence	302	–	–	–	47	16	14	–	4	2	3	8	5	177	137	2	4	94	37
Izard	114	–	–	–	22	7	4	2	1	–	2	6	1	70	46	–	1	36	9
Jackson	220	1	–	3	46	16	12	2	4	1	2	9	5	101	75	–	2	54	16
Jefferson	756	2	–	5	141	34	43	4	14	3	7	36	13	418	305	1	10	209	86
Pine Bluff	587	2	–	5	108	29	30	3	10	2	7	27	10	321	236	1	4	166	65
Balance of county	169	–	–	–	33	5	13	1	4	1	–	9	3	97	69	–	6	43	20
Johnson	156	–	–	1	35	8	6	1	5	–	2	12	1	81	72	–	–	51	21
Lafayette	154	1	–	2	28	7	7	5	4	–	2	4	2	68	49	–	–	29	20
Lawrence	189	–	–	1	37	8	9	3	4	5	2	6	–	111	85	–	1	70	14
Lee	158	–	–	2	29	8	7	2	2	1	3	6	4	78	54	1	1	37	15
Lincoln	132	–	–	–	21	7	1	–	2	1	2	8	4	76	53	–	2	34	17
Little River	101	–	–	1	17	4	8	–	–	1	2	2	2	54	45	–	2	37	6
Logan	228	–	–	1	48	8	20	3	3	–	3	11	2	132	102	1	–	70	31
Lonoke	293	1	–	6	56	24	11	1	5	1	4	10	3	160	107	–	1	66	40
Madison	109	–	–	–	12	3	2	–	5	–	–	2	3	68	49	1	1	40	7
Marion	121	–	–	2	29	5	9	2	5	–	1	7	1	57	43	–	–	24	19
Miller	379	–	–	7	74	19	20	4	9	–	1	21	13	176	129	1	14	93	21
Texarkana [3]	261	–	–	4	51	12	13	3	8	–	–	15	10	120	86	1	9	60	16
Balance of county	118	–	–	3	23	7	7	1	1	–	1	6	3	56	43	–	5	33	5
Mississippi	568	–	–	8	88	15	28	8	10	1	2	24	4	300	199	2	2	159	36
Blytheville	219	–	–	5	38	7	10	6	5	–	–	10	2	110	74	1	1	60	12
Balance of county	349	–	–	3	50	8	18	2	5	1	2	14	2	190	125	1	1	99	24
Monroe	141	1	–	2	27	7	5	1	6	1	1	8	2	76	49	–	2	40	7
Montgomery	65	–	–	–	7	1	3	–	1	–	2	–	1	38	30	–	1	24	5
Nevada	149	1	–	1	28	4	8	3	2	1	2	8	9	70	53	–	1	34	18
Newton	65	–	–	–	9	2	3	3	1	–	–	–	1	30	23	1	1	9	12
Ouachita	346	–	–	4	69	15	22	2	10	2	3	15	1	155	119	2	2	87	28
Camden	194	–	–	–	41	7	14	2	5	1	2	10	1	87	64	–	–	46	18
Balance of county	152	–	–	4	28	8	8	–	5	1	1	5	–	68	55	2	2	41	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Arkansas	–	40	15	2	2	2	1	3	1	–	3	2	13	17	1	3	4	4	1
Stuttgart	–	19	–	–	–	1	–	2	–	–	1	2	9	7	–	–	–	3	1
Balance of county	–	21	15	2	2	1	1	1	1	–	2	–	4	10	1	3	4	1	–
Ashley	–	29	1	2	8	5	–	2	3	–	4	4	13	16	4	12	1	5	–
Baxter	2	37	3	5	3	11	1	4	7	–	–	1	6	27	9	2	4	–	1
Benton	1	71	17	11	14	23	3	3	9	–	5	3	53	43	22	21	12	4	–
Rogers	–	17	5	2	5	2	–	–	4	–	1	2	12	13	4	3	2	–	–
Springdale, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	54	12	9	9	21	3	3	5	–	4	1	41	30	18	16	10	4	–
Boone	–	34	4	–	6	9	1	–	3	–	1	6	3	15	18	5	4	–	1
Bradley	3	24	4	1	6	5	–	1	4	–	2	1	–	14	8	3	2	–	–
Calhoun	1	3	–	1	2	1	–	–	1	–	–	–	6	7	1	–	–	–	1
Carroll	–	18	3	5	4	11	–	1	1	–	1	–	1	12	7	5	3	–	–
Chicot	1	19	4	–	2	2	1	2	3	–	–	6	18	15	4	9	–	1	–
Clark	–	37	2	4	6	4	–	2	2	–	1	2	5	14	7	6	3	4	1
Clay	–	39	1	1	11	7	–	–	4	–	4	1	4	19	5	7	–	1	–
Cleburne	–	20	–	1	6	7	–	–	3	–	–	–	8	6	4	3	1	1	1
Cleveland	1	6	2	2	1	4	–	–	2	–	–	–	6	7	4	3	1	–	–
Columbia	1	48	5	1	3	7	1	2	8	–	–	1	4	22	6	5	3	5	–
Magnolia	1	21	2	–	1	5	1	1	3	–	–	1	3	7	5	2	2	1	–
Balance of county	–	27	3	1	2	2	–	1	5	–	–	–	1	15	1	3	1	4	–
Conway	1	21	2	1	3	7	–	2	–	–	4	2	4	14	2	8	6	–	–
Craighead	2	65	4	7	8	16	–	4	8	–	4	5	8	37	8	14	5	4	–
Jonesboro	1	39	1	5	3	7	–	3	3	–	4	3	5	14	4	6	3	3	–
Balance of county	1	26	3	2	5	9	–	1	5	–	–	2	1	23	4	8	2	1	–
Crawford	2	28	4	1	7	4	2	2	5	–	4	1	9	20	8	6	4	–	1
Crittenden	2	54	5	3	5	8	2	4	4	–	4	6	36	34	12	19	1	4	1
West Memphis	1	28	2	3	1	7	1	2	1	–	4	3	14	13	3	11	–	3	–
Balance of county	1	26	3	–	4	1	1	2	3	–	–	3	22	21	9	8	1	1	1
Cross	–	28	5	4	2	3	–	4	3	–	–	2	18	7	2	6	–	4	–
Dallas	1	9	3	2	5	1	1	–	2	–	2	1	18	9	1	2	1	4	–
Desha	2	26	5	1	3	3	–	1	4	–	1	4	10	16	8	6	3	4	2
Drew	–	24	3	–	3	4	–	1	4	–	2	3	1	14	7	3	2	1	–
Faulkner	1	32	5	1	9	10	–	2	8	–	3	3	24	17	13	8	6	1	–
Conway	1	15	3	1	6	5	–	–	5	–	2	1	7	9	4	5	–	1	–
Balance of county	–	17	2	–	3	5	–	2	3	–	1	2	17	8	9	3	6	–	–
Franklin	–	20	2	1	4	7	–	1	3	–	2	1	13	5	3	–	–	1	–
Fulton	–	11	3	1	–	4	–	1	–	–	1	–	–	4	1	5	–	–	1
Garland	1	77	13	13	17	21	3	14	9	–	4	2	7	51	16	25	17	6	3
Hot Springs	1	62	12	9	16	19	3	10	9	–	1	2	6	37	10	15	10	6	3
Balance of county	–	15	1	4	1	2	–	4	–	–	3	–	1	14	6	10	7	–	–
Grant	–	12	3	1	3	4	1	1	1	–	–	1	8	5	1	2	–	3	–
Greene	2	24	5	2	9	5	–	2	3	–	1	3	1	19	8	6	3	3	–
Paragould	1	18	5	2	5	5	–	2	2	–	1	2	–	12	5	4	2	2	–
Balance of county	1	6	–	–	4	–	–	–	1	–	–	1	1	7	3	2	1	1	–
Hempstead	2	27	2	–	5	8	1	4	4	–	3	3	1	20	5	8	–	3	–
Hot Spring	–	27	9	2	6	10	–	–	2	–	–	3	8	16	4	12	3	3	–
Howard	3	21	2	1	11	4	2	–	2	–	–	2	6	7	3	2	2	–	1
Independence	–	31	7	2	10	4	–	1	6	–	2	2	4	17	8	10	8	1	–
Izard	–	15	4	5	–	3	–	1	–	–	–	2	1	5	4	4	1	–	–
Jackson	–	21	3	2	8	3	–	2	4	–	–	3	4	20	4	6	6	4	–
Jefferson	3	89	14	7	10	13	1	11	9	–	4	4	22	41	7	27	6	21	1
Pine Bluff	2	68	9	6	8	9	1	11	8	–	3	4	18	33	3	21	4	17	1
Balance of county	1	21	5	1	2	4	–	–	1	–	1	–	4	8	4	6	2	4	–
Johnson	–	7	1	1	4	7	–	–	–	–	1	–	1	11	7	6	–	1	–
Lafayette	1	13	5	–	6	4	1	1	4	–	1	3	4	14	8	1	–	5	–
Lawrence	–	21	1	4	1	8	–	–	1	–	–	1	3	16	4	4	1	1	–
Lee	1	20	2	1	8	3	–	–	2	–	1	1	8	9	4	6	1	2	–
Lincoln	–	16	5	2	3	4	–	2	1	–	1	–	4	5	3	5	2	1	–
Little River	–	8	–	1	3	1	–	–	2	–	–	1	–	5	6	3	2	4	–
Logan	1	27	–	2	3	7	1	1	2	–	–	1	7	12	4	5	1	1	–
Lonoke	2	46	3	2	5	8	–	1	1	–	–	3	8	16	8	8	4	4	1
Madison	–	7	10	2	1	6	–	–	1	–	1	–	–	5	5	4	2	–	1
Marion	2	11	–	1	1	7	–	–	–	–	–	2	7	6	4	1	3	1	–
Miller	–	37	9	1	14	15	3	2	3	–	2	5	4	28	8	12	6	7	–
Texarkana [2]	–	25	8	1	11	14	2	–	1	–	2	4	4	18	4	6	5	5	–
Balance of county	–	12	1	–	3	1	1	2	2	–	–	1	–	10	4	6	1	2	–
Mississippi	2	86	8	5	11	21	2	3	8	–	2	6	27	41	12	23	5	6	1
Blytheville	–	29	4	3	4	9	1	–	4	–	1	1	12	13	1	11	3	4	–
Balance of county	2	57	4	2	7	12	1	3	4	–	1	5	15	28	11	12	2	2	1
Monroe	2	20	3	2	3	2	–	–	1	–	2	–	2	8	7	6	–	1	1
Montgomery	–	8	–	–	1	2	–	–	–	–	1	1	1	3	8	2	–	–	–
Nevada	1	15	1	–	4	2	–	–	–	–	–	3	11	9	5	2	3	1	–
Newton	–	6	1	–	1	1	–	–	–	–	2	–	4	8	3	4	4	–	–
Ouachita	6	24	3	3	10	12	3	5	5	–	–	2	36	17	12	9	4	1	1
Camden	3	16	2	2	5	5	3	2	3	–	–	1	25	10	5	2	3	1	–
Balance of county	3	8	1	1	5	7	–	3	2	–	–	1	11	7	7	7	1	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-179, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Perry	80	–	–	–	18	4	5	1	5	–	–	3	1	42	28	–	1	22	5
Phillips	446	–	–	4	65	21	26	8	5	1	3	21	8	232	149	2	1	124	22
Helena	158	–	–	2	28	6	7	3	3	–	2	7	2	86	50	1	–	41	8
West Helena	119	–	–	–	30	9	7	4	1	1	1	7	3	61	43	–	–	34	9
Balance of county	169	–	–	2	27	6	12	1	1	–	–	7	3	85	56	1	1	49	5
Pike	146	–	–	2	33	7	8	5	3	2	1	7	5	71	50	2	1	33	14
Poinsett	274	1	–	5	52	15	13	–	4	1	3	16	5	127	91	–	1	68	22
Polk	173	1	–	–	42	9	11	4	5	–	1	12	1	103	78	–	2	50	24
Pope	320	–	–	–	65	16	31	3	5	1	1	8	6	166	105	–	3	66	16
Russellville	151	–	–	–	35	10	16	2	4	1	–	2	1	85	50	–	1	40	9
Balance of county	169	–	–	–	30	6	15	1	1	–	1	6	5	81	55	–	2	46	7
Prairie	92	–	–	–	20	4	7	–	4	–	1	4	–	39	31	–	–	26	5
Pulaski	2,668	6	–	27	586	140	163	44	72	22	18	107	48	1,275	914	5	30	695	244
Jacksonville	104	–	–	–	15	2	7	1	–	2	–	3	1	53	37	–	–	28	9
Little Rock	1,525	1	–	16	328	91	87	30	40	10	10	60	25	727	523	3	16	368	136
North Little Rock	583	4	–	9	136	34	37	6	24	6	6	23	15	348	239	1	8	160	70
Balance of county	356	1	–	2	87	13	32	7	8	4	2	21	6	147	115	1	6	79	29
Randolph	178	1	–	1	32	9	5	3	8	–	3	4	2	92	77	–	–	68	9
St. Francis	308	–	–	2	53	16	12	–	5	3	2	15	6	185	125	3	3	92	27
Forrest City	140	–	–	1	22	6	6	–	2	2	–	6	5	85	67	1	2	49	15
Balance of county	168	–	–	1	31	10	6	–	3	1	2	9	1	80	58	2	1	43	12
Saline	318	–	–	1	61	12	26	4	3	2	3	11	2	150	124	1	1	99	23
Benton	169	–	–	–	33	8	12	2	1	2	1	7	1	88	66	1	1	53	11
Balance of county	149	–	–	1	28	4	14	2	2	–	2	4	1	72	58	–	–	46	12
Scott	86	–	–	1	18	3	6	1	–	–	–	8	1	50	38	–	–	30	8
Searcy	95	–	–	2	22	6	5	2	2	–	2	5	–	28	23	–	–	20	3
Sebastian	839	2	–	4	177	42	48	12	22	5	7	41	9	383	258	1	6	196	55
Fort Smith	693	2	–	4	143	34	42	10	17	5	4	31	6	303	217	1	6	165	45
Balance of county	146	–	–	–	34	8	6	2	5	–	3	10	3	80	41	–	–	31	10
Sevier	139	–	–	1	24	6	5	2	3	2	2	4	1	71	55	–	–	41	14
Sharp	166	–	–	1	38	6	10	2	4	4	3	9	–	106	90	1	1	74	14
Stone	77	–	–	–	16	6	5	1	1	2	–	1	–	44	36	–	1	22	13
Union	570	2	–	6	103	31	34	5	7	5	1	20	6	305	219	1	11	171	36
El Dorado	298	–	–	2	55	17	21	2	2	4	1	8	2	156	113	1	7	85	20
Balance of county	272	2	–	4	48	14	13	3	5	1	–	12	4	147	106	–	4	86	16
Van Buren	124	1	–	1	28	8	6	1	2	1	1	9	3	70	50	–	–	42	8
Washington	750	–	–	2	184	36	49	13	19	6	7	34	11	385	285	5	5	196	79
Fayetteville	221	–	–	1	50	9	17	2	5	3	2	12	3	112	76	3	2	46	25
Springdale, part	187	–	–	–	40	13	12	3	4	1	2	5	4	102	87	1	–	70	16
Springdale, total	187	–	–	–	40	13	12	3	4	1	2	5	4	102	87	1	–	70	16
Balance of county	342	–	–	1	74	14	20	8	10	2	3	17	4	171	122	1	3	80	36
White	445	–	–	4	79	18	17	7	8	6	3	22	2	208	134	–	1	113	20
Woodruff	160	1	–	–	30	5	14	2	1	1	1	6	–	75	60	–	4	42	14
Yell	176	–	–	–	33	4	7	6	4	2	–	10	3	109	80	–	–	69	11
California	177,399	177	17	1,001	38,634	10,339	9,843	3,535	4,286	1,628	1,574	7,429	2,320	84,982	63,281	888	2,532	45,750	14,131
Urban places	143,172	147	14	813	31,117	8,426	7,898	2,878	3,442	1,319	1,288	5,986	1,914	69,298	51,618	696	2,204	36,776	11,940
Balance of area	34,227	30	3	188	7,517	1,913	1,945	657	844	309	306	1,543	406	15,684	11,663	172	328	8,972	2,191
Metropolitan counties	161,140	165	14	891	35,144	9,429	8,977	3,254	3,857	1,469	1,440	6,724	2,104	77,422	57,736	806	2,367	41,472	13,091
Urban places	137,501	141	13	763	29,911	8,060	7,625	2,783	3,274	1,261	1,222	5,666	1,840	66,649	49,734	680	2,142	35,316	11,584
Balance of area	23,639	24	1	128	5,233	1,349	1,352	471	583	202	218	1,058	264	10,773	8,002	126	225	6,154	1,497
Nonmetropolitan counties	16,259	12	3	110	3,490	910	866	281	429	165	134	705	216	7,560	5,545	62	165	4,278	1,040
Urban places	5,671	6	1	50	1,206	346	273	95	168	58	46	220	74	2,649	1,884	18	62	1,460	346
Balance of area	10,588	6	2	60	2,284	564	593	186	261	107	88	485	142	4,911	3,661	48	103	2,818	694
Alameda	8,752	12	–	59	2,047	564	533	187	243	62	73	385	95	4,153	3,105	37	177	2,411	480
Alameda	520	2	–	2	137	38	40	13	11	3	4	28	7	244	180	5	6	136	33
Albany	133	–	–	1	43	5	15	3	5	–	3	12	1	70	53	1	3	39	10
Berkeley	747	–	–	3	181	58	38	21	25	5	8	26	11	374	277	1	12	207	57
Fremont	564	–	–	8	146	38	36	10	16	6	5	35	7	251	190	1	6	159	24
Hayward	961	1	–	13	214	52	64	18	26	6	8	40	11	475	389	4	19	300	46
Livermore	268	1	–	2	80	21	22	7	6	3	5	18	1	115	84	1	8	67	8
Newark	109	–	–	–	25	6	8	3	1	–	–	7	–	38	28	–	2	23	3
Oakland	3,635	7	–	17	796	227	195	71	111	23	26	143	48	1,715	1,248	13	56	944	205
Piedmont	89	–	–	1	21	7	4	1	2	–	1	6	2	42	33	–	–	30	3
Pleasanton	177	–	–	1	37	10	7	5	5	3	1	6	2	80	66	1	3	54	8
San Leandro	794	1	–	5	210	68	58	14	18	9	7	38	4	380	291	5	21	229	36
Union City	139	–	–	–	32	7	6	5	5	–	3	6	–	59	47	–	4	34	9
Balance of county	616	–	–	6	125	29	40	16	12	4	2	22	1	310	239	5	7	189	38
Alpine	3	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	1
Amador	188	–	–	–	37	7	13	3	6	1	1	6	2	105	78	–	1	64	13
Butte	1,410	1	–	7	315	93	79	27	31	10	5	70	20	693	518	4	14	397	103
Chico	393	–	–	4	83	32	17	5	6	1	–	22	8	181	139	1	8	105	25
Balance of county	1,017	1	–	3	232	61	62	22	25	9	5	48	12	512	379	3	6	292	78
Calaveras	201	–	–	1	50	15	9	7	4	4	3	8	3	95	75	1	1	66	7
Colusa	131	–	–	–	21	5	7	–	2	–	–	7	1	65	45	2	–	36	7
Contra Costa	4,349	4	1	27	1,004	285	243	77	124	39	41	195	58	2,015	1,418	18	69	1,038	295
Antioch	254	–	–	5	51	16	15	4	6	1	1	8	5	118	89	–	2	59	18
Concord	546	–	–	4	129	35	29	13	17	3	9	23	6	260	202	3	9	149	41
El Cerrito	210	–	–	–	50	16	15	1	4	4	2	8	2	110	73	–	4	55	14
Lafayette	141	–	–	–	39	14	9	3	5	2	1	5	–	62	43	–	1	33	9
Martinez	224	–	–	2	54	14	13	6	7	1	1	12	2	89	62	1	2	45	14
Pinole	76	–	–	–	27	7	3	6	1	2	2	6	4	25	17	–	–	16	1
Pittsburg	284	–	–	3	64	21	14	2	7	2	2	16	7	117	77	2	7	60	5
Pleasant Hill	155	–	–	–	29	9	6	5	3	–	–	6	–	72	46	1	1	36	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-497)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Perry	1	13	–	–	–	–	–	–	–	–	1	1	4	4	5	3	1	–	–
Phillips	15	59	8	1	4	10	1	3	22	–	2	6	10	19	10	18	5	6	1
Helena	9	24	2	1	3	2	–	1	7	–	2	3	3	7	3	3	3	3	–
West Helena	2	13	3	–	1	4	1	1	6	–	–	2	2	5	1	2	–	–	–
Balance of county	4	22	3	–	–	4	–	1	9	–	–	1	5	7	6	13	2	3	1
Pike	–	15	3	3	3	7	–	1	1	–	–	3	4	5	3	6	2	–	–
Poinsett	–	30	5	1	6	12	1	7	4	1	2	1	10	18	6	9	3	3	1
Polk	–	22	4	1	4	5	1	–	1	–	1	1	1	5	2	2	2	1	–
Pope	2	46	7	6	5	7	1	2	4	–	5	2	9	20	11	14	1	2	–
Russellville	1	27	4	3	1	4	–	–	1	–	1	–	3	10	4	6	–	–	–
Balance of county	1	19	3	3	4	3	1	2	3	–	4	2	6	10	7	8	1	2	–
Prairie	–	7	–	1	2	4	1	1	–	–	–	–	9	4	3	3	3	2	1
Pulaski	9	287	38	27	51	68	7	41	35	4	23	46	55	187	62	66	37	51	13
Jacksonville	–	15	1	–	4	4	–	–	–	–	1	4	1	7	7	4	2	1	–
Little Rock	5	163	18	18	26	42	5	25	19	2	15	26	32	110	33	38	19	26	8
North Little Rock	3	84	15	7	11	12	2	7	10	1	5	13	12	43	11	16	9	16	3
Balance of county	1	25	4	2	10	10	–	9	6	1	2	3	10	27	11	7	7	8	2
Randolph	–	11	2	2	7	4	–	1	3	–	1	4	9	10	4	4	3	–	–
St. Francis	1	33	5	1	4	6	–	–	2	–	–	6	7	25	8	18	3	3	–
Forrest City	–	14	3	1	2	1	–	–	2	–	–	2	3	9	1	5	1	1	–
Balance of county	1	19	2	–	2	5	–	–	–	–	–	4	4	16	7	13	2	2	–
Saline	–	25	10	1	8	3	–	3	5	–	4	1	4	25	17	12	5	5	2
Benton	–	13	8	1	5	2	–	3	4	–	3	1	1	14	7	4	–	3	–
Balance of county	–	12	2	–	3	1	–	–	1	–	1	–	3	11	10	8	5	2	2
Scott	–	11	–	1	1	2	–	–	–	–	–	–	5	4	3	1	–	–	–
Searcy	–	5	–	–	2	4	–	1	1	–	1	–	22	1	4	4	1	2	–
Sebastian	2	79	8	16	25	23	3	6	3	–	5	9	108	38	19	24	11	7	3
Fort Smith	2	65	6	13	23	18	3	5	2	–	5	8	93	31	11	19	7	7	3
Balance of county	–	14	2	3	2	5	–	1	1	–	–	1	15	7	8	5	4	–	–
Sevier	1	15	–	–	8	5	–	1	4	–	1	1	6	7	5	2	1	–	1
Sharp	1	9	3	3	1	1	1	–	2	–	–	–	2	5	4	4	–	–	1
Stone	–	6	2	–	–	3	–	1	2	–	–	1	–	5	3	–	–	1	1
Union	5	71	6	4	20	13	3	8	5	1	1	6	7	37	17	16	4	6	2
El Dorado	1	40	3	1	8	9	2	6	1	1	1	3	4	21	7	10	3	4	1
Balance of county	4	31	3	3	12	4	1	2	4	–	–	3	3	16	10	8	1	2	1
Van Buren	1	19	–	–	–	–	1	1	1	–	–	–	2	6	4	3	1	1	1
Washington	1	76	18	5	22	23	–	12	9	–	4	7	7	51	23	17	7	5	1
Fayetteville	1	28	4	3	10	5	–	6	–	–	2	2	1	16	3	3	3	2	–
Springdale, part	–	9	4	2	2	8	–	3	2	–	–	–	1	9	7	4	4	–	1
Springdale, total	–	9	4	2	2	8	–	3	2	–	–	–	1	9	7	4	4	–	1
Balance of county	–	39	10	–	10	10	–	3	7	–	2	5	5	24	13	10	–	3	–
White	2	59	6	7	15	13	–	1	4	–	2	8	52	22	13	9	7	4	2
Woodruff	–	14	1	–	6	5	–	1	1	–	1	–	10	15	5	5	1	1	3
Yell	–	22	6	1	1	5	–	4	2	–	–	–	–	6	1	6	1	1	–
California	649	16,209	2,711	2,132	4,395	5,244	706	4,162	1,024	35	1,420	1,977	1,208	12,179	6,017	5,040	3,531	2,984	316
Urban places	540	13,323	2,179	1,638	3,516	4,017	571	3,448	793	27	1,170	1,632	960	9,818	4,324	3,899	2,859	2,584	249
Balance of area	109	2,886	532	494	877	1,227	135	734	231	8	250	345	248	2,361	1,693	1,141	672	410	67
Metropolitan counties	605	14,780	2,417	1,884	3,973	4,658	640	3,859	925	30	1,302	1,834	1,089	11,016	5,199	4,520	3,226	2,827	302
Urban places	518	12,782	2,071	1,564	3,361	3,825	548	3,326	764	24	1,127	1,581	919	9,376	4,057	3,741	2,763	2,525	247
Balance of area	87	2,018	346	320	612	833	92	533	161	6	175	253	170	1,640	1,142	779	463	302	55
Nonmetropolitan counties	44	1,429	294	248	422	586	68	323	99	5	118	143	119	1,163	818	520	305	167	14
Urban places	22	561	108	74	157	192	23	122	29	3	43	51	41	442	267	158	96	59	2
Balance of area	22	868	186	174	265	394	43	201	70	2	75	92	78	721	551	362	209	108	12
Alameda	34	774	154	86	214	235	32	188	48	1	48	69	72	657	228	307	155	118	14
Alameda	1	54	7	2	13	17	2	5	1	–	3	2	3	38	15	20	8	3	–
Albany	–	13	3	1	1	2	–	1	1	–	–	–	–	4	3	1	4	1	–
Berkeley	3	77	13	4	26	19	2	12	4	–	–	2	4	58	12	17	17	5	–
Fremont	–	46	5	8	9	13	1	7	2	–	7	5	7	42	21	20	14	4	–
Hayward	5	66	25	10	19	21	4	24	3	–	9	8	5	64	31	32	20	6	1
Livermore	1	26	2	2	6	11	–	2	–	–	2	3	1	15	14	9	1	4	1
Newark	1	6	2	1	1	3	1	3	1	–	2	3	2	13	9	1	6	1	–
Oakland	16	347	67	37	97	86	15	91	24	–	19	28	38	298	66	149	58	78	8
Piedmont	–	9	–	–	3	1	–	2	–	–	1	–	–	10	2	2	2	–	–
Pleasanton	–	9	4	1	4	2	1	7	4	–	1	–	–	13	14	5	3	2	1
San Leandro	3	61	15	10	11	26	4	21	5	–	2	9	5	59	16	18	11	5	1
Union City	–	11	–	1	3	7	–	1	1	–	1	2	2	11	6	7	6	1	–
Balance of county	4	47	11	9	21	27	1	12	2	1	1	7	7	32	19	25	9	8	2
Alpine	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Amador	3	14	6	4	3	5	1	2	1	–	–	1	–	12	11	7	–	1	–
Butte	–	125	24	26	35	66	3	23	10	–	8	6	8	96	44	41	23	11	–
Chico	–	31	5	6	10	13	–	6	2	–	2	1	4	36	19	13	9	2	–
Balance of county	–	94	19	20	25	53	3	17	8	–	6	5	4	60	25	28	14	9	–
Calaveras	–	15	4	1	4	3	2	2	–	–	–	–	2	11	19	5	4	–	–
Colusa	2	12	2	4	4	3	–	5	1	–	2	–	–	13	4	6	4	2	–
Contra Costa	18	497	83	61	112	146	18	90	21	1	42	29	36	333	126	119	105	60	2
Antioch	2	19	5	3	4	4	1	12	–	–	4	3	4	9	22	4	4	4	–
Concord	2	40	7	9	12	14	1	6	–	–	9	5	4	44	17	14	15	6	–
El Cerrito	1	25	7	4	6	6	1	5	2	–	3	1	–	13	–	8	1	4	–
Lafayette	–	16	–	1	3	2	1	–	–	–	4	–	–	10	7	5	7	1	–
Martinez	–	25	8	4	4	15	1	4	1	–	2	–	2	16	6	7	7	2	–
Pinole	–	7	–	1	2	2	–	–	1	–	2	–	1	1	3	1	6	1	–
Pittsburg	2	26	8	4	8	8	2	6	3	–	1	4	2	25	8	10	8	10	–
Pleasant Hill	1	21	4	–	9	9	1	–	–	–	2	–	2	15	3	5	6	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Richmond	706	1	–	6	162	44	47	7	21	9	3	31	14	322	224	2	18	147	57
San Pablo	257	–	1	3	59	9	23	4	5	–	3	15	1	103	83	1	3	59	20
Walnut Creek	674	1	–	1	145	38	24	15	27	10	4	27	6	347	221	3	14	151	59
Balance of county	822	2	–	3	195	62	45	11	21	5	13	38	11	380	281	3	8	218	52
Del Norte	179	1	–	2	34	5	12	5	3	1	–	8	8	76	61	–	–	30	21
El Dorado	554	–	–	–	147	30	35	20	22	7	4	29	6	241	177	1	4	149	23
South Lake Tahoe	99	–	–	–	28	7	7	2	4	3	–	5	–	40	32	–	1	27	4
Balance of county	455	–	–	–	119	23	28	18	18	4	4	24	5	201	145	1	3	122	19
Fresno	3,626	8	2	15	702	188	191	57	75	22	27	142	45	1,719	1,222	22	49	969	162
Clovis	178	–	1	2	39	10	9	3	2	2	1	12	2	81	61	3	3	48	9
Fresno	2,459	6	1	11	454	130	127	32	50	13	17	85	27	1,188	821	14	34	669	104
Sanger	133	–	–	–	31	7	5	3	6	–	2	8	1	71	55	–	1	47	7
Balance of county	856	2	–	2	178	41	50	18	17	7	7	37	15	379	285	5	11	227	42
Glenn	197	–	–	1	33	8	9	5	3	1	1	6	4	100	70	–	1	60	9
Humboldt	889	–	–	5	187	39	52	15	27	7	6	41	12	421	322	2	24	200	96
Eureka	378	–	–	2	68	15	20	5	6	4	6	12	8	180	128	–	9	81	38
Balance of county	511	–	–	3	119	24	32	10	21	3	–	29	4	241	194	2	15	119	58
Imperial	627	2	–	9	120	31	29	9	20	5	4	22	8	256	186	3	9	125	40
Brawley	137	–	–	3	23	11	5	1	3	1	1	1	2	52	33	–	2	21	10
Calexico	72	2	–	1	16	2	1	1	4	1	3	4	2	28	23	1	1	17	4
El Centro	187	–	–	3	40	10	13	3	7	–	–	7	1	81	58	1	2	39	16
Balance of county	231	–	–	2	41	8	10	4	6	3	–	10	3	95	72	1	4	48	19
Inyo	212	–	–	–	46	9	9	2	7	3	2	14	1	91	63	1	–	52	10
Kern	3,053	4	–	15	616	142	165	56	71	33	22	127	47	1,413	1,117	10	58	864	185
Bakersfield	1,791	3	–	9	366	81	100	34	43	25	11	72	26	829	653	5	44	504	100
Delano	132	–	–	2	18	4	2	1	2	1	1	7	1	68	54	–	4	41	9
Balance of county	1,130	1	–	4	232	57	63	21	26	7	10	48	20	516	410	5	10	319	76
Kings	471	1	–	3	87	29	21	5	14	6	2	10	11	221	149	–	6	124	19
Hanford	250	1	–	3	42	14	10	4	8	1	2	3	4	133	90	–	5	77	8
Balance of county	221	–	–	–	45	15	11	1	6	5	–	7	7	88	59	–	1	47	11
Lake	475	–	1	1	126	33	36	9	10	7	4	27	6	221	169	3	8	141	17
Lassen	172	–	–	2	30	8	5	3	4	1	2	7	1	88	66	1	2	44	21
Los Angeles	58,864	61	5	286	12,339	3,345	3,033	1,183	1,403	542	502	2,321	853	29,670	22,594	279	1,203	14,232	6,860
Alhambra	660	–	–	2	127	28	18	17	15	12	7	30	12	387	299	5	17	195	82
Arcadia	520	–	–	5	113	34	25	15	9	1	5	24	11	287	203	5	4	131	68
Artesia	114	–	–	–	16	3	3	–	3	–	3	4	2	60	52	1	4	30	17
Azusa	262	–	–	3	55	21	15	3	2	2	3	9	4	114	96	1	7	57	31
Baldwin Park	329	–	–	2	64	20	18	5	6	5	2	8	6	163	119	–	3	77	39
Bell	249	1	–	–	49	11	14	6	4	5	2	7	5	142	115	1	8	75	31
Bellflower	495	2	–	2	116	33	32	9	12	5	10	17	8	240	194	2	11	131	50
Bell Gardens	198	–	–	2	41	9	10	6	9	–	–	7	2	87	69	–	4	44	21
Beverly Hills	412	–	–	–	115	36	15	15	19	2	1	27	6	210	156	4	5	108	39
Burbank	799	–	–	3	186	41	53	18	22	8	7	39	5	417	310	1	12	199	98
Carson	431	1	–	2	84	19	35	4	9	4	2	21	8	175	116	3	6	73	30
Cerritos	135	–	–	–	30	8	9	2	1	1	3	5	4	50	37	1	4	25	7
Claremont	191	–	–	–	45	12	6	6	7	4	1	9	2	112	83	1	7	58	17
Commerce	55	–	–	1	9	1	4	1	1	–	–	2	–	25	18	–	2	8	8
Compton	644	1	1	2	98	24	30	8	10	1	2	23	13	242	191	4	22	96	69
Covina	419	–	–	1	127	31	38	8	18	8	6	22	6	184	148	3	9	94	42
Cudahy	105	–	–	1	17	6	6	1	1	1	1	1	3	42	32	1	7	15	9
Culver City	325	–	–	1	78	15	23	4	10	8	3	15	2	172	130	1	1	78	50
Downey	673	–	–	2	154	41	40	14	14	12	2	31	6	354	271	2	12	180	77
Duarte	182	–	–	–	24	8	4	–	1	2	2	7	1	108	72	1	7	42	22
El Monte	572	–	–	4	101	23	28	10	10	12	5	13	10	285	239	5	11	147	76
El Segundo	102	–	–	–	26	5	7	3	2	1	–	8	2	47	41	–	5	26	10
Gardena	538	–	–	6	123	28	36	5	24	4	4	22	9	263	194	1	6	126	61
Glendale	1,478	1	–	3	306	83	82	25	39	10	12	55	18	830	594	8	25	366	195
Glendora	311	–	–	1	70	14	21	6	8	3	6	12	4	178	145	2	3	105	35
Hawthorne	414	1	–	3	99	28	20	10	11	7	3	20	5	200	169	2	6	104	57
Hermosa Beach	76	–	–	–	14	2	3	3	–	1	1	4	1	42	30	–	2	20	8
Huntington Park	496	1	–	2	89	23	31	5	4	–	4	22	6	207	157	2	6	95	54
Inglewood	783	–	1	–	157	49	36	11	18	5	3	35	7	383	286	2	10	185	89
Lakewood	526	1	–	4	133	29	42	10	10	6	3	33	6	264	205	–	7	135	63
La Mirada	205	–	–	–	62	10	17	8	7	1	4	15	4	82	62	4	6	41	11
La Puente	337	–	–	1	71	22	20	9	3	5	3	9	7	144	110	–	5	65	40
La Verne	191	–	–	2	47	10	14	–	8	1	5	9	1	98	74	–	3	58	15
Lawndale	175	–	–	–	28	5	6	1	5	1	2	8	2	79	63	–	8	36	19
Lomita	173	–	–	3	40	13	7	5	6	–	1	8	2	85	69	1	5	44	19
Long Beach	4,034	2	–	12	803	207	225	82	97	32	28	132	41	2,170	1,642	17	75	1,013	537
Los Angeles	26,600	37	3	132	5,486	1,562	1,306	506	643	244	215	1,010	415	13,295	10,169	132	605	6,279	3,158
Lynwood	306	–	–	2	51	11	15	6	7	1	1	10	4	148	111	1	7	70	33
Manhattan Beach	152	–	–	2	44	14	5	6	3	–	2	14	3	64	41	–	1	30	10
Maywood	115	–	–	–	23	5	8	2	3	–	1	4	1	62	51	1	1	33	16
Monrovia	334	–	–	1	76	20	18	12	6	5	3	12	3	179	137	–	11	93	38
Montebello	399	–	–	4	96	31	21	11	9	4	3	17	6	198	159	1	7	96	55
Monterey Park	322	–	–	5	70	31	12	7	8	1	4	7	10	157	126	3	8	84	38
Norwalk	591	1	–	6	111	26	34	13	10	3	6	19	9	249	197	3	9	137	48
Palos Verdes Estates	102	1	–	2	15	7	3	–	1	–	–	4	1	55	40	–	–	27	13
Paramount	275	–	–	4	47	15	14	2	2	2	3	9	3	128	106	2	5	69	30
Pasadena	1,321	3	–	7	280	73	57	41	31	22	7	49	19	754	524	10	20	324	170
Pico Rivera	324	–	–	1	62	15	14	8	–	2	3	20	10	151	119	2	5	66	24
Pomona	761	1	–	2	139	35	26	13	14	12	7	32	10	388	295	2	16	190	87
Redondo Beach	386	–	–	1	102	29	25	9	11	6	2	20	3	183	135	1	7	85	42
Rosemead	350	–	–	2	54	23	10	5	5	2	1	8	9	195	157	1	4	117	35
San Dimas	140	–	–	1	33	4	13	3	2	1	1	9	2	74	60	–	1	44	15
San Fernando	210	–	–	3	39	12	11	2	3	2	–	9	4	92	74	1	5	46	22
San Gabriel	415	1	–	4	104	36	25	10	8	4	4	17	4	210	155	1	9	100	45
San Marino	110	–	–	–	25	5	5	3	5	–	–	7	3	54	33	1	1	23	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Richmond	2	76	13	7	11	16	4	23	2	–	8	8	10	59	15	19	12	13	1
San Pablo	–	16	4	–	9	14	3	7	–	1	1	2	3	21	7	9	5	8	–
Walnut Creek	4	95	12	15	22	28	1	6	4	–	–	2	5	61	11	15	14	4	1
Balance of county	2	69	15	13	22	28	2	21	8	–	6	4	3	59	27	24	22	5	–
Del Norte	–	7	4	4	9	6	–	2	–	–	3	–	6	12	8	7	2	2	–
El Dorado	–	39	15	10	15	20	4	10	2	–	2	4	3	28	37	18	14	3	1
South Lake Tahoe	–	7	–	1	2	1	–	1	1	–	1	2	–	4	11	5	3	–	–
Balance of county	–	32	15	9	13	19	4	9	1	–	1	2	3	24	26	13	11	3	1
Fresno	14	333	90	60	78	127	28	60	29	–	42	60	18	238	191	108	72	79	5
Clovis	–	16	2	2	1	11	1	1	2	–	2	1	–	12	7	6	7	2	–
Fresno	8	243	74	42	58	88	21	45	19	–	30	47	13	158	116	67	49	57	4
Sanger	1	10	3	2	2	3	–	1	–	–	3	2	–	9	6	3	1	–	–
Balance of county	5	64	11	14	17	25	6	13	8	–	7	10	5	59	62	32	15	20	1
Glenn	–	24	3	3	2	5	1	3	–	–	4	5	4	11	10	4	6	4	–
Humboldt	2	75	13	9	12	38	3	18	8	–	5	2	7	64	57	26	15	6	3
Eureka	1	40	7	4	8	24	1	7	4	–	1	–	3	35	23	8	5	–	1
Balance of county	1	35	6	5	4	14	2	11	4	–	4	2	4	29	34	18	10	6	2
Imperial	–	49	8	13	17	21	3	16	5	4	10	7	8	51	31	33	8	18	–
Brawley	–	13	3	3	5	4	1	6	1	1	2	4	–	13	11	2	1	6	–
Calexico	–	5	–	–	1	–	–	4	–	1	3	–	2	5	–	7	–	–	–
El Centro	–	16	4	3	4	5	1	4	3	–	1	3	4	14	8	6	3	6	–
Balance of county	–	15	1	7	7	12	1	2	1	2	4	–	2	19	12	18	4	6	–
Inyo	–	22	2	4	8	8	–	7	2	–	2	4	–	11	8	11	10	2	–
Kern	6	209	34	47	73	88	11	68	23	–	23	48	11	223	148	109	64	65	3
Bakersfield	4	123	21	28	44	44	5	41	17	–	9	26	2	150	80	53	40	44	3
Delano	–	12	1	1	1	4	2	3	–	–	3	5	–	10	5	4	1	5	–
Balance of county	2	74	12	18	28	40	4	24	6	–	11	18	9	63	63	52	23	16	–
Kings	–	51	14	7	13	14	1	8	3	–	3	13	1	21	42	10	8	9	2
Hanford	–	31	7	5	10	4	1	5	1	–	2	3	–	13	16	3	5	4	–
Balance of county	–	20	7	2	3	10	–	3	2	–	1	10	1	8	26	7	3	5	2
Lake	–	41	2	9	11	18	2	8	6	–	2	1	1	26	14	13	13	4	1
Lassen	–	15	2	3	2	6	–	5	1	–	1	2	–	16	8	5	1	3	1
Los Angeles	254	5,480	827	515	1,280	1,402	237	1,465	330	14	475	779	411	3,477	1,601	1,526	1,088	1,491	74
Alhambra	–	69	11	8	10	12	2	13	3	–	5	2	2	44	9	11	10	9	–
Arcadia	3	68	9	4	7	20	2	13	2	–	6	–	–	31	7	9	5	1	1
Artesia	–	4	3	1	4	1	–	–	1	–	3	2	–	15	1	1	4	4	–
Azusa	1	13	3	1	4	7	1	11	1	–	4	5	3	16	13	12	6	3	–
Baldwin Park	1	29	10	4	9	5	–	9	–	–	4	3	2	26	12	8	5	11	–
Bell	1	21	1	4	5	8	1	2	2	1	1	2	3	11	6	3	4	3	–
Bellflower	3	34	5	4	16	16	7	14	2	–	4	8	3	17	9	15	3	11	–
Bell Gardens	–	14	2	2	10	8	–	4	1	–	2	3	5	12	8	3	3	7	–
Beverly Hills	2	41	6	5	7	11	1	3	3	–	–	1	1	21	5	11	13	4	–
Burbank	5	78	13	11	21	23	4	19	2	–	6	–	5	56	9	23	12	8	–
Carson	2	42	6	8	10	13	2	16	3	–	5	15	4	23	16	17	9	18	–
Cerritos	–	12	1	–	4	1	–	2	–	–	1	3	3	9	7	7	9	4	1
Claremont	1	25	1	2	2	2	1	5	2	–	–	–	2	12	5	–	1	–	–
Commerce	–	6	–	1	–	1	–	4	3	–	–	–	–	5	2	2	1	2	–
Compton	3	40	5	3	12	14	4	15	2	1	5	27	7	52	36	33	9	69	1
Covina	1	22	6	7	7	10	1	6	2	–	4	3	5	26	18	10	7	2	–
Cudahy	–	9	–	1	4	4	–	4	2	–	1	3	1	8	1	5	2	6	–
Culver City	1	37	1	3	8	7	1	6	2	–	3	6	3	14	8	4	6	2	2
Downey	5	62	10	6	16	16	3	9	2	–	2	3	3	39	22	14	16	10	1
Duarte	2	23	7	4	6	3	–	6	2	–	4	3	2	7	7	1	2	6	–
El Monte	1	38	4	3	10	13	4	20	1	–	5	18	3	33	22	16	8	18	1
El Segundo	–	4	1	1	3	2	1	2	–	–	2	–	–	6	4	4	1	2	–
Gardena	1	51	10	7	13	17	2	16	4	–	8	6	4	28	8	11	11	8	1
Glendale	8	181	36	11	32	32	6	30	8	–	10	6	9	88	23	27	34	16	–
Glendora	–	24	7	2	6	8	–	2	–	–	4	2	1	12	6	5	6	4	–
Hawthorne	1	26	3	1	6	11	–	13	2	–	3	5	4	28	11	12	3	8	–
Hermosa Beach	–	8	3	1	4	3	–	–	1	–	–	1	–	2	3	3	1	1	–
Huntington Park	1	45	3	1	12	5	2	14	3	–	6	11	5	27	8	17	6	15	–
Inglewood	5	78	4	10	15	18	3	22	9	–	8	18	13	42	25	19	16	29	–
Lakewood	1	47	7	4	13	18	–	7	1	–	5	5	4	20	21	9	12	3	–
La Mirada	–	13	3	4	4	3	–	6	2	–	1	2	2	11	7	12	5	2	–
La Puente	1	22	6	5	4	6	1	12	2	1	6	3	4	17	25	13	5	14	1
La Verne	–	24	–	–	6	6	–	4	2	–	1	5	–	8	4	3	3	1	–
Lawndale	1	11	3	1	5	7	1	7	–	–	3	1	3	12	6	6	7	8	–
Lomita	–	10	5	1	1	4	–	8	2	–	3	2	3	10	2	4	2	2	–
Long Beach	18	409	66	35	113	111	18	94	28	–	19	34	17	244	91	95	67	71	6
Los Angeles	115	2,452	343	216	575	587	109	694	148	7	213	375	186	1,580	654	685	499	881	39
Lynwood	1	27	3	6	8	8	2	7	1	–	4	14	7	17	12	7	8	6	–
Manhattan Beach	1	17	1	4	4	7	–	4	–	–	–	–	–	4	3	9	6	2	–
Maywood	–	10	–	1	–	3	–	3	1	1	1	5	3	6	4	1	–	1	–
Monrovia	–	37	4	1	6	6	4	6	2	–	1	3	1	17	6	7	7	8	1
Montebello	1	32	4	2	5	5	3	12	–	–	6	2	1	23	16	6	8	7	1
Monterey Park	2	23	2	4	5	7	1	13	2	1	1	2	1	14	10	9	10	4	–
Norwalk	–	40	8	4	17	11	2	17	8	–	7	6	2	27	19	13	10	16	–
Palos Verdes Estates	1	12	2	–	2	2	–	1	–	–	1	2	1	4	2	6	6	–	1
Paramount	–	17	3	2	8	10	1	8	1	–	2	9	4	16	12	11	4	6	–
Pasadena	4	181	33	12	27	22	6	14	6	–	11	10	3	102	13	18	16	9	1
Pico Rivera	2	25	4	1	6	7	1	13	4	–	6	8	6	20	6	9	7	7	–
Pomona	6	72	10	5	16	15	3	17	1	–	10	23	8	48	30	18	11	21	–
Redondo Beach	–	37	7	4	4	13	1	10	–	–	2	3	1	23	16	10	9	4	1
Rosemead	3	28	3	4	10	13	1	13	2	–	1	2	4	21	8	6	5	4	–
San Dimas	–	12	2	–	–	1	1	3	1	–	1	2	–	4	6	6	1	4	–
San Fernando	–	16	1	1	6	7	–	8	3	1	3	3	2	21	5	5	3	5	–
San Gabriel	5	40	7	3	11	11	5	8	1	–	3	5	–	21	3	14	5	4	1
San Marino	1	18	1	1	4	2	1	1	–	–	–	–	1	7	3	5	–	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Santa Fe Springs	76	–	–	–	18	6	6	–	1	–	2	3	3	36	29	–	2	19	8
Santa Monica	1,032	–	–	1	209	71	34	24	24	10	11	35	13	574	417	7	16	273	121
Sierra Madre	119	–	–	–	30	8	8	–	3	3	–	8	2	67	47	–	–	35	12
South El Monte	78	–	–	2	14	3	5	–	3	–	1	2	–	34	31	–	1	18	12
South Gate	586	2	–	4	122	24	46	9	15	5	3	20	4	322	251	3	13	164	71
South Pasadena	217	–	–	–	48	11	13	9	6	1	1	7	3	119	87	–	3	46	38
Temple City	286	–	–	2	49	15	11	2	8	3	3	7	1	177	134	3	5	93	32
Torrance	1,076	–	–	2	249	58	62	34	26	8	12	43	20	529	362	8	24	232	98
West Covina	412	–	–	3	98	25	24	17	9	3	7	14	4	201	157	–	8	95	54
Whittier	1,088	–	–	6	226	68	50	19	29	10	12	38	19	587	479	4	18	336	121
Balance of county	3,192	4	–	17	698	149	159	89	88	18	41	154	34	1,460	1,121	11	54	706	350
Madera	508	2	–	2	112	36	27	7	12	4	5	21	3	240	181	1	3	161	16
Madera	319	2	–	2	69	23	19	4	7	–	2	13	2	140	105	1	1	93	10
Balance of county	189	–	–	–	44	13	8	3	5	4	3	8	1	100	76	–	2	68	6
Marin	1,480	–	–	10	390	112	105	33	36	12	14	78	18	652	457	5	5	367	80
Larkspur	30	–	–	–	7	1	2	–	1	2	–	1	–	15	14	–	–	12	2
Mill Valley	199	–	–	1	52	18	12	5	4	2	2	9	3	85	57	–	–	47	10
Novato	261	–	–	2	67	12	20	4	8	3	4	16	4	109	78	2	–	61	15
San Anselmo	98	–	–	–	27	13	5	1	2	1	1	4	–	46	28	–	2	21	5
San Rafael	475	–	–	3	116	36	38	10	9	3	3	19	7	216	149	2	2	126	19
Balance of county	417	–	–	4	119	32	26	13	12	1	4	29	4	181	131	1	1	100	29
Mariposa	94	–	–	–	31	4	7	2	2	1	1	14	2	35	29	–	–	22	7
Mendocino	596	1	–	3	125	39	28	12	15	6	8	17	10	270	206	1	10	164	31
Ukiah	248	–	–	–	49	17	5	6	10	5	2	4	4	109	85	1	1	76	7
Balance of county	348	1	–	3	76	22	23	6	5	1	6	13	6	161	121	–	9	88	24
Merced	880	2	–	11	216	63	52	12	26	11	10	42	15	349	259	2	4	219	34
Atwater	97	–	–	1	25	7	5	2	3	1	2	5	2	36	27	–	–	23	4
Merced	333	–	–	5	81	28	16	4	13	4	3	15	4	137	101	1	–	87	13
Balance of county	450	2	–	5	110	30	31	6	10	6	5	22	9	176	131	1	4	109	17
Modoc	78	–	–	1	14	5	4	1	1	–	–	3	1	31	25	–	–	17	8
Mono	46	–	–	–	8	–	3	1	1	–	1	2	1	15	13	–	1	8	4
Monterey	1,888	–	–	13	405	115	109	34	46	21	12	68	20	811	543	5	13	441	84
Monterey	223	–	–	2	60	15	14	5	6	4	2	14	1	105	70	–	–	54	16
Pacific Grove	196	–	–	1	40	14	9	3	7	2	1	4	2	102	59	1	2	51	5
Salinas	689	–	–	6	144	38	45	13	14	7	4	23	9	271	185	2	4	148	31
Seaside	121	–	–	1	20	7	3	3	1	2	–	4	5	53	42	–	1	36	5
Balance of county	659	–	–	3	141	41	38	10	18	6	5	23	3	280	187	2	6	152	27
Napa	935	3	–	5	232	66	49	14	28	14	11	50	10	436	320	4	14	239	63
Napa	603	3	–	3	145	39	31	10	17	7	6	35	6	283	208	2	7	170	29
Balance of county	332	–	–	2	87	27	18	4	11	7	5	15	4	153	112	2	7	69	34
Nevada	429	–	1	4	93	20	27	4	10	4	5	23	5	188	134	6	8	99	21
Orange	11,741	8	–	62	2,759	725	679	264	311	128	133	519	111	5,624	4,239	61	90	3,316	752
Anaheim	1,437	–	–	6	302	78	78	27	33	19	14	53	16	690	529	7	10	419	93
Brea	150	–	–	–	40	7	6	7	6	4	1	9	2	68	57	–	1	45	11
Buena Park	381	–	–	2	71	18	21	8	4	2	5	13	1	188	153	4	2	119	28
Costa Mesa	578	1	–	1	140	42	35	13	17	2	6	25	5	286	204	2	2	150	50
Cypress	163	–	–	3	45	12	11	2	3	2	2	13	2	74	66	1	3	51	11
Fountain Valley	220	–	–	2	61	11	18	4	9	2	2	15	3	95	73	2	–	58	13
Fullerton	627	1	–	5	138	37	38	7	10	9	6	31	2	301	218	5	3	186	24
Garden Grove	777	–	–	3	175	51	41	22	17	10	11	23	9	381	302	9	10	224	59
Huntington Beach	811	1	–	2	200	48	44	25	26	14	7	36	5	361	278	5	8	214	49
Laguna Beach	178	–	–	4	39	10	7	7	4	2	–	9	2	74	50	3	5	38	4
La Habra	331	1	–	2	79	28	21	6	6	2	3	13	3	162	119	–	3	98	18
Los Alamitos	137	–	–	2	36	13	9	2	3	1	1	7	1	64	50	–	–	40	10
Newport Beach	470	–	–	1	113	26	35	10	11	4	3	24	5	230	169	2	2	138	27
Orange	576	1	–	1	140	38	33	17	14	7	6	25	6	295	217	2	4	161	30
Placentia	143	1	–	–	38	9	9	4	4	–	4	8	3	58	38	–	–	30	8
San Clemente	232	–	–	1	49	14	13	5	7	2	3	5	3	108	84	2	1	66	15
Santa Ana	1,407	1	–	10	317	85	85	27	36	11	20	53	19	833	478	10	12	361	95
Seal Beach	507	–	–	2	109	34	26	8	17	4	4	16	8	288	215	5	8	161	43
Stanton	164	–	–	–	28	6	8	1	2	3	2	6	2	88	76	2	–	58	11
Tustin	243	–	–	–	61	15	15	8	11	1	2	9	1	117	88	–	1	71	16
Westminster	398	1	–	4	92	22	22	7	12	3	10	16	4	195	156	2	3	124	27
Yorba Linda	105	–	–	1	22	6	7	2	3	–	1	3	1	45	33	1	1	23	8
Balance of county	1,708	–	–	10	464	115	97	45	56	24	20	107	10	825	588	17	13	456	102
Placer	862	–	–	3	205	57	57	14	18	10	7	42	9	404	299	3	6	245	45
Roseville	250	–	–	2	65	11	20	7	7	4	1	15	4	114	83	–	1	71	11
Balance of county	612	–	–	1	140	46	37	7	11	6	6	27	5	290	216	3	5	174	34
Plumas	130	–	–	–	23	5	6	2	3	1	–	6	4	59	41	–	3	28	10
Riverside	6,167	11	–	32	1,279	278	364	113	166	55	51	252	69	2,964	2,156	46	46	1,792	272
Banning	205	–	–	1	41	8	8	7	6	2	3	7	2	104	73	2	3	58	10
Corona	286	2	–	1	49	10	13	3	7	3	3	10	7	124	101	2	3	81	15
Hemet	906	–	–	3	192	39	59	17	28	8	5	36	8	519	362	6	5	320	31
Indio	211	3	–	2	40	15	11	2	3	–	2	7	4	83	57	1	–	49	7
Norco	71	1	–	–	20	3	12	–	1	–	1	3	1	25	19	–	–	15	4
Palm Springs	518	1	–	6	133	32	32	14	17	4	5	29	1	246	174	6	14	134	18
Riverside	1,476	2	–	5	282	57	79	25	35	14	13	59	21	679	484	11	4	396	71
Balance of county	2,494	2	–	14	522	114	150	45	69	24	19	101	25	1,184	886	16	17	737	116
Sacramento	5,753	5	–	44	1,250	335	328	111	129	58	47	242	78	2,638	1,958	20	50	1,562	326
Sacramento	4,098	4	–	34	895	239	241	73	95	41	36	171	49	1,907	1,413	12	45	1,106	246
Balance of county	1,655	1	–	10	354	96	87	38	34	17	11	71	29	729	545	8	5	454	78
San Benito	192	–	–	2	43	13	8	5	6	2	5	4	4	68	51	–	–	43	8
San Bernardino	6,633	4	1	28	1,272	354	322	127	135	53	54	227	87	3,150	2,361	47	89	1,931	294
Barstow	147	–	–	–	31	12	3	6	4	–	1	5	4	55	47	2	3	39	3
Chino	208	–	–	4	55	17	13	5	7	3	1	9	7	82	60	1	–	50	9
Colton	198	–	–	–	42	11	14	5	1	2	1	6	3	90	70	2	2	55	11
Fontana	502	1	–	4	93	15	29	8	9	7	4	21	5	223	180	6	6	141	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
California—Con.																			
Santa Fe Springs	1	5	–	1	–	–	–	2	1	–	2	1	2	4	1	1	2	2	1
Santa Monica	5	118	26	8	19	36	5	13	8	–	4	14	5	62	13	23	18	13	2
Sierra Madre	2	14	–	4	1	2	1	1	–	–	–	–	–	10	2	2	–	1	–
South El Monte	–	3	–	–	–	3	–	3	1	–	–	1	1	6	8	3	1	1	–
South Gate	5	47	13	6	10	9	4	22	–	–	3	11	1	33	6	11	7	13	2
South Pasadena	1	28	3	–	9	5	2	5	–	–	2	–	2	11	5	1	3	2	–
Temple City	1	33	7	2	7	8	–	7	2	–	1	–	–	15	11	–	5	1	–
Torrance	5	126	23	13	27	38	2	22	6	–	11	9	7	60	45	30	19	7	1
West Covina	3	35	2	4	8	9	2	14	3	–	4	5	3	26	11	13	4	3	1
Whittier	3	82	13	10	19	25	3	23	3	–	8	9	5	58	28	30	19	20	–
Balance of county	17	253	39	30	54	88	9	83	25	1	23	47	28	185	176	122	78	54	7
Madera	–	39	10	10	9	12	2	11	3	–	6	3	4	40	31	15	1	12	–
Madera	–	24	6	5	6	7	2	7	–	–	4	3	4	30	20	11	1	10	–
Balance of county	–	15	4	5	3	5	–	4	3	–	2	–	–	10	11	4	–	2	–
Marin	3	141	30	21	30	43	7	45	11	–	7	11	8	122	39	31	37	12	7
Larkspur	–	1	–	–	–	1	–	–	–	–	–	–	–	1	1	3	2	–	–
Mill Valley	–	18	6	4	5	5	1	3	1	–	1	–	1	20	7	4	7	2	1
Novato	1	23	3	4	5	8	–	8	3	–	1	3	1	25	13	3	6	3	–
San Anselmo	–	12	2	4	5	1	–	3	1	–	1	1	–	8	–	–	4	1	–
San Rafael	1	49	12	5	12	11	3	19	2	–	3	5	4	32	11	10	15	2	2
Balance of county	1	38	7	4	3	17	3	12	4	–	1	2	2	36	7	11	3	4	4
Mariposa	–	6	–	–	1	5	–	2	–	–	–	2	1	8	4	3	–	–	–
Mendocino	2	48	8	6	16	28	3	19	1	–	5	6	2	40	32	18	11	6	–
Ukiah	1	17	3	3	10	13	2	8	1	–	4	4	–	22	16	4	2	–	–
Balance of county	1	31	5	3	6	15	1	11	–	–	1	2	2	18	16	14	9	6	–
Merced	3	70	8	9	13	38	4	24	9	–	3	13	–	78	65	24	21	5	–
Atwater	–	7	–	2	2	4	–	–	1	–	–	3	–	8	8	5	2	–	–
Merced	2	26	6	2	5	17	1	13	5	–	2	3	–	28	17	5	8	2	–
Balance of county	1	37	2	5	6	17	3	11	3	–	1	7	–	42	40	14	11	3	–
Modoc	–	5	1	–	4	1	–	–	2	–	–	2	4	4	5	6	2	1	–
Mono	–	1	–	1	1	1	–	2	–	–	–	3	–	5	4	3	3	–	–
Monterey	8	190	34	36	67	55	8	49	9	–	13	38	18	155	84	68	42	34	1
Monterey	1	25	3	8	7	8	2	5	1	–	–	–	–	15	4	5	7	3	–
Pacific Grove	2	27	6	8	6	5	–	2	1	–	2	–	–	25	2	3	3	2	–
Salinas	1	60	12	13	17	23	4	23	1	–	4	19	8	64	35	31	18	12	–
Seaside	1	9	1	–	4	7	2	6	1	–	1	–	4	6	4	3	1	3	–
Balance of county	3	69	12	9	33	14	–	13	5	–	6	17	6	45	39	26	13	14	1
Napa	4	62	11	19	22	38	8	13	6	–	6	5	4	65	33	23	15	4	6
Napa	3	49	9	14	12	28	5	7	5	–	4	4	3	41	24	16	8	1	5
Balance of county	1	33	2	5	10	11	3	6	1	–	2	1	1	24	9	7	7	3	1
Nevada	–	32	9	13	25	10	3	7	2	–	3	3	3	31	18	12	18	2	1
Orange	29	1,056	144	156	262	361	47	234	62	2	122	156	46	796	370	355	255	101	8
Anaheim	3	126	16	16	40	43	6	31	7	–	10	15	8	120	43	52	32	13	3
Brea	–	9	1	2	2	6	1	–	–	–	3	–	–	8	8	6	4	2	–
Buena Park	1	27	1	6	7	10	–	14	2	–	5	7	1	27	21	12	9	4	–
Costa Mesa	2	60	7	13	8	17	2	10	3	–	4	8	4	33	17	14	17	8	–
Cypress	–	6	1	1	3	4	1	4	–	–	2	3	2	6	9	3	1	1	–
Fountain Valley	–	18	–	4	2	5	2	3	1	1	6	5	1	14	8	3	6	2	–
Fullerton	1	71	5	6	18	18	1	15	2	–	4	10	–	46	23	19	20	2	–
Garden Grove	1	60	12	6	17	21	1	19	7	–	10	11	1	54	26	19	16	7	–
Huntington Beach	3	65	9	8	19	34	4	22	1	–	8	7	6	51	35	24	23	7	–
Laguna Beach	–	16	5	3	4	7	2	4	2	–	1	2	–	13	9	7	7	1	–
La Habra	–	34	5	4	3	10	1	4	–	–	3	2	1	29	14	11	3	3	–
Los Alamitos	–	11	3	–	4	2	1	3	1	–	1	3	–	7	2	7	2	–	1
Newport Beach	1	52	2	6	10	16	2	13	–	–	2	1	–	42	11	13	11	–	–
Orange	2	60	5	11	12	19	3	7	3	–	7	6	3	25	14	22	9	3	–
Placentia	–	15	3	–	3	3	–	2	1	–	3	4	–	15	6	7	1	–	–
San Clemente	–	21	2	1	5	11	–	4	–	–	2	5	1	26	7	5	5	–	–
Santa Ana	6	108	26	15	27	36	7	38	11	–	22	30	8	86	47	41	33	28	3
Seal Beach	2	59	5	7	15	21	2	5	3	–	1	2	–	31	4	10	8	–	–
Stanton	–	6	3	3	2	3	–	2	3	–	3	3	2	12	7	4	4	1	–
Tustin	–	17	2	10	3	10	1	5	4	–	2	3	1	10	6	11	4	4	–
Westminster	1	28	5	5	6	11	1	9	1	1	7	5	2	22	13	13	6	5	–
Yorba Linda	–	10	1	1	8	2	–	–	–	–	1	5	–	2	7	8	2	1	–
Balance of county	6	178	25	28	44	52	9	20	10	–	15	19	5	105	32	44	32	9	1
Placer	3	78	12	12	32	28	2	15	7	–	6	7	8	56	36	20	15	6	3
Roseville	1	26	3	1	12	9	1	5	2	–	2	3	2	17	5	1	3	2	1
Balance of county	2	52	9	11	20	19	1	10	5	–	4	4	6	39	31	19	12	4	2
Plumas	1	9	4	4	1	5	–	3	–	–	4	2	2	12	7	2	6	–	–
Riverside	22	572	109	105	212	240	29	128	37	–	41	60	36	422	240	184	99	82	2
Banning	1	20	4	6	14	5	–	6	1	–	1	2	1	13	4	5	4	–	1
Corona	–	18	3	2	11	15	2	6	–	–	5	6	5	16	14	10	6	7	–
Hemet	2	115	23	17	28	35	1	10	3	–	4	6	5	47	14	18	11	2	–
Indio	2	20	–	4	4	6	1	7	1	–	6	6	–	15	11	11	6	5	–
Norco	–	4	–	2	2	2	–	2	1	–	–	1	2	2	7	2	1	2	–
Palm Springs	2	52	5	13	13	23	2	8	5	–	3	1	2	31	22	10	7	4	–
Riverside	7	134	33	21	70	60	8	30	10	–	8	18	9	113	66	44	23	27	1
Balance of county	8	209	41	40	70	94	15	59	16	–	14	20	12	185	102	64	41	35	–
Sacramento	20	520	78	60	147	188	23	150	47	2	32	58	54	429	226	156	116	84	28
Sacramento	13	387	48	46	106	124	17	116	29	1	24	39	33	312	137	108	80	62	20
Balance of county	7	133	30	14	41	64	6	34	18	1	8	19	21	117	89	48	36	22	8
San Benito	1	13	3	–	7	10	–	5	–	–	2	2	2	13	12	11	5	6	–
San Bernardino	26	606	85	72	184	275	25	177	52	3	49	74	58	475	297	172	109	108	33
Barstow	1	7	–	–	4	5	–	8	4	–	2	2	–	11	11	8	1	1	–
Chino	2	15	3	2	4	3	–	3	2	–	3	3	2	9	20	3	2	4	–
Colton	–	16	2	2	9	11	2	7	2	–	1	2	1	13	5	2	4	3	1
Fontana	1	29	9	4	16	23	2	18	4	–	2	9	6	30	24	17	15	7	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Montclair	132	–	–	1	28	6	8	2	2	–	–	10	4	49	36	–	–	32	4
Ontario	572	1	–	3	91	22	24	12	11	3	3	16	7	285	218	2	2	186	28
Redlands	333	–	–	1	72	20	12	12	9	–	3	16	4	160	109	2	1	90	16
Rialto	282	–	–	–	57	14	20	6	4	1	1	11	3	147	114	1	4	86	13
San Bernardino	1,384	–	–	3	253	72	67	21	28	8	11	46	29	654	493	12	32	386	69
Upland	289	–	–	–	62	21	7	9	6	2	6	11	4	158	115	1	1	99	14
Victorville	148	–	–	1	29	4	4	5	6	–	5	5	1	77	59	1	5	46	7
Balance of county	2,430	2	1	11	459	140	121	36	48	27	18	69	16	1,170	880	17	33	711	99
San Diego	12,709	10	1	77	2,843	715	788	281	276	115	121	549	142	5,942	4,305	70	135	3,478	622
Carlsbad	224	–	–	2	45	7	19	4	1	1	4	9	2	105	84	1	4	70	9
Chula Vista	794	–	–	3	185	33	54	21	13	12	6	46	6	378	276	4	3	239	36
Coronado	133	–	–	1	32	7	8	5	5	–	3	4	3	65	47	1	–	41	5
El Cajon	849	–	–	7	207	47	57	21	16	12	8	46	13	415	288	5	7	223	58
Escondido	731	–	–	3	176	42	49	13	21	3	6	42	5	332	240	5	6	191	38
Imperial Beach	87	–	–	1	19	3	5	2	5	–	1	3	–	35	26	–	–	18	10
La Mesa	484	–	–	3	121	28	34	13	12	4	8	22	3	231	163	2	9	127	25
National City	282	–	–	2	55	14	18	1	6	1	1	14	4	127	93	1	2	79	11
Oceanside	571	–	–	7	125	29	38	10	9	3	7	29	2	252	198	1	11	157	29
San Diego	5,967	6	1	31	1,261	347	331	131	125	55	53	219	75	2,870	2,065	37	69	1,666	288
Vista	388	1	–	1	83	21	23	13	11	4	3	8	3	186	134	4	4	111	15
Balance of county	2,188	3	–	16	534	137	150	47	52	20	21	107	28	946	689	9	20	562	98
San Francisco coext. with San Francisco city	7,614	11	1	70	1,726	545	405	151	175	69	70	311	91	3,537	2,633	34	98	2,007	494
San Joaquin	3,050	6	–	21	624	161	175	48	65	22	22	131	46	1,404	1,041	9	30	842	160
Lodi	450	–	–	3	91	24	22	9	7	3	3	23	9	219	152	3	3	119	27
Manteca	215	–	–	2	41	6	14	3	5	–	–	13	3	97	81	–	5	61	15
Stockton	1,864	6	–	12	388	103	104	31	40	16	16	78	28	855	636	4	17	520	95
Tracy	189	–	–	1	42	12	14	2	2	2	3	7	3	79	62	1	2	53	8
Balance of county	332	–	–	3	62	16	21	3	11	1	–	10	3	154	110	1	3	89	17
San Luis Obispo	1,237	–	–	3	278	70	69	22	34	13	17	53	8	583	447	10	11	340	86
San Luis Obispo	219	–	–	1	51	7	9	5	10	3	4	13	–	106	70	–	3	48	19
Balance of county	1,018	–	–	2	227	63	60	17	24	10	13	40	8	487	377	10	8	292	67
San Mateo	4,184	1	–	23	1,055	292	266	97	107	38	41	214	41	1,953	1,387	30	40	1,157	180
Belmont	139	–	–	1	37	10	11	4	5	–	–	7	–	71	43	1	3	35	4
Burlingame	329	–	–	–	76	26	21	7	6	2	4	10	1	173	128	3	5	105	15
Daly City	462	–	–	2	119	35	31	8	6	2	6	31	7	201	147	3	3	126	15
Menlo Park	334	–	–	1	83	25	14	8	13	5	2	16	3	158	100	1	6	72	21
Millbrae	184	–	–	1	43	8	9	6	4	4	–	12	3	97	73	1	2	61	9
Pacifica	177	–	–	–	49	12	15	2	7	5	–	8	2	69	49	–	1	41	7
Redwood City	573	–	–	3	132	33	38	10	13	3	8	27	11	275	195	5	5	169	16
San Bruno	240	–	–	2	66	17	21	7	3	3	1	14	–	111	78	1	3	65	9
San Carlos	232	–	–	1	61	20	12	5	6	2	5	11	1	114	87	1	1	74	11
San Mateo	692	–	–	4	171	48	41	19	19	7	8	29	5	348	249	11	5	218	15
South San Francisco	287	–	–	2	83	20	21	8	8	3	2	21	4	127	89	2	1	70	16
Balance of county	535	1	–	6	135	38	32	13	17	2	5	28	4	209	149	1	5	121	22
Santa Barbara	2,225	1	–	11	484	125	114	42	55	27	31	90	35	1,085	784	14	19	565	186
Lompoc	210	–	–	–	38	8	15	1	2	2	1	6	5	103	83	1	1	73	8
Santa Barbara	1,204	–	–	8	274	70	66	27	33	14	20	44	17	582	390	8	11	266	105
Santa Maria	394	–	–	2	84	23	17	6	9	6	6	17	6	213	166	4	3	118	41
Balance of county	417	1	–	1	90	23	16	8	11	5	4	23	7	187	145	1	4	108	32
Santa Clara	7,226	9	2	40	1,698	442	443	156	187	60	73	357	107	3,273	2,399	29	94	1,592	684
Campbell	234	–	–	2	63	13	19	5	7	3	6	19	5	100	78	2	2	49	25
Cupertino	213	–	–	1	48	7	14	5	6	3	3	19	3	101	78	–	5	51	22
Gilroy	152	–	–	–	32	10	3	4	5	3	2	5	–	77	54	–	2	41	11
Los Altos	262	–	–	2	63	11	13	4	9	5	3	18	1	134	92	2	2	69	19
Los Gatos	302	–	–	1	82	14	18	11	7	2	5	25	3	148	96	1	2	65	28
Milpitas	131	–	–	2	33	8	8	3	6	–	1	7	2	42	33	–	3	23	7
Mountain View	409	–	–	1	105	41	23	5	10	–	3	23	12	180	128	3	9	76	40
Palo Alto	449	–	–	1	112	35	27	10	15	–	5	20	4	222	149	–	1	99	49
San Jose	3,468	5	2	23	812	207	215	80	70	33	33	174	52	1,505	1,139	10	47	770	312
Santa Clara	555	–	–	2	104	30	25	10	10	4	3	22	8	265	208	5	6	136	61
Saratoga	203	–	–	1	38	9	11	3	4	2	1	8	5	120	77	–	2	52	23
Sunnyvale	626	3	–	4	161	41	57	15	14	4	6	24	10	281	200	5	13	114	68
Balance of county	224	1	–	–	45	18	10	1	4	1	2	11	2	98	73	1	–	47	25
Santa Cruz	1,570	1	–	14	351	98	71	29	47	23	15	68	19	776	558	5	22	425	106
Santa Cruz	705	–	–	6	149	47	25	10	21	14	5	27	9	360	257	2	9	201	45
Watsonville	320	1	–	3	75	24	16	7	11	4	3	10	–	157	113	1	7	73	32
Balance of county	545	–	–	5	127	27	30	12	15	5	7	31	4	259	188	2	6	151	29
Shasta	926	–	–	3	195	42	53	15	28	15	6	36	11	409	290	5	6	217	62
Redding	509	–	–	2	108	23	26	11	19	7	4	18	10	233	165	3	2	120	40
Balance of county	417	–	–	1	87	19	27	4	9	8	2	18	1	176	125	2	4	97	22
Sierra	28	–	–	–	2	1	–	–	1	–	–	–	–	18	14	–	1	11	2
Siskiyou	379	–	–	2	83	17	19	5	10	5	3	24	4	183	126	1	3	97	27
Solano	1,472	2	–	8	314	71	94	31	33	17	9	59	22	645	479	5	13	376	85
Fairfield	219	–	–	1	47	6	19	3	5	2	2	10	1	90	67	–	2	55	10
Vacaville	272	–	–	3	61	14	14	8	6	4	1	14	6	122	81	1	–	62	18
Vallejo	695	1	–	3	145	36	41	14	15	9	3	27	10	318	248	2	11	192	41
Balance of county	286	1	–	1	61	15	20	6	7	2	3	8	5	115	85	2	–	67	16
Sonoma	2,647	1	–	9	621	168	158	50	66	18	23	138	34	1,221	888	12	23	689	164
Petaluma	329	–	–	1	72	24	11	7	8	3	3	16	6	170	126	3	4	94	25
Santa Rosa	1,141	–	–	5	285	73	78	27	32	8	11	56	11	538	392	3	14	300	75
Balance of county	1,177	1	–	3	264	71	69	16	26	7	9	66	17	513	370	6	5	295	64
Stanislaus	2,086	3	–	8	435	113	117	34	54	20	18	79	28	985	699	8	14	510	167
Modesto	1,184	2	–	6	251	62	67	19	33	11	12	47	11	560	387	5	6	272	104
Turlock	274	–	–	–	54	13	11	6	10	2	4	8	4	142	110	2	3	87	18
Balance of county	628	1	–	2	130	38	39	9	11	7	2	24	13	283	202	1	5	151	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
California—Con.																			
Montclair	–	10	3	–	2	2	–	4	3	–	2	1	–	18	6	9	–	2	1
Ontario	2	49	13	3	6	16	2	16	2	1	10	11	9	44	25	13	9	11	8
Redlands	1	37	9	4	17	15	4	7	2	–	1	1	1	25	8	6	4	5	–
Rialto	2	25	1	5	5	10	1	5	2	–	1	4	3	16	13	6	6	3	–
San Bernardino	5	121	15	20	44	43	6	40	14	–	9	11	12	125	42	27	25	39	8
Upland	2	36	4	1	5	12	–	5	1	–	2	4	1	21	11	8	2	2	1
Victorville	–	17	1	–	3	5	–	3	3	–	3	3	2	5	6	5	1	1	–
Balance of county	10	244	25	31	67	130	8	81	13	2	13	23	21	188	128	68	40	30	11
San Diego	45	1,184	233	175	296	425	39	309	47	3	116	131	104	941	452	373	270	153	35
Carlsbad	–	12	5	4	8	9	1	8	1	–	1	1	2	18	4	10	4	3	–
Chula Vista	2	75	15	10	23	25	4	18	3	1	9	3	7	54	18	24	20	12	1
Coronado	–	10	3	5	3	3	–	2	–	–	1	1	1	13	–	6	2	–	–
El Cajon	2	82	20	13	13	25	6	26	5	–	1	10	3	50	28	18	16	3	3
Escondido	5	66	15	6	18	18	2	13	2	–	5	13	7	66	31	22	14	3	1
Imperial Beach	–	4	2	1	–	2	1	2	–	–	2	1	2	7	6	6	1	2	–
La Mesa	2	52	12	2	17	19	2	8	2	–	3	1	2	40	7	9	9	6	1
National City	2	26	3	3	6	9	1	9	3	–	5	7	3	26	9	11	7	5	3
Oceanside	3	41	5	5	9	24	1	12	4	–	7	7	8	45	33	14	10	8	3
San Diego	21	591	113	80	143	199	15	156	19	2	53	63	50	428	178	169	146	86	16
Vista	2	35	8	7	8	15	2	11	1	–	4	5	4	39	15	7	1	3	–
Balance of county	6	180	32	39	48	77	4	44	7	–	25	19	15	155	123	77	40	22	7
San Francisco coext. with San Francisco city	21	660	106	115	268	185	33	248	52	–	34	35	67	565	104	236	206	112	33
San Joaquin	9	245	70	39	68	96	10	60	20	–	34	25	33	235	151	97	66	49	5
Lodi	3	45	15	4	15	14	2	7	2	–	5	3	4	28	28	12	6	2	–
Manteca	1	11	2	2	7	5	1	1	1	–	4	2	–	16	13	12	8	2	–
Stockton	5	147	45	22	32	66	5	43	12	–	19	13	22	153	72	58	39	38	5
Tracy	–	12	–	5	5	5	2	1	1	–	2	–	3	17	12	10	3	3	–
Balance of county	–	30	8	6	9	6	–	8	4	–	4	7	4	21	26	7	10	4	–
San Luis Obispo	3	94	22	27	32	62	5	21	6	–	10	8	2	101	41	33	21	13	–
San Luis Obispo	1	26	5	4	4	8	2	1	–	–	2	1	1	22	4	8	4	4	–
Balance of county	2	68	17	23	28	54	3	20	6	–	8	7	1	79	37	25	17	9	–
San Mateo	9	439	54	64	99	138	13	107	18	1	38	32	13	303	107	111	82	39	10
Belmont	–	21	2	5	3	4	–	2	–	–	–	–	–	11	1	6	2	1	–
Burlingame	1	37	5	2	10	9	1	8	1	–	2	1	–	28	5	7	4	1	2
Daly City	–	44	4	6	9	18	–	12	5	–	10	1	2	35	13	12	9	5	2
Menlo Park	1	42	8	7	11	13	1	6	1	–	2	1	1	31	5	7	5	4	1
Millbrae	1	21	–	2	6	5	1	3	–	–	1	–	1	11	3	5	3	1	–
Pacifica	–	16	3	1	3	4	–	5	–	–	3	3	2	12	8	8	7	2	–
Redwood City	3	66	5	6	14	20	2	19	–	–	7	7	1	36	10	15	14	7	–
San Bruno	–	22	3	8	8	6	–	6	2	–	1	3	1	14	5	6	5	3	1
San Carlos	–	21	2	4	3	9	–	5	3	–	2	2	–	16	6	3	5	–	1
San Mateo	3	74	8	14	14	28	4	17	4	–	4	2	1	46	16	12	11	4	1
South San Francisco	–	28	6	4	7	4	–	11	1	–	1	4	1	19	5	7	6	4	1
Balance of county	–	47	8	5	11	18	4	13	1	1	5	8	3	44	30	23	11	7	1
Santa Barbara	11	239	29	22	66	57	6	42	10	–	17	19	3	176	82	62	46	23	–
Lompoc	2	16	1	1	6	8	1	3	1	–	1	3	–	14	14	9	4	2	–
Santa Barbara	7	149	22	14	50	33	3	24	6	–	7	8	1	99	29	29	26	8	–
Santa Maria	1	37	5	4	5	7	–	6	2	–	5	2	–	20	19	11	6	6	–
Balance of county	1	37	1	3	5	9	2	9	1	–	4	6	2	43	20	13	10	7	–
Santa Clara	28	688	72	88	185	205	22	176	30	1	69	104	45	525	280	193	172	76	14
Campbell	–	16	2	4	7	6	–	5	–	–	2	2	–	16	13	7	4	1	1
Cupertino	–	20	2	1	7	5	–	10	3	–	–	3	–	10	8	2	7	4	1
Gilroy	–	19	3	1	3	1	2	1	–	–	3	5	–	9	10	6	–	3	–
Los Altos	2	29	4	7	7	5	1	–	–	–	1	–	1	30	10	2	3	1	1
Los Gatos	3	38	6	5	8	5	1	6	2	–	2	1	1	18	7	5	8	4	–
Milpitas	–	6	2	1	2	4	–	8	1	–	1	5	3	6	12	4	4	2	–
Mountain View	2	45	4	1	14	10	2	13	1	–	5	5	2	28	9	9	11	1	1
Palo Alto	1	59	7	12	15	9	2	8	1	–	1	1	1	38	12	13	7	1	1
San Jose	9	292	27	38	84	97	9	91	13	1	41	65	28	254	146	95	91	49	3
Santa Clara	1	45	4	7	13	27	2	14	7	–	6	6	1	48	8	20	16	5	3
Saratoga	6	32	1	4	2	2	–	1	–	–	–	1	–	18	5	5	3	1	1
Sunnyvale	4	65	6	6	16	26	1	15	1	–	5	9	7	28	28	15	13	2	1
Balance of county	–	20	4	1	7	8	2	4	1	–	2	1	1	22	12	10	5	2	1
Santa Cruz	8	164	24	22	43	38	9	29	6	–	10	9	10	129	48	42	29	10	3
Santa Cruz	4	73	14	12	26	19	5	11	3	–	3	2	2	63	15	16	13	3	–
Watsonville	3	33	5	3	5	5	1	5	–	–	3	4	5	24	14	9	6	3	–
Balance of county	1	58	5	7	12	14	3	13	3	–	4	3	3	42	19	17	10	4	3
Shasta	3	76	29	9	18	37	4	23	4	–	9	5	21	66	56	38	22	4	1
Redding	1	49	14	4	11	23	2	13	2	–	2	1	8	35	22	18	16	2	1
Balance of county	2	29	15	5	7	14	2	10	2	–	7	4	13	31	34	20	6	2	–
Sierra	1	2	–	1	1	–	–	1	1	–	–	1	–	3	–	1	–	–	–
Siskiyou	1	42	6	6	9	10	2	5	6	–	2	4	5	27	7	20	6	3	1
Solano	3	126	15	22	25	48	6	38	9	–	16	23	10	139	52	52	37	23	3
Fairfield	–	15	4	4	4	10	1	4	1	–	3	6	2	21	8	11	6	3	–
Vacaville	1	35	3	2	2	4	1	1	2	–	2	4	2	23	11	9	15	9	1
Vallejo	2	54	7	9	12	26	4	21	3	–	8	11	2	71	16	22	12	12	–
Balance of county	–	22	1	7	7	2	–	12	3	–	5	2	4	24	17	10	4	5	2
Sonoma	15	216	60	42	90	90	8	59	19	–	16	15	16	220	106	53	46	18	5
Petaluma	1	30	9	4	11	10	1	5	2	–	2	5	–	22	14	3	5	–	–
Santa Rosa	7	99	15	25	35	37	1	20	7	–	6	1	8	95	38	22	23	7	2
Balance of county	7	87	36	13	44	43	6	34	10	–	8	9	8	103	54	28	18	11	3
Stanislaus	11	215	35	25	55	63	12	43	11	1	18	21	3	160	84	79	34	30	3
Modesto	8	125	22	18	22	30	5	24	8	1	10	16	1	89	50	44	21	20	3
Turlock	–	26	5	1	11	9	4	2	–	–	2	1	–	19	9	10	5	2	–
Balance of county	3	64	8	6	22	24	3	17	3	–	6	4	2	42	35	25	8	8	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Sutter	391	–	–	6	80	23	23	4	7	4	5	14	8	186	122	3	–	96	23
Yuba City	297	–	–	5	68	18	21	3	6	4	4	12	6	139	94	1	–	74	19
Balance of county	94	–	–	1	12	5	2	1	1	–	1	2	2	47	28	2	–	22	4
Tehama	366	–	–	3	75	17	19	6	7	2	1	23	2	181	137	1	–	104	32
Trinity	89	–	–	–	18	4	7	1	2	1	–	3	–	45	35	–	1	28	6
Tulare	1,906	1	1	18	372	106	95	29	44	11	15	72	24	923	654	7	19	534	94
Porterville	346	–	–	6	78	22	18	7	11	1	1	18	5	158	103	1	3	86	13
Tulare	294	–	–	1	68	15	19	7	8	1	3	15	–	138	111	–	6	87	18
Visalia	488	–	1	2	88	26	21	8	11	3	1	16	7	241	150	2	2	125	21
Balance of county	788	1	–	9	140	43	37	7	14	6	10	23	12	388	290	4	8	236	42
Tuolumne	279	–	–	2	68	22	16	8	8	4	1	9	2	119	94	2	1	64	27
Ventura	3,061	–	1	17	698	197	188	74	81	25	32	121	46	1,383	1,071	16	28	618	409
Camarillo	266	–	–	1	71	19	21	8	5	1	4	13	3	113	83	1	4	49	29
Oxnard	710	–	1	2	161	46	45	17	13	8	7	25	13	290	229	3	7	139	80
Port Hueneme	111	–	–	1	29	5	7	4	–	1	1	11	2	50	36	1	2	20	13
Santa Paula	204	–	–	2	40	7	17	7	3	–	4	2	2	103	73	–	2	35	36
Simi Valley	293	–	–	1	78	20	21	7	5	5	3	17	3	119	94	2	3	59	30
Thousand Oaks	241	–	–	–	59	15	18	10	5	1	4	6	5	112	92	2	1	64	25
Ventura	664	–	–	5	133	50	27	19	13	7	2	21	14	346	264	–	5	145	114
Balance of county	572	–	–	5	127	35	32	8	17	2	7	26	4	250	200	7	4	107	82
Yolo	769	1	–	8	146	34	53	10	13	3	6	27	12	347	261	4	4	211	42
Davis	140	–	–	2	24	9	3	3	1	1	1	6	4	53	42	–	–	31	11
Woodland	264	–	–	2	49	14	20	1	6	–	1	7	2	133	101	2	2	85	12
Balance of county	359	1	–	4	73	11	30	6	6	2	4	14	6	161	118	2	2	95	19
Yuba	416	–	–	5	69	12	16	6	12	5	2	16	16	198	145	–	2	113	30
Colorado	18,450	14	–	148	3,582	952	752	347	426	149	176	760	273	8,404	6,366	115	168	4,822	1,469
Urban places	12,109	11	–	104	2,331	618	488	242	284	101	122	476	173	5,612	4,221	86	128	3,057	950
Balance of area	6,341	3	–	44	1,231	334	264	105	142	48	54	284	100	2,792	2,145	29	38	1,585	518
Metropolitan counties	12,500	12	–	117	2,479	667	518	247	298	113	122	514	183	5,587	4,229	87	131	3,013	996
Urban places	10,682	11	–	99	2,084	557	436	212	255	93	109	422	155	4,861	3,672	76	119	2,630	847
Balance of area	1,818	1	–	18	395	110	82	35	43	20	13	92	28	726	557	11	12	383	151
Nonmetropolitan counties	5,950	2	–	31	1,083	285	234	100	128	36	54	246	90	2,817	2,137	28	35	1,809	465
Urban places	1,427	–	–	5	247	61	52	30	29	8	13	54	18	751	549	10	9	427	108
Balance of area	4,523	2	–	26	836	224	182	70	99	28	41	192	72	2,066	1,588	18	26	1,182	362
Adams	1,227	–	–	19	227	50	59	24	21	12	13	48	17	492	379	5	4	271	99
Arvada, part	3	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	1
Aurora, part	169	–	–	3	29	2	7	4	2	2	4	8	2	59	47	1	–	34	12
Commerce City	142	–	–	1	14	3	5	3	–	–	1	2	3	67	48	–	–	35	13
North Glenn	112	–	–	2	23	5	7	3	2	1	2	3	2	37	32	–	1	23	8
Thornton	144	–	–	3	24	5	6	4	1	1	–	7	1	66	52	3	–	37	12
Westminster	152	–	–	3	24	9	4	4	1	2	1	3	4	70	58	–	3	38	17
Balance of county	505	–	–	7	113	26	30	6	15	6	5	25	5	190	140	1	–	109	36
Alamosa	66	–	–	1	9	4	1	–	–	–	1	3	1	31	28	1	1	22	2
Arapahoe	1,228	1	–	9	254	55	58	32	29	7	9	64	13	529	404	9	7	315	73
Aurora, part	414	1	–	4	66	14	18	5	10	3	1	15	8	164	132	5	2	96	29
Aurora, total	583	1	–	7	95	16	25	9	12	5	5	23	10	223	179	6	2	130	41
Englewood	345	–	–	2	76	17	18	10	5	2	4	20	3	157	113	1	–	94	18
Littleton	278	–	–	3	67	10	16	10	11	–	3	17	–	126	91	3	3	70	15
Balance of county	193	–	–	–	45	14	6	7	3	2	1	12	2	82	68	–	2	55	11
Archuleta	30	–	–	–	7	1	1	2	1	–	1	1	–	11	9	–	–	8	1
Baca	58	–	–	1	10	3	3	2	–	–	–	2	5	29	26	–	1	19	6
Bent	44	–	–	–	10	1	1	1	–	–	3	4	1	20	11	–	–	8	3
Boulder	887	3	–	5	175	45	35	25	15	7	7	41	12	389	289	6	3	193	97
Boulder	361	3	–	4	66	20	9	11	5	–	4	17	5	167	118	2	–	82	34
Longmont	292	–	–	1	56	9	18	9	6	3	3	8	2	131	99	2	2	68	37
Balance of county	234	–	–	–	53	16	8	5	4	4	–	16	5	91	72	2	1	43	25
Chaffee	123	–	–	2	21	7	5	–	1	3	–	5	1	63	54	1	2	49	8
Cheyenne	30	–	–	–	3	1	–	–	–	–	–	2	3	13	10	–	–	7	3
Clear Creek	36	–	–	–	7	2	1	–	–	1	–	3	–	12	6	–	–	6	2
Conejos	57	–	–	–	13	1	2	1	3	–	–	6	–	26	15	–	–	10	5
Costilla	25	–	–	–	7	1	2	1	1	1	1	–	1	13	9	1	–	5	3
Crowley	27	–	–	–	7	1	2	–	2	–	–	2	–	15	14	–	–	12	2
Custer	7	–	–	–	2	1	–	–	1	–	–	–	–	2	2	–	–	2	–
Delta	224	–	–	–	27	9	5	5	5	–	–	3	1	127	93	–	–	73	20
Denver, coext. with Denver city	4,543	5	–	40	902	281	167	78	128	40	59	175	65	2,122	1,634	38	64	1,115	417
Dolores	11	–	–	–	4	–	2	1	–	–	–	1	–	5	4	–	–	4	–
Douglas	95	–	–	–	18	6	1	2	1	3	1	4	1	36	29	–	–	24	5
Eagle	53	–	–	–	7	2	2	–	1	–	–	2	–	21	15	–	–	11	4
Elbert	36	–	–	–	7	3	–	–	1	–	1	2	–	15	11	–	–	10	1
El Paso	1,704	1	–	15	334	83	70	38	38	20	12	83	21	738	541	6	17	439	79
Colorado Springs	1,419	–	–	11	279	72	62	32	33	18	12	50	18	635	463	4	16	383	60
Balance of county	285	1	–	4	55	21	8	6	5	2	–	13	5	103	78	2	1	56	19
Fremont	341	2	–	2	63	17	17	6	5	2	2	14	9	174	119	–	–	89	30
Garfield	140	–	–	1	28	8	7	1	5	2	1	4	1	54	43	–	1	29	13
Gilpin	15	–	–	1	2	1	1	–	–	–	–	–	–	7	6	–	–	6	–
Grand	32	–	–	–	11	2	1	–	1	2	–	5	–	9	8	–	–	7	1
Gunnison	22	–	–	–	5	2	–	–	1	–	–	2	1	8	8	1	–	2	5
Hinsdale	4	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Huerfano	81	–	–	–	9	2	2	–	2	–	–	3	1	45	40	–	3	34	3
Jackson	14	–	–	–	2	1	–	–	–	–	1	–	–	7	5	–	–	5	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
California—Con.																			
Sutter	–	45	13	6	12	11	3	6	1	–	3	–	5	25	24	11	4	6	–
Yuba City	–	36	8	1	7	8	2	6	–	–	3	–	3	19	15	8	4	4	–
Balance of county	–	9	5	5	5	3	1	–	1	–	–	–	2	6	9	3	–	2	–
Tehama	1	25	11	7	10	13	4	7	4	–	2	1	2	25	15	14	8	–	–
Trinity	–	8	1	1	3	3	–	1	–	–	–	–	1	7	3	2	4	2	–
Tulare	12	194	40	23	67	62	3	34	10	1	13	25	10	127	113	57	19	26	–
Porterville	3	38	7	7	21	12	1	11	2	–	3	3	1	16	7	10	10	2	–
Tulare	2	20	3	2	9	7	–	7	–	1	3	1	1	25	19	9	2	3	–
Visalia	4	68	11	7	11	18	1	7	3	–	2	13	3	30	22	11	2	8	–
Balance of county	3	67	19	7	26	25	1	9	5	–	5	8	5	56	65	27	5	13	–
Tuolumne	1	20	1	3	6	10	4	3	2	–	2	4	2	20	19	8	7	1	–
Ventura	12	230	41	29	77	98	12	75	22	1	38	28	13	244	122	57	72	53	6
Camarillo	1	24	4	1	6	4	1	6	3	–	5	4	–	21	16	5	6	1	–
Oxnard	2	43	9	7	18	19	3	16	8	–	10	14	7	58	22	15	22	31	2
Port Hueneme	1	12	1	–	2	2	–	6	1	–	2	1	–	5	4	1	2	2	1
Santa Paula	1	22	6	1	5	4	2	4	–	–	1	–	1	27	4	3	2	4	–
Simi Valley	1	14	7	3	8	14	–	7	–	1	4	4	–	19	14	8	10	3	–
Thousand Oaks	–	15	3	2	7	6	1	9	4	–	2	2	1	12	12	3	4	1	1
Ventura	4	62	6	10	13	31	1	12	1	–	8	1	–	50	19	11	13	5	1
Balance of county	2	38	5	5	18	18	4	15	7	–	4	2	4	52	31	11	13	6	1
Yolo	2	62	9	13	31	26	4	20	5	–	2	8	2	60	30	29	23	7	2
Davis	–	9	2	–	6	4	4	4	–	–	–	–	1	18	7	8	5	–	–
Woodland	2	23	3	4	14	9	–	7	2	–	1	4	–	15	11	8	6	1	–
Balance of county	–	30	4	9	11	13	–	9	3	–	1	4	1	27	12	13	12	6	2
Yuba	–	45	5	3	9	17	–	11	3	–	2	4	3	30	20	14	10	5	–
Colorado	63	1,420	372	183	611	715	58	284	143	3	169	225	248	1,498	702	689	500	154	56
Urban places	47	961	262	121	430	487	41	196	83	2	99	143	163	1,013	375	384	335	109	38
Balance of area	16	459	110	62	181	248	17	88	60	1	64	82	85	485	327	305	165	45	18
Metropolitan counties	46	936	252	122	427	487	37	214	86	3	118	161	176	1,021	423	421	381	122	45
Urban places	43	816	225	105	381	412	32	178	68	2	93	130	150	909	321	342	313	105	36
Balance of area	3	122	27	17	46	75	5	36	18	1	25	31	26	112	102	79	68	17	9
Nonmetropolitan counties	17	482	120	61	184	228	21	70	57	–	45	64	72	477	279	268	119	32	11
Urban places	4	145	37	18	49	55	9	18	15	–	6	13	13	104	54	42	22	4	2
Balance of area	13	337	83	45	135	173	12	52	42	–	39	51	59	373	225	226	97	28	9
Adams	3	76	17	17	37	55	3	25	15	–	22	27	25	96	68	43	37	15	4
Arvada, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aurora, part	–	9	3	–	1	11	2	2	2	–	3	8	5	18	7	3	7	6	1
Commerce City	–	13	3	3	5	6	–	8	1	–	5	3	4	8	9	4	4	–	–
North Glenn	–	2	3	–	3	4	–	1	3	–	1	5	1	11	8	5	4	2	–
Thornton	–	9	3	2	4	7	–	1	1	–	2	3	2	6	11	6	6	1	–
Westminster	1	7	2	2	4	5	1	2	1	–	3	–	4	14	6	5	4	1	1
Balance of county	2	35	3	10	20	22	–	11	7	–	8	8	9	39	27	20	12	5	2
Alamosa	–	4	1	–	5	3	–	–	–	–	2	1	–	9	1	2	1	–	–
Arapahoe	6	80	26	13	41	48	6	19	9	–	16	22	11	83	53	47	47	15	7
Aurora, part	3	18	9	2	14	13	2	10	4	–	8	10	7	33	20	21	16	7	6
Aurora, total	3	27	12	2	15	24	4	12	6	–	11	18	12	51	27	24	23	13	7
Englewood	2	28	7	7	12	17	2	9	2	–	4	8	2	24	9	8	12	4	–
Littleton	1	23	9	2	12	9	1	1	3	–	2	1	1	16	11	10	10	3	–
Balance of county	–	11	1	2	3	7	1	5	–	–	2	3	1	10	13	8	9	1	1
Archuleta	–	2	–	–	1	1	–	–	–	–	–	1	–	3	3	1	1	1	–
Baca	–	2	1	–	–	1	–	–	1	–	–	1	–	1	5	2	1	1	–
Bent	–	8	–	1	–	–	–	1	–	–	–	–	–	4	3	1	4	–	–
Boulder	2	68	22	6	27	27	6	9	9	–	11	7	12	74	43	49	28	1	–
Boulder	1	35	10	3	11	11	2	4	1	–	1	2	3	35	15	19	11	1	–
Longmont	–	22	7	3	11	6	1	1	5	–	5	3	6	26	16	10	10	–	–
Balance of county	1	11	5	2	5	10	3	4	3	–	5	2	1	13	12	20	7	–	–
Chaffee	–	6	2	1	1	2	–	1	–	–	3	4	1	12	6	5	1	–	–
Cheyenne	–	3	–	–	–	1	–	1	1	–	–	–	2	1	1	4	–	–	–
Clear Creek	–	2	1	1	2	–	–	1	–	–	1	–	–	6	3	3	1	–	–
Conejos	–	6	3	2	2	1	–	1	2	–	–	–	2	7	2	–	1	–	–
Costilla	–	4	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Crowley	–	–	–	1	–	1	–	1	–	–	–	–	–	1	1	1	–	–	–
Custer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Delta	2	25	6	1	7	15	1	5	2	–	3	–	4	13	7	9	3	–	–
Denver, coext. with Denver city	16	342	91	38	173	169	14	75	28	1	24	41	81	382	86	145	117	59	14
Dolores	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Douglas	–	6	–	1	2	4	–	1	1	–	1	2	3	4	8	7	5	2	–
Eagle	–	3	–	3	–	–	–	–	–	–	1	1	2	2	11	6	1	1	–
Elbert	–	3	1	–	3	3	1	1	–	–	–	1	1	4	–	–	–	–	–
El Paso	7	133	36	21	66	84	4	31	6	–	23	33	13	147	68	51	48	10	11
Colorado Springs	7	118	27	20	59	74	3	25	4	–	17	24	9	133	44	37	31	9	9
Balance of county	–	15	9	1	7	10	1	6	2	–	6	9	4	14	24	14	17	1	2
Fremont	1	32	17	5	12	19	–	1	4	–	–	–	2	32	6	9	5	1	–
Garfield	–	9	1	1	2	4	2	3	–	–	–	2	5	13	11	11	3	–	–
Gilpin	–	1	–	–	–	1	–	1	–	–	–	–	–	–	1	2	–	–	–
Grand	–	–	1	–	2	–	–	–	–	–	–	–	1	4	2	2	1	–	–
Gunnison	–	–	–	–	–	1	–	–	–	–	–	–	1	2	3	1	–	–	–
Hinsdale	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
Huerfano	–	4	1	–	1	–	–	1	1	–	–	–	–	13	3	3	3	–	1
Jackson	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Jefferson	1,830	1	–	23	401	106	80	37	46	18	21	93	25	791	585	17	19	397	152
Arvada, part	379	–	–	4	85	24	17	8	6	4	6	20	4	150	104	4	2	84	14
Arvada, total	382	–	–	4	85	24	17	8	6	4	6	20	4	153	106	4	2	85	15
Lakewood	702	1	–	8	149	41	31	15	15	6	6	35	7	305	227	8	7	144	66
Wheat Ridge	267	–	–	4	62	14	12	4	10	3	4	15	6	137	100	–	4	74	22
Balance of county	482	–	–	7	105	27	20	10	15	5	5	23	8	199	154	5	6	95	48
Kiowa	25	–	–	–	5	2	1	–	–	–	1	1	–	11	8	1	1	4	2
Kit Carson	57	–	–	–	9	3	2	–	1	–	1	2	1	23	19	–	–	15	4
Lake	37	–	–	1	5	3	–	–	1	–	1	–	–	9	7	1	–	5	1
La Plata	180	–	–	1	38	10	6	5	8	1	1	7	2	88	64	1	–	50	13
Durango	96	–	–	1	19	7	4	3	4	–	–	1	1	56	40	1	–	32	7
Balance of county	84	–	–	–	19	3	2	2	4	1	1	6	1	32	24	–	–	18	6
Larimer	793	–	–	4	158	41	37	18	13	3	5	41	4	397	300	3	7	236	54
Fort Collins	330	–	–	1	66	16	20	6	7	1	1	15	3	179	127	2	4	95	28
Loveland	228	–	–	1	40	9	8	5	4	2	2	10	1	117	96	–	2	84	10
Balance of county	235	–	–	2	52	16	9	7	2	–	2	16	–	101	77	1	1	57	18
Las Animas	171	–	–	–	27	13	4	4	2	–	–	4	1	103	88	1	3	67	17
Lincoln	66	–	–	–	12	2	–	1	1	3	2	3	1	41	29	–	–	16	13
Logan	142	–	–	–	26	3	4	3	4	–	4	8	3	77	63	2	–	56	5
Sterling	109	–	–	–	19	2	2	3	2	–	4	6	3	60	48	2	–	42	4
Balance of county	33	–	–	–	7	1	2	–	2	–	–	2	–	17	15	–	–	14	1
Mesa	541	–	–	2	87	22	23	14	8	4	1	25	6	276	208	6	2	131	69
Grand Junction	275	–	–	–	48	14	7	8	4	3	–	12	2	148	109	3	–	64	42
Balance of county	266	–	–	2	49	8	16	6	4	1	1	13	4	128	99	3	2	67	27
Mineral	5	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Moffat	65	–	–	–	7	–	5	2	–	–	–	–	1	24	18	–	–	13	5
Montezuma	137	–	–	–	27	9	3	3	6	–	2	4	5	58	41	1	–	36	4
Montrose	179	–	–	1	34	11	8	4	6	–	–	5	3	75	56	1	1	44	20
Morgan	213	–	–	–	46	12	10	4	7	2	1	10	5	90	66	2	–	50	14
Otero	265	–	–	1	61	11	14	3	10	2	4	17	3	129	96	–	1	61	34
Ouray	16	–	–	–	2	1	1	–	–	–	–	–	–	10	7	–	–	6	1
Park	20	–	–	–	5	2	2	1	–	–	–	–	–	6	5	–	–	1	4
Phillips	44	–	–	–	10	2	2	1	1	1	1	2	1	21	17	1	–	11	5
Pitkin	32	–	–	–	6	1	2	–	1	–	–	2	–	11	7	–	–	6	1
Prowers	120	–	–	4	19	1	9	2	1	1	1	4	2	63	48	–	–	37	9
Pueblo	1,081	1	–	6	186	57	49	13	21	9	7	30	30	526	397	6	17	293	81
Pueblo	962	1	–	6	162	51	39	12	20	8	5	27	27	465	352	5	15	252	70
Balance of county	119	–	–	–	24	6	10	1	1	1	2	3	3	61	45	1	2	31	11
Rio Blanco	36	–	–	–	4	1	1	–	1	–	–	1	1	23	19	–	–	18	1
Rio Grande	124	–	–	1	20	8	1	1	3	1	2	4	1	42	34	1	–	28	5
Routt	54	–	–	–	6	1	1	2	1	–	–	1	1	23	18	–	–	12	6
Saguache	37	–	–	–	6	3	–	–	–	–	–	3	–	18	12	–	1	9	2
San Juan	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–
San Miguel	16	–	–	–	2	–	1	–	1	–	–	–	–	7	3	–	–	2	1
Sedgwick	40	–	–	–	10	3	3	1	1	–	–	2	–	18	15	–	2	11	2
Summit	9	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	1
Teller	43	–	–	1	4	1	1	–	1	–	–	1	2	17	12	–	–	9	3
Washington	69	–	–	1	17	5	3	1	4	–	2	2	2	32	23	–	–	19	4
Weld	737	–	–	5	124	33	30	6	14	3	12	26	16	325	245	3	7	200	35
Greeley	389	–	–	2	55	13	11	5	8	2	6	10	8	191	129	2	3	110	14
Balance of county	348	–	–	3	69	20	19	1	6	1	6	16	8	134	116	1	4	90	21
Yuma	102	–	–	1	15	5	4	2	1	–	1	2	3	54	32	–	2	17	13
Connecticut	26,053	12	2	195	6,193	1,822	1,426	539	690	282	229	1,205	429	13,189	10,106	137	311	7,894	1,764
Urban places	18,286	8	1	147	4,271	1,242	999	357	470	200	159	844	327	9,284	7,069	96	226	5,503	1,244
Balance of area	7,767	4	1	48	1,922	580	427	182	220	82	70	361	102	3,925	3,037	41	85	2,391	520
Metropolitan counties	20,347	10	2	189	4,905	1,466	1,109	431	531	225	177	966	345	10,220	7,840	117	251	5,994	1,478
Urban places	16,588	8	1	139	3,913	1,150	910	327	424	185	146	771	295	8,373	6,399	89	213	4,928	1,169
Balance of area	3,759	2	1	30	992	316	199	104	107	40	31	195	50	1,847	1,441	28	38	1,066	309
Nonmetropolitan counties	5,706	2	–	26	1,288	356	317	108	159	57	52	239	84	2,969	2,266	20	60	1,900	286
Urban places	1,698	–	–	8	358	92	89	30	46	15	13	73	32	891	670	7	13	575	75
Balance of area	4,008	2	–	18	930	264	228	78	113	42	39	166	52	2,078	1,596	13	47	1,325	211
Fairfield	6,722	3	–	44	1,630	465	373	146	171	79	67	329	130	3,355	2,553	40	95	2,064	334
Bridgeport	1,559	3	–	12	337	99	86	28	36	15	14	59	23	781	582	7	21	487	67
Danbury	464	–	–	2	102	37	21	9	14	2	3	16	16	246	178	3	–	144	31
Darien town #	141	–	–	2	39	12	9	2	5	–	2	9	1	67	52	1	2	40	9
Fairfield town #	470	–	–	4	119	45	20	8	10	5	3	28	11	236	181	4	10	143	24
Greenwich town #	500	–	–	1	119	28	32	12	9	9	4	25	5	257	197	2	3	158	34
Norwalk	662	–	–	7	167	41	39	16	21	8	9	33	7	331	251	2	14	210	25
Shelton	191	–	–	3	46	3	13	6	2	5	3	14	4	97	72	1	3	64	4
Stamford	903	–	–	9	228	59	60	18	18	11	13	49	24	436	348	6	8	291	43
Stratford town #	521	–	–	6	123	44	28	8	12	6	3	22	20	259	188	5	15	149	29
Trumbull town #	243	–	–	–	69	12	12	8	12	6	1	18	4	117	86	2	2	70	12
Westport town #	162	–	–	–	29	10	9	2	5	–	–	3	4	90	66	–	3	57	6
Balance of county	906	–	–	4	252	75	44	29	27	12	12	53	11	436	342	7	14	271	50
Hartford	6,661	6	1	55	1,582	479	344	138	176	68	62	315	109	3,287	2,499	35	95	2,011	358
Bristol	409	1	–	4	85	35	24	10	9	–	1	16	9	202	152	1	2	133	18
East Hartford town #	454	1	–	5	88	26	24	6	20	6	1	15	7	234	186	5	7	156	18
Enfield town #	252	–	–	4	58	18	9	7	6	3	4	11	12	112	89	–	2	72	15
Hartford	1,310	1	–	18	273	89	68	21	32	11	10	42	17	597	452	4	22	357	69
Manchester town #	442	1	–	–	105	39	25	6	7	5	6	17	15	210	144	4	11	120	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Jefferson	8	140	38	20	50	70	2	33	10	2	15	21	21	141	66	62	73	16	7
Arvada, part	2	32	7	5	11	7	–	10	2	1	3	8	5	24	26	14	21	4	–
Arvada, total	2	33	7	5	11	7	–	10	2	1	3	8	5	24	26	14	21	4	–
Lakewood	4	49	17	8	24	30	1	13	2	–	7	7	7	69	16	23	27	3	3
Wheat Ridge	2	22	8	5	8	10	1	1	1	–	1	1	1	17	4	10	3	–	–
Balance of county	–	37	6	2	7	23	–	9	5	1	4	5	8	31	20	15	22	9	4
Kiowa	–	3	–	–	1	3	–	–	1	–	–	–	–	1	1	2	–	–	–
Kit Carson	–	4	–	–	2	2	–	–	1	–	–	2	1	7	4	4	1	–	–
Lake	–	2	–	–	–	2	–	–	–	–	–	–	–	2	10	4	2	2	–
La Plata	2	19	–	3	8	5	–	3	1	–	–	3	2	10	8	8	3	–	–
Durango	2	11	–	3	5	1	–	1	1	–	–	1	–	5	4	–	1	–	–
Balance of county	–	8	–	–	3	4	–	2	–	–	–	2	2	5	4	8	2	–	–
Larimer	5	63	23	6	22	31	3	8	6	–	9	8	13	50	34	25	16	4	1
Fort Collins	1	39	10	2	9	9	1	5	3	–	2	3	3	23	7	9	6	1	–
Loveland	–	10	10	1	6	13	2	1	3	–	1	2	2	18	15	3	3	–	–
Balance of county	4	14	3	3	7	9	–	2	–	–	6	3	8	9	12	13	7	3	1
Las Animas	1	8	4	2	3	4	–	3	–	–	–	1	–	12	7	4	3	2	1
Lincoln	–	9	–	3	–	1	1	–	1	–	–	–	–	7	–	2	–	–	–
Logan	–	10	2	2	4	6	–	2	–	–	–	–	1	9	1	4	6	–	1
Sterling	–	8	2	2	2	6	–	1	–	–	–	–	1	8	1	3	4	–	1
Balance of county	–	2	–	–	2	2	–	1	–	–	–	–	–	1	–	1	2	–	–
Mesa	1	54	8	5	13	20	6	6	6	–	3	5	7	35	24	27	5	2	1
Grand Junction	–	31	6	2	7	5	4	3	4	–	1	2	4	20	12	10	4	–	1
Balance of county	1	23	2	3	6	15	2	3	2	–	2	3	3	15	12	17	1	2	–
Mineral	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
Moffat	–	5	1	–	4	5	–	2	–	–	–	1	–	9	7	–	4	–	1
Montezuma	–	14	1	–	2	4	–	1	3	–	–	1	1	16	7	10	3	–	1
Montrose	–	8	–	1	7	9	1	4	5	–	3	3	7	14	4	7	2	–	–
Morgan	–	18	5	1	17	6	–	2	5	–	2	1	1	18	8	7	2	3	–
Otero	1	22	6	4	8	4	1	3	2	–	4	2	–	24	8	10	4	1	–
Ouray	–	3	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Park	–	1	–	–	–	1	–	–	–	–	–	–	–	1	5	2	–	–	–
Phillips	–	2	1	1	–	3	–	1	2	–	–	–	–	2	1	2	1	–	–
Pitkin	–	4	–	–	–	–	–	–	–	–	–	–	1	3	4	5	1	1	–
Prowers	1	7	7	2	8	5	–	–	–	–	2	2	2	10	2	–	1	–	–
Pueblo	4	99	22	4	33	38	2	22	9	–	7	10	13	98	39	24	31	6	2
Pueblo	4	86	19	4	29	33	2	21	8	–	7	6	10	93	33	22	30	5	2
Balance of county	–	13	3	–	4	3	–	1	1	–	–	4	3	5	6	2	1	1	–
Rio Blanco	–	3	–	1	2	–	–	–	–	–	–	–	1	1	1	2	1	–	–
Rio Grande	–	7	1	–	5	11	1	1	3	–	1	2	2	12	6	9	5	2	–
Routt	1	1	2	1	2	1	–	1	–	–	1	1	–	7	5	5	1	–	–
Saguache	1	4	–	1	–	1	1	1	–	–	1	–	–	4	3	–	–	2	–
San Juan	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
San Miguel	–	2	1	1	–	–	–	–	–	–	–	–	–	2	–	4	1	–	–
Sedgwick	–	1	2	–	1	4	–	–	–	–	–	–	–	5	–	2	–	–	–
Summit	–	1	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–	–
Teller	–	4	1	–	–	1	–	1	–	–	–	3	1	3	2	4	3	–	1
Washington	–	5	4	–	–	2	–	1	1	–	–	1	–	7	1	1	3	–	–
Weld	1	62	9	8	30	35	2	10	7	–	7	13	6	59	36	35	19	6	2
Greeley	1	46	9	6	20	21	2	7	4	–	2	5	3	30	15	17	4	3	–
Balance of county	–	16	–	2	10	14	–	3	3	–	5	8	3	29	21	18	15	3	2
Yuma	–	14	6	2	3	3	1	–	1	–	1	1	1	12	4	2	–	–	–
Connecticut	114	2,179	463	325	632	665	51	442	197	4	161	274	247	1,811	587	518	268	138	38
Urban places	88	1,551	329	227	460	466	34	324	161	1	109	217	171	1,286	342	369	177	115	36
Balance of area	26	628	136	98	172	199	17	118	36	3	52	57	76	525	245	149	91	23	2
Metropolitan counties	89	1,655	374	262	482	496	37	350	167	2	129	224	211	1,423	396	410	208	125	36
Urban places	78	1,384	305	207	407	413	31	292	145	1	98	197	162	1,169	295	339	164	110	36
Balance of area	11	271	69	55	75	83	6	58	22	1	31	27	49	254	101	71	44	15	–
Nonmetropolitan counties	25	524	91	63	150	169	14	92	30	2	32	50	36	388	181	108	60	13	2
Urban places	10	167	24	20	53	53	3	32	16	–	11	20	9	117	47	30	13	5	–
Balance of area	15	357	67	43	97	116	11	60	14	2	21	30	27	271	144	78	47	8	2
Fairfield	37	575	97	93	158	170	9	123	47	–	35	74	42	485	135	128	98	41	15
Bridgeport	13	131	35	20	39	45	3	34	12	–	8	28	11	113	23	34	20	25	8
Danbury	5	47	7	9	8	15	–	4	5	–	1	3	3	31	8	10	8	1	1
Darien town #	–	11	4	–	6	3	1	2	1	–	1	1	–	10	2	3	2	–	–
Fairfield town #	4	35	7	9	8	12	–	8	2	–	5	4	1	32	8	11	9	–	–
Greenwich town #	–	45	8	7	19	7	1	5	5	–	2	4	1	37	12	12	11	2	–
Norwalk	4	57	8	11	8	18	–	15	5	–	2	9	4	48	17	9	11	3	1
Shelton	–	20	4	1	11	3	1	2	–	–	–	1	1	14	3	5	–	–	–
Stamford	5	74	4	7	21	23	2	18	6	–	6	13	7	61	15	16	14	5	3
Stratford town #	1	45	4	11	10	9	1	14	3	–	3	5	3	43	10	7	4	1	–
Trumbull town #	2	20	5	4	5	6	–	5	3	–	–	1	3	17	4	6	2	1	–
Westport town #	–	20	2	2	5	3	–	2	–	–	1	–	1	16	6	2	1	–	2
Balance of county	3	70	9	12	18	26	–	14	5	–	6	5	7	63	27	13	16	3	–
Hartford	25	562	117	84	173	162	17	109	54	2	46	76	88	499	135	160	55	35	10
Bristol	–	43	4	3	13	18	–	8	3	–	3	2	2	22	11	9	3	2	2
East Hartford town #	2	33	7	6	14	8	1	11	2	–	2	6	4	31	10	10	7	2	1
Enfield town #	2	19	2	–	2	7	2	5	2	–	4	6	1	18	8	10	1	–	–
Hartford	1	113	15	15	41	30	2	29	14	1	11	37	28	122	18	36	10	23	2
Manchester town #	3	44	11	8	11	10	1	12	4	–	5	2	2	35	7	17	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut—Con.																			
New Britain	797	–	–	3	183	40	37	13	18	12	8	55	11	426	321	3	15	232	71
Newington town #	205	1	–	–	64	11	20	7	10	3	1	12	–	101	87	1	4	71	11
Plainville town #	127	–	–	2	31	10	7	2	1	1	2	8	4	59	47	1	3	35	8
Southington town #	220	–	–	–	56	14	13	9	7	3	3	7	4	111	84	3	2	66	11
West Hartford town #	676	–	–	4	166	63	26	6	19	3	7	42	6	383	288	1	8	223	36
Wethersfield town #	245	–	–	3	73	17	13	8	5	7	4	19	2	125	93	1	3	79	10
Windsor Locks town #	85	–	–	–	13	4	2	1	–	1	1	4	2	45	30	1	–	26	3
Balance of county	1,439	1	1	12	367	113	76	42	42	13	14	57	20	702	546	10	16	439	81
Litchfield	1,370	2	–	6	298	84	69	32	30	9	14	60	12	726	553	7	26	442	78
Torrington	305	–	–	3	54	16	8	8	6	2	1	13	2	186	129	4	4	98	23
Balance of county	1,065	2	–	3	244	68	61	24	24	7	13	47	10	560	424	3	22	344	55
Middlesex	1,118	–	–	5	230	52	62	20	26	10	12	48	19	586	429	–	11	354	64
Middletown	330	–	–	1	73	13	23	6	4	4	5	18	9	168	115	–	2	104	9
Balance of county	788	–	–	4	157	39	39	14	22	6	7	30	10	418	314	–	9	250	55
New Haven	6,964	1	1	70	1,693	522	392	147	184	78	48	322	108	3,578	2,788	42	61	1,899	786
Ansonia	202	–	–	2	50	16	10	5	6	2	1	10	2	105	81	2	1	75	3
Derby	141	–	–	4	45	14	8	7	6	1	1	10	3	63	51	–	1	43	7
East Haven town #	197	–	–	5	43	13	8	4	3	4	3	8	7	99	84	3	1	49	31
Hamden town #	514	–	–	3	120	37	24	9	13	10	2	25	9	272	213	2	3	126	82
Meriden	523	–	–	2	119	41	26	6	18	10	4	14	6	286	209	4	7	154	44
Milford	396	–	–	4	111	22	29	11	23	2	6	18	6	195	157	–	4	138	15
Naugatuck	205	–	–	–	56	21	17	4	1	1	1	11	1	113	93	2	1	67	23
New Haven	1,306	–	–	17	280	84	74	25	28	10	11	48	22	646	497	9	13	284	191
Wallingford town #	328	–	–	4	73	27	12	10	5	2	2	15	7	169	125	4	4	94	23
Waterbury	1,176	–	1	8	280	85	79	22	29	13	7	55	18	538	499	2	16	362	119
West Haven town #	582	–	–	7	133	34	28	11	14	8	5	33	6	283	226	3	2	151	70
Balance of county	1,414	1	–	14	373	128	79	33	38	15	5	75	19	709	553	11	8	356	178
New London	1,831	–	–	8	428	129	108	27	53	22	14	73	28	978	746	7	14	558	57
New London	311	–	–	–	56	13	17	4	11	2	2	7	7	179	122	1	–	107	14
Norwich	372	–	–	2	79	29	20	4	9	1	2	14	6	207	169	1	6	153	9
Balance of county	1,148	–	–	6	291	87	71	19	33	19	10	52	15	592	455	5	8	398	44
Tolland	610	–	–	5	158	39	32	18	21	8	4	38	13	282	217	5	3	175	34
Vernon town #	191	–	–	2	51	10	10	6	7	3	2	13	6	81	63	1	–	55	7
Balance of county	419	–	–	3	107	29	22	12	14	5	2	23	7	201	154	4	3	120	27
Windham	777	–	–	2	176	52	46	11	29	9	8	22	12	397	321	1	6	271	43
Willimantic	189	–	–	–	45	11	11	2	9	3	1	8	2	80	72	–	1	58	13
Balance of county	588	–	–	2	131	41	35	9	20	5	7	14	10	307	249	1	5	213	30
Delaware	4,897	7	–	41	1,088	273	290	110	109	55	48	203	120	2,452	2,009	25	135	1,116	733
Urban places	1,863	1	–	18	387	106	104	31	40	21	16	69	43	930	763	11	54	374	324
Balance of area	3,034	6	–	25	701	167	186	79	69	34	32	134	77	1,522	1,246	14	81	742	409
Metropolitan counties	3,183	3	–	27	723	194	190	67	63	39	32	138	86	1,593	1,299	21	101	678	499
Urban places	1,674	1	–	14	342	95	91	23	36	18	12	67	39	853	697	10	52	327	306
Balance of area	1,509	2	–	13	381	99	99	44	27	21	20	71	47	740	602	11	49	351	191
Nonmetropolitan counties	1,714	4	–	14	365	79	100	43	46	16	16	65	34	859	710	4	34	438	234
Urban places	189	–	–	2	45	11	13	8	4	3	4	2	4	77	66	1	2	47	16
Balance of area	1,525	4	–	12	320	68	87	35	42	13	12	63	30	782	644	3	32	391	218
Kent	683	1	–	6	141	29	37	25	12	8	9	21	10	328	271	3	15	185	66
Dover	189	–	–	2	45	11	13	8	4	3	4	2	4	77	66	1	2	47	16
Balance of county	494	1	–	4	96	18	24	17	8	5	5	19	6	251	205	2	13	138	52
New Castle	3,183	3	–	27	723	194	190	67	63	39	32	138	86	1,593	1,299	21	101	678	499
Newark	243	1	–	3	45	8	11	5	5	1	3	12	7	111	92	2	6	49	36
Wilmington	1,431	–	–	11	297	87	80	16	31	17	9	55	32	742	605	8	46	276	273
Balance of county	1,509	2	–	13	381	99	99	44	27	21	20	71	47	740	602	11	49	361	191
Sussex	1,031	3	–	8	224	50	63	18	34	8	7	44	24	591	439	1	19	253	166
District of Columbia	6,884	18	4	84	1,612	489	353	122	216	61	63	308	133	2,888	2,179	15	185	1,452	547
Florida	98,524	126	8	626	22,450	6,035	6,289	1,711	2,534	993	806	4,082	1,460	48,974	37,271	439	1,253	28,842	6,697
Urban places	50,208	80	2	318	11,212	3,094	2,997	892	1,292	480	425	2,032	766	25,272	19,212	222	688	14,814	3,488
Balance of area	48,316	46	6	308	11,238	2,941	3,292	819	1,242	513	381	2,050	694	23,702	18,059	217	565	14,128	3,149
Metropolitan counties	63,419	81	2	429	14,361	3,955	3,895	1,123	1,617	640	497	2,694	948	31,554	24,154	289	852	18,624	4,379
Urban places	41,835	62	–	270	9,337	2,595	2,467	757	1,062	411	336	1,709	629	21,092	16,132	188	589	12,439	2,916
Balance of area	21,584	19	2	159	5,024	1,360	1,428	366	555	229	161	985	319	10,462	8,022	111	263	6,185	1,463
Nonmetropolitan counties	35,105	45	6	197	8,089	2,060	2,394	588	917	353	309	1,448	512	17,420	13,117	140	401	10,318	2,256
Urban places	8,373	18	2	48	1,875	499	530	135	230	89	89	323	137	4,180	3,080	34	99	2,375	572
Balance of area	26,732	27	4	149	6,214	1,561	1,864	453	687	264	220	1,125	375	13,240	10,037	106	302	7,943	1,686
Alachua	850	–	–	11	187	41	50	19	26	9	10	32	23	353	236	3	10	175	48
Gainesville	478	–	–	6	105	18	23	12	18	6	9	19	14	203	136	2	5	109	26
Balance of county	372	–	–	5	82	23	27	7	8	3	1	13	9	150	100	1	5	72	22
Baker	110	–	–	–	25	5	8	2	3	3	1	3	4	46	37	–	1	26	10
Bay	785	1	–	3	186	48	60	16	24	3	9	26	11	348	282	1	6	204	51
Panama City	406	–	–	2	92	21	36	7	11	1	4	12	6	190	137	–	3	113	21
Balance of county	379	1	–	1	94	27	24	9	13	2	5	14	5	158	125	1	3	91	30
Bradford	152	2	–	1	31	7	13	2	2	1	2	4	1	68	48	1	2	37	8
Brevard	2,102	1	–	11	562	141	171	41	84	25	22	98	35	1,009	782	11	15	600	156
Cocoa	148	–	–	1	27	8	6	1	2	1	–	9	5	71	60	2	1	45	12
Melbourne	412	–	–	1	115	32	31	8	13	5	10	18	8	188	155	3	7	109	36
Rockledge	91	–	–	–	28	7	10	1	3	1	–	6	1	45	31	1	1	23	6
Titusville	272	–	–	5	66	10	23	3	9	1	4	16	–	139	103	–	1	78	24
Balance of county	1,179	1	–	4	326	84	101	28	37	17	8	51	21	562	433	5	5	345	78

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Connecticut—Con.																			
New Britain	5	75	16	9	15	24	2	7	7	–	2	4	21	53	9	21	5	3	1
Newington town #	1	8	2	3	6	4	–	2	1	–	–	1	2	12	6	2	2	–	1
Plainville town #	–	9	3	–	4	8	1	1	1	–	1	1	1	7	4	–	1	–	1
Southington town #	1	24	1	1	4	10	–	3	2	–	1	–	2	12	8	3	4	–	–
West Hartford town #	3	63	15	14	24	12	2	8	4	–	3	4	3	53	8	13	2	–	1
Wethersfield town #	1	26	3	2	4	4	3	2	3	–	1	1	1	15	2	4	2	–	–
Windsor Locks town #	–	11	3	1	2	1	–	1	–	–	1	–	1	9	6	1	2	1	–
Balance of county	6	94	34	22	33	26	3	20	11	1	12	12	20	110	38	34	13	3	–
Litchfield	6	127	26	14	34	43	4	18	3	1	7	13	4	107	41	27	21	2	1
Torrington	1	25	7	4	6	10	–	3	2	–	1	5	–	32	12	6	3	–	–
Balance of county	5	102	19	10	28	33	4	15	1	1	6	8	4	75	29	21	18	2	1
Middlesex	3	120	18	16	32	33	3	21	9	–	10	9	8	83	31	29	7	3	–
Middletown	–	46	2	5	8	8	2	8	3	–	4	1	5	22	10	8	1	1	–
Balance of county	3	74	16	11	24	25	1	15	5	–	6	8	3	61	21	21	6	2	–
New Haven	27	518	160	85	151	164	11	118	66	–	48	74	81	439	126	122	55	49	11
Ansonia	2	18	2	2	7	3	–	4	2	–	2	3	2	11	2	2	4	1	–
Derby	1	10	–	1	3	3	–	3	3	–	–	–	2	9	1	2	–	–	–
East Haven town #	–	16	4	1	5	5	–	1	2	–	1	–	3	12	11	1	1	1	–
Hamden town #	2	34	12	11	12	14	1	5	10	–	3	2	6	34	10	6	7	–	–
Meriden	1	67	6	3	9	9	–	10	2	–	1	11	7	32	11	9	5	3	1
Milford	–	28	6	4	12	9	1	8	2	–	3	4	1	22	9	6	1	2	–
Naugatuck	2	13	3	2	1	6	1	3	–	–	3	2	1	12	3	2	–	–	1
New Haven	5	83	45	16	24	35	2	26	26	–	10	23	18	110	7	34	5	20	1
Wallingford town #	1	31	8	4	15	8	1	4	1	–	1	1	5	22	5	7	3	2	–
Waterbury	11	89	23	16	25	30	1	19	8	–	8	12	6	54	20	22	7	8	5
West Haven town #	–	28	25	4	14	11	1	11	6	–	5	6	8	40	11	7	7	3	3
Balance of county	2	107	26	21	24	31	3	24	6	–	13	10	22	81	36	24	15	9	–
New London	10	176	28	18	41	50	5	30	11	1	6	14	10	107	67	28	17	3	1
New London	2	43	6	6	10	10	–	10	4	–	1	2	2	17	5	5	3	–	–
Norwich	4	29	5	–	11	9	1	6	4	–	1	6	–	21	11	7	1	–	–
Balance of county	4	104	17	12	20	31	4	14	3	1	4	6	8	69	51	16	13	3	1
Tolland	5	42	11	7	21	16	1	11	2	–	4	7	9	37	23	9	8	4	–
Vernon town #	2	9	3	4	10	7	–	5	1	–	3	3	1	10	3	3	2	3	–
Balance of county	3	33	8	3	11	9	1	6	1	–	1	4	8	27	20	6	6	1	–
Windham	1	59	8	8	22	27	1	12	5	–	5	7	5	54	29	15	7	1	–
Willimantic	1	15	1	1	8	9	–	2	2	–	1	3	1	15	6	1	3	1	–
Balance of county	–	44	7	7	14	18	1	10	3	–	4	4	4	39	23	14	4	–	–
Delaware	24	325	52	42	69	130	13	88	59	1	38	89	31	314	116	120	65	38	8
Urban places	11	119	19	18	29	49	7	45	18	–	17	46	14	128	39	49	21	20	4
Balance of area	13	206	33	24	40	81	6	43	41	1	21	53	17	186	77	71	44	18	4
Metropolitan counties	19	207	38	30	37	79	9	65	38	1	25	68	21	201	69	70	47	25	6
Urban places	11	110	17	18	25	41	6	41	18	–	14	43	12	109	33	41	19	19	4
Balance of area	8	97	21	12	12	38	3	24	20	1	11	25	9	92	26	29	28	6	2
Nonmetropolitan counties	5	118	14	12	32	51	4	23	21	–	13	31	10	113	57	50	18	13	2
Urban places	–	9	2	–	4	8	1	4	–	–	3	3	2	19	6	8	2	1	–
Balance of area	5	109	12	12	28	43	3	19	21	–	10	28	8	94	51	42	16	12	2
Kent	2	46	4	3	16	23	2	9	5	–	7	15	5	52	26	25	5	6	1
Dover	–	9	2	–	4	8	1	4	–	–	3	3	2	19	6	8	2	1	–
Balance of county	2	39	2	3	12	15	1	5	5	–	4	12	3	33	20	17	3	5	1
New Castle	19	207	36	30	37	79	9	65	38	1	25	88	21	201	59	70	47	25	6
Newark	1	14	3	1	2	4	1	6	2	–	2	6	4	19	9	7	8	5	1
Wilmington	10	96	14	17	23	37	5	35	16	–	12	37	8	90	24	34	11	14	3
Balance of county	8	97	21	12	12	38	3	24	20	1	11	25	9	92	26	29	28	6	2
Sussex	3	70	10	9	16	28	2	14	16	–	6	16	5	61	31	25	13	7	1
District of Columbia	30	462	155	62	171	117	12	255	92	2	40	147	109	614	58	207	54	184	63
Florida	386	8,077	1,339	1,101	1,867	2,995	292	1,713	822	11	521	930	984	7,150	2,516	2,210	1,516	1,174	199
Urban places	213	4,668	642	537	1,017	1,447	155	954	447	7	240	477	377	3,873	1,008	1,075	761	634	88
Balance of area	173	4,209	697	564	850	1,548	137	759	375	4	281	453	587	3,277	1,510	1,135	755	540	111
Metropolitan counties	254	5,702	743	701	1,196	1,889	182	1,178	547	7	345	644	380	4,795	1,511	1,419	1,013	843	95
Urban places	172	3,837	485	466	841	1,217	130	816	372	5	201	395	240	3,263	825	903	642	541	54
Balance of area	82	1,865	258	235	355	672	52	362	175	2	144	249	140	1,532	686	516	371	302	41
Nonmetropolitan counties	132	3,175	596	400	671	1,106	110	535	275	4	176	286	584	2,355	1,005	791	503	331	104
Urban places	41	831	157	71	176	230	25	138	75	2	39	82	137	610	181	172	119	93	34
Balance of area	91	2,344	439	329	495	876	85	397	200	2	137	204	447	1,745	824	619	384	238	70
Alachua	6	80	24	7	9	26	2	10	6	–	6	21	18	80	45	22	17	11	3
Gainesville	4	47	11	5	4	16	2	6	2	–	3	12	8	42	23	14	11	7	–
Balance of county	2	33	13	2	5	10	–	4	4	–	3	9	10	38	22	8	6	4	3
Baker	–	4	4	1	2	3	–	4	–	–	–	3	–	9	5	4	3	2	–
Bay	5	52	20	9	24	20	4	21	2	–	6	15	7	55	22	28	13	12	7
Panama City	–	35	13	5	15	9	2	10	1	–	4	5	5	30	6	16	3	7	3
Balance of county	5	17	7	4	9	11	2	11	1	–	2	10	2	25	16	12	10	5	4
Bradford	1	15	2	2	4	6	–	4	1	–	1	–	4	9	8	5	2	4	1
Brevard	9	162	38	18	32	57	6	28	7	–	15	17	5	139	62	52	41	16	7
Cocoa	–	10	1	–	2	5	1	4	1	–	–	–	2	15	5	4	4	1	–
Melbourne	2	28	11	2	5	14	1	2	2	–	3	4	–	31	15	5	5	2	1
Rockledge	–	8	5	1	–	4	–	–	–	–	–	–	–	5	4	2	1	1	–
Titusville	1	25	3	1	4	5	–	5	1	–	1	3	1	20	9	4	7	4	4
Balance of county	6	91	18	14	21	29	4	17	3	–	11	10	2	68	29	37	24	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Broward	11,334	11	–	67	2,654	767	725	205	283	127	99	448	182	5,712	4,464	63	96	3,732	573
Deerfield Beach	509	2	–	4	141	42	42	8	12	7	3	27	7	260	209	3	7	174	25
Fort Lauderdale	2,749	2	–	13	600	182	169	52	65	21	21	90	33	1,391	1,035	11	30	866	126
Hallandale	621	2	–	5	152	48	30	8	25	6	4	32	11	324	256	3	1	224	28
Hollywood	1,864	–	–	7	375	111	93	32	48	15	20	56	33	881	694	6	18	578	92
Lauderdale Lakes	288	–	–	–	64	18	17	6	9	4	4	6	8	178	147	5	3	128	11
Miramar	278	–	–	2	64	18	17	10	5	3	5	6	6	138	111	1	–	92	18
Oakland Park	167	–	–	–	39	11	14	2	4	2	–	6	3	78	61	2	–	50	9
Pembroke Pines	252	–	–	4	58	20	12	3	6	6	2	9	6	134	110	1	–	98	11
Plantation	325	–	–	1	86	16	26	9	4	6	5	21	2	163	128	4	3	111	10
Pompano Beach	854	2	–	9	197	59	58	19	16	11	8	26	18	407	327	2	5	263	57
Wilton Manor	156	–	–	1	33	10	5	6	2	3	–	7	2	87	61	2	2	49	8
Balance of county	3,470	3	–	21	845	233	242	50	67	44	27	182	53	1,671	1,325	28	27	1,069	176
Calhoun	85	–	–	1	18	1	7	1	1	1	1	6	1	40	29	–	2	19	8
Charlotte	803	1	–	5	206	59	52	11	26	7	5	46	6	426	339	4	5	274	56
Citrus	665	–	–	5	154	39	55	11	9	8	4	28	7	362	262	2	7	209	44
Clay	433	–	–	1	87	23	36	3	5	–	2	18	3	249	193	3	13	137	40
Collier	785	1	1	7	229	53	74	21	27	10	7	37	10	320	249	4	8	213	24
Naples	307	–	–	4	95	25	24	11	10	8	4	13	4	137	97	3	5	82	7
Balance of county	478	1	1	3	134	28	50	10	17	2	3	24	8	183	152	1	3	131	17
Columbia	272	–	–	–	52	16	14	2	4	5	1	10	1	126	74	–	4	53	17
Lake City	105	–	–	–	19	5	3	1	3	2	–	5	1	48	27	–	1	21	6
Balance of county	167	–	–	–	33	11	11	1	1	3	1	5	–	78	47	–	3	32	12
Dade	15,934	20	1	107	3,539	1,028	861	303	409	152	125	661	280	7,789	6,217	67	209	4,935	1,006
Coral Gables	434	–	–	2	107	30	23	8	16	6	4	20	6	207	157	3	3	124	27
Hialeah	1,002	1	–	10	212	55	55	24	22	8	6	42	28	486	380	2	8	316	54
Homestead	185	–	–	1	27	11	6	3	2	1	1	3	1	85	66	1	1	55	9
Miami	4,741	9	–	31	1,012	265	248	101	125	51	43	179	88	2,141	1,682	14	74	1,283	311
Miami Beach	2,721	2	–	7	573	200	108	44	60	22	21	118	34	1,593	1,366	12	29	1,167	158
Miami Springs	138	–	–	1	31	7	9	3	5	1	–	6	2	74	49	1	3	37	8
North Miami	647	1	–	4	153	24	41	18	16	11	9	34	6	346	258	5	9	195	49
North Miami Beach	1,046	–	–	9	249	81	56	17	25	10	8	52	18	502	482	7	7	414	54
Opa-Locka	126	1	–	1	18	7	6	–	1	2	1	1	3	60	42	–	3	30	9
South Miami	85	–	–	–	18	7	3	–	2	2	–	4	1	35	33	–	–	24	9
Balance of county	4,809	6	1	42	1,139	341	306	85	135	38	32	202	97	2,160	1,702	22	72	1,290	316
De Soto	224	–	–	–	36	8	10	5	3	1	–	9	2	110	85	–	1	70	14
Dixie	79	–	–	1	19	3	8	–	–	3	3	2	–	26	20	–	–	16	4
Duval, coext. with Jacksonville city	4,817	11	–	45	1,049	282	314	92	111	35	26	209	73	2,206	1,702	18	131	990	569
Escambia	1,709	2	–	13	383	90	133	20	41	16	15	68	28	791	581	5	22	423	131
Pensacola	663	2	–	3	141	33	43	7	14	4	7	33	7	310	227	–	18	160	51
Balance of county	1,046	–	–	10	242	57	90	13	27	12	8	35	21	481	354	5	6	263	80
Flagler	104	–	–	–	20	2	9	–	3	–	2	4	–	52	44	2	–	34	8
Franklin	97	–	–	1	22	9	8	–	3	–	–	2	2	41	33	–	2	23	8
Gadsden	330	1	–	–	57	11	9	2	13	3	4	15	3	152	107	1	6	71	29
Gilchrist	62	–	–	1	10	3	3	1	–	–	1	2	1	30	24	–	1	19	4
Glades	66	–	–	1	17	2	12	–	–	1	–	2	2	28	25	–	–	23	2
Gulf	98	–	–	–	29	9	7	1	4	4	1	3	3	37	32	–	1	28	5
Hamilton	99	–	–	–	20	7	6	1	4	–	–	2	–	41	32	–	5	20	7
Hardee	187	–	–	–	37	9	11	3	4	2	1	7	2	85	63	–	1	53	9
Hendry	147	–	–	–	29	6	9	1	5	–	2	6	4	62	46	1	2	33	10
Hernando	494	–	–	2	88	23	26	6	12	1	3	17	10	259	182	1	5	137	39
Highlands	629	2	1	2	135	30	45	12	26	3	4	15	15	322	246	2	2	213	29
Hillsborough	5,387	14	–	49	1,213	285	390	81	137	54	35	231	85	2,504	1,858	15	121	1,296	426
Plant City	187	1	–	1	36	10	9	3	5	2	–	7	5	91	65	1	4	43	17
Tampa	3,088	10	–	28	703	171	222	43	60	30	17	130	49	1,455	1,071	8	76	752	239
Balance of county	2,112	3	–	20	474	104	159	35	42	22	18	94	31	958	722	6	39	501	176
Holmes	150	–	–	1	20	9	3	2	1	1	–	4	–	82	68	–	3	54	11
Indian River	643	1	–	2	151	46	34	7	17	9	3	35	7	306	237	1	3	180	56
Vero Beach	259	–	–	1	63	21	11	3	8	5	2	13	2	140	112	1	–	85	26
Balance of county	384	1	–	1	88	25	23	4	9	4	1	22	5	166	125	–	3	95	27
Jackson	344	1	1	–	73	23	18	3	10	1	6	12	3	184	137	–	6	102	27
Jefferson	97	–	–	–	14	4	2	1	5	1	–	1	3	38	26	–	4	17	5
Lafayette	33	–	–	2	6	1	3	–	1	–	–	1	–	19	14	–	–	8	6
Lake	1,363	5	–	8	291	71	76	28	42	9	15	50	25	692	489	9	18	374	88
Leesburg	200	2	–	–	49	15	14	5	9	2	2	2	3	98	71	3	1	56	11
Balance of county	1,163	3	–	8	242	56	62	23	33	7	13	48	22	596	418	6	17	318	77
Lee	2,271	3	–	14	574	140	165	51	66	26	33	83	25	1,094	842	9	35	646	152
Fort Myers	473	1	–	6	95	16	38	9	13	3	7	9	10	230	178	3	6	136	31
Balance of county	1,798	2	–	8	479	124	127	42	53	23	26	84	16	864	664	6	27	510	121
Leon	746	–	–	7	175	41	50	13	30	8	2	31	10	322	231	6	23	158	44
Tallahassee	518	–	–	6	116	23	36	8	22	6	2	19	7	221	157	5	15	108	29
Balance of county	228	–	–	1	59	18	14	5	8	2	–	12	3	101	74	1	8	50	15
Levy	196	–	–	1	49	13	15	3	7	3	–	8	5	84	68	–	1	50	17
Liberty	49	–	–	–	10	4	2	–	2	–	1	1	1	27	21	–	–	15	6
Madison	174	–	–	2	30	11	5	4	3	1	1	5	3	89	71	–	10	33	28
Manatee	2,050	2	1	13	458	114	134	38	53	19	19	79	34	1,029	731	10	16	550	155
Bradenton	620	1	1	2	119	30	33	9	17	3	5	22	17	337	224	3	7	157	57
Balance of county	1,430	1	–	11	337	84	101	29	36	16	14	57	17	692	507	7	9	393	98
Marion	1,183	1	1	4	265	71	85	21	28	7	8	45	17	560	394	3	19	311	61
Ocala	404	–	1	2	87	28	25	4	9	1	4	16	7	191	131	–	7	99	25
Balance of county	779	1	–	2	178	43	60	17	19	6	4	29	10	369	263	3	12	212	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E800-E999)
Florida—Con.																			
Broward	44	951	118	135	174	321	25	223	99	–	55	107	53	840	249	238	171	138	15
Deerfield Beach	–	39	4	8	6	11	2	15	4	–	3	6	3	24	5	6	4	6	–
Fort Lauderdale	15	269	34	38	50	74	8	59	25	–	11	33	12	207	68	61	47	49	6
Hallandale	2	46	9	11	12	21	–	11	4	–	2	5	3	45	7	9	3	3	2
Hollywood	7	138	19	23	32	43	3	34	12	–	5	11	8	120	34	34	20	11	1
Lauderdale Lakes	1	25	2	3	2	5	1	3	3	–	2	1	1	18	–	–	2	1	–
Miramar	1	20	5	1	4	5	1	4	2	–	–	2	2	18	11	9	7	3	–
Oakland Park	–	13	1	3	1	5	–	6	–	–	2	2	–	21	1	7	1	1	–
Pembroke Pines	–	18	2	4	5	4	–	3	1	–	2	2	–	17	6	8	1	1	–
Plantation	1	28	1	5	4	12	–	6	2	–	–	3	2	23	8	3	6	3	1
Pompano Beach	6	54	11	9	17	28	4	13	4	–	1	7	7	77	15	21	21	6	–
Wilton Manor	–	23	3	–	2	2	–	1	1	–	–	1	1	14	6	1	3	1	–
Balance of county	11	278	27	30	39	111	6	68	41	–	27	34	14	256	88	78	56	53	5
Calhoun	1	9	–	1	2	4	–	1	–	–	–	–	–	10	5	2	–	1	–
Charlotte	2	59	11	15	15	27	3	19	5	–	1	–	2	42	17	16	10	1	1
Citrus	1	74	13	12	4	19	2	12	4	–	3	4	3	37	25	15	4	4	1
Clay	2	39	6	9	8	7	3	4	1	–	3	8	4	19	18	11	6	1	–
Collier	2	55	10	4	15	20	4	20	4	–	4	9	9	46	33	22	16	14	2
Naples	2	28	8	2	3	10	2	5	4	–	1	1	2	21	4	6	5	3	–
Balance of county	–	27	2	2	12	10	2	15	–	–	3	7	7	25	29	16	11	11	2
Columbia	2	42	5	3	3	13	–	2	5	–	1	10	9	21	8	13	1	5	2
Lake City	–	19	1	1	1	5	–	2	3	–	1	4	4	10	2	2	–	2	1
Balance of county	2	23	4	2	2	8	–	–	2	–	–	6	5	11	6	11	1	3	1
Dade	68	1,239	101	164	300	395	52	299	166	2	90	168	67	1,315	346	385	283	349	1
Coral Gables	–	40	3	7	7	15	1	7	3	–	3	3	–	37	8	9	16	3	–
Hialeah	8	77	8	13	21	25	1	14	19	1	9	16	3	69	23	24	25	17	–
Homestead	–	17	1	1	3	4	1	7	–	–	1	5	1	19	10	7	4	9	–
Miami	32	339	41	47	100	131	15	110	64	–	28	59	31	474	92	119	75	161	1
Miami Beach	9	187	8	23	58	51	15	28	30	–	2	1	2	215	28	40	33	11	–
Miami Springs	–	21	2	2	3	4	–	5	1	–	1	1	–	7	2	2	1	1	–
North Miami	1	72	7	6	8	19	1	14	3	–	3	5	–	51	9	9	14	3	–
North Miami Beach	1	106	3	10	12	20	3	12	9	–	2	1	2	69	13	13	11	6	–
Opa-Locka	1	14	1	2	2	5	1	3	2	–	1	2	1	8	4	7	1	6	–
South Miami	–	2	–	–	3	1	1	3	–	–	–	2	1	7	3	5	2	3	–
Balance of county	16	364	27	51	83	120	13	98	35	1	40	73	26	359	157	131	101	129	–
De Soto	–	18	6	1	11	11	1	1	2	–	2	3	2	26	7	5	2	2	1
Dixie	1	5	–	–	1	5	–	2	–	–	–	2	6	6	8	2	1	–	–
Duval, coext. with Jacksonville city	17	407	47	33	105	169	14	159	45	2	33	83	35	400	141	148	98	86	13
Escambia	11	164	21	14	21	64	2	25	10	–	15	31	12	138	61	62	26	21	4
Pensacola	5	64	10	4	8	20	2	11	8	–	6	9	5	64	24	27	8	5	3
Balance of county	6	100	11	10	13	44	–	14	2	–	9	22	7	74	37	35	18	16	1
Flagler	–	5	3	–	4	4	1	1	3	–	–	–	2	6	4	3	1	2	1
Franklin	–	7	–	1	–	1	–	–	1	–	–	–	18	8	1	3	2	1	–
Gadsden	6	36	3	–	8	4	3	3	6	–	2	10	15	22	22	11	2	6	3
Gilchrist	–	6	–	–	–	1	–	–	1	–	–	1	2	6	1	5	1	1	1
Glades	–	3	–	–	2	–	–	–	–	–	–	–	1	4	5	2	2	2	–
Gulf	–	4	–	1	–	7	1	1	–	–	–	1	2	9	2	3	2	1	–
Hamilton	–	9	–	–	4	2	1	–	1	–	1	2	3	3	2	7	–	2	4
Hardee	1	16	3	2	2	9	–	3	2	–	–	1	7	16	12	6	3	1	1
Hendry	2	13	1	–	6	3	–	3	1	–	2	1	4	11	6	7	2	3	3
Hernando	2	63	6	6	14	18	2	2	1	–	1	1	34	24	17	10	9	2	–
Highlands	5	52	12	7	6	17	4	10	9	–	1	2	13	40	16	16	5	5	2
Hillsborough	20	498	65	63	128	194	19	103	52	–	38	61	49	405	188	124	89	67	5
Plant City	2	20	3	1	1	5	–	1	1	–	2	3	1	19	9	6	3	2	–
Tampa	12	296	41	35	80	115	10	60	28	–	21	32	31	247	69	68	45	36	1
Balance of county	6	182	21	27	47	74	9	42	23	–	15	26	17	139	110	50	41	29	4
Holmes	–	13	1	–	3	5	–	1	1	–	3	1	4	14	4	4	4	3	–
Indian River	6	57	2	4	13	21	2	3	4	–	9	2	12	47	26	19	8	9	1
Vero Beach	2	25	–	1	3	10	1	1	–	–	1	1	5	15	7	7	1	1	–
Balance of county	4	32	2	3	10	11	1	2	4	–	8	1	7	32	19	12	7	8	1
Jackson	–	41	2	4	8	12	–	5	3	–	2	6	4	20	9	8	2	3	–
Jefferson	–	9	–	1	6	4	–	1	3	–	1	3	1	9	6	7	2	1	–
Lafayette	–	4	1	–	–	1	–	2	–	–	–	–	–	–	1	1	1	–	–
Lake	5	151	29	18	22	45	5	23	8	–	6	12	9	112	46	17	21	12	4
Leesburg	1	19	5	–	3	4	–	1	–	–	–	3	3	23	5	3	4	–	1
Balance of county	4	132	24	18	19	41	5	22	8	–	6	9	6	89	41	14	17	12	3
Lee	9	186	29	28	54	97	7	43	17	1	6	16	9	144	58	47	35	24	2
Fort Myers	4	37	6	5	16	16	1	13	5	1	1	3	4	35	11	7	9	6	1
Balance of county	5	149	23	23	38	81	6	30	12	–	5	13	5	109	47	40	26	16	1
Leon	4	75	3	9	24	24	1	15	9	–	7	16	21	59	17	24	8	3	4
Tallahassee	3	51	2	8	21	14	1	9	7	–	3	11	15	47	10	16	6	3	3
Balance of county	1	24	1	1	3	10	–	6	2	–	4	5	6	12	7	8	–	–	1
Levy	–	9	5	2	2	10	2	5	1	–	3	–	4	16	3	5	5	1	–
Liberty	–	6	–	–	2	–	–	1	–	–	–	–	–	4	2	2	–	–	–
Madison	–	16	1	1	1	4	–	1	–	–	1	3	5	21	1	4	3	6	–
Manatee	3	236	39	20	35	67	7	27	26	–	9	6	116	131	38	26	17	9	1
Bradenton	2	93	12	6	14	15	3	9	6	–	3	1	20	47	6	9	5	4	1
Balance of county	1	143	27	14	21	52	4	18	20	–	6	5	96	84	32	17	12	5	–
Marion	1	139	11	15	17	39	5	18	9	1	11	11	4	99	51	31	22	14	3
Ocala	–	54	3	3	6	13	1	4	2	–	3	7	3	38	14	10	10	3	2
Balance of county	1	85	8	12	11	26	4	14	7	1	8	4	1	61	37	21	12	11	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Florida—Con.																			
Martin	799	–	–	5	197	46	67	13	16	11	4	40	6	419	304	8	7	237	5
Monroe	494	1	–	2	107	27	29	9	16	5	2	19	9	236	188	2	3	152	3
Key West	209	1	–	–	45	11	15	2	8	3	–	6	3	104	92	1	1	67	2
Balance of county	285	–	–	2	62	16	14	7	8	2	2	13	6	132	96	1	2	85	4
Nassau	222	–	–	–	66	16	21	4	6	5	4	10	1	93	72	1	5	49	1
Okaloosa	563	–	–	5	135	25	38	8	14	4	9	37	2	247	203	2	8	157	3
Fort Walton Beach	129	–	–	1	34	6	13	3	3	1	3	5	–	51	38	–	2	28	4
Balance of county	434	–	–	4	101	19	25	5	11	3	6	32	2	196	165	2	6	129	2
Okeechobee	169	1	–	–	45	13	14	4	3	1	2	8	3	88	74	–	3	64	1
Orange	3,641	5	–	31	807	219	213	67	89	35	33	151	42	1,725	1,316	20	47	849	40
Orlando	1,321	4	–	14	280	78	71	21	32	12	16	50	16	647	485	8	14	290	15
Winter Park	367	–	–	4	94	30	26	5	10	7	4	12	4	179	135	2	7	67	3
Balance of county	1,953	1	–	13	433	111	116	41	47	16	13	69	22	899	716	10	26	472	20
Osceola	554	–	–	4	116	42	32	7	12	3	4	18	6	293	244	–	2	209	3
Palm Beach	6,453	11	1	30	1,540	418	406	100	178	66	50	322	70	3,301	2,425	39	53	1,984	34
Belle Glade	152	2	–	–	30	7	6	1	3	1	2	8	4	82	43	1	–	35	1
Boca Raton	555	1	–	4	150	42	29	12	18	10	5	34	7	271	200	3	3	153	4
Boynton Beach	532	–	–	1	131	44	40	3	10	6	6	22	6	260	219	2	5	187	2
Delray Beach	557	–	–	3	160	34	51	13	19	4	7	32	5	270	214	1	5	179	2
Lake Worth	635	2	–	3	138	37	36	5	17	8	3	32	3	375	260	4	5	227	2
Riviera Beach	242	1	–	–	64	18	21	3	10	2	–	10	3	116	80	1	4	57	1
West Palm Beach	1,042	2	–	4	230	63	58	15	30	3	2	59	9	514	372	7	8	302	5
Balance of county	2,738	3	1	15	637	173	163	48	71	32	25	125	33	1,403	1,037	20	23	844	15
Pasco	2,653	1	1	9	628	176	198	44	62	35	19	94	30	1,429	1,072	14	28	885	14
Pinellas	11,075	5	–	57	2,527	720	691	200	280	127	96	413	142	6,159	4,612	50	123	3,717	72
Clearwater	1,338	2	–	11	331	94	90	33	35	18	12	49	16	721	514	8	13	423	7
Dunedin	478	–	–	1	117	32	30	13	12	8	5	17	5	267	200	4	3	170	2
Largo	715	–	–	6	175	42	58	13	17	7	9	31	9	381	292	6	8	239	3
Pinellas Park	394	–	–	1	93	29	24	5	11	2	5	17	4	214	167	–	3	149	1
St. Petersburg	4,400	2	–	15	942	292	235	72	106	43	33	161	70	2,489	1,863	16	54	1,446	34
Balance of county	3,750	1	–	23	869	231	256	64	99	49	32	138	38	2,087	1,576	16	42	1,288	23
Polk	3,102	5	–	21	685	163	189	45	79	26	27	136	54	1,466	1,083	7	37	892	14
Bartow	157	–	–	2	28	3	9	2	5	3	1	5	5	79	55	–	4	45	6
Lakeland	645	–	–	5	134	44	32	9	17	2	8	22	9	310	234	2	7	190	3
Winter Haven	326	1	–	–	71	24	20	4	5	4	2	12	4	154	106	–	6	89	1
Balance of county	1,974	4	–	14	432	92	128	30	52	17	16	97	36	923	668	5	20	568	9
Putnam	575	1	–	6	134	40	42	8	10	8	4	24	17	280	196	1	7	162	2
St. Johns	498	–	–	3	103	22	27	7	10	9	5	23	13	223	170	1	2	122	4
St. Augustine	190	–	–	1	44	13	9	3	4	1	3	11	3	79	61	–	–	40	2
Balance of county	308	–	–	2	59	9	18	4	6	8	2	12	10	144	109	1	2	82	2
St. Lucie	908	7	–	8	195	48	56	15	28	7	9	32	16	461	367	7	2	305	5
Fort Pierce	442	7	–	5	79	20	20	6	16	2	6	9	10	228	173	3	–	149	2
Balance of county	464	–	–	3	116	28	36	9	12	5	3	23	6	233	194	4	2	162	2
Santa Rosa	320	–	–	3	62	18	17	5	8	2	2	10	3	173	132	2	5	102	2
Sarasota	2,705	3	–	21	692	188	197	43	66	41	26	131	39	1,435	1,073	13	28	897	13
Sarasota	829	2	–	4	193	61	51	11	17	8	11	34	13	447	324	5	10	268	4
Balance of county	1,876	1	–	17	499	127	146	32	49	33	15	97	26	988	749	8	18	629	9
Seminole	1,053	2	–	9	225	66	45	18	25	9	4	58	10	519	380	11	12	263	9
Sanford	267	–	–	3	43	15	7	5	2	–	1	13	1	140	96	6	2	59	2
Balance of county	786	2	–	6	182	51	38	13	23	9	3	45	9	379	284	5	10	204	6
Sumter	263	–	–	2	44	11	12	5	6	2	1	7	4	136	108	1	4	92	1
Suwannee	231	–	–	–	42	9	12	3	5	4	1	8	10	91	63	–	3	49	1
Taylor	127	–	–	1	30	13	3	4	3	2	1	4	3	60	39	1	1	28	2
Union	79	–	–	–	17	5	5	–	2	1	1	3	–	33	25	–	2	19	4
Volusia	3,375	3	–	20	784	198	225	68	92	28	26	147	47	1,762	1,334	14	46	1,013	26
Daytona Beach	845	2	–	3	176	45	42	12	31	4	4	36	12	453	334	3	16	234	6
De Land	303	–	–	1	71	16	23	4	11	1	2	14	1	159	115	–	5	86	2
New Smyrna Beach	255	–	–	2	65	17	20	7	1	4	2	14	4	115	89	–	2	77	1
Ormond Beach	348	1	–	–	80	21	22	10	5	3	5	14	9	185	133	1	4	102	2
Balance of county	1,626	–	–	14	392	99	118	35	44	16	13	67	21	850	663	10	19	512	12
Wakulla	72	1	–	–	16	4	9	2	2	–	–	1	1	32	27	–	2	20	5
Walton	194	–	–	1	31	4	9	1	7	3	2	5	1	110	91	2	3	62	2
Washington	157	–	–	–	32	9	14	–	1	–	1	7	3	85	72	1	4	54	1
Georgia	49,062	58	8	341	7,871	1,844	2,153	585	954	284	322	1,719	705	21,211	15,560	95	784	10,678	4,00
Urban places	16,306	30	3	161	2,893	720	731	220	376	117	96	633	292	7,999	5,813	38	399	3,721	1,85
Balance of area	26,756	28	5	180	4,978	1,124	1,422	365	578	177	226	1,086	413	13,212	9,747	57	385	6,957	2,34
Metropolitan counties	19,948	29	2	190	3,650	856	895	301	430	125	129	814	331	8,852	6,560	49	408	4,259	1,84
Urban places	11,863	19	2	132	2,173	530	557	188	287	87	63	481	221	5,620	4,136	28	320	2,545	1,24
Balance of area	7,085	10	–	58	1,477	326	438	133	143	38	66	333	110	3,232	2,424	21	88	1,714	60
Nonmetropolitan counties	24,114	29	6	151	4,221	988	1,158	284	524	169	193	905	374	12,359	9,000	46	376	6,419	2,15
Urban places	4,443	11	1	29	720	190	174	52	89	30	33	152	71	2,379	1,677	10	79	1,176	41
Balance of area	19,671	18	5	122	3,501	798	984	232	435	139	160	753	303	9,980	7,323	36	297	5,243	1,74
Appling	148	–	–	–	18	2	6	1	4	1	1	3	–	81	64	–	3	48	1
Atkinson	70	–	–	–	7	1	2	–	2	–	1	1	3	39	27	–	–	24	3
Bacon	82	–	–	–	17	3	6	2	1	–	–	5	2	41	34	–	1	23	1
Baker	28	–	–	–	10	4	–	2	1	–	–	3	–	11	4	–	–	3	1
Baldwin	317	1	–	3	53	15	9	5	3	2	5	14	5	141	113	1	6	72	3
Milledgeville	144	1	–	–	25	4	3	4	2	1	2	9	3	78	62	1	3	42	1
Balance of county	173	–	–	3	28	11	6	1	1	1	3	5	2	63	51	–	5	30	1
Banks	61	1	–	–	9	2	2	–	2	1	–	2	–	31	26	–	–	21	5
Barrow	212	–	–	1	39	5	13	1	6	3	1	10	4	107	90	1	6	54	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Martin	1	88	15	11	8	19	-	13	7	-	6	6	6	55	19	21	8	3	1
Monroe	2	37	2	7	7	12	-	20	4	-	3	9	7	26	17	14	9	5	6
Key West	-	10	1	1	5	3	-	13	3	-	2	3	2	6	4	5	5	2	3
Balance of county	2	27	1	6	2	9	-	7	1	-	1	6	5	20	13	9	4	3	3
Nassau	-	16	4	1	3	12	-	4	5	-	-	2	3	12	9	9	1	2	-
Okaloosa	2	34	6	2	15	14	3	10	3	-	4	11	7	41	24	19	12	9	2
Fort Walton Beach	2	9	1	1	6	4	-	3	2	-	-	-	1	12	7	4	-	2	2
Balance of county	-	25	5	1	9	10	3	7	1	-	4	11	6	29	17	15	12	7	-
Okeechobee	-	9	3	2	7	3	2	3	1	-	2	2	1	12	5	6	4	4	-
Orange	12	311	46	40	83	137	14	58	26	1	27	46	35	265	139	87	64	47	2
Orlando	5	141	13	23	31	49	5	22	14	-	16	17	15	84	38	29	24	15	1
Winter Park	-	39	3	2	11	18	2	2	2	-	1	2	2	27	5	6	6	2	-
Balance of county	7	131	30	15	41	70	7	34	10	1	10	27	18	154	96	52	34	30	1
Osceola	-	33	8	8	13	20	3	5	4	-	4	5	3	39	10	11	12	6	-
Palm Beach	22	660	126	68	109	180	10	106	47	-	26	56	38	441	146	135	108	70	28
Belle Glade	1	16	2	-	8	2	-	2	3	-	-	5	1	11	8	5	1	8	-
Boca Raton	2	50	9	10	8	14	3	10	2	-	1	5	1	48	11	11	6	3	1
Boynton Beach	1	55	6	7	12	16	-	10	4	-	1	1	6	33	5	6	6	3	1
Delray Beach	1	47	7	1	11	20	2	6	4	-	1	4	8	31	9	9	8	6	-
Lake Worth	-	84	21	10	10	17	1	7	7	-	-	2	2	35	8	6	12	3	2
Riviera Beach	-	31	3	2	4	6	-	5	-	-	3	5	2	16	2	5	4	6	-
West Palm Beach	5	99	27	11	16	39	1	29	6	-	5	7	1	86	22	31	18	18	4
Balance of county	12	278	49	27	40	66	3	37	21	-	15	27	17	183	81	60	53	23	20
Pasco	7	221	100	29	37	82	4	35	21	-	12	12	25	171	59	35	44	14	4
Pinellas	42	1,175	175	155	214	342	41	169	72	1	35	41	48	765	127	167	119	37	17
Clearwater	5	156	27	19	26	37	5	17	8	-	8	4	2	97	8	24	13	3	5
Dunedin	-	47	14	6	9	13	2	6	2	-	1	1	1	34	6	5	8	-	-
Largo	3	65	8	13	10	18	5	7	6	-	3	4	-	63	11	5	11	1	-
Pinellas Park	1	39	2	5	2	14	2	5	4	-	1	1	2	32	12	3	1	2	1
St. Petersburg	17	499	59	51	103	121	14	77	26	1	12	18	21	282	46	72	51	22	8
Balance of county	16	369	65	61	64	139	13	47	26	-	10	15	22	247	44	58	35	9	3
Polk	12	282	57	32	65	115	6	45	16	-	16	38	115	191	104	93	57	25	7
Bartow	-	22	2	-	4	5	-	1	1	-	-	3	4	11	4	6	2	2	-
Lakeland	2	58	10	6	12	20	2	11	3	-	4	11	37	40	17	14	9	5	2
Winter Haven	4	31	11	2	9	9	1	6	2	-	1	7	5	21	12	10	11	2	-
Balance of county	6	171	34	24	40	81	3	27	10	-	11	15	69	119	71	63	35	16	5
Putnam	2	66	12	4	8	21	1	8	4	-	3	5	3	37	15	16	7	5	4
St. Johns	1	41	5	6	8	22	1	9	6	-	1	4	27	36	15	7	7	6	5
St. Augustine	-	15	2	1	5	6	-	3	2	-	-	1	17	13	1	5	2	5	3
Balance of county	1	26	3	5	3	16	1	6	4	-	1	3	10	23	14	2	5	1	2
St. Lucie	5	69	12	8	12	21	2	8	10	-	5	6	4	61	38	21	8	19	4
Fort Pierce	3	38	9	5	8	7	1	3	8	-	3	6	3	32	15	11	1	14	1
Balance of county	2	31	3	3	4	14	1	5	2	-	2	-	1	29	23	10	7	5	3
Santa Rosa	2	32	6	1	2	9	-	2	4	-	4	5	2	13	15	8	9	6	-
Sarasota	10	262	40	50	51	69	4	43	22	1	7	12	10	179	38	28	34	9	8
Sarasota	3	90	18	12	20	17	1	15	5	1	4	6	3	56	10	11	13	4	4
Balance of county	7	172	22	38	31	52	3	28	17	-	3	6	7	123	28	17	21	5	4
Seminole	6	110	11	12	27	28	2	19	11	1	9	9	2	74	37	38	21	6	3
Sanford	3	36	3	2	9	9	1	7	4	1	2	3	1	17	8	12	3	3	-
Balance of county	3	74	8	10	18	19	1	12	7	-	7	6	1	57	29	27	18	3	3
Sumter	1	18	4	5	6	8	1	1	3	-	1	1	1	22	16	6	4	5	2
Suwannee	1	23	3	1	6	4	1	5	2	1	1	2	14	20	5	18	3	5	1
Taylor	-	17	1	3	2	8	1	-	-	-	1	1	-	10	2	2	3	2	1
Union	-	5	1	2	3	2	-	4	2	-	1	1	1	5	2	3	1	4	-
Volusia	19	315	56	38	74	101	17	48	35	-	15	21	32	223	61	54	35	34	9
Daytona Beach	6	87	20	6	16	24	1	12	12	-	4	11	5	68	8	12	9	15	4
De Land	4	34	3	3	10	6	3	7	2	-	-	-	4	18	6	0	3	3	1
New Smyrna Beach	-	20	5	1	4	11	3	3	2	-	-	1	3	26	3	6	5	2	-
Ormond Beach	3	36	7	6	5	8	1	5	8	-	3	1	4	19	4	7	5	1	-
Balance of county	6	138	21	22	39	52	9	21	11	-	8	8	16	94	38	23	13	13	4
Wakulla	1	3	-	1	4	1	-	-	1	-	-	1	1	9	-	1	1	-	1
Walton	-	13	2	4	9	6	1	-	1	-	-	-	2	15	9	2	3	2	1
Washington	2	8	2	1	3	3	-	3	-	-	-	-	4	8	6	6	2	2	-
Georgia	202	4,610	439	400	1,059	1,110	117	577	389	8	362	691	408	3,520	1,610	1,430	666	855	66
Urban places	80	1,756	183	167	409	404	44	286	149	2	126	290	163	1,446	373	524	220	470	22
Balance of area	122	2,854	256	233	650	706	73	291	240	6	236	401	245	2,074	1,237	906	446	385	44
Metropolitan counties	85	1,831	182	194	442	498	47	336	144	5	174	327	168	1,622	598	656	323	523	31
Urban places	53	1,178	128	125	281	295	32	229	98	2	98	219	117	1,049	278	412	170	386	20
Balance of area	32	653	54	69	161	203	15	107	46	3	76	108	51	573	320	244	153	127	11
Nonmetropolitan counties	117	2,779	257	206	617	612	70	241	245	3	188	364	240	1,898	1,012	774	343	332	35
Urban places	27	578	55	42	128	109	12	57	51	-	28	71	46	397	95	112	50	74	2
Balance of area	90	2,201	202	164	489	503	58	184	194	3	160	293	194	1,501	917	662	293	258	33
Appling	-	15	2	-	5	8	-	2	4	-	-	2	1	10	5	9	2	1	-
Atkinson	1	9	1	1	4	4	1	-	-	-	1	-	-	1	4	3	1	2	-
Bacon	-	5	-	2	3	2	-	-	1	-	3	-	-	6	1	5	1	-	-
Baker	-	7	-	-	1	1	-	-	-	-	-	-	-	1	2	2	-	-	-
Baldwin	3	19	5	1	29	1	1	8	5	-	2	6	1	30	7	10	8	6	-
Milledgeville	1	12	2	1	6	-	-	4	3	-	-	4	-	8	3	2	3	5	-
Balance of county	2	7	3	-	24	1	1	4	2	-	2	2	1	22	4	8	5	1	-
Banks	-	4	1	-	-	4	-	-	-	-	2	-	-	8	4	1	1	-	-
Barrow	-	15	2	-	8	6	1	3	1	-	-	-	2	14	11	7	3	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Georgia—Con.																			
Bartow	333	-	-	2	69	19	17	8	9	2	-	14	4	170	140	1	1	103	33
Ben Hill	194	-	-	-	39	8	10	-	9	1	1	10	3	116	82	-	6	49	27
Berrien	146	-	-	1	31	6	10	2	4	-	4	5	2	77	51	-	2	36	13
Bibb	1,402	1	-	11	252	74	73	13	26	12	7	47	27	728	513	1	7	306	193
Macon	1,200	1	-	11	213	64	54	12	23	11	6	43	23	625	435	1	6	254	174
Balance of county	202	-	-	-	39	10	19	1	3	1	1	4	4	103	78	-	1	52	25
Bleckley	92	-	-	-	15	4	6	1	1	-	1	2	1	49	36	-	1	25	10
Brantley	63	-	-	-	13	1	8	1	1	-	1	1	-	29	26	1	-	12	13
Brooks	161	2	-	-	24	8	4	1	3	3	1	4	1	87	59	-	2	37	20
Bryan	63	-	-	1	8	1	1	-	1	-	1	4	2	18	14	1	1	7	5
Bulloch	257	-	-	2	51	6	23	2	7	-	3	10	6	134	71	-	4	47	20
Statesboro	112	-	-	2	22	4	8	1	2	-	-	7	3	58	30	-	2	20	8
Balance of county	145	-	-	-	29	2	15	1	5	-	3	3	3	76	41	-	2	27	12
Burke	196	-	-	1	28	9	8	-	3	2	2	4	-	101	73	-	7	52	14
Butts	120	-	-	1	23	6	7	1	5	-	-	4	2	58	49	-	2	29	15
Calhoun	64	-	-	-	7	4	1	2	-	-	-	-	1	37	18	-	1	13	4
Camden	80	-	-	1	19	5	6	3	1	1	1	2	4	34	29	-	1	20	6
Candler	90	-	-	-	17	4	2	2	2	1	2	4	3	42	29	-	3	18	6
Carroll	422	-	-	3	95	21	30	8	13	1	2	20	9	196	143	2	6	105	27
Carrollton	95	-	-	-	15	6	5	2	1	-	-	1	1	53	35	-	1	30	4
Balance of county	327	-	-	3	80	15	25	6	12	1	2	19	8	143	108	2	5	78	23
Catoosa	248	-	-	1	41	13	11	2	4	-	3	8	2	117	92	-	4	61	27
Charlton	62	-	-	-	7	-	4	-	-	-	-	3	2	37	29	1	-	16	12
Chatham	1,840	3	2	15	373	87	115	26	39	16	10	60	36	839	622	3	49	454	116
Savannah	1,463	2	2	12	287	72	84	17	32	13	8	51	32	678	505	3	41	369	92
Balance of county	377	1	-	3	86	15	31	9	7	3	2	19	4	161	117	-	8	85	24
Chattahoochee	30	-	-	-	4	-	1	-	-	1	1	1	-	10	5	-	-	2	3
Chattooga	215	-	-	1	45	8	11	3	7	2	-	14	4	111	91	-	1	66	24
Cherokee	302	-	-	2	54	16	15	2	5	3	3	10	7	151	100	2	1	77	20
Clarke	484	2	-	2	63	22	20	7	13	1	6	12	7	231	169	1	10	122	36
Athens	333	1	-	1	58	15	12	5	10	1	6	9	5	157	113	1	10	80	22
Balance of county	131	1	-	1	25	7	8	2	3	-	2	3	2	74	56	-	-	42	14
Clay	61	-	-	-	9	2	1	1	-	-	-	5	2	38	14	-	-	10	4
Clayton	668	-	-	5	155	25	52	13	15	3	2	45	5	280	203	1	8	158	35
College Park, part	27	-	-	-	3	1	-	-	-	-	-	2	-	13	11	-	-	7	4
Forest Park	128	-	-	3	29	1	13	3	2	1	-	9	2	59	40	-	-	32	8
Balance of county	513	-	-	2	123	23	39	10	13	2	2	34	3	214	152	1	8	117	26
Clinch	62	-	-	1	11	-	6	2	-	-	-	3	1	38	28	-	-	22	6
Cobb	1,519	-	-	14	304	65	86	37	37	9	11	59	29	702	544	5	17	364	159
Marietta	321	-	-	1	51	13	11	7	6	2	-	12	9	153	113	2	9	65	37
Smyrna	151	-	-	3	37	7	8	5	5	3	1	8	5	71	56	-	1	33	22
Balance of county	1,047	-	-	10	216	45	67	25	26	4	10	39	15	478	375	3	7	266	99
Coffee	231	-	-	2	52	12	15	5	8	1	2	9	3	109	88	-	4	48	16
Douglas	100	-	-	2	16	7	3	1	3	1	1	2	-	50	31	-	3	22	6
Balance of county	131	-	-	-	34	5	12	4	5	-	1	7	3	59	37	-	1	26	10
Colquitt	341	2	1	3	65	15	17	2	6	2	4	19	11	160	114	2	12	72	28
Moultrie	164	2	-	2	33	6	9	1	4	1	1	11	6	75	55	1	7	37	10
Balance of county	177	-	1	1	32	9	8	1	2	1	3	8	3	85	59	1	5	35	18
Columbia	201	-	-	1	32	6	7	2	6	1	1	9	2	96	73	2	3	59	9
Cook	114	-	-	2	19	4	5	-	4	1	2	3	1	64	52	-	2	24	20
Coweta	371	-	-	4	45	9	11	6	10	1	3	5	5	197	134	-	4	77	53
Newnan	140	-	-	1	18	4	6	2	3	-	1	2	1	79	51	-	3	27	21
Balance of county	231	-	-	3	27	5	5	4	7	1	2	3	4	118	83	-	1	50	32
Crawford	64	-	-	1	10	2	3	-	1	2	1	1	-	32	24	-	-	13	11
Crisp	182	2	-	-	29	7	8	-	2	1	1	10	2	93	60	1	3	44	12
Cordele	124	2	-	-	19	6	6	-	1	-	-	6	2	62	43	1	2	30	10
Balance of county	58	-	-	-	10	1	2	-	1	1	1	4	-	31	17	-	1	14	2
Dade	104	-	-	2	14	1	3	1	2	-	2	5	1	57	47	-	-	32	15
Dawson	46	-	-	-	10	2	2	1	1	-	-	4	-	25	18	-	-	10	6
Decatur	219	-	-	3	29	7	5	3	5	1	1	7	3	118	85	1	6	56	22
Bainbridge	120	-	-	2	17	4	2	2	3	-	1	5	1	75	49	-	2	33	14
Balance of county	99	-	-	1	12	3	3	1	2	1	-	2	2	43	36	1	4	23	8
De Kalb	2,857	3	-	31	601	147	161	52	67	13	25	136	44	1,317	984	8	41	655	290
Atlanta, part	441	-	-	3	83	18	23	7	15	1	3	16	2	218	175	-	12	96	67
Decatur	444	-	-	7	64	21	14	7	7	2	1	12	10	203	151	1	6	88	56
Balance of county	1,972	3	-	21	454	108	124	38	45	10	21	108	32	896	668	7	23	471	157
Dodge	173	-	-	4	31	7	7	2	7	-	-	8	-	87	63	-	3	39	21
Dooly	122	1	-	3	19	5	5	-	3	1	1	4	2	59	37	-	1	29	7
Dougherty	696	4	-	3	135	34	35	2	15	6	10	33	13	298	195	1	14	141	39
Albany	603	4	-	3	115	31	28	2	14	4	7	29	10	263	169	1	12	120	36
Balance of county	93	-	-	-	20	3	7	-	1	2	3	4	3	35	26	-	2	21	3
Douglas	278	-	-	3	62	9	24	4	8	4	1	12	3	114	96	1	4	79	13
Early	129	-	-	1	30	5	10	4	5	-	2	4	2	70	43	-	-	38	5
Echols	12	-	-	-	2	-	2	-	-	-	-	-	-	4	2	-	-	1	1
Effingham	149	-	-	1	18	7	5	-	-	-	2	4	4	75	55	-	-	37	18
Elbert	208	-	-	2	29	5	8	1	3	1	-	11	6	100	70	-	11	47	12
Emanuel	217	-	-	2	33	9	11	1	2	1	-	9	1	116	80	-	4	59	17
Evans	89	-	-	-	12	3	3	1	3	2	-	-	1	49	32	-	-	19	13
Fannin	174	-	1	1	26	3	7	-	4	2	-	10	2	102	70	-	3	60	7
Fayette	137	-	-	-	32	8	6	2	4	1	3	8	2	60	49	-	-	40	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period. (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bartow	–	27	2	1	6	2	–	1	1	–	1	1	2	37	13	13	8	3	–
Ben Hill	3	29	1	1	6	1	2	–	–	–	4	2	1	13	4	2	–	–	1
Berrien	–	22	2	2	4	5	–	1	–	–	1	7	1	8	4	1	2	1	–
Bibb	16	145	33	21	24	30	5	19	12	–	9	22	11	111	48	37	27	27	1
Macon	13	130	29	18	20	25	5	14	12	–	7	18	10	98	37	35	24	23	1
Balance of county	3	15	4	3	4	5	–	5	–	–	2	4	1	15	11	2	3	4	–
Bleckley	–	11	2	–	9	1	–	1	–	1	–	–	–	7	2	4	2	–	–
Brantley	–	2	–	1	–	4	–	1	1	–	–	2	–	2	7	1	2	1	–
Brooks	–	27	–	1	7	3	–	2	3	–	2	–	1	13	4	8	4	–	–
Bryan	–	3	1	–	3	–	–	3	1	–	1	4	5	2	6	6	1	2	–
Bulloch	–	54	5	4	2	5	1	4	–	–	2	2	15	17	7	5	1	3	–
Statesboro	–	23	3	2	2	4	–	1	–	–	–	2	5	7	2	2	1	1	–
Balance of county	–	31	2	2	–	1	1	3	–	–	2	–	10	10	5	3	–	2	–
Burke	2	22	1	3	2	8	–	–	–	–	–	3	1	23	14	10	1	3	1
Butts	–	5	2	–	–	3	–	–	4	–	–	3	1	12	10	3	1	1	–
Calhoun	–	18	–	1	1	–	–	–	–	–	–	1	2	7	5	2	–	1	–
Camden	–	4	–	1	1	–	–	2	–	–	–	2	1	6	5	4	–	1	–
Candler	2	7	4	–	4	–	2	–	3	–	–	2	–	9	4	4	–	–	–
Carroll	3	39	5	6	9	4	1	2	1	–	3	7	11	32	22	9	8	8	2
Carrollton	2	11	1	4	3	–	–	–	–	–	1	1	5	11	1	1	1	2	–
Balance of county	1	28	4	2	6	4	1	2	1	–	2	6	6	21	21	8	7	6	2
Catoosa	–	19	4	2	5	11	2	–	4	1	5	4	2	22	10	13	3	5	–
Charlton	–	5	2	1	1	–	–	1	1	–	–	–	–	5	–	6	–	1	1
Chatham	6	155	23	33	46	61	2	58	16	1	17	30	16	180	44	65	18	36	2
Savannah	5	126	18	24	32	47	1	50	12	1	13	25	14	135	24	47	14	34	1
Balance of county	1	29	5	9	14	14	1	8	4	–	4	5	2	25	20	18	4	2	1
Chattahoochee	–	3	1	1	–	1	–	1	–	–	–	1	–	3	4	5	1	–	–
Chattooga	1	15	2	2	4	7	2	1	5	–	1	1	4	16	7	4	1	1	–
Cherokee	1	47	3	–	7	5	–	3	1	–	3	3	3	17	24	11	7	3	1
Clarke	1	52	5	4	7	12	–	7	5	–	2	14	5	40	12	21	6	8	–
Athens	1	37	4	2	6	11	–	6	5	–	2	9	5	33	6	16	4	6	–
Balance of county	–	15	1	2	1	1	–	1	–	–	–	5	–	7	6	3	2	2	–
Clay	–	21	1	2	1	–	–	2	–	–	2	1	–	2	1	2	–	1	–
Clayton	2	67	4	4	11	25	1	10	4	–	8	15	2	50	37	26	21	12	1
College Park, part	–	2	–	–	–	1	–	–	–	–	–	1	–	2	2	2	1	1	1
Forest Park	–	12	1	–	1	7	1	2	–	–	3	2	–	8	7	3	3	4	–
Balance of county	2	53	3	4	10	17	–	8	4	–	5	12	2	40	28	21	17	7	–
Clinch	1	8	1	–	1	4	–	–	–	–	1	–	1	2	1	1	–	–	–
Cobb	3	136	9	10	29	47	3	27	7	1	19	23	10	114	76	42	35	34	3
Marietta	1	37	2	–	8	6	–	7	1	–	6	8	1	21	15	15	8	10	1
Smyrna	1	12	–	2	1	6	–	2	2	–	1	1	1	8	4	2	3	3	1
Balance of county	1	87	7	8	20	35	3	18	4	1	12	14	8	85	57	25	24	21	1
Coffee	–	39	1	1	7	7	2	2	5	–	–	3	–	19	7	7	2	4	–
Douglas	–	19	–	–	3	1	2	1	3	–	–	1	–	12	2	3	1	1	–
Balance of county	–	20	1	1	4	6	–	1	2	–	–	2	–	7	5	4	1	3	–
Colquitt	2	32	9	3	12	7	–	5	8	–	2	6	–	28	9	10	6	5	1
Moultrie	2	14	3	1	4	3	–	4	4	–	–	6	–	14	1	4	2	1	1
Balance of county	–	18	6	2	8	4	–	1	4	–	2	–	–	14	8	6	4	4	–
Columbia	–	21	1	1	3	4	1	4	3	–	2	8	3	24	2	7	5	1	3
Cook	–	10	1	1	2	2	1	1	1	–	6	2	–	10	2	1	1	1	–
Coweta	3	56	1	3	14	20	1	3	4	–	2	2	9	27	15	10	7	6	–
Newnan	2	25	–	1	7	5	1	2	2	–	–	–	2	12	4	4	–	2	–
Balance of county	1	31	1	2	7	15	–	1	2	–	2	2	7	15	11	6	7	4	–
Crawford	–	7	1	–	5	1	–	–	–	–	–	1	–	4	4	1	2	3	–
Crisp	1	28	4	–	6	5	1	–	3	–	2	5	–	17	10	4	2	1	–
Cordele	1	17	1	–	4	4	1	–	2	–	1	4	–	12	7	2	1	1	–
Balance of county	–	11	3	–	2	1	–	–	1	–	1	1	–	5	3	2	1	–	–
Dade	–	9	–	1	2	2	1	–	1	–	2	2	–	9	5	3	2	1	–
Dawson	–	7	–	–	1	2	–	–	–	–	–	–	–	2	3	2	–	1	–
Decatur	1	26	1	3	6	1	1	1	2	–	3	5	3	15	16	9	2	2	–
Bainbridge	1	21	1	3	1	–	1	1	–	–	2	1	2	6	4	5	2	–	–
Balance of county	–	7	–	–	5	1	–	–	2	–	1	4	1	9	12	4	–	2	–
De Kalb	12	253	29	29	61	69	7	52	25	–	28	40	25	223	101	109	59	60	2
Atlanta, part	2	38	2	1	8	10	1	6	3	–	5	9	8	29	15	16	7	17	1
Decatur	2	41	5	4	13	8	3	8	8	–	3	15	5	39	16	24	6	15	–
Balance of county	8	174	22	24	40	51	3	38	16	–	20	16	12	155	71	69	46	28	1
Dodge	–	19	2	3	5	4	2	3	–	–	3	4	4	17	5	3	–	1	–
Dooly	3	16	2	1	3	3	–	–	2	–	–	2	2	10	10	5	1	–	–
Dougherty	1	91	8	3	14	16	–	10	6	–	14	15	31	60	28	23	8	18	2
Albany	1	83	7	3	11	13	–	10	4	–	12	13	25	53	22	21	6	17	1
Balance of county	–	8	1	–	3	3	–	–	2	–	2	2	6	7	4	2	2	1	1
Douglas	–	14	2	2	4	17	–	4	–	–	8	4	1	24	12	11	5	6	1
Early	2	22	2	1	2	1	–	2	1	–	1	1	1	8	4	2	1	3	1
Echols	–	2	–	–	–	–	–	–	1	–	–	–	–	2	–	3	–	–	–
Effingham	1	18	1	–	6	6	–	–	–	–	1	–	1	23	6	5	1	2	–
Elbert	1	27	–	2	7	6	1	4	2	–	2	4	–	24	8	10	1	2	–
Emanuel	2	28	3	3	5	5	1	1	–	–	–	4	2	23	11	8	2	3	–
Evans	–	15	–	2	1	1	–	1	–	–	–	–	–	13	2	3	1	5	–
Fannin	1	30	–	1	2	7	–	1	–	–	–	–	–	11	8	8	3	2	–
Fayette	2	7	2	–	5	4	1	4	–	–	–	6	2	5	12	3	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Georgia—Con.																			
Floyd	754	3	–	4	151	34	42	8	16	11	10	28	13	371	270	1	5	212	5
Rome	406	1	–	2	71	16	15	4	13	5	3	15	7	214	151	1	4	121	2
Balance of county	348	2	–	2	80	18	27	4	5	6	7	13	6	157	119	–	1	91	2
Forsyth	177	–	–	3	38	14	4	1	2	–	5	12	3	88	58	1	1	44	1
Franklin	157	–	–	1	25	6	6	3	2	1	2	5	1	73	59	–	2	40	1
Fulton	5,460	7	–	71	959	228	239	96	119	35	33	211	90	2,567	1,959	21	194	1,121	82
Atlanta, part	4,175	3	–	62	704	173	165	72	91	21	24	158	71	1,983	1,521	16	176	824	50
Atlanta, total	4,616	3	–	65	787	191	188	79	108	22	27	174	73	2,201	1,696	16	188	920	57
College Park, part	175	–	–	1	35	6	13	4	3	2	–	7	2	75	57	–	3	32	2
College Park, total	202	–	–	1	38	7	13	4	3	2	–	9	2	88	68	–	3	39	2
East Point	313	–	–	3	60	7	17	3	10	5	2	16	5	140	108	1	5	73	2
Balance of county	797	4	–	5	160	40	44	17	15	7	7	30	12	389	273	4	10	192	6
Gilmer	116	–	–	–	25	5	6	1	5	2	1	5	–	55	42	–	–	33	
Glascock	24	–	–	–	2	–	1	–	–	–	–	1	1	15	13	1	3	7	
Glynn	496	1	1	4	106	23	28	12	12	2	8	21	1	247	188	–	8	127	6
Brunswick	241	1	1	3	48	11	12	4	7	2	4	8	1	121	88	–	5	50	3
Balance of county	255	–	–	1	58	12	16	8	5	–	4	13	–	126	102	–	3	77	2
Gordon	250	–	–	2	49	14	12	6	3	1	3	10	5	112	87	–	2	43	4
Grady	207	–	–	–	31	6	9	3	3	1	2	7	1	123	99	–	9	81	
Greene	145	1	–	1	24	3	7	2	6	1	–	5	2	79	59	–	14	32	1
Gwinnett	723	–	–	5	141	34	36	14	15	1	5	36	13	332	248	2	7	187	5
Habersham	181	–	–	1	32	5	7	2	8	2	–	8	6	97	75	–	1	64	1
Hall	572	–	–	5	89	17	19	11	9	5	9	19	13	288	227	1	4	159	6
Gainesville	166	–	–	2	20	5	4	1	1	1	3	5	4	100	77	1	2	55	1
Balance of county	406	–	–	3	69	12	15	10	8	4	6	14	9	188	150	–	2	104	4
Hancock	88	–	–	–	15	3	4	–	4	–	–	4	2	44	36	–	3	19	1
Haralson	162	1	–	1	28	4	7	3	5	2	2	5	3	83	65	–	–	50	1
Harris	162	–	–	2	33	10	4	6	2	–	2	8	1	70	50	–	6	29	1
Hart	169	–	–	–	24	4	8	1	3	–	1	7	3	90	70	–	2	52	1
Heard	87	–	–	–	14	3	2	–	2	1	–	6	1	46	37	–	–	29	
Henry	234	–	–	2	52	10	9	3	3	3	5	19	3	116	78	2	3	55	1
Houston	371	1	–	3	82	15	19	7	14	2	2	23	10	163	123	1	3	73	4
Warner Robins	196	–	–	1	45	10	11	3	8	1	–	12	6	89	65	–	1	41	2
Balance of county	175	1	–	2	37	5	8	4	6	1	2	11	4	74	58	1	2	32	2
Irwin	84	–	–	–	13	1	4	1	3	1	1	2	2	51	29	–	2	23	
Jackson	210	–	–	–	49	11	14	6	8	1	3	6	1	110	86	2	2	60	2
Jasper	77	–	–	3	19	7	5	2	–	–	1	4	–	28	20	–	–	14	
Jeff Davis	105	–	–	1	21	8	4	1	3	1	–	4	4	55	38	–	–	36	
Jefferson	159	–	–	–	29	12	6	1	5	–	1	4	4	79	59	–	4	40	1
Jenkins	133	1	–	1	22	6	8	1	2	1	1	3	2	75	49	–	–	36	1
Johnson	83	–	–	–	8	2	2	–	–	–	1	3	1	51	42	–	1	30	1
Jones	125	1	–	1	15	2	3	1	1	–	1	7	3	66	49	–	9	25	1
Lamar	110	–	–	1	15	4	4	2	2	1	–	2	3	56	38	–	2	32	
Lanier	60	–	–	–	5	2	–	–	1	–	1	1	–	41	30	–	–	19	1
Laurens	373	1	–	2	56	15	19	3	4	1	4	10	6	208	170	–	7	95	6
Dublin	197	–	–	1	27	9	6	2	2	–	2	6	5	106	89	–	5	50	3
Balance of county	176	1	–	1	29	6	13	1	2	1	2	4	1	102	81	–	2	45	3
Lee	64	–	–	–	16	4	8	1	–	1	1	1	1	30	19	–	–	12	
Liberty	126	–	–	–	23	6	7	2	1	–	1	6	1	53	40	–	2	26	1
Lincoln	73	–	–	–	14	5	3	1	1	–	–	4	2	40	37	1	4	26	
Long	41	–	–	–	4	–	2	–	1	–	–	1	–	23	18	–	1	16	
Lowndes	445	1	–	3	61	13	19	4	6	4	1	14	6	234	172	1	–	132	9
Valdosta	291	1	–	1	44	10	14	2	5	3	1	9	5	159	117	1	–	91	2
Balance of county	154	–	–	2	17	3	5	2	1	1	–	5	1	75	55	–	–	41	1
Lumpkin	79	–	–	–	18	6	5	–	4	1	1	1	1	36	29	1	–	26	
McDuffie	158	1	–	1	29	11	8	1	4	1	–	4	–	78	53	–	5	34	1
McIntosh	67	–	–	–	11	1	1	2	2	1	–	4	3	31	23	–	4	16	
Macon	89	–	–	1	12	4	5	–	2	–	1	–	2	49	41	–	2	32	
Madison	144	–	–	1	18	4	5	2	3	1	–	3	3	75	58		3	38	1
Marion	57	–	–	–	13	2	5	–	2	–	2	2	1	24	19	–	–	11	
Meriwether	221	–	–	2	44	13	13	3	3	1	2	9	1	114	78	–	2	58	1
Miller	57	–	–	–	10	4	2	1	1	–	–	2	1	29	18	–	3	12	
Mitchell	188	–	–	2	38	12	11	3	5	–	–	7	2	86	51	–	4	39	
Monroe	127	–	–	–	29	9	11	–	2	–	1	6	1	67	47	1	1	30	1
Montgomery	68	–	–	–	5	–	2	–	1	–	–	2	1	36	24	–	–	18	
Morgan	117	–	–	2	16	4	5	1	1	1	1	3	1	63	40	–	2	31	
Murray	127	–	–	1	26	4	7	–	4	–	2	9	2	51	42	1	1	26	1
Muscogee	1,380	5	–	10	268	71	75	18	46	18	8	52	23	651	451	2	27	324	9
Columbus	1,338	5	–	10	261	70	71	18	46	17	8	51	23	629	435	2	26	312	9
Balance of county	52	–	–	–	7	1	4	–	–	1	–	1	–	22	16	–	1	12	
Newton	287	–	–	3	46	14	10	5	5	3	2	7	1	155	110	–	4	75	3
Covington	123	–	–	1	15	5	2	1	1	3	1	2	–	79	56	–	3	37	1
Balance of county	144	–	–	2	31	9	8	4	4	–	1	5	1	76	54	–	1	38	1
Oconee	57	–	–	–	7	1	3	–	2	–	–	1	2	30	24	–	–	20	
Oglethorpe	67	–	–	–	15	3	3	3	3	1	–	2	–	31	26	–	2	21	
Paulding	162	–	–	2	30	7	6	3	3	2	1	8	9	67	50	–	2	32	1
Peach	147	–	–	2	18	5	2	1	3	1	1	5	2	80	65	–	13	41	1
Pickens	108	–	–	1	18	6	4	2	1	1	–	4	5	59	41	1	1	30	
Pierce	101	–	–	–	14	–	7	–	2	1	–	4	2	54	35	–	1	28	
Pike	72	–	–	1	14	2	2	2	1	1	2	4	4	40	23	–	2	18	
Polk	312	–	–	4	54	10	17	6	7	4	1	9	5	185	136	–	1	114	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Floyd	2	84	10	5	13	19	-	5	13	-	8	9	9	59	26	26	13	12	-
Rome	1	54	5	3	8	10	-	2	4	-	3	2	6	38	9	14	6	9	-
Balance of county	1	30	5	2	5	9	-	3	9	-	5	7	3	21	17	12	7	3	-
Forsyth	2	22	4	2	3	5	-	3	-	-	-	2	1	15	10	3	2	1	-
Franklin	-	13	-	1	4	4	-	-	1	-	2	2	1	19	10	6	3	4	1
Fulton	25	492	43	48	147	128	18	107	46	2	42	79	46	518	192	201	77	223	5
Atlanta, part	15	377	35	35	101	86	14	85	41	1	33	63	37	408	80	155	51	183	4
Atlanta, total	17	415	37	36	109	106	15	91	44	1	38	72	45	437	95	171	58	200	5
College Park, part	2	14	2	-	10	3	-	2	-	-	2	5	1	15	5	9	4	5	-
College Park, total	2	16	2	-	10	4	-	2	-	-	2	7	1	17	7	11	5	6	1
East Point	2	24	4	2	10	7	2	8	1	-	1	3	2	31	10	11	8	11	-
Balance of county	6	77	2	11	26	22	2	12	4	1	6	7	6	59	37	26	14	24	1
Gilmer	2	10	-	1	7	7	-	2	1	-	1	-	-	7	6	4	1	-	-
Glascock	-	2	-	-	1	1	-	-	-	-	-	1	-	2	-	1	-	-	-
Glynn	1	47	7	4	14	14	4	7	5	-	2	7	4	34	13	12	6	13	1
Brunswick	1	27	5	2	11	5	1	2	3	-	-	4	2	18	3	5	1	11	-
Balance of county	-	20	2	2	3	9	3	5	2	-	2	3	2	16	10	7	5	2	1
Gordon	-	16	7	2	12	4	-	6	1	-	2	5	1	15	19	7	5	5	-
Grady	-	23	-	1	4	1	-	1	2	-	1	6	2	13	12	7	1	2	-
Greene	2	15	3	-	3	3	-	3	-	-	-	6	1	12	5	4	-	1	-
Gwinnett	3	72	4	5	17	14	3	5	5	-	12	13	9	56	35	32	19	11	1
Habersham	-	18	1	3	1	6	-	-	2	-	3	1	-	14	4	6	-	6	-
Hall	3	47	6	5	15	18	4	7	5	-	4	8	2	53	26	11	12	11	1
Gainesville	-	16	4	3	1	7	-	3	2	-	2	2	-	14	3	2	2	2	-
Balance of county	3	31	2	2	14	11	4	4	3	-	2	6	2	39	23	9	10	9	1
Hancock	-	7	1	-	2	-	1	-	3	-	1	1	-	6	6	3	1	2	1
Haralson	-	15	1	2	1	2	-	2	2	-	1	1	2	15	8	5	5	2	-
Harris	-	14	3	3	3	2	-	-	2	-	1	2	4	16	14	5	4	3	-
Hart	1	16	1	2	4	9	3	-	3	-	-	2	2	10	8	5	1	3	2
Heard	-	9	-	-	1	1	1	-	-	-	-	2	1	6	4	6	3	1	-
Henry	-	33	-	4	3	6	2	1	1	-	5	-	3	12	14	10	2	3	-
Houston	1	31	4	4	8	12	2	4	2	-	1	4	-	33	9	14	17	6	-
Warner Robins	1	15	4	4	4	5	1	4	1	-	1	3	-	13	3	7	9	4	-
Balance of county	-	16	-	-	4	7	1	-	1	-	-	1	-	20	6	7	8	2	-
Irwin	-	20	1	1	4	2	-	1	2	-	-	-	1	3	2	-	3	-	-
Jackson	-	20	2	2	4	5	-	2	1	-	-	1	1	8	13	4	8	3	-
Jasper	1	6	-	1	2	2	-	1	4	-	-	1	-	8	1	7	-	1	-
Jeff Davis	-	17	-	-	3	3	1	1	-	-	-	-	-	6	1	7	2	-	-
Jefferson	1	10	8	1	5	3	1	2	2	-	1	2	1	16	3	8	2	1	-
Jenkins	1	22	1	2	1	3	1	2	-	-	1	-	-	5	12	6	-	1	-
Johnson	-	7	-	2	3	3	-	-	3	-	3	-	-	6	2	-	1	2	-
Jones	-	17	-	-	3	4	-	2	4	-	1	2	-	7	7	4	4	1	-
Lamar	2	17	1	-	2	2	-	3	4	-	2	6	-	10	1	3	-	2	-
Lanier	-	7	4	-	2	-	-	1	1	-	-	-	2	3	3	2	-	-	-
Laurens	1	30	4	3	12	9	3	5	3	-	3	7	3	24	10	11	3	7	-
Dublin	1	14	2	-	8	6	2	2	1	-	2	5	3	15	4	5	2	3	-
Balance of county	-	16	2	3	4	3	1	3	2	-	1	2	-	9	6	6	1	4	-
Lee	2	9	-	-	2	3	1	-	-	-	-	1	-	1	4	4	-	1	-
Liberty	-	12	-	1	2	5	1	1	3	-	3	3	1	9	14	5	-	1	1
Lincoln	-	3	-	-	3	-	-	-	-	-	2	4	-	4	1	1	-	2	-
Long	-	5	-	-	-	3	-	1	-	-	1	1	1	1	2	2	-	2	-
Lowndes	2	49	4	7	11	1	2	7	6	-	3	17	8	33	18	13	6	5	-
Valdosta	1	35	2	4	10	5	1	4	3	-	2	9	4	24	7	8	2	2	-
Balance of county	1	14	2	3	1	6	1	3	3	-	1	8	4	9	11	5	4	3	-
Lumpkin	-	7	-	-	3	1	-	2	1	-	-	-	-	7	6	3	-	1	-
McDuffie	-	24	-	1	8	-	-	4	2	-	-	4	8	14	5	2	-	2	-
McIntosh	-	7	-	1	3	3	-	-	1	-	1	1	-	3	4	3	2	1	-
Macon	1	5	2	-	1	1	-	-	2	-	1	1	-	9	7	2	-	1	-
Madison	1	13	1	2	6	5	-	3	-	-	2	3	1	8	7	6	5	1	-
Marion	1	3	1	-	1	1	-	3	1	-	-	-	-	5	3	4	1	-	-
Meriwether	3	28	4	1	4	1	-	-	2	-	1	1	2	20	12	11	3	3	-
Miller	-	12	-	1	-	-	-	-	-	-	-	1	2	8	5	1	-	-	-
Mitchell	3	32	-	-	10	8	1	-	6	-	2	2	5	15	11	5	3	2	-
Monroe	2	15	2	1	4	-	-	-	-	-	2	3	3	7	3	4	1	2	1
Montgomery	-	10	-	2	4	1	1	2	-	-	-	-	3	8	3	2	1	1	-
Morgan	2	19	1	1	1	2	-	-	-	-	1	3	1	12	4	7	1	2	1
Murray	1	8	-	-	2	5	-	4	1	-	4	2	2	10	6	8	2	1	-
Muscogee	6	184	16	14	39	42	-	14	9	-	9	44	7	108	26	43	17	47	8
Columbus	5	159	16	14	38	38	-	14	8	-	7	36	6	105	24	42	17	47	8
Balance of county	1	5	-	-	1	4	-	-	1	-	2	8	1	3	2	1	-	-	-
Newton	1	36	5	3	6	9	2	4	2	-	-	4	2	13	6	2	9	3	-
Covington	1	19	3	-	4	3	1	2	1	-	-	3	1	7	-	1	3	2	-
Balance of county	-	17	2	3	2	6	1	2	1	-	-	1	1	6	6	1	6	1	-
Oconee	-	5	1	-	2	1	-	2	-	-	-	1	-	4	3	2	1	2	-
Oglethorpe	-	5	-	-	3	2	-	-	1	-	-	-	2	3	5	2	2	1	-
Paulding	1	12	1	3	6	9	-	3	-	-	1	3	2	12	7	4	5	2	-
Peach	-	13	2	-	2	3	-	3	-	-	-	5	2	9	12	4	3	2	-
Pickens	-	16	1	1	3	2	-	-	3	-	-	1	3	4	4	1	4	-	-
Pierce	-	14	-	5	4	3	2	2	1	-	-	3	-	10	2	3	-	1	-
Pike	-	16	1	-	1	3	-	-	-	-	-	-	-	2	2	2	2	1	-
Polk	-	28	3	-	3	12	-	4	3	-	2	5	-	35	6	6	2	4	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Pulaski	75	–	–	–	15	4	7	1	1	1	–	1	1	37	28	–	6	17	5
Putnam	101	–	–	–	17	7	6	–	2	–	–	2	–	51	41	–	1	24	16
Quitman	24	–	–	–	3	1	–	1	–	1	–	–	–	12	10	–	–	6	4
Rabun	103	–	–	–	16	2	7	1	4	–	1	1	3	47	37	–	2	28	7
Randolph	111	–	–	–	23	6	3	1	3	1	1	8	2	66	35	–	1	25	9
Richmond	1,493	5	–	21	271	61	78	17	33	7	10	65	30	697	497	3	35	344	115
Augusta	888	4	–	12	166	36	45	8	25	4	3	45	21	427	295	1	22	199	73
Balance of county	605	1	–	9	105	25	33	9	8	3	7	20	9	270	202	2	13	145	42
Rockdale	192	–	–	1	48	15	13	–	7	3	1	9	–	84	67	1	1	53	12
Schley	45	–	–	–	10	2	3	2	1	–	–	2	2	20	12	–	–	9	3
Screven	164	1	–	–	17	4	4	–	2	–	3	4	1	102	79	–	4	59	16
Seminole	90	–	–	–	15	4	7	2	–	–	–	2	1	48	34	–	1	20	13
Spalding	428	–	–	–	74	17	24	5	8	4	1	15	4	230	173	–	12	137	24
Griffin	274	–	–	–	47	11	15	3	6	1	1	10	1	148	109	–	8	86	15
Balance of county	154	–	–	–	27	6	9	2	2	3	–	5	3	82	64	–	4	51	9
Stephens	227	–	–	1	44	5	19	1	4	1	3	11	2	123	91	2	2	80	7
Stewart	64	–	–	2	10	1	2	1	5	–	–	1	2	38	25	–	–	17	8
Sumter	284	–	–	3	49	12	12	1	7	3	2	12	3	165	128	1	3	78	44
Americus	190	–	–	2	28	8	6	1	3	2	1	7	2	107	82	–	3	49	30
Balance of county	104	–	–	1	21	4	6	–	4	1	1	5	1	58	44	1	–	29	14
Talbot	67	–	–	–	7	3	4	–	–	–	–	–	1	39	24	–	1	15	8
Taliaferro	31	–	–	–	6	3	1	1	–	–	–	1	–	14	10	–	–	6	4
Tattnall	172	–	–	2	25	3	8	2	6	2	1	3	3	87	67	1	–	55	11
Taylor	76	–	–	1	5	2	2	–	–	–	–	1	1	54	33	–	1	27	5
Telfair	124	–	–	–	23	5	6	2	4	1	1	4	5	70	49	–	1	45	3
Terrell	138	–	–	–	24	9	5	–	4	1	1	4	3	73	58	–	6	43	7
Thomas	442	–	–	1	78	18	22	2	11	6	–	17	11	240	141	2	6	110	23
Thomasville	234	–	–	–	38	12	7	–	5	5	–	7	8	131	85	1	3	45	16
Balance of county	208	–	–	1	40	6	15	2	6	1	–	10	3	109	76	1	3	65	7
Tift	260	–	–	1	30	9	8	1	3	1	1	7	4	144	94	–	6	67	21
Tifton	119	–	–	–	10	3	3	1	–	–	1	2	2	76	48	–	2	35	11
Balance of county	141	–	–	1	20	6	5	–	3	1	–	5	2	68	46	–	4	32	10
Toombs	224	–	1	2	37	6	14	2	3	1	1	10	4	99	60	–	3	41	16
Towns	61	–	–	–	14	2	2	2	–	4	–	4	–	38	31	–	–	23	8
Treutlen	89	–	–	–	10	1	2	–	1	–	1	5	4	41	28	–	2	13	13
Troup	473	1	1	5	93	29	27	9	9	3	2	14	3	252	192	1	7	144	40
La Grange	244	–	–	4	46	14	14	6	3	2	1	6	3	123	94	1	3	71	19
Balance of county	229	1	1	1	47	15	13	3	6	1	1	8	–	129	98	–	4	73	21
Turner	99	–	–	–	16	3	6	–	1	3	1	2	–	66	41	–	–	39	2
Twiggs	72	–	–	–	11	1	5	–	2	–	1	2	2	28	16	–	–	11	5
Union	97	–	–	5	25	5	9	2	2	1	1	5	1	50	35	–	1	27	7
Upson	288	–	–	–	48	13	11	–	8	3	4	9	8	147	80	–	2	62	16
Thomaston	138	–	–	–	18	4	7	–	4	–	1	2	3	76	44	–	2	32	10
Balance of county	150	–	–	–	30	9	4	–	4	3	3	7	5	71	36	–	–	30	6
Walker	499	–	–	1	85	17	25	6	4	2	5	26	11	268	206	1	8	132	67
Walton	285	2	–	–	48	11	8	5	6	2	3	13	6	140	112	2	–	90	20
Ware	429	–	–	2	78	20	17	7	6	3	3	22	4	239	183	–	6	126	51
Waycross	268	–	–	2	50	14	8	5	6	2	1	14	2	151	116	–	6	78	38
Balance of county	161	–	–	–	28	6	9	2	–	1	2	8	2	88	67	–	1	48	18
Warren	70	–	–	1	8	2	1	–	–	–	–	5	1	43	30	–	2	18	10
Washington	196	1	–	–	36	13	8	1	6	2	1	5	4	98	79	–	1	58	20
Wayne	197	–	1	–	38	8	12	4	5	4	–	5	–	105	70	–	3	54	13
Webster	22	–	–	–	3	–	–	1	–	–	–	2	–	13	9	–	–	5	4
Wheeler	58	–	–	–	10	2	4	–	1	1	–	2	–	31	24	–	2	18	6
White	84	–	–	–	11	2	3	–	2	1	1	2	–	49	32	–	2	22	8
Whitfield	479	2	–	1	97	21	24	7	12	4	4	25	10	213	161	2	3	118	38
Dalton	220	2	–	1	35	12	7	4	4	–	1	7	4	101	74	1	1	55	17
Balance of county	259	–	–	–	62	9	17	3	8	4	3	18	6	112	87	1	2	63	21
Wilcox	73	–	–	–	14	2	5	–	3	1	1	2	1	37	30	–	3	19	8
Wilkes	122	–	–	1	14	5	3	–	2	1	1	2	1	70	52	1	1	45	5
Wilkinson	102	–	–	3	16	5	4	1	3	–	–	3	2	49	38	–	1	28	9
Worth	162	–	–	–	23	3	10	2	3	1	1	3	2	84	54	1	2	33	18
Hawaii	4,870	9	–	50	1,106	359	269	65	111	43	45	214	128	1,999	1,533	11	71	1,166	285
Urban places	3,184	5	–	37	741	243	176	42	76	28	32	144	80	1,341	1,031	3	36	826	166
Balance of area	1,686	4	–	13	365	116	93	23	35	15	13	70	48	658	502	8	35	340	119
Metropolitan counties	3,635	7	–	39	832	266	203	52	84	31	37	159	90	1,496	1,146	6	42	902	196
Urban places	2,961	5	–	33	693	225	167	40	72	22	31	136	72	1,259	968	3	33	760	152
Balance of area	674	2	–	6	139	41	36	12	12	9	6	23	18	237	178	3	9	122	44
Nonmetropolitan counties	1,235	2	–	11	274	93	66	13	27	12	8	55	38	503	387	5	29	264	89
Urban places	223	–	–	4	48	18	9	2	4	6	1	8	8	82	63	–	3	46	14
Balance of area	1,012	2	–	7	226	75	57	11	23	6	7	47	30	421	324	5	26	218	75
Hawaii	549	–	–	8	124	43	22	5	13	8	4	29	16	214	159	4	6	113	36
Hilo [3]	223	–	–	4	48	18	9	2	4	6	1	8	8	82	63	–	3	46	14
Balance of county	326	–	–	4	76	25	13	3	9	2	3	21	8	132	96	4	3	67	22
Honolulu	3,635	7	–	39	832	266	203	52	84	31	37	159	90	1,496	1,146	6	42	902	196
Aiea	103	1	–	–	25	8	9	1	5	1	–	1	3	46	38	–	–	31	7
Honolulu [3]	2,154	4	–	26	506	173	119	32	52	14	23	93	49	943	726	3	30	585	106
Kailua	184	–	–	2	46	12	12	4	2	2	2	12	4	76	61	–	1	54	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Pulaski	–	9	–	–	2	4	–	–	1	–	–	–	1	2	6	4	–	2	–
Putnam	1	8	–	1	4	1	–	2	–	–	–	3	1	6	7	6	2	1	–
Quitman	–	1	1	–	–	2	–	–	1	–	–	–	–	5	–	–	1	–	–
Rabun	2	7	–	1	6	3	1	1	–	–	–	4	–	5	5	7	3	2	–
Randolph	4	25	1	1	1	1	–	–	2	–	–	–	2	6	4	3	1	–	–
Richmond	8	168	3	21	36	40	6	24	9	1	12	34	8	144	43	43	19	44	6
Augusta	3	108	3	18	24	23	4	17	7	–	4	16	7	66	15	23	9	22	1
Balance of county	5	60	–	3	12	17	2	7	2	1	8	18	1	58	28	20	10	22	5
Rockdale	–	14	1	2	5	6	2	2	5	–	3	4	–	11	9	6	5	1	–
Schley	–	7	1	–	–	1	–	–	–	–	–	–	3	4	1	2	1	1	–
Screven	1	19	–	3	2	5	–	1	4	–	2	2	1	5	5	11	1	4	–
Seminole	1	13	–	–	4	2	1	–	–	–	–	3	–	6	4	3	–	3	–
Spalding	1	47	5	4	15	9	–	4	5	–	5	7	1	33	15	8	8	8	2
Griffin	–	32	4	3	14	5	–	4	3	–	4	3	1	26	7	5	4	2	–
Balance of county	1	15	1	1	1	4	–	–	2	–	1	4	–	7	8	3	4	6	2
Stephens	–	28	4	–	5	7	–	1	2	–	1	2	–	20	9	5	2	2	1
Stewart	–	12	–	1	–	–	–	–	–	–	–	2	–	6	–	–	3	1	–
Sumter	2	29	3	5	5	9	–	2	2	–	3	3	3	20	9	10	3	5	–
Americus	–	18	3	4	2	8	–	2	2	–	2	–	1	17	5	7	1	4	–
Balance of county	2	11	–	1	3	1	–	–	–	–	1	3	2	3	4	3	2	1	–
Talbot	2	9	2	2	1	2	–	–	1	–	1	–	2	7	6	–	–	–	–
Taliaferro	2	2	–	–	2	1	–	–	–	–	–	–	1	3	–	4	–	–	–
Tattnall	–	18	1	1	5	1	1	2	3	–	1	1	2	13	5	10	4	4	3
Taylor	1	18	2	–	1	–	–	1	2	–	–	3	–	5	3	–	–	–	–
Telfair	–	19	2	–	2	4	1	1	–	–	–	2	1	3	5	5	2	–	–
Terrell	–	14	–	3	1	2	–	–	3	1	1	4	–	10	5	5	2	4	–
Thomas	3	86	7	3	9	9	–	3	2	–	2	9	2	40	14	10	5	9	–
Thomasville	2	61	3	–	8	4	–	2	1	–	–	5	1	21	5	6	1	5	–
Balance of county	1	25	4	3	1	5	–	1	1	–	2	4	1	19	9	4	4	4	–
Tift	1	40	7	2	5	12	1	4	5	–	3	5	1	21	10	5	6	3	–
Tifton	1	23	3	1	–	2	–	3	2	–	–	4	1	9	3	1	5	1	–
Balance of county	–	17	4	1	5	10	1	1	3	–	3	1	–	12	7	4	1	2	–
Toombs	2	32	2	3	15	6	–	3	1	–	1	3	2	25	8	8	2	5	2
Towns	–	6	–	1	–	–	1	1	1	–	1	–	1	4	–	–	–	–	–
Treutlen	–	12	1	–	–	1	–	–	1	–	1	–	–	5	3	2	–	1	–
Troup	6	46	6	2	9	11	–	4	5	–	3	6	4	40	17	7	8	4	–
La Grange	4	22	2	1	6	5	–	3	4	–	2	2	2	25	7	5	4	3	–
Balance of county	2	24	4	1	3	6	–	1	1	–	1	4	2	15	10	2	4	1	–
Turner	–	24	1	–	–	–	1	2	–	–	–	1	–	2	3	5	2	1	–
Twiggs	1	9	1	1	2	3	–	–	2	–	–	–	7	5	6	3	–	3	–
Union	1	19	–	1	2	2	–	–	–	–	–	3	–	5	3	1	–	–	–
Upson	1	55	6	5	8	8	–	3	7	–	3	2	3	28	10	10	1	2	–
Thomaston	–	20	3	3	6	6	–	1	4	–	1	–	2	13	4	4	–	–	–
Balance of county	1	29	3	2	2	2	–	2	3	–	2	2	1	15	6	6	1	2	–
Walker	2	54	5	1	10	13	–	5	3	–	3	7	3	47	17	16	5	5	–
Walton	–	22	2	4	3	6	–	2	–	–	5	3	2	32	14	11	7	3	1
Ware	2	47	1	6	7	12	1	5	2	–	5	3	2	36	9	13	7	4	–
Waycross	2	29	1	3	4	7	1	3	2	–	3	2	2	27	1	5	2	4	–
Balance of county	–	18	–	3	3	5	–	2	–	–	2	1	–	9	8	8	5	–	–
Warren	1	8	4	–	3	–	1	–	–	–	–	1	1	7	2	1	–	1	–
Washington	–	11	4	4	5	3	–	3	1	–	1	1	1	21	5	8	7	3	–
Wayne	–	29	4	2	4	6	–	1	3	–	–	4	2	15	9	6	2	1	–
Webster	–	3	1	–	–	–	–	–	1	–	–	–	–	3	1	1	–	–	–
Wheeler	–	6	1	–	–	2	–	–	–	–	1	–	–	3	4	1	2	1	1
White	–	15	1	1	2	3	–	–	–	–	–	–	2	7	5	3	1	1	–
Whitfield	4	45	–	3	14	18	1	8	4	–	3	11	7	47	17	9	7	9	1
Dalton	3	23	–	1	11	8	1	5	–	–	1	2	1	28	7	3	2	7	1
Balance of county	1	22	–	2	3	10	–	3	4	–	2	9	6	19	10	6	5	2	–
Wilcox	–	6	–	1	2	5	–	–	1	–	–	–	2	3	4	4	–	–	–
Wilkes	–	16	2	–	1	2	–	–	–	–	2	–	3	17	4	6	1	–	–
Wilkinson	–	9	2	–	5	–	–	2	3	–	–	–	–	4	7	6	2	3	–
Worth	2	26	–	2	5	3	1	1	1	–	2	5	3	13	10	3	3	3	–
Hawaii	13	369	33	51	135	141	19	76	37	–	63	80	58	375	213	160	131	61	29
Urban places	6	252	19	33	95	94	11	50	27	–	40	55	34	253	84	87	85	41	24
Balance of area	7	117	14	18	40	47	8	26	10	–	23	25	24	122	129	73	46	20	5
Metropolitan counties	8	287	22	33	103	109	13	59	26	–	51	69	41	283	130	109	103	49	26
Urban places	6	241	16	28	88	88	10	48	24	–	38	51	30	238	72	73	80	38	23
Balance of area	2	46	6	5	15	21	3	11	2	–	13	18	11	45	58	36	23	13	3
Nonmetropolitan counties	5	82	11	18	32	32	6	17	11	–	12	11	17	92	83	51	28	12	3
Urban places	–	11	3	5	7	6	1	2	3	–	2	4	4	15	12	14	5	5	1
Balance of area	5	71	8	13	25	26	5	15	8	–	10	7	13	77	71	37	23	7	2
Hawaii	1	38	6	10	18	11	1	7	4	–	7	6	8	44	35	26	11	8	1
Hilo [a]	–	11	3	5	7	6	1	2	3	–	2	4	4	15	12	14	5	5	1
Balance of county	1	27	3	5	11	5	–	5	1	–	5	2	4	29	23	12	6	3	–
Honolulu	8	287	22	33	103	109	13	59	26	–	51	69	41	283	130	109	103	49	26
Aiea	1	6	–	1	1	2	–	2	1	–	2	1	1	7	5	4	2	–	–
Honolulu [a]	4	183	12	18	64	65	7	36	16	–	20	30	16	180	44	44	54	30	18
Kailua	–	12	–	3	5	9	1	3	2	–	7	1	1	9	4	5	7	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuber-culosis (010-018)	Syph-ilis (090-097)	Residual of infec-tious and para-sitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neopla-sms of di-gestive organs and perito-neum (150-159)	Malig-nant neo-plasms of respira-tory and intra-thoracic organs (160-165)	Malig-nant neo-plasm of breast (174-175)	Malig-nant neo-plasms of genital organs (179-187)	Malig-nant neo-plasms of urinary organs (188-189)	Leuke-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardio-vascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseas (415-429)
Hawaii—Con.																			
Kaneohe	191	–	–	2	47	9	12	2	9	3	2	10	4	72	54	–	1	43	1
Pearl City	100	–	–	2	25	6	10	–	1	1	1	6	5	33	26	–	1	20	
Schofield Barracks	17	–	–	–	1	–	–	–	–	–	1	–	–	2	2	–	–	1	
Wahiawa	106	–	–	1	22	7	2	–	2	1	–	10	2	41	27	–	–	23	
Waipahu	106	–	–	–	21	10	3	1	1	–	2	4	5	46	34	–	–	23	1
Balance of county	674	2	–	6	139	41	36	12	12	9	6	23	18	237	178	3	9	122	4
Kauai	239	–	–	–	48	15	17	2	3	–	1	10	6	109	95	–	13	60	2
Maui	447	2	–	3	102	35	27	6	11	4	3	16	16	180	133	1	10	91	3
Idaho	6,393	2	–	28	1,218	309	263	95	148	61	59	283	76	2,979	2,201	46	45	1,656	45
Urban places	2,557	–	–	10	478	103	112	41	55	31	25	111	29	1,253	914	15	19	701	17
Balance of area	3,836	2	–	18	740	206	151	54	93	30	34	172	47	1,726	1,287	31	26	955	27
Metropolitan counties	1,036	–	–	7	192	45	51	10	19	7	10	50	12	481	344	2	10	257	7
Urban places	787	–	–	4	141	33	38	7	16	5	6	36	8	381	277	1	8	205	6
Balance of area	249	–	–	3	51	12	13	3	3	2	4	14	4	100	67	1	2	52	1
Nonmetropolitan counties	5,357	2	–	21	1,026	264	212	85	129	54	49	233	64	2,498	1,857	44	35	1,399	37
Urban places	1,770	–	–	6	337	70	74	34	39	26	19	75	21	872	637	14	11	496	11
Balance of area	3,587	2	–	15	689	194	138	51	90	28	30	158	43	1,626	1,220	30	24	903	26
Ada	1,036	–	–	7	192	45	51	10	19	7	10	50	12	481	344	2	10	257	7
Boise City	787	–	–	4	141	33	38	7	16	5	6	36	8	381	277	1	8	205	6
Balance of county	249	–	–	3	51	12	13	3	3	2	4	14	4	100	67	1	2	52	1
Adams	31	–	–	–	7	3	2	–	1	–	–	1	–	15	10	–	–	10	
Bannock	412	–	–	2	70	13	13	5	9	7	6	17	3	205	155	4	3	129	2
Pocatello	338	–	–	1	64	13	12	4	7	7	5	16	2	171	128	4	3	104	1
Balance of county	74	–	–	1	6	–	1	1	2	–	1	1	1	34	27	–	–	19	
Bear Lake	62	–	–	–	8	6	–	1	1	–	–	–	–	32	27	–	–	23	
Benewah	56	–	–	–	6	–	1	2	2	–	–	1	–	32	26	–	–	24	
Bingham	225	–	–	1	40	15	5	1	5	–	3	11	4	95	65	–	1	49	1
Blaine	50	–	–	–	9	2	1	–	1	–	–	5	1	21	15	–	–	11	
Boise	20	–	–	–	5	–	1	–	–	–	–	4	–	5	3	–	–	2	
Bonner	176	–	–	–	34	9	10	–	4	4	–	7	3	85	63	2	5	48	1
Bonneville	332	–	–	2	58	12	12	5	7	1	7	14	2	134	89	2	–	70	1
Idaho Falls	262	–	–	1	42	7	9	5	6	1	5	9	2	105	73	2	–	58	1
Balance of county	70	–	–	1	16	5	3	–	1	–	2	5	–	29	16	–	–	12	
Boundary	54	–	–	–	8	4	1	–	–	1	–	2	1	27	20	–	–	16	
Butte	20	–	–	–	4	2	1	1	–	–	–	–	1	12	11	–	–	8	
Camas	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	
Canyon	569	–	–	2	122	33	28	11	18	3	2	27	6	285	212	3	1	175	3
Caldwell	153	–	–	1	36	8	7	3	4	2	1	11	2	72	53	2	–	45	
Nampa	229	–	–	1	43	10	13	2	8	–	1	9	2	115	83	–	1	68	1
Balance of county	187	–	–	–	43	15	8	6	6	1	–	7	2	98	76	1	–	62	1
Caribou	47	–	–	1	7	2	–	–	–	–	2	3	1	22	20	–	–	18	
Cassia	142	–	–	2	24	4	4	5	2	1	1	7	1	46	33	2	–	17	1
Clark	7	–	–	–	–	–	–	–	–	–	–	–	–	5	3	–	–	3	
Clearwater	69	–	–	1	14	–	7	1	1	–	–	5	–	31	24	1	–	16	
Custer	27	–	–	–	7	2	1	1	–	–	–	3	–	4	3	–	–	2	
Elmore	106	–	–	–	23	7	6	1	1	–	2	6	2	41	33	1	–	25	
Franklin	74	–	–	–	15	4	2	1	2	–	–	6	2	31	25	2	1	21	
Fremont	69	–	–	–	13	6	–	1	1	–	1	4	1	40	27	–	1	18	
Gem	115	–	–	–	26	8	5	–	5	–	2	6	1	58	45	1	–	38	
Gooding	85	–	–	–	18	4	3	4	2	2	–	3	2	37	21	1	2	13	
Idaho	136	–	–	–	25	7	7	2	4	2	1	2	1	58	40	2	–	30	
Jefferson	78	1	–	–	14	2	–	1	7	–	1	3	1	34	29	1	1	20	
Jerome	120	–	–	1	24	5	3	4	4	–	2	6	–	62	51	5	–	34	1
Kootenai	433	–	–	–	103	30	25	10	10	9	4	15	6	196	141	2	3	110	2
Coeur d'Alene	208	–	–	–	44	11	10	7	2	4	2	8	5	101	69	–	1	52	1
Balance of county	225	–	–	–	59	19	15	3	8	5	2	7	1	95	72	2	2	58	1
Latah	173	–	–	–	33	7	9	4	4	3	1	5	1	94	73	3	3	55	1
Moscow	84	–	–	–	19	3	6	2	2	2	1	3	–	44	37	1	1	29	
Balance of county	89	–	–	–	14	4	3	2	2	1	–	2	1	50	36	2	2	26	
Lemhi	58	–	–	–	13	2	4	1	3	–	–	3	1	26	19	–	1	14	
Lewis	51	–	–	–	9	1	1	–	3	1	1	2	1	20	16	–	–	9	
Lincoln	28	–	–	–	9	4	2	–	–	–	–	3	–	13	7	–	–	7	
Madison	92	–	–	–	19	4	2	3	3	–	1	6	–	40	28	1	–	19	
Minidoka	117	–	–	1	27	7	5	2	4	4	1	4	2	42	35	–	1	24	1
Nez Perce	300	–	–	1	54	8	12	5	9	3	2	15	4	163	117	4	1	80	3
Lewiston	258	–	–	1	48	8	9	5	9	3	1	13	4	140	99	3	1	69	2
Balance of county	42	–	–	–	6	–	3	–	–	–	1	2	–	23	18	1	–	11	
Oneida	36	–	–	1	7	3	2	–	–	–	–	2	1	21	14	–	–	9	
Owyhee	60	–	–	–	11	2	2	–	2	1	–	4	–	24	15	1	–	10	
Payette	153	1	–	1	30	12	7	4	2	2	1	2	1	71	49	–	1	37	1
Power	36	–	–	–	5	2	–	–	2	–	–	1	1	17	14	–	–	9	
Shoshone	170	–	–	1	30	9	8	1	1	2	2	7	3	87	67	1	4	39	2
Teton	14	–	–	–	3	–	1	–	1	–	1	–	–	5	4	–	–	3	
Twin Falls	432	–	–	3	74	18	15	7	6	8	5	15	7	207	166	4	5	126	3
Twin Falls	238	–	–	1	41	10	8	6	1	7	3	6	4	124	95	2	4	71	1
Balance of county	194	–	–	2	33	8	7	1	5	1	2	9	3	83	71	2	1	55	1
Valley	39	–	–	1	5	2	2	1	–	–	–	–	1	20	16	–	–	14	
Washington	78	–	–	–	13	3	2	–	2	–	–	6	2	33	25	–	1	22	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E899)
Hawaii—Con.																			
Kaneohe	–	11	3	4	8	5	1	3	1	–	2	5	5	16	6	8	4	1	1
Pearl City	–	7	–	–	2	2	–	–	1	–	1	5	–	9	4	5	5	1	–
Schofield Barracks	–	–	–	–	–	–	–	–	–	–	2	2	2	–	3	2	1	–	2
Wahiawa	1	11	–	2	3	2	–	1	2	–	4	3	–	8	4	5	5	2	1
Waipahu	–	11	1	–	5	3	1	3	1	–	–	4	3	9	2	–	2	1	–
Balance of county	2	46	6	5	15	21	3	11	2	–	13	18	11	45	58	38	23	13	3
Kauai	1	8	2	3	5	6	2	2	1	–	1	3	4	19	14	8	6	3	–
Maui	3	36	3	5	9	13	3	8	6	–	4	2	5	29	34	17	11	1	2
Idaho	12	577	125	64	152	207	22	64	40	1	55	94	176	470	356	284	124	58	9
Urban places	5	241	69	24	70	78	8	22	11	–	25	40	61	205	119	76	52	13	6
Balance of area	7	336	56	40	82	128	14	42	29	1	30	54	115	265	237	188	72	43	3
Metropolitan counties	2	95	29	11	26	33	5	14	8	–	6	13	29	83	63	34	19	9	2
Urban places	1	70	26	7	19	26	4	8	6	–	5	10	24	64	39	21	15	8	2
Balance of area	1	25	3	4	7	5	1	6	2	–	1	3	5	19	24	13	4	1	–
Nonmetropolitan counties	10	482	96	53	126	174	17	50	32	1	49	81	147	387	283	230	105	47	7
Urban places	4	171	43	17	51	51	4	14	5	–	20	30	37	141	80	55	37	5	4
Balance of area	6	311	53	36	75	123	13	36	27	1	29	51	110	246	213	175	68	42	3
Ada	2	95	29	11	26	33	5	14	8	–	6	18	29	63	63	34	19	9	2
Boise City	1	70	26	7	19	28	4	8	6	–	5	10	24	64	39	21	15	8	2
Balance of county	1	25	3	4	7	5	1	6	2	–	1	3	5	19	24	13	4	1	–
Adams	–	4	1	–	–	1	–	–	–	–	–	–	2	3	2	1	–	–	–
Bannock	1	31	15	3	11	10	–	3	–	–	5	9	5	31	26	14	11	3	4
Pocatello	1	25	15	2	7	9	–	2	–	–	5	9	4	25	21	7	8	1	2
Balance of county	–	6	–	1	4	1	–	1	–	–	–	–	1	6	5	7	3	2	2
Bear Lake	–	5	–	–	3	1	–	–	1	–	–	–	1	3	2	5	4	2	–
Benewah	1	4	1	–	–	2	–	2	–	–	1	–	–	3	6	2	1	1	–
Bingham	1	23	5	1	3	5	2	3	2	–	4	3	3	22	14	13	6	4	1
Blaine	–	3	1	2	–	5	–	–	–	–	1	–	–	5	4	2	2	–	–
Boise	–	2	–	–	–	1	–	–	–	–	–	–	2	–	4	2	–	1	–
Bonner	1	10	5	6	4	3	1	1	2	–	2	2	3	11	11	8	4	2	–
Bonneville	–	32	8	5	9	10	2	4	–	–	7	8	21	23	22	16	13	–	1
Idaho Falls	–	22	6	4	8	9	1	3	–	–	6	7	18	18	19	13	11	–	1
Balance of county	–	10	2	1	1	1	1	1	–	–	1	1	3	7	3	3	2	–	–
Boundary	–	5	–	2	1	2	1	3	1	–	–	–	–	2	4	1	2	1	–
Butte	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Camas	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–
Canyon	–	58	10	5	11	15	1	1	3	1	5	12	4	43	28	20	6	5	1
Caldwell	–	15	4	–	5	4	–	1	–	–	1	2	1	16	6	3	2	1	–
Nampa	–	25	3	4	5	5	1	–	3	–	2	5	2	19	10	11	3	1	1
Balance of county	–	18	3	1	1	6	–	–	–	1	2	5	1	8	10	6	1	3	–
Caribou	–	1	1	–	1	4	–	–	1	–	–	–	1	3	2	2	2	–	–
Cassia	–	12	1	–	1	8	1	1	1	–	2	4	29	8	5	3	3	3	–
Clark	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Clearwater	–	3	4	–	3	3	–	–	–	–	1	–	1	5	5	2	3	–	–
Custer	–	–	1	–	1	–	–	–	2	–	1	–	1	3	2	2	2	2	–
Elmore	–	6	1	1	4	4	–	2	1	–	1	2	–	5	11	10	–	–	–
Franklin	–	3	2	1	1	5	–	1	–	–	2	1	1	9	1	4	1	–	–
Fremont	–	11	1	1	2	1	–	–	2	–	–	1	–	3	2	2	1	1	–
Gem	1	9	2	1	4	3	1	1	–	–	–	2	–	12	2	2	2	1	–
Gooding	–	15	–	1	1	7	–	–	1	–	–	2	–	5	2	8	1	1	–
Idaho	–	14	3	1	2	7	1	2	–	–	–	1	6	9	11	10	2	1	–
Jefferson	–	4	1	–	2	1	–	1	–	–	–	2	2	6	7	4	2	1	–
Jerome	–	8	1	2	3	2	1	–	–	–	2	–	3	6	6	8	1	1	–
Kootenai	–	45	6	4	10	13	2	7	4	–	–	8	13	25	20	17	6	3	–
Coeur d'Alene	–	28	2	2	7	6	2	3	1	–	–	1	7	13	7	6	3	2	–
Balance of county	–	17	4	2	3	7	–	4	3	–	–	7	6	12	13	11	3	1	–
Latah	2	17	2	–	9	5	–	–	1	–	2	2	1	7	5	7	5	1	–
Moscow	1	6	–	–	7	–	–	–	–	–	2	1	1	4	–	4	2	–	–
Balance of county	1	11	2	–	2	5	–	–	1	–	–	1	–	3	5	3	3	1	–
Lemhi	–	6	–	1	3	3	–	–	–	–	–	–	2	2	6	–	1	1	–
Lewis	–	4	–	–	1	2	–	–	2	–	–	–	3	4	2	6	–	1	–
Lincoln	–	5	–	1	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–
Madison	–	10	2	–	3	1	1	–	1	–	4	4	2	4	4	7	1	1	–
Minidoka	–	4	1	2	3	3	–	1	2	–	2	–	–	14	10	4	4	2	–
Nez Perce	1	34	9	2	8	8	–	3	1	–	1	6	6	23	13	6	3	–	–
Lewiston	1	29	9	2	6	8	–	3	1	–	1	4	2	22	9	6	3	–	–
Balance of county	–	5	–	–	2	–	–	–	–	–	–	2	4	1	4	–	–	–	–
Oneida	–	3	4	–	3	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Owyhee	–	5	–	4	–	3	1	–	–	–	–	3	4	3	3	7	1	–	–
Payette	1	18	2	1	–	8	2	3	–	–	–	–	5	11	9	10	–	1	–
Power	–	3	–	–	–	2	–	–	–	–	–	1	1	5	2	1	–	1	–
Shoshone	–	19	1	–	6	1	–	2	1	–	–	3	4	13	8	8	3	–	–
Teton	–	1	–	–	2	–	–	–	–	–	–	–	–	4	–	–	–	–	–
Twin Falls	1	32	4	4	9	19	–	6	3	–	6	3	5	41	29	11	8	1	–
Twin Falls	1	21	4	3	6	10	–	2	–	–	3	1	2	28	8	5	5	–	–
Balance of county	–	11	–	1	3	9	–	4	3	–	3	2	3	15	21	6	3	1	–
Valley	–	4	–	–	–	1	–	1	–	–	–	–	–	4	2	2	1	1	–
Washington	–	6	1	1	2	3	–	–	–	–	–	–	16	3	1	1	2	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Illinois	102,227	110	5	648	21,518	5,974	5,465	1,954	2,393	987	823	3,922	1,838	53,755	42,283	364	1,384	31,199	9,336
Urban places	69,538	94	5	495	14,787	4,194	3,706	1,345	1,628	654	549	2,711	1,254	36,107	28,674	269	993	20,243	7,166
Balance of area	32,689	16	–	151	6,731	1,780	1,759	609	765	333	274	1,211	584	17,648	13,609	95	391	10,956	2,167
Metropolitan counties	77,737	98	4	542	16,727	4,714	4,231	1,544	1,812	758	617	3,051	1,403	39,938	31,802	301	1,108	22,769	7,624
Urban places	63,760	93	4	462	13,643	3,916	3,406	1,240	1,501	611	500	2,469	1,166	32,884	26,324	251	935	18,403	6,735
Balance of area	13,977	5	–	80	3,084	798	825	304	311	147	117	582	237	7,054	5,478	50	173	4,366	889
Nonmetropolitan counties	24,490	12	1	104	4,791	1,260	1,234	410	581	229	206	971	435	13,817	10,481	63	276	8,430	1,712
Urban places	5,778	1	1	33	1,144	278	300	105	127	43	49	242	88	3,223	2,350	18	58	1,840	434
Balance of area	18,712	11	–	71	3,647	982	934	305	454	186	157	629	347	10,594	8,131	45	218	6,590	1,278
Adams	892	–	–	4	175	51	44	16	22	4	8	30	12	521	382	–	7	315	80
Quincy	673	–	–	3	131	37	36	14	15	3	6	20	5	389	290	–	5	244	41
Balance of county	219	–	–	1	44	14	8	2	7	1	2	10	7	132	92	–	2	71	19
Alexander	182	1	–	2	38	10	10	1	5	2	–	10	2	100	80	1	–	71	8
Bond	178	–	–	–	30	10	6	1	3	2	3	5	2	121	106	1	7	82	10
Boone	214	–	–	–	45	12	16	4	3	1	2	7	4	117	91	1	2	70	11
Belvidere	134	–	–	–	32	10	11	4	1	1	2	3	2	68	54	–	2	42	11
Balance of county	80	–	–	–	13	2	5	–	2	–	–	4	2	49	37	1	–	28	8
Brown	80	–	–	1	13	4	4	–	1	1	–	3	1	46	42	–	1	24	17
Bureau	426	–	–	–	64	22	16	2	13	4	–	7	13	266	208	2	7	146	53
Calhoun	76	–	–	–	8	3	1	–	2	–	1	1	3	50	30	1	–	25	4
Carroll	212	–	–	–	58	21	13	2	6	4	5	7	6	106	70	–	5	55	11
Cass	168	–	–	–	39	7	10	4	7	1	3	7	1	96	72	–	2	64	6
Champaign	886	–	–	3	201	56	43	28	25	6	9	34	21	452	305	1	12	236	56
Champaign	327	–	–	2	74	20	22	10	7	2	2	11	7	175	117	–	3	92	23
Rantoul	67	–	–	1	12	1	3	1	3	–	–	4	1	34	23	–	–	16	7
Urbana	213	–	–	–	53	14	6	11	7	1	3	11	10	100	62	1	3	48	11
Balance of county	279	–	–	–	62	21	12	6	8	3	4	8	3	143	103	–	6	80	17
Christian	448	–	–	3	84	18	25	6	7	5	7	16	6	259	205	1	8	172	24
Taylorville	147	–	–	1	21	2	5	1	2	1	2	8	1	86	71	–	4	63	4
Balance of county	301	–	–	2	63	16	20	5	5	4	5	8	5	173	134	1	4	109	20
Clark	231	–	–	3	44	14	15	2	8	–	1	4	3	134	109	–	6	90	13
Clay	188	–	–	–	38	12	11	1	1	–	5	6	2	109	79	–	–	67	12
Clinton	282	–	–	1	56	18	12	9	7	3	1	6	4	156	123	1	–	103	16
Centralia, part	33	–	–	1	4	–	1	–	3	–	–	–	–	17	13	–	–	11	2
Balance of county	249	–	–	–	52	18	11	9	4	3	1	6	4	139	110	1	–	92	17
Coles	495	–	–	3	95	25	25	7	14	4	6	14	8	298	194	1	3	175	15
Charleston	126	–	–	–	27	10	4	2	3	2	1	5	4	68	47	–	1	45	1
Mattoon	269	–	–	1	47	13	13	4	6	1	4	6	3	172	110	1	2	95	12
Balance of county	100	–	–	2	21	2	8	1	5	1	1	3	1	58	37	–	–	35	2
Cook	49,380	77	3	395	10,679	3,099	2,651	983	1,194	475	373	1,904	916	25,207	20,777	204	739	13,817	6,017
Alsip	100	–	–	1	24	4	12	2	2	1	1	2	2	54	47	–	–	30	17
Arlington Heights, part	448	–	–	1	99	29	24	8	11	4	4	19	2	258	201	4	5	127	64
Arlington Heights, total	448	–	–	1	99	29	24	8	11	4	4	19	2	258	201	4	5	127	64
Bellwood	137	–	–	2	28	11	5	4	3	–	3	2	1	76	59	1	–	44	14
Bensenville, part	4	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Berwyn	634	–	–	2	132	37	34	14	16	3	4	24	13	358	290	5	9	206	68
Blue Island	276	–	–	3	56	18	10	3	8	3	3	11	4	160	126	2	4	90	30
Bridge View	159	–	–	–	24	4	8	3	1	2	1	5	3	84	71	2	2	46	21
Brookfield	187	–	–	1	52	18	14	7	5	1	2	5	5	98	74	–	–	53	21
Buffalo Grove, part	58	–	–	2	16	–	3	6	3	–	1	3	1	26	22	1	–	17	4
Buffalo Grove, total	72	–	–	2	19	–	3	8	3	–	1	4	1	31	26	1	–	20	5
Calumet City	333	2	–	2	91	22	25	9	11	1	4	19	10	151	127	–	7	103	17
Calumet Park	67	–	–	–	12	4	2	1	–	1	1	3	–	42	36	–	2	23	11
Chicago, part	31,349	68	3	258	6,492	1,925	1,647	555	756	249	214	1,146	596	15,816	13,217	104	528	8,318	4,267
Chicago, total	31,349	68	3	258	6,492	1,925	1,647	555	756	249	214	1,146	596	15,816	13,217	104	528	8,318	4,267
Chicago Heights	359	1	–	4	84	23	12	8	10	8	4	19	10	153	112	2	5	82	23
Cicero	783	–	–	2	189	52	46	13	17	15	9	37	8	426	369	7	10	267	85
Deerfield, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Des Plaines	532	1	–	4	122	29	26	12	13	15	3	24	9	292	228	4	4	177	43
Dolton	204	–	–	2	39	17	7	3	5	2	–	5	4	123	100	1	8	67	24
Elgin, part	43	–	–	2	15	6	3	–	–	–	1	5	1	14	12	–	1	10	1
Elk Grove Village, part	125	–	–	–	35	10	7	2	6	2	2	6	3	56	48	1	2	37	6
Elk Grove Village, total	125	–	–	–	35	10	7	2	6	2	2	6	3	56	48	1	2	37	6
Elmwood Park	268	–	–	1	68	28	12	8	7	2	1	10	4	153	123	2	3	85	30
Evanston	769	–	–	4	158	54	27	16	25	8	6	22	12	450	363	4	14	266	77
Evergreen Park	306	2	–	1	65	14	19	7	4	5	2	14	6	169	136	3	3	109	21
Forest Park	221	–	–	1	45	11	11	4	8	4	4	3	–	134	104	–	5	76	23
Franklin Park	167	–	–	1	36	8	12	5	2	2	–	7	4	98	80	1	2	62	15
Glencoe	61	–	–	–	22	6	3	4	1	–	3	5	1	29	23	–	–	17	6
Glenview	273	–	–	5	57	14	16	6	3	3	6	9	4	139	107	1	2	77	27
Hanover Park, part	49	–	–	–	12	7	1	1	2	–	–	1	1	21	15	–	–	9	6
Hanover Park, total	60	–	–	–	13	7	1	2	2	–	–	1	1	27	20	–	–	12	6
Harvey	270	–	–	5	55	13	21	4	9	2	1	5	5	120	106	–	5	71	30
Hazel Crest	91	–	–	1	24	4	5	2	1	2	–	10	1	48	37	–	1	27	8
Hickory Hills	92	–	–	–	23	5	7	3	–	3	1	4	3	40	34	1	2	23	8
Hinsdale, part	21	–	–	–	7	3	–	–	–	–	–	4	1	10	8	–	–	7	1
Hoffman Estates	111	–	–	2	24	7	6	3	3	–	–	5	4	48	37	2	1	25	9
Homewood	221	–	–	2	48	10	9	6	10	2	2	9	4	131	109	1	3	78	27
La Grange	162	–	–	1	42	8	9	5	9	3	2	6	3	80	64	1	1	42	20
La Grange Park	133	–	–	–	36	8	9	5	4	2	3	5	3	77	57	–	–	45	12
Lansing	201	–	–	1	35	10	10	4	4	1	2	4	5	125	92	3	5	65	19
Lincolnwood	87	–	–	1	19	5	4	1	1	2	1	5	3	52	46	–	1	39	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois	519	6,655	1,407	891	2,353	2,199	315	1,611	776	28	668	1,549	703	6,552	2,229	2,427	1,040	1,449	485
Urban places	335	5,743	817	538	1,605	1,419	233	1,288	559	23	471	1,149	518	4,511	1,141	1,549	679	1,270	381
Balance of area	184	2,912	590	353	748	780	82	323	217	5	197	400	185	2,041	1,088	878	361	170	84
Metropolitan counties	372	6,265	668	631	1,738	1,576	249	1,386	597	27	544	1,319	580	5,010	1,569	1,843	815	1,348	424
Urban places	304	5,106	566	484	1,449	1,255	218	1,203	516	23	442	1,084	488	4,139	1,021	1,422	631	1,245	372
Balance of area	68	1,159	202	147	289	321	31	183	81	4	102	235	92	871	548	421	184	103	52
Nonmetropolitan counties	147	2,390	539	260	615	623	66	225	179	1	124	230	123	1,542	660	584	225	92	41
Urban places	31	637	151	54	156	164	15	85	43	-	29	65	30	372	120	127	48	25	9
Balance of area	116	1,753	388	206	459	459	51	140	136	1	95	165	93	1,170	540	457	177	67	32
Adams	10	104	15	10	30	13	5	10	6	-	6	7	11	55	13	16	5	2	1
Quincy	7	77	9	6	27	10	5	8	4	-	5	6	9	48	8	10	2	2	1
Balance of county	3	27	6	4	3	3	-	2	2	-	1	1	2	7	5	6	3	-	-
Alexander	-	16	4	-	4	5	-	-	1	-	-	2	2	5	3	6	3	7	1
Bond	-	11	3	1	3	4	-	-	1	-	-	1	1	7	5	3	-	-	-
Boone	1	19	3	3	1	1	-	2	1	-	2	1	-	22	6	7	2	3	-
Belvidere	-	11	-	3	1	1	-	1	1	-	2	-	-	16	2	4	2	2	-
Balance of county	1	8	3	-	-	-	-	1	-	-	-	1	-	6	4	3	-	1	-
Brown	-	2	-	2	-	2	1	-	1	-	-	1	-	7	5	2	-	-	-
Bureau	1	37	17	3	10	6	2	2	1	-	2	3	2	30	12	4	5	2	2
Calhoun	-	14	5	1	1	2	-	2	1	-	-	2	-	1	3	2	1	-	-
Carroll	4	16	12	4	-	9	-	1	-	-	3	1	-	16	2	6	2	2	-
Cass	2	15	5	2	4	4	-	-	-	-	-	-	-	10	3	6	4	1	-
Champaign	5	88	39	15	20	22	2	8	9	-	8	13	4	57	23	18	15	10	-
Champaign	2	37	16	3	6	8	1	6	2	-	1	3	-	21	4	4	9	4	-
Rantoul	-	9	1	1	2	2	-	-	1	-	3	2	3	2	1	2	-	1	-
Urbana	2	19	12	5	4	7	1	1	-	-	2	3	1	17	5	4	3	2	-
Balance of county	1	23	10	6	8	5	-	1	6	-	2	5	-	17	13	8	3	3	-
Christian	2	40	7	5	14	22	2	6	1	-	1	4	1	21	14	7	2	-	1
Taylorville	-	13	1	1	8	8	-	1	1	-	-	-	-	11	5	2	2	-	-
Balance of county	2	27	6	4	6	14	2	5	-	-	1	4	1	10	9	5	-	-	1
Clark	-	19	5	1	2	5	-	-	3	-	1	1	-	19	5	6	5	-	-
Clay	-	24	1	5	11	7	2	-	-	-	1	2	1	10	4	3	-	-	-
Clinton	1	25	4	3	5	7	-	3	-	-	2	7	1	21	6	11	2	-	-
Centralia, part	-	3	1	-	1	2	-	1	-	-	-	1	-	6	-	-	-	-	-
Balance of county	1	22	3	3	4	5	-	2	-	-	2	6	1	15	6	11	2	-	-
Coles	4	86	9	5	13	14	1	6	-	-	2	2	2	27	7	13	3	1	-
Charleston	2	16	1	2	6	5	-	2	-	-	-	1	-	9	-	3	1	-	-
Mattoon	1	54	5	2	7	6	1	3	-	-	-	-	-	13	5	8	2	1	-
Balance of county	1	16	3	1	-	3	-	1	-	-	2	1	2	5	2	2	-	-	-
Cook	210	3,509	378	333	1,152	877	169	1,050	424	19	329	855	357	3,116	736	1,112	445	1,102	360
Alsip	-	6	-	1	-	1	-	3	-	-	1	1	1	3	5	-	3	-	1
Arlington Heights, part	2	51	2	2	13	6	3	7	2	-	2	1	1	24	11	6	6	2	4
Arlington Heights, total	2	51	2	2	13	6	3	7	2	-	2	1	1	24	11	6	6	2	4
Bellwood	1	12	1	3	-	3	1	4	1	-	1	4	2	8	1	3	1	1	-
Bensenville, part	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Berwyn	3	49	10	6	12	12	4	10	4	-	3	2	5	52	5	9	5	2	4
Blue Island	-	26	3	5	6	8	1	4	1	-	3	4	1	13	4	4	1	2	1
Bridge View	-	11	2	-	3	4	1	5	1	-	1	3	-	18	5	2	3	1	1
Brookfield	4	16	1	3	5	3	-	1	2	-	2	2	-	7	3	1	1	1	3
Buffalo Grove, part	-	3	-	1	1	-	-	-	1	-	-	1	-	2	3	4	1	-	-
Buffalo Grove, total	-	4	-	1	1	-	-	-	1	-	-	2	-	3	5	4	2	-	1
Calumet City	1	16	3	4	5	4	-	8	-	-	1	6	2	20	8	14	3	4	2
Calumet Park	-	4	1	1	-	1	-	3	-	-	-	-	-	5	-	-	2	1	1
Chicago, part	136	2,078	209	176	736	530	101	737	308	17	222	606	291	1,986	378	704	280	969	251
Chicago, total	136	2,078	209	176	736	530	101	737	308	17	222	606	291	1,986	378	704	280	969	251
Chicago Heights	1	30	5	5	9	11	2	11	4	-	-	13	2	15	7	17	-	4	12
Cicero	5	40	6	6	24	16	5	22	7	-	1	6	3	37	7	14	2	10	2
Deerfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Des Plaines	3	51	5	5	15	9	-	5	5	-	8	5	-	26	11	6	6	4	4
Dolton	4	12	6	1	3	3	-	6	1	-	1	-	-	13	2	3	4	-	-
Elgin, part	-	2	-	-	-	-	-	2	-	-	-	2	-	2	2	-	-	2	1
Elk Grove Village, part	-	6	-	2	2	2	-	3	2	-	-	2	-	10	2	4	3	1	-
Elk Grove Village, total	-	6	-	2	2	2	-	3	2	-	-	2	-	10	2	4	3	1	-
Elmwood Park	1	24	3	2	4	2	2	4	1	-	-	1	1	20	3	2	2	-	-
Evanston	2	77	5	3	24	10	2	10	2	-	5	9	3	47	7	10	6	9	1
Evergreen Park	2	22	5	4	7	10	1	7	2	-	2	4	-	15	1	8	2	2	2
Forest Park	1	22	5	2	-	7	2	4	1	-	-	1	-	14	3	5	2	2	-
Franklin Park	1	15	1	1	1	4	-	2	-	-	-	3	-	8	4	4	1	1	-
Glencoe	-	5	-	1	1	2	-	-	-	-	-	-	-	4	-	-	2	-	-
Glenview	1	26	3	2	11	5	2	6	2	-	2	2	2	19	8	5	2	1	1
Hanover Park, part	-	6	-	-	-	1	-	2	-	-	-	-	1	5	2	1	-	1	2
Hanover Park, total	-	6	-	1	-	1	-	2	-	-	-	1	1	6	3	2	-	1	2
Harvey	2	9	2	1	6	5	1	11	6	-	6	6	3	17	5	9	1	8	1
Hazel Crest	1	8	2	-	3	1	-	1	-	-	-	1	-	3	1	3	3	-	1
Hickory Hills	-	5	-	1	3	4	-	2	1	-	1	4	1	7	-	2	-	-	1
Hinsdale, part	-	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
Hoffman Estates	-	9	2	-	2	-	1	2	1	-	2	5	-	11	2	4	2	-	1
Homewood	1	18	2	1	6	2	1	1	2	-	-	1	-	11	4	6	1	-	1
La Grange	-	11	3	2	4	5	-	4	-	-	-	2	-	16	-	3	1	1	-
La Grange Park	-	14	5	1	1	1	-	1	1	-	1	-	-	8	1	3	-	-	-
Lansing	2	25	3	3	2	3	-	7	1	-	1	1	1	7	7	5	-	-	-
Lincolnwood	-	6	-	-	1	1	-	1	-	-	-	1	-	2	3	-	1	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Lyons	87	–	–	–	18	5	3	3	5	–	–	2	3	48	41	–	–	32	9
Markham	83	–	–	1	23	7	9	2	2	1	1	1	4	33	29	–	–	14	15
Maywood	229	–	–	4	56	12	14	4	10	3	–	13	5	108	84	–	2	60	22
Melrose Park	219	–	–	2	49	17	13	3	4	1	3	8	7	110	88	2	1	66	19
Midlothian	129	–	–	1	34	6	9	3	3	3	1	9	1	60	52	–	3	36	13
Morton Grove	197	–	–	–	55	15	16	6	1	4	–	13	5	101	84	2	1	60	21
Mount Prospect	288	–	–	–	69	18	18	7	4	6	2	14	4	151	117	4	2	84	27
Niles	387	–	–	4	58	15	20	6	4	4	2	7	6	246	200	3	2	161	34
Norridge	182	–	–	2	42	12	10	6	7	–	–	7	8	92	72	–	3	57	12
Northbrook	236	–	–	5	54	16	11	8	6	4	1	8	4	124	96	–	3	66	27
Northlake, part	138	–	–	–	26	7	7	2	5	1	–	4	1	80	69	–	2	57	10
Northlake, total	136	–	–	–	26	7	7	2	5	1	–	4	1	80	69	–	2	57	10
Oak Forest	107	–	–	1	32	8	13	3	3	2	1	2	2	42	35	–	2	20	13
Oak Lawn	630	1	–	1	165	56	37	20	16	10	2	24	8	330	251	5	3	196	47
Oak Park	607	1	–	3	142	38	31	16	17	10	6	24	8	339	263	6	6	189	60
Palatine	237	–	–	2	49	14	8	6	7	1	1	12	4	119	100	1	1	71	27
Park Forest, part	111	–	–	2	25	7	4	4	2	2	–	6	2	50	42	–	1	31	10
Park Forest, total	116	–	–	2	25	7	4	4	2	2	–	6	2	54	45	–	1	33	11
Park Ridge	376	–	–	4	98	31	17	11	10	4	5	20	2	194	154	2	3	121	28
Riverdale	159	–	–	1	43	14	7	4	4	4	3	7	1	88	68	2	2	44	20
River Forest	115	–	–	–	28	10	6	2	3	2	1	4	3	55	44	2	2	38	2
River Grove	106	–	–	1	34	11	8	1	5	4	–	5	4	55	36	1	1	22	12
Riverside	110	–	–	1	27	6	4	5	3	2	1	6	–	58	49	–	–	36	13
Rolling Meadows	82	–	–	1	21	7	6	–	3	2	1	2	4	37	32	1	–	26	5
Schaumburg, part	207	–	–	2	44	11	14	6	4	1	2	6	4	94	74	1	2	59	12
Schaumburg, total	209	–	–	2	44	11	14	6	4	1	2	6	5	94	74	1	2	59	12
Schiller Park	77	–	–	–	17	3	5	5	1	1	–	2	1	36	31	1	–	24	6
Skokie	575	–	–	4	152	39	35	18	13	8	8	31	12	322	266	3	4	213	46
South Holland	205	–	–	2	46	12	11	5	4	2	4	8	2	112	96	1	4	65	26
Streamwood	77	–	–	1	20	5	2	3	4	–	1	5	2	27	19	–	–	13	6
Summit	86	–	–	–	22	5	10	–	–	2	2	3	2	42	37	–	–	29	8
Tinley Park, part	175	–	–	4	32	11	8	2	4	–	–	7	3	96	84	1	8	53	22
Tinley Park, total	175	–	–	4	32	11	8	2	4	–	–	7	3	96	84	1	8	53	22
Westchester	155	–	–	1	46	15	12	3	2	3	–	11	2	79	64	–	–	50	14
Western Springs	83	–	–	1	28	7	6	2	3	1	2	7	1	37	31	–	1	26	4
Wheeling	104	–	–	2	22	5	8	–	–	2	1	6	3	46	38	–	1	22	15
Wilmette	247	–	–	4	62	20	10	9	7	2	2	12	3	112	81	1	1	64	15
Winnetka	90	–	–	1	20	7	2	1	4	1	1	4	3	41	29	–	–	23	6
Worth	106	1	–	–	29	11	9	1	3	–	1	4	–	51	46	–	–	32	14
Balance of county	3,077	–	–	25	702	191	181	72	60	34	27	137	56	1,482	1,194	12	41	832	309
Crawford	243	–	–	2	42	11	10	3	5	2	2	9	–	137	95	–	2	77	16
Cumberland	125	1	–	–	36	3	12	4	9	–	1	7	5	57	44	–	1	39	4
De Kalb	468	–	–	2	90	19	21	10	12	4	7	17	9	241	176	3	4	152	17
De Kalb	148	–	–	2	25	4	9	2	1	1	3	5	–	82	63	1	1	55	6
Balance of county	320	–	–	–	65	15	12	8	11	3	4	12	9	159	113	2	3	97	11
De Witt	212	–	–	1	36	13	9	3	2	1	–	8	3	100	80	2	–	64	14
Douglas	167	–	–	1	40	12	7	3	3	2	1	12	5	88	58	1	–	49	8
Du Page	3,591	1	–	33	794	205	194	93	70	42	34	156	60	1,895	1,433	13	26	1,218	176
Addison	127	–	–	3	35	8	10	1	2	2	2	10	1	53	42	–	–	36	4
Bensenville, part	146	–	–	2	32	9	11	3	5	1	2	1	5	70	51	–	–	43	8
Bensenville, total	150	–	–	2	35	10	12	3	6	1	2	1	5	70	51	–	–	43	8
Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Downers Grove	343	–	–	5	69	21	13	7	3	5	7	13	11	195	145	2	3	119	21
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	380	–	–	2	89	23	17	11	12	10	2	14	7	215	161	–	1	144	16
Glendale Heights	46	–	–	1	10	2	4	3	1	–	–	–	1	15	11	–	–	9	2
Glen Ellyn	139	–	–	–	33	7	9	3	3	2	1	8	–	79	62	–	1	51	10
Hanover Park, part	11	–	–	–	1	–	–	1	–	–	–	–	–	6	5	–	–	3	2
Hinsdale, part	107	–	–	2	32	4	8	6	4	2	1	7	1	54	40	–	3	34	3
Hinsdale, total	128	–	–	2	39	7	8	6	4	2	1	11	2	64	48	–	3	41	4
Lombard	239	–	–	–	49	14	7	5	6	2	2	13	4	130	98	5	1	85	7
Naperville	222	–	–	1	45	13	10	4	3	1	–	14	7	107	88	–	2	73	13
Northlake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Schaumburg, part	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Villa Park	162	–	–	1	44	13	14	1	2	5	3	6	3	82	64	3	1	51	9
West Chicago	95	–	–	–	19	9	2	4	–	–	1	3	–	51	39	–	3	32	4
Wheaton	237	–	–	4	58	19	16	6	5	2	–	10	2	131	97	2	–	80	15
Woodridge	52	–	–	1	7	2	2	–	–	1	2	–	1	25	19	–	1	17	1
Balance of county	1,283	1	–	11	271	61	71	38	24	9	11	57	16	682	511	1	10	439	61
Edgar	319	–	–	2	59	15	19	1	8	3	3	10	3	182	119	–	–	99	26
Edwards	116	–	–	–	20	6	5	4	1	3	–	1	2	69	61	–	1	45	15
Effingham	283	–	–	1	55	15	18	4	6	2	–	10	7	147	112	–	4	93	15
Fayette	264	2	–	–	45	15	9	7	3	2	1	8	5	159	124	–	1	102	21
Ford	177	–	–	–	31	7	8	2	3	3	3	5	1	109	82	–	–	60	22
Franklin	551	–	–	1	108	27	30	6	10	5	3	27	9	319	270	3	12	239	16
Fulton	510	1	–	3	114	22	34	9	13	8	3	25	5	287	230	4	3	147	76
Canton	182	1	–	3	39	6	10	5	5	1	1	11	2	107	78	–	–	50	28
Balance of county	328	–	–	–	75	16	24	4	8	7	2	14	3	180	152	4	3	97	48
Gallatin	105	–	–	1	20	6	5	–	2	1	1	5	1	58	44	–	–	40	4
Greene	205	–	–	1	35	13	6	3	5	1	–	7	4	124	99	–	4	61	34
Grundy	272	–	–	2	56	22	9	3	8	2	3	9	11	137	116	1	3	99	13
Hamilton	103	–	–	–	22	8	6	1	–	1	2	4	2	56	39	–	–	37	2
Hancock	278	–	–	3	65	18	14	7	9	2	5	10	8	142	103	1	5	83	14
Hardin	68	–	–	–	15	7	2	1	1	–	–	4	1	35	30	–	2	23	5
Henderson	98	–	–	–	17	7	1	1	3	1	2	2	–	58	45	–	–	39	6
Henry	561	–	–	1	111	38	21	14	11	4	5	18	12	304	221	–	3	162	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Lyons	-	6	-	1	-	4	-	2	-	-	-	1	2	4	-	2	1	1	1
Markham	-	3	-	1	2	2	-	2	-	-	-	6	-	3	3	1	1	1	1
Maywood	5	16	2	1	6	2	1	2	-	-	3	5	2	18	5	4	1	4	3
Melrose Park	-	17	3	2	1	7	-	4	1	-	-	2	1	16	4	7	2	5	1
Midlothian	1	5	1	1	6	4	-	1	-	-	1	2	-	12	-	5	2	-	-
Morton Grove	1	14	1	1	5	2	-	1	1	-	-	3	1	8	3	5	3	3	1
Mount Prospect	2	28	2	2	5	4	-	9	1	-	2	7	1	15	10	6	3	-	2
Niles	-	38	2	6	18	3	3	4	-	-	2	1	-	27	-	7	3	1	-
Norridge	1	13	3	3	1	5	1	-	3	-	-	2	-	19	1	5	1	-	-
Northbrook	-	23	3	2	9	5	1	1	-	-	3	4	1	14	4	6	1	-	-
Northlake, part	-	11	-	-	3	3	2	-	2	-	-	2	1	10	4	2	-	-	-
Northlake, total	-	11	-	-	3	3	2	-	2	-	-	2	1	10	4	2	-	-	-
Oak Forest	-	6	1	-	3	1	-	2	-	-	-	4	-	4	6	4	2	3	1
Oak Lawn	1	70	3	5	11	15	6	12	7	-	2	7	1	35	8	12	4	2	3
Oak Park	5	62	5	4	11	12	2	6	4	-	2	6	1	42	6	6	8	3	5
Palatine	-	13	1	5	4	7	1	4	3	-	4	4	1	20	9	2	-	2	2
Park Forest, part	1	6	-	1	2	1	1	3	1	-	2	1	-	8	4	4	2	2	1
Park Forest, total	1	7	-	1	2	1	1	3	1	-	2	1	-	8	4	4	2	2	4
Park Ridge	-	32	7	1	6	12	1	4	1	-	-	-	-	28	7	11	3	1	3
Riverdale	1	17	1	1	2	4	-	4	1	-	-	1	-	7	2	3	-	1	1
River Forest	-	6	3	2	3	2	-	3	2	-	1	-	-	13	1	1	2	1	-
River Grove	1	17	1	-	-	1	-	2	-	-	-	2	-	3	-	1	1	-	2
Riverside	-	7	-	-	2	3	-	4	-	1	-	1	-	5	1	9	-	-	-
Rolling Meadows	-	4	-	1	1	3	1	-	1	-	1	1	-	2	6	2	-	-	1
Schaumburg, part	1	14	2	3	2	4	-	5	6	-	2	4	1	19	8	2	5	1	4
Schaumburg, total	1	14	2	3	3	4	-	5	6	-	2	4	1	19	8	2	5	1	4
Schiller Park	-	5	-	-	2	3	2	2	2	-	-	-	1	5	3	1	1	1	-
Skokie	-	43	4	9	11	4	4	4	-	-	1	5	1	35	5	5	3	4	3
South Holland	1	13	1	1	10	5	1	1	-	-	2	2	-	13	4	4	1	-	-
Streamwood	-	8	-	-	1	1	1	2	-	-	2	3	1	4	7	3	1	1	-
Summit	-	5	-	-	1	3	-	1	-	-	1	-	-	7	-	3	2	2	-
Tinley Park, part	1	9	-	2	3	1	2	1	2	-	3	3	-	13	6	3	1	2	-
Tinley Park, total	1	9	-	2	3	1	2	1	2	-	3	3	-	13	6	3	1	2	-
Westchester	1	12	1	1	5	1	-	3	1	-	1	2	-	10	1	1	1	1	-
Western Springs	1	4	1	-	3	1	-	1	-	-	-	-	1	2	2	1	3	1	1
Wheeling	-	6	2	-	3	4	-	1	-	-	-	2	-	6	7	7	1	-	-
Wilmette	1	24	2	4	7	4	2	2	5	-	1	3	1	19	5	12	3	1	1
Winnetka	-	11	-	1	4	4	1	2	-	-	-	2	-	7	1	2	2	-	-
Worth	-	3	-	2	3	4	-	1	-	-	-	5	3	6	-	3	-	-	-
Balance of county	11	221	31	25	86	58	6	57	17	1	26	62	18	199	88	100	34	27	25
Crawford	1	32	4	5	6	8	1	3	4	-	-	5	1	17	8	9	-	-	-
Cumberland	-	11	2	-	7	4	-	1	-	-	-	3	-	6	3	1	1	-	-
De Kalb	2	49	6	8	14	6	2	7	1	-	6	6	3	34	24	14	8	1	-
De Kalb	-	13	3	3	3	2	-	2	1	-	2	3	1	9	5	8	3	-	-
Balance of county	2	36	3	5	11	4	2	5	-	-	4	3	2	25	19	6	5	1	-
De Witt	1	43	5	1	6	12	-	1	2	-	1	-	-	9	7	4	-	-	-
Douglas	1	25	1	3	7	2	1	3	1	-	1	2	1	8	2	5	-	-	-
Du Page	13	357	55	37	70	65	13	33	21	3	34	52	28	233	95	67	46	15	13
Addison	-	7	2	2	3	3	1	1	1	-	-	2	1	7	5	7	2	1	1
Bensenville, part	1	17	1	-	4	1	1	1	2	-	2	3	2	12	6	2	1	-	-
Bensenville, total	1	17	1	-	4	1	1	1	2	-	3	3	2	12	6	2	1	-	-
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Downers Grove	1	39	8	2	9	4	2	3	1	-	3	3	1	18	7	9	2	1	-
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	-	42	8	4	5	13	3	8	1	-	1	1	-	20	3	5	5	1	1
Glendale Heights	-	3	1	-	-	2	1	1	-	-	-	1	-	4	5	-	2	1	2
Glen Ellyn	1	13	3	-	5	1	-	2	-	-	-	1	2	12	1	-	3	-	-
Hanover Park, part	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
Hinsdale, part	1	12	-	1	3	3	-	-	1	1	1	-	-	4	2	2	1	-	-
Hinsdale, total	1	14	-	1	3	3	-	1	1	1	1	1	-	5	2	2	1	-	-
Lombard	1	24	6	1	5	9	1	1	3	-	2	1	-	17	6	2	4	3	2
Naperville	1	16	-	2	8	5	3	3	-	-	3	4	3	22	5	2	3	1	-
Northlake, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Villa Park	-	15	1	2	1	4	-	1	-	-	2	2	1	15	2	3	1	-	-
West Chicago	1	10	1	-	2	2	-	1	1	-	2	2	1	5	3	2	3	-	1
Wheaton	1	30	3	-	2	4	-	-	-	-	1	7	3	16	3	3	2	1	-
Woodridge	-	3	1	2	-	-	-	-	-	-	1	1	3	3	6	3	1	-	-
Balance of county	5	126	20	20	22	34	1	11	11	2	16	23	11	77	40	26	16	6	6
Edgar	2	56	2	3	16	8	1	3	1	-	-	2	1	20	8	9	3	1	-
Edwards	2	3	3	-	2	3	-	4	2	-	1	1	1	7	1	2	1	-	-
Effingham	3	22	6	4	7	9	1	2	1	-	3	5	1	20	12	5	6	1	-
Fayette	2	28	4	1	5	8	-	-	2	-	2	4	2	11	11	4	4	-	-
Ford	2	13	11	1	8	3	1	2	2	-	1	1	-	9	3	3	1	2	-
Franklin	2	40	5	2	13	8	4	4	4	-	2	4	6	45	8	13	2	1	-
Fulton	1	37	11	8	15	16	-	6	5	-	3	7	-	25	15	3	2	-	3
Canton	-	17	7	5	2	6	-	1	1	-	1	3	-	10	4	-	1	-	1
Balance of county	1	20	4	3	13	10	-	5	4	-	2	4	-	15	11	3	1	-	2
Gallatin	-	10	3	1	4	-	-	3	1	-	-	1	-	9	3	3	1	-	-
Greene	3	14	7	1	6	3	1	1	-	-	-	2	1	13	6	3	2	3	-
Grundy	-	17	2	2	5	6	-	3	5	-	4	1	1	21	8	6	3	2	1
Hamilton	-	15	2	-	3	1	1	2	4	-	-	-	-	7	3	1	1	-	-
Hancock	2	27	7	3	3	9	2	5	-	-	1	2	1	21	5	10	1	-	-
Hardin	-	4	1	-	2	3	-	-	1	-	-	-	1	3	1	5	1	-	-
Henderson	1	8	1	3	2	3	-	1	-	-	-	2	3	6	3	2	1	-	-
Henry	4	66	11	2	14	23	-	7	6	-	3	5	4	44	21	17	6	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kewanee	226	–	–	–	35	10	6	4	7	1	2	5	3	130	84	–	1	66	17
Balance of county	355	–	–	1	76	28	15	10	4	3	3	13	9	174	137	–	2	116	19
Iroquois	336	–	–	–	66	15	18	8	11	1	2	11	4	204	172	1	2	149	20
Jackson	451	–	–	4	96	32	16	8	15	3	1	21	7	242	188	1	4	163	20
Carbondale	137	–	–	2	30	7	5	4	7	–	1	6	2	70	50	1	4	36	9
Murphysboro	115	–	–	–	25	10	6	2	3	–	–	4	1	64	48	–	–	43	5
Balance of county	199	–	–	2	41	15	5	2	5	3	–	11	4	108	90	–	–	84	6
Jasper	137	–	–	–	30	12	6	1	3	1	–	7	–	80	65	–	1	61	3
Jefferson	425	1	–	1	89	23	27	9	4	–	6	20	2	229	173	1	6	145	21
Mount Vernon	244	–	–	–	57	16	19	4	3	–	5	10	1	125	98	–	2	83	13
Balance of county	181	1	–	1	32	7	8	5	1	–	1	10	1	104	75	1	4	62	8
Jersey	208	–	–	5	42	8	17	4	6	–	–	7	4	107	80	–	3	69	8
Jo Daviess	234	–	–	1	56	8	25	4	2	5	4	9	3	126	97	–	1	81	15
Johnson	92	1	–	–	20	3	9	2	1	2	–	3	1	58	47	1	–	39	7
Kane	2,043	3	–	9	426	110	109	35	69	17	22	64	35	1,065	795	11	22	671	91
Aurora	756	1	–	3	160	44	41	16	21	3	8	27	14	395	299	5	5	251	38
Carpentersville	102	1	–	–	14	3	4	1	3	1	–	2	4	47	33	–	–	29	4
Elgin, part	516	1	–	1	101	29	25	5	17	1	9	15	4	293	221	3	9	190	19
Elgin, total	559	1	–	3	116	35	28	5	17	1	10	20	5	307	233	3	10	200	20
St. Charles	118	–	–	2	27	7	6	3	2	2	2	5	3	57	44	–	2	36	6
Balance of county	551	–	–	3	124	27	33	10	26	10	3	15	10	273	198	3	6	165	24
Kankakee	834	–	–	7	164	41	34	18	18	8	5	40	23	432	354	1	4	257	92
Kankakee	315	–	–	4	56	12	10	4	7	2	2	19	7	183	132	1	–	93	36
Balance of county	519	–	–	3	108	29	24	14	11	6	3	21	16	289	222	–	4	164	54
Kendall	174	–	–	1	31	6	7	3	3	2	1	9	5	86	62	–	2	51	9
Knox	619	–	–	2	105	21	27	13	11	6	8	19	5	362	248	4	3	221	20
Galesburg	387	–	–	1	66	14	20	5	6	3	4	14	4	231	156	2	2	137	15
Balance of county	232	–	–	1	39	7	7	8	5	3	4	5	1	131	92	2	1	84	5
Lake	2,646	2	–	17	619	159	168	53	61	32	18	130	43	1,241	929	16	40	730	143
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	14	–	–	–	3	–	–	2	–	–	–	1	–	5	4	–	–	3	1
Deerfield, part	90	–	–	2	19	4	9	2	–	–	1	3	–	48	32	1	–	29	2
Deerfield, total	92	–	–	2	19	4	9	2	–	–	1	3	–	49	33	1	–	30	2
Highland Park	211	–	–	1	57	15	13	6	7	1	1	14	2	106	72	1	6	56	9
Lake Forest	89	–	–	–	23	10	2	2	3	3	–	3	–	42	31	–	3	22	6
Libertyville	126	–	–	2	25	6	5	3	3	1	1	6	4	67	47	–	2	36	9
Mundelein	85	–	–	1	18	7	4	–	2	1	–	4	1	38	31	1	–	20	10
North Chicago	111	–	–	–	25	7	6	–	4	1	1	6	3	44	35	–	3	29	3
Waukegan	577	1	–	3	137	37	41	13	8	6	5	27	10	271	206	3	9	156	36
Zion	150	1	–	1	34	8	7	3	5	–	1	10	3	70	52	–	2	43	7
Balance of county	1,183	–	–	7	278	65	79	22	29	19	8	56	20	550	419	10	15	336	58
La Salle	1,179	–	1	5	240	61	62	24	24	15	12	42	18	668	490	3	11	424	52
La Salle	145	–	–	–	31	5	9	5	3	2	2	5	2	81	62	1	–	55	6
Ottawa	211	–	–	2	43	6	16	4	3	4	2	8	4	111	72	–	4	58	10
Peru	113	–	1	–	26	3	5	3	4	1	1	9	3	67	46	–	–	39	7
Streator, part	212	–	–	2	46	17	11	5	4	1	1	7	2	128	87	2	3	77	5
Streator, total	214	–	–	2	46	17	11	5	4	1	1	7	2	129	88	2	3	78	5
Balance of county	498	–	–	1	94	30	21	7	10	7	6	13	7	281	223	–	4	195	24
Lawrence	260	–	–	1	32	11	5	–	4	4	–	8	6	166	120	3	8	98	11
Lee	359	–	–	–	55	16	9	7	3	5	1	14	9	210	166	1	2	140	23
Dixon	185	–	–	–	28	7	3	5	1	3	1	8	5	113	91	–	1	76	14
Balance of county	174	–	–	–	27	9	6	2	2	2	–	6	4	97	75	1	1	64	9
Livingston	388	–	–	1	74	20	14	10	9	2	3	16	6	222	161	–	4	136	21
Streator, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	386	–	–	1	74	20	14	10	9	2	3	16	6	221	160	–	4	135	21
Logan	382	–	–	2	65	16	16	4	11	2	2	14	9	209	152	–	10	59	83
Lincoln	209	–	–	2	39	10	13	1	5	–	1	9	5	116	88	–	5	32	51
Balance of county	153	–	–	–	26	6	3	3	6	2	1	5	4	93	64	–	5	27	32
McDonough	291	–	–	–	65	15	17	5	8	2	4	14	7	154	112	1	–	96	15
Macomb	128	–	–	–	27	7	7	3	4	1	–	5	3	62	52	1	–	42	9
Balance of county	163	–	–	–	38	8	10	2	4	1	4	9	4	92	60	–	–	54	6
McHenry	1,088	–	–	5	236	69	69	25	16	10	9	38	13	573	459	3	8	400	48
Crystal Lake	149	–	–	1	29	10	7	1	3	–	4	4	1	78	56	2	1	48	7
Woodstock	123	–	–	–	28	5	7	4	3	1	2	6	1	69	55	–	2	47	6
Balance of county	816	–	–	4	179	54	55	20	10	9	3	28	11	426	348	1	5	307	35
McLean	858	1	–	3	183	44	43	17	21	9	5	44	9	469	354	1	15	286	52
Bloomington	447	–	–	–	92	23	21	9	9	4	–	26	5	249	185	1	10	142	32
Normal	121	1	–	–	19	5	5	2	–	1	1	5	1	66	42	–	1	36	5
Balance of county	290	–	–	3	72	16	17	6	12	4	4	13	3	154	127	–	4	106	15
Macon	1,221	2	1	7	243	60	60	19	15	13	8	48	21	654	444	3	17	312	112
Decatur	1,029	2	1	6	208	52	69	17	14	12	8	36	18	561	373	3	13	262	95
Balance of county	192	–	–	1	35	8	11	2	1	1	–	12	3	93	71	–	4	50	17
Macoupin	571	1	–	2	128	34	37	9	18	4	9	17	11	293	216	2	10	180	24
Madison	2,380	1	–	7	523	130	159	39	52	22	20	101	42	1,242	985	10	29	849	108
Alton	451	–	–	–	92	20	32	6	9	5	5	15	8	226	169	2	6	139	22
Collinsville, part	250	–	–	2	61	15	14	5	5	3	1	18	2	143	114	1	2	105	6
Collinsville, total	262	–	–	2	63	15	14	5	5	3	1	20	2	152	117	1	2	108	6
Edwardsville	140	–	–	–	31	13	9	4	–	2	–	3	3	76	50	–	–	42	6
Granite City	384	–	–	–	88	21	34	3	8	2	2	18	9	195	160	–	9	135	16
Wood River	116	–	–	–	27	9	8	1	3	–	–	6	2	55	48	–	2	40	6
Balance of county	1,039	1	–	5	224	52	62	20	27	10	12	41	18	547	444	7	10	362	45
Marion	501	–	–	2	100	30	31	2	10	4	5	18	12	276	216	2	4	171	39
Centralia, part	157	–	–	–	30	11	7	–	1	1	1	9	2	102	80	2	3	67	8
Centralia, total	200	–	–	1	34	11	8	–	4	1	1	9	2	119	93	2	3	78	10
Balance of county	334	–	–	2	70	19	24	2	9	3	4	9	10	174	136	–	1	104	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kewanee	3	37	5	1	8	8	–	4	1	–	–	1	1	20	8	6	1	–	–
Balance of county	1	29	6	1	6	15	–	3	5	–	3	4	3	24	13	11	5	2	1
Iroquois	2	22	2	6	10	2	–	8	–	–	–	2	1	16	12	5	1	3	2
Jackson	1	43	6	4	9	7	–	3	1	–	2	10	1	28	16	18	2	5	–
Carbondale	–	15	4	1	2	4	–	3	–	–	–	3	–	10	3	6	1	1	–
Murphysboro	1	15	–	–	5	–	–	–	–	–	–	1	–	6	5	6	–	2	–
Balance of county	–	13	2	3	2	3	–	–	1	–	2	6	1	12	8	6	1	2	–
Jasper	1	11	3	–	4	3	–	1	2	–	1	–	1	9	4	1	1	–	–
Jefferson	2	40	8	6	15	15	–	4	2	–	3	3	3	29	9	15	2	3	–
Mount Vernon	–	19	6	2	10	7	–	3	1	–	1	1	2	20	5	9	–	2	–
Balance of county	2	21	2	4	5	8	–	1	1	–	2	2	1	9	4	6	2	1	–
Jersey	1	18	4	4	4	4	–	2	3	–	1	1	–	20	3	6	4	–	–
Jo Daviess	–	24	3	2	4	8	1	3	1	–	1	1	1	14	4	7	2	–	1
Johnson	–	7	1	3	1	3	–	–	1	–	1	–	–	2	1	3	–	–	–
Kane	12	204	35	19	40	47	10	24	9	–	21	45	11	126	62	55	34	20	1
Aurora	6	72	11	7	16	16	3	11	2	–	8	17	3	53	14	18	13	9	–
Carpentersville	–	8	4	2	1	3	–	2	–	–	2	6	1	4	3	7	1	1	–
Elgin, part	5	52	11	4	10	8	3	7	4	–	5	15	3	22	10	15	9	5	–
Elgin, total	5	54	11	4	10	8	3	9	4	–	5	17	3	24	12	15	9	7	1
St. Charles	–	12	–	1	1	7	1	1	1	–	1	–	–	10	6	1	–	–	–
Balance of county	1	60	9	5	12	13	3	3	2	–	5	7	4	37	24	14	11	5	1
Kankakee	7	58	5	8	10	22	2	8	8	–	1	22	7	50	32	25	7	12	2
Kankakee	2	25	2	2	4	8	–	5	7	–	–	11	2	22	9	8	4	5	–
Balance of county	5	33	3	6	6	14	2	3	1	–	1	11	5	28	23	17	3	7	2
Kendall	1	18	5	–	–	2	–	2	–	–	1	2	1	16	11	11	5	–	–
Knox	2	69	33	10	14	24	3	8	10	–	5	3	2	42	13	10	10	–	1
Galesburg	1	44	22	8	9	16	2	7	5	–	2	3	2	21	5	7	6	–	–
Balance of county	1	25	11	2	5	8	1	1	5	–	3	–	–	21	8	3	4	–	1
Lake	18	242	27	25	65	63	7	45	15	1	18	50	13	185	98	84	42	26	12
Arlington Heights, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Buffalo Grove, part	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	1
Deerfield, part	2	12	–	2	4	–	2	3	–	–	–	1	–	4	2	–	4	–	1
Deerfield, total	2	12	–	2	4	–	2	3	–	–	–	1	–	5	2	–	4	–	1
Highland Park	4	27	3	–	4	2	1	5	–	1	2	1	1	13	4	5	4	1	1
Lake Forest	2	9	–	–	–	3	–	1	2	–	1	–	–	11	1	2	1	1	1
Libertyville	1	18	1	2	5	3	–	–	1	–	–	1	–	10	1	5	–	1	1
Mundelein	–	7	–	–	2	1	–	1	–	–	1	2	–	6	6	4	3	1	–
North Chicago	2	7	–	–	5	5	1	2	–	–	2	8	2	7	1	3	1	2	–
Waukegan	5	47	8	5	15	20	2	12	5	–	4	14	2	41	11	16	6	6	1
Zion	–	14	2	2	6	3	–	2	–	–	2	2	2	10	3	7	–	4	–
Balance of county	2	102	13	14	24	26	1	19	7	–	6	20	6	82	67	42	22	10	6
La Salle	5	141	23	9	33	29	2	13	10	–	6	8	2	74	28	27	10	3	2
La Salle	–	18	2	1	6	3	–	2	1	–	1	–	1	9	2	4	2	–	–
Ottawa	–	33	4	2	6	9	2	4	4	–	–	1	–	14	4	4	2	1	–
Peru	–	17	3	1	1	2	–	–	1	–	2	–	–	8	1	1	–	–	–
Streator, part	1	30	7	3	5	3	–	3	1	–	1	2	–	8	3	5	1	2	–
Streator, total	1	30	7	3	5	3	–	3	1	–	1	2	–	8	4	5	1	2	–
Balance of county	4	45	7	2	15	12	–	4	3	–	2	5	1	35	18	13	5	–	2
Lawrence	2	35	3	6	17	8	–	3	–	–	1	1	–	14	7	4	2	–	–
Lee	6	30	7	1	6	10	1	4	1	–	8	1	3	16	13	11	7	4	–
Dixon	3	12	6	1	3	8	–	1	–	–	3	1	1	7	5	5	3	2	–
Balance of county	3	18	1	–	3	2	1	3	1	–	5	–	2	9	8	6	4	2	–
Livingston	2	41	12	6	9	9	2	–	6	–	–	2	1	29	15	6	13	3	–
Streator, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	2	41	12	6	9	9	2	–	6	–	–	2	1	29	14	6	13	3	–
Logan	6	23	25	3	8	13	1	6	7	–	1	–	–	24	6	5	5	–	1
Lincoln	–	14	14	–	5	9	1	6	5	–	–	–	–	16	4	–	–	–	1
Balance of county	6	9	11	3	3	4	–	–	2	–	1	–	–	8	2	5	5	–	–
McDonough	–	28	10	4	5	11	1	3	3	–	–	3	1	27	2	6	1	1	1
Macomb	–	8	1	1	4	7	1	2	1	–	–	1	1	13	1	3	1	–	1
Balance of county	–	20	9	3	1	4	–	1	2	–	–	2	–	14	1	3	–	1	–
McHenry	7	77	17	13	26	25	3	16	6	–	13	22	5	53	43	33	11	1	4
Crystal Lake	1	18	1	2	7	4	–	4	–	–	3	6	1	8	2	4	1	–	–
Woodstock	1	9	1	3	3	7	–	–	1	–	1	–	–	5	3	4	1	–	–
Balance of county	5	50	15	8	16	14	3	12	5	–	9	16	4	40	38	25	9	1	4
McLean	2	84	19	10	19	20	2	8	5	1	5	21	7	52	25	14	10	3	1
Bloomington	1	52	6	5	10	11	–	4	4	1	3	14	4	29	9	5	5	1	1
Normal	–	17	4	3	5	3	–	–	–	–	2	1	1	11	4	4	2	1	–
Balance of county	1	15	9	2	4	6	2	4	1	–	–	6	2	12	12	5	3	1	–
Macon	12	147	41	10	20	41	4	10	6	–	6	26	14	82	32	27	16	7	2
Decatur	10	134	37	7	18	33	4	7	4	–	5	21	12	65	21	22	12	7	2
Balance of county	2	13	4	3	2	8	–	3	2	–	1	5	2	17	11	5	4	–	–
Macoupin	4	59	11	3	16	16	2	3	3	–	1	8	2	56	9	17	2	1	–
Madison	14	172	46	25	37	77	4	21	13	–	19	33	14	168	63	50	34	28	4
Alton	3	36	14	4	5	15	1	5	6	–	4	12	3	41	8	9	6	10	–
Collinsville, part	1	17	7	4	–	5	–	1	2	–	5	2	–	12	6	4	2	2	1
Collinsville, total	2	21	8	4	–	5	–	1	2	–	6	2	–	12	6	4	2	2	1
Edwardsville	3	15	5	3	5	8	1	–	–	–	–	–	–	10	1	4	–	1	–
Granite City	1	27	2	5	7	19	–	5	1	–	1	4	2	26	7	8	5	6	1
Wood River	–	6	1	–	2	2	–	1	–	–	2	3	1	9	6	2	4	–	–
Balance of county	6	71	17	9	18	28	2	9	4	–	7	12	8	70	35	23	17	9	2
Marion	2	44	8	6	9	11	2	4	3	–	3	5	3	31	18	14	2	4	2
Centralia, part	–	15	5	2	3	3	1	3	–	–	2	3	–	8	6	2	–	1	1
Centralia, total	–	18	6	2	4	5	1	4	–	–	2	4	–	14	6	2	–	1	1
Balance of county	2	29	3	4	6	8	1	1	3	–	1	2	3	23	12	12	2	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Marshall	150	–	–	–	26	4	7	4	3	1	2	5	3	100	75	–	2	65	8
Mason	207	1	–	1	40	10	7	5	8	4	2	4	2	107	86	–	5	59	22
Massac	200	–	–	–	42	12	10	3	5	–	1	11	2	109	86	–	2	74	10
Menard	109	–	–	–	13	2	3	5	1	1	–	1	2	60	50	1	2	37	10
Mercer	197	–	–	2	38	6	17	–	4	2	4	5	4	104	73	–	–	68	5
Monroe	209	–	–	–	36	12	12	3	7	–	1	3	7	124	103	1	5	91	6
Montgomery	410	–	–	1	82	31	15	9	12	6	4	5	9	254	194	1	11	164	18
Morgan	380	–	–	2	81	25	24	6	8	5	1	12	4	230	159	2	6	109	42
Jacksonville	270	–	–	1	50	16	15	3	4	2	1	9	3	169	111	2	5	69	35
Balance of county	110	–	–	1	31	9	9	3	4	3	–	3	1	61	48	–	1	40	7
Moultrie	138	–	–	–	25	4	11	2	4	1	–	3	2	77	61	–	2	56	3
Ogle	389	–	–	1	68	21	15	4	7	6	1	14	8	217	168	1	3	143	21
Peoria	1,768	1	–	7	400	108	104	36	46	20	16	70	24	832	663	6	23	535	99
Pekin, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peoria	1,180	1	–	5	264	72	68	21	24	13	13	53	14	616	440	4	17	358	61
Balance of county	588	–	–	2	136	36	36	15	22	7	3	17	10	316	223	2	6	177	38
Perry	243	–	–	–	37	15	10	4	3	2	–	3	1	156	135	1	4	110	20
Piatt	169	–	–	1	46	12	11	8	7	3	–	5	2	90	71	–	1	60	10
Pike	252	–	–	–	52	11	13	8	8	4	–	8	5	149	119	–	1	106	12
Pope	59	–	–	–	6	1	2	–	1	–	1	1	1	34	31	–	1	17	13
Pulaski	139	–	–	–	31	12	6	2	4	1	–	6	1	73	55	–	2	42	11
Putnam	49	–	–	–	8	2	1	–	2	1	1	1	1	31	24	–	–	21	3
Randolph	340	–	–	3	52	13	16	4	1	4	2	12	6	207	159	–	6	134	17
Richland	182	–	–	3	37	9	8	5	4	1	2	8	7	105	80	–	1	72	7
Rock Island	1,468	1	–	5	293	92	84	22	22	10	14	49	24	810	611	6	10	490	105
East Moline	184	–	–	1	35	13	6	5	2	1	1	7	4	91	71	–	–	58	13
Moline	432	–	–	2	77	21	24	4	10	2	5	11	6	250	182	2	4	145	31
Rock Island	497	1	–	2	110	42	27	6	6	3	6	20	7	268	205	2	5	160	38
Balance of county	355	–	–	–	71	16	27	7	4	4	2	11	7	201	153	2	1	127	23
St. Clair	2,662	4	–	14	500	113	145	51	46	19	24	102	66	1,440	1,067	9	56	847	159
Belleville	658	2	–	3	119	36	26	17	11	7	4	18	12	397	302	3	12	246	41
Cahokia	136	–	–	1	28	5	10	1	4	3	2	3	5	62	47	–	1	38	8
Centreville	79	1	–	1	18	2	9	1	1	1	1	3	4	35	28	–	4	20	4
Collinsville, part	12	–	–	–	2	–	–	–	–	–	–	2	–	9	3	–	–	3	–
East St. Louis	671	–	–	5	113	23	30	7	15	2	7	29	18	330	230	1	15	167	47
Balance of county	1,106	1	–	4	220	47	70	25	15	6	10	47	29	807	457	5	26	373	53
Saline	457	–	–	1	71	19	27	4	5	2	1	13	4	304	222	–	6	177	39
Sangamon	1,741	3	–	12	337	104	84	22	40	17	12	58	32	920	680	5	24	529	122
Springfield	1,199	2	–	11	225	69	62	16	24	10	5	39	26	632	465	4	22	358	81
Balance of county	542	1	–	1	112	35	22	6	16	7	7	19	6	288	215	1	2	171	41
Schuyler	106	–	–	–	26	7	6	2	6	2	1	2	–	71	61	–	3	27	31
Scott	60	–	–	–	7	2	1	1	1	–	1	1	1	40	27	–	–	20	7
Shelby	229	1	–	1	42	7	11	2	7	1	2	12	4	128	91	–	–	60	11
Stark	96	–	–	1	12	2	–	3	3	–	1	3	3	64	49	1	–	41	7
Stephenson	464	–	–	2	96	25	27	8	15	5	2	14	7	275	223	3	4	170	46
Freeport	292	–	–	1	63	13	19	6	13	1	1	10	4	171	139	2	2	114	21
Balance of county	172	–	–	1	33	12	8	2	2	4	1	4	3	104	84	1	2	56	25
Tazewell	921	–	–	7	199	45	38	19	22	16	7	52	20	461	380	1	6	301	52
East Peoria	151	–	–	–	34	6	8	2	3	4	1	10	5	71	57	–	2	47	8
Morton	98	–	–	–	20	5	2	2	3	1	1	6	2	58	50	1	–	39	10
Pekin, part	319	–	–	2	73	14	11	8	9	4	4	23	3	164	126	–	1	109	16
Pekin, total	319	–	–	2	73	14	11	8	9	4	4	23	3	164	126	–	1	109	16
Balance of county	353	–	–	5	72	20	17	7	7	7	1	13	10	168	127	–	3	106	18
Union	211	–	–	1	47	13	11	6	6	–	2	9	3	109	84	1	1	71	11
Vermilion	989	–	–	6	230	47	66	16	25	12	10	54	18	483	335	3	14	227	91
Danville	536	–	–	5	118	23	29	11	12	7	4	32	11	258	173	1	9	114	49
Balance of county	453	–	–	1	112	24	37	5	13	5	6	22	7	225	162	2	5	113	42
Wabash	177	–	–	1	19	4	3	1	6	1	–	4	5	121	96	1	–	90	5
Warren	235	–	–	1	50	15	8	7	8	6	–	6	3	131	90	1	2	71	16
Monmouth	137	–	–	1	33	8	7	4	5	4	–	5	1	77	54	1	2	37	14
Balance of county	98	–	–	–	17	7	1	3	3	2	–	1	2	54	36	–	–	34	2
Washington	193	–	–	–	28	8	3	3	5	2	3	4	4	118	97	–	–	95	2
Wayne	225	–	–	1	34	6	9	3	5	4	–	7	5	122	104	1	7	68	28
White	237	–	–	–	51	11	17	1	7	–	4	11	4	139	113	1	3	91	18
Whiteside	524	–	–	3	109	26	22	14	15	4	8	20	11	259	187	–	3	130	54
Rock Falls	103	–	–	–	16	6	2	1	1	–	1	5	1	56	39	–	1	28	10
Sterling	139	–	–	1	30	5	9	4	4	1	2	5	6	60	44	–	1	32	11
Balance of county	282	–	–	2	63	15	11	9	10	3	5	10	4	143	104	–	1	70	33
Will	2,071	–	–	9	438	134	109	39	43	19	16	78	34	1,038	782	3	53	560	136
Joliet	952	–	–	5	167	54	42	16	16	12	6	21	14	530	391	–	28	297	56
Park Forest, part	7	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–	2	1
Romeoville	58	–	–	–	13	3	6	–	1	–	–	3	2	21	12	–	–	10	2
Tinley Park, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1,054	–	–	4	258	77	61	23	26	7	10	54	18	483	386	3	25	261	77
Williamson	612	2	–	1	143	35	41	13	18	8	9	19	20	307	227	–	14	173	40
Marion	153	–	–	–	38	10	10	3	2	1	2	8	6	77	55	–	1	44	10
Balance of county	459	2	–	1	107	25	31	10	16	7	7	11	14	230	172	–	13	129	30
Winnebago	1,927	2	–	8	439	122	102	37	51	23	19	85	24	958	724	8	18	610	88
Loves Park	65	–	–	–	16	1	4	–	1	4	2	4	–	35	26	–	1	24	1
Rockford	1,329	1	–	4	305	83	61	30	37	15	12	57	21	665	492	6	13	400	73
Balance of county	533	1	–	4	118	28	37	7	13	4	5	24	3	258	206	2	4	186	14
Woodford	291	–	–	–	61	14	14	8	5	3	4	13	3	180	122	–	3	102	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Marshall	-	19	4	2	3	2	-	-	2	-	-	2	-	7	3	-	1	-	1
Mason	-	17	2	2	7	6	1	3	1	-	3	4	1	11	6	8	2	-	1
Massac	-	15	5	3	13	6	1	-	4	-	1	1	-	8	5	6	-	1	1
Menard	-	9	-	1	8	6	-	1	1	-	1	2	-	10	2	2	1	-	-
Mercer	1	17	11	2	3	9	1	1	2	-	-	2	1	14	11	5	1	-	-
Monroe	-	13	5	3	1	5	1	1	2	-	1	2	-	14	9	2	1	1	-
Montgomery	2	48	4	6	6	5	1	1	3	-	2	2	1	24	5	9	4	1	-
Morgan	7	35	28	1	10	4	1	4	2	-	2	5	4	12	9	3	4	1	2
Jacksonville	4	26	27	1	8	4	1	4	-	-	2	4	3	10	6	2	1	-	2
Balance of county	3	9	1	-	2	-	-	-	2	-	-	1	1	2	3	1	3	1	-
Moultrie	2	12	1	1	2	10	-	-	1	-	1	2	-	10	3	5	-	-	-
Ogle	6	27	11	5	5	9	2	2	1	-	3	1	1	30	22	12	4	3	-
Peoria	5	200	32	32	59	48	6	19	8	-	13	23	11	122	31	34	18	12	4
Pekin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peoria	3	136	18	19	44	29	3	15	5	-	10	16	7	88	18	22	10	11	2
Balance of county	2	64	14	13	15	17	3	4	3	-	3	7	4	34	13	12	6	1	2
Perry	1	14	3	3	3	6	1	3	1	-	1	2	-	14	6	10	1	1	-
Piatt	1	14	3	1	1	4	2	1	-	-	-	1	2	10	4	3	2	-	-
Pike	-	18	10	2	5	5	-	-	2	-	1	2	2	11	9	4	3	1	1
Pope	-	2	1	-	4	2	1	-	1	-	-	-	1	3	3	2	1	-	-
Pulaski	1	15	1	1	5	3	-	1	2	-	1	-	1	9	6	5	-	1	-
Putnam	2	4	-	1	-	1	-	1	-	-	1	-	-	2	2	1	-	-	1
Randolph	3	30	9	6	3	6	1	3	2	-	6	2	8	24	4	8	3	1	1
Richland	1	13	10	1	3	3	-	2	1	-	1	2	-	9	3	3	2	1	-
Rock Island	8	142	27	22	28	43	6	22	8	-	11	19	10	100	30	30	17	10	1
East Moline	1	14	2	3	8	8	1	4	1	-	1	2	-	16	3	4	2	1	-
Moline	3	49	8	8	5	11	1	11	2	-	5	6	3	28	11	7	6	1	-
Rock Island	3	40	15	5	8	17	3	3	2	-	1	5	5	31	7	10	8	6	1
Balance of county	1	39	2	6	7	7	1	4	3	-	4	6	2	23	9	9	1	-	-
St. Clair	29	293	35	16	51	51	7	38	17	2	18	45	41	157	57	76	24	56	-
Belleville	3	74	15	3	14	13	1	6	2	-	2	6	4	46	10	16	5	-	-
Cahokia	2	9	3	1	2	1	-	4	-	-	3	1	4	8	7	4	4	2	-
Centreville	1	5	1	-	1	-	-	-	1	-	-	3	1	3	5	2	1	3	-
Collinsville, part	1	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
East St. Louis	4	88	4	4	17	11	3	11	8	2	6	22	18	44	11	17	4	32	-
Balance of county	18	113	11	8	17	28	3	17	6	-	4	13	13	56	24	37	10	10	-
Saline	1	60	12	9	6	8	2	3	3	-	1	3	2	23	12	11	1	1	1
Sangamon	13	189	22	16	28	51	6	26	12	-	10	21	31	111	49	41	29	12	10
Springfield	10	129	17	11	20	36	3	20	12	-	9	17	25	77	21	27	19	8	9
Balance of county	3	60	5	5	8	15	3	6	-	-	1	4	6	34	28	14	10	4	1
Schuyler	-	10	-	-	-	2	-	-	-	-	-	-	1	5	-	1	-	-	-
Scott	1	7	4	1	3	-	-	-	-	-	-	1	-	4	-	1	2	1	-
Shelby	2	28	7	1	10	7	-	2	3	-	1	4	1	12	6	3	2	-	1
Stark	1	10	2	2	4	-	1	-	-	-	-	-	-	2	3	4	2	-	-
Stephenson	5	42	2	3	7	10	1	4	3	1	2	2	-	25	8	16	2	1	2
Freeport	3	25	1	3	5	8	1	4	2	-	1	1	-	16	1	11	1	1	1
Balance of county	2	17	1	-	2	2	-	-	1	1	1	1	-	9	7	5	1	-	1
Tazewell	2	65	20	14	32	16	2	5	11	-	5	13	7	60	39	31	9	3	1
East Peoria	-	7	5	2	5	4	-	3	3	-	1	-	2	10	6	4	2	1	-
Morton	-	4	2	2	4	-	-	-	2	-	-	1	1	4	1	3	1	-	1
Pekin, part	-	31	3	4	14	7	1	1	5	-	2	3	2	21	12	6	3	-	-
Pekin, total	-	31	3	4	14	7	1	1	5	-	2	3	2	21	12	6	3	-	-
Balance of county	2	23	10	6	9	5	1	1	1	-	2	9	2	25	20	18	3	2	-
Union	1	17	3	3	8	5	-	1	1	-	1	3	3	15	4	5	5	1	-
Vermilion	6	111	22	9	23	42	-	16	9	-	6	14	7	63	33	20	14	3	2
Danville	2	68	13	2	11	21	-	13	5	-	3	11	3	36	15	14	9	3	-
Balance of county	4	43	9	7	12	21	-	3	4	-	3	3	4	27	18	6	5	-	2
Wabash	-	16	8	1	2	3	1	1	1	-	-	1	-	12	3	5	1	1	-
Warren	1	31	5	4	6	2	-	-	1	-	-	3	3	23	3	5	3	1	-
Monmouth	1	18	2	2	4	1	-	-	1	-	-	1	3	10	1	2	1	1	-
Balance of county	-	13	3	2	2	1	-	-	-	-	-	2	-	13	2	3	2	-	-
Washington	-	13	2	4	7	1	1	2	7	-	-	2	1	9	5	8	2	-	-
Wayne	-	15	1	2	12	8	1	3	1	-	1	1	2	18	8	5	1	2	-
White	2	16	4	4	7	2	-	-	1	-	1	-	2	16	6	5	2	1	-
Whiteside	6	52	11	3	19	16	-	9	2	-	5	8	3	37	22	12	4	-	5
Rock Falls	1	13	3	-	1	1	-	4	-	-	1	4	-	14	4	-	1	-	-
Sterling	2	13	1	-	3	5	-	3	-	-	2	2	2	8	9	6	2	-	-
Balance of county	3	26	7	3	15	10	-	2	2	-	2	2	1	15	9	6	1	-	5
Will	11	201	26	18	31	45	4	22	15	1	17	31	12	159	84	79	22	23	7
Joliet	7	114	16	12	11	16	3	6	9	-	9	15	3	86	23	34	6	14	1
Park Forest, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Romeoville	-	8	-	1	1	1	-	-	-	-	1	1	2	5	6	3	1	1	-
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	4	78	10	5	19	28	1	16	6	1	7	15	7	68	55	42	15	8	3
Williamson	1	66	9	4	17	19	1	4	7	-	2	3	3	39	17	15	8	3	1
Marion	-	18	1	3	7	6	-	-	2	-	-	1	-	10	3	1	2	1	1
Balance of county	1	48	8	1	10	13	1	4	5	-	2	2	3	29	14	14	6	2	-
Winnebago	4	189	24	17	40	38	3	29	11	-	12	36	11	146	57	62	33	15	3
Loves Park	-	7	2	-	2	-	-	-	1	-	-	-	-	7	2	1	1	-	-
Rockford	4	139	20	10	27	27	3	18	8	-	8	24	9	106	29	40	21	11	2
Balance of county	-	43	2	7	11	11	-	11	2	-	4	12	2	33	26	21	11	4	1
Woodford	2	21	11	4	5	5	1	1	-	-	2	8	-	17	18	6	4	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-019)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	46,731	47	7	283	9,503	2,445	2,612	790	1,060	432	416	1,748	888	24,412	17,660	196	619	13,925	3,120
Urban places	25,520	33	4	174	5,322	1,332	1,546	452	580	249	205	958	563	13,070	9,584	111	369	7,345	1,759
Balance of area	21,211	14	3	119	4,181	1,113	1,066	338	480	183	211	790	425	11,342	8,276	85	250	6,580	1,361
Metropolitan counties	27,855	34	6	200	5,806	1,484	1,647	480	645	263	220	1,067	596	14,052	10,349	118	373	7,933	1,925
Urban places	19,597	28	4	152	4,158	1,058	1,221	339	451	192	146	751	422	9,853	7,304	89	282	5,511	1,422
Balance of area	8,058	6	2	48	1,648	426	426	141	194	71	74	316	174	4,199	3,045	29	91	2,422	503
Nonmetropolitan counties	19,076	13	1	93	3,697	961	965	310	415	169	198	681	392	10,360	7,511	78	246	5,992	1,195
Urban places	5,923	5	–	22	1,164	274	325	113	129	57	59	207	141	3,217	2,280	22	87	1,834	397
Balance of area	13,153	8	1	71	2,533	687	640	197	288	112	137	474	251	7,143	5,231	56	159	4,158	858
Adams	253	–	–	1	66	21	16	6	6	2	2	13	3	132	89	1	1	78	11
Allen	2,258	3	1	20	453	117	131	43	51	20	10	81	47	1,205	849	10	33	683	123
Fort Wayne	1,840	3	1	16	368	95	109	37	43	15	8	61	37	972	678	7	28	536	107
Balance of county	418	–	–	4	85	22	22	6	8	5	2	20	10	233	171	3	5	147	16
Bartholomew	500	–	–	4	93	23	27	5	11	6	5	16	12	242	189	4	3	134	48
Columbus	282	–	–	1	60	10	19	4	5	5	5	12	5	146	116	3	2	77	34
Balance of county	218	–	–	3	33	13	8	1	6	1	–	4	7	96	73	1	1	57	14
Benton	114	–	–	1	24	6	7	1	2	–	1	7	–	58	39	–	1	32	6
Blackford	157	–	–	–	27	4	12	3	1	2	–	5	3	92	68	–	5	50	13
Boone	317	–	–	2	63	14	16	6	7	6	3	11	4	181	126	2	–	95	29
Brown	111	–	–	1	21	5	8	2	2	1	1	2	2	47	32	1	–	23	8
Carroll	149	–	–	–	24	4	4	–	6	2	2	6	5	89	54	1	–	50	3
Cass	432	1	–	1	83	18	25	7	11	4	2	16	13	221	164	3	2	133	26
Logansport	266	–	–	–	53	9	17	5	6	4	2	10	9	139	96	3	1	80	12
Balance of county	166	1	–	1	30	9	8	2	5	–	–	6	4	82	68	–	1	53	14
Clark	648	–	–	10	130	29	38	9	16	3	6	29	12	318	237	2	8	186	41
Clarksville	128	–	–	4	25	8	5	1	2	–	1	8	2	62	51	–	5	37	9
Jeffersonville	226	–	–	3	55	12	21	5	7	2	1	7	3	114	80	2	1	64	13
Balance of county	294	–	–	3	50	9	12	3	7	1	4	14	7	142	106	–	2	85	19
Clay	286	2	1	2	62	15	17	8	8	2	4	8	6	135	90	1	2	69	18
Clinton	365	–	–	3	68	23	14	4	13	2	–	12	8	218	149	4	6	117	22
Frankfort	199	–	–	1	47	14	10	1	12	1	–	9	4	117	79	–	3	61	15
Balance of county	166	–	–	2	21	9	4	3	1	1	–	3	4	101	70	4	3	56	7
Crawford	99	–	–	1	17	6	2	–	1	1	2	5	–	57	42	1	3	32	8
Daviess	303	–	–	2	62	17	20	5	4	2	2	12	4	179	139	1	3	103	32
Washington	177	–	–	–	42	11	15	4	2	2	1	7	3	96	72	1	1	57	13
Balance of county	126	–	–	2	20	6	5	1	2	–	1	5	1	83	67	–	2	46	19
Dearborn	342	1	–	1	71	20	16	3	7	4	3	18	6	189	139	2	6	83	48
Decatur	207	–	–	2	47	13	8	4	4	3	3	12	5	105	83	3	2	62	16
De Kalb	308	–	–	1	53	16	9	4	6	3	4	11	6	178	121	–	11	92	18
Delaware	1,008	3	1	7	197	46	64	17	22	10	5	33	9	508	372	9	13	299	51
Muncie	722	2	1	5	145	29	49	13	16	9	4	25	8	362	264	8	9	211	36
Balance of county	286	1	–	2	52	17	15	4	6	1	1	8	1	146	108	1	4	88	15
Dubois	249	–	1	1	49	11	10	6	3	2	4	13	6	127	102	2	4	77	19
Elkhart	1,018	–	–	2	194	54	55	18	14	10	13	30	17	586	416	5	8	349	54
Elkhart	447	–	–	–	79	20	20	10	6	3	5	15	8	266	185	4	4	164	13
Goshen	175	–	–	1	30	7	10	4	1	1	4	3	2	106	78	–	1	53	22
Balance of county	396	–	–	1	85	27	25	4	7	6	4	12	7	214	155	1	3	132	19
Fayette	263	–	–	3	53	18	13	3	7	2	4	6	8	123	82	1	1	75	5
Connersville	190	–	–	3	40	16	9	1	6	2	2	4	6	95	61	–	1	56	4
Balance of county	63	–	–	–	13	2	4	2	1	–	2	2	2	28	21	1	–	19	1
Floyd	545	–	–	4	125	39	33	6	6	4	6	31	13	270	206	4	2	161	39
New Albany	435	–	–	3	92	30	28	2	4	2	4	22	11	219	167	3	2	127	35
Balance of county	110	–	–	1	33	9	5	4	2	2	2	9	2	51	39	1	–	34	4
Fountain	211	–	–	–	26	8	9	3	2	–	–	4	5	125	98	–	2	81	15
Franklin	133	–	–	–	27	7	7	2	3	2	3	3	3	68	46	2	1	36	7
Fulton	189	–	–	–	38	10	8	6	7	1	4	2	2	109	73	–	1	60	9
Gibson	361	–	–	1	68	18	21	2	10	1	2	14	17	218	161	1	1	140	19
Grant	715	1	–	1	133	36	36	8	12	4	6	31	11	382	265	3	38	186	36
Marion	428	1	–	1	78	23	22	4	7	2	5	15	7	238	166	2	34	106	24
Balance of county	287	–	–	–	55	13	14	4	5	2	1	16	4	144	99	1	4	80	14
Greene	353	–	–	2	76	12	19	1	15	4	6	19	7	200	168	1	2	110	55
Hamilton	454	1	–	5	112	28	31	6	11	3	10	25	9	217	166	1	3	125	37
Hancock	315	–	1	3	52	9	13	6	6	1	2	15	8	179	142	2	5	118	17
Harrison	205	2	–	3	41	13	9	3	6	–	1	9	2	106	82	–	4	70	8
Hendricks	434	1	–	3	78	23	17	5	7	4	6	16	9	224	152	–	9	119	24
Henry	456	–	–	4	87	25	28	7	7	1	3	16	8	245	191	1	1	156	33
New Castle	238	–	–	2	41	9	14	4	5	1	2	6	3	130	102	1	–	83	18
Balance of county	218	–	–	2	46	16	14	3	2	–	1	10	5	115	89	–	1	73	15
Howard	684	–	–	4	119	26	40	9	16	7	4	17	14	366	249	1	4	207	37
Kokomo	540	–	–	2	90	20	32	7	8	6	4	13	12	291	201	1	4	169	27
Balance of county	144	–	–	2	29	6	8	2	8	1	–	4	2	75	48	–	–	38	10
Huntington	405	–	–	–	84	20	22	10	14	1	6	11	12	230	161	–	4	118	39
Huntington	177	–	–	–	36	7	11	5	7	–	2	4	8	95	74	–	1	56	17
Balance of county	228	–	–	–	48	13	11	5	7	1	4	7	4	135	87	–	3	62	22
Jackson	297	–	–	3	54	15	10	5	7	1	1	15	6	153	114	1	5	93	15
Seymour	133	–	–	2	24	2	6	2	5	1	–	8	4	70	49	–	4	40	5
Balance of county	164	–	–	1	30	13	4	3	2	–	1	7	2	83	65	1	1	53	10
Jasper	168	–	–	1	19	6	5	1	1	–	2	4	4	85	69	1	–	60	8
Jay	235	–	–	2	35	5	10	1	7	–	1	11	5	125	85	1	2	72	10
Jefferson	298	–	–	1	38	9	10	4	3	3	1	8	6	167	128	2	5	105	16
Madison	168	–	–	–	23	5	6	2	1	2	–	7	4	97	76	–	3	62	11
Balance of county	130	–	–	1	15	4	4	2	2	1	1	1	2	70	52	2	2	43	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Indiana	184	4,889	1,048	431	929	1,266	143	536	375	4	338	591	452	3,139	1,349	1,308	597	402	52
Urban places	107	2,605	550	224	505	669	80	341	180	3	199	376	259	1,785	602	683	321	319	32
Balance of area	77	2,284	498	207	424	597	63	195	195	1	139	215	193	1,354	747	625	276	83	20
Metropolitan counties	120	2,801	534	248	527	740	85	381	212	3	207	402	292	1,871	733	787	377	326	38
Urban places	84	1,919	383	163	383	505	62	278	143	3	157	309	204	1,342	479	535	267	285	28
Balance of area	36	882	151	85	144	235	23	83	69	–	50	93	88	529	254	252	110	41	10
Nonmetropolitan counties	64	2,088	514	183	402	526	58	175	163	1	131	189	160	1,268	616	521	220	76	14
Urban places	29	686	167	61	122	164	18	63	37	–	42	67	55	443	123	148	54	34	4
Balance of area	41	1,402	347	122	280	362	40	112	126	1	89	122	105	825	493	373	166	42	10
Adams	–	36	6	1	4	5	–	2	2	–	2	3	1	18	4	7	3	–	–
Allen	8	285	40	23	37	42	5	11	17	–	13	33	23	169	68	72	28	9	2
Fort Wayne	5	237	35	17	32	38	5	9	13	–	12	30	18	140	47	64	24	9	2
Balance of county	3	48	5	6	5	4	–	2	4	–	1	3	5	29	21	8	4	–	–
Bartholomew	4	35	9	5	9	17	1	5	3	–	6	8	7	49	20	18	5	1	–
Columbus	3	19	4	4	6	8	–	3	1	–	3	4	4	24	5	9	3	–	–
Balance of county	1	16	5	1	3	9	1	2	2	–	3	4	3	25	15	9	2	1	–
Benton	–	16	3	–	1	3	1	2	–	–	–	3	2	7	5	5	2	–	–
Blackford	–	20	1	3	–	5	2	1	4	–	–	1	1	9	2	7	2	1	–
Boone	3	44	3	5	6	11	1	–	2	–	3	2	4	21	3	10	4	–	–
Brown	–	9	3	3	3	3	–	2	2	–	2	1	3	8	8	4	3	1	–
Carroll	–	25	9	1	6	4	–	1	1	–	–	–	1	9	4	2	3	–	–
Cass	1	39	10	7	8	11	1	5	1	–	1	4	3	38	16	13	6	6	2
Logansport	1	30	7	5	4	8	–	3	–	–	1	4	1	27	6	6	3	1	1
Balance of county	–	9	3	2	4	3	1	2	1	–	–	–	2	9	10	7	3	5	1
Clark	–	58	14	9	12	14	4	11	3	–	3	9	4	56	27	25	3	6	1
Clarksville	–	7	3	1	3	3	2	–	1	–	–	3	–	12	4	5	–	2	–
Jeffersonville	–	21	8	5	5	4	1	5	1	–	–	1	–	15	6	8	3	2	–
Balance of county	–	30	3	3	4	7	1	6	1	–	3	5	4	29	17	12	–	2	1
Clay	–	36	5	4	9	14	2	–	3	–	–	5	–	22	9	11	2	–	1
Clinton	2	40	20	7	4	12	–	4	1	–	1	–	6	24	11	2	2	1	–
Frankfort	–	23	11	4	2	3	–	3	1	–	–	–	2	12	4	1	1	1	–
Balance of county	2	17	9	3	2	9	–	1	–	–	1	–	4	12	7	1	1	–	–
Crawford	–	11	4	–	2	5	–	1	1	–	1	–	2	6	1	2	2	1	–
Daviess	1	26	10	3	9	8	1	3	5	–	1	3	2	10	5	6	3	–	–
Washington	1	15	5	3	7	7	1	–	3	–	–	1	1	8	2	4	2	–	–
Balance of county	–	11	5	–	2	1	–	3	2	–	1	2	1	2	3	2	1	–	–
Dearborn	2	35	10	3	7	12	1	7	1	–	1	2	1	20	10	8	1	2	1
Decatur	1	18	3	–	4	3	1	1	3	–	–	3	3	23	1	3	3	–	–
De Kalb	1	41	13	2	2	10	2	2	3	–	–	2	2	21	16	7	3	–	–
Delaware	4	102	15	15	19	27	4	15	11	–	8	17	21	68	29	33	22	9	–
Muncie	2	74	12	10	12	17	4	12	5	–	7	16	14	44	21	23	16	8	–
Balance of county	2	28	3	5	7	10	–	3	6	–	1	1	7	24	8	10	6	1	–
Dubois	2	14	5	4	5	8	–	4	2	–	6	4	1	16	10	5	4	–	–
Elkhart	3	120	39	8	10	24	1	10	5	–	13	14	4	61	36	25	8	7	1
Elkhart	1	56	20	4	8	11	–	3	1	–	4	6	2	32	13	11	1	2	–
Goshen	–	17	12	1	1	3	1	4	1	–	3	5	–	6	7	2	2	1	–
Balance of county	2	47	7	3	1	10	–	3	3	–	6	3	2	23	16	12	5	4	1
Fayette	2	27	8	4	6	7	–	3	2	–	4	1	1	24	6	8	4	–	–
Connersville	2	22	7	3	4	4	–	1	2	–	2	1	1	20	3	7	1	–	–
Balance of county	–	5	1	1	2	3	–	2	–	–	2	–	–	4	3	1	3	–	–
Floyd	2	54	5	3	13	9	–	12	4	–	1	5	5	43	15	14	9	3	–
New Albany	1	44	5	2	12	7	–	12	4	–	1	5	4	36	9	10	7	3	–
Balance of county	1	10	–	1	1	2	–	–	–	–	–	–	1	7	6	4	2	–	–
Fountain	1	22	2	2	9	9	–	3	–	–	3	3	–	10	7	7	1	3	–
Franklin	–	17	2	3	3	5	–	1	3	–	1	1	–	10	5	4	2	–	–
Fulton	–	20	14	2	1	10	1	1	2	–	–	2	–	11	7	4	1	–	–
Gibson	2	30	22	3	2	8	3	3	4	–	1	2	4	20	12	13	5	–	–
Grant	3	99	10	5	20	15	3	4	3	–	1	10	12	51	28	25	9	8	–
Marion	2	64	2	4	13	10	1	2	3	–	1	7	3	29	13	12	3	6	–
Balance of county	1	35	8	1	7	5	2	2	–	–	–	3	9	22	15	13	6	–	–
Greene	–	25	3	4	5	7	1	5	6	–	2	4	2	14	9	11	2	–	–
Hamilton	4	33	9	5	6	14	1	5	7	–	2	5	2	33	13	13	6	–	3
Hancock	1	20	11	5	6	9	–	–	2	–	3	3	14	20	8	6	–	1	–
Harrison	–	19	4	1	4	4	1	2	4	–	2	2	1	16	5	6	3	1	–
Hendricks	–	54	12	6	9	14	2	2	5	–	5	7	–	32	13	16	10	2	2
Henry	2	43	5	4	5	15	2	3	3	–	3	2	4	38	19	9	6	3	–
New Castle	1	22	2	3	3	8	1	2	1	–	1	2	1	24	11	4	2	2	–
Balance of county	1	21	3	1	2	7	1	1	2	–	2	–	3	14	8	5	4	1	–
Howard	4	75	31	7	15	22	2	7	4	–	5	14	20	45	13	17	13	4	–
Kokomo	4	54	28	4	13	20	2	6	3	–	4	10	18	38	6	13	8	4	–
Balance of county	–	21	3	3	2	2	–	1	1	–	1	4	2	7	7	4	5	–	–
Huntington	1	56	9	3	11	11	1	–	2	1	–	4	2	27	9	6	5	–	–
Huntington	–	16	5	–	5	8	1	–	1	–	–	2	2	14	1	2	2	–	–
Balance of county	1	40	4	3	6	3	–	–	1	1	–	2	–	13	8	4	3	–	–
Jackson	1	27	5	6	9	8	1	5	1	–	5	1	3	20	10	14	2	2	–
Seymour	–	15	3	3	3	3	–	4	–	–	1	–	1	12	3	5	–	1	–
Balance of county	1	12	2	3	6	5	1	1	1	–	4	1	2	8	7	9	2	1	–
Jasper	–	13	3	–	6	4	1	2	2	–	3	3	1	13	10	8	4	2	–
Jay	2	26	10	2	3	7	–	3	4	–	3	–	11	20	8	7	1	1	–
Jefferson	1	28	8	2	13	4	2	3	7	–	5	6	–	27	4	13	1	1	–
Madison	1	16	3	1	8	4	1	1	2	–	2	1	–	13	2	9	1	–	–
Balance of county	–	12	5	1	5	–	1	2	5	–	3	5	–	14	2	4	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Indiana—Con.																			
Jennings	181	–	–	–	30	7	6	1	4	2	2	8	1	90	74	1	8	51	14
Johnson	522	1	–	3	107	20	37	7	11	9	4	19	12	272	195	3	6	170	16
Franklin	139	1	–	–	27	5	8	1	2	3	1	7	2	72	44	1	2	37	4
Greenwood	163	–	–	2	35	9	9	5	2	4	1	5	–	98	83	2	2	75	4
Balance of county	220	–	–	1	45	6	20	1	7	2	2	7	10	102	68	–	2	58	8
Knox	505	–	–	1	94	27	24	9	14	4	3	13	7	300	199	1	3	147	45
Vincennes	277	–	–	1	50	14	13	3	10	2	–	6	2	168	106	1	1	80	24
Balance of county	228	–	–	–	44	13	11	6	4	2	3	5	5	132	93	–	2	67	24
Kosciusko	451	–	–	1	82	25	18	11	9	6	4	9	11	258	186	5	6	141	34
Lagrange	173	–	–	2	34	9	11	2	1	3	1	7	4	96	72	1	–	61	10
Lake	4,328	9	1	21	862	246	214	82	97	42	35	146	132	2,133	1,664	18	53	1,384	209
Crown Point	163	–	–	2	28	12	5	4	2	–	1	4	5	95	75	1	1	62	11
East Chicago	402	1	–	–	70	22	17	7	12	2	1	9	16	203	159	1	4	138	15
Gary	1,503	6	1	9	288	76	78	22	38	14	8	52	50	685	530	8	31	431	60
Griffith	98	–	–	–	18	2	4	1	1	2	1	7	3	55	47	–	–	35	12
Hammond	815	–	–	5	159	53	36	16	14	9	8	23	28	420	328	4	6	286	32
Highland	161	1	–	–	44	13	13	4	3	4	1	6	3	78	61	1	2	42	16
Hobart	162	1	–	–	26	5	4	3	2	1	4	7	2	90	69	–	–	62	7
Munster	130	–	–	–	33	9	7	2	5	–	2	8	1	67	46	–	1	38	7
Balance of county	892	–	–	5	196	54	50	23	20	10	9	30	24	440	349	3	8	290	48
La Porte	337	1	–	5	193	48	54	18	18	8	9	40	17	512	375	3	7	330	35
La Porte	287	–	–	–	60	11	18	7	5	4	3	12	6	173	128	1	3	114	10
Michigan City	392	1	–	2	83	24	25	9	5	2	2	16	9	208	146	2	1	131	12
Balance of county	258	–	–	3	50	11	11	2	8	2	4	12	2	131	101	–	3	85	13
Lawrence	416	–	–	3	87	22	23	10	9	3	5	15	12	214	163	6	5	124	28
Bedford	207	–	–	–	39	12	10	5	3	3	1	5	3	116	84	2	4	62	16
Balance of county	209	–	–	3	48	10	13	5	6	–	4	10	9	98	79	4	1	62	12
Madison	1,197	–	–	6	265	81	73	20	29	11	10	41	21	632	447	5	13	351	78
Anderson	664	–	–	4	150	46	46	9	15	5	6	23	10	345	252	2	7	195	48
Elwood	137	–	–	–	25	8	5	5	1	3	1	2	2	79	50	1	–	38	11
Balance of county	396	–	–	2	90	27	22	6	13	3	3	16	9	208	145	2	6	118	19
Marion	6,565	7	1	72	1,487	342	474	118	171	63	53	266	128	3,087	2,356	22	107	1,815	612
Beech Grove	141	–	–	2	34	14	13	1	3	1	–	2	5	76	62	–	1	49	12
Indianapolis	6,193	7	1	68	1,403	319	447	114	159	58	51	255	123	2,910	2,215	22	106	1,493	594
Lawrence	43	–	–	1	6	–	3	–	1	–	–	2	–	26	21	–	–	21	–
Speedway	51	–	–	1	18	4	3	3	3	3	–	3	–	16	12	–	–	11	1
Balance of county	137	–	–	–	25	5	8	–	5	1	2	4	–	59	46	–	–	41	5
Marshall	351	–	–	–	66	19	10	9	15	2	2	9	11	202	123	–	2	106	15
Martin	99	–	–	–	20	4	7	1	1	–	3	4	–	63	50	–	4	31	15
Miami	336	1	–	–	62	16	17	4	5	1	5	14	10	178	138	1	4	112	21
Peru	174	1	–	–	31	5	10	2	1	1	3	9	7	91	71	–	1	58	12
Balance of county	162	–	–	–	31	11	7	2	4	–	2	5	3	87	67	1	3	64	9
Monroe	513	1	–	1	121	24	35	15	10	6	10	21	6	254	172	2	6	132	32
Bloomington	331	1	–	1	81	13	20	12	7	4	9	16	5	157	99	–	6	73	20
Balance of county	182	–	–	–	40	11	15	3	3	2	1	5	1	97	73	2	–	59	12
Montgomery	306	–	–	–	67	19	21	9	8	2	5	3	11	160	100	–	1	86	13
Crawfordsville	156	–	–	–	33	9	10	5	6	1	1	1	8	61	49	–	–	46	3
Balance of county	150	–	–	–	34	10	11	4	2	1	4	2	3	79	51	–	1	40	10
Morgan	324	–	–	4	55	13	20	3	4	1	4	10	2	180	130	1	3	95	31
Newton	122	–	–	–	25	9	5	–	4	2	1	4	1	86	48	–	–	41	7
Noble	309	1	–	1	60	21	14	6	4	1	4	10	13	167	128	–	3	106	15
Ohio	61	–	–	–	10	1	2	1	1	–	3	2	–	38	24	–	2	14	8
Orange	224	2	–	2	38	10	9	4	6	3	–	6	3	125	95	–	1	75	19
Owen	135	–	–	2	35	8	6	1	4	–	7	9	3	65	47	–	–	37	10
Parke	147	–	–	2	31	7	8	4	4	3	–	5	3	80	61	–	10	42	9
Perry	210	–	–	1	44	13	12	4	3	2	2	8	4	100	60	–	4	45	13
Pike	155	–	–	–	27	4	9	2	2	2	–	8	1	92	65	2	1	55	7
Porter	690	–	–	2	152	48	37	16	15	2	3	31	8	321	233	4	1	189	39
Portage	148	–	–	2	40	14	6	5	2	1	2	10	1	58	42	2	–	31	9
Valparaiso	206	–	–	–	43	9	16	3	4	–	1	10	2	108	78	2	–	60	16
Balance of county	336	–	–	–	69	25	15	8	9	1	–	11	5	155	113	–	1	98	14
Posey	226	–	–	2	48	10	14	5	9	1	2	7	1	125	98	–	4	79	21
Pulaski	154	–	–	–	31	9	12	3	2	2	–	3	4	90	60	1	–	48	11
Putnam	237	–	–	1	57	18	13	2	6	4	3	11	–	128	78	–	–	63	15
Randolph	281	–	–	3	54	15	8	4	5	3	7	12	3	150	114	3	16	74	21
Ripley	206	1	–	1	40	11	7	5	4	1	2	10	2	112	85	2	5	55	28
Rush	238	–	–	2	47	14	8	7	6	1	2	9	2	140	117	–	5	98	14
St. Joseph	2,266	3	–	10	494	130	121	50	51	24	17	101	49	1,199	857	5	29	651	172
Mishawaka	415	–	–	–	97	23	20	13	7	5	4	25	7	220	168	1	4	130	36
South Bend	1,323	3	–	8	270	68	79	20	33	14	11	47	32	699	492	2	22	368	106
Balance of county	528	–	–	2	127	41	22	17	11	5	2	29	10	280	197	2	3	158	34
Scott	179	–	–	2	27	10	2	1	3	2	2	7	2	95	66	–	1	55	10
Shelby	299	–	–	1	53	15	13	4	5	3	3	10	3	186	128	2	7	99	20
Shelbyville	142	–	–	1	22	9	4	1	2	1	–	5	2	76	56	2	2	40	12
Balance of county	157	–	–	–	31	6	9	3	3	2	3	5	1	90	72	–	5	59	8
Spencer	186	1	–	1	31	11	11	1	2	–	2	4	4	104	81	1	1	70	9
Starke	224	–	–	–	46	10	11	2	5	6	–	12	1	128	101	1	1	87	12
Steuben	196	–	–	1	42	15	7	7	3	3	1	6	6	113	89	2	5	72	10
Sullivan	282	–	–	–	50	11	11	3	13	3	3	6	6	171	104	–	4	92	8
Switzerland	61	–	–	–	13	3	6	1	–	–	–	3	–	36	25	1	–	22	2
Tippecanoe	754	–	–	3	141	29	42	14	18	8	3	28	15	388	278	6	5	238	27
Lafayette	447	–	–	3	91	18	26	7	13	8	2	17	8	228	169	3	3	145	18
West Lafayette	95	–	–	–	16	2	4	3	–	–	–	7	3	49	28	1	2	23	2
Balance of county	211	–	–	–	34	9	12	4	3	–	1	5	4	111	79	2	–	70	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Indiana—Con.																			
Jennings	–	15	1	–	5	7	–	1	–	–	2	–	3	24	9	7	2	–	–
Johnson	3	48	22	4	10	17	–	5	4	–	4	5	5	38	12	17	10	–	–
Franklin	1	17	10	–	6	6	–	2	–	–	1	–	1	9	2	7	3	–	–
Greenwood	–	11	3	1	–	3	–	–	–	–	2	2	–	9	4	6	2	–	–
Balance of county	2	20	9	3	4	8	–	3	4	–	1	3	4	20	6	4	5	–	–
Knox	1	82	14	4	6	18	4	1	6	–	1	3	6	33	6	18	1	–	–
Vincennes	1	49	10	2	2	9	4	1	2	–	1	2	3	22	4	6	–	–	–
Balance of county	–	33	4	2	4	9	–	–	4	–	–	1	3	11	2	12	1	–	–
Kosciusko	1	57	10	4	13	12	3	4	2	–	2	6	–	16	22	11	6	–	2
Lagrange	2	19	2	1	3	5	–	1	1	–	1	1	–	8	6	6	1	1	1
Lake	15	362	63	29	63	85	9	93	34	1	35	81	67	257	114	151	45	127	6
Crown Point	–	13	5	2	–	4	1	2	–	–	1	3	1	8	6	3	4	–	–
East Chicago	2	34	6	2	3	9	1	17	5	–	3	9	5	25	12	15	–	8	–
Gary	8	128	14	5	24	21	3	40	13	1	12	26	31	97	35	46	12	99	4
Griffith	–	5	1	2	2	3	–	3	–	–	–	1	–	5	1	7	–	–	–
Hammond	3	67	15	7	13	17	–	16	5	–	9	17	17	49	18	25	9	6	2
Highland	1	8	5	3	3	3	1	3	3	–	3	2	1	4	6	2	4	–	–
Hobart	–	19	2	–	4	3	1	1	1	–	–	8	2	7	9	6	–	1	–
Munster	–	16	3	2	2	4	–	1	2	–	1	2	1	9	3	2	2	–	–
Balance of county	1	72	12	6	12	21	2	10	5	–	6	13	9	53	24	45	14	13	–
La Porte	6	109	13	9	9	20	2	17	7	–	7	8	5	66	29	22	7	9	1
La Porte	2	32	8	3	2	4	1	3	2	–	–	–	2	19	8	4	2	1	–
Michigan City	2	51	5	4	4	8	1	7	2	–	6	2	3	31	6	11	2	5	1
Balance of county	2	26	–	2	3	8	–	7	3	–	1	6	–	16	15	7	3	3	–
Lawrence	–	38	9	4	11	13	–	4	7	–	5	7	2	33	4	11	3	–	–
Bedford	–	22	7	3	6	7	–	1	2	–	3	4	1	16	2	6	1	–	–
Balance of county	–	16	2	1	5	6	–	3	5	–	2	3	1	17	2	5	2	–	–
Madison	8	135	34	8	14	29	6	15	11	–	5	22	7	62	48	29	20	2	3
Anderson	3	72	15	3	9	17	3	9	8	–	1	18	6	35	22	15	11	1	–
Elwood	4	18	6	1	1	5	1	3	3	–	1	1	–	3	3	6	2	–	2
Balance of county	1	45	13	4	4	7	2	3	–	–	3	3	1	24	23	8	7	1	1
Marion	34	517	126	54	132	212	19	86	55	1	65	104	45	508	156	171	103	109	17
Beech Grove	1	10	1	2	2	1	–	1	1	–	–	1	–	9	5	2	1	1	–
Indianapolis	33	488	121	52	127	202	18	81	54	–	65	100	41	481	141	152	96	106	17
Lawrence	–	5	–	–	–	–	–	–	–	1	–	1	–	3	–	3	2	–	–
Speedway	–	3	1	–	1	4	–	1	–	–	–	–	1	4	–	1	1	2	–
Balance of county	–	10	3	–	2	5	1	3	–	–	–	2	3	11	10	13	3	–	–
Marshall	3	64	9	3	11	10	1	4	3	–	1	2	1	23	8	5	–	3	–
Martin	–	7	6	–	2	5	–	–	1	–	–	–	–	3	1	3	1	–	–
Miami	–	24	11	5	9	7	2	4	2	–	2	6	3	18	10	13	4	5	–
Peru	–	13	4	3	5	2	2	3	2	–	–	2	1	11	2	7	3	4	–
Balance of county	–	11	7	2	4	5	–	1	–	–	2	4	2	7	8	6	1	1	–
Monroe	–	64	11	7	6	13	–	6	2	–	6	11	9	34	14	12	9	4	2
Bloomington	–	49	6	3	3	10	–	7	1	–	3	8	7	23	4	8	8	3	1
Balance of county	–	15	5	4	3	3	–	1	1	–	3	3	2	11	10	4	1	1	1
Montgomery	2	46	9	3	11	6	2	2	4	–	3	–	3	19	4	5	9	–	–
Crawfordsville	1	27	4	–	7	2	–	2	3	–	1	–	1	11	2	2	3	–	–
Balance of county	1	19	5	3	4	4	2	–	1	–	2	–	2	8	2	3	6	–	–
Morgan	2	34	7	7	7	8	–	5	9	–	2	3	2	22	5	11	7	2	–
Newton	1	11	6	–	–	2	–	2	2	–	–	1	–	11	4	5	3	–	–
Noble	–	31	7	3	4	11	–	2	2	–	2	1	1	20	9	8	4	1	2
Ohio	2	6	6	–	–	5	–	–	–	–	–	–	–	4	1	3	–	–	–
Orange	1	24	1	4	15	7	–	2	3	–	–	–	–	10	10	6	1	–	–
Owen	–	15	3	–	5	5	–	–	3	–	–	1	1	7	4	3	1	–	–
Parke	–	17	2	–	2	6	–	–	–	–	1	1	–	7	8	2	3	1	–
Perry	–	21	19	–	11	9	–	2	3	–	1	2	–	16	1	10	4	–	–
Pike	–	17	8	2	2	5	1	1	–	–	1	2	1	11	3	6	2	–	–
Porter	4	65	6	13	22	27	3	7	5	1	1	11	4	55	30	15	22	4	–
Portage	1	12	–	3	2	5	1	2	–	1	–	3	1	14	8	2	6	2	–
Valparaiso	1	22	3	4	9	9	1	2	–	–	–	2	2	14	4	4	4	2	–
Balance of county	2	31	3	6	11	13	1	3	5	–	1	6	1	27	18	9	12	–	–
Posey	–	18	5	4	6	4	1	2	1	–	1	–	2	19	6	4	3	1	–
Pulaski	–	22	8	–	4	1	–	1	1	–	–	2	1	7	9	3	–	–	–
Putnam	2	32	12	2	8	7	2	–	4	–	–	1	2	15	4	5	4	–	1
Randolph	2	24	6	4	2	9	2	3	1	–	2	5	1	18	19	4	5	–	–
Ripley	1	18	2	6	2	12	–	1	2	–	1	3	3	10	8	6	2	–	–
Rush	1	19	3	–	6	8	–	1	2	–	–	1	1	9	9	6	2	–	–
St. Joseph	10	287	29	16	40	40	10	30	9	–	19	36	39	140	51	54	20	23	–
Mishawaka	2	43	4	3	10	7	2	3	1	–	4	7	5	22	8	13	6	3	–
South Bend	7	173	19	8	20	20	6	20	7	–	12	22	26	90	28	30	12	18	–
Balance of county	1	71	6	5	10	13	2	7	1	–	3	7	8	28	15	11	2	2	–
Scott	–	25	2	2	7	3	1	–	4	–	1	1	2	15	6	6	5	2	–
Shelby	–	34	3	1	9	9	3	8	2	–	4	1	6	13	5	11	3	1	1
Shelbyville	–	16	3	1	5	4	1	7	1	–	2	–	3	10	3	3	1	1	–
Balance of county	–	18	–	–	4	5	2	1	1	–	2	1	3	3	2	8	2	–	1
Spencer	2	17	3	1	2	4	–	6	–	–	2	2	1	12	9	1	3	3	–
Starke	–	22	3	2	8	2	–	3	1	–	–	5	–	12	11	5	2	–	–
Steuben	–	19	2	3	4	1	1	1	2	–	1	3	–	7	7	6	1	–	–
Sullivan	1	55	8	3	2	6	1	4	2	–	–	4	3	15	5	9	2	2	–
Switzerland	–	7	4	–	1	–	–	1	–	–	–	–	–	2	4	4	–	–	–
Tippecanoe	3	91	15	3	20	24	2	13	4	–	8	7	21	48	24	18	14	4	–
Lafayette	2	43	11	3	12	11	2	6	3	–	6	5	13	30	18	3	8	1	–
West Lafayette	–	18	3	–	5	2	–	2	–	–	1	1	2	3	5	3	4	–	–
Balance of county	1	30	1	–	3	11	–	5	1	–	2	1	6	15	1	12	2	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Tipton	151	–	–	–	26	9	10	1	4	1	1	–	3	83	57	–	–	49	6
Union	63	–	–	–	11	2	3	1	–	2	1	2	3	32	23	–	1	15	7
Vanderburgh	1,689	3	–	10	357	110	102	20	32	17	12	64	38	929	672	10	30	503	129
Evansville	1,588	3	–	9	332	103	95	19	31	15	10	59	35	866	627	10	28	466	123
Balance of county	111	–	–	1	25	7	7	1	1	2	2	5	3	63	45	–	4	36	6
Vermillion	215	–	–	1	43	10	18	2	4	3	–	6	5	122	90	1	5	59	25
Vigo	1,287	–	–	7	287	65	85	22	33	16	16	50	32	687	483	4	19	367	93
Terre Haute	916	–	–	4	197	43	61	13	24	11	12	33	21	505	350	3	15	283	69
Balance of county	371	–	–	3	90	22	24	9	9	5	4	17	11	182	133	1	4	104	24
Wabash	385	–	–	4	60	13	13	6	6	5	4	13	17	200	128	–	3	106	19
Wabash	159	–	–	3	28	5	6	1	3	4	2	7	5	77	55	–	1	46	8
Balance of county	226	–	–	1	32	8	7	5	3	1	2	6	12	123	73	–	2	60	11
Warren	85	–	–	1	18	7	5	1	2	–	1	2	–	43	33	–	–	22	11
Warrick	271	–	–	3	44	7	14	1	8	2	–	12	11	137	112	4	8	76	24
Washington	239	–	–	2	59	12	18	3	5	6	8	7	3	132	96	1	3	84	8
Wayne	726	1	–	4	162	42	33	16	26	8	8	29	27	373	278	1	12	236	29
Richmond	520	1	–	2	116	28	22	16	18	6	6	20	21	260	189	1	11	160	17
Balance of county	206	–	–	2	46	14	11	–	8	2	2	9	6	113	89	–	1	76	12
Wells	208	–	–	–	41	6	11	3	8	1	–	12	2	122	88	1	–	78	9
White	276	–	–	1	53	13	16	6	4	5	2	7	6	149	104	1	3	88	12
Whitley	229	–	–	2	45	10	12	3	7	3	1	9	5	116	76	–	1	65	10
Iowa	26,849	8	3	144	5,636	1,671	1,307	495	680	263	252	968	441	14,541	10,739	83	265	8,390	2,001
Urban places	10,270	5	1	68	2,234	612	597	204	246	102	92	381	182	5,400	4,012	40	109	3,060	803
Balance of area	16,579	3	2	76	3,402	1,059	710	291	434	161	160	587	279	9,141	6,727	43	156	5,330	1,198
Metropolitan counties	8,229	3	1	52	1,811	504	484	169	187	77	80	310	142	4,287	3,266	36	96	2,464	650
Urban places	6,826	3	1	46	1,498	410	411	136	154	66	66	255	111	3,564	2,714	33	84	2,052	545
Balance of area	1,403	–	–	6	313	94	73	33	33	11	14	55	31	723	552	3	12	432	105
Nonmetropolitan counties	18,620	5	2	92	3,825	1,167	823	326	493	186	172	658	299	10,254	7,473	47	169	5,906	1,351
Urban places	3,444	2	–	22	736	202	186	68	92	36	26	126	51	1,836	1,298	7	25	1,008	258
Balance of area	15,176	3	2	70	3,089	965	637	258	401	150	146	532	248	8,418	6,175	40	144	4,898	1,093
Adair	110	–	–	1	24	12	4	3	–	1	2	2	2	60	45	–	–	36	9
Adams	70	–	–	–	19	7	4	2	1	1	1	3	2	35	24	–	–	20	4
Allamakee	156	–	–	2	33	10	3	4	6	2	1	7	1	82	60	–	–	53	7
Appanoose	208	–	1	3	48	11	12	6	8	–	2	7	5	100	70	–	3	56	11
Audubon	95	–	–	–	17	4	3	1	2	1	2	4	1	59	43	–	–	23	20
Benton	242	–	–	2	45	13	6	2	9	4	5	6	3	145	113	1	–	96	16
Black Hawk	1,109	–	–	7	228	69	55	26	24	12	11	31	19	594	415	4	9	321	81
Cedar Falls	220	–	–	2	43	12	15	4	5	–	4	3	4	123	84	1	1	60	22
Waterloo	768	–	–	3	158	49	34	17	19	12	6	21	11	408	281	1	7	227	46
Balance of county	121	–	–	2	27	8	6	5	–	–	1	7	4	69	50	2	1	34	13
Boone	301	1	–	1	46	15	13	2	4	3	–	9	3	186	131	1	1	118	11
Boone	165	1	–	1	26	10	8	1	2	–	–	5	2	99	61	–	–	57	4
Balance of county	136	–	–	–	20	5	5	1	2	3	–	4	1	87	70	1	1	61	7
Bremer	228	–	–	1	42	13	5	6	5	1	–	12	4	130	89	–	2	79	8
Buchanan	206	–	–	–	42	12	8	3	4	1	4	10	3	109	76	1	2	59	16
Buena Vista	241	–	–	–	43	14	6	3	8	–	2	10	3	135	93	2	–	76	15
Butler	178	–	–	1	35	14	3	2	4	–	2	10	6	98	66	1	2	55	6
Calhoun	167	–	–	–	35	11	4	2	6	1	2	9	1	86	55	–	1	47	7
Carroll	220	1	–	–	51	14	10	2	10	1	3	11	–	131	98	–	1	77	18
Cass	191	–	1	–	34	5	10	3	7	1	1	7	3	109	73	–	1	62	10
Cedar	170	–	–	1	35	13	4	3	5	2	1	7	4	86	58	1	–	44	11
Cerro Gordo	462	–	–	1	97	29	18	6	14	7	7	16	4	249	180	1	2	144	33
Mason City	299	–	–	1	59	17	13	4	9	4	4	8	4	159	115	–	2	92	21
Balance of county	163	–	–	–	38	12	5	2	5	3	3	8	–	90	65	1	–	52	12
Cherokee	160	–	–	–	32	11	7	3	2	1	3	5	2	84	70	–	3	40	27
Chickasaw	156	–	–	2	33	7	8	3	4	1	–	10	3	84	72	1	–	65	6
Clarke	103	–	–	–	22	4	2	–	6	2	1	7	–	61	52	–	–	49	3
Clay	192	–	–	2	45	16	8	2	9	–	2	7	2	98	65	–	–	51	14
Spencer	117	–	–	2	32	12	5	1	6	–	2	6	2	59	39	–	–	27	12
Balance of county	75	–	–	–	13	4	4	1	3	–	–	1	–	37	26	–	–	24	2
Clayton	251	–	–	1	55	11	5	3	10	5	4	17	5	128	97	3	1	80	13
Clinton	545	–	–	2	105	31	26	9	12	5	2	20	5	321	228	–	3	190	35
Clinton	350	–	–	–	68	22	17	7	7	3	1	11	4	205	144	–	2	121	21
Balance of county	195	–	–	2	37	9	9	2	5	2	1	9	1	116	84	–	1	69	14
Crawford	185	–	–	–	43	17	13	1	–	3	1	8	1	107	88	–	3	73	12
Dallas	304	–	–	3	67	22	13	3	7	5	5	12	10	155	120	–	1	99	20
Davis	99	–	–	1	14	2	2	3	5	–	1	1	–	63	54	–	10	34	10
Decatur	110	–	–	3	32	13	2	4	4	1	2	6	3	54	39	1	–	29	9
Delaware	206	–	–	–	42	11	13	5	3	–	2	8	1	123	74	1	3	59	11
Des Moines	412	–	–	1	80	14	25	8	7	2	3	21	9	204	141	1	2	122	16
Burlington	305	–	–	1	61	10	20	7	5	1	3	15	8	146	102	1	2	88	11
Balance of county	107	–	–	–	19	4	5	1	2	1	–	6	1	58	39	–	–	34	5
Dickinson	143	–	–	–	27	13	6	–	1	1	2	4	3	80	58	1	1	46	10
Dubuque	775	–	–	2	164	48	43	18	12	6	6	31	10	437	334	3	15	251	65
Dubuque	615	–	–	2	128	39	31	11	12	5	5	25	4	357	271	3	13	203	52
Balance of county	160	–	–	–	36	9	12	7	–	1	1	6	6	80	63	–	2	48	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Tipton	–	19	4	3	3	3	–	1	–	–	–	1	–	15	8	4	3	1	–
Union	–	8	1	2	1	1	–	–	2	–	1	–	1	5	4	2	–	–	–
Vanderburgh	2	199	39	17	37	50	3	13	6	–	11	17	4	106	41	50	16	8	–
Evansville	1	188	34	16	37	47	3	11	6	–	9	15	4	102	39	49	13	8	–
Balance of county	1	11	5	1	–	3	–	2	–	–	2	2	–	4	2	1	3	–	–
Vermillion	2	25	4	1	3	9	–	3	3	–	2	2	1	12	5	2	2	–	–
Vigo	8	143	43	10	26	38	6	11	8	–	8	13	12	69	22	30	23	9	1
Terre Haute	6	106	35	8	22	29	5	7	6	–	5	8	5	53	12	20	14	2	1
Balance of county	2	37	8	2	4	7	1	4	2	–	3	5	7	16	10	10	9	7	–
Wabash	1	57	11	3	10	13	2	4	6	–	4	3	3	30	13	13	2	1	–
Wabash	–	18	3	1	5	6	1	3	4	–	2	–	1	8	7	7	2	–	–
Balance of county	1	39	8	2	5	7	1	1	2	–	2	3	2	22	6	6	–	1	–
Warren	–	6	3	1	3	3	2	–	–	–	–	1	2	8	1	1	2	–	–
Warrick	1	21	2	1	7	12	2	1	2	–	3	6	1	19	12	6	5	–	–
Washington	2	31	2	1	12	4	–	2	1	–	1	–	–	10	10	2	1	–	–
Wayne	1	75	14	5	15	25	2	5	1	–	7	7	–	50	21	14	7	4	1
Richmond	1	56	11	3	11	19	1	4	–	–	4	6	–	43	12	12	4	3	1
Balance of county	–	19	3	2	4	6	1	1	1	–	3	1	–	7	9	2	3	1	–
Wells	–	33	1	–	4	3	1	3	3	–	2	–	1	10	6	9	1	–	–
White	2	24	14	5	2	8	1	1	6	–	2	2	4	16	10	7	6	1	1
Whitley	–	34	5	1	8	5	1	1	1	–	1	1	3	13	13	10	2	1	–
Iowa	109	2,813	575	305	753	706	88	296	186	2	166	257	119	1,775	686	690	318	68	26
Urban places	38	1,008	208	134	275	274	44	117	68	1	70	120	60	700	200	277	138	41	15
Balance of area	71	1,805	367	171	478	432	44	179	118	1	96	137	59	1,075	486	413	180	27	11
Metropolitan counties	31	743	141	105	189	221	29	88	53	–	63	112	49	564	191	209	109	42	14
Urban places	21	617	123	89	164	185	26	79	44	–	49	91	43	473	135	173	93	35	13
Balance of area	10	126	18	17	25	36	3	9	9	–	14	21	6	91	56	36	16	7	1
Nonmetropolitan counties	78	2,070	434	199	564	485	59	148	133	2	103	145	70	1,211	495	481	209	26	12
Urban places	17	391	85	45	111	89	18	38	24	1	21	29	17	227	65	104	45	6	2
Balance of area	61	1,679	349	154	453	396	41	110	109	1	82	116	53	984	430	377	164	20	10
Adair	–	14	1	–	7	2	–	1	1	–	1	–	–	7	2	2	–	–	–
Adams	1	8	2	–	3	2	1	–	–	–	1	–	–	6	1	–	–	–	–
Allamakee	–	17	2	3	13	3	–	1	–	–	2	–	1	9	3	5	1	–	–
Appanoose	–	18	5	7	7	10	–	1	–	–	–	3	2	12	2	10	5	–	1
Audubon	–	14	1	1	3	1	–	–	1	–	–	1	–	6	2	2	2	–	–
Benton	3	26	2	1	8	3	1	–	5	–	1	1	2	12	8	5	1	–	–
Black Hawk	4	128	31	16	16	28	3	12	6	–	6	20	9	78	30	30	17	4	2
Cedar Falls	1	32	4	2	5	6	1	1	1	–	1	3	3	11	6	3	3	1	1
Waterloo	3	89	24	11	9	18	2	10	4	–	4	15	5	59	19	26	13	3	1
Balance of county	–	7	3	3	2	4	–	1	1	–	1	2	1	8	3	1	1	–	–
Boone	3	42	8	2	5	9	3	1	3	–	1	1	–	16	13	10	2	–	–
Boone	2	29	5	2	2	5	2	–	1	–	1	–	–	13	7	5	–	–	–
Balance of county	1	13	3	–	3	4	1	1	2	–	–	1	–	3	6	5	2	–	–
Bremer	1	31	5	4	9	6	–	3	1	–	1	–	–	18	5	6	2	–	–
Buchanan	1	22	8	–	6	3	1	3	1	–	1	4	2	13	7	8	1	1	1
Buena Vista	–	27	13	2	7	8	1	4	5	–	2	5	–	19	5	4	2	–	–
Butler	–	24	4	4	8	4	–	–	–	–	4	1	–	9	7	4	1	–	–
Calhoun	–	22	7	2	9	5	–	2	1	–	–	–	1	15	3	8	1	–	–
Carroll	2	28	4	1	4	1	–	–	4	–	–	–	1	10	4	10	2	1	–
Cass	2	19	14	1	5	8	–	2	5	–	–	2	1	13	2	4	2	–	–
Cedar	–	24	5	1	5	5	2	1	–	–	1	1	–	20	4	2	3	–	–
Cerro Gordo	3	56	6	4	19	13	2	4	3	–	1	4	1	35	10	15	4	–	–
Mason City	2	33	6	3	14	10	2	3	2	–	–	4	1	21	8	8	3	–	–
Balance of county	1	23	–	1	5	3	–	1	1	–	1	–	–	14	2	7	1	–	–
Cherokee	–	11	3	–	10	3	–	–	4	–	–	2	–	10	6	5	1	1	–
Chickasaw	–	10	2	–	6	6	1	1	–	–	3	–	1	6	7	3	–	–	–
Clarke	–	8	1	–	4	3	–	–	2	–	1	–	–	4	3	3	–	–	–
Clay	–	21	5	5	3	4	1	–	1	–	1	5	–	14	5	12	1	–	–
Spencer	–	14	3	3	2	2	–	–	1	–	1	1	–	7	3	5	–	–	–
Balance of county	–	7	2	2	1	2	1	–	–	–	–	4	–	7	2	7	1	–	–
Clayton	–	19	10	2	4	8	–	2	2	–	1	1	–	20	8	12	4	–	–
Clinton	2	78	6	7	12	18	3	5	5	–	3	4	2	33	12	12	2	–	1
Clinton	2	50	5	4	7	12	2	3	4	–	2	2	2	22	5	10	1	–	1
Balance of county	–	28	1	3	5	6	1	2	1	–	1	2	–	11	7	2	1	–	–
Crawford	–	15	3	1	2	2	–	1	1	–	–	2	1	15	2	3	5	–	–
Dallas	–	25	6	4	9	10	–	3	2	–	3	1	1	15	8	9	6	1	1
Davis	–	6	1	2	1	6	–	–	–	–	2	–	1	2	4	3	1	–	–
Decatur	–	12	2	1	2	3	1	–	–	–	1	–	2	3	4	2	–	–	–
Delaware	–	44	4	1	7	4	1	1	–	–	2	–	–	12	9	4	–	–	–
Des Moines	–	46	12	5	23	11	3	7	2	–	1	2	2	35	11	14	7	–	–
Burlington	–	32	9	3	22	7	3	5	2	–	–	2	–	26	6	11	5	–	–
Balance of county	–	14	3	2	1	4	–	2	–	–	1	–	2	9	5	3	2	–	–
Dickinson	1	16	3	2	1	10	1	4	–	–	–	1	–	11	2	3	–	–	–
Dubuque	1	83	12	7	14	22	2	14	4	–	5	12	–	46	15	21	1	3	3
Dubuque	1	70	10	5	13	21	2	11	4	–	3	8	–	36	4	15	1	3	3
Balance of county	–	13	2	2	1	1	–	3	–	–	2	4	–	10	11	6	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Emmet	137	–	–	–	29	7	11	1	5	1	–	4	1	80	59	1	2	44	12
Fayette	255	–	–	–	49	17	12	2	8	1	1	8	2	149	114	2	3	97	12
Floyd	188	–	–	–	42	11	12	1	8	3	3	4	5	109	83	2	2	69	10
Franklin	154	–	–	–	30	7	4	5	5	3	1	5	2	90	65	1	1	56	7
Fremont	153	–	–	1	28	13	7	2	2	–	1	3	1	85	73	–	7	47	19
Greene	141	–	–	–	36	15	10	3	3	–	1	4	1	81	59	–	–	51	6
Grundy	154	–	–	2	39	9	8	4	4	3	3	8	3	78	59	–	–	45	14
Guthrie	162	–	–	–	28	9	4	1	5	3	2	4	4	96	69	–	8	53	8
Hamilton	192	–	–	2	36	11	10	5	4	1	1	4	3	97	67	1	1	46	19
Hancock	146	–	–	1	33	11	7	1	3	2	2	7	–	78	60	1	–	54	5
Hardin	245	–	–	2	55	23	6	5	6	4	2	9	3	136	113	1	3	91	18
Harrison	177	–	–	1	31	12	8	1	3	2	–	5	1	111	91	1	2	85	3
Henry	207	–	–	–	47	16	11	4	4	1	3	8	3	108	83	–	1	69	13
Howard	137	–	–	–	18	7	2	–	5	1	–	3	–	76	54	–	5	44	5
Humboldt	111	–	–	–	31	4	8	2	4	–	3	10	5	63	49	–	–	30	19
Ida	98	–	–	–	18	6	2	1	5	1	–	3	1	65	51	–	–	42	9
Iowa	138	–	–	–	21	3	1	3	2	1	2	9	1	85	66	–	1	54	11
Jackson	208	–	–	–	34	8	11	7	3	3	–	2	2	120	87	1	2	72	12
Jasper	328	–	–	1	87	22	18	5	7	2	2	11	7	164	126	1	1	97	27
Newton	161	–	–	1	37	14	9	4	3	–	1	6	4	79	57	1	–	44	12
Balance of county	167	–	–	–	30	8	9	1	4	2	1	5	3	85	69	–	1	53	15
Jefferson	158	–	–	1	43	13	11	4	5	2	1	7	3	84	65	–	2	49	14
Johnson	411	–	–	3	85	32	17	8	12	4	1	11	3	201	151	1	1	130	19
Iowa City	247	–	–	1	51	19	13	4	4	2	–	9	1	121	87	1	1	74	11
Balance of county	164	–	–	2	34	13	4	4	8	2	1	2	2	80	64	–	–	56	8
Jones	195	–	–	2	46	14	11	5	6	3	3	4	2	98	64	–	1	52	11
Keokuk	190	–	–	1	47	11	8	2	13	1	6	6	4	81	72	–	2	52	8
Kossuth	249	–	–	2	42	14	11	2	4	1	2	8	4	146	106	1	1	77	27
Lee	407	–	–	4	84	27	12	4	12	11	4	14	5	218	148	–	2	110	36
Fort Madison	130	–	–	1	27	7	5	1	6	4	–	4	–	79	57	–	–	50	7
Keokuk	163	–	–	3	32	9	5	1	2	5	3	7	2	83	48	–	1	29	18
Balance of county	114	–	–	–	25	11	2	2	4	2	1	3	3	56	43	–	1	31	11
Linn	1,183	–	–	9	272	81	64	21	31	14	15	46	18	605	453	2	10	340	101
Cedar Rapids	834	–	–	8	199	56	50	15	24	10	10	34	17	421	317	2	9	231	75
Marion	115	–	–	–	29	4	9	1	2	2	4	7	–	59	41	–	–	29	12
Balance of county	234	–	–	1	44	21	5	5	5	2	1	5	1	125	95	–	1	80	14
Louisa	110	1	–	–	16	5	2	1	4	–	–	4	3	70	58	–	–	41	17
Lucas	142	–	–	1	26	6	8	–	4	2	1	5	1	89	62	1	–	52	9
Lyon	138	–	–	–	35	12	6	3	8	1	–	5	–	71	48	1	1	34	10
Madison	128	–	–	1	30	13	5	2	5	1	1	3	1	76	59	–	–	51	6
Mahaska	247	–	–	3	55	15	14	8	9	1	–	8	4	140	95	3	1	75	16
Oskaloosa	148	–	–	2	41	10	13	4	9	1	–	4	4	75	49	1	–	34	14
Balance of county	99	–	–	1	14	5	1	4	–	–	–	4	–	65	46	2	1	41	2
Marion	275	–	–	2	43	13	11	6	5	2	2	4	3	152	102	–	1	81	20
Marshall	411	–	–	2	98	30	25	12	8	5	4	18	7	206	150	–	7	123	20
Marshalltown	285	–	–	1	73	24	18	6	5	4	3	15	4	137	94	–	5	76	13
Balance of county	126	–	–	1	25	6	9	6	1	1	1	1	3	69	56	–	2	47	7
Mills	105	–	–	1	20	4	3	5	5	2	–	1	2	61	43	–	1	31	11
Mitchell	172	–	–	1	23	7	5	4	–	–	2	5	4	119	87	1	–	75	11
Monona	150	–	–	–	25	6	10	3	1	3	–	2	5	94	72	–	7	41	24
Monroe	132	–	–	1	25	5	6	2	3	2	1	6	4	70	38	–	1	32	5
Montgomery	179	–	–	1	35	12	9	4	3	3	–	4	1	114	69	–	–	63	6
Muscatine	376	1	–	2	84	23	18	7	15	6	3	12	5	190	144	2	3	96	41
Muscatine	232	1	–	1	49	11	10	4	12	3	3	6	5	125	97	2	2	68	25
Balance of county	144	–	–	1	35	12	8	3	3	3	–	6	–	65	47	–	1	30	16
O'Brien	206	–	–	–	46	11	10	5	8	3	1	8	2	125	101	1	4	84	12
Osceola	89	–	–	1	19	6	7	1	1	1	–	3	4	47	35	–	2	26	7
Page	264	–	–	1	48	14	10	4	9	2	–	9	4	159	118	1	2	88	29
Palo Alto	149	–	–	–	30	11	4	2	2	4	1	6	4	79	61	–	1	53	7
Plymouth	232	–	–	2	54	22	8	7	3	5	4	5	3	124	82	–	3	59	20
Pocahontas	149	–	–	3	33	14	4	–	3	–	4	8	5	91	65	–	–	54	11
Polk	2,374	2	–	19	485	124	153	48	47	16	17	80	39	1,232	986	13	12	742	219
Des Moines	1,766	2	–	13	364	98	118	33	31	11	11	62	23	928	747	10	9	560	166
Urbandale	58	–	–	1	19	4	8	2	1	–	1	3	–	22	17	1	–	12	4
West Des Moines	158	–	–	4	27	4	9	4	3	2	1	4	4	80	56	1	1	38	16
Balance of county	392	–	–	1	75	18	18	9	12	3	4	11	12	202	166	1	2	132	31
Pottawattamie	672	–	–	3	156	40	39	18	17	9	6	27	14	359	287	6	5	250	26
Council Bluffs	491	–	–	2	108	28	30	14	10	6	4	16	10	268	219	6	5	191	17
Balance of county	181	–	–	1	48	12	9	4	7	3	2	11	4	91	68	–	–	59	9
Poweshiek	179	–	–	–	39	19	7	5	3	1	2	2	5	96	69	–	–	50	19
Ringgold	84	–	–	–	25	5	7	1	5	3	1	3	1	46	33	1	–	29	3
Sac	166	–	–	1	30	7	8	1	5	1	1	7	3	104	66	–	–	55	11
Scott	1,196	–	–	5	282	77	79	20	31	10	10	55	19	584	435	1	20	321	93
Bettendorf	138	–	–	1	33	12	7	1	1	1	3	8	–	72	55	–	2	40	13
Davenport	904	–	–	4	209	53	58	18	25	8	7	39	17	439	330	1	14	245	70
Balance of county	154	–	–	–	40	12	14	–	5	1	–	8	2	73	50	–	4	36	10
Shelby	163	–	–	–	22	11	5	1	1	–	1	3	6	106	75	1	3	48	23
Sioux	222	–	–	1	56	18	6	2	10	5	3	12	6	103	75	–	–	54	21
Story	396	–	–	1	85	26	19	12	11	2	7	8	8	196	144	–	2	114	28
Ames	163	–	–	1	38	8	10	5	8	1	2	4	2	78	55	–	–	50	5
Balance of county	233	–	–	–	47	18	9	7	3	1	5	4	6	118	89	–	2	64	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Emmet	2	12	7	–	3	3	–	1	–	–	–	1	–	11	4	4	–	–	–
Fayette	–	27	7	1	7	5	–	1	3	1	2	2	1	20	6	7	–	–	–
Floyd	1	20	4	1	4	6	1	–	1	–	–	2	2	16	4	3	3	–	–
Franklin	1	21	3	–	7	4	–	–	–	–	1	2	–	11	1	5	1	–	–
Fremont	–	8	–	3	3	6	–	1	3	–	2	1	1	12	3	4	1	1	–
Greene	1	18	1	2	3	–	–	1	–	–	1	1	1	6	6	4	–	–	–
Grundy	1	13	2	1	4	5	–	1	1	–	2	1	–	10	3	4	2	–	1
Guthrie	1	18	6	2	1	5	–	3	–	–	2	–	1	8	6	5	2	–	1
Hamilton	–	26	4	–	7	5	2	–	6	–	–	3	–	25	3	3	–	–	–
Hancock	2	12	1	3	11	5	1	1	–	–	1	–	2	9	3	1	–	–	–
Hardin	–	16	4	3	3	7	1	1	–	–	4	1	–	15	5	7	5	–	–
Harrison	1	15	1	3	5	4	1	2	–	–	1	1	1	10	4	4	–	–	–
Henry	–	23	1	1	4	10	–	3	2	–	2	2	–	15	6	–	4	–	1
Howard	1	16	3	2	4	6	–	3	–	–	1	1	–	12	6	7	1	2	–
Humboldt	1	12	1	–	–	1	1	–	–	–	–	1	–	6	1	1	1	–	–
Ida	–	8	5	1	–	1	–	–	–	–	–	–	–	7	–	3	1	–	–
Iowa	–	15	2	2	3	5	–	1	–	–	1	–	–	11	2	6	–	–	–
Jackson	1	24	4	4	7	6	–	2	3	–	1	3	1	11	7	6	4	1	–
Jasper	–	20	14	4	12	12	5	4	3	–	2	5	–	24	10	5	6	1	–
Newton	–	9	10	3	4	8	2	4	1	–	2	1	–	10	1	4	3	–	–
Balance of county	–	11	4	1	8	4	3	–	2	–	–	4	–	14	9	1	3	1	–
Jefferson	1	16	–	–	2	8	–	–	–	–	1	2	–	6	4	3	1	–	–
Johnson	1	27	16	6	11	10	2	5	1	1	4	8	3	36	10	14	11	3	–
Iowa City	1	16	13	4	7	5	2	4	1	1	3	6	3	20	–	11	7	3	–
Balance of county	–	11	3	2	4	5	–	1	–	–	1	2	–	16	10	3	4	–	–
Jones	–	27	7	–	3	5	2	1	3	–	1	2	1	12	9	5	3	–	–
Keokuk	–	9	–	–	10	11	–	3	2	–	–	1	2	11	10	4	3	–	–
Kossuth	2	27	5	6	13	3	1	–	2	–	–	1	1	18	5	9	2	–	–
Lee	1	63	–	6	9	6	–	8	2	–	4	3	1	30	12	10	9	2	–
Fort Madison	–	21	–	1	2	1	–	3	–	–	2	1	–	5	2	4	2	1	–
Keokuk	1	30	–	4	3	3	–	3	1	–	2	1	1	15	4	6	4	–	–
Balance of county	–	12	–	1	4	2	–	2	1	–	–	1	–	10	6	–	3	1	–
Linn	6	110	25	11	30	31	6	18	8	–	12	13	7	76	29	34	11	4	–
Cedar Rapids	5	71	17	11	21	22	4	14	5	–	7	11	5	51	14	22	10	3	–
Marion	1	13	4	–	3	2	1	2	1	–	3	–	1	9	2	2	1	–	–
Balance of county	–	26	4	–	6	7	1	2	2	–	2	2	1	16	13	10	–	1	–
Louisa	–	10	1	1	1	2	–	2	–	–	–	2	1	3	7	1	1	–	–
Lucas	–	16	3	–	7	3	–	3	3	–	1	1	–	6	4	1	1	1	–
Lyon	–	22	2	1	4	4	1	–	2	–	–	1	–	10	5	4	1	–	–
Madison	–	8	9	–	3	4	–	–	3	–	–	–	1	4	2	3	–	–	–
Mahaska	1	39	3	2	7	2	1	–	1	–	2	1	2	12	9	8	–	–	–
Oskaloosa	–	24	2	–	6	–	1	–	–	–	1	1	1	6	5	5	–	–	–
Balance of county	1	15	1	2	1	2	–	–	1	–	1	–	1	6	4	3	–	–	–
Marion	2	41	3	4	16	7	2	2	3	–	1	2	3	22	8	4	3	1	1
Marshall	3	33	12	8	18	13	2	5	4	–	2	6	–	27	5	9	6	–	–
Marshalltown	3	24	10	6	15	10	2	5	4	–	1	3	–	15	2	7	5	–	–
Balance of county	–	9	2	2	3	3	–	–	–	–	1	3	–	12	3	2	1	–	–
Mills	1	14	1	2	5	–	–	–	–	–	2	–	1	8	3	1	–	–	1
Mitchell	–	29	3	1	2	4	–	1	–	–	2	–	–	7	4	3	2	–	–
Monona	3	17	1	1	3	1	–	4	1	–	–	1	–	5	3	6	2	–	–
Monroe	3	21	6	2	16	3	–	–	–	–	–	2	–	4	2	2	2	–	1
Montgomery	1	30	12	2	4	–	–	1	1	–	–	3	–	12	1	3	3	–	–
Muscatine	1	30	10	5	10	12	1	3	4	–	4	4	2	26	12	9	4	2	1
Muscatine	–	19	6	3	4	10	1	2	3	–	1	2	2	15	2	4	3	1	1
Balance of county	1	11	4	2	6	2	–	1	1	–	3	2	–	11	10	5	1	1	–
O'Brien	1	16	5	2	5	4	–	5	–	–	–	2	–	8	5	2	1	1	–
Osceola	–	8	4	–	3	1	–	–	–	–	–	2	–	4	3	3	1	1	–
Page	1	33	6	1	4	12	1	1	–	–	1	1	1	17	5	8	1	–	–
Palo Alto	1	11	6	–	3	4	1	1	–	–	–	1	–	11	7	5	2	1	–
Plymouth	–	30	10	2	4	8	–	2	–	–	–	4	2	14	8	4	3	–	–
Pocahontas	–	12	4	–	10	6	–	1	1	–	1	–	1	4	1	2	–	–	–
Polk	8	165	39	34	64	68	11	22	16	–	16	31	18	170	52	71	37	16	5
Des Moines	3	123	32	23	52	52	7	19	9	–	10	21	14	130	33	50	23	13	3
Urbandale	1	3	–	1	1	1	1	–	–	–	–	–	–	8	2	1	1	–	1
West Des Moines	1	18	2	3	6	4	1	–	5	–	1	–	3	9	2	8	4	–	–
Balance of county	3	21	5	7	5	11	2	3	2	–	5	10	1	23	15	12	9	3	1
Pottawattamie	2	56	7	7	16	15	1	5	6	–	6	3	1	52	11	8	10	3	3
Council Bluffs	1	38	5	5	11	11	1	5	3	–	4	3	1	38	7	5	9	2	3
Balance of county	1	18	2	2	5	4	–	–	3	–	2	–	–	14	4	3	1	1	–
Poweshiek	1	18	7	1	4	2	3	–	2	–	2	1	–	11	6	3	3	2	–
Ringgold	–	9	2	2	1	1	–	1	1	–	–	–	2	2	2	–	2	–	–
Sac	2	26	8	2	3	5	–	3	–	–	–	–	–	10	1	2	4	–	–
Scott	4	119	13	13	26	31	3	12	7	–	14	23	6	92	33	24	27	8	–
Bettendorf	–	15	–	2	5	1	–	–	–	–	1	3	–	15	4	2	1	–	–
Davenport	3	84	12	10	17	28	3	12	7	–	11	18	4	64	22	19	24	6	–
Balance of county	1	20	1	1	4	2	–	–	–	–	2	2	2	13	7	3	2	2	–
Shelby	1	23	3	4	–	3	–	–	–	–	–	3	–	9	8	5	1	–	–
Sioux	1	22	3	2	8	6	–	–	3	–	3	–	2	15	12	6	1	–	–
Story	4	37	4	7	21	5	1	1	4	–	5	8	1	25	10	16	8	–	–
Ames	3	17	2	1	9	2	–	1	–	–	3	4	1	9	2	8	5	–	–
Balance of county	1	20	2	6	12	3	1	–	4	–	2	4	–	16	8	6	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Tama	237	–	–	1	49	19	9	2	6	–	3	10	6	118	94	1	6	75	12
Taylor	125	–	–	–	22	5	5	4	2	–	3	3	1	79	57	1	2	45	9
Union	143	–	–	1	27	10	5	1	4	–	–	7	1	80	53	–	4	41	8
Van Buren	117	1	–	–	27	9	3	3	2	3	1	6	3	65	43	–	4	33	6
Wapello	465	–	–	5	112	28	33	13	10	3	4	21	8	257	205	–	8	143	54
Ottumwa	355	–	–	5	81	20	23	8	8	1	2	19	4	207	172	–	7	121	44
Balance of county	110	–	–	–	31	8	10	5	2	2	2	2	4	50	33	–	1	22	10
Warren	214	–	–	2	45	14	17	2	5	–	4	3	8	103	73	–	3	54	16
Washington	230	–	–	–	51	15	13	6	7	1	–	9	7	137	106	–	3	67	36
Wayne	117	–	–	2	27	10	2	2	9	2	–	2	–	64	39	–	–	31	8
Webster	460	–	–	2	89	16	26	13	9	10	4	11	8	250	162	2	5	103	52
Fort Dodge	324	–	–	1	61	9	19	11	6	7	2	7	5	184	121	1	3	77	40
Balance of county	136	–	–	1	28	7	7	2	3	3	2	4	3	66	41	1	2	26	12
Winnebago	142	–	–	–	24	5	7	3	3	–	1	5	4	79	54	–	1	46	7
Winneshiek	171	–	–	1	32	10	6	5	1	2	2	6	5	97	71	1	4	62	4
Woodbury	920	1	1	7	224	65	51	18	25	10	15	40	23	476	356	7	25	259	65
Sioux City	759	1	1	6	181	51	42	15	21	9	10	33	21	387	296	7	23	218	50
Balance of county	161	–	–	1	43	14	9	3	4	1	5	7	2	89	60	–	2	43	15
Worth	95	–	–	1	19	6	4	1	1	1	1	5	2	53	34	–	–	28	6
Wright	183	–	–	1	39	14	10	1	4	3	3	4	–	103	69	–	–	61	8
Kansas	21,150	14	–	119	4,221	1,110	1,051	365	519	227	192	757	348	10,895	8,102	68	226	6,300	1,506
Urban places	10,509	8	–	62	2,187	555	579	185	263	120	96	379	173	5,138	3,808	43	125	2,915	725
Balance of area	10,641	6	–	57	2,034	555	472	170	256	107	96	378	175	5,757	4,294	25	101	3,385	783
Metropolitan counties	7,589	6	–	49	1,618	398	452	152	193	94	59	272	118	3,548	2,720	30	91	2,017	582
Urban places	6,340	6	–	40	1,353	338	372	124	161	77	49	232	100	2,960	2,251	22	74	1,672	483
Balance of area	1,249	–	–	9	265	58	80	28	32	17	10	40	18	588	469	8	17	345	99
Nonmetropolitan counties	13,561	8	–	70	2,603	714	599	213	326	133	133	485	230	7,347	5,382	38	135	4,283	926
Urban places	4,169	2	–	22	834	217	207	71	102	43	47	147	73	2,178	1,557	21	51	1,243	242
Balance of area	9,392	6	–	48	1,769	497	392	142	224	90	86	338	157	5,169	3,825	17	84	3,040	684
Allen	222	–	–	1	43	9	18	1	6	2	2	5	4	117	86	–	1	59	26
Anderson	125	–	–	–	25	10	3	3	4	1	–	4	3	69	54	–	2	38	14
Atchison	219	–	–	3	34	10	11	4	3	1	2	3	5	118	76	1	5	56	14
Atchison	160	–	–	3	23	7	10	1	1	1	2	1	3	94	63	1	3	47	12
Balance of county	59	–	–	–	11	3	1	3	2	–	–	2	2	24	13	–	2	9	2
Barber	75	–	–	2	14	2	7	–	3	–	–	2	1	38	32	1	–	27	4
Barton	253	–	–	1	52	19	6	2	9	3	5	8	4	148	110	1	4	93	12
Great Bend	130	–	–	–	22	7	4	2	3	1	2	3	4	79	59	1	1	50	7
Balance of county	123	–	–	1	30	12	2	–	6	2	3	5	–	69	51	–	3	43	5
Bourbon	228	–	–	3	51	13	14	5	6	6	1	6	5	135	95	1	–	78	16
Brown	156	–	–	2	31	9	8	2	5	4	–	3	1	97	69	–	2	62	5
Butler	393	–	–	3	77	15	24	7	11	3	3	14	4	211	160	2	2	129	27
El Dorado	141	–	–	1	29	5	8	3	5	2	–	6	4	80	54	–	1	47	6
Balance of county	252	–	–	2	48	10	18	4	6	1	3	8	–	131	106	2	1	82	21
Chase	50	–	–	–	10	5	4	1	–	–	–	–	2	34	22	–	1	16	3
Chautauqua	69	–	–	–	8	–	2	2	1	–	–	3	3	43	28	1	–	23	4
Cherokee	282	–	–	2	52	11	15	3	6	3	1	13	6	161	132	–	1	106	25
Cheyenne	50	–	–	–	11	4	3	1	1	1	–	1	2	28	19	–	–	11	8
Clark	36	–	–	–	7	1	1	–	2	–	–	3	–	24	17	–	–	12	5
Clay	141	–	–	–	24	5	6	1	4	–	3	5	4	88	59	–	–	42	11
Cloud	170	–	–	–	22	8	5	2	–	–	2	5	–	110	82	1	2	75	4
Coffey	126	–	–	1	19	10	3	1	1	–	1	3	1	68	55	–	1	35	19
Comanche	26	–	–	1	6	1	3	–	–	–	1	1	–	15	11	–	–	6	5
Cowley	398	1	–	4	67	20	16	3	9	1	5	13	7	209	137	1	4	107	25
Arkansas City	170	1	–	1	31	9	7	2	5	1	2	5	1	92	62	1	1	48	12
Winfield	132	–	–	1	18	6	5	1	1	–	2	3	3	71	46	–	2	34	10
Balance of county	96	–	–	2	18	5	4	–	3	–	1	5	3	48	29	–	1	25	3
Crawford	478	–	–	1	97	26	25	9	8	8	5	16	12	272	218	2	5	163	28
Pittsburg	244	–	–	1	54	12	16	5	5	5	2	9	8	137	112	2	2	90	18
Balance of county	234	–	–	–	43	14	9	4	3	3	3	7	4	135	106	–	3	93	10
Decatur	58	–	–	–	10	4	4	1	–	–	–	1	–	28	24	–	–	22	2
Dickinson	231	1	–	5	47	17	11	1	7	3	1	7	3	115	86	2	5	60	19
Doniphan	105	–	–	–	19	5	3	1	3	3	–	4	1	60	37	–	2	23	12
Douglas	337	–	–	1	65	17	14	6	6	2	4	16	2	177	120	2	2	92	24
Lawrence	249	–	–	–	52	15	11	5	6	1	3	11	2	124	81	2	1	59	19
Balance of county	88	–	–	1	13	2	3	1	–	1	1	5	–	53	39	–	1	33	5
Edwards	47	–	–	–	11	5	2	–	2	–	–	2	2	24	20	–	1	19	–
Elk	65	–	–	–	17	5	4	1	–	2	2	3	1	41	29	–	–	25	4
Ellis	156	–	–	1	31	11	10	1	1	1	2	5	5	86	49	1	1	39	8
Hays	98	–	–	1	19	6	5	1	1	–	2	4	5	36	24	–	1	19	4
Balance of county	58	–	–	–	12	5	5	–	–	1	–	1	–	29	25	1	–	20	4
Ellsworth	86	–	–	–	9	2	–	2	2	–	1	2	3	58	49	–	1	44	4
Finney	137	–	–	–	25	8	8	2	2	2	1	2	4	70	49	1	–	41	7
Garden City	113	–	–	–	23	8	7	2	2	1	1	2	4	63	42	1	–	36	5
Balance of county	24	–	–	–	2	–	1	–	–	1	–	–	–	7	7	–	–	5	2
Ford	200	–	–	2	39	7	9	2	5	1	1	14	6	101	62	–	1	56	5
Dodge City	147	–	–	2	31	6	7	2	4	1	1	10	4	71	44	–	1	41	2
Balance of county	53	–	–	–	8	1	2	–	1	–	–	4	2	30	18	–	–	15	3
Franklin	211	1	–	1	39	7	9	5	6	3	1	8	3	120	83	–	2	68	13
Ottawa	115	1	–	–	17	4	4	3	1	2	–	3	2	76	57	–	2	46	9
Balance of county	96	–	–	1	22	3	5	2	5	1	1	5	1	44	26	–	–	22	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Tama	–	18	3	3	6	10	3	4	–	–	1	–	–	14	10	6	7	1	1
Taylor	1	17	3	1	3	2	1	–	1	–	1	1	–	9	1	4	–	–	–
Union	3	18	2	4	5	2	–	2	1	–	–	–	–	12	3	3	5	1	–
Van Buren	1	16	3	2	3	2	1	–	1	–	1	–	–	9	1	2	1	–	–
Wapello	1	42	5	4	9	8	–	2	4	–	1	4	1	20	14	15	4	1	–
Ottumwa	1	28	4	2	8	6	–	2	2	–	1	1	1	16	9	9	2	1	–
Balance of county	–	14	1	2	1	2	–	–	2	–	–	3	–	4	5	6	2	–	–
Warren	1	16	12	1	8	6	1	2	–	–	2	5	2	8	7	9	6	–	–
Washington	2	23	5	1	2	4	–	–	4	–	–	–	1	16	1	4	3	–	–
Wayne	–	22	2	1	4	3	–	–	1	–	–	2	–	7	3	2	2	–	–
Webster	3	60	17	8	5	14	1	5	2	–	1	–	8	37	17	13	8	–	–
Fort Dodge	2	45	10	8	5	8	1	3	2	–	1	–	5	27	9	7	5	–	–
Balance of county	1	15	7	2	–	6	–	2	–	–	–	–	3	10	8	6	3	–	–
Winnebago	–	23	–	2	3	3	–	–	1	–	1	3	–	15	7	2	–	–	–
Winneshiek	–	21	5	–	4	5	–	4	3	–	1	–	–	9	5	2	3	–	–
Woodbury	6	92	14	18	23	26	3	5	6	–	4	10	8	50	21	21	8	4	1
Sioux City	1	61	13	16	21	19	3	5	5	–	4	9	7	43	18	20	3	4	1
Balance of county	5	21	1	2	2	7	–	–	1	–	–	1	1	7	3	1	3	–	–
Worth	1	15	2	1	5	3	–	1	–	–	–	–	–	9	1	1	–	–	–
Wright	1	24	4	5	6	3	–	3	1	–	1	–	–	18	3	4	1	–	–
Kansas	80	2,074	439	200	589	628	79	198	207	3	146	212	251	1,610	579	584	293	129	45
Urban places	46	1,014	182	89	245	346	39	131	86	3	90	194	179	854	254	289	167	93	32
Balance of area	34	1,060	257	112	344	282	41	67	121	–	56	78	72	756	325	295	126	36	13
Metropolitan counties	17	631	115	65	182	251	25	86	72	2	74	105	133	628	227	210	145	88	22
Urban places	16	541	98	54	154	211	19	75	57	2	65	92	118	539	166	167	120	76	20
Balance of area	1	90	17	11	28	40	6	11	15	–	9	13	15	89	61	43	25	12	2
Nonmetropolitan counties	63	1,443	324	135	407	377	54	112	135	1	72	107	118	982	352	374	148	41	23
Urban places	30	473	84	34	91	135	19	56	29	1	25	42	61	315	88	122	47	17	12
Balance of area	33	970	240	101	316	242	35	56	106	–	47	65	57	667	264	252	101	24	11
Allen	–	21	7	3	10	7	2	2	3	–	1	–	1	15	6	7	3	–	–
Anderson	–	12	1	2	4	4	2	–	2	–	–	2	–	5	6	2	1	–	–
Atchison	1	39	2	–	3	7	–	1	3	–	1	4	7	14	10	6	1	2	–
Atchison	1	29	1	–	1	2	–	1	2	–	1	2	5	11	4	6	1	1	–
Balance of county	–	10	1	–	2	5	–	–	1	–	–	2	2	3	6	–	–	1	–
Barber	–	4	2	–	4	4	–	–	4	–	–	–	–	6	1	–	1	–	–
Barton	3	31	1	3	2	9	2	3	1	1	1	2	1	14	2	6	3	–	1
Great Bend	2	15	1	2	–	7	2	3	–	1	–	1	1	4	–	5	–	–	1
Balance of county	1	16	–	1	2	2	–	–	1	–	1	1	–	10	2	1	3	–	–
Bourbon	–	39	2	–	4	3	2	2	1	–	–	3	1	10	2	4	–	–	2
Brown	–	16	10	2	1	2	–	–	–	–	1	1	1	13	1	5	–	–	–
Butler	1	41	6	3	6	9	–	3	3	–	1	2	2	34	16	17	4	1	–
El Dorado	–	23	2	1	1	3	–	2	–	–	–	–	1	10	2	6	2	–	–
Balance of county	1	18	4	2	5	6	–	1	3	–	1	2	1	24	14	11	2	1	–
Chase	–	8	3	1	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Chautauqua	1	13	1	–	2	3	1	2	–	–	–	–	–	3	1	2	1	–	–
Cherokee	1	21	5	2	7	5	1	2	4	–	1	3	–	23	6	6	1	2	–
Cheyenne	–	7	2	–	2	–	1	–	–	–	–	–	–	3	1	1	1	–	–
Clark	1	4	2	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	1
Clay	–	29	3	3	6	3	–	1	1	–	1	–	1	4	3	2	2	–	1
Cloud	–	21	6	1	7	6	–	1	1	–	1	–	–	13	3	3	3	–	–
Coffey	–	9	–	4	3	3	–	2	5	–	–	–	–	8	2	10	4	–	–
Comanche	–	3	–	1	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–
Cowley	1	53	14	4	10	13	4	6	6	–	3	5	11	40	4	5	2	1	–
Arkansas City	–	23	6	1	3	7	1	2	4	–	–	4	5	13	2	1	1	1	–
Winfield	–	18	4	3	2	5	2	2	1	–	3	–	4	17	1	1	1	–	–
Balance of county	1	12	4	–	5	1	1	2	1	–	–	1	2	10	1	3	–	–	–
Crawford	1	46	1	6	8	12	3	4	1	–	3	2	3	30	9	16	3	2	–
Pittsburg	1	21	–	3	4	6	–	2	–	–	1	–	–	18	3	8	2	–	–
Balance of county	–	25	1	3	4	6	3	2	1	–	2	2	3	12	6	8	1	2	–
Decatur	–	2	1	1	2	1	–	–	–	–	–	–	1	9	4	1	2	–	–
Dickinson	1	18	9	1	10	8	–	2	–	–	2	–	–	27	2	7	1	1	–
Doniphan	–	18	3	2	5	2	–	–	1	–	1	1	–	9	2	3	–	1	–
Douglas	4	35	13	5	12	13	1	2	2	–	2	5	8	19	10	10	5	1	2
Lawrence	4	26	9	4	9	10	1	2	–	–	1	4	8	14	8	8	3	1	2
Balance of county	–	9	4	1	3	3	–	–	2	–	1	1	–	5	2	2	2	–	–
Edwards	–	3	–	1	2	–	–	–	2	–	–	–	1	3	1	1	–	–	–
Elk	1	6	5	–	2	–	–	–	–	–	–	–	–	1	–	3	–	–	–
Ellis	2	10	2	2	4	7	2	4	3	–	1	2	1	16	6	6	2	–	–
Hays	2	8	1	1	2	7	–	3	1	–	–	2	–	10	6	4	2	–	–
Balance of county	–	2	1	1	2	–	2	1	2	–	1	–	1	6	–	2	–	–	–
Ellsworth	1	7	1	–	4	–	–	–	–	–	–	–	–	7	1	4	–	–	–
Finney	1	18	1	1	4	4	–	2	–	–	–	1	4	10	7	3	1	1	1
Garden City	1	18	1	1	3	4	–	2	–	–	–	–	4	6	1	2	–	–	1
Balance of county	–	–	–	–	1	–	–	–	–	–	–	1	–	4	6	1	1	1	–
Ford	1	31	6	1	2	5	1	5	3	–	–	1	–	16	6	6	4	1	2
Dodge City	1	23	3	–	–	5	1	3	2	–	–	1	–	12	4	5	3	1	2
Balance of county	–	8	3	1	2	–	–	2	1	–	–	–	–	4	2	1	1	–	–
Franklin	1	28	5	3	8	6	1	1	1	–	1	–	1	16	5	5	2	–	–
Ottawa	–	16	2	1	2	4	–	1	1	–	–	–	1	7	1	2	–	–	–
Balance of county	1	12	3	2	6	2	1	–	–	–	1	–	–	9	4	3	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Geary	196	–	–	1	42	13	15	3	2	3	1	5	1	80	57	–	2	34	21
Junction City	155	–	–	–	38	9	15	3	2	3	1	5	1	69	48	–	1	30	17
Balance of county	41	–	–	1	4	4	–	–	–	–	–	–	–	11	9	–	1	4	4
Gove	39	–	–	1	4	–	1	–	–	–	1	2	1	22	19	–	–	12	7
Graham	36	–	–	–	11	2	2	2	1	–	–	4	–	16	10	–	1	6	1
Grant	31	–	–	–	4	2	1	–	–	–	–	1	1	20	17	–	–	11	6
Gray	38	–	–	–	6	3	1	–	1	–	–	1	–	22	16	–	1	15	–
Greeley	16	–	–	–	2	1	1	–	–	–	–	–	–	10	6	–	–	5	1
Greenwood	126	–	–	–	14	1	5	2	1	1	–	4	–	90	76	–	1	61	14
Hamilton	29	–	–	–	5	2	–	1	1	–	1	–	1	8	8	–	1	7	–
Harper	109	–	–	–	20	6	1	3	4	–	3	3	2	55	35	–	–	29	6
Harvey	272	–	–	1	56	20	9	7	8	3	1	8	8	143	109	1	8	87	13
Newton	169	–	–	1	41	14	9	5	4	3	1	5	5	84	65	1	5	50	9
Balance of county	103	–	–	–	15	6	–	2	4	–	–	3	3	59	44	–	3	37	4
Haskell	22	–	–	1	6	1	4	–	–	1	–	–	–	7	6	–	–	3	3
Hodgeman	20	–	–	–	3	1	–	–	–	–	–	2	1	9	8	–	–	5	1
Jackson	127	–	–	–	33	9	6	2	5	1	3	7	3	68	48	–	–	40	6
Jefferson	124	–	–	2	24	4	9	1	1	1	4	4	–	68	45	–	1	32	12
Jewell	65	–	–	–	13	3	4	2	2	–	1	1	4	34	31	–	–	23	8
Johnson	1,469	1	–	10	332	69	95	34	38	18	17	61	19	650	492	5	14	378	95
Leawood	88	–	–	1	22	5	6	2	5	–	2	2	1	41	28	–	–	23	5
Merriam	52	–	–	–	10	1	3	3	–	1	1	1	–	21	13	–	1	9	3
Olathe	155	–	–	–	21	2	6	–	7	–	–	6	1	69	50	2	–	42	6
Overland Park	387	1	–	5	99	23	21	13	6	5	6	25	8	166	129	1	5	103	20
Prairie Village	173	–	–	–	46	9	15	6	6	1	1	8	–	71	54	–	1	46	7
Shawnee	124	–	–	–	31	7	9	3	3	1	4	4	1	52	43	–	–	32	11
Balance of county	480	–	–	4	103	22	35	7	11	10	3	15	8	230	175	2	7	123	43
Kearny	24	–	–	–	1	–	–	–	–	–	–	1	–	17	15	–	1	12	2
Kingman	105	–	–	–	18	3	7	1	1	1	1	4	1	55	38	–	1	31	6
Kiowa	50	–	–	–	12	3	4	2	1	–	–	2	3	18	13	–	1	10	2
Labette	310	–	–	–	67	16	12	6	12	3	2	16	3	167	134	–	10	99	26
Parsons	170	–	–	–	36	8	5	4	10	1	–	8	2	95	74	–	8	55	11
Balance of county	140	–	–	–	31	8	7	2	2	2	2	8	1	72	60	–	2	44	14
Lane	17	–	–	–	5	3	2	–	–	–	–	–	–	8	7	–	–	4	3
Leavenworth	396	–	–	4	90	18	23	8	11	2	10	18	8	178	137	2	3	109	23
Leavenworth	260	–	–	4	65	12	15	7	9	2	8	12	7	108	89	1	2	69	17
Balance of county	136	–	–	–	25	6	8	1	2	–	2	6	1	70	48	1	1	40	6
Lincoln	44	–	–	–	8	5	–	1	2	–	–	–	–	26	20	–	1	15	4
Linn	109	–	–	2	13	6	2	–	3	–	–	2	1	72	55	–	–	46	7
Logan	31	–	–	–	11	4	4	–	1	–	1	1	–	13	9	–	–	9	–
Lyon	285	–	–	4	49	12	15	5	7	2	2	6	4	158	117	2	4	95	16
Emporia	209	–	–	3	36	9	12	3	5	1	2	4	4	120	87	2	4	68	13
Balance of county	76	–	–	1	13	3	3	2	2	1	–	2	–	38	30	–	–	27	3
McPherson	245	–	–	2	52	13	8	5	6	8	1	11	2	131	94	–	1	79	14
McPherson	101	–	–	–	22	6	5	2	1	4	1	3	1	51	33	–	–	26	7
Balance of county	144	–	–	2	30	7	3	3	5	4	–	8	1	80	61	–	1	53	7
Marion	149	–	–	–	35	10	6	4	5	1	4	5	5	74	59	1	1	45	12
Marshall	203	–	–	2	31	12	3	5	4	1	1	5	1	126	100	2	–	79	19
Meade	42	–	–	–	9	3	3	1	–	–	1	1	1	22	22	–	–	17	5
Miami	214	–	–	1	31	8	4	3	6	–	1	9	4	134	107	–	1	93	13
Mitchell	110	–	–	–	20	5	4	3	4	1	–	3	3	57	37	–	–	29	5
Montgomery	528	1	–	1	103	28	26	4	15	4	4	22	9	267	190	2	6	150	32
Coffeyville	178	–	–	1	35	7	11	–	8	1	1	7	3	90	71	–	2	55	14
Independence	158	–	–	–	33	10	8	2	5	2	1	5	3	72	46	2	2	37	5
Balance of county	192	1	–	–	35	11	7	2	2	1	2	10	3	105	73	–	2	58	13
Morris	98	–	–	–	15	6	2	3	1	1	–	2	2	63	42	–	2	32	8
Morton	26	–	–	–	4	–	1	–	3	–	–	–	1	9	7	–	–	5	2
Nemaha	114	–	–	1	21	9	1	4	2	1	–	4	1	57	34	–	3	23	8
Neosho	225	–	–	2	47	7	15	3	3	3	3	13	3	122	86	1	6	66	14
Chanute	131	–	–	–	26	4	9	1	3	2	2	5	3	65	41	1	3	32	5
Balance of county	94	–	–	2	21	3	6	2	–	1	1	8	–	57	45	–	3	33	9
Ness	45	–	–	–	14	4	1	2	1	1	–	5	–	23	19	–	–	17	2
Norton	92	–	–	1	14	3	3	–	2	2	1	3	3	55	41	–	1	36	4
Osage	174	1	–	–	30	5	7	2	1	7	4	4	4	106	85	1	3	53	8
Osborne	91	–	–	–	10	–	–	–	3	1	–	6	2	56	43	–	–	22	21
Ottawa	75	–	–	–	11	6	1	1	–	1	1	1	1	43	24	–	–	23	1
Pawnee	115	–	–	–	21	4	3	1	4	5	2	2	3	74	64	–	5	48	11
Phillips	109	–	–	–	23	7	5	1	4	1	3	2	1	57	49	–	–	43	6
Pottawatomie	151	2	–	–	22	6	9	4	2	–	–	1	5	74	50	–	–	47	3
Manhattan, part	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	149	2	–	–	21	6	8	4	2	–	–	1	5	74	50	–	–	47	3
Pratt	127	–	–	–	30	6	13	–	6	–	2	3	5	55	37	–	2	23	12
Rawlins	36	–	–	–	6	–	5	1	2	–	–	–	–	20	11	–	–	6	3
Reno	612	–	–	–	132	42	29	8	17	7	6	23	6	334	238	3	6	211	18
Hutchinson	429	–	–	–	96	28	20	6	12	7	6	17	4	233	168	2	5	151	10
Balance of county	183	–	–	–	36	14	9	2	5	–	–	6	2	101	70	1	1	60	8
Republic	121	1	–	–	22	6	5	–	4	1	1	5	5	71	53	–	–	49	4
Rice	141	–	–	–	29	6	8	1	1	3	1	9	1	79	59	–	1	48	10
Riley	256	–	–	1	52	15	6	12	5	2	2	10	–	126	93	3	1	80	9
Manhattan, part	187	–	–	1	34	7	4	7	4	2	1	9	–	99	73	3	1	62	7
Manhattan, total	189	–	–	1	35	7	5	7	4	2	1	9	–	99	73	3	1	62	7
Balance of county	69	–	–	–	18	8	2	5	1	–	1	1	–	27	20	–	–	18	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Kansas—Con.																			
Geary	1	13	9	–	5	6	–	3	1	–	5	8	2	11	14	9	2	4	2
Junction City	1	11	9	–	4	4	–	3	1	–	4	5	2	9	3	6	1	3	2
Balance of county	–	2	–	–	1	2	–	–	–	–	1	3	–	2	11	3	1	1	–
Gove	–	2	1	–	–	2	–	–	–	–	–	–	–	4	4	1	–	–	–
Graham	1	5	–	–	–	2	–	–	–	–	–	–	–	3	2	1	–	1	–
Grant	–	2	–	1	–	2	1	–	–	–	–	–	1	2	–	–	–	–	–
Gray	–	5	1	–	1	–	–	–	–	–	1	1	1	4	1	1	–	–	–
Greeley	–	2	2	–	–	2	–	–	1	–	–	–	–	2	1	–	–	–	–
Greenwood	–	11	2	1	2	1	1	1	1	–	–	1	–	12	1	2	–	–	–
Hamilton	–	–	–	–	2	2	–	–	1	–	2	–	–	3	3	1	1	–	–
Harper	–	17	3	–	7	2	–	1	–	–	–	–	2	14	2	3	–	–	1
Harvey	1	23	6	2	5	4	–	2	2	–	1	1	1	28	9	7	2	2	–
Newton	–	13	4	2	3	3	–	1	1	–	1	1	1	17	4	3	1	2	–
Balance of county	1	10	4	–	2	1	–	1	1	–	–	–	–	11	5	4	1	–	–
Haskell	–	–	–	1	1	–	–	–	–	–	–	–	–	4	2	1	–	–	–
Hodgeman	–	3	–	–	–	2	–	–	–	–	–	–	–	3	1	1	–	–	–
Jackson	–	11	9	2	2	4	1	–	–	–	–	1	–	2	4	7	2	–	–
Jefferson	–	18	4	1	5	4	–	1	1	–	–	1	–	8	3	1	5	1	–
Jewell	–	1	2	–	3	3	1	–	–	–	–	–	–	3	1	2	–	–	1
Johnson	3	119	22	14	29	57	6	19	16	1	18	22	31	117	59	41	33	7	1
Leawood	1	7	4	1	2	6	–	1	–	–	–	1	1	4	3	1	4	–	–
Merriam	–	4	3	1	1	3	–	2	2	–	1	–	1	8	1	1	1	–	–
Olathe	–	15	4	–	4	5	1	1	3	–	4	6	12	8	11	4	4	1	–
Overland Park	2	28	2	5	5	14	–	7	4	–	7	4	2	30	13	12	8	1	1
Prairie Village	–	14	2	1	3	9	1	4	1	–	2	5	4	14	3	2	7	1	–
Shawnee	–	8	1	–	1	2	1	1	–	1	2	1	4	12	9	4	1	1	–
Balance of county	–	43	6	6	13	18	3	3	6	–	2	5	7	41	19	17	8	3	–
Kearny	–	1	1	–	–	–	–	–	1	–	–	1	–	3	–	–	1	–	–
Kingman	–	13	1	3	7	2	1	2	2	–	–	1	–	8	4	2	2	–	–
Kiowa	–	5	–	–	4	4	–	–	2	–	–	–	–	6	1	–	–	–	–
Labette	–	22	9	2	7	6	1	2	2	–	–	3	1	28	10	7	4	–	–
Parsons	–	13	7	1	–	3	1	2	1	–	–	3	1	16	4	4	2	–	–
Balance of county	–	9	2	1	7	5	–	–	1	–	–	–	–	12	6	3	2	–	–
Lane	–	1	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
Leavenworth	6	28	5	2	10	17	2	5	2	–	1	9	2	33	10	12	6	5	2
Leavenworth	4	13	2	–	8	7	1	5	1	–	–	2	2	30	5	6	4	3	2
Balance of county	2	15	3	2	2	10	1	–	1	–	1	7	–	3	5	6	2	2	–
Lincoln	–	5	1	–	–	1	1	–	1	–	–	1	–	4	1	1	–	–	–
Linn	–	16	1	–	6	1	–	–	1	–	–	1	–	6	2	4	–	–	–
Logan	–	3	–	1	–	1	–	–	1	–	–	–	–	2	2	–	–	–	1
Lyon	2	33	1	5	9	2	3	1	4	–	5	2	1	23	9	5	3	1	2
Emporia	2	27	1	3	6	2	1	1	2	–	3	2	1	15	7	4	–	1	1
Balance of county	–	6	–	2	3	–	2	–	2	–	2	–	–	8	2	1	3	–	1
McPherson	–	32	3	2	10	4	1	2	1	–	–	2	3	19	7	8	1	–	–
McPherson	–	15	2	1	2	3	1	1	1	–	–	1	3	7	3	4	1	–	–
Balance of county	–	17	1	1	8	1	–	1	–	–	–	1	–	12	4	4	–	–	–
Marion	1	13	–	1	4	3	–	–	1	–	1	–	1	18	1	2	1	3	–
Marshall	1	18	5	2	2	6	1	1	4	–	1	3	2	10	5	7	1	–	–
Meade	–	–	–	–	1	–	–	2	–	–	–	–	–	3	1	2	–	1	–
Miami	1	17	8	1	4	1	–	2	5	–	3	1	2	7	11	6	2	–	–
Mitchell	2	6	10	2	6	3	1	1	1	–	–	1	4	10	1	2	–	–	–
Montgomery	10	53	11	3	16	22	2	6	3	–	1	4	19	40	13	16	2	3	–
Coffeyville	7	9	1	2	4	7	–	2	2	–	–	2	3	16	4	8	–	1	–
Independence	1	21	4	–	4	9	2	4	–	–	–	–	8	8	8	5	1	1	–
Balance of county	2	23	6	1	8	6	–	–	1	–	1	2	8	16	1	3	1	1	–
Morris	–	13	4	4	–	6	–	–	–	–	1	–	1	7	2	1	–	–	–
Morton	–	2	–	–	3	–	–	–	–	–	–	–	–	2	5	1	–	–	1
Nemaha	–	19	3	1	8	1	–	2	1	–	–	–	1	10	2	8	1	–	–
Neosho	–	28	7	1	8	8	3	–	2	–	1	2	–	14	5	4	3	–	1
Chanute	–	16	5	1	3	6	3	–	2	–	1	2	–	11	4	3	2	–	–
Balance of county	–	10	2	–	5	2	–	–	–	–	–	–	–	3	1	1	1	–	1
Ness	–	3	1	–	2	–	1	–	–	–	–	–	–	2	–	2	1	–	–
Norton	–	11	3	–	5	1	–	–	–	–	1	2	1	6	2	–	1	–	–
Osage	2	21	13	5	4	5	–	1	1	–	–	–	1	13	2	4	1	1	–
Osborne	–	9	4	–	3	2	–	1	3	–	–	1	–	7	3	2	1	–	–
Ottawa	–	18	–	1	1	5	–	–	1	–	–	1	1	4	4	2	1	–	–
Pawnee	–	6	1	3	2	2	–	–	1	–	–	1	–	5	3	2	1	–	–
Phillips	–	4	–	4	7	3	–	1	1	–	–	–	–	12	3	–	1	–	–
Pottawatomie	–	20	4	–	9	5	2	1	2	–	3	1	–	10	7	3	4	–	1
Manhattan, part	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Balance of county	–	20	4	–	9	5	2	1	1	–	3	1	–	10	7	3	4	–	1
Pratt	1	5	11	1	6	2	–	–	–	–	–	2	3	14	5	2	2	1	–
Rawlins	1	6	2	–	–	1	–	–	1	–	–	–	–	2	4	–	–	–	–
Reno	4	75	12	5	19	14	–	8	3	–	6	4	4	41	10	20	11	–	–
Hutchinson	3	51	8	3	11	10	–	6	2	–	5	3	2	29	6	14	8	–	–
Balance of county	1	24	4	2	8	4	–	2	1	–	1	1	2	12	4	6	3	–	–
Republic	–	14	3	1	6	5	2	–	–	–	–	1	1	3	–	3	1	–	–
Rice	1	15	1	3	5	3	–	3	3	–	1	–	–	7	4	5	1	–	–
Riley	–	24	6	3	12	13	1	1	1	–	1	4	2	17	7	11	3	4	–
Manhattan, part	–	21	3	2	8	9	1	1	1	–	–	3	2	13	2	8	3	2	–
Manhattan, total	–	21	3	2	8	9	1	1	2	–	–	3	2	13	2	8	3	2	–
Balance of county	–	3	3	1	4	4	–	–	–	–	1	1	–	4	5	3	–	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-179, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Rooks	92	–	–	1	22	4	5	2	5	1	–	5	2	49	39	–	3	33	3
Rush	71	–	–	–	15	4	1	3	1	2	1	3	2	38	32	–	–	29	3
Russell	109	–	–	–	28	10	7	3	3	1	1	3	1	63	49	1	–	35	13
Saline	402	–	–	3	75	22	17	8	7	1	6	16	2	226	155	2	4	121	28
Salina	340	–	–	3	61	18	15	6	6	1	5	10	1	195	134	1	4	105	24
Balance of county	62	–	–	–	14	4	2	–	1	–	1	6	1	31	21	1	–	16	4
Scott	39	–	–	1	7	–	2	–	2	–	–	3	1	18	6	1	–	1	4
Sedgwick	2,765	2	–	18	569	135	154	54	79	30	21	96	39	1,313	992	14	33	749	196
Wichita	2,450	2	–	15	498	121	137	40	68	28	18	86	32	1,175	874	13	27	659	175
Balance of county	315	–	–	3	71	14	17	14	11	2	3	10	7	138	118	1	6	90	21
Seward	133	–	–	–	21	5	2	1	4	1	2	6	3	60	43	–	1	36	6
Liberal	122	–	–	–	20	5	2	1	4	1	1	6	3	54	38	–	–	33	5
Balance of county	11	–	–	–	1	–	–	–	–	–	1	–	–	6	5	–	1	3	1
Shawnee	1,257	1	–	6	252	78	64	21	22	18	9	40	27	604	480	2	17	380	81
Topeka	1,145	1	–	6	233	70	59	20	21	16	9	38	24	552	437	1	15	347	74
Balance of county	112	–	–	–	19	8	5	1	1	2	–	2	3	52	43	1	2	33	7
Sheridan	34	–	–	–	6	2	1	–	2	–	1	–	–	25	19	–	–	16	3
Sherman	63	–	–	2	10	3	1	3	–	–	–	3	–	39	33	–	1	24	8
Smith	86	–	–	–	12	4	1	1	1	–	2	3	1	50	37	–	–	27	10
Stafford	75	–	–	–	10	4	1	–	1	1	1	2	1	49	43	–	–	39	4
Stanton	17	–	–	–	5	1	2	–	–	–	–	2	–	7	7	–	–	4	3
Stevens	36	–	–	–	7	3	–	2	1	–	–	1	1	14	11	–	–	9	2
Sumner	313	–	–	2	61	17	9	5	10	2	3	15	3	167	121	–	4	82	35
Thomas	75	–	–	–	16	7	2	–	4	1	–	2	1	36	25	–	–	18	7
Trego	55	–	–	–	20	7	2	2	4	1	–	4	2	16	7	–	–	5	2
Wabaunsee	63	–	–	–	13	2	3	1	3	1	1	2	–	38	23	–	–	16	7
Wallace	20	–	–	–	6	2	–	1	1	–	1	1	–	9	5	–	–	5	–
Washington	134	–	–	3	29	7	7	2	5	1	3	4	3	69	54	1	–	46	7
Wichita	24	–	–	–	3	–	2	–	–	–	–	1	–	11	8	–	1	3	4
Wilson	179	–	–	–	33	6	11	2	4	3	–	7	6	86	75	–	2	64	9
Woodson	80	–	–	–	16	4	3	3	1	1	1	3	1	45	30	–	1	21	8
Wyandotte	1,705	2	–	12	388	99	115	36	43	25	9	61	29	770	596	7	25	381	183
Kansas City	1,625	2	–	12	364	95	108	34	40	23	8	56	29	733	569	5	24	364	176
Balance of county	80	–	–	–	24	4	7	2	3	2	1	5	–	37	27	2	1	17	7
Kentucky	32,482	63	3	224	6,593	1,711	1,900	483	742	283	282	1,202	585	16,580	12,687	88	394	9,333	2,872
Urban places	10,880	16	1	74	2,313	600	641	190	251	96	97	438	210	5,507	4,173	28	155	2,971	1,019
Balance of area	21,602	47	2	150	4,280	1,111	1,259	303	491	187	185	764	375	11,073	8,514	60	239	6,362	1,853
Metropolitan counties	11,818	15	1	88	2,605	652	774	202	272	111	119	475	244	5,852	4,387	36	184	3,218	971
Urban places	7,984	10	1	58	1,716	440	481	144	177	69	82	323	171	3,967	3,011	24	117	2,143	727
Balance of area	3,834	5	–	30	889	212	293	58	95	42	37	152	73	1,885	1,376	12	47	1,073	244
Nonmetropolitan counties	20,664	48	2	136	3,988	1,059	1,126	291	470	172	163	727	341	10,728	8,300	52	230	6,117	1,901
Urban places	2,896	6	–	16	597	160	160	46	74	27	15	115	39	1,540	1,162	4	36	828	292
Balance of area	17,768	42	2	120	3,391	899	966	245	396	145	128	612	302	9,188	7,138	48	192	5,289	1,609
Adair	152	–	–	–	29	8	10	1	3	3	1	3	3	90	71	–	2	49	20
Allen	157	1	–	–	20	5	4	1	3	–	–	7	1	91	76	–	5	42	28
Anderson	134	–	–	2	32	10	8	1	6	2	–	5	2	66	51	–	–	35	16
Ballard	121	–	–	1	23	2	7	3	2	4	–	5	2	70	53	–	–	43	10
Barren	300	2	–	2	65	12	20	6	6	3	5	13	3	147	100	2	6	69	23
Glasgow	125	1	–	1	27	4	12	3	3	1	–	4	2	58	41	–	3	30	8
Balance of county	175	1	–	1	38	8	8	3	3	2	5	9	1	89	59	2	3	39	15
Bath	88	1	–	2	18	3	3	1	4	5	1	1	–	55	45	–	1	29	15
Bell	351	–	–	–	57	13	13	5	9	2	–	15	5	198	147	1	3	94	49
Middlesborough	154	–	–	–	25	7	7	2	4	–	–	5	1	86	64	–	1	37	26
Balance of county	197	–	–	–	32	6	6	3	5	2	–	10	4	112	83	1	2	57	23
Boone	274	1	–	1	72	20	21	2	7	3	2	17	4	122	83	–	3	74	6
Florence	96	–	–	–	17	3	7	1	2	–	–	4	3	51	33	–	2	29	2
Balance of county	178	1	–	1	55	17	14	1	5	3	2	13	1	71	50	–	1	45	4
Bourbon	189	–	–	1	41	10	7	3	10	1	3	7	5	100	72	–	7	39	26
Boyd	552	–	–	5	114	33	27	13	14	6	3	18	16	289	239	1	7	168	63
Ashland	361	–	–	4	77	23	17	11	9	5	1	11	11	187	151	1	3	109	38
Balance of county	191	–	–	1	37	10	10	2	5	1	2	7	5	102	88	–	4	59	25
Boyle	225	1	–	–	58	23	18	–	4	7	–	6	6	119	94	–	3	66	23
Danville	131	1	–	–	34	17	11	–	3	1	–	2	5	67	54	–	2	39	13
Balance of county	94	–	–	–	24	6	7	–	1	6	–	4	1	52	40	–	1	29	10
Bracken	94	–	–	–	25	10	4	3	5	1	–	2	–	52	40	–	1	31	8
Breathitt	138	–	–	–	19	7	9	–	–	1	–	2	1	82	69	1	3	54	11
Breckinridge	169	–	–	–	27	8	3	6	1	2	3	4	6	100	68	1	1	58	8
Bullitt	209	1	–	–	53	17	15	6	5	1	3	6	3	82	66	1	1	46	15
Butler	129	–	–	–	23	6	6	–	4	1	–	6	3	60	48	–	1	35	11
Caldwell	175	–	–	–	33	14	5	5	4	–	2	3	1	100	73	–	–	65	8
Calloway	295	–	–	2	52	9	14	4	11	1	3	10	2	182	130	–	4	66	60
Murray	133	–	–	1	22	3	11	2	3	1	–	2	1	89	63	–	3	35	25
Balance of county	162	–	–	1	30	6	3	2	8	–	3	8	1	93	67	–	1	31	36
Campbell	815	1	–	4	179	53	56	15	16	14	4	21	25	428	314	2	13	242	57
Fort Thomas	183	–	–	–	48	19	9	7	3	5	2	3	5	96	74	–	4	57	13
Newport	229	–	–	1	40	12	13	2	2	2	1	8	8	114	88	1	3	71	13
Balance of county	403	1	–	3	91	22	34	6	11	7	1	10	12	218	152	1	6	114	31
Carlisle	75	–	–	–	16	5	7	–	–	–	2	2	–	44	34	–	1	25	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Rooks	–	9	–	1	5	1	–	1	–	–	1	1	–	5	–	2	2	–	–
Rush	–	6	–	–	4	1	1	1	–	–	1	–	–	4	–	3	1	–	–
Russell	1	10	–	3	2	3	–	–	3	–	–	–	2	6	–	–	–	1	–
Saline	–	*59*	*9*	*3*	*9*	*12*	*2*	*5*	*3*	–	*7*	*4*	*5*	*26*	*3*	*11*	*6*	–	*1*
Salina	–	51	8	2	5	11	2	5	2	–	4	4	4	24	1	9	6	–	1
Balance of county	–	8	1	1	4	1	–	–	1	–	3	–	1	2	2	2	–	–	–
Scott	–	6	5	1	1	1	–	1	2	–	–	1	–	2	3	–	1	–	–
Sedgwick	6	242	51	22	60	85	9	32	14	1	35	36	26	229	88	91	50	40	18
Wichita	6	227	49	19	54	81	8	28	11	1	30	33	25	216	68	82	41	35	17
Balance of county	–	15	2	3	6	14	1	4	3	–	5	3	1	13	22	9	9	5	1
Seward	–	13	2	2	7	4	–	5	1	–	1	–	4	9	8	7	3	–	–
Liberal	–	13	2	1	7	4	–	4	1	–	1	–	4	8	7	6	3	–	–
Balance of county	–	–	–	1	–	–	–	1	–	–	–	–	–	1	1	1	–	–	–
Shawnee	1	100	10	13	48	43	4	12	18	–	6	20	14	102	29	31	30	8	2
Topeka	1	94	7	13	46	41	2	11	17	–	5	17	12	95	24	25	25	7	2
Balance of county	–	6	3	–	2	2	2	1	1	–	1	3	2	7	5	6	5	1	–
Sheridan	1	4	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
Sherman	–	6	–	–	2	3	–	–	–	–	1	–	2	2	1	–	1	–	–
Smith	–	9	2	2	3	2	–	–	2	–	1	1	–	3	8	1	2	–	–
Stafford	–	6	–	–	2	2	–	–	2	–	1	1	–	2	4	1	–	–	–
Stanton	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	2	–	–	–
Stevens	–	3	–	–	1	–	–	2	1	–	1	–	–	4	–	5	–	–	–
Sumner	2	29	11	4	3	5	–	1	2	–	1	2	4	39	8	11	4	–	–
Thomas	1	8	1	1	1	2	–	1	3	–	1	–	–	8	1	3	2	–	–
Trego	–	6	2	1	2	4	–	–	–	–	–	–	–	4	3	1	2	1	–
Wabaunsee	–	13	2	–	1	1	1	–	2	–	–	1	–	2	2	2	–	–	–
Wallace	–	3	1	–	–	–	1	–	–	–	–	–	–	2	1	–	1	–	–
Washington	1	10	3	1	6	6	–	1	3	–	–	3	–	8	1	2	–	–	–
Wichita	1	1	1	–	–	1	–	–	1	–	–	–	–	–	6	2	–	–	–
Wilson	–	8	1	2	10	14	–	–	3	–	1	–	1	10	3	7	5	–	–
Woodson	–	11	3	1	–	1	–	–	2	–	–	–	–	8	–	6	1	–	–
Wyandotte	6	129	26	13	39	47	6	20	21	–	14	25	60	146	35	30	28	32	1
Kansas City	6	121	24	13	37	47	6	18	19	–	14	25	56	142	34	30	27	30	–
Balance of county	–	8	2	–	2	–	–	2	2	–	–	–	4	4	1	–	1	2	1
Kentucky	105	3,096	440	252	789	907	107	366	263	3	204	334	182	2,458	937	1,022	472	348	42
Urban places	41	1,072	130	91	262	312	46	169	87	2	57	108	63	919	169	282	148	125	10
Balance of area	*64*	*2,024*	*310*	*161*	*527*	*595*	*61*	*197*	*176*	*1*	*147*	*226*	*119*	*1,539*	*768*	*740*	*324*	*223*	*32*
Metropolitan counties	41	1,176	142	106	269	352	42	188	80	2	76	124	59	968	235	302	175	128	13
Urban places	30	765	92	69	187	240	34	136	57	2	46	76	46	694	125	205	110	94	9
Balance of area	11	411	50	37	82	112	8	52	23	–	30	48	13	274	110	97	65	34	4
Nonmetropolitan counties	64	1,920	298	146	520	555	65	178	183	1	128	210	123	1,490	702	720	297	220	29
Urban places	11	307	38	22	75	72	12	33	30	–	11	32	17	225	44	77	38	31	1
Balance of area	53	1,613	260	124	445	483	53	145	153	1	117	178	106	1,265	658	643	259	189	28
Adair	1	13	2	3	1	8	–	1	2	–	1	1	–	10	1	3	1	1	–
Allen	–	14	–	1	9	–	–	1	1	–	1	2	2	13	4	6	4	1	–
Anderson	–	12	3	–	3	3	–	4	–	–	2	1	2	3	5	5	4	–	–
Ballard	1	13	2	1	10	–	–	–	2	–	1	1	–	8	2	–	–	1	–
Barren	1	41	4	1	7	13	–	4	5	–	–	4	2	24	6	10	3	3	–
Glasgow	1	13	3	–	3	8	–	1	2	–	–	2	1	10	3	4	1	1	–
Balance of county	–	28	1	1	4	5	–	3	3	–	–	2	1	14	3	6	2	2	–
Bath	–	6	4	–	–	2	1	–	–	–	1	–	–	6	–	1	1	–	–
Bell	–	34	15	2	9	10	1	2	3	–	6	9	3	17	8	14	3	5	1
Middlesborough	–	16	6	–	6	5	1	1	2	–	1	5	2	8	3	4	2	2	–
Balance of county	–	18	9	2	3	5	–	1	1	–	5	4	1	9	5	10	1	3	1
Boone	–	27	4	8	8	8	–	1	2	–	2	4	1	25	13	6	2	–	2
Florence	–	13	1	4	2	2	–	–	–	–	1	2	–	7	6	3	2	–	–
Balance of county	–	14	3	4	6	6	–	1	2	–	1	2	1	18	7	3	–	–	2
Bourbon	1	14	10	3	1	8	1	1	2	–	1	2	1	8	7	6	3	–	1
Boyd	1	39	4	6	9	22	7	10	5	–	3	6	3	35	10	12	4	1	1
Ashland	1	26	4	5	6	12	5	7	3	–	2	2	3	26	5	9	1	–	1
Balance of county	–	13	–	1	3	10	2	3	2	–	1	4	–	9	5	3	3	1	–
Boyle	2	16	4	3	1	6	–	2	1	–	–	2	1	12	5	5	4	2	–
Danville	2	7	3	1	1	3	–	2	–	–	–	1	–	6	4	3	3	1	–
Balance of county	–	9	1	2	–	3	–	–	1	–	–	1	1	6	1	2	1	1	–
Bracken	–	10	2	–	–	1	–	–	1	–	–	–	1	6	3	2	3	–	–
Breathitt	–	13	–	–	5	1	–	–	2	–	1	3	–	8	8	5	–	3	–
Breckinridge	1	29	1	1	1	3	1	–	–	–	–	–	–	11	11	4	3	–	2
Bullitt	1	12	2	1	8	8	–	3	–	–	1	2	1	12	12	12	8	3	–
Butler	–	11	–	1	10	6	1	–	2	–	–	–	1	13	3	3	3	–	1
Caldwell	2	21	3	1	5	6	–	1	1	–	1	–	–	11	8	4	2	2	–
Calloway	–	49	2	1	5	4	1	2	5	–	1	3	1	14	7	8	4	2	–
Murray	–	24	1	1	2	1	1	–	2	–	–	–	1	8	1	3	1	–	–
Balance of county	–	25	1	–	3	3	–	2	3	–	1	3	–	6	6	5	3	2	–
Campbell	4	93	10	7	14	22	4	13	6	–	5	7	–	60	11	23	9	2	2
Fort Thomas	1	18	1	2	4	5	–	3	–	–	3	–	–	12	2	3	2	–	–
Newport	–	19	5	2	5	7	2	7	3	–	1	4	–	22	2	9	3	–	1
Balance of county	3	56	4	3	5	10	2	3	3	–	1	3	–	26	7	11	4	2	1
Carlisle	–	6	3	1	–	–	1	–	1	–	1	–	1	7	3	–	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Kentucky—Con.																			
Carroll	98	1	-	-	13	4	2	1	2	1	-	3	5	48	38	1	-	22	15
Carter	237	-	-	3	60	19	18	2	5	5	2	9	6	111	83	-	1	51	31
Casey	132	3	-	-	16	5	7	1	-	-	-	5	3	68	37	-	-	28	11
Christian	556	3	-	3	108	25	34	9	13	2	3	23	7	272	205	-	11	146	48
Hopkinsville	345	2	-	3	74	15	25	4	7	2	2	19	4	167	123	-	9	84	30
Balance of county	211	1	-	-	34	10	9	4	6	-	1	4	3	105	82	-	2	62	18
Clark	246	1	-	2	41	18	11	1	3	2	-	6	1	135	112	-	8	49	35
Winchester	153	-	-	2	28	14	6	1	1	2	-	4	1	87	71	-	6	29	26
Balance of county	93	1	-	-	13	4	5	-	2	-	-	2	-	48	41	-	2	20	10
Clay	182	-	-	1	39	5	17	3	3	-	1	10	4	93	71	-	1	54	16
Clinton	86	-	-	-	23	5	5	3	3	-	-	7	2	42	36	1	1	23	11
Crittenden	130	1	-	-	20	6	5	2	5	1	-	1	3	76	55	-	-	44	11
Cumberland	86	1	-	1	18	2	5	1	3	2	2	3	1	51	40	-	6	23	11
Daviess	769	1	-	9	151	31	47	11	14	6	18	26	18	412	309	2	5	234	68
Owensboro	556	-	-	8	113	22	33	9	11	5	13	20	15	294	224	1	4	173	46
Balance of county	213	1	-	1	38	9	14	2	3	1	3	6	3	118	85	1	1	61	22
Edmonson	72	-	-	1	14	4	3	-	1	2	-	4	2	35	27	1	-	24	2
Elliott	50	-	-	1	7	1	4	-	1	-	-	1	2	28	22	-	1	13	8
Estill	141	-	-	2	19	4	6	2	2	1	3	1	3	80	59	-	3	48	8
Fayette	1,370	3	-	15	307	87	85	26	30	11	15	53	22	657	541	3	16	316	204
Lexington	1,308	3	-	15	294	84	78	26	30	10	13	53	19	625	512	3	16	296	195
Balance of county	62	-	-	-	13	3	7	-	-	1	2	-	3	32	29	-	-	20	9
Fleming	133	-	-	1	16	4	4	1	2	-	1	4	2	81	66	-	-	52	16
Floyd	384	1	-	2	71	14	25	7	12	4	-	9	5	179	134	1	-	100	33
Franklin	370	-	-	5	81	23	17	8	9	4	5	15	2	196	151	1	3	98	49
Frankfort	250	-	-	2	51	14	9	5	8	4	2	11	1	139	106	1	2	66	37
Balance of county	120	-	-	3	30	9	8	3	3	-	3	4	1	57	45	-	1	32	12
Fulton	125	-	-	-	19	4	7	1	1	1	-	5	4	75	57	1	2	44	10
Gallatin	58	-	-	-	10	2	4	-	-	1	-	3	2	32	25	-	-	22	3
Garrard	105	-	-	1	30	10	8	1	4	1	-	6	6	50	40	-	1	24	15
Grant	117	-	-	1	22	10	2	1	2	-	2	5	1	64	50	-	1	45	4
Graves	375	3	-	2	66	14	18	5	12	2	2	13	12	204	163	-	2	119	42
Mayfield	151	1	-	1	28	9	5	-	7	2	-	5	4	84	71	-	1	53	17
Balance of county	224	2	-	1	38	5	13	5	5	-	2	8	8	120	92	-	1	66	25
Grayson	209	-	-	1	41	14	16	3	1	2	-	5	-	117	94	-	1	71	22
Green	110	-	-	-	21	7	7	3	2	-	1	1	1	61	40	-	-	34	6
Greenup	331	1	-	1	67	16	15	8	11	2	3	12	3	165	134	-	2	101	31
Hancock	55	-	-	-	8	3	3	-	1	-	1	-	1	31	26	-	-	16	10
Hardin	441	2	-	4	80	17	34	7	4	2	3	13	3	177	138	2	7	101	28
Elizabethtown	124	-	-	-	26	7	9	4	2	1	1	2	1	50	41	2	3	28	8
Balance of county	317	2	-	4	54	10	25	3	2	1	2	11	2	127	97	-	4	73	20
Harlan	424	3	1	4	80	18	26	8	8	6	1	13	9	166	150	1	7	127	21
Harrison	180	-	-	3	41	15	10	4	4	1	1	6	3	93	64	1	-	60	3
Hart	169	-	-	-	38	13	11	1	6	1	1	5	-	91	66	-	-	52	14
Henderson	385	-	-	-	61	12	20	4	6	4	5	10	3	203	176	-	3	152	21
Henderson	266	-	-	-	45	9	13	1	5	4	4	9	-	140	117	-	1	103	13
Balance of county	119	-	-	-	16	3	7	3	1	-	1	1	3	63	59	-	2	49	8
Henry	156	2	-	-	31	2	12	1	1	4	2	9	3	94	67	1	1	51	14
Hickman	81	-	-	-	21	10	3	1	4	-	-	3	2	44	34	-	1	24	9
Hopkins	463	1	-	5	95	21	25	8	16	9	3	13	8	245	199	3	2	162	32
Madisonville	199	-	-	1	41	9	8	4	5	4	-	11	4	111	88	-	-	75	13
Balance of county	264	1	-	4	54	12	17	4	11	5	3	2	4	134	111	3	2	87	19
Jackson	122	-	-	1	27	9	4	1	4	1	1	7	3	57	41	-	1	32	8
Jefferson	6,379	7	1	43	1,439	349	430	110	151	54	68	277	139	3,085	2,242	25	91	1,637	489
Louisville	3,906	4	1	22	839	213	238	71	91	25	39	162	80	1,918	1,414	15	64	964	351
St. Matthews	170	-	-	-	47	10	15	3	6	2	1	10	3	82	58	2	2	45	9
Shively	180	1	-	1	41	9	13	2	2	4	4	7	7	85	64	-	2	50	12
Balance of county	2,123	2	-	20	512	117	164	34	52	23	24	88	39	1,000	706	8	23	558	117
Jessamine	170	1	-	3	36	5	10	5	3	-	2	11	-	68	77	-	-	45	32
Johnson	227	-	-	3	31	5	9	1	3	1	5	7	6	120	87	1	-	65	21
Kenton	1,274	2	-	11	282	67	88	21	34	13	6	53	17	656	489	3	24	393	69
Covington	632	2	-	7	136	32	42	11	13	5	4	29	8	329	237	1	14	190	32
Erlanger	97	-	-	-	19	4	3	-	3	2	-	7	2	46	39	-	-	36	3
Balance of county	545	-	-	4	127	31	43	10	18	6	2	17	7	281	207	2	10	157	28
Knott	153	-	1	1	35	9	10	1	2	-	1	12	3	75	66	-	2	60	4
Knox	305	-	-	3	53	15	18	3	5	1	-	11	6	158	123	1	16	84	22
Larue	124	-	-	-	20	3	1	2	3	2	5	4	-	66	49	2	-	35	12
Laurel	302	-	-	3	63	19	13	3	10	2	4	12	6	155	119	2	2	77	38
Lawrence	167	-	-	3	28	8	9	1	1	2	2	5	3	91	80	-	6	47	27
Lee	84	-	-	-	14	2	4	2	3	-	1	2	1	44	38	1	-	29	8
Leslie	99	1	-	1	22	3	8	2	3	-	2	4	-	43	35	-	-	29	6
Letcher	230	1	-	1	41	8	12	3	4	1	4	9	4	111	102	-	3	86	13
Lewis	111	-	-	-	15	3	7	1	1	1	-	2	3	67	50	-	1	43	6
Lincoln	180	-	-	4	30	3	9	3	5	-	-	10	2	91	75	-	1	53	21
Livingston	66	-	-	-	17	4	5	3	2	-	2	1	3	44	35	1	-	30	4
Logan	223	-	-	3	37	13	9	-	7	1	1	6	2	124	96	1	7	77	19
Lyon	52	-	-	1	12	2	4	-	2	-	-	4	-	27	21	-	-	12	9
McCracken	731	-	-	2	160	48	44	11	14	7	3	33	14	392	287	1	5	227	54
Paducah	500	-	-	1	106	30	29	7	9	4	3	24	11	278	196	1	2	151	42
Balance of county	231	-	-	1	54	18	15	4	5	3	-	9	3	114	91	-	3	76	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Carroll	–	6	2	2	8	3	–	1	–	–	1	–	2	5	4	2	1	2	–
Carter	1	24	1	2	9	8	–	5	1	–	1	3	2	12	8	7	–	1	–
Casey	–	23	2	–	3	6	–	–	–	–	1	–	2	10	7	6	5	–	–
Christian	2	56	7	2	11	12	5	5	5	–	4	5	5	50	16	25	11	9	–
Hopkinsville	–	40	3	1	9	7	5	4	5	–	3	2	3	32	5	11	6	3	–
Balance of county	2	16	4	1	2	5	–	1	–	–	1	3	2	18	11	14	5	6	–
Clark	2	18	3	2	3	4	–	5	3	–	–	3	4	22	5	9	5	3	–
Winchester	2	10	2	2	3	2	–	1	1	–	–	2	2	13	3	3	3	2	–
Balance of county	–	6	1	–	–	2	–	4	2	–	–	1	2	9	2	6	2	1	–
Clay	–	15	5	2	3	8	–	1	1	–	1	2	2	7	9	3	–	7	1
Clinton	1	5	–	–	3	1	–	–	–	–	–	1	–	8	1	5	–	–	–
Crittenden	–	19	2	–	11	5	–	1	–	–	–	–	–	6	1	5	–	1	–
Cumberland	2	8	1	–	1	1	–	1	1	–	1	–	–	2	2	3	2	–	–
Daviess	1	89	8	5	17	13	2	12	8	–	4	7	5	60	15	18	12	4	1
Owensboro	1	59	6	4	10	5	2	9	6	–	3	4	5	47	6	15	10	3	1
Balance of county	–	30	2	1	7	8	–	3	2	–	1	3	–	13	9	3	2	1	–
Edmonson	–	7	1	–	5	–	1	–	–	–	–	2	1	5	3	1	1	–	1
Elliott	–	4	1	1	–	1	1	–	–	–	–	1	–	4	2	1	1	1	–
Estill	–	16	5	–	4	1	–	–	6	–	2	–	1	13	3	4	2	1	–
Fayette	4	93	6	13	24	38	2	16	13	1	11	8	7	125	28	44	33	15	–
Lexington	4	92	5	12	22	38	2	16	12	1	11	8	7	122	27	41	30	15	–
Balance of county	–	1	1	1	2	–	–	–	1	–	–	–	–	3	2	3	3	–	–
Fleming	–	11	1	1	4	4	–	–	4	–	–	3	1	5	7	2	1	2	–
Floyd	–	37	5	3	11	13	–	1	5	–	5	2	4	33	12	13	4	2	1
Franklin	–	38	1	6	9	6	1	9	5	–	1	1	1	26	6	14	5	2	1
Frankfort	–	30	–	3	8	4	–	8	4	–	1	1	–	17	1	9	1	2	1
Balance of county	–	8	1	3	1	2	1	1	1	–	–	–	1	9	4	5	4	–	–
Fulton	1	11	4	2	–	2	–	2	2	–	2	2	–	8	2	5	–	1	1
Gallatin	–	7	–	–	2	1	–	2	–	–	–	–	–	2	1	3	3	–	–
Garrard	–	10	–	–	2	2	–	2	–	–	–	–	–	4	4	2	2	–	–
Grant	–	10	1	3	–	2	1	2	–	–	–	2	–	11	1	7	3	–	–
Graves	–	34	5	2	9	16	–	1	8	–	1	2	2	26	7	10	5	1	–
Mayfield	–	11	1	1	4	7	–	–	4	–	–	2	–	9	1	4	2	–	–
Balance of county	–	23	4	1	5	9	–	1	4	–	1	–	2	17	6	6	3	1	–
Grayson	–	21	1	1	6	7	–	–	3	–	–	2	–	17	8	6	1	–	–
Green	–	16	5	–	3	1	2	–	–	–	1	1	–	9	4	5	1	–	–
Greenup	–	22	8	1	9	14	2	4	2	–	4	3	4	28	6	12	2	4	–
Hancock	–	5	–	–	1	–	–	–	1	–	–	–	1	6	1	4	1	–	–
Hardin	1	33	2	3	13	12	1	7	5	–	6	15	10	45	20	23	6	11	1
Elizabethtown	1	7	1	–	5	6	1	1	–	–	–	5	2	18	1	3	2	3	–
Balance of county	–	26	1	3	8	6	–	6	5	–	6	10	8	27	19	20	4	8	1
Harlan	1	20	4	5	9	12	1	5	3	–	3	8	2	51	12	21	3	11	–
Harrison	1	22	6	–	3	4	1	2	1	–	1	3	–	10	2	8	4	1	–
Hart	–	22	1	2	4	2	–	1	5	–	–	2	1	12	7	4	2	–	–
Henderson	1	21	5	–	11	12	–	4	1	–	2	7	1	40	18	13	5	1	3
Henderson	1	19	3	–	7	8	–	4	1	–	2	4	1	31	8	7	5	–	3
Balance of county	–	2	2	–	4	4	–	–	–	–	–	3	–	9	10	6	–	1	–
Henry	2	21	3	1	7	1	–	1	–	–	1	–	–	5	3	7	1	–	–
Hickman	–	8	1	1	1	–	–	–	1	–	–	2	–	7	3	–	–	–	–
Hopkins	–	44	1	1	7	10	1	6	–	–	–	6	1	31	8	22	11	6	–
Madisonville	–	23	–	–	–	2	–	1	–	–	–	3	1	13	1	12	6	3	–
Balance of county	–	21	1	1	7	8	1	5	–	–	–	3	–	18	7	10	5	3	–
Jackson	–	14	1	1	2	5	–	1	2	–	2	–	–	9	6	5	2	–	–
Jefferson	27	669	87	60	150	203	25	111	37	1	40	70	35	533	114	151	98	93	4
Louisville	18	402	53	31	99	124	17	75	24	1	20	44	22	342	54	93	51	64	2
St. Matthews	–	19	3	2	6	11	2	–	1	–	1	–	–	13	1	1	1	1	–
Shively	2	15	1	3	8	6	2	4	2	–	–	–	2	15	1	2	1	1	1
Balance of county	7	233	30	24	37	62	4	32	10	–	19	26	11	163	58	55	45	27	1
Jessamine	1	8	1	1	4	6	–	1	2	–	1	3	4	9	5	3	1	3	–
Johnson	1	24	5	3	4	7	–	2	2	–	2	4	–	18	15	9	2	1	1
Kenton	3	145	18	7	36	34	2	21	8	–	9	15	7	90	25	35	12	12	–
Covington	2	77	9	4	17	20	1	10	3	–	–	5	6	46	12	19	2	9	–
Erlanger	–	6	1	–	1	2	1	1	2	–	2	3	–	11	1	3	2	1	–
Balance of county	1	62	8	3	18	12	–	10	3	–	7	7	1	33	12	13	8	2	–
Knott	–	9	–	–	5	4	–	–	1	–	1	–	–	9	8	7	1	2	–
Knox	–	31	2	2	5	15	1	1	2	–	2	3	2	20	12	12	5	5	–
Larue	–	10	5	2	1	3	2	–	–	–	2	1	2	17	4	5	1	–	–
Laurel	1	31	1	3	3	6	1	–	1	–	1	4	1	21	14	17	2	4	–
Lawrence	–	10	–	1	2	6	1	–	1	–	1	–	–	17	6	4	3	1	–
Lee	–	6	–	–	3	3	–	–	–	–	1	–	–	8	1	1	5	3	–
Leslie	–	6	1	1	2	1	–	1	2	–	–	2	–	10	5	4	–	5	–
Letcher	–	9	–	–	8	8	–	4	2	–	3	–	2	16	9	15	4	1	–
Lewis	–	14	3	–	2	1	1	1	–	–	1	2	1	7	3	6	1	–	–
Lincoln	–	12	4	–	8	3	2	3	2	–	1	4	2	16	3	4	2	3	–
Livingston	–	5	1	3	5	3	–	1	–	–	–	–	–	6	3	3	–	1	–
Logan	–	20	2	4	6	9	1	3	–	–	2	1	1	14	10	7	1	2	–
Lyon	1	4	–	1	4	1	–	–	–	–	–	–	–	4	1	2	–	–	–
McCracken	1	89	10	5	15	18	2	4	5	–	3	8	6	56	14	13	8	12	1
Paducah	1	69	9	3	12	15	2	2	3	–	2	1	2	44	4	7	5	5	–
Balance of county	–	20	1	2	3	3	–	2	2	–	1	5	4	12	10	6	3	7	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Kentucky—Con.																			
McCreary	127	1	–	1	17	9	3	1	–	1	–	3	3	77	60	–	1	47	1
McLean	116	1	–	1	25	5	8	1	2	3	2	4	4	67	51	1	–	39	1
Madison	364	–	–	3	74	20	19	6	8	5	3	13	3	179	139	2	6	105	2
Richmond	156	–	–	2	38	7	13	3	5	2	1	7	–	73	57	–	3	49	
Balance of county	208	–	–	1	36	13	6	3	3	3	2	6	3	106	82	2	3	56	2
Magoffin	99	–	–	3	13	2	2	1	1	1	2	4	1	55	42	–	2	32	
Marion	153	1	–	1	32	11	13	2	1	1	3	1	4	73	61	–	3	45	1
Marshall	232	1	–	3	40	10	11	1	7	2	1	8	3	133	106	1	1	94	1
Martin	96	–	–	1	17	7	6	1	–	–	–	3	–	39	37	–	–	21	1
Mason	196	–	–	5	33	7	8	2	3	1	2	10	1	108	79	–	2	59	1
Meade	106	1	–	2	26	9	9	2	1	–	1	4	–	45	38	–	–	28	1
Menifee	45	–	–	–	10	5	2	1	–	–	–	2	–	28	19	–	–	11	
Mercer	182	–	–	1	38	8	10	5	5	3	2	7	1	94	80	1	2	65	1
Metcalfe	101	–	–	–	23	8	5	–	2	2	1	5	3	55	41	–	1	26	1
Monroe	149	–	–	–	23	3	9	4	2	–	–	5	1	86	74	1	–	53	1
Montgomery	162	1	–	2	29	9	8	3	5	1	–	3	4	81	61	–	1	43	1
Morgan	102	1	–	1	16	4	4	1	2	–	–	5	1	51	38	–	2	29	
Muhlenberg	326	1	–	–	67	15	18	7	11	1	1	14	4	150	112	1	5	81	2
Nelson	190	–	–	–	51	14	14	4	3	2	3	11	1	96	78	1	3	59	1
Nicholas	76	–	–	–	12	4	3	1	2	–	–	2	2	43	29	–	–	23	
Ohio	248	–	–	3	41	9	8	4	7	4	1	8	–	140	107	5	2	84	1
Oldham	131	1	–	1	30	9	5	4	3	1	2	6	1	66	45	–	2	36	
Owen	89	–	–	–	14	7	1	1	2	–	–	3	2	64	55	–	–	48	
Owsley	51	–	–	1	11	1	4	2	1	–	1	2	–	25	17	–	2	12	
Pendleton	122	–	–	–	17	5	4	2	2	1	1	2	2	71	56	–	–	31	2
Perry	274	–	–	1	58	14	24	2	8	2	–	8	5	111	102	1	2	86	1
Pike	608	1	–	5	120	26	44	2	21	4	3	20	22	276	211	3	2	166	4
Powell	79	–	–	–	15	3	5	–	2	2	–	3	1	40	33	–	–	23	1
Pulaski	497	–	–	1	81	21	23	8	10	5	2	12	8	232	175	–	2	128	4
Somerset	135	–	–	1	27	6	5	3	6	1	1	5	2	74	56	–	1	43	1
Balance of county	362	–	–	–	54	15	18	5	4	4	1	7	6	158	119	–	1	85	3
Robertson	25	–	–	–	3	1	1	–	–	–	–	1	–	17	15	–	–	11	
Rockcastle	148	–	–	1	28	8	11	–	3	1	1	2	3	76	66	–	2	41	2
Rowan	135	–	–	1	25	8	6	1	4	–	–	6	2	71	56	–	2	45	
Russell	124	1	–	–	19	5	8	–	2	–	1	3	1	68	47	–	3	32	1
Scott	181	1	–	1	29	8	4	6	4	2	1	4	4	83	72	–	6	45	2
Shelby	208	–	–	1	38	14	8	1	4	2	1	8	6	112	77	–	2	59	
Simpson	143	1	–	1	35	12	11	2	1	2	–	7	1	78	60	–	1	34	2
Spencer	49	–	–	–	11	4	4	–	1	–	–	2	1	24	17	–	–	16	
Taylor	182	–	–	–	43	12	14	3	2	3	1	8	6	95	74	–	–	65	
Todd	130	–	–	1	25	6	7	3	3	2	1	3	2	73	56	–	5	37	1
Trigg	111	1	–	–	27	12	5	1	4	1	–	4	1	55	43	–	–	32	1
Trimble	53	–	–	–	7	1	1	–	2	–	–	3	1	28	20	–	–	18	
Union	147	–	–	1	27	5	9	3	1	1	2	6	5	69	57	–	–	50	
Warren	522	2	–	2	113	31	20	12	22	3	6	19	4	254	183	–	3	147	3
Bowling Green	340	1	–	1	70	18	10	8	13	2	5	14	2	177	131	–	2	109	2
Balance of county	182	1	–	1	43	13	10	4	9	1	1	5	2	77	52	–	1	38	1
Washington	131	–	–	1	17	8	4	–	2	–	–	3	3	69	53	2	4	36	1
Wayne	142	–	–	1	32	12	9	1	4	–	1	5	4	66	55	2	5	36	1
Webster	187	–	–	2	28	6	11	3	4	1	1	2	5	113	83	–	1	62	2
Whitley	329	–	–	3	65	12	22	6	4	2	3	16	6	169	133	1	1	111	2
Wolfe	66	–	–	1	11	3	2	2	1	–	–	3	1	41	31	–	–	20	1
Woodford	143	–	–	–	24	12	6	–	1	1	–	4	3	67	45	–	6	22	1
Louisiana	34,771	59	4	384	6,843	1,729	1,889	497	701	288	277	1,462	770	16,912	12,710	52	668	9,036	2,954
Urban places	18,810	37	1	191	3,373	868	881	251	358	130	127	758	427	8,021	6,052	29	383	4,182	1,468
Balance of area	17,961	22	3	193	3,470	861	1,008	246	343	158	150	704	343	8,891	6,658	23	285	4,854	1,486
Metropolitan counties	18,575	40	1	203	3,778	956	1,037	286	369	149	151	830	489	8,775	6,731	33	433	4,669	1,595
Urban places	13,525	34	1	147	2,749	709	718	209	286	100	108	619	364	6,340	4,873	23	331	3,306	1,213
Balance of area	5,050	6	–	56	1,029	247	319	77	83	49	43	211	105	2,435	1,858	10	102	1,363	369
Nonmetropolitan counties	16,196	19	3	181	3,065	773	852	211	332	139	126	632	301	8,137	5,979	19	235	4,367	1,358
Urban places	3,285	3	–	44	624	159	163	42	72	30	19	139	63	1,681	1,179	6	52	876	245
Balance of area	12,911	16	3	137	2,441	614	689	169	260	109	107	493	238	6,456	4,800	13	183	3,491	1,113
Acadia	527	–	–	3	95	19	22	9	16	6	4	19	6	266	182	–	12	135	36
Crowley	180	–	–	2	30	6	7	1	6	2	2	6	1	90	60	–	7	43	10
Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	347	–	–	1	65	13	15	8	10	4	2	13	5	176	122	–	5	92	25
Allen	221	–	1	2	40	8	9	4	7	3	–	9	5	110	80	–	1	69	10
Ascension	325	–	–	1	70	21	20	6	11	4	5	12	7	165	128	1	11	82	34
Assumption	181	–	–	1	35	9	15	5	1	–	–	5	4	103	80	–	3	62	15
Avoyelles	399	–	–	2	74	20	17	5	11	3	4	14	10	197	137	1	2	110	24
Beauregard	247	–	–	2	41	15	14	2	2	3	1	4	6	138	107	–	2	91	14
Bienville	222	1	–	3	43	9	7	1	4	3	4	15	8	126	84	–	3	47	4
Bossier	466	–	–	6	78	28	23	7	8	2	2	8	7	227	176	–	16	109	5
Bossier City	279	–	–	3	46	16	12	5	5	2	1	5	3	128	103	–	6	64	3
Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	187	–	–	3	32	12	11	2	3	–	1	3	4	99	73	–	10	45	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
McCreary	–	12	2	3	4	1	–	1	1	–	1	2	–	9	6	1	1	1	–
McLean	–	12	3	1	4	1	–	2	1	–	1	–	–	4	3	2	–	–	–
Madison	1	34	1	4	12	5	1	4	5	–	3	10	5	27	9	10	6	6	–
Richmond	–	13	–	3	6	4	–	2	2	–	1	3	2	12	1	4	3	3	–
Balance of county	1	21	1	1	6	1	1	2	3	–	2	7	3	15	8	6	5	3	–
Magoffin	–	11	1	1	1	2	–	–	–	–	2	2	–	7	3	5	1	3	1
Marion	3	7	1	1	1	7	1	3	–	–	1	–	1	10	5	9	1	3	–
Marshall	2	20	2	3	1	4	2	4	5	–	–	3	–	10	7	10	4	2	–
Martin	–	2	–	–	–	3	–	–	2	–	–	1	–	14	9	6	2	2	–
Mason	–	27	1	1	2	3	–	1	2	–	2	4	2	13	10	5	4	1	–
Meade	–	6	1	–	2	1	–	2	1	–	2	1	–	8	6	3	2	4	–
Menifee	5	3	–	1	–	–	–	–	–	–	–	1	–	–	3	3	–	–	–
Mercer	–	12	1	1	3	6	–	2	2	–	1	–	–	9	8	7	9	–	1
Metcalfe	–	10	3	1	1	5	–	–	–	–	–	1	2	2	5	2	1	1	–
Monroe	–	12	–	–	1	4	1	–	2	–	–	4	1	12	5	7	1	–	1
Montgomery	3	12	5	–	4	1	1	–	6	–	–	–	1	12	9	5	5	1	–
Morgan	1	11	1	–	4	5	3	–	–	–	–	1	–	8	4	4	2	1	–
Muhlenberg	1	29	4	4	11	7	–	1	2	–	1	4	1	39	14	13	7	3	1
Nelson	–	13	5	–	6	5	–	2	–	–	1	2	–	9	5	5	3	2	–
Nicholas	–	12	2	–	–	1	–	1	2	–	–	1	–	6	2	3	3	–	–
Ohio	–	31	2	–	15	13	–	2	2	–	1	1	–	11	5	6	6	2	–
Oldham	–	16	5	–	3	1	–	1	–	–	1	1	–	8	7	6	3	1	–
Owen	–	9	–	–	–	–	1	1	–	–	–	1	–	1	2	2	1	–	–
Owsley	–	5	2	1	–	1	–	–	1	–	1	–	–	5	3	2	1	–	–
Pendleton	–	12	3	–	1	7	1	–	–	–	2	1	–	12	3	1	4	–	–
Perry	–	7	2	–	6	11	1	3	2	–	3	–	3	22	13	19	4	12	–
Pike	–	56	7	2	17	26	3	9	1	–	4	5	3	40	15	26	19	12	4
Powell	1	5	1	–	1	2	–	2	–	–	–	2	1	7	4	2	2	–	–
Pulaski	2	38	12	5	14	6	2	3	2	1	4	5	2	35	17	13	3	6	–
Somerset	1	11	4	2	4	1	–	1	1	–	–	1	–	14	3	4	1	1	–
Balance of county	1	27	8	3	10	5	2	2	1	1	4	4	2	21	14	9	2	7	–
Robertson	–	2	–	–	1	–	–	–	–	–	–	–	–	3	–	1	–	–	–
Rockcastle	–	9	–	1	3	3	1	–	4	–	–	–	1	13	13	4	–	–	–
Rowan	1	12	2	–	1	5	–	2	–	–	1	1	1	12	5	6	1	1	–
Russell	–	15	4	2	4	2	1	–	–	–	–	–	–	13	7	3	3	2	–
Scott	–	6	4	1	8	10	1	2	2	–	2	–	1	22	7	6	1	1	–
Shelby	1	22	11	1	4	6	–	2	–	–	1	1	2	8	12	10	3	1	1
Simpson	–	16	1	1	3	4	–	–	3	–	2	1	1	5	4	1	2	1	–
Spencer	2	3	2	–	1	1	–	1	1	–	–	–	–	2	3	4	–	–	–
Taylor	–	19	1	1	8	2	2	1	1	–	1	3	–	11	6	2	2	1	–
Todd	3	12	2	–	–	3	1	–	–	–	2	2	–	10	5	4	–	1	1
Trigg	2	10	–	–	5	1	–	–	1	–	–	2	1	8	4	4	–	1	–
Trimble	–	4	4	–	2	1	–	–	–	–	1	–	–	5	3	3	1	–	1
Union	2	6	4	–	2	4	1	–	–	–	1	4	–	15	4	12	2	–	–
Warren	3	52	9	7	16	12	3	11	6	–	5	5	2	36	24	12	7	8	–
Bowling Green	3	33	5	5	12	7	2	9	4	–	3	4	1	21	13	6	2	5	–
Balance of county	–	19	4	2	4	5	1	2	2	–	2	1	1	15	11	6	5	3	–
Washington	–	12	3	1	8	5	–	–	1	–	1	1	5	14	1	5	–	–	–
Wayne	–	7	3	1	4	3	–	3	1	–	1	1	1	12	4	4	4	1	–
Webster	1	22	5	2	3	5	1	1	3	–	1	1	1	11	7	4	1	–	–
Whitley	1	30	2	3	12	14	–	1	5	–	–	3	–	14	14	12	3	3	5
Wolfe	–	8	1	1	1	1	–	–	3	–	–	–	1	3	1	–	–	2	–
Woodford	–	16	1	5	5	8	2	3	1	–	1	1	1	13	10	2	2	–	–
Louisiana	127	3,138	693	304	697	729	86	388	391	13	288	857	322	2,553	1,224	1,206	501	717	27
Urban places	75	1,450	297	147	355	357	39	226	199	8	117	330	163	1,311	416	518	246	462	13
Balance of area	52	1,688	336	157	342	372	47	162	192	5	171	327	159	1,242	808	688	255	255	14
Metropolitan counties	69	1,497	308	170	330	386	42	245	222	8	134	396	178	1,442	530	594	290	497	15
Urban places	53	1,082	209	123	268	280	32	181	171	4	95	282	145	1,072	320	423	201	408	10
Balance of area	16	415	99	47	64	106	10	64	51	4	39	114	33	370	210	171	89	89	5
Nonmetropolitan counties	58	1,641	325	134	367	343	44	143	169	5	154	261	144	1,111	694	612	211	220	12
Urban places	22	388	88	24	89	77	7	45	28	4	22	48	18	239	96	95	45	54	3
Balance of area	36	1,273	237	110	278	266	37	98	141	1	132	213	126	872	598	517	166	166	9
Acadia	4	49	23	8	10	12	1	7	5	–	4	11	5	52	22	12	9	7	–
Crowley	3	16	9	2	3	7	1	4	–	–	–	3	2	22	5	2	5	3	–
Eunice, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	1	33	14	6	7	5	–	3	5	–	4	8	3	30	17	10	4	4	–
Allen	–	26	2	2	7	7	1	2	2	–	1	3	1	17	12	7	3	–	–
Ascension	5	23	6	3	1	1	1	–	5	–	1	7	1	18	19	12	4	3	–
Assumption	1	16	4	2	1	2	–	1	–	–	–	4	–	9	9	7	1	4	–
Avoyelles	–	45	14	1	8	11	1	4	3	–	2	6	5	26	29	12	8	1	–
Beauregard	2	21	7	1	4	6	1	3	3	–	1	2	1	19	5	8	5	2	–
Bienville	3	26	2	1	3	1	–	–	–	–	1	–	3	21	7	3	1	1	–
Bossier	1	34	6	10	9	12	–	5	7	–	7	9	1	44	15	21	11	7	–
Bossier City	–	17	4	4	6	8	–	4	4	–	3	7	1	29	9	16	8	4	–
Shreveport, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	1	17	2	6	3	4	–	1	3	–	4	2	–	15	6	5	3	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Caddo	2,464	2	–	26	491	126	124	38	67	16	21	89	79	1,195	942	4	40	633	255
Shreveport, part	2,138	2	–	23	434	110	105	37	64	13	20	85	68	1,037	815	3	34	539	239
Shreveport, total	2,138	2	–	23	434	110	105	37	64	13	20	85	68	1,037	815	3	34	539	239
Balance of parish	326	–	–	3	57	16	19	1	3	3	1	14	11	158	127	1	6	94	26
Calcasieu	1,319	2	–	9	258	64	65	18	24	11	17	59	31	634	423	4	23	305	91
Lake Charles	707	–	–	6	144	38	34	10	17	5	10	30	21	332	210	2	13	156	39
Sulphur	161	–	–	–	40	9	12	4	3	–	1	11	–	82	58	–	2	35	21
Balance of parish	451	2	–	3	74	17	19	4	4	6	6	18	10	220	155	2	8	114	31
Caldwell	113	–	–	–	19	4	7	2	1	1	1	3	3	64	51	–	2	37	12
Cameron	86	–	–	–	17	2	3	–	2	2	–	2	–	37	31	–	–	26	5
Catahoula	151	–	–	–	25	10	4	–	1	3	3	4	5	85	57	1	1	41	14
Claiborne	204	–	–	4	33	8	8	3	9	1	2	2	6	111	88	–	2	70	16
Concordia	204	–	–	1	42	6	16	4	7	1	1	7	4	99	55	1	6	38	10
De Soto	310	–	1	2	55	17	15	1	6	1	5	10	1	159	98	1	1	79	23
East Baton Rouge	2,191	1	–	18	409	88	123	36	42	13	14	83	41	1,138	897	1	68	687	141
Baton Rouge	1,771	1	–	16	337	75	100	26	39	10	11	76	32	932	734	1	60	556	117
Balance of parish	420	–	–	2	72	13	23	10	3	3	3	17	9	206	163	–	8	131	24
East Carroll	139	–	–	2	26	8	9	2	3	1	–	3	5	71	45	–	7	33	5
East Feliciana	182	–	–	4	31	7	9	2	2	3	1	7	10	92	75	–	4	60	11
Evangeline	395	–	1	7	85	23	24	5	7	–	5	21	2	172	129	1	8	79	41
Franklin	242	–	–	–	45	13	13	3	5	1	1	9	3	131	97	–	2	79	16
Grant	171	–	–	3	38	9	12	5	5	–	–	7	3	82	61	–	–	46	13
Iberia	515	–	–	6	114	30	36	7	17	3	3	18	11	238	164	1	16	96	51
New Iberia	294	–	–	4	61	15	23	3	7	1	2	10	7	141	93	1	10	60	22
Balance of parish	221	–	–	2	53	15	13	4	10	2	1	8	4	97	71	–	6	36	29
Iberville	313	1	–	2	57	12	17	4	9	2	1	12	11	147	108	–	17	82	29
Jackson	191	–	–	3	38	12	7	1	4	6	2	6	1	115	71	–	3	54	14
Jefferson	2,802	3	–	32	628	147	192	42	46	28	25	146	63	1,298	991	4	72	720	195
Gretna	287	–	–	2	72	16	24	5	4	4	2	17	5	122	96	–	8	66	22
Harahan	81	–	–	1	17	10	2	–	–	–	2	3	5	38	28	–	2	22	4
Kenner	260	–	–	4	47	12	12	2	2	–	1	18	3	126	94	–	13	68	13
Westwego	145	–	–	1	36	4	16	1	4	–	2	9	3	57	46	–	1	35	10
Balance of parish	2,029	3	–	24	456	105	138	34	38	24	18	99	47	955	727	4	48	529	146
Jefferson Davis	288	–	–	3	55	15	17	4	1	4	2	12	5	136	91	1	2	59	29
Jennings	123	–	–	1	23	7	6	–	–	3	–	7	4	58	37	–	2	21	14
Balance of parish	165	–	–	2	32	8	11	4	1	1	2	5	1	78	54	1	–	38	15
Lafayette	818	1	–	12	152	32	47	7	18	11	3	34	21	373	254	2	3	181	66
Lafayette	552	1	–	9	107	26	30	1	14	9	2	25	16	249	170	2	2	118	48
Balance of parish	266	–	–	3	45	6	17	6	4	2	1	9	5	125	84	–	1	63	20
Lafourche	495	2	–	4	96	26	20	6	11	5	3	25	16	234	182	–	3	144	45
Thibodaux	143	1	–	1	34	7	9	2	5	3	2	6	7	70	56	–	2	41	13
Balance of parish	352	1	–	3	62	19	11	4	6	2	1	19	9	164	126	–	1	103	32
La Salle	187	–	–	3	34	7	11	1	6	1	–	8	1	102	79	1	1	62	15
Lincoln	271	1	–	5	55	16	10	7	7	1	4	10	3	134	81	–	2	64	15
Ruston	120	1	–	2	22	2	5	3	5	–	3	4	1	60	35	–	1	28	6
Balance of parish	151	–	–	3	33	14	5	4	2	1	1	6	2	74	46	–	1	36	9
Livingston	367	–	–	5	53	14	20	3	4	1	3	8	7	157	129	1	1	79	48
Madison	169	–	–	1	28	8	7	2	3	1	–	7	2	92	72	1	4	43	24
Morehouse	339	1	–	1	64	19	21	4	6	3	1	10	3	164	120	–	11	84	25
Bastrop	182	–	–	1	32	14	5	3	2	2	–	6	2	92	68	–	7	45	16
Balance of parish	157	1	–	–	32	5	16	1	4	1	1	4	1	72	52	–	4	39	9
Natchitoches	384	–	–	3	60	16	14	7	5	1	1	16	8	230	142	2	4	119	17
Natchitoches	167	–	–	1	25	7	3	2	1	1	1	10	2	101	56	1	2	45	6
Balance of parish	217	–	–	2	35	9	11	5	4	–	–	6	6	129	86	1	2	74	9
Orleans, coext. with New Orleans city	6,165	29	1	73	1,285	351	317	99	118	52	44	304	182	2,765	2,143	13	169	1,478	488
Ouachita	1,087	1	–	11	212	39	60	24	23	7	13	46	28	517	411	1	23	196	189
Monroe	631	1	–	6	101	18	30	8	11	2	8	24	21	315	253	–	19	106	128
West Monroe	200	–	–	2	48	13	13	7	3	2	3	7	2	99	77	1	–	40	36
Balance of parish	256	–	–	3	63	8	17	9	9	3	2	15	5	103	81	–	4	52	25
Plaquemines	175	1	–	2	32	6	5	3	3	3	2	10	3	70	58	–	1	38	19
Pointe Coupee	214	–	–	5	50	14	12	3	7	7	–	7	3	108	76	–	1	68	12
Rapides	1,193	3	–	13	227	60	62	20	21	8	3	53	20	606	466	2	14	386	64
Alexandria	637	1	–	9	131	40	32	10	10	5	2	32	8	335	252	2	9	201	40
Balance of parish	556	2	–	4	96	20	30	10	11	3	1	21	12	271	214	–	5	185	24
Red River	122	–	–	–	12	2	2	–	3	–	4	1	5	71	58	–	–	18	40
Richland	234	1	–	1	39	7	14	3	4	3	1	7	1	138	101	–	5	82	14
Sabine	213	1	–	1	43	14	9	2	6	–	7	5	6	108	73	–	1	41	31
St. Bernard	503	–	–	9	107	39	38	4	5	5	6	12	6	261	214	1	8	177	28
St. Charles	230	1	–	2	51	16	20	5	2	–	1	7	4	112	93	1	–	64	28
St. Helena	87	1	–	3	14	2	5	–	1	1	1	4	2	45	35	–	2	22	11
St. James	161	–	–	2	34	8	9	2	5	1	1	8	1	80	54	–	6	32	16
St. John the Baptist	214	–	–	2	43	12	13	3	4	2	2	7	4	110	70	–	5	47	18
St. Landry	805	–	–	12	144	43	47	6	16	6	6	20	24	411	329	1	19	233	76
Eunice, part	124	–	–	2	24	8	9	1	1	–	–	5	4	67	53	–	3	33	17
Eunice, total	124	–	–	2	24	8	9	1	1	–	–	5	4	67	53	–	3	33	17
Opelousas	232	–	–	3	38	8	12	3	5	4	–	6	10	126	97	1	3	70	29
Balance of parish	449	–	–	7	82	27	26	2	10	2	6	9	10	218	179	–	13	130	36
St. Martin	295	1	–	3	68	14	18	4	8	6	1	17	4	136	103	1	7	77	18
St. Mary	460	–	–	1	100	25	31	7	12	6	4	15	7	199	164	–	10	119	35
Morgan City	126	–	–	–	25	5	9	1	4	2	–	4	3	55	46	–	1	38	7
Balance of parish	334	–	–	1	75	20	22	6	8	4	4	11	4	144	118	–	9	81	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Caddo	8	219	9	17	59	73	2	25	28	–	15	41	12	199	61	65	29	62	–
Shreveport, part	7	194	6	15	51	63	2	21	25	–	13	40	8	172	46	51	27	55	–
Shreveport, total	7	194	6	15	51	63	2	21	25	–	13	40	8	172	46	51	27	55	–
Balance of parish	1	25	3	2	8	10	–	4	3	–	2	1	4	27	15	14	2	7	–
Calcasieu	2	140	59	10	22	31	3	16	19	1	12	39	9	90	39	48	25	30	1
Lake Charles	1	78	41	2	12	16	2	10	10	1	6	15	4	47	18	24	18	21	–
Sulphur	1	14	4	5	4	5	1	1	2	–	1	5	1	9	4	6	1	–	–
Balance of parish	–	48	14	3	6	10	–	5	7	–	5	19	4	35	17	18	6	9	1
Caldwell	1	8	3	1	2	4	–	3	1	–	–	1	–	8	3	5	–	–	–
Cameron	1	5	–	–	2	2	1	2	1	–	3	1	–	7	5	3	5	–	–
Catahoula	1	25	1	1	5	3	–	1	3	–	1	1	2	10	5	4	–	1	–
Claiborne	1	21	–	1	6	5	1	1	3	–	2	5	1	10	6	4	2	4	–
Concordia	–	34	4	–	6	4	–	2	4	–	–	4	2	11	14	9	6	2	–
De Soto	–	47	8	6	13	3	1	4	4	–	4	6	4	23	12	10	2	6	–
East Baton Rouge	8	167	38	28	34	40	3	33	24	1	10	48	8	149	70	58	35	51	10
Baton Rouge	7	136	31	24	28	28	2	27	19	1	17	39	8	111	52	41	30	40	9
Balance of parish	1	31	7	4	6	11	1	6	5	–	2	9	–	38	18	18	5	11	1
East Carroll	–	16	9	1	2	4	–	1	2	–	5	2	–	6	4	3	3	3	–
East Feliciana	1	16	–	–	5	3	–	1	1	–	–	2	–	15	8	9	1	–	–
Evangeline	–	35	4	4	9	14	1	4	6	–	4	9	1	27	20	16	14	3	–
Franklin	–	26	1	7	14	5	1	–	3	–	–	5	1	16	5	6	3	4	–
Grant	–	15	2	4	2	5	1	2	–	–	–	2	2	20	4	4	2	1	–
Iberia	2	44	22	6	7	9	2	4	5	1	6	9	5	42	22	17	10	7	–
New Iberia	2	29	14	3	6	5	1	4	4	1	1	6	2	29	10	5	5	2	–
Balance of parish	–	15	8	3	1	4	1	–	1	–	5	3	3	13	12	12	5	5	–
Iberville	–	29	5	5	9	4	1	1	5	–	2	8	2	35	6	17	3	2	–
Jackson	–	36	8	–	3	5	2	–	1	–	1	2	2	6	6	3	–	3	–
Jefferson	8	240	38	21	38	41	9	48	31	3	25	60	6	208	85	101	62	58	3
Gretna	1	20	3	2	4	1	–	6	6	–	2	3	1	30	8	10	7	6	–
Harahan	–	9	1	–	1	3	1	–	1	–	1	–	–	7	1	3	1	1	–
Kenner	1	26	2	3	5	6	1	3	2	–	5	7	2	11	10	17	5	6	–
Westwego	–	9	1	1	5	4	1	4	–	–	1	2	1	10	2	8	5	5	–
Balance of parish	6	176	31	15	23	27	6	35	20	3	16	48	2	150	64	63	44	40	3
Jefferson Davis	2	32	8	3	12	8	1	3	4	–	1	7	1	20	16	11	1	3	1
Jennings	2	14	3	2	8	4	–	3	2	–	–	2	1	9	2	2	1	2	1
Balance of parish	–	18	5	1	4	4	1	–	2	–	1	5	–	11	14	9	–	1	–
Lafayette	4	59	48	8	18	23	1	8	9	–	6	26	2	56	42	32	28	11	–
Lafayette	3	39	30	6	13	17	–	7	7	–	5	17	2	42	21	19	15	6	–
Balance of parish	1	20	18	2	5	6	1	1	2	–	1	9	–	16	21	13	8	5	–
Lafourche	4	23	12	3	10	8	–	5	3	–	3	16	6	25	26	27	6	7	1
Thibodaux	1	8	4	1	4	3	–	2	1	–	–	3	1	2	5	6	2	1	–
Balance of parish	3	15	8	2	6	5	–	3	2	–	3	13	5	23	21	21	4	6	1
La Salle	–	17	4	2	4	1	1	1	3	–	2	1	–	12	12	8	1	–	1
Lincoln	1	43	6	3	5	6	–	4	4	–	5	5	4	17	8	5	4	4	2
Ruston	–	20	3	2	1	2	–	2	–	–	2	1	2	8	7	4	3	1	1
Balance of parish	1	23	3	1	4	4	–	2	4	–	3	4	2	9	1	1	1	3	1
Livingston	4	21	2	1	4	16	2	1	5	–	1	2	17	27	39	15	7	6	3
Madison	1	13	5	1	1	1	–	–	–	–	3	3	2	15	5	10	4	1	1
Morehouse	1	37	4	2	15	13	–	2	5	–	4	7	–	29	9	13	3	6	–
Bastrop	1	23	–	–	9	8	–	1	2	–	3	2	–	18	2	5	1	4	–
Balance of parish	–	14	4	2	6	5	–	1	3	–	1	5	–	11	7	8	2	2	–
Natchitoches	2	75	7	4	4	7	2	1	4	1	5	3	1	23	11	6	7	7	1
Natchitoches	2	38	3	2	3	4	1	1	–	1	4	3	–	9	2	4	3	3	–
Balance of parish	–	37	4	2	1	3	1	–	4	–	1	–	1	14	9	2	4	4	1
Orleans, coext. with New Orleans city	30	488	68	56	116	105	22	88	83	2	35	131	56	548	118	198	73	254	1
Ouachita	2	80	15	9	18	28	1	8	9	–	7	17	77	63	38	32	11	9	–
Monroe	2	44	12	4	10	16	–	6	8	–	5	8	51	43	16	15	4	5	–
West Monroe	–	18	3	1	5	3	–	2	1	–	–	4	10	9	4	7	2	2	–
Balance of parish	–	18	–	4	3	9	1	–	–	–	2	5	16	11	18	10	5	2	–
Plaquemines	–	7	4	1	9	3	–	2	4	–	3	3	4	8	11	15	2	3	–
Pointe Coupee	–	26	2	4	3	5	1	2	4	–	1	–	1	15	7	8	1	–	–
Rapides	4	113	13	10	27	24	4	20	13	1	15	13	2	92	43	36	12	22	–
Alexandria	2	71	5	5	16	10	1	13	6	1	4	4	1	46	19	14	4	14	–
Balance of parish	2	42	8	5	11	14	3	7	7	–	11	9	1	46	24	22	8	8	–
Red River	–	9	2	2	–	5	–	–	3	–	1	2	–	3	10	8	1	1	–
Richland	–	32	2	3	10	6	1	3	3	–	1	–	–	15	5	2	2	6	–
Sabine	–	29	5	1	5	5	2	2	2	–	2	6	2	10	3	10	1	4	–
St. Bernard	1	34	7	5	4	14	–	6	5	–	5	6	–	41	23	7	6	3	–
St. Charles	–	15	3	1	2	5	1	4	3	–	4	4	2	14	12	5	1	3	–
St. Helena	1	8	1	–	4	–	–	1	–	–	–	1	–	8	3	4	–	1	–
St. James	1	20	4	1	3	1	1	–	3	–	2	5	2	8	6	7	3	3	–
St. John the Baptist	–	33	5	2	6	4	–	1	2	–	3	2	–	15	7	10	1	4	–
St. Landry	3	61	10	8	19	26	2	7	13	1	2	9	1	46	24	35	14	15	–
Eunice, part	1	11	–	2	1	5	–	–	3	1	1	1	–	9	2	2	–	2	–
Eunice, total	1	11	–	2	1	5	–	–	3	1	1	1	–	9	2	2	–	2	–
Opelousas	1	21	6	1	7	6	1	3	3	–	–	–	–	12	1	10	9	3	–
Balance of parish	1	29	4	5	11	15	1	4	7	–	1	8	1	25	21	23	5	10	–
St. Martin	–	29	2	2	2	3	1	5	1	–	9	3	–	28	18	9	6	–	–
St. Mary	3	22	7	3	5	6	3	4	2	–	5	9	2	31	36	38	5	5	1
Morgan City	1	7	1	–	1	1	1	3	1	–	1	3	–	9	9	11	1	1	1
Balance of parish	2	15	6	3	4	5	2	1	1	–	4	6	2	22	27	28	4	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
St. Tammany	760	1	–	7	158	42	50	11	16	4	6	29	11	367	280	3	11	181	85
Slidell	148	–	–	1	35	11	11	4	2	1	1	5	3	59	46	1	2	23	20
Balance of parish	612	1	–	6	123	31	39	7	14	3	5	24	8	308	234	2	9	158	65
Tangipahoa	728	1	–	11	123	23	27	15	7	2	5	44	8	398	267	–	4	210	53
Hammond	127	–	–	2	20	4	4	2	1	–	1	8	2	73	42	–	2	27	13
Balance of parish	601	1	–	9	103	19	23	13	6	2	4	36	6	325	225	–	2	183	40
Tensas	126	–	–	–	17	4	5	–	1	2	1	4	–	67	53	–	2	44	7
Terrebonne	585	–	–	13	117	29	31	6	12	9	2	28	9	271	184	–	3	183	18
Houma	291	–	–	9	59	19	15	4	6	4	1	10	5	140	88	–	–	76	12
Balance of parish	294	–	–	4	58	10	16	2	6	5	1	18	4	131	96	–	3	87	6
Union	249	1	–	3	53	12	14	2	9	3	2	11	6	115	88	–	4	53	31
Vermilion	402	–	–	5	76	18	21	7	4	2	6	18	8	207	162	–	2	120	40
Abbeville	120	–	–	1	17	3	5	1	2	1	1	4	2	69	53	–	–	35	18
Balance of parish	282	–	–	4	59	15	16	6	2	1	5	14	6	138	109	–	2	85	22
Vernon	284	–	–	5	37	12	11	2	–	1	2	9	6	131	103	–	1	58	44
Washington	485	1	–	8	71	13	24	5	6	2	3	18	5	244	174	–	3	131	40
Bogalusa	229	–	–	2	36	8	11	3	3	2	2	7	–	118	77	–	1	62	14
Balance of parish	256	1	–	6	35	5	13	2	3	–	1	11	5	126	97	–	2	69	26
Webster	496	–	–	9	114	23	28	6	18	3	7	29	10	246	187	1	4	150	32
Minden	190	–	–	4	47	6	8	3	14	–	2	14	5	86	66	1	2	51	12
Balance of parish	306	–	–	5	67	17	20	3	4	3	5	15	5	160	121	–	2	99	20
West Baton Rouge	151	–	–	2	34	6	9	2	2	1	2	12	2	68	51	–	6	34	11
West Carroll	146	1	–	2	27	9	3	2	2	2	2	7	3	80	53	–	1	46	6
West Feliciana	74	–	–	1	16	5	4	–	2	2	1	2	2	38	36	–	2	30	4
Winn	229	–	–	2	46	13	18	1	4	3	3	4	2	127	97	–	1	60	36
Maine	10,296	6	–	64	2,342	619	592	195	253	131	89	463	157	5,233	4,007	34	81	3,261	631
Urban places	3,272	4	–	11	710	193	189	67	63	37	22	139	44	1,739	1,327	15	24	1,094	184
Balance of area	7,024	2	–	53	1,632	426	403	128	190	94	67	324	113	3,494	2,680	19	57	2,167	437
Metropolitan counties	2,037	1	–	8	463	138	115	44	42	22	19	83	20	1,021	787	12	14	649	112
Urban places	1,174	1	–	3	248	77	68	24	22	10	7	38	14	604	465	6	7	378	74
Balance of area	863	–	–	5	217	61	47	20	20	12	12	45	6	417	322	6	7	271	38
Nonmetropolitan counties	8,259	5	–	56	1,879	481	477	151	211	109	70	380	137	4,212	3,220	22	67	2,612	519
Urban places	2,098	3	–	8	464	116	121	43	41	27	15	101	30	1,135	862	9	17	716	120
Balance of area	6,161	2	–	48	1,415	365	356	108	170	82	55	279	107	3,077	2,358	13	50	1,896	399
Androscoggin	885	1	–	4	210	48	54	17	24	12	9	46	13	470	381	2	5	328	48
Auburn	235	–	–	–	60	19	16	4	7	3	–	11	1	123	100	–	3	87	10
Lewiston	404	–	–	2	98	16	24	10	11	8	9	20	10	223	176	2	2	152	20
Balance of county	246	1	–	2	52	13	14	3	6	1	–	15	2	124	105	–	–	89	16
Aroostook	701	1	–	7	137	40	29	9	15	9	4	31	8	384	302	1	1	272	28
Caribou	78	–	–	–	13	2	4	–	2	–	–	5	–	44	31	–	–	30	1
Presque Isle	92	–	–	–	18	3	4	1	2	1	1	6	1	44	37	1	–	31	5
Balance of county	531	1	–	7	106	35	21	8	11	8	3	20	7	296	234	–	1	211	22
Cumberland	2,037	1	–	8	463	138	115	44	42	22	19	83	20	1,021	787	12	14	649	112
Portland	818	–	–	3	155	43	45	17	17	6	6	21	9	437	331	4	3	276	48
South Portland	230	–	–	–	55	21	13	5	4	2	1	9	5	106	87	1	2	72	12
Westbrook	126	1	–	–	36	13	10	2	1	2	–	8	–	61	47	1	2	30	14
Balance of county	863	–	–	5	217	61	47	20	20	12	12	45	6	417	322	6	7	271	36
Franklin	218	–	–	2	50	11	11	2	10	2	4	10	4	98	74	1	1	51	21
Hancock	465	–	–	–	100	22	24	9	14	5	4	22	9	233	194	1	6	148	39
Kennebec	977	2	–	3	232	64	68	17	26	11	5	43	15	487	383	4	13	287	59
Augusta	251	2	–	2	56	19	18	3	5	2	–	9	1	131	86	–	2	75	9
Waterville	197	–	–	–	45	10	13	4	4	2	2	10	2	109	85	2	3	65	15
Balance of county	529	–	–	1	131	35	35	10	17	7	3	24	12	247	192	2	8	147	35
Knox	353	–	–	3	81	20	23	5	11	6	6	10	11	171	121	1	4	97	19
Lincoln	277	–	–	1	70	14	20	4	7	6	2	17	4	138	97	–	2	75	20
Oxford	490	–	–	6	123	37	31	6	16	5	3	25	11	232	170	1	3	135	31
Penobscot	1,119	1	–	4	237	54	59	21	28	14	11	50	16	598	445	2	10	355	78
Bangor	329	1	–	2	57	9	10	12	6	2	1	17	8	180	130	2	1	106	19
Balance of county	790	–	–	2	180	45	49	9	22	12	10	33	8	418	315	–	9	247	59
Piscataquis	199	–	–	3	47	6	17	5	4	4	4	7	5	100	71	–	1	56	14
Sagadahoc	258	–	–	–	62	18	14	5	8	2	1	14	7	135	101	1	1	83	16
Somerset	448	–	–	4	101	24	32	8	12	3	4	18	5	217	162	–	1	131	30
Waldo	256	–	–	1	63	14	10	9	6	5	7	12	11	122	96	1	–	77	18
Washington	401	–	–	8	97	28	20	8	12	9	2	18	3	213	167	–	9	127	31
York	1,212	–	–	12	269	81	67	26	18	16	4	57	15	614	476	7	10	390	69
Biddeford	221	–	–	–	49	16	10	8	2	2	–	11	3	119	95	1	3	80	11
Saco	115	–	–	1	15	6	6	–	–	1	–	2	3	75	58	–	–	43	15
Sanford town #	176	–	–	1	53	16	16	1	2	6	2	10	1	87	64	1	3	45	15
Balance of county	700	–	–	10	152	43	35	17	14	7	2	34	8	333	259	5	4	222	28
Maryland	32,747	31	7	300	7,674	2,043	2,114	694	807	288	274	1,454	677	15,785	12,613	125	727	6,877	4,884
Urban places	12,896	16	5	147	2,940	828	816	240	333	91	92	540	273	6,099	4,890	40	355	2,373	2,122
Balance of area	19,851	15	2	153	4,734	1,215	1,298	454	474	197	182	914	404	9,686	7,723	85	372	4,504	2,762
Metropolitan counties	26,280	27	5	270	6,232	1,672	1,683	573	631	237	221	1,215	543	12,404	9,969	100	624	5,077	4,188
Urban places	11,321	16	5	140	2,607	738	713	210	290	79	79	498	240	5,295	4,206	36	331	1,882	1,957
Balance of area	14,959	11	–	130	3,625	934	970	363	341	158	142	717	303	7,169	5,763	64	293	3,195	2,231

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
St. Tammany	5	56	20	6	12	19	1	8	7	1	3	19	7	42	39	31	15	12	–
Slidell	–	10	3	–	6	4	–	2	1	–	1	4	–	5	11	8	5	3	–
Balance of parish	5	46	17	6	6	15	1	6	6	1	2	15	7	37	28	23	10	9	–
Tangipahoa	–	122	4	5	14	9	–	5	7	1	6	14	16	34	25	27	10	19	–
Hammond	–	29	–	2	5	2	–	1	2	–	–	3	2	7	2	3	2	1	–
Balance of parish	–	93	4	3	9	7	–	4	5	1	6	11	14	27	23	24	8	18	–
Tensas	–	12	2	–	6	5	–	1	1	–	2	2	3	13	4	4	–	1	–
Terrebonne	2	48	35	2	11	16	1	4	3	–	6	18	5	26	32	30	11	12	–
Houma	1	30	20	1	3	9	1	4	2	–	1	10	2	12	11	10	4	9	–
Balance of parish	1	18	15	1	8	7	–	–	1	–	5	8	3	14	21	20	7	3	–
Union	–	23	2	2	5	9	1	–	3	–	3	–	–	22	14	9	3	2	–
Vermilion	2	25	14	4	16	6	1	2	1	–	4	5	1	32	18	11	3	5	1
Abbeville	2	6	8	–	8	2	–	–	–	–	–	2	–	9	4	3	1	2	–
Balance of parish	–	19	6	4	8	4	1	2	1	–	4	3	1	23	14	8	2	3	1
Vernon	1	22	5	–	4	3	–	3	3	–	7	11	20	17	11	19	5	1	–
Washington	–	49	17	4	18	12	–	8	8	–	6	3	5	38	22	23	2	11	–
Bogalusa	–	30	10	1	11	6	–	4	2	–	3	1	2	20	9	10	–	5	–
Balance of parish	–	19	7	3	7	6	–	4	6	–	3	2	3	18	13	13	2	6	–
Webster	3	50	6	–	7	8	–	2	–	–	5	11	6	36	18	15	6	5	–
Minden	3	15	2	–	3	3	–	–	–	–	2	4	3	18	6	4	4	1	–
Balance of parish	–	35	4	–	4	3	–	2	–	–	3	7	3	18	12	11	2	4	–
West Baton Rouge	–	12	5	–	2	3	–	2	–	–	2	2	1	10	10	8	1	4	–
West Carroll	1	24	1	1	2	5	–	3	–	–	1	1	1	11	3	4	1	1	–
West Feliciana	–	2	–	–	4	3	1	–	–	–	–	2	–	5	1	1	–	–	–
Winn	–	24	1	5	9	3	2	2	5	–	2	1	1	10	2	7	4	4	–
Maine	42	864	190	130	221	326	30	160	98	1	79	60	39	760	267	256	157	31	9
Urban places	10	295	70	37	69	107	13	57	28	–	28	14	15	260	55	68	34	12	4
Balance of area	32	569	120	93	152	219	17	103	70	1	51	46	24	500	212	188	123	19	5
Metropolitan counties	9	171	25	29	57	70	8	31	22	–	23	7	13	172	43	49	23	5	1
Urban places	5	104	16	14	40	44	6	18	10	–	12	4	8	107	16	28	8	4	1
Balance of area	4	67	9	15	17	26	2	13	12	–	11	3	5	65	27	21	15	1	–
Nonmetropolitan counties	33	693	165	101	164	256	22	129	76	1	56	53	26	588	224	207	134	26	8
Urban places	5	191	54	23	29	63	7	39	18	–	16	10	7	153	39	40	26	6	3
Balance of area	28	502	111	78	135	193	15	90	58	1	40	43	19	435	185	167	108	18	5
Androscoggin	2	68	11	8	16	20	3	13	4	–	8	6	3	55	24	20	14	1	–
Auburn	–	20	1	2	6	8	2	4	–	–	3	–	1	14	5	3	5	–	–
Lewiston	–	38	5	4	4	8	–	6	4	–	3	3	1	20	10	6	5	1	–
Balance of county	2	10	5	2	6	4	1	3	–	–	2	3	1	21	9	11	4	–	–
Aroostook	1	71	3	7	12	23	–	14	9	1	–	4	1	44	17	27	9	3	–
Caribou	–	13	–	–	1	–	–	4	2	–	–	–	–	7	2	1	2	2	–
Presque Isle	–	4	–	3	1	3	–	1	1	–	–	1	–	9	2	9	1	1	–
Balance of county	1	54	3	4	10	20	–	9	6	1	–	3	1	28	13	17	6	–	–
Cumberland	9	171	25	29	57	70	8	31	22	–	23	7	13	172	43	49	23	5	1
Portland	2	84	10	10	28	30	4	14	3	–	8	4	5	76	11	21	6	2	1
South Portland	2	10	5	2	5	9	1	4	6	–	2	–	1	25	2	6	2	1	–
Westbrook	1	10	1	2	7	5	1	–	1	–	1	–	2	6	3	1	–	1	–
Balance of county	4	67	9	15	17	26	2	13	12	–	11	3	5	65	27	21	15	1	–
Franklin	1	14	6	3	5	8	4	5	3	–	3	1	–	13	8	6	6	1	–
Hancock	4	29	3	3	12	14	1	8	6	–	5	5	–	38	15	12	5	2	–
Kennebec	5	83	24	12	20	37	2	18	5	–	8	5	1	70	24	18	22	6	2
Augusta	–	31	12	2	4	14	1	1	–	–	2	1	1	19	5	8	1	1	1
Waterville	1	17	4	2	–	5	1	8	1	–	1	1	–	17	4	–	2	1	–
Balance of county	4	35	8	8	16	18	–	9	4	–	5	3	–	34	15	10	19	4	1
Knox	–	30	15	5	9	7	3	4	3	–	2	–	–	34	5	11	8	1	–
Lincoln	–	34	3	4	6	10	1	5	2	–	2	2	2	20	5	6	2	–	1
Oxford	5	33	17	7	6	14	1	7	5	–	3	3	–	37	16	12	13	1	–
Penobscot	5	116	16	16	28	25	2	17	13	–	11	9	7	66	37	27	14	4	3
Bangor	1	36	7	6	8	9	1	3	6	–	4	2	2	28	7	3	5	1	2
Balance of county	4	80	9	10	20	16	1	14	7	–	7	7	5	38	30	24	9	3	1
Piscataquis	1	21	6	1	2	3	–	1	3	–	–	1	–	19	4	6	3	2	–
Sagadahoc	3	18	8	5	7	11	–	3	–	–	1	2	1	15	3	5	6	–	–
Somerset	–	40	7	8	12	18	1	4	6	–	4	1	2	42	17	7	7	–	–
Waldo	–	23	1	2	7	11	–	2	3	–	3	–	3	14	4	8	3	1	–
Washington	1	30	5	10	8	14	1	3	5	–	1	3	1	26	8	6	5	–	1
York	5	83	40	10	13	41	3	25	9	–	5	11	5	95	37	36	17	4	1
Biddeford	–	11	13	–	2	4	1	8	1	–	1	1	1	19	2	6	3	1	–
Saco	2	5	8	2	2	5	–	2	–	–	1	1	–	8	1	–	1	–	–
Sanford town #	1	16	4	2	1	7	1	2	3	–	1	–	1	12	1	4	1	–	–
Balance of county	2	51	15	6	8	25	1	13	5	–	2	9	3	56	33	26	12	3	1
Maryland	118	2,281	390	383	591	742	84	510	312	10	246	487	370	2,439	726	830	449	428	49
Urban places	50	898	115	146	241	252	34	217	157	4	72	212	176	1,094	183	339	139	271	25
Balance of area	68	1,383	275	237	350	490	50	293	155	6	174	275	194	1,345	543	491	310	157	24
Metropolitan counties	95	1,741	272	307	488	568	66	416	270	10	200	419	317	2,053	547	671	359	391	44
Urban places	46	757	93	133	211	213	28	168	145	4	61	201	157	992	155	309	127	264	23
Balance of area	49	984	179	174	257	355	38	228	125	6	139	218	160	1,061	392	362	232	127	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 088-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Maryland—Con.																			
Nonmetropolitan counties	6,467	4	2	30	1,442	371	431	121	176	51	53	239	134	3,361	2,624	25	103	1,600	60
Urban places	1,575	–	–	7	333	90	103	30	43	12	13	42	33	864	684	4	24	491	16
Balance of area	4,892	4	2	23	1,109	281	328	91	133	39	40	197	101	2,517	1,940	21	79	1,109	56
Allegany	878	1	–	2	183	51	55	15	28	6	6	22	14	529	439	6	12	343	7
Cumberland	360	–	–	1	73	17	25	4	14	2	4	7	4	222	190	1	4	150	3
Balance of county	518	1	–	1	110	34	30	11	14	4	2	15	10	307	249	5	8	193	4
Anne Arundel	2,205	2	–	17	565	141	151	49	44	28	25	117	37	1,021	823	6	43	476	23
Annapolis	340	1	–	4	80	26	20	10	6	4	–	14	3	181	138	1	7	78	5
Balance of county	1,886	1	–	13	485	115	141	39	38	24	25	103	34	840	687	5	36	398	24
Baltimore	5,336	4	–	45	1,316	360	373	117	118	48	46	254	108	2,667	2,205	29	98	1,179	90
Baltimore city	9,368	15	3	124	2,100	599	574	154	253	61	64	395	205	4,332	3,522	31	292	1,510	1,66
Calvert	237	–	1	2	54	19	14	2	7	1	–	11	10	106	72	–	6	54	1
Caroline	278	1	–	1	63	15	20	2	10	2	3	11	3	147	118	–	2	89	3
Carroll	658	–	–	4	145	42	32	14	15	12	5	25	16	343	271	7	14	137	11
Cecil	410	1	–	1	97	25	30	9	10	7	3	13	5	206	160	1	11	124	4
Charles	387	–	–	2	92	19	24	9	16	3	3	18	11	168	128	2	14	77	3
Dorchester	402	–	–	3	88	23	24	11	14	3	1	12	5	198	155	1	3	105	4
Cambridge	193	–	–	3	41	13	10	6	6	2	1	3	4	95	72	–	3	44	2
Balance of county	209	–	–	–	47	10	14	5	8	1	–	9	1	103	83	1	–	61	2
Frederick	761	1	–	2	178	53	62	17	15	3	8	20	20	383	300	6	6	167	12
Frederick	255	–	–	–	52	17	14	7	6	1	3	4	8	136	106	–	1	67	3
Balance of county	506	1	–	2	126	36	48	10	9	2	5	16	12	247	194	6	5	100	8
Garrett	234	–	–	1	39	12	9	2	7	2	2	5	5	136	110	1	3	84	2
Harford	829	1	–	10	193	47	59	16	22	7	7	35	10	420	350	2	12	227	10
Aberdeen	92	–	–	–	25	5	6	3	1	1	2	5	1	44	35	–	1	15	1
Balance of county	737	1	–	10	168	42	51	13	21	6	5	30	9	376	315	2	11	212	9
Howard	513	1	–	3	120	31	25	20	10	4	3	27	9	255	221	2	9	94	11
Kent	195	1	–	1	39	12	10	1	2	1	1	12	3	94	79	2	1	39	3
Montgomery	3,510	1	–	36	902	230	204	127	84	39	40	178	51	1,692	1,281	9	65	781	42
Rockville	453	–	–	2	129	41	37	17	2	5	6	21	5	206	145	–	6	109	3
Takoma Park, part	116	–	–	2	27	3	6	5	6	–	–	7	1	55	54	–	4	25	2
Takoma Park, total	152	–	–	2	37	5	8	5	7	–	–	12	1	80	65	–	4	29	3
Balance of county	2,941	1	–	32	746	186	161	105	76	34	34	150	45	1,421	1,082	9	55	647	37
Prince Georges	3,450	2	2	30	794	197	225	67	75	31	28	171	102	1,468	1,136	13	80	555	48
Bowie	145	–	–	2	37	8	6	6	3	1	3	10	4	56	40	–	3	14	2
College Park	108	–	–	2	31	12	7	2	2	2	–	6	5	51	41	1	5	22	1
Greenbelt	63	–	–	1	11	5	2	1	–	–	–	3	1	31	23	–	2	8	1
Hyattsville	426	–	2	1	110	25	37	10	12	5	4	17	11	184	143	3	4	66	7
Laurel	128	–	–	–	39	11	12	2	4	–	–	10	1	49	39	–	4	22	1
New Carrollton	46	–	–	2	8	1	2	–	–	–	–	5	3	21	17	–	3	9	
Takoma Park, part	36	–	–	–	10	2	2	–	1	–	–	5	–	15	11	–	–	4	
Balance of county	2,498	2	–	22	548	133	157	46	53	23	21	115	77	1,061	822	9	59	410	34
Queen Annes	234	–	–	1	50	9	16	5	3	2	3	12	6	111	95	–	4	62	2
St. Marys	323	–	–	3	78	14	24	2	11	6	2	19	6	152	111	1	3	78	3
Somerset	254	–	1	1	54	12	20	6	6	1	1	8	9	133	82	1	2	61	1
Talbot	330	–	–	3	82	24	18	9	11	1	6	13	5	172	124	–	6	78	4
Washington	1,024	–	–	3	228	53	71	24	21	11	7	42	22	558	455	1	19	337	9
Hagerstown	489	–	–	2	104	29	32	8	10	5	3	17	12	248	201	1	9	148	4
Balance of county	555	–	–	1	125	24	39	16	11	6	4	25	10	310	254	–	10	189	5
Wicomico	631	–	–	2	148	34	44	13	19	6	8	22	6	328	235	4	14	151	6
Salisbury	298	–	–	1	63	14	22	5	7	2	2	11	5	163	115	2	7	82	2
Balance of county	333	–	–	1	83	20	22	8	12	4	6	11	1	163	120	2	7	69	4
Worcester	301	–	–	3	67	21	20	3	6	3	2	12	9	168	121	–	8	77	3
Massachusetts	52,028	28	–	406	11,841	3,385	2,789	1,113	1,242	574	428	2,410	939	26,486	20,829	250	353	17,239	2,98
Urban places	36,558	22	–	307	8,314	2,387	1,935	769	863	400	283	1,677	685	18,574	14,689	187	264	12,107	2,19
Balance of area	15,470	6	–	99	3,527	998	854	344	379	174	145	733	254	7,912	6,140	63	89	5,132	85
Metropolitan counties	49,579	28	–	396	11,343	3,221	2,651	1,057	1,175	548	397	2,294	903	25,258	19,945	244	346	16,494	2,86
Urban places	36,558	22	–	307	8,314	2,387	1,935	769	863	400	283	1,677	685	18,574	14,689	187	264	12,107	2,13
Balance of area	13,021	6	–	89	3,029	834	716	288	312	148	114	617	218	6,682	5,256	57	82	4,387	73
Nonmetropolitan counties	2,449	–	–	10	598	164	138	56	67	26	31	116	36	1,230	884	6	7	745	12
Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of area	2,449	–	–	10	598	164	138	56	67	26	31	116	36	1,230	884	6	7	745	12
Barnstable	1,694	–	–	7	407	118	85	43	44	18	22	77	20	878	610	4	7	518	8
Berkshire	1,457	–	–	10	348	105	73	25	36	18	13	78	23	766	565	9	8	466	8
North Adams	212	–	–	4	39	15	7	3	6	2	–	6	5	127	85	3	6	67	
Pittsfield	543	–	–	1	142	38	33	9	11	8	5	38	6	276	212	3	–	176	3
Balance of county	702	–	–	5	167	52	33	13	19	8	8	34	12	363	268	3	2	223	4
Bristol	4,438	9	–	17	1,007	309	234	89	123	46	33	173	111	2,404	1,852	10	38	1,550	15
Attleboro	268	2	–	1	52	21	7	5	6	3	3	7	1	159	130	1	1	116	1
Fall River	1,088	2	–	3	225	68	45	11	36	10	4	51	36	585	443	2	6	404	9
New Bedford	1,091	3	–	4	261	83	59	24	30	18	8	39	30	608	466	1	11	414	4
Somerset town #	179	–	–	–	49	8	18	8	6	1	3	5	3	97	68	–	1	62	
Taunton	415	–	–	2	107	28	28	10	13	3	7	18	7	215	171	–	6	145	2
Balance of county	1,397	2	–	7	313	101	77	31	32	11	8	53	34	740	574	6	13	509	4
Dukes	94	–	–	–	22	5	8	–	4	1	1	3	1	43	32	–	–	28	
Essex	6,114	2	–	50	1,378	371	335	145	146	65	44	272	118	3,194	2,456	33	49	1,969	40
Beverly	322	–	–	2	78	15	20	4	12	5	3	19	7	151	118	3	3	87	2
Danvers town #	228	–	–	3	41	14	9	4	1	3	3	7	9	111	87	3	1	74	1
Gloucester	296	–	–	2	59	16	17	3	4	3	–	16	6	150	120	1	4	81	3
Haverhill	533	–	–	8	117	34	30	18	8	6	1	21	10	285	230	4	4	179	4
Lawrence	679	1	–	3	145	46	28	12	20	10	4	25	13	371	300	2	6	235	5
Lynn	932	1	–	8	208	58	51	25	26	7	6	35	14	490	370	5	4	309	6
Marblehead town #	170	–	–	3	42	12	10	9	5	1	–	5	1	79	56	–	3	46	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Nonmetropolitan counties	23	540	118	76	123	174	18	94	42	–	46	68	53	386	179	159	80	37	5
Urban places	4	141	22	13	30	39	6	29	12	–	11	11	19	102	28	30	12	7	2
Balance of area	19	399	96	63	93	135	12	65	30	–	35	57	34	284	151	129	78	30	3
Allegany	3	60	10	17	13	23	5	13	6	–	5	8	3	36	18	10	8	1	–
Cumberland	–	25	3	4	6	10	3	5	1	–	3	1	2	14	8	6	1	–	–
Balance of county	3	35	7	13	7	13	2	8	5	–	2	7	1	22	10	4	7	1	–
Anne Arundel	9	142	29	18	35	51	5	40	23	–	22	33	21	158	87	46	30	11	2
Annapolis	3	34	5	3	3	9	2	4	2	–	–	3	4	28	10	3	2	1	–
Balance of county	6	108	24	15	32	42	3	36	21	–	22	30	17	130	77	43	28	10	2
Baltimore	14	320	56	72	80	119	18	69	56	–	33	44	40	386	109	137	69	32	4
Baltimore city	36	587	75	112	178	188	24	155	129	2	51	171	140	829	103	271	97	249	22
Calvert	2	11	20	1	4	7	–	5	3	–	3	3	–	15	8	10	3	2	1
Caroline	1	20	3	5	6	7	–	3	1	–	2	1	4	16	6	6	6	1	–
Carroll	4	56	5	7	16	16	3	4	6	1	8	3	4	47	24	6	7	4	1
Cecil	2	18	3	3	4	15	1	4	–	–	6	2	13	22	16	6	7	4	–
Charles	2	24	10	4	3	12	–	9	2	–	2	9	6	33	17	9	6	6	–
Dorchester	2	30	6	5	13	8	2	10	4	–	5	4	4	27	9	14	2	5	1
Cambridge	1	18	4	–	6	3	1	4	3	–	1	2	1	16	3	7	1	2	–
Balance of county	1	12	2	5	7	5	1	6	1	–	4	2	3	11	6	7	1	3	1
Frederick	1	68	7	7	17	20	2	10	7	–	1	10	9	43	24	17	12	4	1
Frederick	1	24	2	3	6	6	1	5	5	–	–	3	3	15	4	5	2	3	1
Balance of county	–	44	5	4	11	14	1	5	2	–	1	7	6	28	20	12	10	1	–
Garrett	1	14	7	4	5	10	–	2	–	–	3	3	–	9	6	9	4	2	–
Harford	2	50	7	11	15	21	1	13	6	1	8	10	9	52	22	21	10	5	1
Aberdeen	–	8	–	1	2	2	1	–	–	1	–	1	1	6	3	2	–	3	–
Balance of county	2	42	7	10	13	19	–	13	6	–	8	9	8	46	19	19	10	2	1
Howard	2	24	2	6	7	13	1	2	3	–	8	4	6	29	19	12	8	13	–
Kent	–	9	2	4	8	5	–	1	4	–	–	1	2	21	6	6	3	–	–
Montgomery	14	300	61	36	63	79	8	49	20	1	28	56	25	269	63	74	69	16	6
Rockville	1	50	7	3	8	8	1	7	3	1	3	12	1	39	9	7	11	3	–
Takoma Park, part	2	8	1	–	–	–	–	2	2	–	1	2	–	9	1	2	2	–	–
Takoma Park, total	2	10	1	2	1	1	–	2	3	–	1	3	1	13	1	3	2	1	–
Balance of county	11	242	53	33	55	73	7	40	15	–	24	42	24	221	53	65	56	15	6
Prince Georges	12	244	34	42	70	86	5	80	27	5	38	96	59	261	104	98	62	55	8
Bowie	2	11	1	2	2	7	–	4	1	–	–	1	1	12	8	4	4	1	1
College Park	1	7	1	1	2	2	–	3	–	–	2	–	–	9	–	–	–	1	–
Greenbelt	–	6	1	1	–	1	–	3	1	–	–	1	–	6	2	3	2	–	–
Hyattsville	1	31	2	7	9	12	–	5	6	–	2	7	7	35	13	11	8	3	–
Laurel	–	10	–	–	5	4	–	3	–	–	1	2	2	12	5	3	–	2	–
New Carrollton	–	3	–	1	1	1	–	2	–	–	1	–	–	3	1	2	1	–	–
Takoma Park, part	–	2	–	2	1	1	–	–	1	–	–	1	1	4	–	1	–	1	–
Balance of county	8	174	29	28	50	58	5	60	18	5	30	84	48	180	75	74	47	47	7
Queen Annes	1	11	2	2	7	9	–	2	2	–	–	4	1	12	14	7	5	2	1
St. Marys	1	26	6	6	2	6	1	6	1	–	3	8	1	19	20	9	7	2	–
Somerset	1	35	11	4	6	8	1	5	2	–	3	–	2	16	1	9	2	1	–
Talbot	3	39	4	2	8	6	2	3	2	–	–	4	3	16	8	11	5	2	–
Washington	4	76	18	5	15	26	3	13	3	–	9	6	7	65	24	29	10	2	–
Hagerstown	2	33	9	3	7	14	1	8	2	–	6	4	4	36	6	8	6	1	–
Balance of county	2	43	9	2	8	12	2	5	1	–	3	2	3	29	18	21	4	1	–
Wicomico	–	81	5	5	11	18	1	9	4	–	8	7	10	45	13	9	12	3	1
Salisbury	–	41	4	3	5	6	–	7	1	–	1	1	9	21	7	4	2	1	1
Balance of county	–	40	1	2	6	12	1	2	3	–	7	6	1	24	6	5	10	2	–
Worcester	1	36	5	5	3	10	1	3	1	–	2	–	1	13	7	4	5	4	–
Massachusetts	157	4,148	763	589	1,793	1,142	134	807	451	3	262	445	408	3,697	1,004	1,312	515	213	42
Urban places	107	2,875	485	418	1,326	779	92	588	359	1	183	309	315	2,682	552	926	329	176	39
Balance of area	50	1,273	278	171	467	363	42	219	92	2	79	136	93	1,015	452	386	186	37	3
Metropolitan counties	148	3,904	706	553	1,705	1,075	125	760	438	2	248	435	393	3,552	937	1,245	486	210	42
Urban places	107	2,875	485	418	1,326	779	92	588	359	1	183	309	315	2,682	552	926	329	176	39
Balance of area	41	1,029	221	135	379	296	33	172	79	1	65	126	78	870	385	319	157	34	3
Nonmetropolitan counties	9	244	57	36	88	67	9	47	13	1	14	10	15	145	67	67	29	3	–
Urban places	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of area	9	244	57	36	88	67	9	47	13	1	14	10	15	145	67	67	29	3	–
Barnstable	5	184	43	26	51	50	7	27	10	1	9	6	11	106	41	40	22	1	–
Berkshire	3	155	35	8	50	42	4	20	5	–	4	4	4	110	28	20	17	2	–
North Adams	1	36	4	1	6	3	–	2	–	–	–	–	1	20	3	–	1	1	–
Pittsfield	–	52	8	4	18	20	2	9	4	–	2	2	2	36	7	8	7	1	–
Balance of county	2	67	23	3	26	19	2	9	1	–	2	2	1	54	18	12	9	–	–
Bristol	21	420	63	48	110	85	12	61	28	–	28	34	28	260	85	93	49	16	1
Attleboro	1	21	2	5	6	3	2	4	3	–	1	2	–	17	4	4	6	1	–
Fall River	5	112	12	13	30	22	1	17	10	–	4	6	14	76	14	28	9	5	1
New Bedford	6	114	15	7	20	22	4	14	7	–	5	6	4	55	13	24	7	4	–
Somerset town #	2	19	7	1	4	4	–	4	1	–	1	–	–	7	3	2	3	1	–
Taunton	–	35	7	2	11	6	–	5	1	–	4	6	2	26	7	9	5	2	–
Balance of county	7	119	20	20	39	28	5	17	6	–	13	14	8	79	44	26	19	3	–
Dukes	–	5	5	1	7	1	–	5	–	–	1	–	1	4	4	5	–	–	–
Essex	28	506	114	90	179	148	17	83	46	–	33	52	56	427	104	155	52	18	2
Beverly	1	23	3	6	9	10	–	2	3	–	1	4	4	30	7	10	4	–	–
Danvers town #	2	18	2	2	16	8	1	6	1	–	1	–	3	15	2	4	7	–	–
Gloucester	1	20	5	4	6	10	1	3	3	–	1	3	12	19	6	11	3	1	–
Haverhill	3	36	9	7	15	14	3	7	5	–	2	4	7	41	5	8	1	1	–
Lawrence	2	47	17	5	19	12	–	11	4	–	4	12	5	52	6	11	7	3	–
Lynn	7	86	10	17	22	28	3	10	11	–	6	7	3	68	12	27	7	6	1
Marblehead town #	–	13	6	4	3	5	–	2	3	–	–	1	–	19	4	7	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Methuen town #	364	–	–	5	83	26	18	8	9	5	3	14	6	196	150	1	4	122	23
Newburyport	189	–	–	2	50	13	11	8	7	3	–	8	5	98	73	–	–	64	9
Peabody	371	–	–	4	91	22	24	8	9	2	7	19	6	182	141	2	1	120	18
Salem	421	–	–	2	98	26	24	7	12	4	4	21	10	211	148	4	7	117	20
Saugus town #	214	–	–	–	45	7	12	6	6	–	1	13	7	121	89	1	1	70	17
Swampscott town #	138	–	–	1	34	8	10	2	2	3	2	7	2	71	57	1	1	50	5
Balance of county	1,257	–	–	7	287	74	71	33	24	13	10	62	22	678	517	6	10	415	66
Franklin	602	–	–	3	150	38	40	10	17	5	7	33	15	285	227	1	–	189	37
Hampden	4,276	3	–	32	964	282	218	103	97	52	35	177	102	2,150	1,636	16	24	1,411	185
Chicopee	560	–	–	3	125	37	28	14	10	7	5	24	11	292	231	2	2	210	17
Holyoke	616	1	–	4	122	33	33	14	14	7	4	17	19	330	257	3	5	229	20
Longmeadow town #	123	–	–	–	39	13	8	3	4	4	1	6	1	58	43	–	1	38	4
Springfield	1,601	2	–	13	349	105	79	38	33	18	11	65	40	781	561	7	8	484	62
Westfield	295	–	–	2	64	18	12	7	7	4	1	15	6	127	100	–	1	79	20
West Springfield town #	263	–	–	3	68	21	19	3	3	4	4	14	12	132	103	1	3	84	15
Balance of county	818	–	–	7	197	55	39	24	26	8	9	36	13	430	341	3	4	267	47
Hampshire	1,021	2	–	8	214	56	45	28	23	12	7	43	29	534	419	5	5	348	61
Amherst town #	95	–	–	2	23	5	5	2	–	3	–	8	3	47	38	1	–	31	6
Northampton	272	2	–	3	48	18	10	10	3	1	1	5	4	148	120	1	2	98	19
Balance of county	654	–	–	3	143	33	30	16	20	8	6	30	22	339	261	3	3	219	36
Middlesex	11,263	2	–	86	2,678	755	608	262	262	130	86	575	211	5,608	4,469	69	78	3,699	623
Arlington town #	504	–	–	5	121	31	18	21	13	4	5	29	19	243	183	1	4	165	23
Belmont town #	276	–	–	3	59	16	5	7	14	4	3	10	2	151	117	1	1	105	10
Billerica town #	194	–	–	2	47	11	14	1	4	4	–	13	5	75	54	1	1	48	4
Burlington town #	114	–	–	–	35	5	8	4	7	2	–	9	1	53	41	1	–	35	5
Cambridge	877	1	–	8	215	66	52	15	14	7	8	53	29	413	335	2	11	279	43
Chelmsford town #	184	–	–	–	32	7	9	4	5	–	1	6	4	101	73	1	–	67	5
Everett	408	–	–	4	95	28	21	8	10	4	5	19	7	205	174	1	5	149	19
Framingham town #	510	–	–	3	109	37	21	10	11	9	3	18	1	272	230	7	3	200	20
Lexington town #	213	–	–	–	61	16	17	9	4	4	5	6	2	98	80	1	–	75	4
Lowell	1,020	–	–	3	209	70	50	19	13	10	6	41	32	522	415	5	6	361	43
Malden	569	–	–	2	148	34	37	15	13	7	4	38	6	288	243	4	4	204	31
Marlborough	222	–	–	2	46	11	7	3	5	4	4	12	3	128	101	3	2	81	15
Medford	564	1	–	8	134	41	35	13	12	2	3	28	7	294	249	5	4	208	32
Melrose	282	–	–	–	66	25	11	7	6	2	2	13	1	162	118	4	1	74	39
Natick town #	238	–	–	3	55	15	11	8	2	3	1	15	4	112	93	3	4	74	12
Newton	715	–	–	5	182	48	40	15	18	10	8	45	11	363	280	4	8	234	34
Reading town #	166	–	–	–	38	13	3	2	6	1	1	10	1	88	67	1	–	54	12
Somerville	763	–	–	3	203	57	57	22	21	7	4	35	10	386	313	4	5	275	29
Stoneham town #	181	–	–	3	47	8	8	7	6	4	–	14	5	93	76	–	1	42	33
Wakefield town #	242	–	–	5	54	21	12	4	3	3	2	9	7	115	87	–	1	51	35
Waltham	488	–	–	6	117	38	24	12	10	5	5	23	11	255	194	2	1	154	37
Watertown town #	351	–	–	3	93	30	22	8	6	2	4	21	6	168	137	3	1	114	19
Winchester town #	151	–	–	2	33	7	8	4	4	1	3	6	2	73	53	–	2	46	5
Woburn	249	–	–	–	52	12	13	2	11	4	–	10	3	130	100	3	2	81	14
Balance of county	1,782	–	–	16	427	108	105	42	42	27	11	92	32	820	646	12	11	523	100
Nantucket	59	–	–	–	19	3	5	3	2	2	1	3	–	24	15	1	–	12	2
Norfolk	5,186	3	–	41	1,286	363	306	117	128	68	47	257	75	2,664	2,099	21	33	1,715	330
Braintree town #	320	–	–	3	61	17	9	6	8	5	7	9	6	186	141	3	3	120	15
Brookline town #	554	–	–	7	130	36	21	15	14	2	8	34	9	297	248	5	6	188	69
Dedham town #	214	–	–	1	68	20	18	3	9	2	2	14	3	94	80	–	2	63	15
Holbrook town #	77	–	–	1	19	4	6	2	2	3	–	2	2	42	33	–	–	30	3
Milton town #	285	–	–	3	66	21	14	5	7	5	3	11	3	157	124	–	3	104	17
Needham town #	232	–	–	–	47	8	8	6	10	5	1	8	2	129	98	–	1	83	14
Norwood town #	288	–	–	–	74	20	16	12	5	2	2	17	5	142	101	2	2	80	17
Quincy	1,000	–	–	8	252	77	66	18	24	9	8	50	17	528	402	7	6	337	52
Randolph town #	229	1	–	2	42	11	15	2	3	2	–	9	4	125	108	1	–	92	13
Wellesley town #	193	–	–	2	65	25	8	6	5	5	1	15	1	83	60	–	–	53	7
Weymouth town #	513	–	–	4	128	38	38	10	14	6	4	18	4	257	197	–	3	177	17
Balance of county	1,291	2	–	10	334	86	87	32	27	22	11	69	19	624	509	3	7	408	91
Plymouth	3,049	2	–	16	686	202	156	55	80	36	25	132	48	1,589	1,290	18	20	1,082	170
Brockton	824	1	–	5	154	48	40	12	18	6	4	26	8	456	372	5	9	331	27
Rockland town #	138	–	–	–	41	12	12	4	5	3	1	4	4	65	53	2	1	43	7
Whitman town #	91	–	–	1	21	8	3	1	3	2	1	3	–	42	39	2	–	33	4
Balance of county	1,996	1	–	10	470	134	101	38	54	25	19	99	36	1,026	826	9	10	675	132
Suffolk	6,749	2	–	87	1,478	421	356	121	145	64	47	324	127	3,175	2,648	38	58	2,026	526
Boston	5,806	2	–	75	1,244	361	293	102	124	56	41	267	111	2,711	2,239	33	48	1,708	450
Chelsea	309	–	–	6	80	22	24	6	7	2	–	19	4	138	120	–	2	99	19
Revere	412	–	–	6	102	23	27	8	10	3	6	25	7	208	188	4	4	136	44
Winthrop town #	222	–	–	–	52	15	12	5	4	3	–	13	5	118	101	1	4	83	13
Worcester	6,016	3	–	49	1,304	357	320	112	135	57	60	263	59	3,172	2,511	25	33	2,126	325
Clinton town #	124	–	–	–	29	6	7	3	4	1	3	5	2	60	45	–	1	32	12
Fitchburg	437	–	–	10	86	26	18	6	8	3	4	21	5	249	191	2	1	152	36
Gardner	167	–	–	–	35	7	12	3	3	2	–	8	4	78	66	1	–	58	7
Leominster	294	1	–	–	71	15	19	1	8	4	6	18	3	154	120	1	–	98	21
Worcester	1,870	1	–	15	392	112	91	40	44	21	15	69	17	969	775	9	9	660	97
Balance of county	3,124	1	–	24	691	191	173	59	68	26	32	142	28	1,662	1,314	12	22	1,128	152
Michigan	73,701	61	9	486	15,464	4,145	3,939	1,325	1,699	699	622	3,035	1,450	37,725	29,381	312	856	22,022	6,191
Urban places	41,475	49	6	310	8,677	2,346	2,236	737	977	387	355	1,639	801	21,095	16,610	173	581	11,888	3,968
Balance of area	32,226	12	3	176	6,787	1,799	1,703	588	722	312	267	1,396	649	16,630	12,771	139	275	10,134	2,223

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Methuen town #	1	35	7	3	10	5	3	3	1	–	2	4	6	20	10	7	3	–	–
Newburyport	2	19	2	2	4	5	–	1	–	–	4	1	1	11	2	4	–	1	–
Peabody	1	28	2	10	8	6	2	10	3	–	3	2	5	26	8	13	4	–	–
Salem	1	42	16	4	9	8	1	10	2	–	4	3	4	29	7	17	5	–	1
Saugus town #	–	25	1	6	6	9	–	4	2	–	–	1	2	9	3	1	2	2	–
Swampscott town #	–	13	1	–	10	2	–	–	1	–	–	–	–	12	–	3	–	2	–
Balance of county	7	101	33	20	42	26	3	14	7	–	5	10	4	76	34	32	8	2	–
Franklin	3	39	9	7	29	15	2	10	2	–	4	4	2	31	21	20	7	2	–
Hampden	6	408	61	37	124	114	13	62	44	–	27	49	59	288	87	129	37	11	1
Chicopee	3	48	7	3	16	13	–	11	9	–	3	5	2	37	10	17	5	1	–
Holyoke	–	56	9	8	20	17	2	5	8	–	3	6	7	35	13	18	6	–	–
Longmeadow town #	–	12	1	2	4	3	1	–	1	–	1	1	–	8	3	1	2	–	–
Springfield	5	177	26	12	47	43	7	26	14	–	11	24	12	123	29	59	13	7	1
Westfield	–	25	–	2	11	5	1	4	6	–	5	2	27	17	7	9	1	1	–
West Springfield town #	–	24	4	1	3	11	–	5	–	–	–	2	2	14	1	7	3	–	–
Balance of county	–	66	14	9	23	22	2	11	6	–	4	9	9	34	24	18	7	2	–
Hampshire	6	83	13	13	36	25	4	11	9	–	2	2	5	61	26	27	23	3	–
Amherst town #	–	8	1	–	7	–	–	–	1	–	–	–	–	3	3	3	2	1	–
Northampton	2	21	4	1	12	8	2	1	5	–	–	1	–	15	6	9	8	–	–
Balance of county	4	54	8	12	17	17	2	10	3	–	2	1	5	43	17	15	13	2	–
Middlesex	23	819	162	135	403	253	35	208	108	–	50	72	89	825	214	268	113	25	15
Arlington town #	–	42	3	5	21	14	3	8	4	–	4	2	5	38	3	10	3	1	–
Belmont town #	1	25	2	6	11	8	2	2	5	–	2	–	–	20	4	5	1	–	1
Billerica town #	–	17	2	2	8	6	–	9	2	–	1	–	3	13	12	7	2	2	–
Burlington town #	–	9	3	–	6	–	–	1	2	–	2	–	3	2	4	3	1	1	–
Cambridge	1	57	8	12	37	17	2	22	4	–	1	1	12	65	7	27	12	4	–
Chelmsford town #	1	18	7	2	5	5	–	5	1	–	1	1	1	12	7	5	4	–	–
Everett	1	19	4	7	14	13	3	10	9	–	1	–	5	20	6	11	3	1	1
Framingham town #	1	29	5	7	19	8	1	9	3	–	2	3	3	45	13	13	6	–	–
Lexington town #	1	14	–	3	10	3	–	6	2	–	2	–	1	18	5	3	–	–	2
Lowell	–	66	36	5	33	36	3	29	12	–	5	10	10	71	10	17	14	2	2
Malden	3	29	8	5	16	11	4	2	10	–	2	7	5	36	9	17	4	2	–
Marlborough	–	21	–	6	6	4	1	3	2	–	–	4	–	11	6	1	3	2	–
Medford	3	31	4	7	17	7	1	7	6	–	3	3	7	45	11	11	1	–	1
Melrose	–	37	3	4	9	5	–	3	1	–	–	2	1	15	3	11	2	–	1
Natick town #	–	13	1	5	11	4	1	8	7	–	2	–	1	17	5	4	2	2	–
Newton	4	55	10	14	24	13	2	7	4	–	2	4	2	58	9	18	8	2	1
Reading town #	–	12	6	3	5	2	–	3	1	–	–	4	–	9	13	–	2	–	–
Somerville	2	53	9	9	30	9	1	16	4	–	4	4	8	54	7	15	4	2	2
Stoneham town #	–	9	5	3	4	3	–	5	–	–	1	–	3	10	2	3	2	–	–
Wakefield town #	–	20	4	4	8	9	1	4	2	–	1	1	1	26	1	7	–	–	–
Waltham	–	47	6	8	12	3	1	7	4	–	1	1	2	39	8	15	6	–	–
Watertown town #	1	23	2	5	21	12	–	6	4	–	1	3	1	22	3	5	2	–	1
Winchester town #	–	14	3	3	6	–	1	3	3	–	–	–	1	19	–	4	3	–	1
Woburn	–	22	6	2	12	6	1	6	3	–	3	1	1	15	7	7	2	–	–
Balance of county	4	137	25	8	58	55	7	27	13	–	9	21	12	145	59	49	26	4	2
Nantucket	1	6	–	2	1	1	–	5	1	–	–	–	1	4	1	2	–	–	–
Norfolk	16	446	52	51	156	96	12	68	44	–	23	43	32	369	101	123	45	13	2
Braintree town #	1	39	5	–	8	5	1	5	2	–	2	3	1	17	11	6	3	–	–
Brookline town #	1	37	5	6	17	12	1	–	6	–	–	4	6	40	8	13	2	2	–
Dedham town #	2	11	–	1	8	5	–	2	1	–	2	3	2	14	4	3	3	1	–
Holbrook town #	–	8	1	–	3	1	–	–	–	–	–	–	–	3	3	2	–	1	–
Milton town #	1	23	2	7	12	1	1	4	3	–	–	1	–	21	4	7	1	–	1
Needham town #	1	26	1	3	8	3	–	2	–	–	2	–	2	25	4	5	3	–	–
Norwood town #	2	30	7	2	8	4	1	5	1	–	3	4	–	28	6	3	4	–	–
Quincy	3	103	10	10	26	19	5	23	8	–	4	3	6	56	15	23	6	–	1
Randolph town #	–	15	1	3	8	6	–	1	11	–	1	3	1	16	4	4	–	–	–
Wellesley town #	2	20	–	1	8	3	–	–	2	–	1	2	–	16	3	5	2	–	–
Weymouth town #	–	49	3	8	18	10	1	11	4	–	3	6	6	31	10	12	7	1	–
Balance of county	3	85	17	10	32	27	2	15	6	–	5	14	8	102	29	40	14	8	–
Plymouth	6	231	29	33	90	43	9	48	27	–	20	35	31	223	66	79	29	7	1
Brockton	3	65	6	10	31	7	1	14	5	–	9	12	17	58	10	26	4	5	1
Rockland town #	1	8	2	1	3	1	–	1	5	–	2	2	1	9	–	5	–	–	–
Whitman town #	–	1	1	1	3	–	–	2	1	–	1	3	–	10	4	2	1	–	–
Balance of county	2	157	20	21	53	35	8	31	16	–	8	18	13	147	52	46	24	2	–
Suffolk	16	385	55	60	358	132	13	117	78	1	35	76	55	591	74	188	60	90	16
Boston	15	343	62	52	325	116	11	102	65	1	34	70	45	516	65	158	52	88	14
Chelsea	–	13	1	4	13	4	1	6	4	–	–	2	4	30	5	11	1	–	–
Revere	1	17	2	–	12	9	–	5	7	–	1	1	2	30	4	13	3	2	–
Winthrop town #	–	12	1	4	6	3	1	4	2	–	–	3	3	15	–	4	4	–	2
Worcester	21	451	111	78	201	137	6	82	49	1	26	68	34	418	152	165	61	25	4
Clinton town #	–	11	3	1	5	3	–	1	–	–	2	1	2	7	4	5	2	1	–
Fitchburg	1	39	7	11	11	6	–	7	3	–	–	3	6	33	4	9	4	1	–
Gardner	–	8	3	1	4	5	1	4	2	–	1	2	–	18	5	6	1	–	–
Leominster	2	23	3	6	7	10	2	5	2	–	1	3	–	21	5	6	3	–	–
Worcester	6	127	34	27	85	46	1	27	21	–	5	22	8	148	26	58	14	12	3
Balance of county	12	243	61	32	89	67	2	38	21	1	17	37	18	190	108	81	37	11	1
Michigan	269	6,079	1,175	821	1,482	1,941	209	1,369	609	11	540	1,028	446	4,852	1,989	1,874	1,146	885	121
Urban places	170	3,312	560	443	828	1,043	124	971	363	9	280	633	253	2,770	796	1,019	606	756	86
Balance of area	99	2,767	615	378	654	898	85	398	240	2	260	395	193	2,082	1,193	855	540	139	35

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Metropolitan counties	52,989	52	6	375	11,233	3,016	2,857	983	1,239	494	479	2,165	1,001	26,825	21,150	227	669	15,483	4,771
Urban places	38,256	46	6	285	8,057	2,173	2,093	680	910	352	337	1,512	732	19,447	15,412	162	535	10,959	3,756
Balance of area	14,733	6	–	90	3,176	843	764	303	329	142	142	653	269	7,378	5,738	65	134	4,524	1,015
Nonmetropolitan counties	20,712	9	3	111	4,231	1,129	1,082	342	460	205	143	870	449	10,900	8,231	85	187	6,539	1,420
Urban places	3,219	3	–	25	620	173	143	57	67	35	18	127	69	1,648	1,198	11	46	929	212
Balance of area	17,493	6	3	86	3,611	956	939	285	393	170	125	743	380	9,252	7,033	74	141	5,610	1,208
Alcona	117	–	–	–	27	8	7	3	2	–	–	7	3	59	39	–	–	32	7
Alger	93	–	–	1	14	7	2	–	1	1	–	3	1	50	40	–	1	38	1
Allegan	568	–	–	3	128	31	37	12	13	4	9	22	12	262	197	4	1	152	40
Holland, part	35	–	–	–	8	2	–	–	1	2	–	3	1	15	11	–	–	11	–
Balance of county	533	–	–	3	120	29	37	12	12	2	9	19	11	247	186	4	1	141	40
Alpena	269	–	–	–	62	20	14	1	5	5	2	15	5	143	115	1	–	106	8
Alpena	123	–	–	–	28	12	4	1	4	3	–	4	2	65	51	–	–	48	3
Balance of county	146	–	–	–	34	8	10	–	1	2	2	11	3	78	64	1	–	58	5
Antrim	146	–	–	–	44	10	10	4	9	2	1	8	3	75	49	–	–	43	6
Arenac	130	–	–	–	30	7	11	–	2	2	1	7	6	65	51	–	–	45	6
Baraga	97	–	–	–	21	4	9	2	–	–	1	5	4	53	46	–	–	31	15
Barry	348	–	–	1	73	15	19	7	10	4	2	16	8	176	132	2	–	108	22
Bay	961	2	–	4	217	50	41	17	13	11	8	77	17	513	411	7	2	361	41
Bay City	462	1	–	3	112	22	23	12	5	5	4	41	8	258	215	4	–	181	30
Midland, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	499	1	–	1	105	28	18	5	8	6	4	36	9	255	196	3	2	180	11
Benzie	122	–	–	–	30	11	6	2	2	3	1	5	2	62	38	1	1	34	2
Berrien	1,520	1	–	8	283	66	94	22	25	11	9	56	26	820	618	9	19	488	104
Benton Harbor	172	1	–	1	29	5	12	–	4	3	–	5	2	84	54	1	2	43	6
Niles	171	–	–	–	30	9	12	1	1	1	1	5	1	83	57	–	1	44	12
St. Joseph	137	–	–	–	25	7	8	1	3	–	2	4	–	81	62	2	3	50	7
Balance of county	1,040	–	–	7	199	45	62	20	17	7	6	42	23	572	445	6	13	349	77
Branch	354	–	–	–	76	27	17	8	6	1	1	16	12	184	117	–	–	105	12
Calhoun	1,217	–	–	9	260	65	61	20	23	10	9	66	31	627	479	3	11	373	92
Albion	96	–	–	1	19	3	6	–	3	–	1	6	–	55	41	1	1	27	12
Battle Creek	460	–	–	6	101	28	16	6	11	8	5	29	13	230	178	2	3	129	44
Balance of county	661	–	–	2	140	36	39	14	9	8	3	31	18	342	260	–	7	217	36
Cass	424	1	–	–	101	25	20	12	15	6	3	20	10	202	153	3	2	121	27
Charlevoix	166	–	–	2	40	8	9	3	7	2	3	8	3	71	49	–	–	42	7
Cheboygan	234	1	–	2	52	19	18	3	1	4	2	5	3	110	82	–	4	64	14
Chippewa	277	–	–	–	63	21	15	3	7	2	1	14	7	139	112	–	1	103	8
Sault Ste. Marie	167	–	–	–	35	12	6	2	5	–	–	10	4	87	65	–	–	60	5
Balance of county	110	–	–	–	28	9	9	1	2	2	1	4	3	52	47	–	1	43	3
Clare	267	1	–	4	58	17	19	4	3	–	1	14	3	152	135	–	–	116	19
Clinton	338	1	–	2	73	15	13	7	7	2	8	21	8	173	137	3	2	112	20
Lansing, part	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	337	1	–	2	72	15	12	7	7	2	8	21	8	173	137	3	2	112	20
Crawford	90	–	–	–	22	8	7	–	2	1	1	3	1	47	35	2	2	30	1
Delta	371	–	–	1	87	25	19	11	9	2	3	18	9	183	125	–	5	98	22
Escanaba	175	–	–	–	33	10	6	6	3	1	2	5	6	90	62	–	4	45	13
Balance of county	196	–	–	1	54	15	13	5	6	1	1	13	3	93	63	–	1	53	9
Dickinson	291	–	–	1	56	18	12	5	7	3	2	9	5	173	128	1	5	101	21
Eaton	489	–	–	4	115	34	14	12	17	7	6	25	4	233	168	4	6	130	28
Lansing, part	4	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	1	–
Balance of county	485	–	–	4	115	34	14	12	17	7	6	25	3	230	167	4	6	129	28
Emmet	182	–	1	–	41	8	11	2	10	–	1	9	2	93	72	–	–	65	7
Genesee	3,198	2	–	22	659	168	180	54	80	35	22	120	78	1,552	1,188	15	24	984	165
Flint	1,523	1	–	10	308	75	88	20	39	17	11	58	44	734	552	6	17	449	80
Balance of county	1,675	1	–	12	351	93	92	34	41	18	11	62	34	818	636	9	7	535	85
Gladwin	182	–	–	2	50	11	16	2	5	1	1	14	–	90	76	–	–	69	7
Gogebic	275	–	–	2	46	16	9	6	4	1	3	7	6	166	137	1	7	102	27
Grand Traverse	413	–	–	8	79	20	23	9	8	6	1	12	7	202	139	–	1	110	28
Traverse City	162	–	–	7	37	10	8	6	4	4	–	5	2	78	52	–	1	43	8
Balance of county	251	–	–	1	42	10	15	3	4	2	1	7	5	124	87	–	–	67	20
Gratiot	359	–	–	–	67	18	15	4	7	5	1	17	7	197	133	2	4	113	14
Hillsdale	345	–	–	2	72	21	19	5	9	2	3	13	11	167	130	3	4	100	23
Houghton	455	–	–	5	67	27	11	4	6	3	2	14	11	279	224	–	6	153	65
Huron	378	–	–	–	69	19	16	4	14	2	1	13	10	229	189	3	2	142	22
Ingham	1,621	1	–	11	354	121	78	25	41	12	12	65	34	813	638	8	28	434	168
East Lansing	118	–	–	–	19	8	7	2	1	–	–	1	1	66	50	–	1	37	12
Lansing, part	968	1	–	9	225	76	44	18	23	9	10	45	25	465	368	4	17	241	106
Lansing, total	973	1	–	9	226	76	45	18	23	9	10	45	26	468	369	4	17	242	106
Balance of county	535	–	–	2	110	37	27	5	17	3	2	19	8	282	220	4	10	156	50
Ionia	438	–	–	1	85	27	19	8	9	2	4	16	11	237	168	1	2	140	25
Iosco	277	–	–	2	55	11	18	8	6	3	–	9	4	157	123	1	2	108	12
Iron	186	–	–	2	35	13	7	4	5	–	2	4	6	102	79	1	1	67	10
Isabella	307	–	–	3	54	11	12	3	4	4	5	15	4	177	127	2	1	111	13
Mount Pleasant	116	–	–	3	14	1	5	1	1	4	2	–	1	72	45	1	1	40	3
Balance of county	191	–	–	–	40	10	7	2	3	–	3	15	3	105	82	1	–	71	10
Jackson	1,199	1	–	3	271	59	71	33	27	14	16	51	22	605	451	1	11	297	142
Jackson	536	1	–	1	127	28	30	13	15	8	7	26	12	275	210	1	6	127	76
Balance of county	663	–	–	2	144	31	41	20	12	6	9	25	10	330	241	–	5	170	66
Kalamazoo	1,366	2	–	11	289	78	74	30	28	12	15	52	21	686	525	8	16	410	91
Kalamazoo	666	2	–	8	122	29	34	10	18	3	9	19	11	349	270	4	11	207	48
Portage	152	–	–	1	40	11	11	8	–	2	2	6	1	61	47	2	1	39	5
Balance of county	548	–	–	2	127	38	29	12	10	7	4	27	9	276	208	2	4	164	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Metropolitan counties	190	4,200	735	550	1,031	1,356	157	1,091	435	11	386	807	333	3,468	1,318	1,332	849	814	109
Urban places	154	3,007	482	392	742	941	117	913	331	9	257	593	235	2,521	705	940	560	735	84
Balance of area	36	1,193	253	158	289	415	40	178	104	2	129	214	98	947	613	392	289	79	25
Nonmetropolitan counties	79	1,879	440	271	451	585	52	278	168	-	154	221	113	1,384	671	542	297	91	12
Urban places	16	305	78	51	88	102	7	58	32	-	23	40	18	249	91	79	46	21	2
Balance of area	63	1,574	362	220	365	483	45	220	136	-	131	181	95	1,135	580	463	251	60	10
Alcona	-	15	2	3	5	1	-	2	-	-	1	2	-	8	4	-	4	1	-
Alger	-	6	2	2	1	4	-	-	2	-	3	1	1	4	5	3	3	-	-
Allegan	-	49	9	7	19	13	5	2	6	-	6	7	13	46	18	15	10	2	1
Holland, part	-	3	-	1	2	-	-	-	1	-	1	-	2	5	-	-	-	-	-
Balance of county	-	46	9	6	17	13	5	2	5	-	5	7	11	41	18	15	10	2	1
Alpena	-	21	2	5	8	3	-	3	5	-	-	-	-	18	12	5	3	-	2
Alpena	-	10	-	4	5	-	-	3	4	-	-	-	-	9	5	-	2	-	-
Balance of county	-	11	2	1	3	3	-	-	1	-	-	-	-	9	7	5	1	-	2
Antrim	3	13	7	3	1	3	1	-	1	-	-	1	-	11	4	2	-	-	-
Arenac	-	9	4	1	3	4	-	2	2	-	1	-	-	6	6	4	1	-	-
Baraga	-	3	2	2	-	-	-	1	2	-	-	1	2	7	2	4	-	-	-
Barry	-	34	7	2	5	14	-	4	4	-	3	4	2	22	15	12	6	-	-
Bay	-	72	20	10	19	23	3	15	6	-	4	8	4	49	37	18	12	9	1
Bay City	-	32	5	6	8	14	1	9	3	-	1	3	2	24	7	7	-	1	-
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	40	15	4	11	9	2	6	3	-	3	5	2	25	30	11	12	8	1
Benzie	4	10	6	4	1	4	1	1	2	-	-	1	-	11	4	2	-	1	-
Berrien	13	131	44	14	34	45	2	21	7	-	10	21	1	112	45	49	18	17	-
Benton Harbor	3	18	4	5	2	6	-	5	1	-	-	8	1	17	3	3	2	7	-
Niles	1	17	6	2	7	5	-	1	-	-	2	3	-	18	13	7	-	1	-
St. Joseph	2	10	4	3	2	8	-	2	-	-	1	-	-	7	4	3	4	-	-
Balance of county	7	86	30	4	23	26	2	13	6	-	7	10	-	70	25	36	12	9	-
Branch	2	30	10	5	7	18	1	2	1	-	8	5	-	35	9	13	5	-	-
Calhoun	7	105	17	19	25	33	4	24	11	-	5	11	10	84	30	31	13	9	-
Albion	1	8	1	4	3	1	-	1	1	-	-	-	2	11	1	1	-	-	-
Battle Creek	2	39	6	5	9	16	3	13	4	-	1	7	3	28	5	8	8	5	-
Balance of county	4	58	10	10	13	15	1	10	6	-	4	4	5	45	24	22	5	4	-
Cass	-	38	5	6	13	16	3	3	1	-	2	11	4	27	13	8	5	4	-
Charlevoix	1	13	5	3	3	5	-	3	-	-	1	2	-	13	5	15	3	-	-
Cheboygan	-	18	10	-	3	7	1	3	4	-	1	4	2	22	5	3	11	-	-
Chippewa	2	18	5	2	5	9	1	2	5	-	-	-	1	24	3	9	6	3	-
Sault Ste. Marie	1	15	4	2	3	7	1	2	3	-	-	-	1	14	2	5	3	-	-
Balance of county	1	3	1	-	2	2	-	-	2	-	-	-	-	10	1	4	3	3	-
Clare	-	13	-	4	1	7	1	3	4	-	1	2	1	12	9	3	4	1	-
Clinton	-	25	8	3	8	5	2	2	2	-	1	8	3	22	12	8	6	2	-
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	25	8	3	8	5	2	2	2	-	1	8	3	22	12	8	6	2	-
Crawford	-	9	2	1	1	2	-	-	1	-	1	1	-	8	4	1	1	-	-
Delta	1	38	12	7	11	9	1	6	3	-	-	2	3	21	10	14	7	2	2
Escanaba	1	20	4	3	6	4	-	2	1	-	-	1	2	16	3	7	3	-	1
Balance of county	-	18	8	4	5	5	1	4	2	-	-	1	1	5	7	7	4	2	1
Dickinson	2	29	13	1	4	6	-	3	-	-	2	3	4	12	9	9	3	1	-
Eaton	2	38	19	6	10	11	3	-	6	-	6	7	7	36	24	14	6	3	-
Lansing, part	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	36	19	6	10	11	3	-	6	-	6	7	7	36	24	14	6	3	-
Emmet	-	17	1	3	6	5	1	4	2	-	2	-	1	12	4	6	2	-	-
Genesee	10	296	34	24	55	83	7	56	30	1	30	66	24	236	104	74	60	52	7
Flint	9	148	15	10	24	35	4	31	15	1	13	38	17	110	26	37	28	44	2
Balance of county	1	148	19	14	31	48	3	25	15	-	17	27	7	126	78	37	32	8	5
Gladwin	1	10	3	-	3	3	-	4	1	-	1	1	2	7	11	5	2	-	-
Gogebic	2	21	1	5	7	3	1	3	-	-	2	1	2	20	4	7	3	2	-
Grand Traverse	1	39	16	7	16	10	-	4	5	-	5	6	2	18	25	18	5	2	1
Traverse City	-	17	7	2	6	3	-	2	3	-	2	1	-	6	8	5	1	1	-
Balance of county	1	22	9	5	10	7	-	2	2	-	3	5	2	12	17	13	4	1	1
Gratiot	1	49	6	8	16	8	-	3	2	-	3	3	2	27	14	6	4	-	-
Hillsdale	-	23	11	3	9	16	2	3	2	-	2	5	2	21	9	11	10	1	-
Houghton	1	45	3	6	18	6	1	8	5	-	1	-	-	32	4	9	7	2	-
Huron	1	49	7	3	7	11	1	2	4	-	-	3	1	22	12	7	1	-	-
Ingham	7	122	25	21	34	52	3	16	11	1	9	22	17	118	32	54	26	11	2
East Lansing	1	9	4	2	1	1	-	-	1	-	1	2	-	14	2	5	3	2	-
Lansing, part	5	70	14	8	22	32	2	11	6	-	6	12	13	62	16	39	10	9	1
Lansing, total	5	72	14	8	22	32	2	11	6	-	6	12	13	62	18	39	10	9	1
Balance of county	1	43	7	11	11	19	1	5	4	1	2	8	4	42	12	10	13	-	1
Ionia	-	53	10	6	5	6	1	9	6	-	5	5	5	32	18	4	7	1	-
Iosco	1	24	3	6	1	5	-	8	2	-	1	3	2	18	8	6	4	1	-
Iron	-	19	3	1	2	4	1	3	1	-	4	1	1	19	3	-	2	-	-
Isabella	1	40	7	2	7	13	1	4	2	-	5	5	2	16	5	4	5	-	-
Mount Pleasant	1	21	5	-	4	6	1	-	1	-	2	-	1	8	1	3	1	-	-
Balance of county	-	19	2	2	3	7	-	4	1	-	3	5	1	10	4	1	4	-	-
Jackson	5	105	33	11	31	49	3	17	5	-	10	19	2	66	35	28	24	7	1
Jackson	2	44	12	7	13	24	-	6	3	-	2	6	1	32	13	9	7	4	-
Balance of county	3	61	21	4	18	25	3	11	2	-	8	13	1	34	22	19	17	3	1
Kalamazoo	5	113	23	20	32	56	5	14	7	-	13	21	13	88	50	38	21	7	-
Kalamazoo	3	58	10	8	12	24	4	8	4	-	9	15	4	40	20	19	11	4	-
Portage	-	11	1	2	2	14	-	3	-	-	1	1	3	11	8	2	4	-	-
Balance of county	2	44	12	10	18	18	1	3	3	-	3	5	6	37	22	9	6	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Kalkaska	91	–	–	–	24	3	6	1	2	2	1	9	–	50	38	2	–	32	4
Kent	3,436	5	–	29	720	188	150	60	83	32	46	163	63	1,764	1,283	13	24	1,014	232
East Grand Rapids	51	–	–	–	18	3	1	1	4	3	1	5	2	20	15	1	–	12	2
Grand Rapids	1,918	3	–	17	389	120	70	30	37	21	27	84	36	1,003	706	5	12	564	125
Grandville	69	–	–	–	19	–	2	3	3	–	3	8	1	34	22	1	–	16	5
Kentwood	124	–	–	1	33	8	10	1	6	–	2	6	1	57	43	–	2	33	8
Walker	83	–	–	1	21	6	3	3	4	–	–	5	–	41	32	1	–	23	8
Wyoming	357	1	–	2	73	14	21	6	9	3	6	14	4	183	136	2	5	98	31
Balance of county	834	1	–	8	167	35	43	16	20	5	7	41	19	426	329	3	5	266	53
Keweenaw	28	–	–	–	3	1	–	–	–	1	–	1	1	16	13	–	1	10	2
Lake	111	–	–	–	25	7	8	–	7	–	1	2	3	66	46	–	–	38	8
Lapeer	449	–	–	4	93	21	26	5	8	12	2	19	11	231	166	1	5	140	20
Leelanau	118	–	1	1	28	6	6	4	2	3	1	6	3	63	44	–	1	31	12
Lenawee	704	2	1	1	152	40	40	20	14	9	4	25	18	358	258	1	15	199	43
Adrian	235	1	–	–	52	12	13	10	6	3	–	8	6	112	74	1	3	57	13
Balance of county	469	1	1	1	100	28	27	10	8	6	4	17	13	246	184	–	12	142	30
Livingston	540	–	–	5	109	29	31	8	10	12	2	17	9	262	199	3	1	148	47
Luce	60	–	–	–	19	4	4	1	4	1	2	3	2	30	23	1	–	13	9
Mackinac	107	–	–	1	20	4	8	1	2	1	–	4	3	57	33	–	1	31	1
Macomb	4,407	1	1	33	1,017	265	259	100	98	47	41	207	82	2,270	1,840	25	37	1,472	306
Center Line	117	–	–	–	25	6	7	2	4	–	1	5	1	62	41	2	1	33	5
East Detroit	369	–	1	2	80	22	21	9	6	7	2	13	13	197	166	2	5	141	18
Fraser	96	–	–	1	26	5	5	2	2	–	3	9	3	47	35	1	–	27	7
Mount Clemens	305	–	–	2	59	18	13	3	6	4	3	12	8	149	121	1	1	97	22
Roseville	384	–	–	6	85	19	20	9	11	1	8	17	10	203	159	2	2	132	28
St. Clair Shores	705	–	–	2	169	40	40	20	19	8	4	38	10	380	309	3	7	239	60
Sterling Heights	413	–	–	5	99	25	26	14	10	5	6	13	9	203	177	8	5	130	34
Warren	1,081	1	–	8	258	72	67	24	27	10	7	51	18	557	459	5	7	385	62
Balance of county	937	–	–	7	216	58	60	17	13	12	7	49	12	472	373	1	9	288	75
Manistee	247	–	–	–	43	10	11	2	2	5	1	12	3	150	92	1	1	76	14
Marquette	514	–	–	5	104	34	25	12	9	2	3	19	5	262	213	2	8	149	54
Marquette	176	–	–	1	32	12	7	3	1	1	–	8	2	87	67	–	2	43	22
Balance of county	338	–	–	4	72	22	18	9	8	1	3	11	3	175	146	2	6	106	32
Mason	236	–	–	–	55	18	13	2	11	2	2	7	8	125	105	2	1	86	16
Mecosta	252	–	–	2	52	7	12	3	8	4	–	18	8	115	89	–	5	61	23
Big Rapids	64	–	–	–	17	2	2	–	3	2	–	8	3	28	23	–	1	15	7
Balance of county	188	–	–	2	35	5	10	3	5	2	–	10	5	87	66	–	4	46	16
Menominee	255	–	–	–	44	12	9	8	10	–	2	3	8	151	119	–	1	86	32
Menominee	128	–	–	–	23	9	3	5	5	–	–	1	3	70	51	–	1	41	9
Balance of county	127	–	–	–	21	3	6	3	5	–	2	2	5	81	68	–	–	45	23
Midland	406	–	–	2	89	21	27	8	10	2	5	16	2	220	163	3	4	124	32
Midland, part	213	–	–	2	46	11	15	6	7	1	1	5	1	112	83	–	2	64	17
Midland, total	213	–	–	2	46	11	15	6	7	1	1	5	1	112	83	–	2	64	17
Balance of county	193	–	–	–	43	10	12	2	3	1	4	11	1	108	80	3	2	60	15
Missaukee	98	–	–	–	16	–	5	2	4	1	1	3	2	61	49	1	–	41	7
Monroe	956	–	–	4	203	57	56	17	15	7	11	40	21	494	386	4	23	286	73
Monroe	270	–	–	–	57	15	13	4	7	1	3	14	6	145	112	2	6	90	14
Balance of county	686	–	–	4	146	42	43	13	8	6	8	26	15	349	274	2	17	196	59
Montcalm	460	–	–	3	79	25	17	1	8	5	5	18	8	248	186	1	4	138	43
Montmorency	80	–	–	1	21	6	4	1	2	3	–	5	3	41	26	–	–	24	2
Muskegon	1,343	1	–	4	288	93	70	23	32	9	11	50	29	700	537	5	9	452	71
Muskegon	477	1	–	2	102	31	26	6	12	2	4	21	11	253	185	–	5	153	27
Muskegon Heights	164	–	–	–	32	7	11	5	4	1	2	2	3	82	59	–	1	50	8
Norton Shores	138	–	–	1	41	12	6	3	7	2	2	9	2	68	56	–	–	50	6
Balance of county	564	–	–	1	113	43	27	9	9	4	3	16	13	297	237	5	3	199	30
Newaygo	301	–	–	3	78	17	18	5	10	7	5	16	6	148	100	–	–	87	13
Oakland	6,884	2	–	35	1,548	393	372	159	159	52	74	339	126	3,536	2,821	43	61	2,299	418
Berkley	168	–	–	–	27	6	7	3	2	1	1	7	3	94	78	–	1	66	11
Beverly Hills	83	–	–	–	18	2	4	2	2	–	–	8	1	35	27	1	1	19	6
Birmingham	214	–	–	–	59	14	18	5	5	2	2	13	6	108	87	1	3	70	13
Clawson	115	–	–	1	23	5	7	2	–	1	2	6	1	68	54	1	3	39	11
Farmington	149	–	–	2	31	8	8	2	7	1	2	3	4	83	66	1	1	49	15
Ferndale	255	–	–	1	69	22	14	9	6	2	5	11	1	124	98	1	3	81	19
Hazel Park	195	–	–	3	50	10	16	5	2	3	–	14	4	90	71	–	2	58	11
Madison Heights	241	1	–	1	53	14	17	1	7	2	1	11	6	114	97	5	1	76	15
Oak Park	299	–	–	1	71	20	13	3	6	5	5	19	8	160	126	–	2	112	12
Pontiac	688	–	–	6	122	35	24	11	13	7	2	30	10	325	257	5	9	211	32
Royal Oak	619	–	–	1	154	44	35	20	17	1	6	31	8	241	262	7	6	213	36
Southfield	711	–	–	3	169	46	41	13	16	6	12	35	15	401	323	4	3	273	46
Troy	306	–	–	3	62	16	17	5	6	3	3	12	3	157	126	2	2	103	19
Balance of county	2,871	1	–	13	640	151	151	78	70	18	33	139	56	1,438	1,149	15	24	929	181
Oceana	208	–	–	1	37	12	11	1	5	–	1	7	6	117	87	–	1	75	11
Ogemaw	206	–	–	–	48	18	6	2	8	3	1	10	4	106	79	–	1	70	8
Ontonagon	117	–	–	2	18	6	3	1	–	–	1	7	1	71	52	1	–	41	10
Osceola	214	–	–	2	42	10	8	3	7	1	1	12	4	121	88	3	1	66	18
Oscoda	84	–	–	–	19	3	8	3	1	1	–	3	1	47	31	–	–	29	2
Otsego	143	–	–	1	35	8	6	1	5	2	–	13	4	74	60	–	1	33	26
Ottawa	973	–	–	6	168	54	37	15	16	11	7	28	16	455	327	2	4	267	54
Grand Haven	125	–	–	2	23	8	3	1	3	3	–	5	1	67	47	2	–	32	13
Holland, part	178	–	–	3	29	8	6	1	3	2	1	8	2	97	73	–	–	66	7
Holland, total	213	–	–	3	37	10	6	1	4	4	1	11	3	112	84	–	–	77	7
Balance of county	570	–	–	1	116	38	28	13	10	6	6	15	13	291	207	–	4	169	34
Presque Isle	136	–	–	2	28	8	8	–	6	–	1	5	3	78	62	3	–	57	2
Roscommon	200	–	–	–	37	8	9	3	3	1	1	12	5	108	91	–	–	72	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Kalkaska	–	8	2	2	2	1	1	1	–	–	2	1	–	2	3	1	3	–	–
Kent	11	361	76	33	68	87	13	45	25	1	32	65	29	235	93	95	44	19	4
East Grand Rapids	1	2	1	1	–	2	–	–	–	–	–	2	1	2	1	2	1	–	–
Grand Rapids	8	221	49	19	45	47	10	24	13	1	11	36	18	136	38	55	21	13	2
Grandville	–	8	3	1	–	1	–	1	1	–	1	1	–	6	2	1	–	1	–
Kentwood	–	12	1	1	1	5	–	–	3	–	2	1	1	7	4	4	4	–	–
Walker	–	8	1	–	1	3	–	3	–	–	1	1	–	7	1	1	2	–	–
Wyoming	1	34	9	3	6	7	2	8	2	–	5	7	2	27	14	6	4	4	–
Balance of county	1	76	12	8	15	22	1	9	6	–	12	17	7	50	33	26	12	1	2
Keweenaw	–	3	–	–	1	1	–	3	–	–	–	–	–	1	–	1	1	–	–
Lake	–	16	3	1	2	2	–	4	1	–	1	–	–	4	1	–	1	1	–
Lapeer	1	43	17	4	7	8	3	8	4	–	5	4	2	23	19	18	7	2	–
Leelanau	–	13	5	1	4	3	1	3	–	–	–	–	1	6	2	1	1	–	–
Lenawee	2	73	14	11	10	18	3	10	5	–	6	8	3	60	23	16	7	3	1
Adrian	–	25	9	4	4	6	–	5	3	–	3	1	2	21	7	5	4	3	–
Balance of county	2	48	5	7	6	12	3	5	2	–	3	5	1	39	16	11	3	–	1
Livingston	3	46	7	7	15	20	3	8	3	–	4	8	3	34	27	16	8	2	3
Luce	–	3	3	1	–	–	–	1	–	–	–	–	–	5	–	3	–	–	–
Mackinac	1	18	5	–	1	1	–	–	2	–	2	–	–	12	4	1	3	–	–
Macomb	8	306	76	40	74	101	11	76	47	1	39	55	18	258	102	86	95	40	2
Center Line	–	16	4	1	3	4	–	3	2	–	2	–	–	7	3	1	2	2	–
East Detroit	1	26	3	1	8	4	1	8	5	–	1	3	1	27	3	5	9	1	–
Fraser	–	8	1	3	–	3	–	–	–	–	1	1	–	5	3	2	2	2	–
Mount Clemens	–	22	3	3	10	8	2	7	2	–	3	12	4	21	10	3	3	6	–
Roseville	1	26	13	4	4	4	1	10	1	–	4	5	3	17	8	10	7	6	–
St. Clair Shores	–	53	10	8	12	16	1	11	4	–	2	3	3	51	10	15	10	4	2
Sterling Heights	–	19	4	3	8	12	1	5	5	–	6	9	2	18	9	11	11	2	–
Warren	5	59	25	9	18	24	5	21	18	–	10	8	1	59	24	16	28	7	–
Balance of county	1	77	13	8	11	28	–	11	10	1	10	14	4	53	32	23	23	10	–
Manistee	1	39	16	2	3	6	–	2	1	–	1	1	1	20	6	5	5	–	–
Marquette	1	35	7	6	8	15	1	9	7	–	2	12	2	30	19	21	12	–	–
Marquette	–	16	2	2	4	7	–	2	4	–	1	4	–	10	9	7	6	–	–
Balance of county	1	19	5	4	4	8	1	7	3	–	1	8	2	20	10	14	6	–	–
Mason	–	14	4	2	5	5	–	3	–	–	2	3	–	8	7	8	6	1	–
Mecosta	–	21	4	1	14	15	2	5	4	–	2	2	2	11	10	7	1	–	–
Big Rapids	–	4	1	–	3	5	–	1	1	–	1	–	–	4	1	–	–	–	–
Balance of county	–	17	3	1	11	10	2	4	3	–	1	2	2	7	9	7	1	–	–
Menominee	–	15	12	5	4	4	–	5	1	–	3	3	1	11	11	6	2	1	–
Menominee	–	9	8	2	2	2	–	4	–	–	2	3	–	6	7	4	1	1	–
Balance of county	–	6	4	3	2	2	–	1	1	–	1	–	1	5	4	2	1	–	–
Midland	1	41	10	5	7	9	1	4	3	–	4	5	1	30	11	8	8	2	–
Midland, part	1	21	5	2	4	6	1	3	3	–	3	1	–	20	4	2	4	1	–
Midland, total	1	21	5	2	4	6	1	3	3	–	3	1	–	20	4	2	4	1	–
Balance of county	–	20	5	3	3	3	–	1	–	–	1	4	1	10	7	6	4	1	–
Missaukee	–	10	–	2	3	1	–	–	–	–	1	2	1	6	2	1	1	1	–
Monroe	2	61	14	11	14	32	4	11	6	–	7	10	3	62	34	29	18	4	2
Monroe	1	24	4	4	7	7	1	2	4	–	1	1	2	21	4	6	4	1	1
Balance of county	1	37	10	7	7	25	3	9	2	–	6	9	1	41	30	23	12	3	1
Montcalm	3	45	10	4	15	16	–	5	7	–	2	5	5	28	21	11	6	1	–
Montmorency	–	14	1	–	1	2	–	–	–	–	–	–	–	5	–	4	2	–	–
Muskegon	4	116	24	19	29	36	2	17	15	–	10	12	5	93	34	37	19	11	1
Muskegon	–	46	13	9	14	12	1	5	3	–	1	7	1	31	6	16	5	5	1
Muskegon Heights	–	22	1	–	2	5	–	4	–	–	2	3	–	18	1	6	2	4	–
Norton Shores	–	8	1	3	1	4	1	–	1	–	1	–	–	9	2	2	4	1	–
Balance of county	4	40	8	7	12	15	–	8	11	–	6	2	4	35	25	13	8	1	–
Newaygo	2	27	12	5	4	8	1	5	7	–	2	4	3	11	8	13	1	1	–
Oakland	20	539	74	82	147	207	20	95	49	1	48	75	28	404	208	177	121	54	13
Berkley	2	8	1	5	2	11	1	–	–	–	2	2	–	14	6	4	1	1	–
Beverly Hills	–	6	1	1	4	1	–	–	–	–	–	–	–	2	2	–	–	–	–
Birmingham	1	16	3	1	6	4	1	1	3	–	–	1	–	11	3	8	3	–	–
Clawson	–	11	–	1	–	2	–	1	–	–	–	1	1	5	5	2	4	3	–
Farmington	–	12	1	4	4	6	–	2	–	–	–	1	–	11	2	1	1	–	1
Ferndale	–	17	3	6	10	7	3	6	1	–	1	3	2	15	4	6	1	–	1
Hazel Park	1	14	2	2	2	13	–	5	1	–	–	2	–	8	7	4	4	1	1
Madison Heights	–	13	3	1	6	11	–	4	1	–	2	2	–	15	8	6	7	3	1
Oak Park	–	25	2	7	3	7	2	5	3	–	2	2	1	19	2	3	4	6	–
Pontiac	2	46	10	10	22	20	1	16	8	–	9	14	6	46	20	28	13	19	3
Royal Oak	3	61	7	8	11	14	2	5	5	–	4	5	1	33	12	11	9	2	1
Southfield	2	61	10	5	11	16	2	7	9	1	3	5	3	30	9	14	7	6	–
Troy	–	23	4	4	5	11	2	6	4	–	1	3	1	15	11	13	7	2	–
Balance of county	9	226	27	27	61	84	6	37	14	–	24	34	13	180	117	77	60	11	5
Oceana	–	25	2	3	2	6	–	–	1	–	2	–	–	19	11	5	1	–	–
Ogemaw	–	18	5	4	4	8	–	3	2	–	1	2	1	12	7	5	3	–	–
Ontonagon	–	10	7	2	–	3	–	4	–	–	–	2	–	8	3	4	1	–	–
Osceola	1	29	3	–	5	7	2	2	3	–	2	1	1	10	7	3	1	1	–
Oscoda	1	10	2	3	–	4	–	2	1	–	–	1	–	2	5	2	–	–	–
Otsego	–	5	4	5	5	1	–	2	–	–	2	1	1	8	4	3	2	–	–
Ottawa	3	93	24	8	15	19	4	6	7	–	11	13	20	62	41	20	8	1	1
Grand Haven	–	16	2	2	5	1	1	–	2	–	1	–	–	14	3	2	2	1	–
Holland, part	1	19	–	4	1	2	2	2	2	–	1	5	5	16	7	4	–	–	–
Holland, total	1	22	–	5	3	2	2	2	3	–	2	5	7	21	7	4	–	–	–
Balance of county	2	58	22	2	9	16	1	4	3	–	9	8	15	32	31	14	6	–	1
Presque Isle	1	13	1	1	–	1	–	2	–	–	–	3	–	6	4	2	4	3	–
Roscommon	–	11	3	3	3	12	1	–	2	–	2	2	–	15	7	6	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	C
Michigan—Con.																			
Saginaw	1,649	3	–	6	325	84	69	34	41	7	9	61	32	832	618	4	21	480	
Saginaw	784	2	–	4	152	33	48	16	20	3	3	29	13	392	276	–	12	202	
Balance of county	865	1	–	4	173	51	41	18	21	4	6	32	19	440	342	4	9	258	
St. Clair	1,211	1	–	6	229	61	61	19	14	15	6	53	39	621	469	9	36	361	
Port Huron	421	1	–	2	67	23	15	6	3	1	2	17	16	215	155	3	19	113	
Balance of county	790	–	–	4	162	38	46	13	11	14	4	36	23	406	314	6	17	248	
St. Joseph	475	1	–	3	98	26	34	6	9	5	2	16	6	250	182	3	5	140	
Sanilac	399	–	–	1	83	24	24	6	8	2	3	16	12	222	168	1	4	147	
Schoolcraft	106	1	–	–	20	9	2	1	3	1	2	2	6	53	41	–	–	38	
Shiawassee	508	–	–	3	96	20	27	11	11	4	3	20	9	257	209	–	6	178	
Owosso	168	–	–	2	24	7	5	3	2	1	2	4	6	84	67	–	2	56	
Balance of county	340	–	–	1	72	13	22	8	9	3	1	16	3	173	142	–	4	120	
Tuscola	404	–	–	1	83	19	18	8	14	3	5	18	8	217	181	3	2	113	
Van Buren	538	–	–	5	93	25	22	11	8	4	4	19	12	272	211	3	4	156	
Washtenaw	1,293	1	1	16	291	73	57	25	35	18	21	62	22	584	424	3	4	324	
Ann Arbor	458	–	1	3	106	28	14	11	14	10	7	22	6	217	144	2	1	106	
Ypsilanti	194	1	–	5	35	10	5	4	4	1	4	7	3	95	69	–	1	55	
Balance of county	641	–	–	8	150	35	38	10	17	7	10	33	13	272	211	1	2	161	
Wayne	22,517	30	4	179	4,602	1,265	1,270	367	539	206	170	785	415	11,384	9,230	81	392	6,041	
Allen Park	304	–	–	3	58	12	15	11	6	6	2	6	7	178	140	–	4	106	
Dearborn	1,001	–	–	5	239	71	59	16	24	11	18	40	24	531	440	2	13	320	
Dearborn Heights	526	1	–	1	143	37	46	9	19	4	6	22	11	280	236	4	3	174	
Detroit	13,785	28	3	122	2,649	748	737	205	332	116	92	419	237	6,814	5,480	39	281	3,316	
Ecorse	169	–	–	1	39	13	7	–	9	–	2	6	3	87	69	1	–	49	
Garden City	217	–	–	–	54	13	17	7	3	1	1	12	1	105	88	2	4	62	
Grosse Pointe Farms	129	–	–	1	36	10	6	7	4	5	1	3	–	73	58	1	3	42	
Grosse Pointe Park	136	–	–	–	36	12	9	2	5	–	1	7	4	66	48	–	1	37	
Grosse Pointe Woods	164	–	–	1	46	11	7	6	9	3	1	9	3	92	66	1	–	55	
Hamtramck	334	–	–	2	74	18	26	7	8	1	3	11	11	194	165	2	7	112	
Harper Woods	195	–	–	–	53	17	15	4	5	3	1	8	9	108	89	3	5	64	
Highland Park	327	–	–	4	49	13	13	5	4	2	2	10	7	157	120	2	5	68	
Inkster	271	–	1	5	60	18	13	5	6	5	2	11	7	133	111	1	12	71	
Lincoln Park	424	–	–	2	97	27	31	6	9	4	3	17	13	208	177	–	4	130	
Livonia	656	1	–	1	151	43	45	15	11	6	4	27	13	344	290	4	5	223	
Melvindale	104	–	–	1	23	3	8	1	3	–	2	6	4	53	45	–	1	26	
Plymouth	118	–	–	1	28	9	6	3	1	–	–	9	1	62	53	–	3	37	
River Rouge	152	–	–	3	32	3	8	3	6	2	–	10	2	72	60	3	3	32	
Riverview	88	–	–	–	15	4	7	–	2	–	–	2	1	60	49	–	–	38	
Southgate	225	–	–	–	50	12	13	5	4	2	2	12	7	121	101	2	2	75	
Taylor	442	–	–	2	85	23	28	5	7	3	2	17	9	230	184	–	3	129	
Trenton	158	–	–	2	30	6	10	1	2	2	2	7	4	81	65	1	2	57	
Wayne	187	–	–	1	34	5	17	1	1	1	–	9	3	99	80	1	2	52	
Westland	494	–	–	4	106	30	32	5	10	7	3	19	7	240	207	3	7	151	
Wyandotte	337	–	–	2	77	14	21	9	8	3	4	18	10	198	164	1	2	143	
Balance of county	1,574	–	–	15	338	93	74	29	41	19	16	66	17	798	645	8	20	470	
Wexford	256	–	–	1	57	14	11	6	7	5	1	13	3	137	107	2	1	83	
Minnesota	32,089	13	1	170	6,743	1,982	1,389	608	819	322	333	1,290	487	16,365	11,968	147	237	9,451	
Urban places	15,944	9	–	91	3,441	964	756	342	378	154	158	691	238	7,946	5,802	69	135	4,522	
Balance of area	16,145	4	1	79	3,302	1,018	633	266	443	168	175	599	249	8,419	6,166	78	102	4,929	
Metropolitan counties	15,914	5	–	96	3,459	958	783	340	364	157	153	704	235	7,780	5,700	89	124	4,592	
Urban places	13,403	4	–	78	2,918	800	657	300	300	133	131	597	198	6,593	4,825	56	106	3,886	
Balance of area	2,511	1	–	17	541	158	126	40	64	24	22	107	37	1,187	875	13	18	706	
Nonmetropolitan counties	16,175	8	1	74	3,284	1,024	606	268	455	165	180	586	252	8,585	6,268	78	113	4,859	
Urban places	2,541	5	–	12	523	164	99	42	76	21	27	94	40	1,353	977	13	29	736	
Balance of area	13,634	3	1	62	2,761	860	507	226	379	144	153	492	212	7,232	5,291	65	84	4,123	
Aitkin	159	–	–	2	32	11	10	5	3	1	1	1	3	91	70	–	–	56	
Anoka	708	–	–	1	176	41	50	11	20	8	6	38	8	282	242	2	4	192	
Anoka	112	–	–	–	22	5	4	2	2	–	1	8	3	57	46	–	1	38	
Blaine, part	78	–	–	–	15	3	5	1	1	–	–	5	1	34	23	1	–	18	
Blaine, total	78	–	–	–	15	3	5	1	1	–	–	5	1	34	23	1	–	18	
Columbia Heights	133	–	–	1	38	11	10	4	3	2	3	5	1	59	50	1	2	37	
Coon Rapids	89	–	–	–	27	6	7	1	3	1	2	7	–	33	31	–	–	23	
Fridley	134	–	–	–	36	8	12	1	5	4	–	6	–	54	44	–	–	37	
Balance of county	162	–	–	–	38	8	12	2	6	1	2	7	3	55	48	–	1	39	
Becker	268	–	–	3	41	10	8	4	8	4	2	5	2	131	100	2	1	86	
Beltrami	231	–	–	4	41	14	7	3	5	1	1	10	5	114	75	2	1	62	
Bemidji	109	–	–	1	22	8	3	2	4	1	–	4	1	56	32	1	–	28	
Balance of county	122	–	–	3	19	6	4	1	1	–	1	6	4	58	43	1	1	34	
Benton	199	–	–	1	41	8	8	5	3	3	4	10	2	109	81	–	6	67	
St. Cloud, part	37	–	–	–	8	3	2	2	1	–	–	–	1	22	17	–	3	11	
Balance of county	162	–	–	1	33	5	6	3	2	3	4	10	1	87	64	–	3	56	
Big Stone	77	1	–	–	18	6	1	1	5	–	–	5	1	39	31	–	–	24	
Blue Earth	383	–	–	1	72	20	13	9	9	5	7	9	9	212	165	1	3	143	
Mankato	187	–	–	–	36	13	9	3	4	2	3	2	2	98	79	1	3	70	
Balance of county	196	–	–	1	36	7	4	6	5	3	4	7	7	114	86	–	–	73	
Brown	286	–	–	2	56	25	8	4	8	1	3	7	5	158	108	–	1	77	
New Ulm	131	–	–	1	30	11	5	3	7	1	1	2	3	70	39	–	–	33	
Balance of county	155	–	–	1	26	14	3	1	1	–	2	5	2	88	69	–	1	44	
Carlton	274	–	–	1	58	13	9	5	17	–	–	14	4	153	102	2	1	79	
Carver	203	–	–	5	43	14	7	4	3	3	5	7	5	94	72	1	1	59	
Cass	248	–	–	–	61	13	15	3	9	6	1	14	3	121	84	2	–	65	
Chippewa	176	–	–	1	40	7	8	6	9	1	1	8	2	81	61	1	1	48	
Chisago	244	–	–	–	52	19	7	5	8	2	2	9	4	129	95	1	–	73	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Saginaw	9	152	35	18	27	47	4	29	12	–	7	31	12	96	52	65	26	37	4
Saginaw	5	84	19	8	14	23	2	16	8	–	5	17	4	48	19	29	8	25	3
Balance of county	4	68	16	10	13	24	2	13	4	–	2	14	8	48	33	36	18	12	1
St. Clair	8	101	23	20	21	43	2	25	6	–	10	16	6	96	39	32	15	2	2
Port Huron	3	37	10	10	14	10	1	8	1	–	4	10	3	39	12	11	4	2	1
Balance of county	5	64	13	10	7	33	1	17	5	–	6	6	3	57	27	21	11	–	1
St. Joseph	2	47	7	12	7	16	1	6	4	–	6	6	1	32	18	9	8	3	–
Sanilac	–	38	12	4	7	7	1	3	3	–	4	2	3	20	11	10	9	1	–
Schoolcraft	4	7	–	1	1	3	–	1	1	–	1	1	–	6	3	4	5	–	–
Shiawassee	1	38	7	2	17	18	–	7	2	–	8	9	1	34	19	14	11	3	–
Owosso	–	15	2	–	6	10	–	4	1	–	–	1	1	12	6	8	3	–	–
Balance of county	1	23	5	2	11	8	–	3	1	–	8	8	–	22	13	6	8	3	–
Tuscola	–	29	1	6	10	10	–	2	4	–	3	5	1	27	18	12	3	–	–
Van Buren	3	44	7	7	17	20	2	7	4	–	2	4	7	37	23	20	8	5	–
Washtenaw	7	115	22	16	34	34	2	17	6	–	14	28	9	101	46	45	34	6	2
Ann Arbor	3	54	10	6	10	12	–	5	2	–	6	11	3	33	11	17	12	3	–
Ypsilanti	1	21	2	2	6	5	–	7	2	–	3	7	–	12	3	6	1	1	2
Balance of county	3	40	10	8	18	17	2	5	2	–	5	10	6	56	32	22	21	2	–
Wayne	96	1,623	211	224	427	506	68	667	197	6	140	363	137	1,521	395	534	324	549	69
Allen Park	3	28	3	4	5	9	–	4	2	–	–	5	2	19	2	4	3	3	–
Dearborn	2	73	6	8	16	32	2	16	11	–	6	9	3	52	17	20	11	4	3
Dearborn Heights	3	29	3	9	7	12	1	15	1	–	1	2	1	19	7	10	10	3	1
Detroit	73	1,006	133	122	289	293	44	488	133	5	89	250	103	994	187	370	179	472	42
Ecorse	–	13	–	5	4	1	–	8	3	–	1	1	1	7	5	4	1	3	–
Garden City	–	13	2	2	3	6	1	3	2	–	–	2	–	15	8	8	7	1	1
Grosse Pointe Farms	–	11	1	3	2	3	–	2	–	–	1	–	–	7	1	1	1	1	–
Grosse Pointe Park	–	14	3	1	2	4	1	2	1	–	–	–	–	9	–	6	3	1	1
Grosse Pointe Woods	–	17	7	2	2	4	–	2	1	–	1	–	–	6	4	2	–	–	–
Hamtramck	1	22	2	4	3	6	–	10	3	–	1	4	1	11	7	2	2	3	–
Harper Woods	1	13	2	3	2	2	–	4	–	–	–	1	–	10	1	3	2	–	–
Highland Park	1	32	2	2	11	5	1	14	2	–	2	10	2	29	5	3	7	17	2
Inkster	–	13	7	2	3	2	1	8	2	–	3	4	1	19	7	7	2	5	1
Lincoln Park	1	24	2	4	6	10	1	14	–	–	6	12	2	22	10	6	9	5	1
Livonia	1	44	6	3	16	16	1	7	3	1	7	5	3	49	20	8	7	3	–
Melvindale	–	7	–	1	–	3	–	5	2	–	–	–	–	4	4	3	2	–	–
Plymouth	–	8	1	–	2	3	–	–	2	–	–	–	1	9	4	1	3	1	–
River Rouge	–	10	1	1	4	3	2	4	1	–	–	1	1	16	2	5	–	3	1
Riverview	–	8	2	1	1	2	1	–	–	–	1	2	–	2	–	–	2	1	–
Southgate	–	17	1	2	–	8	–	4	–	–	1	8	1	10	6	5	4	–	–
Taylor	2	33	4	7	10	12	1	8	2	–	6	5	2	24	10	12	12	8	4
Trenton	1	12	1	2	4	2	–	3	1	–	–	1	2	13	5	2	6	–	2
Wayne	–	15	–	4	4	6	2	3	1	–	1	4	2	18	4	1	4	–	–
Westland	2	27	1	3	5	15	2	16	8	–	3	8	1	30	15	16	12	3	3
Wyandotte	4	23	3	4	3	6	–	5	3	–	–	–	–	20	3	3	5	2	–
Balance of county	1	111	16	25	29	41	7	22	13	–	10	29	8	107	61	32	30	10	7
Wexford	–	22	6	2	6	8	–	4	1	–	1	2	2	21	8	3	2	–	–
Minnesota	102	3,304	607	384	970	732	121	319	201	3	247	337	521	2,415	935	939	416	103	51
Urban places	56	1,570	316	202	461	377	73	188	95	2	110	159	342	1,281	361	441	228	71	30
Balance of area	46	1,734	291	182	509	355	48	131	106	1	137	178	179	1,134	574	498	188	32	21
Metropolitan counties	54	1,519	304	203	431	370	69	187	96	2	135	192	345	1,235	423	485	262	76	31
Urban places	43	1,287	259	179	382	312	61	160	84	2	92	141	312	1,075	304	385	203	69	29
Balance of area	11	232	45	24	49	58	8	27	12	–	43	51	33	160	119	100	59	7	2
Nonmetropolitan counties	48	1,785	303	181	539	362	52	132	105	1	112	145	176	1,180	512	454	154	27	20
Urban places	13	283	57	23	79	65	12	28	11	–	18	18	30	206	57	56	25	2	1
Balance of area	35	1,502	246	158	460	297	40	104	94	1	94	127	146	974	455	398	129	25	19
Aitkin	–	15	3	3	2	1	–	–	3	–	1	3	1	8	8	4	–	–	–
Anoka	–	33	9	8	12	9	3	7	5	–	20	15	12	40	44	37	25	2	–
Anoka	–	6	2	3	2	1	–	2	1	–	2	–	1	8	6	5	1	1	–
Blaine, part	–	10	–	1	–	1	1	–	–	–	3	3	2	3	6	7	2	–	–
Blaine, total	–	10	–	1	–	1	1	–	–	–	3	3	2	3	6	7	2	–	–
Columbia Heights	–	3	3	3	–	1	1	1	1	–	1	2	3	8	2	9	4	1	–
Coon Rapids	–	2	–	–	1	2	–	1	1	–	7	1	2	3	4	3	4	–	–
Fridley	–	6	4	–	7	2	–	2	–	–	1	4	3	10	7	2	6	–	–
Balance of county	–	6	–	1	2	2	1	1	2	–	6	5	1	8	19	11	8	–	–
Becker	1	27	1	2	15	8	2	4	2	–	1	5	2	24	11	12	3	1	1
Beltrami	2	32	3	2	8	10	–	3	1	–	2	–	3	21	5	9	4	–	1
Bemidji	1	19	2	2	4	4	–	1	1	–	–	–	1	11	2	3	2	–	–
Balance of county	1	13	1	–	4	6	–	2	–	–	2	–	2	10	3	6	2	–	1
Benton	–	23	5	–	8	–	–	3	1	–	2	1	–	13	10	7	1	–	–
St. Cloud, part	–	5	–	–	–	–	–	1	1	–	–	–	–	3	1	–	–	–	–
Balance of county	–	18	5	–	8	–	–	2	–	–	2	1	–	10	9	7	1	–	–
Big Stone	–	6	1	1	2	1	1	–	1	–	–	1	–	6	–	5	1	–	–
Blue Earth	2	35	7	3	10	15	2	5	2	–	2	4	1	22	9	15	2	–	–
Mankato	1	15	2	1	6	6	1	3	1	–	2	3	–	14	6	7	2	–	–
Balance of county	1	20	5	2	4	9	1	2	1	–	–	1	1	8	3	8	–	–	–
Brown	2	34	9	5	8	1	2	2	4	–	5	–	1	22	7	10	2	–	1
New Ulm	2	20	7	2	2	1	2	1	1	–	3	–	1	7	3	6	–	–	–
Balance of county	–	14	2	3	6	–	–	1	3	–	2	–	–	15	4	4	2	–	1
Carlton	–	33	12	6	7	8	1	2	3	–	2	1	2	13	5	7	6	1	–
Carver	–	14	6	2	10	5	1	1	–	–	3	2	1	14	7	7	2	3	–
Cass	–	28	5	4	8	8	–	3	2	–	–	1	5	18	7	6	4	–	1
Chippewa	–	14	4	2	4	9	2	3	1	–	–	1	3	18	1	9	–	1	–
Chisago	–	31	2	1	12	3	1	4	1	–	5	1	2	9	10	9	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Clay	275	–	–	1	56	17	7	3	13	1	1	14	7	139	108	1	2	95	10
Moorhead	161	–	–	–	30	9	5	1	7	–	1	7	4	81	58	–	1	51	6
Balance of county	114	–	–	1	26	8	2	2	6	1	–	7	3	58	50	1	1	44	4
Clearwater	92	–	–	–	18	8	3	2	–	3	1	1	–	53	42	–	1	38	8
Cook	41	–	–	–	5	1	2	–	1	1	–	–	2	23	18	–	–	12	6
Cottonwood	156	–	–	2	30	12	5	1	4	1	3	4	2	88	66	1	4	48	13
Crow Wing	390	–	–	–	86	23	12	15	13	3	7	13	9	190	141	1	3	111	26
Brainerd	128	–	–	–	28	5	5	5	6	–	3	4	5	65	50	1	1	37	11
Balance of county	261	–	–	–	58	18	7	10	7	3	4	9	4	125	91	–	2	74	15
Dakota	866	2	–	9	199	50	42	21	20	12	8	46	12	373	280	4	5	232	39
Burnsville	94	–	–	–	24	7	6	2	3	–	–	6	2	38	28	–	–	23	5
Hastings, part	85	–	–	3	23	3	3	3	2	3	2	7	1	42	28	–	–	24	4
Hastings, total	95	–	–	3	23	3	3	3	2	3	2	7	1	42	28	–	–	24	4
Inver Grove Heights	58	–	–	–	16	5	5	3	2	–	–	1	–	19	16	1	–	13	2
South St. Paul	165	1	–	3	32	11	5	3	1	2	1	9	1	84	63	1	2	53	7
West St. Paul	163	–	–	1	41	9	8	6	2	3	2	11	5	74	61	–	2	51	8
Balance of county	291	1	–	2	63	15	15	4	10	4	3	12	3	116	84	2	1	66	13
Dodge	108	–	–	2	19	9	5	1	1	–	1	2	1	53	39	1	–	31	7
Douglas	283	–	–	–	57	15	9	5	14	2	4	8	3	148	117	1	1	94	21
Faribault	212	–	–	1	48	16	7	9	6	–	1	9	–	118	80	1	3	59	17
Fillmore	228	–	–	–	40	14	5	5	5	3	–	8	1	126	87	–	4	64	19
Freeborn	312	1	–	1	54	19	11	1	8	1	3	11	7	164	114	2	3	79	30
Albert Lea	179	1	–	1	32	11	7	–	7	–	1	6	4	94	64	1	1	45	17
Balance of county	133	–	–	–	22	8	4	1	1	1	2	5	3	70	50	1	2	34	13
Goodhue	385	–	–	1	77	19	8	8	11	5	5	21	7	199	133	–	7	106	20
Red Wing	177	–	–	1	37	7	3	6	8	–	3	10	3	88	63	–	7	51	5
Balance of county	208	–	–	–	40	12	5	2	3	5	2	11	4	111	70	–	–	55	15
Grant	91	–	–	–	12	5	1	2	1	1	1	1	–	51	31	–	–	17	14
Hennepin	7,313	–	–	46	1,617	442	377	182	158	72	81	305	89	3,512	2,529	31	43	2,087	368
Bloomington	362	–	–	3	76	19	17	8	6	3	6	15	4	168	122	–	4	103	15
Brooklyn Center	151	–	–	1	42	12	7	9	4	1	4	5	1	65	53	2	2	41	8
Brooklyn Park	105	–	–	–	25	7	5	–	3	3	1	6	–	32	23	1	1	17	4
Crystal	142	–	–	1	43	8	13	3	4	3	–	12	4	72	55	2	1	45	7
Edina	375	–	–	2	91	27	20	12	6	6	3	17	7	198	141	3	2	113	23
Golden Valley	133	–	–	–	34	8	9	2	6	–	–	9	2	66	51	–	1	43	7
Hopkins	147	–	–	2	29	4	4	4	7	1	3	6	1	75	53	–	–	46	5
Minneapolis	4,251	–	–	29	882	251	214	101	80	34	44	158	43	2,082	1,510	16	26	1,241	227
Minnetonka	156	–	–	–	42	11	9	8	2	1	1	10	2	68	44	–	–	35	9
New Hope	121	–	–	1	31	7	8	2	4	3	1	6	4	57	45	2	1	31	11
Plymouth	102	–	–	–	40	13	11	2	3	2	3	6	–	34	24	–	–	18	6
Richfield	236	–	–	1	53	16	7	7	7	3	4	9	5	114	75	–	–	65	10
Robbinsdale	134	–	–	–	33	6	10	4	1	2	–	10	2	67	53	1	–	41	11
St. Louis Park	357	–	–	–	86	24	18	10	9	3	3	18	6	175	120	1	1	110	11
Balance of county	521	–	–	6	110	29	24	10	16	7	6	18	8	241	157	3	4	136	14
Houston	203	–	–	1	34	13	6	–	6	2	3	4	1	119	89	1	2	70	16
Hubbard	164	–	–	2	22	6	9	–	1	–	–	6	–	93	69	1	–	54	14
Isanti	188	–	–	–	34	7	8	3	6	1	2	7	2	102	69	–	–	50	19
Itasca	370	–	–	1	73	21	18	4	12	4	6	8	7	198	150	1	–	130	19
Jackson	117	–	–	–	24	10	5	4	2	1	–	2	–	60	43	1	–	36	6
Kanabec	114	–	–	–	29	9	6	2	3	1	–	8	–	50	37	–	–	33	4
Kandiyohi	282	1	–	–	58	19	11	2	13	2	4	7	5	140	107	1	–	77	29
Willmar	135	1	–	–	20	8	2	1	6	1	–	2	3	69	53	1	–	38	14
Balance of county	147	–	–	–	38	11	9	1	7	1	4	5	2	71	54	–	–	39	15
Kittson	80	–	–	–	11	3	2	–	3	–	–	3	2	40	30	–	–	25	5
Koochiching	133	–	–	1	34	11	6	2	6	2	2	5	1	63	46	–	–	36	8
Lac qui Parle	136	–	–	–	28	8	5	4	4	–	2	5	–	77	53	–	4	42	7
Lake	89	–	–	–	17	4	4	2	1	2	2	2	2	46	29	–	–	19	10
Lake of the Woods	41	–	–	–	8	3	2	–	2	–	–	1	2	25	20	–	1	18	1
Le Sueur	216	–	–	1	43	10	7	1	5	2	3	15	4	109	80	–	–	64	16
Lincoln	91	–	–	–	21	7	5	1	5	1	–	2	1	51	29	–	1	26	2
Lyon	226	–	–	1	54	16	14	2	10	3	2	7	5	125	93	2	1	74	16
McLeod	256	–	–	–	53	18	11	6	4	1	4	9	4	140	97	2	2	80	13
Mahnomen	49	–	–	–	8	3	1	1	1	2	–	–	1	25	19	–	2	14	3
Marshall	137	–	–	–	36	7	5	4	6	2	2	10	–	69	50	–	–	37	13
Martin	220	–	–	1	54	17	14	2	8	2	3	8	7	119	82	1	2	74	5
Fairmont	100	–	–	–	25	6	7	1	5	1	2	3	2	57	40	–	–	38	2
Balance of county	120	–	–	1	29	11	7	1	3	1	1	5	5	62	42	1	2	36	3
Meeker	222	–	–	–	35	14	6	–	6	2	1	6	4	136	86	1	–	76	7
Mille Lacs	200	–	–	1	33	15	4	2	3	1	3	5	3	101	76	–	1	63	12
Morrison	276	1	–	–	61	14	14	2	5	8	6	12	1	153	110	3	4	89	34
Mower	384	–	–	–	82	23	19	4	6	5	8	17	4	202	157	1	2	86	66
Austin	249	–	–	–	55	14	14	2	3	3	5	14	2	130	98	–	1	52	45
Balance of county	135	–	–	–	27	9	5	2	3	2	3	3	2	72	59	1	1	34	29
Murray	110	–	–	–	21	9	5	3	2	1	–	1	3	63	45	–	–	39	6
Nicollet	165	–	–	1	36	14	6	2	2	1	2	9	6	88	70	1	2	59	8
Nobles	184	–	–	–	39	13	9	6	3	–	3	5	4	95	67	1	–	56	8
Norman	119	–	–	–	27	11	1	5	4	2	1	3	1	63	46	–	2	36	6
Olmsted	493	–	–	2	93	28	16	12	5	5	6	21	11	216	154	5	3	127	19
Rochester	395	–	–	2	72	24	10	11	3	5	5	14	10	168	123	3	3	99	18
Balance of county	98	–	–	–	21	4	6	1	2	–	1	7	1	48	31	2	–	28	1
Otter Tail	526	1	–	3	112	38	16	15	12	3	8	20	6	283	215	2	2	184	27
Fergus Falls	139	1	–	–	26	12	5	3	1	1	1	3	1	78	54	–	–	50	4
Balance of county	387	–	–	3	86	26	11	12	11	2	7	17	5	205	161	2	2	134	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Clay	–	24	4	3	5	5	3	3	1	–	3	5	2	15	9	17	1	3	–
Moorhead	–	18	4	1	4	4	1	2	–	–	1	3	1	10	7	9	1	3	–
Balance of county	–	6	–	2	1	1	2	1	1	–	2	2	1	5	2	8	–	–	–
Clearwater	–	6	5	–	3	4	–	–	–	–	1	2	1	4	3	1	2	–	–
Cook	–	5	–	–	1	–	–	–	1	–	–	–	–	6	1	2	–	–	–
Cottonwood	–	12	7	3	3	7	–	1	1	–	1	1	1	11	6	1	1	–	–
Crow Wing	–	40	9	6	18	8	1	4	5	–	6	5	5	25	9	15	2	1	1
Brainerd	–	13	1	1	5	3	1	2	2	–	1	2	1	9	2	3	–	–	–
Balance of county	–	27	2	5	13	5	–	2	3	–	5	3	4	16	7	12	2	1	1
Dakota	3	75	11	4	14	15	2	10	4	–	14	18	12	69	63	26	22	2	–
Burnsville	–	7	2	1	–	–	–	1	–	–	1	4	3	10	7	2	2	–	–
Hastings, part	–	10	4	–	1	3	–	–	2	–	–	–	2	5	10	2	–	1	–
Hastings, total	–	10	4	–	1	3	–	–	2	–	–	–	2	5	10	2	–	1	–
Inver Grove Heights	–	3	–	–	1	1	–	1	–	–	1	2	1	8	5	2	1	–	–
South St. Paul	–	18	1	2	5	3	2	–	–	–	2	–	1	14	6	6	4	1	–
West St. Paul	–	11	1	1	5	4	–	3	1	–	3	4	–	12	7	1	2	–	–
Balance of county	3	26	3	–	2	4	–	5	1	–	7	8	5	20	28	13	13	–	–
Dodge	–	12	1	1	3	–	1	1	–	–	–	3	1	9	11	2	–	2	–
Douglas	–	22	6	1	13	8	–	3	1	–	2	2	3	23	6	7	6	1	–
Faribault	2	28	4	4	10	6	1	2	1	–	4	1	1	10	5	3	1	–	–
Fillmore	–	38	1	2	13	7	–	1	2	–	2	2	2	22	5	4	1	–	–
Freeborn	3	38	6	5	6	6	2	4	–	–	2	–	6	32	11	7	7	–	–
Albert Lea	1	24	3	2	4	5	–	4	–	–	–	–	4	19	2	3	6	–	–
Balance of county	2	12	3	3	2	3	2	–	–	–	2	–	2	13	9	4	1	–	–
Goodhue	1	52	10	3	18	8	2	1	3	–	3	4	2	33	13	12	2	–	–
Red Wing	1	18	6	–	11	3	1	1	1	–	2	2	–	15	6	6	–	–	–
Balance of county	–	34	4	3	7	5	1	–	2	–	1	2	2	18	7	6	2	–	–
Grant	–	14	–	6	4	–	–	1	1	–	2	–	2	12	2	2	1	–	1
Hennepin	23	734	133	93	187	175	31	66	46	2	49	79	216	607	152	232	129	41	17
Bloomington	–	49	12	5	6	12	4	3	3	–	5	5	8	38	8	8	6	4	1
Brooklyn Center	–	8	1	3	5	1	1	2	–	–	2	3	4	7	7	3	4	2	1
Brooklyn Park	–	6	2	1	1	4	–	2	1	–	1	4	3	7	8	6	10	–	1
Crystal	–	14	2	1	3	1	1	1	–	–	1	3	2	5	2	3	–	–	–
Edina	2	40	9	6	7	6	2	4	2	–	1	3	7	24	7	8	6	–	–
Golden Valley	–	13	2	–	2	2	–	1	–	–	–	1	1	15	1	4	4	–	–
Hopkins	–	16	3	1	3	3	1	3	–	–	–	1	4	14	3	6	2	–	–
Minneapolis	13	427	62	50	121	105	14	58	38	2	22	34	155	360	70	145	68	33	12
Minnetonka	–	21	1	–	6	5	–	1	–	–	–	2	1	17	6	4	3	–	1
New Hope	1	9	2	–	2	4	1	1	–	–	1	–	1	7	3	4	4	–	–
Plymouth	2	6	1	1	2	3	1	1	1	–	3	1	5	5	3	2	–	1	–
Richfield	–	26	9	4	4	5	2	3	2	–	–	4	5	20	8	9	1	–	–
Robbinsdale	–	9	1	4	1	1	2	1	–	–	–	1	2	15	5	3	1	–	–
St. Louis Park	2	31	11	8	15	12	1	1	–	–	1	5	6	29	5	8	7	–	–
Balance of county	3	57	15	9	9	11	1	4	1	–	12	12	12	44	16	19	13	1	1
Houston	–	21	4	5	9	1	–	1	1	–	–	1	2	20	6	6	1	–	–
Hubbard	2	19	1	2	6	2	–	–	3	–	1	–	–	16	7	11	1	–	–
Isanti	–	30	2	1	6	4	–	1	–	–	–	2	5	17	6	7	2	–	–
Itasca	2	40	3	3	4	9	–	3	–	–	1	6	4	28	22	11	2	2	1
Jackson	–	11	5	1	3	7	–	3	–	–	1	–	–	9	2	6	2	–	–
Kanabec	–	10	1	2	5	5	–	1	–	–	2	3	1	9	5	2	2	–	–
Kandiyohi	1	26	4	2	8	10	1	3	1	–	4	6	5	18	13	7	2	–	–
Willmar	–	12	3	1	5	7	–	–	–	–	4	3	3	8	7	2	2	–	–
Balance of county	1	14	1	1	3	3	1	3	1	–	–	3	2	9	6	5	–	–	–
Kittson	–	10	–	–	3	2	–	2	1	–	1	1	1	8	4	4	–	–	–
Koochiching	1	9	3	4	6	2	–	2	–	–	–	2	1	10	5	2	4	–	–
Lac qui Parle	1	20	3	–	7	–	–	1	1	–	–	–	–	11	6	5	–	–	–
Lake	–	15	1	1	3	–	–	–	–	–	1	2	–	6	4	5	2	–	1
Lake of the Woods	–	2	–	3	–	–	–	–	2	–	–	–	–	1	1	1	1	–	–
Le Sueur	–	22	4	3	6	6	1	2	2	–	–	2	5	24	5	5	–	–	1
Lincoln	–	21	1	–	1	3	–	–	–	–	1	–	1	7	2	3	–	–	–
Lyon	2	26	4	–	7	5	–	1	–	–	2	2	–	9	3	8	2	1	1
McLeod	–	29	12	2	5	2	3	1	2	–	2	3	2	18	6	13	2	–	–
Mahnomen	–	6	–	–	–	2	–	1	–	–	–	1	–	3	3	3	1	1	–
Marshall	–	15	3	1	5	3	1	–	–	–	1	2	1	7	4	7	1	–	–
Martin	–	31	3	3	6	5	–	–	2	–	1	–	2	12	5	3	3	–	–
Fairmont	–	14	2	1	3	3	–	–	1	–	–	–	2	4	1	1	1	–	–
Balance of county	–	17	1	2	3	2	–	–	1	–	1	–	–	8	4	2	2	–	–
Meeker	2	42	4	2	3	4	1	2	4	–	–	–	3	14	8	5	2	–	1
Mille Lacs	–	20	3	2	15	3	1	2	2	–	3	3	2	23	2	3	3	–	–
Morrison	–	37	3	3	8	11	2	3	–	1	–	4	3	13	7	8	2	–	–
Mower	1	36	7	1	7	11	1	4	–	–	3	4	4	36	11	14	1	–	–
Austin	1	24	6	1	6	8	–	3	–	–	3	3	3	24	4	8	–	–	–
Balance of county	–	12	1	–	1	3	1	1	–	–	–	1	1	12	7	6	1	–	–
Murray	–	14	2	2	3	2	–	1	–	–	–	1	1	9	3	3	–	–	–
Nicollet	–	14	3	1	3	5	–	1	1	–	3	1	2	11	5	1	1	–	–
Nobles	–	23	3	2	11	4	–	1	1	–	–	1	–	14	7	4	3	–	–
Norman	–	15	–	2	2	4	–	–	–	–	1	3	3	12	–	–	3	–	–
Olmsted	1	44	10	7	13	20	2	2	4	–	6	7	16	58	17	14	8	2	–
Rochester	1	34	4	6	12	16	2	1	3	–	5	5	17	55	10	10	5	2	–
Balance of county	–	10	6	1	1	4	–	1	1	–	1	2	1	3	7	4	3	–	–
Otter Tail	2	55	4	7	21	13	3	8	2	–	2	7	1	33	16	7	8	–	–
Fergus Falls	2	22	–	–	7	5	1	2	–	–	–	1	–	14	–	2	1	–	–
Balance of county	–	33	4	7	14	8	2	6	2	–	2	6	1	19	16	5	7	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Pennington	148	–	–	2	34	12	4	5	8	2	2	1	–	80	46	1	–	33	12
Pine	226	–	–	2	49	18	7	3	2	2	3	14	4	119	79	–	1	64	14
Pipestone	109	–	–	1	19	7	–	1	2	1	4	4	4	52	39	–	2	32	5
Polk	373	–	–	–	70	24	15	3	7	7	2	12	12	208	144	2	7	97	38
Pope	135	–	–	–	20	3	10	2	2	2	–	1	2	72	58	–	–	49	9
Ramsey	3,636	2	–	24	779	206	176	72	93	32	31	169	65	1,898	1,388	17	43	1,102	226
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	169	–	–	1	45	13	8	3	8	3	1	9	5	90	71	–	2	61	8
New Brighton	109	–	–	2	24	3	7	4	1	1	4	4	1	52	40	–	1	27	12
North St. Paul	57	–	–	–	15	2	5	1	1	1	1	4	2	32	19	–	–	18	1
Roseville	211	1	–	–	50	12	7	3	10	3	–	15	4	102	75	4	2	55	14
St. Paul	2,735	1	–	15	562	150	131	58	66	21	19	119	47	1,459	1,062	12	34	843	173
Shoreview	49	–	–	–	14	3	5	–	–	–	2	4	1	20	15	–	–	14	1
White Bear Lake, part	125	–	–	1	31	10	4	3	4	2	3	5	3	52	40	–	2	33	5
White Bear Lake, total	127	–	–	1	32	10	5	3	4	2	3	5	3	52	40	–	2	33	5
Balance of county	181	–	–	5	38	13	9	2	3	1	1	9	2	91	66	1	2	51	12
Red Lake	44	–	–	–	10	1	1	–	5	2	–	1	–	21	17	–	–	16	1
Redwood	229	–	–	1	32	13	4	1	5	1	2	6	2	154	102	2	–	81	19
Renville	237	–	1	1	40	8	8	4	8	2	2	7	4	137	106	–	1	88	17
Rice	364	1	–	3	67	23	12	9	10	–	–	13	8	199	147	3	8	102	34
Faribault	163	1	–	2	27	10	4	3	2	–	–	8	1	88	60	3	5	37	15
Northfield	105	–	–	1	19	6	4	2	5	–	–	2	2	63	52	–	2	42	8
Balance of county	96	–	–	–	21	7	4	4	3	–	–	3	5	48	35	–	1	23	11
Rock	106	–	–	1	27	6	2	2	6	1	1	9	1	53	39	1	1	30	7
Roseau	111	–	–	–	27	12	3	2	5	–	–	5	1	60	43	2	2	31	6
St. Louis	2,104	1	–	9	411	143	88	28	47	19	10	76	38	1,117	821	7	22	621	171
Duluth	1,017	1	–	6	199	66	40	13	23	7	5	45	11	540	391	5	8	294	84
Hibbing	174	–	–	1	36	14	3	–	7	5	–	7	9	95	65	–	2	46	15
Virginia	158	–	–	–	31	9	10	4	2	1	2	3	5	86	69	–	4	48	17
Balance of county	755	–	–	2	145	54	35	11	15	6	3	21	13	396	296	2	8	231	55
Scott	268	–	–	6	49	16	15	2	2	1	4	9	3	130	93	1	–	74	18
Sherburne	203	–	–	–	45	12	9	2	5	5	2	10	2	103	78	1	–	58	19
St. Cloud, part	63	–	–	–	13	2	3	–	2	3	1	2	1	36	26	–	–	20	6
Balance of county	140	–	–	–	32	10	6	2	3	2	1	8	1	67	52	1	–	38	13
Sibley	163	–	–	–	34	10	3	3	3	5	3	7	7	70	50	1	–	43	6
Stearns	653	1	–	2	147	48	31	9	19	7	8	25	7	336	268	7	2	205	54
St. Cloud, part	206	–	–	2	49	14	14	5	4	1	1	10	3	109	87	1	1	71	14
St. Cloud, total	306	–	–	2	70	19	19	7	7	4	2	12	5	167	130	1	4	102	23
Balance of county	447	1	–	–	98	34	17	4	15	6	7	15	4	227	181	6	1	134	40
Steele	245	–	–	–	49	11	6	5	7	3	7	10	3	118	88	5	1	69	13
Owatonna	159	–	–	–	34	8	3	3	5	3	6	6	1	76	56	3	–	44	9
Balance of county	87	–	–	–	15	3	3	2	2	–	1	4	2	42	32	2	1	25	4
Stevens	97	–	–	1	23	5	1	–	4	1	–	12	1	58	43	3	2	32	6
Swift	158	–	–	2	43	17	6	2	10	2	3	3	1	78	60	1	2	47	10
Todd	226	–	–	2	55	16	12	6	13	2	–	6	3	119	87	1	–	67	19
Traverse	62	–	–	–	14	4	3	1	1	2	–	3	1	35	30	–	–	21	9
Wabasha	181	–	–	1	39	8	9	2	10	–	4	6	3	98	83	3	1	56	13
Wadena	167	–	–	2	34	7	7	4	6	2	2	5	2	96	73	–	5	51	17
Waseca	177	–	–	–	38	17	10	2	5	–	1	3	8	93	72	1	2	57	12
Washington	519	–	–	4	128	31	27	11	8	8	8	35	5	233	178	2	2	136	38
Cottage Grove	30	–	–	2	9	–	1	3	–	2	1	2	–	4	4	–	–	1	3
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stillwater	98	–	–	1	18	4	2	–	2	2	1	7	1	47	31	–	1	26	4
White Bear Lake, part	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	369	–	–	1	100	27	23	8	6	4	6	26	4	182	143	2	1	109	31
Watonwan	136	–	–	–	23	6	3	2	3	2	2	5	3	95	64	–	–	60	4
Wilkin	83	–	–	–	18	4	1	2	1	2	2	6	–	36	27	1	–	20	6
Winona	420	1	–	4	97	40	15	3	8	6	3	22	9	221	152	1	5	99	47
Winona	273	1	–	3	62	26	9	1	6	4	–	16	5	154	107	1	5	69	32
Balance of county	147	–	–	1	35	14	6	2	2	2	3	6	4	67	45	–	–	30	15
Wright	391	–	–	2	72	25	15	7	4	5	3	13	7	201	155	3	–	106	46
Yellow Medicine	118	–	–	1	21	6	6	2	2	2	–	3	1	63	49	–	2	35	12
Mississippi	22,985	41	1	175	4,168	1,079	1,131	289	501	141	188	839	400	10,819	7,869	40	388	5,475	1,965
Urban places	7,560	13	–	57	1,422	386	384	97	165	54	48	288	130	3,575	2,595	14	152	1,760	669
Balance of area	15,425	28	1	118	2,746	693	747	192	336	87	140	551	270	7,244	5,274	26	236	3,716	1,296
Metropolitan counties	3,595	11	–	32	692	190	189	48	73	25	25	144	57	1,637	1,237	8	45	843	341
Urban places	2,347	6	–	19	472	140	128	27	49	19	20	89	36	1,084	813	8	40	569	196
Balance of area	1,248	5	–	13	220	50	61	19	24	6	5	55	21	553	424	–	5	274	145
Nonmetropolitan counties	19,390	30	1	143	3,476	889	942	243	428	116	163	695	343	9,182	6,632	32	343	4,633	1,624
Urban places	5,213	7	–	38	950	246	256	70	116	35	28	199	94	2,491	1,782	6	112	1,191	479
Balance of area	14,177	23	1	105	2,526	643	686	173	312	81	135	496	249	6,691	4,850	26	231	3,442	1,151
Adams	417	–	–	3	94	26	22	6	13	5	2	20	9	204	147	–	18	72	57
Natchez	308	–	–	2	69	16	18	4	10	3	2	16	6	156	113	–	15	55	43
Balance of county	109	–	–	1	25	10	4	2	3	2	–	4	3	48	34	–	3	17	14
Alcorn	305	1	–	3	65	24	14	6	9	3	4	5	–	146	119	–	1	66	52
Corinth	141	1	–	1	34	12	4	5	7	2	1	3	–	71	60	–	–	36	24
Balance of county	164	–	–	2	31	12	10	1	2	1	3	2	–	75	59	–	1	30	28
Amite	126	–	–	1	22	5	6	1	5	1	1	3	2	44	34	1	1	24	8
Attala	248	1	–	2	37	8	10	3	9	–	1	8	10	132	99	–	1	79	19
Benton	66	1	–	1	14	6	5	–	–	–	–	3	1	31	22	–	–	14	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Pennington	–	27	6	1	6	4	1	2	–	–	–	–	2	8	7	1	–	1	–
Pine	1	27	4	8	2	4	–	1	2	–	1	2	3	19	9	7	1	1	–
Pipestone	–	9	3	1	9	2	–	–	3	–	–	–	6	6	2	2	1	1	1
Polk	2	44	15	3	8	8	–	2	3	–	5	1	1	27	14	12	2	–	–
Pope	1	13	–	–	9	2	–	1	1	–	–	1	11	10	1	4	–	–	1
Ramsey	20	344	88	58	106	69	18	40	25	–	22	33	55	279	71	79	43	16	12
Blaine, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Maplewood	–	13	6	–	5	2	–	–	–	–	–	1	2	10	1	3	3	1	–
New Brighton	–	9	2	1	4	2	–	1	2	–	1	–	2	9	2	3	3	–	1
North St. Paul	1	2	8	2	–	–	–	–	–	–	–	3	1	4	–	–	–	–	–
Roseville	1	18	5	3	5	4	1	3	2	–	1	4	1	23	7	2	1	–	–
St. Paul	15	271	62	49	84	51	16	34	20	–	12	21	49	203	44	61	31	15	10
Shoreview	1	4	–	–	1	2	–	–	1	–	1	1	–	2	4	1	1	–	–
White Bear Lake, part	1	6	2	3	2	4	1	1	–	–	3	1	–	11	7	5	2	–	1
White Bear Lake, total	1	6	2	3	2	4	1	1	–	–	3	1	–	11	7	6	2	–	1
Balance of county	1	21	3	–	5	4	–	1	–	–	4	2	–	17	6	4	2	–	–
Red Lake	–	3	1	–	1	1	–	–	2	–	–	–	2	4	–	3	–	–	–
Redwood	1	43	6	2	1	3	–	–	1	–	–	1	5	19	3	3	3	1	–
Renville	1	27	2	1	5	5	2	2	2	–	2	2	1	18	7	6	1	–	1
Rice	2	41	5	4	9	9	3	4	–	–	–	2	1	32	11	7	6	2	–
Faribault	–	24	1	3	3	5	1	4	–	–	–	1	–	20	4	1	3	2	–
Northfield	1	8	2	–	4	1	2	–	–	–	–	–	–	8	2	2	1	–	–
Balance of county	1	9	2	1	2	3	–	–	–	–	–	1	1	4	5	4	2	–	–
Rock	–	14	–	–	2	2	–	–	–	–	–	1	–	9	3	5	2	–	–
Roseau	–	15	2	–	3	1	–	1	3	–	1	–	1	5	3	3	2	–	–
St. Louis	5	222	42	27	80	60	8	38	10	–	11	18	27	127	48	68	28	7	2
Duluth	2	112	24	11	49	34	5	18	3	–	2	10	12	66	18	27	11	4	1
Hibbing	1	23	3	3	4	2	–	3	–	–	–	2	1	14	2	4	1	–	–
Virginia	–	12	1	4	5	3	1	2	1	–	2	–	4	13	1	3	1	–	–
Balance of county	2	75	14	9	22	21	2	13	6	–	7	6	10	34	25	34	15	3	1
Scott	–	30	4	3	8	6	3	4	1	–	4	5	–	19	11	11	3	3	2
Sherburne	1	18	5	1	7	5	1	1	2	–	6	2	2	11	10	5	1	–	–
St. Cloud, part	1	4	5	–	2	1	1	–	1	–	1	–	–	6	1	–	–	–	–
Balance of county	–	14	–	1	5	4	–	1	1	–	5	2	2	5	9	5	1	–	–
Sibley	–	15	4	1	7	5	2	–	3	–	–	1	8	12	6	6	2	–	–
Stearns	4	47	9	8	24	8	3	3	6	–	4	6	5	37	35	18	10	–	1
St. Cloud, part	1	12	3	6	6	4	1	–	1	–	–	1	1	13	8	4	4	–	–
St. Cloud, total	2	21	8	6	8	5	2	1	3	–	1	1	1	22	10	4	4	–	–
Balance of county	3	35	6	2	18	4	2	3	5	–	4	5	4	24	27	14	6	–	1
Steele	1	19	9	1	9	2	–	4	1	–	1	2	19	25	6	6	1	–	–
Owatonna	1	13	6	–	2	2	–	3	1	–	–	2	13	17	4	3	1	–	–
Balance of county	–	6	3	1	7	–	–	1	–	–	1	–	6	8	2	3	–	–	–
Stevens	1	12	2	–	–	3	1	–	–	–	–	–	3	5	–	2	–	–	–
Swift	–	13	3	2	10	2	–	2	–	–	–	2	–	10	2	6	–	–	–
Todd	1	20	3	8	4	6	–	1	3	–	1	3	1	16	7	2	2	1	–
Traverse	–	4	–	1	2	1	–	–	1	–	–	1	–	3	1	3	–	–	–
Wabasha	–	11	2	2	7	3	–	–	1	–	–	2	–	12	11	1	2	1	–
Wadena	1	14	7	1	1	6	–	–	–	–	1	2	2	13	1	5	2	–	–
Waseca	1	15	3	2	10	2	–	1	1	–	–	2	1	13	4	3	1	–	–
Washington	2	43	7	3	14	17	2	3	1	–	10	17	3	40	21	12	6	3	–
Cottage Grove	–	–	–	–	–	1	–	–	1	–	4	2	–	1	2	3	1	–	–
Hastings, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stillwater	–	12	3	1	7	5	–	2	–	–	2	1	–	10	3	1	–	–	–
White Bear Lake, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Balance of county	2	31	4	2	7	11	2	1	–	–	4	14	3	29	16	7	5	3	–
Watonwan	1	23	4	3	4	–	1	1	–	–	1	1	1	4	2	–	–	–	–
Wilkin	–	8	–	1	8	2	1	2	3	–	1	1	–	7	2	1	1	–	–
Winona	1	53	9	8	13	10	1	4	1	–	2	1	4	21	16	9	5	–	1
Winona	–	36	8	3	9	7	1	3	–	–	2	–	1	13	4	5	2	–	1
Balance of county	1	17	1	3	4	3	–	1	1	–	–	1	3	8	12	4	3	–	–
Wright	–	36	8	2	16	9	–	4	3	–	4	7	3	30	15	11	3	2	2
Yellow Medicine	1	10	1	2	7	1	–	–	1	–	2	–	–	14	3	2	2	–	–
Mississippi	119	2,361	269	201	410	461	37	195	216	10	186	383	1,684	1,517	785	887	236	347	27
Urban places	46	767	90	77	135	155	16	75	71	3	59	120	538	584	166	242	75	137	9
Balance of area	73	1,594	179	124	275	306	21	120	145	7	127	263	1,148	953	619	645	161	210	18
Metropolitan counties	13	313	38	36	83	89	9	38	38	1	28	46	125	317	104	143	55	84	6
Urban places	8	214	21	28	47	55	6	23	26	1	16	31	73	209	55	84	33	68	5
Balance of area	5	99	17	8	36	34	3	15	12	–	12	15	52	108	49	59	22	18	1
Nonmetropolitan counties	106	2,048	231	165	327	372	28	157	178	9	158	337	1,559	1,200	681	744	181	263	21
Urban places	38	553	69	49	88	100	10	52	45	2	43	89	463	355	111	158	42	71	4
Balance of area	68	1,495	162	116	239	272	18	105	133	7	115	248	1,096	845	570	586	139	192	17
Adams	3	38	10	6	4	8	–	3	4	–	4	6	18	35	9	8	3	5	–
Natchez	2	27	10	4	4	7	–	–	4	–	4	4	12	22	5	5	3	5	–
Balance of county	1	11	–	2	–	1	–	3	–	–	–	2	6	13	4	3	–	–	–
Alcorn	–	21	4	2	8	6	–	7	9	–	4	2	2	20	13	10	7	2	–
Corinth	–	10	–	1	5	2	–	3	2	–	1	–	–	9	5	5	2	–	–
Balance of county	–	11	4	1	3	4	–	4	7	–	3	2	2	11	8	5	5	2	–
Amite	–	7	1	2	–	4	–	1	–	–	–	2	37	6	5	2	–	–	–
Attala	1	25	4	3	8	3	–	3	1	–	–	1	16	16	7	7	1	3	–
Benton	1	4	1	3	–	1	–	1	1	–	–	–	5	1	4	3	–	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Bolivar	494	2	–	5	77	17	18	2	10	4	–	26	4	230	157	–	8	98	51
Cleveland	168	1	–	3	30	5	9	–	4	3	–	9	1	85	60	–	1	35	24
Balance of county	326	1	–	2	47	12	9	2	6	1	–	17	3	145	97	–	7	63	27
Calhoun	162	–	–	4	41	8	11	3	6	–	2	11	3	61	35	–	–	25	10
Carroll	79	–	–	–	16	3	3	3	4	–	2	1	2	38	26	1	3	18	4
Chickasaw	200	–	–	1	36	8	9	4	6	1	–	8	3	96	72	–	1	59	12
Choctaw	92	–	–	–	18	6	2	2	1	–	2	5	2	47	37	–	10	22	5
Claiborne	121	–	–	–	14	1	4	1	3	–	3	2	3	72	53	1	–	42	10
Clarke	169	1	–	1	27	6	5	3	4	1	1	7	2	88	68	1	–	47	20
Clay	189	1	–	1	26	8	5	3	4	1	–	5	1	118	94	–	8	61	25
Coahoma	404	–	–	2	68	20	12	2	8	4	2	20	9	175	113	1	12	76	24
Clarksdale	255	–	–	2	49	14	8	1	6	4	–	16	6	108	69	–	7	50	12
Balance of county	149	–	–	–	19	6	4	1	2	–	2	4	3	67	44	1	5	26	12
Copiah	277	–	–	1	41	11	15	2	4	2	2	5	3	128	92	–	6	69	17
Covington	174	–	–	1	29	7	8	–	3	3	4	4	2	74	53	1	2	31	19
De Soto	308	–	–	3	57	11	14	4	11	4	1	12	5	104	72	–	1	60	11
Forrest	620	–	–	4	114	23	37	9	7	6	4	26	16	281	204	–	7	158	39
Hattiesburg, part	437	–	–	3	70	14	22	6	5	4	–	19	13	210	152	–	7	113	32
Hattiesburg, total	438	–	–	3	70	14	22	6	5	4	–	19	13	210	152	–	7	113	32
Balance of county	183	–	–	1	44	9	15	3	2	2	4	9	3	71	52	–	–	45	7
Franklin	120	–	–	–	19	5	5	–	3	1	1	4	1	62	39	–	–	34	5
George	132	–	–	2	24	5	5	4	2	1	1	6	5	71	57	–	–	50	7
Greene	100	–	–	–	23	8	10	1	1	–	1	2	1	56	43	–	1	38	4
Grenada	218	–	–	1	38	6	12	6	4	1	1	8	3	117	74	–	1	57	16
Hancock	246	–	–	3	45	10	17	6	4	1	1	8	5	115	96	–	1	41	54
Harrison	1,236	2	–	12	258	66	78	15	21	9	8	61	12	590	468	3	11	290	164
Biloxi	325	1	–	1	75	22	27	4	5	1	2	14	4	143	112	2	3	81	26
Gulfport	477	–	–	5	103	27	27	6	8	6	5	24	6	224	174	1	6	101	66
Balance of county	434	1	–	6	80	17	24	5	8	2	1	23	2	223	182	–	2	108	72
Hinds	1,863	5	–	16	350	108	88	22	41	15	14	62	32	861	692	5	34	462	131
Jackson, part	1,544	5	–	13	283	91	74	17	35	12	13	51	26	717	527	5	31	367	104
Jackson, total	1,545	5	–	13	284	91	74	17	36	12	13	51	26	717	527	5	31	367	104
Balance of county	319	–	–	3	67	17	14	5	6	3	1	11	6	144	105	–	3	75	27
Holmes	264	1	–	1	45	8	11	3	13	2	3	5	10	130	93	1	10	61	21
Humphreys	183	–	–	2	35	13	8	3	4	–	4	3	3	95	57	–	2	45	10
Issaquena	26	–	–	–	5	1	1	–	2	–	–	1	–	8	6	–	1	2	3
Itawamba	188	–	–	–	37	12	10	3	4	1	1	6	4	111	79	–	3	51	25
Jackson	708	–	–	3	168	44	62	12	10	4	6	28	11	285	225	–	4	177	44
Moss Point	133	–	–	1	30	8	13	1	2	1	1	4	4	55	44	–	1	33	10
Pascagoula	246	–	–	1	60	16	21	6	3	2	2	10	2	107	79	–	2	62	15
Balance of county	329	–	–	1	78	20	28	5	5	1	5	14	5	123	102	–	1	82	19
Jasper	148	–	–	2	27	9	10	–	4	–	3	1	4	69	49	–	1	41	7
Jefferson	106	–	–	1	17	5	3	1	4	1	1	2	3	45	40	–	2	29	9
Jefferson Davis	141	–	–	1	24	9	9	2	–	–	–	4	1	71	63	1	3	44	15
Jones	643	–	–	7	111	34	31	8	15	7	4	12	13	301	216	3	6	176	31
Laurel	316	–	–	5	46	16	14	2	6	2	1	5	7	154	115	1	4	92	18
Balance of county	327	–	–	2	65	18	17	6	9	5	3	7	6	147	101	2	2	84	13
Kemper	97	–	–	–	16	3	8	2	1	1	–	1	2	41	34	1	6	18	7
Lafayette	239	–	–	2	36	8	12	3	3	–	2	8	5	112	80	–	1	49	30
Oxford	102	–	–	2	12	1	4	–	1	–	2	4	2	63	45	–	–	28	17
Balance of county	137	–	–	–	24	7	8	3	2	–	–	4	3	49	35	–	1	21	13
Lamar	138	–	–	3	28	5	11	1	1	–	3	7	–	64	48	–	7	33	8
Hattiesburg, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	137	–	–	3	28	5	11	1	1	–	3	7	–	64	48	–	7	33	8
Lauderdale	600	3	–	5	139	31	49	9	18	2	5	25	11	284	181	–	10	124	47
Meridian	566	2	–	5	94	22	30	6	14	1	1	20	8	204	129	–	7	88	34
Balance of county	234	1	–	–	45	9	19	3	4	1	4	5	3	80	52	–	3	36	13
Lawrence	119	–	–	2	24	4	8	1	3	–	2	6	–	63	42	–	2	23	17
Leake	191	–	–	1	29	5	6	3	3	1	1	10	5	102	80	–	3	67	10
Lee	497	1	–	1	83	21	23	6	6	5	6	16	8	270	207	–	6	161	40
Tupelo	213	1	–	1	33	10	10	5	1	1	1	5	2	123	93	–	2	72	19
Balance of county	284	–	–	–	50	11	13	1	5	4	5	11	6	147	114	–	4	89	21
Leflore	484	–	–	2	88	26	20	9	10	–	8	17	7	268	195	1	16	138	40
Greenwood	300	–	–	–	56	16	13	7	4	–	5	11	5	173	120	–	9	86	25
Balance of county	184	–	–	2	32	10	7	2	6	–	1	6	2	95	75	1	7	52	15
Lincoln	317	–	–	–	47	11	13	5	10	1	3	4	5	173	144	1	2	119	22
Brookhaven	151	–	–	–	17	3	5	1	7	–	–	1	2	86	77	1	1	62	13
Balance of county	166	–	–	–	30	8	8	4	3	1	3	3	3	87	67	–	1	57	9
Lowndes	414	1	–	–	87	23	19	6	15	3	2	19	7	183	129	1	11	89	28
Columbus	265	1	–	–	59	14	14	5	10	2	2	12	6	117	83	1	11	54	17
Balance of county	149	–	–	–	28	9	5	1	5	1	–	7	1	66	46	–	–	35	11
Madison	348	–	–	1	71	17	20	5	4	2	5	18	6	136	88	–	4	57	25
Canton	151	–	–	1	29	5	11	3	3	1	1	5	3	68	36	–	1	24	11
Balance of county	195	–	–	–	42	12	9	2	1	1	4	13	3	70	50	–	3	33	14
Marion	254	3	–	1	51	14	12	2	6	1	5	11	3	115	76	–	–	60	16
Marshall	246	1	–	4	36	8	10	5	2	–	1	10	4	104	65	–	2	35	28
Monroe	345	–	–	3	59	14	13	6	3	4	4	15	7	189	140	1	6	115	18
Montgomery	147	–	–	1	28	6	4	3	3	2	2	8	1	61	61	–	4	45	9
Neshoba	226	–	–	1	43	15	11	5	5	1	–	6	3	95	66	–	6	30	28
Newton	200	–	–	3	34	9	14	–	5	1	2	3	7	89	75	1	4	48	22
Noxubee	110	1	1	2	12	6	–	–	4	–	1	1	4	42	31	–	4	23	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Bolivar	2	52	15	4	8	6	1	4	6	1	6	21	50	31	9	22	4	7	–
Cleveland	–	16	8	1	2	2	1	1	–	–	1	6	13	9	2	7	2	2	–
Balance of county	2	36	7	3	6	4	–	3	6	1	5	15	37	22	7	15	2	5	–
Calhoun	–	23	2	1	1	8	1	–	3	–	–	4	8	8	5	7	3	4	1
Carroll	–	12	–	–	1	–	–	–	4	–	–	2	6	4	2	4	–	–	–
Chickasaw	2	19	1	2	6	7	–	1	1	1	1	–	3	13	13	13	1	4	–
Choctaw	–	8	–	2	–	4	–	–	1	–	–	–	2	6	4	4	3	1	–
Claiborne	–	18	–	1	3	–	–	1	2	–	1	2	3	5	6	6	–	2	1
Clarke	–	17	2	1	6	2	–	2	4	1	1	3	9	13	2	6	–	1	–
Clay	1	19	–	4	3	3	–	1	–	1	1	4	6	8	3	6	2	4	–
Coahoma	4	52	3	3	3	6	–	2	9	–	–	8	77	19	9	12	1	4	–
Clarksdale	3	33	2	1	–	5	–	2	7	–	–	2	46	14	1	9	1	3	–
Balance of county	1	19	1	2	3	1	–	–	2	–	–	6	31	5	8	3	–	1	–
Copiah	–	28	5	3	2	4	–	–	1	–	3	3	38	25	5	9	5	8	–
Covington	1	20	–	–	3	9	–	2	1	–	2	5	24	5	6	9	2	–	–
De Soto	–	28	2	2	7	6	–	1	2	–	4	4	59	17	19	14	2	2	–
Forrest	5	60	4	8	13	17	2	7	3	–	7	10	60	38	17	16	8	7	–
Hattiesburg, part	3	46	4	5	7	11	2	5	2	–	4	6	42	29	12	11	6	4	–
Hattiesburg, total	3	46	4	5	7	11	2	5	2	–	5	6	42	29	12	11	6	4	–
Balance of county	2	14	–	3	6	6	–	2	1	–	3	4	18	9	5	5	2	3	–
Franklin	3	14	3	3	1	3	–	1	1	–	2	2	–	8	11	6	–	3	–
George	1	11	1	1	–	2	–	2	–	–	1	1	2	12	4	4	–	2	–
Greene	3	7	2	1	1	1	–	1	1	–	1	–	1	8	3	2	–	–	1
Grenada	1	42	–	–	5	5	–	1	3	–	1	4	13	6	6	7	–	8	–
Hancock	–	16	1	2	3	9	2	7	1	–	3	–	1	19	13	16	2	2	–
Harrison	7	91	8	18	24	37	7	22	9	–	8	12	6	104	29	63	20	19	2
Biloxi	3	20	4	4	7	9	3	7	2	–	3	5	3	26	7	18	8	3	–
Gulfport	2	39	2	7	10	18	2	4	5	–	1	4	3	42	10	22	5	12	1
Balance of county	2	32	2	5	7	10	2	11	2	–	4	3	–	36	12	23	7	4	1
Hinds	5	190	16	18	40	36	2	14	23	1	14	27	79	166	57	51	26	59	4
Jackson, part	3	155	15	17	30	28	1	12	19	1	12	22	67	141	38	44	20	51	4
Jackson, total	3	155	15	17	30	28	1	12	19	1	12	22	67	141	38	44	20	51	4
Balance of county	2	35	1	1	10	8	1	2	4	–	2	5	12	25	19	7	6	8	–
Holmes	1	30	4	2	6	6	–	1	3	–	2	8	8	17	9	11	3	3	–
Humphreys	1	23	14	–	2	4	–	–	–	–	1	4	5	13	6	10	2	1	–
Issaquena	–	2	–	–	–	–	–	–	–	–	–	1	7	–	3	–	1	1	–
Itawamba	–	30	2	–	1	3	–	3	3	–	1	–	–	8	9	7	1	–	–
Jackson	4	40	4	12	9	15	2	10	3	–	7	12	50	40	40	31	10	11	1
Moss Point	1	7	2	1	2	1	–	1	–	–	3	5	7	8	4	8	2	2	–
Pascagoula	1	19	2	6	5	6	1	4	1	–	2	4	15	15	10	5	2	5	1
Balance of county	2	14	–	5	2	8	1	5	2	–	2	3	28	17	26	18	6	4	–
Jasper	–	17	2	1	1	6	–	–	1	–	2	1	12	7	8	6	1	1	–
Jefferson	–	5	–	–	–	1	–	1	1	–	2	2	5	9	7	8	2	1	1
Jefferson Davis	–	7	1	–	1	4	–	1	–	–	3	1	4	15	9	2	1	2	1
Jones	5	64	8	8	13	7	–	7	7	1	7	7	78	41	9	16	12	5	1
Laurel	3	26	6	4	8	5	–	2	3	–	2	4	45	20	2	8	1	3	1
Balance of county	2	38	2	4	5	2	–	5	4	1	5	3	33	21	7	8	11	2	–
Kemper	–	7	–	–	1	2	1	1	3	–	1	–	15	4	4	3	–	3	–
Lafayette	–	29	1	2	–	4	–	2	2	–	2	4	30	14	8	12	2	4	–
Oxford	–	16	1	1	–	3	–	–	1	–	–	1	10	6	1	–	1	–	–
Balance of county	–	13	–	1	–	1	–	2	1	–	2	3	20	8	7	12	1	4	–
Lamar	–	13	2	1	3	1	–	–	1	–	2	1	18	6	3	4	2	1	1
Hattiesburg, part	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Balance of county	–	13	2	1	3	1	–	–	1	–	1	1	18	6	3	4	2	1	1
Lauderdale	6	84	10	3	13	15	2	7	4	–	6	14	163	69	18	26	10	11	–
Meridian	4	62	6	3	10	11	2	6	3	–	3	8	119	52	7	16	6	10	–
Balance of county	2	22	4	–	3	4	–	1	1	–	3	6	44	17	11	10	4	1	–
Lawrence	1	17	1	2	2	3	–	1	2	1	–	1	–	8	3	7	–	2	–
Leake	1	19	2	–	5	2	–	1	2	–	–	1	4	9	13	5	4	6	2
Lee	–	47	9	7	12	12	1	8	2	1	5	11	4	27	17	23	8	3	–
Tupelo	–	23	6	1	3	6	1	3	1	1	3	7	1	14	4	5	4	–	–
Balance of county	–	24	3	6	9	6	–	5	1	–	2	4	3	13	13	18	4	3	–
Leflore	4	59	4	6	6	4	–	3	2	–	5	16	10	35	16	11	2	9	–
Greenwood	3	44	2	4	3	3	–	2	–	–	2	6	3	27	8	4	2	6	–
Balance of county	1	15	2	2	3	1	–	1	2	–	3	10	7	8	8	7	–	3	–
Lincoln	–	27	1	1	7	5	1	4	–	–	–	–	25	22	12	10	1	5	–
Brookhaven	–	9	–	–	4	1	–	2	–	–	–	–	12	14	5	5	–	3	–
Balance of county	–	18	1	1	3	4	1	2	–	–	–	–	13	8	7	5	1	2	–
Lowndes	2	46	3	3	1	7	–	4	5	–	8	12	34	23	11	19	3	8	1
Columbus	2	29	1	2	1	7	–	2	3	–	5	6	19	12	6	10	2	8	1
Balance of county	–	17	2	1	–	–	–	2	2	–	3	6	15	11	5	9	1	–	–
Madison	6	37	5	2	6	5	3	3	3	1	1	11	38	19	9	18	5	10	–
Canton	3	23	2	2	4	2	2	3	3	1	–	4	12	8	1	3	2	7	–
Balance of county	3	14	3	–	2	3	1	–	–	–	1	7	26	11	8	15	3	3	–
Marion	–	28	9	2	7	6	1	2	3	–	2	1	23	14	10	9	–	3	–
Marshall	2	34	2	1	5	2	–	–	–	–	1	2	36	20	15	9	1	5	1
Monroe	5	39	5	–	6	5	2	2	1	–	5	6	17	15	11	14	–	3	–
Montgomery	1	19	–	–	3	3	–	–	1	–	–	3	6	8	4	5	2	1	–
Neshoba	–	25	2	2	5	8	–	–	4	–	2	3	22	12	9	11	3	3	2
Newton	–	12	1	1	2	–	2	3	–	–	2	1	25	12	5	10	–	5	–
Noxubee	–	8	3	–	2	–	–	4	3	–	2	5	14	8	3	3	–	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Oktibbeha	228	–	–	2	49	13	13	2	3	2	1	15	2	116	88	–	7	60	21
Starkville	122	–	–	2	32	6	9	2	2	1	1	11	1	60	47	–	2	34	11
Balance of county	106	–	–	–	17	7	4	–	1	1	–	4	1	56	41	–	5	26	10
Panola	289	–	–	4	55	13	14	2	9	4	2	11	6	139	106	1	3	77	25
Pearl River	279	–	–	1	56	11	22	7	3	3	1	9	2	135	115	1	1	83	30
Picayune	113	–	–	1	21	6	8	2	2	2	–	1	–	57	50	1	–	36	13
Balance of county	166	–	–	–	35	5	14	5	1	1	1	8	2	78	65	–	1	47	17
Perry	79	–	–	3	10	1	6	1	1	–	–	1	2	33	28	–	1	25	2
Pike	426	–	–	–	84	22	23	6	10	2	1	20	6	214	142	–	13	83	46
McComb	197	–	–	–	35	13	7	3	3	1	–	8	4	109	75	–	5	46	24
Balance of county	229	–	–	–	49	9	16	3	7	1	1	12	2	105	67	–	8	37	22
Pontotoc	184	–	–	–	44	12	13	2	6	–	3	9	3	97	77	–	–	67	10
Prentiss	238	2	–	2	44	14	10	4	5	2	4	5	4	102	89	–	1	48	22
Quitman	136	2	–	1	16	4	6	–	3	–	1	2	2	76	46	–	8	24	16
Rankin	496	4	–	4	84	16	23	9	11	1	3	21	13	186	137	–	–	91	46
Jackson, part	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Balance of county	495	4	–	4	83	16	23	9	10	1	3	21	13	186	137	–	–	91	46
Scott	246	–	–	–	43	15	13	4	4	1	4	2	5	123	83	–	7	54	22
Sharkey	75	–	–	1	12	2	2	1	–	1	1	5	2	34	24	1	5	15	3
Simpson	236	–	–	1	33	6	8	3	4	1	1	10	3	122	90	–	–	67	23
Smith	139	–	–	–	26	4	7	4	4	–	1	6	3	58	46	–	1	38	7
Stone	92	–	–	4	19	4	9	1	2	–	–	3	–	45	37	1	–	32	4
Sunflower	349	1	–	3	66	20	12	1	15	1	5	12	12	175	115	–	7	85	23
Tallahatchie	222	–	–	1	34	11	7	–	3	2	–	11	5	104	81	–	10	49	22
Tate	187	–	–	3	41	10	15	1	6	1	2	6	4	73	51	1	2	29	19
Tippah	205	1	–	–	33	11	10	2	1	1	2	6	3	115	86	–	2	57	27
Tishomingo	172	–	–	1	39	5	15	4	3	1	2	9	1	91	73	1	3	61	5
Tunica	113	1	–	4	16	5	2	–	2	–	2	5	1	57	44	–	–	38	6
Union	222	–	–	–	31	6	6	5	3	3	1	7	3	119	84	1	3	51	29
Walthall	140	–	–	4	18	3	4	–	3	1	1	6	4	61	45	–	–	33	12
Warren	497	2	–	6	96	24	22	7	13	2	3	25	7	246	172	1	7	88	78
Vicksburg	337	1	–	1	69	19	16	5	9	1	1	18	4	177	124	1	6	63	54
Balance of county	160	1	–	5	27	5	6	2	4	1	2	7	3	69	48	–	1	23	24
Washington	735	2	–	4	128	36	18	8	22	5	9	30	20	322	204	1	26	127	50
Greenville	505	–	–	4	80	25	13	6	12	3	5	16	15	237	159	1	25	97	36
Balance of county	230	2	–	–	48	11	5	2	10	2	4	14	5	85	45	–	1	30	14
Wayne	187	–	–	1	19	5	6	–	4	–	–	4	3	113	84	1	–	65	18
Webster	105	–	–	1	17	6	7	–	3	–	–	1	2	53	33	1	1	25	6
Wilkinson	105	–	–	–	12	3	2	2	2	–	–	3	5	60	46	3	2	34	7
Winston	188	1	–	3	26	5	1	1	3	1	2	13	4	98	70	–	12	44	14
Yalobusha	145	–	–	2	34	10	10	1	5	2	1	5	–	69	40	1	2	30	7
Yazoo	329	–	–	3	50	15	12	–	8	2	3	10	3	116	79	–	9	44	26
Yazoo City	186	–	–	3	25	5	7	–	5	1	2	5	3	73	52	–	6	25	21
Balance of county	143	–	–	–	25	10	5	–	3	1	1	5	–	43	27	–	3	19	5
Missouri	48,002	40	6	336	9,900	2,444	2,701	762	1,145	419	412	2,017	748	23,849	17,981	193	709	14,024	3,055
Urban places	22,705	26	5	195	4,767	1,247	1,310	389	594	191	197	929	383	11,182	8,482	107	391	6,587	1,397
Balance of area	25,297	14	1	151	5,133	1,197	1,391	373	641	228	215	1,088	369	12,667	9,499	86	318	7,437	1,658
Metropolitan counties	27,256	24	4	215	5,860	1,460	1,624	497	691	242	243	1,163	451	13,310	10,211	130	444	8,001	1,666
Urban places	19,539	22	4	162	4,105	1,068	1,134	334	437	160	170	802	329	9,575	7,318	98	348	5,677	1,195
Balance of area	7,717	2	–	53	1,755	392	490	163	194	82	73	361	122	3,735	2,893	32	96	2,324	441
Nonmetropolitan counties	20,746	16	2	121	4,040	984	1,077	265	514	177	169	854	295	10,539	7,770	63	265	6,023	1,419
Urban places	3,166	4	1	23	662	179	176	55	67	31	27	127	54	1,607	1,164	9	43	910	202
Balance of area	17,580	12	1	98	3,378	805	901	210	447	146	142	727	241	8,932	6,606	54	222	5,113	1,217
Adair	209	1	–	–	39	11	5	1	8	4	1	9	2	112	88	1	3	71	13
Kirksville	145	1	–	–	28	10	3	1	7	1	1	5	2	76	58	–	3	46	9
Balance of county	64	–	–	–	11	1	2	–	1	3	–	4	–	36	30	1	–	25	4
Andrew	119	–	1	–	19	3	1	4	2	1	2	6	–	72	55	1	2	45	7
Atchison	103	–	–	–	23	5	4	2	3	3	–	6	1	58	42	1	1	33	7
Audrain	282	–	–	3	59	21	14	4	5	2	3	10	2	142	107	–	3	92	12
Mexico	155	–	–	2	37	13	10	4	2	2	3	3	1	81	60	–	3	54	9
Balance of county	127	–	–	1	22	8	4	–	3	–	–	7	1	61	47	–	–	38	9
Barry	244	–	–	1	40	12	12	2	7	1	1	5	1	119	84	1	–	66	15
Barton	140	–	–	1	26	6	1	1	4	3	2	9	5	71	59	1	1	41	16
Bates	237	–	–	1	41	7	15	2	4	1	1	11	3	111	91	–	4	65	22
Benton	194	1	–	2	47	15	9	4	6	1	1	11	–	86	58	–	1	42	13
Bollinger	125	–	–	–	18	4	2	2	3	1	2	4	2	69	49	–	1	41	7
Boone	549	–	–	4	104	25	33	3	12	6	2	23	12	267	207	4	6	159	38
Columbia	330	–	–	3	63	22	13	1	9	1	1	16	5	159	124	2	4	96	22
Balance of county	219	–	–	1	41	3	20	2	3	5	1	7	7	108	83	2	2	63	16
Buchanan	959	1	–	4	208	55	53	19	20	9	10	42	11	496	348	3	13	264	66
St. Joseph	868	1	–	4	184	50	50	15	16	8	10	35	9	452	304	3	12	235	54
Balance of county	91	–	–	–	24	5	3	4	4	1	–	7	2	44	42	–	1	29	12
Butler	449	–	–	7	98	17	34	5	14	3	2	23	8	213	155	–	1	111	43
Poplar Bluff	270	–	–	3	50	9	14	4	8	2	1	12	5	135	99	–	1	67	31
Balance of county	179	–	–	4	48	8	20	1	6	1	1	11	1	78	56	–	–	44	12
Caldwell	120	–	–	1	25	11	4	2	2	3	–	3	1	66	46	–	1	33	12
Callaway	258	–	–	–	37	10	9	3	4	3	–	8	4	144	119	–	6	91	22
Fulton	121	–	–	–	20	6	4	1	2	2	–	5	2	66	48	–	4	36	8
Jefferson City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	137	–	–	–	17	4	5	2	2	1	–	3	2	78	71	–	2	55	14
Camden	204	–	–	2	47	12	13	3	5	2	1	11	3	104	66	1	1	58	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Oktibbeha	3	21	3	1	6	5	1	-	-	-	5	5	4	9	10	8	4	2	-
Starkville	1	11	-	1	3	2	1	-	-	-	4	3	2	5	2	3	-	2	-
Balance of county	2	10	3	-	3	3	-	-	-	-	1	2	2	4	8	5	4	-	-
Panola	2	29	1	1	2	6	1	4	3	-	3	3	27	17	4	9	5	1	-
Pearl River	-	17	2	1	6	3	-	3	2	-	5	-	9	24	9	17	4	2	1
Picayune	-	5	2	-	2	-	-	1	1	-	2	-	3	11	4	9	-	-	1
Balance of county	-	12	-	1	4	3	-	2	1	-	3	-	6	13	5	8	4	2	-
Perry	1	3	-	1	2	3	-	2	-	-	-	2	7	3	6	6	-	-	-
Pike	1	56	8	7	11	11	-	3	1	1	3	11	22	22	17	10	3	7	-
McComb	-	28	3	3	7	7	-	2	-	-	2	5	7	12	3	2	1	1	-
Balance of county	1	28	5	4	4	4	-	1	1	1	1	6	15	10	14	8	2	6	-
Pontotoc	-	14	5	1	3	2	-	-	5	-	1	3	4	7	11	2	1	1	-
Prentiss	-	26	5	2	5	6	1	1	3	-	-	4	25	17	11	3	4	3	1
Quitman	-	30	-	-	2	1	-	-	3	-	1	3	3	12	4	6	1	3	-
Rankin	1	32	14	2	19	16	-	2	6	-	6	7	40	47	18	29	9	6	-
Jackson, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	32	14	2	19	16	-	2	6	-	6	7	40	47	18	29	9	6	-
Scott	-	31	8	1	2	3	-	-	1	-	2	4	27	11	9	7	2	7	-
Sharkey	1	9	-	-	3	1	-	-	2	-	1	4	5	3	5	2	-	-	-
Simpson	1	25	1	5	3	3	-	2	3	-	1	4	15	18	15	8	4	1	-
Smith	-	11	1	-	1	4	-	1	-	-	2	4	13	7	7	9	2	2	-
Stone	-	7	1	-	3	1	-	-	-	-	1	-	5	6	3	3	2	-	-
Sunflower	4	53	1	2	4	3	-	-	5	-	6	10	17	18	6	13	2	7	-
Tallahatchie	1	21	-	1	4	2	-	1	1	-	-	8	26	10	6	14	3	3	-
Tate	-	20	1	1	5	5	-	-	3	-	2	3	19	12	2	11	3	1	-
Tippah	-	24	3	2	7	6	-	1	2	-	-	8	2	9	8	7	2	1	-
Tishomingo	-	15	3	-	4	3	-	-	-	-	-	2	3	9	8	8	1	2	-
Tunica	-	11	1	1	9	1	-	-	1	-	-	4	3	9	3	1	-	3	-
Union	3	24	4	4	3	5	-	2	2	-	2	3	18	15	9	3	4	2	-
Walthall	-	14	1	1	1	7	-	1	2	-	2	1	17	13	3	4	-	2	-
Warren	3	60	4	7	9	14	-	8	4	-	2	8	4	34	19	30	1	7	-
Vicksburg	2	43	3	5	8	8	-	8	3	-	-	4	1	21	10	17	-	5	-
Balance of county	1	17	1	2	1	6	-	-	1	-	2	4	3	13	9	13	1	2	-
Washington	11	95	9	3	8	15	3	7	10	-	4	14	81	50	21	33	5	7	1
Greenville	8	63	5	2	7	8	-	3	9	-	4	9	53	32	15	23	4	2	-
Balance of county	3	32	4	1	1	7	3	4	1	-	-	5	28	18	6	10	1	5	1
Wayne	4	20	1	4	3	3	-	1	1	-	1	1	7	12	11	7	2	1	1
Webster	1	17	2	-	4	3	-	1	-	-	1	1	2	8	5	5	-	2	-
Wilkinson	-	11	2	1	1	2	-	1	-	-	-	2	3	5	3	5	2	4	-
Winston	-	22	3	3	2	3	1	-	2	-	1	2	11	9	9	13	1	2	-
Yalobusha	1	27	-	1	4	3	-	-	3	-	-	4	8	7	2	6	-	3	-
Yazoo	2	25	5	4	5	4	-	2	5	-	1	7	77	25	9	11	3	5	3
Yazoo City	2	13	4	2	3	3	-	2	2	-	-	5	41	15	4	3	1	3	-
Balance of county	-	13	1	2	2	1	-	-	3	-	1	2	36	10	5	8	2	2	3
Missouri	200	4,486	776	406	1,196	1,313	139	497	419	5	304	547	1,789	3,240	1,190	1,247	562	585	92
Urban places	103	2,052	352	193	521	639	61	290	212	-	142	292	644	1,632	406	538	281	454	45
Balance of area	97	2,434	424	213	675	674	78	207	207	5	162	255	1,145	1,608	784	709	281	131	47
Metropolitan counties	120	2,383	397	219	605	738	68	343	243	2	200	385	712	1,927	599	640	368	506	56
Urban places	93	1,724	284	156	420	547	51	269	186	-	128	271	518	1,427	339	460	256	432	37
Balance of area	27	659	113	63	185	191	17	74	57	2	72	114	193	500	260	180	112	74	19
Nonmetropolitan counties	80	2,123	379	187	591	576	71	154	176	3	104	162	1,077	1,313	591	607	194	78	36
Urban places	10	328	68	37	101	92	10	21	26	-	14	21	125	205	67	78	25	22	8
Balance of area	70	1,795	311	150	490	483	61	133	150	3	90	141	952	1,108	524	529	169	57	28
Adair	-	16	2	6	5	4	1	1	1	-	1	-	13	19	4	3	2	1	-
Kirksville	-	13	1	4	3	3	1	1	1	-	1	-	7	16	2	-	2	1	-
Balance of county	-	3	1	2	2	1	-	-	-	-	-	-	6	3	2	3	-	-	-
Andrew	1	13	3	-	2	3	-	1	-	-	1	-	1	9	5	3	2	-	-
Atchison	-	14	1	1	3	4	-	-	-	-	-	1	-	7	1	5	-	-	-
Audrain	2	19	9	5	6	18	1	1	-	-	2	3	4	22	5	9	1	2	-
Mexico	-	15	5	1	3	12	-	-	-	-	1	2	1	7	2	4	-	2	-
Balance of county	2	4	4	4	5	6	1	1	-	-	1	1	3	15	3	5	1	-	-
Barry	1	29	3	2	6	9	1	4	5	-	1	4	18	17	11	5	1	-	1
Barton	3	8	1	-	8	1	-	1	1	-	1	1	6	9	2	4	3	-	-
Bates	-	14	5	1	7	6	-	1	3	-	3	1	20	21	12	4	1	1	1
Benton	-	26	3	1	2	5	-	7	1	-	-	2	13	16	6	2	3	-	1
Bollinger	2	15	3	-	4	5	1	1	1	-	-	1	9	4	3	7	-	-	-
Boone	-	54	2	4	30	14	-	4	3	-	6	11	6	48	13	12	9	4	2
Columbia	-	34	-	1	15	4	-	3	2	-	5	10	3	28	9	12	6	3	-
Balance of county	-	20	2	3	15	10	-	1	1	-	1	1	3	20	4	-	3	1	2
Buchanan	4	104	32	10	31	34	1	5	15	-	9	7	39	58	9	13	12	2	4
St. Joseph	4	102	32	10	27	31	-	5	14	-	9	7	38	55	6	10	11	1	4
Balance of county	-	2	-	-	4	3	1	-	1	-	-	-	1	3	3	3	1	1	-
Butler	1	45	10	2	16	9	3	3	3	-	1	3	35	24	12	9	2	2	3
Poplar Bluff	-	28	7	1	11	3	3	2	2	-	-	2	22	18	4	3	2	2	3
Balance of county	1	17	3	1	5	6	-	1	1	-	1	1	13	6	8	6	-	-	-
Caldwell	-	17	3	-	1	5	-	-	1	-	1	-	8	8	1	3	1	-	-
Callaway	2	11	8	4	3	7	2	7	2	-	-	5	-	21	7	9	5	4	1
Fulton	2	6	7	3	3	3	1	3	1	-	-	1	-	8	2	6	2	3	-
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	5	1	1	-	4	1	4	1	-	-	4	-	13	5	3	3	1	1
Camden	-	26	3	9	5	4	1	2	6	-	-	3	1	13	12	-	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Cape Girardeau	489	–	–	3	99	17	30	9	14	2	7	20	13	244	184	1	4	157	22
Cape Girardeau	315	–	–	2	65	10	22	8	5	1	3	16	11	152	110	1	3	93	13
Balance of county	174	–	–	1	34	7	8	1	9	1	4	4	2	92	74	–	1	64	9
Carroll	182	–	–	1	32	5	9	1	3	2	4	8	3	81	61	–	2	37	22
Carter	46	–	–	1	7	1	2	–	–	1	–	3	1	22	17	–	–	14	3
Cass	410	–	–	2	89	19	21	4	11	5	3	26	4	176	125	1	2	85	37
Cedar	184	–	–	4	37	9	12	3	2	–	3	8	2	87	44	1	–	40	3
Chariton	170	–	–	–	30	2	7	1	9	3	1	7	1	107	77	–	–	67	10
Christian	160	–	–	1	32	5	7	1	7	2	2	8	–	76	57	–	3	45	9
Clark	121	1	–	–	18	4	6	–	3	–	1	4	2	40	29	–	1	20	8
Clay	872	–	–	5	189	42	54	18	21	8	6	40	16	425	328	6	7	267	46
Gladstone	84	–	–	–	28	5	8	4	1	1	–	9	–	69	27	–	–	23	4
Independence, part	3	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Kansas City, part	352	–	–	1	75	17	27	8	9	2	2	10	8	165	131	5	2	107	17
Liberty	113	–	–	2	26	8	4	1	4	1	3	5	1	59	41	1	2	31	7
Balance of county	310	–	–	2	59	12	15	5	7	3	1	16	7	161	127	–	3	106	18
Clinton	162	–	–	–	27	6	7	–	5	2	1	6	5	80	58	1	–	42	15
Cole	407	–	–	4	91	23	19	14	11	5	7	12	5	217	185	1	8	138	38
Jefferson city, part	280	–	–	3	65	17	12	12	6	3	5	10	4	161	135	–	5	100	30
Jefferson city, total	280	–	–	3	65	17	12	12	6	3	5	10	4	161	135	–	5	100	30
Balance of county	117	–	–	1	26	6	7	2	5	2	2	2	1	56	50	1	3	38	8
Cooper	155	–	–	–	28	5	5	7	2	3	1	6	3	89	70	1	4	55	10
Crawford	232	–	–	–	48	11	11	5	7	4	5	5	–	117	92	–	3	76	11
Dade	100	–	–	1	24	3	7	2	2	1	–	9	1	46	34	–	–	27	7
Dallas	158	–	–	–	28	5	7	3	3	2	–	8	1	76	55	–	4	45	6
Daviess	139	–	–	–	21	6	5	2	2	–	1	5	1	77	55	1	6	42	6
De Kalb	115	–	–	–	18	2	4	–	1	2	–	9	2	57	40	–	1	24	15
Dent	172	–	–	3	39	12	5	1	6	–	1	14	5	60	46	2	3	37	4
Douglas	112	–	–	–	23	7	8	3	3	–	–	2	2	62	44	–	2	34	8
Dunklin	428	2	–	2	84	22	30	3	8	2	1	18	8	194	148	2	7	111	26
Franklin	646	–	–	7	130	32	25	16	15	8	9	25	7	301	244	4	10	184	46
Gasconade	140	–	–	1	27	7	7	1	2	3	–	7	3	80	62	–	–	55	7
Gentry	132	–	–	1	24	5	6	–	4	–	–	8	1	61	56	–	–	46	10
Greene	1,482	1	–	9	308	55	99	26	44	12	18	54	16	675	481	10	10	356	85
Springfield	1,203	1	–	7	239	44	73	19	38	9	14	42	14	557	374	10	7	291	66
Balance of county	279	–	–	2	69	11	26	7	6	3	4	12	2	118	87	–	3	65	19
Grundy	190	–	–	–	30	8	6	4	4	1	1	6	1	116	88	–	15	58	15
Harrison	139	1	–	–	30	10	6	3	2	1	3	5	2	73	58	–	3	34	21
Henry	277	–	–	–	42	7	13	5	4	1	1	11	2	152	96	–	–	67	29
Hickory	79	–	–	–	14	7	4	1	–	–	–	2	–	39	24	1	–	16	7
Holt	94	–	–	1	20	2	8	2	1	–	4	3	2	51	33	1	1	27	4
Howard	130	–	–	–	31	10	5	3	4	–	2	7	1	74	41	–	–	37	4
Howell	283	1	–	1	52	11	15	3	10	1	2	10	5	132	94	1	2	80	11
Iron	103	–	–	–	10	4	3	–	–	–	–	3	2	48	32	–	1	29	2
Jackson	6,098	7	3	64	1,284	318	345	101	121	62	65	272	81	2,753	2,034	35	75	1,539	385
Grandview	105	–	–	1	28	3	11	–	2	3	2	7	1	36	28	1	–	22	5
Independence, part	822	–	1	4	179	41	44	14	20	8	6	46	8	388	300	3	21	221	55
Independence, total	825	–	1	4	180	41	44	14	20	9	6	46	8	387	300	3	21	221	55
Kansas City, part	4,353	6	2	53	887	230	246	73	80	42	47	169	64	1,948	1,431	28	51	1,087	265
Kansas City, total	4,754	6	2	54	975	248	276	82	93	44	50	182	72	2,132	1,578	33	53	1,209	283
Lee's Summit	281	–	–	–	56	14	6	3	8	1	5	19	3	160	111	1	1	77	32
Raytown	242	–	–	3	73	15	20	7	8	3	3	17	3	107	77	2	1	58	16
Balance of county	295	1	–	3	61	15	18	4	3	5	2	14	2	116	87	–	1	74	12
Jasper	970	1	1	4	211	58	66	12	20	13	10	32	9	441	303	4	10	245	44
Carthage	149	–	–	1	26	9	9	–	1	2	1	4	2	74	45	–	5	34	6
Joplin, part	490	1	1	2	103	29	33	8	10	5	3	15	4	220	157	3	5	132	17
Joplin, total	525	1	1	2	116	33	35	8	12	7	5	16	4	232	165	3	5	140	17
Balance of county	331	–	–	1	82	20	24	4	9	6	6	13	3	147	101	1	–	79	21
Jefferson	886	–	–	5	203	53	58	19	27	8	6	32	26	396	317	4	7	256	50
Johnson	231	–	–	3	39	8	13	2	8	1	–	7	2	131	88	–	3	75	10
Warrensburg	85	–	–	3	11	2	5	1	–	–	–	3	1	49	30	–	1	25	4
Balance of county	146	–	–	–	28	6	8	1	8	1	–	4	1	82	58	–	2	50	6
Knox	83	–	–	–	14	3	2	1	2	1	1	4	2	49	31	–	–	25	5
Laclede	251	–	–	4	49	12	10	9	7	1	–	10	3	140	109	1	–	79	29
Lafayette	319	–	–	2	68	16	16	3	11	1	3	18	8	172	129	–	–	105	24
Lawrence	364	–	–	3	71	17	17	5	10	3	2	17	3	184	133	3	3	107	20
Lewis	116	–	–	1	21	3	9	–	5	1	–	3	2	60	40	–	–	37	3
Lincoln	231	–	–	1	37	9	16	2	5	1	–	4	5	115	76	1	–	61	14
Linn	249	–	–	–	44	13	10	3	6	3	–	9	3	158	117	2	3	95	17
Livingston	211	–	–	1	30	8	8	4	3	1	1	5	6	135	100	–	12	66	22
McDonald	176	–	–	4	34	10	6	1	8	–	2	7	–	63	46	–	2	33	11
Macon	246	1	–	1	47	14	13	2	5	4	2	7	8	141	117	–	5	93	19
Madison	143	–	–	–	31	6	11	2	3	1	2	6	4	65	55	1	–	43	11
Maries	75	–	–	1	22	6	7	2	2	1	–	4	–	40	33	–	–	25	8
Marion	351	–	–	1	77	21	22	7	8	4	2	13	5	186	134	1	1	116	16
Hannibal, part	228	–	–	1	51	15	14	5	5	3	2	7	3	116	83	1	1	70	11
Hannibal, total	230	–	–	1	51	15	14	5	5	3	2	7	3	118	83	1	1	70	11
Balance of county	123	–	–	–	26	6	8	2	3	1	–	6	2	70	51	–	–	46	5
Mercer	72	–	–	1	19	3	6	–	2	1	1	6	3	35	22	–	1	14	7
Miller	207	–	–	–	26	6	8	1	2	1	–	8	–	111	88	–	3	72	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Missouri—Con.																			
Cape Girardeau	4	41	8	7	11	15	2	4	3	–	2	7	34	27	6	9	6	3	1
Cape Girardeau	2	27	7	6	7	10	1	3	2	–	1	7	24	15	5	3	4	2	1
Balance of county	2	14	1	1	4	5	1	1	1	–	1	–	10	12	1	6	2	1	–
Carroll	–	16	3	1	3	3	1	–	4	–	3	2	23	9	8	7	2	–	–
Carter	–	4	1	–	1	1	–	–	1	–	–	–	5	1	1	2	3	–	–
Cass	–	43	4	4	3	13	1	4	10	–	1	4	19	35	24	14	8	3	–
Cedar	1	34	7	1	4	7	–	1	2	–	–	3	20	11	2	3	1	–	–
Charlton	–	25	4	1	5	2	–	–	1	–	–	–	7	7	3	6	1	–	–
Christian	1	14	2	2	2	8	–	4	–	–	1	–	9	16	4	5	1	1	–
Clark	–	11	–	–	8	1	–	1	2	–	2	–	17	12	10	4	3	–	–
Clay	6	78	6	9	15	42	4	12	9	1	9	14	9	48	36	20	15	2	1
Gladstone	1	10	–	1	3	3	–	–	–	–	2	1	2	10	2	3	1	–	–
Independence, part	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kansas City, part	1	27	2	4	6	22	2	4	5	–	5	6	3	13	14	10	10	2	1
Liberty	3	13	2	–	1	3	–	2	–	–	–	1	2	9	7	–	–	–	–
Balance of county	1	27	2	4	5	14	2	6	4	1	2	6	2	16	12	7	4	–	–
Clinton	1	22	6	3	–	3	–	4	2	–	–	–	9	10	3	7	2	–	–
Cole	–	23	3	6	7	9	–	2	5	–	3	6	2	18	21	12	3	2	–
Jefferson city, part	–	17	3	6	4	6	–	2	3	–	3	3	1	10	12	8	3	2	–
Jefferson city, total	–	17	3	6	4	6	–	2	3	–	3	3	1	10	12	8	3	2	–
Balance of county	–	6	–	–	3	3	–	–	2	–	–	3	1	8	9	4	–	–	–
Cooper	1	17	1	–	5	4	–	–	2	–	–	–	–	15	3	2	1	–	2
Crawford	1	21	1	2	11	6	3	4	–	–	1	4	9	10	7	4	6	2	–
Dade	–	10	1	1	4	1	2	–	–	–	1	–	11	6	–	2	1	–	–
Dallas	1	19	–	1	4	5	–	–	3	–	–	1	15	9	6	9	–	1	–
Daviess	–	19	3	–	3	9	–	–	2	–	–	1	7	7	3	7	–	1	–
De Kalb	–	14	1	2	5	3	1	1	–	–	1	1	9	9	4	3	1	–	–
Dent	–	10	2	2	7	8	–	–	2	–	1	1	29	5	4	6	1	1	–
Douglas	1	12	3	2	1	3	–	–	–	–	–	1	2	7	5	4	1	1	–
Dunklin	–	40	2	4	9	10	1	2	4	–	1	4	43	31	7	12	8	4	2
Franklin	2	42	6	7	13	16	–	6	5	–	4	9	46	44	27	19	10	2	–
Gasconade	2	10	4	2	5	–	–	–	–	–	1	1	4	8	7	2	1	–	–
Gentry	–	23	1	1	6	1	–	–	1	–	2	–	1	7	2	4	1	–	–
Greene	6	170	27	11	38	67	2	15	8	–	10	28	92	108	33	35	20	16	1
Springfield	4	142	26	11	32	54	2	14	7	–	6	20	75	89	26	29	17	13	1
Balance of county	2	28	1	–	6	13	–	1	1	–	4	8	17	19	7	6	3	3	–
Grundy	–	28	–	–	6	4	1	–	2	–	1	2	4	16	2	2	2	–	1
Harrison	–	10	2	3	4	1	2	2	2	1	–	2	1	7	3	4	4	–	–
Henry	2	40	8	6	3	10	1	1	2	–	–	3	13	21	12	8	4	3	–
Hickory	–	11	4	–	1	1	1	1	1	–	–	–	11	6	1	3	–	–	–
Holt	1	10	2	5	–	4	–	1	–	–	–	–	–	7	–	3	4	–	1
Howard	–	21	12	–	6	3	–	1	1	–	–	–	–	7	3	2	–	–	1
Howell	5	28	2	3	6	10	1	4	3	1	3	4	24	15	9	11	1	–	–
Iron	–	10	6	–	9	6	1	1	–	–	1	–	11	4	3	4	1	1	1
Jackson	36	571	67	45	112	191	15	83	84	–	43	94	273	489	131	159	91	127	14
Grandview	–	7	–	1	–	4	–	1	4	–	4	1	3	8	4	7	3	–	–
Independence, part	6	67	8	5	16	37	1	8	9	–	9	10	24	59	28	20	15	7	1
Independence, total	6	68	8	5	16	37	1	8	9	–	9	10	24	59	29	20	15	7	1
Kansas City, part	27	414	48	28	83	123	12	65	62	–	24	73	224	359	72	109	64	114	9
Kansas City, total	28	443	51	32	91	145	14	69	67	–	30	81	231	377	87	120	74	116	11
Lee's Summit	–	40	6	3	6	6	1	1	4	–	1	3	5	23	4	6	1	1	–
Raytown	3	17	3	7	–	11	1	5	3	–	1	–	8	16	5	4	1	–	1
Balance of county	–	26	9	1	7	10	–	3	2	–	4	7	9	24	18	13	7	5	3
Jasper	4	106	20	8	36	26	3	8	13	–	1	6	58	77	22	30	11	9	3
Carthage	1	12	13	3	9	2	–	–	–	–	–	1	4	10	2	8	2	2	–
Joplin, part	2	56	3	2	18	17	2	5	10	–	1	2	34	40	10	10	4	4	2
Joplin, total	2	58	3	4	20	18	2	6	10	–	1	3	37	41	10	11	4	4	2
Balance of county	1	38	4	3	8	7	1	3	3	–	–	3	20	21	10	12	5	3	1
Jefferson	2	59	13	5	33	21	2	6	7	1	13	18	10	52	46	20	18	5	2
Johnson	2	25	15	1	4	4	1	3	1	–	5	3	–	14	10	9	1	1	–
Warrensburg	–	12	6	1	3	2	–	–	–	–	1	1	–	7	3	3	–	1	–
Balance of county	2	13	9	–	1	2	1	3	1	–	4	2	–	7	7	6	1	–	–
Knox	–	15	2	1	2	2	–	–	1	–	–	1	2	6	1	3	–	–	–
Laclede	1	22	7	1	5	6	1	–	–	–	2	2	5	16	10	5	3	–	–
Lafayette	1	36	6	–	6	9	1	–	2	–	3	–	14	19	5	6	2	–	2
Lawrence	1	41	4	5	15	5	2	5	6	–	4	3	20	19	12	9	3	–	–
Lewis	–	15	5	–	1	4	2	1	–	–	–	1	2	15	2	4	–	–	–
Lincoln	2	29	7	1	4	4	–	2	2	–	2	1	26	14	7	8	1	1	1
Linn	2	36	2	1	3	6	2	1	4	–	1	–	–	16	5	6	–	–	–
Livingston	1	32	2	–	4	5	–	–	–	–	1	2	5	8	9	1	4	–	–
McDonald	–	16	1	–	4	5	–	–	3	–	2	2	25	15	6	11	2	–	–
Macon	–	15	6	3	–	4	1	1	1	–	1	1	2	20	3	8	2	–	–
Madison	–	8	1	1	1	5	–	2	3	–	1	2	9	11	4	4	–	–	1
Maries	2	4	1	–	1	1	–	–	–	–	–	–	–	4	2	1	3	–	–
Marion	–	36	10	4	14	12	1	–	6	–	2	1	5	17	13	9	1	–	1
Hannibal, part	–	22	7	4	12	10	1	–	4	–	2	–	–	11	8	8	–	–	1
Hannibal, total	–	24	7	4	12	10	1	–	4	–	2	–	–	11	8	8	–	–	1
Balance of county	–	16	3	–	2	2	–	–	2	–	–	1	5	6	5	1	1	–	–
Mercer	–	9	1	3	2	1	–	–	1	–	1	–	–	5	2	1	1	–	–
Miller	–	22	–	1	3	8	1	1	2	–	2	2	21	15	6	4	2	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Missouri—Con.																			
Mississippi	187	–	–	–	34	6	16	2	3	1	–	6	3	93	79	–	3	57	19
Moniteau	142	–	–	–	20	9	2	3	2	1	–	3	1	92	71	–	4	52	15
Monroe	137	–	–	2	24	6	5	2	2	3	2	4	3	73	52	1	1	38	12
Montgomery	151	–	–	–	31	8	5	5	7	–	–	6	1	70	53	1	1	44	7
Morgan	181	–	–	2	37	7	15	1	4	3	1	6	5	102	69	2	1	52	14
New Madrid	238	–	–	–	50	5	17	1	9	5	2	11	2	98	73	–	3	55	15
Sikeston, part	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Balance of county	237	–	–	–	49	5	17	1	9	5	1	11	2	98	73	–	3	55	15
Newton	358	–	–	4	74	20	18	2	10	6	3	15	5	155	117	1	3	87	26
Joplin, part	35	–	–	–	13	4	2	–	2	2	2	1	–	12	8	–	–	8	–
Balance of county	321	–	–	4	61	16	16	2	8	4	1	14	5	143	109	1	3	79	26
Nodaway	227	–	–	–	43	18	6	4	5	–	5	5	5	118	94	–	2	78	14
Oregon	135	–	–	–	29	6	5	1	1	2	1	13	1	65	52	–	1	45	6
Osage	124	1	–	–	16	5	2	–	3	–	–	6	1	75	59	1	1	41	16
Ozark	97	–	–	–	20	4	7	2	3	–	–	4	3	36	27	1	–	22	4
Pemiscot	303	1	–	2	48	18	12	6	4	1	–	7	2	151	106	–	5	86	15
Perry	151	–	–	1	32	8	2	1	6	3	5	7	2	85	76	2	4	57	13
Pettis	397	1	–	2	89	27	21	5	10	4	5	17	9	217	153	1	3	123	26
Sedalia	281	1	–	1	63	20	16	4	6	3	3	11	7	153	103	1	3	78	21
Balance of county	116	–	–	1	26	7	5	1	4	1	2	6	2	64	50	–	–	45	5
Phelps	291	1	–	1	68	18	19	3	8	5	2	13	8	145	114	1	3	96	14
Rolla	95	1	–	–	25	8	5	1	3	1	–	7	7	44	31	1	–	25	5
Balance of county	196	–	–	1	43	10	14	2	5	4	2	6	1	101	83	–	3	71	9
Pike	230	–	–	1	43	13	12	4	5	1	2	6	3	121	88	–	2	60	26
Platte	212	–	–	3	40	10	10	3	7	2	2	6	1	88	62	1	1	53	7
Kansas City, part	49	–	–	–	13	1	3	1	4	–	1	3	–	19	16	–	–	15	1
Balance of county	163	–	–	3	27	9	7	2	3	2	1	3	1	69	46	1	1	38	6
Polk	206	–	–	–	45	13	10	2	9	3	2	6	2	105	72	–	–	57	15
Pulaski	204	–	–	2	40	9	12	–	1	–	5	13	2	80	66	1	5	43	17
Putnam	79	–	–	–	19	5	6	2	1	–	–	5	1	40	28	–	–	22	6
Ralls	89	1	–	1	19	5	6	–	3	1	1	3	1	45	34	–	–	29	5
Hannibal, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Balance of county	87	1	–	1	19	5	6	–	3	1	1	3	1	43	34	–	–	29	5
Randolph	301	–	–	2	56	15	15	1	5	2	–	18	6	158	112	2	5	75	30
Moberly	184	–	–	2	31	6	11	1	1	2	–	10	2	103	75	2	3	47	23
Balance of county	117	–	–	–	25	9	4	–	4	–	–	8	4	55	37	–	2	28	7
Ray	203	–	–	1	34	7	13	1	1	2	5	5	3	108	81	1	2	60	18
Reynolds	72	–	–	1	14	3	6	–	1	–	–	4	–	28	22	2	1	14	5
Ripley	151	–	–	2	27	4	8	3	3	–	2	7	3	67	52	–	5	42	5
St. Charles	690	–	–	1	151	26	39	9	21	7	8	41	11	323	251	4	5	202	40
St. Charles	309	–	–	–	61	11	14	4	8	3	1	20	4	152	117	4	1	97	15
Balance of county	381	–	–	1	90	15	25	5	13	4	7	21	7	171	134	–	4	105	25
St. Clair	111	–	–	–	22	6	9	2	4	–	–	1	3	58	37	–	1	27	9
St. Francois	516	1	–	4	115	26	33	6	15	5	4	24	11	226	185	2	8	139	16
St. Louis	7,493	2	–	50	1,782	434	502	183	183	73	73	344	123	3,890	3,017	42	100	2,525	350
Ballwin	101	–	–	–	30	9	8	5	2	1	1	4	2	39	32	1	1	24	5
Bellefontaine Neighbors	169	–	–	–	38	10	8	6	4	1	2	7	9	77	64	1	–	60	3
Berkeley	76	–	–	1	15	2	6	2	2	–	–	3	–	40	31	–	–	27	4
Brentwood	74	–	–	1	13	5	2	1	2	–	–	3	2	44	35	–	–	30	5
Bridgeton	116	–	–	–	30	11	9	2	2	1	–	5	2	60	49	–	1	42	6
Clayton	144	1	–	1	34	11	8	2	5	2	3	3	1	80	57	1	2	44	10
Crestwood	87	–	–	1	22	7	5	3	1	–	2	4	2	48	41	1	2	36	2
Ferguson	231	–	–	2	48	14	12	5	4	2	1	10	3	123	101	1	1	89	10
Florissant	482	–	–	6	123	29	31	16	15	5	5	31	8	227	184	4	8	150	22
Hazelwood	87	–	–	1	30	7	11	3	2	2	1	4	2	38	33	–	2	28	5
Jennings	210	–	–	2	53	15	21	–	3	2	–	12	1	122	94	–	–	80	14
Kirkwood	323	–	–	3	78	14	30	10	4	4	3	13	8	174	123	2	4	106	11
Ladue	61	–	–	–	20	6	4	–	3	2	2	3	1	43	33	–	4	28	1
Maplewood	145	–	–	–	29	8	7	7	3	2	1	1	4	88	67	2	3	57	5
Overland	233	–	–	–	58	15	16	4	8	4	1	10	6	114	95	3	1	84	7
Richmond Heights	155	–	–	1	34	10	7	5	5	–	1	8	2	91	71	1	3	60	7
St. Ann	129	–	–	–	31	11	9	3	1	–	3	4	1	68	54	1	1	47	5
University City	361	–	–	2	81	26	17	9	7	3	4	15	5	203	155	3	2	132	18
Webster Groves	262	–	–	2	63	15	19	5	8	4	4	8	7	138	97	1	3	84	9
Balance of county	4,037	1	–	27	962	218	272	95	102	38	39	198	57	2,075	1,601	20	62	1,319	200
St. Louis city	6,959	13	1	61	1,362	391	385	96	149	42	41	258	143	3,520	2,821	16	208	2,111	486
Ste. Genevieve	123	1	–	–	24	5	9	1	1	3	1	4	1	65	55	–	2	45	5
Saline	306	–	–	5	80	19	13	8	12	4	3	21	3	162	120	–	2	97	21
Marshall	154	–	–	2	38	8	4	4	6	2	2	12	2	82	58	–	1	50	7
Balance of county	152	–	–	3	42	11	9	4	6	2	1	9	1	80	62	–	1	47	14
Schuyler	67	–	–	–	11	1	1	1	3	–	3	2	1	39	29	–	–	17	12
Scotland	76	–	–	–	10	2	1	1	2	–	1	3	–	45	25	–	–	18	7
Scott	370	–	–	1	79	19	27	4	10	3	1	15	4	178	142	2	9	102	29
Sikeston, part	166	–	–	1	35	13	12	1	3	–	–	6	1	81	64	–	5	45	14
Sikeston, total	167	–	–	1	36	13	12	1	3	–	1	6	1	81	64	–	5	45	14
Balance of county	204	–	–	–	44	6	15	3	7	3	1	9	3	97	78	2	4	57	15
Shannon	82	–	–	1	8	2	2	–	1	–	1	2	1	46	41	2	–	34	5
Shelby	124	–	–	–	14	2	4	–	2	1	1	4	–	86	60	–	27	28	5
Stoddard	322	–	–	1	72	15	15	5	9	3	7	18	1	166	122	–	3	88	31
Stone	164	–	–	1	33	6	14	2	4	–	–	7	1	77	56	1	–	47	8
Sullivan	127	–	–	–	23	9	5	1	2	–	–	6	–	71	60	–	1	38	26
Taney	251	–	–	1	53	13	16	1	10	2	1	10	4	122	101	–	2	77	22
Texas	219	–	–	1	48	15	10	3	6	–	2	12	3	117	86	1	9	69	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Mississippi	–	14	–	–	5	10	1	3	1	–	1	–	11	6	7	6	1	3	2
Moniteau	1	14	5	1	6	5	–	–	1	–	–	–	1	8	4	4	–	–	–
Monroe	2	18	–	–	14	4	–	–	–	–	1	2	1	6	2	2	2	1	–
Montgomery	1	12	2	2	10	14	1	1	1	–	1	–	3	7	4	5	2	–	–
Morgan	2	25	4	2	6	3	–	2	2	–	–	–	2	14	1	4	1	–	–
New Madrid	–	21	3	1	5	9	2	2	5	–	–	5	27	10	10	9	2	2	–
Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	21	3	1	5	9	2	2	5	–	–	5	27	10	10	9	2	2	–
Newton	2	25	7	4	9	5	1	3	2	–	1	6	46	20	11	9	3	2	–
Joplin, part	–	2	–	2	2	1	–	1	–	–	–	1	3	1	–	1	–	–	–
Balance of county	2	23	7	2	7	4	1	2	2	–	1	5	43	19	11	8	3	2	–
Nodaway	2	21	1	–	8	8	1	2	2	–	–	–	1	17	12	8	2	–	–
Oregon	1	9	2	1	3	2	–	2	1	–	2	3	3	10	5	7	2	–	–
Osage	–	12	3	1	6	3	–	1	–	–	–	–	1	11	2	5	–	–	2
Ozark	–	9	–	–	3	1	–	1	–	–	–	–	16	3	5	4	1	4	–
Pemiscot	1	37	4	3	7	12	1	4	–	–	1	4	23	15	15	14	1	1	1
Perry	1	6	–	2	1	1	1	2	1	–	2	1	1	6	6	9	–	–	–
Pettis	1	60	2	1	15	11	–	1	4	–	2	–	2	26	7	9	2	–	–
Sedalia	1	47	1	1	13	9	–	1	3	–	1	–	1	20	3	4	1	–	–
Balance of county	–	13	1	–	2	2	–	–	1	–	1	–	1	6	4	5	1	–	–
Phelps	–	22	7	2	12	9	–	1	1	–	2	–	14	15	8	3	1	2	–
Rolla	–	8	4	1	2	1	–	–	–	–	2	–	4	5	2	1	–	1	–
Balance of county	–	14	3	1	10	8	–	1	1	–	–	–	10	10	6	2	1	1	–
Pike	1	17	11	4	8	8	1	1	1	–	–	2	18	12	3	5	2	1	–
Platte	–	17	4	5	5	5	–	3	4	–	5	7	16	11	9	10	4	–	1
Kansas City, part	–	2	1	–	2	–	–	–	–	–	1	2	4	5	1	1	–	–	1
Balance of county	–	15	3	5	3	5	–	3	4	–	4	5	12	6	8	9	4	–	–
Polk	–	29	3	1	6	6	–	–	1	–	–	1	17	11	5	3	4	–	–
Pulaski	–	11	2	1	5	6	2	2	2	–	2	5	22	12	9	10	3	–	–
Putnam	1	8	3	–	3	2	–	–	1	–	2	1	–	5	4	1	–	–	–
Ralls	–	8	3	–	5	–	–	1	–	1	1	–	1	6	2	4	1	–	–
Hannibal, part	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	6	3	–	5	–	–	1	–	1	1	–	1	6	2	4	1	–	–
Randolph	1	41	4	–	6	5	–	1	1	–	–	–	28	19	9	6	4	–	–
Moberly	–	25	3	–	3	4	–	1	–	–	–	–	15	12	3	5	3	–	–
Balance of county	1	16	1	–	3	1	–	–	1	–	–	–	13	7	6	1	1	–	–
Ray	1	20	4	2	3	5	3	1	1	–	1	4	3	15	7	11	2	–	1
Reynolds	–	3	2	1	3	5	–	–	1	–	–	1	8	4	6	–	–	–	–
Ripley	–	12	3	–	4	7	1	–	–	–	1	3	14	10	1	4	5	1	1
St. Charles	1	55	9	7	19	17	–	5	4	–	5	10	32	42	34	16	12	7	1
St. Charles	–	30	2	3	11	5	–	4	2	–	1	5	13	23	8	9	9	2	–
Balance of county	1	25	7	4	8	12	–	1	2	–	4	5	19	19	26	7	3	5	1
St. Clair	–	17	3	1	2	1	–	1	1	–	–	2	2	8	4	5	2	–	–
St. Francois	3	43	12	3	16	15	2	7	5	–	2	5	21	31	15	30	7	3	–
St. Louis	32	638	139	64	154	160	25	84	39	–	61	80	94	460	151	141	100	67	20
Ballwin	–	7	–	–	3	3	–	4	1	–	1	2	3	4	3	2	3	1	–
Bellefontaine Neighbors	1	10	1	1	3	6	–	4	–	–	–	–	4	10	2	4	1	–	1
Berkeley	–	6	3	–	2	–	–	1	–	–	1	1	1	4	3	2	3	1	1
Brentwood	1	7	1	–	2	1	1	–	–	–	–	–	–	5	2	1	2	–	–
Bridgeton	1	10	–	–	2	2	–	1	2	–	2	–	2	3	4	4	2	–	–
Clayton	1	14	5	3	2	5	1	3	1	–	–	–	–	11	1	1	2	–	–
Crestwood	–	6	1	–	2	1	2	–	–	–	1	1	–	3	–	–	4	–	–
Ferguson	–	14	4	4	4	8	1	1	2	–	2	2	1	19	5	6	2	1	1
Florissant	2	32	4	5	15	16	2	4	1	–	9	5	3	29	18	6	7	–	3
Hazelwood	1	2	2	–	–	2	–	–	–	–	–	1	4	4	1	3	–	1	–
Jennings	1	17	5	4	1	4	–	5	–	–	–	1	2	11	1	3	2	2	–
Kirkwood	–	40	7	4	6	10	–	2	5	–	–	3	3	20	2	4	3	1	1
Ladue	–	8	1	1	2	4	–	–	–	–	–	1	1	3	–	2	4	–	–
Maplewood	–	17	3	1	2	3	–	–	2	–	–	1	2	5	2	5	2	–	–
Overland	–	14	3	2	8	10	1	1	1	–	2	4	2	17	3	1	4	1	–
Richmond Heights	1	11	5	3	–	2	3	4	1	–	1	3	3	4	1	2	1	2	–
St. Ann	1	10	2	1	4	2	1	4	–	–	1	–	4	4	3	2	2	2	–
University City	–	36	10	2	6	5	2	3	2	–	3	3	1	26	7	5	2	4	1
Webster Groves	3	25	8	3	2	2	–	4	1	–	3	2	3	16	8	6	4	2	1
Balance of county	19	352	73	30	88	74	11	43	20	–	35	50	55	262	85	82	50	49	11
St. Louis city	31	532	88	48	152	158	18	116	55	–	34	102	76	532	86	181	88	271	10
Ste. Genevieve	–	8	2	–	2	3	1	1	–	–	1	1	5	7	6	2	2	–	1
Saline	2	32	7	1	8	5	1	1	–	–	–	2	3	16	5	10	2	3	–
Marshall	1	22	1	–	2	3	1	–	–	–	–	–	2	10	3	6	1	2	–
Balance of county	1	10	6	1	6	2	–	1	–	–	–	2	1	6	2	4	1	1	–
Schuyler	–	10	–	–	–	1	–	–	2	–	–	–	3	4	2	4	–	–	–
Scotland	–	14	4	2	3	–	–	–	4	–	1	–	–	3	8	1	1	–	–
Scott	2	29	1	4	11	10	1	4	3	–	2	3	15	28	10	18	2	–	1
Sikeston, part	1	14	–	2	6	6	–	2	–	–	1	1	7	9	6	8	1	–	1
Sikeston, total	1	14	–	2	6	6	–	2	–	–	1	1	7	9	6	8	1	–	1
Balance of county	1	15	1	2	5	4	1	2	3	–	1	2	8	19	4	10	1	–	–
Shannon	–	3	1	1	3	3	–	1	1	–	–	–	4	6	5	3	–	–	–
Shelby	1	17	7	1	2	2	–	1	1	–	–	–	6	4	5	3	–	–	–
Stoddard	2	38	2	2	6	8	–	6	2	–	2	4	24	15	5	8	1	1	–
Stone	–	17	3	1	6	5	–	1	1	–	1	2	15	8	7	3	2	–	1
Sullivan	–	8	1	2	4	3	1	–	1	–	–	–	1	10	3	6	3	1	–
Taney	–	12	7	2	7	10	3	6	4	–	–	–	3	25	3	4	4	2	–
Texas	–	24	3	4	6	6	–	1	3	–	2	1	5	13	4	6	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-008, 020-038, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Vernon	260	–	–	2	49	11	11	3	9	2	2	11	4	132	87	1	5	55	26
Warren	131	–	–	2	19	2	1	2	6	2	–	6	4	70	51	–	1	45	5
Washington	187	–	–	1	35	7	14	1	7	–	1	5	5	83	55	1	1	52	1
Wayne	137	–	–	2	26	6	7	–	4	1	1	7	–	55	44	–	–	34	10
Webster	179	–	–	3	33	6	8	3	4	2	2	8	2	91	60	2	–	52	6
Worth	51	–	–	2	6	–	2	–	1	1	–	2	–	32	27	–	1	18	8
Wright	213	–	–	1	42	8	18	2	3	1	5	5	8	110	79	2	–	69	8
Montana	6,476	5	–	30	1,238	331	273	107	194	68	49	216	91	3,140	2,301	32	51	1,633	585
Urban places	2,466	–	–	9	473	137	104	40	68	22	17	85	29	1,244	908	18	25	664	201
Balance of area	4,010	5	–	21	765	194	169	67	126	46	32	131	62	1,896	1,393	14	26	969	384
Metropolitan counties	1,368	–	–	–	276	71	63	33	35	17	11	48	14	684	499	6	13	376	104
Urban places	1,092	–	–	–	224	61	50	24	30	15	8	38	11	545	390	5	11	301	73
Balance of area	276	–	–	–	54	10	13	9	5	2	5	10	3	139	109	1	2	75	31
Nonmetropolitan counties	5,108	5	–	30	960	260	210	74	159	51	38	168	77	2,456	1,802	26	38	1,257	481
Urban places	1,374	–	–	9	249	76	54	16	38	7	11	47	18	699	518	13	14	363	128
Balance of area	3,734	5	–	21	711	184	156	58	121	44	27	121	59	1,757	1,284	13	24	894	353
Beaverhead	65	–	–	–	19	3	2	2	4	1	1	6	2	25	18	–	–	14	4
Big Horn	86	1	–	3	14	1	5	2	5	1	–	–	4	32	23	2	–	12	9
Blaine	68	–	–	1	9	1	–	–	5	1	–	2	–	24	14	–	–	11	3
Broadwater	24	–	–	–	8	3	2	–	1	–	1	1	–	9	9	–	–	8	1
Carbon	98	–	–	–	28	5	9	3	3	1	2	5	–	49	31	1	–	20	10
Carter	20	–	–	–	1	1	–	–	–	–	–	–	–	11	9	–	–	6	3
Cascade	658	–	–	–	132	33	29	17	18	8	6	21	6	335	257	5	6	199	47
Great Falls	563	–	–	–	114	29	24	15	16	8	3	19	5	284	209	4	5	166	34
Balance of county	95	–	–	–	18	4	5	2	2	–	3	2	1	51	48	1	1	33	13
Chouteau	47	–	–	1	7	2	3	–	–	1	1	–	–	29	25	–	–	18	7
Custer	141	–	–	–	24	6	4	1	6	3	–	4	–	83	57	–	–	50	7
Daniels	32	–	–	–	7	2	2	–	2	1	–	–	5	14	8	–	–	7	1
Dawson	88	–	–	–	17	6	5	1	3	–	1	1	2	49	42	–	–	33	9
Deer Lodge	160	1	–	1	25	6	6	3	3	1	1	5	2	90	66	–	1	50	15
Fallon	28	–	–	–	5	–	–	1	1	1	–	2	–	15	9	–	–	5	4
Fergus	158	–	–	–	26	5	8	2	2	3	1	5	1	72	48	–	1	34	11
Flathead	421	–	–	3	86	21	12	7	18	6	6	16	3	203	157	4	5	114	34
Kalispell	149	–	–	2	27	7	2	1	6	2	3	6	1	85	61	4	3	37	17
Balance of county	272	–	–	1	59	14	10	6	12	4	3	10	2	118	96	–	2	77	17
Gallatin	228	1	–	2	40	9	9	6	6	4	–	6	7	118	82	–	–	55	27
Bozeman	130	–	–	1	20	6	3	5	3	1	–	2	4	71	47	–	–	30	17
Balance of county	98	1	–	1	20	3	6	1	3	3	–	4	3	47	35	–	–	25	10
Garfield	11	–	–	–	1	–	–	1	–	–	–	–	1	4	4	–	–	2	2
Glacier	108	–	–	1	12	4	1	1	3	–	1	2	–	45	35	2	–	16	17
Golden Valley	13	–	–	–	2	–	1	1	–	–	–	–	–	6	6	–	–	3	3
Granite	30	–	–	–	5	–	2	–	1	–	1	1	–	15	12	–	–	9	3
Hill	139	–	–	2	18	3	5	3	1	1	1	4	–	77	68	–	–	46	22
Havre	87	–	–	2	10	2	3	2	–	–	–	3	–	52	45	–	–	31	14
Balance of county	52	–	–	–	8	1	2	1	1	1	1	1	–	25	23	–	–	15	8
Jefferson	52	–	–	–	12	3	2	–	2	1	2	2	–	20	12	–	–	6	6
Judith Basin	26	–	–	1	6	–	1	–	2	–	1	2	1	13	9	–	–	6	3
Lake	190	–	–	1	41	9	8	7	10	5	–	2	5	90	59	–	2	33	24
Lewis and Clark	334	–	–	–	62	18	15	2	8	2	3	14	6	144	109	3	1	76	29
Helena	235	–	–	–	40	11	8	2	6	–	3	10	5	107	80	3	1	54	22
Balance of county	99	–	–	–	22	7	7	–	2	2	–	4	1	37	29	–	–	22	7
Liberty	14	–	–	–	–	–	–	–	–	–	–	–	1	7	5	–	–	5	–
Lincoln	109	–	–	–	16	5	4	–	2	1	–	3	–	58	46	–	2	29	15
McCone	25	–	–	–	6	1	–	1	1	–	1	2	2	14	9	–	–	9	–
Madison	63	–	–	–	22	7	5	3	2	1	1	3	1	29	21	–	–	15	6
Meagher	19	–	–	–	2	1	–	–	–	–	–	1	–	12	8	–	–	5	3
Mineral	37	1	–	–	4	–	–	–	2	–	–	2	1	14	13	–	–	8	7
Missoula	450	–	–	4	72	20	17	5	9	1	3	17	5	206	151	3	10	106	32
Missoula	316	–	–	2	56	17	13	3	7	1	3	12	4	151	113	3	8	79	23
Balance of county	134	–	–	2	16	3	4	2	2	–	–	5	1	55	38	–	2	27	9
Musselshell	54	–	–	2	14	6	2	–	2	–	–	4	1	27	24	–	1	18	5
Park	126	–	–	1	23	5	2	2	6	1	1	6	2	67	52	–	6	34	12
Petroleum	3	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–	2	–
Phillips	58	–	–	–	13	3	5	1	1	1	–	2	1	24	18	1	–	16	1
Pondera	55	–	–	–	16	8	4	1	2	–	–	1	2	20	14	–	–	9	5
Powder River	16	–	–	1	3	–	1	1	–	1	–	–	–	10	6	–	–	6	–
Powell	67	–	–	–	17	8	3	2	1	1	–	2	1	28	25	–	7	14	4
Prairie	18	–	–	–	6	2	1	–	1	–	–	2	1	11	11	–	–	11	–
Ravalli	199	–	–	–	43	14	6	7	3	3	–	10	4	107	74	–	–	39	35
Richland	91	–	–	1	18	5	2	2	5	–	1	3	3	43	26	–	–	22	4
Roosevelt	98	–	–	2	12	2	3	1	2	1	–	3	2	43	39	–	–	27	12
Rosebud	72	–	–	–	6	3	–	–	2	–	–	1	2	26	16	1	–	10	5
Sanders	74	–	–	–	11	2	3	–	4	1	–	1	–	34	19	–	–	17	2
Sheridan	48	–	–	–	14	4	4	–	2	1	2	1	–	17	13	–	–	12	1
Silver Bow	513	1	–	2	107	36	29	3	17	4	2	16	5	281	195	4	2	146	49
Butte	457	–	–	2	96	33	25	3	16	3	2	14	4	233	172	3	2	132	35
Balance of county	56	1	–	–	11	3	4	–	1	1	–	2	1	28	23	1	–	14	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Vernon	-	36	2	7	11	4	1	2	3	-	3	2	13	18	2	7	4	3	-
Warren	1	16	2	-	3	1	1	1	-	-	2	2	7	13	1	4	-	1	-
Washington	2	18	4	4	10	7	-	-	1	-	1	1	16	7	9	6	3	2	-
Wayne	-	9	2	-	10	4	1	-	-	-	1	1	16	7	6	7	-	1	-
Webster	-	22	4	5	8	11	-	3	-	-	2	2	2	16	2	4	-	-	-
Worth	-	4	-	1	2	2	-	-	-	-	1	-	-	3	1	1	1	-	-
Wright	-	26	4	1	3	9	2	-	1	-	-	2	10	18	4	4	1	1	-
Montana	23	588	151	77	148	197	26	64	46	3	38	76	90	507	311	292	118	41	15
Urban places	8	238	55	35	52	81	14	22	18	-	18	22	33	188	91	99	52	14	7
Balance of area	15	350	96	42	96	116	12	42	28	3	20	54	57	319	220	193	66	27	8
Metropolitan counties	4	129	36	16	27	40	7	17	8	-	10	20	16	95	59	47	33	6	7
Urban places	4	109	28	14	20	31	7	14	7	-	10	15	14	73	41	40	28	6	6
Balance of area	-	20	8	2	7	9	-	3	1	-	-	5	2	22	18	7	5	-	1
Nonmetropolitan counties	19	459	115	61	121	157	19	47	38	3	28	56	74	412	252	245	85	35	8
Urban places	4	129	27	21	32	50	7	8	11	-	8	7	19	115	50	59	24	8	1
Balance of area	15	330	88	40	89	107	12	39	27	3	20	49	55	297	202	186	61	27	7
Beaverhead	-	4	2	1	-	3	-	-	1	-	-	2	1	6	2	2	2	-	-
Big Horn	1	6	1	1	2	2	-	3	2	-	-	1	1	5	9	4	1	2	-
Blaine	-	6	3	1	3	2	-	2	3	1	1	-	1	9	1	5	3	1	-
Broadwater	-	-	-	-	-	1	-	1	-	-	-	2	-	1	1	-	1	-	-
Carbon	-	15	2	1	2	1	-	2	-	-	-	1	1	9	3	-	1	-	1
Carter	-	2	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-
Cascade	3	49	22	4	12	18	4	8	4	-	7	10	5	39	30	29	15	2	2
Great Falls	3	48	20	4	11	16	4	8	3	-	7	9	4	33	23	25	14	2	1
Balance of county	-	1	2	-	1	2	-	-	1	-	-	1	1	6	7	4	1	-	1
Chouteau	-	2	1	1	-	1	-	1	-	-	1	-	-	2	-	3	2	-	-
Custer	-	22	1	3	2	3	-	1	-	-	1	1	1	13	5	5	2	-	-
Daniels	-	4	2	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-
Dawson	-	4	1	2	2	2	-	-	-	-	-	2	-	7	3	4	-	-	-
Deer Lodge	1	16	5	2	1	6	1	3	1	-	-	1	2	13	4	5	2	1	1
Fallon	-	4	2	-	-	-	-	-	1	-	-	-	-	2	2	2	1	-	-
Fergus	-	13	12	1	4	11	-	1	-	-	-	2	4	19	6	9	1	-	-
Flathead	3	35	6	2	9	18	2	3	-	-	1	8	3	35	21	15	6	4	1
Kalispell	1	16	5	2	3	7	-	-	-	-	-	1	2	9	4	3	2	3	-
Balance of county	2	19	1	-	6	11	2	3	-	-	1	7	1	26	17	12	4	1	1
Gallatin	-	28	6	4	3	10	-	1	3	-	2	3	3	13	5	10	6	1	-
Bozeman	-	17	4	3	3	8	-	1	2	-	2	1	2	6	2	3	3	1	-
Balance of county	-	9	2	1	-	2	-	-	1	-	-	2	1	7	3	7	3	-	-
Garfield	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	1	-
Glacier	-	5	2	3	2	-	2	3	2	-	-	1	2	6	17	6	1	5	1
Golden Valley	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	-
Granite	-	2	-	1	-	-	-	-	-	-	-	-	2	4	-	3	1	-	-
Hill	1	7	1	-	5	1	-	1	1	-	-	1	1	13	10	6	3	-	-
Havre	-	6	1	-	2	1	-	-	1	-	-	-	-	8	8	2	1	-	-
Balance of county	1	1	-	-	3	-	-	1	-	-	-	1	1	5	2	4	2	-	-
Jefferson	-	5	1	2	-	2	-	-	2	-	1	2	-	7	1	4	1	-	-
Judith Basin	-	2	2	-	-	-	1	1	-	-	-	-	2	1	-	-	-	-	-
Lake	-	27	2	2	3	4	-	-	2	-	2	1	1	13	15	6	4	2	-
Lewis and Clark	-	24	5	6	10	13	6	4	3	-	3	1	14	23	22	14	8	1	-
Helena	-	19	4	4	7	10	5	-	3	-	2	-	10	17	13	7	8	1	-
Balance of county	-	5	1	2	3	3	1	4	-	-	1	1	4	6	9	7	-	-	-
Liberty	-	1	1	-	-	1	-	2	-	-	-	-	-	1	1	1	-	-	-
Lincoln	1	7	1	3	-	5	-	-	-	-	-	3	1	5	5	8	1	2	-
McCone	-	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Madison	1	6	1	-	4	-	-	-	-	-	1	1	8	8	6	1	2	-	-
Meagher	-	3	1	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-
Mineral	-	1	-	-	1	-	-	1	-	-	2	1	3	1	4	3	-	1	-
Missoula	1	42	4	8	13	21	1	4	2	1	3	3	4	41	26	32	11	1	-
Missoula	1	28	3	6	7	13	1	4	2	-	2	1	2	32	13	21	4	1	-
Balance of county	-	14	1	2	6	8	-	-	-	1	1	2	2	9	13	11	7	-	-
Musselshell	-	2	1	-	1	-	-	1	-	-	-	-	-	2	3	2	-	1	-
Park	-	12	3	-	3	5	1	-	-	-	1	2	1	8	7	2	2	1	-
Petroleum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phillips	1	4	-	1	2	3	-	-	-	-	-	1	1	7	4	1	1	-	-
Pondera	1	4	1	-	2	1	-	1	1	-	-	-	1	4	5	2	-	-	-
Powder River	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Powell	-	1	2	-	2	2	1	-	-	-	1	-	-	6	6	2	-	1	-
Prairie	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ravalli	2	24	5	2	4	7	1	-	2	-	-	1	1	9	8	9	4	1	-
Richland	-	9	8	-	2	3	-	1	2	-	-	1	-	2	6	7	1	1	-
Roosevelt	-	3	1	-	2	-	-	4	2	-	1	1	3	7	6	9	-	3	1
Rosebud	1	6	2	1	6	2	-	2	-	-	2	-	-	9	9	5	1	1	1
Sanders	-	13	1	1	4	3	1	-	2	-	1	1	1	5	4	5	2	-	-
Sheridan	1	2	-	1	4	-	-	-	-	-	-	1	1	5	-	5	1	-	-
Silver Bow	2	48	12	6	11	12	1	3	3	-	2	4	3	47	11	28	7	3	2
Butte	2	43	10	6	10	11	1	3	3	-	2	4	3	43	10	23	6	2	1
Balance of county	-	3	2	-	1	1	-	-	-	-	-	-	-	4	1	5	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Montana—Con.																			
Stillwater	62	–	–	–	15	3	4	1	5	–	1	1	4	23	18	–	–	9	
Sweet Grass	26	–	–	–	2	–	–	–	1	–	–	1	–	20	11	–	–	8	
Teton	59	–	–	–	13	3	5	–	–	1	2	2	–	27	18	–	–	8	1
Toole	39	–	–	1	10	4	2	–	1	–	–	3	–	18	12	1	–	8	
Treasure	6	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	3	
Valley	85	–	–	–	11	6	2	1	–	–	1	1	–	44	29	4	–	21	
Wheatland	28	–	–	–	6	2	3	–	1	–	–	–	–	17	10	–	–	2	
Wibaux	15	–	–	–	3	2	–	–	1	–	–	–	–	9	6	–	–	6	
Yellowstone	710	–	–	–	146	38	34	16	17	9	5	27	8	349	242	1	7	177	5
Billings	529	–	–	–	110	32	26	9	14	7	3	19	6	261	181	1	6	135	3
Balance of county	181	–	–	–	36	6	8	7	3	2	2	8	2	88	61	–	1	42	1
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nebraska	14,247	5	–	67	2,898	845	649	235	367	133	183	506	201	7,536	5,487	52	145	4,262	1,02
Urban places	6,360	2	–	34	1,375	390	321	121	168	60	76	239	101	3,243	2,377	30	43	1,920	38
Balance of area	7,887	3	–	33	1,523	455	328	114	199	73	87	267	100	4,293	3,110	22	102	2,342	64
Metropolitan counties	4,996	1	–	32	1,043	301	267	97	110	41	61	176	81	2,547	1,892	26	29	1,554	28
Urban places	4,414	1	–	27	928	272	233	77	96	38	56	156	76	2,278	1,682	24	27	1,382	24
Balance of area	582	–	–	5	115	29	34	10	14	3	5	20	3	269	210	2	2	172	3
Nonmetropolitan counties	9,251	4	–	35	1,855	544	382	148	257	92	102	330	120	4,989	3,595	26	116	2,708	74
Urban places	1,946	1	–	7	447	118	88	44	72	22	20	83	23	965	695	6	16	536	13
Balance of area	7,305	3	–	28	1,408	426	294	104	185	70	82	247	97	4,024	2,900	20	100	2,170	61
Adams	344	–	–	1	87	31	12	8	9	6	4	17	1	179	129	1	2	109	1
Hastings	289	–	–	1	75	27	10	7	9	4	4	14	1	145	101	1	2	84	1
Balance of county	55	–	–	–	12	4	2	1	–	2	–	3	–	34	28	–	–	25	
Antelope	100	–	–	–	15	6	1	–	3	2	–	3	2	57	41	–	–	33	
Arthur	8	–	–	–	2	–	–	1	1	–	–	–	–	3	1	–	–	1	
Banner	5	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	2	
Blaine	6	–	–	–	1	–	–	–	1	–	–	–	–	4	3	–	–	3	
Boone	87	–	–	–	16	5	3	–	3	1	–	4	–	56	37	1	–	29	
Box Butte	140	–	–	1	29	8	8	3	2	1	1	6	–	61	46	–	2	38	
Boyd	48	–	–	–	8	2	–	–	–	1	2	3	1	27	19	–	1	14	
Brown	52	–	–	–	11	4	3	–	1	–	–	3	1	28	22	–	–	20	
Buffalo	271	1	–	1	49	14	11	3	4	3	2	12	3	138	93	2	3	67	2
Kearney	139	1	–	1	23	5	7	1	2	1	1	6	1	68	42	1	1	31	1
Balance of county	132	–	–	–	26	9	4	2	2	2	1	6	2	70	51	1	2	36	1
Burt	100	–	–	–	27	4	6	3	4	3	2	5	3	51	32	1	–	24	
Butler	121	–	–	–	27	6	2	2	6	–	1	8	3	67	46	–	–	40	
Cass	168	1	–	–	39	11	11	–	5	1	2	9	–	104	68	–	–	59	
Cedar	126	–	–	1	27	9	9	2	4	–	–	3	3	69	40	–	2	31	
Chase	71	–	–	–	11	8	–	–	1	–	1	1	1	40	33	–	8	24	
Cherry	69	–	–	–	15	3	3	1	3	1	–	4	–	28	19	–	–	14	
Cheyenne	114	–	–	1	19	4	4	2	–	4	1	4	1	66	51	1	11	34	
Clay	86	–	–	1	15	4	4	1	2	–	–	4	–	54	41	–	–	30	1
Colfax	117	–	–	1	25	14	2	1	1	1	2	4	1	55	40	–	1	27	1
Cuming	121	–	–	1	26	8	2	1	4	1	1	9	1	69	54	–	–	40	1
Custer	170	–	–	3	28	9	5	5	5	–	2	2	4	89	82	–	–	63	1
Dakota	135	–	–	1	31	10	8	4	4	–	1	4	1	62	51	1	–	46	
Dawes	82	–	–	–	19	5	2	3	1	–	4	4	–	33	26	–	1	12	1
Dawson	208	–	–	–	30	11	6	2	3	1	1	6	2	130	96	1	9	83	
Deuel	36	–	–	–	5	2	1	1	1	–	–	–	–	23	17	–	1	15	1
Dixon	83	–	–	–	18	5	3	1	5	2	–	2	1	53	34	–	1	20	1
Dodge	319	–	–	1	70	21	17	7	7	5	1	12	3	149	94	1	3	70	2
Fremont	213	–	–	1	45	13	12	6	4	3	1	6	2	101	64	1	2	48	1
Balance of county	106	–	–	–	25	8	5	1	3	2	–	6	1	48	30	–	1	22	
Douglas	3,288	1	–	20	706	193	194	56	76	29	44	114	53	1,661	1,253	17	21	1,063	152
Omaha	3,119	1	–	19	673	189	181	52	73	29	43	106	52	1,589	1,199	16	19	1,017	147
Balance of county	169	–	–	1	33	4	13	4	3	–	1	8	1	72	54	1	2	46	5
Dundy	31	–	–	1	1	–	–	–	1	–	–	–	–	21	16	–	1	14	1
Fillmore	106	–	–	–	12	3	3	–	3	1	1	1	4	61	49	–	1	36	1
Franklin	76	–	–	–	12	2	4	1	3	1	1	–	1	44	33	–	1	22	1
Frontier	30	–	–	–	2	2	–	–	–	–	–	–	1	19	16	–	1	13	
Furnas	92	–	–	–	17	7	3	1	2	2	–	2	3	54	38	–	–	31	1
Gage	294	–	–	1	68	18	7	11	9	2	3	18	4	162	128	1	7	98	2
Beatrice	185	–	–	–	45	13	4	6	7	2	1	12	1	101	79	1	5	59	1
Balance of county	109	–	–	1	23	5	3	5	2	–	2	6	3	61	49	–	2	39	
Garden	26	–	–	–	4	1	–	1	1	–	–	1	–	14	11	–	3	5	
Garfield	37	–	–	–	9	2	2	1	2	1	–	1	–	21	16	–	1	15	
Gosper	22	–	–	–	4	2	–	1	1	–	–	–	–	11	10	–	–	10	
Grant	9	–	–	–	2	–	1	–	1	–	–	–	–	5	5	–	–	4	1
Greeley	55	–	–	–	13	3	2	–	3	–	1	4	2	31	19	–	1	13	5
Hall	494	–	–	1	128	27	27	9	25	5	7	28	6	240	174	1	3	128	42
Grand Island	411	–	–	1	105	22	23	6	22	3	6	23	6	201	145	1	2	105	37
Balance of county	83	–	–	–	23	5	4	3	3	2	1	5	–	39	29	–	1	23	5
Hamilton	95	–	–	–	19	6	4	–	4	–	1	4	2	50	30	–	1	19	10
Harlan	63	–	–	–	12	1	4	1	–	2	2	2	1	37	12	–	–	9	3
Hayes	10	–	–	–	3	1	–	–	1	–	–	1	–	3	2	–	–	2	
Hitchcock	51	–	–	–	10	2	1	–	3	–	2	2	2	34	23	1	1	16	5
Holt	153	1	–	1	27	8	7	2	3	–	3	4	–	70	45	1	–	36	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Stillwater	–	5	–	2	4	2	–	–	–	1	–	–	3	2	4	3	1	–	–
Sweet Grass	–	8	1	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–
Teton	–	6	2	1	1	4	–	1	1	–	2	–	–	5	2	3	–	–	–
Toole	–	3	–	1	2	–	1	–	–	–	–	2	–	3	1	1	2	–	–
Treasure	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Valley	1	6	7	1	5	4	–	–	1	–	–	–	1	10	3	6	–	–	–
Wheatland	–	4	3	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–
Wibaux	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Yellowstone	1	80	14	12	15	22	3	9	4	–	3	10	11	56	29	18	18	4	5
Billings	1	61	8	10	9	15	3	6	4	–	3	6	10	40	18	15	14	4	5
Balance of county	–	19	6	2	6	7	–	3	–	–	–	4	1	16	11	3	4	–	–
Yellowstone National Park	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nebraska	75	1,462	331	181	403	402	54	128	109	2	115	153	172	979	352	415	159	66	33
Urban places	36	600	144	86	166	184	24	68	61	1	58	81	63	452	133	172	72	56	16
Balance of area	39	862	187	95	237	218	30	60	48	1	57	72	109	527	219	243	87	10	17
Metropolitan counties	26	462	110	57	122	126	15	64	47	1	58	72	39	355	119	144	58	54	18
Urban places	23	416	103	54	104	109	13	54	45	1	50	57	30	317	86	123	48	51	14
Balance of area	3	46	7	3	18	17	2	10	2	–	8	15	9	38	33	21	10	3	4
Nonmetropolitan counties	49	1,000	221	124	281	276	39	62	62	1	57	81	133	624	233	271	101	12	15
Urban places	13	184	41	32	62	75	11	12	16	–	8	24	33	135	47	49	24	5	2
Balance of area	36	816	180	92	219	201	28	50	46	1	49	57	100	489	186	222	77	7	13
Adams	–	37	5	8	11	13	3	–	–	–	–	4	6	24	3	8	4	–	–
Hastings	–	32	5	7	11	11	3	–	–	–	–	4	5	23	2	5	3	–	–
Balance of county	–	5	–	1	–	2	–	–	–	–	–	–	1	1	1	3	1	–	–
Antelope	1	9	6	–	1	4	–	1	1	–	–	1	–	9	2	7	–	–	–
Arthur	1	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Banner	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Blaine	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Boone	–	18	–	1	3	–	–	–	–	–	–	–	–	8	2	2	–	–	–
Box Butte	1	9	3	2	3	5	2	1	2	–	2	2	–	18	3	8	3	–	–
Boyd	–	6	2	–	4	1	–	–	1	–	1	–	–	3	1	1	–	–	–
Brown	1	4	1	–	1	1	1	–	1	–	–	2	1	2	1	–	2	–	–
Buffalo	1	34	6	4	2	12	3	–	3	–	1	2	2	24	9	18	2	1	–
Kearney	1	19	4	2	1	8	2	–	2	–	–	1	–	14	5	10	1	1	–
Balance of county	–	15	2	2	1	4	1	–	1	–	1	1	2	10	4	8	1	–	–
Burt	–	8	11	–	5	2	–	1	–	–	2	–	1	3	3	–	2	–	–
Butler	1	14	1	3	6	1	2	1	–	–	1	–	–	6	3	4	–	–	–
Cass	1	31	3	1	1	2	1	–	–	–	–	1	1	6	4	5	1	1	1
Cedar	–	18	8	3	2	4	1	–	1	–	–	–	3	4	5	5	1	–	–
Chase	–	7	–	–	2	1	–	–	–	–	2	–	–	6	5	3	–	–	–
Cherry	–	6	1	2	1	3	–	–	–	–	–	1	–	8	3	2	2	–	–
Cheyenne	–	9	3	3	2	8	–	1	1	–	–	–	–	8	1	3	3	–	–
Clay	1	8	2	2	1	2	–	–	–	–	–	–	2	8	1	2	–	–	–
Colfax	–	13	1	1	5	5	1	1	–	–	1	1	8	6	5	1	–	–	1
Cuming	–	14	–	1	6	2	–	2	–	–	–	2	–	6	1	3	2	–	–
Custer	–	5	1	1	12	5	–	1	1	–	–	1	–	12	5	7	2	–	–
Dakota	1	8	1	1	8	5	–	3	–	–	2	1	1	8	5	4	2	1	–
Dawes	2	4	–	1	2	5	1	–	1	–	1	2	–	9	5	1	2	1	–
Dawson	1	20	12	1	11	4	–	2	–	–	–	3	3	13	3	6	–	–	1
Deuel	–	5	–	1	–	–	1	–	–	–	1	–	–	1	2	2	–	1	–
Dixon	1	16	–	–	–	–	–	–	–	–	–	1	3	6	–	1	–	–	–
Dodge	2	42	7	4	11	9	1	2	1	–	3	3	15	23	11	13	4	–	–
Fremont	2	26	6	3	7	8	1	1	1	–	1	3	13	12	6	8	3	–	–
Balance of county	–	16	1	1	4	1	–	1	–	–	2	–	2	11	5	5	1	–	–
Douglas	19	268	59	42	86	77	13	49	30	1	30	49	16	232	75	96	34	49	8
Omaha	18	274	57	41	83	72	12	45	30	1	27	40	15	224	60	91	31	47	7
Balance of county	1	14	2	1	3	5	1	4	–	–	3	9	3	8	15	5	3	2	1
Dundy	–	4	1	–	3	1	–	–	–	–	1	1	–	2	–	–	–	–	–
Fillmore	1	10	1	–	–	2	1	1	2	–	–	–	–	16	1	5	–	–	1
Franklin	–	6	3	2	1	–	–	1	–	–	–	–	1	7	5	2	2	–	–
Frontier	–	2	–	1	1	2	–	–	–	–	–	1	–	3	–	–	1	–	–
Furnas	1	8	4	3	1	3	–	1	2	–	–	1	3	3	3	–	1	–	–
Gage	2	23	1	8	14	5	–	2	2	–	1	1	5	12	5	8	2	–	2
Beatrice	2	14	–	6	10	4	–	–	1	–	–	1	4	6	4	4	2	–	2
Balance of county	–	9	1	2	4	1	–	2	1	–	1	–	1	6	1	4	–	–	–
Garden	–	3	–	–	1	2	–	–	–	–	–	–	–	1	–	2	2	–	–
Garfield	–	3	1	1	1	2	–	–	–	–	1	–	–	–	1	–	2	–	–
Gosper	–	–	–	1	–	1	–	–	–	–	–	–	–	4	–	1	1	–	–
Grant	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Greeley	–	12	–	–	–	2	–	–	1	–	–	1	–	2	–	3	–	–	–
Hall	2	47	12	5	15	17	3	2	6	–	2	5	5	38	7	9	9	1	–
Grand Island	2	39	11	4	13	14	3	2	5	–	1	4	5	31	5	8	6	1	–
Balance of county	–	8	1	1	2	3	–	–	1	–	1	1	–	7	2	1	3	–	–
Hamilton	–	13	4	3	5	2	–	–	1	–	1	1	2	6	3	2	–	–	1
Harlan	–	22	1	2	3	2	–	–	–	–	–	–	1	2	–	1	2	2	–
Hayes	–	–	–	1	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–
Hitchcock	–	5	6	–	–	1	–	1	–	–	–	–	–	–	2	–	1	–	–
Holt	–	24	1	–	8	7	1	–	1	–	2	1	2	21	5	4	1	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Nebraska—Con.																			
Hooker	7	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–	3	
Howard	78	–	–	–	10	1	3	1	–	1	2	2	1	46	27	–	1	22	
Jefferson	139	–	–	–	26	5	8	1	2	–	2	8	4	77	66	3	2	56	
Johnson	70	–	–	–	13	5	2	2	–	–	1	3	4	40	14	–	1	12	
Kearney	87	–	–	1	9	2	2	–	–	1	1	3	1	51	35	1	2	24	
Keith	85	–	–	–	20	7	7	–	1	1	1	3	–	41	24	–	–	20	
Keya Paha	6	–	–	–	–	–	–	–	–	–	–	–	–	5	4	–	–	4	
Kimball	51	–	–	–	13	5	4	1	–	1	2	–	1	21	14	–	–	11	
Knox	146	1	–	1	21	7	6	2	3	2	1	–	2	93	70	–	–	63	
Lancaster	1,279	–	–	7	246	82	54	22	26	6	12	44	26	686	482	8	6	362	10
Lincoln	1,184	–	–	6	230	78	49	21	23	6	10	42	26	638	443	8	6	334	9
Balance of county	95	–	–	1	16	3	5	1	3	–	2	2	–	50	39	–	–	28	1
Lincoln	295	–	–	3	65	17	14	7	16	–	4	7	6	143	98	–	2	79	1
North Platte	214	–	–	2	48	13	9	6	13	–	2	5	4	105	73	–	1	57	1
Balance of county	81	–	–	1	17	4	5	1	3	–	2	2	2	38	25	–	1	22	
Logan	8	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	1	1	
Loup	14	–	–	–	3	1	–	1	–	–	1	–	–	9	6	1	1	3	
McPherson	6	–	–	–	3	–	–	–	1	–	–	2	–	3	3	–	–	2	
Madison	333	–	–	1	68	18	16	6	4	6	4	12	5	162	122	–	–	106	1
Norfolk	203	–	–	1	48	12	10	6	4	5	2	9	2	90	72	–	–	69	
Balance of county	130	–	–	–	20	6	6	2	–	1	2	3	3	72	50	–	–	39	1
Merrick	91	–	–	–	28	12	3	4	3	2	–	4	1	37	26	–	–	21	
Morrill	60	–	–	–	13	2	3	2	3	–	2	1	2	28	21	–	–	14	
Nance	54	–	–	–	13	7	3	1	–	–	–	2	1	24	17	–	–	17	
Nemaha	98	–	–	–	25	6	9	3	3	2	2	–	2	47	34	–	1	22	1
Nuckolls	83	–	–	–	19	5	4	–	5	1	2	2	–	45	36	–	–	30	
Otoe	190	–	–	2	42	15	12	2	6	1	2	4	1	92	59	–	–	38	2
Pawnee	69	–	–	–	12	2	5	1	2	–	1	1	1	39	24	–	3	18	
Perkins	38	–	–	–	9	3	2	1	2	–	1	–	1	21	15	–	–	12	
Phelps	138	–	–	–	19	8	3	1	–	2	1	6	3	85	65	–	1	32	3
Pierce	87	–	–	–	15	8	1	1	1	1	–	3	1	53	41	–	–	40	
Platte	215	–	–	–	52	12	11	4	10	5	2	8	4	111	88	2	3	59	2
Columbus	154	–	–	–	37	7	8	3	10	4	1	4	4	81	63	1	2	42	1
Balance of county	61	–	–	–	15	5	3	1	–	1	1	4	–	30	25	1	1	17	
Polk	72	–	–	–	10	2	1	2	–	–	2	3	1	49	33	–	–	28	
Red Willow	123	–	–	1	20	4	6	2	2	2	2	2	–	72	53	2	2	42	
Richardson	171	–	–	1	35	12	11	1	7	–	–	4	2	94	65	–	3	45	1
Rock	30	–	–	–	7	1	2	–	1	–	1	2	–	15	12	–	–	10	
Saline	160	–	–	–	33	13	3	1	3	2	2	9	3	93	76	–	6	40	3
Sarpy	284	–	–	4	60	16	11	5	4	6	4	14	1	136	106	–	–	83	2
Bellevue	111	–	–	2	25	4	3	4	–	3	3	8	–	51	40	–	–	31	
Balance of county	183	–	–	2	35	12	8	1	4	3	1	6	1	85	66	–	–	52	1
Saunders	184	–	–	–	34	8	8	1	2	4	3	8	1	105	67	–	1	57	
Scotts Bluff	317	–	–	3	60	16	11	6	13	4	3	7	3	165	128	2	1	93	3
Scottsbluff	138	–	–	–	21	6	5	3	1	–	2	4	2	73	56	–	1	43	1
Balance of county	179	–	–	3	39	10	6	3	12	4	1	3	1	92	72	2	–	50	2
Seward	154	–	–	–	28	7	6	5	3	1	–	6	–	96	71	–	3	41	2
Sheridan	106	–	–	1	20	6	6	1	5	–	2	–	2	51	43	–	1	37	
Sherman	47	–	–	1	8	2	2	1	1	–	–	2	1	27	24	–	–	24	
Sioux	16	–	–	1	2	2	–	–	–	–	–	–	1	8	6	–	–	3	
Stanton	56	–	–	–	9	1	5	1	1	–	1	–	2	28	20	–	1	19	
Thayer	100	–	–	1	17	8	3	–	3	1	–	2	4	69	52	–	6	20	2
Thomas	6	–	–	–	2	–	–	1	1	–	–	–	–	2	2	–	–	2	
Thurston	91	–	–	1	19	9	3	1	2	–	1	3	–	34	25	–	–	15	1
Valley	75	–	–	1	14	4	3	1	3	1	–	2	1	48	25	–	2	21	
Washington	132	–	–	–	23	7	4	2	4	–	–	6	1	82	64	1	–	49	1
Wayne	73	–	–	–	18	8	2	–	3	1	2	2	–	34	29	1	–	24	
Webster	65	–	–	–	12	1	4	–	1	–	1	5	–	35	24	1	1	16	
Wheeler	9	–	–	–	3	1	–	1	–	–	–	1	–	5	4	–	–	3	
York	126	–	–	–	20	5	3	3	2	3	2	2	–	83	62	–	3	33	2
Nevada	5,388	5	–	38	1,129	276	343	72	128	50	35	225	77	2,214	1,675	15	94	1,101	46
Urban places	3,276	1	–	17	682	161	223	44	71	31	19	133	51	1,372	1,051	14	61	702	27
Balance of area	2,112	4	–	21	447	115	120	28	57	19	16	92	26	842	624	1	33	399	19
Metropolitan counties	4,238	4	–	27	916	223	291	59	98	41	28	176	61	1,749	1,339	14	80	865	35
Urban places	3,030	1	–	15	631	147	208	41	66	28	18	123	49	1,269	968	14	57	644	25
Balance of area	1,208	3	–	12	285	76	83	18	32	13	10	53	12	480	371	–	23	221	12
Nonmetropolitan counties	1,150	1	–	11	213	53	52	13	30	9	7	49	16	465	336	1	14	236	8
Urban places	246	–	–	2	51	14	15	3	5	3	1	10	2	103	83	–	4	58	2
Balance of area	904	1	–	9	162	39	37	10	25	6	6	39	14	362	253	1	10	178	6
Churchill	128	–	–	1	30	8	3	2	5	–	4	8	2	57	38	–	–	33	
Clark	2,885	3	–	20	630	146	212	39	73	27	16	117	43	1,193	927	11	53	529	38
Henderson	128	–	–	–	21	8	5	–	1	3	1	3	1	60	49	–	5	32	1
Las Vegas	1,488	1	–	8	322	60	120	21	36	11	6	68	27	608	466	9	22	285	17
North Las Vegas	262	–	–	2	49	13	17	2	8	2	1	6	3	103	83	2	7	46	2
Balance of county	1,007	2	–	10	238	65	70	16	28	11	8	40	12	422	329	–	19	186	12
Douglas	102	–	–	2	15	2	3	2	3	–	–	5	1	44	37	1	2	22	1
Elko	144	–	–	1	21	3	4	–	7	–	–	7	2	45	31	–	–	29	
Esmeralda	13	–	–	–	–	–	–	–	–	–	–	–	–	5	4	–	–	2	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807 E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Hooker	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Howard	1	16	1	1	–	2	–	1	–	–	2	1	–	5	3	6	–	–	1
Jefferson	–	10	–	1	5	4	1	1	2	–	2	1	–	8	5	3	–	–	–
Johnson	–	23	3	–	3	–	1	–	–	–	–	–	1	3	3	2	–	–	–
Kearney	1	13	2	–	3	4	2	1	–	–	1	1	–	6	2	2	3	–	–
Keith	2	10	2	3	1	4	–	3	–	–	–	1	–	6	2	2	5	–	–
Keya Paha	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kimball	–	5	–	2	1	3	1	2	–	–	1	–	2	3	2	1	–	–	–
Knox	–	20	2	1	1	4	–	1	–	–	3	2	1	8	4	3	1	–	–
Lancaster	6	140	48	12	23	36	2	8	15	–	21	15	13	92	28	36	14	4	5
Lincoln	5	133	45	12	20	33	1	8	13	–	20	15	12	87	23	29	14	4	5
Balance of county	1	7	3	–	3	3	1	–	2	–	1	–	1	5	5	7	–	–	–
Lincoln	2	22	15	6	7	15	–	6	1	–	2	3	5	20	7	5	5	2	–
North Platte	2	14	10	6	6	12	–	5	1	–	–	2	–	18	3	4	2	2	–
Balance of county	–	8	5	–	1	3	–	1	–	–	2	1	5	2	4	1	3	–	–
Logan	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Loup	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
McPherson	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Madison	2	25	9	4	20	12	2	2	3	–	1	4	2	24	15	9	3	–	–
Norfolk	2	12	4	–	10	6	2	1	3	–	1	4	2	15	12	4	2	–	–
Balance of county	–	13	5	4	10	6	–	1	–	–	–	–	–	9	3	5	1	–	–
Merrick	–	10	1	–	–	2	1	–	–	–	–	–	2	9	7	3	–	–	1
Morrill	1	4	2	–	1	2	–	–	2	–	–	1	1	5	3	2	–	–	–
Nance	–	5	2	–	2	1	–	2	2	–	–	–	–	5	–	2	1	–	1
Nemaha	–	11	2	–	5	3	1	–	2	–	–	–	6	3	1	2	1	–	–
Nuckolls	1	6	2	–	1	1	–	3	–	–	1	–	–	10	2	1	–	–	–
Otoe	–	25	4	4	7	2	–	2	–	–	1	3	15	11	4	6	1	1	–
Pawnee	–	14	–	1	3	–	1	–	–	–	2	–	–	7	1	1	2	–	–
Perkins	–	5	1	–	1	–	–	–	–	–	–	–	–	2	–	4	–	–	–
Phelps	1	14	3	2	4	4	–	–	2	–	–	–	1	11	1	7	–	–	1
Pierce	–	10	1	1	2	1	–	1	–	–	–	–	–	8	2	3	1	–	–
Platte	2	16	1	2	3	6	–	1	1	–	4	2	1	10	11	6	2	1	–
Columbus	2	13	1	2	1	4	–	–	1	–	4	1	1	7	6	4	2	1	–
Balance of county	–	5	–	–	2	2	–	1	–	–	–	1	–	3	5	2	–	–	–
Polk	1	9	5	1	–	–	–	–	1	–	1	–	1	9	–	–	–	–	–
Red Willow	–	8	8	3	3	6	–	–	–	–	–	2	2	11	1	4	1	–	–
Richardson	2	21	5	1	13	3	1	1	3	–	–	–	–	11	2	4	1	–	–
Rock	–	2	1	–	–	2	–	–	–	–	–	–	–	3	–	3	–	–	–
Saline	1	11	4	1	3	3	–	–	3	–	1	–	1	7	6	3	4	–	–
Sarpy	–	26	2	2	5	8	–	4	2	–	5	7	7	23	11	8	8	–	5
Bellevue	–	9	1	1	1	4	–	1	2	–	3	2	3	6	3	3	6	–	2
Balance of county	–	17	1	1	4	4	–	3	–	–	2	5	4	17	8	5	5	–	3
Saunders	7	24	5	2	3	9	2	3	–	1	2	3	5	5	4	5	1	–	1
Scotts Bluff	1	28	3	4	8	10	1	5	4	–	1	5	9	20	10	8	5	–	–
Scottsbluff	–	15	–	2	3	8	–	3	2	–	1	4	3	9	4	2	3	–	–
Balance of county	1	14	3	2	5	2	1	2	2	–	–	1	6	11	6	6	2	–	–
Seward	–	17	4	4	5	5	–	–	–	–	1	1	1	7	4	4	2	–	–
Sheridan	–	7	–	1	3	9	–	1	3	–	–	1	–	12	1	2	–	–	–
Sherman	–	2	–	1	2	1	–	–	1	–	–	–	1	4	–	–	–	–	1
Sioux	–	–	2	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
Stanton	–	7	1	–	4	3	–	–	–	–	–	2	–	3	2	2	1	–	–
Thayer	1	10	2	4	4	1	–	–	1	–	–	–	–	–	–	2	1	–	–
Thomas	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Thurston	–	8	1	–	6	–	1	1	1	–	1	–	1	9	4	10	2	–	1
Valley	–	15	6	2	–	–	1	1	–	–	–	1	1	4	–	2	1	–	–
Washington	1	14	1	2	2	2	–	2	1	–	2	4	1	4	4	4	–	–	–
Wayne	–	3	1	1	3	2	1	–	–	–	1	2	2	5	1	3	1	–	–
Webster	–	7	4	–	2	3	–	–	–	–	2	1	1	7	1	1	–	–	–
Wheeler	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
York	2	10	7	2	4	4	–	–	–	–	1	1	3	4	2	2	1	–	1
Nevada	9	387	61	62	107	227	20	183	33	1	34	66	83	341	317	205	175	124	9
Urban places	2	235	47	37	67	129	10	121	18	1	16	51	52	215	174	109	105	80	5
Balance of area	7	152	34	25	40	98	10	62	15	–	18	15	31	126	143	96	70	44	4
Metropolitan counties	6	303	54	47	78	173	13	148	27	1	24	53	59	260	226	148	153	108	9
Urban places	2	225	41	33	62	119	8	109	18	1	14	48	45	197	159	100	103	77	5
Balance of area	4	78	13	14	16	54	5	39	9	–	10	5	14	63	67	49	50	31	4
Nonmetropolitan counties	3	84	27	15	29	54	7	35	6	–	10	13	24	81	91	56	22	16	–
Urban places	–	10	6	4	5	10	2	12	–	–	2	3	7	18	15	9	2	3	–
Balance of area	3	74	21	11	24	44	5	23	6	–	8	10	17	63	76	47	20	13	–
Churchill	–	13	5	1	2	6	1	5	–	–	2	–	1	7	4	5	3	2	–
Clark	6	200	34	26	47	114	8	85	22	1	15	30	39	189	150	107	97	85	7
Henderson	–	7	4	–	1	6	–	2	2	–	–	1	1	9	12	1	3	7	1
Las Vegas	2	110	16	14	29	56	4	48	9	1	6	18	22	101	81	60	44	41	2
North Las Vegas	–	16	3	1	5	6	–	7	3	–	3	8	8	24	7	12	9	13	–
Balance of county	4	67	11	11	12	48	4	28	8	–	6	3	8	55	50	34	41	24	4
Douglas	–	5	–	2	1	4	–	3	1	–	2	–	2	8	10	6	1	2	–
Elko	2	9	3	–	2	5	2	3	–	–	3	1	9	15	16	13	4	2	–
Esmeralda	–	1	–	–	1	–	–	–	–	–	–	–	–	3	2	2	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Nevada—Con.																			
Eureka	10	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	4	
Humboldt	68	–	–	1	15	6	2	–	3	1	–	3	–	22	13	–	1	10	
Lander	22	–	–	–	3	–	2	–	–	–	–	1	1	7	5	–	–	5	
Lincoln	29	–	–	–	8	1	4	1	1	–	–	1	1	14	8	–	–	3	
Lyon	122	–	–	2	26	12	4	1	4	1	1	3	3	50	33	–	2	23	
Mineral	53	–	–	–	9	3	3	–	–	1	–	2	2	23	17	–	–	10	
Nye	70	1	–	–	16	2	5	1	2	–	1	5	1	23	18	–	–	11	
Ormsby, coext. with Carson City	246	–	–	2	51	14	15	3	5	3	1	10	2	103	83	–	4	58	2
Pershing	36	–	–	–	5	–	3	–	–	–	–	2	–	18	15	–	4	5	
Storey	21	–	–	1	3	–	–	–	–	2	–	1	–	7	5	–	–	4	
Washoe	1,353	1	–	7	286	77	79	20	25	14	12	59	18	558	412	3	27	336	4
Reno	890	–	–	4	185	54	47	13	16	9	9	37	14	391	282	2	19	224	3
Sparks	272	–	–	1	54	12	19	5	5	3	1	9	4	117	88	1	4	77	
Balance of county	201	1	–	2	47	11	13	2	4	2	2	13	–	58	42	–	4	35	
White Pine	86	–	–	1	11	2	4	3	–	1	–	1	1	41	23	–	1	17	
New Hampshire	7,460	6	–	48	1,743	539	399	151	196	86	51	321	131	3,764	2,833	39	72	2,257	46
Urban places	3,189	1	–	23	753	252	159	77	79	34	25	127	60	1,636	1,229	15	37	969	18
Balance of area	4,271	5	–	25	990	287	240	74	117	52	26	194	71	2,128	1,604	24	35	1,288	27
Metropolitan counties	2,170	3	–	14	519	168	113	56	61	23	17	81	41	1,090	806	13	13	651	12
Urban places	1,477	–	–	10	358	114	79	43	40	18	12	52	26	757	573	10	9	472	8
Balance of area	693	3	–	4	161	54	34	13	21	5	5	29	15	333	233	3	4	179	4
Nonmetropolitan counties	5,290	3	–	34	1,224	371	286	95	135	63	34	240	90	2,674	2,027	26	59	1,606	33
Urban places	1,712	1	–	13	395	138	80	34	39	16	13	75	34	879	656	5	28	517	10
Balance of area	3,578	2	–	21	829	233	206	61	96	47	21	165	56	1,795	1,371	21	31	1,089	23
Belknap	441	1	–	2	92	16	34	7	9	7	3	18	4	229	157	2	3	124	2
Laconia	197	–	–	1	37	6	10	5	5	3	2	6	3	103	65	2	1	43	1
Balance of county	244	1	–	1	55	10	24	2	4	4	1	10	1	126	92	–	2	81	
Carroll	287	–	–	–	65	18	14	5	9	5	4	10	1	161	125	2	3	98	2
Cheshire	514	–	–	3	131	33	37	14	14	6	2	25	11	276	213	4	11	179	1
Keene	179	–	–	1	48	16	10	5	4	2	1	8	4	89	68	–	8	52	
Balance of county	335	–	–	2	83	17	27	9	10	4	1	17	7	187	145	4	3	127	1
Coos	383	–	–	5	85	29	17	1	11	3	8	16	10	186	138	1	1	111	2
Berlin	164	–	–	2	31	8	3	1	7	–	5	7	8	86	64	1	–	51	1
Balance of county	219	–	–	3	54	21	14	–	4	3	3	9	2	100	74	–	1	60	1
Grafton	517	–	–	5	122	33	33	10	19	5	2	20	9	240	181	3	5	126	4
Hillsborough	2,170	3	–	14	519	168	113	56	61	23	17	81	41	1,090	806	13	13	651	12
Manchester	982	–	–	6	221	73	48	29	22	11	10	28	19	529	394	7	5	333	4
Nashua	495	–	–	4	137	41	31	14	18	7	2	24	7	228	179	3	4	139	3
Balance of county	693	3	–	4	161	54	34	13	21	5	5	29	15	333	233	3	4	179	4
Merrimack	855	–	–	4	190	60	43	15	20	8	6	38	16	455	348	3	10	280	5
Concord	380	–	–	2	75	33	10	6	8	2	–	16	6	201	152	–	3	118	3
Balance of county	495	–	–	2	115	27	33	9	12	6	6	22	10	254	196	3	7	162	3
Rockingham	1,286	1	–	10	302	92	56	21	41	15	5	72	23	623	481	9	9	376	8
Portsmouth	224	–	–	3	57	17	12	4	5	2	2	15	4	101	74	2	3	59	1
Balance of county	1,072	1	–	7	245	75	44	17	36	13	3	57	19	522	407	7	6	317	7
Strafford	679	1	–	3	172	67	38	18	10	8	2	29	10	340	262	1	15	206	3
Dover	220	1	–	1	65	28	15	8	3	2	1	8	2	105	83	–	3	70	1
Rochester	218	–	–	1	52	18	13	5	5	1	1	9	3	118	95	–	8	73	1
Balance of county	241	–	–	1	55	21	10	5	2	5	–	12	5	117	84	1	4	65	1
Sullivan	318	–	–	2	65	23	14	4	2	6	2	14	6	164	122	1	2	104	1
Claremont	150	–	–	2	32	12	7	–	2	4	1	6	4	76	55	–	2	51	
Balance of county	168	–	–	–	33	11	7	4	–	2	1	8	2	88	67	1	–	53	1
New Jersey	65,745	61	3	519	15,264	4,476	3,797	1,478	1,599	705	570	2,639	1,267	34,148	27,836	348	1,006	21,885	4,39
Urban places	46,321	51	3	373	10,685	3,164	2,620	1,047	1,124	499	396	1,815	950	24,080	19,521	232	733	15,649	2,90
Balance of area	19,424	10	–	146	4,599	1,312	1,177	431	475	206	174	824	317	10,068	8,115	116	273	6,236	1,49
Metropolitan counties	48,990	50	3	410	11,204	3,323	2,747	1,088	1,182	518	442	1,906	930	25,464	20,707	248	788	16,271	3,40
Urban places	37,638	45	3	317	8,538	2,571	2,068	835	905	391	328	1,440	761	19,615	15,979	187	616	12,739	2,48
Balance of area	11,352	4	–	93	2,666	752	679	251	277	127	114	466	169	5,849	4,728	61	172	3,532	92
Nonmetropolitan counties	16,755	11	–	109	4,060	1,153	1,050	392	417	187	128	733	337	8,684	6,829	100	218	5,614	99
Urban places	8,683	5	–	56	2,127	593	552	212	219	108	68	375	189	4,465	3,542	45	117	2,910	47
Balance of area	8,072	6	–	53	1,933	560	498	180	198	79	60	358	148	4,219	3,387	55	101	2,704	52
Atlantic	2,473	2	1	13	510	159	127	43	65	14	18	84	39	1,435	1,193	11	30	972	18
Atlantic City	899	2	1	6	157	52	30	16	21	9	5	24	15	544	454	1	15	392	4
Hammonton	114	–	–	–	23	7	7	4	3	–	–	2	1	70	58	2	–	46	1
Margate City	123	–	–	–	33	13	3	2	6	–	4	5	1	76	62	–	1	54	
Pleasantville	205	–	–	–	40	15	8	5	3	–	–	9	7	109	87	–	2	66	1
Ventnor City	187	–	–	1	40	13	8	5	4	2	1	7	3	116	99	1	1	68	1
Balance of county	945	–	–	6	217	59	71	11	28	3	8	37	12	520	433	7	11	331	8
Bergen	7,505	9	–	55	1,938	591	434	204	179	82	87	351	131	3,784	3,006	48	74	2,565	32
Bergenfield	265	–	–	1	83	25	24	5	4	7	2	18	3	119	93	1	1	80	1
Cliffside Park	234	1	–	–	51	24	9	5	4	2	–	7	3	131	106	2	4	88	1
Dumont	170	–	–	–	32	10	5	2	1	2	5	7	–	106	82	1	–	73	
East Paterson	183	1	–	2	49	13	15	3	3	3	2	10	2	99	79	1	–	71	
Englewood	234	1	–	1	66	17	12	7	10	4	5	11	4	117	86	–	4	72	1
Fair Lawn	338	–	–	–	91	26	24	6	8	5	4	18	5	186	152	2	1	128	2
Fairview	122	–	–	–	32	10	10	3	4	–	–	5	1	62	44	–	–	38	
Fort Lee	277	–	–	3	84	20	22	13	6	7	2	14	2	136	114	2	1	108	
Garfield	280	–	–	2	54	18	14	5	2	2	1	12	9	160	139	–	1	124	1
Glen Rock	77	–	–	2	11	3	2	4	–	1	1	–	–	51	41	1	1	34	
Hackensack	378	3	–	3	93	35	16	14	5	3	4	16	3	191	135	1	4	117	1
Hasbrouck Heights	127	–	–	1	26	7	7	2	3	–	2	5	2	65	53	2	1	45	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nevada—Con.																			
Elireka	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
Humboldt	1	6	2	–	3	5	–	4	–	–	–	3	–	3	6	4	–	2	–
Lander	–	2	–	–	–	–	–	1	–	–	–	1	–	1	4	2	1	1	–
Lincoln	–	2	3	1	–	–	–	–	–	–	–	–	–	1	4	–	–	1	–
Lyon	–	14	1	2	2	7	–	5	–	–	–	2	2	8	9	4	2	–	–
Mineral	–	4	1	1	2	3	1	1	–	–	–	–	1	5	2	1	3	–	–
Nye	–	3	–	2	2	4	1	–	–	–	–	–	1	2	12	2	3	2	–
Ormsby, coext. with Carson City	–	10	6	4	5	10	2	12	–	–	2	3	7	18	15	9	2	3	–
Pershing	–	2	–	1	2	1	–	–	2	–	–	2	1	2	–	2	1	–	–
Storey	–	2	–	–	–	–	–	1	–	–	–	–	–	2	4	2	1	–	–
Washoe	–	103	20	21	31	59	5	63	5	–	9	23	20	71	76	42	58	23	2
Reno	–	74	10	15	24	39	4	38	3	–	1	14	9	50	42	24	33	13	2
Sparks	–	16	8	3	3	12	–	14	1	–	4	7	5	13	17	3	14	3	–
Balance of county	–	11	2	3	4	8	1	11	1	–	4	2	6	8	17	15	9	7	–
White Pine	–	11	6	1	7	7	–	–	3	–	1	1	–	5	3	3	1	1	–
New Hampshire	36	651	159	85	199	215	24	116	39	–	49	69	64	501	187	171	100	18	16
Urban places	20	277	78	32	93	90	10	43	16	–	15	34	21	223	49	60	42	8	12
Balance of area	16	374	81	53	106	125	14	73	23	–	34	35	43	278	138	111	58	10	4
Metropolitan counties	7	176	76	25	59	64	2	27	8	–	10	21	23	151	45	52	29	7	5
Urban places	4	115	48	17	41	42	1	19	7	–	6	13	12	108	20	29	20	3	5
Balance of area	3	61	28	8	18	22	1	8	1	–	4	8	11	43	25	23	8	4	–
Nonmetropolitan counties	29	475	83	60	140	151	22	89	31	–	39	48	41	350	142	119	71	11	11
Urban places	16	162	30	15	52	48	6	24	9	–	9	21	9	115	29	31	22	5	7
Balance of area	13	313	53	45	88	103	13	65	22	–	30	27	32	235	113	88	49	6	4
Belknap	3	40	22	7	23	11	–	8	2	–	4	3	3	30	14	6	9	–	–
Laconia	1	21	14	2	15	6	–	4	1	–	2	1	2	11	5	1	5	–	–
Balance of county	2	19	8	5	8	5	–	4	1	–	2	2	1	19	9	5	4	–	–
Carroll	2	32	1	1	4	8	1	5	1	–	1	1	3	18	14	2	1	–	1
Cheshire	3	43	12	5	8	11	1	8	2	–	3	2	3	28	11	8	6	1	–
Keene	3	14	2	2	4	7	–	4	–	–	1	1	1	13	5	2	1	–	–
Balance of county	–	29	10	3	4	4	1	5	2	–	2	1	2	15	6	6	5	1	–
Coos	2	39	4	3	9	11	2	8	2	–	2	6	1	28	11	9	5	1	2
Berlin	2	17	3	–	3	5	1	4	2	–	1	5	–	8	3	2	1	–	2
Balance of county	–	22	1	3	6	6	1	4	–	–	1	1	1	20	8	7	4	1	–
Grafton	4	44	4	7	17	27	3	1	5	–	2	2	6	44	10	18	4	1	1
Hillsborough	7	176	76	25	59	64	2	27	8	–	10	21	23	151	45	52	29	7	5
Manchester	4	83	37	11	19	29	1	13	3	–	4	6	9	75	9	21	14	2	2
Nashua	–	32	11	6	22	13	–	6	4	–	2	7	3	33	11	8	6	1	3
Balance of county	3	61	28	8	18	22	1	8	1	–	4	8	11	43	25	23	9	4	–
Merrimack	6	77	11	13	20	15	2	13	5	–	7	5	8	55	13	25	16	3	3
Concord	5	35	3	6	9	6	1	3	2	–	2	2	2	26	1	11	7	2	2
Balance of county	1	42	8	7	11	9	1	10	3	–	5	3	6	29	12	14	9	1	1
Rockingham	5	111	14	12	43	37	8	29	9	–	8	12	11	76	46	31	22	3	2
Portsmouth	1	23	2	1	11	5	3	3	2	–	–	1	1	14	4	7	6	1	1
Balance of county	4	88	12	11	32	32	5	26	7	–	8	11	J	62	42	24	16	2	1
Strafford	2	59	9	8	9	21	4	11	4	–	5	11	2	50	13	14	5	2	2
Dover	2	14	4	2	3	5	2	–	1	–	–	5	–	16	5	4	1	2	2
Rochester	–	22	–	1	5	7	1	4	1	–	–	2	1	17	3	3	–	–	–
Balance of county	–	23	5	5	1	9	1	7	2	–	5	4	1	17	5	7	4	–	–
Sullivan	2	30	6	4	7	10	1	5	1	–	7	6	4	21	10	6	3	–	–
Claremont	2	16	2	1	2	7	1	2	–	–	3	4	2	10	3	1	1	–	–
Balance of county	–	14	4	3	5	3	–	3	1	–	4	2	2	11	7	5	2	–	–
New Jersey	201	4,962	723	626	1,375	1,502	222	1,074	540	8	387	711	736	4,125	1,229	1,470	550	488	66
Urban places	131	3,556	466	406	952	1,004	165	823	384	7	254	550	577	2,904	725	1,041	340	421	52
Balance of area	70	1,406	257	220	423	498	57	251	156	1	133	161	159	1,221	504	429	210	67	14
Metropolitan counties	153	3,723	446	435	1,014	1,111	168	824	405	6	288	581	627	3,046	853	1,139	383	423	61
Urban places	110	2,891	320	315	767	815	136	674	315	6	213	469	522	2,347	547	861	260	376	50
Balance of area	43	832	126	120	247	296	32	150	90	–	75	112	105	699	306	278	123	47	11
Nonmetropolitan counties	48	1,239	277	191	361	391	54	250	135	2	99	130	109	1,079	376	331	167	65	5
Urban places	21	665	146	91	185	189	29	149	69	1	41	81	55	557	178	180	80	45	2
Balance of area	27	574	131	100	176	202	25	101	66	1	58	49	54	522	198	151	87	20	3
Atlantic	7	168	33	34	28	61	3	33	26	–	13	15	22	131	48	59	14	15	5
Atlantic City	4	72	3	11	17	21	2	14	11	–	4	6	7	53	9	19	3	7	1
Hammonton	1	8	2	1	–	2	–	1	1	–	1	1	1	7	3	2	–	1	–
Margate City	–	10	3	1	–	2	–	1	2	–	–	–	1	2	1	1	1	2	–
Pleasantville	–	11	8	3	2	8	–	1	2	–	2	4	2	11	6	7	1	2	1
Ventnor City	–	11	2	4	1	2	1	1	2	–	–	1	2	9	3	2	1	–	2
Balance of county	2	56	15	14	8	26	–	15	8	–	6	3	9	49	26	28	8	3	1
Bergen	16	607	85	68	167	147	26	120	48	3	47	40	128	496	104	142	77	31	12
Bergenfield	–	19	2	5	14	7	–	6	2	1	–	2	4	10	6	6	–	–	1
Cliffside Park	1	18	2	4	5	6	1	4	–	–	–	4	1	17	1	7	2	–	–
Dumont	1	19	–	4	5	2	–	2	–	–	1	–	1	11	5	2	1	1	1
East Paterson	–	11	4	5	2	2	1	3	2	–	–	2	1	12	2	1	–	1	1
Englewood	–	22	5	4	5	–	1	3	–	–	1	1	7	13	2	8	1	3	–
Fair Lawn	1	26	4	3	10	–	2	4	4	–	1	2	4	15	1	6	3	4	–
Fairview	–	16	1	1	5	5	–	3	–	–	1	–	2	8	–	1	2	–	–
Fort Lee	–	17	4	1	4	4	1	2	3	–	–	2	5	17	7	4	3	–	–
Garfield	–	17	3	1	8	3	–	3	3	–	2	3	7	13	3	6	4	–	–
Glen Rock	–	10	–	–	–	2	–	1	–	–	1	1	1	5	–	–	1	1	–
Hackensack	–	47	6	3	6	8	2	12	2	–	6	3	8	28	2	3	4	2	1
Hasbrouck Heights	–	9	2	1	1	6	–	–	1	–	–	2	2	8	3	6	3	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
New Jersey—Con.																			
Hillsdale	73	–	–	–	12	1	2	2	3	1	–	3	2	34	23	1	1	20	
Lodi	222	–	–	1	56	16	10	11	6	3	3	7	7	107	91	2	2	79	
Lyndhurst twp. #	206	–	–	1	49	16	9	5	7	4	2	6	8	115	95	1	5	78	1
Maywood	89	–	–	1	24	5	5	4	4	1	–	5	–	50	39	–	2	34	
New Milford	155	–	–	–	36	11	10	9	2	1	1	2	7	77	61	–	1	52	
North Arlington	182	1	–	1	53	22	8	4	8	3	2	6	3	78	60	2	2	47	
Oakland	60	–	–	–	16	5	3	–	1	2	–	5	–	30	29	–	–	28	
Palisades Park	132	–	–	3	40	14	10	3	4	1	–	8	4	61	45	–	–	40	
Paramus	180	–	–	4	46	10	8	7	6	1	5	9	3	84	68	–	–	62	
Ramsey	67	–	–	–	12	3	1	1	2	2	–	3	2	39	30	1	1	24	
Ridgefield	112	–	–	1	33	12	10	2	2	–	3	4	3	54	48	2	–	40	
Ridgefield Park	129	–	–	2	25	8	7	3	–	1	1	4	3	65	54	2	–	48	
Ridgewood	213	–	–	2	51	21	7	3	10	1	4	5	3	107	88	1	2	73	12
River Edge	87	–	–	–	23	10	4	2	3	–	–	4	1	41	29	2	3	23	
Rutherford	209	–	–	2	45	15	10	2	3	3	2	10	5	107	85	1	2	75	
Saddle Brook twp. #	115	–	–	3	29	8	10	–	5	–	1	5	2	54	48	2	–	39	
Teaneck twp. #	344	–	–	2	101	36	20	13	8	5	7	12	7	180	138	2	9	103	2
Tenafly	140	–	–	1	42	14	11	–	3	–	2	12	2	65	51	–	4	43	
Waldwick	73	–	–	1	19	4	4	3	2	–	–	6	3	25	20	1	1	17	
Wallington	100	–	–	1	29	8	5	–	4	1	1	10	3	46	42	–	1	39	
Washington twp. #	49	1	–	1	10	2	2	2	–	–	1	3	–	28	21	–	–	19	
Westwood	111	–	–	2	33	10	5	5	–	1	3	9	1	47	31	–	–	27	
Wyckoff twp. #	105	–	–	1	32	7	8	5	4	1	–	7	1	51	39	1	–	32	
Balance of county	1,667	1	–	10	450	124	105	49	42	24	21	65	27	816	651	14	20	550	57
Burlington	2,394	1	–	21	550	163	159	47	49	21	14	97	29	1,228	979	14	28	685	252
Burlington	167	–	–	2	35	11	13	5	3	1	1	1	2	88	69	–	2	47	20
Cinnaminson twp. #	69	1	–	–	19	8	3	1	1	2	–	4	–	47	33	–	2	20	11
Maple Shade twp. #	176	–	–	1	50	11	12	4	7	1	3	12	–	94	79	2	3	53	21
Mount Holly twp. #	147	–	–	–	33	8	14	2	1	1	–	7	2	77	67	–	3	50	14
New Hanover twp. #	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	
Willingboro twp. #	173	–	–	3	38	7	13	5	4	–	1	8	3	75	64	1	1	48	1
Balance of county	1,637	–	–	15	375	118	104	30	33	16	9	65	22	846	666	11	17	486	172
Camden	4,068	2	–	38	897	240	264	88	76	51	38	138	67	2,131	1,795	20	194	975	66
Audubon	116	–	–	2	32	8	14	1	2	1	1	5	2	65	56	–	6	31	1
Bellmawr	106	–	–	2	34	10	5	6	3	4	1	5	4	48	37	1	2	23	1
Camden	953	1	–	9	197	51	63	13	22	9	6	33	15	455	375	2	36	189	14
Cherry Hill twp. #	432	–	–	3	98	35	21	12	8	4	6	12	3	256	223	3	15	125	8
Collingswood	210	–	–	3	47	13	14	4	3	3	1	9	2	116	96	1	8	55	3
Gloucester City	142	–	–	1	30	8	7	3	2	3	–	7	3	78	64	2	4	41	1
Gloucester twp. #	202	–	–	2	43	8	14	3	5	4	3	6	3	112	96	1	5	57	3
Haddonfield	140	–	–	1	37	7	7	6	4	1	4	8	2	67	60	1	2	35	2
Haddon twp. #	142	–	–	–	30	10	8	3	4	1	–	4	2	88	73	–	4	39	3
Lindenwold	87	–	–	1	18	2	7	2	1	–	1	5	1	45	43	1	5	20	1
Pennsauken twp. #	338	1	–	4	72	19	21	5	7	5	2	13	10	181	151	2	10	89	5
Runnemede	73	–	–	–	18	6	7	1	–	–	2	2	1	37	30	–	2	13	1
Balance of county	1,127	–	–	10	241	63	76	29	17	16	11	29	19	585	491	6	35	258	19
Cape May	1,142	–	–	3	253	68	68	26	26	11	8	45	14	676	544	3	17	421	10
Ocean City	219	–	–	–	48	9	11	6	5	2	2	13	4	132	109	2	3	80	2
Balance of county	923	–	–	3	205	60	57	20	21	9	6	32	10	544	435	1	14	341	7
Cumberland	1,245	2	–	10	268	77	62	24	33	13	11	46	19	660	544	2	20	392	13
Bridgeton	241	1	–	1	43	15	14	1	4	1	2	6	3	138	119	–	5	89	2
Millville	259	–	–	–	58	9	12	8	8	3	4	14	6	139	111	–	8	62	4
Vineland	484	–	–	5	116	35	31	11	16	6	4	13	6	248	200	2	7	154	3
Balance of county	261	1	–	4	48	18	5	4	5	3	1	13	4	135	114	–	2	87	2
Essex	8,202	10	–	72	1,760	525	419	191	201	85	61	278	191	4,186	3,403	34	135	2,712	52
Belleville	336	1	–	2	91	29	23	11	3	7	2	16	10	170	145	2	8	123	1
Bloomfield	532	–	–	2	134	43	29	16	11	9	3	23	15	286	229	1	7	188	3
Cedar Grove twp. #	80	–	–	–	23	7	4	2	4	2	1	3	3	44	35	–	–	28	
East Orange	741	–	–	3	167	51	36	20	24	7	10	19	16	359	283	3	14	212	5
Irvington	710	1	–	4	138	40	35	17	16	9	2	19	23	402	343	6	12	269	5
Livingston twp. #	162	–	–	–	47	10	11	7	6	1	–	12	5	81	66	1	3	56	
Maplewood twp. #	289	–	–	2	67	21	14	10	5	3	3	11	7	163	139	2	8	114	1
Millburn twp. #	169	–	–	–	51	14	6	5	8	2	1	15	6	88	67	–	2	57	
Montclair	426	1	–	5	88	31	21	7	6	3	1	17	9	248	195	–	10	151	3
Newark	3,020	7	–	37	562	167	150	43	69	28	24	81	67	1,404	1,148	12	50	899	18
Nutley	277	–	–	2	70	12	22	8	8	2	2	16	4	149	130	1	9	105	1
Orange	349	–	–	4	74	19	16	13	16	–	3	7	10	172	142	1	5	115	2
South Orange	137	–	–	2	24	10	5	3	1	–	–	5	3	83	61	–	4	47	1
Verona	127	–	–	–	32	11	5	3	2	1	1	9	1	64	53	–	–	44	
West Caldwell	97	–	–	1	28	9	7	3	4	1	–	4	–	44	29	–	–	28	
West Orange	433	–	–	3	96	32	18	15	10	5	6	10	8	262	199	1	4	168	2
Balance of county	317	–	–	5	70	19	17	8	8	5	2	11	4	177	140	4	3	109	2
Gloucester	1,466	1	–	7	299	73	85	23	42	16	9	51	23	777	604	4	24	390	18
Glassboro	103	–	–	1	20	4	8	3	1	2	–	2	–	49	38	–	4	22	1
Pitman	103	–	–	1	16	4	4	–	4	1	1	2	1	60	42	–	1	26	1
Woodbury	154	–	–	–	30	8	13	2	3	–	–	4	–	86	67	2	4	41	2
Balance of county	1,106	1	–	5	233	57	60	18	34	13	8	43	22	582	457	2	15	301	13
Hudson	5,997	8	1	53	1,284	383	333	111	145	51	50	211	144	3,185	2,680	37	75	2,296	27
Bayonne	794	1	–	6	187	61	52	12	16	11	5	30	11	446	369	3	18	308	4
Harrison	132	–	–	–	31	7	11	4	4	–	2	3	2	78	65	2	–	55	
Hoboken	398	–	–	1	83	27	27	7	7	4	2	9	6	208	168	1	5	142	2
Jersey City	2,590	5	1	28	511	153	126	50	54	18	16	94	64	1,306	1,108	17	35	928	12
Kearny	404	–	–	1	84	18	27	11	10	4	3	11	14	211	177	5	7	148	1
North Bergen twp. #	470	–	–	2	113	31	28	9	13	6	7	19	7	274	236	3	4	215	1
Secaucus	126	–	–	2	32	9	8	–	8	1	1	7	7	67	55	1	1	49	
Union City	487	1	–	5	111	38	25	8	19	2	4	17	17	266	224	4	2	197	2
Weehawken twp. #	128	–	–	1	29	10	5	2	2	3	5	2	3	77	66	1	1	61	
West New York	348	1	–	4	71	19	16	7	9	1	4	15	10	183	157	–	1	144	1
Balance of county	122	–	–	3	32	10	8	3	5	1	1	4	3	59	55	–	1	51	
Hunterdon	643	1	–	3	140	39	34	9	15	5	4	34	20	321	259	3	15	186	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Hillsdale	–	8	1	2	1	4	–	1	–	–	–	–	1	9	1	5	3	–	–
Lodi	–	13	3	–	1	8	–	4	2	–	2	1	10	13	2	3	4	1	–
Lyndhurst twp. #	–	18	1	1	2	2	1	2	1	–	3	–	3	14	1	2	1	–	1
Maywood	–	9	–	2	2	1	1	1	–	–	1	–	–	6	1	1	–	–	–
New Milford	–	14	1	1	4	3	–	2	1	–	–	1	–	16	2	2	2	2	–
North Arlington	2	12	2	–	2	7	1	6	1	–	–	2	6	16	1	2	3	1	–
Oakland	1	–	–	–	1	2	–	1	–	–	1	2	–	4	3	–	–	–	–
Palisades Park	–	10	2	4	2	5	–	1	1	–	–	1	2	5	2	4	–	1	–
Paramus	2	9	4	1	6	4	–	1	2	1	1	–	5	8	7	2	5	1	–
Ramsey	–	7	–	2	1	1	1	1	–	–	–	1	1	5	2	1	–	–	–
Ridgefield	–	6	–	–	3	2	–	1	1	–	–	–	2	6	2	1	1	1	1
Ridgefield Park	–	8	1	2	3	6	1	3	3	–	2	2	2	9	–	2	1	–	–
Ridgewood	–	15	2	2	5	5	2	3	1	–	1	1	–	12	5	9	3	1	2
River Edge	–	7	1	4	2	–	1	–	4	–	–	–	1	8	3	2	–	–	1
Rutherford	1	18	3	–	2	2	2	7	1	–	4	1	3	19	2	4	1	1	1
Saddle Brook twp. #	–	8	–	–	2	2	–	3	1	–	–	1	2	9	3	2	1	1	–
Teaneck twp. #	1	34	6	1	4	5	3	2	1	1	1	–	4	22	1	4	3	2	1
Tenafly	–	12	2	–	1	3	–	2	1	–	2	–	2	7	–	8	4	–	–
Waldwick	1	3	–	1	4	1	–	2	–	–	–	–	2	8	6	–	2	–	–
Wallington	–	6	–	–	1	1	1	3	–	–	1	–	3	6	2	1	–	–	–
Washington twp. #	–	6	1	–	1	–	1	3	–	–	–	–	1	–	–	–	3	–	–
Westwood	1	15	–	–	5	3	1	4	–	–	1	1	1	9	–	2	–	1	–
Wyckoff twp. #	–	9	2	1	2	–	–	1	–	–	1	–	2	5	4	3	2	–	–
Balance of county	4	129	20	12	45	35	2	23	10	–	13	4	32	125	22	32	14	5	1
Burlington	10	188	28	23	48	77	7	41	23	–	20	21	9	157	60	59	28	14	1
Burlington	1	12	3	3	3	8	–	4	5	–	1	2	–	6	2	6	1	1	1
Cinnaminson twp. #	1	11	1	1	–	4	–	1	–	–	1	–	–	9	6	7	–	–	–
Maple Shade twp. #	–	10	2	3	1	8	1	1	1	–	–	–	3	12	–	3	1	–	–
Mount Holly twp. #	1	7	2	–	2	2	1	3	2	–	1	3	–	10	6	5	–	–	–
New Hanover twp. #	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–
Willingboro twp. #	–	11	–	–	3	5	–	6	4	–	3	3	–	15	5	2	5	3	–
Balance of county	7	137	20	16	39	50	5	26	11	–	14	13	6	108	41	35	21	10	–
Camden	9	259	38	30	81	116	13	57	35	1	21	62	54	259	80	78	32	35	9
Audubon	–	9	–	–	1	3	–	1	–	–	–	2	1	4	1	1	1	–	–
Bellmawr	–	3	2	4	2	2	–	2	–	–	1	–	–	9	2	1	1	–	–
Camden	1	69	6	4	20	27	3	20	10	1	8	29	23	64	17	26	6	19	3
Cherry Hill twp. #	–	22	5	6	4	8	1	4	5	–	4	2	7	24	2	6	3	2	–
Collingswood	–	16	4	–	4	5	–	3	–	–	2	1	–	17	2	4	3	1	–
Gloucester City	2	11	–	1	4	3	–	3	3	–	–	1	1	7	2	5	–	1	–
Gloucester twp. #	1	11	2	2	3	7	1	2	2	–	–	4	2	7	6	2	2	3	1
Haddonfield	–	4	2	1	3	2	–	4	–	–	–	1	–	16	2	4	1	–	–
Haddon twp. #	–	12	2	1	1	7	2	2	1	–	1	–	–	5	2	1	–	–	–
Lindenwold	–	–	1	1	1	2	–	2	–	–	–	2	1	7	4	–	1	1	1
Pennsauken twp. #	1	22	5	2	9	12	1	–	2	–	2	2	5	19	5	7	1	4	1
Runnemede	–	6	–	1	3	1	–	1	1	–	–	3	1	6	1	–	–	–	–
Balance of county	4	74	9	7	26	37	6	13	11	–	3	15	13	74	34	21	13	4	3
Cape May	1	75	39	17	26	28	3	9	9	–	3	3	7	56	19	17	10	4	2
Ocean City	–	17	3	3	6	5	–	3	2	–	–	–	–	12	2	3	2	–	–
Balance of county	1	58	36	14	20	23	3	6	7	–	3	3	7	44	17	14	8	4	2
Cumberland	2	86	14	14	16	35	6	14	7	–	5	17	8	67	49	43	12	9	–
Bridgeton	–	17	1	1	4	6	–	1	3	–	1	4	1	10	7	12	3	3	–
Millville	–	15	7	6	–	8	3	4	–	–	1	4	–	12	13	5	3	3	–
Vineland	1	40	2	5	8	12	3	7	3	–	3	5	6	29	14	12	4	3	–
Balance of county	1	14	4	2	4	9	–	2	1	–	–	4	1	16	15	14	2	–	–
Essex	25	647	57	64	172	159	23	164	84	1	37	141	138	535	109	196	51	152	11
Belleville	–	20	2	3	5	5	–	6	6	–	2	2	4	15	4	6	3	4	–
Bloomfield	1	48	4	4	8	15	2	13	2	–	2	7	–	27	8	6	5	–	–
Cedar Grove twp. #	–	8	1	–	–	2	–	–	–	–	–	2	–	4	–	1	1	–	–
East Orange	2	66	3	5	21	11	1	13	9	–	3	14	18	51	19	17	4	13	2
Irvington	2	46	5	6	10	8	2	10	9	–	4	8	10	45	8	16	3	9	–
Livingston twp. #	1	12	1	2	2	2	1	3	–	–	–	2	–	13	–	3	2	1	–
Maplewood twp. #	–	18	3	5	11	3	1	5	2	–	2	3	2	13	3	5	–	–	–
Millburn twp. #	2	15	2	2	4	4	–	2	1	–	–	–	–	7	1	3	2	–	–
Montclair	2	46	3	2	6	9	–	4	3	–	2	5	3	30	6	7	1	–	1
Newark	9	214	13	20	66	57	11	81	39	1	16	81	91	224	41	97	21	111	6
Nutley	1	17	–	1	6	3	–	3	3	–	1	4	2	17	6	5	1	1	–
Orange	–	24	2	4	12	8	1	9	5	–	1	8	4	30	–	4	1	8	–
South Orange	–	15	5	2	5	5	2	–	–	–	–	–	1	6	2	2	1	–	1
Verona	–	11	–	–	1	8	–	3	1	–	1	1	–	8	1	3	2	–	1
West Caldwell	1	12	–	2	3	3	–	3	1	–	1	–	2	7	1	3	–	–	–
West Orange	2	49	11	1	6	14	–	6	–	–	1	1	1	17	3	12	2	1	–
Balance of county	2	28	2	5	6	4	2	3	3	–	1	3	–	21	6	6	2	4	–
Gloucester	10	123	21	19	20	50	5	12	18	–	15	21	31	87	38	32	16	12	2
Glassboro	1	8	1	1	3	6	–	1	2	–	–	3	2	9	3	2	–	2	–
Pitman	–	17	–	1	3	4	–	1	–	–	1	–	2	8	3	3	–	–	–
Woodbury	–	13	2	4	2	6	1	3	1	–	2	1	6	9	–	1	1	5	–
Balance of county	9	85	18	13	12	34	4	7	15	–	12	17	21	61	32	26	15	5	2
Hudson	20	416	29	40	112	105	19	122	39	–	27	75	98	358	50	169	24	57	7
Bayonne	4	61	5	7	17	12	–	16	6	–	2	3	9	52	7	11	2	5	1
Harrison	–	11	1	1	–	1	2	4	1	–	–	1	–	7	1	2	–	1	1
Hoboken	1	33	5	1	5	10	–	15	2	–	1	10	8	12	3	30	1	2	1
Jersey City	8	161	9	20	55	50	11	51	18	–	13	41	50	181	18	77	8	40	2
Kearny	2	32	–	–	12	8	–	7	2	–	2	7	11	21	6	13	2	3	–
North Bergen twp. #	1	33	2	2	5	9	2	6	1	–	3	6	5	22	3	8	1	3	–
Secaucus	–	8	4	–	3	1	1	2	–	–	1	–	1	5	3	–	1	–	–
Union City	2	32	2	6	5	7	3	9	3	–	5	5	5	27	5	6	4	2	1
Weehawken twp. #	–	10	1	–	–	3	–	3	–	–	–	1	1	5	1	3	–	–	1
West New York	1	32	–	3	7	4	–	7	6	–	–	1	6	17	–	13	5	1	–
Balance of county	1	3	–	–	3	–	–	2	–	–	–	–	2	9	3	6	–	–	–
Hunterdon	3	47	5	7	15	17	–	5	2	–	4	5	2	62	17	15	12	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mercer	2,881	2	1	32	643	185	164	58	66	33	33	106	57	1,471	1,211	11	97	942	161
Ewing twp. #	262	–	–	5	85	20	20	6	4	–	4	11	5	128	112	–	6	91	15
Hamilton twp. #	727	1	–	3	171	45	41	14	21	11	10	29	10	369	336	4	29	260	43
Princeton	143	–	–	1	35	9	8	6	5	2	2	3	3	73	54	–	5	44	5
Trenton	1,220	1	1	13	251	74	74	15	26	15	4	43	36	604	477	3	38	368	68
Balance of county	529	–	–	10	121	37	21	15	10	5	13	20	3	279	232	4	19	179	30
Middlesex	4,327	4	–	27	1,088	283	281	121	104	60	35	204	76	2,125	1,729	32	68	1,410	221
Carteret	206	–	–	–	47	12	12	4	6	5	1	7	7	92	72	1	–	60	11
East Brunswick twp. #	210	–	–	–	50	16	6	5	6	2	3	12	3	107	92	1	4	75	12
Edison twp. #	442	1	–	2	120	28	33	16	11	10	4	18	8	212	173	–	6	141	26
Highland Park	109	–	–	–	37	6	10	5	3	5	1	7	3	48	38	1	–	33	4
Madison twp. #	246	–	–	2	52	13	14	6	4	2	2	11	3	127	107	3	1	92	11
Metuchen	129	–	–	1	36	10	8	5	4	2	–	7	1	66	55	2	–	45	8
Middlesex	140	–	–	1	39	9	12	5	5	3	–	5	3	59	45	–	1	35	9
New Brunswick	320	–	–	4	70	17	20	6	7	4	2	14	8	142	124	1	8	96	19
Perth Amboy	418	1	–	–	95	20	28	11	9	5	4	18	12	221	165	–	10	137	18
Piscataway twp. #	183	–	–	3	48	16	12	3	6	–	2	7	1	84	64	2	3	54	5
Sayreville	230	–	–	1	59	15	20	3	3	2	2	14	2	117	96	2	3	80	11
South Plainfield	145	–	–	1	40	7	16	7	2	–	1	7	1	71	56	1	4	48	5
South River	137	2	–	1	36	8	10	4	5	1	–	8	1	68	56	2	2	44	8
Woodbridge twp. #	639	–	–	7	149	47	35	13	10	9	7	28	11	338	277	5	13	227	32
Balance of county	773	–	–	4	212	59	45	28	23	10	6	41	14	375	309	11	11	245	42
Monmouth	4,536	2	–	32	1,067	305	270	110	122	51	37	192	99	2,385	1,797	30	58	1,499	210
Asbury Park	286	–	–	–	64	17	16	5	10	6	–	10	7	157	120	1	5	102	12
Eatontown	84	–	–	–	16	4	6	–	2	1	1	2	5	45	40	–	2	33	5
Freehold	134	–	–	–	33	15	7	3	1	–	2	5	8	69	56	–	–	42	14
Hazlet twp. #	144	–	–	2	39	12	12	3	5	–	1	6	4	74	60	2	–	55	3
Long Branch	316	–	–	2	71	23	11	3	11	4	3	16	5	166	137	3	4	120	10
Matawan twp. #	94	–	–	1	22	1	7	4	4	2	2	2	4	48	39	1	1	35	2
Middletown twp. #	414	–	–	2	105	28	33	12	11	6	–	15	8	220	147	4	4	125	14
Neptune twp. #	340	–	–	4	73	23	12	11	7	1	7	12	5	182	120	–	9	97	14
Ocean twp. #	161	–	–	2	44	10	10	5	7	4	–	8	3	77	60	1	2	51	6
Red Bank	181	–	–	1	47	13	13	4	6	1	2	8	2	110	72	1	–	62	9
Balance of county	2,382	2	–	18	573	159	143	60	58	26	19	108	48	1,237	946	17	31	777	121
Morris	2,656	1	–	24	673	195	152	68	75	31	30	122	34	1,319	1,020	13	25	847	134
Dover	148	–	–	2	37	13	4	2	5	6	2	5	–	70	53	1	1	42	9
Madison	128	–	–	1	31	14	7	2	4	1	1	2	1	65	49	1	–	36	12
Morristown	217	1	–	1	53	19	13	3	9	2	2	5	5	112	81	1	–	74	6
Parsippany-Troy Hills twp. #	247	–	–	3	59	14	14	7	7	2	2	13	4	119	90	–	1	80	9
Pequannock twp. #	75	–	–	1	22	11	2	2	1	–	–	6	–	44	30	1	–	26	3
Balance of county	1,841	–	–	16	471	124	112	52	48	20	23	91	24	909	717	9	24	589	95
Ocean	4,033	3	–	26	1,023	322	263	87	100	44	30	177	80	2,143	1,767	19	48	1,410	292
Brick twp. #	529	–	–	1	150	40	45	19	15	4	6	21	13	266	203	1	4	170	28
Dover twp. #	662	–	–	6	168	63	40	6	15	11	3	30	15	350	284	2	5	235	52
Lakewood twp. #	530	1	–	4	122	33	23	18	15	6	4	23	13	290	238	2	15	172	49
Point Pleasant	230	–	–	–	55	20	11	5	5	3	1	10	10	129	106	–	1	98	12
Balance of county	2,082	2	–	15	528	166	144	39	50	20	16	93	29	1,106	926	14	21	740	151
Passaic	4,085	8	–	31	901	280	215	82	91	38	34	171	85	2,162	1,749	26	55	1,484	184
Clifton	825	–	–	8	188	71	43	17	11	6	5	35	18	456	365	4	10	306	45
Hawthorne	207	–	–	–	53	13	9	6	10	3	4	8	5	106	78	1	–	70	7
Little Falls twp. #	103	–	–	3	36	10	8	6	3	2	1	6	1	46	37	1	2	29	5
Passaic	528	–	–	4	96	37	16	11	6	2	2	22	11	292	248	1	6	202	35
Paterson	1,264	5	–	7	236	62	68	12	27	12	10	45	27	651	520	14	22	443	41
Pompton Lakes	102	–	–	–	26	8	9	2	1	–	2	4	–	62	54	2	1	51	1
Ringwood	64	–	–	–	19	2	3	2	4	–	2	6	1	34	26	–	–	25	1
Totowa	117	–	–	2	26	9	6	2	1	2	2	4	1	61	44	–	2	35	1
Wayne twp. #	317	1	–	4	86	28	18	11	7	3	–	19	4	167	143	2	5	123	13
West Paterson	92	–	–	1	23	6	5	–	2	3	1	6	6	46	41	–	2	29	10
Balance of county	486	–	–	2	112	34	30	13	9	5	5	16	11	239	193	1	5	171	16
Salem	589	–	–	4	120	36	31	7	14	4	4	24	8	320	257	1	7	191	58
Somerset	1,335	1	–	16	306	82	81	24	33	11	9	56	32	668	537	7	7	439	84
Bound Brook	84	–	–	1	21	8	3	–	5	2	–	3	4	41	36	–	–	36	3
Bridgewater twp. #	186	–	–	1	38	6	14	5	2	–	2	9	7	100	83	2	2	72	7
Franklin twp. #	186	–	–	2	35	14	11	3	1	–	1	5	3	85	70	1	5	62	12
Manville	82	–	–	–	28	9	5	3	3	–	–	6	–	37	31	1	–	28	2
North Plainfield	149	–	–	2	40	12	13	1	6	3	–	5	4	72	49	–	–	40	9
Somerville	138	–	–	2	34	9	13	3	2	2	2	3	3	65	52	–	–	48	4
Balance of county	530	1	–	8	112	34	22	9	14	4	4	25	11	268	216	3	–	166	47
Sussex	739	–	–	2	163	43	53	15	17	5	5	25	16	366	296	6	9	249	32
Union	4,731	5	–	46	1,203	371	257	127	130	58	49	201	91	2,390	1,921	25	66	1,575	256
Berkeley Heights twp. #	70	–	–	1	24	8	3	4	–	1	–	6	–	25	21	–	1	16	4
Clark twp. #	116	–	–	1	33	17	4	3	3	2	–	4	4	68	56	1	4	41	10
Cranford twp. #	197	–	–	1	48	15	9	4	5	–	2	14	7	97	81	2	1	67	11
Elizabeth	1,117	3	–	8	268	78	69	25	30	15	11	40	22	566	454	5	21	370	58
Hillside twp. #	186	–	–	3	45	12	10	2	5	4	–	12	3	95	83	–	2	69	12
Linden	376	–	–	5	95	29	24	13	9	2	5	13	9	181	149	2	4	130	13
New Providence	75	–	–	1	24	11	2	3	1	3	1	3	3	30	23	1	1	20	1
Plainfield	391	–	–	4	83	28	14	8	14	3	4	12	8	200	152	2	5	130	15
Rahway	248	1	–	2	63	16	17	7	7	4	3	9	1	128	109	–	10	86	13
Roselle	237	–	–	1	56	13	14	4	3	3	5	14	2	125	98	1	1	82	14
Roselle Park	157	–	–	1	40	12	5	5	7	5	1	5	4	80	63	1	1	50	11
Scotch Plains twp. #	143	–	–	–	39	13	9	6	1	3	–	7	2	73	61	1	–	50	10
Springfield twp. #	140	–	–	2	38	18	4	4	3	1	3	5	2	73	57	–	3	47	7
Summit	232	–	–	4	65	19	16	9	5	2	1	13	4	115	85	1	2	72	10
Union twp. #	562	1	–	7	143	35	37	19	21	6	4	21	14	296	239	5	6	198	35
Westfield	246	–	–	2	70	25	13	6	12	2	4	8	2	123	94	2	3	73	16
Balance of county	238	–	–	3	68	22	17	5	4	2	5	13	4	115	96	1	3	79	13
Warren	758	1	–	4	160	45	35	15	24	11	4	28	12	406	343	2	14	245	82
Phillipsburg	251	–	–	4	53	14	13	8	5	1	1	11	6	139	117	1	4	75	37
Balance of county	507	1	–	–	107	31	22	7	19	10	3	15	6	267	226	1	10	170	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of *arteries*, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
New Jersey—Con.																			
Mercer	9	191	37	23	65	70	19	45	16	–	16	45	22	184	69	73	20	31	–
Ewing twp. #	–	13	–	1	5	9	2	6	–	–	1	3	4	17	5	6	1	2	–
Hamilton twp. #	1	38	8	6	12	23	7	12	7	–	9	8	3	33	18	12	8	1	–
Princeton	1	10	4	4	6	4	–	1	–	–	–	1	1	9	3	5	–	1	–
Trenton	4	102	15	6	26	24	7	20	5	–	5	31	11	94	20	38	5	26	–
Balance of county	3	28	10	6	14	10	3	6	4	–	1	2	3	31	23	12	6	1	–
Middlesex	9	264	60	43	102	82	17	77	23	–	29	57	41	290	108	112	40	28	1
Carteret	–	16	3	1	3	7	–	6	–	–	1	2	–	25	3	9	3	1	–
East Brunswick twp. #	1	13	1	–	5	5	1	3	1	–	–	4	–	14	10	5	1	1	–
Edison twp. #	2	23	8	6	11	15	1	5	5	–	1	3	4	21	11	10	6	6	–
Highland Park	–	7	2	1	8	–	–	1	3	–	–	1	–	4	1	3	–	–	–
Madison twp. #	1	12	6	1	4	4	2	3	2	–	–	5	4	17	16	–	5	–	–
Metuchen	–	9	2	–	3	3	–	1	–	–	1	3	1	9	2	2	–	–	–
Middlesex	1	10	2	1	2	1	1	2	1	–	4	1	2	16	4	3	–	1	–
New Brunswick	2	14	1	1	12	8	2	6	1	–	3	10	3	27	2	15	3	6	–
Perth Amboy	–	36	16	4	11	9	1	12	2	–	1	5	4	31	4	4	2	3	–
Piscataway twp. #	1	13	4	2	4	3	–	5	1	–	3	6	3	7	6	6	2	2	1
Sayreville	–	13	4	4	4	5	1	5	1	–	1	–	2	20	2	7	1	2	–
South Plainfield	–	9	5	1	1	1	–	5	1	–	1	2	1	10	5	4	1	–	–
South River	–	9	2	1	2	1	1	5	1	–	1	3	–	7	4	3	–	1	–
Woodbridge twp. #	1	37	13	8	15	9	2	12	1	–	4	2	5	39	12	23	9	3	–
Balance of county	–	43	11	12	17	11	5	6	3	–	8	10	12	43	26	18	7	2	–
Monmouth	16	414	94	64	101	108	15	76	41	1	29	31	16	290	92	79	47	14	1
Asbury Park	2	26	4	5	6	5	1	6	3	–	1	1	–	22	3	6	1	3	–
Eatontown	1	2	1	1	1	3	–	4	–	–	1	–	–	7	–	–	1	1	–
Freehold	–	9	1	3	3	1	1	1	1	–	2	1	1	10	2	1	–	–	–
Hazlet twp. #	–	11	2	1	1	4	–	4	2	–	–	1	–	5	4	2	1	1	–
Long Branch	1	19	3	6	12	5	2	3	1	–	–	5	1	22	10	7	3	1	–
Matawan twp. #	–	6	1	2	1	5	–	1	1	–	–	1	1	4	3	–	2	–	–
Middletown twp. #	–	51	16	6	6	10	2	14	2	–	1	1	–	19	14	5	5	–	–
Neptune twp. #	1	53	7	1	7	9	3	7	3	1	2	2	1	24	7	6	2	2	–
Ocean twp. #	1	10	4	2	1	2	–	3	4	–	–	3	–	14	1	1	5	1	–
Red Bank	–	26	9	3	6	2	–	2	–	–	–	1	1	2	1	3	3	–	–
Balance of county	10	201	46	34	57	62	6	31	24	–	22	15	11	151	47	48	24	5	1
Morris	9	233	25	32	71	65	12	41	17	–	18	36	7	150	69	74	36	5	2
Dover	–	14	2	1	4	5	2	1	3	–	2	–	1	12	1	5	2	–	1
Madison	–	15	–	1	4	1	1	2	2	–	2	1	–	10	3	2	1	1	–
Morristown	1	24	3	3	10	5	–	5	1	–	–	–	–	11	4	6	3	–	–
Parsippany-Troy Hills twp. #	1	19	5	4	7	7	–	3	2	–	1	6	1	14	10	4	5	2	–
Pequannock twp. #	3	10	1	–	1	1	–	–	–	–	–	2	–	1	3	–	–	–	–
Balance of county	4	151	14	23	45	46	9	30	9	–	18	27	5	102	48	57	27	2	1
Ocean	12	288	33	43	62	106	11	59	43	1	17	17	37	227	72	63	30	12	1
Brick twp. #	–	57	3	3	5	20	–	7	6	–	1	5	6	26	11	11	1	–	–
Dover twp. #	2	38	5	11	7	18	3	9	10	–	6	2	7	30	14	12	4	3	–
Lakewood twp. #	1	44	3	4	7	9	2	6	4	–	–	2	2	38	6	11	9	3	1
Point Pleasant	–	17	3	3	9	3	–	4	2	–	–	2	2	13	–	–	–	1	–
Balance of county	9	132	19	22	34	58	6	33	21	1	10	6	20	120	41	29	16	5	–
Passaic	18	324	30	41	88	87	12	78	33	–	28	62	47	254	61	80	28	28	8
Clifton	5	67	7	14	22	12	4	15	6	–	2	3	9	46	18	11	2	1	2
Hawthorne	–	25	1	2	3	6	1	4	3	–	1	–	1	19	1	2	2	–	–
Little Falls twp. #	–	6	3	–	1	2	–	–	1	–	1	2	–	7	1	2	–	–	–
Passaic	4	36	2	2	16	7	2	14	4	–	4	12	6	36	3	15	2	3	1
Paterson	5	103	10	13	32	25	2	33	13	–	12	34	20	67	15	34	11	18	2
Pompton Lakes	–	7	1	–	1	4	1	–	–	–	–	–	1	4	2	–	–	–	1
Ringwood	1	7	–	–	–	1	–	1	–	–	1	1	1	2	1	1	–	1	–
Totowa	2	12	1	2	4	4	1	–	–	–	2	2	–	12	2	–	–	–	–
Wayne twp. #	–	23	1	–	7	6	–	6	2	–	1	1	3	13	7	4	5	–	–
West Paterson	–	5	–	–	1	4	–	2	–	–	–	–	1	3	2	2	1	–	–
Balance of county	1	33	4	8	11	16	1	3	4	–	4	7	5	25	9	9	3	5	–
Salem	2	49	5	7	13	12	–	7	7	–	5	10	2	38	20	16	4	5	–
Somerset	4	97	20	10	32	30	6	12	14	–	9	9	5	99	42	33	17	4	–
Bound Brook	–	3	2	–	4	2	–	–	–	–	–	1	–	6	4	–	–	–	–
Bridgewater twp. #	–	14	3	–	4	3	2	1	2	–	–	2	–	12	5	6	3	–	–
Franklin twp. #	1	11	–	3	5	4	1	–	1	–	–	1	1	17	1	6	2	2	–
Manville	–	5	–	1	3	–	–	–	1	–	1	–	1	10	1	1	1	–	–
North Plainfield	–	18	6	1	2	6	–	1	1	–	3	2	1	11	2	–	1	1	–
Somerville	2	9	1	1	4	4	–	2	3	–	2	1	1	6	5	5	1	–	–
Balance of county	1	39	8	4	10	11	3	8	6	–	3	2	1	37	24	15	9	1	–
Sussex	3	54	6	7	23	20	2	12	3	–	8	8	1	65	26	12	11	1	–
Union	14	382	38	35	102	113	22	76	44	1	32	29	57	286	69	102	31	28	4
Berkeley Heights twp. #	–	4	–	–	2	3	–	2	–	–	1	–	2	7	–	3	–	–	–
Clark twp. #	–	9	1	2	–	1	–	1	1	–	–	1	1	4	–	1	–	–	–
Cranford twp. #	2	11	3	–	5	5	–	4	2	–	1	–	1	13	4	4	3	–	1
Elizabeth	3	93	10	6	23	33	5	24	9	–	9	8	20	57	17	24	8	13	–
Hillside twp. #	–	12	–	–	1	5	–	4	2	–	6	1	–	9	3	7	–	2	–
Linden	1	28	1	2	6	11	3	5	6	–	–	1	4	31	7	6	6	–	–
New Providence	–	6	–	1	5	1	–	–	–	–	1	–	–	5	3	2	–	–	–
Plainfield	2	38	6	2	6	6	–	7	6	1	1	7	8	28	8	11	3	4	–
Rahway	–	14	5	–	6	7	3	5	2	–	2	–	3	14	2	6	2	1	–
Roselle	–	23	1	3	2	3	1	5	3	–	4	2	3	17	6	6	–	1	–
Roselle Park	–	15	1	1	4	2	2	5	4	–	–	–	–	10	1	2	1	1	–
Scotch Plains twp. #	1	9	1	1	1	5	1	2	–	–	–	3	–	8	–	5	3	1	–
Springfield twp. #	1	13	–	2	2	2	1	3	–	–	–	2	3	8	–	3	1	–	–
Summit	–	24	2	4	9	6	2	3	–	–	2	2	–	10	3	7	–	–	–
Union twp. #	3	47	2	5	16	11	2	3	3	–	3	–	5	42	7	4	2	2	1
Westfield	–	24	3	2	9	5	2	2	4	–	2	1	4	12	2	4	1	1	–
Balance of county	1	12	2	4	5	7	–	1	2	–	–	1	3	11	6	7	1	2	2
Warren	2	50	6	5	21	14	1	14	8	–	4	7	4	46	27	16	10	1	2
Phillipsburg	–	17	3	2	5	4	–	2	3	–	1	1	1	15	6	7	3	–	1
Balance of county	2	33	3	3	16	10	1	12	5	–	3	6	3	31	21	9	7	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
New Mexico	8,722	18	1	75	1,635	424	371	142	188	64	74	372	162	3,003	2,124	41	46	1,585	452
Urban places	4,719	6	–	38	897	250	245	88	107	43	44	220	82	1,686	1,163	23	28	860	222
Balance of area	4,003	12	1	37	638	174	126	54	81	21	30	152	80	1,317	961	18	18	695	230
Metropolitan counties	2,482	4	–	19	545	129	128	54	62	28	29	115	45	839	577	16	10	435	115
Urban places	2,292	4	–	18	504	120	117	49	58	25	27	108	42	781	535	16	9	404	106
Balance of area	190	–	–	1	41	9	11	5	4	3	2	7	3	58	42	–	1	31	10
Nonmetropolitan counties	6,240	14	1	56	1,090	295	243	88	126	36	45	257	117	2,164	1,547	25	36	1,150	336
Urban places	2,427	2	–	20	493	130	128	39	49	18	17	112	40	905	628	7	19	486	116
Balance of area	3,813	12	1	36	597	165	115	49	77	18	28	145	77	1,259	919	18	17	664	220
Bernalillo	2,482	4	–	19	545	129	128	54	62	28	29	115	45	839	577	16	10	435	115
Albuquerque	2,292	4	–	18	504	120	117	49	58	25	27	108	42	781	535	16	9	404	106
Balance of county	190	–	–	1	41	9	11	5	4	3	2	7	3	58	42	–	1	31	10
Catron	26	–	–	–	5	–	2	–	–	–	–	3	–	8	6	–	–	5	1
Chaves	483	2	–	4	116	31	32	9	11	4	4	25	8	155	109	2	6	82	15
Roswell	417	1	–	3	103	28	27	9	11	4	4	20	6	138	99	1	6	73	15
Balance of county	66	1	–	1	13	3	5	–	–	–	–	5	2	17	10	1	–	9	–
Colfax	128	–	–	1	25	9	2	2	2	2	–	8	3	51	38	–	–	30	8
Curry	318	–	–	3	53	9	12	5	7	1	5	14	6	143	102	–	1	83	16
Clovis	264	–	–	3	48	9	12	4	5	1	4	13	5	121	87	–	1	74	12
Balance of county	54	–	–	–	5	–	–	1	2	–	1	1	1	22	15	–	–	9	4
De Baca	25	–	–	1	1	–	–	–	–	–	1	–	–	14	12	–	1	11	–
Dona Ana	506	1	–	4	91	23	25	3	12	1	3	24	21	222	146	4	5	87	50
Las Cruces	293	1	–	3	62	15	16	2	6	1	2	18	6	124	84	2	2	55	25
Balance of county	213	–	–	1	29	8	7	1	6	–	1	6	15	98	62	2	3	32	25
Eddy	416	–	–	4	85	21	27	6	10	3	3	15	7	180	121	3	2	103	13
Artesia	91	–	–	–	17	5	4	1	2	–	1	4	1	37	30	–	2	25	3
Carlsbad	248	–	–	3	49	12	15	4	6	2	2	8	6	116	71	2	–	62	7
Balance of county	77	–	–	1	19	4	8	1	2	1	–	3	–	27	20	1	–	16	3
Grant	204	–	–	2	41	19	8	4	2	–	1	7	6	70	50	–	3	36	11
Guadalupe	39	1	–	1	2	–	–	–	1	–	–	1	3	18	14	–	–	10	4
Harding	12	–	–	–	6	1	1	–	–	–	3	1	–	3	3	–	–	2	1
Hidalgo	48	–	–	–	9	4	3	–	1	–	–	1	–	16	8	1	–	7	–
Lea	385	–	–	3	73	17	19	6	6	2	1	22	6	149	107	1	2	86	18
Hobbs	220	–	–	3	41	11	13	1	2	2	–	12	3	83	60	1	2	49	8
Balance of county	165	–	–	–	32	6	6	5	4	–	1	10	3	66	47	–	–	37	10
Lincoln	84	–	–	–	18	5	4	–	3	–	2	4	1	26	19	–	1	14	4
Los Alamos	62	1	–	–	14	4	1	2	2	–	–	5	–	17	11	2	–	7	2
Luna	179	–	–	1	40	11	9	7	5	3	–	5	3	78	55	2	1	48	4
McKinley	396	1	–	8	34	7	6	4	4	1	1	11	9	67	47	2	1	30	14
Gallup	129	–	–	–	15	2	4	2	–	–	–	7	4	28	19	–	1	16	2
Balance of county	267	1	–	8	19	5	2	2	4	1	1	4	5	39	28	2	–	14	12
Mora	41	–	–	–	12	1	4	1	3	–	–	3	–	9	7	–	–	6	1
Otero	287	–	–	3	53	18	11	4	3	4	3	10	4	98	73	1	1	53	18
Alamogordo	169	–	–	1	40	14	9	4	3	3	2	5	3	65	44	–	1	31	12
Balance of county	98	–	–	2	13	4	2	–	–	1	1	5	1	33	29	1	–	22	6
Quay	124	1	–	–	22	7	4	1	4	–	1	5	2	66	56	–	1	36	19
Rio Arriba	229	2	–	3	31	8	4	2	3	1	1	12	4	74	56	–	4	42	10
Roosevelt	150	–	–	1	30	9	5	–	7	–	2	7	2	64	40	1	–	32	7
Portales	104	–	–	1	18	6	3	–	2	–	1	6	–	47	29	1	–	24	4
Balance of county	46	–	–	–	12	3	2	–	5	–	1	1	2	17	11	–	–	8	3
Sandoval	193	1	–	2	25	6	8	2	5	–	–	4	2	60	42	–	–	35	7
San Juan	419	1	–	4	54	16	9	5	6	6	2	10	4	91	61	1	1	42	17
Farmington	157	–	–	1	31	9	6	1	5	4	–	6	1	39	27	–	–	23	4
Balance of county	262	1	–	3	23	7	3	4	1	2	2	4	3	52	34	1	1	19	13
San Miguel	202	1	–	1	43	8	7	5	5	1	5	12	3	67	53	–	–	43	10
Santa Fe	450	1	–	5	83	21	18	13	10	1	2	18	8	135	96	1	4	68	25
Santa Fe	335	–	–	2	69	19	17	11	7	1	1	13	5	107	78	–	4	54	20
Balance of county	115	1	–	3	14	2	1	2	3	–	1	5	3	28	20	1	–	14	5
Sierra	129	–	–	–	15	3	2	1	1	–	–	8	2	61	52	1	–	41	10
Socorro	61	–	–	1	16	6	3	1	2	1	1	2	1	30	27	–	1	24	2
Taos	135	–	–	1	24	9	4	3	3	–	–	5	5	41	28	–	–	15	13
Torrance	42	–	–	–	6	1	2	–	–	–	–	3	2	13	7	–	1	6	–
Union	74	–	–	–	10	3	1	–	–	3	1	2	1	28	26	–	–	24	2
Valencia	393	1	1	3	53	18	10	2	8	2	3	10	4	112	73	3	–	42	25
New York	164,508	175	10	940	36,490	11,141	8,568	3,527	3,901	1,733	1,330	6,290	3,097	86,202	70,251	832	1,860	59,767	7,792
Urban places	107,643	143	7	614	23,093	7,271	5,354	2,207	2,400	1,062	802	3,897	2,038	56,704	46,990	523	1,250	40,436	4,781
Balance of area	56,865	32	3	326	13,397	3,870	3,214	1,320	1,501	671	528	2,293	1,059	29,498	23,261	309	610	19,331	3,011
Metropolitan counties	139,626	157	6	800	31,123	9,542	7,239	3,058	3,274	1,456	1,128	5,426	2,583	72,945	59,930	724	1,591	51,305	6,310
Urban places	101,053	139	6	582	21,672	6,827	5,010	2,078	2,234	994	750	3,779	1,892	53,107	44,238	488	1,188	38,194	4,966
Balance of area	38,573	18	–	218	9,451	2,715	2,229	980	1,040	462	378	1,647	701	19,838	15,692	236	423	13,111	1,922
Nonmetropolitan counties	24,882	18	4	140	5,367	1,599	1,329	469	627	277	202	884	504	13,257	10,321	108	269	8,462	1,492
Urban places	6,590	4	1	32	1,421	444	344	129	166	68	52	218	146	3,597	2,752	35	82	2,242	398
Balance of area	18,292	14	3	108	3,946	1,155	985	340	461	209	150	646	358	9,660	7,569	73	187	6,220	1,094
Albany	2,849	6	–	28	612	204	141	56	57	26	20	108	41	1,561	1,288	15	30	1,010	298
Albany	1,345	4	–	13	256	91	52	23	26	10	8	48	13	763	640	7	17	491	126
Cohoes	247	–	–	4	45	21	5	2	5	2	2	8	5	157	129	2	2	101	24
Watervliet	159	–	–	1	41	11	16	2	2	3	2	5	2	95	79	–	1	68	10
Balance of county	1,098	2	–	10	270	81	68	29	24	11	8	49	21	546	440	6	10	350	74
Allegany	413	1	1	5	107	38	23	8	10	6	6	16	9	194	141	4	3	112	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	75	620	107	77	202	306	31	180	72	10	74	180	436	869	600	430	240	175	23
Urban places	58	346	66	53	106	183	18	97	35	4	40	84	197	455	242	206	132	105	6
Balance of area	17	274	41	24	96	123	13	83	37	6	34	96	239	414	358	224	108	70	17
Metropolitan counties	25	173	35	29	50	114	6	55	25	–	23	37	99	242	128	109	78	62	2
Urban places	24	159	34	28	47	107	6	49	21	–	22	35	90	225	108	98	75	58	2
Balance of area	1	14	1	–	3	7	–	6	4	–	1	2	9	17	20	11	3	4	–
Nonmetropolitan counties	50	447	72	48	152	192	25	125	47	10	51	143	337	627	472	321	162	113	21
Urban places	34	187	32	24	59	76	12	48	14	4	18	49	107	230	134	108	57	47	4
Balance of area	16	260	40	24	93	116	13	77	33	6	33	94	230	397	338	213	105	66	17
Bernalillo	25	173	35	29	50	114	6	55	25	–	23	37	99	242	128	109	78	62	2
Albuquerque	24	159	34	29	47	107	6	49	21	–	22	35	90	225	108	98	75	58	2
Balance of county	1	14	1	–	3	7	–	6	4	–	1	2	9	17	20	11	3	4	–
Catron	–	2	–	–	1	1	–	–	–	–	–	1	1	4	4	–	–	1	–
Chaves	3	33	6	4	8	23	–	10	2	1	2	10	36	52	20	17	10	7	–
Roswell	2	29	4	4	8	21	–	10	1	1	2	8	28	45	18	10	8	6	–
Balance of county	1	4	2	–	–	2	–	–	1	–	–	2	8	7	2	7	2	1	–
Colfax	–	8	2	3	3	3	–	3	–	–	–	2	5	11	6	6	6	1	2
Curry	2	29	8	2	8	6	1	5	2	1	4	7	4	24	17	14	8	12	–
Clovis	2	23	7	2	6	5	1	4	2	–	3	5	4	17	13	11	6	10	–
Balance of county	–	6	1	–	2	1	–	1	–	1	1	2	–	7	4	3	2	2	–
De Baca	–	1	–	1	4	–	–	–	–	–	–	–	2	2	1	–	–	–	–
Dona Ana	6	53	10	7	11	10	2	8	4	2	8	9	5	35	35	16	11	9	2
Las Cruces	4	26	8	4	7	6	2	4	2	1	3	6	3	19	19	10	7	8	–
Balance of county	2	27	4	3	4	4	–	4	2	1	5	3	2	16	16	6	4	1	2
Eddy	7	42	4	6	6	15	6	5	2	1	3	9	14	33	13	20	5	7	1
Artesia	–	6	–	1	2	3	3	1	–	–	1	2	2	13	3	4	2	–	–
Carlsbad	7	29	4	5	4	7	2	4	2	–	2	3	5	15	9	11	3	6	1
Balance of county	–	7	–	–	–	5	1	–	–	1	–	4	7	5	1	5	–	1	–
Grant	–	16	4	–	5	7	–	10	–	–	1	5	10	16	10	15	4	1	1
Guadalupe	–	4	–	–	–	–	–	2	–	1	–	–	1	3	4	1	1	1	–
Harding	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Hidalgo	1	5	2	–	3	5	–	–	1	–	–	1	4	3	3	2	–	1	–
Lea	5	27	7	3	3	13	1	6	2	–	1	15	31	36	18	21	7	–	–
Hobbs	2	18	2	1	3	7	–	4	1	–	1	9	19	23	7	12	4	–	–
Balance of county	3	9	5	2	–	6	1	2	1	–	–	6	12	13	11	9	3	–	–
Lincoln	–	6	–	1	2	6	–	–	–	–	–	–	10	8	2	2	5	4	–
Los Alamos	–	4	2	–	2	1	–	–	2	–	–	2	1	7	8	4	4	1	–
Luna	–	18	–	3	3	10	1	4	1	–	1	2	4	15	10	2	4	2	–
McKinley	1	15	1	3	13	7	1	10	4	2	8	14	33	53	61	50	11	7	3
Gallup	1	4	1	3	4	4	–	4	2	1	3	4	6	14	17	16	4	2	1
Balance of county	–	11	–	–	9	3	1	6	2	1	5	10	27	39	44	34	7	5	2
Mora	–	1	–	1	1	1	–	1	–	–	–	1	2	3	1	5	4	1	–
Otero	7	14	2	2	4	12	1	8	2	–	1	7	10	20	19	14	5	4	2
Alamogordo	6	13	1	1	3	9	1	2	1	–	–	3	6	12	9	8	3	2	1
Balance of county	1	1	1	1	1	3	–	6	1	–	1	4	4	8	10	6	2	2	1
Quay	–	8	1	1	1	3	1	1	–	–	1	1	1	13	2	8	1	–	–
Rio Arriba	2	15	–	1	4	4	3	4	3	1	2	5	11	22	23	10	11	11	1
Roosevelt	5	18	–	1	6	2	–	1	–	–	3	3	3	17	12	4	2	–	–
Portales	4	13	–	1	5	2	–	1	–	–	2	3	3	13	6	1	2	–	–
Balance of county	1	5	–	–	1	–	–	–	–	–	1	–	–	4	6	3	–	–	–
Sandoval	–	18	2	–	3	5	–	4	1	–	1	2	20	21	25	8	7	6	–
San Juan	–	23	6	1	15	7	1	8	6	–	3	12	29	54	60	39	17	12	2
Farmington	–	8	4	–	7	3	1	3	1	–	–	2	7	17	13	16	8	6	1
Balance of county	–	15	2	1	8	4	–	5	5	–	3	10	22	37	47	23	9	6	1
San Miguel	–	8	4	2	5	10	–	5	3	–	1	1	13	18	11	9	4	6	1
Santa Fe	7	24	4	2	16	14	2	14	4	1	4	6	27	60	34	15	12	9	–
Santa Fe	6	18	3	2	10	9	2	11	2	1	1	4	24	42	20	9	10	7	–
Balance of county	1	6	1	–	6	5	–	3	2	–	3	2	3	18	14	6	2	2	–
Sierra	–	7	1	1	6	9	3	3	2	–	–	–	3	13	2	7	3	–	–
Socorro	–	3	–	–	1	1	–	1	–	–	–	3	3	11	9	1	1	1	1
Taos	–	12	1	–	3	2	–	4	3	–	1	3	3	18	11	7	5	4	–
Torrance	–	6	–	–	1	2	–	–	–	–	–	2	4	2	7	3	–	–	–
Union	–	1	1	–	5	3	–	–	1	–	–	1	4	13	1	4	2	–	1
Valencia	4	28	4	3	9	10	2	8	2	–	6	18	42	39	45	17	12	5	4
New York	602	11,827	1,956	1,566	4,739	3,602	641	3,539	1,093	32	1,029	1,791	911	10,020	2,621	3,062	1,663	2,111	740
Urban places	401	7,168	1,255	890	3,458	2,120	451	2,718	723	28	641	1,265	666	6,449	1,093	1,875	994	1,910	653
Balance of area	201	4,659	701	676	1,281	1,482	190	821	370	4	388	526	245	3,571	1,528	1,187	669	201	87
Metropolitan counties	492	9,671	1,602	1,250	4,140	2,832	546	3,209	945	30	864	1,570	806	8,448	1,962	2,449	1,421	2,052	728
Urban places	373	6,523	1,163	810	3,287	1,820	422	2,605	676	27	599	1,207	640	6,038	1,006	1,736	949	1,895	646
Balance of area	119	3,148	439	440	853	912	124	604	269	3	265	363	166	2,410	956	713	472	157	80
Nonmetropolitan counties	110	2,156	354	316	599	770	95	330	148	2	165	221	105	1,572	659	613	242	59	12
Urban places	28	645	92	80	171	200	29	113	47	1	42	58	28	411	87	139	45	15	5
Balance of area	82	1,511	262	236	428	570	66	217	101	1	123	163	79	1,161	572	474	197	44	7
Albany	7	203	32	31	74	74	7	40	28	1	17	31	21	195	38	48	25	4	–
Albany	3	94	15	11	38	27	4	19	15	1	6	16	14	108	9	26	10	3	–
Cohoes	1	22	2	3	7	6	–	4	–	–	2	1	–	13	–	2	1	–	–
Watervliet	–	9	2	5	5	5	–	–	1	–	–	1	–	8	–	–	–	–	–
Balance of county	3	78	13	12	24	36	3	17	12	–	9	13	7	66	27	20	14	1	–
Allegany	2	42	8	1	12	11	2	6	2	–	1	6	1	26	12	9	6	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
New York—Con.																			
Broome	1,958	–	–	8	421	125	99	41	51	24	24	57	42	1,043	842	10	21	719	9
Binghamton	747	–	–	1	153	47	33	16	23	8	7	19	18	412	325	2	8	280	3
Endicott	174	–	–	–	37	8	9	4	6	2	–	8	6	87	74	–	1	67	
Johnson City	224	–	–	3	46	18	8	5	2	2	2	9	4	127	98	3	2	80	1
Balance of county	813	–	–	4	185	52	49	16	20	12	15	21	14	417	345	5	10	292	3
Cattaraugus	887	1	–	7	201	52	51	15	31	12	8	32	15	467	357	8	12	302	3
Olean	219	–	–	–	54	14	16	4	9	2	2	7	6	120	99	1	3	88	
Balance of county	668	1	–	7	147	38	35	11	22	10	6	25	9	347	261	5	9	214	3
Cayuga	725	–	–	2	162	50	36	13	18	8	9	28	22	369	270	6	13	212	3
Auburn	370	–	–	1	81	22	18	9	7	5	6	14	14	200	152	5	11	116	2
Balance of county	355	–	–	1	81	28	18	4	11	3	3	14	8	169	118	1	2	96	1
Chautauqua	1,553	1	–	9	349	108	78	30	44	19	11	59	33	875	671	9	17	525	12
Dunkirk	212	1	–	2	44	16	2	3	10	4	–	9	2	130	106	1	5	86	1
Fredonia	60	–	–	–	14	5	3	1	1	–	–	4	2	35	23	2	–	19	
Jamestown	528	–	–	2	100	34	19	14	9	5	2	17	11	311	222	4	5	174	3
Balance of county	753	–	–	5	191	53	54	12	24	10	9	29	18	399	320	2	7	246	6
Chemung	971	1	2	2	216	63	58	16	30	14	2	33	18	540	405	1	5	339	6
Elmira	452	–	1	–	112	25	30	10	21	7	1	18	2	251	198	1	4	158	2
Balance of county	519	1	1	2	104	38	28	6	9	7	1	15	16	289	207	–	1	171	3
Chenango	518	–	–	6	93	22	21	8	14	7	1	20	11	283	239	4	8	200	2
Clinton	537	–	–	1	114	30	33	9	10	3	6	23	5	280	221	–	5	185	3
Plattsburgh	180	–	–	–	36	14	7	3	3	–	3	8	2	92	73	–	1	58	1
Balance of county	357	–	–	1	78	16	26	6	7	3	3	17	3	188	148	–	4	127	1
Columbia	649	–	–	3	150	39	35	17	17	7	11	24	13	355	288	3	11	248	2
Cortland	415	–	–	1	75	17	17	9	11	2	3	16	11	214	178	3	2	152	2
Cortland	210	–	–	–	42	9	13	3	5	1	3	8	5	107	90	1	2	78	1
Balance of county	205	–	–	1	33	8	4	6	6	1	–	8	6	107	88	2	–	74	1
Delaware	477	–	–	2	94	32	18	8	15	5	3	13	13	270	228	4	10	165	4
Dutchess	1,899	2	–	14	421	119	126	42	34	20	13	67	29	984	769	4	12	662	9
Beacon	141	–	–	2	46	16	14	6	5	1	2	2	2	62	43	–	–	41	
Poughkeepsie	403	1	–	3	78	24	26	8	3	1	2	12	4	219	164	1	1	141	2
Balance of county	1,355	1	–	9	299	79	86	28	26	18	9	53	23	703	582	3	11	480	6
Erie	10,057	7	1	59	2,253	672	547	250	238	105	86	355	205	5,341	4,100	47	99	3,527	42
Buffalo	4,847	7	1	30	1,022	299	255	102	109	51	34	172	105	2,568	1,966	16	43	1,700	20
Depew	143	–	–	3	46	10	12	7	8	1	–	8	2	82	52	1	–	46	
Hamburg	96	–	–	–	15	2	3	4	1	1	2	2	2	61	46	–	1	38	
Kenmore	217	–	–	2	57	14	14	9	4	4	4	8	3	113	87	3	3	71	1
Lackawanna	229	–	–	3	53	19	16	6	5	1	1	5	13	111	86	1	3	79	
Lancaster	95	–	–	–	16	4	7	3	3	–	–	1	–	58	46	1	1	39	
Tonawanda	161	–	–	2	36	13	9	3	1	2	2	6	3	88	64	2	1	57	
Balance of county	4,269	–	–	19	1,006	311	231	116	107	45	43	153	77	2,280	1,753	23	47	1,497	186
Essex	411	–	–	1	92	24	34	12	6	–	5	11	11	209	167	2	6	143	16
Franklin	499	–	–	4	96	23	29	5	18	2	4	15	9	262	195	1	3	152	39
Fulton	571	–	–	1	138	37	32	15	18	8	7	21	13	286	237	1	9	185	41
Gloversville	238	–	–	1	53	19	10	7	2	6	5	4	6	121	102	–	5	76	21
Johnstown	101	–	–	–	26	4	6	3	6	1	–	6	2	54	46	–	–	42	
Balance of county	232	–	–	–	59	14	16	5	10	1	2	11	5	111	89	1	4	86	16
Genesee	514	–	–	3	113	34	23	9	18	8	5	16	9	280	217	2	8	166	41
Batavia	202	–	–	2	47	16	11	3	7	2	1	7	6	104	87	2	3	60	22
Balance of county	312	–	–	1	66	18	12	6	11	6	4	9	3	176	130	–	5	106	19
Greene	497	–	–	1	106	29	33	12	6	4	4	18	21	285	244	1	5	199	40
Hamilton	65	–	–	–	18	3	5	1	2	3	2	2	–	33	27	–	–	19	8
Herkimer	726	–	–	3	159	49	35	12	22	8	10	23	9	415	309	2	14	225	68
Jefferson	1,021	–	1	6	203	62	49	12	20	9	4	27	28	578	422	1	6	380	95
Watertown	432	–	–	3	84	32	25	3	8	6	1	9	13	255	180	1	2	166	11
Balance of county	589	–	1	3	119	30	24	9	12	3	3	18	15	323	242	–	4	214	24
Lewis	221	–	–	–	39	11	14	1	5	2	2	4	3	121	95	–	2	85	8
Livingston	420	–	–	6	90	26	18	8	11	6	6	15	8	212	158	1	5	132	20
Madison	531	–	–	2	110	25	26	8	19	5	4	23	9	261	194	1	3	157	23
Oneida	138	–	–	1	30	7	6	1	4	3	1	8	1	77	55	1	1	49	4
Balance of county	393	–	–	1	80	18	20	7	15	2	3	15	8	184	139	–	2	118	19
Monroe	5,740	6	–	46	1,311	343	293	144	166	73	58	233	135	2,804	2,172	30	66	1,615	461
Rochester	2,785	4	–	26	571	167	131	62	71	32	19	89	71	1,379	1,049	17	36	782	234
Balance of county	2,955	2	–	20	740	176	162	82	95	41	40	144	64	1,425	1,123	13	30	853	227
Montgomery	679	1	–	2	146	50	35	11	17	12	3	18	18	379	289	2	5	247	35
Amsterdam	342	–	–	–	79	32	15	4	10	4	2	12	16	183	141	1	2	120	16
Balance of county	337	1	–	2	67	18	20	7	7	8	1	6	2	196	148	1	3	127	17
Nassau	11,255	6	1	68	2,872	836	664	286	304	156	108	520	152	5,989	4,962	92	109	4,220	541
East Rockaway	104	–	–	1	27	7	5	3	2	–	1	9	3	50	38	–	–	32	5
Floral Park	162	–	–	1	40	18	9	6	3	–	1	3	2	82	71	2	–	57	12
Freeport	346	–	–	3	91	25	25	4	13	6	2	16	9	166	132	–	4	118	10
Garden City	198	–	–	4	58	26	10	7	6	1	1	7	1	106	82	1	–	71	10
Glen Cove	258	1	–	1	52	16	14	2	6	1	1	12	4	147	112	4	–	90	18
Great Neck	146	–	–	1	29	7	3	5	2	–	4	8	1	83	73	2	1	61	9
Hempstead	390	–	1	4	89	22	28	3	15	5	5	11	3	191	153	2	9	128	16
Long Beach	620	–	–	1	114	31	28	15	8	13	3	16	7	400	348	3	4	306	38
Lynbrook	217	–	–	–	48	20	12	3	3	1	2	7	2	127	105	–	3	94	8
Malverne	76	–	–	–	18	4	4	1	–	2	–	5	–	48	38	–	1	35	2
Massapequa Park	139	–	–	1	35	12	9	–	–	4	2	8	1	78	69	2	–	59	8
Mineola	169	–	–	–	52	9	20	8	4	1	–	10	3	90	72	–	1	60	11
New Hyde Park	85	–	–	1	23	5	5	4	2	1	3	3	2	46	36	3	–	30	3
Rockville Centre	290	–	–	2	62	22	11	5	4	4	3	13	–	172	140	4	5	121	10
Valley Stream	418	–	–	3	103	40	20	13	4	4	3	19	4	229	182	3	6	159	24
Westbury	153	–	–	2	39	10	13	4	1	3	2	6	3	75	60	1	1	47	11
Balance of county	7,484	5	–	43	1,994	562	448	203	231	110	73	367	107	3,899	3,241	65	74	2,752	360

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	6	147	18	30	47	58	8	30	14	–	13	29	12	131	40	34	23	2	3
Binghamton	1	65	10	11	17	28	3	13	2	–	3	9	4	52	10	14	7	–	1
Endicott	1	11	1	–	2	6	1	2	3	–	2	6	1	17	1	1	2	–	–
Johnson City	4	23	1	1	4	4	2	4	3	–	1	5	1	10	5	4	–	–	1
Balance of county	–	48	6	18	24	20	2	11	6	–	7	9	6	52	24	15	14	2	1
Cattaraugus	3	81	16	10	23	18	4	14	4	–	9	6	2	56	29	24	5	2	–
Olean	1	18	1	4	4	3	1	3	1	–	1	1	1	12	4	5	2	1	–
Balance of county	2	63	15	6	19	15	3	11	3	–	8	5	1	44	25	19	3	1	–
Cayuga	2	68	18	11	27	16	8	9	6	–	8	4	1	53	17	16	3	2	–
Auburn	1	32	10	5	12	7	2	8	4	–	1	2	–	27	3	6	1	1	–
Balance of county	1	36	8	6	15	9	6	1	2	–	7	2	1	26	14	10	2	1	–
Chautauqua	6	151	25	20	29	41	2	17	10	–	7	13	3	89	23	40	10	1	1
Dunkirk	–	18	1	5	–	5	–	3	2	–	1	2	–	6	–	12	–	1	1
Fredonia	–	9	1	2	1	2	–	1	–	–	1	–	–	3	–	–	1	–	–
Jamestown	3	71	9	6	17	17	–	6	4	–	3	5	2	32	8	8	2	–	–
Balance of county	5	53	14	7	11	17	2	7	4	–	2	6	1	48	15	20	7	–	–
Chemung	7	99	16	13	20	30	4	12	9	–	8	2	8	57	16	19	6	1	–
Elmira	2	37	9	5	13	13	4	7	5	–	3	2	3	17	5	9	5	–	–
Balance of county	5	62	7	8	7	17	–	5	4	–	5	–	5	40	11	10	1	1	–
Chenango	–	30	5	9	11	27	2	4	4	–	4	3	2	32	19	13	3	1	–
Clinton	2	38	9	10	11	14	2	12	3	–	5	6	3	41	20	16	3	–	1
Plattsburgh	1	10	4	4	4	7	2	5	1	–	1	2	2	18	1	8	1	–	–
Balance of county	1	28	5	6	7	7	–	7	2	–	4	4	1	23	19	10	2	–	1
Columbia	2	49	10	6	22	21	3	5	4	–	2	3	2	29	14	15	8	–	–
Cortland	3	22	6	5	14	21	3	6	1	–	1	5	1	30	13	12	3	4	–
Cortland	1	11	2	3	8	11	–	3	–	–	1	2	–	17	4	6	2	2	–
Balance of county	2	11	4	2	6	10	3	3	1	–	–	3	1	13	9	6	1	2	–
Delaware	1	32	3	6	11	13	1	4	5	–	2	2	2	35	6	11	6	–	–
Dutchess	10	165	20	20	34	57	10	26	13	1	15	15	8	118	68	45	30	9	–
Beacon	–	17	2	–	1	6	1	4	1	1	1	1	1	5	–	1	6	–	–
Poughkeepsie	3	42	4	6	11	10	2	6	3	–	4	7	1	31	7	10	3	3	–
Balance of county	7	106	14	14	22	41	7	14	9	–	10	7	6	82	61	34	21	6	–
Erie	42	935	160	104	223	253	38	198	64	–	53	83	33	675	174	183	88	68	58
Buffalo	21	450	83	48	119	125	20	112	39	–	26	49	21	339	48	89	34	50	33
Depew	–	5	5	–	–	6	–	2	2	–	1	–	–	10	5	1	1	1	1
Hamburg	1	12	2	–	2	–	1	–	1	–	–	–	2	5	3	1	1	1	1
Kenmore	–	22	2	2	4	7	1	9	2	–	–	–	–	14	2	1	1	–	1
Lackawanna	1	20	3	1	6	3	–	7	4	–	2	2	–	10	2	7	3	–	3
Lancaster	–	8	3	1	3	2	–	1	–	–	–	–	–	6	2	3	1	–	1
Tonawanda	–	20	1	3	4	7	1	3	1	–	1	–	–	10	1	2	2	–	–
Balance of county	19	388	61	49	85	103	15	64	15	–	23	32	10	281	111	69	45	16	18
Essex	2	32	4	4	11	9	1	4	4	–	–	5	1	27	13	21	2	–	–
Franklin	3	44	13	7	16	27	1	3	1	–	4	3	2	36	9	16	9	1	–
Fulton	4	33	5	7	7	27	4	5	5	–	5	4	4	38	9	20	3	2	–
Gloversville	1	14	2	2	3	15	1	2	2	–	2	2	1	17	–	11	1	–	–
Johnstown	1	6	–	1	–	3	–	2	2	–	–	–	–	5	3	3	1	–	–
Balance of county	2	13	3	4	4	9	3	1	1	–	3	2	3	16	6	6	1	2	–
Genesee	4	48	7	4	19	8	–	5	1	–	3	4	5	28	17	14	5	–	–
Batavia	–	16	1	–	6	6	–	2	1	–	1	2	1	15	2	5	2	–	–
Balance of county	4	32	6	4	13	2	–	3	–	–	2	2	4	13	15	9	3	–	–
Greene	–	30	5	6	9	11	4	2	5	–	4	2	–	22	9	7	9	–	–
Hamilton	–	5	1	–	–	1	–	1	–	–	1	–	–	4	4	1	2	–	–
Herkimer	1	68	25	12	15	22	4	8	3	–	2	3	2	38	16	15	8	2	–
Jefferson	2	133	10	11	24	17	2	14	4	–	6	12	3	59	28	24	11	1	–
Watertown	2	67	3	3	13	6	2	6	3	–	1	1	2	24	7	9	3	–	–
Balance of county	–	66	7	8	11	11	–	8	1	–	5	11	1	35	21	15	8	1	–
Lewis	3	18	3	2	5	8	–	2	–	–	3	–	–	19	8	12	1	–	–
Livingston	–	47	2	5	13	20	1	9	2	–	3	5	1	24	16	3	2	4	1
Madison	1	54	6	6	15	16	5	9	5	–	5	4	3	40	23	16	5	–	1
Oneida	1	14	5	2	7	2	2	–	1	–	–	–	–	9	3	3	2	–	–
Balance of county	–	40	1	4	8	14	3	9	4	–	5	4	3	31	20	15	3	–	1
Monroe	29	489	67	67	171	133	22	63	93	–	42	70	27	471	89	118	89	34	6
Rochester	15	248	31	36	83	70	13	33	52	–	19	39	19	237	41	65	31	29	3
Balance of county	14	221	36	31	88	63	9	30	41	–	23	31	8	234	58	53	58	5	3
Montgomery	2	63	16	9	20	16	1	7	2	–	4	7	1	44	14	15	–	1	1
Amsterdam	–	36	3	3	13	7	1	4	1	–	2	3	–	25	3	5	–	–	–
Balance of county	2	27	13	6	7	9	–	3	1	–	2	4	1	19	11	10	–	1	1
Nassau	26	781	104	116	260	199	41	191	87	1	58	108	43	815	177	169	120	57	21
East Rockaway	–	8	3	1	2	2	2	1	1	–	–	2	–	6	–	6	1	–	–
Floral Park	–	6	3	2	7	3	1	1	–	–	3	4	1	7	5	2	3	–	–
Freeport	1	28	3	2	7	3	2	5	1	–	3	8	5	19	11	5	2	5	1
Garden City	–	16	6	2	4	1	–	4	1	–	1	1	1	7	3	2	3	–	1
Glen Cove	–	20	8	7	3	12	2	4	–	–	3	1	–	12	3	7	2	4	–
Great Neck	–	5	1	4	4	3	1	2	2	–	1	–	1	11	4	1	–	2	–
Hempstead	1	31	4	2	19	4	4	13	4	–	1	12	2	25	6	5	4	2	1
Long Beach	2	43	5	2	15	9	3	5	4	–	1	6	2	22	5	13	7	4	2
Lynbrook	3	13	3	3	2	4	–	5	2	–	–	–	2	11	5	4	3	1	1
Malverne	–	8	–	2	2	1	–	2	–	–	–	–	–	6	–	1	–	–	–
Massapequa Park	–	6	1	2	2	4	1	3	–	–	1	–	–	4	4	2	1	1	1
Mineola	1	15	–	2	2	1	–	4	2	–	–	–	1	7	4	1	1	1	–
New Hyde Park	1	8	–	1	2	1	–	2	–	–	1	1	1	2	1	2	–	–	–
Rockville Centre	–	24	2	6	9	4	2	3	4	–	1	3	1	21	1	4	1	–	–
Valley Stream	–	34	2	1	6	5	1	6	4	–	3	3	1	29	3	9	6	2	1
Westbury	–	13	–	2	5	5	–	4	1	–	2	1	–	8	3	3	2	–	–
Balance of county	17	503	63	75	169	137	22	127	61	1	37	66	25	418	119	122	84	35	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-068, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
New York City	72,505	113	2	395	15,395	4,919	3,505	1,437	1,584	685	534	2,731	1,324	37,869	32,250	338	812	26,247	2,668
Bronx Bor., Bronx Co	12,355	17	–	70	2,516	819	567	215	256	117	92	450	248	6,241	5,358	59	117	4,687	495
Brooklyn Bor., Kings Co	21,939	38	–	131	4,583	1,486	1,009	431	463	210	161	823	423	11,662	10,159	106	211	8,897	969
Manhattan Bor., New York Co	16,129	39	1	96	3,387	1,045	743	332	357	123	106	661	267	7,761	6,344	52	232	5,353	707
Queens Bor., Queens Co	19,314	18	1	89	4,314	1,371	1,020	406	448	202	167	700	341	10,674	9,049	106	234	8,112	597
Richmond Bor., Richmond Co	2,768	1	–	9	615	198	166	53	60	33	8	97	45	1,531	1,346	15	18	1,196	115
Niagara	2,219	1	–	10	501	149	137	42	57	18	18	80	45	1,188	919	7	24	803	85
Lockport	318	1	–	4	53	17	12	6	4	4	–	10	10	182	144	1	7	123	13
Niagara Falls	865	–	–	3	207	61	58	13	27	5	8	35	16	457	343	3	11	303	26
North Tonawanda	312	–	–	1	75	23	15	9	7	2	3	16	3	164	123	–	2	110	11
Balance of county	724	–	–	2	166	48	52	14	19	7	7	19	16	385	309	3	4	267	35
Oneida	2,411	2	1	15	543	168	114	67	67	26	13	88	54	1,295	1,020	19	27	841	133
Rome	372	–	–	3	85	30	21	5	8	3	3	15	13	186	136	3	1	115	17
Utica	1,008	2	1	3	226	70	44	35	30	13	5	29	22	544	445	10	12	364	59
Balance of county	1,031	–	–	9	232	68	49	27	29	10	5	44	19	565	439	6	14	362	57
Onondaga	3,927	3	–	19	924	244	240	110	80	52	37	161	59	2,004	1,523	12	34	1,202	276
Syracuse	2,011	2	–	8	440	112	116	54	37	27	16	78	26	1,053	787	3	15	620	149
Balance of county	1,916	1	–	11	484	132	124	56	43	25	21	83	33	951	736	9	19	582	126
Ontario	775	2	–	2	175	51	38	16	21	9	10	30	8	410	299	4	11	226	58
Canandaigua	123	–	–	1	29	10	8	1	4	–	2	4	1	62	42	1	3	27	11
Geneva	167	–	–	1	45	14	9	6	6	2	1	7	3	94	70	1	1	49	19
Balance of county	485	2	–	–	101	27	21	9	11	7	7	19	4	254	187	2	7	150	28
Orange	2,260	–	–	21	521	153	121	54	65	21	21	86	52	1,182	946	15	26	798	109
Middletown	276	–	–	–	64	21	13	7	8	2	2	11	7	143	108	4	9	80	15
Newburgh	362	–	–	9	64	23	17	6	4	3	3	8	14	180	145	2	4	121	18
Balance of county	1,642	–	–	12	393	109	91	41	53	16	16	67	31	859	693	9	13	595	76
Orleans	376	–	–	1	69	10	19	4	12	2	5	17	6	203	141	3	5	109	24
Oswego	942	1	–	6	209	61	60	17	16	14	10	31	30	484	349	4	11	276	58
Fulton	142	–	–	1	30	9	9	2	2	2	2	4	7	72	56	–	3	45	8
Oswego	226	–	–	1	47	11	15	4	4	2	–	11	7	126	84	2	1	71	10
Balance of county	574	1	–	4	132	41	36	11	10	10	8	16	16	286	209	2	7	160	40
Otsego	553	–	–	1	120	37	28	15	12	5	5	18	5	290	227	4	4	167	52
Oneonta	126	–	–	–	22	7	2	5	3	1	1	3	1	72	55	1	–	42	12
Balance of county	427	–	–	1	98	30	26	10	9	4	4	15	4	218	172	3	4	125	40
Putnam	503	1	–	1	122	29	42	11	6	7	4	23	9	236	176	2	3	157	14
Rensselaer	1,446	–	–	7	317	105	62	29	29	18	9	65	40	787	619	8	15	526	70
Rensselaer	106	–	–	–	24	7	6	1	3	–	1	6	1	63	49	–	–	44	5
Troy	701	–	–	4	157	54	34	13	14	10	3	29	22	380	295	3	9	252	31
Balance of county	639	–	–	3	136	44	22	15	12	8	5	30	17	344	275	5	6	230	34
Rockland	1,712	1	–	9	431	131	93	40	33	19	19	96	22	828	665	9	9	574	73
Spring Valley	169	–	–	–	41	18	6	5	3	1	–	8	2	79	64	1	1	55	7
Balance of county	1,543	1	–	9	390	113	87	35	30	18	19	88	20	749	601	8	8	519	66
St. Lawrence	1,059	–	–	5	188	59	43	18	22	10	6	31	20	592	447	3	15	378	50
Massena	155	–	–	–	32	7	9	3	5	2	2	4	1	89	66	1	4	57	4
Ogdensburg	152	–	–	1	33	14	10	3	2	1	–	3	3	86	69	1	5	55	8
Balance of county	752	–	–	4	123	38	24	12	15	7	3	24	16	417	312	1	6	267	38
Saratoga	1,086	–	–	3	232	72	57	19	31	9	7	37	20	575	453	9	15	368	61
Saratoga Springs	231	–	–	1	46	20	8	6	7	2	1	2	5	114	87	2	3	70	12
Balance of county	855	–	–	2	186	52	49	13	24	7	6	35	15	461	366	7	12	298	49
Schenectady	1,630	–	–	11	378	117	96	31	40	24	11	59	27	886	718	10	15	629	64
Schenectady	975	–	–	6	219	65	65	15	16	11	7	38	20	532	440	6	13	386	36
Balance of county	655	–	–	5	159	52	31	16	22	13	4	21	7	354	278	4	2	244	28
Schoharie	279	–	–	5	65	18	13	6	11	1	1	15	8	148	113	1	2	95	15
Schuyler	155	1	–	1	24	7	6	3	2	–	1	5	4	82	59	–	2	37	20
Seneca	297	–	–	1	67	17	18	6	8	6	2	10	15	143	100	2	5	71	22
Steuben	950	–	–	8	206	55	55	19	29	8	6	34	18	487	353	7	18	268	60
Corning	163	–	–	2	36	11	8	4	5	2	1	5	3	83	60	2	1	37	10
Hornell	134	–	–	2	32	6	9	2	5	1	3	6	2	70	50	–	4	34	12
Balance of county	653	–	–	4	138	38	38	13	19	5	2	23	13	334	253	5	13	197	38
Suffolk	8,877	7	–	51	2,171	637	555	233	216	93	66	371	184	4,553	3,582	59	114	3,062	347
Babylon	113	–	–	–	25	5	5	3	4	3	–	5	–	67	56	2	2	48	4
Lindenhurst	232	1	–	2	51	19	17	4	–	2	1	8	6	136	111	2	3	99	7
Patchogue	110	–	–	–	20	5	6	–	2	1	–	4	4	58	51	2	–	47	2
Balance of county	8,422	6	–	49	2,075	608	525	226	210	87	65	354	174	4,292	3,364	53	109	2,868	334
Sullivan	712	2	–	5	155	45	35	15	24	7	5	24	6	365	315	2	–	279	34
Tioga	374	–	–	–	78	15	25	8	10	7	3	10	6	186	146	–	3	120	23
Tompkins	539	–	–	3	99	39	15	5	12	5	5	18	11	295	222	1	4	166	51
Ithaca	208	–	–	–	39	12	6	3	8	1	3	6	3	121	96	–	1	75	20
Balance of county	331	–	–	3	60	27	9	2	4	4	2	12	8	174	126	1	3	91	31
Ulster	1,515	2	–	10	336	95	81	20	39	22	12	67	28	814	647	7	16	553	71
Kingston	398	1	–	–	88	20	25	5	9	5	2	22	9	222	172	1	4	149	18
Balance of county	1,117	1	–	10	248	75	56	15	30	17	10	45	19	592	475	6	12	404	53
Warren	602	1	–	3	119	46	31	8	6	11	7	10	10	324	268	1	5	219	49
Glens Falls	236	1	–	–	43	17	13	3	1	3	2	4	6	131	106	1	2	83	20
Balance of county	366	–	–	3	76	29	18	5	5	8	5	6	4	193	162	–	3	136	29
Washington	535	–	–	3	111	43	26	7	11	7	4	13	10	311	260	2	8	200	50
Wayne	719	–	–	4	152	56	35	5	14	9	3	30	14	349	292	4	7	252	29
Newark	104	–	–	–	20	5	3	–	3	3	–	6	1	54	47	–	1	44	2
Balance of county	615	–	–	4	132	51	32	5	11	6	3	24	13	295	245	4	6	208	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
New York City	259	4,092	764	504	2,587	1,225	313	2,061	418	22	444	908	512	4,115	657	1,165	678	1,712	570
Bronx Bor., Bronx Co	33	691	67	92	451	216	44	363	79	5	92	219	89	764	112	229	98	392	110
Brooklyn Bor., Kings Co	102	1,105	171	131	777	313	78	549	137	9	149	329	191	1,144	205	344	129	593	155
Manhattan Bor., New York Co	55	852	381	129	683	311	88	674	88	3	73	131	113	1,116	117	314	245	464	178
Queens Bor., Queens Co	64	1,304	123	134	599	324	90	430	90	4	110	192	113	942	193	256	180	235	119
Richmond Bor., Richmond Co	5	140	22	18	77	61	13	45	24	1	20	37	6	149	30	42	26	28	8
Niagara	17	205	20	27	43	56	7	31	12	–	10	19	7	138	65	45	25	9	9
Lockport	1	28	3	6	5	16	1	3	–	–	–	4	–	22	4	7	4	2	–
Niagara Falls	10	89	5	10	19	22	4	13	7	–	3	10	4	52	16	16	9	3	4
North Tonawanda	2	32	2	5	4	9	1	6	1	–	–	3	1	22	8	9	4	–	1
Balance of county	4	56	10	6	15	9	1	9	4	–	7	2	2	40	37	13	8	4	4
Oneida	14	209	22	30	45	57	10	38	19	–	13	26	8	150	44	48	32	6	5
Rome	2	41	3	4	7	9	3	9	5	–	3	6	1	27	4	8	2	1	–
Utica	7	78	9	5	23	25	2	18	7	–	4	11	2	62	10	27	16	2	1
Balance of county	5	90	10	21	15	23	5	11	7	–	6	9	5	61	30	13	14	3	4
Onondaga	12	359	57	53	89	121	11	66	29	–	25	52	18	287	84	88	26	14	8
Syracuse	9	199	29	29	57	70	7	37	15	–	10	25	8	165	20	42	11	13	2
Balance of county	3	160	28	24	32	51	4	29	14	–	15	27	10	122	64	46	15	1	6
Ontario	5	81	15	10	20	21	1	11	4	–	4	9	3	54	20	20	9	2	–
Canandaigua	1	12	4	3	6	5	–	3	–	–	–	1	–	10	2	1	2	–	–
Geneva	–	21	2	1	2	4	–	1	1	–	–	–	–	12	2	2	–	–	–
Balance of county	4	48	9	6	12	12	1	7	3	–	4	8	3	32	16	17	7	2	–
Orange	11	171	28	28	57	54	10	44	7	–	13	29	18	136	53	39	31	11	2
Middletown	1	25	4	5	6	6	–	4	1	–	3	3	4	16	4	8	2	3	2
Newburgh	–	27	5	3	13	13	2	13	2	–	4	9	3	22	4	6	2	2	–
Balance of county	10	119	17	20	38	35	8	27	4	–	6	17	11	98	45	25	27	6	–
Orleans	1	50	8	3	4	8	1	8	2	–	3	4	4	22	14	15	10	2	–
Oswego	3	103	18	11	18	27	2	25	8	–	7	8	5	54	25	22	8	3	–
Fulton	–	13	2	1	1	5	1	7	1	–	1	2	2	4	3	4	1	–	–
Oswego	1	30	8	3	6	8	–	8	–	–	1	–	1	13	2	2	2	2	–
Balance of county	2	60	8	7	11	14	1	10	7	–	5	6	2	37	20	16	5	1	–
Otsego	3	37	16	7	22	23	2	4	4	–	3	4	1	35	14	17	5	3	–
Oneonta	–	9	7	1	3	7	1	1	2	–	–	2	–	9	1	4	1	–	–
Balance of county	3	28	9	6	19	16	1	3	2	–	3	2	1	26	13	13	4	3	–
Putnam	3	46	2	9	14	19	–	10	5	–	4	6	2	34	14	16	8	2	–
Rensselaer	10	112	26	20	16	36	3	19	6	1	13	18	9	92	25	32	20	2	3
Rensselaer	1	7	3	3	3	2	–	–	–	–	–	–	2	4	2	1	4	–	–
Troy	6	56	14	9	6	17	2	11	4	1	6	6	5	43	6	15	12	1	3
Balance of county	3	49	9	8	7	17	1	8	2	–	7	12	2	45	17	16	4	1	–
Rockland	2	135	12	14	74	37	5	15	16	–	11	21	7	123	41	46	11	12	2
Spring Valley	–	12	–	3	11	3	–	2	–	–	2	4	2	12	1	5	1	3	1
Balance of county	2	123	12	11	63	34	5	13	16	–	9	17	5	111	40	41	10	9	1
St. Lawrence	6	117	9	13	22	49	3	12	10	–	8	12	4	70	28	25	10	–	1
Massena	1	20	1	1	4	5	–	3	2	–	2	3	–	9	2	3	–	–	–
Ogdensburg	1	13	1	2	2	9	1	3	1	–	1	1	–	6	2	1	2	–	–
Balance of county	4	84	7	10	16	35	2	6	7	–	5	8	4	55	24	21	8	–	1
Saratoga	5	87	20	10	29	34	1	12	12	1	4	9	1	80	29	23	17	3	1
Saratoga Springs	1	20	5	1	11	6	–	3	3	–	1	2	–	22	2	9	5	1	–
Balance of county	4	67	15	9	18	28	1	9	9	1	3	7	1	58	27	14	12	2	1
Schenectady	7	111	25	25	44	35	7	28	15	–	6	14	8	108	20	20	17	4	2
Schenectady	4	59	14	15	30	16	3	14	8	–	4	11	6	68	10	13	9	4	2
Balance of county	3	52	11	10	14	19	4	14	7	–	2	3	2	40	10	7	8	–	–
Schoharie	1	27	3	4	7	4	–	2	–	–	1	–	2	15	11	8	1	1	1
Schuyler	1	16	3	3	4	13	–	1	–	–	–	2	–	11	8	2	2	–	–
Seneca	–	33	3	7	13	14	2	5	1	–	3	3	–	16	4	5	5	–	–
Steuben	7	89	13	15	20	41	3	14	6	–	5	6	4	72	30	19	8	2	1
Corning	3	24	4	2	5	5	1	7	1	–	1	–	1	13	2	2	1	–	–
Hornell	–	15	1	4	1	6	–	3	2	–	–	–	1	6	5	2	1	–	1
Balance of county	4	50	8	9	14	30	2	4	3	–	4	6	2	53	23	15	6	2	–
Suffolk	28	772	65	106	168	193	31	162	47	1	82	87	56	513	239	158	108	45	21
Babylon	–	10	–	1	2	1	–	3	1	–	1	1	1	7	3	–	–	1	–
Lindenhurst	–	23	1	1	3	5	2	3	4	–	2	2	1	5	4	2	2	1	–
Patchogue	–	7	–	–	2	5	–	4	1	–	–	2	1	3	2	4	3	1	–
Balance of county	28	732	64	104	161	182	29	152	41	1	79	82	53	498	230	152	103	42	21
Sullivan	–	35	6	9	12	18	4	20	8	–	5	5	–	51	25	25	4	4	–
Tioga	3	26	6	5	12	12	2	5	–	–	1	6	2	27	19	10	4	4	–
Tompkins	1	44	19	9	11	12	2	4	2	1	5	6	2	38	20	15	10	3	–
Ithaca	1	12	8	4	4	3	2	3	–	–	2	2	–	14	6	4	3	2	–
Balance of county	–	32	11	5	7	9	–	1	2	1	3	4	2	24	14	11	7	1	–
Ulster	8	130	13	16	27	51	7	20	11	–	13	15	13	71	44	39	8	3	3
Kingston	4	42	2	2	13	12	4	3	5	–	3	1	1	20	6	8	1	–	1
Balance of county	4	88	11	14	14	39	3	17	6	–	10	14	12	51	38	31	7	3	2
Warren	3	44	2	7	20	17	4	10	3	–	4	8	3	49	11	13	3	–	–
Glens Falls	–	21	1	3	6	7	2	5	–	–	3	4	2	20	4	2	–	–	–
Balance of county	3	23	1	4	14	10	2	5	3	–	1	4	1	29	7	11	3	–	–
Washington	–	34	6	11	7	21	1	7	1	–	4	10	2	22	10	10	3	1	1
Wayne	1	40	10	6	31	28	6	10	5	–	7	9	5	56	18	14	11	–	–
Newark	–	7	–	–	5	4	2	2	1	–	–	1	1	7	3	3	–	–	–
Balance of county	1	33	10	6	26	24	4	8	4	–	7	8	4	49	15	11	11	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-008, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Westchester	7,868	4	1	49	1,895	578	418	211	217	77	78	316	161	4,112	3,228	44	153	2,681	350
Dobbs Ferry	83	–	–	–	21	5	6	2	2	1	–	5	2	37	30	–	1	25	4
Mamaroneck	178	–	–	2	42	16	7	6	4	–	1	8	7	88	73	–	3	69	7
Mount Vernon	692	2	–	3	153	48	31	11	20	5	6	32	16	357	282	5	24	222	31
New Rochelle	693	1	–	4	164	50	40	21	13	7	7	26	4	382	279	2	22	233	22
Ossining	191	–	–	3	37	15	6	9	3	1	1	2	3	104	73	–	3	61	9
Peekskill	241	1	1	–	55	12	16	7	8	5	4	3	8	125	97	–	5	85	7
Port Chester	260	–	–	1	49	13	12	2	9	2	–	12	13	144	106	2	3	86	15
Rye	160	–	–	2	45	16	12	5	3	1	3	5	1	80	61	1	1	50	9
Scarsdale	150	–	–	1	33	10	2	4	8	2	1	6	2	80	69	1	2	61	5
Tarrytown	113	–	–	1	27	6	6	6	–	1	3	5	3	61	48	2	1	38	7
White Plains	531	–	–	8	140	41	29	15	14	9	4	28	15	248	191	1	6	157	27
Yonkers	1,683	–	–	11	441	140	104	46	51	16	19	65	36	1,017	844	13	48	675	110
Balance of county	2,691	–	–	13	688	206	147	77	83	27	29	119	51	1,389	1,075	17	36	925	97
Wyoming	372	2	–	1	81	25	19	7	11	7	3	9	7	193	133	1	4	96	32
Yates	234	–	–	–	45	17	8	6	4	–	2	8	2	121	96	2	4	75	15
North Carolina	46,675	69	8	401	9,101	2,239	2,331	748	1,086	341	374	1,982	800	23,265	17,343	159	817	12,775	3,592
Urban places	15,711	27	2	141	3,190	782	799	275	381	114	135	704	282	7,736	5,596	62	305	4,026	1,203
Balance of area	30,964	42	4	260	5,911	1,457	1,532	473	705	227	239	1,278	518	15,529	11,747	97	512	8,749	2,389
Metropolitan counties	15,873	23	1	145	3,209	791	812	272	366	124	137	707	255	7,712	5,713	73	279	4,063	1,278
Urban places	9,753	15	1	98	2,020	500	507	172	244	76	89	432	166	4,709	3,438	44	199	2,432	769
Balance of area	6,120	8	–	47	1,189	291	305	100	122	48	48	275	89	3,003	2,275	29	80	1,651	515
Nonmetropolitan counties	30,802	46	5	256	5,892	1,448	1,519	476	720	217	237	1,275	545	15,553	11,630	86	538	8,712	2,314
Urban places	5,958	12	1	43	1,170	282	292	103	137	38	46	272	116	3,027	2,158	18	106	1,594	440
Balance of area	24,844	34	4	213	4,722	1,166	1,227	373	583	179	191	1,003	429	12,526	9,472	68	432	7,098	1,874
Alamance	886	3	–	8	164	40	42	22	13	5	9	33	14	458	351	1	9	299	42
Burlington	386	1	–	–	74	21	17	10	7	1	4	14	4	197	149	–	3	127	19
Balance of county	500	2	–	8	90	19	25	12	6	4	5	19	10	261	202	1	6	172	23
Alexander	171	–	–	1	37	7	6	5	4	3	3	9	3	73	52	–	1	42	9
Alleghany	95	–	–	–	23	8	3	3	3	–	–	8	1	43	32	–	1	22	9
Anson	228	–	–	4	35	8	11	4	4	1	–	7	5	126	101	–	3	77	21
Ashe	199	–	–	–	31	5	8	4	7	1	1	5	5	111	93	1	8	67	17
Avery	119	–	–	2	17	4	2	4	1	2	–	4	1	60	51	2	1	37	11
Beaufort	447	–	–	6	88	21	21	6	10	4	6	20	11	224	165	1	11	110	43
Bertie	231	2	–	–	37	12	7	2	4	2	2	8	5	128	107	3	7	68	34
Bladen	270	–	–	4	40	10	11	2	8	–	2	7	5	140	102	–	3	69	30
Brunswick	251	1	–	2	59	15	16	5	5	3	1	14	3	127	95	1	2	66	26
Buncombe	1,548	2	–	14	315	60	87	31	35	20	14	68	24	784	587	11	19	406	151
Asheville	796	–	–	5	170	25	52	19	22	11	8	33	11	410	297	8	13	198	78
Balance of county	752	2	–	9	145	35	35	12	13	9	6	35	13	374	290	3	6	208	73
Burke	492	–	–	3	99	21	27	5	10	6	6	24	8	240	175	2	4	147	22
Hickory, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	129	–	–	1	29	4	9	3	3	2	1	7	3	58	37	–	1	35	1
Balance of county	363	–	–	2	70	17	18	2	7	4	5	17	5	182	138	2	3	112	21
Cabarrus	737	–	–	5	144	39	31	14	12	8	7	33	3	382	282	2	11	218	51
Concord	222	–	–	1	39	10	8	2	3	1	3	12	1	121	86	1	1	70	14
Balance of county	515	–	–	4	105	29	23	12	9	7	4	21	2	261	196	1	10	148	37
Caldwell	458	1	–	3	81	29	23	2	8	5	1	13	17	220	173	4	5	133	31
Lenoir	165	–	–	–	28	14	6	–	5	1	–	2	8	88	71	1	–	56	14
Balance of county	293	1	–	3	53	15	17	2	3	4	1	11	9	134	102	3	5	77	17
Camden	56	–	–	–	14	4	5	–	2	–	–	3	1	27	18	–	1	15	2
Carteret	357	–	–	3	85	18	30	9	9	2	4	13	7	163	145	–	2	91	52
Caswell	167	–	–	1	23	4	4	1	5	–	2	7	2	100	70	1	3	56	10
Catawba	769	–	–	6	148	38	33	15	13	7	13	29	13	405	296	–	10	250	36
Hickory, part	249	–	–	2	52	13	12	6	6	–	4	11	6	120	87	–	1	76	10
Hickory, total	249	–	–	2	52	13	12	6	6	–	4	11	6	120	87	–	1	76	10
Balance of county	520	–	–	4	96	25	21	9	7	7	9	18	7	285	211	–	9	174	26
Chatham	266	–	–	1	50	11	9	2	8	1	3	16	3	154	116	–	7	91	18
Cherokee	172	–	1	–	45	10	11	2	8	2	2	10	4	73	58	1	1	41	15
Chowan	142	–	–	–	35	13	12	2	3	1	–	4	1	67	39	–	–	31	8
Clay	58	–	–	1	10	3	2	–	1	–	–	4	2	28	25	–	–	20	5
Cleveland	689	–	–	5	113	22	22	9	21	4	7	28	7	394	317	3	17	188	109
Shelby	200	–	–	1	29	2	8	5	4	2	1	7	1	117	88	2	6	54	26
Balance of county	489	–	–	4	84	20	14	4	17	2	6	21	6	277	229	1	11	134	89
Columbus	464	1	–	4	86	20	21	9	10	3	3	20	9	236	157	1	–	128	28
Craven	505	1	–	11	109	25	35	7	16	4	3	19	8	226	164	2	12	108	42
New Bern	213	1	–	3	52	11	16	6	6	4	2	7	4	91	63	–	5	45	13
Balance of county	292	–	–	8	57	14	19	1	10	–	1	12	4	135	101	2	7	69	29
Cumberland	1,262	2	–	12	222	63	61	17	23	8	4	46	12	580	430	6	34	322	68
Fayetteville	642	2	–	7	125	34	35	8	12	6	1	29	10	301	219	–	21	169	29
Balance of county	620	–	–	5	97	29	26	9	11	2	3	17	2	279	211	6	13	153	39
Currituck	77	–	–	1	18	5	7	3	1	1	–	1	2	40	32	–	2	26	4
Dare	95	–	–	1	23	8	9	–	1	–	1	4	2	45	41	–	1	27	13
Davidson	839	1	–	5	179	32	54	17	15	6	9	48	7	425	330	2	14	238	76
High Point, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Lexington	200	1	–	1	52	9	16	9	2	1	4	11	1	87	68	–	5	48	17
Thomasville	144	–	–	1	27	4	11	2	3	–	–	7	3	78	53	1	2	35	15
Balance of county	493	–	–	3	100	19	27	6	10	5	5	28	3	261	208	1	7	156	44
Davie	182	1	–	5	38	6	9	4	2	2	6	9	5	92	70	–	1	59	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Westchester	18	666	135	65	162	198	21	191	60	3	45	56	22	496	99	135	94	65	17
Dobbs Ferry	–	4	–	3	5	3	2	1	2	–	1	–	–	3	–	3	3	–	–
Mamaroneck	2	9	4	–	8	5	–	4	2	–	2	1	–	9	3	–	2	3	–
Mount Vernon	3	81	5	6	12	18	2	20	8	–	2	6	1	54	8	17	1	9	3
New Rochelle	2	76	17	8	18	15	1	16	4	1	2	2	1	49	3	8	8	8	2
Ossining	1	25	5	–	1	5	–	4	2	–	2	2	–	14	5	5	4	–	–
Peekskill	1	19	4	4	4	6	–	6	3	–	3	2	2	13	2	4	3	3	–
Port Chester	1	29	6	2	6	7	–	6	2	–	2	1	1	12	7	3	3	1	2
Rye	–	14	3	2	2	2	2	6	2	–	2	1	–	4	5	4	2	–	–
Scarsdale	–	8	2	1	3	6	–	1	1	1	1	2	–	13	2	3	1	–	–
Tarrytown	–	10	3	–	1	2	1	2	1	–	1	1	1	11	–	–	–	–	–
White Plains	1	41	9	6	13	13	4	11	2	1	3	6	1	45	7	7	6	1	–
Yonkers	1	123	36	13	40	30	2	51	19	–	12	15	3	113	17	34	21	17	4
Balance of county	6	247	41	20	49	76	7	53	12	–	12	17	12	156	40	47	40	23	6
Wyoming	–	37	17	6	12	14	–	4	1	–	1	3	1	31	11	4	6	–	–
Yates	1	22	1	1	6	8	2	4	2	–	–	1	1	24	8	6	4	–	–
North Carolina	231	4,689	579	423	1,055	1,090	133	712	444	9	371	676	381	3,671	1,545	1,507	707	662	70
Urban places	102	1,680	198	160	359	352	44	294	147	3	138	233	105	1,327	384	465	197	264	21
Balance of area	129	3,009	381	263	696	738	89	418	297	6	233	443	276	2,344	1,161	1,042	510	398	49
Metropolitan counties	80	1,572	180	167	341	378	44	275	143	4	157	235	105	1,323	487	497	257	259	23
Urban places	59	1,000	109	103	204	224	28	188	92	2	102	145	61	855	225	299	121	182	16
Balance of area	21	572	71	64	137	154	16	87	51	2	55	90	44	468	262	198	136	77	7
Nonmetropolitan counties	151	3,117	399	256	714	712	89	437	301	5	214	441	276	2,348	1,058	1,010	450	403	47
Urban places	43	680	89	57	155	128	16	106	55	1	36	88	44	472	159	166	76	82	5
Balance of area	108	2,437	310	199	559	584	73	331	246	4	178	353	232	1,876	899	844	374	321	42
Alamance	5	86	15	1	18	18	4	11	7	–	5	14	5	75	29	22	14	14	3
Burlington	2	40	6	–	8	8	2	7	5	–	3	9	3	34	9	10	6	5	1
Balance of county	3	46	9	1	10	10	2	4	2	–	2	5	2	41	20	12	8	9	2
Alexander	1	16	2	2	3	5	–	2	4	–	3	2	1	14	11	6	2	2	2
Alleghany	–	11	–	–	4	3	–	1	1	–	–	–	1	8	3	2	5	–	–
Anson	2	21	1	1	7	4	1	4	3	–	–	2	2	15	6	10	1	2	1
Ashe	–	14	2	2	4	6	–	1	2	–	–	3	4	18	4	4	4	2	–
Avery	–	9	–	–	5	8	1	1	1	–	1	–	1	7	6	3	2	2	1
Beaufort	4	46	7	2	14	8	1	5	4	–	4	7	7	34	12	12	4	5	1
Bertie	–	18	1	2	7	–	–	5	1	–	1	5	7	9	11	9	2	1	1
Bladen	2	31	1	4	11	10	–	2	4	–	1	4	3	17	10	7	5	7	–
Brunswick	–	25	4	3	2	9	–	2	1	–	2	1	3	19	7	6	4	2	1
Buncombe	10	147	16	24	49	47	4	25	10	–	12	13	15	121	38	42	18	15	–
Asheville	4	83	10	16	23	20	2	14	6	–	9	8	7	65	12	22	8	6	–
Balance of county	6	64	6	8	26	27	2	11	4	–	3	7	8	56	26	20	10	9	–
Burke	1	52	8	4	17	10	2	7	2	1	3	8	4	45	10	25	5	3	–
Hickory, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Morganton	–	19	1	1	3	5	–	–	1	–	1	3	–	9	2	11	3	–	–
Balance of county	1	33	7	3	14	5	2	7	1	1	2	5	4	36	8	14	2	3	–
Cabarrus	2	89	5	4	16	16	4	8	3	–	2	10	10	74	17	21	11	9	2
Concord	2	30	1	2	6	5	2	2	–	–	–	2	2	25	4	7	3	2	–
Balance of county	–	59	4	2	10	11	2	6	3	–	2	8	8	49	13	14	8	7	2
Caldwell	4	39	1	3	6	12	2	10	3	–	2	7	4	32	24	17	9	8	–
Lenoir	–	13	1	1	3	2	–	6	1	–	–	–	–	12	7	8	2	2	–
Balance of county	4	26	–	2	3	10	2	4	2	–	2	7	4	20	17	9	7	6	–
Camden	–	5	3	1	1	2	1	–	–	–	–	–	1	–	2	6	1	–	–
Carteret	1	12	1	4	14	6	–	5	3	–	–	8	3	22	12	15	5	5	1
Caswell	–	24	4	2	2	3	–	–	2	–	1	3	–	13	6	3	4	4	–
Catawba	2	90	11	4	9	12	5	18	5	–	5	10	8	52	28	28	11	7	1
Hickory, part	1	25	5	2	6	4	1	8	3	–	2	4	–	19	7	9	5	1	–
Hickory, total	1	25	5	2	6	4	1	8	3	–	2	4	–	19	7	9	5	1	–
Balance of county	1	65	6	2	3	8	4	10	2	–	3	6	8	33	21	17	6	6	1
Chatham	3	30	1	4	4	11	–	–	3	–	1	3	3	22	11	5	5	9	1
Cherokee	–	11	4	–	2	7	1	–	–	–	4	2	–	18	5	7	3	–	–
Chowan	3	20	2	3	3	1	2	–	1	–	1	3	7	14	2	4	–	1	–
Clay	–	2	–	1	1	1	–	1	–	–	–	–	–	7	1	3	2	1	–
Cleveland	2	57	10	8	11	17	2	8	1	–	4	10	5	48	18	23	12	10	1
Shelby	–	20	7	2	4	5	–	3	–	–	2	2	1	18	6	5	3	3	–
Balance of county	2	37	3	6	7	12	2	5	1	–	2	8	4	30	12	18	9	7	1
Columbus	3	56	15	5	5	11	1	7	6	–	2	7	5	29	13	26	5	9	2
Craven	4	47	6	5	9	10	4	8	6	–	7	13	6	46	17	10	5	8	1
New Bern	–	24	3	1	6	4	1	5	4	–	1	5	3	23	2	1	3	4	–
Balance of county	4	23	3	4	3	6	3	3	2	–	6	8	3	23	15	9	2	4	1
Cumberland	5	122	15	8	30	22	6	24	9	1	14	43	18	86	71	55	19	35	1
Fayetteville	3	66	8	5	17	10	4	15	2	1	8	15	7	56	20	21	4	16	1
Balance of county	2	56	7	3	13	12	2	9	7	–	6	28	11	30	51	34	15	19	–
Currituck	–	7	1	–	2	4	–	–	1	–	–	–	–	1	4	1	2	1	–
Dare	–	3	–	1	1	2	–	4	1	–	3	–	–	5	3	4	1	–	–
Davidson	2	79	7	7	19	27	–	11	8	–	7	6	5	53	36	22	12	15	1
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Lexington	1	15	1	2	5	9	–	2	2	–	–	1	1	19	12	2	1	3	1
Thomasville	–	19	2	2	6	5	–	2	–	–	1	1	–	9	8	1	2	2	–
Balance of county	1	45	4	3	8	13	–	7	6	–	6	4	3	25	16	19	9	10	–
Davie	–	18	3	1	8	5	1	1	2	–	3	–	–	9	6	3	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Duplin	388	–	–	2	82	21	25	9	9	1	2	15	15	204	144	1	1	119	23
Durham	1,275	1	–	12	258	65	63	22	32	5	7	64	23	630	483	7	13	337	126
Chapel Hill, part	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1
Durham	891	1	–	10	191	47	45	15	25	5	7	47	19	497	377	6	10	262	99
Balance of county	281	–	–	2	67	18	18	7	7	–	–	17	4	132	105	1	3	75	26
Edgecombe	488	4	–	4	101	19	36	10	12	2	4	18	5	257	182	1	14	117	30
Rocky Mount, part	175	3	–	–	46	10	12	6	8	1	1	8	2	93	59	–	3	41	15
Balance of county	313	1	–	4	55	9	24	4	4	1	3	10	3	164	103	1	11	76	15
Forsyth	1,930	1	–	24	390	105	81	33	57	10	28	78	35	936	710	8	35	500	167
Winston-Salem	1,271	–	–	20	264	70	54	20	43	7	20	50	25	587	422	4	24	284	110
Balance of county	659	1	–	4	126	35	27	13	14	3	8	26	10	349	288	4	11	216	57
Franklin	330	–	–	2	50	15	12	4	5	1	1	12	3	181	140	–	12	102	26
Gaston	1,314	3	–	6	253	65	67	17	29	8	7	60	31	673	527	4	21	385	117
Gastonia	508	–	–	–	103	24	31	2	12	5	2	27	13	256	202	1	10	143	48
Balance of county	806	3	–	6	150	41	36	15	17	3	5	33	18	417	325	3	11	242	69
Gates	84	–	–	–	23	5	6	4	3	1	1	3	1	49	32	–	2	20	10
Graham	62	–	–	–	10	2	2	–	2	–	–	4	1	30	22	–	–	14	8
Granville	298	–	1	1	45	13	10	4	5	1	1	11	7	139	114	–	8	74	32
Greene	141	–	–	3	25	7	6	–	6	–	3	3	1	58	48	–	1	34	11
Guilford	2,491	2	–	16	510	117	143	43	54	15	19	119	43	1,253	896	11	36	670	179
Greensboro	1,260	–	–	8	263	62	68	21	27	8	11	66	24	628	456	8	21	327	100
High Point, part	613	1	–	4	122	27	36	9	14	5	4	27	8	317	221	1	7	182	31
High Point, total	615	1	–	4	122	27	36	9	14	5	4	27	8	318	222	1	7	183	31
Balance of county	618	1	–	4	125	28	39	13	13	2	4	28	11	308	219	2	8	161	48
Halifax	588	1	–	7	108	26	27	10	11	4	4	24	20	292	212	–	13	160	39
Roanoke Rapids	164	–	–	2	35	8	9	5	2	2	1	8	4	84	58	–	1	50	7
Balance of county	424	1	–	5	71	18	18	5	9	2	3	16	16	208	154	–	12	110	32
Harnett	525	–	–	5	103	30	28	8	12	2	2	21	7	250	197	1	11	157	28
Haywood	426	–	–	2	87	20	20	5	10	2	3	27	12	225	185	2	4	133	26
Henderson	547	1	–	6	126	34	31	13	19	4	2	23	9	289	199	2	5	165	27
Hertford	201	3	–	2	43	12	15	1	5	–	1	9	3	89	69	–	7	39	23
Hoke	126	–	–	2	23	6	5	1	3	–	1	7	1	55	45	–	7	33	5
Hyde	63	–	–	–	12	1	5	1	–	2	1	2	3	31	18	–	2	12	4
Iredell	679	–	–	4	116	27	19	12	15	9	5	29	11	371	278	3	14	214	47
Statesville	240	–	–	1	42	12	4	6	4	3	3	10	3	132	91	1	4	69	17
Balance of county	439	–	–	3	74	15	15	6	11	6	2	19	8	239	187	2	10	145	30
Jackson	195	–	–	1	39	4	11	6	6	3	1	8	2	100	71	1	2	54	14
Johnston	692	1	–	5	125	31	24	11	14	7	7	31	17	356	298	3	25	211	59
Jones	92	1	–	–	17	1	4	1	2	1	1	7	5	39	29	–	1	18	10
Lee	347	1	–	5	69	19	21	6	7	3	1	12	6	188	144	1	12	115	16
Sanford	144	–	–	2	28	9	6	3	3	1	–	6	4	79	60	1	7	45	6
Balance of county	203	1	–	3	41	10	15	3	4	2	1	6	2	107	84	–	5	69	10
Lenoir	569	1	–	2	95	23	23	9	16	2	4	18	9	303	213	2	3	164	44
Kinston	315	–	–	1	49	10	12	4	10	–	2	11	5	175	113	–	3	87	23
Balance of county	254	1	–	1	46	13	11	5	6	2	2	7	4	128	100	2	–	77	21
Lincoln	305	–	–	2	60	13	16	4	6	2	1	18	3	155	110	1	4	86	19
McDowell	271	–	–	3	52	14	14	7	6	1	2	8	4	135	105	–	5	90	10
Macon	209	1	–	–	52	11	10	6	4	5	3	13	2	93	71	–	2	59	10
Madison	160	–	–	1	29	11	7	2	4	–	1	4	2	88	67	–	1	46	20
Martin	230	1	–	3	41	8	12	5	6	4	–	6	4	109	86	–	8	49	29
Mecklenburg	2,777	7	–	28	577	145	147	57	69	23	30	106	41	1,303	984	14	73	690	207
Charlotte	2,258	7	–	24	468	126	120	42	58	20	21	81	37	1,062	799	13	64	557	165
Balance of county	519	–	–	4	109	19	27	15	11	3	9	25	4	241	185	1	9	133	42
Mitchell	139	–	–	–	26	4	7	5	3	1	2	4	2	75	57	1	1	43	12
Montgomery	236	–	–	1	39	15	8	4	2	3	–	7	4	125	97	–	7	74	16
Moore	502	–	–	4	104	25	27	5	7	3	9	28	5	267	185	1	13	147	24
Nash	608	2	–	8	117	26	40	10	14	3	5	19	8	289	192	3	11	143	35
Rocky Mount, part	238	–	–	5	44	14	12	3	3	–	3	8	4	118	70	–	3	58	14
Rocky Mount, total	413	3	–	5	90	24	24	9	11	1	4	17	6	211	129	–	6	94	29
Balance of county	370	2	–	3	73	12	28	7	11	3	2	10	4	171	122	3	8	90	21
New Hanover	815	1	1	8	155	30	46	12	10	10	6	41	14	424	305	1	6	217	61
Wilmington	493	1	1	5	95	21	26	8	7	3	4	26	8	257	193	1	5	142	45
Balance of county	322	–	–	1	60	9	20	4	3	7	2	15	6	167	112	–	1	75	36
Northampton	236	1	–	1	43	11	9	4	8	2	1	8	4	121	90	–	6	66	18
Onslow	409	–	–	5	89	17	26	3	15	3	4	21	4	175	144	1	2	118	23
Jacksonville	115	–	–	–	24	5	4	2	2	2	2	7	3	50	36	–	1	26	9
Balance of county	294	–	–	5	65	12	22	1	13	1	2	14	1	125	108	1	1	92	14
Orange	419	1	–	5	82	25	20	4	7	2	4	20	3	178	138	1	3	91	43
Chapel Hill, part	130	–	–	3	24	11	3	2	2	–	2	4	–	61	44	–	1	27	16
Chapel Hill, total	133	–	–	3	24	11	3	2	2	–	2	4	–	62	45	–	1	27	17
Balance of county	289	1	–	2	58	14	17	2	5	2	2	16	3	117	94	1	2	64	27
Pamlico	88	–	–	–	21	8	6	2	2	1	–	2	1	50	44	–	2	32	10
Pasquotank	253	–	–	6	59	11	10	6	9	3	2	18	2	111	81	1	10	59	11
Elizabeth City	167	–	–	3	49	9	7	6	7	3	1	16	2	67	50	1	6	34	9
Balance of county	86	–	–	3	10	2	3	–	2	–	1	2	–	44	31	–	4	25	2
Pender	183	–	–	–	36	6	8	1	8	2	1	10	1	99	66	1	2	55	10
Perquimans	101	–	–	2	21	3	7	1	6	–	1	3	1	49	33	–	1	24	8
Person	246	–	–	1	42	10	8	4	10	1	1	8	3	128	89	1	5	51	32
Pitt	669	1	–	9	137	36	41	16	7	–	6	31	11	330	264	3	22	186	53
Greenville	221	1	–	4	43	13	10	5	2	–	3	10	3	103	82	2	9	54	17
Balance of county	448	–	–	5	94	23	31	11	5	–	3	21	8	227	182	1	13	132	36
Polk	182	–	–	–	45	9	5	5	7	3	–	16	3	99	62	–	4	47	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E998)
North Carolina—Con.																			
Duplin	–	58	2	2	2	10	3	7	3	–	–	3	2	29	9	10	2	5	–
Durham	5	118	11	13	23	35	3	16	17	–	16	15	6	116	20	39	14	28	3
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Durham	5	98	8	9	18	29	2	11	13	–	13	12	5	97	11	29	7	23	3
Balance of county	–	20	3	4	5	6	1	5	4	–	2	3	1	19	9	9	7	5	–
Edgecombe	3	81	8	3	15	10	1	5	1	–	5	7	2	31	17	11	2	9	1
Rocky Mount, part	1	31	1	1	6	1	1	3	1	–	2	2	–	7	2	1	–	4	1
Balance of county	2	50	7	2	9	9	–	2	–	–	3	5	2	24	15	10	2	5	–
Forsyth	13	176	16	19	42	49	5	32	13	–	21	20	15	178	50	65	39	13	2
Winston-Salem	10	130	11	14	31	30	3	24	8	–	12	13	14	126	31	48	23	10	2
Balance of county	3	46	7	5	11	19	2	8	5	–	9	7	1	52	19	17	16	3	–
Franklin	2	34	1	4	9	7	–	5	2	–	1	2	2	18	18	12	7	10	1
Gaston	5	118	12	11	26	21	4	24	20	–	7	18	8	71	56	45	19	29	–
Gastonia	3	41	6	4	15	11	3	12	8	–	3	8	2	21	19	19	6	9	–
Balance of county	2	77	6	7	11	10	1	12	12	–	4	10	6	50	37	26	13	20	–
Gates	–	15	–	2	–	1	–	–	1	–	3	–	2	3	–	–	1	–	–
Graham	1	5	1	1	–	2	–	–	1	–	–	–	1	6	3	6	2	–	–
Granville	2	20	–	3	18	8	2	5	5	–	1	2	4	27	9	18	4	3	1
Greene	1	10	1	–	1	2	–	3	3	1	1	–	4	16	14	5	2	2	–
Guilford	12	283	33	29	44	55	8	44	25	3	19	26	7	211	76	73	34	37	5
Greensboro	6	135	18	13	16	33	3	24	13	1	10	14	5	120	30	32	12	20	4
High Point, part	2	80	6	8	15	14	2	11	7	–	5	6	1	45	18	14	8	15	–
High Point, total	2	80	6	8	15	14	2	11	7	–	5	6	2	45	18	14	8	15	–
Balance of county	4	68	9	8	13	8	3	9	5	2	4	6	1	46	28	27	14	2	1
Halifax	3	63	11	3	23	11	–	12	4	1	–	14	6	49	18	15	5	4	–
Roanoke Rapids	2	21	2	1	6	4	–	2	3	–	–	2	1	11	4	4	1	1	–
Balance of county	1	42	9	2	17	7	–	10	1	1	–	12	5	38	14	11	4	3	–
Harnett	1	44	3	5	6	10	2	8	5	–	4	8	7	48	29	14	11	8	–
Haywood	3	45	5	7	9	18	4	5	1	–	4	3	2	26	9	12	6	1	–
Henderson	5	68	8	9	9	18	3	9	2	–	3	2	1	35	11	17	4	1	1
Hertford	1	14	2	3	4	5	2	3	3	–	2	5	4	18	5	5	3	2	–
Hoke	–	8	1	1	2	–	–	2	2	–	1	4	1	10	9	10	2	2	–
Hyde	1	8	2	2	1	2	–	–	1	–	1	–	3	4	2	3	–	–	–
Iredell	3	72	8	10	25	18	1	12	7	–	2	14	1	46	19	14	10	7	1
Statesville	1	28	5	6	7	6	1	7	3	–	1	5	1	14	9	3	3	2	–
Balance of county	2	43	3	4	18	12	–	5	4	–	1	9	–	32	10	11	7	5	1
Jackson	3	20	3	3	8	3	–	4	1	–	3	1	3	14	6	4	4	2	–
Johnston	2	48	6	2	12	17	1	6	7	–	3	4	12	54	28	21	11	9	3
Jones	–	9	1	–	3	2	–	2	–	–	1	3	–	9	1	6	2	1	–
Lee	5	26	4	7	4	11	1	1	5	–	2	5	5	25	9	6	2	4	–
Sanford	2	12	3	2	3	6	–	1	1	–	–	–	2	8	4	4	–	2	–
Balance of county	3	14	1	5	1	5	1	–	4	–	2	5	3	17	5	2	2	2	–
Lenoir	7	75	5	3	13	8	1	9	6	–	4	7	4	54	18	18	10	7	–
Kinston	5	50	4	3	8	3	1	5	3	–	3	5	4	30	5	9	4	5	–
Balance of county	2	25	1	–	5	5	–	4	3	–	1	2	–	24	13	9	6	2	–
Lincoln	–	35	4	6	6	7	3	2	1	–	3	4	4	18	15	11	5	5	–
McDowell	1	28	1	–	10	15	2	3	5	–	2	1	1	10	10	10	5	2	1
Macon	–	19	1	2	10	5	2	3	4	–	1	–	3	20	4	7	2	–	–
Madison	–	18	1	2	9	4	–	–	2	–	–	–	2	10	3	6	2	2	–
Martin	1	15	3	4	7	1	–	2	7	–	1	7	5	23	5	9	2	–	3
Mecklenburg	15	249	28	27	54	71	10	61	28	–	29	61	14	216	76	78	51	65	6
Charlotte	14	202	24	23	44	60	8	53	22	–	22	58	11	171	57	64	35	60	5
Balance of county	1	47	4	4	10	21	2	8	7	–	7	3	3	45	19	14	16	5	1
Mitchell	–	16	–	2	6	6	–	1	2	–	–	2	1	8	4	5	–	–	1
Montgomery	1	28	1	–	7	4	1	2	5	–	–	1	2	24	7	4	2	8	–
Moore	5	54	18	5	8	16	–	9	7	–	3	6	1	31	17	14	3	7	–
Nash	–	90	5	2	6	16	–	8	3	–	4	17	5	51	28	28	13	6	1
Rocky Mount, part	–	45	2	1	4	4	–	3	1	–	–	6	2	28	8	8	1	2	–
Rocky Mount, total	1	76	3	2	10	5	1	6	2	–	2	8	2	35	10	9	1	6	1
Balance of county	–	45	3	1	2	12	–	3	2	–	4	11	3	23	20	20	12	4	1
New Hanover	7	96	10	6	18	15	–	16	5	–	5	11	4	68	20	34	9	8	1
Wilmington	6	52	5	1	10	8	–	11	4	–	3	8	2	46	4	21	2	6	1
Balance of county	1	44	5	5	8	7	–	5	1	–	2	3	2	22	16	13	7	2	–
Northampton	–	24	5	2	6	4	–	2	4	–	–	4	1	26	5	7	2	5	–
Onslow	–	20	8	3	9	5	1	9	4	–	6	18	7	32	19	11	6	8	1
Jacksonville	–	7	5	2	5	3	–	4	–	–	1	3	2	11	2	3	–	4	–
Balance of county	–	13	3	1	4	2	1	5	4	–	5	15	5	21	17	8	6	4	1
Orange	3	26	5	6	13	15	3	7	5	–	8	7	4	44	17	15	6	5	1
Chapel Hill, part	2	10	3	2	1	3	1	3	2	–	4	1	2	11	6	6	1	1	–
Chapel Hill, total	2	10	3	2	1	3	1	3	2	–	5	1	2	11	6	7	1	1	–
Balance of county	1	16	2	4	12	12	2	4	3	–	4	6	2	33	11	9	5	4	1
Pamlico	–	5	1	–	–	1	–	1	2	–	–	1	–	11	7	3	–	–	–
Pasquotank	1	26	1	2	12	4	–	3	3	–	4	7	2	17	4	10	3	5	1
Elizabeth City	1	14	–	2	9	2	–	2	2	–	3	2	2	14	1	3	2	3	1
Balance of county	–	12	1	–	3	2	–	1	1	–	1	5	–	3	3	7	1	2	–
Pender	–	28	2	1	4	7	–	3	1	–	2	1	1	18	8	6	3	2	1
Perquimans	2	11	3	–	2	1	–	2	4	–	–	2	–	11	3	1	–	2	–
Person	1	31	4	3	1	4	–	7	–	1	2	4	2	22	8	10	8	3	–
Pitt	3	49	9	5	17	13	3	9	5	1	13	14	1	50	25	28	13	9	–
Greenville	1	15	3	2	7	3	1	1	–	1	3	6	–	19	4	10	5	7	–
Balance of county	2	34	6	3	10	10	2	8	5	–	10	8	1	31	21	18	8	2	–
Polk	–	28	6	3	7	7	–	2	1	–	2	–	–	10	–	5	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Randolph	636	–	–	3	109	28	23	6	7	7	6	32	9	343	245	4	8	189	44
Asheboro	163	–	–	1	27	9	7	2	1	2	–	6	3	84	52	–	–	43	9
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	473	–	–	2	82	19	16	4	6	5	6	26	6	259	193	4	8	146	35
Richmond	405	–	1	6	72	18	16	5	12	5	2	14	6	195	150	–	9	120	21
Robeson	839	4	–	4	148	43	33	11	22	4	2	33	20	402	274	5	15	222	32
Lumberton	181	1	–	1	35	11	9	2	4	–	–	9	6	90	65	–	4	56	3
Balance of county	658	3	–	3	113	32	24	9	18	4	2	24	14	312	209	5	11	164	29
Rockingham	783	1	–	4	148	38	43	7	23	6	8	23	15	372	282	2	11	179	70
Eden	144	–	–	2	26	8	6	2	5	–	–	5	1	70	52	2	3	31	16
Reidsville	178	1	–	1	38	6	14	3	4	1	1	9	6	92	60	–	3	41	15
Balance of county	441	–	–	1	84	24	23	2	14	5	7	9	8	210	150	–	5	107	36
Rowan	839	–	–	6	161	53	41	9	18	7	4	29	23	444	334	3	14	245	72
Salisbury	279	–	–	5	57	18	10	2	9	2	3	13	6	158	121	1	8	78	34
Balance of county	560	–	–	3	104	35	31	7	9	5	1	16	17	286	213	2	6	167	36
Rutherford	505	–	–	4	88	26	17	6	11	3	4	21	7	270	199	–	4	137	58
Sampson	446	1	–	6	93	22	18	4	13	2	8	26	13	210	173	1	7	125	40
Scotland	275	–	–	1	45	11	9	4	6	3	–	12	12	134	99	1	12	75	11
Stanly	443	–	–	2	81	19	20	6	9	5	2	20	9	238	165	2	7	125	31
Albemarle	144	–	–	1	24	4	6	–	3	1	–	10	3	79	50	–	3	32	15
Balance of county	299	–	–	1	57	15	14	6	6	4	2	10	6	159	115	2	4	93	16
Stokes	253	–	–	5	55	12	17	2	7	2	1	14	2	113	86	1	1	65	19
Surry	529	1	–	6	110	30	29	9	9	2	5	26	5	280	195	2	4	155	34
Swain	99	–	–	2	15	5	2	–	1	1	2	4	2	53	43	1	5	32	5
Transylvania	180	–	–	1	29	6	8	1	5	1	1	7	2	97	76	–	–	59	17
Tyrrell	53	1	–	1	9	4	1	1	3	–	–	–	–	32	23	–	–	16	7
Union	436	1	–	3	70	13	16	4	10	3	2	22	12	214	152	4	3	110	35
Monroe	113	–	–	1	15	3	–	–	5	–	1	6	5	49	30	1	1	20	8
Balance of county	323	1	–	2	55	10	16	4	5	3	1	16	7	165	122	3	2	90	27
Vance	382	–	1	2	84	15	27	6	13	4	4	15	5	188	136	2	12	81	41
Henderson	207	–	–	2	46	6	18	3	7	–	2	10	3	105	69	1	9	36	23
Balance of county	175	–	1	–	38	9	9	3	6	4	2	5	2	83	67	1	3	45	18
Wake	1,811	4	–	19	412	107	100	38	50	16	14	67	31	832	608	3	44	430	131
Raleigh	1,020	3	–	10	256	65	61	26	28	9	10	57	16	455	327	2	32	221	72
Balance of county	791	1	–	9	156	42	39	12	22	7	4	30	15	377	281	1	12	209	59
Warren	161	–	–	–	42	6	18	4	7	1	1	5	4	86	64	–	4	47	13
Washington	135	1	–	1	24	6	7	2	3	2	1	3	2	71	58	–	2	32	24
Watauga	223	–	–	1	37	12	11	3	5	–	–	6	4	107	82	1	–	64	17
Wayne	704	1	–	5	105	26	28	7	12	3	5	24	13	362	258	1	9	199	49
Goldsboro	290	–	–	1	42	10	7	3	6	2	2	12	8	163	113	–	3	85	25
Balance of county	414	1	–	4	63	16	21	4	6	1	3	12	5	199	145	1	6	114	24
Wilkes	440	1	–	3	84	19	21	5	12	2	3	22	3	244	205	–	12	166	27
Wilson	580	3	1	4	101	29	29	7	11	4	2	19	13	264	177	4	4	147	22
Wilson	338	3	1	2	57	17	12	3	7	3	1	14	9	159	104	3	2	85	14
Balance of county	242	–	–	2	44	12	17	4	4	1	1	5	4	105	73	1	2	62	8
Yadkin	222	–	–	1	50	16	9	–	7	2	2	12	5	108	80	2	3	55	20
Yancey	115	–	–	1	28	6	11	2	4	–	1	2	1	56	37	–	–	33	4
North Dakota	5,361	4	–	21	1,164	332	213	108	147	65	51	248	82	2,752	2,076	23	49	1,636	368
Urban places	1,651	–	–	11	366	82	79	44	47	21	13	70	28	818	613	8	9	478	118
Balance of area	3,710	4	–	10	798	240	134	64	100	44	38	178	54	1,934	1,463	15	40	1,158	250
Metropolitan counties	609	–	–	3	150	35	34	24	15	5	8	29	13	314	218	2	4	158	54
Urban places	442	–	–	3	98	23	21	20	9	3	5	17	11	227	154	–	3	110	41
Balance of area	167	–	–	–	52	12	13	4	6	2	3	12	2	87	64	2	1	48	13
Nonmetropolitan counties	4,752	4	–	18	1,014	297	179	84	132	60	43	219	69	2,438	1,858	21	45	1,478	314
Urban places	1,209	–	–	8	268	69	58	24	38	18	8	53	17	591	459	8	6	368	77
Balance of area	3,543	4	–	10	746	228	121	60	94	42	35	166	52	1,847	1,399	13	39	1,110	237
Adams	43	–	–	–	11	4	2	–	2	–	1	2	1	20	12	–	–	12	–
Barnes	150	–	–	–	40	12	3	4	5	4	2	10	2	77	55	2	3	36	15
Benson	100	–	–	2	32	8	4	2	7	4	–	7	4	37	28	–	–	24	4
Billings	7	–	–	–	2	–	–	1	–	–	–	1	–	4	3	–	–	3	–
Bottineau	101	–	–	1	17	5	1	2	1	1	–	7	–	50	43	–	–	39	4
Bowman	38	–	–	–	5	4	–	–	–	–	–	1	1	25	12	–	–	12	–
Burke	48	–	–	–	14	7	2	–	1	1	–	3	1	20	15	–	1	9	5
Burleigh	283	1	–	2	57	14	10	3	9	4	3	14	3	146	107	3	–	86	18
Bismarck	231	–	–	2	45	10	10	2	9	3	1	10	3	118	87	1	–	71	15
Balance of county	52	1	–	–	12	4	–	1	–	1	2	4	–	28	20	2	–	17	1
Cass	609	–	–	3	150	35	34	24	15	5	8	29	13	314	218	2	4	136	54
Fargo	442	–	–	3	98	23	21	20	9	3	5	17	11	227	154	–	3	110	41
Balance of county	167	–	–	–	52	12	13	4	6	2	3	12	2	87	64	2	1	46	13
Cavalier	81	–	–	–	22	3	2	1	1	1	3	11	2	42	33	–	–	28	5
Dickey	111	–	–	1	24	6	4	1	4	3	2	4	1	64	51	–	2	37	12
Divide	54	–	–	–	11	6	1	–	3	1	–	–	–	17	10	–	–	9	1
Dunn	34	–	–	–	6	–	2	–	2	–	–	2	–	15	10	–	–	9	1
Eddy	38	–	–	–	6	3	1	2	–	–	–	–	–	18	14	–	–	12	2
Emmons	52	–	–	–	17	5	4	4	–	1	2	1	1	28	23	–	–	17	6
Foster	52	–	–	–	12	4	2	2	1	1	1	1	1	29	19	–	–	10	9
Golden Valley	34	–	–	–	9	3	1	1	3	–	–	1	–	18	13	–	–	10	3
Grand Forks	387	–	–	4	89	27	16	6	12	5	2	21	2	197	162	2	15	107	38
Grand Forks	253	–	–	2	60	17	14	4	9	4	–	12	1	129	96	2	2	74	18
Balance of county	134	–	–	2	29	10	2	2	3	1	2	9	1	74	66	–	13	33	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Randolph	–	88	3	7	16	14	2	5	5	–	7	3	2	44	34	15	12	12	1
Asheboro	–	31	–	1	5	4	1	1	3	–	1	–	2	15	6	3	1	4	–
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	57	3	6	11	10	1	4	2	–	6	3	–	29	26	12	11	8	1
Richmond	–	36	8	1	4	11	–	9	6	–	2	8	2	40	15	12	4	10	–
Robeson	6	83	32	7	20	11	1	12	11	–	10	17	11	75	44	31	7	10	1
Lumberton	1	17	7	–	4	2	–	4	1	–	1	3	2	15	10	4	1	1	–
Balance of county	5	66	25	7	16	9	1	8	10	–	9	14	9	60	34	27	6	9	1
Rockingham	2	89	12	7	14	22	6	11	11	–	8	9	8	61	24	24	16	8	1
Eden	–	14	2	2	3	2	2	–	1	–	1	1	5	14	5	4	4	3	–
Reidsville	2	23	4	3	4	3	–	4	4	–	–	1	2	11	3	6	–	2	–
Balance of county	–	52	6	2	7	17	4	7	6	–	7	7	1	36	16	14	12	3	1
Rowan	2	85	14	9	24	19	3	10	8	–	6	4	4	62	16	26	13	8	–
Salisbury	–	26	7	4	7	7	–	2	3	–	2	1	1	20	3	4	1	2	–
Balance of county	2	59	7	5	17	12	3	8	5	–	4	3	3	42	13	22	12	6	–
Rutherford	1	65	3	2	11	9	2	4	1	–	3	4	8	43	16	20	6	7	2
Sampson	–	30	3	4	4	8	–	4	3	–	5	13	3	30	17	23	7	2	2
Scotland	3	21	11	–	7	5	–	4	4	–	–	11	5	20	10	14	2	1	–
Stanly	4	58	5	6	8	8	1	5	7	–	2	7	6	33	13	17	4	1	1
Albemarle	1	26	–	2	2	5	1	2	2	–	–	2	2	10	4	6	–	–	1
Balance of county	3	32	5	4	6	3	–	3	5	–	2	5	4	23	9	11	4	1	–
Stokes	–	24	2	1	7	10	–	3	3	–	2	1	3	21	10	12	4	2	–
Surry	2	48	9	6	15	23	–	8	4	–	6	4	2	43	12	14	10	5	1
Swain	–	10	–	–	2	2	1	4	–	–	–	–	1	7	2	3	4	1	–
Transylvania	–	17	4	–	2	5	1	5	1	–	2	1	–	19	7	4	1	3	–
Tyrrell	–	7	2	–	1	1	–	1	–	–	–	1	–	4	1	–	–	1	–
Union	–	47	13	2	10	7	1	3	8	–	5	9	4	43	11	13	15	6	1
Monroe	–	12	5	2	5	3	1	2	3	–	1	2	1	15	2	4	3	1	–
Balance of county	–	35	8	–	5	4	–	1	5	–	4	7	3	28	9	9	12	5	1
Vance	6	40	2	4	10	7	–	8	3	–	4	5	3	36	10	6	7	3	–
Henderson	5	27	1	3	4	4	–	6	1	–	2	3	2	20	2	2	4	1	–
Balance of county	1	13	1	1	6	3	–	2	2	–	2	2	1	16	8	4	3	2	–
Wake	9	174	21	20	38	32	1	34	14	–	16	26	8	160	58	59	32	32	1
Raleigh	7	101	11	9	19	20	1	19	9	–	13	10	4	88	28	34	17	20	–
Balance of county	2	73	10	11	19	12	–	15	5	–	5	16	4	72	32	25	15	12	1
Warren	3	19	–	–	10	2	–	2	5	–	–	1	–	11	7	5	4	2	–
Washington	1	11	1	–	6	2	–	3	2	–	–	3	1	9	2	6	2	–	–
Watauga	1	17	5	2	7	11	–	5	–	–	1	–	–	15	7	14	10	3	1
Wayne	8	82	9	5	15	7	2	12	9	–	4	17	6	59	33	23	11	20	–
Goldsboro	6	36	5	3	5	5	–	4	1	–	2	8	1	18	9	9	8	6	–
Balance of county	2	46	4	2	10	2	2	8	8	–	2	9	5	41	24	14	3	14	–
Wilkes	–	38	1	–	8	7	–	4	4	–	3	9	2	20	18	14	9	7	–
Wilson	7	68	7	5	15	17	1	16	5	–	2	7	7	58	20	18	16	12	1
Wilson	6	41	5	3	9	10	–	9	4	–	2	3	2	33	8	13	8	6	–
Balance of county	1	27	2	2	6	7	1	6	1	–	–	4	5	25	12	5	8	6	1
Yadkin	1	21	3	3	2	7	1	6	2	–	1	–	5	17	9	3	4	1	–
Yancey	1	14	1	3	4	2	2	–	–	–	3	1	–	9	5	3	–	1	1
North Dakota	9	490	102	75	135	124	18	61	45	–	46	80	70	353	140	171	76	13	6
Urban places	6	134	38	27	41	40	4	28	6	–	19	38	17	113	35	46	35	4	2
Balance of area	3	356	64	48	94	84	14	33	39	–	27	42	53	240	105	125	41	9	4
Metropolitan counties	2	67	19	8	10	12	4	12	3	–	6	7	4	34	13	12	10	2	–
Urban places	2	50	13	8	7	10	3	11	2	–	6	7	2	26	10	11	7	1	–
Balance of area	–	17	6	–	3	2	1	1	1	–	–	–	2	8	3	1	3	1	–
Nonmetropolitan counties	7	423	83	67	125	112	14	49	42	–	40	73	66	319	127	159	66	11	6
Urban places	4	84	25	19	34	30	1	17	4	–	13	31	15	87	25	35	28	3	2
Balance of area	3	339	58	48	91	82	13	32	38	–	27	42	51	232	102	124	38	8	4
Adams	–	8	–	–	2	2	–	–	1	–	–	–	3	1	–	2	–	–	–
Barnes	–	14	6	2	2	4	–	1	3	–	1	–	–	11	3	6	–	–	–
Benson	1	7	–	1	2	3	–	2	1	–	3	1	2	8	–	1	–	1	1
Billings	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Bottineau	–	5	2	–	6	5	1	–	1	–	1	–	3	9	1	3	3	–	–
Bowman	–	9	2	2	–	3	–	–	–	–	–	–	–	2	1	1	–	–	–
Burke	–	4	–	1	3	3	–	–	1	–	–	–	–	1	–	5	–	–	–
Burleigh	1	23	7	8	7	3	–	2	–	–	2	7	2	25	9	13	4	–	–
Bismarck	1	17	7	6	7	3	–	2	–	–	2	7	2	22	5	9	4	–	–
Balance of county	–	6	–	2	–	–	–	–	–	–	–	–	–	3	4	4	–	–	–
Cass	2	67	19	8	10	12	4	12	3	–	6	7	4	34	13	12	10	2	–
Fargo	2	50	13	8	7	10	3	11	2	–	6	7	2	26	10	11	7	1	–
Balance of county	–	17	6	–	3	2	1	1	1	–	–	–	2	8	3	1	3	1	–
Cavalier	–	7	1	1	4	2	–	–	–	–	1	–	–	4	1	2	1	–	–
Dickey	–	5	5	3	1	2	–	–	1	–	–	2	1	5	3	4	1	1	–
Divide	–	6	–	1	5	1	–	1	2	–	1	–	10	4	–	1	1	–	–
Dunn	–	5	–	–	–	–	–	2	–	–	–	–	2	4	2	2	–	1	–
Eddy	–	3	–	1	6	–	–	–	–	–	–	–	–	4	1	3	–	–	–
Emmons	–	3	1	1	–	1	–	–	–	–	–	–	1	2	1	1	–	–	–
Foster	–	8	2	–	1	–	–	1	–	–	–	–	–	4	2	2	–	–	–
Golden Valley	–	4	1	–	–	2	–	–	–	–	–	1	1	1	–	2	–	–	–
Grand Forks	2	20	6	7	10	9	1	7	–	–	1	13	6	18	9	13	8	–	–
Grand Forks	2	17	3	5	7	6	–	4	–	–	1	7	5	15	6	10	6	–	–
Balance of county	–	3	3	2	3	3	1	3	–	–	–	6	1	3	3	3	2	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota—Con.																			
Grant	37	–	–	–	11	5	2	–	–	1	–	3	–	14	12	–	–	9	3
Griggs	44	–	–	–	3	–	1	–	1	–	–	1	1	33	24	1	1	10	12
Hettinger	41	1	–	–	8	2	1	1	1	–	1	2	1	24	17	–	–	17	–
Kidder	38	–	–	–	6	–	1	1	2	–	1	1	–	27	20	–	–	20	–
La Moure	79	–	–	1	18	5	6	1	1	1	1	3	3	38	31	–	1	23	7
Logan	48	–	–	–	12	4	3	1	2	–	–	2	–	25	20	–	1	14	5
McHenry	78	–	–	–	11	4	2	–	–	–	1	4	–	46	38	–	–	27	9
McIntosh	53	–	–	1	11	3	3	1	2	–	–	2	–	31	25	–	–	20	5
McKenzie	46	–	–	–	7	1	–	1	2	–	1	2	3	16	10	–	–	8	2
McLean	110	–	–	–	21	6	8	2	1	1	–	3	3	64	50	–	1	47	2
Mercer	65	–	–	–	15	5	2	1	2	2	–	3	–	29	22	–	–	18	4
Morton	165	1	–	–	46	12	17	5	4	4	–	4	5	75	57	–	2	45	10
Mandan	92	–	–	–	28	9	10	2	1	3	–	3	3	42	34	–	–	27	7
Balance of county	73	1	–	–	18	3	7	3	3	1	–	1	2	33	23	–	2	18	3
Mountrail	98	–	–	–	21	6	4	1	2	4	1	3	2	51	35	2	1	27	5
Nelson	87	–	–	1	13	1	2	–	3	2	1	4	–	57	50	–	–	42	5
Oliver	12	–	–	–	–	–	–	–	–	–	–	–	1	8	8	–	–	5	1
Pembina	97	–	–	–	16	9	3	–	2	–	2	–	1	62	41	–	–	34	7
Pierce	52	–	–	–	13	6	1	–	3	–	1	2	–	24	16	1	–	12	3
Ramsey	128	1	–	–	17	5	–	5	–	2	–	5	–	69	60	–	2	52	6
Ransom	95	–	–	–	16	5	–	–	4	–	1	6	–	57	42	–	1	33	8
Renville	37	–	–	–	14	6	1	1	4	–	–	2	–	17	14	–	1	10	3
Richland	179	–	–	–	42	10	10	3	5	1	1	12	1	89	68	–	2	60	6
Rolette	95	–	–	–	15	8	2	1	–	–	2	2	3	41	28	–	–	25	3
Sargent	61	–	–	–	5	2	1	–	1	–	–	1	1	40	27	–	1	22	4
Sheridan	25	–	–	–	4	1	1	1	–	–	–	1	1	13	7	–	–	6	1
Sioux	26	–	–	–	1	–	–	–	1	–	–	–	–	11	11	–	–	7	4
Slope	5	–	–	–	3	1	1	–	–	–	–	1	–	2	2	–	–	2	–
Stark	158	–	–	1	32	4	2	5	6	3	1	11	3	77	55	1	–	51	3
Dickinson	107	–	–	1	19	1	2	4	5	2	–	5	1	50	35	1	–	33	1
Balance of county	51	–	–	–	13	3	–	1	1	1	1	6	2	27	20	–	–	18	2
Steele	31	–	–	–	8	2	4	–	–	–	–	2	–	13	8	–	–	5	3
Stutsman	212	–	–	1	48	12	9	3	8	5	2	9	5	110	90	1	1	77	11
Jamestown	159	–	–	1	37	9	7	3	6	3	2	7	5	84	69	–	1	58	10
Balance of county	53	–	–	–	11	3	2	–	2	2	–	2	–	26	21	1	–	19	1
Towner	50	–	–	–	6	2	–	2	–	–	–	2	2	29	20	1	–	15	4
Traill	112	–	–	–	31	10	7	3	6	1	–	4	–	60	49	–	4	41	4
Walsh	175	–	–	1	37	10	8	3	5	1	–	10	5	92	69	1	–	57	11
Ward	346	–	–	2	80	24	11	10	6	5	7	17	5	152	121	4	4	89	24
Minot	261	–	–	2	57	16	10	8	5	3	5	10	3	121	99	3	3	73	20
Balance of county	85	–	–	–	23	8	1	2	1	2	2	7	2	31	22	1	1	16	4
Wells	83	–	–	–	14	4	3	2	1	1	2	1	3	51	40	1	1	34	4
Williams	173	–	–	–	35	11	8	1	6	–	1	8	1	84	65	1	–	53	11
Williston	106	–	–	–	22	7	5	1	3	–	–	6	1	53	39	1	–	32	6
Balance of county	67	–	–	–	13	4	3	–	3	–	1	2	–	31	26	–	–	21	5
Ohio	94,946	86	9	611	20,228	5,589	5,229	1,901	2,320	933	766	3,490	1,874	49,069	37,810	450	1,510	29,240	8,610
Urban places	57,055	61	8	396	12,289	3,463	3,226	1,136	1,398	565	419	2,080	1,133	29,213	22,519	290	1,032	17,213	3,964
Balance of area	37,891	25	1	215	7,939	2,126	2,003	763	922	368	347	1,410	741	19,856	15,291	160	478	12,027	2,626
Metropolitan counties	71,365	73	7	469	15,553	4,310	4,122	1,462	1,726	693	566	2,674	1,373	38,331	28,150	355	1,239	21,508	5,048
Urban places	49,750	56	7	351	10,832	3,044	2,902	995	1,210	486	364	1,831	975	25,209	19,530	262	944	14,825	3,499
Balance of area	21,615	17	–	118	4,721	1,266	1,220	467	516	207	202	843	398	11,122	8,620	93	295	6,683	1,549
Nonmetropolitan counties	23,581	13	2	142	4,675	1,279	1,107	439	594	240	200	816	501	12,738	9,660	95	271	7,732	1,582
Urban places	7,305	5	1	45	1,457	419	324	143	188	79	55	249	158	4,004	2,989	28	88	2,366	485
Balance of area	16,276	8	1	97	3,218	860	783	296	406	161	145	567	343	8,734	6,671	67	183	5,344	1,077
Adams	207	–	–	2	29	6	5	1	4	3	3	7	2	137	103	1	3	84	15
Allen	990	–	–	7	228	58	79	19	26	8	5	33	22	499	392	4	9	283	96
Lima	554	–	–	3	127	32	41	10	16	6	3	19	15	272	206	–	2	150	54
Balance of county	436	–	–	4	101	26	38	9	10	2	2	14	7	227	186	4	7	133	42
Ashland	397	–	–	1	75	29	11	5	9	4	3	14	9	223	162	2	9	113	38
Ashland	203	–	–	–	36	15	5	2	3	2	2	7	3	119	87	–	5	61	21
Balance of county	194	–	–	1	39	14	6	3	6	2	1	7	6	104	75	2	4	52	17
Ashtabula	910	–	–	2	184	44	39	15	34	7	9	36	29	471	381	9	6	292	74
Ashtabula	239	–	–	–	47	15	6	1	9	1	–	15	7	129	109	1	1	80	27
Conneaut	120	–	–	1	24	10	2	4	3	–	2	3	5	62	48	2	1	36	7
Balance of county	551	–	–	1	113	19	31	10	22	6	7	18	17	280	224	6	4	174	40
Athens	434	–	–	2	100	26	30	11	15	4	7	7	5	233	180	3	2	151	24
Athens	73	–	–	–	16	5	3	2	2	1	2	1	2	42	33	2	1	25	5
Balance of county	361	–	–	2	84	21	27	9	13	3	5	6	3	191	147	1	1	126	19
Auglaize	364	–	–	4	83	21	20	12	5	6	4	15	7	207	158	1	7	125	25
Belmont	948	3	–	8	177	42	41	20	25	8	5	36	16	533	430	1	8	367	54
Martins Ferry	162	–	–	–	27	8	5	3	3	1	–	7	2	98	77	–	3	64	10
Balance of county	786	3	–	8	150	34	36	17	22	7	5	29	14	435	353	1	5	303	44
Brown	299	–	–	1	44	16	7	2	6	2	1	10	3	179	139	–	6	109	24
Butler	1,831	2	–	19	369	122	93	28	35	21	10	60	30	961	745	6	32	578	129
Fairfield	122	–	–	3	27	5	11	3	1	2	1	4	1	54	36	–	2	25	9
Hamilton	626	–	–	6	122	43	27	7	17	5	4	19	12	344	265	1	11	218	35
Middletown	470	–	–	6	100	43	19	7	8	8	4	11	6	233	180	3	11	131	35
Oxford	53	1	–	–	6	–	2	2	–	–	–	2	–	31	25	1	–	17	7
Balance of county	560	1	–	4	114	31	34	9	9	6	1	24	11	299	239	1	8	187	43

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota—Con.																			
Grant	-	2	-	-	2	2	-	-	-	-	-	1	-	3	1	3	-	-	-
Griggs	-	9	-	-	2	-	1	1	1	-	1	-	-	1	-	-	-	-	-
Hettinger	-	4	3	-	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-
Kidder	-	7	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-
La Moure	-	6	-	1	1	4	-	-	-	-	-	1	1	4	7	1	-	-	-
Logan	-	1	2	2	-	-	-	2	2	-	-	-	-	4	1	1	1	-	-
McHenry	-	10	-	-	-	2	-	-	1	-	-	-	1	7	4	6	-	-	-
McIntosh	-	5	1	-	4	1	-	-	1	-	-	-	1	1	-	2	-	-	-
McKenzie	-	5	-	1	-	1	-	2	-	-	1	-	-	2	10	3	-	-	1
McLean	-	11	1	2	2	1	-	-	-	-	-	2	-	9	2	3	3	-	-
Mercer	-	6	-	1	-	2	-	1	1	-	1	3	5	6	-	2	-	-	-
Morton	-	15	1	2	3	4	2	-	1	-	2	1	-	11	6	3	3	1	1
Mandan	-	7	1	-	1	2	-	-	-	-	2	1	-	7	-	2	2	1	1
Balance of county	-	8	-	2	2	2	2	-	1	-	-	-	-	4	6	1	1	-	-
Mountrail	1	13	1	1	2	1	-	1	-	-	1	1	1	4	3	5	5	-	-
Nelson	-	4	2	1	-	2	-	-	1	-	-	-	-	8	1	2	1	1	-
Oliver	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pembina	-	20	1	-	2	3	-	1	4	-	2	-	-	5	-	1	-	-	-
Pierce	-	6	1	1	-	1	-	1	-	-	-	2	4	5	-	-	2	-	-
Ramsey	-	7	2	-	4	4	2	1	-	-	2	2	-	15	-	8	-	1	-
Ransom	-	11	3	1	-	3	-	1	2	-	-	3	-	5	2	5	1	-	-
Renville	-	2	1	-	-	1	-	-	1	-	-	-	-	3	1	-	-	-	-
Richland	-	19	1	1	9	7	2	1	2	-	2	3	-	11	3	6	1	-	-
Rolette	-	10	-	3	3	3	-	-	2	-	1	4	3	7	7	2	2	1	1
Sargent	-	9	2	2	3	1	-	-	-	-	-	1	-	5	3	1	1	-	-
Sheridan	-	5	-	1	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-
Sioux	-	-	-	-	1	-	1	4	-	-	-	1	1	2	1	-	1	2	-
Slope	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stark	-	14	7	1	1	4	1	2	-	-	1	5	2	14	5	4	5	1	-
Dickinson	-	12	3	-	1	4	1	2	-	-	1	3	1	11	4	2	5	1	-
Balance of county	-	2	4	1	-	-	-	-	-	-	-	2	1	3	1	2	-	-	-
Steele	-	5	-	-	1	-	-	-	3	-	-	1	-	4	1	-	-	-	-
Stutsman	-	12	7	1	11	5	-	2	2	-	3	3	-	8	4	7	3	-	-
Jamestown	-	11	4	-	10	4	-	2	1	-	2	3	-	4	1	4	1	-	-
Balance of county	-	1	3	1	1	1	-	-	1	-	1	-	-	4	3	3	2	-	-
Towner	-	5	1	3	2	-	-	-	-	-	1	-	1	3	3	3	-	-	-
Traill	-	9	2	-	3	1	1	2	-	-	-	2	-	10	-	1	1	-	-
Walsh	-	18	3	2	7	1	1	1	3	-	3	-	1	11	5	3	4	-	-
Ward	-	23	2	6	8	11	-	5	3	-	7	7	9	24	7	12	11	1	2
Minot	-	16	2	4	7	7	-	4	3	-	4	6	4	22	4	5	10	1	1
Balance of county	-	7	-	2	1	4	-	1	-	-	3	1	5	2	3	7	1	-	1
Wells	1	8	-	2	-	-	1	1	-	-	1	-	-	4	3	4	1	-	-
Williams	1	9	5	4	2	5	-	3	2	-	1	6	3	13	11	5	2	-	-
Williston	1	4	5	4	1	4	-	3	-	-	1	4	3	6	5	3	-	-	-
Balance of county	-	5	-	-	1	1	-	-	2	-	-	2	-	7	6	2	2	-	-
Ohio	381	9,281	1,587	1,010	1,847	2,516	284	1,261	802	14	685	1,087	1,459	6,207	2,296	2,270	1,372	850	119
Urban places	244	4,889	973	588	1,106	1,521	193	882	499	8	374	678	963	3,868	1,011	1,275	812	685	80
Balance of area	137	3,392	614	422	741	995	91	379	303	6	311	409	496	2,339	1,285	995	560	165	39
Metropolitan counties	289	6,030	1,138	724	1,403	1,875	213	1,036	589	12	527	842	1,153	4,742	1,587	1,664	1,057	759	100
Urban places	212	4,170	812	485	982	1,318	160	802	430	7	336	601	864	3,380	870	1,131	716	650	73
Balance of area	77	1,860	326	239	421	557	53	234	159	5	191	241	289	1,362	717	533	341	109	27
Nonmetropolitan counties	92	2,251	449	286	444	641	71	225	213	2	158	245	306	1,465	709	606	315	91	19
Urban places	32	719	161	103	124	203	33	60	69	1	38	77	99	488	141	144	86	35	7
Balance of area	60	1,532	288	183	320	438	38	145	144	1	120	168	207	977	568	462	219	56	12
Adams	-	30	3	1	6	4	-	1	1	-	-	1	1	5	7	7	3	1	-
Allen	3	81	12	11	13	41	8	7	6	-	7	8	5	58	34	28	12	7	-
Lima	2	49	8	7	10	23	4	3	5	-	4	4	4	32	19	18	6	5	-
Balance of county	1	32	4	4	3	18	4	4	1	-	3	4	1	26	15	10	6	2	-
Ashland	1	51	5	4	4	13	2	6	3	-	3	2	5	24	11	7	6	1	2
Ashland	1	25	3	3	3	7	2	6	-	-	1	2	1	11	4	2	3	1	2
Balance of county	-	26	2	1	1	6	-	-	3	-	2	-	4	13	7	5	3	-	-
Ashtabula	2	64	11	13	14	24	6	13	8	-	9	12	12	60	31	21	9	5	-
Ashtabula	-	16	-	4	3	6	1	6	1	-	1	5	3	15	6	6	1	2	-
Conneaut	-	9	1	4	-	4	-	-	1	-	3	1	2	11	1	2	2	1	-
Balance of county	2	39	10	5	11	14	5	7	6	-	5	6	7	34	24	13	6	2	-
Athens	-	30	19	4	4	11	2	-	2	-	1	5	10	32	16	8	2	-	1
Athens	-	4	4	1	-	-	1	-	1	-	-	-	2	6	2	1	-	-	-
Balance of county	-	26	15	3	4	11	1	-	1	-	1	5	8	26	14	7	2	-	1
Auglaize	1	34	10	4	3	6	-	2	3	-	4	4	-	18	7	8	6	2	-
Belmont	1	80	9	13	24	25	2	7	6	-	4	7	15	66	24	22	4	1	4
Martins Ferry	-	14	2	5	4	2	1	1	2	-	1	3	2	11	4	4	-	-	-
Balance of county	1	66	7	8	20	23	1	6	4	-	3	4	13	55	20	18	4	1	4
Brown	-	30	4	6	9	5	1	4	-	-	1	4	-	23	7	8	6	2	-
Butler	10	143	40	23	44	42	6	23	12	-	23	21	15	117	48	45	29	19	6
Fairfield	1	13	2	2	4	4	-	-	2	-	2	1	1	12	2	7	1	-	1
Hamilton	3	55	12	9	17	19	1	11	4	-	6	8	7	32	12	7	6	9	3
Middletown	3	28	15	7	14	5	3	9	4	-	7	6	3	39	9	11	9	5	1
Oxford	-	5	-	1	1	3	1	-	-	-	-	1	-	3	1	3	1	1	-
Balance of county	3	42	11	4	8	11	1	3	2	-	8	5	4	31	24	17	12	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Carroll	242	–	–	1	42	13	12	4	4	1	2	6	6	130	89	1	12	73	13
Champaign	301	–	–	5	64	18	13	9	10	5	2	7	5	164	121	2	2	96	21
Urbana	119	–	–	3	28	8	6	5	4	2	1	2	2	65	52	2	1	38	11
Balance of county	182	–	–	2	36	10	7	4	6	3	1	5	3	99	69	–	1	58	10
Clark	1,493	1	–	9	291	89	62	30	30	19	11	50	31	822	573	7	22	442	102
Springfield	908	1	–	7	196	63	41	20	23	14	8	27	24	456	337	4	13	261	59
Balance of county	585	–	–	2	95	26	21	10	7	5	3	23	7	366	236	3	9	181	43
Clermont	792	1	–	4	181	52	56	15	16	–	11	31	17	357	275	2	9	212	52
Clinton	296	–	–	2	59	14	13	4	6	–	4	18	7	149	108	–	2	80	26
Wilmington	115	–	–	–	22	5	7	2	–	–	1	7	2	63	43	–	1	29	13
Balance of county	181	–	–	2	37	9	6	2	6	–	3	11	5	86	65	–	1	51	13
Columbiana	1,133	1	–	6	237	64	61	18	30	13	8	43	19	633	485	8	18	423	36
East Liverpool	245	1	–	2	49	15	13	4	6	3	–	8	–	134	104	2	4	96	2
Salem	161	–	–	2	44	11	13	2	9	2	2	5	1	84	57	–	1	46	8
Balance of county	727	–	–	2	144	38	35	12	15	8	6	30	18	415	324	6	13	279	26
Coshocton	419	1	–	4	76	25	15	6	13	6	2	9	14	212	150	3	5	131	11
Coshocton	199	–	–	4	48	14	10	4	8	4	1	7	6	98	67	2	4	56	5
Balance of county	220	1	–	–	28	11	5	2	5	2	1	2	8	114	83	1	1	75	6
Crawford	486	–	–	4	86	23	23	3	10	5	3	19	5	281	194	7	2	152	39
Bucyrus	144	–	–	1	26	3	10	1	4	1	–	7	1	81	58	2	1	45	9
Galion	139	–	–	1	23	8	2	1	2	3	2	5	3	92	66	2	–	48	18
Balance of county	203	–	–	2	37	12	11	1	4	1	1	7	1	108	70	3	1	58	8
Cuyahoga	15,599	13	3	110	3,459	1,050	862	294	360	148	100	625	316	7,816	6,099	94	349	4,638	818
Bay Village	120	–	–	–	32	11	6	6	3	–	–	6	1	58	40	1	1	37	1
Bedford	131	–	–	–	28	9	6	2	3	2	–	6	3	71	56	–	5	45	5
Bedford Heights	112	–	–	1	26	11	9	1	1	–	2	2	4	55	40	–	2	31	7
Berea	145	–	–	1	33	10	8	5	5	1	–	4	2	67	54	1	4	45	3
Broadview Heights	76	–	–	–	22	7	5	2	4	–	1	3	1	40	33	1	2	27	3
Brooklyn	123	1	–	–	28	8	9	4	4	–	1	2	4	67	53	–	3	43	7
Brook Park	125	–	–	–	29	8	16	3	1	–	–	1	2	61	48	2	3	41	2
Cleveland	7,353	8	2	66	1,529	465	418	108	165	64	36	273	151	3,526	2,749	35	209	2,111	394
Cleveland Heights	564	–	–	2	120	32	21	15	15	5	5	27	8	303	218	4	6	174	34
East Cleveland	293	–	–	5	50	19	13	7	4	1	2	4	6	137	101	1	10	77	13
Euclid	659	1	–	3	163	52	45	11	15	6	6	28	9	335	257	2	7	210	36
Fairview Park	203	–	–	1	47	14	9	2	6	1	1	14	4	109	83	1	3	64	15
Garfield Heights	374	1	1	1	83	24	16	9	11	5	2	16	7	224	179	5	12	136	26
Lakewood	680	–	–	2	148	35	34	18	21	8	7	25	12	382	280	7	9	236	28
Lyndhurst	152	–	–	1	32	12	7	3	3	1	2	4	3	80	66	2	2	53	9
Maple Heights	303	–	–	1	75	30	16	8	5	2	1	13	2	156	129	1	7	106	13
Mayfield Heights	277	–	–	1	69	21	15	4	8	2	2	11	7	148	111	2	5	87	17
Middleburg Heights	102	–	–	2	22	5	6	1	2	2	1	5	3	57	45	–	1	34	10
North Olmsted	234	–	–	1	50	12	11	7	3	2	3	12	7	120	93	3	4	75	11
North Royalton	119	–	–	–	29	9	5	3	2	1	–	9	7	61	45	–	2	38	5
Parma	826	–	–	6	222	70	53	20	25	8	5	41	21	417	332	11	12	257	42
Parma Heights	231	–	–	2	59	12	16	9	4	3	2	12	9	118	101	4	7	80	10
Rocky River	240	–	–	–	65	21	11	4	9	3	3	14	6	120	88	1	6	73	8
Seven Hills	86	–	–	–	20	9	2	3	1	–	2	3	1	49	43	–	2	36	5
Shaker Heights	315	–	–	3	91	31	15	12	13	3	2	15	6	144	113	3	4	86	20
Solon	82	–	–	–	19	6	4	–	–	4	–	5	–	47	37	1	1	29	6
South Euclid	232	1	–	4	53	19	8	7	3	5	–	11	3	124	103	1	2	85	15
Strongsville	127	–	–	–	28	4	8	1	4	4	–	5	–	64	48	–	2	41	5
University Heights	118	–	–	–	19	4	4	4	2	1	–	4	1	67	50	2	1	39	5
Warrensville Heights	98	1	–	–	22	6	6	–	5	2	–	3	3	47	42	–	–	33	9
Westlake	157	–	–	–	30	9	6	3	5	–	1	6	4	94	76	1	5	68	2
Balance of county	942	–	–	7	225	65	54	12	28	12	13	44	19	488	388	2	10	327	47
Darke	508	–	–	–	107	26	22	9	17	6	9	18	4	285	216	3	3	164	26
Greenville	184	–	–	–	37	12	7	3	4	4	2	5	–	113	87	2	2	71	12
Balance of county	324	–	–	–	70	14	15	6	13	2	7	13	4	172	129	1	1	113	14
Defiance	320	–	–	–	55	11	15	6	4	4	5	10	8	164	133	–	6	99	26
Defiance	156	–	–	–	24	4	5	4	1	1	4	5	4	93	67	–	4	50	13
Balance of county	164	–	–	–	31	7	10	2	3	3	1	5	4	91	66	–	4	49	13
Delaware	388	–	–	1	93	21	27	7	12	5	5	16	6	192	143	–	2	120	21
Delaware	156	–	–	1	31	7	11	1	5	2	1	4	5	79	55	–	–	45	9
Westerville, part	8	–	–	–	1	–	–	–	1	–	–	–	–	6	6	–	1	5	–
Balance of county	224	–	–	–	61	14	16	6	6	3	4	12	1	107	82	–	1	69	12
Erie	754	1	–	4	145	40	36	11	15	8	8	27	15	337	250	3	12	179	56
Sandusky	382	1	–	2	72	25	15	5	5	5	7	10	11	166	117	1	9	81	26
Balance of county	372	–	–	2	73	15	21	6	10	3	1	17	4	171	133	2	3	98	30
Fairfield	686	1	–	5	159	37	43	15	27	5	5	27	21	341	272	3	4	198	67
Lancaster	349	1	–	3	86	21	20	10	15	4	1	15	10	173	134	1	1	101	31
Balance of county	337	–	–	2	73	16	23	5	12	1	4	12	11	168	138	2	3	97	36
Fayette	279	–	–	1	57	13	15	4	10	2	4	9	5	174	122	–	2	110	10
Washington	157	–	–	–	35	10	7	3	5	2	1	7	4	99	67	–	1	61	5
Balance of county	122	–	–	1	22	3	8	1	5	–	3	2	1	75	55	–	1	49	5
Franklin	6,597	9	2	54	1,495	390	422	139	167	70	46	261	121	3,066	2,345	29	119	1,628	574
Bexley	104	–	–	3	29	6	9	5	4	1	1	3	–	57	40	–	–	30	10
Columbus	4,642	8	1	35	1,059	283	306	88	115	48	35	184	85	2,115	1,610	22	110	1,067	411
Gahanna	75	–	–	–	18	5	6	3	1	–	–	4	2	33	26	–	1	18	7
Grove City	91	–	–	–	19	2	9	1	1	3	1	2	–	45	36	–	–	28	8
Reynoldsburg, part	102	–	–	–	27	7	11	4	2	1	–	2	1	43	35	–	–	27	8
Reynoldsburg, total	106	–	–	–	29	8	12	4	2	1	–	2	1	44	36	–	–	28	8
Upper Arlington	328	–	–	4	61	15	10	6	12	3	3	12	4	165	143	1	2	105	35
Westerville, part	100	–	–	–	25	7	5	5	2	2	–	4	3	41	35	–	–	34	1
Westerville, total	108	–	–	–	26	7	5	5	3	2	–	4	3	47	41	–	1	39	1
Whitehall	131	–	1	2	33	4	12	6	2	1	1	7	2	61	43	1	2	27	13
Worthington	108	–	–	1	24	6	11	3	2	1	–	1	3	53	36	–	1	28	12
Balance of county	915	1	–	9	199	55	43	18	26	10	5	42	21	433	341	5	3	264	66

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Carroll	2	20	5	4	6	11	–	5	1	–	3	3	1	13	12	6	1	1	–
Champaign	–	34	2	7	4	9	2	1	–	–	–	2	3	26	7	6	3	–	–
Urbana	–	10	–	3	3	2	2	–	–	–	–	2	1	7	1	–	3	–	–
Balance of county	–	24	2	4	1	7	–	1	–	–	–	–	2	19	6	6	–	–	–
Clark	8	213	14	14	27	56	6	21	10	1	10	20	8	98	27	29	18	8	–
Springfield	7	93	11	8	21	39	4	12	9	–	5	12	7	66	15	20	10	4	–
Balance of county	1	120	3	6	6	17	2	9	1	1	5	8	1	32	12	9	8	4	–
Clermont	1	65	10	6	32	24	2	12	10	1	9	14	2	44	31	27	14	6	4
Clinton	2	31	6	2	11	10	–	2	2	–	1	2	3	23	7	9	8	–	–
Wilmington	1	14	4	1	5	3	–	1	1	–	1	1	1	12	–	1	2	–	–
Balance of county	1	17	2	1	6	7	–	1	1	–	–	1	2	11	7	8	7	–	–
Columbiana	1	102	25	20	17	29	4	11	17	–	5	12	1	52	35	29	12	12	1
East Liverpool	–	22	3	5	2	9	1	1	5	–	–	4	1	13	7	7	3	6	–
Salem	–	20	5	2	2	3	–	2	3	–	–	2	–	8	5	2	3	–	–
Balance of county	1	60	17	13	13	17	3	8	9	–	5	6	–	31	23	20	6	6	1
Coshocton	3	50	8	3	5	14	1	9	2	–	–	5	3	23	21	20	7	2	–
Coshocton	3	25	2	1	3	3	1	3	–	–	–	2	1	14	5	8	2	1	–
Balance of county	–	25	4	2	2	11	–	6	2	–	–	3	2	9	16	12	5	1	–
Crawford	3	69	12	3	9	10	–	4	6	–	3	4	5	27	15	17	10	–	–
Bucyrus	1	18	4	–	2	4	–	2	2	–	–	1	1	9	8	5	1	–	–
Galion	–	22	1	3	2	1	–	1	3	–	1	–	–	5	3	2	2	–	–
Balance of county	2	29	7	–	5	5	–	1	1	–	2	3	4	13	4	10	7	–	–
Cuyahoga	76	1,223	286	152	297	358	37	316	140	5	94	168	46	1,106	282	420	267	323	21
Bay Village	–	16	1	1	1	7	–	–	–	–	1	–	1	13	–	2	3	1	–
Bedford	1	8	3	3	1	5	–	1	–	–	–	2	–	9	2	5	4	–	–
Bedford Heights	1	9	–	5	1	3	–	3	–	–	1	1	–	8	2	5	–	2	–
Berea	1	5	6	1	2	6	–	2	1	–	1	2	–	7	8	6	6	1	–
Broadview Heights	1	5	–	1	1	1	–	–	1	–	–	–	–	2	4	2	2	–	–
Brooklyn	1	11	2	–	2	3	–	5	1	–	–	2	–	9	–	2	1	–	–
Brook Park	1	8	1	3	3	3	–	4	–	–	–	–	–	11	2	2	3	3	–
Cleveland	37	552	124	64	137	165	16	197	71	3	49	101	24	540	139	227	128	260	14
Cleveland Heights	3	54	22	6	18	13	3	5	5	–	3	5	1	42	6	18	4	8	–
East Cleveland	–	29	5	2	6	4	–	8	4	1	3	4	1	31	4	10	3	13	1
Euclid	5	53	11	9	16	22	2	12	5	–	5	5	1	40	8	18	13	1	–
Fairview Park	1	18	2	5	6	6	2	3	–	–	1	–	–	15	2	1	5	1	–
Garfield Heights	1	34	7	3	4	6	2	4	1	–	3	1	–	19	4	10	2	1	–
Lakewood	8	59	10	5	14	23	2	14	11	–	3	6	1	41	16	14	8	5	–
Lyndhurst	–	11	–	3	2	7	–	1	3	–	1	–	1	11	2	5	2	1	–
Maple Heights	–	22	4	1	4	2	–	11	2	–	–	2	2	16	7	6	10	4	3
Mayfield Heights	1	24	8	4	4	8	–	4	5	–	–	1	1	24	4	3	4	–	–
Middleburg Heights	–	9	2	1	–	–	–	3	–	–	1	1	–	3	4	3	3	–	–
North Olmsted	–	22	5	–	4	3	1	3	2	–	2	4	–	19	7	4	4	3	–
North Royalton	–	7	8	1	2	3	1	1	1	–	1	3	–	5	2	2	–	1	–
Parma	5	61	9	10	21	11	4	11	5	–	6	8	–	44	13	23	12	2	–
Parma Heights	–	11	6	–	5	5	–	2	2	–	1	3	–	17	3	2	3	1	–
Rocky River	2	23	4	3	4	6	1	3	1	–	2	1	–	19	4	4	2	1	1
Seven Hills	–	5	–	1	1	–	–	–	–	–	–	2	1	8	1	2	–	1	–
Shaker Heights	1	23	2	5	7	5	1	2	6	–	–	1	–	19	6	13	8	3	–
Solon	1	6	2	1	2	3	–	–	–	–	–	–	1	4	–	–	6	–	–
South Euclid	1	16	2	2	8	5	–	3	1	–	1	–	1	17	4	6	1	–	–
Strongsville	1	11	1	3	–	2	–	1	–	–	2	2	1	13	7	3	5	1	–
University Heights	–	18	1	–	2	1	–	2	1	–	–	2	–	10	3	2	5	2	1
Warrensville Heights	–	4	–	1	2	2	–	–	2	–	2	4	–	5	1	1	1	5	–
Westlake	2	15	–	1	1	4	–	2	1	–	2	–	–	12	1	1	4	1	–
Balance of county	1	76	18	7	16	24	2	9	8	1	3	5	9	73	16	18	17	1	1
Darke	5	46	11	7	13	9	2	1	6	–	–	3	3	37	24	3	9	2	–
Greenville	1	19	4	2	3	4	1	–	3	–	–	–	–	12	6	–	5	–	–
Balance of county	4	27	7	5	10	5	1	1	3	–	–	3	3	25	18	3	4	2	–
Defiance	3	42	4	2	6	8	2	1	4	–	4	2	2	17	9	12	4	2	–
Defiance	3	20	2	1	4	4	1	–	2	–	–	1	2	10	4	7	–	–	–
Balance of county	–	22	2	1	2	4	1	1	2	–	4	1	–	7	5	5	4	2	–
Delaware	3	32	9	5	7	8	2	4	3	–	4	6	7	24	10	11	10	–	–
Delaware	2	13	5	4	5	2	2	–	1	–	2	1	3	13	1	4	6	–	–
Westerville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	1	19	4	1	2	6	–	4	2	–	2	5	4	10	9	7	4	–	–
Erie	4	51	25	7	12	17	4	15	7	–	6	8	65	51	25	21	12	8	1
Sandusky	2	24	18	5	7	8	3	5	4	–	1	6	40	28	7	7	9	5	1
Balance of county	2	27	7	2	5	11	1	10	3	–	5	2	25	22	18	14	3	3	–
Fairfield	2	42	14	11	8	17	1	2	7	–	4	7	14	53	16	14	12	2	2
Lancaster	2	23	7	7	2	11	1	1	3	–	1	6	5	29	2	8	5	1	1
Balance of county	–	19	7	4	6	6	–	1	4	–	3	1	9	24	14	6	7	1	1
Fayette	2	37	10	3	3	5	2	2	1	–	2	2	–	11	7	5	1	1	–
Washington	–	22	8	2	2	2	–	1	–	–	1	–	–	7	3	2	–	1	–
Balance of county	2	15	2	1	1	3	2	1	1	–	1	2	–	4	4	3	1	–	–
Franklin	26	543	95	57	145	202	18	93	48	1	48	100	400	461	99	111	98	20	6
Bexley	–	11	4	2	2	2	–	1	–	–	–	–	3	5	1	–	1	–	–
Columbus	18	377	71	39	107	152	15	64	34	1	30	76	292	335	69	78	67	14	5
Gahanna	–	7	–	–	2	1	–	2	–	–	–	1	7	4	1	–	2	–	1
Grove City	1	7	–	1	6	2	–	1	–	–	–	1	9	5	–	–	3	–	–
Reynoldsburg, part	–	8	–	–	1	3	–	4	1	–	1	2	10	8	–	–	1	–	–
Reynoldsburg, total	–	8	–	–	1	3	–	4	1	–	1	2	10	9	–	–	1	–	–
Upper Arlington	2	33	5	2	10	9	–	4	4	–	2	–	10	21	6	6	3	–	–
Westerville, part	1	5	–	–	–	4	–	1	1	–	1	–	3	14	3	–	4	–	–
Westerville, total	1	5	–	–	–	4	–	1	1	–	1	–	3	15	3	–	4	–	–
Whitehall	2	14	–	2	1	2	–	2	1	–	3	3	7	6	1	4	2	–	–
Worthington	–	13	2	2	1	4	–	1	–	–	–	2	5	8	3	1	2	–	–
Balance of county	2	68	13	9	15	23	3	13	7	–	11	15	54	55	15	22	13	6	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Fulton	271	–	–	3	61	18	12	9	12	1	1	8	7	147	116	1	6	87	22
Gallia	309	–	–	2	66	16	20	6	5	5	1	13	1	154	125	2	2	102	19
Geauga	449	–	–	1	105	28	22	16	8	4	4	25	4	216	157	1	6	121	29
Greene	770	–	–	7	182	51	49	17	16	8	9	32	18	368	253	4	4	202	43
Fairborn	166	–	–	–	40	9	12	4	4	1	–	10	6	70	52	–	2	46	4
Xenia	229	–	–	1	41	18	9	4	3	1	1	5	2	126	76	2	1	62	11
Balance of county	375	–	–	6	101	24	28	9	9	6	8	17	10	172	125	2	1	94	26
Guernsey	444	–	–	1	77	24	19	8	10	4	1	11	13	257	199	1	4	165	29
Cambridge	180	–	–	–	31	6	13	1	5	1	–	5	4	104	76	–	1	63	12
Balance of county	264	–	–	1	46	18	6	7	5	3	1	6	9	153	123	1	3	102	17
Hamilton	8,526	10	1	67	1,992	539	548	215	251	81	62	298	125	4,432	3,645	37	254	2,726	626
Cheviot	111	1	–	–	27	9	10	1	2	1	2	2	–	66	58	–	5	47	6
Cincinnati	4,840	7	1	46	1,095	296	296	110	149	47	26	171	74	2,503	2,072	28	150	1,530	366
Forest Park	70	–	–	1	14	2	5	3	–	1	1	2	–	30	23	2	–	17	4
North College Hill	126	–	–	–	38	9	10	4	6	3	2	2	1	69	58	–	3	50	5
Norwood	309	–	–	1	68	14	28	6	8	4	–	8	6	172	143	1	9	112	21
Reading	132	–	–	1	30	10	12	2	2	1	1	2	2	69	55	1	4	39	11
Sharonville	56	–	–	2	17	4	6	1	3	–	–	3	2	21	14	–	–	13	1
Balance of county	2,882	2	–	16	705	195	181	88	81	24	30	106	40	1,502	1,222	7	83	920	212
Hancock	540	2	–	6	94	27	24	6	7	3	7	20	18	294	228	2	7	191	28
Findlay	326	1	–	3	53	17	13	3	2	2	3	13	13	180	135	1	4	118	12
Fostoria, part	34	–	–	2	5	1	1	–	1	–	–	2	–	23	18	–	–	15	3
Balance of county	180	1	–	1	36	9	10	3	4	1	4	5	5	91	75	1	3	58	13
Hardin	270	–	–	1	59	17	12	3	8	4	4	11	3	152	107	2	1	82	22
Harrison	189	–	–	3	34	5	9	3	4	–	3	10	6	116	87	–	1	76	10
Henry	255	1	–	–	37	10	6	5	6	–	1	9	4	147	111	1	7	89	14
Highland	373	–	–	2	82	26	24	6	15	2	1	8	1	194	133	–	3	95	35
Hocking	249	–	–	2	54	15	10	4	10	4	3	8	7	121	91	2	3	69	17
Holmes	196	–	–	–	28	7	6	3	5	–	2	5	1	112	91	1	3	56	31
Huron	467	–	–	5	98	27	28	12	6	5	6	14	5	246	173	4	4	132	33
Norwalk	133	–	–	2	31	8	10	4	2	2	1	4	1	66	38	–	2	33	3
Balance of county	334	–	–	3	67	19	18	6	4	3	5	10	4	180	135	4	2	99	30
Jackson	354	–	–	3	65	16	21	3	6	4	7	8	4	197	149	–	2	136	11
Jefferson	974	–	–	4	206	56	59	19	23	11	9	29	15	545	418	7	7	304	100
Steubenville	383	–	–	2	76	22	24	6	5	4	2	13	4	215	164	2	1	119	48
Balance of county	591	–	–	2	130	34	35	13	18	7	7	16	11	330	254	5	6	191	52
Knox	437	1	–	1	89	21	25	11	11	5	–	16	11	231	154	–	1	130	23
Mount Vernon	179	–	–	–	34	7	10	3	5	2	–	7	6	98	61	–	1	46	12
Balance of county	258	1	–	1	55	14	15	8	6	3	–	9	5	133	93	–	–	82	11
Lake	1,458	–	–	7	337	78	89	47	26	18	16	63	24	701	540	6	20	437	77
Eastlake	147	–	–	–	26	6	9	4	–	1	–	6	5	81	62	1	3	50	8
Mentor	233	–	–	–	52	13	14	6	1	2	3	13	4	105	82	–	5	67	10
Painesville	160	–	–	2	35	9	12	4	2	3	2	3	2	75	61	–	2	51	8
Wickliffe	126	–	–	1	32	11	4	7	3	–	–	7	3	67	51	1	1	38	11
Willoughby	149	–	–	1	38	9	7	7	6	1	5	9	3	68	48	2	2	37	7
Willowick	138	–	–	–	37	10	6	7	2	3	1	8	1	77	58	–	2	47	9
Balance of county	505	–	–	3	117	20	37	12	12	8	5	23	6	228	178	2	5	147	24
Lawrence	602	1	–	5	124	29	37	14	13	7	6	18	11	340	278	5	9	187	77
Ironton	195	1	–	2	39	14	8	7	3	2	1	4	5	110	101	3	4	69	31
Balance of county	407	–	–	3	85	15	29	7	10	5	5	14	6	230	177	2	5	124	46
Licking	1,050	–	1	7	230	62	60	16	34	11	9	38	22	547	411	4	18	349	40
Newark	528	–	1	4	107	29	28	7	14	4	5	20	13	280	204	1	12	173	18
Reynoldsburg, part	4	–	–	–	2	1	1	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	518	–	–	3	121	32	31	9	20	7	4	18	9	266	206	3	6	175	22
Logan	401	–	–	5	77	23	12	9	9	5	–	19	6	200	153	2	4	117	30
Bellefontaine	128	–	–	2	16	7	1	2	2	2	–	2	4	69	51	1	1	41	8
Balance of county	273	–	–	3	61	16	11	7	7	3	–	17	2	131	102	1	3	76	22
Lorain	1,919	–	–	8	440	117	127	45	55	14	14	68	42	864	686	11	28	564	83
Avon Lake	82	–	–	–	17	4	7	1	1	1	–	3	1	37	29	–	2	23	4
Elyria	459	–	–	2	96	23	33	11	16	3	1	9	5	217	167	2	5	146	14
Lorain	607	–	–	1	139	34	38	9	17	5	5	31	21	267	212	3	7	177	25
North Ridgeville	94	–	–	–	28	5	11	4	1	–	3	4	1	39	32	–	3	23	6
Balance of county	677	–	–	5	160	51	38	20	20	5	5	21	14	304	246	6	11	195	34
Lucas	4,622	2	–	27	994	244	288	74	106	54	45	173	86	2,421	1,820	20	59	1,450	291
Maumee	126	–	–	1	34	8	11	5	4	–	–	6	–	78	59	1	2	44	12
Oregon	149	–	–	–	31	8	8	3	4	2	1	5	1	82	65	–	2	55	8
Sylvania	107	–	–	–	24	5	4	2	3	1	2	7	–	44	33	2	–	25	6
Toledo	3,754	2	–	24	802	202	250	57	83	41	35	134	74	1,961	1,472	14	49	1,171	298
Balance of county	488	–	–	2	103	21	25	7	12	10	7	21	11	256	191	3	6	156	27
Madison	243	–	–	2	51	22	10	2	6	3	2	6	5	126	89	–	1	75	13
Mahoning	2,962	5	–	17	622	203	150	45	64	31	33	96	69	1,626	1,201	24	39	938	205
Alliance, part	4	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	2	–
Campbell	124	1	–	–	28	9	7	1	3	1	4	3	5	69	56	2	2	42	10
Struthers	130	–	–	3	26	10	6	2	1	–	–	7	–	78	64	–	–	54	10
Youngstown, part	1,519	3	–	8	323	103	81	22	31	16	18	52	35	823	587	10	23	451	109
Youngstown, total	1,521	3	–	8	323	103	81	22	31	16	18	52	35	823	587	10	23	451	109
Balance of county	1,185	1	–	6	245	81	56	20	29	14	11	34	29	653	492	12	14	384	82
Marion	552	1	–	3	121	35	28	12	18	4	4	22	13	286	205	1	7	166	31
Marion	361	1	–	3	76	23	14	8	11	3	2	15	6	191	137	1	5	112	19
Balance of county	191	–	–	–	45	12	12	4	7	1	2	7	7	95	68	–	2	54	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Fulton	1	20	5	5	4	5	–	–	2	–	5	1	1	12	11	7	3	1	1
Gallia	2	22	2	3	9	15	–	4	3	–	–	3	2	13	12	18	5	2	–
Geauga	–	49	5	5	7	13	1	2	1	–	9	5	3	40	20	8	9	5	–
Greene	3	80	19	13	14	24	2	9	2	–	10	11	6	41	36	22	14	4	–
Fairborn	–	10	6	2	2	6	–	3	1	–	5	1	2	10	4	9	5	2	–
Xenia	1	40	5	4	5	7	–	3	1	–	–	6	3	13	12	4	4	1	–
Balance of county	2	30	8	7	7	11	2	3	–	–	5	4	1	18	20	9	5	1	–
Guernsey	1	49	4	4	9	12	2	1	4	–	3	4	3	32	10	11	4	1	–
Cambridge	–	22	3	3	5	6	1	–	2	–	2	–	2	15	2	3	2	1	–
Balance of county	1	27	1	1	4	6	1	1	2	–	1	4	1	17	8	8	2	–	–
Hamilton	25	575	101	86	193	195	27	97	82	1	58	67	22	622	132	199	114	73	17
Cheviot	–	5	2	1	2	4	–	–	3	–	–	–	–	5	1	1	1	–	–
Cincinnati	12	326	51	42	109	109	16	61	50	1	29	44	14	377	70	109	55	58	12
Forest Park	1	2	2	2	–	2	–	2	1	–	1	3	–	6	3	2	3	1	1
North College Hill	–	8	–	3	2	4	–	–	2	–	–	–	–	10	–	1	1	–	–
Norwood	1	16	10	2	11	8	2	2	–	–	4	–	–	19	4	6	3	2	1
Reading	–	11	1	2	2	5	–	2	1	–	1	–	–	12	3	1	2	1	–
Sharonville	1	5	–	1	–	1	–	1	–	–	2	1	–	4	–	1	3	1	–
Balance of county	10	202	35	33	67	62	9	29	25	–	21	19	8	189	51	78	46	10	3
Hancock	4	47	12	3	13	19	2	3	6	–	2	4	–	29	16	17	10	5	–
Findlay	3	30	9	3	4	13	2	3	3	–	2	3	–	20	4	10	7	5	–
Fostoria, part	–	4	1	–	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Balance of county	1	13	2	–	8	5	–	–	3	–	–	1	–	9	12	6	2	–	–
Hardin	–	35	8	2	4	7	1	2	3	–	7	4	1	16	3	5	2	–	–
Harrison	1	24	3	1	1	4	–	1	2	–	1	4	–	7	2	4	3	1	–
Henry	1	30	4	1	3	9	1	5	3	–	1	3	3	10	16	6	4	1	1
Highland	3	47	9	2	8	14	3	2	2	–	1	2	7	22	10	10	10	2	1
Hocking	1	20	5	4	2	9	–	7	1	–	2	2	13	13	3	7	4	2	–
Holmes	–	18	3	–	4	5	–	2	4	–	3	5	1	17	8	3	3	–	–
Huron	2	57	9	5	14	11	–	8	4	–	3	9	9	20	14	13	5	2	1
Norwalk	1	20	5	2	4	7	–	1	–	–	1	3	3	7	4	1	1	1	–
Balance of county	1	37	4	3	10	4	–	7	4	–	2	6	6	13	10	12	4	1	1
Jackson	1	40	5	2	7	14	3	4	–	–	2	6	1	25	10	11	1	1	–
Jefferson	4	100	9	14	15	33	5	12	9	–	2	6	4	62	18	21	7	6	4
Steubenville	1	41	2	7	6	17	4	6	1	–	1	2	–	28	6	6	3	4	2
Balance of county	3	59	7	7	9	16	1	6	8	–	1	4	4	34	12	15	4	2	2
Knox	–	61	6	10	13	10	–	1	5	–	4	5	6	34	3	14	8	1	–
Mount Vernon	–	26	3	6	6	2	–	–	4	–	2	2	2	13	1	6	3	–	–
Balance of county	–	35	3	2	7	8	–	1	1	–	2	3	4	21	2	8	5	1	–
Lake	4	123	21	13	29	46	4	28	17	–	12	17	13	106	41	41	27	8	–
Eastlake	–	12	4	3	4	5	1	3	1	–	–	3	3	5	4	2	2	2	–
Mentor	1	19	3	–	5	6	–	6	3	–	2	6	3	15	11	7	7	1	–
Painesville	–	13	1	–	5	10	–	2	3	–	3	1	3	9	4	2	4	–	–
Wickliffe	–	10	4	2	2	2	1	4	–	–	2	2	–	5	1	3	1	–	–
Willoughby	2	14	3	1	1	3	–	2	2	–	2	1	1	17	1	5	2	2	–
Willowick	1	16	–	2	2	2	1	1	1	–	1	–	1	7	1	2	4	–	–
Balance of county	–	39	6	5	10	18	1	10	7	–	2	4	2	48	19	20	7	3	–
Lawrence	1	47	8	6	8	18	1	7	6	–	3	6	7	39	8	12	6	2	–
Ironton	–	7	2	–	2	8	–	2	–	–	–	2	4	14	1	4	1	–	–
Balance of county	1	40	6	6	6	8	1	5	6	–	3	4	3	25	7	8	5	2	–
Licking	3	91	24	18	26	30	5	9	15	–	7	8	8	72	17	29	14	1	2
Newark	2	48	14	11	12	17	4	6	10	–	4	1	4	39	5	12	9	–	–
Reynoldsburg, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	1	42	10	7	14	13	1	3	5	–	3	7	4	32	12	17	5	1	2
Logan	1	32	5	9	7	13	3	5	7	1	5	3	4	30	17	11	6	1	–
Bellefontaine	–	15	1	2	4	4	2	1	4	1	2	–	1	9	2	3	3	1	–
Balance of county	1	17	4	7	3	9	1	4	3	–	3	3	3	21	15	8	3	–	–
Lorain	10	135	14	19	36	41	10	25	25	1	18	42	63	120	61	67	32	18	6
Avon Lake	–	5	1	2	2	3	–	–	1	–	1	2	5	7	2	3	1	–	–
Elyria	1	39	3	7	11	6	2	6	9	–	3	12	15	30	14	16	9	4	2
Lorain	3	42	3	7	6	11	5	12	6	–	7	12	24	40	13	18	10	11	4
North Ridgeville	–	5	–	2	2	1	–	1	2	1	–	1	2	4	7	2	2	1	–
Balance of county	6	44	7	1	15	20	3	6	7	–	7	15	17	39	25	28	10	2	–
Lucas	29	458	72	42	73	155	15	77	40	–	31	47	29	287	114	101	66	51	6
Maumee	–	15	4	–	1	3	–	1	–	–	–	–	–	3	1	2	2	–	–
Oregon	1	13	1	2	3	3	–	2	1	–	1	1	–	8	4	6	4	2	–
Sylvania	–	9	1	1	7	9	–	3	2	–	2	–	–	5	7	4	–	–	–
Toledo	23	369	62	35	53	126	15	68	32	–	25	43	28	248	79	77	49	45	3
Balance of county	5	52	4	4	9	14	–	3	5	–	3	3	1	23	23	12	11	4	3
Madison	–	28	7	2	7	10	1	–	2	–	2	3	6	14	5	4	5	–	–
Mahoning	13	308	75	29	50	57	6	44	15	–	20	37	16	185	48	62	45	35	3
Alliance, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Campbell	–	11	2	–	1	–	–	4	1	–	1	–	–	6	1	2	2	3	–
Struthers	2	6	2	4	2	–	1	2	1	–	–	1	–	7	1	4	1	2	1
Youngstown, part	5	175	43	13	22	35	1	23	7	–	11	27	10	88	19	27	19	27	1
Youngstown, total	5	175	43	13	22	35	1	23	7	–	11	27	10	88	19	27	20	28	1
Balance of county	6	115	28	12	25	22	4	15	6	–	8	9	6	73	27	29	23	3	1
Marion	4	57	13	7	7	22	–	6	5	–	1	8	1	43	13	10	7	3	2
Marion	2	42	6	4	5	15	–	4	4	–	–	5	1	28	10	4	3	3	2
Balance of county	2	15	7	3	2	7	–	2	1	–	1	3	–	15	3	6	4	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Ohio—Con.																			
Medina	619	1	–	2	125	35	27	11	12	3	10	27	24	300	235	3	14	150	6
Brunswick	91	–	–	–	19	2	5	1	2	–	2	7	3	37	30	2	3	20	
Medina	117	–	–	1	25	8	4	3	2	–	3	5	4	83	46	1	1	37	
Wadsworth	131	1	–	1	30	12	4	3	1	2	2	6	7	66	55	–	3	28	2
Balance of county	280	–	–	–	51	13	14	4	7	1	3	9	10	134	104	–	7	55	3
Meigs	258	–	–	2	57	13	19	6	3	3	1	12	4	127	95	–	–	84	1
Mercer	350	–	–	–	77	23	18	8	10	3	–	15	3	166	109	2	7	89	1
Miami	741	2	–	2	159	45	45	9	11	6	13	30	20	381	285	5	4	213	6
Piqua	197	–	–	–	41	8	16	3	2	1	3	8	11	100	77	2	1	61	1
Troy	197	1	–	–	39	13	11	1	1	3	2	8	5	108	82	–	1	57	2
Balance of county	347	1	–	2	79	24	18	5	8	2	8	14	4	173	126	3	2	95	2
Monroe	182	–	–	–	42	11	7	4	4	6	3	7	1	92	74	–	3	64	
Montgomery	4,534	5	1	33	944	246	263	102	95	29	32	177	72	2,277	1,772	15	64	1,195	49
Centerville	79	1	–	–	22	9	8	–	2	–	1	2	3	30	22	–	–	20	
Dayton	2,161	3	–	19	490	122	120	48	44	10	11	75	35	1,104	853	8	33	550	26
Kettering	443	–	1	3	103	28	31	18	5	6	4	13	7	222	178	1	4	127	4
Miamisburg	99	–	–	1	18	6	5	–	2	1	–	4	–	50	39	–	3	24	1
Oakwood	96	–	–	–	27	5	7	6	3	1	–	5	–	57	43	–	6	23	1
Vandalia	57	–	–	–	11	5	3	–	2	–	–	1	–	30	25	2	–	16	
West Carrollton	66	–	–	–	16	4	5	–	2	–	2	3	1	29	24	–	–	18	
Balance of county	1,533	1	–	10	317	67	84	32	35	11	14	74	26	755	588	4	18	417	14
Morgan	161	1	–	–	22	5	7	1	5	2	–	2	3	96	78	1	1	65	1
Morrow	215	–	–	1	37	9	10	4	7	4	1	2	12	110	81	–	4	67	1
Muskingum	842	–	–	6	184	49	52	18	23	8	2	32	18	467	367	4	3	278	6
Zanesville	444	–	–	2	78	22	27	10	9	2	–	8	8	256	199	1	1	149	4
Balance of county	398	–	–	4	106	27	25	8	14	6	2	24	10	211	168	3	2	129	3
Noble	108	–	–	–	21	6	6	1	3	–	2	3	–	64	52	1	3	43	
Ottawa	369	–	–	1	67	19	12	9	8	5	1	13	7	203	143	–	3	114	2
Paulding	159	1	–	2	25	5	13	1	2	1	–	3	4	78	59	–	3	41	1
Perry	295	–	–	2	55	21	10	2	6	2	4	10	7	157	124	1	7	96	2
Pickaway	323	1	–	2	67	15	27	2	5	1	2	15	5	156	113	1	5	87	2
Circleville	110	–	–	2	26	5	13	1	1	–	–	6	2	61	41	–	1	31	
Balance of county	213	1	–	–	41	10	14	1	4	1	2	9	3	95	72	1	4	56	1
Pike	218	–	–	1	37	7	9	2	5	2	3	9	5	122	106	1	3	91	1
Portage	794	–	–	5	152	46	39	10	24	5	4	24	9	446	358	5	6	297	5
Kent	132	–	–	1	24	10	5	3	3	1	2	–	2	85	64	–	2	51	1
Ravenna	119	–	–	1	23	9	5	–	4	–	–	5	1	75	68	1	1	59	
Balance of county	543	–	–	3	105	27	29	7	17	4	2	19	6	286	228	4	3	187	3
Preble	335	–	–	–	64	16	13	8	7	2	3	15	6	173	128	1	2	104	2
Putnam	256	–	–	–	60	21	11	7	6	3	2	10	7	124	89	–	2	69	1
Richland	1,099	2	–	9	213	62	47	20	28	15	10	31	30	582	432	8	9	359	5
Mansfield	641	2	–	7	136	40	29	13	15	11	7	21	25	325	244	2	4	214	2
Balance of county	458	–	–	2	77	22	18	7	13	4	3	10	5	257	188	4	5	145	3
Ross	562	–	–	3	112	30	27	10	14	8	6	17	16	310	235	2	6	200	2
Chillicothe	281	–	–	2	58	17	8	6	10	3	4	10	6	162	116	2	4	96	1
Balance of county	281	–	–	1	54	13	19	4	4	5	2	7	10	148	119	–	2	104	1
Sandusky	548	–	–	3	105	26	24	12	18	4	7	14	22	309	261	–	6	225	3
Fremont	198	–	–	–	37	10	5	5	8	3	2	4	6	113	101	–	2	85	1
Balance of county	350	–	–	3	68	16	19	7	10	1	5	10	16	196	160	–	4	140	1
Scioto	920	1	–	2	161	38	42	21	15	9	6	30	31	517	410	3	8	324	7
Portsmouth	419	–	–	–	84	24	21	11	9	3	4	12	12	224	170	1	1	139	2
Balance of county	501	1	–	2	77	14	21	10	6	6	2	18	19	293	240	2	7	185	4
Seneca	527	–	–	4	106	26	21	11	10	9	8	21	7	304	235	1	7	188	3
Fostoria, part	121	–	–	2	25	5	4	3	3	3	–	7	1	64	47	–	1	37	
Fostoria, total	166	–	–	4	33	7	5	3	5	4	–	9	2	93	69	–	2	55	1
Tiffin	183	–	–	2	36	8	9	2	4	4	5	4	4	110	87	–	3	69	1
Balance of county	223	–	–	–	45	13	8	6	3	2	3	10	2	130	101	1	3	82	1
Shelby	320	–	–	2	62	17	10	10	11	4	1	9	3	185	141	2	1	114	2
Sidney	158	–	–	–	38	12	5	7	6	3	–	5	2	86	70	1	1	57	1
Balance of county	162	–	–	2	24	5	5	3	5	1	1	4	1	97	71	1	–	57	1
Stark	3,397	5	–	13	752	215	195	69	82	34	30	127	85	1,799	1,423	24	56	1,109	22
Alliance, part	269	2	–	2	57	15	13	4	6	4	1	14	2	151	118	1	2	96	1
Alliance, total	273	2	–	2	57	15	13	4	6	4	1	14	2	154	120	1	2	100	1
Canton	1,169	2	–	6	245	66	55	29	31	13	10	41	33	627	494	8	23	399	6
Massillon	366	1	–	–	79	22	23	4	13	3	5	9	5	204	166	3	8	121	3
North Canton	114	–	–	–	28	9	6	1	5	1	1	5	1	72	55	–	2	44	
Balance of county	1,479	–	–	5	343	103	98	31	27	13	13	58	44	745	590	12	31	447	10
Summit	4,717	5	–	33	970	243	257	96	115	46	35	178	97	2,381	1,802	23	47	1,367	36
Akron	2,685	2	–	23	535	136	141	44	72	21	21	100	60	1,334	995	10	25	754	20
Barberton	293	1	–	2	72	19	16	9	5	4	4	15	4	156	123	1	5	87	3
Cuyahoga Falls	390	–	–	3	79	16	20	8	14	7	3	11	7	209	162	8	5	117	3
Norton	76	–	–	–	18	3	6	5	1	–	1	2	–	35	29	1	1	19	
Stow	98	–	–	–	22	3	5	2	6	2	1	3	2	44	37	1	1	30	
Tallmadge	100	–	–	1	11	2	6	1	–	1	1	–	3	61	44	–	3	31	1
Balance of county	1,075	2	–	4	233	64	63	27	17	11	4	47	21	542	412	2	7	329	7
Trumbull	2,040	3	–	9	441	124	96	53	50	21	19	78	31	1,103	873	11	15	667	18
Girard	138	–	–	1	36	7	11	4	3	2	1	8	3	71	50	–	3	41	
Niles	202	–	–	1	50	15	13	9	3	2	3	5	3	103	83	2	2	62	1
Warren	674	1	–	1	132	37	25	15	21	7	5	22	11	372	294	7	3	206	7
Youngstown, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of county	1,024	2	–	6	223	65	47	25	23	10	10	43	14	557	446	2	7	358	7
Tuscarawas	778	1	1	8	137	35	30	18	16	7	4	27	23	427	330	–	10	271	4
Dover	123	–	–	–	14	5	3	2	2	–	–	2	3	76	58	–	1	44	1
New Philadelphia	144	–	–	–	28	7	5	4	3	2	–	7	5	80	64	–	5	49	1
Balance of county	511	1	1	6	95	23	22	12	11	5	4	18	15	271	208	–	4	178	2
Union	244	–	–	2	51	22	6	3	6	2	3	9	5	126	91	–	2	73	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Medina	2	47	8	8	15	11	3	7	4	-	10	7	14	41	28	12	10	-	5
Brunswick	-	6	1	-	4	3	1	3	-	-	2	3	1	9	4	2	-	-	-
Medina	-	14	1	2	3	1	-	1	3	-	3	1	2	7	-	1	1	-	1
Wadsworth	-	10	1	-	-	1	2	1	1	-	3	-	2	8	3	-	5	-	-
Balance of county	2	17	5	6	8	6	-	2	-	-	2	3	9	17	21	9	4	-	4
Meigs	1	21	7	3	3	3	1	1	2	-	2	1	1	34	4	4	9	3	-
Mercer	2	46	5	4	7	4	3	2	6	-	3	11	7	31	19	9	2	-	-
Miami	4	63	19	10	11	28	2	7	9	-	4	7	6	52	19	17	8	7	-
Piqua	-	16	5	2	2	4	-	4	5	-	-	2	-	12	3	8	1	4	-
Troy	1	19	3	3	3	9	-	1	2	-	1	2	4	17	1	3	1	-	-
Balance of county	3	28	11	5	6	15	2	2	2	-	3	3	2	23	15	6	6	3	-
Monroe	1	13	2	2	3	3	-	1	-	-	-	-	1	8	3	4	3	1	-
Montgomery	18	389	63	35	92	111	9	68	44	-	39	61	80	302	114	110	82	67	3
Centerville	-	7	1	-	-	2	-	-	-	-	2	2	3	6	3	2	2	1	-
Dayton	12	189	33	17	51	51	7	34	24	-	16	25	41	131	37	59	32	60	2
Kettering	2	31	8	3	5	11	-	7	3	-	4	2	5	41	7	8	9	5	-
Miamisburg	-	10	1	-	3	5	-	1	1	-	1	2	1	6	5	2	2	1	-
Oakwood	-	12	2	-	-	3	1	-	1	-	1	-	-	4	-	2	-	-	-
Vandalia	-	2	-	3	1	1	-	1	-	-	-	-	-	4	4	2	2	1	-
West Carrollton	-	4	-	1	5	4	-	-	-	-	-	1	2	5	2	-	1	-	-
Balance of county	4	134	18	11	27	34	1	25	15	-	15	29	28	105	56	35	34	19	1
Morgan	1	13	2	2	2	6	-	1	2	-	2	2	1	12	5	3	3	-	-
Morrow	-	19	5	5	10	3	1	1	2	-	-	4	2	13	7	7	4	1	-
Muskingum	7	63	22	8	10	25	4	10	3	1	6	6	9	51	16	15	6	3	-
Zanesville	4	32	15	6	6	11	3	9	2	-	3	4	6	31	9	8	5	3	-
Balance of county	3	31	7	2	4	14	1	1	1	1	3	2	3	20	9	7	1	-	-
Noble	-	11	1	-	4	4	-	1	2	-	1	-	1	8	1	-	1	-	-
Ottawa	2	43	12	3	6	8	1	5	2	-	2	2	18	27	9	5	5	1	-
Paulding	-	17	1	1	7	2	-	3	3	-	4	1	5	11	6	6	-	-	1
Perry	1	27	2	3	7	11	-	3	2	-	-	3	6	14	13	10	5	-	-
Pickaway	-	31	10	2	5	11	1	1	-	-	3	2	7	19	22	16	4	1	-
Circleville	-	14	6	-	2	1	-	-	-	-	1	1	-	7	4	2	1	-	-
Balance of county	-	17	4	2	3	10	1	1	-	-	2	1	7	12	18	14	3	1	-
Pike	-	12	2	2	5	2	-	3	3	-	1	2	2	14	4	9	5	1	-
Portage	1	57	20	10	12	16	1	7	8	-	7	12	13	45	34	8	13	6	-
Kent	-	13	7	1	2	2	-	-	3	-	-	1	1	7	2	-	2	-	-
Ravenna	-	8	2	1	1	1	-	-	-	-	1	-	3	6	3	2	2	-	-
Balance of county	1	36	11	8	9	13	1	7	5	-	6	11	9	32	29	6	9	6	-
Preble	1	33	5	6	13	8	-	4	2	-	5	1	1	33	12	6	5	2	-
Putnam	1	29	5	-	6	-	-	3	1	-	4	4	2	19	12	9	4	1	-
Richland	4	103	29	14	20	40	2	11	3	-	11	17	11	65	24	39	15	2	3
Mansfield	1	60	16	4	12	22	2	7	1	-	2	13	6	39	8	23	7	2	2
Balance of county	3	43	13	10	8	18	-	4	2	-	9	4	5	26	16	16	8	-	1
Ross	2	55	13	5	11	20	-	5	2	-	6	4	12	22	23	8	5	2	1
Chillicothe	1	35	8	2	6	11	-	4	-	-	3	3	5	10	8	2	1	-	-
Balance of county	1	20	5	3	5	9	-	1	2	-	3	1	7	12	15	6	4	2	1
Sandusky	1	35	6	6	6	9	-	4	5	-	3	6	4	30	26	7	4	4	1
Fremont	-	10	1	1	2	2	-	2	1	-	1	4	1	14	6	6	2	1	-
Balance of county	1	25	5	5	4	7	-	2	4	-	2	2	3	16	20	1	2	3	1
Scioto	2	80	10	15	14	29	5	16	13	-	4	11	7	49	18	26	13	3	-
Portsmouth	2	41	7	4	4	16	4	9	7	-	2	3	6	26	3	12	7	-	-
Balance of county	-	39	3	11	10	13	1	7	6	-	2	8	1	23	15	14	6	3	-
Seneca	2	45	15	7	12	11	1	7	2	-	4	5	3	26	18	10	5	1	1
Fostoria, part	2	10	3	2	1	2	-	2	-	-	-	4	1	5	6	5	2	-	1
Fostoria, total	2	15	5	2	2	3	-	2	-	-	-	4	1	6	6	6	3	-	1
Tiffin	-	17	4	2	4	4	1	4	-	-	1	1	1	11	2	2	-	-	-
Balance of county	-	18	8	3	7	5	-	1	2	-	3	-	1	10	10	3	3	1	-
Shelby	-	32	12	-	1	12	1	3	2	-	4	3	-	24	9	2	6	1	-
Sidney	-	12	6	-	-	5	1	2	1	-	1	1	-	12	4	-	2	1	-
Balance of county	-	20	6	-	1	7	-	1	1	-	3	2	-	12	5	2	4	-	-
Stark	14	277	43	42	64	110	11	34	28	1	23	43	24	186	83	75	42	19	-
Alliance, part	4	22	4	3	3	13	1	1	2	-	2	1	3	15	3	8	2	1	-
Alliance, total	4	23	4	3	3	13	1	1	2	-	2	1	3	16	3	8	2	1	-
Canton	6	102	17	8	21	36	3	20	16	-	5	15	14	59	16	24	14	13	-
Massillon	-	32	2	4	9	10	1	3	2	-	1	3	3	23	7	9	6	-	-
North Canton	1	12	1	3	2	2	1	1	1	-	-	1	-	-	2	3	-	-	-
Balance of county	3	109	19	24	29	49	5	9	7	1	15	23	4	89	55	31	20	5	-
Summit	13	426	96	44	94	127	24	65	34	-	35	56	313	295	54	59	53	15	7
Akron	6	244	59	30	50	79	16	40	19	-	19	34	188	160	27	35	26	12	6
Barberton	-	27	4	2	2	7	1	5	2	-	2	3	12	17	2	2	1	2	-
Cuyahoga Falls	1	35	9	2	13	14	2	1	3	-	3	4	12	24	6	5	4	-	1
Norton	-	4	2	-	1	2	1	2	1	-	1	2	6	4	1	-	2	-	-
Stow	-	6	-	1	7	-	-	-	1	-	2	-	8	5	1	2	4	-	-
Tallmadge	1	13	3	-	2	2	1	1	-	-	-	1	9	5	1	1	1	-	-
Balance of county	5	97	19	9	19	23	3	16	8	-	8	12	78	60	18	14	15	1	-
Trumbull	8	181	23	18	30	38	6	31	15	-	10	34	9	121	64	48	20	23	4
Girard	-	19	1	1	-	4	1	4	-	-	2	4	-	7	2	2	-	1	-
Niles	1	17	1	1	5	2	-	2	-	-	-	2	3	12	6	9	2	2	-
Warren	3	62	9	4	9	13	3	13	5	-	2	13	3	41	14	18	8	12	3
Youngstown, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Balance of county	4	83	12	12	16	19	2	12	10	-	6	15	3	61	42	19	9	7	1
Tuscarawas	-	66	12	19	19	28	3	3	7	-	4	8	3	50	24	24	10	-	-
Dover	-	12	3	3	7	7	-	-	-	-	-	3	1	7	1	2	2	-	-
New Philadelphia	-	14	1	1	1	4	-	-	-	-	2	1	-	15	4	2	2	-	-
Balance of county	-	40	8	15	11	17	3	3	7	-	2	4	2	28	19	20	8	-	-
Union	3	26	4	2	4	10	-	1	1	-	1	2	6	15	8	10	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Van Wert	261	1	–	–	37	6	9	3	7	3	1	8	6	149	107	1	1	89	1
Van Wert	110	–	–	–	13	3	4	1	2	1	–	2	3	63	46	1	1	37	
Balance of county	151	1	–	–	24	3	5	2	5	2	1	6	3	86	61	–	–	52	
Vinton	127	–	–	2	24	6	6	1	1	1	1	8	4	62	48	–	–	41	
Warren	630	–	–	3	129	28	43	11	13	5	11	18	12	333	253	2	19	185	4
Franklin	99	–	–	1	22	4	10	–	2	1	2	3	3	52	40	–	7	25	
Balance of county	531	–	–	2	107	24	33	11	11	4	9	15	9	281	213	2	12	160	3
Washington	577	–	–	6	119	38	21	16	10	8	5	21	10	304	234	3	1	196	3
Marietta	191	–	–	1	48	16	8	8	5	3	1	7	1	103	83	–	–	74	
Balance of county	386	–	–	5	71	22	13	8	5	5	4	14	9	201	151	3	1	122	2
Wayne	644	–	–	3	152	48	36	18	12	8	6	24	14	345	258	1	10	177	7
Wooster	185	–	–	1	39	13	7	4	7	2	–	6	2	103	77	–	6	56	1
Balance of county	459	–	–	2	113	35	29	14	5	6	6	18	12	242	181	1	4	121	5
Williams	319	–	–	2	52	18	10	4	5	2	3	10	6	170	140	3	5	105	2
Wood	699	1	–	3	145	41	29	17	18	13	3	24	14	368	280	–	9	228	4
Bowling Green	95	1	–	1	22	3	5	5	4	1	1	3	1	51	41	–	2	33	
Fostoria, part	11	–	–	–	3	1	–	–	1	1	–	–	1	6	4	–	1	3	
Balance of county	593	–	–	2	120	37	24	12	13	11	2	21	12	311	235	–	6	192	3
Wyandot	245	–	–	2	45	10	7	6	9	1	2	10	5	130	94	1	1	76	1
Oklahoma	27,841	29	7	168	5,378	1,381	1,560	366	609	222	231	1,009	409	14,299	10,703	69	266	8,247	2,12
Urban places	13,687	8	2	61	2,723	723	787	198	300	111	102	502	201	6,843	5,007	34	135	3,891	94
Balance of area	14,154	21	5	87	2,655	658	773	168	309	111	129	507	208	7,456	5,696	35	131	4,356	1,17
Metropolitan counties	11,741	5	1	83	2,388	611	709	175	259	98	85	453	171	5,718	4,280	33	117	3,207	92
Urban places	9,404	3	1	64	1,911	502	560	140	204	75	66	364	134	4,548	3,382	27	97	2,563	66
Balance of area	2,337	2	–	19	477	109	149	35	55	21	19	89	37	1,170	898	6	20	644	25
Nonmetropolitan counties	16,100	24	6	85	2,990	770	851	191	350	126	146	556	238	8,581	6,423	36	149	5,040	1,19
Urban places	4,283	5	1	17	812	221	227	58	96	36	36	138	67	2,295	1,625	7	38	1,328	25
Balance of area	11,817	19	5	68	2,178	549	624	133	254	90	110	418	171	6,286	4,798	29	111	3,712	94
Adair	194	1	–	4	37	3	12	6	5	3	2	6	5	86	64	1	–	43	2
Alfalfa	115	1	–	–	15	4	2	3	2	1	1	2	4	66	45	–	–	36	
Atoka	143	–	–	1	20	6	5	2	2	–	1	4	–	71	54	1	–	38	1
Beaver	54	–	–	2	15	3	4	1	2	–	2	3	–	22	15	–	–	12	
Beckham	263	–	–	–	36	7	9	3	7	–	2	8	3	154	124	–	14	90	2
Blaine	177	–	–	1	31	8	6	3	4	2	1	7	1	76	60	–	–	50	1
Bryan	375	–	–	1	96	30	26	7	16	1	3	13	4	196	135	–	2	105	2
Durant	199	–	–	–	50	15	13	3	10	1	1	7	4	103	72	–	1	58	1
Balance of county	176	–	–	1	46	15	13	4	6	–	2	6	–	93	63	–	1	47	1
Caddo	363	1	–	4	70	20	18	3	11	3	7	8	3	168	128	1	2	102	2
Canadian	372	–	–	2	61	12	11	7	9	3	2	17	4	187	138	–	6	91	4
El Reno	176	–	–	1	32	8	5	3	5	2	1	8	–	87	61	–	4	37	2
Oklahoma City, part	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of county	194	–	–	1	29	4	6	4	4	1	1	9	4	100	77	–	2	54	2
Carter	536	2	–	2	99	24	28	6	8	8	5	20	6	304	219	1	5	182	3
Ardmore	365	2	–	1	67	18	18	4	4	7	3	13	4	212	150	1	1	126	1
Balance of county	171	–	–	1	32	6	10	2	4	1	2	7	2	92	69	–	4	56	
Cherokee	275	4	–	2	51	13	12	4	6	4	1	11	5	135	107	1	1	81	2
Choctaw	224	–	–	2	26	6	8	1	1	1	4	5	8	131	118	1	12	72	3
Cimarron	34	–	–	–	5	1	3	–	–	–	–	1	3	17	13	–	–	8	
Cleveland	681	–	–	–	121	23	36	13	18	3	9	19	10	328	237	–	–	183	5
Moore	150	–	–	–	31	6	14	1	4	2	2	2	1	57	45	–	–	32	1
Norman	405	–	–	–	71	16	15	8	11	1	5	15	7	209	146	–	–	118	2
Oklahoma City, part	14	–	–	–	2	–	1	–	–	–	1	–	–	7	4	–	–	3	
Balance of county	112	–	–	–	17	1	6	4	3	–	1	2	2	55	42	–	–	30	1
Coal	89	–	–	–	14	5	5	1	1	–	1	1	2	46	33	–	1	21	1
Comanche	643	–	–	2	125	27	44	7	14	1	4	28	9	303	229	1	4	185	3
Lawton	531	–	–	2	105	22	33	7	13	1	4	25	7	249	182	1	4	147	3
Balance of county	112	–	–	–	20	5	11	–	1	–	–	3	2	54	47	–	–	38	
Cotton	82	–	–	1	16	3	5	–	2	1	2	3	–	44	30	–	1	18	1
Craig	204	–	–	1	33	7	12	–	4	1	3	6	2	116	84	–	2	75	
Creek	533	–	1	4	110	27	40	8	7	7	1	20	10	254	189	1	8	156	2
Sapulpa	206	–	1	2	37	7	15	2	2	4	–	7	3	100	71	1	3	61	
Balance of county	327	–	–	2	73	20	25	6	5	3	1	13	7	154	118	–	6	95	1
Custer	256	–	–	1	42	10	13	1	4	1	2	11	3	137	104	1	2	85	1
Delaware	237	2	–	1	53	17	17	3	3	5	1	7	2	127	102	–	–	66	3
Dewey	82	–	–	–	15	5	4	2	–	1	2	1	–	46	38	1	–	30	
Ellis	60	–	–	–	12	3	2	3	1	1	1	1	3	34	26	1	–	20	
Garfield	588	2	–	2	131	33	41	8	15	7	5	22	4	314	221	2	7	178	3
Enid	478	2	–	2	110	28	35	6	13	6	4	18	4	240	164	2	6	130	2
Balance of county	110	–	–	–	21	5	6	2	2	1	1	4	–	74	57	–	1	48	
Garvin	365	–	–	1	62	13	13	4	10	5	5	12	7	188	145	–	1	106	3
Grady	382	1	–	1	73	18	22	8	12	4	–	9	4	176	119	–	3	85	2
Chickasha	208	–	–	1	35	11	6	4	9	2	–	3	3	106	67	–	3	53	1
Balance of county	154	1	–	–	38	7	16	4	3	2	–	6	1	70	52	–	–	42	1
Grant	89	–	–	–	23	7	5	–	2	–	–	9	1	54	37	2	2	24	
Greer	109	–	1	1	25	10	7	–	2	1	2	3	3	54	40	1	1	37	
Harmon	91	–	–	–	12	6	2	–	–	–	1	3	–	61	49	–	1	46	
Harper	52	–	–	–	9	–	2	2	–	2	1	2	–	27	22	–	–	18	
Haskell	126	–	–	1	21	6	4	1	4	–	–	6	2	65	49	–	1	41	
Hughes	221	1	–	–	50	9	20	2	7	1	4	7	3	118	96	–	1	62	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Van Wert	2	23	11	6	3	9	-	5	2	1	1	4	4	15	11	7	4	2	-
Van Wert	-	9	6	2	2	3	-	4	-	-	1	2	3	9	2	3	1	1	-
Balance of county	2	14	5	4	1	6	-	1	2	1	-	2	1	6	9	4	3	1	-
Vinton	1	7	3	3	1	5	-	1	1	-	-	-	5	11	3	4	3	1	-
Warren	4	53	13	10	14	15	1	2	4	-	4	7	3	30	37	19	13	3	1
Franklin	-	10	2	-	2	2	-	-	1	-	-	4	-	4	4	1	2	1	-
Balance of county	4	43	11	10	12	13	1	2	3	-	4	3	3	26	33	18	11	2	1
Washington	3	52	8	7	10	9	-	9	5	-	5	8	4	38	21	21	6	2	-
Marietta	-	14	3	3	4	1	-	4	2	-	-	4	2	15	2	4	-	-	-
Balance of county	3	38	5	4	6	8	-	5	3	-	5	4	2	23	19	17	6	2	-
Wayne	5	69	7	6	14	16	1	1	3	-	4	7	10	31	21	14	7	1	-
Wooster	1	21	2	2	5	6	1	-	-	-	2	2	3	12	4	1	3	1	-
Balance of county	4	48	5	4	9	10	-	1	3	-	2	5	7	19	17	13	4	-	-
Williams	1	26	1	2	6	8	-	1	4	-	3	3	4	24	11	23	2	-	-
Wood	-	63	14	11	10	15	1	7	3	-	9	5	5	43	40	13	12	5	-
Bowling Green	-	5	1	4	3	2	1	-	1	-	-	2	1	4	3	2	-	-	-
Fostoria, part	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	-	57	12	7	7	13	-	7	2	-	9	3	4	38	37	11	12	5	-
Wyandot	1	32	1	2	10	2	-	4	3	-	4	4	1	18	11	4	2	-	-
Oklahoma	109	2,833	394	260	720	750	95	359	329	5	195	280	336	2,001	932	799	399	323	28
Urban places	56	1,455	186	129	328	369	42	200	146	1	106	176	160	1,039	397	392	249	208	16
Balance of area	53	1,378	188	131	392	381	53	159	183	4	89	104	176	962	535	407	150	115	12
Metropolitan counties	54	1,120	134	130	290	319	35	175	121	3	94	158	145	888	368	351	237	199	15
Urban places	43	904	117	102	223	256	29	151	88	1	78	137	117	718	269	288	205	173	14
Balance of area	11	216	17	28	67	63	6	24	35	2	16	21	28	148	99	63	32	25	1
Nonmetropolitan counties	55	1,713	260	130	430	431	60	184	208	2	101	122	191	1,135	564	448	162	125	13
Urban places	13	551	79	27	105	113	13	49	60	-	30	39	43	321	128	104	44	35	2
Balance of area	42	1,162	181	103	325	318	47	135	148	2	71	83	148	814	436	344	118	90	11
Adair	-	17	3	2	6	6	2	3	8	-	-	4	6	7	9	10	-	-	-
Alfalfa	-	12	9	2	6	1	1	-	3	-	1	-	-	11	1	2	1	-	-
Atoka	-	17	-	-	9	3	1	-	5	-	1	3	3	9	8	7	-	1	-
Beaver	-	6	1	-	2	3	1	-	-	-	-	1	-	4	3	1	-	-	-
Beckham	1	23	6	-	4	3	1	3	2	-	-	1	24	18	4	5	3	2	-
Blaine	-	12	2	2	13	8	1	6	4	-	-	2	-	16	14	1	1	2	-
Bryan	1	44	13	3	3	11	3	4	5	-	4	5	7	17	8	7	1	3	-
Durant	-	24	7	-	1	7	1	1	3	-	1	4	6	7	5	2	1	3	-
Balance of county	1	20	6	3	2	4	2	3	2	-	3	1	1	10	3	5	-	-	-
Caddo	1	34	6	1	4	13	1	11	6	-	2	2	6	27	22	13	3	7	-
Canadian	2	41	2	4	21	6	3	9	2	-	4	7	3	25	11	13	9	5	-
El Reno	2	21	1	2	13	2	1	7	2	-	2	4	2	13	4	2	3	1	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Balance of county	-	20	1	2	8	4	2	2	-	-	2	3	1	11	7	11	5	4	-
Carter	3	68	12	4	9	11	-	2	4	-	3	6	10	41	10	14	6	7	-
Ardmore	2	46	11	3	6	9	-	1	2	-	3	3	5	28	5	7	6	4	-
Balance of county	1	20	1	1	3	2	-	1	2	-	-	3	5	13	5	7	-	3	-
Cherokee	1	22	4	1	4	10	1	4	4	-	1	2	7	24	8	8	3	2	-
Choctaw	-	13	-	-	3	4	-	8	2	-	1	-	1	19	8	7	-	3	1
Cimarron	-	4	-	-	2	-	-	-	-	-	-	-	-	2	1	3	-	-	1
Cleveland	2	65	13	11	16	15	5	10	5	1	6	19	9	50	38	18	24	6	2
Moore	-	8	1	3	2	4	-	3	1	-	2	3	5	13	12	5	6	4	1
Norman	-	46	11	6	11	7	5	4	4	-	4	12	3	29	14	7	16	1	1
Oklahoma City, part	-	3	-	-	-	2	-	-	-	-	-	-	-	2	-	1	-	-	-
Balance of county	2	8	1	2	3	2	-	3	-	1	-	4	1	6	10	5	2	1	-
Coal	-	11	-	2	4	4	-	1	-	-	-	-	1	13	2	1	-	1	-
Comanche	4	48	9	13	20	21	2	5	5	-	4	16	11	46	22	20	15	14	3
Lawton	4	42	9	12	18	18	2	5	5	-	3	11	11	38	14	18	11	11	3
Balance of county	-	6	-	1	2	3	-	-	-	-	1	5	-	8	8	2	4	3	-
Cotton	-	13	-	1	2	7	-	-	1	-	-	-	2	7	1	-	-	-	1
Craig	2	25	3	2	8	8	1	-	2	-	1	-	3	7	7	7	6	2	-
Creek	1	53	1	10	14	18	2	6	9	-	7	2	10	38	21	14	5	7	1
Sapulpa	-	25	-	4	3	9	1	3	3	-	2	1	3	22	4	8	1	2	1
Balance of county	1	28	1	6	11	9	1	3	6	-	5	1	7	16	17	6	4	5	-
Custer	4	24	5	-	5	8	1	6	3	-	3	2	1	26	11	4	1	2	-
Delaware	1	19	1	4	6	3	1	2	3	-	4	-	2	6	9	11	4	1	-
Dewey	-	4	1	3	8	2	2	1	-	-	3	1	1	9	1	1	1	-	1
Ellis	-	8	-	-	4	3	-	-	-	-	-	-	1	2	-	1	-	-	-
Garfield	2	70	18	3	14	16	-	4	7	-	4	7	5	33	22	10	7	6	1
Enid	2	56	15	3	13	11	-	4	6	-	4	6	5	27	20	10	7	6	1
Balance of county	-	14	3	-	1	4	-	-	1	-	-	1	-	6	2	-	-	-	-
Garvin	2	31	5	5	19	8	-	6	5	-	4	3	4	28	12	12	5	1	-
Grady	2	43	10	2	13	10	3	4	7	1	6	1	3	20	16	13	7	3	-
Chickasha	1	30	7	1	5	7	2	3	6	-	4	1	2	12	8	6	5	2	-
Balance of county	1	13	3	1	8	3	1	1	1	1	2	-	1	8	8	7	2	1	-
Grant	-	12	2	3	1	2	1	-	-	-	1	-	1	3	-	1	1	-	-
Greer	-	12	1	1	2	5	-	-	2	-	-	1	1	5	2	4	3	-	-
Harmon	-	8	3	1	1	-	-	-	1	-	-	-	-	8	4	1	2	1	-
Harper	-	4	-	1	2	1	-	1	-	-	-	-	-	6	4	1	1	-	-
Haskell	-	15	-	1	2	5	1	1	3	-	1	1	5	9	5	4	-	-	-
Hughes	-	21	1	-	10	2	-	4	4	-	2	1	3	9	1	7	4	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Oth hea disea (41 429
Oklahoma—Con.																			
Jackson	234	-	-	-	50	17	13	3	4	3	2	8	1	120	76	-	3	57	
Altus	180	-	-	-	38	12	10	3	4	2	1	6	-	86	56	-	3	41	
Balance of county	54	-	-	-	12	5	3	-	-	1	1	2	1	34	20	-	-	16	
Jefferson	122	-	-	-	19	4	4	-	4	1	2	4	3	66	48	1	1	29	
Johnston	111	-	-	1	18	2	11	1	2	-	-	2	1	56	49	-	-	47	
Kay	552	1	-	3	100	33	31	7	10	2	4	13	19	310	234	-	5	194	
Ponca City	280	-	-	2	46	20	10	4	4	2	1	5	14	159	115	-	2	97	
Balance of county	272	1	-	1	54	13	21	3	6	-	3	8	5	151	119	-	3	97	
Kingfisher	138	1	-	1	29	10	7	4	5	2	-	1	-	69	48	-	1	42	
Kiowa	194	-	-	-	33	10	12	-	4	1	2	4	1	109	82	-	1	54	
Latimer	101	-	-	-	22	6	7	1	2	1	-	5	3	48	31	-	-	23	
Le Flore	421	-	-	1	81	23	20	5	12	2	5	14	8	227	171	1	1	136	
Lincoln	291	-	-	-	49	15	15	1	6	2	1	9	3	175	142	-	3	117	
Logan	288	2	-	1	56	19	13	4	5	1	1	13	2	164	121	1	-	96	
Love	80	-	-	-	9	2	1	1	2	-	-	3	1	42	35	1	-	29	
McClain	188	-	-	3	29	6	9	1	2	1	4	6	3	103	71	1	-	69	
Oklahoma City, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Balance of county	188	-	-	3	29	6	9	1	2	1	4	6	3	102	71	1	-	68	
McCurtain	372	1	-	2	67	12	22	1	8	4	1	19	6	172	123	-	-	101	
McIntosh	195	-	-	3	37	11	10	2	5	2	1	6	2	94	73	1	2	51	
Major	88	-	-	1	14	2	5	1	3	-	2	1	2	38	26	-	-	15	
Marshall	126	-	-	-	20	4	7	2	4	-	-	3	-	78	65	-	7	42	
Mayes	321	-	-	1	80	21	23	2	10	4	5	15	3	159	115	1	-	92	
Murray	152	1	-	-	31	7	8	1	5	3	1	8	5	66	56	-	-	38	
Muskogee	782	-	1	3	145	47	32	14	15	5	14	18	15	424	292	4	10	240	
Muskogee	571	-	1	1	102	38	20	11	10	4	10	9	13	306	210	3	7	176	
Balance of county	211	-	-	2	43	9	12	3	5	1	4	9	2	118	82	1	3	64	
Noble	138	-	1	1	27	11	6	1	2	2	2	3	4	78	55	2	-	34	
Nowata	145	-	-	-	25	4	6	3	3	1	-	8	7	82	49	-	-	33	
Okfuskee	173	1	-	-	25	8	7	1	1	-	2	6	4	105	91	-	-	61	
Oklahoma	4,826	-	-	40	1,028	273	306	75	103	44	38	189	70	2,288	1,704	18	51	1,224	4
Bethany	142	-	-	2	25	2	12	1	5	1	-	4	1	75	59	-	-	31	
Del City	135	-	-	1	31	10	11	3	2	1	-	4	-	62	53	-	-	40	
Edmond	183	-	-	-	32	12	10	4	1	2	1	2	-	94	66	-	3	40	
Midwest City	316	-	-	3	69	14	18	10	6	3	5	13	6	148	114	-	2	80	
Oklahoma City, part	3,790	-	-	30	806	221	234	52	80	35	30	154	61	1,792	1,328	16	40	976	2
Oklahoma City, total	3,808	-	-	30	808	221	235	52	80	35	31	154	61	1,800	1,332	16	40	981	2
The Village	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Balance of county	258	-	-	4	65	14	21	5	9	2	2	12	2	115	84	2	6	55	
Okmulgee	504	-	-	2	84	23	23	4	12	2	4	16	4	292	249	1	6	222	
Okmulgee	245	-	-	-	35	11	10	2	4	-	1	7	2	143	113	-	2	100	
Balance of county	259	-	-	2	49	12	13	2	8	2	3	9	2	149	136	1	4	122	
Osage	321	-	-	3	65	12	20	4	3	9	5	12	7	172	133	2	1	102	
Bartlesville, part	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Tulsa, part	8	-	-	-	-	-	-	-	-	-	-	-	-	6	6	-	-	5	
Balance of county	312	-	-	3	64	12	19	4	3	9	5	12	7	166	127	2	1	97	
Ottawa	337	1	-	-	59	9	20	1	13	1	5	10	8	172	125	-	3	88	
Miami	167	1	-	-	25	3	9	1	4	-	2	6	5	89	61	-	2	39	
Balance of county	170	-	-	-	34	6	11	-	9	1	3	4	3	83	64	-	1	49	
Pawnee	164	-	-	-	28	5	9	3	5	-	-	8	5	79	62	-	2	47	
Payne	420	-	1	2	80	13	19	9	15	4	5	15	2	231	159	3	-	141	
Stillwater	166	-	-	1	32	4	8	3	6	1	3	7	2	65	56	-	-	49	
Balance of county	254	-	1	1	48	9	11	6	9	3	2	8	-	146	103	3	-	92	
Pittsburg	488	-	-	4	94	20	24	8	11	5	2	24	4	256	186	-	1	141	
McAlester	239	-	-	2	47	8	12	4	7	3	1	12	2	125	90	-	-	67	
Balance of county	249	-	-	2	47	12	12	4	4	2	1	12	2	131	96	-	1	74	
Pontotoc	404	-	-	2	68	12	19	7	11	1	2	16	4	231	158	-	2	109	
Ada	264	-	-	2	50	11	17	4	6	-	1	11	3	143	93	-	1	79	
Balance of county	140	-	-	-	18	1	2	3	5	1	1	5	1	88	65	-	1	54	
Pottawatomie	576	-	-	3	96	23	29	3	10	5	4	22	9	332	256	2	2	214	
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shawnee	364	-	-	2	57	14	19	1	7	3	2	11	3	213	158	1	1	135	
Balance of county	212	-	-	1	39	9	10	2	3	2	2	11	6	119	98	1	1	79	
Pushmataha	113	-	-	2	16	5	6	1	4	-	-	-	3	58	40	-	-	27	
Roger Mills	41	-	-	-	11	6	3	-	-	2	-	-	1	19	19	-	-	14	
Rogers	288	-	1	5	69	15	25	7	3	2	2	15	1	130	98	-	1	80	
Seminole	359	-	-	4	57	18	15	3	6	-	2	13	9	192	155	-	12	118	
Sequoyah	262	2	-	4	60	10	20	3	8	1	2	16	2	125	100	1	4	45	
Stephens	471	-	-	2	90	22	32	2	9	4	4	17	6	247	192	1	2	158	
Duncan	263	-	-	2	50	11	19	2	4	2	2	10	4	137	108	-	-	95	
Balance of county	208	-	-	-	40	11	13	-	5	2	2	7	2	110	84	1	2	58	
Texas	145	1	-	1	25	7	4	2	1	-	3	8	1	76	50	-	-	49	
Tillman	150	-	-	1	27	7	6	2	1	3	1	7	-	82	54	-	3	49	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
Jackson	–	40	2	2	6	6	–	4	5	–	–	–	1	17	11	7	3	3	–
Altus	–	28	1	1	6	6	–	4	5	–	–	–	1	14	11	3	3	3	–
Balance of county	–	12	1	1	–	–	–	–	–	–	–	–	–	3	–	4	–	–	–
Jefferson	–	11	2	5	3	3	–	–	1	–	3	–	2	9	8	3	2	–	–
Johnston	–	7	–	–	4	2	–	1	3	–	1	–	2	12	4	4	1	1	–
Kay	3	56	14	3	6	24	2	4	7	–	–	6	2	35	19	7	4	2	1
Ponca City	2	33	8	1	4	11	1	2	3	–	–	2	1	20	9	3	2	–	1
Balance of county	1	23	6	2	2	13	1	2	4	–	–	4	1	15	10	4	2	2	–
Kingfisher	2	10	9	–	3	1	–	2	1	–	–	–	4	9	10	6	2	–	–
Kiowa	1	21	1	4	4	7	1	1	6	–	–	4	3	17	3	1	2	2	–
Latimer	–	12	3	2	1	3	1	3	–	–	–	–	–	12	4	2	2	–	–
Le Flore	4	45	5	2	10	10	1	4	9	–	4	2	7	31	15	6	2	1	–
Lincoln	2	19	9	3	6	4	1	1	2	1	3	4	2	19	12	5	3	1	–
Logan	–	41	1	1	6	10	1	2	–	–	1	2	4	14	8	9	3	3	–
Love	–	6	1	–	9	2	–	1	–	–	–	–	–	6	6	2	1	1	–
McClain	–	24	5	3	8	5	1	–	3	–	–	2	3	10	8	7	1	1	1
Oklahoma City, part	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	–	23	5	3	8	5	1	–	3	–	–	2	3	9	8	7	1	1	1
McCurtain	2	34	12	1	6	9	–	5	5	–	2	5	4	40	24	12	2	8	2
McIntosh	1	16	3	1	5	11	1	4	4	–	–	2	2	14	7	5	4	–	–
Major	–	9	2	1	4	4	–	–	2	–	1	–	1	8	5	6	–	–	–
Marshall	1	9	3	–	1	3	1	1	2	–	1	1	–	7	4	4	1	2	–
Mayes	–	38	2	4	10	4	–	1	4	–	2	3	4	22	15	9	3	1	–
Murray	–	6	3	1	9	8	–	–	4	–	–	–	2	16	6	3	1	–	–
Muskogee	4	110	12	6	19	16	4	12	15	–	5	9	9	54	15	24	3	9	–
Muskogee	3	78	9	6	15	13	4	11	13	–	3	4	8	42	10	18	2	5	–
Balance of county	1	32	3	–	4	3	–	1	2	–	2	5	1	12	5	6	1	4	–
Noble	2	18	1	2	4	2	–	1	1	–	–	2	–	7	3	3	2	–	–
Nowata	–	30	2	1	2	8	1	1	2	–	–	–	1	4	7	3	–	1	–
Okfuskee	–	12	1	1	4	1	3	2	1	–	3	–	–	11	4	3	3	3	–
Oklahoma	26	450	66	40	96	115	10	69	48	–	41	68	48	381	161	166	98	98	3
Bethany	1	15	–	–	1	1	1	2	4	–	–	3	1	11	6	8	1	–	–
Del City	–	8	1	–	1	5	–	2	1	–	–	3	2	8	5	5	7	2	–
Edmond	1	22	2	3	8	2	–	–	–	–	2	5	3	15	9	7	4	1	–
Midwest City	2	28	2	2	8	7	–	1	4	–	5	7	3	23	13	7	8	4	–
Oklahoma City, part	22	353	58	31	73	94	8	61	38	–	32	49	39	300	116	133	72	85	3
Oklahoma City, total	22	357	58	31	73	96	8	61	36	–	32	49	39	304	116	134	73	85	3
The Village	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Balance of county	–	24	3	4	4	6	1	3	3	–	2	1	–	24	12	6	4	6	–
Okmulgee	–	35	3	5	9	8	1	3	4	–	4	4	5	33	15	20	5	5	1
Okmulgee	–	26	2	2	5	4	–	4	2	–	1	3	3	20	12	8	1	1	–
Balance of county	–	9	1	3	3	4	1	4	2	–	3	1	2	13	3	12	4	4	1
Osage	1	33	2	3	6	13	1	5	8	–	1	2	2	15	6	7	6	2	–
Bartlesville, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tulsa, part	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Balance of county	1	33	2	3	6	13	–	5	8	–	1	2	2	15	6	7	5	2	–
Ottawa	1	33	7	6	6	11	2	3	4	–	2	4	3	35	14	9	1	3	–
Miami	–	20	3	5	2	5	1	1	3	–	1	2	2	14	8	6	1	1	–
Balance of county	1	13	4	1	4	6	1	2	1	–	1	2	1	21	6	3	–	2	–
Pawnee	1	12	4	–	5	3	–	4	3	–	2	1	5	15	7	5	2	–	–
Payne	2	64	1	5	11	14	2	3	5	–	3	–	–	31	15	11	5	4	–
Stillwater	–	28	1	–	5	6	–	1	3	–	3	–	–	10	8	7	2	1	–
Balance of county	2	36	–	5	6	8	2	2	2	–	–	–	–	21	7	4	3	3	–
Pittsburg	1	62	4	3	16	11	3	9	4	–	3	4	2	49	13	9	3	4	–
McAlester	–	33	1	1	9	5	2	5	1	–	2	2	1	27	4	1	1	3	–
Balance of county	1	29	3	2	7	6	1	4	3	–	1	2	1	22	9	8	2	1	–
Pontotoc	1	67	3	2	13	8	–	5	3	–	2	4	5	20	13	17	7	2	–
Ada	–	47	2	1	11	3	–	3	3	–	2	2	3	19	5	10	5	–	–
Balance of county	1	20	1	1	2	5	–	2	–	–	–	2	2	1	8	7	2	2	–
Pottawatomie	2	59	12	3	11	20	2	7	5	–	4	3	4	42	19	12	3	4	–
Oklahoma City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shawnee	2	44	8	1	9	16	–	4	4	–	2	3	3	28	11	6	2	1	–
Balance of county	–	15	4	2	2	4	2	3	1	–	2	–	1	14	6	6	1	3	–
Pushmataha	2	15	1	–	6	4	–	2	1	–	–	–	1	4	7	5	1	3	–
Roger Mills	–	–	–	–	2	1	–	1	–	–	–	–	1	1	2	2	–	–	–
Rogers	–	25	3	4	8	10	1	1	3	–	1	1	4	16	7	7	2	1	–
Seminole	2	24	8	3	13	9	2	7	4	–	2	2	2	27	9	11	4	3	3
Sequoyah	2	17	2	4	8	8	–	3	4	1	2	1	4	15	6	11	3	3	–
Stephens	2	46	4	3	13	12	1	4	6	–	2	6	2	40	10	19	7	4	–
Duncan	–	27	1	1	6	3	–	1	4	–	1	4	2	27	7	10	2	3	–
Balance of county	2	19	3	2	7	9	1	3	2	–	1	2	–	13	3	9	5	1	–
Texas	–	20	3	3	2	5	–	–	2	–	1	1	3	7	11	6	3	–	–
Tillman	–	24	1	3	3	1	2	2	2	–	2	–	1	6	12	5	1	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-179, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Oth hea dise (41 42
Oklahoma—Con.																			
Tulsa	3,682	3	–	27	737	204	212	53	85	26	19	138	51	1,836	1,379	9	41	1,085	
Broken Arrow	163	–	–	–	31	8	7	7	2	1	1	5	–	91	73	–	–	55	
Sand Springs	133	–	–	2	20	10	5	1	1	–	–	3	6	73	56	–	1	47	
Tulsa, part	3,047	3	–	21	618	166	179	41	72	22	16	122	42	1,498	1,118	9	40	889	
Tulsa, total	3,055	3	–	21	618	166	179	41	72	22	16	122	42	1,504	1,124	9	40	894	
Balance of county	339	–	–	4	68	20	21	4	10	3	2	8	3	174	132	–	–	84	
Wagoner	220	–	1	2	41	10	10	3	5	1	–	12	3	113	91	–	4	74	
Washington	408	–	–	3	93	23	31	5	5	3	4	21	7	202	148	–	10	114	
Bartlesville, part	292	–	–	1	68	17	21	6	4	3	4	13	4	147	112	–	9	83	
Bartlesville, total	293	–	–	1	69	17	22	6	4	3	4	13	4	147	112	–	9	83	
Balance of county	116	–	–	2	25	6	10	–	1	–	–	8	3	55	38	–	1	31	
Washita	166	–	–	2	23	9	5	–	2	1	2	4	3	113	95	1	1	77	
Woods	138	–	–	–	21	5	7	2	2	2	2	1	3	79	68	1	3	41	
Woodward	163	–	–	1	31	10	8	3	2	2	1	5	3	84	61	1	5	37	
Oregon	21,056	13	2	134	4,548	1,113	1,292	381	583	171	214	834	288	10,122	7,335	113	236	6,854	1,
Urban places	9,912	4	–	70	2,084	518	571	175	255	73	84	398	134	4,847	3,503	57	132	2,781	
Balance of area	11,144	9	2	64	2,464	595	721	186	308	98	120	436	152	5,275	3,832	56	104	3,073	
Metropolitan counties	12,476	8	2	82	2,674	640	732	225	332	109	121	515	185	6,125	4,395	73	160	3,526	
Urban places	7,517	3	–	58	1,561	379	422	136	189	62	65	308	108	3,691	2,668	45	103	2,136	
Balance of area	4,959	5	2	24	1,113	261	310	89	143	47	56	207	77	2,434	1,727	28	57	1,390	
Nonmetropolitan counties	8,580	5	–	52	1,874	473	560	136	231	62	93	319	101	3,997	2,940	40	76	2,328	
Urban places	2,395	1	–	12	523	139	149	39	66	11	29	90	26	1,156	835	12	29	645	
Balance of area	6,185	4	–	40	1,351	334	411	97	165	51	64	229	75	2,841	2,105	28	47	1,683	
Baker	179	–	–	1	33	6	9	3	7	–	1	7	3	97	68	–	5	49	
Benton	345	–	–	3	90	26	20	7	14	–	6	17	4	159	113	2	4	86	
Albany, part	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
Corvallis	211	–	–	1	53	15	14	4	10	–	2	8	1	100	70	–	4	55	
Balance of county	131	–	–	2	37	11	6	3	4	–	4	9	3	58	43	2	–	31	
Clackamas	1,477	2	1	7	325	66	94	27	36	13	17	72	26	713	502	11	20	406	
Lake Oswego, part	131	–	–	–	20	5	4	1	3	2	–	5	2	65	52	2	1	42	
Lake Oswego, total	135	–	–	–	21	5	4	1	3	3	–	5	2	67	53	2	1	43	
Milwaukee, part	239	–	–	–	59	11	14	7	9	–	3	15	6	118	77	2	2	63	
Milwaukee, total	239	–	–	–	59	11	14	7	9	–	3	15	6	118	77	2	2	63	
Portland, part	8	–	–	–	4	2	1	–	1	–	–	–	–	2	–	–	–	–	
Balance of county	1,099	2	1	7	242	48	75	19	23	11	14	52	16	528	373	7	17	303	
Clatsop	314	–	–	2	59	13	20	4	4	2	3	13	4	153	103	2	5	74	
Astoria	112	–	–	–	17	6	5	2	1	–	–	3	2	62	40	1	3	27	
Balance of county	202	–	–	2	42	7	15	2	3	2	3	10	2	91	63	1	2	47	
Columbia	287	–	–	3	66	12	23	4	8	4	4	11	2	124	98	1	–	79	
Coos	545	1	–	3	130	29	44	10	11	5	9	22	7	235	192	–	8	165	
Coos Bay	147	1	–	–	32	7	12	1	1	2	4	5	3	55	46	–	2	41	
Balance of county	398	–	–	3	98	22	32	9	10	3	5	17	4	180	146	–	6	124	
Crook	121	–	–	–	30	6	13	2	4	–	2	3	1	61	51	1	1	42	
Curry	163	–	–	–	42	10	16	1	3	2	1	9	2	75	52	–	–	34	
Deschutes	406	–	–	1	72	17	25	2	11	1	4	12	7	190	129	1	3	95	
Bend	123	–	–	1	19	4	8	–	3	–	2	2	1	58	43	1	1	31	
Balance of county	283	–	–	–	53	13	17	2	8	1	2	10	6	132	86	–	2	64	
Douglas	725	1	–	3	166	37	53	12	19	8	10	27	7	323	246	3	6	208	
Roseburg	242	–	–	1	58	19	14	3	7	2	4	9	3	115	88	1	2	74	
Balance of county	483	1	–	2	108	18	39	9	12	6	6	18	4	208	158	2	4	134	
Gilliam	15	–	–	–	5	–	2	1	1	–	–	1	1	7	7	–	–	6	
Grant	72	–	–	–	10	2	3	–	–	–	2	3	1	37	28	–	1	23	
Harney	64	–	–	–	12	3	4	–	–	1	1	3	–	24	21	–	–	16	
Hood River	166	–	–	–	37	10	12	3	4	1	3	4	3	85	61	–	1	56	
Jackson	1,043	–	–	4	232	51	80	19	30	9	11	32	16	480	362	6	10	276	
Ashland	120	–	–	1	25	6	9	2	4	–	1	3	1	55	34	1	–	26	
Medford	429	–	–	1	102	21	26	12	16	5	6	16	7	209	160	2	6	115	
Balance of county	494	–	–	2	105	24	45	5	10	4	4	13	8	216	168	3	4	136	
Jefferson	102	–	–	4	17	4	4	2	2	–	1	4	1	31	16	–	–	14	
Josephine	490	–	–	4	101	35	30	11	7	3	4	11	4	258	187	2	7	146	
Grants Pass	208	–	–	1	36	16	10	2	3	–	2	3	–	112	77	–	6	58	
Balance of county	282	–	–	3	65	19	20	9	4	3	2	8	4	146	110	2	1	87	
Klamath	468	–	–	1	105	29	28	6	14	6	2	20	4	201	150	9	2	116	
Klamath Falls	201	–	–	1	46	16	8	3	10	1	1	7	3	86	59	4	–	49	
Balance of county	267	–	–	–	59	13	20	3	4	5	1	13	1	115	91	5	2	67	
Lake	66	–	–	–	11	4	3	–	3	–	–	1	1	29	20	–	2	14	
Lane	1,815	–	1	7	397	98	109	42	50	22	17	59	33	861	633	11	22	530	
Eugene	734	–	–	5	136	33	32	17	17	7	7	23	17	350	262	9	9	216	
Springfield	303	–	–	–	62	7	18	8	12	5	3	9	5	153	104	1	3	88	
Balance of county	778	–	1	2	199	58	59	17	21	10	7	27	11	358	267	1	10	226	
Lincoln	375	–	–	2	77	31	21	3	6	2	3	11	7	166	123	2	3	104	
Linn	641	–	–	9	162	39	46	13	20	6	10	28	7	285	206	4	1	161	
Albany, part	187	–	–	2	41	8	11	4	4	–	3	11	4	93	67	1	–	52	
Albany, total	190	–	–	2	41	8	11	4	4	–	3	11	4	94	67	1	–	52	
Balance of county	454	–	–	7	121	31	35	9	16	6	7	17	3	192	139	3	1	109	
Malheur	231	–	–	–	49	14	7	5	7	4	–	12	6	112	91	1	–	81	
Marion	1,580	1	–	12	339	75	91	28	48	12	22	63	21	805	578	7	19	446	
Salem, part	776	–	–	8	160	39	46	13	16	7	14	25	9	399	288	4	14	221	
Salem, total	856	–	–	8	176	43	48	14	19	8	15	29	12	440	318	4	17	246	
Balance of county	804	1	–	4	179	36	45	15	32	5	8	38	12	406	286	3	5	225	
Morrow	54	1	–	1	10	1	1	1	2	–	–	5	–	25	19	1	–	11	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Oklahoma—Con.																			
Tulsa	12	368	34	43	99	113	11	64	31	1	25	41	51	265	90	94	75	62	6
Broken Arrow	1	14	1	2	4	5	–	1	1	–	1	1	4	12	4	2	6	–	–
Sand Springs	–	13	2	2	4	5	1	1	1	–	1	–	1	10	6	–	1	–	1
Tulsa, part	10	306	29	35	76	95	9	61	24	1	22	38	40	221	62	85	65	62	4
Tulsa, total	10	306	29	35	76	95	10	61	24	1	22	38	40	221	62	85	66	62	4
Balance of county	1	35	2	4	15	8	1	1	5	–	1	2	6	22	18	7	3	–	1
Wagoner	1	20	–	1	8	5	–	1	5	–	2	–	4	10	11	7	5	2	–
Washington	1	46	5	2	11	8	2	6	3	–	4	3	3	37	7	11	6	2	–
Bartlesville, part	1	30	3	1	7	7	2	4	2	–	3	3	1	25	5	7	4	2	–
Bartlesville, total	1	30	3	1	7	7	2	4	2	–	3	3	1	25	5	7	4	2	–
Balance of county	–	16	2	1	4	1	–	2	1	–	1	–	2	12	2	4	2	–	–
Washita	1	14	3	–	2	3	2	1	3	–	–	–	1	8	2	2	1	–	–
Woods	–	10	1	–	2	2	–	–	1	–	–	2	2	18	1	5	2	–	–
Woodward	–	18	3	2	3	6	1	3	1	–	3	4	–	7	12	2	1	1	–
Oregon	69	2,016	441	259	605	720	68	343	132	1	150	184	332	1,476	726	696	351	114	53
Urban places	33	987	203	121	303	348	25	186	60	–	66	81	197	713	261	286	156	56	35
Balance of area	36	1,031	238	138	302	372	43	157	72	1	84	103	135	763	465	410	195	58	18
Metropolitan counties	38	1,265	273	154	360	397	37	225	81	–	78	114	206	893	381	336	197	78	37
Urban places	25	756	152	90	221	257	18	155	46	–	49	64	151	543	195	203	116	49	30
Balance of area	13	509	121	64	139	140	19	70	35	–	29	50	55	350	166	133	82	29	7
Nonmetropolitan counties	31	753	168	105	245	323	31	118	51	1	72	70	126	583	365	350	154	36	16
Urban places	8	231	51	31	82	91	7	31	14	–	17	17	46	170	66	83	41	7	5
Balance of area	23	522	117	74	163	232	24	87	37	1	55	53	80	413	299	277	113	29	11
Baker	–	19	8	2	4	10	2	1	–	–	2	1	2	12	3	5	1	2	–
Benton	2	34	5	5	7	12	1	4	–	–	2	5	4	14	11	15	12	2	–
Albany, part	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Corvallis	–	23	3	4	6	7	1	4	–	–	1	3	4	9	2	9	8	2	–
Balance of county	2	11	1	1	1	5	–	–	–	–	1	2	–	5	8	5	4	–	–
Clackamas	9	150	37	15	48	43	5	23	12	–	12	13	9	104	61	41	23	6	3
Lake Oswego, part	1	10	2	–	5	4	1	3	2	–	3	–	–	15	3	3	4	1	–
Lake Oswego, total	1	10	2	1	5	4	1	3	2	–	3	–	–	16	3	3	4	1	–
Milwaukee, part	2	31	4	4	11	6	–	3	1	–	2	1	3	16	5	3	3	–	2
Milwaukee, total	2	31	4	4	11	6	–	3	1	–	2	1	3	16	5	3	3	–	2
Portland, part	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	5	109	30	11	32	33	3	17	9	–	7	12	6	72	53	35	16	5	1
Clatsop	1	38	8	3	7	16	–	10	3	–	7	–	3	21	11	11	7	–	–
Astoria	–	14	7	1	3	6	–	3	–	–	3	–	2	5	3	4	2	–	–
Balance of county	1	24	1	2	4	10	–	7	3	–	4	–	1	16	8	7	5	–	–
Columbia	2	12	10	4	9	8	–	6	1	–	2	4	2	25	16	15	2	2	–
Coos	1	31	6	5	19	22	2	7	2	–	4	2	12	41	15	31	11	1	–
Coos Bay	1	5	1	2	9	7	1	2	1	–	1	1	6	10	6	11	1	–	–
Balance of county	–	26	5	3	10	15	1	5	1	–	3	1	6	31	9	20	10	1	–
Crook	–	3	6	1	2	5	1	1	1	–	–	–	–	4	7	3	4	–	1
Curry	–	15	5	3	5	6	1	1	2	–	2	–	–	8	6	8	3	1	1
Deschutes	1	43	10	7	6	19	2	2	2	–	4	7	2	30	18	29	9	5	1
Bend	1	9	3	2	5	8	1	–	1	–	–	3	1	7	8	7	1	2	–
Balance of county	–	34	7	5	1	11	1	2	1	–	4	4	1	23	10	22	8	3	1
Douglas	3	59	8	7	15	29	1	11	4	–	9	4	5	57	47	33	6	1	3
Roseburg	1	21	2	3	7	7	1	2	1	–	3	1	3	25	7	5	2	–	1
Balance of county	2	38	6	4	8	22	–	9	3	–	6	3	2	32	40	28	4	1	2
Gilliam	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Grant	1	6	–	2	2	1	–	1	1	–	–	3	1	5	3	5	2	–	–
Harney	–	3	–	–	5	1	1	3	–	–	–	1	5	5	4	1	1	1	–
Hood River	–	21	2	1	2	4	1	2	1	–	2	–	4	11	5	7	2	–	–
Jackson	3	90	16	9	25	39	–	8	5	–	9	5	21	77	37	54	23	5	3
Ashland	1	14	4	2	6	3	–	–	2	–	–	–	2	13	3	6	2	1	–
Medford	–	40	7	2	8	14	–	3	1	–	3	2	8	33	10	16	10	1	1
Balance of county	2	36	5	5	11	22	–	5	2	–	6	3	11	31	24	32	11	3	2
Jefferson	–	13	–	2	1	1	–	4	1	–	1	3	–	9	15	6	3	4	1
Josephine	2	46	13	10	12	21	–	9	2	–	4	1	8	33	12	9	8	2	2
Grants Pass	1	24	7	3	8	14	–	4	2	–	2	–	5	16	–	4	2	1	1
Balance of county	1	22	6	7	4	7	–	5	–	–	2	1	3	17	12	5	6	1	1
Klamath	–	34	7	10	17	20	3	12	4	–	5	5	4	17	29	30	10	–	1
Klamath Falls	–	20	4	3	6	10	1	8	3	–	–	2	1	10	10	8	5	–	1
Balance of county	–	14	3	7	11	10	2	4	1	–	5	3	3	7	19	22	5	–	–
Lake	–	7	1	1	3	3	–	2	2	–	–	1	–	4	4	3	2	1	–
Lane	4	171	31	22	57	68	5	20	9	–	12	15	25	147	56	52	35	12	3
Eugene	4	66	12	6	34	29	1	10	3	–	3	5	13	66	19	24	15	4	–
Springfield	–	36	8	5	4	13	1	3	2	–	6	6	4	18	8	4	9	2	3
Balance of county	–	69	11	11	19	26	3	7	4	–	3	4	8	63	29	24	11	6	–
Lincoln	–	24	13	6	18	16	3	5	3	–	4	1	6	24	10	21	9	1	2
Linn	4	58	12	5	16	23	4	4	5	–	7	4	12	47	26	24	6	–	–
Albany, part	1	14	8	3	8	5	2	1	–	–	3	–	3	12	8	4	1	–	–
Albany, total	1	14	9	3	8	5	2	1	–	–	3	–	3	12	9	5	1	–	–
Balance of county	3	44	4	2	8	18	2	3	5	–	4	4	9	35	18	20	5	–	–
Malheur	1	14	2	4	4	11	2	4	–	1	1	5	–	18	12	5	1	–	–
Marion	3	166	38	22	27	53	4	19	9	–	14	24	32	103	44	39	23	11	–
Salem, part	1	82	17	11	13	28	1	10	3	–	8	14	20	52	20	17	10	4	–
Salem, total	1	91	19	11	17	32	1	11	4	–	8	15	21	57	22	17	11	4	–
Balance of county	2	84	21	11	14	25	3	9	6	–	6	10	12	51	24	22	13	7	–
Morrow	1	4	1	–	1	–	–	–	2	–	2	2	–	6	3	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Multnomah	5,982	3	–	49	1,248	318	347	101	138	49	49	246	77	2,944	2,119	33	83	1,691	3
Lake Oswego, part	3	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	1	
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Portland, part	4,843	3	–	42	996	257	276	81	110	35	34	203	61	2,382	1,727	24	68	1,378	2
Portland, total	4,897	3	–	43	1,013	262	280	82	113	35	34	207	62	2,397	1,737	24	68	1,387	2
Balance of county	1,136	–	–	7	251	61	71	20	28	13	15	43	16	561	391	9	15	312	
Polk	316	1	–	1	57	11	12	5	8	3	5	13	8	172	119	2	6	95	
Salem, part	80	–	–	–	16	4	2	1	3	1	1	4	3	41	30	–	3	25	
Balance of county	236	1	–	1	41	7	10	4	5	2	4	9	5	131	89	2	3	70	
Sherman	19	–	–	–	3	1	1	–	–	–	–	1	–	9	7	–	–	6	
Tillamook	216	–	–	1	50	8	19	4	7	–	1	11	1	93	65	–	1	56	
Umatilla	506	–	–	3	110	27	25	8	16	3	4	27	4	231	167	2	10	118	
Pendleton	162	–	–	3	40	7	9	3	5	1	1	14	–	67	56	1	4	33	
Balance of county	344	–	–	–	70	20	16	5	11	2	3	13	4	164	111	1	6	85	
Union	188	1	–	3	45	15	7	2	12	2	2	5	3	85	67	–	1	49	
Wallowa	83	–	–	–	17	3	4	5	2	2	–	1	–	42	33	–	–	25	
Wasco	212	–	–	1	42	12	18	2	2	1	2	5	3	115	83	–	2	71	
City of the Dalles	121	–	–	–	26	6	11	1	1	–	2	5	–	70	45	–	–	39	
Balance of county	91	–	–	1	16	6	7	1	1	1	–	–	3	45	38	–	2	32	
Washington	1,306	1	–	6	308	72	79	22	52	10	11	62	20	630	448	9	10	356	
Beaverton	194	–	–	1	55	8	16	4	13	1	1	12	2	86	65	3	2	51	
Hillsboro	159	–	–	1	39	10	10	3	3	3	2	8	2	80	52	–	1	42	
Lake Oswego, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
Portland, part	46	–	–	1	13	3	3	1	2	–	–	4	1	13	10	–	–	9	
Balance of county	906	1	–	3	201	51	50	14	34	6	8	38	15	450	319	6	7	254	
Wheeler	17	–	–	–	5	1	–	1	2	–	1	–	–	6	5	–	–	5	
Yamhill	467	1	–	3	86	27	22	5	13	–	6	13	2	259	172	3	3	143	
McMinnville	129	–	–	–	28	8	12	2	1	–	1	4	1	73	50	–	1	45	
Balance of county	338	1	–	3	58	19	10	3	12	–	5	9	1	186	122	3	2	96	
Pennsylvania	117,402	112	9	786	25,292	7,113	6,144	2,178	2,786	1,048	939	5,084	2,434	60,944	48,379	594	1,302	34,774	11,76
Urban places	61,478	74	6	503	13,568	3,873	3,382	1,148	1,463	554	481	2,667	1,155	30,699	24,403	313	718	17,126	6,2
Balance of area	55,924	38	3	283	11,724	3,240	2,762	1,030	1,323	494	458	2,417	1,279	30,245	23,976	281	584	17,646	5,4
Metropolitan counties	91,749	90	8	650	20,149	5,678	4,946	1,768	2,209	787	737	4,024	1,784	48,907	37,269	479	1,054	26,380	9,3
Urban places	56,616	67	6	464	12,568	3,584	3,132	1,059	1,355	511	448	2,479	1,050	28,042	22,318	298	663	15,546	5,8
Balance of area	35,133	23	2	186	7,581	2,094	1,814	709	854	276	289	1,545	744	18,865	14,951	181	391	10,834	3,5
Nonmetropolitan counties	25,653	22	1	136	5,143	1,435	1,198	410	577	261	202	1,060	640	14,037	11,110	115	248	8,394	2,3
Urban places	4,862	7	–	39	1,000	288	250	89	108	49	33	188	105	2,657	2,085	15	55	1,582	4
Balance of area	20,791	15	1	97	4,143	1,146	948	321	469	212	169	872	535	11,380	9,025	100	193	6,812	1,9
Adams	586	–	–	3	112	30	25	13	14	5	5	20	19	315	244	4	11	142	
Allegheny	15,609	11	2	119	3,483	959	877	308	357	139	137	706	298	8,400	6,750	70	146	4,786	1,7
Baldwin	171	–	–	2	44	14	14	1	4	–	5	6	2	96	82	–	2	55	
Bellevue	139	–	–	2	35	10	7	4	4	2	2	6	2	73	59	–	3	42	
Bethel Park	236	–	–	1	54	9	15	9	2	6	2	11	7	128	97	–	1	72	
Brentwood	116	–	–	1	26	9	6	1	2	3	–	5	3	63	48	–	–	33	
Carnegie	151	1	–	1	28	2	11	3	3	5	1	3	2	97	77	–	3	56	
Castle Shannon	94	–	–	–	20	3	9	2	–	–	1	5	1	56	43	1	1	31	
Clairton	152	–	–	–	35	6	16	1	6	1	1	4	5	84	66	1	–	50	
Dormont	131	–	–	–	32	7	7	2	7	1	4	4	–	79	60	1	1	42	
Duquesne	135	1	–	1	23	7	3	1	4	–	1	7	2	82	72	–	1	44	
Harrison twp. #	160	–	–	–	39	16	5	1	4	–	4	9	6	88	70	1	2	54	
McKees Rocks	140	–	–	1	24	4	6	3	2	1	1	7	3	84	73	2	2	50	
McKeesport	467	1	–	1	94	34	21	6	11	5	3	14	11	260	213	2	3	155	
Monroeville	190	–	–	1	54	11	11	6	7	6	6	7	3	98	79	–	–	67	
Mount Lebanon twp. #	333	–	–	1	83	24	16	10	10	4	–	19	4	186	155	3	4	112	
Munhall	169	–	–	–	43	13	11	5	3	2	–	9	9	106	93	1	1	74	
North Braddock	119	1	–	1	29	7	7	3	4	1	1	6	3	66	53	1	4	38	
North Versailles twp. #	109	–	–	1	27	8	4	4	2	1	–	8	–	61	47	–	–	36	
Penn Hills twp. #	397	–	–	2	93	27	23	5	9	2	4	23	5	214	166	5	1	123	
Pittsburgh	5,852	5	2	63	1,242	352	326	102	118	40	37	267	118	3,094	2,492	28	64	1,625	7
Pleasant Hills	73	–	–	–	23	3	5	2	5	1	2	5	3	33	23	–	1	18	
Plum	114	–	–	–	27	8	7	5	2	1	–	4	3	55	39	–	–	33	
Ross twp. #	279	–	–	–	63	21	13	6	7	3	3	10	3	154	124	4	2	101	
Scott twp. #	242	–	–	2	48	15	9	4	7	4	1	8	6	128	102	1	1	78	
Shaler twp. #	277	–	–	3	65	18	15	5	6	3	3	15	1	152	115	4	5	81	
Stowe twp. #	93	–	–	–	18	5	3	2	3	1	–	4	–	58	54	–	–	44	
Swissvale	173	–	–	1	45	16	13	4	3	1	4	4	2	89	73	1	2	52	
Upper St. Clair twp. #	80	–	–	2	22	5	5	3	2	1	2	4	5	32	26	–	–	17	
West Mifflin	221	–	–	2	51	10	13	4	6	3	2	13	1	122	105	2	3	75	
Whitehall	152	–	–	–	50	15	11	7	5	–	2	10	1	76	62	2	1	46	
Wilkinsburg	305	–	–	3	60	13	17	6	6	2	6	10	4	180	142	–	3	101	
Balance of county	4,319	2	–	27	986	267	248	91	103	39	39	199	83	2,314	1,840	12	35	1,382	4
Armstrong	810	–	–	3	139	32	36	7	12	8	6	37	19	475	386	3	7	307	
Beaver	1,898	3	–	7	409	109	103	29	44	17	12	89	38	1,034	841	14	31	671	1
Aliquippa	267	–	–	2	52	16	13	3	4	4	4	8	5	145	125	4	9	100	
Ambridge	142	–	–	–	30	9	7	1	2	1	–	10	3	77	64	1	1	52	
Beaver Falls	208	–	–	–	38	16	9	2	5	2	–	4	1	123	104	2	5	84	
Ellwood City, part	2	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	
Balance of county	1,279	3	–	5	281	68	74	22	33	10	7	67	29	689	548	7	16	435	
Bedford	415	–	–	–	75	18	18	3	16	2	7	11	7	240	183	3	8	146	
Berks	2,944	3	–	7	665	207	154	60	72	24	21	127	69	1,649	1,310	14	37	970	2
Reading	1,039	1	–	2	236	75	56	21	25	9	7	43	27	588	463	2	16	336	1
Balance of county	1,905	2	–	5	429	132	98	39	47	15	14	84	42	1,061	847	12	21	634	1
Blair	1,538	–	–	7	306	71	80	24	34	13	12	72	44	869	677	7	15	589	1
Altoona	766	–	–	3	158	38	44	6	20	7	8	35	23	412	326	3	10	245	
Balance of county	772	–	–	4	148	33	36	18	14	6	4	37	21	456	351	4	5	294	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con.																			
Multnomah	20	604	131	70	174	193	20	141	41	–	28	52	116	420	150	171	86	43	26
Lake Oswego, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	16	483	99	57	136	161	13	120	32	–	23	35	105	345	122	143	63	36	25
Portland, total	17	485	100	58	137	162	14	121	32	–	23	36	106	352	122	147	64	36	25
Balance of county	4	121	32	13	38	32	7	21	9	–	5	17	11	74	28	28	23	7	1
Polk	1	43	6	3	10	11	–	2	3	–	2	2	6	26	7	3	4	–	1
Salem, part	–	9	2	–	4	4	–	1	1	–	–	1	1	5	2	–	1	–	–
Balance of county	1	34	4	3	6	7	–	1	2	–	2	1	5	21	5	3	3	–	1
Sherman	–	1	–	1	1	2	–	1	–	–	–	–	–	2	–	1	–	–	–
Tillamook	1	24	2	1	7	6	1	4	1	–	1	1	10	15	15	6	4	–	–
Umatilla	2	47	13	2	23	17	2	10	2	–	2	6	16	30	21	19	7	3	–
Pendleton	1	8	1	1	9	4	–	3	1	–	–	2	8	14	3	5	3	–	–
Balance of county	1	39	12	1	14	13	2	7	1	–	2	4	8	16	18	14	4	3	–
Union	4	10	2	2	11	5	–	3	1	–	–	2	1	12	5	7	3	1	–
Wallowa	–	6	2	1	2	3	2	–	1	–	–	–	–	6	2	3	5	–	–
Wasco	1	24	2	5	5	3	1	2	3	–	1	3	1	15	10	3	4	–	–
City of the Dalles	1	21	1	2	3	2	–	1	1	–	1	3	–	5	4	3	2	–	–
Balance of county	–	3	1	3	2	1	1	1	2	–	–	–	1	10	6	–	2	–	–
Washington	1	131	30	22	44	29	3	20	7	–	10	8	18	93	43	30	26	6	4
Beaverton	–	15	3	3	7	7	–	2	2	–	1	1	2	9	9	3	7	–	–
Hillsboro	–	22	4	2	6	4	–	2	–	–	3	–	2	9	7	2	2	–	–
Lake Oswego, part	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portland, part	–	2	–	1	1	1	–	1	–	–	–	1	1	6	–	4	1	2	–
Balance of county	1	92	23	15	30	17	3	15	5	–	6	6	13	69	27	21	16	4	4
Wheeler	–	–	1	–	–	3	–	–	–	–	–	–	–	2	1	–	–	–	–
Yamhill	1	67	13	6	16	17	1	1	2	–	1	4	7	32	17	5	8	4	1
McMinnville	–	18	2	3	4	4	–	–	1	–	–	–	3	11	1	–	2	–	1
Balance of county	1	49	11	3	12	13	1	1	1	–	1	4	4	21	16	5	6	4	–
Pennsylvania	372	9,219	1,667	1,307	2,174	2,768	299	1,576	1,089	13	812	1,201	2,662	8,357	2,308	2,471	1,332	767	216
Urban places	180	4,741	704	671	1,193	1,403	144	946	609	9	313	703	2,265	4,365	821	1,280	654	599	169
Balance of area	192	4,478	963	636	981	1,365	155	630	480	4	299	498	397	3,992	1,487	1,191	678	168	47
Metropolitan counties	297	7,122	1,208	1,011	1,742	2,126	229	1,279	858	9	466	963	2,519	6,503	1,592	1,898	1,082	691	194
Urban places	173	4,318	630	603	1,100	1,269	132	874	563	8	282	656	2,231	4,048	729	1,174	609	583	163
Balance of area	124	2,804	578	408	642	857	97	405	295	1	184	307	288	2,457	863	724	473	108	31
Nonmetropolitan counties	75	2,097	459	296	432	642	70	297	211	4	146	238	143	1,854	716	573	250	76	22
Urban places	7	423	74	68	93	134	12	72	46	1	31	47	34	319	82	106	45	16	6
Balance of area	68	1,674	385	228	339	508	58	225	165	3	115	191	109	1,535	634	467	205	60	16
Adams	–	42	19	10	12	13	3	6	6	–	3	4	1	34	35	13	7	–	–
Allegheny	53	1,264	182	151	301	392	36	280	154	–	61	146	61	979	209	336	173	107	61
Baldwin	–	11	–	3	1	3	1	2	–	–	1	1	3	10	1	3	1	–	–
Bellevue	2	8	1	3	3	4	–	4	1	–	–	1	1	8	2	1	1	–	1
Bethel Park	1	21	6	4	3	8	–	1	2	–	2	3	–	17	4	1	4	–	1
Brentwood	–	12	3	–	4	2	–	1	3	–	–	3	–	5	1	4	–	–	–
Carnegie	1	7	1	1	1	3	–	2	3	–	2	1	1	10	3	5	–	–	1
Castle Shannon	–	9	1	3	2	1	–	3	1	–	1	–	–	4	1	3	–	–	1
Clairton	–	14	2	2	1	3	1	5	1	–	–	–	2	12	–	2	–	–	1
Dormont	–	16	2	1	1	3	–	1	2	–	1	1	1	5	1	2	1	1	–
Duquesne	–	8	2	–	2	1	–	4	1	–	–	–	–	7	–	4	1	4	2
Harrison twp. #	–	10	5	3	2	6	–	3	1	–	1	1	1	4	1	5	1	1	–
McKees Rocks	2	8	–	1	1	4	2	3	1	–	–	1	–	8	3	4	1	–	–
McKeesport	1	39	3	4	3	15	–	10	6	–	2	4	1	29	10	9	6	5	–
Monroeville	1	17	–	1	6	3	–	1	–	–	1	4	–	10	2	2	2	2	1
Mount Lebanon twp. #	–	21	7	3	11	7	2	4	3	–	1	–	–	18	1	5	5	2	–
Munhall	–	9	3	1	5	2	–	2	–	–	–	1	1	8	2	6	4	–	–
North Braddock	–	12	–	3	1	2	–	3	–	–	1	–	–	5	1	2	1	1	–
North Versailles twp. #	–	13	–	1	2	–	–	4	2	–	–	1	–	3	3	3	2	–	–
Penn Hills twp. #	1	39	4	4	4	11	–	5	4	–	3	4	1	25	6	9	9	–	2
Pittsburgh	31	447	64	60	121	144	9	113	68	–	21	70	34	415	66	124	55	57	31
Pleasant Hills	–	10	–	–	–	–	–	–	1	–	–	–	–	4	4	1	1	1	2
Plum	1	12	1	2	1	3	–	5	–	–	–	2	1	10	1	3	2	1	–
Ross twp. #	2	25	3	–	2	14	1	2	6	–	1	3	–	15	7	3	3	1	1
Scott twp. #	–	19	6	1	9	7	1	4	1	–	–	1	2	23	1	4	3	–	2
Shaler twp. #	–	27	7	3	9	4	2	2	1	–	1	1	–	22	5	4	2	3	–
Stowe twp. #	–	4	–	–	2	1	–	–	–	–	–	4	–	3	2	2	1	2	–
Swissvale	–	14	2	–	2	5	–	2	1	–	1	–	–	14	2	5	2	–	2
Upper St. Clair twp. #	1	5	–	–	1	1	–	2	–	–	2	3	–	3	2	1	4	–	–
West Mifflin	–	15	2	–	4	4	–	9	2	–	–	–	1	14	2	8	1	–	–
Whitehall	–	10	–	4	1	2	–	2	3	–	3	1	–	3	2	4	2	–	2
Wilkinsburg	–	32	2	4	3	9	2	6	–	–	1	2	–	18	4	5	4	4	–
Balance of county	9	370	56	39	93	120	15	75	40	–	15	33	11	247	69	102	54	22	11
Armstrong	4	58	21	6	15	18	2	10	7	–	2	8	5	51	21	20	14	1	1
Beaver	3	153	20	17	22	41	9	30	28	–	9	25	13	121	32	40	27	14	4
Aliquippa	–	17	1	2	2	5	2	6	5	–	2	6	3	18	3	4	3	3	1
Ambridge	1	11	1	–	1	5	1	7	2	–	1	–	–	9	3	1	1	1	–
Beaver Falls	–	18	–	1	4	5	1	–	4	–	1	3	1	13	4	6	4	–	–
Ellwood City, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	2	107	18	14	15	26	5	17	15	–	5	16	9	81	22	29	19	10	3
Bedford	2	39	14	2	8	13	1	3	4	–	–	4	3	24	18	10	3	1	1
Berks	8	250	45	36	54	67	10	25	35	–	15	27	11	144	55	55	47	6	–
Reading	5	94	15	11	21	25	3	10	17	–	6	10	5	47	7	20	13	1	–
Balance of county	3	156	30	25	33	42	7	15	18	–	9	17	6	97	48	35	34	5	–
Blair	2	135	33	21	23	49	1	18	8	–	4	9	6	106	35	24	20	9	1
Altoona	1	56	20	9	14	22	–	13	5	–	2	3	3	61	16	16	8	6	1
Balance of county	1	79	13	12	9	27	1	5	3	–	2	6	3	45	19	8	12	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Pennsylvania—Con.																			
Bradford	540	–	–	2	116	27	22	13	19	5	6	24	25	268	196	–	4	136	5
Bucks	3,146	–	–	20	724	194	157	69	69	38	34	163	56	1,520	1,198	15	22	861	30
Bensalem twp. #	257	–	–	–	67	17	17	6	5	4	4	14	–	112	97	–	–	69	2
Bristol	141	–	–	–	28	5	5	4	3	3	–	6	1	76	62	1	1	45	1
Bristol twp. #	358	–	–	2	80	16	17	6	10	5	8	18	7	162	135	1	2	109	2
Falls twp. #	219	–	–	1	56	13	13	2	7	3	1	17	3	102	88	–	2	67	1
Lower Southampton twp. #	130	–	–	4	25	6	6	3	2	1	–	7	2	74	53	1	2	38	1
Middletown twp. #	148	–	–	2	38	15	7	5	3	1	1	6	3	65	55	–	1	43	1
Morrisville	121	–	–	3	23	9	4	4	3	–	1	2	2	60	44	–	2	32	1
Upper Southampton twp. #	97	–	–	–	29	9	9	2	3	1	–	5	2	42	32	–	1	24	
Warminster twp. #	167	–	–	1	37	8	8	3	3	3	2	10	4	80	63	2	1	37	2
Balance of county	1,509	–	–	7	343	96	71	34	30	17	17	78	32	747	569	10	10	397	15
Butler	1,216	–	–	11	252	71	43	25	24	13	20	55	15	685	511	5	7	405	9
Butler	243	–	–	2	52	16	11	4	7	3	1	10	2	140	107	1	3	86	1
Balance of county	973	–	–	9	200	55	32	22	17	10	19	45	13	525	404	4	4	319	7
Cambria	1,806	2	–	6	385	100	84	32	40	11	20	78	52	976	757	13	21	579	14
Johnstown	581	–	–	–	108	35	30	8	10	5	3	19	18	337	258	5	6	196	5
Balance of county	1,225	2	–	6	257	65	54	24	30	6	17	59	34	639	499	8	15	383	9
Cameron	72	–	–	–	16	5	1	1	4	1	2	2	–	40	33	2	–	24	
Carbon	619	2	–	1	110	28	31	10	8	4	5	28	24	356	299	2	10	216	7
Centre	651	1	–	5	138	28	34	17	18	8	4	29	12	359	290	8	12	223	4
State College	117	1	–	3	20	5	4	3	5	–	–	3	1	63	49	2	2	35	1
Balance of county	534	–	–	2	118	23	30	14	13	8	4	26	11	296	241	4	10	188	3
Chester	2,155	1	–	19	473	117	121	49	51	16	21	98	33	1,063	663	13	24	601	22
Coatesville	151	–	–	3	35	4	11	4	6	2	1	7	3	74	58	–	2	37	1
Phoenixville	155	–	–	–	30	7	10	6	1	–	1	5	3	82	61	–	2	43	1
West Chester	230	–	–	3	46	15	12	2	6	1	2	8	4	102	86	3	2	57	2
Balance of county	1,619	1	–	13	362	91	88	37	38	13	17	78	23	825	658	10	18	464	18
Clarion	372	–	–	3	74	20	17	3	11	2	5	16	14	197	158	3	2	127	2
Clearfield	844	–	–	4	166	47	44	12	15	5	7	36	21	478	354	5	4	276	6
Du Bois	111	–	–	1	21	2	6	2	3	1	2	5	–	68	44	–	–	27	1
Balance of county	733	–	–	3	145	45	38	10	12	4	5	31	21	410	310	5	4	249	5
Clinton	392	1	–	1	90	26	23	7	10	4	4	16	15	218	190	4	4	107	7
Lock Haven	132	–	–	1	23	10	3	2	2	1	1	4	4	79	72	1	1	44	2
Balance of county	260	1	–	–	67	16	20	5	8	3	3	12	11	139	118	3	3	63	4
Columbia	621	1	–	7	119	33	34	9	16	11	2	14	16	341	251	–	6	179	6
Berwick	150	–	–	3	28	11	8	1	4	2	1	1	5	77	53	–	–	43	1
Bloomsburg	126	–	–	1	22	4	7	3	3	2	1	2	2	77	59	–	3	36	2
Balance of county	345	1	–	3	69	18	19	5	9	7	–	11	9	187	139	–	3	100	3
Crawford	819	–	–	2	176	65	41	11	20	7	5	27	10	437	344	7	2	289	4
Meadville	192	–	–	1	42	20	10	5	1	2	1	3	1	104	89	–	1	72	1
Balance of county	627	–	–	1	134	45	31	6	19	5	4	24	9	333	261	7	1	217	3
Cumberland	1,332	–	1	6	283	82	63	28	35	12	11	62	19	713	549	7	24	397	12
Carlisle	222	–	1	–	44	15	10	1	4	4	2	8	2	125	85	–	5	65	1
Balance of county	1,110	–	–	6	240	67	53	27	31	8	9	54	17	588	464	7	19	332	10
Dauphin	2,284	6	–	27	458	118	92	51	59	20	22	96	33	1,271	1,019	10	17	533	45
Harrisburg	780	5	–	5	161	36	36	17	25	7	8	32	11	418	339	2	2	145	18
Lower Paxton twp. #	243	–	–	4	55	13	9	4	7	6	4	12	3	139	103	1	–	83	3
Balance of county	1,261	1	–	18	242	69	47	30	27	7	10	52	19	714	577	7	15	325	23
Delaware	5,389	5	–	33	1,259	346	352	109	132	43	44	233	93	2,768	2,209	37	89	1,444	63
Aston twp. #	132	–	–	1	35	9	9	6	2	1	5	3	4	53	43	2	3	25	1
Chester	570	2	–	1	137	33	47	9	16	2	7	23	15	258	210	3	16	114	7
Collingdale	73	–	–	–	17	6	5	1	2	–	–	3	2	36	33	1	3	19	1
Darby	150	1	–	1	30	10	6	4	2	1	1	6	1	73	56	1	4	34	1
Darby twp. #	58	–	–	–	17	5	4	1	1	–	–	6	1	29	27	–	–	20	
Haverford twp. #	682	1	–	5	174	41	40	17	23	7	3	43	10	360	293	7	6	209	7
Lansdowne	171	–	–	1	33	6	13	3	4	1	1	5	1	101	76	2	1	48	2
Marple twp. #	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Nether Providence twp. #	119	–	–	1	22	8	4	3	4	1	1	1	1	62	54	2	1	37	1
Radnor twp. #	209	–	–	–	51	14	14	4	4	1	2	12	3	113	83	1	2	64	1
Ridley twp. #	218	–	–	4	58	19	13	7	4	3	6	6	3	106	92	1	6	56	2
Springfield twp. #	212	–	–	1	51	17	15	4	3	3	–	9	3	119	98	2	2	68	2
Upper Chichester twp. #	72	–	–	–	15	4	6	2	2	–	–	1	4	41	28	–	1	29	
Upper Darby twp. #	916	1	–	7	221	64	53	18	16	9	8	53	15	491	391	6	17	250	11
Yeadon	129	–	–	1	22	10	6	–	1	–	–	5	1	84	64	1	4	42	1
Balance of county	1,678	–	–	10	376	100	117	30	48	14	10	57	29	831	661	8	23	435	19
Elk	332	–	–	1	73	27	17	5	8	3	3	10	11	177	141	1	1	122	1
Erie	2,362	2	–	9	524	134	127	47	70	24	24	98	43	1,247	975	11	18	601	14
Erie	1,244	1	–	6	298	75	79	27	40	15	12	50	21	650	497	10	11	404	7
Millcreek twp. #	278	–	–	–	67	15	11	6	8	5	4	18	3	141	109	–	1	96	1
Balance of county	840	1	–	3	159	44	37	14	22	4	8	30	19	456	369	1	6	301	6
Fayette	1,922	3	–	15	359	99	96	23	34	17	13	77	53	1,092	925	8	8	690	21
Connellsville	196	–	–	–	36	8	10	2	4	2	1	9	3	106	93	1	–	71	2
Uniontown	271	1	–	5	48	14	15	4	2	2	1	10	8	143	113	–	1	76	3
Balance of county	1,455	2	–	10	275	77	71	17	28	13	11	58	44	843	719	7	7	543	16
Forest	53	–	–	1	16	2	3	3	2	–	–	6	2	21	16	–	–	11	
Franklin	959	2	–	6	216	62	51	21	25	10	11	36	21	513	394	3	13	296	8
Chambersburg	248	–	–	2	56	16	11	5	9	3	3	9	4	136	100	1	3	82	1
Waynesboro	108	–	–	–	35	7	10	4	3	3	3	5	1	58	47	–	5	39	
Balance of county	603	2	–	4	125	39	30	12	13	4	5	22	16	321	247	2	5	181	5
Fulton	96	–	–	1	18	5	3	–	5	–	–	5	1	56	41	–	3	27	1
Greene	450	1	–	1	92	31	24	2	4	7	4	20	9	251	208	4	9	154	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Pennsylvania—Con.																			
Bradford	1	31	34	6	13	22	–	3	3	–	7	4	6	28	22	15	4	2	–
Bucks	14	250	26	32	59	70	5	40	21	–	25	36	140	204	95	60	55	15	1
Bensalem twp. #	1	14	–	–	3	11	–	5	1	–	1	5	13	15	8	9	4	2	1
Bristol	–	12	1	1	–	4	2	5	1	–	1	2	11	5	4	2	1	–	–
Bristol twp. #	–	26	–	1	3	14	–	4	4	–	6	8	22	18	8	8	8	4	–
Falls twp. #	–	13	–	1	1	4	–	2	2	–	–	5	12	9	9	5	7	1	–
Lower Southampton twp. #	1	15	2	3	3	2	–	1	–	–	1	1	2	8	4	3	–	–	–
Middletown twp. #	–	7	1	2	–	3	–	1	1	–	2	2	11	11	5	–	4	–	–
Morrisville	1	12	2	1	2	1	1	3	–	–	–	3	6	11	2	2	2	–	–
Upper Southampton twp. #	–	7	1	2	3	1	–	3	1	–	1	–	1	10	1	–	3	–	–
Warminster twp. #	1	13	1	2	4	4	–	–	1	–	2	4	6	16	7	–	–	1	–
Balance of county	10	131	18	19	40	26	2	16	10	–	11	6	56	101	47	31	26	7	–
Butler	2	102	29	21	42	24	2	16	12	–	8	25	7	42	49	24	17	4	1
Butler	–	21	7	5	10	5	–	3	5	–	1	5	2	6	3	4	2	–	1
Balance of county	2	81	22	16	32	19	2	13	7	–	7	20	5	36	46	20	15	4	–
Cambria	7	140	46	26	22	51	2	24	17	1	11	21	7	148	32	46	22	3	–
Johnstown	1	56	9	13	8	14	–	8	7	1	2	7	4	35	7	17	7	1	–
Balance of county	6	84	37	13	14	37	2	16	10	–	9	14	3	111	25	29	15	2	–
Cameron	–	6	1	–	2	1	–	–	–	–	2	–	–	3	2	3	3	–	–
Carbon	2	35	8	12	5	11	2	6	8	–	1	4	–	53	15	17	4	–	–
Centre	–	55	12	2	6	24	3	5	3	–	7	8	2	33	24	17	4	–	–
State College	–	12	–	2	1	5	1	–	–	–	4	1	–	8	2	5	2	–	–
Balance of county	–	43	12	–	5	19	2	5	3	–	3	7	2	25	22	12	2	–	–
Chester	14	146	33	27	40	60	3	27	19	–	14	35	38	147	62	42	41	13	5
Coatesville	1	11	1	3	4	5	–	2	1	–	–	6	1	7	1	6	3	–	–
Phoenixville	1	12	5	3	1	4	–	4	–	–	1	4	5	16	3	–	1	1	–
West Chester	1	13	2	–	4	9	–	2	1	–	3	7	10	22	6	4	5	1	1
Balance of county	11	110	25	21	31	42	3	19	17	–	10	18	22	102	52	32	32	11	4
Clarion	2	23	10	4	7	6	–	3	5	–	6	4	–	30	11	11	1	–	–
Clearfield	2	81	27	14	17	19	–	4	8	–	7	6	3	63	25	18	4	1	–
Du Bois	–	15	8	1	1	1	–	–	2	–	2	1	–	10	3	1	–	–	–
Balance of county	2	66	19	13	16	18	–	4	6	–	5	5	3	53	22	17	4	1	–
Clinton	3	20	3	2	–	7	–	3	3	1	6	4	6	17	10	6	3	1	–
Lock Haven	1	4	1	1	–	3	–	2	–	–	2	1	2	8	4	3	–	–	–
Balance of county	2	16	2	1	–	4	–	1	3	1	4	3	4	9	6	3	3	1	–
Columbia	1	58	21	10	7	18	3	11	3	1	3	1	–	49	15	18	8	–	–
Berwick	1	15	6	2	4	4	–	5	–	1	–	–	–	12	3	6	2	–	–
Bloomsburg	–	11	4	3	2	4	1	1	1	–	–	–	–	10	3	2	–	–	–
Balance of county	–	32	11	5	1	10	2	5	2	–	3	1	–	27	9	10	6	–	–
Crawford	2	72	8	11	23	24	1	11	8	–	8	6	6	56	21	17	9	4	–
Meadville	–	19	1	1	3	6	1	5	3	–	2	2	2	10	4	3	3	–	–
Balance of county	2	53	7	10	20	18	–	6	5	–	6	4	4	46	17	14	6	4	–
Cumberland	3	112	34	15	21	39	–	18	4	–	8	12	9	100	41	30	16	2	–
Carlisle	1	27	9	3	2	9	–	5	–	–	3	1	1	14	6	7	2	–	–
Balance of county	2	85	25	12	19	30	–	13	4	–	5	11	8	86	35	23	14	2	–
Dauphin	7	184	37	24	38	51	7	20	34	–	22	42	17	142	32	38	35	11	–
Harrisburg	3	61	7	8	13	21	2	9	9	–	9	24	7	43	9	14	13	7	–
Lower Paxton twp. #	1	26	4	5	4	4	1	3	2	–	1	4	1	9	5	5	2	1	–
Balance of county	3	97	26	11	21	26	4	8	23	–	12	14	9	80	18	19	20	3	–
Delaware	13	389	75	82	100	153	12	83	41	–	20	40	127	377	73	97	72	23	13
Aston twp. #	–	6	–	4	2	10	–	1	2	–	–	1	6	9	2	2	4	–	–
Chester	3	35	5	5	9	18	3	11	3	–	2	8	16	53	8	17	5	7	1
Collingdale	–	1	–	2	4	1	–	2	–	–	–	–	2	4	4	1	–	–	–
Darby	–	11	3	3	4	4	1	1	1	–	1	1	6	8	3	4	6	3	1
Darby twp. #	–	2	–	–	1	–	–	–	1	–	–	2	2	2	1	1	1	–	–
Haverford twp. #	3	47	20	6	15	14	–	6	5	–	2	2	10	46	7	8	8	–	–
Lansdowne	–	18	1	6	4	1	–	3	–	–	1	1	5	16	–	2	1	–	1
Marple twp. #	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nether Providence twp. #	1	6	1	–	3	4	–	1	2	–	1	1	8	7	2	2	1	1	–
Radnor twp. #	–	22	4	4	2	7	–	4	–	–	2	–	1	17	3	2	2	1	1
Ridley twp. #	–	6	6	4	4	11	–	2	1	–	–	–	3	13	5	2	2	1	1
Springfield twp. #	–	13	4	4	3	1	1	3	–	–	–	1	6	14	1	3	4	1	–
Upper Chichester twp. #	1	8	3	1	1	4	–	–	–	–	–	–	2	4	–	1	–	–	–
Upper Darby twp. #	1	70	8	20	11	22	2	15	12	–	5	9	22	45	8	18	12	3	1
Yeadon	–	17	2	1	1	1	–	–	–	–	–	–	4	11	2	1	1	–	–
Balance of county	4	127	17	22	36	57	5	34	14	–	6	16	34	128	29	35	25	6	7
Elk	1	26	4	5	3	8	1	6	3	1	3	4	–	21	6	8	3	–	1
Erie	10	205	33	24	49	53	7	38	13	–	8	53	14	156	60	61	21	4	–
Erie	5	118	17	13	27	24	6	24	5	–	4	29	8	74	21	30	12	4	–
Millcreek twp. #	2	25	2	3	4	8	–	5	2	–	–	9	3	26	4	3	3	–	–
Balance of county	3	62	14	8	18	21	1	9	6	–	4	15	3	56	35	28	6	–	–
Fayette	4	138	13	12	20	45	5	23	17	–	4	28	8	138	38	41	17	16	2
Connellsville	–	9	2	2	2	5	2	4	2	–	–	3	1	12	4	14	1	1	–
Uniontown	1	23	2	4	3	14	–	3	2	–	1	9	2	24	2	4	1	3	–
Balance of county	3	106	9	6	15	26	3	16	13	–	3	14	5	102	32	23	15	12	2
Forest	–	3	1	1	3	1	1	1	–	–	–	–	–	6	1	–	–	–	–
Franklin	2	75	28	14	20	29	2	13	4	–	6	6	6	66	25	12	9	3	–
Chambersburg	–	25	7	4	4	9	–	3	1	–	–	1	2	19	6	3	1	1	–
Waynesboro	–	6	1	2	1	–	–	2	1	–	1	1	1	5	2	1	1	–	–
Balance of county	2	44	20	8	15	20	2	8	2	–	5	4	3	42	17	8	7	2	–
Fulton	–	4	9	2	2	2	–	1	–	–	–	–	1	6	7	1	–	–	–
Greene	–	34	6	3	10	8	2	5	5	–	3	2	1	32	12	12	3	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Pennsylvania—Con.																			
Huntingdon	397	–	1	1	87	33	24	6	5	4	3	12	6	216	171	2	4	124	4
Indiana	820	–	–	–	145	44	28	9	15	11	4	34	20	465	384	6	2	303	7
Indiana	123	–	–	–	27	5	8	1	2	4	1	6	4	71	51	–	–	43	
Balance of county	697	–	–	–	118	39	20	8	13	7	3	28	16	394	333	6	2	260	6
Jefferson	472	–	–	1	97	26	15	7	9	11	4	25	12	275	206	3	3	140	6
Juniata	176	–	–	–	29	11	4	5	2	3	1	3	5	108	76	–	2	57	1
Lackawanna	2,804	5	1	14	604	212	137	52	65	14	19	105	60	1,566	1,276	21	71	613	37
Carbondale	158	–	–	–	27	11	7	2	5	1	–	1	6	85	77	1	3	48	2
Dunmore	203	–	–	–	35	13	10	2	4	–	–	6	2	125	102	2	10	63	2
Scranton	1,314	4	1	7	305	104	68	27	32	6	10	58	24	741	602	11	28	376	18
Balance of county	1,129	1	–	7	237	84	52	21	24	7	9	40	28	617	495	7	30	326	13
Lancaster	3,059	1	1	16	680	194	172	50	88	22	17	137	79	1,606	1,236	12	42	838	34
Columbia	178	–	–	–	44	9	16	3	7	–	1	8	8	87	64	–	4	40	2
Lancaster	657	1	–	6	149	41	52	7	18	7	6	18	20	340	252	2	7	169	7
Lancaster twp. #	146	–	–	1	33	14	4	3	3	2	1	6	4	79	57	1	3	32	2
Balance of county	2,078	–	1	9	454	130	100	37	60	13	9	105	47	1,100	863	9	28	597	22
Lawrence	1,088	–	–	5	227	64	62	20	17	9	10	45	23	592	454	3	13	349	8
Ellwood City, part	122	–	–	3	22	10	3	2	–	1	1	5	1	75	62	1	1	49	1
Ellwood City, total	124	–	–	3	24	10	3	3	–	1	2	5	1	75	62	1	1	49	1
New Castle	493	–	–	1	112	30	31	8	9	3	5	26	10	258	199	1	7	152	3
Balance of county	473	–	–	1	93	24	28	10	8	5	4	14	12	259	193	1	5	148	3
Lebanon	992	1	–	3	214	67	46	22	25	11	11	32	37	545	475	7	14	367	8
Lebanon	316	–	–	1	62	20	15	9	5	3	3	7	13	160	160	3	4	131	2
Balance of county	676	1	–	2	152	47	31	13	20	8	8	25	24	365	315	4	10	236	6
Lehigh	2,463	–	–	17	567	155	125	44	80	24	24	115	67	1,348	1,103	19	37	828	21
Allentown	1,170	–	–	8	277	79	56	20	38	14	12	58	28	639	533	10	21	392	11
Bethlehem, part	224	–	–	3	57	11	15	7	7	3	4	10	5	116	87	1	2	68	1
Emmaus	104	–	–	2	28	10	3	2	4	3	1	5	4	57	47	–	–	39	
Balance of county	965	–	–	4	205	55	51	15	31	4	7	42	30	538	436	8	14	329	8
Luzerne	4,148	7	–	13	805	250	168	76	87	30	25	189	93	2,254	1,821	25	61	1,216	51
Hazleton	368	1	–	2	80	21	18	11	6	3	2	19	5	191	151	2	5	109	3
Kingston	220	1	–	–	45	14	5	4	2	–	1	19	4	133	112	2	5	89	3
Nanticoke	204	–	–	1	30	7	11	2	2	2	–	6	3	101	94	3	1	77	1
Pittston	124	–	–	1	28	8	8	3	3	2	1	3	4	65	47	1	1	36	
Wilkes-Barre	836	2	–	2	175	56	42	13	16	6	10	32	10	485	382	3	13	245	12
Balance of county	2,396	3	–	7	447	144	84	43	58	17	11	90	67	1,299	1,035	14	36	660	30
Lycoming	1,103	2	–	6	234	70	61	21	26	13	6	37	19	597	485	3	14	305	15
Williamsport	334	1	–	2	86	23	23	9	8	2	1	20	6	159	126	1	5	82	3
Balance of county	769	1	–	4	148	47	38	12	18	11	5	17	13	438	359	2	9	223	12
McKean	553	1	–	2	110	25	27	12	15	10	4	17	5	313	227	1	11	162	6
Bradford	183	1	–	–	23	6	8	2	4	1	–	2	2	112	91	–	5	58	3
Balance of county	370	–	–	2	87	19	19	10	11	9	4	15	3	201	136	1	6	104	3
Mercer	1,281	2	–	9	252	72	60	24	30	10	8	48	30	697	558	4	14	451	8
Farrell	135	–	–	1	30	7	7	3	4	2	–	7	4	62	52	–	–	47	
Sharon	248	1	–	1	52	20	15	3	5	–	1	8	8	133	107	1	3	84	1
Balance of county	898	1	–	7	170	45	38	18	21	8	7	33	18	502	399	3	11	320	6
Mifflin	417	1	–	4	76	13	23	7	9	7	3	14	6	238	183	3	7	144	3
Lewistown	124	1	–	3	21	5	8	1	2	1	1	3	3	72	51	–	3	39	
Balance of county	293	–	–	1	55	8	15	6	7	6	2	11	3	166	132	3	4	105	3
Monroe	608	–	–	4	144	37	32	17	22	5	5	26	12	306	253	2	2	184	6
Montgomery	5,738	1	1	36	1,367	375	313	159	132	62	44	282	113	2,933	2,307	38	82	1,667	56
Abington twp. #	572	–	–	5	133	46	21	17	9	3	5	32	9	283	240	3	6	174	6
Cheltenham twp. #	417	–	–	5	87	26	19	9	8	4	1	20	10	230	173	1	6	128	3
Conshohocken	125	–	–	1	31	12	11	2	1	–	–	5	2	63	51	1	3	29	1
East Norriton twp. #	90	–	–	1	15	4	3	1	–	2	–	5	1	50	41	2	3	27	
Lansdale	184	–	–	1	54	15	10	5	5	4	2	13	2	89	77	–	2	57	1
Lower Merion twp. #	646	–	–	4	183	37	37	27	18	11	6	27	15	332	266	7	6	196	5
Lower Moreland twp. #	79	–	–	1	14	5	2	3	1	–	–	3	2	44	28	–	2	20	
Norristown	399	–	–	–	90	16	26	12	10	4	4	18	10	205	172	4	12	114	4
Plymouth twp. #	124	–	–	–	27	7	8	3	3	1	2	3	5	64	49	–	2	36	1
Pottstown	260	–	–	4	55	9	13	6	5	4	2	16	7	131	108	3	10	81	3
Springfield twp. #	285	1	–	3	65	18	7	7	11	4	2	16	4	143	116	2	8	73	3
Upper Moreland twp. #	203	–	–	1	45	11	13	2	7	3	–	9	2	100	74	1	2	49	2
West Norriton twp. #	93	–	–	–	22	6	6	2	3	1	1	3	1	48	35	–	1	26	
Balance of county	2,261	–	1	10	568	163	137	63	51	21	19	112	43	1,141	877	14	19	647	19
Montour	214	–	–	2	45	12	9	3	5	3	2	11	7	111	89	1	1	60	2
Northampton	2,150	2	–	12	472	121	123	41	54	15	24	94	32	1,208	973	14	21	623	31
Bethlehem, part	538	1	–	2	127	31	32	16	12	5	3	28	4	310	254	4	8	178	6
Bethlehem, total	762	1	–	5	184	42	47	23	19	8	7	38	9	426	341	5	10	246	8
Easton	412	1	–	4	83	24	30	5	8	2	2	12	9	228	186	1	6	112	6
Balance of county	1,200	–	–	6	262	66	61	20	34	9	19	54	19	670	533	9	7	383	19
Northumberland	1,201	–	–	6	235	61	46	17	37	9	7	58	31	667	524	3	9	411	19
Shamokin	154	–	–	1	42	10	5	3	11	2	1	10	4	73	55	1	1	40	1
Sunbury	177	–	–	2	36	11	7	1	8	–	1	8	8	102	72	–	1	59	1
Balance of county	870	–	–	3	157	40	34	13	18	7	5	40	19	492	397	2	7	312	7
Perry	308	–	–	–	60	13	20	2	3	5	5	12	11	165	126	1	4	89	3
Philadelphia, coext. with Philadelphia city	20,522	33	2	237	4,499	1,324	1,145	350	501	154	146	679	348	8,729	6,853	89	199	4,269	1,80
Pike	200	–	–	–	48	16	13	1	5	–	1	12	5	111	91	–	1	61	2
Potter	162	–	–	5	38	10	4	2	8	3	1	10	5	84	66	1	3	34	1
Schuylkill	2,114	2	–	10	400	111	76	29	45	21	14	104	74	1,055	851	8	23	665	15
Pottsville	240	–	–	2	48	11	10	5	4	3	2	13	9	127	104	1	4	66	1
Balance of county	1,874	2	–	8	352	100	66	24	41	18	12	91	65	928	747	7	19	579	14
Snyder	245	–	–	1	51	12	9	5	5	1	–	19	3	141	109	1	4	85	1
Somerset	794	1	–	1	133	34	29	15	16	4	2	33	14	486	373	7	15	301	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Huntingdon	3	32	9	1	7	9	3	3	2	-	-	4	5	20	13	13	6	1	-
Indiana	3	58	8	12	6	21	2	13	6	-	3	6	2	55	44	20	6	6	-
Indiana	-	12	2	6	2	3	-	2	4	-	-	-	1	5	2	2	-	-	-
Balance of county	3	46	6	6	4	18	2	11	2	-	3	6	1	50	42	18	6	6	-
Jefferson	4	45	12	8	2	12	3	4	4	-	2	6	3	32	10	7	2	-	-
Juniata	3	25	2	2	4	7	1	-	1	-	1	-	1	9	5	3	2	-	-
Lackawanna	11	223	37	21	33	58	8	33	19	-	16	24	19	245	37	43	14	3	-
Carbondale	1	4	-	3	2	1	-	3	4	-	-	4	1	18	3	4	-	-	-
Dunmore	-	20	1	2	1	2	1	4	2	-	1	3	1	20	1	4	1	-	-
Scranton	4	113	17	5	14	31	4	14	6	-	7	10	9	100	13	18	5	1	-
Balance of county	6	86	19	11	16	24	3	12	7	-	8	7	8	107	20	17	8	2	-
Lancaster	16	243	65	46	64	98	9	19	29	-	19	36	20	185	91	56	33	7	2
Columbia	3	12	2	6	1	11	-	5	2	-	1	3	-	7	3	2	3	1	-
Lancaster	3	60	14	11	14	23	2	3	8	-	2	13	4	38	10	14	7	3	-
Lancaster twp. #	-	17	2	3	4	8	-	-	1	-	-	1	1	10	2	1	1	-	-
Balance of county	10	154	47	26	45	54	7	11	18	-	16	19	15	140	76	39	22	3	2
Lawrence	5	113	10	10	20	23	1	10	15	-	7	8	11	73	20	29	16	6	2
Ellwood City, part	-	10	1	2	4	3	-	-	2	-	1	1	-	3	1	4	1	-	1
Ellwood City, total	-	10	1	2	4	3	-	-	2	-	1	1	-	3	1	4	1	-	1
New Castle	1	47	4	7	8	8	-	6	5	-	4	4	6	44	8	12	7	1	1
Balance of county	4	56	5	1	10	12	1	4	8	-	2	3	5	26	11	13	8	5	-
Lebanon	-	47	9	14	27	25	2	7	6	-	5	6	5	51	28	18	11	-	1
Lebanon	-	17	-	3	7	11	1	3	2	-	1	1	2	18	6	3	5	-	-
Balance of county	-	30	9	11	20	14	1	4	4	-	4	5	3	33	22	15	6	-	1
Lehigh	5	174	32	34	44	47	8	28	20	-	11	39	4	143	50	38	23	10	1
Allentown	3	75	11	17	20	24	1	16	8	-	4	20	2	72	24	14	6	6	1
Bethlehem, part	-	21	5	3	5	3	1	5	4	-	-	6	1	14	1	3	-	-	-
Emmaus	1	6	1	2	3	1	1	-	2	-	-	-	-	4	2	-	-	-	-
Balance of county	1	72	15	12	16	19	5	7	6	-	7	13	1	53	23	19	17	4	-
Luzerne	9	318	67	39	52	70	11	52	39	-	14	34	11	545	41	65	29	11	2
Hazleton	-	31	5	4	11	6	1	7	2	-	-	3	1	49	2	6	-	1	-
Kingston	-	15	3	3	1	2	-	1	4	-	1	-	-	17	1	5	4	1	-
Nanticoke	-	4	2	1	2	2	1	-	2	-	1	1	-	58	1	2	1	-	-
Pittston	1	9	6	2	-	2	-	-	1	-	-	1	-	18	1	2	-	1	-
Wilkes-Barre	1	63	10	9	13	11	4	14	9	-	2	5	2	94	8	9	8	2	1
Balance of county	7	196	41	20	25	47	5	30	21	-	10	24	8	311	28	41	16	6	1
Lycoming	4	90	7	11	10	31	2	10	11	-	3	12	10	82	26	30	13	2	1
Williamsport	1	25	3	4	2	11	1	4	5	-	1	6	5	22	11	6	4	1	1
Balance of county	3	65	4	7	8	20	1	6	6	-	2	6	5	60	17	24	9	1	-
McKean	-	55	22	9	10	18	5	9	5	-	4	6	4	29	12	14	5	-	1
Bradford	-	16	2	3	5	9	2	4	2	-	2	1	1	9	3	5	2	-	-
Balance of county	-	39	20	6	5	9	3	5	3	-	2	5	3	20	9	9	3	-	1
Mercer	4	94	27	14	33	37	6	16	4	-	11	9	4	93	35	25	9	8	1
Farrell	-	7	2	1	4	-	1	2	-	-	-	3	1	18	2	3	-	3	1
Sharon	-	20	3	3	10	7	-	3	2	-	5	-	-	13	4	3	5	1	-
Balance of county	4	67	22	10	19	30	5	11	2	-	6	8	3	62	29	19	4	4	-
Mifflin	1	47	2	5	6	16	2	1	5	-	4	3	6	22	11	9	7	-	-
Lewistown	-	19	-	2	2	6	-	1	1	-	-	1	3	8	1	-	1	-	-
Balance of county	1	28	2	3	4	10	2	-	4	-	4	2	3	14	10	9	6	-	-
Monroe	-	41	3	9	9	12	1	7	6	1	6	6	1	41	26	13	8	1	4
Montgomery	28	461	64	73	138	141	14	83	41	-	36	31	60	405	121	93	78	20	6
Abington twp. #	2	30	6	5	20	12	3	11	3	-	3	1	5	46	15	9	10	2	2
Cheltenham twp. #	2	38	8	9	11	12	-	3	2	-	6	2	5	32	2	5	5	-	-
Conshohocken	1	8	1	2	1	4	1	3	-	-	1	2	2	7	2	2	2	1	-
East Norriton twp. #	-	9	-	-	1	5	-	2	1	-	1	-	-	10	1	2	-	-	-
Lansdale	-	19	3	-	1	2	-	3	-	-	2	1	-	13	3	1	1	-	1
Lower Merion twp. #	2	47	7	10	17	14	3	9	8	-	3	1	12	38	8	9	6	2	2
Lower Moreland twp. #	-	11	3	2	3	4	-	1	1	-	-	-	1	3	3	-	2	-	-
Norristown	2	25	2	4	9	19	2	7	1	-	1	5	12	23	2	5	4	3	1
Plymouth twp. #	-	12	1	2	1	3	1	4	2	-	-	-	-	11	2	4	-	-	-
Pottstown	-	20	1	2	5	7	-	2	1	-	4	1	3	21	7	4	6	2	-
Springfield twp. #	2	19	4	2	10	8	-	4	-	-	2	-	3	31	5	5	1	-	-
Upper Moreland twp. #	1	18	5	2	6	5	1	5	2	-	3	3	2	16	3	3	4	2	-
West Norriton twp. #	1	8	1	3	1	1	-	1	-	-	1	2	3	8	3	1	1	-	-
Balance of county	15	197	22	30	52	45	3	28	20	-	9	13	32	146	65	43	36	8	-
Montour	-	16	2	4	4	4	-	3	2	-	-	4	2	21	1	4	3	1	-
Northampton	8	188	27	32	39	60	3	29	22	-	12	14	7	123	51	34	24	5	1
Bethlehem, part	1	41	9	5	6	11	-	6	5	-	3	1	1	32	10	11	6	2	-
Bethlehem, total	1	62	14	8	11	14	1	11	9	-	3	7	2	46	11	14	6	2	-
Easton	2	31	4	5	5	11	-	13	5	-	4	3	2	30	7	5	2	-	-
Balance of county	5	86	14	22	28	38	3	10	12	-	5	10	4	61	34	16	16	3	1
Northumberland	3	118	12	10	15	25	3	19	7	-	4	8	1	119	33	18	9	-	1
Shamokin	-	17	-	1	1	1	-	6	-	-	1	2	-	15	3	3	2	-	-
Sunbury	-	24	4	2	5	6	-	1	2	-	1	-	-	7	4	3	-	-	-
Balance of county	3	77	8	7	9	18	3	12	5	-	2	6	1	97	26	12	7	-	1
Perry	2	30	3	4	11	3	1	6	4	-	2	2	2	16	16	5	3	1	-
Philadelphia, coext. with Philadelphia city	54	1,480	159	183	465	386	48	320	242	7	102	265	1,857	1,557	201	507	219	405	93
Pike	-	14	4	2	3	4	-	2	1	-	-	1	-	12	5	3	4	1	-
Potter	1	15	-	2	2	2	1	3	2	-	-	1	1	14	2	2	-	-	-
Schuylkill	12	142	23	27	25	39	4	38	20	-	9	15	13	289	44	52	16	7	1
Pottsville	2	12	6	3	3	2	1	7	3	-	2	1	1	16	4	7	4	3	-
Balance of county	10	130	17	24	23	37	3	31	17	-	7	14	12	273	40	45	12	4	1
Snyder	-	25	4	3	3	6	-	3	3	-	4	2	2	6	4	8	3	-	1
Somerset	5	75	22	11	9	22	-	10	2	-	4	3	2	54	22	20	11	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Pennsylvania—Con.																			
Sullivan	79	–	–	–	15	7	6	–	–	–	–	2	1	40	29	1	–	15	1
Susquehanna	373	–	–	–	85	30	21	7	8	5	1	13	6	210	168	3	7	119	3
Tioga	367	–	–	–	70	14	26	4	9	4	2	11	15	205	156	1	1	117	3
Union	301	–	–	3	56	9	11	4	11	3	2	16	14	172	123	–	7	90	2
Venango	593	2	–	2	121	33	33	9	17	4	3	22	17	304	239	–	7	196	3
Oil City	139	1	–	1	27	7	10	2	2	–	–	6	3	71	49	–	1	41	
Balance of county	454	1	–	1	94	26	23	7	15	4	3	16	14	233	190	–	6	157	2
Warren	473	–	–	4	83	24	20	10	3	3	4	19	3	272	203	2	2	157	4
Warren	180	–	–	2	29	11	5	5	1	–	1	6	1	113	86	–	1	66	1
Balance of county	293	–	–	2	54	13	15	5	2	3	3	13	2	159	117	2	1	91	2
Washington	2,217	3	–	14	462	116	144	34	53	23	15	77	51	1,225	1,004	14	10	816	16
Canonsburg	139	–	–	–	33	10	9	2	3	2	1	6	2	72	63	1	2	50	1
Washington	244	–	–	1	51	14	18	–	6	5	2	6	8	137	110	3	1	91	1
Balance of county	1,834	3	–	13	378	92	117	32	44	18	12	65	41	1,016	831	10	7	675	13
Wayne	401	–	–	3	83	27	17	3	7	5	2	22	7	213	158	5	1	123	2
Westmoreland	3,583	2	–	15	762	230	198	48	86	35	30	135	72	1,986	1,553	12	26	1,265	23
Greensburg	220	–	–	–	48	16	8	6	7	1	–	10	5	119	91	3	2	76	1
Hempfield twp. #	267	–	–	–	59	20	18	2	3	3	3	10	8	157	114	1	2	101	1
Jeannette	174	–	–	2	41	13	9	5	5	3	–	6	1	103	86	–	2	70	1
Latrobe	164	–	–	1	44	13	11	1	6	3	2	8	2	87	67	–	1	55	1
Lower Burrell	93	–	–	–	19	7	9	–	1	–	–	2	3	47	31	1	–	28	
Monessen	174	–	–	–	33	12	9	4	3	2	–	3	4	110	80	1	–	69	1
New Kensington	221	–	–	1	43	18	11	–	7	2	1	4	1	131	102	1	1	79	2
North Huntingdon twp. #	173	–	–	–	39	12	2	4	3	6	2	10	5	81	70	1	2	52	1
Balance of county	2,097	2	–	11	436	119	121	26	51	15	22	82	43	1,151	912	4	16	757	13
Wyoming	213	–	–	1	39	13	8	–	1	4	1	12	8	126	82	2	3	57	2
York	2,541	2	–	12	588	157	116	71	59	32	22	131	51	1,345	1,084	9	24	728	32
Hanover	209	–	–	1	44	8	7	5	9	4	2	9	8	124	102	–	5	68	2
Spring Garden twp. #	119	–	–	–	33	6	6	6	–	4	2	9	2	62	53	1	1	32	1
York	617	1	–	–	137	41	30	13	13	7	2	31	13	320	254	3	4	171	7
Balance of county	1,596	1	–	11	374	102	73	47	37	17	16	82	28	839	675	5	14	457	19
Rhode Island	9,090	6	1	66	2,120	653	520	207	209	88	63	380	203	4,801	3,794	41	84	3,166	50
Urban places	7,248	4	1	57	1,671	520	405	167	169	65	50	295	172	3,847	3,025	34	70	2,513	40
Balance of area	1,842	2	–	9	449	133	115	40	40	23	13	85	31	954	769	7	14	655	9
Metropolitan counties	7,790	6	–	57	1,822	555	460	182	171	77	54	323	177	4,126	3,286	38	72	2,706	44
Urban places	6,709	4	–	51	1,545	480	383	155	150	62	45	270	159	3,562	2,805	32	63	2,325	38
Balance of area	1,081	2	–	6	277	75	77	27	21	15	9	53	18	564	481	6	9	380	6
Nonmetropolitan counties	1,300	–	1	9	298	98	60	25	38	11	9	57	26	675	528	3	12	460	5
Urban places	539	–	1	6	126	40	22	12	19	3	5	25	13	285	220	2	7	188	2
Balance of area	761	–	–	3	172	58	38	13	19	8	4	32	13	390	308	1	5	272	3
Bristol	423	–	–	2	107	27	30	5	11	4	6	24	13	219	149	–	6	114	2
Barrington town #	127	–	–	2	38	7	10	1	5	2	5	8	2	67	48	–	2	39	
Bristol town #	188	–	–	–	45	12	14	3	5	1	–	10	9	92	64	–	–	47	1
Warren town #	107	–	–	–	24	8	6	1	1	1	1	6	2	60	37	–	4	28	
Balance of county	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Kent	1,322	1	–	7	324	101	82	35	30	14	5	57	27	691	541	3	11	433	9
Warwick	776	–	–	5	186	61	41	21	18	10	3	32	13	412	320	3	6	264	4
West Warwick town #	245	–	–	2	57	18	19	8	7	2	–	3	9	133	103	–	3	81	1
Balance of county	301	1	–	–	81	22	22	6	5	2	2	22	5	146	118	–	2	88	2
Newport	682	–	–	4	161	56	30	12	21	5	5	32	13	363	273	2	6	240	2
Middletown town #	120	–	–	1	36	17	6	1	2	–	–	10	6	58	45	–	3	40	
Newport	290	–	–	3	61	18	10	4	13	2	4	10	4	163	121	2	3	104	1
Balance of county	272	–	–	–	64	21	14	7	6	3	1	12	3	142	107	–	–	96	1
Providence	6,045	5	–	48	1,391	427	348	142	130	59	43	242	137	3,216	2,576	35	55	2,161	32
Central Falls	223	–	–	–	44	17	9	5	1	1	3	8	5	129	104	1	3	88	1
Cranston	696	–	–	7	161	49	45	13	16	14	6	38	15	374	292	1	1	268	2
Cumberland town #	218	–	–	1	40	17	6	2	6	1	–	8	3	117	92	2	3	77	1
East Providence	494	–	–	4	114	38	34	13	11	3	3	12	11	273	228	4	4	189	2
North Providence town #	274	–	–	5	59	22	13	4	5	3	1	11	3	163	142	1	6	116	1
Pawtucket	671	1	–	3	195	60	51	24	18	6	7	29	17	474	390	7	6	324	5
Providence	1,936	2	–	19	438	137	105	46	45	11	13	81	51	980	753	10	16	618	10
Woonsocket	552	1	–	3	124	34	30	14	12	7	3	24	19	286	234	3	9	191	3
Balance of county	779	1	–	6	196	53	55	21	16	13	7	31	13	418	343	6	7	295	3
Washington	618	–	1	5	137	42	30	13	17	6	4	25	13	312	255	1	6	220	2
North Kingstown town #	129	–	1	2	29	5	6	7	4	1	1	5	3	64	54	–	1	44	
Balance of county	489	–	–	3	108	37	24	6	13	5	3	20	10	248	201	1	5	176	1
South Carolina	24,363	45	3	233	4,593	1,120	1,226	367	545	170	162	943	475	11,744	8,648	51	439	5,969	2,19
Urban places	5,791	15	–	49	1,072	292	262	79	148	47	26	218	117	2,858	2,090	16	116	1,361	59
Balance of area	18,572	30	3	184	3,461	828	964	288	397	123	136	725	358	8,886	6,556	35	317	4,608	1,59
Metropolitan counties	8,715	17	1	83	1,728	435	467	143	203	76	57	347	155	4,145	3,147	22	154	2,134	88
Urban places	3,037	7	–	28	587	167	140	47	78	29	14	112	44	1,470	1,102	9	71	803	32
Balance of area	5,678	10	1	55	1,141	268	327	96	125	47	43	235	111	2,675	2,045	13	83	1,441	50
Nonmetropolitan counties	15,648	28	2	150	2,805	685	759	224	342	94	105	596	320	7,599	5,499	29	279	3,835	1,35
Urban places	2,754	8	–	21	485	125	122	32	70	18	12	106	73	1,388	988	7	45	668	28
Balance of area	12,894	20	2	129	2,320	560	637	192	272	76	93	490	247	6,211	4,511	22	234	3,167	1,06
Abbeville	201	–	–	3	28	9	5	2	4	1	–	7	4	92	62	–	2	49	1
Aiken	838	2	–	2	155	34	53	11	22	6	5	24	15	392	290	–	11	204	7
Aiken	171	1	–	–	26	6	6	5	6	1	–	2	2	91	63	–	2	42	1
North Augusta	107	–	–	–	20	3	7	–	2	2	–	6	–	51	41	–	4	30	
Balance of county	560	1	–	2	109	25	40	6	14	3	5	16	13	250	186	–	5	132	4
Allendale	123	–	–	2	17	2	8	1	3	–	1	2	2	72	48	–	8	37	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Sullivan	-	9	2	-	3	2	-	-	1	-	-	-	1	10	6	-	-	-	-
Susquehanna	1	28	8	5	4	8	2	4	2	-	1	1	2	22	7	12	7	-	-
Tioga	-	39	7	3	6	18	2	3	2	-	4	3	3	12	13	3	6	1	1
Union	1	39	2	7	4	10	1	1	2	-	2	3	3	14	5	8	1	2	-
Venango	1	49	9	6	10	17	4	6	4	-	1	6	2	45	21	20	5	3	1
Oil City	-	13	6	3	2	5	1	3	1	-	-	1	-	8	4	8	1	1	1
Balance of county	1	36	3	3	8	12	3	3	3	-	1	7	2	37	17	12	4	2	-
Warren	-	54	12	3	14	12	1	10	2	-	2	5	4	34	13	11	2	1	-
Warren	-	24	2	1	9	6	-	2	-	-	-	2	2	9	3	1	-	1	-
Balance of county	-	30	10	2	5	6	1	8	2	-	2	3	2	25	10	10	2	-	-
Washington	6	164	30	21	47	52	9	24	17	-	13	20	9	151	32	42	36	9	1
Canonsburg	-	8	1	-	4	2	2	2	3	-	-	1	-	12	1	4	-	1	-
Washington	-	21	3	3	9	8	-	1	-	-	1	3	-	11	2	7	2	3	-
Balance of county	6	135	26	18	34	42	7	21	14	-	12	16	9	128	29	31	34	5	1
Wayne	-	44	6	7	4	8	1	4	5	-	-	7	4	36	8	10	6	2	-
Westmoreland	13	300	80	40	47	78	13	40	23	1	21	24	52	218	85	99	35	8	2
Greensburg	1	17	9	1	5	5	-	3	1	-	2	3	2	13	4	4	5	1	-
Hempfield twp. #	1	28	12	2	1	3	-	3	1	-	4	1	4	12	9	2	3	-	-
Jeannette	-	10	3	4	1	2	-	4	-	-	-	-	1	9	3	6	-	1	-
Latrobe	1	17	1	1	1	4	-	3	-	-	2	2	1	12	3	1	1	-	-
Lower Burrell	-	13	2	1	1	1	-	1	1	-	1	1	1	9	4	2	2	-	-
Monessen	2	20	5	3	1	3	-	1	-	-	-	-	3	16	-	4	-	-	-
New Kensington	-	22	2	5	2	2	4	2	3	-	-	1	5	12	2	8	1	2	1
North Huntington twp. #	-	7	3	1	1	7	-	1	5	-	1	2	4	10	8	7	2	-	-
Balance of county	8	168	43	22	34	51	9	22	12	1	11	14	31	126	52	65	21	4	1
Wyoming	2	26	16	-	1	2	-	1	2	-	1	3	1	15	5	3	4	1	-
York	5	188	31	37	48	66	8	22	20	-	15	20	10	173	77	44	34	5	1
Hanover	-	17	3	2	4	3	-	1	-	-	2	1	-	11	6	2	2	-	-
Spring Garden twp. #	-	6	2	2	3	5	1	-	1	-	2	-	-	5	2	1	2	-	-
York	1	47	6	12	14	21	3	10	8	-	3	4	1	42	12	11	12	4	1
Balance of county	4	119	20	21	27	37	4	11	11	-	8	15	9	115	57	30	18	1	-
Rhode Island	36	716	159	96	149	235	29	139	80	-	62	91	21	601	147	183	114	37	5
Urban places	31	582	131	78	110	190	25	114	69	-	48	76	18	485	101	141	83	32	4
Balance of area	5	134	28	18	39	45	4	25	11	-	14	15	3	116	46	42	31	5	1
Metropolitan counties	30	611	136	83	118	192	28	119	71	-	54	80	17	526	110	155	94	34	4
Urban places	28	541	117	71	100	170	24	105	67	-	44	70	16	460	90	130	78	30	4
Balance of area	2	70	19	12	18	22	4	14	4	-	10	10	1	66	20	25	16	4	-
Nonmetropolitan counties	6	105	23	13	31	43	1	20	9	-	8	11	4	75	37	28	20	3	1
Urban places	3	41	14	7	10	20	1	9	2	-	4	6	2	25	11	11	5	2	-
Balance of area	3	64	9	6	21	23	-	11	7	-	4	5	2	50	26	17	15	1	1
Bristol	2	35	26	7	10	19	-	8	6	-	2	3	-	17	6	6	5	-	-
Barrington town #	-	9	7	3	2	4	-	1	1	-	-	1	-	2	3	1	3	-	-
Bristol town #	2	11	11	4	4	10	-	4	3	-	2	2	-	12	2	3	-	-	-
Warren town #	-	15	8	-	4	5	-	3	2	-	-	-	-	3	1	1	2	-	-
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Kent	2	109	23	16	17	31	3	22	9	-	12	10	2	88	27	31	17	5	-
Warwick	1	72	13	6	10	20	2	16	5	-	3	3	1	56	15	18	9	2	-
West Warwick town #	1	17	4	8	2	5	-	2	2	-	3	4	-	12	3	5	4	2	-
Balance of county	-	20	6	2	5	6	1	4	2	-	6	3	1	18	9	8	4	1	-
Newport	5	60	16	9	14	25	1	11	4	-	3	8	2	37	14	14	5	2	1
Middletown town #	-	10	1	2	2	6	1	-	-	-	2	2	-	4	-	2	-	-	-
Newport	3	23	12	4	5	11	-	5	2	-	1	4	2	17	3	6	2	1	-
Balance of county	2	27	3	3	7	8	-	6	2	-	-	2	-	16	11	6	3	1	1
Providence	26	467	87	60	91	142	25	89	56	-	40	67	15	423	77	118	72	29	4
Central Falls	2	18	3	2	3	3	2	3	1	-	4	1	-	14	4	5	4	1	-
Cranston	2	66	6	6	13	19	2	7	4	-	3	1	2	49	5	4	9	1	2
Cumberland town #	1	18	3	3	4	7	-	7	-	-	1	7	-	17	8	5	1	-	-
East Providence	-	31	9	7	4	9	4	8	3	-	2	5	1	33	4	11	6	2	-
North Providence town #	-	17	2	2	3	8	1	2	-	-	1	2	-	18	3	6	2	-	-
Pawtucket	4	62	14	4	13	16	3	16	10	-	4	8	2	56	18	16	13	4	-
Providence	9	168	29	21	30	41	9	29	28	-	19	24	8	155	19	43	21	16	2
Woonsocket	6	37	8	3	8	23	1	7	8	-	2	12	2	35	5	10	4	-	-
Balance of county	2	50	13	10	13	16	3	10	2	-	4	7	-	48	11	16	12	3	-
Washington	1	45	7	4	17	18	-	9	5	-	5	3	2	38	23	14	15	1	-
North Kingstown town #	-	8	1	1	3	3	-	4	-	-	1	-	-	4	8	3	3	1	-
Balance of county	1	37	6	3	14	15	-	5	5	-	4	3	2	34	15	11	12	-	-
South Carolina	103	2,509	255	231	548	544	47	301	264	5	224	420	705	1,797	911	861	302	374	27
Urban places	15	627	68	58	144	140	14	98	68	-	54	103	139	449	122	185	64	95	5
Balance of area	88	1,882	187	173	404	404	33	203	196	5	170	317	566	1,348	789	676	238	279	22
Metropolitan counties	34	807	74	83	211	213	17	116	83	1	88	154	135	681	296	310	142	133	6
Urban places	4	307	26	31	73	88	8	47	34	-	34	57	40	262	64	102	40	50	2
Balance of area	30	500	48	52	138	125	9	69	49	1	54	97	95	419	232	208	102	83	4
Nonmetropolitan counties	69	1,702	181	148	337	331	30	185	181	4	136	268	570	1,116	615	551	160	241	21
Urban places	11	320	42	27	71	52	6	51	34	-	20	46	99	187	58	83	24	45	3
Balance of area	58	1,382	139	121	266	279	24	134	147	4	116	220	471	929	557	468	136	196	18
Abbeville	-	26	2	2	3	2	-	2	3	-	3	4	30	9	4	7	3	4	-
Aiken	2	63	6	11	13	18	1	12	8	-	8	21	27	66	35	30	15	17	1
Aiken	1	24	-	3	4	4	1	3	1	-	1	4	7	13	3	7	2	1	-
North Augusta	-	9	1	-	1	3	-	1	1	-	3	4	3	7	6	4	2	1	-
Balance of county	1	50	5	8	8	11	-	8	6	-	4	13	17	46	26	19	11	15	1
Allendale	-	21	2	1	1	3	-	1	1	-	1	4	-	8	2	6	1	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
South Carolina—Con.																			
Anderson	1,028	–	–	9	179	48	59	14	16	5	6	37	11	463	314	1	12	243	58
Anderson	333	–	–	1	49	15	13	2	5	–	–	14	4	154	100	–	2	79	19
Balance of county	695	–	–	8	130	33	46	12	11	5	6	23	7	309	214	1	10	164	39
Bamberg	166	–	–	–	31	8	11	2	5	–	2	3	1	83	63	–	7	43	13
Barnwell	190	–	–	5	32	4	13	2	2	4	2	5	1	91	61	–	1	46	14
Beaufort	368	1	–	6	88	28	29	5	7	3	2	14	12	118	83	1	3	57	22
Berkeley	439	1	–	3	79	15	19	7	11	2	2	23	12	210	170	2	3	83	8
Calhoun	117	–	–	1	19	5	4	4	2	1	–	3	8	67	47	–	7	29	11
Charleston	1,939	3	–	22	415	116	108	23	54	19	19	78	35	864	672	6	50	409	207
Charleston	844	1	–	8	177	63	38	10	25	9	6	26	15	384	290	4	29	188	88
Balance of county	1,089	2	–	14	238	53	68	13	29	10	13	52	20	480	382	2	21	241	118
Cherokee	389	1	–	2	76	19	19	3	10	2	3	20	15	200	154	1	2	116	35
Gaffney	176	1	–	–	28	9	8	–	4	1	1	5	12	87	59	1	1	38	16
Balance of county	213	–	–	2	48	10	11	3	6	1	2	15	3	113	95	–	1	78	19
Chester	295	–	–	4	49	15	9	5	8	2	1	9	7	155	112	–	9	62	41
Chesterfield	344	1	–	5	52	11	15	4	9	–	–	13	7	165	119	–	3	90	28
Clarendon	246	1	–	3	38	7	7	6	5	1	2	10	3	129	111	–	4	79	28
Colleton	315	–	–	2	46	5	15	4	7	3	–	12	4	147	102	1	6	72	23
Darlington	570	3	–	9	98	30	28	8	9	1	4	16	13	271	205	–	8	138	58
Dillon	272	1	–	3	54	13	14	5	6	1	2	13	3	101	68	–	5	40	23
Dorchester	313	–	–	3	77	19	22	7	7	4	3	15	7	139	104	2	3	67	32
Edgefield	152	–	–	1	28	6	5	6	2	–	1	8	2	76	60	–	6	51	3
Fairfield	210	–	–	1	35	9	7	2	4	1	2	10	6	104	74	–	1	45	22
Florence	903	4	–	8	143	31	41	12	23	4	7	25	22	461	359	3	19	250	87
Florence	361	2	–	5	63	11	17	5	17	2	3	8	10	172	130	1	6	87	36
Balance of county	542	2	–	3	80	20	24	7	6	2	4	17	12	289	229	2	13	163	51
Georgetown	365	–	–	6	65	18	21	4	3	1	2	16	4	177	109	1	9	74	25
Georgetown	146	–	–	4	23	8	10	–	1	–	–	4	1	78	36	1	6	21	6
Balance of county	219	–	–	2	42	10	11	4	2	1	2	12	3	99	73	–	3	53	17
Greenville	2,150	4	–	27	447	108	117	44	47	24	14	93	37	1,044	763	8	21	575	159
Greenville	672	1	–	10	135	32	35	13	18	6	3	28	7	336	241	2	6	170	61
Greer, part	94	–	–	1	11	3	2	1	1	1	–	3	1	52	35	–	–	29	6
Greer, total	132	–	–	1	19	6	5	1	1	1	–	5	1	72	51	–	–	41	10
Balance of county	1,384	3	–	16	301	73	80	30	28	17	11	62	29	656	467	6	13	376	92
Greenwood	495	1	–	2	99	20	29	7	18	3	1	21	13	247	188	1	7	122	38
Greenwood	235	1	–	–	50	12	16	3	7	1	–	11	9	116	74	–	2	53	19
Balance of county	260	–	–	2	49	8	13	4	11	2	1	10	4	131	94	1	5	69	19
Hampton	164	1	–	1	28	8	9	2	6	1	1	1	3	84	61	–	5	51	5
Horry	703	–	–	3	131	26	36	10	15	3	4	37	12	341	253	3	10	176	64
Jasper	143	–	–	–	26	4	8	1	2	3	1	7	2	65	42	–	1	34	7
Kershaw	313	2	–	3	53	19	13	3	2	1	3	12	7	130	94	1	2	78	13
Lancaster	420	1	–	2	74	20	17	8	3	6	4	16	8	195	155	–	7	110	38
Laurens	479	–	–	6	93	25	19	9	12	5	4	19	15	235	173	–	9	122	42
Laurens	94	–	–	–	19	12	1	1	2	1	–	2	3	52	40	–	1	28	13
Balance of county	385	–	–	6	74	13	18	8	10	4	4	17	12	183	133	–	8	98	29
Lee	159	–	–	–	26	4	8	2	3	1	1	7	–	85	66	–	4	50	12
Lexington	749	2	–	10	148	43	42	12	19	3	4	25	11	356	261	–	10	209	42
McCormick	95	–	–	–	12	4	5	–	1	–	1	1	3	49	36	1	2	27	6
Marion	339	3	1	5	66	12	21	8	5	2	1	17	8	157	115	–	5	91	19
Marlboro	294	–	–	4	57	11	16	6	16	1	2	5	6	139	95	–	1	60	25
Newberry	341	1	1	2	56	14	18	3	5	–	6	9	3	192	138	2	9	88	39
Oconee	423	–	–	1	82	23	29	7	10	6	6	11	9	216	170	1	22	106	41
Orangeburg	809	1	–	7	138	39	33	5	16	8	7	30	15	438	276	3	11	184	80
Orangeburg	155	1	–	1	30	7	6	2	4	1	2	8	2	87	63	1	1	38	23
Balance of county	654	–	–	6	108	32	27	3	12	7	5	22	13	351	215	2	10	146	57
Pickens	519	–	–	5	119	31	29	13	9	6	2	29	12	251	190	3	5	144	36
Easley	134	–	–	1	30	8	4	4	4	1	–	9	7	61	48	1	–	39	8
Balance of county	385	–	–	4	89	23	25	9	5	5	2	20	5	190	142	2	5	105	30
Richland	2,087	5	1	14	365	88	101	33	41	16	11	75	33	1,028	801	3	54	510	234
Columbia	1,015	4	–	8	188	52	48	14	22	9	5	38	12	495	384	2	28	215	139
Balance of county	1,072	1	1	6	177	36	53	19	19	7	6	37	21	533	417	1	26	295	95
Saluda	140	–	–	1	26	7	5	1	6	1	2	4	5	74	42	–	2	37	3
Spartanburg	1,751	1	–	17	315	71	79	33	34	14	7	77	37	830	642	2	32	490	178
Greer, part	38	–	–	–	8	3	3	–	–	–	–	2	–	20	16	–	–	12	4
Spartanburg	520	–	–	3	91	16	22	10	15	7	1	20	9	267	216	–	13	144	59
Balance of county	1,193	1	–	14	216	52	54	23	19	7	6	55	28	543	410	2	19	274	115
Sumter	604	2	–	8	103	26	20	4	21	1	2	29	13	287	210	–	10	104	96
Sumter	257	1	–	4	40	13	7	1	4	1	–	14	8	129	95	–	5	48	42
Balance of county	347	1	–	4	63	13	13	3	17	–	2	15	5	158	115	–	5	56	54
Union	278	1	–	6	42	14	7	3	10	2	1	5	5	143	106	–	10	79	17
Union	113	–	–	–	19	7	3	1	4	2	–	2	3	63	45	–	3	33	9
Balance of county	165	1	–	6	23	7	4	2	6	–	1	3	2	80	61	–	7	46	8
Williamsburg	343	–	–	3	55	15	15	5	9	–	4	8	4	188	129	1	6	85	37
York	788	2	–	6	158	36	45	11	17	2	7	40	20	393	271	4	9	204	54
Rock Hill	326	2	–	3	65	12	16	7	7	2	5	16	12	163	114	3	5	89	17
Balance of county	462	–	–	3	93	24	29	4	10	–	2	24	8	230	157	1	4	115	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Anderson	3	127	8	11	27	24	5	14	7	–	7	11	97	65	43	37	17	11	1
Anderson	–	46	2	6	12	11	2	4	2	–	2	4	37	22	5	15	4	5	–
Balance of county	3	81	6	5	15	13	3	10	5	–	5	7	60	43	38	22	13	6	1
Bamberg	2	17	1	–	2	3	–	2	6	–	4	3	4	19	2	3	1	1	1
Barnwell	1	26	3	–	5	9	1	2	1	–	–	6	7	6	11	6	1	4	2
Beaufort	5	24	4	2	2	14	–	4	5	–	7	6	2	45	27	20	5	5	1
Berkeley	1	33	3	3	7	10	1	4	4	–	4	11	11	19	31	19	5	7	1
Calhoun	1	13	2	4	1	2	–	1	2	–	–	–	1	7	2	5	–	1	–
Charleston	6	162	12	12	33	46	–	24	17	–	29	43	21	173	64	61	33	30	–
Charleston	–	81	7	6	18	24	–	9	10	–	15	16	5	68	18	28	11	17	–
Balance of county	6	81	5	6	15	22	–	15	7	–	14	27	16	85	46	53	22	13	–
Cherokee	2	29	11	4	9	6	2	3	3	–	3	3	5	28	11	13	5	3	1
Gaffney	1	18	8	1	5	1	1	3	3	–	2	2	3	18	1	5	4	–	–
Balance of county	1	11	3	3	4	5	1	–	–	–	1	1	2	10	10	8	1	3	1
Chester	1	35	4	3	2	11	2	3	4	–	2	10	8	17	7	6	3	5	–
Chesterfield	1	35	7	3	3	7	–	5	4	–	2	6	21	25	18	14	6	3	–
Clarendon	1	16	–	1	4	2	–	–	7	–	2	4	3	20	10	11	3	6	–
Colleton	1	40	2	2	4	2	–	3	7	–	3	5	25	21	22	15	3	5	1
Darlington	3	54	4	5	11	18	–	11	5	–	3	8	8	35	27	24	9	14	2
Dillon	–	27	3	3	6	3	1	4	4	–	3	2	41	19	12	9	–	6	–
Dorchester	2	25	5	3	14	7	–	2	3	–	2	6	2	21	17	6	2	5	–
Edgefield	–	12	1	3	1	5	1	1	1	–	1	2	1	13	7	6	2	2	–
Fairfield	–	29	1	–	3	6	1	4	1	–	1	2	11	17	6	7	1	2	–
Florence	2	84	5	11	26	17	–	20	7	–	7	23	9	44	49	33	8	19	3
Florence	1	33	4	4	12	5	–	13	3	–	3	7	6	18	11	17	5	8	1
Balance of county	1	51	1	7	14	12	–	7	4	–	4	16	3	26	38	16	3	11	2
Georgetown	1	59	6	2	8	2	–	6	9	–	5	15	4	19	22	15	1	6	1
Georgetown	1	37	3	1	2	–	–	5	6	–	1	5	1	8	3	7	–	2	–
Balance of county	–	22	3	1	6	2	–	1	3	–	4	10	3	11	19	8	1	4	1
Greenville	7	225	24	25	59	57	6	24	11	–	21	35	50	148	66	61	26	27	–
Greenville	2	75	7	11	14	15	2	10	3	–	6	13	14	57	15	24	2	8	–
Greer, part	–	13	3	1	2	6	–	3	2	–	–	1	2	4	2	4	1	2	–
Greer, total	–	17	3	1	3	6	–	5	2	–	1	1	3	9	2	4	1	2	–
Balance of county	5	137	14	13	43	36	4	11	6	–	15	21	34	87	49	33	23	17	–
Greenwood	2	55	15	7	12	7	1	8	5	–	2	7	4	39	16	17	8	7	–
Greenwood	2	32	6	2	7	3	–	4	3	–	–	3	–	17	6	11	1	4	–
Balance of county	–	23	9	5	5	4	1	4	2	–	2	4	4	22	10	6	7	3	–
Hampton	1	16	5	1	3	3	1	2	4	–	3	2	4	14	5	4	2	–	–
Horry	2	74	6	6	9	18	2	14	12	–	9	15	19	48	18	27	14	9	2
Jasper	–	21	1	1	6	2	–	2	1	–	2	3	–	11	11	8	1	2	1
Kershaw	2	27	6	1	6	7	1	3	2	–	2	4	36	21	13	11	5	7	–
Lancaster	6	27	2	5	10	8	–	3	6	–	7	3	3	32	26	27	11	4	–
Laurens	2	47	9	4	13	10	–	7	6	1	3	9	14	31	9	14	5	8	–
Laurens	–	11	1	–	2	2	–	2	–	–	1	4	4	3	1	1	–	–	–
Balance of county	2	36	8	4	11	8	–	5	6	1	2	5	10	28	8	13	5	8	–
Lee	1	18	–	2	4	1	–	1	2	–	–	6	2	17	8	5	–	2	–
Lexington	6	76	4	9	14	19	1	11	6	–	8	10	5	51	35	35	14	11	2
McCormick	–	8	5	–	1	4	–	3	–	–	1	4	–	3	8	5	1	1	–
Marion	1	37	2	2	10	8	1	6	2	–	–	9	15	26	6	11	1	4	–
Marlboro	1	41	1	1	4	6	–	5	3	–	2	8	5	25	8	13	1	12	–
Newberry	1	44	6	3	8	6	–	2	6	–	1	4	21	13	10	12	2	1	–
Oconee	–	35	2	9	9	6	–	1	5	–	2	4	8	30	14	13	5	8	–
Orangeburg	7	136	13	4	28	14	2	11	11	1	10	6	16	46	28	28	4	7	–
Orangeburg	2	20	2	–	4	1	–	3	2	–	2	–	5	7	5	2	1	2	–
Balance of county	5	116	11	4	22	13	2	8	9	1	8	6	11	39	23	26	3	5	–
Pickens	2	45	8	6	13	15	–	7	4	1	2	6	1	43	12	15	9	4	–
Easley	–	9	1	3	4	7	–	3	1	–	–	4	1	10	1	3	1	–	–
Balance of county	2	36	7	3	9	8	–	4	3	1	2	2	–	33	11	12	8	4	–
Richland	10	183	17	17	72	48	8	34	33	–	16	28	20	181	53	69	40	37	2
Columbia	1	96	7	7	30	29	5	18	16	–	9	15	8	83	19	32	21	21	2
Balance of county	9	87	10	10	42	19	3	16	17	–	7	13	12	98	34	37	19	16	–
Saluda	1	27	1	3	1	2	1	1	1	–	–	2	3	13	6	2	–	2	–
Spartanburg	10	143	14	21	33	38	4	15	9	1	17	27	97	156	60	48	15	30	1
Greer, part	–	4	–	–	1	–	–	2	–	–	1	–	1	5	–	–	–	–	–
Spartanburg	2	40	3	6	8	10	2	7	2	–	2	10	27	43	14	9	2	13	1
Balance of county	8	99	11	15	24	28	2	6	7	1	14	17	69	108	46	39	13	17	–
Sumter	2	72	–	3	18	17	3	2	8	–	7	9	15	54	23	19	3	12	1
Sumter	–	32	–	2	10	6	1	2	7	–	3	3	5	26	3	4	1	4	–
Balance of county	2	40	–	1	8	11	2	–	1	–	4	6	10	28	20	15	2	8	1
Union	3	27	5	2	5	7	1	2	2	–	1	4	10	16	15	10	3	5	–
Union	2	11	3	2	1	2	–	2	1	–	–	2	5	3	4	4	2	2	–
Balance of county	1	16	2	–	4	5	1	–	1	–	1	2	5	13	11	6	1	3	–
Williamsburg	1	55	1	2	10	4	–	2	7	1	4	5	9	26	9	10	–	6	–
York	–	95	16	11	17	20	–	7	9	–	7	16	10	57	23	22	8	10	3
Rock Hill	–	36	10	3	7	11	–	4	5	–	3	6	5	17	5	8	4	5	1
Balance of county	–	59	6	8	10	9	–	3	4	–	4	10	5	40	18	14	4	5	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-008, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Oth... dise... (41... 42...
South Dakota	6,345	9	–	32	1,166	314	240	119	150	71	57	215	106	3,393	2,564	23	60	1,990	4
Urban places	1,793	2	–	12	365	91	69	36	45	36	18	70	22	953	696	5	10	583	1
Balance of area	4,552	7	–	20	801	223	171	83	105	35	39	145	84	2,440	1,868	18	50	1,407	3
Metropolitan counties	814	2	–	7	187	50	39	16	28	15	6	33	12	411	303	1	1	260	
Urban places	648	2	–	6	140	38	28	10	22	15	4	23	10	331	248	–	1	215	3
Balance of area	166	–	–	1	47	12	11	6	6	–	2	10	2	80	55	1	–	45	
Nonmetropolitan counties	5,531	7	–	25	979	264	201	103	122	56	51	182	94	2,982	2,261	22	59	1,730	4
Urban places	1,145	–	–	6	225	53	41	26	23	21	14	47	12	622	448	5	9	368	
Balance of area	4,386	7	–	19	754	211	160	77	99	35	37	135	82	2,360	1,813	17	50	1,362	3
Aurora	39	–	–	–	10	3	2	1	1	1	–	2	1	23	12	–	–	11	
Beadle	199	–	–	1	44	11	9	3	5	3	3	10	2	98	66	1	1	58	
Huron	148	–	–	1	28	7	4	2	3	3	3	6	2	79	51	1	1	45	
Balance of county	51	–	–	–	16	4	5	1	2	–	–	4	–	19	15	–	–	13	
Bennett	24	–	–	–	1	1	–	–	–	–	–	–	–	11	10	–	–	6	
Bon Homme	100	–	–	–	32	8	10	5	3	2	2	2	2	45	32	–	1	25	
Brookings	145	–	–	–	31	8	3	3	4	2	3	7	–	76	50	–	1	38	1
Brookings	73	–	–	–	17	4	1	1	3	2	–	6	–	37	20	–	–	15	
Balance of county	72	–	–	–	14	5	2	2	1	–	3	1	–	39	30	–	1	23	
Brown	302	–	–	–	56	18	7	12	9	4	2	4	3	194	135	1	1	118	1
Aberdeen	211	–	–	–	40	10	6	10	6	3	2	3	3	130	91	1	1	81	
Balance of county	91	–	–	–	16	8	1	2	3	1	–	1	–	64	44	–	–	37	
Brule	53	–	–	–	8	5	–	–	–	–	1	2	–	29	21	–	1	18	
Buffalo	12	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	
Butte	75	–	–	–	11	9	5	–	1	–	–	2	1	37	23	–	–	20	
Campbell	22	–	–	–	1	–	1	–	–	–	–	–	–	16	12	–	–	6	
Charles Mix	112	–	–	1	18	6	5	1	3	–	1	2	2	60	52	–	7	31	1
Clark	57	–	–	–	12	2	3	2	1	–	–	4	1	32	24	–	–	21	
Clay	82	1	–	–	12	5	1	4	1	–	–	1	3	45	33	–	–	24	
Codington	186	–	–	–	27	8	6	1	2	1	2	7	3	114	80	–	1	77	1
Watertown	150	–	–	–	22	8	4	1	1	–	2	6	2	92	71	–	1	58	1
Balance of county	36	–	–	–	5	–	2	–	1	1	–	1	1	22	19	–	–	19	
Corson	45	–	–	–	5	1	2	1	–	–	–	1	3	16	15	–	–	13	
Custer	56	–	–	–	9	1	3	2	1	1	–	1	–	27	19	–	–	15	
Davison	188	–	–	1	47	10	9	2	3	6	5	12	1	101	82	–	2	72	
Mitchell	167	–	–	1	44	9	8	2	2	6	5	12	1	88	73	–	2	64	
Balance of county	21	–	–	–	3	1	1	–	1	–	–	–	–	13	9	–	–	8	
Day	114	–	–	–	27	5	6	5	3	–	1	7	1	63	53	–	1	34	1
Deuel	61	–	–	–	10	3	3	2	–	–	–	2	–	39	31	–	–	29	
Dewey	60	–	–	–	14	3	1	–	2	1	1	6	2	21	19	–	–	13	
Douglas	52	–	–	–	12	3	2	2	3	–	–	2	–	31	25	–	–	18	
Edmunds	72	–	–	–	17	3	4	4	4	–	1	1	1	42	26	–	–	26	
Fall River	111	–	–	–	15	2	2	2	3	1	1	4	2	58	43	1	1	36	
Faulk	36	–	–	–	7	1	1	1	–	–	1	3	1	15	13	–	–	9	
Grant	127	–	–	1	21	5	3	3	3	–	2	5	–	84	76	–	7	45	2
Gregory	67	–	–	1	11	3	–	1	2	1	2	2	1	40	32	1	–	22	
Haakon	25	–	–	–	3	–	2	1	–	–	–	–	1	14	8	–	–	6	
Hamlin	71	–	–	–	8	3	–	–	3	1	–	1	1	49	37	1	1	28	
Hand	59	–	–	–	9	3	3	2	1	–	–	–	3	36	28	–	1	21	
Hanson	29	–	–	–	7	–	3	1	1	–	1	1	–	19	12	–	–	12	
Harding	17	–	–	–	3	1	–	–	1	–	–	1	–	12	10	–	–	9	
Hughes	112	–	–	1	21	10	4	–	4	–	1	2	6	55	43	–	5	35	
Hutchinson	132	–	–	–	21	6	4	1	4	–	–	6	5	68	53	–	1	41	1
Hyde	26	–	–	–	2	1	–	–	–	–	1	–	–	19	13	–	–	12	
Jackson	32	–	–	–	7	2	4	–	1	–	–	–	–	20	18	–	1	14	
Jerauld	30	–	–	–	1	1	–	–	–	–	–	–	1	25	22	1	–	9	1
Jones	11	–	–	–	2	–	–	–	–	1	–	1	–	3	3	–	–	3	
Kingsbury	101	–	–	1	20	4	4	1	3	3	2	3	1	55	42	–	3	32	
Lake	109	–	–	2	23	4	7	3	4	2	–	3	2	57	44	–	2	24	1
Lawrence	175	1	–	–	30	10	7	–	4	1	4	4	3	97	81	1	–	55	2
Lincoln	132	–	–	–	24	2	6	3	5	3	1	4	–	87	49	4	–	40	
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of county	132	–	–	–	24	2	6	3	5	3	1	4	–	87	49	4	–	40	
Lyman	48	–	–	1	3	2	1	–	–	–	–	1	1	26	23	–	–	17	
McCook	86	–	–	1	13	3	1	1	3	1	1	3	–	52	37	–	–	30	
McPherson	59	–	–	–	11	3	1	1	2	–	–	4	1	40	29	–	–	26	
Marshall	51	–	–	–	11	5	2	2	–	1	–	1	1	31	26	–	–	21	
Meade	133	–	–	–	22	7	5	3	2	–	1	4	–	69	46	2	–	32	1
Mellette	23	–	–	–	3	1	–	–	1	–	1	–	1	9	8	–	–	5	
Miner	48	–	–	1	6	3	1	–	1	1	–	–	3	27	19	1	1	11	
Minnehaha	814	2	–	7	187	50	38	16	28	15	6	33	12	411	303	1	1	260	4
Sioux Falls, part	648	2	–	6	140	38	28	10	22	15	4	23	10	331	248	–	1	215	3
Sioux Falls, total	648	2	–	6	140	38	28	10	22	15	4	23	10	331	248	–	1	215	3
Balance of county	166	–	–	1	47	12	11	6	6	–	2	10	2	80	55	1	–	45	
Moody	68	–	–	–	8	1	1	1	2	–	–	3	3	43	39	–	4	24	1
Pennington	399	–	–	5	72	12	20	12	7	4	2	15	2	187	133	4	5	94	3
Rapid City	276	–	–	3	47	10	11	7	4	4	1	10	2	134	92	3	4	63	2
Balance of county	123	–	–	2	25	2	9	5	3	–	1	5	–	53	41	1	1	31	
Perkins	50	–	–	–	7	1	1	1	2	–	1	1	1	29	22	1	–	19	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota	34	611	123	61	169	179	22	75	38	–	52	58	62	447	227	198	70	30	12
Urban places	11	181	44	21	43	53	5	22	12	–	21	17	9	136	46	41	27	6	1
Balance of area	23	430	79	40	126	126	17	53	26	–	31	41	53	311	181	157	43	24	11
Metropolitan counties	4	79	18	7	20	26	–	10	3	–	10	11	4	59	20	15	13	2	2
Urban places	2	59	16	6	19	22	–	9	3	–	8	8	3	46	15	10	13	2	1
Balance of area	2	20	2	1	1	4	–	1	–	–	2	3	1	13	5	5	–	–	1
Nonmetropolitan counties	30	532	105	54	149	153	22	65	35	–	42	47	58	388	207	183	57	28	10
Urban places	9	122	28	15	24	31	5	13	9	–	13	9	6	90	31	31	14	4	–
Balance of area	21	410	77	39	125	122	17	52	26	–	29	38	52	298	176	152	43	24	10
Aurora	–	10	1	–	–	–	–	–	1	–	–	–	1	2	–	1	–	–	–
Beadle	1	24	5	2	4	4	3	1	4	–	2	–	–	26	5	3	2	–	–
Huron	1	22	3	2	1	4	3	1	3	–	2	–	–	18	2	2	2	–	–
Balance of county	–	2	2	–	3	–	–	–	1	–	–	–	–	8	3	1	–	–	–
Bennett	–	1	–	–	1	–	–	4	–	–	1	1	–	3	2	–	–	–	–
Bon Homme	–	10	2	1	2	5	1	2	–	–	–	–	1	8	1	–	1	–	–
Brookings	2	23	–	1	–	5	3	–	–	–	4	–	1	11	5	6	2	1	–
Brookings	1	15	–	1	–	2	2	–	–	–	4	–	–	5	3	1	1	1	–
Balance of county	1	8	–	–	–	3	1	–	–	–	–	–	1	6	2	5	1	–	–
Brown	3	39	12	5	1	5	–	2	1	–	4	2	1	18	6	5	3	1	–
Aberdeen	2	27	7	3	1	5	–	2	–	–	4	2	–	15	4	4	1	–	–
Balance of county	1	12	5	2	–	–	–	–	1	–	–	–	1	3	2	1	2	1	–
Brule	–	6	2	–	–	–	1	–	–	–	–	–	4	2	2	3	3	1	–
Buffalo	–	–	–	–	1	1	–	1	1	–	–	1	3	1	1	–	–	–	–
Butte	–	9	4	1	2	4	–	–	–	–	–	–	3	6	6	5	–	–	–
Campbell	–	2	2	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–
Charles Mix	–	7	–	1	6	4	–	7	–	–	2	–	–	6	1	4	1	–	–
Clark	–	7	1	–	1	3	–	–	1	–	–	–	–	5	1	1	–	–	–
Clay	1	5	5	1	2	5	–	–	1	–	–	–	–	8	2	1	2	–	–
Codington	3	15	3	3	8	2	1	2	2	–	1	–	1	10	6	5	4	–	–
Watertown	3	13	3	2	7	1	–	2	1	–	1	–	1	7	5	5	4	–	–
Balance of county	–	2	–	1	1	1	1	–	1	–	–	–	–	3	1	–	–	–	–
Corson	–	–	1	–	1	2	–	–	–	–	–	–	2	2	5	5	1	3	–
Custer	–	7	–	1	2	6	–	–	–	–	–	–	2	2	4	3	1	–	–
Davison	–	14	4	1	2	7	–	2	1	–	–	1	1	14	5	5	–	–	–
Mitchell	–	10	4	1	2	6	–	2	1	–	–	1	1	13	2	5	–	–	–
Balance of county	–	4	–	–	–	1	–	–	–	–	–	–	–	1	3	–	–	–	–
Day	–	9	–	1	6	1	1	1	–	–	–	–	–	7	3	4	–	–	–
Deuel	–	7	1	–	4	–	1	1	–	–	–	1	1	1	2	1	–	–	–
Dewey	–	2	–	–	1	–	–	–	–	–	–	1	1	7	5	4	3	–	1
Douglas	–	6	–	–	–	2	–	1	–	–	–	–	–	2	2	2	–	–	–
Edmunds	–	16	–	–	2	–	–	–	–	–	–	–	–	2	5	–	3	–	–
Fall River	2	8	2	3	2	6	–	–	–	–	1	2	–	13	3	6	1	1	1
Faulk	–	2	–	–	3	1	–	–	–	–	–	1	1	3	2	2	–	–	–
Grant	–	7	–	1	1	3	–	–	–	–	–	1	3	3	4	5	1	–	–
Gregory	–	7	1	–	1	3	1	2	1	–	–	1	1	3	1	–	–	–	–
Haakon	–	5	–	1	3	–	–	–	–	–	–	–	–	3	–	–	1	–	–
Hamlin	–	10	2	–	1	–	–	1	1	–	–	–	–	7	1	1	1	–	–
Hand	1	9	–	–	–	–	–	–	1	–	2	1	1	–	4	1	1	–	–
Hanson	–	7	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Harding	1	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Hughes	–	10	1	1	1	3	–	1	–	–	2	2	–	6	3	8	1	2	–
Hutchinson	–	14	–	1	9	3	1	–	2	–	1	2	–	12	4	3	1	–	–
Hyde	–	4	2	–	–	2	–	–	–	–	1	–	–	2	–	–	–	–	–
Jackson	–	1	–	1	1	1	–	–	–	–	–	–	–	1	2	–	–	–	–
Jerauld	–	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Jones	–	–	–	–	1	1	–	–	–	–	–	–	–	4	–	–	–	–	–
Kingsbury	–	10	3	–	8	1	–	–	2	–	1	–	–	7	3	2	–	–	–
Lake	1	11	–	1	1	6	–	3	–	–	1	–	1	5	4	2	2	–	–
Lawrence	1	6	6	3	1	11	–	–	2	–	–	1	–	9	8	6	5	1	–
Lincoln	–	10	5	3	4	5	3	3	1	–	–	2	–	14	4	3	1	–	1
Sioux Falls, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	10	5	3	4	5	3	3	1	–	–	2	–	14	4	3	1	–	1
Lyman	–	3	–	–	–	1	–	2	2	–	–	–	3	4	1	4	–	–	–
McCook	2	11	–	2	2	2	1	1	–	–	1	1	–	6	2	4	–	–	–
McPherson	1	10	–	–	1	1	–	1	–	–	–	–	–	3	1	–	–	–	–
Marshall	–	5	–	–	–	–	–	–	1	–	–	–	–	2	2	2	1	–	–
Meade	2	13	5	3	7	5	–	3	1	–	1	1	3	4	8	5	2	1	1
Mellette	–	1	–	–	1	–	–	2	1	–	–	–	–	1	–	5	–	–	–
Miner	1	11	1	1	4	1	–	1	–	–	–	1	–	2	1	1	–	–	–
Minnehaha	4	79	18	7	20	28	–	10	3	–	10	11	4	59	20	15	13	2	2
Sioux Falls, part	2	59	16	6	19	22	–	9	3	–	8	8	3	46	15	10	13	2	1
Sioux Falls, total	2	59	16	6	19	22	–	9	3	–	8	8	3	46	15	10	13	2	1
Balance of county	2	20	2	1	1	4	–	1	–	–	2	3	1	13	5	5	–	–	1
Moody	–	2	2	–	–	2	1	–	–	–	1	2	–	4	3	1	–	–	–
Pennington	3	34	12	5	13	18	–	9	3	–	4	7	6	27	18	18	5	4	1
Rapid City	2	26	10	4	9	12	–	6	3	–	1	5	4	23	11	10	4	2	–
Balance of county	1	8	2	1	4	6	–	3	–	–	3	2	2	4	7	8	1	2	1
Perkins	–	5	1	1	2	2	–	–	–	–	–	2	1	2	2	1	–	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
South Dakota—Con.																			
Potter	37	–	–	–	5	1	1	–	–	1	1	1	2	20	15	–	–	11	4
Roberts	126	–	–	1	20	11	1	–	1	2	1	4	4	61	48	–	2	36	10
Sanborn	44	–	–	1	4	–	–	2	–	–	–	2	2	25	20	1	1	11	7
Shannon	109	2	–	–	11	2	4	–	3	–	–	2	3	27	21	–	–	15	6
Spink	98	–	–	–	19	9	–	3	1	1	1	4	4	58	34	–	3	29	3
Stanley	23	–	–	–	4	–	–	–	–	3	–	1	–	9	7	–	–	6	1
Sully	12	–	–	–	3	–	2	–	1	–	–	–	1	6	6	–	–	6	1
Todd	72	2	–	2	7	2	3	–	1	–	–	1	2	25	21	–	3	14	4
Tripp	95	–	–	1	17	5	4	1	2	2	–	3	3	47	33	1	–	23	6
Turner	131	–	–	1	26	9	5	2	2	1	1	6	3	75	65	1	–	54	10
Union	100	1	–	–	16	5	5	–	–	2	–	4	–	67	53	–	–	40	13
Walworth	78	–	–	1	13	5	2	1	–	–	2	3	–	44	35	–	1	23	11
Washabaugh	4	–	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–	1	1
Yankton	157	–	–	1	36	9	8	4	6	3	1	5	2	81	64	–	–	55	8
Yankton	120	–	–	1	27	5	7	3	4	3	1	4	2	62	50	–	–	42	6
Balance of county	37	–	–	–	9	4	1	1	2	–	–	1	–	19	14	–	–	13	1
Ziebach	24	–	–	–	2	1	1	–	–	–	–	–	1	10	5	–	1	1	3
Tennessee	38,789	61	6	223	7,779	1,918	2,215	573	903	306	283	1,581	567	19,420	14,140	120	534	10,730	2,754
Urban places	18,838	24	3	123	3,972	1,014	1,130	312	484	149	135	748	273	9,130	6,589	53	329	4,876	1,511
Balance of area	19,951	37	3	100	3,807	904	1,085	261	419	157	148	833	294	10,290	7,571	67	205	6,054	1,243
Metropolitan counties	17,751	26	5	119	3,724	928	1,061	294	445	130	129	737	260	8,441	6,122	50	299	4,308	1,465
Urban places	14,768	21	3	103	3,132	791	888	250	391	106	101	605	223	7,036	5,090	42	271	3,519	1,254
Balance of area	2,983	5	2	16	592	137	173	44	54	24	28	132	37	1,405	1,032	8	28	789	207
Nonmetropolitan counties	21,038	35	1	104	4,055	990	1,154	279	458	176	154	844	307	10,979	8,018	70	235	6,422	1,291
Urban places	4,070	3	–	20	840	223	242	62	93	43	34	143	50	2,094	1,479	11	58	1,157	259
Balance of area	16,968	32	1	84	3,215	767	912	217	365	133	120	701	257	8,885	6,539	59	177	5,265	1,032
Anderson	514	1	–	1	116	26	33	11	16	5	4	21	9	206	148	3	2	118	23
Oak Ridge, part	184	–	–	1	53	14	14	7	12	1	–	5	1	71	48	2	2	40	4
Oak Ridge, total	185	–	–	1	53	14	14	7	12	1	–	5	1	71	48	2	2	40	4
Balance of county	330	1	–	–	63	12	19	4	4	4	4	16	8	135	100	1	–	78	21
Bedford	274	–	–	–	50	15	9	3	5	2	4	12	4	137	97	1	4	70	22
Shelbyville	147	–	–	–	35	12	5	3	4	2	3	6	2	73	51	–	2	36	13
Balance of county	127	–	–	–	15	3	4	–	1	–	1	6	2	64	46	1	2	34	9
Benton	156	–	–	–	32	10	9	1	3	2	2	5	3	91	78	–	5	60	13
Bledsoe	72	–	–	–	13	–	5	1	1	–	2	4	1	36	30	1	–	21	6
Blount	654	–	–	3	129	31	35	14	16	6	5	22	8	339	232	2	7	169	34
Maryville	240	–	–	1	48	13	10	6	8	3	1	5	3	128	80	1	2	67	10
Balance of county	414	–	–	2	81	18	25	6	8	3	4	17	5	213	152	1	5	122	24
Bradley	439	2	–	4	91	20	29	9	9	3	5	16	3	221	154	–	4	130	20
Cleveland	240	1	–	1	50	11	18	3	5	2	5	6	2	119	82	–	2	71	9
Balance of county	199	1	–	3	41	9	11	6	4	1	–	10	1	102	72	–	2	59	11
Campbell	317	–	–	2	58	13	18	5	3	3	–	16	4	164	138	2	5	111	20
Cannon	111	1	–	–	19	7	5	2	2	–	–	3	5	55	51	–	4	40	7
Carroll	310	1	–	–	59	17	14	4	7	2	1	14	8	171	127	1	1	95	30
Carter	431	–	–	3	88	20	24	6	12	4	6	16	8	237	170	1	2	129	38
Elizabethton	144	–	–	–	33	6	10	2	3	2	4	8	3	79	53	–	2	39	12
Balance of county	287	–	–	3	55	14	14	4	9	2	2	10	5	158	117	1	–	90	26
Cheatham	158	1	–	–	30	4	6	6	4	1	–	9	2	80	61	–	3	54	4
Chester	113	–	–	–	19	8	6	–	1	1	–	3	2	61	40	–	1	36	3
Claiborne	241	–	–	1	54	8	15	5	3	3	3	17	3	132	104	–	1	84	8
Clay	74	–	–	–	14	2	4	–	4	–	–	4	1	36	26	–	3	22	1
Cocke	283	–	–	1	48	13	12	4	4	2	4	9	7	141	105	1	1	91	12
Coffee	285	1	–	2	57	17	19	4	2	2	1	12	4	147	105	–	–	85	20
Tullahoma, part	119	–	–	–	19	3	9	1	1	1	1	3	3	61	44	–	–	32	12
Tullahoma, total	122	–	–	–	19	3	9	1	1	1	1	3	3	63	46	–	1	33	12
Balance of county	166	1	–	2	38	14	10	3	1	1	–	9	1	86	61	–	–	59	8
Crockett	194	–	–	2	36	11	12	2	2	1	3	5	1	116	77	–	2	61	14
Cumberland	250	1	–	2	42	10	14	4	2	3	2	7	4	126	86	1	–	74	11
Davidson, coext. with Nashville city	4,158	2	–	22	882	213	277	63	91	31	27	180	80	1,964	1,477	11	93	1,101	272
Decatur	110	–	–	1	24	10	3	2	2	–	1	6	1	62	44	–	–	35	9
De Kalb	159	1	–	1	26	7	10	2	3	1	–	3	2	91	82	1	1	77	3
Dickson	275	–	–	1	50	10	11	3	7	3	4	12	4	155	118	–	1	100	17
Dyer	335	–	–	1	70	17	25	5	5	4	1	13	2	148	95	2	7	69	17
Dyersburg	176	–	–	1	35	7	12	4	2	2	–	8	–	71	41	1	4	27	9
Balance of county	159	–	–	–	35	10	13	1	3	2	1	5	2	75	54	1	3	42	8
Fayette	158	–	–	–	21	6	4	–	4	1	2	4	1	88	48	–	2	36	8
Fentress	147	–	1	1	19	6	4	1	4	–	–	4	3	78	60	–	1	57	2
Franklin	292	–	–	1	53	12	12	2	7	3	1	16	6	152	119	–	3	99	17
Tullahoma, part	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	1	–
Balance of county	289	–	–	1	53	12	12	2	7	3	1	16	6	150	117	–	2	98	17
Gibson	557	–	–	1	108	31	21	7	15	5	6	23	8	323	227	1	6	186	34
Humboldt	118	–	–	–	24	6	6	2	6	–	1	3	2	66	48	–	–	36	10
Balance of county	439	–	–	1	84	25	15	5	9	5	5	20	6	257	179	1	6	148	24
Giles	255	–	–	–	59	13	17	7	4	2	–	16	3	123	91	3	4	69	15
Grainger	138	–	–	2	27	3	11	2	2	1	1	7	1	53	33	–	–	24	9
Greene	450	–	–	1	89	27	25	4	13	4	3	13	8	234	189	3	6	144	36
Greeneville	130	–	–	–	28	9	9	2	4	1	1	2	1	73	63	1	2	45	15
Balance of county	320	–	–	1	61	18	16	2	9	3	2	11	7	161	126	2	4	99	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Potter	–	4	1	–	1	–	–	1	–	–	–	–	–	5	1	1	1	–	–
Roberts	–	11	2	–	2	5	1	3	1	–	2	2	2	10	2	8	1	–	1
Sanborn	–	3	1	1	2	–	–	–	–	–	1	–	–	5	4	–	–	–	–
Shannon	–	3	3	–	5	–	–	4	–	–	1	4	7	16	13	9	1	5	1
Spink	1	17	3	1	4	1	–	–	–	–	–	1	–	8	–	2	1	–	–
Stanley	1	1	–	–	–	2	–	1	–	–	1	–	–	1	–	5	–	–	–
Sully	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Todd	–	4	–	–	2	1	–	–	1	–	1	2	5	6	9	2	1	2	2
Tripp	–	9	3	2	4	2	1	1	–	–	1	2	2	5	6	3	–	–	–
Turner	1	4	2	3	6	2	1	–	1	–	3	1	–	7	3	2	–	–	–
Union	1	12	1	–	6	4	–	–	–	–	1	–	–	5	–	–	–	–	–
Walworth	–	9	–	–	–	–	1	1	–	–	–	–	–	8	7	2	–	1	–
Washabaugh	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Yankton	–	13	2	2	4	1	–	–	1	–	1	1	–	13	8	5	2	1	–
Yankton	–	9	1	2	4	1	–	–	1	–	1	1	–	9	4	4	2	1	–
Balance of county	–	4	1	–	–	–	–	–	–	–	–	–	–	4	4	1	–	–	–
Ziebach	1	4	–	–	–	–	–	–	1	–	–	–	–	1	1	3	1	3	1
Tennessee	134	4,205	698	305	902	1,044	108	425	353	8	276	470	919	2,673	1,275	1,111	598	475	96
Urban places	61	2,054	295	151	423	489	55	242	179	5	129	269	474	1,419	491	515	272	309	42
Balance of area	73	2,151	341	154	479	555	53	183	174	3	147	201	445	1,254	784	596	326	166	54
Metropolitan counties	63	1,837	279	140	377	467	47	211	174	5	127	250	569	1,393	523	460	284	301	48
Urban places	45	1,554	229	118	314	392	39	184	154	5	103	216	387	1,154	391	379	225	273	34
Balance of area	18	283	50	22	63	75	8	27	20	–	24	34	182	179	132	81	59	28	14
Nonmetropolitan counties	71	2,368	357	165	525	577	61	214	179	3	149	220	350	1,340	752	651	314	174	48
Urban places	16	500	66	33	109	97	16	58	25	–	26	53	87	265	100	136	47	36	8
Balance of area	55	1,868	291	132	416	480	45	156	154	3	123	167	263	1,075	652	515	267	138	40
Anderson	5	48	4	1	6	25	–	4	5	–	2	4	63	31	14	9	11	4	3
Oak Ridge, part	–	21	2	–	–	7	–	3	1	–	–	–	20	14	4	1	7	1	–
Oak Ridge, total	–	21	2	–	–	7	–	3	1	–	–	–	20	14	4	2	7	1	–
Balance of county	5	27	2	1	6	18	–	1	4	–	2	4	43	17	10	8	4	3	3
Bedford	2	35	2	1	6	5	1	3	2	–	1	4	4	25	5	15	7	4	1
Shelbyville	–	20	1	1	2	3	1	2	1	–	1	1	1	8	2	8	3	4	–
Balance of county	2	15	1	–	4	2	–	1	1	–	–	3	3	17	3	7	4	–	1
Benton	–	11	–	2	3	1	1	1	–	–	1	–	2	7	3	4	5	2	–
Bledsoe	–	5	–	1	1	3	–	–	–	–	1	1	2	2	8	1	1	2	–
Blount	8	76	13	10	12	17	2	7	2	–	4	5	8	46	30	21	8	9	4
Maryville	3	33	5	5	6	7	–	2	1	–	1	–	–	23	9	4	4	4	1
Balance of county	5	43	8	5	6	10	2	5	1	–	3	5	8	23	21	17	4	5	3
Bradley	3	58	5	1	7	12	–	5	2	1	3	3	8	25	16	22	8	5	1
Cleveland	1	33	3	–	3	7	–	3	1	–	2	1	7	14	7	14	5	2	1
Balance of county	2	25	2	1	4	5	–	2	1	1	1	2	1	11	9	8	3	3	–
Campbell	2	19	2	3	11	10	1	5	6	–	1	4	8	22	2	11	5	3	–
Cannon	–	4	–	–	3	4	–	–	1	–	–	–	–	7	7	4	3	2	–
Carroll	1	28	13	2	8	8	–	3	4	–	1	4	2	21	8	7	4	2	1
Carter	1	58	6	2	10	17	–	3	8	–	1	2	4	28	5	10	2	3	2
Elizabethton	–	22	3	1	7	6	–	–	2	–	1	–	1	7	1	4	–	–	–
Balance of county	1	36	3	1	3	11	–	3	6	–	–	2	3	21	4	6	2	3	2
Cheatham	–	19	–	–	1	2	–	2	2	–	2	3	1	6	11	10	3	1	1
Chester	–	20	1	–	4	2	–	–	–	–	–	–	1	10	7	1	3	3	–
Claiborne	1	21	2	4	14	3	–	3	1	–	2	1	–	16	3	3	5	–	–
Clay	–	7	3	–	3	2	–	2	2	–	2	–	–	4	3	3	1	1	–
Cocke	4	31	1	–	5	10	–	3	3	–	2	4	3	15	9	6	3	3	–
Coffee	–	32	7	3	5	4	2	2	7	–	2	2	4	15	13	14	2	1	1
Tullahoma, part	–	10	5	2	2	1	2	1	2	–	1	2	4	4	6	9	1	–	1
Tullahoma, total	–	10	5	2	2	1	2	1	2	–	1	2	4	5	6	9	1	–	1
Balance of county	–	22	2	1	3	3	–	1	5	–	1	–	–	11	7	5	1	1	–
Crockett	–	28	10	1	2	3	–	1	4	–	1	2	2	7	11	4	1	1	–
Cumberland	1	30	7	2	5	5	2	2	2	–	2	1	2	20	9	10	10	4	1
Davidson, coext. with Nashville city	12	379	56	38	90	127	16	52	33	1	36	62	12	370	128	112	65	88	18
Decatur	–	16	1	1	1	2	–	–	–	–	–	–	1	8	5	5	–	–	–
De Kalb	–	7	1	1	6	6	1	1	3	–	1	1	2	6	4	4	1	2	–
Dickson	1	30	4	2	5	7	–	2	1	–	2	2	2	17	7	8	7	5	–
Dyer	2	43	4	2	11	13	1	3	3	–	3	6	26	29	5	11	3	1	1
Dyersburg	2	27	–	1	9	7	1	3	1	–	2	2	13	18	3	7	2	–	1
Balance of county	–	16	4	1	2	6	–	–	2	–	1	4	13	11	2	4	1	1	–
Fayette	1	35	1	5	4	3	–	–	–	–	–	5	8	12	7	7	1	–	1
Fentress	–	17	–	1	7	4	1	1	–	–	2	2	3	5	7	8	3	2	–
Franklin	1	24	5	3	5	7	1	4	7	–	1	5	4	26	8	7	4	1	–
Tullahoma, part	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Balance of county	1	24	5	3	5	7	1	4	7	–	1	5	4	25	8	7	4	1	–
Gibson	3	66	24	3	15	9	1	6	3	–	2	4	3	28	17	17	10	2	–
Humboldt	1	11	4	2	3	2	–	1	–	–	1	1	–	9	1	6	1	1	–
Balance of county	2	55	20	1	12	7	1	5	3	–	1	3	3	19	16	11	9	1	–
Giles	1	23	5	3	9	5	3	–	5	–	1	2	3	19	10	6	5	1	1
Grainger	–	19	1	–	1	9	–	1	–	–	–	–	15	7	11	4	4	3	–
Greene	–	33	6	6	10	12	1	8	2	–	5	6	1	29	17	19	5	3	–
Greeneville	–	6	3	1	3	3	–	3	–	–	–	3	–	4	4	5	2	1	–
Balance of county	–	27	3	5	7	9	1	5	2	–	5	3	1	25	13	14	3	2	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Tennessee—Con.																			
Grundy	129	–	–	–	24	10	6	1	–	–	–	7	2	61	48	1	2	35	1
Hamblen	367	1	–	1	61	12	13	4	4	5	6	17	9	210	132	1	1	120	1
Morristown	206	–	–	–	31	9	4	1	1	3	4	9	5	116	73	1	–	64	
Balance of county	161	1	–	1	30	3	9	3	3	2	2	8	4	94	59	–	1	56	
Hamilton	2,492	6	1	12	520	130	145	39	72	23	15	96	37	1,303	969	8	27	808	13
Chattanooga	1,744	6	1	11	352	93	83	30	58	14	8	56	32	905	670	6	18	561	8
East Ridge	165	–	–	–	44	8	19	2	4	3	1	7	–	94	74	–	2	62	1
Red Bank	88	–	–	–	30	9	5	1	7	–	1	7	–	40	29	1	1	25	
Balance of county	495	–	–	1	94	20	28	8	3	6	5	26	5	264	196	1	8	180	2
Hancock	74	–	–	–	12	4	4	1	1	–	–	2	1	41	34	1	–	32	
Hardeman	233	–	–	–	39	8	9	1	5	1	2	13	2	124	90	1	3	78	
Hardin	213	–	–	3	42	12	10	1	6	–	4	9	3	115	84	1	2	73	
Hawkins	335	–	–	–	44	15	10	4	3	–	4	8	5	194	146	–	7	105	3
Kingsport, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of county	334	–	–	–	44	15	10	4	3	–	4	8	5	194	146	–	7	105	3
Haywood	203	–	–	–	41	10	14	3	5	1	3	5	5	109	68	–	5	70	1
Henderson	211	–	–	3	36	11	13	1	2	1	6	2	4	127	84	–	1	76	
Henry	350	1	–	2	70	16	24	4	8	3	5	10	10	188	113	2	5	80	2
Hickman	154	–	–	–	41	10	11	4	4	5	–	7	2	74	58	–	–	40	1
Houston	59	–	–	–	8	–	5	1	1	–	–	1	1	36	30	1	1	22	
Humphreys	158	–	–	–	32	5	15	–	3	–	2	7	–	71	63	1	1	42	1
Jackson	103	–	–	–	20	4	5	–	4	–	3	4	1	48	31	–	2	26	
Jefferson	236	1	–	1	44	13	9	–	8	1	1	12	9	118	77	1	3	66	
Johnson	131	–	–	2	24	6	5	3	5	–	–	5	2	81	41	2	–	30	
Knox	2,608	7	1	15	506	131	139	40	49	19	21	107	28	1,084	731	3	23	569	13
Knoxville	1,785	3	–	12	345	97	95	27	32	14	13	67	17	727	482	1	18	373	9
Balance of county	823	4	1	3	161	34	44	13	17	5	8	40	11	357	249	2	7	196	4
Lake	92	–	–	1	15	3	4	2	1	–	–	5	–	48	37	–	1	31	
Lauderdale	240	1	–	1	46	9	16	2	6	1	2	10	6	116	79	–	2	64	1
Lawrence	297	1	–	–	57	15	14	8	8	2	1	9	5	180	129	1	–	109	2
Lewis	75	3	–	–	12	3	4	1	2	1	–	1	2	39	30	–	1	22	
Lincoln	254	1	–	3	58	14	13	7	15	2	1	6	5	115	90	–	6	67	1
Loudon	260	2	–	3	43	12	12	3	2	3	1	10	1	129	97	2	7	76	1
McMinn	351	–	–	2	84	22	30	2	6	3	5	16	4	173	110	–	1	82	2
Athens	104	–	–	–	24	4	11	–	2	1	1	5	1	53	35	–	–	24	1
Balance of county	247	–	–	2	60	18	19	2	4	2	4	11	3	120	75	–	1	58	1
McNairy	214	–	–	1	34	6	11	3	3	3	–	8	1	130	109	–	1	94	1
Macon	145	–	–	–	21	4	5	–	1	1	–	10	1	82	63	3	2	46	1
Madison	656	–	–	6	132	30	37	14	18	6	2	25	5	350	243	1	11	204	2
Jackson	471	–	–	2	97	23	25	9	13	5	2	20	4	250	185	–	8	139	1
Balance of county	185	–	–	4	35	7	12	5	5	1	–	5	1	100	78	1	3	65	
Marion	201	–	–	–	42	9	16	4	2	1	3	7	4	94	70	1	2	60	
Marshall	191	–	–	3	45	14	10	1	7	2	2	9	3	95	75	1	2	61	1
Maury	469	–	–	2	86	21	23	4	7	2	2	27	5	254	186	–	12	139	3
Columbia	254	–	–	2	54	13	14	4	3	2	1	17	2	126	93	–	5	68	1
Balance of county	215	–	–	–	32	8	9	–	4	–	1	10	3	128	93	–	6	71	1
Meigs	60	–	–	–	13	2	5	1	–	–	–	5	4	24	19	–	1	12	
Monroe	258	–	–	1	36	11	8	1	2	2	1	11	4	129	97	–	7	76	1
Montgomery	510	2	–	5	104	33	30	7	10	2	6	16	8	234	176	1	5	129	4
Clarksville	319	1	–	3	64	23	18	6	3	2	4	8	6	148	106	1	4	74	2
Balance of county	191	1	–	2	40	10	12	1	7	–	2	8	2	86	70	–	1	55	1
Moore	34	–	–	–	5	2	2	1	–	–	–	–	1	19	15	–	–	12	
Morgan	126	–	–	1	25	2	12	4	2	–	1	4	1	57	41	–	–	28	1
Obion	319	–	–	–	64	12	15	7	10	7	–	13	1	183	113	1	3	100	
Union City	125	–	–	–	20	2	6	3	2	4	–	3	–	76	49	1	–	42	
Balance of county	194	–	–	–	44	10	9	4	8	3	–	10	1	107	64	–	3	58	
Overton	183	1	–	1	28	6	12	1	3	1	–	5	1	100	82	–	1	78	
Perry	83	–	–	1	16	3	7	–	5	–	–	1	1	32	28	–	–	21	
Pickett	32	–	–	–	5	3	1	–	1	–	–	–	–	16	15	1	–	13	
Polk	101	–	–	1	20	1	7	1	4	1	–	6	–	60	42	–	–	37	
Putnam	390	3	–	4	67	20	15	6	10	1	7	8	7	215	144	3	5	118	1
Cookeville	141	1	–	–	25	8	7	4	4	–	1	1	5	79	55	2	1	46	
Balance of county	249	2	–	4	42	12	8	2	6	1	6	7	2	136	89	1	4	72	1
Rhea	217	1	–	1	43	8	17	2	5	2	1	8	5	107	86	–	2	79	
Roane	375	–	–	1	78	15	22	7	7	4	6	17	5	186	138	3	2	106	2
Oak Ridge, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of county	374	–	–	1	78	15	22	7	7	4	6	17	5	188	138	3	2	106	2
Robertson	355	–	–	1	78	20	17	7	11	8	–	15	4	192	138	2	2	111	2
Rutherford	494	–	–	4	104	27	32	4	13	7	6	15	7	252	174	1	6	142	2
Murfreesboro	224	–	–	3	48	13	14	3	8	3	1	6	3	122	82	1	4	69	1
Balance of county	270	–	–	1	56	14	18	1	5	4	5	9	4	130	92	–	2	73	1
Scott	153	–	–	–	34	12	9	1	3	2	–	7	1	73	64	–	–	52	1
Sequatchie	72	1	–	–	14	2	5	1	1	1	1	3	–	36	32	1	1	23	
Sevier	318	–	–	4	70	12	19	4	9	2	–	24	5	155	124	2	2	101	1
Shelby	6,447	10	2	61	1,386	354	372	110	177	40	51	282	90	3,114	2,245	21	144	1,900	78
Memphis	6,078	10	2	54	1,314	332	354	105	172	38	48	265	87	2,935	2,117	19	138	1,220	74
Millington	54	–	–	1	11	3	1	2	–	1	1	3	–	26	17	–	5	9	
Balance of county	315	–	–	6	61	19	17	3	5	1	2	14	3	153	111	2	6	71	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Tennessee—Con.																			
Grundy	–	8	4	1	3	3	–	–	1	–	–	4	1	11	8	7	2	2	–
Hamblen	–	77	1	–	14	7	2	–	–	–	1	7	5	20	13	8	5	2	1
Morristown	–	43	–	–	9	3	–	–	–	–	–	5	4	15	9	4	3	1	1
Balance of county	–	34	1	–	5	4	2	–	–	–	1	2	1	5	4	4	2	1	–
Hamilton	10	269	36	19	69	59	8	35	23	2	10	27	16	147	71	68	33	39	7
Chattanooga	9	192	21	13	47	45	5	28	18	2	5	21	14	103	41	50	20	33	5
East Ridge	–	17	2	1	2	1	–	2	–	–	2	1	–	13	1	4	1	–	–
Red Bank	–	8	1	2	3	4	–	–	–	–	–	1	–	3	2	1	3	1	–
Balance of county	1	52	12	3	17	9	3	5	5	–	3	4	2	26	27	13	9	4	2
Hancock	–	5	1	1	4	1	–	–	–	–	2	1	–	7	2	2	–	–	1
Hardeman	2	29	3	–	4	2	–	4	2	–	2	1	7	24	12	4	4	2	–
Hardin	1	27	2	1	8	4	–	1	–	–	1	2	2	12	9	6	2	2	1
Hawkins	3	40	3	2	4	12	2	3	4	–	7	5	4	15	11	11	11	3	–
Kingsport, part	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Balance of county	3	40	3	2	4	12	2	3	4	–	7	5	3	15	11	11	11	3	–
Haywood	–	18	3	–	2	1	–	4	3	–	–	5	1	14	11	6	–	1	–
Henderson	4	37	2	–	2	2	2	1	–	–	–	–	–	7	11	6	9	1	–
Henry	2	61	9	1	11	13	–	5	–	–	3	3	–	24	5	8	2	3	4
Hickman	1	12	2	1	3	6	–	–	–	–	2	2	4	9	5	4	1	–	1
Houston	1	4	–	1	–	2	–	–	1	–	–	–	–	8	–	1	–	1	1
Humphreys	1	6	–	1	4	7	1	4	–	–	2	3	1	11	7	6	1	5	3
Jackson	1	12	4	–	2	2	–	–	–	–	–	–	2	7	12	5	2	1	1
Jefferson	–	33	5	3	10	5	–	3	1	–	2	1	6	15	11	6	3	–	–
Johnson	–	17	1	2	8	3	–	1	1	–	–	1	2	10	6	7	–	2	1
Knox	8	267	38	20	48	67	8	24	22	–	23	16	399	164	82	58	42	27	7
Knoxville	5	196	29	15	32	48	8	12	17	–	14	10	283	118	51	39	28	17	4
Balance of county	3	71	9	5	16	19	–	12	5	–	9	6	116	46	31	19	14	10	3
Lake	–	9	–	2	1	2	1	–	–	–	1	1	6	9	2	4	1	–	–
Lauderdale	2	33	–	2	6	9	2	3	2	–	1	–	7	16	5	15	2	2	–
Lawrence	–	28	1	2	7	13	1	2	3	–	–	1	1	14	21	7	–	1	3
Lewis	–	6	1	2	2	4	–	3	–	–	–	–	–	3	3	3	1	–	–
Lincoln	2	19	3	1	9	12	–	2	8	–	1	–	16	9	4	7	1	1	2
Loudon	2	23	6	1	6	11	1	1	1	–	2	2	2	26	12	12	4	2	–
McMinn	1	51	10	1	8	9	4	4	5	–	1	6	2	18	13	9	4	5	–
Athens	1	13	4	–	3	1	3	2	1	–	–	1	1	6	3	2	1	3	–
Balance of county	–	38	6	1	5	8	1	2	4	–	1	5	1	13	10	7	3	2	–
McNairy	–	19	1	1	1	8	–	1	1	–	5	–	1	11	4	11	5	–	–
Macon	–	15	3	1	3	7	–	1	1	–	2	1	–	15	4	–	6	1	–
Madison	4	69	10	4	9	18	3	9	6	–	5	11	8	48	14	17	9	6	–
Jackson	4	72	8	1	6	12	2	7	3	–	3	7	8	38	9	14	4	5	–
Balance of county	–	17	2	3	3	6	1	2	3	–	2	4	–	10	5	3	5	1	–
Marion	–	18	4	2	5	6	–	4	3	–	5	1	4	15	9	6	2	1	–
Marshall	4	14	2	–	6	8	–	2	–	–	1	3	1	11	2	6	5	–	–
Maury	1	58	6	3	17	7	4	5	2	–	3	1	9	31	13	16	5	9	–
Columbia	–	30	3	–	10	4	2	4	2	–	2	–	6	15	8	8	4	5	–
Balance of county	1	28	3	3	7	3	2	1	–	–	1	1	3	16	5	8	1	4	–
Meigs	–	5	–	–	2	2	–	2	–	–	2	–	–	4	3	1	2	1	–
Monroe	3	21	8	–	8	12	–	2	2	–	3	4	3	22	14	9	5	3	1
Montgomery	2	43	5	8	8	13	3	5	2	–	1	13	18	37	24	14	12	7	–
Clarksville	2	28	4	6	5	9	3	5	1	–	1	12	10	22	13	6	6	6	–
Balance of county	–	15	1	2	3	4	–	–	1	–	–	1	8	15	11	8	6	1	–
Moore	–	3	1	–	1	1	1	–	–	–	1	1	–	2	–	–	2	–	–
Morgan	–	14	–	2	2	8	1	2	–	–	–	2	3	12	4	5	2	1	–
Obion	–	58	10	2	7	11	2	1	2	–	2	6	4	17	4	10	3	1	1
Union City	–	23	4	–	3	6	–	–	–	–	1	3	–	9	–	4	2	–	1
Balance of county	–	35	6	2	4	5	2	1	2	–	1	3	4	8	4	6	1	1	–
Overton	–	14	1	3	7	6	–	1	2	–	4	1	1	6	10	6	6	2	–
Perry	–	3	1	–	3	2	–	1	–	–	–	3	3	9	7	3	2	–	–
Pickett	–	1	–	–	1	2	1	1	–	–	–	–	–	1	2	1	2	–	–
Polk	–	11	6	1	1	1	–	1	–	–	1	1	2	9	2	–	2	–	–
Putnam	1	54	10	6	4	12	1	2	2	–	2	4	7	23	14	14	6	1	2
Cookeville	–	18	3	3	1	3	1	–	1	–	–	2	3	7	5	5	2	1	–
Balance of county	1	36	7	3	3	9	–	2	1	–	2	2	4	16	9	9	4	–	2
Rhea	–	12	6	3	8	10	–	3	1	1	–	2	2	12	13	5	2	1	–
Roane	1	41	7	1	11	12	2	7	6	–	–	3	14	20	14	6	3	4	1
Oak Ridge, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	1	41	7	1	11	12	2	7	6	–	–	3	14	20	14	5	3	4	1
Robertson	1	41	10	2	3	4	1	2	2	–	3	2	1	24	13	12	9	4	–
Rutherford	1	68	6	3	15	8	2	8	2	–	7	6	5	31	13	17	6	7	–
Murfreesboro	1	36	1	2	6	1	–	2	–	–	3	3	2	15	4	7	1	4	–
Balance of county	–	32	5	1	9	7	2	6	2	–	4	3	3	16	9	10	5	3	–
Scott	–	6	2	1	4	6	–	1	1	1	1	–	–	10	9	6	1	1	4
Sequatchie	–	4	–	–	2	–	–	2	3	–	2	–	1	3	6	1	–	1	–
Sevier	–	27	3	1	14	9	–	3	3	–	4	2	4	14	11	10	9	1	–
Shelby	16	702	107	44	130	156	11	65	81	2	46	122	61	512	171	170	101	129	7
Memphis	13	665	98	42	124	147	9	62	78	2	44	114	54	498	152	158	92	126	6
Millington	1	5	2	1	–	4	–	1	1	–	–	3	1	3	2	1	–	–	–
Balance of county	2	32	7	1	6	5	2	2	2	–	2	5	6	21	17	11	9	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseas (415-429)
Tennessee—Con.																			
Smith	134	1	–	–	23	4	5	1	5	2	–	6	1	79	51	2	1	40	
Stewart	84	–	–	–	13	4	4	–	1	–	–	4	–	45	35	1	–	28	
Sullivan	1,111	3	–	5	231	56	66	22	30	12	6	39	15	576	439	9	22	347	6
Bristol [4]	232	–	–	1	53	13	20	1	6	4	2	7	4	130	96	1	5	84	
Kingsport, part	360	–	–	3	81	24	23	5	13	3	2	11	3	178	133	2	6	108	1
Kingsport, total	361	–	–	3	81	24	23	5	13	3	2	11	3	178	133	2	6	108	1
Balance of county	519	3	–	1	97	19	23	16	11	5	2	21	8	268	210	6	11	155	3
Sumner	507	–	1	4	109	23	37	14	12	2	3	18	4	255	180	2	2	129	4
Gallatin	144	–	–	1	31	6	11	4	2	–	1	7	2	74	47	1	–	30	1
Balance of county	363	–	1	3	78	17	26	10	10	2	2	11	2	181	133	1	2	99	3
Tipton	290	–	–	2	48	12	14	3	4	2	2	9	4	166	114	–	1	89	2
Trousdale	53	1	–	–	9	3	2	–	1	1	–	2	1	27	18	–	–	15	
Unicoi	149	1	–	–	36	5	12	–	3	2	–	14	3	81	63	1	1	51	1
Union	94	1	–	–	17	4	4	5	1	–	–	3	1	45	30	–	–	22	
Van Buren	40	–	–	–	6	1	1	–	3	–	–	1	–	25	17	–	1	13	
Warren	310	–	–	3	73	19	21	5	8	4	–	16	3	160	128	–	4	95	2
McMinnville	131	–	–	1	35	11	9	3	2	3	–	7	1	67	54	–	2	40	1
Balance of county	179	–	–	2	38	8	12	2	6	1	–	9	2	93	74	–	2	55	1
Washington	744	–	–	5	136	34	34	9	20	7	1	31	10	349	262	2	12	185	6
Johnson City	424	–	–	3	84	26	22	6	11	3	1	15	3	207	154	–	9	110	3
Balance of county	320	–	–	2	52	8	12	3	9	4	–	16	7	142	108	2	3	75	2
Wayne	108	–	–	–	16	2	8	1	2	–	–	5	1	52	35	–	1	24	1
Weakley	342	–	–	–	62	16	17	4	6	2	4	13	7	197	119	1	3	101	1
White	184	–	–	1	31	7	9	1	5	–	2	7	4	114	72	–	3	59	1
Williamson	350	1	–	2	81	17	30	3	6	7	3	15	5	175	117	–	1	104	1
Wilson	371	–	–	1	76	20	23	3	12	4	3	11	4	198	140	–	1	84	4
Lebanon	128	–	–	–	22	3	9	1	5	1	–	3	1	74	49	–	1	31	1
Balance of county	243	–	–	1	54	17	14	2	7	3	3	8	3	122	91	–	–	63	2
Texas	104,921	107	15	933	20,297	5,114	5,542	1,587	2,255	732	884	4,173	1,705	49,207	36,383	234	1,306	24,056	10,78
Urban places	64,823	74	9	624	12,727	3,244	3,452	1,054	1,417	466	557	2,537	1,104	29,845	21,971	157	847	14,124	6,74
Balance of area	40,098	33	6	309	7,570	1,870	2,090	533	838	266	337	1,636	601	19,362	14,412	77	359	9,932	4,04
Metropolitan counties	69,941	80	9	678	13,907	3,464	3,864	1,133	1,507	488	588	2,885	1,165	31,714	23,533	177	998	15,004	7,35
Urban places	56,664	67	7	562	11,260	2,874	3,071	937	1,241	418	479	2,240	971	25,814	19,063	139	872	12,076	5,99
Balance of area	13,277	13	2	116	2,647	590	793	196	266	70	107	645	194	5,900	4,450	38	126	2,928	1,35
Nonmetropolitan counties	34,980	27	6	255	6,390	1,650	1,678	454	748	244	306	1,308	540	17,493	12,850	57	308	9,052	3,43
Urban places	8,159	7	2	62	1,467	370	381	117	176	48	78	297	133	4,031	2,888	18	75	2,048	74
Balance of area	26,821	20	4	193	4,923	1,280	1,297	337	572	196	230	1,011	407	13,462	9,962	39	233	7,004	2,68
Anderson	413	–	–	2	74	20	21	7	9	4	–	13	7	233	181	1	4	127	4
Palestine	221	–	–	–	41	11	9	6	7	1	–	7	3	124	96	–	–	65	3
Balance of county	192	–	–	2	33	9	12	1	2	3	–	6	4	109	85	1	4	62	1
Andrews	72	–	–	1	11	3	1	2	2	1	–	2	2	33	27	–	1	23	
Angelina	492	1	–	3	97	33	21	10	10	4	7	12	4	256	177	–	5	85	8
Lufkin	240	1	–	–	49	20	9	9	3	2	2	4	2	128	90	–	4	41	4
Balance of county	252	–	–	3	48	13	12	1	7	2	5	8	2	128	87	–	1	44	4
Aransas	120	–	–	2	28	6	9	3	4	2	1	3	2	49	39	–	–	31	
Archer	71	–	–	–	20	10	1	2	2	–	1	4	–	38	24	–	–	19	
Armstrong	20	–	–	1	3	–	1	–	2	–	–	–	–	13	9	1	–	8	
Atascosa	220	–	–	2	49	13	13	2	5	4	3	9	8	103	81	–	3	51	2
Austin	220	1	–	1	45	10	12	3	6	3	–	11	2	120	84	–	2	57	2
Bailey	72	–	–	1	15	2	2	–	6	–	1	4	–	32	21	–	–	16	
Bandera	78	–	–	1	17	3	4	3	3	–	–	4	–	42	29	–	–	25	
Bastrop	247	–	–	5	55	21	8	1	11	2	1	11	3	123	101	–	3	59	3
Baylor	61	–	–	1	4	–	2	–	–	–	–	2	–	37	20	–	–	13	
Bee	183	–	–	1	33	7	13	1	2	3	–	7	4	88	58	–	–	43	1
Beeville	109	–	–	1	13	3	6	–	–	2	–	2	4	52	32	–	–	23	
Balance of county	84	–	–	–	20	4	7	1	2	1	–	5	–	36	26	–	–	20	
Bell	971	1	–	7	182	42	49	9	14	7	6	55	9	461	404	3	1	235	16
Killeen	198	1	–	1	39	9	12	–	3	1	1	13	2	70	56	–	1	36	2
Temple	416	–	–	4	81	11	24	4	8	2	2	30	4	230	201	1	–	119	6
Balance of county	357	–	–	2	62	22	13	5	3	4	3	12	3	161	145	2	–	80	6
Bexar	6,899	10	2	110	1,428	384	364	119	163	47	60	291	158	3,098	2,352	17	58	1,691	586
San Antonio	5,972	10	2	99	1,191	342	299	89	133	38	47	243	144	2,714	2,046	12	50	1,479	505
Balance of county	927	–	–	11	237	42	65	30	30	9	13	48	14	384	306	5	8	212	81
Blanco	48	–	–	–	10	–	2	2	2	–	1	3	–	20	14	–	–	9	5
Borden	4	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
Bosque	227	–	–	–	48	14	14	5	3	2	3	7	5	132	102	–	2	71	2
Bowie	657	1	–	5	147	30	36	12	14	8	6	41	5	343	270	2	7	205	56
Texarkana [5]	401	–	–	3	90	18	18	11	8	4	2	29	5	215	169	–	3	132	34
Balance of county	256	1	–	2	57	12	18	1	6	4	4	12	–	128	101	2	4	73	22
Brazoria	941	–	–	12	181	41	49	11	12	1	11	56	10	393	283	2	6	145	130
Alvin	109	–	–	5	19	3	5	1	2	–	1	7	3	41	29	–	–	19	10
Freeport	88	–	–	1	20	6	4	–	1	1	–	8	1	35	30	1	1	11	17
Lake Jackson	76	–	–	–	16	7	1	1	1	–	3	3	–	41	31	–	–	10	21
Balance of county	670	–	–	6	126	25	39	9	8	–	7	38	6	276	193	1	5	105	82
Brazos	435	1	–	4	84	26	18	13	6	4	6	11	10	203	140	–	2	105	33
Bryan	312	–	–	2	62	19	16	8	6	4	3	6	6	153	100	–	1	72	27
College Station	75	–	–	1	15	4	1	5	–	–	3	2	3	31	24	–	–	16	6
Balance of county	48	1	–	1	7	3	1	–	–	–	–	3	1	19	16	–	1	15	–
Brewster	77	–	–	–	24	6	3	3	3	1	–	8	–	34	25	–	–	19	6
Briscoe	32	–	–	–	10	1	3	3	1	–	1	1	–	16	11	–	1	8	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Smith	–	24	4	–	2	5	1	–	1	–	–	3	2	6	3	4	3	–	–
Stewart	–	7	3	–	2	2	–	2	1	–	–	1	4	5	5	3	1	–	–
Sullivan	1	109	14	13	34	28	1	16	10	–	13	12	7	64	38	37	12	7	2
Bristol [4]	–	26	6	2	8	4	–	4	–	–	–	1	–	12	6	5	3	–	1
Kingsport, part	1	32	5	7	9	11	–	9	4	–	6	5	4	23	6	15	2	–	1
Kingsport, total	1	32	5	7	9	11	–	9	4	–	6	5	5	29	6	15	2	–	1
Balance of county	–	51	3	4	17	13	1	3	6	–	7	6	3	29	26	17	7	7	–
Sumner	4	46	18	7	15	9	2	1	4	–	5	9	7	35	22	11	7	5	2
Gallatin	2	15	9	1	7	–	1	–	3	–	1	2	2	9	1	6	2	2	–
Balance of county	2	31	9	6	8	9	1	1	1	–	4	7	5	26	21	5	5	3	2
Tipton	–	41	6	5	4	4	1	4	3	–	2	3	4	23	10	11	1	2	–
Trousdale	1	5	3	–	–	–	–	–	1	–	–	2	2	2	3	2	2	–	1
Unicoi	–	15	1	2	3	6	–	1	–	–	2	–	–	9	2	2	1	2	–
Union	–	14	–	1	7	5	–	1	1	–	1	–	3	4	2	6	–	–	–
Van Buren	–	7	1	–	–	4	–	–	–	–	–	–	–	2	2	–	–	1	–
Warren	1	28	3	2	7	6	–	4	4	–	–	2	4	21	8	7	3	4	1
McMinnville	1	11	1	–	3	1	–	1	1	–	–	1	1	8	5	4	1	1	–
Balance of county	–	15	2	2	4	5	–	3	3	–	–	1	3	13	3	3	2	3	1
Washington	2	63	11	11	28	23	2	13	12	–	5	11	36	54	33	13	9	3	2
Johnson City	2	39	8	4	17	13	1	11	5	–	2	3	21	31	8	8	4	2	1
Balance of county	–	24	3	7	11	10	1	2	7	–	3	8	15	23	25	5	5	1	1
Wayne	–	4	13	–	6	2	–	–	2	–	–	1	4	8	8	5	–	1	–
Weakley	1	57	16	4	7	14	2	1	1	–	–	3	8	17	11	5	4	1	1
White	–	33	5	4	3	3	–	1	–	–	1	1	3	10	3	2	2	3	2
Williamson	–	50	3	5	–	4	1	3	2	–	4	5	1	23	16	13	9	5	–
Wilson	–	50	5	1	7	7	–	3	4	–	1	5	3	20	7	11	17	1	–
Lebanon	–	23	2	–	3	2	–	2	2	–	–	2	1	10	2	3	3	1	–
Balance of county	–	27	3	1	4	5	–	1	2	–	1	3	2	18	5	8	14	–	–
Texas	320	10,015	1,644	845	2,533	2,795	246	1,424	1,095	25	850	1,617	3,032	7,465	4,147	3,360	1,627	2,347	94
Urban places	205	6,120	1,040	509	1,527	1,757	143	1,032	669	16	590	1,153	1,341	4,830	2,316	2,030	1,111	1,854	71
Balance of area	115	3,895	604	336	1,006	1,038	103	392	426	9	260	464	1,691	2,635	1,831	1,330	516	493	23
Metropolitan counties	198	6,322	1,104	557	1,637	1,853	158	1,119	700	17	650	1,248	1,451	5,161	2,883	2,260	1,288	1,959	74
Urban places	163	5,222	904	442	1,335	1,520	122	945	586	15	531	1,039	970	4,281	2,044	1,778	1,024	1,729	64
Balance of area	35	1,100	200	115	302	333	36	174	114	2	119	209	481	880	759	482	264	240	10
Nonmetropolitan counties	122	3,693	540	288	896	942	88	305	395	8	200	369	1,581	2,304	1,344	1,100	339	378	20
Urban places	42	898	136	67	192	237	21	87	83	1	59	114	371	549	272	252	87	125	7
Balance of area	80	2,795	404	221	704	705	67	218	312	7	141	255	1,210	1,755	1,072	848	252	253	13
Anderson	1	41	5	5	7	15	3	1	3	–	5	2	5	24	15	2	8	7	–
Palestine	1	22	3	2	5	8	1	–	–	–	4	–	1	15	12	1	4	2	–
Balance of county	–	19	2	3	2	7	2	1	3	–	1	2	4	9	3	1	4	5	–
Andrews	–	5	1	–	–	4	–	–	1	–	–	1	2	4	7	4	2	–	–
Angelina	–	72	1	6	9	14	2	9	2	–	5	3	9	36	18	12	6	6	–
Lufkin	–	34	1	3	5	5	–	5	1	–	3	1	6	16	5	6	3	4	–
Balance of county	–	38	–	3	4	9	2	4	1	–	2	2	3	20	13	6	3	2	–
Aransas	–	7	2	1	1	4	–	2	1	–	–	3	5	10	3	8	1	1	–
Archer	–	9	4	1	1	1	–	2	1	–	–	1	2	3	2	–	–	–	–
Armstrong	–	3	1	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–
Atascosa	–	18	3	1	4	4	1	2	1	–	–	1	5	17	10	8	3	2	–
Austin	1	31	3	1	14	2	1	1	3	–	1	–	4	6	9	6	1	3	–
Bailey	–	10	1	–	–	5	–	–	2	–	1	–	5	6	4	1	–	–	–
Bandera	–	8	4	1	3	5	1	–	1	–	1	1	–	3	2	1	–	–	–
Bastrop	–	17	4	1	4	5	2	4	2	–	2	2	6	12	12	6	–	4	–
Baylor	1	15	–	1	–	3	–	–	1	–	1	1	3	8	1	1	–	–	–
Bee	–	26	4	–	5	9	2	2	–	–	1	4	3	12	13	6	5	5	–
Beeville	–	18	2	–	1	5	1	1	–	–	–	3	1	6	8	4	5	4	–
Balance of county	–	8	2	–	4	4	1	1	–	–	1	1	2	6	5	2	–	1	–
Bell	3	40	7	7	19	25	4	12	9	–	12	21	38	41	47	50	10	23	–
Killeen	1	8	3	–	6	4	1	4	3	–	4	14	8	5	10	16	1	9	–
Temple	1	23	3	2	6	14	3	3	4	–	2	1	6	27	11	12	4	4	–
Balance of county	1	9	1	5	7	7	–	5	2	–	6	6	24	9	26	22	5	10	–
Bexar	32	548	116	50	185	170	10	119	83	3	78	124	116	566	217	140	96	180	6
San Antonio	32	489	103	44	157	151	10	104	76	3	65	108	102	491	175	118	78	171	3
Balance of county	–	59	13	6	28	19	–	15	7	–	13	16	14	75	42	22	18	9	3
Blanco	–	5	–	1	4	–	–	–	–	–	1	–	1	3	3	2	4	–	–
Bordan	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
Bosque	1	21	4	4	6	7	1	3	1	–	–	–	2	11	4	4	1	2	–
Bowie	3	58	6	6	15	17	3	5	3	–	2	7	11	43	13	19	11	7	–
Texarkana [5]	2	36	6	2	9	8	2	3	2	–	–	2	5	30	5	9	8	5	–
Balance of county	1	22	–	4	6	9	1	2	1	–	2	5	6	13	8	10	3	2	–
Brazoria	4	82	11	13	21	26	2	7	6	–	12	18	34	68	73	35	25	18	2
Alvin	–	10	1	1	–	2	1	2	1	–	2	3	2	15	5	4	3	1	–
Freeport	–	4	–	1	2	1	–	2	–	–	2	1	2	5	4	7	–	2	1
Lake Jackson	–	7	3	–	1	1	–	1	–	–	1	–	1	5	2	2	4	1	–
Balance of county	4	61	7	11	18	22	1	2	5	–	7	12	29	43	62	22	18	14	1
Brazos	–	50	11	2	10	8	–	7	1	–	3	6	31	26	17	8	10	5	1
Bryan	–	42	9	2	7	6	–	6	1	–	3	5	20	20	8	3	4	5	1
College Station	–	5	2	–	1	1	–	1	–	–	–	1	3	5	5	3	5	–	–
Balance of county	–	3	–	–	2	1	–	–	–	–	–	–	8	1	4	2	1	–	–
Brewster	–	8	1	–	2	3	–	–	2	–	–	–	–	5	2	–	4	–	1
Briscoe	1	3	1	–	1	1	–	–	–	–	–	–	–	1	2	1	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Texas—Con.																			
Brooks	80	–	–	–	13	5	3	1	3	1	–	–	3	38	36	–	–	29	7
Brown	399	–	–	–	82	17	24	7	8	6	4	16	3	191	135	1	–	82	52
Brownwood	259	–	–	–	59	12	19	5	6	3	3	11	2	128	89	1	–	51	37
Balance of county	140	–	–	–	23	5	5	2	2	3	1	5	1	63	46	–	–	31	15
Burleson	151	–	–	1	25	8	6	1	2	1	1	6	5	76	55	–	1	28	26
Burnet	207	–	–	–	41	9	14	4	3	–	1	10	1	102	70	1	1	53	15
Caldwell	223	1	–	1	51	13	10	6	7	1	5	9	4	99	77	1	5	45	25
Calhoun	128	–	–	3	22	7	3	–	2	–	3	7	3	59	40	–	–	31	9
Port Lavaca	73	–	–	2	11	5	1	–	1	–	3	1	3	34	22	–	–	18	4
Balance of county	55	–	–	1	11	2	2	–	1	–	–	6	–	25	18	–	–	13	5
Callahan	121	–	–	1	21	7	5	1	–	–	2	6	1	75	56	–	–	47	9
Cameron	1,211	1	–	7	216	61	55	16	29	2	11	42	23	537	403	3	9	303	86
Brownsville	453	–	–	2	77	26	17	6	8	1	5	14	13	181	130	1	6	106	17
Harlingen	325	–	–	2	59	15	11	5	8	–	2	18	2	165	126	–	1	97	28
San Benito	128	–	–	–	26	11	4	1	5	–	–	5	2	61	42	–	1	27	14
Balance of county	305	1	–	3	54	9	23	4	8	1	4	5	6	130	105	2	1	73	29
Camp	116	–	–	–	17	2	8	2	1	–	–	4	–	48	31	–	1	23	7
Carson	58	–	–	–	14	1	4	2	1	2	2	2	1	31	26	–	–	17	9
Cass	369	1	–	7	64	15	21	1	9	1	2	15	7	179	125	1	1	89	34
Castro	55	–	–	1	3	2	1	–	–	–	–	–	1	24	12	–	–	5	7
Chambers	122	1	–	1	24	7	9	1	3	–	–	4	5	56	47	–	1	32	14
Cherokee	485	–	–	1	78	16	22	7	9	3	1	20	5	258	189	–	2	121	46
Childress	103	–	–	1	29	6	12	3	2	–	4	2	2	43	32	–	–	27	5
Clay	112	–	–	1	14	6	4	1	1	–	–	2	1	61	49	–	1	29	19
Cochran	42	2	–	–	5	–	1	–	1	–	1	2	–	16	15	–	–	13	2
Coke	43	–	–	–	10	–	4	2	–	–	–	4	1	20	12	–	1	8	3
Coleman	179	–	–	–	39	12	8	3	3	3	3	7	1	95	71	–	1	48	22
Collin	678	–	–	3	120	31	26	13	17	5	7	21	18	329	217	2	4	149	62
McKinney	198	–	–	1	37	10	7	4	5	1	1	9	6	96	62	–	1	46	15
Plano	161	–	–	1	31	12	4	5	2	2	1	5	2	64	43	1	1	28	15
Richardson, part	6	–	–	–	2	–	–	–	1	–	1	–	–	2	2	–	–	1	1
Balance of county	313	–	–	1	50	9	15	4	9	2	4	7	10	167	110	1	2	76	31
Collingsworth	72	–	–	–	7	1	1	–	3	–	1	1	1	53	23	–	1	21	1
Colorado	231	–	–	2	33	10	11	1	3	–	4	4	6	131	100	1	1	70	28
Comal	316	–	–	3	62	14	8	5	6	3	6	20	6	159	114	–	6	82	26
New Braunfels	221	–	–	2	40	11	7	3	3	3	3	10	4	116	78	–	6	57	16
Balance of county	95	–	–	1	22	3	1	2	3	–	3	10	2	43	36	–	–	25	10
Comanche	181	–	–	2	35	8	12	4	6	1	2	2	2	89	67	1	1	40	25
Concho	37	–	–	–	6	–	3	–	–	–	1	2	–	20	14	–	1	10	3
Cooke	307	1	–	1	48	12	12	6	1	–	7	10	5	188	130	–	4	106	20
Gainesville	202	1	–	1	31	8	9	4	–	–	5	5	4	127	82	–	3	67	12
Balance of county	105	–	–	–	17	4	3	2	1	–	2	5	1	61	48	–	1	39	8
Coryell	208	–	1	–	33	9	7	3	2	1	2	9	2	109	65	–	–	62	23
Copperas Cove	42	–	–	–	5	2	2	–	–	–	1	–	–	16	11	–	–	9	2
Balance of county	166	–	1	–	28	7	5	3	2	1	1	9	2	93	74	–	–	53	21
Cottle	40	1	–	1	5	–	2	1	1	–	1	–	1	21	18	–	2	11	3
Crane	37	–	–	–	5	1	2	–	–	–	–	2	1	18	10	–	–	10	–
Crockett	45	–	–	–	12	2	4	–	2	–	1	3	1	10	10	–	–	7	3
Crosby	75	–	–	–	16	4	5	2	1	1	–	3	2	41	36	1	2	23	10
Culberson	21	1	–	–	1	1	–	–	–	–	–	–	–	7	5	–	–	3	2
Dallam	60	–	–	–	12	2	2	–	2	2	1	3	–	33	27	–	–	21	8
Dallas	10,508	14	–	93	2,129	527	565	190	241	83	92	491	158	4,833	3,609	25	228	2,091	1,265
Balch Springs	72	–	–	–	15	3	7	–	3	–	–	2	2	31	23	–	1	13	9
Carrollton, part	135	–	–	–	33	11	12	2	1	1	3	3	3	59	48	1	1	23	23
Carrollton, total	149	–	–	–	39	12	13	2	1	1	5	5	3	62	51	1	1	26	23
Dallas	7,340	12	–	70	1,416	351	384	118	170	56	54	283	110	3,377	2,500	20	179	1,375	926
Duncanville	121	–	–	1	30	8	6	1	2	2	2	9	3	49	36	1	2	23	10
Farmers Branch	116	–	–	1	37	14	10	6	1	1	3	2	–	47	34	–	1	23	10
Garland	555	1	–	6	128	38	31	13	7	4	10	25	7	244	195	2	12	132	49
Grand Prairie, part	369	–	–	2	90	19	26	9	10	1	4	21	6	157	115	–	4	71	40
Grand Prairie, total	400	–	–	2	94	19	27	10	10	1	4	23	6	172	124	–	4	76	44
Highland Park	86	–	–	–	21	7	3	4	2	–	1	4	1	45	35	–	1	24	10
Irving	576	–	–	4	122	28	24	13	15	6	3	33	12	268	195	–	11	120	64
Lancaster	112	–	–	1	20	6	4	1	3	2	1	3	2	65	46	–	–	34	12
Mesquite	298	1	–	4	56	16	13	3	5	3	4	12	4	140	106	–	4	75	27
Richardson, part	260	–	–	1	62	12	12	8	10	4	1	15	3	118	97	1	6	63	27
Richardson, total	266	–	–	1	64	12	12	8	11	4	2	15	3	118	99	1	6	64	28
University Park	148	–	–	1	32	7	8	6	6	2	1	2	1	75	56	–	1	42	13
Balance of county	320	–	–	2	67	7	25	6	6	1	5	17	4	162	123	–	5	73	45
Dawson	159	–	–	1	26	8	5	4	1	1	2	5	4	72	47	–	–	35	12
Lamesa	130	–	–	1	22	7	4	4	1	1	2	3	3	58	39	–	–	29	10
Balance of county	29	–	–	–	4	1	1	–	–	–	–	2	1	14	8	–	–	6	2
Deaf Smith	137	–	–	3	24	6	4	2	3	2	1	6	1	66	58	2	–	40	18
Hereford	119	–	–	3	22	4	4	2	3	2	1	6	1	58	51	2	–	36	13
Balance of county	18	–	–	–	2	2	–	–	–	–	–	–	–	8	7	–	–	4	3
Delta	80	–	–	1	11	2	2	–	1	–	–	6	2	45	41	–	7	28	6
Denton	691	–	–	3	162	40	43	12	16	4	12	35	9	313	235	2	4	168	61
Carrollton, part	14	–	–	–	6	1	1	–	–	–	2	2	–	3	3	–	–	3	–
Denton	272	–	–	–	60	13	11	7	7	4	5	13	4	130	95	–	2	65	28
Balance of county	405	–	–	3	96	26	31	5	9	–	5	20	5	180	137	2	2	100	33
De Witt	336	1	–	1	59	20	12	3	5	3	4	12	8	206	134	–	5	101	28
Dickens	50	–	–	–	9	2	4	–	2	–	–	1	1	21	16	–	–	8	5
Dimmit	80	–	–	2	10	5	2	–	1	1	1	–	2	34	28	–	–	19	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-539)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Brooks	–	2	–	–	–	2	–	2	–	–	–	2	4	7	3	4	–	2	–
Brown	1	45	4	6	6	12	2	4	2	–	2	7	40	17	16	7	5	2	1
Brownwood	1	30	4	4	2	7	2	3	1	–	1	4	21	13	9	3	2	1	1
Balance of county	–	15	–	2	4	5	–	1	1	–	1	3	19	4	7	4	3	1	–
Burleson	–	17	3	1	3	4	–	–	7	–	1	–	9	10	7	1	–	2	–
Burnet	1	25	5	1	10	8	–	1	3	–	1	1	12	15	7	2	1	2	–
Caldwell	–	18	2	2	3	7	–	3	6	–	2	1	14	18	5	4	2	1	–
Calhoun	–	15	1	3	2	2	–	2	3	–	–	1	3	7	6	8	4	3	–
Port Lavaca	–	8	1	3	2	2	–	1	1	–	–	–	2	4	3	5	2	1	–
Balance of county	–	7	–	–	–	–	–	1	2	–	–	1	1	3	3	3	2	2	–
Callahan	1	16	2	–	4	2	1	1	–	–	–	–	2	4	6	2	1	–	–
Cameron	–	104	24	6	22	35	2	15	10	–	8	19	111	81	40	45	16	23	–
Brownsville	–	45	3	3	10	14	1	3	6	–	3	10	54	31	18	14	7	9	–
Harlingen	–	33	5	1	6	13	–	3	2	–	4	4	13	26	10	11	2	3	–
San Benito	–	9	10	–	3	5	–	2	1	–	–	2	11	2	3	5	2	3	–
Balance of county	–	17	6	2	3	3	1	7	1	–	1	3	33	22	9	15	5	8	–
Camp	1	12	2	2	3	3	–	–	5	–	–	1	12	10	6	6	3	2	–
Carson	–	3	1	1	–	–	–	–	2	–	1	–	1	4	2	1	–	1	–
Cass	–	35	13	6	15	9	–	2	4	–	5	9	14	22	14	16	9	4	–
Castro	–	11	1	–	2	3	–	–	–	–	–	3	7	2	3	4	1	1	–
Chambers	–	8	1	2	1	4	–	1	1	–	1	1	3	5	13	4	1	–	–
Cherokee	–	60	24	5	9	15	1	4	11	–	2	2	24	30	19	16	8	2	–
Childress	1	8	1	–	8	5	–	–	1	–	–	1	–	8	1	1	3	–	–
Clay	–	10	1	1	4	1	–	2	1	–	1	–	13	9	1	3	–	–	–
Cochran	–	1	–	–	–	1	–	–	2	–	–	–	2	9	2	1	–	2	–
Coke	–	7	–	1	1	1	–	–	–	–	–	–	4	4	1	1	–	–	–
Coleman	–	19	1	4	8	6	1	–	4	–	–	1	–	15	5	4	–	–	–
Collin	2	69	34	7	17	18	5	4	6	–	4	8	10	59	25	33	11	8	–
McKinney	–	28	6	–	5	4	2	2	1	–	–	1	5	23	2	5	4	4	–
Plano	–	10	6	5	4	5	1	1	3	–	2	7	3	15	7	10	4	1	–
Richardson, part	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Balance of county	2	31	22	2	8	8	2	1	2	–	1	–	2	21	16	18	3	3	–
Collingsworth	–	30	–	–	1	1	–	–	–	–	–	1	–	6	–	1	1	–	–
Colorado	–	28	3	–	6	5	–	2	5	–	1	4	6	14	9	3	1	2	1
Comal	–	32	9	4	10	7	–	6	3	–	1	–	7	21	13	10	5	3	–
New Braunfels	–	27	6	4	7	5	–	6	2	–	1	–	5	13	7	7	3	3	–
Balance of county	–	5	3	–	3	2	–	–	1	–	–	–	2	8	6	3	2	–	–
Comanche	2	18	1	1	7	6	1	1	2	–	–	–	8	12	10	4	2	–	–
Concho	–	3	2	1	1	1	–	–	–	–	–	–	4	4	1	–	–	–	–
Cooke	2	51	3	2	8	6	1	–	3	–	–	2	3	20	12	8	1	–	–
Gainesville	1	40	2	2	5	4	–	–	2	–	–	1	2	13	7	4	–	–	–
Balance of county	1	11	1	–	3	2	1	–	1	–	–	1	1	7	5	4	1	–	–
Coryell	–	17	2	5	6	6	1	5	2	–	2	2	6	15	13	4	1	1	–
Copperas Cove	–	5	–	–	–	4	–	1	–	–	1	–	3	1	7	3	–	1	–
Balance of county	–	12	2	5	6	2	1	4	2	–	1	2	2	14	6	1	1	–	–
Cottle	–	5	–	–	–	1	–	–	–	–	–	–	5	2	1	2	–	–	–
Crane	–	5	1	–	–	–	–	–	–	–	–	3	2	4	4	1	–	1	–
Crockett	–	–	–	–	1	1	–	1	1	–	1	2	3	4	1	6	–	–	1
Crosby	–	5	–	–	1	4	–	–	1	–	1	–	–	3	1	3	1	1	–
Culberson	–	1	1	–	1	1	–	1	–	–	2	2	–	2	1	1	1	–	–
Dallam	–	4	1	1	3	3	–	–	1	–	1	1	1	3	1	1	–	–	–
Dallas	37	943	140	104	245	277	22	153	106	1	89	189	164	770	356	328	214	355	12
Balch Springs	–	6	1	1	–	2	–	2	1	–	–	–	1	6	3	2	4	3	–
Carrollton, part	–	10	–	1	1	3	–	2	1	–	–	1	5	14	5	3	2	3	–
Carrollton, total	–	10	–	1	1	3	1	2	2	–	–	1	6	15	5	3	3	3	–
Dallas	27	696	80	74	180	200	15	120	83	1	55	139	118	548	226	224	140	297	11
Duncanville	1	10	–	2	3	5	1	3	1	–	2	2	1	7	5	2	1	5	–
Farmers Branch	–	10	3	–	2	6	–	2	2	–	2	–	–	5	3	4	2	3	–
Garland	1	41	5	2	13	11	2	4	5	–	9	12	8	35	26	20	15	9	–
Grand Prairie, part	1	17	21	3	10	7	–	4	2	–	3	7	4	32	20	10	6	9	–
Grand Prairie, total	1	17	27	3	10	8	–	5	2	–	4	7	5	36	21	11	7	10	–
Highland Park	–	8	1	1	1	3	–	1	1	–	–	–	–	5	1	6	1	–	–
Irving	2	50	15	4	7	15	2	4	5	–	2	13	5	42	30	18	17	11	1
Lancaster	–	17	–	2	1	5	–	1	–	–	3	–	2	6	3	3	–	–	–
Mesquite	1	20	6	7	9	5	–	2	–	–	6	7	7	21	12	11	7	6	–
Richardson, part	–	16	2	1	9	7	1	2	1	–	4	2	6	17	11	9	8	2	–
Richardson, total	–	16	2	1	9	8	1	2	1	–	5	2	6	17	11	9	8	2	–
University Park	3	12	2	2	3	5	–	1	1	–	1	2	1	14	1	5	4	1	–
Balance of county	1	30	4	4	6	3	1	5	3	–	2	4	6	20	10	12	7	6	–
Dawson	1	23	1	–	4	6	–	1	1	–	2	5	8	15	8	5	–	1	–
Lamesa	–	19	–	–	3	5	–	–	1	–	2	5	7	12	6	4	–	1	–
Balance of county	1	4	1	–	1	1	–	1	–	–	–	–	1	3	2	1	–	–	–
Deaf Smith	–	7	–	1	3	5	1	1	2	–	2	3	5	6	1	6	4	3	1
Hereford	–	6	–	1	3	3	1	–	2	–	2	3	5	5	1	5	2	3	–
Balance of county	–	1	–	–	–	2	–	1	–	–	–	–	–	1	–	1	2	–	1
Delta	–	4	–	–	2	3	–	–	–	–	–	–	2	9	2	2	–	1	–
Denton	3	68	–	7	15	17	6	5	11	–	5	10	11	40	39	19	15	10	1
Carrollton, part	–	–	–	–	–	–	1	–	1	–	–	–	1	1	–	–	1	–	–
Denton	2	32	–	1	7	7	2	–	7	–	1	6	7	14	8	9	5	5	–
Balance of county	1	36	–	6	8	10	3	5	3	–	4	4	3	25	31	10	9	5	1
De Witt	–	62	5	5	7	3	–	3	–	–	–	2	10	19	10	7	1	1	–
Dickens	–	5	–	–	2	3	–	–	–	–	2	–	4	4	–	4	–	–	–
Dimmit	1	5	–	–	4	1	–	1	1	–	2	1	5	5	5	4	–	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Texas—Con.																			
Donley	64	–	–	1	12	3	3	–	3	1	–	2	1	32	23	–	1	18	
Duval	118	–	–	1	12	7	2	2	1	–	–	–	4	58	48	–	1	37	1
Eastland	345	–	–	3	50	13	16	3	4	3	2	9	1	210	144	–	1	103	4
Ector	657	1	–	3	129	18	40	12	15	3	5	36	10	206	153	1	1	91	6
Odessa	585	1	–	3	110	14	35	10	14	3	4	30	9	188	136	1	1	82	5
Balance of county	72	–	–	–	19	4	5	2	1	–	1	6	1	18	15	–	–	9	
Edwards	29	–	–	–	8	3	4	1	–	–	–	–	–	13	10	–	–	9	
Ellis	557	1	1	6	99	24	20	9	14	4	3	25	10	229	162	–	9	106	4
Ennis	120	–	–	2	16	3	2	3	2	1	–	5	2	54	35	–	5	23	
Waxahachie	178	1	–	2	28	6	6	2	6	1	2	5	2	81	52	–	–	29	2
Balance of county	259	–	1	2	55	15	12	4	6	2	1	15	6	94	75	–	4	56	1
El Paso	2,377	8	1	20	473	129	108	37	59	23	27	80	56	973	742	16	13	538	17
El Paso	2,235	6	–	20	450	123	101	35	55	23	26	67	55	916	693	16	13	500	16
Balance of county	142	2	1	–	23	6	7	2	4	–	1	3	1	57	49	–	–	38	1
Erath	225	–	–	1	36	9	10	2	2	2	1	10	3	116	84	–	2	61	2
Falls	259	–	–	2	49	10	12	3	7	2	4	11	–	151	108	–	1	79	2
Fannin	294	–	–	1	56	14	16	3	3	3	2	13	6	136	101	–	2	83	1
Fayette	281	–	–	–	55	18	11	5	6	2	2	11	5	152	117	–	3	75	3
Fisher	77	–	–	1	16	4	5	2	2	1	1	1	5	37	32	–	–	24	
Floyd	82	–	–	1	9	1	5	1	–	2	–	–	5	51	35	1	1	29	
Foard	44	–	–	–	8	4	1	–	1	1	–	1	1	24	18	–	–	18	
Fort Bend	539	–	–	11	104	28	24	7	9	3	2	31	11	248	197	1	5	136	5
Houston, part	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	
Rosenburg	116	–	–	2	25	6	6	1	2	1	–	9	3	57	43	–	–	38	1
Balance of county	418	–	–	9	79	22	18	6	7	2	2	22	8	189	153	1	4	108	4
Franklin	84	–	–	–	19	6	5	–	3	–	–	5	1	43	34	–	–	38	
Freestone	177	1	–	1	27	5	9	4	5	–	–	4	3	101	84	–	2	63	1
Frio	94	1	–	–	18	6	4	–	2	–	–	6	1	50	39	–	–	25	1
Gaines	65	–	–	–	8	1	2	–	1	1	–	3	–	30	21	1	–	12	
Galveston	1,578	4	–	18	356	83	94	29	41	15	22	72	31	703	572	2	18	325	22
Galveston	684	3	–	8	142	35	30	9	17	7	13	31	14	323	263	2	9	146	10
La Marque	121	–	–	2	30	7	5	4	5	–	2	7	2	58	44	–	1	26	1
League City	64	–	–	–	12	3	1	3	1	1	–	3	–	30	26	–	3	14	
Texas City	302	1	–	3	68	13	21	5	10	3	4	12	7	130	107	–	3	58	4
Balance of county	407	–	–	5	104	25	37	8	8	4	3	19	8	162	132	–	2	81	4
Garza	55	–	–	–	8	5	2	1	–	–	–	–	1	34	28	–	2	15	
Gillespie	179	–	–	–	34	13	6	1	2	3	3	6	2	101	78	–	1	45	3
Glasscock	12	–	–	–	1	1	–	–	–	–	–	–	–	3	2	–	–	2	
Goliad	56	–	–	1	10	3	2	1	2	1	–	1	1	33	22	–	3	13	
Gonzales	206	–	–	2	44	9	13	–	9	–	2	11	2	86	69	–	6	46	1
Gray	252	–	1	2	50	14	19	3	3	–	1	10	3	131	102	2	1	68	3
Pampa	214	–	1	2	41	6	17	3	2	–	1	10	3	111	88	2	1	57	2
Balance of county	38	–	–	–	9	6	2	–	1	–	–	–	–	20	14	–	–	11	
Grayson	1,019	–	–	6	167	35	46	10	18	9	9	40	10	563	416	3	17	283	11
Denison	279	–	–	1	46	7	15	5	5	2	2	10	2	154	107	2	2	54	4
Sherman	319	–	–	2	54	11	15	2	7	5	3	11	5	169	132	1	6	108	1
Balance of county	421	–	–	3	67	17	16	3	6	2	4	19	3	240	177	–	9	121	4
Gregg	883	1	–	3	171	41	41	10	32	4	8	35	9	391	260	4	6	196	5
Longview	510	1	–	1	107	25	25	8	18	3	8	20	5	217	148	3	1	118	2
Balance of county	373	–	–	2	64	16	16	2	14	1	–	15	4	174	112	1	5	80	2
Grimes	193	–	–	–	37	13	8	1	2	2	1	10	3	105	77	–	1	50	2
Guadalupe	369	–	–	6	73	22	19	5	9	1	–	17	8	170	126	–	4	89	3
Seguin	178	–	–	4	40	11	10	3	5	–	–	11	5	81	60	–	3	42	1
Balance of county	191	–	–	2	33	11	9	2	4	1	–	6	3	89	66	–	1	47	1
Hale	280	–	–	4	40	13	5	5	5	2	3	7	4	136	89	2	3	70	1
Plainview	179	–	–	3	26	10	3	3	1	1	3	5	3	92	58	1	2	50	
Balance of county	101	–	–	1	14	3	2	2	4	1	–	2	1	44	31	1	1	20	
Hall	67	–	–	–	10	2	5	–	1	1	–	1	1	44	28	1	2	17	
Hamilton	145	–	–	–	30	5	9	1	2	3	4	5	3	80	53	–	2	36	1
Hansford	43	–	–	–	9	1	2	1	1	–	–	4	–	21	13	–	–	11	
Hardeman	101	–	–	–	11	5	4	–	1	–	–	1	2	66	47	–	–	43	
Hardin	352	1	–	4	67	14	20	4	8	7	3	11	5	135	99	–	3	71	2
Harris	14,182	17	–	154	2,812	665	911	233	282	94	104	523	179	6,093	4,835	41	282	2,544	1,78
Baytown	359	–	–	5	71	14	20	7	8	3	5	14	7	158	119	1	4	84	3
Bellaire	118	–	–	–	31	8	7	4	3	2	2	5	1	56	47	1	2	36	
Deer Park	58	–	–	–	13	4	3	–	–	1	1	4	2	22	21	1	1	13	
Galena Park	54	–	–	–	10	–	7	–	–	1	1	1	–	22	18	–	1	13	
Houston, part	11,300	16	–	131	2,182	557	685	184	222	71	74	389	150	4,920	3,898	31	224	1,987	1,45
Houston, total	11,305	16	–	131	2,182	557	685	184	222	71	74	389	150	4,922	3,899	31	225	1,987	1,45
Pasadena	608	–	–	2	138	18	61	8	13	5	6	27	6	242	198	1	12	116	6
South Houston	76	–	–	–	17	5	5	3	2	2	–	–	–	22	20	–	–	15	
West University Place	36	–	–	–	6	1	1	–	2	1	–	1	1	20	17	–	–	13	
Balance of county	1,573	1	–	16	344	58	122	27	32	8	15	82	12	631	497	6	18	287	20
Harrison	563	1	–	6	89	22	29	11	10	2	1	14	14	275	189	–	11	130	4
Marshall	348	–	–	3	63	14	21	9	6	2	1	10	10	169	115	–	6	84	2
Balance of county	215	1	–	3	26	8	8	2	4	–	–	4	4	106	74	–	5	46	2
Hartley	18	–	–	1	3	–	1	–	–	1	–	1	–	11	9	–	–	8	
Haskell	107	–	–	–	23	8	6	3	4	1	–	1	4	63	39	–	–	29	1
Hays	237	1	–	3	42	12	11	5	5	2	–	7	5	129	93	–	3	72	1
San Marcos	140	1	–	2	23	7	3	3	4	2	–	4	3	79	57	–	2	43	1
Balance of county	97	–	–	1	19	5	8	2	1	–	–	3	2	50	36	–	1	29	
Hemphill	32	–	–	1	7	2	–	–	–	2	–	3	1	13	5	–	–	4	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Texas—Con.																			
Donley	-	9	-	-	5	2	-	1	1	-	-	-	-	7	1	1	-	-	-
Duval	1	8	1	-	1	5	-	1	3	-	2	1	10	11	3	4	-	2	-
Eastland	1	59	5	1	13	4	3	3	5	-	-	6	8	21	5	11	3	1	-
Ector	1	42	6	4	6	18	2	11	3	-	8	18	77	57	40	26	13	27	2
Odessa	1	39	6	4	5	17	-	11	3	-	6	15	68	51	37	24	12	23	2
Balance of county	-	3	-	-	1	1	2	-	-	-	2	3	9	6	3	2	1	4	-
Edwards	1	1	1	-	2	-	-	-	1	-	-	2	1	1	-	1	-	-	-
Ellis	2	52	6	7	12	12	-	2	3	-	3	7	71	44	23	12	9	11	2
Ennis	2	14	2	1	3	3	-	1	-	-	1	3	12	13	3	3	2	-	2
Waxahachie	-	23	3	3	6	4	-	-	3	-	1	-	20	13	8	4	1	4	-
Balance of county	-	15	1	3	3	5	-	1	-	-	1	4	39	18	12	5	6	7	-
El Paso	6	179	29	17	51	81	15	55	30	2	22	49	32	218	116	80	39	43	3
El Paso	6	174	27	16	47	79	14	53	28	2	20	47	29	205	99	85	38	38	3
Balance of county	-	5	2	1	4	2	1	2	1	-	2	2	3	13	17	5	1	5	-
Erath	1	27	-	4	6	6	1	2	1	-	1	1	11	26	7	5	1	1	-
Falls	1	38	3	1	7	10	1	1	5	-	-	1	3	12	7	8	1	1	-
Fannin	-	30	5	2	8	11	1	2	2	-	1	5	28	19	8	4	2	2	-
Fayette	2	28	3	2	8	6	1	1	4	-	3	3	7	21	5	6	2	2	-
Fisher	-	1	4	-	-	4	-	1	-	-	-	-	2	5	4	1	-	1	-
Floyd	-	15	1	-	-	3	1	-	1	-	-	1	1	6	1	1	1	-	-
Foard	-	6	-	-	-	1	-	-	-	-	-	-	-	5	1	4	-	-	-
Fort Bend	1	40	5	5	7	4	3	5	7	1	11	14	4	34	30	17	11	17	-
Houston, part	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Rosenburg	-	12	1	1	1	1	2	2	2	-	2	2	1	3	5	1	1	6	-
Balance of county	1	27	4	4	6	3	1	3	5	1	9	11	3	30	24	16	10	11	-
Franklin	-	8	1	-	1	3	1	1	-	-	-	2	1	6	2	2	1	1	-
Freestone	1	12	-	4	9	3	1	1	2	-	-	-	2	14	2	6	2	-	-
Frio	-	8	3	-	2	-	-	1	1	-	-	2	5	4	4	3	1	1	-
Gaines	1	5	2	1	1	2	-	-	1	-	-	1	5	7	7	2	1	-	-
Galveston	6	97	13	15	29	28	3	33	18	1	11	37	14	112	57	54	28	34	7
Galveston	2	42	7	9	12	10	1	14	11	-	3	19	5	49	11	24	10	22	3
La Marque	-	12	-	2	1	2	-	1	-	-	-	4	1	8	5	2	4	-	1
League City	-	3	-	1	-	3	-	3	2	-	-	2	-	1	4	3	2	1	1
Texas City	2	19	1	1	10	7	2	5	1	1	4	6	4	25	10	10	4	3	1
Balance of county	2	21	5	2	6	6	-	10	4	-	4	6	4	29	27	15	8	8	1
Garza	-	8	-	-	-	2	-	-	2	-	-	-	1	3	2	-	1	1	-
Gillespie	1	13	8	1	4	5	-	3	1	-	1	2	2	11	9	2	2	-	-
Glasscock	-	1	-	-	-	1	-	-	-	-	-	1	-	1	3	-	1	1	-
Goliad	-	9	1	1	-	2	-	1	2	-	1	-	-	1	3	1	-	-	-
Gonzales	1	13	3	-	6	5	-	-	3	-	3	-	22	13	6	9	1	4	-
Gray	-	22	5	2	4	8	1	5	1	-	2	-	2	25	6	8	2	1	-
Pampa	-	17	5	1	3	5	1	4	1	-	2	-	1	24	6	7	1	1	-
Balance of county	-	5	-	1	1	3	-	1	-	-	-	-	1	1	-	1	1	-	-
Grayson	2	124	12	9	28	25	-	8	6	-	7	10	40	61	44	22	14	8	-
Denison	1	41	3	2	9	10	-	3	1	-	1	5	4	18	14	5	4	2	-
Sherman	-	31	4	2	5	6	-	2	-	-	3	3	22	18	15	5	5	5	-
Balance of county	1	52	5	5	14	9	-	3	5	-	3	2	14	25	15	12	5	1	-
Gregg	6	106	10	9	22	25	2	11	10	-	7	12	62	58	41	29	11	18	-
Longview	4	55	5	5	10	18	2	8	7	-	4	6	29	30	28	17	8	14	-
Balance of county	2	51	5	4	12	7	-	3	3	-	3	6	33	28	15	12	3	4	-
Grimes	1	23	4	-	5	5	-	2	2	-	-	-	8	13	7	3	1	2	-
Guadalupe	-	32	7	5	9	14	1	4	4	-	1	2	13	23	13	14	9	5	-
Seguin	-	15	3	3	7	8	1	2	1	-	1	1	2	9	5	5	3	3	-
Balance of county	-	17	4	2	2	6	-	2	3	-	-	1	11	14	8	9	6	2	-
Hale	1	40	2	4	7	8	2	1	1	-	3	5	14	15	12	19	4	5	-
Plainview	1	29	2	2	4	5	1	-	1	-	2	1	10	11	2	11	3	4	-
Balance of county	-	11	-	2	3	3	1	1	-	-	1	4	4	4	10	8	1	1	-
Hall	1	13	-	2	-	1	1	-	-	-	1	2	-	5	1	1	-	-	-
Hamilton	-	26	1	-	5	6	-	1	-	-	-	-	3	10	2	4	1	-	-
Hansford	-	7	1	-	2	1	-	-	-	-	-	-	-	3	2	3	2	-	-
Hardeman	-	16	2	1	4	4	-	1	2	-	-	-	1	4	3	2	-	1	-
Hardin	1	26	6	3	12	7	-	6	3	-	-	-	8	41	18	22	15	4	4	-
Harris	29	1,198	135	96	336	339	26	266	131	3	145	301	122	985	671	513	330	755	4
Baytown	2	26	9	2	3	9	-	11	4	-	6	13	2	21	25	9	7	8	-
Bellaire	-	7	1	1	1	2	1	6	1	1	1	1	1	9	2	1	2	1	-
Deer Park	-	-	-	1	1	1	-	-	1	-	1	3	1	-	9	3	1	-	-
Galena Park	1	2	-	1	1	1	-	2	1	-	-	1	-	7	5	2	2	-	-
Houston, part	20	1,016	106	80	283	262	19	204	106	2	113	224	97	808	471	401	240	668	3
Houston, total	20	1,017	106	80	283	262	19	204	106	2	113	225	97	809	472	401	240	668	3
Pasadena	2	36	3	3	15	11	1	10	3	-	10	21	3	36	39	36	18	16	1
South Houston	-	2	-	-	1	-	-	2	-	-	-	2	1	8	9	4	5	5	-
West University Place	-	2	-	1	-	1	-	1	2	-	-	-	-	3	-	1	1	-	-
Balance of county	4	107	16	7	31	52	5	30	13	-	14	36	17	93	111	56	54	57	-
Harrison	2	71	7	6	10	13	2	13	7	-	2	4	31	49	17	18	4	8	-
Marshall	2	45	4	3	8	10	1	10	4	-	1	3	11	37	2	11	3	2	-
Balance of county	-	26	3	3	2	3	1	3	3	-	1	1	20	12	15	7	1	6	-
Hartley	-	2	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Haskell	1	18	4	1	2	1	-	2	2	-	-	-	-	3	2	3	-	1	-
Hays	-	33	3	-	2	6	-	2	3	-	2	1	2	17	8	3	6	5	-
San Marcos	-	20	2	-	2	5	-	1	1	-	1	1	2	9	3	1	1	5	-
Balance of county	-	13	1	-	-	1	-	1	2	-	1	-	-	8	5	2	5	-	-
Hemphill	-	8	-	-	3	-	-	-	-	-	-	1	-	1	2	1	-	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Henderson	418	–	–	1	83	23	25	1	10	1	5	18	9	170	130	–	5	80	45
Hidalgo	1,538	5	–	14	259	81	69	24	20	10	12	43	39	669	499	3	9	373	114
Edinburg	134	–	–	–	28	8	8	1	6	2	2	1	6	62	47	–	–	36	11
McAllen	372	–	–	2	67	24	16	11	4	1	4	7	6	184	115	–	3	83	29
Mission	130	1	–	3	24	7	7	3	2	–	3	2	7	57	43	1	–	35	7
Pharr	90	–	–	–	17	5	7	2	1	1	–	1	2	39	23	–	1	16	6
Weslaco	172	–	–	2	28	7	7	1	1	3	1	8	4	77	59	1	1	53	4
Balance of county	640	4	–	7	95	30	24	6	6	3	2	24	14	270	212	1	4	150	57
Hill	366	1	–	2	75	23	19	5	9	3	3	13	4	217	161	1	4	106	50
Hockley	169	–	–	3	26	5	7	2	3	1	1	7	2	83	59	–	3	39	17
Levelland	108	–	–	2	19	5	5	1	2	1	–	5	1	52	38	–	2	26	10
Balance of county	61	–	–	1	7	–	2	1	1	–	1	2	1	31	21	–	1	13	7
Hood	172	–	–	3	41	11	13	2	1	2	2	10	1	74	55	–	–	42	13
Hopkins	308	–	–	1	48	13	10	5	9	1	4	6	5	175	114	–	4	80	30
Sulphur Springs	189	–	–	1	28	8	6	3	6	–	4	1	3	113	72	–	4	51	17
Balance of county	119	–	–	–	20	5	4	2	3	1	–	5	2	62	42	–	–	29	13
Houston	228	–	–	–	59	12	17	3	18	3	–	6	4	112	90	–	–	59	31
Howard	329	–	–	1	67	16	20	1	6	3	4	17	13	139	99	–	1	81	17
Big Spring	262	–	–	1	50	11	15	1	5	3	3	12	9	113	79	–	1	66	12
Balance of county	67	–	–	–	17	5	5	–	1	–	1	5	4	26	20	–	–	15	5
Hudspeth	19	–	–	–	4	1	2	–	–	–	–	1	1	9	9	–	–	7	2
Hunt	589	–	–	5	107	27	26	8	14	1	3	28	7	291	216	1	3	155	57
Greenville	252	–	–	4	53	14	9	5	8	1	–	16	1	125	90	1	2	61	26
Balance of county	337	–	–	1	54	13	17	3	6	–	3	12	6	166	126	–	1	94	31
Hutchinson	233	–	–	1	44	8	13	4	6	1	2	10	6	118	89	2	2	59	26
Borger	151	–	–	–	27	5	7	1	6	1	2	5	3	85	64	2	2	42	18
Balance of county	82	–	–	1	17	3	6	3	–	–	–	5	3	33	25	–	–	17	8
Irion	6	–	–	–	1	–	1	–	–	–	–	–	–	4	3	–	–	2	1
Jack	105	–	–	1	17	5	4	–	4	–	–	4	–	60	41	2	1	25	13
Jackson	132	–	–	–	31	9	6	1	7	–	1	7	3	56	41	–	1	33	7
Jasper	290	–	–	3	53	14	17	4	4	2	1	11	4	130	103	1	2	72	28
Jeff Davis	16	–	–	–	1	–	1	–	–	–	–	–	–	9	8	–	–	5	3
Jefferson	2,248	–	–	8	485	121	131	30	51	16	23	113	41	1,082	826	6	20	503	297
Beaumont	1,064	–	–	4	258	61	69	13	29	9	15	62	17	492	368	2	12	235	119
Groves	158	–	–	–	31	5	13	2	2	1	–	8	2	88	69	2	2	38	27
Nederland	122	–	–	–	21	4	6	3	2	–	1	5	1	56	42	–	–	28	14
Port Arthur	719	–	–	4	138	43	31	9	17	4	6	28	18	353	276	2	6	151	117
Port Neches	79	–	–	–	12	2	4	3	–	–	1	2	2	47	36	–	–	24	12
Balance of county	106	–	–	–	25	8	8	–	1	2	–	8	1	48	35	–	–	27	8
Jim Hogg	45	–	–	–	4	1	1	1	–	–	–	1	1	30	28	–	–	18	10
Jim Wells	252	–	–	5	41	12	8	2	9	2	–	8	4	116	85	–	2	68	15
Alice	150	–	–	2	21	6	5	–	5	–	–	5	2	79	57	–	1	46	10
Balance of county	102	–	–	3	20	6	3	2	4	2	–	3	2	37	28	–	1	22	5
Johnson	608	–	–	4	126	34	32	6	17	4	6	27	15	295	210	–	12	143	55
Cleburne	276	–	–	2	57	12	15	–	10	3	3	14	4	136	109	–	9	68	26
Fort Worth, part	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	331	–	–	2	69	22	17	6	7	1	3	13	11	159	107	–	3	75	29
Jones	217	1	–	1	39	10	11	1	2	3	2	10	1	106	76	–	1	44	31
Abilene, part	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1
Balance of county	215	1	–	1	39	10	11	1	2	3	2	10	–	105	75	–	1	44	30
Karnes	144	–	–	2	20	4	6	2	2	1	–	5	2	78	55	–	–	39	16
Kaufman	407	–	–	5	71	19	19	3	5	4	1	20	8	184	140	–	3	84	53
Terrell	128	–	–	3	24	9	8	–	3	–	–	4	2	56	45	–	1	30	14
Balance of county	279	–	–	2	47	10	11	3	2	4	1	16	6	128	95	–	2	54	39
Kendall	126	–	–	2	20	2	3	3	7	2	–	3	–	71	50	–	1	36	13
Kenedy	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	2	–
Kent	14	–	–	–	2	–	–	–	–	–	1	1	–	6	6	–	–	5	1
Kerr	353	1	–	3	73	15	14	10	13	2	3	18	3	179	127	–	4	95	28
Kerrville	265	1	–	2	54	13	10	6	10	1	1	13	3	132	95	–	2	72	21
Balance of county	88	–	–	1	19	2	4	4	3	1	2	5	–	47	32	–	2	23	7
Kimble	57	–	–	–	11	2	3	–	2	–	2	2	2	26	20	1	3	14	2
King	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	1
Kinney	28	–	–	–	–	–	–	–	–	–	–	–	1	15	13	–	–	8	5
Kleberg	185	–	–	1	26	7	7	3	2	1	2	4	11	70	52	–	–	36	14
Kingsville	161	–	–	–	21	7	6	2	1	1	2	2	10	61	47	–	–	33	14
Balance of county	24	–	–	1	5	–	1	1	1	–	–	2	1	9	5	–	–	3	–
Knox	87	–	–	–	20	7	5	–	3	–	–	5	2	42	22	–	1	18	3
Lamar	528	–	–	2	96	17	27	5	19	4	6	18	5	255	167	1	11	116	39
Paris	371	–	–	2	65	13	15	3	15	2	6	11	3	184	114	1	7	81	25
Balance of county	157	–	–	–	31	4	12	2	4	2	–	7	2	71	53	–	4	35	14
Lamb	141	–	–	1	19	8	3	3	2	1	1	1	3	76	46	–	2	36	6
Lampasas	122	–	–	–	23	8	3	3	2	2	2	3	2	62	41	–	–	33	8
La Salle	36	–	–	–	6	2	3	–	–	–	–	1	3	21	17	–	1	14	2
Lavaca	249	–	–	5	42	13	8	1	5	2	5	8	2	132	108	–	3	66	39
Lee	124	–	–	1	26	10	8	1	2	1	1	3	–	74	60	1	1	35	23
Leon	168	–	–	3	26	5	4	6	2	1	1	7	2	72	51	–	3	26	22
Liberty	460	–	–	5	76	13	26	5	8	1	3	20	8	192	128	–	1	87	40
Limestone	262	–	–	5	47	14	15	2	7	1	–	8	8	128	102	–	8	69	25
Lipscomb	26	–	–	–	1	–	–	–	1	–	–	–	1	19	18	–	2	13	1
Live Oak	79	–	–	–	17	6	5	–	1	1	1	3	2	32	21	–	–	18	3
Llano	156	–	–	1	44	9	11	3	5	2	1	13	–	80	49	1	1	30	8
Loving	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Henderson	1	33	4	2	8	12	1	3	3	–	3	5	48	26	18	16	9	5	–
Hidalgo	6	135	17	12	45	37	1	36	16	–	20	32	113	112	58	48	19	15	–
Edinburg	–	15	–	–	5	3	–	3	2	–	2	–	5	9	5	3	1	–	–
McAllen	2	37	6	4	7	5	1	5	4	–	4	9	43	22	15	10	5	3	–
Mission	1	10	–	3	3	4	–	4	2	–	3	1	8	6	6	1	2	–	–
Pharr	–	14	–	2	1	5	–	4	–	–	1	4	10	3	2	1	1	–	–
Weslaco	–	14	3	1	4	6	–	4	4	–	4	2	10	16	5	4	–	2	–
Balance of county	3	45	8	2	25	14	–	16	4	–	6	16	39	58	25	29	10	10	–
Hill	–	42	8	6	8	7	1	4	2	–	1	1	4	21	5	11	1	2	1
Hockley	–	19	4	1	2	7	–	2	2	–	1	2	17	6	8	5	2	1	–
Levelland	–	11	3	–	2	5	–	1	1	–	1	1	9	5	5	3	1	–	–
Balance of county	–	8	1	1	–	2	–	1	1	–	–	1	8	1	3	2	1	1	–
Hood	1	15	3	–	6	3	–	1	4	–	1	4	17	9	2	5	–	1	–
Hopkins	2	49	10	–	9	7	–	4	5	–	2	5	10	12	8	14	2	1	–
Sulphur Springs	2	32	7	–	2	5	–	2	4	–	1	4	7	7	3	7	1	1	–
Balance of county	–	17	3	–	7	2	–	2	1	–	1	1	3	5	5	7	1	–	–
Houston	–	20	–	2	6	3	1	1	4	–	1	–	11	12	8	4	–	2	–
Howard	3	29	6	2	8	9	–	3	2	–	2	7	34	22	8	6	3	5	–
Big Spring	3	24	5	2	6	5	–	2	1	–	2	6	30	19	7	4	2	5	–
Balance of county	–	5	1	–	2	4	–	1	1	–	–	1	4	3	1	2	1	–	–
Hudspeth	–	–	–	–	–	1	–	–	–	–	2	–	–	1	1	–	–	–	–
Hunt	2	52	14	7	17	11	2	3	7	–	4	3	39	47	16	15	7	8	–
Greenville	1	23	6	5	5	4	1	–	2	–	1	1	12	22	9	5	1	6	–
Balance of county	1	29	8	2	12	7	1	3	5	–	3	2	27	25	7	10	6	2	–
Hutchinson	2	21	4	2	5	6	–	1	1	–	1	5	3	20	5	9	4	4	–
Borger	2	17	2	–	4	3	–	1	–	–	–	3	2	10	2	6	3	2	–
Balance of county	–	4	2	2	1	3	–	–	1	–	1	2	1	10	3	3	1	2	–
Irion	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jack	1	14	3	1	5	1	–	1	1	–	1	2	4	4	3	5	–	–	–
Jackson	–	14	–	1	2	1	1	1	–	1	–	1	4	10	12	8	–	1	–
Jasper	–	24	–	3	5	6	–	4	3	–	1	2	26	18	15	16	2	2	–
Jeff Davis	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–
Jefferson	6	206	33	11	55	51	5	33	34	–	14	43	14	153	76	73	42	37	2
Beaumont	2	104	13	5	29	20	1	16	12	–	5	22	5	74	33	33	24	18	1
Groves	1	13	3	2	1	7	–	1	3	–	–	1	1	13	7	1	–	2	–
Nederland	1	12	1	–	2	3	–	–	–	–	2	5	1	13	5	8	4	1	–
Port Arthur	2	60	13	2	21	13	4	11	14	–	4	9	6	47	25	24	13	14	1
Port Neches	–	6	3	2	1	4	–	2	1	–	–	2	1	3	2	2	–	–	–
Balance of county	–	11	–	–	1	4	–	3	4	–	3	4	–	3	4	5	1	2	–
Jim Hogg	–	3	–	1	1	–	–	–	–	–	–	1	4	1	1	1	–	1	–
Jim Wells	1	22	6	–	2	9	–	3	2	–	4	7	4	14	21	11	4	4	1
Alice	1	13	8	–	2	5	–	2	2	–	2	4	2	8	6	6	3	3	1
Balance of county	–	9	–	–	–	4	–	1	–	–	2	3	2	6	15	5	1	1	–
Johnson	1	74	6	4	21	15	1	6	7	–	3	2	6	51	21	27	5	2	1
Cleburne	–	30	2	1	11	13	–	3	4	–	2	1	2	27	5	8	1	–	–
Fort Worth, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	1	44	4	3	10	2	1	3	3	–	1	1	4	24	15	19	4	2	1
Jones	–	25	3	2	5	8	2	1	8	–	4	5	8	11	7	7	1	2	–
Abilene, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	25	3	2	5	8	2	1	8	–	4	5	8	11	7	7	1	2	–
Karnes	–	18	2	3	5	4	–	–	4	–	1	5	1	11	4	4	1	2	–
Kaufman	–	36	6	3	14	5	–	3	6	–	2	4	47	27	8	15	3	5	–
Terrell	–	10	1	–	6	2	–	2	3	–	1	1	6	11	1	8	–	2	–
Balance of county	–	26	4	3	8	3	–	1	3	–	1	3	41	16	7	7	3	3	–
Kendall	–	16	4	1	3	5	–	2	1	–	–	1	1	7	1	3	3	–	–
Kenedy	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Kent	–	–	–	–	1	1	–	–	–	–	–	–	1	2	1	–	–	–	–
Kerr	3	32	9	6	13	18	–	6	1	–	3	–	3	28	8	9	2	3	–
Kerrville	3	23	7	4	12	15	–	4	1	–	2	–	2	24	4	5	2	2	–
Balance of county	–	9	2	4	1	3	–	2	–	–	1	–	1	4	4	4	–	1	–
Kimble	–	5	1	–	3	4	–	–	4	–	–	–	1	2	2	2	–	–	–
King	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kinney	–	2	–	–	–	1	–	–	1	–	–	2	1	1	1	5	–	–	–
Kleberg	1	11	3	3	7	8	2	1	2	1	1	3	17	16	8	1	4	6	–
Kingsville	–	9	2	3	6	5	1	1	2	1	1	2	15	16	8	1	4	6	–
Balance of county	1	2	1	–	1	3	1	–	–	–	–	1	2	–	–	–	–	–	–
Knox	–	17	2	1	5	3	–	–	1	–	–	1	1	4	–	7	1	–	–
Lamar	6	62	19	1	16	6	1	4	2	1	1	3	64	28	21	15	3	4	1
Paris	4	49	17	–	11	2	1	2	2	–	1	3	41	20	14	12	3	4	1
Balance of county	2	13	2	1	5	4	–	2	–	1	–	–	23	8	7	3	–	–	–
Lamb	1	26	1	2	6	3	–	2	2	–	1	1	4	10	3	7	1	2	–
Lampasas	–	18	2	1	2	–	–	1	5	–	–	3	5	12	2	3	1	1	–
La Salle	–	2	1	1	–	3	1	–	–	–	–	–	1	–	–	1	–	–	–
Lavaca	1	20	2	1	3	9	–	3	7	–	–	–	9	15	5	7	7	–	–
Lee	–	12	1	1	1	3	1	1	1	–	–	–	1	1	7	6	–	1	–
Leon	–	17	4	–	3	6	2	3	1	–	1	2	23	7	7	8	–	2	–
Liberty	1	36	21	6	7	16	–	10	3	–	3	9	33	30	33	18	5	12	–
Limestone	1	20	5	–	7	10	–	1	4	–	–	3	11	19	7	6	1	4	1
Lipscomb	–	2	–	1	1	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Live Oak	–	11	–	–	1	3	–	1	2	–	–	–	10	4	2	3	1	1	–
Llano	1	15	3	1	6	5	1	–	2	–	–	–	11	9	3	4	1	–	–
Loving	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lubbock	1,303	1	–	11	228	51	52	18	17	7	14	69	14	624	461	3	4	284	170
Lubbock	1,072	1	–	10	194	47	43	16	15	7	13	53	13	510	385	2	3	233	147
Balance of county	231	–	–	1	34	4	9	2	2	–	1	16	1	114	76	1	1	51	23
Lynn	74	1	–	1	11	4	2	–	2	–	–	3	1	26	21	–	1	11	9
McCulloch	123	–	–	1	21	4	7	3	1	–	–	6	3	62	44	–	–	30	14
McLennan	1,599	–	2	7	325	89	93	16	36	12	12	67	23	840	625	4	14	504	103
Waco	1,163	–	2	5	225	58	67	9	25	10	9	47	18	605	439	3	8	355	73
Balance of county	436	–	–	2	100	31	26	7	11	2	3	20	5	235	186	1	6	149	30
McMullen	9	–	–	–	3	–	–	–	1	–	1	1	–	4	3	–	–	2	1
Madison	121	–	–	–	16	3	7	1	–	–	1	4	–	65	50	–	–	32	16
Marion	118	–	–	1	29	8	5	3	6	2	1	4	–	37	28	1	1	15	11
Martin	50	–	–	–	8	–	1	–	3	–	1	3	–	27	12	–	–	9	3
Mason	54	–	–	1	13	4	3	1	–	2	1	2	–	25	23	–	–	19	4
Matagorda	273	1	1	3	44	6	17	3	7	1	1	9	4	135	105	–	7	46	50
Bay City	139	–	–	1	21	3	10	1	3	1	1	2	2	63	46	–	6	18	22
Balance of county	134	1	1	2	23	3	7	2	4	–	–	7	2	72	59	–	1	30	28
Maverick	146	–	–	2	23	6	8	3	2	2	–	4	4	53	39	–	1	27	11
Eagle Pass	115	–	–	2	16	3	3	3	2	2	–	3	4	47	35	–	1	23	11
Balance of county	31	–	–	–	7	3	3	–	–	–	–	1	–	6	4	–	–	4	–
Medina	206	–	–	1	37	12	7	5	1	3	–	9	4	91	72	–	2	48	22
Menard	39	–	–	1	6	3	–	–	1	–	1	1	–	21	17	–	1	11	5
Midland	513	1	–	3	103	25	26	9	12	4	2	25	5	220	169	2	6	117	44
Midland	462	1	–	3	94	23	23	8	10	4	2	24	5	205	156	1	6	108	41
Balance of county	51	–	–	–	9	2	3	1	2	–	–	1	–	15	13	1	–	9	3
Milam	275	–	–	3	53	16	11	3	5	4	5	9	6	148	114	–	6	69	39
Mills	82	–	–	–	12	1	4	–	2	–	1	4	3	52	35	1	–	29	5
Mitchell	114	–	–	1	23	4	8	1	1	1	3	5	2	44	37	–	1	24	12
Montague	271	–	–	1	51	12	15	3	5	8	3	5	4	150	95	–	1	76	18
Montgomery	746	1	–	6	155	37	47	16	15	4	3	33	7	271	227	3	5	115	104
Conroe	211	–	–	5	41	12	11	8	1	–	3	6	1	88	70	2	3	32	33
Houston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	535	1	–	1	114	25	36	8	14	4	–	27	6	183	157	1	2	83	71
Moore	108	–	–	1	15	3	2	1	2	2	–	5	2	57	44	–	2	36	6
Morris	162	–	–	2	31	9	8	1	4	–	2	7	2	76	64	–	4	37	23
Motley	35	–	–	1	8	5	2	–	–	–	–	1	–	20	14	–	–	10	4
Nacogdoches	374	–	–	3	66	11	18	11	7	3	4	12	6	168	130	1	3	94	32
Nacogdoches	192	–	–	2	34	9	9	5	3	2	1	5	2	88	65	1	2	50	12
Balance of county	182	–	–	1	32	2	9	6	4	1	3	7	4	80	65	–	1	44	20
Navarro	434	–	–	7	67	17	14	6	10	1	4	15	5	235	159	–	8	137	14
Corsicana	286	–	–	5	40	12	8	2	5	1	1	11	4	159	105	–	5	90	10
Balance of county	148	–	–	2	27	5	6	4	5	–	3	4	1	76	54	–	3	47	4
Newton	73	–	–	3	14	3	2	–	1	1	2	5	–	26	18	–	–	10	8
Nolan	191	1	–	1	38	12	9	5	3	–	3	6	3	84	64	–	–	40	24
Sweetwater	138	1	–	–	31	10	8	3	3	–	3	4	2	57	42	–	–	25	17
Balance of county	53	–	–	1	7	2	1	2	–	–	–	2	1	27	22	–	–	15	7
Nueces	1,765	–	–	11	341	101	87	14	41	15	13	70	54	758	573	6	28	354	185
Corpus Christi	1,533	–	–	10	312	94	77	13	37	12	13	66	45	644	488	3	23	300	162
Robstown	101	–	–	1	10	3	1	1	1	2	–	2	5	44	36	–	3	23	10
Balance of county	131	–	–	–	19	4	9	–	3	1	–	2	4	68	49	3	2	31	13
Ochiltree	75	–	–	–	12	4	3	–	1	–	1	3	1	35	27	–	–	23	4
Oldham	20	–	–	–	4	–	–	–	1	–	–	3	–	10	8	1	–	5	2
Orange	594	2	–	5	91	18	36	1	12	1	–	23	9	257	201	1	4	124	72
Orange	224	1	–	2	30	6	12	–	3	–	–	7	5	94	67	1	1	36	27
Balance of county	370	1	–	3	61	10	24	1	9	1	–	16	4	163	134	–	3	88	45
Palo Pinto	272	–	–	2	45	7	10	5	9	–	2	12	2	127	75	–	–	51	24
Mineral Wells, part	186	–	–	1	34	6	9	4	5	–	1	9	2	88	48	–	–	29	19
Mineral Wells, total	186	–	–	1	34	6	9	4	5	–	1	9	2	88	48	–	–	29	19
Balance of county	86	–	–	1	11	1	1	1	4	–	1	3	–	41	27	–	–	22	5
Panola	222	–	–	2	41	7	14	2	7	–	2	9	5	125	89	–	–	71	18
Parker	350	–	–	1	68	11	16	3	9	2	4	23	9	186	146	2	4	100	40
Mineral Wells, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Weatherford	184	–	–	1	29	5	7	1	4	–	3	9	4	100	75	1	3	53	18
Balance of county	176	–	–	–	39	6	9	2	5	2	1	14	5	86	71	1	1	47	22
Parmer	72	–	–	2	8	2	2	1	2	–	–	1	2	32	22	–	–	20	2
Pecos	91	1	–	1	12	4	4	1	–	–	–	3	4	41	31	–	–	19	12
Polk	258	–	–	1	58	14	19	5	5	1	4	10	2	131	107	–	8	79	20
Potter	918	1	–	8	178	39	57	16	18	4	2	42	7	469	351	2	6	258	85
Amarillo, part	899	1	–	7	177	39	56	16	18	4	2	42	7	462	344	2	6	252	84
Amarillo, total	1,195	1	–	9	243	57	74	22	24	5	5	56	8	613	458	2	7	339	110
Balance of county	19	–	–	1	1	–	1	–	–	–	–	–	–	7	7	–	–	6	1
Presidio	42	–	–	–	9	3	1	1	2	–	–	2	–	20	13	–	–	9	4
Rains	59	–	–	–	12	2	1	–	4	–	–	5	–	31	21	–	1	15	5
Randall	366	–	–	2	61	20	23	7	6	1	4	20	3	184	143	–	1	106	34
Amarillo, part	296	–	–	2	56	18	18	6	6	1	3	14	1	151	114	–	1	87	26
Balance of county	70	–	–	–	15	2	5	1	–	–	1	6	2	33	29	–	–	21	8
Reagan	39	–	–	–	13	2	5	–	2	–	–	4	–	9	9	–	–	7	2
Real	26	–	–	–	5	4	–	–	1	–	–	–	–	9	7	–	–	5	2
Red River	234	–	–	3	37	9	9	–	5	3	1	10	–	113	82	1	3	60	18
Reeves	107	–	–	–	22	5	7	4	1	–	2	3	–	46	38	–	–	31	7
Pecos	89	–	–	–	19	5	7	2	1	–	1	3	–	38	30	–	–	26	4
Balance of county	18	–	–	–	3	–	–	2	–	–	1	–	–	8	8	–	–	5	3
Refugio	97	–	–	–	19	5	9	3	–	–	–	2	5	26	20	–	1	15	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Texas—Con.																			
Lubbock	3	136	14	10	42	44	2	11	13	-	20	22	20	89	46	52	18	46	-
Lubbock	2	102	11	10	33	31	1	10	11	-	18	17	14	81	36	39	16	37	-
Balance of county	1	34	3	-	9	13	1	1	2	-	2	5	6	8	10	13	2	9	-
Lynn	-	5	-	-	2	1	1	2	1	-	-	2	13	5	3	3	1	-	-
McCulloch	1	13	1	3	5	4	-	1	1	-	2	-	-	7	7	4	2	3	-
McLennan	5	180	21	9	46	39	6	22	17	1	11	20	31	101	31	47	18	9	3
Waco	2	142	15	7	30	30	5	20	14	1	8	17	21	78	23	39	13	6	3
Balance of county	3	38	6	2	16	9	1	2	3	-	3	3	10	23	8	8	5	3	-
McMullen	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Madison	-	14	-	1	8	5	-	-	-	-	-	2	12	9	3	-	-	1	-
Marion	-	7	2	-	1	3	-	-	3	-	2	3	16	11	4	4	-	4	-
Martin	1	10	4	-	1	1	-	-	1	-	1	1	2	4	2	-	1	1	-
Mason	-	1	-	1	2	3	-	1	-	-	-	-	1	3	4	-	-	1	-
Matagorda	-	29	-	1	1	5	-	5	5	-	2	9	4	15	20	9	1	9	-
Bay City	-	17	-	-	-	2	-	4	3	-	1	5	3	10	10	5	1	8	-
Balance of county	-	12	-	1	1	3	-	1	2	-	1	4	1	5	10	4	-	1	-
Maverick	1	11	1	1	3	3	-	-	3	-	2	8	14	14	5	11	1	-	-
Eagle Pass	1	9	1	1	2	3	-	-	2	-	1	8	8	11	5	5	1	-	-
Balance of county	-	2	-	-	1	-	-	-	1	-	1	-	6	3	-	6	-	-	-
Medina	-	15	1	3	2	7	-	1	2	-	3	2	5	30	11	7	-	3	-
Menard	-	3	1	-	-	-	-	-	-	-	1	-	2	4	2	2	-	-	-
Midland	5	38	3	5	21	19	2	11	4	-	3	11	2	43	23	20	13	8	1
Midland	5	37	3	4	19	19	2	11	4	-	2	8	2	41	16	12	10	7	1
Balance of county	-	1	-	1	2	-	-	-	-	-	1	3	-	2	7	8	3	1	-
Milam	-	31	2	1	4	5	1	2	2	1	1	4	5	14	7	10	1	8	-
Mills	-	7	8	2	2	-	-	1	-	-	1	-	2	3	3	2	1	-	-
Mitchell	-	7	-	-	5	1	-	1	1	-	1	2	8	12	5	6	1	1	-
Montague	-	47	5	3	5	9	1	2	8	1	-	1	6	14	7	6	1	3	1
Montgomery	-	29	7	8	25	21	-	14	5	-	8	5	54	55	51	38	16	14	-
Conroe	-	12	2	4	7	7	-	1	2	-	3	1	11	22	6	10	2	2	-
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	17	5	4	18	14	-	13	3	-	5	4	43	33	43	28	14	12	-
Moore	1	8	1	3	1	3	-	2	-	-	1	3	3	5	2	9	2	2	-
Morris	-	8	3	1	5	4	-	-	2	-	-	-	3	13	11	7	3	2	1
Motley	-	6	-	-	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-
Nacogdoches	2	30	3	3	12	19	1	2	3	-	3	3	9	26	29	13	3	8	-
Nacogdoches	1	18	1	3	6	11	1	2	2	-	3	2	3	11	13	4	3	5	-
Balance of county	1	12	2	-	6	8	-	-	1	-	-	1	6	15	16	9	-	3	-
Navarro	1	65	4	6	9	7	1	1	7	-	3	3	40	29	6	7	3	4	-
Corsicana	1	47	2	4	3	5	1	1	5	-	2	3	28	19	3	4	1	3	-
Balance of county	-	18	2	2	6	2	-	-	2	-	1	-	12	10	3	3	2	1	-
Newton	1	7	-	-	3	-	-	-	3	-	1	2	3	6	6	5	-	1	-
Nolan	1	15	1	3	6	9	-	1	3	-	2	1	27	5	6	3	-	1	-
Sweetwater	1	11	-	3	6	5	-	1	3	-	1	1	20	3	3	3	-	1	-
Balance of county	-	4	1	-	-	4	-	-	-	-	1	-	7	2	3	-	-	-	-
Nueces	3	142	18	20	45	56	3	31	21	2	18	39	18	163	78	54	36	36	3
Corpus Christi	3	118	16	19	37	48	3	31	17	2	16	33	15	145	60	49	34	30	3
Robstown	-	7	1	-	4	4	-	-	4	-	1	3	1	9	7	4	1	3	-
Balance of county	-	17	1	1	4	4	-	-	-	-	2	3	2	9	11	1	1	3	-
Ochiltree	-	8	-	-	3	3	-	1	-	-	1	1	3	5	3	5	1	1	-
Oldham	-	2	-	-	1	1	-	-	-	-	-	-	-	2	2	-	-	-	-
Orange	1	47	4	4	11	10	2	3	7	-	3	10	76	37	32	26	7	6	-
Orange	-	22	1	4	3	6	-	2	4	-	-	6	34	12	7	12	3	3	-
Balance of county	1	25	3	-	8	4	2	1	3	-	3	4	42	25	25	14	4	3	-
Palo Pinto	2	40	8	2	15	1	1	5	-	-	-	4	13	25	8	16	3	3	2
Mineral Wells, part	1	32	4	1	10	-	1	2	-	-	-	4	8	20	4	10	1	2	1
Mineral Wells, total	1	32	4	1	10	-	1	2	-	-	-	4	8	20	4	10	1	2	1
Balance of county	1	8	4	1	5	1	-	3	-	-	-	-	5	5	4	6	2	1	1
Panola	1	28	5	2	2	3	-	-	2	-	-	3	6	11	12	5	1	4	-
Parker	-	26	11	3	12	10	1	1	5	-	1	2	9	23	11	14	7	-	-
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	-	17	6	-	9	7	-	1	2	-	-	2	4	11	5	6	3	-	-
Balance of county	-	9	3	3	3	3	1	-	3	-	1	-	5	12	6	8	4	-	-
Parmer	-	9	1	-	2	2	1	-	1	-	1	2	5	4	5	3	1	1	-
Pecos	1	8	-	1	4	-	-	-	-	-	-	1	-	6	8	7	4	2	-
Polk	2	19	1	2	7	5	-	2	8	-	1	1	5	15	11	8	-	3	-
Potter	1	87	24	6	16	37	-	20	3	1	3	17	4	52	39	29	19	15	-
Amarillo, part	1	87	24	6	15	37	-	19	3	1	3	16	4	52	35	27	18	15	-
Amarillo, total	2	113	32	8	20	54	-	23	3	1	6	20	9	71	40	33	23	18	-
Balance of county	-	-	-	-	1	-	-	1	-	-	-	1	-	-	4	2	1	-	-
Presidio	-	7	-	-	3	-	-	1	2	-	-	-	-	1	6	-	-	1	-
Reins	-	10	-	-	-	-	1	1	-	-	-	-	2	5	2	3	-	2	-
Randall	1	30	8	2	6	20	2	4	1	-	4	7	5	24	7	7	6	3	-
Amarillo, part	1	26	8	2	5	17	-	4	-	-	3	4	5	19	5	6	5	3	-
Balance of county	-	4	-	-	1	3	2	-	1	-	1	3	-	5	2	1	1	-	-
Reagan	-	-	-	-	-	-	-	1	1	-	-	-	3	3	2	-	1	-	-
Real	-	2	-	-	2	1	-	-	-	-	-	-	3	2	2	2	-	-	-
Red River	1	22	5	3	10	5	2	2	1	-	1	2	18	21	7	7	3	2	-
Reeves	4	2	2	-	5	2	-	2	4	-	1	-	4	10	5	3	2	1	-
Pecos	4	2	2	-	2	1	-	2	4	-	1	-	2	9	5	3	2	1	-
Balance of county	-	-	-	-	3	1	-	-	-	-	-	-	2	1	-	-	-	-	-
Refugio	-	5	1	-	1	5	1	2	1	-	-	-	14	7	11	4	-	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Roberts	9	–	–	–	3	1	1	–	1	–	–	–	–	3	3	–	–	2	1
Robertson	194	–	–	1	32	9	6	5	1	–	4	5	3	104	75	–	–	47	28
Rockwall	91	–	–	–	18	3	2	2	4	–	1	8	2	51	35	–	–	26	9
Runnels	183	–	–	1	33	10	8	–	6	1	1	7	4	109	64	–	6	49	9
Rusk	492	–	–	6	83	22	26	1	15	2	5	12	7	237	162	1	5	146	10
Henderson	158	–	–	1	25	9	7	1	6	–	1	1	3	86	59	–	2	53	4
Balance of county	334	–	–	5	58	13	19	–	9	2	4	11	4	151	103	1	3	93	6
Sabine	118	–	–	–	20	4	8	1	–	–	2	5	2	74	57	–	2	44	11
San Augustine	124	–	–	–	17	6	4	–	–	–	–	6	2	70	57	–	1	50	6
San Jacinto	108	–	–	1	17	7	7	–	–	1	–	3	1	51	40	–	1	16	23
San Patricio	375	–	–	5	73	20	27	1	2	–	3	20	5	160	119	2	1	91	25
San Saba	96	–	–	–	12	2	7	1	–	–	1	1	–	55	40	–	2	32	6
Schleicher	26	–	–	–	6	2	–	–	2	–	–	2	1	11	7	–	–	6	1
Scurry	168	–	–	1	28	5	3	3	6	1	3	7	3	75	58	–	1	41	14
Snyder	132	–	–	1	24	3	3	2	6	1	3	6	2	62	46	–	1	34	11
Balance of county	36	–	–	–	4	2	–	1	–	–	–	1	1	13	10	–	–	7	3
Shackelford	51	–	–	–	6	3	1	–	–	–	–	2	–	40	26	–	3	18	5
Shelby	296	–	–	1	59	10	18	6	9	1	2	13	10	143	113	–	2	87	24
Sherman	20	–	1	–	3	2	–	–	1	–	–	–	–	5	5	–	–	5	–
Smith	1,098	–	–	5	227	54	61	15	30	9	10	48	17	543	396	5	19	269	109
Tyler	652	–	–	3	138	28	39	10	20	7	7	27	12	323	230	1	14	162	53
Balance of county	446	–	–	2	89	26	22	5	10	2	3	21	5	220	166	4	5	101	56
Somervell	53	–	–	–	2	–	1	–	–	–	–	1	–	30	22	–	–	19	3
Starr	146	–	–	1	28	9	7	2	2	2	–	6	7	60	52	1	–	28	23
Stephens	163	–	–	–	29	6	9	1	4	2	–	7	1	95	65	–	3	59	3
Sterling	19	–	–	1	4	2	–	–	–	–	1	1	–	12	10	–	–	8	4
Stonewall	29	–	–	–	10	4	1	1	2	–	–	2	–	11	10	–	–	6	4
Sutton	42	–	–	–	3	2	1	–	–	–	–	–	2	20	11	–	–	6	3
Swisher	102	1	–	–	17	2	3	1	5	1	1	4	–	52	35	–	1	28	6
Tarrant	6,109	9	2	65	1,284	304	381	119	131	51	61	237	89	2,849	2,035	14	145	1,279	597
Arlington	650	–	1	4	134	37	41	11	9	6	7	23	4	312	246	–	10	164	72
Bedford	56	–	–	1	11	4	–	1	2	1	–	3	1	30	24	–	–	15	9
Euless	109	1	–	–	21	1	10	2	1	2	1	4	–	51	44	1	2	25	16
Fort Worth, part	3,761	7	1	45	785	189	241	67	88	34	37	129	57	1,736	1,184	9	100	735	350
Fort Worth, total	3,762	7	1	45	785	189	241	67	88	34	37	129	57	1,736	1,184	9	100	735	350
Grand Prairie, part	31	–	–	–	4	–	1	1	–	–	–	2	–	15	9	–	–	5	4
Haltom City	220	–	–	2	59	13	14	8	3	4	2	15	3	113	87	–	7	58	22
Hurst	156	1	–	3	32	10	4	6	5	–	1	8	3	68	51	–	3	35	13
North Richland Hills	132	–	–	1	32	10	7	4	1	–	1	8	1	60	45	1	2	28	14
White Settlement	89	–	–	–	19	3	8	–	2	–	1	5	2	48	38	–	5	20	13
Balance of county	905	–	–	9	187	37	55	19	20	4	11	41	18	416	297	3	16	194	84
Taylor	899	1	–	5	146	29	44	15	19	3	4	32	14	464	305	4	6	238	57
Abilene, part	780	1	–	4	128	24	40	13	18	3	3	27	14	401	268	4	3	210	51
Abilene, total	782	1	–	4	128	24	40	13	18	3	3	27	15	402	269	4	3	210	52
Balance of county	119	–	–	1	18	5	4	2	1	–	1	5	–	63	37	–	3	28	6
Terrell	19	–	–	2	4	–	1	–	–	–	2	1	–	9	7	–	–	6	1
Terry	116	–	–	1	24	8	10	3	1	–	–	2	–	63	46	–	–	36	10
Throckmorton	36	–	–	–	7	4	2	–	–	–	1	–	1	14	10	–	–	5	5
Titus	256	–	–	2	45	10	10	2	5	1	9	8	3	137	100	–	1	77	22
Tom Green	766	–	–	10	128	31	28	13	20	4	2	30	17	392	219	–	6	176	37
San Angelo	675	–	–	7	112	27	26	12	19	3	2	23	14	350	190	–	6	154	30
Balance of county	91	–	–	3	16	4	2	1	1	1	–	7	3	42	29	–	–	22	7
Travis	2,309	–	–	26	458	116	116	45	54	21	17	87	34	1,066	695	5	42	419	229
Austin	1,984	–	–	24	399	104	103	39	45	18	15	75	29	915	586	4	34	351	197
Balance of county	325	–	–	2	57	12	13	6	9	3	2	12	5	153	109	1	8	68	32
Trinity	132	–	–	–	25	6	7	2	2	1	1	6	1	68	56	–	–	37	19
Tyler	181	–	–	3	34	9	9	2	4	1	4	5	1	83	56	1	–	40	15
Upshur	269	–	–	1	43	9	9	4	4	4	2	11	6	139	107	–	1	75	31
Upton	46	–	–	–	10	3	2	–	1	–	1	3	1	23	19	–	–	16	3
Uvalde	172	1	1	2	34	14	8	2	2	1	1	6	1	62	47	–	–	35	12
Uvalde	123	–	1	1	25	10	6	–	1	1	1	6	1	44	30	–	–	23	7
Balance of county	49	1	–	1	9	4	2	2	1	–	–	–	–	18	17	–	–	12	5
Val Verde	241	–	–	–	48	19	7	3	6	2	3	8	5	99	73	1	4	51	17
Del Rio	212	–	–	–	43	16	7	3	6	2	3	6	5	89	65	1	4	47	13
Balance of county	29	–	–	–	5	3	–	–	–	–	–	2	–	10	8	–	–	4	4
Van Zandt	357	–	–	1	68	17	15	5	6	2	4	19	3	181	158	2	2	106	46
Victoria	488	–	–	6	86	21	31	5	6	3	3	17	8	264	199	1	4	160	34
Victoria	382	–	–	4	64	17	22	4	6	2	2	11	8	201	151	1	4	117	29
Balance of county	106	–	–	2	22	4	9	1	–	1	1	6	–	63	48	–	–	43	5
Walker	218	–	–	1	50	10	19	1	3	–	3	14	3	84	69	–	3	41	25
Huntsville	106	–	–	–	23	4	12	–	–	–	2	5	3	47	35	–	–	23	12
Balance of county	112	–	–	1	27	6	7	1	3	–	1	9	–	47	34	–	3	18	13
Waller	176	–	–	–	31	14	3	3	4	–	2	5	4	80	62	–	1	36	25
Ward	110	–	–	–	27	6	9	2	3	–	2	5	2	40	29	2	2	19	6
Washington	302	–	–	–	56	19	12	6	3	3	3	10	7	187	132	1	–	84	47
Webb	609	–	–	5	103	39	21	8	13	1	6	15	29	280	215	–	4	151	60
Laredo	584	–	–	4	99	37	19	8	13	1	6	15	27	274	210	–	4	147	59
Balance of county	25	–	–	1	4	2	2	–	–	–	–	–	2	6	5	–	–	4	1
Wharton	356	–	–	2	62	19	17	6	5	2	5	8	8	161	129	–	2	100	27
Wheeler	74	–	–	–	6	2	–	–	2	1	–	3	–	38	30	–	2	21	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Roberts	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
Robertson	2	17	9	1	3	3	3	1	3	–	1	3	9	12	9	5	1	1	–
Rockwall	–	15	1	–	–	5	2	1	1	–	–	–	2	5	3	–	1	–	–
Runnels	–	40	2	3	5	3	–	1	–	–	1	–	5	9	2	6	4	–	–
Rusk	5	60	6	4	7	15	4	3	9	–	4	2	43	31	16	16	2	5	2
Henderson	3	20	2	2	2	7	–	–	4	–	1	–	7	8	6	3	1	1	2
Balance of county	2	40	4	2	5	8	4	3	5	–	3	2	38	22	10	13	1	4	–
Sabine	–	11	2	4	–	5	–	–	–	–	–	2	3	4	6	1	–	1	–
San Augustine	–	11	–	2	4	1	–	1	1	–	–	3	4	9	6	5	–	1	–
San Jacinto	–	9	2	–	3	1	–	1	–	–	–	1	5	6	14	3	2	2	–
San Patricio	–	32	7	2	6	10	–	4	2	1	2	6	22	30	25	14	4	6	–
San Saba	–	12	3	–	6	8	–	2	–	–	1	1	1	5	1	3	–	1	–
Schleicher	–	2	1	1	2	–	–	1	–	–	1	–	2	–	1	1	–	–	–
Scurry	–	18	–	1	9	8	–	–	1	–	–	3	18	11	2	4	1	4	–
Snyder	–	16	–	–	5	7	–	–	1	–	–	2	13	7	1	4	–	3	–
Balance of county	–	2	–	1	4	1	–	–	–	–	–	1	5	4	1	–	1	1	–
Shackelford	–	13	1	–	–	1	–	–	–	–	–	–	–	1	1	2	–	–	–
Shelby	–	26	3	1	4	5	1	2	1	–	3	5	16	18	15	7	2	4	–
Sherman	–	–	–	–	2	–	–	–	–	–	–	–	–	1	5	1	1	1	–
Smith	5	118	16	8	23	31	3	15	10	–	6	11	9	87	33	39	17	22	–
Tyler	1	79	10	3	12	19	1	8	4	–	3	6	4	58	18	23	8	12	–
Balance of county	4	39	6	5	11	12	2	7	6	–	3	5	5	29	15	16	9	10	–
Somervell	1	7	–	–	–	1	–	1	2	–	–	–	2	4	4	2	3	2	–
Starr	–	6	1	1	5	–	1	3	–	–	3	2	7	9	9	5	2	4	–
Stephens	2	24	2	2	1	5	1	–	1	–	1	–	2	10	7	7	2	1	–
Sterling	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Stonewall	–	1	–	–	2	1	–	–	1	–	1	–	1	2	–	–	–	–	–
Sutton	–	9	–	–	1	1	–	–	–	–	–	–	–	5	4	8	–	–	–
Swisher	–	13	2	2	3	3	–	1	1	–	1	2	11	4	5	1	–	–	–
Tarrant	12	633	121	48	89	184	14	105	57	–	61	115	44	470	250	161	102	138	21
Arlington	–	48	14	4	9	15	2	6	5	–	13	16	6	42	39	15	13	14	–
Bedford	–	6	–	–	–	2	–	1	–	–	–	1	–	3	3	1	–	1	1
Euless	–	4	2	1	1	4	–	–	–	–	1	4	2	11	4	1	5	1	2
Fort Worth, part	11	437	67	27	61	122	8	77	41	–	30	63	26	313	120	102	50	104	13
Fort Worth, total	11	437	67	27	61	122	8	77	41	–	30	63	26	313	121	102	50	104	13
Grand Prairie, part	–	–	6	–	–	1	–	1	–	–	1	–	1	4	1	1	1	1	–
Haltom City	–	18	7	1	1	7	–	3	1	–	2	3	–	11	6	3	2	3	1
Hurst	–	13	3	1	3	5	–	3	2	–	2	7	1	11	3	4	5	1	2
North Richland Hills	–	12	1	2	4	1	–	–	2	–	1	4	–	11	9	3	3	–	–
White Settlement	–	8	4	–	1	–	–	1	–	–	–	2	–	9	2	4	–	1	–
Balance of county	1	89	17	12	9	27	4	13	8	–	11	15	8	55	63	27	23	12	2
Taylor	2	123	27	7	30	28	4	10	8	–	7	14	16	74	30	24	10	13	1
Abilene, part	1	104	21	7	27	23	4	8	7	–	7	14	9	63	28	20	10	12	–
Abilene, total	1	104	21	7	27	23	4	8	7	–	7	14	9	63	28	20	10	12	–
Balance of county	1	19	6	–	3	5	–	2	1	–	–	–	7	11	2	4	–	1	1
Terrell	–	2	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
Terry	1	14	–	2	2	2	–	–	1	1	–	4	2	7	2	4	2	1	–
Throckmorton	–	3	1	–	6	–	–	–	2	–	–	–	1	3	–	1	1	–	–
Titus	2	26	5	4	1	10	–	1	6	–	–	2	6	14	12	8	4	5	–
Tom Green	4	152	10	7	15	35	2	12	2	–	4	11	16	59	21	31	9	2	–
San Angelo	4	141	9	6	14	31	1	12	2	–	4	11	14	49	17	27	8	2	–
Balance of county	–	11	1	1	1	4	1	–	–	–	–	–	2	10	4	4	1	–	–
Travis	6	169	158	20	74	54	3	31	27	–	31	26	19	168	109	62	63	58	–
Austin	4	164	148	13	69	45	3	28	23	–	30	23	15	150	81	51	47	52	–
Balance of county	2	25	10	7	5	9	–	3	4	–	1	3	4	18	28	11	16	6	–
Trinity	–	10	2	–	1	4	1	2	–	–	–	–	8	11	3	5	1	1	1
Tyler	2	21	2	2	12	3	–	2	2	–	1	–	11	17	4	4	3	1	–
Upshur	–	25	6	1	5	8	–	3	2	–	1	6	3	23	12	12	3	2	–
Upton	–	3	1	–	–	1	–	1	–	–	–	–	–	3	3	3	1	–	–
Uvalde	1	10	2	2	3	12	–	2	4	–	–	1	11	15	9	6	3	4	1
Uvalde	1	9	2	2	2	7	–	2	3	–	–	1	8	10	6	5	2	4	1
Balance of county	–	1	–	–	1	5	–	–	1	–	–	–	3	5	3	1	1	–	–
Val Verde	–	23	1	2	7	4	–	5	2	–	2	8	17	22	7	11	2	2	–
Del Rio	–	21	1	2	7	4	–	5	2	–	2	7	15	20	4	5	2	2	–
Balance of county	–	2	–	–	–	–	–	–	–	–	–	1	2	2	3	6	–	–	–
Van Zandt	1	18	2	2	18	9	2	2	3	–	–	2	21	28	7	5	4	3	–
Victoria	1	52	9	3	9	11	1	6	5	–	5	6	3	23	24	22	4	3	–
Victoria	1	41	6	2	6	10	1	5	5	–	4	6	3	20	17	20	3	3	–
Balance of county	–	11	3	1	3	1	–	1	–	–	1	–	–	3	7	2	1	–	–
Walker	–	23	1	1	6	11	–	2	1	–	3	3	4	14	12	4	4	6	–
Huntsville	–	11	–	1	4	6	–	–	–	–	1	1	2	9	3	1	3	3	–
Balance of county	–	12	1	–	2	5	–	2	1	–	2	2	2	5	9	3	1	3	–
Waller	1	15	2	–	3	12	1	1	2	1	1	2	5	16	8	4	1	4	–
Ward	–	6	3	2	2	1	–	1	–	–	–	2	5	15	7	6	2	–	–
Washington	2	44	5	4	4	5	–	1	4	–	1	1	3	13	10	2	5	3	–
Webb	5	48	11	1	10	14	2	20	10	1	10	7	25	45	9	21	9	9	2
Laredo	5	48	10	1	10	14	2	20	9	1	9	7	25	44	9	13	8	7	2
Balance of county	–	–	1	–	–	–	–	–	1	–	1	–	–	1	–	8	–	1	–
Wharton	2	29	1	–	9	7	–	3	5	–	1	4	45	21	18	4	3	4	1
Wheeler	–	6	2	–	–	3	–	–	2	–	–	–	2	8	8	5	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Texas—Con.																			
Wichita	1,034	–	1	6	214	56	56	19	27	7	7	42	18	486	349	–	14	273	
Wichita Falls	806	–	1	4	171	45	44	15	21	5	7	34	14	379	278	–	12	220	
Balance of county	228	–	–	2	43	11	12	4	6	2	–	8	4	107	71	–	2	53	
Wilbarger	212	–	–	4	33	11	12	1	2	1	1	5	–	125	94	1	–	67	
Vernon	187	–	–	3	28	9	10	1	1	1	1	5	–	111	84	–	–	58	
Balance of county	25	–	–	1	5	2	2	–	1	–	–	–	–	14	10	1	–	9	
Willacy	124	1	–	2	22	9	6	–	4	2	–	1	5	59	48	–	–	35	
Williamson	547	–	–	4	111	35	24	11	13	4	5	19	3	311	217	–	2	153	
Wilson	156	–	–	2	22	7	7	2	–	–	–	6	2	85	71	1	2	43	
Winkler	83	–	–	1	16	2	6	2	2	1	1	2	1	33	25	–	–	16	
Wise	237	–	–	1	37	10	8	2	7	–	1	9	4	125	89	1	1	58	
Wood	297	–	–	4	65	16	21	3	6	2	3	14	1	155	106	1	2	78	
Yoakum	31	–	–	–	9	2	1	–	1	–	–	5	–	10	5	–	–	4	
Young	257	–	–	3	56	13	15	8	7	5	2	6	3	119	75	–	2	53	
Zapata	54	–	1	–	8	4	–	1	–	2	–	2	1	26	20	–	–	14	
Zavala	78	–	–	–	20	3	5	–	2	3	2	5	2	27	21	–	–	15	
Utah	7,890	2	1	59	1,308	351	255	118	164	47	60	313	172	3,588	2,790	88	77	1,885	74
Urban places	3,540	1	–	27	591	162	110	57	70	24	29	140	78	1,659	1,266	38	40	865	32
Balance of area	4,350	1	1	32	717	189	145	61	94	23	32	173	94	1,929	1,524	50	37	1,020	41
Metropolitan counties	5,828	2	1	42	978	268	199	92	109	33	44	233	125	2,644	2,074	69	59	1,361	56
Urban places	3,189	1	–	26	536	149	105	51	60	21	26	124	68	1,492	1,162	35	36	776	31
Balance of area	2,639	1	1	16	442	119	94	41	49	12	18	109	57	1,152	912	34	23	589	27
Nonmetropolitan counties	2,062	–	–	17	330	83	56	26	55	14	16	80	47	944	716	19	18	524	15
Urban places	351	–	–	1	55	13	5	6	10	3	2	16	10	167	104	3	4	87	1
Balance of area	1,711	–	–	16	275	70	51	20	45	11	14	64	37	777	612	16	14	437	14
Beaver	52	–	–	–	5	4	–	–	–	–	–	1	–	27	18	–	–	13	
Box Elder	191	–	–	1	32	3	8	5	8	2	1	5	7	91	57	3	1	41	1
Brigham City	96	–	–	–	16	1	3	3	5	1	1	2	4	46	23	2	–	17	
Balance of county	95	–	–	1	16	2	5	2	3	1	–	3	3	45	34	1	1	24	
Cache	287	–	–	1	43	11	3	3	10	4	4	8	7	138	91	2	8	69	1
Logan	147	–	–	1	22	8	2	2	2	2	1	5	1	78	45	1	4	35	
Balance of county	140	–	–	–	21	3	1	1	8	2	3	3	6	62	46	1	4	34	
Carbon	154	–	–	2	33	11	10	2	3	–	1	6	4	65	57	2	–	52	
Daggett	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	
Davis	506	1	–	5	62	21	9	6	7	1	2	18	12	224	168	2	7	110	4
Bountiful	134	–	–	–	13	3	–	3	2	–	–	5	3	74	48	–	2	32	1
Clearfield	63	1	–	1	7	2	–	1	1	–	–	3	–	25	24	1	1	13	
Layton	72	–	–	2	6	4	1	–	–	–	–	1	3	31	28	–	–	22	
Balance of county	237	–	–	2	36	12	8	2	4	1	2	7	6	84	68	1	4	43	2
Duchesne	74	–	–	–	12	3	4	–	1	–	–	4	1	32	29	–	–	18	1
Emery	60	–	–	1	7	2	1	–	–	–	2	2	1	26	22	–	–	19	
Garfield	28	–	–	1	5	3	1	–	–	–	–	1	–	12	10	–	–	6	
Grand	48	–	–	–	8	1	5	–	2	–	–	–	1	19	16	1	–	11	
Iron	105	–	–	–	16	4	3	2	2	–	–	5	2	47	39	2	–	23	1
Juab	43	–	–	2	4	–	1	–	1	–	–	2	–	25	20	–	–	15	
Kane	24	–	–	–	5	1	1	–	2	–	–	1	–	8	4	1	–	2	
Millard	71	–	–	–	12	3	2	1	2	1	–	3	–	28	18	1	1	13	
Morgan	33	–	–	–	2	1	–	–	–	1	–	–	1	18	16	–	–	14	
Piute	12	–	–	–	1	–	–	–	–	–	–	1	–	6	5	–	1	3	
Rich	16	–	–	–	1	–	1	–	–	–	–	–	1	7	6	–	–	2	
Salt Lake	3,471	1	–	24	607	170	135	58	66	22	31	123	70	1,580	1,228	43	39	767	378
Murray	152	–	–	4	33	12	7	3	4	2	3	2	4	67	48	3	2	27	16
Salt Lake City	1,654	–	–	11	294	81	64	29	36	12	16	58	31	796	617	18	21	384	194
Balance of county	1,665	1	–	9	280	77	64	26	28	8	12	65	35	717	563	22	16	356	166
San Juan	48	–	–	2	2	1	–	–	1	–	–	–	2	15	11	2	1	7	1
Sanpete	124	–	–	4	23	6	–	3	6	–	1	7	–	65	48	1	2	30	15
Sevier	115	–	–	–	23	4	3	–	7	1	1	7	3	49	39	–	1	28	10
Summit	53	–	–	–	10	4	–	3	–	1	–	2	2	23	18	1	–	14	3
Tooele	154	–	–	1	24	6	2	1	3	–	–	12	7	64	53	–	–	50	3
Tooele	108	–	–	–	17	4	–	1	3	–	–	9	6	45	36	–	–	35	1
Balance of county	46	–	–	1	7	2	2	–	–	–	–	3	2	19	17	–	–	15	2
Uintah	105	–	–	2	18	7	2	2	1	1	–	5	3	43	36	2	1	24	9
Utah	895	–	–	7	140	37	21	10	16	2	5	49	24	398	316	9	4	220	88
Orem	160	–	–	–	27	8	5	–	4	–	2	8	2	69	54	2	–	43	9
Provo	256	–	–	2	40	8	5	2	4	–	1	20	8	112	84	3	3	61	17
Balance of county	479	–	–	5	73	21	11	8	8	2	2	21	14	217	178	4	1	116	57
Wasatch	61	–	–	–	10	2	1	1	1	–	1	4	–	34	28	–	–	18	10
Washington	189	–	–	–	34	6	8	3	5	3	5	4	4	92	65	1	1	45	15
Wayne	13	–	–	–	–	–	–	–	–	–	–	–	1	10	8	–	1	3	1
Weber	956	–	1	6	169	40	34	18	18	8	6	45	19	442	382	15	9	264	74
Ogden	604	–	–	4	97	27	19	13	6	5	3	24	13	281	230	7	7	173	43
Roy	94	–	–	2	19	4	4	–	3	2	1	6	4	37	29	1	–	23	5
Balance of county	258	–	1	–	53	9	11	5	9	1	2	16	2	124	103	7	2	68	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Wichita	3	116	10	8	22	24	2	15	9	–	4	14	4	85	37	72	15	6	–
Wichita Falls	3	84	10	4	17	17	2	13	7	–	3	8	4	60	20	65	15	6	–
Balance of county	–	32	–	4	5	7	–	2	2	–	1	6	–	25	17	7	–	–	–
Wilbarger	–	24	7	–	8	5	–	–	1	–	1	3	7	9	4	9	2	1	–
Vernon	–	20	7	–	6	4	–	–	1	–	1	3	7	8	4	8	2	1	–
Balance of county	–	4	–	–	2	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Willacy	1	9	–	1	4	5	–	2	–	–	3	1	1	5	7	3	2	2	–
Williamson	3	62	23	5	9	11	1	4	3	–	4	4	4	38	15	16	5	4	–
Wilson	–	12	–	2	3	7	2	–	1	–	1	1	2	11	5	5	2	4	1
Winkler	1	6	–	1	4	3	–	–	2	1	–	1	6	5	6	2	–	2	–
Wise	1	30	4	1	5	9	–	2	2	–	–	2	10	17	12	5	3	2	1
Wood	–	47	2	–	5	4	–	4	3	–	1	–	7	28	6	10	3	1	–
Yoakum	1	2	1	1	–	–	–	–	–	–	–	3	4	1	2	2	–	–	–
Young	2	31	9	2	18	8	–	2	2	–	1	1	7	24	6	5	2	–	–
Zapata	–	5	1	–	1	3	–	–	–	–	–	–	3	7	2	1	–	–	–
Zavala	–	5	1	–	5	3	–	2	3	–	–	2	1	6	3	3	–	1	–
Utah	23	626	82	67	229	241	27	129	57	2	137	188	151	662	337	317	178	62	43
Urban places	14	297	43	39	110	113	10	67	21	2	43	70	65	312	123	133	71	27	17
Balance of area	9	329	39	28	119	128	17	62	36	–	94	118	86	350	214	184	107	35	26
Metropolitan counties	15	447	56	52	168	171	21	101	32	2	111	147	117	509	232	210	131	48	36
Urban places	12	251	35	32	100	104	9	63	15	2	37	63	57	287	107	118	63	28	15
Balance of area	3	196	21	20	68	67	12	38	17	–	74	84	60	222	125	92	68	22	21
Nonmetropolitan counties	8	179	26	15	61	70	6	28	25	–	26	41	34	153	105	107	47	14	7
Urban places	2	46	6	7	10	9	1	4	6	–	6	7	8	25	16	15	8	1	2
Balance of area	6	133	18	8	51	61	5	24	19	–	20	34	26	128	89	92	39	13	5
Beaver	–	9	–	–	2	–	1	–	–	–	–	1	–	5	9	2	–	–	–
Box Elder	3	22	5	4	5	6	–	1	3	–	3	3	1	13	10	12	2	1	–
Brigham City	1	15	3	4	5	3	–	1	2	–	1	2	–	6	3	4	2	1	–
Balance of county	2	7	2	–	–	3	–	–	1	–	2	1	1	7	7	8	–	–	–
Cache	1	39	5	2	7	7	1	6	–	–	8	6	6	27	11	12	5	1	1
Logan	1	25	3	2	3	3	1	2	–	–	4	2	6	14	4	4	3	–	1
Balance of county	–	14	2	–	4	4	–	4	–	–	4	4	–	13	7	8	2	1	–
Carbon	–	8	1	1	5	6	–	1	1	–	–	–	1	18	3	9	6	1	1
Daggett	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Davis	–	44	9	3	19	18	2	7	2	2	22	13	8	47	28	17	9	5	3
Bountiful	–	17	7	2	9	4	1	1	–	–	3	–	–	14	7	–	3	–	2
Clearfield	–	1	–	–	3	5	–	2	1	1	1	3	1	5	4	2	1	–	–
Layton	–	2	1	–	1	2	–	2	–	1	3	2	3	4	3	6	1	1	1
Balance of county	–	24	1	1	6	7	1	2	1	–	15	8	4	24	14	9	4	4	–
Duchesne	–	2	1	–	1	1	–	1	3	–	–	2	2	6	6	4	3	–	–
Emery	–	3	–	1	2	1	–	2	–	–	2	1	1	5	3	3	1	3	1
Garfield	–	1	1	–	1	3	1	–	–	–	–	1	–	3	–	–	1	–	–
Grand	–	3	–	–	–	3	1	1	–	–	1	–	2	3	4	2	2	1	–
Iron	–	7	–	1	4	5	1	2	2	–	–	6	2	8	3	4	1	1	1
Juab	–	2	2	1	1	2	–	–	–	–	1	–	–	2	3	3	–	–	–
Kane	–	2	–	–	2	1	–	1	–	–	–	–	–	3	2	3	1	–	–
Millard	–	8	1	1	2	5	–	1	2	–	1	–	3	5	3	5	2	1	1
Morgan	–	2	–	–	–	3	–	–	–	–	1	–	1	3	2	2	–	–	–
Piute	–	1	–	–	–	–	–	–	1	–	–	–	–	3	1	–	–	–	–
Rich	–	1	–	–	1	1	–	–	–	–	1	1	–	2	1	–	–	–	–
Salt Lake	5	291	20	38	98	101	14	66	21	–	50	63	60	309	137	130	84	31	23
Murray	1	15	1	2	5	4	–	2	–	–	1	3	3	12	3	6	3	2	–
Salt Lake City	3	145	9	22	42	58	5	37	8	–	9	11	20	153	54	66	34	15	9
Balance of county	1	131	10	12	51	38	9	29	13	–	40	49	37	144	80	58	47	14	14
San Juan	–	4	–	–	3	1	–	–	1	–	–	–	3	1	7	8	2	1	–
Sanpete	1	14	2	–	5	5	1	1	2	–	1	2	–	6	4	4	1	–	–
Sevier	–	7	2	1	7	3	–	–	3	–	–	5	3	9	2	5	3	–	–
Summit	1	3	1	–	1	1	–	1	–	–	–	1	–	5	3	1	4	1	–
Tooele	–	8	2	1	2	4	–	2	4	–	2	3	6	6	13	10	4	1	1
Tooele	–	6	2	1	2	3	–	1	4	–	1	3	2	5	9	7	3	–	1
Balance of county	–	2	–	–	–	1	–	1	–	–	1	–	4	1	4	3	1	1	–
Uintah	1	5	–	1	1	1	–	5	2	–	3	2	–	8	6	4	5	1	1
Utah	4	54	19	5	22	23	2	3	7	–	27	50	27	73	37	25	21	5	4
Orem	–	12	2	1	3	4	–	–	2	–	8	13	7	13	7	2	2	–	1
Provo	2	16	8	2	11	3	1	–	3	–	7	15	5	24	7	8	7	2	1
Balance of county	2	26	9	2	8	16	1	3	2	–	12	22	15	36	23	15	12	3	2
Wasatch	–	6	–	–	3	2	–	1	–	–	2	1	1	5	1	1	–	–	–
Washington	1	23	2	1	6	8	–	2	1	–	–	6	2	9	6	13	4	–	–
Wayne	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Weber	6	58	8	8	29	29	3	23	2	–	12	21	22	80	30	38	17	7	6
Ogden	6	41	4	–	21	22	2	17	1	–	3	13	14	53	22	25	11	5	–
Roy	–	2	3	3	5	1	–	2	–	–	2	3	4	9	–	3	1	1	1
Balance of county	–	15	1	5	3	6	1	4	1	–	7	5	4	18	8	10	5	1	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Oth hea disea (41 42
Vermont	4,179	4	–	28	884	229	224	86	92	50	42	171	64	2,113	1,618	27	22	1,129	4
Urban places	678	–	–	6	142	37	36	17	12	9	4	27	13	354	264	2	4	182	
Balance of area	3,501	4	–	22	752	192	188	69	80	41	38	144	51	1,759	1,354	25	18	967	3
Nonmetropolitan counties	4,179	4	–	28	884	229	224	86	92	50	42	171	64	2,113	1,618	27	22	1,129	4
Urban places	678	–	–	6	142	37	36	17	12	9	4	27	13	354	264	2	4	182	
Balance of area	3,501	4	–	22	752	192	188	69	80	41	38	144	51	1,759	1,354	25	18	967	3
Addison	189	–	–	2	51	12	8	8	2	5	–	16	2	82	58	–	–	33	
Bennington	368	–	–	3	75	15	25	8	7	5	2	13	6	187	147	–	1	124	
Caledonia	244	–	–	–	48	14	6	6	6	3	3	8	1	133	98	3	1	58	
Chittenden	697	–	–	7	167	31	45	16	14	11	7	43	11	346	283	2	–	189	
Burlington	314	–	–	4	63	13	13	10	6	5	–	16	7	166	135	2	–	78	
Balance of county	383	–	–	3	104	18	32	6	8	6	7	27	4	180	148	–	–	111	
Essex	58	–	–	–	15	7	3	1	1	–	–	3	2	22	19	–	–	13	
Franklin	278	1	–	–	57	18	12	7	4	2	6	10	2	144	112	2	4	86	
Grand Isle	40	–	–	1	6	3	1	1	–	–	–	1	1	22	18	–	1	14	
Lamoille	134	–	–	1	24	9	5	2	1	–	1	6	2	67	52	–	2	25	
Orange	191	–	–	1	36	9	12	1	3	3	1	7	2	100	75	6	1	60	
Orleans	223	1	–	2	39	11	8	4	9	1	3	3	5	111	76	2	–	59	
Rutland	535	1	–	2	112	27	33	7	16	7	7	15	9	280	217	2	4	142	
Rutland	238	–	–	2	50	10	18	3	4	2	4	9	3	124	89	–	3	58	
Balance of county	297	1	–	–	62	17	15	4	12	5	3	6	6	156	128	2	1	84	
Washington	479	–	–	5	100	30	22	13	9	6	3	17	8	253	176	2	4	140	
Barre	126	–	–	–	29	14	5	4	2	2	–	2	3	64	40	–	1	26	
Balance of county	353	–	–	5	71	16	17	9	7	4	3	15	5	189	136	2	3	114	
Windham	316	–	–	1	62	22	15	3	7	3	2	10	7	161	131	3	2	96	
Windsor	427	1	–	3	102	23	27	9	13	4	7	19	6	205	156	5	2	110	
Virginia	40,609	44	5	375	8,638	2,169	2,384	694	950	308	321	1,612	595	20,200	15,363	136	533	11,069	3,8
Urban places	17,305	22	1	168	3,832	987	1,082	312	403	146	135	767	230	8,479	6,478	51	248	4,672	1,5
Balance of area	23,304	22	4	207	4,806	1,182	1,302	382	547	162	186	1,045	365	11,721	8,885	85	285	6,397	2,1
Metropolitan counties	21,609	27	4	223	4,954	1,227	1,416	431	506	175	179	1,020	314	10,816	7,860	71	290	5,675	1,8
Urban places	14,744	22	1	157	3,294	839	939	266	345	122	109	673	204	7,147	5,489	46	217	3,936	1,2
Balance of area	6,865	5	3	66	1,660	388	477	165	160	53	70	347	110	3,168	2,391	25	73	1,739	5
Nonmetropolitan counties	19,200	17	1	152	3,684	942	968	283	444	133	142	792	281	9,884	7,483	65	243	5,394	1,7
Urban places	2,561	–	–	11	538	148	143	46	57	24	26	94	26	1,332	989	5	31	736	2
Balance of area	16,639	17	1	141	3,148	794	825	217	387	109	116	698	255	8,552	6,494	60	212	4,658	1,5
Accomack	430	–	–	6	97	23	36	7	16	1	2	12	5	217	159	2	15	106	
Albemarle	348	–	–	2	65	17	19	3	5	1	3	17	2	180	135	–	4	90	
Alleghany	128	1	–	2	25	10	2	1	6	–	–	6	1	63	44	–	–	36	
Amelia	92	–	–	–	16	3	5	–	5	–	–	3	1	46	32	–	2	24	
Amherst	220	–	–	3	39	9	12	1	8	1	3	5	2	129	94	1	4	71	
Appomattox	115	–	–	1	22	3	8	3	2	–	–	6	1	63	49	–	2	29	
Arlington #	1,121	1	–	13	309	89	83	29	31	12	11	54	10	548	422	4	10	333	
Augusta	416	–	–	4	73	15	19	4	5	4	4	22	2	206	153	2	–	125	
Bath	75	–	–	1	28	10	9	1	1	1	–	4	2	25	22	–	–	16	
Bedford	285	–	–	–	63	17	15	3	9	1	3	15	7	142	88	2	1	55	
Bland	51	–	–	–	9	1	4	–	3	–	–	1	1	31	26	1	2	18	
Botetourt	207	1	–	2	31	5	7	4	3	2	2	8	1	111	79	1	3	60	
Brunswick	162	–	–	1	32	12	4	2	2	3	–	9	3	82	66	–	3	48	
Buchanan	247	–	–	–	45	18	8	3	5	2	1	8	–	123	98	–	3	87	
Buckingham	148	–	–	–	30	5	10	–	3	1	2	9	–	74	55	–	1	33	
Campbell	277	–	–	–	57	19	17	6	3	1	2	9	4	137	106	–	7	55	
Caroline	142	–	–	1	31	6	8	–	4	1	3	9	1	74	62	1	2	35	
Carroll	227	–	–	2	41	11	4	6	3	–	3	14	1	118	84	1	–	65	
Charles City	48	–	–	–	7	1	5	–	–	–	–	1	–	25	20	–	3	11	
Charlotte	182	–	–	1	27	8	3	2	5	–	1	8	1	99	73	–	2	54	
Chesterfield	618	1	–	14	141	30	42	17	18	3	3	33	6	281	225	4	6	183	
Clarke	99	–	–	–	14	5	2	1	2	1	–	3	2	64	48	–	–	37	
Craig	41	–	–	–	11	1	6	2	–	2	–	–	–	20	15	–	–	10	
Culpeper	190	–	–	3	34	10	9	1	2	1	1	10	1	104	77	–	3	45	
Cumberland	69	1	–	–	12	4	5	–	–	–	–	3	2	30	20	–	1	13	
Dickenson	168	1	–	5	32	7	10	3	3	3	–	6	3	68	67	–	2	59	
Dinwiddie	200	–	–	2	38	7	10	7	6	–	1	7	4	104	76	–	3	60	
Essex	74	–	–	2	15	3	5	1	1	1	–	4	4	32	24	–	–	19	
Fairfax	2,276	1	1	20	636	143	160	79	55	18	34	147	45	938	693	12	22	517	14
Vienna	101	–	–	3	32	5	9	5	1	–	2	10	4	33	23	–	2	16	
Balance of county	2,175	1	1	17	604	138	151	74	54	18	32	137	41	905	670	12	20	501	13
Fauquier	293	–	–	1	54	18	15	2	7	–	3	9	8	148	106	1	7	79	1
Floyd	116	–	–	–	21	4	3	4	3	1	1	5	3	54	45	1	–	36	
Fluvanna	104	1	–	1	12	1	4	2	2	–	–	3	2	47	37	–	2	18	1
Franklin	282	–	–	2	41	5	13	5	7	–	1	10	5	154	113	2	1	78	3
Frederick	197	–	–	–	39	11	11	2	4	1	2	8	2	96	77	2	4	49	2
Giles	195	–	–	1	40	10	11	1	8	1	1	8	2	101	80	–	1	58	2
Gloucester	171	–	–	3	35	11	11	2	3	1	1	6	3	78	68	–	–	48	2
Goochland	88	–	–	–	18	6	5	1	–	–	–	6	2	40	30	1	2	23	
Grayson	162	–	–	2	27	7	8	–	4	2	–	6	2	84	73	2	–	53	1
Greene	52	–	–	1	13	3	2	–	1	1	1	5	–	28	21	–	1	14	
Greensville	110	–	–	1	14	1	5	1	5	–	1	1	2	61	45	–	1	36	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Vermont	17	330	84	64	95	137	14	53	27	-	15	39	28	301	150	117	88	8	4
Urban places	7	56	15	12	18	18	2	12	4	-	2	1	3	48	15	25	15	-	-
Balance of area	10	274	69	52	77	119	12	41	23	-	13	38	25	253	135	92	73	8	4
Nonmetropolitan counties	17	330	84	64	95	137	14	53	27	-	15	39	28	301	150	117	88	8	4
Urban places	7	56	15	12	18	18	2	12	4	-	2	1	3	48	15	25	15	-	-
Balance of area	10	274	69	52	77	119	12	41	23	-	13	38	25	253	135	92	73	8	4
Addison	-	18	4	2	4	6	-	2	2	-	-	3	1	14	12	3	5	-	-
Bennington	1	25	9	5	8	9	-	5	2	-	2	3	3	29	21	7	6	1	1
Caledonia	1	26	5	4	7	10	-	3	-	-	-	2	4	19	3	9	5	-	-
Chittenden	1	43	7	12	16	16	1	15	4	-	3	6	4	44	19	18	20	-	-
Burlington	1	21	4	5	9	5	-	7	1	-	2	1	2	22	6	10	9	-	-
Balance of county	-	22	3	7	7	11	1	8	3	-	1	5	2	22	13	8	11	-	-
Essex	-	3	-	-	-	3	1	1	-	-	1	-	1	3	4	3	1	1	-
Franklin	-	18	10	4	13	12	-	4	4	-	1	-	3	20	10	3	2	2	-
Grand Isle	-	1	2	1	1	1	-	-	1	-	-	-	1	3	1	1	1	-	-
Lamoille	-	12	1	2	1	8	-	1	1	-	-	1	2	13	8	1	2	2	-
Orange	1	17	4	3	4	9	-	-	2	-	1	5	3	9	8	8	3	-	-
Orleans	1	28	1	5	5	7	1	2	-	-	2	2	-	22	7	9	8	-	-
Rutland	1	41	16	5	11	17	2	5	3	-	1	4	2	41	20	9	14	1	1
Rutland	1	21	9	4	7	9	2	4	2	-	-	-	1	20	4	4	6	-	-
Balance of county	-	20	7	1	4	8	-	1	1	-	1	4	1	21	16	5	8	1	1
Washington	9	53	10	5	6	14	2	6	3	-	1	4	-	30	15	21	10	-	1
Barre	5	14	2	3	2	4	-	1	1	-	-	-	-	6	5	11	-	-	-
Balance of county	4	39	8	2	4	10	2	5	2	-	1	4	-	24	10	10	10	-	1
Windham	1	17	8	4	6	11	4	6	3	-	2	5	1	21	10	14	2	-	-
Windsor	1	29	7	12	13	14	3	3	2	-	1	4	3	33	12	11	9	1	1
Virginia	140	3,721	571	405	1,023	1,010	102	562	333	7	333	645	318	3,091	1,005	1,207	779	505	32
Urban places	45	1,551	214	191	429	413	53	261	157	3	152	300	139	1,336	276	498	294	247	15
Balance of area	95	2,170	357	214	594	597	49	301	176	4	181	345	179	1,755	729	709	485	258	17
Metropolitan counties	64	1,951	301	220	495	516	54	313	193	3	191	360	176	1,618	429	649	436	291	19
Urban places	40	1,276	185	157	347	358	42	217	143	3	134	266	121	1,139	216	430	264	225	14
Balance of area	24	575	116	63	148	158	12	96	50	-	57	122	55	479	213	219	172	66	5
Nonmetropolitan counties	76	1,870	270	185	528	494	48	249	140	4	142	257	142	1,473	576	558	343	214	13
Urban places	5	275	29	34	82	55	11	44	14	-	18	34	18	197	60	68	30	22	1
Balance of area	71	1,595	241	151	446	439	37	205	126	4	124	223	124	1,276	516	490	313	192	12
Accomack	4	42	6	6	6	13	2	5	2	-	3	5	1	44	8	8	3	4	1
Albemarle	1	27	14	3	7	3	1	-	2	-	4	8	5	27	14	12	10	4	-
Alleghany	-	18	-	1	1	4	-	3	1	-	1	2	1	8	4	6	3	3	1
Amelia	-	14	-	-	2	2	-	-	1	-	-	2	1	8	3	7	1	2	-
Amherst	-	28	5	2	2	5	-	4	1	-	2	2	2	10	5	5	5	3	1
Appomattox	-	11	1	2	3	1	-	2	-	-	1	1	-	11	4	5	-	-	-
Arlington #	7	89	14	16	17	33	6	24	10	-	9	7	4	70	7	27	21	4	1
Augusta	1	46	6	-	20	10	2	6	5	-	-	4	2	37	24	10	5	6	-
Bath	-	3	-	-	-	1	-	1	1	-	-	2	-	8	4	2	2	-	-
Bedford	3	34	14	3	14	5	-	5	2	-	3	5	2	18	6	8	4	1	-
Bland	1	3	-	1	1	2	-	2	-	-	-	1	-	2	-	-	2	-	-
Botetourt	1	22	8	1	3	10	-	1	2	-	-	2	2	21	12	1	4	3	-
Brunswick	-	11	1	2	3	2	-	1	-	-	-	4	1	16	3	8	2	3	1
Buchanan	-	23	1	1	3	10	1	1	-	-	1	2	3	19	17	10	7	5	-
Buckingham	-	15	4	-	6	1	-	-	1	-	1	7	2	13	4	5	2	2	-
Campbell	1	30	-	-	11	5	2	2	3	-	1	8	4	17	5	9	11	1	-
Caroline	-	11	1	-	3	3	1	2	-	-	1	2	-	9	6	2	2	4	-
Carroll	-	29	3	2	8	4	-	1	2	-	1	-	4	24	7	7	4	2	1
Charles City	-	5	-	-	2	2	-	1	-	-	1	1	-	5	-	3	-	1	-
Charlotte	-	20	4	2	7	4	1	1	1	-	1	2	1	14	10	8	4	-	-
Chesterfield	-	48	3	5	13	15	2	5	7	-	4	14	6	44	18	28	11	10	-
Clarke	1	13	-	2	2	4	-	1	1	-	-	-	-	6	1	3	1	-	-
Craig	-	4	1	-	2	-	-	-	1	-	-	-	-	1	3	2	1	-	-
Culpeper	-	24	1	2	2	2	-	2	3	-	1	1	3	13	7	7	3	4	-
Cumberland	-	8	1	1	2	2	-	1	1	-	1	-	3	5	1	4	2	2	-
Dickenson	-	15	4	2	4	4	-	4	-	-	2	1	-	9	1	4	5	3	-
Dinwiddie	2	23	2	1	2	6	-	5	2	-	-	2	2	14	4	7	3	4	1
Essex	-	8	-	-	2	4	-	-	-	-	3	1	1	6	2	-	1	1	-
Fairfax	6	167	45	27	31	52	2	42	15	-	23	41	18	152	76	81	62	19	1
Vienna	-	9	1	-	3	2	-	-	1	-	1	-	1	6	6	6	2	1	-
Balance of county	6	158	44	27	28	50	2	42	14	-	22	41	17	146	70	75	60	18	1
Fauquier	1	29	9	3	14	9	1	5	3	-	-	4	1	15	9	9	7	5	-
Floyd	-	6	2	1	2	5	-	4	2	-	1	-	1	8	9	3	2	1	-
Fluvanna	-	9	1	-	5	5	-	4	-	-	1	3	3	11	4	4	-	1	-
Franklin	-	34	4	3	5	4	-	5	3	-	5	3	2	23	9	9	9	3	-
Frederick	-	15	3	1	4	5	-	6	1	-	1	2	8	12	7	5	8	1	-
Giles	-	15	1	5	3	10	-	4	1	-	3	3	2	10	6	4	4	1	-
Gloucester	-	7	-	3	11	3	-	3	3	-	2	-	1	14	8	1	3	3	-
Goochland	-	5	4	1	1	2	-	1	-	-	-	4	-	6	6	5	2	1	-
Grayson	2	7	-	2	5	6	-	2	2	-	-	2	4	12	5	6	3	-	-
Greene	-	6	1	-	-	1	-	-	-	-	-	-	1	5	1	1	1	-	-
Greensville	1	14	1	-	1	3	1	3	-	-	3	5	1	6	1	6	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. ¹Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Othe hear diseas (415 429
Virginia—Con.																			
Halifax	331	–	–	4	57	16	10	7	6	1	2	15	7	165	123	–	13	88	
Hanover	382	–	1	5	83	19	29	7	9	2	1	16	6	204	162	2	4	115	
Henrico	1,364	1	–	15	318	80	104	19	30	13	3	69	13	681	508	3	12	371	12
Henry	398	1	–	3	69	12	15	5	14	1	3	19	10	196	147	3	5	107	
Highland	39	–	–	–	6	4	1	–	–	–	–	1	–	23	18	–	–	13	
Isle of Wight	171	–	–	4	33	10	9	–	2	2	1	9	–	94	65	–	4	46	1
James City	136	–	–	2	27	5	10	2	7	–	–	3	2	60	47	–	2	33	1
King and Queen	69	–	–	–	18	7	3	1	2	–	1	4	–	27	18	–	1	10	
King George	72	–	–	–	18	1	5	1	3	1	1	6	2	37	30	1	3	18	
King William	88	–	–	4	16	3	3	–	–	2	1	7	2	55	36	–	1	22	1
Lancaster	135	–	–	1	32	8	9	3	4	2	–	6	1	64	44	1	1	38	
Lee	262	1	–	3	40	8	8	1	4	4	2	12	1	135	102	–	–	90	1
Loudoun	306	–	–	2	78	21	22	9	10	4	4	6	7	157	118	–	3	95	2
Louisa	167	–	–	3	28	9	8	–	2	2	2	5	4	91	65	–	4	46	1
Lunenburg	129	–	–	1	30	8	7	4	4	2	–	5	3	70	54	–	5	29	2
Madison	108	–	–	1	20	4	1	–	5	–	–	10	–	55	45	1	3	32	
Mathews	103	–	–	–	26	8	5	1	5	2	3	2	2	54	41	–	1	31	
Mecklenburg	344	–	–	3	65	12	18	7	7	2	2	17	7	193	153	1	6	96	5
Middlesex	108	–	–	–	24	8	7	2	3	1	1	2	1	64	51	–	2	34	1
Montgomery	333	–	–	2	60	11	10	3	12	3	3	18	8	176	151	2	6	105	3
Nelson	137	–	–	–	20	4	6	1	4	–	1	4	1	83	57	1	3	32	2
New Kent	70	–	–	1	11	3	5	1	–	1	–	1	–	35	26	–	1	16	
Northampton	179	2	–	3	42	20	10	3	4	–	–	5	1	89	54	–	2	49	
Northumberland	129	–	–	1	30	9	5	4	3	2	2	5	2	69	49	1	–	40	
Nottoway	164	–	–	2	27	6	11	–	6	–	1	3	–	94	71	1	1	44	2
Orange	201	–	–	4	49	12	11	6	4	–	3	13	–	112	80	1	3	54	2
Page	210	–	–	1	41	12	8	4	5	3	1	8	3	117	97	2	3	73	1
Patrick	154	–	–	–	26	8	4	3	3	1	2	5	3	81	59	–	–	48	1
Pittsylvania	506	–	–	4	91	33	24	4	11	1	1	17	10	245	173	5	2	107	5
Powhatan	95	–	–	–	16	2	4	–	–	1	1	8	3	49	34	–	1	25	
Prince Edward	180	2	–	1	37	15	5	2	3	5	1	6	5	95	61	–	2	40	1
Prince George	90	–	1	1	12	1	4	–	1	2	1	3	1	47	30	–	1	24	
Prince William	537	–	–	3	135	25	45	13	13	2	13	24	18	195	162	–	3	119	4
Pulaski	299	–	–	4	44	9	12	3	5	2	3	10	3	180	129	2	1	78	4
Pulaski	110	–	–	1	21	7	7	–	2	–	2	3	–	63	49	1	–	25	2
Balance of county	189	–	–	3	23	2	5	3	3	2	1	7	3	117	80	1	1	53	2
Rappahannock	70	–	–	2	10	3	1	–	1	1	1	3	1	39	34	1	1	18	1
Richmond	82	–	–	2	16	4	4	2	–	–	–	6	1	42	34	–	–	23	1
Roanoke	501	2	–	1	107	28	24	8	9	6	6	26	6	253	182	2	10	128	4
Rockbridge	165	–	–	–	37	10	8	1	8	1	2	7	2	81	67	–	4	53	1
Rockingham	442	–	–	3	90	23	22	8	9	2	3	23	10	225	167	1	2	116	4
Russell	258	–	–	–	34	7	15	4	3	2	–	3	2	129	94	–	1	76	1
Scott	265	–	–	–	58	12	17	3	8	4	2	10	3	138	107	1	2	97	
Shenandoah	286	–	–	2	53	14	18	1	7	2	–	11	4	154	128	2	2	88	3
Smyth	307	–	–	1	52	7	19	4	7	2	2	11	6	162	139	3	4	93	3
Southampton	160	1	1	2	40	11	9	1	7	1	2	9	1	80	69	–	5	52	1
Spotsylvania	183	–	–	1	32	5	10	5	4	–	–	8	2	99	77	–	3	56	1
Stafford	191	1	–	1	49	7	17	4	7	2	5	7	2	86	70	–	2	52	1
Surry	69	–	–	3	13	4	4	–	3	–	–	2	3	24	16	–	–	12	
Sussex	121	1	–	1	23	6	2	1	5	–	1	6	2	61	49	–	3	35	1
Tazewell	421	–	–	3	69	28	13	3	6	1	3	15	7	199	159	1	8	119	3
Warren	211	1	–	1	48	14	9	2	5	1	3	14	2	106	88	1	4	58	2
Washington	418	1	–	2	67	15	23	2	8	5	4	10	9	242	182	5	1	144	3
Westmoreland	165	–	–	6	40	11	11	3	2	2	1	10	2	82	64	–	–	48	1
Wise	409	–	–	–	78	21	18	9	11	2	3	14	14	185	147	1	2	121	2
Wythe	254	–	–	2	38	6	13	3	4	1	4	7	4	129	97	–	3	74	2
York	185	–	–	3	50	11	17	4	4	1	1	12	2	76	58	1	–	37	2
Independent Cities [1]																			
Alexandria	822	–	–	6	197	46	52	25	19	9	7	39	14	376	283	6	6	200	7
Bedford	98	–	–	1	20	6	9	–	1	–	1	3	3	46	32	–	2	24	
Bristol [2]	227	–	–	–	44	14	11	4	2	1	4	8	3	136	104	–	6	88	
Buena Vista	72	–	–	2	17	1	5	2	3	1	–	5	2	32	24	–	3	12	
Charlottesville	382	–	–	1	84	13	24	7	11	5	6	18	1	181	146	1	7	96	4
Chesapeake	731	–	–	2	164	29	53	13	17	3	7	42	14	355	293	4	12	217	6
Clifton Forge	75	1	–	1	15	5	5	2	–	–	1	2	–	47	38	–	1	29	
Colonial Heights	148	–	–	2	30	12	6	–	4	–	1	7	–	82	63	–	4	49	1
Covington	95	–	–	–	17	8	4	–	–	2	–	3	1	59	47	–	–	39	
Danville	529	–	–	3	105	29	27	12	14	4	2	17	9	267	183	1	1	142	3
Emporia	60	–	–	–	14	1	3	1	3	–	1	5	1	29	25	–	2	19	
Fairfax	127	–	–	1	34	2	8	1	7	1	2	13	2	50	39	1	4	26	
Falls Church	130	–	–	1	41	11	10	2	3	1	2	12	1	49	36	1	–	24	1
Franklin	76	–	–	1	20	4	4	3	3	1	1	4	3	37	28	–	–	19	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Halifax	3	33	2	4	6	6	-	6	5	-	3	5	5	27	10	11	6	7	1
Hanover	1	30	8	3	19	9	-	2	2	-	1	7	1	22	12	12	4	2	-
Henrico	5	132	25	11	28	38	3	13	6	-	10	18	8	108	32	28	29	14	1
Henry	3	41	4	1	9	10	-	6	2	-	5	2	1	34	14	8	17	11	-
Highland	-	5	2	-	-	3	1	-	1	-	-	1	-	-	-	1	3	-	-
Isle of Wight	4	17	3	5	2	2	-	-	-	-	1	4	-	17	4	3	4	3	-
James City	1	11	1	-	8	4	-	2	2	-	1	1	1	15	3	3	5	-	-
King and Queen	1	9	1	-	5	-	-	1	1	-	-	3	-	5	3	4	2	-	-
King George	-	4	3	-	1	3	-	1	-	-	-	-	-	6	3	1	-	-	-
King William	-	15	2	2	1	2	-	1	1	-	1	-	1	9	3	1	1	-	-
Lancaster	-	15	3	2	2	4	1	-	-	-	-	2	-	14	2	7	4	1	-
Lee	2	26	3	2	6	13	-	4	3	1	2	4	1	23	8	8	2	6	1
Loudoun	2	25	9	3	6	2	-	4	2	-	1	5	2	20	10	8	3	1	-
Louisa	-	20	5	1	8	5	1	1	2	-	1	1	1	5	11	2	1	2	-
Lunenburg	1	13	-	2	3	4	1	1	1	-	1	2	-	8	2	-	1	1	-
Madison	-	8	1	1	4	6	-	1	1	-	-	1	-	10	3	2	2	2	-
Mathews	2	8	1	2	4	2	-	-	1	-	-	-	-	5	2	5	1	1	-
Mecklenburg	1	28	8	3	5	11	-	3	3	-	2	4	5	22	3	9	4	5	-
Middlesex	1	9	-	3	1	2	-	-	3	-	-	-	-	4	1	2	3	3	-
Montgomery	-	22	3	-	11	8	-	1	1	-	2	6	-	27	11	7	10	3	-
Nelson	3	23	-	-	3	3	-	2	1	-	1	-	3	11	5	2	1	1	-
New Kent	-	6	1	2	1	1	-	1	2	1	-	1	1	6	2	2	2	3	-
Northampton	-	29	5	1	5	2	-	-	1	-	2	2	1	15	3	6	1	2	2
Northumberland	1	13	2	4	4	1	-	-	-	-	2	1	-	8	2	7	1	1	-
Nottoway	1	16	5	1	1	4	-	1	1	-	-	-	2	14	4	9	3	2	-
Orange	-	26	1	5	2	6	2	2	1	-	-	2	2	9	2	5	1	2	-
Page	-	16	1	3	6	5	-	5	1	-	1	-	1	13	6	4	5	1	-
Patrick	-	19	2	1	3	4	-	-	2	-	-	1	-	13	8	10	3	-	-
Pittsylvania	1	61	3	7	11	16	2	9	5	1	7	15	6	31	25	12	11	5	-
Powhatan	-	13	-	2	2	1	-	-	-	-	3	2	-	10	3	4	1	1	-
Prince Edward	1	24	9	-	6	3	2	3	-	-	3	-	2	13	-	6	-	2	-
Prince George	2	14	-	1	3	2	-	1	1	-	1	2	-	4	9	4	1	-	-
Prince William	2	25	2	4	8	13	1	13	5	-	9	13	7	43	34	25	11	4	-
Pulaski	2	44	4	1	8	4	1	2	2	-	2	6	-	19	11	4	6	3	-
Pulaski	-	13	-	1	3	1	1	2	1	-	-	1	-	8	4	2	2	-	-
Balance of county	2	31	4	-	5	3	-	-	1	-	2	5	-	11	7	2	4	3	-
Rappahannock	-	4	1	-	1	1	-	-	-	-	-	-	1	8	4	1	2	-	-
Richmond	1	7	-	-	3	1	-	2	1	-	-	-	-	7	-	4	2	-	1
Roanoke	3	48	14	6	22	10	2	3	6	-	4	7	5	34	11	12	10	6	-
Rockbridge	-	9	3	2	1	3	-	-	1	-	1	2	1	14	8	7	5	2	-
Rockingham	-	48	9	1	12	9	2	7	3	1	6	4	2	30	9	18	7	4	-
Russell	1	27	5	2	10	6	2	4	3	-	2	9	1	29	8	8	4	7	-
Scott	3	22	6	-	7	14	1	3	1	-	-	5	-	18	7	4	7	2	1
Shenandoah	1	19	5	1	6	7	1	3	2	-	2	2	1	30	10	2	4	3	-
Smyth	-	21	1	1	11	5	2	1	4	-	-	4	-	24	9	14	7	3	2
Southampton	2	7	2	-	4	2	-	-	2	-	2	1	3	10	4	5	-	2	-
Spotsylvania	-	17	5	-	5	2	-	1	1	-	2	3	1	11	14	-	9	-	-
Stafford	-	12	3	1	4	4	-	2	-	-	3	1	1	15	7	9	4	2	-
Surry	1	6	-	1	5	1	-	-	1	-	-	2	-	5	6	2	3	1	-
Sussex	1	9	-	2	5	4	-	2	-	-	-	2	-	12	4	3	-	1	-
Tazewell	2	28	4	6	14	25	-	8	1	-	5	6	3	41	9	18	10	3	-
Warren	-	11	3	4	2	6	-	7	3	-	3	3	-	14	5	5	4	1	-
Washington	3	50	4	3	21	9	2	4	-	-	3	10	-	17	8	13	7	3	-
Westmoreland	-	16	-	2	1	6	-	3	2	-	-	1	2	8	2	4	4	2	-
Wise	2	29	3	4	11	14	1	4	4	-	6	10	1	37	12	17	10	5	-
Wythe	1	24	2	5	12	11	1	4	2	-	2	3	6	15	8	8	3	6	-
York	-	14	4	-	6	3	-	2	1	-	2	3	1	17	3	8	4	3	1
Independent Cities †																			
Alexandria	1	72	15	5	29	15	2	23	8	1	9	9	5	69	5	27	15	11	1
Bedford	2	10	2	-	4	2	1	2	-	-	-	1	4	7	4	3	-	-	-
Bristol ▪	2	25	2	3	7	5	2	4	-	-	-	4	-	13	2	5	1	-	1
Buena Vista	-	6	1	1	2	2	1	1	-	-	1	-	1	3	2	1	3	2	-
Charlottesville	1	26	4	4	12	10	1	10	5	-	3	6	3	32	9	14	5	5	-
Chesapeake	1	52	3	6	18	22	1	8	8	-	11	20	6	53	15	20	9	5	-
Clifton Forge	1	7	-	1	2	-	1	2	1	-	-	-	-	3	-	-	2	-	-
Colonial Heights	-	16	3	-	4	2	1	1	1	-	-	-	2	13	2	8	-	-	-
Covington	-	8	3	1	2	1	-	1	1	-	1	1	2	6	3	-	-	-	-
Danville	-	77	2	5	17	8	3	10	2	-	6	7	1	49	13	17	5	7	-
Emporia	-	3	-	1	2	2	-	1	1	-	-	3	-	4	2	1	-	-	-
Fairfax	-	7	4	-	3	2	-	2	1	-	3	2	-	10	6	5	6	-	-
Falls Church	1	6	2	2	1	4	-	6	-	-	2	3	-	9	2	5	4	2	-
Franklin	1	10	-	-	1	2	1	1	-	-	1	2	-	4	2	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Ot he dise (4 42
Virginia—Con.																			
Fredericksburg	177	–	–	–	43	14	11	2	6	3	2	5	1	98	74	–	1	52	
Galax	90	–	–	1	15	2	5	1	2	1	–	4	–	51	40	–	–	36	
Hampton	798	–	–	8	193	44	63	9	23	6	7	41	13	363	305	–	9	224	
Harrisonburg	143	–	–	–	35	9	13	–	4	3	1	5	2	67	46	–	–	39	
Hopewell	211	1	–	1	39	12	6	4	4	–	3	8	2	101	80	1	4	61	
Lexington	76	–	–	–	17	8	2	2	2	1	–	2	1	37	25	–	1	18	
Lynchburg	690	–	–	3	146	37	49	12	9	5	4	30	5	368	265	3	12	176	
Martinsville	199	–	–	–	38	12	6	4	5	1	1	9	1	100	85	–	3	69	
Newport News	1,001	2	–	15	221	63	59	18	26	7	4	44	7	485	387	2	6	275	
Norfolk	2,224	4	–	26	480	121	142	34	48	21	14	102	40	1,106	836	2	52	554	
Norton	46	–	–	–	7	2	1	1	1	–	–	2	–	26	25	1	–	18	
Petersburg	480	1	–	2	102	35	28	8	11	2	6	12	9	243	171	1	6	138	
Portsmouth	1,077	2	–	7	233	58	75	19	14	9	10	48	15	535	425	3	19	309	
Radford	86	–	–	–	19	1	5	2	2	3	–	6	1	43	36	–	–	28	
Richmond	2,559	6	–	46	535	137	149	42	61	23	12	111	39	1,229	921	9	40	646	
Roanoke	1,182	2	1	7	238	71	59	17	31	13	5	42	18	612	456	6	17	341	
Salem	198	–	–	3	35	7	8	2	6	–	4	8	–	118	92	–	2	66	
South Boston	74	–	–	–	13	2	5	2	–	–	–	4	–	43	33	1	2	25	
Staunton	220	–	–	2	51	18	11	5	6	–	6	5	3	111	73	–	3	59	
Suffolk [6]	476	–	–	7	87	16	31	6	11	3	4	16	15	243	189	2	10	123	
Virginia Beach	1,144	3	–	11	265	60	78	26	33	10	8	50	11	494	390	3	10	285	
Waynesboro	143	–	–	1	28	8	7	4	1	1	1	6	2	80	57	2	2	47	
Williamsburg	92	–	–	–	22	5	3	6	1	–	–	7	–	45	29	–	–	17	
Winchester	250	–	–	3	53	15	17	6	4	1	1	9	2	127	89	–	5	58	
Washington	30,481	18	4	161	6,634	1,762	1,762	591	725	304	263	1,227	485	14,705	10,799	156	317	7,695	2,0
Urban places	16,206	12	2	87	3,533	986	883	303	395	156	146	664	247	7,960	5,769	74	161	4,051	1,4
Balance of area	14,275	6	2	74	3,101	776	879	288	330	148	117	563	238	6,745	5,030	82	136	3,644	1,1
Metropolitan counties	18,865	14	–	100	4,164	1,131	1,091	365	461	185	158	773	263	9,106	6,635	97	209	4,629	1,3
Urban places	12,007	12	–	64	2,648	752	658	220	290	116	103	509	155	5,931	4,297	56	136	2,924	1,1
Balance of area	6,858	2	–	36	1,516	379	433	145	171	69	55	264	108	3,175	2,338	41	71	1,705	5
Nonmetropolitan counties	11,616	4	4	61	2,470	631	671	226	264	119	105	454	222	5,599	4,164	59	108	3,066	5
Urban places	4,199	–	2	23	885	234	225	83	105	40	43	155	92	2,029	1,472	18	43	1,127	2
Balance of area	7,417	4	2	38	1,585	397	446	143	159	79	62	299	130	3,570	2,692	41	65	1,939	6
Adams	88	–	–	1	21	9	4	3	3	–	–	2	2	36	25	1	2	14	
Asotin	179	–	–	2	38	14	8	3	3	2	4	4	7	94	61	–	–	47	
Benton	554	1	–	4	133	37	39	14	12	7	3	22	14	205	150	2	2	120	
Kennewick	238	–	–	1	56	14	15	8	5	2	1	11	7	86	62	–	1	51	
Richland	177	–	–	1	47	15	17	3	5	1	–	6	5	62	45	–	1	37	
Balance of county	139	1	–	2	30	8	6	3	2	4	2	5	2	57	43	2	–	32	
Chelan	504	–	–	2	102	23	22	12	13	7	6	19	2	247	180	1	1	147	
Wenatchee	274	–	–	2	57	10	13	7	9	3	4	11	1	125	89	–	1	75	
Balance of county	230	–	–	–	45	13	9	5	4	4	2	8	1	122	91	1	–	72	
Clallam	465	–	1	2	97	28	25	7	4	6	3	24	8	228	163	1	5	115	
Port Angeles	198	–	–	–	39	11	13	4	2	–	1	8	5	102	66	–	2	51	
Balance of county	269	–	1	2	58	17	12	3	2	6	2	16	3	126	97	1	3	64	
Clark	1,294	1	–	6	273	74	65	22	37	14	9	52	12	578	517	10	27	418	
Vancouver	622	–	–	4	131	39	23	10	20	8	3	28	4	338	248	4	11	203	
Balance of county	672	1	–	2	142	35	42	12	17	6	6	24	8	340	269	6	16	215	
Columbia	40	–	–	–	8	1	4	–	–	–	–	3	2	25	19	–	–	15	
Cowlitz	589	1	–	2	115	28	28	11	16	7	10	15	13	317	236	3	4	190	
Kelso	128	–	–	1	24	5	5	2	5	1	2	4	4	68	52	1	2	40	
Longview	258	–	–	1	50	14	13	6	8	1	5	3	5	147	108	–	1	89	
Balance of county	203	1	–	–	41	9	10	3	3	5	3	8	4	102	78	2	1	61	
Douglas	144	–	–	–	44	11	10	3	10	1	–	9	–	62	42	1	1	36	
Ferry	35	–	–	–	10	2	3	1	1	1	–	2	–	13	10	–	–	6	
Franklin	223	–	–	1	69	18	17	6	8	3	4	13	4	80	60	1	1	47	
Pasco	165	–	–	1	49	13	11	4	8	2	2	9	4	62	45	1	–	36	
Balance of county	58	–	–	–	20	5	6	2	–	1	2	4	–	18	15	–	1	11	
Garfield	26	–	–	–	4	–	–	–	3	–	–	1	–	16	13	–	–	11	
Grant	337	2	–	2	63	13	23	6	7	–	4	10	6	146	115	5	2	88	
Moses Lake	75	–	–	–	17	4	7	1	1	–	–	4	–	30	25	2	–	20	
Balance of county	262	2	–	2	46	9	16	5	6	–	4	6	6	116	90	3	2	68	
Grays Harbor	597	–	–	3	123	36	34	9	15	5	5	19	12	293	207	1	2	166	
Aberdeen	192	–	–	2	37	9	12	2	7	2	3	2	3	100	71	–	1	58	
Hoquiam	114	–	–	–	23	12	2	1	2	–	1	5	3	57	42	–	1	32	
Balance of county	291	–	–	1	63	15	20	6	6	3	1	12	6	136	94	1	–	76	
Island	262	–	–	–	63	12	17	2	8	5	1	18	4	134	95	2	3	69	
Jefferson	133	–	–	–	35	10	11	3	2	5	–	4	2	59	49	1	3	39	
King	9,386	8	–	62	2,088	565	554	200	217	87	76	389	124	4,457	3,260	45	100	2,097	1,0
Auburn	212	–	–	1	44	13	15	1	5	3	–	7	2	101	75	–	1	51	
Bellevue	387	–	–	1	90	19	20	15	10	3	3	20	4	181	129	3	4	103	
Kent	157	–	–	–	41	10	14	2	3	3	1	8	2	69	54	4	3	34	
Kirkland	167	–	–	–	38	9	9	3	8	1	1	7	3	78	51	1	1	35	
Mercer Island City	123	1	–	–	43	10	11	7	3	1	5	6	3	45	31	1	–	20	
Redmond	106	–	–	1	30	9	2	2	9	–	–	8	2	44	30	1	1	22	
Renton	250	–	–	3	50	10	15	5	6	3	3	8	3	121	93	3	4	60	
Seattle	5,284	7	–	41	1,146	331	293	102	103	50	41	226	62	2,576	1,889	19	60	1,161	6
Balance of county	2,700	–	–	15	606	154	175	63	70	23	22	99	43	1,242	908	13	26	611	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Fredericksburg	–	17	6	1	7	4	–	2	–	–	–	6	1	7	4	4	–	–	–
Galax	1	8	1	1	6	4	–	–	–	–	–	–	1	5	3	1	3	–	–
Hampton	1	45	6	6	19	16	–	11	8	2	7	14	9	72	10	27	16	10	–
Harrisonburg	1	17	1	2	4	5	–	1	–	–	1	2	–	16	2	5	2	1	–
Hopewell	–	16	2	3	5	6	–	2	2	–	1	6	3	19	8	5	9	1	–
Lexington	–	10	1	1	3	3	1	–	–	–	–	–	3	8	1	2	–	–	–
Lynchburg	2	84	7	10	10	19	2	8	5	–	8	11	5	58	7	18	10	6	–
Martinsville	–	11	2	2	9	3	–	3	–	–	3	–	3	20	7	4	4	4	–
Newport News	3	77	5	13	29	26	1	12	13	–	12	21	8	75	14	22	13	23	2
Norfolk	7	207	31	25	45	53	5	26	19	–	19	39	18	186	27	55	29	44	3
Norton	–	1	–	–	1	–	–	1	–	–	2	1	1	5	–	1	–	1	–
Petersburg	4	58	6	4	9	11	1	5	5	–	3	13	6	37	5	17	3	8	–
Portsmouth	3	82	6	9	21	24	1	13	10	–	15	18	8	85	13	26	16	34	1
Radford	1	6	–	–	2	3	–	–	2	–	–	–	2	6	3	3	2	–	–
Richmond	8	237	40	23	83	58	11	35	23	–	11	54	24	197	31	78	44	53	2
Roanoke	2	119	18	17	25	27	9	19	10	–	10	17	6	91	17	37	24	10	2
Salem	–	20	5	1	4	4	–	4	1	–	2	–	3	13	2	2	7	–	–
South Boston	–	8	1	1	1	1	–	2	–	–	1	–	–	7	1	3	1	1	–
Staunton	–	24	6	8	5	3	–	5	1	–	1	5	1	17	3	8	2	2	–
Suffolk [6]	2	40	7	5	8	12	–	10	9	–	–	3	2	46	10	15	3	6	–
Virginia Beach	–	70	17	17	22	34	2	18	18	–	11	32	13	75	39	45	36	13	2
Waynesboro	–	20	1	2	5	4	2	1	–	–	1	1	–	7	4	3	3	1	–
Williamsburg	2	12	1	1	2	1	–	2	1	–	1	1	–	12	1	2	2	–	–
Winchester	–	31	2	5	9	8	2	5	2	–	2	1	5	16	6	3	4	2	–
Washington	124	2,831	609	342	802	989	113	472	220	3	279	294	228	2,229	1,107	914	557	209	58
Urban places	82	1,576	359	174	456	535	66	281	123	1	128	132	110	1,250	402	452	298	107	24
Balance of area	42	1,255	250	168	346	454	47	191	97	2	151	162	118	979	705	462	259	102	34
Metropolitan counties	71	1,756	431	213	517	639	60	313	141	2	189	172	139	1,358	627	530	373	124	34
Urban places	56	1,166	287	125	339	407	41	213	94	1	104	91	83	899	284	317	228	77	19
Balance of area	15	590	144	88	178	232	19	100	47	1	85	81	56	459	343	213	145	47	15
Nonmetropolitan counties	53	1,075	178	129	285	350	53	159	78	1	90	122	89	871	480	364	184	85	24
Urban places	26	410	72	49	117	128	25	68	29	–	24	41	27	351	118	135	70	30	5
Balance of area	27	665	106	80	168	222	28	91	50	1	66	81	62	520	362	249	114	55	19
Adams	1	6	4	–	5	1	–	–	–	–	–	1	–	10	7	3	–	1	–
Asotin	1	23	5	4	1	3	1	2	2	–	4	–	4	7	5	4	2	2	1
Benton	3	37	5	10	6	23	2	12	6	–	4	4	1	60	28	23	20	8	–
Kennewick	1	15	4	4	2	11	2	2	–	–	2	3	–	28	11	12	11	3	–
Richland	1	11	–	5	3	8	–	7	2	–	1	–	–	21	8	5	5	2	–
Balance of county	1	11	1	1	1	4	–	3	4	–	1	1	1	10	9	6	4	3	–
Chelan	1	48	7	11	21	22	3	10	1	–	6	7	6	35	11	19	7	3	–
Wenatchee	1	26	5	4	16	15	2	8	1	–	3	2	4	19	6	7	4	2	–
Balance of county	–	22	2	7	5	7	1	2	–	–	3	5	2	16	5	12	3	1	–
Clallam	–	49	10	6	11	10	3	10	5	–	2	1	3	30	27	14	7	3	3
Port Angeles	–	29	5	2	7	5	1	5	1	–	1	–	1	16	6	4	2	1	–
Balance of county	–	20	5	4	4	5	2	5	4	–	1	1	2	14	21	10	5	2	3
Clark	5	104	36	16	21	44	7	14	6	–	11	12	14	79	50	38	20	3	5
Vancouver	4	58	21	7	11	21	6	7	4	–	3	3	7	36	18	14	9	2	4
Balance of county	1	46	15	9	10	23	1	7	2	–	8	9	7	43	32	24	11	1	1
Columbia	–	5	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	1	–
Cowlitz	5	58	11	7	12	12	2	12	5	–	2	5	2	33	24	18	11	3	–
Kelso	1	13	1	1	5	4	1	1	2	–	1	3	–	5	2	5	2	–	–
Longview	3	25	8	3	2	4	1	6	2	–	1	2	–	18	8	5	5	1	–
Balance of county	1	18	2	3	5	4	–	5	1	–	–	–	2	10	14	8	4	2	–
Douglas	1	17	2	–	2	5	–	–	1	–	–	–	1	7	13	4	4	1	–
Ferry	–	2	1	–	1	–	–	1	–	–	1	1	–	1	2	2	1	2	–
Franklin	1	14	3	2	3	6	–	2	3	–	2	3	1	22	11	7	3	5	1
Pasco	1	12	3	1	2	5	–	1	2	–	1	3	1	17	7	3	3	3	1
Balance of county	–	2	–	1	1	1	–	1	1	–	1	–	–	5	4	4	–	2	–
Garfield	–	2	–	1	2	–	–	–	–	–	–	–	–	2	1	–	–	–	1
Grant	1	22	5	3	12	11	1	3	1	–	7	7	1	27	19	11	12	5	1
Moses Lake	–	3	2	–	2	–	–	–	1	–	2	3	–	8	3	2	4	2	1
Balance of county	1	19	3	3	10	11	1	3	–	–	5	4	1	19	16	9	8	3	–
Grays Harbor	6	62	10	8	13	15	3	6	6	–	1	6	6	44	25	31	10	–	–
Aberdeen	2	22	2	3	5	3	1	2	1	–	–	4	3	12	8	7	4	–	–
Hoquiam	1	10	1	3	2	1	1	–	1	–	–	–	–	11	2	10	3	–	–
Balance of county	3	30	7	2	6	11	1	4	4	–	1	2	3	21	15	14	3	–	–
Island	1	29	6	3	3	6	1	6	–	–	2	5	2	14	13	6	2	1	–
Jefferson	2	7	–	1	1	5	–	3	1	–	1	2	2	5	4	6	5	1	1
King	41	865	186	105	318	292	31	168	79	1	87	72	55	726	295	248	193	67	17
Auburn	–	18	7	1	6	8	–	4	–	1	2	5	2	12	13	1	9	1	–
Bellevue	1	39	9	3	7	7	1	7	4	–	7	1	1	32	21	12	11	–	–
Kent	–	10	4	1	3	7	1	1	2	–	2	2	1	11	10	2	3	–	–
Kirkland	1	17	8	1	5	8	1	3	3	–	2	2	–	13	4	3	2	2	–
Mercer Island City	–	12	2	–	3	2	–	–	1	–	–	2	–	6	8	3	4	–	–
Redmond	2	5	6	1	1	2	–	–	–	–	5	–	1	11	5	2	1	1	–
Renton	1	21	3	3	15	9	1	2	5	–	4	2	2	13	10	3	4	2	1
Seattle	28	608	92	59	185	166	17	109	42	–	40	31	34	433	93	142	107	43	10
Balance of county	8	235	55	36	93	83	10	42	22	–	25	27	14	193	131	78	52	18	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-.097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-179, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Oth hea dise (41 42
Washington—Con.																			
Kitsap	1,004	–	–	2	230	42	70	24	23	9	10	52	19	473	377	6	23	261	
Bremerton	362	–	–	1	84	13	23	10	9	4	6	19	11	173	135	2	11	102	
Balance of county	642	–	–	1	146	29	47	14	14	5	4	33	8	300	242	4	12	159	
Kittitas	204	–	–	1	37	7	11	4	4	1	3	7	7	99	73	2	–	54	
Ellensburg	96	–	–	–	15	3	4	2	3	–	1	2	4	47	33	1	–	26	
Balance of county	108	–	–	1	22	4	7	2	1	1	2	5	3	52	40	1	–	28	
Klickitat	127	–	–	–	27	6	9	2	2	1	1	6	5	51	37	–	1	28	
Lewis	495	–	–	–	99	35	24	10	12	6	3	9	10	258	177	3	2	146	
Centralia	162	–	–	–	31	14	7	2	3	2	1	2	4	84	47	2	1	37	
Balance of county	333	–	–	–	68	21	17	8	9	4	2	7	6	174	130	1	1	109	
Lincoln	98	–	–	–	22	2	6	2	4	1	1	6	2	54	45	2	2	31	
Mason	220	–	–	3	61	13	21	2	10	–	1	14	4	102	79	1	2	62	
Okanogan	296	–	–	2	54	12	23	2	3	2	–	12	8	129	103	2	–	66	
Pacific	199	–	–	3	45	12	14	1	4	1	2	11	4	96	73	2	3	44	
Pend Oreille	85	–	–	–	18	6	2	3	–	1	1	5	–	35	24	–	–	20	
Pierce	3,392	–	–	8	778	208	209	64	84	42	29	142	62	1,641	1,183	13	36	943	
Puyallup	165	–	–	–	34	12	10	2	4	2	1	3	6	87	65	1	1	52	
Tacoma	1,647	–	–	3	370	105	97	25	42	23	13	65	28	835	580	5	23	458	
Balance of county	1,580	–	–	5	374	91	102	37	38	17	15	74	28	719	538	7	14	435	
San Juan	71	–	1	1	15	6	2	1	1	2	1	2	3	37	25	–	–	15	
Skagit	614	–	–	3	116	29	36	12	11	5	2	21	8	330	251	5	3	169	
Skamania	60	–	–	–	11	2	2	1	2	–	1	3	1	31	21	–	1	15	
Snohomish	2,111	2	–	15	465	124	130	34	46	19	19	93	25	1,007	725	13	25	507	
Edmonds	227	–	–	2	69	23	15	6	7	2	2	14	2	96	73	–	–	49	
Everett	613	1	–	1	139	44	35	3	13	3	6	35	11	309	207	3	12	157	
Lynnwood	142	–	–	–	29	4	11	5	1	1	2	5	–	70	54	1	1	32	
Mountlake Terrace	77	–	–	1	16	3	6	2	–	1	1	3	–	38	29	1	–	17	
Balance of county	1,052	1	–	11	212	50	63	18	25	12	8	36	12	494	362	8	12	252	
Spokane	2,682	3	–	9	560	160	133	45	77	23	25	97	40	1,323	950	16	19	664	
Spokane	1,828	3	–	6	378	111	82	30	56	12	21	66	23	943	689	9	16	472	
Balance of county	854	–	–	3	182	49	51	15	21	11	4	31	17	380	261	7	3	192	
Stevens	182	–	–	1	30	9	8	4	3	1	–	5	2	88	56	1	2	40	
Thurston	874	–	–	5	182	47	53	18	12	9	12	31	21	446	361	7	13	215	
Olympia	358	–	–	–	74	21	23	6	2	5	4	13	9	189	155	3	6	95	
Balance of county	516	–	–	5	108	26	30	12	10	4	8	18	12	257	206	4	7	120	
Wahkiakum	28	–	–	–	4	1	2	–	–	–	1	–	–	13	9	–	–	7	
Walla Walla	453	–	–	2	92	22	26	9	9	4	5	17	15	230	174	2	4	121	
Walla Walla	303	–	–	2	60	13	19	5	4	3	4	12	10	161	121	2	2	86	
Balance of county	150	–	–	–	32	9	7	4	5	1	1	5	5	69	53	–	2	35	
Whatcom	764	–	1	10	159	44	42	19	17	7	1	29	15	396	274	3	13	196	
Bellingham	415	–	1	6	83	26	18	7	10	4	1	17	12	224	151	2	6	106	
Balance of county	349	–	–	4	76	18	24	12	7	3	–	12	3	172	123	1	7	90	
Whitman	228	–	1	3	51	16	12	7	6	3	2	5	2	106	72	–	1	58	
Pullman	68	–	1	3	14	4	2	2	1	2	–	3	–	19	8	–	–	7	
Balance of county	160	–	–	–	37	12	10	5	5	1	2	2	2	87	64	–	1	51	
Yakima	1,437	–	–	6	292	78	64	25	36	17	18	54	20	670	506	4	12	411	
Yakima	620	–	–	2	125	33	21	11	21	8	7	24	5	293	217	2	7	179	
Balance of county	817	–	–	4	167	45	43	14	15	9	11	30	15	377	289	2	5	232	
West Virginia	18,965	29	2	126	3,600	868	1,026	269	425	147	118	707	347	10,069	8,029	69	226	5,662	1,6
Urban places	5,489	10	–	33	1,071	271	298	91	142	41	35	193	84	3,030	2,359	24	79	1,707	5
Balance of area	13,476	19	2	93	2,529	617	728	188	283	106	83	514	253	7,039	5,670	45	147	4,175	1,3
Metropolitan counties	5,531	13	–	32	1,120	258	382	87	136	37	29	211	109	2,928	2,328	29	79	1,661	5
Urban places	3,160	8	–	20	641	156	183	57	90	22	19	114	57	1,684	1,314	18	49	952	3
Balance of area	2,371	5	–	12	479	102	179	30	46	15	10	97	52	1,244	1,014	11	30	709	2
Nonmetropolitan counties	13,434	16	2	94	2,480	630	664	202	289	110	89	496	238	7,141	5,701	40	147	4,221	1,2
Urban places	2,329	2	–	13	430	115	115	34	52	19	16	79	37	1,346	1,045	6	30	755	2
Balance of area	11,105	14	2	81	2,050	515	549	168	237	91	73	417	201	5,795	4,656	34	117	3,466	1,0
Barbour	174	–	1	1	34	9	6	3	4	2	4	6	1	99	71	–	3	55	
Berkeley	415	–	–	6	90	19	24	7	19	7	6	8	7	223	150	1	5	118	
Martinsburg	208	–	–	2	44	7	8	4	8	6	4	7	5	116	79	–	1	64	
Balance of county	207	–	–	4	46	12	16	3	11	1	2	1	2	107	71	1	4	54	
Boone	275	1	–	2	48	12	16	4	6	1	–	9	5	132	108	–	3	65	
Braxton	130	–	–	–	35	11	9	1	3	–	1	10	3	63	45	–	–	36	
Brooke	282	–	–	2	52	10	16	3	9	1	1	12	4	163	130	2	4	99	
Weirton, part	43	–	–	–	8	2	3	–	1	–	–	2	1	25	20	–	1	17	
Balance of county	239	–	–	2	44	8	13	3	8	1	1	10	3	138	110	2	3	82	
Cabell	1,216	3	–	8	231	41	87	19	24	11	10	39	25	647	507	2	28	369	1
Huntington, part	869	3	–	4	160	32	60	14	19	7	7	21	18	471	382	–	20	272	
Huntington, total	923	3	–	5	172	34	63	15	20	8	8	24	18	503	395	–	20	290	
Balance of county	347	–	–	2	71	9	27	5	5	4	3	18	7	176	145	2	6	97	
Calhoun	75	–	–	1	14	2	5	1	3	1	–	2	3	39	30	–	–	22	
Clay	108	–	–	–	12	6	3	–	1	–	–	2	–	63	50	–	–	34	
Doddridge	70	–	–	1	21	10	3	3	–	2	2	1	2	30	28	–	–	23	
Fayette	650	–	–	7	126	25	33	12	18	6	2	30	10	354	290	2	9	210	
Gilmer	75	1	–	–	13	4	5	–	1	–	–	3	–	41	36	1	1	29	
Grant	87	–	–	–	11	5	1	2	–	2	–	1	2	51	47	–	–	32	
Greenbrier	364	–	–	3	57	14	21	3	6	2	–	11	3	195	161	–	9	112	
Hampshire	138	–	–	2	27	7	7	2	3	1	–	7	2	73	61	–	1	43	
Hancock	341	3	–	–	64	14	20	2	7	2	1	18	5	184	162	5	8	132	
Weirton, part	183	2	–	–	36	11	9	–	6	1	1	8	2	95	83	3	4	68	
Weirton, total	226	2	–	–	44	13	12	–	7	1	1	10	3	120	103	3	5	85	
Balance of county	158	1	–	–	28	3	11	2	1	1	–	10	3	89	79	2	4	64	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Kitsap	2	75	7	12	17	27	5	19	13	–	9	12	1	87	43	25	14	4	4
Bremerton	1	31	2	4	6	7	–	9	6	–	3	3	1	32	13	8	4	–	1
Balance of county	1	44	5	8	11	20	5	10	7	–	6	9	–	55	30	17	10	4	3
Kittitas	1	21	3	1	7	10	–	2	1	–	1	1	2	18	8	8	2	–	–
Ellensburg	1	10	2	1	2	6	–	1	1	–	1	1	1	9	2	4	2	–	–
Balance of county	–	11	1	–	5	4	–	1	–	–	–	–	1	9	6	4	–	–	–
Klickitat	–	8	4	2	6	6	1	1	1	–	2	–	2	8	7	5	2	1	2
Lewis	4	64	8	5	8	15	3	4	5	–	2	6	2	34	18	23	6	1	1
Centralia	3	28	5	1	2	6	3	1	2	–	–	3	1	14	3	5	2	1	–
Balance of county	1	36	3	4	6	9	–	3	3	–	2	3	1	20	15	18	4	–	1
Lincoln	–	7	–	2	2	2	1	–	–	–	1	–	–	10	3	–	–	1	–
Mason	–	18	3	1	1	7	–	1	2	–	–	2	3	17	3	5	5	3	1
Okanogan	–	21	3	2	5	10	2	7	5	–	3	5	3	18	22	14	5	2	2
Pacific	1	19	–	3	5	6	–	–	1	–	1	2	3	12	7	9	4	–	1
Pend Oreille	1	8	2	–	–	5	–	2	–	–	1	3	2	9	3	4	1	2	–
Pierce	9	347	75	27	65	122	3	54	18	–	34	41	31	196	114	119	74	26	6
Puyallup	1	16	4	1	2	6	–	2	2	–	1	1	1	5	6	9	3	–	–
Tacoma	6	202	38	9	32	64	2	26	8	–	13	17	12	105	29	57	30	14	2
Balance of county	2	129	33	17	31	52	1	26	8	–	20	23	18	88	79	53	41	12	4
San Juan	–	9	1	2	1	2	–	1	–	–	1	–	–	6	–	1	2	–	–
Skagit	1	64	12	2	20	23	3	9	3	–	2	2	6	40	24	13	6	4	2
Skamania	–	6	2	2	1	1	–	1	1	–	2	2	–	2	2	4	1	–	–
Snohomish	5	185	62	30	46	74	9	30	20	1	24	24	16	149	89	61	37	15	2
Edmonds	1	16	6	–	6	8	–	1	3	–	1	–	2	21	11	3	2	–	–
Everett	2	59	31	10	12	21	3	10	8	–	5	12	3	42	13	13	5	4	1
Lynnwood	1	11	2	2	2	5	4	5	–	–	1	1	–	13	4	5	3	–	–
Mountlake Terrace	–	6	2	1	2	2	–	–	3	–	1	–	1	6	2	3	2	–	–
Balance of county	1	93	21	17	24	38	2	14	6	1	16	11	10	67	59	37	25	11	1
Spokane	11	255	72	35	67	107	10	47	18	–	33	23	23	208	79	66	49	13	4
Spokane	8	168	52	26	47	71	5	38	9	–	17	12	16	138	37	45	33	8	1
Balance of county	3	87	20	9	20	36	5	11	9	–	16	11	7	70	42	21	16	5	3
Stevens	1	19	8	4	5	6	2	2	2	1	5	4	3	15	10	4	2	–	–
Thurston	3	66	7	9	20	28	3	7	2	–	4	13	4	70	24	30	11	4	–
Olympia	1	24	5	4	5	10	2	4	1	–	2	5	1	32	6	13	3	2	–
Balance of county	2	42	2	5	15	18	1	3	1	–	2	8	3	38	18	17	8	2	–
Wahkiakum	–	3	1	–	–	–	–	–	2	–	–	–	–	4	1	4	1	–	–
Walla Walla	1	44	9	2	11	11	5	10	2	–	1	1	2	36	13	13	3	6	–
Walla Walla	1	34	5	–	9	4	4	8	2	–	–	1	1	23	4	9	1	4	–
Balance of county	–	10	4	2	2	7	1	2	–	–	1	–	1	13	9	4	2	2	–
Whatcom	7	86	20	9	17	16	6	7	5	–	9	7	4	49	31	17	9	4	2
Bellingham	5	47	15	6	7	13	4	3	3	–	2	3	1	27	9	11	3	2	1
Balance of county	2	39	5	3	10	3	2	4	2	–	7	4	3	22	22	6	6	2	1
Whitman	1	23	7	3	8	9	–	1	–	–	–	1	4	15	12	12	2	1	–
Pullman	–	8	3	–	4	2	–	1	–	–	–	–	4	4	3	8	2	1	–
Balance of county	1	15	4	3	4	7	–	–	–	–	–	1	–	11	9	4	–	–	–
Yakima	7	134	11	12	58	45	6	18	3	–	14	19	19	124	58	44	24	16	1
Yakima	3	62	4	7	36	24	3	9	1	–	4	5	8	54	17	17	10	6	1
Balance of county	4	72	7	5	22	21	3	9	2	–	10	14	11	70	41	27	14	10	–
West Virginia	67	1,559	244	170	376	630	54	219	153	6	89	225	188	1,352	548	536	243	145	28
Urban places	20	525	70	56	115	151	12	66	55	–	23	63	43	399	91	119	62	39	13
Balance of area	47	1,034	174	114	261	479	42	153	98	6	66	162	145	953	457	417	181	106	15
Metropolitan counties	15	488	51	48	122	165	18	64	43	–	29	58	60	384	131	140	63	40	14
Urban places	10	304	28	28	75	91	10	39	34		13	35	30	228	58	72	30	25	10
Balance of area	5	184	23	18	47	74	8	25	9	–	16	21	30	156	73	68	33	15	4
Nonmetropolitan counties	52	1,071	193	124	254	465	36	155	110	6	60	169	128	968	417	396	180	105	14
Urban places	10	221	42	28	40	60	2	27	21	–	10	28	13	171	33	47	32	14	3
Balance of area	42	850	151	96	214	405	34	128	89	6	50	141	115	797	384	349	148	91	11
Barbour	2	22	2	2	6	8	–	–	–	–	–	2	–	10	10	2	2	–	–
Berkeley	1	43	23	6	8	15	1	8	2	1	3	2	–	20	19	6	4	–	–
Martinsburg	–	22	11	4	1	6	–	5	1	–	3	1	–	10	8	3	3	–	–
Balance of county	1	21	12	2	7	9	1	3	1	1	–	1	–	10	11	3	1	–	–
Boone	1	19	1	3	5	14	–	2	–	–	1	3	2	27	16	6	9	2	–
Braxton	1	12	2	3	1	5	1	1	2	–	1	2	–	10	3	1	1	1	–
Brooke	–	31	2	–	4	10	2	1	2	–	2	4	2	18	5	8	3	–	–
Weirton, part	–	5	–	–	–	–	–	1	1	–	1	2	–	1	1	2	–	–	–
Balance of county	–	26	2	–	4	10	2	–	1	–	1	2	2	17	4	6	3	–	–
Cabell	3	117	8	12	23	41	5	18	7	–	6	11	24	90	25	33	14	6	3
Huntington, part	2	94	5	8	21	24	4	10	5	–	5	8	14	69	16	20	8	6	3
Huntington, total	2	102	5	9	21	26	4	12	5	–	5	8	14	71	17	22	8	6	3
Balance of county	1	23	3	4	2	17	1	6	2	–	1	3	10	21	9	13	6	–	–
Calhoun	–	7	–	2	2	2	1	–	2	–	1	1	–	6	2	1	–	–	–
Clay	1	7	2	3	7	6	–	–	–	–	1	3	–	4	6	4	1	1	–
Doddridge	–	2	–	–	3	4	–	–	–	–	–	–	1	4	–	2	1	1	–
Fayette	6	50	3	5	12	22	5	6	3	–	1	5	6	42	14	25	5	6	1
Gilmer	–	3	2	–	2	3	1	2	2	–	1	1	–	4	–	2	1	1	–
Grant	–	4	–	–	4	2	–	–	–	–	1	–	2	6	2	3	2	1	–
Greenbrier	–	21	4	9	10	20	1	7	4	–	–	4	6	28	9	8	8	1	–
Hampshire	–	11	–	1	3	5	1	2	2	–	–	–	–	6	7	7	2	–	–
Hancock	1	18	3	–	11	14	1	–	2	–	1	4	6	24	8	8	3	3	–
Weirton, part	1	8	3	–	9	8	–	–	2	–	–	2	3	15	4	2	1	2	–
Weirton, total	1	13	3	–	9	8	–	1	3	–	1	4	3	16	5	4	1	2	–
Balance of county	–	10	–	–	2	6	1	–	–	–	1	2	3	9	4	6	2	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
West Virginia—Con.																			
Hardy	86	–	–	–	21	5	7	2	2	–	–	5	1	39	31	–	1	22	
Harrison	833	1	–	2	172	38	49	20	25	5	10	25	17	474	371	3	12	293	6
Clarksburg	335	1	–	–	60	14	16	7	7	1	5	10	7	207	159	–	10	120	2
Balance of county	498	–	–	2	112	24	33	13	18	4	5	15	10	267	212	3	2	173	3
Jackson	216	–	1	2	37	7	14	2	6	1	2	5	1	115	89	–	2	64	2
Jefferson	259	–	–	1	54	17	11	6	5	2	3	10	6	127	109	2	1	93	1
Kanawha	2,204	6	–	9	472	115	149	32	59	14	12	91	42	1,122	888	5	24	581	27
Charleston	860	2	–	4	196	46	54	15	33	5	4	39	14	434	342	2	10	218	11
St. Albans	158	1	–	–	40	13	10	5	3	1	2	6	2	78	64	–	2	44	1
South Charleston	167	–	–	–	33	6	11	2	4	1	–	9	2	88	63	1	5	42	1
Balance of county	1,021	3	–	5	203	50	74	10	19	7	6	37	24	522	419	2	7	277	13
Lewis	227	–	–	1	49	11	14	3	4	1	4	12	2	142	101	2	3	62	3
Lincoln	202	–	–	2	35	15	9	4	2	2	1	2	6	112	93	1	1	66	2
Logan	468	–	–	2	86	15	25	9	10	3	4	20	10	211	177	1	6	131	3
McDowell	476	1	–	2	84	21	21	8	9	2	2	21	12	215	180	2	11	144	2
Marion	748	1	–	3	137	45	30	4	17	7	2	32	16	412	327	1	7	222	9
Fairmont	322	–	–	1	60	21	14	2	6	4	1	12	7	185	151	–	3	97	5
Balance of county	426	1	–	2	77	24	16	2	11	3	1	20	9	227	178	1	4	125	4
Marshall	358	–	–	6	77	20	28	7	10	3	1	8	14	180	148	2	1	111	3
Moundsville	152	–	–	4	24	5	5	3	5	2	1	3	6	74	63	1	–	48	1
Balance of county	206	–	–	2	53	15	23	4	5	1	–	5	8	106	85	1	1	65	1
Mason	251	–	–	4	40	8	14	3	4	4	–	7	2	142	111	–	4	78	2
Mercer	738	2	–	10	113	32	30	16	11	3	1	20	9	391	306	2	11	243	5
Bluefield [9]	227	1	–	2	26	5	9	5	1	1	–	5	1	144	113	1	4	85	2
Balance of county	511	1	–	8	87	27	21	11	10	2	1	15	8	247	193	1	7	158	3
Mineral	243	–	–	1	51	12	13	2	4	4	3	13	6	138	117	1	6	75	3
Mingo	368	4	–	4	53	13	20	7	6	1	1	5	6	188	161	2	1	131	2
Monongalia	558	1	–	4	120	25	29	10	19	5	3	28	15	279	217	3	2	147	6
Morgantown	259	–	–	2	65	17	14	5	11	3	1	14	5	127	99	1	2	60	3
Balance of county	299	1	–	2	55	9	15	5	8	2	2	14	10	152	118	2	–	87	2
Monroe	132	–	–	3	24	3	8	2	–	2	1	8	–	64	53	2	1	39	1
Morgan	107	–	–	2	15	5	4	1	2	–	–	3	2	60	44	–	–	34	1
Nicholas	222	–	–	–	39	12	8	2	4	3	1	9	3	116	84	1	1	65	1
Ohio	799	–	–	7	157	46	39	19	21	5	3	24	16	460	356	13	8	275	6
Wheeling	676	–	–	7	132	39	28	17	18	4	3	23	12	387	294	11	7	227	4
Balance of county	123	–	–	–	25	7	11	2	3	1	–	1	4	73	62	2	1	48	1
Pendleton	102	–	–	–	17	4	1	1	3	1	2	5	–	64	52	–	–	38	1
Pleasants	71	–	–	2	17	2	3	1	4	1	–	6	1	35	31	–	1	25	
Pocahontas	112	–	–	1	18	6	3	2	1	3	–	3	–	70	63	–	2	53	
Preston	298	1	–	2	69	14	17	6	11	4	2	15	8	151	129	2	6	81	4
Putnam	267	–	–	3	54	17	11	4	4	2	3	13	6	132	115	1	3	79	3
Raleigh	872	–	–	8	160	47	38	12	13	6	8	36	17	442	359	1	6	308	4
Beckley	313	–	–	4	53	17	9	6	5	1	2	13	6	178	148	–	3	129	1
Balance of county	559	–	–	4	107	30	29	6	8	5	6	23	11	264	211	1	3	179	3
Randolph	274	–	–	2	40	7	11	7	4	–	3	8	5	157	111	3	2	86	2
Ritchie	132	–	–	–	25	4	7	4	5	1	–	4	2	73	57	1	3	46	
Roane	176	–	–	1	27	2	10	1	–	2	1	11	–	107	73	–	–	65	
Summers	187	1	–	1	31	8	10	–	2	–	2	9	9	95	88	1	3	71	1
Taylor	175	1	–	–	31	9	7	5	5	2	–	3	1	102	76	–	1	55	2
Tucker	104	1	–	–	16	5	5	–	2	–	2	2	4	60	47	–	2	41	
Tyler	122	–	–	–	21	7	8	1	1	1	–	3	1	85	58	–	–	42	1
Upshur	209	–	–	2	35	12	3	3	7	–	2	8	3	119	99	–	6	52	4
Wayne	331	1	–	2	67	12	23	5	6	1	1	19	3	172	137	–	8	94	3
Huntington, part	54	–	–	1	12	2	3	1	1	1	1	3	–	32	23	–	–	18	
Balance of county	277	1	–	1	55	10	20	4	5	–	–	16	3	140	114	–	8	78	3
Webster	156	–	–	2	31	4	6	2	3	2	4	10	5	75	60	–	1	31	2
Wetzel	215	–	–	–	39	8	15	1	5	2	4	4	5	111	89	–	–	73	1
Wirt	64	–	–	–	20	6	6	1	2	1	–	4	2	31	24	–	1	18	
Wood	903	–	–	2	169	50	55	12	17	5	3	27	9	528	409	4	8	272	12
Parkersburg	571	–	–	2	105	30	37	5	10	3	3	17	6	334	254	3	7	165	7
Vienna	94	–	–	–	17	4	8	–	4	–	–	1	–	55	42	1	–	35	1
Balance of county	238	–	–	–	47	16	10	7	3	2	–	9	3	139	113	–	1	72	4
Wyoming	300	–	–	2	42	9	9	–	6	8	–	10	8	136	115	–	1	97	1
Wisconsin	39,183	28	3	207	8,196	2,292	1,701	753	1,004	433	329	1,684	743	20,957	16,185	153	392	12,794	2,84
Urban places	19,358	24	1	120	4,144	1,123	920	405	487	207	161	841	365	10,348	8,064	86	250	6,394	1,39
Balance of area	19,825	4	2	87	4,052	1,169	781	348	517	226	168	843	378	10,609	8,121	67	142	6,400	1,51
Metropolitan counties	20,205	21	1	131	4,385	1,184	986	409	515	229	169	893	365	10,656	8,286	98	244	6,542	1,40
Urban places	15,139	21	1	105	3,302	895	744	319	367	165	127	685	278	7,981	6,235	68	205	4,920	1,04
Balance of area	5,066	–	–	26	1,083	289	242	90	148	64	42	208	87	2,675	2,051	30	38	1,622	36
Nonmetropolitan counties	18,978	7	2	76	3,811	1,108	715	344	489	204	160	791	378	10,301	7,899	55	148	5,252	1,44
Urban places	4,219	3	–	15	842	228	176	86	120	42	34	156	87	2,367	1,829	18	44	1,474	29
Balance of area	14,759	4	2	61	2,969	880	539	258	369	162	126	635	291	7,934	6,070	37	104	4,778	1,15
Adams	159	–	–	–	35	13	8	2	3	1	–	8	2	86	66	1	–	44	2
Ashland	212	–	–	1	34	13	6	2	1	3	3	6	1	131	103	1	1	67	3
Barron	406	–	–	4	81	20	14	6	13	8	5	15	10	188	145	1	2	101	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Hardy	–	7	1	–	1	3	–	1	1	–	–	–	–	8	6	2	1	2	–
Harrison	8	77	12	6	13	21	1	10	6	1	1	10	3	53	18	18	5	4	3
Clarksburg	2	37	5	4	4	6	–	5	3	–	1	3	–	21	5	5	2	2	3
Balance of county	6	40	7	2	9	15	1	5	3	1	–	7	3	32	13	13	3	2	–
Jackson	2	22	2	–	1	3	–	3	–	–	1	–	3	16	17	8	6	2	–
Jefferson	–	13	4	1	5	8	1	3	3	–	–	3	1	22	11	7	4	3	–
Kanawha	7	188	19	20	54	57	7	32	16	–	12	21	23	159	66	53	25	19	9
Charleston	2	72	9	9	22	20	5	15	11	–	1	10	9	55	22	22	5	8	5
St. Albans	–	13	–	1	3	2	–	2	1	–	1	1	1	12	4	2	2	4	–
South Charleston	2	22	–	1	2	6	1	2	–	–	1	2	2	19	1	6	2	–	–
Balance of county	3	81	10	9	27	29	1	13	4	–	9	8	11	73	39	23	16	7	4
Lewis	–	32	6	3	2	3	1	3	2	–	1	2	4	10	3	1	–	–	1
Lincoln	–	14	4	1	4	6	1	1	1	1	1	1	3	13	3	8	2	2	–
Logan	3	25	3	3	6	21	3	12	7	–	3	6	8	43	13	22	8	7	–
McDowell	–	31	2	2	11	25	–	10	4	–	2	14	7	38	18	18	3	11	1
Marion	3	65	12	5	18	25	2	6	4	–	6	5	9	65	14	11	13	1	–
Fairmont	–	26	5	3	6	11	–	2	1	–	3	4	3	28	2	4	5	–	–
Balance of county	3	39	7	2	12	14	2	4	3	–	3	1	6	37	12	7	8	1	–
Marshall	–	22	7	3	2	13	–	2	4	–	2	5	–	29	6	11	5	2	–
Moundsville	–	6	4	1	1	8	–	1	4	–	–	3	–	15	2	4	5	1	–
Balance of county	–	16	3	2	1	5	–	1	–	–	2	2	–	14	4	7	–	1	–
Mason	–	27	3	1	5	7	–	–	3	–	1	1	1	16	12	11	3	3	–
Mercer	3	68	5	9	16	34	2	10	6	–	6	10	5	64	15	22	15	8	–
Bluefield	2	25	2	2	6	6	–	2	1	–	2	4	–	19	–	7	3	3	–
Balance of county	1	43	3	7	10	28	2	8	5	–	4	6	5	45	15	15	12	5	–
Mineral	2	12	4	3	2	5	–	5	1	–	–	3	3	9	5	6	7	1	–
Mingo	1	21	4	1	5	19	–	5	4	–	6	6	4	25	10	16	3	10	–
Monongalia	2	40	14	6	7	22	–	6	6	–	1	7	7	51	6	12	10	4	–
Morgantown	1	16	7	4	4	7	–	2	5	–	–	1	2	25	2	5	5	2	–
Balance of county	1	24	7	2	3	15	–	4	1	–	1	6	5	26	4	7	5	2	–
Monroe	–	7	2	2	5	4	–	–	1	–	–	2	1	13	10	4	–	–	1
Morgan	–	15	1	–	2	5	2	–	1	–	–	–	–	3	4	9	–	2	–
Nicholas	1	23	8	–	3	15	1	1	2	–	–	3	5	14	11	4	2	2	1
Ohio	3	85	7	9	17	23	1	9	11	–	5	8	1	46	7	17	7	5	2
Wheeling	3	76	7	7	17	21	–	6	10	–	4	7	1	40	7	12	7	4	2
Balance of county	–	9	–	2	–	2	1	3	1	–	1	1	–	6	–	5	–	1	–
Pendleton	–	9	1	2	3	–	1	1	–	–	1	3	–	1	3	3	3	2	–
Pleasants	–	3	1	–	1	1	–	2	3	–	1	–	1	2	1	2	2	–	–
Pocahontas	–	4	1	2	1	3	2	1	–	–	–	3	–	6	2	3	2	–	–
Preston	1	17	2	2	3	10	–	3	2	–	2	2	4	18	10	9	3	–	1
Putnam	–	10	5	2	2	7	1	1	3	1	4	2	3	17	14	6	6	2	3
Raleigh	3	66	6	8	7	42	–	12	5	1	2	8	6	85	22	36	11	8	–
Beckley	1	23	3	3	2	11	–	3	3	–	1	1	1	28	6	7	5	4	–
Balance of county	2	43	3	5	5	31	–	9	2	1	1	7	5	57	16	29	6	4	–
Randolph	3	30	11	2	7	7	–	2	3	–	2	3	1	20	14	6	2	2	1
Ritchie	–	10	5	1	4	–	1	–	2	–	–	3	2	5	11	3	1	–	–
Roane	–	30	1	3	5	4	1	–	1	–	–	5	4	8	2	8	2	1	–
Summers	–	6	–	1	4	8	–	1	2	–	2	3	–	16	7	2	5	–	–
Taylor	1	14	8	3	4	5	–	3	1	–	–	1	1	13	8	2	2	–	–
Tucker	–	8	5	–	–	5	–	–	1	–	–	2	–	9	2	3	–	1	–
Tyler	–	7	1	1	1	3	1	–	3	–	–	1	5	7	5	6	3	–	–
Upshur	1	16	2	1	1	6	–	3	1	–	2	8	1	13	8	5	1	1	–
Wayne	1	27	5	2	11	7	2	4	1	–	1	3	4	18	14	10	6	5	–
Huntington, part	–	8	–	1	–	2	–	2	–	–	–	–	–	2	1	2	–	–	–
Balance of county	1	19	5	1	11	5	2	2	1	–	1	3	4	16	13	8	6	5	–
Webster	–	13	1	1	3	2	–	1	3	–	1	2	2	13	8	5	2	1	–
Wetzel	–	19	2	1	10	4	–	3	1	–	2	1	3	19	4	10	2	1	–
Wirt	–	4	2	1	1	1	–	1	1	–	–	–	1	3	1	2	–	–	–
Wood	5	88	13	13	21	20	2	9	7	–	1	22	9	50	16	22	10	5	1
Parkersburg	3	62	8	7	13	13	1	7	6	–	–	13	6	31	8	14	9	3	–
Vienna	1	10	1	1	4	–	1	1	1	–	–	1	1	9	2	2	–	–	–
Balance of county	1	16	4	5	4	7	–	1	–	–	1	8	2	10	6	6	1	2	1
Wyoming	1	17	–	3	7	7	2	8	2	1	1	4	4	34	15	17	5	5	–
Wisconsin	156	3,480	683	453	912	843	115	444	271	3	309	371	260	2,706	1,033	978	594	161	49
Urban places	76	1,679	320	209	468	416	59	246	120	3	155	193	131	1,381	350	423	277	104	30
Balance of area	80	1,801	363	244	444	427	56	198	151	–	154	178	129	1,325	683	555	317	57	19
Metropolitan counties	86	1,749	317	224	422	442	68	260	136	3	184	200	135	1,412	450	468	320	113	33
Urban places	58	1,298	225	167	333	334	49	209	85	3	131	155	110	1,085	257	337	232	96	25
Balance of area	28	447	92	57	89	108	19	51	41	–	53	45	25	327	193	131	88	17	8
Nonmetropolitan counties	70	1,797	366	229	490	401	47	184	135	–	125	171	125	1,294	583	510	274	48	16
Urban places	18	383	95	42	135	82	10	37	25	–	24	38	21	296	93	86	45	8	5
Balance of area	52	1,354	271	187	355	319	37	147	110	–	101	133	104	998	490	424	229	40	11
Adams	–	17	3	–	4	2	1	2	3	–	1	2	1	6	7	3	2	1	1
Ashland	1	20	2	5	5	5	–	4	2	–	2	1	1	11	6	7	–	1	–
Barron	–	36	4	3	12	12	–	1	6	–	3	5	3	43	16	11	7	4	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Wisconsin—Con.																			
Bayfield	151	–	–	1	29	9	11	1	2	1	1	4	3	89	63	1	1	48	1
Brown	1,126	1	–	7	253	80	56	20	31	10	9	47	25	582	465	6	1	384	7
De Pere	72	–	–	–	20	8	5	4	–	–	–	3	–	38	31	–	–	29	
Green Bay	716	1	–	6	161	49	40	12	18	5	8	29	18	366	289	1	–	244	4
Balance of county	338	–	–	1	72	23	11	4	13	5	1	15	7	178	145	5	1	111	2
Buffalo	149	–	–	–	30	6	1	3	6	3	4	7	3	81	67	–	1	56	1
Burnett	121	–	–	2	22	7	4	3	2	2	–	4	1	70	51	–	–	37	1
Calumet	219	–	–	1	56	17	11	6	8	3	3	8	4	119	95	1	1	85	
Appleton, part	12	–	–	–	1	–	1	–	–	–	–	–	–	8	6	–	1	5	
Balance of county	207	–	–	1	55	17	10	6	8	3	3	8	4	111	89	1	–	80	
Chippewa	436	–	–	6	88	29	16	6	12	8	1	18	12	224	187	–	2	164	2
Chippewa Falls	129	–	–	2	35	7	10	4	5	3	–	6	3	60	54	–	–	50	
Eau Claire, part	4	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	1	
Balance of county	303	–	–	4	52	21	6	2	7	5	1	10	9	163	132	–	2	113	1
Clark	287	–	–	2	62	21	13	7	9	3	–	9	7	142	108	–	1	94	1
Columbia	446	–	–	3	87	28	15	4	11	4	9	18	10	254	194	1	2	141	5
Crawford	159	–	–	1	31	6	9	1	3	2	–	10	1	81	61	–	–	44	1
Dane	1,786	3	–	12	357	88	87	32	49	23	17	61	25	888	654	15	17	499	12
Madison	1,034	3	–	4	201	44	46	24	25	16	8	38	13	523	377	10	9	285	7
Monona	48	–	–	1	12	3	3	1	2	1	–	2	–	22	18	1	–	13	
Balance of county	704	–	–	7	144	41	38	7	22	6	9	21	12	343	259	4	8	201	4
Dodge	639	–	–	2	139	40	21	14	19	8	7	30	9	352	280	1	7	218	5
Beaver Dam	146	–	–	–	30	6	5	4	6	1	3	5	3	87	69	–	2	55	1
Watertown, part	71	–	–	1	13	5	2	2	2	–	–	2	1	37	24	–	–	17	
Balance of county	422	–	–	1	98	29	14	8	11	7	4	23	5	228	187	1	5	146	3
Door	255	–	–	1	44	12	8	4	6	6	1	7	5	119	77	–	–	64	1
Douglas	508	–	–	–	108	37	16	7	13	4	2	29	10	299	237	1	6	173	5
Superior	366	–	–	–	81	30	10	7	10	3	1	20	7	218	171	1	4	122	4
Balance of county	142	–	–	–	27	7	6	–	3	1	1	9	3	81	66	–	2	51	1
Dunn	248	–	–	–	46	15	9	2	9	1	1	9	3	121	97	1	2	80	1
Menomonie	103	–	–	–	16	5	5	2	1	–	–	2	1	56	49	1	2	39	
Balance of county	145	–	–	–	31	10	4	–	8	1	1	7	2	65	48	–	–	41	
Eau Claire	571	1	–	2	115	37	26	7	21	2	4	18	5	330	254	–	8	194	5
Eau Claire, part	377	–	–	2	78	21	21	4	17	2	3	10	3	232	173	–	5	128	4
Eau Claire, total	381	–	–	2	79	22	21	4	17	2	3	10	3	233	174	–	5	129	4
Balance of county	194	1	–	–	37	16	5	3	4	–	1	8	2	98	81	–	3	66	1
Florence	43	–	–	–	7	1	2	–	1	–	–	3	–	22	13	–	–	11	
Fond du Lac	797	–	–	2	160	39	27	20	19	12	8	35	18	455	369	3	11	301	5
Fond du Lac	379	–	–	2	63	16	14	9	6	2	4	12	7	236	198	3	5	155	3
Balance of county	418	–	–	–	97	23	13	11	13	10	4	23	11	219	171	–	6	146	1
Forest	107	–	–	–	17	5	1	4	3	–	1	3	5	57	48	–	1	39	
Grant	440	–	–	4	86	22	13	12	9	7	4	19	7	237	174	–	4	136	3
Green	284	–	–	2	58	16	4	9	10	4	2	13	1	157	125	–	6	82	3
Green Lake	218	–	–	–	48	12	11	3	6	2	3	11	7	113	91	2	–	75	1
Iowa	173	–	–	–	37	6	7	6	7	–	2	9	3	94	64	2	–	56	
Iron	90	–	–	–	22	11	2	1	1	2	1	4	3	46	42	–	3	35	
Jackson	163	–	–	–	32	6	5	3	2	3	4	9	–	96	75	–	2	57	1
Jefferson	537	1	–	1	106	31	20	9	16	3	4	23	5	295	225	2	2	176	4
Watertown, part	109	1	–	–	26	9	5	4	4	1	–	3	1	56	45	–	–	33	1
Watertown, total	180	1	–	1	39	14	7	6	6	1	–	5	2	93	69	–	–	50	1
Whitewater, part	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Balance of county	425	–	–	1	80	22	15	5	12	2	4	20	4	239	180	2	2	143	3
Juneau	236	–	–	2	53	16	11	2	4	4	4	12	4	117	95	–	1	79	1
Kenosha	1,008	–	–	5	233	59	55	23	24	14	7	51	12	564	434	4	5	365	6
Kenosha	747	–	–	5	175	45	41	19	16	10	7	37	12	425	325	3	3	270	4
Balance of county	261	–	–	–	58	14	14	4	8	4	–	14	–	139	109	1	2	95	1
Kewaunee	165	–	–	1	35	11	7	1	6	3	–	7	2	101	79	–	1	44	3
La Crosse	782	2	–	8	144	39	33	12	15	7	8	30	19	412	321	4	2	268	4
La Crosse	523	2	–	6	96	28	20	6	8	6	6	22	16	265	207	4	1	172	3
Balance of county	259	–	–	2	48	11	13	6	7	1	2	8	3	147	114	–	1	96	1
Lafayette	163	–	–	1	33	14	6	3	3	1	2	4	5	97	63	1	2	47	1
Langlade	208	–	–	1	35	11	4	2	4	1	3	10	6	107	80	3	2	65	1
Lincoln	251	–	–	–	63	19	17	4	5	1	–	17	6	131	98	–	1	71	2
Manitowoc	719	1	–	4	143	44	23	13	20	8	7	28	19	390	299	3	5	243	4
Manitowoc	394	–	–	1	75	21	12	7	11	5	4	15	12	214	153	2	2	123	2
Two Rivers	121	1	–	–	22	9	3	2	6	–	2	–	3	76	60	1	1	47	1
Balance of county	204	–	–	3	46	14	8	4	3	3	1	13	4	100	86	–	2	73	1
Marathon	814	1	–	2	170	38	40	17	20	8	5	42	16	445	352	4	7	301	4
Marshfield, part	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	
Wausau	371	1	–	1	80	18	19	9	7	2	2	23	9	210	171	1	2	146	2
Balance of county	441	–	–	1	90	20	21	8	13	6	3	19	7	233	179	3	5	154	1
Marinette	450	–	–	3	81	27	13	6	10	4	3	18	22	249	178	–	5	159	2
Marinette	186	–	–	1	32	9	5	4	6	1	–	7	12	107	80	–	4	70	
Balance of county	264	–	–	2	49	18	8	2	4	3	3	11	10	142	98	–	1	89	1
Marquette	125	–	–	2	18	5	2	2	3	1	–	5	3	67	56	–	–	42	1
Menominee	31	–	–	–	6	3	–	–	2	–	–	1	3	16	6	1	–	3	
Milwaukee	8,866	14	1	68	1,946	533	446	196	215	89	72	395	168	4,645	3,703	45	171	2,873	61
Brown Deer	62	–	–	1	16	2	5	4	1	–	–	4	4	27	23	1	–	17	
Cudahy	139	–	–	–	40	10	9	1	5	3	–	12	3	58	47	–	2	42	
Franklin	64	–	–	–	16	3	4	4	1	–	1	3	1	32	24	–	3	21	
Glendale	205	–	–	1	44	11	9	4	6	3	2	9	3	116	88	–	4	68	1
Greendale	63	–	–	–	26	9	5	3	–	2	2	5	1	26	23	–	2	19	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Wisconsin—Con.																			
Bayfield	1	18	4	3	2	3	-	1	1	-	1	-	-	9	4	7	1	-	-
Brown	1	85	19	12	18	18	-	11	5	1	13	17	9	66	38	35	24	3	-
De Pere	-	4	1	2	1	-	-	-	1	-	2	-	-	4	2	2	2	-	-
Green Bay	1	56	15	5	13	12	-	7	3	1	8	10	7	43	21	22	15	2	-
Balance of county	-	25	3	5	4	6	-	4	1	-	3	7	2	19	15	11	7	1	-
Buffalo	-	8	4	2	9	3	-	3	1	-	1	-	-	4	7	6	1	-	-
Burnett	-	14	4	1	2	2	-	-	1	-	1	-	-	6	6	4	-	1	1
Calumet	-	19	4	1	6	3	-	2	2	-	2	4	-	9	3	5	3	-	-
Appleton, part	-	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Balance of county	-	18	3	1	5	3	-	2	2	-	1	4	-	8	3	5	3	-	-
Chippewa	1	25	7	4	18	11	1	6	3	-	1	7	1	26	10	13	7	2	-
Chippewa Falls	-	5	-	1	4	2	-	3	3	-	-	1	1	7	3	3	-	2	-
Eau Claire, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Balance of county	1	20	7	3	14	9	1	3	-	-	1	6	-	19	7	9	6	-	-
Clark	-	27	4	3	7	7	2	2	2	-	4	1	2	25	8	8	5	1	-
Columbia	3	46	7	4	10	6	2	8	4	-	2	4	1	26	8	10	5	6	-
Crawford	-	16	3	1	5	5	-	2	4	-	1	-	1	9	7	10	1	-	-
Dane	12	156	38	28	41	58	6	21	13	-	31	18	14	139	59	60	30	5	8
Madison	6	104	20	16	27	37	3	11	6	-	20	12	9	78	26	31	19	4	7
Monona	-	2	-	2	-	2	-	2	-	-	-	1	1	2	3	1	1	-	-
Balance of county	6	50	18	10	14	17	3	8	7	-	11	5	4	59	30	28	10	1	1
Dodge	6	58	4	4	21	12	-	4	3	-	5	2	2	34	31	14	8	1	-
Beaver Dam	1	15	1	1	3	2	-	2	1	-	3	-	-	6	6	3	-	-	-
Watertown, part	-	12	1	-	3	1	-	-	-	-	-	-	1	10	3	-	1	-	-
Balance of county	5	31	2	3	15	9	-	2	2	-	2	2	1	18	22	11	7	1	-
Door	-	31	8	3	9	5	-	3	1	-	1	3	24	19	7	10	2	1	1
Douglas	1	37	14	10	5	8	2	6	3	-	1	3	2	26	8	20	4	2	1
Superior	1	27	11	8	3	5	-	5	2	-	1	3	1	18	5	12	2	2	1
Balance of county	-	10	3	2	2	3	2	1	1	-	-	-	1	8	3	8	2	-	-
Dunn	3	18	4	1	19	8	-	3	1	-	3	-	8	21	10	4	1	-	-
Menomonie	-	7	-	-	15	3	-	-	-	-	-	-	1	11	-	1	-	-	-
Balance of county	3	9	4	1	4	5	-	3	1	-	3	-	7	10	10	3	1	-	-
Eau Claire	3	52	14	7	19	12	1	4	3	-	2	7	3	26	15	16	9	1	-
Eau Claire, part	3	40	13	3	11	7	1	-	2	-	1	5	1	17	6	7	3	1	-
Eau Claire, total	3	40	13	3	11	7	1	-	2	-	1	5	1	17	6	8	4	1	-
Balance of county	-	12	1	4	8	5	-	4	1	-	1	2	2	9	9	9	6	-	-
Florence	-	7	-	2	-	1	-	3	-	-	-	2	-	7	-	1	-	-	-
Fond du Lac	1	61	17	7	14	16	1	8	4	-	8	7	4	43	32	15	8	2	-
Fond du Lac	1	27	7	3	9	11	-	3	4	-	2	2	2	22	9	5	2	-	-
Balance of county	-	34	10	4	5	5	1	5	-	-	6	5	2	21	23	10	6	2	-
Forest	-	9	-	-	1	4	1	1	2	-	1	1	-	6	2	3	2	4	-
Grant	2	44	12	5	10	10	1	6	2	-	4	4	3	31	15	17	3	-	-
Green	-	25	1	6	8	7	1	4	2	-	1	3	2	12	4	12	8	-	2
Green Lake	-	15	6	1	1	5	1	3	3	-	1	3	-	17	8	6	2	-	-
Iowa	-	23	7	-	3	2	1	-	1	-	1	3	1	9	8	6	4	-	-
Iron	1	2	-	1	4	1	-	2	-	-	-	-	-	6	-	3	2	1	-
Jackson	-	18	3	-	9	6	1	1	1	-	1	2	2	6	1	3	2	-	-
Jefferson	5	45	10	10	13	11	3	7	7	-	6	2	2	34	21	17	4	2	-
Watertown, part	3	6	2	-	7	2	1	-	1	-	2	-	-	8	4	2	-	-	-
Watertown, total	3	18	3	-	10	3	1	-	1	-	2	-	1	16	7	2	1	-	-
Whitewater, part	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
Balance of county	2	39	8	10	6	9	1	7	6	-	4	2	2	28	17	13	4	2	-
Juneau	-	15	2	5	5	9	1	1	2	-	2	3	-	18	10	6	3	-	-
Kenosha	7	92	22	9	23	14	3	9	5	1	8	15	4	48	27	20	9	4	4
Kenosha	5	77	15	3	17	10	2	6	2	1	5	12	3	37	16	10	4	3	2
Balance of county	2	15	7	6	6	4	1	3	3	-	3	3	1	11	11	10	5	1	2
Kewaunee	-	15	4	3	1	3	-	1	1	-	2	1	-	8	2	4	3	-	-
La Crosse	3	71	8	9	32	21	1	11	8	-	7	2	2	63	13	21	15	1	-
La Crosse	2	47	5	4	17	12	-	8	4	-	5	2	2	52	6	17	13	-	-
Balance of county	1	24	3	5	15	9	1	3	4	-	2	-	-	11	7	4	2	1	-
Lafayette	2	22	8	2	3	3	-	1	-	-	3	3	-	8	2	3	1	-	-
Langlade	-	22	4	1	3	3	-	1	-	-	1	4	-	18	19	6	-	2	-
Lincoln	-	19	7	7	2	5	-	3	2	-	1	4	1	16	7	4	5	1	-
Manitowoc	2	69	10	10	15	13	2	4	4	-	6	9	7	48	23	23	5	2	1
Manitowoc	2	48	3	8	10	9	-	4	2	-	3	4	4	34	5	13	2	1	1
Two Rivers	-	9	6	1	2	2	1	-	-	-	2	1	1	4	2	2	2	-	-
Balance of county	-	12	1	1	3	2	1	-	2	-	1	4	2	10	16	8	1	1	-
Marathon	4	67	13	9	10	21	1	10	2	-	7	6	6	56	18	20	21	2	-
Marshfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wausau	2	25	6	6	7	10	-	3	1	-	3	-	2	30	3	4	6	1	-
Balance of county	2	42	7	3	3	11	1	7	1	-	4	6	4	26	15	16	15	1	-
Marinette	2	45	18	6	6	11	3	7	4	-	-	2	2	34	10	11	3	-	2
Marinette	1	13	12	1	4	5	2	3	-	-	-	1	2	11	1	4	-	-	1
Balance of county	1	32	6	5	2	6	1	4	4	-	-	1	-	23	9	7	3	-	1
Marquette	1	8	1	1	3	2	-	2	3	-	-	1	-	9	3	10	2	-	-
Menominee	1	6	3	-	-	1	-	2	-	-	-	-	-	-	2	1	-	-	-
Milwaukee	34	714	105	89	198	195	32	136	67	-	64	78	66	659	117	189	134	76	13
Brown Deer	-	4	-	-	1	-	-	-	3	-	1	-	-	4	1	3	-	1	-
Cudahy	1	7	2	1	1	4	-	3	1	-	1	-	3	14	3	5	3	-	-
Franklin	-	5	2	1	2	2	-	1	-	-	2	-	1	3	-	1	2	-	1
Glendale	2	22	2	2	3	4	1	1	3	-	1	1	-	17	3	4	3	-	-
Greendale	-	3	-	-	1	2	-	-	-	-	-	1	-	5	-	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart disease (415-429)
Wisconsin—Con.																			
Greenfield	229	–	–	–	54	13	11	7	6	2	4	11	5	128	103	1	3	82	
Milwaukee, part	6,100	12	1	56	1,327	359	317	126	155	61	56	253	121	3,118	2,496	33	122	1,913	4
Milwaukee, total	6,100	12	1	56	1,327	359	317	126	155	61	56	253	121	3,118	2,496	33	122	1,913	4
Oak Creek	79	–	–	–	15	3	4	2	–	1	–	5	1	42	38	1	1	30	
St. Francis	88	–	–	–	17	10	1	1	–	2	–	3	1	47	39	1	–	36	
Shorewood	148	–	–	2	25	10	6	2	5	–	–	2	3	84	69	1	4	50	
South Milwaukee	137	1	–	1	24	7	4	3	4	1	–	5	2	84	80	–	6	56	
Wauwatosa	557	–	–	3	119	37	20	14	12	7	3	26	9	334	258	–	9	212	
West Allis	680	1	–	3	138	38	31	15	13	4	2	35	8	394	295	5	9	240	
Whitefish Bay	101	–	–	–	35	7	9	4	3	–	2	10	–	47	37	1	–	28	
Balance of county	214	–	–	1	50	14	11	6	4	3	–	12	4	108	83	1	6	57	
Monroe	332	–	–	2	49	13	7	8	8	3	1	9	8	191	147	4	3	118	
Oconto	320	–	–	1	67	27	10	5	9	4	3	9	6	184	124	2	1	103	
Oneida	272	–	–	3	53	18	12	3	8	1	5	6	5	143	107	–	–	84	
Outagamie	854	–	–	2	186	43	45	17	27	12	11	31	13	465	361	3	1	280	
Appleton, part	408	–	–	1	89	18	22	10	11	7	6	15	7	210	162	–	1	134	
Appleton, total	418	–	–	1	90	18	23	10	11	7	6	15	7	218	168	–	2	139	
Kaukauna	89	–	–	–	27	8	6	2	3	2	2	4	1	57	46	–	–	35	
Balance of county	359	–	–	1	70	17	17	5	13	3	3	12	5	198	153	3	–	121	
Ozaukee	405	–	–	3	82	21	20	5	11	4	4	17	6	201	149	1	3	122	
Mequon	76	–	–	–	14	5	4	1	2	1	–	1	–	37	25	–	–	21	
Balance of county	329	–	–	3	68	16	16	4	9	3	4	16	6	164	124	1	3	101	
Pepin	69	–	–	–	12	5	2	–	–	1	–	4	1	35	25	–	–	21	
Pierce	188	–	1	–	25	8	5	3	–	1	–	8	4	112	87	–	2	68	
Polk	326	–	–	1	74	22	16	9	12	3	3	9	4	187	144	–	1	94	
Portage	347	–	–	2	75	22	6	11	11	5	3	17	9	182	151	–	5	130	
Stevens Point	184	–	–	2	36	8	2	6	7	3	2	8	6	99	82	–	5	69	
Balance of county	163	–	–	–	39	14	4	5	4	2	1	9	3	83	69	–	–	61	
Price	197	–	–	1	43	12	7	3	4	1	2	14	4	94	72	–	2	47	
Racine	1,380	1	–	6	278	75	64	25	28	15	11	60	33	756	587	3	10	503	
Racine	794	1	–	4	170	53	39	14	14	5	6	39	17	443	331	1	5	289	
Balance of county	586	–	–	2	108	22	25	11	14	10	5	21	16	313	256	2	5	214	
Richland	172	–	–	–	29	6	5	4	4	2	–	8	1	100	76	–	–	68	
Rock	1,118	–	–	4	224	65	50	23	26	15	7	38	17	586	431	1	8	359	
Beloit	344	–	–	1	60	19	14	7	7	4	2	7	7	189	133	1	1	114	
Janesville	366	–	–	1	73	20	22	3	5	4	2	17	5	183	132	–	1	107	
Balance of county	408	–	–	2	91	26	14	13	14	7	3	14	5	214	166	–	6	138	
Rusk	163	–	–	–	27	6	5	3	5	1	1	6	1	108	88	–	2	78	
St. Croix	342	–	1	1	79	25	16	11	8	3	–	16	5	167	124	1	2	98	
Sauk	387	–	–	–	72	18	16	2	12	3	4	17	12	218	165	–	3	130	
Sawyer	144	–	–	–	32	8	5	3	3	1	4	8	3	75	64	–	1	35	
Shawano	379	–	–	1	71	18	10	10	10	4	4	15	12	199	150	1	7	117	
Sheboygan	932	1	–	4	202	59	33	18	22	14	10	46	24	484	354	7	14	255	
Sheboygan	528	–	–	–	122	37	18	12	16	10	5	24	10	282	215	5	11	154	
Balance of county	403	1	–	4	80	22	15	6	6	4	5	22	14	202	139	2	3	101	
Taylor	186	–	–	–	32	10	6	1	6	–	–	9	3	109	78	1	–	59	
Trempealeau	290	1	–	–	63	22	11	5	5	2	3	15	6	151	122	–	–	81	
Vernon	312	–	–	2	48	15	11	1	7	4	3	7	7	184	145	1	3	125	
Vilas	178	–	–	–	39	13	10	3	4	1	1	7	1	98	70	–	–	64	
Walworth	633	1	–	1	131	36	34	11	24	2	5	19	10	362	301	3	4	247	
Whitewater, part	69	–	–	–	15	7	2	–	4	–	1	1	–	46	41	1	1	34	
Whitewater, total	72	–	–	–	15	7	2	–	4	–	1	1	–	46	41	1	1	34	
Balance of county	564	1	–	1	116	29	32	11	20	2	4	18	10	316	260	2	3	213	
Washburn	149	–	–	–	36	10	6	4	3	2	2	9	–	81	59	–	1	46	
Washington	542	–	–	3	119	33	24	7	14	6	5	30	12	281	203	1	3	171	
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
West Bend	167	–	–	1	33	6	5	2	4	3	1	10	4	85	67	–	–	59	
Balance of county	375	–	–	2	86	25	19	5	10	3	4	20	8	196	136	1	3	112	
Waukesha	1,667	–	–	9	403	107	84	39	49	29	16	79	23	874	663	8	16	506	1
Brookfield	217	–	–	–	55	13	14	6	6	2	3	11	2	110	82	–	7	64	
Menomonee Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Muskego	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
New Berlin	109	–	–	–	35	9	8	2	3	2	2	9	1	47	35	–	2	28	
Waukesha	353	–	–	4	79	16	13	9	10	8	2	21	4	194	155	1	3	122	
Balance of county	988	–	–	5	234	69	49	22	30	17	9	38	16	523	391	7	4	292	
Waupaca	549	–	–	1	106	39	17	10	8	4	3	25	19	291	223	1	6	179	
Waushara	201	–	–	–	50	14	13	4	4	3	–	12	2	100	78	–	1	72	
Winnebago	1,062	–	–	7	220	52	45	20	31	13	4	55	17	570	414	6	8	303	
Menasha	104	–	–	–	18	8	2	–	4	–	–	4	2	55	42	2	–	30	
Neenah	173	–	–	1	36	9	10	3	2	3	–	9	2	90	68	–	1	43	
Oshkosh	481	–	–	5	103	22	20	7	18	5	3	28	10	251	178	–	4	139	
Balance of county	304	–	–	1	63	13	13	10	7	5	1	14	3	174	128	4	3	91	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Greenfield	–	20	3	2	3	7	–	1	1	–	1	2	–	18	1	2	5	1	–
Milwaukee, part	18	472	72	60	144	137	24	103	43	–	49	58	52	458	88	138	92	68	11
Milwaukee, total	18	472	72	60	144	137	24	103	43	–	49	58	52	458	88	138	92	68	11
Oak Creek	–	2	–	2	2	2	–	3	–	–	1	–	2	5	2	2	1	1	–
St. Francis	2	6	–	–	1	2	–	1	2	–	2	2	2	5	2	3	–	–	1
Shorewood	–	14	1	–	4	5	1	4	2	–	–	2	–	8	2	3	2	1	–
South Milwaukee	–	4	–	–	2	2	1	2	–	–	1	5	–	9	2	1	–	–	–
Wauwatosa	3	56	9	8	11	7	2	4	6	–	2	3	3	35	4	7	8	–	–
West Allis	5	77	11	6	16	15	2	11	1	–	2	3	3	56	5	7	12	3	–
Whitefish Bay	–	5	2	3	2	2	–	–	1	–	–	1	–	9	–	1	3	–	–
Balance of county	3	17	1	4	5	4	1	2	4	–	1	–	2	13	4	11	3	1	–
Monroe	–	30	4	10	14	7	3	5	5	–	1	3	1	23	9	5	6	–	–
Oconto	–	51	5	4	5	8	1	2	2	–	2	2	1	21	8	8	2	–	–
Oneida	1	22	9	5	8	12	–	2	1	–	2	2	1	21	8	4	6	1	–
Outagamie	5	73	15	11	12	14	5	9	3	–	5	5	4	52	34	26	18	1	–
Appleton, part	2	34	9	3	9	8	3	7	2	–	3	3	3	26	15	12	8	–	–
Appleton, total	2	35	10	3	10	8	3	7	2	–	4	3	3	27	15	12	8	–	–
Kaukauna	–	9	–	2	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Balance of county	3	30	6	6	3	6	2	2	1	–	2	2	1	23	18	14	10	1	–
Ozaukee	1	36	11	4	8	6	1	4	5	–	5	6	2	34	21	11	8	–	2
Mequon	1	9	1	1	2	2	–	2	–	–	–	1	1	7	3	4	2	–	1
Balance of county	–	27	10	3	6	4	1	2	5	–	5	5	1	27	18	7	6	–	1
Pepin	2	7	1	–	4	2	1	–	–	–	1	–	–	8	1	2	2	–	–
Pierce	2	15	3	5	9	4	1	2	3	–	–	1	–	16	2	5	3	–	–
Polk	2	33	7	1	8	5	–	3	2	–	4	3	3	15	5	3	7	1	1
Portage	2	20	8	1	16	3	–	2	3	–	3	2	–	24	8	12	5	1	–
Stevens Point	2	10	5	–	12	–	–	1	2	–	3	1	–	12	4	3	2	1	–
Balance of county	–	10	3	1	4	3	–	1	1	–	–	1	–	12	4	9	3	–	–
Price	–	18	2	2	3	3	–	2	2	–	3	–	7	22	4	5	3	–	1
Racine	8	125	21	15	22	31	4	14	5	1	14	16	10	90	43	23	19	14	–
Racine	3	82	14	13	10	18	3	9	1	1	6	12	7	43	18	13	10	8	–
Balance of county	5	43	7	2	12	13	1	5	4	–	8	4	3	47	25	10	9	6	–
Richland	1	18	3	2	2	4	–	1	–	–	–	1	–	13	4	11	6	–	–
Rock	2	112	24	17	38	21	3	12	8	–	6	17	2	90	41	29	16	2	2
Beloit	1	40	12	3	6	6	1	5	3	–	1	6	1	30	17	5	2	2	2
Janesville	–	36	10	5	20	10	–	5	2	–	2	7	1	26	11	13	7	–	–
Balance of county	1	36	2	9	12	5	2	2	3	–	3	4	–	34	13	11	7	–	–
Rusk	–	17	2	1	2	3	1	–	–	–	1	2	–	7	4	3	2	1	1
St. Croix	3	33	5	2	8	4	2	1	3	–	1	7	3	33	8	15	4	–	–
Sauk	–	39	8	6	4	8	1	3	2	–	2	5	1	29	14	9	6	1	–
Sawyer	1	10	–	–	4	4	1	3	1	–	–	–	–	10	3	3	5	–	–
Shawano	1	28	17	3	9	8	–	1	1	–	1	2	2	33	18	9	9	3	–
Sheboygan	3	95	21	11	25	16	3	5	5	–	7	7	5	84	18	17	24	1	–
Sheboygan	1	46	13	7	16	7	3	2	4	–	2	5	2	44	9	9	12	–	–
Balance of county	2	49	8	4	9	9	–	3	1	–	5	2	3	40	9	8	12	1	–
Taylor	–	18	9	4	3	4	1	1	–	–	2	2	2	12	8	6	1	–	–
Trempealeau	1	20	6	2	11	7	1	4	6	–	2	1	–	21	6	7	3	–	–
Vernon	1	28	7	3	15	14	1	2	4	–	1	5	1	11	4	7	6	–	–
Vilas	1	22	3	2	3	3	–	5	1	–	–	1	1	13	3	10	–	–	–
Walworth	3	40	5	13	9	9	3	5	2	–	–	4	1	43	23	14	14	1	–
Whitewater, part	–	5	–	–	1	–	–	1	–	–	–	–	–	4	–	1	1	–	–
Whitewater, total	–	5	–	–	1	–	1	1	–	–	–	–	–	4	–	3	1	–	–
Balance of county	3	35	5	13	8	9	3	4	2	–	–	4	1	39	23	13	13	1	–
Washburn	–	18	3	1	1	4	–	1	1	–	1	1	1	10	6	2	4	–	–
Washington	1	60	10	7	6	13	3	4	1	–	7	7	3	39	28	5	10	–	2
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	–	14	1	3	4	3	2	1	1	–	4	2	1	13	7	1	4	–	1
Balance of county	1	46	9	4	1	10	1	3	–	–	3	5	2	26	21	4	6	–	1
Waukesha	5	176	17	13	29	36	7	23	12	–	22	17	7	103	39	26	30	5	2
Brookfield	3	22	2	1	5	9	–	3	2	–	2	3	1	16	2	4	2	1	–
Menomonee Falls	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Muskego	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
New Berlin	–	10	1	1	2	–	1	1	1	–	1	2	–	11	–	4	3	–	–
Waukesha	–	31	3	5	10	5	1	4	2	–	7	4	1	23	5	3	7	–	–
Balance of county	2	113	11	6	12	22	5	15	7	–	12	8	5	53	32	15	18	4	2
Waupaca	3	46	11	8	19	5	–	3	8	–	8	3	12	37	21	13	2	–	1
Waushara	–	17	2	3	9	5	–	2	–	–	1	2	–	11	8	7	3	1	–
Winnebago	8	99	33	16	23	27	4	10	7	–	5	12	10	84	20	27	16	2	1
Menasha	–	8	3	2	2	3	1	3	–	–	–	2	2	7	3	6	–	–	–
Neenah	–	13	7	2	3	7	–	3	1	–	2	2	1	13	6	3	3	–	–
Oshkosh	3	49	12	9	14	10	2	3	4	–	1	6	4	42	5	14	6	1	–
Balance of county	5	29	11	3	4	7	1	1	2	–	2	2	3	22	6	4	7	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Oth hea dise (41 42
Wisconsin—Con.																			
Wood	541	–	–	2	119	24	26	10	18	8	7	26	7	300	229	5	2	208	
Marshfield, part	151	–	–	1	27	4	7	3	4	3	1	5	3	82	67	3	–	56	
Marshfield, total	153	–	–	1	27	4	7	3	4	3	1	5	3	84	69	3	–	57	
Wisconsin Rapids	181	–	–	–	39	6	10	4	6	1	3	9	1	102	80	–	2	75	
Balance of county	209	–	–	1	53	14	9	3	8	4	3	12	3	106	82	2	–	75	
Wyoming	3,073	1	–	25	523	128	128	53	68	24	19	103	48	1,378	1,040	21	21	769	2
Urban places	1,097	–	–	13	201	55	56	19	32	6	8	25	19	503	376	13	8	271	
Balance of area	1,976	1	–	12	322	73	72	34	36	18	11	78	29	875	664	8	13	498	1
Nonmetropolitan counties	3,073	1	–	25	523	128	128	53	68	24	19	103	48	1,378	1,040	21	21	769	2
Urban places	1,097	–	–	13	201	55	56	19	32	6	8	25	19	503	376	13	8	271	
Balance of area	1,976	1	–	12	322	73	72	34	36	18	11	78	29	875	664	8	13	498	1
Albany	144	–	–	–	20	9	6	1	2	–	2	–	–	74	61	2	2	45	
Laramie	124	–	–	–	18	9	5	–	2	–	2	–	–	65	55	2	2	40	
Balance of county	20	–	–	–	2	–	1	1	–	–	–	–	–	9	6	–	–	5	
Big Horn	122	–	–	1	18	2	1	2	5	1	1	6	2	68	54	–	1	37	
Campbell	95	–	–	–	13	3	5	1	1	–	1	2	4	37	29	–	–	22	
Carbon	177	–	–	3	30	9	10	1	1	1	–	8	2	64	48	1	–	39	
Converse	91	–	–	–	17	1	1	2	2	2	3	6	2	33	24	1	1	16	
Crook	34	–	–	–	4	2	–	1	–	–	–	1	1	22	16	–	1	12	
Fremont	276	–	–	2	49	7	13	3	8	3	3	12	1	110	82	–	1	58	
Goshen	97	–	–	–	15	5	3	2	–	1	1	3	1	63	44	1	–	36	
Hot Springs	73	–	–	1	9	1	3	1	2	1	–	1	1	37	34	1	1	28	
Johnson	57	–	–	–	8	–	3	–	1	1	1	2	–	32	24	1	–	15	
Laramie	457	–	–	5	91	20	24	17	10	4	4	12	11	215	167	8	6	105	
Cheyenne	387	–	–	5	79	15	24	13	9	3	4	11	9	187	146	7	6	90	
Balance of county	70	–	–	–	12	5	–	4	1	1	–	1	2	28	21	1	–	15	
Lincoln	82	–	–	–	13	3	1	2	–	1	–	6	1	34	28	–	–	22	
Natrona	379	–	–	8	64	15	19	6	10	2	2	10	4	136	100	2	–	83	
Casper	291	–	–	7	54	13	15	4	9	2	2	9	4	116	84	2	–	69	
Balance of county	82	–	–	1	10	2	4	2	1	–	–	1	–	20	16	–	–	14	
Niobrara	34	–	–	–	7	1	–	2	3	–	–	1	–	18	13	1	–	11	
Park	176	–	–	2	31	12	8	3	2	1	–	5	3	93	74	–	4	63	
Platte	72	–	–	–	15	5	4	–	–	1	–	5	2	34	19	–	1	17	
Sheridan	215	–	–	–	41	12	11	1	9	1	–	7	3	105	68	2	–	45	
Sheridan	167	–	–	–	30	11	8	–	8	–	–	3	3	84	54	1	–	39	
Balance of county	48	–	–	–	11	1	3	1	1	1	–	4	–	21	14	1	–	6	
Sublette	33	–	–	–	6	–	3	1	–	1	–	3	1	9	6	–	–	6	
Sweetwater	210	–	–	2	34	10	7	2	9	1	–	5	3	74	56	1	–	48	
Rock Springs	128	–	–	1	20	7	4	2	4	1	–	2	3	51	37	1	–	33	
Balance of county	82	–	–	1	14	3	3	–	5	–	–	3	–	23	19	–	–	15	
Teton	29	–	–	–	5	2	1	1	–	–	–	1	–	9	6	–	–	6	
Uinta	83	–	–	–	11	3	2	1	1	–	–	4	3	38	25	–	–	13	
Washakie	72	–	–	–	7	1	1	2	1	–	1	1	2	32	25	–	2	18	
Weston	71	1	–	1	13	5	2	1	1	2	–	2	1	43	33	–	1	26	

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Wood	2	59	4	6	8	11	–	7	–	–	3	6	4	34	20	10	8	–	2
Marshfield, part	1	19	3	2	1	2	–	1	–	–	–	1	1	9	7	4	2	–	–
Marshfield, total	1	19	3	2	1	2	–	1	–	–	–	1	1	9	7	4	2	–	–
Wisconsin Rapids	–	20	1	1	4	3	–	4	–	–	–	4	1	13	3	4	2	–	1
Balance of county	1	20	–	3	3	6	–	2	–	–	3	1	2	12	10	2	4	–	1
Wyoming	10	243	53	32	68	113	21	41	19	–	31	59	36	229	209	141	86	37	9
Urban places	5	98	12	12	33	36	9	17	6	–	12	18	13	90	51	35	28	12	1
Balance of area	5	145	41	20	35	77	12	24	13	–	19	41	23	139	157	106	58	25	8
Nonmetropolitan counties	10	243	53	32	68	113	21	41	19	–	31	59	36	229	208	141	86	37	9
Urban places	5	98	12	12	33	36	9	17	6	–	12	18	13	90	51	35	28	12	1
Balance of area	5	145	41	20	35	77	12	24	13	–	19	41	23	139	157	106	58	25	8
Albany	–	11	1	1	2	4	–	4	1	–	1	2	3	6	7	11	6	1	2
Laramie	–	8	1	1	2	3	–	4	1	–	1	1	3	6	5	8	5	1	1
Balance of county	–	3	–	–	–	1	–	–	–	–	–	1	–	–	2	3	1	–	1
Big Horn	–	13	–	1	4	3	–	2	–	–	1	3	–	6	6	3	3	2	–
Campbell	–	4	1	3	1	3	–	–	–	–	3	2	2	10	10	4	4	2	–
Carbon	1	7	7	1	3	6	2	1	2	–	3	2	6	13	14	12	10	3	1
Converse	1	6	1	1	2	4	1	2	1	–	1	1	2	7	9	6	2	1	–
Crook	–	4	1	1	–	1	–	–	–	–	1	1	–	1	2	1	–	–	–
Fremont	–	20	7	1	7	11	–	6	5	–	1	5	3	15	28	14	11	5	3
Goshen	–	16	2	1	–	4	–	1	–	–	2	1	–	5	2	1	2	–	–
Hot Springs	1	1	–	1	3	5	–	2	1	–	–	3	–	3	2	2	4	–	–
Johnson	–	6	2	–	1	6	–	1	–	–	–	–	1	6	1	–	–	1	–
Laramie	3	38	3	4	7	17	4	6	2	–	7	4	5	39	14	17	8	5	–
Cheyenne	2	32	3	4	6	15	2	6	2	–	6	4	4	33	6	12	7	4	–
Balance of county	1	6	–	–	1	2	2	–	–	–	1	–	1	6	8	5	1	1	–
Lincoln	–	3	2	1	–	–	1	1	2	–	–	3	–	13	7	5	–	1	1
Natrona	1	24	6	5	9	14	5	8	1	–	4	10	8	32	36	17	10	7	–
Casper	1	21	6	4	7	7	4	4	1	–	2	8	5	26	26	8	8	4	–
Balance of county	–	3	–	1	2	7	1	4	–	–	2	2	3	6	10	9	2	3	–
Niobrara	–	1	2	–	1	4	–	–	–	–	–	1	1	–	–	–	4	–	–
Park	1	15	1	2	1	9	–	–	2	–	–	5	–	10	9	13	2	1	1
Platte	–	11	4	–	2	3	1	1	–	–	–	–	–	8	2	2	2	–	–
Sheridan	–	33	2	2	20	8	1	1	2	–	–	2	1	16	9	3	3	–	–
Sheridan	–	27	1	2	17	5	1	1	2	–	–	1	–	14	6	1	2	–	–
Balance of county	–	6	1	–	3	3	–	–	–	–	–	1	1	2	3	2	1	–	–
Sublette	–	1	–	–	–	2	1	–	–	–	–	3	–	2	4	2	1	–	–
Sweetwater	2	12	2	2	1	7	3	3	–	–	6	5	2	18	24	14	8	5	1
Rock Springs	2	10	1	1	1	6	2	2	–	–	3	4	1	11	8	8	6	3	–
Balance of county	–	2	1	1	–	1	1	1	–	–	3	1	1	7	16	6	2	2	1
Teton	–	1	–	–	3	–	–	–	–	–	–	3	–	2	2	5	–	–	–
Uinta	–	6	6	1	–	5	–	1	–	–	–	1	2	10	7	2	1	2	–
Washakie	–	5	–	2	1	2	2	1	–	–	–	2	–	5	10	5	3	–	–
Weston	–	5	3	2	–	1	–	–	–	–	1	–	–	2	3	2	2	1	–

1 "Districts" shown are election districts, the nearest equivalent to counties.
2 Includes data for Texarkana, Ark., only.
3 The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
4 Includes data for Bristol, Tenn., only.
5 Includes data for Texarkana, Tex., only.
6 On January 1, 1974, Nansemond merged with the independent city of Suffolk.
7 Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
8 Includes data for Bristol, Va., only.
9 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–79	
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1979	
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1979	
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1979	
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1979	
9–6.	Deaths from 72 selected causes, by 10-year age groups and sex: Guam, 1979	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1979	19
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands: 1979	20
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1979	21
9–10.	Total, infant, and neonatal deaths, by race: Virgin Islands and specified urban place and Guam, 1979	22
9–11.	Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1979	23
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1979	24
9–13.	Deaths under 1 year, under 28 days, and 28 days-11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1979	26

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island and for St. John and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 1

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-79

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1979	20,271	6.4	476	4.9	354	3.0
1978	19,612	5.9	461	4.8	398	3.5
1977	19,776	6.0	380	4.1	361	3.3
1976	19,286	6.0	447	4.7	446	4.8
1975	17,805	5.8	477	5.0	427	4.3
1974	18,948	6.3	462	5.2	423	4.4
1973	19,479	6.6	459	5.6	416	4.2
1972	19,011	6.7	---	---	409	4.5
1971	17,499	6.3	498	7.0	338	3.9
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.8
1967	16,877	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	338	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	8.2	315	4.7
1961	16,364	6.8	326	9.5	285	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	248	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.8	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,885	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	20,271	1,819	1,607	1,713	1,720	1,620	1,674	1,639	1,701	1,676	1,711	1,668	1,723
Male	11,799	1,066	943	965	999	967	951	941	985	954	985	987	1,056
Female	8,472	753	664	748	721	653	723	698	716	722	726	681	667
Virgin Islands	476	38	35	42	29	42	32	43	48	49	34	37	47
Male	245	24	15	25	18	19	18	17	30	25	18	10	26
Female	231	14	20	17	11	23	14	26	18	24	16	27	21
White	77	7	9	7	7	10	4	5	5	7	7	7	2
Male	49	6	5	6	5	6	2	1	4	3	6	3	2
Female	28	1	4	1	2	4	2	4	1	4	1	4	–
All other	399	31	26	35	22	32	28	38	43	42	27	30	45
Male	196	18	10	19	13	13	16	16	26	22	12	7	24
Female	203	13	16	16	9	19	12	22	17	20	15	23	21
Black	354	27	22	31	17	29	28	35	41	35	23	25	41
Male	166	17	6	16	9	11	16	15	24	17	9	5	21
Female	188	10	16	15	8	18	12	20	17	18	14	20	20
Guam	354	34	33	30	36	27	21	27	26	31	24	32	39
Male	218	21	26	19	21	17	9	16	15	18	16	19	21
Female	136	13	7	11	15	10	12	11	11	13	8	13	12
White	42	3	8	3	3	5	3	3	1	3	3	3	4
Male	34	2	8	2	1	5	3	1	1	3	2	3	3
Female	8	1	–	1	2	–	–	2	–	–	1	–	1
All other	312	31	25	27	33	22	18	24	25	28	21	29	29
Male	184	19	18	17	20	12	6	15	14	15	14	16	18
Female	128	12	7	10	13	10	12	9	11	13	7	13	11
Guamanian	241	27	20	21	26	14	16	21	16	20	17	24	19
Male	132	17	14	12	16	7	4	13	7	9	11	12	10
Female	109	10	6	9	10	7	12	8	9	11	6	12	9

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1979

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	476	53	6	12	17	25	32	44	65	88	78	56	–
Male	245	25	3	8	12	13	21	26	34	44	38	21	–
Female	231	28	3	4	5	12	11	18	31	44	40	35	–
White	77	5	1	1	4	3	7	11	9	17	11	8	–
Male	49	2	–	1	3	2	5	7	7	13	6	3	–
Female	28	3	1	–	1	1	2	4	2	4	5	5	–
All other	399	48	5	11	13	22	25	33	56	71	67	48	–
Male	196	23	3	7	9	11	16	19	27	31	32	18	–
Female	203	25	2	4	4	11	9	14	29	40	35	30	–
Black	354	38	4	11	12	17	23	28	50	63	63	45	–
Male	166	18	2	7	9	6	14	15	24	25	29	17	–
Female	188	20	2	4	3	11	9	13	26	38	34	28	–
Guam	354	31	8	3	30	25	19	54	57	61	51	15	–
Male	218	11	6	1	19	19	12	42	39	35	26	8	–
Female	136	20	2	2	11	6	7	12	18	26	25	7	–
White	42	8	–	–	6	5	2	7	7	5	2	–	–
Male	34	4	–	–	4	5	2	7	5	5	2	–	–
Female	8	4	–	–	2	–	–	–	2	–	–	–	–
All other	312	23	8	3	24	20	17	47	50	56	49	15	–
Male	184	7	6	1	15	14	10	35	34	30	24	8	–
Female	128	16	2	2	9	6	7	12	16	26	25	7	–
Guamanian	241	19	5	3	18	13	13	33	34	43	45	15	–
Male	132	7	3	1	10	10	7	24	19	22	21	8	–
Female	109	12	2	2	8	3	6	9	15	21	24	7	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	20,271	1,457	147	210	612	668	876	1,494	2,730	4,076	4,060	3,886	55
Male	11,799	841	82	140	477	495	614	1,019	1,741	2,426	2,172	1,744	48
Female	8,472	616	65	70	135	173	262	475	980	1,650	1,888	2,142	7
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	5	2	–	–	–	–	–	–	1	–	1	1	–
Male	3	1	–	–	–	–	–	–	–	–	1	1	–
Female	2	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis (010-018)	123	–	–	1	1	5	7	16	31	33	17	12	–
Male	86	–	–	1	–	2	3	13	24	23	13	7	–
Female	37	–	–	–	1	3	4	3	7	10	4	5	–
Tuberculosis of respiratory system (010-012)	112	–	–	1	1	4	6	15	27	31	16	11	–
Male	80	–	–	1	–	1	3	12	22	21	13	7	–
Female	32	–	–	–	1	3	3	3	5	10	3	4	–
Other tuberculosis (013-018)	11	–	–	–	–	1	1	1	4	2	1	1	–
Male	6	–	–	–	–	1	–	1	2	2	–	–	–
Female	5	–	–	–	–	–	1	–	2	–	1	1	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	4	–	1	1	–	–	–	1	1	–	–	–	–
Male	1	–	1	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	1	–	–	–	1	1	–	–	–	–
Septicemia (038)	123	31	1	1	3	4	2	5	18	26	16	16	–
Male	71	17	1	1	1	2	2	4	16	10	11	6	–
Female	52	14	–	–	2	2	–	1	2	16	5	10	–
Acute poliomyelitis (045)	1	–	–	–	–	1	–	–	–	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	10	–	1	–	1	2	–	3	2	1	–	–	–
Male	7	–	1	–	–	2	–	2	1	1	–	–	–
Female	3	–	–	–	1	–	–	1	1	–	–	–	–
Syphilis (090-097)	7	–	–	–	–	–	–	–	1	–	2	4	–
Male	2	–	–	–	–	–	–	–	–	–	1	1	–
Female	5	–	–	–	–	–	–	–	1	–	1	3	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	56	8	1	3	1	5	3	2	9	11	7	6	–
Male	33	3	1	2	1	5	1	1	5	7	2	4	–
Female	23	5	–	1	–	–	2	1	4	4	4	2	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,026	1	13	29	30	57	123	318	609	834	677	395	–
Male	1,820	1	7	20	20	24	57	168	358	521	441	203	–
Female	1,206	–	6	9	10	33	66	150	251	313	236	192	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	170	–	–	–	–	–	3	25	49	49	24	20	–
Male	146	–	–	–	–	–	3	24	43	40	19	17	–
Female	24	–	–	–	–	–	–	1	6	9	5	3	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,191	–	–	–	4	9	32	108	229	377	300	132	–
Male	732	–	–	–	3	3	22	64	149	231	191	69	–
Female	459	–	–	–	1	6	10	44	80	146	109	63	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	423	–	–	2	–	3	10	51	94	133	91	39	–
Male	322	–	–	2	–	1	8	40	74	104	67	28	–
Female	101	–	–	–	–	2	4	11	20	29	24	11	–
Malignant neoplasm of breast (174-175)	142	–	–	–	1	8	20	34	33	27	13	6	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	142	–	–	–	1	8	20	34	33	27	13	6	–
Malignant neoplasms of genital organs (179-187)	417	–	1	–	1	6	18	22	65	99	128	79	–
Male	250	–	1	–	1	2	2	3	19	62	96	62	–
Female	167	–	–	–	–	4	16	19	46	37	28	17	–
Malignant neoplasms of urinary organs (188-189)	85	–	–	–	–	1	3	5	16	16	22	20	–
Male	56	–	–	–	–	–	2	3	11	13	17	10	–
Female	29	–	–	–	–	1	1	2	5	5	5	10	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	348	1	7	7	7	7	23	46	78	86	65	21	–
Male	184	1	3	5	5	2	16	20	40	51	33	8	–
Female	164	–	4	2	2	5	7	26	38	35	32	13	–
Leukemia (204-208)	130	–	4	17	9	14	7	16	23	15	15	10	–
Male	67	–	2	10	5	9	2	8	11	8	7	5	–
Female	63	–	2	7	4	5	5	8	12	7	8	5	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	120	–	1	3	8	9	7	11	22	30	21	8	–
Male	63	–	1	3	6	7	4	6	11	12	9	4	–
Female	57	–	–	–	2	2	3	5	11	18	12	4	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	91	–	–	2	7	1	8	10	10	29	13	14	–
Male	41	–	–	2	1	1	2	5	2	16	4	7	–
Female	50	–	–	–	6	–	6	4	8	10	9	7	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	822	–	1	1	3	11	17	45	129	227	259	129	–
Male	332	–	1	–	2	5	10	22	67	94	90	41	–
Female	490	–	–	1	1	6	7	23	62	133	169	88	–
Nutritional deficiencies (260-269)	61	3	1	1	2	–	–	2	7	11	13	21	–
Male	26	1	–	–	1	–	–	–	5	6	6	7	–
Female	35	2	1	1	1	–	–	2	2	5	7	14	–
Anemias (280-285)	81	2	1	2	2	3	4	5	7	19	14	21	1
Male	43	–	–	2	1	2	2	4	5	9	7	10	1
Female	38	2	1	–	1	1	2	1	2	10	7	11	–
Meningitis (320-322)	51	14	4	5	6	2	4	3	5	3	3	2	–
Male	33	5	2	5	4	2	4	1	5	3	1	1	–
Female	18	9	2	–	2	–	–	2	–	–	2	1	–
Major cardiovascular diseases (390-448)	8,077	25	7	12	23	57	171	403	1,027	1,687	2,104	2,344	17
Male	4,147	16	4	7	6	33	113	264	609	1,064	1,031	986	14
Female	3,930	9	3	5	17	24	58	139	418	623	1,073	1,358	3
Diseases of heart (390-398,402,404-429)	5,509	17	5	7	17	35	123	287	776	1,367	1,421	1,440	14
Male	2,949	9	3	6	5	18	86	193	479	788	705	644	13
Female	2,560	8	2	1	12	17	37	94	297	579	716	796	1
Rheumatic fever and rheumatic heart disease (390-398)	44	–	–	–	4	5	9	10	7	5	1	3	–
Male	21	–	–	–	1	–	4	6	3	4	–	3	–
Female	23	–	–	–	3	5	5	4	4	1	1	–	–
Hypertensive heart disease (402)	236	–	–	–	1	1	4	16	26	69	67	52	–
Male	110	–	–	–	1	1	2	8	14	33	25	26	–
Female	126	–	–	–	–	–	2	8	12	36	42	26	–
Hypertensive heart and renal disease (404)	12	–	–	–	–	–	1	1	2	5	–	3	–
Male	2	–	–	–	–	–	–	–	1	–	1	–	–
Female	10	–	–	–	–	–	1	–	2	4	–	3	–
Ischemic heart disease (410-414)	3,840	–	–	–	–	11	75	195	574	986	1,013	974	12
Male	2,117	–	–	–	–	9	57	143	366	601	503	427	11
Female	1,723	–	–	–	–	2	18	52	208	385	510	547	1
Acute myocardial infarction (410)	2,127	–	–	–	–	8	61	149	398	621	525	359	6
Male	1,221	–	–	–	–	7	44	109	246	381	253	175	6
Female	906	–	–	–	–	1	17	40	152	240	272	184	–
Other acute and subacute forms of ischemic heart disease (411)	108	–	–	–	–	1	2	9	15	19	21	38	3
Male	58	–	–	–	–	1	1	7	15	12	12	8	2
Female	50	–	–	–	–	–	1	2	–	7	9	30	1
Angina pectoris (413)	10	–	–	–	–	–	–	2	1	4	2	1	–
Male	4	–	–	–	–	–	–	1	–	1	2	–	–
Female	6	–	–	–	–	–	–	1	1	3	–	1	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,595	–	–	–	–	2	12	35	160	342	465	576	3
Male	834	–	–	–	–	1	12	26	105	207	236	244	3
Female	761	–	–	–	–	1	–	9	55	135	229	332	–
Other diseases of endocardium (424)	50	–	1	–	1	2	4	6	8	14	8	6	–
Male	28	–	1	–	–	1	2	4	5	6	5	4	–
Female	22	–	–	–	1	1	2	2	3	8	3	2	–
All other forms of heart disease (415-423,425-429)	1,327	17	4	7	11	16	30	59	159	288	332	402	2
Male	671	9	2	6	3	7	21	31	91	143	172	184	2
Female	656	8	2	1	8	9	9	28	68	145	160	218	–
Hypertension with or without renal disease (401,403)	259	–	–	–	–	2	12	27	51	75	53	39	–
Male	137	–	–	–	–	2	8	19	28	37	27	16	–
Female	122	–	–	–	–	–	4	8	23	38	26	23	–
Cerebrovascular diseases (430-438)	1,683	6	2	5	6	19	29	83	160	352	476	541	2
Male	783	6	1	1	1	12	15	51	79	167	223	206	1
Female	900	–	1	4	5	7	14	32	81	185	255	335	1
Intracerebral and other intracranial hemorrhage (431-432)	316	2	1	1	3	5	11	38	57	79	63	56	–
Male	162	2	1	–	–	4	7	23	29	38	36	22	–
Female	154	–	–	1	3	1	4	15	28	41	27	34	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	359	–	–	1	–	2	6	10	22	63	101	154	–
Male	159	–	–	–	–	1	4	5	14	34	47	54	–
Female	200	–	–	1	–	1	2	5	8	29	54	100	–
Cerebral embolism (434.1)	8	–	–	–	–	–	–	1	–	2	2	3	–
Male	5	–	–	–	–	–	–	1	–	1	2	1	–
Female	3	–	–	–	–	–	–	–	–	1	–	2	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,000	4	1	3	3	12	12	34	81	208	312	328	2
Male	457	4	–	1	1	7	4	22	36	114	136	129	1
Female	543	–	1	2	2	5	8	12	45	94	174	199	1
Atherosclerosis (440)	507	1	–	–	–	–	1	2	24	52	118	308	1
Male	207	1	–	–	–	–	–	1	11	25	56	113	–
Female	300	–	–	–	–	–	1	1	13	27	62	195	1
Other diseases of arteries, arterioles, and capillaries (441-448)	119	1	–	–	–	1	6	4	16	41	34	16	–
Male	71	–	–	–	–	1	4	–	12	27	20	7	–
Female	48	1	–	–	–	–	2	4	4	14	14	9	–
Acute bronchitis and bronchiolitis (466)	8	1	1	–	1	–	–	–	1	1	2	1	–
Male	3	1	1	–	1	–	–	–	–	–	–	–	–
Female	5	–	–	–	–	–	–	–	1	1	2	1	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	1,027	133	18	14	15	22	20	48	91	153	198	311	4
Male	627	87	11	7	12	14	13	36	58	106	122	159	2
Female	400	46	7	7	3	8	7	12	33	47	76	152	2
Pneumonia (480-486)	1,005	133	17	14	15	22	20	48	89	149	196	296	4
Male	620	87	11	7	12	14	13	36	57	106	121	154	2
Female	385	46	6	7	3	8	7	12	32	43	75	144	2
Influenza (487)	22	–	1	–	–	–	–	–	2	4	2	13	–
Male	7	–	–	–	–	–	–	–	1	–	1	5	–
Female	15	–	1	–	–	–	–	–	1	4	1	8	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	481	5	4	3	1	2	14	26	71	109	139	107	–
Male	255	3	1	3	–	1	1	14	45	61	80	46	–
Female	226	2	3	–	1	1	13	12	26	48	59	61	–
Bronchitis, chronic and unspecified (490-491)	49	3	–	–	–	–	2	2	7	9	12	14	–
Male	31	1	–	–	–	–	–	2	6	7	9	6	–
Female	18	2	–	–	–	–	2	–	1	2	3	8	–
Emphysema (492)	132	1	–	–	–	–	2	6	10	31	43	39	–
Male	78	1	–	–	–	–	–	3	6	20	28	18	–
Female	54	–	–	–	–	–	2	3	4	11	14	20	–
Asthma (493)	121	1	4	2	1	1	9	7	27	28	24	17	–
Male	61	1	1	2	–	–	1	3	19	13	13	8	–
Female	60	–	3	–	1	1	8	4	8	15	11	9	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	179	–	–	1	–	1	1	11	27	41	60	37	–
Male	85	–	–	1	–	1	–	6	14	21	29	13	–
Female	94	–	–	–	–	–	1	5	13	20	31	24	–
Ulcer of stomach and duodenum (531-533)	68	1	1	–	2	1	1	6	12	15	12	17	–
Male	47	–	1	–	2	1	–	6	11	9	8	9	–
Female	21	1	–	–	–	–	1	–	1	6	4	8	–
Appendicitis (540-543)	12	1	1	4	–	–	2	1	2	–	1	–	–
Male	9	1	1	3	–	–	1	1	1	–	1	–	–
Female	3	–	–	1	–	–	1	–	1	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	60	5	–	2	–	2	–	4	7	15	9	16	–
Male	31	1	–	1	–	1	–	2	4	9	6	7	–
Female	29	4	–	1	–	1	–	2	3	6	3	9	–
Chronic liver disease and cirrhosis (571)	837	–	1	3	4	32	94	183	227	177	79	33	4
Male	674	–	1	1	2	24	86	154	187	139	60	16	4
Female	163	–	–	2	2	8	8	29	40	38	19	17	–
Cholelithiasis and other disorders of gallbladder (574-575)	38	–	–	–	–	–	–	2	7	9	14	4	–
Male	16	–	–	–	–	–	–	2	3	6	3	2	–
Female	20	–	–	–	–	–	–	–	4	3	11	2	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	189	1	1	1	7	5	10	19	17	43	43	43	–
Male	106	1	1	1	2	2	6	12	6	27	26	22	–
Female	83	–	–	–	5	3	4	6	11	16	17	21	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	–	–	1	–	1	–	2	–	2	2	1	–
Male	5	–	–	1	–	–	–	2	–	1	1	–	–
Female	4	–	–	–	–	1	–	–	–	1	1	1	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	40	–	–	–	2	2	2	4	2	14	6	8	–
Male	26	–	–	–	–	1	2	1	–	11	4	7	–
Female	14	–	–	–	2	1	–	3	2	3	2	1	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	140	1	1	–	5	2	8	12	15	27	35	34	–
Male	75	1	1	–	2	1	4	9	6	15	21	15	–
Female	65	–	–	–	3	1	4	3	9	12	14	19	–
Infections of kidney (590)	22	–	–	–	–	2	1	2	4	2	6	5	–
Male	9	–	–	–	–	1	–	1	1	2	4	–	–
Female	13	–	–	–	–	1	1	1	3	–	2	5	–
Hyperplasia of prostate (600)	13	–	–	–	–	–	–	–	3	3	6	1	–
Male	13	–	–	–	–	–	–	–	3	3	6	1	–
Female	***	***	***	***	***	***	***	***	***	***	***	***	***
Complications of pregnancy, childbirth, and the puerperium (630-676)	10	***	***	–	4	3	3	–	***	***	***	***	–
Male	***	***	***	***	***	***	***	***	***	***	***	***	***
Female	10	***	***	–	4	3	3	–	***	***	***	***	–
Pregnancy with abortive outcome (630-638)	1	***	***	–	–	–	1	–	***	***	***	***	–
Male	***	***	***	***	***	***	***	***	***	***	***	***	***
Female	1	***	***	–	–	–	1	–	***	***	***	***	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	9	***	***	–	4	3	2	–	***	***	***	***	–
Male	***	***	***	***	***	***	***	***	***	***	***	***	***
Female	9	***	***	–	4	3	2	–	***	***	***	***	–
Congenital anomalies (740-759)	263	200	17	11	13	4	3	5	2	6	–	1	1
Male	133	106	4	4	7	2	1	3	1	3	–	1	1
Female	130	94	13	7	6	2	2	2	1	3	–	–	–
Certain conditions originating in the perinatal period (760-779)	815	815	–	–	–	–	–	–	–	–	–	–	–
Male	472	472	–	–	–	–	–	–	–	–	–	–	–
Female	343	343	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	351	351	–	–	–	–	–	–	–	–	–	–	–
Male	205	205	–	–	–	–	–	–	–	–	–	–	–
Female	146	146	–	–	–	–	–	–	–	–	–	–	–

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period-Con.													
Other conditions originating in the perinatal period (760-766,770-779)	464	464	-	-	-	-	-	-	-	-	-	-	-
Male	267	267	-	-	-	-	-	-	-	-	-	-	-
Female	197	197	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	433	42	8	8	17	24	28	30	46	68	53	106	3
Male	252	24	5	5	13	19	19	15	33	46	27	43	3
Female	181	18	3	3	4	5	9	15	13	22	26	63	-
All other diseases (Residual)	1,516	138	25	26	53	65	85	143	188	259	269	257	6
Male	900	80	15	16	31	43	56	99	128	154	156	116	6
Female	616	58	10	10	22	22	29	44	62	105	113	139	2
Accidents and adverse effects (E800-E949)	1,234	28	39	73	227	189	145	120	133	110	86	71	13
Male	983	20	23	55	201	161	118	108	113	86	47	38	13
Female	251	8	16	18	26	28	27	12	20	24	39	33	-
Motor vehicle accidents (E810-E825)	504	3	9	26	123	89	65	56	57	46	23	5	2
Male	415	1	6	17	107	74	55	52	48	39	10	4	2
Female	89	2	3	9	16	15	10	4	9	7	13	1	-
All other accidents and adverse effects (E800-E807,E826-E949)	730	25	30	47	104	100	80	64	76	64	63	66	11
Male	568	19	17	38	94	87	63	56	65	47	37	34	11
Female	162	6	13	9	10	13	17	8	11	17	26	32	-
Suicide (E950-E959)	250	...	...	2	39	57	48	43	29	16	10	6	-
Male	204	...	...	2	32	43	44	35	22	10	10	6	-
Female	46	...	...	-	7	14	4	8	7	6	-	-	-
Homicide and legal intervention (E960-E978)	450	-	-	5	150	111	82	49	30	12	7	2	2
Male	410	-	-	2	137	103	74	45	27	11	7	2	2
Female	40	-	-	3	13	8	8	4	3	1	-	-	-
All other external causes (E980-E999)	8	-	-	-	-	1	1	1	3	-	-	-	2
Male	8	-	-	-	-	1	1	1	3	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	476	53	6	12	17	25	32	44	65	88	78	56	-
White Male	49	2	-	1	3	2	5	7	7	13	6	3	-
White Female	28	3	1	-	1	1	2	4	2	4	5	5	-
All other Male	196	23	3	7	9	11	16	19	27	31	32	18	-
All other Female	203	25	2	4	4	11	9	14	29	40	35	30	-
Black Male	166	18	2	7	9	6	14	15	24	25	29	17	-
Black Female	168	20	2	4	3	11	9	13	26	38	34	28	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	1	-	1	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	3	-	-	-	-	1	-	-	-	-	1	1	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	1	-	-	-	-	1	-	-	-	-	-	-	-
All other Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Black Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-
White Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	–	–	–	–	–	–	–	1	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	61	–	–	–	2	1	5	5	12	20	11	5	–
White Male	11	–	–	–	–	–	–	2	2	4	2	1	–
White Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Male	23	–	–	–	–	–	3	2	4	7	4	3	–
All other Female	26	–	–	–	2	1	2	1	6	8	5	1	–
Black Male	21	–	–	–	–	–	2	2	4	6	4	3	–
Black Female	24	–	–	–	1	1	2	1	5	8	5	1	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	–	–	–	–	–	–	–	1	1	1	–	–
White Male	2	–	–	–	–	–	–	–	1	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	22	–	–	–	–	1	3	2	1	9	4	2	–
White Male	3	–	–	–	–	–	–	2	–	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	9	–	–	–	–	–	1	–	1	2	3	2	–
All other Female	10	–	–	–	–	1	2	–	–	6	1	–	–
Black Male	7	–	–	–	–	–	–	–	1	1	3	2	–
Black Female	10	–	–	–	–	1	2	–	–	6	1	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	11	–	–	–	–	–	–	2	3	4	1	1	–
White Male	4	–	–	–	–	–	–	–	1	1	1	1	–
White Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Male	5	–	–	–	–	–	–	1	2	2	–	–	–
All other Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Black Male	5	–	–	–	–	–	–	1	2	2	–	–	–
Black Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	1	1	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Malignant neoplasms of genital organs (179-187)	14	–	–	–	1	–	1	1	3	4	3	1	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	6	–	–	–	–	–	1	1	–	3	–	1	–
All other Female	8	–	–	–	1	–	–	–	3	1	3	–	–
Black Male	6	–	–	–	–	–	1	1	–	3	–	1	–
Black Female	7	–	–	–	1	–	–	–	2	1	3	–	–
Malignant neoplasms of urinary organs (188-189)	1	–	–	–	–	–	–	–	–	–	1	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	1	–	–
All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	6	–	–	–	1	–	–	–	3	–	1	1	–
White Male	1	–	–	–	–	–	–	–	–	–	1	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other Female	4	–	–	–	1	–	–	–	2	–	–	1	–
Black Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black Female	3	–	–	–	–	–	–	–	2	–	–	1	–
Leukemia (204-208)	1	–	–	–	–	–	–	–	–	1	–	–	–
White Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1	–	–	–	–	–	1	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	1	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	1	–	–	–	–	–	1	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	–	–	–	–	–	–	–	–	1	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	–	1	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	22	–	–	–	–	1	–	1	5	6	6	3	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	8	–	–	–	–	1	–	–	2	2	1	2	–
All other Female	14	–	–	–	–	–	–	1	3	4	5	1	–
Black Male	7	–	–	–	–	–	–	–	2	2	1	2	–
Black Female	14	–	–	–	–	–	–	1	3	4	5	1	–
Nutritional deficiencies (260-269)	5	–	–	–	–	–	2	–	–	2	–	1	–
White Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	2	–	–	–	–	–	1	–	–	–	–	1	–
All other Female	2	–	–	–	–	–	1	–	–	1	–	–	–
Black Male	2	–	–	–	–	–	1	–	–	–	–	1	–
Black Female	1	–	–	–	–	–	1	–	–	–	–	–	–
Anemias (280-285)	5	–	1	–	–	1	–	1	–	–	2	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	2	–	1	–	–	–	–	–	–	–	1	–	–
All other Female	3	–	–	–	–	1	–	1	–	–	1	–	–
Black Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black Female	3	–	–	–	–	1	–	1	–	–	1	–	–
Meningitis (320-322)	1	1	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	172	2	–	1	2	3	8	15	24	38	46	33	–
White Male	19	1	–	–	–	–	2	4	–	6	4	2	–
White Female	13	1	–	–	–	–	–	1	2	2	4	3	–
All other Male	63	–	–	–	1	1	4	6	9	15	19	8	–
All other Female	77	–	–	1	1	2	2	4	13	15	19	20	–
Black Male	53	–	–	–	1	1	4	4	8	12	16	7	–
Black Female	72	–	–	1	1	2	2	4	12	14	18	18	–
Diseases of heart (390-398,402,404-429)	128	1	–	1	2	2	7	14	19	25	35	22	–
White Male	16	1	–	–	–	–	2	4	–	5	4	–	–
White Female	11	–	–	–	–	–	–	1	2	1	4	3	–
All other Male	50	–	–	–	1	–	3	6	9	11	13	7	–
All other Female	51	–	–	1	1	2	2	3	8	8	14	12	–
Black Male	43	–	–	–	1	–	3	4	8	11	10	6	–
Black Female	47	–	–	1	1	2	2	3	8	7	13	10	–
Rheumatic fever and rheumatic heart disease (390-398)	1	–	–	–	–	–	–	–	–	1	–	–	–
White Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hypertensive heart disease (402)	10	–	–	–	–	1	–	2	2	3	2	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	6	–	–	–	–	–	–	1	2	2	1	–	–
All other Female	4	–	–	–	–	1	–	1	–	1	1	–	–
Black Male	6	–	–	–	–	–	–	1	2	2	1	–	–
Black Female	4	–	–	–	–	1	–	1	–	1	1	–	–
Hypertensive heart and renal disease (404)	4	–	–	–	–	–	–	2	–	1	1	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	2	–	–	–	–	–	–	1	–	1	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	2	–	–	–	–	–	–	1	–	–	1	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	2	–	–	–	–	–	–	1	–	–	1	–	–
Ischemic heart disease (410-414)	95	1	–	–	1	–	5	9	15	19	27	18	–
White Male	13	1	–	–	–	–	2	3	–	4	3	–	–
White Female	9	–	–	–	–	–	–	–	2	–	4	3	–
All other Male	37	–	–	–	1	–	2	5	6	8	10	5	–
All other Female	36	–	–	–	–	–	1	1	7	7	10	10	–
Black Male	30	–	–	–	1	–	2	3	5	8	7	4	–
Black Female	32	–	–	–	–	–	1	1	7	6	9	6	–
Acute myocardial infarction (410)	40	1	–	–	1	–	4	4	7	8	11	4	–
White Male	10	1	–	–	–	–	2	3	–	3	1	–	–
White Female	3	–	–	–	–	–	–	–	–	–	2	1	–
All other Male	12	–	–	–	1	–	1	1	3	1	4	1	–
All other Female	15	–	–	–	–	–	1	–	4	4	4	2	–
Black Male	10	–	–	–	1	–	1	–	3	1	3	1	–
Black Female	13	–	–	–	–	–	1	–	4	3	3	2	–
Other acute and subacute forms of ischemic heart disease (411)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	55	–	–	–	–	–	1	5	8	11	16	14	–
White Male	3	–	–	–	–	–	–	–	–	1	2	–	–
White Female	6	–	–	–	–	–	–	–	2	–	2	2	–
All other Male	25	–	–	–	–	–	1	4	3	7	6	4	–
All other Female	21	–	–	–	–	–	–	1	3	3	6	8	–
Black Male	20	–	–	–	–	–	1	3	2	7	4	3	–
Black Female	19	–	–	–	–	–	–	1	3	3	6	6	–
Other diseases of endocardium (424)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	18	–	–	1	1	1	2	1	2	1	5	4	–
White Male	2	–	–	–	–	–	–	1	–	–	1	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	7	–	–	–	–	–	1	–	1	1	2	2	–
All other Female	9	–	–	1	1	1	1	–	1	–	2	2	–
Black Male	7	–	–	–	–	–	1	–	1	1	2	2	–
Black Female	9	–	–	1	1	1	1	–	1	–	2	2	–
Hypertension with or without renal disease (401,403)	4	1	–	–	–	1	–	–	–	–	2	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	1	1	–	–	–	–	–	–	–	–	–	–	–
All other Male	3	–	–	–	–	1	–	–	–	–	2	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	3	–	–	–	–	1	–	–	–	–	2	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	34	–	–	–	–	–	1	1	4	11	9	8	–
White Male	1	–	–	–	–	–	–	–	–	–	–	1	–
White Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Male	9	–	–	–	–	–	1	–	–	3	4	1	–
All other Female	23	–	–	–	–	–	–	1	4	7	5	6	–
Black Male	7	–	–	–	–	–	1	–	–	1	4	1	–
Black Female	22	–	–	–	–	–	–	1	3	7	5	6	–
Intracerebral and other intracranial hemorrhage (431-432)	3	–	–	–	–	–	–	–	1	1	1	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Black Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	–	–	–	–	–	1	1	–	2	3	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	5	–	–	–	–	–	1	–	–	2	2	–	–
All other Female	2	–	–	–	–	–	–	1	–	–	1	–	–
Black Male	3	–	–	–	–	–	1	–	–	–	2	–	–
Black Female	2	–	–	–	–	–	–	1	–	–	1	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	24	–	–	–	–	–	–	–	3	8	5	8	–
White Male	1	–	–	–	–	–	–	–	–	–	–	1	–
White Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Male	3	–	–	–	–	–	–	–	–	1	1	1	–
All other Female	19	–	–	–	–	–	–	–	3	6	4	6	–
Black Male	3	–	–	–	–	–	–	–	–	1	1	1	–
Black Female	16	–	–	–	–	–	–	–	2	6	4	6	–
Atherosclerosis (440)	4	–	–	–	–	–	–	–	–	1	–	3	–
White Male	1	–	–	–	–	–	–	–	–	–	–	1	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Female	2	–	–	–	–	–	–	–	–	–	–	2	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	2	–	–	–	–	–	–	–	–	–	–	2	–
Other diseases of arteries, arterioles, and capillaries (441-448)	2	–	–	–	–	–	–	–	1	1	–	–	–
White Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Acute bronchitis and bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	10	1	–	1	–	–	–	–	3	2	3	–	–
White Male	1	1	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	4	–	–	–	–	–	–	–	1	1	2	–	–
All other Female	5	–	–	1	–	–	–	–	2	1	1	–	–
Black Male	4	–	–	–	–	–	–	–	1	1	2	–	–
Black Female	5	–	–	1	–	–	–	–	2	1	1	–	–
Pneumonia (480-486)	10	1	–	1	–	–	–	–	3	2	3	–	–
White Male	1	1	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	4	–	–	–	–	–	–	–	1	1	2	–	–
All other Female	5	–	–	1	–	–	–	–	2	1	1	–	–
Black Male	4	–	–	–	–	–	–	–	1	1	2	–	–
Black Female	5	–	–	1	–	–	–	–	2	1	1	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	7	–	–	1	–	–	–	–	1	3	1	1	–
White Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–
All other Female	4	–	–	–	–	–	–	–	1	1	1	1	–
Black Male	1	–	–	1	–	–	–	–	–	–	–	–	–
Black Female	3	–	–	–	–	–	–	–	–	1	1	1	–
Bronchitis, chronic and unspecified (490-491)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	3	–	–	1	–	–	–	–	–	2	–	–	–
White Male	1	–	–	–	–	–	–	–	–	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–
All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black Male	1	–	–	1	–	–	–	–	–	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Asthma (493)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	4	–	–	–	–	–	–	–	1	1	1	1	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	3	–	–	–	–	–	–	–	1	–	1	1	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	2	–	–	–	–	–	–	–	–	–	1	1	–
Ulcer of stomach and duodenum (531-533)	1	–	–	–	–	–	–	–	–	–	–	1	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	–	–	–	1	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	1	–	–	–	–	–	–	1	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	1	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	–	–	–	–	–	–	–	1	1	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Chronic liver disease and cirrhosis (571)	23	–	–	–	–	2	8	4	7	2	–	–	–
White Male	5	–	–	–	–	–	1	1	3	–	–	–	–
White Female	2	–	–	–	–	–	1	1	–	–	–	–	–
All other Male	10	–	–	–	–	1	3	2	3	1	–	–	–
All other Female	6	–	–	–	–	1	3	–	1	1	–	–	–
Black Male	8	–	–	–	–	1	2	2	2	1	–	–	–
Black Female	6	–	–	–	–	1	3	–	1	1	–	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	–	–	1	–	1	–	–	1	3	1	1	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	3	–	–	1	–	–	–	–	–	1	1	–	–
All other Female	5	–	–	–	–	1	–	–	1	2	–	1	–
Black Male	3	–	–	1	–	–	–	–	–	1	1	–	–
Black Female	5	–	–	–	–	1	–	–	1	2	–	1	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	–	–	1	–	1	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	1	–	–	–	–	–	–	–	–	–
All other Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Black Male	1	–	–	1	–	–	–	–	–	–	–	–	–
Black Female	1	–	–	–	–	1	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	–	–	–	–	–	–	–	1	2	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	–	1	–	–	–
All other Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Black Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Black Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	–	–	–	–	–	–	–	–	1	1	1	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	–	–	1	–	–
All other Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Black Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Black Female	2	–	–	–	–	–	–	–	–	1	–	1	–
Infections of kidney (590)	2	–	–	–	–	–	–	–	1	1	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	–	–	–	–	–	–	–	1	–	–	–	–
All other Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	...	...	–	1	–	–	–	...	...	...	...	–
White Male	...	...	...	...	...	...	...	...	...	...	...	...	...
White Female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other Male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other Female	1	...	...	–	1	–	–	–	...	...	...	...	–
Black Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black Female	1	...	...	–	1	–	–	–	...	...	...	...	–
Pregnancy with abortive outcome (630-636)	–	...	...	–	–	–	–	–	...	...	...	...	–
White Male	...	...	...	...	...	...	...	...	...	...	...	...	...
White Female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other Male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other Female	–	...	...	–	–	–	–	–	...	...	...	...	–
Black Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black Female	–	...	...	–	–	–	–	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	...	...	–	1	–	–	–	...	...	...	...	–
White Male	...	...	...	...	...	...	...	...	...	...	...	...	...
White Female	–	...	...	–	–	–	–	–	...	...	...	...	–
All other Male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other Female	1	...	...	–	1	–	–	–	...	...	...	...	–
Black Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black Female	1	...	...	–	1	–	–	–	...	...	...	...	–
Congenital anomalies (740-759)	3	3	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	1	1	–	–	–	–	–	–	–	–	–	–	–
All other Female	2	2	–	–	–	–	–	–	–	–	–	–	–
Black Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Black Female	2	2	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	42	42	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other Male	20	20	–	–	–	–	–	–	–	–	–	–	–
All other Female	20	20	–	–	–	–	–	–	–	–	–	–	–
Black Male	15	15	–	–	–	–	–	–	–	–	–	–	–
Black Female	16	16	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	7	7	–	–	–	–	–	–	–	–	–	–	–
All other Female	12	12	–	–	–	–	–	–	–	–	–	–	–
Black Male	4	4	–	–	–	–	–	–	–	–	–	–	–
Black Female	8	8	–	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	23	23	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	2	2	–	–	–	–	–	–	–	–	–	–	–
All other Male	13	13	–	–	–	–	–	–	–	–	–	–	–
All other Female	8	8	–	–	–	–	–	–	–	–	–	–	–
Black Male	11	11	–	–	–	–	–	–	–	–	–	–	–
Black Female	8	8	–	–	–	–	–	–	–	–	–	–	–

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	2	–	–	–	–	–	1	–	–	–	–	1	–
White Male	1	–	–	–	–	–	1	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	–	–	–	1	–
All other diseases (Residual)	41	2	–	1	–	4	4	10	4	5	4	7	–
White Male	1	–	–	–	–	–	–	–	1	–	–	–	–
White Female	5	–	–	–	–	1	–	1	–	–	1	2	–
All other Male	19	–	–	1	–	1	3	4	2	2	3	3	–
All other Female	16	2	–	–	–	2	1	5	1	3	–	2	–
Black Male	16	–	–	1	–	–	3	4	1	1	3	3	–
Black Female	15	1	–	–	–	2	1	5	1	3	–	2	–
Accidents and adverse effects (E800-E949)	43	2	4	6	10	5	2	6	2	2	2	2	–
White Male	4	–	–	1	2	1	–	–	–	–	–	–	–
White Female	3	–	1	–	1	–	–	1	–	–	–	–	–
All other Male	25	1	1	4	7	4	2	3	2	1	–	–	–
All other Female	11	1	2	1	–	–	–	2	–	1	2	2	–
Black Male	21	1	1	4	7	2	2	2	2	–	–	–	–
Black Female	10	1	2	1	–	–	–	1	–	1	2	2	–
Motor vehicle accidents (E810-E825)	16	–	1	3	9	1	–	–	1	–	1	–	–
White Male	3	–	–	1	2	–	–	–	–	–	–	–	–
White Female	1	–	–	–	1	–	–	–	–	–	–	–	–
All other Male	11	–	1	2	6	1	–	–	1	–	–	–	–
All other Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Black Male	11	–	1	2	6	1	–	–	1	–	–	–	–
Black Female	1	–	–	–	–	–	–	–	–	–	1	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	27	2	3	3	1	4	2	6	1	2	1	2	–
White Male	1	–	–	–	–	1	–	–	–	–	–	–	–
White Female	2	–	1	–	–	–	–	1	–	–	–	–	–
All other Male	14	1	–	2	1	3	2	3	1	1	–	–	–
All other Female	10	1	2	1	–	–	–	2	–	1	1	2	–
Black Male	10	1	–	2	1	1	2	2	1	–	–	–	–
Black Female	9	1	2	1	–	–	–	1	–	1	1	2	–
Suicide (E950-E959)	2	...	...	–	–	–	1	–	1	–	–	–	–
White Male	–	...	...	–	–	–	–	–	–	–	–	–	–
White Female	1	...	...	–	–	–	1	–	–	–	–	–	–
All other Male	1	...	...	–	–	–	–	–	1	–	–	–	–
All other Female	–	...	...	–	–	–	–	–	–	–	–	–	–
Black Male	1	...	...	–	–	–	–	–	1	–	–	–	–
Black Female	–	...	...	–	–	–	–	–	–	–	–	–	–
Homicide and legal intervention (E960-E978)	15	–	–	1	2	6	1	1	2	2	–	–	–
White Male	5	–	–	–	1	1	1	–	1	1	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	6	–	–	–	1	2	–	1	1	1	–	–	–
All other Female	4	–	–	1	–	3	–	–	–	–	–	–	–
Black Male	5	–	–	–	1	1	–	1	1	1	–	–	–
Black Female	4	–	–	1	–	3	–	–	–	–	–	–	–
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–	–	–	–
White Male	–	–	–	–	–	–	–	–	–	–	–	–	–
White Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Male	–	–	–	–	–	–	–	–	–	–	–	–	–
All other Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Black Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	354	31	8	3	30	25	19	54	57	61	51	15	–
Male	218	11	6	1	19	19	12	42	39	35	26	8	–
Female	136	20	2	2	11	6	7	12	18	26	25	7	–
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	–	1	–	–	1	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	1	–	–	–	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	1	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	2	–	–	–	–	–	–	–	–	1	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	2	–	–	–	2	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	2	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	40	–	–	–	–	1	2	6	9	13	6	1	–
Male	21	–	–	–	–	1	–	5	6	6	3	–	–
Female	19	–	–	–	–	–	2	3	3	7	3	1	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	–	–	–	–	1	–	1	–	–	–	–	–
Male	1	–	–	–	–	1	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	12	–	–	–	–	–	–	1	3	5	3	–	–
Male	7	–	–	–	–	–	–	1	2	3	1	–	–
Female	5	–	–	–	–	–	–	–	1	2	2	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6	–	–	–	–	–	–	1	1	2	2	–	–
Male	6	–	–	–	–	–	–	1	1	2	2	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	5	–	–	–	–	–	1	1	1	1	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	5	–	–	–	–	–	1	1	1	1	1	–	–
Malignant neoplasms of genital organs (179-187)	3	–	–	–	–	–	1	–	1	1	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	2	–	–	–	–	–	1	–	–	1	–	–	–
Malignant neoplasms of urinary organs (188-189)	4	–	–	–	–	–	–	1	1	1	–	1	–
Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	2	–	–	–	–	–	–	1	–	–	–	1	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	6	–	–	–	–	–	–	2	2	2	–	–	–
Male	3	–	–	–	–	–	–	2	1	–	–	–	–
Female	3	–	–	–	–	–	–	–	1	2	–	–	–
Leukemia (204-208)	2	–	–	–	–	–	–	1	–	1	–	–	–
Male	1	–	–	–	–	–	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	–	–	–	–	1	–	–	1	–	–	–	–
Male	2	–	–	–	–	1	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	11	–	–	–	–	–	1	1	2	4	2	1	–
Male	2	–	–	–	–	–	–	1	–	–	1	–	–
Female	9	–	–	–	–	–	1	–	2	4	1	1	–
Nutritional deficiencies (260-269)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Anemias (280-285)	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	2	2	–	–	–	–	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	126	–	–	–	3	2	3	29	25	27	29	8	–
Male	84	–	–	–	2	2	2	21	20	18	15	4	–
Female	42	–	–	–	1	–	1	8	5	9	14	4	–
Diseases of heart (390-398,402,404-429)	94	–	–	–	2	2	3	23	20	18	22	4	–
Male	64	–	–	–	1	2	2	18	16	12	11	2	–
Female	30	–	–	–	1	–	1	5	4	6	11	2	–
Rheumatic fever and rheumatic heart disease (390-398)	5	–	–	–	1	–	2	–	2	–	–	–	–
Male	3	–	–	–	1	–	1	–	1	–	–	–	–
Female	2	–	–	–	–	–	1	–	1	–	–	–	–
Hypertensive heart disease (402)	3	–	–	–	–	–	–	–	1	2	–	–	–
Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Hypertensive heart and renal disease (404)	1	–	–	–	–	–	–	–	–	–	1	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Ischemic heart disease (410-414)	76	–	–	–	–	1	1	20	15	15	20	4	–
Male	53	–	–	–	–	1	1	16	12	11	10	2	–
Female	23	–	–	–	–	–	–	4	3	4	10	2	–
Acute myocardial infarction (410)	27	–	–	–	–	1	–	6	8	4	6	2	–
Male	20	–	–	–	–	1	–	4	6	4	3	2	–
Female	7	–	–	–	–	–	–	2	2	–	3	–	–
Other acute and subacute forms of ischemic heart disease (411)	22	–	–	–	–	–	1	9	5	2	5	–	–
Male	19	–	–	–	–	–	1	9	5	1	3	–	–
Female	3	–	–	–	–	–	–	–	–	1	2	–	–
Angina pectoris (413)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	27	–	–	–	–	–	–	5	2	9	9	2	–
Male	14	–	–	–	–	–	–	3	1	6	4	–	–
Female	13	–	–	–	–	–	–	2	1	3	5	2	–
Other diseases of endocardium (424)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other forms of heart disease (415-423,425-429)	9	–	–	–	1	1	–	3	2	1	1	–	–
Male	6	–	–	–	–	1	–	2	2	–	1	–	–
Female	3	–	–	–	1	–	–	1	–	1	–	–	–
Hypertension with or without renal disease (401,403)	1	–	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebrovascular diseases (430-438)	25	–	–	–	1	–	–	5	4	7	5	3	–
Male	15	–	–	–	1	–	–	2	3	4	3	2	–
Female	10	–	–	–	–	–	–	3	1	3	2	1	–
Intracerebral and other intracranial hemorrhage (431-432)	9	–	–	–	1	–	–	1	2	2	1	1	–
Male	6	–	–	–	1	–	–	–	2	1	1	1	–
Female	2	–	–	–	–	–	–	1	–	1	–	–	–
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	–	–	–	–	–	–	–	2	2	–	–	–
Male	2	–	–	–	–	–	–	–	1	1	–	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Cerebral embolism (434.1)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	13	–	–	–	–	–	–	4	–	3	4	2	–
Male	7	–	–	–	–	–	–	2	–	2	2	1	–
Female	6	–	–	–	–	–	–	2	–	1	2	1	–
Atherosclerosis (440)	3	–	–	–	–	–	–	–	–	1	1	1	–
Male	1	–	–	–	–	–	–	–	–	1	–	–	–
Female	2	–	–	–	–	–	–	–	–	–	1	1	–
Other diseases of arteries, arterioles, and capillaries (441-448)	3	–	–	–	–	–	–	1	–	1	1	–	–
Male	3	–	–	–	–	–	–	1	–	1	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Acute bronchitis and bronchiolitis (466)	1	1	–	–	–	–	–	–	–	–	–	–	–
Male	1	1	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	6	–	1	–	–	–	–	–	2	2	–	1	–
Male	4	–	1	–	–	–	–	–	1	1	–	1	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Pneumonia (480-486)	6	–	1	–	–	–	–	–	2	2	–	1	–
Male	4	–	1	–	–	–	–	–	1	1	–	1	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	5	–	–	–	–	–	–	–	–	–	3	2	–
Male	3	–	–	–	–	–	–	–	–	–	2	1	–
Female	2	–	–	–	–	–	–	–	–	–	1	1	–
Bronchitis, chronic and unspecified (490-491)	2	–	–	–	–	–	–	–	–	–	1	1	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1	–
Emphysema (492)	1	–	–	–	–	–	–	–	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Asthma (493)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2	–	–	–	–	–	–	–	–	–	2	–	–
Male	1	–	–	–	–	–	–	–	–	–	1	–	–
Female	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer of stomach and duodenum (531-533)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis (540-543)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	–	–	–	–	–	–	1	–	–	–	–
Male	1	–	–	–	–	–	–	–	1	–	–	–	–
Female	1	1	–	–	–	–	–	–	–	–	–	–	–
Chronic liver disease and cirrhosis (571)	10	–	–	–	–	1	–	3	5	–	1	–	–
Male	6	–	–	–	–	1	–	3	2	–	–	–	–
Female	4	–	–	–	–	–	–	–	3	–	1	–	–
Cholelithiasis and other disorders of gallbladder (574-575)	2	–	–	–	–	–	–	1	–	1	–	–	–
Male	2	–	–	–	–	–	–	1	–	1	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	–	–	–	–	–	–	–	2	2	1	–	–
Male	3	–	–	–	–	–	–	–	1	1	1	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Acute glomerulonephritis and nephrotic syndrome (580-581)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	–	–	–	–	–	–	–	1	1	1	–	–
Male	3	–	–	–	–	–	–	–	1	1	1	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	–	–	–	–	–	–	–	1	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	2	–	–	–	–	–	–	–	1	1	–	–	–
Infections of kidney (590)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Hyperplasia of prostate (600)	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	...	...	–	–	2	–	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	...	...	–	–	2	–	–	...	...	...	...	–
Pregnancy with abortive outcome (630-638)	–	...	...	–	–	–	–	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	–	...	...	–	–	–	–	–	...	...	...	...	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	...	...	–	–	2	–	–	...	...	...	...	–
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	...	...	–	–	2	–	–	...	...	...	...	–
Congenital anomalies (740-759)	6	6	–	–	–	–	–	–	–	–	–	–	–
Male	3	3	–	–	–	–	–	–	–	–	–	–	–
Female	3	3	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	13	13	–	–	–	–	–	–	–	–	–	–	–
Male	5	5	–	–	–	–	–	–	–	–	–	–	–
Female	8	8	–	–	–	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	3	–	–	–	–	–	–	–	–	–	–	–

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1979—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period-Con.													
Other conditions originating in the perinatal period (760-766,770-779)	10	10	-	-	-	-	-	-	-	-	-	-	-
Male	5	5	-	-	-	-	-	-	-	-	-	-	-
Female	5	5	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	5	3	-	-	-	-	2	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	3	-	-	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	39	4	3	-	3	1	2	3	7	8	7	1	-
Male	20	1	2	-	-	-	2	2	5	5	2	1	-
Female	19	3	1	-	3	1	-	1	2	3	5	-	-
Accidents and adverse effects (E800-E949)	48	-	4	3	18	10	4	5	1	3	-	-	-
Male	39	-	3	1	13	9	4	5	1	3	-	-	-
Female	9	-	1	2	5	1	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	35	-	2	3	13	9	3	3	1	1	-	-	-
Male	28	-	1	1	10	8	3	3	1	1	-	-	-
Female	7	-	1	2	3	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	13	-	2	-	5	1	1	2	-	2	-	-	-
Male	11	-	2	-	3	1	1	2	-	2	-	-	-
Female	2	-	-	-	2	-	-	-	-	-	-	-	-
Suicide (E950-E959)	8	...	...	-	4	1	1	2	-	-	-	-	-
Male	7	...	...	-	4	-	1	2	-	-	-	-	-
Female	1	...	...	-	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	12	-	-	-	-	5	4	2	1	-	-	-	-
Male	9	-	-	-	-	4	2	2	1	-	-	-	-
Female	3	-	-	-	-	1	2	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	504	101	63	6	–	–	1	6	181	1	145
Male	415	92	42	6	–	–	1	6	149	1	118
Female	89	9	21	–	–	–	–	–	32	–	27
Virgin Islands	16	–	1	–	–	–	–	–	4	–	11
White, male	3	–	–	–	–	–	–	–	–	–	3
White, female	1	–	–	–	–	–	–	–	–	–	1
All other, male	11	–	1	–	–	–	–	–	3	–	7
All other, female	1	–	–	–	–	–	–	–	1	–	–
Black, male	11	–	1	–	–	–	–	–	3	–	7
Black, female	1	–	–	–	–	–	–	–	1	–	–
Guam	35	–	1	–	–	–	–	1	6	–	27
White, male	5	–	1	–	–	–	–	–	–	–	4
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	23	–	–	–	–	–	–	1	4	–	18
All other, female	7	–	–	–	–	–	–	–	2	–	5
Guamanian, male	13	–	–	–	–	–	–	1	2	–	10
Guamanian, female	6	–	–	–	–	–	–	–	2	–	4

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1]	Farm [2]	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Puerto Rico	656	169	7	–	7	4	39	4	16	140	270
Male	523	129	7	–	7	4	36	4	12	126	196
Female	133	40	–	–	–	–	1	–	4	14	74
Virgin Islands	22	2	–	–	–	–	–	–	–	4	16
White, male	1	–	–	–	–	–	–	–	–	–	1
White, female	1	1	–	–	–	–	–	–	–	–	–
All other, male	12	–	–	–	–	–	–	–	–	3	9
All other, female	8	1	–	–	–	–	–	–	–	1	6
Black, male	9	–	–	–	–	–	–	–	–	2	7
Black, female	7	1	–	–	–	–	–	–	–	1	5
Guam	12	1	–	–	–	2	–	–	–	6	3
White, male	4	–	–	–	–	1	–	–	–	1	2
White, female	1	–	–	–	–	–	–	–	–	1	–
All other, male	6	–	–	–	–	1	–	–	–	4	1
All other, female	1	1	–	–	–	–	–	–	–	–	–
Guamanian, male	5	–	–	–	–	–	–	–	–	4	1
Guamanian, female	–	–	–	–	–	–	–	–	–	–	–

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1979

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	20,382	20,271	1,457	1,136	872
Adjuntas	65	118	7	4	4
Aguada	92	159	14	11	13
Aguadilla	490	385	27	19	17
Aguas Buenas	63	142	9	8	7
Aibonito	105	147	16	12	5
Añasco	78	145	13	9	6
Arecibo	1,017	667	25	21	26
Arroyo	81	117	4	3	6
Barceloneta	121	190	6	5	5
Barranquitas	62	116	18	13	8
Bayamón	1,497	1,008	96	74	34
Cabo Rojo	122	252	16	15	14
Caguas	1,102	696	47	41	30
Camuy	79	151	7	5	1
Carolina	315	740	46	36	30
Cataño	82	217	25	17	10
Cayey	193	320	25	20	16
Ceiba	44	68	7	6	4
Ciales	45	90	8	5	1
Cidra	62	120	11	11	7
Coamo	90	179	24	20	11
Comerío	52	105	10	7	4
Corozal	58	137	18	12	11
Culebra	7	7	-	-	-
Dorado	67	152	14	9	5
Fajardo	336	241	10	9	11
Guánica	61	133	8	7	8
Guayama	286	298	24	18	24
Guayanilla	79	166	12	10	7
Guaynabo	174	406	27	16	18
Gurabo	76	151	4	4	5
Hatillo	98	174	9	5	6
Hormigueros	46	89	9	7	4
Humacao	465	296	21	16	14
Isabela	136	244	19	17	15
Jayuya	50	93	12	11	8
Juana Díaz	130	240	17	12	13
Juncos	79	144	10	7	10
Lajas	60	137	12	9	7
Lares	112	185	6	6	2
Las Marías	19	59	6	5	1
Las Piedras	40	121	7	5	4
Loíza	136	246	21	18	10
Luquillo	46	89	6	5	1
Manatí	121	240	13	12	8
Maricao	6	25	2	2	2
Maunabo	30	67	4	2	5
Mayagüez	1,322	713	57	43	37
Moca	80	149	11	8	7
Morovis	65	117	10	10	6
Naguabo	72	148	9	4	3
Naranjito	48	111	14	13	10
Orocovis	71	109	13	10	6
Patillas	46	116	7	6	9
Peñuelas	45	114	8	4	6
Ponce	2,134	1,252	90	71	53
Quebradillas	73	121	5	3	2
Rincón	42	92	9	7	1
Río Grande	99	180	13	9	4
Sabana Grande	75	170	17	12	8
Salinas	122	208	14	12	5
San Germán	343	235	20	16	10
San Juan	5,817	3,569	186	151	117
San Lorenzo	111	193	9	9	11
San Sebastián	123	237	14	11	19
Santa Isabel	70	126	11	9	13
Toa Alta	67	180	24	18	5
Toa Baja	167	378	40	28	15
Trujillo Alto	91	191	19	16	3
Utuado	160	248	18	13	14
Vega Alta	71	135	20	14	6
Vega Baja	159	265	10	9	9
Vieques	41	57	3	2	1
Villalba	53	97	14	9	7
Yabucoa	123	223	19	14	9
Yauco	125	265	21	19	18

Table 9-10. Total, Infant, and Neonatal Deaths, by Race: Virgin Islands and Specified Urban Place and Guam, 1979

[Data by place of residence exclude deaths to nonresidents and deaths to residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths to nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and race	Total deaths by place of occurrence	Deaths by place of residence		
		Total deaths	Under 1 year	Under 28 days
Virgin Islands	517	476	53	48
White	107	77	5	4
All other	410	399	48	44
Black	364	354	36	34
St. Croix Island	244	239	31	29
White	42	33	3	2
All other	202	206	28	27
Black	159	164	18	17
St. John Island	11	16	-	-
White	8	4	-	-
All other	3	12	-	-
Black	3	12	-	-
St. Thomas Island	262	221	22	19
White	57	40	2	2
All other	205	181	20	17
Black	202	179	20	17
Charlotte Amalie	---	178	22	19
White	---	30	2	2
All other	---	148	20	17
Black	---	147	20	17
Balance of area	---	43	-	-
White	---	10	-	-
All other	---	33	-	-
Black	---	31	-	-
Guam	377	354	31	22
White	43	42	8	6
All other	334	312	23	16
Guamanian	243	241	19	15

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	1,457	117	107	130	114	107	109	122	124	134	118	149	126
Under 28 days	1,136	80	87	104	88	88	84	104	101	106	90	117	87
VIRGIN ISLANDS													
Under 1 year	53	5	3	3	4	5	2	5	6	8	4	4	4
White	5	-	-	-	1	1	-	-	-	-	1	2	-
All other	48	5	3	3	3	4	2	5	6	8	3	2	4
Black	38	4	2	2	3	3	2	3	6	6	2	1	4
Under 28 days	48	4	3	3	3	4	1	5	6	8	4	3	4
White	4	-	-	-	1	1	-	-	-	-	1	1	-
All other	44	4	3	3	2	3	1	5	6	8	3	2	4
Black	34	3	2	2	2	2	1	3	6	6	2	1	4
GUAM													
Under 1 year	31	1	-	2	4	3	2	6	4	1	3	2	3
White	8	-	-	1	-	1	-	2	1	1	-	-	2
All other	23	1	-	1	4	2	2	4	3	-	3	2	1
Guamanian	19	-	-	-	3	2	2	3	3	-	3	2	1
Under 28 days	22	1	-	1	3	2	2	4	4	-	3	-	2
White	6	-	-	1	-	1	-	1	1	-	-	-	2
All other	16	1	-	-	3	1	2	3	3	-	3	-	-
Guamanian	15	-	-	-	3	1	2	3	3	-	3	-	-

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,457	841	616	53	25	28	5	2	3	48	23	25	38	18	20
Under 28 days	1,136	655	481	48	23	25	4	2	2	44	21	23	34	16	18
Under 7 days	946	544	402	44	22	22	4	2	2	40	20	20	32	16	16
Under 1 hour	118	66	52	2	1	1	–	–	–	2	1	1	1	–	1
1-23 hours	388	232	156	21	8	13	2	–	2	19	8	11	16	6	10
1 day	135	71	64	9	4	5	1	1	–	8	3	5	5	2	3
2 days	164	98	66	5	4	1	–	–	–	5	4	1	5	4	1
3 days	63	39	24	4	4	–	1	1	–	3	3	–	2	2	–
4 days	33	17	16	2	1	1	–	–	–	2	1	1	1	–	1
5 days	27	14	13	–	–	–	–	–	–	–	–	–	–	–	–
6 days	18	7	11	1	–	1	–	–	–	1	–	1	–	–	–
7-13 days	92	57	35	2	1	1	–	–	–	2	1	1	1	–	1
14-20 days	63	33	30	1	–	1	–	–	–	1	–	1	1	–	1
21-27 days	35	21	14	1	–	1	–	–	–	1	–	1	–	–	–
28 days-1 month	125	74	51	–	–	–	–	–	–	–	–	–	–	–	–
2 months	61	38	23	2	1	1	–	–	–	2	1	1	2	1	1
3 months	24	13	11	–	–	–	–	–	–	–	–	–	–	–	–
4 months	30	18	12	–	–	–	–	–	–	–	–	–	–	–	–
5 months	27	12	15	–	–	–	–	–	–	–	–	–	–	–	–
6 months	11	8	3	1	1	–	–	–	–	1	1	–	1	1	–
7 months	8	4	4	–	–	–	–	–	–	–	–	–	–	–	–
8 months	6	2	4	1	–	1	–	–	–	1	–	1	1	–	1
9 months	9	6	3	–	–	–	–	–	–	–	–	–	–	–	–
10 months	13	9	4	–	–	–	–	–	–	–	–	–	–	–	–
11 months	7	2	5	1	–	1	1	–	1	–	–	–	–	–	–

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	31	11	20	8	4	4	23	7	16	19	7	12
Under 28 days	22	9	13	6	3	3	16	6	10	15	6	9
Under 7 days	14	6	8	5	2	3	9	4	5	9	4	5
Under 1 hour	3	3	-	-	-	-	3	3	-	3	3	-
1-23 hours	5	2	3	2	1	1	3	1	2	3	1	2
1 day	3	1	2	2	1	1	1	-	1	1	-	1
2 days	2	-	2	1	-	1	1	-	1	1	-	1
3 days	-	-	-	-	-	-	-	-	-	-	-	-
4 days	1	-	1	-	-	-	1	-	1	1	-	1
5 days	-	-	-	-	-	-	-	-	-	-	-	-
6 days	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	4	2	2	1	1	-	3	1	2	2	1	1
14-20 days	3	1	2	-	-	-	3	1	2	3	1	2
21-27 days	1	-	1	-	-	-	1	-	1	1	-	1
28 days-1 month	1	-	1	-	-	-	1	-	1	1	-	1
2 months	2	-	2	1	-	1	1	-	1	-	-	-
3 months	1	-	1	-	-	-	1	-	1	1	-	1
4 months	-	-	-	-	-	-	-	-	-	-	-	-
5 months	1	-	1	-	-	-	1	-	1	-	-	-
6 months	-	-	-	-	-	-	-	-	-	-	-	-
7 months	1	1	-	-	-	-	1	1	-	1	1	-
8 months	-	-	-	-	-	-	-	-	-	-	-	-
9 months	1	1	-	1	1	-	-	-	-	-	-	-
10 months	1	-	1	-	-	-	1	-	1	1	-	1
11 months	1	-	1	-	-	-	1	-	1	-	-	-

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1979

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	1,457	1,136	321	53	4	44	34	1	4	4	31	6	16	15	2	7	4
Certain intestinal infections (008-009)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Septicemia (038)	31	. . .	31	–	. . .	. . .	. . .	–	–	–	–	. . .	. . .	. . .	–	–	–
Viral diseases (045-079)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital syphilis (090)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088, 091-139)	7	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of thymus gland (254)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystic fibrosis (277.0)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of blood and blood-forming organs (280-289)	6	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningitis (320-322)	14	7	7	1	–	–	–	–	1	1	2	–	1	1	–	1	1
Other diseases of nervous system and sense organs (323-389)	12	2	10	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Acute upper respiratory infections (460-465)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Bronchitis and bronchiolitis (466,490-491)	4	2	2	–	–	–	–	–	–	–	1	–	–	–	–	1	1
Pneumonia and influenza (480-487)	133	86	47	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	133	86	47	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza (487)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Remainder of diseases of respiratory system (470-478,492-519)	33	11	22	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	3	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Gastritis,duodenitis, and noninfective enteritis and colitis (535,555-558)	53	16	37	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Remainder of diseases of digestive system (520-534,536-543,562-579)	12	6	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	200	128	72	3	–	3	3	–	–	–	6	3	2	2	1	–	–
Anencephalus and similar anomalies (740)	15	15	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
Spina bifida (741)	12	9	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Congenital hydrocephalus (742.3)	8	7	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	3	3	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of heart (745-746)	81	39	42	1	–	1	1	–	–	–	1	–	1	1	–	–	–
Other congenital anomalies of circulatory system (747)	9	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of respiratory system (748)	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of digestive system (749-751)	14	5	9	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Congenital anomalies of genitourinary system (752-753)	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Congenital anomalies of musculoskeletal system (754-756)	11	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Down's syndrome (758.0)	6	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other chromosomal anomalies (758.1-758.9)	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and unspecified congenital anomalies (744,757,759)	31	25	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	815	809	6	42	2	40	31	–	–	–	13	3	10	9	–	–	–
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Newborn affected by maternal complications of pregnancy (761)	22	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Newborn affected by complications of placenta, cord, and membranes (762)	19	19	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Newborn affected by other complications of labor and delivery (763)	5	5	–	1	1	–	–	–	–	–	1	–	1	1	–	–	–
Slow fetal growth and fetal malnutrition (764)	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disorders relating to short gestation and unspecified low birthweight (765)	85	85	–	5	–	5	5	–	–	–	2	1	1	1	–	–	–
Disorders relating to long gestation and high birthweight (766)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth trauma (767)	36	36	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Intrauterine hypoxia and birth asphyxia (768)	38	38	–	5	–	5	3	–	–	–	–	–	–	–	–	–	–
Fetal distress in liveborn infant (768.2-768.4)	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Birth asphyxia (768.5-768.9)	28	28	–	5	–	5	3	–	–	–	–	–	–	–	–	–	–
Respiratory distress syndrome (769)	277	277	–	14	–	14	9	–	–	–	2	–	2	2	–	–	–
Other respiratory conditions of newborn (770)	149	147	2	8	–	8	7	–	–	–	4	1	3	3	–	–	–
Infections specific to the perinatal period (771)	62	62	–	2	–	2	1	–	–	–	2	1	1	1	–	–	–
Neonatal hemorrhage (772)	21	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemorrhagic disease of newborn (776.0)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	89	86	3	7	1	6	6	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-789)	42	34	8	–	–	–	–	–	–	–	3	–	2	2	1	–	–
Sudden infant death syndrome (798.0)	1	1	–	–	–	–	–	–	–	–	3	–	2	2	1	–	–
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	41	33	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents and adverse effects (E800-E949)	28	7	21	2	–	–	–	–	2	2	–	–	–	–	–	–	–
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	14	5	9	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Accidental mechanical suffocation (E913)	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other accidental causes and adverse effects (E800-E810,E914-E949)	11	2	9	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Homicide (E960-E969)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Child battering and other maltreatment (E967)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other homicide (E960-E966,E968-E969)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other causes (Residual)	54	18	36	2	1	–	–	1	–	–	1	–	1	1	–	–	–

☆ U.S. GOVERNMENT PRINTING OFFICE : 1984 O - 447-796